

The CTAN book – Packages on CTAN

Collected, prepared and selected with the aid of the program CTANOut . py

Developers and contributors for T_EX, L^AT_EX, & Co

April 29, 2026

Parameters and statistics

program name	CTANOut . py
program version	3.0.7 (2026-04-01)
program author	Günter Partosch
program date	2026-04-01
date of program execution	2026-04-29
time of program execution	19:51:54
mode	LaTeX
special lists used ¹	True
skipped CTAN fields	[] (no fields skipped = default)
template for package names	^ . + \$ (all packages = default)
template for topics	^ . + \$ (all topics = default)
template for author names	^ . + \$ (all authors = default)
template for licenses	^ . + \$ (all licenses = default)
template for years	^ 19 [89] [0 - 9] 20 [012] [0 - 9] \$ (all years = default)
number of authors, total on CTAN	3161
number of authors, cited here	3081
number of packages, total on CTAN	6939
number of packages, processed locally	6939
number of topics, total on CTAN	614
number of topics, used here	613
number of licenses, total on CTAN	70
number of licenses, used here	56

¹special lists: topics|licenses and their explanations – topics|authors|licenses and related packages(cross-reference lists)

1 a0poster – Support for designing posters on large paper

Web page on CTAN <https://ctan.org/pkg/a0poster>

name	a0poster
caption	Support for designing posters on large paper
author	Kettl, Gerlinde
author	Weiser, Matthias
copyright	Gerlinde Kettl and Matthias Weiser (1997-2004)
license	lppl = The LaTeX Project Public License (free)
version	1.22b
description	(no language specified) Provides fonts in sizes of 12pt up to 107pt and also makes sure that in math formulas the symbols appear in the right size. Can also create a PostScript header file for dvips which ensures that the poster will be printed in the right size. Supported sizes are DIN A0, DIN A1, DIN A2 and DIN A3.
documentation	<i>Package documentation (German):</i> https://ctan.org/tex-archive/macros/latex/contrib/a0poster/a0.pdf
– local file	./5541619876-a0.pdf
documentation	<i>Package documentation (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/a0poster/a0_eng.pdf
– local file	./9020786711-a0_eng.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/a0poster
on MikTeX	a0poster
on T _E XLive	a0poster
keyword	poster (typeset posters, etc.)
see also	see section 5335 on page 4831: (sciposter – Make posters of ISO A3 size and larger)
language(s)	German; English
year	2004
last access	2025-02-12

2 a2ac – AFM to AFM plus Composites

Web page on CTAN <https://ctan.org/pkg/a2ac>

name	a2ac
caption	AFM to AFM plus Composites
author	Olšák, Petr
license	other-nonfree = License that prevents distribution (not free)
version	2
description	(no language specified) Enables the use of PostScript fonts while typesetting texts in languages where inflected letters are used. The font will typically not contain the complete alphabet of a given language; the program will derive composite glyph structures using accent glyphs, and output their details in the derived AFM file. The configuration files of the program are independent of the PostScript font encoding and of the typesetting system encoding. The program may be used to prepare a font for any typesetting system, especially TeX.
documentation	<i>Package documentation (English):</i> https://ctan.org/tex-archive/fonts/utilities/a2ac/a2ac-eng.txt
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/utilities/a2ac/README
documentation	<i>Package documentation (Czech):</i> https://ctan.org/tex-archive/fonts/utilities/a2ac/a2ac-cz.txt
on CTAN	https://ctan.org/tex-archive/fonts/utilities/a2ac
keyword	font-proc (process fonts for use with TeX (includes installation))
see also	see section 33 on page 32: (<i>accfonts</i> – Utilities to derive new fonts from existing ones)
language(s)	Czech; English
year	without year
last access	2025-02-12

3 *a2ping* – Advanced PS, PDF, EPS converter

Web page on CTAN <https://ctan.org/pkg/a2ping>

name	a2ping
caption	Advanced PS, PDF, EPS converter
author	Szabó, Péter
license	gpl = GNU General Public License (free)
version	2.84p (2019-11-17)
last changes	2019-11-17
year	2019
description	(no language specified) a2ping is a Perl script command line utility written for Unix that converts many raster image and vector graphics formats to EPS or PDF and other page description formats. Accepted input file formats are: PS (PostScript), EPS, PDF, PNG, JPEG, TIFF, PNM, BMP, GIF, LBM, XPM, PCX, TGA. Accepted output formats are: EPS, PCL5, PDF, PDF1, PBM, PGM, PPM, PS, markedEPS, markedPS, PNG, XWD, BMP, TIFF, JPEG, GIF, XPM. a2ping delegates the low-level work to Ghostscript (GS), pdftops and sam2p . a2ping fixes many glitches during the EPS to EPS conversion, so its output is often more compatible and better embeddable than its input.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/a2ping/README.txt
contact	<i>repository</i> : https://github.com/pts/a2ping
on CTAN	https://ctan.org/tex-archive/graphics/a2ping
on MikTeX	a2ping
on TeXLive	a2ping
keyword	graphics-prep (prepare graphics for use with *TeX)
language(s)	no language specified
last access	2025-02-12

4 a4 – Support for A4 paper sizes

Web page on CTAN <https://ctan.org/pkg/a4>

name	a4
caption	Support for A4 paper sizes
author	Poppelier, Nico
author	Braams, Johannes L.
license	lppl = The LaTeX Project Public License (free)
version	1.2g
description	(no language specified) Provides support for A4 paper sizes, superseding a LaTeX 2.09 package of the same name (the package was developed from a now-extinct package called a4dutch). The package is mostly superseded by the <code>a4paper</code> option of LaTeX itself and by the <code>geometry</code> package. Its margins are slightly narrower than those of the <code>a4paper</code> option (there are those that claim this is a typographically poor choice), but it also has a <code>widemargins</code> option. The package is now distributed as part of the <code>ntgclass</code> bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ntgclass/a4.pdf
– local file	<code>./7847880164-a4.pdf</code>
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ntgclass/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ntgclass
on MikTeX	<code>ntgclass</code>
on T _E XLive	<code>ntgclass</code>
keyword	<code>geometry</code> (change geometry of page layout)
see also	see section 5 on page 6: (<code>a4wide</code> – “Wide” a4 layout)
see also	see section 2482 on page 2245: (<code>geometry</code> – Flexible and complete interface to document dimensions)
language(s)	no language specified
year	without year
last access	2025-02-12

5 a4wide – “Wide” a4 layout

Web page on CTAN <https://ctan.org/pkg/a4wide>

name	a4wide
caption	“Wide” a4 layout
author	Lamy, Jean-François
author	Holt, Alexander
license	lpl1 = The LaTeX Project Public License 1 (free)
version	(2011-01-04)
last changes	2011-01-04
year	2011
description	(no language specified) This package increases the width of the typeset area of an a4 page. This sort of operation is capable of producing typographically poor results; the operation itself is better provided by the geometry package. The package uses the a4 package.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/a4wide/a4wide.pdf
– local file	./5346925554-a4wide.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/a4wide
on MikTeX	a4wide
on T _E XLive	a4wide
keyword	geometry (change geometry of page layout)
language(s)	no language specified
last access	2025-02-12

6 a5comb – Support for a5 paper sizes

Web page on CTAN <https://ctan.org/pkg/a5comb>

name	a5comb
caption	Support for a5 paper sizes
author	Wolczko, Mario
license	pd = Public Domain Software (free)
version	4

description	(no language specified) Superseded by geometry .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/a5comb/a5comb.pdf
– local file	<code>./4946025168-a5comb.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/a5comb
on MikTeX	<code>a5comb</code>
on TeXLive	<code>a5comb</code>
keyword	<code>geometry</code> (change geometry of page layout)
language(s)	no language specified
year	without year
last access	2025-08-30

7 *aaai* – AAI style

Web page on CTAN	https://ctan.org/pkg/aaai
name	<code>aaai</code>
caption	AAAI style
author	Patel-Schneider, Peter
license	<code>noinfo</code> = <code>noinfo</code>
version	(1988-04-05)
last changes	1988-04-05
year	1988
description	(no language specified) LaTeX 2.09 conference style for AAAI-88. (The package does not work with current LaTeX, and the style it implements is not that which the AAAI seems now to favour.)
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex209/contrib/aaai
keyword	<code>confproc</code> (typesetting conference proceedings)
see also	see section 8 on page 8: (<code>aaai-named</code> – BibTeX style for AAAI)
language(s)	no language specified
last access	2025-02-12

8 *aaai-named* – BibTeX style for AAAI

Web page on CTAN <https://ctan.org/pkg/aaai-named>

name	aaai-named
caption	BibTeX style for AAAI
author	Patel-Schneider, Peter
copyright	Peter F. Patel-Schneider (1988)
license	other-free = Free license not otherwise listed (free)
description	(no language specified) A BibTeX style derived from the standard master, presumably for use with the aaai package.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/aaai-named.bst
on MikTeX	beebe
on T _E XLive	beebe
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
year	1988
last access	2025-02-19

9 *aalok* – LaTeX class file for the Marathi journal ‘Aalok’

Web page on CTAN <https://ctan.org/pkg/aalok>

name	Aalok
caption	LaTeX class file for the Marathi journal ‘Aalok’
author	निरंजन
copyright	निरंजन (2021)
license	fdl = Free Documentation License (free)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
license	other-free = Free license not otherwise listed (free)
version	0.6 (2021-12-16)
last changes	2021-12-16
year	2021

10 *aastex* – Macros for Manuscript Preparation for AAS Journals

description	(no language specified) आलोक मराठी नियतकालिकाची अक्षरजुळणी करण्याकरिता लाटेक्-वर्ग. This package provides the class file for typesetting ‘Aalok’, a Marathi journal with LaTeX.
documentation	(Marathi) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/aalok/aalok.pdf
– local file	<code>./2027851645-aalok.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/aalok/README.txt
home page	https://puszcza.gnu.org.ua/projects/aalok
contact	<i>support</i> : mailto:aalok-latex@gnu.org.ua
contact	<i>bugs</i> : https://puszcza.gnu.org.ua/bugs/?group=aalok
contact	<i>repository</i> : https://git.gnu.org.ua/aalok.git
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/aalok
on MikTeX	<code>aalok</code>
on T _E XLive	<code>aalok</code>
keyword	<code>marathi</code> (support for typesetting Marathi)
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>journalpub</code> (typesetting journals, etc)
language(s)	Marathi
last access	2025-08-30

10 *aastex* – Macros for Manuscript Preparation for AAS Journals

Web page on CTAN	https://ctan.org/pkg/aastex
name	<code>aastex</code>
caption	Macros for Manuscript Preparation for AAS Journals
author	American Astronomical Society
copyright	American Astronomical Society (2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	6.3.1 (2021-03-01)

11 *abbr* – Simple macros supporting abbreviations for Plain and LaTeX

last changes	2021-03-01
year	2021
description	(no language specified) The bundle provides a document class for preparing papers for American Astronomical Society publications. Authors who wish to submit papers to AAS journals are strongly urged to use this class in preference to any of the alternatives available.
documentation	(no language specified) <i>Documentation including a Guide:</i> http://journals.aas.org/authors/aastex.html
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/aastex/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/aastex
on MikTeX	aastex
on T _E XLive	aastex
keyword	journalpub (typesetting journals, etc)
keyword	astronomy (astronomy articles, astronomical charts)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-12

11 **abbr** – Simple macros supporting abbreviations for Plain and LaTeX

Web page on CTAN	https://ctan.org/pkg/abbr
name	abbr
caption	Simple macros supporting abbreviations for Plain and LaTeX
author	Thành, Hàn Thế
license	pd = Public Domain Software (free)
description	(no language specified) The package provides some simple macros to support abbreviations in Plain TeX or LaTeX. It allows writing (e.g.) <code>\<TeX></code> instead of <code>\TeX</code> , hence frees users from having to escape space after parameterless macros.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/generic/abbr/README
on CTAN	https://ctan.org/tex-archive/macros/generic/abbr
on T _E XLive	abbr
keyword	shortcut (shortcuts when typing)

keyword	abbrev (macros for defining abbreviations in documents)
language(s)	no language specified
year	without year
last access	2025-02-14

12 *abbrevs* – Text abbreviations in LaTeX

Web page on CTAN <https://ctan.org/pkg/abbrevs>

name	abbrevs
caption	Text abbreviations in LaTeX
author	Swift, Matt
copyright	Matt Swift (1995-2001)
license	lppl = The LaTeX Project Public License (free)
version	1.4
description	(no language specified) A LaTeX package defining abbreviation macros, which expand to defined text and insert following space intelligently, based on context. They can also expand to one thing the first time they are used and another thing on subsequent invocations. Thus they can be abbreviations in two senses, in the source and in the document. Also includes a facility for suffixes like 1900\BC and 6:00\PM which correctly handles following periods. The package is part of the frankenstein bundle.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/abbrevs.pdf
– local file	./9146941535-abbrevs.pdf
documentation	(no language specified) <i>Bundle README</i>: https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/frankenstein
on MikTeX	frankenstein
on TeXLive	frankenstein
keyword	abbrev (macros for defining abbreviations in documents)
language(s)	no language specified
year	2001
last access	2025-02-14

13 *abc* – Support ABC music notation in LaTeX

Web page on CTAN <https://ctan.org/pkg/abc>

name	abc
caption	Support ABC music notation in LaTeX
author	Gregorio, Enrico
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	2.0b
description	(no language specified) The <i>abc</i> package lets you include lines of music written in the ABC Plus language. The package will then employ the <code>\write18</code> facility to convert your notation to PostScript (using the established utility <code>abcm2ps</code>) and hence to the format needed for inclusion in your document.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/abc/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/abc/abc.pdf
– local file	<code>./5287537704-abc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/abc
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/abc.tds.zip
on MikTeX	abc
on TeXLive	abc
keyword	music (typesetting music and related stuff)
keyword	foreign-import (import files in a non-TeX (or different TeX) format)
see also	see section 14 on page 13: (<code>abc2mtex</code> – Notate tunes stored in ABC notation)
language(s)	no language specified
year	without year
last access	2025-02-14

14 abc2mtex – Notate tunes stored in ABC notation

Web page on CTAN <https://ctan.org/pkg/abc2mtex>

name	abc2mtex
caption	Notate tunes stored in ABC notation
author	Walshaw, Chris
license	nosell = Do Not Sell Except by Arrangement (not free)
version	1.6.1
description	(no language specified) A package to notate tunes stored in an ascii format (abc notation, commonly used to notate traditional music). One of the most important aims of ABC notation, and perhaps one that distinguishes it from most, if not all, computer-readable musical languages is that it can be easily read by humans. The package produces files that can be processed with MusicTeX .
documentation	(no language specified) <i>Setup instructions:</i> https://ctan.org/tex-archive/support/abc2mtex/README
documentation	(no language specified) <i>User guide:</i> https://ctan.org/tex-archive/support/abc2mtex/usrguide.pdf
– local file	./6538283917-usrguide.pdf
documentation	(no language specified) <i>Outline of abc format:</i> https://ctan.org/tex-archive/support/abc2mtex/abc.txt
documentation	(no language specified) <i>Introductory links:</i> https://ctan.org/tex-archive/support/abc2mtex/INTRO.html
home page	http://abcnotation.com/
on CTAN	https://ctan.org/tex-archive/support/abc2mtex
keyword	music (typesetting music and related stuff)
keyword	foreign-import (import files in a non-TeX (or different TeX) format)
language(s)	no language specified
year	without year
last access	2025-02-14

15 *abnt* – Typesetting academic works according to ABNT rules

Web page on CTAN <https://ctan.org/pkg/abnt>

name	abnt
caption	Typesetting academic works according to ABNT rules
author	Cherem, Youssef
copyright	Youssef Cherem (2018-2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2020-06-06)
last changes	2020-06-06
year	2020
description	(no language specified) The ABNT package provides a clean and practical implementation of the ABNT rules for academic texts. Its purpose is to be as simple and user-friendly as possible.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/abnt/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/abnt/abnt-doc.pdf
– local file	./5646017898-abnt-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/abnt
on MikTeX	abnt
on T _E XLive	abnt
keyword	portuguese-br (support for typesetting Brazilian Portuguese)
see also	see section 16 on page 15: (abntex2 – Typeset technical and scientific Brazilian documents based on ABNT rules)
see also	see section 614 on page 563: (biblatex-abnt – BibLaTeX style for Brazil’s ABNT rules)
language(s)	no language specified
last access	2025-02-14

16 *abntex2* – Typeset technical and scientific Brazilian documents based on ABNT rules

Web page on CTAN <https://ctan.org/pkg/abntex2>

name	abntex2
caption	Typeset technical and scientific Brazilian documents based on ABNT rules
author	Araujo, Lauro César
copyright	Abntex2 team (2012-2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.9.7 (2018-11-24)
last changes	2018-11-24
year	2018
description	(no language specified) The bundle provides support for typesetting technical and scientific Brazilian documents (like academic thesis, articles, reports, research project and others) based on the ABNT rules (Associação Brasileira de Normas Técnicas). It replaces the old <code>abntex</code> .
documentation	(Portuguese (Brazilia)) <i>Technical report template</i> : https://ctan.org/tex-archive/macros/latex/contrib/abntex2/doc/examples/abntex2-modelo-relatorio-tecnico.pdf
– local file	<code>./7852930455-abntex2-modelo-relatorio-tecnico.pdf</code>
documentation	(Portuguese (Brazilia)) <i>Book template</i> : https://ctan.org/tex-archive/macros/latex/contrib/abntex2/doc/examples/abntex2-modelo-livro.pdf
– local file	<code>./3917300914-abntex2-modelo-livro.pdf</code>
documentation	(Portuguese (Brazilia)) <i>Article template</i> : https://ctan.org/tex-archive/macros/latex/contrib/abntex2/doc/examples/abntex2-modelo-artigo.pdf
– local file	<code>./5086793450-abntex2-modelo-artigo.pdf</code>
documentation	(Portuguese (Brazilia)) <i>Citation support package documentation (Brazilian Portuguese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/abntex2/doc/abntex2cite.pdf
– local file	<code>./5691365971-abntex2cite.pdf</code>
documentation	(Portuguese (Brazilia)) <i>Glossary template</i> : https://ctan.org/tex-archive/macros/latex/contrib/abntex2/doc/examples/abntex2-modelo-glossarios.pdf
– local file	<code>./4207053387-abntex2-modelo-glossarios.pdf</code>

documentation	(Portuguese (Brazilia)) <i>Presentation template:</i> https://ctan.org/tex-archive/macros/latex/contrib/abntex2/doc/examples/abntex2-modelo-slides.pdf
– local file	<code>./6133620300-abntex2-modelo-slides.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/abntex2/README
documentation	(Portuguese (Brazilia)) <i>Package documentation (Brazilian Portuguese):</i> https://ctan.org/tex-archive/macros/latex/contrib/abntex2/doc/abntex2.pdf
– local file	<code>./8266267626-abntex2.pdf</code>
documentation	(Portuguese (Brazilia)) <i>Citation support package documentation (supplementation):</i> https://ctan.org/tex-archive/macros/latex/contrib/abntex2/doc/abntex2cite-alf.pdf
– local file	<code>./8169903543-abntex2cite-alf.pdf</code>
documentation	(Portuguese (Brazilia)) <i>Thesis template:</i> https://ctan.org/tex-archive/macros/latex/contrib/abntex2/doc/examples/abntex2-modelo-trabalho-academico.pdf
– local file	<code>./7094669215-abntex2-modelo-trabalho-academico.pdf</code>
documentation	(Portuguese (Brazilia)) <i>Research project template:</i> https://ctan.org/tex-archive/macros/latex/contrib/abntex2/doc/examples/abntex2-modelo-projeto-pesquisa.pdf
– local file	<code>./1562161155-abntex2-modelo-projeto-pesquisa.pdf</code>
home page	http://www.abntex.net.br
contact	<i>support:</i> https://github.com/abntex/abntex2/wiki
contact	<i>announce:</i> https://github.com/abntex/abntex2/wiki/ReleaseNotes
contact	<i>bugs:</i> https://github.com/abntex/abntex2/issues
contact	<i>repository:</i> https://github.com/abntex/abntex2
contact	<i>development:</i> https://github.com/abntex/abntex2/graphs/contributors
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/abntex2
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/abntex2.tds.zip
on MikTeX	<code>abntex2</code>
on T _E XLive	<code>abntex2</code>

keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	class (alternative LaTeX class(es))
keyword	portuguese-br (support for typesetting Brazilian Portuguese)
language(s)	Portuguese (Brazilia)
last access	2025-09-11

17 **abntexto** – LaTeX class for formatting academic papers in ABNT standards

Web page on CTAN <https://ctan.org/pkg/abntexto>

name	abntexto
caption	LaTeX class for formatting academic papers in ABNT standards
author	Abreu, Elayson
license	pd = Public Domain Software (free)
version	1.0 (2026-03-04)
last changes	2026-03-04
year	2026
description	(no language specified) This is a LaTeX class created for Brazilian students to facilitate the use of standards from the Associação Brasileira de Normas Técnicas (ABNT) in academic works like TCCs, dissertations, theses.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/abntexto/README.md
documentation	(Portuguese (Brazilia)) <i>User manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/abntexto/abntexto.pdf
– local file	./9397534270-abntexto.pdf
contact	<i>repository</i> : https://github.com/ElaysonAbreu/abntexto
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/abntexto
on MikTeX	abntexto
on TeXLive	abntexto
keyword	std-conform (support conformance to standards)
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	class (alternative LaTeX class(es))
keyword	portuguese-br (support for typesetting Brazilian Portuguese)

language(s) Portuguese (Brazilia)
last access 2026-03-12

18 **abntexto-uece** – **LaTeX class for formatting academic papers in UECE standards**

Web page on CTAN <https://ctan.org/pkg/abntexto-uece>

name abntexto-uece
caption LaTeX class for formatting academic papers in UECE standards
author Abreu, Elayson
license pd = Public Domain Software (free)
version 1.0 (2025-08-27)
last changes 2025-08-27
year 2025
description (no language specified) This is a unofficial LaTeX class created for Brazilian students to facilitate the use of standards from the Universidade Estadual do Ceará (UECE) in academic works like TCCs, dissertations, and theses.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/abntexto-uece/README.md>
documentation (Portuguese (Brazilia)) *User manual*: <https://ctan.org/tex-archive/macros/latex/contrib/abntexto-uece/abntexto-uece.pdf>
– local file ./1730939620-abntexto-uece.pdf
contact *repository*: <https://github.com/ElaysonAbreu/abntexto-uece>
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/abntexto-uece>
on T_EXLive abntexto-uece
keyword std-conform (support conformance to standards)
keyword portuguese-br (support for typesetting Brazilian Portuguese)
keyword dissertation (typesetting dissertations, theses, etc.)
keyword class (alternative LaTeX class(es))
language(s) Portuguese (Brazilia)
last access 2026-03-12

19 **aboensis** – A late medieval OpenType cursive font

Web page on CTAN <https://ctan.org/pkg/aboensis>

name	Aboensis
caption	A late medieval OpenType cursive font
author	Syrjänen, Tommi
copyright	Tommi Syrjänen (2021)
license	cc-by-4 = CC BY 4.0 (free)
license	ofl = The SIL Open Font License (free)
license	pd = Public Domain Software (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2021-07-24)
last changes	2021-07-24
year	2021
description	(no language specified) The package contains the free OpenType medieval cursive font Aboensis and a style file to use it in XeLaTeX documents. The font is based on Codex Aboensis, that is a law book written in Sweden in the 1430s. Since medieval cursive is very difficult to read for modern people, the font is not suitable for use as an ordinary book font, but is intended for emulating late medieval manuscripts. The font contains two sets of initials: Lombardic and cursive to go with the basic alphabet, and there is support for writing two-colored initials and capitals. There are also a large number of abbreviation sigla that can be accessed as ligature substitutions. The style file contains macros that help to use the extended features of the font such as initials and two-colored capitals. There are also macros to help achieve even pages with consistent line spacing.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/aboensis/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/aboensis/aboensis.pdf
– local file	./5487295112-aboensis.pdf
on CTAN	https://ctan.org/tex-archive/fonts/aboensis
on MikTeX	aboensis
on TeXLive	aboensis

keyword	font-otf (font in OpenType format)
keyword	font-calligraphic (calligraphic (or handwriting) fonts)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-bookhand (fonts of scripts used for manuscript books)
keyword	font-proportional (variable-spaced font)
keyword	font-display (display-style font)
keyword	font-medieval (fonts for Medieval script)
language(s)	no language specified
last access	2025-02-14

20 *abraces* – Asymmetric over-/underbraces in maths

Web page on CTAN <https://ctan.org/pkg/abraces>

name	abraces
caption	Asymmetric over-/underbraces in maths
author	Grundlingh, Werner
copyright	Werner Grundlingh (2021-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.2 (2024-08-02)
last changes	2024-08-02
year	2024
description	(no language specified) The package provides a character key-driven interface to supplement new constructions of the traditional <code>\overbrace</code> and <code>\underbrace</code> pairs in an asymmetric or arbitrary way.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/abraces/abraces-doc.pdf
– local file	<code>./1841865718-abraces-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/abraces/README.md
contact	<i>repository</i> : https://github.com/wgrundlingh/abraces
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/abraces
on MikTeX	abraces

on T _E XLive	abraces
keyword	maths (support for typesetting mathematics)
keyword	maths-symbol (construction or application of mathematical symbols)
language(s)	no language specified
last access	2025-02-14

21 *absp*os – Absolute placement with coffins

Web page on CTAN <https://ctan.org/pkg/absp>

name	absp
caption	Absolute placement with coffins
author	Hetland, Magnus Lie
copyright	Magnus Lie Hetland (2021-2022)
license	mit = MIT License (free)
version	0.1 (2022-09-22)
last changes	2022-09-22
year	2022
description	(no language specified) This package lets you place contents at an absolute position, anchored at some specified part of the contents, similar to how TikZ nodes work, though without using the two-pass strategy of TikZ . It also avoids messing with the order of beamer overlays, which is what happens when one uses the textpos package with the <code>overlay</code> option. The solution used is quite straightforward, combining <i>coffins</i> (using l3coffins) with the placement mechanisms of atbegshi .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/absp/absp.pdf
– local file	./8131169439-absp.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/absp/README.md
contact	<i>bugs</i> : https://github.com/mlhetland/absp.sty/issues
contact	<i>repository</i> : https://github.com/mlhetland/absp.sty
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/absp
on MikT _E X	absp
on T _E XLive	absp

keyword	layout (layout of objects on the page)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-14

22 **abstbook** – **Books of abstracts**

Web page on CTAN <https://ctan.org/pkg/abstbook>

name	abstbook
caption	Books of abstracts
author	Havlik, Denis
license	noinfo = noinfo
version	(1997-02-28)
last changes	1997-02-28
year	1997
description	(no language specified) A LaTeX class file for making ‘books of abstracts’, commonly used for conferences. It is based on report class, however <code>\chapter</code> has been redefined and shouldn’t be used.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/misc/abstbook.cls
on MikTeX	ltxmisc
on T _E XLive	ltxmisc
keyword	confproc (typesetting conference proceedings)
language(s)	no language specified
last access	2025-02-14

23 *abstr-collect* – Print a collection of abstracts

Web page on CTAN <https://ctan.org/pkg/abstr-collect>

name	abstr-collect
caption	Print a collection of abstracts
author	Balemi, Silvano
license	noinfo = noinfo
version	(1991-08-15)
last changes	1991-08-15
year	1991
description	(no language specified) A LaTeX 2.09 document style (based on article.sty) which provides facilities for printing abstracts from bibliographies.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/abstr_collect
keyword	abstract (typeset abstracts of documents)
language(s)	no language specified
last access	2025-02-14

24 *abstract* – Control the typesetting of the abstract environment

Web page on CTAN <https://ctan.org/pkg/abstract>

name	abstract
caption	Control the typesetting of the abstract environment
author	Robertson, Will
author	Wilson, Peter R.
copyright	Peter R. Wilson (2000-2009)
license	lppl = The LaTeX Project Public License (free)
version	1.2a
description	(no language specified) The abstract package gives you control over the typesetting of the abstract environment, and in particular provides for a one column abstract in a two column paper.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/abstract/abstract.pdf
– local file	./8979272324-abstract.pdf

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/abstract/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/abstract
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/abstract.tds.zip
on MikTeX	abstract
on T _E XLive	abstract
keyword	abstract (typeset abstracts of documents)
language(s)	no language specified
year	2009
last access	2025-02-14

25 *abstyles-babel* – Adaptable styles for use with Babel

Web page on CTAN	https://ctan.org/pkg/abstyles-babel
name	abstyles-babel
caption	Adaptable styles for use with Babel
author	Bautista, Tomás
license	other-free = Free license not otherwise listed (free)
version	(1999-01-15)
last changes	1999-01-15
year	1999
description	(no language specified) This set of BibTeX styles is a version of the adaptable BibTeX styles , modified so that the styles react to Babel operations.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/abstyles-babel/README.2
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/abstyles-babel
on MikTeX	abstyles
on T _E XLive	abstyles
keyword	multilingual (support for more than one (natural) language)
keyword	bibtex-sty (bibtex-sty(unknown))
see also	see section 430 on page 395: (babelbib – Multilingual bibliographies)

language(s)	no language specified
last access	2025-02-19

26 *abstyles-orig* – Adaptable BibTeX styles

Web page on CTAN <https://ctan.org/pkg/abstyles-orig>

name	abstyles-orig
caption	Adaptable BibTeX styles
author	Bode, Hans-Hermann
copyright	Hans-Hermann Bode (1991, 1992)
license	other-free = Free license not otherwise listed (free)
description	(no language specified) A family of modifications of the standard BibTeX styles whose behaviour may be changed by changing the user document, without change to the styles themselves. The package is largely used nowadays in its adaptation for working with Babel .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/abstyles/README
documentation	(German) <i>Outline of the family</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/abstyles/abstdok.pdf
– local file	<code>./8379193351-abstdok.pdf</code>
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/abstyles
on MikTeX	abstyles
on T _E XLive	abstyles
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	German
year	1992
last access	2025-02-19

27 **academicons** – Font containing high quality icons of online academic profiles

Web page on CTAN <https://ctan.org/pkg/academicons>

name	academicons
caption	Font containing high quality icons of online academic profiles
author	Fernandes, Diogo A. B.
copyright	Diogo A. B. Fernandes (2015-2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	ofl = The SIL Open Font License (free)
version	1.9.6-2 (2025-09-20)
last changes	2025-09-20
year	2025
description	(no language specified) The <code>academicons</code> package provides access in (La)TeX to 146 high quality icons of online academic profiles included in the free "Academicons" font. This package works with both Xe(La)TeX or Lua(La)TeX by using <code>fontspec</code> to load the included font, as well as with pdf(La)TeX by loading a Type 1 converted format of the original font. The "Academicons" font was designed by James Walsh and released (see http://jpswalsh.github.io/academicons/) under the open SIL Open Font License. This package is a redistribution of the free "Academicons" font with specific bindings for (La)TeX. It is inspired and based on the <code>fontawesome</code> package. The generic <code>\aiicon</code> macro takes as mandatory argument the <code><name></code> of the desired icon. Icons can also be accessed directly by their respective macro. For example, <code>\aiicon{googlescholar}</code> yields the same result as <code>\aiGoogleScholar</code>. The full list of icons with their respective names and direct commands can be found in the manual.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/academicons/README.md
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/academicons/doc/academicons.pdf
– local file	<code>./5820180319-academicons.pdf</code>
contact	<i>repository</i> : https://github.com/diogo-fernan/academicons
on CTAN	https://ctan.org/tex-archive/fonts/academicons
on MikTeX	academicons
on TeXLive	academicons

keyword	font-symbol (fonts that provide collections of symbols)
keyword	font (fonts themselves)
keyword	font-ttf (font available in TrueType format)
keyword	font-supp-symbol (metrics, macro incantations and other support for symbol fonts)
language(s)	no language specified
last access	2025-10-01

28 *accanthis* – Accanthis fonts, with LaTeX support

Web page on CTAN <https://ctan.org/pkg/accanthis>

name	accanthis
caption	Accanthis fonts, with LaTeX support
author	Tennent, Bob
license	lppl = The LaTeX Project Public License (free)
license	gpl2+ = GNU General Public License, version 2 or newer (free)
version	(2022-10-28)
last changes	2022-10-28
year	2022
description	(no language specified) Accanthis No. 3 is designed by Hirwin Harendal and is suitable as an alternative to fonts such as Garamond, Galliard, Horley old style, Sabon, and Bembo. The support files are suitable for use with all LaTeX engines.
documentation	(French) <i>Arkandis catalogue page</i> : https://ctan.org/tex-archive/fonts/accanthis/doc/Accanthis-Cat.pdf
– local file	./3997627532-Accanthis-Cat.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/accanthis/README
documentation	(no language specified) <i>Font sample page</i> : https://ctan.org/tex-archive/fonts/accanthis/doc/accanthis-samples.pdf
– local file	./6978970915-accanthis-samples.pdf
home page	http://arkandis.tuxfamily.org/adffonts.html
on CTAN	https://ctan.org/tex-archive/fonts/accanthis

installation	https://ctan.org/tex-archive/install/fonts/accanthis.tds.zip
on MikTeX	accanthis
on T _E XLive	accanthis
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-otf (font in OpenType format)
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font-tlenc (font providing LaTeX T1 encoding support)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-proportional (variable-spaced font)
keyword	font-serif (serif font)
keyword	font (fonts themselves)
language(s)	French
last access	2025-02-12

29 *accenti* – Extra accented character macros, designed for Italian

Web page on CTAN	https://ctan.org/pkg/accenti
name	<i>accenti</i>
caption	Extra accented character macros, designed for Italian
author	Bosisio, Francesco
copyright	Francesco Bosisio (1997-2010)
license	lppl = The LaTeX Project Public License (free)
version	2.3
description	(no language specified) The package defines several simple commands for accented letters commonly used in Italian writing. Some of these commands redefine existing standard LaTeX versions. (The author reports that he no longer uses the package, preferring more ‘standard’ techniques to express the inflected characters.) The package is part of the bosisio collection.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bosisio/accenti.pdf
– local file	<code>./7209647893-accenti.pdf</code>

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bosisio/accenti.dtx
on MikTeX	boisio
on TeXLive	boisio
keyword	shortcut (shortcuts when typing)
language(s)	no language specified
year	2010
last access	2025-02-12

30 *accents* – Multiple mathematical accents

Web page on CTAN	https://ctan.org/pkg/accents
name	accents
caption	Multiple mathematical accents
author	Bezos López, Javier
copyright	Javier Bezos (1998-2019)
license	mit = MIT License (free)
version	1.4
description	(no language specified) A package for multiple accents in mathematics, with nice features concerning the creation of accents and placement of scripts.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/accents/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/accents/accents.pdf
– local file	./5489893200-accents.pdf
home page	http://www.texnia.com/
contact	<i>repository</i> : https://github.com/jbezoz
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/accents
on MikTeX	accents
on TeXLive	accents
keyword	maths (support for typesetting mathematics)
language(s)	no language specified

year 2019
last access 2025-02-12

31 *accents-cs* – Create a VF for the accents used in Czech/Slovak

Web page on CTAN <https://ctan.org/pkg/accents-cs>

name *accents-cs*
caption Create a VF for the accents used in Czech/Slovak
author Zlatuška, Jiří
copyright Jiří Zlatuška (1991)
license gpl = GNU General Public License (free)
version 1
description (no language specified) This a program, distributed as WEB source, that takes the TFM for a (OT1) font, and generates a virtual font (and associated TFM file) for a font implementing the KOI8-CS character coding for Czech/Slovak.
on CTAN <https://ctan.org/tex-archive/support/accents>
keyword *font-proc* (process fonts for use with TeX (includes installation))
language(s) no language specified
year 1991
last access 2025-02-12

32 *accessibility* – Create tagged and structured PDF files

Web page on CTAN <https://ctan.org/pkg/accessibility>

name *accessibility*
caption Create tagged and structured PDF files
author Clifton, Andrew
copyright Babett Schalitz (2007)
copyright Andrew Clifton (2019)
license lpl1.3c = The LaTeX Project Public License 1.3c (free)
version 2.0.3 (2019-11-02)
last changes 2019-11-02
year 2019

description	(no language specified) The <code>accessibility</code> package is intended to create tagged, structured PDF documents from LaTeX source code. It allows to produce tagged PDF output following Adobe’s PDF-1.5 and 1.6 specifications. This package is predominantly targeted at documents produced using the KOMA-Script document classes. However, the author told us towards the end of June 2020: “Based on feedback to the ‘accessibility’ package and discussions with a few folks, I’d like to discourage people from using the package any more. It’s evident that it’s not going to work in it’s current form, and I don’t have the skills or time to update it. I know the general concept is very important, and so I’m looking at getting support from various funding agencies to employ someone to completely refactor the code in a more future-proof fashion. I’ll coordinate this with the core LaTeX Team once I have more solid ideas.”
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/accessibility/accessibility.pdf
– local file	<code>./8812901782-accessibility.pdf</code>
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/accessibility/accessibility-Anleitung-DE.pdf
– local file	<code>./6410911309-accessibility-Anleitung-DE.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/accessibility/README.md
home page	https://github.com/AndyClifton/accessibility
contact	<i>support</i> : https://github.com/AndyClifton/accessibility/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/accessibility
on MikTeX	<code>accessibility</code>
on T _E XLive	<code>accessibility</code>
keyword	<code>pdf-feat</code> (access PDF features)
keyword	<code>accessible</code> (accessibility support)
see also	see section 34 on page 33: (<code>accsupp</code> – Better accessibility support for PDF files)
language(s)	German; English
last access	2025-02-12

33 accfonts – Utilities to derive new fonts from existing ones

Web page on CTAN <https://ctan.org/pkg/accfonts>

name	accfonts
caption	Utilities to derive new fonts from existing ones
author	Smith, John
copyright	John D. Smith (1997, 2008)
license	gpl = GNU General Public License (free)
version	0.25
description	(no language specified) The accfonts package contains three utilities to permit easy manipulation of fonts, in particular the creation of unusual accented characters. Mkt1font works on Adobe Type 1 fonts, vpl2vpl works on TeX virtual fonts and vpl2ovp transforms a TeX font to an Omega one. All three programs read in a font (either the font itself or a property list), together with a simple definition file containing lines such as ‘128 z acute’; they then write out a new version of the font with the requested new characters in the numerical slots specified. Great care is taken over the positioning of accents, and over the provision of kerning information for new characters; mkt1font also generates suitable “hints” to enhance quality at small sizes or poor resolutions. The programs are written in Perl.
documentation	(no language specified) <i>Package Readme and documentation:</i> https://ctan.org/tex-archive/fonts/utilities/accfonts/README
on CTAN	https://ctan.org/tex-archive/fonts/utilities/accfonts
on MikTeX	accfonts
on T _E XLive	accfonts
keyword	font-proc (process fonts for use with TeX (includes installation))
keyword	omega (Omega and packages that use it)
see also	see section 2 on page 3: (a2ac – AFM to AFM plus Composites)
language(s)	no language specified
year	2008
last access	2025-02-12

34 accsupp – Better accessibility support for PDF filesWeb page on CTAN <https://ctan.org/pkg/accsupp>

name	accsupp
caption	Better accessibility support for PDF files
author	Oberdiek, Heiko
copyright	Oberdiek Package Support Group (2016-2019)
copyright	Heiko Oberdiek (2007, 2010)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.6 (2019-12-05)
last changes	2019-12-05
year	2019
description	(no language specified) Since PDF 1.5 portions of a page can be marked for better accessibility support. For example, replacement texts or expansions of abbreviations can be provided. This package starts with providing a minimal low-level interface for programmers; its status is experimental. Support necessary for the package was added to the "distill" capabilities of Ghostscript with version 9.15 of Ghostscript; the dvips is only available with that version (or later).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/accsupp/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/accsupp/accsupp.pdf
– local file	./1660857669-accsupp.pdf
contact	<i>bugs</i> : https://github.com/ho-tex/accsupp/issues
contact	<i>repository</i> : https://github.com/ho-tex/accsupp
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/accsupp
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/accsupp.tds.zip
on MikTeX	accsupp
on T _E XLive	accsupp
keyword	pdf-feat (access PDF features)
keyword	accessible (accessibility support)
language(s)	no language specified

last access 2025-02-12

35 *achemso* – Support for American Chemical Society journal submissionsWeb page on CTAN <https://ctan.org/pkg/achemso>

name	achemso
caption	Support for American Chemical Society journal submissions
author	Wright, Joseph
author	Dahlgren, Mats
copyright	Joseph Wright (2008-2022, 2024, 2025)
copyright	Mats Dahlgren (1996-1998)
license	other-free = Free license not otherwise listed (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.14 (2025-09-22)
last changes	2025-09-22
year	2025
description	(no language specified) The bundle provides a BibTeX style file following the requirements of the American Chemical Society (ACS), and a package to pass settings to the BibTeX style. It also includes a class which was used for submission support in the past. All of this material is largely of historical interest and is retained for stability. For new material, the chem-acs style is available for bibliographies, and a short template for the ACS website is better suited to submission.
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/achemso/achemso-demo.pdf
– local file	<code>./2245065960-achemso-demo.pdf</code>
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/achemso/achemso.pdf
– local file	<code>./1493382070-achemso.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/achemso/README.md
contact	<i>repository:</i> https://github.com/josephwright/achemso
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/achemso

installation	https://ctan.org/tex-archive/install/macros/latex/contrib/achemso.tds.zip
on MikTeX	achemso
on TeXLive	achemso
keyword	journalpub (typesetting journals, etc)
keyword	bibtex-sty (bibtex-sty(unknown))
keyword	class (alternative LaTeX class(es))
keyword	chemistry (chemistry document support)
language(s)	no language specified
last access	2025-10-01

36 *achicago* – Chicago Manual citations in LaTeX

Web page on CTAN	https://ctan.org/pkg/achicago
name	achicago
caption	Chicago Manual citations in LaTeX
author	Swift, Matt
license	gpl = GNU General Public License (free)
version	1.2
description	(no language specified) Produces author-date citations based on <i>The Chicago Manual of Style</i> , using a BibTeX style such as <i>achicago-bst</i> . The package is part of the <i>frankenstein</i> bundle of packages.
documentation	(no language specified) <i>Bundle README</i> : https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/README
documentation	(no language specified) <i>Package documentation and listing</i> : https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/achicago.pdf
– local file	./6035523562-achicago.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/frankenstein
on MikTeX	frankenstein
on TeXLive	frankenstein
keyword	bibtex-supp (BibTeX citation support)
language(s)	no language specified

year without year
last access 2025-02-19

37 *achicago-bst* – Chicago Manual BibTeX style

Web page on CTAN <https://ctan.org/pkg/achicago-bst>

name *achicago-bst*
caption Chicago Manual BibTeX style
author Swift, Matt
license lppl = The LaTeX Project Public License (free)
version 1
description (no language specified) Produces bibliographies based on *The Chicago Manual of Style* . Requires the *achicago* LaTeX package.
The package is part of the *frankenstein* bundle of packages.
documentation (no language specified) *Bundle README*: <https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/README>
documentation (no language specified) *Package documentation and listing*:
<https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/achicago-bst.pdf>
– local file ./3829215033-achicago-bst.pdf
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/frankenstein>
on MikTeX frankenstein
on TeXLive frankenstein
keyword *bibtex-sty* (*bibtex-sty(unknown)*)
language(s) no language specified
year without year
last access 2025-02-19

38 *acm* – ACM document style

Web page on CTAN <https://ctan.org/pkg/acm>

name	acm
caption	ACM document style
author	Leichter, Jerry
license	other-free = Free license not otherwise listed (free)
version	(1989-04-23)
last changes	1989-04-23
year	1989
description	(no language specified) A LaTeX 2.09 document style, built by modifying Lamport's <code>article.doc</code> (source of the article style). A BibTeX style is also provided.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/acm
keyword	journalpub (typesetting journals, etc)
keyword	latex209 (package only known to work with LaTeX 2.09)
keyword	confproc (typesetting conference proceedings)
see also	see section 40 on page 38: (<code>acmconf</code> – Class for ACM conference proceedings)
language(s)	no language specified
last access	2025-02-12

39 *acmart* – Class for typesetting publications of ACM

Web page on CTAN <https://ctan.org/pkg/acmart>

name	acmart
caption	Class for typesetting publications of ACM
author	Veytsman, Boris
copyright	Association for Computing Machinery (2016-2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.16 (2025-08-27)
last changes	2025-08-27
year	2025

description	(no language specified) This package provides a class for typesetting publications of the Association for Computing Machinery (ACM).
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/acmart/samples/sample-manuscript.pdf
– local file	<code>./3628007105-sample-manuscript.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/acmart/README
documentation	(no language specified) <i>Documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/acmart/acmart.pdf
– local file	<code>./5745974350-acmart.pdf</code>
contact	<i>bugs:</i> https://github.com/borisveytsman/acmart/issues
contact	<i>repository:</i> https://github.com/borisveytsman/acmart/
contact	<i>development:</i> https://github.com/borisveytsman/acmart/pulls
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/acmart
on MikTeX	acmart
on TeXLive	acmart
keyword	comp-sci (typeset computer-science related material)
keyword	journalpub (typesetting journals, etc)
keyword	class (alternative LaTeX class(es))
keyword	comp-theory (typeset theoretical computer science material)
keyword	engineering (typesetting associated with engineering of whatever sort)
language(s)	no language specified
last access	2025-08-31

40 **acmconf** – Class for ACM conference proceedings

Web page on CTAN <https://ctan.org/pkg/acmconf>

name	acmconf
caption	Class for ACM conference proceedings
author	Vollmer, Jürgen
copyright	Jürgen Vollmer (1999)
license	lppl = The LaTeX Project Public License (free)

version	1.3
description	(no language specified) This class may be used to typeset articles to be published in the proceedings of ACM (Association for Computing Machinery) conferences and workshops. The layout produced by the <code>acmconf</code> class is based on the ACM's own specification.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/acmconf/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/acmconf/acmconf.pdf
– local file	<code>./3000617058-acmconf.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/acmconf
on MikTeX	<code>acmconf</code>
on TeXLive	<code>acmconf</code>
keyword	<code>confproc</code> (typesetting conference proceedings)
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>journalpub</code> (typesetting journals, etc)
language(s)	no language specified
year	1999
last access	2025-02-12

41 *acmproc* – Style option for ACM proceedings

Web page on CTAN <https://ctan.org/pkg/acmproc>

name	<code>acmproc</code>
caption	Style option for ACM proceedings
author	Lamport, Leslie
copyright	Leslie Lamport (1985)
license	<code>noinfo = noinfo</code>
version	(1986-09-04)
last changes	1986-09-04
year	1986
description	(no language specified) Designed to produce camera-ready conference proceedings.

on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/acmproc.sty
keyword	confproc (typesetting conference proceedings)
keyword	latex209 (package only known to work with LaTeX 2.09)
language(s)	no language specified
last access	2025-02-12

42 *acmtrans* – Class and BibTeX style for ACM Transactions

Web page on CTAN	https://ctan.org/pkg/acmtrans
name	acmtrans
caption	Class and BibTeX style for ACM Transactions
author	Lamport, Leslie
author	Appel, Andrew W.
author	Boyland, John Tang
copyright	ACM (1999)
license	other-nonfree = License that prevents distribution (not free)
version	(1996-07-03)
last changes	1996-07-03
year	1996
description	(no language specified) The acmtrans2e class formats articles in the style of ACM transactions. Users who have prepared their document with LaTeX can, with very little effort, produce camera-ready copy for these journals. The accompanying BibTeX style is based on the chicago style.
documentation	(no language specified) <i>Documentation in the form of an ACM paper:</i> https://ctan.org/tex-archive/biblio/bibtex/contrib/acmtrans/acmtr2e.pdf
– local file	./5083531413-acmtr2e.pdf
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/acmtrans
keyword	class (alternative LaTeX class(es))
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
last access	2025-02-12

43 *acro* – Typeset acronyms

Web page on CTAN <https://ctan.org/pkg/acro>

name	acro
caption	Typeset acronyms
author	Niederberger, Clemens
copyright	Clemens Niederberger (2011-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.8 (2022-04-01)
last changes	2022-04-01
year	2022
description	(no language specified) The package enables the author to create acronyms in a simple way, and provides means to add them to different ‘classes’ of acronyms. Lists can be created of separate acronym classes. The package option ‘<code>single</code>’ instructs the package to ignore acronyms that are used only once in the whole document. As an experimental feature the package also offers the option ‘<code>sort</code>’ which automatically sorts the list created by <code>\printacronyms</code>.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/acro/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/acro/acro-manual.pdf
– local file	<code>./9577110721-acro-manual.pdf</code>
contact	<i>bugs</i> : https://github.com/cgnieder/acro/issues
contact	<i>repository</i> : https://github.com/cgnieder/acro/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/acro
on MikTeX	acro
on T _E XLive	acro
keyword	expl3 (expl3(unknown))
keyword	acronym (define and use acronyms)
language(s)	no language specified
last access	2025-02-12

44 *acroflex* – Create a graphing widget in a PDF file

Web page on CTAN <https://ctan.org/pkg/acroflex>

name *acroflex*

caption Create a graphing widget in a PDF file

author Story, Donald P.

copyright D. P. Story (2008-2016)

license lpl1 = The LaTeX Project Public License 1 (free)

version 1.7 (2020-08-07)

last changes 2020-08-07

year 2020

description (no language specified) The *acroflex* package is part of the **AeB Pro** family of packages. It is a package that creates a graphing screen using the **rmannot** package. The user can type in functions and graph them. A graphing screen can be populated with pre-packaged functions for the user to scrutinize and interact with. The package can graph functions of a single variable x , a pair of parametric equations that are functions of t , and a polar function of t .

The graphing screen is a rich media annotation what uses a specially developed SWF file, called the AcroFLeX Graphing widget. This package takes advantage of rich media annotations, which is a version 9 feature of Acrobat. This package requires Acrobat Pro and Distiller version 9. The user needs to use Adobe Reader 9.0 in order to obtain the graphing functionality.

This package has become obsolete as of December 2020. Since December 2020, Adobe no longer supports Flash player (SWF, FLV). This package uses a custom SWF file (*acroflex.swf*); as a result this package will no longer function in Adobe Acrobat Reader DC. The package will continue to produce PDFs as designed, but only if built using Acrobat XI (or a version Acrobat prior to December 2020) and viewed in Adobe Acrobat Reader XI (or a version of Reader prior to December 2020).

documentation (no language specified) *Package documentation:*
https://ctan.org/tex-archive/obsolete/macros/latex/contrib/acroflex/doc/acroflex_man.pdf

– local file *./5093035263-acroflex_man.pdf*

documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/obsolete/macros/latex/contrib/acroflex/README.md>

home page <http://www.math.uakron.edu/~dpstory/acroflex.html>

on CTAN <https://ctan.org/tex-archive/obsolete/macros/latex/contrib/acroflex>

on MikTeX	acroflex
keyword	pdf-feat (access PDF features)
keyword	adobe-distiller (convert PostScript to PDF using Adobe Distiller)
keyword	pdf-forms (create pdf form fields, use form fields as an integral part of the package)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
last access	2025-02-12

45 **acromake** – Make commands for acronyms

Web page on CTAN <https://ctan.org/pkg/acromake>

name	acromake
caption	Make commands for acronyms
author	Thompson, Paul A.
copyright	Paul A. Thompson (1995)
license	other-nonfree = License that prevents distribution (not free)
version	(1995-07-16)
last changes	1995-07-16
year	1995
description	(no language specified) The command <code>\acromake</code> defines a command that will expand to an acronym and its definition (on first use) and just the acronym thereafter.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/acromake/acromake.pdf
– local file	./7424134224-acromake.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/acromake
keyword	acronym (define and use acronyms)
see also	see section 2542 on page 2301: (glossaries – Create glossaries and lists of acronyms)
see also	see section 47 on page 45: (acronym – Expand acronyms at least once)
language(s)	no language specified
last access	2025-02-12

46 *acromemory* – Memory games in LaTeX

Web page on CTAN <https://ctan.org/pkg/acromemory>

name	AcroMemory
caption	Memory games in LaTeX
author	Story, Donald P.
copyright	D. P. Story (2006,2020)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	(2020-06-23)
last changes	2020-06-23
year	2020
description	(no language specified) The package implements two variations of a memory game: • a single game board consisting of a number of tiles, each tile has a matching twin, the object is to find all the matching twins; and • two game boards, both identical except one has been randomly rearranged, the object is the find the matching pieces in each of the two game boards. All LaTeX workflows are now supported: pdfLaTeX, LuaLaTeX, XeLaTeX, and dvips → distiller.
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/aeb_pro/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/aeb_pro/acromemory/docs/acromemory-man.pdf
– local file	./8834789449-acromemory-man.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/aeb_pro/acromemory
on MikTeX	acromemory
keyword	pdf-forms (create pdf form fields, use form fields as an integral part of the package)
keyword	games (process game diagrams, gamebooks, and other amusements)
language(s)	no language specified
last access	2025-02-12

47 acronym – Expand acronyms at least once

Web page on CTAN <https://ctan.org/pkg/acronym>

name	acronym
caption	Expand acronyms at least once
author	Oetiker, Tobias
author	Oberdiek, Heiko
copyright	Tobias Oetiker (1994-2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.50 (2025-01-17)
last changes	2025-01-17
year	2025
description	(no language specified) This package ensures that all acronyms used in the text are spelled out in full at least once. It also provides an environment to build a list of acronyms used. The package is compatible with pdf bookmarks. The package requires the suffix package, which in turn requires that it runs under e-TeX.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/acronym/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/acronym/acronym.pdf
– local file	./2246280615-acronym.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/acronym
on MikTeX	acronym
on TeXLive	acronym
keyword	acronym (define and use acronyms)
see also	see section 2542 on page 2301 : (glossaries – Create glossaries and lists of acronyms)
language(s)	no language specified
last access	2025-02-12

48 **acronym209** – An algorithm package developed for LaTeX 2.09

Web page on CTAN <https://ctan.org/pkg/acronym209>

name	acronym209
caption	An algorithm package developed for LaTeX 2.09
author	Kewley, John
copyright	ICL (1989)
license	noinfo = noinfo
version	(1990-11-09)
last changes	1990-11-09
year	1990
description	(no language specified) The package defines a rather flexible command <code>\newacronym</code> that may be used to define a macro for each acronym. Documentation is fairly comprehensive, in comments within the package itself. Note that the package has little (if any) relationship to the LaTeX 2e acronym package.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/acronym.sty
keyword	latex209 (package only known to work with LaTeX 2.09)
keyword	acronym (define and use acronyms)
language(s)	no language specified
last access	2025-02-12

49 **acroreloadpdf** – Reload-the-current-PDF utility for Adobe Reader on Unix systems

Web page on CTAN <https://ctan.org/pkg/acroreloadpdf>

name	acroreloadpdf
caption	Reload-the-current-PDF utility for Adobe Reader on Unix systems
author	Grahn, Alexander
copyright	Alexander Grahn (2009)
license	pd = Public Domain Software (free)
version	(2009-02-02)
last changes	2009-02-02

year	2009
description	(no language specified) AcroReloadPDF.js is a small JavaScript that adds a "Reload" entry to the "File" menu of Adobe Reader on Linux and other Unix-like systems. It allows to reload the PDF document currently viewed in the Reader to reflect the latest changes. The last view of the document (page number and zoom state) will be restored.
documentation	(no language specified) <i>README file</i> : https://ctan.org/tex-archive/support/acroreloadpdf/README
on CTAN	https://ctan.org/tex-archive/support/acroreloadpdf
keyword	misc-support (miscellaneous support stuff)
language(s)	no language specified
last access	2025-02-12

50 *acrosort* – Sort sliced image into order

Web page on CTAN <https://ctan.org/pkg/acrosort>

name	AcroSort
caption	Sort sliced image into order
author	Story, Donald P.
copyright	D. P. Story (2006-2020)
license	lpl = The LaTeX Project Public License (free)
version	1.6.1 (2020-06-17)
last changes	2020-06-17
year	2020
description	(no language specified) The AcroSort is a novelty LaTeX package for importing a series of tiled images of a picture. The tiled images are randomly arranged, then resorted before the user's eyes using a bubble sort. The package now supports all common PDF creators: pdfLaTeX, LuaLaTeX, XeLaTeX, dvips->distiller. Multiple bubble sort tiles images are now supported. Images can be tiled using the tile-graphic package, also available through CTAN.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/aeb_pro/acrosort/README.md
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/aeb_pro/README
home page	http://www.math.uakron.edu/~dpstory/webeq.html

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/aeb_pro/acrosort
on MikTeX	acrosort
keyword	novelty (packages with little obvious application)
language(s)	no language specified
last access	2025-02-12

51 *acroterm* – Manage and index acronyms and terms

Web page on CTAN	https://ctan.org/pkg/acroterm
name	acroterm
caption	Manage and index acronyms and terms
author	Voß, Jakob
copyright	Jakob Voß (2010)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1
description	(no language specified) Yet another package for acronyms: the package offers simple markup of acronyms and technical terms in the text, giving an index each of terms and acronyms with their expanded form.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/acroterm/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/acroterm/acroterm.pdf
– local file	./5476737546-acroterm.pdf
contact	<i>repository</i> : https://github.com/nichtich/acroterm/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/acroterm
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/acroterm.tds.zip
on MikTeX	acroterm
on T _E XLive	acroterm
keyword	glossary (glossary and nomenclature support)
keyword	acronym (define and use acronyms)
language(s)	no language specified

year 2010
last access 2026-04-13

52 acrotex – The AcroTeX education bundle

Web page on CTAN <https://ctan.org/pkg/acrotex>

name	acrotex
caption	The AcroTeX education bundle
author	Story, Donald P.
copyright	D. P. Story (1999-2021)
license	lppl = The LaTeX Project Public License (free)
version	(2021-10-03)
last changes	2021-10-03
year	2021
description	(no language specified) The bundle contains: • the web package to redefine page layout to web-friendly dimensions; • the exerquiz package for defining on-line exercises and quizzes of various sorts; • the eForms package for support of PDF forms; • the insdljs package for inserting document-level JavaScript in LaTeX documents; • the dljslib library of JavaScript functions for use with exerquiz; and • the eq2db package for converting an exerquiz quiz for processing by a ASP server-side script.
documentation	(no language specified) <i>Bundle documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/acrotex/doc/aeb_man.pdf
– local file	<code>./8591281529-aeb_man.pdf</code>
documentation	(no language specified) <i>eForms manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/acrotex/doc/eformman.pdf
– local file	<code>./1517264821-eformman.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/acrotex/README.md
home page	https://www.math.uakron.edu/~dpstory/acrotex.html

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/acrotex
on MikTeX	acrotex
keyword	collection (a collection of packages)
keyword	pdf-forms (create pdf form fields, use form fields as an integral part of the package)
language(s)	no language specified
last access	2025-02-12

53 *acrotex-js* – JavaScript files used by acrotex and other packages

Web page on CTAN	https://ctan.org/pkg/acrotex-js
name	acrotex-js
caption	JavaScript files used by acrotex and other packages
author	Story, Donald P.
copyright	D. P. Story (1999-2021)
license	lpl = The LaTeX Project Public License (free)
version	(2021-06-24)
last changes	2021-06-24
year	2021
description	(no language specified) In the distribution of this package are two critical JavaScript files (<code>aeb.js</code> and <code>aeb_pro.js</code>) used by the packages insdljs , aeb-pro , thorshammer , and docassembly . Previously these JS files were distributed with the individual packages, now they are distributed by this package and must be installed according to the instructions in the <code>docs</code> folder.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/acrotex-js/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/acrotex-js/docs/acrotex-js.pdf
– local file	<code>./9317995512-acrotex-js.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/acrotex-js
on MikTeX	acrotex-js
keyword	pdf-feat (access PDF features)

keyword	acrobat (relies on availability of Adobe Acrobat, etc.)
language(s)	no language specified
last access	2025-02-12

54 *acrotex-web* – Establish a page layout for an on-screen (PDF) document

Web page on CTAN	https://ctan.org/pkg/acrotex-web
name	acrotex-web
caption	Establish a page layout for an on-screen (PDF) document
author	Story, Donald P.
copyright	D. P. Story (1999-2021)
license	lpl1 = The LaTeX Project Public License 1 (free)
version	6.1.7 (2021-05-06)
last changes	2021-05-06
year	2021
description	(no language specified) The AcroTeX web package (for LaTeX — nothing to do with literate programming) is a set of macros that establishes a page layout for a (PDF) document that is designed to be read on-screen and <i>not</i> meant to be printed. The package also redefines the table of contents to a web style and defines optional navigational aids. The package has options for use with pdfTeX, dvips, dvipdfm, dvipsone and dviwindo. The package is part of the AcroTeX bundle.
documentation	(no language specified) <i>AcroTeX packages manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/acrotex/doc/aeb_man.pdf
– local file	./8591281529-aeb_man.pdf
documentation	(no language specified) <i>Bundle Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/acrotex/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/acrotex
on MikTeX	acrotex
keyword	layout (layout of objects on the page)
language(s)	no language specified
last access	2025-02-12

55 *acroweb* – Scripts to create interactive tests from a database

Web page on CTAN <https://ctan.org/pkg/acroweb>

name	acroweb
caption	Scripts to create interactive tests from a database
author	Mařík, Robert
copyright	Robert Mařík (2007)
license	lpl = The LaTeX Project Public License (free)
version	0.79
description	(no language specified) The AcroWeb script collection offers a tool for creation of interactive PDF tests on the fly on the Internet, using the AcroTeX eDucation bundle and pdfLaTeX; it does not require too much knowledge of LaTeX. The questions are stored in a plain text database.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/acroweb/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/acroweb/acroweb.pdf
– local file	./3888683625-acroweb.pdf
on CTAN	https://ctan.org/tex-archive/support/acroweb
keyword	exam (exams, quizzes, etc.)
language(s)	no language specified
year	2007
last access	2025-02-12

56 *acs* – LaTeX 2.09 support for Advances in Control Systems

Web page on CTAN <https://ctan.org/pkg/acs>

name	acs
caption	LaTeX 2.09 support for Advances in Control Systems
license	noinfo = noinfo
version	(1993-08-03)
last changes	1993-08-03
year	1993

description	(no language specified) A document style (apparently based on article) and a BibTeX style (based on one of the standard styles) are provided.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/acs
keyword	journalpub (typesetting journals, etc)
keyword	latex209 (package only known to work with LaTeX 2.09)
language(s)	no language specified
last access	2025-02-12

57 *active-conf* – Class for typesetting ACTIVE conference papers

Web page on CTAN	https://ctan.org/pkg/active-conf
name	active-conf
caption	Class for typesetting ACTIVE conference papers
author	Robertson, Will
copyright	Will Robertson (2005)
license	lppl = The LaTeX Project Public License (free)
version	0.3a
description	(no language specified) Active-conf is a class for typesetting papers for the Active conference on noise and vibration control. It is initially intended for the 2006 conference in Adelaide, Australia. The class is based on article with more flexible front-matter, and can be customised for conferences in future years with a header file.
documentation	(no language specified) <i>Class documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/conferences/active-conf/active-conf.pdf
– local file	./1120832156-active-conf.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/conferences/active-conf/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/conferences/active-conf
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/conferences/active-conf.tds.zip
on MikTeX	active-conf
on TeXLive	active-conf
keyword	confproc (typesetting conference proceedings)

keyword	class (alternative LaTeX class(es))
language(s)	no language specified
year	2005
last access	2025-08-30

58 **actuarialangle** – Angle symbol denoting a duration in actuarial and financial notation

Web page on CTAN <https://ctan.org/pkg/actuarialangle>

name	actuarialangle
caption	Angle symbol denoting a duration in actuarial and financial notation
author	Goulet, Vincent
copyright	Vincent Goulet (2017-2019)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.1 (2019-06-13)
last changes	2019-06-13
year	2019
description	(no language specified) This package provides commands to typeset the "angle" symbol denoting a duration in actuarial notation, such as in symbols for the present value of certain or life annuities, and an over angle square bracket used to emphasize joint status in symbols of life contingencies.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/actuarialangle/actuarialangle.pdf
– local file	./3345278784-actuarialangle.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/actuarialangle/README.md
contact	<i>bugs:</i> https://gitlab.com/vigou3/actuarialangle/-/issues
contact	<i>repository:</i> https://gitlab.com/vigou3/actuarialangle
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/actuarialangle
on MikTeX	actuarialangle
on T _E XLive	actuarialangle
keyword	graphics-symb (create symbols, rather than select from a font)
language(s)	no language specified

last access 2025-02-12

59 **actuarialsymbol** – Actuarial symbols of life contingencies and financial mathematics

Web page on CTAN <https://ctan.org/pkg/actuarialsymbol>

name	actuarialsymbol
caption	Actuarial symbols of life contingencies and financial mathematics
author	Goulet, Vincent
author	Beauchemin, David
copyright	David Beauchemin, Vincent Goulet (2017-2019)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1 (2019-06-13)
last changes	2019-06-13
year	2019
description	(no language specified) This package provides commands to compose actuarial symbols of life contingencies and financial mathematics characterized by subscripts and superscripts on both sides of a principal symbol. The package also features commands to easily and consistently position precedence numbers above or below statuses in symbols for multiple lives contracts. Since the actuarial notation can get quite involved, the package defines a number of shortcut macros to ease entry of the most common elements. Appendix A of the package documentation lists the commands to typeset a large selection of symbols of life contingencies. This package requires actuarialangle .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/actuarialsymbol/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/actuarialsymbol/actuarialsymbol.pdf
– local file	./6033378892-actuarialsymbol.pdf
home page	https://vigou3.gitlab.io/actuarialsymbol
contact	<i>bugs</i> : https://gitlab.com/vigou3/actuarialsymbol/-/issues
contact	<i>repository</i> : https://gitlab.com/vigou3/actuarialsymbol
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/actuarialsymbol

on MikT _E X	actuarialsymbol
on T _E XLive	actuarialsymbol
keyword	graphics-symb (create symbols, rather than select from a font)
language(s)	no language specified
last access	2025-02-12

60 *adami* – A DOS system for working with Tamil

Web page on CTAN <https://ctan.org/pkg/adami>

name	adami
caption	A DOS system for working with Tamil
author	Srinivasan, K
license	noinfo = noinfo
version	(1992-09-27)
last changes	1992-09-27
year	1992
on CTAN	https://ctan.org/tex-archive/language/indian/adami90.zip
keyword	indic (support for languages of the Indian subcontinent)
language(s)	no language specified
last access	2025-02-12

61 *add-wes* – A "book" style for Addison-Wesley house style

Web page on CTAN <https://ctan.org/pkg/add-wes>

name	add-wes
caption	A "book" style for Addison-Wesley house style
author	Barton-Davis, Paul
author	Mansfield, Niall
copyright	Paul Barton-Davis (1989)
license	other-free = Free license not otherwise listed (free)
version	1.05

description	(no language specified) A LaTeX 2.09 document style written for the production of a book to be published by Addison-Wesley. The package uses a package <code>times.sty</code> that would nowadays be replaced by something from the <code>psnfss</code> bundle.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/add-wes.sty
keyword	latex209 (package only known to work with LaTeX 2.09)
keyword	class (alternative LaTeX class(es))
keyword	book-pub (preparing a book for publication)
language(s)	no language specified
year	1989
last access	2025-02-12

62 *addfont* – Easier use of fonts without LaTeX support

Web page on CTAN	https://ctan.org/pkg/addfont
name	addfont
caption	Easier use of fonts without LaTeX support
author	Jørgensen, Palle
copyright	Palle Jørgensen (2016-2021)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	1.1 (2021-03-20)
last changes	2021-03-20
year	2021
description	(no language specified) This package is intended for use by users who know about fonts. It is a quick-fix for fonts which do not have genuine LaTeX support. It is not meant as a replacement of the LaTeX font definition files. It is meant as something more useable for LaTeX users than the <code>\newfont</code> command. With <i>addfont</i> the loaded font scales along with the usual LaTeX size selection. Using this package still requires some knowledge on how to use fonts with LaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/addfont/README

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/addfont/addfont.pdf
– local file	<code>./6418043424-addfont.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/addfont
on MikTeX	addfont
on TeXLive	addfont
keyword	font-use (font selection, mapping, etc.)
keyword	font-mgmt (management of fonts)
language(s)	no language specified
last access	2025-02-12

63 addindex – Add index entries to LaTeX document

Web page on CTAN	https://ctan.org/pkg/addindex
name	addindex
caption	Add index entries to LaTeX document
author	Gil, Yossi
license	noinfo = noinfo
version	(1992-01-13)
last changes	1992-01-13
year	1992
description	(no language specified) Addindex is C/Lex program to add index entries to a LaTeX document. You start with a ‘names database’, which looks like the <code>strings</code> section of a BibTeX database; addindex scans your LaTeX file for strings in the database, and adds <code>\index</code> commands for each match.
documentation	(no language specified) <i>README, in Q and A form</i> : https://ctan.org/tex-archive/indexing/addindex/README
on CTAN	https://ctan.org/tex-archive/indexing/addindex
keyword	index (index support)
language(s)	no language specified
last access	2025-02-12

64 addliga – Access basic ligatures in legacy TrueType fonts

Web page on CTAN <https://ctan.org/pkg/addliga>

name	addliga
caption	Access basic ligatures in legacy TrueType fonts
author	Miller, Daniel Benjamin
license	pd = Public Domain Software (free)
version	1.0 (2019-04-30)
last changes	2019-04-30
year	2019
description	(no language specified) This small and simple package allows LuaLaTeX users to access basic ligatures (ff, fi, ffi, fl, ffl) in legacy TrueType fonts (those lacking a liga table) accessed via fontspec.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/addliga/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/addliga/addliga.pdf
– local file	./2210729252-addliga.pdf
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/addliga
on MikTeX	addliga
on T _E XLive	addliga
keyword	font-use (font selection, mapping, etc.)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
last access	2025-02-12

65 addlines – A user-friendly wrapper around `\enlargethispage`

Web page on CTAN <https://ctan.org/pkg/addlines>

name	addlines
caption	A user-friendly wrapper around <code>\enlargethispage</code>
author	Robertson, Will
copyright	Will Robertson (2007-2018)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3 (2018-12-05)
last changes	2018-12-05
year	2018
description	(no language specified) This small package provides the command <code>\addlines</code> for adding or removing space in the textblock of the page it's used on. E.g., adding an extra line of text to the page so that a section fits better on the next page. It will also add space to the <i>facing</i> page in a two-sided document.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/addlines/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/addlines/addlines.pdf
– local file	<code>./5600918155-addlines.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/addlines
on MikTeX	addlines
on TeXLive	addlines
keyword	<code>geometry</code> (change geometry of page layout)
language(s)	no language specified
last access	2025-02-12

66 **address** – Generate form letters and address labels

Web page on CTAN <https://ctan.org/pkg/address>

name	address
caption	Generate form letters and address labels
author	Wester, Michael
author	Damrau, Jackie
license	noinfo = noinfo
version	(1993-11-29)
last changes	1993-11-29
year	1993
description	(no language specified) Model files and file preambles for producing form letters, envelopes and envelope labels (in 3-across layout), using LaTeX 2.09.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex209/contrib/address/README
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/address
keyword	letter (typesetting letters, envelopes, faxes, etc)
language(s)	no language specified
last access	2025-02-12

67 **addtex2eps** – Use LaTeX syntax on EPS figures, within Mathematica

Web page on CTAN <https://ctan.org/pkg/addtex2eps>

name	AddTeX2Eps
caption	Use LaTeX syntax on EPS figures, within Mathematica
author	Slavič, Janko
license	lppl = The LaTeX Project Public License (free)
version	1.15
description	(no language specified) This Mathematica script permits the user to write psfrag commands at the same place as the fragments for replacement are defined.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/AddTeX2Eps/README
on CTAN	https://ctan.org/tex-archive/graphics/AddTeX2Eps

keyword	graphics-prep (prepare graphics for use with *TeX)
language(s)	no language specified
year	without year
last access	2025-02-12

68 addtoluatexpath – Add paths to Lua packages and input TeX files

Web page on CTAN <https://ctan.org/pkg/addtoluatexpath>

name	addtoluatexpath
caption	Add paths to Lua packages and input TeX files
author	Ewasiuk, Kale
copyright	Kale Ewasiuk (2023-2024)
license	mit = MIT License (free)
version	(2024-03-14)
last changes	2024-03-14
year	2024
description	(no language specified) This package provides a convenient way to add input and Lua package paths in your document. You may want this package, for example, if a <code>.cls</code> or <code>.sty</code> file is located on a network or cloud storage drive.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/addtoluatexpath/README.md
contact	<i>repository</i> : https://github.com/kalekje/addtoluatexpath
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/addtoluatexpath
on MikTeX	addtoluatexpath
on TeXLive	addtoluatexpath
keyword	macro-gen (macros that are independent of the (TeX) format in use)
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
last access	2025-02-12

69 adfathesis – Australian Defence Force Academy thesis format

Web page on CTAN	https://ctan.org/pkg/adfathesis
name	adfathesis
caption	Australian Defence Force Academy thesis format
author	Harker, Stephen
license	pd = Public Domain Software (free)
version	2.42
description	(no language specified) The bundle includes a BibTeX style file.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/adfathesis/adfathesis.pdf
– local file	./7346104290-adfathesis.pdf
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/adfathesis/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/adfathesis
on MikTeX	adfathesis
on TeXLive	adfathesis
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
year	without year
last access	2025-02-12

70 adforn – OrnamentsADF font with TeX/LaTeX support

Web page on CTAN	https://ctan.org/pkg/adforn
name	adforn
caption	OrnamentsADF font with TeX/LaTeX support
author	Rees, Clea F.
copyright	Clea F. Rees (2010-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)

license	gpl2 = GNU General Public License, version 2 (free)
version	1.4 (2026-02-25)
last changes	2026-02-25
year	2026
description	(no language specified) The bundle provides the Ornaments ADF font in PostScript type 1 format with TeX/LaTeX support files. The font is licensed under GPL v2 or later with font exception. (See NOTICE, COPYING, README.) The TeX/LaTeX support is licensed under LPPL. (See README, manifest.txt.)
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/adfor/README.md
documentation	(no language specified) <i>Package documentation and font tables</i>: https://ctan.org/tex-archive/fonts/adfor/doc/adfor.pdf
– local file	./1755802371-adfor.pdf
contact	<i>repository</i> : https://codeberg.org/cfr/nfssex
on CTAN	https://ctan.org/tex-archive/fonts/adfor
on MikTeX	adfor
on TeXLive	adfor
keyword	tagged-pdf-partially (tagged PDF partially compatible)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
keyword	font-ornmnt (fonts of typographic ornaments)
language(s)	no language specified
last access	2026-03-04

71 adfsymbols – SymbolsADF with TeX/LaTeX support

Web page on CTAN <https://ctan.org/pkg/adfsymbols>

name	adfsymbols
caption	SymbolsADF with TeX/LaTeX support
author	Rees, Clea F.
copyright	Clea F. Rees (2019-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	gpl2+ = GNU General Public License, version 2 or newer (free)
version	1.5 (2026-02-25)
last changes	2026-02-25
year	2026
description	(no language specified) The package provides Arkandis foundry's ArrowsADF and BulletsADF fonts in Adobe Type 1 format, together with TeX/LaTeX support files.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/adfsymbols/doc/adfsymbols.pdf
– local file	./8524200111-adfsymbols.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/adfsymbols/README.md
contact	<i>repository</i> : https://github.com/cfr42/nfssext
on CTAN	https://ctan.org/tex-archive/fonts/adfsymbols
on MikTeX	adfsymbols
on TeXLive	adfsymbols
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-symbol (fonts that provide collections of symbols)
keyword	font (fonts themselves)
keyword	tagged-pdf-partially (tagged PDF partially compatible)
language(s)	no language specified
last access	2026-03-04

72 adhocfilelist – ‘listfiles’ entries from the command line

Web page on CTAN <https://ctan.org/pkg/adhocfilelist>

name	adhocfilelist
caption	‘listfiles’ entries from the command line
author	Lück, Uwe
copyright	Uwe Lück (2012)
license	lppl = The LaTeX Project Public License (free)
version	(2013-01-04)
last changes	2013-01-04
year	2013
description	(no language specified) The package provides a Unix shell script to display a list of LaTeX <code>\Provides...</code>-command contexts on screen. Provision is made for controlling the searches that the package does. The package was developed on a Unix-like system, using (among other things) the gnu variant of the <code>find</code> command.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/support/adhocfilelist/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/support/adhocfilelist/doc/adhocfilelist.htm
contact	<i>support</i> : http://www.webdesign-bu.de/uwe_lueck/contact.html
on CTAN	https://ctan.org/tex-archive/support/adhocfilelist
installation	https://ctan.org/tex-archive/install/support/adhocfilelist.tds.zip
on T _E XLive	adhocfilelist
keyword	doc-debug (tools, etc., for “debugging” documents)
language(s)	no language specified
last access	2025-02-12

73 adigraph – Augmenting directed graphs

Web page on CTAN <https://ctan.org/pkg/adigraph>

name	adigraph
caption	Augmenting directed graphs
author	Cappelletti, Luca
copyright	Luca Cappelletti (2018)
license	mit = MIT License (free)
version	1.7.2
description	(no language specified) This LaTeX package provides the means to easily draw augmenting oriented graphs, as well as cuts on them, to demonstrate steps of algorithms for solving max-flow min-cut problems. This package requires the other LaTeX packages fp , xparse , xstring , and TikZ (in particular the TikZ calc library).
documentation	(no language specified) <i>Documentation</i>: https://ctan.org/tex-archive/graphics/pgf/contrib/adigraph/adigraph_documentation.pdf
– local file	<code>./2247967885-adigraph_documentation.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/graphics/pgf/contrib/adigraph/README.md
contact	<i>bugs</i> : https://github.com/LucaCappelletti94/adigraph/issues
contact	<i>repository</i> : https://github.com/LucaCappelletti94/adigraph
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/adigraph
on MikTeX	adigraph
on T _E XLive	adigraph
keyword	diagram (diagrams)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
year	2018
last access	2025-08-30

74 adjmulticol – Adjusting margins for multicolumn and single column output

Web page on CTAN <https://ctan.org/pkg/adjmulticol>

name	adjmulticol
caption	Adjusting margins for multicolumn and single column output
author	Veytsman, Boris
copyright	Boris Veytsman (2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.5 (2022-05-15)
last changes	2022-05-15
year	2022
description	(no language specified) The package adds, to the multicol package, the option to change the margins for multicolumn and unicolumn layout. The package understands the difference between the even and odd margins for two side printing.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/adjmulticol/adjmulticol.pdf
– local file	./1636498539-adjmulticol.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/adjmulticol/README
contact	<i>bugs:</i> https://github.com/borisveytsman/adjmulticol/issues
contact	<i>repository:</i> https://github.com/borisveytsman/adjmulticol
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/adjmulticol
on MikTeX	adjmulticol
on T _E XLive	adjmulticol
keyword	multicol (more than one column on the page)
keyword	layout (layout of objects on the page)
language(s)	no language specified
last access	2025-02-12

75 *adjustbox* – Graphics package-alike macros for “general” boxes

Web page on CTAN <https://ctan.org/pkg/adjustbox>

name	<code>adjustbox</code>
caption	Graphics package-alike macros for “general” boxes
author	Scharrer, Martin
copyright	Martin Scharrer (2011-2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3c (2025-02-26)
last changes	2025-02-26
year	2025
description	(no language specified) The package provides several macros to adjust boxed content. One purpose is to supplement the standard graphics package, which defines the macros <code>\resizebox</code>, <code>\scalebox</code> and <code>\rotatebox</code>, with the macros <code>\trimbox</code> and <code>\clipbox</code>. The main feature is the general <code>\adjustbox</code> macro which extends the “key=value” interface of <code>\includegraphics</code> from the graphics package and applies it to general text content. Additional provided box macros are <code>\lapbox</code>, <code>\marginbox</code>, <code>\minsizebox</code>, <code>\maxsizebox</code> and <code>\phantombox</code>. All macros use the collectbox package to read the content as a box and not as a macro argument. This allows for all forms of content including special material like verbatim content. A special feature of collectbox is used to provide matching environments with the identical names as the macros.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/adjustbox/adjustbox.pdf
– local file	<code>./1706718596-adjustbox.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/adjustbox/README.txt
home page	https://github.com/MartinScharrer/adjustbox
contact	<i>bugs</i> : https://github.com/MartinScharrer/adjustbox/issues
contact	<i>repository</i> : https://github.com/MartinScharrer/adjustbox.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/adjustbox
on MikTeX	<code>adjustbox</code>
on T _E XLive	<code>adjustbox</code>
keyword	<code>box-breaking</code> (breaking boxes over a page boundary, etc)

keyword	<code>typesetting</code> (support for variations of typographic style)
keyword	<code>box-manip</code> (manipulating boxes)
see also	see section 1199 on page 1090: (<code>collectbox</code> – Collect and process macro arguments as boxes)
see also	see section 5125 on page 4645: (<code>realboxes</code> – Variants of common box-commands that read their content as real box and not as macro argument)
see also	see section 2520 on page 2281: (<code>gincלטex</code> – Include TeX files as graphics (<code>.tex</code> support for <code>\includegraphics</code>))
language(s)	no language specified
last access	2025-03-07

76 *adobe-euro* – Metric and map files for the Adobe Euro fonts

Web page on CTAN	https://ctan.org/pkg/adobe-euro
name	<code>adobe-euro</code>
caption	Metric and map files for the Adobe Euro fonts
license	other-free = Free license not otherwise listed (free)
description	(no language specified) Provides maps and metrics for using Adobe’s Euro fonts. The fonts themselves are only available from Adobe (though the fonts are free of charge, the licence conditions prevent CTAN from distributing them). Note that most text fonts now provide an appropriate glyph for the euro, so that this font is somewhat of a specialist interest.
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/adobe-euro/doc/eurosamp.pdf
– local file	<code>./4260952839-eurosamp.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/adobe-euro/README.txt
on CTAN	https://ctan.org/tex-archive/fonts/adobe-euro
on MikTeX	<code>adobe-euro</code>
keyword	<code>font-absent</code> (support is for a font not available on CTAN)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year
last access	2025-02-12

77 adobecaslon – Adobe Caslon font in LaTeX

Web page on CTAN <https://ctan.org/pkg/adobecaslon>

name	adobecaslon
caption	Adobe Caslon font in LaTeX
author	Veytsman, Boris
license	bsd = BSD Style License (free)
version	2.2
description	(no language specified) The package provides support files for the Adobe Caslon font family. The font's name, in the naming scheme specified in fontname , is <code>pac</code> . The package does <i>not</i> provide the (commercial) fonts themselves.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/psfonts/adobe/adobecaslon/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/psfonts/adobe/adobecaslon/adobecaslon.pdf
– local file	<code>./7148167965-adobecaslon.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/psfonts/adobe/adobecaslon
installation	https://ctan.org/tex-archive/install/fonts/psfonts/adobe/adobecaslon.tds.zip
on MikTeX	adobecaslon
keyword	font-absent (support is for a font not available on CTAN)
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year
last access	2026-04-10

78 adobemapping – Adobe cmap and pdfmapping files

Web page on CTAN <https://ctan.org/pkg/adobemapping>

name	adobemapping
caption	Adobe cmap and pdfmapping files
author	Adobe Systems Incorporated
copyright	Adobe Systems Incorporated (1990-2023)
license	bsd = BSD Style License (free)
version	(2023-03-11)
last changes	2023-03-11
year	2023
description	(no language specified) The package comprises the collection of CMap and PDF mapping files made available for distribution by Adobe.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/adobemapping/README
contact	<i>repository</i> : https://github.com/adobe-type-tools/
on CTAN	https://ctan.org/tex-archive/support/adobemapping
on MikTeX	adobemapping
on TeXLive	adobemapping
keyword	font-supp (metrics, macro incantations and other font support)
see also	see section 4028 on page 3643: (mmap – Include CMap resources in PDF files from pdfTeX)
see also	see section 1148 on page 1045: (cmap – Make PDF files searchable and copyable)
language(s)	no language specified
last access	2026-04-10

79 adobeornaments – Using ornaments in Adobe Fonts with LuaLaTeX or XeLaTeX

Web page on CTAN <https://ctan.org/pkg/adobeornaments>

name	adobeornaments
caption	Using ornaments in Adobe Fonts with LuaLaTeX or XeLaTeX
author	Granet, Elijah Z
license	cc-by-sa-3 = CC BY-SA 3.0 (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.1 (2023-05-15)
last changes	2023-05-15
year	2023
description	(no language specified) This package provides an easy way to use Adobe fonts' ornaments in LaTeX. It requires LuaLaTeX or XeLaTeX. NOTE: The Adobe fonts are not included with the package and must be purchased separately.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/adobeornaments/README
documentation	(no language specified) <i>List of supported symbols</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/adobeornaments/adobeornaments-list.pdf
– local file	./4641094315-adobeornaments-list.pdf
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/adobeornaments/adobeornaments-documentation.pdf
– local file	./7171990177-adobeornaments-documentation.pdf
contact	<i>repository</i> : https://www.github.com/ezgranet/adobeornaments
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/adobeornaments
on MikTeX	adobeornaments
keyword	font-absent (support is for a font not available on CTAN)
keyword	font-ornmnt (fonts of typographic ornaments)
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified

last access 2025-02-12

80 *adrconv* – BibTeX styles to implement an address database

Web page on CTAN <https://ctan.org/pkg/adrconv>

name	adrconv
caption	BibTeX styles to implement an address database
author	Kielhorn, Axel
copyright	Axel Kielhorn (2006, 2010, 2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.4
description	(no language specified) The bundle provides a collection of BibTeX style files to turn an address database stored in the <code>.bib</code> format into files suitable for printing as address books or included into letter classes like akletter or scrletter2 . The data may be sorted either by name or birthday and output provides files in various formats for address books or time planners.
documentation	(German) <i>User guide</i> : https://ctan.org/tex-archive/macros/latex/contrib/adrconv/adrguide.pdf
– local file	<code>./3821385476-adrguide.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/adrconv/README
documentation	(no language specified) <i>Implementation details</i> : https://ctan.org/tex-archive/macros/latex/contrib/adrconv/adrconv.pdf
– local file	<code>./6798799774-adrconv.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/adrconv
on MikTeX	adrconv
on TeXLive	adrconv
keyword	bibtex-sty (bibtex-sty(unknown))
keyword	biblio (bibliography processor)
language(s)	German
year	2018
last access	2025-02-19

81 *adrlist* – Using address lists in LaTeX

Web page on CTAN <https://ctan.org/pkg/adrlist>

name	adrlist
caption	Using address lists in LaTeX
author	Spribille, Tobias
license	noinfo = noinfo
description	(no language specified) The package provides a read-file command (<code>\ForEachAddress</code>) and a set of commands for unpicking the address data in the file.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/adrlist/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/adrlist/adrlist.pdf
– local file	./3352806735-adrlist.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/adrlist
on MikTeX	adrlist
keyword	data-import (importing data into documents)
language(s)	no language specified
year	without year
last access	2025-02-12

82 *adtrees* – Macros for drawing adpositional trees

Web page on CTAN <https://ctan.org/pkg/adtrees>

name	adtrees
caption	Macros for drawing adpositional trees
author	Benini, Marco
author	Gobbo, Federico
license	gpl = GNU General Public License (free)
version	1.1 (2019-07-11)
last changes	2019-07-11
year	2019

83 *advdate* – Print a date relative to “today”

description	(no language specified) This package provides a means to write adpositional trees, a formalism devoted to representing natural language expressions. The package relies on epic and cancel .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/adtrees/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/adtrees/adtreesdoc.pdf
– local file	<code>./9039483852-adtreesdoc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/adtrees
on MikTeX	<code>adtrees</code>
on TeXLive	<code>adtrees</code>
keyword	<code>linguistic</code> (support for linguistics)
keyword	<code>tree</code> (mechanisms for drawing trees)
language(s)	no language specified
last access	2025-08-30

83 *advdate* – Print a date relative to “today”

Web page on CTAN <https://ctan.org/pkg/advdate>

name	<code>advdate</code>
caption	Print a date relative to “today”
author	Wagner, Zdeněk
copyright	Z. Wagner, Ice Bear Soft (1996)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2010-11-22)
last changes	2010-11-22
year	2010
description	(no language specified) Provides macros which can add a specified number of days to the current date (as specified in <code>\today</code>), to save, set and restore the ‘current date’ and to print it. Intended use is, for example, in invoices ”payable within 14 days from today”, etc. The package has only been tested with Czech dates.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/advdate/advdate.pdf

– local file	<code>./7446627352-advdate.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/advdate
on MikTeX	<code>advdate</code>
on T _E XLive	<code>advdate</code>
keyword	<code>date-time</code> (manipulate dates and/or times)
language(s)	no language specified
last access	2025-09-11

84 *advice* – Extend commands and environments

Web page on CTAN	https://ctan.org/pkg/advice
name	<code>Advice</code>
caption	Extend commands and environments
author	Živanović, Sašo
copyright	Sašo Živanović (2023)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1.1 (2024-03-15)
last changes	2024-03-15
year	2024
description	(no language specified) Like its namesake from the Emacs world, this cross-format package implements a generic framework for extending the functionality of selected commands and environments. It was developed as an auxiliary package of Memoize. This is why it is, somewhat unconventionally, documented alongside that package. This applies to both the manual and the documented code listing.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/generic/advice/README.md
contact	<i>repository</i> : https://github.com/sasozivanovic/memoize
on CTAN	https://ctan.org/tex-archive/macros/generic/advice
installation	https://ctan.org/tex-archive/install/macros/generic/advice.tds.zip
on MikTeX	<code>advice</code>
on T _E XLive	<code>advice</code>

keyword	<code>macro-gen</code> (macros that are independent of the (TeX) format in use)
keyword	<code>macro-def</code> (alternative ways of defining macros)
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-12

85 *ae* – Virtual fonts for T1 encoded CMR-fonts

Web page on CTAN <https://ctan.org/pkg/ae>

name	<code>ae</code>
caption	Virtual fonts for T1 encoded CMR-fonts
author	Engelbrechtsen, Lars
license	lppl = The LaTeX Project Public License (free)
version	1.4
description	(no language specified) A set of virtual fonts which emulates T1 coded fonts using the standard CM fonts. The package name, AE fonts, supposedly stands for "Almost European". The main use of the package was to produce PDF files using Adobe Type 1 versions of the CM fonts instead of bitmapped EC fonts. Note that direct substitutes for the bitmapped EC fonts are now available, via the CM-super, Latin Modern and (in a restricted way) CM-LGC font sets.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/ae/README
on CTAN	https://ctan.org/tex-archive/fonts/ae
installation	https://ctan.org/tex-archive/install/fonts/ae.tds.zip
on MikTeX	<code>ae</code>
on TeXLive	<code>ae</code>
keyword	<code>font-t1enc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-virtual</code> (virtual font(s) using existing fonts)
see also	see section 6911 on page 6237: (<code>zefonts</code> – Virtual fonts to provide T1 encoding from existing fonts)
see also	see section 96 on page 89: (<code>aeguill</code> – Add several kinds of guillemets to the <code>ae</code> fonts)
language(s)	no language specified

year	without year
last access	2025-02-12

86 aeb-minitoc – Create mini-tocs

Web page on CTAN <https://ctan.org/pkg/aeb-minitoc>

name	aeb-minitoc
caption	Create mini-tocs
author	Story, Donald P.
copyright	D. P. Story (2012-2019)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	(2019-10-06)
last changes	2019-10-06
year	2019
description	(no language specified) This package creates mini-TOCs through the use of the <code>\insertminitoc</code> command. The system is powerful and flexible and allows for some amount of logic. The package works for the usual workflows.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/aeb-minitoc/README.md
documentation	(no language specified) <i>Technical documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/aeb-minitoc/doc/aeb-minitoc.pdf
– local file	./7492292197-aeb-minitoc.pdf
documentation	(no language specified) <i>User manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/aeb-minitoc/doc/aebminitocman.pdf
– local file	./6928273052-aebminitocman.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/aeb-minitoc
on MikTeX	aeb-minitoc
keyword	toc-etc (deal with Tables of Contents, and of other such things)
see also	see section 3994 on page 3612: (<code>minitoc</code> – Produce a table of contents for each chapter, part or section)
language(s)	no language specified

last access 2025-08-30

87 *aeb-mlink* – Multi-line links with hyperref

Web page on CTAN <https://ctan.org/pkg/aeb-mlink>

name	aeb-mlink
caption	Multi-line links with hyperref
author	Story, Donald P.
copyright	D. P. Story (2006-2020)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	(2020-07-12)
last changes	2020-07-12
year	2020
description	(no language specified) This package defines new link commands to create multi-line links. The new commands are <code>\mlhypertext</code>, <code>\mlhyperlink</code>, <code>\mlhyperref</code>, <code>\mlnameref</code>, <code>\mlNameref</code>, <code>\mlhref</code>, and <code>\mlurl</code>. There is a mechanism for breaking links across pages as well. PDF Creators: Adobe Distiller or ps2pdf. This package requires the latest version of AeB; in particular, the eforms package required is dated 2018/03/22 or later, see acrotex.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/aeb_mlink/docs/aeb_mlink.pdf
– local file	<code>./1623769330-aeb_mlink.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/aeb_mlink/README.md
home page	http://www.math.uakron.edu/~dpstory/aeb_pro.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/aeb_mlink
on MikTeX	aeb-mlink
keyword	acrobat (relies on availability of Adobe Acrobat, etc.)
keyword	adobe-distiller (convert PostScript to PDF using Adobe Distiller)
keyword	hyper (support for hypertext)
see also	see section 837 on page 766: (<code>breakurl</code> – Line-breakable <code>\url</code> -like links in <code>hyperref</code> when compiling via <code>dvips/ps2pdf</code>)

language(s) no language specified
last access 2025-08-30

88 aeb-mobile – Format PDF files for use on a smartphone

Web page on CTAN <https://ctan.org/pkg/aeb-mobile>

name aeb-mobile
caption Format PDF files for use on a smartphone
author Story, Donald P.
copyright D. P. Story (2012-2018)
license lpl = The LaTeX Project Public License (free)
version 1.4 (2018-04-26)
last changes 2018-04-26
year 2018
description (no language specified) The package is a simple application of the **web** and **eforms** packages from the **acrotex collection** to format a PDF for a smartphone. The design aim was to maximise the viewing and printing experience when the PDF is viewed on the desktop/laptop and in a smartphone.
documentation (no language specified) *Readme*: https://ctan.org/tex-archive/macros/latex/contrib/aeb_mobile/README.md
documentation (no language specified) *Package documentation*: https://ctan.org/tex-archive/macros/latex/contrib/aeb_mobile/doc/aebmobile_man.pdf
– local file ./9802341471-aebmobile_man.pdf
on CTAN https://ctan.org/tex-archive/macros/latex/contrib/aeb_mobile
on MikTeX aeb-mobile
keyword typesetting (support for variations of typographic style)
keyword mobile (support for mobile use)
language(s) no language specified
last access 2025-02-12

89 aeb-pro – Items from the AeB Pro Family of Software

Web page on CTAN <https://ctan.org/pkg/aeb-pro>

name	AeB Pro
caption	Items from the AeB Pro Family of Software
author	Story, Donald P.
copyright	D. P. Story (2006-2021)
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	(2021-06-20)
last changes	2021-06-20
year	2021
description	(no language specified) The AeB Pro bundle provides further functionality for the user of the AcroTeX eDucation Bundle . Except as noted in the documentation, the bundle is aimed at users of Acrobat Pro 7.0 or later and deals with using distiller to create PDF.

AeB Pro itself implements a number of features:

- AeB Central (this can be used by non-distiller users);
- Complete support for set up the initial view of the document;
- Extensive support for document actions: document level JS, set document actions (willSave, didSave, etc.) and open document actions;
- Complete support for page actions;
- Complete support for full screen mode, and all the
- current transition effects through version 8;
- Methods to easily attach documents;
- document assembly methods, methods used immediately following distillation;
- Methods for linking to attachments and launching attachments;
- Support for creating PDF Packages;
- Initializing fields using unicode; and
- Basic support for layers, rollovers and animations.

The bundle also contains ” **Robot Man** ”, a less than totally serious demo application.

documentation	(no language specified) <i>AeB Pro README</i> : https://ctan.org/tex-archive/macros/latex/contrib/aeb_pro/aeb_pro/README.md
documentation	(no language specified) <i>AeB Pro Manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/aeb_pro/aeb_pro/doc/aebpro_man.pdf
– local file	<code>./8232510448-aebpro_man.pdf</code>
home page	http://www.math.uakron.edu/~dpstory/webeq.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/aeb_pro/aeb_pro
on MikTeX	<code>aeb-pro</code>
keyword	<code>acrobat</code> (relies on availability of Adobe Acrobat, etc.)
keyword	<code>pdf-feat</code> (access PDF features)
keyword	<code>hyper</code> (support for hypertext)
keyword	<code>adobe-distiller</code> (convert PostScript to PDF using Adobe Distiller)
language(s)	no language specified
last access	2025-02-12

90 *aeb-tilebg* – AeB Tiling Backgrounds

Web page on CTAN	https://ctan.org/pkg/aeb-tilebg
name	<code>aeb-tilebg</code>
caption	AeB Tiling Backgrounds
author	Story, Donald P.
copyright	D. P. Story (2006-2018)
license	lppl = The LaTeX Project Public License (free)
version	1.2 (2018-04-26)
last changes	2018-04-26
year	2018
description	(no language specified) The package takes a rectangular graphic and uses it to tile the background of pages. The package is distributed as part of the AeB Pro bundle.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/aeb_tilebg/doc/aebbgtile_man.pdf
– local file	<code>./6681226504-aebbgtile_man.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/aeb_tilebg/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/aeb_tilebg
on MikTeX	<code>aeb-tilebg</code>
keyword	background (decorate/confuse text by adding a background)
language(s)	no language specified
last access	2025-02-12

91 *aeb_dad* – A drag-and-drop matching game with PDF files

Web page on CTAN	https://ctan.org/pkg/aeb_dad
name	<code>aeb_dad</code>
caption	A drag-and-drop matching game with PDF files
author	Story, Donald P.
license	lppl = The LaTeX Project Public License (free)
version	1.2b (2016-10-26)
last changes	2016-10-26
year	2016
description	(no language specified) The package is used to create a DAD (Drag and Drop) Matching Game that uses stamps and push buttons. DAD Matching works in any version of Acrobat, and in Adobe Reader XI; it can use the stamps created by the mkstmp-pro .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mkstmpdad/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mkstmpdad/doc/mkstmpdad_man.pdf
– local file	<code>./3957875319-mkstmpdad_man.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mkstmpdad

keyword	games (process game diagrams, gamebooks, and other amusements)
language(s)	no language specified
last access	2025-02-12

92 *aebenvelope* – The AeB Pro eEnvelope System

Web page on CTAN	https://ctan.org/pkg/aebenvelope
name	<i>aebenvelope</i>
caption	The AeB Pro eEnvelope System
author	Story, Donald P.
copyright	D. P. Story (2006)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package uses the concept of an ‘eEnvelope’ to direct the user’s attention to attached files. The system may use any one of four provided eEnvelope templates, or can use a custom designed template. The AeB Pro package is required to attach documents to the eEnvelope. AeB Pro, and hence also eEnvelope, requires Acrobat Pro, version 7.0 or later, and requires the document author to create PDF using distiller.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/aeb_pro/aebenvelope/doc/aebenv_man.pdf
– local file	<code>./5994288798-aebenv_man.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/aeb_pro/aebenvelope/ReadMe.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/aeb_pro/aebenvelope
on MikTeX	<i>aebenvelope</i>
keyword	adobe-distiller (convert PostScript to PDF using Adobe Distiller)
keyword	pdf-feat (access PDF features)
language(s)	no language specified
year	2006
last access	2025-02-12

93 aebslicing – An image slicer

Web page on CTAN <https://ctan.org/pkg/aebslicing>

name	AeB slicing
caption	An image slicer
author	Story, Donald P.
copyright	D. P. Story (2006)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package provides a batch sequence for Acrobat, used by other packages in the ae - pro bundle. The sequence takes the current open image and slices it into a specified number of rows and columns, saving the results.
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/aeb_pro/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/aeb_pro/aebslicing/aebslicing_sequ_doc.pdf
– local file	./2684132092-aebslicing_sequ_doc.pdf
home page	http://www.math.uakron.edu/~dpstory/webeq.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/aeb_pro/aebslicing
on MikTeX	aebslicing
keyword	package-supp (support for other packages)
keyword	pdf-forms (create pdf form fields, use form fields as an integral part of the package)
language(s)	no language specified
year	2006
last access	2025-09-11

94 aebxmp – Add advanced metadata to PDF files

Web page on CTAN <https://ctan.org/pkg/aebxmp>

name	aebXMP
caption	Add advanced metadata to PDF files
author	Story, Donald P.
copyright	D. P. Story (2006-2017)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	(2017-02-17)
last changes	2017-02-17
year	2017
description	(no language specified) The package fills in advanced metadata (more than is possible with hyperref), using the E4X xml parser in Acrobat Professional 8. The package is part of the AeB Pro bundle of packages.
documentation	(no language specified) <i>Package manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/aeb_pro/aebxmp/doc/aebxmp_man.pdf
– local file	<code>./9343979522-aebxmp_man.pdf</code>
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/aeb_pro/README
documentation	(no language specified) <i>Package readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/aeb_pro/aebxmp/README.md
home page	http://www.math.uakron.edu/~dpstory/webeq.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/aeb_pro/aebxmp
on MikTeX	aebxmp
keyword	acrobat (relies on availability of Adobe Acrobat, etc.)
keyword	pdf-feat (access PDF features)
language(s)	no language specified
last access	2025-02-12

95 *aecc* – Almost European Concrete Roman virtual fonts

Web page on CTAN <https://ctan.org/pkg/aecc>

name	aecc
caption	Almost European Concrete Roman virtual fonts
author	Rivera, Luis
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package provides a set of virtual fonts (built from the standard Concrete fonts) providing a set of fonts that almost cover the T1 encoding. The main characters missing, of those specified in the T1 specification are eth, thorn, and the Sami letter eng. Sometimes the £ (pound sterling) character is also missing. For the typewriter fonts, the situation is <i>worse</i> . According to the author, the purpose of this package is nowadays better served by a combination of the MLTeX and ccfonts packages.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/obsolete/fonts/aecc/README
on CTAN	https://ctan.org/tex-archive/obsolete/fonts/aecc
on MikTeX	aecc
keyword	font (fonts themselves)
keyword	font-virtual (virtual font(s) using existing fonts)
keyword	font-t1enc (font providing LaTeX T1 encoding support)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
year	without year
last access	2025-02-12

96 *aeguill* – Add several kinds of guillemets to the ae fonts

Web page on CTAN <https://ctan.org/pkg/aeguill>

name	aeguill
caption	Add several kinds of guillemets to the ae fonts
author	Roegel, Denis B.
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The package enables the user to add guillemets from several source (Polish cmr, Cyrillic cmr, lasy and ec) to the ae fonts. This was useful when the ae fonts were used to produce PDF files, since the additional guillemets exist in fonts available in Adobe Type 1 format.
documentation	(no language specified) <i>Available guillemet glyphs</i> : https://ctan.org/tex-archive/macros/latex/contrib/aeguill/guil-test2.pdf
– local file	./2432566831-guil-test2.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/aeguill/README
documentation	(no language specified) <i>Discussion of package</i> : https://ctan.org/tex-archive/macros/latex/contrib/aeguill/guil-test1.pdf
– local file	./6172350673-guil-test1.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/aeguill
on MikTeX	aeguill
on T _E XLive	aeguill
keyword	font-t1enc (font providing LaTeX T1 encoding support)
keyword	font-virtual (virtual font(s) using existing fonts)
keyword	font (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-08-30

97 aeskwadraat – A–Eskwadraat package catalogue

Web page on CTAN <https://ctan.org/pkg/aeskwadraat>

name aeskwadraat

caption A–Eskwadraat package catalogue

author Straat, Jesse

copyright TeXniCie A-Eskwadraat (2024-2025)

license gpl3+ = GNU General Public License, version 3 or newer (free)

license cc-by-sa-4 = CC BY-SA 4.0 (free)

version 1.0.1 (2025-06-13)

last changes 2025-06-13

year 2025

description (no language specified) This is the official package catalogue of the [A–Eskwadraat association](#) .

A–Eskwadraat is the study association for mathematics and physics at Utrecht University.

The catalogue includes packages for meeting notes, a beamer theme, invoices and letters.

The beamer theme can also be used for Utrecht University-styled presentations. Do refer to the [UU website](#) for information on logo use.

documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/macros/latex/contrib/aeskwadraat/README.md>

documentation (no language specified) *Package documentation:* <https://ctan.org/tex-archive/macros/latex/contrib/aeskwadraat/aeskwadraat-doc.pdf>

– local file ./9644047469-aeskwadraat-doc.pdf

contact *repository:* <https://gitlab.com/iba-aes/latex-packages>

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/aeskwadraat>

on T_EXLive aeskwadraat

keyword notes (general notes (not including endnotes or footnotes))

keyword presentation (slides, beamers, handouts, etc.)

keyword invoice (typesetting and calculating invoices)

keyword std-conform (support conformance to standards)

keyword	letter (typesetting letters, envelopes, faxes, etc)
language(s)	no language specified
last access	2025-06-19

98 *aesupp* – Special support for the æ character

Web page on CTAN <https://ctan.org/pkg/aesupp>

name	aesupp
caption	Special support for the æ character
author	Jørgensen, Palle
copyright	Palle Jørgensen (2021)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
license	gfl = The GUST Font License (GFL) (free)
version	1 (2021-03-10)
last changes	2021-03-10
year	2021
description	(no language specified) This package provides special support for the italic ‘æ’ character in some fonts, due to design flaws (in the author’s opinion) regarding this character. At the moment only the fonts TeX Gyre Bonum , TeX Gyre Schola , TeX Gyre Pagella , and the Latin Modern fonts are supported. The other fonts in the TeX Gyre bundle do not need this support.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/aesupp/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/aesupp/doc/aesupp.pdf
– local file	./6090443169-aesupp.pdf
on CTAN	https://ctan.org/tex-archive/fonts/aesupp
on MikTeX	aesupp
on T _E XLive	aesupp
keyword	font-otf (font in OpenType format)
keyword	font (fonts themselves)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-specialist (fonts with specific small application areas)

keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
last access	2025-02-12

99 *affilauthor* – Tag author and affiliation information in a key-value style

Web page on CTAN	https://ctan.org/pkg/affilauthor
name	affilauthor
caption	Tag author and affiliation information in a key-value style
author	P., Selvam
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.1 (2023-11-29)
last changes	2023-11-29
year	2023
description	(no language specified) This package provides key-value style author and affiliation information tagging in a structured format. Each field has a specific name similar to the bib format. We can customize the styles as per preferences for <code>article.cls</code> class layout. Instead of giving all the information (author and affiliation) in a single tag, we can split the information in a format of key-value style.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/affilauthor/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/affilauthor/affilauthor-doc.pdf
– local file	./6257202081-affilauthor-doc.pdf
contact	<i>bugs</i> : https://github.com/selvamtech08/affilauthor/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/affilauthor
on MikTeX	affilauthor
on TeXLive	affilauthor
keyword	expl3 (expl3(unknown))
keyword	index-auth (index of referenced authors)
keyword	keyval (key-value argument systems)
keyword	layout (layout of objects on the page)

language(s) no language specified
last access 2025-02-12

100 *afmtopl-clark* – Convert AFM files to PLs for use with dvitops

Web page on CTAN <https://ctan.org/pkg/afmtopl-clark>

name AFMtoPL (Clark)
caption Convert AFM files to PLs for use with dvitops
author Clark, James
license noinfo = noinfo
version (1989-02-22)
last changes 1989-02-22
year 1989
description (no language specified) A converter that does not (as a modern application would) provide for use of virtual fonts. The conversion is tailored to work with the author's *dvitops* .
on CTAN <https://ctan.org/tex-archive/fonts/utilities/afmtopl/clark>
keyword font-proc (process fonts for use with TeX (includes installation))
language(s) no language specified
last access 2025-02-12

101 *afmtopl-elwell* – An early converter from AFM to PL

Web page on CTAN <https://ctan.org/pkg/afmtopl-elwell>

name AFMtoPL (Elwell)
caption An early converter from AFM to PL
author Elwell, Clayton M.
license noinfo = noinfo
version (1987-07-09)
last changes 1987-07-09
year 1987
description (no language specified) Probably only of historical interest; it predates Knuth's introduction of virtual fonts.

on CTAN <https://ctan.org/tex-archive/fonts/utilities/afmtopl/elwell>

keyword font-proc (process fonts for use with TeX (includes installation))

language(s) no language specified

last access 2025-02-12

102 *afmtopl-wolczko* – Unix utilities for translating AFM files to PL

Web page on CTAN <https://ctan.org/pkg/afmtopl-wolczko>

name AFMtopl (Wolczko)

caption Unix utilities for translating AFM files to PL

author Wolczko, Mario

license noinfo = noinfo

version (1988-04-30)

last changes 1988-04-30

year 1988

description (no language specified) The conversion is done using an awk script, and a few Bourne shell scripts are provided for running the scripts for various synthetic outputs (such as faked small-caps). The mechanism cannot generate virtual fonts.

documentation (no language specified) *Package README*: <https://ctan.org/tex-archive/fonts/utilities/afmtopl/wolczko/readme>

on CTAN <https://ctan.org/tex-archive/fonts/utilities/afmtopl/wolczko>

keyword font-proc (process fonts for use with TeX (includes installation))

language(s) no language specified

last access 2025-02-12

103 *afparticle* – Typesetting articles for Archives of Forensic Psychology

Web page on CTAN <https://ctan.org/pkg/afparticle>

name	<code>afparticle</code>
caption	Typesetting articles for Archives of Forensic Psychology
author	Veytsman, Boris
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3 (2014-12-23)
last changes	2014-12-23
year	2014
description	(no language specified) This package provides a class for typesetting articles for the open access journal Archives of Forensic Psychology .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/afparticle/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/afparticle/afparticle.pdf
– local file	<code>./3111015994-afparticle.pdf</code>
documentation	(no language specified) <i>Example of usage</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/afparticle/afpsample.pdf
– local file	<code>./7321816500-afpsample.pdf</code>
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/afparticle
on MikTeX	<code>afparticle</code>
keyword	<code>article-like</code> (LaTeX article classes and their developments)
keyword	<code>journalpub</code> (typesetting journals, etc)
keyword	<code>class</code> (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-12

104 afperpack – A parametric questions’ repositories framework

Web page on CTAN	https://ctan.org/pkg/afperpack
name	afperpack
caption	A parametric questions’ repositories framework
author	Frigeri, Alceu
copyright	Alceu Frigeri (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	1.0a (2025-04-29)
last changes	2025-04-29
year	2025
description	(no language specified) This includes a personal pre-configuration package, which (selectively) loads package sets with the author pre-defined package options.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/afperpack/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/afperpack/doc/afperpack.pdf
– local file	./7178888331-afperpack.pdf
home page	https://github.com/alceu-frigeri/afperpack
contact	<i>announce</i> : https://github.com/alceu-frigeri/afperpack/releases
contact	<i>bugs</i> : https://github.com/alceu-frigeri/afperpack/issues
contact	<i>repository</i> : https://github.com/alceu-frigeri/afperpack
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/afperpack
on MikTeX	afperpack
on T _E XLive	afperpack
keyword	doc-supp (macros and tools for preparing documentation)
keyword	documentation (‘stand-alone’ documentation)
language(s)	no language specified
last access	2025-05-06

105 afterpackage – Add commands to package after it's loaded

Web page on CTAN <https://ctan.org/pkg/afterpackage>

name	afterpackage
caption	Add commands to package after it's loaded
author	Rozhenko, Alexander I.
copyright	Alexander I. Rozhenko (2005, 2006)
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) The package allows you to specify (using the command <code>\AfterPackage{<package name>}{<commands>}</code>) commands that are to be executed immediately after a package is loaded. Such commands would set up defaults, define which options to use, etc. The package is part of the ncctools bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/ncctools/doc/afterpackage.pdf
– local file	<code>./1075856774-afterpackage.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/ncctools/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ncctools
on MikTeX	ncctools
on TeXLive	ncctools
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	2006
last access	2025-02-12

106 afterpage – Execute command after the next page break

Web page on CTAN <https://ctan.org/pkg/afterpage>

name	afterpage
caption	Execute command after the next page break
author	Carlisle, David
author	The LaTeX Project Team
copyright	The LaTeX3 Project et al. (1993-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.08 (2023-07-04)
last changes	2023-07-04
year	2023
description	(no language specified) Implements a command that causes the commands specified in its argument to be expanded after the current page is output. For example, LaTeX's float positioning mechanism sometimes gets overloaded and all floating figures and table drift to the end of the document. One may flush out all the unprocessed floats by issuing a <code>\clearpage</code> command, but this has the effect of making the current page end prematurely. Now you can issue <code>\afterpage{\clearpage}</code> and the current page will be filled up with text as usual, but then the <code>\clearpage</code> command will flush out all the floats before the next text page begins. This package is part of the latex-tools bundle in the LaTeX required distribution.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/required/tools/afterpage.pdf
– local file	<code>./2716337552-afterpage.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/required/tools
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-tools.tds.zip
on MikTeX	latex-tools
on T _E XLive	tools
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-12

107 *afthesis* – Air Force Institute of Technology thesis class

Web page on CTAN <https://ctan.org/pkg/afthesis>

name	<code>afthesis</code>
caption	Air Force Institute of Technology thesis class
author	Young, Joel D.
license	pd = Public Domain Software (free)
version	2.7
description	(no language specified) LaTeX thesis/dissertation class for US Air Force Institute Of Technology.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/afthesis/usethesis.pdf
– local file	<code>./4863273131-usethesis.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/afthesis/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/afthesis
on MikTeX	<code>afthesis</code>
on T _E XLive	<code>afthesis</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
language(s)	no language specified
year	without year
last access	2025-02-12

108 *aguplus* – Styles for American Geophysical Union

Web page on CTAN <https://ctan.org/pkg/aguplus>

name	<code>aguplus</code>
caption	Styles for American Geophysical Union
author	Daly, Patrick W.
license	lpl = The LaTeX Project Public License (free)
version	1.6b

description	(no language specified) This bundle started as an extension to the AGU's own published styles, providing extra facilities and improved usability. The AGU now publishes satisfactory LaTeX materials of its own; the author of aguplus recommends that users switch to using the official distribution .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/aguplus/aguplus.pdf
– local file	<code>./4777180780-aguplus.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/aguplus/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/aguplus
on MikTeX	aguplus
on T _E XLive	aguplus
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
year	without year
last access	2025-02-12

109 *aiaa* – Typeset AIAA conference papers

Web page on CTAN	https://ctan.org/pkg/aiaa
name	<code>aiaa</code>
caption	Typeset AIAA conference papers
author	Kleb, Bil
license	lppl = The LaTeX Project Public License (free)
version	3.6
description	(no language specified) A bundle of LaTeX/BibTeX files and sample documents to aid those producing papers and journal articles according to the guidelines of the American Institute of Aeronautics and Astronautics (AIAA).
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/aiaa/README
documentation	(no language specified) <i>Author guide</i> : https://ctan.org/tex-archive/macros/latex/contrib/aiaa/author_guide.pdf
– local file	<code>./9128276088-author_guide.pdf</code>

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/aiaa/aiaa.pdf
– local file	./8860977120-aiaa.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/aiaa
on MikTeX	aiaa
on T _E XLive	aiaa
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
year	without year
last access	2025-09-11

110 *aichej* – Bibliography style file for the AIChE Journal

Web page on CTAN	https://ctan.org/pkg/aichej
name	aichej
caption	Bibliography style file for the AIChE Journal
author	Schaber, Spencer D.
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The style was generated using custom-bib , and implements the style of the American Institute of Chemical Engineers Journal (or AIChE Journal or AIChE J or AIChEJ).
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/aichej.bst
on T _E XLive	aichej
keyword	bibtex-sty (bibtex-sty(unknown))
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
year	without year
last access	2025-02-19

111 aifont – Remap Computer Modern fonts

Web page on CTAN <https://ctan.org/pkg/aifont>

name	aifont
caption	Remap Computer Modern fonts
author	Collins, Skip
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Virtual fonts and other related files for remapping the BSR/Y&Y/AMS Type 1 Computer Modern fonts; the remapping creates fonts which have no characters in the numeric range 0–31 (mod 128), and the virtual fonts map Knuth’s original encodings to the remapped fonts. These mechanisms aid the production of robust PDF output from TeX-related systems, when they use CM fonts. The original impetus for developing this bundle came from problems with Adobe Illustrator (hence the first two letters of the bundle name). Current versions of Adobe Illustrator can apparently use the CM fonts without remapping, so the bundle is not needed for such use.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/fonts/cm/ai/README.aifont
on CTAN	https://ctan.org/tex-archive/obsolete/fonts/cm/ai
keyword	font (fonts themselves)
keyword	font-virtual (virtual font(s) using existing fonts)
language(s)	no language specified
year	without year
last access	2025-02-12

112 aiplans – A TikZ-based library for drawing POCL plans

Web page on CTAN <https://ctan.org/pkg/aiplans>

name	aiplans
caption	A TikZ-based library for drawing POCL plans
author	Bercher, Pascal
author	Ge, Yikai
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.0 (2025-03-05)

last changes	2025-03-05
year	2025
description	(no language specified) This TikZ library is designed for generating diagrams related to Automated Planning, a subdiscipline of Artificial Intelligence. It allows users to define a "domain model" for actions, similar to PDDL and HDDL used in hierarchical planning. The package is useful for researchers and students to create diagrams that represent sequential action sequences or partially ordered plans, including causal links and ordering constraints (e.g., POCL plans). It is particularly suited for presentations and scientific publications.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/aiplans/aiplans-Introduction.pdf
– local file	<code>./5255734855-aiplans-Introduction.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/aiplans/README.md
contact	<i>bugs:</i> https://github.com/YikaiGe/tikz-aiplans/issues
contact	<i>repository:</i> https://github.com/YikaiGe/tikz-aiplans
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/aiplans
on MikTeX	aiplans
on TeXLive	aiplans
keyword	automata (finite-state machines, automata, labelled graphs, etc.)
keyword	graphics (graphics (support packages))
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-08-30

113 *ajl* – BibTeX style for AJL

Web page on CTAN <https://ctan.org/pkg/ajl>

name	<i>ajl</i>
caption	BibTeX style for AJL
author	Nash, David
license	lppl = The LaTeX Project Public License (free)

version	(2014-05-11)
last changes	2014-05-11
year	2014
description	(no language specified) Bibliographic style references in style of Australian Journal of Linguistics.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/ajl.bst
on T _E XLive	ajl
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
last access	2025-02-19

114 *akktex* – A collection of packages and classes

Web page on CTAN <https://ctan.org/pkg/akktex>

name	AkkTeX
caption	A collection of packages and classes
author	Akkerman, Igor
copyright	Igor Akkerman (2000-2005)
license	lppl = The LaTeX Project Public License (free)
version	0.3.2
description	(no language specified) The bundle provides: • new document classes for technical documents, thesis works, manuscripts and lecture notes; • many mathematical packages providing a large number of macros for mathematical texts; • layout providing a non-empty parskip with extended length corrections and new section definition commands; • easy label creation for counters; and • german language tools and predefined abbreviations.
documentation	(no language specified) <i>Bundle README</i> : https://ctan.org/tex-archive/macros/latex/contrib/akktex/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/akktex

on MikTeX	akktex
on T _E XLive	akktex
keyword	class (alternative LaTeX class(es))
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	2005
last access	2025-02-12

115 *akletter* – Comprehensive letter support

Web page on CTAN <https://ctan.org/pkg/akletter>

name	akletter
caption	Comprehensive letter support
author	Kielhorn, Axel
copyright	Axel Kielhorn (1994-1999)
license	lppl = The LaTeX Project Public License (free)
version	1.5i
description	(no language specified) An advanced letter document class which extends LaTeX's usual letter class, providing support for building your own letterhead and marking fold points for window envelopes. Options supported by the package include: letterpaper for US letter; a4offset for a modified A4 layout suitable for plastic binders that cover a part of the left margin. The class's handling of dates has inspired an extended version of date-handling in the <i>isodate</i> package. The class supersedes an earlier class called <i>myletter</i> .
documentation	<i>Package documentation (German):</i> https://ctan.org/tex-archive/macros/latex/contrib/akletter/letterdoc.pdf
– local file	./5416327667-letterdoc.pdf
documentation	<i>Package documentation (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/akletter/lettereng.pdf
– local file	./4503144919-lettereng.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/akletter
on MikTeX	akletter

on T _E XLive	<code>akletter</code>
keyword	letter (typesetting letters, envelopes, faxes, etc)
keyword	class (alternative LaTeX class(es))
see also	see section 2355 on page 2134: (<code>formlett</code> – Letters to multiple recipients)
see also	see section 1928 on page 1742: (<code>envlab</code> – Addresses on envelopes or mailing labels)
see also	see section 1618 on page 1468: (<code>dinbrief</code> – German letter DIN style)
language(s)	German; English
year	1999
last access	2025-02-12

116 *akshar* – Support for syllables in the Devanagari script

Web page on CTAN <https://ctan.org/pkg/akshar>

name	<code>akshar</code>
caption	Support for syllables in the Devanagari script
author	Vũ, Dũng
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2 (2020-09-06)
last changes	2020-09-06
year	2020
description	(no language specified) This LaTeX3 package provides macros and interfaces to work with Devanagari characters and syllables in a more correct way.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/akshar/akshar.pdf
– local file	<code>./5957977686-akshar.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/akshar/README.txt
contact	<i>bugs</i> : https://github.com/joulev/akshar/issues
contact	<i>repository</i> : https://github.com/joulev/akshar
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/akshar
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/akshar.tds.zip

on MikTeX	akshar
on T _E XLive	akshar
keyword	indic (support for languages of the Indian subcontinent)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-08-30

117 alatex – Abstract LaTeX

Web page on CTAN <https://ctan.org/pkg/latex>

name	alatex
caption	Abstract LaTeX
author	Swift, Matt
copyright	Matt Swift (1995)
license	gpl = GNU General Public License (free)
version	1.0
description	(no language specified) ALaTeX provides the user with all the functionality of LaTeX but with one small change: a general, legal way to override standard LaTeX behavior without altering source files. ALaTeX can interpret official LaTeX markup in an abstract way.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/latex/latex-1.0/README
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/latex-1.0
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
year	1995
last access	2025-02-12

118 albatross – Find fonts that contain a given glyph

Web page on CTAN <https://ctan.org/pkg/albatross>

name	albatross
caption	Find fonts that contain a given glyph
author	Island of TeX
license	bsd3 = 3-clause BSD License (free)
version	0.5.1 (2024-02-13)
last changes	2024-02-13
year	2024
description	(no language specified) This is a command line tool for finding fonts that contain a given (Unicode) glyph. It relies on Fontconfig .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/albatross/doc/albatross-manual.pdf
– local file	<code>./9690808261-albatross-manual.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/albatross/README.md
contact	<i>support</i> : https://gitter.im/Island-of-TeX/community
contact	<i>bugs</i> : https://gitlab.com/islandoftex/albatross/-/issues
contact	<i>repository</i> : https://gitlab.com/islandoftex/albatross/
on CTAN	https://ctan.org/tex-archive/support/albatross
installation	https://ctan.org/tex-archive/install/support/albatross.tds.zip
on MikTeX	albatross
on TeXLive	albatross
keyword	font-sel (font selection schemes)
keyword	unicode (Unicode, material supporting it, and packages requiring it)
language(s)	no language specified
last access	2025-08-30

119 alchemist – Typeset alchemist and astrological symbols

Web page on CTAN	https://ctan.org/pkg/alchemist
name	alchemist
caption	Typeset alchemist and astrological symbols
author	Buxbaum, Engelbert
copyright	Engelbert Buxbaum (2023)
license	gpl = GNU General Public License (free)
license	lppl = The LaTeX Project Public License (free)
version	1.00
description	(no language specified) This style file makes the alchemical and astrological symbols accessible in Unicode.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/alchemist/alchemist.pdf
– local file	./2908062021-alchemist.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/alchemist/README.md
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/alchemist
on MikTeX	alchemist
on T _E XLive	alchemist
keyword	unicode (Unicode, material supporting it, and packages requiring it)
keyword	astrology (fonts and typesetting for astrologers)
keyword	font-supp-symbol (metrics, macro incantations and other support for symbol fonts)
see also	see section 5677 on page 5139: (starfont – The StarFont Sans astrological font)
language(s)	no language specified
year	2023
last access	2025-02-12

120 *alegreya* – Alegreya fonts with LaTeX support

Web page on CTAN <https://ctan.org/pkg/alegreya>

name *alegreya*

caption *Alegreya fonts with LaTeX support*

author Tennent, Bob

license ofl = The SIL Open Font License (free)

license lpl = The LaTeX Project Public License (free)

version (2022-09-14)

last changes 2022-09-14

year 2022

description (no language specified) The Alegreya fonts are designed by Juan Pablo del Peral for Huerta Tipográfica. Alegreya is a typeface originally intended for literature. It conveys a dynamic and varied rhythm which facilitates the reading of long texts. The italic has just as much care and attention to detail in the design as the roman. Bold, black, small caps and five number styles are available.

documentation (no language specified) *Font samples*: <https://ctan.org/tex-archive/fonts/alegreya/doc/alegreya-samples.pdf>

– local file `./3477460137-alegreya-samples.pdf`

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/fonts/alegreya/README>

home page <http://www.google.com/fonts>

on CTAN <https://ctan.org/tex-archive/fonts/alegreya>

installation <https://ctan.org/tex-archive/install/fonts/alegreya.tds.zip>

on MikTeX *alegreya*

on T_EXLive *alegreya*

keyword `font-sans` (sans-serif font)

keyword `font-otf` (font in OpenType format)

keyword `font-type1` (font available in Adobe Type 1 format)

keyword `font-body` (font designed for use as body font for Latin-based script documents)

keyword `font-t1enc` (font providing LaTeX T1 encoding support)

keyword `font` (fonts themselves)

keyword	font-serif (serif font)
keyword	font-proportional (variable-spaced font)
language(s)	no language specified
last access	2025-02-12

121 *aleph* – Extended TeX

Web page on CTAN <https://ctan.org/pkg/aleph>

name	aleph
caption	Extended TeX
author	Bilotta, Giuseppe
author	The TeX Live Team
license	gpl = GNU General Public License (free)
description	(no language specified) An development of omega , using most of the extensions of TeX itself developed for e-TeX .
contact	<i>support</i> : https://lists.tug.org/tex-k
contact	<i>bugs</i> : https://lists.tug.org/tex-k
contact	<i>repository</i> : https://tug.org/svn/texlive/trunk/Build/source/texk/web2c/alephdir
on TeXLive	aleph
keyword	omega (Omega and packages that use it)
keyword	engine (TeX (or TeX-alike) typesetting engine)
language(s)	no language specified
year	without year
last access	2025-02-12

122 alertmessage – Alert messages for LaTeX

Web page on CTAN <https://ctan.org/pkg/alertmessage>

name	alertmessage
caption	Alert messages for LaTeX
author	Dupuis, Pierre
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2015-08-04)
last changes	2015-08-04
year	2015
description	(no language specified) Some macros to display alert messages (informations, errors, warnings and success messages).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/alertmessage/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/alertmessage/alertmessage.pdf
– local file	./8858693075-alertmessage.pdf
contact	<i>repository</i> : https://github.com/pidupuis/latex-alert-message
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/alertmessage
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/alertmessage.tds.zip
on MikTeX	alertmessage
on T _E XLive	alertmessage
keyword	boxing (creating boxes)
language(s)	no language specified
last access	2025-02-12

123 **alfaslabone** – The Alfa Slab One font face with support for LaTeX and pdfLaTeX

Web page on CTAN <https://ctan.org/pkg/alfaslabone>

name	AlfaSlabOne
caption	The Alfa Slab One font face with support for LaTeX and pdfLaTeX
author	Ebinger, Carl-Clemens
copyright	The Alfa Slab One Project Authors (2016)
license	ofl = The SIL Open Font License (free)
version	0.0.1 (2021-01-16)
last changes	2021-01-16
year	2021
description	(no language specified) The alfaslabone package supports the Alfa Slab One font face for LaTeX. There is only a Regular font face. It's useful for book-chapter headlines.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/alfaslabone/doc/alfaslabone-samples.pdf
– local file	./7548515148-alfaslabone-samples.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/alfaslabone/README
home page	https://github.com/ccebinger/CTAN_AlfaSlabOne
on CTAN	https://ctan.org/tex-archive/fonts/alfaslabone
on MikTeX	alfaslabone
on T _E XLive	alfaslabone
keyword	font (fonts themselves)
keyword	font-proportional (variable-spaced font)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-serif (serif font)
keyword	font-t1enc (font providing LaTeX T1 encoding support)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-otf (font in OpenType format)
keyword	font-display (display-style font)
language(s)	no language specified

last access 2025-02-12

124 **alg** – LaTeX environments for typesetting algorithms

Web page on CTAN <https://ctan.org/pkg/alg>

name	alg
caption	LaTeX environments for typesetting algorithms
author	Ulfberg, Staffan
license	lppl = The LaTeX Project Public License (free)
version	(2001-03-13)
last changes	2001-03-13
year	2001
description	(no language specified) Defines two environments for typesetting algorithms in LaTeX2e. The <code>algtab</code> environment is used to typeset an algorithm with automatically numbered lines. The <code>algorithm</code> environment can be used to encapsulate the <code>algtab</code> environment algorithm in a floating body together with a header, a caption, etc. <code>\listofalgorithms</code> is defined.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/alg
on MikTeX	alg
on TeXLive	alg
keyword	pseudocode (typeset languages for expressing algorithms)
see also	see section 129 on page 119: (algorithms – A suite of tools for typesetting algorithms in pseudo-code)
language(s)	no language specified
last access	2025-02-12

125 **algbobx** – Typeset Algbobx programs

Web page on CTAN <https://ctan.org/pkg/algbobx>

name	algbobx
caption	Typeset Algbobx programs
author	Rivaud, Julien
copyright	RIVAUD Julien (2016-2019)
license	gpl3+ = GNU General Public License, version 3 or newer (free)

version	1.3 (2019-09-29)
last changes	2019-09-29
year	2019
description	(no language specified) This LaTeX package can typeset Algobox programs almost exactly as displayed when editing with Algobox itself, using an input syntax very similar to the actual Algobox program text. It gives better results than Algobox’s own LaTeX export which does not look like the editor rendition, produces standalone documents cumbersome to customize, and has arbitrary and inconsistent differences between the input syntax and the program text. This package depends upon the following other LaTeX packages: expl3 , TikZ , environ , xparse , and xcolor .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/algobox/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/algobox/algobox.pdf
– local file	<code>./7841024644-algobox.pdf</code>
home page	https://gitlab.com/frnchfrgg-latex/algobox/-/wikis/home
contact	<i>bugs</i> : https://gitlab.com/frnchfrgg-latex/algobox/-/issues
contact	<i>repository</i> : https://gitlab.com/frnchfrgg-latex/algobox
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/algobox
on MikTeX	algobox
on T _E XLive	algobox
keyword	listing (computer code listing)
keyword	program-doc (support for programming documentation)
language(s)	no language specified
last access	2025-02-12

126 algolrevived – A revival of Frutiger’s Algol alphabet

Web page on CTAN <https://ctan.org/pkg/algolrevived>

name	algolrevived
caption	A revival of Frutiger’s Algol alphabet
author	Sharpe, Michael
copyright	Michael Sharpe (2017-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	ofl = The SIL Open Font License (free)
version	1.054 (2024-05-26)
last changes	2024-05-26
year	2024
description	(no language specified) The package revives Frutiger’s Algol alphabet, designed in 1963 for the code segments in an ALGOL manual. OpenType and type1, regular and medium weights, upright and slanted. Not monospaced, but good for listings if you don’t need code to be aligned with specific columns. It also makes a passable but limited text font.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/algolrevived/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/algolrevived/doc/algolrevived-doc.pdf
– local file	./6324060002-algolrevived-doc.pdf
on CTAN	https://ctan.org/tex-archive/fonts/algolrevived
on MikTeX	algolrevived
on T _E XLive	algolrevived
keyword	font (fonts themselves)
keyword	font-t1enc (font providing LaTeX T1 encoding support)
keyword	font-ttf (font available in TrueType format)
language(s)	no language specified
last access	2025-02-12

127 algorithm2e – Floating algorithm environment with algorithmic keywords

Web page on CTAN <https://ctan.org/pkg/algorithm2e>

name	algorithm2e
caption	Floating algorithm environment with algorithmic keywords
author	Kokan, Ivan
author	Fiorio, Christophe
license	lppl = The LaTeX Project Public License (free)
version	5.2
description	(no language specified) Algorithm2e is an environment for writing algorithms. An algorithm becomes a floating object (like figure, table, etc.). The package provides macros that allow you to create different keywords, and a set of predefined key words is provided; you can change the typography of the keywords. The package allows vertical lines delimiting a block of instructions in an algorithm, and defines different sorts of algorithms such as Procedure or Function; the name of these functions may be reused in the text or in other algorithms.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/algorithm2e/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/algorithm2e/doc/algorithm2e.pdf
– local file	./2086253668-algorithm2e.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/algorithm2e
on MikTeX	algorithm2e
on T _E XLive	algorithm2e
keyword	pseudocode (typeset languages for expressing algorithms)
language(s)	no language specified
year	without year
last access	2025-08-30

128 *algorithmicx* – The algorithmic style you always wanted

Web page on CTAN <https://ctan.org/pkg/algorithmicx>

name	algorithmicx
caption	The algorithmic style you always wanted
author	János, Szász
copyright	Szász János (2005)
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Algorithmicx provides a flexible, yet easy to use, way for inserting good looking pseudocode or source code in your papers. It has built in support for Pseudocode, Pascal and C, and offers powerful means to create definitions for any programming language. The user can adapt a Pseudocode style to his native language.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/algorithmicx/algorithmicx.pdf
– local file	./8320137199-algorithmicx.pdf
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/algorithmicx/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/algorithmicx
on MikTeX	algorithmicx
on T _E XLive	algorithmicx
keyword	pseudocode (typeset languages for expressing algorithms)
keyword	listing (computer code listing)
language(s)	no language specified
year	2005
last access	2025-02-12

129 **algorithms** – A suite of tools for typesetting algorithms in pseudo-code

Web page on CTAN <https://ctan.org/pkg/algorithms>

name	algorithms
caption	A suite of tools for typesetting algorithms in pseudo-code
author	Brito, Rogério
author	Williams, Peter
copyright	Peter Williams (1994)
license	lgpl2.1 = GNU Lesser General Public License 2.1 (free)
version	0.1
description	(no language specified) Consists of two environments: <code>algorithm</code> and <code>algorithmic</code> . The <code>algorithm</code> package defines a floating <code>algorithm</code> environment designed to work with the <code>algorithmic</code> style. Within an <code>algorithmic</code> environment a number of commands for typesetting popular <code>algorithmic</code> constructs are available.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/algorithms/README
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/algorithms/algorithms.pdf
– local file	<code>./7454507548-algorithms.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/algorithms
on MikTeX	algorithms
on TeXLive	algorithms
keyword	pseudocode (typeset languages for expressing algorithms)
see also	see section 124 on page 114: (<code>alg</code> – LaTeX environments for typesetting algorithms)
language(s)	English
year	1994
last access	2025-08-30

130 *algpseudocodex* – Package for typesetting pseudocode

Web page on CTAN <https://ctan.org/pkg/algpseudocodex>

name	algpseudocodex
caption	Package for typesetting pseudocode
author	Matt, Christian
copyright	Christian Matt (2017, 2020-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1.2 (2023-04-17)
last changes	2023-04-17
year	2023
description	(no language specified) This package allows typesetting pseudocode in LaTeX. It is based on <i>algpseudocode</i> from the <i>algorithmicx</i> package and uses the same syntax, but adds several new features and improvements. Notable features include customizable indent guide lines and the ability to draw boxes around parts of the code for highlighting differences. This package also has better support for long code lines spanning several lines and improved comments.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/algpseudocodex/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/algpseudocodex/algpseudocodex.pdf
– local file	<code>./1710862721-algpseudocodex.pdf</code>
contact	<i>bugs</i> : https://github.com/chrnatt/algpseudocodex/issues
contact	<i>repository</i> : https://github.com/chrnatt/algpseudocodex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/algpseudocodex
on MikTeX	algpseudocodex
on T _E XLive	algpseudocodex
keyword	pseudocode (typeset languages for expressing algorithms)
language(s)	no language specified
last access	2025-02-12

131 algxpar – Support multiple lines of pseudocode

Web page on CTAN <https://ctan.org/pkg/algxpar>

name	algxpar
caption	Support multiple lines of pseudocode
author	Moreira, Jander
copyright	Jander Moreira (2019-2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.99.2 (2024-10-23)
last changes	2024-10-23
year	2024
description	(no language specified) This package extends the package algorithmicx to support long text which spans over multiple lines.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/algxpar/algxpar-doc.pdf
– local file	<code>./8257382540-algxpar-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/algxpar/README.md
contact	<i>bugs</i> : https://github.com/jandermoreira/algxpar/issues
contact	<i>repository</i> : https://github.com/jandermoreira/algxpar
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/algxpar
on MikTeX	algxpar
on TeXLive	algxpar
keyword	expl3 (expl3(unknown))
keyword	pseudocode (typeset languages for expressing algorithms)
language(s)	no language specified
last access	2025-02-12

132 aliascnt – Alias counters

Web page on CTAN <https://ctan.org/pkg/aliascnt>

name	aliascnt
caption	Alias counters
author	Oberdiek, Heiko
copyright	Oberdiek Package Support Group (2016-2026)
copyright	Heiko Oberdiek (2006, 2009)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.7 (2026-03-08)
last changes	2026-03-08
year	2026
description	(no language specified) This package introduces aliases for counters that share the same counter register and ‘clear’ list.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/aliascnt/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/aliascnt/aliascnt.pdf
– local file	./2328994715-aliascnt.pdf
contact	<i>bugs</i> : https://github.com/ho-tex/aliascnt/issues
contact	<i>repository</i> : https://github.com/ho-tex/aliascnt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/aliascnt
on MikTeX	aliascnt
on TeXLive	aliascnt
keyword	counter-mgmt (management of counters)
keyword	tagged-pdf-partially (tagged PDF partially compatible)
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2026-04-10

133 aligned-overset – Fix alignment at `\overset` or `\underset`

Web page on CTAN <https://ctan.org/pkg/aligned-overset>

name	<code>aligned-overset</code>
caption	Fix alignment at <code>\overset</code> or <code>\underset</code>
author	Krüger, Marcel
copyright	Marcel Krüger (2018)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.0
description	(no language specified) This package allows the base character of <code>\underset</code> or <code>\overset</code> to be used as the alignment position for the amsmath aligned math environments.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/aligned-overset/aligned-overset.pdf
– local file	<code>./4831137962-aligned-overset.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/aligned-overset/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/aligned-overset
on MikTeX	<code>aligned-overset</code>
on TeXLive	<code>aligned-overset</code>
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	2018
last access	2025-02-12

134 **alkalami** – A font for Arabic-based writing systems in Nigeria and Niger

Web page on CTAN <https://ctan.org/pkg/alkalami>

name	alkalami
caption	A font for Arabic-based writing systems in Nigeria and Niger
author	SIL International
author	Tennent, Bob
license	ofl = The SIL Open Font License (free)
version	1.000 (2017-05-30)
last changes	2017-05-30
year	2017
description	(no language specified) This font is designed for Arabic-based writing systems in the Kano region of Nigeria and Niger.
documentation	(no language specified) <i>Font sample</i> : https://ctan.org/tex-archive/fonts/alkalami/doc/AlkalamiSample.pdf
– local file	./5869032426-AlkalamiSample.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/alkalami/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/alkalami/doc/Alkalami-features.pdf
– local file	./5823873233-Alkalami-features.pdf
home page	http://software.sil.org/alkalami/
on CTAN	https://ctan.org/tex-archive/fonts/alkalami
on MikTeX	alkalami
on TeXLive	alkalami
keyword	font-arabic (fonts for typesetting arabic)
keyword	font-ttf (font available in TrueType format)
language(s)	no language specified
last access	2025-02-12

135 *allegno* – Automatic numbering of all equationsWeb page on CTAN <https://ctan.org/pkg/allegno>

name	<code>allegno</code>
caption	Automatic numbering of all equations
author	Thornburg, Jonathan
license	<code>noinfo = noinfo</code>
version	(1988-09-25)
last changes	1988-09-25
year	1988
description	(no language specified) Redefines <code>\[... \]</code> to behave as a <code>equation</code> environment, and defines <code>\[[... \]]</code> to behave as an <code>eqnarray</code> environment.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/allegno.sty
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-12

136 *allrunes* – Fonts and LaTeX package for almost all runesWeb page on CTAN <https://ctan.org/pkg/allrunes>

name	<code>allrunes</code>
caption	Fonts and LaTeX package for almost all runes
author	Werner, Carl-Gustav
license	<code>lppl</code> = The LaTeX Project Public License (free)
version	2.1.1
description	(no language specified) This large collection of fonts (in Adobe Type 1 format), with the LaTeX package gives access to almost all runes ever used in Europe. The bundle covers not only the main forms but also a lot of varieties.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/allrunes/allrunes.pdf
– local file	<code>./1677037579-allrunes.pdf</code>

137 *alltt* – Everything in tt font, but obey commands and line endings

documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/fonts/allrunes/README.txt
home page	http://www.maths.lth.se/~carl/allrunes/
on CTAN	https://ctan.org/tex-archive/fonts/allrunes
on MikTeX	allrunes
on T _E XLive	allrunes
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
keyword	font-rune (fonts for runic inscriptions)
keyword	font-mf (fonts distributed as Metafont source)
see also	see section 2428 on page 2195: (futhark – Fonts for the Older Futhark script)
see also	see section 5260 on page 4765: (runic – Fonts for Anglo-Saxon futharc script)
language(s)	no language specified
year	without year
last access	2025-02-12

137 *alltt* – Everything in tt font, but obey commands and line endings

Web page on CTAN <https://ctan.org/pkg/alltt>

name	alltt
caption	Everything in tt font, but obey commands and line endings
author	Lamport, Leslie
author	Braams, Johannes L.
author	The LaTeX Project Team
copyright	The LaTeX project (1993-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.0g (2024-07-07)
last changes	2024-07-07
year	2024

description	(no language specified) The <code>alltt</code> package defines the <code>alltt</code> environment which is like the <code>verbatim</code> environment except that <code>\</code> and braces have their usual meanings. Thus, other commands and environments can appear within an <code>alltt</code> environment. The package is part of the LaTeX distribution.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/base/alltt.pdf
– local file	<code>./8127543803-alltt.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/base
on MikTeX	<code>ltxbase</code>
on T _E XLive	<code>latex</code>
keyword	<code>verbatim</code> (verbatim typesetting, etc.)
see also	see section 2134 on page 1931: (<code>fancyvrb</code> – Sophisticated verbatim text)
language(s)	no language specified
last access	2025-02-12

138 `alltt2` – Indented version of `alltt`

Web page on CTAN	https://ctan.org/pkg/alltt2
name	<code>alltt2</code>
caption	Indented version of <code>alltt</code>
author	Wolczko, Mario
author	Lamport, Leslie
license	<code>noinfo = noinfo</code>
version	(1993-04-02)
last changes	1993-04-02
year	1993
description	(no language specified) A version of <code>alltt</code> (an old version from LaTeX 2.09, now obsolete), patched to apply a left margin (of the user’s choice) to the verbatim text. A similar patch could be created for current <code>alltt</code> , but it seems that no-one has felt the need.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/alltt2.sty

keyword `verbatim` (verbatim typesetting, etc.)
 language(s) no language specified
 last access 2025-02-12

139 almendra – Almendra fonts with LaTeX support

Web page on CTAN <https://ctan.org/pkg/almendra>

name almendra

caption Almendra fonts with LaTeX support

author Tennent, Bob

license ofl = The SIL Open Font License (free)

license lppl = The LaTeX Project Public License (free)

version (2022-09-28)

last changes 2022-09-28

year 2022

description (no language specified) This package provides LaTeX, pdfLaTeX, XeLaTeX, and LuaLaTeX support for the Almendra family of fonts, designed by Ana Sanfelippo. Almendra is a typeface design based on calligraphy. Its style is related to the chancery and gothic hands. There are regular and bold weights with matching italics. There is also a regular-weight small-caps.

documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/fonts/almendra/README>

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/fonts/almendra/doc/almendra-samples.pdf>

– local file ./9333971954-almendra-samples.pdf

home page <https://fonts.google.com/specimen/Almendra>

on CTAN <https://ctan.org/tex-archive/fonts/almendra>

installation <https://ctan.org/tex-archive/install/fonts/almendra.tds.zip>

on MikTeX almendra

on T_EXLive almendra

keyword font-type1 (font available in Adobe Type 1 format)

keyword font-ttf (font available in TrueType format)

keyword font-t1enc (font providing LaTeX T1 encoding support)

keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font-calligraphic</code> (calligraphic (or handwriting) fonts)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
language(s)	no language specified
last access	2025-02-12

140 ***almfixed* – Arabic-Latin Modern Fixed extends TeX-Gyre Latin Modern Mono 10 Regular to full Arabic Unicode support**

Web page on CTAN <https://ctan.org/pkg/almfixed>

name	<code>almfixed</code>
caption	Arabic-Latin Modern Fixed extends TeX-Gyre Latin Modern Mono 10 Regular to full Arabic Unicode support
author	Hamid, Idris Samawi
license	gfl = The GUST Font License (GFL) (free)
version	0.92
description	(no language specified) Arabic-Latin Modern Fixed is an extension of TeX-Gyre Latin Modern Mono 10 Regular. Every glyph and OpenType feature of the Latin Modern Mono has been retained, with minor improvements. On the other hand, we have changed the vertical metrics of the font. Although the Arabic script is designed to use the same x-size as Latin Modern Mono, the former script needs greater ascender and descender space. Every Arabic glyph in each Unicode-code block is supported (up to Unicode 7.0): Arabic, Arabic Supplement, Arabic Extended, Arabic Presentation-Forms A, and Arabic Presentation-Forms B. There are two versions of the font: <code>otf</code> and <code>ttf</code>. The <code>?penType</code> version is for print applications (and usually the default for TeX). The TrueType version is for on-screen applications such as text editors. Hinting in the <code>ttf</code> version is much better for on-screen, at least on Microsoft Windows. The unique feature of Arabic-Latin Modern is its treatment of vowels and diacritics. Each vowel and diacritic (ALM Fixed contains a total of 68 such glyphs) may now be edited horizontally within any text editor or processor. The author believes this is the very first OpenType Arabic font ever to have this

capability. Editing complex Arabic texts will now be much easier to input and to proofread.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/almfixed/doc/almfixed-dtk.pdf
– local file	<code>./8394692933-almfixed-dtk.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/almfixed/README
on CTAN	https://ctan.org/tex-archive/fonts/almfixed
on MikTeX	<code>almfixed</code>
on T _E XLive	<code>almfixed</code>
keyword	<code>font-ttf</code> (font available in TrueType format)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-otf</code> (font in OpenType format)
language(s)	no language specified
year	without year
last access	2025-02-12

141 *alnumsec* – Alphanumeric section numbering

Web page on CTAN <https://ctan.org/pkg/alnumsec>

name	<code>alnumsec</code>
caption	Alphanumeric section numbering
author	Küster, Frank
license	lppl = The LaTeX Project Public License (free)
version	0.03
description	(no language specified) This package allows you to use alphanumeric section numbering, for instance "A. Introduction ... III. International Law". Its output is similar to alphanum , but you can use the standard LaTeX sectioning commands, so that it is possible to switch numbering schemes easily. Greek letters, double letters (bb) and different delimiters around them are supported.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/alnumsec/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/alnumsec
on MikTeX	<code>alnumsec</code>

on T _E XLive	alnumsec
keyword	headings (chapter, section, etc., heading styles)
language(s)	no language specified
year	without year
last access	2025-02-12

142 *alpha* – Editor for the Macintosh with good TeX support

Web page on CTAN <https://ctan.org/pkg/alpha>

name	alpha
caption	Editor for the Macintosh with good TeX support
author	Keleher, Pete
license	shareware = Shareware: A fee is required (not free)
version	8.0.2
description	(no language specified) Alpha is a powerful, scriptable and extensible editor, which is well configured to interact with other Mac applications, including most TeX implementations.
on CTAN	https://ctan.org/tex-archive/systems/mac/support/alpha
keyword	editor (editor designed (or adapted) for use with (La)TeX)
language(s)	no language specified
year	without year
last access	2025-02-12

143 *alpha-persian* – Persian version of alpha.bst

Web page on CTAN <https://ctan.org/pkg/alpha-persian>

name	alpha-persian
caption	Persian version of alpha.bst
author	Shapour, Madadpour
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3 (2019-03-10)
last changes	2019-03-10
year	2019

description	(no language specified) The package provides a Persian version of the <code>alpha</code> BibTeX style and offers several enhancements. It is compatible with the <code>hyperref</code> , <code>url</code> , <code>natbib</code> , and <code>cite</code> packages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/alpha-persian/README.txt
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/alpha-persian/alpha-persian-1.userguide.pdf
– local file	<code>./7275816589-alpha-persian-1.userguide.pdf</code>
documentation	<i>Package documentation (Persian)</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/alpha-persian/alpha-persian-p.userguide.pdf
– local file	<code>./4486596422-alpha-persian-p.userguide.pdf</code>
contact	<i>support</i> : http://qa.parsilatex.com/questions
contact	<i>repository</i> : http://qa.parsilatex.com/questions
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/alpha-persian
on MikTeX	<code>alpha-persian</code>
on T _E XLive	<code>alpha-persian</code>
keyword	<code>persian</code> (support for typesetting Persian)
keyword	<code>bibtex-sty</code> (<code>bibtex-sty(unknown)</code>)
language(s)	Persian
last access	2025-02-19

144 alphabib – Add alphabetical headers into citations

Web page on CTAN <https://ctan.org/pkg/alphabib>

name	<code>alphabib</code>
caption	Add alphabetical headers into citations
author	Hilléreau, Mael
copyright	Mael Hilléreau (2006)
license	gpl = GNU General Public License (free)
version	1.0

description	(no language specified) AlphaBib is a bash script that adds alphabetical headers into BibTeX bibliographies; such headers can assist searching in a large list of citations. AlphaBib takes a bibliography produced by BibTeX (the .bbl file), and creates a new file with the alphabetic headers inserted.
documentation	(no language specified) <i>Script manual</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/alphabib/alphabib.pdf
– local file	./9104923458-alphabib.pdf
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/alphabib/example.pdf
– local file	./4852161853-example.pdf
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/alphabib
on MikTeX	alphabib
keyword	bibtex-supp (BibTeX citation support)
language(s)	no language specified
year	2006
last access	2025-02-19

145 *alphalph* – Convert numbers to letters

Web page on CTAN <https://ctan.org/pkg/alphalph>

name	alphalph
caption	Convert numbers to letters
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (1999, 2006-2008, 2010, 2011)
copyright	Oberdiek Package Support Group (2016-2019)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.6 (2019-12-09)
last changes	2019-12-09
year	2019
description	(no language specified) Provides commands <code>\alphalph</code> and <code>\AlphAlph</code> . They are like <code>\number</code> but the expansion consists of lowercase and uppercase letters respectively (1 to a, 26 to z, 27 to aa, 52 to zz, 53 to ba, 702 to zz, 703 to aaa, etc.). Can be used as a replacement for LaTeX's <code>\@alph</code> and <code>\@Alph</code> macros.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/alphalph/alphalph.pdf
– local file	<code>./1738241204-alphalph.pdf</code>
contact	<i>bugs</i> : https://github.com/ho-tex/alphalph/issues
contact	<i>repository</i> : https://github.com/ho-tex/alphalph
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/alphalph
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/alphalph.tds.zip
on MikTeX	alphalph
on T _E XLive	alphalph
keyword	numbers (formatting numbers, etc)
language(s)	no language specified
last access	2025-02-12

146 *alphanum* – Sectioning commands for jura

Web page on CTAN	https://ctan.org/pkg/alphanum
name	alphanum
caption	Sectioning commands for jura
author	Braun, Felix
license	gpl = GNU General Public License (free)
version	4.3
description	(no language specified) The package defines the sectioning commands for jura.cls, but can also be used independently. It defines 12 levels of section numbering; the default numbering is shown on page 4 of the documentation. The package uses the same command for all levels of sectioning: <code>\toc{Title}</code>, and you switch between levels with the commands <code>\sub</code> and <code>\levelup</code>. The package is part of the jura distribution.
documentation	(German) <i>Jura class documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/jura/jura.pdf
– local file	<code>./4773688900-jura.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jura
on MikTeX	jura

on T _E XLive	jura
keyword	headings (chapter, section, etc., heading styles)
language(s)	German
year	without year
last access	2025-02-12

147 *alphanum-bst* – Modified alpha BibTeX style

Web page on CTAN <https://ctan.org/pkg/alphanum-bst>

name	alphanum-bst
caption	Modified alpha BibTeX style
author	Thomas, Reuben
license	other-free = Free license not otherwise listed (free)
version	(2001-07-30)
last changes	2001-07-30
year	2001
description	(no language specified) Modified from alpha.bst in the BibTeX distribution; differences are: • Labels do not contain the year; • Otherwise identical labels are distinguished by a number, rather than a letter, and • Entries are sorted by month as well as year.

on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/alphanum.bst
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
last access	2025-02-19

148 alphanumb – A modification of alpha.bst

Web page on CTAN <https://ctan.org/pkg/alphanumb>

name	alphanumb
caption	A modification of alpha.bst
author	Thomas, Reuben
license	other-free = Free license not otherwise listed (free)
version	(2001-07-30)
last changes	2001-07-30
year	2001
description	(no language specified) This style is characterised by: • Labels do not contain the year; • Labels which would otherwise be identical have a number appended, not a letter; and • Entries are sorted by month as well as by year.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/alphanum.bst
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
last access	2025-02-19

149 alterqcm – Multiple choice questionnaires in two column tables

Web page on CTAN <https://ctan.org/pkg/alterqcm>

name	alterqcm
caption	Multiple choice questionnaires in two column tables
author	Dimou, Anastasios
author	Syropoulos, Apostolos
author	Matthes, Alain
copyright	Alain Matthes, Apostolos Syropoulos, and Anastasios Dimou (2019)
copyright	Alain Matthes (2009)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	4.42c

description	(no language specified) The <code>alterqcm</code> package is a LaTeX2e package, for making multiple choices questionnaires in a table with two columns. The aim is to provide some useful macros to build QCM in tables. These macros may be used by only LaTeX TeX users. The package works with utf8, pdfLaTeX, LuaLaTeX and XeLaTeX (with some languages). The documentation is in English.
documentation	(English) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/alterqcm/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/alterqcm/doc/doc-aq-main.pdf
– local file	<code>./1681418185-doc-aq-main.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/alterqcm
on MikTeX	<code>alterqcm</code>
on TeXLive	<code>alterqcm</code>
keyword	exam (exams, quizzes, etc.)
language(s)	English
year	2019
last access	2025-02-12

150 *altfont* – Alternative font handling in LaTeX

Web page on CTAN <https://ctan.org/pkg/altfont>

name	<code>altfont</code>
caption	Alternative font handling in LaTeX
author	Kirsch, Sebastian Marius
copyright	Sebastian Marius Kirsch (1996)
license	gpl = GNU General Public License (free)
version	1.1
description	(no language specified) The package provides a replacement for that part of <code>psnfss</code> and <code>mfnfss</code> that changes the default font. The package is distributed together with the <code>psfont</code> package, by the same author.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/altfont/README

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/altfont/altfont.pdf
– local file	<code>./3961403577-altfont.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/altfont
on MikTeX	<code>altfont</code>
on T _E XLive	<code>altfont</code>
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
language(s)	no language specified
year	1996
last access	2025-02-12

151 *altnline* – Line numbering in LaTeX 2.09

Web page on CTAN	https://ctan.org/pkg/altnline
name	<code>altnline</code>
caption	Line numbering in LaTeX 2.09
author	Fortune, James
license	<code>noinfo = noinfo</code>
version	1.1
description	(no language specified) Line numbering in LaTeX. Note that the code here works with the LaTeX 2.09 output routine, and cannot therefore be used with current LaTeX.— its replacement was <code>numline</code> , but that has itself been declared obsolete, in favour of <code>lineno</code> .
documentation	(no language specified) <i>Article about techniques, which inspired the package</i> : http://www.tug.org/TUGboat/Articles/tb11-2/tb28salomon.pdf
– local file	<code>./2692974719-tb28salomon.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/altnline.sty
keyword	<code>latex209</code> (package only known to work with LaTeX 2.09)
keyword	<code>line-nos</code> (number the typeset lines)
language(s)	no language specified
year	without year

last access 2025-02-12

152 **altsubsup** – Subscripts and superscripts with square brackets

Web page on CTAN <https://ctan.org/pkg/altsubsup>

name	altsubsup
caption	Subscripts and superscripts with square brackets
author	Labbé, Julien
copyright	Julien Labbé (2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2022-03-15)
last changes	2022-03-15
year	2022
description	(no language specified) A LaTeX package to write alternative and customisable subscripts and superscripts, with square brackets in the source code.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/altsubsup/altsubsup.pdf
– local file	./4922943873-altsubsup.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/altsubsup/README.md
home page	https://gricad-gitlab.univ-grenoble-alpes.fr/labbeju/latex-packages/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/altsubsup
on MikTeX	altsubsup
on T _E XLive	altsubsup
keyword	subsup-pos (position sub- and superscripts (left and right sides))
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-12

153 altverse – Typesetting verse

Web page on CTAN <https://ctan.org/pkg/altverse>

name	altverse
caption	Typesetting verse
author	Shipunov, Alexey
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.3
description	(no language specified) Straightforward typesetting, using the xtab package to aid layout. The package is part of the shipunov bundle.
documentation	<i>Example use (Russian):</i> https://ctan.org/tex-archive/macros/latex/contrib/shipunov/doc/altverse-ex1-ru.pdf
– local file	./8931982184-altverse-ex1-ru.pdf
documentation	<i>Readme (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/shipunov/doc/README
documentation	<i>Example use (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/shipunov/doc/altverse-ex-en.pdf
– local file	./9970337240-altverse-ex-en.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/shipunov/tex/altverse.sty
on MikTeX	shipunov
on T _E XLive	shipunov
keyword	verse (typeset verse, etc.)
language(s)	English; Russian
year	without year
last access	2025-09-11

154 ama – AMA manual of style citations

Web page on CTAN <https://ctan.org/pkg/ama>

name	ama
caption	AMA manual of style citations
author	Kort, Eric
author	Trickey, Howard
license	other-free = Free license not otherwise listed (free)
version	(2002-03-27)
last changes	2002-03-27
year	2002
description	(no language specified) The style covers JAMA, Cancer, and many others. It provides up to 6 authors, or 3 et.al.; titles are in italics, labels are numeric, and sorting is by order of reference.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/ama.bst
keyword	journalpub (typesetting journals, etc)
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
last access	2025-02-19

155 ametsoc – Official American Meteorological Society LaTeX Template

Web page on CTAN <https://ctan.org/pkg/ametsoc>

name	ametsoc
caption	Official American Meteorological Society LaTeX Template
author	American Meteorological Society
author	Papa, Brian
copyright	American Meteorological Society (2014)
license	lppl = The LaTeX Project Public License (free)
version	4.3.2 (2014-08-25)
last changes	2014-08-25
year	2014

description	(no language specified) This bundle contains all the files necessary to write an article using LaTeX for the American Meteorological Society journals. The article and bibliography style files are provided (with documentation) and a blank template for authors to use when writing their article. Also available is a separate style package used to format a two-column, journal page layout draft for the author's personal use.
documentation	(no language specified) <i>Bibliography style documentation</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/ametsoc/AMS_Refs.pdf
– local file	./4744134668-AMS_Refs.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/ametsoc/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/ametsoc/amdocs.pdf
– local file	./2966338477-amdocs.pdf
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/ametsoc
on MikTeX	ametsoc
keyword	obsolete (package declared obsolete)
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
last access	2025-02-12

156 *amiri* – A classical Arabic typeface, Naskh style

Web page on CTAN <https://ctan.org/pkg/amiri>

name	amiri
caption	A classical Arabic typeface, Naskh style
author	Hosny, Khaled
license	ofl = The SIL Open Font License (free)
version	1.000

description	(no language specified) Amiri is a classical Arabic typeface in Naskh style for typesetting books and other running text. It is a revival of the beautiful typeface pioneered in the early 20th century by Bulaq Press in Cairo, also known as Amiria Press, after which the font is named. The project aims at the revival of the aesthetics and traditions of Arabic typesetting, and adapting it to the era of digital typesetting, in a publicly available form.
documentation	<i>Readme (Arabic)</i> : https://ctan.org/tex-archive/fonts/amiri/README-Arabic.md
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/amiri/README.md
documentation	<i>Package documentation (Arabic)</i> : https://ctan.org/tex-archive/fonts/amiri/Documentation-Arabic.html
home page	http://amirifont.org
contact	<i>support</i> : https://github.com/alif-type/amiri/issues
contact	<i>bugs</i> : https://github.com/alif-type/amiri/issues
contact	<i>repository</i> : https://github.com/alif-type/amiri
on CTAN	https://ctan.org/tex-archive/fonts/amiri
on MikTeX	amiri
on T _E XLive	amiri
keyword	font (fonts themselves)
keyword	font-ttf (font available in TrueType format)
keyword	arabic (documentation in and support for typesetting Arabic)
language(s)	Arabic
year	without year
last access	2025-02-12

157 amiweb2c – An Amiga port of web2C

Web page on CTAN <https://ctan.org/pkg/amiweb2c>

name	amiweb2c
caption	An Amiga port of web2C
author	Scherer, Andreas
copyright	Andreas Scherer (1995, 1997)
license	gpl = GNU General Public License (free)
version	2.1
description	(no language specified) A port of the web2C system that forms the basis of most Unix-TeX implementations, together with the rest of a usable system. The system is based on web2C v7.2, including e-TeX v2.0 and PDFTeX v0.12.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/amiga/amiweb2c/README
documentation	(no language specified) <i>Outline of patches for TeX Live edition 3</i> : https://ctan.org/tex-archive/systems/amiga/amiweb2c/README.patch
on CTAN	https://ctan.org/tex-archive/systems/amiga/amiweb2c
keyword	distribution (components (or support) of TeX distribution)
see also	see section 158 on page 144: (amiweb2c-guide – How to install AmiWeb2c)
language(s)	no language specified
year	1997
last access	2025-02-12

158 amiweb2c-guide – How to install AmiWeb2c

Web page on CTAN <https://ctan.org/pkg/amiweb2c-guide>

name	amiweb2c-guide
caption	How to install AmiWeb2c
author	Finnberg, Torsten
copyright	Torsten Finnberg (2020)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0

description	(no language specified) This is a guide for the installation of (La)TeX with the Amiga port of Web2C named AmiWeb2C in the version 2.1 on an emulated Amiga 4000 computer running Workbench 3.1. Furthermore the installation of an ARExx server for calling LaTeX from an editor is described and some tips for the installation of new fonts are given.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/amiweb2c-guide/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/info/amiweb2c-guide/amiweb2c-guide.pdf
– local file	<code>./1922608213-amiweb2c-guide.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/amiweb2c-guide
on T _E XLive	<code>amiweb2c-guide</code>
keyword	<code>documentation</code> (‘stand-alone’ documentation)
language(s)	no language specified
year	2020
last access	2025-02-12

159 *amnestyreport* – A LaTeX class for Amnesty International

Web page on CTAN	https://ctan.org/pkg/amnestyreport
name	<code>amnestyreport</code>
caption	A LaTeX class for Amnesty International
author	Veytsman, Boris
copyright	Boris Veytsman (2023)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2
description	(no language specified) This package provides a class for Amnesty International reports according to guidelines at https://brandhub.amnesty.org/ .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/amnestyreport/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/amnestyreport/amnestyreport.pdf
– local file	<code>./9689697859-amnestyreport.pdf</code>

documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/amnestyreport/sample.pdf
– local file	<code>./8355284011-sample.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/amnestyreport
on MikTeX	<code>amnestyreport</code>
on TeXLive	<code>amnestyreport</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>std-conform</code> (support conformance to standards)
keyword	<code>report-like</code> (regularly-formatted reports)
language(s)	no language specified
year	2023
last access	2025-08-30

160 *ams-cd* – AMSTeX Commutative Diagrams for LaTeX

Web page on CTAN	https://ctan.org/pkg/ams-cd
name	<code>ams-cd</code>
caption	AMSTeX Commutative Diagrams for LaTeX
author	Hankerson, Darrel
license	<code>noinfo = noinfo</code>
version	(1993-04-02)
last changes	1993-04-02
year	1993
description	(no language specified) A version of the CD macros for AMSTeX, for use with LaTeX.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex209/contrib/ams-cd/cd-doc.pdf
– local file	<code>./9370502989-cd-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/ams-cd
keyword	<code>diagram-comm</code> (commutative diagrams)
language(s)	no language specified

last access 2025-02-12

161 **ams2bib** – Convert AMS-TeX style bibliography entries to BibTeX

Web page on CTAN <https://ctan.org/pkg/ams2bib>

name	ams2bib
caption	Convert AMS-TeX style bibliography entries to BibTeX
author	Werschulz, Arthur G.
copyright	Arthur G. Werschulz (2000)
license	gpl = GNU General Public License (free)
version	1.0
description	(no language specified) Ams2bib is a simple Perl script that takes an AMS-TeX file as input and creates a BibTeX database as output.
documentation	(no language specified) <i>man page for the package</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/ams2bib/ams2bib.txt
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/ams2bib/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/ams2bib
keyword	bibtex-gen (derive BibTeX data from resources other than BibTeX libraries)
language(s)	no language specified
year	2000
last access	2025-02-19

162 **amsaddr** – Alter the position of affiliations in amsart

Web page on CTAN <https://ctan.org/pkg/amsaddr>

name	amsaddr
caption	Alter the position of affiliations in amsart
author	Lelong, Jérôme
copyright	Jérôme Lelong (2006-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3 (2026-01-30)
last changes	2026-01-30

year	2026
description	(no language specified) The package is to be used with the amsart documentclass. It lets you move the authors' affiliations either just below the authors' names on the front page or as footnotes on the first page. The email addresses are always listed as a footnote on the front page.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/amsaddr/amsaddr.pdf
– local file	<code>./9914562340-amsaddr.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/amsaddr/README.md
contact	<i>bugs</i> : https://github.com/jlelong/amsaddr/issues
contact	<i>repository</i> : https://github.com/jlelong/amsaddr
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/amsaddr
on MikTeX	amsaddr
on T _E XLive	amsaddr
keyword	tagged-pdf-incompatible (tagged PDF incompatible)
keyword	article-like (LaTeX article classes and their developments)
language(s)	no language specified
last access	2026-02-10

163 amsart – LaTeX document class for AMS math journal articles

Web page on CTAN <https://ctan.org/pkg/amsart>

name	amsart
caption	LaTeX document class for AMS math journal articles
author	The American Mathematical Society
copyright	American Mathematical Society (1995, 1999, 2004, 2009-2020)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.20.6 (2020-05-29)
last changes	2020-05-29
year	2020

description	(no language specified) A LaTeX document class for articles that is tailored to the design of American Mathematical Society journals. If you have a standard installation of LaTeX, you should find that <code>amsart</code> is already present, since it is part of the (“required”) AMS-LaTeX distribution. For publication-specific AMS document classes (<code>jams-l.cls</code> , <code>bull-l.cls</code> , <code>tran-l.cls</code> , <code>proc-l.cls</code> , <code>mcom-l.cls</code> , etc.), see the AMS author information .
documentation	(no language specified) <i>Instructions to authors</i> : https://ctan.org/tex-archive/info/amscls-doc/Author_Handbook_Journals.pdf
– local file	<code>./1739713169-Author_Handbook_Journals.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/required/amscls/README
documentation	(no language specified) <i>Code documentation of all three classes</i> : https://ctan.org/tex-archive/macros/latex/required/amscls/doc/amsclass.pdf
– local file	<code>./5980586150-amsclass.pdf</code>
home page	http://www.ams.org/tex/amslatex.html
on CTAN	https://ctan.org/tex-archive/macros/latex/required/amscls
installation	https://ctan.org/tex-archive/install/macros/latex/required/amscls.tds.zip
on MikTeX	<code>amscls</code>
on T _E XLive	<code>amscls</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>article-like</code> (LaTeX article classes and their developments)
language(s)	no language specified
last access	2025-02-12

164 amsbook – LaTeX document class for AMS books

Web page on CTAN <https://ctan.org/pkg/amsbook>

name	<code>amsbook</code>
caption	LaTeX document class for AMS books
author	The American Mathematical Society
copyright	American Mathematical Society (1995, 1999, 2004, 2009-2020)

license	lpp1.3c = The LaTeX Project Public License 1.3c (free)
version	2.20.6 (2020-05-29)
last changes	2020-05-29
year	2020
description	(no language specified) A LaTeX document class for books that is tailored to the design of American Mathematical Society publications. If you have a standard installation of LaTeX, you should find that <code>amsbook</code> is already present, since it is part of the ("required") AMS-LaTeX distribution. For publication-specific AMS document classes (<code>surv-l.cls</code> , <code>memo-l.cls</code> , <code>mmono-l.cls</code> , <code>gsm-l.cls</code> , <code>stml-l.cls</code> , etc.), see the AMS author information .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/required/amscls/README
documentation	(no language specified) <i>Code of the classes, with documentation</i> : https://ctan.org/tex-archive/macros/latex/required/amscls/doc/amsclass.pdf
– local file	<code>./5980586150-amsclass.pdf</code>
documentation	(no language specified) <i>Instructions to authors</i> : https://ctan.org/tex-archive/info/amscls-doc/Author_Handbook_Mono.pdf
– local file	<code>./2118419785-Author_Handbook_Mono.pdf</code>
home page	http://www.ams.org/tex/amslatex.html
on CTAN	https://ctan.org/tex-archive/macros/latex/required/amscls
installation	https://ctan.org/tex-archive/install/macros/latex/required/amscls.tds.zip
on MikTeX	<code>amscls</code>
on TeXLive	<code>amscls</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>book-pub</code> (preparing a book for publication)
language(s)	no language specified
last access	2025-02-12

165 amsbsy – Produce bold math symbols (AMS-LaTeX)

Web page on CTAN <https://ctan.org/pkg/amsbsy>

name	amsbsy
caption	Produce bold math symbols (AMS-LaTeX)
author	The LaTeX Project Team
copyright	American Mathematical Society (1995, 1999)
copyright	LaTeX3 Project and American Mathematical Society (2016-2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2d (1999-11-29)
last changes	1999-11-29
year	1999
description	(no language specified) The package provides a command for producing bold mathematics symbols where appropriate fonts exist, and a ‘poor man’s bold’ command that can be applied when no appropriate bold font is available. The facility is available through the macro <code>\boldsymbol</code>. The package is part of the AMS-LaTeX distribution.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/required/amsmath/amsbsy.pdf
– local file	<code>./4648346170-amsbsy.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/required/amsmath
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-amsmath.tds.zip
on MikTeX	amsmath
on TeXLive	amsmath
keyword	<code>font-supp-maths</code> (metrics, macro incantations and other support for maths fonts)
see also	see section 775 on page 711 : (<code>\bm</code> – Access bold symbols in maths mode)
language(s)	no language specified
last access	2025-02-12

166 amscd – AMS-LaTeX commutative diagrams

Web page on CTAN <https://ctan.org/pkg/amscd>

name	amscd
caption	AMS-LaTeX commutative diagrams
author	The LaTeX Project Team
copyright	American Mathematical Society (1995, 1999)
copyright	LaTeX3 Project and American Mathematical Society (2016-2025)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.1 (2017-04-14)
last changes	2017-04-14
year	2017
description	(no language specified) Part of the AMS-LaTeX distribution, this package adapts the commutative diagram macros of AMS-TeX for use in LaTeX.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/required/amsmath/amscd.pdf
– local file	./8400432321-amscd.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/required/amsmath
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-amsmath.tds.zip
on MikTeX	amsmath
on TeXLive	amsmath
keyword	diagram-comm (commutative diagrams)
keyword	maths (support for typesetting mathematics)
keyword	graphics (graphics (support packages))
see also	see section 171 on page 158: (amslatex – Mathematical enhancements for LaTeX)
see also	see section 167 on page 153: (amscdx – Enhanced commutative diagrams)
language(s)	no language specified
last access	2025-09-11

167 amscdx – Enhanced commutative diagrams

Web page on CTAN <https://ctan.org/pkg/amscdx>

name	amscdx
caption	Enhanced commutative diagrams
author	Vermeer, Martin
copyright	Martin Vermeer (2019)
copyright	American Mathematical Society (1995, 1999)
copyright	LaTeX3 Project and American Mathematical Society (2016-2017)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.2x (2019-07-02)
last changes	2019-07-02
year	2019
description	(no language specified) The original amscd package provides a CD environment that emulates the commutative diagram capabilities of AMS-TeX version 2.x. This means that only simple rectangular diagrams are supported, with no diagonal arrows or more exotic features. This enhancement package implements double (“fat”), dashed, and bidirectional arrows (left-right and up-down), and color attributes for arrows and their annotations. The restriction to rectangular geometry remains. This nevertheless allows the drawing of a much broader class of “commutative-diagram-like” diagrams. This update, 2.2x of 2019-07-02, fixes the dashed-arrows parts placement bug, and adds the package option ‘lyx’, for use with lyx to prevent conflict with the already loaded amscd. The packages xcolor and graphicx are made required.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/amscdx/amscdx.pdf
– local file	./9229182283-amscdx.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/amscdx/README
contact	<i>support</i> : https://users.aalto.fi/~mvermeer/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/amscdx
on MikTeX	amscdx
on TeXLive	amscdx
keyword	graphics (graphics (support packages))

keyword	diagram-comm (commutative diagrams)
keyword	maths (support for typesetting mathematics)
see also	see section 166 on page 152: (<i>amscd</i> – AMS-LaTeX commutative diagrams)
language(s)	no language specified
last access	2025-09-11

168 *amscs* – AMS document classes for LaTeX

Web page on CTAN <https://ctan.org/pkg/amscs>

name	<i>amscs</i>
caption	AMS document classes for LaTeX
author	The American Mathematical Society
copyright	American Mathematical Society (2004, 2010, 2014-2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.20.6 (2020-05-29)
last changes	2020-05-29
year	2020
description	(no language specified) This bundle contains three AMS classes, <i>amsart</i> (for writing articles for the AMS), <i>amsbook</i> (for books) and <i>amsproc</i> (for proceedings), together with some supporting material. This material forms one branch of what was originally the AMS-LaTeX distribution. The other branch, <i>amsmath</i>, is now maintained and distributed separately. The user documentation can be found in the package <i>amscs-doc</i>.
documentation	(no language specified) <i>Code with documentation:</i> https://ctan.org/tex-archive/macros/latex/required/amscs/doc/amscsclass.pdf
– local file	<code>./5980586150-amscsclass.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/required/amscs/README
home page	http://www.ams.org/tex/amslatex.html
on CTAN	https://ctan.org/tex-archive/macros/latex/required/amscs
installation	https://ctan.org/tex-archive/install/macros/latex/required/amscs.tds.zip

on MikTeX	<code>amscs</code>
on T _E XLive	<code>amscs</code>
keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>class</code> (alternative LaTeX class(es))
see also	see section 169 on page 155: (<i>amscs-doc</i> – User documentation for AMS document classes)
see also	see section 171 on page 158: (<i>amslatex</i> – Mathematical enhancements for LaTeX)
language(s)	no language specified
last access	2025-02-12

169 *amscs-doc* – User documentation for AMS document classes

Web page on CTAN <https://ctan.org/pkg/amscs-doc>

name	<code>amscs-doc</code>
caption	User documentation for AMS document classes
author	The American Mathematical Society
copyright	American Mathematical Society (2017)
license	l _{pp} 1.3c = The LaTeX Project Public License 1.3c (free)
version	(2017-09-01)
last changes	2017-09-01
year	2017
description	(no language specified) This collection comprises a set of four manuals, or Author Handbooks, each documenting the use of a class of publications based on one of the AMS document classes <code>amsart</code>, <code>amsbook</code>, <code>amsproc</code> and one "hybrid", as well as a guide to the generation of the four manuals from a coordinated set of LaTeX source files. The Handbooks comprise the user documentation for the pertinent document classes. As the source for the Handbooks consists of a large number of files, and the intended output is multiple different documents, the principles underlying this collection can be used as a model for similar projects. The manual "Compiling the AMS Author Handbooks" provides information about the structure of and interaction between the various components.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/info/amscs-doc/README.txt

documentation	(no language specified) <i>Compiling the AMS Author Handbooks</i> : https://ctan.org/tex-archive/info/amscs-doc/ amscs-author-handbook-doc.pdf
– local file	./6080342430-amscs-author-handbook-doc.pdf
documentation	(no language specified) <i>AMS Author Handbook for the Memoirs Class</i> : https://ctan.org/tex-archive/info/amscs-doc/Author_ Handbook_Memo.pdf
– local file	./9745336377-Author_Handbook_Memo.pdf
documentation	(no language specified) <i>AMS Author Handbook for Proceedings and Collections Classes</i> : https://ctan.org/tex-archive/info/amscs-doc/ Author_Handbook_ProcColl.pdf
– local file	./2690504928-Author_Handbook_ProcColl.pdf
documentation	(no language specified) <i>AMS Author Handbook for Journal Classes</i> : https://ctan.org/tex-archive/info/amscs-doc/Author_ Handbook_Journals.pdf
– local file	./1739713169-Author_Handbook_Journals.pdf
documentation	(no language specified) <i>AMS Author Handbook for Monograph Classes</i> : https://ctan.org/tex-archive/info/amscs-doc/Author_ Handbook_Mono.pdf
– local file	./2118419785-Author_Handbook_Mono.pdf
contact	<i>support</i> : mailto:tech-support@ams.org
on CTAN	https://ctan.org/tex-archive/info/amscs-doc
on MikTeX	amscs-doc
on T _E XLive	amscs-doc
keyword	scientific-docs (support for writers of scientific documents)
keyword	docu-pkg (documentation of another package)
keyword	maths-doc (documentation of typesetting mathematics)
see also	see section 168 on page 154: (amscs – AMS document classes for LaTeX)
language(s)	no language specified
last access	2025-08-30

170 amsfonts – TeX fonts from the American Mathematical Society

Web page on CTAN <https://ctan.org/pkg/amsmaths>

name	amsmaths
caption	TeX fonts from the American Mathematical Society
author	The American Mathematical Society
license	ofl = The SIL Open Font License (free)
version	3.04
description	(no language specified) An extended set of fonts for use in mathematics, including: extra mathematical symbols; blackboard bold letters (uppercase only); fraktur letters; subscript sizes of bold math italic and bold Greek letters; subscript sizes of large symbols such as sum and product; added sizes of the Computer Modern small caps font; cyrillic fonts (from the University of Washington); Euler mathematical fonts. All fonts are provided as Adobe Type 1 files, and all except the Euler fonts are provided as Metafont source. The distribution also includes the canonical Type 1 versions of the Computer Modern family of fonts. Basic LaTeX support for the symbol fonts is provided by <code>amsmaths.sty</code>, with names of individual symbols defined in <code>amssymb.sty</code>. The Euler fonts are supported by separate packages; details can be found in the documentation.
documentation	(no language specified) <i>Details of the fonts msam and msbm</i> : https://ctan.org/tex-archive/fonts/amsmaths/doc/amssymb.pdf
– local file	<code>./5207743461-amssymb.pdf</code>
documentation	(no language specified) <i>Users' guide to the fonts (for version 2.2d)</i> : https://ctan.org/tex-archive/fonts/amsmaths/doc/amsmathdoc.pdf
– local file	<code>./2335813257-amsmathdoc.pdf</code>
documentation	(no language specified) <i>Package readme</i> : https://ctan.org/tex-archive/fonts/amsmaths/README
documentation	(no language specified) <i>Eufrak package documentation</i> : https://ctan.org/tex-archive/fonts/amsmaths/doc/eufrak.pdf
– local file	<code>./6490328252-eufrak.pdf</code>
documentation	(no language specified) <i>Eucal and euscript package documentation</i> : https://ctan.org/tex-archive/fonts/amsmaths/doc/euscript.pdf
– local file	<code>./3655590853-euscript.pdf</code>
documentation	(no language specified) <i>General package documentation</i> : https://ctan.org/tex-archive/fonts/amsmaths/doc/amsmaths.pdf
– local file	<code>./6786173418-amsmaths.pdf</code>

home page	http://www.ams.org/arc/resources/amsfonts-about.html
on CTAN	https://ctan.org/tex-archive/fonts/amsfonts
installation	https://ctan.org/tex-archive/install/fonts/amsfonts.tds.zip
on MikTeX	amsfonts
on T _E XLive	amsfonts
keyword	font (fonts themselves)
keyword	font-maths (fonts for use in mathematics)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-symbol-maths (collections of mathematical symbols)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-bbd (doublestroke (blackboard bold) fonts)
language(s)	no language specified
year	without year
last access	2025-08-30

171 amslatex – Mathematical enhancements for LaTeX

Web page on CTAN <https://ctan.org/pkg/amslatex>

name	amslatex
caption	Mathematical enhancements for LaTeX
author	The American Mathematical Society
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) A collection of loosely related files originally commissioned by the American Mathematical Society; the bundle consists of two groups, • latex-amsmath, which provides miscellaneous enhancements to LaTeX to improve the appearance and information structure of mathematical documents, and • amscls, which offers document classes designed for preparing articles and books for publication by the American Mathematical Society (though they are often used in other contexts).
documentation	<i>User guide (English):</i> https://ctan.org/tex-archive/macros/latex/required/amsmath/amsldoc.pdf

– local file	<code>./3160711963-amsl.doc.pdf</code>
documentation	<i>User guide (Italian)</i> : https://ctan.org/tex-archive/info/italian/amsl.doc/itamsl.doc.pdf
– local file	<code>./3492394586-itamsl.doc.pdf</code>
documentation	<i>User guide (Vietnamese)</i> : https://ctan.org/tex-archive/info/amslatex/vietnamese/amsl.doc-vi.pdf
– local file	<code>./6942434285-amsl.doc-vi.pdf</code>
documentation	(English) <i>Technical details of version 2.0</i> : https://ctan.org/tex-archive/macros/latex/required/amsmath/technote.pdf
– local file	<code>./6072123175-technote.pdf</code>
home page	http://www.ams.org/tex/amslatex.html
on CTAN	https://ctan.org/tex-archive/macros/latex/required/amsmath
on MikTeX	<code>amsmath</code>
on TeXLive	<code>amsmath</code>
keyword	<code>maths</code> (support for typesetting mathematics)
see also	see section 182 on page 168: (<code>amsproc</code> – LaTeX document class for AMS conference proceedings)
see also	see section 183 on page 170: (<code>amsrefs</code> – A LaTeX-based replacement for BibTeX)
see also	see section 185 on page 172: (<code>amstext</code> – Typeset text fragments in mathematics)
see also	see section 163 on page 148: (<code>amsart</code> – LaTeX document class for AMS math journal articles)
see also	see section 166 on page 152: (<code>amscd</code> – AMS-LaTeX commutative diagrams)
see also	see section 186 on page 173: (<code>amsthm</code> – Typesetting theorems (AMS style))
see also	see section 164 on page 149: (<code>amsbook</code> – LaTeX document class for AMS books)
see also	see section 175 on page 162: (<code>amsmath</code> – AMS mathematical facilities for LaTeX)
language(s)	English; Italian; Vietnamese
year	without year
last access	2025-02-12

172 amslatex-primer – Getting up and running with AMS-LaTeX

Web page on CTAN <https://ctan.org/pkg/amslatex-primer>

name	amslatex-primer
caption	Getting up and running with AMS-LaTeX
author	Hirschhorn, Philip S.
copyright	Philip S. Hirschhorn (2000, 2008, 2009)
license	lppl = The LaTeX Project Public License (free)
version	2.3
description	(no language specified) The document aims to get you up and running with AMS-LaTeX as quickly as possible. These instructions (along with a template file <code>template.tex</code>) are not a substitute for the full documentation, but they may get you started quickly enough so that you will only need to refer to the main documentation occasionally. In addition to ‘AMS-LaTeX out of the box’, the document contains: • a section describing how to draw commutative diagrams using Xy-pic ; and • a section describing how to use amsrefs to create a bibliography.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/info/amslatex/primer/README
documentation	(no language specified) <i>The document itself</i>: https://ctan.org/tex-archive/info/amslatex/primer/amshelp.pdf
– local file	<code>./1664956334-amshelp.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/amslatex/primer
on MikTeX	guides
on T _E XLive	amslatex-primer
keyword	maths-doc (documentation of typesetting mathematics)
language(s)	no language specified
year	2009
last access	2025-02-12

173 **amslatexdoc-vietnamese** – Vietnamese translation of AMSLaTeX documentation

Web page on CTAN <https://ctan.org/pkg/amslatexdoc-vietnamese>

name	amslatexdoc-vietnamese
caption	Vietnamese translation of AMSLaTeX documentation
author	Huynh, Ky-Anh
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.0
description	(no language specified) This is a Vietnamese translation of <code>amslatexdoc</code> , the users' guide to amsmath .
documentation	(Vietnamese) <i>For on-screen viewing:</i> https://ctan.org/tex-archive/info/amslatex/vietnamese/amslatexdoc-vi.pdf
– local file	<code>./6942434285-amslatexdoc-vi.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/info/amslatex/vietnamese/README
documentation	(Vietnamese) <i>For printing:</i> https://ctan.org/tex-archive/info/amslatex/vietnamese/amslatexdoc-print-vi.pdf
– local file	<code>./6025196231-amslatexdoc-print-vi.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/amslatex/vietnamese
on T _E XLive	amslatexdoc-vn
keyword	maths-doc (documentation of typesetting mathematics)
keyword	vietnamese-doc (documentation in Vietnamese)
keyword	translation (translation of material from the archive, to another language)
language(s)	Vietnamese
year	without year
last access	2025-02-12

174 `amsltx11` – AMS-LaTeX, original version (obsolete)

Web page on CTAN <https://ctan.org/pkg/amsltx11>

name	<code>amsltx11</code>
caption	AMS-LaTeX, original version (obsolete)
author	The American Mathematical Society
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) Obsolete original version of AMS-LaTeX for version 2.09 of LaTeX. The package is retained as a ZIP archive, only.
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex209/contrib/amslatex.zip
keyword	obsolete (package declared obsolete)
keyword	latex-doc (latex-doc(unknown))
language(s)	no language specified
year	without year
last access	2025-02-12

175 `amsmath` – AMS mathematical facilities for LaTeX

Web page on CTAN <https://ctan.org/pkg/amsmath>

name	<code>amsmath</code>
caption	AMS mathematical facilities for LaTeX
author	The LaTeX Project Team
copyright	LaTeX3 Project and American Mathematical Society (2016-2023)
copyright	American Mathematical Society (1995, 2000, 2013)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.17t (2024-11-05)
last changes	2024-11-05
year	2024

description	(no language specified) The principal package in the AMS-LaTeX distribution. It adapts for use in LaTeX most of the mathematical features found in AMS-TeX; it is highly recommended as an adjunct to serious mathematical typesetting in LaTeX. When amsmath is loaded, AMS-LaTeX packages ambsy (for bold symbols), amsopn (for operator names) and amstext (for text embedded in mathematics) are also loaded. amsmath is part of the LaTeX required distribution; however, several contributed packages add still further to its appeal; examples are empheq, which provides functions for decorating and highlighting mathematics, and ntheorem, for specifying theorem (and similar) definitions.
documentation	(no language specified) <i>Implementation notes</i> : https://ctan.org/tex-archive/macros/latex/required/amsmath/amsmath.pdf
– local file	<code>./9633676692-amsmath.pdf</code>
documentation	(no language specified) <i>User guide</i> : https://ctan.org/tex-archive/macros/latex/required/amsmath/amsldoc.pdf
– local file	<code>./3160711963-amsldoc.pdf</code>
documentation	(English) <i>General README</i> : https://ctan.org/tex-archive/macros/latex/required/amsmath/README.md
home page	http://www.ams.org/tex/amslatex.html
on CTAN	https://ctan.org/tex-archive/macros/latex/required/amsmath
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-amsmath.tds.zip
on MikTeX	amsmath
on T _E XLive	amsmath
keyword	maths (support for typesetting mathematics)
see also	see section 4181 on page 3784: (Nath – Natural mathematics notation)
language(s)	English
last access	2025-02-12

176 amsmath-it – Italian translations of some old amsmath documents

Web page on CTAN <https://ctan.org/pkg/amsmath-it>

name	amsmath-it
caption	Italian translations of some old amsmath documents
author	de Bari, Onofrio
author	Ferrante, Luca
license	lppl = The LaTeX Project Public License (free)
version	(2000-12-10)
last changes	2000-12-10
year	2000
description	(no language specified) The documents are: <code>diffs-m.txt</code> of December 1999, and <code>amsmath.faq</code> of March 2000.
on CTAN	https://ctan.org/tex-archive/info/translations/amsmath/it
on T _E XLive	amsmath-it
keyword	docu-pkg (documentation of another package)
keyword	translation (translation of material from the archive, to another language)
keyword	italian-doc (documentation in Italian)
language(s)	no language specified
last access	2025-02-12

177 amsmidx – Support for multiple indexes in AMS Classes

Web page on CTAN <https://ctan.org/pkg/amsmidx>

name	amsmidx
caption	Support for multiple indexes in AMS Classes
author	The American Mathematical Society
copyright	American Mathematical Society (1995, 2004, 2009, 2010)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.02 (2007-09-25)
last changes	2007-09-25
year	2007

description	(no language specified) The package supports the creation and typesetting of multiple of multiple indexes with AMS Classes ; it supersedes the single-index mechanisms provided within those classes. The package also provides a means of inserting a paragraph of text between the title and the index proper. The package is based on multind package; it is distributed as part of the AMS Classes bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/required/amscls/doc/amsmidx.pdf
– local file	<code>./5517308059-amsmidx.pdf</code>
home page	http://www.ams.org/tex/amslatex.html
on CTAN	https://ctan.org/tex-archive/macros/latex/required/amscls
installation	https://ctan.org/tex-archive/install/macros/latex/required/amscls.tds.zip
on MikTeX	<code>amscls</code>
on TeXLive	<code>amscls</code>
keyword	<code>index</code> (index support)
language(s)	no language specified
last access	2025-08-30

178 *amsopn* – Typeset mathematical operator names

Web page on CTAN <https://ctan.org/pkg/amsopn>

name	<code>amsopn</code>
caption	Typeset mathematical operator names
author	The LaTeX Project Team
copyright	American Mathematical Society (1995, 1999)
copyright	LaTeX3 Project and American Mathematical Society (2016-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.04 (2022-04-08)
last changes	2022-04-08
year	2022

description	(no language specified) Part of the AMS-LaTeX distribution, this package defines a command <code>\DeclareMathOperator</code> that may be used to define commands like the LaTeX built-in commands <code>\log</code> and <code>\lim</code> ; the command <code>\operatorname</code> allows ad-hoc operator names in the body of a document.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/required/amsmath/amsopn.pdf
– local file	<code>./1443266434-amsopn.pdf</code>
home page	http://www.ams.org/tex/amslatex.html
on CTAN	https://ctan.org/tex-archive/macros/latex/required/amsmath
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-amsmath.tds.zip
on MikTeX	<code>amsmath</code>
on TeXLive	<code>amsmath</code>
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-12

179 *amspell* – ASCII and LaTeX spell checker

Web page on CTAN	https://ctan.org/pkg/amspell
name	<code>amspell</code>
caption	ASCII and LaTeX spell checker
author	Merckens, A.
author	Frambach, Erik
copyright	A. Merckens (1992)
license	<code>nosource</code> = No Source Available (not free)
description	(no language specified) Amspell is a spell checker for plain ASCII files, with some special features for dealing with TeX files. The program is written in Turbo Pascal and runs on any MS-DOS computer.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/amspell/read.me
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/amspell/amspell.doc
on CTAN	https://ctan.org/tex-archive/support/amspell

keyword	spell (TeX-aware spelling checker)
language(s)	no language specified
year	1992
last access	2025-02-12

180 **amsppt** – AMS-TeX article preprint document style

Web page on CTAN <https://ctan.org/pkg/amsppt>

name	amsppt
caption	AMS-TeX article preprint document style
author	The American Mathematical Society
copyright	American Mathematical Society (2001)
license	lppl = The LaTeX Project Public License (free)
version	2.1a
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/amstex/README
on CTAN	https://ctan.org/tex-archive/macros/amstex
on MikTeX	amstex
on T _E XLive	amstex
keyword	maths (support for typesetting mathematics)
see also	see section 181 on page 168: (amsppt1 – AMS-TeX v.2 compatibility for amsppt.sty v.1)
language(s)	no language specified
year	2001
last access	2025-02-12

181 amsppt1 – AMS-TeX v.2 compatibility for amsppt.sty v.1

Web page on CTAN <https://ctan.org/pkg/amsppt1>

name	amsppt1
caption	AMS-TeX v.2 compatibility for amsppt.sty v.1
author	The American Mathematical Society
copyright	American Mathematical Society (1991, 2001)
license	knuth = Knuth License (free)
version	2.2
description	(no language specified) AMS-TeX conversion file to provide compatibility between amsppt.sty version 1 and amsppt.sty version 2.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/amstex/README
on CTAN	https://ctan.org/tex-archive/macros/amstex
on MikTeX	amstex
on T _E XLive	amstex
keyword	maths (support for typesetting mathematics)
see also	see section 180 on page 167: (amsppt – AMS-TeX article preprint document style)
language(s)	no language specified
year	2001
last access	2025-02-12

182 amsproc – LaTeX document class for AMS conference proceedings

Web page on CTAN <https://ctan.org/pkg/amsproc>

name	amsproc
caption	LaTeX document class for AMS conference proceedings
author	The American Mathematical Society
copyright	American Mathematical Society (1995, 1999, 2004, 2009-2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.20.6 (2020-05-29)
last changes	2020-05-29

year	2020
description	(no language specified) A LaTeX document class for conference proceedings that is tailored to the design of American Mathematical Society publications. If you have a standard installation of LaTeX, you should find that <code>amsproc</code> is already present, since it is part of the ("required") AMS-LaTeX distribution. For publication-specific AMS document classes (<code>coll-1.cls</code>, <code>conm-p-1.cls</code>, <code>lam-1.cls</code>, <code>llsci-1.cls</code>, <code>psam-1.cls</code>, <code>pspum-1.cls</code>, etc.), see AMS author information.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/required/amscs/README
documentation	(no language specified) <i>Instructions to authors</i> : https://ctan.org/tex-archive/info/amscs-doc/Author_Handbook_ProcColl.pdf
– local file	<code>./2690504928-Author_Handbook_ProcColl.pdf</code>
documentation	(no language specified) <i>Code and documentation of all three classes</i>: https://ctan.org/tex-archive/macros/latex/required/amscs/doc/amscsclass.pdf
– local file	<code>./5980586150-amscsclass.pdf</code>
home page	http://www.ams.org/tex/amslatex.html
on CTAN	https://ctan.org/tex-archive/macros/latex/required/amscs
installation	https://ctan.org/tex-archive/install/macros/latex/required/amscs.tds.zip
on MikTeX	<code>amscs</code>
on T _E XLive	<code>amscs</code>
keyword	<code>confproc</code> (typesetting conference proceedings)
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-12

183 *amsrefs* – A LaTeX-based replacement for BibTeX

Web page on CTAN <https://ctan.org/pkg/amsrefs>

name	amsrefs
caption	A LaTeX-based replacement for BibTeX
author	The American Mathematical Society
author	Jones, David M.
author	Downes, Michael J.
copyright	American Mathematical Society (2001, 2004, 2006, 2007)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.14
description	(no language specified) Amsrefs is a LaTeX package for bibliographies that provides an archival data format similar to the format of BibTeX database files, but adapted to make direct processing by LaTeX easier. The package can be used either in conjunction with BibTeX or as a replacement for BibTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/amsrefs/README
documentation	(no language specified) <i>Documented source</i> : https://ctan.org/tex-archive/macros/latex/contrib/amsrefs/amsrefs.pdf
– local file	./6845393562-amsrefs.pdf
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/amsrefs/amsrdoc.pdf
– local file	./5569715074-amsrdoc.pdf
home page	https://www.ams.org/arc/resources/amsrefs-about.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/amsrefs
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/amsrefs.tds.zip
on MikTeX	amsrefs
on T _E XLive	amsrefs
keyword	biblio (bibliography processor)
see also	see section 613 on page 560: (BibLaTeX – Sophisticated Bibliographies in LaTeX)
language(s)	no language specified
year	2007

last access 2025-02-12

184 *amstex* – American Mathematical Society plain TeX macros

Web page on CTAN <https://ctan.org/pkg/amstex>

name *amstex*

caption American Mathematical Society plain TeX macros

author The American Mathematical Society

copyright American Mathematical Society (1985, 1990, 1991, 2001)

license lppl = The LaTeX Project Public License (free)

version 2.01 (2021-08-26)

last changes 2021-08-26

year 2021

description (no language specified) AMS-TeX is a TeX macro package, originally written by Michael Spivak for the American Mathematical Society (AMS) during 1983–1985 and is described in the book ‘*The Joy of TeX*’. It is based on Plain TeX, and provides many features for producing more professional-looking maths formulas with less burden on authors.

This is the final archival distribution of AMS-TeX. AMS-TeX is no longer supported by the AMS, nor is it used by the AMS publishing program. The AMS does not recommend creating any new documents using AMS-TeX; this distribution will be left on CTAN to facilitate processing of legacy documents and as a historical record of a pioneering TeX macro collection that played a key role in popularizing TeX and revolutionizing mathematics publishing.

In addition to the “*User’s Guide to AMS-TeX*”, the AMS has also made the full text of the most recent reprint of the second edition of “*The Joy of TeX*” by Michael Spivak available as a pdf file.

AMS-TeX is the historical basis of *amslatex*, which should now be used to prepare submissions for the AMS.

documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/macros/amstex/README>

documentation (no language specified) *User’s guide and installation details*: <https://ctan.org/tex-archive/macros/amstex/doc/amsguide.pdf>

– local file `./6751892108-amsguide.pdf`

home page <https://www.ams.org/arc/resources/amslatex-about.html>

on CTAN <https://ctan.org/tex-archive/macros/amstex>

on MikTeX	amstex
on TeXLive	amstex
keyword	maths (support for typesetting mathematics)
see also	see section 3083 on page 2782: (joy-of-tex – User documentation for the AMS-TeX macro collection)
language(s)	no language specified
last access	2025-02-12

185 amstext – Typeset text fragments in mathematics

Web page on CTAN <https://ctan.org/pkg/amstext>

name	amstext
caption	Typeset text fragments in mathematics
author	The LaTeX Project Team
copyright	American Mathematical Society (1995, 1999)
copyright	LaTeX3 Project and American Mathematical Society (2016-2025)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.01 (2024-11-17)
last changes	2024-11-17
year	2024
description	(no language specified) Part of the AMS-LaTeX distribution, this package defines a <code>\text</code> macro, which makes it easy to incorporate fragments of text inside a displayed equation or a sub or superscript. The font used is the "surrounding text font" and sizes are automatically scaled in sub/superscripts.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/required/amsmath/amstext.pdf
– local file	<code>./4863514875-amstext.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/required/amsmath
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-amsmath.tds.zip
on MikTeX	amsmath
on TeXLive	amsmath
keyword	maths (support for typesetting mathematics)

see also	see section 171 on page 158: (<code>amslatex</code> – Mathematical enhancements for LaTeX)
language(s)	no language specified
last access	2025-08-30

186 *amsthm* – Typesetting theorems (AMS style)

Web page on CTAN <https://ctan.org/pkg/amsthm>

name	<code>amsthm</code>
caption	Typesetting theorems (AMS style)
author	The American Mathematical Society
copyright	American Mathematical Society (1995, 1999, 2004, 2009-2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.20.6 (2020-05-29)
last changes	2020-05-29
year	2020
description	(no language specified) The package facilitates the kind of theorem setup typically needed in American Mathematical Society publications. The package offers the theorem setup of the AMS document classes (amsart , amsbook , etc.) encapsulated in LaTeX package form so that it can be used with other document classes. Amsthm is part of the (required) AMS-LaTeX distribution, so should be present in any LaTeX distribution.
documentation	<i>Usage guide (Italian)</i> : https://ctan.org/tex-archive/info/italian/amsthdoc/amsthdoc_it.pdf
– local file	<code>./2767896456-amsthdoc_it.pdf</code>
documentation	<i>Usage guide (English)</i> : https://ctan.org/tex-archive/macros/latex/required/amscls/doc/amsthdoc.pdf
– local file	<code>./3583893204-amsthdoc.pdf</code>
home page	http://www.ams.org/tex/amslatex.html
on CTAN	https://ctan.org/tex-archive/macros/latex/required/amscls
installation	https://ctan.org/tex-archive/install/macros/latex/required/amscls.tds.zip
on MikTeX	<code>amscls</code>

on T _E XLive	amscs
keyword	maths-theorem (typeset mathematical theorems)
see also	see section 6086 on page 5500: (thmtools – Extensions to theorem environments)
see also	see section 4317 on page 3909: (nththeorem – Enhanced theorem environment)
language(s)	English; Italian
last access	2025-02-12

187 *analogclock* – An analog ticking clock package for PDF output

Web page on CTAN <https://ctan.org/pkg/analogclock>

name	analogclock
caption	An analog ticking clock package for PDF output
author	Randez, Luis
license	gpl2 = GNU General Public License, version 2 (free)
version	1.0
description	(no language specified) An analog ticking clock package to be used in Pdf-LaTeX documents, for example in presentations.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/analogclock/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/analogclock/analogclock-doc.pdf
– local file	./3832402441-analogclock-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/analogclock
on MikT _E X	analogclock
keyword	date-time (manipulate dates and/or times)
see also	see section 5864 on page 5311: (tdclock – A ticking digital clock package for PDF output)
language(s)	no language specified
year	without year
last access	2025-02-12

188 andika – andika fonts with support for all LaTeX enginesWeb page on CTAN <https://ctan.org/pkg/andika>

name	andika
caption	andika fonts with support for all LaTeX engines
author	SIL International
author	Tennent, Bob
license	ofl = The SIL Open Font License (free)
license	lppl = The LaTeX Project Public License (free)
version	6.101 (2022-09-28)
last changes	2022-09-28
year	2022
description	(no language specified) This package provides LaTeX, pdfLaTeX, XeLaTeX and LuaLaTeX support for the Andika family of fonts designed by SIL International especially for literacy use, taking into account the needs of beginning readers. The focus is on clear, easy-to-perceive letterforms that will not be readily confused with one another.
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/andika/doc/andika-samples.pdf
– local file	<code>./3363839420-andika-samples.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/andika/README
home page	https://software.sil.org/andika/
on CTAN	https://ctan.org/tex-archive/fonts/andika
installation	https://ctan.org/tex-archive/install/fonts/andika.tds.zip
on MikTeX	andika
on T _E XLive	andika
keyword	font (fonts themselves)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-sans (sans-serif font)
keyword	font-ttf (font available in TrueType format)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-cyrillic (fonts for Cyrillic and related scripts)

language(s) no language specified
 last access 2025-02-12

189 *anima* – Create slideshows with simple animations

Web page on CTAN <https://ctan.org/pkg/anima>

name	<i>anima</i>
caption	Create slideshows with simple animations
author	Gomes de Santana, Adriano
copyright	Adriano Gomes de Santana (2009-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1 (2024-12-14)
last changes	2024-12-14
year	2024
description	(no language specified) The idea for this package arose from noticing that including the <code>\pause</code> command from the <i>beamer</i> class within the <code>\foreach</code> loop command from the <i>TikZ</i> package creates a sequence of frames, where each slide presents a step in the construction of the image. The purpose of the <i>anima</i> class is to provide macros that simplify the use of this effect for creating animated slide presentations. Although the functionality of this class can be compared to the transition effects of the <i>beamer</i> class, it is not a dependency of the <i>anima</i> class. However, the class makes extensive use of the image creation language provided by the <i>TikZ</i> package. Lastly, it is worth noting a comparison between this class and the <i>animate</i> package. The <i>animate</i> package can create embedded animations within the document, while the <i>anima</i> class produces an animation where each frame corresponds to a page of the document. This distinction highlights the different design goals of the <i>anima</i> class.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/anima/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/anima/anima-doc.pdf
– local file	<code>./8786389361-anima-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/anima
on MikTeX	<i>anima</i>

on T _E XLive	<code>anima</code>
keyword	<code>presentation</code> (slides, beamers, handouts, etc.)
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>graphics-motion</code> (motion graphics)
language(s)	no language specified
last access	2025-02-12

190 *animate* – Create PDF and SVG animations from graphics files and inline graphics

Web page on CTAN <https://ctan.org/pkg/animate>

name	<code>animate</code>
caption	Create PDF and SVG animations from graphics files and inline graphics
author	Grahn, Alexander
copyright	Alexander Grahn (2007-2024)
license	lppl = The LaTeX Project Public License (free)
version	(2024-10-14)
last changes	2024-10-14
year	2024
description	(no language specified) The package provides an interface to create portable, JavaScript driven PDF and SVG animations from sets of graphics files or from inline graphics, such as LaTeX picture environment, PSTricks or pgf/TikZ generated pictures, or just from typeset text.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/animate/animate.pdf
– local file	<code>./4191133391-animate.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/animate/README.md
contact	<i>repository</i> : https://gitlab.com/agrahn/animate
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/animate
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/animate.tds.zip
on MikT _E X	<code>animate</code>
on T _E XLive	<code>animate</code>

keyword graphics-motion (motion graphics)
 language(s) no language specified
 last access 2025-02-12

191 *anleitung* – Using LaTeX with MikTeX, including TrueType fonts

Web page on CTAN <https://ctan.org/pkg/anleitung>
 name *anleitung*
 caption Using LaTeX with MikTeX, including TrueType fonts
 author Weissenburger, Jens
 license noinfo = noinfo
 version (2003-03-28)
 last changes 2003-03-28
 year 2003
 description (no language specified) A German introduction to using LaTeX on a MikTeX system with WinEdT. The document includes a translation of [Using TrueType fonts with TeX \(LaTeX\) and pdfTeX \(pdfLaTeX\)](#) by Damir Rakityansky.
 documentation *The document itself (German):* <https://ctan.org/tex-archive/info/german/MiKTeX-WinEdt-TrueType-Anleitung/latex.htm>
 on CTAN <https://ctan.org/tex-archive/info/german/MiKTeX-WinEdt-TrueType-Anleitung>
 keyword german-doc (documentation in German)
 language(s) German
 last access 2025-02-12

192 *annee-scolaire* – Automatically typeset the academic year (French way)

Web page on CTAN <https://ctan.org/pkg/annee-scolaire>
 name *annee-scolaire*
 caption Automatically typeset the academic year (French way)
 author Henel, Yvon
 copyright Yvon Henel aka Le TeXnicien de surface (2020)
 license lpl1.3c = The LaTeX Project Public License 1.3c (free)
 version 1.6 (2020-07-29)

last changes	2020-07-29
year	2020
description	(no language specified) This package provides • a macro <code>\anneescolaire</code> to automatically write the academic year in the French way, according to the date of compilation, • two other macros to obtain the first and the second calendar year of the academic year, • a macro to be redefined to change the presentation of the years.
documentation	(no language specified) <i>User guide</i> : https://ctan.org/tex-archive/macros/latex/contrib/annee-scolaire/annee-scolaire-eng.pdf
– local file	./8229113769-annee-scolaire-eng.pdf
documentation	(no language specified) <i>Code documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/annee-scolaire/annee-scolaire.pdf
– local file	./5398009255-annee-scolaire.pdf
documentation	(French) <i>Guide de l'utilisateur</i> : https://ctan.org/tex-archive/macros/latex/contrib/annee-scolaire/annee-scolaire-fra.pdf
– local file	./2062478514-annee-scolaire-fra.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/annee-scolaire/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/annee-scolaire
on MikTeX	annee-scolaire
on TeXLive	annee-scolaire
keyword	expl3 (expl3(unknown))
keyword	calendar (typeset calendars, diaries, planning charts, etc.)
language(s)	French
last access	2025-02-12

193 *annot-pro* – Create text, stamp and file attachment annotations

Web page on CTAN <https://ctan.org/pkg/annot-pro>

name	annot-pro
caption	Create text, stamp and file attachment annotations
author	Story, Donald P.
copyright	D. P. Story (2002-2018)
license	lppl = The LaTeX Project Public License (free)
version	(2018-08-13)
last changes	2018-08-13
year	2018
description	(no language specified) This package is used to create text, stamp, and file attachment annotations using Adobe Distiller, which can then be viewed in Adobe Reader. Users of pdf(La)TeX, may use the pdfcomment package to create text annotations, and attachfile or attachfile2 to create attached file annotations.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/annot_pro/README.md
documentation	(no language specified) <i>Usage example</i> : https://ctan.org/tex-archive/macros/latex/contrib/annot_pro/examples/annots.pdf
– local file	<code>./9239379391-annots.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/annot_pro/doc/annotpro_man.pdf
– local file	<code>./5224996645-annotpro_man.pdf</code>
home page	http://www.math.uakron.edu/~dpstory/annotpro.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/annot_pro
on MikTeX	annot-pro
keyword	pdf-feat (access PDF features)
keyword	adobe-distiller (convert PostScript to PDF using Adobe Distiller)
language(s)	no language specified
last access	2025-02-12

194 *annotate* – A bibliography style with annotations

Web page on CTAN <https://ctan.org/pkg/annotate>

name	annotate
caption	A bibliography style with annotations
license	other-free = Free license not otherwise listed (free)
version	(1992-07-20)
last changes	1992-07-20
year	1992
description	(no language specified) The style is a derivative of the standard <code>alpha</code> style, which processes an entry's <code>annotate</code> field as part of the printed output.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/annotate.bst
on MikTeX	beebe
on TeXLive	beebe
keyword	<code>bibtex-sty</code> (<code>bibtex-sty(unknown)</code>)
see also	see section 196 on page 182: (<code>annotation</code> – A BibTeX style that processes annotations)
language(s)	no language specified
last access	2025-02-19

195 *annotate-equations* – Easily annotate math equations using TikZ

Web page on CTAN <https://ctan.org/pkg/annotate-equations>

name	annotate-equations
caption	Easily annotate math equations using TikZ
author	John, ST
copyright	ST John (2022)
license	mit = MIT License (free)
version	0.2.2 (2023-05-06)
last changes	2023-05-06
year	2023

description	(no language specified) This package provides commands that make it easy to highlight terms in equations and add annotation labels using TikZ . It should work with pdfLaTeX as well as LuaLaTeX.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/annotate-equations/annotate-equations.pdf
– local file	./4548011862-annotate-equations.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/annotate-equations/README.md
contact	<i>bugs</i> : https://github.com/st--/annotate-equations/issues
contact	<i>repository</i> : https://github.com/st--/annotate-equations
contact	<i>development</i> : https://github.com/st--/annotate-equations/pulls
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/annotate-equations
on MikTeX	annotate-equations
on TeXLive	annotate-equations
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
keyword	maths (support for typesetting mathematics)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-02-12

196 annotation – A BibTeX style that processes annotations

Web page on CTAN <https://ctan.org/pkg/annotation>

name	annotation
caption	A BibTeX style that processes annotations
license	other-free = Free license not otherwise listed (free)
version	(1992-07-20)
last changes	1992-07-20
year	1992
description	(no language specified) The style is a derivative of the standard <code>plain</code> style, which prints each entry's label, and processes any <code>annote</code> field as part of the printed output.

on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/annotation.bst
on MikTeX	beebe
on T _E XLive	beebe
keyword	bibtex-sty (bibtex-sty(unknown))
see also	see section 194 on page 181: (annotate – A bibliography style with annotations)
language(s)	no language specified
last access	2025-02-19

197 *annotation-pkg* – Suppress or permit annotations to a document

Web page on CTAN	https://ctan.org/pkg/annotation-pkg
name	annotation-pkg
caption	Suppress or permit annotations to a document
author	Hofmann, Tom
license	noinfo = noinfo
version	(1989-10-30)
last changes	1989-10-30
year	1989
description	(no language specified) The package defines a <code>annotation</code> environment, whose contents may be controlled by <code>\printnotes</code> (to print the content, the default) or <code>\suppressnotes</code> (to suppress the content).
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/annotation.sty
keyword	editorial (editor’s marks, highlights, etc.)
see also	see section 1237 on page 1124: (<code>comment</code> – Selectively include/exclude portions of text)
see also	see section 6603 on page 5966: (<code>version</code> – Conditionally include text)
language(s)	no language specified
last access	2025-02-12

198 anonchap – Make chapters be typeset like sections

Web page on CTAN <https://ctan.org/pkg/anonchap>

name	anonchap
caption	Make chapters be typeset like sections
author	Wilson, Peter R.
author	Robertson, Will
license	lpl = The LaTeX Project Public License (free)
version	1.1a
description	(no language specified) The command <code>\simplechapter</code> sets up the <code>\chapter</code> command not to number chapters, though they may possibly have a prefix, and a suffix (the <code>\simplechapterdelim</code> command, which the user may alter). The <code>\restorechapter</code> command restores the status quo ante.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/anonchap/anonchap.pdf
– local file	<code>./7681530852-anonchap.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/anonchap
on MikTeX	anonchap
on TeXLive	anonchap
keyword	headings (chapter, section, etc., heading styles)
language(s)	no language specified
year	without year
last access	2025-02-12

199 anonymous-acm – Typeset anonymous versions for ACM articles

Web page on CTAN <https://ctan.org/pkg/anonymous-acm>

name	anonymous-acm
caption	Typeset anonymous versions for ACM articles
author	Becker, Brett A.
copyright	Brett A. Becker (2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)

version	1.0 (2020-05-09)
last changes	2020-05-09
year	2020
description	(no language specified) Academics often need to submit anonymous versions of their papers for peer-review. This often requires anonymization which at some future date needs to be reversed. However de-anonymizing an anonymized paper can be laborious and error-prone. This LaTeX package allows anonymization options to be specified at the time of writing for authors using <code>acmart.cls</code>, the official Association of Computing Machinery (ACM) master article template. Anonymization or deanonymization is carried out by simply changing one option and recompiling.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/anonymous-acm/anonymous-acm.pdf
– local file	<code>./6972859430-anonymous-acm.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/anonymous-acm/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/anonymous-acm
on MikTeX	<code>anonymous-acm</code>
on TeXLive	<code>anonymous-acm</code>
keyword	<code>journalpub</code> (typesetting journals, etc)
language(s)	no language specified
last access	2025-02-12

200 *anonymouspro* – Use AnonymousPro fonts with LaTeX

Web page on CTAN <https://ctan.org/pkg/anonymouspro>

name	<code>AnonymousPro</code>
caption	Use AnonymousPro fonts with LaTeX
author	Esbati, Arash
copyright	Arash Esbati (2013-2019)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.2

description	(no language specified) The fonts are a monowidth set, designed for use by coders. They appear as a set of four TrueType, or Adobe Type 1 font files, and LaTeX support is also provided.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/anonymouspro/doc/AnonymousPro.pdf
– local file	./1137193028-AnonymousPro.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/anonymouspro/README.md
home page	http://www.marksimonson.com/fonts/view/anonymous-pro
on CTAN	https://ctan.org/tex-archive/fonts/anonymouspro
on MikTeX	anonymouspro
on T _E XLive	anonymouspro
keyword	font-ttf (font available in TrueType format)
keyword	font-mono (monospaced font)
keyword	font (fonts themselves)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
year	2019
last access	2025-02-12

201 ans – Answers and solutions, for LaTeX 2.09

Web page on CTAN <https://ctan.org/pkg/ans>

name	ans
caption	Answers and solutions, for LaTeX 2.09
author	Wells, Charles
copyright	Charles Frederick Wells (1994)
license	other-nonfree = License that prevents distribution (not free)
version	(1994-02-24)
last changes	1994-02-24
year	1994
description	(no language specified) A package providing a means to typeset answers to exercises in a text.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex209/contrib/ans/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex209/contrib/ans/ansdoc.pdf
– local file	<code>./7877885786-ansdoc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/ans
keyword	exercise (exercises, problems for solution, etc.)
see also	see section 202 on page 187: (<i>answers</i> – <i>Setting questions (or exercises) and answers</i>)
language(s)	no language specified
last access	2025-02-12

202 *answers* – *Setting questions (or exercises) and answers*

Web page on CTAN	https://ctan.org/pkg/answers
name	<code>answers</code>
caption	Setting questions (or exercises) and answers
author	Piff, Mike
author	Wright, Joseph
copyright	Joseph Wright (2009-2010, 2014)
copyright	Mike Piff (1990, 1994-1996)
license	lppl = The LaTeX Project Public License (free)
version	2.16 (2014-08-24)
last changes	2014-08-24
year	2014
description	(no language specified) The package allows a lot of flexibility in constructing question and answer sheets.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/answers/answers.pdf
– local file	<code>./4151261417-answers.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/answers
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/answers.tds.zip

on MikTeX	answers
on T _E XLive	answers
keyword	exercise (exercises, problems for solution, etc.)
see also	see section 2062 on page 1864: (exams – Typeset exam questions)
language(s)	no language specified
last access	2025-02-12

203 *ant* – A typesetting system inspired by TeX

Web page on CTAN <https://ctan.org/pkg/ant>

name	ant
caption	A typesetting system inspired by TeX
author	Blumensath, Achim
license	pd = Public Domain Software (free)
version	0.8
description	(no language specified) Ant is a typesetting system inspired by TeX. It does not aim at perfect emulation TeX but focusses instead on a new flexible, clean, and modular design. Although the system has a markup language essentially the same as TeX's, the 'design' language is an established programming language, so that document design no longer relies on the skills of rare TeX macro programming experts.
documentation	(no language specified) <i>Package README</i>: https://ctan.org/tex-archive/systems/ant/README
documentation	(no language specified) <i>Ant manual</i>: https://ctan.org/tex-archive/systems/ant/manual.pdf
– local file	<code>./3263273193-manual.pdf</code>
on CTAN	https://ctan.org/tex-archive/systems/ant
keyword	engine (TeX (or TeX-alike) typesetting engine)
language(s)	no language specified
year	without year
last access	2025-02-12

204 ant-worker-tasks – Apache ANT Tasks for TeX and PDF

Web page on CTAN <https://ctan.org/pkg/ant-worker-tasks>

name	ant-worker-tasks
caption	Apache ANT Tasks for TeX and PDF
author	Niedermair, Michael
license	nosource = No Source Available (not free)
version	268
description	(no language specified) Apache ANT is the Java equivalence of Unix make. I.e., it is a tool to trigger an action when a file has been changed, e.g., to create a PDF file when the corresponding TeX file changed. This package provides ANT actions for TeX and PDF documents. They will call TeX and related utilities when document source files have been changed. Furthermore actions are provided that can manipulate PDF files - they can be merged, cropped, etc.
documentation	(German) <i>Package documentation:</i> https://ctan.org/tex-archive/support/ant-worker-tasks/doku_src/doku.pdf
– local file	./6486215110-doku.pdf
on CTAN	https://ctan.org/tex-archive/support/ant-worker-tasks
keyword	misc-support (miscellaneous support stuff)
language(s)	German
year	without year
last access	2025-02-12

205 antanilipsum – Generate sentences in the style of “Amici miei”

Web page on CTAN <https://ctan.org/pkg/antanilipsum>

name	antanilipsum
caption	Generate sentences in the style of “Amici miei”
author	Coleman, Jack
copyright	Jack Coleman (2020)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.8.1
description	(no language specified) This package is an italian blind text generator that outputs <i>supercazzole</i> , mocking nonsense phrases from the movie series Amici Mieì (“My friends”), directed by Mario Monicelli.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/antantilipsum/antantilipsum.pdf
– local file	<code>./5850968265-antantilipsum.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/antantilipsum/README.md
home page	https://github.com/AlphaJack/antantilipsum
contact	<i>repository</i> : https://github.com/AlphaJack/antantilipsum
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/antantilipsum
on MikTeX	antantilipsum
on T _E XLive	antantilipsum
keyword	dummy-gen (dummy text generator for tests and examples)
see also	see section 3119 on page 2815: (kantlipsum – Generate sentences in Kant’s style)
language(s)	no language specified
year	2020
last access	2025-02-12

206 *anti* – Typeset an anti-particle in maths mode

Web page on CTAN	https://ctan.org/pkg/anti
name	<code>anti</code>
caption	Typeset an anti-particle in maths mode
author	Holmes, Rich
license	noinfo = noinfo
version	(1993-02-15)
last changes	1993-02-15
year	1993
description	(no language specified) The trick is to get the bar not to extend over the particle’s superscripted tag, while not having the tag going above the bar.
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/anti.tex
on MikTeX	genmisc

keyword	maths (support for typesetting mathematics)
keyword	physics (support for typesetting physics documents)
language(s)	no language specified
last access	2025-02-12

207 *antique-spanish-units* – A short document about antique spanish units

Web page on CTAN <https://ctan.org/pkg/antique-spanish-units>

name	antique-spanish-units
caption	A short document about antique spanish units
author	Merino Hernández, Noel
license	cc-by-4 = CC BY 4.0 (free)
version	1.6 (2024-01-22)
last changes	2024-01-22
year	2024
description	(no language specified) This short document is about antique spanish units used in Spain and their colonies between the sixteenth and nineteenth centuries. The next step will be to develop a LaTeX package similar to siunitx . The document could be interesting for historians, economists, metrologists and others, as a reference and detailed compendium about this old system of units.
documentation	(Spanish) <i>The document itself</i> : https://ctan.org/tex-archive/info/spanish/antique-spanish-units/antique-spanish-units.pdf
– local file	<code>./7551612989-antique-spanish-units.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/spanish/antique-spanish-units/README
on CTAN	https://ctan.org/tex-archive/info/spanish/antique-spanish-units
on MikTeX	antique-spanish-units
on TeXLive	antique-spanish-units
keyword	spanish-doc (documentation in Spanish)
keyword	units (uniform typesetting of units)
language(s)	Spanish
last access	2025-02-12

208 antomega – Alternative language support for Omega/Lambda

Web page on CTAN <https://ctan.org/pkg/antomega>

name	antomega
caption	Alternative language support for Omega/Lambda
author	Kryukov, Alexey
license	lppl = The LaTeX Project Public License (free)
version	0.8
description	(no language specified) A language support package for Omega /Lambda. This replaces the original <code>omega</code> package for use with Lambda, and provides extra facilities (including Babel -like language switching, which eases porting of LaTeX documents to Lambda).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/systems/omega/contrib/antomega/doc/omega/antomega/antomega.pdf
– local file	./5943634809-antomega.pdf
documentation on CTAN	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/systems/omega/contrib/antomega/README
on T _E XLive	antomega
keyword	multilingual (support for more than one (natural) language)
keyword	omega (Omega and packages that use it)
language(s)	no language specified
year	without year
last access	2025-02-12

209 antp – Antykwa Półtawskiego: a Type 1 family of Polish traditional type

Web page on CTAN <https://ctan.org/pkg/antp>

name	antp
caption	Antykwa Półtawskiego: a Type 1 family of Polish traditional type
author	Nowacki, Janusz Marian
license	pd = Public Domain Software (free)

210 antt – Antykwa Toruńska: a Type 1 family of a Polish traditional ty...

version	0.50
description	(no language specified) <i>This package is obsolete, its replacement is the new poltański package .</i> A replica of Antykwa Półtawskiego font in PostScript Type 1 format — preliminary version. This font was designed in the 'twenties and the 'thirties of XX century by a Polish graphic artist and a typographer Adam Półtawski. It was widely used by Polish printing houses as long as metal types were in use (until ca. the 'sixties). Antykwa Półtawskiego was perhaps the first complete font family programmed and parametrized in MetaPost.
documentation	<i>Package README in Polish:</i> https://ctan.org/tex-archive/obsolete/fonts/psfonts/polish/antp/README.POL
documentation	<i>Package README in English:</i> https://ctan.org/tex-archive/obsolete/fonts/psfonts/polish/antp/README.ENG
on CTAN	https://ctan.org/tex-archive/obsolete/fonts/psfonts/polish/antp
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	obsolete (package declared obsolete)
keyword	font (fonts themselves)
keyword	polish (support for typesetting Polish)
language(s)	English; Polish
year	without year
last access	2025-02-12

210 antt – Antykwa Toruńska: a Type 1 family of a Polish traditional type

Web page on CTAN	https://ctan.org/pkg/antt
name	antt
caption	Antykwa Toruńska: a Type 1 family of a Polish traditional type
author	Nowacki, Janusz Marian
copyright	Janusz M. Nowacki (1998-2006)
license	gfsf = The GUST Font Source License (GFSF) (free)
version	2.08
description	(no language specified) Antykwa Toruńska is a serif font designed by the late Polish typographer Zygfryd Gardzielewski, reconstructed and digitized as Type 1.

documentation	<i>Documentation in Polish:</i> https://ctan.org/tex-archive/fonts/antt/doc/fonts/antt/AntykwaTorunska-doc-pl-2_03.pdf
– local file	<code>./2468202524-AntykwaTorunska-doc-pl-2_03.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/antt/README
documentation	<i>Documentation in English:</i> https://ctan.org/tex-archive/fonts/antt/doc/fonts/antt/AntykwaTorunska-doc-en-2_03.pdf
– local file	<code>./5628310124-AntykwaTorunska-doc-en-2_03.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/antt
on MikTeX	<code>antyktor</code>
on T _E XLive	<code>antt</code>
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>polish</code> (support for typesetting Polish)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
see also	see section 211 on page 194: (<i>anttvf</i> – Virtual fonts for PostScript Antykwa Toruńska font)
language(s)	English; Polish
year	2006
last access	2025-02-12

211 *anttvf* – Virtual fonts for PostScript Antykwa Toruńska font

Web page on CTAN	https://ctan.org/pkg/anttvf
name	<code>anttvf</code>
caption	Virtual fonts for PostScript Antykwa Toruńska font
author	Wierzbicki, Tomasz
license	pd = Public Domain Software (free)
description	(no language specified) A collection of virtual fonts generated with fontinst 1.6, that provide a PostScript font ‘Antykwa Toruńska” (antt) in OT1, T1, TS1 and OT4 encodings, to be used with LaTeX2e.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/psfonts/anttvf/README
on CTAN	https://ctan.org/tex-archive/fonts/psfonts/anttvf

keyword	font-virtual (virtual font(s) using existing fonts)
keyword	font (fonts themselves)
see also	see section 210 on page 193: (antt – Antykwa Toruńska: a Type 1 family of a Polish traditional type)
language(s)	no language specified
year	without year
last access	2025-02-12

212 **anufinalexam – LaTeX document shell for ANU final exam**

Web page on CTAN <https://ctan.org/pkg/anufinalexam>

name	ANUfinalexam
caption	LaTeX document shell for ANU final exam
author	Kam, Timothy
copyright	Timothy Kam (2004, 2009)
license	gpl = GNU General Public License (free)
description	(no language specified) This LaTeX document shell is created for the standard formatting of final exams in The Australian National University.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/anufinalexam/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/anufinalexam
on MikTeX	anufinalexam
on T _E XLive	anufinalexam
keyword	exam (exams, quizzes, etc.)
language(s)	no language specified
year	2009
last access	2025-02-12

213 anyfontsize – Select any font size in LaTeX

Web page on CTAN <https://ctan.org/pkg/anyfontsize>

name	anyfontsize
caption	Select any font size in LaTeX
author	Szabó, Péter
license	lppl = The LaTeX Project Public License (free)
version	(2007-11-22)
last changes	2007-11-22
year	2007
description	(no language specified) The package allows the to user select any font size (via e.g. <code>\fontsize{...}{...}\selectfont</code>), even those sizes that are not listed in the <code>.fd</code> file. If such a size is requested, LaTeX will search for and select the nearest listed size; <code>anyfontsize</code> will then scale the font to the size actually requested. Similar functionality is available for the CM family, for the EC family, or for either computer modern encoding; the present package generalises the facility.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/anyfontsize/anyfontsize.pdf
– local file	<code>./5731944284-anyfontsize.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/anyfontsize/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/anyfontsize
on MikTeX	anyfontsize
on TeXLive	anyfontsize
keyword	font-use (font selection, mapping, etc.)
language(s)	no language specified
last access	2025-02-12

214 *anysize* – A simple package to set up document margins

Web page on CTAN <https://ctan.org/pkg/anysize>

name	<code>anysize</code>
caption	A simple package to set up document margins
author	Esser, Thomas
license	pd = Public Domain Software (free)
description	(no language specified) This package is considered obsolete; alternatives are the typearea package from the koma-script bundle, or the geometry package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/anysize/anysize.pdf
– local file	<code>./6027635070-anysize.pdf</code>
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/anysize/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/anysize
on MikTeX	<code>anysize</code>
on TeXLive	<code>anysize</code>
keyword	<code>geometry</code> (change geometry of page layout)
language(s)	no language specified
year	without year
last access	2025-02-12

215 *aobs-tikz* – TikZ styles for creating overlaid pictures in beamer

Web page on CTAN <https://ctan.org/pkg/aobs-tikz>

name	<code>aobs-tikz</code>
caption	TikZ styles for creating overlaid pictures in beamer
author	Fiandrino, Claudio
copyright	Claudio Fiandrino (2014-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.01 (2024-04-15)
last changes	2024-04-15

year	2024
description	(no language specified) The package defines auxiliary TikZ styles useful for overlaying pictures' elements in Beamer . The TikZ styles are grouped in a library, <code>overlay-beamer-styles</code> which is automatically called by the package itself. Users may either load just <code>aobs-tikz</code> or the library; the latter method necessitates TikZ manual load.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/aobs-tikz/aobs-tikz.pdf
– local file	<code>./1309585214-aobs-tikz.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/aobs-tikz/README.txt
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/aobs-tikz
on MikTeX	<code>aobs-tikz</code>
on TeXLive	<code>aobs-tikz</code>
keyword	<code>presentation</code> (slides, beamers, handouts, etc.)
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-02-12

216 aomart – Typeset articles for the Annals of Mathematics

Web page on CTAN <https://ctan.org/pkg/aomart>

name	<code>aomart</code>
caption	Typeset articles for the Annals of Mathematics
author	Veytsman, Boris
copyright	Princeton University (Mathematics Department) (2010-2025)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.34
description	(no language specified) The package provides a class for typesetting articles for The Annals of Mathematics .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/aomart/aomart.pdf
– local file	<code>./9497851956-aomart.pdf</code>

217 *apa* – American Psychological Association format

documentation	(no language specified) <i>Sample article</i> : https://ctan.org/tex-archive/macros/latex/contrib/aomart/aomsample.pdf
– local file	<code>./3025534133-aomsample.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/aomart/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/aomart
on MikTeX	<code>aomart</code>
on T _E XLive	<code>aomart</code>
keyword	<code>journalpub</code> (typesetting journals, etc)
keyword	<code>class</code> (alternative LaTeX class(es))
language(s)	no language specified
year	2025
last access	2025-05-20

217 *apa* – American Psychological Association format

Web page on CTAN	https://ctan.org/pkg/apa
Alias	<code>apa5</code>
name	<code>apa</code>
caption	American Psychological Association format
author	Protopapas, Athanassios
license	lppl = The LaTeX Project Public License (free)
version	1.3.4
description	(no language specified) A LaTeX class to format text according to the American Psychological Association Publication Manual (5th ed.) specifications for manuscripts or to the APA journal look found in journals like the Journal of Experimental Psychology etc. In addition, it provides regular LaTeX-like output with a few enhancements and APA-motivated changes. Note that the <code>apa7</code> class (covering the 7th edition of the manual) and <code>apa6</code> (covering the 6th edition of the manual) are now commonly in use. <code>Apacite</code>, which used to work with this class, has been updated for use with <code>apa6</code>.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/apa/README

218 *apa6* – Format documents in APA style (6th edition)

documentation	(no language specified) <i>Outline of the class</i> : https://ctan.org/tex-archive/macros/latex/contrib/apa/apaccls.txt
documentation	(no language specified) <i>Class documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/apa/apaccls.html
documentation	(no language specified) <i>Outline of list facilities</i> : https://ctan.org/tex-archive/macros/latex/contrib/apa/apaaenum.txt
home page	http://users.uoa.gr/~aprotopapas/CV/apaccls.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/apa
on MikTeX	apa
on T _E XLive	apa
keyword	psychology (support for typesetting texts relating to psychology)
keyword	journalpub (typesetting journals, etc)
keyword	apa (typesetting according to the rules of the American Psychological Association)
keyword	class (alternative LaTeX class(es))
see also	see section 4098 on page 3709: (msl _{apa} – Michael Landy’s APA citation style)
language(s)	no language specified
year	without year
last access	2025-02-12

218 *apa6* – Format documents in APA style (6th edition)

Web page on CTAN	https://ctan.org/pkg/apa6
name	apa6
caption	Format documents in APA style (6th edition)
author	Beitzel, Brian
copyright	Brian D. Beitzel (2011-2023)
license	l _{pl} 1.3c = The LaTeX Project Public License 1.3c (free)
version	2.35 (2023-08-07)
last changes	2023-08-07
year	2023

description	(no language specified) The class formats documents in APA style (6th Edition). It provides a full set of facilities in three different output modes (journal-like appearance, double-spaced manuscript, LaTeX-like document), in contrast to the earlier apa6e , which only formats double-spaced manuscripts in APA style. The class can mask author identity for copies for use in masked peer review. The class is a development of the apa class (which is no longer maintained).
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/apa6/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/apa6/apa6.pdf
– local file	<code>./3757823352-apa6.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/apa6
on MikTeX	<code>apa6</code>
on TeXLive	<code>apa6</code>
keyword	<code>psychology</code> (support for typesetting texts relating to psychology)
keyword	<code>apa</code> (typesetting according to the rules of the American Psychological Association)
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>journalpub</code> (typesetting journals, etc)
language(s)	no language specified
last access	2025-02-12

219 **apa6e – Format manuscripts to APA 6th edition guidelines**

Web page on CTAN <https://ctan.org/pkg/apa6e>

name	<code>apa6e</code>
caption	Format manuscripts to APA 6th edition guidelines
author	Smith, Nathaniel J.
copyright	Nathaniel J. Smith (2011)
license	<code>bsd</code> = BSD Style License (free)
version	0.3
description	(no language specified) This is a minimalist class file for formatting manuscripts in the style described in the American Psychological Association (APA) 6th edition guidelines. The apa6 class provides better coverage of the requirements.

220 *apa7* – Format documents in APA style (7th edition)

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/apa6e/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/apa6e/apa6e.pdf
– local file	<code>./5329841838-apa6e.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/apa6e
on MikTeX	<code>apa6e</code>
on T _E XLive	<code>apa6e</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>apa</code> (typesetting according to the rules of the American Psychological Association)
keyword	<code>psychology</code> (support for typesetting texts relating to psychology)
keyword	<code>journalpub</code> (typesetting journals, etc)
language(s)	no language specified
year	2011
last access	2026-04-10

220 *apa7* – Format documents in APA style (7th edition)

Web page on CTAN <https://ctan.org/pkg/apa7>

name	<code>apa7</code>
caption	Format documents in APA style (7th edition)
author	Weiss, Daniel A.
copyright	Daniel A. Weiss (2019-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.16 (2022-07-25)
last changes	2022-07-25
year	2022
description	(no language specified) This class formats documents in APA style (7th Edition). It provides a full set of facilities in four different output modes (journal-like appearance, double-spaced manuscript, double-spaced student manuscript, LaTeX-like document). The class can mask author identity for copies for use in masked peer review. The class is a development of the <code>apa6</code> class.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/apa7/apa7.pdf
– local file	<code>./4605995314-apa7.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/apa7/README.txt
contact	<i>repository</i> : https://github.com/dan-weiss/apa7-latex-cls-source
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/apa7
on MikTeX	<code>apa7</code>
on T _E XLive	<code>apa7</code>
keyword	<code>apa</code> (typesetting according to the rules of the American Psychological Association)
keyword	<code>psychology</code> (support for typesetting texts relating to psychology)
keyword	<code>std-conform</code> (support conformance to standards)
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>journalpub</code> (typesetting journals, etc)
language(s)	no language specified
last access	2025-08-30

221 *apabst* – Early APA BibTeX style

Web page on CTAN	https://ctan.org/pkg/apabst
name	<code>apabst</code>
caption	Early APA BibTeX style
author	Rogers, Alan
license	other-free = Free license not otherwise listed (free)
version	1.1
description	(no language specified) This style has been developed elsewhere, notably as part of a comprehensive LaTeX bundle supporting typesetting to APA standards.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/apa.bst
on MikTeX	<code>beebe</code>
on T _E XLive	<code>beebe</code>
keyword	<code>journalpub</code> (typesetting journals, etc)

keyword	psychology (support for typesetting texts relating to psychology)
keyword	bibtex-sty (bibtex-sty(unknown))
keyword	apa (typesetting according to the rules of the American Psychological Association)
language(s)	no language specified
year	without year
last access	2025-02-19

222 *apacite* – Citation style following the rules of the APA

Web page on CTAN <https://ctan.org/pkg/apacite>

name	apacite
caption	Citation style following the rules of the APA
author	Meijer, Erik
copyright	Erik Meijer (1994-2013)
license	lppl = The LaTeX Project Public License (free)
version	6.03
description	(no language specified) Apacite provides a BibTeX style and a LaTeX package which are designed to match the requirements of the American Psychological Association's style for citations. The package follows the 6th edition of the APA manual, and is designed to work with the apa6 class. A test document is provided. The package is compatible with chapterbib and (to some extent) with hyperref (for limits of compatibility, see the documentation). The package also includes a means of generating an author index for a document.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/apacite/apacite.pdf
– local file	<code>./1245821036-apacite.pdf</code>
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/apacite/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/apacite
on MikTeX	apacite
on T _E XLive	apacite
keyword	journalpub (typesetting journals, etc)
keyword	psychology (support for typesetting texts relating to psychology)

keyword	apa (typesetting according to the rules of the American Psychological Association)
keyword	bibtex-sty (bibtex-sty(unknown))
keyword	bibtex-supp (BibTeX citation support)
language(s)	no language specified
year	2013
last access	2025-02-19

223 *apalike-ejor* – A BibTeX style file for the European Journal of Operational Research

Web page on CTAN <https://ctan.org/pkg/apalike-ejor>

name	apalike-ejor
caption	A BibTeX style file for the European Journal of Operational Research
author	Rumpf, Adam
copyright	Oren Patashnik (1988, 2010)
copyright	Adam Rumpf (2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2.0
description	(no language specified) This package contains a BibTeX style file, <i>apalike-ejor.bst</i> , made to follow the European Journal of Operational Research reference style guidelines. It is a fork of <i>apalike</i> version 0.99a, by Oren Patashnik, and consists of minor modifications of standard APA style. Among other changes it adds support for hyperlinked URL and DOI fields (which requires <i>hyperref</i>).
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/biblio/bibtex/contrib/apalike-ejor/example.pdf
– local file	<code>./9000196825-example.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/biblio/bibtex/contrib/apalike-ejor/README.md
contact	<i>bugs:</i> https://github.com/adam-rumpf/apalike-ejor/issues
contact	<i>repository:</i> https://github.com/adam-rumpf/apalike-ejor
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/apalike-ejor
on MikTeX	apalike-ejor

on T _E XLive	apalike-ejor
keyword	std-conform (support conformance to standards)
keyword	bibtex-sty (bibtex-sty(unknown))
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
year	2021
last access	2025-02-19

224 *apalike-german* – A copy of *apalike.bst* with German localization

Web page on CTAN <https://ctan.org/pkg/apalike-german>

name	apalike-german
caption	A copy of <i>apalike.bst</i> with German localization
author	Braun, Ingram
copyright	Oren Patashnik (1986-2010)
copyright	Ingram Braun (2016-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2022-12-30)
last changes	2022-12-30
year	2022
description	(no language specified) A copy of <i>apalike.bst</i> (which is part of the base BibT _E X distribution) with German localization.
documentation	(no language specified) <i>Readme (HTML)</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/apalike-german/README.html
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/apalike-german/README.md
contact	<i>repository</i> : https://github.com/CarlOrff/apalike-german
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/apalike-german
on MikT _E X	apalike-german
on T _E XLive	apalike-german
keyword	german (support for typesetting German)

225 *apalike2* – Bibliography style that approaches APA requirements

keyword	<code>bibtex-sty</code> (<code>bibtex-sty(unknown)</code>)
keyword	apa (typesetting according to the rules of the American Psychological Association)
language(s)	no language specified
last access	2025-02-19

225 **apalike2** – Bibliography style that approaches APA requirements

Web page on CTAN <https://ctan.org/pkg/apalike2>

name	apalike2
caption	Bibliography style that approaches APA requirements
author	Reiser, Brian
author	Ho, Eric
license	knuth = Knuth License (free)
version	(1989-10-31)
last changes	1989-10-31
year	1989
description	(no language specified) Described as a "local adaptation" of <code>apalike</code> (which is part of the base BibTeX distribution).
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/apalike2
on MikTeX	apalike2
on TeXLive	apalike2
keyword	journalpub (typesetting journals, etc)
keyword	apa (typesetting according to the rules of the American Psychological Association)
keyword	psychology (support for typesetting texts relating to psychology)
keyword	<code>bibtex-sty</code> (<code>bibtex-sty(unknown)</code>)
language(s)	no language specified
last access	2025-02-19

226 apasoft – An APA-like style for BibTeX

Web page on CTAN <https://ctan.org/pkg/apasoft>

name	apasoft
caption	An APA-like style for BibTeX
author	Porr, Bernd
license	noinfo = noinfo
version	(1998-09-12)
last changes	1998-09-12
year	1998
description	(no language specified) Derived (in several steps) from the original BibTeX alpha style. Should be used with the LaTeX package provided with the BibTeX distribution bundle.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/apasoft.bst
keyword	journalpub (typesetting journals, etc)
keyword	bibtex-sty (bibtex-sty(unknown))
keyword	psychology (support for typesetting texts relating to psychology)
keyword	apa (typesetting according to the rules of the American Psychological Association)
language(s)	no language specified
last access	2025-02-19

227 apeqnum – Number equations by appendix

Web page on CTAN <https://ctan.org/pkg/apeqnum>

name	apeqnum
caption	Number equations by appendix
author	Hosek, Don
license	noinfo = noinfo
version	(1990-11-08)
last changes	1990-11-08
year	1990

description	(no language specified) A package (originally written for LaTeX 2.09, but will work in LaTeX 2e) to cause equation numbers in <code>article</code> class (style), as A1, A2, A3, ..., B1, etc.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/apeqnum.sty
keyword	<code>label-ref</code> (label and reference systems)
language(s)	no language specified
last access	2025-02-12

228 *apl* – Fonts for typesetting APL programs

Web page on CTAN <https://ctan.org/pkg/apl>

name	<code>apl</code>
caption	Fonts for typesetting APL programs
author	Kanerva, Okko
author	Hohti, Aarno
license	<code>noinfo = noinfo</code>
version	(1987-04-06)
last changes	1987-04-06
year	1987
description	(no language specified) Includes macros for using the fonts, and the source of the TUGboat paper (and of a ‘second thoughts’ version).
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/apl/readme.txt
documentation	(no language specified) <i>TUGboat paper about the package:</i> https://tug.org/TUGboat/Articles/tb08-3/tb19hohti.pdf
– local file	<code>./6114475204-tb19hohti.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/apl
on MikTeX	<code>apl</code>
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-symbol</code> (fonts that provide collections of symbols)
language(s)	no language specified
last access	2025-02-12

229 apltex – Tiny TeX distribution built on Web2C and LuaTeX

Web page on CTAN <https://ctan.org/pkg/apltex>

name	apLT _E X
caption	Tiny TeX distribution built on Web2C and LuaTeX
author	Huang, Jing
copyright	Jing Huang (2024)
license	bsd3 = 3-clause BSD License (free)
version	1.0.2
description	(no language specified) apLT _E X is a minimal TeX distribution built on LuaTeX and Web2C, designed for TeXnicians seeking a small, modern, and self-contained TeX installation. It has been tested on Darwin (Sequoia) and Linux (Gentoo).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/apltex/README.md
contact	<i>bugs</i> : https://github.com/RadioNoiseE/apltex/issues
contact	<i>repository</i> : https://github.com/RadioNoiseE/apltex
on CTAN	https://ctan.org/tex-archive/systems/apltex
keyword	distribution (components (or support) of TeX distribution)
language(s)	no language specified
year	2024
last access	2025-02-12

230 aplweb – Literate programming in APL

Web page on CTAN <https://ctan.org/pkg/aplweb>

name	aplweb
caption	Literate programming in APL
author	Schweigert, U.
license	noinfo = noinfo
version	1.0

description	(no language specified) APLWeb is a literate programming system for use with APL programs. It also serves for pretty-printing APL code, for inclusion in other documents. The distribution includes a font "ccapl".
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/web/aplweb/README
on CTAN	https://ctan.org/tex-archive/web/aplweb
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
keyword	litprog (literate programming)
keyword	font-symbol (fonts that provide collections of symbols)
see also	see section 228 on page 209: (apl – Fonts for typesetting APL programs)
language(s)	no language specified
year	without year
last access	2025-02-12

231 *apnum* – Arbitrary precision numbers implemented by TeX macros

Web page on CTAN <https://ctan.org/pkg/apnum>

name	apnum
caption	Arbitrary precision numbers implemented by TeX macros
author	Olšák, Petr
license	pd = Public Domain Software (free)
version	1.7
description	(no language specified) The basic operations (addition, subtraction, multiplication, division, power to an integer) are implemented by TeX macros in this package. Operands may be numbers with arbitrary numbers of digits; scientific notation is allowed. The expression scanner is also provided. As of version 1.4 (December 2015) the calculation of common functions (sqrt, exp, ln, sin, cos, tan, asin, acos, atan, pi) with arbitrary precision in the result has been added. Exhaustive documentation (including detailed TeXnical documentation) is included. The macro includes many optimizations and uses only TeX primitives (from classic TeX) and <code>\newcount</code> macro.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/apnum/apnum.pdf
– local file	<code>./5618242019-apnum.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/apnum/README
on CTAN	https://ctan.org/tex-archive/macros/generic/apnum
on MikTeX	apnum
on TeXLive	apnum
keyword	calculation (perform calculations within TeX)
language(s)	no language specified
year	without year
last access	2025-02-12

232 *appelt-chess* – Chess board macros using standard fonts

Web page on CTAN	https://ctan.org/pkg/appelt-chess
name	appelt-chess
caption	Chess board macros using standard fonts
license	noinfo = noinfo
version	(1992-08-27)
last changes	1992-08-27
year	1992
description	(no language specified) The package provides the means of printing chess boards with a more-or-less appropriate selection of glyphs from the computer modern fonts; the macros <code>\move</code> and <code>\showboard</code> allow the progress of a game to be notated and printed.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/appelt-chess.tex
keyword	games (process game diagrams, gamebooks, and other amusements)
see also	see section 1042 on page 947: (<i>chessmin</i> – Minimal chess diagrams)
language(s)	no language specified
last access	2025-02-12

233 appendix – Extra control of appendices

Web page on CTAN <https://ctan.org/pkg/appendix>

name	appendix
caption	Extra control of appendices
author	Wilson, Peter R.
author	Robertson, Will
copyright	Peter R. Wilson (1998-2004)
copyright	Will Robertson (2009-2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2c (2020-02-08)
last changes	2020-02-08
year	2020
description	(no language specified) The appendix package provides various ways of formatting the titles of appendices. Also (sub)appendices environments are provided that can be used, for example, for per chapter/section appendices. The word ‘Appendix’ or similar can be prepended to the appendix number for article class documents. The word ‘Appendices’ or similar can be added to the table of contents before the appendices are listed. The word ‘Appendices’ or similar can be typeset as a <code>\part</code> -like heading (page) in the body. An <code>appendices</code> environment is provided which can be used instead of the <code>\appendix</code> command.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/appendix/appendix.pdf
– local file	<code>./6380456126-appendix.pdf</code>
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/appendix/README
contact	<i>repository</i> : https://github.com/wspr/herries-press/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/appendix
on MikTeX	appendix
on T _E XLive	appendix
keyword	headings (chapter, section, etc., heading styles)
keyword	appendix (typesetting and using appendices)
language(s)	no language specified

last access 2025-02-12

234 **appendixnumberbeamer** – Manage frame numbering in appendixes in beamer

Web page on CTAN <https://ctan.org/pkg/appendixnumberbeamer>

name	appendixnumberbeamer
caption	Manage frame numbering in appendixes in beamer
author	Lelong, Jérôme
copyright	Jérôme Lelong (2007-2018)
license	gpl3 = GNU General Public License, version 3 (free)
version	1.2
description	(no language specified) This package fixes the frame numbering in beamer when using an appendix such that the slides from the appendix are not counted in the total frame number of the main part of the document. The total frame number counter is reset to 0 when entering the appendix. The standard usage is to include <code>\usepackage{appendixnumberbeamer}</code> in the preamble and then declare the beginning of the appendix as usual using the <code>\appendix</code> command.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/appendixnumberbeamer/README.md
home page	https://github.com/jlelong/appendixnumberbeamer
contact	<i>bugs</i>: https://github.com/jlelong/appendixnumberbeamer/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/appendixnumberbeamer
on MikTeX	appendixnumberbeamer
on T _E XLive	appendixnumberbeamer
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
year	2018
last access	2025-02-12

235 `apprendre-a-programmer-en-tex` – The book “Apprendre à programmer en TeX”

Web page on CTAN	https://ctan.org/pkg/apprendre-a-programmer-en-tex
name	<code>apprendre-a-programmer-en-tex</code>
caption	The book “Apprendre à programmer en TeX”
author	Tellechea, Christian
copyright	Christian Tellechea (2014-2020)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	(2020-12-20)
last changes	2020-12-20
year	2020
description	(no language specified) This book explains the basic concepts required for programming in TeX and explains the programming methods, providing many examples. The package makes the compileable source code as well as the compiled pdf file accessible to everyone. Ce livre expose les concepts de base requis pour programmer en TeX et décrit les méthodes de programmation en s'appuyant sur de nombreux exemples. Ce package met à disposition de tous le code source compilable ainsi que le fichier pdf du livre.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/apprendre-a-programmer-en-tex/README
documentation	(French) <i>The document itself</i> : https://ctan.org/tex-archive/info/apprendre-a-programmer-en-tex/output/apprendre-a-programmer-en-tex.pdf
– local file	<code>./5722622099-apprendre-a-programmer-en-tex.pdf</code>
contact	<i>bugs</i> : https://framagit.org/unbonpetit/apprendre-a-programmer-en-tex/issues
contact	<i>repository</i> : https://framagit.org/unbonpetit/apprendre-a-programmer-en-tex
on CTAN	https://ctan.org/tex-archive/info/apprendre-a-programmer-en-tex
on TeXLive	<code>apprendre-a-programmer-en-tex</code>
keyword	<code>french-doc</code> (documentation in French)
keyword	<code>book-src</code> (source of a published book)

keyword	tut-plaintex (tutorial material for Plain TeX)
keyword	documentation (‘stand-alone’ documentation)
language(s)	French
last access	2025-02-12

236 *appends-latex* – *Apprends LaTeX!*

Web page on CTAN <https://ctan.org/pkg/appends-latex>

name	appends-latex
caption	Apprends LaTeX!
author	Baudoin, Marc
copyright	Marc Baudoin (1994-2009)
license	lppl = The LaTeX Project Public License (free)
version	4.02
description	(no language specified) Apprends LaTeX! (“Learn LaTeX”, in English) is French documentation for LaTeX beginners.
documentation	(French) <i>The document itself</i> : https://ctan.org/tex-archive/info/appends-latex/Apprends_LaTeX.pdf
– local file	./6094410874-Apprends_LaTeX.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/appends-latex/README
home page	http://www.babafou.eu.org/Apprends_LaTeX/
on CTAN	https://ctan.org/tex-archive/info/appends-latex
on T _E XLive	appends-latex
keyword	french-doc (documentation in French)
language(s)	French
year	2009
last access	2025-02-12

237 apptools – Tools for customising appendices

Web page on CTAN <https://ctan.org/pkg/apptools>

name	apptools
caption	Tools for customising appendices
author	Kuhnert, Sebastian
copyright	Sebastian Kuhnert (2012)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The package provides an <code>\AtAppendix</code> command to add code to a hook that is executed when <code>\appendix</code> is called by the user. Additionally, a TeX conditional <code>\ifappendix</code> and a LaTeX-style conditional <code>\IfAppendix</code> are provided to check if <code>\appendix</code> has already been called.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/apptools/apptools.pdf
– local file	<code>./5227013080-apptools.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/apptools
on MikTeX	apptools
on TeXLive	apptools
keyword	appendix (typesetting and using appendices)
language(s)	no language specified
year	2012
last access	2025-02-12

238 apxproof – Proofs in appendix

Web page on CTAN <https://ctan.org/pkg/apxproof>

name	apxproof
caption	Proofs in appendix
author	Senellart, Pierre
copyright	Pierre Senellart (2016-2026)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3.0 (2026-04-14)

last changes	2026-04-14
year	2026
description	(no language specified) The package makes it easier to write articles where proofs and other material are deferred to the appendix. The appendix material is written in the LaTeX code along with the main text which it naturally complements, and it is automatically deferred. The package can automatically send proofs to the appendix, can repeat in the appendix the theorem environments stated in the main text, can section the appendix automatically based on the sectioning of the main text, and supports a separate bibliography for the appendix material. It depends on the following other packages: amsthm , bibunits (if the bibliography option is set to <code>separate</code>), environ , etoolbox , fancyvrb , ifthen , and kvoptions .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/apxproof/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/apxproof/apxproof.pdf
– local file	<code>./1660488914-apxproof.pdf</code>
contact	<i>bugs</i> : https://github.com/PierreSenellart/apxproof/issues
contact	<i>repository</i> : https://github.com/PierreSenellart/apxproof
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/apxproof
on MikTeX	<code>apxproof</code>
on T _E XLive	<code>apxproof</code>
keyword	<code>proof</code> (typeset proofs and proof diagrams)
keyword	<code>appendix</code> (typesetting and using appendices)
language(s)	no language specified
last access	2026-04-21

239 ar – Capital A and capital R ligature for Aspect Ratio

Web page on CTAN <https://ctan.org/pkg/ar>

name	ar
caption	Capital A and capital R ligature for Aspect Ratio
author	Beccari, Claudio
copyright	Claudio Beccari (1998, 1999, 2000)
license	lppl = The LaTeX Project Public License (free)
version	(1998-04-21)
last changes	1998-04-21
year	1998
description	(no language specified) Provides Metafont source and a LaTeX package for producing and using the uppercase A/R ligature as used by scientists and engineers in the field of aeronautics as the symbol for "aspect ratio". The package (and its font) is now superseded by the package and font aspectratio .
documentation	(no language specified) <i>README</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/ar/README
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/ar
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-specialist (fonts with specific small application areas)
language(s)	no language specified
last access	2025-02-12

240 arabi – (La)TeX support for Arabic and Farsi, compliant with Babel

Web page on CTAN <https://ctan.org/pkg/arabi>

name	arabi
caption	(La)TeX support for Arabic and Farsi, compliant with Babel
author	Jabri, Youssef
copyright	Youssef Jabri (2006)
license	lppl = The LaTeX Project Public License (free)

version	1.1
description	(no language specified) The package provides an Arabic and Farsi script support for TeX without the need of any external pre-processor, and in a way that is compatible with babel. The bi-directional capability supposes that the user has a TeX engine that knows the four primitives <code>\beginR</code>, <code>\endR</code>, <code>\beginL</code> and <code>\endL</code>. That is the case in both the TeX–XeT and e-TeX engines. Arabi will accept input in several 8-bit encodings, including UTF-8. Arabi can make use of a wide variety of Arabic and Farsi fonts, and provides one of its own. PDF files generated using Arabi may be searched, and text may be copied from them and pasted elsewhere.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/arabic/arabi/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/language/arabic/arabi/arabi/texmf/doc/latex/arabi/user_guide.pdf
– local file	<code>./2788924324-user_guide.pdf</code>
on CTAN	https://ctan.org/tex-archive/language/arabic/arabi
on MikTeX	<code>arabi</code>
on T _E XLive	<code>arabi</code>
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>arabic</code> (documentation in and support for typesetting Arabic)
keyword	<code>multilingual-addon</code> (extra language ‘drivers’ for existing multilingual packages)
see also	see section 246 on page 226: (<code>arabtex</code> – Macros and fonts for typesetting Arabic)
language(s)	no language specified
year	2006
last access	2025-02-12

241 *arabi-add* – Using *hyperref* and *bookmark* packages with arabic and farsi languages

Web page on CTAN <https://ctan.org/pkg/arabi-add>

name	arabi-add
caption	Using <i>hyperref</i> and <i>bookmark</i> packages with arabic and farsi languages
author	Lakhdar, Sidi Mohamed
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2015-06-20)
last changes	2015-06-20
year	2015
description	(no language specified) This package takes advantage of some of the possibilities that <i>hyperref</i> and <i>bookmark</i> packages offer when you create a table of contents for Arabic texts created by the <i>arabi</i> package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/language/arabic/arabi-add/arabi-add-doc.pdf
– local file	./4199091394-arabi-add-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/arabic/arabi-add/README
on CTAN	https://ctan.org/tex-archive/language/arabic/arabi-add
on MikTeX	arabi-add
on T _E XLive	arabi-add
keyword	arabic (documentation in and support for typesetting Arabic)
see also	see section 240 on page 219: (<i>arabi</i> – (La)TeX support for Arabic and Farsi, compliant with Babel)
language(s)	no language specified
last access	2025-02-12

242 *arabic* – Read a lower-case roman number

Web page on CTAN <https://ctan.org/pkg/arabic>

name	arabic
caption	Read a lower-case roman number
author	Selberg, Ole Michael
license	noinfo = noinfo
version	(1995-10-05)
last changes	1995-10-05
year	1995
description	(no language specified) Usage is: <count> = \arabicnumeral <roman number > (note, trailing space after <roman number> required).
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/arabic.tex
on MikTeX	genmisc
keyword	numbers (formatting numbers, etc)
language(s)	no language specified
last access	2025-02-12

243 *arabic-book* – An Arabic book class

Web page on CTAN <https://ctan.org/pkg/arabic-book>

name	arabic-book
caption	An Arabic book class
author	Alziyadi, Mohammed Obaid
copyright	Mohammed Obaid Alziyadi (2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2021-06-14)
last changes	2021-06-14
year	2021

description	(no language specified) This document class provides both Arabic and English support for TeX/LaTeX. Input may be in ASCII transliteration or other encodings (including UTF-8), and output may be Arabic, Hebrew, or any of several languages that use the Arabic script, as can be specified by the polyglossia package. The Arabic font is presently available in any Arabic fonts style. In order to use Amiri font style, the user needs to install the amiri package. This document class runs with the XeTeX engine. PDF files generated using this class can be searched, and text can be copied from them and pasted elsewhere.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/xetex/latex/arabic-book/arabic-book.pdf
– local file	./4835314904-arabic-book.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/xetex/latex/arabic-book/README.txt
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/arabic-book
on MikTeX	arabic-book
on TeXLive	arabic-book
keyword	arabic (documentation in and support for typesetting Arabic)
keyword	book-pub (preparing a book for publication)
keyword	class (alternative LaTeX class(es))
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
language(s)	no language specified
last access	2025-02-12

244 *arabicfront* – Frontmatter with arabic page numbers

Web page on CTAN	https://ctan.org/pkg/arabicfront
name	arabicfront
caption	Frontmatter with arabic page numbers
author	Bezos López, Javier
copyright	Javier Bezos (2006-2019)
license	mit = MIT License (free)

version	1.1
description	(no language specified) This package modifies the definitions of <code>\frontmatter</code> and <code>\mainmatter</code> so that page numbering starts in arabic style from the front matter while preserving the rest of the original definitions. For it to work, <code>\pagenumbering</code> has to be inside these macros—most of classes do that, but there are exceptions like memoir .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/arabicfront/README.md
home page	http://www.texnia.com/
contact	<i>repository</i> : https://github.com/jbezoz
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/arabicfront
on MikTeX	arabicfront
on TeXLive	arabicfront
keyword	page-nos (control sequence and typesetting of page numbers)
language(s)	no language specified
year	2019
last access	2025-02-12

245 *arabluatex* – ArabTeX for LuaLaTeX

Web page on CTAN	https://ctan.org/pkg/arabluatex
name	arabluatex
caption	ArabTeX for LuaLaTeX
author	Alessi, Robert
copyright	Robert Alessi (2016-2020)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
version	1.20 (2020-03-23)
last changes	2020-03-23
year	2020

description	(no language specified) This package provides for LuaLaTeX an ArabTeX-like interface to generate Arabic writing from an ascii transliteration. It is particularly well-suited for complex documents such as technical documents or critical editions where a lot of left-to-right commands intertwine with Arabic writing. arabluatex is able to process any ArabTeX input notation. Its output can be set in the same modes of vocalization as ArabTeX, or in different roman transliterations. It further allows many typographical refinements. It will eventually interact with some other packages yet to come to produce from .tex source files, in addition to printed books, TEI xml compliant critical editions and/or lexicons that can be searched, analyzed and correlated in various ways.
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/luatex/latex/arabluatex/samples/al-Jahiz.pdf
– local file	./9410778012-al-Jahiz.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/luatex/latex/arabluatex/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/luatex/latex/arabluatex/arabluatex.pdf
– local file	./6052365280-arabluatex.pdf
home page	http://www.robtalessi.net/arabluatex
contact	<i>bugs:</i> https://gitlab.com/ralessi/arabluatex/-/issues
contact	<i>repository:</i> http://git.robtalessi.net/arabluatex
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/arabluatex
installation	https://ctan.org/tex-archive/install/macros/luatex/latex/arabluatex.tds.zip
on MikTeX	arabluatex
on T _E XLive	arabluatex
keyword	multilingual (support for more than one (natural) language)
keyword	luatex (LuaTeX and packages that require it)
keyword	arabic (documentation in and support for typesetting Arabic)
language(s)	no language specified
last access	2025-08-30

246 arabtex – Macros and fonts for typesetting Arabic

Web page on CTAN <https://ctan.org/pkg/arabtex>

name	arabtex
caption	Macros and fonts for typesetting Arabic
author	Lagally, Klaus
copyright	Klaus Lagally (1990-2022)
license	lppl = The LaTeX Project Public License (free)
version	3.17 (2022-06-08)
last changes	2022-06-08
year	2022
description	(no language specified) ArabTeX is a package extending the capabilities of TeX/LaTeX to generate Arabic and Hebrew text. Input may be in ASCII transliteration or other encodings (including UTF-8); output may be Arabic, Hebrew, or any of several languages that use the Arabic script. ArabTeX consists of a TeX macro package and Arabic and Hebrew fonts (provided both in Metafont format and Adobe Type 1). The Arabic font is presently only available in the Naskhi style. ArabTeX will run with Plain TeX and also with LaTeX.
documentation	(no language specified) <i>Outline of the project</i> : https://ctan.org/tex-archive/language/arabic/arabtex/doc/html/arabtex.htm
documentation	(no language specified) <i>Package documentation (draft)</i> : https://ctan.org/tex-archive/language/arabic/arabtex/doc/pdf/arabdoc.pdf
– local file	./3446347284-arabdoc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/arabic/arabtex/readme.txt
on CTAN	https://ctan.org/tex-archive/language/arabic/arabtex
on MikTeX	arabtex
on T _E XLive	arabtex
keyword	hebrew (documentation in and support for typesetting Hebrew)
keyword	font-arabic (fonts for typesetting arabic)
keyword	font (fonts themselves)
keyword	font-hebrew (font for Hebrew script)
keyword	font-mf (fonts distributed as Metafont source)

keyword	arabic (documentation in and support for typesetting Arabic)
language(s)	no language specified
last access	2025-02-12

247 arabxetex – An ArabTeX-like interface for XeLaTeX

Web page on CTAN <https://ctan.org/pkg/arabxetex>

name	arabxetex
caption	An ArabTeX-like interface for XeLaTeX
author	bidi-tex GitHub Organisation
author	Charette, François
author	Khalighi, Vafa
copyright	François Charette (2007-2010)
license	lppl = The LaTeX Project Public License (free)
version	1.2.1
description	(no language specified) ArabXeTeX provides a convenient ArabTeX-like user-interface for typesetting languages using the Arabic script in XeLaTeX, with flexible access to font features. Input in ArabTeX notation can be set in three different vocalization modes or in roman transliteration. Direct UTF-8 input is also supported. The parsing and converting of ArabTeX input to Unicode is done by means of TECKit mappings. Version 1.0 provides support for Arabic, Maghribi Arabic, Farsi (Persian), Urdu, Sindhi, Kashmiri, Ottoman Turkish, Kurdish, Jawi (Malay) and Uighur. The documentation covers topics such as typesetting the Holy Quran and typesetting bidirectional critical editions with the package ednotes.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/arabxetex/README.md
documentation	(no language specified) <i>Minimal example</i> : https://ctan.org/tex-archive/macros/xetex/latex/arabxetex/examples/minimal.pdf
– local file	./7667501574-minimal.pdf
documentation	(no language specified) <i>Homepage</i> : https://github.com/fc7/arabxetex
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/xetex/latex/arabxetex/arabxetex.pdf
– local file	./8573035480-arabxetex.pdf

documentation	(no language specified) <i>Ednotes example</i> : https://ctan.org/tex-archive/macros/xetex/latex/arabxetex/examples/ednotes_example.pdf
– local file	<code>./1831364443-ednotes_example.pdf</code>
contact	<i>bugs</i> : https://github.com/fc7/arabxetex/issues
contact	<i>repository</i> : https://github.com/fc7/arabxetex/issues
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/arabxetex
installation	https://ctan.org/tex-archive/install/macros/xetex/latex/arabxetex.tds.zip
on MikTeX	arabxetex
on T _E XLive	arabxetex
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
keyword	arabic (documentation in and support for typesetting Arabic)
keyword	persian (support for typesetting Persian)
keyword	multilingual (support for more than one (natural) language)
keyword	kurdish (support for typesetting Kurdish)
language(s)	no language specified
year	2010
last access	2025-02-12

248 aramaic – Fonts for Aramaic script

Web page on CTAN	https://ctan.org/pkg/aramaic
name	aramaic
caption	Fonts for Aramaic script
author	Wilson, Peter R.
copyright	Peter R. Wilson (1999-2005)
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) The aramaic bundle provides fonts for Aramaic script as it was used in the Middle East between about 1000-200 BC. This is one in a series of archaic fonts.

documentation	(no language specified) <i>Sample of Aramaic font</i> : https://ctan.org/tex-archive/fonts/archaic/aramaic/tryaramaic.pdf
– local file	./9575119691-tryaramaic.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/archaic/aramaic/README
documentation	(no language specified) <i>Samples of entire archaic bundle</i> : https://ctan.org/tex-archive/fonts/archaic/asamples.pdf
– local file	./8592837549-asamples.pdf
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/archaic/aramaic/aramaic.pdf
– local file	./3498740443-aramaic.pdf
on CTAN	https://ctan.org/tex-archive/fonts/archaic/aramaic
on MikTeX	archaic
on T _E XLive	archaic
keyword	font-archaic (fonts reproducing archaic scripts or inscriptions)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	no language specified
year	2005
last access	2025-02-12

249 aramaic-serto – Fonts and LaTeX for Syriac written in Serto

Web page on CTAN	https://ctan.org/pkg/aramaic-serto
name	aramaic-serto
caption	Fonts and LaTeX for Syriac written in Serto
author	Heinecke, Johannes
copyright	Johannes Heinecke (2001-2013)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0

description	(no language specified) This package enables (La)TeX users to typeset words or phrases (e-TeX extensions are needed) in Syriac (Aramaic) using the Serto-alphabet. The package includes a preprocessor written in Python ($\geq 1.5.2$) in order to deal with right-to-left typesetting for those who do not want to use <code>elatex</code> and to choose the correct letter depending on word context (initial/medial/final form). Detailed documentation and examples are included.
documentation	(no language specified) <i>Font documentation</i> : https://ctan.org/tex-archive/language/aramaic/serto/sertodoc.pdf
– local file	<code>./4288828674-sertodoc.pdf</code>
on CTAN	https://ctan.org/tex-archive/language/aramaic/serto
on T _E XLive	<code>aramaic-serto</code>
keyword	<code>font-archaic</code> (fonts reproducing archaic scripts or inscriptions)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
see also	see section 5791 on page 5248: (<code>syriac</code> – A font for Syriac written in Estrangelo)
see also	see section 248 on page 228: (<code>aramaic</code> – Fonts for Aramaic script)
language(s)	no language specified
year	2013
last access	2025-02-12

250 *arara* – Automation of LaTeX compilation

Web page on CTAN <https://ctan.org/pkg/arara>

name	<code>arara</code>
caption	Automation of LaTeX compilation
author	Cereda, Paulo Roberto Massa
copyright	Island of TeX (2012–2025)
license	<code>bsd</code> = BSD Style License (free)
version	7.2.0 (2025-06-29)
last changes	2025-06-29
year	2025

description	(no language specified) Arara is comparable with other well-known compilation tools like latexmk and <code>rubber</code> . The key difference is that arara determines its actions from metadata in the source code, rather than relying on indirect resources, such as log file analysis. Arara requires a Java virtual machine.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/arara/README.md
documentation	(no language specified) <i>Quickstart guide</i> : https://ctan.org/tex-archive/support/arara/doc/arara-quickstart.pdf
– local file	<code>./1227276356-arara-quickstart.pdf</code>
documentation	(no language specified) <i>Reference manual</i> : https://ctan.org/tex-archive/support/arara/doc/arara-manual.pdf
– local file	<code>./9452482040-arara-manual.pdf</code>
contact	<i>support</i> : https://matrix.to/#/!HfEWIEvFtDplCLSQvz:matrix.org?via=matrix.org
contact	<i>bugs</i> : https://gitlab.com/islandoftex/arara/-/issues/
contact	<i>repository</i> : https://gitlab.com/islandoftex/arara/
on CTAN	https://ctan.org/tex-archive/support/arara
installation	https://ctan.org/tex-archive/install/support/arara.tds.zip
on MikTeX	arara
on T _E XLive	arara
keyword	compilation (the document compilation process)
language(s)	no language specified
last access	2026-04-10

251 arbeit – Typeset classwork exercises

Web page on CTAN <https://ctan.org/pkg/arbeit>

name	arbeit
caption	Typeset classwork exercises
author	Burkhardt, Werner
copyright	Werner Burkhardt (1992)
license	noinfo = noinfo

version	1.0
description	(no language specified) A pair of packages for typesetting class work assignments (including details of the points assigned to each part of the work).
documentation	<i>Package documentation (German)</i> : https://ctan.org/tex-archive/macros/latex209/contrib/arbeit/info.pdf
– local file	./8567391336-info.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/arbeit
keyword	exercise (exercises, problems for solution, etc.)
language(s)	German
year	1992
last access	2025-02-12

252 *archaeologie* – A citation-style which covers rules of the German Archaeological Institute

Web page on CTAN <https://ctan.org/pkg/archaeologie>

name	archaeologie
caption	A citation-style which covers rules of the German Archaeological Institute
author	Bossert, Lukas C.
copyright	Lukas C. Bossert, Johannes Friedl (2015-2023)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.5.0 (2023-10-05)
last changes	2023-10-05
year	2023
description	(no language specified) This citation-style covers the citation and bibliography rules of the German Archaeological Institute (DAI). Various options are available to change and adjust the outcome according to one's own preferences.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/archaeologie/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/archaeologie/archaeologie.pdf
– local file	./8752200204-archaeologie.pdf

home page	https://biblatex-archaeologie.texografie.de/
contact	<i>bugs:</i> https://codeberg.org/LukasCBossert/biblatex-archaeologie/issues
contact	<i>repository:</i> https://codeberg.org/LukasCBossert/biblatex-archaeologie
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/archaeologie
on MikTeX	archaeologie
on T _E XLive	archaeologie
keyword	humanities (support for studies in the humanities)
keyword	biblatex (BibLaTeX bibliography support)
see also	see section 622 on page 571: (biblatex-archaeology – A collection of BibLaTeX styles for German prehistory)
language(s)	no language specified
last access	2026-04-12

253 archaic – A collection of archaic fonts

Web page on CTAN	https://ctan.org/pkg/archaic
name	archaic
caption	A collection of archaic fonts
author	Zimmermann, Uwe
author	Syropoulos, Apostolos
author	Wilson, Peter R.
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The collection contains fonts to represent Aramaic , Cypriot , Etruscan , Greek of the 6th and 4th centuries BCE, Egyptian hieroglyphics , Linear A , Linear B , Nabatean old Persian , the Phaistos disc , Phoenician , proto-Semitic , runic , South Arabian Ugaritic and Viking scripts. The bundle also includes a small font for use in phonetic transcription of the archaic writings. The bundle's own directory includes a font installation map file for the whole collection.
documentation	(no language specified) <i>Collection of font samples:</i> https://ctan.org/tex-archive/fonts/archaic/asamples.pdf

– local file	<code>./8592837549-asamples.pdf</code>
documentation	(no language specified) <i>A description of Peter Wilson’s contribution:</i> https://ctan.org/tex-archive/fonts/archaic/README.PRW
on CTAN	https://ctan.org/tex-archive/fonts/archaic
on MikTeX	<code>archaic</code>
on T _E XLive	<code>archaic</code>
keyword	<code>font-archaic</code> (fonts reproducing archaic scripts or inscriptions)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
language(s)	no language specified
year	without year
last access	2025-02-12

254 *archivo* – The Archivo font face with support for LaTeX and pdfLaTeX

Web page on CTAN	https://ctan.org/pkg/archivo
name	Archivo
caption	The Archivo font face with support for LaTeX and pdfLaTeX
author	Ebinger, Carl-Clemens
license	ofl = The SIL Open Font License (free)
license	lpl = The LaTeX Project Public License (free)
version	0.0.2
description	(no language specified) This package provides the Archivo family of fonts designed by Omnibus-Type, with support for LaTeX and pdfLaTeX.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/archivo/README
documentation	(no language specified) <i>Font samples:</i> https://ctan.org/tex-archive/fonts/archivo/doc/Archivo-samples.pdf
– local file	<code>./3526093881-Archivo-samples.pdf</code>
home page	https://github.com/ccebinger/CTAN_Archivo
contact	<i>support:</i> https://github.com/ccebinger/CTAN_Archivo
contact	<i>bugs:</i> https://github.com/ccebinger/CTAN_Archivo
contact	<i>repository:</i> https://github.com/ccebinger/CTAN_Archivo
contact	<i>development:</i> https://github.com/ccebinger/CTAN_Archivo

on CTAN	https://ctan.org/tex-archive/fonts/archivo
on MikTeX	archivo
on T _E XLive	archivo
keyword	font-ttf (font available in TrueType format)
keyword	font-serif (serif font)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-proportional (variable-spaced font)
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font (fonts themselves)
keyword	font-tlenc (font providing LaTeX T1 encoding support)
language(s)	no language specified
year	without year
last access	2025-02-12

255 arcs – Draw arcs over and under text

Web page on CTAN	https://ctan.org/pkg/arcs
name	arcs
caption	Draw arcs over and under text
author	Boggio-Togna, Gianfranco
copyright	Gianfranco Boggio-Togna (2004)
license	lppl = The LaTeX Project Public License (free)
version	1
description	(no language specified) The package provides two commands for placing an arc over (<code>\overarc</code>) or under (<code>\underarc</code>) a piece of text. (The text may be up to three letters long.) The commands generate an <code>\hbox</code> , and may be used both in text and in maths formulae.
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/arcs/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/arcs/arcs.pdf
– local file	./8259914452-arcs.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/arcs

on MikTeX	arcs
on T _E XLive	arcs
keyword	linguistic (support for linguistics)
language(s)	no language specified
year	2004
last access	2025-02-12

256 *arev* – Fonts and LaTeX support files for Arev Sans

Web page on CTAN <https://ctan.org/pkg/arev>

name	arev
caption	Fonts and LaTeX support files for Arev Sans
author	Hartke, Stephen
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The package <i>arev</i> provides type 1 and virtual fonts, together with LaTeX packages for using Arev Sans in both text and mathematics. Arev Sans is a derivative of Bitstream Vera Sans created by Tavmjong Bah, adding support for Greek and Cyrillic characters. Bah also added a few variant letters that are more appropriate for mathematics. The primary purpose for using Arev Sans in LaTeX is presentations, particularly when using a computer projector. In such a context, Arev Sans is quite readable, with large x-height, "open letters", wide spacing, and thick stems. The style is very similar to the SliTeX font <i>lcmss</i>, but heavier. Arev is one of a very small number of sans-font mathematics support packages. Others are cmbright, hvmath and kerkis.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/arev/arevdoc.pdf
– local file	<code>./7856375496-arevdoc.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/arev/README
on CTAN	https://ctan.org/tex-archive/fonts/arev
on MikTeX	arev
on T _E XLive	arev
keyword	font-maths (fonts for use in mathematics)
keyword	font (fonts themselves)

keyword	font-sans (sans-serif font)
language(s)	no language specified
year	without year
last access	2025-02-12

257 argumentation – Create abstract argumentation frameworks via TikZ

Web page on CTAN <https://ctan.org/pkg/argumentation>

name	argumentation
caption	Create abstract argumentation frameworks via TikZ
author	Bengel, Lars
license	lpp11.3c = The LaTeX Project Public License 1.3c (free)
version	1.6 (2026-07-31)
last changes	2026-07-31
year	2026
description	(no language specified) This package provides commands for creating abstract argumentation frameworks via Ti k Z .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/argumentation/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/argumentation/argumentation-doc.pdf
– local file	./7622731273-argumentation-doc.pdf
contact	<i>repository</i> : https://github.com/aig-hagen/tikz_argumentation
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/argumentation
on MikTeX	argumentation
on T _E XLive	argumentation
keyword	diagram (diagrams)
keyword	graphics (graphics (support packages))
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-08-30

258 arimo – Arimo sans serif fonts with LaTeX support

Web page on CTAN <https://ctan.org/pkg/arimo>

name	arimo
caption	Arimo sans serif fonts with LaTeX support
author	Tennent, Bob
author	Matteson, Steve
license	apache2 = Apache License, version 2.0 (free)
version	(2022-09-28)
last changes	2022-09-28
year	2022
description	(no language specified) The Arimo family, designed by Steve Matteson, is an innovative, refreshing sans serif design which is metrically compatible with Arial.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/arimo/doc/arimo-samples.pdf
– local file	<code>./8160930653-arimo-samples.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/arimo/README
on CTAN	https://ctan.org/tex-archive/fonts/arimo
installation	https://ctan.org/tex-archive/install/fonts/arimo.tds.zip
on MikTeX	arimo
on T _E XLive	arimo
keyword	font-cyrillic (fonts for Cyrillic and related scripts)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-proportional (variable-spaced font)
keyword	font-sans (sans-serif font)
keyword	font (fonts themselves)
keyword	font-virtual (virtual font(s) using existing fonts)
keyword	font-ttf (font available in TrueType format)
see also	see section 6195 on page 5605: (tinos – Tinos fonts with LaTeX support)
language(s)	no language specified
last access	2025-02-12

259 arlatex – A LaTeX-based archiver

Web page on CTAN <https://ctan.org/pkg/arlatex>

name	arlatex
caption	A LaTeX-based archiver
author	Pakin, Scott
copyright	Scott Pakin (2018-2022)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1 (2022-10-04)
last changes	2022-10-04
year	2022
description	(no language specified) Arlatex is an archiving program like shar, tar, zip, etc. Its output is specifically designed for use with LaTeX. Arlatex takes the name of a master .tex file and the ancillary files it uses (such as .tex, .sty, .cls and .eps files). From these files, arlatex creates a single file that will recreate all the ancillary files when it's run through LaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/bundledoc/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/bundledoc/arlatex.pdf
– local file	./3314756598-arlatex.pdf
on CTAN	https://ctan.org/tex-archive/support/bundledoc
keyword	bundle (pack files up for distribution or archiving)
language(s)	no language specified
last access	2025-02-12

260 armtex – A system for writing in Armenian with TeX and LaTeX

Web page on CTAN <https://ctan.org/pkg/armtex>

name	armtex
caption	A system for writing in Armenian with TeX and LaTeX
author	Dalalyan, Arnak
author	Akopian, Vardan
author	Dachian, Serguei

copyright	Serguei Dachian, Arnak Dalalyan, Vardan Akopian (1997-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.0-beta5 (2024-01-13)
last changes	2024-01-13
year	2024
description	(no language specified) ArmTeX is a system for typesetting Armenian text with Plain TeX or LaTeX(2ϵ). It may be used with input: • from a standard Latin keyboard without any special encoding and/or support for Armenian letters, • from any keyboard which uses an encoding that has Armenian letters in the second half (characters 128-255) of the extended ASCII table (for example ArmSCII8 Armenian standard), • from an Armenian keyboard using UTF-8 encoding. Users should note that the manuals still mostly describe the previous version of the package (ArmTeX 2.0). However, a description of the new features of ArmTeX 3.0 is provided at the end of the README file.
documentation	<i>Package manual (English):</i> https://ctan.org/tex-archive/language/armenian/armtex/manual-e.pdf
– local file	<code>./3427190278-manual-e.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/language/armenian/armtex/README
documentation	<i>Package manual (Armenian):</i> https://ctan.org/tex-archive/language/armenian/armtex/manual.pdf
– local file	<code>./8419861584-manual.pdf</code>
on CTAN	https://ctan.org/tex-archive/language/armenian/armtex
installation	https://ctan.org/tex-archive/install/language/armenian/armtex.tds.zip
on MikTeX	<code>armtex</code>
on TeXLive	<code>armtex</code>
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>armenian</code> (support for typesetting Armenian)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>format</code> (macros to build a format)

language(s) English; Armenian
last access 2025-02-12

261 *armymemo* – A document class for Army memorandums in accordance with AR 25-50

Web page on CTAN <https://ctan.org/pkg/armymemo>

name *armymemo*
caption A document class for Army memorandums in accordance with AR 25-50
author Sharpsten, Christian
copyright Christian Sharpsten (2019)
license gpl2 = GNU General Public License, version 2 (free)
version 1.0.0
description (no language specified) This package provides an easy to use LaTeX class for writing U.S. Army memorandums. Intended for those in staff positions or producing regular memorandums, it handles many of the nuanced formatting and spacing requirements detailed in AR 25-50, leaving you free to concentrate on the content of your documents.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/xetex/latex/armymemo/README.md>
documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/xetex/latex/armymemo/armymemo.pdf>
– local file ./8267679057-armymemo.pdf
contact *bugs*: <https://github.com/shareef12/armymemo/issues>
contact *repository*: <https://github.com/shareef12/armymemo>
on CTAN <https://ctan.org/tex-archive/macros/xetex/latex/armymemo>
on MikTeX *armymemo*
keyword memorandum (typeset memorandum or other short note)
see also see section 1979 on page 1785: (erdc – Style for Reports by US Army Corps of Engineers)
language(s) no language specified
year 2019
last access 2025-02-12

262 aro-bend – Exercises in TeX, with answers

Web page on CTAN <https://ctan.org/pkg/aro-bend>

name	aro-bend
caption	Exercises in TeX, with answers
author	Downes, Michael J.
license	lppl = The LaTeX Project Public License (free)
version	(1994-08-18)
last changes	1994-08-18
year	1994
description	(no language specified) These "around the bend" exercises were posted (between 1991–1994) to the info-tex mailing list. Each exercises poses a problem (and classifies its difficulty), and the original posts solicited solutions. The author collected the solutions and published them as answer files. A typeset set of these exercises is available in the around-the-bend package.
on CTAN	https://ctan.org/tex-archive/info/challenges/aro-bend
keyword	exercise (exercises, problems for solution, etc.)
see also	see section 264 on page 243 : (around-the-bend – Typeset exercises in TeX, with answers)
language(s)	no language specified
last access	2025-02-12

263 arosgn – Support for the Bengali language

Web page on CTAN <https://ctan.org/pkg/arosgn>

name	arosgn
caption	Support for the Bengali language
author	Ali, Muhammad Masroor
license	nosell = Do Not Sell Except by Arrangement (not free)
version	2.1
description	(no language specified) Offers fonts as Metafont source, and a LaTeX package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/bengali/arosgn/README

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/language/bengali/arosgn/arosgn.ps
on CTAN	https://ctan.org/tex-archive/language/bengali/arosgn
keyword	bengali (support for typesetting Bengali)
keyword	indic (support for languages of the Indian subcontinent)
see also	see section 557 on page 512: (bengali-pandey – Support for the Bengali language)
language(s)	no language specified
year	without year
last access	2025-02-12

264 *around-the-bend* – Typeset exercises in TeX, with answers

Web page on CTAN	https://ctan.org/pkg/around-the-bend
name	around-the-bend
caption	Typeset exercises in TeX, with answers
author	Downes, Michael J.
author	Wilson, Peter R.
license	lppl = The LaTeX Project Public License (free)
version	(2008-07-21)
last changes	2008-07-21
year	2008
description	(no language specified) This is a typeset version of the files of the aro-bend , plus three extra questions (with their answers) that Michael Downes didn't manage to get onto CTAN.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/challenges/AroBend/README
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/challenges/AroBend/AroundTheBend.pdf
– local file	./4636251062-AroundTheBend.pdf
on CTAN	https://ctan.org/tex-archive/info/challenges/AroBend
on T _E XLive	around-the-bend
keyword	exercise (exercises, problems for solution, etc.)
language(s)	no language specified

last access 2025-09-11

265 *arphic* – *Arphic (Chinese) font packages*

Web page on CTAN <https://ctan.org/pkg/arphic>

name	arphic
caption	Arphic (Chinese) font packages
author	Lemberg, Werner
license	other-free = Free license not otherwise listed (free)
description	(no language specified) These are font bundles for the Chinese Arphic fonts which work with the CJK package. TrueType versions of these fonts for use with XeLaTeX and LuaLaTeX are provided by the arphic-ttf package. Arphic is actually the name of the company which created these fonts (and put them under a GPL-like licence).
documentation	(no language specified) <i>Font sampler</i>: https://ctan.org/tex-archive/fonts/arphic/arphic-sampler.pdf
– local file	<code>./5594520719-arphic-sampler.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/arphic
on MikTeX	<code>cjk-fonts</code>
on TeXLive	<code>arphic</code>
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-cjk</code> (fonts for far eastern languages (Chinese, Japanese and Korean))
keyword	<code>font</code> (fonts themselves)
see also	see section 266 on page 245: (<code>arphic-ttf</code> – TrueType version of Chinese Arphic fonts)
see also	see section 1100 on page 1000: (<code>cjk-fonts</code> – Chinese/Japanese/Korean bitmap fonts)
language(s)	no language specified
year	without year
last access	2025-09-11

266 arphic-ttf – TrueType version of Chinese Arphic fonts

Web page on CTAN <https://ctan.org/pkg/arphic-ttf>

name	arphic-ttf
caption	TrueType version of Chinese Arphic fonts
author	Yamashita, Hironobu
license	other-free = Free license not otherwise listed (free)
version	(2016-12-12)
last changes	2016-12-12
year	2016
description	(no language specified) This package provides TrueType versions of the Chinese Arphic fonts for use with XeLaTeX and LuaLaTeX. Type1 versions of these fonts, for use with pdfLaTeX and the cjk package, are provided by the arphic package. Arphic is actually the name of the company which created these fonts.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/arphic-ttf/README.md
on CTAN	https://ctan.org/tex-archive/fonts/arphic-ttf
on MikTeX	arphic-ttf
on T _E XLive	arphic-ttf
keyword	font-ttf (font available in TrueType format)
keyword	font-cjk (fonts for far eastern languages (Chinese, Japanese and Korean))
keyword	font (fonts themselves)
see also	see section 265 on page 244: (arphic – Arphic (Chinese) font packages)
language(s)	no language specified
last access	2025-02-12

267 array – Extending the array and tabular environments

Web page on CTAN <https://ctan.org/pkg/array>

name	array
caption	Extending the array and tabular environments
author	The LaTeX Project Team
author	Mittelbach, Frank
copyright	The LaTeX project et al. (1993-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.6n (2025-09-25)
last changes	2025-09-25
year	2025
description	(no language specified) An extended implementation of the array and tabular environments which extends the options for column formats, and provides "programmable" format specifications. This package is part of the latex-tools bundle in the LaTeX required distribution.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/required/tools/array.pdf
– local file	<code>./5504264164-array.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/required/tools
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-tools.tds.zip
on MikTeX	latex-tools
on TeXLive	tools
keyword	alignment-supp (ancillary code for tables, tab structures, etc)
keyword	table (table typesetting)
keyword	matrix (typeset matrices)
keyword	tagged-pdf (tagged PDF compatible)
see also	see section 3259 on page 2942 : (<code>latex</code> – A TeX macro package that defines LaTeX)
language(s)	no language specified
last access	2026-04-10

268 arraycols – New column types for array and tabular environments

Web page on CTAN <https://ctan.org/pkg/arraycols>

name	arraycols
caption	New column types for array and tabular environments
author	Missier, Antoine
copyright	Antoine Missier (2019-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.5 (2024-05-04)
last changes	2024-05-04
year	2024
description	(no language specified) This small package provides new column types for array and tabular environments, horizontally and vertically centered, or with adjusted height for big mathematical expressions. The columns width can be fixed or calculated like in tabularx environments. Macros for drawing vertical and horizontal rules of variable thickness are also provided.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/arraycols/arraycols.pdf
– local file	./4571982828-arraycols.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/arraycols/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/arraycols
on MikTeX	arraycols
on TeXLive	arraycols
keyword	table (table typesetting)
keyword	alignment (tables, tab structures, etc)
keyword	alignment-sup (ancillary code for tables, tab structures, etc)
language(s)	no language specified
last access	2025-02-07

269 *arrayjob* – Array data structures for (La)TeX

Web page on CTAN <https://ctan.org/pkg/arrayjob>

name	arrayjob
caption	Array data structures for (La)TeX
author	Jiang, Zhuhan
author	Sharpe, Michael
license	lppl = The LaTeX Project Public License (free)
version	1.04
description	(no language specified) This package provides array data structures in (La)TeX, in the meaning of the classical procedural programming languages like Fortran, Ada or C, and macros to manipulate them. Arrays can be mono or bi-dimensional. This is useful for applications which require high level programming techniques, like algorithmic graphics programmed in the TeX language. The package is now superseded by the arrayjobx package, which has the same specification but is less error-prone.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/arrayjobx/arrayjob.pdf
– local file	./7511147891-arrayjob.pdf
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/generic/arrayjobx/README
on CTAN	https://ctan.org/tex-archive/macros/generic/arrayjobx
on MikTeX	arrayjob
on TeXLive	arrayjobx
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	without year
last access	2025-02-07

270 *arrayjobx* – Array data structures for (La)TeX

Web page on CTAN <https://ctan.org/pkg/arrayjobx>

name	arrayjobx
caption	Array data structures for (La)TeX
author	Jiang, Zhuhan
author	Sharpe, Michael
license	lppl = The LaTeX Project Public License (free)
version	1.04
description	(no language specified) This package provides array data structures in (La)TeX, in the meaning of the classical procedural programming languages like Fortran, Ada or C, and macros to manipulate them. Arrays can be mono or bi-dimensional. This is useful for applications which require high level programming techniques, like algorithmic graphics programmed in the TeX language. The package supersedes the arrayjob package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/arrayjobx/arrayjob.pdf
– local file	./7511147891-arrayjob.pdf
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/generic/arrayjobx/README
on CTAN	https://ctan.org/tex-archive/macros/generic/arrayjobx
on MikTeX	arrayjob
on T _E XLive	arrayjobx
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	without year
last access	2025-02-07

271 arraymaker – A program for making LaTeX and xypic arrays

Web page on CTAN <https://ctan.org/pkg/arraymaker>

name	Array Maker
caption	A program for making LaTeX and xypic arrays
author	Arapura, Donu
license	other-free = Free license not otherwise listed (free)
version	(2001-08-10)
last changes	2001-08-10
year	2001
description	(no language specified) This program is designed to take some of the tedium out of constructing arrays, diagrams and tables. LaTeX code is entered into boxes and the program outputs an array that can be pasted into a LaTeX file. This is written in <code>tcl/tk</code> (≥ 8.0) (most Unix/Linux systems have <code>tcl/tk</code>).
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/arraymaker/README
on CTAN	https://ctan.org/tex-archive/support/arraymaker
keyword	<code>alignment-supp</code> (ancillary code for tables, tab structures, etc)
language(s)	no language specified
last access	2025-02-07

272 arraysort – Sort arrays (or portions of them)

Web page on CTAN <https://ctan.org/pkg/arraysort>

name	<code>arraysort</code>
caption	Sort arrays (or portions of them)
author	Lee, Robert J
copyright	Robert J Lee (2013)
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.0
description	(no language specified) The package provides a mechanism for sorting arrays (or portions of them); the arrays should have been created using the arrayjobx package.

273 *arrow* – Eplain macros for commutative diagrams

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/arraysort/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/arraysort/arraysort.pdf
– local file	<code>./8384674728-arraysort.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/arraysort
on MikTeX	<code>arraysort</code>
on T _E XLive	<code>arraysort</code>
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
language(s)	no language specified
year	2013
last access	2025-08-30

273 *arrow* – Eplain macros for commutative diagrams

Web page on CTAN	https://ctan.org/pkg/arrow
name	<code>arrow</code>
caption	Eplain macros for commutative diagrams
author	Smith, Steven T.
copyright	Steven T. Smith (1991, 1992)
license	gpl = GNU General Public License (free)
version	1.0
description	(no language specified) While this package is distributed as part of Eplain , it takes special precautions in support of its aim of working within LaTeX documents.
documentation	(no language specified) <i>Eplain bundle Readme</i> : https://ctan.org/tex-archive/macros/eplain/doc/README
on CTAN	https://ctan.org/tex-archive/macros/eplain/tex/arrow.tex
on MikTeX	<code>eplain</code>
on T _E XLive	<code>eplain</code>
keyword	<code>diagram-comm</code> (commutative diagrams)
language(s)	no language specified
year	1992

last access 2025-02-07

274 **arsclassica** – A different view of the ClassicThesis package

Web page on CTAN <https://ctan.org/pkg/arsclassica>

name	ArsClassica
caption	A different view of the ClassicThesis package
author	Pantieri, Lorenzo
license	lpl = The LaTeX Project Public License (free)
version	(2017-10-31)
last changes	2017-10-31
year	2017
description	(no language specified) The package changes some typographical points of the ClassicThesis style, by André Miede. It enables the user to reproduce the look of the guide <i>The art of writing with LaTeX</i> (the web page is in Italian).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/arsclassica/README
documentation	<i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/arsclassica/ArsClassica.pdf
– local file	<code>./7012329538-ArsClassica.pdf</code>
home page	http://www.lorenzopantieri.net/LaTeX.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/arsclassica
on MikTeX	arsclassica
on T _E XLive	arsclassica
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	English
last access	2025-02-07

275 *arsenal* – Open Type font by Andrij Shevchenko

Web page on CTAN <https://ctan.org/pkg/arsenal>

name *arsenal*

caption Open Type font by Andrij Shevchenko

author Veytsman, Boris

license ofl = The SIL Open Font License (free)

license lpl1.3c = The LaTeX Project Public License 1.3c (free)

version 1.1 (2025-12-13)

last changes 2025-12-13

year 2025

description (no language specified) In 2011 Andrij's typeface became a winner of the Ukrainian Type Design Competition "Mystetsky Arsenal" in which three main criteria were sought for: being zeitgeist, practical, and Ukrainian. Andrij's winning entry was crowned Arsenal and made publicly available.

Arsenal is a semi-grotesque with traditional forms. It is primarily designed for body text and intended for various professional communication. Its special qualities of letter shapes and subtle contrast modulation articulate grace and expressivity. Arsenal's somewhat lyrical sentiment abides to the Ukrainian nature of the font.

This package provides the fonts and LaTeX support for them with matching math. It needs LuaLaTeX or XeLaTeX.

documentation (no language specified) *Readme:*

<https://ctan.org/tex-archive/fonts/arsenal/README>

documentation (no language specified) *Package documentation:*

<https://ctan.org/tex-archive/fonts/arsenal/arsenal.pdf>

– local file *./3749948243-arsenal.pdf*

home page <https://github.com/alexeiva/Arsenal>

contact *bugs:* <https://github.com/borisveytsman/arsenal/issues>

contact *repository:* <https://github.com/borisveytsman/arsenal/>

contact *development:* <https://github.com/borisveytsman/arsenal/pull>

on CTAN <https://ctan.org/tex-archive/fonts/arsenal>

on MikTeX *arsenal*

on T_EXLive *arsenal*

keyword font (fonts themselves)

keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-sans (sans-serif font)
keyword	font-cyrillic (fonts for Cyrillic and related scripts)
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font-otf (font in OpenType format)
language(s)	no language specified
last access	2025-12-25

276 *arsenal-math* – Arsenal Math OpenType fonts

Web page on CTAN <https://ctan.org/pkg/arsenal-math>

name	ArsenalMath
caption	Arsenal Math OpenType fonts
author	KV, Rajeesh
license	ofl = The SIL Open Font License (free)
version	0.9.2 (2025-11-11)
last changes	2025-11-11
year	2025
description	(no language specified) Arsenal Math is a math companion font for the Arsenal text font . It is based on KpMath-Sans , with Latin characters, numerals and a few symbols from the Arsenal font. XeTeX or LuaTeX is required to use these OpenType math fonts.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/arsenal-math/README.md
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/arsenal-math/doc/sample-math.pdf
– local file	./9527452724-sample-math.pdf
contact	<i>bugs</i> : https://gitlab.com/rit-fonts/arsenal-math/issues
contact	<i>repository</i> : https://gitlab.com/rit-fonts/arsenal-math
on CTAN	https://ctan.org/tex-archive/fonts/arsenal-math
on MikTeX	arsenal-math
on T _E XLive	arsenal-math

keyword	font-otf (font in OpenType format)
keyword	font (fonts themselves)
keyword	font-maths (fonts for use in mathematics)
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
last access	2025-12-25

277 *artex* – Make filecontents environments of non-standard files or packages

Web page on CTAN <https://ctan.org/pkg/artex>

name	artex
caption	Make filecontents environments of non-standard files or packages
author	Efford, Nick
copyright	Nick Efford (1995)
license	noinfo = noinfo
version	1.00b
description	(no language specified) ArTeX is a Perl script which simplifies the exchange of LaTeX documents between collaborating authors or between author and publisher. ArTeX analyzes a LaTeX 2e document to determine whether it loads any non-standard files. If non-standard files are identified, ArTeX creates filecontents or filecontents* environments for them and adds these environments to the input document. The new document can be processed successfully on any system with a standard installation of LaTeX 2e.
documentation	(no language specified) <i>User Manual</i>: https://ctan.org/tex-archive/support/artex/artexman.html
documentation	(no language specified) <i>README</i>: https://ctan.org/tex-archive/support/artex/README.artex
on CTAN	https://ctan.org/tex-archive/support/artex
keyword	bundle (pack files up for distribution or archiving)
language(s)	no language specified
year	1995
last access	2025-02-07

278 *article* – Default class for composing an article

Web page on CTAN <https://ctan.org/pkg/article>

name	<code>article</code>
caption	Default class for composing an article
author	The LaTeX Project Team
copyright	The LaTeX3 Project (1993-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.4n (2024-06-29)
last changes	2024-06-29
year	2024
description	(no language specified) A ‘basic’ class for articles in LaTeX; it is part of the LaTeX distribution.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/base/classes.pdf
– local file	<code>./3901404437-classes.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/base
on MikTeX	<code>ltxbase</code>
on TeXLive	<code>latex</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>article-like</code> (LaTeX article classes and their developments)
see also	see section 4804 on page 4348: (<code>proc</code> – Class for producing “proceedings”)
see also	see section 5169 on page 4683: (<code>report</code> – Typeset a multi-chapter report)
see also	see section 796 on page 730: (<code>book</code> – A class for typesetting books)
language(s)	no language specified
last access	2025-02-07

279 articleingud – LaTeX class for articles published in INGENIERIA review

Web page on CTAN <https://ctan.org/pkg/articleingud>

name	articleingud
caption	LaTeX class for articles published in INGENIERIA review
author	Morales, Omar Salazar
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	0.3 (2015-10-10)
last changes	2015-10-10
year	2015
description	(no language specified) The class is for articles published in INGENIERIA review . It is derived from the standard LaTeX class <code>article</code> .
documentation	<i>Package documentation (Spanish)</i> : https://ctan.org/tex-archive/macros/latex/contrib/articleingud/articleingud.pdf
– local file	<code>./4973446991-articleingud.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/articleingud/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/articleingud
on MikTeX	articleingud
on TeXLive	articleingud
keyword	journalpub (typesetting journals, etc)
keyword	spanish (support for typesetting Spanish)
keyword	class (alternative LaTeX class(es))
language(s)	Spanish
last access	2025-02-07

280 artthreads – Support for article threads

Web page on CTAN <https://ctan.org/pkg/artthreads>

name	artthreads
caption	Support for article threads
author	Story, Donald P.
copyright	D. P. Story (2016-2020)
license	lpl1 = The LaTeX Project Public License 1 (free)
version	1.3.1 (2020-07-09)
last changes	2020-07-09
year	2020
description	(no language specified) This package facilitates the creation of PDF article threads, a concept/feature of Adobe Reader/Acrobat that has been around since the product's beginning. The use of article threads typically only makes sense in a document in which the text is in a multi-column format. Set the article threads after the composition of the document is completed. The method of setting the threads is very visual, not automatic as in the threadcol package of Scott Pakin (available for <code>pdftex</code> only). This package supports all drivers: dvips, <code>pdflatex</code>, <code>lualatex</code>, <code>xelatex</code>, dvipdfm, and dvipdfmx.
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/artthreads/examples/article_tech.pdf
– local file	<code>./5468719288-article_tech.pdf</code>
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/artthreads/docs/artthreads_man.pdf
– local file	<code>./9229167436-artthreads_man.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/artthreads/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/artthreads
on MikTeX	artthreads
keyword	pdf-feat (access PDF features)
keyword	pdf-forms (create pdf form fields, use form fields as an integral part of the package)

language(s) no language specified
last access 2025-09-11

281 *arvo* – The Arvo font face with support for LaTeX and pdfLaTeX

Web page on CTAN <https://ctan.org/pkg/arvo>

name Arvo
caption The Arvo font face with support for LaTeX and pdfLaTeX
author Ebinger, Carl-Clemens
license ofl = The SIL Open Font License (free)
license lppl = The LaTeX Project Public License (free)
version (2020-12-21)
last changes 2020-12-21
year 2020
description (no language specified) This package provides the Arvo family of fonts
designed by Anton Koovit, with support for LaTeX and pdfLaTeX.
documentation (no language specified) *Font samples*: <https://ctan.org/tex-archive/fonts/arvo/doc/arvo-samples.pdf>
– local file ./1602784058-arvo-samples.pdf
documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/fonts/arvo/README>
contact *repository*: https://github.com/ccebinger/CTAN_Arvo
on CTAN <https://ctan.org/tex-archive/fonts/arvo>
installation <https://ctan.org/tex-archive/install/fonts/arvo.tds.zip>
on MikTeX arvo
on T_EXLive arvo
keyword font-body (font designed for use as body font for Latin-based script
documents)
keyword font-serif (serif font)
keyword font-proportional (variable-spaced font)
keyword font-t1enc (font providing LaTeX T1 encoding support)
keyword font-ttf (font available in TrueType format)
keyword font (fonts themselves)

keyword font-supp (metrics, macro incantations and other font support)
 language(s) no language specified
 last access 2025-02-07

282 *arxivbib* – Get bibliography entries from arXiv.org

Web page on CTAN <https://ctan.org/pkg/arxivbib>
 name arXivBib
 caption Get bibliography entries from arXiv.org
 author Forkosh, John
 copyright John Forkosh Associates, Inc. (2005-2006)
 license gpl = GNU General Public License (free)
 version 1.00
 description (no language specified) ArXivBib retrieves abstract pages from arXiv.org and reformats them as BibTeX entries.
 documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/support/arxivbib/README>
 on CTAN <https://ctan.org/tex-archive/support/arxivbib>
 keyword bibtex-gen (derive BibTeX data from resources other than BibTeX libraries)
 language(s) no language specified
 year 2006
 last access 2025-02-19

283 *arydshln* – Draw dash-lines in array/tabular

Web page on CTAN <https://ctan.org/pkg/arydshln>
 name arydshln
 caption Draw dash-lines in array/tabular
 author Nakashima, Hiroshi
 copyright Hiroshi Nakashima (1993, 1998-2019)
 license lpl1 = The LaTeX Project Public License 1 (free)
 version 1.76 (2019-02-21)

last changes	2019-02-21
year	2019
description	(no language specified) The package is to draw dash-lines in array/tabular environments. Horizontal lines are drawn by <code>\hdashline</code> and <code>\cdashline</code> while vertical ones can be specified as a part of the preamble using ‘:’. The shape of dash-lines may be controlled through style parameters or optional arguments. The package is compatible with <code>array</code> , <code>colortab</code> , <code>longtable</code> , and <code>colortbl</code> .
documentation	(no language specified) <i>User manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/arydshln/arydshln-man.pdf
– local file	<code>./1851953914-arydshln-man.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/arydshln/README
documentation	(no language specified) <i>Manual, including code listing</i> : https://ctan.org/tex-archive/macros/latex/contrib/arydshln/arydshln.pdf
– local file	<code>./1366837687-arydshln.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/arydshln
on MikTeX	<code>arydshln</code>
on TeXLive	<code>arydshln</code>
keyword	<code>alignment-sup</code> (ancillary code for tables, tab structures, etc)
language(s)	no language specified
last access	2025-08-30

284 *asaetr* – Transactions of the ASAE

Web page on CTAN <https://ctan.org/pkg/asaetr>

name	<code>asaetr</code>
caption	Transactions of the ASAE
author	Pearson, George
license	pd = Public Domain Software (free)
version	1.0a

description	(no language specified) A class and BibTeX style for submissions to the Transactions of the American Society of Agricultural Engineers. Also included is the Metafont source of a slanted Computer Modern Caps and Small Caps font.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/asaetr/asaetr.pdf
– local file	./4414018981-asaetr.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/asaetr
on MikTeX	asaetr
on T _E XLive	asaetr
keyword	class (alternative LaTeX class(es))
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
year	without year
last access	2025-02-07

285 asana-math – A font to typeset maths in Xe(La)TeX and Lua(La)TeX

Web page on CTAN <https://ctan.org/pkg/asana-math>

name	asana-math
caption	A font to typeset maths in Xe(La)TeX and Lua(La)TeX
author	Syropoulos, Apostolos
copyright	Young Ryu (2000)
copyright	Claudio Beccari (1997, 1999)
copyright	Apostolos Syropoulos (2007-2019)
license	ofl = The SIL Open Font License (free)
version	000.958 (2019-04-14)
last changes	2019-04-14
year	2019

description	(no language specified) The Asana-Math font is an OpenType font that includes almost all mathematical Unicode symbols and it can be used to typeset mathematical text with any software that can understand the MATH OpenType table (e.g., XeTeX 0.997 and Microsoft Word 2007). The font is beta software. Typesetting support for use with LaTeX is provided by the fontspec and unicode-math packages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/Asana-Math/README
on CTAN	https://ctan.org/tex-archive/fonts/Asana-Math
on MikTeX	asana-math
on TeXLive	asana-math
keyword	font-maths (fonts for use in mathematics)
keyword	font-otf (font in OpenType format)
keyword	font-ttf (font available in TrueType format)
keyword	font (fonts themselves)
see also	see section 6807 on page 6143: (<i>xits</i> – A Scientific Times-like font with support for mathematical typesetting)
see also	see section 5699 on page 5162: (<i>stix</i> – OpenType Unicode maths fonts)
language(s)	no language specified
last access	2025-02-07

286 asapsym – Using the free ASAP Symbol font with LaTeX and Plain TeX

Web page on CTAN	https://ctan.org/pkg/asapsym
name	asapsym
caption	Using the free ASAP Symbol font with LaTeX and Plain TeX
author	Gessler, Paul D.
copyright	Paul D. Gessler (2016)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2016-03-20)
last changes	2016-03-20
year	2016

description	(no language specified) The package provides macros (usable with LaTeX or Plain TeX) for using the freely available ASAP Symbol font, which is also included. The font is distributed in OpenType format, and makes extensive use of OpenType features. Therefore, at this time, only XeTeX and LuaTeX are supported. An error message is issued if an OTF-capable engine is not detected.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/asapsym/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/asapsym/asapsym.pdf
– local file	./8217165887-asapsym.pdf
contact	<i>repository</i> : https://github.com/pdgessler/asapsym
on CTAN	https://ctan.org/tex-archive/fonts/asapsym
on MikTeX	asapsym
on TeXLive	asapsym
keyword	font-otf (font in OpenType format)
keyword	font-symbol (fonts that provide collections of symbols)
language(s)	no language specified
last access	2025-02-07

287 *asc2tex* – Retrieve text from screenshots

Web page on CTAN <https://ctan.org/pkg/asc2tex>

name	asc2tex
caption	Retrieve text from screenshots
author	Götz, Thomas
license	nosell = Do Not Sell Except by Arrangement (not free)
version	(1993-09-10)
last changes	1993-09-10
year	1993
description	(no language specified) The program retrieves text in CP850 encoding, so that it may be used where LaTeX text may be needed.
documentation	(German) <i>Package outline</i> : https://ctan.org/tex-archive/systems/msdos/asc2tex/asc2tex.txt

on CTAN	https://ctan.org/tex-archive/systems/msdos/asc2tex
keyword	plain-text (derive plain text from a TeX document)
language(s)	German
last access	2025-02-07

288 *ascelike* – Bibliography style for the ASCE

Web page on CTAN <https://ctan.org/pkg/ascelike>

name	ascelike
caption	Bibliography style for the ASCE
author	Kuhn, Matthew R.
license	lppl = The LaTeX Project Public License (free)
version	3.0
description	(no language specified) A document class and bibliographic style that prepares documents in the style required by the American Society of Civil Engineers (ASCE). These are unofficial files, not sanctioned by that organization, and the files specifically give this caveat. Also included is a short documentation/example of how to use the class.
documentation	(no language specified) <i>Example output</i> : https://ctan.org/tex-archive/macros/latex/contrib/ascelike/ascexmpl.pdf
– local file	<code>./5992717140-ascexmpl.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ascelike/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ascelike
on MikTeX	ascelike
on TeXLive	ascelike
keyword	confproc (typesetting conference proceedings)
keyword	class (alternative LaTeX class(es))
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
year	without year
last access	2025-07-09

289 *ascii-chart* – An ASCII wall chart

Web page on CTAN <https://ctan.org/pkg/ascii-chart>

name	<code>ascii-chart</code>
caption	An ASCII wall chart
author	Eijkhout, Victor
copyright	Victor Eijkhout (2009)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2010-11-22)
last changes	2010-11-22
year	2010
description	(no language specified) The document may be converted between Plain TeX and LaTeX (2.09) by a simple editing action.
documentation	(no language specified) <i>The chart itself</i> : https://ctan.org/tex-archive/info/ascii-chart/ascii.pdf
– local file	<code>./7657590493-ascii.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/ascii-chart
on MikTeX	<code>ascii-chart</code>
on TeXLive	<code>ascii-chart</code>
keyword	<code>documentation</code> (‘stand-alone’ documentation)
language(s)	no language specified
last access	2025-08-30

290 *ascii-cyrillic* – A Latin alphabet representation of Cyrillic

Web page on CTAN <https://ctan.org/pkg/ascii-cyrillic>

name	<code>ascii-cyrillic</code>
caption	A Latin alphabet representation of Cyrillic
author	Siebenmann, Laurent
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The bundle provides a converter that will transfer 8-Bit Russian and Ukrainian text to and from a “stable” ASCII representation.

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/language/ascii-cyrillic/ascii-cy.pdf
– local file	./2492302944-ascii-cy.pdf
on CTAN	https://ctan.org/tex-archive/language/ascii-cyrillic
keyword	cyrillic (support languages written using Cyrillic alphabets)
language(s)	no language specified
year	without year
last access	2025-02-07

291 *ascii-font* – Use the ASCII “font” in LaTeX

Web page on CTAN	https://ctan.org/pkg/ascii-font
name	ascii-font
caption	Use the ASCII “font” in LaTeX
author	Syropoulos, Apostolos
author	Nickalls, Dick
license	lppl = The LaTeX Project Public License (free)
version	2.0
description	(no language specified) The package provides glyph and font access commands so that LaTeX users can use the ASCII glyphs in their documents. The ASCII font is encoded according to the IBM PC Code Page 437 C0 Graphics. This package replaces any early LaTeX 2.09 package and “font” by R. Ramasubramanian and R.W.D. Nickalls.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/ascii/doc/ascii2006.pdf
– local file	./2048421716-ascii2006.pdf
on CTAN	https://ctan.org/tex-archive/fonts/ascii
on MikTeX	ascii-font
on T _E XLive	ascii-font
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
keyword	font-symbol (fonts that provide collections of symbols)
language(s)	no language specified
year	without year

last access 2025-02-07

292 *asciilist* – Environments *AsciiList* and *AsciiDocList* for prototyping nested lists in LaTeX

Web page on CTAN <https://ctan.org/pkg/asciilist>

name	asciilist
caption	Environments <i>AsciiList</i> and <i>AsciiDocList</i> for prototyping nested lists in LaTeX
author	Grewe, Richard
copyright	Richard Grewe (2014-2018)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	2.2b
description	(no language specified) The <i>asciilist</i> provides the environments <i>AsciiList</i> and <i>AsciiDocList</i>, which enable quickly typesetting nested lists in LaTeX without having to type individual item macros or opening/closing list environments. The package provides auxiliary functionality for loading such lists from files and provides macros for configuring the use of the list environments and the appearance of the typeset results.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/asciilist/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/asciilist/asciilist.pdf
– local file	./1451010073-asciilist.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/asciilist
on MikTeX	asciilist
on T _E XLive	asciilist
keyword	list-enum (list: items enumerated)
keyword	list-suppl (list support)
keyword	list-bull (list: items bulleted)
keyword	list (list: general)
keyword	list-descr (list: items described)
language(s)	no language specified
year	2018

last access 2025-02-07

293 *ascmac* – Boxes and picture macros with Japanese vertical writing supportWeb page on CTAN <https://ctan.org/pkg/ascmac>

name	ascmac
caption	Boxes and picture macros with Japanese vertical writing support
author	Japanese TeX Development Community
copyright	Japanese TeX Development Community (2016-2020)
copyright	ASCII MEDIA WORKS (2010)
license	bsd3 = 3-clause BSD License (free)
version	2.1 (2020-01-15)
last changes	2020-01-15
year	2020
description	(no language specified) The bundle provides boxes and picture macros with Japanese vertical writing support. It uses only native picture macros and fonts for drawing boxes and is thus driver-independent. Formerly part of the Japanese pLaTeX bundle, it now supports all LaTeX engines.
documentation	<i>Package documentation (Japanese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/ascmac/ascmac.pdf
– local file	./1832458697-ascmac.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ascmac/README.md
contact	<i>repository</i> : https://github.com/texjporg/ascmac
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ascmac
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/ascmac.tds.zip
on MikTeX	ascmac
on TeXLive	ascmac
keyword	japanese (support for typesetting Japanese)
keyword	boxing (creating boxes)
language(s)	Japanese
last access	2025-02-09

294 askinclude – Interactive use of `\includeonly`

Web page on CTAN <https://ctan.org/pkg/askinclude>

name	askinclude
caption	Interactive use of <code>\includeonly</code>
author	Oberdiek, Heiko
author	Straub, Pablo A.
copyright	Pablo A. Straub (1991-1994)
copyright	Heiko Oberdiek (2007, 2008, 2011)
copyright	Oberdiek Package Support Group (2016-2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.7 (2020-04-12)
last changes	2020-04-12
year	2020
description	(no language specified) The package asks the user which files to put in a <code>\includeonly</code> command. There is provision for answering "same as last time" or "all files".
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/askinclude/askinclude.pdf
– local file	./3093174906-askinclude.pdf
contact	<i>bugs:</i> https://github.com/ho-tex/askinclude/issues
contact	<i>repository:</i> https://github.com/ho-tex/askinclude
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/askinclude
on MikTeX	askinclude
on T _E XLive	askinclude
keyword	compilation (the document compilation process)
language(s)	no language specified
last access	2025-09-11

295 askmaps – Typeset American style Karnaugh maps

Web page on CTAN <https://ctan.org/pkg/askmaps>

name	askmaps
caption	Typeset American style Karnaugh maps
author	op den Brouw, Jesse
copyright	Jesse op den Brouw (2013-2020)
license	lppl = The LaTeX Project Public License (free)
version	0.2 (2020-10-23)
last changes	2020-10-23
year	2020
description	(no language specified) The package provides 1, 2, 3, 4 and 5 variable Karnaugh maps, in the style used in numerous American textbooks on digital design. The package draws K-maps where the most significant input variables are placed on top of the columns and the least significant variables are placed left of the rows.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/askmaps/askmaps.pdf
– local file	./8040424171-askmaps.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/askmaps/README
contact	<i>repository</i> : https://github.com/jesseopdenbrouw/askmaps
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/askmaps
on MikTeX	askmaps
on T _E XLive	askmaps
keyword	engineering (typesetting associated with engineering of whatever sort)
keyword	maths (support for typesetting mathematics)
see also	see section 3120 on page 2816: (karnaugh – Typeset Karnaugh-Veitch-maps)
language(s)	no language specified
last access	2025-02-07

296 asmeconf – A LaTeX template for ASME conference papers

Web page on CTAN <https://ctan.org/pkg/asmeconf>

name `asmeconf`

caption A LaTeX template for ASME conference papers

author Lienhard, John H.

copyright John Lienhard (2021-2026)

license mit = MIT License (free)

version 1.46 (2026-01-10)

last changes 2026-01-10

year 2026

description (no language specified) The `asmeconf` class provides a LaTeX template for ASME conference papers, following ASME's guidelines for margins, fonts, headings, captions, and reference formats as of 2025.

This LaTeX template is intended to be used with the `asmeconf.bst` BibTeX style, for reference formatting, which is part of this distribution. Unlike older ASME conference LaTeX templates, `asmeconf` pdfs will contain hyperlinks, bookmarks, and metadata; and the references can include the DOI and URL fields. This LaTeX template enables inline author names, following ASME's current style, but it can also produce the traditional grid style. Options include line numbering, final column balancing, various math options, government copyright, archivability and accessibility (PDF/A), and multilingual support. The code is compatible with pdfLaTeX or LuaLaTeX.

This LaTeX template is not a publication of ASME, but it does conform to ASME's currently published guidelines for conference papers.

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/asmeconf/README.md>

documentation (no language specified) *Example of use*:
<https://ctan.org/tex-archive/macros/latex/contrib/asmeconf/asmeconf-template.pdf>

– local file `./8031444785-asmeconf-template.pdf`

contact *bugs*: <https://github.com/John02139/asmeconf/issues>

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/asmeconf>

on MikTeX `asmeconf`

on T_EXLive `asmeconf`

keyword `confproc` (typesetting conference proceedings)

keyword	bibtex-supp (BibTeX citation support)
keyword	tagged-pdf (tagged PDF compatible)
keyword	engineering (typesetting associated with engineering of whatever sort)
keyword	class (alternative LaTeX class(es))
keyword	scientific-docs (support for writers of scientific documents)
language(s)	no language specified
last access	2026-04-10

297 *asmejour* – A template for ASME journal papers

Web page on CTAN <https://ctan.org/pkg/asmejour>

name	asmejour
caption	A template for ASME journal papers
author	Lienhard, John H.
copyright	John H. Lienhard (2020-2025)
license	mit = MIT License (free)
version	1.27 (2025-11-30)
last changes	2025-11-30
year	2025
description	(no language specified) The <i>asmejour</i> class provides a template to format preprints submitted to ASME journals. The layout and reference formats closely follow the style that is currently being used for published papers. The class is intended to be used with the <i>asmejour.bst</i> BibTeX style, which is part of this distribution. Unlike older ASME LaTeX templates, <i>asmejour</i> pdfs will contain hyperlinks, bookmarks, and metadata, and references can include the DOI and URL fields. Options include line numbering, final column balancing, various math options, government copyright, and accessibility (PDF/A). The class is compatible with pdfLaTeX or LuaLaTeX. This package is not a publication of ASME.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/asmejour/README.md
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/asmejour/asmejour-template.pdf
– local file	./9822085607-asmejour-template.pdf

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/asmejourn
on MikTeX	asmejourn
on TeXLive	asmejourn
keyword	engineering (typesetting associated with engineering of whatever sort)
keyword	journalpub (typesetting journals, etc)
keyword	scientific-docs (support for writers of scientific documents)
keyword	bibtex-supp (BibTeX citation support)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-12-11

298 *aspectratio* – Capital A and capital R ligature for Aspect Ratio

Web page on CTAN	https://ctan.org/pkg/aspectratio
name	aspectratio
caption	Capital A and capital R ligature for Aspect Ratio
author	Beccari, Claudio
copyright	Claudio Beccari (2008-2012)
license	lppl = The LaTeX Project Public License (free)
version	2.0
description	(no language specified) The package provides fonts (both as Adobe Type 1 format, and as Metafont source) for the ‘AR’ symbol (for Aspect Ratio) used by aeronautical scientists and engineers. Note that the package supersedes the package ar
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/aspectratio/ar.pdf
– local file	./8497985579-ar.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/aspectratio
on MikTeX	aspectratio
on TeXLive	aspectratio
keyword	font-specialist (fonts with specific small application areas)

keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
language(s)	no language specified
year	2012
last access	2025-02-07

299 *aspell* – Spell checker

Web page on CTAN <https://ctan.org/pkg/aspell>

name	<code>aspell</code>
caption	Spell checker
author	Atkinson, Kevin
copyright	Kevin Atkinson (2001-2004)
license	gpl2 = GNU General Public License, version 2 (free)
version	0.60.8
description	(no language specified) GNU Aspell is a Free and Open Source spell checker designed to replace Ispell. It can either be used as a library or as an independent spell checker. Its main feature is that it does a superior job of suggesting possible replacements for a misspelled word than just about any other spell checker out there for the English language. Aspell can check documents in UTF-8 without having to use a special dictionary; and will do its best to respect the current locale setting. A wide range of language-specific dictionaries is available.
home page	http://aspell.net/
on CTAN	https://ctan.org/tex-archive/support/aspell
keyword	<code>spell</code> (TeX-aware spelling checker)
language(s)	no language specified
year	2004
last access	2025-02-07

300 aspen – Simple crypto notation in LaTeX

Web page on CTAN <https://ctan.org/pkg/aspen>

name	aspen
caption	Simple crypto notation in LaTeX
author	Andersen, Anders
copyright	Anders Andersen (2024-2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.2 (2026-03-24)
last changes	2026-03-24
year	2026
description	(no language specified) The Aspen package implements LaTeX commands closely related to what is often called <i>security protocol notation</i> , <i>standard protocol engineering notation</i> , <i>standard protocol notation</i> , or <i>protocol narrations</i> . Optionally, the Aspen package also implements LaTeX commands for Burrows–Abadi–Needham logic (BAN logic). The name Aspen can be an abbreviation for <i>A Security Protocol Engineering Notation</i> , but another possible abbreviation is <i>Anderson-inspired Standard Protocol Engineering Notation</i> , in memory of the late Professor Ross J. Anderson who has meant so much for the fields of computer security, distributed systems, and, in particular, security engineering.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/aspen/aspen-doc.pdf
– local file	./4855341213-aspen-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/aspen/README.md
home page	https://www.pg12.org/software
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/aspen
on MikTeX	aspen
on T _E XLive	aspen
keyword	engineering (typesetting associated with engineering of whatever sort)
keyword	scientific-docs (support for writers of scientific documents)
keyword	security (document security measures)
language(s)	no language specified

302 assoccnt – Associate counters, making them step when a master steps

Web page on CTAN <https://ctan.org/pkg/assoccnt>

name	assoccnt
caption	Associate counters, making them step when a master steps
author	Hupfer, Christian
copyright	Dr. Christian Hupfer (2014-2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.8 (2015-09-29)
last changes	2015-09-29
year	2015
description	(no language specified) The package provides the means of declaring a set of counters to be stepped, each time some ‘master’ counter is stepped.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/assoccnt/assoccnt_doc.pdf
– local file	./6102139696-assoccnt_doc.pdf
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/assoccnt/assoccnt_example.pdf
– local file	./4405264918-assoccnt_example.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/assoccnt/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/assoccnt
on MikTeX	assoccnt
on TeXLive	assoccnt
keyword	macro-supp (support for development of (La)TeX macros)
keyword	counter-mgmt (management of counters)
see also	see section 6739 on page 6078: (xassoccnt – Associated counters stepping simultaneously)
language(s)	no language specified
last access	2025-02-07

303 association-matrix – LaTeX support for creating association matrices

Web page on CTAN <https://ctan.org/pkg/association-matrix>

name `association-matrix`

caption LaTeX support for creating association matrices

author Whisperity

copyright Whisperity (2020-2022)

license lpl1.3c = The LaTeX Project Public License 1.3c (free)

version 1.1 (2022-10-29)

last changes 2022-10-29

year 2022

description (no language specified) This package allows the creation of association matrices in an clear and concise fashion, without having to deal with manually generating and modifying the tables while working. All you have to do is define the rows and the columns by their unique identifier, and then specify which cells should be marked as associated. Then, the `\amxgenerate` command generates a table that shows in the cells with a blip (•) where the association was added.

The package depends on [etoolbox](#) , [forloop](#) , [ifthen](#) , [textcomp](#) , and [xparse](#) .

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/association-matrix/README.md>

documentation (no language specified) *Package documentation*:
<https://ctan.org/tex-archive/macros/latex/contrib/association-matrix/association-matrix.pdf>

– local file `./5594862290-association-matrix.pdf`

contact *bugs*:
<https://github.com/whisperity/association-matrix/issues>

contact *repository*: <https://github.com/whisperity/association-matrix>

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/association-matrix>

on MikTeX `association-matrix`

on T_EXLive `association-matrix`

keyword `table` (table typesetting)

keyword `expl3` (expl3(unknown))

keyword `matrix` (typeset matrices)

language(s) no language specified
last access 2025-02-11

304 **asternote** – Annotation symbols enclosed in square brackets and marked with an asterisk

Web page on CTAN <https://ctan.org/pkg/asternote>

name *asternote*
caption Annotation symbols enclosed in square brackets and marked with an asterisk
author Kusakabe, Yukoh
copyright Yukoh Kusakabe (2022)
license mit = MIT License (free)
version 1.1 (2022-07-08)
last changes 2022-07-08
year 2022
description (no language specified) This LaTeX package can output annotation symbols enclosed in square brackets and marked with an asterisk.
documentation (English + Japanese) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/asternote/asternote.pdf>
– local file ./7794526603-asternote.pdf
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/asternote/README.md>
home page https://www.metaphysica.info/technote/package_asternote/
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/asternote>
on MikTeX *asternote*
on T_EXLive *asternote*
keyword japanese (support for typesetting Japanese)
keyword footnote (footnote support)
language(s) English + Japanese
last access 2025-02-11

305 *astro* – Astronomical (planetary) symbols

Web page on CTAN <https://ctan.org/pkg/astro>

name	<code>astro</code>
caption	Astronomical (planetary) symbols
author	Schmitt, Peter
license	lppl = The LaTeX Project Public License (free)
version	2.20
description	(no language specified) Astrosym is a font containing astronomical symbols, including those used for the planets, four planetoids, the phases of the moon, the signs of the zodiac, and some additional symbols. The font is distributed as Metafont source.
documentation	(no language specified) <i>Detailed description:</i> https://ctan.org/tex-archive/fonts/astro/astrosym.txt
on CTAN	https://ctan.org/tex-archive/fonts/astro
on MikTeX	<code>astro</code>
on TeXLive	<code>astro</code>
keyword	astronomy (astronomy articles, astronomical charts)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-02-11

306 *astron* – BibTeX style for astronomical journals

Web page on CTAN <https://ctan.org/pkg/astron>

name	<code>astron</code>
caption	BibTeX style for astronomical journals
author	Hogeveen, Sake J.
copyright	Sake J. Hogeveen (1990)
license	nocommercial = No Commercial Use (not free)
description	(no language specified) The bundle comprises a BibTeX and a corresponding LaTeX (2.09) package, together with examples and other supporting files.

307 *astyped* – Verbatim environment, with rather few escapes

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/astron/astdoc.pdf
– local file	<code>./9173672989-astdoc.pdf</code>
documentation on CTAN	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/astron/README
on MikTeX	https://ctan.org/tex-archive/biblio/bibtex/contrib/astron
keyword	beebe
keyword	<code>bibtex-sty</code> (<code>bibtex-sty(unknown)</code>)
keyword	astronomy (astronomy articles, astronomical charts)
language(s)	no language specified
year	1990
last access	2025-02-19

307 *astyped* – Verbatim environment, with rather few escapes

Web page on CTAN	https://ctan.org/pkg/astyped
name	<code>astyped</code>
caption	Verbatim environment, with rather few escapes
license	<code>noinfo = noinfo</code>
version	1.3
description	(no language specified) A verbatim-style environment, in which only space, end of line, control-K and control-A are specially treated. Thus commands may be given in the environment, etc.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/astyped.sty
keyword	<code>verbatim</code> (verbatim typesetting, etc.)
see also	see section 137 on page 126: (<code>alltt</code> – Everything in tt font, but obey commands and line endings)
language(s)	no language specified
year	without year
last access	2025-02-07

308 **asy-overview** – A brief overview of the Asymptote language for drawing mathematical graphics

Web page on CTAN <https://ctan.org/pkg/asy-overview>

name	asy-overview
caption	A brief overview of the Asymptote language for drawing mathematical graphics
author	Hefferon, Jim
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
version	(2024-09-29)
last changes	2024-09-29
year	2024
description	(no language specified) Asymptote is a programming language for creating mathematical graphics. This document gives you a quick overview, illustrating with a few familiar Calculus examples. Readers can work through it in a couple of hours to get a feel for the system's strengths, and if they are interested then go on to a full tutorial or the official reference.
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/asy-overview/asy_overview.pdf
– local file	./6934713048-asy_overview.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/asy-overview/README
contact	<i>repository</i> : https://gitlab.com/jim.hefferon/asy_tut
on CTAN	https://ctan.org/tex-archive/info/asy-overview
on MikTeX	asy-overview
on T _E XLive	asy-overview
keyword	graphics-doc (documentation of techniques for using graphics)
keyword	docu-pkg (documentation of another package)
keyword	documentation ('stand-alone' documentation)
language(s)	no language specified
last access	2025-02-07

309 asyfig – Commands for using Asymptote figures

Web page on CTAN <https://ctan.org/pkg/asyfig>

name	asyfig
caption	Commands for using Asymptote figures
author	Robertson, Will
copyright	Will Robertson (2008-2009)
license	lppl = The LaTeX Project Public License (free)
version	0.1c
description	(no language specified) The package provides a means of reading Asymptote figures from separate files, rather than within the document, as is standard in the <code>asymptote</code> package, which is provided as part of the Asymptote bundle. The <code>asymptote</code> way can prove cumbersome in a large document; the present package allows the user to process one picture at a time, in simple test documents, and then to migrate (with no fuss) to their use in the target document.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/asyfig/asyfig.pdf
– local file	<code>./5370611771-asyfig.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/asyfig/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/asyfig
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/asyfig.tds.zip
on MikTeX	asyfig
on TeXLive	asyfig
keyword	graphics-use (graphics (typesetting actual pictures))
language(s)	no language specified
year	2009
last access	2025-02-07

310 asymptote – 2D and 3D TeX-Aware Vector Graphics Language

Web page on CTAN	https://ctan.org/pkg/asymptote
name	asymptote
caption	2D and 3D TeX-Aware Vector Graphics Language
author	Hammerlindl, Andy
author	Bowman, John
copyright	Andy Hammerlindl, John Bowman and Tom Prince (2004-2026)
license	lgpl3 = GNU Lesser General Public License 3 (free)
version	3.10
description	(no language specified) Asymptote is a powerful descriptive vector graphics language for technical drawing, inspired by MetaPost but with an improved C++-like syntax. Asymptote provides for figures the same high-quality level of typesetting that LaTeX does for scientific text.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/asymptote/README
documentation	(no language specified) <i>Package ‘reference card’</i> : https://ctan.org/tex-archive/graphics/asymptote/doc/asyRefCard.pdf
– local file	<code>./6867852403-asyRefCard.pdf</code>
documentation	(no language specified) <i>Using Asymptote for 2D CAD</i> : https://ctan.org/tex-archive/graphics/asymptote/doc/CAD.pdf
– local file	<code>./4777024902-CAD.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/asymptote/doc/asymptote.pdf
– local file	<code>./3529144453-asymptote.pdf</code>
documentation	<i>Package documentation (incomplete, in Chinese)</i> : https://ctan.org/tex-archive/info/asymptote-manual-zh-cn/asymptote-manual-zh-cn.pdf
– local file	<code>./8167775940-asymptote-manual-zh-cn.pdf</code>
documentation	(no language specified) <i>FAQ</i> : http://asymptote.sourceforge.net/FAQ
documentation	<i>FAQ (in Chinese)</i> : https://ctan.org/tex-archive/info/asymptote-faq-zh-cn/asymptote-faq-zh-cn.pdf
– local file	<code>./2778273734-asymptote-faq-zh-cn.pdf</code>
home page	http://asymptote.sourceforge.net/

contact	<i>bugs:</i> https://github.com/vectorgraphics/asymptote/issues
contact	<i>repository:</i> https://github.com/vectorgraphics/asymptote
on CTAN	https://ctan.org/tex-archive/graphics/asymptote
on MikTeX	asymptote
on T _E XLive	asymptote
keyword	graphics (graphics (support packages))
keyword	tagged-pdf-partially (tagged PDF partially compatible)
keyword	graphics-engn (graphics generator whose output is good for use with TeX)
language(s)	Chinese
year	2026
last access	2026-04-12

311 *asymptote-by-example-zh-cn* – *Asymptote by example*

Web page on CTAN	https://ctan.org/pkg/asymptote-by-example-zh-cn
name	asymptote-by-example-zh-cn
caption	Asymptote by example
license	gpl = GNU General Public License (free)
version	(2009-07-06)
last changes	2009-07-06
year	2009
description	(no language specified) This is a tutorial written in Simplified Chinese.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/info/asymptote-by-example-zh-cn/README
documentation	(Chinese) <i>The document itself:</i> https://ctan.org/tex-archive/info/asymptote-by-example-zh-cn/asymptote-by-example-zh-cn.pdf
– local file	./6515882887-asymptote-by-example-zh-cn.pdf
on CTAN	https://ctan.org/tex-archive/info/asymptote-by-example-zh-cn
on T _E XLive	asymptote-by-example-zh-cn
keyword	chinese-doc (documentation in Chinese languages)
language(s)	Chinese

last access 2026-04-12

312 **asymptote-faq-zh-cn – Asymptote FAQ (Chinese translation)**

Web page on CTAN <https://ctan.org/pkg/asymptote-faq-zh-cn>

name `asymptote-faq-zh-cn`

caption Asymptote FAQ (Chinese translation)

license lgpl = The LaTeX Project Public License (free)

version (2007-07-06)

last changes 2007-07-06

year 2007

description (no language specified) This is a Chinese translation of the [Asymptote FAQ](#)

documentation (Chinese) *The document itself*: <https://ctan.org/tex-archive/info/asymptote-faq-zh-cn/asymptote-faq-zh-cn.pdf>

– local file `./2778273734-asymptote-faq-zh-cn.pdf`

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/info/asymptote-faq-zh-cn/README>

on CTAN <https://ctan.org/tex-archive/info/asymptote-faq-zh-cn>

on T_EXLive `asymptote-faq-zh-cn`

keyword `chinese-doc` (documentation in Chinese languages)

language(s) Chinese

last access 2026-04-12

313 **asymptote-manual-zh-cn – A Chinese translation of the asymptote manual**

Web page on CTAN <https://ctan.org/pkg/asymptote-manual-zh-cn>

name `asymptote-manual-zh-cn`

caption A Chinese translation of the asymptote manual

license lgpl = GNU Lesser General Public License (free)

version (2009-07-06)

last changes 2009-07-06

year 2009

description	(no language specified) This is an (incomplete, simplified) Chinese translation of the Asymptote manual.
documentation	(Chinese) <i>The document itself</i> : https://ctan.org/tex-archive/info/asymptote-manual-zh-cn/asymptote-manual-zh-cn.pdf
– local file	<code>./8167775940-asymptote-manual-zh-cn.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/asymptote-manual-zh-cn/README
on CTAN	https://ctan.org/tex-archive/info/asymptote-manual-zh-cn
on T _E XLive	<code>asymptote-manual-zh-cn</code>
keyword	<code>chinese-doc</code> (documentation in Chinese languages)
language(s)	Chinese
last access	2026-04-12

314 **asypictureb** – User-friendly integration of Asymptote into LaTeX

Web page on CTAN	https://ctan.org/pkg/asypictureb
name	<code>asypictureB</code>
caption	User-friendly integration of Asymptote into LaTeX
author	Staats III, Charles
copyright	Charles Staats III (2014)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.4 (2025-01-26)
last changes	2025-01-26
year	2025
description	(no language specified) The package is an unofficial alternative to the package provided with the Asymptote distribution, for including pictures within a LaTeX source file. While it does not duplicate all the features of the official package, this package is more user-friendly in several ways. Most notably, Asymptote errors are repackaged as LaTeX errors, making debugging less of a pain. It also has a more robust mechanism for identifying unchanged pictures that need not be recompiled.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/graphics/asypictureb/README

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/asypictureb/asypictureB.pdf
– local file	./8955126946-asypictureB.pdf
on CTAN	https://ctan.org/tex-archive/graphics/asypictureb
on MikTeX	asypictureb
on TeXLive	asypictureb
keyword	graphics-incl (include external graphics)
language(s)	no language specified
last access	2025-02-07

315 *at* – Short commands starting '@'

Web page on CTAN <https://ctan.org/pkg/at>

name	at
caption	Short commands starting '@'
author	Wooding, Mark
copyright	Mark Wooding (1996)
license	gpl = GNU General Public License (free)
version	1.3
description	(no language specified) The <i>at</i> package removes a lot of tedious typing that ends up in LaTeX documents by expanding the number of short command names available. The new command names begin with the '@' character, rather than the conventional '\', so you can tell them apart. The package is part of the mdwtools bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mdwtools/at.pdf
– local file	./9974778114-at.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mdwtools/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mdwtools
on MikTeX	mdwtools
on TeXLive	mdwtools
keyword	macro-supp (support for development of (La)TeX macros)

language(s)	no language specified
year	1996
last access	2025-02-07

316 atableau – A LaTeX package for symmetric group combinatorics

Web page on CTAN <https://ctan.org/pkg/atableau>

name	aTableau
caption	A LaTeX package for symmetric group combinatorics
author	Mathas, Andrew
copyright	Andrew Mathas (2022-2025)
license	lpp11.3c = The LaTeX Project Public License 1.3c (free)
version	2.2.0 (2025-10-10)
last changes	2025-10-10
year	2025
description	(no language specified) A LaTeX package for symmetric group combinatorics, with commands for Young diagrams, tableaux, tabloids, skew tableaux, shifted tableaux, ribbon tableaux, multitableaux, abacuses. These commands are intended to be easy to use and easy to customise. In particular, TikZ styling can be added to the components of these diagrams and common conventions and idioms are supported using a key-value interface. All diagrams can be used as standalone commands or as part of <code>tikzpicture</code> environments.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/atableau/atableau.pdf
– local file	<code>./6875880034-atableau.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/atableau/README.md
contact	<i>bugs</i> : https://github.com/AndrewMathas/aTableau/issues
contact	<i>repository</i> : https://github.com/AndrewMathas/aTableau
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/atableau
on MikTeX	atableau
on TeXLive	atableau
keyword	diagram (diagrams)
keyword	pgf-tikz (package uses PGF-TikZ)

keyword `expl3 (expl3(unknown))`
 language(s) no language specified
 last access 2025-10-22

317 *atari-cstex* – TeX for Atari machines

Web page on CTAN <https://ctan.org/pkg/atari-cstex>

name `atari-cstex`
 caption TeX for Atari machines
 author Brandt, Volker A.
 license nosell = Do Not Sell Except by Arrangement (not free)
 version 4.0
 description (no language specified) The package offers TeX 3.14 for Atari ST and TT systems.
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/systems/atari/cs-tex/cstex4.README>
 on CTAN <https://ctan.org/tex-archive/systems/atari/cs-tex>
 keyword engine (TeX (or TeX-alike) typesetting engine)
 language(s) no language specified
 year without year
 last access 2025-02-07

318 *atbegshi* – Execute stuff at \shipout time

Web page on CTAN <https://ctan.org/pkg/atbegshi>

name `atbegshi`
 caption Execute stuff at \shipout time
 author Oberdiek, Heiko
 copyright Heiko Oberdiek (2007-2016)
 copyright Oberdiek Package Support Group (2016-2019)
 license lppl1.3 = The LaTeX Project Public License 1.3 (free)
 version 1.19 (2019-12-05)
 last changes 2019-12-05

year	2019
description	(no language specified) This package is a modern reimplementation of package <code>everyshi</code> , providing various commands to be executed before a <code>\shipout</code> command. It makes use of e-TeX's facilities if they are available. The package may be used either with LaTeX or with plain TeX.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/atbegshi/atbegshi.pdf
– local file	<code>./1888162550-atbegshi.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/atbegshi/README.md
contact	<i>repository</i> : https://github.com/ho-tex/atbegshi
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/atbegshi
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/atbegshi.tds.zip
on MikTeX	atbegshi
on TeXLive	atbegshi
keyword	defer-stuff (saving things for later use)
see also	see section 2051 on page 1853: (<code>everyshi</code> – Take action at every <code>\shipout</code>)
language(s)	no language specified
last access	2025-02-07

319 *atenddvi* – Provides the `\AtEndDvi` command

Web page on CTAN	https://ctan.org/pkg/atenddvi
name	atenddvi
caption	Provides the <code>\AtEndDvi</code> command
author	Oberdiek, Heiko
copyright	Oberdiek Package Support Group (2016-2020)
copyright	Heiko Oberdiek (2007)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.5 (2020-11-11)
last changes	2020-11-11
year	2020

description	(no language specified) This package is unneeded and does nothing when used with a LaTeX format 2020-10-01 or newer as in this case the <i>format</i> provides the <code>\AtEndDvi</code> command. For older formats it implements <code>\AtEndDvi</code> , a counterpart to <code>\AtBeginDvi</code> . The execution of its argument is delayed to the end of the document at the end of the last page. Thus <code>\special</code> and <code>\write</code> remain effective, because they are put into the last page. This is the main difference to <code>\AtEndDocument</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/atenddvi/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/atenddvi/atenddvi.pdf
– local file	<code>./2441679027-atenddvi.pdf</code>
contact	<i>bugs</i> : https://github.com/ho-tex/atenddvi/issues
contact	<i>repository</i> : https://github.com/ho-tex/atenddvi
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/atenddvi
on MikTeX	<code>atenddvi</code>
on TeXLive	<code>atenddvi</code>
keyword	<code>defer-stuff</code> (saving things for later use)
language(s)	no language specified
last access	2025-02-07

320 *atendofenv* – Add a custom symbol at the end of an environment

Web page on CTAN	https://ctan.org/pkg/atendofenv
name	<code>atendofenv</code>
caption	Add a custom symbol at the end of an environment
author	Zhou, Fangyi
copyright	Fangyi Zhou (2022)
license	pd = Public Domain Software (free)
version	0.2
description	(no language specified) This package allows adding a custom symbol at the end of an environment (e.g. theorems, definitions, remarks).

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/atendofenv/atendofenv.pdf
– local file	<code>./8821583323-atendofenv.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/atendofenv/README.md
home page	https://github.com/fangyi-zhou/at-end-of-env
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/atendofenv
on MikTeX	atendofenv
on T _E XLive	atendofenv
keyword	maths (support for typesetting mathematics)
see also	see section 4204 on page 3806: (nccthm – Another theorem environment)
language(s)	no language specified
year	2022
last access	2025-08-30

321 atkinson – Support for the Atkinson Hyperlegible family of fonts

Web page on CTAN	https://ctan.org/pkg/atkinson
name	atkinson
caption	Support for the Atkinson Hyperlegible family of fonts
author	Tennent, Bob
license	lppl = The LaTeX Project Public License (free)
license	other-free = Free license not otherwise listed (free)
version	(2025-03-17)
last changes	2025-03-17
year	2025
description	(no language specified) This package provides LaTeX, pdfLaTeX, XeLaTeX and LuaLaTeX support for the Atkinson Hyperlegible family of fonts, named after Braille Institute founder, J. Robert Atkinson. What makes it different from traditional typography design is that it focuses on letterform distinction to increase character recognition, ultimately improving readability.
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/atkinson/doc/atkinson-samples.pdf

– local file	<code>./3467267511-atkinson-samples.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/atkinson/README
home page	https://brailleinstitute.org/freefont
on CTAN	https://ctan.org/tex-archive/fonts/atkinson
installation	https://ctan.org/tex-archive/install/fonts/atkinson.tds.zip
on MikTeX	atkinson
on TeXLive	atkinson
keyword	font-otf (font in OpenType format)
keyword	font-sans (sans-serif font)
keyword	font (fonts themselves)
keyword	accessible (accessibility support)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
last access	2025-03-27

322 attachfile – Attach arbitrary files to a PDF document

Web page on CTAN	https://ctan.org/pkg/attachfile
name	attachfile
caption	Attach arbitrary files to a PDF document
author	Pakin, Scott
copyright	Scott Pakin (2010, 2015-2016)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.9
description	(no language specified) Starting with PDF 1.3 (Adobe Acrobat 4.0), PDF files can contain file attachments — arbitrary files that a reader can extract, just like attachments to an e-mail message. The attachfile package brings this functionality to pdfLaTeX and provides some additional features not available in Acrobat, such as the ability to use arbitrary LaTeX code for the file icon — including things like <code>\includegraphics</code> , <code>tabular</code> , and <code>mathematics</code> . Settings can be made either globally or on a per-attachment basis. Attachfile makes it easy to attach files and customize their appearance in the enclosing document.

	The package supports the Created, Modified, and Size keys in the EmbeddedFile’s Params dictionary.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/attachfile/attachfile.pdf
– local file	./1466777788-attachfile.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/attachfile/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/attachfile
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/attachfile.tds.zip
on MikTeX	attachfile
on TeXLive	attachfile
keyword	pdf-feat (access PDF features)
see also	see section 323 on page 296: (attachfile2 – Attach files into PDF)
language(s)	no language specified
year	2016
last access	2025-02-07

323 attachfile2 – Attach files into PDF

Web page on CTAN	https://ctan.org/pkg/attachfile2
name	attachfile2
caption	Attach files into PDF
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2005-2010, 2012)
copyright	Oberdiek Package Support Group (2016-2019)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.12 (2024-01-18)
last changes	2024-01-18
year	2024

description	(no language specified) This package can be used to attach files to a PDF document. It is a further development of Scott Pakin's package attachfile for pdfTeX . Apart from bug fixes, this package adds support for dvips, some new options, and gets and writes meta information data about the attached files.
documentation	(no language specified) <i>README</i> : https://ctan.org/tex-archive/macros/latex/contrib/attachfile2/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/attachfile2/attachfile2.pdf
– local file	<code>./9236325472-attachfile2.pdf</code>
contact	<i>bugs</i> : https://github.com/ho-tex/attachfile2/issues
contact	<i>repository</i> : https://github.com/ho-tex/attachfile2
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/attachfile2
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/attachfile2.tds.zip
on MikTeX	<code>attachfile2</code>
on TeXLive	<code>attachfile2</code>
keyword	<code>pdf-feat</code> (access PDF features)
language(s)	no language specified
last access	2025-02-07

324 *attrib* – Attribution of block quotations in LaTeX

Web page on CTAN <https://ctan.org/pkg/attrib>

name	<code>attrib</code>
caption	Attribution of block quotations in LaTeX
author	Swift, Matt
license	gpl = GNU General Public License (free)
version	1.3
description	(no language specified) A LaTeX package that defines the command <code>\attrib</code>, used to provide attribution for block elements of a text. The argument of <code>\attrib</code> may be pretty much anything; the command will print the attribution at the right margin of the block. If the block is prose, <code>\attrib</code> will attempt to fit the attribution at the end of the last line. The package is part of the frankenstein bundle of packages.

325 `atveryend` – Hooks at the very end of a document

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/attrib.pdf
– local file	<code>./6517559390-attrib.pdf</code>
documentation on CTAN	(no language specified) <i>Bundle README</i> : https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/README
on MikTeX	https://ctan.org/tex-archive/macros/latex/contrib/frankenstein
on TeXLive	<code>frankenstein</code>
keyword	<code>quotation-mgmt</code> (organisation of displayed text)
language(s)	no language specified
year	without year
last access	2025-02-07

325 `atveryend` – Hooks at the very end of a document

Web page on CTAN	https://ctan.org/pkg/atveryend
name	<code>atveryend</code>
caption	Hooks at the very end of a document
author	Oberdiek, Heiko
copyright	Oberdiek Package Support Group (2016-2024)
copyright	Heiko Oberdiek (2009-2011)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.12 (2024-08-06)
last changes	2024-08-06
year	2024
description	(no language specified) This LaTeX package provides some wrapper commands around LaTeX <code>end document</code> hooks.
documentation	(no language specified) <i>README</i> : https://ctan.org/tex-archive/macros/latex/contrib/atveryend/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/atveryend/atveryend.pdf
– local file	<code>./1485052034-atveryend.pdf</code>
contact	<i>bugs</i> : https://github.com/ho-tex/atveryend/issues

contact	repository: https://github.com/ho-tex/atveryend
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/atveryend
on MikTeX	atveryend
on TeXLive	atveryend
keyword	defer-stuff (saving things for later use)
language(s)	no language specified
last access	2025-02-07

326 **aucklandthesis** – Memoir-based class for formatting University of Auckland masters’ and doctors’ theses

Web page on CTAN	https://ctan.org/pkg/aucklandthesis
name	aucklandthesis
caption	Memoir-based class for formatting University of Auckland masters’ and doctors’ theses
author	Kwan, Alistair
copyright	Alistair M. Kwan (2016)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2016-06-11)
last changes	2016-06-11
year	2016
description	(no language specified) A memoir-based class for formatting University of Auckland masters’ and doctors’ thesis dissertations in any discipline. The title page does not handle short dissertations for diplomas.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/aucklandthesis/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/aucklandthesis/aucklandthesis_userguide.pdf
– local file	./5877301537-aucklandthesis_userguide.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/aucklandthesis
on MikTeX	aucklandthesis

on T _E XLive	aucklandthesis
keyword	class (alternative LaTeX class(es))
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
last access	2025-02-07

327 auctex – Emacs support files for TeX

Web page on CTAN <https://ctan.org/pkg/auctex>

name	auctex
caption	Emacs support files for TeX
author	Abrahamsen, Per
author	Thorup, Kresten Krab
author	The AUCTeX Team
copyright	Free Software Foundation, Inc. (null)
license	gpl = GNU General Public License (free)
version	13.3
description	(no language specified) AUC TeX is an extensible package that supports writing and formatting TeX files for most variants of GNU Emacs. In recent versions of XEmacs, AUC TeX is usually already available as a package, though not necessarily up to date. AUC TeX supports many different TeX macro packages, including AMS-TeX, LaTeX, and Texinfo. ConTeXt is not yet supported, volunteers to change this would be welcome. Note that AUC TeX bundles its own copy of the LaTeX preview package.
on CTAN	https://ctan.org/tex-archive/support/auctex
keyword	editor-extn (plug-ins for editors, for better (La)TeX and Meta* support)
see also	see section 4795 on page 4340 : (preview – Extract bits of a LaTeX source for output)
language(s)	no language specified
year	without year
last access	2025-02-07

328 *augie* – Calligraphic font for typesetting handwriting

Web page on CTAN <https://ctan.org/pkg/augie>

name	augie
caption	Calligraphic font for typesetting handwriting
author	Schmidt, Walter A.
author	Harcombe, Keiran
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) A calligraphic font for simulating American-style informal handwriting. The font is distributed in Adobe Type 1 format.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/augie/README.augie
contact	<i>bugs</i> : https://gitlab.com/kjhtex/augie/-/issues
contact	<i>repository</i> : https://gitlab.com/kjhtex/augie.git
on CTAN	https://ctan.org/tex-archive/fonts/augie
on MikTeX	augie
on T _E XLive	augie
keyword	font-calligraphic (calligraphic (or handwriting) fonts)
keyword	font (fonts themselves)
keyword	font-type1 (font available in Adobe Type 1 format)
see also	see section 6363 on page 5751 : (twcal – Calligraphic font for typesetting handwriting)
language(s)	no language specified
year	without year
last access	2025-02-07

329 auncial – Artificial Uncial manuscript book-hand font

Web page on CTAN <https://ctan.org/pkg/auncial>

name	auncial
caption	Artificial Uncial manuscript book-hand font
author	Wilson, Peter R.
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The auncial and allauncl packages provide Metafont fonts based on the Artificial Uncial manuscript book-hand used between the 6th and 10th century AD. The font consists of minuscules and digits, with some appropriate period punctuation marks. Both normal and bold versions are provided. Note that the font is available separately in Adobe Type 1 format, as the artificial uncial ‘new’ package. This is one of a set of manuscript fonts . Access to the docmfp package is desirable but not essential.
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/fonts/bookhands/auncial/README
on CTAN	https://ctan.org/tex-archive/fonts/bookhands/auncial
on MikTeX	auncial
on T _E XLive	bookhands
keyword	font-bookhand (fonts of scripts used for manuscript books)
keyword	font (fonts themselves)
keyword	font-medieval (fonts for Medieval script)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	no language specified
year	without year
last access	2025-02-07

330 auncial-new – Artificial Uncial font and LaTeX support macros

Web page on CTAN <https://ctan.org/pkg/auncial-new>

name	auncial-new
caption	Artificial Uncial font and LaTeX support macros
author	Wilson, Peter R.
copyright	Peter R. Wilson (1999-2005)
license	lppl = The LaTeX Project Public License (free)
version	2.0
description	(no language specified) The auncial-new bundle provides packages and fonts for a script based on the Artificial Uncial manuscript book-hand used between the 6th & 10th century AD. The script consists of minuscules and digits, with some appropriate period punctuation marks. Both normal and bold versions are provided, and the font is distributed in Adobe Type 1 format. This is an experimental new version of the auncial bundle, which is one of a series of bookhand fonts . The font follows the B1 encoding developed for bookhands. Access to the encoding is essential. The encoding mainly follows the standard T1 encoding.
documentation	(no language specified) <i>Font sample, etc.</i>: https://ctan.org/tex-archive/fonts/auncial-new/tryauncial.pdf
– local file	<code>./5252110013-tryauncial.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/auncial-new/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/auncial-new/auncial.pdf
– local file	<code>./7234604132-auncial.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/auncial-new
on MikTeX	auncial-new
on T _E XLive	auncial-new
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-bookhand (fonts of scripts used for manuscript books)
keyword	font (fonts themselves)
keyword	font-medieval (fonts for Medieval script)
language(s)	no language specified
year	2005

last access 2025-02-07

331 *aurical* – Calligraphic fonts for use with LaTeX in T1 encoding

Web page on CTAN <https://ctan.org/pkg/aurical>

name	<i>aurical</i>
caption	Calligraphic fonts for use with LaTeX in T1 encoding
author	Gollwitzer, Christian
license	lppl = The LaTeX Project Public License (free)
version	1.5
description	(no language specified) The package that implements a set (AuriocusKalligraphicus) of three calligraphic fonts derived from the author's handwriting in Adobe Type 1 Format, T1 encoding for use with LaTeX: • Auriocus Kalligraphicus; • Lukas Svatba; and • Jana Skrivana. Each font features oldstyle digits and (machine-generated) boldface and slanted versions. A variant of Lukas Svatba offers a 'long s'.
documentation	(no language specified) <i>Package README</i>: https://ctan.org/tex-archive/fonts/aurical/README
documentation	(no language specified) <i>Package introduction and samples</i>: https://ctan.org/tex-archive/fonts/aurical/aurical.pdf
– local file	<code>./2703723190-aurical.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/aurical
on MikTeX	<i>aurical</i>
on T _E XLive	<i>aurical</i>
keyword	<code>font-calligraphic</code> (calligraphic (or handwriting) fonts)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font</code> (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-02-07

332 **aur1** – Extends the hyperref package with a mechanism for hyperlinked URLs abbreviated with prefixes

Web page on CTAN <https://ctan.org/pkg/aur1>

name	aur1
caption	Extends the hyperref package with a mechanism for hyperlinked URLs abbreviated with prefixes
author	Höffner, Konrad
copyright	Konrad Höffner (2016)
license	pd = Public Domain Software (free)
version	(2016-08-12)
last changes	2016-08-12
year	2016
description	(no language specified) Semantic Web resource URLs are often abbreviated with prefixes, like "owl:Class" or "rdf:type". The abbreviated URL (aur1) package provides the correct hyperlinks for those URLs. The 1000 most common prefixes are predefined and more can be added.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/aur1/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/aur1
on T _E XLive	aur1
keyword	hyper (support for hypertext)
language(s)	no language specified
last access	2025-02-07

333 **aurora** – Header files for dvips to make colour separations

Web page on CTAN <https://ctan.org/pkg/aurora>

name	aurora
caption	Header files for dvips to make colour separations
author	Freeman, T. Graham
copyright	Graham Freeman (1994)
license	nocommercial = No Commercial Use (not free)

description	(no language specified) Offset printers need separate camera-ready copies for each ink they will use in printing a document. Aurora is a PostScript program for producing colour separates from a colour PostScript document. Aurora can be run from any type of computer, as it depends only on a black-and-white PostScript printer for its execution. It is capable of handling colour images as well as ordinary graphics, though image handling is very slow.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/support/aurora/aurora.pdf
– local file	./3068953114-aurora.pdf
on CTAN	https://ctan.org/tex-archive/support/aurora
keyword	ps-manip (manipulate PostScript files)
language(s)	no language specified
year	1994
last access	2025-02-07

334 *authblk* – Support for footnote style author/affiliation

Web page on CTAN <https://ctan.org/pkg/authblk>

name	authblk
caption	Support for footnote style author/affiliation
author	Daly, Patrick W.
license	lpl1 = The LaTeX Project Public License 1 (free)
version	1.3
description	(no language specified) The package redefines the <code>\author</code> command to work as normal or to allow a footnote style of author/affiliation input. The package is part of the preprint bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/preprint/authblk.pdf
– local file	./7269584470-authblk.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/preprint
on MikTeX	preprint
on TeXLive	preprint
keyword	journalpub (typesetting journals, etc)
keyword	titlepage (typesetting title pages for documents)

language(s)	no language specified
year	without year
last access	2025-02-07

335 *authoraftertitle* – Make author, etc., available after `\maketitle`

Web page on CTAN <https://ctan.org/pkg/authoraftertitle>

name	<code>authoraftertitle</code>
caption	Make author, etc., available after <code>\maketitle</code>
author	Bilger, Matthias
license	cc0 = CC0 1.0 (free)
version	1.0
description	(no language specified) This jiffy package makes the author, title and date of the package available to the user (as <code>\MyAuthor</code> , etc) after the <code>\maketitle</code> command has been executed.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/authoraftertitle/authoraftertitle.pdf
– local file	<code>./5066813245-authoraftertitle.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/authoraftertitle
on MikTeX	<code>authoraftertitle</code>
on T _E XLive	<code>authoraftertitle</code>
keyword	macro-supp (support for development of (La)TeX macros)
see also	see section 6213 on page 5621: (titling – Control over the typesetting of the <code>\maketitle</code> command)
language(s)	no language specified
year	without year
last access	2025-02-07

336 authorarchive – Adds self-archiving information to scientific papers

Web page on CTAN <https://ctan.org/pkg/authorarchive>

name	authorarchive
caption	Adds self-archiving information to scientific papers
author	Brucker, Achim D.
copyright	Achim D. Brucker (2008-2025)
license	bsd2 = Simplified BSD License (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3.1 (2025-12-25)
last changes	2025-12-25
year	2025
description	(no language specified) This is a LaTeX style for producing author self-archiving copies of (academic) papers. The following layout-styles are pre-defined: • ACM for the two-column layout used by many ACM conferences • IEEE for the two-column layout used by many IEEE conferences • LNCS for the LNCS layout (as used by Springer) • LNI for the Lecture Notes in Informatics, published by the GI • ENTCS for the Elsevier ENTCS layout
documentation	(no language specified) <i>Example</i>: https://ctan.org/tex-archive/macros/latex/contrib/authorarchive/examples/brucker-authorarchive-2016.pdf
– local file	<code>./3078303397-brucker-authorarchive-2016.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/authorarchive/README.md
contact	<i>bugs</i> : https://github.com/adbrucker/authorarchive/issues
contact	<i>repository</i> : https://github.com/adbrucker/authorarchive
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/authorarchive
on MikTeX	authorarchive
on T _E XLive	authorarchive
keyword	archival (creating archival copies, or copies for distribution)

keyword	journalpub (typesetting journals, etc)
see also	see section 1364 on page 1232: (coverpage – Automatic cover page creation for scientific papers)
language(s)	no language specified
last access	2026-01-02

337 *authordate* – Author/date style citation styles

Web page on CTAN <https://ctan.org/pkg/authordate>

name	authordate
caption	Author/date style citation styles
author	Rhead, David
license	knuth = Knuth License (free)
version	(1992-07-20)
last changes	1992-07-20
year	1992
description	(no language specified) Authordate produces styles loosely based on the recommendations of British Standard 1629(1976), Butcher’s <i>Copy-editing</i> and the Chicago Manual of Style. The bundle provides four BibTeX styles (authordate1, ..., authordate4), and a LaTeX package, for citation in author/date style. The BibTeX styles differ in how they format names and titles; one of them is necessary for the LaTeX package to work.
documentation	(no language specified) <i>Readme file</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/authordate/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/authordate
on MikTeX	authordate
on T _E XLive	authordate
keyword	bibtex-sty (bibtex-sty(unknown))
see also	see section 4179 on page 3782: (natbib – Flexible bibliography support)
language(s)	no language specified
last access	2025-02-19

338 *authorindex* – Index citations by author names

Web page on CTAN <https://ctan.org/pkg/authorindex>

name	authorindex
caption	Index citations by author names
author	Wettstein, Andreas
license	lppl = The LaTeX Project Public License (free)
version	(2019-07-27)
last changes	2019-07-27
year	2019
description	(no language specified) This package allows the user to create an index of all authors cited in a LaTeX document. Each author entry in the index contains the pages where these citations occur. Alternatively, the package can list the labels of the citations that appear in the references rather than the text pages. The package relies on BibTeX being used to handle citations. Additionally, it requires Perl (version 5 or higher).
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/indexing/authorindex/authorindex.pdf
– local file	<code>./3766835293-authorindex.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/indexing/authorindex/README
on CTAN	https://ctan.org/tex-archive/indexing/authorindex
on MikTeX	authorindex
on TeXLive	authorindex
keyword	index (index support)
keyword	cite-supp (citation support)
language(s)	no language specified
last access	2025-02-11

339 auto-pst-pdf – Wrapper for pst-pdf (with some psfrag features)

Web page on CTAN <https://ctan.org/pkg/auto-pst-pdf>

name	auto-pst-pdf
caption	Wrapper for pst-pdf (with some psfrag features)
author	Robertson, Will
copyright	Johannes Große (2007)
copyright	Will Robertson (2007-2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.7 (2020-10-08)
last changes	2020-10-08
year	2020
description	(no language specified) The package uses <code>--shell-escape</code> to execute pst-pdf when necessary. This makes it especially easy to integrate into the workflow of an editor with just "LaTeX" and "pdfLaTeX" buttons. Wrappers are provided for various psfrag -related features so that Matlab figures via laprint , Mathematica figures via MathPSfrag, and regular psfrag figures can all be input consistently and easily.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/auto-pst-pdf/README.txt
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/auto-pst-pdf/auto-pst-pdf.pdf
– local file	<code>./3317883968-auto-pst-pdf.pdf</code>
contact	<i>repository</i> : https://github.com/wspr/will2e/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/auto-pst-pdf
on MikTeX	auto-pst-pdf
on T _E XLive	auto-pst-pdf
keyword	graphics-epspdf (converting graphics files from MetaPost output or (E)PS to embeddable PDF)
language(s)	English
last access	2025-02-07

340 auto-pst-pdf-lua – Using LuaLaTeX together with PostScript code

Web page on CTAN <https://ctan.org/pkg/auto-pst-pdf-lua>

name	auto-pst-pdf-lua
caption	Using LuaLaTeX together with PostScript code
author	Voß, Herbert
copyright	Herbert Voß (2018-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.03a (2023-03-21)
last changes	2023-03-21
year	2023
description	(no language specified) This package is a slightly modified version of auto-pst-pdf by Will Robertson, which itself is a wrapper for pst-pdf by Rolf Niepraschk. The package allows the use of LuaLaTeX together with PostScript related code, eg. PSTricks . It depends on ifpdf , ifluatex , ifplatform , and xkeyval .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/auto-pst-pdf-lua/doc/auto-pst-pdf-lua-doc.pdf
– local file	<code>./5252754882-auto-pst-pdf-lua-doc.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/auto-pst-pdf-lua/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/auto-pst-pdf-lua
on MikTeX	auto-pst-pdf-lua
on TeXLive	auto-pst-pdf-lua
keyword	tagged-pdf-incompatible (tagged PDF incompatible)
keyword	graphics-epspdf (converting graphics files from MetaPost output or (E)PS to embeddable PDF)
language(s)	no language specified
last access	2026-04-13

341 auto1 – LaTeX support for Underware Auto 1 fonts

Web page on CTAN <https://ctan.org/pkg/auto1>

name	auto1
caption	LaTeX support for Underware Auto 1 fonts
author	Schlömer, Nico
copyright	Nico Schlömer (2009, 2010)
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	0.2
description	(no language specified) The package provides LaTeX support for the Auto 1 font series from Underware. The fonts themselves are available from reputable font distributors (they are <i>not</i> cheap!). The documentation provides details of working from the TrueType fonts (type 1 versions not being available). Note that the author now considers the package obsolete; users of the font are advised to switch to using XeTeX or LuaTeX.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/obsolete/fonts/auto1/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/obsolete/fonts/auto1/Auto1.pdf
– local file	./6315119734-Auto1.pdf
on CTAN	https://ctan.org/tex-archive/obsolete/fonts/auto1
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	2010
last access	2025-02-07

342 autoaligne – Align terms and members in math expressions

Web page on CTAN <https://ctan.org/pkg/autoaligne>

name	autoaligne
caption	Align terms and members in math expressions
author	Tellechea, Christian
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.5
description	(no language specified) This package allows to align terms and members between lines containing math expressions.
documentation	<i>Package documentation (French):</i> https://ctan.org/tex-archive/macros/generic/autoaligne/autoaligne-fr.pdf
– local file	<code>./6545742781-autoaligne-fr.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/generic/autoaligne/README
on CTAN	https://ctan.org/tex-archive/macros/generic/autoaligne
on MikTeX	autoaligne
on TeXLive	autoaligne
keyword	alignment-supp (ancillary code for tables, tab structures, etc)
keyword	alignment (tables, tab structures, etc)
keyword	maths (support for typesetting mathematics)
language(s)	French
year	without year
last access	2025-02-07

343 autobreak – Simple line breaking of long formulae

Web page on CTAN <https://ctan.org/pkg/autobreak>

name	autobreak
caption	Simple line breaking of long formulae
author	Ueda, Takahiro
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.3 (2017-02-23)

last changes	2017-02-23
year	2017
description	(no language specified) This package implements a simple mechanism of line/page breaking within the align environment of the amsmath package; new line characters are considered as possible candidates for the breaks and the package tries to put breaks at adequate places. It is suitable for computer-generated long formulae with many terms.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/autobreak/autobreak.pdf
– local file	./9738775504-autobreak.pdf
documentation	(English) <i>README</i> : https://ctan.org/tex-archive/macros/latex/contrib/autobreak/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/autobreak
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/autobreak.tds.zip
on MikTeX	autobreak
on TeXLive	autobreak
keyword	maths (support for typesetting mathematics)
keyword	maths-theorem (typeset mathematical theorems)
language(s)	English
last access	2025-02-07

344 autoconf – Autoconf macros to test for the presence of LaTeX

Web page on CTAN <https://ctan.org/pkg/autoconf>

name	autoconf
caption	Autoconf macros to test for the presence of LaTeX
author	Mathieu, Boretti
license	gpl = GNU General Public License (free)
description	(no language specified) LaTeX for Autoconf is a set of macros to test such things as whether LaTeX is installed, whether a particular package exists or whether other conditions apply. The macros are in the M4 language.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/autoconf/README

on CTAN	https://ctan.org/tex-archive/support/autoconf
keyword	install-mgmt (support for (La)TeX installations)
language(s)	no language specified
year	without year
last access	2025-02-07

345 autofancyhdr – Automatically compute headlength for fancyhdr package

Web page on CTAN	https://ctan.org/pkg/autofancyhdr
name	autofancyhdr
caption	Automatically compute headlength for fancyhdr package
author	Baghban, Mojtaba
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1
description	(no language specified) The package automatically computes headlength for the fancyhdr package
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/autofancyhdr/README.md
home page	https://framagit.org/baghban/autofancyhdr
contact	<i>support</i> : http://qa.parsilatex.com/
contact	<i>bugs</i> : https://framagit.org/baghban/autofancyhdr/issues
contact	<i>repository</i> : https://framagit.org/baghban/autofancyhdr
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/autofancyhdr
on MikTeX	autofancyhdr
on T _E XLive	autofancyhdr
keyword	page-hf (page head- and foot-lines)
see also	see section 2121 on page 1920: (fancyhdr – Extensive control of page headers and footers in LaTeX2e)
language(s)	no language specified
year	without year
last access	2025-02-07

346 autolatex – Automate compilation of large scale LaTeX projects

Web page on CTAN <https://ctan.org/pkg/autolatex>

name	AutoLaTeX
caption	Automate compilation of large scale LaTeX projects
author	Galland, Stéphane
copyright	Stéphane Galland (1998-2022)
license	gpl2 = GNU General Public License, version 2 (free)
version	41.1
description	(no language specified) AutoLaTeX is a set of GNU Make and Perl scripts that may be used to compile LaTeX projects. AutoLaTeX automates the compilation process by calling (pdf)LaTeX and BibTeX as they are required. It supports pdfLaTeX, LaTeX, dvips, epstopdf and BibTeX. AutoLaTeX also provides a powerfull feature for automatic generation of the figures that are included in the LaTeX project: for several figure sources (xfig, dia, umbrello, png, svg, xmi...) AutoLaTeX is able to generate the appropriate PDF picture. AutoLaTeX also supports pstex format (from xfig and gnuplot for example) and dot format (from the Graphviz package). The use of AutoLaTeX on the command line is similar to GNU Make. AutoLaTeX should be called with several targets to run.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/support/autolatex/README
home page	http://www.arakhne.org/autolatex/
contact	<i>support</i>: https://github.com/gallandarakhneorg/autolatex/issues
contact	<i>announce</i> : http://www.arakhne.org/autolatex/
contact	<i>bugs</i>: https://github.com/gallandarakhneorg/autolatex/issues
contact	<i>repository</i> : https://github.com/gallandarakhneorg/autolatex
contact	<i>development</i>: https://github.com/gallandarakhneorg/autolatex/blob/master/AUTHORS
on CTAN	https://ctan.org/tex-archive/support/autolatex
keyword	compilation (the document compilation process)
see also	see section 3729 on page 3373: (make_latex – LaTeX Makefile)
see also	see section 2579 on page 2335: (go-make – A make variant for LaTeX documents)

language(s)	no language specified
year	2022
last access	2025-02-11

347 autolist – More lists

Web page on CTAN	https://ctan.org/pkg/autolist
name	autolist
caption	More lists
author	Shipunov, Alexey
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.4
description	(no language specified) A means to define various sorts of list. The package is part of the shipunov bundle.
documentation	<i>Readme (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/shipunov/doc/README
documentation	<i>Example use (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/shipunov/doc/autolist-ex-en.pdf
– local file	./9295144812-autolist-ex-en.pdf
documentation	<i>Example use (Russian):</i> https://ctan.org/tex-archive/macros/latex/contrib/shipunov/doc/autolist-ex-ru.pdf
– local file	./2842277477-autolist-ex-ru.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/shipunov/tex/autolist.sty
on MikTeX	shipunov
on T _E XLive	shipunov
keyword	list (list: general)
language(s)	English; Russian
year	without year
last access	2025-02-11

348 *automagic* – Automagic numbering in Plain TeX

Web page on CTAN <https://ctan.org/pkg/automagic>

name	<code>automagic</code>
caption	Automagic numbering in Plain TeX
license	<code>noinfo = noinfo</code>
version	(1992-08-27)
last changes	1992-08-27
year	1992
description	(no language specified) Provides section macros, automatically numbered, automatic numbering of equations, provision for a table of contents, and a primitive label mechanism.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/automagic.tex
keyword	<code>plain-ext</code> (extensions to Plain TeX for higher-level constructs)
language(s)	no language specified
last access	2025-02-11

349 *automata* – Finite state machines, graphs and trees in MetaPost

Web page on CTAN <https://ctan.org/pkg/automata>

name	<code>automata</code>
caption	Finite state machines, graphs and trees in MetaPost
author	Puppis, Gabriele
license	<code>lppl</code> = The LaTeX Project Public License (free)
version	0.3
description	(no language specified) The package offers a collection of macros for MetaPost to make easier to draw finite-state machines, automata, labelled graphs, etc. The user defines nodes, which may be isolated or arranged into matrices or trees; edges connect pairs of nodes through arbitrary paths. Parameters, that specify the shapes of nodes and the styles of edges, may be adjusted.
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/graphics/metapost/contrib/macros/automata/example.pdf
– local file	<code>./2358221656-example.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/automata/README
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/automata
on MikTeX	automata
on T _E XLive	automata
keyword	automata (finite-state machines, automata, labelled graphs, etc.)
language(s)	no language specified
year	without year
last access	2025-02-11

350 *automatica* – A harvard-family BibTeX style

Web page on CTAN	https://ctan.org/pkg/automatica
name	automatica
caption	A harvard-family BibTeX style
author	Balemi, Silvano
license	other-free = Free license not otherwise listed (free)
version	(1993-11-15)
last changes	1993-11-15
year	1993
description	(no language specified) A modified version of <code>agsm.bst</code> from the harvard bundle, which is itself derived from the standard <code>alpha.bst</code> .
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/automatica.bst
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
last access	2025-02-19

351 *autonum* – Automatic equation references

Web page on CTAN <https://ctan.org/pkg/autonum>

name	autonum
caption	Automatic equation references
author	Häcker, Patrick
copyright	Patrick Häcker (2012-2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.3.11 (2015-01-18)
last changes	2015-01-18
year	2015
description	(no language specified) The package arranges that equation numbers are applied only to those equations that are referenced. This operation is similar to the <code>showonlyrefs</code> option of the package mathtools .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/autonum/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/autonum/autonum.pdf
– local file	<code>./3724236017-autonum.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/autonum
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/autonum.tds.zip
on MikTeX	autonum
on T _E XLive	autonum
keyword	label-ref (label and reference systems)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

352 autopdf – Conversion of graphics to pdfLaTeX-compatible formats

Web page on CTAN <https://ctan.org/pkg/autopdf>

name	autopdf
caption	Conversion of graphics to pdfLaTeX-compatible formats
author	Wette, Karl
copyright	Karl Wette (2010, 2012)
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.1
description	(no language specified) The package facilitates the on-the-fly conversion of various graphics formats to formats supported by pdfLaTeX (e.g. PDF). It uses a range of external programs, and therefore requires that the LaTeX run starts with <code>writes18</code> enabled.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/autopdf/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/autopdf/autopdf.pdf
– local file	<code>./4731703700-autopdf.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/autopdf
on MikTeX	autopdf
on TeXLive	autopdf
keyword	graphics-epspdf (converting graphics files from MetaPost output or (E)PS to embeddable PDF)
keyword	callback (call external code and process the result)
see also	see section 339 on page 311: (<code>auto-pst-pdf</code> – Wrapper for <code>pst-pdf</code> (with some <code>psfrag</code> features))
see also	see section 1959 on page 1766: (<code>epstopdf</code> – Convert EPS to PDF using Ghostscript)
language(s)	no language specified
year	2012
last access	2025-02-07

353 autopict – The LaTeX picture mode, for use with Plain TeX

Web page on CTAN <https://ctan.org/pkg/autopict>

name	autopict
caption	The LaTeX picture mode, for use with Plain TeX
author	The LaTeX Project Team
author	Carlisle, David
copyright	The LaTeX3 Project et al. (1993-1996)
license	lppl = The LaTeX Project Public License (free)
version	1.1k (2001-08-27)
last changes	2001-08-27
year	2001
description	(no language specified) The installer for this package is distributed with the Plain TeX graphics bundle; the source for the installer is part of the LaTeX kernel .
on CTAN	https://ctan.org/tex-archive/macros/plain/graphics/autopict.sty
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
language(s)	no language specified
last access	2025-02-07

354 autopuncitems – Automatically punctuate lists

Web page on CTAN <https://ctan.org/pkg/autopuncitems>

name	autopuncitems
caption	Automatically punctuate lists
author	Ewasiuk, Kale
copyright	Kale Ewasiuk (2021-2022)
license	mit = MIT License (free)
version	(2022-04-16)
last changes	2022-04-16
year	2022

description	(no language specified) This package provides the <code>autopunc</code> option in the <code>enumitem</code> environments <code>itemize</code> , <code>enumerate</code> , and <code>description</code> to automatically punctuate the items. It uses lua pattern matching to modify the environment's contents.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/luatex/latex/autopuncitems/autopuncitems.pdf
– local file	<code>./9320108843-autopuncitems.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/luatex/latex/autopuncitems/README.md
contact	<i>repository:</i> https://github.com/kalekje/autopuncitems
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/autopuncitems
on MikTeX	<code>autopuncitems</code>
on TeXLive	<code>autopuncitems</code>
keyword	<code>luatex</code> (LuaTeX and packages that require it)
language(s)	no language specified
last access	2025-08-30

355 *autosp* – A Preprocessor that generates note-spacing commands for MusiXTeX scores

Web page on CTAN	https://ctan.org/pkg/autosp
name	<code>autosp</code>
caption	A Preprocessor that generates note-spacing commands for MusiXTeX scores
author	Tennent, Bob
license	gpl2+ = GNU General Public License, version 2 or newer (free)
version	(2023-10-07)
last changes	2023-10-07
year	2023

description	(no language specified) This program simplifies the creation of MusiXTeX scores by converting (non-standard) commands of the form <code>\anotes ... \en</code> into one or more conventional note-spacing commands, as determined by the note values themselves, with <code>\sk</code> spacing commands inserted as necessary. The coding for an entire measure can be entered one part at a time, without concern for note-spacing changes within the part or spacing requirements of other parts. For example, <code>\anotes\qa J\qa K&\ca l\qa m\ca n\en</code> generates <code>\Notes\qa J\sk\qa K\sk&\ca l\qa m\sk\ca n\en</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/autosp/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/autosp/doc/autosp.pdf
– local file	<code>./3200151555-autosp.pdf</code>
contact	<i>support</i> : https://tug.org/mailman/listinfo/tex-music
on CTAN	https://ctan.org/tex-archive/support/autosp
on T _E XLive	<code>autosp</code>
keyword	<code>music</code> (typesetting music and related stuff)
language(s)	no language specified
last access	2025-02-11

356 autotab – Generating tabulars from input data

Web page on CTAN	https://ctan.org/pkg/autotab
name	<code>autotab</code>
caption	Generating tabulars from input data
author	Kruljac, Gabriele
license	<code>noinfo = noinfo</code>
version	1.0
description	(no language specified) The package defines a command <code>\readtabline</code> which prompts the user for the name of a file of data. The commands one numeric argument <code>< n ></code> specifies the number of fields to appear in the table being generated; the package reads <code>< n ></code> lines at a time from the data file, and creates one tabular line from each such set.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/autotab
keyword	<code>table</code> (table typesetting)

language(s)	no language specified
year	without year
last access	2025-02-11

357 *autotoc* – Table of contents in Plain TeX

Web page on CTAN <https://ctan.org/pkg/autotoc>

name	autotoc
caption	Table of contents in Plain TeX
license	noinfo = noinfo
version	(1992-08-27)
last changes	1992-08-27
year	1992
description	(no language specified) The package provides commands to record data for the table of contents, and for formatting the table.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/autotoc.tex
keyword	toc-etc (deal with Tables of Contents, and of other such things)
language(s)	no language specified
last access	2025-02-11

358 *autotype* – A LuaLaTeX package for automatic language-specific typography

Web page on CTAN <https://ctan.org/pkg/autotype>

name	autotype
caption	A LuaLaTeX package for automatic language-specific typography
author	Wehr, Keno
copyright	Stephan Hennig and Keno Wehr (2013-2026)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
license	mit = MIT License (free)
license	other-free = Free license not otherwise listed (free)
version	0.6 (2026-04-27)
last changes	2026-04-27

year	2026
description	(no language specified) <i>autotype</i> is a LuaLaTeX package for automatic language-specific typography. Currently, it supports ligature suppression at word boundaries, long s insertion for blackletter typesetting, and weighted hyphenation, but only for German (old and new orthography).
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/autotype/autotype-de.pdf
– local file	<code>./1778012505-autotype-de.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/autotype/README
contact	<i>support</i> : mailto:trennmuster@dante.de
contact	<i>bugs</i> : https://codeberg.org/wehr/autotype/issues
contact	<i>repository</i> : https://codeberg.org/wehr/autotype
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/autotype
on MikTeX	<i>autotype</i>
on TeXLive	<i>autotype</i>
keyword	<i>typesetting</i> (support for variations of typographic style)
keyword	<i>german</i> (support for typesetting German)
keyword	<i>font-supp</i> (metrics, macro incantations and other font support)
keyword	<i>hyphenation</i> (macros or tables for hyphenation)
keyword	<i>luatex</i> (LuaTeX and packages that require it)
see also	see section 5397 on page 4887: (<i>selnolig</i> – Selectively disable typographic ligatures)
see also	see section 3442 on page 3110: (<i>ligtype</i> – Comprehensive ligature suppression functionalities)
language(s)	German
last access	2026-04-29

359 autoview – Maintain a Ghostscript view of emacs buffer

Web page on CTAN <https://ctan.org/pkg/autoview>

name	autoview
caption	Maintain a Ghostscript view of emacs buffer
author	Goel, Deepak
license	gpl = GNU General Public License (free)
version	(2000-09-05)
last changes	2000-09-05
year	2000
description	(no language specified) While you are editing your file.tex, autoview will (run in a separate emacs and) continually, intelligently, and automatically keep processing your LaTeX file, generate a .ps file and gv (view) the file for you.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/support/autoview/usrguide/index.html
on CTAN	https://ctan.org/tex-archive/support/autoview
keyword	editor-extn (plug-ins for editors, for better (La)TeX and Meta* support)
language(s)	no language specified
last access	2025-02-07

360 auxhook – Hooks for auxiliary files

Web page on CTAN <https://ctan.org/pkg/auxhook>

name	auxhook
caption	Hooks for auxiliary files
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2006, 2007, 2009, 2011)
copyright	Oberdiek Package Support Group (2016-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.6 (2019-12-17)
last changes	2019-12-17
year	2019

description	(no language specified) This package auxhook provides hooks for adding stuff at the begin of .aux files.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/auxhook/auxhook.pdf
– local file	./7466190909-auxhook.pdf
contact	<i>bugs:</i> https://github.com/ho-tex/auxhook/issues
contact	<i>repository:</i> https://github.com/ho-tex/auxhook
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/auxhook
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/auxhook.tds.zip
on MikTeX	auxhook
on TeXLive	auxhook
keyword	defer-stuff (saving things for later use)
language(s)	no language specified
last access	2025-02-07

361 *avremu* – An 8-Bit Microcontroller Simulator written in LaTeX

Web page on CTAN <https://ctan.org/pkg/avremu>

name	avremu
caption	An 8-Bit Microcontroller Simulator written in LaTeX
author	Dietrich, Christian
copyright	Christian Dietrich (2014)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1 (2014-10-09)
last changes	2014-10-09
year	2014
description	(no language specified) A fully working package to simulate a Microprocessor in pure LaTeX. The simulator is able to calculate complex pictures, like Mandelbrot sets.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/avremu/avremu.pdf
– local file	./3050216846-avremu.pdf

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/avremu/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/avremu
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/avremu.tds.zip
on MikTeX	avremu
on T _E XLive	avremu
keyword	emulation (code to emulate “other things”)
language(s)	no language specified
last access	2025-08-30

362 awami – A collection of Awami Nastaliq fonts

Web page on CTAN <https://ctan.org/pkg/awami>

name	awami
caption	A collection of Awami Nastaliq fonts
author	निरंजन
copyright	SIL Global (2014-2025)
license	ofl = The SIL Open Font License (free)
version	3.400
description	(no language specified) Awami Nastaliq is a Nastaliq-style Arabic script font supporting a wide variety of languages of southwest Asia, including but not limited to Urdu. This font is aimed at minority language support. This makes it unique among Nastaliq fonts. The font is also a Graphite-only font. It does not support OpenType rendering.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/awami/README
documentation	(no language specified) <i>Example of use (Urdu)</i> : https://ctan.org/tex-archive/fonts/awami/awami-sample.pdf
– local file	./8879883788-awami-sample.pdf
home page	https://software.sil.org/awami/
contact	<i>bugs</i> : https://github.com/silnrsl/font-awami/issues
contact	<i>repository</i> : https://github.com/silnrsl/font-awami/
on CTAN	https://ctan.org/tex-archive/fonts/awami

on T _E XLive	awami
keyword	font-arabic (fonts for typesetting arabic)
keyword	font (fonts themselves)
keyword	font-ttf (font available in TrueType format)
language(s)	no language specified
year	2025
last access	2025-12-10

363 *aweb* – Web system for programs written in Ada

Web page on CTAN <https://ctan.org/pkg/aweb>

name	aweb
caption	Web system for programs written in Ada
author	Schweigert, U.
license	pd = Public Domain Software (free)
version	1.0
description	(no language specified) The program, which derives from Knuth's original web system, converts a .aweb file to an Ada file. The distribution comprises three parts: Ada code for atangle and aweave, and supporting TeX code for typesetting results.
on CTAN	https://ctan.org/tex-archive/web/aweb
keyword	litprog (literate programming)
language(s)	no language specified
year	without year
last access	2025-02-07

364 **awesomebox** – Draw admonition blocks in your documents, illustrated with FontAwesome icons

Web page on CTAN <https://ctan.org/pkg/awesomebox>

name	awesomebox
caption	Draw admonition blocks in your documents, illustrated with FontAwesome icons
author	Deparis, Étienne
copyright	Étienne Deparis (2016-2019)
license	other-free = Free license not otherwise listed (free)
version	0.6
description	(no language specified) Awesome Boxes is all about drawing admonition blocks around text to inform or alert readers about something particular. The specific aim of this package is to use FontAwesome icons to ease the illustration of these blocks. The package depends on fontawesome5 , xcolor , array and xparse .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/awesomebox/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/awesomebox/awesomebox.pdf
– local file	./3159308046-awesomebox.pdf
home page	https://git.umaneti.net/latex-awesomebox/about/
contact	<i>repository</i> : https://git.umaneti.net/latex-awesomebox/
on CTAN	https://ctan.org/tex-archive/graphics/awesomebox
on MikTeX	awesomebox
on TeXLive	awesomebox
keyword	boxing (creating boxes)
language(s)	no language specified
year	2019
last access	2025-02-07

365 axessibility – Access to formulas in PDF files by assistive technologies

Web page on CTAN <https://ctan.org/pkg/axessibility>

name	axessibility
caption	Access to formulas in PDF files by assistive technologies
author	Murru, Nadir
author	Coriasco, Sandro
copyright	Anna Capietto, Sandro Coriasco, Tiziana Armano, Boris Doubrov, Alexander Kozlovskiy, Nadir Murru, Dragan Ahmetovic, Cristian Bernareggi (2018-2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.0
description	(no language specified) PDF documents containing formulas generated by LaTeX are usually not accessible by assistive technologies for visually impaired people and people with special educational needs (i.e., by screen readers and braille displays). The axessibility package manages this issue, allowing to create a PDF document where the formulas are read by these assistive technologies, since it automatically generates hidden comments in the PDF document (by means of the /ActualText attribute and/or suitable tags) in correspondence to each formula.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/axessibility/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/axessibility/axessibility.pdf
– local file	./7422067078-axessibility.pdf
contact	<i>repository</i> : https://github.com/integr-abile/axessibility
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/axessibility
on MikTeX	axessibility
on T _E XLive	axessibility
keyword	accessible (accessibility support)
see also	see section 5840 on page 5291: (tagpdf – Code for PDF tagging using pdfLaTeX and LuaLaTeX)
see also	see section 34 on page 33: (accsupp – Better accessibility support for PDF files)
language(s)	no language specified

year 2020
last access 2025-02-07

366 axodraw – Feynman diagrams in a LaTeX document

Web page on CTAN <https://ctan.org/pkg/axodraw>

name axodraw

caption Feynman diagrams in a LaTeX document

author Vermaseren, Jos

license nocommercial = No Commercial Use (not free)

description (no language specified) The axodraw package was designed for LaTeX 2.09 (though it does work with current LaTeX), and it assumes dvips output. The package provides a rather flexible set of commands for typesetting Feynman diagrams.

documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/graphics/axodraw/README>

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/graphics/axodraw/axodraw.pdf>

– local file ./4357106793-axodraw.pdf

on CTAN <https://ctan.org/tex-archive/graphics/axodraw>

keyword physics (support for typesetting physics documents)

keyword graphics-in-tex (graphics produced by one of the *TeX engines)

see also see section 2170 on page 1966: (feynmf – Macros and fonts for creating Feynman (and other) diagrams)

language(s) no language specified

year without year

last access 2025-02-07

367 axodraw2 – Feynman diagrams in a LaTeX document

Web page on CTAN <https://ctan.org/pkg/axodraw2>

name	axodraw2
caption	Feynman diagrams in a LaTeX document
author	Vermaseren, Jos
author	Collins, John
copyright	John Collins and Jos Vermaseren (1994-2021)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	2.1.1c (2021-03-05)
last changes	2021-03-05
year	2021
description	(no language specified) This package defines macros for drawing Feynman graphs in LaTeX documents. It is an important update of the axodraw package, but since it is not completely backwards compatible, we have given the style file a changed name. Many new features have been added, with new types of line, and much more flexibility in their properties. In addition, it is now possible to use <code>axodraw2</code> with pdfLaTeX, as well as with the LaTeX-dvips method. However with pdfLaTeX (and also LuaLaTeX and XeLaTeX), an external program, <code>axohelp</code>, is used to perform the geometrical calculations needed for the pdf code inserted in the output file. The processing involves a run of pdfLaTeX, a run of <code>axohelp</code>, and then another run of pdfLaTeX.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/graphics/axodraw2/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/graphics/axodraw2/axodraw2-man.pdf
– local file	<code>./4290472568-axodraw2-man.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/axodraw2
on MikTeX	axodraw2
on TeXLive	axodraw2
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
keyword	physics (support for typesetting physics documents)
language(s)	no language specified

last access 2025-02-07

368 **b1encoding** – LaTeX encoding tools for Bookhands fonts

Web page on CTAN <https://ctan.org/pkg/b1encoding>

name	b1encoding
caption	LaTeX encoding tools for Bookhands fonts
author	Wilson, Peter R.
copyright	Peter R. Wilson (2005)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The package characterises and defines the author's B1 encoding for use with LaTeX when typesetting things using his Bookhands fonts.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/b1encoding/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/b1encoding/b1encoding.pdf
– local file	./6030419951-b1encoding.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/b1encoding
on MikTeX	b1encoding
on TeXLive	b1encoding
keyword	fontenc (support for font encodings)
language(s)	no language specified
year	2005
last access	2025-02-07

369 babel – Multilingual support for LaTeX, LuaLaTeX, XeLaTeX, and Plain TeX

Web page on CTAN <https://ctan.org/pkg/babel>

name	babel
caption	Multilingual support for LaTeX, LuaLaTeX, XeLaTeX, and Plain TeX
author	Bezos López, Javier
author	Braams, Johannes L.
copyright	Johannes Braams et al. (1989-2012)
copyright	Javier Bezos and Johannes L. Braams (2012-2026)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	26.6 (2026-04-15)
last changes	2026-04-15
year	2026
description	(no language specified) Babel is the multilingual environment for LaTeX (tailored for LuaTeX, pdfTeX and XeTeX), and sometimes Plain. Its aim is to provide a comprehensive localization framework for different languages, scripts and cultures based on the latest advances on international standards (Unicode, W3C, OpenType). It supports about 300 languages (with various levels of coverage) across about 45 scripts, including complex (like CJK, Indic) and RTL ones. Besides the traditional <code>.ldf</code> files, there are many locales built on a modern core that utilizes descriptive <code>.ini</code> files, with tools providing precise control over hyphenation and line breaking, captions, date formats (across various calendars), spacing, transliteration, numbering and other locale-specific typographical rules.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/required/babel/base/README.md
documentation	(no language specified) <i>Code documentation</i> : https://ctan.org/tex-archive/macros/latex/required/babel/base/babel-code.pdf
– local file	<code>./6199856697-babel-code.pdf</code>
documentation	(no language specified) <i>User guide</i> : https://ctan.org/tex-archive/macros/latex/required/babel/base/babel.pdf
– local file	<code>./3269180307-babel.pdf</code>
home page	https://latex3.github.io/babel/
contact	<i>bugs</i> : https://github.com/latex3/babel/issues

contact	<i>repository</i> : https://github.com/latex3/babel
on CTAN	https://ctan.org/tex-archive/macros/latex/required/babel/base
installation	https://ctan.org/tex-archive/install/macros/latex/required/babel-base.tds.zip
on MikTeX	babel
on T _E XLive	babel
keyword	multilingual (support for more than one (natural) language)
see also	see section 4753 on page 4303: (polyglossia – An alternative to babel for XeLaTeX and LuaLaTeX)
language(s)	no language specified
last access	2026-04-22

370 babel-albanian – Support for Albanian within babel

Web page on CTAN	https://ctan.org/pkg/babel-albanian
name	babel-albanian
caption	Support for Albanian within babel
author	Bezos López, Javier
author	Braams, Johannes L.
copyright	Johannes Braams, Adi Zaimi (1989-2007)
copyright	Javier Bezos López (2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0d
description	(no language specified) The package provides support for typesetting Albanian (as part of the babel system).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/albanian/albanian.pdf
– local file	./7839296340-albanian.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/albanian/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/albanian

on MikT _E X	babel-albanian
on T _E XLive	babel-albanian
keyword	albanian (support for typesetting Albanian)
keyword	tagged-pdf (tagged PDF compatible)
language(s)	no language specified
year	2020
last access	2026-04-22

371 babel-azerbaijani – Support for Azerbaijani within babel

Web page on CTAN <https://ctan.org/pkg/babel-azerbaijani>

name	babel-azerbaijani
caption	Support for Azerbaijani within babel
author	Bezos López, Javier
copyright	Namig J. Guliyev et al. (2014-2017)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0a (2017-05-03)
last changes	2017-05-03
year	2017
description	(no language specified) This is the babel style for Azerbaijani. This language poses special challenges because no "traditional" font encoding contains the full character set, and therefore a mixture must be used (e.g., T2A and T1). This package is compatible with Unicode engines (LuaTeX, XeTeX), which are very likely the most convenient way to write Azerbaijani documents.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/azerbaijani/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/azerbaijani/azerbaijani.pdf
– local file	./5329285997-azerbaijani.pdf
contact	<i>bugs</i> : http://www.texnia.com/contact.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/azerbaijani

on MikTeX	babel-azerbaijani
on T _E XLive	babel-azerbaijani
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
keyword	azerbaijani (support for typesetting Azerbaijani)
language(s)	no language specified
last access	2026-04-22

372 babel-bahasa – Support for Bahasa within babel

Web page on CTAN <https://ctan.org/pkg/babel-bahasa>

name	babel-bahasa
caption	Support for Bahasa within babel
author	Knappen, Jörg
author	Mart, Terry
author	Braams, Johannes L.
copyright	Johannes L. Braams, Jörg Knappen, Terry Mart (1989-2008)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0l
description	(no language specified) The bundle provides two sets of language typesetting support, for Bahasa Indonesia and Bahasa Malaysia. It has now been split up into and succeeded by the babel-indonesian and the babel-malay package.
documentation	(no language specified) <i>Documentation for Bahasa Indonesia version:</i> https://ctan.org/tex-archive/obsolete/macros/latex/contrib/babel-contrib/bahasa/bahasa.pdf
– local file	./7509879015-bahasa.pdf
documentation	(no language specified) <i>Documentation for Bahasa Malaysia version:</i> https://ctan.org/tex-archive/obsolete/macros/latex/contrib/babel-contrib/bahasa/bahasam.pdf
– local file	./5994654705-bahasam.pdf
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/babel-contrib/bahasa
keyword	obsolete (package declared obsolete)

keyword	bahasa-indonesia+malaysia (support for typesetting Bahasa Indonesia/Malaysia)
keyword	multilingual (support for more than one (natural) language)
language(s)	no language specified
year	2008
last access	2026-04-22

373 babel-basque – Babel contributed support for Basque

Web page on CTAN <https://ctan.org/pkg/babel-basque>

name	babel-basque
caption	Babel contributed support for Basque
author	Aguirregabiria, Juan M.
author	Zubia Garea, Gorka
copyright	Juan M. Aguirregabiria, Johannes Braams (1997-2005)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0f
description	(no language specified) The package establishes Basque conventions in a document.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/basque/basque.pdf
– local file	./8234768260-basque.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/basque
on MikTeX	babel
on TeXLive	babel
keyword	basque (support for typesetting Basque)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
keyword	tagged-pdf (tagged PDF compatible)
language(s)	no language specified
year	2005
last access	2026-04-22

374 babel-belarusian – Babel support for Belarusian

Web page on CTAN <https://ctan.org/pkg/babel-belarusian>

name	babel-belarusian
caption	Babel support for Belarusian
author	Novodvorsky, Aleksey
author	Shadura, Andrej
copyright	Andrej Shadura (2016, 2018)
copyright	Aleksey Novodvorsky (2000)
copyright	Olga Lapko (1995-2008)
copyright	Igor A. Kotelnikov (2011-2016)
copyright	Johannes L. Braams (1989-2012)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.5 (2018-10-09)
last changes	2018-10-09
year	2018
description	(no language specified) The package provides support for use of Babel in documents written in Belarusian.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/belarusian/belarusian.pdf
– local file	./8222281135-belarusian.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/belarusian/README.md
contact	<i>bugs:</i> https://github.com/andrewshadura/babel-belarusian/issues
contact	<i>repository:</i> https://github.com/andrewshadura/babel-belarusian
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/belarusian
on MikTeX	babel-belarusian
on TeXLive	babel-belarusian
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)

keyword	belarusian (support for typesetting Belarusian)
language(s)	no language specified
last access	2026-04-22

375 *babel-bosnian* – Babel contrib support for Bosnian

Web page on CTAN <https://ctan.org/pkg/babel-bosnian>

name	babel-bosnian
caption	Babel contrib support for Bosnian
author	Halilčević, Samir
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1
description	(no language specified) The package provides a language definition file that enables support of Bosnian with babel .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/bosnian/bosnian.pdf
– local file	./6908539989-bosnian.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/bosnian/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/bosnian
on MikTeX	babel-bosnian
on TeXLive	babel-bosnian
keyword	bosnian (support for typesetting in Bosnian)
keyword	tagged-pdf (tagged PDF compatible)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
language(s)	no language specified
year	without year
last access	2026-04-22

376 babel-breton – Babel contributed support for Breton

Web page on CTAN <https://ctan.org/pkg/babel-breton>

name	babel-breton
caption	Babel contributed support for Breton
author	Rolland, Christian
author	Bezos López, Javier
copyright	Christian Rolland (1994-2005)
copyright	Javier Bezos (2026)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0i (2026-01-24)
last changes	2026-01-24
year	2026
description	(no language specified) Breton (being, principally, a spoken language) does not have typographic rules of its own; this package provides an "appropriate" selection of French and British typographic rules.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/babel-breton/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/babel-breton/breton.pdf
– local file	./4578236901-breton.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/babel-breton
on MikTeX	babel
on T _E XLive	babel
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
keyword	breton (support for typesetting in Breton)
language(s)	no language specified
last access	2026-04-22

377 babel-bulgarian – Babel contributed support for Bulgarian

Web page on CTAN <https://ctan.org/pkg/babel-bulgarian>

name	babel-bulgarian
caption	Babel contributed support for Bulgarian
author	Boshnakov, Georgi
author	Braams, Johannes L.
author	Bezos López, Javier
copyright	Johannes Braams and Georgi Boshnakov (1998-2008)
copyright	Georgi Boshnakov (2013)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2g (2013-10-14)
last changes	2013-10-14
year	2013
description	(no language specified) The package provides support for documents in Bulgarian (or simply containing some Bulgarian text).
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/bulgarian/bulgarian.pdf
– local file	./3828303549-bulgarian.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/bulgarian/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/bulgarian
on MikTeX	babel-bulgarian
on TeXLive	babel-bulgarian
keyword	bulgarian (support for typesetting and documentation in Bulgarian)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
language(s)	no language specified
last access	2026-04-22

378 babel-catalan – Babel contributed support for Catalan

Web page on CTAN <https://ctan.org/pkg/babel-catalan>

name	babel-catalan
caption	Babel contributed support for Catalan
author	Badenes Guia, Gonçal
author	Mas Casals, Orestes
author	Ortega, Miquel
copyright	goncal Badenes, Johannes Braams (1991-2005)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.2p
description	(no language specified) The package establishes Catalan conventions in a document (or a subset of the conventions, if Catalan is not the main language of the document).
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/catalan/catalan.pdf
– local file	./7032060966-catalan.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/catalan
on MikTeX	babel-catalan
on TeXLive	babel-catalan
keyword	catalan (documentation in and support for typesetting Catalan)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
language(s)	no language specified
year	2005
last access	2026-04-22

379 babel-croatian – Babel contributed support for Croatian

Web page on CTAN <https://ctan.org/pkg/babel-croatian>

name	babel-croatian
caption	Babel contributed support for Croatian
author	Kokan, Ivan
author	Paić, Alan
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3l
description	(no language specified) The package establishes Croatian conventions in a document (or a subset of the conventions, if Croatian is not the main language of the document).
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/croatian/croatian.pdf
– local file	./5493101108-croatian.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/croatian
on MikTeX	babel-croatian
on TeXLive	babel-croatian
keyword	tagged-pdf (tagged PDF compatible)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
keyword	croatian (support for typesetting Croatian)
language(s)	no language specified
year	without year
last access	2026-04-22

380 babel-czech – Babel support for Czech

Web page on CTAN <https://ctan.org/pkg/babel-czech>

name	babel-czech
caption	Babel support for Czech
author	Braams, Johannes L.
author	Bezos López, Javier
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.1a
description	(no language specified) The package provides the language definition file for support of Czech in babel . Some shortcuts are defined, as well as translations to Czech of standard "LaTeX names".
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/czech/czech.pdf
– local file	./4790026941-czech.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/czech
on MikTeX	babel-czech
on TeXLive	babel-czech
keyword	czech (support for typesetting Czech)
language(s)	no language specified
year	without year
last access	2026-04-22

381 babel-danish – Babel contributed support for Danish

Web page on CTAN <https://ctan.org/pkg/babel-danish>

name	babel-danish
caption	Babel contributed support for Danish
author	Bezos López, Javier
author	Braams, Johannes L.
copyright	Johannes L. Braams (1989-2009)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)

version	1.3s (2021-02-06)
last changes	2021-02-06
year	2021
description	(no language specified) The package provides a language definition, file for use with babel , which establishes Danish conventions in a document (or a subset of the conventions, if Danish is not the main language of the document).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/danish/danish.pdf
– local file	./9320748473-danish.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/danish/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/danish
on MikTeX	babel
on TeXLive	babel
keyword	tagged-pdf (tagged PDF compatible)
keyword	danish (support for typesetting, or documentation in Danish)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
language(s)	no language specified
last access	2026-04-22

382 babel-dutch – Babel contributed support for Dutch

Web page on CTAN <https://ctan.org/pkg/babel-dutch>

name	babel-dutch
caption	Babel contributed support for Dutch
author	Bezos López, Javier
author	Braams, Johannes L.
copyright	Johannes L. Braams, TeXniek (1989-2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.8l (2021-08-29)
last changes	2021-08-29

year	2021
description	(no language specified) The package provides a language definition, file for use with babel , which establishes Dutch conventions in a document (or a subset of the conventions, if Dutch is not the main language of the document).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/dutch/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/dutch/dutch.pdf
– local file	<code>./7870665031-dutch.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/dutch
on MikTeX	babel
on TeXLive	babel
keyword	dutch (support for typesetting Dutch)
keyword	tagged-pdf (tagged PDF compatible)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
language(s)	no language specified
last access	2026-04-22

383 babel-english – Babel support for English

Web page on CTAN <https://ctan.org/pkg/babel-english>

name	babel-english
caption	Babel support for English
author	Bezos López, Javier
author	Braams, Johannes L.
copyright	Johannes L. Braams et al. (1989-2005)
copyright	Javier Bezos, Johannes L. Braams (2013-2017)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.3r (2017-06-06)
last changes	2017-06-06
year	2017

description	(no language specified) The package provides the language definition file for support of English in babel . Care is taken to select <code>british</code> hyphenation patterns for British English and Australian text, and default (<code>american</code>) patterns for Canadian and USA text.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/english/english.pdf
– local file	<code>./4033117464-english.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/english/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/english
on MikTeX	<code>babel-english</code>
on TeXLive	<code>babel-english</code>
keyword	<code>tagged-pdf</code> (tagged PDF compatible)
keyword	<code>english</code> (typesetting specific to English)
keyword	<code>multilingual-addon</code> (extra language ‘drivers’ for existing multilingual packages)
language(s)	no language specified
last access	2026-04-22

384 babel-esperanto – Babel support for Esperanto

Web page on CTAN <https://ctan.org/pkg/babel-esperanto>

name	<code>babel-esperanto</code>
caption	Babel support for Esperanto
author	Bezos López, Javier
author	Braams, Johannes L.
copyright	Javier Bezos, Johannes Braams et al. (1989-2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.5a (2025-07-14)
last changes	2025-07-14
year	2025

description	(no language specified) The package provides the language definition file for support of Esperanto in babel . Some shortcuts are defined, as well as translations to Esperanto of standard "LaTeX names".
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/esperanto/esperanto.pdf
– local file	./2254255822-esperanto.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/esperanto
on MikTeX	babel-esperanto
on TeXLive	babel-esperanto
keyword	tagged-pdf-partially (tagged PDF partially compatible)
keyword	esperanto (support for typesetting Esperanto)
language(s)	no language specified
last access	2026-04-22

385 babel-estonian – Babel support for Estonian

Web page on CTAN <https://ctan.org/pkg/babel-estonian>

name	babel-estonian
caption	Babel support for Estonian
author	Vajakas, Jaan
author	Saar, Enn
copyright	Johannes L. Braams, Jaan Vajakas, Enn Saar (1989-2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1a (2015-08-05)
last changes	2015-08-05
year	2015
description	(no language specified) The package provides the language definition file for support of Estonian in babel . Some shortcuts are defined, as well as translations to Estonian of standard "LaTeX names".
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/estonian/estonian.pdf
– local file	./2085113169-estonian.pdf

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/estonian/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/estonian
on MikTeX	babel-estonian
on T _E XLive	babel-estonian
keyword	estonian (support for typesetting Estonian)
language(s)	no language specified
last access	2026-04-22

386 babel-finnish – Babel support for Finnish

Web page on CTAN	https://ctan.org/pkg/babel-finnish
name	babel-finnish
caption	Babel support for Finnish
author	Bezos López, Javier
author	Braams, Johannes L.
copyright	Johannes L. Braams, Javier Bezos et al. (1989-2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3s (2021-02-06)
last changes	2021-02-06
year	2021
description	(no language specified) The package provides a language description file that enables support of Finnish with babel .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/finnish/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/finnish/finnish.pdf
– local file	./8717420333-finnish.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/finnish
on MikTeX	babel-finnish
on T _E XLive	babel-finnish

keyword	finnish (support for typesetting Finnish)
keyword	tagged-pdf (tagged PDF compatible)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
language(s)	no language specified
last access	2026-04-22

387 babel-french – Babel contributed support for French

Web page on CTAN <https://ctan.org/pkg/babel-french>

name	babel-french
caption	Babel contributed support for French
author	Flipo, Daniel
copyright	Daniel Flipo (1996-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	4.0e (2025-08-15)
last changes	2025-08-15
year	2025
description	(no language specified) The package, formerly known as <code>frenchb</code> , establishes French conventions in a document (or a subset of the conventions, if French is not the main language of the document).
documentation	(no language specified) <i>Package documentation (for pdfLaTeX and XeLaTeX)</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/french/frenchb3.pdf
– local file	<code>./7664024638-frenchb3.pdf</code>
documentation	(French) <i>User manual (for LuaLaTeX)</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/french/frenchb-doc.pdf
– local file	<code>./5756343265-frenchb-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/french/README.md
documentation	(no language specified) <i>Package documentation (for LuaLaTeX)</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/french/frenchb.pdf
– local file	<code>./1505688341-frenchb.pdf</code>

documentation	(French) <i>User manual (for pdfLaTeX and XeLaTeX):</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/french/frenchb3-doc.pdf
– local file	<code>./8966152613-frenchb3-doc.pdf</code>
home page	http://daniel.flipo.free.fr/babel-french
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/french
on MikTeX	<code>babel</code>
on T _E XLive	<code>babel</code>
keyword	<code>french</code> (support for typesetting French)
keyword	<code>tagged-pdf-incompatible</code> (tagged PDF incompatible)
keyword	<code>multilingual-addon</code> (extra language ‘drivers’ for existing multilingual packages)
language(s)	French
last access	2026-04-22

388 babel-friulan – Babel/Polyglossia support for Friulan(Furlan)

Web page on CTAN	https://ctan.org/pkg/babel-friulan
name	<code>babel-friulan</code>
caption	Babel/Polyglossia support for Friulan(Furlan)
author	Beccari, Claudio
copyright	Claudio Beccari (2012-2016)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3
description	(no language specified) The package provides a language description file that enables support of Friulan either with babel or with polyglossia .
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/friulan/README.txt
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/friulan/friulan.pdf
– local file	<code>./7625811303-friulan.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/friulan

on MikTeX	babel-friulan
on T _E XLive	babel-friulan
keyword	tagged-pdf (tagged PDF compatible)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
language(s)	no language specified
year	2016
last access	2026-04-22

389 babel-galician – Babel/Polyglossia support for Galician

Web page on CTAN <https://ctan.org/pkg/babel-galician>

name	babel-galician
caption	Babel/Polyglossia support for Galician
author	Música de Rivera, Javier
license	l _{pl} 1.3 = The LaTeX Project Public License 1.3 (free)
version	4.3c (2008-07-06)
last changes	2008-07-06
year	2008
description	(no language specified) The package provides a language description file that enables support of Galician either with babel or with polyglossia .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/galician/galician.pdf
– local file	./3038498728-galician.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/galician
on MikTeX	babel-galician
on T _E XLive	babel-galician
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
language(s)	no language specified
last access	2026-04-22

390 babel-georgian – Babel support for Georgian

Web page on CTAN <https://ctan.org/pkg/babel-georgian>

name	babel-georgian
caption	Babel support for Georgian
author	Shoshiashvili, Levan
author	Lemberg, Werner
copyright	Levan Shoshiashvili (2017)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.2
description	(no language specified) The package provides support for use of Babel in documents written in Georgian. The package is adapted for use both under ‘traditional’ TeX engines, and under XeTeX and LuaTeX.
home page	http://tex.tsu.ge
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/georgian
on MikTeX	babel-georgian
on TeXLive	babel-georgian
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
keyword	georgian (support for typesetting Georgian)
language(s)	no language specified
year	2017
last access	2026-04-22

391 babel-german – Babel support for documents written in German

Web page on CTAN <https://ctan.org/pkg/babel-german>

name	babel-german
caption	Babel support for documents written in German
author	Spitzmüller, Jürgen
author	Raichle, Bernd
author	Braams, Johannes L.
copyright	Bernd Raichle, Johannes Braams, Walter Schmidt, Juergen Spitzmüller (1989-2026)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.3 (2026-04-18)
last changes	2026-04-18
year	2026
description	(no language specified) This bundle is an extension to the babel package for multilingual typesetting. It provides all the necessary macros, definitions and settings to typeset German documents. The bundle includes support for the traditional and reformed German orthography as well as for the Austrian and Swiss varieties of German.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/german/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/german/babel-german.pdf
– local file	./8804498224-babel-german.pdf
contact	<i>bugs</i> : https://codeberg.org/jspitz/babel-german/issues
contact	<i>repository</i> : https://codeberg.org/jspitz/babel-german
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/german
on MikTeX	babel-german
on T _E XLive	babel-german
keyword	german (support for typesetting German)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
language(s)	no language specified

last access 2026-04-22

392 *babel-greek* – Babel support for the Greek language and script

Web page on CTAN <https://ctan.org/pkg/babel-greek>

name	babel-greek
caption	Babel support for the Greek language and script
author	Milde, Günter
author	Syropoulos, Apostolos
author	Bezos López, Javier
author	Braams, Johannes L.
copyright	Günter Milde (2013-2023)
copyright	Apostolos Syropoulos, Johannes Braams (1989-2008)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.15 (2023-10-13)
last changes	2023-10-13
year	2023
description	(no language specified) The bundle provides comprehensive support for the Greek language and script via the Babel system. Document authors can select between the monotonic (single-diacritic), polytonic (multiple-diacritic), and ancient orthography of the Greek language. Included are the packages <code>grmath</code> for Greek function names in mathematics, and <code>athnum</code> for Attic numerals.
documentation	(no language specified) <i>Documentation (HTML)</i>: https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/greek/babel-greek-doc.html
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/greek/README.md
contact	<i>bugs</i> : https://codeberg.org/milde/greek-tex/issues
contact	<i>repository</i> : https://codeberg.org/milde/greek-tex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/greek
on MikTeX	babel-greek
on T _E XLive	babel-greek

keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
keyword	greek (support for typesetting Greek)
keyword	tagged-pdf-partially (tagged PDF partially compatible)
language(s)	no language specified
last access	2026-04-22

393 babel-hebrew – Babel support for Hebrew

Web page on CTAN <https://ctan.org/pkg/babel-hebrew>

name	babel-hebrew
caption	Babel support for Hebrew
author	Bezos López, Javier
author	Braams, Johannes L.
author	Lavva, Boris
author	Rosendahl, Arthur
author	Fogiel, Udi
copyright	Boris Lavva and Johannes Braams (1997-2005)
copyright	Udi Fogiel (2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.5 (2026-02-16)
last changes	2026-02-16
year	2026
description	(no language specified) The package provides the language definition file for support of Hebrew in babel. Macros to control the use of text direction control of TeX–XeT and e-TeX are provided (and may be used elsewhere). Some shortcuts are defined, as well as translations to Hebrew of standard “LaTeX names”. For questions, bug reports, or support, please open an issue in the repository. Note: the package is in maintenance mode. Bugs will be fixed, but no new features will be added. The <code>.ldf</code> file is only compatible with pdfLaTeX or LaTeX. Even then, for documents containing more than a short text in Hebrew, it is strongly recommended to use LuaTeX (with babel’s <code>.ini</code> file or polyglossia). For short

394 babel-hungarian – Babel support for Hungarian

texts with pdfTeX, use the `.ini` file. Consult the documentation of babel for better settings for Hebrew.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/hebrew/hebrew.pdf
– local file	<code>./5246397375-hebrew.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/hebrew/README.md
contact	<i>bugs</i> : https://codeberg.org/Udi-Fogiel/babel-hebrew/issues
contact	<i>repository</i> : https://codeberg.org/Udi-Fogiel/babel-hebrew
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/hebrew
on MikTeX	babel-hebrew
on TeXLive	babel-hebrew
keyword	hebrew (documentation in and support for typesetting Hebrew)
language(s)	no language specified
last access	2026-04-22

394 babel-hungarian – Babel support for Hungarian

Web page on CTAN <https://ctan.org/pkg/babel-hungarian>

name	babel-hungarian
caption	Babel support for Hungarian
author	Szabó, Péter
author	Tómacs, Tibor
copyright	Péter Szabó (2003-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.6a (2026-02-03)
last changes	2026-02-03
year	2026
description	(no language specified) The package provides a language definition file that enables support of Hungarian with babel .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/hungarian/README

home page	https://www.math.bme.hu/latex/
contact	repository: https://github.com/tibortomacs/babel-hungarian
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/hungarian
on MikTeX	babel-hungarian
on TeXLive	babel-hungarian
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
keyword	hungarian (support for typesetting Hungarian)
language(s)	no language specified
last access	2026-04-22

395 babel-icelandic – Babel support for Icelandic

Web page on CTAN	https://ctan.org/pkg/babel-icelandic
name	babel-icelandic
caption	Babel support for Icelandic
author	Bezoz López, Javier
author	Árnason, Einar
author	Braams, Johannes L.
copyright	Einar Árnason, Johannes L. Braams and Javier Bezoz (1989-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3 (2019-07-04)
last changes	2019-07-04
year	2019
description	(no language specified) The package provides the language definition file for support of Icelandic in babel . Some shortcuts are defined, as well as translations to Icelandic of standard “LaTeX names”.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/icelandic/icelandic.pdf
– local file	./4275540096-icelandic.pdf

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/icelandic/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/icelandic
on MikTeX	babel-icelandic
on TeXLive	babel-icelandic
keyword	icelandic (support for typesetting the Icelandic language)
language(s)	no language specified
last access	2026-04-22

396 babel-indonesian – Support for Indonesian within babel

Web page on CTAN	https://ctan.org/pkg/babel-indonesian
name	babel-indonesian
caption	Support for Indonesian within babel
author	Bezos López, Javier
author	Braams, Johannes L.
author	Mart, Terry
author	Knappen, Jörg
copyright	Johannes L. Braams, Jörg Knappen, Terry Mart (1989-2008)
copyright	Johannes L. Braams, Javier Bezos (2017)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0n
description	(no language specified) This is the babel style for Indonesian.
documentation	(no language specified) <i>Documentation for Bahasa indonesia version</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/indonesian/indonesian.pdf
– local file	./4199042285-indonesian.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/indonesian
on MikTeX	babel-indonesian
on TeXLive	babel-indonesian
keyword	tagged-pdf (tagged PDF compatible)

keyword	bahasa-indonesia+malaysia (support for typesetting Bahasa Indonesia/Malaysia)
keyword	multilingual (support for more than one (natural) language)
language(s)	no language specified
year	2017
last access	2026-04-22

397 babel-interlingua – Babel support for Interlingua

Web page on CTAN <https://ctan.org/pkg/babel-interlingua>

name	babel-interlingua
caption	Babel support for Interlingua
author	Braams, Johannes L.
author	Bezós López, Javier
copyright	Johannes L. Braams (1989-2005)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.6
description	(no language specified) The package provides the language definition file for support of Interlingua in babel. Translations to Interlingua of standard "LaTeX names" (no shortcuts are provided). Interlingua itself is an auxiliary language, built from the common vocabulary of Spanish/Portuguese, English, Italian and French, with some normalisation of spelling.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/interlingua/interlingua.pdf
– local file	./7548196840-interlingua.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/interlingua
on MikTeX	babel-interlingua
on TeXLive	babel-interlingua
keyword	tagged-pdf (tagged PDF compatible)
keyword	interlingua (support for typesetting interlingua)
language(s)	no language specified

year 2005
last access 2026-04-22

398 babel-irish – Babel support for Irish

Web page on CTAN <https://ctan.org/pkg/babel-irish>

name babel-irish
caption Babel support for Irish
author Braams, Johannes L.
author Bezos López, Javier
copyright Johannes L. Braams (1989-2005)
license lpl1.3 = The LaTeX Project Public License 1.3 (free)
version 1.0h
description (no language specified) The package provides the language definition file for support of Irish Gaelic in **babel**. The principal content is translations to Irish of standard "LaTeX names".
(No shortcuts are defined.)
documentation (no language specified) *Package documentation:*
<https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/irish/irish.pdf>
– local file ./1097794519-irish.pdf
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/irish>
on MikTeX babel-irish
on T_EXLive babel-irish
keyword irish-gaelic (support for typesetting the Irish (gaelic) language)
keyword tagged-pdf (tagged PDF compatible)
language(s) no language specified
year 2005
last access 2026-04-22

399 babel-italian – Babel support for Italian text

Web page on CTAN <https://ctan.org/pkg/babel-italian>

name	babel-italian
caption	Babel support for Italian text
author	Codogno, Maurizio
author	Braams, Johannes L.
author	Bezos López, Javier
author	Beccari, Claudio
copyright	Claudio Beccari (1990-2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.5.02
description	(no language specified) The package provides language definitions for use in babel .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/italian/italian.pdf
– local file	./8574667392-italian.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/italian/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/italian
on MikTeX	babel
on T _E XLive	babel
keyword	italian (support for typesetting Italian)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
language(s)	no language specified
year	2026
last access	2026-04-22

400 babel-japanese – Babel support for Japanese

Web page on CTAN <https://ctan.org/pkg/babel-japanese>

name	babel-japanese
caption	Babel support for Japanese
author	Japanese TeX Development Community
author	Ing
copyright	Japanese TeX Development Community (2016-2021)
copyright	ING (Toru Inagaki) (1999-2007)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2021-02-13)
last changes	2021-02-13
year	2021
description	(no language specified) This package provides a <code>japanese</code> option for the babel package. It defines all the language definition macros in Japanese. Currently this package works with pLaTeX, upLaTeX, XeLaTeX and LuaLaTeX.
documentation	(English + Japanese) <i>Package documentation (Japanese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/japanese/babel-japanese.pdf
– local file	<code>./9746858010-babel-japanese.pdf</code>
documentation	(no language specified) <i>User guide</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/japanese/japanese.pdf
– local file	<code>./6151612095-japanese.pdf</code>
documentation	<i>Example of use (Japanese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/japanese/babel-japanese-sample.pdf
– local file	<code>./5991509807-babel-japanese-sample.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/japanese/README.md
contact	<i>repository</i> : https://github.com/texjporg/babel-japanese
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/japanese
on MikTeX	babel-japanese
on T _E XLive	babel-japanese

keyword	japanese (support for typesetting Japanese)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
language(s)	English + Japanese; Japanese
last access	2026-04-22

401 babel-kurmanji – Babel support for Kurmanji

Web page on CTAN <https://ctan.org/pkg/babel-kurmanji>

name	babel-kurmanji
caption	Babel support for Kurmanji
author	Bezos López, Javier
author	Braams, Johannes L.
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1
description	(no language specified) The package provides the language definition file for support of Kurmanji in babel. Kurmanji belongs to the family of Kurdish languages. Some shortcuts are defined, as well as translations to Kurmanji of standard “LaTeX names”. Note that the package is dealing with ‘Northern’ Kurdish, written using a Latin-based alphabet. The arabxetex package offers support for Kurdish written in Arabic script.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/kurmanji/kurmanji.pdf
– local file	./4615578104-kurmanji.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/kurmanji
on MikTeX	babel-kurmanji
on TeXLive	babel-kurmanji
keyword	kurmanji (support for typesetting Kurmanji)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
keyword	kurdish (support for typesetting Kurdish)
language(s)	no language specified

year	without year
last access	2026-04-22

402 babel-latín – Babel support for Latin

Web page on CTAN <https://ctan.org/pkg/babel-latín>

name	babel-latín
caption	Babel support for Latin
author	Braams, Johannes L.
author	Bezos López, Javier
author	Wehr, Keno
author	Beccari, Claudio
copyright	Claudio Beccari (2009-2020)
copyright	Johannes L. Braams (1989-2008)
copyright	Keno Wehr (2021-2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	4.3 (2025-08-27)
last changes	2025-08-27
year	2025
description	(no language specified) The babel-latín package provides the babel languages <code>latin</code> , <code>classicallatin</code> , <code>medievallatin</code> , and <code>ecclesiasticallatin</code> . It also defines several useful shorthands as well as some modifiers for typographical fine-tuning.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/latin/latin.pdf
– local file	<code>./9132493145-latín.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/latin/README
contact	<i>bugs</i> : https://github.com/wehro/babel-latín/issues
contact	<i>repository</i> : https://github.com/wehro/babel-latín
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/latin
on MikTeX	babel-latín

on T _E XLive	babel-latin
keyword	latin (support for typesetting Latin (ancient, medieval and ‘modern’))
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
language(s)	no language specified
last access	2026-04-22

403 babel-latvian – Babel support for Latvian

Web page on CTAN <https://ctan.org/pkg/babel-latvian>

name	babel-latvian
caption	Babel support for Latvian
author	Bezos López, Javier
author	Lasis, Andris
copyright	Andris Lasis (1999-2000)
copyright	Javier Bezos et al. (2014-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.0c (2024-04-27)
last changes	2024-04-27
year	2024
description	(no language specified) The package provides the language definition file for support of Latvian in babel .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/latvian/latvian.pdf
– local file	./8302654984-latvian.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/latvian/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/latvian
on MikT _E X	babel-latvian
on T _E XLive	babel-latvian
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)

keyword *latvian* (support for typesetting Latvian)
 language(s) no language specified
 last access 2026-04-22

404 babel-lithuanian – Babel support for documents written in Lithuanian

Web page on CTAN <https://ctan.org/pkg/babel-lithuanian>

Alias *lithuanian-babel*

name *babel-lithuanian*

caption Babel support for documents written in Lithuanian

author Tolušis, Sigitas

copyright Sigitas Tolušis et al. (2023)

license lpl1.3 = The LaTeX Project Public License 1.3 (free)

version 1.0 (2023-03-07)

last changes 2023-03-07

year 2023

description (no language specified) **Babel** support material for documents written in Lithuanian moved from the **lithuanian** package into a new package *babel-lithuanian* to match babel support for other languages.

documentation (no language specified) *Package documentation:*
<https://ctan.org/tex-archive/macros/latex/required/babel/contrib/lithuanian/babel-lithuanian.pdf>

– local file ./3233469775-babel-lithuanian.pdf

documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/macros/latex/required/babel/contrib/lithuanian/README.md>

on CTAN <https://ctan.org/tex-archive/macros/latex/required/babel/contrib/lithuanian>

on MikTeX *babel-lithuanian*

on T_EXLive *babel-lithuanian*

keyword multilingual-addon (extra language ‘drivers’ for existing multilingual packages)

keyword *lithuanian* (support for typesetting Lithuanian)

language(s) no language specified

last access 2026-04-22

405 babel-macedonian – Babel module to support Macedonian Cyrillic

Web page on CTAN <https://ctan.org/pkg/babel-macedonian>

name	babel-macedonian
caption	Babel module to support Macedonian Cyrillic
author	Trajanovski, Stojan
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2016-02-05)
last changes	2016-02-05
year	2016
description	(no language specified) The package provides support for Macedonian documents written in Cyrillic, in babel .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/macedonian/macedonian.pdf
– local file	./4783477798-macedonian.pdf
documentation on CTAN	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/macedonian/README.md
on MikTeX	babel-macedonian
on TeXLive	babel-macedonian
keyword	macedonian (documentation in, and support for typesetting Macedonian)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
language(s)	no language specified
last access	2026-04-22

406 babel-malay – Support for Malay within babel

Web page on CTAN <https://ctan.org/pkg/babel-malay>

name	babel-malay
caption	Support for Malay within babel
author	Braams, Johannes L.
author	Bezoz López, Javier
author	Knappen, Jörg
author	Mart, Terry
copyright	Johannes L. Braams, Javier Bezoz (2017)
copyright	Johannes L. Braams, Jörg Knappen, Terry Mart (1989-2008)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0m
description	(no language specified) This is the babel style for Malay.
documentation	(no language specified) <i>Documentation for Bahasa Malaysia version:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/malay/malay.pdf
– local file	./5329139791-malay.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/malay
on MikTeX	babel-malay
on TeXLive	babel-malay
keyword	multilingual (support for more than one (natural) language)
keyword	bahasa-indonesia+malaysia (support for typesetting Bahasa Indonesia/Malaysia)
keyword	tagged-pdf (tagged PDF compatible)
language(s)	no language specified
year	2017
last access	2026-04-22

407 babel-norsk – Babel support for Norwegian

Web page on CTAN <https://ctan.org/pkg/babel-norsk>

name	babel-norsk
caption	Babel support for Norwegian
author	Bezos López, Javier
author	Braams, Johannes L.
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.0k (2024-03-18)
last changes	2024-03-18
year	2024
description	(no language specified) The package provides the language definition file for support of Norwegian in babel . Some shortcuts are defined, as well as translations to Norsk of standard "LaTeX names".
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/norsk/norsk.pdf
– local file	./7754677470-norsk.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/norsk
on MikTeX	babel-norsk
on T _E XLive	babel-norsk
keyword	tagged-pdf (tagged PDF compatible)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
keyword	norwegian (support for typesetting Norwegian)
language(s)	no language specified
last access	2026-04-22

408 babel-occitan – Babel support for Occitan

Web page on CTAN <https://ctan.org/pkg/babel-occitan>

name	babel-occitan
caption	Babel support for Occitan
author	Valmary, Cédric
copyright	Cédric Valmary (2015-2016)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2
description	(no language specified) Occitan language description file with usage instructions.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/occitan/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/occitan/occitan.pdf
– local file	./3069612254-occitan.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/occitan
on T _E XLive	babel-occitan
keyword	occitan (support for typesetting Occitan)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
language(s)	no language specified
year	2016
last access	2026-04-22

409 babel-piedmontese – Babel support for Piedmontese

Web page on CTAN <https://ctan.org/pkg/babel-piedmontese>

name	babel-piedmontese
caption	Babel support for Piedmontese
author	Beccari, Claudio
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The package provides the language definition file for support of Piedmontese in babel . Some shortcuts are defined, as well as translations to Piedmontese of standard "LaTeX names".
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/piedmontese/piedmontese.pdf
– local file	./3141765311-piedmontese.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/piedmontese
on MikTeX	babel-piedmontese
on TeXLive	babel-piedmontese
keyword	piedmontese (support for typesetting Piedmontese)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
language(s)	no language specified
year	without year
last access	2026-04-22

410 babel-polish – Babel support for Polish

Web page on CTAN <https://ctan.org/pkg/babel-polish>

name	babel-polish
caption	Babel support for Polish
author	Janich, Michael
author	Woliński, Marcin
author	Bezos López, Javier

411 *babel-portuges* – Babel support for Portuges

author	Schalück, Elmar
author	Braams, Johannes L.
copyright	Johannes Braams, Elmar Schalueck and Michael Janich (1989-2005)
copyright	Marcin Woliński (2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3
description	(no language specified) The package provides the language definition file for support of Polish in babel . Some shortcuts are defined, as well as translations to Polish of standard "LaTeX names".
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/polish/polish.pdf
– local file	./6676096183-polish.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/polish
on MikTeX	babel-polish
on T _E XLive	babel-polish
keyword	tagged-pdf (tagged PDF compatible)
keyword	polish (support for typesetting Polish)
language(s)	no language specified
year	2022
last access	2026-04-22

411 *babel-portuges* – Babel support for Portuges

Web page on CTAN <https://ctan.org/pkg/babel-portuges>

name	babel-portuges
caption	Babel support for Portuges
author	Braams, Johannes L.
author	Bezos López, Javier
copyright	Johannes L. Braams, Javier Bezos, et al. (1989-2026)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2u (2026-01-24)

last changes	2026-01-24
year	2026
description	(no language specified) The package provides the language definition file for support of Portuguese and Brazilian Portuguese in babel . Some shortcuts are defined, as well as translations to Portuguese of standard "LaTeX names".
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/portuges/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/portuges/portuges.pdf
– local file	./5183433256-portuges.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/portuges
on MikTeX	babel-portuges
on TeXLive	babel-portuges
keyword	portuguese-br (support for typesetting Brazilian Portuguese)
keyword	tagged-pdf (tagged PDF compatible)
keyword	portuguese (support for typesetting Portuguese)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
language(s)	no language specified
last access	2026-04-22

412 babel-romanian – Babel support for Romanian

Web page on CTAN <https://ctan.org/pkg/babel-romanian>

name	babel-romanian
caption	Babel support for Romanian
author	Juhasz, Robert
author	Horst, Umstatter
author	Bezos López, Javier
author	Braams, Johannes L.
copyright	Javier Bezos López (2021)
copyright	Johannes L. Braams (1989-2005)

license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2m
description	(no language specified) The package provides the language definition file for support of Romanian in <code>babel</code> . Translations to Romanian of standard "LaTeX names" are provided.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/romanian/romanian.pdf
– local file	<code>./6878147522-romanian.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/romanian
on MikTeX	<code>babel-romanian</code>
on TeXLive	<code>babel-romanian</code>
keyword	<code>romanian</code> (support for typesetting Romanian)
keyword	<code>tagged-pdf</code> (tagged PDF compatible)
language(s)	no language specified
year	2021
last access	2026-04-22

413 `babel-romansh` – *Babel/Polyglossia support for the Romansh language*

Web page on CTAN	https://ctan.org/pkg/babel-romansh
name	<code>babel-romansh</code>
caption	Babel/Polyglossia support for the Romansh language
author	Beccari, Claudio
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2012-04-13)
last changes	2012-04-13
year	2012
description	(no language specified) The package provides a language description file that enables support of Romansh either with <code>babel</code> or with <code>polyglossia</code> .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/romansh/romansh.pdf

– local file	<code>./8898326649-romansh.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/romansh
on MikTeX	<code>romansh</code>
on TeXLive	<code>babel-romansh</code>
keyword	<code>tagged-pdf</code> (tagged PDF compatible)
keyword	<code>multilingual-addon</code> (extra language ‘drivers’ for existing multilingual packages)
language(s)	no language specified
last access	2026-04-22

414 *babel-russian* – Russian language module for Babel

Web page on CTAN <https://ctan.org/pkg/babel-russian>

name	<code>babel-russian</code>
caption	Russian language module for Babel
author	Kotelnikov, Igor A.
copyright	Igor A. Kotelnikov (2011-2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3m (2021-01-10)
last changes	2021-01-10
year	2021
description	(no language specified) The package provides support for use of Babel in documents written in Russian (in both “traditional” and modern forms). The support is adapted for use both under ‘traditional’ TeX engines, and under XeTeX and LuaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/russian/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/russian/russianb.pdf
– local file	<code>./5293310456-russianb.pdf</code>
home page	https://github.com/kia999/babel-russian
contact	<i>bugs</i> : https://github.com/kia999/babel-russian/issues

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/russian
on MikTeX	babel-russian
on TeXLive	babel-russian
keyword	russian (support for typesetting Russian)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
language(s)	no language specified
last access	2026-04-22

415 babel-samin – Babel support for Samin

Web page on CTAN	https://ctan.org/pkg/babel-samin
name	babel-samin
caption	Babel support for Samin
author	Jernsletten, Regnor
author	Braams, Johannes L.
author	Bezos López, Javier
copyright	Johannes L. Braams and any individual authors (1989-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0d
description	(no language specified) The package provides the language definition file for support of North Sami in babel. (Several Sami dialects/languages are spoken in Finland, Norway, Sweden and on the Kola Peninsula of Russia). Not all use the same alphabet, and no attempt is made to support any other than North Sami here. Some shortcuts are defined, as well as translations to Norsk of standard “LaTeX names”.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/samin/samin.pdf
– local file	./4226997257-samin.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/samin
on MikTeX	babel-samin

on T _E XLive	babel-samin
keyword	tagged-pdf (tagged PDF compatible)
keyword	samin (support for typesetting samín)
language(s)	no language specified
year	2024
last access	2026-04-22

416 babel-scottish – Babel support for Scottish Gaelic

Web page on CTAN <https://ctan.org/pkg/babel-scottish>

name	babel-scottish
caption	Babel support for Scottish Gaelic
author	Bezos López, Javier
author	Braams, Johannes L.
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0h (2024-01-27)
last changes	2024-01-27
year	2024
description	(no language specified) The package provides the language definition file for support of Gaidhlig (Scottish Gaelic) in babel . Some shortcuts are defined, as well as translations of standard “LaTeX names”.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/scottish/scottish.pdf
– local file	./9093173347-scottish.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/scottish/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/scottish
on MikT _E X	babel-scottish
on T _E XLive	babel-scottish
keyword	tagged-pdf (tagged PDF compatible)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)

keyword `scottish` (support for typesetting Gaidhlig (Scottish Gaelic))
 language(s) no language specified
 last access 2026-04-22

417 `babel-serbian` – **Babel/Polyglossia support for Serbian**

Web page on CTAN <https://ctan.org/pkg/babel-serbian>

name `babel-serbian`
 caption Babel/Polyglossia support for Serbian
 author Stefanović, Uroš
 author Braams, Johannes L.
 author Bezos López, Javier
 copyright Uroš Stefanović et al. (2019-2022)
 license lpl1.3 = The LaTeX Project Public License 1.3 (free)
 version 2.2a (2022-09-30)
 last changes 2022-09-30
 year 2022
 description (no language specified) The package provides support for Serbian documents written in Latin, in **`babel`** .
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/serbian/README.md>
 documentation (no language specified) *Package documentation*:
 <https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/serbian/serbian.pdf>
 – local file `./3908400696-serbian.pdf`
 on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/serbian>
 on MikTeX `babel-serbian`
 on T_EXLive `babel-serbian`
 keyword multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
 keyword `serbian` (documentation in, and support for typesetting Serbian)
 language(s) no language specified
 last access 2026-04-22

418 babel-serbianc – Babel module to support Serbian Cyrillic

Web page on CTAN <https://ctan.org/pkg/babel-serbianc>

name	babel-serbianc
caption	Babel module to support Serbian Cyrillic
author	Brčić, Filip
author	Stefanović, Uroš
copyright	Uroš Stefanović (2019-2022)
copyright	Filip Brčić (2002-2019)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.2a (2022-09-30)
last changes	2022-09-30
year	2022
description	(no language specified) The package provides support for Serbian documents written in Cyrillic, in babel .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/serbianc/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/serbianc/serbianc.pdf
– local file	./6387869038-serbianc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/serbianc
on MikTeX	babel-serbianc
on TeXLive	babel-serbianc
keyword	serbian (documentation in, and support for typesetting Serbian)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
language(s)	no language specified
last access	2026-04-22

419 babel-slovak – Babel support for typesetting Slovak

Web page on CTAN <https://ctan.org/pkg/babel-slovak>

name	babel-slovak
caption	Babel support for typesetting Slovak
author	Chlebíková, Jana
author	Bezos López, Javier
author	Braams, Johannes L.
author	Tesařík, Petr
copyright	Jana Chlebikova (1989-2001)
copyright	Johannes Braams (1989-2008)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.1a
description	(no language specified) The package provides the language definition file for support of Slovak in babel , including Slovak variants of LaTeX built-in-names. Shortcuts are also defined.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/slovak/slovak.pdf
– local file	./2511383431-slovak.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/slovak
on MikTeX	babel-slovak
on T _E XLive	babel-slovak
keyword	slovak (support for typesetting, and documentation in Slovak)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
language(s)	no language specified
year	2008
last access	2026-04-22

420 babel-slovenian – Babel support for typesetting Slovenian

Web page on CTAN <https://ctan.org/pkg/babel-slovenian>

name	babel-slovenian
caption	Babel support for typesetting Slovenian
author	Bezos López, Javier
author	Braams, Johannes L.
copyright	Johannes L. Braams and any individual authors (1989-2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2p (2025-05-10)
last changes	2025-05-10
year	2025
description	(no language specified) The package provides the language definition file for support of Slovenian in babel . Several shortcuts are defined, as well as translations to Slovenian of standard "LaTeX names".
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/slovenian/slovene.pdf
– local file	./5787944354-slovene.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/slovenian
on MikTeX	babel-slovenian
on TeXLive	babel-slovenian
keyword	slovenian (support for typesetting, and documentation in Slovenian)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
keyword	tagged-pdf (tagged PDF compatible)
language(s)	no language specified
last access	2026-04-22

421 babel-sorbian – Babel support for Upper and Lower Sorbian

Web page on CTAN <https://ctan.org/pkg/babel-sorbian>

name	babel-sorbian
caption	Babel support for Upper and Lower Sorbian
author	Bezos López, Javier
author	Braams, Johannes L.
author	Werner, Eduard
copyright	Eduard Werner and Johannes Braams (1994-2008)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0j (2021-11-06)
last changes	2021-11-06
year	2021
description	(no language specified) The package provides language definitions file for support of both Upper and Lower Sorbian, in babel . Some shortcuts are defined, as well as translations to the relevant language of standard "LaTeX names".
documentation	(no language specified) <i>Package documentation (Lower Sorbian)</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/sorbian/lsorbian.pdf
– local file	./9982274399-lsorbian.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/sorbian/README.md
documentation	(no language specified) <i>Package documentation (Upper Sorbian)</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/sorbian/usorbian.pdf
– local file	./1634197853-usorbian.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/sorbian
on MikTeX	babel-sorbian
on TeXLive	babel-sorbian
keyword	sorbian (support for typesetting Sorbian)
keyword	tagged-pdf (tagged PDF compatible)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)

language(s) no language specified
last access 2026-04-22

422 babel-spanglish – Simplified Spanish support for Babel

Web page on CTAN <https://ctan.org/pkg/babel-spanglish>

name babel-spanglish
caption Simplified Spanish support for Babel
author Rivera, Luis
copyright J. Luis Rivera N. (2008-2015)
license lpl1.3 = The LaTeX Project Public License 1.3 (free)
version 0.3 (2015-05-20)
last changes 2015-05-20
year 2015
description (no language specified) The package provides very simplified (or ultra sloppy) support for Spanish in **Babel**, mostly as a fallback in case **spanish.lfd** fails for some reason. The package provides basic support for Spanish hyphenation, captions, date, frenchspacing, indentfirst, symbolic footnotes, enumerations, small caps roman numerals, and a handful of shorthands and Spanish mathematical operators. No options or attributes for customization are provided.
According to the author, the purpose of this package is nowadays better served by the **babel** package with option `spanish.mexico`.
documentation (no language specified) *Readme:*
<https://ctan.org/tex-archive/obsolete/macros/latex/contrib/babel-contrib/spanglish/README>
on CTAN <https://ctan.org/tex-archive/obsolete/macros/latex/contrib/babel-contrib/spanglish>
on MikTeX spanglish
keyword multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
keyword obsolete (package declared obsolete)
keyword spanish (support for typesetting Spanish)
language(s) no language specified
last access 2026-04-22

423 babel-spanish – Babel support for Spanish

Web page on CTAN <https://ctan.org/pkg/babel-spanish>

Alias	spanish
name	babel-spanish
caption	Babel support for Spanish
author	Bezos López, Javier
author	Sanchez, Julio
copyright	Javier Bezos and CervanTeX (1997-2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	5.0q (2021-05-27)
last changes	2021-05-27
year	2021
description	(no language specified) This bundle provides the means to typeset Spanish text, with the support provided by the LaTeX standard package babel . Note that separate support is provided for those who wish to typeset Spanish as written in Mexico .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/spanish/README.md
documentation	(Spanish) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/spanish/spanish.pdf
– local file	./4103034504-spanish.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/spanish
on MikTeX	babel-spanish
on TeXLive	babel-spanish
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
keyword	tagged-pdf-incompatible (tagged PDF incompatible)
keyword	spanish (support for typesetting Spanish)
language(s)	Spanish
last access	2026-04-22

424 babel-swedish – Babel support for typesetting Swedish

Web page on CTAN <https://ctan.org/pkg/babel-swedish>

name	babel-swedish
caption	Babel support for typesetting Swedish
author	Bezos López, Javier
author	Hellman, Sten
author	Braams, Johannes L.
copyright	Johannes Braams, Sten Hellman (1989-2005)
copyright	Javier Bezos López (2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.3e (2021-02-06)
last changes	2021-02-06
year	2021
description	(no language specified) The package provides the language definition file for Swedish.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/swedish/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/swedish/swedish.pdf
– local file	./4792436109-swedish.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/swedish
on MikTeX	babel-swedish
on TeXLive	babel-swedish
keyword	swedish (support for typesetting Swedish)
keyword	tagged-pdf (tagged PDF compatible)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
language(s)	no language specified
last access	2026-04-22

425 babel-thai – Support for Thai within babel

Web page on CTAN <https://ctan.org/pkg/babel-thai>

name	babel-thai
caption	Support for Thai within babel
author	Karoonboonyanan, Theppitak
copyright	NECTEC, Thailand (1999)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0.0
description	(no language specified) The package provides support for typesetting Thai text. within the babel system.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/thai/thai.pdf
– local file	./7391481938-thai.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/thai
on MikTeX	babel-thai
on T _E XLive	babel-thai
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
keyword	thai (support for typesetting, and documentation in Thai)
language(s)	no language specified
year	1999
last access	2026-04-22

426 babel-turkish – Babel support for Turkish documents

Web page on CTAN <https://ctan.org/pkg/babel-turkish>

name	babel-turkish
caption	Babel support for Turkish documents
author	Bezos López, Javier
author	MacKay, Pierre A.
author	Burc, Mustafa

427 *babel-ukrainian* – Babel support for Ukrainian

copyright	Johannes L. Braams, Pierre Mackay, Mustafa Burc et al. (1989-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.4 (2019-07-05)
last changes	2019-07-05
year	2019
description	(no language specified) The package provides support, within babel , of the Turkish language.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/turkish/turkish.pdf
– local file	<code>./7402122086-turkish.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/turkish/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/turkish
on MikTeX	<code>babel</code>
on TeXLive	<code>babel</code>
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
keyword	<code>turkish</code> (documentation in, and support for typesetting Turkish)
language(s)	no language specified
last access	2026-04-22

427 *babel-ukrainian* – Babel support for Ukrainian

Web page on CTAN <https://ctan.org/pkg/babel-ukrainian>

name	<code>babel-ukrainian</code>
caption	Babel support for Ukrainian
author	Ponomarenko, Sergiy M.
author	Braams, Johannes L.
copyright	Johannes L. Braams (1989-2012)
copyright	Sergiy M. Ponomarenko (2017)
copyright	Igor A. Kotelnikov (2011-2017)
copyright	Aleksey Novodvorsky (2000)

copyright	Olga Lapko (1995-2008)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.4e (2020-10-14)
last changes	2020-10-14
year	2020
description	(no language specified) The package provides support for use of babel in documents written in Ukrainian. The support is adapted for use under legacy TeX engines as well as XeTeX and LuaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/ukrainian/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/ukrainian/ukraineb.pdf
– local file	./5575608802-ukraineb.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/ukrainian
on MikTeX	babel-ukrainian
on T _E XLive	babel-ukrainian
keyword	ukrainian (documentation in, and support for typesetting Ukrainian)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
language(s)	no language specified
last access	2026-04-22

428 babel-vietnamese – Babel support for typesetting Vietnamese

Web page on CTAN <https://ctan.org/pkg/babel-vietnamese>

name	babel-vietnamese
caption	Babel support for typesetting Vietnamese
author	Lemberg, Werner
author	Bezos López, Javier
author	Kotucha, Reinhard
copyright	Werner Lemberg (2000-2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)

429 `babel-welsh` – *Babel support for Welsh*

version	1.4 (2015-12-31)
last changes	2015-12-31
year	2015
description	(no language specified) The package provides the language definition file for support of Vietnamese in <code>babel</code> .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/vietnamese/vietnamese.pdf
– local file	<code>./5513363483-vietnamese.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/vietnamese/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/vietnamese
on MikTeX	<code>babel-vietnamese</code>
on TeXLive	<code>babel-vietnamese</code>
keyword	<code>multilingual-addon</code> (extra language ‘drivers’ for existing multilingual packages)
keyword	<code>vietnamese</code> (support for typesetting of Vietnamese)
language(s)	no language specified
last access	2026-04-22

429 `babel-welsh` – *Babel support for Welsh*

Web page on CTAN <https://ctan.org/pkg/babel-welsh>

name	<code>babel-welsh</code>
caption	Babel support for Welsh
author	Braams, Johannes L.
author	Bezós López, Javier
copyright	Johannes L. Braams, Javier Bezós et al. (1989-2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1c (2025-02-10)
last changes	2025-02-10
year	2025

description	(no language specified) The package provides the language definition file for Welsh. (Mostly Welsh-language versions of the standard names in a LaTeX file.)
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/welsh/README.md
documentation	(no language specified) <i>Package documentation (code listing)</i> : https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/welsh/welsh.pdf
– local file	./2403140430-welsh.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/babel-contrib/welsh
on MikTeX	babel
on T _E XLive	babel
keyword	welsh (support for typesetting Welsh)
keyword	tagged-pdf (tagged PDF compatible)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
language(s)	no language specified
last access	2026-04-22

430 *babelbib* – Multilingual bibliographies

Web page on CTAN <https://ctan.org/pkg/babelbib>

name	babelbib
caption	Multilingual bibliographies
author	Preining, Norbert
author	Harders, Harald
copyright	Harald Harders (2003-2021)
copyright	Norbert Preining (2019-2021)
license	lppl1 = The LaTeX Project Public License 1 (free)
version	1.34

description	(no language specified) This package enables the user to generate multilingual bibliographies in cooperation with babel. Two approaches are possible: Each citation may be written in another language, or the whole bibliography can be typeset in a language chosen by the user. In addition, the package supports commands to change the typography of the bibliographies.
documentation	(no language specified) <i>TUGboat paper about the package</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/babelbib/tugboat-babelbib.pdf
– local file	./2448109253-tugboat-babelbib.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/babelbib/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/babelbib/babelbib.pdf
– local file	./6147456274-babelbib.pdf
home page	https://github.com/TeX-Live/babelbib
contact	<i>bugs</i> : https://github.com/TeX-Live/babelbib/issues
contact	<i>repository</i> : https://github.com/TeX-Live/babelbib.git
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/babelbib
on MikTeX	babelbib
on TeXLive	babelbib
keyword	multilingual (support for more than one (natural) language)
keyword	bibtex-supp (BibTeX citation support)
language(s)	no language specified
year	2021
last access	2026-04-22

431 babeltools – Tools for dealing with Babel annoyances

Web page on CTAN <https://ctan.org/pkg/babeltools>

name	babeltools
caption	Tools for dealing with Babel annoyances
author	Bezos López, Javier
copyright	Javier Bezos (2010)
license	mit = MIT License (free)

version	1.1
description	(no language specified) The package is deprecated.
keyword	multilingual (support for more than one (natural) language)
language(s)	no language specified
year	2010
last access	2026-04-22

432 *babyloniannum* – Typeset Babylonian numerals with XeTeX

Web page on CTAN <https://ctan.org/pkg/babyloniannum>

name	babyloniannum
caption	Typeset Babylonian numerals with XeTeX
author	Pinson, Raphaël
copyright	Raphaël Pinson (2011)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.5
description	(no language specified) The package typesets Babylonian numerals, using XeTeX or LuaTeX. It makes use of the Santakku Paleo-Babylonian font, which may be downloaded at http://www.hethport.uni-wuerzburg.de/cuneifont/ .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/xetex/latex/babyloniannum/babyloniannum.pdf
– local file	./1127559252-babyloniannum.pdf
documentation	(no language specified) <i>Font sample (babylonian numerals)</i> : https://ctan.org/tex-archive/macros/xetex/latex/babyloniannum/babylonian.pdf
– local file	./9616306676-babylonian.pdf
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/babyloniannum
on MikTeX	babyloniannum
keyword	typo-archaic (typography to match ancient practices)
language(s)	no language specified
year	2011
last access	2025-02-07

433 **backgrnd** – Mark text with grey background or change bar

Web page on CTAN <https://ctan.org/pkg/backgrnd>

name	backgrnd
caption	Mark text with grey background or change bar
author	Schmitt, Peter
license	noinfo = noinfo
version	2.0
description	(no language specified) Marks text, using TeX's resources only (without resorting to <code>\special</code> commands). Grey background uses a shade font provided as Metafont source. Works under plain TeX and in simple LaTeX 2.09 documents, but probably not in LaTeX 2e.
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/backgrnd.tex
keyword	editorial (editor's marks, highlights, etc.)
see also	see section 1004 on page 913: (<i>chbar</i> – Change bar marks in Plain TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

434 **background** – Placement of background material on pages of a document

Web page on CTAN <https://ctan.org/pkg/background>

name	background
caption	Placement of background material on pages of a document
author	Medina Arellano, Gonzalo
copyright	Gonzalo Medina (2009, 2012, 2014)
license	lppl = The LaTeX Project Public License (free)
version	2.1 (2014-03-04)
last changes	2014-03-04
year	2014

description	(no language specified) The package offers the placement of background material on the pages of a document. The user can control many aspects (contents, position, color, opacity) of the background material that will be displayed; all placement and attribute settings are controlled by setting key values. The package makes use of the everypage package, and uses pgf/tikz for attribute control.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/background/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/background/background.pdf
– local file	./9242214900-background.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/background
on MikTeX	background
on T _E XLive	background
keyword	background (decorate/confuse text by adding a background)
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
language(s)	no language specified
last access	2025-02-07

435 backnaur – Typeset Backus Naur Form definitions

Web page on CTAN	https://ctan.org/pkg/backnaur
name	backnaur
caption	Typeset Backus Naur Form definitions
author	Robson, Adrian P.
copyright	Adrian P Robson (2012-2019)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.1
description	(no language specified) The package typesets Backus-Naur Form (BNF) definitions. It prints formatted lists of productions, with numbers if required. It can also print in-line BNF expressions using math mode.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/backnaur/README

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/backnaur/backnaur.pdf
– local file	./7823629136-backnaur.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/backnaur
on MikTeX	backnaur
on TeXLive	backnaur
keyword	formal-spec (typeset formal specification languages)
see also	see section 5500 on page 4976: (simplebnf – A simple package to format Backus-Naur form (BNF))
language(s)	no language specified
year	2019
last access	2025-02-07

436 *backref* – Make hyper-references back from bibliography to citation

Web page on CTAN <https://ctan.org/pkg/backref>

name	backref
caption	Make hyper-references back from bibliography to citation
author	Oberdiek, Heiko
copyright	David Carlisle, Sebastian Rahtz, Heiko Oberdiek (1995-2000)
copyright	Heiko Oberdiek (2001-2012)
copyright	The LaTeX Project (2019-2024)
copyright	Oberdiek Package Support Group (2016-2019)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.44 (2023-11-26)
last changes	2023-11-26
year	2023
description	(no language specified) This package is part of the hyperref bundle, and only works when loaded with hyperref.
documentation	(no language specified) <i>Hyperref bundle Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hyperref/README.md

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/hyperref/doc/backref.pdf
– local file	./1176447741-backref.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hyperref
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/hyperref.tds.zip
on MikTeX	hyperref
on TeXLive	hyperref
keyword	hyper (support for hypertext)
keyword	bibtex-supp (BibTeX citation support)
language(s)	no language specified
last access	2025-02-19

437 backrefx – Bibliographical back referencing

Web page on CTAN <https://ctan.org/pkg/backrefx>

name	backrefx
caption	Bibliographical back referencing
author	Els, Daniel
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The backrefx package is now obsolete after the release of backref v1.23, because all the functionality of backrefx is now provided by backref. This release of backrefx is only provided for backward compatibility of existing documents. The backrefx package enhanced the backref package of David Carlisle and Sebastian Rahtz. It enables backref to print the bibliographic back references in a more typographically sound manner (similar to the back references in TeX Unbound of Hoenig), for example: (Cited on page 10.) (Cited on pages 10 and 12.) (Cited on pages 10, 12 and 15.)
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/obsolete/macros/latex/contrib/backrefx/doc/latex/backrefx/backrefx.pdf
– local file	./6216373575-backrefx.pdf

documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/obsolete/macros/latex/contrib/backrefx/README
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/backrefx
keyword	bibtex-supp (BibTeX citation support)
language(s)	no language specified
year	without year
last access	2025-08-30

438 badge – Print badge labels

Web page on CTAN <https://ctan.org/pkg/badge>

name	badge
caption	Print badge labels
author	van Oostrum, Pieter
license	noinfo = noinfo
version	(1991-06-15)
last changes	1991-06-15
year	1991
description	(no language specified) The file processes a file of addresses to produce labels to be cut out and inserted into those nifty little badge holders.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/plain/contrib/badge/badges.readme
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/badge
keyword	covers (typeset badges, covers or labels for things (or people))
language(s)	no language specified
last access	2025-02-07

439 baekmuk – Baekmuk Korean TrueType fonts

Web page on CTAN <https://ctan.org/pkg/baekmuk>

name	baekmuk
caption	Baekmuk Korean TrueType fonts
author	Lemberg, Werner
author	Kim, Jeong-Hwan
copyright	Kim Jeong-Hwan (1986-2002)
license	other-free = Free license not otherwise listed (free)
version	2.2.1 (2020-11-08)
last changes	2020-11-08
year	2020
description	(no language specified) This bundle consists of four Korean fonts:

- `batang.ttf`: serif
- `dotum.ttf`: sans-serif
- `gulim.ttf`: sans-serif (rounded)
- `hline.ttf`: headline

These fonts were originally retrieved from <http://kldp.net/baekmuk/> and are no longer maintained.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/baekmuk/README.md
on CTAN	https://ctan.org/tex-archive/fonts/baekmuk
on MikTeX	baekmuk
on TeXLive	baekmuk
keyword	font (fonts themselves)
keyword	font-ttf (font available in TrueType format)
keyword	korean (support for typesetting Korean)
keyword	font-cjk (fonts for far eastern languages (Chinese, Japanese and Korean))
language(s)	no language specified
last access	2025-02-07

440 bagpipe – Support for typesetting bagpipe music

Web page on CTAN <https://ctan.org/pkg/bagpipe>

name	bagpipe
caption	Support for typesetting bagpipe music
author	Innis, Walt
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.02
description	(no language specified) Typesetting bagpipe music in MusiXTeX is needlessly tedious. This package provides specialized and re-defined macros to simplify this task.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/bagpipe/bagdoc.pdf
– local file	./7589049412-bagdoc.pdf
documentation	(no language specified) <i>Package ‘quick reference’</i> : https://ctan.org/tex-archive/macros/generic/bagpipe/quickref.pdf
– local file	./4436283930-quickref.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/bagpipe/README
on CTAN	https://ctan.org/tex-archive/macros/generic/bagpipe
on MikTeX	bagpipe
on T _E XLive	bagpipe
keyword	music (typesetting music and related stuff)
language(s)	no language specified
year	without year
last access	2025-02-07

441 **bahaistar** – Metafont source and macros for the Bahá'í nine-pointed star

Web page on CTAN <https://ctan.org/pkg/bahaistar>

name	bahaistar
caption	Metafont source and macros for the Bahá'í nine-pointed star
author	Kiefte, Joop
copyright	Joop Kiefte (2025)
license	mit = MIT License (free)
version	0.1 (2025-09-17)
last changes	2025-09-17
year	2025
description	(no language specified) This package provides a Metafont-based implementation of the Bahá'í nine-pointed star ☉ for usage in LaTeX documents, while still providing proper copy behavior with the official Unicode codepoints and supporting the usage of the character directly.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/bahaistar/README
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/fonts/bahaistar/bahaistar-example.pdf
– local file	./6857022458-bahaistar-example.pdf
contact	<i>bugs:</i> https://github.com/LaPingvino/latex-bahaistar/issues
contact	<i>repository:</i> https://github.com/LaPingvino/latex-bahaistar
on CTAN	https://ctan.org/tex-archive/fonts/bahaistar
on T _E XLive	bahaistar
keyword	font-supp-symbol (metrics, macro incantations and other support for symbol fonts)
keyword	font-symbol (fonts that provide collections of symbols)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	no language specified
last access	2025-09-30

442 bahyph – Hyphenation for Basque

Web page on CTAN <https://ctan.org/pkg/bahyph>

name	bahyph
caption	Hyphenation for Basque
author	Aguirregabiria, Juan M.
license	other-free = Free license not otherwise listed (free)
description	(no language specified) A shell script to generate hyphenation patterns for the Basque language, and a set of patterns from it.
on CTAN	https://ctan.org/tex-archive/language/basque
on T _E XLive	hyphen-basque
keyword	hyphenation (macros or tables for hyphenation)
keyword	basque (support for typesetting Basque)
language(s)	no language specified
year	without year
last access	2025-02-07

443 bakoma – A TeX distribution for MS-Windows VISTA/XP/2000

Web page on CTAN <https://ctan.org/pkg/bakoma>

name	bakoma
caption	A TeX distribution for MS-Windows VISTA/XP/2000
author	Malyshev, Basil
license	shareware = Shareware: A fee is required (not free)
version	9.51
description	(no language specified) BaKoMa TeX supports two compatible user interfaces: (1) BaKoMa TeX Word - Visual (True WYSIWYG) LaTeX Editor; (2) Text Editor + DVI Viewer - Classical IDE. The system supports the use of scalable fonts (OpenType, TrueType, PostScript Type 1 and Type 3). It supports import of EPS, PDF, FIG, JPEG, PNG, GIF, TIFF, HPGL, DXY, PCX, MSP, BMP, and WMF graphical formats. In advance, PostScript enabled graphics engine handles such packages as PSTricks, PSfrag, PowerDot, Prosper, Beamer, etc. The system supports generation of PDF, SVG, PNG, HTML, PS, and printing on any printer supported by a driver under MS-Windows.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/win32/bakoma/README
on CTAN	https://ctan.org/tex-archive/systems/win32/bakoma
keyword	<code>distribution</code> (components (or support) of TeX distribution)
see also	see section 3966 on page 3586: (<code>miktex</code> – A free TeX distribution for MS-Windows)
language(s)	no language specified
year	without year
last access	2025-02-07

444 *bakoma-fonts* – Computer Modern and AMS fonts in outline form

Web page on CTAN	https://ctan.org/pkg/bakoma-fonts
name	<code>bakoma-fonts</code>
caption	Computer Modern and AMS fonts in outline form
author	Malyshev, Basil
copyright	Basil K. Malyshev (1994, 1995)
license	other-free = Free license not otherwise listed (free)
description	(no language specified) This collection provides the CM and AMS fonts in both Adobe Type 1 and TrueType formats. Note that the BaKoMa TeX distribution contains improved versions of these font collections, also available in OpenType format.
on CTAN	https://ctan.org/tex-archive/fonts/cm/ps-type1/bakoma
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-ttf</code> (font available in TrueType format)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
language(s)	no language specified
year	1995
last access	2025-02-07

445 bakoma-games – BaKoMa modules for music and gamesWeb page on CTAN <https://ctan.org/pkg/bakoma-games>

name	bakoma-games
caption	BaKoMa modules for music and games
author	Malyshev, Basil
license	shareware = Shareware: A fee is required (not free)
description	(no language specified) This module includes popular macro packages described in chapters 7 (Preparing music scores: MusiXTeX) and 8 (Playing games: Chess, Xiangqi — Chinese Chess, Go, Backgammon, Bridge, Crosswords) of the ‘LaTeX graphics Companion’. They are precompiled for use, together with fonts and documentation, directly in BaKoMa TeX. Fonts used by some packages are converted into formats suitable both for printing and for PDF generation. For example, for Chess the diagram fonts are converted into vector Type 3 font format. Board black squares are coded as a gray color instead of dashing. This approach gives the best results on printers and displays. Fonts for in-line notation are in Type 1 font format. For Go the special fonts are too hard to convert automatically and have been efficiently coded in Type 3 font format. For Backgammon the fonts were originally dithered as halftone, making them unsuitable for PDF. The halftone was emulated by using a grey colour in Type 3 fonts.
documentation on CTAN	(no language specified) <i>Summary of the bundle:</i> https://ctan.org/tex-archive/systems/win32/bakoma/macros/games.html https://ctan.org/tex-archive/systems/win32/bakoma/macros/games.bkz
keyword	games (process game diagrams, gamebooks, and other amusements)
see also	see section 443 on page 406: (<i>bakoma</i> – A TeX distribution for MS-Windows VISTA/XP/2000)
language(s)	no language specified
year	without year
last access	2025-02-07

446 bakoma-mac – A BaKoMa system for the MacintoshWeb page on CTAN <https://ctan.org/pkg/bakoma-mac>

name	bakoma-mac
caption	A BaKoMa system for the Macintosh

author	Malyshev, Basil
license	shareware = Shareware: A fee is required (not free)
version	(2012-05-31)
last changes	2012-05-31
year	2012
description	(no language specified) The package is a re-implementation of the established BaKoMa TeX (for Windows).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/mac/bakoma-mac/README
on CTAN	https://ctan.org/tex-archive/systems/mac/bakoma-mac
keyword	distribution (components (or support) of TeX distribution)
language(s)	no language specified
last access	2025-02-09

447 *balance* – *Balanced two-column mode*

Web page on CTAN <https://ctan.org/pkg/balance>

name	balance
caption	Balanced two-column mode
author	Daly, Patrick W.
license	lppl = The LaTeX Project Public License (free)
version	4.3
description	(no language specified) When writing a document with LaTeX two-column mode, the columns on the last page, or those before a <code>\cleardoublepage</code> command, will be of unequal height. The package solves this problem by modifying the output routines in two-column mode. The package is part of the preprint bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/preprint/balance.pdf
– local file	<code>./6772681960-balance.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/preprint
on MikTeX	preprint
on TeXLive	preprint

keyword	<code>multicol</code> (more than one column on the page)
see also	see section 2279 on page 2063: (<code>flushend</code> – Balancing columns at last page)
language(s)	no language specified
year	without year
last access	2025-02-07

448 *balanced* – Balance double-column sections in LaTeX

Web page on CTAN <https://ctan.org/pkg/balanced>

name	<code>balanced</code>
caption	Balance double-column sections in LaTeX
license	<code>noinfo</code> = <code>noinfo</code>
version	(1993-04-02)
last changes	1993-04-02
year	1993
description	(no language specified) Defines a <code>twocolumns</code> environment that can be used anywhere in a one-column document. The environment may start and finish mid-page, and columns are always balanced. Inserts are not supported (so no <code>\marginpar</code> or floats).
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/balanced.sty
keyword	<code>multicol</code> (more than one column on the page)
see also	see section 447 on page 409: (<code>balance</code> – Balanced two-column mode)
see also	see section 2279 on page 2063: (<code>flushend</code> – Balancing columns at last page)
see also	see section 4118 on page 3726: (<code>multicol</code> – Intermix single and multiple columns)
language(s)	no language specified
last access	2025-02-07

449 *balancedquotes* – Code balanced quotes according to document languageWeb page on CTAN <https://ctan.org/pkg/balancedquotes>

name	<code>balancedquotes</code>
caption	Code balanced quotes according to document language
author	Selberg, Ole Michael
license	<code>noinfo</code> = <code>noinfo</code>
version	(1994-08-25)
last changes	1994-08-25
year	1994
description	(no language specified) Provides simplified markup for balanced quotes: <code>" ... * ... * ... "</code> will appear as balanced double quotes around a text which embeds a text surrounded by balanced single quotes. The actual representation of the quotes is selectable, according to the language in use.
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/balancedquotes.sty
on MikTeX	<code>genmisc</code>
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

450 *bangla* – A comprehensive Bangla LaTeX packageWeb page on CTAN <https://ctan.org/pkg/bangla>

name	<code>bangla</code>
caption	A comprehensive Bangla LaTeX package
author	Hossain, Nahid
copyright	Nahid Hossain (2021-2023)
license	<code>ofl</code> = The SIL Open Font License (free)
license	<code>lpl1.3c</code> = The LaTeX Project Public License 1.3c (free)
version	2.1 (2023-02-02)
last changes	2023-02-02
year	2023

description	(no language specified) This package provides all the necessary LaTeX frontends for the Bangla language and comes with some fonts of its own.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/language/bengali/bangla/bangla.pdf
– local file	./1113551822-bangla.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/bengali/bangla/README
on CTAN	https://ctan.org/tex-archive/language/bengali/bangla
on MikTeX	bangla
on T _E XLive	bangla
keyword	expl3 (expl3(unknown))
keyword	font-ttf (font available in TrueType format)
keyword	font (fonts themselves)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	indic (support for languages of the Indian subcontinent)
keyword	font-indic (fonts for languages of the Indian subcontinent)
keyword	bengali (support for typesetting Bengali)
language(s)	no language specified
last access	2025-02-11

451 *bangorcsthesis* – Typeset a thesis at Bangor University

Web page on CTAN <https://ctan.org/pkg/bangorcsthesis>

name	bangorcsthesis
caption	Typeset a thesis at Bangor University
author	Gray, Cameron
copyright	Cameron Gray/Bangor University (2014-2025)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.5.7 (2025-05-07)
last changes	2025-05-07
year	2025

description	(no language specified) The class typesets thesis/dissertation documents for all levels (i.e., both undergraduate and graduate students may use the class). It also provides macros designed to optimise the process of producing a thesis.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bangorcsthesis/bangorcsthesis.pdf
– local file	./3502847447-bangorcsthesis.pdf
documentation on CTAN	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bangorcsthesis/README
on MikTeX	bangorcsthesis
on TeXLive	bangorcsthesis
keyword	class (alternative LaTeX class(es))
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
last access	2025-08-30

452 bangorexam – Typeset an examination at Bangor University

Web page on CTAN	https://ctan.org/pkg/bangorexam
name	bangorexam
caption	Typeset an examination at Bangor University
author	Gray, Cameron
copyright	Cameron Gray (2016-2023)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.6.0 (2025-10-04)
last changes	2025-10-04
year	2025
description	(no language specified) The package allows typesetting of Bangor University's exam style. It currently supports a standard A/B choice, A-only compulsory and 'n' from 'm' exam styles. Marks are totalled and checked automatically.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bangorexam/bangorexam.pdf

– local file	<code>./4746209781-bangorexam.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bangorexam/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bangorexam
on MikTeX	bangorexam
on T _E XLive	bangorexam
keyword	exam (exams, quizzes, etc.)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-10-12

453 bangtex – Writing Bangla and Assamese with LaTeX

Web page on CTAN	https://ctan.org/pkg/bangtex
name	bangtex
caption	Writing Bangla and Assamese with LaTeX
author	Pal, Palash Baran
copyright	Palash Baran Pal (2001, 2002)
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The bundle provides class files for writing Bangla and Assamese with LaTeX, and Metafont sources for fonts.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/bengali/bangtex/README.bangtex
on CTAN	https://ctan.org/tex-archive/language/bengali/bangtex
on MikTeX	bangtex
on T _E XLive	bangtex
keyword	indic (support for languages of the Indian subcontinent)
keyword	bengali (support for typesetting Bengali)
language(s)	no language specified
year	2002
last access	2025-02-07

454 bankstatement – A LaTeX class for bank statements based on csv data

Web page on CTAN <https://ctan.org/pkg/bankstatement>

name	bankstatement
caption	A LaTeX class for bank statements based on csv data
author	Kleber, Josef
license	lppl = The LaTeX Project Public License (free)
version	0.9.2 (2015-11-14)
last changes	2015-11-14
year	2015
description	(no language specified) More and more banks allow their customers to download posting records in various formats. By using the <code>bankstatement</code> class, you can create bank statements, as long as a csv format is available. At the moment, the <code>csv-mt940</code> and <code>csv-camt</code> formats — used by many german Sparkassen — are supported. You can quite easily add support for other csv formats. Simply define the order of the keys in the csv data file and how to use them. The terminology in this class — such as BIC (Business Identifier Code) or IBAN (International Bank Account Number) — is based on usage in the SEPA (Single Euro Payments Area). The user may adjust the terminology to suit local needs.
documentation	(no language specified) <i>Package example</i>: https://ctan.org/tex-archive/macros/latex/contrib/bankstatement/bankstatement-example.pdf
– local file	<code>./1202128274-bankstatement-example.pdf</code>
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/bankstatement/bankstatement.pdf
– local file	<code>./2150158161-bankstatement.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/bankstatement/README.md
home page	http://bankstatement.jklatex.de/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bankstatement
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/bankstatement.tds.zip
on MikTeX	bankstatement

on T _E XLive	bankstatement
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-07

455 **bar** – A patched version of *bar.sty*

Web page on CTAN <https://ctan.org/pkg/bar>

name	bar
caption	A patched version of <i>bar.sty</i>
author	Bleser, Joachim
author	Lang, Edmund
license	other-nonfree = License that prevents distribution (not free)
version	1.0
description	(no language specified) This version of <i>bar.sty</i> mends one of the known bugs in the version in the barkom bundle. Unfortunately, barkom's documentation doesn't compile correctly with this version, so further work is presumably needed.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/bar.sty
keyword	genchart (drawing bar- or pie-charts)
see also	see section 489 on page 444: (<i>bchart</i> – Draw simple bar charts in LaTeX)
see also	see section 4881 on page 4414: (<i>pst-bar</i> – Produces bar charts using PSTricks)
language(s)	no language specified
year	without year
last access	2025-02-07

456 barcodes – Fonts for making barcodes

Web page on CTAN <https://ctan.org/pkg/barcodes>

name	barcodes
caption	Fonts for making barcodes
author	Willadt, Peter
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The package deals with EAN barcodes; Metafont sources for fonts are provided, and a set of examples; for some codes, a small Perl script is needed.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/fonts/barcodes/willadt/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/barcodes/willadt/eandoc.pdf
– local file	./5194519634-eandoc.pdf
on CTAN	https://ctan.org/tex-archive/fonts/barcodes/willadt
on MikTeX	barcodes
on T _E XLive	barcodes
keyword	barcode (barcodes and other machine-readable tags)
see also	see section 1776 on page 1603: (ean – Macros for making EAN barcodes)
see also	see section 1185 on page 1077: (code128 – Barcode macros for the Code 128 standard)
see also	see section 4882 on page 4415: (pst-barcode – Print barcodes using PostScript)
language(s)	no language specified
year	without year
last access	2025-02-07

457 barcodes-vulis – A font for making barcodes

Web page on CTAN <https://ctan.org/pkg/barcodes-vulis>

name	barcodes-vulis
caption	A font for making barcodes
author	Vulis, Dimitri
license	noinfo = noinfo
version	(1987-11-10)
last changes	1987-11-10
year	1987
description	(no language specified) The font is distributed as Metafont source; it implements 3-of-9 barcodes; and was derived from an existing BASIC program to produce the codes. The source was derived from a post to the (now defunct) INFO-TEX mailing list.
on CTAN	https://ctan.org/tex-archive/fonts/barcodes/vulis/barcodes.mf
on MikTeX	barcodes
keyword	barcode (barcodes and other machine-readable tags)
language(s)	no language specified
last access	2025-02-07

458 bard – Celtic bardic runes font

Web page on CTAN <https://ctan.org/pkg/bard>

name	bard
caption	Celtic bardic runes font
author	Lüddecke, Jobst-Hartmut
license	noinfo = noinfo
version	(1993-07-23)
last changes	1993-07-23
year	1993
description	(no language specified) The font is basically derived from historical sources, but extra characters have been added. It is provided as Metafont source.
on CTAN	https://ctan.org/tex-archive/fonts/bard/bard.mf

459 *bardi* – Hyphenation and babel support for Bardi

keyword	<code>font-rune</code> (fonts for runic inscriptions)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
language(s)	no language specified
last access	2025-02-07

459 **bardi** – Hyphenation and babel support for Bardi

Web page on CTAN <https://ctan.org/pkg/bardi>

name	<code>bardi</code>
caption	Hyphenation and babel support for Bardi
author	Bowern, Claire
license	nocommercial = No Commercial Use (not free)
version	1
description	(no language specified) Bardi (also Baardi, Baard) is an Australian Aboriginal language. It is a member of the Western branch of the Nyulnyulan language family.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/bardi/README
on CTAN	https://ctan.org/tex-archive/language/bardi
keyword	multilingual (support for more than one (natural) language)
language(s)	no language specified
year	without year
last access	2025-02-07

460 **bardiag** – LaTeX package for drawing bar diagrams

Web page on CTAN <https://ctan.org/pkg/bardiag>

name	<code>bardiag</code>
caption	LaTeX package for drawing bar diagrams
author	Stepanyan, R.
license	lppl = The LaTeX Project Public License (free)
version	0.4a

description	(no language specified) The main purpose of the package is to make the drawing of bar diagrams possible and easy in LaTeX. The BarDiag package is inspired by and based on PSTricks .
documentation	(no language specified) <i>Package documentation, appendix</i> : https://ctan.org/tex-archive/graphics/bardiag/doc/bardiag2.pdf
– local file	./1493863502-bardiag2.pdf
documentation	(no language specified) <i>Package documentation, sections 1-3</i> : https://ctan.org/tex-archive/graphics/bardiag/doc/bardiag.pdf
– local file	./1414991685-bardiag.pdf
documentation	(no language specified) <i>Package documentation, section 4</i> : https://ctan.org/tex-archive/graphics/bardiag/doc/bardiag1.pdf
– local file	./7647403401-bardiag1.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/bardiag/README
on CTAN	https://ctan.org/tex-archive/graphics/bardiag
on MikTeX	bardiag
on TeXLive	bardiag
keyword	genchart (drawing bar- or pie-charts)
see also	see section 489 on page 444 : (bchart – Draw simple bar charts in LaTeX)
see also	see section 4881 on page 4414 : (pst-bar – Produces bar charts using PSTricks)
language(s)	no language specified
year	without year
last access	2025-02-07

461 *bargraph-js* – Create bar graphs using form fields and JavaScript

Web page on CTAN	https://ctan.org/pkg/bargraph-js
name	bargraph-js
caption	Create bar graphs using form fields and JavaScript
author	Story, Donald P.
copyright	D. P. Story (2019)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	0.8 (2019-04-07)

last changes	2019-04-07
year	2019
description	(no language specified) This package uses Acrobat forms and Acrobat JavaScript API to create and manipulate interactive bar graphs. This means the user can enter data in a couple of formats, to populate the bar graphs. The package can also be used to create and display discrete probability distributions, for both the probability mass function (pmf) and the cumulative distribution function (cdf) of a distribution. Any bar graph created by this package requires Adobe Reader DC (or Acrobat) for full functionality. PDF Creators: Any of the usual PDF creators can be used; however, to repeat, an Adobe PDF reader is required for full functionality.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/bargraph-js/docs/bargraphjs-man.pdf
– local file	<code>./2188376214-bargraphjs-man.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/bargraph-js/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bargraph-js
on MikTeX	<code>bargraph-js</code>
keyword	<code>pdf-feat</code> (access PDF features)
keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>graphics</code> (graphics (support packages))
language(s)	no language specified
last access	2025-02-07

462 **barkom** – A package for bar charts in LaTeX

Web page on CTAN <https://ctan.org/pkg/barkom>

name	<code>barkom</code>
caption	A package for bar charts in LaTeX
author	Lang, Edmund
author	Bleser, Joachim
license	other-nonfree = License that prevents distribution (not free)

version	1.0
description	(no language specified) This package provides a bar chart environment ‘barenv’, using LaTeX picture mode. The package was designed for use with LaTeX 2.09, and several bugs are manifest when the documentation is run under LaTeX 2e. The package bar is reproduced elsewhere, with at least one bug patched. It’s clear that the bug mended is not the only one.
documentation	(German) <i>Package manual with examples</i> : https://ctan.org/tex-archive/macros/latex209/contrib/barkom/barkom.ps
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/barkom
keyword	latex209 (package only known to work with LaTeX 2.09)
keyword	genchart (drawing bar- or pie-charts)
see also	see section 4881 on page 4414: (pst-bar – Produces bar charts using PSTricks)
see also	see section 489 on page 444: (bchart – Draw simple bar charts in LaTeX)
language(s)	German
year	without year
last access	2025-02-11

463 barracuda – Draw barcodes with Lua

Web page on CTAN <https://ctan.org/pkg/barracuda>

name	barracuda
caption	Draw barcodes with Lua
author	Giacomelli, Roberto
copyright	Roberto Giacomelli (2020)
license	gpl2 = GNU General Public License, version 2 (free)
version	0.0.12
description	(no language specified) The <code>barracuda</code> library is a modular Lua package for drawing barcode symbols. It provides modules for writing barcodes from a LuaTeX document. It is also possible to use Barracuda with a standalone Lua interpreter to draw barcodes in different graphic formats like SVG.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/barracuda/README.md

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/generic/barracuda/doc/manual/barracuda-manual.pdf
– local file	<code>./7042730656-barracuda-manual.pdf</code>
home page	https://github.com/robitex/barracuda
contact	<i>support</i> : https://github.com/robitex/barracuda/issues
contact	<i>bugs</i> : https://github.com/robitex/barracuda/issues
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/barracuda
on MikTeX	barracuda
on T _E XLive	barracuda
keyword	barcode (barcodes and other machine-readable tags)
language(s)	no language specified
year	2020
last access	2025-02-07

464 bartel-chess-fonts – A set of fonts supporting chess diagrams

Web page on CTAN	https://ctan.org/pkg/bartel-chess-fonts
name	bartel-chess-fonts
caption	A set of fonts supporting chess diagrams
author	Bartel, Elmar
author	Preining, Norbert
license	gpl = GNU General Public License (free)
version	(2010-11-27)
last changes	2010-11-27
year	2010
description	(no language specified) The fonts are provided as Metafont source.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/bartel-chess-fonts/README
on CTAN	https://ctan.org/tex-archive/fonts/bartel-chess-fonts
on MikTeX	bartel-chess-fonts
on T _E XLive	bartel-chess-fonts

465 *base* – Definitive source of Plain TeX on CTAN

keyword	<code>font-chess</code> (fonts for typesetting chess problems and diagrams)
keyword	<code>games</code> (process game diagrams, gamebooks, and other amusements)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>font</code> (fonts themselves)
language(s)	no language specified
last access	2025-02-07

465 **base** – Definitive source of Plain TeX on CTAN

Web page on CTAN <https://ctan.org/pkg/base>

name	<code>base</code>
caption	Definitive source of Plain TeX on CTAN
author	Knuth, Donald E.
license	<code>knuth</code> = Knuth License (free)
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/base/README
on CTAN	https://ctan.org/tex-archive/macros/plain/base
on MikTeX	<code>plain</code>
on T _E XLive	<code>plain</code>
keyword	<code>format</code> (macros to build a format)
language(s)	no language specified
year	without year
last access	2025-02-11

466 **bashful** – Invoke `bash` commands from within LaTeX

Web page on CTAN <https://ctan.org/pkg/bashful>

name	<code>bashful</code>
caption	Invoke <code>bash</code> commands from within LaTeX
author	Gil, Yossi
copyright	Yossi Gil (2011)
license	<code>lpp1.3</code> = The LaTeX Project Public License 1.3 (free)
version	0.93

description	(no language specified) The package makes it possible to execute Unix bash shell scripts from within LaTeX. The main application is in writing computer-science texts, in which you want to make sure the programs listed in the document are executed directly from the input. The package may use other Unix shells than bash, but does not work without modification in a Windows environment. The package requires the <code>-shell-escape</code> flag when LaTeX is processing your document.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/bashful/bashful.pdf
– local file	<code>./8873865082-bashful.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bashful
on MikTeX	<code>bashful</code>
on TeXLive	<code>bashful</code>
keyword	<code>ext-code</code> (run an external program from within a document)
language(s)	no language specified
year	2011
last access	2025-02-07

467 *bashkirian* – Bashkirian extension to OT2 fonts

Web page on CTAN <https://ctan.org/pkg/bashkirian>

name	<code>bashkirian</code>
caption	Bashkirian extension to OT2 fonts
author	Knappen, Jörg
license	<code>noinfo = noinfo</code>
version	(1991-12-05)
last changes	1991-12-05
year	1991
description	(no language specified) The bashkirian fonts extend the Washington Cyrillic fonts with most characters needed for the Bashkirian language. The extension characters are in the upper half of the character set (i.e., they're only expressible as 8-bit characters). The fonts are provided as Metafont source.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/cyrillic/bashkirian/jkbash.rme
on CTAN	https://ctan.org/tex-archive/fonts/cyrillic/bashkirian
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-cyrillic (fonts for Cyrillic and related scripts)
keyword	font (fonts themselves)
language(s)	no language specified
last access	2025-02-07

468 basicarith – Macros for typesetting basic arithmetic

Web page on CTAN	https://ctan.org/pkg/basicarith
name	basicarith
caption	Macros for typesetting basic arithmetic
author	Goodman, Donald P.
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1
description	(no language specified) The package provides macros for typesetting basic arithmetic, in the style typically found in textbooks. It focuses on the American style of performing these algorithms. It is written mostly in low-level TeX, with the goal that it should run in either plain TeX or LaTeX, but there are two constructions that currently prevent this. It is highly configurable, with macros and lengths described in the documentation.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/basicarith/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/basicarith/basicarith.pdf
– local file	./4385110275-basicarith.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/basicarith
on MikTeX	basicarith
on TeXLive	basicarith
keyword	arithmetic (perform and typeset arithmetic problems)

keyword	calculation (perform calculations within TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

469 basiclatex-ru – An introduction to LaTeX, in Russian

Web page on CTAN <https://ctan.org/pkg/basiclatex-ru>

name	BasicLaTeX-ru
caption	An introduction to LaTeX, in Russian
author	Kuznetsov, Alexey
license	cc-by-nc-sa4 = CC BY-NC-SA 4.0 (not free)
version	2.1
description	(no language specified) The Russian textbook "Basic LaTeX" describes the resources of standard LaTeX2e. The basic techniques of text and formula layout, creating graphics and tables, forming a bibliography, table of contents and subject index are considered.
documentation	<i>Readme (Russian):</i> https://ctan.org/tex-archive/info/russian/basiclatex-ru/README.ru
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/info/russian/basiclatex-ru/README
documentation	(Russian) <i>The document itself:</i> https://ctan.org/tex-archive/info/russian/basiclatex-ru/BasicLatex_v2.1.pdf
– local file	./5486327512-BasicLatex_v2.1.pdf
on CTAN	https://ctan.org/tex-archive/info/russian/basiclatex-ru
on MikTeX	basiclatex-ru
keyword	tut-latex (tutorial material for LaTeX)
keyword	russian (support for typesetting Russian)
keyword	russian-doc (documentation in Russian)
language(s)	Russian
year	without year
last access	2025-02-07

470 basix – A BASIC interpreter written in TeX

Web page on CTAN <https://ctan.org/pkg/basix>

name	basix
caption	A BASIC interpreter written in TeX
author	Greene, Andrew
copyright	Andrew Marc Greene (1990)
license	noinfo = noinfo
version	(1991-01-08)
last changes	1991-01-08
year	1991
description	(no language specified) An interpreter for the BASIC language is developed entirely in TeX. The interpreter presents techniques of scanning and parsing that are useful in many contexts where data are to be formatted by TeX, but contain no formatting directives.
documentation	(no language specified) <i>TUGboat paper</i> : https://tug.org/TUGboat/Articles/tb11-3/tb29greene.pdf
– local file	./2052477880-tb29greene.pdf
on CTAN	https://ctan.org/tex-archive/macros/generic/basix
keyword	exec-foreign (execute ‘other types’ of language)
keyword	demo-code (code that serves as examples of TeX programming)
language(s)	no language specified
last access	2025-02-07

471 baskervaldadf – Baskervald ADF fonts collection with TeX/LaTeX support

Web page on CTAN <https://ctan.org/pkg/baskervaldadf>

name	baskervaldadf
caption	Baskervald ADF fonts collection with TeX/LaTeX support
author	Rees, Clea F.
license	gpl2 = GNU General Public License, version 2 (free)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1

description	(no language specified) Baskervald ADF is a serif family with lining figures designed as a substitute for Baskerville. The family currently includes upright and italic or oblique shapes in each of regular, bold and heavy weights. All fonts include the slashed zero and additional non-standard ligatures. The support package renames them according to the Karl Berry fontname scheme and defines two families. One of these primarily provides access to the "standard" or default characters while the other supports additional ligatures. The included package files provide access to these features in LaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/baskervaldadf/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/baskervaldadf/doc/baskervaldadf.pdf
– local file	./3193501506-baskervaldadf.pdf
home page	http://arkandis.tuxfamily.org/
contact	<i>repository</i> : https://codeberg.org/cfr/nfssext
on CTAN	https://ctan.org/tex-archive/fonts/baskervaldadf
on MikTeX	baskervaldadf
on T _E XLive	baskervaldadf
keyword	font (fonts themselves)
keyword	font-serif (serif font)
keyword	font-type1 (font available in Adobe Type 1 format)
see also	see section 472 on page 429: (baskervaldx – Extension and modification of BaskervaldADF with LaTeX support)
language(s)	no language specified
year	without year
last access	2025-02-07

472 baskervaldx – Extension and modification of BaskervaldADF with LaTeX support

Web page on CTAN <https://ctan.org/pkg/baskervaldx>

name	baskervaldx
caption	Extension and modification of BaskervaldADF with LaTeX support
author	Sharpe, Michael
copyright	Michael Sharpe (2013-2014)
license	gpl2+ = GNU General Public License, version 2 or newer (free)

license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.08 (2025-01-07)
last changes	2025-01-07
year	2025
description	(no language specified) Extends and modifies the BaskervaldADF font (a Baskerville substitute) with more accented glyphs, with small caps and oldstyle figures in all shapes. Includes OpenType and PostScript fonts, as well as LaTeX support files.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/baskervaldx/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/baskervaldx/doc/baskervaldx-doc.pdf
– local file	<code>./5658190265-baskervaldx-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/baskervaldx
on MikTeX	<code>baskervaldx</code>
on T _E XLive	<code>baskervaldx</code>
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font-t1enc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
language(s)	no language specified
last access	2025-02-07

473 baskervillef – Fry’s Baskerville look-alike, with math support

Web page on CTAN <https://ctan.org/pkg/baskervillef>

name	baskervillef
caption	Fry’s Baskerville look-alike, with math support
author	Sharpe, Michael
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
license	ofl = The SIL Open Font License (free)
version	1.052 (2025-01-06)
last changes	2025-01-06
year	2025
description	(no language specified) BaskervilleF is a fork from the Libre Baskerville fonts (Roman, Italic, Bold only) released under the OFL by Paolo Impallari and Rodrigo Fuenzalida. Their fonts are optimized for web usage, while BaskervilleF is optimized for traditional TeX usage, normally destined for production of pdf files. A bold italic style was added and mathematical support is offered as an option to newtxmath .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/baskervillef/doc/baskervillef-doc.pdf
– local file	<code>./9764673559-baskervillef-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/baskervillef/README
on CTAN	https://ctan.org/tex-archive/fonts/baskervillef
on MikTeX	baskervillef
on TeXLive	baskervillef
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-otf (font in OpenType format)
keyword	font-t1enc (font providing LaTeX T1 encoding support)
keyword	font-serif (serif font)
keyword	font (fonts themselves)
language(s)	no language specified
last access	2025-02-07

474 basque-book – Class for book-type documents written in Basque

Web page on CTAN <https://ctan.org/pkg/basque-book>

name	basque-book
caption	Class for book-type documents written in Basque
author	Ibarra, Edorta
copyright	Edorta Ibarra (2012-2014)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.20
description	(no language specified) The class is derived from the LaTeX <code>book</code> class. The extensions solve grammatical and numeration issues that occur when book-type documents are written in Basque. The class is useful for writing books, PhD and Master Theses, etc., in Basque.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/basque-book/README
documentation	<i>Package documentation (Basque)</i> : https://ctan.org/tex-archive/macros/latex/contrib/basque-book/basque-book_EUS.pdf
– local file	<code>./6065694288-basque-book_EUS.pdf</code>
documentation	<i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/basque-book/basque-book.pdf
– local file	<code>./4020773394-basque-book.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/basque-book
on MikTeX	basque-book
on T _E XLive	basque-book
keyword	basque (support for typesetting Basque)
keyword	class (alternative LaTeX class(es))
keyword	book-pub (preparing a book for publication)
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	English; Basque
year	2014
last access	2025-02-07

475 basque-date – Print the date in Basque

Web page on CTAN <https://ctan.org/pkg/basque-date>

name	basque-date
caption	Print the date in Basque
author	Ibarra, Edorta
copyright	Edorta Ibarra (2012)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.05
description	(no language specified) The package provides two LaTeX commands to print the current date in Basque according to the correct forms ruled by The Basque Language Academy (Euskaltzaindia). The commands automatically solve the complex declination issues of numbers in Basque.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/basque-date/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/basque-date/basque-date.pdf
– local file	./7445051397-basque-date.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/basque-date
on MikTeX	basque-date
on T _E XLive	basque-date
keyword	basque (support for typesetting Basque)
keyword	date-time (manipulate dates and/or times)
language(s)	no language specified
year	2012
last access	2025-02-07

476 *bath-bst* – Harvard referencing style as recommended by the University of Bath Library

Web page on CTAN <https://ctan.org/pkg/bath-bst>

name	<i>bath-bst</i>
caption	Harvard referencing style as recommended by the University of Bath Library
author	Ball, Alex
copyright	University of Bath (2016-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	6.0 (2022-05-25)
last changes	2022-05-25
year	2022
description	(no language specified) This package provides a BibTeX style to format reference lists in the Harvard style recommended by the University of Bath Library. It should be used in conjunction with natbib for citations.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/bath-bst/bath-bst.pdf
– local file	<code>./4554563664-bath-bst.pdf</code>
documentation	(no language specified) <i>Documentation of version 1 style</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/bath-bst/bath-bst-v1.pdf
– local file	<code>./6921441656-bath-bst-v1.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/bath-bst/README.md
home page	https://github.com/alex-ball/bathbib
contact	<i>bugs</i> : https://github.com/alex-ball/bathbib/issues
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/bath-bst
on MikTeX	<i>bath-bst</i>
on T _E XLive	<i>bath-bst</i>
keyword	<i>bibtex-sty</i> (<i>bibtex-sty(unknown)</i>)
see also	see section 625 on page 575 : (<i>biblatex-bath</i> – Harvard referencing style as recommended by the University of Bath Library)
language(s)	no language specified
last access	2025-02-19

477 battleship – A LaTeX style file for typesetting Battleship logic puzzles

Web page on CTAN <https://ctan.org/pkg/battleship>

name	battleship
caption	A LaTeX style file for typesetting Battleship logic puzzles
author	Kleber, Josef
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) The package offers a LaTeX style file for typesetting Battleship logic puzzles (aka Bimaru, Marinespiel, Batalla Naval, ...). You have to find the positions of ships in a grid. Numbers next to the grid reveal the number of ship segments in the respective columns and rows.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/battleship/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/battleship/doc/battleship.pdf
– local file	./9448350758-battleship.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/battleship
installation	https://ctan.org/tex-archive/install/graphics/pgf/contrib/battleship.tds.zip
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
year	without year
last access	2025-02-11

478 *baum* – Trees, using *PicTeX*

Web page on CTAN <https://ctan.org/pkg/baum>

name	baum
caption	Trees, using <i>PicTeX</i>
license	noinfo = noinfo
version	(1993-08-06)
last changes	1993-08-06
year	1993
description	(no language specified) The package draws trees, using <i>PicTeX</i> . There is no documentation, but the distribution contains an example file that makes usage fairly clear.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/baum
keyword	tree (mechanisms for drawing trees)
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
language(s)	no language specified
last access	2025-02-11

479 *bbcard* – Bullshit bingo, calendar and baseball-score cards

Web page on CTAN <https://ctan.org/pkg/bbcard>

name	bbcard
caption	Bullshit bingo, calendar and baseball-score cards
author	McPhee, Patrick T J
license	pd = Public Domain Software (free)
description	(no language specified) Three jiffy packages for creating cards of various sorts with MetaPost.
documentation	(no language specified) <i>Bullshit bingo readme</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/bbcard/README.bbcard
documentation	(no language specified) <i>Scorecard readme</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/bbcard/README.scorecard

documentation	(no language specified) <i>Calendar readme:</i> https://ctan.org/tex-archive/graphics/metapost/contrib/macros/bbcard/README.calendar
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/bbcard
on T _E XLive	bbcard
keyword	card-gen (cards for miscellaneous purposes)
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	calendar (typeset calendars, diaries, planning charts, etc.)
language(s)	no language specified
year	without year
last access	2025-02-11

480 *bbding* – A symbol (dingbat) font and LaTeX macros for its use

Web page on CTAN	https://ctan.org/pkg/bbding
name	bbding
caption	A symbol (dingbat) font and LaTeX macros for its use
author	Neergaard, Peter Møller
author	Horák, Karel
copyright	Peter Møller Neergaard (1995-1999)
license	lppl = The LaTeX Project Public License (free)
version	1.01
description	(no language specified) A symbol font (distributed as Metafont source) that contains many of the symbols of the Zapf dingbats set, together with an NFSS interface for using the font. An Adobe Type 1 version of the fonts is available in the niceframe fonts bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/bbding/bbding.pdf
– local file	./2606773687-bbding.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/bbding/README
on CTAN	https://ctan.org/tex-archive/fonts/bbding
on MikT _E X	bbding

on T _E XLive	bbding
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
keyword	font-symbol (fonts that provide collections of symbols)
language(s)	no language specified
year	1999
last access	2025-02-07

481 bbfig – Calculate and print bounding box

Web page on CTAN <https://ctan.org/pkg/bbfig>

name	bbfig
caption	Calculate and print bounding box
author	Batchelder, Ned
author	Cosell, Bernie
license	noinfo = noinfo
version	(1994-05-11)
last changes	1994-05-11
year	1994
description	(no language specified) Bbfig wraps a set of PostScript routines around a PostScript file; when the resulting file is printed, the bounding box appears on the page, and the requisite %%BoundingBox directive is also printed.
on CTAN	https://ctan.org/tex-archive/support/bbfig
keyword	graphics-prep (prepare graphics for use with *T _E X)
language(s)	no language specified
last access	2025-02-07

482 bbl2html – Convert a LaTeX .bbl file to formatted html code

Web page on CTAN <https://ctan.org/pkg/bbl2html>

name	bbl2html
caption	Convert a LaTeX .bbl file to formatted html code
author	Blok, Rik
license	pd = Public Domain Software (free)
description	(no language specified) Bbl2html is an AWK script; AWK is not ordinarily available to Windows users.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/misc/bbl2html.awk
keyword	cvt-html (generate HTML from TeX-ish sources)
language(s)	no language specified
year	without year
last access	2025-02-07

483 bbm – "Blackboard-style" cm fonts

Web page on CTAN <https://ctan.org/pkg/bbm>

name	bbm
caption	"Blackboard-style" cm fonts
author	Robert, Gilles
license	other-free = Free license not otherwise listed (free)
version	(1993-04-13)
last changes	1993-04-13
year	1993
description	(no language specified) Blackboard variants of Computer Modern fonts. The fonts are distributed as Metafont source (only); LaTeX support is available with the bbm-macros package. The Sauter font package has Metafont parameter source files for building the fonts at more sizes than you could reasonably imagine. A sample of these fonts appears in the blackboard bold sampler .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/cm/bbm/README

on CTAN	https://ctan.org/tex-archive/fonts/cm/bbm
on MikTeX	bbm
on T _E XLive	bbm
keyword	font-bbd (doublestroke (blackboard bold) fonts)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-maths (fonts for use in mathematics)
keyword	font (fonts themselves)
see also	see section 1673 on page 1516: (doublestroke – Typeset mathematical double stroke symbols)
see also	see section 3847 on page 3479: (mbboard – Comprehensive blackboard bold fonts)
see also	see section 485 on page 441: (bbold – Sans serif blackboard bold)
language(s)	no language specified
last access	2025-02-07

484 *bbm-macros* – LaTeX support for "blackboard-style" cm fonts

Web page on CTAN	https://ctan.org/pkg/bbm-macros
name	bbm-macros
caption	LaTeX support for "blackboard-style" cm fonts
author	Hilbrich, Torsten
copyright	Torsten Hilbrich (1994-1999)
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Provides LaTeX support for Blackboard variants of Computer Modern fonts . Declares a font family bbm so you can in principle write running text in blackboard bold, and lots of math alphabets for using the fonts within maths.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bbm/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bbm/bbm.pdf
– local file	./6764672316-bbm.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bbm
on MikTeX	bbm

on T _E XLive	bbm-macros
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	1999
last access	2025-02-07

485 *bbold* – Sans serif blackboard bold

Web page on CTAN <https://ctan.org/pkg/bbold>

name	bbold
caption	Sans serif blackboard bold
author	Jeffrey, Alan
license	bsd = BSD Style License (free)
version	1.01
description	(no language specified) A geometric sans serif blackboard bold font, for use in mathematics; Metafont sources are provided, as well as macros for use with LaTeX. The Sauter font package has Metafont parameter source files for building the fonts at more sizes than you could reasonably imagine. See the blackboard sampler for a feel for the font's appearance.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/bbold/bbold.pdf
– local file	./6625612426-bbold.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/bbold/README
on CTAN	https://ctan.org/tex-archive/fonts/bbold
on MikT _E X	bbold
on T _E XLive	bbold
keyword	font-maths (fonts for use in mathematics)
keyword	font-bbd (doublestroke (blackboard bold) fonts)
keyword	tagged-pdf-partially (tagged PDF partially compatible)
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
see also	see section 3847 on page 3479 : (mbboard – Comprehensive blackboard bold fonts)

see also	see section 1673 on page 1516: (doublestroke – Typeset mathematical double stroke symbols)
see also	see section 483 on page 439: (bbm – “Blackboard-style” cm fonts)
language(s)	no language specified
year	without year
last access	2026-04-10

486 *bbold-type1* – An Adobe Type 1 format version of the *bbold* font

Web page on CTAN <https://ctan.org/pkg/bbold-type1>

name	<i>bbold-type1</i>
caption	An Adobe Type 1 format version of the <i>bbold</i> font
author	Horn, Berthold K. P.
author	Hosny, Khaled
copyright	TeX Users Group (2007)
license	other-free = Free license not otherwise listed (free)
version	(2014-03-09)
last changes	2014-03-09
year	2014
description	(no language specified) The files offer an Adobe Type 1 format version of the 5pt, 7pt and 10pt versions of the <i>bbold</i> fonts. The distribution also includes a map file, for use when incorporating the fonts into TeX documents; the macros provided with the original Metafont version of the font serve for the scaleable version, too. The fonts were produced to be part of the TeX distribution from Y&Y; they were generously donated to the TeX Users Group when Y&Y closed its doors as a business.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/bbold-type1/README
on CTAN	https://ctan.org/tex-archive/fonts/bbold-type1
on MikTeX	<i>bbold-type1</i>
on T _E XLive	<i>bbold-type1</i>
keyword	font-bbd (doublestroke (blackboard bold) fonts)
keyword	font-maths (fonts for use in mathematics)

keyword	font (fonts themselves)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
last access	2025-02-07

487 **bboldx** – Extension of the **bbold** package with a Blackboard Bold alphabet

Web page on CTAN <https://ctan.org/pkg/bboldx>

name	bboldx
caption	Extension of the bbold package with a Blackboard Bold alphabet
author	Sharpe, Michael
copyright	Michael Sharpe (2021)
copyright	TeX Users Group (2007)
license	other-free = Free license not otherwise listed (free)
version	1.032 (2022-12-31)
last changes	2022-12-31
year	2022
description	(no language specified) Extension of bbold to a package with three weights, of which the original is considered as light and the additions as regular and bold.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/bboldx/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/bboldx/doc/Bboldx-doc.pdf
– local file	./4737375988-Bboldx-doc.pdf
on CTAN	https://ctan.org/tex-archive/fonts/bboldx
on MikTeX	bboldx
on T _E XLive	bboldx
keyword	font-bbd (doublestroke (blackboard bold) fonts)
keyword	font (fonts themselves)
keyword	font-suppl (metrics, macro incantations and other font support)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-maths (fonts for use in mathematics)
language(s)	no language specified

last access 2025-02-07

488 *bbs* – Bibliography style for Behavioral and Brain Sciences

Web page on CTAN <https://ctan.org/pkg/bbs>

name	bbs
caption	Bibliography style for Behavioral and Brain Sciences
author	Rogers, Alan
license	nocommercial = No Commercial Use (not free)
version	1.1
description	(no language specified) The style is derived from <code>apalike.bst</code> in the bundle , adopting further features from astron.bst ; use with the LaTeX package that comes with <code>astron</code> .
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/bbs.bst
on MikTeX	beebe
on TeXLive	beebe
keyword	neuro (typesetting neuroscience material)
keyword	<code>bibtex-sty</code> (<code>bibtex-sty(unknown)</code>)
language(s)	no language specified
year	without year
last access	2025-02-19

489 *bchart* – Draw simple bar charts in LaTeX

Web page on CTAN <https://ctan.org/pkg/bchart>

name	bchart
caption	Draw simple bar charts in LaTeX
author	Kuhn, Tobias
license	mit = MIT License (free)
version	0.1.3
description	(no language specified) The package provides horizontal bar charts, drawn using TikZ on a numeric X-axis. The focus of the package is simplicity and aesthetics.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bchart/bchart.pdf
– local file	./2095556939-bchart.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bchart/README.md
contact	<i>bugs</i> : https://github.com/tkuhn/bchart/issues
contact	<i>repository</i> : https://github.com/tkuhn/bchart
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bchart
on MikTeX	bchart
on T _E XLive	bchart
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	genchart (drawing bar- or pie-charts)
see also	see section 4881 on page 4414: (pst-bar – Produces bar charts using PSTricks)
language(s)	no language specified
year	without year
last access	2025-02-07

490 *bclogo* – Creating colourful boxes with logos

Web page on CTAN	https://ctan.org/pkg/bclogo
name	bclogo
caption	Creating colourful boxes with logos
author	Chupin, Maxime
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.15 (2024-01-23)
last changes	2024-01-23
year	2024
description	(no language specified) The package facilitates the creation of colorful boxes with a title and logo. It may use either TikZ or PSTricks as graphics engine.
documentation	<i>Package documentation (French)</i> : https://ctan.org/tex-archive/graphics/bclogo/doc/bclogo-doc.pdf
– local file	./4330473455-bclogo-doc.pdf

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/bclogo/README.md
contact	<i>bugs</i> : https://gitlab.gutenberg-asso.fr/mchupin/bclogo/-/issues
contact	<i>repository</i> : https://gitlab.gutenberg-asso.fr/mchupin/bclogo
on CTAN	https://ctan.org/tex-archive/graphics/bclogo
on MikTeX	bclogo
on T _E XLive	bclogo
keyword	boxing (creating boxes)
keyword	logo (symbols or drawings to specify an object, including icons)
language(s)	French
last access	2025-02-07

491 bdfchess – Typeset correspondence chess games

Web page on CTAN	https://ctan.org/pkg/bdfchess
name	bdfchess
caption	Typeset correspondence chess games
author	Hassel, Frank
license	nosell = Do Not Sell Except by Arrangement (not free)
version	1.2
description	(no language specified) A LaTeX (2.09) package for managing rules and considertimes of chess games, according to the rules of the International Correspondence Chess Federation. In addition the package will typeset games in progress, and the correspondence postcards, using the fonts, etc., of the chess package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/chess/bdfchess/readme.bdf
on CTAN	https://ctan.org/tex-archive/fonts/chess/bdfchess
on MikTeX	chess
on T _E XLive	chess
keyword	games (process game diagrams, gamebooks, and other amusements)
language(s)	no language specified

year	without year
last access	2025-02-07

492 beamer – A LaTeX class for producing presentations and slides

Web page on CTAN <https://ctan.org/pkg/beamer>

name	beamer
caption	A LaTeX class for producing presentations and slides
author	Miletić, Vedran
author	Tantau, Till
author	Wright, Joseph
author	samcarter
author	Stuart, Louis
copyright	Vedran Miletić (2010)
copyright	Till Tantau (2003-2007)
copyright	Joseph Wright, samcarter (2019-2026)
copyright	Vedran Miletić, Joseph Wright (2011-2015)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	gpl2+ = GNU General Public License, version 2 or newer (free)
license	fdl = Free Documentation License (free)
version	3.77 (2026-01-22)
last changes	2026-01-22
year	2026
description	(no language specified) The beamer LaTeX class can be used for producing slides. The class works in both PostScript and direct PDF output modes, using the pgf graphics system for visual effects. Content is created in the frame environment, and each frame can be made up of a number of slides using a simple notation for specifying material to appear on each slide within a frame. Short versions of title, authors, institute can also be specified as optional parameters. Whole frame graphics are supported by plain frames. The class supports figure and table environments, transparency effects, varying slide transitions and animations. Beamer also provides compatibility with other packages like prosper.

The package now incorporates the functionality of the former `translator` package, which is used for customising the package for use in other language environments.

Beamer depends on the following other packages: `atbegshi` , `etoolbox` , `hyperref` , `ifpdf` , `pgf` , and `translator` .

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer/doc/beameruserguide.pdf
– local file	<code>./2121635604-beameruserguide.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer/README.md
contact	<i>bugs</i> : https://github.com/josephwright/beamer/issues
contact	<i>repository</i> : https://github.com/josephwright/beamer
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/beamer.tds.zip
on MikTeX	<code>beamer</code>
on T _E XLive	<code>beamer</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>presentation</code> (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2026-01-28

493 *beamer-fuberlin* – Beamer, using the style of FU Berlin

Web page on CTAN <https://ctan.org/pkg/beamer-fuberlin>

name	<code>beamer-fuberlin</code>
caption	Beamer, using the style of FU Berlin
author	Voß, Herbert
copyright	Herbert Voß (2009-2015)
license	lppl = The LaTeX Project Public License (free)
version	0.02b

description	(no language specified) The bundle provides a beamer -derived class and a theme style file for the corporate design of the Free University in Berlin. Users may use the class itself (FUbeamer) or use the theme in the usual way with <code>\usetheme{BerlinFU}</code> . Examples of using both the class and the theme are provided; the PDF is visually identical, so the catalogue only lists one; the sources of the examples do of course differ.
documentation	(no language specified) <i>Example of use of the class</i>: https://ctan.org/tex-archive/macros/latex/contrib/beamer-FUBerlin/doc/exampleClass.pdf
– local file	<code>./9861445312-exampleClass.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/beamer-FUBerlin/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-FUBerlin
on MikTeX	<code>beamer-fuberlin</code>
on T _E XLive	<code>beamer-fuberlin</code>
keyword	<code>presentation</code> (slides, beamers, handouts, etc.)
language(s)	no language specified
year	2015
last access	2026-04-13

494 beamer-reveal – Convert beamer slides to reveal.js HTML presentations

Web page on CTAN	https://ctan.org/pkg/beamer-reveal
name	<code>beamer-reveal</code>
caption	Convert beamer slides to reveal.js HTML presentations
author	Daems, Walter
copyright	Walter Daems (2025-2026)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.10 (2026-04-08)
last changes	2026-04-08
year	2026

description	(no language specified) Beamer is a very powerful and convenient document class to create presentations and slides. However, integrating multimedia in it, is still a bit of a faff. The (limited) functionality heavily relies on the availability of acroread. This package allows you to convert your beamer presentation to the reveal.js framework, rendering your presentation as an HTML website in your browser. This allows for easy incorporation of videos, audio fragments, iframe chunks, images and LaTeX animations.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/beamer-reveal/beamer-reveal.pdf
– local file	./8877716805-beamer-reveal.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/beamer-reveal/README.md
documentation	(no language specified) <i>Example file:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/beamer-reveal/beamer-reveal-example.pdf
– local file	./3815995155-beamer-reveal-example.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/beamer-reveal
on MikTeX	beamer-reveal
on T _E XLive	beamer-reveal
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2026-04-10

495 beamer-rl – Right to left presentation with beamer and babel

Web page on CTAN	https://ctan.org/pkg/beamer-rl
name	beamer-rl
caption	Right to left presentation with beamer and babel
author	Bou, Salim
copyright	Salim Bou (2019-2023)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2 (2025-10-15)
last changes	2025-10-15

year	2025
description	(no language specified) This class provides patches of some beamer templates and commands for presentation from right to left. It requires Babel with the LuaTeX engine.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/beamer-rl/README.txt
documentation	<i>Example of use (Arabic)</i> : https://ctan.org/tex-archive/macros/luatex/latex/beamer-rl/Example-of-use-ar.pdf
– local file	./9952015549-Example-of-use-ar.pdf
documentation	<i>Example of use (English)</i> : https://ctan.org/tex-archive/macros/luatex/latex/beamer-rl/Example-of-use-en.pdf
– local file	./7326878187-Example-of-use-en.pdf
contact	<i>bugs</i> : https://github.com/seloumi/beamer-rl/issues
contact	<i>repository</i> : https://github.com/seloumi/beamer-rl
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/beamer-rl
on MikTeX	beamer-rl
on T _E XLive	beamer-rl
keyword	presentation (slides, beamers, handouts, etc.)
keyword	bidirectional (support bidirectional typesetting)
keyword	luatex (LuaTeX and packages that require it)
keyword	multilingual (support for more than one (natural) language)
keyword	class (alternative LaTeX class(es))
language(s)	Arabic; English
last access	2026-01-28

496 **beamer-theme-albi** – The Albi beamer theme

Web page on CTAN <https://ctan.org/pkg/beamer-theme-albi>

name	beamer-theme-albi
caption	The Albi beamer theme
author	Gaborit, Paul
copyright	Paul Gaborit (2016-2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)

version	1.5
description	(no language specified) The Albi beamer theme features a colorful triangular design.
documentation	(no language specified) <i>Example of use and user manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamer-theme-albi/beamer-theme-albi-doc.pdf
– local file	<code>./1070612960-beamer-theme-albi-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamer-theme-albi/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamer-theme-albi
on MikTeX	<code>beamer-theme-albi</code>
on T _E XLive	<code>beamer-theme-albi</code>
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
year	2025
last access	2026-01-28

497 *beamer-tut-pt* – An introduction to the Beamer class, in Portuguese

Web page on CTAN	https://ctan.org/pkg/beamer-tut-pt
name	<code>beamer-tut-pt</code>
caption	An introduction to the Beamer class, in Portuguese
author	Campani, Carlos
license	gpl = GNU General Public License (free)
documentation	<i>The document itself (in Portuguese)</i> : https://ctan.org/tex-archive/info/portuguese/beamer/tutorialbeamer.pdf
– local file	<code>./6216720424-tutorialbeamer.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/portuguese/beamer
on T _E XLive	<code>beamer-tut-pt</code>
keyword	presentation (slides, beamers, handouts, etc.)
keyword	portuguese-doc (documentation in Portuguese)
language(s)	Portuguese

year	without year
last access	2026-01-28

498 beamer-varbox – Provide beamer boxes with variable size corners

Web page on CTAN <https://ctan.org/pkg/beamer-varbox>

name	beamer-varbox
caption	Provide beamer boxes with variable size corners
author	Fuchs, Fabian
copyright	Fabian Fuchs (2025)
license	lppl = The LaTeX Project Public License (free)
license	gpl = GNU General Public License (free)
version	(2025-09-11)
last changes	2025-09-11
year	2025
description	(no language specified) This package provides beamer boxes with variable size corners. It scales the corner arc of a beamer block relative to the standard rounded predefined option provided by the beamer class. The package depends on beamer and xkeyval.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/beamer-varbox/README.md
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/beamer-varbox/beamer-varbox.pdf
– local file	./8337674285-beamer-varbox.pdf
contact	<i>bugs</i>: https://github.com/fabian-m-fuchs/beamer-varbox/issues
contact	<i>repository</i>: https://github.com/fabian-m-fuchs/beamer-varbox
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/beamer-varbox
on MikTeX	beamer-varbox
on T _E XLive	beamer-varbox
keyword	presentation (slides, beamers, handouts, etc.)

keyword box-manip (manipulating boxes)
 language(s) no language specified
 last access 2026-01-28

499 **beamer-verona** – A theme for the beamer class

Web page on CTAN <https://ctan.org/pkg/beamer-verona>

name beamer-verona
 caption A theme for the beamer class
 author Valbusa, Ivan
 copyright Ivan Valbusa (2015)
 license lpl1.3 = The LaTeX Project Public License 1.3 (free)
 version 0.2 (2015-12-23)
 last changes 2015-12-23
 year 2015
 description (no language specified) This package provides the ‘Verona’ theme for the **beamer** class by Till Tantau.
 documentation (no language specified) *Readme:*
<https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamer-verona/README.md>
 documentation (no language specified) *Package documentation:*
<https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamer-verona/beamer-verona.pdf>
 – local file ./1689441601-beamer-verona.pdf
 on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamer-verona>
 on MikTeX beamer-verona
 on T_EXLive beamer-verona
 keyword presentation (slides, beamers, handouts, etc.)
 language(s) no language specified
 last access 2026-01-28

500 beamer2thesis – Thesis presentations using beamer

Web page on CTAN <https://ctan.org/pkg/beamer2thesis>

name	beamer2thesis
caption	Thesis presentations using beamer
author	Fiandrino, Claudio
copyright	Claudio Fiandrino (2011)
license	lppl = The LaTeX Project Public License (free)
version	2.2
description	(no language specified) The package specifies a beamer theme for presenting a thesis.
documentation	<i>Package documentation (as presentation; in English):</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamer2thesis/doc/basic_guide/beamer2thesis.pdf
– local file	./9377260720-beamer2thesis.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamer2thesis/README
documentation	<i>Package documentation (as presentation; in Italian):</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamer2thesis/doc/italian_guide/beamer2thesis_ita.pdf
– local file	./2682164585-beamer2thesis_ita.pdf
home page	https://cfiandra.github.io/Beamer2Thesis/
contact	<i>repository:</i> https://github.com/cfiandra/Beamer2Thesis
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamer2thesis
on MikTeX	beamer2thesis
on T _E XLive	beamer2thesis
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	English; Italian
year	2011
last access	2026-01-28

501 **beamerappendixnote** – Create notes on appendix frames in beamer

Web page on CTAN <https://ctan.org/pkg/beamerappendixnote>

name	beamerappendixnote
caption	Create notes on appendix frames in beamer
author	Semken, Christoph
copyright	Christoph Semken (2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2.0 (2020-07-01)
last changes	2020-07-01
year	2020
description	(no language specified) This package introduces the <code>\appxnote</code> command, which puts the note's content on a separate beamer frame shown by the command <code>\printappxnotes</code> . It also creates interactive buttons to move back and forth between the two frames.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/beamerappendixnote/README.md
documentation	(no language specified) <i>Example of use (2):</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/beamerappendixnote/example-backtop.pdf
– local file	<code>./2098471043-example-backtop.pdf</code>
documentation	(no language specified) <i>Example of use (1):</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/beamerappendixnote/example-basic.pdf
– local file	<code>./9503280754-example-basic.pdf</code>
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/beamerappendixnote/beamerappendixnote.pdf
– local file	<code>./8704128741-beamerappendixnote.pdf</code>
documentation	(no language specified) <i>Example of use (3):</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/beamerappendixnote/example-longnote.pdf
– local file	<code>./2929952053-example-longnote.pdf</code>
contact	<i>bugs:</i> https://github.com/csemken/beamerappendixnote/issues

contact	repository: https://github.com/csemken/beamerappendixnote
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/beamerappendixnote
on MikTeX	beamerappendixnote
on T _E XLive	beamerappendixnote
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2026-01-28

502 *beameraudience* – Assembling beamer frames according to audience

Web page on CTAN	https://ctan.org/pkg/beameraudience
name	beameraudience
caption	Assembling beamer frames according to audience
author	Marschall, Holger
copyright	marschall (2011)
license	lppl = The LaTeX Project Public License (free)
version	0.1
description	(no language specified) The Beamer Audience package provides macros to easily assemble frames according to different audiences. It enables to pick up the frames for a specific audience while leaving their order according to a logical structure in the LaTeX source.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/beameraudience/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/beameraudience
on MikTeX	beameraudience
on T _E XLive	beameraudience
keyword	presentation (slides, beamers, handouts, etc.)
see also	see section 492 on page 447: (beamer – A LaTeX class for producing presentations and slides)
language(s)	no language specified
year	2011

last access 2026-01-28

503 **beamerauxtheme** – Supplementary outer and inner themes for beamer

Web page on CTAN <https://ctan.org/pkg/beamerauxtheme>

name	beamerauxtheme
caption	Supplementary outer and inner themes for beamer
author	Stuart, Louis
copyright	Louis Stuart (2018-2019)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.02a (2020-08-10)
last changes	2020-08-10
year	2020
description	(no language specified) This bundle provides a collection of inner and outer themes as supplements to the default themes in the beamer distribution. These themes can be used in combination with existing inner, outer, and color themes.
documentation	(no language specified) <i>Example presentation (2)</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamerauxtheme/doc/example-outer-sidebarwithminiframes.pdf
– local file	./7491097725-example-outer-sidebarwithminiframes.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamerauxtheme/README.md
documentation	(no language specified) <i>Example presentation (1)</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamerauxtheme/doc/example-inner-simplelines.pdf
– local file	./9989263062-example-inner-simplelines.pdf
documentation	(no language specified) <i>Example presentation (4)</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamerauxtheme/doc/example-outer-twolines.pdf
– local file	./7924415399-example-outer-twolines.pdf
documentation	(no language specified) <i>Example presentation (3)</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamerauxtheme/doc/example-outer-splitwithminiframes.pdf
– local file	./1842462405-example-outer-splitwithminiframes.pdf

contact	<i>bugs:</i> https://github.com/louisstuart96/beamerauxtheme/issues
contact	<i>repository:</i> https://github.com/louisstuart96/beamerauxtheme
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamerauxtheme
on MikTeX	beamerauxtheme
on T _E XLive	beamerauxtheme
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2026-01-28

504 *beamercolorthemeowl* – A flexible beamer color theme to maximize visibility

Web page on CTAN <https://ctan.org/pkg/beamercolorthemeowl>

name	beamercolorthemeowl
caption	A flexible beamer color theme to maximize visibility
author	Churchley, Ross
copyright	Ross Churchley (2016)
license	lpp1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1.1 (2016-03-15)
last changes	2016-03-15
year	2016
description	(no language specified) This package provides a flexible dark or light colour theme designed for maximum readability in environments where most themes fall flat.

Main features:

- Dark color theme for presenting in low-light conditions.
- Optional light color theme for presenting in bright ambient light.
- Redefines color names "red", "green", "blue", "yellow" to values that are visible when displayed by certain projectors, particularly those with a very bright green channel and dim red and blue channels. This behaviour can be optionally disabled, with the provided colours also available as "OwlRed", "OwlGreen", etc.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamercolorthemeowl/beamercolorthemeowl.pdf
– local file	./5310764066-beamercolorthemeowl.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamercolorthemeowl/README.md
contact	<i>repository</i> : https://github.com/rchurchley/beamercolortheme-owl
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamercolorthemeowl
on MikTeX	beamercolorthemeowl
on TeXLive	beamercolorthemeowl
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2026-01-28

505 beamerdarkthemes – Dark color themes for beamer

Web page on CTAN <https://ctan.org/pkg/beamerdarkthemes>

name	beamerdarkthemes
caption	Dark color themes for beamer
author	Thiriet, Damien
copyright	Damien Thiriet (2014-2020)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
license	cc-by-4 = CC BY 4.0 (free)
version	0.5.1 (2020-05-10)
last changes	2020-05-10
year	2020
description	(no language specified) A package with three dark color themes for beamer , designed for presentations with pictures and/or for bright rooms without screen. These themes mix one dominant foreground colour and a black background. Cormorant stands for green, frigatebird for red and magpie for blue.

documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamerdarkthemes/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamerdarkthemes/beamerdarkthemesuserguide.pdf
– local file	./4983713070-beamerdarkthemesuserguide.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamerdarkthemes
on MikTeX	beamerdarkthemes
on T _E XLive	beamerdarkthemes
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2026-01-28

506 beamerposter – Extend beamer and a0poster for custom sized posters

Web page on CTAN <https://ctan.org/pkg/beamerposter>

name	beamerposter
caption	Extend beamer and a0poster for custom sized posters
author	Deselaers, Thomas
author	Dreuw, Philippe
copyright	Philippe Dreuw and Thomas Deselaers (2015,2018)
license	gpl = GNU General Public License (free)
license	lppl = The LaTeX Project Public License (free)
version	1.13
description	(no language specified) The package enables the user to use beamer style operations on a canvas of the sizes provided by a0poster ; font scaling is available (using packages such as type1cm if necessary). In addition, the package allows the user to benefit from the nice colour box handling and alignment provided by the beamer class (for example, with rounded corners and shadows). Good looking posters may be created very rapidly. Features include: • scalable fonts using the fp and type1cm packages;

	• posters in A-series sizes, and custom sizes like double A0 are possible; • still applicable to custom beamer slides, e.g. 16:9 slides for a wide-screen (i.e. 1.78 aspect ratio); • orientation may be portrait or landscape; a ‘debug mode’ is provided.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamerposter/README
documentation	(no language specified) <i>Package documentation (PDF)</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamerposter/beamerposter.pdf
– local file	<code>./7277023339-beamerposter.pdf</code>
home page	https://github.com/deselaers/latex-beamerposter
contact	<i>support</i> : https://groups.google.com/forum/#!forum/beamerposter
contact	<i>announce</i> : https://groups.google.com/forum/#!forum/beamerposter
contact	<i>bugs</i> : https://github.com/deselaers/latex-beamerposter/issues
contact	<i>repository</i> : https://github.com/deselaers/latex-beamerposter
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamerposter
on MikTeX	beamerposter
on TeXLive	beamerposter
keyword	presentation (slides, beamers, handouts, etc.)
keyword	poster (typeset posters, etc.)
language(s)	no language specified
year	2018
last access	2026-01-28

507 beamersubframe – Reorder frames in the PDF file

Web page on CTAN <https://ctan.org/pkg/beamersubframe>

name	beamersubframe
caption	Reorder frames in the PDF file
author	Kaufmann, Mike
license	lppl = The LaTeX Project Public License (free)
version	0.2
description	(no language specified) The package provides a method to reorder frames in the PDF file without reordering the source. Its principal use is to embed or append frames with details on some subject. The author describes the package as "experimental".
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/beamersubframe/beamersubframe.pdf
– local file	./4216995292-beamersubframe.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/beamersubframe/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/beamersubframe
on MikTeX	beamersubframe
on T _E XLive	beamersubframe
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
year	without year
last access	2026-01-28

508 beamerswitch – Convenient mode selection in Beamer documents

Web page on CTAN <https://ctan.org/pkg/beamerswitch>

name	beamerswitch
caption	Convenient mode selection in Beamer documents
author	Ball, Alex
copyright	Alex Ball (2016-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.9 (2022-08-20)
last changes	2022-08-20
year	2022
description	(no language specified) This class is a wrapper around the beamer class to make it easier to use the same document to generate the different forms of the presentation: the slides themselves, an abbreviated slide set for transparencies or online reference, an n-up handout version (various layouts are provided), and a transcript or set of notes using the article class. The class provides a variety of handout layouts, and allows the mode to be chosen from the command line (without changing the document itself).
documentation	(no language specified) <i>Example of use (transparencies, without overlays):</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/beamerswitch/beamerswitch-example-trans.pdf
– local file	./5205392437-beamerswitch-example-trans.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/beamerswitch/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/beamerswitch/beamerswitch.pdf
– local file	./6305172724-beamerswitch.pdf
documentation	(no language specified) <i>Example of use (slides, with overlays):</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/beamerswitch/beamerswitch-example.pdf
– local file	./8298154526-beamerswitch-example.pdf
documentation	(no language specified) <i>Example of use (article):</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/beamerswitch/beamerswitch-example-article.pdf

– local file	<code>./3066931339-beamerswitch-example-article.pdf</code>
documentation	(no language specified) <i>Example of use (handout)</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/beamerswitch/beamerswitch-example-handout.pdf
– local file	<code>./5760468358-beamerswitch-example-handout.pdf</code>
contact	<i>bugs</i> : https://github.com/alex-ball/beamerswitch/issues
contact	<i>repository</i> : https://github.com/alex-ball/beamerswitch
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/beamerswitch
on MikTeX	beamerswitch
on T _E XLive	beamerswitch
keyword	class (alternative LaTeX class(es))
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2026-01-28

509 beamertheme-arguelles – Simple, typographic beamer theme

Web page on CTAN <https://ctan.org/pkg/beamertheme-arguelles>

name	beamertheme-arguelles
caption	Simple, typographic beamer theme
author	Piazzai, Michele
copyright	Michele Piazzai (2020-2025)
license	mit = MIT License (free)
version	2.5.0 (2025-09-19)
last changes	2025-09-19
year	2025
description	(no language specified) Argüelles is a beamer theme that helps you create beautiful presentations. It aims for simplicity and readability by following best practices of graphic design. The layout is elegant but subtle, so as to keep the audience's attention on your content. This is brought to life by <i>Alegreya</i> , one of the 53 Fonts of the Decade selected by the Association Typographique Internationale (2011).

documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-arguelles/README.md
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-arguelles/demo/demo-arguelles.pdf
– local file	<code>./8722789247-demo-arguelles.pdf</code>
contact	<i>bugs:</i> https://github.com/piazzai/arguelles/issues
contact	<i>repository:</i> https://github.com/piazzai/arguelles
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-arguelles
on MikTeX	<code>beamertheme-arguelles</code>
on T _E XLive	<code>beamertheme-arguelles</code>
keyword	<code>presentation</code> (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2026-01-28

510 `beamertheme-bilkent-econ` – LaTeX Beamer theme for the Department of Economics at Bilkent University

Web page on CTAN	https://ctan.org/pkg/beamertheme-bilkent-econ
name	<code>beamertheme-bilkent-econ</code>
caption	LaTeX Beamer theme for the Department of Economics at Bilkent University
author	Övet, Cem
copyright	Cem Övet (2025)
license	l _{pp} 1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1 (2025-09-21)
last changes	2025-09-21
year	2025
description	(no language specified) This is a LaTeX Beamer theme designed for the Department of Economics at Bilkent University. It provides a clean, professional presentation style with department-specific colors, custom title pages, and consistent slide formatting for lectures, seminars, and research talks.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-bilkent-econ/BilkentEconTemplateGuide.pdf
– local file	<code>./1269316989-BilkentEconTemplateGuide.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-bilkent-econ/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-bilkent-econ
on MikTeX	<code>beamertheme-bilkent-econ</code>
on T _E XLive	<code>beamertheme-bilkent-econ</code>
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2026-01-28

511 *beamertheme-cleaneasy* – A clean and minimalist Beamer theme

Web page on CTAN	https://ctan.org/pkg/beamertheme-cleaneasy
name	<code>beamertheme-CleanEasy</code>
caption	A clean and minimalist Beamer theme
author	Marchezi, José Paulo
license	pd = Public Domain Software (free)
version	1.0.3
description	(no language specified) This package provides a clean and minimalist Beamer theme designed for professional and academic presentations. It separates style components into modular <code>.sty</code> files for flexibility and clarity.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-cleaneasy/README.md
documentation	(no language specified) <i>Package documentation and example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-cleaneasy/CleanEasy.pdf
– local file	<code>./8569032165-CleanEasy.pdf</code>
contact	<i>repository</i> : https://github.com/zemarchezi/CleanEasy_BeamerTheme

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-cleaneasy
on MikTeX	beamertheme-cleaneasy
on T _E XLive	beamertheme-cleaneasy
keyword	presentation (slides, beamers, handouts, etc.)
keyword	doc-templ (template to guide document development)
language(s)	no language specified
year	without year
last access	2026-01-28

512 *beamertheme-csh* – A Beamer presentation theme for the Complexity Science Hub Vienna

Web page on CTAN	https://ctan.org/pkg/beamertheme-csh
name	beamertheme-csh
caption	A Beamer presentation theme for the Complexity Science Hub Vienna
author	Haslhofer, Bernhard
copyright	Complexity Science Hub Vienna (2025)
license	l _{pl} 1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1 (2025-11-27)
last changes	2025-11-27
year	2025
description	(no language specified) This package provides a Beamer theme following the corporate design of the Complexity Science Hub (CSH) Vienna . It includes a title page, automatic section slides, source citation commands, and a closing slide with QR code. The theme uses TeX Gyre Heros as the default font.
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-csh/example-csh.pdf
– local file	./3192234318-example-csh.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-csh/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-csh

on MikTeX	beamertheme-csh
on T _E XLive	beamertheme-csh
keyword	std-conform (support conformance to standards)
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2026-01-28

513 beamertheme-cuerna – A beamer theme with 4 colour palettes

Web page on CTAN <https://ctan.org/pkg/beamertheme-cuerna>

name	beamertheme-cuerna
caption	A beamer theme with 4 colour palettes
author	Ochoa, Geri
copyright	Geri Ochoa (2016)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2016-09-18)
last changes	2016-09-18
year	2016
description	(no language specified) The package contains a theme for Beamer which is referenced as "Cuerna" inside beamer and has four basic colour themes. The title page shows rectangles that represent the Fibonacci sequence, and spiral is drawn on top of the rectangles. Besides that the rest of the graphic elements in the slides are scarce to keep it clean
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-cuerna/beamertheme-cuerna.pdf
– local file	./9538510778-beamertheme-cuerna.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-cuerna/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-cuerna
on MikTeX	beamertheme-cuerna
on T _E XLive	beamertheme-cuerna

keyword presentation (slides, beamers, handouts, etc.)
 language(s) no language specified
 last access 2026-01-28

514 *beamertheme-detlevcm* – A beamer theme designed for use in the University of Leeds

Web page on CTAN <https://ctan.org/pkg/beamertheme-detlevcm>

name beamertheme-detlevcm
 caption A beamer theme designed for use in the University of Leeds
 author Mielczarek, Detlev Conrad
 copyright Detlev Conrad Mielczarek (2013, 2015)
 license gpl = GNU General Public License (free)
 version 1.02 (2015-12-07)
 last changes 2015-12-07
 year 2015
 description (no language specified) The bundle provides a simple theme that has been used in the author's department.
 documentation (no language specified) *Package documentation:*
<https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/detlevcm/beamertheme-detlevcm.pdf>
 – local file ./6660925224-beamertheme-detlevcm.pdf
 documentation (no language specified) *Readme:*
<https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/detlevcm/README.txt>
 on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/detlevcm>
 on MikTeX beamertheme-detlevcm
 on T_EXLive beamertheme-detlevcm
 keyword presentation (slides, beamers, handouts, etc.)
 language(s) no language specified
 last access 2026-01-28

515 **beamertheme-durham** – A content-first Beamer theme for teaching, research, and long-form academic presentations

Web page on CTAN <https://ctan.org/pkg/beamertheme-durham>

name	beamertheme-durham
caption	A content-first Beamer theme for teaching, research, and long-form academic presentations
author	Rizwan, Suhail
copyright	Suhail Rizwan (2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1.0 (2026-02-23)
last changes	2026-02-23
year	2026
description	(no language specified) This package provides the Durham Beamer Theme, a content-first presentation theme for LaTeX Beamer designed for teaching, research, and long-form academic presentations. The theme emphasizes structural clarity, pacing awareness, and layout stability under dense textual and mathematical content. It is implemented entirely from first principles and not derived from any existing Beamer theme. Conceptual inspiration from established themes such as Metropolis is acknowledged; no external code is reused. The color palette is inspired by the visual identity of Durham University. This package is an independent academic contribution and not an official or endorsed Durham University template. The package includes a modular theme implementation, a demo document with compiled PDF, and a user manual.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-durham/durham-manual.pdf
– local file	<code>./2217352864-durham-manual.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-durham/README.md
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-durham/durham-demo.pdf
– local file	<code>./5249590555-durham-demo.pdf</code>

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-durham
on MikTeX	beamertheme-durham
on T _E XLive	beamertheme-durham
keyword	luatex (LuaTeX and packages that require it)
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2026-04-10

516 beamertheme-edmaths – A beamer theme for the University of Edinburgh (UoE)

Web page on CTAN	https://ctan.org/pkg/beamertheme-edmaths
name	beamertheme-edmaths
caption	A beamer theme for the University of Edinburgh (UoE)
author	Fogg, Josh
copyright	Josh Fogg (2025)
license	other-nonfree = License that prevents distribution (not free)
license	0bsd = Zero-Clause BSD (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.0 (2025-09-03)
last changes	2025-09-03
year	2025
description	(no language specified) A beamer theme for The School of Mathematics, Scotland at the University of Edinburgh (UoE) . When working on a presentation, an easy way to follow the University's brand guidelines in LaTeX is provided by beamerthemeedmaths.sty .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-edmaths/docs/beamertheme-edmaths-docs.pdf
– local file	<code>./6590757575-beamertheme-edmaths-docs.pdf</code>
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-edmaths/edmaths-example-presentation.pdf
– local file	<code>./2232674540-edmaths-example-presentation.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-edmaths/README.md
contact	<i>announce</i> : https://github.com/UoE-School-of-Mathematics/LaTeX-Templates/releases
contact	<i>bugs</i> : https://github.com/UoE-School-of-Mathematics/LaTeX-Templates/issues
contact	<i>repository</i> : https://github.com/UoE-School-of-Mathematics/LaTeX-Templates
contact	<i>development</i> : https://github.com/UoE-School-of-Mathematics/LaTeX-Templates/blob/main/.github/CONTRIBUTING.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-edmaths
on MikTeX	beamertheme-edmaths
keyword	std-conform (support conformance to standards)
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2026-01-28

517 beamertheme-epyt – A simple and clean theme for LaTeX beamer class

Web page on CTAN <https://ctan.org/pkg/beamertheme-epyt>

name	beamertheme-epyt
caption	A simple and clean theme for LaTeX beamer class
author	Hu, Zou
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2016-05-25)
last changes	2016-05-25
year	2016
description	(no language specified) This package provides a simple but nice theme for Beamer, with the following features: • simple structure: with page numbers at footer, no head bar and side bar • simple templates: displaying theorems with traditional inline style • simple colors: using only several foreground and background colors

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-epyt/epyt-demo.pdf
– local file	<code>./7231042884-epyt-demo.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-epyt/README
documentation	<i>Package documentation (Chinese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-epyt/epyt-demo-cn.pdf
– local file	<code>./5190973792-epyt-demo-cn.pdf</code>
contact	<i>repository</i> : https://github.com/zohooo/epyt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-epyt
on MikTeX	<code>beamertheme-epyt</code>
on T _E XLive	<code>beamertheme-epyt</code>
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	Chinese
last access	2026-01-28

518 *beamertheme-focus* – A minimalist presentation theme for LaTeX Beamer

Web page on CTAN	https://ctan.org/pkg/beamertheme-focus
name	<code>beamertheme-focus</code>
caption	A minimalist presentation theme for LaTeX Beamer
author	Africa, Pasquale Claudio
copyright	Sebastian Friedl (2018)
copyright	Pasquale Claudio Africa et al. (2018-2024)
license	gpl3 = GNU General Public License, version 3 (free)
version	3.4.0 (2024-02-07)
last changes	2024-02-07
year	2024
description	(no language specified) A presentation theme for LaTeX Beamer that aims at a clean and minimalist design, so to minimize distractions and put the focus directly on the content.

documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-focus/focus-demo.pdf
– local file	<code>./6808811586-focus-demo.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-focus/README.md
contact	<i>bugs:</i> https://github.com/elauksap/focus-beamertheme/issues
contact	<i>repository:</i> https://github.com/elauksap/focus-beamertheme
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-focus
on MikTeX	<code>beamertheme-focus</code>
on TeXLive	<code>beamertheme-focus</code>
keyword	presentation (slides, beamers, handouts, etc.)
see also	see section 525 on page 482: (beamertheme-pure-minimalistic – A minimalistic presentation theme for LaTeX Beamer)
language(s)	no language specified
last access	2026-01-28

519 **beamertheme-gotham** – A modern, minimal-ish, versatile and extendable yet robust theme for Beamer

Web page on CTAN	https://ctan.org/pkg/beamertheme-gotham
name	<code>beamertheme-gotham</code>
caption	A modern, minimal-ish, versatile and extendable yet robust theme for Beamer
author	NOËL, Romain
copyright	Romain NOËL (2023-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
version	1.2.4.a (2025-12-25)
last changes	2025-12-25
year	2025

description	(no language specified) This package provides a modern, minimal-ish, versatile, LaTeX3 and extendable yet robust Beamer theme with some lines of code gathered or borrowed from other themes. It uses the l3build system to both build and verify (Test-Driven Development) the delivered code. ”Gotham” tries to bring higher flexibility thanks to LaTeX3 implementation on top of the good-looking Metropolis theme.
documentation	(no language specified) <i>Example of use (dark)</i>: https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-gotham/gotham-example43dark.pdf
– local file	<code>./2894520673-gotham-example43dark.pdf</code>
documentation	(no language specified) <i>Example of use (simple)</i>: https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-gotham/gotham-exampleSimple.pdf
– local file	<code>./4821106889-gotham-exampleSimple.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-gotham/README.md
documentation	(no language specified) <i>Complete package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-gotham/gotham.pdf
– local file	<code>./1366481245-gotham.pdf</code>
documentation	(no language specified) <i>User manual</i>: https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-gotham/gotham-doc.pdf
– local file	<code>./7886896144-gotham-doc.pdf</code>
documentation	(no language specified) <i>Example of use (transparent)</i>: https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-gotham/gotham-example169transp.pdf
– local file	<code>./3644948258-gotham-example169transp.pdf</code>
contact	<i>support</i>: https://gitlab.com/RomainNOEL/beamertheme-gotham/issues
contact	<i>repository</i>: https://gitlab.com/RomainNOEL/beamertheme-gotham/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-gotham
on MikTeX	<code>beamertheme-gotham</code>
on T _E XLive	<code>beamertheme-gotham</code>

keyword presentation (slides, beamers, handouts, etc.)
 language(s) no language specified
 last access 2026-01-28

520 **beamertheme-light** – A minimal beamer style

Web page on CTAN <https://ctan.org/pkg/beamertheme-light>

name beamertheme-light
 caption A minimal beamer style
 author Goepp, Vivien
 author Vergnet, Fabien
 author निरंजन
 copyright Fabien Vergnet, Vivien Goepp (2019-2024)
 license gpl3 = GNU General Public License, version 3 (free)
 version 1.2
 description (no language specified) The LaTeX package `beamertheme-light` provides an aesthetic and minimal beamer style by redefining colors and fonts.
 documentation (no language specified) *Readme:*
<https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-light/README>
 documentation (no language specified) *Example of use:* <https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-light/beamertheme-light-example.pdf>
 – local file ./8343977509-beamertheme-light-example.pdf
 on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-light>
 on MikTeX beamertheme-light
 on T_EXLive beamertheme-light
 keyword presentation (slides, beamers, handouts, etc.)
 see also see section 518 on page 474: (beamertheme-focus – A minimalist presentation theme for LaTeX Beamer)
 language(s) no language specified
 year 2024
 last access 2026-01-28

521 beamertheme-metropolis – A modern LaTeX beamer theme

Web page on CTAN <https://ctan.org/pkg/beamertheme-metropolis>

name	beamertheme-metropolis
caption	A modern LaTeX beamer theme
author	Vogelgesang, Matthias
copyright	Matthias Vogelgesang (2015-2017)
license	other-free = Free license not otherwise listed (free)
version	1.2 (2017-01-23)
last changes	2017-01-23
year	2017
description	(no language specified) The package provides a simple, modern Beamer theme for anyone to use. It tries to minimize noise and maximize space for content.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/metropolis/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/metropolis/doc/metropolistheme.pdf
– local file	./2637918059-metropolistheme.pdf
contact	<i>repository</i> : https://github.com/matze/mtheme
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/metropolis
on MikTeX	beamertheme-metropolis
on T _E XLive	beamertheme-metropolis
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2026-01-28

522 beamertheme-mirage – A beamer theme with dark and light colour schemes

Web page on CTAN <https://ctan.org/pkg/beamertheme-mirage>

name	beamertheme-mirage
caption	A beamer theme with dark and light colour schemes
author	Lim, LianTze
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1.1 (2025-01-19)
last changes	2025-01-19
year	2025
description	(no language specified) A beamer theme inspired by the album art of Zhou Shen's song Mirage , with a default dark and alternative light mode. Sample .tex files for beamer presentations and posters are provided.
documentation	(no language specified) <i>Example of the poster theme (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-mirage/mirage-poster-en.pdf
– local file	./3205859164-mirage-poster-en.pdf
documentation	<i>Example of the poster theme (Chinese):</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-mirage/mirage-poster-zh.pdf
– local file	./8218947372-mirage-poster-zh.pdf
documentation	(English+Chinese) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-mirage/beamertheme-mirage-doc.pdf
– local file	./5401699694-beamertheme-mirage-doc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-mirage/README.md
documentation	<i>Example of the beamer theme (Chinese):</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-mirage/mirage-beamer-zh.pdf
– local file	./5709676811-mirage-beamer-zh.pdf
documentation	(no language specified) <i>Example of the beamer theme (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-mirage/mirage-beamer-en.pdf

– local file	<code>./7933234660-mirage-beamer-en.pdf</code>
contact	repository: https://github.com/liantze/beamerthemeMirage
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-mirage
on MikTeX	beamertheme-mirage
on T _E XLive	beamertheme-mirage
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	English+Chinese; Chinese
last access	2026-01-28

523 beamertheme-npbt – A collection of LaTeX beamer themes

Web page on CTAN <https://ctan.org/pkg/beamertheme-npbt>

name	beamertheme-npbt
caption	A collection of LaTeX beamer themes
author	Markgraf, Norman
copyright	Norman Markgraf (2011-2018)
license	pd = Public Domain Software (free)
license	gpl3 = GNU General Public License, version 3 (free)
version	4.1
description	(no language specified) "NPBT" stands for "Norman's Pandoc Beamer Themes". Currently the following themes are supported: • <i>Sefiroth Consulting</i> : A private (demonstration) theme. • <i>FOM</i> : The layout of Hochschule FOM . • <i>FOM ifes</i> : The layout of Hochschule FOM , Institut für Empirie & Statistik . • <i>eufom</i> : The layout of eufom .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-npbt/README
contact	bugs: https://github.com/NMarkgraf/NPBT/issues
contact	repository: https://github.com/NMarkgraf/NPBT

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-npbt
on MikTeX	beamertheme-npbt
on TeXLive	beamertheme-npbt
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
year	2018
last access	2026-01-28

524 beamertheme-phnompenh – A simple beamer theme

Web page on CTAN	https://ctan.org/pkg/beamertheme-phnompenh
name	beamertheme-phnompenh
caption	A simple beamer theme
author	Ol, Say
license	gpl = GNU General Public License (free)
version	1.0
description	(no language specified) The package provides a simple theme, similar to some others, but designed to be attractive.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/phnompenh/README
documentation	(no language specified) <i>small sample of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/phnompenh/beamerthemePhnomPenh.pdf
– local file	./7439825119-beamerthemePhnomPenh.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/phnompenh
on MikTeX	beamertheme-phnompenh
on TeXLive	beamertheme-phnompenh
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
year	without year
last access	2026-01-28

525 **beamertheme-pure-minimalistic** – A minimalistic presentation theme for LaTeX Beamer

Web page on CTAN <https://ctan.org/pkg/beamertheme-pure-minimalistic>

name	beamertheme-pure-minimalistic
caption	A minimalistic presentation theme for LaTeX Beamer
author	Clasen, Kai Norman
copyright	Kai Norman Clasen (2020)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	2.0.0
description	(no language specified) The main features of this minimalistic Beamer theme are: • Easily use own logos. • Customizable. • Looks good in a 4:3 and 16:9 aspect ratio, without the need to change anything. • Provides an environment for vertically-spaced items. • Provides light and dark mode. • Is designed to be purely minimalistic without any distractions.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-pure-minimalistic/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-pure-minimalistic/beamertheme-pure-minimalistic-demo.pdf
– local file	./6845705656-beamertheme-pure-minimalistic-demo.pdf
contact	<i>announce</i> : https://github.com/kai-tub/latex-beamer-pure-minimalistic/releases
contact	<i>bugs</i> : https://github.com/kai-tub/latex-beamer-pure-minimalistic/issues
contact	<i>repository</i> : https://github.com/kai-tub/latex-beamer-pure-minimalistic
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-pure-minimalistic

on MikTeX	beamertheme-pure-minimalistic
on T _E XLive	beamertheme-pure-minimalistic
keyword	presentation (slides, beamers, handouts, etc.)
see also	see section 518 on page 474: (beamertheme-focus – A minimalist presentation theme for LaTeX Beamer)
language(s)	no language specified
year	2020
last access	2026-01-28

526 **beamertheme-rainbow** – A beamer colour theme which alternates theme colours on every frame

Web page on CTAN	https://ctan.org/pkg/beamertheme-rainbow
name	beamertheme-rainbow
caption	A beamer colour theme which alternates theme colours on every frame
author	samcarter
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2024-11-14)
last changes	2024-11-14
year	2024
description	(no language specified) This package provides a beamer colour theme which alternates theme colours on every frame.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-rainbow/beamertheme-rainbow-doc.pdf
– local file	./6454699278-beamertheme-rainbow-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-rainbow/README.md
contact	<i>support</i> : https://github.com/samcarter/beamertheme-rainbow/issues
contact	<i>repository</i> : https://github.com/samcarter/beamertheme-rainbow
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-rainbow

on MikTeX	beamertheme-rainbow
on T _E XLive	beamertheme-rainbow
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2026-01-28

527 **beamertheme-saintpetersburg** – A beamer theme that incorporates colours and fonts of Saint Petersburg State University

Web page on CTAN <https://ctan.org/pkg/beamertheme-saintpetersburg>

name	beamertheme-saintpetersburg
caption	A beamer theme that incorporates colours and fonts of Saint Petersburg State University
author	Gankevich, Ivan
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2017-11-21)
last changes	2017-11-21
year	2017
description	(no language specified) This minimalistic beamer theme incorporates Saint Petersburg State University colours and fonts. It is suitable for both presentations and posters.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-saintpetersburg/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-saintpetersburg/SaintPetersburg.pdf
– local file	./4176584636-SaintPetersburg.pdf
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-saintpetersburg/example.pdf
– local file	./8265251251-example.pdf
contact	<i>bugs</i> : https://github.com/igankevich/SaintPetersburg/issues
contact	<i>repository</i> : https://github.com/igankevich/SaintPetersburg

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-saintpetersburg
on MikTeX	beamertheme-saintpetersburg
on T _E XLive	beamertheme-saintpetersburg
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2026-01-28

528 beamertheme-simplesdarkblue – Template for a simple presentation

Web page on CTAN	https://ctan.org/pkg/beamertheme-simplesdarkblue
name	Beamertheme-SimpleDarkBlue
caption	Template for a simple presentation
author	Huang, Pin-Yen
license	pd = Public Domain Software (free)
version	1.1 (2025-01-12)
last changes	2025-01-12
year	2025
description	(no language specified) This package provides a simple and clear LaTeX template for creating professional presentations. Featuring dark blue as its primary color, the theme prioritizes clarity and readability, making it an excellent choice for researchers, educators, and students.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-simplesdarkblue/README.md
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-simplesdarkblue/beamertheme-simplesdarkblue-sample.pdf
– local file	./2274274971-beamertheme-simplesdarkblue-sample.pdf
contact	<i>bugs</i> : https://github.com/pm25/SimpleDarkBlue-BeamerTheme/issues
contact	<i>repository</i> : https://github.com/pm25/SimpleDarkBlue-BeamerTheme
contact	<i>development</i> : https://pm25.github.io

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-simplesdkblue
on MikTeX	beamertheme-simplesdkblue
on TeXLive	beamertheme-simplesdkblue
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2026-01-28

529 beamertheme-simpleplus – A simple and clean theme for LaTeX beamer

Web page on CTAN	https://ctan.org/pkg/beamertheme-simpleplus
name	beamertheme-SimplePlus
caption	A simple and clean theme for LaTeX beamer
author	Huang, Pin-Yen
license	pd = Public Domain Software (free)
version	1.1 (2025-01-07)
last changes	2025-01-07
year	2025
description	(no language specified) This package provides a simple and clean theme for LaTeX Beamer. It can be used for academic and scientific presentations.
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-simpleplus/beamertheme-simpleplus-sample.pdf
– local file	./2094095166-beamertheme-simpleplus-sample.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-simpleplus/README.md
contact	<i>bugs:</i> https://github.com/pm25/SimplePlus-BeamerTheme/issues
contact	<i>repository:</i> https://github.com/pm25/SimplePlus-BeamerTheme
contact	<i>development:</i> https://pm25.github.io
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-simpleplus
on MikTeX	beamertheme-simpleplus

on T _E XLive	beamertheme-simpleplus
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2026-01-28

530 **beamertheme-spectrum** – A clean beamer/ltx-talk theme with a big title graphic

Web page on CTAN <https://ctan.org/pkg/beamertheme-spectrum>

name	beamertheme-spectrum
caption	A clean beamer/ltx-talk theme with a big title graphic
author	samcarter
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.5 (2025-11-10)
last changes	2025-11-10
year	2025
description	(no language specified) This package provides a clean beamer/ltx-talk theme with a big title graphic. The theme is deliberately fairly clean and simple in order to not distract too much from the content. The one vanity are the big graphics on the title, section, and standout slides.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-spectrum/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-spectrum/beamertheme-spectrum-doc.pdf
– local file	./7844366875-beamertheme-spectrum-doc.pdf
contact	<i>support:</i> https://github.com/samcarter/beamertheme-spectrum/issues
contact	<i>repository:</i> https://github.com/samcarter/beamertheme-spectrum
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-spectrum
on MikT _E X	beamertheme-spectrum
on T _E XLive	beamertheme-spectrum

keyword	pgf-tikz (package uses PGF-TikZ)
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2026-01-28

531 **beamertheme-tcolorbox** – A beamer/ltx-talk inner theme to reproduce standard beamer blocks using tcolorboxes

Web page on CTAN <https://ctan.org/pkg/beamertheme-tcolorbox>

name	beamertheme-tcolorbox
caption	A beamer/ltx-talk inner theme to reproduce standard beamer blocks using tcolorboxes
author	samcarter
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.4 (2026-01-16)
last changes	2026-01-16
year	2026
description	(no language specified) This package provides an inner theme for beamer or ltx-talk which reproduces standard beamer blocks using tcolorbox es. The look and feel (rounded/sharp corners, shadows and colours) will automatically adapt to which other themes are loaded.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-tcolorbox/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-tcolorbox/beamertheme-tcolorbox-doc.pdf
– local file	./6842092240-beamertheme-tcolorbox-doc.pdf
contact	<i>support:</i> https://github.com/samcarter/beamertheme-tcolorbox/issues
contact	<i>repository:</i> https://github.com/samcarter/beamertheme-tcolorbox
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-tcolorbox
on MikTeX	beamertheme-tcolorbox
on T _E XLive	beamertheme-tcolorbox

keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2026-01-28

532 beamertheme-trigon – A modern, elegant, and versatile theme for Beamer

Web page on CTAN <https://ctan.org/pkg/beamertheme-trigon>

name beamertheme-trigon

caption A modern, elegant, and versatile theme for Beamer

author Lambert, Thomas

copyright Thomas Lambert (2021-2023)

license cc-by-sa-4 = CC BY-SA 4.0 (free)

version 0.7.0 (2023-02-20)

last changes 2023-02-20

year 2023

description (no language specified) This package provides a modern, elegant and versatile theme for **Beamer**, with a high degree of customization.

Trigon found its origin and inspiration in the graphical guidelines resulting from the visual identity overhaul of the University of Liège. Although directly inspired from these guidelines, the theme was stripped out of any mention or specificities related to the University and its faculties. This makes the Trigon theme perfectly suitable for many different contexts.

The final product provides a modern, elegant and versatile theme with a high degree of customization. The main design focuses on triangular shapes for major layout elements and noise minimization for the main body of the work.

The theme's implementation is heavily inspired from the **Metropolis theme**. Most options from **Metropolis** have been ported to Trigon in order to improve customization and ease-of-use. Trigon also includes different styles and layouts for the main title page, the section page and the default slide background.

documentation (no language specified) *Readme:*
<https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-trigon/README.md>

documentation (no language specified) *Example of use:* https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-trigon/demo/trigon_demo.pdf

– local file ./3616616819-trigon_demo.pdf

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-trigon/docs/trigontheme.pdf
– local file	<code>./5023275827-trigontheme.pdf</code>
contact	<i>bugs</i> : https://gitlab.com/thlamb/beamertheme-trigon/-/issues
contact	<i>repository</i> : https://gitlab.com/thlamb/beamertheme-trigon
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-trigon
on MikTeX	<code>beamertheme-trigon</code>
on T _E XLive	<code>beamertheme-trigon</code>
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2026-01-28

533 *beamertheme-upenn-bc* – Beamer themes for Boston College and the University of Pennsylvania

Web page on CTAN <https://ctan.org/pkg/beamertheme-upenn-bc>

name	<code>beamertheme-upenn-bc</code>
caption	Beamer themes for Boston College and the University of Pennsylvania
author	Strasser, Georg
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) Beamer themes in the colors of the • University of Pennsylvania, USA, and • Boston College, USA.

Both were tested for the presentation theme ‘Warsaw’.

Please note that these color themes are neither official nor exact! The colours are approximated from the universities’ style guidelines and websites, and slightly modified where necessary to generate an appealing look. The universities neither endorse, nor provide any support for, these color themes. I give no warranty for the code.

documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/upenn-bc/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/upenn-bc
on MikTeX	beamerthemenirma
on T _E XLive	beamerthemenirma
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
year	without year
last access	2026-01-28

534 **beamertheme-westlake** – A beamer theme inspired by West Lake and Westlake University

Web page on CTAN	https://ctan.org/pkg/beamertheme-westlake
name	beamertheme-westlake
caption	A beamer theme inspired by West Lake and Westlake University
author	Xia, Mingyu
copyright	Mingyu Xia (2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2A (2026-03-06)
last changes	2026-03-06
year	2026
description	(no language specified) This beamer theme is inspired by West Lake, a famous freshwater lake in Hangzhou, China, and Westlake University. Interfaces are provided for customizing theme color, logo, badge, etc.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-westlake/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-westlake/beamertheme-westlake.pdf
– local file	./8147811345-beamertheme-westlake.pdf

documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-westlake/beamertheme-westlake-demo.pdf
– local file	<code>./8969292525-beamertheme-westlake-demo.pdf</code>
home page	https://github.com/myhsia
contact	<i>support:</i> https://github.com/myhsia/beamertheme-westlake/issues
contact	<i>repository:</i> https://github.com/myhsia/beamertheme-westlake
contact	<i>development:</i> https://github.com/myhsia
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertheme-westlake
on MikTeX	beamertheme-westlake
on T _E XLive	beamertheme-westlake
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2026-04-10

535 beamerthemeamurmaple – A new modern beamer theme

Web page on CTAN	https://ctan.org/pkg/beamerthemeamurmaple
name	beamerthemeAmurmaple
caption	A new modern beamer theme
author	Chupin, Maxime
copyright	Maxime CHUPIN (2022-2024)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3 (2024-02-07)
last changes	2024-02-07
year	2024
description	(no language specified) This Beamer theme is a suitable theme for my use of Beamer in applied mathematics research. It meets my needs in my work. However, if you like this theme, and if you want to ask for or make improvements, don't hesitate to write to me!
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamerthemeamurmaple/doc/beamer-amurmaple-doc.pdf

– local file	<code>./2654096921-beamer-amurmaple-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamerthemeamurmaple/README.md
contact	<i>bugs</i> : https://gitlab.gutenberg-asso.fr/mchupin/amurmaple/-/issues
contact	<i>repository</i> : https://gitlab.gutenberg-asso.fr/mchupin/amurmaple
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamerthemeamurmaple
on MikTeX	beamerthemeamurmaple
on T _E XLive	beamerthemeamurmaple
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2026-01-28

536 beamerthemecelestia – A modern and elegant Beamer theme

Web page on CTAN <https://ctan.org/pkg/beamerthemecelestia>

name	beamerthemeCelestia
caption	A modern and elegant Beamer theme
author	Ikhlef, Razik
copyright	Razik Ikhlef (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1.1 (2025-11-02)
last changes	2025-11-02
year	2025
description	(no language specified) A modern and elegant Beamer theme designed for academic and professional presentations. It offers customizable footer styles (quarter-circle, full bar, classic), decorative elements that can be enabled/disabled, and enhanced typography options for headers. The theme includes special layouts for code listings, section pages, and standout frames. Color scheme can be customized through theme options, with support for both main and accent colors. The typography system supports both serif and sans-serif variants, and provides flexible font styling across different elements.

	Focused on readability and visual appeal, Celestia offers a clean and professional look for presentations.
documentation	<i>Package documentation (French)</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamerthemeclestia/doc/beamerthemeCelestia-fr.pdf
– local file	<code>./3781458141-beamerthemeCelestia-fr.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamerthemeclestia/README.md
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamerthemeclestia/doc/beamerthemeCelestia.pdf
– local file	<code>./5320395654-beamerthemeCelestia.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamerthemeclestia
on MikTeX	<code>beamerthemeclestia</code>
on T _E XLive	<code>beamerthemeclestia</code>
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	French
last access	2026-01-28

537 beamerthemeconcrete – A collection of flat beamer themes

Web page on CTAN	https://ctan.org/pkg/beamerthemeconcrete
name	<code>beamerthemeconcrete</code>
caption	A collection of flat beamer themes
author	Lyu, Jianrui
copyright	Jianrui Lyu (2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2024B (2024-01-21)
last changes	2024-01-21
year	2024
description	(no language specified) The concrete bundle provides a collection of flat beamer themes for making LaTeX presentations, especially for academic and scientific presentations.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamerthemeconcrete/README.md
contact	<i>repository</i> : https://github.com/lvjlr/concrete
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamerthemeconcrete
on MikTeX	beamerthemeconcrete
on T _E XLive	beamerthemeconcrete
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2026-01-28

538 beamerthemejltree – Contributed beamer theme

Web page on CTAN	https://ctan.org/pkg/beamerthemejltree
name	beamerthemeJLTree
caption	Contributed beamer theme
author	Lelong, Jérôme
license	gpl = GNU General Public License (free)
version	1.1
description	(no language specified) A theme for beamer presentations.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamerthemeJLTree.sty
on MikTeX	beamerthemejltree
on T _E XLive	beamerthemejltree
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
year	without year
last access	2026-01-28

539 beamerthemelalic – A beamer theme for LALIC

Web page on CTAN <https://ctan.org/pkg/beamerthemelalic>

name	beamerthemelalic
caption	A beamer theme for LALIC
author	Moreira, Jander
copyright	Jander Moreira (2018-2021)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	1.0 (2021-04-05)
last changes	2021-04-05
year	2021
description	(no language specified) This package provides the beamer theme for LALIC (Laboratório de Linguística e Inteligência Computacional of the Federal University of São Carlos, Brazil).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamerthemelalic/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamerthemelalic/beamerthemelalic-exemplo.pdf
– local file	./3933659290-beamerthemelalic-exemplo.pdf
contact	<i>bugs</i> : https://github.com/jandermoreira/temabeamerlalic/issues
contact	<i>repository</i> : https://github.com/jandermoreira/temabeamerlalic
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamerthemelalic
on MikTeX	beamerthemelalic
on T _E XLive	beamerthemelalic
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2026-01-28

540 beamerthemenirma – A Beamer theme for academic presentations

Web page on CTAN <https://ctan.org/pkg/beamerthemenirma>

name	beamerthemenirma
caption	A Beamer theme for academic presentations
author	Revar, Ashish
license	lppl = The LaTeX Project Public License (free)
version	0.1
description	(no language specified) The package developed for academic purposes. The distribution includes nothing more than style file needed for preparing presentations.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/nirma/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/nirma
on MikTeX	beamerthemenirma
on TeXLive	beamerthemenirma
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
year	without year
last access	2026-01-28

541 beamerthemenord – A simple beamer theme using the “Nord” color theme

Web page on CTAN <https://ctan.org/pkg/beamerthemenord>

name	beamerthemeNord
caption	A simple beamer theme using the “Nord” color theme
author	Wang, Junwei
copyright	Junwei Wang (2020)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2.0 (2020-08-24)
last changes	2020-08-24
year	2020

description	(no language specified) This package provides a simple beamer theme using the Nord color theme.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamerthemenord/beamerthemeNord.pdf
– local file	<code>./3775385867-beamerthemeNord.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamerthemenord/README.md
contact	<i>bugs:</i> https://github.com/junwei-wang/beamerthemeNord/issues
contact	<i>repository:</i> https://github.com/junwei-wang/beamerthemeNord
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamerthemenord
on MikTeX	<code>beamerthemenord</code>
on TeXLive	<code>beamerthemenord</code>
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2026-01-28

542 beamerthemetamu – A beamer theme for Texas A&M University

Web page on CTAN <https://ctan.org/pkg/beamerthemetamu>

name	<code>beamerthemetamu</code>
caption	A beamer theme for Texas A&M University
author	Zhao, Alick
copyright	Alick Zhao (2017)
license	gpl2+ = GNU General Public License, version 2 or newer (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1 (2017-07-16)
last changes	2017-07-16
year	2017

description	(no language specified) This is a beamer theme designed for use in Texas A&M University (TAMU). It can be used to create slides with TAMU brand colors . Note that this theme is NOT endorsed by the university. There is no warranty implied.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertthemetamu/README.md
documentation	(no language specified) <i>Sample presentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertthemetamu/sample/beamertthemetamu.pdf
– local file	<code>./9431580317-beamertthemetamu.pdf</code>
contact	<i>bugs:</i> https://github.com/alick/beamertthemetamu/issues
contact	<i>repository:</i> https://github.com/alick/beamertthemetamu
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/beamertthemetamu
on MikTeX	<code>beamertthemetamu</code>
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2026-01-28

543 beamertools – A collection of programming tools for beamer

Web page on CTAN	https://ctan.org/pkg/beamertools
name	<code>beamertools</code>
caption	A collection of programming tools for beamer
author	Khalighi, Vafa
copyright	Vafa Khalighi (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1 (2025-01-09)
last changes	2025-01-09
year	2025
description	(no language specified) This packages provides a collection of programming tools for beamer. Currently, it provides the control sequence <code>\redefbeamertheme</code> for redefining a predefined beamer template.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamertools/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamertools/beamertools.pdf
– local file	<code>./3572897322-beamertools.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamertools
on MikTeX	beamertools
on TeXLive	beamertools
keyword	macro-supp (support for development of (La)TeX macros)
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2026-01-26

544 bearwear – Shirts to dress TikZbears

Web page on CTAN	https://ctan.org/pkg/bearwear
name	bearwear
caption	Shirts to dress TikZbears
author	Fischer, Ulrike
copyright	Ulrike Fischer / Bär (2020)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2 (2020-04-21)
last changes	2020-04-21
year	2020
description	(no language specified) The package offers tools to create shirts for TikZbears from the TikZlings package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bearwear/bearwear.pdf
– local file	<code>./8347926892-bearwear.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bearwear/README.md
contact	<i>support</i> : https://github.com/u-fischer/bearwear/issues

contact	repository: https://github.com/u-fischer/bearwear
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bearwear
on MikTeX	bearwear
on TeXLive	bearwear
keyword	amusements (jokes, distractions, tongue-in-cheek packages, and other entertainment material)
keyword	graphics (graphics (support packages))
keyword	pgf-tikz (package uses PGF-TikZ)
see also	see section 6166 on page 5577: (TikZlings – A collection of cute little animals and similar creatures)
language(s)	no language specified
last access	2025-02-07

545 *beaulivre* – Write your books in a colorful way

Web page on CTAN <https://ctan.org/pkg/beaulivre>

name	beaulivre
caption	Write your books in a colorful way
author	XU, Jinwen
copyright	Jinwen XU (2021-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2024-02-20)
last changes	2024-02-20
year	2024
description	(no language specified) This package provides a LaTeX class for typesetting books with a colorful design. Currently, it has native support for Chinese (both simplified and traditional), English, French, German, Italian, Japanese, Portuguese (European and Brazilian), Russian and Spanish typesetting. It compiles with either XeLaTeX or LuaLaTeX. This is part of the <i>colorist</i> class series and depends on <code>colorist.sty</code> from the <i>colorist</i> package. The package name "beaulivre" is taken from the French words "beau" (= "beautiful") and "livre" (= "book").

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/beaulivre/README.md
contact	<i>repository</i> : https://github.com/Jinwen-XU/colorist/tree/main/beaulivre
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/beaulivre
on MikTeX	beaulivre
on T _E XLive	beaulivre
keyword	expl3 (expl3(unknown))
keyword	chinese (support for typesetting Chinese languages)
keyword	multilingual (support for more than one (natural) language)
keyword	class (alternative LaTeX class(es))
keyword	book-pub (preparing a book for publication)
see also	see section 1214 on page 1104: (<code>colorist</code> – Write your articles or books in a colorful way)
language(s)	no language specified
last access	2025-02-07

546 *beautybook* – A beautiful book template for maths and science

Web page on CTAN	https://ctan.org/pkg/beautybook
name	beautybook
caption	A beautiful book template for maths and science
author	Lu, Shilong
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2024-07-03)
last changes	2024-07-03
year	2024
description	(no language specified) The package contains a LaTeX class as well as style files for creating beautiful science books.
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/beautybook/beautybook-en.pdf
– local file	./6495948448-beautybook-en.pdf

documentation	(no language specified) <i>Package documentation (Chinese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/beautybook/beautybook-cn.pdf
– local file	<code>./2104500094-beautybook-cn.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/beautybook/README.md
contact	<i>bugs</i> : https://github.com/BeautyLaTeX/latex-template/issues
contact	<i>repository</i> : https://github.com/BeautyLaTeX/latex-template
contact	<i>development</i> : https://github.com/BeautyLaTeX
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beautybook
on MikTeX	beautybook
on TeXLive	beautybook
keyword	doc-templ (template to guide document development)
keyword	book-pub (preparing a book for publication)
keyword	expl3 (expl3(unknown))
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-07

547 *beautynote* – A package designed to meet the publication of books and the production of LaTeX templates, with elegant chapter

Web page on CTAN	https://ctan.org/pkg/beautynote
name	beautynote
caption	A package designed to meet the publication of books and the production of LaTeX templates, with elegant chapter
author	Lu, Shilong
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2024-02-25)
last changes	2024-02-25
year	2024

description	(no language specified) The package is a specially designed to meet the publication of books and the production of LaTeX templates, with elegant chapter styles and unique page styles.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/beautynote/beautynote.pdf
– local file	./6477690225-beautynote.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/beautynote/README.md
home page	https://github.com/BeautyLaTeX/beautynote
contact	<i>support:</i> https://github.com/BeautyLaTeX/beautynote/issues
contact	<i>announce:</i> https://github.com/BeautyLaTeX/beautynote/releases
contact	<i>bugs:</i> https://github.com/BeautyLaTeX/beautynote/issues
contact	<i>repository:</i> https://github.com/BeautyLaTeX/beautynote
contact	<i>development:</i> https://github.com/BeautyLaTeX
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beautynote
on MikTeX	beautynote
on TeXLive	beautynote
keyword	expl3 (expl3(unknown))
keyword	class (alternative LaTeX class(es))
keyword	doc-templ (template to guide document development)
keyword	book-pub (preparing a book for publication)
language(s)	no language specified
last access	2025-02-07

548 beebe-dvi – A modular collection of DVI processorsWeb page on CTAN <https://ctan.org/pkg/beebe-dvi>

name	Beebe-DVI
caption	A modular collection of DVI processors
author	Beebe, Nelson H. F.
license	noinfo = noinfo
version	(1990-10-03)
last changes	1990-10-03
year	1990
description	(no language specified) A collection of DVI print processors, each using common code.
documentation	(no language specified) <i>Collection documentation:</i> https://ctan.org/tex-archive/dviware/beebe/doc/dvi.ps
on CTAN	https://ctan.org/tex-archive/dviware/beebe
keyword	dvi-proc (DVI processor)
language(s)	no language specified
last access	2025-02-07

549 begingreek – Greek environment to be used with pdfLaTeX onlyWeb page on CTAN <https://ctan.org/pkg/begingreek>

name	begingreek
caption	Greek environment to be used with pdfLaTeX only
author	Beccari, Claudio
copyright	Claudio Beccari (2015-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.7 (2022-05-06)
last changes	2022-05-06
year	2022
description	(no language specified) This simple package defines a greek environment to be used with pdfLaTeX only, that accepts an optional Greek font family name to type its contents with. A similar <code>\greetxt</code> command does a similar action for shorter texts.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/begingreek/begingreek.pdf
– local file	<code>./5451558172-begingreek.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/begingreek/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/begingreek
on MikTeX	<code>begingreek</code>
on TeXLive	<code>begingreek</code>
keyword	<code>greek</code> (support for typesetting Greek)
language(s)	no language specified
last access	2025-02-11

550 `beginlatex` – A beginner’s guide to LaTeX

Web page on CTAN	https://ctan.org/pkg/beginlatex
name	<code>beginlatex</code>
caption	A beginner’s guide to LaTeX
author	Flynn, Peter
license	fdl = Free Documentation License (free)
version	3.6
description	(no language specified) This guide, now known as “Formatting information”, is a well-respected introduction to the use of LaTeX.
documentation	(no language specified) <i>The document in HTML</i> : https://ctan.org/tex-archive/info/beginlatex/html/index.html
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/info/beginlatex/README
documentation	(no language specified) <i>The document in PDF</i> : https://ctan.org/tex-archive/info/beginlatex/beginlatex-3.6.pdf
– local file	<code>./7952555320-beginlatex-3.6.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/beginlatex
keyword	<code>tut-latex</code> (tutorial material for LaTeX)
language(s)	no language specified

year without year
last access 2025-02-11

551 **begriff** – Typeset Begriffsschrift

Web page on CTAN <https://ctan.org/pkg/begriff>

name `begriff`
caption Typeset Begriffsschrift
author Parsons, Josh
license gpl = GNU General Public License (free)
version 1.6
description (no language specified) The package defines maths mode commands for typesetting Frege’s Begriffsschrift.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/begriff/README>
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/begriff>
on MikTeX `begriff`
on T_EXLive `begriff`
keyword `logic` (typesetting logician’s discussions)
keyword `maths` (support for typesetting mathematics)
see also see section 574 on page 528: (`bguq` – Improved quantifier stroke for Begriffsschrift packages)
see also see section 2388 on page 2162: (`frege` – Typeset fregean Begriffsschrift)
see also see section 2647 on page 2396: (`grundgesetze` – Typeset Frege’s Grundgesetze der Arithmetik)
language(s) no language specified
year without year
last access 2025-02-11

552 beilstein – Support for submissions to the “Beilstein Journal of Nanotechnology”Web page on CTAN <https://ctan.org/pkg/beilstein>

name	beilstein
caption	Support for submissions to the “Beilstein Journal of Nanotechnology”
author	Beilstein-Institut
author	Sievers, Martin
copyright	Beilstein-Institut for the Advancement of Chemical Sciences (Beilstein) (2009-2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.1
description	(no language specified) The package provides a LaTeX class file and a BibTeX style file in accordance with the requirements of submissions to the “Beilstein Journal of Nanotechnology”. Although the files can be used for any kind of document, they have only been designed and tested to be suitable for submissions to the Beilstein Journal of Nanotechnology.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/beilstein/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/beilstein/beilstein.pdf
– local file	./5818114104-beilstein.pdf
home page	https://www.beilstein-journals.org/bjnano/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beilstein
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/beilstein.tds.zip
on MikTeX	beilstein
on T _E XLive	beilstein
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
year	2020
last access	2025-02-07

553 beletter – Typeset Belgian letters

Web page on CTAN <https://ctan.org/pkg/beletter>

name	beletter
caption	Typeset Belgian letters
author	Lenaerts, Frank
author	Kilfiger, James
license	pd = Public Domain Software (free)
description	(no language specified) A small class for typesetting letters in Belgium; no assumption is made about the language used.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/misc/beletter.cls
on T _E XLive	ltxmisc
keyword	letter (typesetting letters, envelopes, faxes, etc)
language(s)	no language specified
year	without year
last access	2025-02-07

554 belleek – Free replacement for basic MathTime fonts

Web page on CTAN <https://ctan.org/pkg/belleek>

name	belleek
caption	Free replacement for basic MathTime fonts
author	Kinch, Richard
license	pd = Public Domain Software (free)
description	(no language specified) This package replaces the original MathTime fonts, not MathTime-Plus or MathTime Professional (the last being the only currently available commercial bundle).
documentation	(no language specified) <i>TUGboat article about the fonts:</i> https://tug.org/TUGboat/Articles/tb19-3/tb60kinch.pdf
– local file	./5687983862-tb60kinch.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/belleek/README
home page	https://truetex.com

555 *bellmac* – Outline scheme for form letter production

on CTAN	https://ctan.org/tex-archive/fonts/belleek
on MikTeX	belleek
on T _E XLive	belleek
keyword	font-maths (fonts for use in mathematics)
keyword	font (fonts themselves)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
year	without year
last access	2025-02-07

555 *bellmac* – Outline scheme for form letter production

Web page on CTAN	https://ctan.org/pkg/bellmac
name	bellmac
caption	Outline scheme for form letter production
author	Bell, Edwin
license	noinfo = noinfo
version	1.1
description	(no language specified) The scheme is part of the author's AutoLetter package.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/bellmac.tex
keyword	letter (typesetting letters, envelopes, faxes, etc)
language(s)	no language specified
year	without year
last access	2025-02-09

556 bengali-omega – Bengali in Velthuis transliteration or in UTF-8

Web page on CTAN <https://ctan.org/pkg/bengali-omega>

name	Bengali Omega
caption	Bengali in Velthuis transliteration or in UTF-8
author	Raut, Lakshmi K.
copyright	Lakshmi K Raut (2006)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package offers typesetting for the Bengali language, using Omega . With the package, you can use either the Velthuis transliteration scheme or directly-written Unicode Bengali text in your TeX document. The distribution offers fonts (as Metafont source and in Adobe Type 1 format), Omega translation process files, and LaTeX macro files.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/omega/latex/contrib/bengali-omega/README
documentation	(no language specified) <i>Package manual</i> : https://ctan.org/tex-archive/macros/omega/latex/contrib/bengali-omega/doc/Manual-Bengali-omega-tex.pdf
– local file	./5746169004-Manual-Bengali-omega-tex.pdf
on CTAN	https://ctan.org/tex-archive/macros/omega/latex/contrib/bengali-omega
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	omega (Omega and packages that use it)
keyword	bengali (support for typesetting Bengali)
keyword	font-indic (fonts for languages of the Indian subcontinent)
keyword	indic (support for languages of the Indian subcontinent)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
language(s)	no language specified
year	2006
last access	2025-02-07

557 bengali-pandey – Support for the Bengali language

Web page on CTAN <https://ctan.org/pkg/bengali-pandey>

name	bengali-pandey
caption	Support for the Bengali language
author	Das, Abhijit
author	Pandey, Anshuman
copyright	Anshuman Pandey (2002)
license	lppl = The LaTeX Project Public License (free)
version	(2011-01-07)
last changes	2011-01-07
year	2011
description	(no language specified) The package is based on Velthuis' transliteration scheme, with extensions to deal with the Bengali letters that are not in Devanagari. The package also supports Assamese.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/language/bengali/pandey/doc/bengdoc.pdf
– local file	./6940280584-bengdoc.pdf
on CTAN	https://ctan.org/tex-archive/language/bengali/pandey
on T _E XLive	bengali
keyword	indic (support for languages of the Indian subcontinent)
keyword	bengali (support for typesetting Bengali)
see also	see section 263 on page 242: (arosgn – Support for the Bengali language)
language(s)	no language specified
last access	2025-02-07

558 bera – Bera fonts

Web page on CTAN <https://ctan.org/pkg/bera>

name	bera
caption	Bera fonts
author	Schmidt, Walter A.
author	Rosenau, Malte
author	Dirr, Ulrich
copyright	Walter Schmidt (2004)
license	other-free = Free license not otherwise listed (free)
description	(no language specified) The package contains the Bera Type 1 fonts, and a zip archive containing files to use the fonts with LaTeX. Bera is a set of three font families: Bera Serif (a slab-serif Roman), Bera Sans (a Frutiger descendant), and Bera Mono (monospaced/typewriter). Support for use in LaTeX is also provided. The Bera family is a repackaging, for use with TeX, of the Bitstream Vera family.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/bera/README
documentation	(no language specified) <i>Font samples</i>: https://ctan.org/tex-archive/fonts/bera/bera.pdf
– local file	./4161570325-bera.pdf
on CTAN	https://ctan.org/tex-archive/fonts/bera
on MikTeX	bera
on T _E XLive	bera
keyword	font (fonts themselves)
keyword	font-mono (monospaced font)
keyword	font-proportional (variable-spaced font)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-serif (serif font)
keyword	font-sans (sans-serif font)
language(s)	no language specified
year	2004
last access	2025-02-07

559 berenisadf – Berenis ADF fonts and TeX/LaTeX support

Web page on CTAN <https://ctan.org/pkg/berenisadf>

name	berenisadf
caption	Berenis ADF fonts and TeX/LaTeX support
author	Harendal, Hirwen
author	Rees, Clea F.
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	gpl2 = GNU General Public License, version 2 (free)
version	2.1
description	(no language specified) The bundle provides the BerenisADF Pro font collection, in OpenType and PostScript Type 1 formats, together with support files to use the fonts in TeXnANSI (LY1) and LaTeX standard T1 and TS1 encodings.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/berenisadf/doc/berenisadf.pdf
– local file	<code>./2203845023-berenisadf.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/berenisadf/README.md
contact	<i>repository</i> : https://codeberg.org/cfr/nfssext
on CTAN	https://ctan.org/tex-archive/fonts/berenisadf
on MikTeX	berenisadf
on TeXLive	berenisadf
keyword	font-serif (serif font)
keyword	font-otf (font in OpenType format)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-02-07

560 *besjournals-bst* – Bibliographies suitable for British Ecological Society journals

Web page on CTAN <https://ctan.org/pkg/besjournals-bst>

name	besjournals-bst
caption	Bibliographies suitable for British Ecological Society journals
author	DeSouza, Og
license	lppl = The LaTeX Project Public License (free)
version	(2014-10-22)
last changes	2014-10-22
year	2014
description	(no language specified) The package provides a BibTeX style for use with journals published by the British Ecological Society. The style was produced independently of the Society, and has no formal approval by the BES.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/besjournals/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/besjournals
keyword	bibtex-sty (bibtex-sty(unknown))
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
last access	2025-02-19

561 *bestpapers* – A BibTeX package to produce lists of authors' best papers

Web page on CTAN <https://ctan.org/pkg/bestpapers>

name	bestpapers
caption	A BibTeX package to produce lists of authors' best papers
author	Veytsman, Boris
license	pd = Public Domain Software (free)
version	1.0

description	(no language specified) Many people preparing their résumés find the requirement "please list five (or six, or ten) papers authored by you". The same requirement is often stated for reports prepared by professional teams. The creation of such lists may be a cumbersome task. Even more difficult is it to support such lists over the time, when new papers are added. The BibTeX style <code>bestpapers.bst</code> is intended to facilitate this task. It is based on the idea that it is easier to score than to sort: We can assign a score to a paper and then let the computer select the papers with highest scores. This work was commissioned by the Consumer Financial Protection Bureau, United States Treasury. This package is in the public domain.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/bestpapers/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/bestpapers/bestpapers-guide.pdf
– local file	<code>./6846205077-bestpapers-guide.pdf</code>
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/bestpapers
on MikTeX	<code>bestpapers</code>
on T _E XLive	<code>bestpapers</code>
keyword	<code>bibtex-sty</code> (<code>bibtex-sty(unknown)</code>)
language(s)	no language specified
year	without year
last access	2025-02-19

562 *betababel* – Insert ancient greek text coded in Beta Code

Web page on CTAN	https://ctan.org/pkg/betababel
name	<code>betababel</code>
caption	Insert ancient greek text coded in Beta Code
author	Berkemeier, Felix
license	lppl = The LaTeX Project Public License (free)
version	0.5

description	(no language specified) The betababel package extends the babel polutonikogreek option to provide a simple way to insert ancient Greek texts with diacritical characters into your document using the commonly used Beta Code transliteration . You can directly insert Beta Code texts — as they can be found at the Perseus project, for example — without modification.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/betababel/betatest.pdf
– local file	<code>./6895087447-betatest.pdf</code>
home page	http://www.tlg.uci.edu/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/betababel
on MikTeX	betababel
on T _E XLive	betababel
keyword	greek (support for typesetting Greek)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
language(s)	no language specified
year	without year
last access	2025-02-07

563 *beton* – Use Concrete fonts

Web page on CTAN	https://ctan.org/pkg/beton
name	beton
caption	Use Concrete fonts
author	Jensen, Frank
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Typeset a LaTeX2e document with the Concrete fonts designed by Don Knuth and used in his book “Concrete Mathematics”.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beton
on MikTeX	beton
on T _E XLive	beton
keyword	font-supp (metrics, macro incantations and other font support)
see also	see section 2027 on page 1830: (euler – Use AMS Euler fonts for math)

language(s)	no language specified
year	without year
last access	2025-02-07

564 beuron – The script of the Beuronese art school

Web page on CTAN <https://ctan.org/pkg/beuron>

name	beuron
caption	The script of the Beuronese art school
author	Wehr, Keno
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3 (2018-01-17)
last changes	2018-01-17
year	2018
description	(no language specified) This package provides the script used in the works of the Beuron art school for use with TeX and LaTeX. It is a monumental script consisting of capital letters only. The fonts are provided as Metafont sources, in the Type1 and in the OpenType format. The package includes suitable font selection commands for use with LaTeX.
documentation	<i>Package documentation (English):</i> https://ctan.org/tex-archive/fonts/beuron/doc/beuron-en.pdf
– local file	<code>./4303598630-beuron-en.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/beuron/README
documentation	<i>Package documentation (German):</i> https://ctan.org/tex-archive/fonts/beuron/doc/beuron-de.pdf
– local file	<code>./9554277949-beuron-de.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/beuron
on MikTeX	beuron
on T _E XLive	beuron
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-otf (font in OpenType format)
keyword	font-decor (decorative or initial fonts)

keyword	font-mf (fonts distributed as Metafont source)
language(s)	German; English
last access	2025-02-07

565 *bewerbung* – Typesetting job applications

Web page on CTAN	https://ctan.org/pkg/bewerbung
name	bewerbung
caption	Typesetting job applications
author	Hilbig, André
copyright	André Hilbig (2015-2022)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3 (2022-01-17)
last changes	2022-01-17
year	2022
description	(no language specified) The package provides packages and classes for typesetting applications with titlepage, cover letter, cv and additional documents in just a single document. There is also a class for printing a table of the latest applications that can be shown to the German authorities. The data for these applications can be maintained in a simple CSV file.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bewerbung/README
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/bewerbung/bewerbung-example.pdf
– local file	./6979451629-bewerbung-example.pdf
documentation	<i>Readme(German)</i> : https://ctan.org/tex-archive/macros/latex/contrib/bewerbung/README_DE
documentation	(German + English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bewerbung/bewerbung.pdf
– local file	./9571252080-bewerbung.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bewerbung
on MikTeX	bewerbung

on T _E XLive	bewerbung
keyword	cv (curriculum vitae/Resumé)
keyword	class (alternative LaTeX class(es))
keyword	german (support for typesetting German)
language(s)	German; German + English
last access	2025-02-11

566 bez123 – Support for Bezier curves

Web page on CTAN <https://ctan.org/pkg/bez123>

name	bez123
caption	Support for Bezier curves
author	Robertson, Will
author	Wilson, Peter R.
copyright	Peter Wilson (1998-2004)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1b
description	(no language specified) Provides additional facilities in a picture environment for drawing linear, cubic, and rational quadratic Bezier curves (standard LaTeX only offers non-rational quadratic splines). Provides a package multiply that provides a command for multiplication of a length without numerical overflow.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bez123/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bez123/bez123.pdf
– local file	./9824797586-bez123.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bez123
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/bez123.tds.zip
on MikT _E X	bez123
on T _E XLive	bez123
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
keyword	graphics-curve (draw (parametric) curves)
language(s)	no language specified

year 2004
last access 2025-08-30

567 *bezierplot* – Approximate smooth function graphs with cubic bezier splines for use with TikZ or MetaPost

Web page on CTAN <https://ctan.org/pkg/bezierplot>

table {
border-collapse: collapse;
width: 100%;
}
tr {
border-bottom: 1px solid black;
padding: 5px 0;
}
tr:last-child {
border-bottom: none;
}
td {
width: 20%;
vertical-align: top;
padding-right: 10px;
}
tr {
 name | bezierplot || caption | Approximate smooth function graphs with cubic bezier splines for use with TikZ or MetaPost |
author	Romer, Linus
copyright	Linus Romer (2018-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.6 (2024-11-02)
last changes	2024-11-02
year	2024
description	(no language specified) This package consists of a Lua program as well as a (Lua)LaTeX .sty file. Given a smooth function, *bezierplot* returns a smooth bezier path written in TikZ notation (which also matches MetaPost) that approximates the graph of the function. For polynomial functions of degree ≤ 3 and their inverses the approximation is exact (up to numeric precision). *bezierplot* also finds special points such as extreme points and inflection points and reduces the number of used points.
documentation	(no language specified) *Readme*: <https://ctan.org/tex-archive/macros/luatex/latex/bezierplot/README>
documentation	(no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/luatex/latex/bezierplot/bezierplot-doc.pdf>
– local file	./6151111820-bezierplot-doc.pdf
contact	*repository*: <https://github.com/linusromer/bezierplot>
on CTAN	<https://ctan.org/tex-archive/macros/luatex/latex/bezierplot>
on MikTeX	bezierplot
on TeXLive	bezierplot

keyword	use-lua (package requires availability of lua)
keyword	graphics-plotfn (plot a representation of a function)
keyword	graphics-plot (plot data)
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
last access	2025-02-09

568 *bfh-ci* – Corporate Design for Bern University of Applied Sciences

Web page on CTAN <https://ctan.org/pkg/bfh-ci>

name	bfh-ci
caption	Corporate Design for Bern University of Applied Sciences
author	Peischl, Marei
copyright	Marei Peischl, Andreas Habegger (2021-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.2.1 (2024-03-11)
last changes	2024-03-11
year	2024
description	(no language specified) This bundle provides possibilities to use the Corporate Design of Bern University of Applied Sciences (BFH) with LaTeX. To this end it contains classes as well as some helper packages and config files together with some demo files.
documentation	(no language specified) <i>Example scientific poster:</i> https://ctan.org/tex-archive/macros/latex/contrib/bfh-ci/doc/DEMO-BFHSciPoster.pdf
– local file	./3548563381-DEMO-BFHSciPoster.pdf
documentation	(no language specified) <i>Example thesis:</i> https://ctan.org/tex-archive/macros/latex/contrib/bfh-ci/doc/DEMO-BFHThesis.pdf
– local file	./1155655445-DEMO-BFHThesis.pdf
documentation	(no language specified) <i>Example letter:</i> https://ctan.org/tex-archive/macros/latex/contrib/bfh-ci/doc/DEMO-BFHLetter.pdf
– local file	./2089306224-DEMO-BFHLetter.pdf

documentation	(no language specified) <i>Example presentation (2)</i> : https://ctan.org/tex-archive/macros/latex/contrib/bfb-ci/doc/DEMO-BFHBeamer-Sidebar.pdf
– local file	<code>./1619921456-DEMO-BFHBeamer-Sidebar.pdf</code>
documentation	(no language specified) <i>Example presentation (1)</i> : https://ctan.org/tex-archive/macros/latex/contrib/bfb-ci/doc/DEMO-BFHBeamer.pdf
– local file	<code>./6849840093-DEMO-BFHBeamer.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bfb-ci/README.md
documentation	(no language specified) <i>Example fact sheet</i> : https://ctan.org/tex-archive/macros/latex/contrib/bfb-ci/doc/DEMO-BHFHfactsheet.pdf
– local file	<code>./6734366005-DEMO-BHFHfactsheet.pdf</code>
documentation	(no language specified) <i>Example project proposal</i> : https://ctan.org/tex-archive/macros/latex/contrib/bfb-ci/doc/DEMO-BFHProjektProposal.pdf
– local file	<code>./6739435583-DEMO-BFHProjektProposal.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bfb-ci/doc/DEMO-BFHPub.pdf
– local file	<code>./8392935121-DEMO-BFHPub.pdf</code>
home page	https://latex.ti.bfh.ch/
contact	<i>bugs</i> : https://gitlab.ti.bfh.ch/bfh-latex/bfb-ci/-/issues
contact	<i>repository</i> : https://gitlab.ti.bfh.ch/bfh-latex/bfb-ci/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bfb-ci
on MikTeX	<code>bfb-ci</code>
on T _E XLive	<code>bfb-ci</code>
keyword	<code>doc-templ</code> (template to guide document development)
keyword	<code>std-conform</code> (support conformance to standards)
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
keyword	<code>letter</code> (typesetting letters, envelopes, faxes, etc)
keyword	<code>presentation</code> (slides, beamers, handouts, etc.)

keyword	poster (typeset posters, etc.)
language(s)	no language specified
last access	2025-02-07

569 **bfsymb** – Generate bold symbols in Plain TeX mathematics

Web page on CTAN <https://ctan.org/pkg/bfsymb>

name	bfsymb
caption	Generate bold symbols in Plain TeX mathematics
author	Münch, Uwe
license	noinfo = noinfo
version	(1995-08-25)
last changes	1995-08-25
year	1995
description	(no language specified) Defines a command <code>\boldsymbol</code> that represents its argument using the <code>cmmib10</code> rather than the font currently in use. This technique has its limitations (the command of the same name in the AMS-LaTeX bundle is much cleverer), but a simple <code>\boldsymbol{\beta}</code> does the job exactly.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/bfsymb.tex
keyword	maths (support for typesetting mathematics)
see also	see section 165 on page 151: (<code>amsbsy</code> – Produce bold math symbols (AMS-LaTeX))
see also	see section 775 on page 711: (<code>bm</code> – Access bold symbols in maths mode)
language(s)	no language specified
last access	2025-02-07

570 *bg* – Annotate backgammon matches and positions

Web page on CTAN <https://ctan.org/pkg/bg>

name	bg
caption	Annotate backgammon matches and positions
author	Richter, Jörg
copyright	J. Richter (1994)
license	other-nonfree = License that prevents distribution (not free)
version	1.0
description	(no language specified) A package and a font (as Metafont source) are provided. The package defines two environments, "position" (for describing a single board) and "game" (for specifying a series of moves).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bg/README
documentation	(no language specified) <i>Usage sample</i> : https://ctan.org/tex-archive/macros/latex/contrib/bg/sampletext.pdf
– local file	<code>./3435829853-sampletext.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bg/description.pdf
– local file	<code>./3654947603-description.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bg
keyword	games (process game diagrams, gamebooks, and other amusements)
language(s)	no language specified
year	1994
last access	2025-08-30

571 *bghyphen* – Hyphenation patterns for Bulgarian

Web page on CTAN <https://ctan.org/pkg/bghyphen>

name	bghyphen
caption	Hyphenation patterns for Bulgarian
author	Boshnakov, Georgi
license	lppl = The LaTeX Project Public License (free)
version	1.5

description	(no language specified) These files provide support for hyphenation of text written in Bulgarian. The files have a structure similar to that developed for the Russian hyphenation files. To use with Babel , simply drop the <code>.tex</code> files in an appropriate place, tell babel that <code>bghyphen.tex</code> is the hyphenation file for Bulgarian (typically in the file <code>language.dat</code>), and produce new format files.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/hyphenation/bghyphen/README
on CTAN	https://ctan.org/tex-archive/language/hyphenation/bghyphen
keyword	hyphenation (macros or tables for hyphenation)
keyword	bulgarian (support for typesetting and documentation in Bulgarian)
language(s)	no language specified
year	without year
last access	2025-02-07

572 bgreek – Using Beccari’s fonts in betacode for classical Greek

Web page on CTAN	https://ctan.org/pkg/bgreek
name	bgreek
caption	Using Beccari’s fonts in betacode for classical Greek
author	Rivera, Luis
license	lppl = The LaTeX Project Public License (free)
version	0.3
description	(no language specified) This package implements a dialect of the Beta Code encoding (TLG and Perseus Projects) for typesetting classical Greek using Claudio Beccari’s Greek Fonts. The package provides virtual fonts, to reference Beccari’s fonts in bgreek mode, and support macros for use with LaTeX. According to the author, the purpose of this package is nowadays better served by the betababel package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/language/greek/bgreek/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/language/greek/bgreek/bgman.pdf
– local file	<code>./9832999749-bgman.pdf</code>

on CTAN	https://ctan.org/tex-archive/obsolete/language/greek/bgreek
on MikTeX	bgreek
keyword	obsolete (package declared obsolete)
keyword	greek (support for typesetting Greek)
keyword	font-virtual (virtual font(s) using existing fonts)
keyword	font (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-02-07

573 *bgteubner* – Class for producing books for the publisher “Teubner Verlag”

Web page on CTAN	https://ctan.org/pkg/bgteubner
name	bgteubner
caption	Class for producing books for the publisher “Teubner Verlag”
author	Harders, Harald
copyright	Harald Harders (2003-2012)
license	lppl = The LaTeX Project Public License (free)
version	2.11
description	(no language specified) The <i>bgteubner</i> document class has been programmed by order of the Teubner Verlag, Wiesbaden, Germany, to ensure that books of this publisher have a unique layout. Unfortunately, most of the documentation is only available in German. Since the document class is intended to generate a unique layout, many things (layout etc.) are fixed and cannot be altered by the user. If you want to use the document class for another purpose than publishing with the Teubner Verlag, this may arouse unwanted restrictions (for instance, the document class provides only two paper sizes: DIN A5 and 17cm x 24cm; only two font families are supported: Times and European Computer Modern).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bgteubner/README
documentation	(German) <i>Class documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bgteubner/doc/bgteubner.pdf
– local file	./9574902943-bgteubner.pdf

documentation	(German) <i>Commented source</i> : https://ctan.org/tex-archive/macros/latex/contrib/bgteubner/doc/bgteucls.pdf
– local file	<code>./3842343464-bgteucls.pdf</code>
documentation	(German) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bgteubner/LIESMICH
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bgteubner
on MikTeX	<code>bgteubner</code>
on TeXLive	<code>bgteubner</code>
keyword	<code>publisher</code> (prepare documents for a specific publisher)
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>book-pub</code> (preparing a book for publication)
language(s)	German
year	2012
last access	2025-02-07

574 *bguq* – Improved quantifier stroke for Begriffsschrift packages

Web page on CTAN	https://ctan.org/pkg/bguq
name	<code>bguq</code>
caption	Improved quantifier stroke for Begriffsschrift packages
author	Green, J.J.
license	lppl = The LaTeX Project Public License (free)
version	0.4
description	(no language specified) The font contains a single character: the Begriffsschrift quantifier (in several sizes), as used to set the Begriffsschrift (concept notation) of Frege. The font is not intended for end users; instead it is expected that it will be used by other packages which implement the Begriffsschrift. An (unofficial) modified version of Josh Parsons' begriff is included as an example of implementation.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/bguq/bguq-doc.pdf
– local file	<code>./5156452100-bguq-doc.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/bguq/README
on CTAN	https://ctan.org/tex-archive/fonts/bguq
on MikTeX	bguq
on TeXLive	bguq
keyword	logic (typesetting logician's discussions)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-specialist (fonts with specific small application areas)
keyword	font (fonts themselves)
keyword	font-maths (fonts for use in mathematics)
see also	see section 2388 on page 2162: (frege – Typeset fregean Begriffsschrift)
see also	see section 551 on page 507: (begriff – Typeset Begriffsschrift)
see also	see section 2647 on page 2396: (grundgesetze – Typeset Frege's Grundgesetze der Arithmetik)
language(s)	no language specified
year	without year
last access	2025-02-07

575 *bhcxam* – An exam class for mathematics teachers in China

Web page on CTAN <https://ctan.org/pkg/bhcxam>

name	BHCexam
caption	An exam class for mathematics teachers in China
author	Bao, Hongchang
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.8 (2024-10-15)
last changes	2024-10-15
year	2024
description	(no language specified) <code>BHCexam.cls</code> is a LaTeX document class designed for typesetting exams. It is currently used by the Mathcrowd Problem Database to generate exam PDF files. The class supports the following features: • Support for configuring whether to display answers. • Ability to set whether the document is formatted in multiple columns.

- Alignment customization options.
- Automatic alignment of option lengths to a grid.
- Ability to adjust the width of blank lines based on the length of fill-in-the-blank answers.
- Option to display or hide scores for question groups.
- Customizable answer space for each question.
- Ability to restart numbering in question groups.
- Support for sub-questions and nested sub-questions in short-answer questions.

documentation	(no language specified) <i>Readme (English)</i> : https://ctan.org/tex-archive/macros/xetex/latex/bhcxam/README.md
documentation	(Chinese) <i>Example of use (teacher paper)</i> : https://ctan.org/tex-archive/macros/xetex/latex/bhcxam/examples/example_teacher_paper.pdf
– local file	<code>./1232606174-example_teacher_paper.pdf</code>
documentation	<i>Readme (Chinese)</i> : https://ctan.org/tex-archive/macros/xetex/latex/bhcxam/README-zh.md
documentation	(Chinese) <i>Example of use (student paper)</i> : https://ctan.org/tex-archive/macros/xetex/latex/bhcxam/examples/example_student_paper.pdf
– local file	<code>./6735878529-example_student_paper.pdf</code>
home page	https://lab.mathcrowd.cn/bhcxam
contact	<i>announce</i> : https://github.com/mathedu4all/bhcxam/wiki
contact	<i>bugs</i> : https://github.com/mathedu4all/bhcxam/issues
contact	<i>repository</i> : https://github.com/mathedu4all/bhcxam
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/bhcxam
on MikTeX	<code>bhcxam</code>
on T _E XLive	<code>bhcxam</code>
keyword	<code>exam</code> (exams, quizzes, etc.)
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>chinese</code> (support for typesetting Chinese languages)
language(s)	Chinese
last access	2025-08-30

576 bib-fr – French translation of classical BibTeX styles

Web page on CTAN <https://ctan.org/pkg/bib-fr>

name	bib-fr
caption	French translation of classical BibTeX styles
author	Markey, Nicolas
license	lppl = The LaTeX Project Public License (free)
version	1.5
description	(no language specified) These files are French translations of the classical BibTeX style files. The translations can easily be modified by simply redefining FUNCTIONS named fr.*, at the beginning (lines 50-150) of each file.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/bib-fr/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/bib-fr
on MikTeX	bib-fr
on T _E XLive	bib-fr
keyword	french (support for typesetting French)
keyword	bibtex-sty (bibtex-sty(unknown))
see also	see section 430 on page 395: (babelbib – Multilingual bibliographies)
language(s)	no language specified
year	without year
last access	2025-02-19

577 bib-greek – A BibTeX style for Greek documents

Web page on CTAN <https://ctan.org/pkg/bib-greek>

name	bib-greek
caption	A BibTeX style for Greek documents
author	Syropoulos, Apostolos
copyright	Apostolos Syropoulos (1998)
license	other-free = Free license not otherwise listed (free)

description	(no language specified) The bundle provides a BibTeX style hellas, which derives from the standard plain style. For most of the field types in plain, there is a corresponding "gr-" field in hellas (so gr-article, gr-book, etc.; neither of gr-masterthesis and gr-techreport exists). Documentation is in the bst file itself; a test file is provided.
on CTAN	https://ctan.org/tex-archive/language/greek/BibTeX
keyword	greek (support for typesetting Greek)
keyword	bibtex-sty (bibtex-sty(unknown))
see also	see section 430 on page 395: (babelbib – Multilingual bibliographies)
language(s)	no language specified
year	1998
last access	2025-02-19

578 bib2dvi – Generate a DVI file from a Bibliography file

Web page on CTAN	https://ctan.org/pkg/bib2dvi
name	bib2dvi
caption	Generate a DVI file from a Bibliography file
author	Frederiks, L. L.
copyright	L.L. Frederiks (1992)
license	noinfo = noinfo
version	0.13
description	(no language specified) Bib2dvi is a Unix system shell script, and uses the AWK text processor.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/bib2dvi
keyword	bibtex-util (utilities for managing BibTeX files)
language(s)	no language specified
year	1992
last access	2025-02-19

579 *bib2gls* – Command line application to convert .bib files to glossaries-extra.sty resource files

Web page on CTAN <https://ctan.org/pkg/bib2gls>

name	bib2gls
caption	Command line application to convert .bib files to glossaries-extra.sty resource files
author	Talbot, Nicola
copyright	Nicola L. C. Talbot (2017-2025)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	4.7 (2025-11-13)
last changes	2025-11-13
year	2025

description (no language specified) This Java command line application may be used to extract glossary information stored in a .bib file and convert it into glossary entry definition commands.

This application should be used with *glossaries-extra.sty* 's 'record' package option. It performs two functions in one:

- selects entries according to records found in the .aux file (similar to *bibtex*),
- hierarchically sorts entries and collates location lists (similar to *makeindex* or *xindy*).

The glossary entries can then be managed in a system such as *JabRef* , and only the entries that are actually required will be defined, reducing the resources required by TeX.

The supplementary application *convertgls2bib* can be used to convert existing .tex files containing definitions (\newglossaryentry etc.) to the .bib format required by *bib2gls* .

documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/bib2gls/README.md
documentation	(no language specified) <i>Introductory Guide:</i> https://ctan.org/tex-archive/support/bib2gls/bib2gls-begin.pdf
– local file	./3722937537-bib2gls-begin.pdf
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/support/bib2gls/bib2gls.pdf
– local file	./7375880661-bib2gls.pdf

home page	https://www.dickimaw-books.com/software/bib2gls/
contact	<i>bugs:</i> https://github.com/nlct/bib2gls/issues
contact	<i>repository:</i> https://github.com/nlct/bib2gls
on CTAN	https://ctan.org/tex-archive/support/bib2gls
installation	https://ctan.org/tex-archive/install/support/bib2gls.tds.zip
on MikTeX	bib2gls
on T _E XLive	bib2gls
keyword	glossary (glossary and nomenclature support)
keyword	bibtex-util (utilities for managing BibTeX files)
language(s)	no language specified
last access	2025-11-24

580 *bib2ml* – BibTeX to HTML/SQL/XML translator

Web page on CTAN <https://ctan.org/pkg/bib2ml>

name	bib2ml
caption	BibTeX to HTML/SQL/XML translator
author	Galland, Stéphane
license	gpl = GNU General Public License (free)
version	6.7
description	(no language specified) Bib2ml is a collection of Perl scripts that will generate HTML, XML or SQL files from a set of BibTeX databases, together with a bib2html script written in PHP. The HTML translator features: • lists by authors, year... • publication categories, abstract, notes, associated PDF files... • Javadoc-like look for the generated pages.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/biblio/bibtex/utils/bib2ml/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/biblio/bibtex/utils/bib2ml/doc/index.html
home page	http://www.arakhne.org/bib2html/
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/bib2ml

keyword	bibtex-util (utilities for managing BibTeX files)
language(s)	no language specified
year	without year
last access	2025-02-19

581 bib2qr – Cite BibTeX entries with QR codes

Web page on CTAN <https://ctan.org/pkg/bib2qr>

name	bib2qr
caption	Cite BibTeX entries with QR codes
author	Schreinemachers, Christian
copyright	Christian Schreinemachers (2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2 (2024-07-31)
last changes	2024-07-31
year	2024
description	(no language specified) This package provides functionality to cite BibTeX entries with QR codes for easy sharing and referencing. The target of the QR code is the entry's digital object identifier (DOI), or URL if no DOI exists. It is realised via the LaTeX packages biblatex and qrcode .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bib2qr/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bib2qr/bib2qr.pdf
– local file	./5463867768-bib2qr.pdf
home page	https://codeberg.org/Cs137/bib2qr
contact	<i>repository</i> : https://codeberg.org/Cs137/bib2qr.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bib2qr
on T _E XLive	bib2qr
keyword	qrcode (typeset quick response codes)
keyword	biblatex (BibLaTeX bibliography support)
language(s)	no language specified
last access	2026-04-12

582 bib2xhtml – Convert BibTeX Files into XHTML

Web page on CTAN <https://ctan.org/pkg/bib2xhtml>

name	bib2xhtml
caption	Convert BibTeX Files into XHTML
author	Spinellis, Diomidis
author	Hull, David
license	gpl = GNU General Public License (free)
version	2.35
description	(no language specified) bib2xhtml is a program that converts BibTeX files into HTML (specifically XHTML 1.0). The conversion is mostly done by specialized BibTeX style files, derived from a converted bibliography style template. This ensures that the original BibTeX styles are faithfully reproduced. Some postprocessing is performed by Perl code. This is an update of the bib2html program written by David Hull in 1996 and maintained by him until 1998. I have been a happy user of the program since 1995, using the program to keep my publication list up to date, and, lately, to generate the on-line bibliography list for my book <i>Code Reading: The Open Source Perspective</i> (Addison-Wesley 2003). After 1998 no other changes were made to the program, and I failed to locate an active program home page. Since there were a number of changes I needed to bring the program up to date with evolving web standards, I decided to adopt bib2html for maintenance, evolution, and further distribution. The first new public release made in 2004, features support for XHTML 1.0.
documentation	(no language specified) <i>Man page (HTML)</i> : https://ctan.org/tex-archive/biblio/bibtex/utis/bib2xhtml/bib2xhtml.html
documentation	(no language specified) <i>Man page (PDF)</i> : https://ctan.org/tex-archive/biblio/bibtex/utis/bib2xhtml/bib2xhtml.pdf
– local file	./3111385347-bib2xhtml.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/utis/bib2xhtml/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utis/bib2xhtml
on MikTeX	bib2xhtml
keyword	bibtex-util (utilities for managing BibTeX files)
language(s)	no language specified
year	without year

last access 2025-02-19

583 *bibarts* – “Arts”-style bibliographical informationWeb page on CTAN <https://ctan.org/pkg/bibarts>

name BibArts

caption “Arts”-style bibliographical information

author Baumann, Timo

license gpl = GNU General Public License (free)

version 2.6

description (no language specified) BibArts is a LaTeX package to assist in making bibliographical features common in the arts and the humanities (history, political science, philosophy, etc.).

`bibarts.sty` provides commands for quotations, abbreviations, and especially for a formatted citation of literature, journals (periodicals), edited sources, and archive sources. In difference to earlier versions, BibArts 2.x helps to use slanted fonts (italics) and is able to set *ibidem* automatically in footnotes. It will also copy all citation information, abbreviations, and register key words into lists for an automatically generated appendix. These lists may refer to page and footnote numbers. BibArts has nothing to do with **BibTeX**. The lists are created by `bibsort` (see below).

BibArts requires the program `bibsort`, for which the sources and a Windows executable are provided. This program creates the bibliography without using **MakeIndex** or **BibTeX**. Its source is not written with any specific operating system in mind. A summary of contents is in English; the full documentation is in German.

documentation (German) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/bibarts/bibarts.pdf>

– local file `./4844815774-bibarts.pdf`

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/bibarts/README.txt>

documentation (no language specified) *Package short documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/bibarts/ba-short.pdf>

– local file `./8302496113-ba-short.pdf`

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/bibarts>

on MikTeX `bibarts`

on T _E XLive	bibarts
keyword	humanities (support for studies in the humanities)
keyword	bibtex-supp (BibTeX citation support)
language(s)	German
year	without year
last access	2025-02-19

584 bibbreeze – A referencing package for automatically reconstructing bibliography data

Web page on CTAN <https://ctan.org/pkg/bibbreeze>

name	BibBreeze
caption	A referencing package for automatically reconstructing bibliography data
author	Tahsiri, Amir Mohammad
copyright	Amir Mohammad Tahsiri (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1
description	(no language specified) This LaTeX package, called BibBreeze written using LaTeX3, is a referencing package that automates bibliography reconstruction, eliminating manual effort in reference handling. It reorders disorganized fields for bibliography entries, fills in missing fields, and produces polished, referencing style-compliant bibliographies—optimized for researchers, academics, and writers. Currently, the package’s referencing style is designed for APA (with both numeric and author-year in-text citations) with more styles (Harvard, Chicago, AMA, etc.) to come.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/bibbreeze/README.md
contact	<i>repository</i> : https://github.com/mamadgit/BibBreeze
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/bibbreeze
on MikT _E X	bibbreeze
on T _E XLive	bibbreeze
keyword	biblatex (BibLaTeX bibliography support)
language(s)	no language specified
year	2025

last access 2026-04-12

585 *bibbuild* – A bibliography builder for FileMaker Pro 7

Web page on CTAN <https://ctan.org/pkg/bibbuild>

name	bibbuild
caption	A bibliography builder for FileMaker Pro 7
author	Harrod, Steven
copyright	Steven Harrod (2005)
license	nosell = Do Not Sell Except by Arrangement (not free)
version	1.0
description	(no language specified) This database will record your bibliography entries and any notes you have, and allow you to group them by project. Entries that are used in more than one project need only be entered once. The database will then format the entries into BibTeX compatible files, and provide other handy references such as a short index of citation names or a LaTeX format summary of notes.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/utis/BibBuild/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utis/BibBuild
keyword	bibtex-util (utilities for managing BibTeX files)
language(s)	no language specified
year	2005
last access	2025-02-19

586 *bibcard* – An XView based interface for BibTeX databases

Web page on CTAN <https://ctan.org/pkg/bibcard>

name	bibcard
caption	An XView based interface for BibTeX databases
author	Ogden, William C.
author	Grossniklaus, Bruno
license	nocommercial = No Commercial Use (not free)
version	1.11

description	(no language specified) Bibliographic entries can be displayed for each type of reference defined for BibTeX. Required fields are listed first, followed by optional fields for the entry's type.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/bibcard
keyword	bibtex-util (utilities for managing BibTeX files)
language(s)	no language specified
year	without year
last access	2025-02-19

587 *bibcheck* – Check on references to items in thebibliography

Web page on CTAN <https://ctan.org/pkg/bibcheck>

name	bibcheck
caption	Check on references to items in thebibliography
author	Rajagopal, C. V.
author	Radhakrishnan, C. V.
license	gpl = GNU General Public License (free)
description	(no language specified) A thebibliography environment that's been built by hand may well contain citations of things for which there is no reference in the document. This package produces a warning for each such thing. (Note that the package is of no use for users of BibTeX, since BibTeX doesn't create citations unless there is a reference.)
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/misc/bibcheck.sty
on MikTeX	ltxmisc
on T _E XLive	ltxmisc
keyword	non-bibtex (support for bibliographies created without using a biblio processor)
language(s)	no language specified
year	without year
last access	2025-02-07

588 bibclean – A BibTeX prettyprinter, verifier, etcWeb page on CTAN <https://ctan.org/pkg/bibclean>

name	bibclean
caption	A BibTeX prettyprinter, verifier, etc
author	Beebe, Nelson H. F.
license	noinfo = noinfo
version	2.11.3
description	(no language specified) Bibclean is a portable program (written in C) that will pretty-print, syntax check, and generally sort out a BibTeX database file. The standardised format of bibclean's output improves the chances of simple filters such as bibextract , bibindex , biblook , bibsort (and so on) operating correctly.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/bibclean/bibclean.pdf
– local file	./9968470853-bibclean.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/bibclean/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/bibclean
keyword	bibtex-util (utilities for managing BibTeX files)
language(s)	no language specified
year	without year
last access	2025-02-19

589 bibcop – Style checker for .bib filesWeb page on CTAN <https://ctan.org/pkg/bibcop>

name	bibcop
caption	Style checker for .bib files
author	Bugayenko, Yegor
copyright	Yegor Bugayenko (2022-2025)
license	mit = MIT License (free)
version	0.0.25

description	(no language specified) This LaTeX package checks the quality of your .bib file and emits warning messages if any issues are found. For this, the TeX processor must be run with the <code>-shell-escape</code> option, and Perl must be installed. <code>bibcop.pl</code> can also be used as a standalone command line tool. The package does not work on Windows.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/bibcop/bibcop.pdf
– local file	<code>./9633462339-bibcop.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/bibcop/README.md
contact	<i>repository</i> : https://github.com/yegor256/bibcop
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/bibcop
on MikTeX	<code>bibcop</code>
on T _E XLive	<code>bibcop</code>
keyword	<code>ext-code</code> (run an external program from within a document)
keyword	<code>biblio-supp</code> (support for manually-written bibliographies)
language(s)	no language specified
year	2025
last access	2025-02-07

590 *bibdb* – BibTeX bibliography manager for MS-Windows and MS-DOS

Web page on CTAN	https://ctan.org/pkg/bibdb
name	<code>bibdb</code>
caption	BibTeX bibliography manager for MS-Windows and MS-DOS
author	Doron, Eyal
license	pd = Public Domain Software (free)
description	(no language specified) Versions available are: 2.0 for use with DOS, and 2.2 for use with Windows. Source for version 2.2 is also provided.
on CTAN	https://ctan.org/tex-archive/support/bibdb
keyword	<code>bibtex-util</code> (utilities for managing BibTeX files)
language(s)	no language specified
year	without year

last access 2025-02-19

591 **bibentry** – Full bibliography entries in the main text of a document

Web page on CTAN <https://ctan.org/pkg/bibentry>

name	bibentry
caption	Full bibliography entries in the main text of a document
author	Daly, Patrick W.
copyright	Patrick W Daly (1997-2007)
license	lpl1 = The LaTeX Project Public License 1 (free)
version	1.5
description	(no language specified) The package allows one to place bibliographic entries anywhere in the text of a document; among other things, this is useful for creating an annotated bibliography. The package is distributed as part of the natbib bundle of packages.
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/natbib/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/natbib
keyword	cite-suppl (citation support)
see also	see section 3623 on page 3274: (luabibentry – Repeat BibTeX entries in a LuaLaTeX document body)
language(s)	no language specified
year	2007
last access	2025-02-07

592 **biber** – A BibTeX replacement for users of BibLaTeX

Web page on CTAN <https://ctan.org/pkg/biber>

name	biber
caption	A BibTeX replacement for users of BibLaTeX
author	Kime, Philip
author	Charette, François
license	artistic2 = Perl Artistic License, version 2 (free)
version	2.20 (2024-03-22)

last changes	2024-03-22
year	2024
description	(no language specified) Biber is a BibTeX replacement for users of BibLaTeX . Biber supports full UTF-8, can (re)-encode input and output, supports highly configurable sorting, dynamic bibliography sets and many other features. The CTAN distribution offers a compressed tar archive of the sources, etc., together with "binary" distributions for a variety of platforms. Note: on SourceForge biber is formally named "biblatex-biber", to distinguish it from an earlier (now apparently moribund) project called "biber".
documentation	(no language specified) <i>Manual</i> : https://ctan.org/tex-archive/biblio/biber/base/documentation/biber.pdf
– local file	./7951150504-biber.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/biber/base//README.md
home page	http://biblatex-biber.sourceforge.net/
contact	<i>bugs</i> : https://github.com/plk/biber/issues
contact	<i>repository</i> : https://github.com/plk/biber
on CTAN	https://ctan.org/tex-archive/biblio/biber/base
on MikTeX	biber-windows-x64
on T _E XLive	biber
keyword	biblio (bibliography processor)
see also	see section 1392 on page 1259: (crosstex – Bibliography management tool)
see also	see section 613 on page 560: (BibLaTeX – Sophisticated Bibliographies in LaTeX)
see also	see section 701 on page 648: (bibtex – Process bibliographies (bib files) for LaTeX or other formats)
language(s)	no language specified
last access	2025-02-07

593 biber-cygwin – Biber binaries for Cygwin on Windows

Web page on CTAN <https://ctan.org/pkg/biber-cygwin>

name	biber-cygwin
caption	Biber binaries for Cygwin on Windows
author	Brown, Ken
author	Kime, Philip
license	artistic2 = Perl Artistic License, version 2 (free)
version	2.20
description	(no language specified) This package offers Biber binaries for the Cygwin on Windows.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/biber/biber-cygwin/README
home page	http://biblatex-biber.sourceforge.net/
contact	<i>bugs</i> : https://github.com/plk/biber/issues
contact	<i>repository</i> : https://github.com/plk/biber
on CTAN	https://ctan.org/tex-archive/biblio/biber/biber-cygwin
keyword	biblio (bibliography processor)
see also	see section 592 on page 543: (biber – A BibTeX replacement for users of BibLaTeX)
language(s)	no language specified
year	without year
last access	2025-02-07

594 biber-freebsd – Biber binaries for FreeBSD

Web page on CTAN <https://ctan.org/pkg/biber-freebsd>

name	biber-freebsd
caption	Biber binaries for FreeBSD
author	Kime, Philip
author	Lečić, Nikola
license	artistic2 = Perl Artistic License, version 2 (free)
version	2.20

description	(no language specified) This package offers Biber binaries for the FreeBSD platforms. These binaries run on all FreeBSD versions ≥ 8 .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/biber/biber-freebsd/README
home page	http://biblatex-biber.sourceforge.net/
contact	<i>bugs</i> : https://github.com/plk/biber/issues
contact	<i>repository</i> : https://github.com/plk/biber
on CTAN	https://ctan.org/tex-archive/biblio/biber/biber-freebsd
keyword	biblio (bibliography processor)
see also	see section 592 on page 543: (biber – A BibTeX replacement for users of BibLaTeX)
language(s)	no language specified
year	without year
last access	2025-02-07

595 biber-linux – Biber binaries for Linux

Web page on CTAN	https://ctan.org/pkg/biber-linux
name	biber-linux
caption	Biber binaries for Linux
author	Kime, Philip
license	artistic2 = Perl Artistic License, version 2 (free)
version	2.20
description	(no language specified) This package offers Biber binaries for the Linux platform.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/biber/biber-linux/README
home page	http://biblatex-biber.sourceforge.net/
contact	<i>bugs</i> : https://github.com/plk/biber/issues
contact	<i>repository</i> : https://github.com/plk/biber
on CTAN	https://ctan.org/tex-archive/biblio/biber/biber-linux
keyword	biblio (bibliography processor)
see also	see section 592 on page 543: (biber – A BibTeX replacement for users of BibLaTeX)

language(s)	no language specified
year	without year
last access	2025-02-07

596 biber-linux-aarch64 – Biber binaries for Linux_aarch64

Web page on CTAN <https://ctan.org/pkg/biber-linux-aarch64>

name	biber-linux-aarch64
caption	Biber binaries for Linux_aarch64
author	Krumeich, Alexander
license	artistic2 = Perl Artistic License, version 2 (free)
version	2.20
description	(no language specified) These are Biber binaries for the linux-aarch64 platform. See Biber for documentation, sources, and all else.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/biber/biber-linux-aarch64/README
contact	<i>bugs</i> : https://github.com/plk/biber/issues
contact	<i>repository</i> : https://github.com/plk/biber/
on CTAN	https://ctan.org/tex-archive/biblio/biber/biber-linux-aarch64
keyword	biblio (bibliography processor)
language(s)	no language specified
year	without year
last access	2025-02-07

597 biber-linux-musl – Biber binaries for Linux-MUSL

Web page on CTAN <https://ctan.org/pkg/biber-linux-musl>

name	biber-linux-musl
caption	Biber binaries for Linux-MUSL
author	Kime, Philip
author	Krumeich, Alexander
license	artistic2 = Perl Artistic License, version 2 (free)

version	2.20-1
description	(no language specified) This package offers Biber binaries for the Linux-MUSL platform.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/biber/biber-linux-musl/README
home page	http://biblatex-biber.sourceforge.net/
contact	<i>bugs</i> : https://github.com/plk/biber/issues
contact	<i>repository</i> : https://github.com/plk/biber/
on CTAN	https://ctan.org/tex-archive/biblio/biber/biber-linux-musl
keyword	biblio (bibliography processor)
see also	see section 592 on page 543: (biber – A BibTeX replacement for users of BibLaTeX)
language(s)	no language specified
year	without year
last access	2025-02-07

598 biber-macos – Biber binaries for MacOS

Web page on CTAN <https://ctan.org/pkg/biber-macos>

name	biber-macos
caption	Biber binaries for MacOS
author	Kime, Philip
license	artistic2 = Perl Artistic License, version 2 (free)
version	2.20
description	(no language specified) This package offers Biber binaries for the MacOS platform.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/biber/biber-macos/README
home page	http://biblatex-biber.sourceforge.net/
contact	<i>bugs</i> : https://github.com/plk/biber/issues
contact	<i>repository</i> : https://github.com/plk/biber
on CTAN	https://ctan.org/tex-archive/biblio/biber/biber-macos
keyword	biblio (bibliography processor)

see also	see section 592 on page 543: (<i>biber</i> – A BibTeX replacement for users of BibLaTeX)
language(s)	no language specified
year	without year
last access	2025-02-07

599 *biber-ms* – A BibTeX replacement for users of BibLaTeX (multiscript version)

Web page on CTAN <https://ctan.org/pkg/biber-ms>

name	<i>biber-ms</i>
caption	A BibTeX replacement for users of BibLaTeX (multiscript version)
author	Charette, François
author	Kime, Philip
license	artistic2 = Perl Artistic License, version 2 (free)
version	4.0-1
description	(no language specified) This is the multiscript version of <i>biber</i> (<i>biber-ms</i>) and must be used with the multiscript version of <i>biblatex-ms</i>
documentation	(no language specified) <i>Manual</i> : https://ctan.org/tex-archive/biblio/biber-ms/base/documentation/biber-ms.pdf
– local file	<code>./6833852388-biber-ms.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/biber-ms/base//README.md
home page	http://biblatex-biber.sourceforge.net/
contact	<i>bugs</i> : https://github.com/plk/biber/issues
contact	<i>repository</i> : https://github.com/plk/biber
on CTAN	https://ctan.org/tex-archive/biblio/biber-ms/base
on T _E XLive	<i>biber-ms</i>
keyword	<i>biblio</i> (bibliography processor)
see also	see section 613 on page 560: (<i>BibLaTeX</i> – Sophisticated Bibliographies in LaTeX)
see also	see section 1392 on page 1259: (<i>crosstex</i> – Bibliography management tool)
see also	see section 701 on page 648: (<i>bibtex</i> – Process bibliographies (bib files) for LaTeX or other formats)
language(s)	no language specified

year	without year
last access	2025-02-07

600 *biber-ms-linux* – Biber (multiscript) binaries for Linux

Web page on CTAN <https://ctan.org/pkg/biber-ms-linux>

name	biber-ms-linux
caption	Biber (multiscript) binaries for Linux
author	Kime, Philip
license	artistic2 = Perl Artistic License, version 2 (free)
version	4.0-1
description	(no language specified) This package offers multiscript Biber binaries for the Linux platform. These are to be used with the multiscript BibLaTeX package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/biber-ms/biber-ms-linux/README
home page	http://biblatex-biber.sourceforge.net/
contact	<i>bugs</i> : https://github.com/plk/biber/issues
contact	<i>repository</i> : https://github.com/plk/biber
on CTAN	https://ctan.org/tex-archive/biblio/biber-ms/biber-ms-linux
keyword	biblio (bibliography processor)
see also	see section 592 on page 543 : (biber – A BibTeX replacement for users of BibLaTeX)
language(s)	no language specified
year	without year
last access	2025-02-07

601 *biber-ms-macos* – Biber (multiscript) binaries for MacOS

Web page on CTAN <https://ctan.org/pkg/biber-ms-macos>

name	biber-ms-macos
caption	Biber (multiscript) binaries for MacOS
author	Kime, Philip
license	artistic2 = Perl Artistic License, version 2 (free)
version	4.0-1
description	(no language specified) This package offers multiscript Biber binaries for the MacOS platform. These are to be used with the multiscript BibLaTeX package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/biber-ms/biber-ms-macos/README
home page	http://biblatex-biber.sourceforge.net/
contact	<i>bugs</i> : https://github.com/plk/biber/issues
contact	<i>repository</i> : https://github.com/plk/biber
on CTAN	https://ctan.org/tex-archive/biblio/biber-ms/biber-ms-macos
keyword	biblio (bibliography processor)
see also	see section 592 on page 543: (biber – A BibTeX replacement for users of BibLaTeX)
language(s)	no language specified
year	without year
last access	2025-02-07

602 *biber-ms-windows* – Biber (multiscript) binaries for Windows

Web page on CTAN <https://ctan.org/pkg/biber-ms-windows>

name	biber-ms-windows
caption	Biber (multiscript) binaries for Windows
author	Kime, Philip
license	artistic2 = Perl Artistic License, version 2 (free)
version	4.0-1

description	(no language specified) This package offers multiscrypt Biber binaries for the Windows platform. These are to be used with the multiscrypt BibLaTeX package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/biber-ms/biber-ms-windows/README
home page	http://biblalex-biber.sourceforge.net/
contact	<i>bugs</i> : https://github.com/plk/biber/issues
contact	<i>repository</i> : https://github.com/plk/biber
on CTAN	https://ctan.org/tex-archive/biblio/biber-ms/biber-ms-windows
keyword	biblio (bibliography processor)
see also	see section 592 on page 543: (biber – A BibTeX replacement for users of BibLaTeX)
language(s)	no language specified
year	without year
last access	2025-02-07

603 biber-solaris – Biber binaries for Solaris

Web page on CTAN	https://ctan.org/pkg/biber-solaris
name	biber-solaris
caption	Biber binaries for Solaris
author	Kime, Philip
author	Syropoulos, Apostolos
license	artistic2 = Perl Artistic License, version 2 (free)
version	2.18
description	(no language specified) This package offers Biber binaries for the Solaris platform.
home page	http://biblalex-biber.sourceforge.net/
contact	<i>bugs</i> : https://github.com/plk/biber/issues
contact	<i>repository</i> : https://github.com/plk/biber
on CTAN	https://ctan.org/tex-archive/biblio/biber/biber-solaris
keyword	biblio (bibliography processor)

see also	see section 592 on page 543: (<i>biber</i> – A BibTeX replacement for users of BibLaTeX)
language(s)	no language specified
year	without year
last access	2025-02-07

604 *biber-windows* – Biber binaries for Windows

Web page on CTAN <https://ctan.org/pkg/biber-windows>

name	biber-windows
caption	Biber binaries for Windows
author	Kime, Philip
license	artistic2 = Perl Artistic License, version 2 (free)
version	2.20
description	(no language specified) This package offers Biber binaries for the Windows platform.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/biber/biber-windows/README
home page	http://biblatex-biber.sourceforge.net/
contact	<i>bugs</i> : https://github.com/plk/biber/issues
contact	<i>repository</i> : https://github.com/plk/biber
on CTAN	https://ctan.org/tex-archive/biblio/biber/biber-windows
keyword	biblio (bibliography processor)
see also	see section 592 on page 543: (<i>biber</i> – A BibTeX replacement for users of BibLaTeX)
language(s)	no language specified
year	without year
last access	2025-02-07

605 *bibex* – Automatic extraction of references from BibTeX databases

Web page on CTAN <https://ctan.org/pkg/bibex>

name	Bibex
caption	Automatic extraction of references from BibTeX databases
author	Guéhéneuc, Yann-Gaël
copyright	Yann-Gaël Guéhéneuc (2003)
license	gpl = GNU General Public License (free)
description	(no language specified) Bibex, BibTeX Extractor, is a 100%-pure Java program that automates the extraction of bibliographic references from BibTeX databases using regular expressions. Using the Bibex user interface, it is possible to define, to save, and to perform BibTeX references extraction tasks easily and automatically. Bibex is very useful when using <i>bibtopic</i> or similar packages.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/bibex/doc/Bibex.html
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/bibex/README
on CTAN	https://ctan.org/tex-archive/support/bibex
keyword	bibtex-util (utilities for managing BibTeX files)
language(s)	no language specified
year	2003
last access	2025-02-19

606 *bibexport* – Extract a BibTeX file based on a .aux file

Web page on CTAN <https://ctan.org/pkg/bibexport>

name	bibexport
caption	Extract a BibTeX file based on a .aux file
author	Markey, Nicolas
copyright	Nicolas Markey (2005-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.03

description	(no language specified) A Bourne shell script that uses BibTeX to extract bibliography entries that are <code>\cite</code> 'd in a document. It can also expand a BibTeX file, expanding the abbreviations (other than the built-in ones like month names) and following the cross-references.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/biblio/bibtex/utls/bibexport/bibexport.pdf
– local file	<code>./5684662928-bibexport.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/utls/bibexport/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utls/bibexport
on MikTeX	<code>bibexport</code>
on T _E XLive	<code>bibexport</code>
keyword	<code>bibtex-util</code> (utilities for managing BibTeX files)
language(s)	no language specified
year	2019
last access	2025-08-30

607 *bibextract* – Utilities to extract BibTeX data

Web page on CTAN <https://ctan.org/pkg/bibextract>

name	<code>bibextract</code>
caption	Utilities to extract BibTeX data
author	Beebe, Nelson H. F.
license	gpl = GNU General Public License (free)
version	1.09
description	(no language specified) A set of scripts for extracting entries from <code>.bib</code> file, in particular those cited in a particular document. <code>Bibextract</code> itself extracts from a list of BibTeX <code>.bib</code> files those bibliography entries that match a pair of specified regular expressions, sending them to <code>stdout</code>, together with all BibTeX <code>@Preamble{...}</code> and <code>@String{...}</code> commands. <code>Citefind</code> from a list of BibTeX <code>.bib</code> files those bibliography entries that match a specified list of citation tags, possibly produced by <code>citetags</code>. <code>Citetags</code> extracts BibTeX citation tags from a LaTeX source file or <code>.aux</code> file and sends them to <code>stdout</code>, possibly for later input to <code>citefind</code>.

documentation	(no language specified) <i>Bibextract man page (text)</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/bibextract/bibextract.txt
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/bibextract/README
documentation	(no language specified) <i>Bibextract man page</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/bibextract/bibextract.pdf
– local file	./6544358417-bibextract.pdf
documentation	(no language specified) <i>Citefind man page</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/bibextract/citefind.pdf
– local file	./5993727157-citefind.pdf
documentation	(no language specified) <i>Citefind man page (text)</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/bibextract/citefind.txt
documentation	(no language specified) <i>Citetags man page</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/bibextract/citetags.pdf
– local file	./9639390776-citetags.pdf
documentation	(no language specified) <i>Citetags man page (text)</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/bibextract/citetags.txt
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/bibextract
keyword	bibtex-util (utilities for managing BibTeX files)
see also	see section 606 on page 554: (bibexport – Extract a BibTeX file based on a .aux file)
language(s)	no language specified
year	without year
last access	2025-02-19

608 *bibfile-reformat-pages* – Puts .bib file page ranges into uniform format

Web page on CTAN <https://ctan.org/pkg/bibfile-reformat-pages>

name	bibfile-reformat-pages
caption	Puts .bib file page ranges into uniform format
author	Pearlmutter, Barak A.
copyright	Barak A. Pearlmutter (2004)

license	gpl = GNU General Public License (free)
description	(no language specified) This is a small gawk script to put all the <code>pages=</code> page ranges in a <code>.bib</code> file into a uniform format, either 1234-1256 or upon request 1234-56; null ranges such as 1234-1234 are always scrunched to just 1234. The script squeezes out spaces around the separator; can make all separators one- or two-hyphens upon request. The script is very conservative: it is probably impossible for it actually to mess up a file.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/utis/bibfile-reformat-pages/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utis/bibfile-reformat-pages/bibfile-reformat-pages
keyword	bibtex-util (utilities for managing BibTeX files)
language(s)	no language specified
year	2004
last access	2025-02-19

609 *bibfilex* – A free bibliographic manager for BibLaTeX

Web page on CTAN <https://ctan.org/pkg/bibfilex>

name	bibfilex
caption	A free bibliographic manager for BibLaTeX
author	Nardello, Massimo
license	gpl3 = GNU General Public License, version 3 (free)
version	1.2.8
description	(no language specified) Bibfilex is a free bibliographic manager for GNU/Linux, Windows and OS X. It is useful for creating and managing archives of bibliographical items with possible attachments of any kind according to BibLaTeX structure and rules, but it may also be used with a wordprocessor like Writer or Word. Bibfilex is less advanced than other bibliographic managers like JabRef or KBibTeX and allows only few customizations. Its strength is simplicity and speed, since it's a compiled software and uses a fast database, SQLite, for storing data. Bibfilex is written in Free Pascal with Lazarus.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/biblio/bibfilex/README.md

610 *bibfind* – Prints entries in your bib file that match search string

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/biblio/bibfilex/Manual/bibfilex-manual.pdf
– local file	<code>./4786904467-bibfilex-manual.pdf</code>
home page	https://sites.google.com/site/bibfilex
on CTAN	https://ctan.org/tex-archive/biblio/bibfilex
keyword	<code>biblio</code> (bibliography processor)
language(s)	no language specified
year	without year
last access	2025-02-07

610 *bibfind* – Prints entries in your bib file that match search string

Web page on CTAN <https://ctan.org/pkg/bibfind>

name	<code>bibfind</code>
caption	Prints entries in your bib file that match search string
author	Breivik, Oyvind
license	artistic = Perl Artistic License (not free)
description	(no language specified) Bibfind reads your bib file and prints those references that match your search string. It works a bit like <code>grep</code> , only it prints the whole entry (paragraph) and not just the line that matches. The program is useful for quickly checking whether a certain reference is in your database, or what year some guy made that major breakthrough, etc. You can use Perl regexes in your search string and hence wield the awesome power of Perl's pattern matching.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/misc/bibfind
keyword	<code>bibtex-util</code> (utilities for managing BibTeX files)
language(s)	no language specified
year	without year
last access	2025-02-19

611 bibhtml – BibTeX support for HTML files

Web page on CTAN <https://ctan.org/pkg/bibhtml>

name	bibhtml
caption	BibTeX support for HTML files
author	Gray, Norman
license	gpl = GNU General Public License (free)
version	2.0.2 (2013-09-08)
last changes	2013-09-08
year	2013
description	(no language specified) Bibhtml consists of a Perl script and a set of BibTeX style files, which together allow you to output a bibliography as a collection of HTML files. The references in the text are linked directly to the corresponding bibliography entry, and if a URL is defined in the entry within the BibTeX database file, then the generated bibliography entry is linked to this. The package provides three different style files derived from each of the standard plain.bst and alpha.bst, as well as two style files derived from abbrev.bst and unsrt.bst (i.e., eight in total).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/bibhtml/bibhtml.html
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/bibhtml/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/bibhtml
on MikTeX	bibhtml
on T _E XLive	bibhtml
keyword	bibtex-util (utilities for managing BibTeX files)
keyword	cvt-html (generate HTML from TeX-ish sources)
language(s)	no language specified
last access	2025-02-19

612 bibindex – Index BibTeX files for fast searching

Web page on CTAN <https://ctan.org/pkg/bibindex>

name	bibindex
caption	Index BibTeX files for fast searching
author	Beebe, Nelson H. F.
author	Erickson, Jeff
license	pd = Public Domain Software (free)
version	2.0
description	(no language specified) A stand-alone tool for indexing BibTeX databases to be searched using the corresponding biblook tool.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/bibindex/README
documentation	(no language specified) <i>Bibindex man page</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/bibindex/bibindex.txt
home page	http://jeffe.cs.illinois.edu/biblook.html
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/bibindex
keyword	bibtex-util (utilities for managing BibTeX files)
language(s)	no language specified
year	without year
last access	2025-02-19

613 biblatex – Sophisticated Bibliographies in LaTeX

Web page on CTAN <https://ctan.org/pkg/biblatex>

name	BibLaTeX
caption	Sophisticated Bibliographies in LaTeX
author	Kime, Philip
author	Lehman, Philipp
copyright	Philip Kime, Audrey Boruvka, Joseph Wright (2012-2025)
copyright	Philip Kime, Moritz Wemheuer (2018-2025)
copyright	Philipp Lehman (2006-2012)

license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.21 (2025-07-10)
last changes	2025-07-10
year	2025
description	(no language specified) BibLaTeX is a complete reimplementa- tion of the bibliographic facilities provided by LaTeX. Formatting of the bibliography is entirely controlled by LaTeX macros, and a working knowledge of LaTeX should be sufficient to design new bibliography and citation styles. BibLaTeX uses its own data backend program called "biber" to read and process the bibliographic data. With biber, BibLaTeX has many features rivalling or surpassing other bibliography systems. To mention a few: • Full Unicode support • Highly customisable sorting using the Unicode Collation Algorithm + CLDR tailoring • Highly customisable bibliography labels • Complex macro-based on-the-fly data modification without changing your data sources • A tool mode for transforming bibliographic data sources • Multiple bibliographies and lists of bibliographic information in the same document with different sorting • Highly customisable data source inheritance rules • Polyglossia and babel support for automatic language switching for bibliographic entries and citations • Automatic bibliography data recoding (UTF-8 -&gt; latin1, LaTeX macros -&gt; UTF-8 etc) • Remote data sources • Highly sophisticated automatic name and name list disambiguation system • Highly customisable data model so users can define their own bibliographic data types • Validation of bibliographic data against a data model • Subdivided and/or filtered bibliographies, bibliographies per chapter, section etc.

Apart from the features unique to BibLaTeX, the package also incorporates
core features of the following packages: **babelbib**, **bibtopic**, **bibunits**,
chapterbib, **cite**, **inlinebib**, **mcite** and **mciteplus**, **mlbib**, **multibib**, **splitbib**.

The package strictly requires

- **e-TeX**
- **BibTeX**, `bibtex8`, or **Biber**
- **etoolbox** .1 or later
- **logreq** 1.0 or later
- **keyval**
- **ifthen**
- **url**

Biber, **babel** / **polyglossia**, and **csquotes** 4.4 or later are strongly recommended.

documentation	(English) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex/README
documentation	(English) <i>Release notes for current version</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex/CHANGES.md
documentation	<i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex/doc/biblatex.pdf
– local file	<code>./8713376293-biblatex.pdf</code>
documentation	<i>Package documentation (German)</i> : https://ctan.org/tex-archive/info/translations/biblatex/de/biblatex-de-Benutzerhandbuch.pdf
– local file	<code>./2197233307-biblatex-de-Benutzerhandbuch.pdf</code>
home page	https://github.com/plk/biblatex
contact	<i>announce</i> : https://github.com/plk/biblatex/wiki
contact	<i>bugs</i> : https://github.com/plk/biblatex/issues
contact	<i>repository</i> : https://github.com/plk/biblatex.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex
on MikTeX	<code>biblatex</code>
on T _E XLive	<code>biblatex</code>
keyword	<code>biblatex</code> (BibLaTeX bibliography support)
keyword	<code>biblio</code> (bibliography processor)
keyword	<code>tagged-pdf-partially</code> (tagged PDF partially compatible)
see also	see section 6294 on page 5692: (translation-biblatex-de – German translation of the User Guide for BibLaTeX)
language(s)	German; English

last access 2026-04-24

614 *biblatex-abnt* – BibLaTeX style for Brazil’s ABNT rules

Web page on CTAN <https://ctan.org/pkg/biblatex-abnt>

name	<code>biblatex-abnt</code>
caption	BibLaTeX style for Brazil’s ABNT rules
author	Marques, Daniel B.
author	Sales, Lucas
copyright	Daniel B. Marques (2016, 2017)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	4.0
description	(no language specified) This package offers a BibLaTeX style for Brazil’s ABNT (Brazilian Association of Technical Norms) rules.
documentation	(Portuguese (Brazilia)) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-abnt/README.md
documentation	(Portuguese (Brazilia)) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-abnt/doc/biblatex-abnt.pdf
– local file	<code>./8699479601-biblatex-abnt.pdf</code>
documentation	(no language specified) <i>Examples of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-abnt/tests/NBR10520-2002_reference.pdf
– local file	<code>./4711427250-NBR10520-2002_reference.pdf</code>
contact	<i>bugs</i> : https://github.com/abntex/biblatex-abnt/issues
contact	<i>repository</i> : https://github.com/abntex/biblatex-abnt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-abnt
on MikTeX	<code>biblatex-abnt</code>
on TeXLive	<code>biblatex-abnt</code>
keyword	<code>biblatex</code> (BibLaTeX bibliography support)
keyword	<code>portuguese-br</code> (support for typesetting Brazilian Portuguese)
keyword	<code>journalpub</code> (typesetting journals, etc)

language(s)	Portuguese (Brazilia)
year	2017
last access	2026-04-24

615 **biblatex-abs-annotate** – Annotated bibliographies with abstracts and annotations for BibLaTeX

Web page on CTAN <https://ctan.org/pkg/biblatex-abs-annotate>

name	biblatex-abs-annotate
caption	Annotated bibliographies with abstracts and annotations for BibLaTeX
author	Wimpy, Cameron
copyright	Cameron Wimpy (2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.1 (2026-04-19)
last changes	2026-04-19
year	2026
description	(no language specified) The package extends any BibLaTeX style with an annotated-bibliography presentation: below each reference it renders the entry's abstract and the user's annotation, both drawn from standard BibLaTeX fields (abstract, and annotation or annote). Either field may be omitted on a per-entry basis, so the same bibliography can mix plain and annotated citations freely. The package patches the sixteen standard BibLaTeX drivers via xpatch, so it composes with any bibliography style that uses the standard driver names (authoryear, apa, numeric, chicago-authordate, etc.). All visual aspects (e.g., labels, fonts, indentation, and spacing) are controlled by redefinable commands and lengths. The package is the LaTeX component of the cross-format ab-annotate toolchain, which shares the same .bib conventions with companion packages for Typst and Quarto.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-abs-annotate/biblatex-abs-annotate.pdf
– local file	./8293094129-biblatex-abs-annotate.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-abs-annotate/README.md
home page	https://github.com/cwimpy/ab-annotate
contact	<i>bugs:</i> https://github.com/cwimpy/ab-annotate/issues

contact	<i>repository:</i> https://github.com/cwimpy/ab-annotate/tree/main/latex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-abs-annotate
on T _E XLive	<code>biblatex-abs-annotate</code>
keyword	<code>biblatex</code> (BibLaTeX bibliography support)
language(s)	no language specified
last access	2026-04-24

616 *biblatex-accursius* – Citing features for Italian jurists

Web page on CTAN <https://ctan.org/pkg/biblatex-accursius>

name	<code>biblatex-accursius</code>
caption	Citing features for Italian jurists
author	Contini, Francesco
copyright	Francesco Contini (2024)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) This style is primarily aimed at Italian legal jurists and provides them with the ability to cite legal materials, such as legislative acts, regulations, soft law, treaties and case law. Additionally, the style codifies the most prevalent citation practices amongst Italian legal scholars. Specifically, with regard to the citation of legal materials, this style, instead of developing the entry types <code>@jurisdiction</code>, <code>@legal</code>, and <code>@legislation</code>, creates a new one: <code>@itprov</code>, which can describe a wide range of legal sources. Furthermore, it creates a second new entry type: <code>@notetoprov</code>, which is used specifically to cite so-called "note a sentenza" (notes to judgement), which closely mirrors <code>@itprov</code>, but is literature and, therefore, is intended to have the same treatment as standard entry types. The citation commands are the standard ones. The <code>@itprov</code> entry type comprises the list <code>institution</code> to indicate which authority adopted the cited act; the <code>kindprov</code>, <code>nprov</code>, <code>provtitle</code> (or <code>titleparties</code>) fields to indicate the minimal 'ID' of the act and many others. Finally, the entry type allows to specify where the cited act was consulted, whether from an official bulletin (the <code>ofbull</code> field), an official portal or a private database (the <code>ofportal</code> field), or a journal or collection.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-accursius/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-accursius/biblatex-accursius.pdf
– local file	./4301305542-biblatex-accursius.pdf
contact	<i>repository</i> : https://github.com/francesco-contini/biblatex-accursius
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-accursius
on MikTeX	biblatex-accursius
on TeXLive	biblatex-accursius
keyword	biblatex (BibLaTeX bibliography support)
keyword	legal (typesetting legal documents or study material)
keyword	italian (support for typesetting Italian)
language(s)	no language specified
year	2024
last access	2026-04-24

617 *biblatex-ajc2020unofficial* – BibLaTeX style for the Australasian Journal of Combinatorics

Web page on CTAN <https://ctan.org/pkg/biblatex-ajc2020unofficial>

name	biblatex-ajc2020unofficial
caption	BibLaTeX style for the Australasian Journal of Combinatorics
author	Avdeev, Nikolai
copyright	Nikolai Avdeev aka @nickkolok (2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2.0
description	(no language specified) This is an <i>unofficial</i> BibLaTeX style for the Australasian Journal of Combinatorics . Note that the journal (as for 01 March 2020) does not accept BibLaTeX, so you probably want to use biblatex2bibitem .

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-ajc2020unofficial/README.md
contact	<i>repository</i> : https://gitlab.com/Nickkolok/biblatex-ajc2020unofficial
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-ajc2020unofficial
on MikTeX	biblatex-ajc2020unofficial
on TeXLive	biblatex-ajc2020unofficial
keyword	biblatex (BibLaTeX bibliography support)
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
year	2020
last access	2026-04-24

618 *biblatex-ams* – AMS-compatible style for Biber/BibLaTeX

Web page on CTAN	https://ctan.org/pkg/biblatex-ams
name	biblatex-ams
caption	AMS-compatible style for Biber/BibLaTeX
author	Voß, Herbert
copyright	Herbert Voß (2026)
license	lpl = The LaTeX Project Public License (free)
version	0.01
description	(no language specified) This citation style is based on https://github.com/konn/biblatex-math . It provides a bibliography style similar to <code>amsrefs</code> for <code>Biber</code> / <code>BibLaTeX</code> .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-ams/doc/biblatex-ams-doc.pdf
– local file	./4539260526-biblatex-ams-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-ams/README

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-ams
keyword	maths (support for typesetting mathematics)
keyword	biblatex (BibLaTeX bibliography support)
language(s)	no language specified
year	2026
last access	2026-04-24

619 *biblatex-anonymous* – A tool to manage anonymous work with BibLaTeX

Web page on CTAN	https://ctan.org/pkg/biblatex-anonymous
name	biblatex-anonymous
caption	A tool to manage anonymous work with BibLaTeX
author	Rouquette, Maïeul
copyright	Maïeul Rouquette (2014-2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.6.2 (2018-09-02)
last changes	2018-09-02
year	2018
description	(no language specified) The package provides tools to help manage anonymous work with BibLaTeX . It will be useful, for example, in history or classical philology.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-anonymous/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-anonymous/biblatex-anonymous.pdf
– local file	./3166408289-biblatex-anonymous.pdf
contact	<i>bugs</i> : https://github.com/maieul/biblatex-anonymous/issues
contact	<i>repository</i> : https://github.com/maieul/biblatex-anonymous
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-anonymous
on MikTeX	biblatex-anonymous

on TeXLive	biblatex-anonymous
keyword	biblatex (BibLaTeX bibliography support)
keyword	humanities (support for studies in the humanities)
language(s)	no language specified
last access	2026-04-24

620 biblatex-apa – BibLaTeX citation and reference style for APA

Web page on CTAN <https://ctan.org/pkg/biblatex-apa>

name	biblatex-apa
caption	BibLaTeX citation and reference style for APA
author	Kime, Philip
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	9.20 (2025-08-27)
last changes	2025-08-27
year	2025
description	(no language specified) This is a fairly complete BibLaTeX style (citations and references) for APA (American Psychological Association) publications. It implements and automates most of the guidelines in the APA 7th edition style guide for citations and references. An example document is also given which typesets every citation and reference example in the APA 7th edition style guide. This version of the package requires use of <code>csquotes >=4.3</code> , BibLaTeX <code>>=3.4</code> , and the <code>biber</code> backend for BibLaTeX <code>>=2.5</code> .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-apa/biblatex-apa.pdf
– local file	<code>./3436739057-biblatex-apa.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-apa/README
documentation	(no language specified) <i>The examples in the APA style guide:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-apa/biblatex-apa-test.pdf
– local file	<code>./9214594393-biblatex-apa-test.pdf</code>
home page	https://github.com/plk/biblatex-apa

contact	<i>announce:</i> https://github.com/plk/biblatex-apa/wiki
contact	<i>bugs:</i> https://github.com/plk/biblatex-apa/issues
contact	<i>repository:</i> https://github.com/plk/biblatex-apa.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-apa
on MikTeX	<code>biblatex-apa</code>
on T _E XLive	<code>biblatex-apa</code>
keyword	<code>journalpub</code> (typesetting journals, etc)
keyword	<code>psychology</code> (support for typesetting texts relating to psychology)
keyword	<code>apa</code> (typesetting according to the rules of the American Psychological Association)
keyword	<code>biblatex</code> (BibLaTeX bibliography support)
language(s)	no language specified
last access	2026-04-24

621 *biblatex-apa6* – BibLaTeX citation and reference style for APA 6th Edition

Web page on CTAN <https://ctan.org/pkg/biblatex-apa6>

name	<code>biblatex-apa6</code>
caption	BibLaTeX citation and reference style for APA 6th Edition
author	Kime, Philip
copyright	Philip Kime (2010-2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	8.5 (2020-08-28)
last changes	2020-08-28
year	2020
description	(no language specified) This is a fairly complete BibLaTeX style (citations and references) for APA (American Psychological Association) 6th Edition conformant publications. It implements and automates most of the guidelines in the APA 6th edition style guide for citations and references. An example document is also given which typesets every citation and reference example in the APA 6th edition style guide. This is a legacy style for 6th Edition documents. Please use the BibLaTeX-apa style package for the latest APA edition conformance.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-apa6/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-apa6/biblatex-apa6.pdf
– local file	<code>./5259306480-biblatex-apa6.pdf</code>
documentation	(no language specified) <i>The examples in the APA style guide</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-apa6/biblatex-apa6-test.pdf
– local file	<code>./2412711708-biblatex-apa6-test.pdf</code>
home page	https://github.com/plk/biblatex-apa
contact	<i>announce</i> : https://github.com/plk/biblatex-apa/wiki
contact	<i>bugs</i> : https://github.com/plk/biblatex-apa/issues
contact	<i>repository</i> : https://github.com/plk/biblatex-apa.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-apa6
on MikTeX	<code>biblatex-apa6</code>
on T _E XLive	<code>biblatex-apa6</code>
keyword	<code>biblatex</code> (BibLaTeX bibliography support)
keyword	<code>apa</code> (typesetting according to the rules of the American Psychological Association)
keyword	<code>psychology</code> (support for typesetting texts relating to psychology)
keyword	<code>journalpub</code> (typesetting journals, etc)
language(s)	no language specified
last access	2026-04-24

622 *biblatex-archaeology* – A collection of BibLaTeX styles for German prehistory

Web page on CTAN	https://ctan.org/pkg/biblatex-archaeology
name	<code>biblatex-archaeology</code>
caption	A collection of BibLaTeX styles for German prehistory
author	Braun, Ingram
copyright	Ingram Braun (2005-2018)

license	lpp1.3c = The LaTeX Project Public License 1.3c (free)
version	2.2 (2019-12-30)
last changes	2019-12-30
year	2019
description	(no language specified) This package provides additional BibLaTeX styles for German humanities. Its core purpose is to enable the referencing rules of the Romano-Germanic Commission (<i>&gt;Römisch-Germanische Kommission</i>), the department of prehistory of the German Archaeological Institute (<i>Deutsches Archäologisches Institut</i>), since these are referenced by most guidelines in German prehistory and medieval archaeology and serve as a kind of template. <i>biblatex-archaeology</i> provides verbose, numeric and author date styles as well and adaptations to specific document types like exhibition and auction catalogues.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-archaeology/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-archaeology/biblatex-archaeology.pdf
– local file	./9765601384-biblatex-archaeology.pdf
home page	https://ingram-braun.net/erga/the-biblatex-archaeology-styles-for-german-cultural-anthropology/
contact	<i>bugs:</i> https://github.com/CarlOrff/biblatex-archaeology/issues
contact	<i>repository:</i> https://github.com/CarlOrff/biblatex-archaeology
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-archaeology
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/biblatex-contrib/biblatex-archaeology.tds.zip
on MikTeX	<i>biblatex-archaeology</i>
on T _E XLive	<i>biblatex-archaeology</i>
keyword	<i>biblatex</i> (BibLaTeX bibliography support)
keyword	<i>humanities</i> (support for studies in the humanities)
see also	see section 252 on page 232: (<i>archaeologie</i> – A citation-style which covers rules of the German Archaeological Institute)
language(s)	no language specified

last access 2026-04-24

623 biblatex-arthistory-bonn – BibLaTeX citation style covers the citation and bibliography guidelines for art historiansWeb page on CTAN <https://ctan.org/pkg/biblatex-arthistory-bonn>

name	biblatex-arthistory-bonn
caption	BibLaTeX citation style covers the citation and bibliography guidelines for art historians
author	Kemper, Thorsten
author	Bossert, Lukas C.
copyright	Lukas C. Bossert and Thorsten Kemper (2017)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2 (2018-02-13)
last changes	2018-02-13
year	2018
description	(no language specified) This citation style covers the citation and bibliography guidelines of the Kunsthistorisches Institut der Universität Bonn for undergraduates. It introduces bibliography entry types for catalogs and features a tabular bibliography, among other things. Various options are available to change and adjust the outcome according to one's own preferences. The style is compatible with English and German.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-arthistory-bonn/README.md
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-arthistory-bonn/arthistory-bonn.pdf
– local file	./2305811465-arthistory-bonn.pdf
contact	<i>bugs</i> : https://github.com/LukasCBossert/biblatex-arthistory-bonn/issues
contact	<i>repository</i> : https://github.com/LukasCBossert/biblatex-arthistory-bonn
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-arthistory-bonn
on MikTeX	biblatex-arthistory-bonn

on T _E XLive	biblatex-arthistory-bonn
keyword	biblatex (BibLaTeX bibliography support)
language(s)	no language specified
last access	2026-04-24

624 **biblatex-authoryear-icomp-tt** – Author-year style with compact multiple-reference-citations and ibidem mechanism for BibLaTeX

Web page on CTAN <https://ctan.org/pkg/biblatex-authoryear-icomp-tt>

name	biblatex-authoryear-icomp-tt
caption	Author-year style with compact multiple-reference-citations and ibidem mechanism for BibLaTeX
author	Titz, Thomas
license	lppl = The LaTeX Project Public License (free)
version	0.1
description	(no language specified) This is a BibLaTeX style that combines the features of the styles authoryear-comp (omission of recurring author/year in multiple-reference-citations) and authoryear-ibid (replacement of repeated citations by the abbreviation ibidem). The implementation relies heavily on unmodified BibLaTeX macros, and no attempt has been made to add further features not present in core BibLaTeX.
documentation	(no language specified) <i>Readme and usage outline:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/authoryear-icomp-tt/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/authoryear-icomp-tt
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/biblatex-contrib/authoryear-icomp-tt.tds.zip
on MikT _E X	biblatex-authoryear-icomp-tt
keyword	biblatex (BibLaTeX bibliography support)
language(s)	no language specified
year	without year
last access	2026-04-24

625 *biblatex-bath* – Harvard referencing style as recommended by the University of Bath Library

Web page on CTAN <https://ctan.org/pkg/biblatex-bath>

name	<code>biblatex-bath</code>
caption	Harvard referencing style as recommended by the University of Bath Library
author	Ball, Alex
copyright	Alex Ball (2016-2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	7.2 (2026-01-29)
last changes	2026-01-29
year	2026
description	(no language specified) This package provides a BibTeX style to format reference lists in the Harvard style recommended by the University of Bath Library. It should be used in conjunction with natbib for citations.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-bath/biblatex-bath.pdf
– local file	<code>./4011860527-biblatex-bath.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-bath/README.md
home page	https://github.com/alex-ball/bathbib
contact	<i>bugs:</i> https://github.com/alex-ball/bathbib/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-bath
on MikTeX	<code>biblatex-bath</code>
on T _E XLive	<code>biblatex-bath</code>
keyword	<code>biblatex</code> (BibLaTeX bibliography support)
see also	see section 476 on page 434: (<code>bath-bst</code> – Harvard referencing style as recommended by the University of Bath Library)
language(s)	no language specified
last access	2026-04-24

626 biblatex-bookinarticle – Manage book edited in article

Web page on CTAN <https://ctan.org/pkg/biblatex-bookinarticle>

name	biblatex-bookinarticle
caption	Manage book edited in article
author	Rouquette, Maïeul
copyright	Maïeul Rouquette (2014-2016)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3.1a (2016-04-06)
last changes	2016-04-06
year	2016
description	(no language specified) This package provides three new BibLaTeX entry types – @bookinarticle, @bookinincollection and @bookinthesis – to refer to a modern edition of an old book, where this modern edition is provided in a @article, @incollection or in a @thesis. The package is now superseded by biblatex-bookinother .
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-bookinarticle/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-bookinarticle/documentation/biblatex-bookinarticle.pdf
– local file	./3974320959-biblatex-bookinarticle.pdf
contact	<i>repository</i> : https://github.com/maieul/biblatex-bookinarticle
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-bookinarticle
on MikTeX	biblatex-bookinarticle
on TeXLive	biblatex-bookinarticle
keyword	biblatex (BibLaTeX bibliography support)
keyword	humanities (support for studies in the humanities)
language(s)	no language specified
last access	2026-04-24

627 biblatex-bookinother – Manage book edited in other entry type

Web page on CTAN <https://ctan.org/pkg/biblatex-bookinother>

name	biblatex-bookinother
caption	Manage book edited in other entry type
author	Rouquette, Maïeul
copyright	Maïeul Rouquette (2014-2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.3.3 (2020-03-02)
last changes	2020-03-02
year	2020
description	(no language specified) This package provides new BibLaTeX entry types and fields for book edited in other types, like for instance <code>@bookinarticle</code> . It offers more types than the older package biblatex-bookinarticle which it supersedes.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-bookinother/documentation/biblatex-bookinother.pdf
– local file	<code>./9710412100-biblatex-bookinother.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-bookinother/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-bookinother
on MikTeX	biblatex-bookinother
on TeXLive	biblatex-bookinother
keyword	biblatex (BibLaTeX bibliography support)
keyword	humanities (support for studies in the humanities)
language(s)	no language specified
last access	2026-04-24

628 biblatex-bwl – BibLaTeX citations for FU Berlin

Web page on CTAN <https://ctan.org/pkg/biblatex-bwl>

name	biblatex-bwl
caption	BibLaTeX citations for FU Berlin
author	Voß, Herbert
copyright	Herbert Voß (2012)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.02
description	(no language specified) The bundle provides a set of BibLaTeX implementations of bibliography and citation styles for the Business Administration Department of the Free University of Berlin.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-bwl/doc/bwl-FU.pdf
– local file	./6606456301-bwl-FU.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-bwl
on MikTeX	biblatex
on TeXLive	biblatex
keyword	bus-study (typeset material for Business Studies)
keyword	biblatex (BibLaTeX bibliography support)
language(s)	no language specified
year	2012
last access	2026-04-24

629 biblatex-caspervector – A simple citation style for Chinese users

Web page on CTAN <https://ctan.org/pkg/biblatex-caspervector>

name	biblatex-caspervector
caption	A simple citation style for Chinese users
author	Vector, Casper Ti.
copyright	Casper Ti. Vector (2012-2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)

version	0.3.7 (2024-03-07)
last changes	2024-03-07
year	2024
description	(no language specified) The package provides a simple and easily extensible bibliography/citation style for Chinese LaTeX users, using BibLaTeX .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-caspervector/README.txt
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-caspervector/doc/caspervector.pdf
– local file	<code>./2831237088-caspervector.pdf</code>
contact	<i>repository</i> : https://gitea.com/CasperVector/biblatex-caspervector
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-caspervector
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/biblatex-contrib/biblatex-caspervector.tds.zip
on MikTeX	<code>biblatex-caspervector</code>
on TeXLive	<code>biblatex-caspervector</code>
keyword	<code>biblatex</code> (BibLaTeX bibliography support)
keyword	<code>chinese</code> (support for typesetting Chinese languages)
language(s)	Chinese
last access	2026-04-24

630 *biblatex-cheatsheet* – *BibLaTeX/Biber ‘cheat sheet’*

Web page on CTAN <https://ctan.org/pkg/biblatex-cheatsheet>

name	<code>biblatex-cheatsheet</code>
caption	BibLaTeX/Biber ‘cheat sheet’
author	Rees, Clea F.
copyright	Clea F. Rees (2017)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2017-06-24)

last changes	2017-06-24
year	2017
description	(no language specified) A BibLaTeX / Biber ‘cheat sheet’ which I wrote because I wanted one to distribute to students, but couldn’t find an existing one.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/biblatex-cheatsheet/README
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/biblatex-cheatsheet/biblatex-cheatsheet.pdf
– local file	./4299377625-biblatex-cheatsheet.pdf
on CTAN	https://ctan.org/tex-archive/info/biblatex-cheatsheet
on MikTeX	biblatex-cheatsheet
on T _E XLive	biblatex-cheatsheet
keyword	bibtex-doc (documentation of BibTeX, etc., on their own)
keyword	biblatex (BibLaTeX bibliography support)
language(s)	no language specified
last access	2026-04-24

631 **biblatex-chem** – A set of BibLaTeX implementations of chemistry-related bibliography styles

Web page on CTAN <https://ctan.org/pkg/biblatex-chem>

name	biblatex-chem
caption	A set of BibLaTeX implementations of chemistry-related bibliography styles
author	Wright, Joseph
copyright	Joseph Wright (2010-2014, 2016-2019, 2021, 2025)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2a (2025-09-05)
last changes	2025-09-05
year	2025
description	(no language specified) The bundle offers a set of styles to allow chemists to use BibLaTeX . The package has complete styles for: • all ACS journals; • RSC journals using standard (Chem. Commun.) style; and

- Angewandte Chem. style, (thus covering a wide range of journals).

A comprehensive set of examples of use is included.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-chem/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-chem/biblatex-chem.pdf
– local file	./2327692206-biblatex-chem.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-chem
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/biblatex-contrib/biblatex-chem.tds.zip
on MikTeX	biblatex-chem
on TeXLive	biblatex-chem
keyword	chemistry (chemistry document support)
keyword	biblatex (BibLaTeX bibliography support)
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
last access	2026-04-24

632 *biblatex-chicago* – Chicago style files for BibLaTeX

Web page on CTAN <https://ctan.org/pkg/biblatex-chicago>

name	biblatex-chicago
caption	Chicago style files for BibLaTeX
author	Fussner, David
copyright	David Fussner (2008-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.3b (2024-04-15)
last changes	2024-04-15
year	2024

description	(no language specified) This is a BibLaTeX style that implements the Chicago ‘author-date’ and ‘notes with bibliography’ style specifications given in the Chicago Manual of Style, 17th edition (with continuing support for the 16th edition, too). The style implements entry types for citing audio-visual materials, among many others. The package was previously known as <code>biblatex-chicago-notes-df</code> .
documentation	(no language specified) <i>Readme and usage outline:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-chicago/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-chicago/doc/biblatex-chicago.pdf
– local file	<code>./3156212787-biblatex-chicago.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-chicago
on MikTeX	<code>biblatex-chicago</code>
on TeXLive	<code>biblatex-chicago</code>
keyword	<code>tagged-pdf-partially</code> (tagged PDF partially compatible)
keyword	<code>biblatex</code> (BibLaTeX bibliography support)
language(s)	no language specified
last access	2026-04-24

633 *biblatex-claves* – A tool to manage claves of old literature with BibLaTeX

Web page on CTAN <https://ctan.org/pkg/biblatex-claves>

name	<code>biblatex-claves</code>
caption	A tool to manage claves of old literature with BibLaTeX
author	Rouquette, Maïeul
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2.1 (2017-11-19)
last changes	2017-11-19
year	2017

description	(no language specified) When studying antique and medieval literature, we may find many different texts published with the same title, or, in contrary, the same text published with different titles. To avoid confusion, scholars have published <i>claves</i>, which are books listing ancient texts, identifying them by an identifier — a number or a string of text. For example, for early Christianity, we have the <i>Bibliotheca Hagiographica Graeca</i>, the <i>Clavis Apocryphorum Novi Testamenti</i> and other <i>claves</i>. It could be useful to print the identifier of a texts in one specific <i>clavis</i>, or in many <i>claves</i>. The package allows us to create new field for different <i>claves</i>, and to present all these fields in a consistent way.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-claves/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-claves/documentation/biblatex-claves.pdf
– local file	<code>./7595149914-biblatex-claves.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-claves
on MikTeX	<code>biblatex-claves</code>
on TeXLive	<code>biblatex-claves</code>
keyword	<code>biblatex</code> (BibLaTeX bibliography support)
language(s)	no language specified
last access	2026-04-24

634 *biblatex-cse* – Council of Science Editors (CSE) style file for BibLaTeX

Web page on CTAN <https://ctan.org/pkg/biblatex-cse>

name	<code>biblatex-cse</code>
caption	Council of Science Editors (CSE) style file for BibLaTeX
author	Lourenço, João M.
copyright	João Lourenço (2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.0.0 (2025-11-06)
last changes	2025-11-06
year	2025

description	(no language specified) This is a BibLaTeX style that implements the bibliography style of the Council of Science Editors (CSE) for BibLaTeX. I did this style file by request of a user of my LaTeX template novathesis . He was quite thorough, double and triple checking that the output was conforming to the requirements of his University (Faculty of Veterinary from the University of Lisbon). Although this <code>biblatex-cse</code> style served the requirements from his University, there may still be some unconformities to the CSE style. If you find any, please open an issue in the project's page on GitHub or, even better, submit a pull request.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-cse/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-cse/biblatex-cse-doc.pdf
– local file	<code>./2959042061-biblatex-cse-doc.pdf</code>
home page	https://github.com/joaomlourengo/biblatex-cse
contact	<i>support:</i> https://github.com/joaomlourengo/biblatex-cse/discussions
contact	<i>announce:</i> https://github.com/joaomlourengo/biblatex-cse
contact	<i>bugs:</i> https://github.com/joaomlourengo/biblatex-cse/issues
contact	<i>repository:</i> https://github.com/joaomlourengo/biblatex-cse
contact	<i>development:</i> https://github.com/joaomlourengo/biblatex-cse
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-cse
on MikTeX	<code>biblatex-cse</code>
on TeXLive	<code>biblatex-cse</code>
keyword	<code>biblatex</code> (BibLaTeX bibliography support)
language(s)	no language specified
last access	2026-04-24

635 biblatex-cv – Create a CV from BibTeX files

Web page on CTAN <https://ctan.org/pkg/biblatex-cv>

name	biblatex-cv
caption	Create a CV from BibTeX files
author	Shub, Daniel E.
copyright	Daniel E. Shub (2019-2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.01
description	(no language specified) This package creates an academic curriculum vitae (CV) from a BibTeX .bib file. The package makes use of BibLaTeX/biber to automatically format, group, and sort the entries on a CV.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-cv/doc/biblatex-cv.pdf
– local file	./1629261948-biblatex-cv.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-cv/README.md
home page	https://github.com/danielshub/biblatex-cv
contact	<i>bugs:</i> https://github.com/danielshub/biblatex-cv/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-cv
on MikTeX	biblatex-cv
on TeXLive	biblatex-cv
keyword	biblatex (BibLaTeX bibliography support)
keyword	cv (curriculum vitae/Resumé)
language(s)	no language specified
year	2021
last access	2026-04-24

636 biblatex-dw – Humanities styles for BibLaTeX

Web page on CTAN <https://ctan.org/pkg/biblatex-dw>

name	biblatex-dw
caption	Humanities styles for BibLaTeX
author	Waßenhoven, Dominik
copyright	Dominik Waßenhoven (2008-2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.7b (2023-03-11)
last changes	2023-03-11
year	2023
description	(German) Eine kleine Sammlung von Stilen für das Paket BibLaTeX . Es ist auf geisteswissenschaftliche Zitierweise zugeschnitten und bietet einige Funktionen, die von den Standard-Stilen von BibLaTeX nicht direkt bereitgestellt werden. Das Paket baut vollständig auf BibLaTeX auf und kann nicht ohne BibLaTeX (mindestens in der Version 0.9b) verwendet werden.
description	(English) A small collection of styles for the BibLaTeX package. It was designed for citations in the humanities and offers some features that are not provided by the standard BibLaTeX styles. The styles are dependent on BibLaTeX (at least version 0.9b) and cannot be used without it.
documentation	<i>Readme (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-dw/README
documentation	<i>Package documentation (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-dw/doc/biblatex-dw.pdf
– local file	./4317060243-biblatex-dw.pdf
documentation	<i>Package documentation (German):</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-dw/doc/de-biblatex-dw.pdf
– local file	./6844479681-de-biblatex-dw.pdf
documentation	<i>Readme (German):</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-dw/LIESMICH
home page	http://biblatex.dominik-wassenhoven.de
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-dw
on MikTeX	biblatex-dw

on T _E XLive	<code>biblatex-dw</code>
keyword	<code>tagged-pdf-partially</code> (tagged PDF partially compatible)
keyword	<code>humanities</code> (support for studies in the humanities)
keyword	<code>biblatex</code> (BibLaTeX bibliography support)
language(s)	German; English
last access	2026-04-24

637 *biblatex-enc* – BibLaTeX style for the École nationale des chartes (Paris)

Web page on CTAN <https://ctan.org/pkg/biblatex-enc>

name	<code>biblatex-enc</code>
caption	BibLaTeX style for the École nationale des chartes (Paris)
author	Camps, Jean-Baptiste
copyright	J.B. Camps (2011-2024)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2024-12-02)
last changes	2024-12-02
year	2024
description	(no language specified) This package provides a citation and bibliography style for use with BibLaTeX. It conforms to the bibliographic standards used at the École nationale des chartes (Paris), and may be suitable for a more general use in historical and philological works. The package was initially derived from historische-zeitschrift, with the necessary modifications.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-enc/README
contact	<i>bugs</i>: https://github.com/Jean-Baptiste-Camps/biblatex-enc/issues
contact	<i>repository</i>: https://github.com/Jean-Baptiste-Camps/biblatex-enc
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-enc
on MikT _E X	<code>biblatex-enc</code>
on T _E XLive	<code>biblatex-enc</code>

keyword	french (support for typesetting French)
keyword	humanities (support for studies in the humanities)
keyword	biblatex (BibLaTeX bibliography support)
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
last access	2026-04-24

638 biblatex-ext – Extended BibLaTeX standard styles

Web page on CTAN <https://ctan.org/pkg/biblatex-ext>

name	biblatex-ext
caption	Extended BibLaTeX standard styles
author	Wemheuer, Moritz
copyright	Moritz Wemheuer (2017-2025)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.20 (2025-06-24)
last changes	2025-06-24
year	2025
description	(no language specified) The BibLaTeX-ext bundle provides styles that slightly extend the standard styles that ship with BibLaTeX. The styles offered in this bundle provide a simple interface to change some of the stylistic decisions made in the standard styles. At the same time they stay as close to their standard counterparts as possible, so that most customisation methods can be applied here as well.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-ext/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-ext/biblatex-ext.pdf
– local file	./8619866435-biblatex-ext.pdf
home page	https://github.com/moewew/biblatex-ext
contact	<i>bugs</i> : https://github.com/moewew/biblatex-ext/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-ext

on MikTeX	biblatex-ext
on T _E XLive	biblatex-ext
keyword	biblatex (BibLaTeX bibliography support)
keyword	tagged-pdf-partially (tagged PDF partially compatible)
language(s)	no language specified
last access	2026-04-24

639 biblatex-fiwi – BibLaTeX styles for use in German humanities

Web page on CTAN	https://ctan.org/pkg/biblatex-fiwi
name	biblatex-fiwi
caption	BibLaTeX styles for use in German humanities
author	Spiegel, Simon
copyright	Simon Spiegel (2011-2017)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.7
description	(no language specified) The package provides a collection of styles for BibLaTeX (version 3.5 is required, currently). It was designed for citations in German Humanities, especially film studies, and offers some features that are not provided by the standard BibLaTeX styles. The style is highly optimized for documents written in German, and the main documentation is only available in German.
documentation	(German) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-fiwi/doc/biblatex-fiwi.pdf
– local file	./9827827068-biblatex-fiwi.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-fiwi/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-fiwi
on MikTeX	biblatex-fiwi
on T _E XLive	biblatex-fiwi
keyword	humanities (support for studies in the humanities)
keyword	biblatex (BibLaTeX bibliography support)

language(s)	German
year	2017
last access	2026-04-24

640 **biblatex-gb7714-2015 – A BibLaTeX implementation of the GB/T 7714 series bibliography styles for Chinese users**

Web page on CTAN <https://ctan.org/pkg/biblatex-gb7714-2015>

name	biblatex-gb7714-2015
caption	A BibLaTeX implementation of the GB/T 7714 series bibliography styles for Chinese users
author	Zhenzhen, Hu
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1w (2026-04-11)
last changes	2026-04-11
year	2026
description	(no language specified) This package provides the implementation of bibliography styles for the GB/T 7714 series standards, such as GB/T 7714-1987, GB/T 7714-2005, GB/T 7714-2015, GB/T 7714-2025. The package also provides several liberal arts bibliography styles, such as chinese-erj, chinese-css, chinese-jmw, and so on. These styles can be used simply by loading BibLaTeX with the appropriate option.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-gb7714-2015/README.md
documentation	<i>Package documentation (Chinese)</i>: https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-gb7714-2015/biblatex-gb7714-2015.pdf
– local file	./3541532617-biblatex-gb7714-2015.pdf
home page	https://github.com/hushidong/biblatex-gb7714-2025
contact	<i>bugs</i>: https://github.com/hushidong/biblatex-gb7714-2025/issues
contact	<i>repository</i>: https://github.com/hushidong/biblatex-gb7714-2015

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-gb7714-2015
on MikTeX	biblatex-gb7714-2015
on T _E XLive	biblatex-gb7714-2015
keyword	chinese (support for typesetting Chinese languages)
keyword	biblatex (BibLaTeX bibliography support)
keyword	std-conform (support conformance to standards)
language(s)	Chinese
last access	2026-04-24

641 *biblatex-german-legal* – Comprehensive citation style for German legal texts

Web page on CTAN	https://ctan.org/pkg/biblatex-german-legal
name	biblatex-german-legal
caption	Comprehensive citation style for German legal texts
author	Brodowski, Dominik
copyright	Dominik Brodowski (2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	003 (2023-02-22)
last changes	2023-02-22
year	2023
description	(no language specified) This package aims to provide citation styles (for footnotes and bibliographies) for German legal texts. It is currently focused on citations in books (style <code>german-legal-book</code>), but may be extended to journal articles in the future. Dieses Paket enthält BibLaTeX -Zitierstile für die Rechtswissenschaften in Deutschland. Aktuell enthält es einen auf Monographien in den deutschen Rechtswissenschaften ausgerichteten Zitierstil namens <code>german-legal-book</code>.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-german-legal/README.md
documentation	(German) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-german-legal/biblatex-german-legal.pdf

– local file	<code>./7521514445-biblatex-german-legal.pdf</code>
contact	<i>repository:</i> https://git.linta.de/~brodo/biblatex-german-legal.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-german-legal
on MikTeX	<code>biblatex-german-legal</code>
on T _E XLive	<code>biblatex-german-legal</code>
keyword	<code>german</code> (support for typesetting German)
keyword	<code>biblatex</code> (BibLaTeX bibliography support)
keyword	<code>legal</code> (typesetting legal documents or study material)
language(s)	German
last access	2026-04-24

642 *biblatex-gost* – BibLaTeX support for GOST standard bibliographies

Web page on CTAN	https://ctan.org/pkg/biblatex-gost
name	<code>biblatex-gost</code>
caption	BibLaTeX support for GOST standard bibliographies
author	Domanov, Oleg
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.24 (2023-04-25)
last changes	2023-04-25
year	2023
description	(no language specified) The package provides BibLaTeX support for Russian bibliography style GOST 7.0.5-2008
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-gost/README.md
documentation	(Russian) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-gost/doc/biblatex-gost.pdf
– local file	<code>./9881039075-biblatex-gost.pdf</code>
documentation	(English + Russian) <i>Examples of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-gost/doc/biblatex-gost-examples.pdf

– local file	<code>./9420973389-biblatex-gost-examples.pdf</code>
contact	repository: https://github.com/odomanov/biblatex-gost/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-gost
on MikTeX	<code>biblatex-gost</code>
on T _E XLive	<code>biblatex-gost</code>
keyword	<code>biblatex</code> (BibLaTeX bibliography support)
keyword	<code>std-conform</code> (support conformance to standards)
keyword	<code>russian</code> (support for typesetting Russian)
see also	see section 2583 on page 2339: (<code>gost</code> – BibTeX styles to format according to GOST)
language(s)	English + Russian; Russian
last access	2026-04-24

643 *biblatex-historian* – A BibLaTeX style

Web page on CTAN	https://ctan.org/pkg/biblatex-historian
name	<code>biblatex-historian</code>
caption	A BibLaTeX style
author	Gliboff, Sander
license	lppl = The LaTeX Project Public License (free)
version	0.4
description	(no language specified) A BibLaTeX style, based on the Turabian Manual (a version of Chicago).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-historian/historian.pdf
– local file	<code>./7323309094-historian.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-historian
on MikTeX	<code>biblatex-historian</code>
on T _E XLive	<code>biblatex-historian</code>
keyword	<code>humanities</code> (support for studies in the humanities)
keyword	<code>biblatex</code> (BibLaTeX bibliography support)

language(s)	no language specified
year	without year
last access	2026-04-24

644 biblatex-ieee – IEEE style files for BibLaTeX

Web page on CTAN <https://ctan.org/pkg/biblatex-ieee>

name	biblatex-ieee
caption	IEEE style files for BibLaTeX
author	Wright, Joseph
copyright	Joseph Wright (2011-2013, 2015-2021, 2024, 2025)
license	lpp11.3c = The LaTeX Project Public License 1.3c (free)
version	1.4f (2025-08-01)
last changes	2025-08-01
year	2025
description	(no language specified) This is a BibLaTeX style that implements the bibliography style of the IEEE for BibLaTeX. The implementation follows standard BibLaTeX conventions, and can be used simply by loading BibLaTeX with the appropriate option: <pre>\usepackage[style=ieee]{biblatex}</pre> A demonstration database is provided to show how to format input for the style. <i>biblatex-ieee</i> requires BibLaTeX .7 or later, and works with both BibTeX and Biber as the database back-end.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-ieee/biblatex-ieee.pdf
– local file	./9927226664-biblatex-ieee.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-ieee/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-ieee
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/biblatex-contrib/biblatex-ieee.tds.zip
on MikTeX	biblatex-ieee

on T _E XLive	biblatex-ieee
keyword	biblatex (BibLaTeX bibliography support)
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
last access	2026-04-24

645 *biblatex-ijrsra* – BibLaTeX style for the International Journal of Student Research in Archaeology

Web page on CTAN <https://ctan.org/pkg/biblatex-ijrsra>

name	biblatex-ijrsra
caption	BibLaTeX style for the International Journal of Student Research in Archaeology
author	Bossert, Lukas C.
copyright	Lukas C. Bossert (2016)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1 (2016-07-04)
last changes	2016-07-04
year	2016
description	(no language specified) BibLaTeX style used for the journal International Journal of Student Research in Archaeology .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-ijrsra/biblatex-ijrsra.pdf
– local file	./1494704355-biblatex-ijrsra.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-ijrsra/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-ijrsra
on MikT _E X	biblatex-ijrsra
on T _E XLive	biblatex-ijrsra
keyword	biblatex (BibLaTeX bibliography support)
language(s)	no language specified

last access 2026-04-24

646 **biblatex-iso690 – BibLaTeX style for ISO 690 standard**

Web page on CTAN <https://ctan.org/pkg/biblatex-iso690>

name	biblatex-iso690
caption	BibLaTeX style for ISO 690 standard
author	Hoftich, Michal
copyright	Michal Hoftich (2011-2020)
copyright	Dávid Lupták (2016-2020)
copyright	Moritz Wemheuer (2015-2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.4.1 (2022-03-20)
last changes	2022-03-20
year	2022
description	(no language specified) The package provides a bibliography and citation style which conforms to the latest revision of the international standard ISO 690:2010. The implementation follows BibLaTeX conventions and requires BibLaTeX ≥ 3.4 and biber ≥ 2.5 .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-iso690/biblatex-iso690.pdf
– local file	./2297756925-biblatex-iso690.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-iso690/README.md
contact	<i>bugs:</i> https://github.com/michal-h21/biblatex-iso690/issues
contact	<i>repository:</i> https://github.com/michal-h21/biblatex-iso690
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-iso690
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/biblatex-contrib/biblatex-iso690.tds.zip
on MikTeX	biblatex-iso690
on T _E XLive	biblatex-iso690

keyword biblatex (BibLaTeX bibliography support)
 language(s) no language specified
 last access 2026-04-24

647 *biblatex-jura* – BibLaTeX stylefiles for German legal literature

Web page on CTAN <https://ctan.org/pkg/biblatex-jura>

name biblatex-jura
 caption BibLaTeX stylefiles for German legal literature
 author Hard, Ben E.
 license lpl = The LaTeX Project Public License (free)
 version 0.1.1
 description (no language specified) The package provides BibLaTeX support for citations in the format specified by the Nomos-Verlag for German legal citations.
 documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-jura/README>
 on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-jura>
 on MikTeX biblatex-jura
 keyword legal (typesetting legal documents or study material)
 keyword biblatex (BibLaTeX bibliography support)
 language(s) no language specified
 year without year
 last access 2026-04-24

648 *biblatex-jura2* – Citation style for the German legal profession

Web page on CTAN <https://ctan.org/pkg/biblatex-jura2>

name biblatex-jura2
 caption Citation style for the German legal profession
 author Christoph
 license lpl1.3c = The LaTeX Project Public License 1.3c (free)
 version 0.5 (2022-10-19)

last changes	2022-10-19
year	2022
description	(no language specified) The package offers BibLaTeX support for citations in German legal texts.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-jura2/README.md
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-jura2/biblatex_jura2.pdf
– local file	./9168703067-biblatex_jura2.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-jura2
on MikTeX	biblatex-jura2
on TeXLive	biblatex-jura2
keyword	legal (typesetting legal documents or study material)
keyword	biblatex (BibLaTeX bibliography support)
see also	see section 649 on page 598: (biblatex-juradiss – BibLaTeX stylefiles for German law theses)
see also	see section 647 on page 597: (biblatex-jura – BibLaTeX stylefiles for German legal literature)
language(s)	German
last access	2026-04-24

649 *biblatex-juradiss* – BibLaTeX stylefiles for German law theses

Web page on CTAN <https://ctan.org/pkg/biblatex-juradiss>

name	biblatex-juradiss
caption	BibLaTeX stylefiles for German law theses
author	Schwan, Tobias
author	Voß, Herbert
copyright	Herbert Voß (2020)
copyright	Tobias Schwan (2012-2019)
license	lppl = The LaTeX Project Public License (free)

650 `biblatex-license` – Add license data to the bibliography

version	0.23 (2020-10-01)
last changes	2020-10-01
year	2020
description	(no language specified) The package provides a custom citation-style for typesetting a German law thesis with LaTeX. The package (using BibLaTeX) is based on biblatex-dw and uses biber .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-juradiss/doc/biblatex-juradiss.pdf
– local file	<code>./8628376782-biblatex-juradiss.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-juradiss/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-juradiss
on MikTeX	<code>biblatex-juradiss</code>
on TeXLive	<code>biblatex-juradiss</code>
keyword	tagged-pdf-partially (tagged PDF partially compatible)
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	legal (typesetting legal documents or study material)
keyword	<code>biblatex</code> (BibLaTeX bibliography support)
language(s)	no language specified
last access	2026-04-24

650 `biblatex-license` – Add license data to the bibliography

Web page on CTAN <https://ctan.org/pkg/biblatex-license>

name	<code>biblatex-license</code>
caption	Add license data to the bibliography
author	Wagner, Anselm
copyright	Anselm Wagner (2021)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1

description	(no language specified) This package is for adding license data to bibliography entries via BibLaTeX's built-in related mechanism. It provides a new relatedtype <code>license</code> and some bibmacros for typesetting these related entries.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-license/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-license/biblatex-license.pdf
– local file	<code>./9378219918-biblatex-license.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-license
on MikTeX	<code>biblatex-license</code>
on TeXLive	<code>biblatex-license</code>
keyword	<code>licence-mgmt</code> (manage application of licence information)
keyword	<code>biblatex</code> (BibLaTeX bibliography support)
language(s)	no language specified
year	2021
last access	2026-04-24

651 *biblatex-lncs* – BibLaTeX style for Springer Lecture Notes in Computer Science

Web page on CTAN <https://ctan.org/pkg/biblatex-lncs>

name	<code>biblatex-lncs</code>
caption	BibLaTeX style for Springer Lecture Notes in Computer Science
author	Göttlinger, Merlin
copyright	Merlin Humml and contributors (2021-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.7 (2023-05-08)
last changes	2023-05-08
year	2023
description	(no language specified) This is a BibLaTeX style for Springer Lecture Notes in Computer Science (LNCS). It extends the standard BiBTeX model by an acronym entry.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-lncs/README.md
contact	<i>bugs</i> : https://github.com/mgttlinger/biblatex-lncs/issues
contact	<i>repository</i> : https://github.com/mgttlinger/biblatex-lncs
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-lncs
on MikTeX	biblatex-lncs
on T _E XLive	biblatex-lncs
keyword	biblatex (BibLaTeX bibliography support)
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
last access	2026-04-24

652 biblatex-lni – LNI style for BibLaTeX

Web page on CTAN	https://ctan.org/pkg/biblatex-lni
name	biblatex-lni
caption	LNI style for BibLaTeX
author	Kopp, Oliver
copyright	Lukas C. Bossert, Georg Duffner, Oliver Kopp (2016-2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.7 (2025-01-27)
last changes	2025-01-27
year	2025
description	(no language specified) BibLaTeX style for the Lecture Notes in Informatics, which is published by the Gesellschaft für Informatik (GI e.V.).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-lni/README.md
contact	<i>bugs</i> : https://github.com/gi-ev/biblatex-lni/issues
contact	<i>repository</i> : https://github.com/gi-ev/biblatex-lni
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-lni

on MikTeX	biblatex-lni
on T _E XLive	biblatex-lni
keyword	journalpub (typesetting journals, etc)
keyword	biblatex (BibLaTeX bibliography support)
language(s)	no language specified
last access	2026-04-24

653 biblatex-luh-ipw – BibLaTeX styles for social sciences

Web page on CTAN <https://ctan.org/pkg/biblatex-luh-ipw>

name	biblatex-luh-ipw
caption	BibLaTeX styles for social sciences
author	Heins, Oliver
copyright	Oliver Heins (2012-2013)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.3 (2013-11-18)
last changes	2013-11-18
year	2013
description	(no language specified) The bundle is a small collection of styles for BibLaTeX. It was designed for citations in the Humanities, following the guidelines of style of the institutes for the social sciences of the Leibniz University Hannover/LUH (especially the Institute of Political Science). The bundle depends on BibLaTeX (version 1.1 at least) and cannot be used without it.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-luh-ipw/README
documentation	<i>Package documentation (German)</i>: https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-luh-ipw/doc/de-biblatex-luh-ipw.pdf
– local file	./3169738455-de-biblatex-luh-ipw.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-luh-ipw
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/biblatex-contrib/biblatex-luh-ipw.tds.zip

on MikTeX	<code>biblatex-luh-ipw</code>
on T _E XLive	<code>biblatex-luh-ipw</code>
keyword	humanities (support for studies in the humanities)
keyword	biblatex (BibLaTeX bibliography support)
language(s)	German
last access	2026-04-24

654 biblatex-manuscripts-philology – Manage classical manuscripts with BibLaTeX

Web page on CTAN <https://ctan.org/pkg/biblatex-manuscripts-philology>

name	<code>biblatex-manuscripts-philology</code>
caption	Manage classical manuscripts with BibLaTeX
author	Rouquette, Maïeul
copyright	Maïeul Rouquette (2013-2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.1.4 (2023-05-01)
last changes	2023-05-01
year	2023
description	(no language specified) The package adds a new entry type: <code>@manuscript</code> to manage manuscript in classical philology, for example to prepare a critical edition.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-manuscripts-philology/documentation/biblatex-manuscripts-philology.pdf
– local file	<code>./5815777225-biblatex-manuscripts-philology.pdf</code>
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-manuscripts-philology/documentation/biblatex-manuscripts-philology-example.pdf
– local file	<code>./4614510273-biblatex-manuscripts-philology-example.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-manuscripts-philology/README

contact	<i>bugs:</i> https://github.com/maieul/biblatex-manuscripts-philology/issues
contact	<i>repository:</i> https://github.com/maieul/biblatex-manuscripts-philology
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-manuscripts-philology
on MikTeX	biblatex-manuscripts-philology
on TeXLive	biblatex-manuscripts-philology
keyword	biblatex (BibLaTeX bibliography support)
keyword	humanities (support for studies in the humanities)
language(s)	no language specified
last access	2026-04-24

655 *biblatex-mla* – MLA style files for BibLaTeX

Web page on CTAN	https://ctan.org/pkg/biblatex-mla
name	biblatex-mla
caption	MLA style files for BibLaTeX
author	Clawson, James
copyright	James Clawson (2007-2022)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.1a (2022-02-22)
last changes	2022-02-22
year	2022
description	(no language specified) The package provides BibLaTeX support for citations in the format specified by the MLA handbook.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-mla/doc/biblatex-mla.pdf
– local file	./2841772685-biblatex-mla.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-mla/README
contact	<i>bugs:</i> https://github.com/jmclawson/biblatex-mla/issues

contact	repository: https://github.com/jmclawson/biblatex-mla
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-mla
on MikTeX	biblatex-mla
on T _E XLive	biblatex-mla
keyword	journalpub (typesetting journals, etc)
keyword	linguistic (support for linguistics)
keyword	biblatex (BibLaTeX bibliography support)
language(s)	no language specified
last access	2026-04-24

656 biblatex-morenames – New names for standard BibLaTeX entry type

Web page on CTAN <https://ctan.org/pkg/biblatex-morenames>

name	biblatex-morenames
caption	New names for standard BibLaTeX entry type
author	Rouquette, Maïeul
copyright	Maïeul Rouquette (2016-2017)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3.1 (2017-01-25)
last changes	2017-01-25
year	2017
description	(no language specified) This package adds new fields of "name" type to the standard entry types of BibLaTeX. For example: • <code>maineditor</code>, for a <code>@collection</code>, means the editor of <code>@mvcollection</code>, and not the editor of the <code>@collection</code>. • <code>bookineditor</code>, for a <code>@bookinbook</code>, means the editor of the entry, and not, as the standard editor field, the editor of the volume in which the entry is contained.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-morenames/documentation/biblatex-morenames.pdf
– local file	<code>./2073498633-biblatex-morenames.pdf</code>

documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-morenames/documentation/example-maineditor.pdf
– local file	./9020858054-example-maineditor.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-morenames/README
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-morenames/documentation/example-bookineditor.pdf
– local file	./5317980410-example-bookineditor.pdf
contact	<i>repository:</i> https://git.framasoft.org/maieul/biblatex-morenames
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-morenames
on MikTeX	biblatex-morenames
on TeXLive	biblatex-morenames
keyword	humanities (support for studies in the humanities)
keyword	biblatex (BibLaTeX bibliography support)
language(s)	no language specified
last access	2026-04-24

657 *biblatex-ms* – Sophisticated Bibliographies in LaTeX (multiscript version)

Web page on CTAN	https://ctan.org/pkg/biblatex-ms
name	biblatex-ms
caption	Sophisticated Bibliographies in LaTeX (multiscript version)
author	Kime, Philip
copyright	Philipp Lehman (2006-2012)
copyright	Philipp Lehman, Joseph Wright, Audrey Boruvka, Philip Kime (2012-2023)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	4.0-1

description	(no language specified) This package is the "multiscript" version of the BibLaTeX package intended to solve the issues faced by those wishing to create multilingual bibliographies. It is intended to be backwards-compatible with the standard BibLaTeX package and includes significantly enhanced optional functionality: • Fields in data files can have different form/language alternates in the same entry • Options to select/print a specific alternate are generally available • babel/polyglossia language switching is done automatically based on the language associated with a field The intention is that this version will eventually replace standard BibLaTeX and is being released as an independent package to allow for wider testing and feedback. It can be installed in parallel with standard BibLaTeX and the package name is <code>biblatex-ms</code>. It requires the use of the multiscript version of biber (<code>biber-ms</code>).
documentation	(English) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-ms/README
documentation	(English) <i>Release notes for current version</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-ms/CHANGES.md
documentation	<i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-ms/doc/biblatex-ms.pdf
– local file	<code>./6802987230-biblatex-ms.pdf</code>
home page	https://github.com/plk/biblatex
contact	<i>announce</i> : https://github.com/plk/biblatex/wiki
contact	<i>bugs</i> : https://github.com/plk/biblatex/issues
contact	<i>repository</i> : https://github.com/plk/biblatex.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-ms
on MikTeX	<code>biblatex-ms</code>
on TeXLive	<code>biblatex-ms</code>
keyword	<code>biblatex</code> (BibLaTeX bibliography support)
keyword	<code>etex</code> (requires e-TeX)
see also	see section 6294 on page 5692: (<code>translation-biblatex-de</code> – German translation of the User Guide for BibLaTeX)
language(s)	English
year	2023

last access 2026-04-24

658 *biblatex-multiple-dm* – Load multiple datamodels in BibLaTeX

Web page on CTAN <https://ctan.org/pkg/biblatex-multiple-dm>

name	<i>biblatex-multiple-dm</i>
caption	Load multiple datamodels in BibLaTeX
author	Rouquette, Maïeul
copyright	Maïeul Rouquette (2014)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0.1
description	(no language specified) The package adds the possibility to BibLaTeX to load data models from multiple sources.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-multiple-dm/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-multiple-dm/biblatex-multiple-dm.pdf
– local file	./3041443534-biblatex-multiple-dm.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-multiple-dm
on MikTeX	<i>biblatex-multiple-dm</i>
on TeXLive	<i>biblatex-multiple-dm</i>
keyword	<i>biblatex</i> (BibLaTeX bibliography support)
language(s)	no language specified
year	2014
last access	2026-04-24

659 biblatex-musuos – A BibLaTeX style for citations in musuos.cls

Web page on CTAN <https://ctan.org/pkg/biblatex-musuos>

name	biblatex-musuos
caption	A BibLaTeX style for citations in musuos.cls
author	Weh, Tobias
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The style is designed for use with the musuos class, but it should be usable with other classes, too.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-musuos/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-musuos/doc/biblatex-musuos.pdf
– local file	./4646367979-biblatex-musuos.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-musuos
on MikTeX	biblatex-musuos
on T _E XLive	biblatex-musuos
keyword	biblatex (BibLaTeX bibliography support)
keyword	music (typesetting music and related stuff)
see also	see section 4144 on page 3750: (<i>musuos</i> – Typeset papers for the department of music, Osnabrück)
language(s)	no language specified
year	without year
last access	2026-04-24

660 *biblatex-nature* – BibLaTeX support for Nature

Web page on CTAN <https://ctan.org/pkg/biblatex-nature>

name	biblatex-nature
caption	BibLaTeX support for Nature
author	Wright, Joseph
copyright	Joseph Wright (2010-2013, 2016-2018, 2020, 2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3e (2026-04-21)
last changes	2026-04-21
year	2026
description	(no language specified) The bundle offers styles that allow authors to use BibLaTeX when preparing papers for submission to the journal Nature.
documentation	(no language specified) <i>Examples of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-nature/biblatex-nature.pdf
– local file	./3495001367-biblatex-nature.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-nature/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-nature
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/biblatex-contrib/biblatex-nature.tds.zip
on MikTeX	biblatex-nature
on T _E XLive	biblatex-nature
keyword	journalpub (typesetting journals, etc)
keyword	biblatex (BibLaTeX bibliography support)
language(s)	no language specified
last access	2026-04-24

661 *biblatex-nejm* – *BibLaTeX* style for the New England Journal of Medicine (NEJM)

Web page on CTAN <https://ctan.org/pkg/biblatex-nejm>

name	<code>biblatex-nejm</code>
caption	BibLaTeX style for the New England Journal of Medicine (NEJM)
author	Daniel, Marco
author	Aluthge, Dilum
copyright	Marco Daniel (2011)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.5.0
description	(no language specified) This is a BibLaTeX numeric style based on the design of the New England Journal of Medicine (NEJM).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-nejm/biblatex-nejm.pdf
– local file	<code>./3571046496-biblatex-nejm.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-nejm/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-nejm
on MikTeX	<code>biblatex-nejm</code>
on TeXLive	<code>biblatex-nejm</code>
keyword	<code>biblatex</code> (BibLaTeX bibliography support)
language(s)	no language specified
year	2011
last access	2026-04-24

662 biblatex-nottsclassic – Citation style for the University of Nottingham

Web page on CTAN <https://ctan.org/pkg/biblatex-nottsclassic>

name	biblatex-nottsclassic
caption	Citation style for the University of Nottingham
author	Bossert, Lukas C.
copyright	Lukas C. Bossert, William Leveritt (2016)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1 (2016-06-30)
last changes	2016-06-30
year	2016
description	(no language specified) This citation-style covers the citation and bibliography rules of the University of Nottingham.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-nottsclassic/nottsclassic.pdf
– local file	./5297099107-nottsclassic.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-nottsclassic/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-nottsclassic
on MikTeX	biblatex-nottsclassic
on T _E XLive	biblatex-nottsclassic
keyword	biblatex (BibLaTeX bibliography support)
language(s)	no language specified
last access	2026-04-24

663 **biblatex-opcit-booktitle** – Use **op. cit.** for the booktitle of a subentry

Web page on CTAN <https://ctan.org/pkg/biblatex-opcit-booktitle>

name	biblatex-opcit-booktitle
caption	Use <i>op. cit.</i> for the booktitle of a subentry
author	Rouquette, Maïeul
copyright	Maïeul Rouquette (2015-2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.9.0 (2018-10-24)
last changes	2018-10-24
year	2018
description	(no language specified) The default citation styles <code>verbose-trad1+</code> ; <code>verbose-trad2</code> ; <code>verbose-trad3</code> use the <i>op. cit.</i> form in order to have a shorter reference when a title has already been cited. However, when you cite two entries which share the same booktitle but not the same <code>title</code> , the <i>op. cit.</i> mechanism does not work.

This package enables to obtain references like this:

- Author1, Title, in Booktitle, Location, Publisher, Year, pages
- xxx
- Author2, Title2, in Booktitle, *op. cit.*, pages.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-opcit-booktitle/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-opcit-booktitle/documentation/biblatex-opcit-booktitle.pdf
– local file	<code>./3371044156-biblatex-opcit-booktitle.pdf</code>
contact	<i>bugs</i> : https://git.framasoft.org/maieul/biblatex-opcit-booktitle/issues
contact	<i>repository</i> : https://git.framasoft.org/maieul/biblatex-opcit-booktitle
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-opcit-booktitle
on MikTeX	biblatex-opcit-booktitle

on T _E XLive	biblatex-opcit-booktitle
keyword	biblatex (BibLaTeX bibliography support)
language(s)	no language specified
last access	2026-04-24

664 biblatex-oxref – BibLaTeX styles inspired by the Oxford Guide to Style

Web page on CTAN <https://ctan.org/pkg/biblatex-oxref>

name	biblatex-oxref
caption	BibLaTeX styles inspired by the Oxford Guide to Style
author	Ball, Alex
copyright	Alex Ball (2016-2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.4 (2026-04-14)
last changes	2026-04-14
year	2026
description	(no language specified) This bundle provides four BibLaTeX styles that implement (many of) the stipulations and examples provided by the 2014 <i>New Hart's Rules</i> and the 2002 <i>Oxford Guide to Style</i> : • ‘oxnotes’ is a style similar to the standard ‘verbose’, intended for use with footnotes; • ‘oxnum’ is a style similar to the standard ‘numeric’, intended for use with numeric in-text citations; • ‘oxalph’ is a style similar to the standard ‘alphabetic’, intended for use with alphabetic in-text citations; • ‘oxyear’ is a style similar to the standard ‘author-year’, intended for use with parenthetical in-text citations. The bundle provides support for a wide variety of content types, including manuscripts, audiovisual resources, social media and legal references.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-oxref/README.md
documentation	(no language specified) <i>Style documentation for oxalph</i>: https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-oxref/oxalph-doc.pdf

– local file	<code>./9760429931-oxalph-doc.pdf</code>
documentation	(no language specified) <i>Style documentation for oxyear</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-oxref/oxyear-doc.pdf
– local file	<code>./2529429967-oxyear-doc.pdf</code>
documentation	(no language specified) <i>Style documentation for oxnum</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-oxref/oxnum-doc.pdf
– local file	<code>./2078810513-oxnum-doc.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-oxref/oxref.pdf
– local file	<code>./1071224928-oxref.pdf</code>
documentation	(no language specified) <i>Style documentation for oxnotes</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-oxref/oxnotes-doc.pdf
– local file	<code>./9009865293-oxnotes-doc.pdf</code>
contact	<i>bugs</i> : https://github.com/alex-ball/biblatex-oxref/issues
contact	<i>repository</i> : https://github.com/alex-ball/biblatex-oxref
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-oxref
on MikTeX	<code>biblatex-oxref</code>
on T _E XLive	<code>biblatex-oxref</code>
keyword	<code>biblatex</code> (BibLaTeX bibliography support)
language(s)	no language specified
last access	2026-04-24

665 *biblatex-philosophy* – *Styles for using BibLaTeX for work in philosophy*

Web page on CTAN	https://ctan.org/pkg/biblatex-philosophy
name	<code>biblatex-philosophy</code>
caption	Styles for using BibLaTeX for work in philosophy
author	Valbusa, Ivan
copyright	Ivan Valbusa (2009-2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)

version	1.9.8g (2022-09-16)
last changes	2022-09-16
year	2022
description	(no language specified) The bundle offers two styles – philosophy-classic and philosophy-modern – that facilitate the production of two different kinds of bibliography, based on the authoryear style, with options and features to manage the information about the translation of foreign texts or their reprints. Though the package’s default settings are based on the conventions used in Italian publications, these styles can be used with every language recognized by babel, possibly with some simple redefinitions.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-philosophy/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-philosophy/biblatex-philosophy.pdf
– local file	./6152135434-biblatex-philosophy.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-philosophy
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/biblatex-contrib/biblatex-philosophy.tds.zip
on MikTeX	biblatex-philosophy
on T _E XLive	biblatex-philosophy
keyword	philosophy (support for typesetting philosophy)
keyword	biblatex (BibLaTeX bibliography support)
keyword	humanities (support for studies in the humanities)
language(s)	no language specified
last access	2026-04-24

666 **biblatex-phys** – A BibLaTeX implementation of the AIP and APS bibliography style

Web page on CTAN <https://ctan.org/pkg/biblatex-phys>

name	biblatex-phys
caption	A BibLaTeX implementation of the AIP and APS bibliography style
author	Wright, Joseph

copyright	Joseph Wright (2012-2014,2016,2018-2020,2022,2024,2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1e (2025-04-09)
last changes	2025-04-09
year	2025
description	(no language specified) The package provides an implementation of the bibliography styles of both the AIP and the APS for BibLaTeX. This implementation follows standard BibLaTeX conventions, and can be used simply by loading BibLaTeX with the appropriate option: <pre>\usepackage[style=phys]{biblatex}</pre> A demonstration database is provided to show how to format input for the style. Style options are provided to cover the minor formatting variations between the AIP and APS bibliography styles.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-phys/README.md
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-phys/biblatex-phys.pdf
– local file	<code>./9502481531-biblatex-phys.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-phys
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/biblatex-contrib/biblatex-phys.tds.zip
on MikTeX	<code>biblatex-phys</code>
on T _E XLive	<code>biblatex-phys</code>
keyword	<code>biblatex</code> (BibLaTeX bibliography support)
keyword	<code>physics</code> (support for typesetting physics documents)
language(s)	no language specified
last access	2026-04-24

667 biblatex-publist – BibLaTeX bibliography support for publication lists

Web page on CTAN <https://ctan.org/pkg/biblatex-publist>

name	biblatex-publist
caption	BibLaTeX bibliography support for publication lists
author	Spitzmüller, Jürgen
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.16 (2025-12-04)
last changes	2025-12-04
year	2025
description	(no language specified) The package provides a BibLaTeX bibliography style file (<code>*.bbx</code>) for publication lists. The style file draws on BibLaTeX's authoryear style, but provides some extra features often desired for publication lists, such as the omission of the author's own name from author or editor data. At least version 3.4 of biblatex is required.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-publist/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-publist/biblatex-publist.pdf
– local file	<code>./4478886077-biblatex-publist.pdf</code>
contact	<i>bugs:</i> https://codeberg.org/jspitz/biblatex-publist/issues
contact	<i>repository:</i> https://codeberg.org/jspitz/biblatex-publist
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-publist
on MikTeX	biblatex-publist
on T _E XLive	biblatex-publist
keyword	biblatex (BibLaTeX bibliography support)
language(s)	no language specified
last access	2026-04-24

668 biblatex-readbbl – Read a .bbl file created by biber

Web page on CTAN <https://ctan.org/pkg/biblatex-readbbl>

name	biblatex-readbbl
caption	Read a .bbl file created by biber
author	Voß, Herbert
copyright	Herbert Voss (2020)
license	lppl = The LaTeX Project Public License (free)
version	0.01 (2022-01-09)
last changes	2022-01-09
year	2022
description	(no language specified) This small package modifies the biblatex macro which reads a .bbl file created by Biber . It is thus possible to include a .bbl file into the main document with the filecontents environment and send it to a publisher who does not need to run the Biber program. However, when the bibliography changes one has to create a new .bbl file.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-readbbl/doc/biblatex-readbbl.pdf
– local file	./3674375775-biblatex-readbbl.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-readbbl/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-readbbl
on MikTeX	biblatex-readbbl
on TeXLive	biblatex-readbbl
keyword	biblatex (BibLaTeX bibliography support)
language(s)	no language specified
last access	2026-04-24

669 biblatex-realauthor – Indicate the real author of a work

Web page on CTAN <https://ctan.org/pkg/biblatex-realauthor>

name	biblatex-realauthor
caption	Indicate the real author of a work
author	Rouquette, Maïeul
copyright	Maïeul Rouquette (2014-2017)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.7.1a (2017-11-19)
last changes	2017-11-19
year	2017
description	(no language specified) This package allows to use a new field "realauthor", which indicates the real author of a work, when published in a pseudepigraphic name.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-realauthor/README
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-realauthor/documentation/example-realauthor.pdf
– local file	./5819693013-example-realauthor.pdf
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-realauthor/documentation/biblatex-realauthor.pdf
– local file	./1314932291-biblatex-realauthor.pdf
contact	<i>bugs:</i> https://github.com/maieul/biblatex-realauthor/issues
contact	<i>repository:</i> https://github.com/maieul/biblatex-realauthor
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-realauthor
on MikTeX	biblatex-realauthor
on TeXLive	biblatex-realauthor
keyword	biblatex (BibLaTeX bibliography support)
language(s)	no language specified

last access 2026-04-24

670 **biblatex-sbl** – Society of Biblical Literature (SBL) style files for BibLaTeX

Web page on CTAN <https://ctan.org/pkg/biblatex-sbl>

name	biblatex-sbl
caption	Society of Biblical Literature (SBL) style files for BibLaTeX
author	Purton, David
copyright	David Purton (2015-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.15 (2024-06-09)
last changes	2024-06-09
year	2024
description	(no language specified) The package provides BibLaTeX support for citations in the format specified by the second edition of the Society of Biblical Literature (SBL) Handbook of Style. All example notes and bibliography entries from the handbook are supported and shown in an example file. A style file for writing SBL student papers is also included.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-sbl/README.md
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-sbl/biblatex-sbl.pdf
– local file	./3582252924-biblatex-sbl.pdf
contact	<i>bugs</i> : https://github.com/dcpurton/biblatex-sbl/issues
contact	<i>repository</i> : https://github.com/dcpurton/biblatex-sbl
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-sbl
on MikTeX	biblatex-sbl
on T _E XLive	biblatex-sbl
keyword	biblatex (BibLaTeX bibliography support)
keyword	theology (typeset devotional texts and other material of interest to theologians)

language(s) no language specified
last access 2026-04-24

671 **biblatex-science** – BibLaTeX implementation of the Science bibliography style

Web page on CTAN <https://ctan.org/pkg/biblatex-science>

name biblatex-science
caption BibLaTeX implementation of the Science bibliography style
author Wright, Joseph
copyright Joseph Wright (2010-2013, 2016-2018)
license lpl1.3 = The LaTeX Project Public License 1.3 (free)
version 1.2 (2018-10-18)
last changes 2018-10-18
year 2018
description (no language specified) The bundle offers styles that allow authors to use **BibLaTeX** when preparing papers for submission to the journal Science.
documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-science/README.md>
documentation (no language specified) *Package documentation*:
<https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-science/biblatex-science.pdf>
– local file ./4221468435-biblatex-science.pdf
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-science>
installation <https://ctan.org/tex-archive/install/macros/latex/contrib/biblatex-contrib/biblatex-science.tds.zip>
on MikTeX biblatex-science
on T_EXLive biblatex-science
keyword biblatex (BibLaTeX bibliography support)
keyword journalpub (typesetting journals, etc)
language(s) no language specified
last access 2026-04-24

672 biblatex-shortfields – Use short forms of fields with BibLaTeX

Web page on CTAN <https://ctan.org/pkg/biblatex-shortfields>

name	biblatex-shortfields
caption	Use short forms of fields with BibLaTeX
author	Rouquette, Maïeul
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0.1
description	(no language specified) The BibLaTeX package provides <code>shortseries</code> and <code>shortjournal</code> field, but the default styles don't use them. It also provides a mechanism to print the equivalence between short forms of fields and long fields (<code>\printbiblist</code>), but this mechanism does not allow to mix between different type of short fields, for example, between short forms of journal title and short forms of series titles. This package provides a solution to these two problems: • If a <code>shortjournal</code> field is defined, it prints it instead of the <code>\journal</code> field. • If a <code>shortseries</code> field is defined, it prints it instead of the <code>\series</code> field. • It provides a <code>\printbibshortfields</code> command to print a list of the sort forms of the fields. • This list also includes the claves defined with the biblatex-claves package version 1.2 or later.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-shortfields/documentation/biblatex-shortfields.pdf
– local file	<code>./5533266253-biblatex-shortfields.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-shortfields/README
contact	<i>bugs:</i> https://framagit.org/maieul/biblatex-shortfields/issues
contact	<i>repository:</i> https://framagit.org/maieul/biblatex-shortfields
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-shortfields

on MikTeX	biblatex-shortfields
on T _E XLive	biblatex-shortfields
keyword	biblatex (BibLaTeX bibliography support)
language(s)	no language specified
year	without year
last access	2026-04-24

673 **biblatex-socialscienceshuberlin** – **BibLaTeX-style for the social sciences at HU Berlin**

Web page on CTAN <https://ctan.org/pkg/biblatex-socialscienceshuberlin>

name	biblatex-socialscienceshuberlin
caption	BibLaTeX-style for the social sciences at HU Berlin
author	Bossert, Lukas C.
copyright	Lukas C. Bossert (2018)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.0.1 (2018-05-24)
last changes	2018-05-24
year	2018
description	(no language specified) This is a BibLaTeX style for the social sciences at the Humboldt-Universität zu Berlin.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-socialscienceshuberlin/socialscienceshuberlin.pdf
– local file	./1699957069-socialscienceshuberlin.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-socialscienceshuberlin/README.md
contact	<i>bugs:</i> https://github.com/LukasCBossert/biblatex-socialscienceshuberlin/issues
contact	<i>repository:</i> https://github.com/LukasCBossert/biblatex-socialscienceshuberlin
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-socialscienceshuberlin

on MikTeX	biblatex-socialscienceshuberlin
on T _E XLive	biblatex-socialscienceshuberlin
keyword	biblatex (BibLaTeX bibliography support)
language(s)	no language specified
last access	2026-04-24

674 biblatex-software – BibLaTeX stylefiles for software products

Web page on CTAN <https://ctan.org/pkg/biblatex-software>

name	biblatex-software
caption	BibLaTeX stylefiles for software products
author	Di Cosmo, Roberto
copyright	Roberto Di Cosmo (2020-2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2-8 (2025-12-26)
last changes	2025-12-26
year	2025
description	(no language specified) This package implements software entry types for BibLaTeX in the form of a bibliography style extension. It requires the Biber backend.
documentation	(no language specified) <i>Sample of Use:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-software/sample-use-sty.pdf
– local file	./9328247461-sample-use-sty.pdf
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-software/software-biblatex.pdf
– local file	./9664040689-software-biblatex.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-software/README.md
contact	<i>bugs:</i> https://gitlab.inria.fr/gt-sw-citation/bibtex-sw-entry/issues
contact	<i>repository:</i> https://gitlab.inria.fr/gt-sw-citation/bibtex-sw-entry

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-software
on MikTeX	biblatex-software
on T _E XLive	biblatex-software
keyword	biblatex (BibLaTeX bibliography support)
language(s)	no language specified
last access	2026-04-24

675 *biblatex-source-division* – References by “division” in classical sources

Web page on CTAN	https://ctan.org/pkg/biblatex-source-division
name	biblatex-source-division
caption	References by “division” in classical sources
author	Rouquette, Maïeul
copyright	Maïeul Rouquette (2013)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.4.2 (2017-09-21)
last changes	2017-09-21
year	2017
description	(no language specified) The package enables the user to make reference to “division marks” (such as <code>book</code> , <code>chapter</code> , <code>section</code>), in the document being referenced, in addition to the page-based references that BibTeX-based citations have always had. The citation is made in the same way as the LaTeX standard, but what’s inside the square brackets may include the “division” specification, as in <code>\cite[(<division spec.>)<page number>]{<document>}</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-source-division/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-source-division/biblatex-source-division.pdf
– local file	<code>./2365117105-biblatex-source-division.pdf</code>
contact	<i>bugs</i> : https://github.com/maieul/biblatex-source-division/issues

contact	<i>repository:</i> https://github.com/maieul/biblatex-source-division
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-source-division
on MikTeX	biblatex-source-division
on T _E XLive	biblatex-source-division
keyword	biblatex (BibLaTeX bibliography support)
language(s)	no language specified
last access	2026-04-24

676 biblatex-spbasic – A BibLaTeX style emulating Springer’s old spbasic.bst

Web page on CTAN	https://ctan.org/pkg/biblatex-spbasic
name	biblatex-spbasic
caption	A BibLaTeX style emulating Springer’s old spbasic.bst
author	Voß, Herbert
copyright	Herbert Voß (2021)
license	lppl = The LaTeX Project Public License (free)
version	0.04 (2021-12-29)
last changes	2021-12-29
year	2021
description	(no language specified) This package provides a bibliography and citation style for BibLaTeX / biber for typesetting articles for Springer’s journals. It is the same as the old BibTeX style spbasic.bst .
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-spbasic/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-spbasic/doc/biblatex-spbasic.pdf
– local file	./4322089265-biblatex-spbasic.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-spbasic
on MikTeX	biblatex-spbasic
on T _E XLive	biblatex-spbasic

keyword	<code>publisher</code> (prepare documents for a specific publisher)
keyword	<code>biblatex</code> (BibLaTeX bibliography support)
language(s)	no language specified
last access	2026-04-24

677 *biblatex-subseries* – Manages subseries with BibLaTeX

Web page on CTAN <https://ctan.org/pkg/biblatex-subseries>

name	<code>biblatex-subseries</code>
caption	Manages subseries with BibLaTeX
author	Rouquette, Maïeul
copyright	Maïeul Rouquette (2014-2016)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2.0 (2017-02-24)
last changes	2017-02-24
year	2017
description	(no language specified) Some publishers organize book series with subseries. In this case, two numbers are associated with one volume: the number inside the series and the number inside the subseries. That is the case of the series <i>Corpus Scriptorum Christianorum Orientalium</i> published by Peeters. This package provides new fields to manage such system.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-subseries/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-subseries/documentation/biblatex-subseries.pdf
– local file	<code>./6296605656-biblatex-subseries.pdf</code>
contact	<i>repository</i> : https://git.framasoft.org/maieul/biblatex-subseries
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-subseries
on MikTeX	<code>biblatex-subseries</code>
on TeXLive	<code>biblatex-subseries</code>
keyword	<code>biblatex</code> (BibLaTeX bibliography support)

language(s) no language specified
last access 2026-04-24

678 **biblatex-swiss-legal** – Bibliography and citation styles following Swiss legal practice

Web page on CTAN <https://ctan.org/pkg/biblatex-swiss-legal>

name `biblatex-swiss-legal`
caption Bibliography and citation styles following Swiss legal practice
author Vion, Adrien
author Mörtl, Fabian
copyright Adrien Vion (2012)
license lpl1.3 = The LaTeX Project Public License 1.3 (free)
version 1.1.2a
description (no language specified) The package provides **BibLaTeX** bibliography and citation styles for documents written in accordance with Swiss legal citation standards in either French or German.

However, according to <https://tex.stackexchange.com/questions/426142/bibliography-using-biblatex-swiss-legal-not-displayed-correctly> the package is at present outdated and does not work properly with newer versions of **BibLaTeX**.
documentation *Package documentation (French):* <https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-swiss-legal/biblatex-swiss-legal.pdf>
– local file `./5561070163-biblatex-swiss-legal.pdf`
documentation (no language specified) *Readme (French and English):* <https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-swiss-legal/README>
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-swiss-legal>
on MikTeX `biblatex-swiss-legal`
on T_EXLive `biblatex-swiss-legal`
keyword legal (typesetting legal documents or study material)
keyword french (support for typesetting French)
keyword german (support for typesetting German)

keyword	<code>biblatex</code> (BibLaTeX bibliography support)
language(s)	French
year	2012
last access	2026-04-24

679 *biblatex-trad* – “Traditional” BibTeX styles with BibLaTeX

Web page on CTAN <https://ctan.org/pkg/biblatex-trad>

name	<code>biblatex-trad</code>
caption	“Traditional” BibTeX styles with BibLaTeX
author	Wemheuer, Moritz
copyright	Marco Daniel (2012-2015)
copyright	Moritz Wemheuer (2016-2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.5 (2021-03-06)
last changes	2021-03-06
year	2021
description	(no language specified) The bundle provides implementations of the “traditional” BibTeX styles (<code>plain</code> , <code>abbrev</code> , <code>unsrt</code> and <code>alpha</code>) with BibLaTeX.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-trad/biblatex-trad.pdf
– local file	<code>./3658386150-biblatex-trad.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-trad/README.md
home page	https://github.com/moewew/biblatex-trad
contact	<i>bugs</i> : https://github.com/moewew/biblatex-trad/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-trad
on MikTeX	<code>biblatex-trad</code>
on TeXLive	<code>biblatex-trad</code>
keyword	<code>biblatex</code> (BibLaTeX bibliography support)

keyword tagged-pdf-partially (tagged PDF partially compatible)
 language(s) no language specified
 last access 2026-04-24

680 `biblatex-true-citepages-omit` – Correction of some limitation of the `citepages=omit` option of BibLaTeX styles

Web page on CTAN <https://ctan.org/pkg/biblatex-true-citepages-omit>

name `biblatex-true-citepages-omit`
 caption Correction of some limitation of the `citepages=omit` option of BibLaTeX styles
 author Rouquette, Maïeul
 copyright Maïeul Rouquette (2014-2015)
 license lpl1.3 = The LaTeX Project Public License 1.3 (free)
 version 2.0.0
 description (no language specified) This package deals with a limitation of the `citepages=omit` option of the verbose family of **BibLaTeX** citestyles.
 The option works when you `\cite[xx]{key}`, but not when you `\cite[\pno~xx, some text]{key}`.
 The package corrects this problem.
 documentation (no language specified) *Package documentation:*
<https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-true-citepages-omit/biblatex-true-citepages-omit.pdf>
 – local file `./8527291235-biblatex-true-citepages-omit.pdf`
 documentation (no language specified) *Readme:*
<https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-true-citepages-omit/README>
 home page <https://github.com/maieul/biblatex-true-citepages-omit>
 contact *support:* <https://github.com/maieul/biblatex-true-citepages-omit/issues>
 contact *bugs:* <https://github.com/maieul/biblatex-true-citepages-omit/issues>
 contact *repository:*
<https://github.com/maieul/biblatex-true-citepages-omit>
 on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-true-citepages-omit>

on MikTeX	<code>biblatex-true-citepages-omit</code>
on T _E XLive	<code>biblatex-true-citepages-omit</code>
keyword	<code>biblatex</code> (BibLaTeX bibliography support)
keyword	<code>bugfix</code> (correct a problem, ahead of the “proper” fix)
language(s)	no language specified
year	2015
last access	2026-04-24

681 ***biblatex-unified*** – BibLaTeX implementation of the unified stylesheet for linguistics journals

Web page on CTAN <https://ctan.org/pkg/biblatex-unified>

name	<code>biblatex-unified</code>
caption	BibLaTeX implementation of the unified stylesheet for linguistics journals
author	von Fintel, Kai
copyright	Kai von Fintel (2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.20 (2022-11-08)
last changes	2022-11-08
year	2022
description	(no language specified) BibLaTeX-unified is an opinionated BibLaTeX implementation of the Unified Stylesheet for Linguistics Journals
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-unified/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-unified/biblatex-unified.pdf
– local file	<code>./1011663867-biblatex-unified.pdf</code>
contact	<i>bugs</i> : https://github.com/semprag/biblatex-sp-unified/issues
contact	<i>repository</i> : https://github.com/semprag/biblatex-sp-unified
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-unified

on MikTeX	biblatex-unified
on TeXLive	biblatex-unified
keyword	biblatex (BibLaTeX bibliography support)
language(s)	no language specified
last access	2026-04-24

682 biblatex-vancouver – Vancouver style for BibLaTeX

Web page on CTAN <https://ctan.org/pkg/biblatex-vancouver>

name	biblatex-vancouver
caption	Vancouver style for BibLaTeX
author	Mondal, Agnibho
copyright	Agnibho Mondal (2020)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	0.1 (2020-05-20)
last changes	2020-05-20
year	2020
description	(no language specified) This package provides the Vancouver reference style for BibLaTeX. It is based on the numeric style and requires biber .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-vancouver/README
home page	https://code.agnibho.com/biblatex-vancouver/
contact	<i>bugs</i> : https://github.com/agnibho/biblatex-vancouver/issues
contact	<i>repository</i> : https://github.com/agnibho/biblatex-vancouver
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/biblatex-vancouver
on MikTeX	biblatex-vancouver
on TeXLive	biblatex-vancouver
keyword	biblatex (BibLaTeX bibliography support)
language(s)	no language specified
last access	2026-04-24

683 biblatex2bibitem – Convert BibLaTeX-generated bibliography to bibitems

Web page on CTAN <https://ctan.org/pkg/biblatex2bibitem>

name	biblatex2bibitem
caption	Convert BibLaTeX-generated bibliography to bibitems
author	Avdeev, Nikolai
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2.2 (2022-01-17)
last changes	2022-01-17
year	2022
description	(no language specified) Some journals accept the reference list only as <code>\bibitems</code>. If you use BibTeX, there is no problem: just paste the content of the <code>.bbl</code> file into your document. However, there was no out-of-the-box way to do the same for biblatex, and you had to struggle with searching appropriate <code>.bst</code> files, or formatting your reference list by hand, or something like that. Using the workaround provided by this package solves the problem.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex2bibitem/README.md
documentation	(no language specified) <i>Minimal working example</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex2bibitem/biblatex2bibitem-mwe.pdf
– local file	<code>./4291747745-biblatex2bibitem-mwe.pdf</code>
contact	<i>bugs</i>: https://gitlab.com/Nickkolok/biblatex2bibitem/-/issues
contact	<i>repository</i> : https://gitlab.com/Nickkolok/biblatex2bibitem
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex2bibitem
on MikTeX	biblatex2bibitem
on T _E XLive	biblatex2bibitem
keyword	tagged-pdf-incompatible (tagged PDF incompatible)
keyword	bibtex-supp (BibTeX citation support)
language(s)	no language specified
last access	2026-04-24

684 bible – A BibTeX library editor

Web page on CTAN <https://ctan.org/pkg/bible>

name	BiBLE
caption	A BibTeX library editor
author	Schreiber, Kai
license	other-free = Free license not otherwise listed (free)
version	0.99
description	(no language specified) A Windows-32 application for maintaining BibTeX databases.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/bible/readme.txt
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/bible
keyword	bibtex-util (utilities for managing BibTeX files)
language(s)	no language specified
year	without year
last access	2025-02-19

685 bibleref – Format bible citations

Web page on CTAN <https://ctan.org/pkg/bibleref>

name	bibleref
caption	Format bible citations
author	Talbot, Nicola
author	Rouquette, Maïeul
copyright	Nicola Talbot (2011)
copyright	Maïeul Rouquette (2016-2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.26.0 (2025-05-18)
last changes	2025-05-18
year	2025

description	(no language specified) The bibleref package offers consistent formatting of references to parts of the Christian bible, in a number of well-defined formats. It depends on ifthen , fmtcount , and amsgen .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bibleref/bibleref.pdf
– local file	./9884216983-bibleref.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bibleref/README.md
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/bibleref/samples/sample.pdf
– local file	./3858606455-sample.pdf
contact	<i>bugs</i> : https://framagit.org/maieul/bibleref/issues
contact	<i>repository</i> : https://framagit.org/maieul/bibleref/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bibleref
on MikTeX	bibleref
on T _E XLive	bibleref
keyword	theology (typeset devotional texts and other material of interest to theologians)
keyword	label-ref (label and reference systems)
language(s)	no language specified
last access	2025-05-27

686 bibleref-french – French translations for bibleref

Web page on CTAN <https://ctan.org/pkg/bibleref-french>

name	bibleref-french
caption	French translations for bibleref
author	Pinson, Raphaël
author	Rouquette, Maïeul
copyright	Maïeul Rouquette and Raphaël Pinson (2011-2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.4.0 (2025-05-17)

last changes	2025-05-17
year	2025
description	(no language specified) The package provides translations and alternative typesetting conventions for use of bibleref in French.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bibleref-french/README.md
documentation	(no language specified) <i>Package Manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/bibleref-french/bibleref-french.pdf
– local file	./4156350742-bibleref-french.pdf
documentation	(French) <i>Package Manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/bibleref-french/bibleref-french-francais.pdf
– local file	./3786447552-bibleref-french-francais.pdf
contact	<i>repository</i> : https://github.com/bibleref-french/bibleref-french
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bibleref-french
on MikTeX	bibleref-french
on TeXLive	bibleref-french
keyword	theology (typeset devotional texts and other material of interest to theologians)
language(s)	French
last access	2025-05-27

687 *bibleref-german* – German adaptation of *bibleref*

Web page on CTAN	https://ctan.org/pkg/bibleref-german
name	bibleref-german
caption	German adaptation of <i>bibleref</i>
author	Waßenhoven, Dominik
copyright	Dominik Waßenhoven (2011)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0a

description	(no language specified) The package provides translations and various formats for the use of bibleref in German documents. The German naming of the bible books complies with the ‘Loccumer Richtlinien’ (Locum guidelines). In addition, the Vulgate (Latin bible) is supported.
documentation	<i>Package documentation (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/bibleref-german/doc/en-bibleref-german.pdf
– local file	<code>./2173846965-en-bibleref-german.pdf</code>
documentation	(German) <i>Liesmich:</i> https://ctan.org/tex-archive/macros/latex/contrib/bibleref-german/LIESMICH
documentation	<i>Package documentation (German):</i> https://ctan.org/tex-archive/macros/latex/contrib/bibleref-german/doc/de-bibleref-german.pdf
– local file	<code>./4777557787-de-bibleref-german.pdf</code>
documentation	(English) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/bibleref-german/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bibleref-german
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/bibleref-german.tds.zip
on MikTeX	<code>bibleref-german</code>
on T _E XLive	<code>bibleref-german</code>
keyword	<code>theology</code> (typeset devotional texts and other material of interest to theologians)
language(s)	German; English
year	2011
last access	2025-05-27

688 **bibleref-lds** – Bible references, including those to the scriptures of the Church of Jesus Christ of Latter Day Saints

Web page on CTAN	https://ctan.org/pkg/bibleref-lds
name	<code>bibleref-lds</code>
caption	Bible references, including those to the scriptures of the Church of Jesus Christ of Latter Day Saints
author	Parry, Chad

copyright	Chad Parry (2012)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The package extends the bibleref-mouth package to support references to the scriptures of The Church of Jesus Christ of Latter-day Saints (LDS). The package requires bibleref-mouth to run, and its reference syntax is the same as that of the parent package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bibleref-lds/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bibleref-lds/bibleref-lds.pdf
– local file	./1627268332-bibleref-lds.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bibleref-lds
on MikTeX	bibleref-lds
on T _E XLive	bibleref-lds
keyword	theology (typeset devotional texts and other material of interest to theologians)
language(s)	no language specified
year	2012
last access	2025-05-27

689 bibleref-mouth – Consistent formatting of Bible references

Web page on CTAN <https://ctan.org/pkg/bibleref-mouth>

name	bibleref-mouth
caption	Consistent formatting of Bible references
author	Parry, Chad
copyright	Chad Parry (2012)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0

description	(no language specified) The package allows Bible references to be formatted in a consistent way. It is similar to the <code>bibleref</code> package, except that the formatting macros are all purely expandable — that is, they are all implemented in TeX’s mouth. This means that they can be used in any expandable context, such as an argument to a <code>\url</code> command.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bibleref-mouth/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bibleref-mouth/bibleref-mouth.pdf
– local file	<code>./2654082300-bibleref-mouth.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bibleref-mouth
on MikTeX	<code>bibleref-mouth</code>
on TeXLive	<code>bibleref-mouth</code>
keyword	<code>theology</code> (typeset devotional texts and other material of interest to theologians)
see also	see section 685 on page 635: (<code>bibleref</code> – Format bible citations)
language(s)	no language specified
year	2012
last access	2025-05-27

690 *bibleref-parse* – Specify Bible passages in human-readable format

Web page on CTAN <https://ctan.org/pkg/bibleref-parse>

name	<code>bibleref-parse</code>
caption	Specify Bible passages in human-readable format
author	Kuhnert, Sebastian
copyright	Sebastian Kuhnert (2011)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1
description	(no language specified) The package parses Bible passages that are given in human readable format. It accepts a wide variety of formats. This allows for a simpler and more convenient interface to the functionality of the <code>bibleref</code> package.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bibleref-parse/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bibleref-parse/bibleref-parse.pdf
– local file	./8037353751-bibleref-parse.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bibleref-parse
on MikTeX	bibleref-parse
on T _E XLive	bibleref-parse
keyword	theology (typeset devotional texts and other material of interest to theologians)
language(s)	no language specified
year	2011
last access	2025-05-27

691 *bibleref-sbl* – SBL style for the *bibleref* and *bibleref-parse* packages

Web page on CTAN	https://ctan.org/pkg/bibleref-sbl
name	bibleref-sbl
caption	SBL style for the <i>bibleref</i> and <i>bibleref-parse</i> packages
author	Purton, David
copyright	David Purton (2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2026-04-04)
last changes	2026-04-04
year	2026
description	(no language specified) This package extends the <i>bibleref</i> and <i>bibleref-parse</i> packages to support Bible book names as specified by the Society of Biblical Literature. This includes adjustment of abbreviations, addition of extra Deuterocanonical books, an interface for acceptable options and correct index sorting.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bibleref-sbl/bibleref-sbl.pdf

692 *bibletext* – Insert Bible passages by their reference

– local file	<code>./9181657318-bibleref-sbl.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bibleref-sbl/README.md
home page	https://github.com/dcpurton/sbltex
contact	<i>bugs</i> : https://github.com/dcpurton/sbltex/issues
contact	<i>repository</i> : https://github.com/dcpurton/sbltex/tree/main/bibleref-sbl
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bibleref-sbl
on T _E XLive	<code>bibleref-sbl</code>
keyword	theology (typeset devotional texts and other material of interest to theologians)
language(s)	no language specified
last access	2026-04-10

692 *bibletext* – Insert Bible passages by their reference

Web page on CTAN	https://ctan.org/pkg/bibletext
name	<code>bibletext</code>
caption	Insert Bible passages by their reference
author	Staps, Camil
copyright	Camil Staps (2016-2017)
license	mit = MIT License (free)
version	0.1.2 (2017-09-01)
last changes	2017-09-01
year	2017
description	(no language specified) The package allows to insert Bible texts in a document by specifying references.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bibletext/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bibletext/bibletext.pdf
– local file	<code>./8594980894-bibletext.pdf</code>
contact	<i>bugs</i> : https://github.com/camilstaps/bibletext/issues

contact	repository: https://github.com/camilstaps/bibletext
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bibletext
on MikTeX	bibletext
on T _E XLive	bibletext
keyword	theology (typeset devotional texts and other material of interest to theologians)
language(s)	no language specified
last access	2025-08-30

693 *biblio* – A collection of bibliographies

Web page on CTAN	https://ctan.org/pkg/biblio
name	biblio
caption	A collection of bibliographies
author	Beebe, Nelson H. F.
license	pd = Public Domain Software (free)
description	(no language specified) A collection of BibTeX bibliographies on TeX-related topics (including, for example, spell-checking and SGML). Each includes a LaTeX wrapper file to typeset the bibliography.
home page	http://www.math.utah.edu/~beebe/
on CTAN	https://ctan.org/tex-archive/info/biblio
keyword	bibtex-lib (collection of BibTeX citations)
language(s)	no language specified
year	without year
last access	2025-02-19

694 *biblio-perl* – System for maintaining and presenting bibliographies

Web page on CTAN <https://ctan.org/pkg/biblio-perl>

name	biblio-perl
caption	System for maintaining and presenting bibliographies
author	Stepanyan, R.
license	nosell = Do Not Sell Except by Arrangement (not free)
version	1.0
description	(no language specified) Biblio is a Perl script for preprocessing bibliographic references (written in Perl). After preprocessing the input TeX file it creates an output TeX file with references included according to the formats prescribed either in a separate file (template) or in the header of the input TeX file. The output file is ready for LaTeX.
on CTAN	https://ctan.org/tex-archive/support/biblio
keyword	biblio (bibliography processor)
language(s)	no language specified
year	without year
last access	2025-02-07

695 *biblist* – Print a BibTeX database

Web page on CTAN <https://ctan.org/pkg/biblist>

name	biblist
caption	Print a BibTeX database
author	Schrod, Joachim
copyright	Joachim Schrod (1991)
license	gpl = GNU General Public License (free)
version	(1992-01-13)
last changes	1992-01-13
year	1992
description	(no language specified) The package provides the means of listing an entire BibTeX database, avoiding the potentially large (macro) impact associated with <code>\nocite{*}</code> .

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex209/contrib/biblist/biblist.pdf
– local file	./8421209975-biblist.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex209/contrib/biblist/README
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/biblist
on MikTeX	biblist
on T _E XLive	biblist
keyword	bibtex-util (utilities for managing BibTeX files)
see also	see section 3467 on page 3135: (<code>listbib</code> – Lists contents of BibTeX files)
language(s)	no language specified
last access	2025-02-19

696 biblook – Fast searching of BibTeX files

Web page on CTAN <https://ctan.org/pkg/biblook>

name	biblook
caption	Fast searching of BibTeX files
author	Erickson, Jeff
author	Beebe, Nelson H. F.
license	pd = Public Domain Software (free)
version	2.8
description	(no language specified) A stand-alone tool for searching BibTeX documents which have been indexed by bibindex .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/bibindex/README
documentation	(no language specified) <i>Man page documentation</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/bibindex/biblook.txt
home page	http://jeffe.cs.illinois.edu/biblook.html
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/bibindex
keyword	bibtex-util (utilities for managing BibTeX files)
language(s)	no language specified

year	without year
last access	2025-02-19

697 *biblos* – CGI interface to BibTeX files

Web page on CTAN <https://ctan.org/pkg/biblos>

name	biblos
caption	CGI interface to BibTeX files
author	Moller, Anders
license	nosource = No Source Available (not free)
version	(1996-08-12)
last changes	1996-08-12
year	1996
description	(no language specified) A MS-Windows95 (or Windows NT) tool that uses the CGI (common gateway interface) protocol so that BibTeX files can be managed remotely via HTTP.
on CTAN	https://ctan.org/tex-archive/systems/msdos/biblos075.zip
keyword	bibtex-util (utilities for managing BibTeX files)
language(s)	no language specified
last access	2025-02-19

698 *bibmods* – Tighter tolerances for bibliographies

Web page on CTAN <https://ctan.org/pkg/bibmods>

name	bibmods
caption	Tighter tolerances for bibliographies
author	Beebe, Nelson H. F.
license	noinfo = noinfo
version	(1991-09-10)
last changes	1991-09-10
year	1991

description	(no language specified) LaTeX uses <code>\sloppy</code> in the bibliography in its standard classes. This can lead to unpleasantly wide spacing, as TeX tries to set the page flush at both sides. The package sets a tighter tolerance, and allows some <code>\emergencystretch</code> , thus leading to better typesetting.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/bibmods.sty
keyword	bibtex-supp (BibTeX citation support)
language(s)	no language specified
last access	2025-02-19

699 *bibplain* – Simple macros for using BibTeX with Plain TeX

Web page on CTAN	https://ctan.org/pkg/bibplain
name	bibplain
caption	Simple macros for using BibTeX with Plain TeX
author	Ferro, Anthony
license	noinfo = noinfo
version	(1992-08-27)
last changes	1992-08-27
year	1992
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/bibplain.tex
keyword	bibtex-supp (BibTeX citation support)
language(s)	no language specified
last access	2025-02-19

700 *bibsort* – Sort a BibTeX bibliography file

Web page on CTAN <https://ctan.org/pkg/bibsort>

name	bibsort
caption	Sort a BibTeX bibliography file
author	Beebe, Nelson H. F.
license	noinfo = noinfo
version	0.11
description	(no language specified) A script (using Unix utilities <i>awk</i> and <i>sort</i>) that takes a BibTeX file as standard input and reprints it, sorted, on standard output.
documentation	(no language specified) <i>Man page output</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/bibsort/bibsort.txt
home page	http://www.math.utah.edu/pub/tex/bib/index.html
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/bibsort
keyword	bibtex-util (utilities for managing BibTeX files)
language(s)	no language specified
year	without year
last access	2025-02-19

701 *bibtex* – Process bibliographies (bib files) for LaTeX or other formats

Web page on CTAN <https://ctan.org/pkg/bibtex>

name	bibtex
caption	Process bibliographies (bib files) for LaTeX or other formats
author	Patashnik, Oren
license	knuth = Knuth License (free)
version	0.99e
description	(no language specified) BibTeX allows the user to store his citation data in generic form, while printing citations in a document in the form specified by a BibTeX style, to be specified in the document itself (one often needs a LaTeX citation-style package, such as natbib, as well). BibTeX knows nothing about Unicode sorting algorithms or scripts, although it will pass on whatever bytes it reads. Its descendant bibtexu does support Unicode, via the ICU library. The older alternative bibtex8 supports 8-bit character sets.

Another Unicode-aware alternative is the (independently developed) **biber** program, used with the **BibLaTeX** package to typeset its output.

documentation	(no language specified) <i>Using BibTeX</i> : https://ctan.org/tex-archive/biblio/bibtex/base/btxdoc.pdf
– local file	./9411880307-btxdoc.pdf
documentation	(no language specified) <i>Writing BibTeX styles</i> : https://ctan.org/tex-archive/biblio/bibtex/base/btxhak.pdf
– local file	./4549111508-btxhak.pdf
documentation	(no language specified) <i>BibTeX Frequently Asked Questions</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/doc/btxFAQ.pdf
– local file	./8253724619-btxFAQ.pdf
home page	https://tug.org/bibtex
contact	<i>support</i> : https://lists.tug.org/tex-k
contact	<i>bugs</i> : https://lists.tug.org/tex-k
contact	<i>repository</i> : https://tug.org/svn/texlive/trunk/Build/source/texk/web2c/
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/base
on MikTeX	miktex-bibtex-bin-2.9
on T _E XLive	bibtex
keyword	biblio (bibliography processor)
language(s)	no language specified
year	without year
last access	2025-10-09

702 *bibtex-examples* – Examples of BibTeX usage

Web page on CTAN <https://ctan.org/pkg/bibtex-examples>

name	BibTeX-examples
caption	Examples of BibTeX usage
author	Beebe, Nelson H. F.
license	noinfo = noinfo
version	(1992-07-20)
last changes	1992-07-20

year	1992
description	(no language specified) A set of LaTeX files that typeset an example bibliography with various BibTeX styles.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/examples
keyword	demo-code (code that serves as examples of TeX programming)
language(s)	no language specified
last access	2025-10-09

703 *bibtex-gen* – A simple interactive script to generate BibTeX Files

Web page on CTAN <https://ctan.org/pkg/bibtex-gen>

name	BibTeX Database Generator
caption	A simple interactive script to generate BibTeX Files
author	Gupta, Pallav
license	pd = Public Domain Software (free)
description	(no language specified) This is an interactive script to generate BibTeX files entering only what you need in your (customized) bibliographies and to generate a file which contains all the extra info.
on CTAN	https://ctan.org/tex-archive/support/bibtex-gen
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
year	without year
last access	2025-10-09

704 *bibtex-help* – VMS help file for BibTeX

Web page on CTAN <https://ctan.org/pkg/bibtex-help>

name	BibTeX-help
caption	VMS help file for BibTeX
author	Greenwade, George
license	noinfo = noinfo
version	(1993-01-02)
last changes	1993-01-02

year	1993
description	(no language specified) A rather complete summation of the techniques for using BibTeX. The text remains readable, even though obscured by the VMS help markup.
on CTAN	https://ctan.org/tex-archive/info/bibtex/bibtex.hlp
keyword	bibtex-doc (documentation of BibTeX, etc., on their own)
language(s)	no language specified
last access	2025-10-09

705 *bibtex-test* – BibTeX testing files

Web page on CTAN <https://ctan.org/pkg/bibtex-test>

name	bibtex-test
caption	BibTeX testing files
author	Beebe, Nelson H. F.
license	noinfo = noinfo
version	(1992-07-20)
last changes	1992-07-20
year	1992
description	(no language specified) A set of LaTeX files that typeset a bibliography (.bib file provided) in a variety of BibTeX styles. The user can review the results of using these known (good) styles, with the results with her own style-under-development, after minimal editing.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/test
keyword	demo-code (code that serves as examples of TeX programming)
language(s)	no language specified
last access	2025-10-09

706 bibtex8 – A fully 8-bit adaptation of BibTeX 0.99

Web page on CTAN <https://ctan.org/pkg/bibtex8>

Alias	bibtex8bit
name	bibtex8
caption	A fully 8-bit adaptation of BibTeX 0.99
author	Kempson, Niel
author	The TeX Live Team
license	gpl = GNU General Public License (free)
description	(no language specified) An enhanced, portable C version of BibTeX . Enhanced by conversion to larger (32-bit) capacity, addition of run-time selectable capacity and 8-bit support extensions. National character set and sorting order are controlled by an external configuration file. Various examples are included. Originally written by Niel Kempson and Alejandro Aguilar-Sierra, it is now maintained as part of TeX Live.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/biblio/bibtex/bibtex-x/README
contact	<i>support</i> : https://lists.tug.org/biblio
contact	<i>bugs</i> : https://lists.tug.org/tex-k
contact	<i>repository</i> : https://tug.org/svn/texlive/trunk/Build/source/texk/bibtex-x/
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/bibtex-x
on MikTeX	miktex-bibtex8bit-bin-2.9
on T _E XLive	bibtex8
keyword	biblio (bibliography processor)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
year	without year
last access	2025-10-09

707 bibtexmng – Manipulate BibTeX database files

Web page on CTAN <https://ctan.org/pkg/bibtexmng>

name	BibTeXMng
caption	Manipulate BibTeX database files
author	VNP Comp
license	shareware = Shareware: A fee is required (not free)
version	6.0
description	(no language specified) BibTeXMng combines online searching, reference management, bibliography making, and information sharing into a single user-friendly environment. It was written to be used with LaTeX, using BibTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/utis/BibTeXMng/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utis/BibTeXMng
keyword	bibtex-util (utilities for managing BibTeX files)
language(s)	no language specified
year	without year
last access	2025-10-09

708 bibtexperllibs – BibTeX Perl Libraries

Web page on CTAN <https://ctan.org/pkg/bibtexperllibs>

name	bibtexperllibs
caption	BibTeX Perl Libraries
author	Veytsman, Boris
author	Gossen, Gerhard
copyright	Gerhard Gossen, Boris Veytsman, and Karl Berry (2010-2025)
license	gpl1 = GNU General Public License, version 1 (free)
license	pd = Public Domain Software (free)
license	artistic = Perl Artistic License (not free)
version	1.93

709 *bibtexu* – An adaptation of BibTeX 0.99 that supports Unicode via ICU

description	(no language specified) This package provides BibTeX related Perl libraries by Gerhard Gossen, repacked by Boris Veytsman, for TeX Live and other TDS-compliant distributions. The libraries are written in pure Perl, so should work out of the box on any architecture. They have been packaged here mostly for Boris Veytsman's BibTeX suite, but can be used in any other Perl script.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/utis/bibtexperllibs/README
contact	<i>bugs</i> : https://github.com/borisveytsman/BibTeXPerlLibs/issues
contact	<i>repository</i> : https://github.com/borisveytsman/BibTeXPerlLibs
contact	<i>development</i> : https://github.com/borisveytsman/BibTeXPerlLibs/pulls
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utis/bibtexperllibs
on T _E XLive	bibtexperllibs
keyword	bibtex-supp (BibTeX citation support)
language(s)	no language specified
year	2025
last access	2025-10-09

709 *bibtexu* – An adaptation of BibTeX 0.99 that supports Unicode via ICU

Web page on CTAN <https://ctan.org/pkg/bibtexu>

name	bibtexu
caption	An adaptation of BibTeX 0.99 that supports Unicode via ICU
author	Haralambous, Yannis
author	Japanese TeX Development Community
author	The TeX Live Team
license	gpl = GNU General Public License (free)
version	3.72

description	(no language specified) An enhanced, portable C version of BibTeX . Unicode is supported via the ICU library. Originally written by Yannis Haralambous and his students, and derived from bibtex8 , with substantial updates from the Japanese TeX Development Community, it is now maintained as part of TeX Live.
documentation	(no language specified) <i>Examples</i> : https://ctan.org/tex-archive/biblio/bibtex/bibtex-x/01bibtexu-doc/examples/
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/bibtex-x/README
contact	<i>support</i> : https://lists.tug.org/biblio
contact	<i>bugs</i> : https://lists.tug.org/tex-k
contact	<i>repository</i> : https://tug.org/svn/texlive/trunk/Build/source/texk/bibtex-x/
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/bibtex-x
on T _E XLive	bibtexu
keyword	biblio (bibliography processor)
language(s)	no language specified
year	without year
last access	2025-10-09

710 *bibttool* – A tool for manipulating BibTeX files

Web page on CTAN <https://ctan.org/pkg/bibttool>

name	BibTool
caption	A tool for manipulating BibTeX files
author	Neugebauer, Gerd
copyright	Gerd Neugebauer (1995-2019)
license	cc-by-sa-3 = CC BY-SA 3.0 (free)
license	mit = MIT License (free)
license	pd = Public Domain Software (free)
license	gpl2 = GNU General Public License, version 2 (free)
version	2.68
description	(no language specified) Command line manipulation of BibTeX files: • Pretty-printing data bases;

- Syntactic checks with error recovery;
- Semantic checks;
- Sorting and merging of data bases;
- Generation of uniform reference keys according to predefined rules or according to user specification;
- Selecting references used in one publication which are found by analyzing an aux file;
- Controlled rewriting of fields utilising regular expressions to specify the rewriting rules;
- Macro (String) expansion to eliminate the need of extra string definitions;
- Collecting statistics about one or more data bases.

documentation	(English) <i>Quick Reference Card</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/bibttool/ref_card.pdf
– local file	./7610717318-ref_card.pdf
documentation	(English) <i>Manual</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/bibttool/bibttool.pdf
– local file	./8845119840-bibttool.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/bibttool/README.md
documentation	(English) <i>C Programmer's Manual</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/bibttool/c_lib.pdf
– local file	./5184722562-c_lib.pdf
home page	http://www.gerd-neugebauer.de/software/TeX/BibTool/
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/bibttool
keyword	biblatex (BibLaTeX bibliography support)
keyword	bibtex-util (utilities for managing BibTeX files)
language(s)	English
year	2019
last access	2026-04-14

711 bibttools – Bib management tools

Web page on CTAN <https://ctan.org/pkg/bibttools>

name	bibttools
caption	Bib management tools
author	Kotz, David
author	Gildea, Daniel
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) A set of bibliography tools. Includes: • <code>aux2bib</code>, a perl script which will take an <code>.aux</code> file and make a portable <code>.bib</code> file to go with it; • <code>bibify</code>, a shell script that will optimise away one pass of the LaTeX/BibTeX cycle, in some cases; • <code>bibkey</code>, a shell script that finds entries whose "keyword" field matches the given keys (uses <code>sed</code> and <code>awk</code>); • <code>cleantex</code>, a shell script to tidy up after a LaTeX run; • <code>looktex</code>, a shell script to list entries that match a given regexp; • <code>makebib</code>, a shell script to make an exportable <code>.bib</code> file from an existing (set of) <code>.bib</code> file(s) and an optional set of citations (uses <code>sed</code>); • <code>printbib</code>, a shell script to make a <code>dvi</code> file from a <code>.bib</code> file, sorted by cite key, and including fields like "keyword", "abstract", and "comment". • <code>bib2html</code>, a perl script that makes a browsable HTML version of a bibliography (several <code>.bst</code> files are supplied); and • <code>citekeys</code>, a shell script that lists the citation keys of a <code>.bib</code> file.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/utis/bibttools/README
documentation	(no language specified) <i>Demo of bib2html</i> : https://ctan.org/tex-archive/biblio/bibtex/utis/bibttools/demo.html
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utis/bibttools
on T _E XLive	bibttools
keyword	bibtex-util (utilities for managing BibTeX files)
keyword	collection (a collection of packages)
keyword	bibtex-supp (BibTeX citation support)

language(s)	no language specified
year	without year
last access	2025-02-07

712 *bibtopic* – Include multiple bibliographies in a document

Web page on CTAN <https://ctan.org/pkg/bibtopic>

name	<code>bibtopic</code>
caption	Include multiple bibliographies in a document
author	Ulrich, Stefan
author	Basso, Pierre
license	gpl = GNU General Public License (free)
version	1.1a
description	(no language specified) The package allows the user to include several bibliographies covering different ‘topics’ or bibliographic material into a document (e.g., one bibliography for primary literature and one for secondary literature). The package provides commands to include either all references from a <code>.bib</code> file, only the references actually cited or those not cited in your document. The user has to construct a separate <code>.bib</code> file for each bibliographic ‘topic’, each of which will be processed separately by BibTeX. If you want to have bibliographies specific to one part of a document, see the packages bibunits or chapterbib.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bibtopic/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bibtopic/bibtopic.pdf
– local file	<code>./1334129173-bibtopic.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bibtopic
on MikTeX	<code>bibtopic</code>
on TeXLive	<code>bibtopic</code>
keyword	<code>bibtex-multi</code> (multiple BibTeX bibliographies in a document)
keyword	<code>bibtex-supp</code> (BibTeX citation support)
language(s)	no language specified
year	without year

last access 2025-02-07

713 **bibtopicprefix** – Prefix references to bibliographies produced by **bibtopic**

Web page on CTAN <https://ctan.org/pkg/bibtopicprefix>

name	bibtopicprefix
caption	Prefix references to bibliographies produced by bibtopic
author	Schröder, Martin
copyright	Martin Schröder (2006)
license	lppl = The LaTeX Project Public License (free)
version	1.10
description	(no language specified) The package permits users to apply prefixes (fixed strings) to references to entries in bibliographies produced by the bibtopic package.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/bibtopicprefix/bibtopicprefix.pdf
– local file	./4423498642-bibtopicprefix.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bibtopicprefix
on MikTeX	bibtopicprefix
on T _E XLive	bibtopicprefix
keyword	bibtex-supp (BibTeX citation support)
keyword	bibtex-multi (multiple BibTeX bibliographies in a document)
language(s)	no language specified
year	2006
last access	2025-02-07

714 *bibunits* – Multiple bibliographies in one document

Web page on CTAN <https://ctan.org/pkg/bibunits>

name	<code>bibunits</code>
caption	Multiple bibliographies in one document
author	Fernández, José Alberto
author	Hansen, Thorsten
license	lppl = The LaTeX Project Public License (free)
version	2.2
description	(no language specified) The package provide a mechanism to generate separate bibliographies for different units (chapters, sections or <code>bibunit-environments</code>) of a text. The package separates the citations of each unit of text into a separate file to be processed by BibTeX. The global bibliography section produced by LaTeX may also appear in the document and citations can be placed in both the local unit and the global bibliographies at the same time. The package is compatible with koma-script and with the babel French option <code>frenchb</code>.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bibunits/bibunits.pdf
– local file	<code>./8348906504-bibunits.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bibunits/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bibunits
on MikTeX	<code>bibunits</code>
on TeXLive	<code>bibunits</code>
keyword	<code>bibtex-multi</code> (multiple BibTeX bibliographies in a document)
keyword	<code>bibtex-supp</code> (BibTeX citation support)
see also	see section 999 on page 908 : (<code>chapterbib</code> – Multiple bibliographies in a document)
see also	see section 712 on page 658 : (<code>bibtopic</code> – Include multiple bibliographies in a document)
language(s)	no language specified
year	without year
last access	2025-02-07

715 bibutils – A collection of bibliography format convertorsWeb page on CTAN <https://ctan.org/pkg/bibutils>

name	bibutils
caption	A collection of bibliography format convertors
author	Putnam, Chris
license	gpl = GNU General Public License (free)
version	6.6
description	(no language specified) The bibutils program set interconverts between various bibliography formats using a common MODS-format XML intermediate. For example, one can convert RIS-format files to BibTeX by doing two transformations: RIS->MODS->BibTeX. By using a common intermediate for N formats, only 2N programs are required and not N²-N. These programs operate on the command line and are styled after standard UNIX-like filters. The author reckons to use the tools at the command line, but they are suitable for scripting and have been incorporated into a number of different bibliographic projects.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/bibutils
keyword	bibtex-gen (derive BibTeX data from resources other than BibTeX libraries)
keyword	bibtex-util (utilities for managing BibTeX files)
language(s)	no language specified
year	without year
last access	2025-02-07

716 bibview – View BibTeX filesWeb page on CTAN <https://ctan.org/pkg/bibview>

name	bibview
caption	View BibTeX files
author	Jacobsen, Dana
license	noinfo = noinfo
version	0.2.2

description	(no language specified) An interactive Perl script that allows the user to load a BibTeX database, to search for entries matching particular fields only, and to view entries thus found.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/bibview
keyword	bibtex-util (utilities for managing BibTeX files)
language(s)	no language specified
year	without year
last access	2025-02-07

717 *bibview-x* – A visual manager for BibTeX files

Web page on CTAN <https://ctan.org/pkg/bibview-x>

name	bibview-x
caption	A visual manager for BibTeX files
author	Liebl, Armin
author	Urban, Michael
author	Martin, Holger
copyright	Technische Universität München (1992)
license	other-free = Free license not otherwise listed (free)
version	2.2
description	(no language specified) The program is a graphical interface for manipulating BibTeX databases, on X-windows systems. It supports the user in making new entries, searching for entries and moving entries from one database to another. It is possible to work with more than one database at a time.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/bibview-2.0/README
documentation	(no language specified) <i>Package man page</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/bibview-2.0/bibview.pdf
– local file	./2487356751-bibview.pdf
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/bibview-2.0
keyword	bibtex-util (utilities for managing BibTeX files)
see also	see section 716 on page 661: (bibview – View BibTeX files)
language(s)	no language specified

year 1992
last access 2025-02-07

718 *bibweb* – Automatically retrieve bibliography from MathSciNet

Web page on CTAN <https://ctan.org/pkg/bibweb>

name *bibweb*
caption Automatically retrieve bibliography from MathSciNet
author Palmieri, John H.
license gpl = GNU General Public License (free)
description (no language specified) A utility to automatically retrieve mathematical bibliographical information, in BibTeX format, from the American Mathematical Society's MathSciNet database. More precisely, it acts as a front-end to BibTeX; it converts any citations that BibTeX can't find into queries to the MathSciNet database, it carries out those queries, and returns the answers in BibTeX format. Included in the package are: the perl script *bibweb*, documentation (in various formats), and a test file.
documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/biblio/bibtex/utils/bibweb/bibweb.html>
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/biblio/bibtex/utils/bibweb/README>
on CTAN <https://ctan.org/tex-archive/biblio/bibtex/utils/bibweb>
keyword *bibtex-gen* (derive BibTeX data from resources other than BibTeX libraries)
language(s) no language specified
year without year
last access 2025-02-07

719 *bicaption* – Support for bilingual captions

Web page on CTAN <https://ctan.org/pkg/bicaption>

name *bicaption*
caption Support for bilingual captions
author Sommerfeldt, Axel
copyright Axel Sommerfeldt (2010-2023)

license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.6 (2023-07-10)
last changes	2023-07-10
year	2023
description	(no language specified) The package enables pairs of captions (in different languages), with control of other options similar to that provided by the caption package. Languages to be used are selected using babel . The package is distributed with caption .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/caption/bicaption.pdf
– local file	./7576157201-bicaption.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/caption
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/caption.tds.zip
on T _E XLive	caption
keyword	caption (typesetting captions)
language(s)	no language specified
last access	2025-02-11

720 bickham – Virtual fonts for Adobe Bickham Script Pro

Web page on CTAN <https://ctan.org/pkg/bickham>

name	bickham
caption	Virtual fonts for Adobe Bickham Script Pro
author	Sharpe, Michael
copyright	Michael Sharpe (2011)
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) The bundle provides virtual fonts and LaTeX support files for Adobe Bickham Script Pro as a math calligraphic font in regular and bold weights. The most recent version of mathalpha offers support for these virtual fonts.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/bickham/bickham-doc.pdf

– local file	<code>./8172180023-bickham-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/bickham/README
on CTAN	https://ctan.org/tex-archive/fonts/bickham
installation	https://ctan.org/tex-archive/install/fonts/bickham.tds.zip
on MikTeX	bickham
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	2011
last access	2025-02-07

721 *bid*i – Bidirectional typesetting in plain TeX and LaTeX, using XeTeX or LuaTeX

Web page on CTAN	https://ctan.org/pkg/bidi
name	<i>bid</i> i
caption	Bidirectional typesetting in plain TeX and LaTeX, using XeTeX or LuaTeX
author	Khalighi, Vafa
author	bidi-tex GitHub Organisation
copyright	bidi-tex GitHub Organisation (2018-2020)
copyright	Vafa Khalighi (2007-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	25.09.11
description	(no language specified) A convenient interface for typesetting bidirectional texts with plain TeX and LaTeX, using XeTeX or LuaTeX. The package includes adaptations for use with many other commonly-used packages.
documentation	(no language specified) <i>Package source documentation</i> : https://ctan.org/tex-archive/macros/unicodetex/generic/bidi/bidi.pdf
– local file	<code>./2206516239-bidi.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/unicodetex/generic/bidi/README
documentation	(no language specified) <i>Package user documentation</i> : https://ctan.org/tex-archive/macros/unicodetex/generic/bidi/bidi-doc.pdf
– local file	<code>./7451956087-bidi-doc.pdf</code>

home page	https://github.com/xepersian
contact	<i>bugs:</i> https://github.com/xepersian/bidi/issues
contact	<i>repository:</i> https://github.com/xepersian/bidi
contact	<i>development:</i> https://github.com/sponsors/xepersian
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/generic/bidi
installation	https://ctan.org/tex-archive/install/macros/unicodetex/generic/bidi.tds.zip
on MikTeX	bidi
on T _E XLive	bidi
keyword	class (alternative LaTeX class(es))
keyword	bidi (support bidirectional typesetting)
keyword	typesetting (support for variations of typographic style)
language(s)	no language specified
year	2025
last access	2025-09-11

722 *bidi-atbegshi* – Bidi-aware shipout macros

Web page on CTAN	https://ctan.org/pkg/bidi-atbegshi
name	bidi-atbegshi
caption	Bidi-aware shipout macros
author	Khalighi, Vafa
author	bidi-tex GitHub Organisation
copyright	Vafa Khalighi (2014-2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2 (2022-02-14)
last changes	2022-02-14
year	2022

description	(no language specified) The package adds some commands to the atbegshi package for proper placement of background material in the left and right corners of the output page, in both LTR and RTL modes. The package only works with <code>xelatex</code> format and should be loaded before the bid package.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/xetex/latex/bidi-atbegshi/bidi-atbegshi-doc.pdf
– local file	<code>./8566727869-bidi-atbegshi-doc.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/xetex/latex/bidi-atbegshi/README
contact	<i>bugs:</i> https://github.com/tex-persian/bidi-atbegshi/issues
contact	<i>repository:</i> https://github.com/tex-persian/bidi-atbegshi
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/bidi-atbegshi
on MikTeX	<code>bidi-atbegshi</code>
on TeXLive	<code>bidi-atbegshi</code>
keyword	<code>bidi</code> (support bidirectional typesetting)
keyword	<code>xetex</code> (XeTeX, material supporting it, and packages requiring it)
language(s)	no language specified
last access	2025-02-11

723 bidicontour – Bidi-aware coloured contour around text

Web page on CTAN	https://ctan.org/pkg/bidicontour
name	<code>bidicontour</code>
caption	Bidi-aware coloured contour around text
author	Khalighi, Vafa
author	bidi-tex GitHub Organisation
copyright	Vafa Khalighi (2014)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2 (2014-07-16)
last changes	2014-07-16
year	2014

description	(no language specified) The package is a re-implementation of the contour package, making it bidi-aware, and adding support of the <code>xdvipdfmx</code> (when the <code>outline</code> option of the package is used).
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/xetex/latex/bidicontour/bidicontour-doc.pdf
– local file	<code>./1441797679-bidicontour-doc.pdf</code>
contact	<i>bugs:</i> https://github.com/bidi-tex/bidicontour/issues
contact	<i>repository:</i> https://github.com/bidi-tex/bidicontour
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/bidicontour
on MikTeX	<code>bidicontour</code>
on T _E XLive	<code>bidicontour</code>
keyword	<code>decoration</code> (highlighting typeset material, fancy frames, watermarks, etc.)
keyword	<code>colour</code> (typesetting in colour)
language(s)	no language specified
last access	2025-02-07

724 *bidihl* – Experimental bidi-aware text highlighting

Web page on CTAN <https://ctan.org/pkg/bidihl>

name	<code>bidihl</code>
caption	Experimental bidi-aware text highlighting
author	bidi-tex GitHub Organisation
author	Khalighi, Vafa
copyright	Vafa Khalighi (2015)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1c
description	(no language specified) Experimental bidi-aware text highlighting.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/xetex/latex/bidihl/bidihl-doc.pdf
– local file	<code>./3610216350-bidihl-doc.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/xetex/latex/bidihl/README

725 *bidipagegrid* – Bidi-aware page grid in background

contact	<i>bugs:</i> https://github.com/bidi-tex/bidihl/issues
contact	<i>repository:</i> https://github.com/bidi-tex/bidihl
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/bidihl
on MikTeX	bidihl
on T _E XLive	bidihl
keyword	bidi (support bidirectional typesetting)
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
see also	see section 721 on page 665: (bidi – Bidirectional typesetting in plain TeX and LaTeX, using XeTeX or LuaTeX)
language(s)	no language specified
year	2015
last access	2025-02-09

725 *bidipagegrid* – Bidi-aware page grid in background

Web page on CTAN <https://ctan.org/pkg/bidipagegrid>

name	bidipagegrid
caption	Bidi-aware page grid in background
author	Khalighi, Vafa
author	bidi-tex GitHub Organisation
copyright	Vafa Khalighi (2014)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2 (2014-07-16)
last changes	2014-07-16
year	2014
description	(no language specified) The package is based on pagegrid .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/xetex/latex/bidipagegrid/bidipagegrid-doc.pdf
– local file	./2041114123-bidipagegrid-doc.pdf
documentation	(no language specified) <i>README:</i> https://ctan.org/tex-archive/macros/xetex/latex/bidipagegrid/README
contact	<i>bugs:</i> https://github.com/bidi-tex/bidipagegrid/issues

contact	<i>repository:</i> https://github.com/bidi-tex/bidipagegrid
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/bidipagegrid
on MikTeX	bidipagegrid
on TeXLive	bidipagegrid
keyword	background (decorate/confuse text by adding a background)
keyword	bidi (support bidirectional typesetting)
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
keyword	layout-show (display details of page layout)
language(s)	no language specified
last access	2025-02-09

726 bidipresentation – Experimental bidi presentation

Web page on CTAN <https://ctan.org/pkg/bidipresentation>

name	bidipresentation
caption	Experimental bidi presentation
author	Khalighi, Vafa
author	bidi-tex GitHub Organisation
copyright	Vafa Khalighi (2009–2014)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.3 (2014-09-26)
last changes	2014-09-26
year	2014
description	(no language specified) A great portion of the code is borrowed from the texpower bundle, with modifications to get things working properly in both right to left and left to right modes.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/xetex/latex/bidipresentation/README
documentation	(no language specified) <i>Sample presentation:</i> https://ctan.org/tex-archive/macros/xetex/latex/bidipresentation/sample.pdf
– local file	./1366880995-sample.pdf
contact	<i>bugs:</i> https://github.com/bidi-tex/bidipresentation/issues

contact	<i>repository:</i> https://github.com/bidi-tex/bidipresentation
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/bidipresentation
on MikTeX	bidipresentation
on TeXLive	bidipresentation
keyword	presentation (slides, beamers, handouts, etc.)
keyword	bidi (support bidirectional typesetting)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-07

727 *bidishadowtext* – Bidi-aware shadow text

Web page on CTAN <https://ctan.org/pkg/bidishadowtext>

name	bidishadowtext
caption	Bidi-aware shadow text
author	Khalighi, Vafa
author	bidi-tex GitHub Organisation
copyright	Vafa Khalighi (2014)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1 (2014-07-16)
last changes	2014-07-16
year	2014
description	(no language specified) This package allows you to typeset bidi-aware shadow text. It is a re-implementation of the <i>shadowtext</i> package adding bidi support.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/xetex/latex/bidishadowtext/bidishadowtext-doc.pdf
– local file	./1256237350-bidishadowtext-doc.pdf
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/xetex/latex/bidishadowtext/bidishadowtext-demo.pdf
– local file	./7068223083-bidishadowtext-demo.pdf
contact	<i>bugs:</i> https://github.com/bidi-tex/bidishadowtext/issues

728 *bidstobibtex* – Convert *BIDS* returns to *BibTeX*

contact	repository: https://github.com/bidi-tex/bidishadowtext
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/bidishadowtext
on MikTeX	bidishadowtext
on TeXLive	bidishadowtext
keyword	bidirectional (support bidirectional typesetting)
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
language(s)	no language specified
last access	2025-02-09

728 *bidstobibtex* – Convert *BIDS* returns to *BibTeX*

Web page on CTAN <https://ctan.org/pkg/bidstobibtex>

name	bidstobibtex
caption	Convert BIDS returns to BibTeX
author	Stone, Anthony
license	noinfo = noinfo
version	(1998-01-29)
last changes	1998-01-29
year	1998
description	(no language specified) A Perl script that takes input from a BIDS email message (generated by BIDS in its downloading format) to BibTeX.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/bids/bids.to.bibtex
keyword	bibtex-gen (derive BibTeX data from resources other than BibTeX libraries)
language(s)	no language specified
last access	2025-02-07

729 bigdelim – Big delimiters in tabular or array

Web page on CTAN <https://ctan.org/pkg/bigdelim>

name	bigdelim
caption	Big delimiters in tabular or array
author	van Oostrum, Pieter
copyright	Jerry Leichter (1994)
copyright	Pieter van Oostrum (2016-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.9 (2024-11-12)
last changes	2024-11-12
year	2024
description	(no language specified) The commands <code>\ldelim</code> and <code>\rdelim</code> may be used to place multi-row delimiters inside a tabular or array, in cooperation with the multirow package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/multirow/multirow.pdf
– local file	<code>./9746369910-multirow.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/multirow/README
contact	<i>bugs</i> : https://github.com/pietvo/multirow/issues
contact	<i>repository</i> : https://github.com/pietvo/multirow
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/multirow
on MikTeX	multirow
on TeXLive	multirow
keyword	table (table typesetting)
see also	see section 734 on page 677 : (<code>bigstrut</code> – Struts for opening up tabular spacing)
see also	see section 4131 on page 3738 : (<code>multirow</code> – Create tabular cells spanning multiple rows)
language(s)	no language specified
last access	2025-02-07

730 bigfoot – Footnotes for critical editions

Web page on CTAN <https://ctan.org/pkg/bigfoot>

name	bigfoot
caption	Footnotes for critical editions
author	Kastrup, David
license	gpl2 = GNU General Public License, version 2 (free)
version	2.1 (2015-08-30)
last changes	2015-08-30
year	2015
description	(no language specified) The package aims to provide a ‘one-stop’ solution to requirements for footnotes. It offers: • Multiple footnote apparatus superior to that of manyfoot • Footnotes can be formatted in separate paragraphs, or be run into a single paragraph (this choice may be selected per footnote series); • Things you might have expected (such as <code>\verb</code>-like material in footnotes, and colour selections over page breaks) now work.

Note that the majority of the bigfoot package’s interface is identical to that of [manyfoot](#); users should seek information from that package’s documentation.

The bigfoot bundle also provides the [perpage](#) and [suffix](#) packages.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bigfoot/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bigfoot/bigfoot.pdf
– local file	<code>./4167235240-bigfoot.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bigfoot
on MikTeX	bigfoot
on TeXLive	bigfoot
keyword	footnote (footnote support)
language(s)	no language specified
last access	2025-02-07

731 *bigintcalc* – Integer calculations on very large numbers

Web page on CTAN <https://ctan.org/pkg/bigintcalc>

name	<code>bigintcalc</code>
caption	Integer calculations on very large numbers
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2007, 2011, 2012)
copyright	Oberdiek Package Support Group (2016-2019)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.5 (2019-12-15)
last changes	2019-12-15
year	2019
description	(no language specified) This package provides expandable arithmetic operations with big integers that can exceed TeX's number limits.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/bigintcalc/bigintcalc.pdf
– local file	<code>./2073127678-bigintcalc.pdf</code>
contact	<i>bugs:</i> https://github.com/ho-tex/bigintcalc/issues
contact	<i>repository:</i> https://github.com/ho-tex/bigintcalc
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bigintcalc
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/bigintcalc.tds.zip
on MikTeX	<code>bigintcalc</code>
on TeXLive	<code>bigintcalc</code>
keyword	calculation (perform calculations within TeX)
keyword	arithmetic (perform and typeset arithmetic problems)
language(s)	no language specified
last access	2025-02-07

732 *bigints* – Writing big integrals

Web page on CTAN <https://ctan.org/pkg/bigints>

name	<code>bigints</code>
caption	Writing big integrals
author	Merciadri, Luca
license	lppl = The LaTeX Project Public License (free)
version	(2010-02-25)
last changes	2010-02-25
year	2010
description	(no language specified) The package provides facilities for drawing big integral signs when needed. An example would be when the integrand is a matrix.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bigints/doc/pdf/bigints.pdf
– local file	<code>./8003048669-bigints.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bigints/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bigints
on MikTeX	<code>bigints</code>
on T _E XLive	<code>bigints</code>
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

733 *bigsign* – Making "big signs" (mini-posters)

Web page on CTAN <https://ctan.org/pkg/bigsign>

name	<code>bigsign</code>
caption	Making "big signs" (mini-posters)
author	Lingnau, Anselm
copyright	Anselm Lingnau (1992)
license	nosell = Do Not Sell Except by Arrangement (not free)

734 *bigstrut* – Struts for opening up tabular spacing

version	1.0a
description	(no language specified) A simple document style to provide direction signs for use at an ‘open day’; requires portland .
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex209/contrib/bigsign/README
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/bigsign
keyword	poster (typeset posters, etc.)
language(s)	no language specified
year	1992
last access	2025-02-07

734 **bigstrut** – Struts for opening up tabular spacing

Web page on CTAN <https://ctan.org/pkg/bigstrut>

name	bigstrut
caption	Struts for opening up tabular spacing
author	van Oostrum, Pieter
copyright	Jerry Leichter (1994)
copyright	Pieter van Oostrum (2016-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.9 (2024-11-12)
last changes	2024-11-12
year	2024
description	(no language specified) <code>\bigstrut</code> produces a strut which is <code>\bigstrutjot</code> higher, lower, or both, than the standard array/table strut. Use it in table entries that are adjacent to an <code>\hline</code> , to leave an extra bit of space. Note that the tabls package does the job automatically, and the booktabs package has a completely different mechanism for dealing with the problem, which obviates the need for manual adjustment.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/multirow/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/multirow/multirow.pdf
– local file	<code>./9746369910-multirow.pdf</code>

contact	<i>bugs</i> : https://github.com/pietvo/multirow/issues
contact	<i>repository</i> : https://github.com/pietvo/multirow
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/multirow
on MikTeX	multirow
on T _E XLive	multirow
keyword	table (table typesetting)
see also	see section 5817 on page 5270: (tbls – Better vertical spacing in tables and arrays)
see also	see section 4131 on page 3738: (multirow – Create tabular cells spanning multiple rows)
language(s)	no language specified
last access	2025-02-07

735 bigtable – Multi-page tables in Plain TeX

Web page on CTAN <https://ctan.org/pkg/bigtable>

name	bigtable
caption	Multi-page tables in Plain TeX
author	Mathas, Andrew
author	Howlett, Bob
license	noinfo = noinfo
version	(1992-08-27)
last changes	1992-08-27
year	1992
description	(no language specified) The macros provide a means of typesetting very large tables, without consuming too much memory.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/btable.sty
keyword	table-long (typeset tables that may be too big for a page)
keyword	table (table typesetting)
see also	see section 5752 on page 5213: (supertabular – A multi-page tables package)

see also	see section 3524 on page 3187: (<code>longtable</code> – Allow tables to flow over page boundaries)
language(s)	no language specified
last access	2025-02-07

736 *bigtabular* – Tabulars that can split at page boundaries

Web page on CTAN <https://ctan.org/pkg/bigtabular>

name	<code>bigtabular</code>
caption	Tabulars that can split at page boundaries
author	Duchier, Denys
license	<code>noinfo = noinfo</code>
version	(1993-04-02)
last changes	1993-04-02
year	1993
description	(no language specified) Defines a <code>Tabular</code> environment, which is (in effect) a <code>tabular*</code> environment that can split across pages. The major distinction is that <code>\Tabular</code> doesn't take an optional argument. It behaves much like <code>\begin{tabular*}{\linewidth}{\Tabularleftskip and \Tabularrightskip}</code> used as the stretchable glue on either side. The package feels as if it were a predecessor of the current LaTeX longtable package.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/bigtabular.sty
keyword	<code>table</code> (table typesetting)
keyword	<code>table-long</code> (typeset tables that may be too big for a page)
see also	see section 5752 on page 5213: (<code>supertabular</code> – A multi-page tables package)
language(s)	no language specified
last access	2025-02-07

737 biihead – Underlined page headings

Web page on CTAN <https://ctan.org/pkg/biihead>

name	biihead
caption	Underlined page headings
author	Shapin, Ted
license	noinfo = noinfo
version	(1986-12-17)
last changes	1986-12-17
year	1986
description	(no language specified) Defines a <code>\pagestyle{biiheadings}</code> in which the heading is underlined, and contains chapter and section numbers and titles. (Thus, of course, it only works in <code>report</code> and <code>book</code> classes. The package was written for LaTeX 2.09, presumably before the fancyheadings family had become available.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/biihead.sty
keyword	page-hf (page head- and foot-lines)
language(s)	no language specified
last access	2025-02-07

738 bilingualpages – Typeset two columns in parallel

Web page on CTAN <https://ctan.org/pkg/bilingualpages>

name	bilingualpages
caption	Typeset two columns in parallel
author	Coles, Arlie
copyright	Arlie Coles (2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.0 (2021-06-19)
last changes	2021-06-19
year	2021
description	(no language specified) This is a simple wrapper for the paracol package for setting two-column parallel text.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bilingualpages/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bilingualpages
on MikTeX	bilingualpages
on T _E XLive	bilingualpages
keyword	parallel (parallel columns)
language(s)	no language specified
last access	2025-02-07

739 *binarytree* – Drawing binary trees using TikZ

Web page on CTAN	https://ctan.org/pkg/binarytree
name	binarytree
caption	Drawing binary trees using TikZ
author	Nikolova, Aleksandrina
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.01 (2016-07-25)
last changes	2016-07-25
year	2016
description	(no language specified) This package provides an easy but flexible way to draw binary trees using TikZ. A path specification and the setting of various options determine the style for each edge of the tree. There is support for the external library of TikZ which does not affect externalization of the rest of the TikZ figures in the document. There is an option to use automatic file naming: useful if the trees are often moved around.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/graphics/pgf/contrib/binarytree/binarytree.pdf
– local file	./6716344631-binarytree.pdf
documentation	(no language specified) <i>README</i>: https://ctan.org/tex-archive/graphics/pgf/contrib/binarytree/README
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/binarytree

on MikTeX	binarytree
on T _E XLive	binarytree
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
keyword	tree (mechanisms for drawing trees)
language(s)	no language specified
last access	2025-08-30

740 binhex – Convert numbers into binary, octal and hexadecimal

Web page on CTAN <https://ctan.org/pkg/binhex>

name	binhex
caption	Convert numbers into binary, octal and hexadecimal
author	Kastrup, David
copyright	David Kastrup (2001)
license	other-free = Free license not otherwise listed (free)
description	(no language specified) Provides expandable macros for both fixed-width and minimum-width numbers to bases 2, 4, 8 and 16.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/kastrup/binhex.pdf
– local file	./8934308979-binhex.pdf
on CTAN	https://ctan.org/tex-archive/macros/generic/kastrup
on MikTeX	binhex
on T _E XLive	kastrup
keyword	numbers (formatting numbers, etc)
language(s)	no language specified
year	2001
last access	2025-08-30

741 binomexp – Calculate Pascal’s triangleWeb page on CTAN <https://ctan.org/pkg/binomexp>

name	binomexp
caption	Calculate Pascal’s triangle
author	Roderick, David
copyright	David Roderick (2007)
license	lpl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package calculates and prints rows of Pascal’s triangle. It may be used: • simply to print successive rows of the triangle, or • to print the rows inside an array or tabular.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/binomexp/binomexp.pdf
– local file	<code>./7618150619-binomexp.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/binomexp/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/binomexp
on MikTeX	binomexp
on T _E XLive	binomexp
keyword	calculation (perform calculations within TeX)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	2007
last access	2025-02-07

742 **biochemistry-colors** – Colors used to display amino acids, nucleotides, sugars or atoms in biochemistry

Web page on CTAN <https://ctan.org/pkg/biochemistry-colors>

name	biochemistry-colors
caption	Colors used to display amino acids, nucleotides, sugars or atoms in biochemistry
author	Buxbaum, Engelbert
copyright	Dr Engelbert Buxbaum (2017)
license	gpl = GNU General Public License (free)
license	lppl = The LaTeX Project Public License (free)
version	1.00 (2017-04-20)
last changes	2017-04-20
year	2017
description	(no language specified) <code>Biochemistry-colors.sty</code> defines the standard colors of biochemistry for use with the <code>color</code> package and the <code>xcolor</code> package. <code>xcolor</code> is loaded by <code>Biochemistry-colors.sty</code>. Colors include: • Shapely-colors for amino acids and nucleotides. • CPK-Colors (Corey, Pauling and Koltun) of elements. • Jmol-colors of elements, important isotopes and structures. • Glycopedia colors for sugars.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biochemistry-colors/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/biochemistry-colors/Biochemistry-colors.pdf
– local file	./2521594190-Biochemistry-colors.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biochemistry-colors
on MikTeX	biochemistry-colors
on TeXLive	biochemistry-colors
keyword	colour (typesetting in colour)
see also	see section 1412 on page 1276: (<code>css-colors</code> – Named colors for web-safe design)

language(s) no language specified
last access 2025-02-07

743 biocon – Typesetting biological species names

Web page on CTAN <https://ctan.org/pkg/biocon>

name *biocon*

caption Typesetting biological species names

author Edelman, Pieter

license gpl = GNU General Public License (free)

description (no language specified) The *biocon*—biological conventions—package aids the typesetting of some biological conventions.

At the moment, it makes a good job of typesetting species names (and ranks below the species level). A distinction is made between the Plant, Fungi, Animalia and Bacteria kingdoms. There are default settings for the way species names are typeset, but they can be customized. Different default styles are used in different situations.

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/biocon/manual.pdf>

– local file ./1765557109-manual.pdf

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/biocon/README>

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/biocon>

on MikTeX *biocon*

on T_EXLive *biocon*

keyword biology (typeset biological data)

language(s) no language specified

year without year

last access 2025-02-07

744 biokey – Flexible identification key tables in LaTeX

Web page on CTAN <https://ctan.org/pkg/biokey>

name	biokey
caption	Flexible identification key tables in LaTeX
author	Shipunov, Alexey
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.11
description	(no language specified) The package provides straightforward macros to typeset sets of biological identification keys. Layout is flexible, and the macros will be useful in other disciplines. The package is part of the shipunov bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/shipunov/doc/biokey-doc-en.pdf
– local file	./5555810108-biokey-doc-en.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/shipunov
on MikTeX	shipunov
keyword	biology (typeset biological data)
language(s)	no language specified
year	without year
last access	2025-02-07

745 biolett-bst – A BibTeX style for the journal “Biology Letters”

Web page on CTAN <https://ctan.org/pkg/biolett-bst>

name	biolett-bst
caption	A BibTeX style for the journal “Biology Letters”
author	DeSouza, Og
license	lppl1 = The LaTeX Project Public License 1 (free)
version	(2016-10-05)
last changes	2016-10-05
year	2016

description	(no language specified) This package provides a BibTeX style (<code>.bst</code>) file for the journal "Biology Letters" published by the Royal Society . This style was produced independently and hence has no formal approval from the Royal Society.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/biolett-bst/README.txt
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/biolett-bst
on MikTeX	biolett-bst
on T _E XLive	biolett-bst
keyword	bibtex-sty (bibtex-sty(unknown))
keyword	biology (typeset biological data)
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
last access	2025-02-07

746 *biolinum-type1* – (pdf)LaTeX support for the *Biolinum* family of fonts

Web page on CTAN	https://ctan.org/pkg/biolinum-type1
name	biolinum-type1
caption	(pdf)LaTeX support for the <i>Biolinum</i> family of fonts
author	Tennent, Bob
license	lppl = The LaTeX Project Public License (free)
version	5.3.0
description	(no language specified) The package (and the companion libertine-type1 package of serif fonts) replaced the libertine-legacy bundle. However, the packages do not provide the range of font shapes available with libertine-legacy . The package is now superseded by the author's libertine font package. autoinst script.
documentation	(no language specified) <i>Samples</i> : https://ctan.org/tex-archive/obsolete/fonts/biolinum-type1/doc/samples.pdf
– local file	<code>./3216722377-samples.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/fonts/biolinum-type1/README

on CTAN	https://ctan.org/tex-archive/obsolete/fonts/biolinum-type1
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
keyword	obsolete (package declared obsolete)
keyword	font-sans (sans-serif font)
see also	see section 3423 on page 3089: (<code>libertineotf</code> – Linux Libertine fonts for use with Lua(La)TeX and Xe(La)TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

747 *biolist* – List observed species

Web page on CTAN	https://ctan.org/pkg/biolist
name	<code>biolist</code>
caption	List observed species
author	Shipunov, Alexey
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1
description	(no language specified) Pretty formatting of species lists of flora and fauna. The package is part of the shipunov bundle.
documentation	<i>Readme (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/shipunov/doc/README
documentation	<i>Example use (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/shipunov/doc/biolist-ex-en.pdf
– local file	<code>./9092183982-biolist-ex-en.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/shipunov/tex/biolist.sty
on MikTeX	<code>shipunov</code>
on T _E XLive	<code>shipunov</code>
keyword	botany (typeset botanical data)
keyword	biology (typeset biological data)

language(s) English
 year without year
 last access 2025-02-07

748 **birkhaeuser** – Style for Birkhaeuser books, conference proceedings, etc

Web page on CTAN <https://ctan.org/pkg/birkhaeuser>

name Birkhaeuser
 caption Style for Birkhaeuser books, conference proceedings, etc
 author Balemi, Silvano
 copyright Birkhäuser Verlag Basel (1993)
 license noinfo = noinfo
 version (1993-05-14)
 last changes 1993-05-14
 year 1993
 description (no language specified) The package provides a LaTeX 2.09 style option.
 on CTAN <https://ctan.org/tex-archive/macros/latex209/contrib/birkhaeuser>
 keyword publisher (prepare documents for a specific publisher)
 language(s) no language specified
 last access 2025-02-07

749 **bit2spr** – Convert bitmaps to "sprites"

Web page on CTAN <https://ctan.org/pkg/bit2spr>

name bit2spr
 caption Convert bitmaps to "sprites"
 author Rovner, Marc David
 license noinfo = noinfo
 version (1992-06-07)
 last changes 1992-06-07
 year 1992

description	(no language specified) This simple program converts bitmaps in X-bitmap format to the format used by the sprite package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/bit2spr/README
on CTAN	https://ctan.org/tex-archive/graphics/bit2spr
keyword	graphics-prep (prepare graphics for use with *TeX)
language(s)	no language specified
last access	2025-02-07

750 bitelist – Split list, in TeX’s mouth

Web page on CTAN <https://ctan.org/pkg/bitelist>

name	bitelist
caption	Split list, in TeX’s mouth
author	Lück, Uwe
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1
description	(no language specified) The package provides commands for ”splitting” a token list at the first occurrence of another (specified) token list. I.e., for given token lists s, t return b and the shortest a, such that $t = a s b$. The package’s mechanism differs from those of packages providing similar features, in the following ways: • the method uses TeX’s mechanism of reading delimited macro parameters; • splitting macros work by pure expansion, without assignments; • the operation is carried out in a single macro call. A variant of the operation is provided, that retains outer braces.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/bitelist/bitelist.pdf
– local file	./7051268628-bitelist.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/bitelist/README
contact	<i>support</i> : http://www.webdesign-bu.de/uwe_lueck/contact.html
on CTAN	https://ctan.org/tex-archive/macros/generic/bitelist

751 *bitfield* – Draw bit field data structure diagrams (obsolete)

installation	https://ctan.org/tex-archive/install/macros/generic/bitelist.tds.zip
on MikTeX	bitelist
on T _E XLive	bitelist
keyword	macro-supp (support for development of (La)TeX macros)
keyword	text-manip (manipulate strings (typically in token lists))
see also	see section 6849 on page 6182: (xstring – String manipulation for (La)TeX)
see also	see section 1484 on page 1343: (datatool – Tools to load and manipulate data)
see also	see section 5952 on page 5388: (texapi – Macros to write format-independent packages)
see also	see section 5872 on page 5317: (ted – A (primitive) token list editor)
see also	see section 5713 on page 5177: (stringstrings – String manipulation for cosmetic and programming application)
language(s)	no language specified
year	without year
last access	2025-02-07

751 *bitfield* – Draw bit field data structure diagrams (obsolete)

Web page on CTAN	https://ctan.org/pkg/bitfield
name	bitfield
caption	Draw bit field data structure diagrams (obsolete)
author	Thomas, Reuben
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Use of this package is no longer recommended, since all its facilities are now better provided by the <i>bytefield</i> package.
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/bitfield
keyword	obsolete (package declared obsolete)
keyword	comp-sci (typeset computer-science related material)
keyword	engineering (typesetting associated with engineering of whatever sort)
keyword	comp-net (typeset computer network concepts)
language(s)	no language specified

year without year
last access 2025-02-07

752 bithesis – Templates for the Beijing Institute of Technology

Web page on CTAN <https://ctan.org/pkg/bithesis>

name `bithesis`
caption Templates for the Beijing Institute of Technology
author Kaiyu, Feng
copyright Bit Network Pioneer et al. (2023-2025)
license lpl1.3c = The LaTeX Project Public License 1.3c (free)
version 3.8.1 (2025-01-03)
last changes 2025-01-03
year 2025
description (no language specified) This package establishes a simple and easy-to-use LaTeX template for Beijing Institute of Technology dissertations, including general undergraduate theses and master theses.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/unicodetex/latex/bithesis/README.md>
documentation (Chinese) *Package documentation*: <https://ctan.org/tex-archive/macros/unicodetex/latex/bithesis/bithesis.pdf>
– local file `./2219928321-bithesis.pdf`
home page <https://bithesis.bitnp.net>
contact *support*: <https://github.com/BITNP/BIThesis/discussions>
contact *announce*: <https://github.com/BITNP/BIThesis/releases>
contact *bugs*: <https://github.com/BITNP/BIThesis/issues>
contact *repository*: <https://github.com/BITNP/BIThesis>
on CTAN <https://ctan.org/tex-archive/macros/unicodetex/latex/bithesis>
on MikTeX `bithesis`
on T_EXLive `bithesis`
keyword `dissertation` (typesetting dissertations, theses, etc.)
keyword `chinese` (support for typesetting Chinese languages)

keyword	expl3 (expl3(unknown))
keyword	class (alternative LaTeX class(es))
keyword	doc-templ (template to guide document development)
language(s)	Chinese
last access	2025-02-07

753 bitpattern – Typeset bit pattern diagrams

Web page on CTAN <https://ctan.org/pkg/bitpattern>

name	bitpattern
caption	Typeset bit pattern diagrams
author	Bourguet, Jean-Marc
license	lppl = The LaTeX Project Public License (free)
version	(2015-12-11)
last changes	2015-12-11
year	2015
description	(no language specified) A package to typeset bit pattern diagrams such as those used to describe hardware, data format or protocols.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bitpattern/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bitpattern/bitpattern.pdf
– local file	./8158380347-bitpattern.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bitpattern
on MikTeX	bitpattern
on T _E XLive	bitpattern
keyword	comp-net (typeset computer network concepts)
keyword	comp-sci (typeset computer-science related material)
keyword	engineering (typesetting associated with engineering of whatever sort)
language(s)	no language specified
last access	2025-02-07

754 bits – Sub-document environments in LaTeX

Web page on CTAN <https://ctan.org/pkg/bits>

name	bits
caption	Sub-document environments in LaTeX
author	Swift, Matt
license	gpl = GNU General Public License (free)
version	1.2
description	(no language specified) A LaTeX package that provides a programmer's interface for a new idea called a "bit", which is like an environment but has a title, author, and other attributes usually only associated with the document environment. The package is not supported, and is distributed as one of the frankenstein bundle's 'appendices'.
documentation	(no language specified) <i>Bundle README</i>: https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/unsupported/README-unsupported
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/unsupported/bits.pdf
– local file	./3129293096-bits.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/unsupported
on MikTeX	frankenstein
keyword	quotation-mgmt (organisation of displayed text)
language(s)	no language specified
year	without year
last access	2025-02-07

755 *bitset* – Handle bit-vector datatype

Web page on CTAN <https://ctan.org/pkg/bitset>

name	bitset
caption	Handle bit-vector datatype
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2007, 2011)
copyright	Oberdiek Package Support Group (2016-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3 (2019-12-09)
last changes	2019-12-09
year	2019
description	(no language specified) This package defines and implements the data type bit set, a vector of bits. The size of the vector may grow dynamically. Individual bits can be manipulated.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/bitset/bitset.pdf
– local file	<code>./3218710291-bitset.pdf</code>
contact	<i>bugs:</i> https://github.com/ho-tex/bitset/issues
contact	<i>repository:</i> https://github.com/ho-tex/bitset
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bitset
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/bitset.tds.zip
on MikTeX	bitset
on TeXLive	bitset
keyword	data-manip (manipulate data within TeX)
language(s)	no language specified
last access	2025-02-07

756 bitstrea – Support for use of Bitstream fontsWeb page on CTAN <https://ctan.org/pkg/bitstrea>

name bitstrea

caption Support for use of Bitstream fonts

license noinfo = noinfo

description (no language specified) Font metrics, dvips maps, and macro support in LaTeX2e, for Bitstream fonts that were (allegedly) freely available at some time. All the fonts are listed for purchase on font distribution sites.

Font families supported are:

- Bitstream Charter;
- Caslon 540 and Caslon Openface;
- Courier 10 Pitch;
- De Vinne Text;
- Elegant Garamond, otherwise known as Granjon;
- Humanist 521, otherwise known as Gill Sans;
- ‘Melior’, otherwise known as Zapf Elliptical 711;
- Optima, otherwise known as Zapf Humanist 601;
- Modern 735, based on Bodoni Campanile;
- Modern No.20;
- Palatino, otherwise known as Zapf Calligraphic 801;
- Peignot, otherwise known as Exotic 350 Bold;
- Plantin, otherwise known as Aldine 721;
- Stempel Garamond, otherwise known as Original Garamond;
- Schneidler;
- Univers, otherwise known as Zurich.

on CTAN <https://ctan.org/tex-archive/fonts/psfonts/bitstrea>

keyword font-supp (metrics, macro incantations and other font support)

language(s) no language specified

year without year

last access 2025-02-07

757 bitter – The Bitter family of fonts with LaTeX supportWeb page on CTAN <https://ctan.org/pkg/bitter>

name	bitter
caption	The Bitter family of fonts with LaTeX support
author	Tennent, Bob
license	ofl = The SIL Open Font License (free)
license	lppl = The LaTeX Project Public License (free)
version	(2023-07-10)
last changes	2023-07-10
year	2023
description	(no language specified) This package provides LaTeX, pdfLaTeX, XeLaTeX, and LuaLaTeX support for the Bitter family of fonts, designed by Sol Matas for Huerta Tipografica. Bitter is a contemporary slab-serif typeface for text. There are regular and bold weights and an italic, but no bold italic.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/bitter/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/bitter/doc/bitter-samples.pdf
– local file	./4219635785-bitter-samples.pdf
home page	https://fonts.google.com/specimen/Bitter
on CTAN	https://ctan.org/tex-archive/fonts/bitter
installation	https://ctan.org/tex-archive/install/fonts/bitter.tds.zip
on MikTeX	bitter
on TeXLive	bitter
keyword	font (fonts themselves)
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-serif (serif font)
keyword	font-proportional (variable-spaced font)
keyword	font-ttf (font available in TrueType format)

keyword `font-t1enc` (font providing LaTeX T1 encoding support)
 language(s) no language specified
 last access 2025-02-07

758 bizcard – Typeset business cards

Web page on CTAN <https://ctan.org/pkg/bizcard>

name `bizcard`
 caption Typeset business cards
 author Kirsch, Sebastian Marius
 license gpl = GNU General Public License (free)
 version 1.1
 description (no language specified) This is an adaption for current LaTeX of a LaTeX 2.09 style by Silvano Balemi. It produces cards at the normal US card size, 76.2mm x 50.8mm.
 documentation (no language specified) *Example of use:* <https://ctan.org/tex-archive/macros/latex/contrib/bizcard/bizex.pdf>
 – local file `./2572237093-bizex.pdf`
 documentation (no language specified) *Package documentation:* <https://ctan.org/tex-archive/macros/latex/contrib/bizcard/bizcard.pdf>
 – local file `./2755578420-bizcard.pdf`
 on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/bizcard>
 on MikTeX `bizcard`
 on T_EXLive `bizcard`
 keyword `file-card` (typeset cards for business, filing, etc.)
 language(s) no language specified
 year without year
 last access 2025-02-07

759 bjfuthesis – A thesis class for Beijing Forestry University

Web page on CTAN <https://ctan.org/pkg/bjfuthesis>

name	bjfuthesis
caption	A thesis class for Beijing Forestry University
author	Liu, Changxin
copyright	Liu Changxin (2021)
license	gpl3 = GNU General Public License, version 3 (free)
version	1.2.1 (2021-07-01)
last changes	2021-07-01
year	2021
description	(no language specified) This is a class file for producing dissertations and theses according to the Beijing Forestry University (BJFU) Guidelines for Undergraduate Theses and Dissertations. The class should meet all current requirements and is updated whenever the university guidelines change.
documentation	(Chinese + English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bjfuthesis/documentation/bjfuthesis.pdf
– local file	./8177449429-bjfuthesis.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bjfuthesis/README.md
documentation	(Chinese) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/bjfuthesis/example/thesis.pdf
– local file	./5992938942-thesis.pdf
contact	<i>repository</i> : https://github.com/bjfu-projects/bjfuthesis
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bjfuthesis
on MikTeX	bjfuthesis
on T _E XLive	bjfuthesis
keyword	doc-templ (template to guide document development)
keyword	chinese (support for typesetting Chinese languages)
keyword	class (alternative LaTeX class(es))
keyword	std-conform (support conformance to standards)

760 *blackboard* – Comparison of blackboard bold fonts

keyword dissertation (typesetting dissertations, theses, etc.)
language(s) Chinese; Chinese + English
last access 2025-02-07

760 **blackboard** – Comparison of blackboard bold fonts

Web page on CTAN <https://ctan.org/pkg/blackboard>

name blackboard
caption Comparison of blackboard bold fonts
author Kummer, Olaf
license pd = Public Domain Software (free)
version (1997-07-08)
last changes 1997-07-08
year 1997
description (no language specified) A demonstration of various blackboard bold typefaces available for TeX (**bbm** , **bbold** , **doublestroke** , and **msbm**), including a PostScript file to preview them.
documentation (no language specified) *The preview document:* <https://ctan.org/tex-archive/info/symbols/blackboard/blackboard.ps>
on CTAN <https://ctan.org/tex-archive/info/symbols/blackboard>
keyword font-sample (samples of font usage)
language(s) no language specified
last access 2025-02-07

761 **blackletter** – A blackletter font

Web page on CTAN <https://ctan.org/pkg/blackletter>

name blackletter
caption A blackletter font
license noinfo = noinfo
version (1991-03-15)
last changes 1991-03-15
year 1991

description	(no language specified) The font provides upper- and lower-case letters and some punctuation; it is defined in a single Metafont file.
on CTAN	https://ctan.org/tex-archive/fonts/blackletter
keyword	font (fonts themselves)
keyword	font-gothic (font for gothic or blackletter shapes)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	no language specified
last access	2025-02-07

762 blackletttert1 – T1-encoded versions of Haralambous old German fonts

Web page on CTAN	https://ctan.org/pkg/blackletttert1
name	blackletttert1
caption	T1-encoded versions of Haralambous old German fonts
author	Bronger, Torsten
license	other-free = Free license not otherwise listed (free)
description	(no language specified) This package contains virtual fonts that offer T1-alike encoded variants of Yannis Haralambous's old German fonts Gothic , Schwabacher and Fraktur (which are also available in Adobe type 1 format). The package includes LaTeX macros to embed the fonts into the LaTeX font selection scheme.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/gothic/blackletttert1/README
on CTAN	https://ctan.org/tex-archive/fonts/gothic/blackletttert1
on MikTeX	blackletttert1
on T _E XLive	blackletttert1
keyword	font-virtual (virtual font(s) using existing fonts)
keyword	font-gothic (font for gothic or blackletter shapes)
keyword	font (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-02-07

763 **blanks** – Macros for “fill in the blanks” forms

Web page on CTAN <https://ctan.org/pkg/blanks>

name	blanks
caption	Macros for “fill in the blanks” forms
author	Varian, Hal
license	noinfo = noinfo
version	(1992-08-27)
last changes	1992-08-27
year	1992
description	(no language specified) A sample file shows usage.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/blanks
keyword	form-fillin (design forms for information collection)
language(s)	no language specified
last access	2025-02-07

764 **blindtext** – Producing ‘blind’ text for testing

Web page on CTAN <https://ctan.org/pkg/blindtext>

name	blindtext
caption	Producing ‘blind’ text for testing
author	Lickert, Knut
license	lppl = The LaTeX Project Public License (free)
version	2.0
description	(no language specified) The package provides the commands <code>\blindtext</code> and <code>\Blindtext</code> for creating ‘blind’ text useful in testing new classes and packages, and <code>\blinddocument</code>, <code>\Blinddocument</code> for creating an entire random document with sections, lists, mathematics, etc. The package supports three languages, english, (n)german and latin; the latin option provides a short “lorem ipsum” (for a fuller lorem ipsum text, see the lipsum package).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/blindtext/README

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/blindtext/blindtext.pdf
– local file	<code>./1839244481-blindtext.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/blindtext
on MikTeX	<code>blindtext</code>
on T _E XLive	<code>blindtext</code>
keyword	<code>dummy-gen</code> (dummy text generator for tests and examples)
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
see also	see section 3119 on page 2815: (<code>kantlipsum</code> – Generate sentences in Kant’s style)
language(s)	no language specified
year	without year
last access	2025-02-07

765 *blkarray* – Extended array and tabular

Web page on CTAN <https://ctan.org/pkg/blkarray>

name	<code>blkarray</code>
caption	Extended array and tabular
author	Carlisle, David
copyright	David Carlisle (1992, 1999, 2015)
license	lppl = The LaTeX Project Public License (free)
version	0.07
description	(no language specified) An experimental package which implements an environment, <code>blockarray</code>, that may be used in the same way as the <code>array</code> or <code>tabular</code> environments of standard LaTeX, or their extended versions defined in array. If used in math-mode, <code>blockarray</code> acts like <code>array</code>, otherwise it acts like <code>tabular</code>. The package implements a new method of defining column types, and also <code>block</code> and <code>block*</code> environments, for specifying sub-arrays of the main array. What’s more, the <code>\footnote</code> command works inside a <code>blockarray</code>.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/blkarray/blkarray.pdf
– local file	<code>./6611848855-blkarray.pdf</code>

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/blkarray
on MikTeX	blkarray
on T _E XLive	blkarray
keyword	table (table typesetting)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	2015
last access	2025-02-07

766 blkcntrl – Block-element hooks in LaTeX

Web page on CTAN	https://ctan.org/pkg/blkcntrl
name	blkcntrl
caption	Block-element hooks in LaTeX
author	Swift, Matt
license	gpl = GNU General Public License (free)
version	1.2
description	(no language specified) The package provides pre- and post-hooks in verse, quote, and quotation environments, and in footnotes. Also provides a command to set block quotations one size smaller than the main text. The package is part of the frankenstein bundle of packages.
documentation	(no language specified) <i>Bundle README</i> : https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/blkcntrl.pdf
– local file	./9412856374-blkcntrl.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/frankenstein
on MikTeX	frankenstein
on T _E XLive	frankenstein
keyword	quotation-mgmt (organisation of displayed text)
language(s)	no language specified

year	without year
last access	2025-02-07

767 blochsphere – Draw pseudo-3D diagrams of Bloch spheres

Web page on CTAN <https://ctan.org/pkg/blochsphere>

name	blochsphere
caption	Draw pseudo-3D diagrams of Bloch spheres
author	Wardrop, Matthew
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2015-09-15)
last changes	2015-09-15
year	2015
description	(no language specified) This package is used to draw pseudo-3D Blochsphere diagrams. It supports various annotations, such as great and small circles, axes, rotation markings and state vectors. It can be used in a standalone fashion, or nested within a tikzpicture environment by setting the environment option <code>nested to true</code> .
documentation	(no language specified) <i>Example diagram</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/blochsphere/example.pdf
– local file	<code>./9297130742-example.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/blochsphere/blochsphere.pdf
– local file	<code>./1291359477-blochsphere.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/blochsphere/README.md
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/blochsphere
on MikTeX	blochsphere
on TeXLive	blochsphere
keyword	physics (support for typesetting physics documents)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-02-07

768 block – A block letter style for the letter classWeb page on CTAN <https://ctan.org/pkg/block>

name	block
caption	A block letter style for the letter class
author	Huang, Chua Eng
license	pd = Public Domain Software (free)
description	(no language specified) A style file for use with the letter class that overwrites the <code>\opening</code> and <code>\closing</code> macros so that letters can be styled with the block letter style instead of the default style. Thus, the return address, the closing, and the signature appear flushed on the left margin.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/block/block.pdf
– local file	<code>./1130399457-block.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/block
on T _E XLive	block
keyword	letter (typesetting letters, envelopes, faxes, etc)
language(s)	no language specified
year	without year
last access	2025-02-07

769 blockdraw_mp – Block diagrams and bond graphs, with MetaPostWeb page on CTAN https://ctan.org/pkg/blockdraw_mp

name	blockdraw_mp
caption	Block diagrams and bond graphs, with MetaPost
author	Tidefelt, Henrik
license	lppl = The LaTeX Project Public License (free)
version	(2007-01-21)
last changes	2007-01-21
year	2007
description	(no language specified) A set of simple MetaPost macros for the task. While the task is not itself difficult to program, it is felt that many users will be happy to have a library for the job..

770 *blopentype* – A basic LuaTeX OpenType handler

documentation	(no language specified) <i>Example 1:</i> https://ctan.org/tex-archive/graphics/metapost/contrib/macros/blockdraw_mp/documentation/cascadedemo.pdf
– local file	./5833959009-cascadedemo.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/metapost/contrib/macros/blockdraw_mp/README
documentation	(no language specified) <i>Outline package documentation:</i> https://ctan.org/tex-archive/graphics/metapost/contrib/macros/blockdraw_mp/documentation/blockdraw_mp.pdf
– local file	./1707416611-blockdraw_mp.pdf
documentation	(no language specified) <i>Example 1:</i> https://ctan.org/tex-archive/graphics/metapost/contrib/macros/blockdraw_mp/documentation/bonddemo.pdf
– local file	./5109592196-bonddemo.pdf
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/blockdraw_mp
on MikTeX	blockdraw_mp
on T _E XLive	blockdraw_mp
keyword	diagram-block (block diagrams)
language(s)	no language specified
last access	2025-08-30

770 **blopentype** – A basic LuaTeX OpenType handler

Web page on CTAN	https://ctan.org/pkg/blopentype
name	BLOpenType
caption	A basic LuaTeX OpenType handler
author	Rivera, Luis
copyright	Paul Isambert and Luis Rivera (2022-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	mit = MIT License (free)
version	0.0.4 (2023-12-07)
last changes	2023-12-07
year	2023

description	(no language specified) This is a basic LuaTeX OpenType handler, based on Paul Isambert’s PiTeX code. It should work with Plain TeX at least.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/generic/blopendtype/blopendtype.md
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/blopendtype/README.md
contact	<i>bugs</i> : https://github.com/jarnosz/blopendtype/issues
contact	<i>repository</i> : https://github.com/jarnosz/blopendtype
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/blopendtype
on MikTeX	blopendtype
on TeXLive	blopendtype
keyword	font-use (font selection, mapping, etc.)
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
last access	2025-02-11

771 bloques – Generate control diagrams

Web page on CTAN	https://ctan.org/pkg/bloques
name	bloques
caption	Generate control diagrams
author	Ruiz, Alejandro Garces
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The package uses TikZ to provide commands for generating control diagrams (specially in power electronics).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/bloques/README
documentation	(no language specified) <i>Command listing and examples</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/bloques/example.pdf
– local file	./5612327658-example.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/bloques

772 *blowup* – Upscale or downscale all pages of a document

on MikTeX	bloques
on T _E XLive	bloques
keyword	diagram-ctrl (control diagrams)
language(s)	no language specified
year	without year
last access	2025-02-11

772 **blowup** – Upscale or downscale all pages of a document

Web page on CTAN <https://ctan.org/pkg/blowup>

name	blowup
caption	Upscale or downscale all pages of a document
author	Niepraschk, Rolf
copyright	Rolf Niepraschk (2007, 2017-2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.2.0
description	(no language specified) The package blowup only defines the user-level macro <code>\blowUp</code> , which can be used to upscale or downscale all pages of a document. It is similar to the TeX primitive <code>\magnification</code> but more accurate and user-friendly.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/blowup/blowup.pdf
– local file	<code>./3838550437-blowup.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/blowup/README.md
contact	<i>bugs</i> : https://github.com/rolfn/blowup/issues
contact	<i>repository</i> : https://github.com/rolfn/blowup
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/blowup
on MikTeX	blowup
on T _E XLive	blowup
keyword	typesetting (support for variations of typographic style)
language(s)	no language specified
year	2023

last access 2025-02-11

773 **blox** – Draw block diagrams, using TikZ

Web page on CTAN <https://ctan.org/pkg/blox>

name	blox
caption	Draw block diagrams, using TikZ
author	Reish, Ben
copyright	Ben Reish (2014-2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.51 (2021-02-22)
last changes	2021-02-22
year	2021
description	(no language specified) This package, along with TikZ , will typeset block diagrams for use with programming and control theory. It is an English translation of the schemabloc package.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/blox/blox.pdf
– local file	./9039357839-blox.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/blox/README
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/blox
on MikTeX	blox
on TeXLive	blox
keyword	diagram-block (block diagrams)
keyword	graphics (graphics (support packages))
keyword	pgf-tikz (package uses PGF-TikZ)
see also	see section 5318 on page 4815 : (schemabloc – Draw block diagrams, using TikZ)
language(s)	no language specified
last access	2025-02-07

774 blue – A document preparation system

Web page on CTAN <https://ctan.org/pkg/blue>

name	blue
caption	A document preparation system
author	van der Laan, Kees
license	shareware = Shareware: A fee is required (not free)
description	(no language specified) The BLUe format is a concise but expressive document preparation system modelled on Knuth's manmac; the format is used in the author's " Publishing with TeX ", which serves as a user manual for the format. (The acronym is based on Knuth's "Ben Lee User", who tends to get surprised by things in examples in the TeXbook.)
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/blu/readme.fst
on CTAN	https://ctan.org/tex-archive/obsolete/macros/blu
keyword	format (macros to build a format)
language(s)	no language specified
year	without year
last access	2025-02-07

775 bm – Access bold symbols in maths mode

Web page on CTAN <https://ctan.org/pkg/bm>

name	bm
caption	Access bold symbols in maths mode
author	Mittelbach, Frank
author	Carlisle, David
author	The LaTeX Project Team
copyright	The LaTeX Project (1993-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2g (2025-10-21)
last changes	2025-10-21
year	2025

description	(no language specified) The <code>bm</code> package defines a command <code>\bm</code> which makes its argument bold. The argument may be any maths object from a single symbol to an expression. This is closely related to the specification of the <code>\boldsymbol</code> command in AMS-LaTeX, but <code>\bm</code> is rather more careful in the way it does things. The package is part of the latex-tools bundle in the LaTeX required distribution.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/required/tools/bm.pdf
– local file	<code>./2289272673-bm.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/required/tools
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-tools.tds.zip
on MikTeX	<code>latex-tools</code>
on TeXLive	<code>tools</code>
keyword	<code>tagged-pdf-partially</code> (tagged PDF partially compatible)
keyword	<code>font-sel</code> (font selection schemes)
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	no language specified
last access	2026-04-10

776 **bm2font** – Convert bitmaps to PK fonts

Web page on CTAN <https://ctan.org/pkg/bm2font>

name	<code>bm2font</code>
caption	Convert bitmaps to PK fonts
author	Sowa, Friedhelm
author	Gillespie, Dave
license	gpl = GNU General Public License (free)
description	(no language specified) The package accepts graphic input in one of several standard bitmap graphic formats, and converts it to "fonts", each glyph of which covers a tile of the image. This version of the package is a p2c-converted copy of Sowa's Pascal original. OS/2, DOS and Windows executables are provided.

777 *bm2ltx* – Convert a bitmap image to LaTeX code

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/bm2font/README
on CTAN	https://ctan.org/tex-archive/graphics/bm2font
keyword	graphics-prep (prepare graphics for use with *TeX)
language(s)	no language specified
year	without year
last access	2025-02-11

777 *bm2ltx* – Convert a bitmap image to LaTeX code

Web page on CTAN <https://ctan.org/pkg/bm2ltx>

name	bm2ltx
caption	Convert a bitmap image to LaTeX code
author	Bontus, Claas
license	pd = Public Domain Software (free)
description	(no language specified) Bm2ltx converts PCX graphics files to a LaTeX readable format. The output may simply be included into your document with an <code>\input</code> command: it needs no support from your graphics driver. Bm2ltx was designed for DOS or OS/2, but source is available. The real problem with bm2ltx's approach is that its output can be ridiculously large.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/bm2ltx/readme
on CTAN	https://ctan.org/tex-archive/support/bm2ltx
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
language(s)	no language specified
year	without year
last access	2025-02-11

778 bmeps – Converter from PNG/JPEG/Tgb81AIFF/NetPBM to EPS

Web page on CTAN <https://ctan.org/pkg/bmeps>

name	bmeps
caption	Converter from PNG/JPEG/Tgb81AIFF/NetPBM to EPS
author	Krause, Dirk
license	other-free = Free license not otherwise listed (free)
description	(no language specified) This package has been superseded by bmpp , but is still distributed as part of the dktools bundle, which is however no longer hosted on CTAN.
keyword	graphics-prep (prepare graphics for use with *TeX)
language(s)	no language specified
year	without year
last access	2025-02-11

779 bmpp – Convert bitmap files to PS/EPS/PDF

Web page on CTAN <https://ctan.org/pkg/bmpp>

name	bmpp
caption	Convert bitmap files to PS/EPS/PDF
author	Krause, Dirk
license	bsd = BSD Style License (free)
description	(no language specified) The (command line) application converts PNG, JPEG and TIFF images to PostScript, Encapsulated PostScript or PDF format. The application supersedes the package bmeps. It is part of the dktools bundle, which is no longer hosted on CTAN.
contact	<i>repository:</i> http://dktools.sourceforge.net
keyword	graphics-prep (prepare graphics for use with *TeX)
language(s)	no language specified
year	without year
last access	2026-04-10

780 bmpsize – Extract size and resolution data from bitmap files

Web page on CTAN <https://ctan.org/pkg/bmpsize>

name	bmpsize
caption	Extract size and resolution data from bitmap files
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2006-2009)
copyright	Oberdiek Package Support Group (2016-2019)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.8 (2019-12-29)
last changes	2019-12-29
year	2019
description	(no language specified) This package analyzes bitmap images to extract size and resolution data. It adds this feature to the graphics package so it is no longer necessary to provide a separate bounding box files for bitmap images. Additionally the implementation for the inclusion of bitmap images in some drivers of package graphicx are rewritten to support options viewport, trim and clip. The package requires pdfTeX version 1.30.0 or later (the relevant pdfTeX primitive operates in both DVI and PDF output modes). The package is part of the oberdiek bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/bmpsize.pdf
– local file	<code>./5680234555-bmpsize.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/bmpsize.dtx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/oberdiek.tds.zip
on MikTeX	oberdiek
on TeXLive	oberdiek
keyword	graphics-supp (support for other packages or for drivers)
language(s)	no language specified
last access	2025-02-07

781 *bmstu* – A LaTeX class for Bauman Moscow State Technical University

Web page on CTAN <https://ctan.org/pkg/bmstu>

name	<code>bmstu</code>
caption	A LaTeX class for Bauman Moscow State Technical University
author	Novikov, Mikael
copyright	Mikael Novikov (2020-2023)
license	other-free = Free license not otherwise listed (free)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.0.0 (2023-01-28)
last changes	2023-01-28
year	2023
description	(no language specified) The class defines commands and environments for creating reports and explanatory notes in Bauman Moscow State Technical University (Russia). Класс определяет команды и окружения для создания отчетов и расчетно-пояснительных записок в МГТУ им. Н. Э. Баумана. Сгенерированные файлы соответствуют требованиям МГТУ им. Н. Э. Баумана и ГОСТ 7.32-2017. Расчетно-пояснительные записки к выпускным квалификационным работам успешно проходят проверку TestVKR (сборка 203).
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/bmstu/examples/bmstu-examples.pdf
– local file	<code>./1764949918-bmstu-examples.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/bmstu/README.md
contact	<i>bugs:</i> https://github.com/Orianti/bmstu-latex-class/issues
contact	<i>repository:</i> https://github.com/Orianti/bmstu-latex-class
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bmstu
on MikTeX	<code>bmstu</code>
on TeXLive	<code>bmstu</code>
keyword	<code>std-conform</code> (support conformance to standards)
keyword	<code>russian</code> (support for typesetting Russian)
keyword	<code>report-like</code> (regularly-formatted reports)

keyword	class (alternative LaTeX class(es))
keyword	notes (general notes (not including endnotes or footnotes))
see also	see section 782 on page 717: (<i>bmstu-iu8</i> – A class for IU8 reports)
language(s)	no language specified
last access	2025-02-11

782 *bmstu-iu8* – A class for IU8 reports

Web page on CTAN <https://ctan.org/pkg/bmstu-iu8>

name	bmstu-iu8
caption	A class for IU8 reports
author	CatInCosmicSpace
license	mit = MIT License (free)
version	1.6 (2025-02-09)
last changes	2025-02-09
year	2025
description	(no language specified) This package consists of a class file and style files for writing reports at the IU8 department of IU faculty of BMSTU (Bauman Moscow State Technical University). The class defines all headings, structure elements and other things in respect of Russian standard GOST 7.32-2017. But there are correctives to be compatible with our local IU8 department requirements.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bmstu-iu8/README.md
documentation	(Russian) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/bmstu-iu8/bmstu-example.pdf
– local file	./6295335483-bmstu-example.pdf
home page	https://github.com/CatInCosmicSpace/latex-template
contact	<i>support</i> : https://t.me/CatInCosmicSpace
contact	<i>bugs</i> : https://github.com/CatInCosmicSpace/latex-template/issues
contact	<i>repository</i> : https://github.com/CatInCosmicSpace/latex-template
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bmstu-iu8

on MikTeX	bmstu-iu8
on T _E XLive	bmstu-iu8
keyword	std-conform (support conformance to standards)
keyword	report-like (regularly-formatted reports)
keyword	class (alternative LaTeX class(es))
keyword	doc-templ (template to guide document development)
see also	see section 781 on page 716: (bmstu – A LaTeX class for Bauman Moscow State Technical University)
language(s)	Russian
last access	2025-02-11

783 bnf-plain – Plain TeX macros for BNF grammars

Web page on CTAN <https://ctan.org/pkg/bnf-plain>

name	bnf-plain
caption	Plain TeX macros for BNF grammars
author	Quanstrom, Erik
license	noinfo = noinfo
version	(1990-11-10)
last changes	1990-11-10
year	1990
description	(no language specified) The file <code>bnfexample.tex</code> shows the macros in use.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/bnf
keyword	formal-spec (typeset formal specification languages)
language(s)	no language specified
last access	2025-02-11

784 *bnumexpr* – Extends eTeX's `\numexpr...` relax construct to big integers

Web page on CTAN <https://ctan.org/pkg/bnumexpr>

name	<code>bnumexpr</code>
caption	Extends eTeX's <code>\numexpr...</code> relax construct to big integers
author	Burnol, Jean-François
copyright	Jean-François Burnol (2014-2025)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.7b (2025-09-27)
last changes	2025-09-27
year	2025
description	(no language specified) The package provides the command <code>\bnumeval</code> , which extends LaTeX's <code>\inteval</code> with support for arbitrarily big integers, <code>//</code> for floored division, <code>:</code> for the associated remainder, <code>^</code> and <code>**</code> for powers, <code>!</code> for factorials, <code>0b</code> , <code>0o</code> and <code>'</code> , <code>0x</code> and <code>"</code> , as prefixes for binary, octal, or hexadecimal inputs. With the optional argument <code>[h]</code> (or <code>[o]</code> or <code>[b]</code>) the output is converted to hexadecimal (or octal, or binary).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bnumexpr/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bnumexpr/bnumexpr.pdf
– local file	<code>./4315239748-bnumexpr.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bnumexpr
on MikTeX	<code>bnumexpr</code>
on TeXLive	<code>bnumexpr</code>
keyword	calculation (perform calculations within TeX)
keyword	arithmetic (perform and typeset arithmetic problems)
language(s)	no language specified
last access	2025-10-05

785 bodegraph – Draw Bode, Nyquist and Black plots with gnuplot and TikZ

Web page on CTAN <https://ctan.org/pkg/bodegraph>

name	bodegraph
caption	Draw Bode, Nyquist and Black plots with gnuplot and TikZ
author	Papanicola, Robert
license	lppl = The LaTeX Project Public License (free)
version	1.6
description	(no language specified) The package provides facilities to draw Bode, Nyquist and Black plots using Gnuplot and Tikz . Elementary Transfer Functions and basic correctors are preprogrammed for use.
documentation	(no language specified) <i>Package documentation (French with some English)</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/bodegraph/bodegraph.pdf
– local file	./4036743794-bodegraph.pdf
documentation	(no language specified) <i>Readme (bilingual)</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/bodegraph/README.txt
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/bodegraph
on MikTeX	bodegraph
on T _E XLive	bodegraph
keyword	graphics-plot (plot data)
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	engineering (typesetting associated with engineering of whatever sort)
see also	see section 786 on page 721 : (bodeplot – Draw Bode, Nyquist and Nichols plots with gnuplot or pgfplots)
language(s)	no language specified
year	without year
last access	2025-02-07

786 `bodeplot` – Draw Bode, Nyquist and Nichols plots with gnuplot or pgfplots

Web page on CTAN <https://ctan.org/pkg/bodeplot>

name	bodeplot
caption	Draw Bode, Nyquist and Nichols plots with gnuplot or pgfplots
author	Kamalapurkar, Rushikesh
copyright	Rushikesh Kamalapurkar (2021-2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.0.3 (2026-01-15)
last changes	2026-01-15
year	2026
description	(no language specified) This is a LaTeX package to plot Bode, Nichols, and Nyquist diagrams. It provides added functionality over the similar bodegraph package: • New <code>\BodeZPK</code> and <code>\BodeTF</code> commands to generate Bode plots of any transfer function given either poles, zeros, gain, and delay, or numerator and denominator coefficients and delay • Support for unstable poles and zeros. • Support for complex poles and zeros. • Support for general stable and unstable second order transfer functions. • Support for both Gnuplot (default) and pgfplots (package option <code>pgf</code>). • Support for linear and asymptotic approximation of magnitude and phase plots of any transfer function given poles, zeros, and gain.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/bodeplot/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/bodeplot/bodeplot-doc.pdf
– local file	<code>./6287663308-bodeplot-doc.pdf</code>
contact	<i>bugs</i> : https://github.com/rlkamalapurkar/bodeplot/issues
contact	<i>repository</i> : https://github.com/rlkamalapurkar/bodeplot
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/bodeplot
on MikTeX	bodeplot

on T _E XLive	bodeplot
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	engineering (typesetting associated with engineering of whatever sort)
keyword	graphics-plot (plot data)
see also	see section 785 on page 720: (bodegraph – Draw Bode, Nyquist and Black plots with gnuplot and TikZ)
language(s)	no language specified
last access	2026-04-10

787 bohr – Simple atom representation according to the Bohr model

Web page on CTAN <https://ctan.org/pkg/bohr>

name	bohr
caption	Simple atom representation according to the Bohr model
author	Niederberger, Clemens
copyright	Clemens Niederberger (2012-2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2015-06-24)
last changes	2015-06-24
year	2015
description	(no language specified) The package provides means for the creation of simple Bohr models of atoms up to the atomic number 112. In addition, commands are provided to convert atomic numbers to element symbols or element names and vice versa.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bohr/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bohr/bohr_en.pdf
– local file	./7572580241-bohr_en.pdf
contact	<i>repository</i> : https://github.com/cgnieder/bohr/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bohr
on MikT _E X	bohr
on T _E XLive	bohr
keyword	chemistry (chemistry document support)

keyword physics (support for typesetting physics documents)
 language(s) no language specified
 last access 2025-02-07

788 **boisik** – A font inspired by Baskerville design

Web page on CTAN <https://ctan.org/pkg/boisik>

name boisik
 caption A font inspired by Baskerville design
 author Mitek
 license gpl2 = GNU General Public License, version 2 (free)
 version 0.5
 description (no language specified) Boisik is a serif font set (inspired by the Baskerville typeface), written in Metafont. The set comprises roman and italic text fonts and maths fonts.
 LaTeX support is offered for use with OT1, IL2 and OM* encodings.
 documentation (no language specified) *Readme*:
 <https://ctan.org/tex-archive/fonts/boisik/README>
 documentation (Czech) *Running text, in the font*: <https://ctan.org/tex-archive/fonts/boisik/example/boisik-idiot.pdf>
 – local file ./7538849302-boisik-idiot.pdf
 documentation (no language specified) *Font table*: <https://ctan.org/tex-archive/fonts/boisik/example/table.pdf>
 – local file ./8785011843-table.pdf
 documentation (no language specified) *Brief outline, in the font*: <https://ctan.org/tex-archive/fonts/boisik/example/boisik.pdf>
 – local file ./7743978152-boisik.pdf
 on CTAN <https://ctan.org/tex-archive/fonts/boisik>
 on MikTeX boisik
 on T_EXLive boisik
 keyword font-maths (fonts for use in mathematics)
 keyword font-mf (fonts distributed as Metafont source)
 keyword font-serif (serif font)
 keyword font (fonts themselves)

language(s)	Czech
year	without year
last access	2025-08-30

789 *boites* – Boxes that may break across pages

Web page on CTAN <https://ctan.org/pkg/boites>

name	boites
caption	Boxes that may break across pages
author	Zoonekynd, Vincent
author	Malaquias, José Romildo
license	gpl = GNU General Public License (free)
version	1.1 (2013-11-21)
last changes	2013-11-21
year	2013
description	(no language specified) Defines environments that allow page breaks inside framed boxes whose edges may be variously fancy. The bundle includes a few examples (shaded box, box with a wavy line on its side, etc).
documentation	(no language specified) <i>Examples of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/boites/demo.pdf
– local file	./7092269375-demo.pdf
documentation	(no language specified) <i>English translation</i> : https://ctan.org/tex-archive/macros/latex/contrib/boites/boites.pdf
– local file	./7240564975-boites.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/boites/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/boites
on MikTeX	boites
on TeXLive	boites
keyword	boxing (creating boxes)
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
keyword	box-breaking (breaking boxes over a page boundary, etc)
language(s)	no language specified

last access 2025-02-07

790 **bold-extra** – Use bold small caps and typewriter fonts

Web page on CTAN <https://ctan.org/pkg/bold-extra>

name	bold-extra
caption	Use bold small caps and typewriter fonts
author	Carlisle, David
author	Fairbairns, Robin
license	lppl = The LaTeX Project Public License (free)
version	0.1
description	(no language specified) Allows access to ‘extra’ bold fonts for Computer Modern OT1 encoding (the fonts are available in Metafont source). Since there is more than one bold tt-family font set, the version required is selected by a package option.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/bold-extra/bold-extra.pdf
– local file	./4029964800-bold-extra.pdf
contact	<i>support:</i> https://github.com/rf-latex/bold-extra/issues
contact	<i>repository:</i> https://github.com/rf-latex/bold-extra
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bold-extra
on MikTeX	bold-extra
on TeXLive	bold-extra
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year
last access	2025-02-07

791 boldline – Heavier lines in tables

Web page on CTAN <https://ctan.org/pkg/boldline>

name	<code>boldline</code>
caption	Heavier lines in tables
author	Shipunov, Alexey
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2
description	(no language specified) The package provides commands replacing <code>\hline</code> and <code>\cline</code> , as well as a table preamble element, that generate heavy lines. The package is part of the shipunov bundle.
documentation	<i>Readme (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/shipunov/doc/README
documentation	<i>Example use (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/shipunov/doc/boldline-ex-en.pdf
– local file	<code>./3792825376-boldline-ex-en.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/shipunov/tex/boldline.sty
on MikTeX	shipunov
on TeXLive	shipunov
keyword	<code>line-weight</code> (control the weight of rules, etc., in text)
keyword	<code>table</code> (table typesetting)
see also	see section 807 on page 740 : (<code>booktabs</code> – Publication quality tables in LaTeX)
language(s)	English
year	without year
last access	2025-02-07

792 boldtensors – Bold latin and greek characters through simple prefix characters

Web page on CTAN <https://ctan.org/pkg/boldtensors>

name	boldtensors
caption	Bold latin and greek characters through simple prefix characters
author	Bachteler, Jürgen
author	Fink, Werner
copyright	Werner Fink (2007)
license	gpl = GNU General Public License (free)
version	(1995-01-10)
last changes	1995-01-10
year	1995
description	(no language specified) This package provides bold latin and greek characters within <code>\mathversion{normal}</code> , by using ~ and " as prefix characters.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/boldtensors/boldtensors.pdf
– local file	./7960238687-boldtensors.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/boldtensors
on MikTeX	boldtensors
on T _E XLive	boldtensors
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

793 bondgraph – Create bond graph figures in LaTeX documents

Web page on CTAN <https://ctan.org/pkg/bondgraph>

name	bondgraph
caption	Create bond graph figures in LaTeX documents
author	Dupuis, Jean-François
copyright	Jean-François Dupuis (2010)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The package draws bond graphs using PGF and TikZ .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bondgraph/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bondgraph
on MikTeX	bondgraph
on TeXLive	bondgraph
keyword	diagram (diagrams)
language(s)	no language specified
year	2010
last access	2025-02-07

794 bondgraphs – Draws bond graphs in LaTeX, using PGF/TikZ

Web page on CTAN <https://ctan.org/pkg/bondgraphs>

name	bondgraphs
caption	Draws bond graphs in LaTeX, using PGF/TikZ
author	Folkertsma, Geert
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0.1 (2015-03-23)
last changes	2015-03-23
year	2015

description	(no language specified) The package is used to draw bond graphs in LaTeX. It uses a recent version (3.0+) of PGF and TikZ for the drawing, hence, it is mainly a set of TikZ styles that makes the drawing of bond graphs easier. Compared to the bondgraph package this package relies more on TikZ styles and less on macros, to generate the drawings. As such it can be more flexible than his, but requires more TikZ knowledge of the user.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bondgraphs/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bondgraphs/bondgraphs.pdf
– local file	<code>./8171419988-bondgraphs.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bondgraphs
on MikTeX	<code>bondgraphs</code>
on TeXLive	<code>bondgraphs</code>
keyword	diagram (diagrams)
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
see also	see section 793 on page 728: (<code>bondgraph</code> – Create bond graph figures in LaTeX documents)
language(s)	no language specified
last access	2025-02-07

795 *bonum-otf* – Support for the OpenType font Bonum

Web page on CTAN	https://ctan.org/pkg/bonum-otf
name	<code>bonum-otf</code>
caption	Support for the OpenType font Bonum
author	Voß, Herbert
copyright	Herbert Voss (2024)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.01
description	(no language specified) Support for the OpenType font Bonum (text and math) of the TeXGyre Fonts.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/bonum-otf/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/bonum-otf/doc/bonum-otf-doc.pdf
– local file	<code>./3388020002-bonum-otf-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/bonum-otf
on MikTeX	<code>bonum-otf</code>
on T _E XLive	<code>bonum-otf</code>
keyword	<code>font</code> (fonts themselves)
keyword	<code>tagged-pdf</code> (tagged PDF compatible)
language(s)	no language specified
year	2024
last access	2026-04-13

796 *book* – A class for typesetting books

Web page on CTAN <https://ctan.org/pkg/book>

name	<code>book</code>
caption	A class for typesetting books
author	The LaTeX Project Team
copyright	The LaTeX3 Project (1993-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.4n (2024-06-29)
last changes	2024-06-29
year	2024
description	(no language specified) The class provides features useful when preparing a book for publication.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/base/classes.pdf
– local file	<code>./3901404437-classes.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/base
on MikTeX	<code>ltxbase</code>
on T _E XLive	<code>latex</code>

keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>book-pub</code> (preparing a book for publication)
see also	see section 278 on page 256: (<code>article</code> – Default class for composing an article)
see also	see section 4804 on page 4348: (<code>proc</code> – Class for producing “proceedings”)
see also	see section 5169 on page 4683: (<code>report</code> – Typeset a multi-chapter report)
language(s)	no language specified
last access	2025-02-07

797 *book-examples* – A collection of examples from published TeX-related books

Web page on CTAN <https://ctan.org/pkg/book-examples>

name	<code>book-examples</code>
caption	A collection of examples from published TeX-related books
license	<code>collection = collection</code>
description	(no language specified) This collection consists of examples from: • First steps in LaTeX , • KOMA-Script—Eine Sammlung... , • Der LaTeX Begleiter , • The LaTeX Companion , • The LaTeX Graphics Companion , • LaTeX Referenz , • The LaTeX Web Companion , • LaTeX Tips und Tricks , • PSTricks: Grafik mit PostScript für TeX und LaTeX , • Tabellen mit LaTeX and • TeX in Practice .
keyword	<code>collection</code> (a collection of packages)
language(s)	no language specified
year	without year
last access	2025-02-11

798 book-of-common-prayer – Typeset in the style of “Book of Common Prayer”

Web page on CTAN <https://ctan.org/pkg/book-of-common-prayer>

name	book-of-common-prayer
caption	Typeset in the style of “Book of Common Prayer”
author	Coles, Arlie
copyright	Arlie Coles (2021-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1.0 (2022-02-26)
last changes	2022-02-26
year	2022
description	(no language specified) This a package for the typesetting of liturgical documents in the style of the 1979 ”Book of Common Prayer”. It provides macros for common liturgical situations (e.g. versicle and response, longer prayers, etc.). This package is designed to work with the Sabon font, but it is not necessary to run the macros.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/book-of-common-prayer/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/book-of-common-prayer/book-of-common-prayer.pdf
– local file	./6300897584-book-of-common-prayer.pdf
contact	<i>repository</i> : https://gitlab.com/cwtc/book-of-common-prayer
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/book-of-common-prayer
on MikTeX	book-of-common-prayer
on T _E XLive	book-of-common-prayer
keyword	theology (typeset devotional texts and other material of interest to theologians)
language(s)	no language specified
last access	2025-08-30

799 bookcover – A class for book covers and dust jacketsWeb page on CTAN <https://ctan.org/pkg/bookcover>

name	bookcover
caption	A class for book covers and dust jackets
author	Tómacs, Tibor
copyright	Tibor Tómacs (2015-2024)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	3.7 (2024-10-04)
last changes	2024-10-04
year	2024
description	(no language specified) This class helps typesetting book covers and dust jackets.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bookcover/bookcover.pdf
– local file	./7334899796-bookcover.pdf
documentation	(no language specified) <i>Examples of use 1</i> : https://ctan.org/tex-archive/macros/latex/contrib/bookcover/bookcover-example1.pdf
– local file	./7382689340-bookcover-example1.pdf
documentation	(no language specified) <i>Examples of use 2</i> : https://ctan.org/tex-archive/macros/latex/contrib/bookcover/bookcover-example2.pdf
– local file	./2566201729-bookcover-example2.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bookcover/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bookcover
on MikTeX	bookcover
on TeXLive	bookcover
keyword	class (alternative LaTeX class(es))
keyword	covers (typeset badges, covers or labels for things (or people))
language(s)	no language specified
last access	2025-02-07

800 *bookdb* – A BibTeX style file for cataloguing a home library

Web page on CTAN <https://ctan.org/pkg/bookdb>

name	bookdb
caption	A BibTeX style file for cataloguing a home library
author	Wilson, Peter R.
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2
description	(no language specified) This package provides an extended book entry for use in cataloguing a home library. The extensions include fields for binding, category, collator, condition, copy, illustrations, introduction, location, pages, size, value, volumes.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/bookdb/bookdb.pdf
– local file	./4693899506-bookdb.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/bookdb/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/bookdb
on T _E XLive	bookdb
keyword	bibtex-sty (bibtex-sty(unknown))
keyword	catalogue (typeset catalogue data)
language(s)	no language specified
year	without year
last access	2025-02-07

801 *bookest* – Extended book class

Web page on CTAN <https://ctan.org/pkg/bookest>

name	bookest
caption	Extended book class
author	Bresciani, Riccardo
copyright	Riccardo Bresciani (2007-2008)
license	lpl = The LaTeX Project Public License (free)

version	1.1
description	(no language specified) The class extends the standard book class, in the areas of colour scheme management, document layout, headings and footers, front page layout, and other minor items.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/boekest/README
documentation	<i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/boekest/boekestdoc-en.pdf
– local file	./4860587789-bokestdoc-en.pdf
documentation	<i>Package documentation (Italian)</i> : https://ctan.org/tex-archive/macros/latex/contrib/boekest/boekestdoc-it.pdf
– local file	./6172805292-bokestdoc-it.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/boekest
on MikTeX	boekest
on T _E XLive	boekest
keyword	book-pub (preparing a book for publication)
keyword	class (alternative LaTeX class(es))
language(s)	English; Italian
year	2008
last access	2025-02-07

802 *bookform* – LaTeX 2.08 style for MIL STD 490 documents

Web page on CTAN	https://ctan.org/pkg/bookform
name	bookform
caption	LaTeX 2.08 style for MIL STD 490 documents
author	McPherson, Kent
license	noinfo = noinfo
version	(1986-02-27)
last changes	1986-02-27
year	1986

description	(no language specified) MIL STD 490 (now superseded by MIL STD 490A) is a USA Department of Defense standard for documentation of DoD projects. The document style implements the standard for book-form documents; example source is provided. The style needs the extradefs package.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/bookform
keyword	documentation (‘stand-alone’ documentation)
keyword	latex209 (package only known to work with LaTeX 2.09)
see also	see section 3974 on page 3593 : (<code>milstd</code> – Generate documents according to MIL STD 490)
language(s)	no language specified
last access	2025-02-11

803 *bookhands* – A collection of book-hand fonts

Web page on CTAN	https://ctan.org/pkg/bookhands
name	bookhands
caption	A collection of book-hand fonts
author	Wilson, Peter R.
license	lpl = The LaTeX Project Public License (free)
description	(no language specified) This is a set of book-hand (Metafont) fonts and packages covering manuscript scripts from the 1st century until Gutenberg and Caxton. The included hands are: • Square Capitals (1st century onwards) ; • Roman Rustic (1st–6th centuries) ; • Insular Minuscule (6th century onwards) ; • Carolingian Minuscule (8th–12th centuries) ; • Early Gothic (11th–12th centuries) ; • Gothic Textura Quadrata (13th–15th centuries) ; • Gothic Textura Presciscus vel sine pedibus (13th century onwards) ; • Rotunda (13–15th centuries) ; • Humanist Minuscule (14th century onwards) ; • Uncial (3rd–6th centuries) ;

- Half Uncial (3rd–9th centuries) ;
- Artificial Uncial (6th–10th centuries) ; and
- Insular Majuscule (6th–9th centuries) .

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/bookhands/README.PRW
documentation	(no language specified) <i>Samples of collection</i> : https://ctan.org/tex-archive/fonts/bookhands/bsamples.ps
on CTAN	https://ctan.org/tex-archive/fonts/bookhands
on T _E XLive	bookhands
keyword	font-bookhand (fonts of scripts used for manuscript books)
keyword	collection (a collection of packages)
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	no language specified
year	without year
last access	2025-02-07

804 *booklet* – Aids for printing simple booklets

Web page on CTAN <https://ctan.org/pkg/booklet>

name	booklet
caption	Aids for printing simple booklets
author	Wilson, Peter R.
author	Robertson, Will
copyright	Peter R. Wilson (2000-2005)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.7b
description	(no language specified) Pages of a document processed with the booklet package will be reordered and scaled so that they can be printed as four pages per physical sheet of paper, two pages per side. The resulting sheets will, when folded in half, assemble into a booklet. Instructions on producing the manual itself as a booklet are included.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/booklet/booklet.pdf

– local file	<code>./2264292871-booklet.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/booklet/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/booklet
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/booklet.tds.zip
on MikTeX	booklet
on TeXLive	booklet
keyword	layout (layout of objects on the page)
language(s)	no language specified
year	2005
last access	2025-02-07

805 *bookmark* – A new bookmark (outline) organization for *hyperref*

Web page on CTAN <https://ctan.org/pkg/bookmark>

name	bookmark
caption	A new bookmark (outline) organization for <i>hyperref</i>
author	Oberdiek Package Support Group
author	The LaTeX Project Team
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2007-2011)
copyright	Oberdiek Package Support Group (2016-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.31 (2023-12-10)
last changes	2023-12-10
year	2023
description	(no language specified) This package implements a new bookmark (outline) organization for package <i>hyperref</i> . Bookmark properties such as style and color can now be set. Other action types are available (URI, GoToR, Named). The bookmarks are generated in the first compile run. Package <i>hyperref</i> uses two runs.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bookmark/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bookmark/bookmark.pdf
– local file	<code>./5945996863-bookmark.pdf</code>
contact	<i>bugs</i> : https://github.com/ho-tex/bookmark/issues
contact	<i>repository</i> : https://github.com/ho-tex/bookmark
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bookmark
on MikTeX	bookmark
on TeXLive	bookmark
keyword	hyper (support for hypertext)
language(s)	no language specified
last access	2025-02-11

806 *bookshelf* – Create a nice image from a BibTeX file

Web page on CTAN	https://ctan.org/pkg/bookshelf
name	bookshelf
caption	Create a nice image from a BibTeX file
author	Flynn, Peter
author	Veytsman, Boris
copyright	Peter Flynn (2020)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2 (2024-10-09)
last changes	2024-10-09
year	2024
description	(no language specified) This package turns a BibTeX bibliography file into a randomly-coloured, randomly-sized shelf of books, with the title and author in a randomly-chosen typeface.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/bookshelf/doc/bookshelf.pdf
– local file	<code>./1519421927-bookshelf.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/bookshelf/README.md
on CTAN	https://ctan.org/tex-archive/graphics/bookshelf
on MikTeX	bookshelf
on T _E XLive	bookshelf
keyword	amusements (jokes, distractions, tongue-in-cheek packages, and other entertainment material)
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
keyword	graphics-use (graphics (typesetting actual pictures))
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
last access	2025-02-09

807 booktabs – Publication quality tables in LaTeX

Web page on CTAN	https://ctan.org/pkg/booktabs
name	booktabs
caption	Publication quality tables in LaTeX
author	Els, Daniel
author	Fear, Simon
copyright	Simon Fear, Danie Els (1995-2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.61803398
description	(no language specified) The package enhances the quality of tables in LaTeX, providing extra commands as well as behind-the-scenes optimisation. Guidelines are given as to what constitutes a good table in this context. From version 1.61, the package offers longtable compatibility.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/booktabs/README
documentation	<i>Package documentation (French)</i> : https://ctan.org/tex-archive/info/translations/booktabs/fr/f-booktabs.pdf
– local file	./4806114065-f-booktabs.pdf
documentation	<i>Package documentation (German)</i> : https://ctan.org/tex-archive/macros/latex/contrib/booktabs-de/booktabs-de.pdf

– local file	<code>./1150194548-booktabs-de.pdf</code>
documentation	<i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/booktabs/booktabs.pdf
– local file	<code>./8668926835-booktabs.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/booktabs
on MikTeX	<code>booktabs</code>
on TeXLive	<code>booktabs</code>
keyword	<code>table</code> (table typesetting)
keyword	<code>table-rule</code> (rules within tables)
language(s)	German; English; French
year	2020
last access	2025-02-07

808 *booktabs-de* – German version of *booktabs*

Web page on CTAN <https://ctan.org/pkg/booktabs-de>

name	<code>booktabs-de</code>
caption	German version of <i>booktabs</i>
author	Manderla, Thomas
author	Römer, Christine
copyright	Simon Fear (1995-2005)
license	gpl = GNU General Public License (free)
version	1.61803
description	(no language specified) This is a "translation" of the <i>booktabs</i> .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/booktabs-de/booktabs-de.pdf
– local file	<code>./1150194548-booktabs-de.pdf</code>
documentation	<i>Readme (German)</i> : https://ctan.org/tex-archive/macros/latex/contrib/booktabs-de/README-DE
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/booktabs-de
on MikTeX	<code>booktabs-de</code>

on T _E XLive	booktabs-de
keyword	german-doc (documentation in German)
keyword	translation (translation of material from the archive, to another language)
language(s)	German
year	2005
last access	2025-02-07

809 booktabs-fr – French translation of booktabs documentation

Web page on CTAN <https://ctan.org/pkg/booktabs-fr>

name	booktabs-fr
caption	French translation of booktabs documentation
author	Goutelle, Mathieu
author	Drucbert, Jean-Pierre
license	lppl = The LaTeX Project Public License (free)
version	1.00
description	(no language specified) The translation comes from a collection provided by Benjamin Bayart.
documentation	(French) <i>Readme</i> : https://ctan.org/tex-archive/info/translations/booktabs/fr/README
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/translations/booktabs/fr/f-booktabs.pdf
– local file	./4806114065-f-booktabs.pdf
on CTAN	https://ctan.org/tex-archive/info/translations/booktabs/fr
on T _E XLive	booktabs-fr
keyword	translation (translation of material from the archive, to another language)
keyword	french-doc (documentation in French)
language(s)	French
year	without year
last access	2025-02-07

810 booktabstabular – Automatic application of the booktabs style

Web page on CTAN <https://ctan.org/pkg/booktabstabular>

name	booktabstabular
caption	Automatic application of the booktabs style
author	Schäfer, Moritz R.
copyright	Moritz R. Schäfer (2026)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.0
description	(no language specified) The booktabstabular package provides wrapper environments around <code>tabular</code> and <code>tabular*</code> that insert <code>\toprule</code> at the beginning, <code>\bottomrule</code> at the end, and locally remap the legacy <code>\hline</code> and <code>\cline</code> commands to their booktabs equivalents <code>\midrule</code> and <code>\cmidrule</code> . It also provides commands to temporarily override the standard <code>tabular</code> and <code>tabular*</code> environments so that existing documents can opt into this behaviour without rewriting each table.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/booktabstabular/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/booktabstabular/booktabstabular.pdf
– local file	<code>./6719635990-booktabstabular.pdf</code>
contact	<i>repository</i> : https://gitlab.com/M0M097/booktabstabular
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/booktabstabular
on T _E XLive	booktabstabular
keyword	table-rule (rules within tables)
language(s)	no language specified
year	2026
last access	2026-04-10

811 boolexpr – A boolean expression evaluator and a switch command

Web page on CTAN <https://ctan.org/pkg/boolexpr>

name boolexpr
 caption A boolean expression evaluator and a switch command
 author Chervet, Florent
 copyright Florent Chervet (2009)
 license lpl = The LaTeX Project Public License (free)
 version 3.14
 description (no language specified) The `\boolexpr` macro evaluates boolean expressions in a purely expandable way.

`\boolexpr{ A \OR B \AND C }` expands to 0 if the logical expression is TRUE. A, B, C may be: numeric expressions such as: `x=y`, `x<>y`, `x>y` or `x<y`;

– boolean switches: `\iftrue 0\else 1\fi`;

– conditionals: `\ifcsname whatsit\endcsname 0\else 1\fi`;

– another `\boolexpr`: `\boolexpr{ D \OR E \AND F }`;

`\boolexpr` may be used with `\ifcase`:

```
\ifcase\boolexpr{ A \OR B \AND C }
What to do if true
\else
What to do if false
\fi
```

The `\switch` command (which is also expandable) has the form:

```
\switch
\case{<boolean expression>} ...
\case{<boolean expression>} ...
...
\otherwise ...
\endswitch
```

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/boolexpr/boolexpr.pdf>

– local file `./9811573736-boolexpr.pdf`

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/boolexpr/README>

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/boolexpr
on MikTeX	boolexpr
on T _E XLive	boolexpr
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	2009
last access	2025-02-07

812 boondox – Mathematical alphabets derived from the STIX fonts

Web page on CTAN	https://ctan.org/pkg/boondox
name	boondox
caption	Mathematical alphabets derived from the STIX fonts
author	Sharpe, Michael
license	lppl = The LaTeX Project Public License (free)
license	ofl = The SIL Open Font License (free)
version	1.02d (2017-02-25)
last changes	2017-02-25
year	2017
description	(no language specified) The package contains a number of PostScript fonts derived from the STIX OpenType fonts that may be used in maths mode in regular and bold weights for calligraphic, fraktur and double-struck alphabets. Virtual fonts with metrics suitable for maths mode are provided, as are LaTeX support files.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/boondox/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/boondox/doc/boondox-doc.pdf
– local file	./6261183353-boondox-doc.pdf
on CTAN	https://ctan.org/tex-archive/fonts/boondox
installation	https://ctan.org/tex-archive/install/fonts/boondox.tds.zip
on MikTeX	boondox

on T _E XLive	boondox
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
keyword	font-maths (fonts for use in mathematics)
language(s)	no language specified
last access	2025-02-07

813 bootstrapicons – Icons from the framework Bootstrap

Web page on CTAN <https://ctan.org/pkg/bootstrapicons>

name	bootstrapicons
caption	Icons from the framework Bootstrap
author	Steinhauer, Ben
copyright	Ben Steinhauer (2025)
license	mit = MIT License (free)
version	1 (2025-09-01)
last changes	2025-09-01
year	2025
description	(no language specified) The package provides over 2,000 icons from the frontend framework Bootstrap. Note: this is NOT an official package from Bootstrap.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/bootstrapicons/doc/bootstrapicons-documentation-full.pdf
– local file	./2498904988-bootstrapicons-documentation-full.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/bootstrapicons/README.md
contact	<i>bugs:</i> https://github.com/BenSt099/bootstrapicons/issues
contact	<i>repository:</i> https://github.com/BenSt099/bootstrapicons
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bootstrapicons
on MikT _E X	bootstrapicons
on T _E XLive	bootstrapicons

814 *bophook* – Provides an At-Begin-Page hook

keyword	logo (symbols or drawings to specify an object, including icons)
keyword	graphics-symb (create symbols, rather than select from a font)
language(s)	no language specified
last access	2025-09-14

814 **bophook** – Provides an At-Begin-Page hook

Web page on CTAN <https://ctan.org/pkg/bophook>

name	bophook
caption	Provides an At-Begin-Page hook
author	Tinnefeld, Karsten
copyright	Karsten Tinnefeld (2000-2001)
license	lppl = The LaTeX Project Public License (free)
version	0.02
description	(no language specified) Using the <code>\AtBeginPage</code> hook, you can add material in the background of a page. <code>\PageLayout</code> can be used to give page makeup commands to be executed on every page (e.g., depending on the page style).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bophook/bophook.pdf
– local file	<code>./3556706943-bophook.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bophook
on MikTeX	bophook
on TeXLive	bophook
keyword	defer-stuff (saving things for later use)
see also	see section 2051 on page 1853: (<code>everyshi</code> – Take action at every <code>\shipout</code>)
language(s)	no language specified
year	2001
last access	2025-02-07

815 borceux – Diagram macros by François BorceuxWeb page on CTAN <https://ctan.org/pkg/borceux>

name	borceux
caption	Diagram macros by François Borceux
author	Borceux, François
copyright	François Borceux (1993)
license	other-free = Free license not otherwise listed (free)
version	(2011-01-12)
last changes	2011-01-12
year	2011
description	(no language specified) The macros support the construction of diagrams, such as those that appear in category theory texts. The user gives the list of vertices and arrows to be included, just as when composing a matrix, and the program takes care of computing the dimensions of the arrows and realizing the pagesetting. All the user has to do about the arrows is to specify their type (monomorphism, pair of adjoint arrows, etc.) and their direction (north, south-east, etc.); 12 types and 32 directions are available.
on CTAN	https://ctan.org/tex-archive/macros/generic/diagrams/borceux
on MikTeX	borceux
on TeXLive	borceux
keyword	diagram-comm (commutative diagrams)
language(s)	no language specified
last access	2025-02-07

816 border – Draw a black border around a Plain TeX pageWeb page on CTAN <https://ctan.org/pkg/border>

name	border
caption	Draw a black border around a Plain TeX page
author	Brister, James
license	noinfo = noinfo
version	(1991-01-28)

last changes	1991-01-28
year	1991
description	(no language specified) The border is drawn (as it were) ”on top” of the page; since the border doesn’t honour the <code>\hoffset</code> / <code>\voffset</code> positioning of the text, this is less of a problem than it might be.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/border.tex
keyword	layout-page (page trim marks and decorations)
language(s)	no language specified
last access	2025-02-07

817 *bosisio* – A collection of packages by Francesco Bosisio

Web page on CTAN <https://ctan.org/pkg/bosisio>

name	bosisio
caption	A collection of packages by Francesco Bosisio
author	Bosisio, Francesco
license	lpl = The LaTeX Project Public License (free)
version	(1999-03-08)
last changes	1999-03-08
year	1999
description	(no language specified) A collection of packages containing: accenti dblfont ; envmath ; evenpage ; graphfig ; mathcmd ; quotes ; and sobolev .
documentation	(no language specified) <i>Outline of the collection</i> : https://ctan.org/tex-archive/macros/latex/contrib/bosisio/index.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bosisio
on MikTeX	bosisio
on T _E XLive	bosisio
keyword	collection (a collection of packages)
language(s)	no language specified
last access	2025-02-07

818 boxedart4mac – Import graphics into Macintosh TeX

Web page on CTAN <https://ctan.org/pkg/boxedart4mac>

name	boxedart4mac
caption	Import graphics into Macintosh TeX
author	Siebenmann, Laurent
license	noinfo = noinfo
version	(1996-04-08)
last changes	1996-04-08
year	1996
description	(no language specified) The package is an (accelerated) alternative to the author's boxedeps package, for the ozTeX and Textures distributions only.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/boxedart4mac/ReadMe_BoxedArt
on CTAN	https://ctan.org/tex-archive/macros/generic/boxedart4mac
keyword	graphics-use (graphics (typesetting actual pictures))
language(s)	no language specified
last access	2025-02-09

819 boxedeps – Incorporate EPS files into TeX documents

Web page on CTAN <https://ctan.org/pkg/boxedeps>

name	boxedeps
caption	Incorporate EPS files into TeX documents
author	Siebenmann, Laurent
license	noinfo = noinfo
version	(1995-08-01)
last changes	1995-08-01
year	1995
description	(no language specified) A package to enable the user to treat Encapsulate PostScript figures as TeX boxes. The package is configurable to a variety of DVI drivers.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/boxedeps/boxedeps.txt

on CTAN	https://ctan.org/tex-archive/macros/generic/boxedeps
keyword	graphics-use (graphics (typesetting actual pictures))
language(s)	no language specified
last access	2025-02-07

820 **boxedminipage** – Framed minipages of a specified total width (text and frame combined)

Web page on CTAN <https://ctan.org/pkg/boxedminipage>

Alias	boxedminipage2e
name	boxedminipage
caption	Framed minipages of a specified total width (text and frame combined)
author	Pakin, Scott
copyright	Scott Pakin (2015-2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1 (2020-04-19)
last changes	2020-04-19
year	2020
description	(no language specified) The package essentially just wraps a minipage within an <code>\fbox</code>. However, while <code>\fbox{\begin{minipage}{\linewidth}...\end{minipage}}</code> juts out into the margin, <code>\begin{boxedminipage}...\end{boxedminipage}</code> does not. Instead, it subtracts the frame's dimensions from the specified dimensions of the minipage before typesetting the minipage. Note: The package was formerly known as <code>boxedminipage2e</code> and now replaces Mario Wolczko's earlier <code>boxedminipage</code> package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/boxedminipage/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/boxedminipage/boxedminipage.pdf
– local file	<code>./6271878357-boxedminipage.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/boxedminipage
on MikTeX	boxedminipage

on T _E XLive	boxedminipage
keyword	boxing (creating boxes)
language(s)	no language specified
last access	2025-02-07

821 boxhandler – Flexible Captioning and Deferred Box/List Printing

Web page on CTAN <https://ctan.org/pkg/boxhandler>

name	boxhandler
caption	Flexible Captioning and Deferred Box/List Printing
author	Segletes, Steven B.
copyright	Steven B. Segletes (2008)
license	lppl = The LaTeX Project Public License (free)
version	1.30
description	(no language specified) The package allows the user to optimise presentation of LaTeX tables and figures. Boxhandler will lay out table and figure captions with a variety of stylistic appearances, and will also allow figures and tables to be "wrapped" in a manner consistent with many business and government documents. For a document that might appear in different venues with different formatting, boxhandler permits the creation of a LaTeX source document that can, with a single-line change in the source code, produce an output that has very different layout from the baseline configuration, not only in terms of caption style, but more importantly in terms of the locations where figures, tables and lists appear (or not) in the document. Deferral routines also allow one to keep all figure and table data in a separate source file, while nonetheless producing a document with figures and tables appearing in the desired location.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/boxhandler/boxhandler.pdf
– local file	./9115521496-boxhandler.pdf
documentation	(no language specified) <i>README file:</i> https://ctan.org/tex-archive/macros/latex/contrib/boxhandler/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/boxhandler
on MikT _E X	boxhandler

on T _E XLive	boxhandler
keyword	defer-stuff (saving things for later use)
keyword	float (typesetting floats)
keyword	caption (typesetting captions)
language(s)	no language specified
year	2008
last access	2025-02-07

822 boxit – Draw a box around a text

Web page on CTAN <https://ctan.org/pkg/boxit>

name	boxit
caption	Draw a box around a text
license	noinfo = noinfo
version	(1992-08-27)
last changes	1992-08-27
year	1992
description	(no language specified) This is pretty much the same macro that appears in the TeXbook.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/boxit.tex
keyword	boxing (creating boxes)
language(s)	no language specified
last access	2025-02-07

823 boxit-ltx – An environment for boxing thingsWeb page on CTAN <https://ctan.org/pkg/boxit-ltx>

name	boxit-ltx
caption	An environment for boxing things
author	van der Goot, Marcel
license	noinfo = noinfo
version	(1992-02-27)
last changes	1992-02-27
year	1992
description	(no language specified) The package defines a boxit environment that draws lines around its contents. The environment can box things like verbatim text, unlike the <code>\boxit</code> macro that originally appeared in the TeXbook.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/boxit.sty
on MikTeX	ltxmisc
keyword	boxing (creating boxes)
language(s)	no language specified
last access	2025-02-07

824 bpchem – Typeset chemical names, formulae, etcWeb page on CTAN <https://ctan.org/pkg/bpchem>

name	bpchem
caption	Typeset chemical names, formulae, etc
author	Pedersen, Bjørn
copyright	Bjørn Pedersen (2001-2017)
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) The package provides support for typesetting simple chemical formulae, those long IUPAC compound names, and some chemical idioms. It also supports the labelling of compounds and reference to labelled compounds.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bpchem/bpchem.pdf
– local file	<code>./7745760899-bpchem.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bpchem/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bpchem
on MikTeX	<code>bpchem</code>
on TeXLive	<code>bpchem</code>
keyword	<code>chemistry</code> (chemistry document support)
language(s)	no language specified
year	2017
last access	2025-02-07

825 bpolynomial – Drawing polynomial functions of up to order 3

Web page on CTAN	https://ctan.org/pkg/bpolynomial
name	<code>bpolynomial</code>
caption	Drawing polynomial functions of up to order 3
author	Hennig, Stephan
copyright	Stephan Hennig (2007)
license	lppl = The LaTeX Project Public License (free)
version	0.5
description	(no language specified) This MetaPost package helps plotting polynomial and root functions up to order three. The package provides macros to calculate Bézier curves exactly matching a given constant, linear, quadratic or cubic polynomial, or square or cubic root function. In addition, tangents on all functions and derivatives of polynomials can be calculated.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/bpolynomial/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/bpolynomial/bpolynomial.pdf
– local file	<code>./1477644481-bpolynomial.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/bpolynomial

on MikTeX	bpolynomial
on T _E XLive	bpolynomial
keyword	graphics-plotfn (plot a representation of a function)
language(s)	no language specified
year	2007
last access	2025-02-07

826 br-lex – A Class for Typesetting Brazilian legal texts

Web page on CTAN <https://ctan.org/pkg/br-lex>

name	br-lex
caption	A Class for Typesetting Brazilian legal texts
author	Cherem, Youssef
copyright	Youssef Cherem (2015-2017)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2017-08-01)
last changes	2017-08-01
year	2017
description	(no language specified) This class implements rules to typeset Brazilian legal texts. Its purpose is to be an easy-to-use implementation for the end-user.
documentation	(Portuguese (Brazilia)) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/br-lex/brlex-doc.pdf
– local file	./2636126919-brlex-doc.pdf
documentation	(Portuguese (Brazilia)) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/br-lex/leis-exemplo.pdf
– local file	./3586390296-leis-exemplo.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/br-lex/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/br-lex
on MikTeX	br-lex
on T _E XLive	br-lex
keyword	legal (typesetting legal documents or study material)
keyword	class (alternative LaTeX class(es))

language(s) Portuguese (Brazilia)
 last access 2025-02-07

827 bracealign – Align braces under and over math expressions

Web page on CTAN <https://ctan.org/pkg/bracealign>

name bracealign
 caption Align braces under and over math expressions
 author Labbé, Julien
 copyright Julien Labbé (2025)
 license lpl1.3c = The LaTeX Project Public License 1.3c (free)
 version 1.0 (2025-04-17)
 last changes 2025-04-17
 year 2025
 description (no language specified) A LaTeX package to align braces under and over math expressions. A new environment called `bracealign` is provided, inside which braces and brackets drawn with the commands `\underbrace`, `\overbrace`, `\underbracket`, `\overbracket`, `\underparen` or `\overparen` are vertically aligned. The package also allows adding support for new commands.
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/bracealign/README.md>
 documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/bracealign/bracealign.pdf>
 – local file ./3338673567-bracealign.pdf
 contact *bugs*: <https://github.com/julienlabbe/latex-packages/issues>
 contact *repository*: <https://github.com/julienlabbe/latex-packages>
 on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/bracealign>
 on MikTeX bracealign
 on T_EXLive bracealign
 keyword paren-mgmt (match and otherwise manage parentheses)
 keyword maths (support for typesetting mathematics)
 keyword expl3 (expl3(unknown))

language(s)	no language specified
last access	2025-05-05

828 bracketkey – Produce bracketed identification keys

Web page on CTAN <https://ctan.org/pkg/bracketkey>

name	bracketkey
caption	Produce bracketed identification keys
author	Heibl, Christoph
copyright	C. Heibl (2009)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The package provides an environment <code>bracketkey</code> for use when producing lists of species.
documentation	(no language specified) <i>Readme, including usage details:</i> https://ctan.org/tex-archive/macros/latex/contrib/bracketkey/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/bracketkey/bracketkey.pdf
– local file	./2540827383-bracketkey.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bracketkey
on MikTeX	bracketkey
on TeXLive	bracketkey
keyword	biology (typeset biological data)
language(s)	no language specified
year	2009
last access	2025-02-07

829 braids – Draw braid diagrams with PGF/TikZ

Web page on CTAN <https://ctan.org/pkg/braids>

name	braids
caption	Draw braid diagrams with PGF/TikZ
author	Stacey, Andrew
copyright	Andrew Stacey (2011-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.3 (2024-01-09)
last changes	2024-01-09
year	2024
description	(no language specified) The package enables drawing of braid diagrams with PGF/TikZ using a simple syntax. The braid itself is specified by giving a word in the braid group, and there are many options for styling the strands and for drawing "floors".
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/braids/README.txt
documentation	(no language specified) <i>Documented source code</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/braids/braids_code.pdf
– local file	./5290581083-braids_code.pdf
documentation	(no language specified) <i>User manual</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/braids/braids.pdf
– local file	./2380651530-braids.pdf
contact	<i>bugs</i> : https://github.com/loopspace/braids/issues
contact	<i>repository</i> : https://github.com/loopspace/braids
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/braids
on MikTeX	braids
on TeXLive	braids
keyword	expl3 (expl3(unknown))
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	maths (support for typesetting mathematics)
keyword	graphics (graphics (support packages))
keyword	diagram (diagrams)
language(s)	no language specified

last access 2025-02-07

830 **braille** – Support for braille

Web page on CTAN <https://ctan.org/pkg/braille>

name	braille
caption	Support for braille
author	Park, William
author	Unruh, Dominique
copyright	William Park (1998-2010)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2010-12-03)
last changes	2010-12-03
year	2010
description	(no language specified) This package allows the user to produce Braille documents on paper for the blind without knowing Braille (which can take years to learn). Python scripts <code>grade1.py</code> and <code>grade2.py</code> convert ordinary text to grade 1 and 2 Braille tags; then, the LaTeX package takes the tags and prints out corresponding Braille symbols.
documentation	(no language specified) <i>Package documentation (HTML)</i> : https://ctan.org/tex-archive/macros/latex/contrib/braille/braille.html
documentation	(no language specified) <i>Package documentation (PDF)</i> : https://ctan.org/tex-archive/macros/latex/contrib/braille/summary.pdf
– local file	<code>./9434457519-summary.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/braille/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/braille
on MikTeX	braille
on T _E XLive	braille
keyword	spec-alphabet (specialised versions of alphabets)
language(s)	no language specified
last access	2025-02-07

831 braket – Dirac bra-ket and set notations

Web page on CTAN <https://ctan.org/pkg/braket>

name	braket
caption	Dirac bra-ket and set notations
author	Arseneau, Donald
license	pd = Public Domain Software (free)
description	(no language specified) Provides macros to typeset bra-ket notation, as well as set specifiers, with a single (” ”) or a double (” ” or (” \ ”) vertical bar specifier in between two bracketed parts. Each macro comes in a fixed-size version and an expanding version. If the package finds itself operating under e-tex , it uses the extended primitive <code>\middle</code> for more reliable results
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/braket/braket.pdf
– local file	./3512374045-braket.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/braket
on MikTeX	braket
on T _E XLive	braket
keyword	physics (support for typesetting physics documents)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	without year
last access	2025-02-07

832 brandeis-dissertation – Class for Brandeis University dissertations

Web page on CTAN <https://ctan.org/pkg/brandeis-dissertation>

name	brandeis-dissertation
caption	Class for Brandeis University dissertations
author	Burt, John
author	Peck, Meghan
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.14

description	(no language specified) The class will enable the user to typeset a dissertation which adheres to the formatting guidelines of Brandeis University Graduate School of Arts and Sciences (GSAS).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/brandeis-dissertation/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/brandeis-dissertation/brandeis-dissertation.pdf
– local file	./4495811740-brandeis-dissertation.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/brandeis-dissertation
on MikTeX	brandeis-dissertation
on T _E XLive	brandeis-dissertation
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

833 **brandeis-problemset** – Document class for COSI Problem sets at Brandeis University (Waltham, MA)

Web page on CTAN	https://ctan.org/pkg/brandeis-problemset
name	brandeis-problemset
caption	Document class for COSI Problem sets at Brandeis University (Waltham, MA)
author	Turner, Rebecca
copyright	Rebecca Turner (2019)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.5.5 (2019-04-15)
last changes	2019-04-15
year	2019

description	(no language specified) Brandeis University’s computer science (“COSI”) courses often assign “problem sets” which require fairly rigorous formatting. This document class, which extends article , provides a simple way to typeset these problem sets in LaTeX. Although the class is compatible with all LaTeX flavors, XeLaTeX or LuaLaTeX are recommended for fontspec support.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/brandeis-problemset/brandeis-problemset.pdf
– local file	<code>./8622749479-brandeis-problemset.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/brandeis-problemset/README.md
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/brandeis-problemset/example.pdf
– local file	<code>./7950173987-example.pdf</code>
contact	<i>bugs</i> : https://github.com/9999years/brandeis-problemset/issues
contact	<i>repository</i> : https://github.com/9999years/brandeis-problemset
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/brandeis-problemset
on MikTeX	brandeis-problemset
on TeXLive	brandeis-problemset
keyword	class (alternative LaTeX class(es))
keyword	exercise (exercises, problems for solution, etc.)
language(s)	no language specified
last access	2025-02-07

834 brandeis-thesis – A class for Brandeis University M.A. theses

Web page on CTAN	https://ctan.org/pkg/brandeis-thesis
name	brandeis-thesis
caption	A class for Brandeis University M.A. theses
author	Burt, John
copyright	Deanna Daly (2020)

835 `brclc` – Support 16-bit (double) calculations in LaTeX

copyright	Brandeis University (2021-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.3 (2023-08-15)
last changes	2023-08-15
year	2023
description	(no language specified) <code>brandeis-thesis.cls</code> provides the structures and formatting information for an M.A. thesis for the Brandeis University Graduate School of Arts and Sciences.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/brandeis-thesis/brandeis-thesis.pdf
– local file	<code>./2328368567-brandeis-thesis.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/brandeis-thesis/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/brandeis-thesis
on MikTeX	<code>brandeis-thesis</code>
on TeXLive	<code>brandeis-thesis</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
language(s)	no language specified
last access	2025-02-11

835 `brclc` – Support 16-bit (double) calculations in LaTeX

Web page on CTAN <https://ctan.org/pkg/brclc>

name	<code>brclc</code>
caption	Support 16-bit (double) calculations in LaTeX
author	Radgen, Bernd
copyright	Bernd Radgen (1999)
license	gpl = GNU General Public License (free)
version	0.1.3

description	(no language specified) The package provides a preprocessor <i>brclc</i> (written in C; a DOS executable is available), and a package, which processes a LaTeX file that's been run through the preprocessor (the output of the preprocessor tells LaTeX how to process the <code>\clc</code> commands in the in the LaTeX file. The script <i>testclc</i> (available as a shell script or a DOS batch file) shows a typical processing run.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/brclc/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/brclc
keyword	calculation (perform calculations within TeX)
language(s)	no language specified
year	1999
last access	2025-02-07

836 *breakcites* – Ensure that multiple citations may break at line end

Web page on CTAN <https://ctan.org/pkg/breakcites>

name	breakcites
caption	Ensure that multiple citations may break at line end
author	Hosek, Don
author	Hosek, Don
author	Broska, Leo
license	other-free = Free license not otherwise listed (free)
version	(2011-01-10)
last changes	2011-01-10
year	2011
description	(no language specified) Makes a very minor change to the operation of the <code>\cite</code> command. Note that the change is <i>not</i> necessary in unmodified LaTeX; however, there remain packages that restore the undesirable behaviour of the command as provided in LaTeX 2.09. (Note that neither cite nor natbib make this mistake.)
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/breakcites/breakcites.pdf
– local file	./6185947997-breakcites.pdf

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/breakcites
on MikTeX	breakcites
on T _E XLive	breakcites
keyword	cite-sup (citation support)
language(s)	no language specified
last access	2025-02-07

837 breakurl – Line-breakable \url-like links in hyperref when compiling via dvips/ps2pdf

Web page on CTAN	https://ctan.org/pkg/breakurl
name	breakurl
caption	Line-breakable \url-like links in hyperref when compiling via dvips/ps2pdf
author	Neto, Vilar da Camara
copyright	Vilar da Camara Neto (2005-2009)
license	lppl = The LaTeX Project Public License (free)
version	1.40
description	(no language specified) This package provides a command much like hyperref's <code>\url</code> that typesets a URL using a typewriter-like font. However, if the dvips driver is being used, the original <code>\url</code> doesn't allow line breaks in the middle of the created link: the link comes in one atomic piece. This package allows such line breaks in the generated links.
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/breakurl/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/breakurl/breakurl.pdf
– local file	./5216283757-breakurl.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/breakurl
on MikTeX	breakurl
on T _E XLive	breakurl
keyword	hyper (support for hypertext)
see also	see section 2842 on page 2572: (hyperref – Extensive support for hypertext in LaTeX)
language(s)	no language specified

year	2009
last access	2025-02-07

838 bredzenie – A Polish version of “lorem ipsum...” in the form of a LaTeX package

Web page on CTAN <https://ctan.org/pkg/bredzenie>

Alias	polishlipsum
name	bredzenie
caption	A Polish version of “lorem ipsum...” in the form of a LaTeX package
author	Woliński, Marcin
copyright	Marcin Woliński (2018, 2017)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0
description	(no language specified) This is a polish version of the classic pseudo-Latin “lorem ipsum dolor sit amet...”. It provides access to several paragraphs of pseudo-Polish generated with Hidden Markov Models and Recurrent Neural Networks trained on a corpus of Polish.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bredzenie/bredzenie.pdf
– local file	./6743099401-bredzenie.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bredzenie/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bredzenie
on MikTeX	bredzenie
on TeXLive	bredzenie
keyword	dummy-gen (dummy text generator for tests and examples)
see also	see section 3464 on page 3132: (lipsum – Easy access to the Lorem Ipsum and other dummy texts)
language(s)	no language specified
year	2018
last access	2025-02-07

839 breqn – Automatic line breaking of displayed equations

Web page on CTAN <https://ctan.org/pkg/breqn>

name	breqn
caption	Automatic line breaking of displayed equations
author	Robertson, Will
author	Madsen, Lars
author	Wright, Joseph
author	Høgholm, Morten
author	Downes, Michael J.
copyright	Michael J. Downes (1997-2003)
copyright	Morten Høgholm (2007-2008)
copyright	Will Robertson (2007-2020)
copyright	Ulrike Fischer (2020)
copyright	Lars Madsen (2007-2014)
copyright	Joseph Wright (2010-2017)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.98l (2021-10-28)
last changes	2021-10-28
year	2021
description	(no language specified) The package provides solutions to a number of common difficulties in writing displayed equations and getting high-quality output. For example, it is a well-known inconvenience that if an equation must be broken into more than one line, ‘left...right’ constructs cannot span lines. The breqn package makes them work as one would expect whether or not there is an intervening line break. The single most ambitious goal of the package, however, is to support automatic linebreaking of displayed equations. Such linebreaking cannot be done without substantial changes under the hood in the way formulae are processed; the code must be watched carefully, keeping an eye on possible glitches. The bundle also contains the flexisym and mathstyle packages, which are both designated as support for breqn.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/breqn/README.md

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/breqn/breqn.pdf
– local file	<code>./9338792980-breqn.pdf</code>
home page	http://wspr.io/breqn/
contact	<i>repository</i> : https://github.com/wspr/breqn
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/breqn
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/breqn.tds.zip
on MikTeX	<code>breqn</code>
on T _E XLive	<code>breqn</code>
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

840 *bridge* – Typesetting bridge diagrams

Web page on CTAN <https://ctan.org/pkg/bridge>

name	<code>bridge</code>
caption	Typesetting bridge diagrams
author	van der Laan, Kees
license	<code>noinfo = noinfo</code>
version	(1991-08-04)
last changes	1991-08-04
year	1991
description	(no language specified) The file contains an article that sets out macros for typesetting bridge in LaTeX (2.09).
on CTAN	https://ctan.org/tex-archive/info/laan/bridge
keyword	<code>games</code> (process game diagrams, gamebooks, and other amusements)
language(s)	no language specified
last access	2025-02-07

841 *bridge-pln* – Plain TeX macros for writing about bridge

Web page on CTAN <https://ctan.org/pkg/bridge-pln>

name	bridge-pln
caption	Plain TeX macros for writing about bridge
author	van der Laan, Kees
license	noinfo = noinfo
version	(1991-11-11)
last changes	1991-11-11
year	1991
description	(no language specified) The macros come in three parts, declarations, macros supporting bidding and layout, and macros supporting commentary.
documentation	(no language specified) <i>TUG paper about the package</i> : https://tug.org/TUGboat/Articles/tb11-2/tb28laan.pdf
– local file	./4021577242-tb28laan.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/contrib/bridge/README
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/bridge
keyword	games (process game diagrams, gamebooks, and other amusements)
see also	see section 840 on page 769: (<i>bridge</i> – Typesetting bridge diagrams)
language(s)	no language specified
last access	2025-02-07

842 *brief-t* – LaTeX support for the brief editor

Web page on CTAN <https://ctan.org/pkg/brief-t>

Alias	brief-t
name	brief-t
caption	LaTeX support for the brief editor
author	Hedne, PL
version	(1991-08-23)
last changes	1991-08-23
year	1991

description	(no language specified) The package comprises a set of <i>brief</i> macros to create key assignments for common (La)TeX functions.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/brief-t/readme
on CTAN	https://ctan.org/tex-archive/support/brief-t
keyword	editor-extn (plug-ins for editors, for better (La)TeX and Meta* support)
language(s)	no language specified
last access	2025-02-07

843 *bropd* – Simplified brackets and differentials in LaTeX

Web page on CTAN <https://ctan.org/pkg/bropd>

name	bropd
caption	Simplified brackets and differentials in LaTeX
author	Tatlock, Benjamin
copyright	Benjamin Tatlock (2012)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2
description	(no language specified) The package simplifies the process of writing differential operators and brackets in LaTeX. The commands facilitate the easy manipulation of equations involving brackets and allow partial differentials to be expressed in an alternate form.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bropd/bropd.pdf
– local file	./6891625537-bropd.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bropd/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bropd
on MikTeX	bropd
on TeXLive	bropd
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	2012
last access	2025-02-07

844 broydensolve – Solve a system of equations with Broyden’s good method

Web page on CTAN <https://ctan.org/pkg/broydensolve>

name	broydensolve
caption	Solve a system of equations with Broyden’s good method
author	Floré, Matthias
copyright	Matthias Floré (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.0 (2025-07-24)
last changes	2025-07-24
year	2025
description	(no language specified) This package implements Broyden’s good method to solve a system of equations. It is also possible to use coordinates defined by TikZ as known and unknown variables.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/broydensolve/broydensolve-doc.pdf
– local file	./2691803832-broydensolve-doc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/broydensolve/README.md
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/broydensolve
on MikTeX	broydensolve
on TeXLive	broydensolve
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	graphics (graphics (support packages))
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-08-30

845 brushscr – A handwriting script font

Web page on CTAN <https://ctan.org/pkg/brushscr>

name	brushscr
caption	A handwriting script font
author	Loreti, Maurizio
license	pd = Public Domain Software (free)
description	(no language specified) The BrushScript font simulates hand-written characters; it is distributed in Adobe Type 1 format (but is available in italic shape only). The package includes the files needed by LaTeX in order to use that font. The file <code>AAA_readme.tex</code> fully describes the package and <code>sample.tex</code> illustrates its use.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/brushscr/README
on CTAN	https://ctan.org/tex-archive/fonts/brushscr
on MikTeX	brushscr
on T _E XLive	brushscr
keyword	font (fonts themselves)
keyword	font-calligraphic (calligraphic (or handwriting) fonts)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
year	without year
last access	2025-02-07

846 bsf – Access bold computer modern sans in LaTeX 2.09

Web page on CTAN <https://ctan.org/pkg/bsf>

name	bsf
caption	Access bold computer modern sans in LaTeX 2.09
author	Leichter, Jerry
license	noinfo = noinfo
version	(1989-06-16)
last changes	1989-06-16
year	1989

description	(no language specified) Provides LaTeX 2.09 (dynamic-loading) font tables for a font selection command <code>\bsf</code> , giving access to Computer Modern Sans Serif Bold fonts. Note that these macros do not work with current LaTeX, but since the NFSS supports the fonts anyway, this is not a problem.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/bsf.sty
keyword	font-use (font selection, mapping, etc.)
keyword	latex209 (package only known to work with LaTeX 2.09)
see also	see section 3000 on page 2712: (<code>isf</code> – Access italic computer modern sans in LaTeX 2.09)
language(s)	no language specified
last access	2025-02-11

847 *bsheaders* – Double-ruled chapter heading style

Web page on CTAN	https://ctan.org/pkg/bsheaders
name	<code>bsheaders</code>
caption	Double-ruled chapter heading style
author	Loreti, Maurizio
license	gpl = GNU General Public License (free)
description	(no language specified) The style, inspired by those in a book by Bjarne Stroustrup, implements chapter headers in sans-serif and bounded by lines <code>\textwidth</code> wide, both above and below the header itself.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bsheaders/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bsheaders
on MikTeX	<code>bsheaders</code>
keyword	headings (chapter, section, etc., heading styles)
see also	see section 2284 on page 2067: (<code>fncychap</code> – Seven predefined chapter heading styles)
language(s)	no language specified
year	without year
last access	2025-02-07

848 bsl – Access bold computer modern slanted in LaTeX 2.09Web page on CTAN <https://ctan.org/pkg/bsl>

name	bsl
caption	Access bold computer modern slanted in LaTeX 2.09
author	Greenwade, George
license	noinfo = noinfo
version	(1990-04-05)
last changes	1990-04-05
year	1990
description	(no language specified) Provides LaTeX 2.09 (dynamic-loading) font tables for a font selection command <code>\bsl</code> , giving access to Computer Modern Sans Serif Bold fonts. Note that these macros do not work with current LaTeX, but since the NFSS supports the fonts anyway, this is not a problem.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/bsl.sty
keyword	font-use (font selection, mapping, etc.)
keyword	latex209 (package only known to work with LaTeX 2.09)
see also	see section 846 on page 773: (<i>bsf</i> – Access bold computer modern sans in LaTeX 2.09)
language(s)	no language specified
last access	2025-02-11

849 bsr2dvi – Convert a TeXtures working file to DVIWeb page on CTAN <https://ctan.org/pkg/bsr2dvi>

name	BSR2dvi
caption	Convert a TeXtures working file to DVI
author	Siebenmann, Laurent
license	other-free = Free license not otherwise listed (free)
description	(no language specified) Produces a portable DVI file (modulo <code>\special</code> commands) which may be used with any standard DVI processor. The program apparently runs on MacOS 9 (or possibly earlier).

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/dviware/BSR2dvi/BSR2dvi.htm
documentation	(no language specified) <i>News:</i> https://ctan.org/tex-archive/dviware/BSR2dvi/BSR2dvi_news.htm
on CTAN	https://ctan.org/tex-archive/dviware/BSR2dvi
keyword	misc-conv (miscellaneous conversions)
language(s)	no language specified
year	without year
last access	2025-02-07

850 *btable* – Bordered tables

Web page on CTAN	https://ctan.org/pkg/btable
name	btable
caption	Bordered tables
author	van der Laan, Kees
license	noinfo = noinfo
version	(1994-03-19)
last changes	1994-03-19
year	1994
description	(no language specified) Provides a mechanism for tables with borders, in plain TeX.
documentation	(no language specified) <i>EuroTeX 92 paper about tables in general:</i> http://www.ntg.nl/maps/09/26.pdf
– local file	./6786290137-26.pdf
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/btable
keyword	table (table typesetting)
language(s)	no language specified
last access	2025-02-07

851 bttool – Perl library for parsing and processing BibTeX filesWeb page on CTAN <https://ctan.org/pkg/bttool>

name	btOOL
caption	Perl library for parsing and processing BibTeX files
author	Ward, Greg
license	gpl = GNU General Public License (free)
version	0.32
description	(no language specified) Includes a C library called btparse and a perl library Text::BibTeX. Features include: robust, efficient lexical scanning and parsing of BibTeX files; excellent error detection, reporting, and recovery in the parser; full processing of BibTeX strings (macros expanded, whitespace collapsed, strings concatenated); handles all common entry types (@comment, @preamble, @string, and everything else) with ease, and gives you full access to the contents of all entry types; support for processing author names identically to BibTeX; preliminary support for imposing/enforcing a particular database structure.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/btOOL
keyword	bibtex-util (utilities for managing BibTeX files)
language(s)	no language specified
year	without year
last access	2025-02-07

852 bubblesort – Bubble sorts a listWeb page on CTAN <https://ctan.org/pkg/bubblesort>

name	bubblesort
caption	Bubble sorts a list
author	Taylor, Laurence R
copyright	Laurence R Taylor (2020)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0

description	(no language specified) This package sorts a list of TeX items <code>{item 1}...{item k}</code> in "increasing" order where "increasing" is determined by a comparator macro. By default it sorts real numbers with the usual meaning of "increasing" but some other examples are discussed in the documentation. A second macro is included which sorts one list and applies the same permutation to a second list.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/bubblesort/bubblesort.pdf
– local file	<code>./6147574925-bubblesort.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/bubblesort/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bubblesort
on MikTeX	bubblesort
on TeXLive	bubblesort
keyword	macro-sort (sort data within TeX macros)
keyword	list (list: general)
language(s)	no language specified
year	2020
last access	2025-02-07

853 *buctthesis* – Beijing University of Chemical Technology Thesis Template

Web page on CTAN	https://ctan.org/pkg/buctthesis
name	BUCTthesis
caption	Beijing University of Chemical Technology Thesis Template
author	Miracle0565
author	Changcheng Student Network
copyright	The-CCSN (2022-2023)
copyright	Miracle0565 (2019-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.0 (2023-05-20)
last changes	2023-05-20
year	2023

description	(no language specified) This package provides a LaTeX class and template for Beijing University of Chemical Technology, supporting bachelor, master, and doctor theses.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/buctthesis/README.md
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/xetex/latex/buctthesis/doc/buctthesis.pdf
– local file	<code>./3928992310-buctthesis.pdf</code>
home page	https://github.com/the-ccsn/BUCTthesis
contact	<i>announce</i> : https://github.com/the-ccsn/BUCTthesis/releases
contact	<i>bugs</i> : https://github.com/the-ccsn/BUCTthesis/issues
contact	<i>repository</i> : https://github.com/the-ccsn/BUCTthesis/tree/master
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/buctthesis
on MikTeX	<code>buctthesis</code>
on TeXLive	<code>buctthesis</code>
keyword	<code>chinese</code> (support for typesetting Chinese languages)
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
keyword	<code>xetex</code> (XeTeX, material supporting it, and packages requiring it)
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>doc-templ</code> (template to guide document development)
language(s)	Chinese
last access	2025-02-11

854 *bullcntr* – Display list item counter as regular pattern of bullets

Web page on CTAN	https://ctan.org/pkg/bullcntr
name	<code>bullcntr</code>
caption	Display list item counter as regular pattern of bullets
author	Mezzetti, Gustavo
copyright	Gustavo Mezzetti (2007)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.04

description	(no language specified) The <code>bullcntr</code> package defines the command <code>bullcntr</code> , which may be thought of as an analogue of the <code>\fnsymbol</code> command: like the latter, it displays the value of a counter lying between 1 and 9, but uses, for the purpose, a regular pattern of bullets.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bullcntr/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bullcntr/bullcntr-man.pdf
– local file	<code>./4587057450-bullcntr-man.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bullcntr
on MikTeX	<code>bullcntr</code>
on TeXLive	<code>bullcntr</code>
keyword	<code>numbers</code> (formatting numbers, etc)
language(s)	no language specified
year	2007
last access	2025-08-30

855 `bundledoc` – **Bundle together all the files needed to build a LaTeX document**

Web page on CTAN	https://ctan.org/pkg/bundledoc
name	<code>bundledoc</code>
caption	Bundle together all the files needed to build a LaTeX document
author	Pakin, Scott
copyright	Scott Pakin (2018-2025)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.5 (2025-02-26)
last changes	2025-02-26
year	2025

description	(no language specified) The <code>bundledoc</code> package is a post-processor for the <code>snapshot</code> package that bundles together all the classes, packages and files needed to build a given LaTeX document. It reads the <code>.dep</code> file that <code>snapshot</code> produces, finds each of the files mentioned therein, and archives them into a single <code>.tar.gz</code> (or <code>.zip</code>, or whatever) file, suitable for moving across systems, transmitting to a colleague, etc. A script, <code>arlatex</code>, provides an alternative "archiving" mechanism, creating a single LaTeX file that contains all of the ancillary files of a LaTeX document, together with the document itself, using the <code>filecontents*</code> environment.
documentation	(no language specified) <i>Arlatex documentation</i> : https://ctan.org/tex-archive/support/bundledoc/arlatex.pdf
– local file	<code>./3314756598-arlatex.pdf</code>
documentation	(no language specified) <i>Bundledoc documentation</i> : https://ctan.org/tex-archive/support/bundledoc/bundledoc.pdf
– local file	<code>./1952321294-bundledoc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/bundledoc/README
on CTAN	https://ctan.org/tex-archive/support/bundledoc
on MikTeX	<code>bundledoc</code>
on T _E XLive	<code>bundledoc</code>
keyword	archival (creating archival copies, or copies for distribution)
keyword	bundle (pack files up for distribution or archiving)
language(s)	no language specified
last access	2025-03-07

856 *burmese* – Basic Support for Writing Burmese

Web page on CTAN	https://ctan.org/pkg/burmese
name	<code>burmese</code>
caption	Basic Support for Writing Burmese
author	Reese, Johannes
author	Lepper, Ingo
copyright	Joh. Reese (2002)
license	lppl = The LaTeX Project Public License (free)

description	(no language specified) This package provides basic support for writing Burmese. The package provides a preprocessor (written in Perl), an Adobe Type 1 font, and LaTeX macros.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/language/burmese/doc/burmguide.pdf
– local file	<code>./8511213231-burmguide.pdf</code>
on CTAN	https://ctan.org/tex-archive/language/burmese
on MikTeX	<code>burmese</code>
on T _E XLive	<code>burmese</code>
keyword	<code>burmese</code> (support for typesetting Burmese)
language(s)	no language specified
year	2002
last access	2025-02-07

857 *buscard* – A document style for business cards

Web page on CTAN <https://ctan.org/pkg/buscard>

name	<code>buscard</code>
caption	A document style for business cards
author	Roth, Mark
license	<code>noinfo = noinfo</code>
version	1.5
description	(no language specified) This style uses the LaTeX 2.09 version of the NFSS, which is no longer available; some adaptation would seem essential for its use.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/buscard.sty
keyword	<code>file-card</code> (typeset cards for business, filing, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

858 business-research – Markup for the journal Business Research

Web page on CTAN <https://ctan.org/pkg/business-research>

name	business-research
caption	Markup for the journal Business Research
author	Löffler, Andreas
author	Schanz, Sebastian
license	gpl3 = GNU General Public License, version 3 (free)
version	(2011-12-01)
last changes	2011-12-01
year	2011
description	(no language specified) The package is supplied for authors of the journal Business Research, the journal of the German Academic Association of Business Research.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/business-research/doc/bur-doc.pdf
– local file	./4379018907-bur-doc.pdf
home page	https://www.sciencedirect.com/journal/journal-of-business-research
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/business-research
on MikTeX	business-research
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
last access	2025-02-07

859 businesscard-qrcode – Business cards with QR-Code

Web page on CTAN <https://ctan.org/pkg/businesscard-qrcode>

name	businesscard-qrcode
caption	Business cards with QR-Code
author	Wäckerlin, Marc
license	lgpl = GNU Lesser General Public License (free)
version	1.2 (2018-08-15)
last changes	2018-08-15
year	2018
description	(no language specified) What happens when you give your visiting card to someone? Either they manually type the text into their computer or mobile phone, or it will end up in a box and be forgotten. Nowadays data is required electronically, not on paper. Here is the solution: A visiting card with QR-Code that contains a full vcard so that it can be scanned with an app on the mobile phone and thereby automatically imported into the electronic contacts. This also works well when you are offline and bluetooth transfer fails. So here is the highly configurable business card or visiting card with full vcard as QR-Code, ready to send to online printers. You can specify the exact size of the paper and the content within the paper, including generation of crop marks. The package depends on the following other LaTeX packages: calc , crop , DejaVuSans , etoolbox , fontawesome , fontenc , geometry , kvoptions , marvosym , qrcode , varwidth , and wrapfig . The package needs XeLaTeX for working properly.
documentation	(no language specified) <i>Example of use (2)</i> : https://ctan.org/tex-archive/macros/xetex/latex/businesscard-qrcode/examples/peter-muster-example-company-zuerich.pdf
– local file	<code>./5770987740-peter-muster-example-company-zuerich.pdf</code>
documentation	(no language specified) <i>Example of use (1)</i> : https://ctan.org/tex-archive/macros/xetex/latex/businesscard-qrcode/examples/john-doe-hongkong.pdf
– local file	<code>./4401153586-john-doe-hongkong.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/businesscard-qrcode/README.md
documentation	(no language specified) <i>Example of use (4): Special papersize</i> : https://ctan.org/tex-archive/macros/xetex/latex/businesscard-qrcode/examples/special-papersize.pdf
– local file	<code>./7038524165-special-papersize.pdf</code>

documentation	(no language specified) <i>Example of use (3)</i> : https://ctan.org/tex-archive/macros/xetex/latex/businesscard-qrcode/examples/example.pdf
– local file	<code>./8299038354-example.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/businesscard-qrcode
on MikTeX	<code>businesscard-qrcode</code>
on T _E XLive	<code>businesscard-qrcode</code>
keyword	<code>qrcode</code> (typeset quick response codes)
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>xetex</code> (XeTeX, material supporting it, and packages requiring it)
keyword	<code>file-card</code> (typeset cards for business, filing, etc.)
language(s)	no language specified
last access	2025-02-09

860 *bussproofs* – Proof trees in the style of the sequent calculus

Web page on CTAN	https://ctan.org/pkg/bussproofs
name	<code>bussproofs</code>
caption	Proof trees in the style of the sequent calculus
author	Buss, Sam
copyright	Samuel R. Buss (1994-1996, 2004-2006)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1
description	(no language specified) The package allows the construction of proof trees in the style of the sequent calculus and many other proof systems. One novel feature of the macros is they support the horizontal alignment according to some centre point specified with the command <code>\fCenter</code>. This is the style often used in sequent calculus proofs. The package works in a Plain TeX document, as well as in LaTeX; an exposition of the commands available is given in the package file itself.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bussproofs/README
documentation	(no language specified) <i>User Guide</i> : https://ctan.org/tex-archive/macros/latex/contrib/bussproofs/BussGuide2.pdf

861 *bussproofs-colorful* – Color extension for the *bussproofs* package

– local file	<code>./1513574762-BussGuide2.pdf</code>
documentation	(no language specified) <i>Test/example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/bussproofs/testbp2.pdf
– local file	<code>./7496510966-testbp2.pdf</code>
home page	http://math.ucsd.edu/~sbuss/ResearchWeb/bussproofs/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bussproofs
on MikTeX	<code>bussproofs</code>
on T _E XLive	<code>bussproofs</code>
keyword	<code>proof</code> (typeset proofs and proof diagrams)
keyword	<code>maths</code> (support for typesetting mathematics)
see also	see section 862 on page 787: (<code>bussproofs-extra</code> – Extra commands for <code>bussproofs.sty</code>)
see also	see section 1802 on page 1627: (<code>ebproof</code> – Formal proofs in the style of sequent calculus)
language(s)	no language specified
year	2006
last access	2025-08-30

861 *bussproofs-colorful* – Color extension for the *bussproofs* package

Web page on CTAN	https://ctan.org/pkg/bussproofs-colorful
name	<code>bussproofs-colorful</code>
caption	Color extension for the <i>bussproofs</i> package
author	Julian
copyright	Julian (lambdaphoenix) (2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2026-01-27)
last changes	2026-01-27
year	2026
description	(no language specified) This is a small extension to the <i>bussproofs</i> package that adds color control for proof trees. It allows users to customize the colors of nodes (formulas), inference lines, and labels via package options and runtime commands, while preserving the original layout and spacing of <i>bussproofs</i> .

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bussproofs-colorful/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bussproofs-colorful/bussproofs-colorful-manual.pdf
– local file	<code>./2444538947-bussproofs-colorful-manual.pdf</code>
contact	<i>bugs</i> : https://github.com/lambdaphoenix/bussproofs-colorful/issues
contact	<i>repository</i> : https://github.com/lambdaphoenix/bussproofs-colorful
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bussproofs-colorful
on MikTeX	<code>bussproofs-colorful</code>
on TeXLive	<code>bussproofs-colorful</code>
keyword	maths (support for typesetting mathematics)
keyword	colour (typesetting in colour)
keyword	proof (typeset proofs and proof diagrams)
see also	see section 860 on page 785: (<code>bussproofs</code> – Proof trees in the style of the sequent calculus)
language(s)	no language specified
last access	2026-04-10

862 *bussproofs-extra* – Extra commands for *bussproofs.sty*

Web page on CTAN <https://ctan.org/pkg/bussproofs-extra>

name	<code>bussproofs-extra</code>
caption	Extra commands for <i>bussproofs.sty</i>
author	Zach, Richard
copyright	Richard Zach (2019)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.4 (2019-05-31)
last changes	2019-05-31
year	2019

description	(no language specified) This package provides additional functionality for bussproofs.sty ; specifically, it allows for typesetting of entire (sub)deductions.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bussproofs-extra/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bussproofs-extra/bussproofs-extra.pdf
– local file	<code>./3335973829-bussproofs-extra.pdf</code>
contact	<i>bugs</i> : https://github.com/OpenLogicProject/bussproofs-extra/issues
contact	<i>repository</i> : https://github.com/OpenLogicProject/bussproofs-extra
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bussproofs-extra
on MikTeX	<code>bussproofs-extra</code>
on TeXLive	<code>bussproofs-extra</code>
keyword	<code>proof</code> (typeset proofs and proof diagrams)
keyword	<code>maths</code> (support for typesetting mathematics)
see also	see section 860 on page 785: (<code>bussproofs</code> – Proof trees in the style of the sequent calculus)
language(s)	no language specified
last access	2025-02-07

863 **bxbase** – BX bundle base components

Web page on CTAN <https://ctan.org/pkg/bxbase>

name	<code>BXbase</code>
caption	BX bundle base components
author	Yato, Takayuki
copyright	Takayuki YATO (2008-2023)
license	mit = MIT License (free)
version	1.2a (2023-02-23)
last changes	2023-02-23
year	2023

description	(no language specified) The main purpose of this bundle is to serve as an underlying library for other packages created by the same author (their names start with "BX" or "PX"). However bxbase package contains a few user-level commands and is of some use by itself.
documentation	(Japanese) <i>Package documentation</i> : https://ctan.org/tex-archive/language/japanese/BX/bxbase/bxbase-ja.pdf
– local file	<code>./4614478932-bxbase-ja.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/japanese/BX/bxbase/README.md
documentation	(Japanese) <i>Readme</i> : https://ctan.org/tex-archive/language/japanese/BX/bxbase/README-ja.md
home page	https://github.com/zr-tex8r/BXbase
on CTAN	https://ctan.org/tex-archive/language/japanese/BX/bxbase
on MikTeX	bxbase
on T _E XLive	bxbase
keyword	japanese (support for typesetting Japanese)
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	Japanese
last access	2025-02-11

864 bxcalc – Extend the functionality of the calc package

Web page on CTAN <https://ctan.org/pkg/bxcalc>

name	bxcalc
caption	Extend the functionality of the calc package
author	Yato, Takayuki
copyright	Takayuki YATO (aka. "ZR") (2018-2020)
license	mit = MIT License (free)
version	1.1 (2020-09-25)
last changes	2020-09-25
year	2020
description	(no language specified) This package bundle consists of the following packages: • bxcalcize: To make calc expressions available in more places.

- `bxcalcux`: To add user-defined units to the `calc` syntax.

In addition, this bundle provides the `bxcalc` package, which simply loads the above-mentioned packages internally.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bxcalc/bxcalcize.pdf
– local file	<code>./8824388545-bxcalcize.pdf</code>
documentation	(no language specified) <i>Further Package Documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bxcalc/bxcalcux.pdf
– local file	<code>./1528111767-bxcalcux.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bxcalc/README.md
documentation	(no language specified) <i>Examples</i> : https://ctan.org/tex-archive/macros/latex/contrib/bxcalc/sample-bxcalc.pdf
– local file	<code>./5627691366-sample-bxcalc.pdf</code>
home page	https://github.com/zr-tex8r/BXcalc
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bxcalc
on MikTeX	<code>bxcalc</code>
on TeXLive	<code>bxcalc</code>
keyword	<code>etex</code> (requires e-TeX)
keyword	<code>arithmetic</code> (perform and typeset arithmetic problems)
keyword	<code>calculation</code> (perform calculations within TeX)
language(s)	no language specified
last access	2025-08-30

865 *bxcjkjatype* – Typeset Japanese with pdfLaTeX and CJK

Web page on CTAN	https://ctan.org/pkg/bxcjkjatype
name	<code>bxcjkjatype</code>
caption	Typeset Japanese with pdfLaTeX and CJK
author	Yato, Takayuki
copyright	Takayuki Yato (2013-2023)
license	mit = MIT License (free)
version	0.5 (2023-07-23)

last changes	2023-07-23
year	2023
description	(no language specified) The package provides a working configuration of the CJK package, suitable for Japanese typesetting of moderate quality. Moreover, it facilitates use of the CJK package for pLaTeX users, by providing commands that are similar to those used by the pLaTeX kernel and some other packages used with it.
documentation	<i>Readme (English):</i> https://ctan.org/tex-archive/language/japanese/BX/bxcjkjatype/README.md
documentation	<i>bxcjkjatype user manual (Japanese):</i> https://ctan.org/tex-archive/language/japanese/BX/bxcjkjatype/bxcjkjatype-ja.pdf
– local file	<code>./6056547194-bxcjkjatype-ja.pdf</code>
documentation	<i>Readme (Japanese):</i> https://ctan.org/tex-archive/language/japanese/BX/bxcjkjatype/README-ja.md
documentation	<i>Small example of use (Japanese and English):</i> https://ctan.org/tex-archive/language/japanese/BX/bxcjkjatype/sample-bxcjkjatype.pdf
– local file	<code>./8335989853-sample-bxcjkjatype.pdf</code>
documentation	(no language specified) <i>bxcjkvert user manual (English):</i> https://ctan.org/tex-archive/language/japanese/BX/bxcjkjatype/bxcjkvert.pdf
– local file	<code>./4109189267-bxcjkvert.pdf</code>
documentation	<i>bxcjkvert user manual (Japanese):</i> https://ctan.org/tex-archive/language/japanese/BX/bxcjkjatype/bxcjkvert-ja.pdf
– local file	<code>./9144432728-bxcjkvert-ja.pdf</code>
documentation	(no language specified) <i>bxcjkjatype user manual (English):</i> https://ctan.org/tex-archive/language/japanese/BX/bxcjkjatype/bxcjkjatype.pdf
– local file	<code>./7342544506-bxcjkjatype.pdf</code>
documentation	(no language specified) <i>Sample: Introductory beamer slides (English and Japanese):</i> https://ctan.org/tex-archive/language/japanese/BX/bxcjkjatype/sample-bxcjkjatype-beamer.pdf
– local file	<code>./9665787457-sample-bxcjkjatype-beamer.pdf</code>
on CTAN	https://ctan.org/tex-archive/language/japanese/BX/bxcjkjatype
on MikTeX	<code>bxcjkjatype</code>
on T _E XLive	<code>bxcjkjatype</code>

keyword	japanese (support for typesetting Japanese)
language(s)	English; Japanese
last access	2025-02-11

866 *bxcoloremoji* – Use color emojis more conveniently

Web page on CTAN <https://ctan.org/pkg/bxcoloremoji>

name	bxcoloremoji
caption	Use color emojis more conveniently
author	Yato, Takayuki
copyright	Takayuki YATO (aka. “ZR”) (2017-2024)
license	mit = MIT License (free)
version	1.0a
description	(no language specified) This package lets users output color emojis in LaTeX documents. Compared to other packages with similar functionality, this package has the following merits: • It supports all major LaTeX engines. • Emojis can be entered as the characters themselves, as their Unicode code values, or as their short names. • It works reasonably well in PDF strings when using hyperref. • Emojis can be handled properly even in Japanese typesetting environments.

This package has been widely used among the Japanese LaTeX community, but there are already many emoji packages on CTAN and in TeX Live. To avoid uploading a large amount of emoji image data that are essentially identical, the package was revised in version 1.0 so that the image output was delegated to the twemojis package. Therefore, this package now contains no image data.

documentation	(no language specified) <i>List of Emoji Short Names</i>: https://ctan.org/tex-archive/macros/latex/contrib/bxcoloremoji/bxcoloremoji-shortnames.pdf
– local file	./4788153545-bxcoloremoji-shortnames.pdf
documentation	<i>Readme (Japanese)</i>: https://ctan.org/tex-archive/macros/latex/contrib/bxcoloremoji/README-ja.md
documentation	(no language specified) <i>Readme (English)</i>: https://ctan.org/tex-archive/macros/latex/contrib/bxcoloremoji/README.md

documentation	<i>Package documentation (Japanese):</i> https://ctan.org/tex-archive/macros/latex/contrib/bxcoloremoji/bxcoloremoji-ja.pdf
– local file	<code>./6472204217-bxcoloremoji-ja.pdf</code>
documentation	(no language specified) <i>Package documentation (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/bxcoloremoji/bxcoloremoji-en.pdf
– local file	<code>./1432434615-bxcoloremoji-en.pdf</code>
contact	<i>repository:</i> https://github.com/zr-tex8r/BXcoloremoji
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bxcoloremoji
on MikTeX	<code>bxcoloremoji</code>
on T _E XLive	<code>bxcoloremoji</code>
keyword	<code>text-symbol</code> (symbols for use in text)
language(s)	Japanese
year	2024
last access	2025-08-30

867 bxdp_x-beamer – Dvipdfmx extras for use with beamer

Web page on CTAN	https://ctan.org/pkg/bxdpx-beamer
name	<code>bxdpx-beamer</code>
caption	Dvipdfmx extras for use with beamer
author	Yato, Takayuki
license	mit = MIT License (free)
version	0.3
description	(no language specified) The package is a driver to support beamer Navigation symbols and <code>\framezoom</code> ed regions when using <code>dvipdfmx</code> as PDF generator (e.g., as part of e-pTeX). The package does not define any ‘user’ commands.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/bxdpx-beamer/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/bxdpx-beamer
on MikTeX	<code>bxdpx-beamer</code>

on T _E XLive	bxdpx-beamer
keyword	graphics-driv (‘driver’ for output from graphics ‘kernel’ packages)
language(s)	no language specified
year	without year
last access	2025-02-07

868 **bxdvidriver** – Enables specifying a driver option effective only in DVI output

Web page on CTAN <https://ctan.org/pkg/bxdvidriver>

name	bxdvidriver
caption	Enables specifying a driver option effective only in DVI output
author	Yato, Takayuki
copyright	Takayuki YATO (aka “ZR”) (2017)
license	mit = MIT License (free)
version	0.2a
description	(no language specified) This single-function package enables authors to specify a global driver option (dvips, dvipdfmx, etc) which is applied only when the engine outputs a DVI file. It is useful to create special document- templates that can be compiled in both PDF-mode and DVI-mode.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bxdvidriver/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bxdvidriver
on MikT _E X	bxdvidriver
on T _E XLive	bxdvidriver
keyword	dvi-proc (DVI processor)
language(s)	no language specified
year	2017
last access	2025-02-07

869 bxeepic – Eepic facilities using pict2e

Web page on CTAN <https://ctan.org/pkg/bxeepic>

name	bxeepic
caption	Eepic facilities using pict2e
author	Yato, Takayuki
copyright	Takayuki Yato (2012)
license	other-free = Free license not otherwise listed (free)
version	0.2
description	(no language specified) The package provides an eepic driver to use pict2e facilities.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bxeepic/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bxeepic
on MikTeX	bxeepic
on T _E XLive	bxeepic
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
language(s)	no language specified
year	2012
last access	2025-02-07

870 bxenclose – Enclose the document body with some pieces of code

Web page on CTAN <https://ctan.org/pkg/bxenclose>

name	bxenclose
caption	Enclose the document body with some pieces of code
author	Yato, Takayuki
copyright	Takayuki YATO (2016)
license	mit = MIT License (free)
version	0.2

description	(no language specified) The package enables authors to designate in the preamble to make the document body enclosed with the given pieces of code. As is known, there are already various mechanisms provided by LaTeX kernel or packages that attach hooks at the beginning and end of documents.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bxenclose/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bxenclose
on MikTeX	bxenclose
on TeXLive	bxenclose
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	2016
last access	2025-02-07

871 *bxghost* – Ghost insertion for proper xkanjiskip

Web page on CTAN <https://ctan.org/pkg/bxghost>

name	BXghost
caption	Ghost insertion for proper xkanjiskip
author	Asakura, Takuto
copyright	Takuto ASAKURA (wt snjp) (2019-2023)
license	mit = MIT License (free)
version	0.5.1 (2023-02-26)
last changes	2023-02-26
year	2023
description	(no language specified) The package provides two commands to help authors for documents in Japanese to insert proper xkanjiskips. It supports LuaTeX, XeTeX, pTeX, upTeX, and ApTeX (pTeX-ng).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/japanese/BX/bxghost/README.md
contact	<i>bugs</i> : https://github.com/wt snjp/BXghost/issues
contact	<i>repository</i> : https://github.com/wt snjp/BXghost
on CTAN	https://ctan.org/tex-archive/language/japanese/BX/bxghost

on MikTeX	bxghost
on T _E XLive	bxghost
keyword	japanese (support for typesetting Japanese)
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-11

872 bxjaholiday – Support for Japanese holidays

Web page on CTAN <https://ctan.org/pkg/bxjaholiday>

name	BXjaholiday
caption	Support for Japanese holidays
author	Asakura, Takuto
copyright	Takuto ASAKURA (wtsnjp) (2018-2021)
license	mit = MIT License (free)
version	1.1.1 (2021-09-28)
last changes	2021-09-28
year	2021
description	(no language specified) This LaTeX package provides a command to convert dates to names of Japanese holidays. Another command, converting dates to the day of the week in Japanese, is available as a free gift. Further (lower-level) APIs are provided for expl3 . The package supports pdfTeX , XeTeX , LuaTeX , pTeX , and upTeX .
documentation	(no language specified) <i>Package documentation (English)</i>: https://ctan.org/tex-archive/language/japanese/BX/bxjaholiday/bxjaholiday.pdf
– local file	./2632276860-bxjaholiday.pdf
documentation	<i>Package documentation (Japanese)</i>: https://ctan.org/tex-archive/language/japanese/BX/bxjaholiday/bxjaholiday-ja.pdf
– local file	./9266668247-bxjaholiday-ja.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/language/japanese/BX/bxjaholiday/README.md
contact	<i>bugs</i> : https://github.com/wtsnjp/BXjaholiday/issues
contact	<i>repository</i> : https://github.com/wtsnjp/BXjaholiday

on CTAN	https://ctan.org/tex-archive/language/japanese/BX/bxjaholiday
on MikTeX	bxjaholiday
on T _E XLive	bxjaholiday
keyword	date-time (manipulate dates and/or times)
keyword	expl3 (expl3(unknown))
keyword	japanese (support for typesetting Japanese)
language(s)	Japanese
last access	2025-02-07

873 *bxjalipsum* – Dummy text in Japanese

Web page on CTAN	https://ctan.org/pkg/bxjalipsum
name	BXjalipsum
caption	Dummy text in Japanese
author	Yato, Takayuki
copyright	Takayuki YATO (2016-2023)
license	mit = MIT License (free)
version	1.0a (2023-07-12)
last changes	2023-07-12
year	2023
description	(no language specified) This package enables users to print some Japanese text that can be used as dummy text. It is a Japanese counterpart of the lipsum package. Since there is no well-known nonsense text like Lipsum in the Japanese language, the package uses some real text in public domain.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/japanese/BX/bxjalipsum/README.md
on CTAN	https://ctan.org/tex-archive/language/japanese/BX/bxjalipsum
on MikTeX	bxjalipsum
on T _E XLive	bxjalipsum
keyword	dummy-gen (dummy text generator for tests and examples)
keyword	japanese (support for typesetting Japanese)

874 *bxjaprnind* – Adjust the position of parentheses at paragraph head

keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-11

874 *bxjaprnind* – Adjust the position of parentheses at paragraph head

Web page on CTAN <https://ctan.org/pkg/bxjaprnind>

name	BXjaprnind
caption	Adjust the position of parentheses at paragraph head
author	Yato, Takayuki
copyright	Takayuki Yato (2012-2021)
license	mit = MIT License (free)
version	0.4a
description	(no language specified) In Japanese typesetting, opening parentheses placed at the beginning of paragraphs or lines are treated specially; for example, while the paragraph indent before normal kanji characters is 1em, the indent before parentheses can be 0.5em, 1em or 1.5em depending on the local rule in effect.
documentation	(Japanese) <i>Readme</i> : https://ctan.org/tex-archive/language/japanese/BX/bxjaprnind/README-ja.md
documentation	(Japanese) <i>Package documentation</i> : https://ctan.org/tex-archive/language/japanese/BX/bxjaprnind/bxjaprnind.pdf
– local file	./5758339644-bxjaprnind.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/japanese/BX/bxjaprnind/README.md
home page	https://github.com/zr-tex8r/BXjaprnind
on CTAN	https://ctan.org/tex-archive/language/japanese/BX/bxjaprnind
on MikTeX	bxjaprnind
on TeXLive	bxjaprnind
keyword	japanese (support for typesetting Japanese)
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	Japanese
year	2021
last access	2025-02-07

875 *bxjatoucs* – Convert Japanese character code to Unicode

Web page on CTAN <https://ctan.org/pkg/bxjatoucs>

name	bxjatoucs
caption	Convert Japanese character code to Unicode
author	Yato, Takayuki
copyright	Takayuki YATO (aka. “ZR”) (2019-2024)
license	mit = MIT License (free)
version	0.3a (2024-07-22)
last changes	2024-07-22
year	2024
description	(no language specified) This package is meant for macro/package developers: It provides function-like (fully-expandable) macros that convert a character code value in one of several Japanese encodings to a Unicode value. Supported source encodings are: ISO-2022-JP (jis), EUC-JP (euc), Shift_JIS (sjis), and the Adobe-Japan1 glyph set.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/japanese/BX/bxjatoucs/README.md
contact	<i>repository</i> : https://github.com/zr-tex8r/BXjatoucs
on CTAN	https://ctan.org/tex-archive/language/japanese/BX/bxjatoucs
on MikTeX	bxjatoucs
on TeXLive	bxjatoucs
keyword	unicode (Unicode, material supporting it, and packages requiring it)
keyword	japanese (support for typesetting Japanese)
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

876 bxjscls – Japanese document class collection for all major enginesWeb page on CTAN <https://ctan.org/pkg/bxjscls>

name	BXjscls
caption	Japanese document class collection for all major engines
author	Yato, Takayuki
copyright	Japanese TeX Development Community (2016-2023)
copyright	Takayuki YATO (2013-2024)
copyright	Haruhiko Okumura (1999-2016)
copyright	ASCII Corporation (1995-1999)
copyright	The LaTeX3 Project et al. (1993-2020)
license	bsd2 = Simplified BSD License (free)
version	2.9c (2024-07-19)
last changes	2024-07-19
year	2024
description	(no language specified) This package provides an extended version of the Japanese document class collection provided by jsclasses . While the original version supports only pLaTeX and upLaTeX, the extended version also supports pdfLaTeX, XeLaTeX and LuaLaTeX, with the aid of suitable packages that provide capability of Japanese typesetting.
documentation	<i>Readme (Japanese)</i> : https://ctan.org/tex-archive/language/japanese/BX/bxjscls/README-ja.md
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/japanese/BX/bxjscls/README.md
documentation	<i>Package documentation (Japanese)</i> : https://ctan.org/tex-archive/language/japanese/BX/bxjscls/bxjscls.pdf
– local file	./9025482813-bxjscls.pdf
documentation	<i>User guide (Japanese)</i> : https://ctan.org/tex-archive/language/japanese/BX/bxjscls/bxjscls-manual.pdf
– local file	./9021586139-bxjscls-manual.pdf
home page	https://github.com/zr-tex8r/BXjscls
contact	<i>repository</i> : https://github.com/zr-tex8r
on CTAN	https://ctan.org/tex-archive/language/japanese/BX/bxjscls
on MikTeX	bxjscls

on T _E XLive	<code>bxjscls</code>
keyword	<code>japanese</code> (support for typesetting Japanese)
keyword	<code>class</code> (alternative LaTeX class(es))
language(s)	Japanese
last access	2025-02-07

877 *bxnewfont* – Enhanced `\newfont` command

Web page on CTAN <https://ctan.org/pkg/bxnewfont>

name	<code>bxnewfont</code>
caption	Enhanced <code>\newfont</code> command
author	Yato, Takayuki
copyright	Takayuki YATO (2016)
license	mit = MIT License (free)
version	0.2b (2017-05-01)
last changes	2017-05-01
year	2017
description	(no language specified) This package provides a new command <code>\newfontx</code> . It is similar to the old (and deprecated) command <code>\newfont</code> in function, but is more compatible with NFSS. In particular, one can safely change font size after invoking a font command defined by <code>\newfontx</code> . The new command will be useful to users who know much of the old <code>\newfont</code> command, but are unfamiliar with the details of NFSS.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bxnewfont/README.md
home page	https://github.com/zr-tex8r/BXnewfont
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bxnewfont
on MikT _E X	<code>bxnewfont</code>
on T _E XLive	<code>bxnewfont</code>
keyword	<code>font-sel</code> (font selection schemes)
language(s)	no language specified
last access	2025-02-07

878 bxorigcapt – To retain the original caption names when using Babel

Web page on CTAN <https://ctan.org/pkg/bxorigcapt>

name	bxorigcapt
caption	To retain the original caption names when using Babel
author	Yato, Takayuki
copyright	Takayuki YATO (aka. “ZR”) (2016-2022)
license	mit = MIT License (free)
version	1.0
description	(no language specified) This package forces the caption names (<code>\chaptername</code> , <code>\today</code> , etc) declared by the document class in use to be used as the caption names for a specific language introduced by the Babel package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bxorigcapt/README.md
home page	https://github.com/zr-tex8r/BXorigcapt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bxorigcapt
on MikTeX	bxorigcapt
on T _E XLive	bxorigcapt
keyword	typesetting (support for variations of typographic style)
language(s)	no language specified
year	2022
last access	2025-02-11

879 bxpapersize – Synchronize output paper size with layout paper size

Web page on CTAN <https://ctan.org/pkg/bxpapersize>

name	bxpapersize
caption	Synchronize output paper size with layout paper size
author	Yato, Takayuki
copyright	Takayuki YATO (aka ‘ZR’) (2016-2022)
license	mit = MIT License (free)
version	0.6 (2022-04-28)

last changes	2022-04-28
year	2022
description	(no language specified) As is well known, in LaTeX processing layout paper size specified by document class options is not automatically applied to output paper size. This package enables LaTeX authors to synchronize both kinds of paper sizes.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bxpapersize/README.md
home page	https://github.com/zr-tex8r/BXpapersize
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bxpapersize
on MikTeX	bxpapersize
on T _E XLive	bxpapersize
keyword	page-control (select pages to be output, etc.)
language(s)	no language specified
last access	2025-02-11

880 bxpdfver – Specify version and compression level of output PDF files

Web page on CTAN <https://ctan.org/pkg/bxpdfver>

name	bxpdfver
caption	Specify version and compression level of output PDF files
author	Yato, Takayuki
copyright	Takayuki YATO (2014-2024)
license	mit = MIT License (free)
version	0.8
description	(no language specified) This package enables users to specify in their sources the following settings on the PDF document to output: • PDF version (1.4, 1.5 etc.); • whether or not to compress streams; • whether or not to use object streams. This package supports all major PDF-output engines and dvipdfmx .
documentation	(Japanese) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bxpdfver/README-ja.md

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bxpdfver/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bxpdfver
on MikTeX	bxpdfver
on T _E XLive	bxpdfver
keyword	pdf-feat (access PDF features)
language(s)	Japanese
year	2024
last access	2025-02-07

881 *bxtexlogo* – Additional TeX-family logos

Web page on CTAN <https://ctan.org/pkg/bxtexlogo>

name	bxtexlogo
caption	Additional TeX-family logos
author	Yato, Takayuki
copyright	Takayuki YATO (aka. “ZR”) (2017-2022)
license	mit = MIT License (free)
version	0.6
description	(no language specified) The hologo package provides many useful logos of popular (and not so popular) TeX-family software. However, its interface is a bit cumbersome because you must type <code>\hologo{BibTeX}</code> instead of <code>\BibTeX</code>. This package makes it possible to import some of the logos provided by hologo as single commands, such as <code>\BibTeX</code>. Additionally, the package provides logos of some TeX-family software that is popular mainly in Japan. These logos can be imported in the same way as those provided by the <code>\hologo</code> command. <code>bxtexlogo</code> depends on hologo and cjhebrew (if <code>\logoAleph</code> and <code>\logoLamed</code> are used).
documentation	(no language specified) <i>Samples</i> : https://ctan.org/tex-archive/macros/latex/contrib/bxtexlogo/bxtexlogo-sample.pdf
– local file	<code>./3559314946-bxtexlogo-sample.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bxtexlogo/README.md
home page	https://github.com/zr-tex8r/BXtexlogo
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bxtexlogo
on MikTeX	bxtexlogo
on T _E XLive	bxtexlogo
keyword	logo (symbols or drawings to specify an object, including icons)
see also	see section 2787 on page 2524: (hologo – A collection of logos with bookmark support)
language(s)	no language specified
year	2022
last access	2025-02-11

882 bxwareki – Convert dates from Gregorian to Japanese calender

Web page on CTAN <https://ctan.org/pkg/bxwareki>

name	bxwareki
caption	Convert dates from Gregorian to Japanese calender
author	Yato, Takayuki
copyright	Takayuki YATO (aka. “ZR”) (2018-2023)
license	mit = MIT License (free)
version	0.7 (2023-07-07)
last changes	2023-07-07
year	2023
description	(no language specified) This LaTeX package provides commands to convert from the Gregorian calendar (e. g. 2018/8/28) to the Japanese rendering of the Japanese calendar (e. g. Heisei 30 nen 8 gatsu 28 nichi; actually with kanji characters). You can choose whether the numbers are written in Western numerals or kanji numerals. Note that the package only deals with dates in the year 1873 or later, where the Japanese calendar is really a Gregorian calendar with a different notation of years.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/japanese/BX/bxwareki/README.md

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/language/japanese/BX/bxwareki/bxwareki.pdf
– local file	./1646778971-bxwareki.pdf
contact	<i>repository:</i> https://github.com/zr-tex8r/BXwareki
on CTAN	https://ctan.org/tex-archive/language/japanese/BX/bxwareki
on MikTeX	bxwareki
on T _E XLive	bxwareki
keyword	japanese (support for typesetting Japanese)
keyword	calendar (typeset calendars, diaries, planning charts, etc.)
language(s)	no language specified
last access	2025-02-11

883 *byo-twemojis* – “Build Your Own Twemojis” with TikZ

Web page on CTAN	https://ctan.org/pkg/byo-twemojis
name	byo-twemojis
caption	“Build Your Own Twemojis” with TikZ
author	Rossel, Jost
copyright	Twitter, Inc and other contributors (2019)
copyright	Jost Rossel (2021)
license	cc-by-4 = CC BY 4.0 (free)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2021-04-19)
last changes	2021-04-19
year	2021
description	(no language specified) This package provides the means to create your own emojis (the simple, round, and mostly yellow ones) from elements of existing emojis. The provided command creates a TikZ picture from the stated elements with multiple possibilities to modify the result in color and position.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/byo-twemojis/byo-twemojis.pdf
– local file	./4567826068-byo-twemojis.pdf

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/byo-twemojis/README.md
contact	<i>bugs</i> : https://gitlab.com/rossel.jost/latex-twemojis/-/issues
contact	<i>repository</i> : https://gitlab.com/rossel.jost/latex-twemojis
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/byo-twemojis
on MikTeX	byo-twemojis
on T _E XLive	byo-twemojis
keyword	graphics (graphics (support packages))
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	amusements (jokes, distractions, tongue-in-cheek packages, and other entertainment material)
language(s)	no language specified
last access	2025-02-07

884 *byrne* – Typeset geometric proofs in the style of Oliver Byrne’s 1847 edition of Euclid’s “Elements”

Web page on CTAN <https://ctan.org/pkg/byrne>

name	byrne
caption	Typeset geometric proofs in the style of Oliver Byrne’s 1847 edition of Euclid’s “Elements”
author	Slyusarev, Sergey
copyright	Sergey Slyusarev (2022-2025)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	0.2.5 (2025-12-05)
last changes	2025-12-05
year	2025
description	(no language specified) This package is a LaTeX adaptation of a set of tools developed for ConTeXt reproduction of Oliver Byrne’s 1847 edition of the first six books of <i>Euclid’s “Elements”</i> . It consists of a MetaPost library, responsible for all the drawing, and a set of LaTeX macros to conveniently use them. This package works with LuaLaTeX and relies on <i>luamplib</i> v2.23.0 or higher.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/byrne/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/byrne/byrne-latex.pdf
– local file	./6010730208-byrne-latex.pdf
home page	https://github.com/jemmybutton/byrne-latex
contact	<i>bugs</i> : https://github.com/jemmybutton/byrne-latex/issues
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/byrne
on MikTeX	byrne
on T _E XLive	byrne
keyword	luatex (LuaTeX and packages that require it)
keyword	graphics-mpost (graphics generated using MetaPost)
keyword	graphics (graphics (support packages))
language(s)	no language specified
last access	2025-12-16

885 *bytefield* – Create illustrations for network protocol specifications

Web page on CTAN	https://ctan.org/pkg/bytefield
name	bytefield
caption	Create illustrations for network protocol specifications
author	Pakin, Scott
copyright	Scott Pakin (2000-2025)
license	lpl1.3a = The LaTeX Project Public License 1.3a (free)
version	2.9
description	(no language specified) The bytefield package helps the user create illustrations for network protocol specifications and anything else that utilizes fields of data. These illustrations show how the bits and bytes are laid out in a packet or in memory.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bytefield/bytefield.pdf
– local file	./4606285026-bytefield.pdf

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bytefield/README
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/bytefield/bf-example.pdf
– local file	<code>./7300718494-bf-example.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bytefield
on MikTeX	bytefield
on T _E XLive	bytefield
keyword	engineering (typesetting associated with engineering of whatever sort)
keyword	comp-sci (typeset computer-science related material)
keyword	comp-net (typeset computer network concepts)
language(s)	no language specified
year	2025
last access	2025-08-30

886 *byzantinemusic* – Facilitates writing *byzantinemusic*

Web page on CTAN <https://ctan.org/pkg/byzantinemusic>

name	byzantinemusic
caption	Facilitates writing byzantinemusic
author	Cornaros, Charalampos
license	gpl3 = GNU General Public License, version 3 (free)
version	(2016-04-21)
last changes	2016-04-21
year	2016
description	(no language specified) The package facilitates writing byzantinemusic offering fonts and useful utilities.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/byzantinemusic/README
documentation	(Greek) <i>Package documentation</i> : https://ctan.org/tex-archive/support/byzantinemusic/doc/byzantinemusic-documentation-gr.pdf

– local file	./8697235047-byzantinemusic-documentation-gr.pdf
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/support/byzantinemusic/doc/byzantinemusic-documentation-en.pdf
– local file	./5035335863-byzantinemusic-documentation-en.pdf
on CTAN	https://ctan.org/tex-archive/support/byzantinemusic
on MikTeX	byzantinemusic
keyword	font-music (fonts of music symbols)
keyword	music (typesetting music and related stuff)
language(s)	Greek
last access	2025-02-07

887 *byzfonts* – Byzantine Music Font

Web page on CTAN	https://ctan.org/pkg/byzfonts
name	byzfonts
caption	Byzantine Music Font
author	Kotopoulos, Panagiotis
author	Vamvakas, Ioannis A.
copyright	Ioannis A. Vamvakas (2005)
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) A font (as Metafont source) and macros that allows those familiar with the music of the Greek Orthodox Church (aka, Byzantine Music) to typeset music phrases using LaTeX.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/byzfonts/README
documentation	(no language specified) <i>Symbol table: the eight tones:</i> https://ctan.org/tex-archive/fonts/byzfonts/symbols2.pdf
– local file	./1603197990-symbols2.pdf
documentation	(no language specified) <i>Symbol table: other symbols:</i> https://ctan.org/tex-archive/fonts/byzfonts/symbols3.pdf
– local file	./8810905099-symbols3.pdf
documentation	(no language specified) <i>Symbol table: character combinations:</i> https://ctan.org/tex-archive/fonts/byzfonts/symbols1.pdf

– local file	<code>./7030501794-symbols1.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/byzfonts
keyword	<code>font-music</code> (fonts of music symbols)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>font</code> (fonts themselves)
language(s)	no language specified
year	2005
last access	2025-02-07

888 *c-pascal* – Typeset Python, C and Pascal programs

Web page on CTAN	https://ctan.org/pkg/c-pascal
name	<code>c-pascal</code>
caption	Typeset Python, C and Pascal programs
author	Śegan, Danilo
author	Gulczynski, Michal
license	pd = Public Domain Software (free)
version	1.2
description	(no language specified) A TeX macro package for easy typesetting programs in Python, C and Pascal. Program source files may also be input.
documentation	(Polish) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/c_pascal/README.pol
documentation	(English) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/c_pascal/README.eng
on CTAN	https://ctan.org/tex-archive/macros/generic/c_pascal
on MikTeX	<code>c-pascal</code>
on T _E XLive	<code>c-pascal</code>
keyword	<code>listing</code> (computer code listing)
language(s)	English; Polish
year	without year
last access	2025-02-07

889 c2cweb – C language prettyprinterWeb page on CTAN <https://ctan.org/pkg/c2cweb>

name	c2cweb
caption	C language prettyprinter
author	Lemberg, Werner
license	other-free = Free license not otherwise listed (free)
version	1.5
description	(no language specified) A utility to prettyprint C and C++ source files using cweb .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/web/c_cpp/c2cweb/c2cweb.dvi
on CTAN	https://ctan.org/tex-archive/web/c_cpp/c2cweb
keyword	litprog (literate programming)
language(s)	no language specified
year	without year
last access	2025-02-07

890 c2latex – Simple conversion of C programs to LaTeXWeb page on CTAN <https://ctan.org/pkg/c2latex>

name	c2latex
caption	Simple conversion of C programs to LaTeX
author	Ramsdell, John D
copyright	John D. Ramsdell (1991)
license	other-free = Free license not otherwise listed (free)
version	1.1
description	(no language specified) c2latex provides simple support for documentation of C programming. Given a C source file in which the comments have been written in LaTeX, c2latex converts the C source file into a LaTeX source file. It can be used to produce typeset listings of C programs and/or documentation associated with the program. The C source given to c2latex usually has the following form: It starts with a large comment containing LaTeX commands that start a document along with any initial text. Then there is a sequence of comment and code pairs, with the

comment explaining the code to follow. The source file is ended by a comment containing LaTeX commands that finish the document. The source of c2latex is distributed in this form.

on CTAN <https://ctan.org/tex-archive/support/c2latex>
 keyword `listing` (computer code listing)
 language(s) no language specified
 year 1991
 last access 2025-02-07

891 *cabin* – A humanist Sans Serif font, with LaTeX support

Web page on CTAN <https://ctan.org/pkg/cabin>

name `cabin`
 caption A humanist Sans Serif font, with LaTeX support
 author Tennent, Bob
 license ofl = The SIL Open Font License (free)
 license lppl = The LaTeX Project Public License (free)
 version (2023-09-25)
 last changes 2023-09-25
 year 2023
 description (no language specified) Cabin is a humanist sans with four weights and true italics and small capitals. According to the designer, Pablo Impallari, Cabin was inspired by Edward Johnston's and Eric Gill's typefaces, with a touch of modernism. Cabin incorporates modern proportions, optical adjustments, and some elements of the geometric sans.

`cabin.sty` supports use of the font under LaTeX, pdfLaTeX, XeLaTeX and LuaLaTeX; it uses the `mweights`, to manage the user's view of all those font weights.

 An `sfdefault` option is provided to enable Cabin as the default text font. The `fontaxes` package is required for use with [pdf]LaTeX.
 documentation (no language specified) *Readme (primary documentation)*:
<https://ctan.org/tex-archive/fonts/cabin/README>
 documentation (no language specified) *Font samples*: <https://ctan.org/tex-archive/fonts/cabin/doc/cabin-samples.pdf>
 – local file `./1128480357-cabin-samples.pdf`

on CTAN	https://ctan.org/tex-archive/fonts/cabin
installation	https://ctan.org/tex-archive/install/fonts/cabin.tds.zip
on MikTeX	cabin
on T _E XLive	cabin
keyword	font-otf (font in OpenType format)
keyword	font-sans (sans-serif font)
keyword	font-tlenc (font providing LaTeX T1 encoding support)
keyword	font-suppl (metrics, macro incantations and other font support)
keyword	font-proportional (variable-spaced font)
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font (fonts themselves)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
last access	2025-02-07

892 *cachepic* – Convert document fragments into graphics

Web page on CTAN	https://ctan.org/pkg/cachepic
name	cachepic
caption	Convert document fragments into graphics
author	Trzeciak, Tomasz M.
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The bundle simplifies and automates conversion of document fragments into external EPS or PDF files. The bundle consists of two parts: a LaTeX package that implements a document level interface, and a command line tool (written in lua) that generates the external graphics.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cachepic/doc/latex/cachepic/cachepic.pdf
– local file	./1419726904-cachepic.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cachepic/doc/latex/cachepic/README

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cache-pic
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/cache-pic.tds.zip
on T _E XLive	cache-pic
keyword	graphics-prep (prepare graphics for use with *TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

893 caesarcm – Hyphenation of inflected languages, using CM fonts

Web page on CTAN	https://ctan.org/pkg/caesarcm
name	caesarcm
caption	Hyphenation of inflected languages, using CM fonts
author	Siebenmann, Laurent
license	noinfo = noinfo
version	2
description	(no language specified) In the period between the definition (in 1990) of the Cork font encoding (now known to LaTeX users as the T1 encoding), and availability of extended versions of the Computer Modern fonts, various partially-extended versions were briefly available. These macros provided a means of using the extensions, pending the availability of the real ‘thing’. The package should be regarded as ‘obsolete’.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/generic/caesarcm/caesarcmv2.dir/caesarcm.doc
on CTAN	https://ctan.org/tex-archive/macros/generic/caesarcm
keyword	font-supp (metrics, macro incantations and other font support)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
year	without year
last access	2025-02-07

894 cahierprof – Schedule and grade books for French teachers

Web page on CTAN	https://ctan.org/pkg/cahierprof
name	cahierprof
caption	Schedule and grade books for French teachers
author	Giromini, Raphaël
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2 (2025-06-30)
last changes	2025-06-30
year	2025
description	(no language specified) This package provide tools to help teachers in France to produce weekly schedules and grade books.
documentation	(French) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/cahierprof/cahierprof-exemple.pdf
– local file	./9414336365-cahierprof-exemple.pdf
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cahierprof/cahierprof-doc.pdf
– local file	./2377030814-cahierprof-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cahierprof/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cahierprof
on MikTeX	cahierprof
on T _E XLive	cahierprof
keyword	teaching (support for teachers and teaching administrators)
keyword	french (support for typesetting French)
language(s)	French
last access	2025-07-09

895 *cahyph* – Hyphenation patterns for the Catalan language

Web page on CTAN <https://ctan.org/pkg/cahyph>

name	cahyph
caption	Hyphenation patterns for the Catalan language
author	Badenes Guia, Gonçal
author	Turon, Francina
copyright	Gonçal Badenes (1991-2003)
license	lppl = The LaTeX Project Public License (free)
version	1.11
description	(no language specified) The macros used were created for ghyph31.tex by Bernd Raichle (see the German hyphenation pattern files for further details); the patterns were created using standard, conservative hyphenation rules for Catalan. The results were then refined by running them through <code>patgen</code>, which increased the number of hits. The results were checked against "Diccionari Ortogràfic i de Pronúncia, Enciclopèdia Catalana"; no incorrect results were detected, and misses amounted to less than 1%. For Catalan, both <code>\lefthyphenmn</code> and <code>\righthyphenmin</code> should be set to 2.
on CTAN	https://ctan.org/tex-archive/language/hyphenation/cahyph.tex
on T _E XLive	hyphen-spanish
keyword	hyphenation (macros or tables for hyphenation)
keyword	catalan (documentation in and support for typesetting Catalan)
language(s)	no language specified
year	2003
last access	2025-02-07

896 caladea – Support for the Caladea family of fontsWeb page on CTAN <https://ctan.org/pkg/caladea>

name caladea

caption Support for the Caladea family of fonts

author Tennent, Bob

license apache2 = Apache License, version 2.0 (free)

license lppl = The LaTeX Project Public License (free)

version (2022-09-29)

last changes 2022-09-29

year 2022

description (no language specified) This package provides LaTeX, pdfLaTeX, XeLaTeX and LuaLaTeX support for the Caladea family of fonts, designed by Carolina Giovagnoli and Andres Torresi of the Huerta Tipografica foundry and adopted by Google for ChromeOS as a font-metric compatible replacement for Cambria.

documentation (no language specified) *Font samples*: <https://ctan.org/tex-archive/fonts/caladea/doc/samples.pdf>

– local file ./9597605316-samples.pdf

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/fonts/caladea/README>

on CTAN <https://ctan.org/tex-archive/fonts/caladea>

installation <https://ctan.org/tex-archive/install/fonts/caladea.tds.zip>

on MikTeX caladea

on T_EXLive caladea

keyword font-ttf (font available in TrueType format)

keyword font-serif (serif font)

keyword font-supp (metrics, macro incantations and other font support)

keyword font-body (font designed for use as body font for Latin-based script documents)

keyword font-type1 (font available in Adobe Type 1 format)

keyword font (fonts themselves)

keyword font-proportional (variable-spaced font)

keyword	font-t1enc (font providing LaTeX T1 encoding support)
language(s)	no language specified
last access	2025-02-07

897 *calc* – Simple arithmetic in LaTeX commands

Web page on CTAN <https://ctan.org/pkg/calc>

name	calc
caption	Simple arithmetic in LaTeX commands
author	The LaTeX Project Team
author	Jensen, Frank
author	Thorup, Kresten Krab
copyright	Kresten Krab Thorup and Frank Jensen (1992-1995)
copyright	The LaTeX Project et al. (2008-2023)
copyright	Kresten Krab Thorup, Frank Jensen, and the LaTeX3 Project (1997-2007)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	4.3 (2023-07-08)
last changes	2023-07-08
year	2023
description	(no language specified) Adds infix expressions to perform arithmetic on the arguments of the LaTeX commands <code>\setcounter</code>, <code>\addtocounter</code>, <code>\setlength</code>, and <code>\addtolength</code>. Since many packages start their arithmetic by storing an argument in a register, the package has wide applicability. This package is part of the latex-tools bundle in the LaTeX required distribution.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/required/tools/calc.pdf
– local file	<code>./2407626456-calc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/required/tools
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-tools.tds.zip
on MikTeX	latex-tools
on TeXLive	tools

898 *calcage* – Calculate the age of something, in years

keyword	arithmetic (perform and typeset arithmetic problems)
keyword	calculation (perform calculations within TeX)
language(s)	no language specified
last access	2025-02-07

898 *calcage* – Calculate the age of something, in years

Web page on CTAN <https://ctan.org/pkg/calcage>

name	calcage
caption	Calculate the age of something, in years
author	Schneider, Robin
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.90
description	(no language specified) The package calculates the age of someone or something in years. Internally it uses the datenumber package to calculate the age in days; conversion from days to years is then performed, taking care of leap years and such odd things.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/calcage/calcage.pdf
– local file	./1398280982-calcage.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/calcage/README
contact	<i>repository</i> : https://github.com/ypid/latex-packages/tree/master/calcage
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/calcage
on MikTeX	calcage
on TeXLive	calcage
keyword	date-time (manipulate dates and/or times)
language(s)	no language specified
year	without year
last access	2025-02-07

899 calcfrac – Calculates the value of an expression containing fractionsWeb page on CTAN <https://ctan.org/pkg/calcfrac>

name	calcfrac
caption	Calculates the value of an expression containing fractions
author	TeXpérimental
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2 (2023-10-28)
last changes	2023-10-28
year	2023
description	(English) This package is an engine for calculating numerical expressions containing fractions. The numerical value of the expression is calculated with a non-expandable method and displayed in the form of an irreducible fraction or, where appropriate, an integer. This package is intended for educational purposes. The videos showing its writing from scratch are available on youtube from episode 24: https://youtu.be/6lF4P6B3msw . This is why it is delivered with only a minimalist documentation.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/calcfrac/README
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/calcfrac/calcfrac-fr.pdf
– local file	./6255980388-calcfrac-fr.pdf
on CTAN	https://ctan.org/tex-archive/macros/generic/calcfrac
on MikTeX	calcfrac
on T _E XLive	calcfrac
keyword	maths (support for typesetting mathematics)
keyword	calculation (perform calculations within TeX)
keyword	macro-gen (macros that are independent of the (TeX) format in use)
language(s)	English; French
last access	2025-02-09

900 calctab – Language for numeric tables

Web page on CTAN <https://ctan.org/pkg/calctab>

name	calctab
caption	Language for numeric tables
author	Giacomelli, Roberto
license	lppl = The LaTeX Project Public License (free)
version	0.6.1
description	(no language specified) The calctab package helps the user to typeset a kind of economic table such as invoices, expense notes and liquidation, or other tabular material with a values column. The code computes sum and percentage with floating point numeric methods (using the fltpoint package) and builds the render table task.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/calctab/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/calctab/calctab_manual.pdf
– local file	./1771549781-calctab_manual.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/calctab
on MikTeX	calctab
on T _E XLive	calctab
keyword	calculation (perform calculations within TeX)
language(s)	no language specified
year	without year
last access	2025-02-09

901 calculation – Typesetting reasoned calculations, also called calculational proofs

Web page on CTAN <https://ctan.org/pkg/calculation>

name	calculation
caption	Typesetting reasoned calculations, also called calculational proofs
author	Fokkinga, Maarten
copyright	Maarten Fokkinga (2014-2015)

license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The <code>calculation</code> environment formats reasoned calculations, also called calculational proofs. The notion of reasoned calculations or calculational proofs was originally advocated by Wim Feijen and Edsger Dijkstra. The package accepts options <code>fleqn</code> and <code>leqno</code> (with the same effect as the LaTeX options <code>fleqn</code> and <code>leqno</code>, or may inherit the options from the document class). It allows steps and expressions to be numbered (by LaTeX equation numbers, obeying the LaTeX <code>\label</code> command to refer to these numbers), and a step doesn't take vertical space if its hint is empty. An expression in a calculation can be given a comment; it is placed at the side opposite to the equation numbers. Calculations are allowed inside hints although numbering and commenting is then disabled.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/calculation/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/calculation/calculation.pdf
– local file	<code>./7938280735-calculation.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/calculation
on MikTeX	<code>calculation</code>
on TeXLive	<code>calculation</code>
keyword	maths (support for typesetting mathematics)
keyword	proof (typeset proofs and proof diagrams)
language(s)	no language specified
year	2015
last access	2025-02-07

902 calculator – Use LaTeX as a scientific calculator

Web page on CTAN	https://ctan.org/pkg/calculator
name	<code>calculator</code>
caption	Use LaTeX as a scientific calculator
author	Fuster, Robert
copyright	Robert Fuster (2012, 2014, 2022)

license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.1 (2022-09-15)
last changes	2022-09-15
year	2022
description	(no language specified) The calculator and calculus packages define several instructions which allow us to realise algebraic operations and to evaluate elementary functions and derivatives in our documents. The package’s main goal is to define the arithmetic and functional calculations needed in the author’s package xpicture , but the numeric abilities of ”calculator” and ”calculus” may be useful in other contexts.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/calculator/calculator.pdf
– local file	./9013511295-calculator.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/calculator/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/calculator
on MikTeX	calculator
on TeXLive	calculator
keyword	calculation (perform calculations within TeX)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-08-30

903 calculatoritems – Insert menus/items for classic calculators

Web page on CTAN	https://ctan.org/pkg/calculatoritems
name	calculatoritems
caption	Insert menus/items for classic calculators
author	Pierquet, Cédric
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.3 (2025-02-03)
last changes	2025-02-03

year	2025
description	(no language specified) Insert inline (based on <code>tclobarbox</code> , <code>graphicx</code> and <code>calc</code> packages) items/menus for classic calculators (numworks, casio, texas instruments, hp).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/calculatoritems/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/calculatoritems/doc/calculatoritems-doc.pdf
– local file	./9063035595-calculatoritems-doc.pdf
contact	<i>repository</i> : https://forge.apps.education.fr/pierquetcedric/packages-latex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/calculatoritems
on MikTeX	calculatoritems
on TeXLive	calculatoritems
keyword	maths (support for typesetting mathematics)
keyword	graphics (graphics (support packages))
keyword	teaching (support for teachers and teaching administrators)
language(s)	no language specified
last access	2025-05-27

904 *calendar* – A package for calendars and timetables

Web page on CTAN	https://ctan.org/pkg/calendar
name	calendar
caption	A package for calendars and timetables
author	Bennett, Frank
license	nosell = Do Not Sell Except by Arrangement (not free)
version	3.1
description	(no language specified) Includes, for example, a package which organizes date items in a format suitable for conference schedules, itineraries, academic teaching timetables and the like. Developments of the bundle appear as <code>evautofl</code> and <code>evweek</code> .

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/calendar/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/calendar
keyword	<code>calendar</code> (typeset calendars, diaries, planning charts, etc.)
keyword	<code>timetable</code> (schedules of operations, courses, etc.)
see also	see section 4718 on page 4272: (<code>plcalendar</code> – Plain macros for making nice calendars)
see also	see section 3115 on page 2811: (<code>kalender</code> – Create a calendar, in German)
see also	see section 5887 on page 5331: (<code>termcal</code> – Print a class calendar)
see also	see section 1054 on page 957: (<code>china2e</code> – Font and macros for Chinese calendar)
language(s)	no language specified
year	without year
last access	2025-02-11

905 *calendar-barr* – A calendar document

Web page on CTAN	https://ctan.org/pkg/calendar-barr
name	<code>calendar-Barr</code>
caption	A calendar document
author	Barr, Michael
license	<code>noinfo</code> = <code>noinfo</code>
version	(2001-12-18)
last changes	2001-12-18
year	2001
description	(no language specified) Generates a Gregorian calendar for any year up to 3999 (the year 4000 probably needs another calendar adjustment...).
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/calendar_barr
keyword	<code>calendar</code> (typeset calendars, diaries, planning charts, etc.)
language(s)	no language specified
last access	2025-02-11

906 **calendarweek** – Calculate the week number of a date

Web page on CTAN <https://ctan.org/pkg/calendarweek>

name	calendarweek
caption	Calculate the week number of a date
author	Hoekwater, Taco
copyright	Taco Hoekwater (2006)
license	pd = Public Domain Software (free)
version	(2006-12-30)
last changes	2006-12-30
year	2006
description	(no language specified) Calculates the week number of a given date; usage is <code>\calendarweek{30}{12}{2006}</code> . The package uses the e-TeX extensions (available in any current distribution); it is suitable for inclusion into larger calendar-based packages. Watch out: Dec 29 can be evaluated to week 1 of the next year; and Jan 3 can be week 53 of the previous year.
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/calendarweek.tex
on MikTeX	genmisc
keyword	calculation (perform calculations within TeX)
language(s)	no language specified
last access	2025-02-07

907 **calligra** – Calligraphic font

Web page on CTAN <https://ctan.org/pkg/calligra>

name	calligra
caption	Calligraphic font
author	Dachian, Serguei
author	Vanroose, Peter
license	other-free = Free license not otherwise listed (free)
version	(1999-06-06)
last changes	1999-06-06

908 *calligra-type1* – Type 1 version of Calligra

year	1999
description	(no language specified) A calligraphic font in the handwriting style of the author, Peter Vanroose. The font is supplied as Metafont source. LaTeX support of the font is provided in the calligra package in the fundus bundle.
documentation	(no language specified) <i>Font table</i> : https://ctan.org/tex-archive/fonts/calligra/testfont.pdf
– local file	<code>./1898362074-testfont.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/calligra
on MikTeX	<code>calligra</code>
on T _E XLive	<code>calligra</code>
keyword	<code>font-calligraphic</code> (calligraphic (or handwriting) fonts)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>font</code> (fonts themselves)
see also	see section 908 on page 829: (<i>calligra-type1</i> – Type 1 version of Calligra)
language(s)	no language specified
last access	2025-02-07

908 *calligra-type1* – Type 1 version of Calligra

Web page on CTAN	https://ctan.org/pkg/calligra-type1
name	<code>calligra-type1</code>
caption	Type 1 version of Calligra
author	Hosny, Khaled
author	Vanroose, Peter
copyright	S. Dachian (1999)
copyright	Peter Vanroose (1992)
license	other-free = Free license not otherwise listed (free)
version	001.000
description	(no language specified) This is a conversion (using mf2pt1) of Peter Vanroose’s handwriting font .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/calligra-type1/README

on CTAN	https://ctan.org/tex-archive/fonts/calligra-type1
on MikTeX	calligra-type1
on T _E XLive	calligra-type1
keyword	font (fonts themselves)
keyword	font-calligraphic (calligraphic (or handwriting) fonts)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
year	1999
last access	2025-02-07

909 callouts – Put simple annotations and notes inside a picture

Web page on CTAN	https://ctan.org/pkg/callouts
name	callouts
caption	Put simple annotations and notes inside a picture
author	Stuetz, Markus
copyright	Markus Stuetz (2017)
license	lppl = The LaTeX Project Public License (free)
version	(2017-07-27)
last changes	2017-07-27
year	2017
description	(no language specified) The package defines the <code>annotation</code> environment in which callouts, notes, arrows, and the like can be placed to describe certain parts of a picture.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/callouts/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/callouts/callouts.pdf
– local file	./1474350969-callouts.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/callouts
on MikTeX	callouts
on T _E XLive	callouts

keyword	pgf-tikz (package uses PGF-TikZ)
keyword	graphics (graphics (support packages))
language(s)	no language specified
last access	2025-02-07

910 *callouts-box* – Provides visually appealing callout boxes

Web page on CTAN <https://ctan.org/pkg/callouts-box>

name	callouts-box
caption	Provides visually appealing callout boxes
author	Dujardin, Julien
copyright	julinux60 (2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2025-03-14)
last changes	2025-03-14
year	2025
description	(no language specified) This package provides a collection of visually appealing, structured callout boxes for LaTeX documents. These boxes are useful for highlighting important information such as warnings, errors, notes, and success messages. The package is built on top of tclobbox for highly customizable, breakable callout boxes and xcolor for predefined color schemes.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/callouts-box/callouts-box.pdf
– local file	./5254545162-callouts-box.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/callouts-box/README.md
contact	<i>bugs:</i> https://github.com/julinux60/callouts-box/issues
contact	<i>repository:</i> https://github.com/julinux60/callouts-box
contact	<i>development:</i> https://github.com/julinux60
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/callouts-box
on MikTeX	callouts-box
on TeXLive	callouts-box

keyword boxing (creating boxes)
 language(s) no language specified
 last access 2025-08-30

911 **calorie** – Calorie checking for dieters

Web page on CTAN <https://ctan.org/pkg/calorie>

name calorie
 caption Calorie checking for dieters
 author Aonuma, Shuji
 copyright Shuji Aonuma (1994)
 license other-nonfree = License that prevents distribution (not free)
 version 1.3
 description (no language specified) The package (designed for use with LaTeX 2.09) allows the user to specify calorific values of items of diet (in a data file), and then to typeset a document that lists the user's consumption and sums the calories.
 An example calorie table and a sample document are included in the file.

on CTAN <https://ctan.org/tex-archive/macros/latex209/contrib/misc/calorie.sty>

keyword calculation (perform calculations within TeX)
 language(s) no language specified
 year 1994
 last access 2025-02-07

912 **calrsfs** – Copperplate calligraphic letters in LaTeX

Web page on CTAN <https://ctan.org/pkg/calrsfs>

name calrsfs
 caption Copperplate calligraphic letters in LaTeX
 author Zhytnikov, Vadim V.
 license pd = Public Domain Software (free)
 version (1994-06-06)
 last changes 1994-06-06

913 *cals* – Multipage tables with wide range of features

year	1994
description	(no language specified) Provides a maths interface to the rsfs fonts.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/calrsfs/calrsfs.pdf
– local file	./3244518807-calrsfs.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/calrsfs/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/calrsfs
on MikTeX	calrsfs
on TeXLive	calrsfs
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
last access	2025-02-07

913 *cals* – Multipage tables with wide range of features

Web page on CTAN	https://ctan.org/pkg/cals
name	cals
caption	Multipage tables with wide range of features
author	Parashchenko, Oleg
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.4.2
description	(no language specified) The package is a set of macros to typeset multipage tables with repeatable headers and footers, with cells spanned over rows and columns. Decorations are supported: padding, background color, width of separation rules. The code is compatible with multicol and bidir .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cals/cals.pdf
– local file	./2593754468-cals.pdf
documentation	(no language specified) <i>Users Guide</i> : https://ctan.org/tex-archive/macros/latex/contrib/cals/tb101parashchenko.pdf
– local file	./6435512850-tb101parashchenko.pdf
documentation	(no language specified) <i>Examples of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/cals/examples/demo.pdf

914 `calxxxx` – Prints a card-size calendar for any year

– local file	<code>./6212366618-demo.pdf</code>
documentation	(no language specified) <i>Additional notes</i> : https://ctan.org/tex-archive/macros/latex/contrib/cals/notes.pdf
– local file	<code>./1010777543-notes.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cals/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cals
on MikTeX	<code>cals</code>
on TeXLive	<code>cals</code>
keyword	<code>table</code> (table typesetting)
keyword	<code>table-long</code> (typeset tables that may be too big for a page)
see also	see section 3524 on page 3187: (<code>longtable</code> – Allow tables to flow over page boundaries)
see also	see section 5752 on page 5213: (<code>supertabular</code> – A multi-page tables package)
language(s)	no language specified
year	without year
last access	2025-08-30

914 `calxxxx` – Prints a card-size calendar for any year

Web page on CTAN	https://ctan.org/pkg/calxxxx
name	<code>calxxxx</code>
caption	Prints a card-size calendar for any year
author	Jankovic, Slobodan
license	other-nonfree = License that prevents distribution (not free)
version	(1999-12-19)
last changes	1999-12-19
year	1999
description	(no language specified) Prints a card-size calendar for any year, AD or BC, with Gregorian or Julian leap rules (useful for years before adoption of Gregorian rules). <code>Cal2000.tex</code> prints a calendar for years 1990–2020.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/calxxxx/readme.pdf

915 *calxxxx-yyyy* – *Print a calendar for a group of years*

– local file `./2527309534-readme.pdf`
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/calxxxx>
keyword `calendar` (typeset calendars, diaries, planning charts, etc.)
language(s) no language specified
last access 2025-08-30

915 *calxxxx-yyyy* – Print a calendar for a group of years

Web page on CTAN <https://ctan.org/pkg/calxxxx-yyyy>
name `calxxxx-yyyy`
caption Print a calendar for a group of years
author Münch, Hans-Martin
copyright H.-Martin Münch (2010-2025)
license lpl1.3c = The LaTeX Project Public License 1.3c (free)
version 20.25a (2025-01-01)
last changes 2025-01-01
year 2025
description (no language specified) The package prints a calendar for two or more years, according to a language selection. The package is also "culture dependent" in the sense that it will start weeks according to local rules: e.g., weeks conventionally start on Monday in the English-speaking world.
The package requires `array` , `babel` , and `geometry` .
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/calxxxx-yyyy/README>
documentation (no language specified) *Package documentation*:
<https://ctan.org/tex-archive/macros/latex/contrib/calxxxx-yyyy/calxxxx-yyyy-doc.pdf>
– local file `./8422901583-calxxxx-yyyy-doc.pdf`
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/calxxxx-yyyy>
on MikTeX `calxxxx-yyyy`
on T_EXLive `calxxxx-yyyy`
keyword `calendar` (typeset calendars, diaries, planning charts, etc.)

see also	see section 914 on page 834: (<code>calxxxx</code> – Prints a card-size calendar for any year)
language(s)	no language specified
last access	2025-02-07

916 *camel* – Prototype work on future citation engine

Web page on CTAN <https://ctan.org/pkg/camel>

name	<code>camel</code>
caption	Prototype work on future citation engine
author	Bennett, Frank
copyright	Frank Bennett (1992-1995)
license	nosell = Do Not Sell Except by Arrangement (not free)
version	1.0t
description	(no language specified) Comprehensive bibliography manager (developed as a demonstration engine for the work on citations for LaTeX3).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/camel/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/camel
keyword	<code>bibtex-supp</code> (BibTeX citation support)
keyword	<code>obsolete</code> (package declared obsolete)
language(s)	no language specified
year	1995
last access	2025-02-07

917 *cancel* – Place lines through maths formulae

Web page on CTAN <https://ctan.org/pkg/cancel>

name	<code>cancel</code>
caption	Place lines through maths formulae
author	Arseneau, Donald
license	pd = Public Domain Software (free)
version	2.2 (2013-04-12)

last changes	2013-04-12
year	2013
description	(no language specified) A package to draw diagonal lines (“cancelling” a term) and arrows with limits (cancelling a term “to a value”) through parts of maths formulae.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cancel/cancel.pdf
– local file	./9257398855-cancel.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cancel
on MikTeX	cancel
on TeXLive	cancel
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

918 *canoniclayout* – Create canonical page layouts with memoir

Web page on CTAN <https://ctan.org/pkg/canoniclayout>

name	canoniclayout
caption	Create canonical page layouts with memoir
author	Beccari, Claudio
copyright	Claudio Beccari (2010-2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) A canonic text layout has specified relations to a circle inscribed within the enclosing page. The package allows the user to use a canonic layout with the memoir class.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/canoniclayout/canoniclayout.pdf
– local file	./2064582661-canoniclayout.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/canoniclayout/README.txt

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/canoniclayout
on MikTeX	canoniclayout
on T _E XLive	canoniclayout
keyword	geometry (change geometry of page layout)
language(s)	no language specified
year	2022
last access	2025-02-11

919 cantarell – LaTeX support for the Cantarell font family

Web page on CTAN	https://ctan.org/pkg/cantarell
name	cantarell
caption	LaTeX support for the Cantarell font family
author	El Morabity, Mohamed
license	ofl = The SIL Open Font License (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.2
description	(no language specified) Cantarell is a contemporary Humanist sans serif designed by Dave Crossland and Jakub Steiner. This font, delivered under the OFL version 1.1, is available on the GNOME download server . The present package provides support for this font in LaTeX. It includes Type 1 versions of the fonts, converted for this package using FontForge from its sources, for full support with Dvips.
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/cantarell/doc/cantarell-samples.pdf
– local file	./2756371090-cantarell-samples.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/cantarell/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/cantarell/doc/cantarell.pdf
– local file	./6912068325-cantarell.pdf
on CTAN	https://ctan.org/tex-archive/fonts/cantarell
installation	https://ctan.org/tex-archive/install/fonts/cantarell.tds.zip

on MikT _E X	cantarell
on T _E XLive	cantarell
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
keyword	font-sans (sans-serif font)
language(s)	no language specified
year	without year
last access	2025-02-11

920 capbas – Capital baseball "matrix printer" font collection

Web page on CTAN <https://ctan.org/pkg/capbas>

name	capbas
caption	Capital baseball "matrix printer" font collection
author	Bloemen, Phons
license	gpl = GNU General Public License (free)
version	(1994-10-21)
last changes	1994-10-21
year	1994
description	(no language specified) The collection contains a Metafont toolkit and a set of small fonts that emulate various matrix printers, including Flyspec 3 (a 5x5 grid font), Neckerspoel (a 5x7 grid font), and Capital baseball itself. Documentation on the web is in Dutch.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/capbas/readme
documentation	(Dutch) <i>Paper about the fonts</i> : http://www.ntg.nl/maps/13/30.pdf
– local file	./8846107186-30.pdf
on CTAN	https://ctan.org/tex-archive/fonts/capbas
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-novelty (fonts designed more for fun than for actual use)
language(s)	Dutch
last access	2025-02-11

921 *capparmode* – Dropped capitals for Plain TeX

Web page on CTAN <https://ctan.org/pkg/capparmode>

name	capparmode
caption	Dropped capitals for Plain TeX
author	Braunegg, David
copyright	David J. Braunegg (1986)
license	other-free = Free license not otherwise listed (free)
description	(no language specified) Macros to typeset paragraphs with the first letter of the paragraph in a large font with the first few lines of the paragraph indented to make room for this first large letter.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/capparmode.tex
keyword	para-deco (decorating paragraphs (lettrines, etc.))
see also	see section 3398 on page 3067: (lettrine – Typeset dropped capitals)
language(s)	no language specified
year	1986
last access	2025-02-07

922 *capt-of* – Captions on more than floats

Web page on CTAN <https://ctan.org/pkg/capt-of>

name	capt-of
caption	Captions on more than floats
author	Fairbairns, Robin
author	Carlisle, David
copyright	Robin Fairbairns (2010)
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Defines a command <code>\captionof</code> for putting a caption to something that's not a float. Note that the <i>caption</i> package includes a <code>\captionof</code> command that is an extension of that provided by this package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/capt-of/capt-of.pdf

923 *captcont* – Retain float number across several floats

– local file	<code>./9190767735-capt-of.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/capt-of/README
contact	<i>support</i> : https://github.com/rf-latex/capt-of/issues
contact	<i>repository</i> : https://github.com/rf-latex/capt-of
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/capt-of
on MikTeX	<code>capt-of</code>
on T _E XLive	<code>capt-of</code>
keyword	<code>caption</code> (typesetting captions)
see also	see section 924 on page 842: (<code>captdef</code> – Declare free-standing <code>\caption</code> commands)
see also	see section 925 on page 843: (<code>caption</code> – Customising captions in floating environments)
language(s)	no language specified
year	2010
last access	2025-02-07

923 *captcont* – Retain float number across several floats

Web page on CTAN <https://ctan.org/pkg/captcont>

name	<code>captcont</code>
caption	Retain float number across several floats
author	Cochran, Steven Douglas
copyright	Steven Douglas Cochran (1996-2002)
license	lppl = The LaTeX Project Public License (free)
version	2.0
description	(no language specified) The <code>captcont</code> package provides the ability to continue the numbering in your float environment (<code>figure</code>, <code>table</code>, etc.) with minimal overhead. This package adds three commands: <code>\caption*</code>, <code>\captcont</code>, and <code>\captcont*</code>. Along with the <code>\caption</code> command, these give full control over the caption numbering, caption text and the entries in the list-of pages. The <code>\caption</code> and <code>\captcont</code> commands generate list-of page entries. The <code>\caption</code> and <code>\caption*</code> commands increment the figure or table counter.

Captcont also fully supports the **subfigure** package.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/captcont/captcont.pdf
– local file	<code>./5423960337-captcont.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/captcont/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/captcont
on MikTeX	<code>captcont</code>
on T _E XLive	<code>captcont</code>
keyword	<code>caption</code> (typesetting captions)
language(s)	no language specified
year	2002
last access	2025-08-30

924 *captdef* – Declare free-standing \caption commands

Web page on CTAN	https://ctan.org/pkg/captdef
name	<code>captdef</code>
caption	Declare free-standing \caption commands
author	Fairbairns, Robin
author	Carlisle, David
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The <code>\DeclareCaption</code> command defines a class of caption command associated with the counter specified to the command. These commands are free-standing (i.e., don't need to be inside a float environment). The package uses <code>\DeclareCaption</code> to define <code>\figcaption</code> and <code>\tabcaption</code> , which can be used outside figure or table environments.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/captdef/captdef.pdf
– local file	<code>./5462799904-captdef.pdf</code>
contact	<i>support</i> : https://github.com/rf-latex/captdef/issues
contact	<i>repository</i> : https://github.com/rf-latex/captdef
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/captdef

on MikTeX	<code>captdef</code>
on T _E XLive	<code>captdef</code>
keyword	<code>caption</code> (typesetting captions)
see also	see section 922 on page 840: (<code>capt-of</code> – Captions on more than floats)
language(s)	no language specified
year	without year
last access	2025-02-07

925 *caption* – Customising captions in floating environments

Web page on CTAN <https://ctan.org/pkg/caption>

name	<code>caption</code>
caption	Customising captions in floating environments
author	Sommerfeldt, Axel
copyright	Axel Sommerfeldt (1994-2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2023-09-08)
last changes	2023-09-08
year	2023
description	(no language specified) The <code>caption</code> package provides many ways to customise the captions in floating environments like figure and table, and cooperates with many other packages. Facilities include rotating captions, sideways captions, continued captions (for tables or figures that come in several parts). A list of compatibility notes, for other packages, is provided in the documentation. The package also provides the "caption outside float" facility, in the same way that simpler packages like <code>capt-of</code> do. The package supersedes <code>caption2</code>.
documentation	<i>English documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/caption/caption.pdf
– local file	<code>./1883115886-caption.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/caption/README
contact	<i>bugs:</i> https://gitlab.com/axelsommerfeldt/caption/-/issues
contact	<i>repository:</i> https://gitlab.com/axelsommerfeldt/caption

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/caption
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/caption.tds.zip
on MikTeX	caption
on T _E XLive	caption
keyword	caption (typesetting captions)
keyword	float (typesetting floats)
see also	see section 5727 on page 5190: (subcaption – Support for sub-captions)
see also	see section 719 on page 663: (bicaption – Support for bilingual captions)
language(s)	English
last access	2025-08-30

926 caption2 – Superseded version of the caption package

Web page on CTAN	https://ctan.org/pkg/caption2
name	caption2
caption	Superseded version of the caption package
author	Sommerfeldt, Axel
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
description	(no language specified) Extends caption (version 1) capabilities for figures and tables, such as the caption width, style, and font. Many aspects are tunable as options. Note that the original caption package now stands at version 3 and supersedes this version.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/caption
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/caption.tds.zip
on MikTeX	caption
on T _E XLive	caption
keyword	caption (typesetting captions)
language(s)	no language specified
year	without year

last access 2025-02-11

927 carbohydrates – Carbohydrate molecules with chemfigWeb page on CTAN <https://ctan.org/pkg/carbohydrates>

name	carbohydrates
caption	Carbohydrate molecules with chemfig
author	Niederberger, Clemens
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1 (2015-12-01)
last changes	2015-12-01
year	2015
description	(no language specified) This package offers macros that make the preparation of exercise sheets for teaching carbohydrate chemistry a lot less tedious. It uses chemfig for drawing the formulas. Different representation models (Fischer, Haworth, chair...) are supported as well as alpha, beta, and chain isomers.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/carbohydrates/carbohydrates_en.pdf
– local file	./5746736996-carbohydrates_en.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/carbohydrates/README
contact	<i>repository:</i> https://github.com/cgnieder/carbohydrates/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/carbohydrates
on MikTeX	carbohydrates
on T _E XLive	carbohydrates
keyword	chemistry (chemistry document support)
keyword	diagram (diagrams)
language(s)	no language specified
last access	2025-02-11

928 card – Print visiting cards

Web page on CTAN <https://ctan.org/pkg/card>

name	card
caption	Print visiting cards
author	Balemi, Silvano
license	noinfo = noinfo
version	1.0
description	(no language specified) The package produces 10 visiting cards in credit card format (European standard) per A4 page.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/card.sty
keyword	file-card (typeset cards for business, filing, etc.)
language(s)	no language specified
year	without year
last access	2025-02-11

929 card-set – Typeset text for cardfile cards

Web page on CTAN <https://ctan.org/pkg/card-set>

name	card-set
caption	Typeset text for cardfile cards
author	Potuček Jr., R.
license	noinfo = noinfo
version	2.04
description	(no language specified) The package (a LaTeX 2.09 style) allows you to print text formatted for cardfile cards. Text longer than a single card may be created, and will be boxed up for several different cards.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/card-set.sty
keyword	file-card (typeset cards for business, filing, etc.)
language(s)	no language specified
year	without year
last access	2025-02-11

930 cardgame – Typeset custom playing cards for printingWeb page on CTAN <https://ctan.org/pkg/cardgame>

name	cardgame
caption	Typeset custom playing cards for printing
author	Rettich, Adrian
copyright	Adrian Rettich (2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2026-04-19)
last changes	2026-04-19
year	2026
description	(no language specified) The cardgame package allows you to define cards, which have various attributes like image, text, and a bunch of layout features. You can then include those cards as images or, more importantly, generate a document containing all of the cards you defined laid out optimally for printing and cutting. You can optionally create card lists for your game’s manual, and you can create multiple copies of cards and automatically print the correct number of back sides.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cardgame/cardgame.pdf
– local file	<code>./1135495202-cardgame.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cardgame/README.md
home page	https://codeberg.org/BettaGeorge/cardgame
contact	<i>bugs</i> : https://codeberg.org/BettaGeorge/cardgame/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cardgame
on T _E XLive	cardgame
keyword	card-gen (cards for miscellaneous purposes)
keyword	games (process game diagrams, gamebooks, and other amusements)
see also	see section 4716 on page 4270: (playcards – A simple template for drawing playcards)
language(s)	no language specified
last access	2026-04-28

931 carlisle – David Carlisle’s small packages

Web page on CTAN <https://ctan.org/pkg/carlisle>

name	carlisle
caption	David Carlisle’s small packages
author	Carlisle, David
license	lppl = The LaTeX Project Public License (free)
version	(2021-06-13)
last changes	2021-06-13
year	2021
description	(no language specified) Many of David Carlisle’s more substantial packages stand on their own, or as part of the LaTeX latex-tools set; this set contains: • Making dotless ‘j’ characters for fonts that don’t have them; • A method for combining the capabilities of longtable and tabularx ; • An environment for including Plain TeX in LaTeX documents; • A jiffy to remove counters from other counters’ reset lists (now obsolete as it has been incorporated into the LaTeX format); • A jiffy to create ‘slashed’ characters for physicists.
documentation	(no language specified) <i>Documentation of ltxtable</i> : https://ctan.org/tex-archive/macros/latex/contrib/carlisle/ltxtable.pdf
– local file	./2689666851-ltxtable.pdf
documentation	(no language specified) <i>Bundle README</i> : https://ctan.org/tex-archive/macros/latex/contrib/carlisle/README.txt
contact	<i>bugs</i> : https://github.com/davidcarlisle/dpctex/issues
contact	<i>repository</i> : https://github.com/davidcarlisle/dpctex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/carlisle
on MikTeX	carlisle
on T _E XLive	carlisle
keyword	collection (a collection of packages)
language(s)	no language specified
last access	2025-02-11

932 carlito – Support for Carlito sans-serif fontsWeb page on CTAN <https://ctan.org/pkg/carlito>

name	carlito
caption	Support for Carlito sans-serif fonts
author	Tennent, Bob
license	ofl = The SIL Open Font License (free)
version	(2022-10-05)
last changes	2022-10-05
year	2022
description	(no language specified) The package provides LaTeX, pdfLaTeX, XeLaTeX and LuaLaTeX support for the Carlito family of sans serif fonts, designed by Lukasz Dziedzic of the tyPoland foundry and adopted by Google for ChromeOS as a font-metric compatible replacement for Calibri.
documentation	(no language specified) <i>Font tables</i> : https://ctan.org/tex-archive/fonts/carlito/doc/Carlito-Regular.pdf
– local file	./6202729173-Carlito-Regular.pdf
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/carlito/doc/carlito-samples.pdf
– local file	./7399842024-carlito-samples.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/carlito/README
home page	http://gsdview.appspot.com/chromeos-localmirror/distfiles/crosextrafonts-carlito-20130920.tar.gz
on CTAN	https://ctan.org/tex-archive/fonts/carlito
installation	https://ctan.org/tex-archive/install/fonts/carlito.tds.zip
on MikTeX	carlito
on TeXLive	carlito
keyword	font-sans (sans-serif font)
keyword	font (fonts themselves)
keyword	font-ttf (font available in TrueType format)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified

last access 2025-08-30

933 *carolmin* – Carolingian Miniscule manuscript book-hand font

Web page on CTAN <https://ctan.org/pkg/carolmin>

name	carolmin
caption	Carolingian Miniscule manuscript book-hand font
author	Wilson, Peter R.
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The carolmin and allcmin packages provide Metafont fonts based on the Carolingian Miniscules manuscript book-hand used between the 8th and 12th century AD. The font consists of minuscules and digits, with some appropriate period punctuation marks. Both normal and bold versions are provided. (Note that the carolmin font is also available in Adobe Type 1 format.) This is one of a set of manuscript fonts . Access to the docmfp package is desirable but not essential.
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/fonts/bookhands/carolmin/README
on CTAN	https://ctan.org/tex-archive/fonts/bookhands/carolmin
on MikTeX	carolmin
on T _E XLive	bookhands
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-medieval (fonts for Medieval script)
keyword	font-bookhand (fonts of scripts used for manuscript books)
keyword	font (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-02-11

934 carolmin-t1 – Adobe Type 1 format of Carolingian Minuscule fonts

Web page on CTAN <https://ctan.org/pkg/carolmin-t1>

name	carolmin-t1
caption	Adobe Type 1 format of Carolingian Minuscule fonts
author	Jørgensen, Palle
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The bundle offers Adobe Type 1 format versions of Peter Wilson's Carolingian Minuscule font set (part of the bookhands collection). The fonts in the bundle are ready-to-use replacements for the Metafont originals.
on CTAN	https://ctan.org/tex-archive/fonts/carolmin-ps
on MikTeX	carolmin-t1
on TeXLive	carolmin-ps
keyword	font-bookhand (fonts of scripts used for manuscript books)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-02-11

935 cartonaugh – A LuaLaTeX package for drawing karnaugh maps with up to 6 variables

Web page on CTAN <https://ctan.org/pkg/cartonaugh>

name	cartonaugh
caption	A LuaLaTeX package for drawing karnaugh maps with up to 6 variables
author	Bouajjaj, Jamal
copyright	Jamal Bouajjaj (2021)
copyright	Mattias Jacobsson et al. (2015-2017)
license	cc-by-sa-3 = CC BY-SA 3.0 (free)
version	1.0 (2021-07-15)
last changes	2021-07-15

year	2021
description	(no language specified) This package, a fork of 2pi's karnaugh-map package, draws karnaugh maps with 2, 3, 4, 5, and 6 variables. It also contains commands for filling the karnaugh map with terms semi-automatically or manually. Last but not least it contains commands for drawing implicants on top of the map. The name "cartonaugh" is a portmanteau of "cartographer" and "karnaugh". The package needs LuaLaTeX and depends on TikZ , xparse , and xstring .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/cartonaugh/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/cartonaugh/cartonaugh.pdf
– local file	<code>./9995033976-cartonaugh.pdf</code>
contact	<i>bugs</i> : https://github.com/Electro707/Cartonaugh/issues
contact	<i>repository</i> : https://github.com/Electro707/Cartonaugh
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/cartonaugh
on MikTeX	cartonaugh
on TeXLive	cartonaugh
keyword	engineering (typesetting associated with engineering of whatever sort)
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	luatex (LuaTeX and packages that require it)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-09

936 *cascade* – Constructions with braces to present mathematical demonstrations

Web page on CTAN <https://ctan.org/pkg/cascade>

name	cascade
caption	Constructions with braces to present mathematical demonstrations
author	Pantigny, François
copyright	F. Pantigny (2018-2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)

version	1.2a (2023-02-08)
last changes	2023-02-08
year	2023
description	(no language specified) The LaTeX package cascade provides a command <code>\Cascade</code> to do constructions to present mathematical demonstrations with successive braces for the deductions.
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cascade/cascade-french.pdf
– local file	<code>./9820266161-cascade-french.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cascade/cascade.pdf
– local file	<code>./4463246462-cascade.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cascade/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cascade
on MikTeX	<code>cascade</code>
on T _E XLive	<code>cascade</code>
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	French
last access	2025-02-11

937 *cascadia-code* – The Cascadia Code font with support for LaTeX and pdfLaTeX

Web page on CTAN <https://ctan.org/pkg/cascadia-code>

name	<code>CascadiaCode</code>
caption	The Cascadia Code font with support for LaTeX and pdfLaTeX
author	Ebinger, Carl-Clemens
license	ofl = The SIL Open Font License (free)
license	lppl = The LaTeX Project Public License (free)
version	0.0.2 (2023-10-08)
last changes	2023-10-08
year	2023

description	(no language specified) Cascadia Code is a monospaced font by Microsoft. This package provides the Cascadia Code family of fonts with support for LaTeX and pdfLaTeX. Adding <code>\usepackage{cascadia-code}</code> to the preamble of your document will activate Cascadia Code as the typewriter font (<code>\ttdefault</code>).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/cascadia-code/README
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/cascadia-code/doc/cascadia-code-samples.pdf
– local file	<code>./9735251751-cascadia-code-samples.pdf</code>
contact	<i>repository</i> : https://github.com/ccebinger/CTAN_cascadia-code
on CTAN	https://ctan.org/tex-archive/fonts/cascadia-code
on MikTeX	<code>cascadia-code</code>
on TeXLive	<code>cascadia-code</code>
keyword	<code>font-sans</code> (sans-serif font)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-mono</code> (monospaced font)
keyword	<code>font-t1enc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
language(s)	no language specified
last access	2025-02-11

938 *cascadiamono-otf* – Fontspec support for the OpenType font CascadiaMono

Web page on CTAN	https://ctan.org/pkg/cascadiamono-otf
name	<code>cascadiamono-otf</code>
caption	Fontspec support for the OpenType font CascadiaMono
author	Pierquet, Cédric
copyright	C. Pierquet (with help from D. Flipo) (2024-2025)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.3

description	(no language specified) Support for the OpenType font CascadiaMono (so with LuaLaTeX/XeTeX and fontspec), which is a variant of CascadiaCode, but without ligatures. • <code>\setmonofont{CascadiaMono}</code> for regular version, • <code>\setmonofont{CascadiaMono-SemiLight}</code> for semilight version. • <code>\setmonofont{CascadiaMono-Light}</code> for light version, • <code>\setmonofont{CascadiaMono-ExtraLight}</code> for extralight version.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/cascdiamono-otf/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/cascdiamono-otf/doc/cascdiamono-otf-doc.pdf
– local file	<code>./8669272481-cascdiamono-otf-doc.pdf</code>
contact	<i>repository</i> : https://forge.apps.education.fr/pierquetcedric/packages-latex
on CTAN	https://ctan.org/tex-archive/fonts/cascdiamono-otf
on MikTeX	<code>cascdiamono-otf</code>
on T _E XLive	<code>cascdiamono-otf</code>
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-mono</code> (monospaced font)
language(s)	no language specified
year	2025
last access	2025-05-27

939 *cascadilla* – Typeset papers conforming to the stylesheet of the Cascadilla Proceedings Project

Web page on CTAN	https://ctan.org/pkg/cascadilla
name	<code>cascadilla</code>
caption	Typeset papers conforming to the stylesheet of the Cascadilla Proceedings Project
author	Bane, Max
copyright	Max Bane (2008-2011)

license	lpl = The LaTeX Project Public License (free)
version	1.8.2
description	(no language specified) The class provides an extension of the standard LaTeX article class that may be used to typeset papers conforming to the stylesheet of the Cascadilla Proceedings Project , which is used by a number of linguistics conference proceedings (e.g., WCCFL).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cascadilla/README
documentation	(no language specified) <i>Example document</i> : https://ctan.org/tex-archive/macros/latex/contrib/cascadilla/example.pdf
– local file	./3494043549-example.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cascadilla
on MikTeX	cascadilla
on TeXLive	cascadilla
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
year	2011
last access	2025-02-07

940 cascover – Make cassette covers

Web page on CTAN <https://ctan.org/pkg/cascover>

name	cascover
caption	Make cassette covers
author	Raaijmakers, Stijn
license	other-free = Free license not otherwise listed (free)
version	(1994-02-10)
last changes	1994-02-10
year	1994
description	(no language specified) A straightforward package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/plain/contrib/cascover/manual.pdf
– local file	./1652789442-manual.pdf

on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/cascover
keyword	<code>covers</code> (typeset badges, covers or labels for things (or people))
see also	see section 946 on page 861: (<code>casstbl</code> – Typeset cassette labels)
language(s)	no language specified
last access	2025-02-07

941 *cases* – Numbered cases environment

Web page on CTAN <https://ctan.org/pkg/cases>

name	<code>cases</code>
caption	Numbered cases environment
author	Arseneau, Donald
copyright	Donald Arseneau (1993, 1994, 1995, 2000, 2002, 2020)
license	other-free = Free license not otherwise listed (free)
version	3.2 (2020-03-29)
last changes	2020-03-29
year	2020
description	(no language specified) This package provides a LaTeX environment "numcases" to produce multi-case equations with a separate equation number for each case. There is also a "subnumcases" environment which numbers each case with the overall equation number plus a letter [8a, 8b, etc.].
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cases/cases.pdf
– local file	<code>./4470300351-cases.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cases/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cases
on MikTeX	<code>cases</code>
on T _E XLive	<code>cases</code>
keyword	<code>maths-syseqn</code> (systems of equations)
language(s)	no language specified
last access	2025-08-30

942 casiofont – Support for the Casio ClassWiz font

Web page on CTAN <https://ctan.org/pkg/casiofont>

name	casiofont
caption	Support for the Casio ClassWiz font
author	Munn, Alan
copyright	Alan Munn (2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2018-10-22)
last changes	2018-10-22
year	2018
description	(no language specified) This package provides support for the Casio ClassWiz font, available from the Casio web site . The font itself is <i>not</i> included in the distribution. The package requires compilation with XeLaTeX or LuaLaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/casiofont/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/casiofont/casiofont.pdf
– local file	./1385953566-casiofont.pdf
contact	<i>bugs</i> : https://github.com/amunn/casiofont/
contact	<i>repository</i> : https://github.com/amunn/casiofont/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/casiofont
on MikTeX	casiofont
keyword	font-supp-symbol (metrics, macro incantations and other support for symbol fonts)
language(s)	no language specified
last access	2025-02-07

943 cassette – Typeset cassette box inserts

Web page on CTAN <https://ctan.org/pkg/cassette>

name	cassette
caption	Typeset cassette box inserts
author	Strip, David
copyright	David Strip (1991)
license	nocommercial = No Commercial Use (not free)
description	(no language specified) The macros typeset into a set of boxes that are assembled to produce an insert that will fold to fit in a standard Philips cassette box. The body font used is pandora . A requirement for fonts to provide both ‘CD’ and ‘Dolby’ logos are written into the macros; the user will probably need to edit the macros to remove that.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/cassette.tex
keyword	covers (typeset badges, covers or labels for things (or people))
see also	see section 944 on page 859 : (cassette-shipunov – Print labels for audio cassettes)
language(s)	no language specified
year	1991
last access	2025-02-07

944 cassette-shipunov – Print labels for audio cassettes

Web page on CTAN <https://ctan.org/pkg/cassette-shipunov>

name	cassette-shipunov
caption	Print labels for audio cassettes
author	Shipunov, Alexey
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2
description	(no language specified) This is a LaTeX 2e class file (the only other cassette package on CTAN is cassette , written for Plain TeX. The class is part of the shipunov bundle.

documentation	(English) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/shipunov/doc/README
documentation	(Russian) <i>Sample of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/shipunov/doc/cassete-ex-ru.pdf
– local file	<code>./7750747023-cassete-ex-ru.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/shipunov/tex/cassete.cls
on MikTeX	shipunov
on T _E XLive	shipunov
keyword	covers (typeset badges, covers or labels for things (or people))
language(s)	English; Russian
year	without year
last access	2025-02-07

945 *cassette209* – A LaTeX 209 document style for cassette inserts

Web page on CTAN	https://ctan.org/pkg/cassette209
name	<code>cassette209</code>
caption	A LaTeX 209 document style for cassette inserts
author	Steuer, Arne W.
license	noinfo = noinfo
version	(1992-11-08)
last changes	1992-11-08
year	1992
description	(no language specified) A style (LaTeX 2.09 equivalent of ‘class’) for laying out information on a standard cassette tape insert.
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex209/contrib/cassette/cassette.pdf
– local file	<code>./3592772813-cassette.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/cassette
keyword	covers (typeset badges, covers or labels for things (or people))
see also	see section 944 on page 859: (<code>cassette-shipunov</code> – Print labels for audio cassettes)

see also see section 943 on page 859: (*cassette* – Typeset cassette box inserts)
 language(s) German
 last access 2025-02-07

946 *cass1b1* – Typeset cassette labels

Web page on CTAN <https://ctan.org/pkg/cass1b1>

name *cass1b1*
 caption Typeset cassette labels
 author Besson, Morgan
 license noinfo = noinfo
 version (1992-07-31)
 last changes 1992-07-31
 year 1992
 description (no language specified) A set of macros for typesetting cassette labels, using Plain TeX. Examples of use are provided.
 documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/plain/contrib/cass1b1/cass-doc.txt>
 on CTAN <https://ctan.org/tex-archive/macros/plain/contrib/cass1b1>
 keyword covers (typeset badges, covers or labels for things (or people))
 see also see section 940 on page 856: (*cascover* – Make cassette covers)
 language(s) no language specified
 last access 2025-02-07

947 *casyl* – Typeset Cree/Inuktitut in Canadian Aboriginal Syllabics

Web page on CTAN <https://ctan.org/pkg/casyl>

name *casyl*
 caption Typeset Cree/Inuktitut in Canadian Aboriginal Syllabics
 author Derzhanski, Ivan A
 license pd = Public Domain Software (free)
 version 2.0

description	(no language specified) The bundle constitutes a font (as Metafont source) and LaTeX macros for its use within a document.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/language/casy1/casyldoc.pdf
– local file	<code>./1377296358-casyldoc.pdf</code>
on CTAN	https://ctan.org/tex-archive/language/casy1
on MikTeX	<code>casy1</code>
on T _E XLive	<code>casy1</code>
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>linguistic</code> (support for linguistics)
see also	see section 4370 on page 3957: (<code>oinuit</code> – LaTeX Support for the Inuktitut Language)
language(s)	no language specified
year	without year
last access	2025-02-07

948 *catalan* – Catalan hyphenation patterns

Web page on CTAN <https://ctan.org/pkg/catalan>

name	<code>catalan</code>
caption	Catalan hyphenation patterns
author	Wierda, Gerben
license	lppl = The LaTeX Project Public License (free)
on CTAN	https://ctan.org/tex-archive/language/hyphenation/cahyph.tex
on MikTeX	<code>catalan</code>
on T _E XLive	<code>hyphen-spanish</code>
keyword	<code>hyphenation</code> (macros or tables for hyphenation)
keyword	<code>catalan</code> (documentation in and support for typesetting Catalan)
language(s)	no language specified
year	without year
last access	2025-02-07

949 catalanbib – Bibliographic styles for use in Catalan

Web page on CTAN <https://ctan.org/pkg/catalanbib>

name	catalanbib
caption	Bibliographic styles for use in Catalan
author	Fuster, Robert
license	nosell = Do Not Sell Except by Arrangement (not free)
description	(English) The catalanbib package includes several Catalan bibliographic styles for BibTeX: the standard ones — adapted to the Catalan typographical conventions — (caplain.bst, caunsrt.bst, caabbrev.bst, and caalpha.bst), and also four author-date styles (caauda{0-3}.bst).
description	(Catalan) El paquet catalanbib conté diversos estils bibliogràfics per fer servir el BibTeX en català: els estils estàndard — adaptats a les convencions tipogràfiques catalanes — (caplain.bst, caunsrt.bst, caabbrev.bst i caalpha.bst) i altres quatre estils autor-data (caauda{0-3}.bst).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/catalan/README
documentation	(Catalan) <i>Package documentation</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/catalan/catalanbib.pdf
– local file	./4839390952-catalanbib.pdf
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/catalan
on MikTeX	catalan
keyword	catalan (documentation in and support for typesetting Catalan)
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	Catalan; English
year	without year
last access	2025-08-30

950 catchfile – Catch an external file into a macro

Web page on CTAN <https://ctan.org/pkg/catchfile>

name	catchfile
caption	Catch an external file into a macro
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2007, 2010, 2011)
copyright	Oberdiek Package Support Group (2016-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.8 (2019-12-09)
last changes	2019-12-09
year	2019
description	(no language specified) This package catches the contents of a file and puts it in a macro. It requires e-TeX . Both LaTeX and plain TeX are supported.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/catchfile/catchfile.pdf
– local file	./1790177965-catchfile.pdf
contact	<i>bugs</i> : https://github.com/ho-tex/catchfile/issues
contact	<i>repository</i> : https://github.com/ho-tex/catchfile
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/catchfile
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/catchfile.tds.zip
on MikTeX	catchfile
on TeXLive	catchfile
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

951 *catchfilebetweentags* – Catch text delimited by docstrip tags

Web page on CTAN <https://ctan.org/pkg/catchfilebetweentags>

name	catchfilebetweentags
caption	Catch text delimited by docstrip tags
author	Chervet, Florent
copyright	Florent Chervet (2010)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1
description	(no language specified) This package (built using the facilities of catchfile) provides a macro <code>\catchfilebetweentags</code> acts like the original <code>\catchfile</code> but only extracts a portion of the file instead of the complete file. The extracted portion can be delimited by strings or by docstrip tags: <code>%<*tag> %</tag></code> (comments in the caught region may be included or dropped).
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/catchfilebetweentags/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/catchfilebetweentags/catchfilebetweentags.pdf
– local file	<code>./1026686989-catchfilebetweentags.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/catchfilebetweentags
on MikTeX	catchfilebetweentags
on T _E XLive	catchfilebetweentags
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	2010
last access	2025-02-07

952 catcodes – Generic handling of TeX category codes

Web page on CTAN <https://ctan.org/pkg/catcodes>

name	catcodes
caption	Generic handling of TeX category codes
author	Lück, Uwe
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	r0.2 (2015-11-14)
last changes	2015-11-14
year	2015
description	(no language specified) The bundle deals with category code switching; the packages of the bundle should work with any TeX format (with the support of the plainpkg package). The bundle provides: • <code>stacklet.sty</code>, which supports stacks that control the use of different catcodes; • <code>actcodes.sty</code>, which deals with active characters; and • <code>catchdq.sty</code>, which provides a simple quotation character control mechanism.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/catcodes/doc/catcodes.pdf
– local file	<code>./1401461065-catcodes.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/catcodes/README
contact	<i>support</i> : http://www.webdesign-bu.de/uwe_lueck/contact.html
on CTAN	https://ctan.org/tex-archive/macros/generic/catcodes
installation	https://ctan.org/tex-archive/install/macros/generic/catcodes.tds.zip
on MikTeX	catcodes
on T _E XLive	catcodes
keyword	macro-gen (macros that are independent of the (TeX) format in use)
keyword	quote-marks (manage (possibly language dependent) quote marks)
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified

last access 2025-02-07

953 *catdoc* – Text extractor for word files

Web page on CTAN <https://ctan.org/pkg/catdoc>

name	catdoc
caption	Text extractor for word files
author	Wagner, Victor
license	gpl = GNU General Public License (free)
version	0.90
description	(no language specified) A filter which extracts ASCII text from MS-Word files, optionally with some TeX control sequences (for those characters, which have special meaning for TeX).
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/catdoc/README
on CTAN	https://ctan.org/tex-archive/support/catdoc
keyword	format-cvt (convert one format of file to another)
see also	see section 6715 on page 6057: (word2x – Word 6 format converter)
language(s)	no language specified
year	without year
last access	2025-02-07

954 *catdvi* – A DVI to plain text translator

Web page on CTAN <https://ctan.org/pkg/catdvi>

name	catdvi
caption	A DVI to plain text translator
author	Kaijanaho, Antti-Juhani
author	Brill, Björn
license	gpl = GNU General Public License (free)
version	0.14

description	(no language specified) A DVI to plain text translator capable of generating ASCII, Latin-1, Latin-9 and UTF-8 (Unicode) output, and recognising T1 and other LaTeX encodings (as well as Knuth's original encodings and those of AMS and other fonts). Catdvi aims to become a superior replacement for the dvi2tty utility; the present version outperforms dvi2tty in some areas and is inferior to it in other areas.
documentation	(English) <i>Man page (pdf)</i> : https://ctan.org/tex-archive/dviware/catdvi/catdvi.pdf
– local file	<code>./6922269932-catdvi.pdf</code>
documentation	(English) <i>Man page (text)</i> : https://ctan.org/tex-archive/dviware/catdvi/catdvi.txt
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/dviware/catdvi/README
contact	<i>repository</i> : http://catdvi.sourceforge.net/
on CTAN	https://ctan.org/tex-archive/dviware/catdvi
keyword	plain-text (derive plain text from a TeX document)
keyword	dvi-proc (DVI processor)
language(s)	English
year	without year
last access	2025-02-07

955 *catechis* – Macros for typesetting catechisms

Web page on CTAN	https://ctan.org/pkg/catechis
name	<code>catechis</code>
caption	Macros for typesetting catechisms
author	Goodman, Donald P.
copyright	Donald P. Goodman (2008-2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.6 (2021-07-19)
last changes	2021-07-19
year	2021
description	(no language specified) The macros include: • format for question-and-answer;

- comments on answers;
- lengthier explanations of answers;
- citations.

The formatting of all the macros is highly (and simply) customizable.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/catechis/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/catechis/catechis.pdf
– local file	<code>./9100119011-catechis.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/catechis
on MikTeX	<code>catechis</code>
on TeXLive	<code>catechis</code>
keyword	<code>theology</code> (typeset devotional texts and other material of interest to theologians)
language(s)	no language specified
last access	2025-08-30

956 *catoptions* – Preserving and recalling standard catcodes

Web page on CTAN <https://ctan.org/pkg/catoptions>

name	<code>catoptions</code>
caption	Preserving and recalling standard catcodes
author	Carlisle, David
author	Musa, Ahmed
copyright	Ahmed Musa (amusa22@gmail.com), David Carlisle (2023)
copyright	Ahmed Musa (amusa22@gmail.com) (2010-2012)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2.7i

description	(no language specified) The package changes package loading internals so that all subsequently loaded packages can rely on normal/standard catcodes of all ASCII characters. The package defines canonical control sequences to represent all the visible ASCII characters. It also provides robust option parsing mechanisms (<code>XDeclareOption</code> , <code>XExecuteOptions</code> and <code>XProcessOptions</code> , which will be used by <code>\documentclass</code> if the package has already been loaded). The package also provides a range of other TeX programming tools.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/catoptions/README.md
contact	<i>bugs</i> : https://github.com/davidcarlisle/catoptions/issues
contact	<i>repository</i> : https://github.com/davidcarlisle/catoptions
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/catoptions
on MikTeX	catoptions
on TeXLive	catoptions
keyword	macro-supp (support for development of (La)TeX macros)
keyword	keyval (key-value argument systems)
language(s)	no language specified
year	2023
last access	2025-02-07

957 catppuccinpalette – Provides (x)colors of catppuccin theme

Web page on CTAN <https://ctan.org/pkg/catppuccinpalette>

name	catppuccinPalette
caption	Provides (x)colors of catppuccin theme
author	Heindl, Lukas
author	Goudham
copyright	Catppuccin (2024)
license	mit = MIT License (free)
version	1.1.0 (2024-08-13)
last changes	2024-08-13
year	2024

description	(no language specified) "Catppuccin" is a nice pastel theme in four flavours/styles (Latte, Frappé, Macchiato, Mocha). This package defines these themes as xcolor colors.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/catppuccinpalette/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/catppuccinpalette/catppuccinpalette.pdf
– local file	<code>./3999814607-catppuccinpalette.pdf</code>
contact	<i>bugs</i> : https://github.com/catppuccin/latex/issues
contact	<i>repository</i> : https://github.com/catppuccin/latex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/catppuccinpalette
on MikTeX	catppuccinpalette
on TeXLive	catppuccinpalette
keyword	colour (typesetting in colour)
language(s)	no language specified
last access	2025-02-07

958 causets – Draw causal set (Hasse) diagrams

Web page on CTAN	https://ctan.org/pkg/causets
name	causets
caption	Draw causal set (Hasse) diagrams
author	Minz, Christoph
copyright	C. Minz (2020-2025)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.5 (2025-02-24)
last changes	2025-02-24
year	2025
description	(no language specified) This LaTeX package uses TikZ to generate (Hasse) diagrams for causal sets (causets) to be used inline with text or in mathematical expressions. The macros can also be used in the <code>tikzpicture</code> environment to annotate or modify a diagram, as shown with some examples in the documentation.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/causets/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/causets/causets.pdf
– local file	<code>./8970095878-causets.pdf</code>
contact	<i>bugs</i> : https://github.com/c-minz/LaTeX-causets/issues
contact	<i>repository</i> : https://github.com/c-minz/LaTeX-causets
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/causets
on MikTeX	<code>causets</code>
on TeXLive	<code>causets</code>
keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>graphics</code> (graphics (support packages))
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>diagram-maths</code> (diagrams used in mathematics)
language(s)	no language specified
last access	2025-03-03

959 *cbcoptic* – Coptic fonts and LaTeX macros for general usage and for philology

Web page on CTAN	https://ctan.org/pkg/cbcoptic
name	<code>cbcoptic</code>
caption	Coptic fonts and LaTeX macros for general usage and for philology
author	Rosmorduc, Serge
author	Beccari, Claudio
license	lppl = The LaTeX Project Public License (free)
version	0.2
description	(no language specified) CBcoptic is a bundle of files for typesetting Coptic philological text with the proper fonts and hyphenation. The fonts are based on, but much extend, the fonts of the original <i>coptic</i> bundle. The CBcoptic bundle includes font description files, Metafont sources and equivalent Adobe Type 1 fonts in pfb format. The bundle also includes a package that provides some macros of philological interest.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/coptic/cbcoptic/README

documentation	(no language specified) <i>Font details and samples</i> : https://ctan.org/tex-archive/language/coptic/cbcoptic/coptfont.pdf
– local file	<code>./9502796312-coptfont.pdf</code>
on CTAN	https://ctan.org/tex-archive/language/coptic/cbcoptic
on MikTeX	<code>cbcoptic</code>
on T _E XLive	<code>cbcoptic</code>
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>coptic</code> (support for typesetting coptic)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
language(s)	no language specified
year	without year
last access	2025-02-11

960 *cbe* – Bibliography style for Council of Biology Editors format

Web page on CTAN <https://ctan.org/pkg/cbe>

name	<code>cbe</code>
caption	Bibliography style for Council of Biology Editors format
author	Rogers, Alan
license	<code>noinfo = noinfo</code>
version	1.1
description	(no language specified) The CBE format is used by <i>Evolution</i>, <i>American Naturalist</i>, and lots of other journals. The style is derived from <code>apalike.bst</code> in the BibTeX bundle, adopting further features from <code>astron.bst</code>; use with the LaTeX package that comes with <code>astron</code>.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/cbe.bst
on MikTeX	<code>beebe</code>
on T _E XLive	<code>beebe</code>
keyword	<code>journalpub</code> (typesetting journals, etc)
keyword	<code>bibtex-sty</code> (<code>bibtex-sty(unknown)</code>)

language(s)	no language specified
year	without year
last access	2025-02-11

961 cbfonts-fd – LaTeX font description files for the CB Greek fonts

Web page on CTAN <https://ctan.org/pkg/cbfonts-fd>

name	cbfonts-fd
caption	LaTeX font description files for the CB Greek fonts
author	Beccari, Claudio
copyright	Claudio Beccari (2013-2017)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2 (2017-07-29)
last changes	2017-07-29
year	2017
description	(no language specified) The package provides font description files for all the many shapes available from the cbfonts collection. The files provide the means whereby the NFSS knows which fonts a LaTeX user is requesting. The package depends on cbgreek-complete .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/greek/cbfonts-fd/cbfonts-fd.pdf
– local file	./3222090158-cbfonts-fd.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/greek/cbfonts-fd/README
on CTAN	https://ctan.org/tex-archive/fonts/greek/cbfonts-fd
on MikTeX	cbfonts-fd
on T _E XLive	cbfonts-fd
keyword	font-greek (font for Greek (archaic, classical and modern))
keyword	font-supp (metrics, macro incantations and other font support)
see also	see section 962 on page 875: (cbgreek-complete – Complete set of Greek fonts)
language(s)	no language specified
last access	2025-02-07

962 cbgreek-complete – Complete set of Greek fonts

Web page on CTAN <https://ctan.org/pkg/cbgreek-complete>

name	cbgreek-complete
caption	Complete set of Greek fonts
author	Syropoulos, Apostolos
author	Beccari, Claudio
copyright	Claudio Beccari and Apostolos Syropoulos (1997-2004)
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) This bundle presents the whole of Beccari’s original Greek font set, which use the ‘Lispiakos’ font shape derived from the shape of the fonts used in printers’ shops in Lispia. The fonts are available both as Metafont source and in Adobe Type 1 format, and at the same wide set of design sizes as are such font sets as the EC fonts . Please note that this package needs the complementary cbfonts-fd package to work properly.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/greek/cbfonts/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/greek/cbfonts/cbgreek.pdf
– local file	<code>./6057654517-cbgreek.pdf</code>
documentation	(no language specified) <i>Sample font table</i>: https://ctan.org/tex-archive/fonts/greek/cbfonts/grmn1000table.pdf
– local file	<code>./6641214149-grmn1000table.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/greek/cbfonts
on MikTeX	cbgreek
on T _E XLive	cbfonts
keyword	font-greek (font for Greek (archaic, classical and modern))
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	greek (support for typesetting Greek)
keyword	font (fonts themselves)
see also	see section 961 on page 874 : (<code>cbfonts-fd</code> – LaTeX font description files for the CB Greek fonts)
language(s)	no language specified

year 2004
last access 2025-08-30

963 cc-pl – Polish extension of Computer Concrete fonts

Web page on CTAN <https://ctan.org/pkg/cc-pl>

name cc-pl
caption Polish extension of Computer Concrete fonts
author Bzyl, Włodek
author Ryćko, Marek
author Jackowski, Bogusław
license pd = Public Domain Software (free)
version 1.02.3
description (no language specified) These Metafont sources rely on the availability of the **Metafont ‘Polish’ fonts** and of the Metafont sources of the **original Concrete fonts** .
Adobe Type 1 versions of the fonts are included.
documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/fonts/cc-pl/README>
on CTAN <https://ctan.org/tex-archive/fonts/cc-pl>
on T_EXLive cc-pl
keyword polish (support for typesetting Polish)
keyword font-serif (serif font)
keyword font-mf (fonts distributed as Metafont source)
keyword font-type1 (font available in Adobe Type 1 format)
keyword font (fonts themselves)
language(s) no language specified
year without year
last access 2025-02-07

964 *ccaption* – Continuation headings and legends for floats

Web page on CTAN <https://ctan.org/pkg/ccaption>

name	<code>ccaption</code>
caption	Continuation headings and legends for floats
author	Robertson, Will
author	Wilson, Peter R.
copyright	Will Robertson (2011)
copyright	Peter R. Wilson (1998-2005)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.2c
description	(no language specified) A package providing commands for ‘continuation captions’, unnumbered captions, and also a non-specific legend heading for any environment. Methods are also provided to define captions for use outside float (e.g., figure and table) environments, and to define new float environments and Lists of Floats. Tools are provided for specifying your own captioning styles.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ccaption/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ccaption/ccaption.pdf
– local file	<code>./3975330173-ccaption.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ccaption
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/ccaption.tds.zip
on MikTeX	<code>ccaption</code>
on TeXLive	<code>ccaption</code>
keyword	<code>caption</code> (typesetting captions)
see also	see section 925 on page 843: (<code>caption</code> – Customising captions in floating environments)
see also	see section 2265 on page 2050: (<code>float</code> – Improved interface for floating objects)
language(s)	no language specified
year	2011
last access	2025-02-07

965 ccfonts – Support for Concrete text and math fonts in LaTeX

Web page on CTAN <https://ctan.org/pkg/ccfonts>

name	ccfonts
caption	Support for Concrete text and math fonts in LaTeX
author	Harcombe, Keiran
author	Schmidt, Walter A.
copyright	Keiran Harcombe (2021-2022)
copyright	Walter Schmidt (1997-2020)
license	lppl = The LaTeX Project Public License (free)
version	(2021-12-13)
last changes	2021-12-13
year	2021
description	(no language specified) LaTeX font definition files for the Concrete fonts and a LaTeX package for typesetting documents using Concrete as the default font family. The files support OT1, T1, TS1, and Concrete mathematics including AMS fonts (Ulrik Vieth's concmath).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ccfonts/ccfonts.pdf
– local file	./2420981702-ccfonts.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ccfonts/README
contact	<i>bugs</i> : https://gitlab.com/kjhtex/ccfonts/-/issues
contact	<i>repository</i> : https://gitlab.com/kjhtex/ccfonts.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ccfonts
on MikTeX	ccfonts
on T _E XLive	ccfonts
keyword	font-suppl (metrics, macro incantations and other font support)
see also	see section 1807 on page 1631 : (ecc – Sources for the European Concrete fonts)
language(s)	no language specified
last access	2025-02-07

966 cchess – Chinese chess

Web page on CTAN <https://ctan.org/pkg/cchess>

name	cchess
caption	Chinese chess
author	Richer, Jacques
author	Mittelbach, Frank
license	noinfo = noinfo
version	(1997-06-16)
last changes	1997-06-16
year	1997
description	(no language specified) Macros and a font for typesetting Chinese Chess board diagrams. The font is distributed as Metafont source.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cchess
on MikTeX	cchess
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	chess (chess game)
see also	see section 6837 on page 6170: (xq – Support for writing about xiangqi)
language(s)	no language specified
last access	2026-04-10

967 ccicons – LaTeX support for Creative Commons icons

Web page on CTAN <https://ctan.org/pkg/ccicons>

name	ccicons
caption	LaTeX support for Creative Commons icons
author	Ummels, Michael
copyright	Michael Ummels (2009, 2011-2017)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	ofl = The SIL Open Font License (free)
version	1.6

description	(no language specified) The package provides the means to typeset Creative Commons icons, in documents licensed under CC licences. A font (in Adobe Type 1 format) and LaTeX support macros are provided.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/ccicons/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/ccicons/ccicons.pdf
– local file	<code>./7407366663-ccicons.pdf</code>
home page	https://github.com/ummels/ccicons
on CTAN	https://ctan.org/tex-archive/fonts/ccicons
installation	https://ctan.org/tex-archive/install/fonts/ccicons.tds.zip
on MikTeX	<code>ccicons</code>
on TeXLive	<code>ccicons</code>
keyword	<code>font-symbol</code> (fonts that provide collections of symbols)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
language(s)	no language specified
year	2017
last access	2025-02-07

968 ccllicenses – Typeset Creative Commons licence logos

Web page on CTAN	https://ctan.org/pkg/ccllicenses
name	<code>CClicenses</code>
caption	Typeset Creative Commons licence logos
author	Pignalberi, Gianluca
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The <code>ccllicenses</code> package helps users typesetting Creative Commons logos in LaTeX. It defines some commands useful to quickly write these logos, related to CC licences versions 1.0 and 2.0.
documentation	(no language specified) <i>Brief package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/ccllicenses/ccllicenses_short.pdf
– local file	<code>./8061089109-ccllicenses_short.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cclicenses/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cclicenses
on T _E XLive	cclicenses
keyword	logo (symbols or drawings to specify an object, including icons)
language(s)	no language specified
year	without year
last access	2025-02-07

969 ccool – A key-value document command parser

Web page on CTAN	https://ctan.org/pkg/ccool
name	ccool
caption	A key-value document command parser
author	Rogard, Erwann
copyright	Erwann Rogard (2020)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.2
description	(no language specified) This package provides a key-value interface, <code>\Ccool</code> , on top of <code>xparse</code> 's document command parser. Global options control input processing and its expansion. By default, they are set to meet likely requirements, depending on context: the selected language, and which of text and math mode is active. These options can be overridden inline. This versatility could find its use, for example, to encode notational conventions (such as $\mathbb{R} \rightarrow \text{Real}$) at the point where they are introduced in the document ("Let $\mathbb{R}$ denote real numbers"). Polymorphic commands can be generated by parameterizing the keys (for instance, one parameter value for style, another for a property). User input to <code>\Ccool</code> can optionally be serialized. This can be useful for typesetting documents sharing the same notation.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ccool/ccool.pdf
– local file	<code>./3788995910-ccool.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ccool/README.md
contact	<i>support</i> : https://github.com/rogard/ccool

contact	<i>repository:</i> https://github.com/rogard/ccool
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ccool
on MikTeX	ccool
on T _E XLive	ccool
keyword	expl3 (expl3(unknown))
keyword	macro-def (alternative ways of defining macros)
see also	see section 1328 on page 1201: (ccool – CContent-Oriented LaTeX)
language(s)	no language specified
year	2020
last access	2025-02-07

970 *cd* – Typeset CD covers

Web page on CTAN <https://ctan.org/pkg/cd>

name	cd
caption	Typeset CD covers
author	Lemberg, Werner
author	Vigna, Sebastiano
copyright	Sebastiano Vigna (1998-2002)
license	gpl = GNU General Public License (free)
version	1.4
description	(no language specified) Normal usage will ordinarily require no more than a simple data file per cover; the package will make a full insert for a CD case (it copes with both normal and slim cases).
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/cd/cd.pdf
– local file	./6422763130-cd.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/cd/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cd
on MikTeX	cd
on T _E XLive	cd
keyword	labels (typeset sets of labels (for cutting out, etc.))

see also	see section 972 on page 884: (<code>cdcover</code> – Typeset CD covers)
language(s)	no language specified
year	2002
last access	2025-02-07

971 `cdcmd` – Expandable conditional commands for LaTeX

Web page on CTAN <https://ctan.org/pkg/cdcmd>

name	<code>cdcmd</code>
caption	Expandable conditional commands for LaTeX
author	Longaster
copyright	Wenjian Chern (Longaster) (2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2021-10-12)
last changes	2021-10-12
year	2021
description	(no language specified) This package provides some conditional commands, just like the <code>styledcmd</code> package. The difference is that <code>cdcmd</code> can define <i>expandable</i> conditional commands.
documentation	<i>Package documentation (Chinese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/cdcmd/doc/cdcmd-cn.pdf
– local file	<code>./6968468707-cdcmd-cn.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cdcmd/README.md
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/cdcmd/doc/cdcmd.pdf
– local file	<code>./3163865170-cdcmd.pdf</code>
contact	<i>repository</i> : https://github.com/Sophanatprime/cdcmd
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cdcmd
on MikTeX	<code>cdcmd</code>
on T _E XLive	<code>cdcmd</code>
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)

keyword macro-def (alternative ways of defining macros)
 language(s) Chinese
 last access 2025-02-07

972 *cdcover* – Typeset CD covers

Web page on CTAN <https://ctan.org/pkg/cdcover>

name *cdcover*
 caption Typeset CD covers
 author Holm Christensen, Christian
 license gpl = GNU General Public License (free)
 version 1.0
 description (no language specified) The CD-cover class will typeset front and back cover sheets for CD jewel cases, or an entire paper cover, or a label for a plastic slip-cover.
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/cd-cover/README>
 documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/cd-cover/cd-cover.pdf>
 – local file ./5173584015-cd-cover.pdf
 on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/cd-cover>
 on MikTeX *cdcover*
 on T_EXLive *cd-cover*
 keyword covers (typeset badges, covers or labels for things (or people))
 see also see section 970 on page 882: (*cd* – Typeset CD covers)
 language(s) no language specified
 year without year
 last access 2025-02-07

973 *cdlabeler* – Take user text and typeset it to fit a CD label

Web page on CTAN <https://ctan.org/pkg/cdlabeler>

name	cdlabeler
caption	Take user text and typeset it to fit a CD label
author	Eijkhout, Victor
license	gpl = GNU General Public License (free)
version	0.93
description	(no language specified) The package's operation is described in comments in the file itself; a simple test file is provided.
on CTAN	https://ctan.org/tex-archive/macros/generic/eijkhout
on MikTeX	eijkhout
on T _E XLive	eijkhout
keyword	covers (typeset badges, covers or labels for things (or people))
language(s)	no language specified
year	without year
last access	2025-02-07

974 *cdpbundl* – Business letters in the Italian style

Web page on CTAN <https://ctan.org/pkg/cdpbundl>

name	C.D.P. Bundle
caption	Business letters in the Italian style
author	Mezzetti, Gustavo
copyright	Gustavo Mezzetti (1999-2015)
license	lppl = The LaTeX Project Public License (free)
version	0.36d (2018-02-08)
last changes	2018-02-08
year	2018

description	(no language specified) The C.D.P. Bundle can be used to typeset high-quality business letters formatted according to Italian style conventions. It is highly configurable, and its modular structure provides you with building blocks of increasing level, by means of which you can compose a large variety of letters. It is also possible to write letters divided into sections and paragraphs, to include floating figures and tables, and to have the relevant indexes compiled automatically. A single input file can contain several letters, and each letter will have its own table of contents, etc., independent from the other ones.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cdpbundl/README
documentation	(no language specified) <i>Basic introduction</i> : https://ctan.org/tex-archive/macros/latex/contrib/cdpbundl/00readme.txt
documentation	(no language specified) <i>Package overview</i> : https://ctan.org/tex-archive/macros/latex/contrib/cdpbundl/cdpbundl-doc.pdf
– local file	./4660591345-cdpbundl-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cdpbundl
on MikTeX	cdpbundl
on T _E XLive	cdpbundl
keyword	letter (typesetting letters, envelopes, faxes, etc)
language(s)	no language specified
last access	2025-02-07

975 cea – Produce papers for Computers and Electronics in Agriculture

Web page on CTAN	https://ctan.org/pkg/cea
name	cea
caption	Produce papers for Computers and Electronics in Agriculture
author	McCauley, James Darrell
license	noinfo = noinfo
version	0.1a
description	(no language specified) The package provides an unofficial LaTeX 2.09 style option for the Elsevier journal.
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/misc/cea.sty

keyword	journalpub (typesetting journals, etc)
keyword	latex209 (package only known to work with LaTeX 2.09)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
year	without year
last access	2025-02-11

976 *cell* – Bibliography style for Cell

Web page on CTAN <https://ctan.org/pkg/cell>

name	cell
caption	Bibliography style for Cell
author	Schneider, Thomas
license	pd = Public Domain Software (free)
version	(2010-12-12)
last changes	2010-12-12
year	2010
description	(no language specified) This is an "apa-like" style (cf. <code>apalike.bst</code> in the BibTeX distribution), developed from the same author's JMB style. A supporting LaTeX package is also provided.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cell/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cell
on MikTeX	cell
on T _E XLive	cell
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
last access	2025-02-07

977 cellprops – Accept CSS-like selectors in tabular, array, ...

Web page on CTAN <https://ctan.org/pkg/cellprops>

name	cellprops
caption	Accept CSS-like selectors in tabular, array, ...
author	Rivaud, Julien
copyright	Julien “_FrnchFrgg_” Rivaud (2016-2021)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	2.0 (2021-01-30)
last changes	2021-01-30
year	2021
description	(no language specified) This package reworks the internals of tabular, array, and similar constructs, and adds a <code>\cellprops</code> command accepting CSS-like selectors and properties. It depends on mdwtab , xcolor , expl3 , and xparse .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cellprops/cellprops.pdf
– local file	<code>./2802779549-cellprops.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cellprops/README.md
contact	<i>bugs</i> : https://gitlab.com/frnchfrgg-latex/cellprops/-/issues
contact	<i>repository</i> : https://gitlab.com/frnchfrgg-latex/cellprops
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cellprops
on MikTeX	cellprops
on TeXLive	cellprops
keyword	table (table typesetting)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

978 *cellspace* – Ensure minimal spacing of table cells

Web page on CTAN <https://ctan.org/pkg/cellspace>

name	cellspace
caption	Ensure minimal spacing of table cells
author	Noirel, Josselin
copyright	Josselin Noirel (2006-2026)
license	lppl = The LaTeX Project Public License (free)
version	1.9.1a (2026-01-24)
last changes	2026-01-24
year	2026
description	(no language specified) It is well known that high or deep cells tend to touch the <code>\hline</code>s of a <code>tabular</code>. This package provides a modifier <code>S</code> acting on usual column types so that to ensure a minimal distance that can be controlled through two parameters <code>\cellspacetoplimit</code> and <code>\cellspacebottomlimit</code>. The approach employed by this package is noticeably simpler than that of <code>tabls</code>, which considers the dimensions of each entire row; whereas you can ask the <code>cellspace</code> only to look at the cells of potentially difficult columns. The package depends on <code>ifthen</code>, <code>array</code>, <code>calc</code>, and <code>xkeyval</code>.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cellspace/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cellspace/cellspace.pdf
– local file	<code>./8332729416-cellspace.pdf</code>
contact	<i>repository</i> : https://github.com/JosselinNoirel/cellspace
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cellspace
on MikTeX	cellspace
on TeXLive	cellspace
keyword	tagged-pdf-partially (tagged PDF partially compatible)
keyword	table (table typesetting)
language(s)	no language specified
last access	2026-04-10

979 *cellular* – Cellular table construction

Web page on CTAN <https://ctan.org/pkg/cellular>

name	cellular
caption	Cellular table construction
author	Pittman, John E.
license	noinfo = noinfo
version	(1989-11-23)
last changes	1989-11-23
year	1989
description	(no language specified) Cellular tables are ruled tables with spanned cells; the present package achieves that, and includes several tricks for dealing with the idiosyncrasies of printers of the time when it was written.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/plain/contrib/cellular/cellular.txt
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/contrib/cellular/README
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/cellular
on MikTeX	cellular
keyword	table (table typesetting)
language(s)	no language specified
last access	2026-04-10

980 *cellwise* – Building tables one cell at a time

Web page on CTAN <https://ctan.org/pkg/cellwise>

name	cellwise
caption	Building tables one cell at a time
author	Borck-Elsner, Matthias
license	noinfo = noinfo
version	0.2

description	(no language specified) The package provides the means to build tables from free-formated cells, "one cell at a time". The basic command is <code>\thiscell{&lt;column>}{&lt;line>}{&lt;definitions>}</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/cellwise/README
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/cellwise
on MikTeX	cellwise
keyword	obsolete (package declared obsolete)
keyword	table (table typesetting)
language(s)	no language specified
year	without year
last access	2026-04-10

981 *celtic* – A TikZ library for drawing celtic knots

Web page on CTAN	https://ctan.org/pkg/celtic
name	celtic
caption	A TikZ library for drawing celtic knots
author	Stacey, Andrew
copyright	Andrew Stacey (2014)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2016-02-19)
last changes	2016-02-19
year	2016
description	(no language specified) The package provides a TikZ library for drawing celtic knots.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/celtic/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/celtic/celtic.pdf
– local file	./5886855282-celtic.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/celtic

installation	https://ctan.org/tex-archive/install/graphics/pgf/contrib/celtic.tds.zip
on MikTeX	celtic
on T _E XLive	celtic
keyword	graphics (graphics (support packages))
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2026-03-26

982 *sensor* – Tools for producing redacted documents

Web page on CTAN	https://ctan.org/pkg/sensor
name	sensor
caption	Tools for producing redacted documents
author	Segletes, Steven B.
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	4.5 (2025-03-30)
last changes	2025-03-30
year	2025
description	(no language specified) This package provides simple tools for creating redacted documents with blacked-out text. Its tools are useful both for creating documents in a restricted environment (for redacted release in an unrestricted environment) as well as in an unrestricted environment (for eventual transfer and completion in the restricted environment).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sensor/sensor.pdf
– local file	./5775826358-sensor.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sensor/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sensor
on MikTeX	sensor
on T _E XLive	sensor
keyword	security (document security measures)
language(s)	no language specified

last access 2026-03-26

983 **centeredline** – A macro for centering lines

Web page on CTAN <https://ctan.org/pkg/centeredline>

name	centeredline
caption	A macro for centering lines
author	Burnol, Jean-François
copyright	Jean-François Burnol (2019-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2 (2022-10-10)
last changes	2022-10-10
year	2022
description	(no language specified) This package provides a macro <code>\centeredline{...}</code> which allows to conveniently center a line inside a paragraph while allowing usage therein of <code>\verb</code> or other macros changing catcodes. It works nicely in list environments, and material whose natural width exceeds the current linewidth will get properly centered too.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/centeredline/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/centeredline
on MikTeX	centeredline
on TeXLive	centeredline
keyword	layout (layout of objects on the page)
keyword	alignment (tables, tab structures, etc)
language(s)	no language specified
last access	2025-02-11

984 `centerlastline` – Paragraphs with last line centered, known as “Spanish” paragraphs

Web page on CTAN <https://ctan.org/pkg/centerlastline>

name	<code>centerlastline</code>
caption	Paragraphs with last line centered, known as “Spanish” paragraphs
author	Frasson, Miguel Vinícius Santini
copyright	Miguel V. S. Frasson (2020)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.0 (2020-10-12)
last changes	2020-10-12
year	2020
description	(no language specified) This LaTeX package provides a <i>command</i> <code>\centerlastline</code> and an <i>environment</i> <code>centerlastline</code> that typeset “Spanish” paragraphs, that is paragraphs without indentation, and last line centered, useful to finish a large paragraph of text at the end of chapters, prologues, etc.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/centerlastline/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/centerlastline/centerlastline.pdf
– local file	<code>./2251936179-centerlastline.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/centerlastline
on MikTeX	<code>centerlastline</code>
on TeXLive	<code>centerlastline</code>
keyword	micro-layout (paragraph shapes, margin adjustments, etc.)
language(s)	no language specified
last access	2025-02-07

985 centernot – Centred \not command

Web page on CTAN <https://ctan.org/pkg/centernot>

name	centernot
caption	Centred \not command
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2006, 2007, 2010, 2011)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.4 (2016-05-16)
last changes	2016-05-16
year	2016
description	(no language specified) The package provides <code>\centernot</code> that prints the symbol <code>\not</code> on the following argument. Unlike the default <code>\not</code> command, the symbol is horizontally centered. The package is part of the oberdiek bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/centernot.pdf
– local file	<code>./7819571594-centernot.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/centernot.dtx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/oberdiek.tds.zip
on MikTeX	oberdiek
on T _E XLive	oberdiek
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

986 cep – Compression tools for PostScript

Web page on CTAN <https://ctan.org/pkg/cep>

name	cep
caption	Compression tools for PostScript
author	Strzelczyk, Piotr
author	Jackowski, Bogusław
author	Pianowski, Piotr
license	pd = Public Domain Software (free)
version	1.03
description	(no language specified) Compression utilities for PostScript files, written in AWK and PostScript (to be processed by gawk and Ghostscript) to compress bitmap EPS files down to 10 percent of the original size.
documentation	<i>Package documentation (Polish):</i> https://ctan.org/tex-archive/support/pstools/cep/cepcop_p.inf
documentation	<i>Package documentation (English):</i> https://ctan.org/tex-archive/support/pstools/cep/cepcop_e.inf
on CTAN	https://ctan.org/tex-archive/support/pstools/cep
keyword	graphics-prep (prepare graphics for use with *TeX)
language(s)	English; Polish
year	without year
last access	2025-02-07

987 cesenaexam – A class file to typeset exams

Web page on CTAN <https://ctan.org/pkg/cesenaexam>

name	cesenaexam
caption	A class file to typeset exams
author	Pacini, Alex
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2
description	(no language specified) This LaTeX document class has been designed to typeset exams.

documentation	(no language specified) <i>Example document</i> : https://ctan.org/tex-archive/macros/latex/contrib/cesenaexam/cesenaexam_example.pdf
– local file	<code>./3363916749-cesenaexam_example.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cesenaexam/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cesenaexam/cesenaexam.pdf
– local file	<code>./7792485921-cesenaexam.pdf</code>
contact	<i>bugs</i> : https://github.com/alexpacini/cesenaexam/issues
contact	<i>repository</i> : https://github.com/alexpacini/cesenaexam
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cesenaexam
on MikTeX	cesenaexam
on T _E XLive	cesenaexam
keyword	class (alternative LaTeX class(es))
keyword	exam (exams, quizzes, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

988 *cfgguide* – Documentation of LaTeX configuration options

Web page on CTAN	https://ctan.org/pkg/cfgguide
name	cfgguide
caption	Documentation of LaTeX configuration options
author	The LaTeX Project Team
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Documentation of techniques used to vary the configuration of a LaTeX installation. Part of a set of documentation that also covers new LaTeX 2e commands , font-handling , class and package writing , typesetting Cyrillic , and LaTeX font encodings , modification of latex .

documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/macros/latex/base/cfgguide.pdf
– local file	<code>./8138060815-cfgguide.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/base
on MikTeX	<code>ltxbase</code>
on TeXLive	<code>latex</code>
keyword	<code>latex-doc</code> (<code>latex-doc(unknown)</code>)
language(s)	no language specified
year	without year
last access	2025-02-11

989 *cfr-initials* – LaTeX packages for use of initials

Web page on CTAN	https://ctan.org/pkg/cfr-initials
name	<code>cfr-initials</code>
caption	LaTeX packages for use of initials
author	Rees, Clea F.
copyright	Clea F. Rees (2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.01 (2015-04-06)
last changes	2015-04-06
year	2015
description	(no language specified) This is a set of 23 tiny packages designed to make it easier to use fonts from the initials package in LaTeX, e.g. with the lettrine package. It is a response to comments on an answer at TeX StackExchange requesting sample package files for others to copy. I had previously assumed these were too trivial to be of interest, but if they would be useful, then I would prefer them to be generally available via CTAN.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cfr-initials/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cfr-initials/cfr-initials.pdf
– local file	<code>./3122448963-cfr-initials.pdf</code>

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cfr-initials
on MikTeX	cfr-initials
on T _E XLive	cfr-initials
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-decor (decorative or initial fonts)
language(s)	no language specified
last access	2025-02-07

990 *cfr-lm* – Enhanced support for the Latin Modern fonts

Web page on CTAN <https://ctan.org/pkg/cfr-lm>

name	cfr-lm
caption	Enhanced support for the Latin Modern fonts
author	Rees, Clea F.
copyright	Clea F. Rees (2008-2025)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.8 (2025-02-03)
last changes	2025-02-03
year	2025
description	(no language specified) The package supports a number of features of the Latin Modern fonts which are not easily accessible via the default (La)TeX support provided in the official distribution. In particular, the package supports the use of the various styles of digits available, small-caps and upright italic shapes, and alternative weights and widths. It also supports variable width typewriter and the "quotation" font. Version 2.004 of the Latin Modern fonts is supported. By default, the package uses proportional oldstyle digits and variable width typewriter but this can be changed by passing appropriate options to the package. The package also supports using (for example) different styles of digits within a document so it is possible to use proportional oldstyle digits by default, say, but tabular lining digits within a particular table. The package requires the official Latin Modern distribution, including its (La)TeX support. The package relies on the availability of both the fonts themselves and the official font support files. The package also makes use of the nfssexst-cfr package.

Only the T1 and TS1 encodings are supported for text fonts. The set up of fonts for mathematics is identical to that provided by Latin Modern.

documentation	(no language specified) <i>Font tables</i> : https://ctan.org/tex-archive/fonts/cfr-lm/doc/cfr-lm-tables.pdf
– local file	<code>./3284702785-cfr-lm-tables.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/cfr-lm/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/cfr-lm/doc/cfr-lm.pdf
– local file	<code>./6366172429-cfr-lm.pdf</code>
contact	<i>repository</i> : https://codeberg.org/cfr/nfssext
on CTAN	https://ctan.org/tex-archive/fonts/cfr-lm
on MikTeX	<code>cfr-lm</code>
on TeXLive	<code>cfr-lm</code>
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
language(s)	no language specified
last access	2025-02-07

991 `chalk-annotate` – Chalk-textured annotations for Beamer presentations

Web page on CTAN <https://ctan.org/pkg/chalk-annotate>

name	<code>chalk-annotate</code>
caption	Chalk-textured annotations for Beamer presentations
author	Zhang, Zitong
copyright	Zhang Zitong (2026)
license	mit = MIT License (free)
version	1.1 (2026-04-25)
last changes	2026-04-25
year	2026

description	(no language specified) This package provides pre-rendered PNG overlays with natural chalk grain and opacity variation for emphasizing text and other content in Beamer slides. It offers six annotation styles: ellipse, underline, box with fill and border, arrow, and strikethrough. Each style is available in five colors: red, blue, green, orange, and purple. The resulting annotations look more realistic than pure TikZ decorations. The package works with XeLaTeX and LuaLaTeX.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/unicodetex/latex/chalk-annotate/chalk-annotate-doc.pdf
– local file	<code>./5660784368-chalk-annotate-doc.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/unicodetex/latex/chalk-annotate/README.md
home page	https://github.com/zz19941127/chalk-annotate
contact	<i>bugs:</i> https://github.com/zz19941127/chalk-annotate/issues
contact	<i>repository:</i> https://github.com/zz19941127/chalk-annotate
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/chalk-annotate
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2026-04-27

992 changebar – Generate changebars in LaTeX documents

Web page on CTAN	https://ctan.org/pkg/changebar
name	changebar
caption	Generate changebars in LaTeX documents
author	Fine, Michael
author	Braams, Johannes L.
copyright	Johannes L. Braams (1994-2024)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.7e

993 `changelayout` – Change the layout of individual pages and their text

description	(no language specified) Identify areas of text to be marked with changebars with the <code>\cbstart</code> and <code>\cbend</code> commands; the bars may be coloured. The package uses ‘drivers’ to place the bars; the available drivers can work with <code>dvitoln03</code> , <code>dvitops</code> , <code>dvips</code> , the <code>emTeX</code> and <code>TeXtures</code> DVI drivers, and <code>VTeX</code> and <code>pdfTeX</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/changebar/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/changebar/changebar.pdf
– local file	<code>./5143334996-changebar.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/changebar
on MikTeX	<code>changebar</code>
on TeXLive	<code>changebar</code>
keyword	<code>editorial</code> (editor’s marks, highlights, etc.)
see also	see section 433 on page 398: (<code>backgrnd</code> – Mark text with grey background or change bar)
see also	see section 6762 on page 6101: (<code>xexchangebar</code> – An extension of package <code>changebar</code> that can be used with XeLaTeX)
see also	see section 1004 on page 913: (<code>chbar</code> – Change bar marks in Plain TeX)
language(s)	no language specified
year	2024
last access	2025-02-07

993 `changelayout` – Change the layout of individual pages and their text

Web page on CTAN <https://ctan.org/pkg/changelayout>

name	<code>changelayout</code>
caption	Change the layout of individual pages and their text
author	Musa, Ahmed
copyright	Ahmed Musa (2009)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package is an extension of the <code>changepage</code> package to permit the user to change the layout of individual pages and their texts.

documentation	(no language specified) <i>Package example (see code for details):</i> https://ctan.org/tex-archive/macros/latex/contrib/changelayout/changelayout-guide.pdf
– local file	./6525084978-changelayout-guide.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/changelayout/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/changelayout
on MikTeX	changelayout
on TeXLive	changelayout
keyword	geometry-adj (temporarily adjust page layout)
language(s)	no language specified
year	2009
last access	2025-02-07

994 *changelog* – Typesetting keepachangelog.com style changelogs

Web page on CTAN	https://ctan.org/pkg/changelog
name	changelog
caption	Typesetting keepachangelog.com style changelogs
author	Turner, Rebecca
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.6.0 (2024-12-18)
last changes	2024-12-18
year	2024
description	(no language specified) This package provides a <code>changelog</code> environment (which itself provides a <code>version</code> environment) to represent a changelog. The package supports multiple authors, unreleased changes, and yanked (revoked) releases. Inspired by keepachangelog.com .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/changelog/changelog.pdf
– local file	./3429089625-changelog.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/changelog/README.md

contact	<i>bugs:</i> https://github.com/9999years/latex-changelog/issues
contact	<i>repository:</i> https://github.com/9999years/latex-changelog
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/changelog
on MikTeX	changelog
on T _E XLive	changelog
keyword	doc-mgmt (support for keeping track of document development)
keyword	version-control (version control details)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

995 *changepage* – Margin adjustment and detection of odd/even pages

Web page on CTAN	https://ctan.org/pkg/changepage
name	changepage
caption	Margin adjustment and detection of odd/even pages
author	Robertson, Will
author	Wilson, Peter R.
copyright	Will Robertson (2009)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0c
description	(no language specified) The package provides commands to change the page layout in the middle of a document, and to robustly check for typesetting on odd or even pages. Instructions for use are at the end of the file. The package is an extraction of code from the memoir class, whose user interface it shares. It is intended the this package will eventually replace the chngpage package, which is distributed with the package.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/changepage/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/changepage/changepage.pdf
– local file	./9508294975-changepage.pdf

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/changepage
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/changepage.tds.zip
on MikTeX	change page
on T _E XLive	change page
keyword	geometry-adj (temporarily adjust page layout)
language(s)	no language specified
year	2009
last access	2025-02-07

996 *changes* – Manual change markup

Web page on CTAN <https://ctan.org/pkg/changes>

name	changes
caption	Manual change markup
author	Kleinod, Ekkart
copyright	Ekkart Kleinod (2007-2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	4.2.1 (2021-07-15)
last changes	2021-07-15
year	2021
description	(no language specified) The package allows the user to manually markup changes of text, such as additions, deletions, or replacements. Changed text is shown in a different color; deleted text is striked out. Additionally, text can be highlighted and/or commented. The package allows free definition of additional authors and their associated color. It also allows you to change the markup of changes, authors, highlights or comments. A Python script is provided for removing the changes.
documentation	<i>Package documentation (German):</i> https://ctan.org/tex-archive/macros/latex/contrib/changes/changes.ngerman.pdf
– local file	<code>./4106752964-changes.ngerman.pdf</code>
documentation	<i>(English) Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/changes/README

documentation	<i>Package documentation (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/changes/changes.english.pdf
– local file	./1989042113-changes.english.pdf
documentation	<i>Package documentation, with code listing (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/changes/changes.english.withcode.pdf
– local file	./5372175854-changes.english.withcode.pdf
home page	http://changes.sourceforge.net/
contact	<i>support:</i> https://gitlab.com/ekleinod/changes/-/issues
contact	<i>bugs:</i> https://gitlab.com/ekleinod/changes/-/issues
contact	<i>repository:</i> https://gitlab.com/ekleinod/changes/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/changes
on MikTeX	changes
on TeXLive	changes
keyword	<code>doc-tool</code> (document development tools)
keyword	<code>editorial</code> (editor’s marks, highlights, etc.)
language(s)	German; English
last access	2025-02-07

997 *chappg* – Page numbering by chapter

Web page on CTAN <https://ctan.org/pkg/chappg>

name	<code>chappg</code>
caption	Page numbering by chapter
author	Hailperin, Max
author	Carlisle, David
author	Fairbairns, Robin
license	lppl = The LaTeX Project Public License (free)
version	2.1b
description	(no language specified) The package provides for ‘chapterno-pageno’ or ‘chaptername-pageno’ page numbering. Provision is made for front- and backmatter in book class.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/chappg/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/chappg/chappg.pdf
– local file	<code>./5770654177-chappg.pdf</code>
contact	<i>support</i> : https://github.com/rf-latex/chappg/issues
contact	<i>repository</i> : https://github.com/rf-latex/chappg
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/chappg
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/chappg.tds.zip
on MikTeX	chappg
on T _E XLive	chappg
keyword	page-nos (control sequence and typesetting of page numbers)
language(s)	no language specified
year	without year
last access	2025-02-07

998 chapref – Bibliography details per chapter

Web page on CTAN	https://ctan.org/pkg/chapref
name	chapref
caption	Bibliography details per chapter
author	Knaggs, Peter J.
license	noinfo = noinfo
version	(1991-10-06)
last changes	1991-10-06
year	1991
description	(no language specified) The package provides for a separate bibliography section in each chapter. (It is assumed that each chapter is in its own <code>\include d</code> file.)
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/chapref.sty
keyword	bibtex-multi (multiple BibTeX bibliographies in a document)
keyword	bibtex-supp (BibTeX citation support)

see also	see section 714 on page 660: (<i>bibunits</i> – Multiple bibliographies in one document)
see also	see section 999 on page 908: (<i>chapterbib</i> – Multiple bibliographies in a document)
language(s)	no language specified
last access	2025-02-07

999 *chapterbib* – Multiple bibliographies in a document

Web page on CTAN	https://ctan.org/pkg/chapterbib
name	<i>chapterbib</i>
caption	Multiple bibliographies in a document
author	Arseneau, Donald
copyright	Donald Arseneau and Niel Kempson (1989-2010)
license	other-free = Free license not otherwise listed (free)
version	1.17
description	(no language specified) The package allows a bibliography per <code>\include d</code> file, or per unit defined by its <code>cbunit</code> or <code>\cbinput</code> directives. A package option is provided to force all these bibliographies to be in <code>\section s</code> (rather than <code>\chapter s</code> , as would normally happen in book- or report-like classes). The package is distributed as part of the <i>cite</i> bundle of packages.
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cite/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cite/chapterbib.pdf
– local file	<code>./4477919076-chapterbib.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cite
on MikTeX	<i>cite</i>
on T _E XLive	<i>cite</i>
keyword	<i>bibtex-multi</i> (multiple BibTeX bibliographies in a document)
keyword	<i>bibtex-supp</i> (BibTeX citation support)
see also	see section 714 on page 660: (<i>bibunits</i> – Multiple bibliographies in one document)
language(s)	no language specified

year 2010
last access 2025-02-07

1000 **chapterfolder** – Package for working with complicated folder structures

Web page on CTAN <https://ctan.org/pkg/chapterfolder>

name	chapterfolder
caption	Package for working with complicated folder structures
author	Mathieu, Boretti
copyright	Mathieu Boretti (2003-2005)
license	lppl = The LaTeX Project Public License (free)
version	2.0.1
description	(no language specified) This package simplifies working with folder structures that match the chapter/section/subsection structure. It provides macros to define a folder that contains the file for a chapter/section/subsection, and provides macros that allow inclusion without using the full path, rather the path relative to the current folder of the chapter/section/subsection. It makes easy changing the name of a folder, for example.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/chapterfolder/chapterfolder.pdf
– local file	./4892664315-chapterfolder.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/chapterfolder
on MikTeX	chapterfolder
on T _E XLive	chapterfolder
keyword	doc-mgmt (support for keeping track of document development)
language(s)	no language specified
year	2005
last access	2025-02-07

1001 *char2path* – A LaTeX package that converts characters into TikZ paths

Web page on CTAN <https://ctan.org/pkg/char2path>

name	char2path
caption	A LaTeX package that converts characters into TikZ paths
author	Ding, Zongping
author	Xia, Mingyu
copyright	Zongpingding and Mingyu Xia (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.0 (2025-07-28)
last changes	2025-07-28
year	2025
description	(no language specified) This TikZ -based LaTeX package provides an easy way to convert characters to TikZ-paths representing these characters.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/char2path/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/char2path/char2path.pdf
– local file	./5233437397-char2path.pdf
contact	<i>support</i> : https://github.com/zongpingding/char2path/issues
contact	<i>repository</i> : https://github.com/zongpingding/char2path
contact	<i>development</i> : https://github.com/zongpingding
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/char2path
on T _E XLive	char2path
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-08-01

1002 **charissil** – CharisSIL fonts with support for all LaTeX engines

Web page on CTAN <https://ctan.org/pkg/charissil>

name	CharisSIL
caption	CharisSIL fonts with support for all LaTeX engines
author	Tennent, Bob
author	SIL International
license	ofl = The SIL Open Font License (free)
license	lppl = The LaTeX Project Public License (free)
version	6.101 (2022-11-11)
last changes	2022-11-11
year	2022
description	(no language specified) This package provides the CharisSIL family of fonts adapted by SIL International from Bitstream Charter in TrueType format, with support for LaTeX, pdfLaTeX, XeLaTeX and LuaLaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/charissil/README
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/charissil/doc/CharisSIL-samples.pdf
– local file	./9130422173-CharisSIL-samples.pdf
home page	https://software.sil.org/charis/
on CTAN	https://ctan.org/tex-archive/fonts/charissil
installation	https://ctan.org/tex-archive/install/fonts/charissil.tds.zip
on MikTeX	charissil
on T _E XLive	charissil
keyword	font-cyrillic (fonts for Cyrillic and related scripts)
keyword	font-multilingual (font with adaptations to several languages)
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font-proportional (variable-spaced font)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-ttf (font available in TrueType format)
keyword	font (fonts themselves)

keyword font-serif (serif font)
 language(s) no language specified
 last access 2025-02-07

1003 *charter* – Charter fonts

Web page on CTAN <https://ctan.org/pkg/charter>

name charter
 caption Charter fonts
 author Bitstream
 copyright Bitstream Inc., Cambridge, MA (1989-1992)
 license other-free = Free license not otherwise listed (free)
 version (1998-11-27)
 last changes 1998-11-27
 year 1998
 description (no language specified) A commercial text font donated for the common good. Support for use with LaTeX is available in `freenfss` , part of `psnfss` .
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/fonts/charter/readme.charter>
 on CTAN <https://ctan.org/tex-archive/fonts/charter>
 on MikTeX charter
 on T_EXLive charter
 keyword font (fonts themselves)
 keyword font-type1 (font available in Adobe Type 1 format)
 keyword font-serif (serif font)
 language(s) no language specified
 last access 2025-02-07

1004 chbar – Change bar marks in Plain TeX

Web page on CTAN <https://ctan.org/pkg/chbar>

name	chbar
caption	Change bar marks in Plain TeX
author	Schrod, Joachim
copyright	Joachim Schrod (1989)
license	gpl = GNU General Public License (free)
description	(no language specified) This package creates change bars without the use of \special commands (unlike the LaTeX package changebar).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/contrib/chbar/readme
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/chbar
keyword	editorial (editor's marks, highlights, etc.)
see also	see section 433 on page 398: (backgrnd – Mark text with grey background or change bar)
language(s)	no language specified
year	1989
last access	2025-02-07

1005 chbibref – Change the Bibliography/References title

Web page on CTAN <https://ctan.org/pkg/chbibref>

name	chbibref
caption	Change the Bibliography/References title
author	Wilson, Peter R.
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) Defines a single command, \setbibref, which sets whichever of \bibname and \refname is in use. (\bibname is used in book.cls and report.cls, and \refname is used in article.cls.)
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/chbibref/chbibref.pdf
– local file	./5979927563-chbibref.pdf

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/chbibref
on MikTeX	chbibref
on T _E XLive	chbibref
keyword	headings (chapter, section, etc., heading styles)
language(s)	no language specified
year	without year
last access	2025-02-07

1006 cheatsheet – A simple cheatsheet class

Web page on CTAN	https://ctan.org/pkg/cheatsheet
name	cheatsheet
caption	A simple cheatsheet class
author	Hinrichs, Adrian C.
license	mit = MIT License (free)
version	0.8 (2017-08-18)
last changes	2017-08-18
year	2017
description	(no language specified) The package provides a clean, multi-column design intended for cheat sheets. It imports the most useful packages and encloses the document in a multicol environment.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cheatsheet/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cheatsheet/cheatsheet.pdf
– local file	<code>./4553166637-cheatsheet.pdf</code>
contact	<i>bugs</i> : https://github.com/ACHinrichs/LaTeX-templates/issues
contact	<i>repository</i> : https://github.com/ACHinrichs/LaTeX-templates
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cheatsheet
on MikTeX	cheatsheet

on T _E XLive	cheatsheet
keyword	tut-cheat (tutorial “cheat-sheet”)
language(s)	no language specified
last access	2025-02-07

1007 *check* – A syntax checker and tidier

Web page on CTAN <https://ctan.org/pkg/check>

name	check
caption	A syntax checker and tidier
author	Grothmann, Rene
license	noinfo = noinfo
version	(1993-07-01)
last changes	1993-07-01
year	1993
description	(no language specified) The checker provides syntax checking and automatic labelling, together with some support for German documents.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/check/readme
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/check/check.txt
on CTAN	https://ctan.org/tex-archive/support/check
keyword	debug-supp (support for package or document debugging)
language(s)	no language specified
last access	2025-02-07

1008 check-parens – Check parentheses in LaTeX

Web page on CTAN <https://ctan.org/pkg/check-parens>

name	check-parens
caption	Check parentheses in LaTeX
author	Eldering, Jaap
license	gpl3 = GNU General Public License, version 3 (free)
version	(2015-07-24)
last changes	2015-07-24
year	2015
description	(no language specified) A simple program written in C++, prompted by difficulty of spotting missing braces.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/check-parens/README
on CTAN	https://ctan.org/tex-archive/support/check-parens
keyword	comp-supp (support for preparing documents)
language(s)	no language specified
last access	2025-02-07

1009 checkcites – Check citation commands in a document

Web page on CTAN <https://ctan.org/pkg/checkcites>

name	checkcites
caption	Check citation commands in a document
author	Island of TeX
author	Cereda, Paulo Roberto Massa
author	Gregorio, Enrico
copyright	Enrico Gregorio, Island of TeX (2022-2024)
copyright	Enrico Gregorio, Paulo Roberto Massa Cereda (2012, 2019)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.8 (2024-12-14)
last changes	2024-12-14
year	2024

1010 `checkend` – Extend “improperly closed environment” messages

description	(no language specified) The package provides a <code>lua</code> script written for the sole purpose of detecting undefined and unused references from LaTeX auxiliary or bibliography files.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/checkcites/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/checkcites/checkcites-doc.pdf
– local file	<code>./9154164049-checkcites-doc.pdf</code>
contact	<i>bugs</i> : https://gitlab.com/islandoftex/checkcites/-/issues
contact	<i>repository</i> : https://gitlab.com/islandoftex/checkcites
on CTAN	https://ctan.org/tex-archive/support/checkcites
on MikTeX	<code>checkcites</code>
on TeXLive	<code>checkcites</code>
keyword	<code>debug-supp</code> (support for package or document debugging)
language(s)	no language specified
last access	2025-02-07

1010 `checkend` – Extend “improperly closed environment” messages

Web page on CTAN <https://ctan.org/pkg/checkend>

name	<code>checkend</code>
caption	Extend “improperly closed environment” messages
author	Bezos López, Javier
copyright	Javier Bezos (2002-2019)
license	mit = MIT License (free)
version	1.0
description	(no language specified) When an environment is left open, LaTeX gives an error at the end of the document. However it only informs about the first of them, while the rest are shown with meaningless errors:

```
(\end occurred inside a group at level N)
```

This package replaces these errors with more useful messages which show which environments (in reverse order) were not closed. There are no user macros: just use the package.

1011 *checklab* – A patch for the label-checking code

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/checkend/README.md
home page	http://www.texnia.com/
contact	<i>repository</i> : https://github.com/jbezoz
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/checkend
on MikTeX	checkend
on T _E XLive	checkend
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	2019
last access	2025-02-07

1011 *checklab* – A patch for the label-checking code

Web page on CTAN <https://ctan.org/pkg/checklab>

name	checklab
caption	A patch for the label-checking code
author	Fairbairns, Robin
author	Carlisle, David
license	pd = Public Domain Software (free)
version	(2008-10-20)
last changes	2008-10-20
year	2008
description	(no language specified) Patch for the kernel label-checking code at end document, to produce an explicit message (albeit a somewhat inscrutable one) for each label that it thinks has changed (and how it has changed). This is useful if you are developing macros that use labels in odd ways. One of a series of fragments designed for use by package writers and others.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fragments/README
contact	<i>support</i> : https://github.com/rf-latex/fragments/issues
contact	<i>repository</i> : https://github.com/rf-latex/fragments

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fragments/checklab.tex
keyword	label-ref (label and reference systems)
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-09

1012 *checklistings* – Pass verbatim contents through a compiler and reincorporate the resulting output

Web page on CTAN	https://ctan.org/pkg/checklistings
name	checklistings
caption	Pass verbatim contents through a compiler and reincorporate the resulting output
author	Bourke, Timothy
copyright	Timothy Bourke and Marc Pouzet (2015)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.0
description	(no language specified) This package augments the fancyvrb and listings packages to allow the source code they contain to be checked by an external tool (like a compiler). The external tool's messages can be automatically reincorporated into the original document. The package does not focus on a specific programming language, but it is designed to work well with languages and compilers in the ML family.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/checklistings/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/checklistings/checklistings.pdf
– local file	./1922807909-checklistings.pdf
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/checklistings/example.pdf
– local file	./6282460695-example.pdf
contact	<i>repository</i> : https://github.com/tbrk/checklistings

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/checklistings
on T _E XLive	checklistings
keyword	listing (computer code listing)
keyword	callback (call external code and process the result)
language(s)	no language specified
year	2015
last access	2025-02-07

1013 chem-journal – Various BibTeX formats for journals in Chemistry

Web page on CTAN	https://ctan.org/pkg/chem-journal
name	chem-journal
caption	Various BibTeX formats for journals in Chemistry
author	Hill, Jörg-Rüdiger
license	gpl = GNU General Public License (free)
description	(no language specified) Various BibTeX formats for journals in Chemistry, including Reviews in Computational Chemistry, Journal of Physical Chemistry, Journal of Computational Chemistry, and Physical Chemistry Chemical Physics.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/chem-journal
on MikT _E X	chem-journal
on T _E XLive	chem-journal
keyword	chemistry (chemistry document support)
keyword	journalpub (typesetting journals, etc)
keyword	bibtex-supp (BibTeX citation support)
language(s)	no language specified
year	without year
last access	2025-02-07

1014 chemarr – Arrows for chemists

Web page on CTAN <https://ctan.org/pkg/chemarr>

name	chemarr
caption	Arrows for chemists
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2001, 2006)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3 (2016-05-16)
last changes	2016-05-16
year	2016
description	(no language specified) Very often chemists need a longer version of reaction arrows (<code>\rightleftharpoons</code>) with the possibility to put text above and below. Analogous to amsmath 's <code>\xrightarrow</code> and <code>\xleftarrow</code> this package provides the macro <code>\xrightleftharpoons</code> . The package requires <code>amsmath</code>. To use it, <code>\usepackage{chemarr}</code> , then <code>\xrightleftharpoons[below]{above}</code> . The package is part of the oberdiek bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/chemarr.pdf
– local file	<code>./5529701289-chemarr.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/chemarr.dtx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/oberdiek.tds.zip
on MikTeX	oberdiek
on TeXLive	oberdiek
keyword	diagram (diagrams)
keyword	chemistry (chemistry document support)
language(s)	no language specified
last access	2025-02-07

1015 chemarrow – Arrows for use in chemistry

Web page on CTAN <https://ctan.org/pkg/chemarrow>

name	chemarrow
caption	Arrows for use in chemistry
author	Schroeder, Thomas
license	pd = Public Domain Software (free)
version	0.9
description	(no language specified) This bundle consists of a font (available as Metafont source, MetaPost source, and generated type 1 versions), and a package to use it. The arrows in the font are designed to look more like those in chemistry text-books than do Knuth's originals.
documentation	<i>Package documentation (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/chemarrow/chemarrow.pdf
– local file	<code>./7699054778-chemarrow.pdf</code>
documentation	(German) <i>Package Liesmich:</i> https://ctan.org/tex-archive/macros/latex/contrib/chemarrow/Liesmich.txt
documentation	<i>Package documentation (German):</i> https://ctan.org/tex-archive/macros/latex/contrib/chemarrow/chemarrow-de.pdf
– local file	<code>./7123060925-chemarrow-de.pdf</code>
documentation	(English) <i>Package README:</i> https://ctan.org/tex-archive/macros/latex/contrib/chemarrow/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/chemarrow
on MikTeX	chemarrow
on T _E XLive	chemarrow
keyword	diagram (diagrams)
keyword	chemistry (chemistry document support)
see also	see section 1014 on page 921: (chemarr – Arrows for chemists)
language(s)	German; English
year	without year
last access	2025-02-07

1016 chembst – A collection of BibTeX files for chemistry journals

Web page on CTAN <https://ctan.org/pkg/chembst>

name	chembst
caption	A collection of BibTeX files for chemistry journals
author	Schenk, Stephan
copyright	Stephan Schenk (2008)
license	lppl = The LaTeX Project Public License (free)
version	0.2.5
description	(no language specified) The package offers a collection of advanced BibTeX style files suitable for publications in chemistry journals. Currently, style files for journals published by the American Chemical Society, Wiley-VCH and The Royal Society of Chemistry are available. The style files support advanced features such as automatic formatting of errata or creating an appropriate entry for publications in Angewandte Chemie where both English and German should be cited simultaneously.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/chembst/chembst.pdf
– local file	<code>./2822458785-chembst.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/chembst/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/chembst
on MikTeX	chembst
on T _E XLive	chembst
keyword	chemistry (chemistry document support)
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
year	2008
last access	2025-02-07

1017 chemcompounds – Simple consecutive numbering of chemical compoundsWeb page on CTAN <https://ctan.org/pkg/chemcompounds>

name	chemcompounds
caption	Simple consecutive numbering of chemical compounds
author	Schenk, Stephan
copyright	Stephan Schenk (2005)
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The chemcompounds package allows for a simple consecutive numbering of chemical compounds. Optionally, it is possible to supply a custom name for each compound. The package differs from the chemcono package by not generating an odd-looking list of compounds inside the text.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/chemcompounds/chemcompounds.pdf
– local file	./7255180199-chemcompounds.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/chemcompounds
on MikTeX	chemcompounds
on TeXLive	chemcompounds
keyword	chemistry (chemistry document support)
language(s)	no language specified
year	2005
last access	2025-02-07

1018 chemcono – Support for compound numbers in chemistry documentsWeb page on CTAN <https://ctan.org/pkg/chemcono>

name	chemcono
caption	Support for compound numbers in chemistry documents
author	Schulz, Stefan
license	lppl = The LaTeX Project Public License (free)
version	1.3

description	(no language specified) A LaTeX package for using compound numbers in chemistry documents. It works like <code>\cite</code> and the <code>\thebibliography</code> , using <code>\fcite</code> and <code>\theffbibliography</code> instead. It allows compound names in documents to be numbered and does not affect the normal citation routines.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/chemcono/chemcono.pdf
– local file	<code>./9119193608-chemcono.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/chemcono
on MikTeX	chemcono
on T _E XLive	chemcono
keyword	chemistry (chemistry document support)
language(s)	no language specified
year	without year
last access	2025-02-07

1019 *chemexec* – Creating (chemical) exercise sheets

Web page on CTAN	https://ctan.org/pkg/chemexec
name	chemexec
caption	Creating (chemical) exercise sheets
author	Niederberger, Clemens
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The package provides environments and commands that the author needed when preparing exercise sheets and other teaching material. In particular, the package supports the creation of exercise sheets, with separating printing of solutions
documentation	<i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/chemexec/chemexec_en.pdf
– local file	<code>./2882960832-chemexec_en.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/chemexec/README
documentation	<i>Package documentation (German)</i> : https://ctan.org/tex-archive/macros/latex/contrib/chemexec/chemexec_de.pdf

1020 *chemfig* – Draw molecules with easy syntax

– local file	<code>./1205393497-chemexec_de.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/chemexec
on MikTeX	chemexec
on T _E XLive	chemexec
keyword	exercise (exercises, problems for solution, etc.)
keyword	chemistry (chemistry document support)
language(s)	German; English
year	without year
last access	2025-02-07

1020 *chemfig* – Draw molecules with easy syntax

Web page on CTAN <https://ctan.org/pkg/chemfig>

name	chemfig
caption	Draw molecules with easy syntax
author	Tellechea, Christian
copyright	Christian Tellechea (2010-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.71
description	(no language specified) The package provides the command <code>\chemfig{<code>}</code>, which draws molecules using the TikZ package. The <code><code></code> argument provides instructions for the drawing operation. While the diagrams produced are essentially 2-dimensional, the package supports many of the conventional notations for illustrating the 3-dimensional layout of a molecule. The package uses TikZ for its actual drawing operations.
documentation	<i>Package documentation (English):</i> https://ctan.org/tex-archive/macros/generic/chemfig/chemfig-en.pdf
– local file	<code>./6365893818-chemfig-en.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/generic/chemfig/README
documentation	<i>Package documentation (French):</i> https://ctan.org/tex-archive/macros/generic/chemfig/chemfig-fr.pdf

1021 `chemformula` – Command for typesetting chemical formulas and reactions

– local file	<code>./3950660390-chemfig-fr.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/generic/chemfig
on MikTeX	<code>chemfig</code>
on TeXLive	<code>chemfig</code>
keyword	<code>etex</code> (requires e-TeX)
keyword	<code>graphics</code> (<code>graphics</code> (support packages))
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>diagram</code> (diagrams)
keyword	<code>chemistry</code> (chemistry document support)
keyword	<code>macro-gen</code> (macros that are independent of the (TeX) format in use)
language(s)	English; French
year	2025
last access	2025-11-07

1021 `chemformula` – Command for typesetting chemical formulas and reactions

Web page on CTAN	https://ctan.org/pkg/chemformula
name	<code>chemformula</code>
caption	Command for typesetting chemical formulas and reactions
author	Niederberger, Clemens
copyright	Clemens Niederberger (2011-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	4.17 (2022-01-23)
last changes	2022-01-23
year	2022
description	(no language specified) The package provides a command to typeset chemical formulas and reactions in support of other chemistry packages (such as <code>chemmacros</code>). The package used to be distributed as a part of <code>chemmacros</code> .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/chemformula/chemformula-manual.pdf
– local file	<code>./2132481544-chemformula-manual.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/chemformula/README
contact	<i>bugs</i> : https://github.com/cgnieder/chemformula/issues
contact	<i>repository</i> : https://github.com/cgnieder/chemformula/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/chemformula
on MikTeX	<code>chemformula</code>
on T _E XLive	<code>chemformula</code>
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>chemistry</code> (<code>chemistry</code> document support)
language(s)	no language specified
last access	2025-02-11

1022 `chemformula-ru` – Using the `chemformula` package with `babel-russian` settings

Web page on CTAN	https://ctan.org/pkg/chemformula-ru
name	<code>chemformula-ru</code>
caption	Using the <code>chemformula</code> package with <code>babel-russian</code> settings
author	Kuznetsov, Alexey
copyright	Alexey Kuznetsov (2024)
license	l _{pl} 1.3c = The LaTeX Project Public License 1.3c (free)
version	(2024-07-10)
last changes	2024-07-10
year	2024
description	(no language specified) The <code>chemformula</code> package and <code>babel-russian</code> settings (<code> russian.ldf</code>) both define macros named “<code>\ch</code>”. The package <code>chemformula-ru</code> undefines <code>babel</code>’s macro to prevent an error when both packages are loaded together. Optionally it redefines the <code>\cosh</code> macro to print the hyperbolic cosine in Russian notation and/or defines a new macro <code>\Ch</code> for that purpose.
documentation	(no language specified) <i>Readme (English)</i>: https://ctan.org/tex-archive/macros/latex/contrib/chemformula-ru/README.md

documentation	<i>Readme (Russian)</i> : https://ctan.org/tex-archive/macros/latex/contrib/chemformula-ru/README.ru
documentation	(no language specified) <i>Package documentation (English and Russian)</i> : https://ctan.org/tex-archive/macros/latex/contrib/chemformula-ru/chemformula-ru.pdf
– local file	<code>./4837561679-chemformula-ru.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/chemformula-ru
on MikTeX	<code>chemformula-ru</code>
on TeXLive	<code>chemformula-ru</code>
keyword	<code>chemistry</code> (chemistry document support)
keyword	<code>russian</code> (support for typesetting Russian)
language(s)	Russian
last access	2025-02-07

1023 *chemgreek* – Upright Greek letters in chemistry

Web page on CTAN	https://ctan.org/pkg/chemgreek
name	<code>chemgreek</code>
caption	Upright Greek letters in chemistry
author	Niederberger, Clemens
copyright	Clemens Niederberger (2011-2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1a (2020-01-16)
last changes	2020-01-16
year	2020
description	(no language specified) The package provides upright Greek letters in support of other chemistry packages (such as chemmacros). The package used to be distributed as a part of chemmacros .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/chemgreek/chemgreek_en.pdf
– local file	<code>./6786583882-chemgreek_en.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/chemgreek/README
contact	<i>repository</i> : https://github.com/cgnieder/chemgreek/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/chemgreek
on MikTeX	chemgreek
on T _E XLive	chemgreek
keyword	chemistry (chemistry document support)
language(s)	no language specified
last access	2025-02-07

1024 chemmacros – A collection of macros to support typesetting chemistry documents

Web page on CTAN <https://ctan.org/pkg/chemmacros>

name	chemmacros
caption	A collection of macros to support typesetting chemistry documents
author	Niederberger, Clemens
copyright	Clemens Niederberger and Sonja K. (2022)
copyright	Clemens Niederberger (2011-2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	6.2a
description	(no language specified) The bundle offers a collection of macros and commands which are intended to make typesetting chemistry documents faster and more convenient. Coverage includes some nomenclature commands, oxidation numbers, thermodynamic data, newman projections, etc.

The package relies on the following supporting packages:

- [chemformula](#) , providing a command for typesetting chemical formulae and reactions (doing a similar task to that of [mhchem](#));
- [chemgreek](#) , offering support for use of greek letters; and
- [ghsystem](#) , providing for the UN globally harmonised chemical notation.

The packages are written using current versions of the [experimental LaTeX 3 coding conventions](#) and the [LaTeX 3 support packages](#) .

documentation	(English) <i>Chemmacros package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/chemmacros/chemmacros-manual.pdf
– local file	<code>./7375523408-chemmacros-manual.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/chemmacros/README
contact	<i>bugs</i> : https://github.com/cgnieder/chemmacros/issues
contact	<i>repository</i> : https://github.com/cgnieder/chemmacros/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/chemmacros
on MikTeX	chemmacros
on T _E XLive	chemmacros
keyword	chemistry (chemistry document support)
keyword	expl3 (expl3(unknown))
language(s)	English
year	2022
last access	2025-02-07

1025 *chemnum* – A method for numbering chemical compounds

Web page on CTAN	https://ctan.org/pkg/chemnum
name	chemnum
caption	A method for numbering chemical compounds
author	Niederberger, Clemens
copyright	Clemens Niederberger (2011-2021)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3a (2021-01-21)
last changes	2021-01-21
year	2021
description	(no language specified) The package defines a <code>\label</code> - and <code>\ref</code> -like commands for compound numbers. The package requires LaTeX3 packages <code>expl3</code> (from the l3kernel bundle) as well as <code>xparse</code> and <code>l3keys2e</code> (from the l3packages bundle).

documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/chemnum/chemnum_en.pdf
– local file	<code>./6192519684-chemnum_en.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/chemnum/README
contact	<i>bugs</i> : https://github.com/cgnieder/chemnum/issues
contact	<i>repository</i> : https://github.com/cgnieder/chemnum/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/chemnum
on MikTeX	chemnum
on T _E XLive	chemnum
keyword	expl3 (expl3(unknown))
keyword	chemistry (chemistry document support)
see also	see section 1017 on page 924: (chemcompounds – Simple consecutive numbering of chemical compounds)
see also	see section 1018 on page 924: (chemcono – Support for compound numbers in chemistry documents)
language(s)	no language specified
last access	2025-02-07

1026 *chemobabel* – Convert chemical structures from ChemDraw, MDL molfile or SMILES using Open Babel

Web page on CTAN	https://ctan.org/pkg/chemobabel
name	chemobabel
caption	Convert chemical structures from ChemDraw, MDL molfile or SMILES using Open Babel
author	Yamashita, Hironobu
copyright	Acetaminophen (Hironobu YAMASHITA) (2014-2022)
license	bsd2 = Simplified BSD License (free)
version	0.9l (2022-10-22)
last changes	2022-10-22
year	2022

description	(no language specified) This package provides a way to convert and include chemical structure graphics from various chemical formats, such as ChemDraw files, MDL molfile or SMILES notations using Open Babel. To use this LaTeX package, it is necessary to enable execution of the following external commands via <code>latex -shell-escape</code>. • <code>obabel</code> (Open Babel) • <code>inkscape</code> or <code>rsvg-convert</code> (for SVG -> PDF/EPS conversion) • <code>pdftocrop</code> or <code>ps2eps</code> (optional; for cropping large margins of PDF/EPS)
documentation	<i>Package documentation (Japanese)</i> : https://ctan.org/tex-archive/graphics/chemobabel/chemobabel-ja.pdf
– local file	<code>./3007431081-chemobabel-ja.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/chemobabel/README.md
documentation	<i>Package documentation (English)</i> : https://ctan.org/tex-archive/graphics/chemobabel/chemobabel-en.pdf
– local file	<code>./4633979302-chemobabel-en.pdf</code>
contact	<i>repository</i> : https://github.com/aminophen/chemobabel
on CTAN	https://ctan.org/tex-archive/graphics/chemobabel
on MikTeX	<code>chemobabel</code>
on TeXLive	<code>chemobabel</code>
keyword	<code>chemistry</code> (chemistry document support)
keyword	<code>graphics</code> (graphics (support packages))
keyword	<code>foreign-import</code> (import files in a non-TeX (or different TeX) format)
language(s)	English; Japanese
last access	2025-08-30

1027 *chempid* – Draw Piping and Instrumentation diagrams using TikZ via PGF

Web page on CTAN <https://ctan.org/pkg/chempid>

name	<code>chempid</code>
caption	Draw Piping and Instrumentation diagrams using TikZ via PGF
author	Raike, Roel
copyright	Roel Raike (2024)

license	mit = MIT License (free)
version	1.0.1
description	(no language specified) A humble LaTeX package that allows you to draw Piping and Instrumentation Diagrams (P&ID) or block diagrams quickly and efficiently. It contains pre-built assets in PGF to create P&ID drawings. We noticed that, with the diminishing compile time on Overleaf, it became increasingly difficult to use TikZ to this end. Therefore, we chose for PGF because it is faster to compile than TikZ objects. The objects themselves have been made in accordance with the ISO 10628-2 standard.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/chempid/chempid-docs.pdf
– local file	./9461166557-chempid-docs.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/chempid/README
contact	<i>bugs:</i> https://github.com/RRaike/chempid/issues
contact	<i>repository:</i> https://github.com/RRaike/chempid
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/chempid
on MikTeX	chempid
on TeXLive	chempid
keyword	diagram (diagrams)
keyword	chemistry (chemistry document support)
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	diagram-block (block diagrams)
language(s)	no language specified
year	2024
last access	2026-04-05

1028 chemplants – Symbology to draw chemical plants with TikZ

Web page on CTAN <https://ctan.org/pkg/chemplants>

name	chemplants
caption	Symbology to draw chemical plants with TikZ
author	Arnese Feffin, Elia
copyright	Elia Arnese Feffin (2018-2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.9.9 (2021-09-25)
last changes	2021-09-25
year	2021
description	(no language specified) This package offers tools to draw simple or barely complex schemes of chemical processes. The package defines several standard symbols and styles to draw process units and streams. The guiding light of the package is the UNICHIM regulation. All of the symbols and styles are defined using tools of the TikZ package, thus a basic knowledge of the logic of this powerful tool is required to profitably use <code>chemplants</code>.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/chemplants/chemplants-doc.pdf
– local file	<code>./6140859170-chemplants-doc.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/chemplants/README.md
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/chemplants
on MikTeX	chemplants
on T _E XLive	chemplants
keyword	diagram-flow (flow (and similar) diagrams, including Nassi-Shneiderman)
keyword	chemistry (chemistry document support)
keyword	graphics (graphics (support packages))
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-02-07

1029 chemscheme – Support for chemical schemes

Web page on CTAN <https://ctan.org/pkg/chemscheme>

name	chemscheme
caption	Support for chemical schemes
author	Wright, Joseph
copyright	Joseph Wright (2007)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.0c
description	(no language specified) The chemscheme package consists of two parts, both related to chemical schemes. The package adds a scheme float type to the LaTeX default types figure and table. The scheme float type acts in the same way as those defined by the LaTeX kernel, but is intended for chemical schemes. The package also provides a method for adding automatic numbering of chemicals to schemes. The package is distributed as part of the chemstyle bundle.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/chemstyle/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/chemstyle/chemstyle.pdf
– local file	./4942805003-chemstyle.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/chemstyle
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/chemstyle.tds.zip
on MikTeX	chemstyle
on T _E XLive	chemstyle
keyword	chemistry (chemistry document support)
language(s)	no language specified
year	2007
last access	2025-02-07

1030 **chemschemex** – Typeset and cross-reference chemical schemes based on TikZ code

Web page on CTAN <https://ctan.org/pkg/chemschemex>

name	chemschemex
caption	Typeset and cross-reference chemical schemes based on TikZ code
author	Siegel, Dominik
copyright	Dominik Siegel (2014-2018)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.2
description	(no language specified) The package provides a comfortable means of typesetting chemical schemes, and also offers automatic structure referencing.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/chemschemex/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/chemschemex/chemschemex.pdf
– local file	<code>./5910193002-chemschemex.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/chemschemex
on MikTeX	chemschemex
on TeXLive	chemschemex
keyword	chemistry (chemistry document support)
see also	see section 1029 on page 936: (chemscheme – Support for chemical schemes)
language(s)	no language specified
year	2018
last access	2025-02-07

1031 chemsec – Automated creation of numeric entity labelsWeb page on CTAN <https://ctan.org/pkg/chemsec>

name	chemsec
caption	Automated creation of numeric entity labels
author	Finnerty, Justin
copyright	Justin Finnerty (2018)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.12a
description	(no language specified) Packages provides creation of sequential numeric labels for entities in a document. The motivating example is chemical structures in a scientific document. The package can automatically output a full object name and label on the first occurrence in the document and just labels only on subsequent references.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/chemsec/README.md
home page	https://github.com/jfinn24985/chemsec/wiki
contact	<i>repository</i> : https://github.com/jfinn24985/chemsec
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/chemsec
on MikTeX	chemsec
on T _E XLive	chemsec
keyword	label-ref (label and reference systems)
language(s)	no language specified
year	2018
last access	2025-02-07

1032 chemstruct – Structural organic chemistry

Web page on CTAN <https://ctan.org/pkg/chemstruct>

name	chemstruct
caption	Structural organic chemistry
author	Ramek, Michael
license	noinfo = noinfo
version	(1989-01-21)
last changes	1989-01-21
year	1989
description	(no language specified) An ingenious package that will also work with Plain TeX. There are signs that it may have been (in part) inspiration for XyMTeX .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex209/contrib/chemstruct/chemdoc.pdf
– local file	./7454319295-chemdoc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/chemstruct
keyword	chemistry (chemistry document support)
language(s)	no language specified
last access	2025-02-07

1033 chemstyle – Writing chemistry with style

Web page on CTAN <https://ctan.org/pkg/chemstyle>

name	chemstyle
caption	Writing chemistry with style
author	Wright, Joseph
copyright	Joseph Wright (2006-2011, 2013)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.0m

description	(no language specified) Chemstyle has been developed as a successor to the LaTeX package provided by the rsc bundle. The package provides an extensible system for formatting chemistry documents according to the conventions of a number of leading journals. It also provides some handy chemistry-related macros. Chemstyle is much enhanced compared to its predecessor, and users of rsc are strongly encouraged to migrate (all of the additional macros in the rsc LaTeX package are present in chemstyle). The package chemscheme is distributed with chemstyle; chemstyle itself incorporates ideas that come from the trivfloat package; the documentation uses the auto-pst-pdf package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/chemstyle/chemstyle.pdf
– local file	<code>./4942805003-chemstyle.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/chemstyle/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/chemstyle
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/chemstyle.tds.zip
on MikTeX	chemstyle
on T _E XLive	chemstyle
keyword	chemistry (chemistry document support)
language(s)	no language specified
year	2013
last access	2025-02-07

1034 chemsym – Macros for typing chemical symbols

Web page on CTAN <https://ctan.org/pkg/chemsym>

name	chemsym
caption	Macros for typing chemical symbols
author	Dahlgren, Mats
copyright	Mats Dahlgren (1995-1998)
license	nosell = Do Not Sell Except by Arrangement (not free)

description	(no language specified) Provides some basic support for typesetting chemical formulae, avoiding direct use of maths mode.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/chemsym/chemsym.pdf
– local file	<code>./9587685524-chemsym.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/chemsym/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/chemsym
on MikTeX	chemsym
keyword	chemistry (chemistry document support)
keyword	diagram (diagrams)
see also	see section 824 on page 754: (<code>bpchem</code> – Typeset chemical names, formulae, etc)
language(s)	no language specified
year	1998
last access	2025-02-07

1035 *chemtex* – Structural chemistry

Web page on CTAN <https://ctan.org/pkg/chemtex>

name	chemtex
caption	Structural chemistry
author	Haas, Roswitha
license	noinfo = noinfo
version	(1993-01-12)
last changes	1993-01-12
year	1993
description	(no language specified) The package was a very early demonstration of the use of TeX for graphical purposes; it is seldom if ever used now (21st century), but represented ground-breaking effort when first released.
documentation	(no language specified) <i>Readme (a bit more)</i> : https://ctan.org/tex-archive/macros/latex209/contrib/chemtex/chemtex.readme

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex209/contrib/chemtex/readme
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/chemtex
keyword	chemistry (chemistry document support)
keyword	diagram (diagrams)
see also	see section 6865 on page 6195: (xymtex – Typesetting chemical structures)
language(s)	no language specified
last access	2025-02-07

1036 cheq – Adobe chess font

Web page on CTAN	https://ctan.org/pkg/cheq
name	cheq
caption	Adobe chess font
author	Renner, John
license	nosell = Do Not Sell Except by Arrangement (not free)
description	(no language specified) The font itself is presented as Macintosh stuffit (both in ‘printer’ and ‘screen’ formats), and (for some reason) as a .ps file, which from the documentation sounds as if it ought to be a .pfa file. Metrics (both AFM and TeX .pl files), and a simple package for generating images of pieces, are provided.
documentation	(no language specified) <i>Readme (partly marked-up for TeX use)</i> : https://ctan.org/tex-archive/fonts/chess/cheq/00readme.txt
on CTAN	https://ctan.org/tex-archive/fonts/chess/cheq
keyword	font (fonts themselves)
keyword	font-chess (fonts for typesetting chess problems and diagrams)
keyword	font-abnormal (font in an irregular format)
language(s)	no language specified
year	without year
last access	2025-02-07

1037 *cherokee* – A font for the Cherokee scriptWeb page on CTAN <https://ctan.org/pkg/cherokee>

name	cherokee
caption	A font for the Cherokee script
author	Stanier, Alan
copyright	Alan Stanier (1994)
license	other-free = Free license not otherwise listed (free)
version	(2011-01-11)
last changes	2011-01-11
year	2011
description	(no language specified) The Cherokee script was designed in 1821 by Segwoya. The alphabet is essentially syllabic, only 6 characters (a e i o s u) correspond to Roman letters: the font encodes these to the corresponding roman letter. The remaining 79 characters have been arbitrarily encoded in the range 38–122; the <i>cherokee</i> package provides commands that map each such syllable to the appropriate character; for example, Segwoya himself would be represented <code>\Cse\Cgwo\Cya</code>. The font is distributed as Metafont source; it works very poorly in modern environments, and could do with expert attention (if you are interested, please contact the CTAN team for details).
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/cherokee/README
on CTAN	https://ctan.org/tex-archive/fonts/cherokee
on MikTeX	cherokee
on T _E XLive	cherokee
keyword	font-nonroman (fonts for “other” non-Roman scripts)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
see also	see section 4356 on page 3945 : (<i>ocherokee</i> – LaTeX Support for the Cherokee language)
language(s)	no language specified
last access	2025-02-07

1038 chess – Fonts for typesetting chess boards

Web page on CTAN <https://ctan.org/pkg/chess>

name	chess
caption	Fonts for typesetting chess boards
author	Tutelaers, Piet
license	pd = Public Domain Software (free)
version	1.2
description	(no language specified) The original (and now somewhat dated) TeX chess font package. Potential users should consider skak (for alternative fonts, and notation support), texmate (for alternative notation support), or chessfss (for flexible font choices).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/chess/chess/readme
on CTAN	https://ctan.org/tex-archive/fonts/chess/chess
on MikTeX	chess
on T _E XLive	chess
keyword	font-chess (fonts for typesetting chess problems and diagrams)
keyword	font (fonts themselves)
keyword	games (process game diagrams, gamebooks, and other amusements)
language(s)	no language specified
year	without year
last access	2025-02-07

1039 chess-problem-diagrams – A package for typesetting chess problem diagrams

Web page on CTAN <https://ctan.org/pkg/chess-problem-diagrams>

name	chess-problem-diagrams
caption	A package for typesetting chess problem diagrams
author	Höning, Stefan
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.22 (2024-10-14)
last changes	2024-10-14

year	2024
description	(no language specified) This package provides macros to typeset chess problem diagrams including fairy chess problems (mostly using rotated images of pieces) and other boards.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/chess-problem-diagrams/diagram.pdf
– local file	./4847360800-diagram.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/chess-problem-diagrams/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/chess-problem-diagrams
on MikTeX	chess-problem-diagrams
on TeXLive	chess-problem-diagrams
keyword	games (process game diagrams, gamebooks, and other amusements)
language(s)	no language specified
last access	2025-02-07

1040 chessboard – Print chess boards

Web page on CTAN <https://ctan.org/pkg/chessboard>

name	chessboard
caption	Print chess boards
author	Fischer, Ulrike
copyright	Ulrike Fischer (2006-2019)
license	lppl = The LaTeX Project Public License (free)
version	2.0 (2024-11-07)
last changes	2024-11-07
year	2024
description	(no language specified) This package offers commands to print chessboards. It can print partial boards, hide pieces and fields, color the boards and put various marks on the board. It has a lot of options to place pieces on the board. Using exotic pieces (e.g., for fairy chess) is possible. The documentation includes an example of an animated chessboard, for those whose PDF viewer can display animations.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/chessboard/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/chessboard/chessboard.pdf
– local file	<code>./8595272669-chessboard.pdf</code>
contact	<i>support</i> : https://github.com/u-fischer/chessboard/issues
contact	<i>repository</i> : https://github.com/u-fischer/chessboard
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/chessboard
on MikTeX	chessboard
on T _E XLive	chessboard
keyword	games (process game diagrams, gamebooks, and other amusements)
language(s)	no language specified
last access	2025-02-07

1041 chessfss – A package to handle chess fonts

Web page on CTAN	https://ctan.org/pkg/chessfss
name	chessfss
caption	A package to handle chess fonts
author	Fischer, Ulrike
copyright	Ulrike Fischer (2005, 2006)
license	lppl = The LaTeX Project Public License (free)
version	1.2a
description	(no language specified) This package offers commands to use and switch between chess fonts. It uses the LaTeX font selection scheme (nfss). The package doesn't parse, format and print PGN input like e.g. the packages <i>skak</i> or <i>texmate</i>; the aim of the package is to offer writers of chess packages a bundle of commands for fonts, so that they don't have to implement all these commands for themselves. A normal user can use the package to print e.g. single chess symbols and simple diagrams. The documentation contains also a section about installation of chess fonts.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/chessfss/chessfss.pdf

– local file	<code>./5603080119-chessfss.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/chessfss/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/chessfss
on MikTeX	<code>chessfss</code>
on T _E XLive	<code>chessfss</code>
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	font-suppl (metrics, macro incantations and other font support)
language(s)	no language specified
year	2006
last access	2025-02-07

1042 chessmin – Minimal chess diagrams

Web page on CTAN <https://ctan.org/pkg/chessmin>

name	<code>chessmin</code>
caption	Minimal chess diagrams
author	Blair, Charles
license	nosell = Do Not Sell Except by Arrangement (not free)
description	(no language specified) Defines a macro that takes a delimited string to define a board layout. The board is drawn using chess symbols crudely assembled using blocks; the author remarks that the job is done better with Tutelaers' <i>chess</i> package, with its associated fonts; modern users have a wide range to choose from.
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/chessmin.tex
keyword	games (process game diagrams, gamebooks, and other amusements)
language(s)	no language specified
year	without year
last access	2025-02-07

1043 chet – LaTeX layout inspired by harvmac

Web page on CTAN <https://ctan.org/pkg/chet>

name	chet
caption	LaTeX layout inspired by harvmac
author	Stergiou, Andreas
copyright	Andreas Stergiou (2011-2026)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.3a (2026-04-26)
last changes	2026-04-26
year	2026
description	(no language specified) The package aims to streamline the work of typesetting, and to provide the look and feel of harvmac for readers. The package name stands for "Class for High Energy Theory", as the majority of individuals using harvmac for their papers were primarily working in high energy theory, a subfield of theoretical physics.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/chet/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/chet/doc/chetdoc.pdf
– local file	<code>./2848230840-chetdoc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/chet
on MikTeX	chet
on T _E XLive	chet
keyword	layout (layout of objects on the page)
language(s)	no language specified
last access	2026-04-29

1044 chextras – A companion package for the Swiss typesetter

Web page on CTAN <https://ctan.org/pkg/chextras>

name	chextras
caption	A companion package for the Swiss typesetter
author	Oriet, Boris
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.01
description	(no language specified) The package simplifies the preparation of Swiss documents and letters by setting up linguistic and common packages. While it is a useful addition to the chletter document class, it is not tied to it and may be used as a general purpose package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/chextras/chextras.pdf
– local file	<code>./5837019081-chextras.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/chextras/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/chextras
on MikTeX	chextras
on T _E XLive	chextras
keyword	swiss (typesetting as done in Switzerland)
see also	see section 1062 on page 964: (chletter – Class for typesetting letters to Swiss rules)
language(s)	no language specified
year	without year
last access	2025-02-07

1045 chgbar – Draw change bars in the margin

Web page on CTAN <https://ctan.org/pkg/chgbar>

name	chgbar
caption	Draw change bars in the margin
author	Johnson, Dave
copyright	David B. Johnson (1990)
license	noinfo = noinfo
version	(1990-12-31)
last changes	1990-12-31
year	1990
description	(no language specified) Defines macros <code>\chgbarbegin</code> and <code>\chgbarend</code> to mark the extent of changes to the document. The change bar is drawn continuously between the lines containing the two macros, but there are issues due to the timing of glue set in the vertical stretchability of the page.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/chgbar.sty
keyword	editorial (editor's marks, highlights, etc.)
see also	see section 992 on page 901: (<i>changebar</i> – Generate changebars in LaTeX documents)
language(s)	no language specified
last access	2025-02-07

1046 chhaya – Linguistic glossing in Marathi language

Web page on CTAN <https://ctan.org/pkg/chhaya>

name	chhaya
caption	Linguistic glossing in Marathi language
author	निरंजन
copyright	निरंजन (2020-2021)
license	other-free = Free license not otherwise listed (free)
license	fdl = Free Documentation License (free)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	0.4

1047 *chicago* – A "Chicago" bibliography style

description	(no language specified) मुंबई विद्यापीठाच्या छायालेखन नियमावलीस अनुसरून भाषावैज्ञानिक छायांगांचे संक्षेप पुरवणारा आज्ञासंच. This package provides macros for linguistic glossing as per the rules given by Mumbai University.
documentation	(Marathi) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/chhaya/chhaya.pdf
– local file	<code>./1131860143-chhaya.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/chhaya/README.txt
home page	https://puszcza.gnu.org.ua/projects/chhaya
contact	<i>support</i> : mailto:chhaya-latex@gnu.org.ua
contact	<i>bugs</i> : https://puszcza.gnu.org.ua/bugs/?group=chhaya
contact	<i>repository</i> : https://git.gnu.org.ua/chhaya.git
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/chhaya
on MikTeX	chhaya
on T _E XLive	chhaya
keyword	linguistic (support for linguistics)
keyword	marathi (support for typesetting Marathi)
language(s)	Marathi
year	2021
last access	2025-02-07

1047 *chicago* – A "Chicago" bibliography style

Web page on CTAN <https://ctan.org/pkg/chicago>

name	chicago
caption	A "Chicago" bibliography style
author	Glenn, Paulley
license	other-free = Free license not otherwise listed (free)
version	(1992-09-16)
last changes	1992-09-16
year	1992

description	(no language specified) Chicago is a BibTeX style that follows the "B" reference style of the 13th Edition of the Chicago manual of style; a LaTeX package (to LaTeX 2.09 conventions) is also provided. The style was derived from the newapa style.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/chicago
on MikTeX	chicago
on TeXLive	chicago
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
last access	2025-02-07

1048 *chicago-annotate* – Chicago-based annotated BibTeX style

Web page on CTAN	https://ctan.org/pkg/chicago-annotate
name	chicago-annotate
caption	Chicago-based annotated BibTeX style
author	Laakso, Aarre
license	lppl = The LaTeX Project Public License (free)
version	(2009-01-31)
last changes	2009-01-31
year	2009
description	(no language specified) This is a revision of chicagoa.bst , using the commonly-used <code>annotate</code> field in place of the original's <code>annotation</code> .
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/chicago-annotate
on MikTeX	chicago-annotate
on TeXLive	chicago-annotate
keyword	bibtex-annotate (BibTeX annotation styles)
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
last access	2025-02-07

1049 *chicagoa* – “Chicago” bibliography style with annotations

Web page on CTAN <https://ctan.org/pkg/chicagoa>

name	chicagoa
caption	”Chicago” bibliography style with annotations
author	Glenn, Paulley
license	other-free = Free license not otherwise listed (free)
version	(1992-09-01)
last changes	1992-09-01
year	1992
description	(no language specified) This is a modification of the author’s <i>chicago</i> style, to support an ‘annotation’ field in bibliographies.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/chicagoa.bst
on MikTeX	beebe
on T _E XLive	beebe
keyword	bibtex-annotate (BibTeX annotation styles)
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
last access	2025-02-07

1050 *chicagolinks* – “Chicago” bibliography style that allows annotations

Web page on CTAN <https://ctan.org/pkg/chicagolinks>

name	chicagolinks
caption	“Chicago” bibliography style that allows annotations
author	Bekker-Nielsen Dunbar, Maria
copyright	Maria Bekker-Nielsen Dunbar (2024)
license	mit = MIT License (free)
version	2.1
description	(no language specified) This bibliography style is intended to extend the “Chicago” bibliography style so that it can be annotated and at the same allowing DOI and URL fields.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/chicagolinks/README
contact	<i>repository</i> : https://github.com/mariabnd/miscellaneous/blob/master/LaTeX/chicagolinks.bst
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/chicagolinks
on T _E XLive	chicagolinks
keyword	bibtex-sty (bibtex-sty(unknown))
keyword	bibtex-annotate (BibTeX annotation styles)
see also	see section 1048 on page 952: (chicago-annotate – Chicago-based annotated BibTeX style)
see also	see section 37 on page 36: (achicago-bst – Chicago Manual BibTeX style)
language(s)	no language specified
year	2024
last access	2025-02-07

1051 *chickenize* – Use lua callbacks for “interesting” textual effects

Web page on CTAN	https://ctan.org/pkg/chickenize
name	chickenize
caption	Use lua callbacks for “interesting” textual effects
author	Trautmann, Arno L
copyright	Arno L. Trautmann (2012-2021)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.3 (2021-01-03)
last changes	2021-01-03
year	2021
description	(no language specified) The package allows manipulations of any LuaTeX document (it is known to work with Plain LuaTeX and LuaLaTeX). Most of the package’s functions are merely for fun or educational use, but some functions (for example, <code>colorstretch</code> for visualising the badness and font expansion of each line, and <code>letterspaceadjust</code> doing what its name says) could be useful in a “normal” LuaTeX document.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/chickenize/README.md

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/generic/chickenize/chickenize.pdf
– local file	<code>./9620216918-chickenize.pdf</code>
contact	<i>repository</i> : https://github.com/alt/chickenize
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/chickenize
on MikTeX	chickenize
on T _E XLive	chickenize
keyword	luatex (LuaTeX and packages that require it)
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	typesetting (support for variations of typographic style)
language(s)	no language specified
last access	2025-02-09

1052 *chifoot* – Chicago-style footnote formatting

Web page on CTAN	https://ctan.org/pkg/chifoot
name	chifoot
caption	Chicago-style footnote formatting
author	Miller, Daniel Benjamin
copyright	Daniel Benjamin Miller (2021)
copyright	David Fussner (2008-2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2021-01-02)
last changes	2021-01-02
year	2021
description	(no language specified) A very short snippet. Will set the footnotes to be conformant with the Chicago style, so the footnotes at the bottom of the page are now marked with a full-sized number, rather than with a superscript number.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/chifoot/README

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/chifoot
on MikTeX	chifoot
on T _E XLive	chifoot
keyword	footnote (footnote support)
keyword	page-hf (page head- and foot-lines)
language(s)	no language specified
last access	2025-02-07

1053 *childdoc* – Directly compile \include'd child documents

Web page on CTAN	https://ctan.org/pkg/childdoc
name	childdoc
caption	Directly compile \include'd child documents
author	Beisert, Niklas
copyright	Niklas Beisert (2017-2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.0 (2018-12-30)
last changes	2018-12-30
year	2018
description	(no language specified) This LaTeX2e package enables the direct compilation of document sections included by \include to individual files.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/childdoc/childdoc.pdf
– local file	./1963886050-childdoc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/childdoc/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/childdoc
on MikTeX	childdoc
on T _E XLive	childdoc
keyword	subdocs (include complete documents in other documents)
see also	see section 5735 on page 5198: (subfiles – Individual typesetting of subfiles of a “main” document)

language(s)	no language specified
last access	2025-02-07

1054 china2e – Font and macros for Chinese calendar

Web page on CTAN <https://ctan.org/pkg/china2e>

name	china2e
caption	Font and macros for Chinese calendar
author	Heyl, Udo
license	nosell = Do Not Sell Except by Arrangement (not free)
version	(1997-08-29)
last changes	1997-08-29
year	1997
description	(no language specified) A LaTeX package to produce Chinese calendar symbols of the old Chinese lunisolar calendar. The associated font is distributed as Metafont source.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/china2e/chinadoc.ps
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/china2e/readme.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/china2e
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-specialist (fonts with specific small application areas)
keyword	calendar (typeset calendars, diaries, planning charts, etc.)
language(s)	no language specified
last access	2025-02-07

1055 chinese-jfm – Luatexja-jfm files for Chinese typesetting

Web page on CTAN <https://ctan.org/pkg/chinese-jfm>

name	ChineseJFM
caption	Luatexja-jfm files for Chinese typesetting
author	ListLee
copyright	ListLee (2020-2021)
license	mit = MIT License (free)
version	1.1.1
description	(no language specified) ChineseJFM is a series of luatexja-jfm files for better Chinese typesetting, providing <i>quanjiao</i> , <i>banjiao</i> , and <i>kaiming</i> three styles and other fancy features. It can be used for both horizontal and vertical writing mode in Simplified/Traditional Chinese or Japanese fonts.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/chinese-jfm/README.md
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/generic/chinese-jfm/chinese-jfm.pdf
– local file	./8887853327-chinese-jfm.pdf
contact	<i>bugs</i> : https://github.com/tanukihee/ChineseJFM/issues
contact	<i>repository</i> : https://github.com/tanukihee/ChineseJFM
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/chinese-jfm
on MikTeX	chinese-jfm
on TeXLive	chinese-jfm
keyword	chinese (support for typesetting Chinese languages)
keyword	macro-gen (macros that are independent of the (TeX) format in use)
keyword	luatex (LuaTeX and packages that require it)
see also	see section 3674 on page 3323 : (<i>luatexja</i> – Typeset Japanese with Lua(La)TeX)
language(s)	Chinese
year	2021
last access	2025-02-09

1056 chinesechess – Typeset Chinese chess with l3draw

Web page on CTAN <https://ctan.org/pkg/chinesechess>

name	chinesechess
caption	Typeset Chinese chess with l3draw
author	Geng, Nan
copyright	Nan Geng (2020-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2.0 (2022-05-10)
last changes	2022-05-10
year	2022
description	(no language specified) This LaTeX3 package based on l3draw provides macros and an environment for Chinese chess manual writing.
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/chinesechess/chinesechess.pdf
– local file	<code>./6775383307-chinesechess.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/chinesechess/README.md
contact	<i>bugs</i> : https://gitee.com/nwafu_nan/xq/issues
contact	<i>repository</i> : https://gitee.com/nwafu_nan/xq
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/chinesechess
on MikTeX	chinesechess
on T _E XLive	chinesechess
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	chinese (support for typesetting Chinese languages)
keyword	expl3 (expl3(unknown))
language(s)	Chinese
last access	2025-02-11

1057 chitex – A Chinese TeX system

Web page on CTAN <https://ctan.org/pkg/chitex>

name	chitex
caption	A Chinese TeX system
author	Chen, Hung-Yih
license	nosell = Do Not Sell Except by Arrangement (not free)
version	(2011-04-02)
last changes	2011-04-02
year	2011
description	(no language specified) ChiTeX provides the means for typesetting Chinese in a TeX system, including the necessary fonts. The bundle provides installation images for either Unix systems (FreeBSD or Linux, using TeX Live), or for Windows systems (using MiKTeX 2.9). In all cases, the TeX distribution should be installed before installing ChiTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/chitex/README
documentation	(no language specified) <i>Readme – Unix systems</i> : https://ctan.org/tex-archive/systems/chitex/Unix/README
documentation	(no language specified) <i>Readme – Windows systems</i> : https://ctan.org/tex-archive/systems/chitex/Windows/README
on CTAN	https://ctan.org/tex-archive/systems/chitex
keyword	distribution (components (or support) of TeX distribution)
language(s)	no language specified
last access	2025-02-11

1058 chivo – Using the free Chivo fonts with LaTeX

Web page on CTAN <https://ctan.org/pkg/chivo>

name	Chivo
caption	Using the free Chivo fonts with LaTeX
author	Esbati, Arash
copyright	Omnibus-Type (2011-2019)
license	ofl = The SIL Open Font License (free)

license	lpp1.3c = The LaTeX Project Public License 1.3c (free)
version	2.2 (2022-11-15)
last changes	2022-11-15
year	2022
description	(no language specified) This work provides the necessary files to use the Chivo fonts with LaTeX. Chivo is a set of eight fonts provided by Héctor Gatti & Omnibus Team under the Open Font License (OFL) , version 1.1. The fonts are copyright (c) 2011-2019, Omnibus-Type.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/chivo/doc/Chivo.pdf
– local file	./4795596757-Chivo.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/chivo/README.md
home page	https://www.omnibus-type.com/fonts/chivo/
on CTAN	https://ctan.org/tex-archive/fonts/chivo
on MikTeX	chivo
on TeXLive	chivo
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font-t1enc (font providing LaTeX T1 encoding support)
keyword	font-otf (font in OpenType format)
keyword	font-sans (sans-serif font)
keyword	font-proportional (variable-spaced font)
keyword	font (fonts themselves)
language(s)	no language specified
last access	2025-02-07

1059 *chkfloat* – Warn whenever a float is placed “to far away”

Web page on CTAN <https://ctan.org/pkg/chkfloat>

name	chkfloat
caption	Warn whenever a float is placed “to far away”
author	Hejda, Tomas
copyright	Tomas Hejda (2012)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1
description	(no language specified) The package checks for floats that are placed too far from their origin. It was motivated by a question on the question and answer page.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/chkfloat/chkfloat.pdf
– local file	./1261510609-chkfloat.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/chkfloat/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/chkfloat
on MikTeX	chkfloat
on TeXLive	chkfloat
keyword	debug-supp (support for package or document debugging)
language(s)	no language specified
year	2012
last access	2025-02-07

1060 *chklref* – Check for problems with labels in LaTeX

Web page on CTAN <https://ctan.org/pkg/chklref>

name	chklref
caption	Check for problems with labels in LaTeX
author	Lelong, Jérôme
copyright	Jérôme Lelong (2005-2019)
license	gpl3 = GNU General Public License, version 3 (free)

version	3.1.2
description	(no language specified) It is quite common that after modifying a TeX file, many unused labels remain in it. The purpose of <i>chk_{ref}</i> is to automatically find these useless labels. It also looks for "non starred" mathematical environments with no labels and advises the user to use a starred version instead.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/chklref/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/chklref/doc/chklref.pdf
– local file	<code>./7731668424-chklref.pdf</code>
contact	<i>bugs</i> : https://github.com/jlelong/chklref/issues
contact	<i>repository</i> : https://github.com/jlelong/chklref
on CTAN	https://ctan.org/tex-archive/support/chklref
installation	https://ctan.org/tex-archive/install/support/chklref.tds.zip
on MikTeX	<code>chklref</code>
on TeXLive	<code>chklref</code>
keyword	<code>debug-supp</code> (support for package or document debugging)
language(s)	no language specified
year	2019
last access	2025-02-07

1061 *chk_{tex}* – Check for errors in LaTeX documents

Web page on CTAN	https://ctan.org/pkg/chktex
name	<code>chktex</code>
caption	Check for errors in LaTeX documents
author	Thielemann, Jens T. Berger
author	Andrus, Ivan
copyright	Jens T. Berger Thielemann (1996)
license	gpl2+ = GNU General Public License, version 2 or newer (free)
version	1.7.10

description	(no language specified) The program reports typographic and other errors in LaTeX documents. Filters are also provided for checking the LaTeX parts of CWEB documents.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/chktex/README
documentation	(no language specified) <i>System documentation</i> : https://ctan.org/tex-archive/support/chktex/ChkTeX.pdf
– local file	./9103336911-ChkTeX.pdf
home page	https://www.nongnu.org/chktex/
contact	<i>support</i> : https://savannah.nongnu.org/support/?group=chktex
contact	<i>bugs</i> : https://savannah.nongnu.org/bugs/?group=chktex
contact	<i>repository</i> : https://git.savannah.nongnu.org/git/chktex.git/
contact	<i>development</i> : https://savannah.nongnu.org/projects/chktex/
on CTAN	https://ctan.org/tex-archive/support/chktex
on MikTeX	chktex
on TeXLive	chktex
keyword	debug-supp (support for package or document debugging)
language(s)	no language specified
year	1996
last access	2026-03-07

1062 *chletter* – Class for typesetting letters to Swiss rules

Web page on CTAN	https://ctan.org/pkg/chletter
name	chletter
caption	Class for typesetting letters to Swiss rules
author	Oriet, Boris
copyright	Boris Oriet (2008, 2009, 2010)
license	lppl = The LaTeX Project Public License (free)
version	2.0

1063 `chngcntr` – Change the resetting of counters

description	(no language specified) The class enables composition of letters fitting into Swiss C5 & C6/5 windowed envelopes. No assumption is made about the language used. The class is based on the standard LaTeX classes and is compatible with the LaTeX letter class. It is not limited to letters and may be used as a generic document class; it is used with the chextras package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/chletter/README
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/chletter/chletter.pdf
– local file	./9223410359-chletter.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/chletter
on MikTeX	chletter
on TeXLive	chletter
keyword	letter (typesetting letters, envelopes, faxes, etc)
keyword	swiss (typesetting as done in Switzerland)
language(s)	English
year	2010
last access	2025-02-07

1063 `chngcntr` – Change the resetting of counters

Web page on CTAN <https://ctan.org/pkg/chngcntr>

name	chngcntr
caption	Change the resetting of counters
author	Wilson, Peter R.
author	Robertson, Will
license	lppl = The LaTeX Project Public License (free)
version	1.1a
description	(no language specified) Defines commands <code>\counterwithin</code> (which sets up a counter to be reset when another is incremented) and <code>\counterwithout</code> (which unsets such a relationship).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/chngcntr/chngcntr.pdf

– local file	<code>./7165246192-chnngcntr.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/chnngcntr
on MikTeX	<code>chnngcntr</code>
on T _E XLive	<code>chnngcntr</code>
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
keyword	<code>counter-mgmt</code> (management of counters)
language(s)	no language specified
year	without year
last access	2025-02-07

1064 *chnngpage* – Change the page layout in the middle of a document

Web page on CTAN	https://ctan.org/pkg/chnngpage
name	<code>chnngpage</code>
caption	Change the page layout in the middle of a document
author	Wilson, Peter R.
author	Robertson, Will
copyright	Will Robertson (2009)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2b
description	(no language specified) The package provides broadly similar functionality to changeage , with which it is distributed. It is, however, considered obsolete, and should not be used in new documents.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/changeage/changeage.pdf
– local file	<code>./9508294975-changeage.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/changeage/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/changeage
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/changeage.tds.zip

keyword	obsolete (package declared obsolete)
keyword	geometry (change geometry of page layout)
language(s)	no language specified
year	2009
last access	2025-02-07

1065 *chomsky* – *Macros to typeset parsing trees*

Web page on CTAN <https://ctan.org/pkg/chomsky>

name	chomsky
caption	Macros to typeset parsing trees
author	Barr, Michael
license	noinfo = noinfo
description	(no language specified) Macros for typesetting parsing trees that (apparently) don't rely on any other packages (the trees are drawn in LaTeX picture mode). The macros were originally advertised for use with LaTeX 2.09, but will probably work with current LaTeX.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/chomsky.sty
keyword	linguistic (support for linguistics)
keyword	tree (mechanisms for drawing trees)
language(s)	no language specified
year	without year
last access	2025-02-07

1066 *chordbars* – *Print chord grids for pop/jazz tunes*

Web page on CTAN <https://ctan.org/pkg/chordbars>

name	chordbars
caption	Print chord grids for pop/jazz tunes
author	Kramm, Sebastien
copyright	M. Sebastien Kramm (2018-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)

version	1.3.2 (2024-03-02)
last changes	2024-03-02
year	2024
description	(no language specified) This Tikz -based music-related package is targeted at pop/jazz guitar/bass/piano musicians. They usually need only the chords and the song structure. This package produces rectangular song patterns with "one square per bar", with the chord shown inside the square. It also handles the song structure by showing the bar count and the repetitions of the patterns.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/chordbars/chordbars_manual.pdf
– local file	<code>./1509712042-chordbars_manual.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/chordbars/README.md
contact	<i>bugs</i> : https://github.com/skramm/chordbars/issues
contact	<i>repository</i> : https://github.com/skramm/chordbars
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/chordbars
on MikTeX	chordbars
on TeXLive	chordbars
keyword	chords (chord notations, as for song books)
keyword	music (typesetting music and related stuff)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-02-07

1067 chordbox – Draw chord diagrams

Web page on CTAN <https://ctan.org/pkg/chordbox>

name	chordbox
caption	Draw chord diagrams
author	Franzen, Steven
copyright	Steven Franzen (2019)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)

version	1.0 (2019-04-14)
last changes	2019-04-14
year	2019
description	(no language specified) This package provides two macros for drawing chord diagrams, as may be found for example in chord charts/books and educational materials. They are composed as TikZ pictures and have several options to modify their appearance.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/chordbox/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/chordbox/chordbox.pdf
– local file	./5642808173-chordbox.pdf
contact	<i>bugs</i> : https://github.com/sfranzen/chordbox/issues
contact	<i>repository</i> : https://github.com/sfranzen/chordbox
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/chordbox
on MikTeX	chordbox
on T _E XLive	chordbox
keyword	music (typesetting music and related stuff)
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	chords (chord notations, as for song books)
language(s)	no language specified
last access	2025-02-07

1068 chroma – Chroma: a reference book of LaTeX colours

Web page on CTAN <https://ctan.org/pkg/chroma>

name	chroma
caption	Chroma: a reference book of LaTeX colours
author	Kern, Uwe
license	nosource = No Source Available (not free)
version	1.00

description	(no language specified) This reference book presents several lists of colours and their respective parameters in a number of colour models. The lists are constructed either by parameters or by name. ‘Colours by parameters’ displays systematic series of colours, based on 3-tuples of numbers that are interpreted as colour parameters in the ‘rgb’, ‘cmy’, and ‘hsb’ colour models. ‘Colours by name’ displays sets of colours that have been given specific names such that LaTeX users do not have to care about their parametrisation. However, as soon as there is the intention to use these colours outside the LaTeX world (e.g., website construction or drawing programs), the parameters suddenly gain importance. For each colour name, we display: • the colour itself plus the name of the underlying model, • a 50%-tint (mixture with ‘white’), • a 50%-tone (mixture with ‘gray’), • a 50%-shade (mixture with ‘black’), and • the complementary colour. Additionally, for the base colours defined by the xcolor package, also all 50%-mixes of base colour pairs are included.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/info/colour/chroma/README
documentation	(no language specified) <i>The document itself</i>: https://ctan.org/tex-archive/info/colour/chroma/chroma.pdf
– local file	<code>./8744142908-chroma.pdf</code>
home page	http://www.ukern.de/tex/chroma.html
on CTAN	https://ctan.org/tex-archive/info/colour/chroma
on MikTeX	chroma
keyword	documentation (‘stand-alone’ documentation)
keyword	colour (typesetting in colour)
language(s)	no language specified
year	without year
last access	2025-02-07

1069 *chronology* – Provides a horizontal timeline

Web page on CTAN <https://ctan.org/pkg/chronology>

name	chronology
caption	Provides a horizontal timeline
author	Armacost, Ben
author	Wiseman, Levi
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.0
description	(no language specified) A timeline package that allows labelling of events with per-day granularity. Other features include relative positioning with unit specification, adjustable tick mark step size, and scaling to specified width.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/chronology/chronology.pdf
– local file	./3425799844-chronology.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/chronology/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/chronology
on MikTeX	chronology
on TeXLive	chronology
keyword	calendar (typeset calendars, diaries, planning charts, etc.)
keyword	planning (construct diagrams, etc., for planning)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
year	without year
last access	2025-02-07

1070 *chronos* – TikZ-based package for drawing customisable timelines with support for colour schemes, styles and memoizationWeb page on CTAN <https://ctan.org/pkg/chronos>

name	chronos
caption	TikZ-based package for drawing customisable timelines with support for colour schemes, styles and memoization
author	Rees, Clea F.
copyright	Clea F. Rees (2023-2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.9.4 (2026-03-21)
last changes	2026-03-21
year	2026
description	(no language specified) The package supports drawing timelines and aims to be highly customisable. Extensive configuration options are offered via a standard key-value interface based on pgfkeys. Custom colour schemes and styles are supported, and the package includes documented examples of each. Memoization works out-of-the-box if the memoize package is loaded. The code was developed as a result of questions concerning difficulties in customising the output of existing packages for drawing timelines, which sometimes eschew pgfkeys and are often challenging to configure, even when based on PGF/TikZ.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/chronos/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/chronos/chronos-doc.pdf
– local file	./6429433914-chronos-doc.pdf
contact	<i>repository</i> : https://codeberg.org/cfr/chronos
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/chronos
on MikTeX	chronos
on TeXLive	chronos
keyword	calendar (typeset calendars, diaries, planning charts, etc.)
keyword	diagram (diagrams)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified

last access 2026-04-10

1071 *chronosys* – Drawing time-line diagrams

Web page on CTAN <https://ctan.org/pkg/chronosys>

name *chronosys*

caption Drawing time-line diagrams

author Long, Mathieu

license lpl1.3 = The LaTeX Project Public License 1.3 (free)

version 1.2

description (no language specified) Macros to produce time line diagrams. Interfaces for Plain TeX, ConTeXt and LaTeX are provided.

documentation *Package documentation (English)*: https://ctan.org/tex-archive/macros/latex/contrib/chronosys/docchronosys_en.pdf

– local file ./5071647440-docchronosys_en.pdf

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/chronosys/README>

documentation *Package documentation (French)*: https://ctan.org/tex-archive/macros/latex/contrib/chronosys/docchronosys_fr.pdf

– local file ./2976186256-docchronosys_fr.pdf

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/chronosys>

on MikTeX *chronosys*

on TeXLive *chronosys*

keyword diagram (diagrams)

language(s) English; French

year without year

last access 2026-04-10

1072 chs-physics-report – Physics lab reports for Carmel High School

Web page on CTAN <https://ctan.org/pkg/chs-physics-report>

name	chs-physics-report
caption	Physics lab reports for Carmel High School
author	Zhang, Gary
license	pd = Public Domain Software (free)
license	cc-by-sa-3 = CC BY-SA 3.0 (free)
version	(2017-11-23)
last changes	2017-11-23
year	2017
description	(no language specified) This package may optionally be used by students at Carmel High School in Indiana in the United States to write physics lab reports for FW physics courses. As many students are beginners at LaTeX, it also attempts to simplify the report-writing process by offering macros for commonly used notation and by automatically formatting the documents for students who will only use TeX for mathematics and not typesetting. The package depends on amsmath , calc , fancyhdr , geometry , graphicx , letltxmacro , titlesec , transparent , and xcolor .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/chs-physics-report/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/chs-physics-report/chs-physics-report.pdf
– local file	./4063546033-chs-physics-report.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/chs-physics-report
on MikTeX	chs-physics-report
on TeXLive	chs-physics-report
keyword	report-like (regularly-formatted reports)
keyword	physics (support for typesetting physics documents)
language(s)	no language specified
last access	2026-04-10

1073 *chscite* – Bibliography style for Chalmers University of Technology

Web page on CTAN <https://ctan.org/pkg/chscite>

name	chscite
caption	Bibliography style for Chalmers University of Technology
author	Sigurdhsson, Simon
copyright	Simon Sigurdhsson (2011, 2012)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	2.9999
description	(no language specified) The package, heavily based on the <i>harvard</i> package for Harvard-style citations, provides a citation suite for students at Chalmers University of Technology that follows given recommendations.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/chscite/chscite.pdf
– local file	./6838099686-chscite.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/chscite/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/chscite
on MikTeX	chscite
on TeXLive	chscite
keyword	bibtex-supp (BibTeX citation support)
language(s)	no language specified
year	2012
last access	2025-02-07

1074 *churchslavonic* – Typeset documents in Church Slavonic language using Unicode

Web page on CTAN <https://ctan.org/pkg/churchslavonic>

name	churchslavonic
caption	Typeset documents in Church Slavonic language using Unicode
author	Kroutikov, Mike
copyright	Aleksandr Andreev and Mike Kroutikov (2016)
license	mit = MIT License (free)

version	0.2.4 (2023-06-22)
last changes	2023-06-22
year	2023
description	(no language specified) The package provides fonts, hyphenation patterns, and supporting macros to typeset Church Slavonic texts. It depends on the following other packages: fonts-churchslavonic , hyph-utf8 , intcalc , etoolbox , and xcolor .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/churchslavonic/README
documentation	(Russian) <i>Package documentation</i> : https://ctan.org/tex-archive/language/churchslavonic/churchslavonic-ru.pdf
– local file	<code>./7899007408-churchslavonic-ru.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/language/churchslavonic/churchslavonic-en.pdf
– local file	<code>./2932780241-churchslavonic-en.pdf</code>
home page	https://sci.ponomar.net/
contact	<i>bugs</i> : https://github.com/slavonic/cu-tex/issues
contact	<i>repository</i> : https://github.com/slavonic/cu-tex
on CTAN	https://ctan.org/tex-archive/language/churchslavonic
on MikTeX	<code>churchslavonic</code>
on T _E XLive	<code>churchslavonic</code>
keyword	<code>churchslavonic</code> (support for typesetting Church Slavonic)
keyword	<code>multilingual-addon</code> (extra language ‘drivers’ for existing multilingual packages)
see also	see section 2325 on page 2105: (<code>fonts-churchslavonic</code> – Fonts for typesetting in Church Slavonic language)
language(s)	Russian
last access	2025-02-07

1075 *chuushaku* – Flexible book notes in Japanese

Web page on CTAN <https://ctan.org/pkg/chuushaku>

name	chuushaku
caption	Flexible book notes in Japanese
author	Hugh
copyright	Hugh (2025)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.1
description	(no language specified) This style file is designed for compiling book notes in Japanese as part of the body text. ("Chuushaku" means "booknotes" in Japanese.) The "remember picture" feature automatically calculates coordinates, eliminating the need for manual adjustment of note positions. The main packages used in <code>chuushaku.sty</code> are TikZ, amsmath, framed, and calc.
documentation	(Japanese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/chuushaku/chuushaku.pdf
– local file	<code>./4301803654-chuushaku.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/chuushaku/README.txt
documentation	(Japanese) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/chuushaku/chuushaku-sample.pdf
– local file	<code>./4919379117-chuushaku-sample.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/chuushaku
on MikTeX	chuushaku
on T _E XLive	chuushaku
keyword	notes (general notes (not including endnotes or footnotes))
keyword	japanese (support for typesetting Japanese)
language(s)	Japanese
year	2025
last access	2025-02-07

1076 *ciad-beamertheme* – A beamer theme for creating modern presentations

Web page on CTAN <https://ctan.org/pkg/ciad-beamertheme>

name	ciad-beamertheme
caption	A beamer theme for creating modern presentations
author	Galland, Stéphane
copyright	Stéphane Galland (2013-2026)
license	lgpl3 = GNU Lesser General Public License 3 (free)
license	other-nonfree = License that prevents distribution (not free)
version	20260420
description	(no language specified) The CIAD Beamer Theme, class and packages constitute a comprehensive LaTeX presentation theme designed according to the guidelines and recommendations of the "Connaissance et Intelligence Artificielle Distribuées" (CIAD UR 7533) research laboratory at the Université de Technologie Belfort Montbéliard and Université Bourgogne Europe in France. It provides a professional, visually consistent presentation style with an extensive set of high-level commands that emulate the ease of use found in PowerPoint's Smart Objects and other graphical layout tools. This Beamer Theme, class and packages could be easily extended and adapted to reach the requirements and recommendations of your own institution. <i>ciad-beamertheme</i> is part of the larger project TeX-templates.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/ciad-beamertheme/README
documentation	(no language specified) <i>Package documentation and example of use</i>: https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/ciad-beamertheme/src/ciadbeamer-documentation.pdf
– local file	<code>./1384227407-ciadbeamer-documentation.pdf</code>
home page	https://www.arakhne.org/latex/tex-templates
contact	<i>bugs</i>: https://github.com/gallandarakhneorg/tex-templates/issues
contact	<i>repository</i>: https://github.com/gallandarakhneorg/tex-templates
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/ciad-beamertheme

1077 cid – Fonts defined by character identifier

keyword	<code>std-conform</code> (support conformance to standards)
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>presentation</code> (slides, beamers, handouts, etc.)
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
language(s)	no language specified
year	2026
last access	2026-04-21

1077 cid – Fonts defined by character identifier

Web page on CTAN <https://ctan.org/pkg/cid>

name	<code>cid</code>
caption	Fonts defined by character identifier
description	(no language specified) CID-keyed fonts were developed by Adobe to handle character sets containing large numbers of glyphs, notably for East Asian languages (Chinese, Japanese, Korean, etc.). The glyphs are addressed by number rather than name, and organized into so-called collections. Several of Adobe’s CID mapping files are distributed as part of ConTeXt. In TeX Live, they are in the directory <code>texmf-dist/fonts/cid</code>. See the Wikipedia entry, among other places, for more information.
keyword	<code>font</code> (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-02-07

1078 cidarticle – A class for submissions to the “Commentarii informaticae didacticae” (CID)

Web page on CTAN <https://ctan.org/pkg/cidarticle>

name	<code>cidarticle</code>
caption	A class for submissions to the “Commentarii informaticae didacticae” (CID)
author	Sievers, Martin
copyright	Universitätsverlag Potsdam (2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)

version	1.1 (2023-11-25)
last changes	2023-11-25
year	2023
description	(no language specified) The cidarticle bundle is used for writing articles to be published in the "Commentarii informaticae didacticae (CID)". The LaTeX class file is based on the class used for the "Lecture Notes in Informatics (LNI)" (https://github.com/gi-ev/LNI).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cidarticle/cidarticle.pdf
– local file	./6482356380-cidarticle.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cidarticle/README.md
contact	<i>bugs</i> : https://github.com/sieversMartin/CID/issues
contact	<i>repository</i> : https://github.com/sieversMartin/CID
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cidarticle
on MikTeX	cidarticle
on T _E XLive	cidarticle
keyword	journalpub (typesetting journals, etc)
keyword	class (alternative LaTeX class(es))
keyword	article-like (LaTeX article classes and their developments)
language(s)	no language specified
last access	2025-02-11

1079 cinzel – LaTeX support for Cinzel and Cinzel Decorative fonts

Web page on CTAN <https://ctan.org/pkg/cinzel>

name	cinzel
caption	LaTeX support for Cinzel and Cinzel Decorative fonts
author	Tennent, Bob
license	ofl = The SIL Open Font License (free)
license	lppl = The LaTeX Project Public License (free)
version	(2022-09-29)

last changes	2022-09-29
year	2022
description	(no language specified) Cinzel and Cinzel Decorative fonts, designed by Natanael Gama Natanael Gama), find their inspiration in first century roman inscriptions, and are based on classical proportions. Cinzel is all-caps (similar to Trajan and Michelangelo), but is available in three weights (Regular, Bold, Black). There are no italic fonts, but there are Decorative variants, which can be selected by the usual italic-selection commands in the package's LaTeX support.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/cinzel/README
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/cinzel/doc/cinzel-samples.pdf
– local file	<code>./2628667703-cinzel-samples.pdf</code>
home page	http://ndiscovered.com
on CTAN	https://ctan.org/tex-archive/fonts/cinzel
installation	https://ctan.org/tex-archive/install/fonts/cinzel.tds.zip
on MikTeX	<code>cinzel</code>
on TeXLive	<code>cinzel</code>
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-t1enc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-ttf</code> (font available in TrueType format)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-decor</code> (decorative or initial fonts)
language(s)	no language specified
last access	2025-02-11

1080 *circ* – Macros for typesetting circuit diagrams

Web page on CTAN <https://ctan.org/pkg/circ>

name	<code>circ</code>
caption	Macros for typesetting circuit diagrams
author	Tannert, Sebastian
author	Law, Simon
author	Tille, Andreas
license	gpl = GNU General Public License (free)
version	1.1
description	(no language specified) Several electrical symbols like resistor, capacitor, transistors etc., are defined. The symbols can be connected with wires. The package also contains an American resistor symbol for those of us on that side of the Atlantic. The package also has simple facilities for producing optics diagrams; however, no-one would deny that the PSTricks pst-optic package, or the MetaPost makecirc package do the job better.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/diagrams/circ/circ.pdf
– local file	<code>./5166697170-circ.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/diagrams/circ/README
on CTAN	https://ctan.org/tex-archive/macros/generic/diagrams/circ
on MikTeX	<code>circ</code>
on T _E XLive	<code>circ</code>
keyword	<code>optics</code> (diagrams of optical systems)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>font</code> (fonts themselves)
keyword	<code>diagram-circ</code> (circuit diagrams)
see also	see section 1084 on page 985 : (<code>Circuit_macros</code> – M4 macros for electric circuit diagrams)
language(s)	no language specified
year	without year
last access	2025-02-11

1081 circle – Maths mode circles for temporal logicWeb page on CTAN <https://ctan.org/pkg/circle>

name	circle
caption	Maths mode circles for temporal logic
author	Barthelmann, Klaus Georg
license	noinfo = noinfo
version	(1998-07-15)
last changes	1998-07-15
year	1998
description	(no language specified) Provides circles in math mode that can be used for the nextstep operator of temporal logic, in conjunction with <code>\Box</code> and <code>\Diamond</code> (latexsym) or <code>\square</code> and <code>\lozenge</code> (amssymb). LaTeX circles <code>\circ</code> and <code>\bigcirc</code> are not of the right size. The circles are taken from the font <code>lcircle10</code> . The package contains some hacks to approximate the right size and this solution is definitely not sufficient to give a high quality output.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/circle/circle.pdf
– local file	<code>./7608819846-circle.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/circle
on MikTeX	circle
keyword	font-supp-maths (metrics, macro incantations and other support for maths fonts)
language(s)	no language specified
last access	2025-02-11

1082 circledsteps – Typeset circled numbersWeb page on CTAN <https://ctan.org/pkg/circledsteps>

name	circledsteps
caption	Typeset circled numbers
author	Giannetti, Romano
copyright	Romano Giannetti (2019-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)

version	1.3.3 (2023-08-11)
last changes	2023-08-11
year	2023
description	(no language specified) This package generates circled numbers (or other kinds of markers or small text) to mark "steps" in procedures, exercises, and so on.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/circledsteps/circledsteps-manual.pdf
– local file	<code>./1191570084-circledsteps-manual.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/circledsteps/README.md
home page	https://github.com/Rmano/circledsteps
contact	<i>support:</i> https://github.com/Rmano/circledsteps/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/circledsteps
on MikTeX	<code>circledsteps</code>
on TeXLive	<code>circledsteps</code>
keyword	numbers (formatting numbers, etc)
see also	see section 1083 on page 984: (<code>circledtext</code> – Create circled text)
language(s)	no language specified
last access	2025-02-11

1083 `circledtext` – Create circled text

Web page on CTAN <https://ctan.org/pkg/circledtext>

name	<code>circledtext</code>
caption	Create circled text
author	Geng, Nan
copyright	Nan Geng (2020-2025)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1.2 (2025-08-27)
last changes	2025-08-27
year	2025

description	(no language specified) This LaTeX package provides a macro <code>\circledtext</code> to typeset circled text. Its starred version can produce an inverted version.
documentation	(Chinese + English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/circledtext/circledtext.pdf
– local file	<code>./9208645173-circledtext.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/circledtext/README.md
contact	<i>bugs</i> : https://github.com/registor/circledtext/issues
contact	<i>repository</i> : https://github.com/registor/circledtext
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/circledtext
on MikTeX	<code>circledtext</code>
on TeXLive	<code>circledtext</code>
keyword	<code>graphics-symb</code> (create symbols, rather than select from a font)
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
see also	see section 1082 on page 983: (<code>circledsteps</code> – Typeset circled numbers)
language(s)	Chinese + English
last access	2025-08-31

1084 *circuit-macros* – M4 macros for electric circuit diagrams

Web page on CTAN <https://ctan.org/pkg/circuit-macros>

name	<code>Circuit_macros</code>
caption	M4 macros for electric circuit diagrams
author	Aplevich, Dwight
copyright	J. D. Aplevich (2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	10.7

description	(no language specified) A set of m4 macros for drawing high-quality electric circuits containing fundamental elements, amplifiers, transistors, and basic logic gates to include in TeX, LaTeX, or similar documents. Some tools and examples for other types of diagrams are also included. The macros can be evaluated to drawing commands in the pic language, which is very easy to understand and which has a good power/complexity ratio. Pic contains elements of a simple programming language, and is well-suited to line drawings requiring parametric or conditional components, fine tuning, significant geometric calculations or repetition, or that are naturally block structured or tree structured. (The m4 and pic processors are readily available for Unix and PC machines.) Alternative output macros can create TeX output to be read by pstricks, TikZ commands for use by the pgf bundle, or SVG.
documentation	(no language specified) <i>Package manual</i>: https://ctan.org/tex-archive/graphics/circuit_macros/doc/Circuit_macros.pdf
– local file	<code>./7881306825-Circuit_macros.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/graphics/circuit_macros/README
home page	https://ece.uwaterloo.ca/~aplevich/Circuit_macros/
contact	<i>bugs</i> : https://gitlab.com/aplevich/circuit_macros/-/issues
contact	<i>repository</i> : https://gitlab.com/aplevich/circuit_macros
on CTAN	https://ctan.org/tex-archive/graphics/circuit_macros
on T _E XLive	<code>circuit-macros</code>
keyword	<code>electronic</code> (support of electronic design)
keyword	<code>diagram-circ</code> (circuit diagrams)
see also	see section 1085 on page 987 : (<code>CircuiTikZ</code> – Draw electrical networks with TikZ)
see also	see section 1080 on page 982 : (<code>circ</code> – Macros for typesetting circuit diagrams)
language(s)	no language specified
year	2024
last access	2025-02-07

1085 *circuitikz* – Draw electrical networks with TikZ

Web page on CTAN <https://ctan.org/pkg/circuitikz>

name	CircuiTikZ
caption	Draw electrical networks with TikZ
author	Erhardt, Stefan
author	Lindner, Stefan
author	Redaelli, Massimo
author	Giannetti, Romano
copyright	Romano Giannetti (2018-2026)
copyright	Stefan Erhardt (2013-2026)
copyright	Stefan Lindner (2015-2026)
copyright	Massimo Redaelli (2007-2026)
license	lppl = The LaTeX Project Public License (free)
license	gpl = GNU General Public License (free)
version	1.8.5 (2026-02-04)
last changes	2026-02-04
year	2026
description	(no language specified) The package provides a set of macros for naturally typesetting electrical and (somewhat less naturally, perhaps) electronic networks. It is designed as a tool that is easy to use, with a lean syntax, native to LaTeX, and directly supporting PDF output format. It has therefore been based on the very impressive PGF/TikZ package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/circuitikz/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/circuitikz/doc/circuitikzmanual.pdf
– local file	<code>./3065177264-circuitikzmanual.pdf</code>
contact	<i>bugs</i> : https://github.com/circuitikz/circuitikz/issues
contact	<i>repository</i> : https://github.com/circuitikz/circuitikz
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/circuitikz

installation	https://ctan.org/tex-archive/install/graphics/pgf/contrib/circuitikz.tds.zip
on MikTeX	circuitikz
on T _E XLive	circuitikz
keyword	graphics (graphics (support packages))
keyword	diagram-circ (circuit diagrams)
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	electronic (support of electronic design)
language(s)	no language specified
last access	2026-04-10

1086 *circularglyphs* – A circular glyphs alphabet

Web page on CTAN <https://ctan.org/pkg/circularglyphs>

name	circularglyphs
caption	A circular glyphs alphabet
author	Pierquet, Cédric
copyright	Cédric Pierquet (2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	other-free = Free license not otherwise listed (free)
version	0.1.1 (2023-10-06)
last changes	2023-10-06
year	2023
description	(no language specified) Circular Glyphs is a graphic alphabet of substitution based on a geometric construction using circles and arcs on a grid. The designs are all based on circular arcs, divided into four quadrants. It is inspired by Star Trek and used by the Bynar and Borg cultures depicted there.
documentation	(French) <i>Example of use:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/circularglyphs/doc/circularglyphs-sample.pdf
– local file	./6815048635-circularglyphs-sample.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/circularglyphs/README.md

documentation	(French) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/circularglyphs/doc/circularglyphs-doc.pdf
– local file	./9286765107-circularglyphs-doc.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/circularglyphs
on MikTeX	circularglyphs
on TeXLive	circularglyphs
keyword	font (fonts themselves)
keyword	pgf-tikz (package uses PGF-TikZ)
see also	see section 2423 on page 2192: (fundus-startrek – ‘Startrek’ fonts, and macros to support them)
language(s)	French
last access	2025-05-27

1087 *cirth* – Fonts for Cirth

Web page on CTAN <https://ctan.org/pkg/cirth>

name	cirth
caption	Fonts for Cirth
author	Habets, Martin
author	Grant, Jo
copyright	Martin Habets (2004)
license	nosell = Do Not Sell Except by Arrangement (not free)
version	(2004-11-07)
last changes	2004-11-07
year	2004
description	(no language specified) This is a font to represent the runic Cirth script devised by Tolkien for his Sindarin language. The font is provided as Metafont source.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/cirth/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/cirth/cirth.pdf
– local file	./5544452810-cirth.pdf

on CTAN	https://ctan.org/tex-archive/fonts/cirth
on MikTeX	cirth
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
keyword	font-novelty (fonts designed more for fun than for actual use)
language(s)	no language specified
last access	2025-02-07

1088 cistercian – Display cistercian numerals

Web page on CTAN	https://ctan.org/pkg/cistercian
name	cistercian
caption	Display cistercian numerals
author	samcarter
copyright	samcarter (null)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.6 (2025-10-08)
last changes	2025-10-08
year	2025
description	(no language specified) A TikZ -based package to display cistercian numerals. After loading the package, the macro <code>\cistercian{<number>}</code> can be used to display cistercian numerals. The numerals can be customised via TikZ options.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/cistercian/cistercian-doc.pdf
– local file	./1381649453-cistercian-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/cistercian/README.md
contact	<i>support</i> : https://github.com/samcarter/cistercian/issues
contact	<i>repository</i> : https://github.com/samcarter/cistercian
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/cistercian
on MikTeX	cistercian

on TeXLive	cistercian
keyword	numbers (formatting numbers, etc)
keyword	graphics (graphics (support packages))
keyword	expl3 (expl3(unknown))
keyword	pgf-tikz (package uses PGF-TikZ)
see also	see section 6806 on page 6142: (xistercian – Cistercian numerals in LaTeX)
language(s)	no language specified
last access	2025-10-18

1089 *citation-style-language* – Bibliography formatting with Citation Style Language

Web page on CTAN <https://ctan.org/pkg/citation-style-language>

name	citation-style-language
caption	Bibliography formatting with Citation Style Language
author	Lee, Zeping
copyright	Zeping Lee (2021-2025)
license	cc-by-sa-3 = CC BY-SA 3.0 (free)
license	mit = MIT License (free)
version	0.6.8 (2025-01-25)
last changes	2025-01-25
year	2025
description	(no language specified) The Citation Style Language (CSL) is an XML-based language that defines the formats of citations and bibliography. There are currently thousands of styles in CSL including the most widely used APA, Chicago, Vancouver, etc. The citation-style-language package is aimed to provide another reference formatting method for LaTeX that utilizes the CSL styles. It contains a citation processor implemented in pure Lua (<code>citeproc-lua</code>) which reads bibliographic metadata and performs sorting and formatting on both citations and bibliography according to the selected CSL style. A LaTeX package (<code>citation-style-language.sty</code>) is provided to communicate with the processor.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/citation-style-language/README.md

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/biblio/citation-style-language/citation-style-language-doc.pdf
– local file	./6777284340-citation-style-language-doc.pdf
contact	<i>repository:</i> https://github.com/zepinglee/citeproc-lua
on CTAN	https://ctan.org/tex-archive/biblio/citation-style-language
installation	https://ctan.org/tex-archive/install/biblio/citation-style-language.tds.zip
on MikTeX	citation-style-language
on TeXLive	citation-style-language
keyword	expl3 (expl3(unknown))
keyword	use-lua (package requires availability of lua)
keyword	biblio (bibliography processor)
language(s)	no language specified
last access	2025-02-07

1090 cite – Improved citation handling in LaTeX

Web page on CTAN	https://ctan.org/pkg/cite
name	cite
caption	Improved citation handling in LaTeX
author	Arseneau, Donald
copyright	Donald Arseneau (1989-2015)
license	other-free = Free license not otherwise listed (free)
version	5.5
description	(no language specified) The package supports compressed, sorted lists of numerical citations, and also deals with various punctuation and other issues of representation, including comprehensive management of break points. The package is compatible with both hyperref and backref. The package is (unsurprisingly) part of the cite bundle of the author's citation-related packages.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/cite/cite.pdf
– local file	./8575474797-cite.pdf

documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cite/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cite
on MikTeX	cite
on T _E XLive	cite
keyword	cite-supp (citation support)
see also	see section 4179 on page 3782: (natbib – Flexible bibliography support)
language(s)	no language specified
year	2015
last access	2025-02-07

1091 cite-bundle – Citation management bundle

Web page on CTAN	https://ctan.org/pkg/cite-bundle
name	cite-bundle
caption	Citation management bundle
author	Arseneau, Donald
license	other-free = Free license not otherwise listed (free)
description	(no language specified) A collection of packages related to managing citations: • cite , which supports compressed, sorted lists of numerical citations, and also deals with various punctuation and other issues of representation; • drftcite , which prints citation keys rather than numbers; • overcite , which prints citation numbers in a superscript position; and • chapterbib , which permits multiple bibliographies, one per <code>\include d</code> file in a document.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cite/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cite
on MikTeX	cite
on T _E XLive	cite
keyword	collection (a collection of packages)
see also	see section 4179 on page 3782: (natbib – Flexible bibliography support)
language(s)	no language specified

year without year
last access 2025-02-07

1092 *citeall* – Cite all entries of a bbl created with BibLaTeX

Web page on CTAN <https://ctan.org/pkg/citeall>

table
name	citeall
caption	Cite all entries of a bbl created with BibLaTeX
author	Fischer, Ulrike
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.4 (2017-12-03)
last changes	2017-12-03
year	2017
description	(no language specified) This small package allows to cite all entries of a bbl-file created with **BibLaTeX** (v1.9).
documentation	(no language specified) *Package documentation:* <https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/citeall/citeall.pdf>
– local file	./2269576935-citeall.pdf
documentation	(no language specified) *Readme:* <https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/citeall/README.md>
on CTAN	<https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/citeall>
on MikTeX	citeall
on TeXLive	citeall
keyword	biblatex (BibLaTeX bibliography support)
language(s)	no language specified
last access	2025-02-07

1093 *citeref* – Add reference-page-list to bibliography-items

Web page on CTAN <https://ctan.org/pkg/citeref>

name	<code>citeref</code>
caption	Add reference-page-list to bibliography-items
author	Briel, Björn
license	bsd4 = BSD License (free)
version	1.1
description	(no language specified) The package does its job without using the indexing facilities, and needs no special <code>\cite</code> -replacement package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/citeref/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/citeref
on MikTeX	<code>citeref</code>
on TeXLive	<code>citeref</code>
keyword	<code>bibtex-supp</code> (BibTeX citation support)
see also	see section 436 on page 400: (<code>backref</code> – Make hyper-references back from bibliography to citation)
language(s)	no language specified
year	without year
last access	2026-04-10

1094 *citeright* – Specify accurate natbib citations for diverse naming conventions

Web page on CTAN <https://ctan.org/pkg/citeright>

name	<code>citeright</code>
caption	Specify accurate natbib citations for diverse naming conventions
author	Overfelt, Jason
copyright	Jason Overfelt (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.0

1095 *citesidx* – Produce a citation list for the bibliography

description	(no language specified) This package provides the command <code>\citeright</code> for aliasing in-text citations and specifying their appearance in the list of references. It is specifically tailored for use with the natbib package and is compatible with citation managers such as BibDesk and JabRef . The package is intended to provide a means for respecting the diverse naming conventions of cited authors and, in this way, decolonizing academia.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/citeright/citeright.pdf
– local file	<code>./2869384689-citeright.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/citeright/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/citeright
on T _E XLive	<code>citeright</code>
keyword	<code>cite-sup</code> (citation support)
language(s)	no language specified
year	2025
last access	2025-06-19

1095 *citesidx* – Produce a citation list for the bibliography

Web page on CTAN	https://ctan.org/pkg/citesidx
name	<code>citesidx</code>
caption	Produce a citation list for the bibliography
author	Buchholz, Frank
license	<code>noinfo = noinfo</code>
version	(1993-02-24)
last changes	1993-02-24
year	1993
description	(no language specified) The list of citations may appear as a list of page numbers in each cited entry in the bibliography, or in the index. A modern implementation of the same concept is backref (part of the hyperref distribution), that produces hypertext links from the bibliography to each citation.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex209/contrib/citesidx/README
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/citesidx
keyword	<code>cite-sup</code> (citation support)
language(s)	no language specified
last access	2025-02-07

1096 *cj* – BibTeX style for Computer Journal

Web page on CTAN <https://ctan.org/pkg/cj>

name	CJ
caption	BibTeX style for Computer Journal
author	Gärtner, Felix
license	gpl = GNU General Public License (free)
description	(no language specified) Deals with the requirements of the Computer Journal (published by the British Computer Society). These requirements are not met by custom-bib, and this file has been derived from a near approximation produced by custom-bib.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/cj.bst
keyword	<code>bibtex-sty</code> (<code>bibtex-sty(unknown)</code>)
keyword	<code>journalpub</code> (typesetting journals, etc)
language(s)	no language specified
year	without year
last access	2025-02-07

1097 *cje* – LaTeX document class for CJE articles

Web page on CTAN <https://ctan.org/pkg/cje>

name	<code>cje</code>
caption	LaTeX document class for CJE articles
author	Nesbitt, Kim
copyright	Canadian Economics Association (2023)

license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.07
description	(no language specified) The <code>cje</code> article class allows authors to format their papers to Canadian Journal of Economics style with minimum effort. The class includes options for two other formats: "review" (double spaced, for use at the submission stage) and "proof" (used by the typesetters to prepare the proof authors will receive for approval).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cje/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cje
on MikTeX	<code>cje</code>
on TeXLive	<code>cje</code>
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
year	2023
last access	2025-02-11

1098 *cjhebrew* – Typeset Hebrew with LaTeX

Web page on CTAN	https://ctan.org/pkg/cjhebrew
name	CJHebrew
caption	Typeset Hebrew with LaTeX
author	Justen, Christian
license	lpl = The LaTeX Project Public License (free)
version	0.2a (2017-03-06)
last changes	2017-03-06
year	2017
description	(no language specified) The <code>cjhebrew</code> package provides Adobe Type 1 fonts for Hebrew, and LaTeX macros to support their use. Hebrew text can be vocalised, and a few accents are also available. The package makes it easy to include Hebrew text in other-language documents. The package makes use of the e-TeX extensions to TeX, so should be run using an "e-LaTeX".
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/hebrew/cjhebrew/README

documentation	(no language specified) <i>Package manual</i> : https://ctan.org/tex-archive/language/hebrew/cjhebrew/cjhebrew.pdf
– local file	<code>./5645439561-cjhebrew.pdf</code>
on CTAN	https://ctan.org/tex-archive/language/hebrew/cjhebrew
installation	https://ctan.org/tex-archive/install/language/hebrew/cjhebrew.tds.zip
on MikTeX	<code>cjhebrew</code>
on TeXLive	<code>cjhebrew</code>
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-hebrew</code> (font for Hebrew script)
keyword	<code>hebrew</code> (documentation in and support for typesetting Hebrew)
keyword	<code>font</code> (fonts themselves)
language(s)	no language specified
last access	2025-02-11

1099 *cjk* – CJK language support

Web page on CTAN <https://ctan.org/pkg/cjk>

name	<code>cjk</code>
caption	CJK language support
author	Lemberg, Werner
license	gpl2 = GNU General Public License, version 2 (free)
version	4.8.5
description	(no language specified) CJK is a macro package for LaTeX, providing simultaneous support for various Asian scripts in many encodings (including Unicode): • Chinese (both traditional and simplified), • Japanese, • Korean and • Thai.

A special add-on feature is an interface to the Emacs editor (`cjk-enc.el`) which gives simultaneous, easy-to-use support to a bunch of other scripts in addition to the above — Cyrillic, Greek, Latin-based scripts, Russian and Vietnamese are supported.

documentation	(no language specified) <i>Readme file</i> : https://ctan.org/tex-archive/language/chinese/CJK/README
on CTAN	https://ctan.org/tex-archive/language/chinese/CJK
on MikTeX	<code>cjk</code>
on TeXLive	<code>cjk</code>
keyword	<code>font-use</code> (font selection, mapping, etc.)
keyword	<code>font-cjk</code> (fonts for far eastern languages (Chinese, Japanese and Korean))
keyword	<code>korean</code> (support for typesetting Korean)
keyword	<code>chinese</code> (support for typesetting Chinese languages)
keyword	<code>japanese</code> (support for typesetting Japanese)
keyword	<code>thai</code> (support for typesetting, and documentation in Thai)
see also	see section 1100 on page 1000: (<i>cjk-fonts</i> – Chinese/Japanese/Korean bitmap fonts)
language(s)	no language specified
year	without year
last access	2025-02-11

1100 *cjk-fonts* – Chinese/Japanese/Korean bitmap fonts

Web page on CTAN	https://ctan.org/pkg/cjk-fonts
name	<code>cjk-fonts</code>
caption	Chinese/Japanese/Korean bitmap fonts
author	Lemberg, Werner
license	pd = Public Domain Software (free)
version	4.2.0
description	(no language specified) Fonts to go with the <code>cjk</code> macro package for Chinese, Japanese and Korean with LaTeX2e. The package aims to supersede HLaTeX fonts bundle.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/CJK/README

on CTAN	https://ctan.org/tex-archive/fonts/CJK
on MikTeX	cjk-fonts
keyword	chinese (support for typesetting Chinese languages)
keyword	japanese (support for typesetting Japanese)
keyword	korean (support for typesetting Korean)
keyword	font (fonts themselves)
keyword	font-cjk (fonts for far eastern languages (Chinese, Japanese and Korean))
see also	see section 265 on page 244: (arphic – Arphic (Chinese) font packages)
see also	see section 6657 on page 6010: (wadalab – Wadalab (Japanese) font packages)
language(s)	no language specified
year	without year
last access	2025-02-11

1101 *cjk-gs-integrate* – Tools to integrate CJK fonts into Ghostscript

Web page on CTAN	https://ctan.org/pkg/cjk-gs-integrate
name	cjk-gs-integrate
caption	Tools to integrate CJK fonts into Ghostscript
author	Preining, Norbert
copyright	Norbert Preining (2015-2020)
copyright	Japanese TeX Development Community (2016-2020)
license	gpl3 = GNU General Public License, version 3 (free)
version	20210625.0
description	(no language specified) This script searches a list of directories for CJK fonts, and makes them available to an installed Ghostscript. In the simplest case, with sufficient privileges, a run without arguments should result in a complete setup of Ghostscript.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/utilities/cjk-gs-integrate/README.md
contact	<i>repository</i> : https://github.com/texjporg/cjk-gs-support
on CTAN	https://ctan.org/tex-archive/fonts/utilities/cjk-gs-integrate
on MikTeX	cjk-gs-integrate

on T _E XLive	cjk-gs-integrate
keyword	font-util (manipulate or examine fonts)
language(s)	no language specified
year	2020
last access	2025-02-07

1102 *cjk-ko* – Extension of the CJK package for Korean typesetting

Web page on CTAN <https://ctan.org/pkg/cjk-ko>

name	cjk-ko
caption	Extension of the CJK package for Korean typesetting
author	Kim, Dohyun
copyright	Koaunghi Un (2007-2015)
copyright	Dohyun Kim (2007-2024)
license	pd = Public Domain Software (free)
license	lppl = The LaTeX Project Public License (free)
license	gpl = GNU General Public License (free)
version	2.5 (2024-03-01)
last changes	2024-03-01
year	2024
description	(no language specified) The package supports typesetting UTF-8-encoded modern Korean documents with the help of the LaTeX2e CJK package. It provides some enhanced features focused on Korean typesetting culture, one of them being allowing line-break between Latin and CJK characters. The package requires nanumtype1 fonts.
documentation	<i>Package documentation (Korean):</i> https://ctan.org/tex-archive/language/korean/cjk-ko/cjk-ko-doc.pdf
– local file	<code>./6821950327-cjk-ko-doc.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/language/korean/cjk-ko/README
contact	<i>repository:</i> https://github.com/dohyunkim/cjk-ko
on CTAN	https://ctan.org/tex-archive/language/korean/cjk-ko
on MikT _E X	cjk-ko

on T _E XLive	cjk-ko
keyword	korean (support for typesetting Korean)
language(s)	Korean
last access	2025-02-07

1103 *cjkipunct* – Adjust locations and kerning of CJK punctuation marks

Web page on CTAN <https://ctan.org/pkg/cjkipunct>

name	cjkipunct
caption	Adjust locations and kerning of CJK punctuation marks
author	Sun, Wenchang
author	Lee, Qing
author	Zhang, Linbo
copyright	Wenchang Sun (2003-2010)
copyright	Linbo Zhang (2003-2010)
copyright	Leo Liu (2010)
copyright	Qing Lee (2016)
license	l _{pl} 1.3 = The LaTeX Project Public License 1.3 (free)
version	4.8.4 (2016-05-14)
last changes	2016-05-14
year	2016
description	(no language specified) The package serves as a companion package for CJK .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/chinese/cjkipunct/README.md
on CTAN	https://ctan.org/tex-archive/language/chinese/cjkipunct
installation	https://ctan.org/tex-archive/install/language/chinese/cjkipunct.tds.zip
on MikT _E X	cjkipunct
on T _E XLive	cjkipunct
keyword	chinese (support for typesetting Chinese languages)
keyword	korean (support for typesetting Korean)
keyword	japanese (support for typesetting Japanese)

language(s) no language specified
last access 2025-02-07

1104 *cjs-rcs-article* – Article class for The Canadian Journal of Statistics

Web page on CTAN <https://ctan.org/pkg/cjs-rcs-article>

name *cjs-rcs-article*
caption Article class for The Canadian Journal of Statistics
author Goulet, Vincent
copyright Statistical Society of Canada / Société canadienne de statistique (2023-2024)
license cc-by-sa-4 = CC BY-SA 4.0 (free)
license lpl1.3c = The LaTeX Project Public License 1.3c (free)
version 1.1a (2024-07-30)
last changes 2024-07-30
year 2024
description (no language specified) The document class *cjs-rcs-article* and its companion bibliographic styles *cjs-rcs-en* and *cjs-rcs-fr* typeset manuscripts immediately in accordance with the presentation rules of The Canadian Journal of Statistics.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/cjs-rcs-article/README.md>
documentation (no language specified) *Documentation of bibliographic style*: <https://ctan.org/tex-archive/macros/latex/contrib/cjs-rcs-article/cjs-rcs-merlin.pdf>
– local file ./9014873591-cjs-rcs-merlin.pdf
documentation (no language specified) *Package documentation (English)*: <https://ctan.org/tex-archive/macros/latex/contrib/cjs-rcs-article/cjs-rcs-article.pdf>
– local file ./5949191321-cjs-rcs-article.pdf
documentation *Package documentation (French)*: <https://ctan.org/tex-archive/macros/latex/contrib/cjs-rcs-article/cjs-rcs-article-fr.pdf>
– local file ./5675318393-cjs-rcs-article-fr.pdf
home page <https://cjs-rcs.gitlab.io>

contact	<i>announce:</i> https://gitlab.com/cjs-rcs/cjs-rcs-article/-/releases
contact	<i>bugs:</i> https://gitlab.com/cjs-rcs/cjs-rcs-article/-/issues
contact	<i>repository:</i> https://gitlab.com/cjs-rcs/cjs-rcs-article
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cjs-rcs-article
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/cjs-rcs-article.tds.zip
on MikTeX	cjs-rcs-article
on T _E XLive	cjs-rcs-article
keyword	class (alternative LaTeX class(es))
keyword	journalpub (typesetting journals, etc)
keyword	article-like (LaTeX article classes and their developments)
keyword	doc-templ (template to guide document development)
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	French
last access	2025-02-07

1105 *cjw* – A bundle of packages and classes

Web page on CTAN	https://ctan.org/pkg/cjw
name	cjw
caption	A bundle of packages and classes
author	Wynne, Colin J.
copyright	Colin J. Wynne (1995, 1997)
license	nosell = Do Not Sell Except by Arrangement (not free)
description	(no language specified) The bundle contains: – a collection of support macros, offering general support, support for various areas of maths, and for typesetting of units, – a letter and envelope class, – an outlining package, and – a package that enables all of Plain TeX usage under LaTeX.
documentation	(no language specified) <i>Letter class documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/cjw/cjw-ltr.pdf
– local file	./6116601186-cjw-ltr.pdf

1106 clara – A serif font family

documentation	(no language specified) <i>General support documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cjw/cjw-latex.pdf
– local file	./3003413803-cjw-latex.pdf
documentation	(no language specified) <i>Documentation of outline package</i> : https://ctan.org/tex-archive/macros/latex/contrib/cjw/cjwoutl.pdf
– local file	./3442209856-cjwoutl.pdf
documentation	(no language specified) <i>Documentation of Plain TeX support</i> : https://ctan.org/tex-archive/macros/latex/contrib/cjw/cjwplain.pdf
– local file	./4051654187-cjwplain.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cjw
on MikTeX	cjw
keyword	class (alternative LaTeX class(es))
keyword	outline (document outlining tools)
keyword	letter (typesetting letters, envelopes, faxes, etc)
language(s)	no language specified
year	1997
last access	2025-02-07

1106 clara – A serif font family

Web page on CTAN <https://ctan.org/pkg/clara>

name	clara
caption	A serif font family
author	Miller, Daniel Benjamin
copyright	Séamas Ó Brógáin (2015)
license	ofl = The SIL Open Font License (free)
license	gpl2+ = GNU General Public License, version 2 or newer (free)
version	(2020-01-20)
last changes	2020-01-20
year	2020

description	(no language specified) Clara is a type family created specially by Séamas Ó Brógáin for printing <i>A Dictionary of Editing</i> (2015). The family includes italic, bold, bold italic, and small capitals, while the character set includes (monotonic) Greek, Cyrillic, ogham, phonetic and mathematical ranges, scribal abbreviations and other specialist characters. The fonts also include some OpenType features (such as ligature substitution, small capitals, and old-style numerals) and variant forms for particular languages.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/clara/doc/clara-doc.pdf
– local file	<code>./2723385430-clara-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/clara/README
documentation	(no language specified) <i>Samples</i> : https://ctan.org/tex-archive/fonts/clara/doc/clara-sample.pdf
– local file	<code>./7165653124-clara-sample.pdf</code>
home page	http://www.leabhair.ie/clonna-en.html
on CTAN	https://ctan.org/tex-archive/fonts/clara
on MikTeX	<code>clara</code>
on TeXLive	<code>clara</code>
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-tlenc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font-greek</code> (font for Greek (archaic, classical and modern))
keyword	<code>font-maths</code> (fonts for use in mathematics)
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-specialist</code> (fonts with specific small application areas)
keyword	<code>font-cyrillic</code> (fonts for Cyrillic and related scripts)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>phonetic</code> (support for phonetic notation)
keyword	<code>font-multilingual</code> (font with adaptations to several languages)

1107 *classes* – The source of LaTeX’s standard classes

keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
last access	2025-02-07

1107 **classes** – The source of LaTeX’s standard classes

Web page on CTAN <https://ctan.org/pkg/classes>

name	classes
caption	The source of LaTeX’s standard classes
author	The LaTeX Project Team
copyright	The LaTeX3 Project (1993-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.4n (2024-06-29)
last changes	2024-06-29
year	2024
description	(no language specified) The article , report , and book classes of current LaTeX (and their class option files) all derive from a single source file, <code>classes.dtx</code> ; its contents are extracted to the class files themselves in the course of installing LaTeX.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/base/classes.pdf
– local file	<code>./3901404437-classes.pdf</code>
home page	http://www.latex-project.org/
on CTAN	https://ctan.org/tex-archive/macros/latex/base
on T _E XLive	latex
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-07

1108 classico – URW Classico fonts

Web page on CTAN <https://ctan.org/pkg/classico>

name	classico
caption	URW Classico fonts
author	Tennent, Bob
license	other-free = Free license not otherwise listed (free)
license	lppl = The LaTeX Project Public License (free)
license	nocommercial = No Commercial Use (not free)
version	(2025-01-10)
last changes	2025-01-10
year	2025
description	(no language specified) The archive provides type 1 fonts with metrics and LaTeX support files. URW Classico is a revision for the URW++ foundry by Hermann Zapf of his very well-known Optima sans serif typeface. The original fonts were made available for non-commercial distribution by Artifex software. URW++ has corrected the original fonts and added many accented glyphs. The type 1 fonts and LaTeX support files (for traditional engines) were generated using otf2tfm, cfftot1, and autoinst.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/urw/classico/README
documentation	(no language specified) <i>Font sample</i>: https://ctan.org/tex-archive/fonts/urw/classico/doc/classico-samples.pdf
– local file	./7610910140-classico-samples.pdf
on CTAN	https://ctan.org/tex-archive/fonts/urw/classico
installation	https://ctan.org/tex-archive/install/fonts/urw/classico.tds.zip
on MikTeX	classico
keyword	font-proportional (variable-spaced font)
keyword	font (fonts themselves)
keyword	font-otf (font in OpenType format)
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font-t1enc (font providing LaTeX T1 encoding support)

keyword	font-suppl (metrics, macro incantations and other font support)
keyword	font-sans (sans-serif font)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
last access	2025-02-07

1109 *classics* – Cite classic works

Web page on CTAN <https://ctan.org/pkg/classics>

name	classics
caption	Cite classic works
author	Lourenço de Lima, Eduardo C.
copyright	Eduardo C. Lourenço de Lima (2013-2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1a (2020-02-03)
last changes	2020-02-03
year	2020
description	(no language specified) The package provides a basic framework to cite classic works (specially from authors such as Homer, Plato, Aristotle, Descartes, Hume, and Kant) in accordance with traditional pagination systems. It may be used in conjunction with other citation packages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/classics/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/classics/classics.pdf
– local file	./7451096560-classics.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/classics
on MikTeX	classics
on TeXLive	classics
keyword	cite-suppl (citation support)
keyword	expl3 (expl3(unknown))
keyword	humanities (support for studies in the humanities)

language(s) no language specified
last access 2025-02-07

1110 **classicthesis** – A “classically styled” thesis package

Web page on CTAN <https://ctan.org/pkg/classicthesis>

name ClassicThesis

caption A “classically styled” thesis package

author Miede, André

copyright André Miede (2025)

copyright André Miede and Ivo Pletikosić (2018)

license gpl2+ = GNU General Public License, version 2 or newer (free)

version 4.8 (2025-02-02)

last changes 2025-02-02

year 2025

description (no language specified) This package provides an elegant layout designed in homage to Bringhurst’s “The Elements of Typographic Style”. It makes use of a range of techniques to get the best results achievable using TeX.

Included in the bundle are templates to make thesis writing easier.

documentation (no language specified) *Package documentation:*
<https://ctan.org/tex-archive/macros/latex/contrib/classicthesis/ClassicThesis.pdf>

– local file ./4993762027-ClassicThesis.pdf

documentation (no language specified) *Package README:* <https://ctan.org/tex-archive/macros/latex/contrib/classicthesis/README>

home page <https://bitbucket.org/amiede/classicthesis/wiki/Home>

contact *bugs:* <https://bitbucket.org/amiede/classicthesis/issues>

contact *repository:* <https://bitbucket.org/amiede/classicthesis>

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/classicthesis>

on MikTeX classicthesis

on TeXLive classicthesis

keyword dissertation (typesetting dissertations, theses, etc.)

language(s) no language specified

last access 2025-02-07

1111 *classif2* – Biological classification tables

Web page on CTAN <https://ctan.org/pkg/classif2>

name	<code>classif2</code>
caption	Biological classification tables
author	Shipunov, Alexey
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.2 (2008-02-10)
last changes	2008-02-10
year	2008
description	(no language specified) The package defines an environment <code>classif</code> that simplifies the process of typesetting classification tables. The package is part of the <i>shipunov</i> bundle.
documentation	<i>Example use (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/shipunov/doc/classif2-ex-en.pdf
– local file	<code>./9705577379-classif2-ex-en.pdf</code>
documentation	<i>Readme (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/shipunov/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/shipunov/tex/classif2.sty
on MikTeX	<code>shipunov</code>
on T _E XLive	<code>shipunov</code>
keyword	biology (typeset biological data)
language(s)	English
last access	2025-02-07

1112 **classlist** – Record classes used in a document

Web page on CTAN <https://ctan.org/pkg/classlist>

name `classlist`

caption Record classes used in a document

author Oberdiek, Heiko

copyright Heiko Oberdiek (2005, 2006, 2008, 2011)

license lpl1.3 = The LaTeX Project Public License 1.3 (free)

version 1.5 (2016-05-16)

last changes 2016-05-16

year 2016

description (no language specified) Load this package before `\documentclass`:

```
\RequirePackage{classlist}
\documentclass[some,options]{whatever}
```

After doing this, `\MainClass` contains the name of the first loaded class, `\ClassList` contains a set of triples `<class name>`, `<options directly requested>`, and `<version requested>`. (The package may also be loaded after `\documentclass`, in which case some information is not available.)

The package is part of the **oberdiek** bundle.

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/classlist.pdf>

– local file `./9153624085-classlist.pdf`

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/classlist.dtx>

installation <https://ctan.org/tex-archive/install/macros/latex/contrib/oberdiek.tds.zip>

on MikTeX `oberdiek`

on TeXLive `oberdiek`

keyword `macro-supp` (support for development of (La)TeX macros)

language(s) no language specified

last access 2025-02-07

1113 **classpack** – XML mastering for LaTeX classes and packages

Web page on CTAN <https://ctan.org/pkg/classpack>

name	classpack
caption	XML mastering for LaTeX classes and packages
author	Flynn, Peter
copyright	Peter Flynn (2012-2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.19 (2020-05-19)
last changes	2020-05-19
year	2020
description	(no language specified) The package provides an experiment in using XML (specifically DocBook 5) to mark up and maintain LaTeX classes and packages. XSLT 2 styleheets generate the .dtx and .ins distribution files expected by end users.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/classpack/classpack.pdf
– local file	./6463308532-classpack.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/classpack/README.md
on CTAN	https://ctan.org/tex-archive/support/classpack
on MikTeX	classpack
on TeXLive	classpack
keyword	class-supp (support for class (and package) development)
keyword	package-devel (support for package development)
language(s)	no language specified
last access	2025-02-07

1114 *clawxiv* – Provenance typesetting for human–AI collaborative writing

Web page on CTAN <https://ctan.org/pkg/clawxiv>

name	ClawXiv
caption	Provenance typesetting for human–AI collaborative writing
author	Kornai, András
copyright	Andras Kornai and Claude Sonnet 4.6 (Anthropic) (2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.4.3
description	(no language specified) The <i>clawxiv</i> package provides LaTeX environments for typesetting text according to its authorial provenance in documents that mix human and AI contributions. Three principal environments are provided: <code>seniorquote</code> for the corresponding human author, <code>aquote</code> for an AI coauthor, and <code>coauthorquote</code> for other human contributors. Convenient aliases <code>humanprompt</code> and <code>airesp</code> support prompt/response interaction transcripts. The package is part of the ClawXiv framework for archiving human–AI co-authored papers with full provenance tracking. A white paper is available at ClawXiv
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/clawxiv/clawxiv-sty-doc.pdf
– local file	<code>./5089549324-clawxiv-sty-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/clawxiv/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/clawxiv
on T _E XLive	<code>clawxiv</code>
keyword	<code>doc-mgmt</code> (support for keeping track of document development)
keyword	<code>editorial</code> (editor’s marks, highlights, etc.)
keyword	<code>quotation</code> (displayed text)
language(s)	no language specified
year	2026
last access	2026-04-27

1115 **cleanthesis** – A clean LaTeX style for thesis documents

Web page on CTAN <https://ctan.org/pkg/cleanthesis>

name	cleanthesis
caption	A clean LaTeX style for thesis documents
author	Langner, Ricardo
copyright	R. Langner (2015)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.4.0
description	(no language specified) The package offers a clean, simple, and elegant LaTeX style for thesis documents.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cleanthesis/README.md
documentation	(no language specified) <i>Documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cleanthesis/doc/cleanthesis-doc.pdf
– local file	./5909261429-cleanthesis-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cleanthesis
on MikTeX	cleanthesis
on TeXLive	cleanthesis
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
year	2015
last access	2025-02-07

1116 **clearsans** – Clear Sans fonts with LaTeX support

Web page on CTAN <https://ctan.org/pkg/clearsans>

name	clearsans
caption	Clear Sans fonts with LaTeX support
author	Tennent, Bob
license	apache2 = Apache License, version 2.0 (free)
license	lppl = The LaTeX Project Public License (free)

version	(2025-03-27)
last changes	2025-03-27
year	2025
description	(no language specified) Clear Sans was designed by Daniel Ratighan at Monotype under the direction of the User Experience team at Intel’s Open Source Technology Center. Clear Sans is available in three weights (regular, medium, and bold) with corresponding italics, plus light and thin upright (without italics). Clear Sans has minimized, unambiguous characters and slightly narrow proportions, making it ideal for UI design. Its strong, recognizable forms avoid distracting ambiguity, making Clear Sans comfortable for reading short UI labels and long passages in both screen and print. The fonts are available in both TrueType and Type 1 formats.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/clearsans/README
documentation	(no language specified) <i>Font samples</i>: https://ctan.org/tex-archive/fonts/clearsans/doc/clear-samples.pdf
– local file	./3171120056-clear-samples.pdf
on CTAN	https://ctan.org/tex-archive/fonts/clearsans
installation	https://ctan.org/tex-archive/install/fonts/clearsans.tds.zip
on MikTeX	clearsans
on T _E XLive	clearsans
keyword	font-proportional (variable-spaced font)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-cyrillic (fonts for Cyrillic and related scripts)
keyword	font-sans (sans-serif font)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-greek (font for Greek (archaic, classical and modern))
keyword	font (fonts themselves)
keyword	font-t1enc (font providing LaTeX T1 encoding support)
keyword	font-ttf (font available in TrueType format)
keyword	font-body (font designed for use as body font for Latin-based script documents)
language(s)	no language specified
last access	2025-04-02

1117 clefval – Key/value support with a hash

Web page on CTAN <https://ctan.org/pkg/clefval>

name	clefval
caption	Key/value support with a hash
author	Henel, Yvon
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1
description	(no language specified) This package provides only two macros viz. <code>\TheKey</code> and <code>\TheValue</code> to define then use pairs of key/value and gives a semblance of a hash. Syntax: <code>\TheKey{key}{value}</code> to define the value associated to the key, does not produce text; <code>\TheValue{key}</code> to return the value linked to the key. Both arguments of <code>\TheKey</code> are ‘moving’ as LaTeX defines the term and we have sometimes to protect them.
documentation	(no language specified) <i>Package example of use (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/clefval/example.pdf
– local file	<code>./2741752221-example.pdf</code>
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/clefval/README.md
documentation	<i>Package examples of use (French)</i> : https://ctan.org/tex-archive/macros/latex/contrib/clefval/exemple.pdf
– local file	<code>./4668952846-exemple.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/clefval/clefval.pdf
– local file	<code>./7587998286-clefval.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/clefval
on MikTeX	clefval
on T _E XLive	clefval
keyword	keyval (key-value argument systems)
language(s)	French
year	without year
last access	2025-02-07

1118 cleveref – Intelligent cross-referencing

Web page on CTAN <https://ctan.org/pkg/cleveref>

name	cleveref
caption	Intelligent cross-referencing
author	Cubitt, Toby
copyright	Toby Cubitt (2006-2018)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	0.21.4
description	(no language specified) The package enhances LaTeX’s cross-referencing features, allowing the format of references to be determined automatically according to the type of reference. The formats used may be customised in the preamble of a document; babel support is available (though the choice of languages remains limited: currently Danish, Dutch, English, French, German, Italian, Norwegian, Russian, Spanish and Ukrainian). The package also offers a means of referencing a list of references, each formatted according to its type. In such lists, it can collapse sequences of numerically-consecutive labels to a reference range.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cleveref/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cleveref/cleveref.pdf
– local file	./3698734038-cleveref.pdf
home page	http://www.dr-qubit.org/cleveref.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cleveref
on MikTeX	cleveref
on T _E XLive	cleveref
keyword	label-ref (label and reference systems)
see also	see section 1379 on page 1247: (crefthe – Cross referencing with proper definite articles and declensions)
language(s)	no language specified
year	2018
last access	2025-02-07

1119 cleveref-forward – Forward-referencing functionality for cleveref

Web page on CTAN <https://ctan.org/pkg/cleveref-forward>

name	cleveref-forward
caption	Forward-referencing functionality for cleveref
author	XU, Jinwen
copyright	Jinwen XU (2023-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2024-03-15)
last changes	2024-03-15
year	2024
description	(no language specified) This package aims at providing the forward-referencing functionality for the package cleveref . It is derived from the package cleveref-usedon , with several fixes and enhancements.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cleveref-forward/README.md
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/cleveref-forward/demo/cleveref-forward-demo.pdf
– local file	./5431738019-cleveref-forward-demo.pdf
contact	<i>repository</i> : https://github.com/Jinwen-XU/cleveref-forward
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cleveref-forward
on MikTeX	cleveref-forward
on TeXLive	cleveref-forward
keyword	label-ref (label and reference systems)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

1120 `cleveref-icelandic` – Icelandic grammatical declension for `cleveref` cross-references

Web page on CTAN <https://ctan.org/pkg/cleveref-icelandic>

name	<code>cleveref-icelandic</code>
caption	Icelandic grammatical declension for <code>cleveref</code> cross-references
author	Smárason, Sindri
copyright	Sindri Smárason (2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1 (2026-04-01)
last changes	2026-04-01
year	2026
description	(no language specified) The <code>cleveref-icelandic</code> package extends <code>cleveref</code> with Icelandic declension support, allowing cross-references to figures, tables, equations, and sections to appear in the correct grammatical case (nominative, accusative, dative, genitive) in both singular and plural. Case can be specified explicitly by name (nom/acc/dat/gen or Icelandic abbreviations nf/pf/pgf/ef), by number (0–3), or automatically inferred from a preposition argument. Built-in declension tables are provided for the four most common reference types. Additional reference types and prepositions can be declared in the document preamble using <code>\DeclareIcrefType</code> and <code>\DeclareIscrefPreposition</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cleveref-icelandic/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cleveref-icelandic/cleveref-icelandic-doc.pdf
– local file	<code>./1383827583-cleveref-icelandic-doc.pdf</code>
documentation	<i>Package documentation (Icelandic)</i> : https://ctan.org/tex-archive/macros/latex/contrib/cleveref-icelandic/cleveref-icelandic-doc-is.pdf
– local file	<code>./7482437364-cleveref-icelandic-doc-is.pdf</code>
contact	<i>repository</i> : https://github.com/SindriIAV/cleveref-icelandic
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cleveref-icelandic
on T _E XLive	<code>cleveref-icelandic</code>
keyword	<code>label-ref</code> (label and reference systems)

keyword	icelandic (support for typesetting the Icelandic language)
language(s)	Icelandic
last access	2026-04-10

1121 **cleveref-usedon** – Adds forward-referencing functionality to the **cleveref** package

Web page on CTAN <https://ctan.org/pkg/cleveref-usedon>

name	cleveref-usedon
caption	Adds forward-referencing functionality to the cleveref package
author	Pistre, Sven
copyright	Sven Pistre (2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.4.0 (2023-04-21)
last changes	2023-04-21
year	2023
description	(no language specified) Imagine you are reading a long mathematical text such as a text book or a thesis. There are plenty of supplementary lemmas, propositions, theorems and/or exercises throughout the whole text. You ask yourself "Gosh, while Lemma 1.12 is certainly an interesting result, <i>where</i> is this result used later on in this long text? I really would find that helpful to decide <i>why</i> I should read the proof." You can, of course, use the PDF search function of your viewer to look up the string "Lemma 1.12", but wouldn't it be more helpful if Lemma 1.12 already indicated all or at least its most useful/crucial applications via an info message? This is what this package tries to address: The info message "Used on p. 40, 43-45 and 101." would then be printed to the header of Lemma 1.12. This is done by extending the <code>\cref</code> and <code>\Cref</code> commands and giving them an optional argument <code>UsedOn</code>. Every time you wish to record a reference in the "used on page list", you would simply type <code>\cref[UsedOn]{<LabelName>}</code>. If you use <code>\cref</code> without this optional argument, this reference won't be recorded in this page list.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/cleveref-usedon/cleveref-usedon.pdf
– local file	./6155545347-cleveref-usedon.pdf

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cleveref-usedon/README.md
contact	<i>support</i> : https://github.com/SvenPistre/cleveref-usedon/discussions
contact	<i>bugs</i> : https://github.com/SvenPistre/cleveref-usedon/issues
contact	<i>repository</i> : https://github.com/SvenPistre/cleveref-usedon
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cleveref-usedon
on MikTeX	cleveref-usedon
on TeXLive	cleveref-usedon
keyword	label-ref (label and reference systems)
see also	see section 1119 on page 1020: (cleveref-forward – Forward-referencing functionality for cleveref)
language(s)	no language specified
last access	2025-02-11

1122 *clicks* – Slide Deck Animation

Web page on CTAN <https://ctan.org/pkg/clicks>

name	clicks
caption	Slide Deck Animation
author	Bugayenko, Yegor
copyright	Yegor Bugayenko (2021-2024)
license	mit = MIT License (free)
version	0.4.3 (2024-12-25)
last changes	2024-12-25
year	2024
description	(no language specified) With the help of this package you can simulate animation in your slide deck, making it look similar to what PowerPoint can do.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/clicks/clicks.pdf
– local file	./4426895946-clicks.pdf

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/clicks/README.md
contact	<i>repository</i> : https://github.com/yegor256/clicks
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/clicks
on MikTeX	clicks
on T _E XLive	clicks
keyword	presentation (slides, beamers, handouts, etc.)
keyword	emulation (code to emulate “other things”)
keyword	layout (layout of objects on the page)
language(s)	no language specified
last access	2025-02-07

1123 *clip* – A language-independent literate programming tool

Web page on CTAN	https://ctan.org/pkg/clip
name	clip
caption	A language-independent literate programming tool
author	Van Ammers, Eric W.
author	Kramer, Mark R.
license	noinfo = noinfo
version	(1993-11-17)
last changes	1993-11-17
year	1993
description	(no language specified) The CLiP approach to literate programming relies on coding style. As a result, code extraction is completely independent of the text processing environment. (CLiP may even be used in combination with a wordprocessor.) Equally, addition the CLiP mechanism is independent of programming languages as well, and the CLiP style is easily adapted to any language.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/web/clip/unix/read_me.txt
documentation	(no language specified) <i>Manual</i> : https://ctan.org/tex-archive/web/clip/unix/manual.pdf
– local file	./2266729558-manual.pdf

on CTAN <https://ctan.org/tex-archive/web/clip>
 keyword `litprog-tools` (litprog-tools(unknown))
 language(s) no language specified
 last access 2025-02-07

1124 *clipboard* – Copy and paste into and across documents

Web page on CTAN <https://ctan.org/pkg/clipboard>

name `clipboard`
 caption Copy and paste into and across documents
 author Lourenço de Lima, Eduardo C.
 copyright Eduardo C. Lourenço de Lima (2013-2016)
 license lpl1.3 = The LaTeX Project Public License 1.3 (free)
 version 0.3
 description (no language specified) The clipboard package provides a basic framework for copying and pasting text and commands into and across multiple documents. It replaces the [cypypaste](#) package.
 documentation (no language specified) *Readme*: <https://ctan.org/macros/latex/contrib/clipboard/README>
 documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/clipboard/clipboard.pdf>
 – local file `./7528464359-clipboard.pdf`
 on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/clipboard>
 on MikTeX `clipboard`
 on T_EXLive `clipboard`
 keyword `quotation-imp` (import text from other documents)
 language(s) no language specified
 year 2016
 last access 2025-02-07

1125 *clistmap* – Map and iterate over LaTeX3 clists

Web page on CTAN <https://ctan.org/pkg/clistmap>

name	clistmap
caption	Map and iterate over LaTeX3 clists
author	Rogard, Erwann
copyright	Erwann Rogard (2022)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2
description	(no language specified) This package provides a key-based interface for defining templates whose job is to partition LaTeX3 clists and map differentiatedly across its components.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/clistmap/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/clistmap/clistmap.pdf
– local file	./3089033339-clistmap.pdf
contact	<i>repository</i> : https://github.com/rogard/clistmap
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/clistmap
on MikTeX	clistmap
on TeXLive	clistmap
keyword	macro-supp (support for development of (La)TeX macros)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
year	2022
last access	2025-02-11

1126 clock – Graphical and textual clocks for TeX and LaTeXWeb page on CTAN <https://ctan.org/pkg/clock>

name	clock
caption	Graphical and textual clocks for TeX and LaTeX
author	Corff, Oliver
license	other-free = Free license not otherwise listed (free)
description	(no language specified) Features graphical clocks (with a classical 12h dial and two hands) and text clocks (in 24h format) which can show system time or any time the user desires. Works with both TeX and LaTeX. The clock faces (appearances of the dial) are easily expandable; the default uses a custom Metafont font.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/clock/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/clock
on MikTeX	clock
on T _E XLive	clock
keyword	date-time (manipulate dates and/or times)
language(s)	no language specified
year	without year
last access	2025-02-11

1127 clojure-pamphlet – A simple literate programming tool based on clojure’s pamphlet systemWeb page on CTAN <https://ctan.org/pkg/clojure-pamphlet>

name	clojure-pamphlet
caption	A simple literate programming tool based on clojure’s pamphlet system
author	Lanchares, Ernesto
copyright	Ernesto Lanchares Sanchez (2019)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	1.3

description	(no language specified) The Clojure pamphlet system is a system based on the Clojure literate system. In the Clojure’s pamphlet system you have your main LaTeX file, which can be compiled regularly. This file contains documentation and source code (just like in other forms of literate programming). These code snippets are wrapped in the <code>chunk</code> environment, hence they can be recognized by the <code>tangler</code> in order to extract them. Chunks can be included inside each other by the <code>getchunk</code> command (which will be typesetted accordingly). Finally, the LaTeX file will be run through the <code>tangler</code> to get the desired chunk of code.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/web/clojure-pamphlet/clojure-pamphlet_guide.pdf
– local file	<code>./4622048086-clojure-pamphlet_guide.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/web/clojure-pamphlet/README
home page	https://gitlab.com/elancha/clojure-pamphlet
contact	<i>support:</i> https://gitlab.com/elancha/clojure-pamphlet/-/merge_requests
contact	<i>bugs:</i> https://gitlab.com/elancha/clojure-pamphlet/-/issues
contact	<i>repository:</i> https://gitlab.com/elancha/clojure-pamphlet
contact	<i>development:</i> https://gitlab.com/elancha/clojure-pamphlet/-/merge_requests
on CTAN	https://ctan.org/tex-archive/web/clojure-pamphlet
on T _E XLive	<code>clojure-pamphlet</code>
keyword	<code>litprog-tools</code> (litprog-tools(unknown))
keyword	<code>litprog</code> (literate programming)
language(s)	no language specified
year	2019
last access	2025-02-07

1128 *closefrm* – Tidy up after reading a MetaPost fileWeb page on CTAN <https://ctan.org/pkg/closefrm>

name	closefrm
caption	Tidy up after reading a MetaPost file
author	Vieth, Ulrik
license	noinfo = noinfo
version	1.04
description	(no language specified) Defines a ‘closefrom’ macro to complement the ‘readfrom’ primitive. It operates by repeatedly reading from a file until reaching EOF, which has the side-effect of closing the file. The macro might be useful to avoid running out of read files when using the MetaPost graph package to process many data files that contain extra junk at the end. (In such circumstances, reading the files will stop short of the end, so leaving the file open.)
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/misc/closefrm.mp
keyword	io-mgmt (manage TeX’s limited i/o streams)
language(s)	no language specified
year	without year
last access	2025-02-07

1129 *cloze* – A LuaLaTeX package for creating cloze textsWeb page on CTAN <https://ctan.org/pkg/cloze>

name	cloze
caption	A LuaLaTeX package for creating cloze texts
author	Friedrich, Josef
copyright	Josef Friedrich (2015-2025)
license	lpp1.3c = The LaTeX Project Public License 1.3c (free)
version	2.0.0 (2025-07-04)
last changes	2025-07-04
year	2025

1130 `clrdblpg` – Control pagestyle of pages left blank by `\cleardoublepage`

description	(no language specified) This is a LuaTeX or LuaLaTeX package for generating cloze texts. The main feature of the package is that the formatting doesn't change when using the <code>hide</code> and <code>show</code> options. There are the commands <code>\cloze</code> , <code>\clozefix</code> , <code>\clozefil</code> , <code>\clozenol</code> , <code>\clozestrike</code> and the environments <code>clozepar</code> and <code>clozebox</code> to generate cloze texts.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/generic/cloze/cloze-doc.pdf
– local file	<code>./2127504637-cloze-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/cloze/README.md
contact	<i>bugs</i> : https://github.com/Josef-Friedrich/cloze/issues
contact	<i>repository</i> : https://github.com/Josef-Friedrich/cloze
contact	<i>development</i> : https://josef.friedrich.rocks
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/cloze
on MikTeX	<code>cloze</code>
on TeXLive	<code>cloze</code>
keyword	<code>luatex</code> (LuaTeX and packages that require it)
keyword	<code>exam</code> (exams, quizzes, etc.)
language(s)	no language specified
last access	2025-07-09

1130 `clrdblpg` – Control pagestyle of pages left blank by `\cleardoublepage`

Web page on CTAN <https://ctan.org/pkg/clrdblpg>

name	<code>clrdblpg</code>
caption	Control pagestyle of pages left blank by <code>\cleardoublepage</code>
author	Goodman, Donald P.
copyright	Donald P. Goodman (2018)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0

description	(no language specified) This tiny package allows easy manipulation of the headers and footers on pages left blank by <code>\cleardoublepage</code> . By default, LaTeX has no easy facilities for this. This package uses more or less the algorithm listed in the fancyhdr package documentation, with some better indentation and added flexibility.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/clrsgblpg/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/clrsgblpg/clrsgblpg.pdf
– local file	<code>./1240001166-clrsgblpg.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/clrsgblpg
on MikTeX	<code>clrsgblpg</code>
on TeXLive	<code>clrsgblpg</code>
keyword	<code>page-hf</code> (page head- and foot-lines)
see also	see section 2121 on page 1920: (<i>fancyhdr</i> – Extensive control of page headers and footers in LaTeX2e)
language(s)	no language specified
year	2018
last access	2025-02-07

1131 *clrsgcode* – Typesets pseudocode as in *Introduction to Algorithms*

Web page on CTAN <https://ctan.org/pkg/clrsgcode>

name	<code>clrsgcode</code>
caption	Typesets pseudocode as in <i>Introduction to Algorithms</i>
author	Cormen, Thomas H.
license	lppl = The LaTeX Project Public License (free)
version	1.7
description	(no language specified) This package allows you to typeset pseudocode in the style of <i>Introduction to Algorithms</i> , Second edition, by Cormen, Leiserson, Rivest, and Stein. The package was written by the authors. You use the commands the same way the package’s author did when writing the book, and your output will look just like the pseudocode in the text.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/clrsgcode/clrsgcode.pdf

– local file	<code>./5481878050-clrscode.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/clrscode
on MikTeX	<code>clrscode</code>
on TeXLive	<code>clrscode</code>
keyword	<code>pseudocode</code> (typeset languages for expressing algorithms)
see also	see section 1132 on page 1032: (<code>clrscode3e</code> – Typesets pseudocode as in <i>Introduction to Algorithms</i>)
see also	see section 4220 on page 3819: (<code>newalg</code> – Format algorithms like Cormen, Leiserson and Rivest)
language(s)	no language specified
year	without year
last access	2025-02-07

1132 `clrscode3e` – Typesets pseudocode as in *Introduction to Algorithms*

Web page on CTAN <https://ctan.org/pkg/clrscode3e>

name	<code>clrscode3e</code>
caption	Typesets pseudocode as in <i>Introduction to Algorithms</i>
author	Cormen, Thomas H.
license	lppl = The LaTeX Project Public License (free)
version	(2014-08-07)
last changes	2014-08-07
year	2014
description	(no language specified) This package allows you to typeset pseudocode in the style of <i>Introduction to Algorithms</i> , Third edition, by Cormen, Leiserson, Rivest, and Stein. The package was written by the authors. Use the commands the same way the package’s author did when writing the book, and your output will look just like the pseudocode in the text.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/clrscode3e/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/clrscode3e/clrscode3e.pdf
– local file	<code>./1811019143-clrscode3e.pdf</code>

1133 `clrstrip` – Place contents into a full width colour strip

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/clrscod3e
on MikTeX	<code>clrscod3e</code>
on TeXLive	<code>clrscod3e</code>
keyword	<code>pseudocode</code> (typeset languages for expressing algorithms)
see also	see section 1131 on page 1031: (<code>clrscod</code> – Typesets pseudocode as in Introduction to Algorithms)
see also	see section 4220 on page 3819: (<code>newalg</code> – Format algorithms like Cormen, Leiserson and Rivest)
language(s)	no language specified
last access	2025-02-07

1133 `clrstrip` – Place contents into a full width colour strip

Web page on CTAN	https://ctan.org/pkg/clrstrip
name	<code>clrstrip</code>
caption	Place contents into a full width colour strip
author	Spratte, Jonathan P.
copyright	Jonathan P. Spratte (2018-2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2021-08-28)
last changes	2021-08-28
year	2021
description	(no language specified) This lightweight package provides the <code>colorstrip</code> environment, that places its contents into a full page width colour strip.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/clrstrip/clrstrip.pdf
– local file	<code>./9384235204-clrstrip.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/clrstrip/README.md
contact	<i>repository</i> : https://github.com/Skillmon/ltx_clrstrip
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/clrstrip
on MikTeX	<code>clrstrip</code>

on T _E XLive	clstrip
keyword	colour (typesetting in colour)
see also	see section 5862 on page 5309: (tcolorbox – Coloured boxes, for LaTeX examples and theorems, etc)
language(s)	no language specified
last access	2025-02-07

1134 clsguide – Documentation of LaTeX class and package writing

Web page on CTAN <https://ctan.org/pkg/clsguide>

name	clsguide
caption	Documentation of LaTeX class and package writing
author	The LaTeX Project Team
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Documentation of commands (other than font-handling commands) that are useful when writing a LaTeX class or package. Part of a set of documentation that also covers new LaTeX 2e commands , font-handling , typesetting Cyrillic , LaTeX font encodings , configuration options and modification of latex .
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/macros/latex/base/clsguide.pdf
– local file	./9083027076-clsguide.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/base
on MikT _E X	ltxbase
on T _E XLive	latex
keyword	latex-doc (latex-doc(unknown))
language(s)	no language specified
year	without year
last access	2025-02-11

1135 cluttex – An automation tool for running LaTeX

Web page on CTAN <https://ctan.org/pkg/cluttex>

name `cluttex`

caption An automation tool for running LaTeX

author Arata, Mizuki

copyright ARATA Mizuki (2016-2024)

license gpl3+ = GNU General Public License, version 3 or newer (free)

version 0.7.0 (2025-03-16)

last changes 2025-03-16

year 2025

description (no language specified) This is another tool for the automation of LaTeX document processing, like [latexmk](#) or [arara](#) .

The main feature of this tool is that it does not clutter your working directory with `.aux` or `.log` or other auxiliary files.

It has of course the usual features of automation tools: It automatically re-runs (La)TeX for cross-references. [MakeIndex](#) , [BibTeX](#) , [Biber](#) , or [makeglossaries](#) will be executed if a corresponding option is set. Furthermore, `cluttex` can watch input files for changes (using an external program).

documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/support/cluttex/README.md>

documentation (English) *Package documentation*: <https://ctan.org/tex-archive/support/cluttex/doc/cluttex.pdf>

– local file `./5251287127-cluttex.pdf`

documentation (Japanese) *Package documentation*: <https://ctan.org/tex-archive/support/cluttex/doc/cluttex-ja.pdf>

– local file `./5983426835-cluttex-ja.pdf`

contact *bugs*: <https://github.com/minoki/cluttex/issues>

contact *repository*: <https://github.com/minoki/cluttex>

on CTAN <https://ctan.org/tex-archive/support/cluttex>

on MikTeX `cluttex`

on TeXLive `cluttex`

keyword compilation (the document compilation process)

keyword `use-lua` (package requires availability of lua)

language(s) English; Japanese
 last access 2025-03-27

1136 *cm* – Computer Modern fonts

Web page on CTAN <https://ctan.org/pkg/cm>

name *cm*

caption Computer Modern fonts

author Knuth, Donald E.

license knuth = Knuth License (free)

description (no language specified) Knuth's final iteration of his re-interpretation of a c.19 Modern-style font from Monotype. The family is comprehensive, offering both sans and roman styles, and a monospaced font, together with mathematics fonts closely integrated with the mathematical facilities of TeX itself.

The base fonts are distributed as [Metafont source](#) , but autotraced PostScript Type 1 versions are available (one version in the [AMS fonts](#) distribution, and also the [BaKoMa](#) distribution).

The Computer Modern fonts have inspired many later families, notably the [European Computer Modern](#) and the [Latin Modern](#) families.

on CTAN <https://ctan.org/tex-archive/fonts/cm>

on MikTeX *cm*

on TeXLive *cm*

keyword *font-proportional* (variable-spaced font)

keyword *font-mf* (fonts distributed as Metafont source)

keyword *font-mono* (monospaced font)

keyword *font* (fonts themselves)

keyword *font-cm* (font serving Computer Modern-style shapes)

language(s) no language specified

year without year

last access 2025-02-11

1137 cm-a fm – Adobe Font Metrics for the CM fontsWeb page on CTAN <https://ctan.org/pkg/cm-a fm>

name	cm-a fm
caption	Adobe Font Metrics for the CM fonts
author	MacKay, Pierre A.
license	knuth = Knuth License (free)
description	(no language specified) A set of AFM files, derived from the Computer Modern sources ; the purpose of creating the files was to make the fonts available to such applications as fontinst .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/cm/a fm/README
on CTAN	https://ctan.org/tex-archive/fonts/cm/a fm
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year
last access	2025-02-11

1138 cm-gf – Generate GF format for CMWeb page on CTAN <https://ctan.org/pkg/cm-gf>

name	cm-gf
caption	Generate GF format for CM
author	Ramsdell, John D
license	noinfo = noinfo
version	(1990-04-22)
last changes	1990-04-22
year	1990
description	(no language specified) A Makefile to generate GF files for the CM fonts. Note that GF format is typically not used nowadays, except as an intermediate stage, so this package is of little more than academic interest.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/cm/gf/README
on CTAN	https://ctan.org/tex-archive/fonts/cm/gf/Makefile

keyword	font (fonts themselves)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
last access	2025-02-11

1139 cm-lgc – Type 1 CM-based fonts for Latin, Greek and Cyrillic

Web page on CTAN <https://ctan.org/pkg/cm-lgc>

name	cm-lgc
caption	Type 1 CM-based fonts for Latin, Greek and Cyrillic
author	Kryukov, Alexey
copyright	Alexej Kryukov (2003-2005)
license	gpl = GNU General Public License (free)
version	0.5
description	(no language specified) The fonts are converted from Metafont sources of the Computer Modern font families, using textrace. Supported encodings are: T1 (Latin), T2A (Cyrillic), LGR (Greek) and TS1. The package also includes Unicode virtual fonts for use with Omega. The font set is not a replacement for any of the other Computer Modern-based font sets (for example, cm-super for Latin and Cyrillic, or cbgreek for Greek), since it is available at a single size only; it offers a compact set for ‘general’ working. The fonts themselves are encoded to external standards, and virtual fonts are provided for use with TeX.
documentation	(no language specified) <i>Installation instructions</i> : https://ctan.org/tex-archive/fonts/ps-type1/cm-lgc/INSTALL
documentation	(no language specified) <i>Bundle Readme</i> : https://ctan.org/tex-archive/fonts/ps-type1/cm-lgc/README
on CTAN	https://ctan.org/tex-archive/fonts/ps-type1/cm-lgc
on T _E XLive	cm-lgc
keyword	omega (Omega and packages that use it)
keyword	font-cyrillic (fonts for Cyrillic and related scripts)
keyword	font (fonts themselves)
keyword	font-mono (monospaced font)
keyword	font-serif (serif font)
keyword	font-sans (sans-serif font)

keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-greek (font for Greek (archaic, classical and modern))
language(s)	no language specified
year	2005
last access	2025-02-07

1140 *cm-mf* – Sources of the Computer Modern fonts

Web page on CTAN <https://ctan.org/pkg/cm-mf>

name	cm-mf
caption	Sources of the Computer Modern fonts
author	Knuth, Donald E.
license	knuth = Knuth License (free)
version	(2021-02-05)
last changes	2021-02-05
year	2021
description	(no language specified) These are the latest Metafont sources of Knuth's Computer Modern fonts. Most modern TeX distributions will generate TFM and bitmap files automatically, as needed, but there are (nevertheless) distributions of Computer Modern TFM files and PK files (at an arcane, and archaic, range of resolutions).
documentation	(no language specified) <i>Readme and implementation notes:</i> https://ctan.org/tex-archive/fonts/cm/mf/README
on CTAN	https://ctan.org/tex-archive/fonts/cm/mf
on MikTeX	cm
on TeXLive	cm
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
language(s)	no language specified
last access	2025-02-11

1141 **cm-mf-extra-bold** – Extra Metafont files for CM

Web page on CTAN <https://ctan.org/pkg/cm-mf-extra-bold>

name	cm-mf-extra-bold
caption	Extra Metafont files for CM
author	Kaspar, Wolfgang
author	Sozuer, Sami
license	gpl = GNU General Public License (free)
license	pd = Public Domain Software (free)
version	(2017-11-11)
last changes	2017-11-11
year	2017
description	(no language specified) The bundle provides bold versions of cmcsc, cmex, cmtex and cmtt fonts (all parts of the standard computer modern font distribution), as Metafont base files.
on CTAN	https://ctan.org/tex-archive/fonts/cm/mf-extra/bold
on MikTeX	cm
on T _E XLive	cm
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	no language specified
last access	2025-02-07

1142 **cm-mf-opt-kern** – Improve the kerning of CM fonts

Web page on CTAN <https://ctan.org/pkg/cm-mf-opt-kern>

name	cm-mf-opt-kern
caption	Improve the kerning of CM fonts
author	Pilzecker, Markus
license	noinfo = noinfo

description	(no language specified) The package offers revised versions of two files, <code>roman.mf</code> and <code>romlig.mf</code> , that appear in the Metafont definition of the Computer Modern fonts. Potential users should exercise caution in their use of the package; the kerning makes noticeable changes to the appearance of the output, and can cause confusion to anyone who doesn't know the fonts are non-standard.
documentation	(no language specified) <i>Notes and warnings on use of these adaptations:</i> https://ctan.org/tex-archive/fonts/cm/mf_optimized_kerning/readme
on CTAN	https://ctan.org/tex-archive/fonts/cm/mf_optimized_kerning
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
language(s)	no language specified
year	without year
last access	2025-02-07

1143 *cm-pk* – PK bitmaps of the Computer Modern fonts

Web page on CTAN	https://ctan.org/pkg/cm-pk
name	<code>cm-pk</code>
caption	PK bitmaps of the Computer Modern fonts
author	Knuth, Donald E.
license	knuth = Knuth License (free)
description	(no language specified) These are generated bitmap versions of the Computer Modern fonts, at resolutions and using Metafont settings defined long ago. (The resolutions available are 120 and 240dpi, and 300dpi for both write-black and write-white printer engines.) Since most modern distributions will generate any PK font needed, on the fly at output time, the present distribution is of little more than academic interest.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/cm/pk/README
on CTAN	https://ctan.org/tex-archive/fonts/cm/pk
on T _E XLive	<code>cm</code>
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>obsolete</code> (package declared obsolete)

language(s)	no language specified
year	without year
last access	2025-02-11

1144 cm-super – CM-Super family of fonts

Web page on CTAN <https://ctan.org/pkg/cm-super>

name	cm-super
caption	CM-Super family of fonts
author	Volovich, Vladimir
license	gpl = GNU General Public License (free)
description	(no language specified) The CM-Super family provides Adobe Type 1 fonts that replace the T1/TS1-encoded Computer Modern (EC/TC) , T1/TS1-encoded Concrete , T1/TS1-encoded CM bright and LH Cyrillic fonts (thus supporting all European languages except Greek), and bringing many ameliorations in typesetting quality. The fonts exhibit the same metrics as the Metafont-encoded originals.
documentation	(no language specified) <i>Bundle Readme</i> : https://ctan.org/tex-archive/fonts/ps-type1/cm-super/README
documentation	(no language specified) <i>Frequently Asked Questions</i> : https://ctan.org/tex-archive/fonts/ps-type1/cm-super/FAQ
on CTAN	https://ctan.org/tex-archive/fonts/ps-type1/cm-super
on MikTeX	cm-super
on T _E XLive	cm-super
keyword	font-proportional (variable-spaced font)
keyword	font-cm (font serving Computer Modern-style shapes)
keyword	font-mono (monospaced font)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
keyword	font-cyrillic (fonts for Cyrillic and related scripts)
language(s)	no language specified
year	without year
last access	2025-02-07

1145 *cm-tfm* – Metric files for the Computer Modern fonts

Web page on CTAN <https://ctan.org/pkg/cm-tfm>

name	<i>cm-tfm</i>
caption	Metric files for the Computer Modern fonts
author	Knuth, Donald E.
license	knuth = Knuth License (free)
description	(no language specified) These are the 75 metric (TFM) files for the official Computer Modern fonts by Donald Knuth. While they are not strictly necessary for current TeX systems (which can generate TFM files, as needed, on the fly), distributions do nevertheless carry them.
on CTAN	https://ctan.org/tex-archive/fonts/cm/tfm
on MikTeX	<i>cm</i>
on TeXLive	<i>cm</i>
keyword	<i>font-supp</i> (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year
last access	2025-02-11

1146 *cm-unicode* – Computer Modern Unicode font family

Web page on CTAN <https://ctan.org/pkg/cm-unicode>

name	<i>cm-unicode</i>
caption	Computer Modern Unicode font family
author	Panov, Andrey
author	Lečić, Nikola
license	ofl = The SIL Open Font License (free)
version	0.7.0

description	(no language specified) Computer Modern Unicode fonts, converted from Metafont sources using mfttrace with autotrace backend and fontforge. Some characters in several fonts are copied from Blue Sky type 1 fonts released by AMS. Currently the fonts contain glyphs from Latin (Metafont ec, tc, vnr), Cyrillic (lh), Greek (cbgreek when available) code sets and IPA extensions (from tipa). This font set contains 33 fonts. This archive contains AFM, PFB and OTF versions; the OTF version of the Computer Modern Unicode fonts works with TeX engines that directly support OpenType features, such as XeTeX and LuaTeX.
documentation	(no language specified) <i>Upright font tables</i> : https://ctan.org/tex-archive/fonts/cm-unicode/doc/cmunnrm.pdf
– local file	./6921810922-cmunrm.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/cm-unicode/README
documentation	(no language specified) <i>Italic font tables</i> : https://ctan.org/tex-archive/fonts/cm-unicode/doc/cmunti.pdf
– local file	./8557439457-cmunti.pdf
contact	<i>repository</i> : https://cm-unicode.sourceforge.io/
on CTAN	https://ctan.org/tex-archive/fonts/cm-unicode
on MikTeX	cm-unicode
on TeXLive	cm-unicode
keyword	font-otf (font in OpenType format)
keyword	font-sans (sans-serif font)
keyword	font-greek (font for Greek (archaic, classical and modern))
keyword	font-cm (font serving Computer Modern-style shapes)
keyword	font-proportional (variable-spaced font)
keyword	font-serif (serif font)
keyword	font (fonts themselves)
keyword	font-mono (monospaced font)
keyword	font-cyrillic (fonts for Cyrillic and related scripts)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
year	without year
last access	2025-02-07

1147 cmactex – TeX for the Macintosh

Web page on CTAN <https://ctan.org/pkg/cmactex>

name	cmactex
caption	TeX for the Macintosh
author	Kiffe, Tom
license	shareware = Shareware: A fee is required (not free)
version	4.5
description	(no language specified) This port of TeX for the Mac OS/X is based a current TeX system, and adds a DVI viewer MacDVI. (The author also offers a port of Ghostscript , with a PS->PDF. capability. It is compatible with common Mac text editors, and will cope with both files created either under Unix-based systems or under Windows.
documentation	(no language specified) <i>User guide</i> : http://www.kiffe.com/userguide.pdf
– local file	./1044167993-userguide.pdf
home page	http://www.kiffe.com/cmactex.html
on CTAN	https://ctan.org/tex-archive/systems/mac/cmactex
keyword	distribution (components (or support) of TeX distribution)
see also	see section 3713 on page 3359 : (mactex – The TeX Live Mac distribution)
language(s)	no language specified
year	without year
last access	2025-02-07

1148 cmap – Make PDF files searchable and copyable

Web page on CTAN <https://ctan.org/pkg/cmap>

name	cmap
caption	Make PDF files searchable and copyable
author	Volovich, Vladimir
author	Krüger, Marcel
copyright	Vladimir Volovich (2003-2021)
license	lppl = The LaTeX Project Public License (free)

version	1.0j (2021-02-06)
last changes	2021-02-06
year	2021
description	(no language specified) The cmap package provides character map tables, which make PDF files generated by pdfLaTeX both searchable and copy-able in acrobat reader and other compliant PDF viewers. Encodings supported are OT1, OT6, T1, T2A, T2B, T2C and T5, together with LAE (Arabic), LFE (Farsi) and LGR (Greek) and a variant OT1tt for cmtt-like fonts. The package’s main limitation currently is the inability to work with virtual fonts, because of limitations of pdfTeX. This restriction may be resolved in a future version of pdfTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cmap/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cmap
on MikTeX	cmap
on TeXLive	cmap
keyword	pdf-feat (access PDF features)
see also	see section 4028 on page 3643: (mmap – Include CMap resources in PDF files from pdfTeX)
see also	see section 4571 on page 4137: (pdftex – A TeX extension for direct creation of PDF)
language(s)	no language specified
last access	2025-02-07

1149 *cmarrows* – MetaPost arrows and braces in the Computer Modern style

Web page on CTAN <https://ctan.org/pkg/cmarrows>

name	cmarrows
caption	MetaPost arrows and braces in the Computer Modern style
author	Ekola, Tommy
license	lppl = The LaTeX Project Public License (free)
version	0.9
description	(no language specified) This MetaPost package contains macros to draw arrows and braces in the Computer Modern style.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/cmarrows/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/cmarrows/cmarrows.pdf
– local file	<code>./7590366328-cmarrows.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/cmarrows
on MikTeX	<code>cmarrows</code>
on T _E XLive	<code>cmarrows</code>
keyword	<code>graphics-symb</code> (create symbols, rather than select from a font)
see also	see section 4968 on page 4497: (<code>pst-text</code> – Text and character manipulation in PSTricks)
language(s)	no language specified
year	without year
last access	2025-02-07

1150 *cmastro* – Font for planetary symbols

Web page on CTAN	https://ctan.org/pkg/cmastro
name	<code>cmastro</code>
caption	Font for planetary symbols
license	<code>noinfo = noinfo</code>
description	(no language specified) The package provides a font as Metafont source (with driver files for a number of sizes), and LaTeX code for using the font.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/cmastro/README
on CTAN	https://ctan.org/tex-archive/fonts/cmastro
on MikTeX	<code>cmastro</code>
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>font-symbol</code> (fonts that provide collections of symbols)
keyword	<code>astronomy</code> (astronomy articles, astronomical charts)
language(s)	no language specified

year without year
last access 2025-02-07

1151 **cmathbb** – Computer modern mathematical blackboard bold font

Web page on CTAN <https://ctan.org/pkg/cmathbb>

table
name	cmathbb
caption	Computer modern mathematical blackboard bold font
author	Chao, Conden
copyright	Conden Chao (2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2020-09-17)
last changes	2020-09-17
year	2020
description	(no language specified) This font contains all digits and latin letters uppercase and lowercase for the Computer Modern font family in blackboard bold.
documentation	(no language specified) *Readme:* <https://ctan.org/tex-archive/fonts/cmathbb/README.md>
documentation	(no language specified) *Package documentation:* <https://ctan.org/tex-archive/fonts/cmathbb/doc/cmathbb.pdf>
– local file	./1656446447-cmathbb.pdf
on CTAN	<https://ctan.org/tex-archive/fonts/cmathbb>
on MikTeX	cmathbb
on TeXLive	cmathbb
keyword	font-supp-maths (metrics, macro incantations and other support for maths fonts)
language(s)	no language specified
last access	2025-02-07

1152 cmbright – Computer Modern Bright fonts

Web page on CTAN <https://ctan.org/pkg/cmbright>

name	cmbright
caption	Computer Modern Bright fonts
author	Harcombe, Keiran
author	Schmidt, Walter A.
license	lppl = The LaTeX Project Public License (free)
version	8.1
description	(no language specified) A family of sans serif fonts for TeX and LaTeX, based on Donald Knuth's CM fonts. It comprises OT1, T1 and TS1 encoded text fonts of various shapes as well as all the fonts necessary for mathematical typesetting, including AMS symbols. This collection provides all the necessary files for using the fonts with LaTeX. Free versions are available, in the cm-super font bundle (the T1 and TS1 encoded part of the set), and in the hfbright package (the OT1 encoded part, and the maths fonts).
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/cmbright/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/cmbright/cmbright.pdf
– local file	<code>./7220848389-cmbright.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/cmbright
on MikTeX	cmbright
on T _E XLive	cmbright
keyword	font-maths (fonts for use in mathematics)
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-sans (sans-serif font)
language(s)	no language specified
year	without year
last access	2025-02-07

1153 cmcyr – Computer Modern fonts with cyrillic extensions

Web page on CTAN <https://ctan.org/pkg/cmcyr>

name	cmcyr
caption	Computer Modern fonts with cyrillic extensions
author	Glonti, Nana
author	Samarin, Alexander
author	Malyshev, Basil
license	pd = Public Domain Software (free)
description	(no language specified) These are the Computer Modern fonts extended with Russian letters, in Metafont sources and ATM Compatible Type 1 format. The fonts are provided in KOI-7, but virtual fonts are available to recode them to three other Russian 8-bit encodings.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/cyrillic/cmcyr/README
on CTAN	https://ctan.org/tex-archive/fonts/cyrillic/cmcyr
on MikTeX	cmcyr
on T _E XLive	cmcyr
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-cyrillic (fonts for Cyrillic and related scripts)
keyword	font (fonts themselves)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
year	without year
last access	2025-02-07

1154 cmcyr-patch – A set of Type 1 Cyrillic fonts

Web page on CTAN <https://ctan.org/pkg/cmcyr-patch>

name	cmcyr-patch
caption	A set of Type 1 Cyrillic fonts
author	Peregoudov, Iliya
license	noinfo = noinfo
version	(2002-12-25)
last changes	2002-12-25
year	2002
description	(no language specified) This is a set of fonts, derived from a set within the Bakoma collection ; the originals had encoding problems, and the package offers modified (working) versions.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/cyrillic/cmcyr-encoding-patch/README.cmcyr-encoding-patch
on CTAN	https://ctan.org/tex-archive/fonts/cyrillic/cmcyr-encoding-patch
keyword	font-cyrillic (fonts for Cyrillic and related scripts)
keyword	font (fonts themselves)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
last access	2025-02-07

1155 cmcyralt-fonts – Russian fonts in "alternative" encoding

Web page on CTAN <https://ctan.org/pkg/cmcyralt-fonts>

name	cmcyralt-fonts
caption	Russian fonts in "alternative" encoding
author	Harin, Alexander
license	noinfo = noinfo
version	(1994-06-25)
last changes	1994-06-25
year	1994

description	(no language specified) The bundle provides VFs to generate a set of fonts that have Knuth’s CM in the bottom 128 slots, and modified cmcyr fonts, re-encoded into ‘alternative’ encoding, in the top 128 slots. Macro support in LaTeX is also available.
documentation	(no language specified) <i>Author’s original readme</i> : https://ctan.org/tex-archive/fonts/cyrillic/cmcyralt/readme.ori
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/cyrillic/cmcyralt/readme
on CTAN	https://ctan.org/tex-archive/fonts/cyrillic/cmcyralt
keyword	font (fonts themselves)
keyword	font-virtual (virtual font(s) using existing fonts)
keyword	font-cyrillic (fonts for Cyrillic and related scripts)
language(s)	no language specified
last access	2025-02-07

1156 cmcyralt-ltx – LaTeX support for the cmcyralt fonts

Web page on CTAN <https://ctan.org/pkg/cmcyralt-ltx>

name	cmcyralt-ltx
caption	LaTeX support for the cmcyralt fonts
author	Zhytnikov, Vadim V.
author	Harin, Alexander
license	noinfo = noinfo
version	1.0
description	(no language specified) Macros and fd files to use the cmcyralt fonts . Designed for use with an alternative-coded keyboard.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cmcyralt/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cmcyralt
on MikTeX	cmcyralt
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year

last access 2025-02-07

1157 *cmdstring* – Get command name reliably

Web page on CTAN <https://ctan.org/pkg/cmdstring>

name	cmdstring
caption	Get command name reliably
author	Noirel, Josselin
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) Extracts the letters of a command's name (e.g., <code>foo</code> for command <code>\foo</code>), in a reliable way.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cmdstring/cmdstring.pdf
– local file	<code>./7391954119-cmdstring.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cmdstring/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cmdstring
on MikTeX	cmdstring
on TeXLive	cmdstring
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	without year
last access	2025-02-07

1158 *cmdtrack* – Check used commands

Web page on CTAN <https://ctan.org/pkg/cmdtrack>

name	cmdtrack
caption	Check used commands
author	Downes, Michael J.
copyright	TeX Users Group (2012)
copyright	Michael John Downes (1999)

license	lpl1 = The LaTeX Project Public License 1 (free)
description	(no language specified) The package keeps track of whether a command defined in a document preamble is actually used somewhere in the document. After the package is loaded in the preamble of a document, all <code>\newcommand</code> (and similar command definitions) between that point and the beginning of the document will be marked for logging. At the end of the document a report of command usage will be printed in the TeX log, for example: • “mdash was used on line 25”; • “ndash was never used”.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/cmdtrack/cmdtrack.pdf
– local file	<code>./6884842306-cmdtrack.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cmdtrack
on MikTeX	<code>cmdtrack</code>
on T _E XLive	<code>cmdtrack</code>
keyword	<code>debug-supp</code> (support for package or document debugging)
language(s)	no language specified
year	2012
last access	2025-02-07

1159 *cmextra-latex* – Install macros for “standard” fonts not used by LaTeX itself

Web page on CTAN <https://ctan.org/pkg/cmextra-latex>

name	<code>cmextra-latex</code>
caption	Install macros for “standard” fonts not used by LaTeX itself
author	The LaTeX Project Team
copyright	The LaTeX3 Project (1993-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
description	(no language specified) This file extracts font definition files for extra Computer-Modern-based fonts: the Concrete fonts by Knuth (and their T1-encoded derivatives), and the Cyrillic fonts from the University of Washington (in their Sauter variant. (The sources of these font definition files are present in the LaTeX distribution, but they are not extracted by default.)
home page	http://www.latex-project.org/

on CTAN	https://ctan.org/tex-archive/macros/latex/base/cmextra.ins
on T _E XLive	latex
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	2024
last access	2025-02-07

1160 cmfrak – Reencoded versions of Haralambous fraktur fonts

Web page on CTAN <https://ctan.org/pkg/cmfrak>

name	cmfrak
caption	Reencoded versions of Haralambous fraktur fonts
author	Taupin, Daniel
license	noinfo = noinfo
version	1.0
description	(no language specified) Metafont sources to enable Haralambous’s Fraktur font to be built in a CM-like encoding (<code>cmfrak</code>) or a ”DC-like” encoding (effectively, LaTeX T1: <code>dcfrak</code>).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/gothic/cmfrak/00readme_fraktur.msg
on CTAN	https://ctan.org/tex-archive/fonts/gothic/cmfrak
on MikT _E X	cmfrak
on T _E XLive	gothic
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-gothic (font for gothic or blackletter shapes)
keyword	font (fonts themselves)
see also	see section 762 on page 701: (blacklettert1 – T1-encoded versions of Haralambous old German fonts)
language(s)	no language specified
year	without year
last access	2025-02-07

1161 *cmll* – Symbols for linear logic

Web page on CTAN <https://ctan.org/pkg/cmll>

name	cmll
caption	Symbols for linear logic
author	Beffara, Emmanuel
copyright	Emmanuel Beffara (2003-2009)
license	lppl = The LaTeX Project Public License (free)
version	(2009-04-20)
last changes	2009-04-20
year	2009
description	(no language specified) This is a very small font set that contain some symbols useful in linear logic, which are apparently not available elsewhere. Variants are included for use with Computer Modern serif and sans-serif and with the AMS Euler series. The font is provided both as Metafont source, and in Adobe Type 1 format. LaTeX support is provided.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/cmll/cmll.pdf
– local file	./4504415727-cmll.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/cmll/README
on CTAN	https://ctan.org/tex-archive/fonts/cmll
installation	https://ctan.org/tex-archive/install/fonts/cmll.tds.zip
on MikTeX	cmll
on T _E XLive	cmll
keyword	font (fonts themselves)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-maths (fonts for use in mathematics)
language(s)	no language specified
last access	2025-02-07

1162 cmoefont – Old English glyphs to go with Computer Modern

Web page on CTAN <https://ctan.org/pkg/cmoefont>

name	cmoefont
caption	Old English glyphs to go with Computer Modern
author	Bradfield, Julian
license	noinfo = noinfo
version	(1991-06-20)
last changes	1991-06-20
year	1991
description	(no language specified) The fonts contain eth, thorn and yogh characters, plus an ogonek diacritic. The lower-case thorn is also duplicated, in the upright fonts of the set, in a more ‘traditional’ shape.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/cmoefont/readme
on CTAN	https://ctan.org/tex-archive/fonts/cmoefont
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	no language specified
last access	2025-02-07

1163 cmolddig – Virtual fount setup for using old style digits

Web page on CTAN <https://ctan.org/pkg/cmolddig>

name	cmolddig
caption	Virtual fount setup for using old style digits
author	McDonnell, Rowland
license	lppl = The LaTeX Project Public License (free)
version	1.6
description	(no language specified) This package is a virtual font setup for using old style digits by default with the OT1 encoded Computer Modern Roman upright fonts. The eco package does the same job for the T1 encoded EC fonts and is generally much better because the EC fonts are like that; but then again, OT1 encoded cmr is available for free in TrueType and PS Type 1 formats and has its uses in pdf files as a result.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/cmolddig/readme.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/cmolddig/cmolddig.pdf
– local file	<code>./5375054912-cmolddig.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/cmolddig
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-virtual</code> (virtual font(s) using existing fonts)
language(s)	no language specified
year	without year
last access	2025-02-07

1164 *cmoutlines* – Outline versions of the Computer Modern fonts

Web page on CTAN	https://ctan.org/pkg/cmoutlines
name	<code>cmoutlines</code>
caption	Outline versions of the Computer Modern fonts
author	Henderson, Doug
author	Hosek, Don
license	<code>noinfo</code> = <code>noinfo</code>
version	(1992-09-27)
last changes	1992-09-27
year	1992
description	(no language specified) Metafont code which uses the original definitions of the CM fonts to produce an outline set. LaTeX support is available from the fundus outline package.
on CTAN	https://ctan.org/tex-archive/fonts/cm/cmoutlines
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>font</code> (fonts themselves)
language(s)	no language specified
last access	2025-02-07

1165 *cmpica* – A Computer Modern Pica variantWeb page on CTAN <https://ctan.org/pkg/cmpica>

name	<code>cmpica</code>
caption	A Computer Modern Pica variant
author	Hosek, Don
license	pd = Public Domain Software (free)
description	(no language specified) An approximate equivalent of the Xerox Pica typeface; the font is optimised for submitting fiction manuscripts to mainline publishers. The font is a fixed-width one, rather less heavy than Computer Modern typewriter. Emphasis for bold-face comes from a wavy underline of each letter. The two fonts are supplied as Metafont source.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/cmpica/README
on CTAN	https://ctan.org/tex-archive/fonts/cmpica
on MikTeX	<code>cmpica</code>
on TeXLive	<code>cmpica</code>
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
language(s)	no language specified
year	without year
last access	2025-02-07

1166 *cmpj* – Style for the journal Condensed Matter PhysicsWeb page on CTAN <https://ctan.org/pkg/cmpj>

name	<code>cmpj</code>
caption	Style for the journal Condensed Matter Physics
author	Shvaika, Andrij
copyright	Institute for Condensed Matter Physics of the National Academy of Sciences of Ukraine (2013-2021)
license	lppl = The LaTeX Project Public License (free)
version	3.03

description	(no language specified) The package contains macros and some documentation for typesetting papers for submission to the Condensed Matter Physics journal published by the Institute for Condensed Matter Physics of the National Academy of Sciences of Ukraine.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cmpj/README
documentation	(no language specified) <i>Template and instructions to authors</i> : https://ctan.org/tex-archive/macros/latex/contrib/cmpj/usrguide/template.pdf
– local file	<code>./6329611027-template.pdf</code>
home page	http://www.icmp.lviv.ua/journal/Instructions.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cmpj
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/cmpj.tds.zip
on MikTeX	<code>cmpj</code>
on T _E XLive	<code>cmpj</code>
keyword	physics (support for typesetting physics documents)
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
year	2021
last access	2025-02-07

1167 *cms4talks* – Content Management System for Talks

Web page on CTAN <https://ctan.org/pkg/cms4talks>

name	<code>cms4talks</code>
caption	Content Management System for Talks
author	Nebendahl, Olle
license	gpl = GNU General Public License (free)
version	(2006-05-12)
last changes	2006-05-12
year	2006

description	(no language specified) This is a small tool written in Java enhancing the searching within and rearranging of bigger collections of talks (and slides) written in LaTeX. The tool requires Java 1.5 (tested, but should work with older versions) and MySQL.
documentation	(English) <i>User manual</i> : https://ctan.org/tex-archive/support/cms4talks/Manual/manual.html
documentation	(English) <i>FAQ</i> : https://ctan.org/tex-archive/support/cms4talks/Manual/index.html
on CTAN	https://ctan.org/tex-archive/support/cms4talks
keyword	doc-mgmt (support for keeping track of document development)
language(s)	English
last access	2025-02-07

1168 cmsd – Interfaces to the CM Sans Serif Bold fonts

Web page on CTAN <https://ctan.org/pkg/cmsd>

name	cmsd
caption	Interfaces to the CM Sans Serif Bold fonts
author	Schmidt, Walter A.
author	Harcombe, Keiran
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The purpose of the package is to provide an alternative interface to the CM Sans Serif boldface fonts. The EC (T1, Cork) encoded versions of the ‘CM Sans Serif boldface extended’ fonts differ considerably from the traditionally (OT1) encoded ones: at large sizes, >10pt, they have thinner strokes and are much wider. At 25pt they are hardly to be recognized as being ‘boldface’. This package attempts to make these T1 fonts look like the traditional ones did. You do not need any new fonts; the package just changes the way LaTeX makes use of the current ones.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cmsd/readme
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cmsd
on MikTeX	cmsd
on TeXLive	cmsd
keyword	font-supp (metrics, macro incantations and other font support)

language(s)	no language specified
year	without year
last access	2025-02-07

1169 *cmslup* – Upright punctuation with CM slanted

Web page on CTAN <https://ctan.org/pkg/cmslup>

name	<code>cmslup</code>
caption	Upright punctuation with CM slanted
author	Veytsman, Boris
author	Znamenskii, Sergei V.
copyright	Sergei V. Znamenskii (2003)
license	lppl = The LaTeX Project Public License (free)
version	(2003-03-05)
last changes	2003-03-05
year	2003
description	(no language specified) The <code>cmslup</code> fonts address a problem with the appearance of punctuation in slanted text in mathematical documents. To achieve this, all punctuation characters are unslanted, and kerning between letters and punctuation is adjusted to allow for the italic correction. The fonts are implemented as a set of <code>vf</code> files; a package for support in LaTeX 2e is provided.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/cm/cmslup/cmslup.pdf
– local file	<code>./2458479076-cmslup.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/cm/cmslup/cmslup.txt
on CTAN	https://ctan.org/tex-archive/fonts/cm/cmslup
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-virtual</code> (virtual font(s) using existing fonts)
see also	see section 1172 on page 1065: (<code>cmtiup</code> – Upright punctuation with CM italic)
language(s)	no language specified
last access	2025-02-07

1170 `cmsrb` – Computer Modern for Serbian and Macedonian

Web page on CTAN <https://ctan.org/pkg/cmsrb>

name	<code>cmsrb</code>
caption	Computer Modern for Serbian and Macedonian
author	Stefanović, Uroš
license	gpl = GNU General Public License (free)
version	4.0 (2020-03-30)
last changes	2020-03-30
year	2020
description	(no language specified) This package provides provides Adobe Type 1 Computer Modern fonts for the Serbian and Macedonian languages. Although the <code>cm-super</code> package provides great support for cyrillic script in various languages, there remains a problem with italic variants of some letters for Serbian and Macedonian. This package includes the correct shapes for italic letters <code>\cyrb</code>, <code>\cyrg</code>, <code>\cyrd</code>, <code>\cyrp</code>, and <code>\cyrt</code>. It also offers some improvements in letters and accents used in the Serbian language. Supported encodings are: T1, T2A, TS1, X2 and OT2. The OT2 encoding is modified so that it is now easy to transcribe Latin text to Cyrillic.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/cmsrb/doc/cmsrb.pdf
– local file	<code>./1588149051-cmsrb.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/cmsrb/README.md
documentation	<i>Package documentation (Serbian)</i>: https://ctan.org/tex-archive/fonts/cmsrb/doc/cmsrb-SR.pdf
– local file	<code>./6396746050-cmsrb-SR.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/cmsrb
on MikTeX	<code>cmsrb</code>
on TeXLive	<code>cmsrb</code>
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-cyrillic</code> (fonts for Cyrillic and related scripts)
keyword	<code>font-cm</code> (font serving Computer Modern-style shapes)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)

keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-mono (monospaced font)
keyword	font (fonts themselves)
keyword	font-multilingual (font with adaptations to several languages)
keyword	font-proportional (variable-spaced font)
keyword	font-t1enc (font providing LaTeX T1 encoding support)
keyword	font-sans (sans-serif font)
language(s)	Serbian
last access	2025-02-07

1171 *cmtest* – CM fonts test sources

Web page on CTAN <https://ctan.org/pkg/cmtest>

name	cmtest
caption	CM fonts test sources
author	Knuth, Donald E.
license	knuth = Knuth License (free)
description	(no language specified) Test files for the CM distribution. Unfortunately, some support files, mentioned in the Readme file, are lost.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/cm/cmtest/0_read_me
on CTAN	https://ctan.org/tex-archive/fonts/cm/cmtest
keyword	font-devel (support for font development, testing and characterisation)
language(s)	no language specified
year	without year
last access	2025-02-11

1172 *cmtiup* – Upright punctuation with CM italic

Web page on CTAN <https://ctan.org/pkg/cmtiup>

name	<code>cmtiup</code>
caption	Upright punctuation with CM italic
author	Znamenskii, Sergei V.
author	Veytsman, Boris
copyright	Boris Veytsman (2010-2025)
copyright	Sergei V. Znamenskii (2003)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.2 (2025-06-15)
last changes	2025-06-15
year	2025
description	(no language specified) The <code>cmtiup</code> fonts address a problem with the appearance of punctuation in italic text in mathematical documents. To achieve this, all punctuation characters are upright, and kerning between letters and punctuation is adjusted to allow for the italic correction. The fonts are implemented as a set of <code>vf</code> files; a package for support in LaTeX 2e is provided.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/cm/cmtiup/cmtiup.pdf
– local file	<code>./5699763312-cmtiup.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/cm/cmtiup/README
on CTAN	https://ctan.org/tex-archive/fonts/cm/cmtiup
installation	https://ctan.org/tex-archive/install/fonts/cm/cmtiup.tds.zip
on MikTeX	<code>cmtiup</code>
on TeXLive	<code>cmtiup</code>
keyword	<code>font-virtual</code> (virtual font(s) using existing fonts)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
see also	see section 1169 on page 1062: (<code>cmslup</code> – Upright punctuation with CM slanted)

language(s) no language specified
last access 2025-06-25

1173 `cmtt` – A package for handling the `cmtt` font better

Web page on CTAN <https://ctan.org/pkg/cmtt>

name `cmtt`
caption A package for handling the `cmtt` font better
author Wooding, Mark
license gpl = GNU General Public License (free)
version 1.1
description (no language specified) The package introduces a special encoding for the font, and provides a command which allows you to use all the characters without the disadvantages of verbatim text.
The package is part of the [mdwtools](#) bundle.
documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/mdwtools/cmtt.pdf>
– local file `./1625436589-cmtt.pdf`
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/mdwtools/README>
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/mdwtools>
on MikTeX `mdwtools`
on T_EXLive `mdwtools`
keyword `font-use` (font selection, mapping, etc.)
language(s) no language specified
year without year
last access 2025-02-07

1174 cmttype3 – Type 3 outline versions of the CM fonts

Web page on CTAN <https://ctan.org/pkg/cmttype3>

name	CM Type3
caption	Type 3 outline versions of the CM fonts
author	Toal, Graham
license	noinfo = noinfo
version	(1992-08-10)
last changes	1992-08-10
year	1992
description	(no language specified) Auto-traced outline versions of the fonts, generated from 3000dpi gf versions. Other auto-traced versions, converted to Adobe Type 1, are available in the AMS and BaKoMa font distributions.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/cm/ps-type3/cmrxps.README
on CTAN	https://ctan.org/tex-archive/fonts/cm/ps-type3
keyword	obsolete (package declared obsolete)
language(s)	no language specified
last access	2025-02-07

1175 cmupint – Upright integral symbols for Computer Modern

Web page on CTAN <https://ctan.org/pkg/cmupint>

name	cmupint
caption	Upright integral symbols for Computer Modern
author	Stefanović, Uroš
license	lppl = The LaTeX Project Public License (free)
version	1.1 (2020-04-13)
last changes	2020-04-13
year	2020
description	(no language specified) This package contains various upright integral symbols to match the Computer Modern font.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/cmupint/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/cmupint/doc/cmupint.pdf
– local file	<code>./6361357783-cmupint.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/cmupint
on MikTeX	cmupint
on TeXLive	cmupint
keyword	font-symbol-maths (collections of mathematical symbols)
keyword	font-maths (fonts for use in mathematics)
keyword	font-cm (font serving Computer Modern-style shapes)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
last access	2025-02-07

1176 *cmymk-hax* – A TeX macro package for colour manipulation (using PostScript)

Web page on CTAN <https://ctan.org/pkg/cmymk-hax>

name	cmymk-hax
caption	A TeX macro package for colour manipulation (using PostScript)
author	BOP
license	pd = Public Domain Software (free)
version	0.75
description	(no language specified) A set of TeX macros supporting colour separation and substitution using the TeX/PostScript environment. Requires dvips and <code>colordvi.tex/sty</code> from the standard dvips distribution. The current version enables processing of CMYK bitmaps.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/TeX-PS/cmymk-hax/cmymk-doc.pdf
– local file	<code>./7723227179-cmymk-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/TeX-PS/cmymk-hax/README

on CTAN	https://ctan.org/tex-archive/macros/generic/TeX-PS/cmyk-hax
on MikTeX	tex-ps
on T _E XLive	tex-ps
keyword	book-pub (preparing a book for publication)
keyword	colour (typesetting in colour)
language(s)	no language specified
year	without year
last access	2025-02-07

1177 *cnbwp* – Typeset working papers of the Czech National Bank

Web page on CTAN	https://ctan.org/pkg/cnbwp
name	cnbwp
caption	Typeset working papers of the Czech National Bank
author	Wagner, Zdeněk
license	lppl = The LaTeX Project Public License (free)
version	2024.02
description	(no language specified) The package supports proper formatting of Working Papers of the Czech National Bank (WP CNB). The package was developed for CNB but it is also intended for authors from outside CNB.
documentation	(no language specified) <i>Package documentation (Czech)</i> : https://ctan.org/tex-archive/macros/latex/contrib/cnbwp/doc/cnbwp-manual-cs.pdf
– local file	./3632400193-cnbwp-manual-cs.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cnbwp/README
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/cnbwp/doc/cnbwp-manual-en.pdf
– local file	./4913536399-cnbwp-manual-en.pdf
home page	https://www.zdenek-wagner.eu/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cnbwp

on MikTeX	<code>cnbwp</code>
on T _E XLive	<code>cnbwp</code>
keyword	<code>misc-paper</code> (discussion/working paper (rather than journal paper))
language(s)	no language specified
year	without year
last access	2025-02-07

1178 `cnltx` – LaTeX tools and documenting facilities

Web page on CTAN <https://ctan.org/pkg/cnltx>

name	<code>cnltx</code>
caption	LaTeX tools and documenting facilities
author	Niederberger, Clemens
copyright	Clemens Niederberger (2013-2019)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.15 (2019-11-01)
last changes	2019-11-01
year	2019
description	(no language specified) This is a versatile bundle of packages and classes for consistent formatting of control sequences, package options, source code examples, and writing a package manual (including an index containing the explained control sequences, options, ldots). The bundle also provides several other small ideas of mine such as a mechanism for providing abbreviations etc. Not at least it provides a number of programming tools. The intention behind this bundle mainly is a selfish one: documenting my own packages. The bundle contains an index style file <code>cnltx.ist</code> that should be placed in a directory in a TDS <code>makeindex</code> directory.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cnltx/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cnltx/cnltx_en.pdf
– local file	<code>./6608136477-cnltx_en.pdf</code>
contact	<i>repository</i> : https://github.com/cgnieder/cnltx/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cnltx

on MikTeX	cnltx
on T _E XLive	cnltx
keyword	expl3 (expl3(unknown))
keyword	class (alternative LaTeX class(es))
keyword	macro-demo (print (La)TeX code verbatim alongside the rendered result)
keyword	doc-supp (macros and tools for preparing documentation)
language(s)	no language specified
last access	2025-02-07

1179 *cnoweb* – Simple “quality” printing of C sources

Web page on CTAN <https://ctan.org/pkg/cnoweb>

name	cnoweb
caption	Simple “quality” printing of C sources
author	Fox, Jim
license	noinfo = noinfo
version	1.6
description	(no language specified) The Cnoweb system defines structure for comments in a C program; such C programs may be processed either by a C compiler, or by TeX, which will recognise the structured comments and typeset them nicely.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/web/c_cpp/cnoweb/README
on CTAN	https://ctan.org/tex-archive/web/c_cpp/cnoweb
keyword	litprog (literate programming)
language(s)	no language specified
year	without year
last access	2025-02-07

1180 cntdwn – Support for countdowns, and for clocks in any timezoneWeb page on CTAN <https://ctan.org/pkg/cntdwn>

name	cntdwn
caption	Support for countdowns, and for clocks in any timezone
author	Story, Donald P.
copyright	D. P. Story (2010)
license	lpl1 = The LaTeX Project Public License 1 (free)
version	0.6 (2014-11-26)
last changes	2014-11-26
year	2014
description	(no language specified) The package provides three sets of timers: • A short countdown (or count up) to an event. (Short being defined as less than a day.) The short countdown is designed for talks or presentations. There are three notification times, to announce to the speaker and audience that time is running out; • A long countdown to an event in the (distant) future. There are three notifications up to the main event (when counter reaches 0 seconds), and three notifications following 0 seconds; • Clock counters. The package allows you to create clocks that display time and date. Clocks can show local time or time in any foreign time zone.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cntdwn/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cntdwn/doc/cntdwn_man.pdf
– local file	./9800869599-cntdwn_man.pdf
home page	http://www.math.uakron.edu/~dpstory/cntdwn.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cntdwn
on MikTeX	cntdwn
keyword	pdf-feat (access PDF features)
keyword	date-time (manipulate dates and/or times)
language(s)	no language specified
last access	2025-02-07

1181 cntformats – A different way to read counters

Web page on CTAN <https://ctan.org/pkg/cntformats>

name	cntformats
caption	A different way to read counters
author	Niederberger, Clemens
copyright	Clemens Niederberger (2012-2014)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.7 (2014-07-20)
last changes	2014-07-20
year	2014
description	(no language specified) The package offers package or class authors a way to format counters with ‘patterns’. These patterns do not affect ‘normal’ LaTeX treatment of counters.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/cntformats/cntformats_en.pdf
– local file	./4615551992-cntformats_en.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/cntformats/README
contact	<i>repository:</i> https://github.com/cgnieder/cntformats/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cntformats
on MikTeX	cntformats
on T _E XLive	cntformats
keyword	numbers (formatting numbers, etc)
language(s)	no language specified
last access	2025-02-07

1182 cntperchap – Store counter values per chapter

Web page on CTAN <https://ctan.org/pkg/cntperchap>

name	cntperchap
caption	Store counter values per chapter
author	Hupfer, Christian
copyright	Dr. Christian Hupfer (2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.3 (2015-06-01)
last changes	2015-06-01
year	2015
description	(no language specified) This package stores values of counters (which have been registered beforehand) on a per chapter base and provides the values on demand in the 2nd LaTeX compilation run. In this way it is possible to know how many sections etc. there are lying ahead and to react to these counter values, if needed. This is a preliminary version that has been tested with book.cls , memoir.cls , and scrbook.cls . The packages assoccnt (by the same author) and xparse are needed as well.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/cntperchap/cntperchap_doc.pdf
– local file	<code>./5789414148-cntperchap_doc.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/cntperchap/README
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/cntperchap/cntperchap_example.pdf
– local file	<code>./8474134624-cntperchap_example.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cntperchap
on MikTeX	cntperchap
on TeXLive	cntperchap
keyword	macro-supp (support for development of (La)TeX macros)
keyword	counter-mgmt (management of counters)

see also	see section 6748 on page 6086: (<code>xcntperchap</code> – Track the number of subsections etc. that occur in a specified tracklevel)
language(s)	no language specified
last access	2025-02-07

1183 *cochineal* – Cochineal fonts with LaTeX support

Web page on CTAN <https://ctan.org/pkg/cochineal>

name	<code>cochineal</code>
caption	Cochineal fonts with LaTeX support
author	Sharpe, Michael
copyright	Michael Sharpe (2016-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
license	ofl = The SIL Open Font License (free)
version	1.085 (2024-03-08)
last changes	2024-03-08
year	2024
description	(no language specified) Cochineal is a fork from the Crimson fonts (Roman, Italic, Bold, BoldItalic only) released under the OFL by Sebastian Kosch. These remarkable fonts are inspired by the famous oldstyle fonts in the <i>garalde</i> family (Garamond, Bembo) but, in the end, look more similar to Minion, though with smaller xheight and less plain in detail. The Crimson fonts on which these were based had roughly 4200 glyphs in the four styles mentioned above. Cochineal adds more than 1500 glyphs in those styles so that it is possible to make a TeX support collection that contains essentially all glyphs in all styles. Bringing the Semibold styles up the same level would have required adding about 2000 additional glyphs, which I could not even contemplate. The fonts are provided in OpenType and PostScript formats.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/cochineal/README
documentation	(no language specified) <i>Package manual</i>: https://ctan.org/tex-archive/fonts/cochineal/doc/cochineal-doc.pdf
– local file	<code>./2698346414-cochineal-doc.pdf</code>
documentation	(no language specified) <i>Using the font with XeLaTeX or LuaLaTeX</i>: https://ctan.org/tex-archive/fonts/cochineal/doc/cochineal-otf-doc.pdf

– local file	<code>./1902035113-cochineal-otf-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/cochineal
on MikTeX	<code>cochineal</code>
on TeXLive	<code>cochineal</code>
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-greek</code> (font for Greek (archaic, classical and modern))
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-tlenc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-cyrillic</code> (fonts for Cyrillic and related scripts)
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-multilingual</code> (font with adaptations to several languages)
language(s)	no language specified
last access	2025-02-07

1184 *code* – Typeset “code” in verbatim

Web page on CTAN <https://ctan.org/pkg/code>

name	<code>code</code>
caption	Typeset “code” in verbatim
author	Ferguson, George
license	<code>noinfo = noinfo</code>
version	(1991-07-03)
last changes	1991-07-03
year	1991
description	(no language specified) Uses the <code>verbatim</code> package to typeset code, and offers alignment and positioning options, as well as the possibility of framing the code sample.

on CTAN <https://ctan.org/tex-archive/macros/latex209/contrib/code>

keyword `verbatim` (verbatim typesetting, etc.)

language(s) no language specified

last access 2025-02-07

1185 `code128` – Barcode macros for the Code 128 standard

Web page on CTAN <https://ctan.org/pkg/code128>

name `code128`

caption Barcode macros for the Code 128 standard

author Olšák, Petr

license `gpl` = GNU General Public License (free)

description (no language specified) The macros work both with Plain TeX and LaTeX. Details of usage may be gleaned from the test file the author provides.

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/generic/code128/README>

on CTAN <https://ctan.org/tex-archive/macros/generic/code128>

keyword `barcode` (barcodes and other machine-readable tags)

see also see section 456 on page 417: (`barcodes` – Fonts for making barcodes)

see also see section 1776 on page 1603: (`ean` – Macros for making EAN barcodes)

language(s) no language specified

year without year

last access 2025-02-07

1186 `codeanatomy` – Typeset code with annotations

Web page on CTAN <https://ctan.org/pkg/codeanatomy>

name `codeanatomy`

caption Typeset code with annotations

author Bùi, Hồng-Phúc

copyright Hồng-Phúc Bùi (2008-2025)

license `lpl1.3c` = The LaTeX Project Public License 1.3c (free)

version	0.5-Beta
description	(no language specified) The idea of this Package is to typeset illustrations of pieces of code with annotations on each single part of code (Code Anatomy). The origin of this idea are code illustrations from the book "Computer Science: An Interdisciplinary Approach" from Robert Sedgewick and Kevin Wayne. The package depends on <code>expl3</code> , <code>xparse</code> , and <code>TikZ</code> .
documentation	(no language specified) <i>Usage with "listings"</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/codeanatomy/codeanatomy.lstlisting.pdf
– local file	<code>./5623350630-codeanatomy.lstlisting.pdf</code>
documentation	(no language specified) <i>Package documentation (Implementation)</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/codeanatomy/codeanatomy.pdf
– local file	<code>./5711834977-codeanatomy.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/codeanatomy/README.md
documentation	(no language specified) <i>Package documentation (Usage)</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/codeanatomy/codeanatomy.usage.pdf
– local file	<code>./3424593483-codeanatomy.usage.pdf</code>
contact	<i>repository</i> : https://github.com/hpb-htw/codeanatomy.git
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/codeanatomy
on MikTeX	<code>codeanatomy</code>
on TeXLive	<code>codeanatomy</code>
keyword	<code>program-doc</code> (support for programming documentation)
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>graphics</code> (<code>graphics</code> (support packages))
language(s)	no language specified
year	2025
last access	2025-10-27

1187 codebox – Highlighted source code in a fancy box

Web page on CTAN <https://ctan.org/pkg/codebox>

name	codebox
caption	Highlighted source code in a fancy box
author	Geng, Nan
copyright	Nan Geng (2020-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.4 (2022-01-28)
last changes	2022-01-28
year	2022
description	(no language specified) This LaTeX3 package provides environments <code>codebox</code> and <code>codeview</code> to typeset with an environment body, and macros <code>\codefile</code> and <code>\cvfile</code> to typeset programming source code from a file in a fancy box. Starred versions of these environments and macros are provided to add a comment at the bottom of the fancy box. The package is based on tcolorbox , minted , and listings .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/codebox/README.md
documentation	<i>Package documentation (Chinese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/codebox/codebox.pdf
– local file	<code>./1859542095-codebox.pdf</code>
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/codebox/codebox-doc-en.pdf
– local file	<code>./8803868169-codebox-doc-en.pdf</code>
contact	<i>bugs</i> : https://github.com/registor/codebox/issues
contact	<i>repository</i> : https://github.com/registor/codebox
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/codebox
on MikTeX	codebox
on TeXLive	codebox
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
keyword	synt-htl (highlight syntax of computer code, etc.)

keyword	boxing (creating boxes)
keyword	listing (computer code listing)
keyword	expl3 (expl3(unknown))
language(s)	Chinese
last access	2025-02-11

1188 codedescribe – LaTeX code description and documentation

Web page on CTAN <https://ctan.org/pkg/codedescribe>

name	codedescribe
caption	LaTeX code description and documentation
author	Frigeri, Alceu
copyright	Alceu Frigeri (2023-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	agpl3 = GNU Affero General Public License, version 3 (free)
version	1.24a (2026-02-14)
last changes	2026-02-14
year	2026
description	(no language specified) This package aims to document both document level as well package/class level commands. It is fully implemented using expl3 . Besides that the scontents and listing packages are used to typeset code snippets.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/codedescribe/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/codedescribe/doc/codedescribe.pdf
– local file	./4889489531-codedescribe.pdf
contact	<i>support</i> : https://github.com/alceu-frigeri/codedescribe/discussions
contact	<i>bugs</i> : https://github.com/alceu-frigeri/codedescribe/issues
contact	<i>repository</i> : https://github.com/alceu-frigeri/codedescribe
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/codedescribe

on MikTeX	codedescribe
on T _E XLive	codedescribe
keyword	doc-supp (macros and tools for preparing documentation)
language(s)	no language specified
last access	2026-02-18

1189 codedoc – LaTeX code and documentation in LaTeX-format file

Web page on CTAN <https://ctan.org/pkg/codedoc>

name	codedoc
caption	LaTeX code and documentation in LaTeX-format file
author	Robbers, Yuri
author	Isambert, Paul
license	lppl = The LaTeX Project Public License (free)
version	0.3
description	(no language specified) The CodeDoc class is an alternative to DocStrip (and others) to produce LaTeX code along with its documentation without departing from LaTeX's ordinary syntax. The documentation is prepared like any other LaTeX document and the code to be commented verbatim is simply delimited by an environment. When an option is turned on in the class options, this code is written to the desired file(s). The class also includes fully customizable verbatim environments which provide the author with separate commands to typeset the material and/or to execute it.
documentation	(no language specified) <i>Package manual</i>: https://ctan.org/tex-archive/macros/latex/contrib/codedoc/CodeDoc-manual.pdf
– local file	<code>./9734320655-CodeDoc-manual.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/codedoc/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/codedoc
on MikTeX	codedoc
on T _E XLive	codedoc
keyword	doc-supp (macros and tools for preparing documentation)
see also	see section 1642 on page 1489: (doc – Format LaTeX documentation)

see also	see section 2567 on page 2324: (gmdoc – Documentation of LaTeX packages)
language(s)	no language specified
year	without year
last access	2025-02-07

1190 *codehigh* – Highlight code and demos with *l3regex* and *lpeg*

Web page on CTAN <https://ctan.org/pkg/codehigh>

name	codehigh
caption	Highlight code and demos with <i>l3regex</i> and <i>lpeg</i>
author	Lyu, Jianrui
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2025C (2025-02-21)
last changes	2025-02-21
year	2025
description	(no language specified) This package uses the <i>l3regex</i> package from the LaTeX3 Programming Layer to parse and highlight source code and demos. It is more powerful than the <i>listings</i> package, and more easy to use than <i>minted</i> . But it is slower than both of them. Therefore in LuaTeX the package provides another way to highlight code: using LPeg (Parsing Expression Grammars for Lua). LPeg is much more powerful and faster than <i>l3regex</i> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/codehigh/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/codehigh/codehigh.pdf
– local file	./5634386780-codehigh.pdf
contact	<i>bugs</i> : https://github.com/lvjrr/codehigh/issues
contact	<i>repository</i> : https://github.com/lvjrr/codehigh
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/codehigh
on MikTeX	codehigh
on T _E XLive	codehigh
keyword	listing (computer code listing)
keyword	expl3 (expl3(unknown))

keyword	<code>synt-hlt</code> (highlight syntax of computer code, etc.)
keyword	<code>use-luatex</code> (package will use LuaTeX facilities if available)
language(s)	no language specified
last access	2025-02-28

1191 **codepage** – Support for variant code pages

Web page on CTAN <https://ctan.org/pkg/codepage>

name	codepage
caption	Support for variant code pages
author	Aubord, Alain
license	other-free = Free license not otherwise listed (free)
version	(2011-01-18)
last changes	2011-01-18
year	2011
description	(no language specified) The package provides a mechanism for inputting non-ASCII text. Nowadays, the job is mostly done by the inputenc package in the LaTeX distribution.
documentation	(French) <i>Introduction to package</i> : https://ctan.org/tex-archive/macros/latex/contrib/codepage/frintro.pdf
– local file	<code>./3893459839-frintro.pdf</code>
documentation	(English) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/codepage/README
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/codepage/codepage.pdf
– local file	<code>./3916626063-codepage.pdf</code>
documentation	(French) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/codepage/LISEZMOI
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/codepage
on MikTeX	codepage
on T _E XLive	codepage
keyword	<code>inputenc</code> (input encoding support for TeX engines)
language(s)	English; French

last access 2025-02-07

1192 `codesection` – Provides an environment that may be conditionally included

Web page on CTAN <https://ctan.org/pkg/codesection>

name	<code>codesection</code>
caption	Provides an environment that may be conditionally included
author	Pospiech, Matthias
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1 (2014-06-27)
last changes	2014-06-27
year	2014
description	(no language specified) This package provides an environment to switch a section of code on or off. The code may be placed anywhere in the file (it is not limited to the document or the preamble). The motivation for this package was to have commands which allow preselection based on whether sections of code in a preamble of a template are executed.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/codesection/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/codesection/codesection.pdf
– local file	<code>./2443190615-codesection.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/codesection
on MikTeX	<code>codesection</code>
on TeXLive	<code>codesection</code>
keyword	<code>cond-comp</code> (conditional typesetting)
see also	see section 1237 on page 1124: (<code>comment</code> – Selectively include/exclude portions of text)
see also	see section 4405 on page 3991: (<code>optional</code> – Facilitate optional printing of parts of a document)
see also	see section 6603 on page 5966: (<code>version</code> – Conditionally include text)
language(s)	no language specified

last access 2025-02-07

1193 *codicefiscaleitaliano* – Test the consistency of the Italian personal Fiscal CodeWeb page on CTAN <https://ctan.org/pkg/codicefiscaleitaliano>

name	codicefiscaleitaliano
caption	Test the consistency of the Italian personal Fiscal Code
author	Beccari, Claudio
copyright	Claudio Beccari (2012)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2
description	(no language specified) The alphanumeric string that forms the Italian personal Fiscal Code is prone to be misspelled thus rendering a legal document invalid. The package quickly verifies the consistency of the fiscal code string, and can therefore be useful for lawyers and accountants that use fiscal codes very frequently.
documentation	<i>Package documentation (principally Italian):</i> https://ctan.org/tex-archive/macros/latex/contrib/codicefiscaleitaliano/codicefiscaleitaliano.pdf
– local file	./2253811684-codicefiscaleitaliano.pdf
documentation	<i>Readme (English and Italian):</i> https://ctan.org/tex-archive/macros/latex/contrib/codicefiscaleitaliano/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/codicefiscaleitaliano
on MikTeX	codicefiscaleitaliano
on TeXLive	codicefiscaleitaliano
keyword	calculation (perform calculations within TeX)
keyword	italian (support for typesetting Italian)
language(s)	Italian
year	2012
last access	2025-02-07

1194 coelacanth – Coelacanth fonts with LaTeX support

Web page on CTAN <https://ctan.org/pkg/coelacanth>

name	coelacanth
caption	Coelacanth fonts with LaTeX support
author	Tennent, Bob
license	ofl = The SIL Open Font License (free)
license	lppl = The LaTeX Project Public License (free)
version	0.005 (2022-09-29)
last changes	2022-09-29
year	2022
description	(no language specified) This package provides LaTeX, pdfLaTeX, XeLaTeX, and LuaLaTeX support for Coelacanth fonts, designed by Ben Whitmore. Coelacanth is inspired by the classic Centaur type design of Bruce Rogers, described by some as the most beautiful typeface ever designed. It aims to be a professional quality type family for general book typesetting.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/coelacanth/README
documentation	(no language specified) <i>Font samples</i>: https://ctan.org/tex-archive/fonts/coelacanth/doc/coelacanth-samples.pdf
– local file	<code>./9679055779-coelacanth-samples.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/coelacanth
installation	https://ctan.org/tex-archive/install/fonts/coelacanth.tds.zip
on MikTeX	coelacanth
on T _E XLive	coelacanth
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font-proportional (variable-spaced font)
keyword	font-otf (font in OpenType format)
keyword	font-suppl (metrics, macro incantations and other font support)
keyword	font (fonts themselves)
keyword	font-serif (serif font)

1195 coffeestains – Add coffee stains to documents

keyword font-t1enc (font providing LaTeX T1 encoding support)
language(s) no language specified
last access 2025-02-07

1195 coffeestains – Add coffee stains to documents

Web page on CTAN <https://ctan.org/pkg/coffeestains>

name coffeestains

caption Add coffee stains to documents

author Bideault, Patrick

license pd = Public Domain Software (free)

version 0.5.1

description (no language specified) This package provides an essential feature that LaTeX has been missing for too long: It adds coffee stains to your documents. A lot of time can be saved by printing stains directly on the page rather than adding them manually.

documentation *French documentation:* <https://ctan.org/tex-archive/graphics/pgf/contrib/coffeestains/coffeestains-fr.pdf>

– local file ./3632189447-coffeestains-fr.pdf

documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/graphics/pgf/contrib/coffeestains/README.md>

documentation (no language specified) *English documentation:* <https://ctan.org/tex-archive/graphics/pgf/contrib/coffeestains/coffeestains-en.pdf>

– local file ./7560188137-coffeestains-en.pdf

contact *repository:* <https://framagit.org/Pathe/coffeestains>

on CTAN <https://ctan.org/tex-archive/graphics/pgf/contrib/coffeestains>

on MikTeX coffeestains

on T_EXLive coffeestains

keyword amusements (jokes, distractions, tongue-in-cheek packages, and other entertainment material)

keyword graphics (graphics (support packages))

keyword pgf-tikz (package uses PGF-TikZ)

language(s) French

year without year
last access 2025-02-07

1196 **collargs** – Collect arguments of any command

Web page on CTAN <https://ctan.org/pkg/collargs>

name	CollArgs
caption	Collect arguments of any command
author	Živanović, Sašo
copyright	Sašo Živanović (2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2.0 (2024-03-15)
last changes	2024-03-15
year	2024
description	(no language specified) This is a cross-format package providing a command which can determine the argument scope of any command whose argument structure conforms to xparse’s argument specification. It was implemented as an auxiliary package of Advice ... which in turn was implemented as an auxiliary package of Memoize . This is why it is, somewhat unconventionally, documented alongside that package. This applies to both the manual and the documented code listing.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/generic/collargs/README.md
contact	<i>repository</i> : https://github.com/sasozivanovic/memoize
on CTAN	https://ctan.org/tex-archive/macros/generic/collargs
installation	https://ctan.org/tex-archive/install/macros/generic/collargs.tds.zip
on MikTeX	collargs
on T _E XLive	collargs
keyword	macro-supp (support for development of (La)TeX macros)
keyword	macro-gen (macros that are independent of the (TeX) format in use)
language(s)	no language specified
last access	2025-02-11

1197 `collcell` – Collect contents of a tabular cell as argument to a macro

Web page on CTAN <https://ctan.org/pkg/collcell>

name	<code>collcell</code>
caption	Collect contents of a tabular cell as argument to a macro
author	Scharrer, Martin
copyright	Martin Scharrer (2009-2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.6 (2025-02-21)
last changes	2025-02-21
year	2025
description	(no language specified) The package provides macros that collect the content of a <code>tabular</code> cell, and offer them as an argument to a macro. Special care is taken to remove all aligning macros inserted by <code>tabular</code> from the cell content. The macros also work in the last column of a table, but do not support verbatim material inside the cells.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/collcell/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/collcell/collcell.pdf
– local file	<code>./3340990424-collcell.pdf</code>
home page	https://github.com/MartinScharrer/collcell
contact	<i>bugs</i> : https://github.com/MartinScharrer/collcell/issues
contact	<i>repository</i> : https://github.com/MartinScharrer/collcell.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/collcell
on MikTeX	<code>collcell</code>
on T _E XLive	<code>collcell</code>
keyword	<code>table</code> (table typesetting)
language(s)	no language specified
last access	2025-02-28

1198 collect – Collect text for later re-use

Web page on CTAN <https://ctan.org/pkg/collect>

name	collect
caption	Collect text for later re-use
author	Sauer, Jonathan
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Provides a 'collect' environment, that typesets text and saves it for later re-use. (A variant collects text in a macro.) This package is part of the sauerj bundle.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sauerj/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sauerj/collect.pdf
– local file	./4507445317-collect.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sauerj
on MikTeX	sauerj
on TeXLive	sauerj
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	without year
last access	2025-02-07

1199 collectbox – Collect and process macro arguments as boxes

Web page on CTAN <https://ctan.org/pkg/collectbox>

name	collectbox
caption	Collect and process macro arguments as boxes
author	Scharrer, Martin
copyright	Martin Scharrer (2012-2022)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.4c

1200 `collref` – Collect blocks of references into a single reference

description	(no language specified) The package provides macros to collect and process a macro argument (i.e., something which looks like a macro argument) as a horizontal box rather than as a real macro argument. The "arguments" are stored as if they had been saved by <code>\savebox</code> or by the <code>lrbox</code> environment. Grouping tokens <code>\bgroup</code> and <code>\egroup</code> may be used, which allows the user to have the beginning and end of a group in different macro invocations, or to place them in the begin and end code of an environment. Arguments may contain verbatim material or other special use of characters. The macros were designed for use within other macros.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/collectbox/README.txt
home page	https://github.com/MartinScharrer/collectbox
contact	<i>bugs:</i> https://github.com/MartinScharrer/collectbox/issues
contact	<i>repository:</i> https://github.com/MartinScharrer/collectbox.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/collectbox
on MikTeX	collectbox
on T _E XLive	collectbox
keyword	boxing (creating boxes)
language(s)	no language specified
year	2022
last access	2025-02-11

1200 `collref` – Collect blocks of references into a single reference

Web page on CTAN	https://ctan.org/pkg/collref
name	<code>collref</code>
caption	Collect blocks of references into a single reference
author	Beisert, Niklas
copyright	Niklas Beisert (2003-2018)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.0c (2018-01-17)
last changes	2018-01-17

1201 `colonequals` – Colon equals symbols

year	2018
description	(no language specified) The package automatically collects multiple <code>\bibitem</code> references, which always appear in the same sequence in <code>\cite</code> , into a single <code>\bibitem</code> block.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/collref/collref.pdf
– local file	<code>./5714163145-collref.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/collref/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/collref
on MikTeX	<code>collref</code>
on TeXLive	<code>collref</code>
keyword	<code>cite-supp</code> (citation support)
see also	see section 3854 on page 3485: (<code>mcite</code> – Multiple items in a single citation)
language(s)	no language specified
last access	2025-02-07

1201 `colonequals` – Colon equals symbols

Web page on CTAN <https://ctan.org/pkg/colonequals>

name	<code>colonequals</code>
caption	Colon equals symbols
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2006)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2016-05-16)
last changes	2016-05-16
year	2016
description	(no language specified) This package defines poor man’s symbols for mathematical relation symbols such as ”colon equals”. The colon is centered around the horizontal math axis. The package is part of the oberdiek bundle.

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/colonequals.pdf
– local file	<code>./1135226411-colonequals.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/colonequals.dtx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/oberdiek.tds.zip
on MikTeX	oberdiek
on T _E XLive	oberdiek
keyword	comp-sci (typeset computer-science related material)
keyword	maths-symbol (construction or application of mathematical symbols)
language(s)	no language specified
last access	2025-02-07

1202 *colophon* – Provides commands for producing a colophon

Web page on CTAN	https://ctan.org/pkg/colophon
name	colophon
caption	Provides commands for producing a colophon
author	Goodman, Donald P.
copyright	Donald P. Goodman (2018)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1
description	(no language specified) Colophons are a once-common design device by which a book (or document) designer gave some information to his readers about the design and makeup of the text. It typically includes the publisher (if not included elsewhere in the document), font size, leading size, measure, and of course font face identification. Sometimes it includes information about the tools used, as well. This package provides some highly configurable macros, with sensible defaults, for producing colophons without having to muck around with a lot of manual code.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/colophon/colophon.pdf
– local file	<code>./7618208656-colophon.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/colophon/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/colophon
on MikTeX	colophon
on TeXLive	colophon
keyword	<code>typeset-tool</code> (tools supporting or evaluating typesetting.)
language(s)	no language specified
year	2018
last access	2025-02-07

1203 `color` – Colour control for LaTeX documents

Web page on CTAN <https://ctan.org/pkg/color>

name	<code>color</code>
caption	Colour control for LaTeX documents
author	Carlisle, David
author	The LaTeX Project Team
copyright	David Carlisle (1994-1999)
copyright	David Carlisle, LaTeX3 Project (2005-2022)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3e (2024-06-23)
last changes	2024-06-23
year	2024
description	(no language specified) The <code>color</code> package provides both foreground (text, rules, etc.) and background colour management; it uses the device driver configuration mechanisms of the <code>graphics</code> package to determine how to control its output. The package is part of the LaTeX <code>latex-graphics</code> bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/required/graphics/color.pdf
– local file	<code>./4152084545-color.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/required/graphics

installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-graphics.tds.zip
on MikTeX	graphics
on T _E XLive	graphics
keyword	colour (typesetting in colour)
see also	see section 4989 on page 4517: (<code>pstricks-base</code> – PostScript macros for TeX)
see also	see section 5449 on page 4931: (<code>shading</code> – LaTeX package for putting text on a shaded background)
see also	see section 6750 on page 6088: (<code>xcolor</code> – Driver-independent color extensions for LaTeX and pdfLaTeX)
language(s)	no language specified
last access	2025-02-11

1204 *color-edits* – Colorful edits for multiple authors of a shared document

Web page on CTAN <https://ctan.org/pkg/color-edits>

name	color-edits
caption	Colorful edits for multiple authors of a shared document
author	Kempe, David
copyright	David Kempe (2020)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1
description	(no language specified) This package provides a fairly light-weight solution for annotating LaTeX source code with color to show additions/changes, replacements, deletions, and comments. This is particularly useful when a document is being edited by multiple authors. Two package options allow the quick suppression of all colorful edits and comments, and showing text whose deletion was proposed.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/color-edits/color-edits.pdf
– local file	<code>./7155446283-color-edits.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/color-edits/README.md

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/color-edits
on MikTeX	color-edits
on T _E XLive	color-edits
keyword	colour (typesetting in colour)
keyword	editorial (editor's marks, highlights, etc.)
language(s)	no language specified
year	2020
last access	2025-02-07

1205 colorblind – Easy colorblind-safe typesetting

Web page on CTAN	https://ctan.org/pkg/colorblind
name	colorblind
caption	Easy colorblind-safe typesetting
author	Pfahler, Simon
copyright	Simon Pfahler (2023-2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2.1 (2026-01-19)
last changes	2026-01-19
year	2026
description	(no language specified) In colorblind-safe documents, the contents are presented in a way that the same information is conveyed to readers regardless of a potential color vision deficiency. This package provides the tools necessary for colorblind-safe typesetting in LaTeX. It provides color schemes for a wide range of applications. The most commonly used schemes are qualitative schemes, providing easily distinguishable colors for use in graphics, but also for text coloring or highlighting. Additionally, diverging and sequential schemes are included which can be used for encoding quantitative information using colors. This package incorporates colorblind-safeness into the writing process, making it both less cumbersome and less error-prone.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/colorblind/colorblind_doc.pdf
– local file	./1932956237-colorblind_doc.pdf

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/colorblind/README.md
contact	<i>bugs</i> : https://github.com/simon-pfahler/colorblind/issues
contact	<i>repository</i> : https://github.com/simon-pfahler/colorblind
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/colorblind
on MikTeX	colorblind
on T _E XLive	colorblind
keyword	typesetting (support for variations of typographic style)
keyword	colour (typesetting in colour)
language(s)	no language specified
last access	2026-04-10

1206 `colordoc` – Coloured syntax highlights in documentation

Web page on CTAN <https://ctan.org/pkg/colordoc>

name	colordoc
caption	Coloured syntax highlights in documentation
author	Garcia-De Castro, Federico
copyright	Federico Garcia (2010)
license	lppl1 = The LaTeX Project Public License 1 (free)
version	(2010-04-18)
last changes	2010-04-18
year	2010
description	(no language specified) The package is used in documentation files (that use the <code>doc</code> package); with it the code listings will highlight (for example) pairs of curly braces with matching colors. Other delimiters like <code>\if . . . \fi</code>, are highlighted, as are the names of new commands. All this makes code a little more readable, and helps during process of writing. Three options are provided, including a non-color option designed for printing (which numbers delimiters and underlines new commands).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/colordoc/colordoc.pdf

1207 `colordvi` – Simple colour use in Plain TeX

– local file	<code>./3232948142-colordoc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/colordoc/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/colordoc
on MikTeX	<code>colordoc</code>
on T _E XLive	<code>colordoc</code>
keyword	<code>doc-supp</code> (macros and tools for preparing documentation)
language(s)	no language specified
last access	2025-02-07

1207 `colordvi` – Simple colour use in Plain TeX

Web page on CTAN <https://ctan.org/pkg/colordvi>

name	<code>colordvi</code>
caption	Simple colour use in Plain TeX
author	Hafner, Thomas
author	Rokicki, Tom
license	<code>noinfo = noinfo</code>
version	(1992-03-05)
last changes	1992-03-05
year	1992
description	(no language specified) Simple macros for using named colours when typesetting output to be used by a dvips-compatible dvi driver.
on CTAN	https://ctan.org/tex-archive/systems/knuth/local/lib/colordvi.tex
on T _E XLive	<code>dvips</code>
keyword	<code>colour</code> (typesetting in colour)
see also	see section 1203 on page 1094: (<code>color</code> – Colour control for LaTeX documents)
language(s)	no language specified
last access	2025-02-07

1208 **coloredbelts** – Insert colored belts in documents (to present skills, for example)

Web page on CTAN <https://ctan.org/pkg/coloredbelts>

name	coloredbelts
caption	Insert colored belts in documents (to present skills, for example)
author	Pierquet, Cédric
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	cc-by-sa-3 = CC BY-SA 3.0 (free)
version	0.1.6 (2025-10-03)
last changes	2025-10-03
year	2025
description	(no language specified) The package provides commands (English and French version) to insert ‘colored belts’ (in vectorial format) to present skills, for example.
documentation	(French) <i>coloredbelts</i> : https://ctan.org/tex-archive/macros/latex/contrib/coloredbelts/doc/coloredbelts-doc-fr.pdf
– local file	./2479006528-coloredbelts-doc-fr.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/coloredbelts/README.md
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/coloredbelts/doc/coloredbelts-doc-en.pdf
– local file	./5383900787-coloredbelts-doc-en.pdf
contact	<i>bugs</i> : https://github.com/cpierquet/latex-packages/issues
contact	<i>repository</i> : https://github.com/cpierquet/latex-packages/tree/main/coloredbelts
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/coloredbelts
on MikTeX	coloredbelts
on T _E XLive	coloredbelts
keyword	graphics-use (graphics (typesetting actual pictures))
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	logo (symbols or drawings to specify an object, including icons)
keyword	colour (typesetting in colour)

keyword	typesetting (support for variations of typographic style)
keyword	expl3 (expl3(unknown))
language(s)	English; French
last access	2025-10-10

1209 `coloredtheorem` – A colourful boxed theorem environment

Web page on CTAN <https://ctan.org/pkg/coloredtheorem>

name	<code>coloredtheorem</code>
caption	A colourful boxed theorem environment
author	Lourenço, João M.
copyright	João M. Lourenço (2024, 2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1.2 (2025-04-01)
last changes	2025-04-01
year	2025
description	(no language specified) This packages provides a colourful boxed theorem environment, combining <code>tcbox</code> and breakable boxes.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/coloredtheorem/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/coloredtheorem/coloredtheorem-doc.pdf
– local file	<code>./9376678031-coloredtheorem-doc.pdf</code>
home page	https://github.com/joaomlourenco/coloredtheorem
contact	<i>support</i> : https://github.com/joaomlourenco/coloredtheorem/discussions
contact	<i>bugs</i> : https://github.com/joaomlourenco/coloredtheorem/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/coloredtheorem
on MikTeX	<code>coloredtheorem</code>
on TeXLive	<code>coloredtheorem</code>
keyword	boxing (creating boxes)

keyword	<code>maths-theorem</code> (typeset mathematical theorems)
keyword	<code>box-breaking</code> (breaking boxes over a page boundary, etc)
keyword	<code>decoration</code> (highlighting typeset material, fancy frames, watermarks, etc.)
keyword	<code>colour</code> (typesetting in colour)
see also	see section 6084 on page 5498: (<code>thmbox</code> – Decorate theorem statements)
see also	see section 5448 on page 4930: (<code>Shaded theorems</code> – Theorem environments that are shaded)
language(s)	no language specified
last access	2025-04-09

1210 `coloremoji` – Style package for directly including color emojis in LaTeX documents

Web page on CTAN <https://ctan.org/pkg/coloremoji>

name	<code>coloremoji</code>
caption	Style package for directly including color emojis in LaTeX documents
author	Jacobson, Alec
copyright	Alec Jacobson (2018)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0
description	(no language specified) This package provides support for including <code>coloremoji</code> icons in text and math mode of a LaTeX document. <code>Coloremoji</code> can be directly entered (as unicode) in the <code>.tex</code> document and will be replaced with color images using the Apple Color Emoji typeface in the output <code>.pdf</code> document.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/graphics/coloremoji/README.md
home page	https://github.com/alecjacobson/coloremoji.sty
contact	<i>repository</i> : https://github.com/alecjacobson/coloremoji.sty
on CTAN	https://ctan.org/tex-archive/graphics/coloremoji
on MikTeX	<code>coloremoji</code>
keyword	<code>graphics</code> (graphics (support packages))
keyword	<code>logo</code> (symbols or drawings to specify an object, including icons)
keyword	<code>text-symbol</code> (symbols for use in text)

1211 *colorframed* – Fix color problems with the package “framed”

language(s) no language specified
 year 2018
 last access 2025-02-07

1211 *colorframed* – Fix color problems with the package “framed”

Web page on CTAN <https://ctan.org/pkg/colorframed>

name colorframed

caption Fix color problems with the package “framed”

author Burnol, Jean-François

copyright Jean-François Burnol (2022)

license lpl1.3c = The LaTeX Project Public License 1.3c (free)

version 0.9b (2022-10-01)

last changes 2022-10-01

year 2022

description (no language specified) This package fixes problems with colour loss that occurs in the environments of the **framed** package.

documentation (no language specified) *Package documentation:*
<https://ctan.org/tex-archive/macros/latex/contrib/colorframed/colorframed-doc.pdf>

– local file ./6543088426-colorframed-doc.pdf

documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/macros/latex/contrib/colorframed/README.md>

contact *bugs:* <https://github.com/jfbu/colorframed/issues>

contact *repository:* <https://github.com/jfbu/colorframed>

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/colorframed>

on MikTeX colorframed

on TeXLive colorframed

keyword decoration (highlighting typeset material, fancy frames, watermarks, etc.)

language(s) no language specified

last access 2025-02-11

1212 *colorinfo* – Retrieve colour model and values for defined colours

Web page on CTAN <https://ctan.org/pkg/colorinfo>

name	colorinfo
caption	Retrieve colour model and values for defined colours
author	Niepraschk, Rolf
license	lppl = The LaTeX Project Public License (free)
version	0.3c
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/colorinfo/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/colorinfo
on T _E XLive	colorinfo
keyword	colour (typesetting in colour)
language(s)	no language specified
year	without year
last access	2025-02-11

1213 *coloring* – Define missing colors by their names

Web page on CTAN <https://ctan.org/pkg/coloring>

name	coloring
caption	Define missing colors by their names
author	Hu, Zou
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2 (2016-05-11)
last changes	2016-05-11
year	2016
description	(no language specified) This package makes it possible to define colors automatically by their names. This can be useful in drawing TikZ pictures and designing beamer themes. Using the package, you don't need to write <code>\definecolor</code> before using a color.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/coloring/coloring-doc.pdf
– local file	<code>./3198985257-coloring-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/coloring/README
contact	<i>repository</i> : https://github.com/zohooo/coloring
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/coloring
on MikTeX	coloring
on T _E XLive	coloring
keyword	colour (typesetting in colour)
language(s)	no language specified
last access	2025-02-11

1214 *colorist* – Write your articles or books in a colorful way

Web page on CTAN	https://ctan.org/pkg/colorist
name	colorist
caption	Write your articles or books in a colorful way
author	XU, Jinwen
copyright	Jinwen XU (2021-2025)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2025-10-21)
last changes	2025-10-21
year	2025
description	(no language specified) This package offers you a LaTeX style file and two classes to typeset articles or books in a colorful way. These classes currently have native support for English, French, German, Italian, Portuguese (European and Brazilian), and Spanish typesetting. They compile with any major TeX engine. You may also wish to consider the packages lebhart and beaulivre , which are enhanced versions of the classes provided here. They have unicode support, thus can only be used with either XeLaTeX or LuaLaTeX. Currently they have native support for Chinese (both simplified and traditional), English, French,

1215 colorprofiles – Collection of free ICC profiles

German, Italian, Japanese, Portuguese (European and Brazilian), Russian and Spanish typesetting, and also use more beautiful fonts.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/colorist/README.md
contact	<i>repository</i> : https://github.com/Jinwen-XU/colorist
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/colorist
on MikTeX	colorist
on TeXLive	colorist
keyword	multilingual (support for more than one (natural) language)
keyword	article-like (LaTeX article classes and their developments)
keyword	expl3 (expl3(unknown))
keyword	book-pub (preparing a book for publication)
keyword	class (alternative LaTeX class(es))
see also	see section 545 on page 501: (beaulivre – Write your books in a colorful way)
see also	see section 3372 on page 3041: (lebhart – Write your articles in a colorful way)
language(s)	no language specified
last access	2025-10-28

1215 colorprofiles – Collection of free ICC profiles

Web page on CTAN <https://ctan.org/pkg/colorprofiles>

name	colorprofiles
caption	Collection of free ICC profiles
author	Preining, Norbert
license	other-free = Free license not otherwise listed (free)
version	20181105
description	(no language specified) This package collects free ICC profiles that can be used by color profile aware applications/tools like the pdfx package, as well as TeX and LaTeX packages to access them.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/colorprofiles/README

on CTAN	https://ctan.org/tex-archive/support/colorprofiles
on MikTeX	colorprofiles
on T _E XLive	colorprofiles
keyword	colour (typesetting in colour)
language(s)	no language specified
year	without year
last access	2025-02-07

1216 **colors** – Simple colour-selection commands

Web page on CTAN <https://ctan.org/pkg/colors>

name	colors
caption	Simple colour-selection commands
author	Knight, Fred
license	noinfo = noinfo
version	(1992-04-15)
last changes	1992-04-15
year	1992
description	(no language specified) This is another very simple package for supporting colour in LaTeX 2.09, for PostScript output via dvips ; it has even less ‘infrastructure’ than does the colortex package, and like that package is nowadays superseded by the LaTeX standard color package.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/colors.sty
keyword	colour (typesetting in colour)
language(s)	no language specified
last access	2025-02-07

1217 colorsep – Color separation

Web page on CTAN <https://ctan.org/pkg/colorsep>

name	colorsep
caption	Color separation
author	Rahtz, Sebastian
license	pd = Public Domain Software (free)
description	(no language specified) Support for colour separation when using dvips .
on CTAN	https://ctan.org/tex-archive/graphics/colorsep
on MikTeX	colorsep
on TeXLive	colorsep
keyword	colour (typesetting in colour)
language(s)	no language specified
year	without year
last access	2025-02-07

1218 colorspace – Provides PDF color spaces

Web page on CTAN <https://ctan.org/pkg/colorspace>

name	colorspace
caption	Provides PDF color spaces
author	Bezos López, Javier
copyright	Javier Bezos (2015-2019)
license	mit = MIT License (free)
version	1.3
description	(no language specified) The package provides PDF color spaces. Currently, only spot colors and overprinting are supported. It requires xcolor, and supports pdfTeX and LuaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/colorspace/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/colorspace/colorspace.pdf
– local file	./1078872861-colorspace.pdf

home page	http://www.texnia.com/
contact	repository: https://github.com/jbezoz/colorspace
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/colorspace
on MikTeX	colorspace
on TeXLive	colorspace
keyword	colour (typesetting in colour)
language(s)	no language specified
year	2019
last access	2025-02-07

1219 *colortab* – Shade cells of tables and halign

Web page on CTAN	https://ctan.org/pkg/colortab
name	colortab
caption	Shade cells of tables and halign
author	Van Zandt, Timothy
author	Voß, Herbert
copyright	Timothy Van Zandt (1993, 2010)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package lets you shade or colour the cells in the alignment environments such as <code>\halign</code> and LaTeX's <code>tabular</code> and <code>array</code> environments. The colortbl package is to be preferred today with LaTeX (it assures compatibility with the longtable package, which is no longer true with <code>colortab</code>); another modern option is the table-colouring option of the xcolor. However, <code>colortab</code> remains an adequate solution for use with Plain TeX.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/colortab/colortab-doc.pdf
– local file	<code>./1175167110-colortab-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/generic/colortab
on MikTeX	colortab
on TeXLive	colortab

keyword	colour (typesetting in colour)
keyword	table (table typesetting)
language(s)	no language specified
year	2010
last access	2026-04-13

1220 `colortbl` – Add colour to LaTeX tables

Web page on CTAN <https://ctan.org/pkg/colortbl>

name	colortbl
caption	Add colour to LaTeX tables
author	Carlisle, David
copyright	David Carlisle (1996-2024)
license	lppl = The LaTeX Project Public License (free)
version	1.0k (2024-10-29)
last changes	2024-10-29
year	2024
description	(no language specified) The package allows rows and columns to be coloured, and even individual cells.
documentation	<i>Package manual (German)</i> : https://ctan.org/tex-archive/macros/latex/contrib/colortbl/colortbl-DE.pdf
– local file	./1379362152-colortbl-DE.pdf
documentation	<i>Package manual (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/colortbl/colortbl.pdf
– local file	./7546108836-colortbl.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/colortbl/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/colortbl
on MikTeX	colortbl
on T _E XLive	colortbl
keyword	table (table typesetting)
keyword	colour (typesetting in colour)

see also	see section 6750 on page 6088: (<code>xcolor</code> – Driver-independent color extensions for LaTeX and pdfLaTeX)
language(s)	German; English
last access	2025-05-30

1221 *colortex* – Colour facilities for use with TeX

Web page on CTAN <https://ctan.org/pkg/colortex>

name	colortex
caption	Colour facilities for use with TeX
author	Cérin, Christophe
license	nocommercial = No Commercial Use (not free)
version	3.3
description	(no language specified) The bundle provides the file <code>colorrgb.tex</code> which provides some of the facilities of the present <i>color</i> package (which is distributed as a required package with current LaTeX; for access to that package from Plain TeX, see the ‘<i>Plain graphics</i>’ bundle). The <code>colorrgb</code> package uses <code>\dvips \special</code> commands to set colours: it has no provision for support of other DVI drivers.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/colortex
keyword	colour (typesetting in colour)
language(s)	no language specified
year	without year
last access	2025-02-07

1222 *colorwav* – Colours by wavelength of visible light

Web page on CTAN <https://ctan.org/pkg/colorwav>

name	colorwav
caption	Colours by wavelength of visible light
author	Setzer, Nick
copyright	Nick Setzer (2007-2023)
license	lgpl = GNU Lesser General Public License (free)

1223 `colorweb` – *Extend the color package colour space*

version	1.0 (2023-05-03)
last changes	2023-05-03
year	2023
description	(no language specified) The package allows the user to obtain an RGB value (suitable for use in the <code>color</code> package) from a wavelength of light. The default unit is nanometres, but other units may be used. Note that this function is also available within <code>xcolor</code> .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/colorwav/colorwav.pdf
– local file	<code>./6860527579-colorwav.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/colorwav/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/colorwav
on MikTeX	<code>colorwav</code>
on TeXLive	<code>colorwav</code>
keyword	<code>colour</code> (typesetting in colour)
language(s)	no language specified
last access	2025-02-11

1223 `colorweb` – **Extend the color package colour space**

Web page on CTAN <https://ctan.org/pkg/colorweb>

name	<code>colorweb</code>
caption	Extend the color package colour space
author	Beach, John E.
copyright	John E. Beach (2013)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3 (2013-08-20)
last changes	2013-08-20
year	2013
description	(no language specified) The package makes the 216 “web-safe colours” available to the standard <code>color</code> package.

documentation	(no language specified) <i>Documentation for users:</i> https://ctan.org/tex-archive/macros/latex/contrib/colorweb/colorwebuser.pdf
– local file	./4248915098-colorwebuser.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/colorweb/README
documentation	(no language specified) <i>Full package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/colorweb/colorwebfull.pdf
– local file	./3610058387-colorwebfull.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/colorweb
on MikTeX	colorweb
on T _E XLive	colorweb
keyword	colour (typesetting in colour)
language(s)	no language specified
last access	2025-02-07

1224 colourchange – Colourchange

Web page on CTAN <https://ctan.org/pkg/colourchange>

name	colourchange
caption	Colourchange
author	Bradley, Seamus
license	gpl3 = GNU General Public License, version 3 (free)
version	1.22
description	(no language specified) The package allows you to change the colour of the structural elements (inner theme and outer theme) of your beamer presentation during the presentation. There is a manual option but there is also the option to have your structure colour change from one colour to another as a function of how far through the presentation you are.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/colourchange/colourchangedoc.pdf
– local file	./7959743891-colourchangedoc.pdf

1225 *combelow* – Typeset “comma-below” letters, as in Romanian

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/colourchange/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/colourchange
on MikTeX	colourchange
on T _E XLive	colourchange
keyword	colour (typesetting in colour)
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

1225 *combelow* – Typeset “comma-below” letters, as in Romanian

Web page on CTAN	https://ctan.org/pkg/combelow
name	combelow
caption	Typeset “comma-below” letters, as in Romanian
author	Pignalberi, Gianluca
copyright	Gianluca Pignalberi (2009)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.99f
description	(no language specified) The package defines a command <code>\cb</code> that positions a comma below a letter, as required (for example) in Romanian typesetting. The command is robust, but interferes with hyphenation.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/combelow/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/combelow/combelow.pdf
– local file	./2621484709-combelow.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/combelow
on MikTeX	combelow
on T _E XLive	combelow
keyword	fake-glyph (provide a glyph by construction, rather than from a font)

language(s)	no language specified
year	2009
last access	2025-02-07

1226 combine – Bundle individual documents into a single document

Web page on CTAN <https://ctan.org/pkg/combine>

name	combine
caption	Bundle individual documents into a single document
author	Robertson, Will
author	Wilson, Peter R.
copyright	Will Robertson (2010)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.7a
description	(no language specified) The combine class lets you bundle individual documents into a single document, such as when preparing a conference proceedings. The auxiliary combinet package puts the titles and authors from <code>\maketitle</code> commands into the main document's Table of Contents. The package cooperates with the abstract and titling packages.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/combine/combine.pdf
– local file	<code>./8035970797-combine.pdf</code>
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/combine/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/combine
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/combine.tds.zip
on MikTeX	combine
on TeXLive	combine
keyword	subdocs (include complete documents in other documents)
see also	see section 5674 on page 5136 : (<code>standalone</code> – Compile TeX pictures stand-alone or as part of a document)
see also	see section 2933 on page 2652 : (<code>includex</code> – Extended <code>\include</code>)

see also	see section 4223 on page 3822: (<code>newclude</code> – Reimplemented <code>\include</code> system for LaTeX)
see also	see section 1649 on page 1495: (<code>docmute</code> – Input files ignoring LaTeX preamble, etc)
language(s)	no language specified
year	2010
last access	2025-02-07

1227 `combinedgraphics` – Include graphic (EPS or PDF)/LaTeX combinations

Web page on CTAN <https://ctan.org/pkg/combinedgraphics>

name	<code>combinedgraphics</code>
caption	Include graphic (EPS or PDF)/LaTeX combinations
author	Schneider, Christian
copyright	Christian Schneider (2009)
license	gpl = GNU General Public License (free)
version	0.2.2
description	(no language specified) This package provides a macro (<code>\includecombinedgraphics</code>) for the inclusion of combined EPS/LaTeX and PDF/LaTeX graphics (an export format of Gnuplot, Xfig, and maybe other programs). Instead of including the graphics with a simple <code>\input</code>, the <code>\includecombinedgraphics</code> macro has some comforts: • changing the font and color of the text of the LaTeX part; rescaling the graphics without affecting the font of the LaTeX part; • automatic inclusion of the vector graphics part, as far as LaTeX part does not do it (e.g., for files exported from Gnuplot before version 4.2); and • rescaling and rotating of complete graphics (similar to <code>\includegraphics</code> from the graphicx package).
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/combinedgraphics/combinedgraphics.pdf
– local file	<code>./9533728718-combinedgraphics.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/combinedgraphics/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/combinedgraphics

on MikTeX	combinedgraphics
on T _E XLive	combinedgraphics
keyword	graphics-supp (support for other packages or for drivers)
language(s)	no language specified
year	2009
last access	2025-02-07

1228 *combofont* – Add NFSS-declarations of combo fonts to LuaLaTeX documents

Web page on CTAN <https://ctan.org/pkg/combofont>

name	combofont
caption	Add NFSS-declarations of combo fonts to LuaLaTeX documents
author	Fischer, Ulrike
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3 (2019-06-08)
last changes	2019-06-08
year	2019
description	(no language specified) This highly experimental package can be used to add NFSS-declarations of combo fonts to LuaLaTeX documents. This package may disappear without notice, e.g. if luaotfload changes in a way so that it no longer works, or if LuaTeX changes, or if fontspec itself includes the code. It is also possible that the package's syntax and commands may change in an incompatible way. So if you use it in a production environment: You have been warned.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/combofont/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/combofont/combofont.pdf
– local file	<code>./8639195998-combofont.pdf</code>
contact	<i>support</i> : https://github.com/u-fischer/combofont
contact	<i>repository</i> : https://github.com/u-fischer/combofont
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/combofont

on MikTeX	combofont
on T _E XLive	combofont
keyword	luatex (LuaTeX and packages that require it)
keyword	font-mgmt (management of fonts)
language(s)	no language specified
last access	2025-02-09

1229 *comfortaa* – Sans serif font, with LaTeX support

Web page on CTAN	https://ctan.org/pkg/comfortaa
name	comfortaa
caption	Sans serif font, with LaTeX support
author	Aakerlund, Johan
author	El Morabity, Mohamed
license	ofl = The SIL Open Font License (free)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.2
description	(no language specified) Comfortaa is a sans-serif font, comfortable in every aspect, designed by Johan Aakerlund. The font, which includes three weights (thin, regular and bold), is available on Johan's deviantArt web page as TrueType files under the Open Font License version 1.1. This package provides support for this font in LaTeX, and includes both the TrueType fonts, and conversions to Adobe Type 1 format.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/comfortaa/README
documentation	(no language specified) <i>Font samples</i>: https://ctan.org/tex-archive/fonts/comfortaa/doc/comfortaa-samples.pdf
– local file	<code>./8652784587-comfortaa-samples.pdf</code>
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/comfortaa/doc/comfortaa.pdf
– local file	<code>./1932141204-comfortaa.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/comfortaa
installation	https://ctan.org/tex-archive/install/fonts/comfortaa.tds.zip

on MikTeX	comfortaa
on T _E XLive	comfortaa
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-sans (sans-serif font)
keyword	font (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-02-07

1230 comicneue – Use Comic Neue with TeX(-alike) systems

Web page on CTAN	https://ctan.org/pkg/comicneue
name	comicneue
caption	Use Comic Neue with TeX(-alike) systems
author	Hofstra, Silke
license	ofl = The SIL Open Font License (free)
version	1.2
description	(no language specified) Comic Neue is a well-known redesign of the (in)famous Comic Sans font. The package provides the original OpenType font for XeTeX and LuaTeX users, and also has converted Type1 files for pdfTeX users. Issues with this package can be reported on GitHub or emailed to tex@slxh.nl .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/comicneue/doc/comicneue.pdf
– local file	./9239166260-comicneue.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/comicneue/README.md
contact	<i>repository</i> : https://github.com/silkeh/latex-comicneue/issues
on CTAN	https://ctan.org/tex-archive/fonts/comicneue
installation	https://ctan.org/tex-archive/install/fonts/comicneue.tds.zip
on MikTeX	comicneue
on T _E XLive	comicneue
keyword	font-type1 (font available in Adobe Type 1 format)

1231 *comicsans* – Use Microsoft Comic Sans font

keyword	font (fonts themselves)
keyword	font-suppl (metrics, macro incantations and other font support)
keyword	font-otf (font in OpenType format)
language(s)	no language specified
year	without year
last access	2025-02-07

1231 *comicsans* – Use Microsoft Comic Sans font

Web page on CTAN <https://ctan.org/pkg/comicsans>

name	comicsans
caption	Use Microsoft Comic Sans font
author	Pakin, Scott
copyright	Scott Pakin (2008, 2013)
license	lppl = The LaTeX Project Public License (free)
version	1.0g
description	(no language specified) MicroSoft Comic Sans is a TrueType font that is readily available on the net (MicroSoft no longer distribute it in isolation from Windows, but there is no restriction on distribution of existing copies). This package provides metrics and maps to use the font with pdf(La)TeX, in a variety of text shapes, and (to some extent) in mathematics.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/comicsans/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/comicsans/comicsans.pdf
– local file	./7560056674-comicsans.pdf
on CTAN	https://ctan.org/tex-archive/fonts/comicsans
installation	https://ctan.org/tex-archive/install/fonts/comicsans.tds.zip
on MikTeX	comicsans
keyword	font-suppl (metrics, macro incantations and other font support)
language(s)	no language specified
year	2013
last access	2025-02-07

1232 comma – Formats a number by inserting commas

Web page on CTAN <https://ctan.org/pkg/comma>

name	comma
caption	Formats a number by inserting commas
author	Carlisle, David
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) A flexible package that allows commas (or anything else) to be inserted every three digits in a number, as in 1,234.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/comma/comma.pdf
– local file	<code>./8452577392-comma.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/comma/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/comma
on MikTeX	comma
on TeXLive	comma
keyword	numbers (formatting numbers, etc)
language(s)	no language specified
year	without year
last access	2025-02-07

1233 commado – Expandable iteration on comma-separated and filename lists

Web page on CTAN <https://ctan.org/pkg/commado>

name	commado
caption	Expandable iteration on comma-separated and filename lists
author	Lück, Uwe
copyright	Uwe Lück (2012)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	r0.11a

description	(no language specified) The bundle provides two packages: <code>commado</code> and <code>filesdo</code>. The package <code>commado</code> provides the command <code>\DoWithCSL</code>: <code>\DoWithCSL{< cmd >}{< list >}</code> applies an existing one-parameter macro <code>< cmd ></code> to each item in a list <code>< list ></code> in which terms are separated by commas. The package <code>filesdo</code> provides the command <code>\DoWithBasesExts</code>: <code>\DoWithBasesExts {< cmd >}{< bases >}{< exts >}</code> which runs the single parameter command <code>< cmd ></code> on each file whose base and extension are respectively from the comma-separated lists <code>< bases ></code> and <code>< exts ></code>. These ‘loop’-like commands are (themselves) entirely expandable. The packages rely on packages <code>plainpkg</code>, and <code>stacklet</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/commado/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/commado/doc/commado.pdf
– local file	<code>./1242852012-commado.pdf</code>
contact	<i>support</i> : http://www.webdesign-bu.de/uwe_lueck/contact.html
on CTAN	https://ctan.org/tex-archive/macros/generic/commado
installation	https://ctan.org/tex-archive/install/macros/generic/commado.tds.zip
on MikTeX	<code>commado</code>
on T _E XLive	<code>commado</code>
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
see also	see section 3528 on page 3190: (loops – General looping macros for use with LaTeX)
language(s)	no language specified
year	2012
last access	2025-02-07

1234 commalists-tools – Manipulate numeral comma separated lists

Web page on CTAN <https://ctan.org/pkg/commalists-tools>

name	commalists-tools
caption	Manipulate numeral comma separated lists
author	Pierquet, Cédric
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.5 (2025-05-05)
last changes	2025-05-05
year	2025
description	(no language specified) This package provides some macros for the basic manipulation of comma-separated lists (adding, removing, counting, etc.)
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/commalists-tools/doc/commalists-tools-doc.pdf
– local file	./6320968177-commalists-tools-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/commalists-tools/README.md
home page	https://forge.apps.education.fr/pierquetcedric/packages-latex
contact	<i>repository</i> : https://forge.apps.education.fr/pierquetcedric/packages-latex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/commalists-tools
on MikTeX	commalists-tools
on TeXLive	commalists-tools
keyword	expl3 (expl3(unknown))
keyword	data-manip (manipulate data within TeX)
keyword	list-supp (list support)
language(s)	no language specified
last access	2025-05-27

1235 commath – Mathematics typesetting support

Web page on CTAN <https://ctan.org/pkg/commath>

name	commath
caption	Mathematics typesetting support
author	Putschögl, Wolfgang
license	lppl = The LaTeX Project Public License (free)
version	0.3
description	(no language specified) Provides a range of differential, partial differential and delimiter commands, together with a <code>\fullfunction</code> (function, with both domain and range, and function operation) and various reference commands.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/commath/commath.pdf
– local file	<code>./7911822208-commath.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/commath/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/commath
on MikTeX	commath
on TeXLive	commath
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	without year
last access	2025-02-07

1236 commedit – Commented editions with LaTeX

Web page on CTAN <https://ctan.org/pkg/commedit>

name	commedit
caption	Commented editions with LaTeX
author	Veytsman, Boris
copyright	Boris Veytsman (2018-2019)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.02

1237 *comment* – Selectively include/exclude portions of text

description	(no language specified) The package is intended for commented editions. An example of commented edition is a teacher’s book based on a student’s textbook. Each page of a teacher’s book is a page from the textbook and comments for the teacher. This package was commissioned by Instituto de Matemática Pura e Aplicada (IMPA)
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/commedit/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/commedit/commedit.pdf
– local file	<code>./6841886609-commedit.pdf</code>
home page	https://github.com/borisveytsman/commedit
contact	<i>bugs</i> : https://github.com/borisveytsman/commedit/issues
contact	<i>repository</i> : https://github.com/borisveytsman/commedit
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/commedit
on MikTeX	commedit
on T _E XLive	commedit
keyword	editorial (editor’s marks, highlights, etc.)
keyword	crit-ed (typeset scholarly editions of texts)
language(s)	no language specified
year	2019
last access	2025-02-07

1237 *comment* – Selectively include/exclude portions of text

Web page on CTAN	https://ctan.org/pkg/comment
name	comment
caption	Selectively include/exclude portions of text
author	Eijkhout, Victor
copyright	Victor Eijkhout (1998-2016)
license	gpl2 = GNU General Public License, version 2 (free)
version	3.8

description	(no language specified) Selectively include/exclude pieces of text, allowing the user to define new, separately controlled, comment versions. All text between <code>\comment ... \endcomment</code> or <code>\begin{comment} ... \end{comment}</code> is discarded. The opening and closing commands should appear on a line of their own. No starting spaces, nothing after it. This environment should work with arbitrary amounts of comment, and the comment can be arbitrary text. Other ‘comment’ environments are defined and selected/deselected with <code>\includecomment{versiona}</code> and <code>\excludecomment{versionb}</code>. These environments are used as <code>\versiona ... \endversiona</code> or <code>\begin{versiona} ... \end{versiona}</code> with the opening and closing commands again on a line of their own.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/comment/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/comment/comment.pdf
– local file	<code>./1187687445-comment.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/comment
on MikTeX	<code>comment</code>
on TeXLive	<code>comment</code>
keyword	<code>cond-comp</code> (conditional typesetting)
keyword	<code>editorial</code> (editor’s marks, highlights, etc.)
language(s)	no language specified
year	2016
last access	2025-02-07

1238 *comment-pln* – Comment macros for use in Plain TeX

Web page on CTAN <https://ctan.org/pkg/comment-pln>

name	<code>comment-pln</code>
caption	Comment macros for use in Plain TeX
author	Alexander, Jason
license	<code>noinfo = noinfo</code>
version	(1986-05-31)
last changes	1986-05-31

year	1986
description	(no language specified) Defines macros <code>\comment</code> and <code>\endcomment</code> such that everything between the two is ignored.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/comment.tex
keyword	editorial (editor’s marks, highlights, etc.)
keyword	cond-comp (conditional typesetting)
see also	see section 1237 on page 1124: (<code>comment</code> – Selectively include/exclude portions of text)
language(s)	no language specified
last access	2025-02-07

1239 *comment_io* – A Python script to comment and uncomment lines

Web page on CTAN https://ctan.org/pkg/comment_io

name	<code>comment_io</code>
caption	A Python script to comment and uncomment lines
author	Larsson, Carl Martin Henrik
license	gpl3 = GNU General Public License, version 3 (free)
version	1.1 (2015-06-29)
last changes	2015-06-29
year	2015
description	(no language specified) The author tells us: ”This is a small script written in Python to help you to automatically comment and uncomment lines in your code. The program was sprung out of a need I myself had of turning on and off certain environments in LaTeX. After digging around, trying to make this happen by using only LaTeX code, I finally got fed up and just wrote this program instead.” Basically, you use the program by marking certain lines in your code with certain commands. The program then detects these commands and comments or uncomments the whole line depending on which mode you’ve set it to.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/support/comment_io/README
on CTAN	https://ctan.org/tex-archive/support/comment_io
keyword	cond-comp (conditional typesetting)

language(s) no language specified
last access 2025-02-07

1240 **committee-font** – A font designed by a committee

Web page on CTAN <https://ctan.org/pkg/committee-font>

name committee-font
caption A font designed by a committee
license noinfo = noinfo
version (1985-03-03)
last changes 1985-03-03
year 1985
description (no language specified) This Metafont source (which cannot easily be made to compile) has a separate credited designer for every letter.
on CTAN <https://ctan.org/tex-archive/fonts/unsupported/committee>
on MikTeX committee-font
keyword font-specialist (fonts with specific small application areas)
keyword font (fonts themselves)
language(s) no language specified
last access 2025-02-07

1241 **commonunicode** – Convert common unicode symbols to LaTeX code

Web page on CTAN <https://ctan.org/pkg/commonunicode>

name commonunicode
caption Convert common unicode symbols to LaTeX code
author Pizarro R., Pablo
copyright Pablo Pizarro R. (2022)
license mit = MIT License (free)
version 1.0.0 (2022-04-03)
last changes 2022-04-03
year 2022

description	(no language specified) The aim of this LaTeX package is to provide a complete as possible list of common Unicode symbols with their translations to LaTeX code. This is useful in the development of templates which are intended to work with modern TeX engines (LuaTeX, XeTeX) as well as traditional ones (TeX, pdfTeX).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/commonunicode/doc/commonunicode.pdf
– local file	<code>./7991857249-commonunicode.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/commonunicode/README.md
contact	<i>bugs</i> : https://github.com/ppizarror/common-unicode/issues
contact	<i>repository</i> : https://github.com/ppizarror/common-unicode
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/commonunicode
on MikTeX	commonunicode
on TeXLive	commonunicode
keyword	unicode (Unicode, material supporting it, and packages requiring it)
language(s)	no language specified
last access	2025-02-11

1242 commutative-diagrams – CoDi: Commutative Diagrams for TeX

Web page on CTAN <https://ctan.org/pkg/commutative-diagrams>

name	commutative-diagrams
caption	CoDi: Commutative Diagrams for TeX
author	Brasolin, Paolo
copyright	Paolo Brasolin (2015-2024)
license	mit = MIT License (free)
version	1.1.2 (2024-04-22)
last changes	2024-04-22
year	2024
description	(no language specified) This package provides a TikZ library for making commutative diagrams easy to design, parse and tweak.

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/commutative-diagrams/commutative-diagrams-doc.pdf
– local file	./2020752808-commutative-diagrams-doc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/commutative-diagrams/README
contact	<i>bugs:</i> https://github.com/paolobrasolin/commutative-diagrams/issues
contact	<i>repository:</i> https://github.com/paolobrasolin/commutative-diagrams
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/commutative-diagrams
installation	https://ctan.org/tex-archive/install/graphics/pgf/contrib/commutative-diagrams.tds.zip
on MikTeX	commutative-diagrams
on T _E XLive	commutative-diagrams
keyword	maths (support for typesetting mathematics)
keyword	graphics (graphics (support packages))
keyword	diagram-maths (diagrams used in mathematics)
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	diagram (diagrams)
keyword	diagram-comm (commutative diagrams)
language(s)	no language specified
last access	2025-02-07

1243 comp-fonts-faq – Frequently Asked Questions from comp.fonts

Web page on CTAN	https://ctan.org/pkg/comp-fonts-faq
name	comp-fonts-FAQ
caption	Frequently Asked Questions from comp.fonts
author	Walsh, Norman
copyright	Norman Wals (1992-1995)
license	other-free = Free license not otherwise listed (free)
version	2.1.5

description	(no language specified) General information on using fonts, though largely of historical interest only. Includes a list of Metafont fonts.
on CTAN	https://ctan.org/tex-archive/help/comp-fonts-FAQ
keyword	faq (frequently asked questions, with answers)
language(s)	no language specified
year	1995
last access	2025-02-07

1244 compact-symbols – Compact lists of symbols

Web page on CTAN <https://ctan.org/pkg/compact-symbols>

name	compact-symbols
caption	Compact lists of symbols
author	Sermutlu, Emre
license	other-nonfree = License that prevents distribution (not free)
version	(2008-03-18)
last changes	2008-03-18
year	2008
description	(no language specified) This bundle provides lists of the symbols available in LaTeX, with or without the AMS symbols loaded. The lists do not aim to compete with the Comprehensive symbols list, rather to be simple aids, readily accessible online. (To that end, they are coded using beamer.) There are two lists, one with (just) the LaTeX and AMS symbols, the other the same, but with the TX fonts loaded.
documentation	(no language specified) <i>The basic document</i> : https://ctan.org/tex-archive/info/symbols/compact/LaTeXSymbols.pdf
– local file	<code>./6464173446-LaTeXSymbols.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/symbols/compact/README
documentation	(no language specified) <i>The document with TX symbols</i> : https://ctan.org/tex-archive/info/symbols/compact/LaTeXSymbolsTX.pdf
– local file	<code>./2027145226-LaTeXSymbolsTX.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/symbols/compact
keyword	font-index (lists of glyphs available from font(s))

language(s) no language specified
 last access 2025-02-07

1245 compactbib – Multiple thebibliography environments

Web page on CTAN <https://ctan.org/pkg/compactbib>

name compactbib
 caption Multiple thebibliography environments
 author Lejay, Antoine
 license lppl = The LaTeX Project Public License (free)
 description (no language specified) Allows a second bibliography, optionally with a different title, after the main bibliography.
 on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/compactbib>
 on MikTeX compactbib
 on T_EXLive compactbib
 keyword bibtex-supp (BibTeX citation support)
 language(s) no language specified
 year without year
 last access 2025-02-07

1246 compare – Compare two strings

Web page on CTAN <https://ctan.org/pkg/compare>

name compare
 caption Compare two strings
 author McManus, Éamonn
 license pd = Public Domain Software (free)
 version (1993-02-15)
 last changes 1993-02-15
 year 1993

1247 competences – Track skills of classroom checks

description	(no language specified) The file defines a macro <code>\compare</code> , which takes two arguments; the macro expands to -1, 0, 1, according as the first argument is less than, equal to, or greater than the second argument. Sorting is alphabetic, using ASCII collating order.
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/compare.tex
on MikTeX	genmisc
on TeXLive	compare
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

1247 competences – Track skills of classroom checks

Web page on CTAN	https://ctan.org/pkg/competences
name	competences
caption	Track skills of classroom checks
author	Bares, Christophe
copyright	Christophe Bares (2016)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) This package is an attempt to track skills assessed during a classroom check. Each question can be associated with one or more skills and be assigned a number of points to be earned. At the end of the text, a table set summarizes the skills assessed, and in what proportions.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/competences/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/competences
on MikTeX	competences
on TeXLive	competences
keyword	exam (exams, quizzes, etc.)
language(s)	no language specified

year 2016
last access 2025-02-07

1248 *complexity* – Computational complexity class names

Web page on CTAN <https://ctan.org/pkg/complexity>

name	<code>complexity</code>
caption	Computational complexity class names
author	Bourke, Chris
copyright	Chris Bourke (2017)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.81a (2017-09-16)
last changes	2017-09-16
year	2017
description	(no language specified) Complexity is a LaTeX package that defines commands to typeset Computational Complexity Classes such as $\mathbb{P}$ and $\mathbb{NP}$ (as well as hundreds of others). It also offers several options including which font classes are typeset in and how many are defined (all of them or just the basic, most commonly used ones). The package has no dependencies other than the standard ifthen package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/complexity/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/complexity/complexity.pdf
– local file	<code>./2912784540-complexity.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/complexity
on MikTeX	<code>complexity</code>
on TeXLive	<code>complexity</code>
keyword	<code>graphics-symb</code> (create symbols, rather than select from a font)
language(s)	no language specified
last access	2025-02-07

1249 complexpolylongdiv – Typesetting (complex) polynomial long division

Web page on CTAN <https://ctan.org/pkg/complexpolylongdiv>

name	complexpolylongdiv
caption	Typesetting (complex) polynomial long division
author	Khalighi, Vafa
copyright	Vafa Khalighi (2024-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2 (2024-12-30)
last changes	2024-12-30
year	2024
description	(no language specified) This package provides a simple interface for typesetting (complex) polynomial long division.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/complexpolylongdiv/complexpolylongdiv.pdf
– local file	./6409222588-complexpolylongdiv.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/complexpolylongdiv/README
contact	<i>support:</i> https://github.com/xepersian/complexpolylongdiv/discussions
contact	<i>announce:</i> https://github.com/xepersian/complexpolylongdiv/discussions/categories/announcements
contact	<i>bugs:</i> https://github.com/xepersian/complexpolylongdiv/issues
contact	<i>repository:</i> https://github.com/xepersian/complexpolylongdiv
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/complexpolylongdiv
on MikTeX	complexpolylongdiv
on T _E XLive	complexpolylongdiv
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

1250 components – Components of TeX

Web page on CTAN <https://ctan.org/pkg/components>

name	components
caption	Components of TeX
author	Schrod, Joachim
copyright	Joachim Schrod (1990, 1991)
license	gpl = GNU General Public License (free)
description	(no language specified) An introduction to the components and files users of TeX may encounter.
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/info/components-of-TeX/README
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/components-of-TeX/etexkomp.pdf
– local file	./3341341172-etexkomp.pdf
on CTAN	https://ctan.org/tex-archive/info/components-of-TeX
on MikTeX	guides
on TeXLive	components
keyword	documentation (‘stand-alone’ documentation)
language(s)	no language specified
year	1991
last access	2025-02-07

1251 comprehensive – Symbols accessible from LaTeX

Web page on CTAN <https://ctan.org/pkg/comprehensive>

name	The Comprehensive LaTeX Symbol List
caption	Symbols accessible from LaTeX
author	Pakin, Scott
copyright	Scott Pakin (2007-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	15.0 (2024-01-03)
last changes	2024-01-03

year	2024
description	(no language specified) Over 20000 symbols accessible from LaTeX are listed in a set of tables organized by topic and package. The aim is to make it easy to find symbols and learn how to incorporate them into a LaTeX document. An index further helps locate symbols of interest.
documentation	(no language specified) <i>The document (for A4 paper)</i> : https://ctan.org/tex-archive/info/symbols/comprehensive/symbols-a4.pdf
– local file	<code>./4036065152-symbols-a4.pdf</code>
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/info/symbols/comprehensive/README
documentation	(no language specified) <i>Plain text list of symbol commands</i> : https://ctan.org/tex-archive/info/symbols/comprehensive/SYMLIST
documentation	(no language specified) <i>The document (for letter paper)</i> : https://ctan.org/tex-archive/info/symbols/comprehensive/symbols-letter.pdf
– local file	<code>./9845119653-symbols-letter.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/symbols/comprehensive
on MikTeX	comprehensive
on TeXLive	comprehensive
keyword	font-index (lists of glyphs available from font(s))
keyword	ref-latex (LaTeX reference documents)
language(s)	no language specified
last access	2025-02-07

1252 compsci – Document (LaTeX) programming with LaTeX

Web page on CTAN <https://ctan.org/pkg/compsci>

name	compsci
caption	Document (LaTeX) programming with LaTeX
author	Swift, Matt
license	gpl = GNU General Public License (free)
version	1.2

description	(no language specified) A LaTeX package useful when writing about programming, but especially when writing about TeX, and especially when used as a supplement to the ltxdoc class to document LaTeX macros in a (sort of) literate programming style with <code>.dtx</code> files. The package is part of the frankenstein bundle of packages.
documentation	(no language specified) <i>Bundle README</i> : https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/compsci.pdf
– local file	<code>./9326220376-compsci.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/frankenstein
on MikTeX	<code>frankenstein</code>
on TeXLive	<code>frankenstein</code>
keyword	<code>doc-supp</code> (macros and tools for preparing documentation)
language(s)	no language specified
year	without year
last access	2025-02-07

1253 *computational-complexity* – Class for the journal *Computational Complexity*

Web page on CTAN	https://ctan.org/pkg/computational-complexity
name	<code>computational-complexity</code>
caption	Class for the journal <i>Computational Complexity</i>
author	Nüsken, Michael
copyright	Michael Nüsken (2000-2015)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	2.25f
description	(no language specified) The LaTeX2e class <code>cc</code> was written for the journal Computational Complexity , and it can also be used for a lot of other articles. You may like it since it contains a lot of features such as more intelligent references, a set of theorem definitions, an algorithm environment, and more. The class requires natbib .

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/computational-complexity/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/computational-complexity/cc.pdf
– local file	./9179666906-cc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/computational-complexity
on MikTeX	computational-complexity
on T _E XLive	computational-complexity
keyword	journalpub (typesetting journals, etc)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
year	2015
last access	2025-02-07

1254 *computer-typesetting-using-latex* – Content of the book *Computer Typesetting Using LaTeX*

Web page on CTAN	https://ctan.org/pkg/computer-typesetting-using-latex
name	computer-typesetting-using-latex
caption	Content of the book <i>Computer Typesetting Using LaTeX</i>
author	Baldin, Evgeny
license	other-free = Free license not otherwise listed (free)
version	1.1
description	(no language specified) The book “Computer Typesetting Using LaTeX” was published by the BHV-Petersburg (Russia) publishing house in 2008 (ISBN 978-5-9775-0230-6); the author now has complete control again. Under the contract with the publishing house, the author has now regained exclusive rights to the content.
documentation	(Russian) <i>The text of the book</i> : https://ctan.org/tex-archive/info/russian/Computer_Typesetting_Using_LaTeX/ctex.pdf
– local file	./5759863687-ctex.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/russian/Computer_Typesetting_Using_LaTeX/README

on CTAN	https://ctan.org/tex-archive/info/russian/Computer_Typesetting_Using_LaTeX
keyword	russian-doc (documentation in Russian)
language(s)	Russian
year	without year
last access	2025-02-07

1255 *concepts* – Keeping track of formal ‘concepts’ for a particular field

Web page on CTAN	https://ctan.org/pkg/concepts
name	<code>concepts</code>
caption	Keeping track of formal ‘concepts’ for a particular field
author	Helvensteijn, Michiel
copyright	Michiel Helvensteijn (2012)
license	lppl = The LaTeX Project Public License (free)
version	0.0.5-r1
description	(no language specified) The package helps to keep track of formal ‘concepts’ for a specific field or document. This is particularly useful for scientific papers (for example, in physics, mathematics or computer science), which may introduce several concepts (with their own symbols). The package’s commands allow the user to define a concept (typically, near its first use), and will ensure consistent use throughout the document. The package depends on several other packages; while these are fairly common packages, the user should check the package’s README file for the complete list.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/concepts/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/concepts/concepts.pdf
– local file	<code>./7258559725-concepts.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/concepts
on MikTeX	<code>concepts</code>
on TeXLive	<code>concepts</code>
keyword	editorial-consistency (ensure consistency of usage)

language(s)	no language specified
year	2012
last access	2025-02-07

1256 *concmath* – Concrete Math fonts

Web page on CTAN <https://ctan.org/pkg/concmath>

name	concmath
caption	Concrete Math fonts
author	Vieth, Ulrik
license	lppl = The LaTeX Project Public License (free)
version	(1999-03-18)
last changes	1999-03-18
year	1999
description	(no language specified) A LaTeX package and font definition files to access the Concrete mathematics fonts, which were derived from Computer Modern math fonts using parameters from Concrete Roman text fonts.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/concmath/concmath.pdf
– local file	./1362050357-concmath.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/concmath/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/concmath
on MikTeX	concmath
on TeXLive	concmath
keyword	font-suppl (metrics, macro incantations and other font support)
see also	see section 965 on page 878: (ccfonts – Support for Concrete text and math fonts in LaTeX)
see also	see section 1260 on page 1143: (concrete – Concrete Roman fonts)
language(s)	no language specified
last access	2025-02-07

1257 *concmath-fonts* – Concrete mathematics fonts

Web page on CTAN <https://ctan.org/pkg/concmath-fonts>

name	<code>concmath-fonts</code>
caption	Concrete mathematics fonts
author	Vieth, Ulrik
copyright	Ulrik Vieth (1995-1999)
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The fonts are derived from the computer modern mathematics fonts and from Knuth's Concrete Roman fonts; they are distributed as Metafont source. LaTeX support is offered by the concmath package.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/fonts/concmath/README
on CTAN	https://ctan.org/tex-archive/fonts/concmath
on MikTeX	<code>concmath</code>
on TeXLive	<code>concmath-fonts</code>
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>font-maths</code> (fonts for use in mathematics)
keyword	<code>font</code> (fonts themselves)
language(s)	no language specified
year	1999
last access	2025-02-07

1258 *concmath-otf* – Concrete based OpenType Math font

Web page on CTAN <https://ctan.org/pkg/concmath-otf>

name	<code>concmath-otf</code>
caption	Concrete based OpenType Math font
author	Flipo, Daniel
copyright	Daniel Flipo (2022-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
license	ofl = The SIL Open Font License (free)
version	0.64 (2024-10-25)

last changes	2024-10-25
year	2024
description	(no language specified) This package provides an OpenType version of the Concrete Math font created by Ulrik Vieth in Metafont. "concmath-otf.sty" is a replacement for the original "concmath.sty" package to be used with LuaTeX or XeTeX engines.
documentation	(no language specified) <i>List of glyphs</i> : https://ctan.org/tex-archive/fonts/concmath-otf/unimath-concrete.pdf
– local file	./8236200902-unimath-concrete.pdf
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/concmath-otf/concmath-otf.pdf
– local file	./6425167868-concmath-otf.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/concmath-otf/README.md
on CTAN	https://ctan.org/tex-archive/fonts/concmath-otf
on MikTeX	concmath-otf
on TeXLive	concmath-otf
keyword	font-maths (fonts for use in mathematics)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-otf (font in OpenType format)
keyword	font (fonts themselves)
language(s)	no language specified
last access	2025-02-07

1259 *concprog* – Concert programmes

Web page on CTAN <https://ctan.org/pkg/concprog>

name	concprog
caption	Concert programmes
author	Brodnik, Andrej
license	gpl = GNU General Public License (free)
description	(no language specified) A class which provides the necessary macros to prepare a (classical) concert programme; a sample is provided.

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/concprog
on MikTeX	concprog
on T _E XLive	concprog
keyword	advert (small advertisements, fly sheets, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

1260 *concrete* – Concrete Roman fonts

Web page on CTAN	https://ctan.org/pkg/concrete
name	concrete
caption	Concrete Roman fonts
author	Knuth, Donald E.
copyright	D. E. Knuth (null)
license	knuth = Knuth License (free)
description	(no language specified) Concrete Roman fonts, designed by Donald E. Knuth, originally for use with Euler mathematics fonts. Alternative mathematics fonts, based on the concrete ‘parameter set’ are available as the concmath fonts bundle. LaTeX support is offered by the beton, concmath and ccfonts packages. T1- and TS1-encoded versions of the fonts are available in the ecc bundle, and Adobe Type 1 versions of the ecc fonts are part of the cm-super bundle.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/concrete/README
on CTAN	https://ctan.org/tex-archive/fonts/concrete
on MikTeX	concrete
on T _E XLive	concrete
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	no language specified
year	without year
last access	2025-02-11

1261 concrete-macros – Consistent text and maths using concrete fonts

Web page on CTAN <https://ctan.org/pkg/concrete-macros>

name	concrete-macros
caption	Consistent text and maths using concrete fonts
author	Hefferon, Jim
license	noinfo = noinfo
version	(1996-10-08)
last changes	1996-10-08
year	1996
description	(no language specified) Aspiring users of Knuth’s concrete fonts are often recommended to use the beton and euler packages for consistent text and mathematics setting. This package loads both.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/misc/concrete.sty
on MikTeX	ltxmisc
on TeXLive	ltxmisc
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
last access	2025-02-07

1262 conditext – Define and manage conditional content

Web page on CTAN <https://ctan.org/pkg/conditext>

name	CondiTeXt
caption	Define and manage conditional content
author	Brabant, Jean-Louis
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.5 (2020-06-01)
last changes	2020-06-01
year	2020

description	(no language specified) This package provides some commands to define and manage conditional content in a LaTeX source document. A conditional content, in the sense within this is understood in this package, is a text (including mathematical or other formulas) and/or a graphical element (diagram, figure, image...) as substitutable forms, which, according to a condition test, may or may not appear in the generated document. One of the most common forms of conditional content management is multilingual ; but it can also include versioning, confidentiality levels, and so on. The philosophy of this package is based on the respective notions of condition field, condition property and condition space. With this package, any substitutable form in a source document is identified by a condition field and a condition property. The <i>condition field</i> is a functional theme that allows you to group together substitutable forms for the same conditional management. The <i>condition property</i> is a functional characterization specific to each substitutable form of a single condition domain. The <i>condition space</i> is used to designate the substitutable form(s) that must appear in the generated document. A condition space is defined by specifying a condition domain and a condition property to match with one or more substitutable forms.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/conditext/conditext.pdf
– local file	./3773134043-conditext.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/conditext/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/conditext
on MikTeX	conditext
on TeXLive	conditext
keyword	cond-comp (conditional typesetting)
language(s)	no language specified
last access	2025-02-07

1263 confproc – A set of tools for generating conference proceedings

Web page on CTAN <https://ctan.org/pkg/confproc>

name	confproc
caption	A set of tools for generating conference proceedings
author	Verfaille, Vincent
copyright	Vincent Verfaille (2007, 2011)
license	lppl = The LaTeX Project Public License (free)
version	0.8
description	(no language specified) The confproc collection comprises a class, a BibTeX style, and some scripts for generating conference proceedings. It derives from LaTeX scripts written for the DAFx-06 conference proceedings, largely based on the pdfpages package for including the proceedings papers and the hyperref package for creating a proper table of contents, bookmarks and general bibliography back-references. Confproc also uses many other packages for fine tuning of the table of contents, bibliography and index of authors. The added value of the class resides in its time-saving aspects when designing conference proceedings.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/conferences/confproc/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/conferences/confproc/confproc.pdf
– local file	./3007795682-confproc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/conferences/confproc
on MikTeX	confproc
on TeXLive	confproc
keyword	confproc (typesetting conference proceedings)
language(s)	no language specified
year	2011
last access	2025-02-07

1264 consdiag – A utility for OO programming documentation

Web page on CTAN <https://ctan.org/pkg/consdiag>

name	consdiag
caption	A utility for OO programming documentation
author	Algaba, Manuel Gutierrez
copyright	Manuel Gutierrez Algaba (1998)
license	other-free = Free license not otherwise listed (free)
version	1.1
description	(no language specified) This Python script generates LaTeX code (using texdraw macros) to draw Rumbaugh Object Modelling Technique boxes.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/consdiag/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/consdiag/consdiag.ps
on CTAN	https://ctan.org/tex-archive/support/consdiag
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
language(s)	no language specified
year	1998
last access	2025-02-07

1265 constants – Automatic numbering of constants

Web page on CTAN <https://ctan.org/pkg/constants>

name	constants
caption	Automatic numbering of constants
author	Lejay, Antoine
copyright	Antoine Lejay (2008)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package provides a way to number constants in a mathematical proof automatically, with a system for labelling/referencing. In addition, several families of constants (with different symbols) may be defined.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/constants/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/constants/constants.pdf
– local file	<code>./4588725289-constants.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/constants
on MikTeX	<code>constants</code>
on TeXLive	<code>constants</code>
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	no language specified
year	2008
last access	2025-02-07

1266 *coneq* – Typeset multiline continued equalities

Web page on CTAN	https://ctan.org/pkg/coneq
name	<code>coneq</code>
caption	Typeset multiline continued equalities
author	Breitner, Joachim
copyright	Joachim Breitner (2013)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1.1
description	(no language specified) The package provides an environment <code>coneq</code>, which will lay out systems of continued equalities (or inequalities). Several variant layouts of the equalities are provided, and the user may define their own. The package is written using LaTeX 3 macros.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/coneq/coneq.pdf
– local file	<code>./4775009898-coneq.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/coneq/README
contact	<i>repository</i> : https://github.com/nomeata/coneq

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/conteq
on MikTeX	conteq
on TeXLive	conteq
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	2013
last access	2025-02-07

1267 context – The ConTeXt macro package

Web page on CTAN	https://ctan.org/pkg/context
name	context
caption	The ConTeXt macro package
author	Hagen, Hans
license	other-free = Free license not otherwise listed (free)
description	(no language specified) A full featured, parameter driven macro package, which fully supports advanced interactive documents. See the ConTeXt garden for a wealth of support information.
documentation	(no language specified) <i>The “top ten” command groups</i> : https://ctan.org/tex-archive/info/context-top-ten/cmds.pdf
– local file	./5212375308-cmds.pdf
documentation	(no language specified) <i>A ConTeXt excursion</i> : http://www.pragma-ade.com/general/manuals/ms-cb-en.pdf
– local file	./6904511216-ms-cb-en.pdf
documentation	(no language specified) <i>ConTeXt manual</i> : http://www.pragma-ade.com/general/manuals/cont-eni.pdf
– local file	./3753682428-cont-eni.pdf
home page	http://www.pragma-ade.com/
on CTAN	https://ctan.org/tex-archive/macros/context/latest
on TeXLive	context
keyword	format (macros to build a format)
keyword	context (macros of, or for use with, ConTeXt)
language(s)	no language specified

year without year
last access 2025-02-07

1268 *context-account* – A simple accounting package

Web page on CTAN <https://ctan.org/pkg/context-account>

name	context-account
caption	A simple accounting package
author	Schuster, Wolfgang
copyright	Wolfgang Schuster (2007, 2009)
license	pd = Public Domain Software (free)
version	(2009-02-06)
last changes	2009-02-06
year	2009
description	(no language specified) The package deals with "accounts" of its own specification.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-account/doc/context/third/account/README
documentation	(no language specified) <i>Package documented source:</i> https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-account/doc/context/third/account/account-doc.pdf
– local file	./2141718561-account-doc.pdf
on CTAN	https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-account
keyword	obsolete (package declared obsolete)
keyword	calculation (perform calculations within TeX)
language(s)	no language specified
last access	2025-02-07

1269 context-algorithmic – Algorithm handling in ConTeXt

Web page on CTAN <https://ctan.org/pkg/context-algorithmic>

name	context-algorithmic
caption	Algorithm handling in ConTeXt
author	Schuster, Wolfgang
copyright	Wolfgang Schuster (2010)
license	gpl = GNU General Public License (free)
version	(2013-06-03)
last changes	2013-06-03
year	2013
description	(no language specified) Support for typesetting algorithms (a port of the LaTeX package <code>algorithmic</code> , which was a predecessor of <code>algorithmicx</code>).
on CTAN	https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-algorithmic
keyword	pseudocode (typeset languages for expressing algorithms)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
last access	2025-02-07

1270 context-animation – Generate fieldstack based animation with ConTeXt

Web page on CTAN <https://ctan.org/pkg/context-animation>

name	context-animation
caption	Generate fieldstack based animation with ConTeXt
author	Schuster, Wolfgang
copyright	Wolfgang Schuster (2013)
license	gpl3 = GNU General Public License, version 3 (free)
version	(2013-04-07)
last changes	2013-04-07
year	2013
description	(no language specified) The package is a port, to Context (mkvi), of the corresponding LaTeX package.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-animation/doc/context/third/animation/README
on CTAN	https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-animation
keyword	obsolete (package declared obsolete)
keyword	graphics-motion (motion graphics)
language(s)	no language specified
last access	2025-02-07

1271 *context-annotation* – Annotate text blocks

Web page on CTAN	https://ctan.org/pkg/context-annotation
name	context-annotation
caption	Annotate text blocks
author	Schuster, Wolfgang
license	gpl = GNU General Public License (free)
version	(2013-05-27)
last changes	2013-05-27
year	2013
description	(no language specified) The <code>annotation</code> module lets you create your own commands and environments to mark text blocks.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-annotation/doc/context/third/annotation/annotation-doc.pdf
– local file	./5060884945-annotation-doc.pdf
on CTAN	https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-annotation
keyword	context (macros of, or for use with, ConTeXt)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
last access	2025-02-07

1272 context-bnf – A BNF module for ConTeXt

Web page on CTAN <https://ctan.org/pkg/context-bnf>

name	context-bnf
caption	A BNF module for ConTeXt
author	Weibull, Nikolai
license	gpl = GNU General Public License (free)
version	(2006-08-09)
last changes	2006-08-09
year	2006
description	(no language specified) The module provides a simple way to write good-looking BNF-style grammars in ConTeXt. Grammars are written using the BNF syntax right in your ConTeXt documents, so there is a clear separation between content and layout. This allows the user to decide exactly how the grammar is to be displayed, while also allowing the gist of the grammar to be understood from simply looking at the source ConTeXt document.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-bnf/doc/context/third/bnf/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-bnf/doc/context/third/bnf/t-bnf.pdf
– local file	./3689475199-t-bnf.pdf
on CTAN	https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-bnf
keyword	formal-spec (typeset formal specification languages)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
last access	2025-02-07

1273 context-calendar-examples – Collection of calendars based on the PocketDiary-module

Web page on CTAN <https://ctan.org/pkg/context-calendar-examples>

name	context-calendar-examples
caption	Collection of calendars based on the PocketDiary-module
author	Egger, Willi
license	pd = Public Domain Software (free)
version	(2023-04-25)
last changes	2023-04-25
year	2023
description	(no language specified) The module contains examples for creating calendars based on the PocketDiary -module in various page sizes. In this collection there are the following examples: • Year calendar with 1 day per page • Year calendar with 1 week per two facing pages • Menu-Calendar for each week of the year • Sun data and moon data calendar for the whole year • Photo calendar
on CTAN	https://ctan.org/tex-archive/macros/context/contrib/context-calendar-examples
on T _E XLive	context-calendar-examples
keyword	calendar (typeset calendars, diaries, planning charts, etc.)
keyword	calculation (perform calculations within TeX)
keyword	context (macros of, or for use with, ConTeXt)
language(s)	no language specified
last access	2025-02-07

1274 context-chromato – ConTeXt macros for chromatograms

Web page on CTAN <https://ctan.org/pkg/context-chromato>

name	context-chromato
caption	ConTeXt macros for chromatograms
author	Münster, Peter
license	gpl = GNU General Public License (free)
version	(2008-04-05)
last changes	2008-04-05
year	2008
description	(no language specified) The module provides macros for drawing chromatograms.
documentation	(no language specified) <i>Package usage demo:</i> https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-chromato/doc/context/third/chromato/chromato-demo.pdf
– local file	./1979641154-chromato-demo.pdf
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-chromato/doc/context/third/chromato/chromato-doc.pdf
– local file	./2870621826-chromato-doc.pdf
on CTAN	https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-chromato
keyword	diagram-lab (schematic details of laboratory work)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
last access	2025-02-07

1275 context-cmscbf – Use Computer Modern bold Caps and Small-caps in ConTeXt

Web page on CTAN <https://ctan.org/pkg/context-cmscbf>

name	context-cmscbf
caption	Use Computer Modern bold Caps and Small-caps in ConTeXt
author	Münster, Peter
license	gpl = GNU General Public License (free)
version	(2006-09-12)
last changes	2006-09-12
year	2006
description	(no language specified) The module makes provision for bold caps and small caps CM fonts, in ConTeXt. Such a font may be found in the Computer Modern ‘ extra bold ’ font set .
documentation	(no language specified) <i>Demo of use:</i> https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-cmscbf/doc/context/third/cmscbf/cmscbf-demo.pdf
– local file	./3462503153-cmscbf-demo.pdf
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-cmscbf/doc/context/third/cmscbf/cmscbf-doc.pdf
– local file	./7436133330-cmscbf-doc.pdf
on CTAN	https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-cmscbf
keyword	font-supp (metrics, macro incantations and other font support)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
last access	2025-02-07

1276 context-cmttbf – Use Computer Modern Typewriter bold font in ConTeXt

Web page on CTAN <https://ctan.org/pkg/context-cmttbf>

name	ConTeXt-cmttbf
caption	Use Computer Modern Typewriter bold font in ConTeXt
author	Münster, Peter
license	gpl = GNU General Public License (free)
version	(2006-09-12)
last changes	2006-09-12
year	2006
description	(no language specified) The module makes provision for bold typewriter CM fonts, in ConTeXt. Such a font may be found in the Computer Modern ‘ extra bold ’ font set .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-cmttbf/doc/context/third/cmttbf/cmttbf-doc.pdf
– local file	<code>./6655648088-cmttbf-doc.pdf</code>
documentation	(no language specified) <i>Demo of use:</i> https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-cmttbf/doc/context/third/cmttbf/cmttbf-demo.pdf
– local file	<code>./8463829865-cmttbf-demo.pdf</code>
on CTAN	https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-cmttbf
keyword	font-supp (metrics, macro incantations and other font support)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
last access	2025-02-07

1277 **context-collating-marks** – Environment to place collating marks on the spine of a section

Web page on CTAN <https://ctan.org/pkg/context-collating-marks>

name	context-collating-marks
caption	Environment to place collating marks on the spine of a section
author	Egger, Willi
license	pd = Public Domain Software (free)
version	(2023-04-26)
last changes	2023-04-26
year	2023
description	(no language specified) This module provides a possibility to place collating marks on the spines of sections when using imposition. Placing collating marks is a method to make the correct sequence of sections of a book block visible.
documentation	(no language specified) <i>Package usage notes</i> : https://ctan.org/tex-archive/macros/context/contrib/context-collating-marks/doc/context/third/collating-marks/t-collatingmarks-module-doc.pdf
– local file	./3935033465-t-collatingmarks-module-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/context/contrib/context-collating-marks
on T _E XLive	context-collating-marks
keyword	context (macros of, or for use with, ConTeXt)
keyword	book-pub (preparing a book for publication)
language(s)	no language specified
last access	2025-02-07

1278 **context-construction-plan** – Construction plans in ConTeXt

Web page on CTAN <https://ctan.org/pkg/context-construction-plan>

name	context-construction-plan
caption	Construction plans in ConTeXt
author	Münster, Peter
copyright	Peter Münster (2005)

license	gpl = GNU General Public License (free)
version	(2008-04-05)
last changes	2008-04-05
year	2008
description	(no language specified) Generate a page with a figure at a well-defined scale.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-construction-plan/doc/context/third/construction-plan/construction-plan-doc.pdf
– local file	./8480720374-construction-plan-doc.pdf
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-construction-plan/doc/context/third/construction-plan/construction-plan-demo.pdf
– local file	./3035047184-construction-plan-demo.pdf
on CTAN	https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-construction-plan
keyword	graphics-use (graphics (typesetting actual pictures))
keyword	obsolete (package declared obsolete)
language(s)	no language specified
last access	2025-02-07

1279 context-cyrillicnumbers – Write numbers as cyrillic glyphs

Web page on CTAN <https://ctan.org/pkg/context-cyrillicnumbers>

name	context-cyrillicnumbers
caption	Write numbers as cyrillic glyphs
author	Gesang, Philipp
copyright	Philipp Gesang (2011-2013)
license	bsd = BSD Style License (free)
version	(2013-03-28)
last changes	2013-03-28
year	2013

description	(no language specified) The package extends ConTeXt's system of number conversion, by adding numeration using cyrillic letters.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/context/contrib/context-cyrillicnumbers/doc/context/third/cyrillicnumbers/cyrillicnumbers.pdf
– local file	<code>./4755225092-cyrillicnumbers.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/context/contrib/context-cyrillicnumbers
on T _E XLive	<code>context-cyrillicnumbers</code>
keyword	<code>numbers</code> (formatting numbers, etc)
keyword	<code>cyrillic</code> (support languages written using Cyrillic alphabets)
language(s)	no language specified
last access	2026-04-10

1280 *context-degrade* – Degrading JPEG images in ConTeXt

Web page on CTAN <https://ctan.org/pkg/context-degrade>

name	<code>context-degrade</code>
caption	Degrading JPEG images in ConTeXt
author	Münster, Peter
copyright	Peter Münster (2005)
license	gpl = GNU General Public License (free)
version	(2006-09-12)
last changes	2006-09-12
year	2006
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-degrade/doc/context/third/degrade/degrade-doc.pdf
– local file	<code>./7651815989-degrade-doc.pdf</code>
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-degrade/doc/context/third/degrade/degrade-demo.pdf

– local file	<code>./9594254453-degrade-demo.pdf</code>
on CTAN	https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-degrade
keyword	obsolete (package declared obsolete)
keyword	graphics-use (graphics (typesetting actual pictures))
see also	see section 1567 on page 1421: (degrade – Degrade JPEG images on the fly, prior to inclusion)
language(s)	no language specified
last access	2025-02-07

1281 context-fancybreak – Overfull pages with ConTeXt

Web page on CTAN	https://ctan.org/pkg/context-fancybreak
name	context-fancybreak
caption	Overfull pages with ConTeXt
author	Schuster, Wolfgang
copyright	Wolfgang Schuster (2010)
license	gpl = GNU General Public License (free)
version	(2015-04-18)
last changes	2015-04-18
year	2015
description	(no language specified) The (ConTeXt) module allows insertion of thought breaks in texts. With parameters one can adjust the spacing around the content and set a default symbol.
documentation	(no language specified) <i>README</i> : https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-fancybreak/doc/context/third/fancybreak/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-fancybreak/doc/context/third/fancybreak/fancybreak-doc.pdf
– local file	<code>./4719704210-fancybreak-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-fancybreak
keyword	typesetting (support for variations of typographic style)

keyword obsolete (package declared obsolete)
 language(s) no language specified
 last access 2025-02-07

1282 *context-filter* – Run external programs on the contents of a start-stop environment

Web page on CTAN <https://ctan.org/pkg/context-filter>

name context-filter
 caption Run external programs on the contents of a start-stop environment
 author Mahajan, Aditya
 license bsd2 = Simplified BSD License (free)
 version (2022-02-17)
 last changes 2022-02-17
 year 2022
 description (no language specified) The filter module provides a simple interface to run external programs on the contents of a start-stop environment. Options are available to run the external program only if the content of the environment has changed, to specify how the program output should be read back, and to choose the name of the temporary files that are created. The module is compatible with both MkII and MkIV.
 documentation (no language specified) *Package notes:*
 <https://ctan.org/tex-archive/macros/context/contrib/context-filter/doc/context/third/filter/filter.txt>
 on CTAN <https://ctan.org/tex-archive/macros/context/contrib/context-filter>
 on T_EXLive context-filter
 keyword ext-code (run an external program from within a document)
 language(s) no language specified
 last access 2025-02-07

1283 context-fixme – Make editorial marks on a document

Web page on CTAN <https://ctan.org/pkg/context-fixme>

name	context-fixme
caption	Make editorial marks on a document
author	Schuster, Wolfgang
copyright	Wolfgang Schuster (2009)
license	pd = Public Domain Software (free)
version	(2013-03-03)
last changes	2013-03-03
year	2013
description	(no language specified) The module will create a variety of marks, and produce summaries by mark type. This package has been withdrawn from the main archive, at the author's request, in October 2016.
on CTAN	https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-fixme
keyword	obsolete (package declared obsolete)
keyword	editorial (editor's marks, highlights, etc.)
language(s)	no language specified
last access	2025-02-07

1284 context-french – Support for writing French in ConTeXt

Web page on CTAN <https://ctan.org/pkg/context-french>

name	context-french
caption	Support for writing French in ConTeXt
author	Münster, Peter
copyright	Peter Münster (2005)
license	gpl = GNU General Public License (free)
version	(2011-11-09)
last changes	2011-11-09
year	2011

description	(no language specified) Deals with spacing around French punctuation; the package is distributed for ConTeXt Mark IV only.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-french/doc/context/third/french/french-doc.pdf
– local file	./2204339870-french-doc.pdf
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-french/doc/context/third/french/french-demo.pdf
– local file	./3469325371-french-demo.pdf
on CTAN	https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-french
keyword	obsolete (package declared obsolete)
keyword	french (support for typesetting French)
language(s)	no language specified
last access	2025-02-07

1285 context-fullpage – Overfull pages with ConTeXt

Web page on CTAN <https://ctan.org/pkg/context-fullpage>

name	context-fullpage
caption	Overfull pages with ConTeXt
author	Schuster, Wolfgang
copyright	Wolfgang Schuster (2010)
license	gpl = GNU General Public License (free)
version	(2017-08-27)
last changes	2017-08-27
year	2017
description	(no language specified) The (ConTeXt) module copies the functionality of the fullpage , and adds a styling parameter, given in the <code>\usemodule</code> command
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-fullpage/doc/context/third/fullpage/fullpage-doc.pdf
– local file	./8111834308-fullpage-doc.pdf

documentation	(no language specified) <i>README</i> : https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-fullpage/doc/context/third/fullpage/README
on CTAN	https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-fullpage
keyword	geometry (change geometry of page layout)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
last access	2025-02-07

1286 context-games – Create static and interactive versions of board games

Web page on CTAN	https://ctan.org/pkg/context-games
name	context-games
caption	Create static and interactive versions of board games
author	Schuster, Wolfgang
license	pd = Public Domain Software (free)
version	(2009-01-08)
last changes	2009-01-08
year	2009
description	(no language specified) The package provides the function to create static and interactive versions of board games.
documentation	(no language specified) <i>Package documented source</i> : https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-games/doc/context/third/games/games-doc.pdf
– local file	<code>./4596117253-games-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-games/doc/context/third/games/README
on CTAN	https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-games
keyword	obsolete (package declared obsolete)
keyword	games (process game diagrams, gamebooks, and other amusements)
language(s)	no language specified
last access	2025-02-07

1287 context-gantt – GANTT module for ConTeXt

Web page on CTAN <https://ctan.org/pkg/context-gantt>

name	context-gantt
caption	GANTT module for ConTeXt
author	Reviczky, Adam
author	Mahajan, Aditya
license	pd = Public Domain Software (free)
version	(2012-08-19)
last changes	2012-08-19
year	2012
description	(no language specified) Gantt is a module for drawing Gantt charts via MetaPost or PGF/TikZ.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-gantt/doc/context/third/gantt/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-gantt/doc/context/third/gantt/gantt.txt
on CTAN	https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-gantt
keyword	gantt (real-time scheduling Gantt charts)
keyword	obsolete (package declared obsolete)
keyword	diagram (diagrams)
language(s)	no language specified
last access	2025-02-07

1288 context-gnuplot – Inclusion of Gnuplot graphs in ConTeXt

Web page on CTAN <https://ctan.org/pkg/context-gnuplot>

name	ConTeXt-gnuplot
caption	Inclusion of Gnuplot graphs in ConTeXt
author	Hagen, Hans
author	Miklavec, Mojca
author	Hoekwater, Taco
license	gpl = GNU General Public License (free)
version	(2013-05-09)
last changes	2013-05-09
year	2013
description	(no language specified) Enables simple creation and inclusion of graphs with Gnuplot . The package writes a script into temporary file, runs Gnuplot and includes the resulting graphic directly into the document. See the ConTeXt Garden package page for further details.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/context/contrib/context-gnuplot/doc/context/third/gnuplot/gnuplot-context-doc.pdf
– local file	<code>./7756079704-gnuplot-context-doc.pdf</code>
documentation	(no language specified) <i>WIKI description</i> : http://wiki.contextgarden.net/Gnuplot
home page	http://wiki.contextgarden.net/Gnuplot
on CTAN	https://ctan.org/tex-archive/macros/context/contrib/context-gnuplot
on T _E XLive	context-gnuplot
keyword	graphics-inline (graphics inline for external processing)
see also	see section 2577 on page 2334 : (gnuplottex – Embed Gnuplot commands in LaTeX documents)
language(s)	no language specified
last access	2025-02-07

1289 context-handlecsv – Data merging for automatic document creation

Web page on CTAN <https://ctan.org/pkg/context-handlecsv>

name	context-handlecsv
caption	Data merging for automatic document creation
author	Rodríguez, Pablo
author	Hajtmar, Jaroslav
license	gpl3 = GNU General Public License, version 3 (free)
version	(2024-02-21)
last changes	2024-02-21
year	2024
description	(no language specified) The package handles csv data merging for automatic document creation.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/context/contrib/context-handlecsv/doc/context/third/handlecsv/handlecsv.pdf
– local file	./9759085154-handlecsv.pdf
contact	<i>support:</i> https://github.com/ousia/handlecsv/issues
contact	<i>repository:</i> https://github.com/ousia/handlecsv
on CTAN	https://ctan.org/tex-archive/macros/context/contrib/context-handlecsv
on T _E XLive	context-handlecsv
keyword	csv-support (read, process and convert CSV data)
keyword	context (macros of, or for use with, ConTeXt)
language(s)	no language specified
last access	2025-02-07

1290 *context-inifile* – An ini-file pretty-printer, using ConTeXt

Web page on CTAN <https://ctan.org/pkg/context-inifile>

name	context-inifile
caption	An ini-file pretty-printer, using ConTeXt
author	Münster, Peter
copyright	Peter Münster (2008)
license	gpl = GNU General Public License (free)
version	(2008-07-15)
last changes	2008-07-15
year	2008
description	(no language specified) The module parses an ini-file and prints the contents with a user-defined layout. The entries of the file may be sorted by up to three sort keys. The format of a simple ini-file would be: <pre>[key1] symbol1 = value1 symbol2 = value2 [key2] symbol1 = value3 symbol2 = value4</pre> The module only works with ConTeXt MkIV, and uses Lua to help process the input.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-inifile/doc/context/third/inifile/inifile-doc.pdf
– local file	./5101283920-inifile-doc.pdf
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-inifile/doc/context/third/inifile/inifile-demo.pdf
– local file	./7681386665-inifile-demo.pdf
on CTAN	https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-inifile
keyword	data-disp (visualisation of data sets)

keyword obsolete (package declared obsolete)
 language(s) no language specified
 last access 2025-02-07

1291 context-interval-calendar – Date driven lists or lists driven by date-intervals

Web page on CTAN <https://ctan.org/pkg/context-interval-calendar>

name context-interval-calendar
 caption Date driven lists or lists driven by date-intervals
 author Egger, Willi
 license pd = Public Domain Software (free)
 version (2023-04-15)
 last changes 2023-04-15
 year 2023
 description (no language specified) This is a small module which allows to prepare lists in table form containing customizaible number of columns, customizable column heads and a unrestricted list length by providing a start-date and an end-date.
 documentation (no language specified) *Package usage notes:*
 <https://ctan.org/tex-archive/macros/context/contrib/context-interval-calendar/doc/context/third/interval-calendar/t-intervalcalendar-module-doc.pdf>
 – local file ./9253039976-t-intervalcalendar-module-doc.pdf
 on CTAN <https://ctan.org/tex-archive/macros/context/contrib/context-interval-calendar>
 keyword calendar (typeset calendars, diaries, planning charts, etc.)
 keyword context (macros of, or for use with, ConTeXt)
 keyword calculation (perform calculations within TeX)
 language(s) no language specified
 last access 2025-02-07

1292 context-layout – Show ConTeXt layouts

Web page on CTAN <https://ctan.org/pkg/context-layout>

name	context-layout
caption	Show ConTeXt layouts
author	Gundlach, Patrick
license	gpl = GNU General Public License (free)
version	(2007-06-27)
last changes	2007-06-27
year	2007
description	(no language specified) Draws a representation of the layout of the current page and displays the sizes of the widths and heights of the margins, header, footer and text body.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-layout/doc/context/third/layout/t-layout.pdf
– local file	./7783801153-t-layout.pdf
on CTAN	https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-layout
keyword	context (macros of, or for use with, ConTeXt)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
last access	2025-02-07

1293 context-letter – ConTeXt package for writing letters

Web page on CTAN <https://ctan.org/pkg/context-letter>

name	context-letter
caption	ConTeXt package for writing letters
author	Schuster, Wolfgang
copyright	Wolfgang Schuster (2011)
license	gpl = GNU General Public License (free)
version	(2021-10-16)
last changes	2021-10-16

year	2021
description	(no language specified) A means of writing ‘vanilla’ letters and memos is provided, with support covering ConTeXt Mkii and Mkiv. The design of letters may be amended by a wide range of style specifications.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/context/contrib/context-letter/doc/context/third/letter/README
on CTAN	https://ctan.org/tex-archive/macros/context/contrib/context-letter
on T _E XLive	context-letter
keyword	letter (typesetting letters, envelopes, faxes, etc)
language(s)	no language specified
last access	2025-02-07

1294 context-lettrine – A ConTeXt implementation of lettrines

Web page on CTAN	https://ctan.org/pkg/context-lettrine
name	context-lettrine
caption	A ConTeXt implementation of lettrines
author	Hoekwater, Taco
author	Flipo, Daniel
license	pd = Public Domain Software (free)
version	(2009-01-20)
last changes	2009-01-20
year	2009
description	(no language specified) This is a re-implementation of the LaTeX package lettrine .
documentation	(no language specified) <i>MAPS paper about the package</i> : https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-lettrine/doc/context/third/lettrine/lettrine-doc.pdf
– local file	./7159034705-lettrine-doc.pdf
on CTAN	https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-lettrine
keyword	lettrine (drop capitals and flow text around them)

language(s) no language specified
last access 2025-02-07

1295 *context-lilypond* – Lilypond code in ConTeXt

Web page on CTAN <https://ctan.org/pkg/context-lilypond>

name *context-lilypond*
caption Lilypond code in ConTeXt
author Creutzig, Christopher
license gpl = GNU General Public License (free)
version (2010-03-11)
last changes 2010-03-11
year 2010
description (no language specified) Includes **lilypond** music definitions direct in a ConTeXt document.

This package has been withdrawn from the main archive, at the author's request, in October 2016.
documentation (no language specified) *Package documentation:*
<https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-lilypond/doc/context/third/lilypond/t-lilypond.pdf>
– local file ./5150810326-t-lilypond.pdf
on CTAN <https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-lilypond>
keyword music (typesetting music and related stuff)
keyword obsolete (package declared obsolete)
language(s) no language specified
last access 2025-02-07

1296 context-mathsets – Set notation in ConTeXt

Web page on CTAN <https://ctan.org/pkg/context-mathsets>

name	context-mathsets
caption	Set notation in ConTeXt
author	Mahajan, Aditya
license	other-free = Free license not otherwise listed (free)
version	(2011-01-22)
last changes	2011-01-22
year	2011
description	(no language specified) Typeset good-looking set notation (e.g., $\{x x \in Y\}$), as well as similar things such as Dirac bra-ket notation, conditional probabilities, etc. The package is at least inspired by braket .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/context/contrib/context-mathsets/doc/context/third/mathsets/mathsets-doc.pdf
– local file	./5565963510-mathsets-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/context/contrib/context-mathsets
on T _E XLive	context-mathsets
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

1297 context-notes-zh-cn – A ConTeXt LMTX introduction for Chinese users

Web page on CTAN <https://ctan.org/pkg/context-notes-zh-cn>

name	context-notes-zh-cn
caption	A ConTeXt LMTX introduction for Chinese users
author	Li, Yanrui
license	fdl = Free Documentation License (free)
version	(2025-09-11)
last changes	2025-09-11

year	2025
description	(no language specified) An introductory tutorial on ConTeXt, in Chinese. The document covers ConTeXt installation, fonts, layout design, cross-reference, project structure, metafun and presentation design.
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/context-notes-zh-cn/context-notes-zh-cn.pdf
– local file	./6170783863-context-notes-zh-cn.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/context-notes-zh-cn/README.md
home page	https://liyanrui.github.io
contact	<i>bugs</i> : https://github.com/liyanrui/ConTeXt-notes/issues
contact	<i>repository</i> : https://github.com/liyanrui/ConTeXt-notes
on CTAN	https://ctan.org/tex-archive/info/context-notes-zh-cn
on T _E XLive	context-notes-zh-cn
keyword	chinese-doc (documentation in Chinese languages)
language(s)	no language specified
last access	2025-09-11

1298 context-pocketdiary – A personal organiser

Web page on CTAN <https://ctan.org/pkg/context-pocketdiary>

name	context-pocketdiary
caption	A personal organiser
author	Egger, Willi
license	pd = Public Domain Software (free)
version	(2024-12-18)
last changes	2024-12-18
year	2024
description	(no language specified) PocketDiary is a calendar module, enabling to prepare various calendars from day- to week, month- and year-calendars based on the ideas contained in PocketMods, having 8 pages arranged on a A4 single-sided printed sheet of paper. The module comes with different templates for notes etc. The module provides sun and moon data calculations

documentation	(no language specified) <i>Package usage notes:</i> https://ctan.org/tex-archive/macros/context/contrib/context-pocketdiary/doc/context/third/pocketdiary/t-pocketdiary-module-doc.pdf
– local file	<code>./9744404881-t-pocketdiary-module-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/context/contrib/context-pocketdiary
on T _E XLive	<code>context-pocketdiary</code>
keyword	<code>context</code> (macros of, or for use with, ConTeXt)
keyword	<code>calendar</code> (typeset calendars, diaries, planning charts, etc.)
keyword	<code>calculation</code> (perform calculations within TeX)
language(s)	no language specified
last access	2025-02-07

1299 `context-rst` – Process reStructuredText with ConTeXt

Web page on CTAN	https://ctan.org/pkg/context-rst
name	<code>context-rst</code>
caption	Process reStructuredText with ConTeXt
author	Gesang, Philipp
copyright	Philipp Gesang (2010-2014)
license	other-free = Free license not otherwise listed (free)
version	(2014-03-02)
last changes	2014-03-02
year	2014
description	(no language specified) The package provides a converter and module for typesetting reStructuredText with ConTeXt. The module uses several <code>lua</code> scripts in doing its work. Documentation is supplied in <code>rst</code> , which seems to be readable as text, but
documentation	(no language specified) <i>Manual:</i> https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-rst/doc/context/third/rst/manual.pdf
– local file	<code>./6661144629-manual.pdf</code>
on CTAN	https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-rst

keyword	foreign-import (import files in a non-TeX (or different TeX) format)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
last access	2025-02-07

1300 *context-ruby* – Ruby annotations in ConTeXt

Web page on CTAN <https://ctan.org/pkg/context-ruby>

name	context-ruby
caption	Ruby annotations in ConTeXt
author	Schuster, Wolfgang
copyright	Wolfgang Schuster (2010)
license	pd = Public Domain Software (free)
version	(2012-12-01)
last changes	2012-12-01
year	2012
description	(no language specified) Ruby markup (aka furigana in Japan) are inline annotations above or below a word to indicate the reading of ideographic characters. The module implements the W3C specification for simple ruby in ConTeXt. The position and layout of the base text and the ruby text can becontrolled by parameters.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-ruby/doc/context/third/ruby/README
on CTAN	https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-ruby
keyword	notes (general notes (not including endnotes or footnotes))
keyword	obsolete (package declared obsolete)
language(s)	no language specified
last access	2025-02-07

1301 context-sgf – A Go system in ConTeXt

Web page on CTAN <https://ctan.org/pkg/context-sgf>

name	context-sgf
caption	A Go system in ConTeXt
author	Chen, Zhichu
author	Schuster, Wolfgang
copyright	Zhichu Chen and Wolfgang Schuster (2007)
license	pd = Public Domain Software (free)
version	(2007-09-09)
last changes	2007-09-09
year	2007
description	(no language specified) The module typesets Weiqi/Go/Baduk games expressed in SGF syntax. The SGF module itself is supported by a pair of modules that generate the board background and stones, and calculate dead stones. A third module provides general library facilities. This package has been withdrawn from the main archive, at the author's request, in October 2016.
documentation	(no language specified) <i>The deadstone module</i>: https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-sgf/doc/context/third/sgf/t-deadstone.pdf
– local file	<code>./8453611004-t-deadstone.pdf</code>
documentation	(no language specified) <i>The main documentation</i>: https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-sgf/doc/context/third/sgf/t-sgf.pdf
– local file	<code>./1912545867-t-sgf.pdf</code>
on CTAN	https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-sgf
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	context (macros of, or for use with, ConTeXt)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
last access	2025-02-07

1302 **context-simplefonts** – Simplified font usage for ConTeXt

Web page on CTAN <https://ctan.org/pkg/context-simplefonts>

name	context-simplefonts
caption	Simplified font usage for ConTeXt
author	Schuster, Wolfgang
copyright	Wolfgang Schuster (2010)
license	gpl = GNU General Public License (free)
version	(2013-02-24)
last changes	2013-02-24
year	2013
description	(no language specified) The package defines a set of commands for loading and using fonts in ConTeXt.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-simplefonts/doc/context/third/simplefonts/README
on CTAN	https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-simplefonts
keyword	context (macros of, or for use with, ConTeXt)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
last access	2025-02-07

1303 **context-simpleslides** – A module for preparing presentations

Web page on CTAN <https://ctan.org/pkg/context-simpleslides>

name	context-simpleslides
caption	A module for preparing presentations
author	Ramm, Henning Hraban
author	Schmitz, Thomas A.
author	Mahajan, Aditya
copyright	Aditya Mahajan and Thomas A. Schmitz (2007)

license	gpl = GNU General Public License (free)
version	(2023-05-10)
last changes	2023-05-10
year	2023
description	(no language specified) This ConTeXt module provides an easy-to-use interface for creating presentations for use with a digital projector. The presentations are not interactive (no buttons, hyperlinks or navigational tools such as tables of contents). Graphics may be mixed with the text of slides. The module provides several predefined styles, designed for academic presentation. Most styles are configurable, and it is easy to design new styles.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/context/contrib/context-simpleslides/doc/context/third/simpleslides/simpleslides.pdf
– local file	./6316227797-simpleslides.pdf
on CTAN	https://ctan.org/tex-archive/macros/context/contrib/context-simpleslides
on T _E XLive	context-simpleslides
keyword	context (macros of, or for use with, ConTeXt)
language(s)	no language specified
last access	2025-02-07

1304 *context-squares* – Typesetting Magic and Latin squares

Web page on CTAN <https://ctan.org/pkg/context-squares>

name	context-squares
caption	Typesetting Magic and Latin squares
author	del Rio, Jairo A.
copyright	Jairo A. del Rio (2023)
license	mit = MIT License (free)
version	(2023-08-01)
last changes	2023-08-01
year	2023
description	(no language specified) The package provides typesetting of magic and latin squares.

documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/context/contrib/context-squares/README.md
on CTAN	https://ctan.org/tex-archive/macros/context/contrib/context-squares
on T _E XLive	context-squares
keyword	calculation (perform calculations within TeX)
language(s)	no language specified
last access	2025-02-11

1305 context-sudoku – Sudokus for ConTeXt

Web page on CTAN	https://ctan.org/pkg/context-sudoku
name	context-sudoku
caption	Sudokus for ConTeXt
author	del Rio, Jairo A.
license	mit = MIT License (free)
version	(2023-06-03)
last changes	2023-06-03
year	2023
description	(no language specified) A port of Peter Norvig’s sudoku solver to Lua/ConTeXt. It provides four basic commands for typesettings sudokus, as well as a command handler.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/context/contrib/context-sudoku/README.md
contact	<i>repository:</i> https://github.com/JairoAdelRio6/context-sudoku
on CTAN	https://ctan.org/tex-archive/macros/context/contrib/context-sudoku
on T _E XLive	context-sudoku
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	context (macros of, or for use with, ConTeXt)
language(s)	no language specified
last access	2025-02-11

1306 context-taspresent – Simple presentations using ConTeXt

Web page on CTAN <https://ctan.org/pkg/context-taspresent>

name	context-taspresent
caption	Simple presentations using ConTeXt
author	Schmitz, Thomas A.
license	gpl2 = GNU General Public License, version 2 (free)
version	(2007-07-15)
last changes	2007-07-15
year	2007
description	(no language specified) The modules provided in this bundle provide an easy-to-use, consistent, interface for writing simple presentations with ConTeXt. The modules provide for changes to presentation style without change of the source; provision is made for configurability. The modules do not offer any interactive features in the frames presented. Please note that this package is considered obsolete: the author's context-simpleslides (not on CTAN) should be used in new work.
documentation	(no language specified) <i>Package manual</i>: https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-taspresent/doc/context/third/taspresent/taspresent-manual.pdf
– local file	./8628619255-taspresent-manual.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-taspresent/doc/context/third/taspresent/readme
on CTAN	https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-taspresent
keyword	presentation (slides, beamers, handouts, etc.)
keyword	context (macros of, or for use with, ConTeXt)
language(s)	no language specified
last access	2025-02-11

1307 context-title – Place document titles

Web page on CTAN <https://ctan.org/pkg/context-title>

name	context-title
caption	Place document titles
author	Schuster, Wolfgang
license	gpl = GNU General Public License (free)
version	(2017-08-27)
last changes	2017-08-27
year	2017
description	(no language specified) The <code>title</code> module provides the <code>\placetitle</code> command to put a title block into your document. With the command <code>\setuptitle</code> values can be set for <code>\placetitle</code> and change the formatting of the content.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-title/doc/context/third/title/title-doc.pdf
– local file	<code>./7812715650-title-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-title
keyword	context (macros of, or for use with, ConTeXt)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
last access	2025-02-11

1308 context-top-ten – The “top ten” ConTeXt commands

Web page on CTAN <https://ctan.org/pkg/context-top-ten>

name	context-top-ten
caption	The “top ten” ConTeXt commands
author	Corsair, Chris
license	fdl = Free Documentation License (free)
version	32

description	(no language specified) This is an introductory document on ConTeXt. In the beginning of the ConTeXt manual , Hans Hagen lists the ten most frequently used groups of commands. This short document explains these commands in some detail; it is structured as a presentation.
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/context-top-ten/cmds.pdf
– local file	<code>./5212375308-cmds.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/context-top-ten/README
on CTAN	https://ctan.org/tex-archive/info/context-top-ten
keyword	<code>context-doc</code> (documentation of ConTeXt)
language(s)	no language specified
year	without year
last access	2025-02-11

1309 *context-transliterator* – Transliterate text from ‘other’ alphabets

Web page on CTAN <https://ctan.org/pkg/context-transliterator>

name	<code>context-transliterator</code>
caption	Transliterate text from ‘other’ alphabets
author	Gesang, Philipp
copyright	Philipp Gesang (2013)
license	bsd = BSD Style License (free)
version	(2013-03-27)
last changes	2013-03-27
year	2013
description	(no language specified) The package will read text in one alphabet, and provide a transliterated version in another; this is useful for readers who cannot read the original alphabet. The package can make allowance for hyphenation.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/context/contrib/context-transliterator/doc/context/third/transliterator/transliterator.pdf
– local file	<code>./7188992177-transliterator.pdf</code>

on CTAN	https://ctan.org/tex-archive/macros/context/contrib/context-transliterator
on T _E XLive	<code>context-transliterator</code>
keyword	<code>enc-juggle</code> (conversion between encodings)
language(s)	no language specified
last access	2026-04-10

1310 `context-typearea` – Something like Koma-Script `typearea`

Web page on CTAN	https://ctan.org/pkg/context-typearea
name	<code>context-typearea</code>
caption	Something like Koma-Script <code>typearea</code>
author	Münster, Peter
license	gpl = GNU General Public License (free)
version	(2008-04-05)
last changes	2008-04-05
year	2008
description	(no language specified) The module provides a command that calculates the page layout as the LaTeX package <code>typearea</code> does.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-typearea/doc/context/third/typearea/typearea-doc.pdf
– local file	<code>./4412312889-typearea-doc.pdf</code>
documentation	(no language specified) <i>Package demo</i> : https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-typearea/doc/context/third/typearea/typearea-demo.pdf
– local file	<code>./7201231593-typearea-demo.pdf</code>
on CTAN	https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-typearea
keyword	<code>context</code> (macros of, or for use with, ConTeXt)
keyword	<code>obsolete</code> (package declared obsolete)
keyword	<code>geometry</code> (change geometry of page layout)
language(s)	no language specified

last access 2025-02-07

1311 **context-typescrpts** – Small modules to load various fonts for use in ConTeXt

Web page on CTAN <https://ctan.org/pkg/context-typescrpts>

name	context-typescrpts
caption	Small modules to load various fonts for use in ConTeXt
author	Schuster, Wolfgang
copyright	Wolfgang Schuster (2009)
license	gpl2 = GNU General Public License, version 2 (free)
version	(2021-09-02)
last changes	2021-09-02
year	2021
description	(no language specified) The package provides files offering interfaces to 33 publicly available fonts (or collections of fonts from the same foundry); each is available in a <code>.mkii</code> and a <code>.mkiv</code> version.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/context/contrib/context-typescrpts/doc/context/third/typescripts/README
on CTAN	https://ctan.org/tex-archive/macros/context/contrib/context-typescrpts
on T _E XLive	context-typescrpts
keyword	font-use (font selection, mapping, etc.)
keyword	context (macros of, or for use with, ConTeXt)
language(s)	no language specified
last access	2025-02-07

1312 *context-urwgaramond* – ConTeXt support for URW Garamond font

Web page on CTAN <https://ctan.org/pkg/context-urwgaramond>

name	context-URWGaramond
caption	ConTeXt support for URW Garamond font
author	Münster, Peter
license	pd = Public Domain Software (free)
version	(2006-12-23)
last changes	2006-12-23
year	2006
description	(no language specified) The required Type 1 fonts may also be found on CTAN.
documentation	(no language specified) <i>Font sample</i> : https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-urwgaramond/doc/fonts/urw/garamond/test.pdf
– local file	./8982931146-test.pdf
on CTAN	https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-urwgaramond
keyword	obsolete (package declared obsolete)
keyword	context (macros of, or for use with, ConTeXt)
keyword	font-use (font selection, mapping, etc.)
see also	see section 6525 on page 5899 : (urw – URW free font support)
language(s)	no language specified
last access	2025-02-07

1313 *context-urwgothic* – ConTeXt support for URW Gothic

Web page on CTAN <https://ctan.org/pkg/context-urwgothic>

name	context-URWGothic
caption	ConTeXt support for URW Gothic
author	Hoekwater, Taco
license	pd = Public Domain Software (free)
version	(2006-12-22)
last changes	2006-12-22

year	2006
documentation	(no language specified) <i>Font sample</i> : https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-urwgothic/doc/fonts/urw/urwgothic/urwgothic-test.pdf
– local file	<code>./7365996435-urwgothic-test.pdf</code>
on CTAN	https://ctan.org/tex-archive/obsolete/macros/context/contrib/context-urwgothic
keyword	<code>context</code> (macros of, or for use with, ConTeXt)
keyword	<code>font-use</code> (font selection, mapping, etc.)
language(s)	no language specified
last access	2025-02-07

1314 `context-vim` – Generate ConTeXt syntax highlighting code from vim

Web page on CTAN <https://ctan.org/pkg/context-vim>

name	<code>context-vim</code>
caption	Generate ConTeXt syntax highlighting code from vim
author	Mahajan, Aditya
author	Miklavec, Mojca
license	bsd = BSD Style License (free)
version	(2022-02-17)
last changes	2022-02-17
year	2022
description	(no language specified) ConTeXt has excellent pretty printing capabilities for many languages. The code for pretty printing is written in TeX, and due to catcode juggling, such verbatim typesetting is perhaps the trickiest part of TeX. This makes it difficult for a "normal" user to define syntax highlighting rules for a new language. This module takes the onus of defining syntax highlighting rules away from the user and uses ViM editor to generate the syntax highlighting. There is a helper <code>2context.vim</code> script to do the syntax parsing in ViM.
documentation	(no language specified) <i>Package usage notes</i> : https://ctan.org/tex-archive/macros/context/contrib/context-vim/doc/context/third/vim/vim.txt
on CTAN	https://ctan.org/tex-archive/macros/context/contrib/context-vim

on T _E XLive	<code>context-vim</code>
keyword	<code>synt-htl</code> (highlight syntax of computer code, etc.)
keyword	<code>context</code> (macros of, or for use with, ConTeXt)
keyword	<code>ext-code</code> (run an external program from within a document)
see also	see section 1282 on page 1162: (<code>context-filter</code> – Run external programs on the contents of a start-stop environment)
language(s)	no language specified
last access	2026-04-10

1315 context-visualcounter – Visual display of ConTeXt counters

Web page on CTAN <https://ctan.org/pkg/context-visualcounter>

name	<code>context-visualcounter</code>
caption	Visual display of ConTeXt counters
author	Mahajan, Aditya
license	bsd2 = Simplified BSD License (free)
version	(2013-04-01)
last changes	2013-04-01
year	2013
description	(no language specified) A typical document usually contains many counters: page numbers, section numbers, itemizations, enumerations, theorems, and so on. This module provides a visual display for such counters.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/context/contrib/context-visualcounter/doc/context/third/visualcounter/visualcounter.pdf
– local file	<code>./1285405557-visualcounter.pdf</code>
contact	<i>repository:</i> https://github.com/adityam/visualcounter
on CTAN	https://ctan.org/tex-archive/macros/context/contrib/context-visualcounter
on T _E XLive	<code>context-visualcounter</code>
keyword	<code>context</code> (macros of, or for use with, ConTeXt)
language(s)	no language specified
last access	2025-02-07

1316 *continue* – Prints ‘continuation’ marks on pages of multipage documents

Web page on CTAN <https://ctan.org/pkg/continue>

name	<code>continue</code>
caption	Prints ‘continuation’ marks on pages of multipage documents
author	Wilson, Peter R.
author	Robertson, Will
copyright	Peter R. Wilson, Donald Arseneau, Luca Merciadri (2015, 2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2 (2018-12-09)
last changes	2018-12-09
year	2018
description	(no language specified) This package provides for a variety of continuation indicators on pages when the text continues on the following page. The default is to only mark odd pages, but all pages can be marked and the marking can be stopped or started at any point.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/continue/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/continue/continue.pdf
– local file	<code>./2322868726-continue.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/continue
on MikTeX	<code>continue</code>
on T _E XLive	<code>continue</code>
keyword	<code>page-hf</code> (page head- and foot-lines)
keyword	<code>layout</code> (layout of objects on the page)
see also	see section 2434 on page 2200: (<code>fwlw</code> – Get first and last words of a page)
see also	see section 6359 on page 5747: (<code>turnthepage</code> – Provide “turn page” instructions)
language(s)	no language specified
last access	2025-02-07

1317 *contour* – Print a coloured contour around text

Web page on CTAN <https://ctan.org/pkg/contour>

name	<code>contour</code>
caption	Print a coloured contour around text
author	Høgholm, Morten
author	Harders, Harald
copyright	Harald Harders, Morten Høgholm (1999-2004)
license	lppl = The LaTeX Project Public License (free)
version	2.14
description	(no language specified) This package generates a coloured contour around a given text in order to enable printing text over a background without the need of a coloured box around the text.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/contour/contour.pdf
– local file	<code>./8323843497-contour.pdf</code>
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/contour/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/contour
on MikTeX	<code>contour</code>
on T _E XLive	<code>contour</code>
keyword	<code>decoration</code> (highlighting typeset material, fancy frames, watermarks, etc.)
keyword	<code>colour</code> (typesetting in colour)
language(s)	no language specified
year	2004
last access	2025-02-07

1318 *contracard* – Generate calling cards for dances

Web page on CTAN <https://ctan.org/pkg/contracard>

name	contracard
caption	Generate calling cards for dances
author	Whited, Sam
copyright	Samuel Whited (2012-2013)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.0.0 (2019-03-03)
last changes	2019-03-03
year	2019
description	(no language specified) A package and a class used to typeset traditional country dances, such as contra and square dances, and to create calling cards for the same.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/contracard/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/contracard/contracard.pdf
– local file	./7159668530-contracard.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/contracard
on MikTeX	contracard
on T _E XLive	contracard
keyword	class (alternative LaTeX class(es))
keyword	music (typesetting music and related stuff)
language(s)	no language specified
last access	2025-02-07

1319 *contract* – Typeset formalized legal documents such as contracts, statutes, etc

Web page on CTAN <https://ctan.org/pkg/contract>

name	contract
caption	Typeset formalized legal documents such as contracts, statutes, etc
author	Willand, Alexander
author	Kohm, Markus
copyright	Markus Kohm (2007-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.91 (2024-02-07)
last changes	2024-02-07
year	2024
description	(no language specified) This package enables the typesetting of formalized legal documents such as contracts, statutes etc. It will be the successor to the scrjura package. Like the latter, "contract" allows the typographically appealing typesetting of many different legal texts. The typesetting of contracts according to German conventions is supported "out of the box". In addition, the package supports the definition of custom environments in order to typeset contracts and legal texts according to Anglo-American specifications, for example.
documentation	<i>Example of use (German):</i> https://ctan.org/tex-archive/macros/latex/contrib/contract/contract-example-de.pdf
– local file	./2108365735-contract-example-de.pdf
documentation	(no language specified) <i>Example of use (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/contract/contract-example-en.pdf
– local file	./3051055059-contract-example-en.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/contract/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/contract/contract.pdf
– local file	./8883948534-contract.pdf
contact	<i>bugs:</i> https://github.com/komascript/latex-contract/issues
contact	<i>repository:</i> https://github.com/komascript/latex-contract
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/contract

installation	https://ctan.org/tex-archive/install/macros/latex/contrib/contract.tds.zip
on MikTeX	contract
on T _E XLive	contract
keyword	legal (typesetting legal documents or study material)
language(s)	German
last access	2025-02-07

1320 conv-xkv – Create new key-value syntax

Web page on CTAN <https://ctan.org/pkg/conv-xkv>

name	conv-xkv
caption	Create new key-value syntax
author	Story, Donald P.
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	(2017-02-17)
last changes	2017-02-17
year	2017
description	(no language specified) This small package supports key-value syntax other than the standard LaTeX syntax of <code><key>=<value></code> . Using this package, create key-values of the form <code><key>:<value></code> or <code><key>-><value></code> , for example. The package converts the new notation to xkeyval notation and passes it on to xkeyval .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/conv-xkv/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/conv-xkv/doc/conv-xkv.pdf
– local file	./8515848958-conv-xkv.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/conv-xkv
on MikTeX	conv-xkv
on T _E XLive	conv-xkv
keyword	macro-supp (support for development of (La)TeX macros)

language(s) no language specified
last access 2025-02-07

1321 *convbkmk* – Correct platex/uplatex bookmarks in PDF created with hyperref

Web page on CTAN <https://ctan.org/pkg/convbkmk>

name *convbkmk*
caption Correct platex/uplatex bookmarks in PDF created with hyperref
author Tanaka, Takuji
copyright Takuji Tanaka (2009-2018)
license mit = MIT License (free)
version 0.30 (2018-11-25)
last changes 2018-11-25
year 2018
description (no language specified) The package provides a small Ruby script that corrects bookmarks in PDF files created by platex / uplatex , using [hyperref](#) .
documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/support/convbkmk/README.md>
contact *repository*: <https://github.com/t-tk/convbkmk>
on CTAN <https://ctan.org/tex-archive/support/convbkmk>
on T_EXLive *convbkmk*
keyword pdfprocess (process PDF files)
language(s) no language specified
last access 2025-02-07

1322 convert – Generate Knuthian encoding for text files

Web page on CTAN <https://ctan.org/pkg/convert>

name	convert
caption	Generate Knuthian encoding for text files
author	Raichle, Bernd
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Convert a file in an 8-bit character set to one that uses Knuth's ^^x notation for non-ASCII characters.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/convert/readme
on CTAN	https://ctan.org/tex-archive/support/convert
keyword	enc-juggle (conversion between encodings)
language(s)	no language specified
year	without year
last access	2025-02-07

1323 convert-jpfonts – Convert half-width Japanese to full-width beautifully

Web page on CTAN <https://ctan.org/pkg/convert-jpfonts>

name	convert-jpfonts
caption	Convert half-width Japanese to full-width beautifully
author	Hugh
copyright	Hugh (2025)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.1
description	(no language specified) This style file is designed for converting Japanese half-width characters to full-width characters beautifully. This is useful when alphabet characters don't render properly in a Japanese font.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/convert-jpfonts/README.txt
documentation	(Japanese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/convert-jpfonts/convert-jpfonts.pdf
– local file	./4388650729-convert-jpfonts.pdf

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/convert-jpfonts
on MikTeX	convert-jpfonts
on TeXLive	convert-jpfonts
keyword	japanese (support for typesetting Japanese)
language(s)	Japanese
year	2025
last access	2025-02-07

1324 *cooking* – Typeset recipes

Web page on CTAN	https://ctan.org/pkg/cooking
name	cooking
caption	Typeset recipes
author	Reichert, Axel
copyright	Axel Reichert (1999)
license	gpl = GNU General Public License (free)
version	0.9b
description	(no language specified) The package typesets recipes according to the style used in a well-respected German cookery book.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cooking/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cooking/cooking.pdf
– local file	./6652364729-cooking.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cooking
on MikTeX	cooking
on TeXLive	cooking
keyword	cooking (typesetting cooking recipes, etc)
see also	see section 1435 on page 1298: (<i>cuisine</i> – Typeset recipes)
language(s)	no language specified
year	1999

last access 2025-02-07

1325 *cooking-units* – Typeset and convert units for cookery books and recipes

Web page on CTAN <https://ctan.org/pkg/cooking-units>

name	cooking-units
caption	Typeset and convert units for cookery books and recipes
author	Vitecek, Ben
copyright	Ben Vitecek (2016-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.00 (2022-12-10)
last changes	2022-12-10
year	2022
description	(no language specified) The package provides commands to typeset amounts and units consistently and offers an easy-to-use key-value syntax to convert one unit into another (for example ‘dag’ to ‘g’; see the documentation for more examples). This packages requires expl3 and xparse , translations , xfrac , l3keys2e , and, optionally, fmtcount .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cooking-units/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cooking-units/cooking-units.pdf
– local file	./3818144916-cooking-units.pdf
contact	<i>repository</i> : https://github.com/Vidabe/cooking-units
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cooking-units
on MikTeX	cooking-units
on T _E XLive	cooking-units
keyword	units (uniform typesetting of units)
keyword	cooking (typesetting cooking recipes, etc)
keyword	expl3 (expl3(unknown))
language(s)	no language specified

last access 2025-02-11

1326 *cookingsymbols* – Symbols for recipes

Web page on CTAN <https://ctan.org/pkg/cookingsymbols>

name	cookingsymbols
caption	Symbols for recipes
author	Harder, Sven
license	lppl = The LaTeX Project Public License (free)
version	1.1 (2014-12-28)
last changes	2014-12-28
year	2014
description	(no language specified) The package provides 11 symbols for typesetting recipes: oven, gasstove, topheat, fanoven, gloves and dish symbol (among others). The symbols are defined using Metafont.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cookingsymbols/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cookingsymbols/cookingsymbols.pdf
– local file	./8091004689-cookingsymbols.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cookingsymbols
on MikTeX	cookingsymbols
on T _E XLive	cookingsymbols
keyword	font-symbol (fonts that provide collections of symbols)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
keyword	cooking (typesetting cooking recipes, etc)
language(s)	no language specified
last access	2025-02-11

1327 *cookybooky* – A LaTeX based package to easily typeset some professional looking cooking recipes

Web page on CTAN <https://ctan.org/pkg/cookybooky>

name	cookybooky
caption	A LaTeX based package to easily typeset some professional looking cooking recipes
author	Gilg, Jürgen
copyright	Jürgen Gilg (2009)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) This package typesets recipes in quite an eye-pleasing way (with additional pictures).
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/cookybooky/documentation/Manual.pdf
– local file	./4669407592-Manual.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/cookybooky/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cookybooky
on MikTeX	cookybooky
keyword	cooking (typesetting cooking recipes, etc)
see also	see section 1324 on page 1197: (cooking – Typeset recipes)
see also	see section 5134 on page 4653: (recipecard – Typeset recipes in note-card-sized boxes)
see also	see section 6754 on page 6092: (xcookybooky – Typeset (potentially long) recipes)
see also	see section 5132 on page 4651: (recipe – A LaTeX class to typeset recipes)
language(s)	no language specified
year	2009
last access	2025-02-07

1328 cool – Content-Oriented LaTeX

Web page on CTAN <https://ctan.org/pkg/cool>

name	cool
caption	Content-Oriented LaTeX
author	Setzer, Nick
copyright	Nick Setzer (2005-2023)
license	lgpl = GNU Lesser General Public License (free)
version	1.35 (2023-05-03)
last changes	2023-05-03
year	2023
description	(no language specified) The package (Content Oriented LaTeX) gives LaTeX the power to retain mathematical meaning of its expressions in addition to the typesetting instructions; essentially separating style from the content of the math. One advantage of keeping mathematical meaning is that conversion of LaTeX documents to other executable formats (such as Content MathML or Mathematica code) is greatly simplified. The package requires the coolstr , coollist and forloop packages.
documentation	(no language specified) <i>Tables of macros functions:</i> https://ctan.org/tex-archive/macros/latex/contrib/cool/Content_LaTeX_Package_Demo.pdf
– local file	<code>./6039954703-Content_LaTeX_Package_Demo.pdf</code>
documentation	(no language specified) <i>Implementation details:</i> https://ctan.org/tex-archive/macros/latex/contrib/cool/cool.pdf
– local file	<code>./7979370604-cool.pdf</code>
documentation	(no language specified) <i>Package README:</i> https://ctan.org/tex-archive/macros/latex/contrib/cool/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cool
on MikTeX	cool
on TeXLive	cool
keyword	struc-mkup (structured markup)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-11

1329 coolfn – Typeset long legal footnotes

Web page on CTAN <https://ctan.org/pkg/coolfn>

name	coolfn
caption	Typeset long legal footnotes
author	Granet, Elijah Z
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2.2
description	(no language specified) This package provides formatting for footnotes in long legal documents, using hanging indents to make them look nicer.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/coolfn/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/coolfn/coolfndocumentation.pdf
– local file	./6985760298-coolfndocumentation.pdf
contact	<i>repository</i> : https://github.com/ezgranet/coolfn
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/coolfn
on MikTeX	coolfn
on TeXLive	coolfn
keyword	footnote (footnote support)
language(s)	no language specified
year	without year
last access	2025-02-11

1330 coollist – Manipulate Content Oriented LaTeX Lists

Web page on CTAN <https://ctan.org/pkg/coollist>

name	coollist
caption	Manipulate Content Oriented LaTeX Lists
author	Setzer, Nick
copyright	nsetzer (2005-2023)
license	lgpl = GNU Lesser General Public License (free)

version	1.4 (2023-05-03)
last changes	2023-05-03
year	2023
description	(no language specified) Lists are defined as a sequence of tokens separated by a comma. The coollist package allows the user to access certain elements of the list while neglecting others—essentially turning lists into a sort of array. List elements are accessed by specifying the position of the object within the list (the index of the item).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/coollist/coollist.pdf
– local file	./6652862124-coollist.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/coollist/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/coollist
on MikTeX	coollist
on TeXLive	coollist
keyword	data-manip (manipulate data within TeX)
language(s)	no language specified
last access	2025-02-11

1331 coolstr – String manipulation in LaTeX

Web page on CTAN <https://ctan.org/pkg/coolstr>

name	coolstr
caption	String manipulation in LaTeX
author	Setzer, Nick
copyright	N. Setzer (2005-2023)
license	lgpl = GNU Lesser General Public License (free)
version	2.2 (2023-05-03)
last changes	2023-05-03
year	2023

description	(no language specified) Coolstr is a subpackage of the cool bundle that deals with the manipulation of strings. A string is defined as a sequence of characters (not tokens). The package provides the ability to access a specific character of a string, as well as determine if the string contains numeric or integer data.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/coolstr/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/coolstr/coolstr.pdf
– local file	<code>./6068232402-coolstr.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/coolstr
on MikTeX	<code>coolstr</code>
on TeXLive	<code>coolstr</code>
keyword	<code>string</code> (text string searches and manipulation)
language(s)	no language specified
last access	2025-02-11

1332 `coolthms` – Reference items in a theorem environment

Web page on CTAN	https://ctan.org/pkg/coolthms
name	<code>coolthms</code>
caption	Reference items in a theorem environment
author	Zachhuber, Jonathan
author	Fütterer, Michael
copyright	Jonathan Zachhuber, Michael Fütterer (2011-2012)
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) The package provides the means to directly reference items of lists nested in theorem-like environments (e.g., as ‘Theorem 1 a’). The package extends the <code>ntheorem</code> and <code>cleveref</code> packages. The package also provides other theorem markup commands.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/coolthms/coolthms.pdf

1333 `coolthms` – Associate a pop-up window and tooltip with PDF hyperlinks

– local file	<code>./6769822502-coolthms.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/coolthms/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/coolthms
on MikTeX	<code>coolthms</code>
on T _E XLive	<code>coolthms</code>
keyword	<code>label-ref</code> (label and reference systems)
keyword	<code>maths-theorem</code> (typeset mathematical theorems)
language(s)	no language specified
year	2012
last access	2025-02-07

1333 `cooltooltips` – Associate a pop-up window and tooltip with PDF hyperlinks

Web page on CTAN	https://ctan.org/pkg/cooltooltips
name	<code>cooltooltips</code>
caption	Associate a pop-up window and tooltip with PDF hyperlinks
author	Pakin, Scott
copyright	Scott Pakin (2006-2021)
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) The <code>cooltooltips</code> package enables a document to contain hyperlinks that pop up a brief tooltip when the mouse moves over them and also open a small window containing additional text. <code>cooltooltips</code> provides the mechanism used by the Visual LaTeX FAQ to indicate the question that each hyperlink answers.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cooltooltips/cooltooltips.pdf
– local file	<code>./6023968530-cooltooltips.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cooltooltips/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cooltooltips

on MikT _E X	cooltooltips
on T _E XLive	cooltooltips
keyword	pdf-feat (access PDF features)
language(s)	no language specified
year	2021
last access	2025-02-07

1334 *coop-writing* – Support for Cooperative Writing and editorial comments

Web page on CTAN <https://ctan.org/pkg/coop-writing>

name	<i>coop-writing</i>
caption	Support for Cooperative Writing and editorial comments
author	Xexéo, Geraldo
copyright	Geraldo Xexéo (2022)
license	mit = MIT License (free)
version	1.2.4 (2022-01-13)
last changes	2022-01-13
year	2022
description	(no language specified) This package for Cooperative Writing supports editorial comments and gives some extra support for writing and submitting papers, such as anonymization commands for any document that involves more than one author or editor. The general behavior of this package is to provide different ways of marking your text, for example with comments or to-do-notes, suggestions to add, remove or change text that can be totally suppressed from the output when desired. Mostly, this can be easily done using one of the three main option states: <code>editing</code>, <code>submit</code>, and <code>publish</code>. Users should use the <code>editing</code> state most of the time. In this state, all markings will appear and anonymization will be off. When submitting, the <code>submit</code> state will provide a clean article, without any markings, but anonymized. It is possible to use the options <code>submit</code> and <code>noanonymize</code> together. <code>Publish</code> will never anonymize. The goal is to make the <code>submit</code> and <code>publish</code> documents states minimally invasive, to avoid any clash with publishers' styles. Commands were inspired from different packages that do not work together very well, such as <code>ed</code>, <code>todonotes</code>, and <code>color-edits</code>.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/coop-writing/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/coop-writing/coop-writing.pdf
– local file	./5104648832-coop-writing.pdf
contact	<i>announce</i> : https://github.com/xexeo/coop-writing/discussions/
contact	<i>bugs</i> : https://github.com/xexeo/coop-writing/issues
contact	<i>repository</i> : https://github.com/xexeo/coop-writing
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/coop-writing
on MikTeX	coop-writing
on TeXLive	coop-writing
keyword	editorial (editor’s marks, highlights, etc.)
language(s)	no language specified
last access	2025-02-11

1335 cooperhewitt – LaTeX, pdfLaTeX, XeLaTeX and LuaLaTeX support for the Cooper Hewitt family of sans serif fonts

Web page on CTAN	https://ctan.org/pkg/cooperhewitt
name	cooperhewitt
caption	LaTeX, pdfLaTeX, XeLaTeX and LuaLaTeX support for the Cooper Hewitt family of sans serif fonts
author	Tennent, Bob
license	ofl = The SIL Open Font License (free)
license	lppl = The LaTeX Project Public License (free)
version	(2022-10-18)
last changes	2022-10-18
year	2022

description	(no language specified) Cooper Hewitt is a contemporary sans serif, with characters composed of modified-geometric curves and arches. Initially commissioned by Pentagram to evolve his Polaris Condensed typeface, Chester Jenkins created a new digital form to support the newly transformed Smithsonian Design Museum.
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/cooperhewitt/doc/cooperhewitt-samples.pdf
– local file	<code>./8736852265-cooperhewitt-samples.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/cooperhewitt/README
contact	<i>development</i> : https://www.cooperhewitt.org/open-source-at-cooper-hewitt/cooper-hewitt-the-typeface-by-chester-jenkins/
on CTAN	https://ctan.org/tex-archive/fonts/cooperhewitt
installation	https://ctan.org/tex-archive/install/fonts/cooperhewitt.tds.zip
on MikTeX	<code>cooperhewitt</code>
on T _E XLive	<code>cooperhewitt</code>
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-t1enc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font-sans</code> (sans-serif font)
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
language(s)	no language specified
last access	2025-02-11

1336 coordsys – Draw cartesian coordinate systems

Web page on CTAN <https://ctan.org/pkg/coordsys>

name	<code>coordsys</code>
caption	Draw cartesian coordinate systems
author	Hansen, Mogens Lemvig
copyright	Mogens Lemvig Hansen (2000-2006)
license	lppl = The LaTeX Project Public License (free)

version	1.4
description	(no language specified) The package provides commands for typesetting number lines (coordinate axes), coordinate systems and grids in the picture environment. The package may be integrated with other drawing mechanisms: the documentation shows examples of drawing graphs (coordinate tables created by Maple), using the epic package's drawing capabilities.
documentation	(no language specified) <i>Bundle Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/coordsys/README
documentation	(no language specified) <i>Bundle documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/coordsys/coordsys.pdf
– local file	./6694546396-coordsys.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/coordsys
on MikTeX	coordsys
on T _E XLive	coordsys
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
see also	see section 3516 on page 3179: (logsys – Draw logarithmic coordinate systems)
language(s)	no language specified
year	2006
last access	2025-02-07

1337 copac-clean – Automatic editing of Copac/BibTeX records

Web page on CTAN	https://ctan.org/pkg/copac-clean
name	copac-clean
caption	Automatic editing of Copac/BibTeX records
author	Milanese, Guido
copyright	Guido Milanese (2014, 2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.8 (2015-08-28)
last changes	2015-08-28
year	2015

description	(no language specified) The (standalone) utility edits the Copac/BibTeX records, improving some details (punctuation, name of some fields) and adding some useful new fields. The programme is written using Snobol for editing, tck/tk for a simple GUI and a bash script as framework. The utility is only available for use under Linux, but could easily be ported to Windows.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/copac-clean/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/copac-clean/copac-clean.pdf
– local file	<code>./1186284892-copac-clean.pdf</code>
on CTAN	https://ctan.org/tex-archive/support/copac-clean
keyword	bibtex-gen (derive BibTeX data from resources other than BibTeX libraries)
language(s)	no language specified
last access	2025-02-07

1338 *coptic* – Coptic Fonts

Web page on CTAN	https://ctan.org/pkg/coptic
name	<code>coptic</code>
caption	Coptic Fonts
author	Rosmorduc, Serge
copyright	Serge Rosmorduc (1995)
license	gpl = GNU General Public License (free)
description	(no language specified) Coptic fonts that were made with the Gnu FontUtils and are provided as Metafont source. The fonts can be used in any TeX environment, and the bundle provides macros for use with LaTeX.
on CTAN	https://ctan.org/tex-archive/language/coptic/rosmorduc
keyword	<code>coptic</code> (support for typesetting coptic)
language(s)	no language specified
year	1995
last access	2025-02-07

1339 copyedit – Copyediting support for LaTeX documents

Web page on CTAN <https://ctan.org/pkg/copyedit>

name `copyedit`

caption Copyediting support for LaTeX documents

author Venkatesan, SK

author Rajagopal, C. V.

author Radhakrishnan, C. V.

license lpl1.3 = The LaTeX Project Public License 1.3 (free)

version 1.6 (2015-07-21)

last changes 2015-07-21

year 2015

description (no language specified) This package implements copyediting support for LaTeX documents. Authors can enjoy the freedom of using, for example, words with US or UK or Canadian or Australian spelling in a mixed way, yet, they can choose any one of the usage forms for their entire document irrespective of kinds of spelling they have adopted. In the same fashion, the users can have the benefit of the following features available in the package:

- Localization — British-American-Australian-Canadian
- Close-up, Hyphenation, and Spaced words
- Latin abbreviations
- Acronyms and Abbreviations
- Itemization, nonlocal lists and labels
- Parenthetical and serial commas
- Non-local tokenization in language through Abbreviations and pronouns.

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/copyedit/README>

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/copyedit/copyedit.pdf>

– local file `./3415412084-copyedit.pdf`

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/copyedit>

on MikTeX `copyedit`

on TeXLive `copyedit`

keyword english (typesetting specific to English)
 language(s) no language specified
 last access 2025-02-07

1340 **copypaste** – Copy and paste into and across documents

Web page on CTAN <https://ctan.org/pkg/copypaste>

name copypaste

caption Copy and paste into and across documents

author Lourenço de Lima, Eduardo C.

copyright Eduardo C. Lourenço de Lima (2013)

license lppl = The LaTeX Project Public License (free)

version 0.1

description (no language specified) This package provides a framework for copying and pasting content into a single document, or across different documents. The intended use is to quote an external document dynamically.

 The package is superseded by the [clipboard](#) package.

documentation (no language specified) *Package documentation:*
<https://ctan.org/tex-archive/obsolete/macros/latex/contrib/copypaste/copypaste.pdf>

– local file ./2964605614-copypaste.pdf

documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/obsolete/macros/latex/contrib/copypaste/README>

on CTAN <https://ctan.org/tex-archive/obsolete/macros/latex/contrib/copypaste>

keyword quotation-imp (import text from other documents)

keyword obsolete (package declared obsolete)

language(s) no language specified

year 2013

last access 2025-02-07

1341 *copyrightbox* – Provide copyright notices for images in a document

Web page on CTAN <https://ctan.org/pkg/copyrightbox>

name	copyrightbox
caption	Provide copyright notices for images in a document
author	van der Flaas, Ives
copyright	Thomas Fischer and Ives van der Flaas (2010-2011)
license	lpl = The LaTeX Project Public License (free)
version	0.1
description	(no language specified) The package command <code>\copyrightbox[<placement>]{<image command>}{<text>}</code> , which places the <i>text</i> as a copyright notice relating to the matter created by the <i>image command</i> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/copyrightbox/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/copyrightbox/copyrightbox.pdf
– local file	<code>./2799788479-copyrightbox.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/copyrightbox
on MikTeX	copyrightbox
on T _E XLive	copyrightbox
keyword	typesetting (support for variations of typographic style)
language(s)	no language specified
year	2011
last access	2025-02-07

1342 cora-macs – Macros for continuous sets and neural networks in the context of cyber-physical systemsWeb page on CTAN <https://ctan.org/pkg/cora-macs>

name	cora-macs
caption	Macros for continuous sets and neural networks in the context of cyber-physical systems
author	Koller, Lukas
author	Ladner, Tobias
copyright	Tobias Ladner, Lukas Koller (2024)
license	mit = MIT License (free)
version	(2024-12-11)
last changes	2024-12-11
year	2024
description	(no language specified) This LaTeX package has been designed to assist in the representation and manipulation of continuous sets, operations, neural networks, and color schemes tailored for use in the context of cyber-physical systems. It provides a comprehensive set of macros that streamline the process of documenting complex mathematical objects and operations.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cora-macs/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cora-macs/cora-macs-doc.pdf
– local file	./2339413314-cora-macs-doc.pdf
home page	https://cora.in.tum.de/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cora-macs
on MikTeX	cora-macs
on TeXLive	cora-macs
keyword	maths (support for typesetting mathematics)
keyword	physics (support for typesetting physics documents)
language(s)	no language specified
last access	2025-02-07

1343 **corasdiagram** – A LaTeX package for authoring CORAS risk management diagrams

Web page on CTAN <https://ctan.org/pkg/corasdiagram>

name	corasdiagram
caption	A LaTeX package for authoring CORAS risk management diagrams
author	Smith, Fabian Robert
copyright	Fabian Robert Smith (2026)
license	mit = MIT License (free)
version	0.1.2 (2026-03-28)
last changes	2026-03-28
year	2026
description	(no language specified) <i>corasdiagram</i> is a LaTeX package for authoring CORAS risk management diagrams with reusable notation macros, package-managed icons, and high-level analysis tables. It supports asset, threat, risk, treatment, and treatment overview diagrams, plus high-level analysis tables.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/corasdiagram/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/corasdiagram/doc/corasdiagram-doc.pdf
– local file	./5778369279-corasdiagram-doc.pdf
contact	<i>announce</i> : https://github.com/smithfabian/corasdiagram/releases
contact	<i>bugs</i> : https://github.com/smithfabian/corasdiagram/issues
contact	<i>repository</i> : https://github.com/smithfabian/corasdiagram
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/corasdiagram
on T _E XLive	corasdiagram
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	diagram (diagrams)
language(s)	no language specified
last access	2026-04-10

1344 **corelfonts** – An installation script for Corel Ventura fonts

Web page on CTAN <https://ctan.org/pkg/corelfonts>

name	corelfonts
caption	An installation script for Corel Ventura fonts
author	McClelland, Tony
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The package provides a perl script, and ancillary data, to install the fonts that come with a licensed copy of Corel Ventura for use with LaTeX.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/utilities/corelfonts/README
on CTAN	https://ctan.org/tex-archive/fonts/utilities/corelfonts
keyword	font-proc (process fonts for use with TeX (includes installation))
language(s)	no language specified
year	without year
last access	2026-04-10

1345 **corelpak** – Metrics, etc., for fonts distributed with Corel products

Web page on CTAN <https://ctan.org/pkg/corelpak>

name	corelpak
caption	Metrics, etc., for fonts distributed with Corel products
author	Woch, J
license	other-free = Free license not otherwise listed (free)
description	(no language specified) Together with metrics for a large set of fonts, a pair of MS-DOS batch files are provided, for copying the files into place on an emTeX system. A script for copying the fonts themselves is available.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/psfonts/corelpak/README
on CTAN	https://ctan.org/tex-archive/fonts/psfonts/corelpak
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified

year without year
last access 2026-04-10

1346 corelpak-contrib – Manage Corel-distributed fonts

Web page on CTAN <https://ctan.org/pkg/corelpak-contrib>

name corelpak-contrib
caption Manage Corel-distributed fonts
author Tinnefeld, Karsten
license noinfo = noinfo
version (1999-03-09)
last changes 1999-03-09
year 1999
description (no language specified) A small perl script to install the pfb and afm files for fonts that Corel sells with their products; renames files to Berry-style names and copies them to appropriate places in the tree.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/fonts/psfonts/corelpak-contrib/README>
on CTAN <https://ctan.org/tex-archive/fonts/psfonts/corelpak-contrib>
keyword font-virtual (virtual font(s) using existing fonts)
language(s) no language specified
last access 2026-04-10

1347 cormorantgaramond – Cormorant Garamond family of fonts

Web page on CTAN <https://ctan.org/pkg/cormorantgaramond>

name CormorantGaramond
caption Cormorant Garamond family of fonts
author Tennent, Bob
copyright Christian Thalmann and the Cormorant Project Authors
(github.com/CatharsisFonts/Cormorant) (2015)
license ofl = The SIL Open Font License (free)
license lppl = The LaTeX Project Public License (free)

version	3.601 (2024-04-23)
last changes	2024-04-23
year	2024
description	(no language specified) This package provides LaTeX, pdfLaTeX, XeLaTeX and LuaLaTeX support for the Cormorant Garamond family of fonts, designed by Christian Thalman of Catharsis Fonts. The family includes light, regular, medium, semi-bold, and bold weights, with italics.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/cormorantgaramond/README
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/cormorantgaramond/doc/cormorantgaramond.pdf
– local file	<code>./4809456997-cormorantgaramond.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/cormorantgaramond
installation	https://ctan.org/tex-archive/install/fonts/cormorantgaramond.tds.zip
on MikTeX	<code>cormorantgaramond</code>
on T _E XLive	<code>cormorantgaramond</code>
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-ttf</code> (font available in TrueType format)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-t1enc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-proportional</code> (variable-spaced font)
language(s)	no language specified
last access	2025-02-07

1348 **correctmathalign** – Correct spacing of the alignment in expressions

Web page on CTAN <https://ctan.org/pkg/correctmathalign>

name	correctmathalign
caption	Correct spacing of the alignment in expressions
author	Kieda, Yuwsuke
copyright	Yuwsuke Kieda (2017)
license	bsd = BSD Style License (free)
version	1.1
description	(no language specified) This package realigns the horizontal spacing of the alignments in some mathematical environments.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/correctmathalign/doc/correctmathalign.pdf
– local file	./1014145571-correctmathalign.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/correctmathalign/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/correctmathalign
on MikTeX	correctmathalign
on T _E XLive	correctmathalign
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	2017
last access	2026-04-10

1349 **corrects** – Macros for marking correction sheets

Web page on CTAN <https://ctan.org/pkg/corrects>

name	corrects
caption	Macros for marking correction sheets
author	Fairbairns, Robin
author	Carlisle, David
author	Piff, Mike

1350 *corridx-latex* – Correct index entries for chemical compounds

copyright	Mike Piff (1992)
license	noinfo = noinfo
version	(1992-07-22)
last changes	1992-07-22
year	1992
description	(no language specified) The macros support the production of minor correction sheets to a book whose manuscript was prepared in LaTeX. The macros are written for use under LaTeX 2.09.
documentation	(no language specified) <i>Paper discussing the macros:</i> https://ctan.org/tex-archive/macros/latex209/contrib/corrects/corrects.pdf
– local file	./8161313879-corrects.pdf
contact	<i>support:</i> https://github.com/rf-latex/corrects/issues
contact	<i>repository:</i> https://github.com/rf-latex/corrects
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/corrects
keyword	editorial (editor's marks, highlights, etc.)
language(s)	no language specified
last access	2025-02-07

1350 *corridx-latex* – Correct index entries for chemical compounds

Web page on CTAN <https://ctan.org/pkg/corridx-latex>

name	corridx-latex
caption	Correct index entries for chemical compounds
author	Fink, Johannes K.
copyright	Johannes Fink (2005)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The names of chemical compounds often have prefixes that do not contribute to the alphabetic sorting of the corresponding index entry. This drawback can be circumvented by introducing sort keys into the index entry; the <i>corridx</i> package does this automatically. This package replaces the old Pascal program <i>corridx</i> .

documentation	(no language specified) <i>Sample of usage:</i> https://ctan.org/tex-archive/macros/latex/contrib/corridx/corridx.sample.pdf
– local file	./9987696989-corridx.sample.pdf
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/corridx/corridx.pdf
– local file	./2727397960-corridx.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/corridx
on MikTeX	corridx
keyword	chemistry (chemistry document support)
keyword	index (index support)
language(s)	no language specified
year	2005
last access	2025-02-07

1351 *corridx-obsolete* – Add index entries to LaTeX document

Web page on CTAN	https://ctan.org/pkg/corridx-obsolete
name	corridx-obsolete
caption	Add index entries to LaTeX document
author	Fink, Johannes K.
license	noinfo = noinfo
version	(2004-10-12)
last changes	2004-10-12
year	2004
description	(no language specified) Corridx is a preprocessor which stands between your LaTeX run and makeindex. It corrects index entries, in cases where the natural way to express an index item is bad for index sorting. So, for example, it can simply transform an entry <code>\index{1,2-ethanediol}</code> to <code>\index{ethanediol@1,2-ethanediol}</code>, which will be sorted as you might hope, rather than in amongst the numbers. The program is distributed as Pascal source, though a win32 executable is also available; the documentation shows how to integrate it with winedt.

The program has now been superseded by a **LaTeX package** which does the job on the fly.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/indexing/corridx/doc/corridx.pdf
– local file	./3704107852-corridx.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/indexing/corridx/README
on CTAN	https://ctan.org/tex-archive/obsolete/indexing/corridx
keyword	obsolete (package declared obsolete)
keyword	index (index support)
keyword	chemistry (chemistry document support)
language(s)	no language specified
last access	2025-02-07

1352 coseoul – Context sensitive outline elements

Web page on CTAN	https://ctan.org/pkg/coseoul
name	coseoul
caption	Context sensitive outline elements
author	Teubner, Michael
copyright	M. Teubner (2011)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1
description	(no language specified) The package provides ”relative” commands that may be used in place of <code>\chapter</code> , <code>\section</code> , etc. The documentation shows a number of document-management scenarios in which such commands are valuable.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/coseoul/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/coseoul/coseoul.pdf
– local file	./7768253487-coseoul.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/coseoul
on MikTeX	coseoul

on T _E XLive	coseoul
keyword	headings (chapter, section, etc., heading styles)
see also	see section 4048 on page 3662: (modular – Relative section headings for modular documents)
language(s)	no language specified
year	2011
last access	2025-02-07

1353 *couleurs-fr* – French version of colour definitions from xcolor

Web page on CTAN <https://ctan.org/pkg/couleurs-fr>

name	couleurs-fr
caption	French version of colour definitions from xcolor
author	Pierquet, Cédric
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.2 (2023-08-12)
last changes	2023-08-12
year	2023
description	(no language specified) This package provides provides colours with French names, based on xcolor (svgnames, dvipsnames) and xkcd .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/couleurs-fr/README.md
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/couleurs-fr/doc/couleurs-fr-doc.pdf
– local file	./7866861359-couleurs-fr-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/couleurs-fr
on MikT _E X	couleurs-fr
on T _E XLive	couleurs-fr
keyword	colour (typesetting in colour)
keyword	french (support for typesetting French)
language(s)	French
last access	2025-05-27

1354 *count1to* – Make use of *count1* to *count9*Web page on CTAN <https://ctan.org/pkg/count1to>

name	<code>count1to</code>
caption	Make use of <i>count1</i> to <i>count9</i>
author	Schröder, Martin
author	Peischl, Marei
copyright	Martin Schröder (1994-1999)
copyright	Marei Peischl (peiTeX) (2024)
license	lppl = The LaTeX Project Public License (free)
version	2.11
description	(no language specified) A LaTeX package which sets <i>count 1</i> (to ‘absolute’ page number), counts 2–8 to the numbers of the current <code>\part</code>, <code>\chapter</code> (always 0 in article class), ... <code>\subparagraph</code>, and <i>count 9</i> to 1 or 0, according to whether the page is odd or even. These values can be used to select pages with some drivers. The package uses the <i>everyshi</i> package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/count1to/count1to.pdf
– local file	<code>./2252233543-count1to.pdf</code>
contact	<i>bugs</i> : https://gitlab.com/TeXhackse/count1to/-/issues
contact	<i>repository</i> : https://gitlab.com/TeXhackse/count1to
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/count1to
on MikTeX	<code>count1to</code>
on TeXLive	<code>count1to</code>
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
language(s)	no language specified
year	2024
last access	2025-02-07

1355 counterz – Additional tools for counters

Web page on CTAN <https://ctan.org/pkg/counterz>

name	counterz
caption	Additional tools for counters
author	McClain, Christopher
copyright	Christopher McClain (2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1.1 (2023-06-05)
last changes	2023-06-05
year	2023
description	(no language specified) The package facilitates the use of stealth prefixes for counter names in order to help distinguish between counters from multiple input files. The package also provides a means to generate random counters and save such counter values for future typesetting.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/counterz/counterz.pdf
– local file	<code>./1382055711-counterz.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/counterz/README.txt
contact	<i>repository</i> : https://github.com/roguewhistler/counterz
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/counterz
on MikTeX	counterz
on T _E XLive	counterz
keyword	counter-mgmt (management of counters)
language(s)	no language specified
last access	2025-02-11

1356 countriesofeuropa – A font with the images of the countries of Europe

Web page on CTAN <https://ctan.org/pkg/countriesofeuropa>

name	countriesofeuropa
caption	A font with the images of the countries of Europe
author	Zimmermann, Ingo
author	Voß, Herbert
author	Niepraschk, Rolf
license	ofl = The SIL Open Font License (free)
license	lppl = The LaTeX Project Public License (free)
version	0.23 (2019-10-03)
last changes	2019-10-03
year	2019
description	(no language specified) The bundle provides a font "CountriesOfEurope" (in Adobe Type 1 format) and the necessary metrics, together with LaTeX macros for its use. The font provides glyphs with a filled outline of the shape of each country; each glyph is at the same cartographic scale.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/countriesofeuropa/doc/countriesofeuropa.pdf
– local file	./6534203997-countriesofeuropa.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/countriesofeuropa/README
on CTAN	https://ctan.org/tex-archive/fonts/countriesofeuropa
on MikTeX	countriesofeuropa
on TeXLive	countriesofeuropa
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
keyword	font-novelty (fonts designed more for fun than for actual use)
keyword	tagged-pdf-partially (tagged PDF partially compatible)
language(s)	no language specified
last access	2026-04-13

1357 counttexruns – Count compilations of a document

Web page on CTAN <https://ctan.org/pkg/counttexruns>

name	counttexruns
caption	Count compilations of a document
author	Schneider, Robin
copyright	Robin Schneider (2012)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.00a
description	(no language specified) The package counts how often a LaTeX document is compiled, keeping the data in an external file. To print the count, can use the macro <code>\thecounttexruns</code> .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/counttexruns/counttexruns.pdf
– local file	<code>./8303881555-counttexruns.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/counttexruns/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/counttexruns
on MikTeX	counttexruns
on T _E XLive	counttexruns
keyword	compilation (the document compilation process)
language(s)	no language specified
year	2012
last access	2025-02-07

1358 countwords – Exact word counts, stored in LaTeX counters, using Lua

Web page on CTAN <https://ctan.org/pkg/countwords>

name	countwords
caption	Exact word counts, stored in LaTeX counters, using Lua
author	Heagren, Hugo
copyright	Hugo Heagren (2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2026-04-03)
last changes	2026-04-03
year	2026
description	(no language specified) This is a simple package for generating exact wordcounts in LaTeX projects. It counts words, storing the value in a standard LaTeX counter, which can then be printed in the normal way. Word counting can be paused and resumed, so you can skip certain environments like mathematics, and multiple word counts can happen in parallel (you could keep separate global and per-chapter counts, for example). The word counting engine itself is pulled from https://gist.github.com/phi-gamma/2622252 .
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/luatex/latex/countwords/countwords.pdf
– local file	<code>./5757541520-countwords.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/luatex/latex/countwords/README
contact	<i>bugs</i> : https://github.com/Hugo-Heagren/countwords/issues
contact	<i>repository</i> : https://github.com/Hugo-Heagren/countwords
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/countwords
on MikTeX	countwords
on T _E XLive	countwords
keyword	word-count (count the ‘words’ in a document)
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
last access	2026-04-14

1359 **courier** – Adobe Type 1 “free” copies of Courier

Web page on CTAN <https://ctan.org/pkg/courier>

name	Courier
caption	Adobe Type 1 “free” copies of Courier
author	IBM Corporation
copyright	IBM Corporation (1990, 1991)
license	other-nonfree = License that prevents distribution (not free)
description	(no language specified) These fonts are available under the IBM/MIT X Consortium Courier Typefont agreement. The distribution contains PFA outline fonts (ASCII-encoded Type 1), and AFM files.
on CTAN	https://ctan.org/tex-archive/obsolete/fonts/psfonts/ibm/courier
on MikTeX	courier
on TeXLive	courier
keyword	font (fonts themselves)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	obsolete (package declared obsolete)
keyword	font-mono (monospaced font)
language(s)	no language specified
year	1991
last access	2025-02-07

1360 **courier-scaled** – Provides a scaled Courier font

Web page on CTAN <https://ctan.org/pkg/courier-scaled>

name	courier scaled
caption	Provides a scaled Courier font
author	Schulz, Herbert
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	(2004-07-10)
last changes	2004-07-10
year	2004

description	(no language specified) This package sets the default typewriter font to Courier with a possible scale factor (in the same way as the helvet package for Helvetica works for sans serif).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/psfonts/courier-scaled/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/psfonts/courier-scaled/Couriers.pdf
– local file	./1289445211-Couriers.pdf
on CTAN	https://ctan.org/tex-archive/fonts/psfonts/courier-scaled
on MikTeX	courier-scaled
on TeXLive	courier-scaled
keyword	font-use (font selection, mapping, etc.)
language(s)	no language specified
last access	2025-02-07

1361 couriarten – Courier 10 Pitch BT with LaTeX support

Web page on CTAN	https://ctan.org/pkg/couriarten
name	couriarten
caption	Courier 10 Pitch BT with LaTeX support
author	Miller, Daniel Benjamin
copyright	Bitstream (1992)
copyright	Daniel Benjamin Miller (2020)
license	other-free = Free license not otherwise listed (free)
version	(2020-06-05)
last changes	2020-06-05
year	2020
description	(no language specified) This is the font Courier 10 Pitch BT, with LaTeX support and an OpenType conversion as well.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/couriarten/README
on CTAN	https://ctan.org/tex-archive/fonts/couriarten
on MikTeX	couriarten

on T _E XLive	courierten
keyword	font (fonts themselves)
keyword	font-otf (font in OpenType format)
keyword	font-mono (monospaced font)
keyword	font-tlenc (font providing LaTeX T1 encoding support)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
last access	2025-02-07

1362 *courseoutline* – Prepare university course outlines

Web page on CTAN <https://ctan.org/pkg/courseoutline>

name	courseoutline
caption	Prepare university course outlines
author	Gall, Diane
license	other-free = Free license not otherwise listed (free)
version	1.0
description	(no language specified) Courseoutline is a class designed to minimise markup in a tedious task that needs to be repeated often.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/courseoutline
on MikT _E X	courseoutline
on T _E XLive	courseoutline
keyword	teaching (support for teachers and teaching administrators)
language(s)	no language specified
year	without year
last access	2025-02-07

1363 **coursepaper** – Prepare university course papers

Web page on CTAN <https://ctan.org/pkg/coursepaper>

name	coursepaper
caption	Prepare university course papers
author	Gall, Diane
license	other-free = Free license not otherwise listed (free)
version	2.0
description	(no language specified) Coursepaper is a class with which students can provide simple course papers, in a uniform design to ease the task of marking.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/coursepaper
on MikTeX	coursepaper
on T _E XLive	coursepaper
keyword	essay (course work essays, assignments, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

1364 **coverpage** – Automatic cover page creation for scientific papers

Web page on CTAN <https://ctan.org/pkg/coverpage>

name	coverpage
caption	Automatic cover page creation for scientific papers
author	Mühlich, Matthias
author	Kopp, Oliver
copyright	Matthias Mühlich (2006)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.01

description	(no language specified) The package CoverPage was created to supplement scientific papers with a cover page containing bibliographical information, a copyright notice, and/or some logos of the author's institution. The cover page is created (almost) automatically; this is done by parsing BibTeX information corresponding to the main document and reading a configuration file in which the author can set information like the affiliation he or she is associated with. The cover page consists of header, body and footer; all three are macros which can be redefined using <code>\renewcommand</code>, thus allowing easy customization of the package. Additionally, it should be stressed that the cover page layout is totally independent of the main document and its page layout. This package requires four other packages (<code>keyval</code> , <code>url</code> , <code>textcomp</code> , and <code>verbatim</code>), but all of them are standard packages and should be part of every LaTeX installation.
documentation	(no language specified) <i>Another sample:</i> https://ctan.org/tex-archive/macros/latex/contrib/coverpage/ECCV06Sample.pdf
– local file	<code>./2081366619-ECCV06Sample.pdf</code>
documentation	(no language specified) <i>README file:</i> https://ctan.org/tex-archive/macros/latex/contrib/coverpage/README
documentation	(no language specified) <i>Simple sample:</i> https://ctan.org/tex-archive/macros/latex/contrib/coverpage/SimpleSample.pdf
– local file	<code>./6661986027-SimpleSample.pdf</code>
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/coverpage/CoverPage.pdf
– local file	<code>./3109575630-CoverPage.pdf</code>
contact	<i>bugs:</i> https://github.com/koppor/CoverPage/issues
contact	<i>repository:</i> https://github.com/koppor/CoverPage
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/coverpage
on MikTeX	coverpage
on T _E XLive	coverpage
keyword	archival (creating archival copies, or copies for distribution)
keyword	journalpub (typesetting journals, etc)
see also	see section 336 on page 308: (<code>authorarchive</code> – Adds self-archiving information to scientific papers)
language(s)	no language specified

year 2006
last access 2025-02-07

1365 **covfonts** – Make Apostrophic Laboratories’s Covington fonts available to TeX and LaTeX

Web page on CTAN <https://ctan.org/pkg/covfonts>

name `covfonts`

caption Make Apostrophic Laboratories’s Covington fonts available to TeX and LaTeX

author Pakin, Scott

license lppl = The LaTeX Project Public License (free)

version 1.0a

description (no language specified) The covfonts package provides all of the font metrics, virtual fonts, font-description files, and font-mapping files needed to use Apostrophic Laboratories’s freely downloadable **Covington font** with TeX and LaTeX.

documentation (no language specified) *Readme:*
<https://ctan.org/tex-archive/fonts/covfonts/README>

documentation (no language specified) *Package documentation:*
<https://ctan.org/tex-archive/fonts/covfonts/covfonts.pdf>

– local file `./3227182247-covfonts.pdf`

on CTAN <https://ctan.org/tex-archive/fonts/covfonts>

keyword font-supp (metrics, macro incantations and other font support)

language(s) no language specified

year without year

last access 2025-02-07

1366 **covington** – LaTeX macros for Linguistics

Web page on CTAN <https://ctan.org/pkg/covington>

name `covington`

caption LaTeX macros for Linguistics

author Fairbairns, Robin

author Spitzmüller, Jürgen

author	Covington, Michael
copyright	Michael A. Covington, Robin Fairbairns, Juergen Spitzmueller (1991-2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.16 (2025-12-30)
last changes	2025-12-30
year	2025
description	(no language specified) Numerous minor LaTeX enhancements for linguistics, including multiple accents on the same letter, interline glosses (word-by-word translations), Discourse Representation Structures, and example numbering.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/covington/covington.pdf
– local file	<code>./5077288506-covington.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/covington/README
contact	<i>bugs</i> : https://codeberg.org/jspitz/covington/issues
contact	<i>repository</i> : https://codeberg.org/jspitz/covington
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/covington
on MikTeX	covington
on T _E XLive	covington
keyword	linguistic (support for linguistics)
see also	see section 2453 on page 2218: (gb4e – Linguistic tools)
language(s)	no language specified
last access	2026-01-06

1367 *cprog* – Typeset C programs

Web page on CTAN <https://ctan.org/pkg/cprog>

name	<code>cprog</code>
caption	Typeset C programs
author	McManus, Éamonn
license	pd = Public Domain Software (free)
version	1.4

description	(no language specified) Defines a macro <code>\cprogfile{filename}</code> for code in an external file, and an environment <code>cprog</code> for in-line code. The package was designed for use with LaTeX 2.09, but may be used with Plain TeX, as well.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/cprog.sty
keyword	<code>listing</code> (computer code listing)
see also	see section 3413 on page 3079: (<code>lgrind</code> – Produce beautiful listings of source code with LaTeX)
see also	see section 3470 on page 3137: (<code>listings</code> – Typeset source code listings using LaTeX)
language(s)	no language specified
year	without year
last access	2025-02-11

1368 *cprotect* – Allow verbatim, etc., in macro arguments

Web page on CTAN <https://ctan.org/pkg/cprotect>

name	<code>cprotect</code>
caption	Allow verbatim, etc., in macro arguments
author	Le Floch, Bruno
copyright	Bruno Le Floch (2010-2011, 2026)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0f (2026-04-17)
last changes	2026-04-17
year	2026
description	(no language specified) The package defines the macro <code>\cprotect</code> that makes a following macro proof against verbatim in its argument; as, for example, <code>\cprotect\section{\verb"foo"}</code> A similar macro <code>\cprotEnv</code> (applied to the <code>\begin</code> of an environment) sanitises the behavior of fragile environments. Moving arguments, and corresponding “tables of ...” work happily.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cprotect/README

1369 `cprotectinside` – Use `cprotect` arbitrarily nested

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cprotect/cprotect.pdf
– local file	<code>./4425368337-cprotect.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cprotect
on MikTeX	<code>cprotect</code>
on TeXLive	<code>cprotect</code>
keyword	<code>verbatim</code> (verbatim typesetting, etc.)
keyword	<code>tagged-pdf-incompatible</code> (tagged PDF incompatible)
language(s)	no language specified
last access	2026-04-25

1369 `cprotectinside` – Use `cprotect` arbitrarily nested

Web page on CTAN	https://ctan.org/pkg/cprotectinside
name	<code>cprotectinside</code>
caption	Use <code>cprotect</code> arbitrarily nested
author	user202729
copyright	user202729 (2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.0.0 (2022-06-25)
last changes	2022-06-25
year	2022
description	(no language specified) This package extends the <code>cprotect</code> package to allow users to use verbatim-like commands inside arbitrary parameters.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cprotectinside/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cprotectinside/cprotectinside.pdf
– local file	<code>./6211015781-cprotectinside.pdf</code>
contact	<i>repository</i> : https://github.com/user202729/TeXlib
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cprotectinside

on MikTeX	cprotectinside
on T _E XLive	cprotectinside
keyword	verbatim (verbatim typesetting, etc.)
language(s)	no language specified
last access	2026-04-25

1370 *cpssp* – Draw protein secondary structures

Web page on CTAN <https://ctan.org/pkg/cpssp>

name	cpssp
caption	Draw protein secondary structures
author	Esser-Skala, Wolfgang
copyright	Wolfgang Skala (2009)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package, together with the <i>cpssp</i> Python script, allows you to draw a two-dimensional representation of a protein's secondary structure. The package may also be used to graphically compare protein secondary structure predictions. The package makes use of pgf/TikZ .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/cpssp/cpssp.pdf
– local file	./6583726206-cpssp.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/cpssp/README
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/cpssp
on MikTeX	cpssp
keyword	biomedical (support for documents in biomedical research)
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	obsolete (package declared obsolete)
keyword	graphics (graphics (support packages))
language(s)	no language specified

year 2009
last access 2025-02-20

1371 *cp_{tex}* – Use different code pages for TeX input

Web page on CTAN <https://ctan.org/pkg/cptex>

name *cp_{tex}*
caption Use different code pages for TeX input
author Krämer, Martin
copyright FuturaSoft (1994)
license shareware = Shareware: A fee is required (not free)
version 1.1
description (no language specified) A macro package for using alternative ‘code pages’ in TeX; pages included are 437 (US English), 850 (European languages), 8859 (ISO standard 8859-1) and 8859w (ISO 8859-1 with non-standard extensions by MicroSoft).
on CTAN <https://ctan.org/tex-archive/macros/generic/cptex>
keyword *inputenc* (input encoding support for TeX engines)
language(s) no language specified
year 1994
last access 2025-02-07

1372 *cqjtuthesis* – Thesis template for Chongqing Jiaotong University (CQJTU)

Web page on CTAN <https://ctan.org/pkg/cqjtuthesis>

name *cqjtuthesis*
caption Thesis template for Chongqing Jiaotong University (CQJTU)
author Broadcreate
license l_{pl}1.3c = The LaTeX Project Public License 1.3c (free)
version 1.0.2 (2026-02-11)
last changes 2026-02-11
year 2026

description	(no language specified) This is a LaTeX document class for typesetting theses at Chongqing Jiaotong University. It supports Bachelor's thesis, Academic Master's thesis, Professional Master's thesis, and Doctoral dissertation. The template strictly follows the official formatting requirements from the university.
documentation	(Chinese) <i>Example of use (PhD thesis)</i> : https://ctan.org/tex-archive/macros/latex/contrib/cqjtuthesis/examples/cqjtuthesis-doctor.pdf
– local file	<code>./9547255496-cqjtuthesis-doctor.pdf</code>
documentation	(Chinese) <i>Example of use (paper)</i> : https://ctan.org/tex-archive/macros/latex/contrib/cqjtuthesis/examples/cqjtuthesis-professional.pdf
– local file	<code>./8501257396-cqjtuthesis-professional.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cqjtuthesis/README.md
documentation	(Chinese) <i>Example of use (bachelor thesis)</i> : https://ctan.org/tex-archive/macros/latex/contrib/cqjtuthesis/examples/cqjtuthesis-bachelor.pdf
– local file	<code>./5491522139-cqjtuthesis-bachelor.pdf</code>
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cqjtuthesis/doc/cqjtuthesis-doc.pdf
– local file	<code>./1136489061-cqjtuthesis-doc.pdf</code>
documentation	(Chinese) <i>Example of use (master thesis)</i> : https://ctan.org/tex-archive/macros/latex/contrib/cqjtuthesis/examples/cqjtuthesis-master.pdf
– local file	<code>./5069761286-cqjtuthesis-master.pdf</code>
home page	https://github.com/broadcreate/CQJTU-Latex-Thesis
contact	<i>support</i> : https://github.com/broadcreate/CQJTU-Latex-Thesis/wiki
contact	<i>announce</i> : https://github.com/broadcreate/CQJTU-Latex-Thesis/wiki
contact	<i>bugs</i> : https://github.com/broadcreate/CQJTU-Latex-Thesis/issues
contact	<i>repository</i> : https://github.com/broadcreate/CQJTU-Latex-Thesis
contact	<i>development</i> : https://github.com/broadcreate/CQJTU-Latex-Thesis

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cqjtuthesis
on MikTeX	cqjtuthesis
on T _E XLive	cqjtuthesis
keyword	std-conform (support conformance to standards)
keyword	misc-paper (discussion/working paper (rather than journal paper))
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	Chinese
last access	2026-02-18

1373 *cqubeamer* – LaTeX Beamer Template for Chongqing University

Web page on CTAN	https://ctan.org/pkg/cqubeamer
name	CQUBeamer
caption	LaTeX Beamer Template for Chongqing University
author	Wan, Zhen
license	cc-by-4 = CC BY 4.0 (free)
license	mit = MIT License (free)
version	1.0 (2018-05-04)
last changes	2018-05-04
year	2018
description	(no language specified) This package provides a LaTeX beamer template designed for researchers of Chongqing University. It can be used for academic reports, conferences, or thesis defense, and can be helpful for delivering a speech. It should be used with the XeTeX engine.
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/xetex/latex/cqubeamer/cqubeamer.pdf
– local file	<code>./3977385036-cqubeamer.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/cqubeamer/README.md
contact	<i>bugs</i> : https://github.com/CQUtug/CQUBeamer
contact	<i>repository</i> : https://github.com/Godblesswz/CQUBeamerTemplate

on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/cqubeamer
on MikTeX	cqubeamer
on T _E XLive	cqubeamer
keyword	presentation (slides, beamers, handouts, etc.)
keyword	doc-templ (template to guide document development)
keyword	chinese (support for typesetting Chinese languages)
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
see also	see section 1374 on page 1242: (CQUThesis – LaTeX Thesis Template for Chongqing University)
language(s)	Chinese
last access	2025-02-09

1374 *cquthesis* – LaTeX Thesis Template for Chongqing University

Web page on CTAN	https://ctan.org/pkg/cquthesis
name	CQUThesis
caption	LaTeX Thesis Template for Chongqing University
author	Zhennan, Li
copyright	Zhennan Li (2016-2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.50 (2020-06-23)
last changes	2020-06-23
year	2020
description	(no language specified) CQUThesis stands for Chongqing University Thesis Template for LaTeX, bearing the ability to support bachelor, master, doctor dissertations with grace and speed.
documentation	<i>Readme (Chinese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/cquthesis/README-Chinese.md
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cquthesis/README.md
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cquthesis/cquthesis.pdf
– local file	./3439259012-cquthesis.pdf

contact	<i>announce:</i> https://github.com/nanmu42/CQUThesis/releases
contact	<i>bugs:</i> https://github.com/nanmu42/CQUThesis/issues
contact	<i>repository:</i> https://github.com/nanmu42/CQUThesis
contact	<i>development:</i> https://github.com/nanmu42/CQUThesis/blob/master/CONTRIBUTORS.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cquthesis
on MikTeX	cquthesis
on T _E XLive	cquthesis
keyword	chinese (support for typesetting Chinese languages)
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	class (alternative LaTeX class(es))
see also	see section 1373 on page 1241: (CQUBeamer – LaTeX Beamer Template for Chongqing University)
language(s)	Chinese
last access	2025-02-07

1375 *crbox* – Boxes with crossed corners

Web page on CTAN <https://ctan.org/pkg/crbox>

name	crbox
caption	Boxes with crossed corners
author	bidi-tex GitHub Organisation
author	Khalighi, Vafa
copyright	Persian TeX Group (2011-2013)
license	lppl = The LaTeX Project Public License (free)
version	0.1
description	(no language specified) The package implements a <code>\crbox</code> command which produces boxes with crossing lines at the corners.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/crbox/crbox-doc.pdf
– local file	<code>./2428604118-crbox-doc.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/crbox/README

contact	<i>bugs</i> : https://github.com/bidi-tex/crbox/issues
contact	<i>repository</i> : https://github.com/bidi-tex/crbox
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/crbox
on MikTeX	crbox
on T _E XLive	crbox
keyword	boxing (creating boxes)
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
keyword	typesetting (support for variations of typographic style)
language(s)	no language specified
year	2013
last access	2025-02-07

1376 `create-struktex` – Create *struktex* code

Web page on CTAN	https://ctan.org/pkg/create-struktex
name	<code>create-struktex</code>
caption	Create <i>struktex</i> code
author	Lenser, Peter
license	lppl = The LaTeX Project Public License (free)
version	(2013-06-22)
last changes	2013-06-22
year	2013
description	(no language specified) The package provides a Java program to support generation of Nassi Shneiderman diagrams, using LaTeX with the <i>struktex</i> package.
documentation	<i>Readme (English)</i> : https://ctan.org/tex-archive/support/create-struktex/README
documentation	<i>Readme (German)</i> : https://ctan.org/tex-archive/support/create-struktex/LIESMICH
documentation	<i>Package documentation (German)</i> : https://ctan.org/tex-archive/support/create-struktex/create-struktex.de.pdf
– local file	<code>./3318878130-create-struktex.de.pdf</code>
documentation	<i>Package documentation (English)</i> : https://ctan.org/tex-archive/support/create-struktex/create-struktex.en.pdf

1377 `create-theorem` – *Initializing and configuring theorem-like environments, with...*

– local file `./3965819715-create-struktex.en.pdf`
on CTAN <https://ctan.org/tex-archive/support/create-struktex>
keyword `gentex` (generate (La)TeX from other sorts of sources)
keyword `diagram-flow` (flow (and similar) diagrams, including Nassi-Shneiderman)
language(s) German; English
last access 2025-02-07

1377 `create-theorem` – Initializing and configuring theorem-like environments, with multilingual support

Web page on CTAN <https://ctan.org/pkg/create-theorem>

name `create-theorem`
caption Initializing and configuring theorem-like environments, with multilingual support
author XU, Jinwen
copyright Jinwen XU (2021-2024)
license lpl1.3c = The LaTeX Project Public License 1.3c (free)
version (2024-11-12)
last changes 2024-11-12
year 2024
description (no language specified) This package provides commands for naming, initializing and configuring theorem-like environments. These commands have key-value based interfaces and are especially useful in multilingual documents, allowing the easy declaration of theorem-like environments that can automatically adapt to the language settings.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/create-theorem/README.md>
documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/create-theorem/doc/create-theorem-doc.pdf>
– local file `./1647384406-create-theorem-doc.pdf`
contact *repository*: <https://github.com/Jinwen-XU/create-theorem>
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/create-theorem>
on MikTeX `create-theorem`

on T _E XLive	create-theorem
keyword	multilingual (support for more than one (natural) language)
keyword	maths-theorem (typeset mathematical theorems)
keyword	expl3 (expl3(unknown))
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

1378 creationboites – Macros to create simple tcolorbox with some customizations

Web page on CTAN <https://ctan.org/pkg/creationboites>

name	CreationBoites
caption	Macros to create simple tcolorbox with some customizations
author	Pierquet, Cédric
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.8 (2025-12-26)
last changes	2025-12-26
year	2025
description	(no language specified) This package provides some macros to create sampleboxes with tcolorbox : • a macro \CreationBoite to create the box; • a macro \ParamBoites to modify some parameters; • possibility to modify ‘deeply’ the boxes.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/creationboites/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/creationboites/doc/CreationBoites-doc.pdf
– local file	./5685618509-CreationBoites-doc.pdf
contact	<i>bugs</i> : https://github.com/cpierquet/latex-packages/issues
contact	<i>repository</i> : https://github.com/cpierquet/latex-packages/tree/main/creationboites

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/creationboites
on MikTeX	creationboites
on T _E XLive	creationboites
keyword	boxing (creating boxes)
keyword	colour (typesetting in colour)
language(s)	no language specified
last access	2026-01-03

1379 *crefthe* – Cross referencing with proper definite articles and declensions

Web page on CTAN	https://ctan.org/pkg/crefthe
Alias	ceref
name	crefthe
caption	Cross referencing with proper definite articles and declensions
author	XU, Jinwen
copyright	Jinwen XU (2021-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2024-02-25)
last changes	2024-02-25
year	2024
description	(no language specified) By default, when using <code>cleveref</code> 's <code>\ceref</code> to reference theorem-like environments, the names do not contain definite articles. In languages such as French, Italian, Portuguese, Spanish, etc. this results in incorrect grammar. For this purpose, the current package offers <code>\crefthe</code> , which handles the definite articles properly (especially for the article contractions in many European languages).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/crefthe/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/crefthe/crefthe-doc.pdf
– local file	<code>./4749134910-crefthe-doc.pdf</code>
contact	<i>repository</i> : https://github.com/Jinwen-XU/crefthe
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/crefthe

on MikTeX	crefthe
on T _E XLive	crefthe
keyword	expl3 (expl3(unknown))
keyword	label-ref (label and reference systems)
language(s)	no language specified
last access	2025-02-07

1380 *crimson* – Crimson fonts with LaTeX support

Web page on CTAN <https://ctan.org/pkg/crimson>

name	crimson
caption	Crimson fonts with LaTeX support
author	Tennent, Bob
license	ofl = The SIL Open Font License (free)
license	lppl = The LaTeX Project Public License (free)
version	(2024-12-08)
last changes	2024-12-08
year	2024
description	(no language specified) This package provides LaTeX, pdfLaTeX, XeLaTeX, and LuaLaTeX support for the Crimson family of fonts, designed by Sebastian Kosch. The Crimson family is for book production in the tradition of beautiful oldstyle typefaces, inspired particularly by the work of people like Jan Tschichold (Sabon), Robert Slimbach (Arno, Minion), and Jonathan Hoefler (Hoefler Text). Small caps and old-style numerals are mostly available, except old-style numerals are not supported in Bold or Semibold.
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/crimson/doc/crimson-samples.pdf
– local file	<code>./6552029891-crimson-samples.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/crimson/README
on CTAN	https://ctan.org/tex-archive/fonts/crimson
installation	https://ctan.org/tex-archive/install/fonts/crimson.tds.zip

on MikTeX	<code>crimson</code>
on T _E XLive	<code>crimson</code>
keyword	<code>font-tlenc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-serif</code> (serif font)
see also	see section 1381 on page 1249: (<i>CrimsonPro</i> – <i>CrimsonPro fonts with LaTeX support</i>)
language(s)	no language specified
last access	2025-02-07

1381 *crimsonpro* – *CrimsonPro fonts with LaTeX support*

Web page on CTAN <https://ctan.org/pkg/crimsonpro>

name	<code>CrimsonPro</code>
caption	<i>CrimsonPro fonts with LaTeX support</i>
author	Tennent, Bob
license	ofl = The SIL Open Font License (free)
license	lppl = The LaTeX Project Public License (free)
version	(2022-09-30)
last changes	2022-09-30
year	2022
description	(no language specified) The <i>CrimsonPro</i> fonts are designed by Jacques Le Bailly and derived from the <i>Crimson Text fonts</i> designed by Sebastian Kosch. The family includes eight weights and italics for each weight.
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/crimsonpro/doc/crimsonpro-samples.pdf
– local file	<code>./5895129947-crimsonpro-samples.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/crimsonpro/README
on CTAN	https://ctan.org/tex-archive/fonts/crimsonpro

installation	https://ctan.org/tex-archive/install/fonts/crimsonpro.tds.zip
on MikTeX	crimsonpro
on T _E XLive	crimsonpro
keyword	font-proportional (variable-spaced font)
keyword	font-tlenc (font providing LaTeX T1 encoding support)
keyword	font-ttf (font available in TrueType format)
keyword	font-serif (serif font)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
see also	see section 1380 on page 1248: (<i>crimson</i> – Crimson fonts with LaTeX support)
language(s)	no language specified
last access	2026-03-22

1382 *croatian* – Fonts for Croatian Glagolitic and other Croatian scripts

Web page on CTAN <https://ctan.org/pkg/croatian>

name	<i>croatian</i>
caption	Fonts for Croatian Glagolitic and other Croatian scripts
author	Žubrinić, Darko
license	other-nonfree = License that prevents distribution (not free)
version	(2011-01-27)
last changes	2011-01-27
year	2011
description	(no language specified) The package provides several fonts: Croatian Glagolitic (round—sometimes called Bulgarian Glagolitic, angular, Baška tablet, cursive, ligatures, the Baromić broken ligatures, calligraphic), Croatian Cyrillic, stećak ornaments and Croatian wattle patterns. The fonts are provided as Metafont source; some Plain TeX macro support is provided, including hyphenation patterns.
documentation	(no language specified) <i>TUGboat paper announcing the fonts</i>: https://tug.org/TUGboat/Articles/tb17-1/tb50zubr.pdf
– local file	<code>./7194454618-tb50zubr.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/croatian/fonts/README
on CTAN	https://ctan.org/tex-archive/language/croatian/fonts
on MikTeX	croatian
keyword	croatian (support for typesetting Croatian)
keyword	font (fonts themselves)
keyword	font-cyrillic (fonts for Cyrillic and related scripts)
keyword	font-historical (fonts for a script or language now obsolete)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	no language specified
last access	2025-02-07

1383 *crop* – Support for cropmarks

Web page on CTAN	https://ctan.org/pkg/crop
name	crop
caption	Support for cropmarks
author	Thomas, Reuben
author	Franz, Melchior
copyright	Melchior Franz (1998-2017)
license	lppl = The LaTeX Project Public License (free)
version	1.10.2 (2020-06-05)
last changes	2020-06-05
year	2020
description	(no language specified) A package providing corner marks for camera alignment as well as for trimming paper stacks, and additional page information on every page if required. Most macros are easily adaptable to personal preferences. An option is provided for selectively suppressing graphics or text, which may be useful for printing just colour graphics on a colour laser printer and the rest on a cheap mono laser printer. A page info line contains the time and a new cropmarks index and is printed at the top of the page. A configuration command is provided for the info line font. Options for better collaboration with dvips, pdfTeX and vtex are provided.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/crop/README

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/crop/crop.pdf
– local file	<code>./5519250704-crop.pdf</code>
contact	<i>repository</i> : https://github.com/rrthomas/crop
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/crop
on MikTeX	<code>crop</code>
on T _E XLive	<code>crop</code>
keyword	<code>layout-page</code> (page trim marks and decorations)
see also	see section 6934 on page 6260: (<code>zwpagelayout</code> – Page layout and crop-marks)
language(s)	no language specified
last access	2025-02-07

1384 *cropmark* – Crop marks on `\shipout`

Web page on CTAN <https://ctan.org/pkg/cropmark>

name	<code>cropmark</code>
caption	Crop marks on <code>\shipout</code>
author	Eijkhout, Victor
license	<code>noinfo = noinfo</code>
version	1.0
description	(no language specified) The package subverts <code>\shipout</code> and has it recognise the circumstances in which it is being called. A short test program, which detects whether it is being run under Plain TeX or LaTeX, is provided.
on CTAN	https://ctan.org/tex-archive/macros/generic/cropmark
on MikTeX	<code>genmisc</code>
keyword	<code>layout-page</code> (page trim marks and decorations)
see also	see section 1387 on page 1254: (<code>cropmrks</code> – Add crop marks to a Plain TeX document)
language(s)	no language specified
year	without year
last access	2025-02-07

1385 cropmark-pu – Cropmark macros for Plain TeX

Web page on CTAN <https://ctan.org/pkg/cropmark-pu>

name	cropmark-pu
caption	Cropmark macros for Plain TeX
author	Ungar, Peter
license	noinfo = noinfo
version	(1992-02-10)
last changes	1992-02-10
year	1992
description	(no language specified) Cropmark macros that have to be edited for appropriate positioning values, before use. An example file is appended to the source.
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/cropmark.tex
on MikTeX	genmisc
keyword	layout-page (page trim marks and decorations)
see also	see section 1386 on page 1253: (cropmarks-pt – Philip Taylor’s cropmarks macros)
see also	see section 1384 on page 1252: (cropmark – Crop marks on \shipout)
language(s)	no language specified
last access	2025-02-07

1386 cropmarks-pt – Philip Taylor’s cropmarks macros

Web page on CTAN <https://ctan.org/pkg/cropmarks-pt>

name	cropmarks-pt
caption	Philip Taylor’s cropmarks macros
author	Taylor, Philip
copyright	Philip Taylor (1992)
license	other-free = Free license not otherwise listed (free)
version	1.4
description	(no language specified) The package permits the user to specify cropmarks in terms of a number of dimension variables. The marks themselves are applied in a subverted \shipout command.

on CTAN	https://ctan.org/tex-archive/macros/generic/misc/CropMarks_pt.tex
on MikTeX	genmisc
keyword	layout-page (page trim marks and decorations)
language(s)	no language specified
year	1992
last access	2025-02-07

1387 *cropmrks* – Add crop marks to a Plain TeX document

Web page on CTAN	https://ctan.org/pkg/cropmrks
name	cropmrks
caption	Add crop marks to a Plain TeX document
author	Taylor, Philip
copyright	Philip Taylor (1994)
license	noinfo = noinfo
version	1.5
description	(no language specified) Designed to work with Plain TeX, only. Documentation (such as it is) may be found in the comments of the macro file.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/cropmrks.tex
keyword	layout-page (page trim marks and decorations)
see also	see section 1384 on page 1252: (<i>cropmark</i> – Crop marks on \shipout)
language(s)	no language specified
year	1994
last access	2025-02-07

1388 **crossrefenum** – Smart typesetting of enumerated cross-references for various TeX formats

Web page on CTAN <https://ctan.org/pkg/crossrefenum>

name	crossrefenum
caption	Smart typesetting of enumerated cross-references for various TeX formats
author	Dumont, Bastien
copyright	Bastien Dumont (2022-2024)
license	fdl = Free Documentation License (free)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	1.1 (2024-04-13)
last changes	2024-04-13
year	2024
description	(no language specified) <i>crossrefenum</i> lets TeX manage the formatting of bunches of cross-references for you. It features: • Automatic collapsing of references; • Support for references by various criteria, including page and note number, line number in ConTeXt and edpage and edline when used in conjunction with reledmac • Handling of references combining two criteria (e.g. by page and note number) • Extension mechanisms to add support to other types of references without modifying the internal macros. Note that sorting is not supported. I assume that users know in what order the labels they refer to appear in their document. It is written in Plain TeX as much as possible in order to make it compatible with a wide array of formats. For the moment, it works out of the box with ConTeXt and LaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/crossrefenum/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/crossrefenum/doc/crossrefenum.pdf
– local file	./5865122655-crossrefenum.pdf
contact	<i>bugs</i> : https://bastien-dumont.onmypc.net/git/bdumont/crossrefenum/issues

contact	<i>repository:</i> https://bastien-dumont.onmypc.net/git/bdumont/crossrefenum
on CTAN	https://ctan.org/tex-archive/macros/generic/crossrefenum
on MikTeX	crossrefenum
on T _E XLive	crossrefenum
keyword	context (macros of, or for use with, ConTeXt)
keyword	label-ref (label and reference systems)
language(s)	no language specified
last access	2025-02-07

1389 crossreference – Crossreferences within documents

Web page on CTAN	https://ctan.org/pkg/crossreference
name	crossreference
caption	Crossreferences within documents
author	Filby, Vincent
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The package defines cross-references (essentially ‘grand’ label references), which may be listed in a table of cross-references.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/crossreference/crossreference.pdf
– local file	./7095051678-crossreference.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/crossreference/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/crossreference
on MikTeX	crossreference
on T _E XLive	crossreference
keyword	label-ref (label and reference systems)
language(s)	no language specified
year	without year
last access	2025-02-07

1390 crossreftools – Expandable extraction of cleveref data

Web page on CTAN <https://ctan.org/pkg/crossreftools>

name	crossreftools
caption	Expandable extraction of cleveref data
author	Hupfer, Christian
copyright	Dr. Christian Hupfer (2017-2020)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2020-07-19)
last changes	2020-07-19
year	2020
description	(no language specified) This package extracts information from cross-referencing labels, especially those from cleveref , in an expandable manner.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/crossreftools/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/crossreftools/crossreftools_doc.pdf
– local file	./9097143282-crossreftools_doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/crossreftools
on MikTeX	crossreftools
on T _E XLive	crossreftools
keyword	label-ref (label and reference systems)
see also	see section 1118 on page 1019: (cleveref – Intelligent cross-referencing)
language(s)	no language specified
last access	2025-02-07

1391 crossrefware – Scripts for working with crossref.org

Web page on CTAN <https://ctan.org/pkg/crossrefware>

name crossrefware

caption Scripts for working with crossref.org

author Veytsman, Boris

copyright Boris Veytsman (2012-2025)

license gpl = GNU General Public License (free)

version (2025-09-25)

last changes 2025-09-25

year 2025

description (no language specified) This bundle contains the following scripts:

- `bibdoiadd.pl` : add DOI numbers to papers in a given bib file,
- `bibzbladd.pl` : add Zbl numbers to papers in a given bib file,
- `bibmradd.pl` : add MR numbers to papers in a given bib file,
- `bb12bib.pl` : convert thebibliography environment to a bib file,
- `biburl2doi.pl` : convert urls pointing to doi.org to dois
- `ltx2crossrefxml.pl` : a tool for the creation of XML files for submitting to crossref.org .

The scripts use [bibtexperl](#) .

documentation (no language specified) *Readme*:

<https://ctan.org/tex-archive/support/crossrefware/README>

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/support/crossrefware/crossrefware.pdf>

– local file ./4914037559-crossrefware.pdf

contact *bugs*: <https://github.com/borisveytsman/crossrefware/issues>

contact *repository*: <https://github.com/borisveytsman/crossrefware>

contact *development*:

<https://github.com/borisveytsman/crossrefware/pulls>

on CTAN <https://ctan.org/tex-archive/support/crossrefware>

on MikTeX crossrefware

on TeXLive crossrefware

keyword `bibtex-util` (utilities for managing BibTeX files)
 language(s) no language specified
 last access 2025-10-03

1392 *crosstex* – Bibliography management tool

Web page on CTAN <https://ctan.org/pkg/crosstex>

name `crosstex`
 caption Bibliography management tool
 author Burgess, Robert
 author Sirer, Emin Gün
 license gpl2 = GNU General Public License, version 2 (free)
 version 0.6
 description (no language specified) CrossTeX is a modern object-oriented bibliography management tool, designed to replace BibTeX. It comprises a new bibliographic database format that is much less prone to error compared to other alternatives like BibTeX, and a flexible new tool for creating the citations that appear at the end of scholarly texts.
 on CTAN <https://ctan.org/tex-archive/obsolete/biblio/crosstex>
 keyword `biblio` (bibliography processor)
 language(s) no language specified
 year without year
 last access 2025-02-07

1393 *crossword* – Typeset crossword puzzles

Web page on CTAN <https://ctan.org/pkg/crossword>

name `crossword`
 caption Typeset crossword puzzles
 author Neugebauer, Gerd
 copyright Gerd Neugebauer (1995-2026)
 license other-free = Free license not otherwise listed (free)
 version 1.15 (2026-02-13)
 last changes 2026-02-13

year	2026
description	(no language specified) An extended grid-based puzzle package, designed to take all input (both grid and clues) from the same file. The package can typeset grids with holes in them (for advertisements, or other sorts of stuff), and can deal with several sorts of puzzle: • The classical puzzle contains numbers for the words and clues for the words to be filled in. • The numbered puzzle contains numbers in each cell where identical numbers represent identical letters. The goal is to find out which number corresponds to which letter. • The fill-in type of puzzle consists of a grid and a list of words. The goal is to place all words in the grid. • Sudoku and Kakuro puzzles involve filling in grids of numbers according to their own rules. Format may be block-separated, or separated by thick lines. Input to the package is somewhat redundant: specification of the grid is separate from specification of the clues (if they are necessary). The author considers this style both ‘natural’ and robust.
documentation	(no language specified) <i>Package Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/gene/crossword/README.md
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/gene/crossword/cwpuzzle.pdf
– local file	<code>./7832311284-cwpuzzle.pdf</code>
home page	https://gerd-neugebauer.de/software/TeX/cwpuzzle
contact	<i>repository</i>: https://sourceforge.net/p/gene-tex-lib/svn/HEAD/tree/cwpuzzle
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gene/crossword
on MikTeX	crossword
on T _E XLive	crossword
keyword	cwpuzzle (crossword puzzle)
keyword	tagged-pdf-incompatible (tagged PDF incompatible)
keyword	sudoku (sudoku game)
keyword	games (process game diagrams, gamebooks, and other amusements)

see also	see section 1394 on page 1261: (<i>crosswrd</i> – Macros for typesetting crossword puzzles)
language(s)	no language specified
last access	2026-04-14

1394 *crosswrd* – Macros for typesetting crossword puzzles

Web page on CTAN <https://ctan.org/pkg/crosswrd>

name	<i>crosswrd</i>
caption	Macros for typesetting crossword puzzles
author	Hamilton Kelly, Brian
author	Mittelbach, Frank
copyright	Brian Hamilton Kelly (1989)
license	lppl = The LaTeX Project Public License (free)
version	3.0
description	(no language specified) The package provides a LaTeX method of typesetting crosswords, and assists the composer ensure that the grid all goes together properly. Brian Hamilton Kelly's original was written for LaTeX 2.09, and needed to be updated to run with current LaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/crosswrd/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/crosswrd
on MikTeX	<i>crosswrd</i>
on TeXLive	<i>crosswrd</i>
keyword	<i>cwpuzzle</i> (crossword puzzle)
keyword	<i>games</i> (process game diagrams, gamebooks, and other amusements)
language(s)	no language specified
year	1989
last access	2026-04-10

1395 crudetype – Line printer output from DVI files

Web page on CTAN <https://ctan.org/pkg/crudetype>

name	crudetype
caption	Line printer output from DVI files
author	Damerell, R M
copyright	R.M. Damerell (1988)
license	nosell = Do Not Sell Except by Arrangement (not free)
version	3
description	(no language specified) While line printer TeX output will always be inferior, crudetype will achieve as much as can be achieved. The program is written in Web/Pascal.
documentation	(no language specified) <i>Package man page</i> : https://ctan.org/tex-archive/dviware/crudetype/version3/crudetype.pdf
– local file	./5791712335-crudetype.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/dviware/crudetype/README
on CTAN	https://ctan.org/tex-archive/dviware/crudetype
keyword	plain-text (derive plain text from a TeX document)
language(s)	no language specified
year	1988
last access	2025-02-07

1396 crumbs – Add a Navigation Path to the page header

Web page on CTAN <https://ctan.org/pkg/crumbs>

name	crumbs
caption	Add a Navigation Path to the page header
author	Bugayenko, Yegor
copyright	Yegor Bugayenko (2021-2022)
license	mit = MIT License (free)
version	0.4.1 (2022-10-03)
last changes	2022-10-03

year	2022
description	(no language specified) This package adds a navigation path (" breadcrumb trail ") at the header of a presentation, just like some websites do in order to simplify navigation.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/crums/crums.pdf
– local file	<code>./5968520982-crums.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/crums/README.md
contact	<i>repository</i> : https://github.com/yegor256/crums
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/crums
on MikTeX	crums
on TeXLive	crums
keyword	headings (chapter, section, etc., heading styles)
language(s)	no language specified
last access	2025-02-11

1397 *crw* – Crossword macros for Plain TeX

Web page on CTAN <https://ctan.org/pkg/crw>

name	<code>crw</code>
caption	Crossword macros for Plain TeX
author	van der Laan, Kees
license	noinfo = noinfo
version	(1993-12-30)
last changes	1993-12-30
year	1993
description	(no language specified) Second thoughts (following TUGboat refereeing) on typesetting crosswords.
documentation	(no language specified) <i>Paper about the package</i> : http://www.ntg.nl/maps/09/30.pdf
– local file	<code>./2584672263-30.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/crw
keyword	games (process game diagrams, gamebooks, and other amusements)

language(s) no language specified
last access 2025-02-11

1398 *cryptocode* – Typesetting pseudocode, protocols, game-based proofs and black-box reductions in cryptography

Web page on CTAN <https://ctan.org/pkg/cryptocode>

name *cryptocode*
caption Typesetting pseudocode, protocols, game-based proofs and black-box reductions in cryptography
author Mittelbach, Arno
copyright Arno Mittelbach (2015-2021)
license lpl1.3 = The LaTeX Project Public License 1.3 (free)
version 0.44 (2021-08-15)
last changes 2021-08-15
year 2021
description (no language specified) The *cryptocode* package provides a set of macros to ease the typesetting of pseudocode, algorithms and protocols. In addition it comes with a wide range of tools to typeset cryptographic papers. This includes simple predefined commands for concepts such as a security parameter or advantage terms but also flexible and powerful environments to layout game-based proofs or black-box reductions.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/cryptocode/README.md>
documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/cryptocode/cryptocode.pdf>
– local file ./6080167184-cryptocode.pdf
contact *repository*: <https://github.com/arnomi/cryptocode>
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/cryptocode>
on MikTeX *cryptocode*
on T_EXLive *cryptocode*
keyword pseudocode (typeset languages for expressing algorithms)
language(s) no language specified

last access 2026-04-10

1399 *cryst* – Font for graphical symbols used in crystallography

Web page on CTAN <https://ctan.org/pkg/cryst>

name	<code>cryst</code>
caption	Font for graphical symbols used in crystallography
author	Müller, Ulrich
copyright	Ulrich Müller (2008)
license	lppl = The LaTeX Project Public License (free)
version	(2008-08-07)
last changes	2008-08-07
year	2008
description	(no language specified) The font is provided as an Adobe Type 1 font, and as Metafont source. Instructions for use are available both in the README file and (with a font diagram) in the documentation.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/cryst/README
documentation	<i>Package documentation (German):</i> https://ctan.org/tex-archive/fonts/cryst/cryst1.pdf
– local file	<code>./4488863374-cryst1.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/cryst
on MikTeX	<code>cryst</code>
on T _E XLive	<code>cryst</code>
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>font-symbol</code> (fonts that provide collections of symbols)
keyword	<code>font</code> (fonts themselves)
language(s)	German
last access	2025-02-07

1400 *cs-techrep* – Technical Reports in Computer Science and Software EngineeringWeb page on CTAN <https://ctan.org/pkg/cs-techrep>

name	cs-techrep
caption	Technical Reports in Computer Science and Software Engineering
author	Neumann, Christoph P.
copyright	Christoph P. Neumann (2023-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.7
description	(no language specified) This package provides a class for the creation of technical reports in computer science and software engineering. The style is a two-column format similar to IEEE. It is intended for lab reports and provides a beginner-friendly template example.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cs-techrep/README
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/cs-techrep/template/cs-techrep-example-ctan.pdf
– local file	./1774781086-cs-techrep-example-ctan.pdf
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cs-techrep/cs-techrep.pdf
– local file	./3493881656-cs-techrep.pdf
contact	<i>repository</i> : https://github.com/cyberlytics/cs-techrep
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cs-techrep
on MikTeX	cs-techrep
on T _E XLive	cs-techrep
keyword	doc-templ (template to guide document development)
keyword	class (alternative LaTeX class(es))
keyword	report-like (regularly-formatted reports)
language(s)	no language specified
year	2025
last access	2025-09-11

1401 csassignments – A wrapper for article with macros and customizations for computer science assignments

Web page on CTAN <https://ctan.org/pkg/csassignments>

name	csassignments
caption	A wrapper for article with macros and customizations for computer science assignments
author	Bartolomey, Alexander
copyright	Alexander Bartolomey (2022)
license	mit = MIT License (free)
version	1.0.2 (2022-07-28)
last changes	2022-07-28
year	2022
description	(no language specified) This class wraps the default article and extends it for a homogeneous look of hand-in assignments at university (RWTH Aachen University, Computer Science Department), specifically in the field of computer science, but easily extensible to other fields. It provides macros for structuring exercises, aggregating points, and displaying a grading table, as well as several macros for easier math mode usage.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/csassignments/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/csassignments/csassignments.pdf
– local file	./9931667189-csassignments.pdf
contact	<i>bugs</i> : https://github.com/zoomoid/assignments/issues
contact	<i>repository</i> : https://github.com/zoomoid/assignments
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/csassignments
on MikTeX	csassignments
on T _E XLive	csassignments
keyword	class (alternative LaTeX class(es))
keyword	maths (support for typesetting mathematics)
keyword	comp-sci (typeset computer-science related material)
language(s)	no language specified

last access 2025-02-11

1402 *csbulletin* – LaTeX class for articles submitted to the CSTUG Bulletin (Zpravodaj)

Web page on CTAN <https://ctan.org/pkg/csbulletin>

name	<i>csbulletin</i>
caption	LaTeX class for articles submitted to the CSTUG Bulletin (Zpravodaj)
author	Starý Novotný, Vít
author	Wagner, Zdeněk
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2025-12-16)
last changes	2025-12-16
year	2025
description	(no language specified) The package provides the class for articles for the CSTUG Bulletin (Zpravodaj Československého sdružení uživatelů TeXu). You can see the structure of a document by looking at the source file of the manual.
documentation	(Czech) <i>Package manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/csbulletin/doc/csbulletin.pdf
– local file	./4905893238-csbulletin.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/csbulletin/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/csbulletin
on MikTeX	<i>csbulletin</i>
on TeXLive	<i>csbulletin</i>
keyword	journalpub (typesetting journals, etc)
keyword	class (alternative LaTeX class(es))
language(s)	Czech
last access	2025-12-27

1403 csfonts – Czech/Slovak-tuned Computer Modern fonts

Web page on CTAN <https://ctan.org/pkg/csfonts>

name	csfonts
caption	Czech/Slovak-tuned Computer Modern fonts
author	Novak, Petr
author	Olšák, Petr
author	Lhotka, Lada
author	Horák, Karel
license	gpl = GNU General Public License (free)
description	(no language specified) The fonts are provided as Metafont source; Type 1 format versions (csfonts-t1) are also available.
home page	http://petr.olsak.net/cstex/
on CTAN	https://ctan.org/tex-archive/macros/cstex/base/csfonts.tar.gz
on MikTeX	csfonts
on TeXLive	cs
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
keyword	slovak (support for typesetting, and documentation in Slovak)
keyword	czech (support for typesetting Czech)
language(s)	no language specified
year	without year
last access	2025-02-11

1404 csfonts-t1 – Czech/Slovak tuned CM fonts in Type 1 format

Web page on CTAN <https://ctan.org/pkg/csfonts-t1>

name	csfonts-t1
caption	Czech/Slovak tuned CM fonts in Type 1 format
author	Olšák, Petr
license	gpl = GNU General Public License (free)
description	(no language specified) These are Adobe Type 1 versions of the csfonts fonts.
home page	http://petr.olsak.net/cstex/
on CTAN	https://ctan.org/tex-archive/macros/cstex/base/csfonts-t1.tar.gz
on MikTeX	csfonts
on T _E XLive	cs
keyword	czech (support for typesetting Czech)
keyword	font (fonts themselves)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	slovak (support for typesetting, and documentation in Slovak)
language(s)	no language specified
year	without year
last access	2025-02-11

1405 csindex – Czech/Slovak version of MakeIndex

Web page on CTAN <https://ctan.org/pkg/csindex>

name	csindex
caption	Czech/Slovak version of MakeIndex
author	Plášil, Roman
author	Wagner, Zdeněk
author	Salvet, Zdenek
copyright	Zdeněk Wagner (1992, 1993)
license	bsd = BSD Style License (free)
version	(2007-02-21)

last changes	2007-02-21
year	2007
description	(no language specified) This is an adapted version of the standard makeindex distribution. The package is distributed as part of the cstex bundle.
on CTAN	https://ctan.org/tex-archive/macros/cstex/base/csindex-19980713.tar.gz
keyword	index (index support)
keyword	czech (support for typesetting Czech)
keyword	slovak (support for typesetting, and documentation in Slovak)
language(s)	no language specified
last access	2026-04-10

1406 cslatex – LaTeX support for Czech/Slovak typesetting

Web page on CTAN	https://ctan.org/pkg/cslatex
name	cslatex
caption	LaTeX support for Czech/Slovak typesetting
author	Wagner, Zdeněk
author	Snajdr, Jaroslav
author	Zlatuška, Jiří
license	gpl = GNU General Public License (free)
home page	http://petr.olsak.net/cstex/
on CTAN	https://ctan.org/tex-archive/macros/cstex/base/cslatex.tar.gz
on MikTeX	cslatex
on T _E XLive	cslatex
keyword	czech (support for typesetting Czech)
keyword	format (macros to build a format)
keyword	slovak (support for typesetting, and documentation in Slovak)
language(s)	no language specified
year	without year
last access	2025-02-07

1407 csname-doc – A list of plain.tex cs namesWeb page on CTAN <https://ctan.org/pkg/csname-doc>

name	csname-doc
caption	A list of plain.tex cs names
license	pd = Public Domain Software (free)
version	(1995-01-20)
last changes	1995-01-20
year	1995
description	(no language specified) The document constitutes a list of every control sequence name (csname) described in the TeXbook, together with an indication of whether the csname is a primitive TeX command, or is defined in plain.tex
on CTAN	https://ctan.org/tex-archive/info/plain-doc/csname.txt
on T _E XLive	plain-doc
keyword	tut-plaintex (tutorial material for Plain TeX)
language(s)	no language specified
last access	2025-02-07

1408 csplain – Plain TeX multilanguage supportWeb page on CTAN <https://ctan.org/pkg/csplain>

name	csplain
caption	Plain TeX multilanguage support
author	Olšák, Petr
license	other-free = Free license not otherwise listed (free)
version	Mar. 2022
description	(no language specified) CSplain is a small extension of basic Plain TeX macros, the formats csplain and pdfcsplain can be generated. It supports: • hyphenation of words for 50+ languages, • simple and powerfull font loading system (various sizes of fonts), • TeX, pdfTeX, XeTeX and LuaTeX engines, • math fonts simply loaded with full amstex-like features,

- three internal encodings (IL2 for Czech/Slovak languages, T1 for many languages with latin alphabet and Unicode in new TeX engines),
- natural UTF-8 input in pdfTeX using encTeX without any active characters,
- Czech and Slovak special typesetting features.

An important part of the package is OPmac, which implements most of LaTeX's features (sectioning, font selection, color, hyper reference and urls, bibliography, index, toc, tables, etc.) by Plain TeX macros. The OPmac macros can generate and bibliography without any external program.

home page	http://petr.olsak.net/csplain-e.html
on CTAN	https://ctan.org/tex-archive/macros/cstex/base/csplain.tar.gz
on MikTeX	csplain
on TeXLive	csplain
keyword	czech (support for typesetting Czech)
keyword	format (macros to build a format)
keyword	slovak (support for typesetting, and documentation in Slovak)
language(s)	no language specified
year	without year
last access	2025-02-07

1409 *cspsfonts* – Czech/Slovakian PostScript font support

Web page on CTAN	https://ctan.org/pkg/cspsfonts
name	cspsfonts
caption	Czech/Slovakian PostScript font support
author	Wagner, Zdeněk
author	Olšák, Petr
license	gpl = GNU General Public License (free)
home page	http://petr.olsak.net/cstex/
on CTAN	https://ctan.org/tex-archive/macros/cstex/base/cspsfonts.tar.gz
on MikTeX	cslatex
on TeXLive	cslatex

keyword	slovak (support for typesetting, and documentation in Slovak)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	czech (support for typesetting Czech)
language(s)	no language specified
year	without year
last access	2025-02-07

1410 csquotes – Context sensitive quotation facilities

Web page on CTAN <https://ctan.org/pkg/csquotes>

name	csquotes
caption	Context sensitive quotation facilities
author	Wright, Joseph
author	Lehman, Philipp
copyright	Philipp Lehman (2003-2011)
copyright	Joseph Wright (2015-2019, 2021, 2022,2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	5.2o (2024-04-04)
last changes	2024-04-04
year	2024
description	(no language specified) This package provides advanced facilities for inline and display quotations. It is designed for a wide range of tasks ranging from the most simple applications to the more complex demands of formal quotations. The facilities include commands, environments, and user-definable ‘smart quotes’ which dynamically adjust to their context. Quotation marks are switched automatically if quotations are nested and they can be adjusted to the current language if the babel package is available. There are additional facilities designed to cope with the more specific demands of academic writing, especially in the humanities and the social sciences. All quote styles as well as the optional active quotes are freely configurable. The package is dependent on e-TeX, and requires the author’s etoolbox package.
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/csquotes/README.md
documentation	(no language specified) <i>Tutorial on use of the package</i> : https://ctan.org/tex-archive/macros/latex/contrib/csquotes/csquotes.pdf

1411 csquotes-de – German translation of csquotes documentation

– local file	<code>./1347772696-csquotes.pdf</code>
contact	<i>bugs:</i> https://github.com/josephwright/csquotes/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/csquotes
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/csquotes.tds.zip
on MikTeX	csquotes
on TeXLive	csquotes
keyword	quote-marks (manage (possibly language dependent) quote marks)
keyword	etex (requires e-TeX)
language(s)	no language specified
last access	2025-02-07

1411 csquotes-de – German translation of csquotes documentation

Web page on CTAN <https://ctan.org/pkg/csquotes-de>

name	csquotes-de
caption	German translation of csquotes documentation
author	Römer, Christine
author	Conrad, Theresia
author	Faßbender, Patrik
license	lppl = The LaTeX Project Public License (free)
version	1.01
description	(no language specified) This is a translation of the documentation of csquotes version 5.1.
documentation	(German) <i>Readme:</i> https://ctan.org/tex-archive/info/translations/csquotes/de/LIESMICH
documentation	(no language specified) <i>The document itself:</i> https://ctan.org/tex-archive/info/translations/csquotes/de/csquotes-DE.pdf
– local file	<code>./9634208301-csquotes-DE.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/translations/csquotes/de
on TeXLive	csquotes-de

1412 css-colors – Named colors for web-safe design

keyword	quote-marks (manage (possibly language dependent) quote marks)
keyword	translation (translation of material from the archive, to another language)
language(s)	German
year	without year
last access	2025-02-07

1412 css-colors – Named colors for web-safe design

Web page on CTAN <https://ctan.org/pkg/css-colors>

name	css-colors
caption	Named colors for web-safe design
author	Buxbaum, Engelbert
copyright	Dr Engelbert Buxbaum (2016, 2017)
license	lpl = The LaTeX Project Public License (free)
license	gpl = GNU General Public License (free)
version	1.02 (2017-04-20)
last changes	2017-04-20
year	2017
description	(no language specified) This package defines web-safe colors for use with D.P. Carlisle's color package. It is intended for both authors and package writers (e.g. to create Beamer color themes).
documentation	(no language specified) <i>List of colours</i> : https://ctan.org/tex-archive/macros/latex/contrib/css-colors/css-colors.pdf
– local file	./7106267430-css-colors.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/css-colors/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/css-colors
on MikTeX	css-colors
on T _E XLive	css-colors
keyword	colour (typesetting in colour)
language(s)	no language specified
last access	2025-02-07

1413 *cstex* – Support for Czech/Slovak languages

Web page on CTAN <https://ctan.org/pkg/cstex>

name	CSTeX
caption	Support for Czech/Slovak languages
author	Olšák, Petr
copyright	Petr Olšák (2002)
license	other-free = Free license not otherwise listed (free)
description	(no language specified) This package mirrors the macros part of the home site's distribution of CSTeX. The licence (modified GPL) applies to some of the additions that make it a Czech/Slovak language distribution, rather than the distribution of a basic Plain/LaTeX distribution.
documentation	(Czech) <i>User manual</i> : https://ctan.org/tex-archive/macros/cstex/cstexman.pdf
– local file	./9920290131-cstexman.pdf
documentation	(Czech) <i>Readme</i> : https://ctan.org/tex-archive/macros/cstex/README
on CTAN	https://ctan.org/tex-archive/macros/cstex
on T _E XLive	cstex
keyword	distribution (components (or support) of TeX distribution)
see also	see section 1406 on page 1271: (cslatex – LaTeX support for Czech/Slovak typesetting)
language(s)	Czech
year	2002
last access	2025-02-07

1414 *csthm* – Customized theorem environments for computer science documents

Web page on CTAN <https://ctan.org/pkg/csthm>

name	csthm
caption	Customized theorem environments for computer science documents
author	Datta, Agni
copyright	Agni Datta (2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)

version	1.3
description	(no language specified) This package provides customized theorem-like environments specifically designed for computer science documents. It offers a set of pre-defined theorem styles and environments to streamline the creation of theorems, definitions, remarks, and other common structures in computer science papers and documents. Features: • Predefined theorem styles tailored for computer science • Environments for theorems, lemmas, definitions, examples, remarks, and more • Special environments for cases and axioms • Customizable accent color • Optional cleveref support for enhanced cross-referencing The package requires the following packages to be installed: <code>amsmath</code> , <code>amssymb</code> , <code>amsthm</code> , <code>enumitem</code> , and <code>thmtools</code> . If using the <code>cleveref</code> option, <code>hyperref</code> and <code>cleveref</code> are also required.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/csthm/README.md
documentation	(no language specified) <i>Package documentation and example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/csthm/csthm-example.pdf
– local file	<code>./8933320937-csthm-example.pdf</code>
home page	https://github.com/agni-datta/csLaTeX/
contact	<i>support</i> : https://github.com/agni-datta/csLaTeX/
contact	<i>repository</i> : https://github.com/agni-datta/csLaTeX/
contact	<i>development</i> : https://github.com/agni-datta/csLaTeX/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/csthm
on MikTeX	<code>csthm</code>
on T _E XLive	<code>csthm</code>
keyword	<code>comp-sci</code> (typeset computer-science related material)
keyword	<code>maths-theorem</code> (typeset mathematical theorems)
language(s)	no language specified
year	2024
last access	2025-02-07

1415 *cstypo* – Czech typography rules enforced through LuaTeX hooks

Web page on CTAN <https://ctan.org/pkg/cstypo>

name	<code>cstypo</code>
caption	Czech typography rules enforced through LuaTeX hooks
author	Haisman, Václav
license	mit = MIT License (free)
version	0.03
description	(no language specified) This package provides macros that enforce basic Czech typography rules through Lua hooks available in LuaTeX.
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/luatex/generic/cstypo/cstypotest.pdf
– local file	<code>./7360280245-cstypotest.pdf</code>
documentation	(no language specified) <i>User Manual</i> : https://ctan.org/tex-archive/macros/luatex/generic/cstypo/cstypo.pdf
– local file	<code>./7958992232-cstypo.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/cstypo/README.md
contact	<i>repository</i> : https://github.com/wilx/cstypo
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/cstypo
installation	https://ctan.org/tex-archive/install/macros/luatex/generic/cstypo.tds.zip
on MikTeX	<code>cstypo</code>
on T _E XLive	<code>cstypo</code>
keyword	<code>luatex</code> (LuaTeX and packages that require it)
keyword	<code>czech</code> (support for typesetting Czech)
language(s)	no language specified
year	without year
last access	2025-02-09

1416 *csv2latex* – Convert spreadsheet table cells into LaTeX source

Web page on CTAN <https://ctan.org/pkg/csv2latex>

name	csv2latex
caption	Convert spreadsheet table cells into LaTeX source
author	Counsell, Tom
author	Munn, Alan
copyright	Alan Munn (2009, 2010)
license	gpl = GNU General Public License (free)
version	1.1
description	(no language specified) The package provides a Ruby script–Applescript combination that allows the user to cut and paste spreadsheet tables (e.g., from Excel, Open Office Calc, iWork Numbers, etc.) into a LaTeX source file in various popular LaTeX table formats: plain tables, booktabs, longtable and raw cells. The package is designed to work with TeXShop, and can be used with other Mac editors that support Applescript. The package was developed for Mac OS 10.4 or later, but may be portable to other operating systems.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/csv2latex/csv2latex-doc.pdf
– local file	./9603447275-csv2latex-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/csv2latex/README
on CTAN	https://ctan.org/tex-archive/support/csv2latex
keyword	data-import (importing data into documents)
language(s)	no language specified
year	2010
last access	2025-02-07

1417 csvmerge – Merge TeX code with csv data

Web page on CTAN <https://ctan.org/pkg/csvmerge>

name	csvmerge
caption	Merge TeX code with csv data
author	Taylor, Laurence R
copyright	Laurence R Taylor (2019)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) This package provides macros for processing a csv spreadsheet file with a minimum of configuration for the csv file. The first row names the columns and the remaining rows are data. This data can be merged with TeX code residing in an auxiliary file and the process repeated for each data row. There is one macro to set things up, one to extract the data, and one to tell if the field is empty or not. The documentation contains examples.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/csvmerge/csvmerge.pdf
– local file	./4795623900-csvmerge.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/csvmerge/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/csvmerge
on MikTeX	csvmerge
on T _E XLive	csvmerge
keyword	csv-support (read, process and convert CSV data)
language(s)	no language specified
year	2019
last access	2025-02-07

1418 csvsimple – Simple CSV file processing

Web page on CTAN <https://ctan.org/pkg/csvsimple>

name	csvsimple
caption	Simple CSV file processing
author	Sturm, Thomas F.
copyright	Thomas F. Sturm (2008-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.7.1 (2026-04-27)
last changes	2026-04-27
year	2026
description	(no language specified) The package provides a simple LaTeX interface for the processing of files with comma separated values (CSV); it relies on the key value syntax supported by pgfkeys to simplify usage. Filtering and table generation are especially supported; however, this lightweight tool offers no support for data sorting or data base storage. The package depends on etoolbox , ifthen , pgfrcs , pgfkeys , and shellesc .
documentation	(no language specified) <i>Package documentation (legacy version)</i>: https://ctan.org/tex-archive/macros/latex/contrib/csvsimple/csvsimple-legacy.pdf
– local file	<code>./1804488950-csvsimple-legacy.pdf</code>
documentation	(no language specified) <i>Example of use</i>: https://ctan.org/tex-archive/macros/latex/contrib/csvsimple/csvsimple-example.pdf
– local file	<code>./7421330804-csvsimple-example.pdf</code>
documentation	(no language specified) <i>Package documentation (LaTeX3 version)</i>: https://ctan.org/tex-archive/macros/latex/contrib/csvsimple/csvsimple-l3.pdf
– local file	<code>./9278373210-csvsimple-l3.pdf</code>
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/csvsimple/csvsimple.pdf
– local file	<code>./1679441281-csvsimple.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/csvsimple/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/csvsimple

installation	https://ctan.org/tex-archive/install/macros/latex/contrib/csvsimple.tds.zip
on MikTeX	csvsimple
on T _E XLive	csvsimple
keyword	tagged-pdf-partially (tagged PDF partially compatible)
keyword	csv-support (read, process and convert CSV data)
keyword	data-disp (visualisation of data sets)
keyword	data-import (importing data into documents)
see also	see section 1420 on page 1284: (csvtools – Reading data from CSV files)
see also	see section 1484 on page 1343: (datatool – Tools to load and manipulate data)
language(s)	no language specified
last access	2026-04-29

1419 *csvtolatex* – Link spread sheets to LaTeX

Web page on CTAN	https://ctan.org/pkg/csvtolatex
name	csvtolatex
caption	Link spread sheets to LaTeX
author	Pietsch, Hannes
license	gpl3 = GNU General Public License, version 3 (free)
version	1.3
description	(no language specified) The (Visual Basic) script converts csv-tables created by programs such as MS Excel or Libre Office Calc to LaTeX code for inclusion in a document.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/csvtolatex/csvtolatex-documentation.pdf
– local file	./4792884050-csvtolatex-documentation.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/csvtolatex/README
on CTAN	https://ctan.org/tex-archive/support/csvtolatex
keyword	data-import (importing data into documents)
keyword	csv-support (read, process and convert CSV data)

see also	see section 1416 on page 1280: (<i>csv2latex</i> – Convert spreadsheet table cells into LaTeX source)
language(s)	no language specified
year	without year
last access	2025-02-07

1420 *csvtools* – Reading data from CSV files

Web page on CTAN <https://ctan.org/pkg/csvtools>

name	csvtools
caption	Reading data from CSV files
author	Talbot, Nicola
license	lppl = The LaTeX Project Public License (free)
version	1.24
description	(no language specified) The csvtools package allows you to repeatedly perform a set of LaTeX commands on data in each row of a comma separated variable (CSV) file (though substitution of the ‘comma’ is permitted). Such files may be used as source for mail merging, generating tables etc. Examples are given in the documentation.

The distribution also provides packages:

- *csvsort* , that provides analogous commands to those in the main package, having first sorted the data (using the *xfor* and *compare* packages); and
- *csvpie* , for creating a pie-chart from a CSV file.

The bundle has now been superseded by the *datatool* bundle.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/csvtools/README
documentation	(no language specified) <i>Package documentation (PDF)</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/csvtools/doc/csvtools.pdf
– local file	<code>./8180571617-csvtools.pdf</code>
documentation	(no language specified) <i>Package documentation (HTML)</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/csvtools/doc/manual.html
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/csvtools

on MikT _E X	csvtools
keyword	obsolete (package declared obsolete)
keyword	data-import (importing data into documents)
keyword	csv-support (read, process and convert CSV data)
keyword	data-disp (visualisation of data sets)
language(s)	no language specified
year	without year
last access	2025-02-07

1421 *csx* – Computer Sanskrit(/Extended) coding support on MS-DOS

Web page on CTAN <https://ctan.org/pkg/csx>

name	csx
caption	Computer Sanskrit(/Extended) coding support on MS-DOS
author	Friedlander, Peter
author	Wujastyk, Dominik
license	noinfo = noinfo
version	(1998-06-23)
last changes	1998-06-23
year	1998
description	(no language specified) Documentation for the CS/CSX 8-bit transliteration scheme for Indic scripts, LaTeX2e input encoding definition file, and screen drivers for viewing CS/CSX documentation on DOS boxes. The distribution includes a set of CS-recoded copies of Bitstream Charter Type 1 fonts.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/csx/docs/iass_csx.readme
documentation	(no language specified) <i>Character set table</i> : https://ctan.org/tex-archive/fonts/csx/docs/charset.ps
on CTAN	https://ctan.org/tex-archive/fonts/csx
keyword	sanskrit (support for typesetting Sanskrit)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-indic (fonts for languages of the Indian subcontinent)

keyword	<code>indic</code> (support for languages of the Indian subcontinent)
keyword	<code>font</code> (fonts themselves)
language(s)	no language specified
last access	2025-02-07

1422 *ctable* – Flexible typesetting of table and figure floats using key/value directives

Web page on CTAN <https://ctan.org/pkg/ctable>

name	<code>ctable</code>
caption	Flexible typesetting of table and figure floats using key/value directives
author	Dekker, Wybo H.
copyright	Wybo Dekker (2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.33 (2025-10-22)
last changes	2025-10-22
year	2025
description	(no language specified) Provides commands to typeset centered, left- or right-aligned table and (multiple-)figure floats, with footnotes. Instead of an environment, a command with 4 arguments is used; the first is optional and is used for key,value pairs generating variations on the defaults and offering a route for future extensions.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ctable/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ctable/ctable.pdf
– local file	<code>./4101036810-ctable.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ctable
on MikTeX	<code>ctable</code>
on T _E XLive	<code>ctable</code>
keyword	<code>float</code> (typesetting floats)
keyword	<code>table</code> (table typesetting)
language(s)	no language specified
last access	2025-10-30

1423 ctablestack – Catcode table stable support

Web page on CTAN <https://ctan.org/pkg/ctablestack>

name	ctablestack
caption	Catcode table stable support
author	The LaTeX Project Team
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2015-10-01)
last changes	2015-10-01
year	2015
description	(no language specified) This package provides a method for defining category code table stacks in LuaTeX. It builds on code provided by the 2015/10/01 release of LaTeX2e (also available as ltuatex.sty for plain users). It is required by the luatexbase package (v1.0 onward) which uses ctablestack to provide a back-compatibility form of this concept.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/luatex/generic/ctablestack/ctablestack.pdf
– local file	./6633159754-ctablestack.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/luatex/generic/ctablestack/README.md
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/ctablestack
installation	https://ctan.org/tex-archive/install/macros/luatex/generic/ctablestack.tds.zip
on MikTeX	ctablestack
on TeXLive	ctablestack
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
last access	2025-10-30

1424 ctn-bibdata – Bibliography data for all CTAN packages

Web page on CTAN <https://ctan.org/pkg/ctan-bibdata>

name	ctan-bibdata
caption	Bibliography data for all CTAN packages
author	Voß, Herbert
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.01
description	(no language specified) All CTAN packages are saved as bibdata with the entry type <code>@manual</code>, which can easily be changed by any editor via the <code>replace</code> function. For the old BibTeX program you have to define your bibliography style file, eg <code>ctan.bst</code>. For Biber resp. BibLaTeX there exists an own <code>ctan.bbx</code> file which uses the data fields: <code>title</code>, <code>subtitle</code>, <code>author</code>, <code>date</code>, <code>version</code>, <code>license</code>, <code>url</code>, <code>pkgurl</code>, <code>note</code>. <code>ctan.bbx</code> is based on <code>authortitle</code> which can be changed easily in the file. The file <code>ctan.bib</code> will be updated on a daily basis.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/biblio/ctan-bibdata
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/biblio/ctan-bibdata/README
on CTAN	https://ctan.org/tex-archive/biblio/ctan-bibdata
keyword	bibtex-gen (derive BibTeX data from resources other than BibTeX libraries)
keyword	ctan (support for work with the CTAN archive)
language(s)	no language specified
year	without year
last access	2026-04-13

1425 `ctan-o-mat` – Upload or validate a package for CTANWeb page on CTAN <https://ctan.org/pkg/ctan-o-mat>name `ctan-o-mat`

caption Upload or validate a package for CTAN

author Neugebauer, Gerd

copyright Gerd Neugebauer (2016-2017)

license `bsd3` = 3-clause BSD License (free)

version 1.2

description (no language specified) This program can be used to automate the upload of a package to CTAN. The description of the package is contained in a configuration file.

The provided information is validated in any case. If the validation succeeds and not only the validation is requested, then the provided archive file will be placed in the incoming area of the CTAN for further processing by the CTAN team.

In any case any finding during the validation is reported at the end of the processing. Note that the validation is the default and an official submission has to be requested by an appropriate command line option.

`ctan-o-mat` requires an Internet connection to the CTAN server. Even the validation retrieves the known attributes and the basic constraints from the server.

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/support/ctan-o-mat/README.md>

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/support/ctan-o-mat/ctan-o-mat.pdf>

– local file `./8781743491-ctan-o-mat.pdf`

home page <https://github.com/ge-ne/ctan-o-mat>contact *bugs*: <https://github.com/ge-ne/ctan-o-mat/issues>contact *repository*: <https://github.com/ge-ne/ctan-o-mat>on CTAN <https://ctan.org/tex-archive/support/ctan-o-mat>on MikTeX `ctan-o-mat`on TeXLive `ctan-o-mat`keyword `ctan` (support for work with the CTAN archive)

language(s) no language specified

year 2017
last access 2026-04-14

1426 *ctan_chk* – CTAN guidelines verifier and corrector for uploading projects

Web page on CTAN https://ctan.org/pkg/ctan_chk

name *ctan_chk*
caption CTAN guidelines verifier and corrector for uploading projects
author Bone, David
license gpl3 = GNU General Public License, version 3 (free)
version 1.0 (2015-02-15)
last changes 2015-02-15
year 2015
description (no language specified) Basic *gawk* program that uses CTAN's published guidelines for authors to help eliminate sloppiness in uploaded files/projects.
It is completely open for users to program additional guidelines as well as CTAN's future adjustments.
documentation (no language specified) *Readme*:
https://ctan.org/tex-archive/support/ctan_chk/README
documentation (no language specified) *Package documentation*: https://ctan.org/tex-archive/support/ctan_chk/ctan_chk.pdf
– local file ./5806630411-ctan_chk.pdf
on CTAN https://ctan.org/tex-archive/support/ctan_chk
on T_EXLive *ctan_chk*
keyword *ctan* (support for work with the CTAN archive)
language(s) no language specified
last access 2025-02-07

1427 cstanbib – Export CTAN entries to bib format

Web page on CTAN <https://ctan.org/pkg/ctanbib>

name	ctanbib
caption	Export CTAN entries to bib format
author	Hoftich, Michal
copyright	Michal Hoftich (2014-2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2d (2023-10-25)
last changes	2023-10-25
year	2023
description	(no language specified) This package provides a Lua script which can be used for retrieving bibliographic information in BibLaTeX format for packages hosted on CTAN. The <code>ctanbib</code> script depends only on LuaXML.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/ctanbib/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/ctanbib/ctanbib-doc.pdf
– local file	<code>./5224713282-ctanbib-doc.pdf</code>
contact	<i>bugs</i> : https://github.com/michal-h21/ctanbib/issues
contact	<i>repository</i> : https://github.com/michal-h21/ctanbib
on CTAN	https://ctan.org/tex-archive/support/ctanbib
on MikTeX	ctanbib
on TeXLive	ctanbib
keyword	ctan (support for work with the CTAN archive)
keyword	use-lua (package requires availability of lua)
keyword	bibtex-gen (derive BibTeX data from resources other than BibTeX libraries)
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
last access	2025-02-11

1428 *ctanify* – Prepare a package for upload to CTAN

Web page on CTAN <https://ctan.org/pkg/ctanify>

name	ctanify
caption	Prepare a package for upload to CTAN
author	Pakin, Scott
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.9.1
description	(no language specified) Given a list of filenames, <i>ctanify</i> creates a tarball (a .tar.gz file) with the files laid out in CTAN's preferred structure. By default this tarball additionally contains a ZIP (.zip) file with copies of all files laid out in the standard TeX Directory Structure (TDS), which may be used by those intending to install the package, or by those who need to incorporate it in a distribution. (The TDS ZIP file will be installed in the CTAN <code>install/ tree</code>.) Given that CTAN and TeX Live are not fond of .tds.zip files for small and/or otherwise straightforward packages, <i>ctanify</i> has now been provided with an option that prevents the creation and inclusion of such a .tds.zip file.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/support/ctanify/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/support/ctanify/ctanify.pdf
– local file	./5986785123-ctanify.pdf
on CTAN	https://ctan.org/tex-archive/support/ctanify
installation	https://ctan.org/tex-archive/install/support/ctanify.tds.zip
on MikTeX	ctanify
on TeXLive	ctanify
keyword	ctan (support for work with the CTAN archive)
see also	see section 1430 on page 1293: (<i>ctanupload</i> – Support for users uploading to CTAN)
language(s)	no language specified
year	without year
last access	2025-02-11

1429 ctantools – A jiffy to search CTAN file listWeb page on CTAN <https://ctan.org/pkg/ctantools>

name	CTAN tools
caption	A jiffy to search CTAN file list
author	Huynh, Ky-Anh
license	lppl = The LaTeX Project Public License (free)
version	1.5.2
description	(no language specified) The Unix-shell script ‘ctan’ provides facilities for extracting and using information from the CTAN file list; the facilities include retrieving files. To do this, it uses various common utilities, including wget and lynx.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/ctantools/README
on CTAN	https://ctan.org/tex-archive/support/ctantools
keyword	ctan (support for work with the CTAN archive)
language(s)	no language specified
year	without year
last access	2025-02-11

1430 ctanupload – Support for users uploading to CTANWeb page on CTAN <https://ctan.org/pkg/ctanupload>

name	ctanupload
caption	Support for users uploading to CTAN
author	Scharrer, Martin
copyright	Martin Scharrer (2011)
license	gpl3 = GNU General Public License, version 3 (free)
version	1.2c
description	(no language specified) The package provides a Perl script that allows the uploads of a contribution to CTAN from the command line. The aim is to simplify the release process for LaTeX package authors. Note by the CTAN team (2015-02-05): It seems that this script is currently not working.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/ctanupload/ctanupload.pdf
– local file	<code>./2741897214-ctanupload.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/ctanupload/README
on CTAN	https://ctan.org/tex-archive/support/ctanupload
installation	https://ctan.org/tex-archive/install/support/ctanupload.tds.zip
on MikTeX	ctanupload
on TeXLive	ctanupload
keyword	ctan (support for work with the CTAN archive)
see also	see section 1428 on page 1292: (ctanify – Prepare a package for upload to CTAN)
language(s)	no language specified
year	2011
last access	2025-02-07

1431 *ctex* – LaTeX classes and packages for Chinese typesetting

Web page on CTAN <https://ctan.org/pkg/ctex>

name	ctex
caption	LaTeX classes and packages for Chinese typesetting
author	Zhang, Ruixi
author	Li, Yanrui
author	Chen, Zhichu
author	Lee, Zeping
author	Chou, Yukai
author	Zeng, Xiangdong
author	Lee, Qing
author	Huang, Liam
author	Wu, LingYun
author	Liu, Leo
author	Wang, Yue

author	Jiang, Jiang
copyright	CTEX.ORG et al. (2003-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.5.10 (2022-07-14)
last changes	2022-07-14
year	2022
description	(no language specified) <i>ctex</i> is a collection of macro packages and document classes for LaTeX Chinese typesetting.
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/language/chinese/ctex/ctex.pdf
– local file	<code>./1741925194-ctex.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/chinese/ctex/README.md
home page	http://www.ctex.org
contact	<i>support</i> : https://github.com/CTeX-org/ctex-kit/issues
contact	<i>bugs</i> : https://github.com/CTeX-org/ctex-kit/issues
contact	<i>repository</i> : https://github.com/CTeX-org/ctex-kit
on CTAN	https://ctan.org/tex-archive/language/chinese/ctex
installation	https://ctan.org/tex-archive/install/language/chinese/ctex.tds.zip
on MikTeX	<code>ctex</code>
on T _E XLive	<code>ctex</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>book-pub</code> (preparing a book for publication)
keyword	<code>chinese</code> (support for typesetting Chinese languages)
language(s)	Chinese
last access	2025-02-11

1432 *ctex-faq* – LaTeX FAQ by the Chinese TeX Society (*ctex.org*)

Web page on CTAN <https://ctan.org/pkg/ctex-faq>

name	<i>ctex-faq</i>
caption	LaTeX FAQ by the Chinese TeX Society (<i>ctex.org</i>)
author	Wu, LingYun
copyright	CTeX and contributors to the CTeX FAQ (2003-2007)
license	fdl = Free Documentation License (free)
version	(2009-05-26)
last changes	2009-05-26
year	2009
description	(no language specified) Most questions were collected on the bbs.ctex.org forum, and were answered in detail by the author.
documentation	<i>The FAQ (Chinese)</i> : https://ctan.org/tex-archive/info/ctex-faq/ctex-faq.pdf
– local file	<code>./3534266433-ctex-faq.pdf</code>
documentation	<i>Readme (English)</i> : https://ctan.org/tex-archive/info/ctex-faq/README
on CTAN	https://ctan.org/tex-archive/info/ctex-faq
on T _E XLive	<i>ctex-faq</i>
keyword	faq (frequently asked questions, with answers)
keyword	chinese-doc (documentation in Chinese languages)
language(s)	English; Chinese
last access	2025-02-07

1433 *ctib4tex* – Tibetan for TeX and LaTeX2e

Web page on CTAN <https://ctan.org/pkg/ctib4tex>

name	<i>ctib4tex</i>
caption	Tibetan for TeX and LaTeX2e
author	Corff, Oliver
license	gpl = GNU General Public License (free)

1434 *ctie* – C version of *tie* (merging Web change files)

description	(no language specified) A package using a modified version of Sirlin's Tibetan font . An advantage of this Tibetan implementation is that all consonant clusters are formed by TeX and Metafont. No external preprocessor is needed.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/tibetan/ctib/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/language/tibetan/ctib/doc/ctib4tex.pdf
– local file	./8447894669-ctib4tex.pdf
on CTAN	https://ctan.org/tex-archive/language/tibetan/ctib
on MikTeX	ctib
on T _E XLive	ctib
keyword	tibetan (support for typesetting Tibetan)
language(s)	no language specified
year	without year
last access	2025-02-07

1434 *ctie* – C version of *tie* (merging Web change files)

Web page on CTAN	https://ctan.org/pkg/ctie
name	ctie
caption	C version of <i>tie</i> (merging Web change files)
author	Gilbey, Julian
copyright	Julian Gilbey (2002, 2003)
license	gpl = GNU General Public License (free)
version	1.1
description	(no language specified) This is a version of tie converted for use with cweb .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/web/c_cpp/ctie/README
on CTAN	https://ctan.org/tex-archive/web/c_cpp/ctie
on T _E XLive	ctie
keyword	litprog (literate programming)
language(s)	no language specified
year	2003

last access 2025-02-07

1435 *cuisine* – Typeset recipes

Web page on CTAN <https://ctan.org/pkg/cuisine>

name	cuisine
caption	Typeset recipes
author	Cohen, Ben
copyright	Ben Cohen (2000-2014)
license	lppl = The LaTeX Project Public License (free)
version	0.7
description	(no language specified) Typeset recipes with the ingredients lined up with their method step (somewhat similarly to the layout used in cooking).
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cuisine/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cuisine/cuisine.pdf
– local file	./9519909817-cuisine.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cuisine
on MikTeX	cuisine
on T _E XLive	cuisine
keyword	cooking (typesetting cooking recipes, etc)
see also	see section 5132 on page 4651 : (recipe – A LaTeX class to typeset recipes)
language(s)	no language specified
year	2014
last access	2025-02-07

1436 culmus – Hebrew fonts from the Culmus projectWeb page on CTAN <https://ctan.org/pkg/culmus>

name	culmus
caption	Hebrew fonts from the Culmus project
author	Fogiel, Udi
license	gpl2 = GNU General Public License, version 2 (free)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1
description	(no language specified) Hebrew fonts from the Culmus Project . Both Type1 and Open/TrueType versions of the fonts are provided, as well as font definition files. It is recommended to use these fonts with the NHE8 font encoding, from the hebrew-fonts package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/culmus/doc/culmus.pdf
– local file	./8154780639-culmus.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/culmus/README.md
on CTAN	https://ctan.org/tex-archive/fonts/culmus
on MikTeX	culmus
on TeXLive	culmus
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font (fonts themselves)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-hebrew (font for Hebrew script)
keyword	font-ttf (font available in TrueType format)
keyword	font-sfd (FontForge font file)
keyword	font-otf (font in OpenType format)
language(s)	no language specified
year	without year
last access	2025-02-07

1437 *cun* – A cuneiform font

Web page on CTAN <https://ctan.org/pkg/cun>

name	<code>cun</code>
caption	A cuneiform font
author	Grant, Jo
copyright	Jo Grant (1992)
license	noinfo = noinfo
version	(1993-02-17)
last changes	1993-02-17
year	1993
description	(no language specified) The font is distributed as Metafont source. An application for producing a font table is also provided, as C source.
on CTAN	https://ctan.org/tex-archive/fonts/cun
keyword	<code>font-archaic</code> (fonts reproducing archaic scripts or inscriptions)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
language(s)	no language specified
last access	2025-02-07

1438 *cuprum* – Cuprum font family support for LaTeX

Web page on CTAN <https://ctan.org/pkg/cuprum>

name	<code>cuprum</code>
caption	Cuprum font family support for LaTeX
author	Roncaglia, Federico
license	ofl = The SIL Open Font License (free)
version	(2019-02-01)
last changes	2019-02-01
year	2019
description	(no language specified) This package provides support for the Cuprum font family (see http://jovanny.ru).

1439 *currency* – Format currencies in a consistent way

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/cuprum/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/cuprum/doc/cuprum.pdf
– local file	./7910708526-cuprum.pdf
on CTAN	https://ctan.org/tex-archive/fonts/cuprum
on MikTeX	cuprum
on T _E XLive	cuprum
keyword	font-ttf (font available in TrueType format)
keyword	font-t1enc (font providing LaTeX T1 encoding support)
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font-sans (sans-serif font)
keyword	font (fonts themselves)
keyword	font-proportional (variable-spaced font)
language(s)	no language specified
last access	2025-02-07

1439 *currency* – Format currencies in a consistent way

Web page on CTAN	https://ctan.org/pkg/currency
name	currency
caption	Format currencies in a consistent way
author	Lejay, Antoine
copyright	Antoine Lejay (2018)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.4 (2018-10-22)
last changes	2018-10-22
year	2018
description	(no language specified) The package facilitates the formatting of currencies (amounts and units) with various formatting capabilities.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/currency/README.md

1440 `currfile` – Provide file name and path of input files

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/currency/currency_doc.pdf
– local file	<code>./1974215110-currency_doc.pdf</code>
contact	<i>bugs:</i> https://github.com/antoinelejay/currency/issues
contact	<i>repository:</i> https://github.com/antoinelejay/currency
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/currency
on MikTeX	<code>currency</code>
on T _E XLive	<code>currency</code>
keyword	<code>scientific-docs</code> (support for writers of scientific documents)
keyword	<code>units</code> (uniform typesetting of units)
see also	see section 5523 on page 4997: (<code>siunitx</code> – A comprehensive (SI) units package)
language(s)	no language specified
last access	2025-02-07

1440 `currfile` – Provide file name and path of input files

Web page on CTAN <https://ctan.org/pkg/currfile>

name	<code>currfile</code>
caption	Provide file name and path of input files
author	Scharrer, Martin
copyright	Martin Scharrer (2010-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2024-03-14)
last changes	2024-03-14
year	2024

description	(no language specified) The package provides macros holding file name information (directory, base name, extension, full name and full path) for files read by LaTeX <code>\input</code> and <code>\include</code> macros; it uses the file hooks provided by the author's filehook . In particular, it restores the parent file name after the trailing <code>\clearpage</code> of an <code>\include</code> d file; as a result, the macros may be usefully employed in the page header and footer of the last printed page of such a file. The depth of inclusion is made available, together with the "parent" (including file) and "parents" (all including files to the root of the tree). The package supersedes FiNK .
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/currfile/README.txt
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/currfile/currfile.pdf
– local file	<code>./8558911084-currfile.pdf</code>
contact	<i>bugs:</i> https://github.com/MartinScharrer/currfile/issues
contact	<i>repository:</i> https://github.com/MartinScharrer/currfile
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/currfile
on MikTeX	<code>currfile</code>
on TeXLive	<code>currfile</code>
keyword	<code>doc-tool</code> (document development tools)
language(s)	no language specified
last access	2025-02-07

1441 *curriculum-vitae* – *Lightweight class for CVs*

Web page on CTAN <https://ctan.org/pkg/curriculum-vitae>

name	<code>curriculum-vitae</code>
caption	Lightweight class for CVs
author	Prasad, Sumukh
copyright	Sumukh Prasad (2023)
license	apache2 = Apache License, version 2.0 (free)
version	1.0

description	(no language specified) This is a lightweight class file that allows you to typeset CVs and resumes using LaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/curriculum-vitae/README.md
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/curriculum-vitae/curriculum-vitae-example.pdf
– local file	<code>./1734519901-curriculum-vitae-example.pdf</code>
contact	<i>bugs</i> : https://github.com/SumukhPrasad/latex-curriculum-vitae/issues
contact	<i>repository</i> : https://github.com/SumukhPrasad/latex-curriculum-vitae
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/curriculum-vitae
on MikTeX	<code>curriculum-vitae</code>
on T _E XLive	<code>curriculum-vitae</code>
keyword	<code>cv</code> (curriculum vitae/Resumé)
language(s)	no language specified
year	2023
last access	2025-02-11

1442 currvita – Typeset a curriculum vitae

Web page on CTAN <https://ctan.org/pkg/currvita>

name	<code>currvita</code>
caption	Typeset a curriculum vitae
author	Reichert, Axel
license	gpl = GNU General Public License (free)
description	(no language specified) Currvita is a package rather than a class (like most other curriculum vitae offerings). The author considers that a curriculum vitae can quite reasonably form part of another document (such as a letter, or a dissertation).
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/currvita/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/currvita/currvita.pdf

– local file	<code>./7323836934-currvita.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/currvita
on MikTeX	<code>currvita</code>
on TeXLive	<code>currvita</code>
keyword	<code>cv</code> (curriculum vitae/Resumé)
see also	see section 2039 on page 1841: (EuropeCV – Unofficial class for European curricula vitae)
see also	see section 1453 on page 1315: (<code>cv</code> – A package for creating a curriculum vitae)
see also	see section 1987 on page 1792: (<code>esieecv</code> – Curriculum vitae for French use)
see also	see section 1445 on page 1307: (<code>CurVe</code> – A class for making curriculum vitae)
see also	see section 6627 on page 5986: (<code>vita</code> – Configurable class for curricula vitarum)
language(s)	no language specified
year	without year
last access	2025-02-11

1443 *cursolatex* – A *LaTeX* tutorial

Web page on CTAN	https://ctan.org/pkg/cursolatex
name	<code>cursolatex</code>
caption	A <i>LaTeX</i> tutorial
author	Campani, Carlos
copyright	Carlos A. P. Campani (2005-2011)
license	gpl = GNU General Public License (free)
version	(2011-09-28)
last changes	2011-09-28
year	2011
description	(no language specified) The tutorial is presented as a set of slides (in Portuguese).
documentation	(Portuguese) <i>Package documentation</i> : https://ctan.org/tex-archive/info/portuguese/cursolatex/cursolatex.pdf
– local file	<code>./3748336816-cursolatex.pdf</code>

1444 *cursor* – Draw a cursor in an equation

on CTAN	https://ctan.org/tex-archive/info/portuguese/cursolatex
on T _E XLive	cursolatex
keyword	portuguese-doc (documentation in Portuguese)
keyword	tut-latex (tutorial material for LaTeX)
language(s)	Portuguese
last access	2025-02-07

1444 *cursor* – Draw a cursor in an equation

Web page on CTAN	https://ctan.org/pkg/cursor
name	cursor
caption	Draw a cursor in an equation
author	Spit, Werenfried
license	noinfo = noinfo
version	1.1
description	(no language specified) Creates a simple L-shaped ‘cursor’ in a mathematics environment to highlight a part of an equation.
documentation	(no language specified) <i>Samples of use (with source)</i> : https://ctan.org/tex-archive/macros/latex/contrib/cursor/cursor.pdf
– local file	./2268968451-cursor.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cursor
on MikT _E X	cursor
keyword	maths-symbol (construction or application of mathematical symbols)
language(s)	no language specified
year	without year
last access	2025-02-07

1445 *curve* – A class for making curriculum vitae

Web page on CTAN <https://ctan.org/pkg/curve>

name	CurVe
caption	A class for making curriculum vitae
author	Verna, Didier
copyright	Didier Verna (2000-2008)
license	lpl = The LaTeX Project Public License (free)
version	1.16
description	(no language specified) CurVe is a class for writing a CV, with configuration for the language in which you write. The class provides a set of commands to create rubrics, entries in these rubrics etc. CurVe then format the CV (possibly splitting it onto multiple pages, repeating the titles etc), which is usually the most painful part of CV writing. Another nice feature of CurVe is its ability to manage different CV ‘flavours’ simultaneously. It is often the case that you want to maintain slightly divergent versions of your CV at the same time, in order to emphasize on different aspects of your background. CurVe also comes with support for use with AUC-TeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/curve/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/curve/curve.pdf
– local file	./3615049706-curve.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/curve
on MikTeX	curve
on T _E XLive	curve
keyword	cv (curriculum vitae/Resumé)
keyword	class (alternative LaTeX class(es))
see also	see section 1442 on page 1304: (<i>currvita</i> – Typeset a curriculum vitae)
see also	see section 2039 on page 1841: (<i>EuropeCV</i> – Unofficial class for European curricula vitae)
see also	see section 1453 on page 1315: (<i>cv</i> – A package for creating a curriculum vitae)
see also	see section 1987 on page 1792: (<i>esieecv</i> – Curriculum vitae for French use)
see also	see section 6627 on page 5986: (<i>vita</i> – Configurable class for curricula vitarum)

language(s)	no language specified
year	2008
last access	2025-02-07

1446 *curve2e* – Extensions for package *pict2e*

Web page on CTAN <https://ctan.org/pkg/curve2e>

name	curve2e
caption	Extensions for package <i>pict2e</i>
author	Beccari, Claudio
copyright	Claudio Beccari (2005-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.6.0 (2024-11-13)
last changes	2024-11-13
year	2024
description	(no language specified) The package extends the drawing capacities of the <i>pict2e</i> that serves as a LaTeX2e replacement for picture mode. In particular, <i>curve2e</i> introduces new macros for lines and vectors, new specifications for line terminations and joins, arcs with any angular aperture, arcs with arrows at one or both ends, generic curves specified with their nodes and the tangent direction at these nodes.
documentation	(no language specified) <i>User manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/curve2e/curve2e-manual.pdf
– local file	<code>./9484079704-curve2e-manual.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/curve2e/README.txt
documentation	(no language specified) <i>Code documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/curve2e/curve2e.pdf
– local file	<code>./5154234609-curve2e.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/curve2e
on MikTeX	curve2e
on T _E XLive	curve2e
keyword	graphics (graphics (support packages))
keyword	graphics-curve (draw (parametric) curves)

keyword graphics-in-tex (graphics produced by one of the *TeX engines)
 language(s) no language specified
 last access 2025-02-07

1447 *curves* – Curves for LaTeX picture environment

Web page on CTAN <https://ctan.org/pkg/curves>

name curves

caption Curves for LaTeX picture environment

author Maclaine-Cross, Ian

copyright Ian Maclaine-cross (1991-2017)

license lpl1.3 = The LaTeX Project Public License 1.3 (free)

version 1.55 (2017-08-25)

last changes 2017-08-25

year 2017

description (no language specified) This package draws curves in the standard LaTeX picture environment using parabolas between data points with continuous slope at joins; for circles and arcs, it uses up to 16 parabolas. The package can also draw symbols or dash patterns along curves.

The package provides facilities equivalent to technical pens with compasses and French curves. Curves consist of short secants drawn by overlapping disks or line-drawing `\special` commands selected by package options.

documentation (no language specified) *Package documentation:* <https://ctan.org/tex-archive/macros/latex/contrib/curves/curves.pdf>

– local file ./7540609043-curves.pdf

documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/macros/latex/contrib/curves/README>

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/curves>

on MikTeX curves

on TeXLive curves

keyword graphics-in-tex (graphics produced by one of the *TeX engines)

keyword graphics-curve (draw (parametric) curves)

language(s) no language specified

last access 2025-02-07

1448 custom-bib – Customised BibTeX styles

Web page on CTAN <https://ctan.org/pkg/custom-bib>

name	custom-bib
caption	Customised BibTeX styles
author	Daly, Patrick W.
copyright	Patrick W Daly (1994-2011)
license	lppl = The LaTeX Project Public License (free)
version	4.33
description	(no language specified) Package generating customized BibTeX bibliography styles from a generic file using docstrip driven by parameters generated by a menu application. Includes support for the Harvard style of citations.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/custom-bib/makebst.pdf
– local file	./4854967300-makebst.pdf
documentation	(no language specified) <i>Master style file documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/custom-bib/merlin.pdf
– local file	./6729139714-merlin.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/custom-bib/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/custom-bib
on MikTeX	custom-bib
on TeXLive	custom-bib
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
year	2011
last access	2025-02-07

1449 customdice – Simple commands for drawing customisable diceWeb page on CTAN <https://ctan.org/pkg/customdice>

name	customdice
caption	Simple commands for drawing customisable dice
author	Rowlett, Peter
copyright	Peter Rowlett (2022)
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
version	1.1 (2022-08-10)
last changes	2022-08-10
year	2022
description	(no language specified) The <code>customdice</code> package for LaTeX, LuaLaTeX and XeTeX that provides functionality for drawing dice. The aim is to provide highly-customisable but simple-to-use commands, allowing: • adding custom text to dice faces; • control over colouring; • control over sizing.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/customdice/customdice.pdf
– local file	./9254439454-customdice.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/customdice/README.md
contact	<i>bugs</i> : https://github.com/prowlett/customdice/issues
contact	<i>repository</i> : https://github.com/prowlett/customdice
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/customdice
on MikTeX	customdice
on TeXLive	customdice
keyword	graphics-use (graphics (typesetting actual pictures))
language(s)	no language specified
last access	2025-02-11

1450 *customenvs* – Custom environments (MCQ, list with picked items, ...)

Web page on CTAN <https://ctan.org/pkg/customenvs>

name	customenvs
caption	Custom environments (MCQ, list with picked items, ...)
author	Pierquet, Cédric
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
license	cc-by-4 = CC BY 4.0 (free)
license	mit = MIT License (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	cc0 = CC0 1.0 (free)
version	0.42b (2025-10-26)
last changes	2025-10-26
year	2025
description	(no language specified) The package provides some custom environments (Multiple Choice, list with chosen items, ...) based on existing environments. There exist also subpackages (for icons, exams, pictograms).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/customenvs/README.md
documentation	<i>Package documentation (French)</i> : https://ctan.org/tex-archive/macros/latex/contrib/customenvs/doc/customenvs-doc-fr.pdf
– local file	./9035977232-customenvs-doc-fr.pdf
documentation	(no language specified) <i>Documentation of customenvs-mathpictos</i> : https://ctan.org/tex-archive/macros/latex/contrib/customenvs/doc/customenvs-mathpictos-doc.pdf
– local file	./9036192226-customenvs-mathpictos-doc.pdf
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/customenvs/doc/customenvs-doc-en.pdf
– local file	./8721978956-customenvs-doc-en.pdf
documentation	(no language specified) <i>Documentation of customenvs-tikzpictos</i> : https://ctan.org/tex-archive/macros/latex/contrib/customenvs/doc/customenvs-tikzpictos-doc.pdf
– local file	./4091414330-customenvs-tikzpictos-doc.pdf

1451 *cuted* – Mixing onecolumn and twocolumn modes

documentation	(no language specified) <i>Documentation of customenvs-icons</i> : https://ctan.org/tex-archive/macros/latex/contrib/customenvs/doc/customenvs-icons-doc.pdf
– local file	<code>./8362260306-customenvs-icons-doc.pdf</code>
contact	<i>bugs</i> : https://github.com/cpierquet/latex-packages/issues
contact	<i>repository</i> : https://github.com/cpierquet/latex-packages/tree/main/customenvs
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/customenvs
on MikTeX	customenvs
on TeXLive	customenvs
keyword	list (list: general)
keyword	table (table typesetting)
language(s)	French
last access	2025-11-02

1451 *cuted* – Mixing onecolumn and twocolumn modes

Web page on CTAN	https://ctan.org/pkg/cuted
name	<code>cuted</code>
caption	Mixing onecolumn and twocolumn modes
author	Tolušis, Sigitas
copyright	Sigitas Tolušis (1997-2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.0 (2021-10-04)
last changes	2021-10-04
year	2021
description	(no language specified) Standard LaTeX will only switch between <code>\onecolumn</code> and <code>\twocolumn</code> at the top of a page; the commands themselves clear the previous page. This package does away with the restriction, and allows you to mix one- and twocolumn modes on the same page. The package is part of the sttools bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sttools/cuted.pdf

1452 *cutwin* – *Cut a window in a paragraph, typeset material in it*

– local file	<code>./9789197961-cuted.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sttools/cuted.dtx
on MikTeX	sttools
on TeXLive	sttools
keyword	layout (layout of objects on the page)
keyword	multicol (more than one column on the page)
language(s)	no language specified
last access	2025-02-07

1452 *cutwin* – Cut a window in a paragraph, typeset material in it

Web page on CTAN <https://ctan.org/pkg/cutwin>

name	cutwin
caption	Cut a window in a paragraph, typeset material in it
author	Hoenig, Alan
author	Carlisle, David
author	Wilson, Peter R.
copyright	Peter R. Wilson (2010)
copyright	Peter R. Wilson, David Carlisle (2021)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2 (2021-10-13)
last changes	2021-10-13
year	2021
description	(no language specified) The package provides facilities to cut windows out of paragraphs, and to typeset text or other material in the window. The window may be rectangular, or may have other sorts of shape.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cutwin/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cutwin/cutwin.pdf
– local file	<code>./5254288784-cutwin.pdf</code>
contact	<i>bugs</i> : https://github.com/LaTeX-Package-Repositories/cutwin/issues

contact	<i>repository:</i> https://github.com/LaTeX-Package-Repositories/cutwin
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cutwin
on MikTeX	cutwin
on T _E XLive	cutwin
keyword	text-flow (flow text round an insertion in the paragraph)
language(s)	no language specified
last access	2025-02-07

1453 *cv* – A package for creating a curriculum vitae

Web page on CTAN <https://ctan.org/pkg/cv>

name	cv
caption	A package for creating a curriculum vitae
author	Maier, Philipp
copyright	Philipp Maier (2001)
license	gpl = GNU General Public License (free)
description	(no language specified) The package is distributed with two example files; they (and their formatted output) constitute the only real documentation. Note that cv is just a package: you choose the overall formatting by deciding which class to use, while the package provides the detailed formatting.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/cv/README
documentation	(no language specified) <i>Example application letter:</i> https://ctan.org/tex-archive/macros/latex/contrib/cv/ApplicationLetter.pdf
– local file	./1894813207-ApplicationLetter.pdf
documentation	(no language specified) <i>Example CV:</i> https://ctan.org/tex-archive/macros/latex/contrib/cv/CVCTAN.pdf
– local file	./8170607076-CVCTAN.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cv
on MikTeX	cv
on T _E XLive	cv
keyword	class (alternative LaTeX class(es))

keyword	<code>cv</code> (curriculum vitae/Resumé)
see also	see section 1445 on page 1307: (<code>CurVe</code> – A class for making curriculum vitae)
see also	see section 4038 on page 3651: (<code>moderncv</code> – A modern curriculum vitae class)
language(s)	no language specified
year	2001
last access	2025-02-07

1454 `cv4tw` – LaTeX CV class, with extended details

Web page on CTAN <https://ctan.org/pkg/cv4tw>

name	<code>cv4tw</code>
caption	LaTeX CV class, with extended details
author	Gouez, Geoffrey
license	other-free = Free license not otherwise listed (free)
version	0.2 (2014-05-27)
last changes	2014-05-27
year	2014
description	(no language specified) The class offers entries for assets and social networks; customizable styles are provided. The class comes with no documentation, but a worked example offers some guidance.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cv4tw/README
contact	<i>repository</i> : https://github.com/Cicatrice/cv4tw
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cv4tw
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/cv4tw.tds.zip
on MikTeX	<code>cv4tw</code>
on T _E XLive	<code>cv4tw</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>cv</code> (curriculum vitae/Resumé)
see also	see section 4038 on page 3651: (<code>moderncv</code> – A modern curriculum vitae class)
see also	see section 1445 on page 1307: (<code>CurVe</code> – A class for making curriculum vitae)

language(s) no language specified
last access 2025-02-07

1455 *cvss* – Compute and display CVSS base scores

Web page on CTAN <https://ctan.org/pkg/cvss>

name	cvss
caption	Compute and display CVSS base scores
author	Vivegnis, Pierre
copyright	Pierre VIVEGNIS (2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1.0 (2022-12-02)
last changes	2022-12-02
year	2022
description	(no language specified) The Common Vulnerability Scoring System (CVSS) is an open framework for communicating the characteristics and severity of software vulnerabilities. CVSS consists of three metric groups: Base, Temporal, and Environmental. This package allows the user to compute CVSS3.1 base scores and use them in documents, i.e. it only deals with the Base score. Temporal and Environmental scores will be part of a future release. More information can be found at https://www.first.org/cvss/specification-document.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cvss/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cvss/cvss.pdf
– local file	./6024180931-cvss.pdf
contact	<i>bugs</i> : https://github.com/3isenHeiM/CVSS-latex/issues
contact	<i>repository</i> : https://github.com/3isenHeiM/CVSS-latex
contact	<i>development</i> : https://github.com/3isenHeiM/CVSS-latex/pulls
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cvss
on MikTeX	cvss
on T _E XLive	cvss

keyword `expl3` (`expl3(unknown)`)
 keyword `calculation` (perform calculations within TeX)
 language(s) no language specified
 last access 2025-02-11

1456 *cvsty* – Yet another style for easy CV pagination

Web page on CTAN <https://ctan.org/pkg/cvsty>

name `CVsty`
 caption Yet another style for easy CV pagination
 author Pereira, Gilles
 license `pd` = Public Domain Software (free)
 description (no language specified) This package offers a simple method of making CV presentations. The package defines space for the page, and allows control of the presentation.
 An example file shows the way the macros might be used, but the authors emphasise that it should not merely be copied, but adapted for each CV.
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/cvsty/README>
 on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/cvsty>
 on MikTeX `cvsty`
 on T_EXLive `cv`
 keyword `cv` (curriculum vitae/Resumé)
 language(s) no language specified
 year without year
 last access 2025-02-11

1457 cweb – A Web system in C

Web page on CTAN <https://ctan.org/pkg/cweb>

name cweb

caption A Web system in C

author Scherer, Andreas

author Levy, Silvio

author Knuth, Donald E.

copyright Silvio Levy and Donald E. Knuth (null)

license knuth = Knuth License (free)

version 4.12.2

description (no language specified) The CWEB system is a system for literate programming, also known as structured software documentation, with code written in the C and C++ languages.

People have been accumulating several decades of experience with CWEB, and CTANGLE and CWEAVE are known to work reasonably well on numerous platforms. In general those programs are now entirely stable: DEK won't be changing them any more, because they've proved their value in extensive use. (Henceforth he must devote full time to "The Art of Computer Programming"!)

However, further significant developments, including versions that DEK himself does not maintain, are ongoing. All of the really current news about CWEB is, in fact, now to be found in the CWEB development project, thanks to the tireless activities of Andreas Scherer.

The first new release under his auspices incorporates the majority of material from his [CWEBbin project](#), namely all the patches accumulated over many years, and all the changes for ANSI-C. What's left in CWEBbin are a few extensions used in TeX Live:

- includes CTWILL and its utilities
- internationalization with the "GNU gettext utilities"
- output is only written when different from the former run
- new options -l, -i, and -o for CWEAVE and CTWILL
- file lookup with the kpathsea library (TeX Live only)

and it provides tools to bundle packages for various target systems.

documentation (no language specified) *Readme:*
https://ctan.org/tex-archive/web/c_cpp/cweb/README

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/web/c_cpp/cweb/cwebman.pdf
– local file	<code>./2812318301-cwebman.pdf</code>
contact	<i>bugs</i> : https://lists.tug.org/tex-k
contact	<i>repository</i> : https://github.com/ascherer/cweb
on CTAN	https://ctan.org/tex-archive/web/c_cpp/cweb
on MikTeX	<code>miktex-cweb-bin-2.9</code>
on TeXLive	<code>cweb</code>
keyword	<code>litprog</code> (literate programming)
language(s)	no language specified
year	without year
last access	2025-08-01

1458 *cweb-latex* – A LaTeX version of CWEB

Web page on CTAN <https://ctan.org/pkg/cweb-latex>

name	<code>cweb-latex</code>
caption	A LaTeX version of CWEB
author	Schrod, Joachim
license	gpl = GNU General Public License (free)
version	(2013-01-18)
last changes	2013-01-18
year	2013
description	(no language specified) This bundle allows marking-up of CWEB code in LaTeX. The distribution includes the "Counting Words" program distributed with CWEB, edited to run with LaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cweb/README
documentation	(no language specified) <i>User manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/cweb/cweb-user.pdf
– local file	<code>./2227354323-cweb-user.pdf</code>
documentation	(no language specified) <i>Internal interfaces</i> : https://ctan.org/tex-archive/macros/latex/contrib/cweb/cweb-conf.pdf
– local file	<code>./6455011516-cweb-conf.pdf</code>

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cweb
on T _E XLive	cweb-latex
keyword	litprog (literate programming)
language(s)	no language specified
last access	2025-08-01

1459 *cwebbin* – CWEB for ANSI-C/C++ compilers

Web page on CTAN <https://ctan.org/pkg/cwebbin>

name	cwebbin
caption	CWEB for ANSI-C/C++ compilers
author	Scherer, Andreas
copyright	Hans-Hermann Bode (1991-1993)
copyright	Klaus Guntermann (1992)
copyright	Andreas Scherer (1993-2000, 2005, 2011, 2018-2021)
copyright	Carsten Steger (1991, 1993)
license	knuth = Knuth License (free)
description	(no language specified) A highly portable and extended version of Levy/Knuth CWEB 3.64c for UNIX, Windows, Mac (and possibly other operating systems). TeX macros, CWEB macros, and NLS catalogs are included for German, French (partially), and Italian program documentation on any machine.

Major features:

- Thoroughly updated code base; several bug fixes; clean compilation (with both C and TeX) on at least four different architectures.
- Added CTWILL program with tools and utilities for brave users; including introductory manpage.
- Internationalization of CTANGLE, CWEAVE, and CTWILL with "GNU gettext utilities".
- New code base for CWEB in TeX Live 2019, incorporating all features of the TL 2018 version and adding new features from CWEBbin.

As of November 2019 CTAN no longer holds a copy of this material. Please go to the package's [github repository](#) for more information.

contact	<i>support:</i> https://lists.tug.org/tex-k
contact	<i>bugs:</i> https://lists.tug.org/tex-k

contact	repository: https://github.com/ascherer/cwebbin
keyword	litprog (literate programming)
language(s)	no language specified
year	2021
last access	2025-08-01

1460 *cwebhy* – Insert hyperlinks for included files

Web page on CTAN <https://ctan.org/pkg/cwebhy>

name	cweb-hy
caption	Insert hyperlinks for included files
author	Melendez, Enrique
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The class <code>cweb-hy</code> extends the LaTeX port of cweb to offer hyperlinks from references to a function to its definition. The class is implemented so that it can also be called as a package, and by this means you can incorporate a cweb program source in another document. The class is distributed as part of the cweb bundle .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cweb/contrib/cweb-hy/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cweb/contrib/cweb-hy
keyword	hyper (support for hypertext)
keyword	class (alternative LaTeX class(es))
keyword	litprog (literate programming)
language(s)	no language specified
year	without year
last access	2025-08-01

1461 *cwebx* – A system for Structured Software Documentation in C

Web page on CTAN <https://ctan.org/pkg/cwebx>

name	cwebx
caption	A system for Structured Software Documentation in C
author	van Leeuwen, Marc
license	knuth = Knuth License (free)
version	3.04
description	(no language specified) The CWEBx system is a system for Structured Software Documentation (also known as Literate Programming) in the programming language C. It is a derivative of the CWEB system by Sylvio Levy and Donald E. Knuth, who originally conceived the idea of Literate Programming; CWEBx is a compatible extension of CWEB.
documentation	(no language specified) <i>Manual</i> : https://ctan.org/tex-archive/web/c_cpp/cwebx/manual.pdf
– local file	./6853588522-manual.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/web/c_cpp/cwebx/README
home page	http://wwwmathlabo.univ-poitiers.fr/~maavl/CWEBx/
on CTAN	https://ctan.org/tex-archive/web/c_cpp/cwebx
keyword	litprog (literate programming)
language(s)	no language specified
year	without year
last access	2025-08-01

1462 *cyber* – Annotate compliance with cybersecurity requirements

Web page on CTAN <https://ctan.org/pkg/cyber>

name	cyber
caption	Annotate compliance with cybersecurity requirements
author	Jennings, Jared
copyright	Jared Jennings (2015)
license	mit = MIT License (free)
version	2.2

1463 `cybercic` – “Controls in Contents” for the `cyber` package

description	(no language specified) This LaTeX package helps you write documents indicating your compliance with cybersecurity requirements. It also helps you format your document in a form suitable inside the U.S. Department of Defense, by attaching distribution statements, destruction notices, organization logos, and security labels to it.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cyber/cyber.pdf
– local file	<code>./1216831110-cyber.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cyber/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cyber
on MikTeX	<code>cyber</code>
on TeXLive	<code>cyber</code>
keyword	<code>doc-supp</code> (macros and tools for preparing documentation)
language(s)	no language specified
year	2015
last access	2025-02-07

1463 `cybercic` – “Controls in Contents” for the `cyber` package

Web page on CTAN <https://ctan.org/pkg/cybercic>

name	<code>cybercic</code>
caption	“Controls in Contents” for the <code>cyber</code> package
author	Jennings, Jared
license	mit = MIT License (free)
version	2.1 (2015-06-24)
last changes	2015-06-24
year	2015
description	(no language specified) This package is used in concert with the <code>cyber</code> package to make documents with annotations of compliance with cybersecurity requirements. “cic” stands for “Controls in Contents”, and when you include this package, some notations of compliance are added to section names as seen in the table of contents of the final document. It also makes your document more brittle in unexpected ways: for example, when you use <code>cybercic</code> in the same document as <code>hyperref</code>, you cannot use

	any formatting in your section titles. So don't use <code>cybercic</code> unless you need to.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/cybercic/cybercic.pdf
– local file	<code>./8734070988-cybercic.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cybercic/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cybercic
on MikTeX	<code>cybercic</code>
on T _E XLive	<code>cybercic</code>
keyword	<code>doc-supp</code> (macros and tools for preparing documentation)
keyword	<code>toc-etc</code> (deal with Tables of Contents, and of other such things)
language(s)	no language specified
last access	2025-02-07

1464 *cyklop* – The Cyclop typeface

Web page on CTAN <https://ctan.org/pkg/cyklop>

name	<code>cyklop</code>
caption	The Cyclop typeface
author	Nowacki, Janusz Marian
copyright	Janusz M. Nowacki (2008)
license	gfl = The GUST Font License (GFL) (free)
version	0.915
description	(no language specified) The Cyclop typeface was designed in the 1920s at the workshop of Warsaw type foundry "Odlewnia Czcioneck J. Idzkowski i S-ka". This sans serif typeface has a highly modulated stroke so it has high typographic contrast. The vertical stems are much heavier than horizontal ones. Most characters have thin rectangles as additional counters giving the unique shape of the characters. The lead types of Cyclop typeface were produced in slanted variant at sizes 8-48 pt. It was heavily used for heads in newspapers and accidents prints. Typesetters used Cyclop in the inter-war period, during the occupation in the underground press. The typeface was used until the beginnings of the offset

print and computer typesetting era. Nowadays it is hard to find the metal types of this typeface.

The font was generated using the Metatype1 package. Then the original set of characters was completed by adding the full set of accented letters and characters of the modern Latin alphabets (including Vietnamese).

The upright variant was generated and it was more complicated task than it appeared at the beginning. 11 upright letters of the Cyclop typeface were presented in the book by Filip Trzaska, "Podstawy techniki wydawniczej" ("Foundation of the publishing technology"), Warsaw 1967. But even the author of the book does not know what was the source of the presented examples.

The fonts are distributed in the Type1 and OpenType formats along with the files necessary for use these fonts in TeX and LaTeX including encoding definition files: T1 (ec), T5 (Vietnamese), OT4, QX, texnansi and nonstandard ones (IL2 for Czech fonts).

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/cyklop/doc/fonts/cyklop/cyklop-info.pdf
– local file	./3029777410-cyklop-info.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/cyklop/README
on CTAN	https://ctan.org/tex-archive/fonts/cyklop
on MikTeX	cyklop
on T _E XLive	cyklop
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-sans (sans-serif font)
keyword	font-otf (font in OpenType format)
keyword	font (fonts themselves)
language(s)	no language specified
year	2008
last access	2025-02-07

1465 *cypriot* – A script which was used on Cyprus for writing Greek

Web page on CTAN <https://ctan.org/pkg/cypriot>

name	<code>cypriot</code>
caption	A script which was used on Cyprus for writing Greek
author	Wilson, Peter R.
copyright	Peter R. Wilson (1999-2009)
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) The <i>cypriot</i> package provides Metafont and Adobe Type 1 font versions of a syllabic script which was used on Cyprus for writing Greek. The script was in use between approximately the tenth and third centuries BCE. This is one in a series of <i>archaic</i> fonts.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/archaic/cypriot/cypriot.pdf
– local file	<code>./4614836139-cypriot.pdf</code>
documentation	(no language specified) <i>Samples of entire archaic bundle</i> : https://ctan.org/tex-archive/fonts/archaic/asamples.pdf
– local file	<code>./8592837549-asamples.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/archaic/cypriot/README
documentation	(no language specified) <i>Sample of Cypriot font</i> : https://ctan.org/tex-archive/fonts/archaic/cypriot/trycypriot.pdf
– local file	<code>./9146143885-trycypriot.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/archaic/cypriot
on MikTeX	<code>archaic</code>
on T _E XLive	<code>archaic</code>
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-archaic</code> (fonts reproducing archaic scripts or inscriptions)
see also	see section 1466 on page 1328: (<i>cypriote</i> – A font for ancient Cypriot Greek inscriptions)
language(s)	no language specified

year 2009
last access 2025-02-07

1466 *cypriote* – A font for ancient Cypriot Greek inscriptions

Web page on CTAN <https://ctan.org/pkg/cypriote>

name *cypriote*
caption A font for ancient Cypriot Greek inscriptions
author Stanier, Alan
license noinfo = noinfo
version (1994-06-27)
last changes 1994-06-27
year 1994
description (no language specified) The font is distributed as Metafont source, and there is also a simple package to support the font in LaTeX.

The font works very poorly in modern environments, and could do with expert attention (interested experts please contact the CTAN team for details).

on CTAN <https://ctan.org/tex-archive/fonts/cypriote>
keyword *font-archaic* (fonts reproducing archaic scripts or inscriptions)
keyword *font* (fonts themselves)
keyword *font-mf* (fonts distributed as Metafont source)
see also see section 1465 on page 1327: (*cypriot* – A script which was used on Cyprus for writing Greek)
language(s) no language specified
last access 2025-02-07

1467 cyrguide – Documentation of LaTeX Cyrillic-alphabet features

Web page on CTAN <https://ctan.org/pkg/cyrguide>

name	cyrguide
caption	Documentation of LaTeX Cyrillic-alphabet features
author	The LaTeX Project Team
author	Lemberg, Werner
author	Volovich, Vladimir
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The Cyrillic setup for LaTeX: how to get the fonts, how to set them up, how to use the interface, interaction with babel , etc. Part of a set of documentation that also covers new LaTeX 2e commands , class and package writing , font-handling , LaTeX font encodings , configuration options and modification of latex .
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/macros/latex/base/cyrguide.pdf
– local file	<code>./4609391987-cyrguide.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/base
on MikTeX	ltxbase
on TeXLive	latex
keyword	latex-doc (latex-doc(unknown))
language(s)	no language specified
year	without year
last access	2025-02-11

1468 cyrillic-modern – Slightly modified computer modern fonts with Cyrillics

Web page on CTAN <https://ctan.org/pkg/cyrillic-modern>

name	cyrillic-modern
caption	Slightly modified computer modern fonts with Cyrillics
author	Panov, Andrey
copyright	Andrey V. Panov (2013, 2014)
license	ofl = The SIL Open Font License (free)

version	0.4 (2014-12-26)
last changes	2014-12-26
year	2014
description	(no language specified) The Cyrillic Modern fonts are based on the Computer Modern fonts designed in Metafont by D. E. Knuth and released in Type 1 format by the American Mathematical Society under the SIL Open Font License (OFL). The Cyrillic Modern fonts are intended to make the Cyrillic letters with classical shapes typical to the modern fonts. Currently, the fonts add support for the Russian language, the numero sign and quotation marks required for Russian typesetting.
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/fonts/cyrillic/cyrillic-modern/doc/cyrillic-modern-sample.pdf
– local file	<code>./5328977620-cyrillic-modern-sample.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/cyrillic/cyrillic-modern/README.txt
home page	https://sourceforge.net/projects/cyrillic-modern/
contact	<i>repository:</i> https://sourceforge.net/p/cyrillic-modern/code/
on CTAN	https://ctan.org/tex-archive/fonts/cyrillic/cyrillic-modern
on MikTeX	<code>cyrillic-modern</code>
on TeXLive	<code>cyrillic-modern</code>
keyword	<code>font-cm</code> (font serving Computer Modern-style shapes)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-sans</code> (sans-serif font)
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-cyrillic</code> (fonts for Cyrillic and related scripts)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
language(s)	no language specified
last access	2025-02-07

1469 *cyrillic209* – Provides basic LaTeX 2.09 font access to the Washington cyrillic fonts

Web page on CTAN <https://ctan.org/pkg/cyrillic209>

name	<code>cyrillic209</code>
caption	Provides basic LaTeX 2.09 font access to the Washington cyrillic fonts
author	Karney, Charles
license	noinfo = noinfo
version	(1990-04-29)
last changes	1990-04-29
year	1990
description	(no language specified) A small package providing basic LaTeX 2.09 font-system access to the Washington cyrillic fonts. Note that this package cannot possibly work under LaTeX 2e, and has nothing to do with the LaTeX2e latex-cyrillic bundle.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/cyrillic.sty
keyword	<code>cyrillic</code> (support languages written using Cyrillic alphabets)
keyword	<code>latex209</code> (package only known to work with LaTeX 2.09)
language(s)	no language specified
last access	2025-02-11

1470 *cyrmemo* – Details of using the AMS Cyrillic fonts

Web page on CTAN <https://ctan.org/pkg/cyrmemo>

name	<code>cyrmemo</code>
caption	Details of using the AMS Cyrillic fonts
author	Beeton, Barbara
license	noinfo = noinfo
version	(1991-08-04)
last changes	1991-08-04
year	1991

description	(no language specified) A Plain TeX document, and support macros, describing the use of the AMS Cyrillic fonts (the <code>wncy</code> family) in Plain TeX and LaTeX 2.09. (The fonts embody the OT2 encoding, in LaTeX 2e.)
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/cyrmemo
keyword	cyrillic (support languages written using Cyrillic alphabets)
keyword	font-doc (documentation about choosing installing and using fonts)
language(s)	no language specified
last access	2025-02-07

1471 *cyrtug* – EmTeX as distributed by CyrTUG

Web page on CTAN <https://ctan.org/pkg/cyrtug>

name	cyrtug
caption	EmTeX as distributed by CyrTUG
author	Goossens, Michel
license	noinfo = noinfo
version	(1998-10-05)
last changes	1998-10-05
year	1998
description	(no language specified) The CyrTUG distribution of files for use with emTeX . (CyrTUG is the Cyrillic-alphabet TeX users' group; apart from the lh fonts, there are several other files to support Cyrillic users.)
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/msdos/emtex-contrib/cyrtug/README
on CTAN	https://ctan.org/tex-archive/systems/msdos/emtex-contrib/cyrtug
keyword	distribution (components (or support) of TeX distribution)
keyword	cyrillic (support languages written using Cyrillic alphabets)
language(s)	no language specified
last access	2025-02-07

1472 czhyph – Hyphenation patterns for CzechWeb page on CTAN <https://ctan.org/pkg/czhyph>

name	czhyph
caption	Hyphenation patterns for Czech
license	noinfo = noinfo
version	(1991-11-08)
last changes	1991-11-08
year	1991
description	(no language specified) Note that these patterns are not in a standardised TeX encoding; the czhyph2e script may be used to convert them to T1 encoding. The package is superseded by the Czech patterns available in the hyph-utf8 bundle (whence patterns for any encoding, including T1, may be generated).
on CTAN	https://ctan.org/tex-archive/language/hyphenation/czhyph.tex
keyword	hyphenation (macros or tables for hyphenation)
keyword	czech (support for typesetting Czech)
language(s)	no language specified
last access	2025-02-07

1473 czhyph2e – Convert Czech hyphenation patterns to standard encodingWeb page on CTAN <https://ctan.org/pkg/czhyph2e>

name	czhyph2e
caption	Convert Czech hyphenation patterns to standard encoding
author	Lemberg, Werner
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) This Perl script converts the Czech hyphenation patterns as distributed on CTAN from its PC encoding into a form using T1 font encoding.
on CTAN	https://ctan.org/tex-archive/language/czech/czhyph2e.pl
keyword	hyph-gen (support for generating or improving hyphenation tables)
language(s)	no language specified
year	without year

last access 2025-02-07

1474 *dad* – Simple typesetting system for mixed Arabic/Latin documents

Web page on CTAN <https://ctan.org/pkg/dad>

name	dad
caption	Simple typesetting system for mixed Arabic/Latin documents
author	Haralambous, Yannis
license	lppl = The LaTeX Project Public License (free)
version	1.2 (2017-05-20)
last changes	2017-05-20
year	2017
description	(no language specified) This package allows simple typesetting in Arabic script, intended for mixed Arabic/Latin script usage in situations where heavy-duty solutions are discouraged. The <i>ض</i> system operates with both Unicode and transliterated input, allowing the user to choose the most appropriate approach for every situation.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/language/arabic/dad/dad-user-guide.pdf
– local file	./5424059639-dad-user-guide.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/language/arabic/dad/README
on CTAN	https://ctan.org/tex-archive/language/arabic/dad
installation	https://ctan.org/tex-archive/install/language/arabic/dad.tds.zip
on MikTeX	dad
on T _E XLive	dad
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	arabic (documentation in and support for typesetting Arabic)
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
last access	2025-02-09

1475 *dancers* – Font for Conan Doyle’s “The Dancing Men”

Web page on CTAN <https://ctan.org/pkg/dancers>

name	dancers
caption	Font for Conan Doyle’s “The Dancing Men”
author	Stanier, Alan
license	other-free = Free license not otherwise listed (free)
version	(1995-03-10)
last changes	1995-03-10
year	1995
description	(no language specified) The (Sherlock Holmes) book contains a code which uses dancing men as glyphs. The alphabet as given is not complete, lacking f, j, k, q, u, w, x and z, so those letters in the font are not due to Conan Doyle. The code required word endings to be marked by the dancing man representing the last letter to be holding a flag: these are coded as A-Z. thaTiStOsaYsentenceSiNthEcodElookKlikEthiS. In some cases, the man has no arms, making it impossible for him to hold a flag. In these cases, he is wearing a flag on his hat in the ‘character’. The font is distributed as Metafont source; it works poorly in modern environments, and could do with expert attention (if you are interested, please contact the CTAN team for details).
on CTAN	https://ctan.org/tex-archive/fonts/dancers
on MikT _E X	dancers
on T _E XLive	dancers
keyword	font-novelty (fonts designed more for fun than for actual use)
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	no language specified
last access	2025-02-07

1476 dante-book-reviews – Book reviews published in DANTE's journal

Web page on CTAN <https://ctan.org/pkg/dante-book-reviews>

name	dante-book-reviews
caption	Book reviews published in DANTE's journal
author	Faulhammer, Christian
license	nocommercial = No Commercial Use (not free)
version	(2007-11-04)
last changes	2007-11-04
year	2007
description	(no language specified) A series of book reviews published in DANTE's journal 'Die Technische Komödie' from 2004, by a number of authors. The project was initiated by Christian Faulhammer.
on CTAN	https://ctan.org/tex-archive/info/digests/dtk/book_reviews
keyword	journ-extract (selections of journals, etc.)
language(s)	no language specified
last access	2025-02-07

1477 dantelogo – A font for DANTE's logo

Web page on CTAN <https://ctan.org/pkg/dantelogo>

name	dantelogo
caption	A font for DANTE's logo
author	Voß, Herbert
author	Höppner, Klaus
copyright	Herbert Voß and Klaus Höppner (2015)
license	lppl = The LaTeX Project Public License (free)
version	0.03 (2015-10-09)
last changes	2015-10-09
year	2015

description	(no language specified) The DANTE font for the logo of DANTE (http://www.dante.de), the German speaking TeX users group. The font includes only the five characters d, a, n, t, and e. <code>dantelogo.sty</code> provides an interface for LuaLaTeX/XeLaTeX/pdfLaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/dantelogo/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/dantelogo/doc/dantelogo-doc.pdf
– local file	<code>./7070297771-dantelogo-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/dantelogo
on MikTeX	<code>dantelogo</code>
on TeXLive	<code>dantelogo</code>
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
language(s)	no language specified
last access	2026-04-13

1478 *darkmode* – General Dark Mode Support for LaTeX-Documents

Web page on CTAN	https://ctan.org/pkg/darkmode
name	<code>darkmode</code>
caption	General Dark Mode Support for LaTeX-Documents
author	Deisenroth, Ruben
copyright	Ruben Deisenroth (2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0.1 (2022-09-01)
last changes	2022-09-01
year	2022
description	(no language specified) This package provides an API for template and package developers to create dynamic color schemes for light- and darkmodes. For those unaware: We refer to <i>dark mode</i> when a document has a dark background with a light font and to <i>light mode</i> if it has a dark font with a light background.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/darkmode/darkmode-code.pdf
– local file	<code>./3798807220-darkmode-code.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/darkmode/README.md
contact	<i>bugs</i> : https://github.com/Rdeisenroth/darkmode-latex-package/issues
contact	<i>repository</i> : https://github.com/Rdeisenroth/darkmode-latex-package
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/darkmode
on MikTeX	darkmode
on TeXLive	darkmode
keyword	colour (typesetting in colour)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-11

1479 dashbox – Draw dashed boxes

Web page on CTAN	https://ctan.org/pkg/dashbox
name	dashbox
caption	Draw dashed boxes
author	Thomas, Reuben
license	lppl = The LaTeX Project Public License (free)
version	1.14
description	(no language specified) The package can draw boxes that perform like <code>\framebox</code> or <code>\fbox</code> , but use dashed lines. The package can also draw (an illusion of) vertical stacks of boxes.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/dashbox/dashbox.pdf
– local file	<code>./5479165859-dashbox.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dashbox

on MikTeX	dashbox
on T _E XLive	dashbox
keyword	boxing (creating boxes)
language(s)	no language specified
year	without year
last access	2025-02-11

1480 dashrule – Draw dashed rules

Web page on CTAN <https://ctan.org/pkg/dashrule>

name	dashrule
caption	Draw dashed rules
author	Pakin, Scott
license	lppl = The LaTeX Project Public License (free)
version	1.3
description	(no language specified) The dashrule package makes it easy to draw a huge variety of dashed rules (i.e., lines) in LaTeX. dashrule provides a command, <code>\hdashrule</code> , which is a cross between LaTeX's <code>\rule</code> and PostScript's <code>setdash</code> command. <code>\hdashrule</code> draws horizontally dashed rules using the same syntax as <code>\rule</code> , but with an additional, <code>setdash</code> -like parameter that specifies the pattern of dash segments and the space between those segments. Because dashrule's rules are constructed internally using <code>\rule</code> (as opposed to, e.g., PostScript <code>\special s</code>) they are fully compatible with every LaTeX back-end processor.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dashrule/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dashrule
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/dashrule.tds.zip
on MikTeX	dashrule
on T _E XLive	dashrule
keyword	line-patt (patterning lines (dashes, etc))
language(s)	no language specified
year	without year

last access 2025-02-11

1481 *dashrulex* – Draw dashed rules

Web page on CTAN <https://ctan.org/pkg/dashrulex>

name	dashrulex
caption	Draw dashed rules
author	Yi, Qu
copyright	Qu Yi (2024-2025)
license	cc-by-4 = CC BY 4.0 (free)
version	1.02d (2025-02-04)
last changes	2025-02-04
year	2025
description	(no language specified) This package package provides a flexible solution for drawing dashed rules in the body. It currently provides two commands, <code>\hdashrule</code> and <code>\hanyrule</code> . It is written in LaTeX3 and can be used as an alternative to the <i>dashrule</i> package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/dashrulex/dashrulex.pdf
– local file	<code>./6652096526-dashrulex.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dashrulex/README.md
contact	<i>repository</i> : https://github.com/texno3/dashrulex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dashrulex
on MikTeX	dashrulex
on TeXLive	dashrulex
keyword	expl3 (expl3(unknown))
keyword	rule (produce rules within a document)
keyword	line-patt (patterning lines (dashes, etc))
language(s)	no language specified
last access	2025-02-10

1482 dashundergaps – Produce gaps that are underlined, dotted or dashed

Web page on CTAN <https://ctan.org/pkg/dashundergaps>

name	dashundergaps
caption	Produce gaps that are underlined, dotted or dashed
author	Mittelbach, Frank
author	Merciadri, Luca
copyright	Frank Mittelbach (2018-2021)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.0h (2021-03-05)
last changes	2021-03-05
year	2021
description	(no language specified) The package provides commands (<code>\underline</code> , <code>\dotuline</code> and <code>\dashuline</code>) each of which underlines its argument with one of the styles the package is capable of. A phantom mode is provided, where the underline (of whatever form) can serve for a ‘fill-in block’ for student evaluation sheets.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dashundergaps/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/dashundergaps/dashundergaps-doc.pdf
– local file	<code>./4099120616-dashundergaps-doc.pdf</code>
contact	<i>repository</i> : https://github.com/FrankMittelbach/fmitex-dashundergaps
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dashundergaps
on MikTeX	dashundergaps
on TeXLive	dashundergaps
keyword	underline (underlining/overlining text (including other decorations))
keyword	tagged-pdf-incompatible (tagged PDF incompatible)
keyword	line-patt (patterning lines (dashes, etc))
language(s)	no language specified
last access	2026-04-10

1483 *dataref* – Manage references to experimental data

Web page on CTAN <https://ctan.org/pkg/dataref>

name	dataref
caption	Manage references to experimental data
author	Dietrich, Christian
copyright	Christian Dietrich (2013-2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.7 (2022-03-25)
last changes	2022-03-25
year	2022
description	(no language specified) The package provides a mechanism that maintains a fixed symbolic reference to numerical results; such results may vary as the project proceeds (and hence the project report develops).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dataref/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/dataref/doc/dataref-doc.pdf
– local file	./1674050092-dataref-doc.pdf
contact	<i>repository</i> : https://github.com/stettberger/dataref
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dataref
on MikTeX	dataref
on TeXLive	dataref
keyword	label-ref (label and reference systems)
keyword	data-manip (manipulate data within TeX)
language(s)	no language specified
last access	2025-02-11

1484 datatool – Tools to load and manipulate data

Web page on CTAN <https://ctan.org/pkg/datatool>

name	datatool
caption	Tools to load and manipulate data
author	Talbot, Nicola
copyright	Nicola Talbot (2007-2025)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.4 (2025-04-03)
last changes	2025-04-03
year	2025
description	(no language specified) The tools comprise the packages: • <code>datatool-base.sty</code> : the underlying base package used by all the other packages in this bundle; • <code>datatool.sty</code> : databases may be created using LaTeX commands or by importing external files; they may be sorted numerically or alphabetically; repetitive operations (such as mail merging) may be performed on each row of a database, subject to conditions to exclude particular rows; commands are provided to examine database elements, and to convert formats (for example, to convert a numeric element to a format compatible with l3fp or the <code>fp</code> package); • <code>datapie.sty</code> : a database may be represented as a pie chart; flexible options allow colouring of the chart, and annotation hooks are available; • <code>dataplot.sty</code> : a database may be represented as a 2-dimensional scatter or line plot; flexible options control of the plot's overall appearance, and of legends and other extra information; • <code>databar.sty</code> : a database may be represented as a bar chart; overall appearance, colouring and annotation are controllable; • <code>datagidx.sty</code> : provides a way of indexing or creating glossaries/lists of abbreviations that uses TeX to do the sorting and collating instead of using an external indexing application, such as <code>xindy</code> or <code>makeindex</code> (although you may prefer <code>\printnoidxglossary</code> now provided by the <code>glossaries</code> package); • <code>databib.sty</code> : a bibliography may be loaded into a datatool database, and manipulated there before being printed (this permits a LaTeX-based route to printing bibliographies in formats for which no BibTeX style is available, although <code>biblatex</code> is now the better route); and

- `person.sty` : provides support for displaying a person’s name and pronoun in a document, thus avoiding cumbersome use of ”he/she”, etc.

The drawing packages make use of **PGF/TikZ** for their output.

Localisation support needs to be installed separately. See **datatool-regions** and **datatool-english** .

The bundle supersedes and replaces the author’s **csvtools** bundle.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/datatool/README.md
documentation	(no language specified) <i>Package FAQ</i> : http://www.dickimaw-books.com/faqs/datatoolfaq.html
documentation	(no language specified) <i>User guide</i> : https://ctan.org/tex-archive/macros/latex/contrib/datatool/datatool-user.pdf
– local file	<code>./7677967551-datatool-user.pdf</code>
documentation	(no language specified) <i>Documented code of the package</i> : https://ctan.org/tex-archive/macros/latex/contrib/datatool/datatool-code.pdf
– local file	<code>./9633272114-datatool-code.pdf</code>
contact	<i>bugs</i> : https://www.dickimaw-books.com/bugtracker.php?category=datatool
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datatool
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/datatool.tds.zip
on MikTeX	<code>datatool</code>
on T _E XLive	<code>datatool</code>
keyword	<code>data-import</code> (importing data into documents)
keyword	<code>data-manip</code> (manipulate data within TeX)
keyword	<code>data-disp</code> (visualisation of data sets)
language(s)	no language specified
last access	2025-04-11

1485 datatool-english – English language support for datatool.sty v3.0+

Web page on CTAN <https://ctan.org/pkg/datatool-english>

name	datatool-english
caption	English language support for datatool.sty v3.0+
author	Talbot, Nicola
copyright	Nicola Talbot (2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2025-03-12)
last changes	2025-03-12
year	2025
description	(no language specified) The datatool-english bundle provides English language support for the datatool package (v3.0+). The *.ldf files should all be placed somewhere on TeX's path. These files don't require any explicit loading. They will automatically be input by <code>datatool-base.sty</code> (or relevant supplementary package) if they are found and required by the tracklang localisation settings. See the datatool v3.0+ and tracklang user manuals for further details. The English files provide encoding support for UTF-8 and ISO-8859-1 (Latin 1). Any other encoding will be treated as US-ASCII. This bundle also includes limited support for Old English (Anglo-Saxon) mainly to provide an example for a language that has multiple scripts (in this case, Latin and Runic) or for a language that has an extended Latin or non-Latin script. The language codes are <code>ang-Latn</code> for Anglo-Saxon Latin Script and <code>ang-Runr</code> for Anglo-Saxon Runic Script. There's only support for UTF-8 with the Anglo-Saxon files.
documentation	(no language specified) <i>User guide</i>: https://ctan.org/tex-archive/macros/latex/contrib/datatool-english/datatool-english.pdf
– local file	<code>./6835655801-datatool-english.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/datatool-english/README.md
home page	https://github.com/nlct/datatool-english
contact	<i>bugs</i> : https://github.com/nlct/datatool-english/issues
contact	<i>repository</i> : https://github.com/nlct/datatool-english
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datatool-english

on T _E XLive	<code>datatool-english</code>
keyword	<code>data-import</code> (importing data into documents)
keyword	<code>data-disp</code> (visualisation of data sets)
keyword	<code>data-manip</code> (manipulate data within TeX)
language(s)	no language specified
last access	2025-04-11

1486 `datatool-regions` – Region (numeric) support for `datatool` v3.0+

Web page on CTAN <https://ctan.org/pkg/datatool-regions>

name	<code>datatool-regions</code>
caption	Region (numeric) support for <code>datatool</code> v3.0+
author	Talbot, Nicola
copyright	Nicola Talbot (2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The <code>datatool-regions</code> bundle provides the language-independent region ldf files for the datatool package (v3.0+). The <code>*.ldf</code> files should all be placed on TeX's path. These files don't require any explicit loading. They will automatically be input by <code>datatool-base.sty</code> (or relevant supplementary package) if they are found and required by the <code>tracklang</code> localisation settings. See the <code>datatool</code> v3.0+ and <code>tracklang</code> user manuals for further details. The region files deal with defining the currency symbol, and may additionally (if not dependent on the language) set the number group and decimal characters, and provide functions for parsing numeric dates and times. If a pre-3.0 version of <code>datatool</code> is installed, these ldf files will be ignored.
documentation	(no language specified) <i>User guide</i>: https://ctan.org/tex-archive/macros/latex/contrib/datatool-regions/datatool-regions.pdf
– local file	<code>./7454500243-datatool-regions.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/datatool-regions/README.md
home page	https://github.com/nlct/datatool-regions
contact	<i>bugs</i> : https://github.com/nlct/datatool-regions/issues

contact	repository: https://github.com/nlct/datatool-regions
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datatool-regions
on T _E XLive	datatool-regions
keyword	data-import (importing data into documents)
keyword	data-manip (manipulate data within TeX)
keyword	data-disp (visualisation of data sets)
language(s)	no language specified
year	2025
last access	2025-04-11

1487 datatooltk – A Java GUI for preparing datatool input

Web page on CTAN	https://ctan.org/pkg/datatooltk
name	datatooltk
caption	A Java GUI for preparing datatool input
author	Talbot, Nicola
copyright	Nicola L.C. Talbot (2014-2018)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	1.9 (2018-07-06)
last changes	2018-07-06
year	2018
description	(no language specified) The package provides a Java GUI that may be used to create datatool databases in datatool’s internal format; such databases can be quickly imported into a LaTeX document using <code>\input</code>. Datatooltk may also be used in batch mode to convert from SQL or CSV or to import datasets from probsoln. Tools are available to sort or shuffle the database.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/support/datatooltk/README
documentation	(no language specified) <i>User manual</i>: https://ctan.org/tex-archive/support/datatooltk/datatooltk-en-GB.pdf
– local file	<code>./6130196145-datatooltk-en-GB.pdf</code>
home page	http://www.dickimaw-books.com/software/datatooltk/

1488 *datax* – Import individual data from script files

contact	<i>bugs:</i> https://github.com/nlct/datatooltk
on CTAN	https://ctan.org/tex-archive/support/datatooltk
keyword	data-prep (prepare data for use within TeX)
keyword	csv-support (read, process and convert CSV data)
language(s)	no language specified
last access	2025-04-11

1488 *datax* – Import individual data from script files

Web page on CTAN <https://ctan.org/pkg/datax>

name	datax
caption	Import individual data from script files
author	Gustavsson, David
copyright	David Gustavsson (2020-2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2.0 (2022-01-27)
last changes	2022-01-27
year	2022
description	(no language specified) This LaTeX package uses pgfkeys to retrieve individual data points generated in some script. Analogous to how one might generate graphics in a script and import those graphics into a LaTeX document.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/datax/datax.pdf
– local file	./5615683129-datax.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/datax/README.md
contact	<i>repository:</i> https://github.com/Datax-package/Datax.sty
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datax
on MikTeX	datax
on TeXLive	datax
keyword	data-import (importing data into documents)
language(s)	no language specified
last access	2025-02-11

1489 *dateiliste* – Extensions of the `\listfiles` concept

Web page on CTAN <https://ctan.org/pkg/dateiliste>

name	dateiliste
caption	Extensions of the <code>\listfiles</code> concept
author	Ebermann, Paul
copyright	Paul Ebermann, Rolf Niepraschk (2006)
license	lppl = The LaTeX Project Public License (free)
version	0.6
description	(no language specified) The package provides a file list (similar to that offered by <code>\listfiles</code>), neatly laid out as a table. The main document can be included in the list, and a command is available for providing RCS-maintained data for printing in the file list.
documentation	(German) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dateiliste/README-de
documentation	(English) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dateiliste/README-en
documentation	(Esperanto) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dateiliste/README-eo
documentation	(German) <i>Benutzerdoku</i> : https://ctan.org/tex-archive/macros/latex/contrib/dateiliste/dateiliste.pdf
– local file	./5739354829-dateiliste.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dateiliste/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dateiliste
on MikTeX	dateiliste
on T _E XLive	dateiliste
keyword	doc-mgmt (support for keeping track of document development)
language(s)	German; English; Esperanto
year	2006
last access	2025-02-07

1490 *datenumber* – Convert a date into a number and vice versa

Web page on CTAN <https://ctan.org/pkg/datenumber>

name	<code>datenumber</code>
caption	Convert a date into a number and vice versa
author	Schröder, Jörg-Michael
copyright	Jörg-Michael Schröder (2001)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	0.03 (2022-01-27)
last changes	2022-01-27
year	2022
description	(no language specified) This package provides commands to convert a date into a number and vice versa. Additionally there are commands for incrementing and decrementing a date. Leap years and the Gregorian calendar reform are considered.
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/datenumber/README.txt
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/datenumber/datenumber-english.pdf
– local file	<code>./1411615623-datenumber-english.pdf</code>
documentation	<i>Package documentation (German)</i> : https://ctan.org/tex-archive/macros/latex/contrib/datenumber/datenumber-german.pdf
– local file	<code>./2693052847-datenumber-german.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datenumber
on MikTeX	<code>datenumber</code>
on T _E XLive	<code>datenumber</code>
keyword	date-time (manipulate dates and/or times)
language(s)	German
last access	2025-02-07

1491 *datepicker-pro* – Create a popup datepicker using SWF

Web page on CTAN <https://ctan.org/pkg/datepicker-pro>

name *datepicker-pro*

caption Create a popup datepicker using SWF

author Story, Donald P.

copyright D. P. Story (2013-2018)

license lpl1.2 = The LaTeX Project Public License 1.2 (free)

version 1.4 (2020-08-07)

last changes 2020-08-07

year 2020

description (no language specified) One of the (many) deficiencies of Adobe Acrobat Reader/Adobe Acrobat is that they have never supported a proper date picker. This package now supplies one. The `\datepicker` command creates a readonly text field and a push button to its right. Pressing on the pushbutton brings forth an SWF file displaying a calendar. The user then chooses a date from the calendar, and the date is transferred to the text field.

This is a "pro" application, which, in the jargon of AeB, means that Adobe Distiller is required as the PDF creator. The only drivers supported, as a result, are dvips and dvipsone.

As with all such special features, to experience the datepicker, Adobe Reader or Acrobat are needed. Most other PDF readers do not support form field, rich media annotations, and JavaScript.

This package has become obsolete as of December 2020. Since December 2020, Adobe no longer supports Flash player (SWF, FLV). This package uses a custom SWF file (`datepicker3.swf`, eg); as a result this package will no longer function in Adobe Acrobat Reader DC. The package will continue to produce PDFs as designed, but only if built using Acrobat XI (or a version of Acrobat prior to December 2020) and viewed in Adobe Acrobat Reader XI (or a version of Reader prior to December 2020).

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/obsolete/macros/latex/contrib/datepicker-pro/README.md>

documentation (no language specified) *PDF documentation*:
https://ctan.org/tex-archive/obsolete/macros/latex/contrib/datepicker-pro/doc/datepickerpro_man.pdf

– local file `./9666634699-datepickerpro_man.pdf`

on CTAN <https://ctan.org/tex-archive/obsolete/macros/latex/contrib/datepicker-pro>

1492 *dates* – Macros for parsing date strings

on MikTeX	datepicker-pro
keyword	pdf-forms (create pdf form fields, use form fields as an integral part of the package)
keyword	adobe-distiller (convert PostScript to PDF using Adobe Distiller)
keyword	acrobat (relies on availability of Adobe Acrobat, etc.)
keyword	obsolete (package declared obsolete)
keyword	pdf-feat (access PDF features)
keyword	pdfprocess (process PDF files)
language(s)	no language specified
last access	2025-02-07

1492 *dates* – Macros for parsing date strings

Web page on CTAN <https://ctan.org/pkg/dates>

name	dates
caption	Macros for parsing date strings
author	Bennett, Frank
license	nosell = Do Not Sell Except by Arrangement (not free)
version	1.3
description	(no language specified) This package provides a macro, <code>\dateread</code> , that can be used to parse date strings, either individually or recursively. The macro expects a human-readable syntax, which it converts into an integer (a "long date") that can be more easily used for some types of computation. A set of companion macros and token registers is also provided for converting long dates into human-readable form.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dates/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dates
keyword	date-time (manipulate dates and/or times)
language(s)	no language specified
year	without year
last access	2025-02-07

1493 dates209 – Flexible date macros

Web page on CTAN <https://ctan.org/pkg/dates209>

name	dates209
caption	Flexible date macros
author	Clark, Adrian
license	noinfo = noinfo
version	1.00-1
description	(no language specified) The package provides date macros for British English use; its version of <code>\today</code> produces (by default) output in the form ‘Thursday 4th October 1066’. Other macros provide day names, phase of the moon, and British-style ordinal number suffixes. Documentation appears as comment in the body of the file.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/dates.sty
keyword	date-time (manipulate dates and/or times)
see also	see section 4316 on page 3908: (<code>nth</code> – Generate English ordinal numbers)
language(s)	no language specified
year	without year
last access	2025-02-07

1494 datestamp – Fixed date-stamps with LuaLaTeX

Web page on CTAN <https://ctan.org/pkg/datestamp>

name	datestamp
caption	Fixed date-stamps with LuaLaTeX
author	निरंजन
copyright	निरंजन (2021)
license	fdl = Free Documentation License (free)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	0.3 (2021-12-14)
last changes	2021-12-14
year	2021

1495 `datetime` – Change format of `\today` with commands for current time

description	(no language specified) Add fixed date-stamps with simple and customizable aux files and LuaLaTeX. As long as the aux file is not deleted/modified the date-stamp generated with this package remains intact.
documentation	(no language specified) <i>Package documentation on the Web:</i> https://puszcza.gnu.org.ua/software/datestamp
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/luatex/latex/datestamp/README.txt
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/luatex/latex/datestamp/datestamp.pdf
– local file	<code>./8450663702-datestamp.pdf</code>
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/luatex/latex/datestamp/datestamp-example.pdf
– local file	<code>./9694981915-datestamp-example.pdf</code>
home page	https://puszcza.gnu.org.ua/projects/datestamp/
contact	<i>support:</i> mailto:datestamp-help@gnu.org.ua
contact	<i>bugs:</i> https://puszcza.gnu.org.ua/bugs/?group=datestamp
contact	<i>repository:</i> https://git.gnu.org.ua/datestamp.git/
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/datestamp
on MikTeX	<code>datestamp</code>
on T _E XLive	<code>datestamp</code>
keyword	<code>date-time</code> (manipulate dates and/or times)
keyword	<code>luatex</code> (LuaTeX and packages that require it)
language(s)	no language specified
last access	2025-02-09

1495 `datetime` – Change format of `\today` with commands for current time

Web page on CTAN	https://ctan.org/pkg/datetime
name	<code>datetime</code>
caption	Change format of <code>\today</code> with commands for current time
author	Talbot, Nicola
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)

version	2.60 (2015-03-20)
last changes	2015-03-20
year	2015
description	(no language specified) Provides various different formats for the text created by the command <code>\today</code>, and also provides commands for displaying the current time (or any given time), in 12-hour, 24-hour or text format. The package overrides babel’s date format, having its own library of date formats in different languages. The package requires the fntcount package. This package is now obsolete and has been replaced by datetime2.
documentation	(no language specified) <i>Package README</i>: https://ctan.org/tex-archive/obsolete/macros/latex/contrib/datetime/README
documentation	(no language specified) <i>Package documentation (PDF)</i>: https://ctan.org/tex-archive/obsolete/macros/latex/contrib/datetime/datetime.pdf
– local file	<code>./6856176634-datetime.pdf</code>
documentation	(no language specified) <i>Author’s FAQ</i>: http://www.dickimaw-books.com/faqs/datetimefaq.html
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/datetime
on MikTeX	<code>datetime</code>
on TeXLive	<code>datetime</code>
keyword	<code>date-time</code> (manipulate dates and/or times)
keyword	<code>multilingual</code> (support for more than one (natural) language)
keyword	<code>obsolete</code> (package declared obsolete)
language(s)	no language specified
last access	2025-02-07

1496 datetime2 – Formats for dates, times and time zones

Web page on CTAN <https://ctan.org/pkg/datetime2>

name	datetime2
caption	Formats for dates, times and time zones
author	Talbot, Nicola
copyright	Nicola Talbot (2015-2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.5.7 (2021-03-21)
last changes	2021-03-21
year	2021
description	(no language specified) This package provides commands for formatting dates, times and time zones and redefines <code>\today</code> to use the same formatting style. In addition to <code>\today</code>, you can also use <code>\DTMcurrenttime</code> (current time) or <code>\DTMnow</code> (current date and time). Dates and times can be saved for later use. The accompanying <code>datetime2-calc</code> package can be used to convert date-times to UTC+00:00. Language and regional support is provided by independently maintained and installed modules. The <code>datetime2-calc</code> package uses the <code>pgfcalendar</code> package (part of the PGF/TikZ bundle). This package replaces datetime.sty which is now obsolete.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2/datetime2.pdf
– local file	<code>./5350577002-datetime2.pdf</code>
home page	http://www.dickimaw-books.com/faqs/datetime2faq.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/datetime2.tds.zip
on MikTeX	datetime2
on TeXLive	datetime2
keyword	date-time (manipulate dates and/or times)

keyword multilingual (support for more than one (natural) language)
 language(s) no language specified
 last access 2025-02-07

1497 *datetime2-bahasai* – Bahasai language module for the datetime2 package

Web page on CTAN <https://ctan.org/pkg/datetime2-bahasai>

name datetime2-bahasai

caption Bahasai language module for the datetime2 package

author Talbot, Nicola

copyright Nicola Talbot (2015)

license lpl1.3 = The LaTeX Project Public License 1.3 (free)

version 1.01 (2018-01-10)

last changes 2018-01-10

year 2018

description (no language specified) This module provides the "bahasai" style that can be set using `\DTMsetstyle` provided by [datetime2.sty](#).

This package is currently unmaintained. Please see the README for the procedure to follow if you want to take over the maintenance.

documentation (no language specified) *Readme:*

<https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-bahasai/README>

documentation (no language specified) *Package documentation:* <https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-bahasai/datetime2-bahasai.pdf>

– local file ./4671698296-datetime2-bahasai.pdf

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-bahasai>

on MikTeX datetime2-bahasai

on TeXLive datetime2-bahasai

keyword date-time (manipulate dates and/or times)

keyword multilingual (support for more than one (natural) language)

language(s) no language specified

last access 2025-02-07

1498 *datetime2-basque* – Basque language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-basque>

name	<code>datetime2-basque</code>
caption	Basque language module for the <i>datetime2</i> package
author	Talbot, Nicola
author	Izaola, Zunbeltz
copyright	Nicola Talbot (2015)
copyright	Zunbeltz Izaola (2015-2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2a (2018-03-20)
last changes	2018-03-20
year	2018
description	(no language specified) This module provides the "basque" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-basque/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-basque
on MikTeX	<code>datetime2-basque</code>
on TeXLive	<code>datetime2-basque</code>
keyword	multilingual (support for more than one (natural) language)
keyword	basque (support for typesetting Basque)
keyword	date-time (manipulate dates and/or times)
language(s)	no language specified
last access	2025-02-07

1499 datetime2-breton – Breton language module for the datetime2 package

Web page on CTAN <https://ctan.org/pkg/datetime2-breton>

name	datetime2-breton
caption	Breton language module for the datetime2 package
author	Talbot, Nicola
copyright	Nicola Talbot (2018-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2 (2019-11-05)
last changes	2019-11-05
year	2019
description	(no language specified) This module provides the "breton" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty . This package is currently unmaintained. Please see the README for the procedure to follow if you want to take over the maintenance.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-breton/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-breton/datetime2-breton.pdf
– local file	<code>./5980212049-datetime2-breton.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-breton
on MikTeX	datetime2-breton
on TeXLive	datetime2-breton
keyword	multilingual (support for more than one (natural) language)
keyword	date-time (manipulate dates and/or times)
language(s)	no language specified
last access	2025-02-07

1500 *datetime2-bulgarian* – Bulgarian language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-bulgarian>

name	datetime2-bulgarian
caption	Bulgarian language module for the datetime2 package
author	Talbot, Nicola
copyright	Nicola Talbot (2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2018-03-19)
last changes	2018-03-19
year	2018
description	(no language specified) This module provides the "bulgarian" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty . This package is currently unmaintained. Please see the README for the procedure to follow if you want to take over the maintenance.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-bulgarian/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-bulgarian/datetime2-bulgarian.pdf
– local file	./2647296199-datetime2-bulgarian.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-bulgarian
on MikTeX	datetime2-bulgarian
on TeXLive	datetime2-bulgarian
keyword	multilingual (support for more than one (natural) language)
keyword	date-time (manipulate dates and/or times)
language(s)	no language specified
last access	2025-02-07

1501 *datetime2-catalan* – Catalan language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-catalan>

name	<code>datetime2-catalan</code>
caption	Catalan language module for the <i>datetime2</i> package
author	Talbot, Nicola
copyright	Nicola Talbot (2015-2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2018-03-19)
last changes	2018-03-19
year	2018
description	(no language specified) This module provides the "catalan" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty . This package is currently unmaintained. Please see the README for the procedure to follow if you want to take over the maintenance.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-catalan/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-catalan/datetime2-catalan.pdf
– local file	<code>./9485293342-datetime2-catalan.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-catalan
on MikTeX	<code>datetime2-catalan</code>
on TeXLive	<code>datetime2-catalan</code>
keyword	multilingual (support for more than one (natural) language)
keyword	date-time (manipulate dates and/or times)
language(s)	no language specified
last access	2025-02-07

1502 *datetime2-croatian* – Croatian language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-croatian>

name	<code>datetime2-croatian</code>
caption	Croatian language module for the <i>datetime2</i> package
author	Kokan, Ivan
author	Talbot, Nicola
copyright	Nicola Talbot (2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2015-03-30)
last changes	2015-03-30
year	2015
description	(no language specified) This module provides the "croatian" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-croatian/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-croatian/datetime2-croatian.pdf
– local file	<code>./4816879234-datetime2-croatian.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-croatian
on MikTeX	<code>datetime2-croatian</code>
on TeXLive	<code>datetime2-croatian</code>
keyword	multilingual (support for more than one (natural) language)
keyword	date-time (manipulate dates and/or times)
language(s)	no language specified
last access	2025-02-07

1503 *datetime2-czech* – Czech language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-czech>

name	<code>datetime2-czech</code>
caption	Czech language module for the <i>datetime2</i> package
author	Talbot, Nicola
copyright	Nicola Talbot (2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2018-03-19)
last changes	2018-03-19
year	2018
description	(no language specified) This module provides the "czech" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty . This package is currently unmaintained. Please see the README for the procedure to follow if you want to take over the maintenance.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-czech/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-czech/datetime2-czech.pdf
– local file	<code>./4983994921-datetime2-czech.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-czech
on MikTeX	<code>datetime2-czech</code>
on TeXLive	<code>datetime2-czech</code>
keyword	<code>date-time</code> (manipulate dates and/or times)
keyword	<code>multilingual</code> (support for more than one (natural) language)
language(s)	no language specified
last access	2025-02-07

1504 *datetime2-danish* – Danish language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-danish>

name	<code>datetime2-danish</code>
caption	Danish language module for the <i>datetime2</i> package
author	Talbot, Nicola
copyright	Nicola Talbot (2015-2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2018-03-19)
last changes	2018-03-19
year	2018
description	(no language specified) This module provides the "danish" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty . This package is currently unmaintained. Please see the README for the procedure to follow if you want to take over the maintenance.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-danish/datetime2-danish.pdf
– local file	<code>./7537170758-datetime2-danish.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-danish/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-danish
on MikTeX	<code>datetime2-danish</code>
on TeXLive	<code>datetime2-danish</code>
keyword	multilingual (support for more than one (natural) language)
keyword	date-time (manipulate dates and/or times)
language(s)	no language specified
last access	2025-02-07

1505 *datetime2-dutch* – Dutch language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-dutch>

name	<code>datetime2-dutch</code>
caption	Dutch language module for the <i>datetime2</i> package
author	Talbot, Nicola
copyright	Nicola Talbot (2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2018-04-06)
last changes	2018-04-06
year	2018
description	(no language specified) This module provides the "dutch" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty . This package is currently unmaintained. Please see the README for the procedure to follow if you want to take over the maintenance.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-dutch/datetime2-dutch.pdf
– local file	<code>./4237344765-datetime2-dutch.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-dutch/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-dutch
on MikTeX	<code>datetime2-dutch</code>
on TeXLive	<code>datetime2-dutch</code>
keyword	multilingual (support for more than one (natural) language)
keyword	date-time (manipulate dates and/or times)
language(s)	no language specified
last access	2025-02-07

1506 *datetime2-en-fulltext* – English Full Text styles for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-en-fulltext>

name	<code>datetime2-en-fulltext</code>
caption	English Full Text styles for the <i>datetime2</i> package
author	Talbot, Nicola
copyright	Nicola Talbot (2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2015-04-01)
last changes	2015-04-01
year	2015
description	(no language specified) English date and time styles that use words for the numbers and ordinals. This package provides the following date and time styles: "en-fulltext", "en-FullText", "en-FULLTEXT", and the additional time style "en-Fulltext". (The date equivalent can be obtained through commands like <code>\Today</code>.) Unlike the base styles provided by datetime2.sty, these styles aren't expandable styles. This means that you can't use the date or time in PDF bookmarks or in the argument of certain commands, such as <code>\MakeUppercase</code>, while these styles are in use.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-en-fulltext/datetime2-en-fulltext.pdf
– local file	<code>./5552796669-datetime2-en-fulltext.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-en-fulltext/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-en-fulltext
on MikTeX	<code>datetime2-en-fulltext</code>
on TeXLive	<code>datetime2-en-fulltext</code>
keyword	<code>date-time</code> (manipulate dates and/or times)
keyword	<code>multilingual</code> (support for more than one (natural) language)
language(s)	no language specified
last access	2025-02-07

1507 *datetime2-english* – English language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-english>

name	<code>datetime2-english</code>
caption	English language module for the <i>datetime2</i> package
author	Talbot, Nicola
copyright	Nicola Talbot (2015-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.05 (2019-10-21)
last changes	2019-10-21
year	2019
description	(no language specified) This module provides the following styles that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty. The region not only determines the date/time format but also the time zone abbreviations if the zone mapping setting is on. • <code>english</code> (English – no region) • <code>en-GB</code> (English – United Kingdom of Great Britain and Northern Ireland) • <code>en-US</code> (English – United States of America) • <code>en-CA</code> (English – Canada) • <code>en-AU</code> (English – Commonwealth of Australia) • <code>en-NZ</code> (English – New Zealand) • <code>en-GG</code> (English – Bailiwick of Guernsey) • <code>en-JE</code> (English – Bailiwick of Jersey) • <code>en-IM</code> (English – Isle of Man) • <code>en-MT</code> (English – Republic of Malta) • <code>en-IE</code> (English – Republic of Ireland)
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-english/README
documentation	(no language specified) <i>Sample article</i>: https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-english/datetime2-english-sample.pdf
– local file	<code>./5394677893-datetime2-english-sample.pdf</code>

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-english/datetime2-english.pdf
– local file	./3370452611-datetime2-english.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-english
on MikTeX	datetime2-english
on TeXLive	datetime2-english
keyword	multilingual (support for more than one (natural) language)
keyword	date-time (manipulate dates and/or times)
language(s)	no language specified
last access	2025-02-07

1508 *datetime2-esperanto* – Esperanto language module for the *datetime2* package

Web page on CTAN	https://ctan.org/pkg/datetime2-esperanto
name	datetime2-esperanto
caption	Esperanto language module for the <i>datetime2</i> package
author	Talbot, Nicola
copyright	Nicola Talbot (2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2018-04-06)
last changes	2018-04-06
year	2018
description	(no language specified) This module provides the "esperanto" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty. This package is currently unmaintained. Please see the README for the procedure to follow if you want to take over the maintenance.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-esperanto/datetime2-esperanto.pdf
– local file	./2292015842-datetime2-esperanto.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-esperanto/README

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-esperanto
on MikTeX	datetime2-esperanto
on TeXLive	datetime2-esperanto
keyword	date-time (manipulate dates and/or times)
keyword	multilingual (support for more than one (natural) language)
language(s)	no language specified
last access	2025-02-07

1509 datetime2-estonian – Estonian language module for the datetime2 package

Web page on CTAN	https://ctan.org/pkg/datetime2-estonian
name	datetime2-estonian
caption	Estonian language module for the datetime2 package
author	Talbot, Nicola
copyright	Nicola Talbot (2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2018-04-13)
last changes	2018-04-13
year	2018
description	(no language specified) This module provides the "estonian" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty . This package is currently unmaintained. Please see the README for the procedure to follow if you want to take over the maintenance.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-estonian/datetime2-estonian.pdf
– local file	<code>./3374028342-datetime2-estonian.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-estonian/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-estonian
on MikTeX	datetime2-estonian

on T _E XLive	<code>datetime2-estonian</code>
keyword	<code>date-time</code> (manipulate dates and/or times)
keyword	multilingual (support for more than one (natural) language)
language(s)	no language specified
last access	2025-02-07

1510 *datetime2-finnish* – Finnish language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-finnish>

name	<code>datetime2-finnish</code>
caption	Finnish language module for the <i>datetime2</i> package
author	Talbot, Nicola
author	Välimäki, Tuomas
copyright	Tuomas Välimäki (2016)
copyright	Nicola Talbot (2015)
license	l _p l1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2 (2018-03-20)
last changes	2018-03-20
year	2018
description	(no language specified) This module provides the "finnish" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-finnish/datetime2-finnish.pdf
– local file	<code>./1407697113-datetime2-finnish.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-finnish/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-finnish
on MikT _E X	<code>datetime2-finnish</code>
on T _E XLive	<code>datetime2-finnish</code>
keyword	multilingual (support for more than one (natural) language)
keyword	<code>date-time</code> (manipulate dates and/or times)

language(s) no language specified
last access 2025-02-07

1511 *datetime2-french* – French language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-french>

name *datetime2-french*
caption French language module for the *datetime2* package
author Talbot, Nicola
author Patience, Paul A.
copyright Paul A. Patience (2017-2020)
copyright Nicola Talbot (2015-2020)
license lpl1.3 = The LaTeX Project Public License 1.3 (free)
version 1.03 (2020-09-21)
last changes 2020-09-21
year 2020
description (no language specified) This module provides the "french" style that can be set using `\DTMsetstyle` provided by [datetime2.sty](#) .
documentation (no language specified) *Package documentation*:
<https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-french/datetime2-french.pdf>
– local file `./4857767539-datetime2-french.pdf`
documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-french/README>
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-french>
on MikTeX *datetime2-french*
on T_EXLive *datetime2-french*
keyword date-time (manipulate dates and/or times)
keyword multilingual (support for more than one (natural) language)
language(s) no language specified
last access 2025-02-07

1512 *datetime2-galician* – Galician language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-galician>

name	datetime2-galician
caption	Galician language module for the <i>datetime2</i> package
author	Talbot, Nicola
copyright	Nicola Talbot (2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2015-03-30)
last changes	2015-03-30
year	2015
description	(no language specified) This module provides the "galician" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty . This package is currently unmaintained. Please see the README for the procedure to follow if you want to take over the maintenance.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-galician/datetime2-galician.pdf
– local file	./1199962960-datetime2-galician.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-galician/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-galician
on MikTeX	datetime2-galician
on TeXLive	datetime2-galician
keyword	date-time (manipulate dates and/or times)
keyword	multilingual (support for more than one (natural) language)
language(s)	no language specified
last access	2025-02-07

1513 *datetime2-german* – German language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-german>

name	<code>datetime2-german</code>
caption	German language module for the <i>datetime2</i> package
author	Friedl, Sebastian
author	Talbot, Nicola
copyright	Nicola Talbot (2015-2017)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.0 (2019-12-13)
last changes	2019-12-13
year	2019
description	(no language specified) This module provides the "german" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-german/datetime2-german-doc.pdf
– local file	<code>./7195534268-datetime2-german-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-german/README.md
contact	<i>bugs</i> : https://gitlab.com/SFr682k/datetime2-german/-/issues
contact	<i>repository</i> : https://gitlab.com/SFr682k/datetime2-german
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-german
on MikTeX	<code>datetime2-german</code>
on TeXLive	<code>datetime2-german</code>
keyword	multilingual (support for more than one (natural) language)
keyword	date-time (manipulate dates and/or times)
language(s)	no language specified
last access	2025-02-07

1514 *datetime2-greek* – Greek language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-greek>

name	<code>datetime2-greek</code>
caption	Greek language module for the <i>datetime2</i> package
author	Talbot, Nicola
copyright	Nicola Talbot (2015-2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2018-04-18)
last changes	2018-04-18
year	2018
description	(no language specified) This module provides the "greek" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty . This package is currently unmaintained. Please see the README for the procedure to follow if you want to take over the maintenance.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-greek/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-greek/datetime2-greek.pdf
– local file	<code>./9343752666-datetime2-greek.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-greek
on MikTeX	<code>datetime2-greek</code>
on TeXLive	<code>datetime2-greek</code>
keyword	multilingual (support for more than one (natural) language)
keyword	date-time (manipulate dates and/or times)
language(s)	no language specified
last access	2025-02-07

1515 *datetime2-hebrew* – Hebrew language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-hebrew>

name	<code>datetime2-hebrew</code>
caption	Hebrew language module for the <i>datetime2</i> package
author	Talbot, Nicola
copyright	Nicola Talbot (2015-2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2018-04-18)
last changes	2018-04-18
year	2018
description	(no language specified) This module provides the "hebrew" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty . This package is currently unmaintained. Please see the README for the procedure to follow if you want to take over the maintenance.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-hebrew/datetime2-hebrew.pdf
– local file	<code>./3662101372-datetime2-hebrew.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-hebrew/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-hebrew
on MikTeX	<code>datetime2-hebrew</code>
on TeXLive	<code>datetime2-hebrew</code>
keyword	hebrew (documentation in and support for typesetting Hebrew)
keyword	multilingual (support for more than one (natural) language)
keyword	date-time (manipulate dates and/or times)
language(s)	no language specified
last access	2025-02-07

1516 *datetime2-icelandic* – Icelandic language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-icelandic>

name	datetime2-icelandic
caption	Icelandic language module for the datetime2 package
author	Talbot, Nicola
copyright	Nicola Talbot (2018-2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2 (2022-12-06)
last changes	2022-12-06
year	2022
description	(no language specified) This module provides the "icelandic" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty . This package is currently unmaintained. Please see the README for the procedure to follow if you want to take over the maintenance.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-icelandic/datetime2-icelandic.pdf
– local file	<code>./9226413854-datetime2-icelandic.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-icelandic/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-icelandic
on MikTeX	datetime2-icelandic
on TeXLive	datetime2-icelandic
keyword	date-time (manipulate dates and/or times)
keyword	multilingual (support for more than one (natural) language)
language(s)	no language specified
last access	2025-02-11

1517 *datetime2-irish* – Irish Gaelic Language Module for the *datetime2* Package

Web page on CTAN <https://ctan.org/pkg/datetime2-irish>

name	<code>datetime2-irish</code>
caption	Irish Gaelic Language Module for the <i>datetime2</i> Package
author	Talbot, Nicola
copyright	Nicola Talbot (2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2018-04-24)
last changes	2018-04-24
year	2018
description	(no language specified) This module provides the "irish" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty . This package is currently unmaintained. Please see the README for the procedure to follow if you want to take over the maintenance.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-irish/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-irish/datetime2-irish.pdf
– local file	<code>./2430026878-datetime2-irish.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-irish
on MikTeX	<code>datetime2-irish</code>
on TeXLive	<code>datetime2-irish</code>
keyword	<code>date-time</code> (manipulate dates and/or times)
keyword	<code>multilingual</code> (support for more than one (natural) language)
language(s)	no language specified
last access	2025-02-07

1518 *datetime2-it-fulltext* – Italian full text styles for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-it-fulltext>

name	<code>datetime2-it-fulltext</code>
caption	Italian full text styles for the <i>datetime2</i> package
author	Duchi, Claudio
copyright	Claudio Duchi (2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.6 (2015-08-06)
last changes	2015-08-06
year	2015
description	(no language specified) Italian date and time styles that use words for the numbers and ordinals. This package provides the following date and time styles: "it-fulltext" and "it-fulltext-twenty-four". The first style uses a format "am pm", the second a format "24 hours". The necessary packages are datetime2 , itnumpar , ifxetex , and ifluatex . This package is the translation and adaptation of datetime2-en-fulltext .
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-it-fulltext/datetime2-it-fulltext.pdf
– local file	<code>./1092305681-datetime2-it-fulltext.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-it-fulltext/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-it-fulltext
on MikTeX	<code>datetime2-it-fulltext</code>
on TeXLive	<code>datetime2-it-fulltext</code>
keyword	<code>date-time</code> (manipulate dates and/or times)
keyword	multilingual (support for more than one (natural) language)
language(s)	no language specified
last access	2025-02-07

1519 *datetime2-italian* – Italian language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-italian>

name	datetime2-italian
caption	Italian language module for the datetime2 package
author	Talbot, Nicola
author	Duchi, Claudio
copyright	Nicola Talbot (2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3 (2015-05-01)
last changes	2015-05-01
year	2015
description	(no language specified) This module provides the "italian" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-italian/datetime2-italian.pdf
– local file	./5666604672-datetime2-italian.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-italian/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-italian
on MikTeX	datetime2-italian
on T _E XLive	datetime2-italian
keyword	date-time (manipulate dates and/or times)
keyword	multilingual (support for more than one (natural) language)
language(s)	no language specified
last access	2025-02-07

1520 *datetime2-latin* – Latin language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-latin>

name	<code>datetime2-latin</code>
caption	Latin language module for the <i>datetime2</i> package
author	Talbot, Nicola
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2015-03-31)
last changes	2015-03-31
year	2015
description	(no language specified) This module provides the "latin" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty . This package is currently unmaintained. Please see the README for the procedure to follow if you want to take over the maintenance.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-latin/datetime2-latin.pdf
– local file	<code>./1051081448-datetime2-latin.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-latin/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-latin
on MikTeX	<code>datetime2-latin</code>
on TeXLive	<code>datetime2-latin</code>
keyword	multilingual (support for more than one (natural) language)
keyword	date-time (manipulate dates and/or times)
language(s)	no language specified
last access	2025-02-07

1521 *datetime2-lsorbian* – Lower Sorbian language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-lsorbian>

name	<code>datetime2-lsorbian</code>
caption	Lower Sorbian language module for the <i>datetime2</i> package
author	Talbot, Nicola
copyright	Nicola Talbot (2015,2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2018-05-18)
last changes	2018-05-18
year	2018
description	(no language specified) This module provides the "lsorbian" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty . This package is currently unmaintained. Please see the README for the procedure to follow if you want to take over the maintenance.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-lsorbian/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-lsorbian/datetime2-lsorbian.pdf
– local file	<code>./3531895044-datetime2-lsorbian.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-lsorbian
on MikTeX	<code>datetime2-lsorbian</code>
on TeXLive	<code>datetime2-lsorbian</code>
keyword	multilingual (support for more than one (natural) language)
keyword	date-time (manipulate dates and/or times)
language(s)	no language specified
last access	2025-02-07

1522 *datetime2-magyar* – Magyar language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-magyar>

name	<code>datetime2-magyar</code>
caption	Magyar language module for the <i>datetime2</i> package
author	Talbot, Nicola
copyright	Nicola Talbot (2015-2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2018-07-24)
last changes	2018-07-24
year	2018
description	(no language specified) This module provides the "magyar" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty . This package is currently unmaintained. Please see the README for the procedure to follow if you want to take over the maintenance.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-magyar/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-magyar/datetime2-magyar.pdf
– local file	<code>./7260930371-datetime2-magyar.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-magyar
on MikTeX	<code>datetime2-magyar</code>
on TeXLive	<code>datetime2-magyar</code>
keyword	<code>date-time</code> (manipulate dates and/or times)
keyword	<code>multilingual</code> (support for more than one (natural) language)
language(s)	no language specified
last access	2025-02-07

1523 *datetime2-norsk* – Norsk language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-norsk>

name	<code>datetime2-norsk</code>
caption	Norsk language module for the <i>datetime2</i> package
author	Talbot, Nicola
copyright	Nicola Talbot (2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2018-07-24)
last changes	2018-07-24
year	2018
description	(no language specified) This module provides the "norsk" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty . This package is currently unmaintained. Please see the README for the procedure to follow if you want to take over the maintenance.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-norsk/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-norsk/datetime2-norsk.pdf
– local file	<code>./9214225102-datetime2-norsk.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-norsk
on MikTeX	<code>datetime2-norsk</code>
on TeXLive	<code>datetime2-norsk</code>
keyword	multilingual (support for more than one (natural) language)
keyword	date-time (manipulate dates and/or times)
language(s)	no language specified
last access	2025-02-07

1524 *datetime2-polish* – Polish language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-polish>

name	<code>datetime2-polish</code>
caption	Polish language module for the <i>datetime2</i> package
author	Talbot, Nicola
copyright	Nicola Talbot (2015-2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2018-08-21)
last changes	2018-08-21
year	2018
description	(no language specified) This module provides the "polish" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty . This package is currently unmaintained. Please see the README for the procedure to follow if you want to take over the maintenance.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-polish/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-polish/datetime2-polish.pdf
– local file	<code>./4227132462-datetime2-polish.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-polish
on MikTeX	<code>datetime2-polish</code>
on TeXLive	<code>datetime2-polish</code>
keyword	<code>date-time</code> (manipulate dates and/or times)
keyword	<code>multilingual</code> (support for more than one (natural) language)
language(s)	no language specified
last access	2025-02-07

1525 *datetime2-portuges* – Portuguese language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-portuges>

name	datetime2-portuges
caption	Portuguese language module for the datetime2 package
author	Talbot, Nicola
copyright	Nicola Talbot (2015-2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2018-08-21)
last changes	2018-08-21
year	2018
description	(no language specified) This module provides the "portuges" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty . This package is currently unmaintained. Please see the README for the procedure to follow if you want to take over the maintenance.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-portuges/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-portuges/datetime2-portuges.pdf
– local file	<code>./9075612121-datetime2-portuges.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-portuges
on MikTeX	datetime2-portuges
on TeXLive	datetime2-portuges
keyword	date-time (manipulate dates and/or times)
keyword	multilingual (support for more than one (natural) language)
language(s)	no language specified
last access	2025-02-07

1526 *datetime2-romanian* – Romanian language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-romanian>

name	<code>datetime2-romanian</code>
caption	Romanian language module for the <i>datetime2</i> package
author	Patience, Paul A.
author	Talbot, Nicola
copyright	Nicola Talbot (2015-2020)
copyright	Paul A. Patience (2017-2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.02 (2020-09-21)
last changes	2020-09-21
year	2020
description	(no language specified) This module provides the "romanian" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty .
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-romanian/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-romanian/datetime2-romanian.pdf
– local file	<code>./9562684643-datetime2-romanian.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-romanian
on MikTeX	<code>datetime2-romanian</code>
on TeXLive	<code>datetime2-romanian</code>
keyword	multilingual (support for more than one (natural) language)
keyword	date-time (manipulate dates and/or times)
language(s)	no language specified
last access	2025-02-07

1527 *datetime2-russian* – Russian language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-russian>

name	<code>datetime2-russian</code>
caption	Russian language module for the <i>datetime2</i> package
author	Talbot, Nicola
copyright	Nicola Talbot (2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2018-12-07)
last changes	2018-12-07
year	2018
description	(no language specified) This module provides the "russian" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty . This package is currently unmaintained. Please see the README for the procedure to follow if you want to take over the maintenance.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-russian/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-russian/datetime2-russian.pdf
– local file	<code>./2608538347-datetime2-russian.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-russian
on MikTeX	<code>datetime2-russian</code>
on TeXLive	<code>datetime2-russian</code>
keyword	multilingual (support for more than one (natural) language)
keyword	date-time (manipulate dates and/or times)
language(s)	no language specified
last access	2025-02-07

1528 *datetime2-samin* – Northern Sami language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-samin>

name	<code>datetime2-samin</code>
caption	Northern Sami language module for the <i>datetime2</i> package
author	Talbot, Nicola
copyright	Nicola Talbot (2015-2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2018-12-07)
last changes	2018-12-07
year	2018
description	(no language specified) This module provides the "samin" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty . This package is currently unmaintained. Please see the README for the procedure to follow if you want to take over the maintenance.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-samin/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-samin/datetime2-samin.pdf
– local file	<code>./5531122559-datetime2-samin.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-samin
on MikTeX	<code>datetime2-samin</code>
on TeXLive	<code>datetime2-samin</code>
keyword	<code>date-time</code> (manipulate dates and/or times)
keyword	<code>multilingual</code> (support for more than one (natural) language)
language(s)	no language specified
last access	2025-02-07

1529 *datetime2-scottish* – Scottish Gaelic Language Module for the *datetime2* Package

Web page on CTAN <https://ctan.org/pkg/datetime2-scottish>

name	<code>datetime2-scottish</code>
caption	Scottish Gaelic Language Module for the <i>datetime2</i> Package
author	Talbot, Nicola
copyright	Nicola Talbot (2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2019-09-14)
last changes	2019-09-14
year	2019
description	(no language specified) This module provides the "scottish" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty . This package is currently unmaintained. Please see the README for the procedure to follow if you want to take over the maintenance.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-scottish/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-scottish/datetime2-scottish.pdf
– local file	<code>./9684526036-datetime2-scottish.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-scottish
on MikTeX	<code>datetime2-scottish</code>
on TeXLive	<code>datetime2-scottish</code>
keyword	multilingual (support for more than one (natural) language)
keyword	date-time (manipulate dates and/or times)
language(s)	no language specified
last access	2025-02-07

1530 *datetime2-serbian* – Serbian language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-serbian>

name	<code>datetime2-serbian</code>
caption	Serbian language module for the <i>datetime2</i> package
author	Radović, Andrej
author	Talbot, Nicola
copyright	Andrej Radović (2019)
copyright	Nicola Talbot (2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.1.0 (2019-11-22)
last changes	2019-11-22
year	2019
description	(no language specified) This module provides the "serbian" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty . It provides both Cyrillic and Latin, Ekavian and Ijekavian variants of Serbian date formats, regionalized and non-regionalized.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-serbian/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-serbian/datetime2-serbian.pdf
– local file	<code>./9424569229-datetime2-serbian.pdf</code>
home page	https://gitlab.com/andrejr/datetime2-serbian
contact	<i>bugs:</i> https://gitlab.com/andrejr/datetime2-serbian/-/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-serbian
on MikTeX	<code>datetime2-serbian</code>
on TeXLive	<code>datetime2-serbian</code>
keyword	multilingual (support for more than one (natural) language)
keyword	date-time (manipulate dates and/or times)
keyword	serbian (documentation in, and support for typesetting Serbian)
language(s)	no language specified

last access 2025-02-07

1531 *datetime2-slovak* – Slovak language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-slovak>

name	<code>datetime2-slovak</code>
caption	Slovak language module for the <i>datetime2</i> package
author	Talbot, Nicola
copyright	Nicola Talbot (2015-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2019-10-04)
last changes	2019-10-04
year	2019
description	(no language specified) This module provides the "slovak" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty . This package is currently unmaintained. Please see the README for the procedure to follow if you want to take over the maintenance.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-slovak/datetime2-slovak.pdf
– local file	<code>./8744455885-datetime2-slovak.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-slovak/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-slovak
on MikTeX	<code>datetime2-slovak</code>
on TeXLive	<code>datetime2-slovak</code>
keyword	multilingual (support for more than one (natural) language)
keyword	date-time (manipulate dates and/or times)
language(s)	no language specified
last access	2025-02-07

1532 *datetime2-slovene* – Slovene language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-slovene>

name	datetime2-slovene
caption	Slovene language module for the datetime2 package
author	Talbot, Nicola
copyright	Nicola Talbot (2015-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2019-10-04)
last changes	2019-10-04
year	2019
description	(no language specified) This module provides the "slovene" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty . This package is currently unmaintained. Please see the README for the procedure to follow if you want to take over the maintenance.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-slovene/datetime2-slovene.pdf
– local file	<code>./3302327660-datetime2-slovene.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-slovene/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-slovene
on MikTeX	datetime2-slovene
on TeXLive	datetime2-slovene
keyword	multilingual (support for more than one (natural) language)
keyword	date-time (manipulate dates and/or times)
language(s)	no language specified
last access	2025-02-07

1533 *datetime2-spanish* – Spanish language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-spanish>

name	<code>datetime2-spanish</code>
caption	Spanish language module for the <i>datetime2</i> package
author	Talbot, Nicola
copyright	Nicola Talbot (2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2017-11-13)
last changes	2017-11-13
year	2017
description	(no language specified) This module provides the "spanish" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty . This package is currently unmaintained. Please see the README for the procedure to follow if you want to take over the maintenance.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-spanish/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-spanish/datetime2-spanish.pdf
– local file	<code>./6983287286-datetime2-spanish.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-spanish
on MikTeX	<code>datetime2-spanish</code>
on TeXLive	<code>datetime2-spanish</code>
keyword	date-time (manipulate dates and/or times)
keyword	multilingual (support for more than one (natural) language)
language(s)	no language specified
last access	2025-02-07

1534 *datetime2-swedish* – Swedish language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-swedish>

name	<code>datetime2-swedish</code>
caption	Swedish language module for the <i>datetime2</i> package
author	Talbot, Nicola
copyright	Nicola Talbot (2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2015-04-01)
last changes	2015-04-01
year	2015
description	(no language specified) This module provides the "swedish" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty . This package is currently unmaintained. Please see the README for the procedure to follow if you want to take over the maintenance.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-swedish/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-swedish/datetime2-swedish.pdf
– local file	<code>./2140140605-datetime2-swedish.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-swedish
on MikTeX	<code>datetime2-swedish</code>
on TeXLive	<code>datetime2-swedish</code>
keyword	multilingual (support for more than one (natural) language)
keyword	date-time (manipulate dates and/or times)
language(s)	no language specified
last access	2025-02-07

1535 *datetime2-turkish* – Turkish language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-turkish>

name	<code>datetime2-turkish</code>
caption	Turkish language module for the <i>datetime2</i> package
author	Talbot, Nicola
copyright	Nicola Talbot (2015-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2019-10-10)
last changes	2019-10-10
year	2019
description	(no language specified) This module provides the "turkish" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty . This package is currently unmaintained. Please see the README for the procedure to follow if you want to take over the maintenance.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-turkish/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-turkish/datetime2-turkish.pdf
– local file	<code>./3714312500-datetime2-turkish.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-turkish
on MikTeX	<code>datetime2-turkish</code>
on TeXLive	<code>datetime2-turkish</code>
keyword	multilingual (support for more than one (natural) language)
keyword	date-time (manipulate dates and/or times)
language(s)	no language specified
last access	2025-02-07

1536 *datetime2-ukrainian* – Ukrainian language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-ukrainian>

name	datetime2-ukrainian
caption	Ukrainian language module for the datetime2 package
author	Ponomarenko, Sergiy M.
author	Talbot, Nicola
copyright	Sergiy M. Ponomarenko (2017)
copyright	Nicola Talbot (2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2a (2018-04-15)
last changes	2018-04-15
year	2018
description	(no language specified) This module provides the "ukrainian" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-ukrainian/datetime2-ukrainian.pdf
– local file	<code>./4212126129-datetime2-ukrainian.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-ukrainian/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-ukrainian
on MikTeX	datetime2-ukrainian
on TeXLive	datetime2-ukrainian
keyword	multilingual (support for more than one (natural) language)
keyword	date-time (manipulate dates and/or times)
language(s)	no language specified
last access	2025-02-07

1537 *datetime2-usorbian* – Upper Sorbian language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-usorbian>

name	datetime2-usorbian
caption	Upper Sorbian language module for the datetime2 package
author	Talbot, Nicola
copyright	Nicola Talbot (2015-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2019-10-10)
last changes	2019-10-10
year	2019
description	(no language specified) This module provides the "usorbian" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty . This package is currently unmaintained. Please see the README for the procedure to follow if you want to take over the maintenance.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-usorbian/datetime2-usorbian.pdf
– local file	<code>./7642953129-datetime2-usorbian.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-usorbian/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-usorbian
on MikTeX	datetime2-usorbian
on TeXLive	datetime2-usorbian
keyword	multilingual (support for more than one (natural) language)
keyword	date-time (manipulate dates and/or times)
language(s)	no language specified
last access	2025-02-07

1538 *datetime2-welsh* – Welsh language module for the *datetime2* package

Web page on CTAN <https://ctan.org/pkg/datetime2-welsh>

name	<code>datetime2-welsh</code>
caption	Welsh language module for the <i>datetime2</i> package
author	Talbot, Nicola
copyright	Nicola Talbot (2015-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2019-10-28)
last changes	2019-10-28
year	2019
description	(no language specified) This module provides the "welsh" style that can be set using <code>\DTMsetstyle</code> provided by datetime2.sty . This package is currently unmaintained. Please see the README for the procedure to follow if you want to take over the maintenance.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-welsh/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-welsh/datetime2-welsh.pdf
– local file	<code>./8165613995-datetime2-welsh.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/datetime2-contrib/datetime2-welsh
on MikTeX	<code>datetime2-welsh</code>
on TeXLive	<code>datetime2-welsh</code>
keyword	<code>date-time</code> (manipulate dates and/or times)
keyword	<code>multilingual</code> (support for more than one (natural) language)
language(s)	no language specified
last access	2025-02-07

1539 *dayofweek* – Calculate day of week, phase of moon

Web page on CTAN <https://ctan.org/pkg/dayofweek>

name	dayofweek
caption	Calculate day of week, phase of moon
author	Minow, Martin
license	noinfo = noinfo
description	(no language specified) Defines <code>\DayOfWeek</code> as the (English) weekday name, and <code>\PhaseOfMoon</code> as the moon's phase, from "new" to "full" and back again.
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/dayofweek.tex
on MikTeX	genmisc
keyword	date-time (manipulate dates and/or times)
see also	see section 6679 on page 6029: (<code>weekday</code> – Generate "day of week")
see also	see section 6711 on page 6055: (<code>wochtag</code> – Generate the German weekday name for a date)
see also	see section 1675 on page 1518: (<code>dow</code> – Calculate day of week from a numeric date)
language(s)	no language specified
year	without year
last access	2025-02-07

1540 *dayroman* – The Day Roman typeface

Web page on CTAN <https://ctan.org/pkg/dayroman>

name	DayRoman
caption	The Day Roman typeface
author	Schmidt, Walter A.
author	Harcombe, Keiran
license	other-free = Free license not otherwise listed (free)
version	(2002-01-16)
last changes	2002-01-16
year	2002

1541 *daytime* – *Print time of day*

description	(no language specified) The bundle contains the Day-Roman fonts (and their expert set) and Adobe Type 1 format, and support files for use with LaTeX. The fonts are a version of the "Two Line Double Pica Roman" typeface designed in the 16th century by François Guyot.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/DayRoman/readme.dayroman
on CTAN	https://ctan.org/tex-archive/fonts/DayRoman
keyword	font (fonts themselves)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
last access	2025-02-07

1541 *daytime* – *Print time of day*

Web page on CTAN <https://ctan.org/pkg/daytime>

name	daytime
caption	Print time of day
author	Greenwade, George
author	Orlandini, Mauro
license	noinfo = noinfo
version	(1991-10-02)
last changes	1991-10-02
year	1991
description	(no language specified) A jiffy to provide macros <code>\daytime</code> and <code>\Daytime</code> to print times, in 12-hour am/pm form (with, and without leading zeros).
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/daytime.sty
on MikTeX	genmisc
keyword	date-time (manipulate dates and/or times)
language(s)	no language specified
last access	2025-02-07

1542 db – Process simple databases inside LaTeX

Web page on CTAN <https://ctan.org/pkg/db>

name	db
caption	Process simple databases inside LaTeX
author	Panagopoulos, George
license	noinfo = noinfo
version	2.1
description	(no language specified) A database (file extension <code>.tdb</code>) contains a "schema" (consisting of a declaration <code>\fields</code>, followed by a series of <code>\tuple</code> commands each containing a row of the database. The file distributed contains documentation and example files, along with the package itself.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/db.sty
keyword	data-manip (manipulate data within TeX)
see also	see section 1484 on page 1343: (<code>datatool</code> – Tools to load and manipulate data)
language(s)	no language specified
year	without year
last access	2025-02-07

1543 dblfloatfix – Fixes for twocolumn floats

Web page on CTAN <https://ctan.org/pkg/dblfloatfix>

name	dblfloatfix
caption	Fixes for twocolumn floats
author	Høgholm, Morten
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0a
description	(no language specified) The package solves two problems: floats in a twocolumn document come out in the right order and allowed float positions are now <code>[tbp]</code>. The package actually merges facilities from fixltx2e and stfloats.

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/dblfloatfix/dblfloatfix.pdf
– local file	./6688990211-dblfloatfix.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dblfloatfix
on MikTeX	dblfloatfix
on TeXLive	dblfloatfix
keyword	float (typesetting floats)
language(s)	no language specified
year	without year
last access	2025-02-07

1544 dblnote – Double-column footnotes

Web page on CTAN	https://ctan.org/pkg/dblnote
name	dblnote
caption	Double-column footnotes
author	Nakashima, Hiroshi
copyright	Hiroshi Nakashima (1999)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package sets the footnotes of a single-column document in two columns; the package offers a range of parameters to determine the exact appearance of the two columns. The package is part of the yafoot bundle of footnote facilities.
documentation	(no language specified) <i>Bundle Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/yafoot/README
documentation	(no language specified) <i>Bundle documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/yafoot/yafoot-man.pdf
– local file	./7831620015-yafoot-man.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/yafoot
on MikTeX	yafoot
on TeXLive	yafoot

keyword footnote (footnote support)
 language(s) no language specified
 year 1999
 last access 2025-02-07

1545 **dblfont** – Blackboard bold font package

Web page on CTAN <https://ctan.org/pkg/dblfont>

name *dblfont*
 caption Blackboard bold font package
 author Bosisio, Francesco
 license lpl1.3 = The LaTeX Project Public License 1.3 (free)
 version 2.2
 description (no language specified) The *dblfont* package defines a means of accessing the AMS fonts' Blackboard Bold letters. The package has largely been superseded by macros in the [amsfonts](#) bundle.
 The package is part of the [bosisio](#) bundle.
 documentation (no language specified) *Package documentation:* <https://ctan.org/tex-archive/macros/latex/contrib/bosisio/dblfont.pdf>
 – local file *./5958520486-dblfont.pdf*
 on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/bosisio>
 on MikTeX *bosisio*
 on T_EXLive *bosisio*
 keyword *font-bbd* (doublestroke (blackboard bold) fonts)
 keyword *font-supp* (metrics, macro incantations and other font support)
 language(s) no language specified
 year without year
 last access 2025-02-07

1546 dbprocess – Process database output

Web page on CTAN <https://ctan.org/pkg/dbprocess>

name	DB_process
caption	Process database output
author	Eijkhout, Victor
license	gpl = GNU General Public License (free)
version	0.91
description	(no language specified) Parse the output from a database, delimited by either a tab or comma, and apply a user-defined macro to each line.
on CTAN	https://ctan.org/tex-archive/macros/generic/eijkhout/DB_process.tex
on MikTeX	eijkhout
on TeXLive	eijkhout
keyword	data-manip (manipulate data within TeX)
keyword	csv-support (read, process and convert CSV data)
language(s)	no language specified
year	without year
last access	2025-02-07

1547 dbshow – A package to store and display data with custom filters, orders, and styles

Web page on CTAN <https://ctan.org/pkg/dbshow>

name	dbshow
caption	A package to store and display data with custom filters, orders, and styles
author	Li, Changkai
copyright	Li Changkai (2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.5 (2022-01-17)
last changes	2022-01-17
year	2022
description	(no language specified) The package provides four core functions: 1. data storage and display

2. data filtering
3. data sorting
4. data display

All data is saved once and then you can display these data with custom filters, orders and styles. The package can be used, for example, to record and display something you'd like to review, maybe the question you always answered incorrectly or some forgettable knowledge. But obviously, the package is much more powerful and extensible for more interesting tasks depending on the individual.

documentation	(Chinese + English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/dbshow/dbshow.pdf
– local file	<code>./1894257782-dbshow.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dbshow/README.md
home page	https://github.com/ZhiyuanLck/dbshow
contact	<i>support</i> : https://github.com/ZhiyuanLck/dbshow/issues
contact	<i>bugs</i> : https://github.com/ZhiyuanLck/dbshow/issues
contact	<i>repository</i> : https://github.com/ZhiyuanLck/dbshow/releases
contact	<i>development</i> : https://github.com/ZhiyuanLck/dbshow/pulls
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dbshow
on MikTeX	dbshow
on TeXLive	dbshow
keyword	<code>data-prep</code> (prepare data for use within TeX)
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>data-disp</code> (visualisation of data sets)
keyword	<code>data-sel</code> (select data from sets in the TeX file)
language(s)	Chinese + English
last access	2025-02-11

1548 dccpaper – Typeset papers for the International Journal of Digital CurationWeb page on CTAN <https://ctan.org/pkg/dccpaper>

name	dccpaper
caption	Typeset papers for the International Journal of Digital Curation
author	Ball, Alex
copyright	Digital Curation Centre, University of Edinburgh (2022-2025)
license	cc-by-4 = CC BY 4.0 (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.6 (2025-06-13)
last changes	2025-06-13
year	2025
description	(no language specified) The LaTeX class <code>ijdc-v14</code> produces camera-ready papers and articles suitable for inclusion in the International Journal of Digital Curation, with applicability from volume 14 onwards; a legacy class <code>ijdc-v9</code> is provided for papers and articles written for volumes 9-13. The similar <code>idcc</code> class can be used for submissions to the International Digital Curation Conference, beginning with the 2015 conference. As of August 2023 these classes are no longer officially supported for new submissions to the IJDC and IDCC, but nevertheless they continue to be maintained to support existing documents.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dccpaper/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/dccpaper/dccpaper.pdf
– local file	<code>./2757106671-dccpaper.pdf</code>
contact	<i>bugs</i> : https://github.com/alex-ball/dccpaper/issues
contact	<i>repository</i> : https://github.com/alex-ball/dccpaper
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dccpaper
on MikTeX	dccpaper
on TeXLive	dccpaper
keyword	journalpub (typesetting journals, etc)
keyword	confproc (typesetting conference proceedings)
keyword	class (alternative LaTeX class(es))

language(s) no language specified
last access 2025-06-19

1549 *dco* – Use the DC fonts with old-style numerals

Web page on CTAN <https://ctan.org/pkg/dco>

name *dco*
caption Use the DC fonts with old-style numerals
author Kirsch, Sebastian Marius
license gpl = GNU General Public License (free)
version (1996-03-17)
last changes 1996-03-17
year 1996
description (no language specified) The package provides virtual fonts and support files, to use the (now obsolete) DC fonts with all digits replaced by oldstyle digits.
documentation (no language specified) *Readme:*
<https://ctan.org/tex-archive/obsolete/fonts/dco/README>
on CTAN <https://ctan.org/tex-archive/obsolete/fonts/dco>
keyword font-virtual (virtual font(s) using existing fonts)
keyword obsolete (package declared obsolete)
language(s) no language specified
last access 2025-02-07

1550 *dcolumn* – Align on the decimal point of numbers in tabular columns

Web page on CTAN <https://ctan.org/pkg/dcolumn>

name *dcolumn*
caption Align on the decimal point of numbers in tabular columns
author Carlisle, David
author The LaTeX Project Team
copyright The LaTeX3 Project et al. (1993-2023)
copyright David Carlisle (1992-1996, 1999-2001)
license lpl1.3c = The LaTeX Project Public License 1.3c (free)

version	1.06 (2023-07-08)
last changes	2023-07-08
year	2023
description	(no language specified) The dcolumn package makes use of the array package to define a "D" column format for use in tabular environments. This package is part of the latex-tools bundle in the LaTeX required distribution.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/required/tools/dcolumn.pdf
– local file	./6394418949-dcolumn.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/required/tools
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-tools.tds.zip
on MikTeX	latex-tools
on TeXLive	tools
keyword	table (table typesetting)
see also	see section 6662 on page 6015 : (warpcol – Relative alignment of rows in numeric columns in tabulars)
language(s)	no language specified
last access	2025-02-11

1551 dcounter – Support dynamic counters

Web page on CTAN <https://ctan.org/pkg/dcounter>

name	dcounter
caption	Support dynamic counters
author	Rozhenko, Alexander I.
copyright	Alexander I. Rozhenko (1998-2005)
license	lppl = The LaTeX Project Public License (free)
version	1.2

description	(no language specified) Counters declared as dynamic are created at the time of their first use and they receive at that moment the count style which was established by the <code>\countstyle</code> command. Special use of the <code>\countstyle</code> command with an optional parameter allows modification of the subordination of existing counters. This package is part of the ncctools bundle.
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncctools/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncctools/doc/dcounter.pdf
– local file	<code>./1643481037-dcounter.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ncctools
on MikTeX	ncctools
on TeXLive	ncctools
keyword	counter-mgmt (management of counters)
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	2005
last access	2025-02-07

1552 dcpic – Commutative diagrams in a LaTeX and TeX documents

Web page on CTAN <https://ctan.org/pkg/dcpic>

name	DCpic
caption	Commutative diagrams in a LaTeX and TeX documents
author	Quaresma, Pedro
copyright	Pedro Quaresma (1990-2013)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	5.0.0
description	(no language specified) DCpic is a package for typesetting Commutative Diagrams within a LaTeX and TeX documents. Its distinguishing features are: a powerful graphical engine, the PiCTeX package; an easy specification syntax in which a commutative diagram is described in terms of its objects and its arrows (morphism), positioned in a Cartesian coordinate system.

documentation	<i>Package documentation (Portuguese):</i> https://ctan.org/tex-archive/macros/generic/diagrams/dcpic/manDCPiCpt.pdf
– local file	<code>./2191383108-manDCPiCpt.pdf</code>
documentation	<i>(English) EuroTeX2001 paper:</i> https://ctan.org/tex-archive/macros/generic/diagrams/dcpic/eurotex2001.pdf
– local file	<code>./3688537006-eurotex2001.pdf</code>
documentation	<i>Package documentation (English):</i> https://ctan.org/tex-archive/macros/generic/diagrams/dcpic/manDCPiC.pdf
– local file	<code>./5856546867-manDCPiC.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/generic/diagrams/dcpic
on MikTeX	<code>dcpic</code>
on TeXLive	<code>dcpic</code>
keyword	<code>diagram-comm</code> (commutative diagrams)
language(s)	English; Portuguese
year	2013
last access	2025-02-07

1553 *ddphonism* – Dodecaphonic diagrams: twelve-tone matrices, clock diagrams, etc

Web page on CTAN	https://ctan.org/pkg/ddphonism
name	<code>ddphonism</code>
caption	Dodecaphonic diagrams: twelve-tone matrices, clock diagrams, etc
author	Rubio Madrigal, Celia
copyright	Celia Rubio Madrigal (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3 (2025-05-13)
last changes	2025-05-13
year	2025
description	(no language specified) This music-related package focuses on notation from the Twelve-Tone System, also called Dodecaphonism. It provides LaTeX algorithms to generate common dodecaphonic diagrams based off a musical series, or row sequence, of arbitrary length. The package requires TikZ .

1554 *de-macro* – Expand private macros in a document

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ddphonism/ddphonism.pdf
– local file	./8005285950-ddphonism.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ddphonism/README.md
contact	<i>repository</i> : https://github.com/celrm/ddphonism
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ddphonism
on MikTeX	ddphonism
on T _E XLive	ddphonism
keyword	music (typesetting music and related stuff)
keyword	diagram (diagrams)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-05-23

1554 *de-macro* – Expand private macros in a document

Web page on CTAN	https://ctan.org/pkg/de-macro
name	de-macro
caption	Expand private macros in a document
author	Gács, Péter
copyright	Péter Gács (2005-2020)
license	other-free = Free license not otherwise listed (free)
version	1.4.1
description	(no language specified) De-macro is a Python script that helps authors who like to use private LaTeX macros (for example, as abbreviations). A technical editor or a cooperating author may balk at such a manuscript; you can avoid manuscript rejection misery by running de-macro on it. De-macro will expand macros defined in <code>\(re)newcommand</code> or <code>\(re)newenvironment</code> commands, within the document, or in the document's "private" package file.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/de-macro/README

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/de-macro/user-guide.pdf
– local file	<code>./4277313012-user-guide.pdf</code>
home page	https://cs-web.bu.edu/faculty/gacs/software/de-macro/
on CTAN	https://ctan.org/tex-archive/support/de-macro
on MikTeX	de-macro
on TeXLive	de-macro
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	2020
last access	2025-02-07

1555 *debate* – Debates between reviewers

Web page on CTAN	https://ctan.org/pkg/debate
name	debate
caption	Debates between reviewers
author	Bugayenko, Yegor
copyright	Yegor Bugayenko (2021-2022)
license	mit = MIT License (free)
version	0.2.1
description	(no language specified) This package helps to organize debates between multiple reviewers of a paper within the text.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/debate/debate.pdf
– local file	<code>./1459543081-debate.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/debate/README.md
home page	https://github.com/yegor256/debate
contact	<i>repository</i> : https://github.com/yegor256/debate
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/debate
on MikTeX	debate
on TeXLive	debate

keyword	notes (general notes (not including endnotes or footnotes))
see also	see section 2245 on page 2032: (<code>fixmetodonotes</code> – Add notes on document development)
language(s)	no language specified
year	2022
last access	2025-02-11

1556 *decimal* – LaTeX package for the English raised decimal point

Web page on CTAN <https://ctan.org/pkg/decimal>

name	<code>decimal</code>
caption	LaTeX package for the English raised decimal point
author	Nickalls, Dick
author	Syropoulos, Apostolos
copyright	A Syropoulos and RWD Nickalls (2003-2011)
license	lpl1 = The LaTeX Project Public License 1 (free)
description	(no language specified) This LaTeX package should be used by people who need the traditional English raised decimal point, instead of the American-style period.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/decimal/decimal.pdf
– local file	<code>./6920331241-decimal.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/decimal
on MikTeX	<code>decimal</code>
on T _E XLive	<code>decimal</code>
keyword	<code>typesetting</code> (support for variations of typographic style)
language(s)	no language specified
year	2011
last access	2025-02-07

1557 decimalcomma – Comma for decimal numbers

Web page on CTAN <https://ctan.org/pkg/decimalcomma>

name	decimalcomma
caption	Comma for decimal numbers
author	Missier, Antoine
copyright	Antoine Missier (2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.4 (2023-12-30)
last changes	2023-12-30
year	2023
description	(no language specified) This small package offers a new definition of the comma ‘, ’ as an active character. It ensures the correct spacing in mathematical mode when using the comma either as a decimal separator or as a list separator. With this package, the comma behaves similarly to nccomma , but the code is lighter, and several compatibility issues have been fixed.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/decimalcomma/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/decimalcomma/decimalcomma.pdf
– local file	./6881387803-decimalcomma.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/decimalcomma
on MikTeX	decimalcomma
on TeXLive	decimalcomma
keyword	numbers (formatting numbers, etc)
keyword	maths (support for typesetting mathematics)
keyword	typesetting (support for variations of typographic style)
language(s)	no language specified
last access	2025-02-11

1558 *decision-table* – An easy way to create Decision Model and Notation decision tables

Web page on CTAN <https://ctan.org/pkg/decision-table>

name	<code>decision-table</code>
caption	An easy way to create Decision Model and Notation decision tables
author	Pantigny, François
author	Vandevælde, Simon
copyright	Simon Vandevælde, Francois Pantigny (2020-2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.0.4 (2021-10-01)
last changes	2021-10-01
year	2021
description	(no language specified) The <code>decision-table</code> package allows for an easy way to generate decision tables in the Decision Model and Notation (DMN) format. This package ensures consistency in the tables (i.e. fontsize), and is thus a better alternative to inserting tables via images. The <code>decision-table</code> package adds the <code>\dmntable</code> command, with which tables can be created. This command expands into a <code>tabular</code>, so it can be used within a table or figure environment. Furthermore, this allows labels and captions to be added seamlessly. It is also possible to place multiple DMN tables in one table/figure environment. The package relies on nicematrix and l3keys2e.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/decision-table/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/decision-table/decision-table.pdf
– local file	<code>./4295319306-decision-table.pdf</code>
contact	<i>bugs</i> : https://gitlab.com/Vadevesi/dmn-tex/-/issues
contact	<i>repository</i> : https://gitlab.com/Vadevesi/dmn-tex/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/decision-table
on MikTeX	<code>decision-table</code>
on T _E XLive	<code>decision-table</code>
keyword	<code>diagram</code> (<code>diagrams</code>)

1559 *declare* – Declare register names locally

keyword	table (table typesetting)
keyword	planning (construct diagrams, etc., for planning)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

1559 *declare* – Declare register names locally

Web page on CTAN <https://ctan.org/pkg/declare>

name	declare
caption	Declare register names locally
author	Pittman, John E.
author	Burleson, Neil
license	noinfo = noinfo
version	(1990-06-01)
last changes	1990-06-01
year	1990
description	(no language specified) These macros provide a method of locally allocating registers without interference with previously allocated registers; thus <code>\declarecount</code> allocates a count for local use, in exactly the same way that <code>\newcount</code> allocations one for global use. The sequence <pre>{... \declarecount\foo ... \newcount\bar ...}</pre> is of course a logical error; any <code>\new*</code> command should be issued before the corresponding <code>\declare*</code> command.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/declare.tex
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

1560 *decorule* – Decorative swelled rule using font character

Web page on CTAN <https://ctan.org/pkg/decorule>

name	<code>decorule</code>
caption	Decorative swelled rule using font character
author	Flynn, Peter
copyright	Peter Flynn (2010-2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.7
description	(no language specified) The package implements a decorative swelled rule using only a symbol from a font installed with all distributions of TeX, so it works independently, without the need to install any additional software or fonts. This is the packaged version of the macro which was originally published in the "Typographers' Inn" column in TUGboat 31:1 (2010).
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/decorule/decorule.pdf
– local file	<code>./7501497344-decorule.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/decorule/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/decorule
on MikTeX	<code>decorule</code>
on TeXLive	<code>decorule</code>
keyword	<code>decoration</code> (highlighting typeset material, fancy frames, watermarks, etc.)
keyword	<code>line-weight</code> (control the weight of rules, etc., in text)
see also	see section 5773 on page 5232: (<code>swrule</code> – Lines thicker in the middle than at the ends)
language(s)	no language specified
year	2020
last access	2025-02-07

1561 *decsci* – BibTeX style for the journal Decision Sciences

Web page on CTAN <https://ctan.org/pkg/decsci>

name	decsci
caption	BibTeX style for the journal Decision Sciences
author	Rubin, Paul A.
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Generated by custom-bib .
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/decsci.bst
keyword	journalpub (typesetting journals, etc)
keyword	bibtex-sty (bibtex-sty(unknown))
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
year	without year
last access	2025-02-07

1562 *dectab* – Align columns on a decimal point

Web page on CTAN <https://ctan.org/pkg/dectab>

name	dectab
caption	Align columns on a decimal point
author	Franklin, Charles
license	noinfo = noinfo
version	(1991-04-27)
last changes	1991-04-27
year	1991
description	(no language specified) The package defines the command <code>\dec</code> , which allows a construct such as <code>... & \dec -1.461 & ...</code> in a tabular <code>c</code> column; the column will then be centred on the decimal point in the number.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/dectab.sty
keyword	table (table typesetting)

1563 *default* – Provide default parameters for TeX macros

keyword	numbers (formatting numbers, etc)
see also	see section 1550 on page 1407: (dcolumn – Align on the decimal point of numbers in tabular columns)
language(s)	no language specified
last access	2025-02-09

1563 **default** – Provide default parameters for TeX macros

Web page on CTAN <https://ctan.org/pkg/default>

name	default
caption	Provide default parameters for TeX macros
author	Jiang, Zhuhan
license	noinfo = noinfo
version	1.3
description	(no language specified) The command <code>\setdefault</code> defines default values for the arguments of an existing macro; the macro, thus adjusted, is called with square brackets around arguments which are overriding the default. (This is the same scheme as is used in LaTeX.)
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/default.sty
keyword	macro-def (alternative ways of defining macros)
language(s)	no language specified
year	without year
last access	2025-02-07

1564 **deflist** – A variation on the description environment

Web page on CTAN <https://ctan.org/pkg/deflist>

name	deflist
caption	A variation on the description environment
license	noinfo = noinfo
version	(1989-08-02)
last changes	1989-08-02
year	1989

description	(no language specified) The command <code>deflist</code> environment takes an argument, whose width is taken as the maximum width of labels in a <code>description</code> -like environment
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/deflist.sty
keyword	<code>list-descr</code> (list: items described)
language(s)	no language specified
last access	2025-02-07

1565 *defoldfonts* – Define old font commands

Web page on CTAN	https://ctan.org/pkg/defoldfonts
name	<code>defoldfonts</code>
caption	Define old font commands
author	Kohm, Markus
copyright	Markus Kohm (2008-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1 (2025-09-29)
last changes	2025-09-29
year	2025
description	(no language specified) In 1994, with LaTeX2e, the old font commands <code>\rm</code> , <code>\sf</code> , <code>\tt</code> , <code>\bf</code> , <code>\it</code> , <code>\sl</code> , and <code>\sc</code> became obsolete. This package defines them, and also the deprecated KOMA-Script command <code>\sfb</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/defoldfonts/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/defoldfonts/defoldfonts.pdf
– local file	<code>./2033114857-defoldfonts.pdf</code>
contact	<i>repository</i> : https://codeberg.org/komascript/defoldfonts
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/defoldfonts
on MikTeX	<code>defoldfonts</code>
on TeXLive	<code>defoldfonts</code>
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)

language(s) no language specified
last access 2025-10-05

1566 **defstring** – Define macros as verbatim macros

Web page on CTAN <https://ctan.org/pkg/defstring>

name `defstring`
caption Define macros as verbatim macros
license `noinfo = noinfo`
version (1992-08-27)
last changes 1992-08-27
year 1992
description (no language specified) The command `\defstring` defines its first argument (a control sequence name) as the content of its second argument, with category code ‘other’, with surrounding braces added.

The package uses the [maybeload](#) and [redefine](#) packages.

on CTAN <https://ctan.org/tex-archive/macros/plain/contrib/misc/defstring.tex>
keyword `macro-def` (alternative ways of defining macros)
language(s) no language specified
last access 2025-02-11

1567 **degrade** – Degrade JPEG images on the fly, prior to inclusion

Web page on CTAN <https://ctan.org/pkg/degrade>

name `degrade`
caption Degrade JPEG images on the fly, prior to inclusion
author Münster, Peter
copyright Peter Münster (2002)
license `lppl` = The LaTeX Project Public License (free)
description (no language specified) Degrade is a LaTeX package that degrades JPEG images on the fly to decrease the size of the resulting PostScript or PDF file. It uses the `convert` utility from the ImageMagick bundle as well as [jpeg2ps](#) (if you’re producing PostScript output).

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/degrade/README
on CTAN	https://ctan.org/tex-archive/graphics/degrade
keyword	graphics-prep (prepare graphics for use with *TeX)
see also	see section 1280 on page 1160: (context-degrade – Degrading JPEG images in ConTeXt)
language(s)	no language specified
year	2002
last access	2025-02-07

1568 *dehyph* – German hyphenation patterns for traditional orthography

Web page on CTAN	https://ctan.org/pkg/dehyph
Alias	ghyphen
Alias	gnhyph
name	dehyph
caption	German hyphenation patterns for traditional orthography
author	Lemberg, Werner
author	Raichle, Bernd
copyright	Bernd Raichle/DANTE e.V. (1993, 1994, 1999)
copyright	Werner Lemberg (2005-2018)
license	lppl1 = The LaTeX Project Public License 1 (free)
version	(2018-09-01)
last changes	2018-09-01
year	2018
description	(no language specified) The package provides older hyphenation patterns for the German language. Please note that by default only pdfLaTeX uses these patterns (mainly for backwards compatibility). The older packages <i>ghyphen</i> and <i>gnhyph</i> are now bundled together with <i>dehyph</i> , and are no longer be updated. Both XeLaTeX and LuaLaTeX use the current German hyphenation patterns taken from Hyphenation patterns in UTF-8 , and using the Experimental hyphenation patterns for the German language package it is possible to make pdfLaTeX use the new German patterns as well.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/hyphenation/dehyph/README
on CTAN	https://ctan.org/tex-archive/language/hyphenation/dehyph
on MikTeX	dehyph
on T _E XLive	dehyph
keyword	hyphenation (macros or tables for hyphenation)
keyword	german (support for typesetting German)
language(s)	no language specified
last access	2025-02-07

1569 *dehyph-expt1* – Experimental hyphenation patterns for the German language

Web page on CTAN	https://ctan.org/pkg/dehyph-expt1
name	dehyph-expt1
caption	Experimental hyphenation patterns for the German language
author	Hennig, Stephan
author	Wehr, Keno
author	Lemberg, Werner
author	Milde, Günter
copyright	Stephan Hennig, Werner Lemberg, Günter Milde, Sander van Geloven, Georg Pfeiffer, Gisbert W. Selke, Tobias Wendorf, Keno Wehr (2013-2024)
license	mit = MIT License (free)
license	lppl = The LaTeX Project Public License (free)
version	1.0 (2024-02-28)
last changes	2024-02-28
year	2024
description	(English) The package provides experimental hyphenation patterns for the German language, covering both traditional and reformed orthography. The patterns can be used with packages Babel and hyphsubst from the Oberdiek bundle.
description	(German) Dieses Paket enthält experimentelle Trennmuster für die deutsche Sprache. Die Trennmuster decken das in Deutschland, Österreich und der Schweiz gebräuchliche Standarddeutsch in der traditionellen und reformierten Rechtschreibung ab und können mit den Paketen Babel und hyphsubst aus dem Oberdiek-Bündel verwendet werden.

1570 dejavu – LaTeX support for the DejaVu fonts

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/hyphenation/dehyph-expt1/README
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/language/hyphenation/dehyph-expt1/dehyph-expt1.pdf
– local file	<code>./6585640866-dehyph-expt1.pdf</code>
home page	https://wiki.dante.de/doku.php?id=trennmuster:trennmuster
contact	<i>support</i> : mailto:trennmuster@dante.de
contact	<i>repository</i> : https://repo.or.cz/w/wortliste.git
on CTAN	https://ctan.org/tex-archive/language/hyphenation/dehyph-expt1
on MikTeX	dehyph-expt1
on T _E XLive	dehyph-expt1
keyword	hyphenation (macros or tables for hyphenation)
keyword	german (support for typesetting German)
language(s)	German; English
last access	2025-02-07

1570 dejavu – LaTeX support for the DejaVu fonts

Web page on CTAN <https://ctan.org/pkg/dejavu>

name	dejavu
caption	LaTeX support for the DejaVu fonts
author	Farar, Pavel
license	lppl = The LaTeX Project Public License (free)
version	2.34
description	(no language specified) The package contains LaTeX support for the DejaVu fonts, which are derived from the Vera fonts but contain more characters and styles. The fonts are included in the original TrueType format, and in converted Type 1 format. The (currently) supported encodings are: OT1, T1, IL2, TS1, T2*, X2, QX, and LGR. The package doesn't (currently) support mathematics. More encodings and/or features are expected.

1571 *dejavu-otf* – Support for the ttf and otf DejaVu fonts

documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/dejavu/doc/dejavu-sample.pdf
– local file	<code>./6951865616-dejavu-sample.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/dejavu/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/dejavu/doc/dejavu.pdf
– local file	<code>./8148489262-dejavu.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/dejavu
on MikTeX	dejavu
on T _E XLive	dejavu
keyword	font-serif (serif font)
keyword	font-mono (monospaced font)
keyword	font-ttf (font available in TrueType format)
keyword	font-cyrillic (fonts for Cyrillic and related scripts)
keyword	font-greek (font for Greek (archaic, classical and modern))
keyword	font (fonts themselves)
keyword	font-t1enc (font providing LaTeX T1 encoding support)
keyword	font-sans (sans-serif font)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
year	without year
last access	2025-02-07

1571 *dejavu-otf* – Support for the ttf and otf DejaVu fonts

Web page on CTAN <https://ctan.org/pkg/dejavu-otf>

name	dejavu-otf
caption	Support for the ttf and otf DejaVu fonts
author	Voß, Herbert
copyright	Herbert Voß (2017-2025)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.07 (2025-05-23)

last changes	2025-05-23
year	2025
description	(no language specified) This package supports the free ttf-fonts from the DejaVu project which are available from GitHub or already part of your system (Windows/Linux/...), and the OpenType version of TeXGyre Math, which is part of any TeX distribution. The following font files are supported: • DejaVuSans-BoldOblique.ttf • DejaVuSans-Bold.ttf • DejaVuSansCondensed-BoldOblique.ttf • DejaVuSansCondensed-Bold.ttf • DejaVuSansCondensed-Oblique.ttf • DejaVuSansCondensed.ttf • DejaVuSans-ExtraLight.ttf • DejaVuSansMono-BoldOblique.ttf • DejaVuSansMono-Bold.ttf • DejaVuSansMono-Oblique.ttf • DejaVuSansMono.ttf • DejaVuSans-Oblique.ttf • DejaVuSans.ttf • DejaVuSerif-BoldItalic.ttf • DejaVuSerif-Bold.ttf • DejaVuSerifCondensed-BoldItalic.ttf • DejaVuSerifCondensed-Bold.ttf • DejaVuSerifCondensed-Italic.ttf • DejaVuSerifCondensed.ttf • DejaVuSerif-Italic.ttf • DejaVuSerif.ttf • texgyredejavu-math.otf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/dejavu-otf/README.md
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/dejavu-otf/doc/dejavu-otf-doc.pdf
– local file	./6260292218-dejavu-otf-doc.pdf

on CTAN	https://ctan.org/tex-archive/fonts/dejavu-otf
on MikTeX	dejavu-otf
on TeXLive	dejavu-otf
keyword	font-ttf (font available in TrueType format)
keyword	font-otf (font in OpenType format)
keyword	font-sans (sans-serif font)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-serif (serif font)
keyword	font-mono (monospaced font)
keyword	font-absent (support is for a font not available on CTAN)
keyword	tagged-pdf (tagged PDF compatible)
language(s)	no language specified
last access	2026-04-13

1572 delarray – Delimiters for arrays

Web page on CTAN	https://ctan.org/pkg/delarray
name	delarray
caption	Delimiters for arrays
author	The LaTeX Project Team
author	Carlisle, David
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.01 (2014-10-28)
last changes	2014-10-28
year	2014
description	(no language specified) Add delimiters (parentheses etc.) around arrays (nesting brackets are automatically inserted). The package is part of the latex-tools bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/required/tools/delarray.pdf
– local file	./3816563858-delarray.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/required/tools

installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-tools.tds.zip
on MikTeX	latex-tools
on T _E XLive	tools
keyword	table (table typesetting)
keyword	matrix (typeset matrices)
language(s)	no language specified
last access	2025-02-07

1573 *deleq* – Flexible numbering of equations

Web page on CTAN	https://ctan.org/pkg/deleq
name	deleq
caption	Flexible numbering of equations
author	Dahlgren, Mats
copyright	Mats Dahlgren (1994-1998)
license	nosell = Do Not Sell Except by Arrangement (not free)
description	(no language specified) Offers more flexible numbering of equations and "recycled" equations, including "partial" equation numbers ('3a', '3b', etc.).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/deleq/README
documentation	(no language specified) <i>Documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/deleq/deleq.pdf
– local file	./8182519500-deleq.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/deleq
keyword	maths (support for typesetting mathematics)
keyword	label-ref (label and reference systems)
language(s)	no language specified
year	1998
last access	2025-02-07

1574 *delig* – Disable misplaced ligatures in LaTeX documents

Web page on CTAN <https://ctan.org/pkg/delig>

name	<i>delig</i>
caption	Disable misplaced ligatures in LaTeX documents
author	Warner, Daniel
license	gpl = GNU General Public License (free)
version	(2008-03-12)
last changes	2008-03-12
year	2008
description	(no language specified) DeLig disables misplaced ligatures in LaTeX documents, using a dictionary approach. With its original fonts, LaTeX always uses ligatures for the letter combinations "ff", "fi", "fl", "ffi" and "fff". This is not always correct in the German language, e.g., the word "Auflage" may not be printed with an "ff"-ligature, that is, the "ff"-ligature in "Auflage" must be disabled. This may be accomplished by using the babel-package and the two symbols " : Auf"lage . The Java program DeLig does this job automatically for you, using a ligature word list. Please note that DeLig is only as good as the ligature word list file DeLig.list it relies on. This version is intended for German language texts only. DeLig is partially based on the Perl script <i>rmligs</i> by Björn Jacke, in particular the wordlist data is based on his <i>igerman98</i> dictionary.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/support/delig/README
on CTAN	https://ctan.org/tex-archive/support/delig
keyword	typesetting (support for variations of typographic style)
keyword	german (support for typesetting German)
language(s)	no language specified
last access	2025-02-07

1575 *delim* – Simplify typesetting mathematical delimiters

Web page on CTAN <https://ctan.org/pkg/delim>

name	<code>delim</code>
caption	Simplify typesetting mathematical delimiters
author	Majewsky, Stefan
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.0
description	(no language specified) The package permits simpler control of delimiters without excessive use of <code>\big...</code> commands (and the like).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/delim/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/delim/delim.pdf
– local file	<code>./8062470159-delim.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/delim
on MikTeX	<code>delim</code>
on TeXLive	<code>delim</code>
keyword	<code>maths</code> (support for typesetting mathematics)
see also	see section 1576 on page 1430: (<code>delimseasy</code> – Delimiter commands that are easy to use and resize)
language(s)	no language specified
year	without year
last access	2025-02-07

1576 *delimseasy* – Delimiter commands that are easy to use and resize

Web page on CTAN <https://ctan.org/pkg/delimseasy>

name	<code>delimseasy</code>
caption	Delimiter commands that are easy to use and resize
author	Graham, Colin C.
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.0

description	(no language specified) This package provides commands to give a consistent, easy-to-remember, easy to edit way to control the size and blackness of delimiters: append 1–4 "b"s to command for larger sizes; prepend "B" for for boldface. These commands reduce the likelihood of incomplete delimiter pairs and typically use fewer characters than the LaTeX default.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/delimseasy/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/delimseasy/delimseasyMan.pdf
– local file	./2436832233-delimseasyMan.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/delimseasy
on MikTeX	delimseasy
on TeXLive	delimseasy
keyword	maths (support for typesetting mathematics)
see also	see section 1575 on page 1430: (<code>delim</code> – Simplify typesetting mathematical delimiters)
language(s)	no language specified
year	without year
last access	2025-02-07

1577 `delimset` – Typeset and declare sets of delimiters with convenient size control

Web page on CTAN <https://ctan.org/pkg/delimset>

name	delimset
caption	Typeset and declare sets of delimiters with convenient size control
author	Beisert, Niklas
copyright	Niklas Beisert (2016-2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.1 (2025-01-05)
last changes	2025-01-05
year	2025

description	(no language specified) <code>delimset</code> is a LaTeX2e package to typeset and declare sets of delimiters in math mode whose size can be adjusted conveniently.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/delimset/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/delimset/delimset.pdf
– local file	<code>./5589957634-delimset.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/delimset
on MikTeX	<code>delimset</code>
on TeXLive	<code>delimset</code>
keyword	<code>maths</code> (support for typesetting mathematics)
see also	see section 1575 on page 1430: (<code>delim</code> – Simplify typesetting mathematical delimiters)
see also	see section 1576 on page 1430: (<code>delimseasy</code> – Delimiter commands that are easy to use and resize)
language(s)	no language specified
last access	2025-02-07

1578 *delimtxt* – Read and parse text tables

Web page on CTAN <https://ctan.org/pkg/delimtxt>

name	<code>delimtxt</code>
caption	Read and parse text tables
author	Pedersen, Bjørn
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) This experimental package can read and parse text tables delimited by user-defined tokens (e.g., <code>tab</code>). It can be used for serial letters and the like, making it easier to export the data file from MS-Excel/MS-Word
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/exptl/delimtxt/delimtxt.pdf
– local file	<code>./9225229245-delimtxt.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/exptl/delimtxt

on T _E XLive	delimtxt
keyword	foreign-import (import files in a non-TeX (or different TeX) format)
language(s)	no language specified
year	without year
last access	2025-02-07

1579 *delvierre* – LaTeX journal article class and example template for Delvierre

Web page on CTAN	https://ctan.org/pkg/delvierre
name	delvierre
caption	LaTeX journal article class and example template for Delvierre
author	Szoke, Mark-Andor
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0
description	(no language specified) <i>delvierre</i> is a LaTeX journal article class and template bundle for preparing manuscripts for Delvierre publications. The package provides the <i>delvierre</i> > document class, a sample manuscript source, package documentation, and an example graphical abstract asset. It is intended for pdfLaTeX-based journal article preparation.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/delvierre/delvierre-doc.pdf
– local file	./2013885906-delvierre-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/delvierre/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/delvierre
on T _E XLive	delvierre
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
year	without year
last access	2026-04-07

1580 democodetools – Package for LaTeX code documentation

Web page on CTAN <https://ctan.org/pkg/democodetools>

name	democodetools
caption	Package for LaTeX code documentation
author	Frigeri, Alceu
copyright	Alceu Frigeri (2022)
license	gpl = GNU General Public License (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.1beta (2022-09-06)
last changes	2022-09-06
year	2022
description	(no language specified) This is ‘yet another doc/docx/doc3’ package for LaTeX code documentation.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/democodetools/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/democodetools/doc/democodetools.pdf
– local file	./2355226189-democodetools.pdf
contact	<i>bugs</i> : https://github.com/alceu-frigeri/democodetools/issues
contact	<i>repository</i> : https://github.com/alceu-frigeri/democodetools
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/democodetools
on MikTeX	democodetools
on T _E XLive	democodetools
keyword	doc-supp (macros and tools for preparing documentation)
language(s)	no language specified
last access	2025-02-11

1581 *denisbdoc* – A personal dirty package for documenting packages

Web page on CTAN <https://ctan.org/pkg/denisbdoc>

name	denisbdoc
caption	A personal dirty package for documenting packages
author	Bitouzé, Denis
copyright	Denis Bitouzé (2015-2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.9.5 (2024-03-10)
last changes	2024-03-10
year	2024
description	(no language specified) A personal dirty package for documenting packages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/denisbdoc/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/denisbdoc
on MikTeX	denisbdoc
on TeXLive	denisbdoc
keyword	doc-suppl (macros and tools for preparing documentation)
language(s)	no language specified
last access	2025-02-07

1582 *deproc* – Macros for DECUS proceedings articles

Web page on CTAN <https://ctan.org/pkg/deproc>

name	deproc
caption	Macros for DECUS proceedings articles
author	Beeton, Barbara
license	noinfo = noinfo
version	(1986-04-24)
last changes	1986-04-24
year	1986

description	(no language specified) A LaTeX 2.09 (or even earlier) documentstyle that is based on the article style. An example document is included in the distribution.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex209/contrib/deproc/README
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/deproc
keyword	doc-style (LaTeX 2.09 document style)
keyword	confproc (typesetting conference proceedings)
language(s)	no language specified
last access	2025-02-07

1583 derivative – Nice and easy derivatives

Web page on CTAN	https://ctan.org/pkg/derivative
name	derivative
caption	Nice and easy derivatives
author	Jensen, Simon
copyright	Simon Jensen (2019-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.4 (2024-02-08)
last changes	2024-02-08
year	2024
description	(no language specified) Typesetting derivatives and differentials in a consistent way are clumsy and require care to ensure the preferred formatting. Several packages have been developed for this purpose, each with its own features and drawbacks, with the most ambitious one being <code>diffcoeff</code>. While this package is comparable to <code>diffcoeff</code> in terms of features, it takes a different approach. One difference is this package provides more options to tweak the format of the derivatives and differentials. However, the automatic calculation of the total order isn't as developed as the one in <code>diffcoeff</code>. This package makes it easy to write derivatives and differentials consistently with its predefined commands. It also provides a set of commands that can define custom derivatives and differential operators. The options follow a consistent naming scheme making them easy to use and understand.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/derivative/README.md

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/derivative/derivative.pdf
– local file	./5143224048-derivative.pdf
contact	<i>repository:</i> https://github.com/sjelatex/derivative
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/derivative
on MikTeX	derivative
on TeXLive	derivative
keyword	expl3 (expl3(unknown))
keyword	maths (support for typesetting mathematics)
see also	see section 1610 on page 1460: (diffcoeff – Write differential coefficients easily and consistently)
language(s)	no language specified
last access	2025-02-07

1584 desclist – Extended “description” lists

Web page on CTAN	https://ctan.org/pkg/desclist
name	desclist
caption	Extended “description” lists
author	Rozhenko, Alexander I.
copyright	Alexander I. Rozhenko (2002-2004)
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) The package implements a desclist environment, which is similar to the description environment, but offers more flexibility in formatting labels. The package also modifies the description environment to provide an optional parameter that is a prototype for evaluation of the hanging indentation of the list. This package is part of the ncctools bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/ncctools/doc/desclist.pdf
– local file	./4101792397-desclist.pdf

documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncctools/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ncctools
on MikTeX	ncctools
on T _E XLive	ncctools
keyword	list (list: general)
keyword	list-descr (list: items described)
language(s)	no language specified
year	2004
last access	2025-02-07

1585 *designcon* – Develop DesignCon papers

Web page on CTAN	https://ctan.org/pkg/designcon
name	designcon
caption	Develop DesignCon papers
author	Pupalaikis, Peter J.
copyright	Peter J. Pupalaikis (2012)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.0
description	(no language specified) The bundle includes a class file (based on article) and two skeleton documents (one for ‘straight’ LaTeX and one for Lyx).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/designcon/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/designcon/DesignCon.pdf
– local file	./7692427307-DesignCon.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/designcon
on MikTeX	designcon
keyword	confproc (typesetting conference proceedings)
language(s)	no language specified
year	2012

last access 2025-02-07

1586 *detex* – Strip TeX from a source file

Web page on CTAN <https://ctan.org/pkg/detex>

name	detex
caption	Strip TeX from a source file
author	Trinkle, Daniel
license	other-free = Free license not otherwise listed (free)
version	(1999-05-12)
last changes	1999-05-12
year	1999
description	(no language specified) Detex is a program to remove TeX constructs from a text file. It recognizes the <code>\input</code> command. The program assumes it is dealing with LaTeX input if it sees the string <code>\begin{document}</code> in the text. In this case, it also recognizes the <code>\include</code> and <code>\includeonly</code> commands. The author now considers this program to be "retired" and Piotr Kubowicz's OpenDetex as its successor.
home page	http://www.cs.purdue.edu/homes/trinkle/detex/
on T _E XLive	detex
keyword	plain-text (derive plain text from a TeX document)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
last access	2025-02-07

1587 *detexfaq* – German TeX FAQ

Web page on CTAN <https://ctan.org/pkg/detexfaq>

name	detexfaq
caption	German TeX FAQ
author	Gundlach, Patrick
license	nosource = No Source Available (not free)
version	(2013-05-22)

last changes	2013-05-22
year	2013
description	(no language specified) The PDF document is automatically extracted from the home website.
home page	http://texfragen.de
on CTAN	https://ctan.org/tex-archive/info/german/detexfaq/detexfaq.pdf
keyword	faq (frequently asked questions, with answers)
keyword	german (support for typesetting German)
language(s)	no language specified
last access	2025-02-07

1588 **deutschesmuseum** – A LaTeX class for contributions to Deutsches Museum publications

Web page on CTAN	https://ctan.org/pkg/deutschesmuseum
name	deutschesmuseum
caption	A LaTeX class for contributions to Deutsches Museum publications
author	Veytsman, Boris
copyright	Boris Veytsman (2026)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.7 (2026-02-04)
last changes	2026-02-04
year	2026
description	(no language specified) This is a LaTeX class for contributions to Deutsches Museum publications.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/deutschesmuseum/deutschesmuseum.pdf
– local file	<code>./7283258774-deutschesmuseum.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/deutschesmuseum/README
home page	https://github.com/borisveytsman/deutschesmuseum

contact	<i>bugs:</i> https://github.com/borisveytsman/deutschesmuseum/issues
contact	<i>repository:</i> https://github.com/borisveytsman/deutschesmuseum
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/deutschesmuseum
on MikTeX	deutschesmuseum
on T _E XLive	deutschesmuseum
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
last access	2026-04-10

1589 devanagari – Typeset Devanagari

Web page on CTAN <https://ctan.org/pkg/devanagari>

name	devanagari
caption	Typeset Devanagari
author	Smith, Steven T.
author	Wujastyk, Dominik
author	Velthuis, Frans
author	Pandey, Anshuman
author	Wagner, Zdeněk
author	Patte, François
license	gpl = GNU General Public License (free)
version	2.17.1
description	(no language specified) Frans Velthuis' preprocessor for Devanagari text, and fonts and macros to use when typesetting the processed text. The macros provide features that support Sanskrit, Hindi, Marathi, Nepali, and other languages typically printed in the Devanagari script. The package provides fonts, in both Metafont and Type 1 formats. Users of modern TeX distributions may care to try the XeTeX based package , which is far preferable for users who can type Unicode text.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/language/devanagari/velthuis/README

documentation	(no language specified) <i>Package manual</i> : https://ctan.org/tex-archive/language/devanagari/velthuis/doc/manual.pdf
– local file	./6077585187-manual.pdf
on CTAN	https://ctan.org/tex-archive/language/devanagari/velthuis
on MikTeX	devanagari
on T _E XLive	velthuis
keyword	sanskrit (support for typesetting Sanskrit)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-indic (fonts for languages of the Indian subcontinent)
keyword	indic (support for languages of the Indian subcontinent)
language(s)	no language specified
year	without year
last access	2026-04-10

1590 devanagari-omega – Typeset Devanagari with Omega

Web page on CTAN	https://ctan.org/pkg/devanagari-omega
name	devanagari-omega
caption	Typeset Devanagari with Omega
license	noinfo = noinfo
version	(2002-07-22)
last changes	2002-07-22
year	2002
on CTAN	https://ctan.org/tex-archive/language/devanagari/omega
on MikTeX	devanagari-omega
keyword	omega (Omega and packages that use it)
keyword	indic (support for languages of the Indian subcontinent)
language(s)	no language specified
last access	2026-04-10

1591 *development* – BibTeX style file for the journal *Development*

Web page on CTAN <https://ctan.org/pkg/development>

name	development
caption	BibTeX style file for the journal <i>Development</i>
author	Eglen, Stephen
license	gpl = GNU General Public License (free)
description	(no language specified) Here is a BibTeX style file for biologists interested in submitting an article to the <i>journal 'Development'</i> .
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/development.bst
keyword	bibtex-supp (BibTeX citation support)
keyword	journalpub (typesetting journals, etc)
keyword	biology (typeset biological data)
language(s)	no language specified
year	without year
last access	2026-04-10

1592 *dfgproposal* – Support for writing proposals to the DFG

Web page on CTAN <https://ctan.org/pkg/dfgproposal>

name	dfgproposal
caption	Support for writing proposals to the DFG
author	Kohlhase, Michael
copyright	Michael Kohlhase (2009)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The class is a specialisation of the <i>proposal</i> class, for writing proposals to the German Research Council (DFG). Examples of its use are provided elsewhere in the bundle. The class is distributed as part of the <i>proposal class</i> bundle, and depends on the author's <i>stex</i> bundle.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/proposal/dfg/README

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/proposal/dfg/dfgproposal.pdf
– local file	<code>./1655505997-dfgproposal.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/proposal
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/proposal.tds.zip
on MikTeX	<code>proposal</code>
keyword	<code>proposal</code> (typeset proposals to funding bodies, etc)
keyword	<code>class</code> (alternative LaTeX class(es))
language(s)	no language specified
year	2009
last access	2025-02-07

1593 dhua – German abbreviations using thin space

Web page on CTAN	https://ctan.org/pkg/dhua
name	<code>dhua</code>
caption	German abbreviations using thin space
author	Lück, Uwe
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.11
description	(English) The package provides commands for those abbreviations of German phrases for which the use of thin space is recommended. Setup commands <code>\newdhua</code> and <code>\newtwopartdhua</code> are provided, as well as commands for single cases (such as <code>\zB</code> for ‘z. B.’, saving the user from typing such as ‘z.\,B.’). To typeset the documentation, the nicedverb package, version 0.44, or later, is required.
description	(German) Das Paket ‘dhua’ stellt Befehle für sog. mehrgliedrige Abkürzungen bereit, für die schmale Leerzeichen (Festabstände) empfohlen werden (Duden, Wikipedia). In die englische Paketdokumentation sind deutsche Erläuterungen eingestreut.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/dhua/dhua.pdf

1594 *diabetes-logbook* – A logbook for people with type one diabetes

– local file	<code>./3520837841-dhua.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dhua/README
contact	<i>support</i> : http://www.webdesign-bu.de/uwe_lueck/contact.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dhua
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/dhua.tds.zip
on MikTeX	dhua
on TeXLive	dhua
keyword	german (support for typesetting German)
keyword	shortcut (shortcuts when typing)
language(s)	German; English
year	without year
last access	2025-02-07

1594 *diabetes-logbook* – A logbook for people with type one diabetes

Web page on CTAN <https://ctan.org/pkg/diabetes-logbook>

name	diabetes-logbook
caption	A logbook for people with type one diabetes
author	Grigorov, Viktor
license	other-free = Free license not otherwise listed (free)
version	(2018-07-22)
last changes	2018-07-22
year	2018
description	(no language specified) Initially a logbook for me, a person with type one diabetes mellitus, this evolved over time into a TeX project, making it prettier and/or easier to use. I've made it simple to use, while not forgoing the document's beauty or the speed of input. The logbook, with slight commenting out and editing, could be used as a journal by anybody, although the template and graphing functionality are set up for people using insulin injections and blood glucose teststrips, as well as counting/estimating carbs, protein, and fat. Note: The names of the package's files are not constructed using the long "diabetes-logbook", but the acronym "dmlb" (for "diabetes mellitus log book").

1595 *diadia* – Package to keep a diabetes diary

documentation	(no language specified) <i>Example of use (1)</i> : https://ctan.org/tex-archive/macros/latex/contrib/diabetes-logbook/dmlb-template.pdf
– local file	<code>./7415688666-dmlb-template.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/diabetes-logbook/README.md
documentation	(no language specified) <i>Example of use (2)</i> : https://ctan.org/tex-archive/macros/latex/contrib/diabetes-logbook/dmlb-templateGRAY.pdf
– local file	<code>./5556539818-dmlb-templateGRAY.pdf</code>
contact	<i>repository</i> : https://github.com/communistkiro/dmlb
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/diabetes-logbook
on MikTeX	<code>diabetes-logbook</code>
on TeXLive	<code>diabetes-logbook</code>
keyword	<code>data-disp</code> (visualisation of data sets)
keyword	<code>doc-templ</code> (template to guide document development)
language(s)	no language specified
last access	2025-02-07

1595 *diadia* – Package to keep a diabetes diary

Web page on CTAN <https://ctan.org/pkg/diadia>

name	<code>diadia</code>
caption	Package to keep a diabetes diary
author	Kleber, Josef
license	lppl = The LaTeX Project Public License (free)
version	1.1 (2015-05-20)
last changes	2015-05-20
year	2015

description	(no language specified) The diadia package allows you to keep a diabetes diary. Usually, this means keeping record of certain medical values like blood sugar, blood pressure, pulse or weight. It might also include other medical, pharmaceutical or nutritional data (HbA1c, insulin doses, carbohydrate units). The diadia package supports all of this plus more - simply by adding more columns to the data file! It is able to evaluate the data file and typesets formatted tables and derived plots. Furthermore, it supports medication charts and info boxes. Supported languages: English, German. Feel free to provide other translation files!
documentation	(no language specified) <i>PDF file</i> : https://ctan.org/tex-archive/macros/latex/contrib/diadia/diadia.pdf
– local file	<code>./8207895695-diadia.pdf</code>
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/diadia/diadia-example.pdf
– local file	<code>./3218452367-diadia-example.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/diadia/README
contact	<i>repository</i> : https://bitbucket.org/kleberj/diadia/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/diadia
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/diadia.tds.zip
on MikTeX	diadia
on T _E XLive	diadia
keyword	data-disp (visualisation of data sets)
language(s)	no language specified
last access	2025-02-07

1596 *diagbox* – Table heads with diagonal lines

Web page on CTAN <https://ctan.org/pkg/diagbox>

name	diagbox
caption	Table heads with diagonal lines
author	Liu, Leo
copyright	Leo Liu (2011-2020)

1597 *diagmac* – A diagram drawing package

license	lpp1.3 = The LaTeX Project Public License 1.3 (free)
version	2.4
description	(no language specified) The package's principal command, <code>\diagbox</code>, takes two arguments (texts for the slash-separated parts of the box), and an optional argument with which the direction the slash will go, the box dimensions, etc., may be controlled. The package also provides <code>\slashbox</code> and <code>\backslashbox</code> commands for compatibility with the <code>slashbox</code> package, which it supersedes. <code>diagbox</code> depends on e-TeX as well as the packages <code>array</code>, <code>calc</code>, <code>fp</code>, <code>keyval</code>, and <code>pict2e</code>.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/diagbox/README
documentation	(no language specified) <i>Package documentation (English and Chinese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/diagbox/diagbox.pdf
– local file	<code>./5336507472-diagbox.pdf</code>
contact	<i>repository</i> : https://github.com/leo-liu/tex-pkg
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/diagbox
on MikTeX	<code>diagbox</code>
on TeXLive	<code>diagbox</code>
keyword	<code>table</code> (table typesetting)
language(s)	no language specified
year	2020
last access	2025-02-07

1597 *diagmac* – A diagram drawing package

Web page on CTAN <https://ctan.org/pkg/diagmac>

name	<code>diagmac</code>
caption	A diagram drawing package
author	Reynolds, John
license	pd = Public Domain Software (free)
version	(1987-12-31)
last changes	1987-12-31

year	1987
description	(no language specified) The package comes in two parts: first, some macros that are generally applicable to drawing diagrams in LaTeX; and second, macros specific to drawing category theory diagrams. The package was written for LaTeX 2.09, but continues to work under LaTeX 2e; however, an updated version , that uses pict2e , is also available.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/diagmac/diagmac.txt
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/diagmac/README
documentation	(no language specified) <i>Test/demonstration of package</i> : https://ctan.org/tex-archive/macros/latex/contrib/diagmac/diagmac2test.pdf
– local file	<code>./1498558875-diagmac2test.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/diagmac
on MikTeX	<code>diagmac</code>
keyword	<code>graphics-in-tex</code> (graphics produced by one of the *TeX engines)
keyword	<code>diagram-comm</code> (commutative diagrams)
language(s)	no language specified
last access	2025-02-09

1598 *diagmac2* – Diagram macros, using *pict2e*

Web page on CTAN <https://ctan.org/pkg/diagmac2>

name	<code>diagmac2</code>
caption	Diagram macros, using <i>pict2e</i>
author	Tennent, Bob
author	Reynolds, John
license	lppl = The LaTeX Project Public License (free)
version	2.1
description	(no language specified) This is a development of the long-established diagmac package, using pict2e so that the restrictions on line direction are removed.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/diagmac2/README

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/diagmac2/doc/diagmac2.pdf
– local file	./7366526632-diagmac2.pdf
documentation	(no language specified) <i>Example output:</i> https://ctan.org/tex-archive/macros/latex/contrib/diagmac2/doc/diagmac2test.pdf
– local file	./1777228524-diagmac2test.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/diagmac2
on MikTeX	diagmac2
on TeXLive	diagmac2
keyword	diagram-comm (commutative diagrams)
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
language(s)	no language specified
year	without year
last access	2025-02-07

1599 *diagnose* – A diagnostic tool for a TeX installation

Web page on CTAN	https://ctan.org/pkg/diagnose
name	diagnose
caption	A diagnostic tool for a TeX installation
author	Corff, Oliver
license	gpl = GNU General Public License (free)
version	0.2
description	(no language specified) Provides macros to assist evaluation of the capabilities of a TeX installation (i.e., what extensions it supports). An example document that examines the installation is available.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/diagnose/doc/diagnose.pdf
– local file	./8176560832-diagnose.pdf
documentation	(no language specified) <i>Package Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/diagnose/README

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/diagnose
on MikTeX	diagnose
on T _E XLive	diagnose
keyword	install-mgmt (support for (La)TeX installations)
language(s)	no language specified
year	without year
last access	2025-02-07

1600 *diagramf* – Labelled diagrams in Metafont

Web page on CTAN	https://ctan.org/pkg/diagramf
name	diagramf
caption	Labelled diagrams in Metafont
author	Gibbons, Jeremy
author	Jeffrey, Alan
license	noinfo = noinfo
version	1.1
description	(no language specified) The package provides a means of labelling diagrams each produced as a Metafont character in a ‘font’ which is produced using the <i>diagramf.mf</i> Metafont package. LaTeX passes data to Metafont (by ordinary LaTeX file-writing mechanisms), and Metafont writes stuff into its log-file, which must then be extracted into a different file so that LaTeX can see it.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex209/contrib/diagramf/README
documentation	(English) <i>Prototype paper for TUGboat</i> : https://ctan.org/tex-archive/macros/latex209/contrib/diagramf/diagramf.pdf
– local file	./1125833555-diagramf.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/diagramf
keyword	graphics-text (text within graphics (drawn or overlaid))
language(s)	English
year	without year
last access	2025-02-07

1601 *diagxy* – Diagram macros by Michael Barr

Web page on CTAN <https://ctan.org/pkg/diagxy>

name	diagxy
caption	Diagram macros by Michael Barr
author	Barr, Michael
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2015-09-26)
last changes	2015-09-26
year	2015
description	(no language specified) Diagxy is a general diagramming package, useful for diagrams in a number of mathematical disciplines. Diagxy is a development of an earlier (successful) package to use the facilities of the <i>xypic</i> bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/diagrams/diagxy/diaxydoc.pdf
– local file	<code>./4947982939-diaxydoc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/diagrams/diagxy/README
on CTAN	https://ctan.org/tex-archive/macros/generic/diagrams/diagxy
on MikTeX	diagxy
on T _E XLive	barr
keyword	diagram-comm (commutative diagrams)
language(s)	no language specified
last access	2025-02-07

1602 dialogl – Macros for constructing interactive LaTeX scripts

Web page on CTAN <https://ctan.org/pkg/dialogl>

name	dialogl
caption	Macros for constructing interactive LaTeX scripts
author	Downes, Michael J.
license	lppl = The LaTeX Project Public License (free)
version	(2013-01-24)
last changes	2013-01-24
year	2013
description	(no language specified) Gathers together a bunch of code and examples about how to write macros to carry on a dialogue with the user.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dialogl/README
documentation	(no language specified) <i>Tugboat article, overhauled</i> : https://ctan.org/tex-archive/macros/latex/contrib/dialogl/codialog.pdf
– local file	./6926405099-codialog.pdf
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/dialogl/dia-driv.pdf
– local file	./1243882227-dia-driv.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dialogl
on MikTeX	dialogl
on T _E XLive	dialogl
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

1603 *dialogue* – Quote short scripted dialogue in LaTeX

Web page on CTAN <https://ctan.org/pkg/dialogue>

name	dialogue
caption	Quote short scripted dialogue in LaTeX
author	Swift, Matt
license	gpl = GNU General Public License (free)
version	1.1
description	(no language specified) A LaTeX package defining the dialogue environment for citing short passages of scripted dialogue. The package is part of the frankenstein bundle of packages.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/dialogue.pdf
– local file	./3131931398-dialogue.pdf
documentation	(no language specified) <i>Bundle README</i> : https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/frankenstein
on MikTeX	frankenstein
on TeXLive	frankenstein
keyword	quotation (displayed text)
language(s)	no language specified
year	without year
last access	2025-02-07

1604 *dice* – A font for die faces

Web page on CTAN <https://ctan.org/pkg/dice>

name	dice
caption	A font for die faces
author	Heim, Thomas
license	lppl = The LaTeX Project Public License (free)
version	(2012-12-11)

last changes	2012-12-11
year	2012
description	(no language specified) A Metafont font that can produce die faces in 2D or with various 3D effects.
on CTAN	https://ctan.org/tex-archive/fonts/dice
on MikTeX	dice
on T _E XLive	dice
keyword	font-mf (fonts distributed as Metafont source)
keyword	graphics-use (graphics (typesetting actual pictures))
keyword	font (fonts themselves)
see also	see section 1945 on page 1756: (epsdice – A scalable dice “font”)
language(s)	no language specified
last access	2025-02-07

1605 *dichokey* – Construct dichotomous identification keys

Web page on CTAN <https://ctan.org/pkg/dichokey>

name	dichokey
caption	Construct dichotomous identification keys
author	Dam, Nico
license	pd = Public Domain Software (free)
version	(1999-12-17)
last changes	1999-12-17
year	1999
description	(no language specified) The package can be used to construct dichotomous identification keys (used especially in biology for species identification), taking care of numbering and indentation of successive key steps automatically. An example file is provided, which demonstrates usage.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/dichokey/dichokey.pdf
– local file	./1987311106-dichokey.pdf
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/dichokey/rhodocyb.pdf
– local file	./3721326911-rhodocyb.pdf

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dichokey
on MikTeX	dichokey
on T _E XLive	dichokey
keyword	biology (typeset biological data)
see also	see section 2876 on page 2602: (identkey – Typesetting bracketed dichotomous identification keys)
language(s)	no language specified
last access	2025-02-07

1606 *dickimaw* – Books and tutorials from the “Dickimaw LaTeX Series”

Web page on CTAN	https://ctan.org/pkg/dickimaw
name	dickimaw
caption	Books and tutorials from the “Dickimaw LaTeX Series”
author	Talbot, Nicola
license	fdl = Free Documentation License (free)
version	(2014-02-09)
last changes	2014-02-09
year	2014
description	(no language specified) The package provides some of the books and tutorials that form part of the “Dickimaw LaTeX Series”. Only the A4 PDF of each book is detailed here. Other formats, such as HTML or screen optimized PDF, are available from the package home page. Books included are: • “LaTeX for Complete Novices”: an introductory guide to LaTeX. • “Using LaTeX to Write a PhD Thesis”: a follow-on from “LaTeX for Complete Novices” geared towards students who want to use LaTeX to write their PhD thesis. • “Creating a LaTeX minimal example”: describes how to create a minimal example, which can be used as a debugging aid when you encounter errors in your LaTeX documents.
documentation	(no language specified) <i>LaTeX for Complete Novices</i> : https://ctan.org/tex-archive/info/dickimaw/dickimaw-novices.pdf

1607 *dictsym* – DictSym font and macro package

– local file	<code>./5987572944-dickimaw-novices.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/dickimaw/README
documentation	(no language specified) <i>Creating a LaTeX minimal example</i> : https://ctan.org/tex-archive/info/dickimaw/dickimaw-minexample.pdf
– local file	<code>./5103475016-dickimaw-minexample.pdf</code>
documentation	(no language specified) <i>Using LaTeX to Write a PhD Thesis</i> : https://ctan.org/tex-archive/info/dickimaw/dickimaw-thesis.pdf
– local file	<code>./2837302920-dickimaw-thesis.pdf</code>
home page	http://www.dickimaw-books.com/latex/
on CTAN	https://ctan.org/tex-archive/info/dickimaw
on MikTeX	dickimaw
on TeXLive	dickimaw
keyword	tut-latex (tutorial material for LaTeX)
keyword	doc-debug (tools, etc., for “debugging” documents)
language(s)	no language specified
last access	2025-02-07

1607 *dictsym* – DictSym font and macro package

Web page on CTAN <https://ctan.org/pkg/dictsym>

name	DictSym
caption	DictSym font and macro package
author	Schmidt, Walter A.
author	Harcombe, Keiran
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2024-02-04)
last changes	2024-02-04
year	2024

description	(no language specified) This directory contains the DictSym Type1 font designed by Georg Verwey and all files required to use it with LaTeX on the Unix or PC platforms. The font provides a number of symbols commonly used in dictionaries. The accompanying macro package makes the symbols accessible as LaTeX commands.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/dictsym/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/dictsym/doc/dictsym.pdf
– local file	./3842491314-dictsym.pdf
contact	<i>repository</i> : https://gitlab.com/kjhtex/dictsym
on CTAN	https://ctan.org/tex-archive/fonts/dictsym
on MikTeX	dictsym
on T _E XLive	dictsym
keyword	font-symbol (fonts that provide collections of symbols)
keyword	linguistic (support for linguistics)
keyword	font (fonts themselves)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
last access	2025-02-07

1608 *didactic* – Tools for writing teaching material

Web page on CTAN	https://ctan.org/pkg/didactic
name	<i>didactic</i>
caption	Tools for writing teaching material
author	Bosk, Daniel
copyright	Daniel Bosk (2019-2020, 2022, 2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.7 (2024-04-08)
last changes	2024-04-08
year	2024

description	(no language specified) This package provides macros and environments useful for writing teaching material. It provides more semantic environments on top of the standard <code>definition</code>, <code>theorem</code>, and <code>friends</code>: for instance, <code>exercise</code>, <code>activity</code> and <code>question</code>. These are suitably colour-coded when used with Beamer. They occur as "normal" text in handouts produced by <code>beamerarticle</code> (same style as <code>definition</code> usually has). It also provides macros for typesetting code listings and output side by side. Finally, it modifies the appearance of beamer (Berlin-based theme) and memoir (Tufte style layout), if loaded. It is designed to be used with beamer to produce slides and <code>beamerarticle</code> with memoir to produce notes and handouts from the same source.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/didactic/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/didactic/didactic.pdf
– local file	<code>./3633312929-didactic.pdf</code>
contact	<i>bugs</i> : https://github.com/dbosk/didactic/issues
contact	<i>repository</i> : https://github.com/dbosk/didactic
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/didactic
on MikTeX	<code>didactic</code>
on TeXLive	<code>didactic</code>
keyword	<code>teaching</code> (support for teachers and teaching administrators)
keyword	<code>presentation</code> (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2025-02-07

1609 *didec* – Fixed-point arithmetic with two decimal places

Web page on CTAN <https://ctan.org/pkg/didec>

name	<code>didec</code>
caption	Fixed-point arithmetic with two decimal places
author	Sturm, Thomas F.
copyright	Prof. Dr. Dr. Thomas F. Sturm (2024-2026)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)

1610 *diffcoeff* – Write differential coefficients easily and consistently

version	1.2.0 (2026-03-02)
last changes	2026-03-02
year	2026
description	(no language specified) This package supports fixed-point arithmetic with two decimal places (di-decimal) which is typical for financial transactions in many currencies. The intended use case is (personal) bookkeeping.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/didec/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/didec/didec.pdf
– local file	<code>./5025450142-didec.pdf</code>
home page	https://github.com/T-F-S/didec
contact	<i>bugs</i> : https://github.com/T-F-S/didec/issues
contact	<i>repository</i> : https://github.com/T-F-S/didec.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/didec
on MikTeX	didec
on T _E XLive	didec
keyword	invoice (typesetting and calculating invoices)
keyword	arithmetic (perform and typeset arithmetic problems)
keyword	tagged-pdf (tagged PDF compatible)
keyword	calculation (perform calculations within TeX)
language(s)	no language specified
last access	2026-04-10

1610 *diffcoeff* – Write differential coefficients easily and consistently

Web page on CTAN	https://ctan.org/pkg/diffcoeff
name	diffcoeff
caption	Write differential coefficients easily and consistently
author	Parsloe, Andrew
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	5.6 (2025-12-19)

1611 digestif – Editor plugin for LaTeX, ConTeXt etc

last changes	2025-12-19
year	2025
description	(no language specified) This package allows the easy and consistent writing of ordinary, partial and other derivatives of arbitrary (algebraic or numeric) order. For mixed partial derivatives, the total order of differentiation is calculated by the package. Optional arguments allow specification of points of evaluation (ordinary derivatives), or variables held constant (partial derivatives), and the placement of the differentiant (numerator or appended). The package is built on xtemplate and the configurability it enables, extending to differentials (including simple line elements) and jacobians.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/diffcoeff/diffcoeff.pdf
– local file	<code>./7477044502-diffcoeff.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/diffcoeff/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/diffcoeff
on MikTeX	<code>diffcoeff</code>
on T _E XLive	<code>diffcoeff</code>
keyword	<code>tagged-pdf</code> (tagged PDF compatible)
keyword	<code>maths</code> (support for typesetting mathematics)
see also	see section 1583 on page 1436 : (<code>derivative</code> – Nice and easy derivatives)
language(s)	no language specified
last access	2026-04-10

1611 digestif – Editor plugin for LaTeX, ConTeXt etc

Web page on CTAN <https://ctan.org/pkg/digestif>

name	<code>digestif</code>
caption	Editor plugin for LaTeX, ConTeXt etc
author	Stoffel, Augusto
copyright	Augusto Stoffel (2018-2022)
license	fdl = Free Documentation License (free)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
license	gpl3+ = GNU General Public License, version 3 or newer (free)

1612 digicap-pro – Creates captions to digital photos

version	0.6
description	(no language specified) Digestif is a code analyzer, and a language server, for LaTeX, plain TeX, ConTeXt and Texinfo. It provides context-sensitive completion, documentation, code navigation, and related functionality to any text editor that speaks the LSP protocol.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/digestif/README.md
contact	<i>bugs:</i> https://github.com/astoff/digestif/issues
contact	<i>repository:</i> https://github.com/astoff/digestif
on CTAN	https://ctan.org/tex-archive/support/digestif
on MikTeX	digestif
on T _E XLive	digestif
keyword	use-lua (package requires availability of lua)
keyword	editor-extn (plug-ins for editors, for better (La)TeX and Meta* support)
keyword	use-luatex (package will use LuaTeX facilities if available)
language(s)	no language specified
year	2022
last access	2025-02-11

1612 digicap-pro – Creates captions to digital photos

Web page on CTAN <https://ctan.org/pkg/digicap-pro>

name	digicap-pro
caption	Creates captions to digital photos
author	Story, Donald P.
copyright	D. P. Story (2018)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	(2018-05-13)
last changes	2018-05-13
year	2018

1613 *digiconfigs* – Writing ”configurations”

description	(no language specified) The digicap-pro package creates captions to digital photos or graphics and selectively places them on top with a selected opacity. Captions can be static or they can be rollovers. As a bonus, the document author can create a photo album complete with thumbnail versions of the photos, which when clicked, the fullsize photo appears with caption and title. Adobe Distiller is required.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/digicap-pro/doc/digicap-pro.pdf
– local file	./9364184107-digicap-pro.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/digicap-pro/README.md
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/digicap-pro/examples/photo-album/eastern_trip_ls.pdf
– local file	./3500895344-eastern_trip_ls.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/digicap-pro
on MikTeX	digicap-pro
keyword	adobe-distiller (convert PostScript to PDF using Adobe Distiller)
keyword	caption (typesetting captions)
language(s)	no language specified
last access	2025-02-07

1613 *digiconfigs* – Writing ”configurations”

Web page on CTAN	https://ctan.org/pkg/digiconfigs
name	digiconfigs
caption	Writing ”configurations”
author	Madsen, Lars
license	lppl = The LaTeX Project Public License (free)
version	0.5

description	(no language specified) In Stochastic Geometry and Digital Image Analysis some problems can be solved in terms of so-called "configurations". A configuration is basically a square matrix of <code>\circ</code> and <code>\bullet</code> symbols. This package provides a convenient and compact mechanism for displaying these configurations.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/digiconfigs/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/digiconfigs/digiconfigs.pdf
– local file	<code>./1021919376-digiconfigs.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/digiconfigs
on MikTeX	<code>digiconfigs</code>
on TeXLive	<code>digiconfigs</code>
keyword	diagram (diagrams)
language(s)	no language specified
year	without year
last access	2025-02-07

1614 *dijkstra* – Dijkstra algorithm for LaTeX

Web page on CTAN	https://ctan.org/pkg/dijkstra
name	<code>dijkstra</code>
caption	Dijkstra algorithm for LaTeX
author	Tellechea, Christian
copyright	Christian Tellechea (2017-2020)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.13 (2022-10-01)
last changes	2022-10-01
year	2022

description	(no language specified) This small package uses the Dijkstra algorithm for weighted graphs, directed or not: the search table of the shortest path can be displayed, the minimum distance between two vertices and the corresponding path are stored in macros. This packages depends on simplekv .
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/dijkstra/dijkstra-fr.pdf
– local file	<code>./6718079526-dijkstra-fr.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dijkstra/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dijkstra
on MikTeX	<code>dijkstra</code>
on TeXLive	<code>dijkstra</code>
keyword	maths (support for typesetting mathematics)
keyword	automata (finite-state machines, automata, labelled graphs, etc.)
language(s)	French
last access	2025-02-07

1615 *dimnum* – Commands for dimensionless numbers

Web page on CTAN	https://ctan.org/pkg/dimnum
name	<code>dimnum</code>
caption	Commands for dimensionless numbers
author	Clemente, Miguel R.
copyright	Miguel R. Clemente (2021)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0.1 (2021-04-05)
last changes	2021-04-05
year	2021
description	(no language specified) This package simplifies the calling of Dimensionless Numbers in math or text mode.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dimnum/README.md

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/dimnum/dimnum.pdf
– local file	./1199617873-dimnum.pdf
contact	<i>repository</i> : https://github.com/CptRolinho/dimnum
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dimnum
on MikTeX	dimnum
on T _E XLive	dimnum
keyword	<code>abbrev</code> (macros for defining abbreviations in documents)
keyword	<code>numbers</code> (formatting numbers, etc)
keyword	<code>chemistry</code> (chemistry document support)
keyword	<code>physics</code> (support for typesetting physics documents)
language(s)	no language specified
last access	2025-02-07

1616 *din1505* – Bibliography styles for German texts

Web page on CTAN	https://ctan.org/pkg/din1505
name	din1505
caption	Bibliography styles for German texts
author	Baumann, Helge
author	Lorenzen, Klaus F.
copyright	K. F. Lorenzen (1994-2006)
license	other-free = Free license not otherwise listed (free)
version	(2006-02-13)
last changes	2006-02-13
year	2006
description	(no language specified) A set of bibliography styles that conform to DIN 1505, and match the original BibTeX standard set (<code>plain</code> , <code>unsrt</code> , <code>alpha</code> and <code>abbrv</code>), together with a style <code>natdin</code> to work with natbib .
documentation	(German) <i>Example 1</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/german/din1505/leitbild3.pdf
– local file	./2724180146-leitbild3.pdf

documentation	(German) <i>Example 2</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/german/din1505/normpatsoft.pdf
– local file	./4904055116-normpatsoft.pdf
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/german/din1505
on MikTeX	din1505
on T _E XLive	din1505
keyword	bibtex-sty (bibtex-sty(unknown))
see also	see section 1617 on page 1467: (dinat – Bibliography style for German texts)
language(s)	German
last access	2025-02-07

1617 *dinat* – Bibliography style for German texts

Web page on CTAN	https://ctan.org/pkg/dinat
name	dinat
caption	Bibliography style for German texts
author	Baumann, Helge
license	pd = Public Domain Software (free)
version	2.5
description	(no language specified) Bibliography style files intended for texts in german. They draw up bibliographies in accordance with the german DIN 1505, parts 2 and 3.
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/german/dinat/dinat-index.html
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/german/dinat
on MikTeX	dinat
on T _E XLive	dinat
keyword	bibtex-sty (bibtex-sty(unknown))
see also	see section 1616 on page 1466: (din1505 – Bibliography styles for German texts)
language(s)	German
year	without year

last access 2025-02-07

1618 *dinbrief* – German letter DIN styleWeb page on CTAN <https://ctan.org/pkg/dinbrief>name *dinbrief*

caption German letter DIN style

author Gussmann, Richard

author Braune, Klaus Dieter

license lppl = The LaTeX Project Public License (free)

description (no language specified) Implements a document layout for writing letters according to the rules of DIN (Deutsches Institut für Normung, German standardisation institute). A style file for LaTeX 2.09 (with limited support of the features) is part of the package. Since the letter layout is based on a German standard, the user guide is written in German, but most macros have English names from which the user can recognize what they are used for. In addition there are example files showing how letters may be created with the package.

A graphical interface for use of the *dinbrief* is provided in the [dinbrief-GUI](#) bundle.

documentation (English) *Package Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/dinbrief/readme>

documentation (no language specified) *User Guide and Implementation*: <https://ctan.org/tex-archive/macros/latex/contrib/dinbrief/dinbrief.pdf>

– local file ./4437813978-dinbrief.pdf

documentation (German) *Package Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/dinbrief/liesmich>

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/dinbrief>

on MikTeX *dinbrief*on T_EXLive *dinbrief*

keyword std-conform (support conformance to standards)

keyword letter (typesetting letters, envelopes, faxes, etc)

keyword class (alternative LaTeX class(es))

see also see section 2435 on page 2200: (g-brief – Letter document class)

see also see section 2355 on page 2134: (formlett – Letters to multiple recipients)

see also	see section 115 on page 105: (<i>akletter</i> – Comprehensive letter support)
see also	see section 1928 on page 1742: (<i>envlab</i> – Addresses on envelopes or mailing labels)
language(s)	German; English
year	without year
last access	2025-02-07

1619 *dinbrief-gui* – GUI for LaTeX package *dinbrief*

Web page on CTAN <https://ctan.org/pkg/dinbrief-gui>

name	<i>dinbrief-gui</i>
caption	GUI for LaTeX package <i>dinbrief</i>
author	Busch, Wolf-Dieter
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Graphical user interface for the LaTeX package <i>dinbrief</i> . The GUI is available as a Windows executable, as a Tcl/Tk script, and as Tclkit. It's small, fast, and for just writing letters, it's better-featured than any word processor!
on CTAN	https://ctan.org/tex-archive/support/dinbrief-gui
keyword	letter (typesetting letters, envelopes, faxes, etc)
language(s)	no language specified
year	without year
last access	2025-02-07

1620 *dingbat* – Two dingbat symbol fonts

Web page on CTAN <https://ctan.org/pkg/dingbat>

name	<i>dingbat</i>
caption	Two dingbat symbol fonts
author	Henderson, Doug
author	Pakin, Scott
license	lppl = The LaTeX Project Public License (free)
version	1.0

1621 directory – An address book using BibTeX

description	(no language specified) The fonts (ark10 and dingbat) are specified in Metafont; support macros are provided for use in LaTeX. An Adobe Type 1 version of the fonts is available in the niceframe fonts bundle.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/dingbat/README
documentation	(no language specified) <i>Package details including symbol table</i> : https://ctan.org/tex-archive/fonts/dingbat/dingbat.pdf
– local file	<code>./1191238836-dingbat.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/dingbat
on MikTeX	dingbat
on TeXLive	dingbat
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-symbol</code> (fonts that provide collections of symbols)
language(s)	no language specified
year	without year
last access	2025-02-07

1621 directory – An address book using BibTeX

Web page on CTAN	https://ctan.org/pkg/directory
name	directory
caption	An address book using BibTeX
author	Geuzaine, Christophe
license	lppl = The LaTeX Project Public License (free)
version	1.20
description	(no language specified) A package for LaTeX and BibTeX that facilitates the construction, maintenance and exploitation of an address book-like database.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/directory/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/directory/directory.pdf
– local file	<code>./7673052126-directory.pdf</code>

home page	http://geuz.org/directory
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/directory
on MikTeX	directory
on T _E XLive	directory
keyword	addr-list (lists of addresses, for a personal directory (or the like))
language(s)	no language specified
year	without year
last access	2025-02-07

1622 directtex – TeX for the Macintosh

Web page on CTAN	https://ctan.org/pkg/directtex
name	directtex
caption	TeX for the Macintosh
author	Ricken, Wilfried
license	shareware = Shareware: A fee is required (not free)
version	2.1.2
description	(no language specified) DirectTeX Pro contains a shell, an integrated text editor, an integrated tool to view and print DVI files, TeX 3.14159, Metafont 2.718, BibTeX, MakeIndex, dvips, all TeX and Metafont related tools like DVIType, GFToPK,... No other software is needed for typesetting and printing TeX documents.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/systems/mac/directtex/dtmanual.pdf
– local file	./9513025126-dtmanual.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/systems/mac/directtex/README
on CTAN	https://ctan.org/tex-archive/obsolete/systems/mac/directtex
keyword	distribution (components (or support) of TeX distribution)
language(s)	no language specified
year	without year
last access	2025-02-07

1623 dirtree – Display trees in the style of windows explorer

Web page on CTAN <https://ctan.org/pkg/dirtree>

name	dirtree
caption	Display trees in the style of windows explorer
author	Charpentier, Jean-Côme
copyright	Jean-Côme Charpentier (2004-2009)
license	lppl = The LaTeX Project Public License (free)
version	0.32
description	(no language specified) This package is designed to emulate the way windows explorer displays directory and file trees, with the root at top left, and each level of subtree displaying one step in to the right. The macros work equally well with Plain TeX and with LaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/dirtree/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/dirtree/dirtree.pdf
– local file	./2613688907-dirtree.pdf
on CTAN	https://ctan.org/tex-archive/macros/generic/dirtree
on MikTeX	dirtree
on T _E XLive	dirtree
keyword	tree (mechanisms for drawing trees)
language(s)	no language specified
year	2009
last access	2025-02-07

1624 dirtreex – Directory tree rendering for LaTeX with TikZ

Web page on CTAN <https://ctan.org/pkg/dirtreex>

name	dirtreex
caption	Directory tree rendering for LaTeX with TikZ
author	CloudCauldron
license	lpp1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2026-04-26)
last changes	2026-04-26
year	2026
description	(no language specified) This package provides a self-contained tool for rendering directory trees in an optionally breakable, fully styleable frame. Built directly on TikZ and zref, it works natively without requiring tcolorbox, dirtree, shell escape, or external scripts. Its main features include automatically tracked depth, so that <code>\dir</code> and <code>\file</code> commands can be nested naturally; breakable frames whose borders, background, and vertical connection lines continue across page boundaries; extensive customization with per-tree and per-entry settings for line colors, line widths, and elbow radii; and CJK-friendly operation with ctex and LuaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dirtreex/README.md
documentation	(no language specified) <i>Examples of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/dirtreex/dirtreex_examples.pdf
– local file	./6633203701-dirtreex_examples.pdf
home page	https://github.com/CloudCauldron/dirtreex
contact	<i>bugs</i> : https://github.com/CloudCauldron/dirtreex/issues
contact	<i>repository</i> : https://github.com/CloudCauldron/dirtreex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dirtreex
on T _E XLive	dirtreex
keyword	tree (mechanisms for drawing trees)
see also	see section 1623 on page 1472: (<i>dirtree</i> – Display trees in the style of windows explorer)
language(s)	no language specified
last access	2026-04-29

1625 **dirtytalk** – A package to typeset quotations easier

Web page on CTAN <https://ctan.org/pkg/dirtytalk>

name	dirtytalk
caption	A package to typeset quotations easier
author	Klammler, Moritz
copyright	M. Klammler (2010)
license	pd = Public Domain Software (free)
version	1.0
description	(no language specified) The package provides a macro to typeset quotations, using the command <code>\say{ stuff }</code> . The quotation mark glyphs are inserted by the macro; nested quotations are detected.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dirtytalk/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/dirtytalk/dirtytalk.pdf
– local file	./1352505319-dirtytalk.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dirtytalk
on MikTeX	dirtytalk
on T _E XLive	dirtytalk
keyword	quote-marks (manage (possibly language dependent) quote marks)
language(s)	no language specified
year	2010
last access	2025-02-07

1626 **disser** – Class and templates for typesetting dissertations in Russian

Web page on CTAN <https://ctan.org/pkg/disser>

name	disser
caption	Class and templates for typesetting dissertations in Russian
author	Kruchinin, Stanislav
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.5.0

description	(no language specified) <i>Disser</i> comprises a document class and set of templates for typesetting dissertations in Russian. One of its primary advantages is a simplicity of format specification for titlepage, headers and elements of automatically generated lists (table of contents, list of figures, etc). Bibliography styles, that conform to the requirements of the Russian standard GOST R 7.0.11-2011, are provided.
documentation	<i>Readme (Russian)</i> : https://ctan.org/tex-archive/macros/latex/contrib/disser/README-ru.md
documentation	<i>Readme (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/disser/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/disser
on MikTeX	<i>disser</i>
on TeXLive	<i>disser</i>
keyword	<i>dissertation</i> (typesetting dissertations, theses, etc.)
keyword	<i>class</i> (alternative LaTeX class(es))
language(s)	English; Russian
year	without year
last access	2025-02-07

1627 *ditaa* – Use *ditaa* diagrams within LaTeX documents

Web page on CTAN	https://ctan.org/pkg/ditaa
name	<i>ditaa</i>
caption	Use <i>ditaa</i> diagrams within LaTeX documents
author	Ukai, Hiroshi
copyright	Hiroshi Ukai (2018)
license	lppl = The LaTeX Project Public License (free)
version	0.9
description	(no language specified) With this package <i>ditaa</i> (Diagrams Through Ascii Art) diagrams can be embedded directly into LaTeX files.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ditaa/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ditaa/ditaa.pdf
– local file	<code>./7519395531-ditaa.pdf</code>

home page	https://github.com/dakusui/latex-ditaa
contact	<i>announce:</i> https://github.com/dakusui/latex-ditaa/wiki/Announcements
contact	<i>bugs:</i> https://github.com/dakusui/latex-ditaa/issues
contact	<i>repository:</i> https://github.com/dakusui/latex-ditaa.git
contact	<i>development:</i> https://github.com/dakusui/latex-ditaa/issues/1
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ditaa
on MikTeX	ditaa
on T _E XLive	ditaa
keyword	diagram (diagrams)
language(s)	no language specified
year	2018
last access	2025-02-07

1628 *dithesis* – A class for undergraduate theses at the University of Athens

Web page on CTAN	https://ctan.org/pkg/dithesis
name	<i>dithesis</i>
caption	A class for undergraduate theses at the University of Athens
author	Mantzouratos, Yannis
license	lppl = The LaTeX Project Public License (free)
version	0.2
description	(no language specified) The class conforms to the requirements of the Department of Informatics and Telecommunications at the University of Athens regarding the preparation of undergraduate theses, as of Sep 1, 2011. The class is designed for use with XeLaTeX; by default (on a Windows platform), the font Arial is used, but provision is made for use under Linux (with a different sans-serif font).
documentation	(no language specified) <i>Package sample, serving as documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/dithesis/sample.pdf
– local file	./8454005131-sample.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/dithesis/README

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dithesis
on MikTeX	dithesis
on T _E XLive	dithesis
keyword	greek (support for typesetting Greek)
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

1629 *divine* – LaTeX support for the divine font

Web page on CTAN	https://ctan.org/pkg/divine
name	divine
caption	LaTeX support for the divine font
author	Veytsman, Boris
copyright	Boris Veytsman (2013)
license	other-free = Free license not otherwise listed (free)
version	1.0
description	(no language specified) The package provides support files for the Divine Font Family from the T-26 foundry .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/divine/README
documentation	(no language specified) <i>Font sample</i> : https://ctan.org/tex-archive/fonts/divine/fdvsample.pdf
– local file	./4242218137-fdvsample.pdf
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/divine/divine.pdf
– local file	./4372155886-divine.pdf
on CTAN	https://ctan.org/tex-archive/fonts/divine
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	2013

last access 2025-02-07

1630 *djgpp* – DJGPP-based version of TeX for MS-DOS

Web page on CTAN <https://ctan.org/pkg/djgpp>

name	djgpp
caption	DJGPP-based version of TeX for MS-DOS
author	Zaretskii, Eli
license	noinfo = noinfo
description	(no language specified) This is a port of the Web2C distribution to use the DJGPP 2.01 environment.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/msdos/djgpp/TeX.README
on CTAN	https://ctan.org/tex-archive/systems/msdos/djgpp
keyword	distribution (components (or support) of TeX distribution)
language(s)	no language specified
year	without year
last access	2025-02-07

1631 *dk-bib* – Danish variants of standard BibTeX styles

Web page on CTAN <https://ctan.org/pkg/dk-bib>

name	dk-bib
caption	Danish variants of standard BibTeX styles
author	Jørgensen, Arne
copyright	Arne Jørgensen (2001-2005)
license	other-free = Free license not otherwise listed (free)
version	0.6
description	(no language specified) Dk-bib is a translation of the four standard BibTeX style files (abbrv, alpha, plain and unsrt) and the apalike style file into Danish. The files have been extended with URL, ISBN, ISSN, annote and printing fields which can be enabled through a LaTeX style file. Dk-bib also comes with a couple of Danish sorting order files for BibTeX8.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/dk-bib/dk-bib.pdf
– local file	./7976281195-dk-bib.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/dk-bib/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/dk-bib
on MikTeX	dk-bib
on T _E XLive	dk-bib
keyword	danish (support for typesetting, or documentation in Danish)
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
year	2005
last access	2025-02-07

1632 dkhyphen – Danish hyphenation patterns

Web page on CTAN	https://ctan.org/pkg/dkhyphen
name	dkhyphen
caption	Danish hyphenation patterns
author	Jensen, Frank
copyright	Frank Jensen (1994)
license	lppl = The LaTeX Project Public License (free)
version	(2004-07-29)
last changes	2004-07-29
year	2004
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/hyphenation/dkhyphen/README
on CTAN	https://ctan.org/tex-archive/language/hyphenation/dkhyphen
on T _E XLive	hyphen-danish
keyword	hyphenation (macros or tables for hyphenation)
keyword	danish (support for typesetting, or documentation in Danish)

language(s) no language specified
 last access 2025-02-07

1633 dktools – Tools and libraries by Dirk Krause

Web page on CTAN <https://ctan.org/pkg/dktools>

name dktools
 caption Tools and libraries by Dirk Krause
 author Krause, Dirk
 license bsd3 = 3-clause BSD License (free)
 description (no language specified) This bundle, which provides a number of tools and libraries by Dirk Krause, is no longer available on CTAN. It is now available only at [its SourceForge project page](#) .

The project does not contain any LaTeX packages, but source code to build executable programs. During the last years, many programs unrelated to LaTeX have been added. Therefore, the CTAN is no longer a suitable place to host the entire project.

The programs related to LaTeX are:

- `wxdkdraw` : Minimalistic drawing program for use with LaTeX
- `wxd2lat` : Convert `wxdkdraw` drawings to PDF+TeX, EPS+TeX, TeX (PGF)
- [bmpp](#) : Convert PNG, JPEG, TIFF to PDF, PS, EPS
- [fig2lat](#) : Convert *.fig to PS(+TeX), PDF(+TeX), PGF
- `dk-t2l` : Convert plain text to LaTeX
- `plpdfTeX` : Output driver for `octpgfpl` to produce PDF+TeX

home page <https://sourceforge.net/projects/dktools/>
 keyword collection (a collection of packages)
 language(s) no language specified
 year without year
 last access 2025-02-07

1634 `dlfltxb` – Macros related to "Introduktion til LaTeX"

Web page on CTAN <https://ctan.org/pkg/dlfltxb>

name	<code>dlfltxb</code>
caption	Macros related to "Introduktion til LaTeX"
author	Madsen, Lars
license	lppl = The LaTeX Project Public License (free)
version	(2010-03-04)
last changes	2010-03-04
year	2010
description	(no language specified) The bundle contains various macros either used for creating the author's book "Introduktion til LaTeX" (in Danish), or presented in the book as code tips.

The bundle comprises:

- `dlfltxbcodetips`: various macros helpful in typesetting mathematics;
- `dlfltxbmarkup`: provides macros used throughout, for registering macro names, packages etc. in the text, in the margin and in the index, all by using categorised keys (note, a configuration file may be used; a sample is included in the distribution);
- `dlfltxbtocconfig`: macros for the two tables of contents that the book has;
- `dlfltxbmisc`: various macros for typesetting LaTeX arguments, and the macro used in the bibliography that can wrap a URL up into a BibTeX entry.

Interested parties may review the book itself on the web at [the author's institution](#) (it is written in Danish).

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dlfltxb/README
documentation	(no language specified) <i>dlfltxbmarkup package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/dlfltxb/dlfltxbmarkup.pdf
– local file	<code>./7397278295-dlfltxbmarkup.pdf</code>
documentation	(no language specified) <i>dlfltxbmisc package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/dlfltxb/dlfltxbmisc.pdf
– local file	<code>./5372311114-dlfltxbmisc.pdf</code>

documentation	(no language specified) <i>dlfltxbcodetips</i> package documentation: https://ctan.org/tex-archive/macros/latex/contrib/dlfltxb/dlfltxbcodetips.pdf
– local file	<code>./7604238218-dlfltxbcodetips.pdf</code>
documentation	(no language specified) <i>dlfltxbmarkup</i> key description summary: https://ctan.org/tex-archive/macros/latex/contrib/dlfltxb/dlfltxbmarkup-showkeys.pdf
– local file	<code>./7895849931-dlfltxbmarkup-showkeys.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dlfltxb
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/dlfltxb.tds.zip
on MikTeX	dlfltxb
on TeXLive	dlfltxb
keyword	book-ex (copies of examples from a published book)
keyword	danish (support for typesetting, or documentation in Danish)
language(s)	no language specified
last access	2025-02-07

1635 *dlrg-templates* – Templates for the German Lifesaving Association (DLRG)

Web page on CTAN	https://ctan.org/pkg/dlrg-templates
name	dlrg-templates
caption	Templates for the German Lifesaving Association (DLRG)
author	Pieper, Johannes
copyright	Johannes Pieper (2011-2025)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1.0 (2025-03-15)
last changes	2025-03-15
year	2025
description	(no language specified) This bundle provides templates for members of the German Lifesaving Association (DLRG). This includes the letter template, presentations, specialist publications and press releases. These templates are based on the current cooperative design. They can be adapted to the local structure with simple settings.

documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/dlrg-templates/doc/dlrg.pdf
– local file	./7889079568-dlrg.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dlrg-templates/README
contact	<i>bugs</i> : https://gitlab.com/dlrg-fs/dlrg_latex/-/issues
contact	<i>repository</i> : https://gitlab.com/dlrg-fs/dlrg_latex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dlrg-templates
keyword	letter (typesetting letters, envelopes, faxes, etc)
keyword	essay (course work essays, assignments, etc.)
keyword	doc-templ (template to guide document development)
keyword	presentation (slides, beamers, handouts, etc.)
keyword	std-conform (support conformance to standards)
language(s)	German
last access	2025-03-15

1636 *dmfonts* – Virtual fonts to provide T1 encoding

Web page on CTAN <https://ctan.org/pkg/dmfonts>

name	dmfonts
caption	Virtual fonts to provide T1 encoding
author	Kunert, Volker
author	Sullivan, Wayne
copyright	Volker Kunert (1995)
license	other-free = Free license not otherwise listed (free)
description	(no language specified) A set of virtual fonts to provide a simulacrum of the DC (i.e., prototype Computer Modern T1-encoded) fonts, from previously existing resources such as Knuth's Computer Modern. The similar AE set, based on the final version of T1-fonts specification, is recommended in place of this obsolete package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/fonts/dmfonts/README
on CTAN	https://ctan.org/tex-archive/obsolete/fonts/dmfonts

keyword	obsolete (package declared obsolete)
keyword	font (fonts themselves)
keyword	font-virtual (virtual font(s) using existing fonts)
see also	see section 6911 on page 6237: (zefonts – Virtual fonts to provide T1 encoding from existing fonts)
see also	see section 85 on page 78: (ae – Virtual fonts for T1 encoded CMR-fonts)
language(s)	no language specified
year	1995
last access	2025-02-07

1637 *dmhgener* – Equation, figure (etc.) numbering and referencing

Web page on CTAN <https://ctan.org/pkg/dmhgener>

name	dmhgener
caption	Equation, figure (etc.) numbering and referencing
license	noinfo = noinfo
version	(1992-08-27)
last changes	1992-08-27
year	1992
description	(no language specified) The file provides a set of macros for numbering equations, figures and tables, and also a method for citing these objects and for citing things in separate documents. All references are numbered per chapter, and a chapter command is provided that deals with the chapter number. (Section and subsection commands are also provided, but with no provision for numbering.)
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/dmhgener.tex
keyword	label-ref (label and reference systems)
language(s)	no language specified
last access	2025-02-07

1638 dnaseq – Format DNA base sequences

Web page on CTAN <https://ctan.org/pkg/dnaseq>

name	dnaseq
caption	Format DNA base sequences
author	Pedersen, Bjørn
license	lppl = The LaTeX Project Public License (free)
version	0.01
description	(no language specified) Defines a means of specifying sequences of bases. The bases may be numbered (per line) and you may specify that subsequences be coloured. For a more ‘vanilla-flavoured’ way of typesetting base sequences, the user might consider the seqsplit package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dnaseq/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/dnaseq/dnaseq.pdf
– local file	./7088379404-dnaseq.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dnaseq
on MikTeX	dnaseq
on TeXLive	dnaseq
keyword	molbio (support for typesetting molecular biology)
language(s)	no language specified
year	without year
last access	2025-02-07

1639 dnsrecord – Typeset DNS records, zone files, propagation tables, and DNSSEC chains

Web page on CTAN <https://ctan.org/pkg/dnsrecord>

name	dnsrecord
caption	Typeset DNS records, zone files, propagation tables, and DNSSEC chains
author	Shaik, Vahid
copyright	Vahid Shaik (2026)

license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.0 (2026-03-09)
last changes	2026-03-09
year	2026
description	(no language specified) A comprehensive LaTeX package for typesetting DNS (Domain Name System) data in technical documents. Provides 22 color-coded record type commands (A, AAAA, CNAME, MX, NS, TXT, SOA, PTR, SRV, CAA, DNSKEY, DS, RRSIG, NSEC, NSEC3, TLSA, HTTPS, SVCB, SPF, DKIM, DMARC), seven environments for zone file tables, propagation status displays, DNSSEC chain-of-trust diagrams, DNS health check reports, email authentication summaries, latency comparisons, and provider tables. Includes utility commands for formatting domains, IPs, TTLs with human-readable conversion, DNS response codes, and query flags. Designed for network engineers, system administrators, security researchers, and computer science academics writing papers, theses, and operational documentation.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dnsrecord/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/dnsrecord/dnsrecord.pdf
– local file	./9007137720-dnsrecord.pdf
home page	https://dnsrobot.net
contact	<i>bugs</i> : https://github.com/dnsrobot/latex-dnsrecord/issues
contact	<i>repository</i> : https://github.com/dnsrobot/latex-dnsrecord
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dnsrecord
on T _E XLive	dnsrecord
keyword	engineering (typesetting associated with engineering of whatever sort)
language(s)	no language specified
last access	2026-04-10

1640 do-it-yourself-tex – Back to Plain XeTeX

Web page on CTAN <https://ctan.org/pkg/do-it-yourself-tex>

name	do-it-yourself-tex
caption	Back to Plain XeTeX
author	Herz-Fischler, Roger

license	pd = Public Domain Software (free)
version	1.3 (2019-03-17)
last changes	2019-03-17
year	2019
description	(no language specified) This package provides a collection of easily modifiable forms, macros and sample texts for use with plain TeX/XeTeX. Plain TeX, as demonstrated by the myriad of articles and books dating from before the advent of LaTeX, is capable of producing fine typography. It has the advantage of not being as obscure as far as macros, font designation etc. are concerned, and this package is intended to be another contribution to the repertoire in terms of macros, forms and examples. XeTeX, which works without the necessity of further manipulation of classical TeX documents, has the further advantage of understanding Unicode, for which many open source fonts are available. In addition, XeTeX's immediate output is an extended variant of DVI format, which is ordinarily processed by a tightly bound processor (called <code>xdvipdfmx</code>) that produces PDF, i.e. if you type: <code>xetex file_01.tex</code>, you obtain: <code>file_01.pdf</code>. This package provides easily modifiable forms and macros which illustrate how plain XeTeX can be used to produce high quality texts with such features as precise font designations, imported images, marginal notes, colour, right to left texts and syllabics. Real examples are provided in both the TeX and PDF versions. A set of shell files, font tables, and an HTML page with links to font sources are also provided.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/xetex/plain/do-it-yourself-tex/do-it-yourself-tex.pdf
– local file	<code>./2348651553-do-it-yourself-tex.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/xetex/plain/do-it-yourself-tex/README.txt
home page	http://people.math.carleton.ca/~rhfischl
on CTAN	https://ctan.org/tex-archive/macros/xetex/plain/do-it-yourself-tex
keyword	<code>xetex</code> (XeTeX, material supporting it, and packages requiring it)
keyword	<code>use-xetex</code> (package will use XeTeX facilities if available)
keyword	<code>tut-plaintex</code> (tutorial material for Plain TeX)
language(s)	no language specified
last access	2026-04-10

1641 doafter – Do things after a group

Web page on CTAN <https://ctan.org/pkg/doafter>

name	doafter
caption	Do things after a group
author	Wooding, Mark
copyright	Peter Schmitt and Mark Wooding (1996)
license	gpl = GNU General Public License (free)
version	1.2
description	(no language specified) The doafter package provides a <code>\doafter</code> command that allows you to execute a single token (typically a command) after a TeX group (either between braces or <code>\begingroup / \endgroup</code>) and all <i>its</i> <code>\aftergroup</code>-saved stuff. The package is part of the mdwtools bundle.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mdwtools/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mdwtools/doafter.pdf
– local file	<code>./1213172599-doafter.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mdwtools
on MikTeX	mdwtools
on TeXLive	mdwtools
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	1996
last access	2025-02-07

1642 doc – Format LaTeX documentation

Web page on CTAN <https://ctan.org/pkg/doc>

name	doc
caption	Format LaTeX documentation
author	Mittelbach, Frank
author	The LaTeX Project Team
copyright	The LaTeX3 Project et al. (1993-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.0q (2024-12-25)
last changes	2024-12-25
year	2024
description	(no language specified) The package provides definitions that are necessary to format the documentation of LaTeX kernel and package source files (Literate LaTeX), which incorporate both the documentation and the code. This package is part of the LaTeX distribution.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/base/doc.pdf
– local file	<code>./6699560170-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/base
on MikTeX	ltxbase
on TeXLive	latex
keyword	doc-suppl (macros and tools for preparing documentation)
keyword	tagged-pdf-incompatible (tagged PDF incompatible)
see also	see section 1651 on page 1497 : (<code>docstrip</code> – Remove comments from file)
see also	see section 1678 on page 1520 : (<code>dox</code> – Extend the doc package)
language(s)	no language specified
last access	2026-04-10

1643 *doc-pictex* – A summary list of *PicTeX* documentation

Web page on CTAN <https://ctan.org/pkg/doc-pictex>

name	doc-pictex
caption	A summary list of <i>PicTeX</i> documentation
author	Lück, Uwe
license	other-free = Free license not otherwise listed (free)
version	(2008-08-15)
last changes	2008-08-15
year	2008
description	(no language specified) A summary of available resources providing (or merely discussing) documentation of <i>PicTeX</i> .
contact	<i>support</i> : http://www.webdesign-bu.de/uwe_lueck/contact.html
on CTAN	https://ctan.org/tex-archive/info/pictex/Doc-PiCTeX.txt
on T _E XLive	doc-pictex
keyword	doc-mgmt (support for keeping track of document development)
language(s)	no language specified
last access	2025-02-07

1644 *docarc* – Multi-user distributed bibliographic database system

Web page on CTAN <https://ctan.org/pkg/docarc>

name	docarc
caption	Multi-user distributed bibliographic database system
author	Kieling, Konrad
license	other-free = Free license not otherwise listed (free)
version	0.9.4
description	(no language specified) Document Archive is a bibliographic database system (which can also store document files) that runs over the Web to allow multiple users (e.g., a workgroup) to access the same bibliographic data. One may use the command line interface to replace .bib-files (required citations are downloaded automatically) or a web browser (a Mozilla plugin is provided) to easily browse through the stored documents. The package may be downloaded via its home page on Sourceforge.

contact	repository: http://docarc.sourceforge.net
keyword	bibtex-gen (derive BibTeX data from resources other than BibTeX libraries)
language(s)	no language specified
year	without year
last access	2025-02-07

1645 docassembly – Use the Acrobat JavaScript API

Web page on CTAN	https://ctan.org/pkg/docassembly
name	docassembly
caption	Use the Acrobat JavaScript API
author	Story, Donald P.
copyright	Donald P. Story (2021)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	(2021-06-19)
last changes	2021-06-19
year	2021
description	(no language specified) This package defines the <code>docassembly</code> environment in which JavaScript code can be written to execute once and only once the newly created PDF in the Acrobat application. The package also defines a series of helper commands to execute security restricted JavaScript methods. The package depends on <code>acrotex-js</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/docassembly/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/docassembly/docs/docassembly.pdf
– local file	<code>./5282580542-docassembly.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/docassembly
on MikTeX	docassembly
keyword	pdf-feat (access PDF features)
language(s)	no language specified

last access 2025-02-07

1646 *docbytex* – Creating documentation from source code

Web page on CTAN <https://ctan.org/pkg/docbytex>

name	docbytex
caption	Creating documentation from source code
author	Olšák, Petr
copyright	Petr Olšák (2014)
license	other-free = Free license not otherwise listed (free)
version	(2011-03-01)
last changes	2011-03-01
year	2011
description	(no language specified) The package creates documentation from C source code, or other programming languages.
documentation	(Czech) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/docbytex/docby.pdf
– local file	./2680447955-docby.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/docbytex/README
home page	http://www.olsak.net/docbytex.html
on CTAN	https://ctan.org/tex-archive/macros/generic/docbytex
on T _E XLive	docbytex
keyword	program-doc (support for programming documentation)
language(s)	Czech
last access	2025-02-07

1647 doclicense – Support for putting documents under a licenseWeb page on CTAN <https://ctan.org/pkg/doclicense>

name	doclicense
caption	Support for putting documents under a license
author	Schneider, Robin
copyright	Robin Schneider (2015-2023)
license	cc0 = CC0 1.0 (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.3.0 (2023-10-01)
last changes	2023-10-01
year	2023
description	(no language specified) This package allows you to put your document under a license and include a link to read about the license or include an icon or image of the license. Currently, only Creative Commons is supported, but this package is designed to handle all kinds of licenses.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/doclicense/doclicense.pdf
– local file	./6595749936-doclicense.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/doclicense/README.md
contact	<i>bugs:</i> https://github.com/ypid/latex-packages/issues
contact	<i>repository:</i> https://github.com/ypid/latex-packages/tree/master/doclicense
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/doclicense
on MikTeX	doclicense
on T _E XLive	doclicense
keyword	licence-mgmt (manage application of licence information)
language(s)	no language specified
last access	2025-02-11

1648 docmfp – Document non-LaTeX code

Web page on CTAN <https://ctan.org/pkg/docmfp>

name	docmfp
caption	Document non-LaTeX code
author	Wilson, Peter R.
author	Robertson, Will
license	lppl = The LaTeX Project Public License (free)
version	1.2d
description	(no language specified) Extends the doc package to cater for documenting non-LaTeX code, such as Metafont or MetaPost, or other programming languages.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/docmfp/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/docmfp/docmfp.pdf
– local file	./6596858686-docmfp.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/docmfp
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/docmfp.tds.zip
on MikTeX	docmfp
on T _E XLive	docmfp
keyword	doc-supp (macros and tools for preparing documentation)
language(s)	no language specified
year	without year
last access	2025-02-11

1649 docmute – Input files ignoring LaTeX preamble, etc

Web page on CTAN <https://ctan.org/pkg/docmute>

name	docmute
caption	Input files ignoring LaTeX preamble, etc
author	Trzeciak, Tomasz M.
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.4
description	(no language specified) Input or include stand-alone LaTeX documents, ignoring everything but the material between <code>\begin{document}</code> and <code>\end{document}</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/docmute/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/docmute/docmute.pdf
– local file	<code>./1859088888-docmute.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/docmute
on MikTeX	docmute
on TeXLive	docmute
keyword	subdocs (include complete documents in other documents)
see also	see section 1226 on page 1114: (<code>combine</code> – Bundle individual documents into a single document)
see also	see section 4223 on page 3822: (<code>newclude</code> – Reimplemented <code>\include</code> system for LaTeX)
see also	see section 2933 on page 2652: (<code>includex</code> – Extended <code>\include</code>)
see also	see section 5674 on page 5136: (<code>standalone</code> – Compile TeX pictures stand-alone or as part of a document)
language(s)	no language specified
year	without year
last access	2025-02-11

1650 docshots – TeX samples next to their PDF snapshotsWeb page on CTAN <https://ctan.org/pkg/docshots>

name	docshots
caption	TeX samples next to their PDF snapshots
author	Bugayenko, Yegor
copyright	Yegor Bugayenko (2021-2024)
license	mit = MIT License (free)
version	0.4.3 (2024-02-02)
last changes	2024-02-02
year	2024
description	(no language specified) This LaTeX package helps you show TeX code next to the corresponding PDF snapshots, in two-column formatting. You can use it either in <code>.dtx</code> documentation or in <code>.tex</code> files.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/docshots/docshots.pdf
– local file	<code>./1135012815-docshots.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/docshots/README.md
contact	<i>repository</i> : https://github.com/yegor256/docshots
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/docshots
on MikTeX	docshots
on TeXLive	docshots
keyword	doc-supp (macros and tools for preparing documentation)
language(s)	no language specified
last access	2025-02-07

1651 docstrip – Remove comments from file

Web page on CTAN <https://ctan.org/pkg/docstrip>

name	docstrip
caption	Remove comments from file
author	Mittelbach, Frank
author	The LaTeX Project Team
copyright	The LaTeX3 Project et al. (1993-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.6c (2025-09-23)
last changes	2025-09-23
year	2025
description	(no language specified) The package prepares a LaTeX kernel or package source file for actual use, by removing the documentation and meta-data. The package can conditionally include parts of the source file, generate many files from a single source, and generate a single output from several source files. The package is part of the LaTeX distribution.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/base/docstrip.pdf
– local file	./3712600933-docstrip.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/base
on MikTeX	ltxbase
on TeXLive	latex
keyword	doc-supp (macros and tools for preparing documentation)
see also	see section 1642 on page 1489: (doc – Format LaTeX documentation)
language(s)	no language specified
last access	2026-04-10

1652 docsurvey – A survey of LaTeX documentationWeb page on CTAN <https://ctan.org/pkg/docsurvey>

name	docsurvey
caption	A survey of LaTeX documentation
author	Dunn, Brian
copyright	Brian Dunn (2017-2024)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2024-03-23)
last changes	2024-03-23
year	2024
description	(no language specified) A survey of programming-related documentation for LaTeX. Included are references to printed and electronic books and manuals, symbol lists, FAQs, the LaTeX source code, CTAN and distributions, programming-related packages, users groups and online communities, and information on creating packages and documentation.
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/docsurvey/docsurvey.pdf
– local file	<code>./5456877503-docsurvey.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/docsurvey/README.txt
contact	<i>bugs</i> : https://github.com/bdte/docsurvey
on CTAN	https://ctan.org/tex-archive/info/docsurvey
on MikTeX	docsurvey
on TeXLive	docsurvey
keyword	ref-latex (LaTeX reference documents)
keyword	review-document (document reviewing subjects relevant for TeX users)
keyword	tut-latex (tutorial material for LaTeX)
keyword	tut-latex-prg (tutorial material for LaTeX programming)
language(s)	no language specified
last access	2025-02-07

1653 doctools – Tools for the documentation of LaTeX code

Web page on CTAN <https://ctan.org/pkg/doctools>

name	doctools
caption	Tools for the documentation of LaTeX code
author	Pospiech, Matthias
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1 (2014-06-27)
last changes	2014-06-27
year	2014
description	(no language specified) The package provides a collection of tools for use either in an "ordinary" LaTeX document, or within a .dtx file.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/doctools/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/doctools/doctools.pdf
– local file	./9217995471-doctools.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/doctools
on MikTeX	doctools
on T _E XLive	doctools
keyword	doc-supp (macros and tools for preparing documentation)
language(s)	no language specified
last access	2025-02-07

1654 documentation – Documentation support for C, Java and assembler code

Web page on CTAN <https://ctan.org/pkg/documentation>

name	documentation
caption	Documentation support for C, Java and assembler code
author	Morales, Omar Salazar
copyright	Omar Salazar Morales (2011)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)

version	0.1
description	(no language specified) The package provides a simple means of typesetting computer programs such that the result is acceptable for inclusion in reports, etc.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/documentation/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/documentation/documentation.pdf
– local file	./6539663675-documentation.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/documentation
on MikTeX	documentation
on TeXLive	documentation
keyword	listing (computer code listing)
language(s)	no language specified
year	2011
last access	2025-02-07

1655 *docutils* – Helper commands and element definitions for Docutils LaTeX output

Web page on CTAN	https://ctan.org/pkg/docutils
name	docutils
caption	Helper commands and element definitions for Docutils LaTeX output
author	Milde, Günter
copyright	Günter Milde (2020)
license	bsd = BSD Style License (free)
version	(2020-08-28)
last changes	2020-08-28
year	2020

description	(no language specified) The package is intended for use with LaTeX documents generated from reStructuredText sources with Docutils . When generating LaTeX documents, specify this package with the <code>stylesheet</code> configuration option, e.g. <code>rst2latex -stylesheet=docutils exampledocument.txt</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/docutils/README.md
home page	https://docutils.sourceforge.io/
contact	<i>support</i> : https://sourceforge.net/p/docutils/mailman/
contact	<i>announce</i> : https://pypi.org/rss/project/docutils/releases.xml
contact	<i>bugs</i> : https://sourceforge.net/p/docutils/bugs/
contact	<i>repository</i> : https://sourceforge.net/p/docutils/code/HEAD/tree/trunk/docutils/docutils/writers/latex2e/
contact	<i>development</i> : https://sourceforge.net/p/docutils/mailman/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/docutils
on MikTeX	docutils
on T _E XLive	docutils
keyword	markup (alternative markup scheme)
language(s)	no language specified
last access	2026-04-10

1656 *dogma* – Metrics and LaTeX support for Dogma Font From Emigre Graphics

Web page on CTAN <https://ctan.org/pkg/dogma>

name	dogma
caption	Metrics and LaTeX support for Dogma Font From Emigre Graphics
author	Veytsman, Boris
license	bsd = BSD Style License (free)
version	1.3
description	(no language specified) This package provides metric files and LaTeX support for the Dogma font family from Emigre Graphics , designed by Zuzana Licko in 1994. It has everything you need to typeset in this font — except, of course, the font itself.

1657 doi – Create correct hyperlinks for DOI numbers

documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/psfonts/emigre/dogma/dgsample.pdf
– local file	<code>./5981316520-dgsample.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/psfonts/emigre/dogma/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/psfonts/emigre/dogma/dogma.pdf
– local file	<code>./8932317158-dogma.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/psfonts/emigre/dogma
installation	https://ctan.org/tex-archive/install/fonts/psfonts/emigre/dogma.tds.zip
on MikTeX	dogma
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year
last access	2026-04-10

1657 doi – Create correct hyperlinks for DOI numbers

Web page on CTAN <https://ctan.org/pkg/doi>

name	doi
caption	Create correct hyperlinks for DOI numbers
author	Oberdiek, Heiko
author	Sneep, Maarten
license	lppl = The LaTeX Project Public License (free)
version	(2018-09-09)
last changes	2018-09-09
year	2018
description	(no language specified) You can hyperlink DOI numbers to doi.org . However, some publishers have elected to use nasty characters in their DOI numbering scheme (‘<’, ‘>’, ‘_’ and ‘;’ have all been spotted). This will either upset (La)TeX, or your PDF reader. This package contains a single user-level command <code>\doi{ }</code> , which takes a DOI number, and creates a correct hyperlink to the target of the DOI.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/doi/README.md
home page	https://github.com/ho-tex
contact	<i>bugs</i> : https://github.com/ho-tex/doi/issues
contact	<i>repository</i> : https://github.com/ho-tex/doi
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/doi
on MikTeX	doi
on TeXLive	doi
keyword	hyper (support for hypertext)
language(s)	no language specified
last access	2025-02-07

1658 doibanner – Generate DOI banners and links

Web page on CTAN	https://ctan.org/pkg/doibanner
name	doibanner
caption	Generate DOI banners and links
author	Schreinemachers, Christian
copyright	Christian Schreinemachers (2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3 (2024-07-28)
last changes	2024-07-28
year	2024
description	(no language specified) A LaTeX package to generate DOI banners and links.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/doibanner/doibanner.pdf
– local file	./1722834764-doibanner.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/doibanner/README.md
home page	https://codeberg.org/Cs137/doibanner
contact	<i>repository</i> : https://codeberg.org/Cs137/doibanner.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/doibanner

on MikTeX	doibanner
on T _E XLive	doibanner
keyword	scientific-docs (support for writers of scientific documents)
language(s)	no language specified
last access	2025-02-07

1659 *doipubmed* – Special commands for use in bibliographies

Web page on CTAN <https://ctan.org/pkg/doipubmed>

name	doipubmed
caption	Special commands for use in bibliographies
author	Talbot, Nicola
copyright	Nicola Talbot (2007)
license	lpl = The LaTeX Project Public License (free)
version	1.01
description	(no language specified) The package provides the commands <code>\doi</code> , <code>\pubmed</code> and <code>\citeurl</code> . These commands are primarily designed for use in bibliographies. A LaTeX2HTML style file is also provided.
documentation	(no language specified) <i>Package documentation (PDF)</i> : https://ctan.org/tex-archive/macros/latex/contrib/doipubmed/doc/doipubmed.pdf
– local file	<code>./5898120189-doipubmed.pdf</code>
documentation	(no language specified) <i>Package documentation (HTML)</i> : https://ctan.org/tex-archive/macros/latex/contrib/doipubmed/doc/doipubmed-manual.html
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/doipubmed/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/doipubmed
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/doipubmed.tds.zip
on MikTeX	doipubmed
on T _E XLive	doipubmed
keyword	cite-supp (citation support)
language(s)	no language specified

year 2007
last access 2025-02-07

1660 *domaincoloring* – Draw colored representations of complex functions

Web page on CTAN <https://ctan.org/pkg/domaincoloring>

name	domaincoloring
caption	Draw colored representations of complex functions
author	Voß, Herbert
copyright	Herbert Voß (2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.05 (2024-09-02)
last changes	2024-09-02
year	2024
description	(no language specified) Domain coloring is a technique to visualize complex functions by assigning a color to each point of the complex plane $z = x + i y$. This package calculates with the help of Lua any complex function to visualize its behaviour. The value of the complex function(z) can be described by radius and angle which can be two values of the hsv-color model, which then defines the color of each point in the complex plane $z = x + i y$.
documentation	(German) <i>Example of use</i>: https://ctan.org/tex-archive/macros/luatex/latex/domaincoloring/doc/domaincoloring-doc.pdf
– local file	./2061435843-domaincoloring-doc.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/luatex/latex/domaincoloring/README.md
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/domaincoloring
on MikTeX	domaincoloring
on T _E XLive	domaincoloring
keyword	luatex (LuaTeX and packages that require it)
keyword	tagged-pdf (tagged PDF compatible)
keyword	colour (typesetting in colour)
keyword	maths (support for typesetting mathematics)
keyword	graphics-plot (plot data)

1661 domitian – Drop-in replacement for Palatino

keyword	graphics-epspdf (converting graphics files from MetaPost output or (E)PS to embeddable PDF)
keyword	graphics-plotfn (plot a representation of a function)
keyword	graphics (graphics (support packages))
keyword	graphics-incl (include external graphics)
language(s)	German
last access	2026-04-13

1661 domitian – Drop-in replacement for Palatino

Web page on CTAN <https://ctan.org/pkg/domitian>

name	domitian
caption	Drop-in replacement for Palatino
author	Miller, Daniel Benjamin
copyright	Daniel Benjamin Miller (2019-2020)
license	other-free = Free license not otherwise listed (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	ofl = The SIL Open Font License (free)
version	1.0.1
description	(no language specified) The Domitian fonts are a free and open-source OpenType font family, based on the Palatino design by Hermann Zapf (1918-2015), as implemented in Palladio, the version distributed as part of URW's free Core 35 PostScript fonts (2.0). Domitian is meant as a drop-in replacement for Adobe's version of Palatino. It extends Palladio with small capitals, old-style figures and scientific inferiors. The metrics have been adjusted to more closely match Adobe Palatino, and hinting has been improved.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/domitian/doc/domitian-doc.pdf
– local file	./9641460862-domitian-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/domitian/README
contact	<i>bugs</i> : https://github.com/dbenjaminmiller/domitian/issues
contact	<i>repository</i> : https://github.com/dbenjaminmiller/domitian
on CTAN	https://ctan.org/tex-archive/fonts/domitian

on MikTeX	domitian
on T _E XLive	domitian
keyword	font-otf (font in OpenType format)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
keyword	font-serif (serif font)
language(s)	no language specified
year	2020
last access	2025-02-07

1662 *dos-dc* – A distribution of the DC fonts for emTeX

Web page on CTAN <https://ctan.org/pkg/dos-dc>

name	dos-dc
caption	A distribution of the DC fonts for emTeX
author	Schwarz, Norbert
author	Schleicher, Ralph
license	gpl = GNU General Public License (free)
version	(1993-09-06)
last changes	1993-09-06
year	1993
description	(no language specified) Documentation, such as it is, may be found in the distribution.
on CTAN	https://ctan.org/tex-archive/systems/msdos/dos-dc
keyword	font (fonts themselves)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
last access	2025-02-07

1663 dosepsbin – Deal with DOS binary EPS files

Web page on CTAN <https://ctan.org/pkg/dosepsbin>

name	dosepsbin
caption	Deal with DOS binary EPS files
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2011)
license	artistic = Perl Artistic License (not free)
version	1.2
description	(no language specified) A Encapsulated PostScript (EPS) file may given in a special binary format to support the inclusion of a thumbnail. This file format, commonly known as <i>DOS EPS</i> format starts with a binary header that contains the positions of the possible sections: • PostScript (PS); • Windows Metafile Format (WMF); and • Tag Image File Format (TIFF). The PS section must be present and either the WMF file or the TIFF file should be given. The package provides a Perl program that will extract any of the sections of such a file, in particular providing a ‘text’-form EPS file for use with (La)TeX.
documentation	(no language specified) <i>Package documentation (PDF format)</i> : https://ctan.org/tex-archive/support/dosepsbin/dosepsbin.pdf
– local file	./1560528490-dosepsbin.pdf
documentation	(no language specified) <i>Package documentation (text format)</i> : https://ctan.org/tex-archive/support/dosepsbin/dosepsbin.txt
on CTAN	https://ctan.org/tex-archive/support/dosepsbin
on MikTeX	dosepsbin
on T _E XLive	dosepsbin
keyword	image-supp (manipulating images for inclusion in documents)
language(s)	no language specified
year	2011
last access	2025-02-07

1664 `dot2tex` – Convert graphs generated by Graphviz to LaTeX friendly formats

Web page on CTAN <https://ctan.org/pkg/dot2tex>

name	<code>dot2tex</code>
caption	Convert graphs generated by Graphviz to LaTeX friendly formats
author	Fauske, Kjell Magne
copyright	Kjell Magne Fauske (2006-2007)
license	other-free = Free license not otherwise listed (free)
version	2.7.0
description	(no language specified) Dot2tex is a tool for converting graphs rendered by Graphviz to formats that can be used with LaTeX. The purpose of dot2tex is to give graphs generated by Graphviz a more LaTeX friendly look and feel. This is accomplished by converting xdot output from Graphviz to a series of TikZ and PGF , or PSTricks commands. This approach allows: • Typesetting labels with LaTeX, allowing mathematical notation; • Using native PSTricks and PGF/TikZ commands for drawing arrows; and • Using backend specific styles to customize the output. Dot2tex requires a Python interpreter v2.4 or better.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/graphics/dot2tex/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/graphics/dot2tex/dot2tex.pdf
– local file	<code>./5967301047-dot2tex.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/dot2tex
keyword	<code>foreign-import</code> (import files in a non-TeX (or different TeX) format)
keyword	<code>graphics</code> (graphics (support packages))
language(s)	no language specified
year	2007
last access	2025-02-07

1665 dot2texi – Create graphs within LaTeX using the dot2tex tool

Web page on CTAN <https://ctan.org/pkg/dot2texi>

name	dot2texi
caption	Create graphs within LaTeX using the dot2tex tool
author	Fauske, Kjell Magne
copyright	Kjell Magne Fauske (2007-2008)
license	gpl = GNU General Public License (free)
version	3.0
description	(no language specified) The dot2texi package allows you to embed graphs in the DOT graph description language in your LaTeX documents. The dot2tex tool is used to invoke Graphviz for graph layout, and to transform the output from Graphviz to LaTeX code. The generated code relies on the TikZ and PGF package or the PSTricks package. The process is automated if shell escape is enabled.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dot2texi/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/dot2texi/dot2texi.pdf
– local file	./4609678090-dot2texi.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dot2texi
on MikTeX	dot2texi
on TeXLive	dot2texi
keyword	graphics (graphics (support packages))
keyword	foreign-import (import files in a non-TeX (or different TeX) format)
language(s)	no language specified
year	2008
last access	2025-02-07

1666 `dotarrow` – Extendable dotted arrows

Web page on CTAN <https://ctan.org/pkg/dotarrow>

name	<code>dotarrow</code>
caption	Extendable dotted arrows
author	Schneider, Sven
copyright	Sven Schneider (2007)
license	lppl = The LaTeX Project Public License (free)
version	0.01a
description	(no language specified) The package can draw dotted arrows that are extendable, in the same way as <code>\xrightarrow</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dotarrow/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/dotarrow/DotArrow.pdf
– local file	<code>./4260359663-DotArrow.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dotarrow
on MikTeX	<code>dotarrow</code>
on TeXLive	<code>dotarrow</code>
keyword	maths-symbol (construction or application of mathematical symbols)
language(s)	no language specified
year	2007
last access	2025-02-07

1667 `dotlessi` – Provides dotless i's and j's for use in any math font

Web page on CTAN <https://ctan.org/pkg/dotlessi>

name	<code>dotlessi</code>
caption	Provides dotless i's and j's for use in any math font
author	Bezos López, Javier
copyright	Javier Bezos (1999-2019)
license	mit = MIT License (free)

1668 `dotlessj` – Generates a dot-less j

version	1.1
description	(no language specified) The package provides two commands: <code>\dotlessi</code> and <code>\dotlessj</code> , which give access to dotless i's and j's in math mode. They are intended for symbols in non English languages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dotlessi/README.md
home page	http://www.texnia.com/
contact	<i>repository</i> : https://github.com/jbezoz
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dotlessi
on MikTeX	<code>dotlessi</code>
on TeXLive	<code>dotlessi</code>
keyword	typesetting (support for variations of typographic style)
see also	see section 1668 on page 1512: (<code>dotlessj</code> – Generates a dot-less j)
language(s)	no language specified
year	2019
last access	2025-02-07

1668 `dotlessj` – Generates a dot-less j

Web page on CTAN <https://ctan.org/pkg/dotlessj>

name	<code>dotlessj</code>
caption	Generates a dot-less j
author	Carlisle, David
license	lppl = The LaTeX Project Public License (free)
version	0.03
description	(no language specified) If you are using a font set without a dotless j (<code>\j</code> and <code>\jmath</code>) then this package will fake one. It requires the LaTeX <code>color</code> package. It does not require any explicit PostScript support. The package is part of the <code>carlisle</code> bundle.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/carlisle/dotlessj.sty
on MikTeX	<code>carlisle</code>
on TeXLive	<code>carlisle</code>

keyword	typesetting (support for variations of typographic style)
see also	see section 1667 on page 1511: (<code>dotlessi</code> – Provides dotless i's and j's for use in any math font)
language(s)	no language specified
year	without year
last access	2025-02-07

1669 *dotseqn* – Flush left equations with dotted leaders to the numbers

Web page on CTAN <https://ctan.org/pkg/dotseqn>

name	dotseqn
caption	Flush left equations with dotted leaders to the numbers
author	Arseneau, Donald
license	other-free = Free license not otherwise listed (free)
version	1.1
description	(no language specified) The package provides a different format for typesetting equations, one reportedly used in 'old style British books': equations aligned on the left, with dots on the right leading to the equation number. In default of an equation number, the package operates much like the <code>fleqn</code> class option (no leaders).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/dotseqn/dotseqn.pdf
– local file	<code>./9830777602-dotseqn.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dotseqn/readme
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dotseqn
on MikTeX	dotseqn
on T _E XLive	dotseqn
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	without year
last access	2025-02-07

1670 *dottex* – Use dot code in LaTeX

Web page on CTAN <https://ctan.org/pkg/dottex>

name	dottex
caption	Use dot code in LaTeX
author	Kotthoff, Lars
copyright	Lars Kotthoff (2005-2007)
license	gpl = GNU General Public License (free)
version	0.6
description	(no language specified) The dottex package allows you to encapsulate ‘dot’ and ‘neato’ files in your document (dot and neato are both part of graphviz ; dot creates directed graphs, neato undirected graphs). If you have shell-escape enabled, the package will arrange for your files to be processed at LaTeX time; otherwise, the conversion must be done manually as an intermediate process before a second LaTeX run.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/dottex/dottex.pdf
– local file	./4591512894-dottex.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dottex
on MikTeX	dottex
on TeXLive	dottex
keyword	graphics-inline (graphics inline for external processing)
language(s)	no language specified
year	2007
last access	2025-02-07

1671 *doublecol* – Double-column page macros for Plain TeX

Web page on CTAN <https://ctan.org/pkg/doublecol>

name	doublecol
caption	Double-column page macros for Plain TeX
license	noinfo = noinfo
version	(1992-08-27)
last changes	1992-08-27

1672 doublespace – Double space environment

year	1992
description	(no language specified) These macros are derived from Knuth's macros (separately transcribed here), by an unknown hand.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/doublecol.tex
keyword	multicol (more than one column on the page)
language(s)	no language specified
last access	2025-02-07

1672 doublespace – Double space environment

Web page on CTAN <https://ctan.org/pkg/doublespace>

name	doublespace
caption	Double space environment
author	Page, Stephen
copyright	Stephen Page (1986)
license	lppl = The LaTeX Project Public License (free)
version	(2008-10-31)
last changes	2008-10-31
year	2008
description	(no language specified) A LaTeX 2.09 package that defines a spacing environment which you can use anywhere in your document. This package should no longer be used: it has serious bugs, and is no longer maintained. It is superseded by setspace .
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex209/contrib/misc/doublespace.sty
keyword	line-space (leading between lines of text)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
last access	2025-02-07

1673 doublestroke – Typeset mathematical double stroke symbols

Web page on CTAN <https://ctan.org/pkg/doublestroke>

name	doublestroke
caption	Typeset mathematical double stroke symbols
author	Kummer, Olaf
license	other-free = Free license not otherwise listed (free)
version	1.111
description	(no language specified) A font based on Computer Modern Roman useful for typesetting the mathematical symbols for the natural numbers (N), whole numbers (Z), rational numbers (Q), real numbers (R) and complex numbers (C); coverage includes all Roman capital letters, ‘l’, ‘h’ and ‘k’. The font is available both as Metafont source and in Adobe Type 1 format, and LaTeX macros for its use are provided. The fonts appear in the blackboard bold sampler .
documentation	(no language specified) <i>Package Readme</i>: https://ctan.org/tex-archive/fonts/doublestroke/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/doublestroke/dsdoc.pdf
– local file	<code>./4143574616-dsdoc.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/doublestroke
installation	https://ctan.org/tex-archive/install/fonts/doublestroke.tds.zip
on MikTeX	doublestroke
on T _E XLive	doublestroke
keyword	font-maths (fonts for use in mathematics)
keyword	font (fonts themselves)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-bbd (doublestroke (blackboard bold) fonts)
keyword	font-mf (fonts distributed as Metafont source)
see also	see section 483 on page 439 : (bbm – “Blackboard-style” cm fonts)
see also	see section 3847 on page 3479 : (mbboard – Comprehensive blackboard bold fonts)
see also	see section 485 on page 441 : (bbold – Sans serif blackboard bold)
language(s)	no language specified

year without year
last access 2025-02-07

1674 *doulossil* – A font for typesetting the International Phonetic Alphabet (IPA)

Web page on CTAN <https://ctan.org/pkg/doulossil>

name *doulossil*
caption A font for typesetting the International Phonetic Alphabet (IPA)
author SIL International
author निरंजन
license ofl = The SIL Open Font License (free)
version 0.1 (2020-09-21)
last changes 2020-09-21
year 2020
description (no language specified) This package provides the IPA font Doulos SIL in TrueType format.
documentation (no language specified) *Font samples:* <https://ctan.org/tex-archive/fonts/doulossil/doulossil.pdf>
– local file ./2187356030-doulossil.pdf
documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/fonts/doulossil/README.txt>
contact *bugs:* <https://gitlab.com/niruvtdoulossil/-/issues>
contact *repository:* <https://gitlab.com/niruvtdoulossil>
on CTAN <https://ctan.org/tex-archive/fonts/doulossil>
on MikTeX *doulossil*
on T_EXLive *doulossil*
keyword font-ttf (font available in TrueType format)
keyword font-symbol (fonts that provide collections of symbols)
keyword font (fonts themselves)
keyword phonetic (support for phonetic notation)
keyword linguistic (support for linguistics)
language(s) no language specified
last access 2025-02-07

1675 *dow* – Calculate day of week from a numeric date

Web page on CTAN <https://ctan.org/pkg/dow>

name	dow
caption	Calculate day of week from a numeric date
license	noinfo = noinfo
version	(1993-02-15)
last changes	1993-02-15
year	1993
description	(no language specified) Defines two macros: • <code>\dowcomp</code> , which calculates the day of the week as a number in the range 0—6, returning the result in a counter <code>\dow</code> , and • <code>\dayname</code> , which uses <code>\dowcomp</code> to produce the (English) name of the week day.
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/dow.tex
on MikTeX	genmisc
keyword	calculation (perform calculations within TeX)
see also	see section 1539 on page 1399: (<code>dayofweek</code> – Calculate day of week, phase of moon)
see also	see section 6679 on page 6029: (<code>weekday</code> – Generate “day of week”)
see also	see section 6711 on page 6055: (<code>wochtag</code> – Generate the German weekday name for a date)
language(s)	no language specified
last access	2025-02-07

1676 *dowith* – Apply a command to a list of items

Web page on CTAN <https://ctan.org/pkg/dowith>

name	dowith
caption	Apply a command to a list of items
author	Lück, Uwe
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	r0.32 (2015-11-14)

1677 download – Allow LaTeX to download files using an external process

last changes	2015-11-14
year	2015
description	(no language specified) The package provides macros for applying a command to all elements of a list without separators, such as ‘<code>\DoWithAllIn{<cmd>}{<list-macro>}</code>’, and also for extending and reducing macros storing such lists. Applications in mind belonged to LaTeX, but the package should work with other formats as well. Loop and list macros in other packages are discussed. A further package, <code>domore</code>, is also provided, which enhances the functionality of <code>dowith</code>.
documentation	(no language specified) <i>Dowith documentation</i> : https://ctan.org/tex-archive/macros/generic/dowith/doc/dowith.pdf
– local file	<code>./8253698980-dowith.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/dowith/README
documentation	(no language specified) <i>Domore documentation</i> : https://ctan.org/tex-archive/macros/generic/dowith/doc/domore.pdf
– local file	<code>./6942518518-domore.pdf</code>
contact	<i>support</i> : http://www.webdesign-bu.de/uwe_lueck/contact.html
on CTAN	https://ctan.org/tex-archive/macros/generic/dowith
installation	https://ctan.org/tex-archive/install/macros/generic/dowith.tds.zip
on MikTeX	<code>dowith</code>
on T _E XLive	<code>dowith</code>
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

1677 download – Allow LaTeX to download files using an external process

Web page on CTAN <https://ctan.org/pkg/download>

name	download
caption	Allow LaTeX to download files using an external process
author	Sigurdhsson, Simon
copyright	Simon Sigurdhsson (2012-2019)

license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2
description	(no language specified) The package allows the user to download files (using <code>cURL</code> or <code>wget</code>), from within a document. To run the external commands, LaTeX (or whatever) needs to be run with the <code>-shell-escape</code> flag; this creates a tension between your needs and the security implications of the flag; users should exercise due caution.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/download/download.pdf
– local file	<code>./6690217349-download.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/download
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/download.tds.zip
on MikTeX	download
on T _E XLive	download
keyword	<code>ext-code</code> (run an external program from within a document)
language(s)	no language specified
year	2019
last access	2025-02-07

1678 *dox* – Extend the doc package

Web page on CTAN <https://ctan.org/pkg/dox>

name	<code>dox</code>
caption	Extend the doc package
author	Verna, Didier
copyright	Didier Verna (2009, 2010, 2017)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.4
description	(no language specified) The <code>doc</code> package provides LaTeX developers with means to describe the usage and the definition of new macros and environments. However, there is no simple way to extend this functionality to other items (options or counters, for instance). The DoX package is designed to circumvent this limitation.

1679 *dozenal* – Typeset documents using base twelve numbering (also called “...

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dox/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/dox/dox.pdf
– local file	<code>./8774421239-dox.pdf</code>
home page	http://www.lrde.epita.fr/~didier/software/latex.php#dox
contact	<i>repository</i> : https://github.com/didierverna/dox
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dox
on MikTeX	dox
on T _E XLive	dox
keyword	doc-suppl (macros and tools for preparing documentation)
language(s)	no language specified
year	2017
last access	2025-02-07

1679 *dozenal* – Typeset documents using base twelve numbering (also called “dozenal”)

Web page on CTAN <https://ctan.org/pkg/dozenal>

name	dozenal
caption	Typeset documents using base twelve numbering (also called “dozenal”)
author	Goodman, Donald P.
copyright	Donald P. Goodman (2008-2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	7.2 (2018-05-11)
last changes	2018-05-11
year	2018
description	(no language specified) The package supports typesetting documents whose counters are represented in base twelve, also called “dozenal”. It includes a macro by David Kastrup for converting positive whole numbers to dozenal from decimal (base ten) representation. The package also includes a few other macros and redefines all the standard counters to produce dozenal output. Fonts, in Roman, italic, slanted, and boldface versions, provide ten and eleven (the Pitman characters preferred by the Dozenal Society of Great Britain). The fonts were designed to blend well with the Computer Modern fonts, and are available both as Metafont source and in Adobe Type 1 format.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/dozenal/doc/dozenal.pdf
– local file	./6531713349-dozenal.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/dozenal/README
on CTAN	https://ctan.org/tex-archive/fonts/dozenal
on MikTeX	dozenal
on T _E XLive	dozenal
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-mf (fonts distributed as Metafont source)
keyword	numbers (formatting numbers, etc)
keyword	font-specialist (fonts with specific small application areas)
keyword	font (fonts themselves)
language(s)	no language specified
last access	2025-02-07

1680 dpcircling – Decorated text boxes using TikZ

Web page on CTAN <https://ctan.org/pkg/dpcircling>

name	DPcircling
caption	Decorated text boxes using TikZ
author	Mitsuaki, Oura
copyright	Oura M. (domperor) (2020)
license	mit = MIT License (free)
version	1.0 (2020-04-15)
last changes	2020-04-15
year	2020
description	(no language specified) This simple package provides four types of text decorations using TikZ. You can frame your text with circles, rectangles, jagged rectangles, and fan-shapes. The baseline will be adjusted properly according to the surroundings. You can use these decorations both in text mode and in math mode. You can specify line color, line width, width, and height using option keys. Note: The "DP" in the package name stands for "Decorated Packets".

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/dpcircling/DPcircling.pdf
– local file	<code>./4322671899-DPcircling.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/dpcircling/README.md
contact	<i>repository</i> : https://github.com/domperor/DPcircling
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/dpcircling
on MikTeX	<code>dpcircling</code>
on TeXLive	<code>dpcircling</code>
keyword	<code>boxing</code> (creating boxes)
keyword	<code>decoration</code> (highlighting typeset material, fancy frames, watermarks, etc.)
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-02-07

1681 *dpfloat* – Support for double-page floats

Web page on CTAN <https://ctan.org/pkg/dpfloat>

name	<code>dpfloat</code>
caption	Support for double-page floats
author	Fox, Jim
copyright	The University of Washington (2006)
license	lppl = The LaTeX Project Public License (free)
version	(2006-10-05)
last changes	2006-10-05
year	2006
description	(no language specified) Provides <code>fullpage</code> and <code>leftfullpage</code> environments, that may be used inside a figure, table, or other float environment. If the first of a 2-page spread uses a “ <code>leftfullpage</code> ” environment, the float will only be typeset on an even-numbered page, and the two floats will appear side-by-side in a two-sided document.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dpfloat/README

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/dpfloat/dpfloat.pdf
– local file	./2520459468-dpfloat.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dpfloat
on MikTeX	dpfloat
on TeXLive	dpfloat
keyword	float (typesetting floats)
language(s)	no language specified
last access	2025-02-07

1682 dprogress – LaTeX-relevant log information for debugging

Web page on CTAN	https://ctan.org/pkg/dprogress
name	dprogress
caption	LaTeX-relevant log information for debugging
author	Amberg, Brian
copyright	Brian Amberg (2008)
license	lppl = The LaTeX Project Public License (free)
version	0.1
description	(no language specified) The package logs LaTeX’s progress through the file, making the LaTeX output more verbose. This helps to make LaTeX debugging easier, as it is simpler to find where exactly LaTeX failed. The package outputs the typesetting of section, subsection and subsubsection headers and (if amsmath is loaded) details of the align environment.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/dprogress/dprogress.pdf
– local file	./2618655901-dprogress.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dprogress/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dprogress
on MikTeX	dprogress
on TeXLive	dprogress

1683 *dps* – Create a "matching" game with a hidden message

keyword	doc-debug (tools, etc., for "debugging" documents)
language(s)	no language specified
year	2008
last access	2025-02-07

1683 *dps* – Create a "matching" game with a hidden message

Web page on CTAN <https://ctan.org/pkg/dps>

name	dps
caption	Create a "matching" game with a hidden message
author	Story, Donald P.
copyright	Donald P. Story (2006-2020)
license	lppl = The LaTeX Project Public License (free)
version	(2020-06-03)
last changes	2020-06-03
year	2020
description	(no language specified) Das Puzzle Spiel is a LaTeX package (dps) for creating a puzzle, a message actually, and a series of questions and answers. The document consumer matches the questions with the answers. With each match, another letter appears in the puzzle. Upon completion of all questions, the message hidden in the puzzle is revealed. The puzzle is primarily designed for the screen, but you can optionally create the game for paper. The package itself is distributed as a zip file embedded in the package documentation.
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/dps/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/dps/docs/dpstheman.pdf
– local file	./8788269879-dpstheman.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dps
on MikTeX	dps
keyword	pdf-forms (create pdf form fields, use form fields as an integral part of the package)
keyword	puzzle (problems and puzzles, and their solutions)
language(s)	no language specified

last access 2025-02-07

1684 drac – Declare active character substitution, robustlyWeb page on CTAN <https://ctan.org/pkg/drac>

name	drac
caption	Declare active character substitution, robustly
author	Noirel, Josselin
author	Henel, Yvon
copyright	Josselin Noirel and Yvon Henel (2004, 2008)
license	lppl = The LaTeX Project Public License (free)
version	1
description	(no language specified) The package provides macros <code>\DeclareRobustActChar</code> and <code>\ReDeclareRobActChar</code>. One uses <code>\DeclareRobustActChar</code> in the same way one would use <code>\DeclareRobustCommand</code>; the macro <code>\protect</code> s the active character when it appears in a moving argument. <code>\ReDeclareRobActChar</code> redefines an active character previously defined with <code>\DeclareRobustActChar</code>, in the same way that <code>\renewcommand</code> works for ordinary commands.
documentation	(French) <i>Lisez moi</i> : https://ctan.org/tex-archive/macros/latex/contrib/drac/LISEZMOI
documentation	(English) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/drac/README
documentation	<i>Package documentation (French)</i> : https://ctan.org/tex-archive/macros/latex/contrib/drac/drac-fr.pdf
– local file	<code>./6187569174-drac-fr.pdf</code>
documentation	<i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/drac/drac.pdf
– local file	<code>./6716794847-drac.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/drac
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/drac.tds.zip
on MikTeX	drac
on T _E XLive	drac

keyword	macro-supp (support for development of (La)TeX macros)
language(s)	English; French
year	2008
last access	2025-02-09

1685 **draft** – A LaTeX 2.09 style for supporting work on drafts

Web page on CTAN <https://ctan.org/pkg/draft>

name	draft
caption	A LaTeX 2.09 style for supporting work on drafts
author	Baker, Joe
license	noinfo = noinfo
version	(1989-12-21)
last changes	1989-12-21
year	1989
description	(no language specified) The package marks <code>\label</code> , <code>\cite</code> , <code>\ref</code> , <code>\index</code> and <code>\glossary</code> commands with a small mark in the text and with a marginal note of the label, citation or whatever itself.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/draft.sty
keyword	editorial (editor's marks, highlights, etc.)
see also	see section 5480 on page 4958: (<code>showlabels</code> – Show label commands in the margin)
language(s)	no language specified
last access	2025-02-07

1686 **draftcopy** – Identify draft copies

Web page on CTAN <https://ctan.org/pkg/draftcopy>

name	draftcopy
caption	Identify draft copies
author	Vollmer, Jürgen
license	lppl = The LaTeX Project Public License (free)
version	2.16

1687 *draftfigure* – Replace figures with a white box and additional features

description	(no language specified) Places the word DRAFT (or other words) in light grey diagonally across the background (or at the bottom) of each (or selected) pages of the document. The package uses PostScript <code>\special</code> commands, and may not therefore be used with pdfLaTeX. For that usage, consider the wallpaper or draftwatermark packages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/draftcopy/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/draftcopy/draftcopy.pdf
– local file	<code>./1622420269-draftcopy.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/draftcopy
on MikTeX	<code>draftcopy</code>
on TeXLive	<code>draftcopy</code>
keyword	<code>editorial</code> (editor's marks, highlights, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

1687 *draftfigure* – Replace figures with a white box and additional features

Web page on CTAN	https://ctan.org/pkg/draftfigure
name	<code>draftfigure</code>
caption	Replace figures with a white box and additional features
author	Bossert, Lukas C.
copyright	Lukas C. Bossert (2017)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2 (2017-07-19)
last changes	2017-07-19
year	2017
description	(no language specified) With this package you can control the outcome of a figure which is set to draft and modify the display with various options.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/draftfigure/README.md

1688 *drafthead* – Mark "DRAFT" in page headers

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/draftfigure/draftfigure.pdf
– local file	<code>./9981205070-draftfigure.pdf</code>
home page	https://github.com/LukasCBossert/draftfigure/
contact	<i>support:</i> https://github.com/LukasCBossert/draftfigure
contact	<i>announce:</i> https://github.com/LukasCBossert/draftfigure
contact	<i>bugs:</i> https://github.com/LukasCBossert/draftfigure/issues
contact	<i>repository:</i> https://github.com/LukasCBossert/draftfigure
contact	<i>development:</i> https://github.com/LukasCBossert/draftfigure
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/draftfigure
on MikTeX	<code>draftfigure</code>
on TeXLive	<code>draftfigure</code>
keyword	editorial (editor's marks, highlights, etc.)
keyword	comp-supp (support for preparing documents)
keyword	layout (layout of objects on the page)
language(s)	no language specified
last access	2025-02-07

1688 *drafthead* – Mark "DRAFT" in page headers

Web page on CTAN	https://ctan.org/pkg/drafthead
name	<code>drafthead</code>
caption	Mark "DRAFT" in page headers
author	Page, Stephen
license	noinfo = noinfo
version	(1986-06-23)
last changes	1986-06-23
year	1986
description	(no language specified) Sets up page headers including date and time and the string DRAFT, using myheadings page style.

on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/drafthead.sty
keyword	editorial (editor's marks, highlights, etc.)
language(s)	no language specified
last access	2025-02-07

1689 *draftmark* – Put draft marks on selected pages

Web page on CTAN	https://ctan.org/pkg/draftmark
name	draftmark
caption	Put draft marks on selected pages
author	Musa, Ahmed
copyright	Ahmed Musa (2009)
license	nocommercial = No Commercial Use (not free)
version	1.2
description	(no language specified) The package can place selected 'watermarks' on a selection of pages. The user may specify content, colour, position and orientation for each watermark. The package makes use of the atbegshi package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/draftmark/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/draftmark/draftmark-guide.pdf
– local file	./8455705971-draftmark-guide.pdf
documentation	(no language specified) <i>Examples of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/draftmark/draftmark-examples.pdf
– local file	./1566216471-draftmark-examples.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/draftmark
on MikTeX	draftmark
keyword	editorial (editor's marks, highlights, etc.)
see also	see section 6861 on page 6192 : (<code>xwatermark</code> – Graphics and text watermarks on selected pages)

language(s)	no language specified
year	2009
last access	2025-02-07

1690 *draftwatermark* – Put a grey textual watermark on document pages

Web page on CTAN <https://ctan.org/pkg/draftwatermark>

name	draftwatermark
caption	Put a grey textual watermark on document pages
author	Callegari, Sergio
copyright	Sergio Callegari (2006-2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.3 (2024-03-04)
last changes	2024-03-04
year	2024
description	(no language specified) The package provides a means to add a watermark (typically a light gray piece of text) on every page or on the first page of a document. Typical usage may consist in writing words such as DRAFT or CONFIDENTIAL across document pages. The package performs a similar function to that of draftcopy, but its implementation is output device independent. As of December 2020, the package relies on the new shipout hooks directly provided by LaTeX. For users of older versions of LaTeX, the package also provides a legacy version of itself (that is automatically loaded, currently being at release 2.3) which relies on the everypage package. Note that this legacy version will progressively lag behind in terms of features.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/draftwatermark/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/draftwatermark/draftwatermark.pdf
– local file	./7146028984-draftwatermark.pdf
contact	<i>bugs</i>: https://github.com/callegari/LaTeX-draftwatermark/issues
contact	<i>repository</i> : https://github.com/callegari/LaTeX-draftwatermark

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/draftwatermark
on MikTeX	draftwatermark
on TeXLive	draftwatermark
keyword	watermark (separate printing, under (or over) the page as a whole)
keyword	editorial (editor's marks, highlights, etc.)
see also	see section 1995 on page 1799: (eso-pic – Add picture commands (or backgrounds) to every page)
language(s)	no language specified
last access	2025-02-07

1691 *drama* – Production-style stage script in LaTeX

Web page on CTAN <https://ctan.org/pkg/drama>

name	drama
caption	Production-style stage script in LaTeX
author	Swift, Matt
license	gpl = GNU General Public License (free)
version	0.2
description	(no language specified) A LaTeX package that defines macros for typesetting a basic production-style stage script; the package is not fully debugged. The package is not supported, and is distributed as one of the frankenstein bundle's 'appendices'.
documentation	(no language specified) <i>Bundle README</i> : https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/unsupported/README-unsupported
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/unsupported/drama.pdf
– local file	./9968890823-drama.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/unsupported
on MikTeX	frankenstein
keyword	drama-script (typeset scripts for plays, etc.)
language(s)	no language specified

year without year
last access 2025-02-07

1692 *dramatist* – Typeset dramas, both in verse and in prose

Web page on CTAN <https://ctan.org/pkg/dramatist>

name *dramatist*
caption Typeset dramas, both in verse and in prose
author Dominici, Massimiliano
copyright Massimiliano Dominici (2003-2005)
license gpl = GNU General Public License (free)
version 1.2e
description (no language specified) This package is intended for typesetting drama of any length. It provides two environments for typesetting dialogues in prose or in verse; new document divisions corresponding to acts and scenes; macros that control the appearance of characters and stage directions; and automatic generation of a 'dramatis personae' list.
documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/dramatist/dramatist.pdf>
– local file ./1275478058-dramatist.pdf
documentation (no language specified) *Package Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/dramatist/README>
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/dramatist>
on MikTeX *dramatist*
on T_EXLive *dramatist*
keyword drama-script (typeset scripts for plays, etc.)
see also see section 5491 on page 4968: (*sides* – A LaTeX class for typesetting stage plays)
language(s) no language specified
year 2005
last access 2025-02-07

1693 dratex – General drawing macros

Web page on CTAN <https://ctan.org/pkg/dratex>

name	dratex
caption	General drawing macros
author	Gurari, Eitan M.
license	lppl = The LaTeX Project Public License (free)
version	(2008-09-18)
last changes	2008-09-18
year	2008
description	(no language specified) A low level (DraTex.sty) and a high-level (AlDraTex.sty) drawing package written entirely in TeX.
on CTAN	https://ctan.org/tex-archive/graphics/dratex
on MikTeX	dratex
on TeXLive	dratex
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
language(s)	no language specified
last access	2025-02-07

1694 drawing – Simple drawings with Metafont

Web page on CTAN <https://ctan.org/pkg/drawing>

name	drawing
caption	Simple drawings with Metafont
author	Wagner, Zdeněk
copyright	Zdeněk Wagner (1993, 1994)
license	noinfo = noinfo
version	1.0a
description	(no language specified) A system for producing drawings using Metafont glyphs (or sequences of glyphs, tiled together using the verbatim package).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/drawing/readme.txt
on CTAN	https://ctan.org/tex-archive/graphics/drawing

keyword	graphics (graphics (support packages))
language(s)	no language specified
year	1994
last access	2025-02-07

1695 *drawing-with-metapost* – How to draw technical diagrams with MetaPost

Web page on CTAN <https://ctan.org/pkg/drawing-with-metapost>

name	Drawing-with-Metapost
caption	How to draw technical diagrams with MetaPost
author	Thurston, Toby
copyright	Toby Thurston (2024)
license	opl = Open Publication License (free)
version	2.0
description	(no language specified) This project provides a document that discusses how to draw technical diagrams with John Hobby's MetaPost language. It includes over 200 illustrations created with MetaPost, complete with source code as inspiration and examples.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/drawing-with-metapost/README.md
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/drawing-with-metapost/Drawing-with-Metapost.pdf
– local file	<code>./5706421740-Drawing-with-Metapost.pdf</code>
home page	https://github.com/thruston/Drawing-with-Metapost
contact	<i>support</i> : https://github.com/thruston/Drawing-with-Metapost/discussions
contact	<i>bugs</i> : https://github.com/thruston/Drawing-with-Metapost/issues
contact	<i>repository</i> : https://github.com/thruston/Drawing-with-Metapost
contact	<i>development</i> : https://github.com/thruston/Drawing-with-Metapost
on CTAN	https://ctan.org/tex-archive/info/drawing-with-metapost

on MikTeX	drawing-with-metapost
on T _E XLive	drawing-with-metapost
keyword	tutorial (tutorial material (general))
keyword	mp-doc (documentation for MetaPost users)
language(s)	no language specified
year	2024
last access	2025-02-07

1696 drawmatrix – Draw visual representations of matrices in LaTeX

Web page on CTAN <https://ctan.org/pkg/drawmatrix>

name	drawmatrix
caption	Draw visual representations of matrices in LaTeX
author	Peise, Elmar
copyright	Elmar Peise (2015)
license	mit = MIT License (free)
version	1.5.0 (2017-06-05)
last changes	2017-06-05
year	2017
description	(no language specified) The package provides macros to visually represent matrices. Various options allow to change the visualizations, e.g., drawing rectangular, triangular, or banded matrices.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/drawmatrix/drawmatrix.pdf
– local file	./5632635952-drawmatrix.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/drawmatrix/README.md
contact	<i>bugs:</i> https://github.com/elmar-peise/drawmatrix/issues
contact	<i>repository:</i> https://github.com/elmar-peise/drawmatrix
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/drawmatrix
on MikTeX	drawmatrix
on T _E XLive	drawmatrix

keyword `matrix` (typeset matrices)
 language(s) no language specified
 last access 2025-02-07

1697 *drawmgr* – *Macros for centralized management of graphics scripts*

Web page on CTAN <https://ctan.org/pkg/drawmgr>

name `drawmgr`
 caption Macros for centralized management of graphics scripts
 author `Ms_yam`
 copyright `Ms_yam` (2023-2026)
 license lpl1.3c = The LaTeX Project Public License 1.3c (free)
 version 0.3 (2026-01-28)
 last changes 2026-01-28
 year 2026
 description (no language specified) This package provides a tool for collectively managing drawing scripts, which allows users to organize drawing scripts into modules and call them on demand in documents.
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/drawmgr/README.md>
 documentation (Chinese) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/drawmgr/drawmgr.pdf>
 – local file `./3394570005-drawmgr.pdf`
 documentation (no language specified) *Sample of use*: <https://ctan.org/tex-archive/macros/latex/contrib/drawmgr/sample.pdf>
 – local file `./2640484555-sample.pdf`
 on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/drawmgr>
 on MikTeX `drawmgr`
 keyword `graphics-prep` (prepare graphics for use with *TeX)
 language(s) Chinese
 last access 2026-04-10

1698 drawstack – Draw execution stacks

Web page on CTAN <https://ctan.org/pkg/drawstack>

name	drawstack
caption	Draw execution stacks
author	Moy, Matthieu
copyright	Matthieu Moy (2010)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2010-08-06)
last changes	2010-08-06
year	2010
description	(no language specified) This simple LaTeX package provides support for drawing execution stack (typically to illustrate assembly language notions). The code is written on top of TikZ .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/drawstack/README
documentation	(no language specified) <i>Usage example</i> : https://ctan.org/tex-archive/macros/latex/contrib/drawstack/stack-example.pdf
– local file	<code>./7222831019-stack-example.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/drawstack
on MikTeX	drawstack
on TeXLive	drawstack
keyword	graphics-use (graphics (typesetting actual pictures))
keyword	comp-sci (typeset computer-science related material)
language(s)	no language specified
last access	2025-02-07

1699 drcaps – Simple dropped capitals

Web page on CTAN <https://ctan.org/pkg/drcaps>

name	drcaps
caption	Simple dropped capitals
author	Shipunov, Alexey
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2
description	(no language specified) The package offers simple macros for dropped capitals, in a couple of forms. The package is part of the shipunov bundle.
documentation	<i>Readme (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/shipunov/doc/README
documentation	<i>Example use (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/shipunov/doc/drcaps-ex-en.pdf
– local file	<code>./1723200555-drcaps-ex-en.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/shipunov/tex/drcaps.sty
on MikTeX	shipunov
on TeXLive	shipunov
keyword	lettrine (drop capitals and flow text around them)
see also	see section 3398 on page 3067 : (lettrine – Typeset dropped capitals)
language(s)	English
year	without year
last access	2025-02-07

1700 *drftcite* – Print the bibliography in "draft" mode

Web page on CTAN <https://ctan.org/pkg/drftcite>

name	drftcite
caption	Print the bibliography in "draft" mode
author	Arseneau, Donald
copyright	Donald Arseneau (1989, 1991-1997, 2001, 2007)
license	other-free = Free license not otherwise listed (free)
version	3.91
description	(no language specified) The package arranges that the tags are printed instead of the numbers for <code>\cite</code> and <code>\bibitem</code> . Drftcite is distributed with the cite bundle of packages.
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cite/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cite/drftcite.sty
on MikTeX	cite
on T _E XLive	cite
keyword	bibtex-supp (BibTeX citation support)
language(s)	no language specified
year	2007
last access	2025-02-07

1701 *drm* – A complete family of fonts written in Metafont

Web page on CTAN <https://ctan.org/pkg/drm>

name	drm
caption	A complete family of fonts written in Metafont
author	Goodman, Donald P.
copyright	Donald P. Goodman III (2014)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	4.4

description	(no language specified) The package provides access to the DRM (Don’s Revised Modern) family of fonts, which includes a variety of optical sizes in Roman (in four weights), italic, and small caps, among other shapes, along with a set of symbols and ornaments. It is intended to be a full-body text font, but its larger sizes can also be used for simple display purposes, and its significant body of symbols can stand on its own. It comes complete with textual (“old-style”) and lining figures, and even has small-caps figures. It also comes with extensible decorative rules to be used with ornaments from itself or other fonts, along with an extremely flexible ellipsis package.
documentation	(no language specified) <i>Font samples (2)</i> : https://ctan.org/tex-archive/fonts/drm/doc/specimen.pdf
– local file	<code>./1027255136-specimen.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/drm/README
documentation	(no language specified) <i>Font samples (1)</i> : https://ctan.org/tex-archive/fonts/drm/doc/small_specimen.pdf
– local file	<code>./8721014570-small_specimen.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/drm/doc/drm.pdf
– local file	<code>./9037796630-drm.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/drm
on MikTeX	<code>drm</code>
on T _E XLive	<code>drm</code>
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font</code> (fonts themselves)
language(s)	no language specified
year	2014
last access	2025-02-07

1702 droid – LaTeX support for the Droid font familiesWeb page on CTAN <https://ctan.org/pkg/droid>

name	droid
caption	LaTeX support for the Droid font families
author	El Morabity, Mohamed
author	Matteson, Steve
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	apache2 = Apache License, version 2.0 (free)
version	3.2
description	(no language specified) The Droid typeface family was designed in the fall of 2006 by Steve Matteson, as a commission from Google to create a set of system fonts for its Android platform. The goal was to provide optimal quality and comfort on a mobile handset when rendered in application menus, web browsers and for other screen text. The Droid family consists of Droid Serif, Droid Sans and Droid Sans Mono fonts, licensed under the Apache License Version 2.0. The bundle includes the fonts in both TrueType and Adobe Type 1 formats. The package does not support the Droid Pro family of fonts, available for purchase from the Ascender foundry.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/droid/doc/droid.pdf
– local file	./1428820528-droid.pdf
documentation	(no language specified) <i>Font samples</i>: https://ctan.org/tex-archive/fonts/droid/doc/droid-samples.pdf
– local file	./7479590979-droid-samples.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/droid/README
on CTAN	https://ctan.org/tex-archive/fonts/droid
installation	https://ctan.org/tex-archive/install/fonts/droid.tds.zip
on MikTeX	droid
on T _E XLive	droid
keyword	font-serif (serif font)
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font-t1enc (font providing LaTeX T1 encoding support)

keyword	<code>font-sans</code> (sans-serif font)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font-mono</code> (monospaced font)
keyword	<code>font-suppl</code> (metrics, macro incantations and other font support)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-ttf</code> (font available in TrueType format)
language(s)	no language specified
year	without year
last access	2025-02-07

1703 *droit-fr* – Document class and bibliographic style for French law

Web page on CTAN <https://ctan.org/pkg/droit-fr>

name	<code>droit-fr</code>
caption	Document class and bibliographic style for French law
author	de Saint-Pern, Yves
copyright	Yves de Saint-Pern (2010-2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2 (2016-02-20)
last changes	2016-02-20
year	2016
description	(no language specified) The bundle provides a toolkit intended for students writing a thesis in French law. It features: • a LaTeX document class; • a bibliographic style for BibLaTeX package; • a practical example of french thesis document; and • documentation. The class assumes use of <code>biber</code> and <code>BibLaTeX</code>.
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/droit-fr/doc/droit-fr.pdf

1704 *drop* – Dropped capitals at the start of a paragraph (LaTeX 2.09)

– local file	<code>./4916007601-droit-fr.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/droit-fr/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/droit-fr
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/droit-fr.tds.zip
on MikTeX	<code>droit-fr</code>
on T _E XLive	<code>droit-fr</code>
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>french</code> (support for typesetting French)
keyword	<code>biblatex</code> (BibLaTeX bibliography support)
keyword	<code>legal</code> (typesetting legal documents or study material)
language(s)	French
last access	2025-02-07

1704 *drop* – Dropped capitals at the start of a paragraph (LaTeX 2.09)

Web page on CTAN <https://ctan.org/pkg/drop>

name	<code>drop</code>
caption	Dropped capitals at the start of a paragraph (LaTeX 2.09)
author	Cantor, David G.
author	Wujastyk, Dominik
license	<code>noinfo</code> = <code>noinfo</code>
version	(1988-02-17)
last changes	1988-02-17
year	1988
description	(no language specified) The macros <code>drop</code> and <code>enlarge</code> the first letter(s) of a paragraph; there is no automation of the font used — the user is prompted for a font name. The dropping and (especially) lettrine packages, for LaTeX 2e, offer far more sophistication and facilities.

1705 dropcaps – Use dropped capitals to start a paragraph

on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/drop.sty
keyword	lettrine (drop capitals and flow text around them)
language(s)	no language specified
last access	2025-02-07

1705 dropcaps – Use dropped capitals to start a paragraph

Web page on CTAN <https://ctan.org/pkg/dropcaps>

name	dropcaps
caption	Use dropped capitals to start a paragraph
author	Lauwers, Fred
copyright	Fred J. Lauwers (1993)
license	nosell = Do Not Sell Except by Arrangement (not free)
version	0.30
description	(no language specified) While this package still works as originally intended (as far as it goes), the more sophisticated lettrine package is recommended for the job, nowadays.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/dropcaps
keyword	lettrine (drop capitals and flow text around them)
see also	see section 1706 on page 1545 : (dropping – Drop first letter of paragraphs)
language(s)	no language specified
year	1993
last access	2025-02-07

1706 dropping – Drop first letter of paragraphs

Web page on CTAN <https://ctan.org/pkg/dropping>

name	dropping
caption	Drop first letter of paragraphs
author	Dahlgren, Mats
copyright	Mats Dahlgren (1996-1998)
license	nosell = Do Not Sell Except by Arrangement (not free)

1707 *drs* – Typeset Discourse Representation Structures (DRS)

version	0.12a
description	(no language specified) The package provides A LaTeX2e macro for dropping the first character(s) (or word(s)) of a paragraph, extending the LaTeX 2.09 package dropcaps and automatically taking care of finding the font name. Now largely superseded by lettrine .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dropping/00readme.drp
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/dropping/dropping.pdf
– local file	./8852640739-dropping.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dropping
keyword	lettrine (drop capitals and flow text around them)
language(s)	no language specified
year	1998
last access	2025-02-07

1707 *drs* – Typeset Discourse Representation Structures (DRS)

Web page on CTAN <https://ctan.org/pkg/drs>

name	drs
caption	Typeset Discourse Representation Structures (DRS)
author	Dimitriadis, Alexis
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1b
description	(no language specified) The package draws Discourse Representation Structures (DRSs). It can draw embedded DRSs, if-then conditions and quantificational "duplex conditions" (with a properly scaled connecting diamond). Formatting parameters allow the user to control the appearance and placement of DRSs, and of DRS variables and conditions. The package is based on DRS macros in the covington package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/drs/drsdoc.pdf
– local file	./3055386501-drsdoc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/drs/README

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/drs
on MikTeX	drs
on T _E XLive	drs
keyword	linguistic (support for linguistics)
language(s)	no language specified
year	without year
last access	2025-02-07

1708 *drv* – Derivation trees with MetaPost

Web page on CTAN <https://ctan.org/pkg/drv>

name	drv
caption	Derivation trees with MetaPost
author	Méhats, Laurent
copyright	Laurent Méhats (2009)
license	lppl = The LaTeX Project Public License (free)
version	0.97
description	(no language specified) A set of MetaPost macros for typesetting derivation trees (such as used in sequent calculus, type inference, programming language semantics...).
	No MetaPost knowledge is needed to use these macros.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/drv/README
documentation	(no language specified) <i>User guide</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/drv/drv-guide.pdf
– local file	./7189082890-drv-guide.pdf
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/drv
on MikTeX	drv
on T _E XLive	drv
keyword	tree (mechanisms for drawing trees)
language(s)	no language specified
year	2009

last access 2025-02-07

1709 *dspticks* – Macros for Digital Signal Processing plots

Web page on CTAN <https://ctan.org/pkg/dspticks>

name	<code>dspticks</code>
caption	Macros for Digital Signal Processing plots
author	Prandoni, Paolo
copyright	Paolo Prandoni (2014-2023)
license	lppl = The LaTeX Project Public License (free)
version	1.1 (2023-11-08)
last changes	2023-11-08
year	2023
description	(no language specified) The package provides a set of LaTeX macros (based on PSTricks) for plotting the kind of graphs and figures that are usually employed in digital signal processing publications. DSPTricks provides facilities for standard discrete-time "lollipop" plots, continuous-time and frequency plots, and pole-zero plots. The companion package DSPFunctions (<code>dspfunctions.sty</code>) provides macros for computing frequency responses and DFTs, while the package DSPBlocks (<code>dspblocks.sty</code>) supports DSP block diagrams.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/graphics/pstricks/contrib/dspticks/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/graphics/pstricks/contrib/dspticks/dspTricksManual.pdf
– local file	<code>./3603677194-dspTricksManual.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/dspticks
on MikTeX	<code>dspticks</code>
on T _E XLive	<code>dspticks</code>
keyword	<code>pstricks</code> (package using PSTricks for graphical output)
language(s)	no language specified
last access	2026-04-12

1710 ds serif – A double-struck serifed font for mathematical use

Web page on CTAN <https://ctan.org/pkg/ds serif>

name	DSSerif
caption	A double-struck serifed font for mathematical use
author	Sharpe, Michael
copyright	Michael Sharpe (2018-2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
license	ofl = The SIL Open Font License (free)
version	1.031 (2021-10-29)
last changes	2021-10-29
year	2021
description	(no language specified) DSSerif is a mathematical font package with double struck serifed digits, upper and lower case letters, in regular and bold weights. The design was inspired by the STIX double struck fonts, which are sans serif, but starting from a Courier-like base.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/ds serif/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/ds serif/doc/ds serif-doc.pdf
– local file	./9293137183-ds serif-doc.pdf
on CTAN	https://ctan.org/tex-archive/fonts/ds serif
on MikTeX	ds serif
on T _E XLive	ds serif
keyword	font-maths (fonts for use in mathematics)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-serif (serif font)
keyword	font-bbd (doublestroke (blackboard bold) fonts)
keyword	font (fonts themselves)
language(s)	no language specified
last access	2025-02-07

1711 `dtk` – Document class for the journal of DANTE

Web page on CTAN <https://ctan.org/pkg/dtk>

name	<code>dtk</code>
caption	Document class for the journal of DANTE
author	Voß, Herbert
author	Niepraschk, Rolf
copyright	Rolf Niepraschk, Herbert Voß (2015-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.10f (2024-06-27)
last changes	2024-06-27
year	2024
description	(no language specified) The bundle provides a class and style file for typesetting "Die TeXnische Komödie" — the communications of the German TeX Users Group DANTE e.V. The arrangement means that the class may be used by article writers to typeset a single article, as well as to produce the complete journal.
documentation	(German) <i>Example of use:</i> https://ctan.org/tex-archive/usergrps/dante/dtk/doc/beispiel.pdf
– local file	<code>./4474480758-beispiel.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/usergrps/dante/dtk/README.md
contact	<i>bugs:</i> https://github.com/rolfn/dtk/issues
contact	<i>repository:</i> https://github.com/rolfn/dtk
on CTAN	https://ctan.org/tex-archive/usergrps/dante/dtk
on MikTeX	<code>dtk</code>
on TeXLive	<code>dtk</code>
keyword	<code>journalpub</code> (typesetting journals, etc)
keyword	<code>class</code> (alternative LaTeX class(es))
language(s)	German
last access	2026-04-13

1712 *dtk-1.32* – Document class for the journal of DANTE

Web page on CTAN <https://ctan.org/pkg/dtk-1.32>

name	<code>dtk-1.32</code>
caption	Document class for the journal of DANTE
author	Voß, Herbert
author	Neugebauer, Gerd
copyright	Herbert Voß (1997-2014)
copyright	DANTE, Deutschsprachige Anwendervereinigung TeX e.V. (1997-2012)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.32
description	(no language specified) The bundle provides a class and style file for typesetting “Die TeXnische Komödie” — the communications of the German TeX Users Group DANTE e.V. The arrangement means that the class may be used by article writers to typeset a single article as well as to produce the complete journal. Version 1.32 is superseded by a totally rewritten dtk bundle.
on CTAN	https://ctan.org/tex-archive/obsolete/usergrps/dante/dtk-1.32
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>journalpub</code> (typesetting journals, etc)
language(s)	no language specified
year	2014
last access	2026-04-14

1713 *dtk-bibliography* – Bibliography of “Die TeXnische Komödie”

Web page on CTAN <https://ctan.org/pkg/dtk-bibliography>

name	<code>dtk-bibliography</code>
caption	Bibliography of “Die TeXnische Komödie”
author	Ziegenhagen, Uwe
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2024-04 (2025-01-03)
last changes	2025-01-03

1714 *dtl* – Tools to dis-assemble and re-assemble DVI files

year	2025
description	(no language specified) This package contains the bibliography for "Die TeXnische Komödie", the journal of the German-speaking TeX User Group. It is updated on a quarterly basis.
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/dtk-bibliography/dtk-bibliography.pdf
– local file	<code>./1614278177-dtk-bibliography.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/dtk-bibliography/README.md
contact	<i>support</i> : https://github.com/dante-ev/dtk-bibliography/issues
contact	<i>bugs</i> : https://github.com/dante-ev/dtk-bibliography/issues
contact	<i>repository</i> : https://github.com/dante-ev/dtk-bibliography
on CTAN	https://ctan.org/tex-archive/info/dtk-bibliography
on MikTeX	dtk-bibliography
on TeXLive	dtk-bibliography
keyword	journ-digest (digests/partial information about journals)
keyword	review-document (document reviewing subjects relevant for TeX users)
keyword	german-doc (documentation in German)
language(s)	no language specified
last access	2025-02-07

1714 *dtl* – Tools to dis-assemble and re-assemble DVI files

Web page on CTAN <https://ctan.org/pkg/dtl>

name	<code>dtl</code>
caption	Tools to dis-assemble and re-assemble DVI files
author	Tobin, Geoffrey
license	pd = Public Domain Software (free)
version	0.6.1

description	(no language specified) DTL (DVI Text Language) is a means of expressing the content of a DVI file, which is readily readable by humans. The DTL bundle contains an assembler dt2dv (which produces DVI files from DTL files) and a disassembler dv2dt (which produces DTL files from DVI files). The DTL bundle was developed so as to avoid some infelicities of dvitype (among other pressing reasons).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/dviware/dtl/README
on CTAN	https://ctan.org/tex-archive/dviware/dtl
on T _E XLive	dtl
keyword	dvi-struct (create and/or process text representation of a DVI file)
language(s)	no language specified
year	without year
last access	2025-02-07

1715 dtxdescribe – Describe additional object types in dtx source files

Web page on CTAN <https://ctan.org/pkg/dtxdescribe>

name	dtxdescribe
caption	Describe additional object types in dtx source files
author	Dunn, Brian
copyright	Brian Dunn (2016-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.09 (2024-01-20)
last changes	2024-01-20
year	2024
description	(no language specified) The doc package includes tools for describing macros and environments in LaTeX source .dtx format. The dtxdescribe package adds additional tools for describing booleans, lengths, counters, hooks, sockets, plug, keys, packages, classes, options, files, commands, arguments, and other objects, and also works with the standard document classes as well, for those who do not wish to use the .dtx format. Each item is given a margin tag similar to <code>\DescribeEnv</code>, and is listed in the index by itself and also by category. Each item may be sorted further by an optional class. All index entries except code lines are hyperlinked.

The `dtxexample` environment is provided for typesetting example code and its results. Contents are displayed verbatim along with a caption and cross-referencing. They are then input and executed, and the result is shown.

Environments are also provided for displaying verbatim or formatted source code, user-interface displays, and sidebars with titles.

Macros are provided for formatting the names of inline LaTeX objects such as packages and booleans, as well as program and file names, file types, internet objects, the names of certain programs, a number of logos, and inline dashes and slashes.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dtxdescribe/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/dtxdescribe/dtxdescribe.pdf
– local file	<code>./6941672321-dtxdescribe.pdf</code>
contact	<i>bugs</i> : https://github.com/bdte/dtxdescribe
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dtxdescribe
on MikTeX	<code>dtxdescribe</code>
on T _E XLive	<code>dtxdescribe</code>
keyword	<code>doc-supp</code> (macros and tools for preparing documentation)
see also	see section 1642 on page 1489: (<code>doc</code> – Format LaTeX documentation)
language(s)	no language specified
last access	2025-02-07

1716 *dtxgallery* – A small collection of minimal DTX examples

Web page on CTAN	https://ctan.org/pkg/dtxgallery
name	DTX gallery
caption	A small collection of minimal DTX examples
author	Robertson, Will
license	lppl = The LaTeX Project Public License (free)
version	1

1717 `dtxgen` – Creates a template for a self-extracting `.dtx` file

description	(no language specified) A collection of files that demonstrate simple things that are possible with the flexible and under-appreciated docstrip file format. Each file of the collection is provided as a <code>.dtx</code> file and as the corresponding <code>.pdf</code> . The set is intended as a companion to Scott Pakin’s excellent and influential dtxut example of producing LaTeX packages in this way.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/dtxgallery/README
on CTAN	https://ctan.org/tex-archive/info/dtxgallery
on T _E XLive	dtxgallery
keyword	demo-code (code that serves as examples of TeX programming)
language(s)	no language specified
year	without year
last access	2025-02-07

1717 `dtxgen` – Creates a template for a self-extracting `.dtx` file

Web page on CTAN <https://ctan.org/pkg/dtxgen>

name	dtxgen
caption	Creates a template for a self-extracting <code>.dtx</code> file
author	Dekker, Wybo H.
license	gpl = GNU General Public License (free)
version	1.08
description	(no language specified) The <code>bash</code> script <code>dtxgen</code> creates a template for a self-extracting <code>.dtx</code> file. It is useful for those who plan to create a new Documented LaTeX Source (<code>.dtx</code>) file.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/dtxgen/dtxgen.pdf
– local file	<code>./9538778849-dtxgen.pdf</code>
documentation	(no language specified) <i>README</i> : https://ctan.org/tex-archive/support/dtxgen/README
on CTAN	https://ctan.org/tex-archive/support/dtxgen
on MikT _E X	dtxgen
on T _E XLive	dtxgen
keyword	file-mgmt (TeX-related-file management)

language(s)	no language specified
year	without year
last access	2025-02-07

1718 *dtxtut* – Tutorial on writing .dtx and .ins files

Web page on CTAN <https://ctan.org/pkg/dtxtut>

name	dtxtut
caption	Tutorial on writing .dtx and .ins files
author	Pakin, Scott
copyright	Scott Pakin (2015-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.4 (2024-01-21)
last changes	2024-01-21
year	2024
description	(no language specified) This tutorial is intended for advanced LaTeX2e users who want to learn how to create .ins and .dtx files for distributing their homebrewed classes and package files.
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/dtxtut/dtxtut.pdf
– local file	./8103806295-dtxtut.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/dtxtut/README
on CTAN	https://ctan.org/tex-archive/info/dtxtut
on MikTeX	dtxtut
on TeXLive	dtxtut
keyword	tut-latex-prg (tutorial material for LaTeX programming)
see also	see section 5721 on page 5184: (sty2dtx – Create a .dtx file from a .sty file)
see also	see section 3739 on page 3383: (makedtx – Perl script to help generate dtx and ins files)
language(s)	no language specified
last access	2025-02-07

1719 *ducksay* – Draw ASCII art of animals saying a specified message

Web page on CTAN <https://ctan.org/pkg/ducksay>

name	ducksay
caption	Draw ASCII art of animals saying a specified message
author	Spratte, Jonathan P.
copyright	Jonathan P. Spratte (2017-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.8 (2025-11-22)
last changes	2025-11-22
year	2025
description	(no language specified) The package draws ASCII art of animals saying a specified message. The following macros are available: • <code>\ducksay</code> • <code>\duckthink</code> • <code>\DefaultAnimal</code> • <code>\AddAnimal</code> • <code>\DucksayOptions</code> Multi-line messages are now fully supported. The package comes with two versions, choosable with the version key.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ducksay/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ducksay/ducksay.pdf
– local file	<code>./8811154987-ducksay.pdf</code>
contact	<i>bugs</i> : https://github.com/Skillmon/ltx_ducksay/issues
contact	<i>repository</i> : https://github.com/Skillmon/ltx_ducksay
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ducksay
on MikTeX	ducksay
on TeXLive	ducksay
keyword	amusements (jokes, distractions, tongue-in-cheek packages, and other entertainment material)

keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	graphics (graphics (support packages))
language(s)	no language specified
last access	2025-11-30

1720 *duckuments* – Create duckified dummy content

Web page on CTAN <https://ctan.org/pkg/duckuments>

name	<code>duckuments</code>
caption	Create duckified dummy content
author	Spratte, Jonathan P.
copyright	Jonathan P. Spratte (2018-2019)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.5 (2019-10-03)
last changes	2019-10-03
year	2019
description	(no language specified) The package provides facilities to create duckified dummy contents. It was inspired by the question ” Getting ducks in example images ” on TeX-LaTeX Stack Exchange.

The following macros are available:

- `\duckument[key=val]` - print a short duckument
- `\blindduck[key=val]` - print a paragraph
- `\ducklist(*){environment}` - create a list of type environment
- `\ducklistlist(*){environment}` - create nested lists
- `\duckitemize - ducklist{itemize}`
- `\duckenumerate - ducklist{enumerate}`
- `\duckdescription - ducklist{description}`
- `\duckumentsCreateExampleFile`
- `\duckumentsDrawRandomDucks`

The package works with pdfTeX, LuaTeX, and XeTeX.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/duckuments/README.md
---------------	---

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/duckuments/duckuments.pdf
– local file	<code>./8846127194-duckuments.pdf</code>
contact	<i>repository:</i> https://github.com/Skillmon/ltx_duckuments
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/duckuments
on MikTeX	duckuments
on T _E XLive	duckuments
keyword	macro-supp (support for development of (La)TeX macros)
keyword	dummy-gen (dummy text generator for tests and examples)
see also	see section 6162 on page 5573: (TikZducks – A little fun package for using rubber ducks in TikZ)
see also	see section 3464 on page 3132: (lipsum – Easy access to the Lorem Ipsum and other dummy texts)
language(s)	no language specified
last access	2025-02-07

1721 *duerer* – Computer Duerer fonts

Web page on CTAN <https://ctan.org/pkg/duerer>

name	duerer
caption	Computer Duerer fonts
author	Hoenig, Alan
license	pd = Public Domain Software (free)
version	(2010-12-13)
last changes	2010-12-13
year	2010
description	(no language specified) These fonts are designed for titling use, and consist of capital roman letters only. Together with the normal set of base shapes, the family also offers an informal shape. The distribution is as Metafont source. LaTeX support is available in the duerer-latex bundle.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/duerer/README

on CTAN	https://ctan.org/tex-archive/fonts/duerer
on MikTeX	duerer
on T _E XLive	duerer
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
see also	see section 1722 on page 1560: (<i>duerer-LaTeX</i> – LaTeX support for the Duerer fonts)
language(s)	no language specified
last access	2025-02-07

1722 *duerer-latex* – LaTeX support for the Duerer fonts

Web page on CTAN	https://ctan.org/pkg/duerer-latex
name	duerer-LaTeX
caption	LaTeX support for the Duerer fonts
author	Jørgensen, Palle
license	gpl = GNU General Public License (free)
version	1.1
description	(no language specified) LaTeX support for Hoenig’s Computer Duerer fonts, using their standard fontname names.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/duerer-latex/duerer.pdf
– local file	./4598277666-duerer.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/duerer-latex
on MikTeX	duerer-latex
on T _E XLive	duerer-latex
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year
last access	2025-02-07

1723 *duotensor* – Drawing package for circuit and duotensor diagrams

Web page on CTAN <https://ctan.org/pkg/duotensor>

name	duotensor
caption	Drawing package for circuit and duotensor diagrams
author	Hardy, Lucien
copyright	Lucien Hardy (2010)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.00
description	(no language specified) This is a drawing package for circuit and duotensor diagrams within LaTeX documents. It consists of about eighty commands, calling on TikZ for support.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/duotensor/duotenzormanual.pdf
– local file	./6814176325-duotenzormanual.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/duotensor/README
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/duotensor
on MikTeX	duotensor
on T _E XLive	duotensor
keyword	graphics (graphics (support packages))
keyword	diagram-circ (circuit diagrams)
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	diagram (diagrams)
language(s)	no language specified
year	2010
last access	2025-09-11

1724 *duplicat* – Make duplicate page numbers distinctWeb page on CTAN <https://ctan.org/pkg/duplicat>

name	duplicat
caption	Make duplicate page numbers distinct
author	Fairbairns, Robin
author	Piff, Mike
author	Carlisle, David
license	pd = Public Domain Software (free)
version	(2010-12-03)
last changes	2010-12-03
year	2010
description	(no language specified) The package arranges that all pages' numbers are distinct (as far as output drivers is concerned), by using <code>\count 1</code> as a running page number. (Dvips distinguishes such duplicates anyway, so that the package is not necessary if you are using dvips for output. The package is part of the piff bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/piff/duplicat-doc.pdf
– local file	<code>./3044362810-duplicat-doc.pdf</code>
documentation	(no language specified) <i>Bundle Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/piff/README
contact	<i>support</i> : https://github.com/rf-latex/piff/issues
contact	<i>repository</i> : https://github.com/rf-latex/piff
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/piff/duplicat.sty
on MikTeX	piff
on T _E XLive	piff
keyword	page-nos (control sequence and typesetting of page numbers)
language(s)	no language specified
last access	2025-02-07

1725 *dutchcal* – A reworking of ESSTIX13, adding a bold version

Web page on CTAN <https://ctan.org/pkg/dutchcal>

name	dutchcal
caption	A reworking of ESSTIX13, adding a bold version
author	Sharpe, Michael
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) This package reworks the mathematical calligraphic font ESSTIX13 , adding a bold version. LaTeX support files are included. The new fonts may also be accessed from the most recent version of mathalpha . The fonts themselves are subject to the SIL OPEN FONT LICENSE, version 1.1.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/dutchcal/README
on CTAN	https://ctan.org/tex-archive/fonts/dutchcal
on MikTeX	dutchcal
on T _E XLive	dutchcal
keyword	font (fonts themselves)
keyword	font-calligraphic (calligraphic (or handwriting) fonts)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
year	without year
last access	2025-02-07

1726 *dvdcoll* – A class for typesetting DVD archives

Web page on CTAN <https://ctan.org/pkg/dvdcoll>

name	dvdcoll
caption	A class for typesetting DVD archives
author	Kleber, Josef
license	lppl = The LaTeX Project Public License (free)
version	1.1a

description	(no language specified) Having lost the overview of my DVD archives, I simply could not remember if I already recorded the documentary running on TV that day. I chose to recreate the index using LaTeX: the design aim was a hyperlinked and fully searchable PDF-document, listing my DVDs with all titles, lengths and so on. Further requirements were support for seasons of tv series and a list with all faulty or missing programs for rerecording. The <i>dvdcoll</i> class supports all these requirements. <i>dvdcoll.cls</i> follows the structure <code><number><title><length></code>. As a result, the class is not limited to DVDs—you can of course typeset archives of CD-ROMs, Audio-CDs and so on. Supported languages at the moment: English, French, German, Italian, Polish, Portuguese, Spanish. Some help is needed for other languages!
documentation	(English) <i>Class documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/dvdcoll/doc/dvdcoll.pdf
– local file	<code>./8776460856-dvdcoll.pdf</code>
documentation	(no language specified) <i>Installation instructions</i> : https://ctan.org/tex-archive/macros/latex/contrib/dvdcoll/doc/INSTALL
documentation	(no language specified) <i>README file</i> : https://ctan.org/tex-archive/macros/latex/contrib/dvdcoll/doc/README
documentation	(no language specified) <i>Example output</i> : https://ctan.org/tex-archive/macros/latex/contrib/dvdcoll/doc/dcexample.pdf
– local file	<code>./1876035693-dcexample.pdf</code>
documentation	(German) <i>Class documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/dvdcoll/doc/dvdcoll_de.pdf
– local file	<code>./6434908718-dvdcoll_de.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dvdcoll
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/dvdcoll.tds.zip
on MikTeX	<code>dvdcoll</code>
on T _E XLive	<code>dvdcoll</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>catalogue</code> (typeset catalogue data)
language(s)	German; English
year	without year
last access	2025-02-07

1727 *dvgloss* – Facilities for setting interlinear glossed text

Web page on CTAN <https://ctan.org/pkg/dvgloss>

name	dvgloss
caption	Facilities for setting interlinear glossed text
author	Velleman, Dan Bridges
copyright	Dan Bridges Velleman (2013)
license	lppl = The LaTeX Project Public License (free)
version	0.1
description	(no language specified) The package provides extensible macros for setting interlinear glossed text — useful, for instance, for typing linguistics papers. The operative word here is "extensible": few features are built in, but some flexible and powerful facilities are included for adding your own.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/dvgloss/dvgloss.pdf
– local file	./8917995880-dvgloss.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dvgloss/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dvgloss
on MikTeX	dvgloss
on T _E XLive	dvgloss
keyword	linguistic (support for linguistics)
see also	see section 2453 on page 2218: (gb4e – Linguistic tools)
see also	see section 6311 on page 5706: (tree-dvips – Trees and other linguists' macros)
language(s)	no language specified
year	2013
last access	2025-02-07

1728 dvgt – Previewer for use on graphic and character-cell terminals

Web page on CTAN <https://ctan.org/pkg/dvgt>

name	dvgt
caption	Previewer for use on graphic and character-cell terminals
author	Tobin, Geoffrey
license	pd = Public Domain Software (free)
version	3.51
description	(no language specified) Dvgt is a development of DVItOVDU, a very early previewer. Dvgt has Terse, Box and Full preview modes. Terse mode uses the text mode of the VDU, and is insensitive to zoom. Box mode shows the bounding boxes of characters. Full mode gives a graphically rendered preview. On non-graphic terminals at low screen magnifications, Terse mode is the most useful, but as one zooms in, Box and Full modes become more and more accurate.
documentation	(no language specified) (<i>Terse</i>) usage instructions: https://ctan.org/tex-archive/dviware/dvgt/dvgt/README
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/dviware/dvgt/DVGT351.README
on CTAN	https://ctan.org/tex-archive/dviware/dvgt
keyword	dvi-prev (preview DVI files)
see also	see section 1729 on page 1566: (dvgtk – Tektronix 401x DVI previewer)
language(s)	no language specified
year	without year
last access	2025-02-07

1729 dvgtk – Tektronix 401x DVI previewer

Web page on CTAN <https://ctan.org/pkg/dvgtk>

name	dvgtk
caption	Tektronix 401x DVI previewer
author	Cholewo, Tomasz J.
license	pd = Public Domain Software (free)
version	0.2

description	(no language specified) A DVI file previewer for Tektronix 401x terminal emulators like Kermit, CONEX, or NCSA Telnet. The package is a development of Trevorrow (et al.)'s dvgt using the Kpathsea library.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/dviware/dvgtk/README
on CTAN	https://ctan.org/tex-archive/dviware/dvgtk
keyword	dvi-prev (preview DVI files)
language(s)	no language specified
year	without year
last access	2025-02-07

1730 *dvi-economic* – Save paper while printing

Web page on CTAN <https://ctan.org/pkg/dvi-economic>

name	dvi-economic
caption	Save paper while printing
author	Verhoeven, Yves
license	nosource = No Source Available (not free)
description	(no language specified) A small collection comprising two programs: • <code>dvifour</code> , which enables output to appear 4 pages per sheet, and • <code>dvi_parity</code> , which will select even or odd pages for output that is destined for printing on both sides of the paper. Both programs are available as MS-DOS executables, only.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/dviware/dvi_economic/dvi_econ.txt
on CTAN	https://ctan.org/tex-archive/dviware/dvi_economic
keyword	dvi-proc (DVI processor)
language(s)	no language specified
year	without year
last access	2025-02-07

1731 *dvi2bitmap* – Utility to convert TeX DVI files directly to bitmaps

Web page on CTAN <https://ctan.org/pkg/dvi2bitmap>

name	dvi2bitmap
caption	Utility to convert TeX DVI files directly to bitmaps
author	Gray, Norman
license	gpl2 = GNU General Public License, version 2 (free)
version	1.0 (2015-01-12)
last changes	2015-01-12
year	2015
description	(no language specified) A utility to convert TeX DVI files directly to bitmaps, without going through the complicated (and slow!) route of conversion via PostScript and PNM. The prime motivation for this is to prepare mathematical equations for inclusion in HTML files but there are many other uses beyond that. It can generate XBM and GIF bitmaps, plus PNG, if you have the libpng library installed. It uses the same kpathsea font-searching library as other TeX programs, again as long as you have the appropriate library installed. The program is written in C++, and incidentally provides a good object interface for DVI and PK files.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/dviware/dvi2bitmap/README
documentation	(English) <i>Dvi2bitmap library details</i> :: https://ctan.org/tex-archive/dviware/dvi2bitmap/doc_libdvi2bitmap/html/index.html
contact	<i>repository</i> : http://dvi2bitmap.sourceforge.net/
on CTAN	https://ctan.org/tex-archive/dviware/dvi2bitmap
keyword	dvi-bit (generate graphic bitmaps from DVI files)
see also	see section 1752 on page 1584: (dvi2png – A fast DVI to PNG/GIF converter)
language(s)	English
last access	2025-02-07

1732 dvi2ln3 – LN03 driver based on DVIttypeWeb page on CTAN <https://ctan.org/pkg/dvi2ln3>

name	dvi2ln3
caption	LN03 driver based on DVIttype
author	Rose, Flavio
copyright	Digital Equipment Corporation (1985, 1986)
license	noinfo = noinfo
version	9
description	(no language specified) A development of dvitype , in VAX C, for VMS or Ultrix DVI output to LN03 printers.
on CTAN	https://ctan.org/tex-archive/dviware/ln03/rose
keyword	dvi-print (convert DVI files for (direct) printing, etc.)
language(s)	no language specified
year	1986
last access	2025-02-07

1733 dvi2tty – Produce ASCII from DVIWeb page on CTAN <https://ctan.org/pkg/dvi2tty>

name	dvi2tty
caption	Produce ASCII from DVI
author	Tanaka, Takuji
author	Lindahl, Svante
author	Mol, Marcel J. E.
copyright	Marcel J.E. Mol et al. (1989-2016)
license	gpl2 = GNU General Public License, version 2 (free)
version	6.0.0 (2016-03-05)
last changes	2016-03-05
year	2016
description	(no language specified) A DVI driver to produce an ASCII representation of the document. The original version was written in Pascal, and the present author translated the program to C.

documentation (no language specified) *Readme:*
<https://ctan.org/tex-archive/dviware/dvi2tty/README>

contact *repository:* <https://github.com/t-tk/dvi2tty>

on CTAN <https://ctan.org/tex-archive/dviware/dvi2tty>

on T_EXLive dvi2tty

keyword plain-text (derive plain text from a TeX document)

keyword dvi-proc (DVI processor)

language(s) no language specified

last access 2025-02-07

1734 *dvi2xx* – A general-purpose DVI output for Hewlett-Packard printers

Web page on CTAN <https://ctan.org/pkg/dvi2xx>

name dvi2xx

caption A general-purpose DVI output for Hewlett-Packard printers

author Neumann, Walter D.

license noinfo = noinfo

version 0.51alpha9

description (no language specified) This is one of the many DVI processors that reflected the popularity of low-cost Hewlett-Packard printers; it could also create output for the IBM 3812 page printer. It has now been superseded by *dviljk* (there seems to be no update that covers the IBM printer).

documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/obsolete/dviware/dvi2xx/README>

on CTAN <https://ctan.org/tex-archive/obsolete/dviware/dvi2xx>

keyword dvi-print (convert DVI files for (direct) printing, etc.)

language(s) no language specified

year without year

last access 2025-02-07

1735 dviasm – A utility for editing DVI filesWeb page on CTAN <https://ctan.org/pkg/dviasm>

name	DVIasm
caption	A utility for editing DVI files
author	Cho, Jin-Hwan
author	Yamashita, Hironobu
author	Hosny, Khaled
copyright	Khaled Hosny (2011-2017)
copyright	Arthur Reutenauer (2019)
copyright	Jin-Hwan Cho (2007-2008)
copyright	Hironobu Yamashita (2019-2025)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	(2024-07-25)
last changes	2024-07-25
year	2024
description	(no language specified) A Python script to support changing or creating DVI files via disassembling into text, editing, and then reassembling into binary format. It supports advanced features such as adding a preprint number or watermarks.
documentation	(no language specified) <i>Extensions to accommodate multi-octet characters:</i> http://ajt.ktug.kr/assets/2008/5/1/0201cho.pdf
– local file	./3102071864-0201cho.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/dviware/dviasm/README
documentation	(no language specified) <i>Introduction to the package:</i> https://tug.org/TUGboat/Articles/tb28-2/tb89cho.pdf
– local file	./7071209827-tb89cho.pdf
contact	<i>bugs:</i> https://github.com/aminophen/dviasm/issues
contact	<i>repository:</i> https://github.com/aminophen/dviasm
on CTAN	https://ctan.org/tex-archive/dviware/dviasm
on MikTeX	dviasm
on T _E XLive	dviasm
keyword	dvi-struct (create and/or process text representation of a DVI file)

see also see section 1714 on page 1552: (dttl – Tools to dis-assemble and re-assemble DVI files)

language(s) no language specified

last access 2025-02-07

1736 *dvibit* – DVI driver for BBN bitgraph terminal

Web page on CTAN <https://ctan.org/pkg/dvibit>

name dvibit

caption DVI driver for BBN bitgraph terminal

author Senn, Mark

author Schaad, James L.

license noinfo = noinfo

version (1984-01-21)

last changes 1984-01-21

year 1984

description (no language specified) Old enough that it uses p_xl files — possibly interesting for historical reasons.

on CTAN <https://ctan.org/tex-archive/dviware/dvibit>

keyword dvi-prev (preview DVI files)

language(s) no language specified

last access 2025-02-07

1737 *dvibook* – Utilities for manipulating DVI files

Web page on CTAN <https://ctan.org/pkg/dvibook>

name dvibook

caption Utilities for manipulating DVI files

author Duggan, Angus

copyright University of Maryland Department of Computer Science (1987,1989)

license other-free = Free license not otherwise listed (free)

version (1994-03-14)

last changes 1994-03-14

1738 *dvichk* – List the page numbers in a DVI file

year	1994
description	(no language specified) The collection comprises: • <i>dvibook</i>, which will rearrange the pages of a DVI file into ‘signatures’ as used when printing a book; • <i>dviconcat</i>, for concatenating pages of DVI file(s); • <i>dviselect</i>, which will select pages from one DVI file to create a new DVI file; • <i>dvitodvi</i>, which will rearrange the pages of a DVI file to create a new file; and • <i>libtex</i>, a library for manipulating the files, from the old SeeTeX project. The utilities are provided as C source with Imakefiles, and an MS-DOS version of <i>dvibook</i> is also provided.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/dviware/dvibook/README
on CTAN	https://ctan.org/tex-archive/dviware/dvibook
on T _E XLive	seetexk
keyword	dvi-proc (DVI processor)
language(s)	no language specified
last access	2025-02-07

1738 *dvichk* – List the page numbers in a DVI file

Web page on CTAN <https://ctan.org/pkg/dvichk>

name	<i>dvichk</i>
caption	List the page numbers in a DVI file
author	Esken, Thomas
copyright	Thomas Esken (1990-1993, 2000)
license	gpl = GNU General Public License (free)
version	1.91
documentation	<i>Package description (German)</i> : https://ctan.org/tex-archive/dviware/dvichk/dvichk-de.txt
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/dviware/dvichk/README

documentation	<i>Package description (English):</i> https://ctan.org/tex-archive/dviware/dvichk/dvichk-en.txt
on CTAN	https://ctan.org/tex-archive/dviware/dvichk
keyword	dvi-proc (DVI processor)
language(s)	German; English
year	2000
last access	2025-02-07

1739 dviconcat – Concatenates DVI files

Web page on CTAN	https://ctan.org/pkg/dviconcat
name	dviconcat
caption	Concatenates DVI files
license	other-free = Free license not otherwise listed (free)
documentation	(no language specified) <i>Man page::</i> https://ctan.org/tex-archive/dviware/dvibook/Dviconcat/dviconcat.pdf
– local file	./6008041581-dviconcat.pdf
on CTAN	https://ctan.org/tex-archive/dviware/dvibook/Dviconcat
on T _E XLive	seetexk
keyword	dvi-proc (DVI processor)
language(s)	no language specified
year	without year
last access	2025-02-07

1740 dvicopy – Copy DVI files, flattening VFs

Web page on CTAN	https://ctan.org/pkg/dvicopy
name	dvicopy
caption	Copy DVI files, flattening VFs
author	Breitenlohner, Peter
license	gpl = GNU General Public License (free)
version	1.5

description	(no language specified) DVICOPY is a utility program that allows one to take a DVI file that references composite fonts (VF) and convert it into a DVI file that does not contain such references. It also serves as a basis for writing DVI drivers (much like DVItypex).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/dviware/dvicopy/read.me
contact	<i>support</i> : https://lists.tug.org/tex-k
contact	<i>bugs</i> : https://lists.tug.org/tex-k
contact	<i>repository</i> : https://tug.org/svn/texlive/trunk/Build/source/texk/web2c/
on CTAN	https://ctan.org/tex-archive/obsolete/dviware/dvicopy
on MikTeX	miktex-dvicopy-bin-2.9
on T _E XLive	dvicopy
keyword	dvi-proc (DVI processor)
language(s)	no language specified
year	without year
last access	2025-02-07

1741 dvidvi – Convert one DVI file into another

Web page on CTAN <https://ctan.org/pkg/dvidvi>

name	dvidvi
caption	Convert one DVI file into another
author	Rokicki, Tom
author	The TeX Live Team
author	Zimanyi, Esteban
license	other-free = Free license not otherwise listed (free)
description	(no language specified) The output DVI file's contents are specified by page selection commands; series of pages and page number ranges may be specified, as well as inclusions and exclusions.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/dviware/dvidvi/README
on CTAN	https://ctan.org/tex-archive/dviware/dvidvi
on T _E XLive	dvidvi

keyword	dvi-proc (DVI processor)
language(s)	no language specified
year	without year
last access	2025-02-07

1742 dvii – Extract information from a DVI file

Web page on CTAN <https://ctan.org/pkg/dvii>

name	dvii
caption	Extract information from a DVI file
author	Lewenberg, Adam
license	lppl = The LaTeX Project Public License (free)
version	0.44
description	(no language specified) A utility written in C that extracts information from a DVI file. Information displayed can include a summary of the file comment (usually the date the file was compiled), file size, the number of (physical) pages, and the number of fonts. More detailed information may also include font names for all fonts used, lists of the fonts which appear on each page, a list of physical page number/TeX page number pairs, and a list of all <code>\special s</code> and the pages on which they appear. To compile, you need a C compiler along with the standard C libraries but precompiled executables are available for DOS, Win 9X/NT, Solaris, OSF/1, and Linux.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/dviware/dvii/README
home page	http://www.macrotex.net/dvii/dvii.html
on CTAN	https://ctan.org/tex-archive/dviware/dvii
keyword	dvi-proc (DVI processor)
language(s)	no language specified
year	without year
last access	2025-02-07

1743 dviincl – Include a DVI page into MetaPost output

Web page on CTAN <https://ctan.org/pkg/dviincl>

name	dviincl
caption	Include a DVI page into MetaPost output
author	BOP
license	pd = Public Domain Software (free)
version	1.00
description	(no language specified) DVItMP is one of the auxiliary programs available to any MetaPost package; it converts a DVI file into a MetaPost file. Using it, one can envisage including a DVI page into an EPS files generated by MetaPost. Such files allow pages to include other pages.
documentation	<i>Readme (Polish):</i> https://ctan.org/tex-archive/graphics/metapost/contrib/macros/dviincl/README.pl
documentation	<i>Readme (English):</i> https://ctan.org/tex-archive/graphics/metapost/contrib/macros/dviincl/README
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/dviincl
on MikTeX	dviincl
on T _E XLive	dviincl
keyword	dvi-proc (DVI processor)
language(s)	English; Polish
year	without year
last access	2025-02-07

1744 dviinfox – Perl script to print DVI meta information

Web page on CTAN <https://ctan.org/pkg/dviinfox>

name	dviinfox
caption	Perl script to print DVI meta information
author	Langmyhr, Dag
author	Yamashita, Hironobu
copyright	Dag Langmyhr (2013-2017)
copyright	Hironobu Yamashita (2017-2021)

license	mit = MIT License (free)
version	1.06 (2021-05-15)
last changes	2021-05-15
year	2021
description	(no language specified) The package provides a perl script which prints information about a DVI file. It also supports XeTeX XDV format.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/dviware/dviinfox/README.md
contact	<i>repository</i> : https://github.com/aminophen/tex-assort
on CTAN	https://ctan.org/tex-archive/dviware/dviinfox
on MikTeX	dviinfox
on T _E XLive	dviinfox
keyword	metadata (process document metadata)
keyword	dvi-struct (create and/or process text representation of a DVI file)
language(s)	no language specified
last access	2025-02-07

1745 *dviljk* – DVI to Laserjet output

Web page on CTAN <https://ctan.org/pkg/dviljk>

name	dviljk
caption	DVI to Laserjet output
author	Berry, Karl
author	Schrod, Joachim
author	The TeX Live Team
license	gpl = GNU General Public License (free)
description	(no language specified) A dvi driver for the LaserJet printers, using kpathsea recursive file searching. Note: this program will not compile simply with the sources in this distribution; it needs a full (current) kpathsea distribution environment, such as is available from the TeX Live source tree.
on CTAN	https://ctan.org/tex-archive/dviware/dviljk
on T _E XLive	dviljk

1746 dvimerge – Merge two DVI files together

keyword	dvi-print (convert DVI files for (direct) printing, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

1746 dvimerge – Merge two DVI files together

Web page on CTAN <https://ctan.org/pkg/dvimerge>

name	dvimerge
caption	Merge two DVI files together
author	Rahtz, Sebastian
license	noinfo = noinfo
version	1
description	(no language specified) A Bourne shell script that takes pages from two DVI files and produces a merged output. Thus <code>dvimerge file1.dvi file2.dvi 1 10</code> produces a file <code>merged.dvi</code> which contains page 1 of <code>file1</code> , then page 1 of <code>file2</code> , then page 2 ... up to page 10 of each file.
on CTAN	https://ctan.org/tex-archive/dviware/dvimerge
keyword	dvi-proc (DVI processor)
language(s)	no language specified
year	without year
last access	2025-02-07

1747 dviout – TeX previewer and printer driver for MS-Windows

Web page on CTAN <https://ctan.org/pkg/dviout>

name	dviout
caption	TeX previewer and printer driver for MS-Windows
author	Asayama, Kazunori
author	Toshio, Oshima
author	Otobe, Yoshiki
author	Tanaka, Takuji
license	other-free = Free license not otherwise listed (free)

version	3.19.0 (2021-05-09)
last changes	2021-05-09
year	2021
description	(no language specified) The program supports a variety of printing mechanisms (including PDF output via dvipdfmx), and can use most extant font formats (including the long-outdated TeX PXL format). The program will use output from Omega as well as from TeX, and understands a wide variety of <code>\special</code> commands.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/dviware/dviout/README.txt
contact	<i>repository</i> : https://www.tug.org/svn/dviout/
on CTAN	https://ctan.org/tex-archive/dviware/dviout
on T _E XLive	<code>dviout.windows</code>
keyword	omega (Omega and packages that use it)
keyword	dvi-print (convert DVI files for (direct) printing, etc.)
keyword	dvi-prev (preview DVI files)
language(s)	no language specified
last access	2025-02-07

1748 dvipaste – DVI manipulation

Web page on CTAN <https://ctan.org/pkg/dvipaste>

name	<code>dvipaste</code>
caption	DVI manipulation
author	MacKay, Pierre A.
author	Spivak, Michael
license	pd = Public Domain Software (free)
description	(no language specified) The program produces files that conform to the TeX specifications for DVI files, even though they may actually be too big to be produced with normal implementations of TeX (because of limitations on memory size). More particularly, it allows the material appearing on individual pages of a ‘secondary’ file to be inserted into a ‘main’ file.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/dviware/dvipaste/dvipaste.txt

1749 *dvipdfm* – A DVI driver to produce PDF directly

documentation	(no language specified) <i>TUGboat</i> paper: https://tug.org/TUGboat/Articles/tb10-2/tb24spivak.pdf
– local file	<code>./1121471218-tb24spivak.pdf</code>
documentation	(no language specified) <i>Unix installation note</i> : https://ctan.org/tex-archive/dviware/dvipaste/NOTE
on CTAN	https://ctan.org/tex-archive/dviware/dvipaste
keyword	<code>dvi-proc</code> (DVI processor)
language(s)	no language specified
year	without year
last access	2025-02-07

1749 *dvipdfm* – A DVI driver to produce PDF directly

Web page on CTAN <https://ctan.org/pkg/dvipdfm>

name	<code>dvipdfm</code>
caption	A DVI driver to produce PDF directly
author	Wicks, Mark A.
license	gpl2 = GNU General Public License, version 2 (free)
version	0.13.2d
description	(no language specified) The driver offers a wide range of <code>\special</code> commands (including a colour stack), and supports compression of data streams, etc. Note that the extended version <code>dvipdfmx</code> will operate "as <code>dvipdfm</code> " if necessary.
documentation	(no language specified) <i>Program documentation</i> : https://ctan.org/tex-archive/dviware/dvipdfm/dvipdfm.pdf
– local file	<code>./4380945565-dvipdfm.pdf</code>
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/dviware/dvipdfm/README
on CTAN	https://ctan.org/tex-archive/dviware/dvipdfm
keyword	<code>dvi-pdf</code> (convert DVI files to PDF)
see also	see section 1750 on page 1582: (<code>dvipdfmx</code> – An extended version of <code>dvipdfm</code>)
language(s)	no language specified
year	without year
last access	2025-02-07

1750 *dvipdfmx* – An extended version of *dvipdfm*

Web page on CTAN <https://ctan.org/pkg/dvipdfmx>

Alias *dvipdfmx*

name *dvipdfmx*

caption An extended version of *dvipdfm*

author Cho, Jin-Hwan

author The TeX Live Team

author Hosny, Khaled

author Breitenlohner, Peter

author Hirata, Shunsaku

author Wicks, Mark A.

author Franz, Matthias

copyright Jin-Hwan Cho and Shunsaku Hirata (2002-2004)

license gpl = GNU General Public License (free)

description (no language specified) *Dvipdfmx* (formerly *dvipdfm-cjk*) is a development of *dvipdfm* created to support multi-byte character encodings and large character sets for East Asian languages. *Dvipdfmx*, if "called" with the name *dvipdfm*, operates in a "*dvipdfm* compatibility" mode, so that users of the both packages need only keep one executable.

A secondary design goal is to support as many "PDF" features as does *pdfTeX*.

The current version of the package is no longer maintained on CTAN as a separate entity; development now takes place within the TeX Live framework, and it is no longer available as a separate package. For download, support, and other information, please see *TeX Live*. However, the information on this page is maintained and should be current.

documentation (no language specified) *Documentation*: <https://ctan.org/tex-archive/systems/doc/dvipdfmx/dvipdfmx.pdf>

– local file *./4052772248-dvipdfmx.pdf*

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/systems/doc/dvipdfmx/README>

home page <https://tug.org/dvipdfmx/>

contact *support*: <https://lists.tug.org/dvipdfmx>

contact *bugs*: <https://lists.tug.org/dvipdfmx>

contact	<i>repository:</i> https://tug.org/svn/texlive/trunk/Build/source/texk/dvipdfm-x/
on MikTeX	dvipdfmx
on TeXLive	dvipdfmx
keyword	dvi-pdf (convert DVI files to PDF)
language(s)	no language specified
year	2004
last access	2025-02-07

1751 *dvipdfmx-def* – Configuration file for dvipdfmx graphics

Web page on CTAN	https://ctan.org/pkg/dvipdfmx-def
name	dvipdfmx-def
caption	Configuration file for dvipdfmx graphics
author	Hirata, Shunsaku
author	The LaTeX Project Team
author	Cho, Jin-Hwan
copyright	LaTeX3 Project, Jin-Hwan Cho, Shunsaku Hirata, et al. (2005-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	5.0m (2022-09-22)
last changes	2022-09-22
year	2022
description	(no language specified) This is the graphics driver for use when output is to be processed by dvipdfmx . It is now distributed as part of the graphics-def bundle.
home page	https://github.com/latex3/graphics-def
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/graphics-def
keyword	graphics-driv (‘driver’ for output from graphics ‘kernel’ packages)
see also	see section 6778 on page 6116 : (<i>xetex-def</i> – Colour and graphics support for XeTeX)
language(s)	no language specified

last access 2025-02-11

1752 *dvipng* – A fast DVI to PNG/GIF converter

Web page on CTAN <https://ctan.org/pkg/dvipng>

name *dvipng*

caption A fast DVI to PNG/GIF converter

author Larsson, Jan-Åke

copyright Jan-Åke Larsson (2002-2020)

license lgpl3 = GNU Lesser General Public License 3 (free)

version 1.18 (2025-02-02)

last changes 2025-02-02

year 2025

description (no language specified) This program makes PNG and/or GIF graphics from DVI files as obtained from TeX and its relatives. Its benefits include:

- Speed. It offers very fast rendering of DVI as bitmap files, which makes it suitable for generating large amounts of images on-the-fly, as needed in [preview-latex](#), WeBWorK and others;
- It does not read the postamble, so it can be started before TeX finishes. There is a `-follow` switch that makes *dvipng* wait at end-of-file for further output, unless it finds the POST marker that indicates the end of the DVI;
- Interactive query of options. *dvipng* can read options interactively through stdin, and all options are usable. It is even possible to change the input file through this interface.
- Support for PK, VF, PostScript Type1, and TrueType fonts, colour specials, and inclusion of PostScript, PNG, JPEG or GIF images.

documentation (no language specified) *Package README*:

<https://ctan.org/tex-archive/dviware/dvipng/README>

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/systems/doc/dvipng/dvipng.pdf>

<https://ctan.org/tex-archive/systems/doc/dvipng/dvipng.pdf>

– local file ./4944621881-dvipng.pdf

home page <https://www.nongnu.org/dvipng/>

contact *repository*: <http://savannah.nongnu.org/projects/dvipng/>

on CTAN <https://ctan.org/tex-archive/dviware/dvipng>

on MikTeX	miktex-dvipng-bin-2.9
on TeXLive	dvipng
keyword	dvi-bit (generate graphic bitmaps from DVI files)
see also	see section 1731 on page 1568: (dvi2bitmap – Utility to convert TeX DVI files directly to bitmaps)
language(s)	no language specified
last access	2025-02-10

1753 dvips – A DVI to PostScript driver

Web page on CTAN <https://ctan.org/pkg/dvips>

name	dvips
caption	A DVI to PostScript driver
author	The TeX Live Team
author	Rokicki, Tom
license	other-free = Free license not otherwise listed (free)
description	(no language specified) This package has been withdrawn from CTAN, and bundled into the distributions' package sets. Development now takes place within the TeX Live framework, and it is no longer available as a separate package. For download, support, and other information, please see TeX Live .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/systems/doc/dvips/dvips.pdf
– local file	./8821041051-dvips.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/systems/doc/dvips/README
home page	https://tug.org/dvips
contact	<i>support:</i> https://lists.tug.org/tex-k
contact	<i>bugs:</i> https://lists.tug.org/tex-k
contact	<i>repository:</i> https://tug.org/svn/texlive/trunk/Build/source/texk/dvipsk/
on MikTeX	miktex-dvips-bin-2.9
on TeXLive	dvips
keyword	dvi-print (convert DVI files for (direct) printing, etc.)

language(s)	no language specified
year	without year
last access	2025-02-07

1754 dvips-os2 – OS/2 dvips

Web page on CTAN <https://ctan.org/pkg/dvips-os2>

name	dvips-os2
caption	OS/2 dvips
author	Kim, Wonkoo
license	gpl = GNU General Public License (free)
version	5.83
description	(no language specified) OS/2 (and hence MS-DOS, MS-Windows3.1, MS-Windows32) executable for <i>dvips</i> .
on CTAN	https://ctan.org/tex-archive/systems/os2/dviware/dvips/dvips583.zip
keyword	dvi-print (convert DVI files for (direct) printing, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

1755 dvips-shell – A dvips Shell for MS-Windows32

Web page on CTAN <https://ctan.org/pkg/dvips-shell>

name	dvips-shell
caption	A dvips Shell for MS-Windows32
license	nosource = No Source Available (not free)
version	(1998-03-05)
last changes	1998-03-05
year	1998
description	(no language specified) The shell apparently helps you remember what you have forgotten about <i>dvips</i> features.
documentation	(no language specified) <i>Gnomic comments about the utility</i> : https://ctan.org/tex-archive/systems/win32/util/dvpsh103.txt

on CTAN <https://ctan.org/tex-archive/systems/win32/util/dvpsh103.exe>

keyword documentation (‘stand-alone’ documentation)

language(s) no language specified

last access 2025-02-07

1756 *dvipscol* – Alter the usage of the dvips colour stack

Web page on CTAN <https://ctan.org/pkg/dvipscol>

name *dvipscol*

caption Alter the usage of the dvips colour stack

author Oberdiek, Heiko

copyright Heiko Oberdiek (2000, 2006, 2008)

license lpl1.3 = The LaTeX Project Public License 1.3 (free)

version 1.3 (2016-05-16)

last changes 2016-05-16

year 2016

description (no language specified) The package modifies `\color` (and related commands) to deal with the occasional dvips error: ”! out of color stack space”

The package is part of the **oberdiek** bundle.

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/dvipscol.pdf>

– local file `./5671771780-dvipscol.pdf`

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/dvipscol.dtx>

installation <https://ctan.org/tex-archive/install/macros/latex/contrib/oberdiek.tds.zip>

on MikTeX *oberdiek*

on TeXLive *oberdiek*

keyword `graphics-supp` (support for other packages or for drivers)

language(s) no language specified

last access 2025-02-07

1757 dvipsconfig – Collection of dvips PostScript headers

Web page on CTAN <https://ctan.org/pkg/dvipsconfig>

name	dvipsconfig
caption	Collection of dvips PostScript headers
author	Kuhlmann, Volker
license	gpl = GNU General Public License (free)
version	1.6
description	(no language specified) This is a collection of dvips PostScript header and dvips config files. They control certain features of the printer, including: A4, A3, usletter, simplex, duplex / long edge, duplex / short edge, screen frequencies of images, black/white invers, select transparency / paper for tektronix 550/560, manual feeder, envelope feeder, and tray 1, 2 and 3, and printing a PostScript grid underneath the page material—very useful for measuring and eliminating paper feed errors!
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/dviware/dvipsconfig/README
on CTAN	https://ctan.org/tex-archive/dviware/dvipsconfig
on T _E XLive	dvipsconfig
keyword	dvi-print (convert DVI files for (direct) printing, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

1758 dvipsk – Convert DVI to PostScript

Web page on CTAN <https://ctan.org/pkg/dvipsk>

name	dvipsk
caption	Convert DVI to PostScript
author	Berry, Karl
author	Rokicki, Tom
license	other-free = Free license not otherwise listed (free)

description	(no language specified) When dvips is run on a Unix-like system, to produce PostScript output from a DVI file, dvipsk is the incarnation run. The current version of the package is no longer maintained on CTAN as a separate entity; see the TeX Live sources for the current release.
home page	https://tug.org/dvips
contact	<i>support:</i> https://lists.tug.org/tex-k
contact	<i>bugs:</i> https://lists.tug.org/tex-k
contact	<i>repository:</i> https://tug.org/svn/texlive/trunk/Build/source/texk/dvipsk/
on T _E XLive	dvips
keyword	dvi-print (convert DVI files for (direct) printing, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

1759 *dvisirule* – Superimpose the covered hline and vline in a LaTeX tabular/colortbl environment

Web page on CTAN	https://ctan.org/pkg/dvisirule
name	dvisirule
caption	Superimpose the covered hline and vline in a LaTeX tabular/colortbl environment
author	Senju, Jiro
copyright	Jiro Senju (2012-2022)
license	gpl2+ = GNU General Public License, version 2 or newer (free)
version	2.1 (2022-09-12)
last changes	2022-09-12
year	2022
description	(no language specified) Superimpose the covered hline and vline in a LaTeX tabular / colortbl environment.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/dviware/dvisirule/dvisirule.pdf
– local file	./4544286732-dvisirule.pdf

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/dviware/dvisirule/README.md
contact	<i>repository</i> : https://github.com/jiro1010/dvisirule
on CTAN	https://ctan.org/tex-archive/dviware/dvisirule
keyword	table-rule (rules within tables)
keyword	dvi-proc (DVI processor)
language(s)	no language specified
last access	2025-02-11

1760 *dvistd* – A standard for DVI drivers

Web page on CTAN <https://ctan.org/pkg/dvistd>

name	dvistd
caption	A standard for DVI drivers
author	TUG DVI Standards Working Group
license	noinfo = noinfo
version	0.05
description	(no language specified) There’s nothing written by Knuth that provides a “standard” for what DVI drivers actually do; users are commonly referred to the sources of dvitype, but that doesn’t actually specify anything (merely tells you how the utility works). The DVI standards working group set out to produce a comprehensive specification of what device drivers should do. The present “level 0” is as far as the effort got.
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/dviware/driv-standard/level-0/dvistd0.pdf
– local file	./5790563001-dvistd0.pdf
on CTAN	https://ctan.org/tex-archive/dviware/driv-standard
keyword	std-spec (standards, or other normative documents, about TeX and friends)
language(s)	no language specified
year	without year
last access	2025-02-11

1761 *dvisun* – DVI viewer for Sun2 systems

Web page on CTAN <https://ctan.org/pkg/dvisun>

name	dvisun
caption	DVI viewer for Sun2 systems
author	Hutchinson, Norm
license	noinfo = noinfo
version	(1990-10-02)
last changes	1990-10-02
year	1990
description	(no language specified) Seems only to work with PXL font files.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/dviware/dvisun/README
documentation	(no language specified) <i>Package man page</i> : https://ctan.org/tex-archive/dviware/dvisun/dvisun.pdf
– local file	./7726019478-dvisun.pdf
on CTAN	https://ctan.org/tex-archive/dviware/dvisun
keyword	dvi-prev (preview DVI files)
see also	see section 6045 on page 5463: (textool – A SunOS DVI viewer)
language(s)	no language specified
last access	2025-02-11

1762 *dvisvgm* – Convert DVI, EPS, and PDF files to Scalable Vector Graphics format (SVG)

Web page on CTAN <https://ctan.org/pkg/dvisvgm>

name	dvisvgm
caption	Convert DVI, EPS, and PDF files to Scalable Vector Graphics format (SVG)
author	Giesecking, Martin
copyright	Martin Giesecking (2005-2025)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	3.6

description	(no language specified) Dvisvgm is a command line utility that converts TeX DVI as well as EPS and PDF files to the XML-based Scalable Vector Graphics (SVG) format. It provides full font support including virtual fonts, font maps, and sub-fonts. If necessary, dvisvgm vectorizes Metafont's bitmap output in order to always create lossless scalable output. The embedded SVG fonts can optionally be replaced with graphics paths so that applications that do not support SVG fonts are enabled to render the graphics properly. Besides many other features, dvisvgm also supports color, emTeX, tpic, papersize, PDF mapfile and PostScript specials. Users will need a working TeX installation including the kpathsea library. For more detailed information, see the project page .
documentation	(no language specified) <i>Manual page</i> : https://dvisvgm.de/Manpage
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/dviware/dvisvgm/README
home page	https://dvisvgm.de
contact	<i>announce</i> : https://dvisvgm.de/News
contact	<i>bugs</i> : https://github.com/mgieseki/dvisvgm/issues
contact	<i>repository</i> : https://github.com/mgieseki/dvisvgm
on CTAN	https://ctan.org/tex-archive/dviware/dvisvgm
on MikTeX	miktex-dvisvgm-bin-2.9
on T _E XLive	dvisvgm
keyword	dvi-proc (DVI processor)
language(s)	no language specified
year	2025
last access	2026-01-20

1763 dvisvgm-def – Colour and Graphics support for dvisvgm

Web page on CTAN <https://ctan.org/pkg/dvisvgm-def>

name	dvisvgm-def
caption	Colour and Graphics support for dvisvgm
author	The LaTeX Project Team
copyright	Till Tantau (2015)
copyright	Till Tantau and LaTeX3 Project (2016-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)

1764 dvitoln03 – DVI output to Digital LN03 printer

version	1.6 (2022-09-22)
last changes	2022-09-22
year	2022
description	(no language specified) The graphics and color packages have been enhanced with new dvisvgm options to load this code in a matching update. This file is now distributed as part of the graphics-def bundle.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/graphics-def
keyword	dvi-proc (DVI processor)
see also	see section 1762 on page 1591 : (dvisvgm – Convert DVI, EPS, and PDF files to Scalable Vector Graphics format (SVG))
language(s)	no language specified
last access	2026-01-20

1764 dvitoln03 – DVI output to Digital LN03 printer

Web page on CTAN <https://ctan.org/pkg/dvitoln03>

name	DVItoLN03
caption	DVI output to Digital LN03 printer
author	Hamilton Kelly, Brian
license	noinfo = noinfo
version	4.1
description	(no language specified) This is a development, for VMS, of Knuth's <code>dvitype</code> , to produce output from DVI files to LN03 printers. The driver is written as web file, and the present version 4.1 is presented as a change file from version 4.0.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/dviware/ln03/rmcs/00readme.txt
on CTAN	https://ctan.org/tex-archive/dviware/ln03/rmcs
keyword	dvi-print (convert DVI files for (direct) printing, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

1765 *dvitops* – A DVI driver for PostScript output

Web page on CTAN <https://ctan.org/pkg/dvitops>

name	dvitops
caption	A DVI driver for PostScript output
author	Clark, James
license	noinfo = noinfo
version	1.2
description	(no language specified) This driver, though good in its day, was never updated to use virtual fonts, and has therefore lost out to <i>dvips</i> in terms of market share.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/dviware/dvitops/readme
on CTAN	https://ctan.org/tex-archive/dviware/dvitops
keyword	dvi-print (convert DVI files for (direct) printing, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

1766 *dvitty* – A plain-text output DVI driver

Web page on CTAN <https://ctan.org/pkg/dvitty>

name	dvitty
caption	A plain-text output DVI driver
author	Lindahl, Svante
copyright	Svante Lindahl (1984, 1985, 1986)
license	nocommercial = No Commercial Use (not free)
version	(1986-09-21)
last changes	1986-09-21
year	1986
description	(no language specified) This is the original (Pascal) version of what was later translated into C and distributed as <i>dvi2tty</i> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/dviware/dvitty/README

on CTAN <https://ctan.org/tex-archive/dviware/dvitty>
 keyword dvi-text (DVI output to plain text)
 language(s) no language specified
 last access 2025-02-07

1767 *dvitype* – Type out the content of a DVI file

Web page on CTAN <https://ctan.org/pkg/dvitype>

name dvitype
 caption Type out the content of a DVI file
 author Knuth, Donald E.
 license pd = Public Domain Software (free)
 version 3.6
 description (no language specified) This is one of Knuth’s original tools; it provides a human-readable listing of the content of a DVI file.
 The web source of DVItpe also serves as a reference for the format of DVI files themselves.
 Dvitype is part of Knuth’s [texware](#) distribution.

on CTAN <https://ctan.org/tex-archive/systems/knuth/dist/texware/dvitype.web>

on MikT_EX miktex-texware-bin-2.9
 on T_EXLive texware
 keyword dvi-struct (create and/or process text representation of a DVI file)
 see also see section 1714 on page 1552: (dttl – Tools to dis-assemble and re-assemble DVI files)
 language(s) no language specified
 year without year
 last access 2025-02-11

1768 dvivue – A DVI/PDF viewer for Windows

Web page on CTAN <https://ctan.org/pkg/dvivue>

Alias	DVIView
name	DVIVue
caption	A DVI/PDF viewer for Windows
author	Frane Jr, Peter
copyright	Peter Frane Jr (2020)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	1.0
description	(no language specified) This program is a DVI/PDF viewer. It uses dvipdfmx to convert a DVI file to PDF, thus allowing the text in the document to be searched or selected.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/dviware/dvivue/README
on CTAN	https://ctan.org/tex-archive/dviware/dvivue
keyword	previewer (application for viewing a typeset document on screen)
language(s)	no language specified
year	2020
last access	2025-02-07

1769 dviwin – MS-Windows DVI screen and printer driver

Web page on CTAN <https://ctan.org/pkg/dviwin>

name	dviwin
caption	MS-Windows DVI screen and printer driver
author	Sendoukas, Hippocrates
license	pd = Public Domain Software (free)
version	2.9

description	(no language specified) A screen and printer driver for TeX DVI files under 32-bit Windows. Its main features are: Fast previewing (uses 386-specific code if it finds a 386/486); Painless support for graphics in TeX documents; Uses any standard PK font files or FLI font libraries; Works with all displays and printers supported by Windows; Automatic generation of missing fonts; Support for color printers; Native 32-bit versions for Windows NT; Selectable measurement units; User-definable strings for easy adaptation to various languages (the distribution contains strings for four different languages apart from English); graphics filters for GIF and XPM files, etc. The required memory depends on the resolution that you use. It needs about 1.5M free RAM to print on a 300dpi printer without swapping.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/dviware/dviwin/README
on CTAN	https://ctan.org/tex-archive/dviware/dviwin
keyword	dvi-prev (preview DVI files)
see also	see section 6693 on page 6041: (windvi – MS-Windows DVI viewer)
language(s)	no language specified
year	without year
last access	2025-02-07

1770 *dynamicnumber* – Dynamically typeset numbers and values in LaTeX through “symbolic links”

Web page on CTAN <https://ctan.org/pkg/dynamicnumber>

name	<i>dynamicnumber</i>
caption	Dynamically typeset numbers and values in LaTeX through “symbolic links”
author	Pieters, Olivier
copyright	Olivier Pieters (2015)
license	mit = MIT License (free)
version	0.1.3
description	(no language specified) This package dynamically typesets values generated by different kinds of scripts in LaTeX through the use of “symbolic links” (which are not in any way related to the “symbolic links” used in UNIX systems!). The aim is to reduce errors resulting from out-of-date numbers by directly setting them in the number generating file and importing a “symbolic link” into the LaTeX source file. It can be used to import not only numerical values, but strings and pieces of code are also possible.

1771 *dynblocks* – A simple way to create dynamic blocks for Beamer

Currently only MATLAB and Python are supported to produce Dynamic Number list files.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/dynamicnumber/dynamicnumber.pdf
– local file	<code>./8717720817-dynamicnumber.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dynamicnumber/README.md
contact	<i>repository</i> : https://github.com/opieters/DynamicNumber
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dynamicnumber
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/dynamicnumber.tds.zip
on MikTeX	<code>dynamicnumber</code>
on T _E XLive	<code>dynamicnumber</code>
keyword	<code>data-import</code> (importing data into documents)
language(s)	no language specified
year	2015
last access	2025-02-07

1771 *dynblocks* – A simple way to create dynamic blocks for Beamer

Web page on CTAN <https://ctan.org/pkg/dynblocks>

name	<code>dynblocks</code>
caption	A simple way to create dynamic blocks for Beamer
author	Fiandrino, Claudio
copyright	Claudio Fiandrino (2012)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2b
description	(no language specified) The package provides full customisation of the aspect and dimensions of blocks inside a presentation.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/dynblocks/doc/dynblocks.pdf
– local file	<code>./1058145156-dynblocks.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/dynblocks/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/dynblocks
on MikTeX	dynblocks
on TeXLive	dynblocks
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
year	2012
last access	2025-02-07

1772 *dynbrackets* – Commands to simplify the syntax of dynamic math brackets

Web page on CTAN <https://ctan.org/pkg/dynbrackets>

name	dynbrackets
caption	Commands to simplify the syntax of dynamic math brackets
author	Clemente, Miguel R.
copyright	Miguel R. Clemente (2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0.0 (2021-04-01)
last changes	2021-04-01
year	2021
description	(no language specified) This LaTeX package implements commands to simplify the syntax of calling dynamic math brackets.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dynbrackets/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/dynbrackets/dynbrackets.pdf
– local file	./6989331688-dynbrackets.pdf
contact	<i>repository</i> : https://github.com/CptRolinho/dynbrackets
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dynbrackets
on MikTeX	dynbrackets

keyword	paren-mgmt (match and otherwise manage parentheses)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

1773 *dynkin-diagrams* – Draw Dynkin, Coxeter, and Satake diagrams using TikZ

Web page on CTAN <https://ctan.org/pkg/dynkin-diagrams>

name	dynkin-diagrams
caption	Draw Dynkin, Coxeter, and Satake diagrams using TikZ
author	McKay, Benjamin
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.141592653589793238462 (2024-12-04)
last changes	2024-12-04
year	2024
description	(no language specified) Draws Dynkin, Coxeter, and Satake diagrams in LaTeX documents, using the TikZ package. The package requires amsmath , amssymb , etoolbox , expl3 , mathtools , pgfkeys , pgfopts , TikZ , xparse , and xstring .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/dynkin-diagrams/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/dynkin-diagrams/dynkin-diagrams.pdf
– local file	./7472873328-dynkin-diagrams.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/dynkin-diagrams
on MikTeX	dynkin-diagrams
on T _E XLive	dynkin-diagrams
keyword	diagram (diagrams)
keyword	expl3 (expl3(unknown))
keyword	graphics (graphics (support packages))
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified

last access 2025-02-07

1774 *dyntree* – Construct Dynkin tree diagrams

Web page on CTAN <https://ctan.org/pkg/dyntree>

name	dyntree
caption	Construct Dynkin tree diagrams
author	Setzer, Nick
copyright	nsetzer (2006-2023)
license	lgpl = GNU Lesser General Public License (free)
version	1.0 (2023-05-03)
last changes	2023-05-03
year	2023
description	(no language specified) The package is intended for users needing to typeset a Dynkin Tree Diagram—a group theoretical construct consisting of cartan coefficients in boxes connected by a series of lines. Such a diagram is a tool for working out the states and their weights in terms of the fundamental weights and the simple roots. The package makes use of the author’s coolist package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/dyntree/dyntree.pdf
– local file	<code>./4911635517-dyntree.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/dyntree/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/dyntree
on MikTeX	dyntree
on TeXLive	dyntree
keyword	maths (support for typesetting mathematics)
keyword	tree (mechanisms for drawing trees)
language(s)	no language specified
last access	2025-02-11

1775 *e-french* – Comprehensive LaTeX support for French-language typesetting

Web page on CTAN <https://ctan.org/pkg/e-french>

name	e-french
caption	Comprehensive LaTeX support for French-language typesetting
author	Gaulle, Bernard
author	Juillerat, Raymond
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	6.11 (2019-09-06)
last changes	2019-09-06
year	2019
description	(no language specified) E-french is a distribution that keeps alive the work of Bernard Gaulle (now deceased), under a free licence. It replaces the old "full" frenchpro (the "professional" distribution) and the light-weight frenchle packages.
documentation	(no language specified) <i>Package documentation (full version)</i> : https://ctan.org/tex-archive/language/french/e-french/texmf/doc/manuels/french_doc.pdf
– local file	./6401639131-french_doc.pdf
documentation	(no language specified) <i>Package documentation (lightweight version)</i> : https://ctan.org/tex-archive/language/french/e-french/texmf/doc/manuels/frenchle.pdf
– local file	./3191355544-frenchle.pdf
documentation	(French) <i>Foire aux Questions</i> : https://ctan.org/tex-archive/language/french/e-french/texmf/doc/manuels/faq.pdf
– local file	./9651787302-faq.pdf
documentation	(English) <i>Readme</i> : https://ctan.org/tex-archive/language/french/e-french/README
home page	http://www.efrench.org/
contact	<i>repository</i> : https://svn.tuxfamily.org/viewvc.cgi/efrench_efrenchsources/trunk/
on CTAN	https://ctan.org/tex-archive/language/french/e-french
on MikTeX	e-french
on T _E XLive	e-french
keyword	french (support for typesetting French)

language(s) English; French
last access 2025-02-11

1776 *ean* – Macros for making EAN barcodes

Web page on CTAN <https://ctan.org/pkg/ean>

name *ean*
caption Macros for making EAN barcodes
author Olšák, Petr
copyright Petr Olšák (1995)
license gpl = GNU General Public License (free)
description (no language specified) Provides EAN-8 and EAN-13 forms.
The package needs the **ocr-b** fonts; note that the fonts are not available under a free licence, as the macros are.
documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/macros/generic/ean/README>
on CTAN <https://ctan.org/tex-archive/macros/generic/ean>
on MikTeX *ean*
on T_EXLive *ean*
keyword barcode (barcodes and other machine-readable tags)
see also see section 1185 on page 1077: (*code128* – Barcode macros for the Code 128 standard)
see also see section 456 on page 417: (*barcodes* – Fonts for making barcodes)
language(s) no language specified
year 1995
last access 2025-02-07

1777 `ean13isbn` – Print EAN13 for ISBN

Web page on CTAN <https://ctan.org/pkg/ean13isbn>

name	<code>ean13isbn</code>
caption	Print EAN13 for ISBN
author	Wagner, Zdeněk
copyright	Z. Wagner (2008, 2021)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2021-01-24)
last changes	2021-01-24
year	2021
description	(no language specified) The package provides the means to typeset ISBN codes with EAN-13; it uses the (generic) package <code>ean13.tex</code> to typeset the actual barcode.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ean13isbn/ean13isbn.pdf
– local file	<code>./2669440675-ean13isbn.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ean13isbn/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ean13isbn
on MikTeX	<code>ean13isbn</code>
on TeXLive	<code>ean13isbn</code>
keyword	<code>std-conform</code> (support conformance to standards)
keyword	<code>barcode</code> (barcodes and other machine-readable tags)
language(s)	no language specified
last access	2025-02-07

1778 easing – Easing functions for pgfmath

Web page on CTAN <https://ctan.org/pkg/easing>

name	easing
caption	Easing functions for pgfmath
author	Loh, Ka-tsun
copyright	Loh Ka-tsun (2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1 (2021-07-18)
last changes	2021-07-18
year	2021
description	(no language specified) This library implements a collection of easing functions and adds them to the PGF mathematical engine.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/easing/easing.pdf
– local file	./8304855101-easing.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/easing/README
contact	<i>bugs</i> : https://github.com/lohkatsun/pgf-easing/issues
contact	<i>repository</i> : https://github.com/lohkatsun/pgf-easing
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/easing
on MikTeX	easing
on T _E XLive	easing
keyword	graphics-supp (support for other packages or for drivers)
keyword	graphics (graphics (support packages))
keyword	calculation (perform calculations within TeX)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-02-07

1779 **easy** – A collection of easy-to-use macros

Web page on CTAN <https://ctan.org/pkg/easy>

name	easy
caption	A collection of easy-to-use macros
author	Bertolazzi, Enrico
license	lppl = The LaTeX Project Public License (free)
version	0.99
description	(no language specified) The collection comprises: • easybib , support for customising bibliographies; • easybmat , support for composing block matrices; • easyeqn , support for various aspects of equations; • easymat , support for composing matrices; • easytable , support for writing tables; • easyvector , a C-like syntax for writing vectors.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/easy/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/easy
on MikTeX	easy
on T _E XLive	easy
keyword	collection (a collection of packages)
language(s)	no language specified
year	without year
last access	2025-02-07

1780 *easy-todo* – To-do notes in a document

Web page on CTAN <https://ctan.org/pkg/easy-todo>

name	<code>easy-todo</code>
caption	To-do notes in a document
author	Rada-Vilela, Juan
license	apache2 = Apache License, version 2.0 (free)
version	(2014-01-01)
last changes	2014-01-01
year	2014
description	(no language specified) The package provides to-do notes throughout a document, and will provide an index of things to do.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/easy-todo/easy-todo.pdf
– local file	<code>./8145323528-easy-todo.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/easy-todo/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/easy-todo
on MikTeX	<code>easy-todo</code>
on T _E XLive	<code>easy-todo</code>
keyword	<code>notes</code> (general notes (not including endnotes or footnotes))
keyword	<code>editorial</code> (editor’s marks, highlights, etc.)
language(s)	no language specified
last access	2025-02-07

1781 *easybib* – Simple syntax for custom bibliographies

Web page on CTAN <https://ctan.org/pkg/easybib>

name	easybib
caption	Simple syntax for custom bibliographies
author	Bertolazzi, Enrico
license	lppl = The LaTeX Project Public License (free)
version	0.7
description	(no language specified) A macro package for writing custom bibliographies with a simple AMS-TeX -like syntax. The package is part of the easy bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/easy/doc/docbib.pdf
– local file	./1656628233-docbib.pdf
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/easy/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/easy
on MikTeX	easy
on T _E XLive	easy
keyword	biblio (bibliography processor)
language(s)	no language specified
year	without year
last access	2025-02-07

1782 *easybmat* – Block matrices

Web page on CTAN <https://ctan.org/pkg/easybmat>

name	easybmat
caption	Block matrices
author	Bertolazzi, Enrico
license	lppl = The LaTeX Project Public License (free)
version	0.8

description	(no language specified) A simple package for writing block matrices with equal column widths or equal row heights or both, with various kinds of rules between rows and columns. The package is part of the easy bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/easy/doc/docbmat.pdf
– local file	<code>./2018021112-docbmat.pdf</code>
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/easy/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/easy
on MikTeX	<code>easy</code>
on TeXLive	<code>easy</code>
keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>matrix</code> (typeset matrices)
language(s)	no language specified
year	without year
last access	2025-02-07

1783 *easybook* – Easily typesetting Chinese theses or books

Web page on CTAN	https://ctan.org/pkg/easybook
name	<code>easybook</code>
caption	Easily typesetting Chinese theses or books
author	Yi, Qu
copyright	Qu Yi (2021-2025)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2025h (2025-02-05)
last changes	2025-02-05
year	2025

description	(no language specified) <i>easybook</i> is a pure academic template created based on the <i>ctexbook</i> book document class. It also has the functions of <i>book</i> and <i>article</i> document class. Combined with the general framework design of the dissertation of many universities in China, providing multiple commands and interfaces allows users to easily customize the thesis template. Its basic macro package <i>easybase</i> can also be used with CTeX and standard document classes.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/easybook/README.md
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/easybook/easybook.pdf
– local file	<code>./7660919586-easybook.pdf</code>
contact	<i>repository</i> : https://gitee.com/texno3/easybook
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/easybook
on MikTeX	<i>easybook</i>
on TeXLive	<i>easybook</i>
keyword	<code>book-pub</code> (preparing a book for publication)
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>chinese</code> (support for typesetting Chinese languages)
keyword	<code>doc-templ</code> (template to guide document development)
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
keyword	<code>class</code> (alternative LaTeX class(es))
see also	see section 1431 on page 1294: (<i>ctex</i> – LaTeX classes and packages for Chinese typesetting)
language(s)	Chinese
last access	2025-02-07

1784 *easydtx* – A simplified DTX format

Web page on CTAN	https://ctan.org/pkg/easydtx
name	EasyDTX
caption	A simplified DTX format
author	Živanović, Sašo
copyright	Sašo Živanović (2023-2024)

1785 *easyeqn* – A simple package for writing equations

license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	0.2.0 (2024-11-23)
last changes	2024-11-23
year	2024
description	(no language specified) EasyDTX is a variant of the DTX format which eliminates the need for all those pesky "macrocode" environments. Any line introduced by a single comment counts as documentation, and documentation lines may be indented. An <code>.edtx</code> file is converted to a <code>.dtx</code> by a little Perl script called <code>edtx2dtx</code>. There is also a rudimentary Emacs mode, implemented in <code>easydoctex-mode.el</code>, which takes care of fontification, indentation, and forward and inverse search.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/easydtx/README.md
contact	<i>repository</i> : https://github.com/sasozivanovic/easydtx
on CTAN	https://ctan.org/tex-archive/support/easydtx
installation	https://ctan.org/tex-archive/install/support/easydtx.tds.zip
on MikTeX	<code>easydtx</code>
on T _E XLive	<code>easydtx</code>
keyword	<code>doc-supp</code> (macros and tools for preparing documentation)
language(s)	no language specified
last access	2025-02-07

1785 *easyeqn* – A simple package for writing equations

Web page on CTAN <https://ctan.org/pkg/easyeqn>

name	<code>easyeqn</code>
caption	A simple package for writing equations
author	Bertolazzi, Enrico
license	lppl = The LaTeX Project Public License (free)
version	1.4

description	(no language specified) Introduces some equation environments that simplify writing of equations. It uses a syntax similar to the <code>array</code> environment to define the column alignment. A package option causes only those equations that were labelled and referenced to be numbered. Some typesetting support is also provided. The package is part of the easy bundle.
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/easy/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/easy/doc/doceqn.pdf
– local file	<code>./7974350554-doceqn.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/easy
on MikTeX	<code>easy</code>
on TeXLive	<code>easy</code>
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	no language specified
year	without year
last access	2025-02-07

1786 **easyfig** – Simplifying the use of common figures

Web page on CTAN	https://ctan.org/pkg/easyfig
name	<code>easyfig</code>
caption	Simplifying the use of common figures
author	Scharrer, Martin
copyright	Martin Scharrer (2011-2018)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2a (2018-03-30)
last changes	2018-03-30
year	2018

description	(no language specified) The package provides the command <code>\Figure[<key=value>...]{<image filename>}</code> to simplify the business of including an image as figure in the most common form (centred and with caption and label). Caption and label are set using the <code>caption</code> and <code>label</code> keys; the label <code>fig:<image filename></code> is used if none is given. If the <code>here</code> key is given, the figure is not ‘floated’, and the user is responsible for placement. The package uses the author’s package <code>adjustbox</code> to centre an image and to simplify further modifications. As <code>adjustbox</code> now provides keys to turn images or other material into floats or non-floats, including captions, <code>easyfig</code> has become quite redundant.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/easyfig/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/easyfig/easyfig.pdf
– local file	<code>./3752311492-easyfig.pdf</code>
home page	https://github.com/MartinScharrer/easyfig
contact	<i>bugs:</i> https://github.com/MartinScharrer/easyfig/issues
contact	<i>repository:</i> https://github.com/MartinScharrer/easyfig.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/easyfig
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/easyfig.tds.zip
on MikTeX	<code>easyfig</code>
on T _E XLive	<code>easyfig</code>
keyword	<code>graphics-use</code> (graphics (typesetting actual pictures))
keyword	<code>float</code> (typesetting floats)
language(s)	no language specified
last access	2025-02-07

1787 **easyfloats** – An easier interface to insert figures, tables and other objects in LaTeX

Web page on CTAN <https://ctan.org/pkg/easyfloats>

name	easyfloats
caption	An easier interface to insert figures, tables and other objects in LaTeX
author	Zöllner, Erik
copyright	E. Zöllner (2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1.0 (2024-10-28)
last changes	2024-10-28
year	2024
description	(no language specified) In standard LaTeX inserting objects like figures or tables requires too much knowledge for beginners and too much typing effort and hardcoding for people like me. This package aims to make insertion of figures and tables easier for both beginners and experts. Despite the term "floats" in its name, it also allows to <i>dis</i>able floating of such objects.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/easyfloats
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/easyfloats/doc/easyfloats.pdf
– local file	./1620473022-easyfloats.pdf
contact	<i>bugs</i> : https://gitlab.com/erzo/latex-easyfloats/-/issues
contact	<i>repository</i> : https://gitlab.com/erzo/latex-easyfloats
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/easyfloats
on MikTeX	easyfloats
on T _E XLive	easyfloats
keyword	float (typesetting floats)
keyword	table (table typesetting)
language(s)	no language specified
last access	2025-02-07

1788 easyformat – Easily add boldface, italics and smallcaps

Web page on CTAN <https://ctan.org/pkg/easyformat>

name	easyformat
caption	Easily add boldface, italics and smallcaps
author	Provoost, Evert
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	1.4.0 (2017-06-03)
last changes	2017-06-03
year	2017
description	(no language specified) This package allows the use of underscores and circumflexes to begin resp. end <i>italic</i> , bold or SMALLCAPS formatting, as an alternative to the standard LaTeX <code>\textit{...}</code> , <code>\textbf{...}</code> and/or <code>\textsc{...}</code> . The meaning of underscore and circumflex in mathmode remain the same.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/easyformat/easyformat.pdf
– local file	<code>./1263788737-easyformat.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/easyformat/README
contact	<i>bugs</i> : https://github.com/ElecProg/easyformat/issues
contact	<i>repository</i> : https://github.com/ElecProg/easyformat
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/easyformat
on MikTeX	easyformat
on T _E XLive	easyformat
keyword	markup (alternative markup scheme)
language(s)	no language specified
last access	2025-02-07

1789 *easy_lat_ex* – Faster and simpler writing of *LaTeX* documents

Web page on CTAN <https://ctan.org/pkg/easy_lat_ex>

name	easy _{LaTeX}
caption	Faster and simpler writing of <i>LaTeX</i> documents
author	Shanks, Bayle
license	gpl2 = GNU General Public License, version 2 (free)
version	0.062
description	(no language specified) Easy _{LaTeX} converts simple text files into <i>LaTeX</i> documents and can also process them with <i>LaTeX</i> . Syntax of the source files takes ideas from wiki interfaces, and generates the <i>LaTeX</i> commands for several constructs, in the course of processing.
documentation	(no language specified) <i>Outline tutorial</i> : <a href="https://ctan.org/tex-archive/support/easy<sub>l</sub>at<sub>e</sub>x/TUTORIAL">https://ctan.org/tex-archive/support/easy_lat_ex/TUTORIAL
on CTAN	<a href="https://ctan.org/tex-archive/support/easy<sub>l</sub>at<sub>e</sub>x">https://ctan.org/tex-archive/support/easy_lat_ex
keyword	foreign-import (import files in a non- <i>TeX</i> (or different <i>TeX</i>) format)
see also	see section 6379 on page 5764: (<i>txt2_lat_ex</i> – Convert text by fixing special chars and quote marks)
see also	see section 6380 on page 5765: (<i>txt2_tex</i> – Add <i>LaTeX</i> markup to plain text)
language(s)	no language specified
year	without year
last access	2025-02-07

1790 *easy_list* – Lists using a single active character

Web page on CTAN <https://ctan.org/pkg/easy_list>

name	easy _{list}
caption	Lists using a single active character
author	Isambert, Paul
author	Robbers, Yuri
license	lppl = The <i>LaTeX</i> Project Public License (free)
version	1.3

1791 *easymat* – A simple package for writing matrices

description	(no language specified) This package allows you to create lists of numbered items (as in Wittgenstein’s ‘Tractatus’) with a single active character as the only command. A variety of parameters are available to configure the appearance of the list; lists may be nested (effectively to unlimited depth).
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/easylist/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/easylist/easylist-doc.pdf
– local file	<code>./3318372452-easylist-doc.pdf</code>
home page	http://paulisambert.free.fr/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/easylist
on MikTeX	<code>easylist</code>
on TeXLive	<code>easylist</code>
keyword	<code>list</code> (list: general)
language(s)	no language specified
year	without year
last access	2025-02-07

1791 *easymat* – A simple package for writing matrices

Web page on CTAN	https://ctan.org/pkg/easymat
name	<code>easymat</code>
caption	A simple package for writing matrices
author	Bertolazzi, Enrico
license	lppl = The LaTeX Project Public License (free)
version	0.3
description	(no language specified) Support for block matrices with equal rows or heights or both, using an <code>array</code>-environment style syntax. Various partitioning rules are available. The package is part of the easy bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/easy/doc/docmat.pdf
– local file	<code>./7927482061-docmat.pdf</code>

documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/easy/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/easy
on MikTeX	easy
on T _E XLive	easy
keyword	matrix (typeset matrices)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	without year
last access	2025-02-07

1792 *easyreview* – Package to provide a way to review (or perform editorial process) in LaTeX

Web page on CTAN	https://ctan.org/pkg/easyreview
name	easyReview
caption	Package to provide a way to review (or perform editorial process) in LaTeX
author	Matos, Jody
copyright	Jody Matos (2013-2015)
license	lpl = The LaTeX Project Public License (free)
version	1.0 (2015-09-11)
last changes	2015-09-11
year	2015
description	(no language specified) The easyReview package provides a way to review (or perform editorial process) in LaTeX. You can use the provided commands to claim attention in different ways to part of the text, or even to indicate that a text was added, needs to be removed, needs to be replaced and add comments to the text.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/easyreview/doc/easyReview.pdf
– local file	./7952550530-easyReview.pdf
documentation	(no language specified) <i>readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/easyreview/README.txt
contact	<i>repository</i> : https://github.com/jmamatos/easyReview

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/easyreview
on MikTeX	easyreview
on T _E XLive	easyreview
keyword	notes (general notes (not including endnotes or footnotes))
keyword	editorial (editor's marks, highlights, etc.)
language(s)	no language specified
last access	2025-02-07

1793 **easytable** – A simple package for writing tables

Web page on CTAN	https://ctan.org/pkg/easytable
name	easytable
caption	A simple package for writing tables
author	Bertolazzi, Enrico
license	lppl = The LaTeX Project Public License (free)
version	1.0 (2001-06-13)
last changes	2001-06-13
year	2001
description	(no language specified) Supports tables with equal column widths or equal row heights or both, with various kinds of rules (lines) between rows and columns using an array/tabular-like syntax. The package is part of the easy bundle.
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/easy/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/easy/doc/doctable.pdf
– local file	./8293671756-doctable.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/easy
on MikTeX	easy
on T _E XLive	easy
keyword	table (table typesetting)
language(s)	no language specified

last access 2025-02-07

1794 *easyvector* – Write vectors in a C-like fashion

Web page on CTAN <https://ctan.org/pkg/easyvector>

name	<code>easyvector</code>
caption	Write vectors in a C-like fashion
author	Bertolazzi, Enrico
license	lppl = The LaTeX Project Public License (free)
version	0.9
description	(no language specified) The package provides a C-like syntax for writing vectors and matrices. The package is part of the easy bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/easy/doc/docvector.pdf
– local file	<code>./1878709569-docvector.pdf</code>
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/easy/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/easy
on MikTeX	<code>easy</code>
on TeXLive	<code>easy</code>
keyword	<code>matrix</code> (typeset matrices)
language(s)	no language specified
year	without year
last access	2025-02-07

1795 ebezier – Device independent picture environment enhancement

Web page on CTAN <https://ctan.org/pkg/ebezier>

name	ebezier
caption	Device independent picture environment enhancement
author	Bachmaier, Gerhard A.
copyright	Gerhard A. Bachmaier (2001-2005)
license	lppl = The LaTeX Project Public License (free)
version	4
description	(no language specified) Ebezier is a device independent extension for the standard picture environment. Linear, quadratic, and cubic bezier curves are supplied in connection with higher level circle drawing commands. Additionally some macros for the calculation of curve lengths are part of this package.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/ebezier/ebezier.pdf
– local file	./7487830011-ebezier.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ebezier
on MikTeX	ebezier
on TeXLive	ebezier
keyword	graphics-curve (draw (parametric) curves)
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
see also	see section 4883 on page 4416: (pst-bezier – Draw Bezier curves)
language(s)	no language specified
year	2005
last access	2025-02-07

1796 ebgaramond – LaTeX support for EBGaramond fonts

Web page on CTAN <https://ctan.org/pkg/ebgaramond>

name	ebgaramond
caption	LaTeX support for EBGaramond fonts
author	Tennent, Bob
license	lppl = The LaTeX Project Public License (free)
license	ofl = The SIL Open Font License (free)
version	(2024-04-23)
last changes	2024-04-23
year	2024
description	(no language specified) EB Garamond is a revival by Georg Duffner of the 16th century fonts designed by Claude Garamond. The LaTeX support package works for (pdf)LaTeX, XeLaTeX and LuaLaTeX users; configuration files for use with microtype are provided.
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/ebgaramond/doc/ebgaramond-samples.pdf
– local file	<code>./8459701043-ebgaramond-samples.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/ebgaramond/README
on CTAN	https://ctan.org/tex-archive/fonts/ebgaramond
installation	https://ctan.org/tex-archive/install/fonts/ebgaramond.tds.zip
on MikTeX	ebgaramond
on T _E XLive	ebgaramond
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font-otf (font in OpenType format)
keyword	font-proportional (variable-spaced font)
keyword	font (fonts themselves)
keyword	font-serif (serif font)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-t1enc (font providing LaTeX T1 encoding support)
language(s)	no language specified

last access 2025-02-07

1797 *ebgaramond-maths* – Limited LaTeX support for ebgaramond in maths

Web page on CTAN <https://ctan.org/pkg/ebgaramond-maths>

name	ebgaramond-maths
caption	Limited LaTeX support for ebgaramond in maths
author	Rees, Clea F.
copyright	Clea F. Rees (2014-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3 (2025-02-19)
last changes	2025-02-19
year	2025
description	(no language specified) This package provides some LaTeX support for the use of EBGaramond12 in mathematics. It is based on, and requires, ebgaramond . The package was created in response to a question at TeX-stackexchange . and tested in the form of an answer in the same forum .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/ebgaramond-maths/doc/ebgaramond-maths.pdf
– local file	./3346863647-ebgaramond-maths.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/ebgaramond-maths/README.md
contact	<i>repository:</i> https://codeberg.org/cfr/ebgaramond-maths
on CTAN	https://ctan.org/tex-archive/fonts/ebgaramond-maths
on MikTeX	ebgaramond-maths
on TeXLive	ebgaramond-maths
keyword	font (fonts themselves)
keyword	font-virtual (virtual font(s) using existing fonts)
keyword	font-maths (fonts for use in mathematics)
see also	see section 1796 on page 1622 : (ebgaramond – LaTeX support for EBGaramond fonts)
language(s)	no language specified
last access	2025-09-11

1798 ebib – BibTeX database manager for GNU Emacs

Web page on CTAN <https://ctan.org/pkg/ebib>

name	ebib
caption	BibTeX database manager for GNU Emacs
author	Kremers, Joost
copyright	Joost Kremers (2003, 2009)
license	other-free = Free license not otherwise listed (free)
version	1.8.0
description	(no language specified) Ebib is a BibTeX database manager that runs in GNU Emacs and XEmacs. With Ebib, you can create and manage .bib-files, all within Emacs. It supports @string and @preamble definitions, multi-line field values, searching, and integration with Emacs' (La)TeX mode.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/ebib/README
documentation	(no language specified) <i>Manual (PDF)</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/ebib/doc/ebib-manual.pdf
– local file	./8546376886-ebib-manual.pdf
documentation	(no language specified) <i>Manual (HTML)</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/ebib/doc/html/ebib-manual.html
contact	<i>repository</i> : http://ebib.sourceforge.net
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/ebib
keyword	bibtex-util (utilities for managing BibTeX files)
keyword	editor-extn (plug-ins for editors, for better (La)TeX and Meta* support)
language(s)	no language specified
year	2009
last access	2025-02-07

1799 ebnf – Simple package for EBNF productionsWeb page on CTAN <https://ctan.org/pkg/ebnf>

name	ebnf
caption	Simple package for EBNF productions
author	Cugley, Damian
license	noinfo = noinfo
version	(1990-07-11)
last changes	1990-07-11
year	1990
description	(no language specified) The package defines a list environment, in which <code>\item[LHS]</code> produces output <code><LHS> ::=</code> ; macros are also provided for the right-hand side of productions.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/ebnf.sty
keyword	formal-spec (typeset formal specification languages)
language(s)	no language specified
last access	2025-02-07

1800 ebong – Utility for writing Bengali in Rapid Roman FormatWeb page on CTAN <https://ctan.org/pkg/ebong>

name	EBONG
caption	Utility for writing Bengali in Rapid Roman Format
author	Banerjee, Shibaji
license	pd = Public Domain Software (free)
description	(no language specified) A tool (preprocessor) for writing your pRaa-ne-r ka-thaa in the bengali language. It allows one to write the text in Rapid Roman Bangla and convert it to the bangtex format by a python program. All LaTeX markups are preserved in the target file.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/bengali/ebong/README
documentation	(Bengali) <i>Package documentation</i> : https://ctan.org/tex-archive/language/bengali/ebong/doc/eb.pdf
– local file	./7619426866-eb.pdf

on CTAN	https://ctan.org/tex-archive/language/ebong
on T _E XLive	ebong
keyword	indic (support for languages of the Indian subcontinent)
keyword	bengali (support for typesetting Bengali)
language(s)	Bengali
year	without year
last access	2025-02-07

1801 *ebook* – *Helps creating an ebook by providing an ebook class*

Web page on CTAN	https://ctan.org/pkg/ebook
name	ebook
caption	Helps creating an ebook by providing an ebook class
author	Steensgaard, Jørgen
license	pd = Public Domain Software (free)
version	(2013-03-21)
last changes	2013-03-21
year	2013
description	(no language specified) The package defines a command <code>\ebook</code> that defines page layout, fonts, and font-sizes for documents to be rendered as PDF-ebooks on small ebook-readers. The package has been tested with Kindle e-ink and iPad mini.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ebook/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ebook
on MikT _E X	ebook
on T _E XLive	ebook
keyword	font-use (font selection, mapping, etc.)
keyword	ebook (support for preparing e-books)
keyword	geometry (change geometry of page layout)
language(s)	no language specified
last access	2025-02-07

1802 *ebproof* – Formal proofs in the style of sequent calculus

Web page on CTAN <https://ctan.org/pkg/ebproof>

name	ebproof
caption	Formal proofs in the style of sequent calculus
author	Beffara, Emmanuel
copyright	Emmanuel Beffara (2015-2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.1.1 (2021-01-28)
last changes	2021-01-28
year	2021
description	(no language specified) This package provides commands to typeset proof trees in the style of sequent calculus and related systems. The commands allow for writing inferences with any number of premises and alignment of successive formulas on an arbitrary point. Various options allow complete control over spacing, styles of inference rules, placement of labels, etc. The package requires expl3 and xparse .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ebproof/ebproof.pdf
– local file	<code>./5052177618-ebproof.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ebproof/README.md
contact	<i>repository</i> : https://framagit.org/manu/ebproof
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ebproof
on MikTeX	ebproof
on T _E XLive	ebproof
keyword	proof (typeset proofs and proof diagrams)
keyword	maths (support for typesetting mathematics)
keyword	expl3 (expl3(unknown))
see also	see section 860 on page 785: (bussproofs – Proof trees in the style of the sequent calculus)
language(s)	no language specified

last access 2025-02-07

1803 *ebsthesis* – Typesetting theses for economics

Web page on CTAN <https://ctan.org/pkg/ebsthesis>

name *ebsthesis*

caption Typesetting theses for economics

author Baecker, Philipp N.

license lpl = The LaTeX Project Public License (free)

version 1.0

description (no language specified) The *ebsthesis* class and *ebstools* package facilitate the production of camera-ready manuscripts in conformance with the guidelines of Gabler Verlag and typographical rules established by the European Business School.

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/ebsthesis/ebsthesis.pdf>

– local file *./8819960534-ebsthesis.pdf*

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/ebsthesis>

on MikTeX *ebsthesis*

on T_EXLive *ebsthesis*

keyword *class* (alternative LaTeX class(es))

keyword *dissertation* (typesetting dissertations, theses, etc.)

language(s) no language specified

year without year

last access 2025-02-07

1804 *ec* – Computer modern fonts in T1 and TS1 encodings

Web page on CTAN <https://ctan.org/pkg/ec>

name	<i>ec</i>
caption	Computer modern fonts in T1 and TS1 encodings
author	Schwarz, Norbert
author	Knappen, Jörg
license	other-free = Free license not otherwise listed (free)
version	1.0
description	(no language specified) The EC fonts are European Computer Modern Fonts, supporting the complete LaTeX T1 encoding defined at the 1990 TUG conference hold at Cork/Ireland. These fonts are intended to be stable with no changes being made to the tfm files. The set also contains a Text Companion Symbol font, called <i>tc</i>, featuring many useful characters needed in text typesetting, for example oldstyle digits, currency symbols (including the newly created Euro symbol), the permille sign, copyright, trade mark and servicemark as well as a copyleft sign, and many others. Recent releases of LaTeX2e support the EC fonts. The EC fonts supersede the preliminary version released as the DC fonts. The fonts are available in (traced) Adobe Type 1 format, as part of the cm-super bundle. The other Computer Modern-style T1-encoded Type 1 set, Latin Modern, is not actually a direct development of the EC set, and differs from the EC in a number of particulars.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/ec/src/00readme.txt
on CTAN	https://ctan.org/tex-archive/fonts/ec
on MikTeX	<i>ec</i>
on T _E XLive	<i>ec</i>
keyword	<i>font</i> (fonts themselves)
keyword	<i>font-sans</i> (sans-serif font)
keyword	<i>font-serif</i> (serif font)
keyword	<i>font-proportional</i> (variable-spaced font)
keyword	<i>font-mf</i> (fonts distributed as Metafont source)
keyword	<i>font-cm</i> (font serving Computer Modern-style shapes)
keyword	<i>font-mono</i> (monospaced font)
see also	see section 1812 on page 1636 : (<i>eco</i> – Oldstyle numerals using EC fonts)

language(s)	no language specified
year	without year
last access	2025-02-07

1805 **ec-plain** – Use EC fonts in Plain TeX

Web page on CTAN <https://ctan.org/pkg/ec-plain>

name	ec-plain
caption	Use EC fonts in Plain TeX
author	Taupin, Daniel
license	noinfo = noinfo
version	(1998-04-15)
last changes	1998-04-15
year	1998
description	(no language specified) A plain-like format using the EC fonts including an extended math italic font (exmi) providing upright greek letters.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/ec-plain/README
on CTAN	https://ctan.org/tex-archive/obsolete/macros/ec-plain
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
last access	2025-02-07

1806 **ecards** – Electronic flash cards

Web page on CTAN <https://ctan.org/pkg/ecards>

name	ecards
caption	Electronic flash cards
author	Story, Donald P.
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	(2016-09-03)
last changes	2016-09-03
year	2016

description	(no language specified) The ecards package for LaTeX enables you to create a series of electronic (flash) cards. The document author provides questions, hints and answers to a series of questions. Users can test their knowledge by responding to the questions. The questions are delivered in random order. ecards makes use of the acroTeX bundle.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ecards/README.md
documentation	(no language specified) <i>Package documentation (for screen)</i> : https://ctan.org/tex-archive/macros/latex/contrib/ecards/doc/ecardsman.pdf
– local file	<code>./5914959993-ecardsman.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ecards
on MikTeX	ecards
keyword	card-flash (typesetting ‘flash’ cards for teaching and learning)
keyword	exam (exams, quizzes, etc.)
keyword	pdf-forms (create pdf form fields, use form fields as an integral part of the package)
language(s)	no language specified
last access	2025-02-07

1807 *ecc* – Sources for the European Concrete fonts

Web page on CTAN	https://ctan.org/pkg/ecc
name	<i>ecc</i>
caption	Sources for the European Concrete fonts
author	Harcombe, Keiran
author	Schmidt, Walter A.
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The Metafont sources and TFM files of the European Concrete Fonts. This is the T1-encoded extension of Knuth’s Concrete fonts , including also the corresponding text companion fonts. Adobe Type 1 versions of the fonts are available as part of the cm-super font bundle.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/ecc/readme

on CTAN	https://ctan.org/tex-archive/fonts/ecc
on MikTeX	ecc
on T _E XLive	ecc
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-tlenc (font providing LaTeX T1 encoding support)
keyword	font (fonts themselves)
see also	see section 965 on page 878: (ccfonts – Support for Concrete text and math fonts in LaTeX)
language(s)	no language specified
year	without year
last access	2025-02-07

1808 *ecclesiastic* – Typesetting Ecclesiastic Latin

Web page on CTAN	https://ctan.org/pkg/ecclesiastic
name	ecclesiastic
caption	Typesetting Ecclesiastic Latin
author	Beccari, Claudio
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.3 (2015-08-20)
last changes	2015-08-20
year	2015
description	(no language specified) The package modifies the way the <code>latin</code> option to babel operates when typesetting Latin. The style is somewhat ‘frenchified’ in respect of punctuation spacings and footnote style; shortcuts are available in order to set accents on all vowels, including y and the diphthongs ae and oe.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ecclesiastic/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ecclesiastic/ecclesiastic.pdf
– local file	./7622991691-ecclesiastic.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ecclesiastic

1809 *ecgdraw* – *Draws electrocardiograms (ECG)*

on MikTeX	ecclesiastic
on T _E XLive	ecclesiastic
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
language(s)	no language specified
last access	2025-02-07

1809 *ecgdraw* – *Draws electrocardiograms (ECG)*

Web page on CTAN <https://ctan.org/pkg/ecgdraw>

name	ecgdraw
caption	Draws electrocardiograms (ECG)
author	Scavino, Marco
author	Aimé, Ezio
copyright	Marco Scavino and Ezio Aimé (2016)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1
description	(no language specified) This package provides the <code>\ECG{<code>}</code> command which draws electrocardiograms (ECG). The <code><code></code> represents a series of abbreviations which allow to draw different types of wave.
documentation	(Italian) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/ecgdraw/ecgdraw_ita.pdf
– local file	<code>./1257695942-ecgdraw_ita.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/ecgdraw/ecgdraw.pdf
– local file	<code>./9183820429-ecgdraw.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/ecgdraw/README
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/ecgdraw
on MikTeX	ecgdraw
on T _E XLive	ecgdraw
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	medical (typesetting medical material)

keyword	graphics (graphics (support packages))
language(s)	Italian
year	2016
last access	2025-09-11

1810 *ecltree* – Trees using epic and eepic macros

Web page on CTAN <https://ctan.org/pkg/ecltree>

name	<i>ecltree</i>
caption	Trees using epic and eepic macros
author	Isozaki, Hideki
license	lppl = The LaTeX Project Public License (free)
version	1.1a
description	(no language specified) The package recursively draws trees: each subtree is defined in a ‘bundle’ environment, with a set of leaves described by <code>\chunk</code> macros. A chunk may have a bundle environment inside it.
documentation	(no language specified) <i>Package examples:</i> https://ctan.org/tex-archive/macros/latex/contrib/eclbip/ecltreesample.pdf
– local file	<code>./3856536417-ecltreesample.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/eclbip
on MikTeX	<i>ecltree</i>
on T _E XLive	<i>ecltree</i>
keyword	tree (mechanisms for drawing trees)
keyword	linguistic (support for linguistics)
see also	see section 1934 on page 1748: (<i>epic</i> – Enhance LaTeX picture mode)
see also	see section 1834 on page 1656: (<i>eepic</i> – Extensions to epic and the LaTeX drawing tools)
language(s)	no language specified
year	without year
last access	2025-02-07

1811 *ecnuthesis* – Thesis Template for East China Normal University (ECNU)

Web page on CTAN <https://ctan.org/pkg/ecnuthesis>

name	<code>ecnuthesis</code>
caption	Thesis Template for East China Normal University (ECNU)
author	Koyanagi, Fumio
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2026-04-20)
last changes	2026-04-20
year	2026
description	(no language specified) This package provides a LaTeX thesis template for East China Normal University (ECNU), including bachelor's theses, master's theses, and doctoral dissertations.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/ecnuthesis/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/xetex/latex/ecnuthesis/ecnuthesis.pdf
– local file	<code>./6369966391-ecnuthesis.pdf</code>
contact	<i>bugs</i> : https://github.com/Koyamin/ecnuthesis/issues
contact	<i>repository</i> : https://github.com/Koyamin/ecnuthesis
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/ecnuthesis
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
keyword	<code>class</code> (alternative LaTeX class(es))
language(s)	no language specified
last access	2026-04-29

1812 *eco* – Oldstyle numerals using EC fonts

Web page on CTAN <https://ctan.org/pkg/eco>

name	<i>eco</i>
caption	Oldstyle numerals using EC fonts
author	Kirsch, Sebastian Marius
copyright	Sebastian Marius Kirsch (1996-1999)
license	gpl = GNU General Public License (free)
version	1.3
description	(no language specified) A set of font metric files and virtual fonts for using the EC fonts with oldstyle numerals. These files can only be used together with the standard <i>ec</i> fonts. The style file <i>eco.sty</i> is sufficient to use the <i>eco</i> fonts but if you intend to use other font families as well, e.g., PostScript fonts, try altfont .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/eco/README
on CTAN	https://ctan.org/tex-archive/fonts/eco
on MikTeX	<i>eco</i>
on T _E XLive	<i>eco</i>
keyword	<i>font-virtual</i> (virtual font(s) using existing fonts)
keyword	<i>font</i> (fonts themselves)
language(s)	no language specified
year	1999
last access	2025-02-07

1813 *ecobiblatex* – Global Ecology and Biogeography BibLaTeX styles for the Biber backend

Web page on CTAN <https://ctan.org/pkg/ecobiblatex>

name	<i>ecobiblatex</i>
caption	Global Ecology and Biogeography BibLaTeX styles for the Biber backend
author	Balak, Norbert
copyright	Norbert Balak (2010-2014)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2015-12-28)

last changes	2015-12-28
year	2015
description	(no language specified) This bundle provides a set of styles for creating bibliographies using BibLaTeX in the style of the Global Ecology and Biogeography journal. It comprises styles based on the conventions of John Wiley & Sons Ltd and Global Ecology and Biogeography Conventions ©.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/ecobiblatex/ecobiblatex.pdf
– local file	./2595910837-ecobiblatex.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/ecobiblatex/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/ecobiblatex
on MikTeX	ecobiblatex
on T _E XLive	ecobiblatex
keyword	biblatex (BibLaTeX bibliography support)
language(s)	no language specified
last access	2025-02-07

1814 econ-bst – BibTeX style for economics papers

Web page on CTAN <https://ctan.org/pkg/econ-bst>

name	econ-bst
caption	BibTeX style for economics papers
author	Takeda, Shiro
copyright	Shiro Takeda (2001-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.2
description	(no language specified) This is a BibTeX style file for papers in economics. It provides the following features: • author-year type citation • reference style used in economics papers • highly customizable

- use of "certified random order" as proposed by Ray [Robson (2018)]

documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/biblio/bibtex/contrib/econ-bst/econ-example.pdf
– local file	<code>./4886484222-econ-example.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/biblio/bibtex/contrib/econ-bst/README.md
home page	https://github.com/ShiroTakeda/econ-bst
contact	<i>repository:</i> https://github.com/ShiroTakeda/econ-bst
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/econ-bst
on MikTeX	<code>econ-bst</code>
on TeXLive	<code>econ-bst</code>
keyword	<code>bibtex-sty</code> (<code>bibtex-sty(unknown)</code>)
see also	see section 1818 on page 1641: (<code>economic</code> – BibTeX support for submitting to Economics journals)
language(s)	no language specified
year	2023
last access	2025-02-11

1815 *econlipsum* – Generate sentences from economic articles

Web page on CTAN	https://ctan.org/pkg/econlipsum
name	<code>econlipsum</code>
caption	Generate sentences from economic articles
author	Coleman, Jack
copyright	Jack Coleman (2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.8.2
description	(no language specified) This package is a blind text generator that outputs sentences inferred from abstracts of economic articles. All the paragraphs are taken with permission from https://ipsum.mwt.me/ .
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/econlipsum/README.md

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/econlipsum/econlipsum.pdf
– local file	./4159745982-econlipsum.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/econlipsum
on MikTeX	econlipsum
on T _E XLive	econlipsum
keyword	dummy-gen (dummy text generator for tests and examples)
see also	see section 3119 on page 2815: (kantlipsum – Generate sentences in Kant’s style)
see also	see section 205 on page 189: (antanilipsum – Generate sentences in the style of “Amici miei”)
language(s)	no language specified
year	2021
last access	2025-02-07

1816 *econometrica* – BibTeX support for Econometrica

Web page on CTAN	https://ctan.org/pkg/econometrica
name	Econometrica
caption	BibTeX support for Econometrica
author	Border, Kim C
author	Horny, Guillaume
license	nosell = Do Not Sell Except by Arrangement (not free)
description	(no language specified) BibTeX styles (derived from makebst) for Econometrica (both in English and French).
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/economic
on MikTeX	economic
keyword	journalpub (typesetting journals, etc)
keyword	bibtex-sty (bibtex-sty(unknown))
see also	see section 1820 on page 1643: (ecta – Bibliography style for submission to Econometrica)

language(s)	no language specified
year	without year
last access	2025-02-07

1817 *econometrics* – Defines some commands that simplify mathematic notation in economic and econometric writing

Web page on CTAN <https://ctan.org/pkg/econometrics>

name	<code>econometrics</code>
caption	Defines some commands that simplify mathematic notation in economic and econometric writing
author	Kole, Erik
copyright	Erik Kole (2016)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) Econometrics is a package that defines some commands that simplify mathematic notation in economic and econometrics writing. The commands are related to the notation of • vectors, matrices, sets, calligraphic and roman letters • statistical distributions • constants and symbols • matrix operators and statistical operators. The package is based on "Notation in Econometrics: a proposal for a standard" by Karim Abadir and Jan R. Magnus, The Econometrics Journal (2002), 5, 76-90.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/econometrics/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/econometrics/econometrics.pdf
– local file	<code>./1682337668-econometrics.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/econometrics
on MikTeX	<code>econometrics</code>
on T _E XLive	<code>econometrics</code>

keyword statistics (typeset reports, diagrams, etc., of statistics)
 language(s) no language specified
 year 2016
 last access 2025-02-07

1818 *economic* – BibTeX support for submitting to Economics journals

Web page on CTAN <https://ctan.org/pkg/economic>

name *economic*
 caption BibTeX support for submitting to Economics journals
 author Wgle, Randall
 author Henningsen, Arne
 license lppl = The LaTeX Project Public License (free)
 version (2009-11-18)
 last changes 2009-11-18
 year 2009
 description (no language specified) The bundle offers macros and BibTeX styles for the American Economic Review (AER), the American Journal of Agricultural Economics (AJAE), the Canadian Journal of Economics (CJE), the European Review of Agricultural Economics (ERAЕ), the International Economic Review (IER) and *Economica*. The macro sets are based on (and require) the *harvard* package, and all provide variations of author-date styles of presentation.
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/biblio/bibtex/contrib/economic/README>
 contact *repository*: <http://sourceforge.net/projects/economtex/>
 on CTAN <https://ctan.org/tex-archive/biblio/bibtex/contrib/economic>
 on MikTeX *economic*
 on T_EXLive *economic*
 keyword *bibtex-sty* (*bibtex-sty(unknown)*)
 language(s) no language specified
 last access 2025-02-07

1819 *ecothesis* – LaTeX thesis template for the Universidade Federal de Viçosa (UFV), Brazil

Web page on CTAN <https://ctan.org/pkg/ecothesis>

name	<code>ecothesis</code>
caption	LaTeX thesis template for the Universidade Federal de Viçosa (UFV), Brazil
author	Rodrigues, Vinícius Barros
copyright	Vinícius Barros Rodrigues (2018)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2
description	(no language specified) The package provides a LaTeX thesis template for the Universidade Federal de Viçosa (UFV), Brazil.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ecothesis/README.txt
documentation	(Portuguese (Brazilia)) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ecothesis/ecothesis.pdf
– local file	<code>./5827961516-ecothesis.pdf</code>
contact	<i>repository</i> : https://github.com/ViniciusBRodrigues/TeseUFVLatex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ecothesis
on MikTeX	<code>ecothesis</code>
on T _E XLive	<code>ecothesis</code>
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	Portuguese (Brazilia)
year	2018
last access	2025-02-07

1820 *ecta* – Bibliography style for submission to *Econometrica*

Web page on CTAN <https://ctan.org/pkg/ecta>

name	ecta
caption	Bibliography style for submission to <i>Econometrica</i>
author	Perez-Duarte, Sebastien
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) This style file implements the guidelines for bibliography submission to <i>Econometrica</i> , and can be used with natbib or chicago named style. Alternative styles for <i>Econometrica</i> are available as part of the econometrica bundle.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/economic/ecta.bst
on MikTeX	economic
keyword	journalpub (typesetting journals, etc)
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
year	without year
last access	2025-02-07

1821 *ecv* – A fancy Curriculum Vitae class

Web page on CTAN <https://ctan.org/pkg/ecv>

name	ECV
caption	A fancy Curriculum Vitae class
author	Haberstumpf, Bernd
author	Neumann, Christoph P.
copyright	Christoph Neumann and Bernd Haberstumpf (2007)
license	other-free = Free license not otherwise listed (free)
version	0.3
description	(no language specified) The class provides an environment for creating a fancily laid out tabular curriculum vitae inspired by the european curriculum vitae. The distribution comes with a German and an English template.

1822 *eczar* – A font family supporting Devanagari and Latin script

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ecv/ecv.pdf
– local file	<code>./1814713321-ecv.pdf</code>
documentation	<i>Template (German)</i> : https://ctan.org/tex-archive/macros/latex/contrib/ecv/template/CV-template_de.pdf
– local file	<code>./3724765426-CV-template_de.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ecv/README
documentation	<i>Template (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/ecv/template/CV-template_en.pdf
– local file	<code>./9362235017-CV-template_en.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ecv
on MikTeX	<code>ecv</code>
on T _E XLive	<code>ecv</code>
keyword	<code>cv</code> (curriculum vitae/Resumé)
keyword	<code>class</code> (alternative LaTeX class(es))
see also	see section 2039 on page 1841: (EuropeCV – Unofficial class for European curricula vitae)
see also	see section 1445 on page 1307: (CurVe – A class for making curriculum vitae)
language(s)	German; English
year	2007
last access	2025-02-07

1822 *eczar* – A font family supporting Devanagari and Latin script

Web page on CTAN <https://ctan.org/pkg/eczar>

name	<code>eczar</code>
caption	A font family supporting Devanagari and Latin script
author	निरंजन
license	ofl = The SIL Open Font License (free)
version	0.1

description	(no language specified) रोझेटा संस्थेचा एग्झार हा युनिकोड आधारित मुक्त टंक आहे. ह्या टंकात ४५+३ भाषा लॅटिन व देवनागरी लिपीत पुरस्कृत केल्या जातात. वैभव सिंह ह्यांनी ह्या टंकाचा अभिकल्प केला आहे व आज्ञावली तसेच निर्मिती डेव्हिड ब्रेझीना ह्यांनी केली आहे. एग्झार यह रोझेटा द्वारा प्रकाशित युनिकोड आधारित मुक्त टंक है। इस टंक द्वारा ४५+३ भाषाएँ लैटिन तथा देवनागरी लिपि में पुरस्कृत की जाती है। वैभव सिंह ने इस का अभिकल्प किया है और आज्ञावलि तथा निर्मिति डेविड ब्रेझीना द्वारा की गयी है। Eczar is an open-source type family published by Rosetta. The fonts support over 45+3 languages in Latin and Devanagari scripts in 5 weights. These fonts were designed by Vaibhav Singh, code and production are by David Březina.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/eczar/README.txt
documentation	(no language specified) <i>Font samples</i>: https://ctan.org/tex-archive/fonts/eczar/doc/eczar.pdf
– local file	./6407594256-eczar.pdf
contact	<i>bugs</i> : https://github.com/rosettatype/eczar/issues
contact	<i>repository</i> : https://github.com/rosettatype/eczar
on CTAN	https://ctan.org/tex-archive/fonts/eczar
on MikTeX	eczar
on TeXLive	eczar
keyword	font-multilingual (font with adaptations to several languages)
keyword	font (fonts themselves)
keyword	font-indic (fonts for languages of the Indian subcontinent)
keyword	font-ttf (font available in TrueType format)
keyword	font-otf (font in OpenType format)
language(s)	no language specified
year	without year
last access	2025-02-07

1823 *ed* – Editorial Notes for LaTeX documents

Web page on CTAN <https://ctan.org/pkg/ed>

name	<i>ed</i>
caption	Editorial Notes for LaTeX documents
author	Kohlhase, Michael
copyright	Michael Kohlhase (2007-2011.)
license	lpl1 = The LaTeX Project Public License 1 (free)
version	1.8
description	(no language specified) This package defines a couple of editorial notes that simplify collaboration on a LaTeX text. These allow authors to annotate status information in the source. In draft mode, the annotations are shown for communication, and in publication mode these are suppressed.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ed/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ed/ed.pdf
– local file	<code>./6754733932-ed.pdf</code>
home page	https://gl.kwarc.info/kwarc/macros/tree/master/ed
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ed
on MikTeX	<i>ed</i>
on T _E XLive	<i>ed</i>
keyword	<code>editorial</code> (editor’s marks, highlights, etc.)
language(s)	no language specified
year	2011
last access	2025-02-07

1824 eddi4tex – Editor and shell for DOS and OS/2

Web page on CTAN <https://ctan.org/pkg/eddi4tex>

name	eddi4tex
caption	Editor and shell for DOS and OS/2
author	Jahnz, Ulrich
license	shareware = Shareware: A fee is required (not free)
version	2.01
documentation	(English) <i>Readme</i> : https://ctan.org/tex-archive/systems/msdos/e4t/readme.e4t
documentation	(German) <i>Readme</i> : https://ctan.org/tex-archive/systems/msdos/e4t/liesmich.e4t
on CTAN	https://ctan.org/tex-archive/systems/msdos/e4t
keyword	ide (integrated development environments)
language(s)	German; English
year	without year
last access	2025-02-07

1825 edfnotes – Critical annotations to footnotes with ednotes

Web page on CTAN <https://ctan.org/pkg/edfnotes>

name	edfnotes
caption	Critical annotations to footnotes with ednotes
author	Lück, Uwe
copyright	Uwe Lück (2010, 2011)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.6b
description	(no language specified) The package modifies the annotation commands and label-test mechanism of the ednotes package so that critical notes appear on the pages and in the order that one would expect.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/edfnotes/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/edfnotes/edfnotes.pdf

– local file	<code>./8227304074-edfnotes.pdf</code>
contact	<i>support:</i> http://www.webdesign-bu.de/uwe_lueck/contact.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/edfnotes
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/edfnotes.tds.zip
on MikTeX	edfnotes
on T _E XLive	edfnotes
keyword	footnote (footnote support)
keyword	crit-ed (typeset scholarly editions of texts)
language(s)	no language specified
year	2011
last access	2025-02-07

1826 *edichokey* – Typeset dichotomous identification keys

Web page on CTAN <https://ctan.org/pkg/edichokey>

name	edichokey
caption	Typeset dichotomous identification keys
author	Yang, Yuchang
copyright	Yuchang Yang (2017-2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.01y (2020-08-31)
last changes	2020-08-31
year	2020
description	(no language specified) This is a LaTeX package for typesetting dichotomous identification key in indented style. It can be considered as an extended version of package <i>dichokey</i> , as edichokey is more capable of dealing with complex keys.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/edichokey/README.md
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/edichokey/edichokey-ex.pdf

1827 `editbar` – Change bars for LaTeX 2.09

– local file	<code>./2322786634-edichokey-ex.pdf</code>
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/edichokey/edichokey-doc-en.pdf
– local file	<code>./4003532028-edichokey-doc-en.pdf</code>
contact	<i>bugs:</i> https://github.com/Mikumikunisiteageru/edichokey/issues
contact	<i>repository:</i> https://github.com/Mikumikunisiteageru/edichokey
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/edichokey
on MikTeX	<code>edichokey</code>
on T _E XLive	<code>edichokey</code>
keyword	<code>biology</code> (typeset biological data)
language(s)	no language specified
last access	2025-02-07

1827 `editbar` – Change bars for LaTeX 2.09

Web page on CTAN	https://ctan.org/pkg/editbar
name	<code>editbar</code>
caption	Change bars for LaTeX 2.09
author	Van Geest, Michael R.
license	<code>noinfo = noinfo</code>
version	2.0
description	(no language specified) The package provides the usual sorts of edit (or change) bar commands, generating output for <code>dvips</code> only. Positioning of the bars is achieved in three runs of the document; auxiliary files <code>\jobname.ebo</code> and <code>.ebi</code> are generated, and must be deleted after editing the document. The facilities are very similar to those of <code>changebar</code> , which, however, provides a wider range of output routes.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/editbar.sty
keyword	<code>editorial</code> (editor’s marks, highlights, etc.)

see also	see section 992 on page 901: (<code>changebar</code> – Generate changebars in LaTeX documents)
language(s)	no language specified
year	without year
last access	2025-02-07

1828 *edmac* – Typeset critical editions

Web page on CTAN <https://ctan.org/pkg/edmac>

name	<code>edmac</code>
caption	Typeset critical editions
author	Lavagnino, John
author	Wujastyk, Dominik
copyright	John Lavagnino and Dominik Wujastyk (1990-1996)
license	gpl2 = GNU General Public License, version 2 (free)
version	3.17
description	(no language specified) This is the type example package for typesetting scholarly critical editions.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/contrib/edmac/README.md
home page	https://tug.org/edmac
contact	<i>repository</i> : https://github.com/wujastyk/edmac
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/edmac
on MikTeX	<code>edmac</code>
on T _E XLive	<code>edmac</code>
keyword	<code>crit-ed</code> (typeset scholarly editions of texts)
see also	see section 3451 on page 3119: (<code>lineno</code> – Line numbers on paragraphs)
see also	see section 3379 on page 3049: (<code>ledmac</code> – Typeset scholarly editions)
see also	see section 4743 on page 4293: (<code>poemscol</code> – Typesetting Critical Editions of Poetry)
see also	see section 1831 on page 1653: (<code>ednotes</code> – Typeset scholarly editions)
see also	see section 3769 on page 3407: (<code>manyfoot</code> – Adds footnote levels to standard LaTeX’s footnote mechanism)

language(s)	no language specified
year	1996
last access	2025-02-09

1829 edmargin – Multiple series of endnotes for critical editions

Web page on CTAN <https://ctan.org/pkg/edmargin>

name	edmargin
caption	Multiple series of endnotes for critical editions
author	Burt, John
copyright	John Burt (2008)
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) Edmargin provides a very simple scheme for endnote sections for critical editions. Endnotes can either be marked in the text, or with marginal references to the page in the note sections where the note is to be found. Notes can be set in individual paragraphs, or in block paragraph mode (where there are many short notes). Note sections will have running headers of the form "Textual notes to pp. xx–yy". New note sections can be created on the fly. There are predefined endnote sections for textual notes, emendations, and explanatory notes.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/edmargin/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/edmargin/edmargin.pdf
– local file	./4960168024-edmargin.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/edmargin
on MikTeX	edmargin
on T _E XLive	edmargin
keyword	crit-ed (typeset scholarly editions of texts)
keyword	notes (general notes (not including endnotes or footnotes))
language(s)	no language specified
year	2008
last access	2025-02-07

1830 `edmaths` – A report and thesis class file for the University of Edinburgh (UoE)

Web page on CTAN <https://ctan.org/pkg/edmaths>

name `edmaths`

caption A report and thesis class file for the University of Edinburgh (UoE)

author Fogg, Josh

copyright Josh Fogg (2024)

license lpl1.3c = The LaTeX Project Public License 1.3c (free)

version 0.99

description (no language specified) A report and thesis class file for [The School of Mathematics, Scotland](#) at the [University of Edinburgh \(UoE\)](#) . When working on a report or thesis, an easy way to implement the [University's typesetting rules](#) in LaTeX is provided by [edmaths.sty](#) . It sets the page margins as required and defines commands to create the correct cover page and standard declaration. A compiled version of the included example can be [found here](#) .

It also loads the [amsmath](#) , [amsthm](#) , [amscd](#) , and [amssymb](#) packages, which are required by almost all mathematical publications. Through [setspace](#) line spacing settings are available that only affect the body text and not footnotes and captions. Additional in-built options can be found in more detail in the project's documentation.

documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/macros/latex/contrib/edmaths/README.md>

documentation (no language specified) *Package documentation:* <https://ctan.org/tex-archive/macros/latex/contrib/edmaths/docs/edmaths-docs.pdf>

– local file `./6680514315-edmaths-docs.pdf`

home page <https://github.com/Foggalong/edinburgh-math-latex>

contact *announce:* <https://github.com/Foggalong/edinburgh-math-latex/releases>

contact *bugs:* <https://github.com/Foggalong/edinburgh-math-latex/issues>

contact *repository:* <https://github.com/Foggalong/edinburgh-math-latex>

contact *development:* <https://github.com/Foggalong/edinburgh-math-latex/blob/main/.github/CONTRIBUTING.md>

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/edmaths>

on MikTeX	edmaths
on T _E XLive	edmaths
keyword	doc-templ (template to guide document development)
keyword	maths (support for typesetting mathematics)
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
year	2024
last access	2025-02-07

1831 *ednotes* – Typeset scholarly editions

Web page on CTAN	https://ctan.org/pkg/ednotes
name	ednotes
caption	Typeset scholarly editions
author	Lück, Uwe
copyright	Uwe Lück (2002-2006)
license	lpl = The LaTeX Project Public License (free)
version	1.3a
description	(no language specified) A macro package for typesetting scholarly critical editions. Provides macros for critical edition typesetting with LaTeX, including support for line numbers and layers of footnotes.
documentation	(English) <i>TUGboat paper</i> : https://ctan.org/tex-archive/macros/latex/contrib/ednotes/ednotugb.pdf
– local file	./7680494801-ednotugb.pdf
documentation	(English) <i>All plain text files, as pdf</i> : https://ctan.org/tex-archive/macros/latex/contrib/ednotes/ednotes.pdf
– local file	./3796893033-ednotes.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ednotes/README
home page	http://www.webdesign-bu.de/uwe_lueck/criteditx.html
contact	<i>support</i> : http://www.webdesign-bu.de/uwe_lueck/contact.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ednotes
on MikTeX	ednotes

keyword	<code>crit-ed</code> (typeset scholarly editions of texts)
see also	see section 4743 on page 4293: (<code>poemscol</code> – Typesetting Critical Editions of Poetry)
see also	see section 3451 on page 3119: (<code>lineno</code> – Line numbers on paragraphs)
see also	see section 3379 on page 3049: (<code>ledmac</code> – Typeset scholarly editions)
see also	see section 1828 on page 1650: (<code>edmac</code> – Typeset critical editions)
see also	see section 3769 on page 3407: (<code>manyfoot</code> – Adds footnote levels to standard LaTeX’s footnote mechanism)
language(s)	English
year	2006
last access	2025-02-07

1832 *eehyph* – Hyphenation patterns for the Estonian language

Web page on CTAN <https://ctan.org/pkg/eehyph>

name	<code>eehyph</code>
caption	Hyphenation patterns for the Estonian language
author	Saar, Enn
license	lppl = The LaTeX Project Public License (free)
license	mit = MIT License (free)
version	(2015-12-22)
last changes	2015-12-22
year	2015
description	(no language specified) The patterns were generated long ago by applying <code>patgen</code> to an Estonian dictionary; a few patterns were added later manually to prohibit aa-bits type cases.
on CTAN	https://ctan.org/tex-archive/language/hyphenation/eehyph.tex
keyword	<code>hyphenation</code> (macros or tables for hyphenation)
keyword	<code>estonian</code> (support for typesetting Estonian)
language(s)	no language specified
last access	2025-02-07

1833 *eemeir* – Adjust the gender of words in a document

Web page on CTAN <https://ctan.org/pkg/eemeir>

name	<i>eemeir</i>
caption	Adjust the gender of words in a document
author	Hansen, Mogens Lemvig
license	lppl = The LaTeX Project Public License (free)
version	1.1b
description	(no language specified) Defines macros for third-person singular pronouns (<code>\E</code>, <code>\Em</code>, <code>\Eir</code>, <code>\Eirs</code>), which expand differently according to a masculine/feminine switch. (If the switch is ‘masculine’, they would expand to ‘he’, ‘him’, ‘his’ and ‘his’; if ‘feminine’, they would expand to ‘she’, ‘her’, ‘her’ and ‘hers’. Apart from the pronouns, one can define ‘word pairs’, such as mother/father, daughter/son, and so on. Gender may be defined once per document, as an environment, or may be flipped on the fly.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/eemeir
on MikTeX	<i>eemeir</i>
on T _E XLive	<i>eemeir</i>
keyword	linguistic (support for linguistics)
keyword	typesetting (support for variations of typographic style)
see also	see section 2711 on page 2453: (<i>he-she</i> – Alternating pronouns to aid gender-neutral writing)
see also	see section 2465 on page 2229: (<i>gender</i> – Gender neutrality for languages with grammatical gender)
language(s)	no language specified
year	without year
last access	2025-02-07

1834 eeepic – Extensions to epic and the LaTeX drawing tools

Web page on CTAN <https://ctan.org/pkg/eeepic>

name	eeepic
caption	Extensions to epic and the LaTeX drawing tools
author	Kwok, Conrad
author	van Oostrum, Pieter
license	pd = Public Domain Software (free)
version	1.1e
description	(no language specified) Extensions to epic and the LaTeX picture drawing environment, include the drawing of lines at any slope, the drawing of circles in any radii, and the drawing of dotted and dashed lines much faster with much less TeX memory, and providing several new commands for drawing ellipses, arcs, splines, and filled circles and ellipses. The package uses <i>tpic</i> \special commands.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/eeepic/eeepic.pdf
– local file	./8107969033-eeepic.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/eeepic/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/eeepic
on MikTeX	eeepic
on TeXLive	eeepic
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
language(s)	no language specified
year	without year
last access	2025-02-07

1835 **efbox** – Extension of *\fbox*, with controllable frames and colours

Web page on CTAN <https://ctan.org/pkg/efbox>

name	efbox
caption	Extension of <i>\fbox</i> , with controllable frames and colours
author	Malaquias, José Romildo
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The package defines the <code>\efbox</code> command, which creates a box just wide enough to hold the text created by its argument. The command optionally puts a (possibly partial) frame around the box, and allows setting the box background colour.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/efbox/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/efbox/efbox.pdf
– local file	<code>./3836578624-efbox.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/efbox
on MikTeX	efbox
on TeXLive	efbox
keyword	boxing (creating boxes)
language(s)	no language specified
year	without year
last access	2025-02-07

1836 **eforms** – eForm support for the AcroTeX bundle

Web page on CTAN <https://ctan.org/pkg/eforms>

name	eforms
caption	eForm support for the AcroTeX bundle
author	Story, Donald P.
copyright	D. P. Story (2002-2021)
license	lpl1 = The LaTeX Project Public License 1 (free)
version	2.4.3 (2021-05-10)

1837 *ega2mf* – Generate Metafont code for EGA screen fonts

last changes	2021-05-10
year	2021
description	(no language specified) The package provides forms access in a way the author considers suitable for the packages of the AcroTeX bundle. The package is part of the AcroTeX bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/acrotex/doc/eformman.pdf
– local file	<code>./1517264821-eformman.pdf</code>
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/acrotex/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/acrotex
on MikTeX	<code>acrotex</code>
keyword	<code>form-fillin</code> (design forms for information collection)
language(s)	no language specified
last access	2025-02-07

1837 *ega2mf* – Generate Metafont code for EGA screen fonts

Web page on CTAN <https://ctan.org/pkg/ega2mf>

name	<code>ega2mf</code>
caption	Generate Metafont code for EGA screen fonts
author	Ridgeway, Thomas
copyright	Humanities and Arts Computing Center, University of Washington (1990)
license	<code>noinfo = noinfo</code>
version	1.0
description	(no language specified) Ega2mf generates Metafont code for the 8x14 bitmaps used for the EGA screen fonts used on IBM PCs of the XT/AC class. The idea is that you may then produce a font which emulates the appearance of a video display screen with all the crudities appropriate for that medium. The utility has been known to run both on DOS and Unix-based systems.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/utilities/ega2mf/README
on CTAN	https://ctan.org/tex-archive/fonts/utilities/ega2mf

keyword	font (fonts themselves)
keyword	font-devel (support for font development, testing and characterisation)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	no language specified
year	1990
last access	2025-02-07

1838 *egameps* – LaTeX package for typesetting extensive games

Web page on CTAN <https://ctan.org/pkg/egameps>

name	egameps
caption	LaTeX package for typesetting extensive games
author	Osborne, Martin J.
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) The style is intended to have enough features to draw any extensive game with relative ease. The facilities of PSTricks are used for graphics. (An older version of the package, which uses the LaTeX picture environment rather than PSTricks and consequently has many fewer features is available on the package home page.)
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/egameps/egameps.pdf
– local file	./8009600429-egameps.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/egameps
on MikTeX	egameps
on TeXLive	egameps
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
keyword	games (process game diagrams, gamebooks, and other amusements)
language(s)	no language specified
year	without year
last access	2025-02-07

1839 *egothic* – Early Gothic manuscript book-hand font

Web page on CTAN <https://ctan.org/pkg/egothic>

name	<code>egothic</code>
caption	Early Gothic manuscript book-hand font
author	Wilson, Peter R.
copyright	Peter R. Wilson (1999)
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The <i>egothic</i> and <i>allegoth</i> packages provide Metafont fonts based on the Early Gothic manuscript book-hand used between the 11th and 12th century AD. The font consists of minuscules and digits, with some appropriate period punctuation marks. Both normal and bold versions are provided. This is one of a set of manuscript fonts . Access to the docmfp package is desirable but not essential.
documentation	(no language specified) : https://ctan.org/tex-archive/fonts/bookhands/egothic/README
on CTAN	https://ctan.org/tex-archive/fonts/bookhands/egothic
on MikTeX	<code>egothic</code>
on T _E XLive	<code>bookhands</code>
keyword	<code>font-medieval</code> (fonts for Medieval script)
keyword	<code>font-bookhand</code> (fonts of scripts used for manuscript books)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>font-gothic</code> (font for gothic or blackletter shapes)
language(s)	no language specified
year	1999
last access	2025-02-07

1840 *egpeirce* – Draw existential graphs invented by Charles S. Peirce

Web page on CTAN <https://ctan.org/pkg/egpeirce>

name	egpeirce
caption	Draw existential graphs invented by Charles S. Peirce
author	Nikulainen, Jukka
copyright	Jukka Nikulainen (2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0.0
description	(no language specified) This package is for drawing existential graphs invented and developed by philosopher and polymath Charles S. Peirce. It also contains new and unique symbols for several types of linear logical operators Peirce invented and used in his larger logical system.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/egpeirce/egpeirce-doc.pdf
– local file	./5607879045-egpeirce-doc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/egpeirce/README.md
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/egpeirce
on MikTeX	egpeirce
on T _E XLive	egpeirce
keyword	pstricks (package using PStricks for graphical output)
keyword	philosophy (support for typesetting philosophy)
keyword	diagram (diagrams)
keyword	logic (typesetting logician's discussions)
language(s)	no language specified
year	2023
last access	2026-04-12

1841 *egplot* – Encapsulate Gnuplot sources in LaTeX documents

Web page on CTAN <https://ctan.org/pkg/egplot>

name	egplot
caption	Encapsulate Gnuplot sources in LaTeX documents
author	Probst, Axel
license	gpl = GNU General Public License (free)
version	1.02a
description	(no language specified) A package to encapsulate gnuplot commands in a LaTeX source file, so that a document's figures are maintained in parallel with the document source itself.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/egplot/egplot.pdf
– local file	./7416297298-egplot.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/egplot/egplot.README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/egplot
on MikTeX	egplot
on T _E XLive	egplot
keyword	graphics-inline (graphics inline for external processing)
language(s)	no language specified
year	without year
last access	2025-02-11

1842 *ehhline* – Extend the \hhline command

Web page on CTAN <https://ctan.org/pkg/ehhline>

name	ehhline
caption	Extend the \hhline command
author	Paciorek, Robert
copyright	Robert Paciorek (2015-2020)
license	mit = MIT License (free)
version	1.1

description	(no language specified) This package extends the <code>\hhline</code> command with a <code>!\{...\}</code> token, which allows to create lines with arbitrary LaTeX commands.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ehhline/ehhline.pdf
– local file	<code>./1105494854-ehhline.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ehhline/README
contact	<i>bugs</i> : https://bitbucket.org/OpCode-eu-org/latex-lib/Issues
contact	<i>repository</i> : https://bitbucket.org/OpCode-eu-org/LaTeX-lib/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ehhline
on MikTeX	ehhline
on TeXLive	ehhline
keyword	table-rule (rules within tables)
see also	see section 2754 on page 2494: (<code>hhline</code> – Better horizontal lines in tabulars and arrays)
language(s)	no language specified
year	2020
last access	2025-02-07

1843 *eiad* – Traditional style Irish fonts

Web page on CTAN <https://ctan.org/pkg/eiad>

name	<code>eiad</code>
caption	Traditional style Irish fonts
author	Derzhanski, Ivan A
license	pd = Public Domain Software (free)
version	(2009-01-06)
last changes	2009-01-06
year	2009

description	(no language specified) In both lower and upper case 32 letters are defined (18 'plain' ones, 5 long vowels and 9 aspirated consonants). The ligature 'agus' is also made available. The remaining characters (digits, punctuation and accents) are inherited from the Computer Modern family of fonts. The font definitions use code from the sauter fonts, so those fonts have to be installed before using eiad. OT1*.fd files are provided for use with LaTeX.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/eiad/doc/Leigh_me.txt
on CTAN	https://ctan.org/tex-archive/fonts/eiad
on MikTeX	eiad
on TeXLive	eiad
keyword	font-mf (fonts distributed as Metafont source)
keyword	irish-gaelic (support for typesetting the Irish (gaelic) language)
keyword	font (fonts themselves)
language(s)	no language specified
last access	2025-02-07

1844 eiad-ltx – LaTeX support for the eiad font

Web page on CTAN	https://ctan.org/pkg/eiad-ltx
name	eiad-ltx
caption	LaTeX support for the eiad font
author	Münch, Uwe
copyright	Uwe Münch (1996)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package provides macros to support use of the eiad fonts in OT1 encoding. Also offered are a couple of Metafont files described in the font package, but not provided there.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/eiad/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/eiad

on MikTeX	eiad
on T _E XLive	eiad-ltx
keyword	font-supp (metrics, macro incantations and other font support)
keyword	irish-gaelic (support for typesetting the Irish (gaelic) language)
language(s)	no language specified
year	1996
last access	2025-02-07

1845 *eigo* – Comprehensive tools for creating Go (Weiqi/Baduk) game diagrams in LaTeX

Web page on CTAN <https://ctan.org/pkg/eigo>

name	eigo
caption	Comprehensive tools for creating Go (Weiqi/Baduk) game diagrams in LaTeX
author	Levivier, Marc
copyright	levivier (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1 (2025-09-06)
last changes	2025-09-06
year	2025
description	(no language specified) The eigo package provides comprehensive tools for creating Go (Weiqi/Baduk) game diagrams in LaTeX documents. Developed with AI assistance, it offers multiple stone colors with full RGB customization, automatic numbering systems with alternating colors, geometric transformations (rotations, mirrors), flexible board display options with enhanced 2pt borders for publication quality, symbol placement, and full LuaLaTeX compatibility. The package supports seven stone colors, border display, extended size presets with validation, and advanced features for game analysis and problem presentation.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/eigo/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/eigo/eigo.pdf
– local file	./9206598628-eigo.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/eigo
on MikTeX	eigo

on T _E XLive	eigo
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	games (process game diagrams, gamebooks, and other amusements)
language(s)	no language specified
last access	2025-09-19

1846 *eijkhout* – Victor Eijkhout’s packages

Web page on CTAN <https://ctan.org/pkg/eijkhout>

name	eijkhout
caption	Victor Eijkhout’s packages
author	Eijkhout, Victor
license	collection = collection
version	(2006-09-19)
last changes	2006-09-19
year	2006
description	(no language specified) Three unrelated packages: • DB-process , to parse and process database output; • CD-labeler , to typeset user text to fit on a CD label; and • repeat , a nestable, generic loop macro.

on CTAN	https://ctan.org/tex-archive/macros/generic/eijkhout
on MikT _E X	eijkhout
on T _E XLive	eijkhout
keyword	collection (a collection of packages)
language(s)	no language specified
last access	2025-02-11

1847 *einfart* – Write your articles in a simple and clear way

Web page on CTAN <https://ctan.org/pkg/einfart>

name *einfart*

caption Write your articles in a simple and clear way

author XU, Jinwen

copyright Jinwen XU (2021-2024)

license lpl1.3c = The LaTeX Project Public License 1.3c (free)

version (2024-03-01)

last changes 2024-03-01

year 2024

description (no language specified) This package provides a LaTeX class for typesetting articles with a simple and clear design.

Currently, it has native support for Chinese (simplified and traditional), English, French, German, Italian, Japanese, Portuguese (European and Brazilian), Russian and Spanish typesetting. It compiles with either XeLaTeX or LuaLaTeX.

This is part of the *minimalist* class series and depends on `minimalist.sty` from the *minimalist* package.

The package name "einfart" is taken from the German word "einfach" ("simple"), combined with the first three letters of "Artikel" ("article").

documentation (no language specified) *Example of use (style "classical")*:
<https://ctan.org/tex-archive/macros/unicodetex/latex/einfart/demo/einfart-demo-style-classical.pdf>

– local file `./2776930757-einfart-demo-style-classical.pdf`

documentation (no language specified) *Example of use (style "flow")*:
<https://ctan.org/tex-archive/macros/unicodetex/latex/einfart/demo/einfart-demo-style-flow.pdf>

– local file `./2541072049-einfart-demo-style-flow.pdf`

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/unicodetex/latex/einfart/README.md>

documentation (no language specified) *Example of use (style "plain")*:
<https://ctan.org/tex-archive/macros/unicodetex/latex/einfart/demo/einfart-demo-style-plain.pdf>

– local file `./7213558355-einfart-demo-style-plain.pdf`

documentation	(no language specified) <i>Example of use (style “stream”)</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/einfart/demo/einfart-demo-style-stream.pdf
– local file	./6892891988-einfart-demo-style-stream.pdf
documentation	(no language specified) <i>Example of use (style “default”)</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/einfart/demo/einfart-demo-style-default.pdf
– local file	./9976682908-einfart-demo-style-default.pdf
documentation	(no language specified) <i>Example of use (style “ClassicThesis”)</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/einfart/demo/einfart-demo-style-classicthesis.pdf
– local file	./3147579887-einfart-demo-style-classicthesis.pdf
contact	<i>repository</i> : https://github.com/Jinwen-XU/minimalist/tree/main/einfart
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/einfart
on MikTeX	einfart
on T _E XLive	einfart
keyword	class (alternative LaTeX class(es))
keyword	multilingual (support for more than one (natural) language)
keyword	article-like (LaTeX article classes and their developments)
keyword	expl3 (expl3(unknown))
see also	see section 3989 on page 3607: (minimalist – Write your articles or books in a simple and clear way)
language(s)	no language specified
last access	2025-02-07

1848 einfuehrung – Examples from the book Einführung in LaTeX

Web page on CTAN <https://ctan.org/pkg/einfuehrung>

name	einfuehrung
caption	Examples from the book Einführung in LaTeX
author	Voß, Herbert
copyright	Herbert Voß (2012)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)

version	(2012-04-08)
last changes	2012-04-08
year	2012
description	(no language specified) The bundle consists of examples and data files for the DANTE-Edition book "Einführung in LaTeX"
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/examples/Einfuehrung/README
home page	https://hvoss.org//Books/
on CTAN	https://ctan.org/tex-archive/info/examples/Einfuehrung
keyword	book-ex (copies of examples from a published book)
language(s)	no language specified
last access	2026-04-13

1849 einfuehrung2 – Examples from the book Einführung in LaTeX

Web page on CTAN <https://ctan.org/pkg/einfuehrung2>

name	einfuehrung2
caption	Examples from the book Einführung in LaTeX
author	Voß, Herbert
copyright	Herbert Voß (2012)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2015-12-20)
last changes	2015-12-20
year	2015
description	(no language specified) The bundle consists of examples and data files for the DANTE-Edition book "Einführung in LaTeX", second edition 2016.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/examples/Einfuehrung2/README
home page	https://hvoss.org//Books/
on CTAN	https://ctan.org/tex-archive/info/examples/Einfuehrung2
keyword	book-ex (copies of examples from a published book)
language(s)	no language specified
last access	2026-04-13

1850 *eitl* – Easy install of TeX Live

Web page on CTAN <https://ctan.org/pkg/eitl>

name	<code>eitl</code>
caption	Easy install of TeX Live
author	Voß, Herbert
author	Niepraschk, Rolf
copyright	Rolf Niepraschk, Herbert Voß (2012)
license	lppl = The LaTeX Project Public License (free)
version	0.04
description	(no language specified) The script allows the easy install of a current TeX Live version over the net. It is tested with the current Linux versions of OpenSUSE and Ubuntu. The script: • looks for a fast server • downloads the install script • deletes an existing TeX Live version from Ubuntu (deb) or openSUSE (rpm) • extracts and runs the install script • installs a complete up-to-date TeX Live from <code>tug.org</code> • installs the non free fonts from <code>tug.org</code> which are not part of TeX Live, like arial, Luxi mono, etc. • installs the GUIs TeXmaker and TeXworks • creates files <code>zzz-texlive.sh/csh</code> for <code>/etc/profile.d/</code> If no directory is specified, TeX Live will be installed in the home directory <code>~/texlive</code>. For another directory, run the script with the directory name; e.g.: <pre>./eitl.sh /usr/local/texlive</pre> for some actions the script needs to be root. In such cases it asks for the root password.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/support/texlive/eitl/README
on CTAN	https://ctan.org/tex-archive/support/texlive/eitl
keyword	install-mgmt (support for (La)TeX installations)
language(s)	no language specified

year 2012
last access 2026-04-13

1851 ejpecp – Class for EJP and ECP

Web page on CTAN <https://ctan.org/pkg/ejpecp>

name	ejpecp
caption	Class for EJP and ECP
author	Šakuras, Edgaras
author	Chafaï, Djalil
author	Gumbakis, Eimantas
copyright	Edgaras SAKURAS, VTeX, Lithuania for EJP-ECP (2019-2021)
copyright	Krzysztof BURDZY and Djalil CHAFAI for EJP-ECP (2011-2015)
copyright	Eimantas GUMBAKIS, VTeX, Lithuania for EJP-ECP (2016-2017)
copyright	Deimantas GALCIUS, VTeX, Lithuania for EJP-ECP (2018)
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.11.3 (2021-11-04)
last changes	2021-11-04
year	2021
description	(no language specified) The class is designed for typesetting articles for the mathematical research periodicals Electronic Journal of Probability (EJP) and Electronic Communications in Probability (ECP). It depends on amsmath , amsfonts , amsthm , bera , dsfont , geometry , graphicx , hyperref , lastpage , latexsym , mathtools , microtype , and afterpackage .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ejpecp/README.md
documentation	(no language specified) <i>Introduction, as a paper</i> : https://ctan.org/tex-archive/macros/latex/contrib/ejpecp/sample.pdf
– local file	<code>./3924648339-sample.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ejpecp/ejpecp.pdf
– local file	<code>./7160389619-ejpecp.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ejpecp
on MikTeX	ejpecp

on T _E XLive	ejpecp
keyword	journalpub (typesetting journals, etc)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-07

1852 *ekaia* – Article format for publishing the Basque Country Science and Technology Journal "Ekaia"

Web page on CTAN <https://ctan.org/pkg/ekaia>

name	ekaia
caption	Article format for publishing the Basque Country Science and Technology Journal "Ekaia"
author	Ibarra, Edorta
copyright	Edorta Ibarra (2014-2019)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.06
description	(no language specified) The package provides the article format for publishing the Basque Country Science and Technology Journal "Ekaia" at the University of the Basque Country.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ekaia/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ekaia/ekaia.pdf
– local file	./9734478875-ekaia.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ekaia
on MikT _E X	ekaia
on T _E XLive	ekaia
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
year	2019
last access	2025-02-07

1853 *ekdosis* – Typesetting TEI-xml compliant Critical EditionsWeb page on CTAN <https://ctan.org/pkg/ekdosis>

name	<code>ekdosis</code>
caption	Typesetting TEI-xml compliant Critical Editions
author	Alessi, Robert
copyright	Robert Alessi (2020-2021)
license	fdl = Free Documentation License (free)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	1.4 (2021-11-21)
last changes	2021-11-21
year	2021
description	(no language specified) <i>ekdosis</i> is a LuaLaTeX package designed for multilingual critical editions. It can be used to typeset texts and different layers of critical notes in any direction accepted by LuaTeX. Texts can be arranged in running paragraphs or on facing pages, in any number of columns which in turn can be synchronized or not. In addition to printed texts, <i>ekdosis</i> can convert <code>.tex</code> source files so as to produce TEI xml-compliant critical editions. Database-driven encoding under LaTeX then allows extraction of texts entered segment by segment according to various criteria: main edited text, variant readings, translations or annotated borrowings between texts.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/ekdosis/ekdosis.pdf
– local file	<code>./7854064640-ekdosis.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/ekdosis/README.md
home page	http://www.ekdosis.org
contact	<i>support</i> : https://www.ekdosis.org/support.html
contact	<i>bugs</i> : http://www.ekdosis.org/issues.html
contact	<i>repository</i> : http://git.robertalessi.net/ekdosis
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/ekdosis
installation	https://ctan.org/tex-archive/install/macros/luatex/latex/ekdosis.tds.zip
on MikTeX	<code>ekdosis</code>
on T _E XLive	<code>ekdosis</code>

keyword	parallel (parallel columns)
keyword	crit-ed (typeset scholarly editions of texts)
keyword	luatex (LuaTeX and packages that require it)
keyword	multilingual (support for more than one (natural) language)
keyword	bidi (support bidirectional typesetting)
language(s)	no language specified
last access	2025-02-09

1854 ektype-tankā – Devanagari fonts by EkType

Web page on CTAN <https://ctan.org/pkg/ektype-tankā>

name	EkType-Tanka
caption	Devanagari fonts by EkType
author	निरंजन
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2
description	(no language specified) एक-टाईप संस्थेच्या काही उत्कृष्ट देवनागरी टंकांचा संग्रह. एक-टाईप संस्था के कई उत्कृष्ट देवनागरी टंकों का संग्रह। This package provides a collection of some excellent Devanagari fonts by EkType : Mukta , Baloo , Modak , and Jaini .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/ektype-tankā/README.txt
documentation	(Marathi + Hindi) <i>Package documentation in Marathi and Hindi</i> : https://ctan.org/tex-archive/fonts/ektype-tankā/doc/EkType-tankā.pdf
– local file	./4388828878-EkType-tankā.pdf
contact	<i>bugs</i> : https://gitlab.com/niruvt/ektype-tankā/-/issues
contact	<i>repository</i> : https://gitlab.com/niruvt/ektype-tankā
on CTAN	https://ctan.org/tex-archive/fonts/ektype-tankā
on MikTeX	ektype-tankā
on T _E XLive	ektype-tankā
keyword	font-ttf (font available in TrueType format)
keyword	font-indic (fonts for languages of the Indian subcontinent)

language(s) Marathi + Hindi
year without year
last access 2025-02-07

1855 *elbioimp* – A LaTeX document class for the Journal of Electrical Bioimpedance

Web page on CTAN <https://ctan.org/pkg/elbioimp>

p>name *elbioimp*
caption A LaTeX document class for the Journal of Electrical Bioimpedance
author Langmyhr, Dag
copyright Dag Langmyhr (2010)
license lppl = The LaTeX Project Public License (free)
version 1.2
description (no language specified) A document class for writing articles to the Journal of Electrical Bioimpedance.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/elbioimp/README>
documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/elbioimp/elbioimp.pdf>
– local file ./4209560901-elbioimp.pdf
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/elbioimp>
on MikTeX *elbioimp*
on T_EXLive *elbioimp*
keyword class (alternative LaTeX class(es))
keyword journalpub (typesetting journals, etc)
language(s) no language specified
year 2010
last access 2025-02-07

1856 *electrumadf* – Electrum ADF fonts collection

Web page on CTAN <https://ctan.org/pkg/electrumadf>

name	electrumadf
caption	Electrum ADF fonts collection
author	Rees, Clea F.
license	gpl2 = GNU General Public License, version 2 (free)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1
description	(no language specified) Electrum ADF is a slab-serif font featuring optical and italic small-caps; additional ligatures and an alternate Q; lining, hanging, inferior and superior digits; and four weights. The fonts are provided in Adobe Type 1 format and the support material enables use with LaTeX. Licence is mixed: LPPL for LaTeX support; GPL with font exception for the fonts.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/electrumadf/README.md
documentation	(no language specified) <i>Documentation: installation and use</i>: https://ctan.org/tex-archive/fonts/electrumadf/doc/electrumadf.pdf
– local file	./4006673906-electrumadf.pdf
home page	http://arkandis.tuxfamily.org/tugfonts.htm
contact	<i>repository</i> : https://codeberg.org/cfr/nfssext
on CTAN	https://ctan.org/tex-archive/fonts/electrumadf
on MikTeX	electrumadf
on T _E XLive	electrumadf
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-02-07

1857 eledform – Define textual variants

Web page on CTAN <https://ctan.org/pkg/eledform>

name	eledform
caption	Define textual variants
author	Rouquette, Maïeul
copyright	Maïeul Rouquette (2012)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1a
description	(no language specified) The package provides commands to formalize textual variants in critical editions typeset using eledmac .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/eledform/eledform.pdf
– local file	./2857296368-eledform.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/eledform/README.md
contact	<i>repository</i> : https://github.com/maieul/eledform
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/eledform
on MikTeX	eledform
on T _E XLive	eledform
keyword	crit-ed (typeset scholarly editions of texts)
language(s)	no language specified
year	2012
last access	2025-02-07

1858 `eledmac` – Typeset scholarly editions

Web page on CTAN <https://ctan.org/pkg/eledmac>

name	<code>eledmac</code>
caption	Typeset scholarly editions
author	Rouquette, Maïeul
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.24.12 (2017-09-24)
last changes	2017-09-24
year	2017
description	(no language specified) A package for typesetting scholarly critical editions, replacing the established <code>ledmac</code> package. Ledmac itself was a LaTeX port of the plain TeX <code>EDMAC</code> macros. The package supports indexing by page and by line numbers, and simple tabular- and array-style environments. The package is distributed with the related <code>eledpar</code> package. The package is now superseded by <code>reledmac</code>.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/eledmac/eledmac.pdf
– local file	<code>./8733836664-eledmac.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/eledmac/README
contact	<i>support</i> : http://geekographie.maieul.net/146
contact	<i>announce</i> : http://geekographie.maieul.net/146
contact	<i>bugs</i> : https://github.com/maieul/ledmac/issues/
contact	<i>repository</i> : https://github.com/maieul/ledmac/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/eledmac
on MikTeX	<code>eledmac</code>
on T _E XLive	<code>eledmac</code>
keyword	<code>crit-ed</code> (typeset scholarly editions of texts)
see also	see section 4743 on page 4293: (<code>poemscol</code> – Typesetting Critical Editions of Poetry)
see also	see section 3379 on page 3049: (<code>ledmac</code> – Typeset scholarly editions)

see also see section 1831 on page 1653: (ednotes – Typeset scholarly editions)
 language(s) no language specified
 last access 2025-02-09

1859 *eledpar* – Typeset scholarly editions in parallel texts

Web page on CTAN <https://ctan.org/pkg/eledpar>

name *eledpar*

caption Typeset scholarly editions in parallel texts

author Rouquette, Maïeul

copyright Maïeul Rouquette (2011-2015)

license lpl1.3 = The LaTeX Project Public License 1.3 (free)

version 1.17.1 (2015-09-01)

last changes 2015-09-01

year 2015

description (no language specified) Eledpar is the replacement for the *ledpar* package; it provides parallel-text typesetting (either in parallel columns, or on opposing pages), for the *ledmac* package.
 The package is available as part of the *eledmac* distribution.

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/eledmac/README>

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/eledmac/eledpar.pdf>

– local file ./6689987227-eledpar.pdf

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/eledmac>

on MikTeX *eledmac*

on T_EXLive *eledmac*

keyword *parallel* (parallel columns)

keyword *crit-ed* (typeset scholarly editions of texts)

see also see section 3380 on page 3050: (*ledpar* – Typeset scholarly editions in parallel texts)

language(s) no language specified

last access 2025-02-07

1860 *elegantbook* – An Elegant LaTeX Template for Books

Web page on CTAN <https://ctan.org/pkg/elegantbook>

name	ElegantBook
caption	An Elegant LaTeX Template for Books
author	Huang, Liam
author	Wang, Ran
author	Deng, Dongsheng
copyright	ElegantLaTeX (2013-2022, 2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	4.6 (2026-02-27)
last changes	2026-02-27
year	2026
description	(no language specified) ElegantBook is designed for writing Books. This template is based on the standard LaTeX book class. The goal of this template is to make the writing process more elegant.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/elegantbook/README.md
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/elegantbook/elegantbook-en.pdf
– local file	./2370761260-elegantbook-en.pdf
documentation	<i>Package documentation (Chinese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/elegantbook/elegantbook-cn.pdf
– local file	./7855715030-elegantbook-cn.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/elegantbook
on MikTeX	elegantbook
on TeXLive	elegantbook
keyword	book-pub (preparing a book for publication)
keyword	class (alternative LaTeX class(es))
keyword	doc-templ (template to guide document development)
keyword	chinese (support for typesetting Chinese languages)
language(s)	Chinese

last access 2026-04-10

1861 *elegantnote* – *Elegant LaTeX Template for Notes*

Web page on CTAN <https://ctan.org/pkg/elegantnote>

name	ElegantNote
caption	Elegant LaTeX Template for Notes
author	Wang, Ran
author	Deng, Dongsheng
license	lpp1.3c = The LaTeX Project Public License 1.3c (free)
version	2.60 (2026-02-27)
last changes	2026-02-27
year	2026
description	(no language specified) ElegantNote is designed for writing working papers, especially for economics students. This template is based on the standard LaTeX article class. The goal of this template is to make the writing process easier and more comfortable.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/elegantnote/README.md
documentation	<i>Package documentation (Chinese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/elegantnote/elegantnote-cn.pdf
– local file	./6229811713-elegantnote-cn.pdf
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/elegantnote/elegantnote-en.pdf
– local file	./3442751103-elegantnote-en.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/elegantnote
on MikTeX	elegantnote
on TeXLive	elegantnote
keyword	doc-templ (template to guide document development)
keyword	class (alternative LaTeX class(es))
keyword	chinese (support for typesetting Chinese languages)
language(s)	Chinese

last access 2026-04-10

1862 *elegantpaper* – An Elegant LaTeX Template for Working Papers

Web page on CTAN <https://ctan.org/pkg/elegantpaper>

name	ElegantPaper
caption	An Elegant LaTeX Template for Working Papers
author	Wang, Ran
author	Deng, Dongsheng
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.12 (2026-02-27)
last changes	2026-02-27
year	2026
description	(no language specified) ElegantPaper is designed for writing working papers, especially for economics students. This template is based on the standard LaTeX article class. The goal of this template is to make the writing process easier and more comfortable.
documentation	<i>Package documentation (Chinese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/elegantpaper/elegantpaper-cn.pdf
– local file	<code>./1987941688-elegantpaper-cn.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/elegantpaper/README.md
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/elegantpaper/elegantpaper-en.pdf
– local file	<code>./3585837441-elegantpaper-en.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/elegantpaper
on MikTeX	<code>elegantpaper</code>
on TeXLive	<code>elegantpaper</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>doc-templ</code> (template to guide document development)
keyword	<code>chinese</code> (support for typesetting Chinese languages)
language(s)	Chinese

last access 2026-04-10

1863 *elements* – Provides properties of chemical elements

Web page on CTAN <https://ctan.org/pkg/elements>

name	<code>elements</code>
caption	Provides properties of chemical elements
author	Niederberger, Clemens
copyright	Clemens Niederberger (2011-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.4 (2022-01-29)
last changes	2022-01-29
year	2022
description	(no language specified) The package provides means for retrieving properties of chemical elements like atomic number, element symbol, element name, electron distribution or isotope number. Properties are defined for the elements up to the atomic number 112. This package is a spin-off of the package <i>bohr</i> by the same author.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/elements/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/elements/elements-manual.pdf
– local file	<code>./7845724680-elements-manual.pdf</code>
contact	<i>bugs</i> : https://github.com/cgnieder/elements/issues
contact	<i>repository</i> : https://github.com/cgnieder/elements/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/elements
on MikTeX	<code>elements</code>
on TeXLive	<code>elements</code>
keyword	<code>chemistry</code> (chemistry document support)
language(s)	no language specified
last access	2025-02-11

1864 *elhyphen* – Hyphenation for Greek textWeb page on CTAN <https://ctan.org/pkg/elhyphen>

name	elhyphen
caption	Hyphenation for Greek text
author	Filippou, Dimitrios
license	other-free = Free license not otherwise listed (free)
version	5
description	(no language specified) Hyphenation patterns, for use with TeX, Omega (or other unicode-based systems) for ancient Greek, and for modern Greek (either monotonic or polytonic).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/hyphenation/elhyphen/README
on CTAN	https://ctan.org/tex-archive/language/hyphenation/elhyphen
on MikTeX	elhyphen
on T _E XLive	hyphen-greek
keyword	hyphenation (macros or tables for hyphenation)
keyword	greek (support for typesetting Greek)
language(s)	no language specified
year	without year
last access	2025-02-07

1865 *ellipse* – Draw ellipses and elliptical arcs using the standard LaTeX2e picture environmentWeb page on CTAN <https://ctan.org/pkg/ellipse>

name	ellipse
caption	Draw ellipses and elliptical arcs using the standard LaTeX2e picture environment
author	Leijen, Daan
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0

description	(no language specified) Draw ellipses and elliptical arcs using the standard LaTeX2e picture environment.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/ellipse/ellipse.pdf
– local file	./7026297032-ellipse.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/ellipse/README
on CTAN	https://ctan.org/tex-archive/graphics/ellipse
on MikTeX	ellipse
on T _E XLive	ellipse
keyword	graphics (graphics (support packages))
language(s)	no language specified
year	without year
last access	2025-02-07

1866 *ellipsis* – Fix uneven spacing around ellipses in LaTeX text mode

Web page on CTAN <https://ctan.org/pkg/ellipsis>

name	ellipsis
caption	Fix uneven spacing around ellipses in LaTeX text mode
author	Heslin, Peter J.
copyright	Peter Heslin (2003-2020)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.8
description	(no language specified) This is a simple package that fixes a problem in the way LaTeX handles ellipses: it always puts a tiny bit more space after <code>\dots</code> in text mode than before it, which results in the ellipsis being off-center when used between two words.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ellipsis/ellipsis.pdf
– local file	./5819159242-ellipsis.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ellipsis/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ellipsis

on MikTeX	ellipsis
on T _E XLive	ellipsis
keyword	typesetting (support for variations of typographic style)
see also	see section 3463 on page 3131: (lips – Text ellipses in LaTeX)
language(s)	no language specified
year	2020
last access	2025-02-07

1867 *elmath* – Mathematics in Greek texts

Web page on CTAN <https://ctan.org/pkg/elmath>

name	elmath
caption	Mathematics in Greek texts
author	Syropoulos, Apostolos
author	Potamianos, Yannis
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) This package has been designed to facilitate the use of Greek letters in mathematical mode. The package allows one to directly type in Greek letters (in ISO 8859-7 encoding) in math mode.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/elmath/elmath.pdf
– local file	./6781435434-elmath.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/elmath
on MikTeX	elmath
on T _E XLive	elmath
keyword	greek (support for typesetting Greek)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	without year
last access	2025-02-07

1868 `elocalloc` – Local allocation macros for LaTeX 2015

Web page on CTAN <https://ctan.org/pkg/elocalloc>

name	<code>elocalloc</code>
caption	Local allocation macros for LaTeX 2015
author	Carlisle, David
license	lppl = The LaTeX Project Public License (free)
version	0.03 (2016-12-15)
last changes	2016-12-15
year	2016
description	(no language specified) Local allocation macros, with names taken from <code>etex.sty</code> but with implementation based on the LaTeX 2015 allocation macros.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/elocalloc/elocalloc.pdf
– local file	<code>./7001306357-elocalloc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/elocalloc/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/elocalloc
on MikTeX	<code>elocalloc</code>
on T _E XLive	<code>elocalloc</code>
keyword	macro-supp (support for development of (La)TeX macros)
see also	see section 2008 on page 1811: (<code>etex-pkg</code> – E-TeX support package)
language(s)	no language specified
last access	2025-02-07

1869 elpres – A simple class for electronic presentationsWeb page on CTAN <https://ctan.org/pkg/elpres>

name	elpres
caption	A simple class for electronic presentations
author	Kiefel, Volker
license	lppl = The LaTeX Project Public License (free)
version	1.1 (2024-05-29)
last changes	2024-05-29
year	2024
description	(no language specified) The elpres class is intended to be used for presentations on a screen or with a beamer/projector. It is derived from LaTeX's article class and can be used with with LaTeX, pdfLaTeX, and LuaLaTeX. The default "virtual paper size" of presentations generated by this class corresponds to a 4:3 (width:height) aspect ratio. Other aspect ratios for widescreen monitors (16:9, 16:10) may be selected.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/elpres/doc/elpres-manual.pdf
– local file	./4150032430-elpres-manual.pdf
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/elpres/doc/elpres-example.pdf
– local file	./8054372072-elpres-example.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/elpres/README.md
home page	http://vkiefel.de/elpres.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/elpres
on MikTeX	elpres
on T _E XLive	elpres
keyword	presentation (slides, beamers, handouts, etc.)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-07

1870 els-cas-templates – Elsevier updated LaTeX templates

Web page on CTAN <https://ctan.org/pkg/els-cas-templates>

name	els-cas-templates
caption	Elsevier updated LaTeX templates
author	Radhakrishnan, C. V.
author	T. Nair, Rishikesan
copyright	Elsevier Ltd (2019-2024)
license	lppl = The LaTeX Project Public License (free)
version	2.4 (2024-05-04)
last changes	2024-05-04
year	2024
description	(no language specified) This bundle provides two class and corresponding template files for typesetting journal articles supposed to go through Elsevier's updated workflow. One of the sets is meant for one-column, the other for two-column layout. These are now accepted for submitting articles both in Elsevier's electronic submission system and elsewhere.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/els-cas-templates/README
documentation	(no language specified) <i>Example of use (one column)</i> : https://ctan.org/tex-archive/macros/latex/contrib/els-cas-templates/cas-sc-sample.pdf
– local file	<code>./5349847176-cas-sc-sample.pdf</code>
documentation	(no language specified) <i>Example of use (two columns)</i> : https://ctan.org/tex-archive/macros/latex/contrib/els-cas-templates/cas-dc-sample.pdf
– local file	<code>./5156551020-cas-dc-sample.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/els-cas-templates/doc/elsdoc-cas.pdf
– local file	<code>./1663633000-elsdoc-cas.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/els-cas-templates
on MikTeX	els-cas-templates
on TeXLive	els-cas-templates
keyword	doc-templ (template to guide document development)

keyword	class (alternative LaTeX class(es))
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
last access	2025-02-07

1871 **elsarticle** – Class for articles for submission to Elsevier journals

Web page on CTAN <https://ctan.org/pkg/elsarticle>

name	elsarticle
caption	Class for articles for submission to Elsevier journals
author	Pepping, Simon
author	Radhakrishnan, C. V.
author	Ruck, Martin
copyright	Elsevier Ltd (2007-2026)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.5 (2026-01-09)
last changes	2026-01-09
year	2026
description	(no language specified) This class for typesetting journal articles is accepted for submitted articles both in Elsevier's electronic submission system and elsewhere. Please note that this webpage is meant for uploading updates to the elsarticle software itself, not for submitting articles using it .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/elsarticle/doc/elsdoc.pdf
– local file	./9087861976-elsdoc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/elsarticle/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/elsarticle
on MikTeX	elsarticle
on TeXLive	elsarticle
keyword	class (alternative LaTeX class(es))

keyword journalpub (typesetting journals, etc)
 language(s) no language specified
 last access 2026-04-10

1872 `elteiktdk` – TDK-thesis template for Hungarian TDK conferences, Section of Computer Science

Web page on CTAN <https://ctan.org/pkg/elteiktdk>

name `elteiktdk`

caption TDK-thesis template for Hungarian TDK conferences, Section of Computer Science

author Cserép, Máté

copyright Máté Cserép (2013-2024)

license mit = MIT License (free)

version 2.1

description (no language specified) The National Conference of Scientific Students Associations (OTDK) of Hungary is the most significant scientific event for Bachelor and Master students in the country, where students compete with their research papers in all field of science. It is organized in every 2 years. The conference/competition has 2 rounds: a university level and a country level (for the best papers).

This class template enforces the required formatting rules for TDK theses and generates the cover and title page given on the provided metadata. The formatting rules are defined to meet the requirements for TDK theses submitted at the Eötvös Loránd University, Faculty of Informatics (Budapest, Hungary). This also fits the formatting requirements of the Computer Science Section of the country level round. With sufficient modifications the template could be usable for TDK theses at other national and faculty level sections, too.

The template supports producing both Hungarian and English theses.

documentation (English) *Example of use:* https://ctan.org/tex-archive/macros/latex/contrib/elteiktdk/elteiktdk_en.pdf

– local file `./5195111176-elteiktdk_en.pdf`

documentation (Hungarian) *Example of use:* https://ctan.org/tex-archive/macros/latex/contrib/elteiktdk/elteiktdk_hu.pdf

– local file `./5423660219-elteiktdk_hu.pdf`

contact *bugs:* <https://github.com/mcserep/elteiktdk/issues>

contact *repository:* <https://github.com/mcserep/elteiktdk>

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/elteiktdk
on MikTeX	elteiktdk
on T _E XLive	elteiktdk
keyword	hungarian (support for typesetting Hungarian)
keyword	class (alternative LaTeX class(es))
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	English; Hungarian
year	2024
last access	2025-02-07

1873 *elteikthesis* – Thesis template for Eötvös Loránd University (Informatics)

Web page on CTAN	https://ctan.org/pkg/elteikthesis
name	elteikthesis
caption	Thesis template for Eötvös Loránd University (Informatics)
author	Cserép, Máté
copyright	Máté Cserép (2013-2024)
license	mit = MIT License (free)
version	2.4
description	(no language specified) This package provides a Bachelor and Master thesis template for the Eötvös Loránd University, Faculty of Informatics (Budapest, Hungary). The template supports producing both Hungarian and English theses.
documentation	(Hungarian) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/elteikthesis/elteikthesis_hu.pdf
– local file	./9088699931-elteikthesis_hu.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/elteikthesis/README.md
documentation	(English) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/elteikthesis/elteikthesis_en.pdf
– local file	./9890371403-elteikthesis_en.pdf
contact	<i>bugs</i> : https://github.com/mcserep/elteikthesis/issues
contact	<i>repository</i> : https://github.com/mcserep/elteikthesis

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/elteikthesis
on MikTeX	elteikthesis
on TeXLive	elteikthesis
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	hungarian (support for typesetting Hungarian)
keyword	class (alternative LaTeX class(es))
language(s)	English; Hungarian
year	2024
last access	2025-02-07

1874 *eltex* – Simple circuit diagrams in LaTeX picture mode

Web page on CTAN	https://ctan.org/pkg/eltex
name	eltex
caption	Simple circuit diagrams in LaTeX picture mode
author	Gajdosik, Libor
license	lppl = The LaTeX Project Public License (free)
version	2.0
description	(no language specified) The macros enable the user to draw simple circuit diagrams in the picture environment, with no need of special resources. The macros are appropriate for drawing for school materials. The circuit symbols accord to the various parts of the standard IEC 617.
documentation	<i>Package documentation (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/eltex/man_en.pdf
– local file	./9086613717-man_en.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/eltex/README
documentation	<i>Package documentation (Czech):</i> https://ctan.org/tex-archive/macros/latex/contrib/eltex/pri_cz.pdf
– local file	./9627264831-pri_cz.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/eltex
on MikTeX	eltex
on TeXLive	eltex

keyword	diagram-circ (circuit diagrams)
see also	see section 1085 on page 987: (CircuitTikZ – Draw electrical networks with TikZ)
see also	see section 1084 on page 985: (Circuit_macros – M4 macros for electric circuit diagrams)
language(s)	Czech; English
year	without year
last access	2025-02-07

1875 *elvish* – Fonts for typesetting Tolkien Elvish scripts

Web page on CTAN <https://ctan.org/pkg/elvish>

name	elvish
caption	Fonts for typesetting Tolkien Elvish scripts
author	Bradfield, Julian
copyright	J.C. Bradfield (1987)
license	other-free = Free license not otherwise listed (free)
description	(no language specified) The bundle provides fonts for Cirth (cirth.mf, etc.) and for Tengwar (teng10.mf). The Tengwar fonts are supported by macros in teng.tex, or by the (better documented) <i>tengtex</i> package.
documentation	(no language specified) : https://ctan.org/tex-archive/fonts/elvish/README
on CTAN	https://ctan.org/tex-archive/fonts/elvish
on MikTeX	elvish
on T _E XLive	elvish
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-invented (font for an ‘invented’ language or script)
keyword	font (fonts themselves)
see also	see section 5882 on page 5326: (tengwar – Font to set Tolkien’s Tengwar script)
language(s)	no language specified
year	1987
last access	2025-02-07

1876 *elzcards* – Typeset business cards, index cards and flash cards easily

Web page on CTAN <https://ctan.org/pkg/elzcards>

name	elzcards
caption	Typeset business cards, index cards and flash cards easily
author	Lazo Zaia, Emilio Augusto
copyright	Emilio Augusto Lazo Zaia (2015-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.60 (2019-08-16)
last changes	2019-08-16
year	2019
description	(no language specified) A LaTeX package for typesetting business cards, index cards, and flash cards in an easy and flexible way, optionally also the reverse side. You will have to furnish the paper size, the desired size of your card, the printable area of your printer, and the design of the card. Everything else is taken care of by <code>elzcards</code>.
documentation	(no language specified) <i>Samples</i> : https://ctan.org/tex-archive/macros/latex/contrib/elzcards/elzcards-examples.pdf
– local file	<code>./5415836375-elzcards-examples.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/elzcards/elzcards.pdf
– local file	<code>./3119141606-elzcards.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/elzcards/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/elzcards
on MikTeX	elzcards
on T _E XLive	elzcards
keyword	card-gen (cards for miscellaneous purposes)
language(s)	no language specified
last access	2025-02-07

1877 *emarks* – Named mark registers with e-TeX

Web page on CTAN <https://ctan.org/pkg/emarks>

name	emarks
caption	Named mark registers with e-TeX
author	Chervet, Florent
copyright	Florent Chervet (2011)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) E-TeX provides 32 768 mark registers; using this facility is far more comfortable than LaTeX tricks with <code>\markright</code>, <code>\markboth</code>, <code>\leftmark</code> and <code>\rightmark</code>. The package provides two commands for marking: <code>\marksthe</code> and <code>\marksthecs</code>, which have * forms which disable expansion; new mark registers are allocated as needed. Syntax is closely modelled on the <code>\marks</code> primitive. Four commands are provided for retrieving the marks registers' content: <code>\thefirstmarks</code>, <code>\thebotmarks</code>, <code>thetopmarks</code> and <code>\getthemarks</code>; and the command <code>\ifmarksequal</code> is available for comparing the content of marks registers. The package requires an e-TeX-enabled engine, and the etex package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/emarks/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/emarks/emarks.pdf
– local file	<code>./8518692276-emarks.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/emarks
on MikTeX	emarks
on T _E XLive	emarks
keyword	typesetting (support for variations of typographic style)
language(s)	no language specified
year	2011
last access	2025-02-07

1878 embedall – Embed source files into the generated PDF

Web page on CTAN <https://ctan.org/pkg/embedall>

name	embedall
caption	Embed source files into the generated PDF
author	Lichti, David
author	Sartori, Alberto
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	2.0 (2019-05-18)
last changes	2019-05-18
year	2019
description	(no language specified) The package provides a means of storing a project, without losing anything. It uses the embedfile package to attach to the generated PDF all files used in creating your project. In particular, it can embed images, external TeX files, external codes and
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/embedall/embedall.pdf
– local file	./5309473919-embedall.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/embedall
on MikTeX	embedall
on TeXLive	embedall
keyword	archival (creating archival copies, or copies for distribution)
keyword	pdf-feat (access PDF features)
language(s)	no language specified
last access	2025-02-07

1879 embedfile – Embed files into PDF

Web page on CTAN <https://ctan.org/pkg/embedfile>

name	embedfile
caption	Embed files into PDF
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2006-2011)
copyright	Oberdiek Package Support Group (2016-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.13 (2025-10-27)
last changes	2025-10-27
year	2025
description	(no language specified) This package embeds files in a PDF document, using the PDF format's embedding operation (note the contrast with the attach operation used by the attachfile and attachfile2 packages). Currently only pdfTeX ≥ 1.30 , in PDF mode, is supported.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/embedfile/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/embedfile/embedfile.pdf
– local file	./3010903705-embedfile.pdf
contact	<i>bugs</i> : https://github.com/ho-tex/embedfile/issues
contact	<i>repository</i> : https://github.com/ho-tex/embedfile
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/embedfile
on MikTeX	embedfile
on T _E XLive	embedfile
keyword	pdf-feat (access PDF features)
see also	see section 322 on page 295 : (attachfile – Attach arbitrary files to a PDF document)
see also	see section 323 on page 296 : (attachfile2 – Attach files into PDF)
language(s)	no language specified
last access	2025-11-02

1880 embrac – Upright brackets in emphasised text

Web page on CTAN <https://ctan.org/pkg/embrac>

name	embrac
caption	Upright brackets in emphasised text
author	Niederberger, Clemens
copyright	Clemens Niederberger (2012-2021)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.9a (2021-02-20)
last changes	2021-02-20
year	2021
description	(no language specified) The package redefines the commands <code>\emph</code> and <code>\textit</code> so that parentheses and square brackets are typeset in an upright font in their arguments. The package requires expl3 from the l3kernel bundle, and xparse and l3keys2e from the l3packages bundle.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/embrac/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/embrac/embrac_en.pdf
– local file	./2370398350-embrac_en.pdf
contact	<i>bugs</i> : https://github.com/cgnieder/embrac/issues
contact	<i>repository</i> : https://github.com/cgnieder/embrac/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/embrac
on MikTeX	embrac
on TeXLive	embrac
keyword	typesetting (support for variations of typographic style)
keyword	expl3 (expl3(unknown))
keyword	paren-mgmt (match and otherwise manage parentheses)
language(s)	no language specified
last access	2025-02-09

1881 **emerald** – Support for the free emerald city fontwerks fonts

Web page on CTAN <https://ctan.org/pkg/emerald>

name	emerald
caption	Support for the free emerald city fontwerks fonts
author	Rodríguez, M. César
license	other-nonfree = License that prevents distribution (not free)
description	(no language specified) Emerald is a package which gives support for some free ECF (Emerald City Fontwerks) fonts in LaTeX. These are mainly display and/or handwriting fonts. The distribution includes the Type1 fonts, all required files for using them within LaTeX and font map files for dvips and pdfTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/emerald/README
documentation	(no language specified) <i>Short font sampler</i> : https://ctan.org/tex-archive/fonts/emerald/doc/emerald.pdf
– local file	./4867226613-emerald.pdf
on CTAN	https://ctan.org/tex-archive/fonts/emerald
on MikTeX	emerald
keyword	font-calligraphic (calligraphic (or handwriting) fonts)
keyword	font-novelty (fonts designed more for fun than for actual use)
language(s)	no language specified
year	without year
last access	2025-02-07

1882 **emf** – Support for the EMF symbol

Web page on CTAN <https://ctan.org/pkg/emf>

name	emf
caption	Support for the EMF symbol
author	Jørgensen, Palle
copyright	Palle Jørgensen (2016)
license	gpl3 = GNU General Public License, version 3 (free)
version	1

description	(no language specified) This package provides LaTeX support for the symbol for the EMF in electric circuits and electrodynamics. It provides support for multiple symbols but does not provide any fonts. The fonts themselves must be aquired otherwise. However the fonts are part of a normal TeX Live installation.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/emf/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/emf/emf.pdf
– local file	<code>./8376131417-emf.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/emf
on MikTeX	<code>emf</code>
on TeXLive	<code>emf</code>
keyword	<code>electronic</code> (support of electronic design)
keyword	<code>text-symbol</code> (symbols for use in text)
language(s)	no language specified
year	2016
last access	2025-02-07

1883 *emisa* – A LaTeX package for preparing manuscripts for the journal EMISA

Web page on CTAN	https://ctan.org/pkg/emisa
name	<code>emisa</code>
caption	A LaTeX package for preparing manuscripts for the journal EMISA
author	Strecker, Stefan
author	Sievers, Martin
copyright	EMISA (2015-2020)
copyright	Martin Wilhelm Leidig (2009-2012)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.3.0 (2020-11-26)
last changes	2020-11-26
year	2020

description	(no language specified) The EMISA LaTeX package is provided for preparing manuscripts for submission to EMISA (Enterprise Modelling and Information Systems Architectures), and for preparing accepted submissions for publication as well as for typesetting the final document by the editorial office. Articles in EMISA are published online at EMISA in the Portable Document Format (PDF).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/emisa/emisa.pdf
– local file	<code>./8427631453-emisa.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/emisa/README.md
contact	<i>support</i> : https://github.com/gi-ev/emisa-latex-package/issues
contact	<i>repository</i> : https://github.com/gi-ev/emisa-latex-package
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/emisa
on MikTeX	emisa
on TeXLive	emisa
keyword	class (alternative LaTeX class(es))
keyword	publisher (prepare documents for a specific publisher)
language(s)	no language specified
last access	2025-02-07

1884 *emo* – Emoji for all (LaTeX engines)

Web page on CTAN <https://ctan.org/pkg/emo>

name	emo
caption	Emoji for all (LaTeX engines)
author	Grimm, Robert
copyright	Robert Grimm (2023)
license	ofl = The SIL Open Font License (free)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
license	other-free = Free license not otherwise listed (free)
license	apache2 = Apache License, version 2.0 (free)
version	0.4 (2023-04-26)

last changes	2023-04-26
year	2023
description	(no language specified) Emo implements the <code>\emo{ 'emoji-name' }</code> command for including color emoji such as <code>\emo{desert-island}</code> or <code>\emo{parrot}</code> in your documents independent of input encoding or LaTeX engine. The implementation uses the Noto color emoji font if the engine supports it and includes PDF graphics otherwise. The latter are automatically derived from Noto's SVG sources, so the visual appearance is very similar. Emo may come in particularly handy when dealing with academic publishers that provide only minimal support for non-Latin scripts.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/emo/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/emo/emo.pdf
– local file	<code>./3787343740-emo.pdf</code>
contact	<i>repository</i> : https://github.com/apparebit/emo
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/emo
on MikTeX	emo
on TeXLive	emo
keyword	graphics-use (graphics (typesetting actual pictures))
keyword	graphics (graphics (support packages))
language(s)	no language specified
last access	2025-02-07

1885 emoji – Emoji support in (Lua)LaTeXWeb page on CTAN <https://ctan.org/pkg/emoji>

name	emoji
caption	Emoji support in (Lua)LaTeX
author	Zeng, Xiangdong
copyright	Xiangdong Zeng (2020-2021)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2.2 (2021-07-17)
last changes	2021-07-17

year	2021
description	(no language specified) This package allows users to typeset emojis in LaTeX documents. It requires the LuaHBTeX engine, which can be called by <code>lualatex</code> since TeX Live 2020, or <code>lualatex-dev</code> in TeX Live 2019.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/emoji/emoji-doc.pdf
– local file	<code>./3169781251-emoji-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/emoji/README.md
contact	<i>bugs</i> : https://github.com/stone-zeng/latex-emoji/issues
contact	<i>repository</i> : https://github.com/stone-zeng/latex-emoji
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/emoji
installation	https://ctan.org/tex-archive/install/macros/luatex/latex/emoji.tds.zip
on MikTeX	<code>emoji</code>
on TeXLive	<code>emoji</code>
keyword	<code>graphics-use</code> (graphics (typesetting actual pictures))
keyword	<code>graphics</code> (graphics (support packages))
keyword	<code>luatex</code> (LuaTeX and packages that require it)
keyword	<code>expl3</code> (expl3(unknown))
language(s)	no language specified
last access	2025-02-09

1886 *emojicite* – Add emojis to citations

Web page on CTAN <https://ctan.org/pkg/emojicite>

name	<code>emojicite</code>
caption	Add emojis to citations
author	Sixt, Leon
copyright	Leon Sixt (2020)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3 (2020-05-13)
last changes	2020-05-13

1887 *emojion* – Make emojis more easy to use in XeLaTeX and LuaLaTeX

year	2020
description	(no language specified) This package adds emojis to citations.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/emojicite/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/emojicite/emojicite-doc.pdf
– local file	./1876548458-emojicite-doc.pdf
contact	<i>bugs</i> : https://github.com/berleon/emojicite/issues
contact	<i>repository</i> : https://github.com/berleon/emojicite
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/emojicite
on MikTeX	emojicite
on T _E XLive	emojicite
keyword	graphics-use (graphics (typesetting actual pictures))
keyword	expl3 (expl3(unknown))
keyword	cite-supp (citation support)
keyword	luatex (LuaTeX and packages that require it)
see also	see section 1885 on page 1703: (emoji – Emoji support in (Lua)LaTeX)
language(s)	no language specified
last access	2025-02-09

1887 *emotion* – Make emojis more easy to use in XeLaTeX and LuaLaTeX

Web page on CTAN <https://ctan.org/pkg/emotion>

name	emotion
caption	Make emojis more easy to use in XeLaTeX and LuaLaTeX
author	Zeng, Xuwang
copyright	Zeng Xuwang (2023-2024)
license	apache2 = Apache License, version 2.0 (free)
version	0.2 (2024-02-13)
last changes	2024-02-13
year	2024

1888 `emp` – “Encapsulate” MetaPost figures in a document

description	(no language specified) There are many emojis with long names, and we cannot remember them all. At the same time, when we type an emoji, we want to see what it looks like in text editor. Now, you do not need to remember the emoji name, just select it from the keyboard and wrap it with <code>\emotion</code> . Unlike other emoji packages, you can thus use emojis more easily and flexibly.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/emotion/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/emotion/doc/emotion-doc.pdf
– local file	<code>./7627641706-emotion-doc.pdf</code>
home page	https://github.com/ourfor/LaTeX-emotion
contact	<i>bugs</i> : https://github.com/ourfor/LaTeX-emotion/issues
contact	<i>repository</i> : https://github.com/ourfor/LaTeX-emotion.git
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/emotion
on MikTeX	<code>emotion</code>
on T _E XLive	<code>emotion</code>
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
language(s)	no language specified
last access	2025-02-07

1888 `emp` – “Encapsulate” MetaPost figures in a document

Web page on CTAN <https://ctan.org/pkg/emp>

name	<code>emp</code>
caption	“Encapsulate” MetaPost figures in a document
author	Ohl, Thorsten
copyright	Thorsten Ohl (1997)
license	gpl = GNU General Public License (free)

description	(no language specified) Emp is a package for encapsulating MetaPost figures in LaTeX: the package provides environments where you can place MetaPost commands, and means of using that code as fragments for building up figures to include in your document. So, with emp, the procedure is to run your document with LaTeX, run MetaPost, and then complete running your document in the normal way. Emp is therefore useful for keeping illustrations in synchrony with the text. It also frees you from inventing descriptive names for PostScript files that fit into the confines of file system conventions.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/emp/README
documentation	(no language specified) <i>Package manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/emp/empman.pdf
– local file	<code>./6211136946-empman.pdf</code>
documentation	(no language specified) <i>Documented source</i> : https://ctan.org/tex-archive/macros/latex/contrib/emp/emp.pdf
– local file	<code>./1753137203-emp.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/emp
on MikTeX	emp
on T _E XLive	emp
keyword	graphics-inline (graphics inline for external processing)
see also	see section 3920 on page 3545: (METAT _E X – Incorporate Metafont pictures in TeX source)
language(s)	no language specified
year	1997
last access	2025-02-07

1889 empheq – EMPHasizing EQUations

Web page on CTAN <https://ctan.org/pkg/empheq>

name	empheq
caption	EMPHasizing EQUations
author	Høgholm, Morten
author	Wright, Joseph
author	The LaTeX Project Team

author	Madsen, Lars
author	Robertson, Will
copyright	Morten Høgholm (2002-2007)
copyright	Lars Madsen (2012-2019)
copyright	Lars Madsen, The LaTeX3 Project (2020)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.16 (2020-03-24)
last changes	2020-03-24
year	2020
description	(no language specified) This package is part of the mathtools bundle. it provides a visual markup extension to amsmath . The user-friendly interface allows the user to put a set of equations inside a box thus enhancing the <code>\boxed</code> feature of amsmath. As a side effect it is also possible to add material on both sides of the equations thus providing (and surpassing) the functionality of the cases package. Users of ntheorem will probably want to have a look at it as well, since the problem with end-of-theorem marks in <code>gather</code> and other environments can be circumvented using <code>empheq</code> .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mathtools/empheq.pdf
– local file	<code>./8250013568-empheq.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mathtools/README.md
contact	<i>repository</i> : https://github.com/latex3/mathtools
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mathtools
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/mathtools.tds.zip
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

1890 **emptypage** – Make empty pages really empty

Web page on CTAN <https://ctan.org/pkg/emptypage>

name	emptypage
caption	Make empty pages really empty
author	Wette, Karl
copyright	Karl Wette (2009-2010)
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.2
description	(no language specified) This package prevents page numbers and headings from appearing on empty pages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/emptypage/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/emptypage/emptypage.pdf
– local file	./9313242099-emptypage.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/emptypage
on MikTeX	emptypage
on TeXLive	emptypage
keyword	layout (layout of objects on the page)
language(s)	no language specified
year	2010
last access	2025-02-07

1891 **emt看ex** – A TeX system for MS-DOS and OS/2

Web page on CTAN <https://ctan.org/pkg/emt看ex>

name	emt看ex
caption	A TeX system for MS-DOS and OS/2
author	Mattes, Eberhard
license	nosell = Do Not Sell Except by Arrangement (not free)

1892 *emtexgi* – A MS-Windows shell for emTeX

description	(no language specified) EmTeX is a comprehensive distribution, developed under OS/2 but working well under MS-DOS. It has been known to run under Windows 3.1, but not under Win32 systems.
documentation	<i>Readme (English)</i> : https://ctan.org/tex-archive/systems/msdos/emtex/README.ENG
documentation	<i>Readme (German)</i> : https://ctan.org/tex-archive/systems/msdos/emtex/README.GER
on CTAN	https://ctan.org/tex-archive/systems/msdos/emtex
keyword	distribution (components (or support) of TeX distribution)
language(s)	German; English
year	without year
last access	2025-02-07

1892 *emtexgi* – A MS-Windows shell for emTeX

Web page on CTAN <https://ctan.org/pkg/emtexgi>

name	emtexgi
caption	A MS-Windows shell for emTeX
author	Cottrell, Allin
license	other-free = Free license not otherwise listed (free)
version	2.01 beta
description	(no language specified) The shell is known to work with Windows 3.1 and Windows 95.
home page	http://www.wfu.edu/economics/ftp/emtexgi.html
on CTAN	https://ctan.org/tex-archive/systems/msdos/emtex-contrib/emtexgi
keyword	ide (integrated development environments)
language(s)	no language specified
year	without year
last access	2025-02-07

1893 emtrees – Draw labelled trees, using emTeX \specials

Web page on CTAN <https://ctan.org/pkg/emtrees>

name	emtrees
caption	Draw labelled trees, using emTeX \specials
author	Boegeholz, Harald
license	noinfo = noinfo
version	(1991-01-14)
last changes	1991-01-14
year	1991
description	(no language specified) A small set of macros for drawing trees. The macros depend on the availability of <i>emTeX</i> \specials; most installations of dvips have these, but the output of the macros is unlikely to be usable otherwise, unless you're using emTeX itself.
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/emtrees.tex
on MikTeX	genmisc
keyword	tree (mechanisms for drawing trees)
language(s)	no language specified
last access	2025-02-07

1894 emulateapj – Produce output similar to that of APJ

Web page on CTAN <https://ctan.org/pkg/emulateapj>

name	emulateapj
caption	Produce output similar to that of APJ
author	Vikhlinin, Alexey
author	Markevitch, Maxim
license	lppl = The LaTeX Project Public License (free)
version	(2012-08-17)
last changes	2012-08-17
year	2012
description	(no language specified) A LaTeX class (based on current <i>RevTeX</i>) to produce preprints with the page layout similar to that of the Astrophysical Journal.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/emulateapj/README
home page	http://hea-www.harvard.edu/~alexey/emulateapj
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/emulateapj
on MikTeX	emulateapj
on T _E XLive	emulateapj
keyword	astronomy (astronomy articles, astronomical charts)
keyword	class (alternative LaTeX class(es))
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
last access	2025-02-07

1895 *encguide* – Documentation of LaTeX font encodings

Web page on CTAN	https://ctan.org/pkg/encguide
name	encguide
caption	Documentation of LaTeX font encodings
author	Lemberg, Werner
author	The LaTeX Project Team
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The document discusses the concepts behind, and the restrictions that affect LaTeX’s use of font encodings. The document also lists several extant ‘recognised’ encodings, giving glyph tables for them. Part of a set of documentation that also covers new LaTeX 2e commands , class and package writing , typesetting Cyrillic , font usage in LaTeX 2e , configuration options and modification of latex .
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/macros/latex/base/encguide.pdf
– local file	./7744807269-encguide.pdf
home page	http://www.latex-project.org
on CTAN	https://ctan.org/tex-archive/macros/latex/base
keyword	latex-doc (latex-doc(unknown))
language(s)	no language specified

year without year
last access 2025-02-11

1896 *enctex* – A TeX extension that translates input on its way into TeX

Web page on CTAN <https://ctan.org/pkg/enctex>

name *encTeX*
caption A TeX extension that translates input on its way into TeX
author Olšák, Petr
copyright Petr Olšák (1997, 2002-2004)
license gpl = GNU General Public License (free)
version (2014-05-08)
last changes 2014-05-08
year 2014
description (no language specified) EncTeX is (another) TeX extension, written at the change-file level. It provides means of translating input on the way into TeX. It allows, for example, translation of multibyte sequences, such as utf-8 encoding.
documentation *Reference manual (in Czech):*
<https://ctan.org/tex-archive/systems/enctex/encdoc.pdf>
– local file ./8730098176-encdoc.pdf
documentation *Reference manual (in English):*
<https://ctan.org/tex-archive/systems/enctex/encdoc-e.pdf>
– local file ./3126624807-encdoc-e.pdf
documentation (English) *EuroTeX paper about EncTeX*: <https://ctan.org/tex-archive/systems/enctex/eurotex2003-enctex.pdf>
– local file ./6363267760-eurotex2003-enctex.pdf
documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/systems/enctex/README>
on CTAN <https://ctan.org/tex-archive/systems/enctex>
on MikTeX *enctex*
on T_EXLive *enctex*
keyword engine (TeX (or TeX-alike) typesetting engine)
language(s) Czech; English
last access 2025-02-07

1897 *encxvlna* – Insert nonbreakable spaces, using *encTeX*

Web page on CTAN <https://ctan.org/pkg/encxvlna>

name	encxvlna
caption	Insert nonbreakable spaces, using <i>encTeX</i>
author	Wagner, Zdeněk
author	Olšák, Petr
copyright	Zdeněk Wagner (2007)
license	lppl = The LaTeX Project Public License (free)
version	1.1 (2014-05-17)
last changes	2014-05-17
year	2014
description	(no language specified) The package provides tools for inserting nonbreakable spaces after nonsyllabic prepositions and single letter conjunctions as required by Czech and Slovak typographical rules. It is implemented using <i>encTeX</i> and provides files both for plain TeX and LaTeX. The LaTeX solution tries to avoid conflicts with other packages.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/encxvlna/doc/encxvlna.pdf
– local file	./4439679185-encxvlna.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/encxvlna/README
on CTAN	https://ctan.org/tex-archive/macros/generic/encxvlna
on MikTeX	encxvlna
on T _E XLive	encxvlna
keyword	slovak (support for typesetting, and documentation in Slovak)
keyword	typesetting (support for variations of typographic style)
keyword	czech (support for typesetting Czech)
see also	see section 6787 on page 6124: (<i>xevl</i> na – Insert non-breakable spaces using XeTeX)
see also	see section 3680 on page 3330: (<i>luav</i> lna – Prevent line breaks after single letter words, units, or academic titles)
language(s)	no language specified
last access	2025-02-07

1898 *endfloat* – Move floats to the end, leaving markers where they belong

Web page on CTAN <https://ctan.org/pkg/endfloat>

name	endfloat
caption	Move floats to the end, leaving markers where they belong
author	Goldberg, Jeffrey
author	Sommerfeldt, Axel
copyright	Darrel McCauley (1992)
copyright	Jeffrey Goldberg (1994-2011)
copyright	Axel Sommerfeldt (2011-2019)
license	gpl = GNU General Public License (free)
version	2.7
description	(no language specified) Place all floats on pages by themselves at the end of the document, optionally leaving markers like "[Figure 3 about here]" in the text near to where the figure (or table) would normally have occurred. Float types <code>figure</code> and <code>table</code> are recognised by the package, unmodified. Since several packages define other types of float, it is possible to register these float types with <code>endfloat</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/endfloat/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/endfloat/endfloat.pdf
– local file	./1774503787-endfloat.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/endfloat
on MikTeX	endfloat
on TeXLive	endfloat
keyword	float (typesetting floats)
language(s)	no language specified
year	2019
last access	2025-02-07

1899 *endheads* – Running headers of the form “Notes to pp.xx-yy”

Web page on CTAN <https://ctan.org/pkg/endheads>

name	endheads
caption	Running headers of the form “Notes to pp.xx-yy”
author	Burt, John
copyright	John Burt (2005)
license	lppl = The LaTeX Project Public License (free)
version	1.7 (2025-02-12)
last changes	2025-02-12
year	2025
description	(no language specified) This package provides running headers of the form “Notes to pp. xx-yy” for endnotes sections. It also enables one to reset the endnotes counter, and put a line marking the chapter change in the endnotes, at the beginning of every chapter. Endheads requires the fancyhdr , needspace , ifthen , and endnotes packages.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/endheads/endheads.pdf
– local file	./3900731792-endheads.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/endheads
on MikTeX	endheads
on TeXLive	endheads
keyword	page-hf (page head- and foot-lines)
keyword	endnote (notes typeset at end document)
language(s)	no language specified
last access	2025-02-19

1900 **endiagram** – Easy creation of potential energy curve diagrams

Web page on CTAN <https://ctan.org/pkg/endiagram>

name	endiagram
caption	Easy creation of potential energy curve diagrams
author	Niederberger, Clemens
copyright	Clemens Niederberger (2012)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1d
description	(no language specified) The package provides the facility of drawing potential energy curve diagrams with just a few simple commands. The package cannot (yet) be considered stable.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/endiagram/endiagram_en.pdf
– local file	./5904679045-endiagram_en.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/endiagram/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/endiagram
on MikTeX	endiagram
on T _E XLive	endiagram
keyword	expl3 (expl3(unknown))
keyword	chemistry (chemistry document support)
language(s)	no language specified
year	2012
last access	2025-02-07

1901 *endnote* – Generic “endnotes” code

Web page on CTAN <https://ctan.org/pkg/endnote>

name	<code>endnote</code>
caption	Generic “endnotes” code
license	<code>noinfo = noinfo</code>
version	(1993-02-15)
last changes	1993-02-15
year	1993
description	(no language specified) A very simple set of macros for producing endnotes (“instead of footnotes”). The endnotes are saved in a box, which is re-emitted by a command <code>\producenotes</code> ; this technique does not scale well. For all its limitations, the package has the distinction of working with most TeX formats (unlike the LaTeX-only endnotes , for example).
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/endnote.tex
on MikTeX	<code>genmisc</code>
keyword	<code>endnote</code> (notes typeset at end document)
see also	see section 4466 on page 4042 : (<code>pagenote</code> – Notes at end of document)
language(s)	no language specified
last access	2025-02-07

1902 *endnote2bib* – Convert EndNote files to BibTeX

Web page on CTAN <https://ctan.org/pkg/endnote2bib>

name	<code>EndNote2bib</code>
caption	Convert EndNote files to BibTeX
author	Mathar, Richard J
license	lppl = The LaTeX Project Public License (free)
version	(2007-06-21)
last changes	2007-06-21
year	2007

description	(no language specified) EndNote2bib reads its files and produces a BibTeX reference list on the standard output. Since EndNote files are inherently unstructured, EndNote2bib only does a passable job (for example, it may need to invent a key for an entry, and it may have difficulty with the BibTeX entry type).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/r2bib/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/r2bib
keyword	foreign-import (import files in a non-TeX (or different TeX) format)
see also	see section 5092 on page 4615: (r2bib – Convert refer and EndNote files to BibTeX)
language(s)	no language specified
last access	2025-02-07

1903 *endnotes* – Place footnotes at the end

Web page on CTAN	https://ctan.org/pkg/endnotes
name	endnotes
caption	Place footnotes at the end
author	Carlisle, David
author	Gaulle, Bernard
author	Fairbairns, Robin
author	Lavagnino, John
copyright	John Lavagnino (2002)
copyright	LaTeX3 Project (2019-2020)
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	(2020-01-02)
last changes	2020-01-02
year	2020
description	(no language specified) Accumulates notes (using the <code>\endnote</code> command, which can be used as a replacement for <code>\footnote</code>), and places them at the end of the section, chapter or document.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/endnotes/README.md

1904 *endnotes-hy* – Patches the endnotes package to create hypertext links to th...

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/endnotes/endnotes.pdf
– local file	<code>./9237318083-endnotes.pdf</code>
contact	<i>support:</i> https://github.com/rf-latex/endnotes/issues
contact	<i>repository:</i> https://github.com/rf-latex/endnotes
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/endnotes
on MikTeX	endnotes
on T _E XLive	endnotes
keyword	endnote (notes typeset at end document)
see also	see section 2338 on page 2118: (<code>footmisc</code> – A range of footnote options)
see also	see section 2288 on page 2070: (<code>fnpara</code> – Footnotes in paragraphs)
see also	see section 2344 on page 2124: (<code>footnpag</code> – Per-page numbering of footnotes)
language(s)	no language specified
last access	2025-02-07

1904 *endnotes-hy* – Patches the endnotes package to create hypertext links to the correct anchors

Web page on CTAN	https://ctan.org/pkg/endnotes-hy
name	<code>endnotes-hy</code>
caption	Patches the endnotes package to create hypertext links to the correct anchors
author	Story, Donald P.
copyright	D. P. Story (2020)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	(2020-04-08)
last changes	2020-04-08
year	2020
description	(no language specified) The package supports the creation of hypertext links in support of the endnotes package. The package modifies the syntax of the <code>\endnote</code> command: <code>\endnote* [<num>] {<text>} \label{<name>}</code> .

1905 *endnotesj* – Japanese-style endnotes

When the * -option is used, no endnote mark is created, but the endnote itself is written. The `\label` command appears at the end of the `\endnote` and its arguments, rather than within the argument of the `<text>` argument.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/endnotes-hy/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/endnotes-hy/docs/endnotes-hy.pdf
– local file	<code>./6056310570-endnotes-hy.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/endnotes-hy
on MikTeX	<code>endnotes-hy</code>
on TeXLive	<code>endnotes-hy</code>
keyword	<code>endnote</code> (notes typeset at end document)
see also	see section 1903 on page 1719: (<code>endnotes</code> – Place footnotes at the end)
language(s)	no language specified
last access	2025-02-07

1905 *endnotesj* – Japanese-style endnotes

Web page on CTAN	https://ctan.org/pkg/endnotesj
name	<code>endnotesj</code>
caption	Japanese-style endnotes
author	Yamashita, Hironobu
copyright	Hironobu Yamashita (2016-2018)
license	bsd3 = 3-clause BSD License (free)
version	3.0 (2018-05-13)
last changes	2018-05-13
year	2018
description	(no language specified) This package provides customized styles for endnotes to be used with Japanese documents. It can be used on pLaTeX , upLaTeX , and LuaLaTeX (LuaTeX-ja).
documentation	(Japanese) <i>Package documentation</i> : https://ctan.org/tex-archive/language/japanese/endnotesj/endnotesj-ja.pdf
– local file	<code>./3331381026-endnotesj-ja.pdf</code>

1906 endofproofwd – An “end of proof” sign

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/japanese/endnotesj/README.md
contact	<i>repository</i> : https://github.com/aminophen/endnotesj
on CTAN	https://ctan.org/tex-archive/language/japanese/endnotesj
on MikTeX	endnotesj
on T _E XLive	endnotesj
keyword	japanese (support for typesetting Japanese)
keyword	endnote (notes typeset at end document)
language(s)	Japanese
last access	2025-02-07

1906 endofproofwd – An “end of proof” sign

Web page on CTAN	https://ctan.org/pkg/endofproofwd
name	endofproofwd
caption	An “end of proof” sign
author	Jensen, S.
copyright	S.Jensen (2017)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2017-08-22)
last changes	2017-08-22
year	2017
description	(no language specified) This package provides an additional “end of proof” sign. The command’s name is <code>\wasserdicht</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/endofproofwd/README.txt
on CTAN	https://ctan.org/tex-archive/graphics/endofproofwd
on MikTeX	endofproofwd
on T _E XLive	endofproofwd
keyword	maths (support for typesetting mathematics)
keyword	font-symbol-maths (collections of mathematical symbols)
keyword	graphics (graphics (support packages))

language(s) no language specified
last access 2025-02-07

1907 *engord* – Converts numbers to English ordinal numbers

Web page on CTAN <https://ctan.org/pkg/engord>

name *engord*
caption Converts numbers to English ordinal numbers
author Oberdiek, Heiko
copyright Heiko Oberdiek (2000, 2003, 2006-2008, 2010)
license lpl1.3 = The LaTeX Project Public License 1.3 (free)
version 1.9 (2016-05-16)
last changes 2016-05-16
year 2016
description (no language specified) Defines `\engord` (used like `\arabic`, `\roman`, etc.), and `\engordnumber` (which formats a "TeX number").
So `\pagenumbering{engord}` gives page numbers 1st, 2nd, 3rd, ...
The package is part of the [oberdiek](#) bundle.
documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/engord.pdf>
– local file ./9423747332-engord.pdf
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/engord.dtx>
installation <https://ctan.org/tex-archive/install/macros/latex/contrib/oberdiek.tds.zip>
on MikTeX oberdiek
on T_EXLive oberdiek
keyword numbers (formatting numbers, etc)
see also see section [4316](#) on page [3908](#): (`nth` – Generate English ordinal numbers)
language(s) no language specified
last access 2025-02-07

1908 engpron – Helps to type the pronunciation of English words

Web page on CTAN <https://ctan.org/pkg/engpron>

name	engpron
caption	Helps to type the pronunciation of English words
author	Henel, Yvon
license	lppl = The LaTeX Project Public License (free)
version	2
description	(no language specified) This package provides macros beginning with the $\text{\textbackslash}$ character, made active, which enable us to write the British or American English pronunciation as one can find it in the ‘English Pronouncing Dictionary’ by Daniel Jones. There is an option to typeset the pronunciation in the style of Harrap’s dictionary.
documentation	<i>Usage example (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/engpron/engpron-ex-en.pdf
– local file	./4062867259-engpron-ex-en.pdf
documentation	(French) <i>Lisez moi:</i> https://ctan.org/tex-archive/macros/latex/contrib/engpron/LISEZMOI
documentation	<i>Usage example (French):</i> https://ctan.org/tex-archive/macros/latex/contrib/engpron/engpron-ex-fr.pdf
– local file	./8671625194-engpron-ex-fr.pdf
documentation	(English) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/engpron/README
documentation	<i>Package documentation (French):</i> https://ctan.org/tex-archive/macros/latex/contrib/engpron/engpron.pdf
– local file	./3565566583-engpron.pdf
documentation	<i>Package documentation (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/engpron/engpron-en.pdf
– local file	./6057096946-engpron-en.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/engpron
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/engpron.tds.zip
on MikTeX	engpron
on T _E XLive	engpron
keyword	phonetic (support for phonetic notation)

keyword	linguistic (support for linguistics)
language(s)	English; French
year	without year
last access	2025-02-07

1909 *engrec* – Enumerate with lower- or uppercase Greek letters

Web page on CTAN <https://ctan.org/pkg/engrec>

name	engrec
caption	Enumerate with lower- or uppercase Greek letters
author	Henel, Yvon
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) This package provides two macros <code>\engrec</code> and <code>\EnGrec</code> to convert number arguments to lower case or upper case greek letters. They have the syntax of <code>\alph</code>, i.e. <code>\engrec{a_counter}</code>, <code>\EnGrec{a_counter}</code>. Options are provided to work with the upgreek and fourier packages. Requires amstext.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/engrec/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/engrec/engrec.pdf
– local file	<code>./1564607967-engrec.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/engrec
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/engrec.tds.zip
on MikTeX	engrec
on T _E XLive	engrec
keyword	greek (support for typesetting Greek)
keyword	list-enum (list: items enumerated)
keyword	list (list: general)
see also	see section 2627 on page 2378 : (<code>greekctr</code> – Represent counters by letters of the Greek alphabet)

language(s)	no language specified
year	without year
last access	2025-02-07

1910 *engtlc* – Support for users in Telecommunications Engineering

Web page on CTAN <https://ctan.org/pkg/engtlc>

name	engtlc
caption	Support for users in Telecommunications Engineering
author	Fiandrino, Claudio
copyright	Claudio Fiandrino (2009)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.2
description	(no language specified) The package provides a wide range of abbreviations for terms used in Telecommunications Engineering.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/engtlc/README
documentation	<i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/engtlc/engtlc.pdf
– local file	./4624431044-engtlc.pdf
documentation	<i>Package documentation (Italian)</i> : https://ctan.org/tex-archive/macros/latex/contrib/engtlc/itengtlc.pdf
– local file	./5218138337-itengtlc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/engtlc
on MikTeX	engtlc
on T _E XLive	engtlc
keyword	engineering (typesetting associated with engineering of whatever sort)
language(s)	English; Italian
year	2009
last access	2025-02-07

1911 *engwar* – Font for typesetting Tolkien Engwar script

Web page on CTAN <https://ctan.org/pkg/engwar>

name	engwar
caption	Font for typesetting Tolkien Engwar script
author	Urban, Michael
copyright	Michael Urban (1986)
license	nosell = Do Not Sell Except by Arrangement (not free)
description	(no language specified) The font is distributed as Metafont source; potential users need to work out how to use the font, in the absence of any documentation.
on CTAN	https://ctan.org/tex-archive/fonts/engwar
keyword	font (fonts themselves)
keyword	font-invented (font for an ‘invented’ language or script)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	no language specified
year	1986
last access	2025-02-07

1912 *enigma* – Encrypt documents with a three rotor Enigma

Web page on CTAN <https://ctan.org/pkg/enigma>

name	enigma
caption	Encrypt documents with a three rotor Enigma
author	Gesang, Philipp
license	bsd = BSD Style License (free)
version	0.1
description	(no language specified) The package provides historical encryption (Enigma cipher) for LuaTeX-based formats.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/generic/enigma/enigma-doc.pdf
– local file	<code>./5967344307-enigma-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/enigma/README

on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/enigma
on MikTeX	enigma
on T _E XLive	enigma
keyword	security (document security measures)
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
year	without year
last access	2026-04-10

1913 enotez – Support for end-notes

Web page on CTAN <https://ctan.org/pkg/enotez>

name	enotez
caption	Support for end-notes
author	Niederberger, Clemens
copyright	Clemens Niederberger (2012-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.10d (2022-01-04)
last changes	2022-01-04
year	2022
description	(no language specified) The package allows nested endnotes, supports hyperref and provides means for easy customization of the list of notes. The package requires the expl3 bundle and packages from the LaTeX 3 ‘package set’ .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/enotez/enotez_en.pdf
– local file	<code>./1810552213-enotez_en.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/enotez/README
contact	<i>bugs</i> : https://github.com/cgnieder/enotez/issues
contact	<i>repository</i> : https://github.com/cgnieder/enotez/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/enotez

on MikTeX	enotez
on T _E XLive	enotez
keyword	expl3 (expl3(unknown))
keyword	endnote (notes typeset at end document)
see also	see section 1901 on page 1718: (endnote – Generic “endnotes” code)
see also	see section 1903 on page 1719: (endnotes – Place footnotes at the end)
language(s)	no language specified
last access	2025-02-07

1914 enparen – Consistent nested brackets

Web page on CTAN <https://ctan.org/pkg/enparen>

name	enparen
caption	Consistent nested brackets
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2012)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2016-05-16)
last changes	2016-05-16
year	2016
description	(no language specified) The package defines a command that generates ‘bracketed’ material using different parenthesis symbols at the different nesting levels. The package is part of the oberdiek bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/enparen.pdf
– local file	./1683616319-enparen.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/enparen.dtx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/oberdiek.tds.zip
on MikTeX	oberdiek
on T _E XLive	oberdiek

1915 enpassant – Enpassant chess font support

keyword	paren-mgmt (match and otherwise manage parentheses)
language(s)	no language specified
last access	2025-02-07

1915 enpassant – Enpassant chess font support

Web page on CTAN	https://ctan.org/pkg/enpassant
name	enpassant
caption	Enpassant chess font support
author	Fischer, Ulrike
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) The package contains the necessary files to use free chess fonts from the En passant site (or on CTAN), with (La)TeX. For some of the fonts the pfb-file is also part of the package, or is available elsewhere on CTAN. For others the pfb must be made from the original ttf from the enpassant site. Instructions about the conversion and the use of the font can be found in the documentation of chessfss.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/fonts/chess/enpassant/README
on CTAN	https://ctan.org/tex-archive/fonts/chess/enpassant
on MikTeX	enpassant
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year
last access	2025-02-07

1916 *ensps-colorscheme* – Color palette and styling of ENS Paris-Saclay

Web page on CTAN <https://ctan.org/pkg/ensps-colorscheme>

name	ensps-colorscheme
caption	Color palette and styling of ENS Paris-Saclay
author	Lopez, Aliaume
copyright	Aliaume LOPEZ (2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.0.1
description	(no language specified) This LaTeX package offers access to the design system of the École Nationale Supérieure Paris-Saclay and can be used to write documents consistent with the guidelines. For now, only the color palette is available.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/ensps-colorscheme/ensps-colorscheme-doc.pdf
– local file	./2977968302-ensps-colorscheme-doc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/ensps-colorscheme/README.md
contact	<i>bugs:</i> https://github.com/AliaumeL/ensps-colorscheme/issues
contact	<i>repository:</i> https://github.com/AliaumeL/ensps-colorscheme
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ensps-colorscheme
on MikTeX	ensps-colorscheme
on TeXLive	ensps-colorscheme
keyword	colour (typesetting in colour)
language(s)	no language specified
year	2024
last access	2025-02-07

1917 *enumerate* – Enumerate with redefinable labels

Web page on CTAN <https://ctan.org/pkg/enumerate>

name	<code>enumerate</code>
caption	Enumerate with redefinable labels
author	The LaTeX Project Team
author	Carlisle, David
copyright	David Carlisle (1993, 1994, 1999)
copyright	The LaTeX3 Project et al. (1993-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.00 (2023-07-04)
last changes	2023-07-04
year	2023
description	(no language specified) The package adds an optional argument to the <code>enumerate</code> environment which determines the style in which the counter is printed. The <code>enumitem</code> package supersedes—it provides the same facilities in a well-structured way. The package is part of the <code>latex-tools</code> bundle in the LaTeX required distribution.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/required/tools/enumerate.pdf
– local file	<code>./7971347065-enumerate.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/required/tools
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-tools.tds.zip
on MikTeX	<code>latex-tools</code>
on T _E XLive	<code>tools</code>
keyword	<code>list</code> (list: general)
keyword	<code>list-enum</code> (list: items enumerated)
language(s)	no language specified
last access	2025-02-07

1918 *enumext* – Enumerate exercise sheets

Web page on CTAN <https://ctan.org/pkg/enumext>

name	enumext
caption	Enumerate exercise sheets
author	González Luengo, Pablo
copyright	Pablo González L (2024-2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.1 (2026-01-15)
last changes	2026-01-15
year	2026
description	(no language specified) This package provides enumerated list environments compatible with tagging PDF for creating ” <i>simple exercise sheets</i> ” along with ” <i>multiple choice questions</i> ”, storing the ” <i>answers</i> ” to these in memory using the multicol package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/enumext/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/enumext/enumext.pdf
– local file	<code>./9714090801-enumext.pdf</code>
contact	<i>support</i> : https://github.com/pablgonz/enumext/issues
contact	<i>repository</i> : https://github.com/pablgonz/enumext
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/enumext
on MikTeX	enumext
on TeXLive	enumext
keyword	list-enum (list: items enumerated)
keyword	list (list: general)
keyword	exercise (exercises, problems for solution, etc.)
keyword	tagged-pdf (tagged PDF compatible)
language(s)	no language specified
last access	2026-04-10

1919 enumitem – Control layout of itemize, enumerate, description

Web page on CTAN <https://ctan.org/pkg/enumitem>

name	enumitem
caption	Control layout of itemize, enumerate, description
author	Bezos López, Javier
copyright	Javier Bezos (2003-2025)
license	mit = MIT License (free)
version	3.11 (2025-02-06)
last changes	2025-02-06
year	2025
description	(no language specified) This package provides user control over the layout of the three basic list environments: <i>enumerate</i> , <i>itemize</i> and <i>description</i> . It supersedes both enumerate and mdwlist (providing well-structured replacements for all their functionality), and in addition provides functions to compute the layout of labels, and to ‘clone’ the standard environments, to create new environments with counters of their own.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/enumitem/enumitem.pdf
– local file	<code>./3734557302-enumitem.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/enumitem/README.md
home page	http://www.texnia.com/enumitem.html
contact	<i>repository</i> : https://github.com/jbezoz/enumitem
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/enumitem
on MikTeX	enumitem
on T _E XLive	enumitem
keyword	list (list: general)
language(s)	no language specified
last access	2025-02-12

1920 enumitem-zref – Extended references to items for enumitem package

Web page on CTAN <https://ctan.org/pkg/enumitem-zref>

name	enumitem-zref
caption	Extended references to items for enumitem package
author	Chervet, Florent
copyright	Florent Chervet (2010)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.8
description	(no language specified) The package is a companion for the enumitem package; it makes it possible to reference any item in lists formatted by enumitem lists, viz., enumerated, itemize and description lists, and any list defined (or customised) with <code>\newlist</code> or <code>\setlist</code>. References may be typeset differently with options/properties and even arbitrary text. With hyperref, anchors are added for each item to enable hyperlinks within the document or even to external documents. Three schemes are provided to make reference names (including the standard <code>\label</code> command). The package is currently broken, cf. https://tex.stackexchange.com/q/664886/1090
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/enumitem-zref/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/enumitem-zref/enumitem-zref.pdf
– local file	./6949829990-enumitem-zref.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/enumitem-zref
on MikTeX	enumitem-zref
on TeXLive	enumitem-zref
keyword	label-ref (label and reference systems)
keyword	list (list: general)
language(s)	no language specified
year	2010
last access	2025-02-12

1921 **enumspec** – Enumerate with extra leading character for labels

Web page on CTAN <https://ctan.org/pkg/enumspec>

name	enumspec
caption	Enumerate with extra leading character for labels
author	Greenwade, George
license	noinfo = noinfo
version	(1988-01-13)
last changes	1988-01-13
year	1988
description	(no language specified) The package allows for a leading character on the enumerate label(s). The default character to be used (<code>\leadchar</code>) is by default <code>\ast</code> , but may be redefined.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/enumspec.sty
keyword	list-enum (list: items enumerated)
see also	see section 1917 on page 1732: (<code>enumerate</code> – Enumerate with redefinable labels)
language(s)	no language specified
last access	2025-02-07

1922 **enumsb** – Aligned inline sublists for enumitem

Web page on CTAN <https://ctan.org/pkg/enumsb>

name	enumsb
caption	Aligned inline sublists for enumitem
author	Mohankumar, Srikanth
copyright	Srikanth Mohankumar (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2025-08-04)
last changes	2025-08-04
year	2025

description	(no language specified) This package provides seamless integration between enumitem and inline sublists with perfect alignment and automatic numbering. It solves the common alignment inconsistencies that occur when trying to combine the enumitem and tasks packages. The package depends on enumitem , xparse , array , and etoolbox , and provides a new command <code>\enumsb</code> for rendering inline sublists with customizable numbering and spacing.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/enumsb/enumsb.pdf
– local file	<code>./7945114352-enumsb.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/enumsb/README.md
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/enumsb/enumsb-example.pdf
– local file	<code>./2456781319-enumsb-example.pdf</code>
contact	<i>repository</i> : https://github.com/srikanth-mk/enumsb-tex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/enumsb
on MikTeX	enumsb
on TeXLive	enumsb
keyword	<code>list-enum</code> (list: items enumerated)
keyword	<code>list</code> (list: general)
language(s)	no language specified
last access	2025-08-30

1923 envbig – Printing addresses on envelopes

Web page on CTAN <https://ctan.org/pkg/envbig>

name	envbig
caption	Printing addresses on envelopes
author	Manda, Bhaskar
author	Sherman, Heather
copyright	Bhaskar Manda (1995)
license	lppl = The LaTeX Project Public License (free)

version	(2008-11-11)
last changes	2008-11-11
year	2008
description	(no language specified) A simple package, that prints both ‘from’ and ‘to’ addresses.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/envbig
on MikTeX	envbig
on T _E XLive	envbig
keyword	letter (typesetting letters, envelopes, faxes, etc)
language(s)	no language specified
last access	2025-02-07

1924 *envelope* – *Print envelopes*

Web page on CTAN <https://ctan.org/pkg/envelope>

name	envelope
caption	Print envelopes
author	Sherman, Heather
license	noinfo = noinfo
version	(1989-03-10)
last changes	1989-03-10
year	1989
description	(no language specified) A style option (for use with article document style) to print a single business envelope, placed in the manual feed of the printer.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/envelope
keyword	letter (typesetting letters, envelopes, faxes, etc)
keyword	latex209 (package only known to work with LaTeX 2.09)
language(s)	no language specified
last access	2025-02-11

1925 envelope-letter – Draw a layout to fold the first page of a letter into its own envelope

Web page on CTAN <https://ctan.org/pkg/envelope-letter>

name	envelope-letter
caption	Draw a layout to fold the first page of a letter into its own envelope
author	Tasso, Florian
copyright	Florian Tasso (2025)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	1.1 (2025-08-28)
last changes	2025-08-28
year	2025
description	(no language specified) This package provides the <code>\makeenvelope</code> command, which draws a layout for folding the first page of a letter into its own envelope, which is provided with the recipient and sender addresses.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/envelope-letter/envelope-letter-documentation.pdf
– local file	<code>./3131743817-envelope-letter-documentation.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/envelope-letter/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/envelope-letter
on T _E XLive	envelope-letter
keyword	letter (typesetting letters, envelopes, faxes, etc)
language(s)	no language specified
last access	2025-08-30

1926 *enverb* – Read an environment verbatimWeb page on CTAN <https://ctan.org/pkg/enverb>

name	enverb
caption	Read an environment verbatim
author	Spratte, Jonathan P.
copyright	Jonathan P. Spratte (2023-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1 (2025-01-10)
last changes	2025-01-10
year	2025
description	(no language specified) This package allows you to collect the contents of an environment verbatim, and provides that inside the macro <code>\enverbBody</code> . What you then do with that content is up to you. It also allows you to place arbitrary content at the start and end of each line (which doesn't have to be verbatim). The two convenience macros <code>\enverbExecute</code> and <code>\enverbListings</code> can be used to typeset the contents and wrap the contents inside another verbatim environment, respectively.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/enverb/enverb-doc.pdf
– local file	<code>./1465361879-enverb-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/enverb/README.md
contact	<i>bugs</i> : https://gitlab.com/islandoftex/texmf/enverb/-/issues
contact	<i>repository</i> : https://gitlab.com/islandoftex/texmf/enverb
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/enverb
on MikTeX	enverb
on TeXLive	enverb
keyword	verbatim (verbatim typesetting, etc.)
keyword	macro-supp (support for development of (La)TeX macros)
keyword	macro-demo (print (La)TeX code verbatim alongside the rendered result)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

1927 *environ* – A new interface for environments in LaTeX

Web page on CTAN <https://ctan.org/pkg/environ>

name	environ
caption	A new interface for environments in LaTeX
author	Robertson, Will
copyright	Will Robertson (2007, 2013)
license	lppl = The LaTeX Project Public License (free)
version	0.3
description	(no language specified) The package provides the <code>\collect@body</code> command (as in amsmath), as well as a <code>\long</code> version <code>\Collect@Body</code>, for collecting the body text of an environment. These commands are used to define a new author interface to creating new environments. For example, <code>\NewEnviron{test}</code>, wraps the entire environment body in square brackets, doing the right thing in ignoring leading and trailing spaces.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/environ/environ.pdf
– local file	<code>./3803548127-environ.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/environ/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/environ
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/environ.tds.zip
on MikTeX	environ
on TeXLive	environ
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	2013
last access	2025-02-07

1928 envlab – Addresses on envelopes or mailing labels

Web page on CTAN <https://ctan.org/pkg/envlab>

name	envlab
caption	Addresses on envelopes or mailing labels
author	Veytsman, Boris
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) A LaTeX package for producing mailing envelopes and labels, including barcodes and address formatting according to the US Postal Service rules. Redefines the standard <code>\makelabels</code> command of the LaTeX letter documentclass.
documentation	(no language specified) <i>Documentation source</i> : https://ctan.org/tex-archive/macros/latex/contrib/envlab/envlab.pdf
– local file	./9455631270-envlab.pdf
documentation	(no language specified) <i>User guide</i> : https://ctan.org/tex-archive/macros/latex/contrib/envlab/elguide.pdf
– local file	./2465467340-elguide.pdf
home page	http://borisv.lk.net
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/envlab
on MikTeX	envlab
on T _E XLive	envlab
keyword	barcode (barcodes and other machine-readable tags)
keyword	letter (typesetting letters, envelopes, faxes, etc)
keyword	class (alternative LaTeX class(es))
see also	see section 115 on page 105: (akletter – Comprehensive letter support)
see also	see section 2355 on page 2134: (formlett – Letters to multiple recipients)
see also	see section 1618 on page 1468: (dinbrief – German letter DIN style)
language(s)	no language specified
year	without year
last access	2025-02-09

1929 *envmath* – Maths commands and environments

Web page on CTAN <https://ctan.org/pkg/envmath>

name	envmath
caption	Maths commands and environments
author	Bosisio, Francesco
copyright	F. Bosisio (1997-2010)
license	lpl = The LaTeX Project Public License (free)
version	2.5
description	(no language specified) The package offers a group of amsmath -like environments: • Equation, which is the standard equation environment, with an optional argument for a label name; • Multiline, which is broadly similar to the amsmath multiline environment, creating a pleasing layout for equations that run over several lines; • System, for grouping a set of equations together within a left brace, with only one equation number; and • EqSystem, similar to System, except that each equation has its own number. All the environments have “*” forms, which don’t generate equation numbers. The package also works on the standard maths environments. The package is part of the boasisio bundle.
documentation	(no language specified) <i>Package documentation (PDF)</i> : https://ctan.org/tex-archive/macros/latex/contrib/boasisio/envmath.pdf
– local file	<code>./8217143426-envmath.pdf</code>
documentation	(no language specified) <i>Package documentation (HTML)</i> : https://ctan.org/tex-archive/macros/latex/contrib/boasisio/envmath.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/boasisio
on MikTeX	boasisio
on TeXLive	boasisio
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	2010

last access 2025-02-07

1930 *eolang* – Formulas and graphs for the EO programming language

Web page on CTAN <https://ctan.org/pkg/eolang>

name	eolang
caption	Formulas and graphs for the EO programming language
author	Bugayenko, Yegor
copyright	Yegor Bugayenko (2021-2024)
license	mit = MIT License (free)
version	0.18.2 (2024-10-31)
last changes	2024-10-31
year	2024
description	(no language specified) This LaTeX package helps you write φ -calculus formulas and SODG graphs for the EO programming language.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/eolang/eolang.pdf
– local file	./1391518605-eolang.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/eolang/README.md
contact	<i>repository</i> : https://github.com/objectionary/eolang.sty
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/eolang
on MikTeX	eolang
on T _E XLive	eolang
keyword	diagram (diagrams)
keyword	program-doc (support for programming documentation)
language(s)	no language specified
last access	2025-02-07

1931 `eoldef` – Define commands which absorb the whole source line as arguments

Web page on CTAN <https://ctan.org/pkg/eoldef>

name	<code>eoldef</code>
caption	Define commands which absorb the whole source line as arguments
author	plante
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1
description	(no language specified) This macro allows you to define commands that take the entire source line as arguments.

Version 1.0

Copyright (C) 2025 plante

This file is relased under the LaTeX Project Public License (LPPL) 1.3c.

Usage:

`\eoldef <control sequence> <parameter text> { <replacement text> }`
defines a control sequence that is delimited by the end-of-line in addition to the specified parameter text.

For instance, `\eoldef\test#1:#2{}` and

`\test abc:def`

will give `#1 = abc , #2 = def .`

`\eoldef` is the `\global` variant to `\eoldef` .

Like `\verb...ll` , `\eoldef` 'd commands may generally not be used as part of another command's argument as it changes catcodes.

However, if you must use it in environments where catcodes are frozen, you may follow the command with a braced argument, eg. `\test{#1:#2}` using the previous example.

This package may be used in plain TeX or LaTeX by `\input{eoldef}` .

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/contrib/eoldef/README.md
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/eoldef
on MikTeX	<code>eoldef</code>
on T _E XLive	<code>eoldef</code>
keyword	macro-def (alternative ways of defining macros)
see also	see section 4401 on page 3987: (OpTeX – LuaTeX format based on Plain TeX and OPmac)
language(s)	no language specified

year without year
last access 2025-07-29

1932 *eolgrab* – Catch arguments delimited by end of line

Web page on CTAN <https://ctan.org/pkg/eolgrab>

name	eolgrab
caption	Catch arguments delimited by end of line
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2011)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2016-05-16)
last changes	2016-05-16
year	2016
description	(no language specified) The package defines the command <code>\eolgrab</code> that reads an string terminated by end of line, and then calls a macro with that string as argument. Thus <code>\eolgrab\section My title</code> is equivalent to <code>\section{My title}</code> A second command <code>\eolgrabopt</code> provides the string as an optional argument (which is useful for <code>\item</code>, for example).
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/eolgrab.pdf
– local file	<code>./6475002233-eolgrab.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/eolgrab.dtx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/oberdiek.tds.zip
on MikTeX	oberdiek
on T _E XLive	oberdiek
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-09

last access 2025-10-27

1934 epic – Enhance LaTeX picture mode

Web page on CTAN <https://ctan.org/pkg/epic>

name	epic
caption	Enhance LaTeX picture mode
author	Podar, Sunil
copyright	Sunil Podar (1986)
license	other-free = Free license not otherwise listed (free)
description	(no language specified) The package extends picture mode in the context of existing picture mode commands. The (later) ‘extended epic’ package eepic requires <code>tpic \special</code> commands for full functionality.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/epic/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/epic/picman.pdf
– local file	./6693493088-picman.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/epic
on MikTeX	epic
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
see also	see section 1834 on page 1656 : (eepic – Extensions to epic and the LaTeX drawing tools)
language(s)	no language specified
year	1986
last access	2025-02-07

1935 epigrafica – A Greek and Latin font

Web page on CTAN <https://ctan.org/pkg/epigrafica>

name	Epigrafica
caption	A Greek and Latin font
author	Tsolomitis, Antonis
license	gpl = GNU General Public License (free)
version	1.01

1936 epigram – Display short quotations

description	(no language specified) Epigrafica is forked from the development of the MgOpen font Cosmetica, which is a similar design to Optima and includes Greek. Development has been supported by the Laboratory of Digital Typography and Mathematical Software, of the Department of Mathematics of the University of the Aegean, Greece.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/greek/epigrafica/doc/epigrafica.pdf
– local file	<code>./9136156767-epigrafica.pdf</code>
home page	http://myria.math.aegean.gr/labs/dt/
on CTAN	https://ctan.org/tex-archive/fonts/greek/epigrafica
on MikTeX	epigrafica
on T _E XLive	epigrafica
keyword	font-sans (sans-serif font)
keyword	font (fonts themselves)
keyword	font-greek (font for Greek (archaic, classical and modern))
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
year	without year
last access	2025-02-07

1936 epigram – Display short quotations

Web page on CTAN <https://ctan.org/pkg/epigram>

name	epigram
caption	Display short quotations
author	Hosek, Don
license	pd = Public Domain Software (free)
version	(2010-11-19)
last changes	2010-11-19
year	2010
description	(no language specified) The package determines (on the basis of the width of the text of the epigram, laid out on a single line) whether to produce a line or a displayed paragraph.

on CTAN	https://ctan.org/tex-archive/macros/generic/misc/epigram.tex
on MikTeX	genmisc
on T _E XLive	epigram
keyword	epigram (short quotation typically associated with the start of a chapter)
language(s)	no language specified
last access	2025-02-07

1937 *epigraph* – A package for typesetting epigraphs

Web page on CTAN <https://ctan.org/pkg/epigraph>

name	epigraph
caption	A package for typesetting epigraphs
author	Robertson, Will
author	Wilson, Peter R.
copyright	Will Robertson (2009-2020)
copyright	Peter R. Wilson (1998-2004)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.5e (2020-01-02)
last changes	2020-01-02
year	2020
description	(no language specified) Epigraphs are the pithy quotations often found at the start (or end) of a chapter. Both single epigraphs and lists of epigraphs are catered for. Various aspects are easily configurable.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/epigraph/epigraph.pdf
– local file	./6927726257-epigraph.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/epigraph/README.md
contact	<i>repository</i> : https://github.com/wspr/herries-press/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/epigraph
on MikTeX	epigraph
on T _E XLive	epigraph

keyword	epigram (short quotation typically associated with the start of a chapter)
see also	see section 1938 on page 1751: (<i>epigraph-keys</i> – <i>Epigraphs using key values</i>)
language(s)	no language specified
last access	2025-02-07

1938 *epigraph-keys* – *Epigraphs using key values*

Web page on CTAN <https://ctan.org/pkg/epigraph-keys>

name	epigraph-keys
caption	Epigraphs using key values
author	McKay, Benjamin
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2020-04-22)
last changes	2020-04-22
year	2020
description	(no language specified) This package lays out epigraphs: quotations across a page, usually to open or close a chapter. It is intended as a simple replacement for the more sophisticated <i>epigraph</i> package. The package depends on <i>pgfkeys</i> , <i>conditionals</i> (which is distributed as part of the <i>songbook</i> package), <i>enumitem</i> , and <i>microtype</i> .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/epigraph-keys/epigraph-keys.pdf
– local file	./2237675099-epigraph-keys.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/epigraph-keys/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/epigraph-keys
on MikTeX	epigraph-keys
on T _E XLive	epigraph-keys
keyword	epigram (short quotation typically associated with the start of a chapter)
see also	see section 1937 on page 1750: (<i>epigraph</i> – A package for typesetting epigraphs)
language(s)	no language specified

last access 2025-02-07

1939 epiolmec – Typesetting the Epi-Olmec Language

Web page on CTAN <https://ctan.org/pkg/epiomec>

```
name      epiolmec
```

Typesetting the Epi-Olmec Language

author Syropoulos, Apostolos

license lppl = The LaTeX Project Public License (free)

description	(no language specified) The package contains all the necessary files to typeset Epi-Olmec "documents", in a script used in Southern Middle America until about 500 AD.
-------------	--

documentation (no language specified) *Package documentation:*
<https://ctan.org/tex-archive/language/epioldmec/var/GlyphAccessCommands.pdf>

– local file `./5718299902-GlyphAccessCommands.pdf`

on CTAN <https://ctan.org/tex-archive/language/epiolmec>

on MikTeX epiolmecon T_EXLive epiolmec

keyword	font-archaic (fonts reproducing archaic scripts or inscriptions)
---------	--

keyword font (fonts themselves)

keyword font-type1 (font available in Adobe Type 1 format)

language(s) no language specified

year	without year
1990	1990
1991	1991
1992	1992
1993	1993
1994	1994
1995	1995
1996	1996
1997	1997
1998	1998
1999	1999
2000	2000
2001	2001
2002	2002
2003	2003
2004	2004
2005	2005
2006	2006
2007	2007
2008	2008
2009	2009
2010	2010
2011	2011
2012	2012
2013	2013
2014	2014
2015	2015
2016	2016
2017	2017
2018	2018
2019	2019
2020	2020
2021	2021
2022	2022
2023	2023
2024	2024
2025	2025
2026	2026
2027	2027
2028	2028
2029	2029
2030	2030
2031	2031
2032	2032
2033	2033
2034	2034
2035	2035
2036	2036
2037	2037
2038	2038
2039	2039
2040	2040
2041	2041
2042	2042
2043	2043
2044	2044
2045	2045
2046	2046
2047	2047
2048	2048
2049	2049
2050	2050
2051	2051
2052	2052
2053	2053
2054	2054
2055	2055
2056	2056
2057	2057
2058	2058
2059	2059
2060	2060
2061	2061
2062	2062
2063	2063
2064	2064
2065	2065
2066	2066
2067	2067
2068	2068
2069	2069
2070	2070
2071	2071
2072	2072
2073	2073
2074	2074
2075	2075
2076	2076
2077	2077
2078	2078
2079	2079
2080	2080
2081	2081
2082	2082
2083	2083
2084	2084
2085	2085
2086	2086
2087	2087
2088	2088
2089	2089
2090	2090
2091	2091
2092	2092
2093	2093
2094	2094
2095	2095
2096	2096
2097	2097
2098	2098
2099	2099
2100	2100

last access 2025-02-07

1940 `epix` – Utility for mathematically accurate, camera quality plots and line figures

Web page on CTAN <https://ctan.org/pkg/epix>

```
name          ePiX
```

caption Utility for mathematically accurate, camera quality plots and line figures

author Hwang, Andrew D.

license gpl = GNU General Public License (free)

description	(no language specified) ePiX is a collection of batch-oriented utilities for Unix-like systems. It creates mathematically accurate line figures, plots, and movies using easy-to-learn syntax. LaTeX and dvips comprise the typographical rendering engine, while ImageMagick is used to create bitmapped images and animations. The user interface resembles that of LaTeX itself: you prepare a short scene description in a text editor, then "compile" the input file into a picture. Default output formats are eepic (a plain text enhancement to the LaTeX picture environment), eps, pdf, png, and mng.
keyword	graphics-engn (graphics generator whose output is good for use with TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

1941 eplain – Extended plain TeX macros

Web page on CTAN <https://ctan.org/pkg/eplain>

name	eplain
caption	Extended plain TeX macros
author	Berry, Karl
author	Sitaram, Dorai
author	Katsitadze, Oleg
license	gpl2+ = GNU General Public License, version 2 or newer (free)
version	3.14 (2024-04-17)
last changes	2024-04-17
year	2024
description	(no language specified) An extended version of the plain TeX format, adding support for bibliographies, tables of contents, enumerated lists, verbatim input of files, numbered equations, tables, two-column output, footnotes, hyperlinks in PDF output and commutative diagrams. Eplain can also load some of the more useful LaTeX packages, notably graphics , graphicx (an extended version of graphics), color , autopict (a package instance of the LaTeX picture code), psfrag , and url .
documentation	(no language specified) <i>Package Readme</i>: https://ctan.org/tex-archive/macros/eplain/README
documentation	(no language specified) <i>Package documentation (HTML)</i>: https://ctan.org/tex-archive/macros/eplain/doc/eplain.html

documentation	(no language specified) <i>Package documentation (PDF)</i> : https://ctan.org/tex-archive/macros/eplain/doc/eplain.pdf
– local file	<code>./5442333099-eplain.pdf</code>
home page	https://tug.org/eplain/
contact	<i>support</i> : https://lists.tug.org/tex-eplain
contact	<i>repository</i> : https://tug.org/svn/eplain/
on CTAN	https://ctan.org/tex-archive/macros/eplain
installation	https://ctan.org/tex-archive/install/macros/eplain.tds.zip
on MikTeX	eplain
on TeXLive	eplain
keyword	plain-ext (extensions to Plain TeX for higher-level constructs)
keyword	format (macros to build a format)
language(s)	no language specified
last access	2025-02-07

1942 *epmtfe* – TeX environment for OS/2

Web page on CTAN	https://ctan.org/pkg/epmtfe
name	<code>epmtfe</code>
caption	TeX environment for OS/2
author	Schmidt, Walter A.
license	other-free = Free license not otherwise listed (free)
version	5.4
description	(no language specified) The EPM TeX Front End is an additional module for the OS/2 ‘Enhanced Editor’ (EPM), v6.03, turning the editor into a powerful integrated TeX environment that can be used in conjunction with emTeX , VTex or another OS/2 TeX system.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/os2/epmtfe/README.epmtfe
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/systems/os2/epmtfe/tfe.pdf
– local file	<code>./2814371640-tfe.pdf</code>
on CTAN	https://ctan.org/tex-archive/systems/os2/epmtfe

1943 eppstein-trees – Macros for producing trees

keyword	ide (integrated development environments)
language(s)	no language specified
year	without year
last access	2025-02-07

1943 eppstein-trees – Macros for producing trees

Web page on CTAN <https://ctan.org/pkg/eppstein-trees>

name	eppstein-trees
caption	Macros for producing trees
author	Eppstein, David
license	noinfo = noinfo
version	(1993-11-08)
last changes	1993-11-08
year	1993
description	(no language specified) Tree macros that draw horizontally, proceeding from a root at the left of the page.
documentation	(no language specified) <i>TUGboat paper</i> : https://tug.org/TUGboat/Articles/tb06-1/tb11deppstein.pdf
– local file	./9959980101-tb11deppstein.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/trees/eppstein
keyword	tree (mechanisms for drawing trees)
language(s)	no language specified
last access	2025-02-07

1944 *eps2pdf* – A Win32 GUI EPS to PDF convertor

Web page on CTAN <https://ctan.org/pkg/eps2pdf>

name	eps2pdf
caption	A Win32 GUI EPS to PDF convertor
author	Jakšić, Nikola
license	pd = Public Domain Software (free)
description	(no language specified) Another Ghostscript front end for this task. Note that epstopdf is the application of choice for conversion, where scripted use, or use in a TeX callout via <code>\write18</code> , is needed.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/eps2pdf/eps2pdf.readme
on CTAN	https://ctan.org/tex-archive/support/eps2pdf
keyword	graphics-prep (prepare graphics for use with *TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

1945 *epsdice* – A scalable dice "font"

Web page on CTAN <https://ctan.org/pkg/epsdice>

name	epsdice
caption	A scalable dice "font"
author	Heim, Thomas
license	lppl = The LaTeX Project Public License (free)
version	2.1
description	(no language specified) The <i>epsdice</i> package defines a single command <code>\epsdice</code> that takes a numeric argument (in the range 1-6), and selects a face image from a file that contains each of the 6 possible die faces. The graphic file is provided in both Encapsulated PostScript and PDF formats.
documentation	(no language specified) <i>Sample dice</i> : https://ctan.org/tex-archive/macros/latex/contrib/epsdice/dice.pdf
– local file	<code>./4036032097-dice.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/epsdice/README

documentation	(no language specified) <i>Package Documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/epsdice/epsdice.pdf
– local file	<code>./3101191934-epsdice.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/epsdice
on MikTeX	epsdice
on T _E XLive	epsdice
keyword	graphics-use (graphics (typesetting actual pictures))
see also	see section 1604 on page 1454: (dice – A font for die faces)
language(s)	no language specified
year	without year
last access	2025-02-07

1946 *epsf* – Simple macros for EPS inclusion

Web page on CTAN <https://ctan.org/pkg/epsf>

name	epsf
caption	Simple macros for EPS inclusion
author	Beebe, Nelson H. F.
author	Rokicki, Tom
license	pd = Public Domain Software (free)
version	2.7.4
description	(no language specified) The original (and now obsolescent) graphics inclusion macros for use with dvips, still widely used by Plain TeX users (in particular). For LaTeX users, the package is nowadays (rather strongly) deprecated in favour of the more sophisticated standard LaTeX latex-graphics bundle of packages. (The latex-graphics bundle is also available to Plain TeX users, via its Plain TeX version.)
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/epsf/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/epsf/epsf-doc.pdf
– local file	<code>./6125025651-epsf-doc.pdf</code>

on CTAN	https://ctan.org/tex-archive/macros/generic/epsf
on MikTeX	epsf
on T _E XLive	epsf
keyword	graphics-incl (include external graphics)
see also	see section 1951 on page 1761: (<i>epsfx</i> – A TeX macro package for including EPS graphics)
language(s)	no language specified
year	without year
last access	2025-02-07

1947 *epsf-dvipdfmx* – Plain TeX file for using *epsf.tex* with (x)dvipdfmx

Web page on CTAN <https://ctan.org/pkg/epsf-dvipdfmx>

name	epsf-dvipdfmx
caption	Plain TeX file for using <i>epsf.tex</i> with (x)dvipdfmx
author	Kakuto, Akira
author	Berry, Karl
license	pd = Public Domain Software (free)
version	2014
description	(no language specified) <i>epsf-dvipdfmx.tex</i> is a plain TeX file to be <code>\input</code> after <i>epsf.tex</i> when using plain TeX with dvipdfmx. As in: <pre>\input epsf \input epsf-dvipdfmx</pre> It is needed when an <code>.eps</code> file has anything except the origin (0,0) for the lower-left of its bounding box.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/contrib/epsf-dvipdfmx/README
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/epsf-dvipdfmx
on MikTeX	epsf-dvipdfmx
on T _E XLive	epsf-dvipdfmx
keyword	graphics-epspdf (converting graphics files from MetaPost output or (E)PS to embeddable PDF)
language(s)	no language specified

year without year
last access 2025-02-07

1948 *epsfig* – Include Encapsulated PostScript in LaTeX documents

Web page on CTAN <https://ctan.org/pkg/epsfig>

name	epsfig
caption	Include Encapsulated PostScript in LaTeX documents
author	Rahtz, Sebastian
author	The LaTeX Project Team
author	Carlisle, David
copyright	David Carlisle, LaTeX3 Project (2000-2021)
copyright	Sebastian Rahtz (1994-1996, 1999)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.7b (2024-01-14)
last changes	2024-01-14
year	2024
description	(no language specified) This package was developed as a general solution to the problem of including graphics in LaTeX 2.09; as such there are obsolete copies to be found on the web (though no longer on the archive). These old versions should not be used with current LaTeX. The current ‘preferred’ solution is the LaTeX graphicx package, but the graphics bundle does contain a version of epsfig for use with current LaTeX.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/required/graphics/epsfig.pdf
– local file	./6336314708-epsfig.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/required/graphics
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-graphics.tds.zip
on MikTeX	graphics
on T _E XLive	graphics
keyword	graphics-incl (include external graphics)
language(s)	no language specified

last access 2025-02-07

1949 **epsfig209 – Obsolete graphics inclusion macros**

Web page on CTAN <https://ctan.org/pkg/epsfig209>

name	epsfig209
caption	Obsolete graphics inclusion macros
author	Whaite, Peter
license	noinfo = noinfo
version	1.20 (1994-01-26)
last changes	1994-01-26
year	1994
description	(no language specified) The package is a predecessor of the LaTeX2e latex-graphics bundle , and has some undesirable properties, in current (LaTeX2e) use.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/latex209/contrib/epsfig/README.unix
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex209/contrib/epsfig
keyword	obsolete (package declared obsolete)
keyword	latex209 (package only known to work with LaTeX 2.09)
keyword	graphics (graphics (support packages))
language(s)	no language specified
last access	2025-02-11

1950 **epsfview – Mac AppleScript tool for viewing figures generated with MetaPost**

Web page on CTAN <https://ctan.org/pkg/epsfview>

name	epsfview
caption	Mac AppleScript tool for viewing figures generated with MetaPost
author	Bezos López, Javier
license	pd = Public Domain Software (free)
on CTAN	https://ctan.org/tex-archive/systems/mac/epsfview.sea.hqx

keyword mp-use (use, and support for use, of MetaPost)
 language(s) no language specified
 year without year
 last access 2025-02-07

1951 **epsfx** – A TeX macro package for including EPS graphics

Web page on CTAN <https://ctan.org/pkg/epsfx>

name epsfx
 caption A TeX macro package for including EPS graphics
 author BOP
 license pd = Public Domain Software (free)
 version 0.62
 description (no language specified) An alternative for the [epsf.tex/sty](#) macros for using graphics in [dvips](#). The package enables, e.g., draft printing of bounding boxes, safe inputting of EPS files generated by [dvips](#); moreover, the limit on an EPS size is no longer ten times smaller than the TeX one.
 on CTAN <https://ctan.org/tex-archive/macros/generic/TeX-PS/epsfx.tex>
 on MikTeX tex-ps
 on T_EXLive tex-ps
 keyword graphics-incl (include external graphics)
 language(s) no language specified
 year without year
 last access 2025-02-07

1952 **epsincl** – Include EPS in MetaPost figures

Web page on CTAN <https://ctan.org/pkg/epsincl>

name epsincl
 caption Include EPS in MetaPost figures
 author BOP
 license pd = Public Domain Software (free)
 version 0.2

description	(no language specified) The package facilitates including EPS files in MetaPost figures; it makes use of (G)AWK.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/epsincl/README
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/epsincl
on T _E XLive	epsincl
keyword	graphics-prep (prepare graphics for use with *TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

1953 *epslatex* – Guide to using Encapsulated PostScript in LaTeX

Web page on CTAN <https://ctan.org/pkg/epslatex>

name	epslatex
caption	Guide to using Encapsulated PostScript in LaTeX
author	Reckdahl, Keith
license	nosource = No Source Available (not free)
version	3.0.1
description	(no language specified) An extensive document which explains how to use imported graphics (eps, pdf, and bitmap) files in LaTeX2e documents. Deals with version 3.0 of the caption package, and with the subfig package, as well as with most other graphics issues. A French translation of this document is available – see fepslatex .
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/epslatex/english/epslatex.pdf
– local file	./1902274272-epslatex.pdf
on CTAN	https://ctan.org/tex-archive/info/epslatex/english
on MikT _E X	guides
keyword	latex-doc (latex-doc(unknown))
keyword	graphics-doc (documentation of techniques for using graphics)
language(s)	no language specified
year	without year

last access 2025-02-11

1954 *epspdf* – Converter for PostScript, EPS and PDF

Web page on CTAN <https://ctan.org/pkg/epspdf>

name	epspdf
caption	Converter for PostScript, EPS and PDF
author	Kroonenberg, Siep
copyright	Siep Kroonenberg (2006-2023)
license	gpl2 = GNU General Public License, version 2 (free)
version	0.6.5.1
description	(no language specified) <code>Epspdf.tk.tcl</code> is a GUI ps/eps/pdf converter. <code>Epspdf.tlu</code> , its command-line backend, can be used by itself. Options include grayscaling, cropping margins and single-page selection. Some conversion options are made possible by converting in multiple steps.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/epspdf/README
documentation	(no language specified) <i>User Manual</i> : https://ctan.org/tex-archive/support/epspdf/doc/epspdf.pdf
– local file	<code>./8219173366-epspdf.pdf</code>
on CTAN	https://ctan.org/tex-archive/support/epspdf
on MikTeX	epspdf
on T _E XLive	epspdf
keyword	graphics-epspdf (converting graphics files from MetaPost output or (E)PS to embeddable PDF)
see also	see section 1959 on page 1766: (epstopdf – Convert EPS to PDF using Ghostscript)
language(s)	no language specified
year	2023
last access	2025-02-07

1955 *epspdf-extra* – Platform-specific extras for *epspdf*

Web page on CTAN <https://ctan.org/pkg/epspdf-extra>

name	epspdf-extra
caption	Platform-specific extras for <i>epspdf</i>
author	Kroonenberg, Siep
license	gpl = GNU General Public License (free)
version	0.6.0
description	(no language specified) The bundle provides support for <i>epspdf</i> on Windows platforms.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/support/epspdf-extra/README
on CTAN	https://ctan.org/tex-archive/obsolete/support/epspdf-extra
keyword	graphics-epspdf (converting graphics files from MetaPost output or (E)PS to embeddable PDF)
language(s)	no language specified
year	without year
last access	2025-02-07

1956 *epspdf-setup* – *epspdf* with GUI installer

Web page on CTAN <https://ctan.org/pkg/epspdf-setup>

name	epspdf-setup
caption	<i>epspdf</i> with GUI installer
author	Kroonenberg, Siep
license	other-free = Free license not otherwise listed (free)
version	0.6.5
description	(no language specified) <i>epspdf-setup</i> is a Windows installer for <i>epspdf</i> and <i>epspdf</i> . It replaces the <i>epspdf</i> from the plain <i>epspdf</i> package with a version which runs out of the box on Windows, as long as there is a TeX installation. On other platforms, the plain <i>epspdf</i> package should suffice.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/support/epspdf-setup/README

on CTAN	https://ctan.org/tex-archive/obsolete/support/epspdf-setup
keyword	graphics-epspdf (converting graphics files from MetaPost output or (E)PS to embeddable PDF)
language(s)	no language specified
year	without year
last access	2025-02-07

1957 *epspdfconversion* – On-the-fly conversion of EPS to PDF

Web page on CTAN <https://ctan.org/pkg/epspdfconversion>

name	epspdfconversion
caption	On-the-fly conversion of EPS to PDF
author	Becker, Daniel
license	lppl = The LaTeX Project Public License (free)
version	0.61
description	(no language specified) The package calls the epstopdf package to convert EPS graphics to PDF, on the fly. It serves as a vehicle for passing conversion options (such as <code>grayscale</code> , <code>prepress</code> or <code>pdfversion</code>) to the epspdf converter.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/epspdfconversion/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/epspdfconversion/epspdfconversion.pdf
– local file	./2560740268-epspdfconversion.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/epspdfconversion
on MikTeX	epspdfconversion
on TeXLive	epspdfconversion
keyword	callback (call external code and process the result)
keyword	graphics-epspdf (converting graphics files from MetaPost output or (E)PS to embeddable PDF)
language(s)	no language specified
year	without year
last access	2025-02-07

1958 *epstool* – Manipulate Encapsulated PostScript (EPS)

Web page on CTAN <https://ctan.org/pkg/epstool>

name	epstool
caption	Manipulate Encapsulated PostScript (EPS)
author	Lang, Russell
license	nosell = Do Not Sell Except by Arrangement (not free)
version	5.0
description	(no language specified) Epstool is a utility to create or extract preview images in EPS files, fix bounding boxes and convert to bitmaps. Versions are available for Windows, and source is provided for Unix. The package is no longer available on CTAN; it is distributed as part of gsview from its home page .
home page	http://pages.cs.wisc.edu/~ghost/gsview/get50.htm
keyword	graphics-engn (graphics generator whose output is good for use with TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

1959 *epstopdf* – Convert EPS to PDF using Ghostscript

Web page on CTAN <https://ctan.org/pkg/epstopdf>

name	epstopdf
caption	Convert EPS to PDF using Ghostscript
author	Oberdiek, Heiko
author	Wierda, Gerben
author	Rahtz, Sebastian
author	Berry, Karl
author	Esser, Thomas
copyright	Sebastian Rahtz et al. (1998-2001)
copyright	Karl Berry et al. (2009-2024)
copyright	Gerben Wierda et al. (2002-2009)
license	other-free = Free license not otherwise listed (free)

1960 *epstopdf-pkg* – Call *epstopdf* ”on the fly”

version	2.36 (2024-07-11)
last changes	2024-07-11
year	2024
description	(no language specified) <i>Epstopdf</i> is a Perl script that converts an EPS file to an ‘encapsulated’ PDF file (a single page file whose media box is the same as the original EPS’s bounding box). The resulting file suitable for inclusion by pdfTeX as an image. The script is adapted to run both on Windows and on Unix-alike systems. The script makes use of Ghostscript for the actual conversion to PDF. It assumes Ghostscript version 6.51 or later, and (by default) suppresses its automatic rotation of pages where most of the text is not horizontal. LaTeX users may make use of the epstopdf package, which will run the <i>epstopdf</i> script ”on the fly”, thus giving the illusion that pdfLaTeX is accepting EPS graphic files.
documentation	(no language specified) <i>Manual page</i> : https://ctan.org/tex-archive/support/epstopdf/epstopdf.man1.pdf
– local file	<code>./2766323644-epstopdf.man1.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/epstopdf/README
home page	https://tug.org/epstopdf/
on CTAN	https://ctan.org/tex-archive/support/epstopdf
on MikTeX	<code>miktex-epstopdf-bin-2.9</code>
on T _E XLive	<code>epstopdf</code>
keyword	<code>graphics-eps pdf</code> (converting graphics files from MetaPost output or (E)PS to embeddable PDF)
see also	see section 1960 on page 1767: (<i>epstopdf-pkg</i> – Call <i>epstopdf</i> “on the fly”)
language(s)	no language specified
last access	2025-02-07

1960 *epstopdf-pkg* – Call *epstopdf* ”on the fly”

Web page on CTAN <https://ctan.org/pkg/epstopdf-pkg>

name	<code>epstopdf-pkg</code>
caption	Call <i>epstopdf</i> ”on the fly”
author	Oberdiek, Heiko

copyright	Oberdiek Package Support Group (2016-2020)
copyright	Heiko Oberdiek (2001, 2006-2010)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.11 (2020-01-24)
last changes	2020-01-24
year	2020
description	(no language specified) The package adds support for EPS files in the graphicx package when running under pdfTeX. If an EPS graphic is detected, the package spawns a process to convert the EPS to PDF, using the script epstopdf . This of course requires that shell escape is enabled for the pdfTeX run.
documentation	(no language specified) <i>README</i> : https://ctan.org/tex-archive/macros/latex/contrib/epstopdf-pkg/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/epstopdf-pkg/epstopdf.pdf
– local file	<code>./3749882620-epstopdf.pdf</code>
contact	<i>bugs</i> : https://github.com/ho-tex/epstopdf/issues
contact	<i>repository</i> : https://github.com/ho-tex/epstopdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/epstopdf-pkg
on MikTeX	epstopdf-pkg
on T _E XLive	epstopdf-pkg
keyword	graphics-epspdf (converting graphics files from MetaPost output or (E)PS to embeddable PDF)
keyword	callback (call external code and process the result)
see also	see section 1959 on page 1766: (epstopdf – Convert EPS to PDF using Ghostscript)
language(s)	no language specified
last access	2025-02-07

1961 eq-fetchbbl – Match Biblical passages with verse references in a quiz

Web page on CTAN <https://ctan.org/pkg/eq-fetchbbl>

name	eq-fetchbbl
caption	Match Biblical passages with verse references in a quiz
author	Story, Donald P.
copyright	D. P. Story (2021)
license	lpl = The LaTeX Project Public License (free)
version	1.0 (2021-03-15)
last changes	2021-03-15
year	2021
description	(no language specified) This package is an application to the exerquiz (eq) and fetchbibpes (fetchbbl) packages. It defines several commands and two environments that are used to conveniently build quizzes that challenge the user to match Bible passages with their corresponding verse references. Technically speaking, such quizzes may be built without this package. However, when working with Biblical topics, it is easier to incorporate the fetching capabilities of fetchbibpes.
documentation	(no language specified) <i>Documented source code:</i> https://ctan.org/tex-archive/macros/latex/contrib/eq-fetchbbl/docs/eq-fetchbbl.pdf
– local file	./6765614072-eq-fetchbbl.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/eq-fetchbbl/README.md
documentation	(no language specified) <i>User manual:</i> https://ctan.org/tex-archive/macros/latex/contrib/eq-fetchbbl/docs/eq-fetchbbl-man.pdf
– local file	./9692952665-eq-fetchbbl-man.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/eq-fetchbbl
on MikTeX	eq-fetchbbl
keyword	theology (typeset devotional texts and other material of interest to theologians)
keyword	exam (exams, quizzes, etc.)
language(s)	no language specified
last access	2025-02-07

1962 eq-pin2corr – Add PIN security to the “Correct” button of a quiz created by exerquiz

Web page on CTAN <https://ctan.org/pkg/eq-pin2corr>

name	eq-pin2corr
caption	Add PIN security to the “Correct” button of a quiz created by exerquiz
author	Story, Donald P.
copyright	D. P. Story (2021)
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	(2021-05-29)
last changes	2021-05-29
year	2021
description	(no language specified) This package is an add-on to the <code>quiz</code> environment of the exerquiz package (part of the acrotex bundle). It adds PIN security to a quiz created by the <code>quiz</code> environment. To correct a quiz, the document consumer must press the “Correct” button of the quiz and successfully enter the correct PIN number. The PIN security is designed for the instructor to mark and record the student’s effort on that quiz. The package works for the usual workflows.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/eq-pin2corr/README.md
documentation	(no language specified) <i>User manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/eq-pin2corr/doc/eqpin2corrman.pdf
– local file	<code>./9905047005-eqpin2corrman.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/eq-pin2corr/doc/eq-pin2corr.pdf
– local file	<code>./2230250096-eq-pin2corr.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/eq-pin2corr
on MikTeX	eq-pin2corr
on T _E XLive	eq-pin2corr
keyword	pdf-forms (create pdf form fields, use form fields as an integral part of the package)
keyword	exam (exams, quizzes, etc.)
keyword	exercise (exercises, problems for solution, etc.)

1963 *eq-save* – *Save exerquiz quizzes and resume*

keyword	acrobat (relies on availability of Adobe Acrobat, etc.)
keyword	security (document security measures)
keyword	pdf-feat (access PDF features)
see also	see section 2073 on page 1875: (<i>exerquiz</i> – Environments for defining exercises and quizzes)
language(s)	no language specified
last access	2025-02-07

1963 *eq-save* – Save exerquiz quizzes and resume

Web page on CTAN <https://ctan.org/pkg/eq-save>

name	eq-save
caption	Save exerquiz quizzes and resume
author	Story, Donald P.
copyright	D. P. Story (2017-2021)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	(2021-04-27)
last changes	2021-04-27
year	2021
description	(no language specified) The package has a scheme for saving data from <i>exerquiz</i> documents so the student can return later to continue with quiz results restored.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/eq-save/docs/eqsave-man.pdf
– local file	<code>./4427922204-eqsave-man.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/eq-save/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/eq-save
on MikTeX	eq-save
keyword	exercise (exercises, problems for solution, etc.)
keyword	exam (exams, quizzes, etc.)
see also	see section 2073 on page 1875: (<i>exerquiz</i> – Environments for defining exercises and quizzes)

language(s) no language specified
last access 2025-02-07

1964 eq2db – Convert a quiz to one submitted to a server-side script

Web page on CTAN <https://ctan.org/pkg/eq2db>

name eq2db
caption Convert a quiz to one submitted to a server-side script
author Story, Donald P.
copyright D. P. Story (1999-2016)
license lpl = The LaTeX Project Public License (free)
version 2.0 (2016-01-02)
last changes 2016-01-02
year 2016
description (no language specified) This package permits to convert a self-contained **exerquiz** quiz to one that is submitted to a server-side script.

eq2db is meant to be used with the **exerquiz** package, one of the components of the **AcroTeX eDucation Bundle**. The package redefines the ‘End Quiz’ button of the quiz environment appropriately so that when the user clicks it, the results of the quiz are sent to a server-side script.

documentation (no language specified) *Package documentation:* <https://ctan.org/tex-archive/macros/latex/contrib/eq2db/doc/eq2dbman.pdf>
– local file ./4408427025-eq2dbman.pdf
documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/macros/latex/contrib/eq2db/README>
home page <http://www.acrotex.net>
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/eq2db>
on MikTeX eq2db
keyword exam (exams, quizzes, etc.)
keyword cgi-latex (support for LaTeX(-alike) on the web, or feeding into other applications)
keyword pdf-forms (create pdf form fields, use form fields as an integral part of the package)
language(s) no language specified

last access 2025-02-07

1965 eqell – Sympathetically spaced ellipsis after punctuation

Web page on CTAN <https://ctan.org/pkg/eqell>

name	eqell
caption	Sympathetically spaced ellipsis after punctuation
author	Filipović, Zoran T.
license	gpl = GNU General Public License (free)
version	(2011-05-29)
last changes	2011-05-29
year	2011
description	(no language specified) The package provides commands that give a well-spaced ellipsis after ! , ? , !? or ?! .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/eqell/eqell.pdf
– local file	./3026733295-eqell.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/eqell/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/eqell
on MikTeX	eqell
on T _E XLive	eqell
keyword	typesetting (support for variations of typographic style)
language(s)	no language specified
last access	2025-02-07

1966 eqexam – A stand-alone exam package

Web page on CTAN <https://ctan.org/pkg/eqexam>

name	eqexam
caption	A stand-alone exam package
author	Story, Donald P.
copyright	D. P. Story (2005-2021)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	(2021-02-26)
last changes	2021-02-26
year	2021
description	(no language specified) eqExam is a LaTeX package for writing exams, tests, quizzes, homework assignments, etc. It is a stand alone package, yet is tightly integrated with the AcroTeX eDucation Bundle (AeB) .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/eqexam/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/eqexam/doc/eqexamman.pdf
– local file	./3047183440-eqexamman.pdf
home page	http://www.math.uakron.edu/~dpstory/eqexam.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/eqexam
on MikTeX	eqexam
keyword	exam (exams, quizzes, etc.)
language(s)	no language specified
last access	2025-02-07

1967 *eqexpl* – Align explanations for formulas

Web page on CTAN <https://ctan.org/pkg/eqexpl>

name	eqexpl
caption	Align explanations for formulas
author	Morenko, Konstantin
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
version	1.1.1
description	(no language specified) This package was developed in response to a question on https://tex.stackexchange.com . Its purpose is to enable a perfectly formatted explanation of components of a formula. The package depends on calc , etoolbox , and xparse .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/eqexpl/README.md
documentation	<i>Readme (Russian)</i> : https://ctan.org/tex-archive/macros/latex/contrib/eqexpl/README.ru.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/eqexpl/eqexpl.pdf
– local file	./4013010006-eqexpl.pdf
contact	<i>bugs</i> : https://github.com/konstantin-morenko/latex-equation-explanation/issues
contact	<i>repository</i> : https://github.com/konstantin-morenko/latex-equation-explanation
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/eqexpl
on MikTeX	eqexpl
on TeXLive	eqexpl
keyword	alignment (tables, tab structures, etc)
keyword	maths (support for typesetting mathematics)
see also	see section 4282 on page 3877 : (<code>nomencl</code> – Produce lists of symbols as in nomenclature)
language(s)	Russian
year	without year
last access	2025-02-07

1968 *eqlist* – Description lists with equal indentation

Web page on CTAN <https://ctan.org/pkg/eqlist>

name	<code>eqlist</code>
caption	Description lists with equal indentation
author	Väth, Martin
copyright	Martin Väth (2001-2002)
license	lppl = The LaTeX Project Public License (free)
version	2.1
description	(no language specified) This package provides a list environment which sets a description-like list in which the indentation corresponds to the longest item of the list.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/eqlist/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/eqlist/eqlist.pdf
– local file	<code>./9005952141-eqlist.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/eqlist
on MikTeX	<code>eqlist</code>
on TeXLive	<code>eqlist</code>
keyword	<code>list</code> (list: general)
keyword	<code>list-descr</code> (list: items described)
language(s)	no language specified
year	2002
last access	2025-02-07

1969 eqmark – Generalise facilities for marking equation arraysWeb page on CTAN <https://ctan.org/pkg/eqmark>

name	eqmark
caption	Generalise facilities for marking equation arrays
author	Nitschke, Dirk
license	noinfo = noinfo
version	2.0
description	(no language specified) The package generalises the equation number to allow general marks of the lines of an equation array. (It is not clear whether the technique also applies to equation structures one might actually want to use.)
documentation	<i>Package details (German):</i> https://ctan.org/tex-archive/macros/latex209/contrib/eqmark/eqmark.pdf
– local file	./6429245612-eqmark.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/eqmark
keyword	maths (support for typesetting mathematics)
language(s)	German
year	without year
last access	2025-02-07

1970 eqmlite – TeX system and PDF support for Linux and OS/2Web page on CTAN <https://ctan.org/pkg/eqmlite>

name	Eqmlite/Free
caption	TeX system and PDF support for Linux and OS/2
author	MicroPress
license	other-nonfree = License that prevents distribution (not free)
version	2.31
description	(no language specified) EqM Lite is a free (unsupported) version of MicroPress' EqM Pro product. It uses OLE interaction to provide TeX-quality equation typesetting to MicroSoft (and similar) products under Windows.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/systems/win32/micropress/eqmlite/eqmlite2.txt

1971 `eqnalign` – Make `eqnarray` behave like `align`

documentation	(no language specified) <i>Progress reports</i> : https://ctan.org/tex-archive/systems/win32/micropress/eqmlite/whatsnew.231
on CTAN	https://ctan.org/tex-archive/systems/win32/micropress/eqmlite
keyword	<code>cgi-latex</code> (support for LaTeX(-alike) on the web, or feeding into other applications)
language(s)	no language specified
year	without year
last access	2025-02-07

1971 `eqnalign` – Make `eqnarray` behave like `align`

Web page on CTAN <https://ctan.org/pkg/eqnalign>

name	<code>eqnalign</code>
caption	Make <code>eqnarray</code> behave like <code>align</code>
author	Hejda, Tomas
copyright	Tomas (Tom) Hejda (2016-2017)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0a (2017-02-19)
last changes	2017-02-19
year	2017
description	(no language specified) The package makes <code>eqnarray</code> environment behave like <code>align</code> from <code>amsmath</code> . It is intended for quick-fixing documents that use <code>eqnarray</code> . In cases where it fails, manual conversion to <code>align</code> is required, but these cases should be seldom.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/eqnalign/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/eqnalign/eqnalign.pdf
– local file	<code>./2044150097-eqnalign.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/eqnalign
on MikTeX	<code>eqnalign</code>
on TeXLive	<code>eqnalign</code>

keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>maths-syseqn</code> (systems of equations)
see also	see section 175 on page 162: (<code>amsmath</code> – AMS mathematical facilities for LaTeX)
see also	see section 1973 on page 1780: (<code>eqnarray</code> – More generalised equation arrays with numbering)
language(s)	no language specified
last access	2025-02-07

1972 *eqname* – Name tags for equations

Web page on CTAN <https://ctan.org/pkg/eqname>

name	<code>eqname</code>
caption	Name tags for equations
author	Neugebauer, Gerd
license	other-free = Free license not otherwise listed (free)
version	(2010-12-02)
last changes	2010-12-02
year	2010
description	(no language specified) The <code>\eqname</code> command provides a name tag for the current equation, in place of an equation number. The name tag will be picked up by a subsequent <code>\label</code> command.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gene/eqname
on MikTeX	<code>eqname</code>
on T _E XLive	<code>eqname</code>
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	no language specified
last access	2026-04-14

1973 eqnarray – More generalised equation arrays with numbering

Web page on CTAN <https://ctan.org/pkg/eqnarray>

name	eqnarray
caption	More generalised equation arrays with numbering
author	Winkler, Roland
license	gpl3 = GNU General Public License, version 3 (free)
version	1.3
description	(no language specified) Defines an equationarray environment, that allows more than three columns, but otherwise behaves like LaTeX's eqnarray environment. This environment is similar, in some ways, to the align environment of amsmath . The package requires the array package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/eqnarray/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/eqnarray/eqnarray.pdf
– local file	./4423724304-eqnarray.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/eqnarray
on MikTeX	eqnarray
on T _E XLive	eqnarray
keyword	maths (support for typesetting mathematics)
keyword	maths-syseqn (systems of equations)
language(s)	no language specified
year	without year
last access	2025-02-07

1974 eqnarray209 – A fix for LaTeX 2.09 eqnarray

Web page on CTAN <https://ctan.org/pkg/eqnarray209>

name	eqnarray209
caption	A fix for LaTeX 2.09 eqnarray
author	Jones, David M.
license	noinfo = noinfo
version	1.0
description	(no language specified) The package redefines the eqnarray in default LaTeX, both to remove the ridiculous space around the second column, and to correct a few other bugs. That which the package mends, is dealt with in the (required) package amsmath , in the form of several alternative environments. Note that the (LaTeX 2e) eqnarray package seems not to deal with the spacing issue.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/eqnarray.sty
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	without year
last access	2025-02-07

1975 eqnlines – Single- and multiline equations

Web page on CTAN <https://ctan.org/pkg/eqnlines>

name	eqnlines
caption	Single- and multiline equations
author	Beisert, Niklas
copyright	Niklas Beisert (2024-2026)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0.1 (2026-03-23)
last changes	2026-03-23
year	2026

description	(no language specified) This LaTeX2e package provides a framework for typesetting single- and multiline equations which extends the established equation environments of LaTeX and the <code>amsmath</code> package with many options for convenient adjustment of the intended layout. In particular, the package adds flexible schemes for numbering, horizontal alignment and semi-automatic punctuation, and it improves upon the horizontal and vertical spacing options. The extensions can be used and adjusted through optional arguments and modifiers to the equation environments as well as global settings.
documentation	(no language specified) <i>Reference manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/eqnlines/eqnlines.pdf
– local file	<code>./8646241793-eqnlines.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/eqnlines/README.txt
documentation	(no language specified) <i>Source code documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/eqnlines/eqnlines-src.pdf
– local file	<code>./2637051298-eqnlines-src.pdf</code>
home page	https://github.com/nbeisert/latex-pkg-nb
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/eqnlines
on MikTeX	<code>eqnlines</code>
on TeXLive	<code>eqnlines</code>
keyword	maths (support for typesetting mathematics)
keyword	tagged-pdf-partially (tagged PDF partially compatible)
language(s)	no language specified
last access	2026-04-10

1976 `eqnnumwarn` – Modifies the amsmath equation environments to warn for a displaced equation number

Web page on CTAN <https://ctan.org/pkg/eqnnumwarn>

name	<code>eqnnumwarn</code>
caption	Modifies the amsmath equation environments to warn for a displaced equation number
author	Gleason, Jonathan
copyright	Jonathan Gleason (2017)

1977 eqparbox – Create equal-widthed parboxes

license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) Sometimes an equation is too long that an equation number will be typeset below the equation itself, but yet not long enough to yield an "overfull \hbox" warning. The eqnnumwarn package modifies the standard amsmath numbered equation environments to throw a warning whenever this occurs.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/eqnnumwarn/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/eqnnumwarn/eqnnumwarn.pdf
– local file	./6061156902-eqnnumwarn.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/eqnnumwarn
on MikTeX	eqnnumwarn
on T _E XLive	eqnnumwarn
keyword	comp-supp (support for preparing documents)
see also	see section 3260 on page 2943: (latex-amsmath – AMS mathematical facilities for LaTeX)
language(s)	no language specified
year	2017
last access	2025-02-07

1977 eqparbox – Create equal-widthed parboxes

Web page on CTAN <https://ctan.org/pkg/eqparbox>

name	eqparbox
caption	Create equal-widthed parboxes
author	Pakin, Scott
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	4.1

description	(no language specified) LaTeX users sometimes need to ensure that two or more blocks of text occupy the same amount of horizontal space on the page. To that end, the eqparbox package defines a new command, <code>\eqparbox</code> , which works just like <code>\parbox</code> , except that instead of specifying a width, one specifies a tag. All eqparboxes with the same tag—regardless of where they are in the document—will stretch to fit the widest eqparbox with that tag. This simple, equal-width mechanism can be used for a variety of alignment purposes, as is evidenced by the examples in eqparbox’s documentation. Various derivatives of <code>\eqparbox</code> are also provided.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/eqparbox/eqparbox.pdf
– local file	<code>./6210276677-eqparbox.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/eqparbox/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/eqparbox
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/eqparbox.tds.zip
on MikTeX	eqparbox
on TeXLive	eqparbox
keyword	boxing (creating boxes)
language(s)	no language specified
year	without year
last access	2025-02-07

1978 *equationauthor* – Visual equation editor

Web page on CTAN <https://ctan.org/pkg/equationauthor>

name	<code>equationauthor</code>
caption	Visual equation editor
author	Manhiça, Danilo Stélio
license	nosource = No Source Available (not free)
version	(2009-02-11)
last changes	2009-02-11
year	2009

description	(no language specified) A windows editor for generating mathematics, with a wide range of capabilities.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/equationauthor/README
on CTAN	https://ctan.org/tex-archive/support/equationauthor
keyword	editor (editor designed (or adapted) for use with (La)TeX)
language(s)	no language specified
last access	2025-02-07

1979 *erdc* – Style for Reports by US Army Corps of Engineers

Web page on CTAN	https://ctan.org/pkg/erdc
name	erdc
caption	Style for Reports by US Army Corps of Engineers
author	Veytsman, Boris
copyright	Boris Veytsman (2008)
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) A class for typesetting Technical Information Reports of the Engineer Research and Development Center, US Army Corps of Engineers. The class was commissioned and paid for by US Army Corps of Engineers, Engineer Research and Development Center, 3909 Halls Ferry Road, Vicksburg, MS 39180-6199.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/erdc/erdc.pdf
– local file	<code>./7749302144-erdc.pdf</code>
documentation	(no language specified) <i>Sample of usage</i> : https://ctan.org/tex-archive/macros/latex/contrib/erdc/sample.pdf
– local file	<code>./5616891114-sample.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/erdc
on MikTeX	erdc
on TeXLive	erdc
keyword	class (alternative LaTeX class(es))

keyword	report-like (regularly-formatted reports)
language(s)	no language specified
year	2008
last access	2025-02-07

1980 *erewhon* – Font package derived from *Heuristica* and *Utopia*

Web page on CTAN <https://ctan.org/pkg/erewhon>

name	erewhon
caption	Font package derived from <i>Heuristica</i> and <i>Utopia</i>
author	Sharpe, Michael
license	ofl = The SIL Open Font License (free)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.122 (2024-03-24)
last changes	2024-03-24
year	2024
description	(no language specified) <i>Erewhon</i> is based on the <i>Heuristica</i> package, which is based in turn on <i>Utopia</i> . <i>Erewhon</i> adds a number of new features — small caps in all styles rather than just regular, added figure styles (proportional, inferior, numerator, denominator) and superior letters. The size is 6% smaller than <i>Heuristica</i> , matching that of <i>UtopiaStd</i> .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/erewhon/doc/erewhon-doc.pdf
– local file	<code>./2684860821-erewhon-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/erewhon/README
on CTAN	https://ctan.org/tex-archive/fonts/erewhon
on MikTeX	erewhon
on T _E XLive	erewhon
keyword	font-otf (font in OpenType format)
keyword	font-proportional (variable-spaced font)
keyword	font-t1enc (font providing LaTeX T1 encoding support)
keyword	font (fonts themselves)
keyword	font-cyrillic (fonts for Cyrillic and related scripts)

1981 *erewhon-math* – Utopia based OpenType Math font

keyword	font-multilingual (font with adaptations to several languages)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-serif (serif font)
language(s)	no language specified
last access	2025-02-07

1981 *erewhon-math* – Utopia based OpenType Math font

Web page on CTAN <https://ctan.org/pkg/erewhon-math>

name	erewhon-math
caption	Utopia based OpenType Math font
author	Flipo, Daniel
copyright	Michel Bovani, Daniel Flipo (2019-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	ofl = The SIL Open Font License (free)
version	0.66 (2024-03-01)
last changes	2024-03-01
year	2024
description	(no language specified) OpenType version of the <code>fourier</code> Type1 fonts designed by Michel Bovani.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/erewhon-math/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/erewhon-math/Erewhon-Math.pdf
– local file	<code>./2504913137-Erewhon-Math.pdf</code>
documentation	(no language specified) <i>List of glyphs</i> : https://ctan.org/tex-archive/fonts/erewhon-math/unimath-erewhon.pdf
– local file	<code>./8371086738-unimath-erewhon.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/erewhon-math
on MikTeX	erewhon-math

on T _E XLive	erewhon-math
keyword	font (fonts themselves)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-maths (fonts for use in mathematics)
keyword	font-otf (font in OpenType format)
keyword	font-proportional (variable-spaced font)
language(s)	no language specified
last access	2025-02-07

1982 *errata* – Error markup for LaTeX documents

Web page on CTAN	https://ctan.org/pkg/errata
name	errata
caption	Error markup for LaTeX documents
author	Kohlhase, Michael
license	lppl1 = The LaTeX Project Public License 1 (free)
version	0.3
description	(no language specified) This package provides a simple infrastructure for recording errata in LaTeX documents. This allows the user to maintain an updated version of the document (with all errors corrected) and to automatically generate an errata document highlighting the difference to the published version.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/errata/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/errata/errata.pdf
– local file	./8070669920-errata.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/errata
on MikT _E X	errata
on T _E XLive	errata
keyword	editorial (editor's marks, highlights, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

1983 erw-13 – Utilities based on LaTeX3

Web page on CTAN <https://ctan.org/pkg/erw-13>

name	erw-13
caption	Utilities based on LaTeX3
author	Rogard, Erwann
copyright	Erwann Rogard (2020-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	4.2 (2022-01-28)
last changes	2022-01-28
year	2022
description	(no language specified) Utilities based on LaTeX3. Highlight: <code>\erw_merge_sort</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/erw-13/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/erw-13/erw-13.pdf
– local file	<code>./6722772206-erw-13.pdf</code>
home page	https://github.com/er-cpp/edu-latex3
contact	<i>support</i> : https://github.com/er-cpp/edu-latex3/issues
contact	<i>repository</i> : https://github.com/rogard/erw-13
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/erw-13
on MikTeX	erw-13
on T _E XLive	erw-13
keyword	latex3 (work done for the project to upgrade LaTeX)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-12

1984 *esami* – Typeset exams with scrambled questions and answersWeb page on CTAN <https://ctan.org/pkg/esami>

name	esami
caption	Typeset exams with scrambled questions and answers
author	Vassallo, Salvatore
author	Messineo, Grazia
copyright	G. Messineo and S. Vassallo (2008-2023)
license	lppl = The LaTeX Project Public License (free)
version	2.9 (2024-07-03)
last changes	2024-07-03
year	2024
description	(no language specified) The package enables the user to typeset exams with multiple choice, open questions and many other types of exercise. Both questions and answers may be randomly distributed within the exam, and the solutions are typeset automatically. Exercises may contain a wide number of random parameters and it is possible to do arithmetical operations on them. The package is localised in Italian, English, French, German, Greek, Serbian, and Spanish.
documentation	<i>Package documentation (Italian):</i> https://ctan.org/tex-archive/macros/latex/contrib/esami/doc/esami-doc-it.pdf
– local file	<code>./7039998615-esami-doc-it.pdf</code>
documentation	<i>Package documentation (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/esami/doc/esami-doc-en.pdf
– local file	<code>./3711694290-esami-doc-en.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/esami/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/esami
on MikTeX	esami
on T _E XLive	esami
keyword	exam (exams, quizzes, etc.)
language(s)	English; Italian
last access	2025-02-07

1985 *escapetext* – Make plain text safe for use in LaTeX

Web page on CTAN <https://ctan.org/pkg/escapetext>

name	escapeTeXt
caption	Make plain text safe for use in LaTeX
author	Hefferon, Jim
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) This program massages plain text to make it more likely to safely pass through LaTeX. It can be run from the command line, so you can do drive-by LaTeXing. The internal routines can also be imported for use by other Python programs, for instance one that makes documents from text gathered on a web form.
documentation	(no language specified) <i>Program Readme and documentation:</i> https://ctan.org/tex-archive/support/escapeTeXt/README
on CTAN	https://ctan.org/tex-archive/support/escapeTeXt
keyword	gentex (generate (La)TeX from other sorts of sources)
language(s)	no language specified
year	without year
last access	2025-02-07

1986 *esdiff* – Simplify typesetting of derivatives

Web page on CTAN <https://ctan.org/pkg/esdiff>

name	esdiff
caption	Simplify typesetting of derivatives
author	Saudrais, Eddie
license	lppl1 = The LaTeX Project Public License 1 (free)
version	1.2
description	(no language specified) The package makes writing derivatives very easy. It offers macros for derivatives, partial derivatives and multiple derivatives, and allows specification of the point at which the value is calculated. Some typographic alternatives may be selected by package options
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/esdiff/esdiff.pdf
– local file	./5971294296-esdiff.pdf

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/esdiff/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/esdiff
on MikTeX	esdiff
on TeXLive	esdiff
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	without year
last access	2025-02-07

1987 *esieecv* – Curriculum vitae for French use

Web page on CTAN	https://ctan.org/pkg/esieecv
name	esieecv
caption	Curriculum vitae for French use
author	Bayart, Benjamin
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The package allows the user to set up a curriculum vitae as a French employer will expect.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ESIEEcvt/ESIEEcvt.pdf
– local file	./2460367468-ESIEEcvt.pdf
documentation	(no language specified) <i>Test/sample document</i> : https://ctan.org/tex-archive/macros/latex/contrib/ESIEEcvt/cvtest.pdf
– local file	./4693661506-cvtest.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ESIEEcvt
on MikTeX	esieecv
on TeXLive	esieecv
keyword	french (support for typesetting French)
keyword	cv (curriculum vitae/Resumé)
see also	see section 1442 on page 1304: (<i>currvita</i> – Typeset a curriculum vitae)
see also	see section 2039 on page 1841: (<i>EuropeCV</i> – Unofficial class for European curricula vitae)

see also	see section 1453 on page 1315: (<code>cv</code> – A package for creating a curriculum vitae)
see also	see section 1445 on page 1307: (<code>CurVe</code> – A class for making curriculum vitae)
see also	see section 6627 on page 5986: (<code>vita</code> – Configurable class for curricula vitarum)
language(s)	no language specified
year	without year
last access	2025-02-07

1988 *esindex* – Generate sorting keys for indexes

Web page on CTAN <https://ctan.org/pkg/esindex>

name	<code>esindex</code>
caption	Generate sorting keys for indexes
author	Bezos López, Javier
copyright	Javier Bezos (1998-2024)
license	mit = MIT License (free)
version	1.8 (2024-04-27)
last changes	2024-04-27
year	2024
description	(no language specified) With this package sorting keys can be automatically generated. It was originally devised for Spanish, so that, say, <code>\esindex{cañón}</code> is correctly alphabetized in the index, but it can be configured to generate sorting keys for other languages, with custom replacements and multilevel comparisons.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/esindex/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/esindex/esindex.pdf
– local file	<code>./3711396158-esindex.pdf</code>
home page	http://www.texnia.com/
contact	<i>repository</i> : https://github.com/jbezoz
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/esindex
on MikTeX	<code>esindex</code>

on T _E XLive	esindex
keyword	spanish (support for typesetting Spanish)
keyword	index (index support)
language(s)	no language specified
last access	2025-02-07

1989 *esint* – Extended set of integrals for Computer Modern

Web page on CTAN <https://ctan.org/pkg/esint>

name	esint
caption	Extended set of integrals for Computer Modern
author	Saudrais, Eddie
license	lppl = The LaTeX Project Public License (free)
version	1.2d
description	(no language specified) The <i>esint</i> package permits access to alternate integral symbols when you are using the Computer Modern fonts. In the original set, several integral symbols are missing, such as <code>\oiint</code>. Many of these symbols are available in other font sets (pxfonts , txfonts , etc.), but there is no good solution if you want to use Computer Modern. The package provides Metafont source and LaTeX macro support.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/esint/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/esint/esint-doc.pdf
– local file	./3286741365-esint-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/esint
on MikT _E X	esint
on T _E XLive	esint
keyword	font (fonts themselves)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-symbol-maths (collections of mathematical symbols)
keyword	font-mf (fonts distributed as Metafont source)
see also	see section 1990 on page 1795 : (<code>esint-type1</code> – Font <i>esint10</i> in Type 1 format)

language(s) no language specified
year without year
last access 2025-02-07

1990 *esint-type1* – Font *esint10* in Type 1 format

Web page on CTAN <https://ctan.org/pkg/esint-type1>

name *esint-type1*
caption Font *esint10* in Type 1 format
author Nikunen, Martti
license pd = Public Domain Software (free)
description (no language specified) This is Eddie Soudrais's font *esint10* in Adobe Type 1 format. The Adobe Type 1 implementation was generated from the original Metafont using *mftrace*. This distribution does not contain the TFM files that are necessary to use the fonts with TeX; the TFM files can be generated from the Metafont sources obtained by following the instructions in the normal way.
documentation (no language specified) *Table of integral signs*: <https://ctan.org/tex-archive/fonts/ps-type1/esint/table.pdf>
– local file *./5269948643-table.pdf*
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/fonts/ps-type1/esint/README>
documentation (no language specified) *Using the fonts with Plain TeX*: <https://ctan.org/tex-archive/fonts/ps-type1/esint/README.plainTeX>
on CTAN <https://ctan.org/tex-archive/fonts/ps-type1/esint>
on MikTeX *esint*
on T_EXLive *esint-type1*
keyword *font-symbol-maths* (collections of mathematical symbols)
keyword *font* (fonts themselves)
keyword *font-type1* (font available in Adobe Type 1 format)
language(s) no language specified
year without year
last access 2025-02-07

1991 `esk` – Package to encapsulate Sketch files in LaTeX sources

Web page on CTAN <https://ctan.org/pkg/esk>

name	<code>esk</code>
caption	Package to encapsulate Sketch files in LaTeX sources
author	Kazimiers, Tom
license	gpl = GNU General Public License (free)
version	1.0
description	(no language specified) The ESK package allows to encapsulate Sketch files in LaTeX sources. This is very useful for keeping illustrations in sync with the text. It also frees the user from inventing descriptive names for new files that fit into the confines of file system conventions. Sketch is a 3D scene description language by Eugene K. Ressler and can generate TikZ and PSTricks code. ESK behaves in a similar fashion to EMP (which encapsulates MetaPost files), and was in fact developed from it.
documentation	(no language specified) <i>Package manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/esk/eskman.pdf
– local file	<code>./3565690655-eskman.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/esk/esk.pdf
– local file	<code>./2149402424-esk.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/esk/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/esk
on MikTeX	<code>esk</code>
on TeXLive	<code>esk</code>
keyword	<code>graphics-inline</code> (graphics inline for external processing)
language(s)	no language specified
year	without year
last access	2025-02-07

1992 *eskd* – Modern Russian typesetting

Web page on CTAN <https://ctan.org/pkg/eskd>

name	eskd
caption	Modern Russian typesetting
author	Fyodorov, Vyacheslav
copyright	Vyacheslav A. Fyodorov (2004)
license	lppl = The LaTeX Project Public License (free)
version	(2004-10-12)
last changes	2004-10-12
year	2004
description	(no language specified) The class offers modern Russian text formatting, in accordance with accepted design standards. Fonts not (apparently) available on CTAN are required for use of the class.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/eskd/eskd.pdf
– local file	./1354114689-eskd.pdf
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/eskd/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/eskd
on T _E XLive	eskd
keyword	ruussian (support for typesetting Russian)
keyword	class (alternative LaTeX class(es))
see also	see section 1993 on page 1798: (<i>eskd</i> x – Modern Russian typesetting)
language(s)	no language specified
last access	2025-02-07

1993 *eskd*x – Modern Russian typesetting

Web page on CTAN <https://ctan.org/pkg/eskd>

name	eskd
caption	Modern Russian typesetting
author	Korikov, Konstantin
copyright	Konstantin Korikov (2006)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.98
description	(no language specified) Eskd is a collection of LaTeX classes and packages to typeset textual and graphical documents in accordance with Russian (and probably post USSR) standards for designers.
documentation	(Russian) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/eskd/manual/eskd.pdf
– local file	./6691755286-eskd.pdf
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/eskd/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/eskd
on MikTeX	eskd
on TeXLive	eskd
keyword	class (alternative LaTeX class(es))
keyword	russian (support for typesetting Russian)
language(s)	Russian
year	2006
last access	2025-02-07

1994 *eslides* – An option for article style to make slides

Web page on CTAN <https://ctan.org/pkg/eslides>

name	eslides
caption	An option for article style to make slides
author	Denk, Georg
license	noinfo = noinfo
version	(1990-02-05)
last changes	1990-02-05
year	1990
description	(no language specified) The package defines a simple set of macros (structured as an article style option) to typeset slides for a presentation. While it is not as powerful as <i>SliTeX</i> (or <i>slides</i> class, in LaTeX 2e), <i>eslides</i> has the advantage that the user can very quickly convert an article to a set of slides.
documentation	(no language specified) <i>TUGBoat article about the package</i> : https://ctan.org/tex-archive/macros/latex209/contrib/eslides/eslides.pdf
– local file	./6837525543-eslides.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/eslides
keyword	latex209 (package only known to work with LaTeX 2.09)
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2025-02-11

1995 *eso-pic* – Add picture commands (or backgrounds) to every page

Web page on CTAN <https://ctan.org/pkg/eso-pic>

name	eso-pic
caption	Add picture commands (or backgrounds) to every page
author	Niepraschk, Rolf
copyright	Rolf Niepraschk (1998-2023)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	3.0c (2023-05-03)

1996 esperant – Style option for writing Esperanto texts

last changes	2023-05-03
year	2023
description	(no language specified) The package adds one or more user commands to LaTeX's shipout routine, which may be used to place the output at fixed positions. The grid option may be used to find the correct places.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/eso-pic/eso-pic.pdf
– local file	./9392901335-eso-pic.pdf
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/eso-pic/README.md
contact	<i>bugs:</i> https://github.com/rolfn/eso-pic/issues
contact	<i>repository:</i> https://github.com/rolfn/eso-pic
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/eso-pic
on MikTeX	eso-pic
on T _E XLive	eso-pic
keyword	defer-stuff (saving things for later use)
language(s)	no language specified
last access	2025-02-07

1996 esperant – Style option for writing Esperanto texts

Web page on CTAN <https://ctan.org/pkg/esperant>

name	esperant
caption	Style option for writing Esperanto texts
author	Knappen, Jörg
copyright	Jörg Knappen (1991)
license	nosell = Do Not Sell Except by Arrangement (not free)
version	1.1.a
description	(no language specified) A LaTeX 2.09 style option for typesetting documents in Esperanto; it seems to be a precursor of the esperanto option of current babel .
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/esperant.sty
keyword	esperanto (support for typesetting Esperanto)

language(s)	no language specified
year	1991
last access	2025-02-07

1997 **espo** – Customisation for Esperanto

Web page on CTAN <https://ctan.org/pkg/espo>

name	espo
caption	Customisation for Esperanto
license	noinfo = noinfo
version	(1989-12-21)
last changes	1989-12-21
year	1989
description	(no language specified) The package provides a modest set of macros for use in Esperanto documents. The esperant package provides a wider set of macros.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/espo.sty
keyword	latex209 (package only known to work with LaTeX 2.09)
keyword	esperanto (support for typesetting Esperanto)
language(s)	no language specified
last access	2025-02-11

1998 **esrelation** – Provides a symbol set for describing relations between ordered pairs

Web page on CTAN <https://ctan.org/pkg/esrelation>

name	esrelation
caption	Provides a symbol set for describing relations between ordered pairs
author	Reinfurt, David
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2015-05-06)
last changes	2015-05-06
year	2015

description	(no language specified) Around 2008, researcher Byron Cook and several colleagues began developing a new set of interrelated algorithms capable of automatically reasoning about the behavior of computer programs and other systems (such as biological systems, circuit designs, etc). At the center of these algorithms were new ideas about the relationships between structures expressable as mathematical sets and relations. Using the language of mathematics and logic, the researchers communicated these new results to others in their community via published papers, research talks, etc. Unfortunately, they found the symbols already available for reasoning about relations lacking (in contrast to sets, which have a long-ago developed and robust symbol vocabulary). Early presentations were unnecessarily cluttered. To more elegantly express these ideas around relations, Cook recruited artist Tauba Auerbach to help develop a set of symbols. This package provides an math symbol font for describing relations between ordered pairs by using Metafont.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/esrelation/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/esrelation/esrelation.pdf
– local file	<code>./7711021434-esrelation.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/esrelation
on MikTeX	<code>esrelation</code>
on T _E XLive	<code>esrelation</code>
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-maths</code> (fonts for use in mathematics)
language(s)	no language specified
last access	2025-02-07

1999 *essaykit* – Get started with macros for essays

Web page on CTAN	https://ctan.org/pkg/essaykit
name	<code>essaykit</code>
caption	Get started with macros for essays
author	Swifterhtmler

2000 *esstix* – PostScript versions of the ESSTIX, with macro support

copyright	Swifterhtmler (2025-2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.0 (2026-01-02)
last changes	2026-01-02
year	2026
description	(no language specified) Essaykit is a simple but useful package to help writing simple LaTeX essays using some shortcuts and tools. The goal of the package is to accelerate the learning curve for new LaTeX users. It is mainly for short STEM essays such as those made in high school.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/essaykit/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/essaykit/essaykit.pdf
– local file	./1575827910-essaykit.pdf
contact	<i>repository</i> : https://github.com/Swifterhtmler/Essaykit-LaTeX-package/tree/production_version
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/essaykit
on MikTeX	essaykit
on T _E XLive	essaykit
keyword	essay (course work essays, assignments, etc.)
language(s)	no language specified
last access	2026-04-10

2000 *esstix* – PostScript versions of the ESSTIX, with macro support

Web page on CTAN <https://ctan.org/pkg/esstix>

name	esstix
caption	PostScript versions of the ESSTIX, with macro support
author	Sharpe, Michael
license	ofl = The SIL Open Font License (free)
version	1.0

2001 *estcpmm* – Style for Munitions Management Project Reports

description	(no language specified) These fonts represent translation to PostScript Type 1 of the ESSTIX fonts. ESSTIX seem to have been a precursor to the STIX project , and were donated by Elsevier to that project. The accompanying virtual fonts with customized metrics and LaTeX support files allow their use as calligraphic, fraktur and double-struck (blackboard bold) in maths mode.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/esstix/doc/fonts/esstix/Esstix.pdf
– local file	<code>./9701072113-Esstix.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/esstix/doc/fonts/esstix/README
on CTAN	https://ctan.org/tex-archive/fonts/esstix
on MikTeX	<code>esstix</code>
on TeXLive	<code>esstix</code>
keyword	<code>font-bbd</code> (doublestroke (blackboard bold) fonts)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font</code> (fonts themselves)
keyword	<code>tagged-pdf-partially</code> (tagged PDF partially compatible)
keyword	<code>font-maths</code> (fonts for use in mathematics)
language(s)	no language specified
year	without year
last access	2026-04-10

2001 *estcpmm* – Style for Munitions Management Project Reports

Web page on CTAN <https://ctan.org/pkg/estcpmm>

name	<code>estcpmm</code>
caption	Style for Munitions Management Project Reports
author	Veytsman, Boris
copyright	Boris Veytsman (2008)
license	lppl = The LaTeX Project Public License (free)
version	0.4

description	(no language specified) Provides a class which supports typesetting Cost and Performance Reports and Final Reports for Munitions Management Reports, US Environmental Security Technology Certification Program. The class was commissioned and paid for by US Army Corps of Engineers, Engineer Research and Development Center, 3909 Halls Ferry Road, Vicksburg, MS 39180-6199.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/estcpmm/estcpmm.pdf
– local file	<code>./7239905790-estcpmm.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/estcpmm
on MikTeX	<code>estcpmm</code>
on T _E XLive	<code>estcpmm</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>report-like</code> (regularly-formatted reports)
language(s)	no language specified
year	2008
last access	2025-02-07

2002 *esvect* – Vector arrows

Web page on CTAN	https://ctan.org/pkg/esvect
name	<code>esvect</code>
caption	Vector arrows
author	Saudrais, Eddie
license	gpl = GNU General Public License (free)
version	1.3
description	(no language specified) Write vectors using an arrow which differs from the Computer Modern one. You have the choice between several kinds of arrows. The package consists of the relevant Metafont code and a package to use it.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/esvect/esvect.pdf
– local file	<code>./2895346637-esvect.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/esvect/README

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/esvect
on MikTeX	esvect
on T _E XLive	esvect
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-symbol (fonts that provide collections of symbols)
keyword	font (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-02-07

2003 *et* – TeX-compatible editor

Web page on CTAN	https://ctan.org/pkg/et
name	et
caption	TeX-compatible editor
author	Collins, John
license	other-nonfree = License that prevents distribution (not free)
description	(no language specified) A program to edit TeX files in a semi-WYSIWYG fashion on MS-DOS based systems.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/et/readme
on CTAN	https://ctan.org/tex-archive/support/et
keyword	editor (editor designed (or adapted) for use with (La)TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

2004 *etaremun*e – Reverse-counting enumerate environment

Web page on CTAN <https://ctan.org/pkg/etaremun>

name	etaremun
caption	Reverse-counting enumerate environment
author	Adriaens, Hendri
copyright	Hendri Adriaens (2004-2005)
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) The package implements the <i>etaremun</i>e environment which is an <i>enumerate</i> environment in which the labels decrease instead of increasing. The package is noticeably more efficient than the <i>revnum</i> package, which uses painfully many counters.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/etaremun/etaremun.pdf
– local file	./8701388817-etaremun.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/etaremun/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/etaremun
on MikTeX	etaremun
on TeXLive	etaremun
keyword	list (list: general)
keyword	list-enum (list: items enumerated)
see also	see section 5186 on page 4699: (<i>revnum</i> – Reverse enumerate)
language(s)	no language specified
year	2005
last access	2025-02-07

2005 *etbb* – An expansion of Edward Tufte’s ET-Bembo family

Web page on CTAN <https://ctan.org/pkg/etbb>

name	ETbb
caption	An expansion of Edward Tufte’s ET-Bembo family
author	Sharpe, Michael
copyright	Michael Sharpe (2020-2022)
copyright	Daniel Benjamin Miller (2019)
copyright	Dmitry Krasny, Bonnie Scranton, Edward Tufte (2015)
copyright	David J. Perry (2002-2012)
license	mit = MIT License (free)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.057 (2023-12-10)
last changes	2023-12-10
year	2023
description	(no language specified) Based on Daniel Benjamin Miller’s XETBook, which expanded Tufte’s ETBook, the family name for the Bembo-like font family he commissioned for his books, ETbb expands its features to include a full set of figure styles, small caps in all styles, superior letters and figures, inferior figures, a new capital Sharp S with small caps version, along with macros to activate these features in LaTeX. Both otf and pfb are provided.
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/etbb/doc/ETbb-doc.pdf
– local file	<code>./3820031849-ETbb-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/etbb/README
on CTAN	https://ctan.org/tex-archive/fonts/etbb
on MikTeX	etbb
on T _E XLive	etbb
keyword	font-serif (serif font)
keyword	font-t1enc (font providing LaTeX T1 encoding support)
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font-otf (font in OpenType format)

2006 *etdipa* – Simple, lightweight template for scientific documents

keyword	font-proportional (variable-spaced font)
keyword	font (fonts themselves)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
last access	2025-02-07

2006 *etdipa* – Simple, lightweight template for scientific documents

Web page on CTAN <https://ctan.org/pkg/etdipa>

name	etdipa
caption	Simple, lightweight template for scientific documents
author	Laube, Simon Michael
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.6
description	(no language specified) This package provides a complete working directory for the scientific documentation of arbitrary projects. It was originally developed to provide a template for Austrian "Diplomarbeiten" or "Vorwissenschaftliche Arbeiten", which are scientific projects of students at a secondary school.
documentation	<i>Package documentation (German):</i> https://ctan.org/tex-archive/macros/latex/contrib/etdipa/Help/etdipa_doc_DE.pdf
– local file	./5535062564-etdipa_doc_DE.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/etdipa/README
documentation	<i>Package documentation (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/etdipa/Help/etdipa_doc_EN.pdf
– local file	./9824288535-etdipa_doc_EN.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/etdipa
on T _E XLive	etdipa
keyword	scientific-docs (support for writers of scientific documents)
language(s)	German; English
year	without year
last access	2025-02-07

2007 *etex* – An extended version of TeX, from the NTS project

Web page on CTAN <https://ctan.org/pkg/etex>

Alias	e-tex
name	e-TeX
caption	An extended version of TeX, from the NTS project
author	The TeX Live Team
author	Breitenlohner, Peter
license	knuth = Knuth License (free)
description	(no language specified) An extended version of TeX (capable of running as if it were unmodified TeX). E-TeX has been specified by the LaTeX team as the base engine for LaTeX2e. Thus, LaTeX programmers may assume e-TeX functionality, along with additional extensions. The pdf_{te}x engine and others directly incorporate the e-TeX extensions. The <i>etex</i> program in most distributions is an incarnation of pdf_{te}x running in DVI mode. The development source for e-TeX is the TeX Live source repository, although further extensions have taken place in the pdf_{te}x and other engine sources, keeping e-TeX stable.
documentation	(no language specified) <i>System documentation (v2.0)</i> : https://ctan.org/tex-archive/systems/doc/etex/etex_man.pdf
– local file	./4568695924-etex_man.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/systems/e-tex/v2.1/README
contact	<i>support</i> : https://lists.tug.org/tex-k
contact	<i>bugs</i> : https://lists.tug.org/tex-k
contact	<i>repository</i> : https://tug.org/svn/texlive/trunk/Build/source/texk/web2c/etexdir
on T _E XLive	etex
keyword	engine (TeX (or TeX-alike) typesetting engine)
language(s)	no language specified
year	without year
last access	2025-02-07

2008 *etex-pkg* – E-TeX support package

Web page on CTAN <https://ctan.org/pkg/etex-pkg>

name	etex-pkg
caption	E-TeX support package
author	The LaTeX Project Team
author	Carlisle, David
author	Breitenlohner, Peter
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.7 (2016-08-01)
last changes	2016-08-01
year	2016
description	(no language specified) The package provides support for LaTeX documents to use many of the extensions offered by e-TeX; in particular, it modifies LaTeX's register allocation macros to make use of the extended register range. The etextools package provides macros that make more sophisticated use of e-TeX's facilities.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/etex-pkg/README
contact	<i>repository</i> : https://github.com/davidcarlisle/dpctex/tree/master/etex-pkg
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/etex-pkg
on MikTeX	etex-pkg
on T _E XLive	etex-pkg
keyword	macro-supp (support for development of (La)TeX macros)
see also	see section 1868 on page 1687: (e)llocalloc – Local allocation macros for LaTeX 2015)
language(s)	no language specified
last access	2025-02-07

2009 etexcmds – Avoid name clashes with e-TeX commandsWeb page on CTAN <https://ctan.org/pkg/etexcmds>

name	etexcmds
caption	Avoid name clashes with e-TeX commands
author	Oberdiek, Heiko
copyright	Oberdiek Package Support Group (2016-2019)
copyright	Heiko Oberdiek (2007, 2010, 2011)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.7 (2019-12-15)
last changes	2019-12-15
year	2019
description	(no language specified) New primitive commands are introduced in e-TeX; sometimes the names collide with existing macros. This package solves the name clashes by adding a prefix to e-TeX's commands. For example, eTeX's <code>\unexpanded</code> is provided as <code>\etex@unexpanded</code> .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/etexcmds/etexcmds.pdf
– local file	<code>./3580791599-etexcmds.pdf</code>
contact	<i>bugs</i> : https://github.com/ho-tex/etexcmds/issues
contact	<i>repository</i> : https://github.com/ho-tex/etexcmds
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/etexcmds
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/etexcmds.tds.zip
on MikTeX	etexcmds
on T _E XLive	etexcmds
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

2010 *etextools* – e-TeX tools for LaTeX users and package writers

Web page on CTAN <https://ctan.org/pkg/etextools>

name	etextools
caption	e-TeX tools for LaTeX users and package writers
author	Chervet, Florent
copyright	Florent Chervet (2009)
license	lppl = The LaTeX Project Public License (free)
version	3.1415926
description	(no language specified) The package provides many (purely expandable) tools for LaTeX: • Extensive list management (csv lists, lists of single tokens/characters, etoolbox lists); • purely expandable loops (<code>csvloop</code> , <code>forcsvloop</code> , etc.); • conversion (<code>csvtolist</code> , etc.); • addition/deletion (<code>csvadd</code> , <code>listdel</code> , etc.); • Expansion and group control: <code>\expandnext</code> , <code>\ExpandAfterCmds</code> , <code>\AfterGroup</code> ...; • Tests on tokens, characters and control sequences (<code>\iffirstchar</code> , <code>\ifiscs</code> , <code>\ifdefcount</code> , <code>\@ifchar</code> ...); • Tests on strings (<code>\ifstrnum</code> , <code>\ifuppercase</code> , <code>\DeclareStringFilter</code> ...); • Purely expandable macros with options (<code>\FE@testopt</code> , <code>\FE@ifstar</code>) or modifiers (<code>\FE@modifiers</code>); • Some purely expandable numerics (<code>\interval</code> , <code>\locinterplin</code>). The package is dependent on the <i>etex</i> and the <i>etoolbox</i> packages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/etextools/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/etextools/etextools.pdf
– local file	<code>./2246791855-etextools.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/etextools
on MikTeX	etextools

on T _E XLive	etexttools
keyword	csv-support (read, process and convert CSV data)
keyword	macro-supp (support for development of (La)TeX macros)
see also	see section 2016 on page 1819: (etoolbox – e-TeX tools for LaTeX)
language(s)	no language specified
year	2009
last access	2025-02-07

2011 *ethiop* – LaTeX macros and fonts for typesetting Amharic

Web page on CTAN <https://ctan.org/pkg/ethiop>

name	ethiop
caption	LaTeX macros and fonts for typesetting Amharic
author	Metzinger, Jochen
author	Kummer, Olaf
author	Beyene, Berhanu
author	Kudlec, Manfred
license	gpl = GNU General Public License (free)
version	0.7
description	(no language specified) Ethiopian language support for the babel package, including a collection of fonts and TeX macros for typesetting the characters of the languages of Ethiopia, with Metafont fonts based on EthTeX's . The macros use the Babel framework.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/ethiopia/ethiop/README
home page	http://www.informatik.uni-hamburg.de/TGI/mitarbeiter/wimis/kummer/ethiop_eng.html
on CTAN	https://ctan.org/tex-archive/language/ethiopia/ethiop
on T _E XLive	ethiop
keyword	amharic (support for typesetting Amharic)
see also	see section 2012 on page 1815: (ethiop-t1 – Type 1 versions of Amharic fonts)
language(s)	no language specified

year without year
last access 2025-02-07

2012 *ethiop-t1* – Type 1 versions of Amharic fonts

Web page on CTAN <https://ctan.org/pkg/ethiop-t1>

name *ethiop-t1*
caption Type 1 versions of Amharic fonts
author Rosenau, Malte
copyright Malte Rosenau (2004)
license gpl = GNU General Public License (free)
description (no language specified) These fonts are drop-in Adobe type 1 replacements for the fonts of the *ethiop* package.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/fonts/ps-type1/ethiop/README>
on CTAN <https://ctan.org/tex-archive/fonts/ps-type1/ethiop>
on T_EXLive *ethiop-t1*
keyword *amharic* (support for typesetting Amharic)
keyword *font-nonroman* (fonts for “other” non-Roman scripts)
keyword *font* (fonts themselves)
keyword *font-type1* (font available in Adobe Type 1 format)
language(s) no language specified
year 2004
last access 2025-02-07

2013 *eth*tex – Fonts and LaTeX support for typesetting Amharic

Web page on CTAN <https://ctan.org/pkg/ethtex>

name	eth	tex
caption	Fonts and LaTeX support for typesetting Amharic	
author	Alamnehe, Abass B.	
license	noinfo = noinfo	
description	(no language specified) An emTeX-based system for typesetting Amharic documents. For ‘modern’ use, some effort will be needed, to recast the stuff into a more ‘modern’ shape.	
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/ethiopia/ethtex/readme.eth	
on CTAN	https://ctan.org/tex-archive/language/ethiopia/ethtex	
keyword	font-mf (fonts distributed as Metafont source)	
keyword	amharic (support for typesetting Amharic)	
keyword	font (fonts themselves)	
keyword	font-nonroman (fonts for “other” non-Roman scripts)	
see also	see section 2011 on page 1814: (<i>ethiop</i> – LaTeX macros and fonts for typesetting Amharic)	
language(s)	no language specified	
year	without year	
last access	2025-02-07	

2014 *et*1 – Expandable token list operations

Web page on CTAN <https://ctan.org/pkg/et1>

name	et	1
caption	Expandable token list operations	
author	Spratte, Jonathan P.	
copyright	Jonathan P. Spratte (2020-2021)	
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)	
version	0.3 (2021-11-07)	
last changes	2021-11-07	

year	2021
description	(no language specified) This package provides expandable token list operations for which expl3's <code>l3tl</code> only has unexpandable variants. These expandable versions are typically slower than the unexpandable code. Unlike the <code>l3tl</code> versions, the functions in this module may contain braces and macro parameter tokens in their arguments, but as a drawback they cannot distinguish some tokens and do not consider the character code of group-begin and group-end tokens. Additionally a general map to token lists is provided, modelled after the expl3 internal <code>__tl_act:NNNn</code> but with additional features. The package has no immediate use for document authors; it only contains expl3 functions intended for programmers.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/etl/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/etl/etl.pdf
– local file	<code>./4410475242-etl.pdf</code>
contact	<i>repository</i> : https://github.com/Skillmon/ltx_etl
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/etl
on MikTeX	<code>etl</code>
on TeXLive	<code>etl</code>
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>latex3</code> (work done for the project to upgrade LaTeX)
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-12

2015 *etoc* – Completely customisable TOCs

Web page on CTAN <https://ctan.org/pkg/etoc>

name	<code>etoc</code>
caption	Completely customisable TOCs
author	Burnol, Jean-François
copyright	Jean-François Burnol (2012-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)

version	1.2d (2023-10-29)
last changes	2023-10-29
year	2023
description	(no language specified) With <code>etoc</code> loaded, <code>\tableofcontents</code> can be used multiple times, and an added command <code>\localtableofcontents</code> allows to typeset "local" tables of contents, i.e. TOCs having their scope limited to the last sectioning command encountered. Since release 1.2, also <code>\locallistoffigures</code> and <code>\locallistoftables</code> are available. Loading <code>etoc</code> per itself does not modify the "contents lines" inherited from the class default or changed via other packages. But full usage of the package allows spectacular effects such as displaying TOCs as trees or mind maps.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/etoc/etoc.pdf
– local file	<code>./7474745733-etoc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/etoc/README.md
contact	<i>bugs</i> : https://github.com/jfbu/etoc/issues
contact	<i>repository</i> : https://github.com/jfbu/etoc
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/etoc
on MikTeX	<code>etoc</code>
on T _E XLive	<code>etoc</code>
keyword	<code>toc-etc</code> (deal with Tables of Contents, and of other such things)
keyword	<code>etex</code> (requires e-TeX)
see also	see section 6212 on page 5620: (<code>titletoc</code> – Alternative headings for <code>toc/lof/lot</code>)
see also	see section 6248 on page 5650: (<code>tocbasic</code> – Management of tables/lists of contents (and the like))
language(s)	no language specified
last access	2025-02-07

2016 etoolbox – e-TeX tools for LaTeX

Web page on CTAN <https://ctan.org/pkg/etoolbox>

name	etoolbox
caption	e-TeX tools for LaTeX
author	Lehman, Philipp
author	Wright, Joseph
copyright	Philipp Lehman (2007-2011)
copyright	Joseph Wright (2015-2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.5k (2020-10-05)
last changes	2020-10-05
year	2020
description	(no language specified) The package is a toolbox of programming facilities geared primarily towards LaTeX class and package authors. It provides LaTeX frontends to some of the new primitives provided by e-TeX as well as some generic tools which are not strictly related to e-TeX but match the profile of this package. Note that the initial versions of this package were released under the name elatex. The package provides functions that seem to offer alternative ways of implementing some LaTeX kernel commands; nevertheless, the package will not modify any part of the LaTeX kernel.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/etoolbox/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/etoolbox/etoolbox.pdf
– local file	./4353565368-etoolbox.pdf
contact	<i>bugs</i> : https://github.com/josephwright/etoolbox/issues
contact	<i>repository</i> : https://github.com/josephwright/etoolbox/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/etoolbox
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/etoolbox.tds.zip
on MikTeX	etoolbox
on TeXLive	etoolbox

keyword macro-supp (support for development of (La)TeX macros)
 keyword etex (requires e-TeX)
 language(s) no language specified
 last access 2025-02-07

2017 etoolbox-de – German translation of documentation of etoolbox

Web page on CTAN <https://ctan.org/pkg/etoolbox-de>

name etoolbox-de
 caption German translation of documentation of etoolbox
 author Enderling, Tim
 license lppl = The LaTeX Project Public License (free)
 version 1
 description (no language specified) The version translated is 2.1 or 2011-01-03.
 documentation (no language specified) *The document itself*:
<https://ctan.org/tex-archive/info/translations/etoolbox/de/etoolbox-DE.pdf>
 – local file ./5699226958-etoolbox-DE.pdf
 on CTAN <https://ctan.org/tex-archive/info/translations/etoolbox/de>
 on T_EXLive etoolbox-de
 keyword german-doc (documentation in German)
 keyword macro-supp (support for development of (La)TeX macros)
 keyword translation (translation of material from the archive, to another language)
 language(s) no language specified
 year without year
 last access 2025-02-07

2018 *etoolbox-generic* – A loader for *etoolbox.sty* in non-LaTeX formats

Web page on CTAN <https://ctan.org/pkg/etoolbox-generic>

name	etoolbox-generic
caption	A loader for etoolbox.sty in non-LaTeX formats
author	Živanović, Sašo
copyright	Sašo Živanović (2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.5k (2023-10-10)
last changes	2023-10-10
year	2023
description	(no language specified) This package implements a wrapper which allows the user to load the LaTeX-independent part of LaTeX package etoolbox in other formats. It was implemented as an auxiliary package of Memoize .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/etoolbox-generic/README.md
contact	<i>repository</i> : https://github.com/sasozivanovic/etoolbox-generic
on CTAN	https://ctan.org/tex-archive/macros/generic/etoolbox-generic
on MikTeX	etoolbox-generic
on TeXLive	etoolbox-generic
keyword	macro-supp (support for development of (La)TeX macros)
keyword	macro-gen (macros that are independent of the (TeX) format in use)
keyword	etex (requires e-TeX)
language(s)	no language specified
last access	2025-02-07

2019 *etruscan* – Fonts for the Etruscan script

Web page on CTAN <https://ctan.org/pkg/etruscan>

name	etruscan
caption	Fonts for the Etruscan script
author	Wilson, Peter R.
license	lppl = The LaTeX Project Public License (free)
version	2.1
description	(no language specified) The Etruscan script was in use between approximately 1000 BC and 100 AD. The font comes in mirrored forms suitable for writing either left-to-right or right-to-left (as the Etruscans did), and is provided in Adobe Type 1 format. This is one of a series of archaic fonts.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/archaic/etruscan/etruscan.pdf
– local file	./5970398014-etruscan.pdf
documentation	(no language specified) <i>Sample of Etruscan font</i> :: https://ctan.org/tex-archive/fonts/archaic/etruscan/tryetruscan.pdf
– local file	./6913755985-tryetruscan.pdf
documentation	(no language specified) <i>Samples of entire archaic bundle</i> :: https://ctan.org/tex-archive/fonts/archaic/asamples.pdf
– local file	./8592837549-asamples.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/archaic/etruscan/README
on CTAN	https://ctan.org/tex-archive/fonts/archaic/etruscan
on MikTeX	archaic
on TeXLive	archaic
keyword	font (fonts themselves)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-archaic (fonts reproducing archaic scripts or inscriptions)
language(s)	no language specified
year	without year
last access	2025-02-07

2020 *etsvthor* – Some useful abbreviations for members of *e.t.s.v. Thor*

Web page on CTAN <https://ctan.org/pkg/etsvthor>

name	etsvthor
caption	Some useful abbreviations for members of <i>e.t.s.v. Thor</i>
author	Debets, Renate
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2018-07-09)
last changes	2018-07-09
year	2018
description	(no language specified) "<i>e.t.s.v. Thor</i>" stands for "Elektrotechnische Studievereniging Thor", a study association of Electrical Engineering at the Eindhoven University of Technology. The author of the package tells us: "Most of our committees use LaTeX to create meeting notes or other formal documents within the association. When you create a lot of these documents (which I do a lot, since I am currently the candidate Secretary of the new board), some abbreviations are extremely useful. I discovered that more people from our association are interested in using these, so I decided to put them in a package, so they can use it very easily too."
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/etsvthor/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/etsvthor
on MikTeX	etsvthor
on TeXLive	etsvthor
keyword	dutch (support for typesetting Dutch)
keyword	shortcut (shortcuts when typing)
language(s)	no language specified
last access	2025-02-07

2021 *euclidean-lattice* – Draw two-dimensional Euclidean lattices with TikZ

Web page on CTAN <https://ctan.org/pkg/euclidean-lattice>

name	euclidean-lattice
caption	Draw two-dimensional Euclidean lattices with TikZ
author	Plût, Jérôme
copyright	Jérôme Plût (2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2024-07-26)
last changes	2024-07-26
year	2024
description	(no language specified) This package provides a simple, efficient and easily configurable way to draw two-dimensional Euclidean lattices using TikZ.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/euclidean-lattice/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/euclidean-lattice/euclidean-lattice-doc.pdf
– local file	./9399780391-euclidean-lattice-doc.pdf
contact	<i>repository</i> : https://github.com/JeromePlut/lattice
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/euclidean-lattice
on T _E XLive	euclidean-lattice
keyword	graphics (graphics (support packages))
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

2022 euclideangeometry – Draw geometrical constructions

Web page on CTAN <https://ctan.org/pkg/euclideangeometry>

name	euclideangeometry
caption	Draw geometrical constructions
author	Beccari, Claudio
copyright	Claudio Beccari (2020-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2.2 (2023-07-11)
last changes	2023-07-11
year	2023
description	(no language specified) This package provides tools to draw most of the geometrical constructions that a high school instructor or bachelor degree professor might need to teach geometry. The connection to Euclide depends on the fact that in his times calculations were made with ruler, compass and also with ellipsograph. This package extends the functionalities of the curve2e package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/euclideangeometry/README.txt
documentation	(no language specified) <i>User manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/euclideangeometry/euclideangeometry-man.pdf
– local file	./2297422605-euclideangeometry-man.pdf
documentation	(no language specified) <i>Documented code</i> : https://ctan.org/tex-archive/macros/latex/contrib/euclideangeometry/euclideangeometry.pdf
– local file	./6612627455-euclideangeometry.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/euclideangeometry
on MikTeX	euclideangeometry
on T _E XLive	euclideangeometry
keyword	graphics (graphics (support packages))
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

2023 euenc – Unicode font encoding definitions for XeTeX

Web page on CTAN <https://ctan.org/pkg/euenc>

name	EUenc
caption	Unicode font encoding definitions for XeTeX
author	Hosny, Khaled
author	Robertson, Will
author	Roux, Élie
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1h
description	(no language specified) Font encoding definitions for unicode fonts loaded by LaTeX in XeTeX or LuaTeX. The package provides two encodings: • EU1, designed for use with XeTeX, which the fontspec uses for unicode fonts which require no macro-level processing for accents, and • EU2, which provides the same facilities for use with LuaTeX. Neither encoding places any restriction on the glyphs provided by a font; use of EU2 causes the package auxunicode to be loaded (the package is part of this distribution). The package includes font definition files for use with the Latin Modern OpenType fonts.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/euenc/euenc.pdf
– local file	<code>./2755227086-euenc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/euenc/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/euenc
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/euenc.tds.zip
on MikTeX	euenc
on T _E XLive	euenc
keyword	unicode (Unicode, material supporting it, and packages requiring it)
keyword	font-supp (metrics, macro incantations and other font support)
see also	see section 6859 on page 6190 : (<code>xunicode</code> – Generate Unicode characters from accented glyphs)

language(s)	no language specified
year	without year
last access	2025-02-07

2024 *euflag* – A command to reproduce the flag of the European Union

Web page on CTAN <https://ctan.org/pkg/euflag>

name	euflag
caption	A command to reproduce the flag of the European Union
author	Flynn, Peter
copyright	Peter Flynn (2019-2020)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.8
description	(no language specified) This LaTeX package implements a command to reproduce the official flag of the European Union (EU). The flag is reproduced at 1em high based on the current font size, so it can be scaled arbitrarily by changing the font size.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/graphics/euflag/euflag.pdf
– local file	./7896736255-euflag.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/graphics/euflag/README.md
on CTAN	https://ctan.org/tex-archive/graphics/euflag
on MikTeX	euflag
on T _E XLive	euflag
keyword	graphics (graphics (support packages))
language(s)	no language specified
year	2020
last access	2025-02-07

2025 *eukdate* – UK format dates, with weekday

Web page on CTAN <https://ctan.org/pkg/eukdate>

name	eukdate
caption	UK format dates, with weekday
author	Moschou, Andrew Gilbert
copyright	Andrew Gilbert Moschou (2008)
license	lppl = The LaTeX Project Public License (free)
version	1.04
description	(no language specified) The package is used to change the format of <code>\today</code> 's date, including the weekday, e.g., "Saturday, 26 June 2008", the 'UK format', which is preferred in many parts of the world, as distinct from that which is used in <code>\maketitle</code> of the article class, "June 26, 2008", the 'US format'.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/eukdate/eukdate.pdf
– local file	<code>./7920543793-eukdate.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/eukdate/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/eukdate
on MikTeX	eukdate
on T _E XLive	eukdate
keyword	date-time (manipulate dates and/or times)
see also	see section 6679 on page 6029: (weekday – Generate “day of week”)
see also	see section 1539 on page 1399: (dayofweek – Calculate day of week, phase of moon)
language(s)	no language specified
year	2008
last access	2025-02-07

2026 eukleides – A geometry drawing system

Web page on CTAN	https://ctan.org/pkg/eukleides
name	eukleides
caption	A geometry drawing system
author	Obrecht, Christian
copyright	Christian Obrecht (2010)
license	gpl = GNU General Public License (free)
version	1.5.3
description	(no language specified) Eukleides is a geometry drawing language. The Eukleides distribution provides two interpreters that produce Encapsulated PostScript and TeXable PSTricks macros. The distribution also provides a package allowing to use Eukleides code within a LaTeX source file. Eukleides may be compiled under MinGW, and a win32 binary is also available.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/eukleides/README
documentation	(no language specified) <i>TUGBoat paper describing Eukleides</i> : http://www.tug.org/TUGboat/Articles/tb22-4/tb72obre.pdf
– local file	./6563239775-tb72obre.pdf
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/eukleides/eukleides.pdf
– local file	./9814364679-eukleides.pdf
home page	http://www.eukleides.org/
on CTAN	https://ctan.org/tex-archive/support/eukleides
keyword	maths (support for typesetting mathematics)
keyword	graphics-engn (graphics generator whose output is good for use with TeX)
see also	see section 4898 on page 4431: (pst-eucl – Euclidean geometry with PSTricks)
language(s)	no language specified
year	2010
last access	2025-02-07

2027 *euler* – Use AMS Euler fonts for math

Web page on CTAN <https://ctan.org/pkg/euler>

name	<code>euler</code>
caption	Use AMS Euler fonts for math
author	Jensen, Frank
copyright	Frank Jensen and Frank Mittelbach (1993-1995)
copyright	Frank Jensen (1992)
license	lppl = The LaTeX Project Public License (free)
version	2.5
description	(no language specified) Provides a setup for using the AMS Euler family of fonts for mathematics in LaTeX documents. "The underlying philosophy of Zapf's Euler design was to capture the flavour of mathematics as it might be written by a mathematician with excellent handwriting." The <code>euler</code> package is based on Knuth's macros for the book 'Concrete Mathematics'. The text fonts for the Concrete book are supported by the <code>beton</code> package.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/euler/euler.pdf
– local file	<code>./6239651955-euler.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/euler
on MikTeX	<code>euler</code>
on TeXLive	<code>euler</code>
keyword	<code>font-supp-maths</code> (metrics, macro incantations and other support for maths fonts)
see also	see section 2030 on page 1833: (<code>eulervm</code> – Euler virtual math fonts)
see also	see section 563 on page 517: (<code>beton</code> – Use Concrete fonts)
language(s)	no language specified
year	1995
last access	2025-02-07

2028 *euler-math* – OpenType version of Hermann Zapf’s Euler maths font

Web page on CTAN <https://ctan.org/pkg/euler-math>

Alias	neo-euler
name	euler-math
caption	OpenType version of Hermann Zapf’s Euler maths font
author	Flipo, Daniel
copyright	Khaled Hosny (2009-2016)
copyright	Daniel Flipo (2022-2024)
license	ofl = The SIL Open Font License (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.61 (2024-03-01)
last changes	2024-03-01
year	2024
description	(no language specified) <code>Euler-Math.otf</code> (formerly named ‘<code>Neo-Euler.otf</code>’) is an OpenType version of Hermann Zapf’s Euler maths font. It is the continuation of the Euler project initiated by Khaled Hosny in 2009 and abandoned in 2016. A style file <code>euler-math.sty</code> is provided as a replacement of the eulervm package for LuaLaTeX and XeLaTeX users.
documentation	(no language specified) <i>List of glyphs</i> : https://ctan.org/tex-archive/fonts/euler-math/unimath-euler.pdf
– local file	<code>./4057961917-unimath-euler.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/euler-math/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/euler-math/Euler-Math.pdf
– local file	<code>./3784315765-Euler-Math.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/euler-math
on MikTeX	euler-math
on TeXLive	euler-math
keyword	font-maths (fonts for use in mathematics)
keyword	font (fonts themselves)
keyword	font-otf (font in OpenType format)

language(s) no language specified
last access 2025-02-07

2029 *eulerpx* – A modern interface for the Euler math fonts

Web page on CTAN <https://ctan.org/pkg/eulerpx>

name *eulerpx*
caption A modern interface for the Euler math fonts
author Ouassou, Jabir Ali
author Tijssen, Luuk
copyright L. Tijssen (2021-2022)
copyright J. A. Ouassou (2016-2017)
license lpl1.3 = The LaTeX Project Public License 1.3 (free)
version 1.0 (2022-07-14)
last changes 2022-07-14
year 2022
description (no language specified) This package provides the "eulerpx" font, which started as a hybrid of multiple other font packages, notably *eulervm* and *newpxmath* .
This package was put together with the intent to use it with the *Palatino* and *Optima* fonts, but it may work with other combinations, too.
documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/fonts/eulerpx/README>
on CTAN <https://ctan.org/tex-archive/fonts/eulerpx>
on MikTeX *eulerpx*
on T_EXLive *eulerpx*
keyword font-supp (metrics, macro incantations and other font support)
language(s) no language specified
last access 2025-02-07

2030 *eulervm* – Euler virtual math fontsWeb page on CTAN <https://ctan.org/pkg/eulervm>

name	eulervm
caption	Euler virtual math fonts
author	Schmidt, Walter A.
author	Harcombe, Keiran
license	lppl = The LaTeX Project Public License (free)
version	4.0
description	(no language specified) The well-known Euler fonts are suitable for typesetting mathematics in conjunction with a variety of text fonts which do not provide mathematical character sets of their own. Euler-VM is a set of <i>virtual</i> mathematics fonts based on Euler and CM. This approach has several advantages over immediately using the <i>real</i> Euler fonts: Most noticeably, less TeX resources are consumed, the quality of various math symbols is improved and a usable <code>\hslash</code> symbol can be provided. The virtual fonts are accompanied by a LaTeX package which makes them easy to use, particularly in conjunction with Type1 PostScript text fonts. They are compatible with amsmath . A package option allows the fonts to be loaded at 95% of their nominal size, thus blending better with certain text fonts, e.g., Minion.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/fonts/eulervm/README.eulervm
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/eulervm/doc/latex/eulervm/eulervm.pdf
– local file	./6820696307-eulervm.pdf
on CTAN	https://ctan.org/tex-archive/fonts/eulervm
on MikTeX	eulervm
on TeXLive	eulervm
keyword	font (fonts themselves)
keyword	font-virtual (virtual font(s) using existing fonts)
keyword	font-maths (fonts for use in mathematics)
language(s)	no language specified
year	without year
last access	2025-02-07

2031 **euproposal** – A class for preparing FP7 proposals

Web page on CTAN <https://ctan.org/pkg/euproposal>

name	euproposal
caption	A class for preparing FP7 proposals
author	Kohlhase, Michael
copyright	Michael Kohlhase (2007)
license	lppl = The LaTeX Project Public License (free)
version	0.3
description	(no language specified) The class is a specialisation of the proposal class, for writing proposals to the EU, for Framework 7. Examples of its use are provided elsewhere in the bundle. The class is distributed as part of the proposal class bundle, and depends on the author's stex bundle.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/proposal/eu/euproposal.pdf
– local file	<code>./2994205140-euproposal.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/proposal/eu/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/proposal
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/proposal.tds.zip
on MikTeX	proposal
keyword	class (alternative LaTeX class(es))
keyword	proposal (typeset proposals to funding bodies, etc)
language(s)	no language specified
year	2007
last access	2025-02-07

2032 *eurion* – EURion constellation overlay for LaTeX documentsWeb page on CTAN <https://ctan.org/pkg/eurion>

name	eurion
caption	EURion constellation overlay for LaTeX documents
author	originalsouth
license	other-free = Free license not otherwise listed (free)
version	0.1.0
description	(no language specified) This package overlays the five-circle EURion anti-photocopy constellation on document pages. It provides three modes: scatter, for banknote-style tiling across every page; corner, for a single discreet mark in a selected corner; and manual, for user placement with the <code>\eurion</code> command. The color, size, density, rotation, and random seed are configurable. The package provides a visual reproduction only; it is not a real anti-counterfeiting feature.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/eurion/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/eurion/eurion.pdf
– local file	./5193913756-eurion.pdf
home page	https://github.com/originalsouth/eurion
contact	<i>bugs</i> : https://github.com/originalsouth/eurion/issues
contact	<i>repository</i> : https://github.com/originalsouth/eurion
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/eurion
on T _E XLive	eurion
keyword	watermark (separate printing, under (or over) the page as a whole)
language(s)	no language specified
year	without year
last access	2026-04-29

2033 *euro* – Provide Euro values for national currency amounts

Web page on CTAN <https://ctan.org/pkg/euro>

name	euro
caption	Provide Euro values for national currency amounts
author	Franz, Melchior
copyright	Melchior Franz (1999-2005)
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) Converts arbitrary national currency amounts using the Euro as base unit, and typesets monetary amounts in almost any desired way. Write, e.g., <code>\ATS{17.6}</code> to get something like ‘17,60 öS (1,28 Euro)’ automatically. Conversion rates for the initial Euro-zone countries are already built-in. Further rates can be added easily. The package uses the fp package to do its sums.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/euro/euro.pdf
– local file	<code>./7975466517-euro.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/euro
on MikTeX	euro
on TeXLive	euro
keyword	calculation (perform calculations within TeX)
language(s)	no language specified
year	2005
last access	2025-02-07

2034 *euro-ce* – Euro and CE sign font

Web page on CTAN <https://ctan.org/pkg/euro-ce>

name	euro-ce
caption	Euro and CE sign font
author	de Wijn, Harold
copyright	Harold W. de Wijn (1998-2012)
license	bsd = BSD Style License (free)

2035 *eurofont* – Provides a command that prints a euro symbol

version	3.0b
description	(no language specified) Metafont source for the symbols in several variants, designed to fit with the Computer Modern-set text.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/euro-ce/README
on CTAN	https://ctan.org/tex-archive/fonts/euro-ce
on MikTeX	euro-ce
on T _E XLive	euro-ce
keyword	font-specialist (fonts with specific small application areas)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
language(s)	no language specified
year	2012
last access	2026-04-10

2035 *eurofont* – Provides a command that prints a euro symbol

Web page on CTAN <https://ctan.org/pkg/eurofont>

name	eurofont
caption	Provides a command that prints a euro symbol
author	McDonnell, Rowland
copyright	Rowland McDonnell (1998)
license	other-free = Free license not otherwise listed (free)
version	1.1.3
description	(no language specified) The particular symbol printed by <code>\euro</code> will in general change depending on the font family, weight, and shape in use at the time. This symbol can come from any source, and the package user has complete control over which euro symbol is used in any given situation. The package is pre-configured to behave sensibly with many common text fonts and available euro symbols. The <code>\euro</code> command can print ‘faked’ euro symbols from a C with two lines across it when no suitable real euro symbol is available; the package also includes code for printing fake bold euro symbols for use when no real bold symbol exists, as well as pre-configured support for a faked italic version of the marvosym font. Eurofont comes set up to use euro symbols from Adobe’s Eurofonts, the marvosym font, the Eurosym font, and any available Text Companion fonts. The selection between these can be done using options

	passed to the package. The eurofont package also ‘knows’ about the China2e font’s euro symbol, and can be configured to use it.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/eurofont/readme.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/eurofont
on MikTeX	eurofont
keyword	font-supp (metrics, macro incantations and other font support)
see also	see section 2042 on page 1845: (eurosym – Metafont and macros for Euro sign)
see also	see section 3785 on page 3421: (marvosym – Martin Vogel’s Symbols (marvosym) font)
language(s)	no language specified
year	1998
last access	2025-02-07

2036 euroitc – LaTeX interface for the ITC euro font symbols

Web page on CTAN	https://ctan.org/pkg/euroitc
name	euroitc
caption	LaTeX interface for the ITC euro font symbols
author	Schlicht, Robert
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) The package provides a LaTeX interface to the Adobe Type 1 fonts containing Euro symbols, that the International Typesetting Corporation makes available in 16 variants (serif and sanserif, in four weights, upright and italic). The package consists of the TeX font metrics, font map files, and a LaTeX style file. Loading the package will define a new macro <code>\euro</code>, which typesets a euro symbol that matches the currently selected font.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/fonts/euroitc/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/euroitc/euroitc.pdf

2037 *euromoney* – Vectorial coins and banknotes in euro, with stacking option

– local file	<code>./3832522457-euroitc.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/euroitc
on MikTeX	<code>euroitc</code>
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year
last access	2025-02-07

2037 *euromoney* – Vectorial coins and banknotes in euro, with stacking option

Web page on CTAN <https://ctan.org/pkg/euromoney>

name	<code>euromoney</code>
caption	Vectorial coins and banknotes in euro, with stacking option
author	Pierquet, Cédric
license	pd = Public Domain Software (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.1 (2024-09-07)
last changes	2024-09-07
year	2024
description	(no language specified) With this package you can insert vectorial coins and banknotes in euro, with stacking option. Three designs are available: full color, simple color, and simple B&W. The PDF files were obtained by converting svg files found at openclipart (CC0 1.0 UNIVERSAL), by user frankes .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/euromoney/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/euromoney/doc/euromoney-doc.pdf
– local file	<code>./9977283410-euromoney-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/euromoney
on MikTeX	<code>euromoney</code>
on T _E XLive	<code>euromoney</code>

keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>graphics-use</code> (graphics (typesetting actual pictures))
keyword	<code>logo</code> (symbols or drawings to specify an object, including icons)
language(s)	no language specified
last access	2025-05-27

2038 *europasscv* – Unofficial class for the new version of the Europass curriculum vitae

Web page on CTAN <https://ctan.org/pkg/europasscv>

name	<i>europasscv</i>
caption	Unofficial class for the new version of the Europass curriculum vitae
author	Mazzamuto, Giacomo
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2020-10-31)
last changes	2020-10-31
year	2020
description	(no language specified) This class is an unofficial LaTeX implementation of the Europass CV, the standard model for curriculum vitae as recommended by the European Commission. It includes the major style updates that came out in 2013, featuring a neater, more compact and somewhat fancier layout.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/europasscv/europasscv.pdf
– local file	<code>./3158532616-europasscv.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/europasscv/README.md
home page	https://www.devrandom.it/software/europasscv/
contact	<i>announce:</i> https://github.com/gmazzamuto/europasscv/releases
contact	<i>bugs:</i> https://github.com/gmazzamuto/europasscv/issues
contact	<i>repository:</i> https://github.com/gmazzamuto/europasscv
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/europasscv
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/europasscv.tds.zip

on MikTeX	europasscv
on T _E XLive	europasscv
keyword	cv (curriculum vitae/Resumé)
keyword	class (alternative LaTeX class(es))
see also	see section 2039 on page 1841: (EuropeCV – Unofficial class for European curricula vitae)
see also	see section 1442 on page 1304: (currvita – Typeset a curriculum vitae)
see also	see section 1453 on page 1315: (cv – A package for creating a curriculum vitae)
see also	see section 1987 on page 1792: (esieecv – Curriculum vitae for French use)
see also	see section 1445 on page 1307: (CurVe – A class for making curriculum vitae)
see also	see section 6627 on page 5986: (vita – Configurable class for curricula vitarum)
language(s)	no language specified
last access	2025-02-07

2039 europcv – Unofficial class for European curricula vitae

Web page on CTAN <https://ctan.org/pkg/europcv>

name	EuropeCV
caption	Unofficial class for European curricula vitae
author	Vitacolonna, Nicola
author	Silano, Giuseppe
license	lppl = The LaTeX Project Public License (free)
version	(2025-05-14)
last changes	2025-05-14
year	2025
description	(no language specified) The europcv class is an unofficial LaTeX implementation of the standard model for curricula vitae (the "Europass CV") as recommended by the European Commission. Although primarily intended for users in the European Union, the class is flexible enough to be used for any kind of curriculum vitae. The class has localisations for all the official languages of the EU (plus Catalan), as well as options permitting input in UTF-8 and koi8-r.

documentation	(no language specified) <i>Class documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/europecv/europecv.pdf
– local file	<code>./3902128039-europecv.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/europecv/README.md
documentation	(no language specified) <i>Simple example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/europecv/templates/cv_template_en.pdf
– local file	<code>./5221035715-cv_template_en.pdf</code>
documentation	(no language specified) <i>Academic example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/europecv/templates/cv_template_academic_en.pdf
– local file	<code>./8714408879-cv_template_academic_en.pdf</code>
contact	<i>repository</i> : https://github.com/gsilano/EuropeCV
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/europecv
on MikTeX	<code>europecv</code>
on T _E XLive	<code>europecv</code>
keyword	<code>doc-templ</code> (template to guide document development)
keyword	<code>cv</code> (curriculum vitae/Resumé)
keyword	<code>class</code> (alternative LaTeX class(es))
see also	see section 1453 on page 1315: (<code>cv</code> – A package for creating a curriculum vitae)
see also	see section 1442 on page 1304: (<code>currvita</code> – Typeset a curriculum vitae)
see also	see section 2038 on page 1840: (<code>europasscv</code> – Unofficial class for the new version of the Europass curriculum vitae)
see also	see section 1445 on page 1307: (<code>CurVe</code> – A class for making curriculum vitae)
see also	see section 1987 on page 1792: (<code>esieecv</code> – Curriculum vitae for French use)
see also	see section 6627 on page 5986: (<code>vita</code> – Configurable class for curricula vitarum)
language(s)	no language specified
last access	2025-05-25

2040 europs – Access to Adobe’s Euro currency symbol fonts

Web page on CTAN <https://ctan.org/pkg/europs>

name	europs
caption	Access to Adobe’s Euro currency symbol fonts
author	Clausen, Jörn
copyright	Jörn Clausen (1998)
license	noinfo = noinfo
version	1.2
description	(no language specified) Provides access to Adobe’s Euro currency symbol fonts from LaTeX. The fonts are named using Karl Berry’s naming scheme, providing fd files and a style file to use the fonts directly, and providing four macros: <code>\EURtm</code>, <code>\EURhv</code>, <code>\EURcr</code> and <code>\EUR</code> (from marvosym). The actual symbol they produce depends on the currently active font, i.e., they follow font changes caused by <code>\text..</code> and other NFSS commands. The fonts themselves are only available from Adobe (though the fonts are free of charge, the licence conditions prevent CTAN from distributing them). Metrics and maps for using the fonts (at all) are available via the adobe-euro package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/europs/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/europs
on MikTeX	eurofont
keyword	font-supp (metrics, macro incantations and other font support)
see also	see section 3785 on page 3421 : (marvosym – Martin Vogel’s Symbols (marvosym) font)
see also	see section 2042 on page 1845 : (eurosym – Metafont and macros for Euro sign)
language(s)	no language specified
year	1998
last access	2025-02-07

2041 eurosans – Interface to Adobe’s sans-serif Euro font

Web page on CTAN <https://ctan.org/pkg/eurosans>

name	eurosans
caption	Interface to Adobe’s sans-serif Euro font
author	Schmidt, Walter A.
author	Harcombe, Keiran
license	lppl = The LaTeX Project Public License (free)
version	2.1
description	(no language specified) Provides a convenient interface for using Adobe’s freely available Type 1 Euro fonts. Loading the package defines a new command <code>\euro</code> which typesets a Euro symbol. The symbol is always taken from the ‘EuroSans’ family, with the weight (medium or boldface) and shape (normal or oblique) varying according to the font currently selected. This Euro symbol meets the official design and matches most font families well enough, except for typewriter fonts. The fonts themselves are only available from Adobe (though the fonts are free of charge, the licence conditions prevent CTAN from distributing them). Metrics and maps for using the fonts (at all) are available via the adobe-euro package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/eurosans/eurosans.pdf
– local file	./4816909063-eurosans.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/eurosans/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/eurosans
on MikTeX	eurofont
keyword	font-suppl (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year
last access	2025-02-07

2042 *eurosym* – Metafont and macros for Euro sign

Web page on CTAN <https://ctan.org/pkg/eurosym>

name	eurosym
caption	Metafont and macros for Euro sign
author	Theiling, Henrik
license	other-free = Free license not otherwise listed (free)
version	1.4-subrfix
description	(no language specified) The European currency symbol for the Euro implemented in Metafont, using the official European Commission dimensions, and providing several shapes (normal, slanted, bold, outline). The package also includes a LaTeX package which defines the macro, pre-compiled tfm files, and documentation.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/eurosym/README
home page	http://www.theiling.de/eurosym.html
on CTAN	https://ctan.org/tex-archive/fonts/eurosym
on MikTeX	eurosym
on T _E XLive	eurosym
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-specialist (fonts with specific small application areas)
see also	see section 2040 on page 1843: (europs – Access to Adobe’s Euro currency symbol fonts)
see also	see section 3785 on page 3421: (marvosym – Martin Vogel’s Symbols (marvosym) font)
language(s)	no language specified
year	without year
last access	2025-02-07

2043 eurotex – Multilingual macros for Plain TeXWeb page on CTAN <https://ctan.org/pkg/eurotex>

name	eurotex
caption	Multilingual macros for Plain TeX
author	Aavatsmark, Ivar
license	noinfo = noinfo
version	1.1
description	(no language specified) A package for using the (now obsolete) DC fonts to provide a version of Plain TeX that accepts ISO Latin 1 input, and provides hyphenation in Danish, English, Finnish, French, German, Icelandic, Italian, Norwegian, Polish and Swedish (it could be extended, but it would also need adapting for the EC fonts, or similar, now).
documentation	(Nynorsk) <i>Readme</i> : https://ctan.org/tex-archive/language/multilingual/eurotex/LESMEG
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/language/multilingual/eurotex/doc/deutsch-plain-dc.ps
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/language/multilingual/eurotex/doc/eng-plain-dc.ps
documentation	(Nynorsk) <i>Package documentation</i> : https://ctan.org/tex-archive/language/multilingual/eurotex/doc/nor-plain-dc.ps
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/multilingual/eurotex/README
documentation	(German) <i>Readme</i> : https://ctan.org/tex-archive/language/multilingual/eurotex/LIESMICH
on CTAN	https://ctan.org/tex-archive/language/multilingual/eurotex
keyword	font-suppl (metrics, macro incantations and other font support)
language(s)	German; Nynorsk
year	without year
last access	2025-02-07

2044 euxunicode – Generate Unicode characters from accented glyphs

Web page on CTAN <https://ctan.org/pkg/euxunicode>

name	euxunicode
caption	Generate Unicode characters from accented glyphs
author	Robertson, Will
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1g
description	(no language specified) The package is a derivative (removing XeTeX-specific functions) of xunicode , for use with the EU2 encoding when running under LuaTeX. The package is distributed as part of the euenc distribution.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/euenc/euenc.pdf
– local file	<code>./2755227086-euenc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/euenc/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/euenc
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/euenc.tds.zip
keyword	font-supp (metrics, macro incantations and other font support)
keyword	unicode (Unicode, material supporting it, and packages requiring it)
language(s)	no language specified
year	without year
last access	2025-02-07

2045 evangelion-jfm – A Japanese font metric supporting many advanced features

Web page on CTAN <https://ctan.org/pkg/evangelion-jfm>

name	Evangelion-JFM
caption	A Japanese font metric supporting many advanced features
author	Huang, Jing
copyright	RadioNoiseE (Jing Huang) (2023-2024)
license	mit = MIT License (free)

version	1.0.5 (c) (2024-02-08)
last changes	2024-02-08
year	2024
description	(no language specified) This package provides a Japanese Font Metric supporting vertical and horizontal typesetting, ‘linegap punctuations’, ‘extended fonts’, and more interesting and helpful features using traditional (‘ <code>tc</code> ’) and simplified (‘ <code>sc</code> ’) Chinese or Japanese fonts under LuaTeX-jā. It also makes full use of the ‘priority’ feature, meeting the standards, and allows easy customisation.
documentation	<i>Package documentation (Chinese)</i> : https://ctan.org/tex-archive/macros/luatex/generic/evangelion-jfm/Eva-JFM_doc-sc.pdf
– local file	<code>./3542694301-Eva-JFM_doc-sc.pdf</code>
documentation	<i>Package documentation (Japanese)</i> : https://ctan.org/tex-archive/macros/luatex/generic/evangelion-jfm/Eva-JFM_doc-jp.pdf
– local file	<code>./8462543472-Eva-JFM_doc-jp.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/evangelion-jfm/README.md
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/luatex/generic/evangelion-jfm/Eva-JFM_doc-en.pdf
– local file	<code>./1912989580-Eva-JFM_doc-en.pdf</code>
contact	<i>bugs</i> : https://github.com/RadioNoiseE/Evangelion-JFM/issues
contact	<i>repository</i> : https://github.com/RadioNoiseE/Evangelion-JFM
contact	<i>development</i> : https://github.com/RadioNoiseE/Evangelion-JFM/pulls
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/evangelion-jfm
on MikTeX	<code>evangelion-jfm</code>
on T _E XLive	<code>evangelion-jfm</code>
keyword	japanese (support for typesetting Japanese)
keyword	luatex (LuaTeX and packages that require it)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	chinese (support for typesetting Chinese languages)
language(s)	Japanese; Chinese
last access	2025-02-09

2046 *evautofl* – Pages with cut lines and punch marks

Web page on CTAN <https://ctan.org/pkg/evautofl>

name	evautofl
caption	Pages with cut lines and punch marks
author	Vicentini, Emanuele
copyright	Emanuele Vicentini (2003, 2005)
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Evautofl provides an environment called autofilo, which is designed to support other packages. It prints output with cut-line frames and punch marks on each page, and pages are printed 2 (default) or 4 columns to the landscape page. The package is part of the calendar bundle, and is a development of the autofilo package in the bundle.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/calendar/contrib/evautofl/evautofl.pdf
– local file	./7024659014-evautofl.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/calendar/contrib/evautofl/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/calendar/contrib/evautofl
on MikTeX	evautofl
keyword	layout-page (page trim marks and decorations)
language(s)	no language specified
year	2005
last access	2025-02-07

2047 *evenpage* – Ensure that the total number of pages is even

Web page on CTAN <https://ctan.org/pkg/evenpage>

name	evenpage
caption	Ensure that the total number of pages is even
author	Bosisio, Francesco
copyright	F. Bosisio (1997-2010)

2048 *everyhook* – Hooks for standard TeX token lists

license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package ensures that the number of pages generated by LaTeX is even: if it is odd, an empty page is added at the end, with nothing on it (neither page number, headers nor footers). The package is distributed as part of the bosisio collection.
documentation	(no language specified) <i>Package documentation (PDF)</i> : https://ctan.org/tex-archive/macros/latex/contrib/bosisio/evenpage.pdf
– local file	./3213418452-evenpage.pdf
documentation	(no language specified) <i>Package documentation (HTML)</i> : https://ctan.org/tex-archive/macros/latex/contrib/bosisio/evenpage.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bosisio
on MikTeX	bosisio
on TeXLive	bosisio
keyword	blank-page (control of blank pages in a document)
language(s)	no language specified
year	2010
last access	2025-02-07

2048 *everyhook* – Hooks for standard TeX token lists

Web page on CTAN	https://ctan.org/pkg/everyhook
name	everyhook
caption	Hooks for standard TeX token lists
author	Checkoway, Stephen
copyright	Stephen Checkoway (2010, 2011, 2014)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2 (2014-11-26)
last changes	2014-11-26
year	2014

2049 *everypage* – Provide hooks to be run on every page of a document

description	(no language specified) The package takes control of the six TeX token registers <code>\everypar</code> , <code>\everymath</code> , <code>\everydisplay</code> , <code>\everyhbox</code> , <code>\everyvbox</code> and <code>\everycr</code> . Real hooks for each of the registers may be installed using a stack like interface. For backwards compatibility, each of the <code>\everyX</code> token lists can be set without interfering with the hooks.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/everyhook/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/everyhook/everyhook.pdf
– local file	<code>./7050372129-everyhook.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/everyhook
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/everyhook.tds.zip
on MikTeX	<code>everyhook</code>
on TeXLive	<code>everyhook</code>
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

2049 *everypage* – Provide hooks to be run on every page of a document

Web page on CTAN	https://ctan.org/pkg/everypage
name	<code>everypage</code>
caption	Provide hooks to be run on every page of a document
author	Callegari, Sergio
copyright	Sergio Callegari (2006,2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.0b
description	(no language specified) The package provides hooks to perform actions on every page, or on the current page. Specifically, actions are performed after the page is composed, but before it is shipped, so they can be used to prepare the output page in tasks like putting watermarks in the background, or in setting the next page layout, etc.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/everypage/README.md

2050 `everysel` – Provides hooks into `\selectfont`

contact	<i>bugs:</i> https://github.com/callegar/LaTeX-everypage/issues
contact	<i>repository:</i> https://github.com/callegar/LaTeX-everypage
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/everypage
on MikTeX	everypage
on TeXLive	everypage
keyword	defer-stuff (saving things for later use)
see also	see section 2051 on page 1853: (<code>everyshi</code> – Take action at every <code>\shipout</code>)
see also	see section 814 on page 747: (<code>bophook</code> – Provides an At-Begin-Page hook)
language(s)	no language specified
year	2020
last access	2025-02-07

2050 `everysel` – Provides hooks into `\selectfont`

Web page on CTAN <https://ctan.org/pkg/everysel>

name	<code>everysel</code>
caption	Provides hooks into <code>\selectfont</code>
author	Schröder, Martin
author	Peischl, Marei
copyright	Martin Schröder (1994-2001)
copyright	Marei Peischl (2020-2021)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.1
description	(no language specified) The package provided hooks whose arguments are executed just after LaTeX has loaded a new font by means of <code>\selectfont</code>. It has become obsolete with LaTeX versions 2021/01/05 or newer, since LaTeX now provides its own hooks to fulfill this task. For newer versions of LaTeX <code>everysel</code> only provides macros using LaTeX's hook management due to compatibility reasons. See lthooks-doc.pdf for instructions how to use <code>lthooks</code> instead of <code>everysel</code>.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/everysel/README.md

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/everyysel/everyysel.pdf
– local file	<code>./1724468346-everyysel.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/everyysel
on MikTeX	<code>everyysel</code>
on T _E XLive	<code>everyysel</code>
keyword	<code>obsolete</code> (package declared obsolete)
keyword	<code>defer-stuff</code> (saving things for later use)
language(s)	no language specified
year	2021
last access	2025-02-07

2051 *everyshi* – Take action at every `\shipout`

Web page on CTAN	https://ctan.org/pkg/everyshi
name	<code>everyshi</code>
caption	Take action at every <code>\shipout</code>
author	Schröder, Martin
author	Peischl, Marei
copyright	Marei Peischl (2020)
copyright	Martin Schröder (1994–2001)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	4.00 (2020-11-18)
last changes	2020-11-18
year	2020
description	(no language specified) This package provides hooks into <code>\sshipout</code> called <code>\EveryShipout</code> and <code>\AtNextShipout</code> analogous to <code>\AtBeginDocument</code>. With the introduction of the LaTeX hook management this package became obsolete in 2020 and is only provided for backwards compatibility. For current versions of LaTeX it is only mapping the hooks to the original <code>everyshi</code> macros. In case you use an older LaTeX format, <code>everyshi</code> will automatically fall back to its old implementation by loading <code>everyshi-2001-05-15</code>.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/everyshi/everyshi.pdf
– local file	<code>./8724736686-everyshi.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/everyshi/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/everyshi
on MikTeX	<code>everyshi</code>
on TeXLive	<code>everyshi</code>
keyword	<code>defer-stuff</code> (saving things for later use)
keyword	<code>obsolete</code> (package declared obsolete)
see also	see section 318 on page 291: (<code>atbegshi</code> – Execute stuff at <code>\shipout</code> time)
see also	see section 814 on page 747: (<code>bophook</code> – Provides an At-Begin-Page hook)
language(s)	no language specified
last access	2025-02-07

2052 *evweek* – Weekly calendar

Web page on CTAN	https://ctan.org/pkg/evweek
name	<code>evweek</code>
caption	Weekly calendar
author	Vicentini, Emanuele
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The <code>evweek</code> class is distributed as part of the calendar bundle, and is a development of the weekly class in the bundle. It provides extra options for font control, and offers a number of bug fixes over the original.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/calendar/contrib/evweek/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/calendar/contrib/evweek/evweek.pdf
– local file	<code>./7678058488-evweek.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/calendar/contrib/evweek
on MikTeX	<code>evweek</code>

keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>calendar</code> (typeset calendars, diaries, planning charts, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

2053 *exam* – Package for typesetting exam scripts

Web page on CTAN <https://ctan.org/pkg/exam>

name	<code>exam</code>
caption	Package for typesetting exam scripts
author	Hirschhorn, Philip S.
copyright	Philip S. Hirschhorn (1994,1997,2000,2004,2008,2011,2015,2017,2021,2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.704
description	(no language specified) Provides a class <code>exam.cls</code> , which eases production of exams, even by a LaTeX novice. Simple commands are provided to: • create questions, parts of questions, subparts of parts, and subsubparts of subparts, all with optional point values; • create a grading table, indexed either by question number (listing each question and the total possible points for that question) or by page number (listing each page with points and the total possible points for that page); • create headers and footers that are each specified in three parts: one part to be left justified, one part to be centered, and one part to be right justified, in the manner of <code>fancyhdr</code>.

Headers and/or footers can be different on the first page of the exam, can be different on the last page of the exam, and can vary depending on whether the page number is odd or even, or on whether the current page continues a question from a previous page, or on whether the last question on the current page continues onto the following page.

Multiple line headers and/or footers are allowed, and it's easy to increase the part of the page devoted to headers and/or footers to allow for this.

Note that the bundle `exams` also provides a file `exam.cls`; the two bundles therefore clash, and should not be installed on the same system.

documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/exam/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/exam/examdoc.pdf
– local file	<code>./7307145371-examdoc.pdf</code>
home page	http://www-math.mit.edu/~psh/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/exam
on MikTeX	exam
on TeXLive	exam
keyword	exam (exams, quizzes, etc.)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
year	2023
last access	2025-02-07

2054 *exam-lite* – Quicker preparation of exams in LaTeX

Web page on CTAN	https://ctan.org/pkg/exam-lite
name	exam-lite
caption	Quicker preparation of exams in LaTeX
author	Kukovec, Rok
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
version	(2023-02-06)
last changes	2023-02-06
year	2023
description	(no language specified) This template is devoted to the quicker preparation of exams in LaTeX. Its main features are: • Minimalistic design. • Include the custom logo of the affiliation. • Predefined commands for a subject, study year, study program, exam type, place of exam, date. • Many macros contained in this package speed up the process of preparing the necessary ingredients for the exam.

2055 `exam-n` – Exam class, focused on collaborative authoring

	• Automatic calculation of total points.
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/exam-lite/exam_lite.pdf
– local file	<code>./4080966933-exam_lite.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/exam-lite/README.md
contact	<i>repository</i> : https://github.com/firefly-cpp/exam-lite-latex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/exam-lite
on MikTeX	<code>exam-lite</code>
on TeXLive	<code>exam-lite</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>doc-templ</code> (template to guide document development)
keyword	<code>exam</code> (exams, quizzes, etc.)
language(s)	no language specified
last access	2025-02-07

2055 `exam-n` – Exam class, focused on collaborative authoring

Web page on CTAN <https://ctan.org/pkg/exam-n>

name	<code>exam-n</code>
caption	Exam class, focused on collaborative authoring
author	Gray, Norman
copyright	Norman Gray (2005-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.4.0
description	(no language specified) The class design offers: • Direct support for collaborative development of an exam, using a model in which a departmental ‘exams convener’ or ‘exam chair’ coordinates multiple authors writing individual questions (the class file and associated process is in regular use within a physics and astronomy department). • All of the ‘traditional’ exam paper features such as sectioning, per-part running marks, ‘Question <i>n</i> continued’ catchwords, and so on. • Readily configured local adaptation.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/exam-n/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/exam-n/exam-n.pdf
– local file	<code>./1111972576-exam-n.pdf</code>
home page	https://purl.org/nxg/dist/exam-n
contact	<i>repository</i> : https://heptapod.host/nxg/exam-n/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/exam-n
on MikTeX	<code>exam-n</code>
on T _E XLive	<code>exam-n</code>
keyword	<code>exam</code> (exams, quizzes, etc.)
language(s)	no language specified
year	2022
last access	2025-02-07

2056 *exam-randomizechoices* – Randomize mc choices using the exam class

Web page on CTAN <https://ctan.org/pkg/exam-randomizechoices>

name	<code>exam-randomizechoices</code>
caption	Randomize mc choices using the exam class
author	op den Brouw, Jesse
copyright	Jesse E. J. op den Brouw (2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2 (2021-07-31)
last changes	2021-07-31
year	2021
description	(no language specified) This package is an extension to the <code>exam</code> document class. It provides the user with four new multiple choice typesetting environments which place their content in a random order. It can (only) be used in combination with the <code>exam</code> class. It can only randomize the placement of choices in multiple choice questions. The questions themselves cannot be randomized with this package. Furthermore, the package provides a simple answer key table typesetter and has a command for writing the answer keys to an external file.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/exam-randomizechoices/exam-randomizechoices-doc.pdf
– local file	./8338168243-exam-randomizechoices-doc.pdf
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/exam-randomizechoices/exam-randomizechoices.pdf
– local file	./9075806585-exam-randomizechoices.pdf
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/exam-randomizechoices/README.md
contact	<i>support</i> : mailto:J.E.J.opdenBrouw@hhs.nl
contact	<i>repository</i> : https://github.com/jesseopdenbrouw/exam-randomizechoices
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/exam-randomizechoices
on MikTeX	exam-randomizechoices
on TeXLive	exam-randomizechoices
keyword	random (generate and/or use pseudo-random numbers)
keyword	exam (exams, quizzes, etc.)
see also	see section 2053 on page 1855: (exam – Package for typesetting exam scripts)
language(s)	no language specified
last access	2025-02-07

2057 exam-zh – LaTeX template for Chinese exams

Web page on CTAN	https://ctan.org/pkg/exam-zh
name	exam-zh
caption	LaTeX template for Chinese exams
author	Xia, Kangwei
author	Guo, Lijun
copyright	Zeping Lee, Kangwei Xia, Lijun Guo (2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2.1 (2024-02-15)

last changes	2024-02-15
year	2024
description	(no language specified) Although there are already several excellent exam packages or classes like exam and bhcxam, these do not fit the Chinese style very well, or they cannot be customized easily for Chinese exams of all types, like exams in primary school, junior high school, senior high school and even college. This is the main reason why this package was created. This package provides a class <code>exam-zh.cls</code> and several module packages like <code>exam-zh-question.sty</code> and <code>exam-zh-choices.sty</code>, where these module packages can be used individually. Using <code>exam-zh</code> you can • separate the format and the content very well; • use the <code>choices</code> environment to typeset choice items easily and automatically; • design the seal line easily; • and more (see manual).
documentation	(no language specified) <i>Example of use (2)</i>: https://ctan.org/tex-archive/macros/xetex/latex/exam-zh/examples/example-multiple.pdf
– local file	<code>./1721773580-example-multiple.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/xetex/latex/exam-zh/README.md
documentation	(no language specified) <i>Example of use (1)</i>: https://ctan.org/tex-archive/macros/xetex/latex/exam-zh/examples/example-single.pdf
– local file	<code>./1194587278-example-single.pdf</code>
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/xetex/latex/exam-zh/doc/exam-zh-doc.pdf
– local file	<code>./4005384262-exam-zh-doc.pdf</code>
home page	https://gitee.com/xkwxdyy/exam-zh
contact	<i>support</i> : https://gitee.com/xkwxdyy/exam-zh/issues
contact	<i>bugs</i> : https://gitee.com/xkwxdyy/exam-zh/issues
contact	<i>repository</i> : https://gitee.com/xkwxdyy/exam-zh/releases
contact	<i>development</i> : https://gitee.com/xkwxdyy/exam-zh/pulls
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/exam-zh

on MikTeX	exam-zh
on T _E XLive	exam-zh
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
keyword	exam (exams, quizzes, etc.)
keyword	expl3 (expl3(unknown))
keyword	chinese (support for typesetting Chinese languages)
language(s)	no language specified
last access	2025-02-09

2058 *exam209* – Process exam questions and answers (LaTeX 2.09)

Web page on CTAN <https://ctan.org/pkg/exam209>

name	exam209
caption	Process exam questions and answers (LaTeX 2.09)
author	Greenwade, George
license	noinfo = noinfo
version	(1989-07-21)
last changes	1989-07-21
year	1989
description	(no language specified) A document style option (for article style) that processes multiple-choice, true-false, essay and ‘fill-in-the-blank’ types of questions. The style file contains examples in comments.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/exam.sty
keyword	latex209 (package only known to work with LaTeX 2.09)
keyword	exam (exams, quizzes, etc.)
language(s)	no language specified
last access	2025-02-11

2059 examdesign – LaTeX class for typesetting exams

Web page on CTAN <https://ctan.org/pkg/examdesign>

name	Exam design
caption	LaTeX class for typesetting exams
author	Alexander, Jason
license	gpl = GNU General Public License (free)
version	1.101
description	(no language specified) This bundle provides a class examdesign. The class provides several features useful for designing tests or question sets: • it allows for explicit markup of questions and answers; • the class will, at the user's request, automatically generate answer keys; • multiple versions of the same test can be generated automatically, with the ordering of questions within each section randomly permuted so as to minimize cheating; • the generated answer keys can be constructed either with or without the questions included; • environments are provided to assist in constructing the most common types of test question: matching, true/false, multiple-choice, fill-in-the-blank, and short answer/essay questions.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/examdesign/examdesign.pdf
– local file	<code>./3256096824-examdesign.pdf</code>
documentation	(no language specified) <i>Package README</i>: https://ctan.org/tex-archive/macros/latex/contrib/examdesign/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/examdesign
on MikTeX	examdesign
on TeXLive	examdesign
keyword	class (alternative LaTeX class(es))
keyword	exam (exams, quizzes, etc.)
see also	see section 2062 on page 1864: (exams – Typeset exam questions)
see also	see section 2053 on page 1855: (exam – Package for typesetting exam scripts)
language(s)	no language specified

year without year
last access 2025-02-07

2060 **example** – Typeset examples for TeX courses

Web page on CTAN <https://ctan.org/pkg/example>

name example
caption Typeset examples for TeX courses
author Schrod, Joachim
copyright J.Schrod (1988, 1991)
license gpl = GNU General Public License (free)
version (1991-05-20)
last changes 1991-05-20
year 1991
description (no language specified) The package makes it easier to produce examples for TeX course. It provides an `example` environment, which typesets its contents on the left of the page, and prints it verbatim on the right.
on CTAN <https://ctan.org/tex-archive/macros/latex209/contrib/misc/example.sty>
on T_EXLive example
keyword `listing` (computer code listing)
see also see section 2061 on page 1863: (`examplep` – Verbatim phrases and listings in LaTeX)
language(s) no language specified
last access 2025-02-07

2061 **examplep** – Verbatim phrases and listings in LaTeX

Web page on CTAN <https://ctan.org/pkg/examplep>

name examplep
caption Verbatim phrases and listings in LaTeX
author Szabó, Péter
license gpl = GNU General Public License (free)
version 0.04

description	(no language specified) Examplep provides sophisticated features for typesetting verbatim source code listings, including the display of the source code and its compiled LaTeX or MetaPost output side-by-side, with automatic width detection and enabled page breaks (in the source), without the need for specifying the source twice. Special care is taken that section, page and footnote numbers do not interfere with the main document. For typesetting short verbatim phrases, a replacement for the <code>\verb</code> command is also provided in the package, which can be used inside tables and moving arguments such as footnotes and section titles. The listings package is used for syntax highlighting. The accompanying codep package and the wrfiles.pl Perl script provide a convenient interface to the examplep package for authors of manuals. With codep it is possible to generate the source code, the LaTeX or MetaPost output and the compilable example file from a single source embedded into the appropriate place of the .tex document file.
documentation	(no language specified) <i>Article from EuroTeX 2005 talk:</i> https://ctan.org/tex-archive/macros/latex/contrib/examplep/eurotex_2005_examplep.pdf
– local file	<code>./4062915599-eurotex_2005_examplep.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/examplep/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/examplep
on MikTeX	examplep
on T _E XLive	examplep
keyword	listing (computer code listing)
keyword	macro-demo (print (La)TeX code verbatim alongside the rendered result)
language(s)	no language specified
year	without year
last access	2025-02-07

2062 exams – Typeset exam questions

Web page on CTAN	https://ctan.org/pkg/exams
name	exams
caption	Typeset exam questions
author	van der Meer, Hans
copyright	Hans van der Meer (1993-1996)

2063 *examz* – Randomized exams with multiple versions

license	other-nonfree = License that prevents distribution (not free)
description	(no language specified) Provides a class <code>exam</code>, which allows questions to be multiple choice or free form long/short answer questions. Options include the typesetting of the exam itself, an exam showing all the answers and a collection of questions and answers; questions can be parameterized; use of a random generator provides for automatic shuffling of multiple choice items. The exam bundle also provides a class ‘<code>exam</code>’. That bundle is therefore incompatible with the present one, and the two should not be installed on the same system.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/exams/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/exams
keyword	exam (exams, quizzes, etc.)
keyword	class (alternative LaTeX class(es))
see also	see section 202 on page 187: (<code>answers</code> – Setting questions (or exercises) and answers)
language(s)	no language specified
year	1996
last access	2025-02-07

2063 *examz* – Randomized exams with multiple versions

Web page on CTAN <https://ctan.org/pkg/examz>

name	examz
caption	Randomized exams with multiple versions
author	McClain, Christopher
copyright	Christopher McClain (2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.0 (2023-06-07)
last changes	2023-06-07
year	2023

description	(no language specified) The 'examz' document class builds on the 'exam' document class that was developed by Philip S. Hirschhorn. An author may use the class exactly as the 'exam' class, but there are also additional features. The document class facilitates the writing of questions with random elements, the creation of multiple versions of an exam, and the use of separate files as question banks.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/examz/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/examz/examz.pdf
– local file	<code>./8819815513-examz.pdf</code>
contact	<i>repository</i> : https://github.com/roguewhistler/examz
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/examz
on MikTeX	examz
on T _E XLive	examz
keyword	exam (exams, quizzes, etc.)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-07

2064 *excalibur* – Macintosh spell checker

Web page on CTAN	https://ctan.org/pkg/excalibur
name	excalibur
caption	Macintosh spell checker
author	Zaccone, Rick
license	gpl = GNU General Public License (free)
version	4.0.6
description	(no language specified) A spelling checker for the Macintosh OS X, that is also LaTeX aware.
contact	<i>repository</i> : http://excalibur.sourceforge.net/
on CTAN	https://ctan.org/tex-archive/systems/mac/support/excalibur
keyword	spell (TeX-aware spelling checker)
language(s)	no language specified

year without year
last access 2025-02-07

2065 *excel2latex* – Convert Excel spreadsheets to LaTeX tables

Web page on CTAN <https://ctan.org/pkg/excel2latex>

name Excel2LaTeX
caption Convert Excel spreadsheets to LaTeX tables
author Müller, Kirill
author Marder, Joachim
author Pearson, George
author Hughes, Chelsea
author Kokan, Ivan
author Hawryluk, Andrew
copyright Chelsea Hughes, Kirill Müller, Andrew Hawryluk, Germán Riaño, and Joachim Marder (1996-2016)
license lpl1.3 = The LaTeX Project Public License 1.3 (free)
version 3.5.0
description (no language specified) Making tables in LaTeX can be tedious, especially if some columns are calculated. This converter allows you to write a table in Excel instead, and export the current selection as LaTeX markup which can be pasted into an existing LaTeX document, or exported to a file and included via the `\input` command.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/support/excel2latex/README.md>
contact *bugs*: <https://github.com/ivankokan/Excel2LaTeX/issues>
contact *repository*: <https://github.com/ivankokan/Excel2LaTeX>
on CTAN <https://ctan.org/tex-archive/support/excel2latex>
keyword foreign-import (import files in a non-TeX (or different TeX) format)
language(s) no language specified
year 2016
last access 2025-02-07

2066 *exceltex* – Get data from Excel files into LaTeX

Web page on CTAN <https://ctan.org/pkg/exceltex>

name *Exceltex*

caption Get data from Excel files into LaTeX

author Doerr, Hans-Peter

license gpl = GNU General Public License (free)

version 0.5.1

description (no language specified) *Exceltex* is a LaTeX package combined with a helper program written in Perl. It provides an easy to use yet powerfull and flexible way to get data from Spreadsheets into LaTeX.

In contrast to other solutions, *exceltex* does not seek to make the creation of tables in LaTeX easier, but to get data from Spreadsheets into LaTeX as easily as possible.

The Excel (TM) file format only acts as an interface between the spreadsheet application and *exceltex* because it is easily accessible (via the `Spreadsheet::ParseExcel` Perl module) and because most spreadsheet applications are able to read and write Excel files.

documentation (no language specified) *Un*x-style man-page*: <https://ctan.org/tex-archive/macros/latex/contrib/exceltex/manpage.pdf>

– local file `./8974040240-manpage.pdf`

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/exceltex/README>

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/exceltex>

on MikTeX *exceltex*

on TeXLive *exceltex*

keyword `foreign-import` (import files in a non-TeX (or different TeX) format)

language(s) no language specified

year without year

last access 2025-02-07

2067 *excludonly* – Prevent files being \include-ed

Web page on CTAN <https://ctan.org/pkg/excludonly>

name	excludonly
caption	Prevent files being \include-ed
author	Arseneau, Donald
author	Luecking, Daniel H.
license	pd = Public Domain Software (free)
version	1.0
description	(no language specified) The package defines an <code>\excludonly</code> command, which is (in effect) the opposite of <code>\includonly</code>. If both <code>\includonly</code> and <code>\excludonly</code> exist in a document, only files "allowed" by both will be included. The package redefines the internal <code>\@include</code> command, so it conflicts with packages that do the same. Examples are the classes paper.cls and thesis.cls.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/excludonly/excludonly.pdf
– local file	<code>./4009719056-excludonly.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/excludonly
on MikTeX	excludonly
on T _E XLive	excludonly
keyword	compilation (the document compilation process)
language(s)	no language specified
year	without year
last access	2025-02-07

2068 exercise – Typeset exercises, problems, etc. and their answersWeb page on CTAN <https://ctan.org/pkg/exercise>

name	exercise
caption	Typeset exercises, problems, etc. and their answers
author	Pichaureau, Paul
license	gpl2 = GNU General Public License, version 2 (free)
version	1.6 (2014-10-20)
last changes	2014-10-20
year	2014
description	(no language specified) The package helps to typeset exercises or list of exercises within any document. Exercises, questions and sub-questions are automatically numbered. It is possible to put answers in the same document, and display them immediatly, later in the document or not to print answers at all. The layout of exercises is fully customisable. It is possible to typeset long problems, short exercises, questionnaires, etc. Usage of the babel package is detected, but not fully supported yet (only English and French are implemented).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/exercise/exercise.pdf
– local file	./3759461931-exercise.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/exercise/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/exercise
on MikTeX	exercise
on T _E XLive	exercise
keyword	exercise (exercises, problems for solution, etc.)
language(s)	no language specified
last access	2025-02-07

2069 *exercisebank* – Creating and managing exercises, and reusing them as composed sets

Web page on CTAN <https://ctan.org/pkg/exercisebank>

name	exercisebank
caption	Creating and managing exercises, and reusing them as composed sets
author	Storvik Strauman, Andreas
copyright	Andreas Storvik Strauman (2018)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3.0 (2019-03-18)
last changes	2019-03-18
year	2019
description	(no language specified) This package makes it easier to maintain and edit your exercise sets. Exercises are saved as separate files containing part problems. These files can be used to make sets, and you can cherry-pick or exclude certain part problems as you see fit.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/exercisebank/exercisebank-doc.pdf
– local file	<code>./8727301969-exercisebank-doc.pdf</code>
documentation	(no language specified) <i>Package example:</i> https://ctan.org/tex-archive/macros/latex/contrib/exercisebank/example.zip
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/exercisebank/README.txt
contact	<i>bugs:</i> https://github.com/Strauman/exercisebank/issues
contact	<i>repository:</i> https://github.com/Strauman/exercisebank
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/exercisebank
on MikTeX	exercisebank
on T _E XLive	exercisebank
keyword	exercise (exercises, problems for solution, etc.)
keyword	exam (exams, quizzes, etc.)
keyword	doc-templ (template to guide document development)
language(s)	no language specified

last access 2025-02-07

2070 *exercisepoints* – A LaTeX package to count exercises and points

Web page on CTAN <https://ctan.org/pkg/exercisepoints>

name	exercisepoints
caption	A LaTeX package to count exercises and points
author	Kerstan, Henning
copyright	Henning Kerstan (2017-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2.3 (2019-01-03)
last changes	2019-01-03
year	2019
description	(no language specified) The package can be used to facilitate exercise counting and exercise point counting in a LaTeX-document. It counts the number of exercises and it sums all the points of the exercises in a document. Especially for exams it is also common to have an overview of all exercises and their maximal points. This is also supported by this package by providing a macro to retrieve the points of each exercise.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/exercisepoints/exercisepoints.pdf
– local file	./2520166909-exercisepoints.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/exercisepoints/README.md
home page	https://github.com/henningkerstan/exercisepoints
contact	<i>bugs:</i> https://github.com/henningkerstan/exercisepoints/issues
contact	<i>repository:</i> https://github.com/henningkerstan/exercisepoints
contact	<i>development:</i> https://github.com/henningkerstan/exercisepoints
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/exercisepoints
on MikTeX	exercisepoints
on T _E XLive	exercisepoints

keyword exercise (exercises, problems for solution, etc.)
 language(s) no language specified
 last access 2025-02-07

2071 **exercises** – Typeset exercises and solutions with automatic addition of points

Web page on CTAN <https://ctan.org/pkg/exercises>
 name exercises
 caption Typeset exercises and solutions with automatic addition of points
 author Jud, Roger
 copyright Roger Jud (2015-2020)
 license lpl1.2 = The LaTeX Project Public License 1.2 (free)
 version 1.1 (2020-05-17)
 last changes 2020-05-17
 year 2020
 description (no language specified) This package defines the environments `exercise` and `solution`. The layout of these environments can be customized. The — optional — points in the exercises can be added automatically. The package also permits to hide the solutions.
 documentation (no language specified) *Package documentation (partly in German):*
<https://ctan.org/tex-archive/macros/latex/contrib/exercises/exercises.pdf>
 – local file ./8879345734-exercises.pdf
 documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/macros/latex/contrib/exercises/README.md>
 on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/exercises>
 on MikTeX exercises
 on T_EXLive exercises
 keyword exercise (exercises, problems for solution, etc.)
 language(s) no language specified
 last access 2025-02-07

2072 **exercisheets** – Typeset exercise sheets for university courses and school classes

Web page on CTAN <https://ctan.org/pkg/exercisheets>

name	exercisheets
caption	Typeset exercise sheets for university courses and school classes
author	Fuhlbrück, Frank
copyright	Sebastian Kuhnert, Frank Fuhlbrück (2008-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.17 (2024-04-23)
last changes	2024-04-23
year	2024
description	(no language specified) This LaTeX package provides a way to typeset exercise sheets as used in university courses and school classes. It has evolved from a set of macros and environments that were finally combined into this package. Since version 0.11 it has a regular and a beamer mode (selected depending on the documentclass used). From version 0.16 on there is an embedded mode that allows using exercises in lecture notes etc. without requiring page breaks. Since the package includes a loading mechanism for exercises from external files, the same exercises can be reused in different contexts.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/exercisheets/exercisheets-doc.pdf
– local file	./3773689283-exercisheets-doc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/exercisheets/README
contact	<i>bugs:</i> https://gitlab.com/texedutools/exercisheets/-/issues
contact	<i>repository:</i> https://gitlab.com/texedutools/exercisheets
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/exercisheets
on MikTeX	exercisheets
on T _E XLive	exercisheets
keyword	expl3 (expl3(unknown))
keyword	use-luatex (package will use LuaTeX facilities if available)
keyword	exercise (exercises, problems for solution, etc.)

keyword	exam (exams, quizzes, etc.)
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2025-02-07

2073 *exerquiz* – Environments for defining exercises and quizzes

Web page on CTAN <https://ctan.org/pkg/exerquiz>

name	exerquiz
caption	Environments for defining exercises and quizzes
author	Story, Donald P.
copyright	D. P. Story (1999-2021)
license	lpl1 = The LaTeX Project Public License 1 (free)
version	8.8.5 (2021-10-03)
last changes	2021-10-03
year	2021
description	(no language specified) This package defines three new environments for defining exercises and quizzes as PDF files. The solutions to the exercises are hyperlinked to the questions. The quizzes are graded and may optionally be corrected by JavaScript. The package is part of the AcroTeX bundle.
documentation	(no language specified) <i>AcroTeX packages manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/acrotex/doc/aeb_man.pdf
– local file	./8591281529-aeb_man.pdf
documentation	(no language specified) <i>Bundle Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/acrotex/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/acrotex
on MikTeX	acrotex
keyword	exercise (exercises, problems for solution, etc.)
keyword	exam (exams, quizzes, etc.)
see also	see section 1962 on page 1770: (eq-pin2corr – Add PIN security to the “Correct” button of a quiz created by exerquiz)
see also	see section 1963 on page 1771: (eq-save – Save exerquiz quizzes and resume)

language(s) no language specified
last access 2025-02-07

2074 *exesheet* – Typesetting exercise or exam sheets

Web page on CTAN <https://ctan.org/pkg/exesheet>

name *exesheet*
caption Typesetting exercise or exam sheets
author Missier, Antoine
copyright Antoine Missier (2020-2025)
license lpl1.3 = The LaTeX Project Public License 1.3 (free)
version 2.9 (2025-05-04)
last changes 2025-05-04
year 2025
description (no language specified) The *exesheet* package is designed for typesetting exercise or exam sheets. The primary advantage of *exesheet* is its ability to display a detailed scoring guide and correction instructions as needed. This feature is especially beneficial for grading papers with multiple graders.

The *exesheet* package provides:

- macros for organizing exercises and subparts,
- specific settings for enumeration lists,
- environments for questions and answers, which can be displayed or hidden,
- macros for detailed comments and grading instructions in the margins which can be displayed or hidden.

Additionally, the *exesheet* class loads the *school docs* package which manages the page layout, the main title, headers and footers.

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/exesheet/exesheet.pdf>

– local file ./4719667298-exesheet.pdf

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/exesheet/README.md>

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/exesheet>

2075 *exframe* – Framework for exercise problems

on MikTeX	exesheet
on T _E XLive	exesheet
keyword	exam (exams, quizzes, etc.)
keyword	exercise (exercises, problems for solution, etc.)
keyword	teaching (support for teachers and teaching administrators)
keyword	class (alternative LaTeX class(es))
see also	see section 5324 on page 4821: (<code>schooldocs</code> – Various layout styles for school documents)
language(s)	no language specified
last access	2025-05-08

2075 **exframe** – Framework for exercise problems

Web page on CTAN <https://ctan.org/pkg/exframe>

name	exframe
caption	Framework for exercise problems
author	Beisert, Niklas
copyright	Niklas Beisert (2011-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.5 (2024-10-18)
last changes	2024-10-18
year	2024
description	(no language specified) This LaTeX2e package provides a general purpose framework to describe and typeset exercises and exam questions along with their solutions. The package features mechanisms to hide or postpone solutions, to assign and handle points, to collect problems on exercise sheets, to store and use metadata, and to implement a consistent numbering. It also provides a very flexible interface for configuring and customising the formatting, layout, and representation of the exercise content.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/exframe/exframe.pdf
– local file	<code>./1994046269-exframe.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/exframe/README.txt

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/exframe
on MikTeX	exframe
on TeXLive	exframe
keyword	exam (exams, quizzes, etc.)
keyword	exercise (exercises, problems for solution, etc.)
language(s)	no language specified
last access	2025-02-07

2076 `exp-testopt` – Expandable `\@testopt` (and related) macros

Web page on CTAN	https://ctan.org/pkg/exp-testopt
name	<code>exp-testopt</code>
caption	Expandable <code>\@testopt</code> (and related) macros
author	Ebermann, Paul
copyright	Paul Ebermann (2008)
license	lppl = The LaTeX Project Public License (free)
version	0.3
description	(no language specified) The package provides an expandable variant of the LaTeX kernel command <code>\@testopt</code> , named <code>\@expandable@testopt</code> , and a more general <code>\@expandable@ifopt</code> , both intended for package writers. Also we have a variant of <code>\newcommand</code> which uses these macros to check for optional arguments.
documentation	<i>Package documentation (Esperanto)</i> : https://ctan.org/tex-archive/macros/latex/contrib/exp-testopt/exp-testopt.pdf
– local file	<code>./6564486863-exp-testopt.pdf</code>
documentation	<i>Readme (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/exp-testopt/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/exp-testopt
on MikTeX	<code>exp-testopt</code>
on TeXLive	<code>exp-testopt</code>
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	English; Esperanto

year 2008
last access 2025-02-07

2077 **expdlist** – **Expanded description environments**

Web page on CTAN <https://ctan.org/pkg/expdlist>

name	expdlist
caption	Expanded description environments
author	Kaspar, Wolfgang
author	Hülse, Rainer
license	lppl = The LaTeX Project Public License (free)
version	2.4
description	(no language specified) The package provides additional features for the LaTeX <code>description</code> environment, including adjustable left margin. The package also allows the user to ‘break’ a list (for example, to interpose a comment) without affecting the structure of the list (this works for <code>itemize</code> and <code>eumerate</code> lists and numbered lists remain in sequence).
documentation	<i>Package documentation (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/expdlist/expdlist.pdf
– local file	<code>./3459925120-expdlist.pdf</code>
documentation	<i>Package documentation (German):</i> https://ctan.org/tex-archive/macros/latex/contrib/expdlist/expdlisg.pdf
– local file	<code>./9244918803-expdlisg.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/expdlist
on MikTeX	expdlist
on T _E XLive	expdlist
keyword	list-descr (list: items described)
language(s)	German; English
year	without year
last access	2025-02-07

2078 `expex` – Linguistic examples and glosses, with reference capabilities

Web page on CTAN <https://ctan.org/pkg/expex>

name	<code>expex</code>
caption	Linguistic examples and glosses, with reference capabilities
author	Frampton, John
copyright	John Frampton (2006-2017)
license	lppl = The LaTeX Project Public License (free)
version	5.1b
description	(no language specified) The package provides macros for typesetting linguistic examples and glosses, with a refined mechanism for referencing examples and parts of examples. The package can be used with LaTeX using the <code>.sty</code> wrapper or with PlainTex.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/generic/expex/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/generic/expex/expex-doc.pdf
– local file	<code>./9969192712-expex-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/generic/expex
on MikTeX	<code>expex</code>
on T _E XLive	<code>expex</code>
keyword	<code>linguistic</code> (support for linguistics)
language(s)	no language specified
year	2017
last access	2025-02-07

2079 *expex-acro* – Wrapper for the *expex* package

Web page on CTAN <https://ctan.org/pkg/expex-acro>

name	expex-acro
caption	Wrapper for the expex package
author	Matter, Florian
copyright	Florian Matter (2022)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.0.3 (2023-08-23)
last changes	2023-08-23
year	2023
description	(no language specified) This is a small wrapper for the expex package, adding ways to define, use, and summarize glossing abbreviations. It also provides commands to refer to examples, as well as some inline formatting commands commonly used in linguistics.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/expex-acro/expex-acro.pdf
– local file	./8752445579-expex-acro.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/expex-acro/README.md
contact	<i>bugs</i> : https://github.com/fmatter/expex-acro/issues
contact	<i>repository</i> : https://github.com/fmatter/expex-acro/
on CTAN	https://ctan.org/tex-archive/macros/generic/expex-acro
on MikTeX	expex-acro
on T _E XLive	expex-acro
keyword	glossary (glossary and nomenclature support)
keyword	linguistic (support for linguistics)
keyword	macro-gen (macros that are independent of the (TeX) format in use)
language(s)	no language specified
last access	2025-02-07

2080 **expex-glossonly** – Help **gb4e**, **linguex**, and **covington** users use the **ExPex** glossing macros

Web page on CTAN <https://ctan.org/pkg/expex-glossonly>

name	expex-glossonly
caption	Help <i>gb4e</i> , <i>linguex</i> , and <i>covington</i> users use the <i>ExPex</i> glossing macros
author	Munn, Alan
copyright	Alan Munn (2016-2024)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.9b (2024-02-14)
last changes	2024-02-14
year	2024
description	(no language specified) The ExPex package by John Frampton provides very fine-grained control over glossing and example formatting, including unlimited gloss lines and various ways of formatting multiline glosses. By contrast the <i>cgloss4e</i> glossing macros provided with <i>gb4e</i> , <i>linguex</i> , and <i>covington</i> , although very capable at basic glossing, lack the degree of customization that is sometimes needed for more complex glossing. On the other hand, for those users who have heavily invested in using either <i>gb4e</i> or <i>linguex</i> , or <i>covington</i> , shifting to ExPex can be quite daunting and burdensome, especially since the basic syntax of the examples is quite different. This package is an attempt to have the best of both worlds: it allows <i>gb4e</i> , <i>linguex</i> and <i>covington</i> users to keep using those packages for basic example numbering and formatting, but also allows them to use the glossing macros that ExPex provides.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/expex-glossonly/expex-glossonly.pdf
– local file	./1624737634-expex-glossonly.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/expex-glossonly/README.md
contact	<i>bugs</i> : https://github.com/amunn/expex-glossonly/issues
contact	<i>repository</i> : https://github.com/amunn/expex-glossonly
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/expex-glossonly
on MikTeX	expex-glossonly
on T _E XLive	expex-glossonly

2081 *expkv* – An expandable key=val implementation

keyword linguistic (support for linguistics)
language(s) no language specified
last access 2025-02-07

2081 *expkv* – An expandable key=val implementation

Web page on CTAN <https://ctan.org/pkg/expkv>

name *expkv*

caption An expandable key=val implementation

author Spratte, Jonathan P.

license lpl1.3c = The LaTeX Project Public License 1.3c (free)

description (no language specified) As of January 2023, this package has been merged into the [expkv-bundle](#) .

documentation (no language specified) *Bundle readme*: <https://ctan.org/tex-archive/macros/generic/expkv-bundle/README.md>

documentation (no language specified) *Bundle documentation*: <https://ctan.org/tex-archive/macros/generic/expkv-bundle/expkv-bundle.pdf>

– local file ./3197102869-expkv-bundle.pdf

on CTAN <https://ctan.org/tex-archive/macros/generic/expkv-bundle>

installation <https://ctan.org/tex-archive/install/macros/generic/expkv-bundle.tds.zip>

on MikTeX *expkv-bundle*

on T_EXLive *expkv-bundle*

keyword *keyval* (key-value argument systems)

language(s) no language specified

year without year

last access 2025-02-07

2082 *expkv-bundle* – An expandable key=val implementation and friends

Web page on CTAN <https://ctan.org/pkg/expkv-bundle>

name	expkv-bundle
caption	An expandable key=val implementation and friends
author	Spratte, Jonathan P.
copyright	Jonathan P. Spratte (2020-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2024-12-26)
last changes	2024-12-26
year	2024
description	(no language specified) This is a collection of different packages that provide key=value functionality in plainTeX, LaTeX, and ConTeXt. At the core, the <code>expkv</code> package implements two expandable key=value parsers that are somewhat fast and robust against common bugs in many key=value implementations (no accidental brace stripping, no fragility for active commas or equals signs). <code>expkv-cs</code> enables users to define expandable key=value macros in a comfortable and straightforward way. <code>expkv-def</code> provides an interface to define common key types for <code>expkv</code> similar to the key defining interfaces of widespread key=value implementations. <code>expkv-opt</code> allows to parse package or class options in LaTeX via <code>expkv</code>. <code>expkv-pop</code> is a utility package to define prefix oriented parsers that allow a somewhat natural formulation (it provides the core functionality for the key-defining front ends of both <code>expkv-cs</code> and <code>expkv-def</code>).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/expkv-bundle/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/expkv-bundle/expkv-bundle.pdf
– local file	<code>./3197102869-expkv-bundle.pdf</code>
contact	<i>repository</i> : https://gitlab.com/islandoftex/texmf/expkv-bundle
on CTAN	https://ctan.org/tex-archive/macros/generic/expkv-bundle
installation	https://ctan.org/tex-archive/install/macros/generic/expkv-bundle.tds.zip

2083 `expkv-cs` – Define expandable `key=val` macros using `expkv`

on MikTeX	<code>expkv-bundle</code>
on T _E XLive	<code>expkv-bundle</code>
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
keyword	<code>keyval</code> (key-value argument systems)
keyword	<code>macro-gen</code> (macros that are independent of the (TeX) format in use)
language(s)	no language specified
last access	2025-02-07

2083 `expkv-cs` – Define expandable `key=val` macros using `expkv`

Web page on CTAN <https://ctan.org/pkg/expkv-cs>

name	<code>expkv-cs</code>
caption	Define expandable <code>key=val</code> macros using <code>expkv</code>
author	Spratte, Jonathan P.
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
description	(no language specified) As of January 2023, this package has been merged into the expkv-bundle .
documentation	(no language specified) <i>Bundle documentation</i> : https://ctan.org/tex-archive/macros/generic/expkv-bundle/expkv-bundle.pdf
– local file	<code>./3197102869-expkv-bundle.pdf</code>
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/generic/expkv-bundle/README.md
on CTAN	https://ctan.org/tex-archive/macros/generic/expkv-bundle
installation	https://ctan.org/tex-archive/install/macros/generic/expkv-bundle.tds.zip
on MikTeX	<code>expkv-bundle</code>
on T _E XLive	<code>expkv-bundle</code>
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
keyword	<code>macro-gen</code> (macros that are independent of the (TeX) format in use)
keyword	<code>keyval</code> (key-value argument systems)
language(s)	no language specified
year	without year
last access	2025-02-07

2084 *expkv-def* – A key-defining frontend for *expkv*Web page on CTAN <https://ctan.org/pkg/expkv-def>

name	<code>expkv-def</code>
caption	A key-defining frontend for <i>expkv</i>
author	Spratte, Jonathan P.
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
description	(no language specified) As of January 2023, this package has been merged into the expkv-bundle .
documentation	(no language specified) <i>Bundle documentation</i> : https://ctan.org/tex-archive/macros/generic/expkv-bundle/expkv-bundle.pdf
– local file	<code>./3197102869-expkv-bundle.pdf</code>
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/generic/expkv-bundle/README.md
on CTAN	https://ctan.org/tex-archive/macros/generic/expkv-bundle
installation	https://ctan.org/tex-archive/install/macros/generic/expkv-bundle.tds.zip
on MikTeX	<code>expkv-bundle</code>
on T _E XLive	<code>expkv-bundle</code>
keyword	<code>keyval</code> (key-value argument systems)
language(s)	no language specified
year	without year
last access	2025-02-07

2085 *expkv-opt* – Parse class and package options with *expkv*Web page on CTAN <https://ctan.org/pkg/expkv-opt>

name	<code>expkv-opt</code>
caption	Parse class and package options with <i>expkv</i>
author	Spratte, Jonathan P.
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
description	(no language specified) As of January 2023, this package has been merged into the expkv-bundle .

documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/generic/expkv-bundle/README.md
documentation	(no language specified) <i>Bundle documentation</i> : https://ctan.org/tex-archive/macros/generic/expkv-bundle/expkv-bundle.pdf
– local file	<code>./3197102869-expkv-bundle.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/generic/expkv-bundle
installation	https://ctan.org/tex-archive/install/macros/generic/expkv-bundle.tds.zip
on MikTeX	expkv-bundle
on TeXLive	expkv-bundle
keyword	keyval (key-value argument systems)
language(s)	no language specified
year	without year
last access	2025-02-07

2086 *expl3* – Wrapper package for experimental LaTeX3

Web page on CTAN <https://ctan.org/pkg/expl3>

name	expl3
caption	Wrapper package for experimental LaTeX3
author	The LaTeX Project Team
copyright	The LaTeX3 Project (1990-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2024-12-09)
last changes	2024-12-09
year	2024
description	(no language specified) The package serves as a wrapper for other packages that make up the LaTeX3 kernel distribution . The package is distributed as part of the LaTeX3 kernel distribution .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/required/l3kernel/expl3.pdf
– local file	<code>./2655976003-expl3.pdf</code>
documentation	(no language specified) <i>Distribution readme</i> : https://ctan.org/tex-archive/macros/latex/required/l3kernel/README.md

home page	https://www.latex-project.org
contact	<i>bugs</i> : https://github.com/latex3/latex3/issues
contact	<i>repository</i> : https://github.com/latex3/latex3
on CTAN	https://ctan.org/tex-archive/macros/latex/required/l3kernel
installation	https://ctan.org/tex-archive/install/macros/latex/required/l3kernel.tds.zip
on MikTeX	<code>l3kernel</code>
on TeXLive	<code>l3kernel</code>
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
keyword	<code>latex3</code> (work done for the project to upgrade LaTeX)
language(s)	no language specified
last access	2025-02-12

2087 *expltools* – Development tools for *expl3* programmers

Web page on CTAN	https://ctan.org/pkg/expltools
name	<code>expltools</code>
caption	Development tools for <i>expl3</i> programmers
author	Starý Novotný, Vít
copyright	Vít Starý Novotný (2024-2026)
license	gpl2+ = GNU General Public License, version 2 or newer (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2026-04-13)
last changes	2026-04-13
year	2026
description	(no language specified) This bundle introduces <code>explcheck</code> , a static analysis tool for developers working with <i>expl3</i> code. Currently in its initial release, <code>explcheck</code> aims to help developers identify potential issues and improve code quality. In the future, this bundle may expand to include additional development tools for <i>expl3</i> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/expltools/README.md

documentation	(no language specified) <i>List of warnings and errors:</i> https://ctan.org/tex-archive/support/expltools/doc/warnings-and-errors.pdf
– local file	./8488179248-warnings-and-errors.pdf
documentation	(no language specified) <i>Project proposal:</i> https://ctan.org/tex-archive/support/expltools/doc/project-proposal.pdf
– local file	./3944976220-project-proposal.pdf
contact	<i>support:</i> https://github.com/witiko/expltools/discussions
contact	<i>announce:</i> https://github.com/witiko/expltools/releases
contact	<i>bugs:</i> https://github.com/witiko/expltools/issues
contact	<i>repository:</i> https://github.com/witiko/expltools
on CTAN	https://ctan.org/tex-archive/support/expltools
on MikTeX	expltools
on T _E XLive	expltools
keyword	debug-supp (support for package or document debugging)
language(s)	no language specified
last access	2026-04-19

2088 *export* – Import and export values of LaTeX registers

Web page on CTAN	https://ctan.org/pkg/export
name	export
caption	Import and export values of LaTeX registers
author	Drucbert, Jean-Pierre
copyright	Jean-Pierre F. Drucbert (1996-2001)
license	lppl = The LaTeX Project Public License (free)
version	1.8
description	(no language specified) The package allows the user to export/import the values of LaTeX registers (counters, rigid and rubber lengths only). It is <i>not</i> for faint-hearted users. The package may be used, for example, to communicate between documents for the purposes of dvipaste .
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/export/00readme

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/export/export.pdf
– local file	<code>./4603511893-export.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/export
on MikTeX	export
on T _E XLive	export
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	2001
last access	2025-02-07

2089 *expose-expl3-dunkerque-2019 – Using expl3 to implement some numerical algorithms*

Web page on CTAN	https://ctan.org/pkg/expose-expl3-dunkerque-2019
name	expose-expl3-dunkerque-2019
caption	Using expl3 to implement some numerical algorithms
author	Henel, Yvon
copyright	Yvon Henel (Le TeXnicien de surface) (2019-2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2 (2020-03-21)
last changes	2020-03-21
year	2020
description	(no language specified) An article, in French, based on a presentation made in Dunkerque for the "stage LaTeX" on 12 June 2019. The articles gives three examples of code in expl3 with (lots of) comments: • Knuth's algorithm to create a list of primes, • the sieve of Eratosthenes, • Kaprekar sequences. The package contains the code itself, the documentation as a PDF file, and all the files needed to produce it.
documentation	(French) <i>The document itself</i> : https://ctan.org/tex-archive/info/expose-expl3-dunkerque-2019/dun19expl3.pdf

2090 *expressg* – Diagrams consisting of boxes, lines, and annotations

– local file	<code>./3578114067-dun19expl3.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/expose-expl3-dunkerque-2019/README.md
on CTAN	https://ctan.org/tex-archive/info/expose-expl3-dunkerque-2019
on MikTeX	<code>expose-expl3-dunkerque-2019</code>
on T _E XLive	<code>expose-expl3-dunkerque-2019</code>
keyword	<code>french-doc</code> (documentation in French)
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
language(s)	French
last access	2025-02-07

2090 *expressg* – Diagrams consisting of boxes, lines, and annotations

Web page on CTAN	https://ctan.org/pkg/expressg
name	<code>expressg</code>
caption	Diagrams consisting of boxes, lines, and annotations
author	Wilson, Peter R.
copyright	Peter R. Wilson (2001-2004)
license	lppl = The LaTeX Project Public License (free)
version	1.5
description	(no language specified) A MetaPost package providing facilities to assist in drawing diagrams that consist of boxes, lines, and annotations. Particular support is provided for creating EXPRESS-G diagrams, for example IDEF1X, OMT, Shlaer-Mellor, and NIAM diagrams. The package may also be used to create UML and most other Box-Line-Annotation charts, but not Gantt charts directly.
documentation	(no language specified) <i>Examples of use</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/expressg/aamfigs.pdf
– local file	<code>./6048699483-aamfigs.pdf</code>
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/expressg/README

2091 *exscale* – Implements scaling of the 'cmex' fonts

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/expressg/expressg.pdf
– local file	./2573250061-expressg.pdf
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/expressg
on MikTeX	expressg
on TeXLive	expressg
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
keyword	diagram (diagrams)
see also	see section 3922 on page 3547: (metauml – MetaPost library for typesetting UML diagrams)
language(s)	no language specified
year	2004
last access	2025-02-07

2091 *exscale* – Implements scaling of the 'cmex' fonts

Web page on CTAN	https://ctan.org/pkg/exscale
name	exscale
caption	Implements scaling of the 'cmex' fonts
author	Schöpf, Rainer
author	The LaTeX Project Team
author	Mittelbach, Frank
copyright	The LaTeX3 Project et al. (1993-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.1i (2025-06-05)
last changes	2025-06-05
year	2025

description	(no language specified) This package implements scaling of the math extension font <code>cmex</code> . If this package is used the site needs scaled versions of the font <code>cmex10</code> in the sizes 10.95pt, 12pt, 14.4pt, 17.28pt, 20.74pt, and 24.88pt (corresponding to standard magsteps using <code>\magstephalf</code> , and <code>\magstep1</code> through <code>\magstep5</code>). Additionally <code>cmex</code> variants for the sizes 7pt to 9pt are necessary. These fonts are part of the AMS font package . This package is part of Standard LaTeX .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/base/exscale.pdf
– local file	<code>./8794954625-exscale.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/base
on MikTeX	<code>ltxbase</code>
on TeXLive	<code>latex</code>
keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>tagged-pdf-incompatible</code> (tagged PDF incompatible)
see also	see section 5297 on page 4798 : (<code>sauterfonts</code> – Use Sauter’s fonts in LaTeX)
language(s)	no language specified
last access	2026-04-10

2092 *exsheets* – Create exercise sheets and exams

Web page on CTAN	https://ctan.org/pkg/exsheets
name	<code>exsheets</code>
caption	Create exercise sheets and exams
author	Niederberger, Clemens
copyright	Clemens Niederberger (2011-2019)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.21k (2019-09-30)
last changes	2019-09-30
year	2019

description	(no language specified) The package provides the means to create exercises or questions and their corresponding solutions. The questions may be divided into classes and/or topics and may be printed selectively. Meta-data to questions can be added and recovered. The solutions may be printed where they are, or collected and printed at a later point in the document all together, section-wise or selectively by ID. The package provides the means to selectively include questions from an external file, and to control the style of headings of both questions and solutions. As of May 2017, this package has been superseded by its official successor xsim. <code>exsheets</code> itself is now considered obsolete, but will stay alive, and will continue to receive bugfix releases. However, new features will not be added any more.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/exsheets/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/exsheets/exsheets_en.pdf
– local file	<code>./7355868635-exsheets_en.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/exsheets
on MikTeX	<code>exsheets</code>
on TeXLive	<code>exsheets</code>
keyword	<code>exam</code> (exams, quizzes, etc.)
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>exercise</code> (exercises, problems for solution, etc.)
see also	see section 6843 on page 6176 : (<code>xsim</code> – eXercise Sheets IMproved)
language(s)	no language specified
last access	2025-02-07

2093 *exsol* – Exercises and solutions from the same source, into a book

Web page on CTAN <https://ctan.org/pkg/exsol>

name	<code>exsol</code>
caption	Exercises and solutions from the same source, into a book
author	Daems, Walter
copyright	Walter Daems (2012-2025)

license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.7 (2025-02-14)
last changes	2025-02-14
year	2025
description	(no language specified) This package provides macros to allow for embedding exercises and solutions in the LaTeX source of an instructional text (e.g., a book or a course text) while generating the following separate documents: • your original text that only contains the exercises, and • a solution book that contains only the solutions to the exercises (optionally, the exercises themselves can also be copied to the solution book). The exercise data are generated when running LaTeX on your document; the first run also writes the solutions to a secondary file that may be included in a simple document harness, may be processed by LaTeX, to generate a nice solution book. The code of the package was derived (in large part) from fancyvrb .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/exsol/exsol.pdf
– local file	<code>./5106228369-exsol.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/exsol/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/exsol
on MikTeX	<code>exsol</code>
on TeXLive	<code>exsol</code>
keyword	exercise (exercises, problems for solution, etc.)
language(s)	no language specified
last access	2025-02-19

2094 *extarrows* – Extra Arrows beyond those provided in *amsmath*

Web page on CTAN	https://ctan.org/pkg/extarrows
name	<code>extarrows</code>
caption	Extra Arrows beyond those provided in <i>amsmath</i>
author	Huynh, Ky-Anh
license	lgpl = GNU Lesser General Public License (free)

2095 `extdash` – A range of dash commands for compound words

version	1.2.0 (2020-03-12)
last changes	2020-03-12
year	2020
description	(no language specified) Arrows are provided to supplement <code>\xleftarrow</code> and <code>\xrightarrow</code> of the <code>amsath</code> package: <code>\xlongequal</code> , <code>\xLongleftarrow</code> , <code>\xLongrightarrow</code> , <code>\xLongleftarrowrightarrow</code> , <code>\xLeftarrowrightarrow</code> , <code>\xlongleftarrowrightarrow</code> , <code>\xleftarrowrightarrow</code> , <code>\xlongleftarrow</code> and <code>\xlongrightarrow</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/extarrows/README.md
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/extarrows/extarrows-test.pdf
– local file	<code>./9927246864-extarrows-test.pdf</code>
contact	<i>bugs</i> : https://github.com/viettug/extarrows/issues
contact	<i>repository</i> : https://github.com/viettug/extarrows
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/extarrows
on MikTeX	<code>extarrows</code>
on T _E XLive	<code>extarrows</code>
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

2095 `extdash` – A range of dash commands for compound words

Web page on CTAN <https://ctan.org/pkg/extdash>

name	<code>extdash</code>
caption	A range of dash commands for compound words
author	Rozhenko, Alexander I.
copyright	Alexander I. Rozhenko (1998-2018)
license	lppl = The LaTeX Project Public License (free)
version	1.3 (2018-06-24)
last changes	2018-06-24

year	2018
description	(no language specified) The package implements the commands <code>\Hyphdash</code> , <code>\Endash</code> , <code>\Emdash</code> , and their <code>*</code> -forms, to control hyphenation of compound words and ordinary words dashed by em-dash. You can also use the shortcuts <code>\-/</code> , <code>\=/</code> , <code>\-</code> , <code>\==</code> , <code>\-</code> , and <code>\===</code> instead. The package is part of the ncctools bundle.
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncctools/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncctools/doc/extdash.pdf
– local file	<code>./5665866086-extdash.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ncctools
on MikTeX	ncctools
on TeXLive	ncctools
keyword	typesetting (support for variations of typographic style)
language(s)	no language specified
last access	2025-02-07

2096 *exteps* – Include EPS figures in MetaPost

Web page on CTAN <https://ctan.org/pkg/exteps>

name	exteps
caption	Include EPS figures in MetaPost
author	Jørgensen, Palle
copyright	Palle Jørgensen (2005, 2006)
license	gpl = GNU General Public License (free)
version	0.41
description	(no language specified) Exteps is a module for including external EPS figures into MetaPost figures. It is written entirely in MetaPost, and does not therefore require any post processing of the MetaPost output.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/exteps/exteps.pdf

– local file	./6844264599-exteps.pdf
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/exteps
on MikTeX	exteps
on T _E XLive	exteps
keyword	graphics-prep (prepare graphics for use with *TeX)
language(s)	no language specified
year	2006
last access	2025-02-07

2097 *extpfeil* – Extensible arrows in mathematics

Web page on CTAN	https://ctan.org/pkg/extpfeil
name	extpfeil
caption	Extensible arrows in mathematics
author	Ebermann, Paul
copyright	Paul Ebermann (2005)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.4
description	(no language specified) The package provides some more extensible arrows (usable in the same way as <code>\xleftarrow</code> from <code>amsmath</code>), and a simple command to create new ones.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/extpfeil/README
documentation	(German) <i>Benutzerdoku</i> : https://ctan.org/tex-archive/macros/latex/contrib/extpfeil/extpfeil.pdf
– local file	./1530661330-extpfeil.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/extpfeil
on MikTeX	extpfeil
on T _E XLive	extpfeil
keyword	maths (support for typesetting mathematics)
language(s)	German
year	2005

last access 2025-02-07

2098 *extract* – Extract parts of a document and write to another document

Web page on CTAN <https://ctan.org/pkg/extract>

name	<code>extract</code>
caption	Extract parts of a document and write to another document
author	Adriaens, Hendri
copyright	Hendri Adriaens (2004-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.9a
description	(no language specified) The package provides the means to extract specific content from a source document and write that to a target document. One could, for instance, use this to extract all exercises from lecture notes and generate an exercises book on the fly. The package also provides an environment which writes its body entirely to the target file. Another environment will write to the target file, but will also execute the body. This allows to share code (for instance, a preamble) between the source document and the target file. Finally, the package provides an interface to conditionally extract content. With a single package option, one can specify exactly which commands (counted from the start of the document) should be extracted and which not. This might be useful for extracting specific slides from a presentation and use them in a new file.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/extract/extract.pdf
– local file	<code>./2051809706-extract.pdf</code>
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/extract/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/extract
on MikTeX	<code>extract</code>
on T _E XLive	<code>extract</code>
keyword	<code>editorial</code> (editor’s marks, highlights, etc.)
language(s)	no language specified
year	2019

2100 **extractpdfmark** – Extract page mode and named destinations as PDFmark from PDF

Web page on CTAN <https://ctan.org/pkg/extractpdfmark>

name `extractpdfmark`

caption Extract page mode and named destinations as PDFmark from PDF

author Hosoda, Masamichi

copyright Masamichi Hosoda (2016-2022)

license gpl3+ = GNU General Public License, version 3 or newer (free)

version 1.1.1 (2022-09-30)

last changes 2022-09-30

year 2022

description (no language specified) PDFmarks is a technique that accompanies PDF and that is used to store metadata such as author or title, but also structural information such as bookmarks or hyperlinks.

When Ghostscript reads the main PDF generated by the TeX system with embedded PDF files and outputs the final PDF, the PDF page mode and name targets etc. are not preserved. Therefore, when you open the final PDF, it is not displayed correctly. Also, remote PDF links do not work correctly.

This program is able to extract the page mode and named targets as PDFmark from PDF. In this way, you can obtain embedded PDF files that have kept this information.

Usage:

```
$ extractpdfmark TeX-System-Outputted.pdf > Extracted-PDFmark.ps
```

```
$ gs -q -dBATCH -dNOPAUSE -sDEVICE=pdfwrite -dPDFDontUseFontObjectNum
-sOutputFile=Final.pdf TeX-System-Outputted.pdf Extracted-
PDFmark.ps
```

documentation *Readme (Japanese)*: <https://ctan.org/tex-archive/support/extractpdfmark/README.ja.md>

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/support/extractpdfmark/README.md>

contact *repository*: <https://github.com/trueroad/extractpdfmark>

on CTAN <https://ctan.org/tex-archive/support/extractpdfmark>

keyword pdf-feat (access PDF features)

language(s) Japanese
last access 2025-02-07

2101 **extradefs** – A miscellany of support macros

Web page on CTAN <https://ctan.org/pkg/extradefs>

name `extradefs`
caption A miscellany of support macros
author McPherson, Kent
license noinfo = noinfo
version (1991-08-05)
last changes 1991-08-05
year 1991
description (no language specified) The macros work equally in LaTeX and Plain TeX; no documentation is available, even as comments in the file.
on CTAN <https://ctan.org/tex-archive/macros/plain/contrib/samples/extradefs.tex>
keyword `macro-supp` (support for development of (La)TeX macros)
language(s) no language specified
last access 2025-02-07

2102 **extsizes** – Extend the standard classes' size options

Web page on CTAN <https://ctan.org/pkg/extsizes>

name `extsizes`
caption Extend the standard classes' size options
author Kilfiger, James
author May, Wolfgang
license lppl = The LaTeX Project Public License (free)
version 1.4a

2103 *ezedits* – Commands for tracking document changes and notes

description	(no language specified) Provides classes <code>extarticle</code> , <code>extreport</code> , <code>extletter</code> , <code>extbook</code> and <code>extproc</code> which provide for documents with a base font size from 8–20pt. There is also a LaTeX package, <code>extsizes.sty</code> , which can be used with nonstandard document classes. But it cannot be guaranteed to work with any given class.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/extsizes/extsizes.pdf
– local file	<code>./1927639049-extsizes.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/extsizes/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/extsizes
on MikTeX	<code>extsizes</code>
on TeXLive	<code>extsizes</code>
keyword	<code>book-pub</code> (preparing a book for publication)
keyword	<code>class</code> (alternative LaTeX class(es))
language(s)	no language specified
year	without year
last access	2025-02-07

2103 *ezedits* – Commands for tracking document changes and notes

Web page on CTAN	https://ctan.org/pkg/ezedits
name	<code>ezedits</code>
caption	Commands for tracking document changes and notes
author	Smiga, Joseph A.
copyright	Joseph A. Smiga (2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1 (2024-11-13)
last changes	2024-11-13
year	2024

description	(no language specified) This is a package built for collaboratively editing LaTeX documents and tracking changes. Through highly customizable commands, the user can choose how their and their collaborators' modifications appear in the document. Additional tools are provided to help keep track of where the edits are made within the pdf.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/ezedits/ezedits_docs.pdf
– local file	<code>./7502232252-ezedits_docs.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/ezedits/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ezedits
on MikTeX	<code>ezedits</code>
on T _E XLive	<code>ezedits</code>
keyword	<code>notes</code> (general notes (not including endnotes or footnotes))
keyword	<code>editorial</code> (editor's marks, highlights, etc.)
language(s)	no language specified
last access	2025-02-07

2104 *fac* – Macros for FAC journal

Web page on CTAN	https://ctan.org/pkg/fac
name	<code>fac</code>
caption	Macros for FAC journal
author	Reed, Mark
author	Woollatt, Alison
author	Notarmarco, Christiane
copyright	Cambridge University Press (2000)
license	<code>noinfo = noinfo</code>
version	2.00
description	(no language specified) Macros for authors who wish to submit papers to the Springer journal "Formal Aspects of Computing", in electronic form. The class (based on article) implements the journal's standard layout.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fac

2105 *facsimile* – Document class for preparing faxes

keyword	journalpub (typesetting journals, etc)
keyword	class (alternative LaTeX class(es))
keyword	article-like (LaTeX article classes and their developments)
language(s)	no language specified
year	2000
last access	2025-02-09

2105 *facsimile* – Document class for preparing faxes

Web page on CTAN <https://ctan.org/pkg/facsimile>

name	facsimile
caption	Document class for preparing faxes
author	Bronger, Torsten
copyright	Torsten Bronger (2003)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The <i>facsimile</i> class provides a simple interface for creating a document for sending as a fax, with LaTeX. The class covers two areas: • First, a title page is created with a detailed fax header; • second, every page gets headers and footers so that the recipient can be sure that every page has been received and all pages are complete, and in the correct order. The class evolved from the <i>fax</i> package, and provides much better language support.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/facsimile/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/facsimile/facsimile.pdf
– local file	./6098586236-facsimile.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/facsimile
on MikTeX	facsimile
on T _E XLive	facsimile

keyword	letter (typesetting letters, envelopes, faxes, etc)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
year	2003
last access	2025-02-07

2106 *factura* – Typeset and calculate invoices according to Venezuelan law

Web page on CTAN <https://ctan.org/pkg/factura>

name	factura
caption	Typeset and calculate invoices according to Venezuelan law
author	Lazo Zaia, Emilio Augusto
copyright	Emilio Augusto Lazo Zaia (2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	4.32
description	(no language specified) ‘factura’ is the Spanish word for ‘invoice’, so this is a LaTeX class for typesetting and calculating invoices, taking into account requirements of SENIAT legislation (tax collector entity on the Bolivarian Republic of Venezuela). However, its use is not restricted to Venezuela because all variables and the displayed text can be redefined by invoking commands or editing.
documentation	(no language specified) <i>Compiled sample</i>: https://ctan.org/tex-archive/macros/latex/contrib/factura/factura-ejemplo-prefactura.pdf
– local file	./4336275875-factura-ejemplo-prefactura.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/factura/README
documentation	(Spanish (Venezuela)) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/factura/factura.pdf
– local file	./7461224999-factura.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/factura
on MikTeX	factura
on T _E XLive	factura
keyword	class (alternative LaTeX class(es))

keyword	spanish (support for typesetting Spanish)
keyword	invoice (typesetting and calculating invoices)
language(s)	Spanish (Venezuela)
year	2022
last access	2025-02-07

2107 *facture* – *Generate an invoice*

Web page on CTAN <https://ctan.org/pkg/facture>

name	facture
caption	Generate an invoice
author	Rouquette, Maïeul
author	Deparis, Étienne
author	Gombin, Joël
copyright	Étienne Deparis (2023)
copyright	Maïeul Rouquette (2011-2023)
copyright	Joël Gombin (2014)
license	cc-by-sa-2 = CC BY-SA 2.0 (free)
version	1.3 (2023-06-30)
last changes	2023-06-30
year	2023
description	(English) A simple class that allows production of an invoice, with or without VAT; different addresses for delivery and for billing are permitted.
description	(French) Une classe simple permettant de produire une facture, avec ou sans TVA, avec gestion d'une adresse différente pour la livraison et pour la facturation.
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/xetex/latex/facture/facture.pdf
– local file	./7550899186-facture.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/facture/README.md
contact	<i>bugs</i> : https://framagit.org/gutenberg/facture/-/issues
contact	<i>repository</i> : https://framagit.org/gutenberg/facture

on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/facture
on MikTeX	<code>facture</code>
on T _E XLive	<code>facture</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>invoice</code> (typesetting and calculating invoices)
keyword	<code>xetex</code> (XeTeX, material supporting it, and packages requiring it)
see also	see section 2106 on page 1906: (<code>factura</code> – Typeset and calculate invoices according to Venezuelan law)
see also	see section 2987 on page 2700: (<code>invoice</code> – Generate invoices)
language(s)	English; French
last access	2025-02-09

2108 *facture-belge-simple-sans-tva* – Simple Belgian invoice without VAT

Web page on CTAN	https://ctan.org/pkg/facture-belge-simple-sans-tva
name	<code>facture-belge-simple-sans-tva</code>
caption	Simple Belgian invoice without VAT
author	Sebille, Robert
copyright	Robert Sebille (2018)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.1 (2018-10-27)
last changes	2018-10-27
year	2018
description	(no language specified) This package can be used to generate invoices for Belgian individuals who do not have a VAT number and who wish to do occasional work, or to carry out paid additional activities during their free time up to 6,000 euros per calendar year (amount indexed annually) without having to pay tax or social security contributions (see the website Activités complémentaires). The package can also generate expense reports. All totals are calculated automatically, in the invoice and in the expense report. The package depends on calctab , ifthen , hyperref , fancyhdr , multirow , eurosym , color , and colortbl .

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/xetex/latex/facture-belge-simple-sans-tva/facture-belge-simple-sans-tva-doc.pdf
– local file	<code>./1287228736-facture-belge-simple-sans-tva-doc.pdf</code>
documentation	(no language specified) <i>Example of use (invoice)</i> : https://ctan.org/tex-archive/macros/xetex/latex/facture-belge-simple-sans-tva/article-facture.pdf
– local file	<code>./2564193187-article-facture.pdf</code>
documentation	(no language specified) <i>Example of use (expense report)</i> : https://ctan.org/tex-archive/macros/xetex/latex/facture-belge-simple-sans-tva/article-note-de-frais.pdf
– local file	<code>./7883114956-article-note-de-frais.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/facture-belge-simple-sans-tva/README.md
home page	https://gitlab.adullact.net/zenjo/facture-belge-simple-sans-tva/wikis/home
contact	<i>announce</i> : https://gitlab.adullact.net/zenjo/facture-belge-simple-sans-tva/wikis/Annonces
contact	<i>bugs</i> : https://gitlab.adullact.net/zenjo/facture-belge-simple-sans-tva/issues
contact	<i>repository</i> : https://gitlab.adullact.net/zenjo/facture-belge-simple-sans-tva/tree/master
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/facture-belge-simple-sans-tva
on MikTeX	<code>facture-belge-simple-sans-tva</code>
on TeXLive	<code>facture-belge-simple-sans-tva</code>
keyword	<code>xetex</code> (XeTeX, material supporting it, and packages requiring it)
keyword	<code>invoice</code> (typesetting and calculating invoices)
language(s)	no language specified
last access	2025-02-09

2109 *fadingimage* – Add full width fading pictures at the top or bottom of a page

Web page on CTAN <https://ctan.org/pkg/fadingimage>

name	FadingImage
caption	Add full width fading pictures at the top or bottom of a page
author	Xia, Mingyu
copyright	Mingyu Hsia (2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3a (2024-05-06)
last changes	2024-05-06
year	2024
description	(no language specified) This package provides commands for adding full width fading pictures at the top or bottom of a page. It is based on <i>TikZ</i> with the <i>fadings</i> library. Welcome to feedback bugs or ideas via email to xiamyphys@gmail.com .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fadingimage/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fadingimage/doc/fadingimage.pdf
– local file	./6752444160-fadingimage.pdf
home page	https://github.com/xiamyphys/fadingimage
contact	<i>support</i> : https://qm.qq.com/q/RGFmHwBecC
contact	<i>announce</i> : https://qm.qq.com/q/RGFmHwBecC
contact	<i>bugs</i> : https://github.com/xiamyphys/fadingimage/issues
contact	<i>repository</i> : https://github.com/xiamyphys/fadingimage
contact	<i>development</i> : https://github.com/xiamyphys
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fadingimage
on MikTeX	fadingimage
on TeXLive	fadingimage
keyword	background (decorate/confuse text by adding a background)
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	graphics-incl (include external graphics)

language(s) no language specified
last access 2025-02-07

2110 *fahyph* – Hyphenation patterns for Persian (in Unicode)

Web page on CTAN <https://ctan.org/pkg/fahyph>

name *fahyph*
caption Hyphenation patterns for Persian (in Unicode)
author bidi-tex GitHub Organisation
author Khalighi, Vafa
license lpl = The LaTeX Project Public License (free)
version 0.002
description (no language specified) The package provides patterns for Persian, provided in Unicode, encoded as UTF-8.
The patterns should work with any XeTeX-based system (at least).
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/language/hyphenation/fahyph/README>
contact *bugs*: <https://github.com/bidi-tex/fahyph/issues>
contact *repository*: <https://github.com/bidi-tex/fahyph>
on CTAN <https://ctan.org/tex-archive/language/hyphenation/fahyph>
on MikTeX *fahyph*
keyword *persian* (support for typesetting Persian)
keyword *hyphenation* (macros or tables for hyphenation)
language(s) no language specified
year without year
last access 2025-02-07

2111 *fail-fast* – Turn warnings into errors

Web page on CTAN <https://ctan.org/pkg/fail-fast>

name	<code>fail-fast</code>
caption	Turn warnings into errors
author	Bugayenko, Yegor
copyright	Yegor Bugayenko (2023)
license	mit = MIT License (free)
version	0.0.2 (2023-07-04)
last changes	2023-07-04
year	2023
description	(no language specified) This LaTeX package helps you make the build more fragile by turning warnings into errors. This may be a good practice if you care about the quality of your documents.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fail-fast/fail-fast.pdf
– local file	<code>./8092380939-fail-fast.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fail-fast/README.md
contact	<i>bugs</i> : https://github.com/yegor256/fail-fast/issues
contact	<i>repository</i> : https://github.com/yegor256/fail-fast
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fail-fast
on MikTeX	<code>fail-fast</code>
on TeXLive	<code>fail-fast</code>
keyword	compilation (the document compilation process)
language(s)	no language specified
last access	2025-02-07

2112 *fakebold* – A simple macro for faking bold fonts

Web page on CTAN <https://ctan.org/pkg/fakebold>

name	fakebold
caption	A simple macro for faking bold fonts
license	noinfo = noinfo
version	(1993-02-15)
last changes	1993-02-15
year	1993
description	(no language specified) The technique is the ‘poor man’s bold’ technique of resetting a glyph several times with slight displacements. No attempt is made to correct kerning, etc.
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/fakebold.tex
on MikTeX	genmisc
keyword	typesetting (support for variations of typographic style)
language(s)	no language specified
last access	2025-02-07

2113 *faktor* – Typeset quotient structures with LaTeX

Web page on CTAN <https://ctan.org/pkg/faktor>

name	faktor
caption	Typeset quotient structures with LaTeX
author	Ebermann, Paul
copyright	Paul Ebermann (2006)
license	lppl = The LaTeX Project Public License (free)
version	0.1b
description	(no language specified) The package provides the means to typeset factor structures, as are used in many areas of algebraic notation. The structure is similar to the ‘A/B’ that is provided by the nicefrac package (part of the units distribution), and by the xfrac package; the most obvious difference is that the numerator and denominator’s sizes do not change in the <code>\faktor</code> command.

documentation	(German) <i>Benutzerdoku</i> : https://ctan.org/tex-archive/macros/latex/contrib/faktor/faktor.pdf
– local file	./6069803789-faktor.pdf
documentation	(no language specified) <i>Readme and basic instructions</i> : https://ctan.org/tex-archive/macros/latex/contrib/faktor/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/faktor
on MikTeX	faktor
on T _E XLive	faktor
keyword	maths (support for typesetting mathematics)
language(s)	German
year	2006
last access	2025-02-07

2114 *faltblat* – Making Leaflets

Web page on CTAN	https://ctan.org/pkg/faltblat
name	faltblat
caption	Making Leaflets
author	Klöckl, Ingo
license	noinfo = noinfo
version	(1999-10-22)
last changes	1999-10-22
year	1999
description	(no language specified) A class for making leaflets (two sides at three columns each), with an example file. One of the examples drawn from the book LaTeX Tips und Tricks .
on CTAN	https://ctan.org/tex-archive/info/examples/ltt
keyword	book-ex (copies of examples from a published book)
see also	see section 804 on page 737 : (booklet – Aids for printing simple booklets)
see also	see section 3370 on page 3039 : (leaflet – Create small handouts (flyers))
language(s)	no language specified
last access	2025-02-07

2115 familytree – Draw family trees

Web page on CTAN <https://ctan.org/pkg/familytree>

name	familytree
caption	Draw family trees
author	Senju, Jiro
copyright	Jiro Senju (2022)
license	gpl2+ = GNU General Public License, version 2 or newer (free)
version	3.1 (2022-06-27)
last changes	2022-06-27
year	2022
description	(no language specified) Boxes describe individuals; lines connecting boxes represent sibling or parent-child relationships, or marriages. Excluding the marriage box, you can get a maleline/patrilineal tree, or a femaleline/matrilineal tree. For Japanese, the <code>jlreq.cls</code> vertical option (<code>tate</code>) is supported.
documentation	(no language specified) <i>Example of use (3)</i>: https://ctan.org/tex-archive/macros/latex/contrib/familytree/samples/Crawley.pdf
– local file	<code>./9310454292-Crawley.pdf</code>
documentation	<i>Package documentation (Japanese)</i>: https://ctan.org/tex-archive/macros/latex/contrib/familytree/familytree-ja.pdf
– local file	<code>./3607266986-familytree-ja.pdf</code>
documentation	(Japanese) <i>Example of use (1)</i>: https://ctan.org/tex-archive/macros/latex/contrib/familytree/samples/Asai.pdf
– local file	<code>./2733621391-Asai.pdf</code>
documentation	(Japanese) <i>Example of use (2)</i>: https://ctan.org/tex-archive/macros/latex/contrib/familytree/samples/Tokugawa.pdf
– local file	<code>./4052081099-Tokugawa.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/familytree/README.md
documentation	(no language specified) <i>Package documentation (English)</i>: https://ctan.org/tex-archive/macros/latex/contrib/familytree/familytree.pdf
– local file	<code>./4583302986-familytree.pdf</code>

contact	repository: https://github.com/jiro1010/familytree
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/familytree
on MikTeX	familytree
on T _E XLive	familytree
keyword	genealogy (typesetting genealogical information)
keyword	diagram (diagrams)
keyword	tree (mechanisms for drawing trees)
language(s)	Japanese
last access	2025-02-07

2116 famt – Project Reports and Notices in FAMT institute

Web page on CTAN <https://ctan.org/pkg/famt>

name	famt
caption	Project Reports and Notices in FAMT institute
author	Chavan, Bhagyashree
author	Mahadik, Shilpa
author	Desai, Sadaf
author	Kalyani, Sayali
license	noinfo = noinfo
version	1.0
description	(no language specified) The bundle provides class files for project reports and notices, conforming to the institute's specifications.
documentation	(no language specified) <i>Readme (Project Reports)</i> : https://ctan.org/tex-archive/macros/latex/contrib/famt/ProjectReport/README.txt
documentation	(no language specified) <i>Readme (College Notices)</i> : https://ctan.org/tex-archive/macros/latex/contrib/famt/CollegeNotice/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/famt
on MikTeX	famt
keyword	class (alternative LaTeX class(es))
language(s)	no language specified

year without year
last access 2025-02-07

2117 **fancybox** – Variants of `\fbox` and other games with boxes

Web page on CTAN <https://ctan.org/pkg/fancybox>

name	fancybox
caption	Variants of <code>\fbox</code> and other games with boxes
author	Van Zandt, Timothy
copyright	Timothy Van Zandt (1993-2010)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.4
description	(no language specified) Provides variants of <code>\fbox</code> : <code>\shadowbox</code> , <code>\doublebox</code> , <code>\ovalbox</code> , <code>\Ovalbox</code> , with helpful tools for using box macros and flexible verbatim macros. You can box mathematics, floats, center, flushleft, and flushright, lists, and pages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fancybox/README
documentation	(no language specified) <i>Documentation – Box tips and tricks</i> :: https://ctan.org/tex-archive/macros/latex/contrib/fancybox/fancybox-doc.pdf
– local file	./9744474700-fancybox-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fancybox
on MikTeX	fancybox
on T _E XLive	fancybox
keyword	boxing (creating boxes)
language(s)	no language specified
year	2010
last access	2025-02-07

2118 fancy chapters – Chapters with quotations

Web page on CTAN <https://ctan.org/pkg/fancy chapters>

name	fancy chapters
caption	Chapters with quotations
author	Heitkoetter, Joerg
copyright	Joerg Heitkoetter (1992)
license	noinfo = noinfo
version	1.1
description	(no language specified) The package provides a command <code>\Chapter</code> whose first argument holds a quotation to be typeset above the <code>\chapter</code> command, to which the optional second and mandatory third arguments are passed. The package was written for LaTeX 2.09's standard <code>book</code> or <code>report</code> document style.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/fancy chapters.sty
keyword	headings (chapter, section, etc., heading styles)
see also	see section 1937 on page 1750: (epigraph – A package for typesetting epigraphs)
language(s)	no language specified
year	1992
last access	2025-02-07

2119 fancyfolien – Fancyhdr outline for German readers

Web page on CTAN <https://ctan.org/pkg/fancyfolien>

name	fancyfolien
caption	Fancyhdr outline for German readers
author	Steffani, Hans Friedrich
license	noinfo = noinfo
version	(2000-12-22)
last changes	2000-12-22
year	2000

description	(no language specified) A guide, with some examples, on how to use the fancyhdr package (in German).
documentation	(German) <i>The document itself</i> : https://ctan.org/tex-archive/info/german/fancyhdr/fancyfolien+bsp.pdf
documentation	(German) <i>HTML version of the document</i> : https://ctan.org/tex-archive/info/german/fancyhdr/index.html
on CTAN	https://ctan.org/tex-archive/info/german/fancyhdr
keyword	german-doc (documentation in German)
language(s)	German
last access	2025-09-11

2120 *fancyhandout* – A LaTeX class for producing nice-looking handouts

Web page on CTAN	https://ctan.org/pkg/fancyhandout
name	fancyhandout
caption	A LaTeX class for producing nice-looking handouts
author	Friedl, Sebastian
copyright	Sebastian Friedl (2017-2018)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2018-01-22)
last changes	2018-01-22
year	2018
description	(no language specified) This package breaks with some of LaTeX’s principles and redefines basic LaTeX commands with the aim of producing well-designed and clearly structured handouts: A sans-serif font is used by default; sections are not numbered, but highlighted by underlining; head- and footline display document information; and in order to avoid too much whitespace around the text the margin sizes are adjusted to smaller values. All in all, <i>fancyhandout</i> provides a means of typesetting documents not exclusively consisting of running text in a beautiful way. <i>fancyhandout</i> depends on the following other LaTeX packages: <i>csquotes</i> , <i>enumitem</i> , <i>etoolbox</i> , <i>fancyhdr</i> , <i>geometry</i> , and <i>xcolor</i> .
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/fancyhandout/fancyhandout-doc.pdf
– local file	<code>./2126025633-fancyhandout-doc.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fancyhandout/README.md
contact	<i>bugs</i> : https://github.com/sfr682k/fancyhandout/issues
contact	<i>repository</i> : https://github.com/sfr682k/fancyhandout
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fancyhandout
on MikTeX	fancyhandout
on TeXLive	fancyhandout
keyword	presentation (slides, beamers, handouts, etc.)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-07

2121 *fancyhdr* – Extensive control of page headers and footers in LaTeX2e

Web page on CTAN	https://ctan.org/pkg/fancyhdr
name	fancyhdr
caption	Extensive control of page headers and footers in LaTeX2e
author	van Oostrum, Pieter
copyright	Pieter van Oostrum (1994-2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	5.2 (2025-02-07)
last changes	2025-02-07
year	2025
description	(no language specified) The package provides extensive facilities, both for constructing headers and footers, and for controlling their use (for example, at times when LaTeX would automatically change the heading style in use).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fancyhdr/README
documentation	<i>Users' manual (Italian)</i> : https://ctan.org/tex-archive/info/italian/fancyhdr/itfancyhdr.pdf
– local file	<code>./8812454199-itfancyhdr.pdf</code>
documentation	<i>Training slides (German)</i> : https://ctan.org/tex-archive/info/german/fancyhdr/fancyfolien.pdf

– local file	<code>./1057589484-fancyfolien.pdf</code>
documentation	<i>Training slides, with examples (German)</i> : https://ctan.org/tex-archive/info/german/fancyhdr/fancyfolien+bsp.pdf
documentation	(no language specified) <i>Users’ manual (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/fancyhdr/fancyhdr.pdf
– local file	<code>./9535292363-fancyhdr.pdf</code>
contact	<i>bugs</i> : https://github.com/pietvo/fancyhdr/issues
contact	<i>repository</i> : https://github.com/pietvo/fancyhdr
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fancyhdr
on MikTeX	<code>fancyhdr</code>
on T _E XLive	<code>fancyhdr</code>
keyword	<code>page-hf</code> (page head- and foot-lines)
see also	see section 6208 on page 5616: (titleps – Page style control)
language(s)	German; Italian
last access	2025-02-17

2122 *fancyhdr-it* – Italian translation of *fancyhdr* documentation

Web page on CTAN	https://ctan.org/pkg/fancyhdr-it
name	<code>fancyhdr-it</code>
caption	Italian translation of <i>fancyhdr</i> documentation
author	Agostini, Giulio
author	Rigido, Mileto
license	lppl = The LaTeX Project Public License (free)
version	(2011-04-01)
last changes	2011-04-01
year	2011
description	(no language specified) The translation is of documentation provided with the <i>fancyhdr</i> package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/translations/fancyhdr/it/README
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/translations/fancyhdr/it/itfancyhdr.pdf

2123 *fancyhdrboxed* – Elaborate page headers, specified in a non-LaTeX language

– local file `./7277835019-itfancyhdr.pdf`
on CTAN <https://ctan.org/tex-archive/info/translations/fancyhdr/it>
on T_EXLive `fancyhdr-it`
keyword `italian-doc` (documentation in Italian)
language(s) no language specified
last access 2025-02-14

2123 *fancyhdrboxed* – Elaborate page headers, specified in a non-LaTeX language

Web page on CTAN <https://ctan.org/pkg/fancyhdrboxed>
name `fancyhdrboxed`
caption Elaborate page headers, specified in a non-LaTeX language
author Algaba, Manuel Gutierrez
copyright Manuel Gutierrez Algaba (2000)
license `gpl` = GNU General Public License (free)
version 1.0
description (no language specified) Easy and fast creation of page headers for the documentation of Software Engineering Projects, using a mini language implemented in python that generates **Pstricks** code that is then embedded in headers specified in the usual way, using **fancyhdr** .
on CTAN <https://ctan.org/tex-archive/support/fancyhdrBoxed>
keyword `page-hf` (page head- and foot-lines)
language(s) no language specified
year 2000
last access 2025-02-14

2124 *fancyheadings* – Legacy headings package

Web page on CTAN <https://ctan.org/pkg/fancyheadings>

name	fancyheadings
caption	Legacy headings package
author	van Oostrum, Pieter
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	4.1 (2022-11-09)
last changes	2022-11-09
year	2022
description	(no language specified) This package is now a stub for fancyhdr .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fancyhdr/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fancyhdr
on MikTeX	fancyhdr
on TeXLive	fancyhdr
keyword	page-hf (page head- and foot-lines)
language(s)	no language specified
last access	2025-02-07

2125 *fancylabel* – Complex labelling with LaTeX

Web page on CTAN <https://ctan.org/pkg/fancylabel>

name	fancylabel
caption	Complex labelling with LaTeX
author	Siegel, Dominik
copyright	Dominik Siegel (2014-2018)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.1
description	(no language specified) The package provides a complex labelling scheme. It is designed to support the needs of the author's chemschemex package

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fancylabel/fancylabel.pdf
– local file	<code>./6907848242-fancylabel.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fancylabel
on MikTeX	<code>fancylabel</code>
on TeXLive	<code>fancylabel</code>
keyword	<code>chemistry</code> (chemistry document support)
keyword	<code>label-ref</code> (label and reference systems)
language(s)	no language specified
year	2018
last access	2025-02-07

2126 *fancymag* – A LuaLaTeX package for academic magazines and scientific

Web page on CTAN	https://ctan.org/pkg/fancymag
name	<code>fancymag</code>
caption	A LuaLaTeX package for academic magazines and scientific
author	Halder, Ashadul
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	ofl = The SIL Open Font License (free)
version	1.0
description	(no language specified) <code>fancymag</code> is a LaTeX package designed to provide enhanced typographic styling for academic and editorial documents. It integrates a selection of freely licensed display fonts to help authors create visually appealing layouts for magazines, scientific books, and other publication-quality material. The package must be compiled with LuaLaTeX and depends on OpenType fonts included in the package. To function correctly, the accompanying <code>fonts/</code> and <code>img/</code> directories must be present, as described in the documentation.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex//fancymag/README.md

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/fancymag/fancymag-doc.pdf
– local file	<code>./5451527058-fancymag-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/fancymag
on T _E XLive	fancymag
keyword	magazine (magazines, newspapers and other ephemeral publications)
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
year	without year
last access	2025-07-09

2127 *fancynum* – Typeset numbers

Web page on CTAN	https://ctan.org/pkg/fancynum
name	fancynum
caption	Typeset numbers
author	Green, J.J.
license	other-free = Free license not otherwise listed (free)
version	0.92
description	(no language specified) A LaTeX package for typesetting numbers, in particular floating point numbers, such as you find in program output.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fancynum/fancynum.pdf
– local file	<code>./5060131341-fancynum.pdf</code>
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/fancynum/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fancynum
on MikT _E X	fancynum
on T _E XLive	fancynum
keyword	numbers (formatting numbers, etc)
language(s)	no language specified

year without year
last access 2025-02-07

2128 *fancypar* – Decoration of individual paragraphs

Web page on CTAN <https://ctan.org/pkg/fancypar>

name *fancypar*
caption Decoration of individual paragraphs
author Medina Arellano, Gonzalo
copyright Gonzalo Medina (2010,2019,2021)
license lpl1.3 = The LaTeX Project Public License 1.3 (free)
version 1.3
description (no language specified) Decorates individual paragraphs of a document, offering five pre-defined styles. The command offers an optional ‘key-value’ argument with the user may define parameters of the selected style.

Predefined styles offer a spiral-notebook, a zebra-like, a dashed, a marked design, and an underlined style. Users may also define their own styles.

Decorated paragraphs may not include displayed mathematics.

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/fancypar/README>
documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/fancypar/fancypar.pdf>
– local file ./1336387709-fancypar.pdf
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/fancypar>
on MikTeX *fancypar*
on T_EXLive *fancypar*
keyword decoration (highlighting typeset material, fancy frames, watermarks, etc.)
see also see section 789 on page 724: (*boites* – Boxes that may break across pages)
see also see section 2375 on page 2152: (*framed* – Framed or shaded regions that can break across pages)
language(s) no language specified
year 2021
last access 2025-02-07

2129 fancyqr – Fancy QR-Codes with TikZ

Web page on CTAN <https://ctan.org/pkg/fancyqr>

name	fancyqr
caption	Fancy QR-Codes with TikZ
author	Sihler, Florian
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.3 (2026-02-27)
last changes	2026-02-27
year	2026
description	(no language specified) A simple package to create fancy QR-codes with the help of the qrcode package (no PGF/TikZ used).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/fancyqr/fancyqr-doc.pdf
– local file	<code>./2352716514-fancyqr-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/fancyqr/README.md
home page	https://github.com/EagleoutIce/fancyqr
contact	<i>announce</i> : https://github.com/EagleoutIce/fancyqr/releases
contact	<i>bugs</i> : https://github.com/EagleoutIce/fancyqr/issues
contact	<i>repository</i> : https://github.com/EagleoutIce/fancyqr
contact	<i>development</i> : https://github.com/EagleoutIce
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/fancyqr
on MikTeX	fancyqr
on TeXLive	fancyqr
keyword	qrcode (typeset quick response codes)
keyword	pgf-tikz (package uses PGF-TikZ)
see also	see section 5056 on page 4578 : (qrcode – Generate QR codes in LaTeX)
language(s)	no language specified
last access	2026-03-07

2130 *fancyref* – A LaTeX package for fancy cross-referencing

Web page on CTAN <https://ctan.org/pkg/fancyref>

name	fancyref
caption	A LaTeX package for fancy cross-referencing
author	Reichert, Axel
copyright	Axel Reichert (1999)
license	gpl = GNU General Public License (free)
version	0.9c
description	(no language specified) Provides fancy cross-referencing support, based on the package's reference commands (<code>\fref</code> and <code>\Fref</code>) that recognise what sort of object is being referenced. So, for example, the label for a <code>\section</code> would be expected to be of the form 'sec:foo': the package would recognise the 'sec:' part.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fancyref/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fancyref/fancyref.pdf
– local file	./1148322831-fancyref.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fancyref
on MikTeX	fancyref
on T _E XLive	fancyref
keyword	label-ref (label and reference systems)
language(s)	no language specified
year	1999
last access	2025-02-07

2131 **fancyslides** – Custom presentation class built upon LaTeX Beamer

Web page on CTAN <https://ctan.org/pkg/fancyslides>

name	fancyslides
caption	Custom presentation class built upon LaTeX Beamer
author	Łupkowski, Paweł
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2015-02-12)
last changes	2015-02-12
year	2015
description	(no language specified) This class is prepared for short presentations with a modern look & feel. It offers the following features:

- custom background for each slide,
- predefined types of slides,
- simplified commands (e.g. for starting and ending slide).

The class is built upon LaTeX **beamer**, so all **beamer** commands should work.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fancyslides/doc/fancyslides.pdf
– local file	./2079190535-fancyslides.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fancyslides/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fancyslides
on MikTeX	fancyslides
on T _E XLive	fancyslides
keyword	class (alternative LaTeX class(es))
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2025-02-07

2132 fancytabs – Fancy page border tabs

Web page on CTAN <https://ctan.org/pkg/fancytabs>

name	fancytabs
caption	Fancy page border tabs
author	Pinson, Raphaël
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.9
description	(no language specified) The package can typeset tabs on the side of a page. It requires TikZ from the pgf bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fancytabs/fancytabs.pdf
– local file	./7528053981-fancytabs.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fancytabs
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/fancytabs.tds.zip
on MikTeX	fancytabs
on TeXLive	fancytabs
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

2133 fancytooltips – Include a wide range of material in PDF tooltips

Web page on CTAN <https://ctan.org/pkg/fancytooltips>

name	fancytooltips
caption	Include a wide range of material in PDF tooltips
author	Mařík, Robert
copyright	Robert Mařík (2007, 2009)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.8

description	(no language specified) The package was inspired by the cooltooltips package. In contrast to cooltooltips, fancytooltips allows inclusion of tooltips which contain arbitrary TeX material or a series of TeX materials (animated graphics) from an external PDF file. To see the tooltips, you have to open the files in Adobe Reader. The links and JavaScripts are inserted using eforms package from the AcroTeX bundle .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/fancytooltips/fancytooltips.pdf
– local file	./2658885797-fancytooltips.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fancytooltips
on MikTeX	fancytooltips
on T _E XLive	fancytooltips
keyword	pdf-feat (access PDF features)
language(s)	no language specified
year	2009
last access	2025-02-07

2134 fancyvrb – Sophisticated verbatim text

Web page on CTAN	https://ctan.org/pkg/fancyvrb
name	fancyvrb
caption	Sophisticated verbatim text
author	Girou, Denis
author	Voß, Herbert
author	Van Zandt, Timothy
author	Rahtz, Sebastian
author	Mansfield, Niall
copyright	Herbert Voss (2000-2025)
copyright	Timothy Van Zandt (1992-1999)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	4.6a (2026-04-16)
last changes	2026-04-16

year	2026
description	(no language specified) Flexible handling of verbatim text including: verbatim commands in footnotes; a variety of verbatim environments with many parameters; ability to define new customized verbatim environments; save and restore verbatim text and environments; write and read files in verbatim mode; build "example" environments (showing both result and verbatim source).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fancyvrb/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fancyvrb/doc/fancyvrb-doc.pdf
– local file	./9856009839-fancyvrb-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fancyvrb
on MikTeX	fancyvrb
on T _E XLive	fancyvrb
keyword	tagged-pdf-partially (tagged PDF partially compatible)
keyword	macro-demo (print (La)TeX code verbatim alongside the rendered result)
keyword	verbatim (verbatim typesetting, etc.)
language(s)	no language specified
last access	2026-04-22

2135 *fandol* – Four basic fonts for Chinese typesetting

Web page on CTAN	https://ctan.org/pkg/fandol
name	fandol
caption	Four basic fonts for Chinese typesetting
author	Ma, Clerk
license	gpl = GNU General Public License (free)
version	0.3
description	(no language specified) Fandol fonts designed for Chinese typesetting. The current version contains four styles: Song, Hei, Kai, Fang. All fonts are in OpenType format.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/fandol/README

on CTAN	https://ctan.org/tex-archive/fonts/fandol
on MikTeX	fandol
on T _E XLive	fandol
keyword	font-cjk (fonts for far eastern languages (Chinese, Japanese and Korean))
keyword	chinese (support for typesetting Chinese languages)
keyword	font (fonts themselves)
keyword	font-otf (font in OpenType format)
language(s)	no language specified
year	without year
last access	2025-02-07

2136 *faq-de* – The DANTE TeX Users Group Frequently Asked Questions

Web page on CTAN	https://ctan.org/pkg/faq-de
name	faq-de
caption	The DANTE TeX Users Group Frequently Asked Questions
author	Niepraschk, Rolf
author	Hafner, Thomas
author	Raichle, Bernd
license	other-free = Free license not otherwise listed (free)
version	(2003-09-20)
last changes	2003-09-20
year	2003
description	(no language specified) Stored copy of the FAQ posted to <code>de.comp.text.tex</code> . Error reports to the development team .
on CTAN	https://ctan.org/tex-archive/help/de-tex-faq
keyword	faq (frequently asked questions, with answers)
keyword	german-doc (documentation in German)
language(s)	no language specified
last access	2025-02-07

2137 *faq-es* – CervanTeX (Spanish TeX Group) FAQ

Web page on CTAN <https://ctan.org/pkg/faq-es>

name	faq-es
caption	CervanTeX (Spanish TeX Group) FAQ
author	Martín, Agustín
license	lppl = The LaTeX Project Public License (free)
version	1.97
description	(no language specified) SGML source, converted LaTeX version, and readable copies of the FAQ from the Spanish TeX users group.
documentation	(Spanish) <i>The document itself (HTML)</i> : https://ctan.org/tex-archive/help/es-tex-faq/FAQ-CervanTeX.html
documentation	(Spanish) <i>The document itself (PDF)</i> : https://ctan.org/tex-archive/help/es-tex-faq/FAQ-CervanTeX.pdf
– local file	./1554741411-FAQ-CervanTeX.pdf
on CTAN	https://ctan.org/tex-archive/help/es-tex-faq
on T _E XLive	es-tex-faq
keyword	faq (frequently asked questions, with answers)
keyword	spanish-doc (documentation in Spanish)
language(s)	Spanish
year	without year
last access	2025-02-07

2138 *faq-fr* – French LaTeX FAQ (sources)

Web page on CTAN <https://ctan.org/pkg/faq-fr>

name	faq-fr
caption	French LaTeX FAQ (sources)
author	Kluth, Marie-Paule
author	Just, Jérémy
author	Tanguy, Yannick
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
version	(2024-05-04)

last changes	2024-05-04
year	2024
description	(no language specified) (<i>English version below</i>) Ce package contient les sources de la faq LaTeX francophone, actuellement maintenue à jour sur un wiki ouvert à tous: https://www.latex-fr.net/ Si vous souhaitez lire la FAQ, nous vous conseillons de consulter URL ci-dessus. Vous pourrez également vous ouvrir un compte sur le wiki pour participer au projet (en français). Toutes les contributions sont les bienvenues. Ce package est essentiellement mis à disposition sur le CTAN pour encourager la réutilisation de ce contenu, et pour en conserver une copie pérenne. Le fichier "REUSE" contient les informations techniques pour la réutilisation. <i>English version:</i> This package contains the source files of the French-speaking FAQ, now hosted on an open wiki: https://www.latex-fr.net/ If you just want to read the FAQ, please visit the URL above. You're also welcome if you want to contribute to this resource (in French): just request an account, it's open to everyone. This package is on CTAN mostly to encourage reuse, and for archival purposes. Read the "REUSE" file to get technical data about reusing the contents.
documentation	(no language specified) <i>Leaflet</i> : https://ctan.org/tex-archive/help/LaTeX-FAQ-francaise/FAQ_leaflet_fr.pdf
– local file	<code>./8478903568-FAQ_leaflet_fr.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/help/LaTeX-FAQ-francaise/README
home page	https://www.latex-fr.net/
contact	<i>announce</i> : https://www.latex-fr.net/feed.php
on CTAN	https://ctan.org/tex-archive/help/LaTeX-FAQ-francaise
on T _E XLive	<code>faq-fr</code>
keyword	<code>faq</code> (frequently asked questions, with answers)
keyword	<code>french-doc</code> (documentation in French)
language(s)	no language specified
last access	2025-02-07

2139 *faq-fr-gutenberg* – Sources of the GUTenberg French LaTeX FAQ and PDF files

Web page on CTAN <https://ctan.org/pkg/faq-fr-gutenberg>

name	faq-fr-gutenberg
caption	Sources of the GUTenberg French LaTeX FAQ and PDF files
author	Association GUTenberg
copyright	Association GUTenberg (2020-2024)
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
version	(2024-12-18)
last changes	2024-12-18
year	2024
description	(no language specified) # French-speaking GUTenberg LaTeX FAQ – Frequently Asked Questions (French version below) This package contains the sources of the GUTenberg French LaTeX FAQ (French (La)TeX users group), currently maintained as an Git repository open to all: https://gitlab.gutenberg-asso.fr If you'd like to read the FAQ, please visit the URL above.

This package also contains two PDF versions of this FAQ:

- [faqlatexgutenberg.pdf](#) with code verbatim in clear mode
- [faqlatexgutenberg-sombre.pdf](#) with code verbatim in dark mode

Participate

You can also open an account on the association's Gitlab forge:

<https://gitlab.gutenberg-asso.fr> and ask to join the repository
<https://gitlab.gutenberg-asso.fr/gutenberg/faq-gut>

All contributions are welcome: corrections of small errors, updating answers to questions, or adding new questions!

These files are made available on CTAN only to encourage reuse of this content, and to preserve a permanent copy.

Contact us

For questions and comments: faq@gutenberg-asso.fr

Version 2024-10-07

FAQ LaTeX francophone GUTenberg — Foire aux Questions

Ce package contient les sources de la FAQ LaTeX francophone GUTenberg (groupe des utilisateurs francophones de (La)TeX), actuellement maintenue à jour sous forme d'un dépôt Git ouvert à tous: <https://gitlab.gutenberg-asso.fr> Si vous souhaitez lire la FAQ, nous vous conseillons de consulter l'URL ci-dessus.

Ce package contient aussi deux versions PDF de cette FAQ:

- [faqlatexgutenberg.pdf](#) avec verbatim des codes en mode clair
- [faqlatexgutenberg-sombre.pdf](#) avec verbatim des codes en mode sombre

Participer

Vous pouvez également ouvrir un compte sur la forge Gitlab de l'association GUTenberg: <https://gitlab.gutenberg-asso.fr> et demander à rejoindre le dépôt: <https://gitlab.gutenberg-asso.fr/gutenberg/faq-gut>

Toutes les contributions sont les bienvenues: corrections des petites erreurs, mises à jour des réponses aux questions, ou ajout de nouvelles questions !

Ces fichiers ne sont mis à disposition sur le CTAN que pour encourager la réutilisation de ce contenu, et pour en conserver une copie pérenne.

Nous contacter

Pour toutes questions et remarques: faq@gutenberg-asso.fr

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/help/faq-fr-gutenberg/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/help/faq-fr-gutenberg/pdf/faqlatexgutenberg.pdf
– local file	<code>./4598197065-faqlatexgutenberg.pdf</code>
home page	https://faq.gutenberg-asso.fr
contact	<i>repository</i> : https://gitlab.gutenberg-asso.fr/gutenberg/faq-gut
on CTAN	https://ctan.org/tex-archive/help/faq-fr-gutenberg
on MikTeX	<code>faq-fr-gutenberg</code>
on T _E XLive	<code>faq-fr-gutenberg</code>
keyword	<code>french-doc</code> (documentation in French)
keyword	<code>faq</code> (frequently asked questions, with answers)
language(s)	no language specified
last access	2025-02-07

2140 *farbe* – Color management (conversion, names) for LuaTeX implemented in Lua

Web page on CTAN <https://ctan.org/pkg/farbe>

name	farbe
caption	Color management (conversion, names) for LuaTeX implemented in Lua
author	Friedrich, Josef
copyright	Josef Friedrich (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2.0 (2025-06-08)
last changes	2025-06-08
year	2025
description	(no language specified) This package is mainly a Lua library for converting and manipulating colors. It is based on Lua module lua-color .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/farbe/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/generic/farbe/farbe-doc.pdf
– local file	./7878043636-farbe-doc.pdf
contact	<i>bugs</i> : https://github.com/Josef-Friedrich/farbe/issues
contact	<i>repository</i> : https://github.com/Josef-Friedrich/farbe
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/farbe
on MikTeX	farbe
on T _E XLive	farbe
keyword	colour (typesetting in colour)
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
last access	2025-06-13

2141 *fariscovernew* – Create elegant Arabic and English title (cover) pages

Web page on CTAN <https://ctan.org/pkg/fariscovernew>

name	fariscovernew
caption	Create elegant Arabic and English title (cover) pages
author	Hameed, Faris
copyright	Faris Hameed (2026)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1
description	(no language specified) This LaTeX package permits to generate modern and highly customizable title (cover) pages for Arabic and English documents. It provides multiple predefined visual styles, dynamic color schemes, font customization options, and advanced geometric layouts, including layered diamond compositions. It is designed for use with XeLaTeX or LuaLaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/fariscovernew/README.md
documentation	(Arabic) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/fariscovernew/fariscovernew-doc.pdf
– local file	./5456194043-fariscovernew-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/fariscovernew
on MikTeX	fariscovernew
on T _E XLive	fariscovernew
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	covers (typeset badges, covers or labels for things (or people))
keyword	arabic (documentation in and support for typesetting Arabic)
language(s)	Arabic
year	2026
last access	2026-04-10

2142 *fascicules* – Create mathematical manuals for schools

Web page on CTAN	https://ctan.org/pkg/fascicules
name	fascicules
caption	Create mathematical manuals for schools
author	Moritz, Martin
copyright	Martin Moritz (2018)
license	lpl = The LaTeX Project Public License (free)
version	1
description	(no language specified) This package enables LaTeX users to create math books for middle and high schools. It provides commands to create the front page of the manual and the chapters. Each chapter can consist of three sections: the lesson, the exercises and the activities.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fascicules/fascicules.pdf
– local file	./8684427660-fascicules.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fascicules/README.md
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fascicules/guide/guide.pdf
– local file	./3900088148-guide.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fascicules
on MikTeX	fascicules
on TeXLive	fascicules
keyword	teaching (support for teachers and teaching administrators)
see also	see section 5325 on page 4822 : (<i>schule</i> – Support for teachers at German schools)
language(s)	French
year	2018
last access	2025-02-07

2143 fast-diagram – Easy generation of FAST diagrams

Web page on CTAN <https://ctan.org/pkg/fast-diagram>

name	fast-diagram
caption	Easy generation of FAST diagrams
author	Allais, Raphaël
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1
description	(no language specified) The package provides simple means of producing FAST diagrams, using TikZ/pgf tools . FAST diagrams are useful for functional analysis techniques in design methods.
documentation	(French) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/fast-diagram/README
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/fast-diagram/help.pdf
– local file	./7691590901-help.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/fast-diagram
on MikTeX	fast-diagram
on TeXLive	fast-diagram
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	diagram (diagrams)
language(s)	French
year	without year
last access	2025-02-07

2144 fastpictex – Simple specification of PicTeX diagrams

Web page on CTAN <https://ctan.org/pkg/fastpictex>

name	fastpictex
caption	Simple specification of PicTeX diagrams
author	Stauss, Harald M.
license	gpl = GNU General Public License (free)
version	0.9

2145 *fax* – Document class for preparing faxes

description	(no language specified) FastPicTeX is a preprocessor for PicTeX . It reads macros (in a language that is very easy to write) and converts them to PicTeX code that can be included in LaTeX documents. FastPicTeX is specifically designed for diagrams of numbered data material, such as line graphs, bar graphs, or xy graphs.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/fastpictex/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/fastpictex/doc/fastpictex.pdf
– local file	./4681908459-fastpictex.pdf
on CTAN	https://ctan.org/tex-archive/support/fastpictex
keyword	graphics-import (convert a foreign graphics format for use with TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

2145 *fax* – Document class for preparing faxes

Web page on CTAN	https://ctan.org/pkg/fax
name	<i>fax</i>
caption	Document class for preparing faxes
author	de Jonge, J. H. M.
author	Rhebergen, J. B.
license	nosell = Do Not Sell Except by Arrangement (not free)
version	1.0
description	(no language specified) The <i>fax</i> class generates a suitable format, using the <i>artikel3</i> class (from the ntgclass bundle), if it's available, and the lastpage package. A package <i>sig.sty</i> is included, which enables use of scanned signatures; this package is dependent on emTeX graphics <code>\special</code> commands.
documentation	(no language specified) <i>Documentation of fax.cls</i> : https://ctan.org/tex-archive/macros/latex/contrib/fax/faxdoc.pdf
– local file	./9234153740-faxdoc.pdf
documentation	(no language specified) <i>Documentation of sig.sty</i> : https://ctan.org/tex-archive/macros/latex/contrib/fax/sigdoc.pdf

– local file	<code>./1244861014-sigdoc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fax
keyword	letter (typesetting letters, envelopes, faxes, etc)
language(s)	no language specified
year	without year
last access	2025-02-07

2146 *fbf* – A free Bembo-like font

Web page on CTAN <https://ctan.org/pkg/fbf>

name	<code>fbf</code>
caption	A free Bembo-like font
author	Sharpe, Michael
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
license	ofl = The SIL Open Font License (free)
version	1.16 (2020-07-01)
last changes	2020-07-01
year	2020
description	(no language specified) The package provides a Bembo-like font package based on Cardo but with many modifications, adding Bold Italic, small caps in all styles, six figure choices in all styles, updated kerning tables, added figure tables and corrected f-ligatures. Both OpenType and Adobe Type 1 versions are provided; all necessary support files are provided. The font works well with <code>newtxmath</code>’s libertine option.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/fbf/README
documentation	(no language specified) <i>Introduction and sampler</i>: https://ctan.org/tex-archive/fonts/fbf/doc/fbf-doc.pdf
– local file	<code>./6510143021-fbf-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/fbf
installation	https://ctan.org/tex-archive/install/fonts/fbf.tds.zip
on MikTeX	<code>fbf</code>
on TeXLive	<code>fbf</code>
keyword	font-type1 (font available in Adobe Type 1 format)

keyword	<code>font-sup</code> (metrics, macro incantations and other font support)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-tlenc</code> (font providing LaTeX T1 encoding support)
language(s)	no language specified
last access	2025-02-07

2147 **fbithesis** – Computer Science thesis class for University of Dortmund

Web page on CTAN <https://ctan.org/pkg/fbithesis>

name	<code>fbithesis</code>
caption	Computer Science thesis class for University of Dortmund
author	Dierker, Andre
copyright	Andre Dierker (2002, 2003)
license	other-free = Free license not otherwise listed (free)
version	1.2m
description	(no language specified) At the department of computer science at the University of Dortmund there are cardboard cover pages for research or internal reports like master/phd-theses. The main function of this LaTeX2e document-class is a replacement for the <code>\maketitle</code> command to typeset a title page that is adjusted to these cover pages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fbithesis/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fbithesis/fbithesis.pdf
– local file	<code>./2675746791-fbithesis.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fbithesis
on MikTeX	<code>fbithesis</code>
on T _E XLive	<code>fbithesis</code>

keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
year	2003
last access	2025-02-07

2148 *fbox* – Extended `\fbox` macro from standard LaTeX

Web page on CTAN <https://ctan.org/pkg/fbox>

name	<code>fbox</code>
caption	Extended <code>\fbox</code> macro from standard LaTeX
author	Voß, Herbert
copyright	Herbert Voß (2019, ..., 2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.07 (2023-12-04)
last changes	2023-12-04
year	2023
description	(no language specified) This package redefines <code>\fbox</code> to allow an optional argument for different frames. It can be any combination of l)eft, r)ight, t)op, and b)ottom, for example: <code>\fbox[lt]{foo}</code>. Using uppercase letters or a combination of lowercase and uppercase is also possible.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fbox/doc/fbox.pdf
– local file	<code>./4697821751-fbox.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fbox/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fbox
on MikTeX	<code>fbox</code>
on TeXLive	<code>fbox</code>
keyword	tagged-pdf-incompatible (tagged PDF incompatible)
keyword	boxing (creating boxes)
language(s)	no language specified
last access	2026-04-13

2149 *fbs* – BibTeX style for Frontiers in Bioscience

Web page on CTAN <https://ctan.org/pkg/fbs>

name	<i>fbs</i>
caption	BibTeX style for Frontiers in Bioscience
author	Suckale, Jakob
license	lppl = The LaTeX Project Public License (free)
version	(2008-03-12)
last changes	2008-03-12
year	2008
description	(no language specified) A BibTeX style file made with <i>custom-bib</i> to fit Frontiers in Bioscience requirements: • all authors, no et al, full author names, initials abbreviated; • only abbreviated journal name italicised, no abbreviation dots; • only year, no month, at end of reference; and • DOI excluded, ISSN excluded.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/fbs.bst
on MikTeX	<i>fbs</i>
on T _E XLive	<i>fbs</i>
keyword	<i>bibtex-sty</i> (<i>bibtex-sty</i> (unknown))
keyword	<i>biology</i> (typeset biological data)
keyword	<i>journalpub</i> (typesetting journals, etc)
language(s)	no language specified
last access	2025-02-07

2150 *fc* – Fonts for African languages

Web page on CTAN <https://ctan.org/pkg/fc>

name	<i>fc</i>
caption	Fonts for African languages
author	Knappen, Jörg
license	gpl2 = GNU General Public License, version 2 (free)
version	1.4
description	(no language specified) The fonts are provided as Metafont source, in the familiar arrangement of lots of (autogenerated) preamble files and a modest set of glyph specifications. (A similar arrangement appears in the <i>ec</i> and <i>lh</i> font bundles.)
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/jknappen/fc/src/fc.rme
on CTAN	https://ctan.org/tex-archive/fonts/jknappen/fc
on MikTeX	<i>fc</i>
on T _E XLive	<i>fc</i>
keyword	<i>font-mf</i> (fonts distributed as Metafont source)
keyword	<i>font</i> (fonts themselves)
keyword	<i>multilingual</i> (support for more than one (natural) language)
language(s)	no language specified
year	without year
last access	2025-02-07

2151 *fc-arith* – Create an arithmetic flash card

Web page on CTAN <https://ctan.org/pkg/fc-arith>

name	<i>fc-arith</i>
caption	Create an arithmetic flash card
author	Story, Donald P.
copyright	D. P. Story (1999-2017)
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	(2017-01-16)

2152 *fcavtex* – A thesis class for the FCAV/UNESP (Brazil)

last changes	2017-01-16
year	2017
description	(no language specified) The package is used to create an arithmetic flash card. Addition, subtraction, multiplication and division problems are randomly generated. The flash cards may be customised. Design and build your own flash card using a dvips/Acrobat Distiller work flow, or a pdfTeX work flow.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/fc_arith/docs/fc_arithman.pdf
– local file	<code>./3545156167-fc_arithman.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/fc_arith/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fc_arith
on MikTeX	<code>fc-arith</code>
keyword	<code>pdf-forms</code> (create pdf form fields, use form fields as an integral part of the package)
keyword	<code>card-flash</code> (typesetting ‘flash’ cards for teaching and learning)
keyword	<code>adobe-distiller</code> (convert PostScript to PDF using Adobe Distiller)
language(s)	no language specified
last access	2025-02-07

2152 *fcavtex* – A thesis class for the FCAV/UNESP (Brazil)

Web page on CTAN <https://ctan.org/pkg/fcavtex>

name	<code>fcavtex</code>
caption	A thesis class for the FCAV/UNESP (Brazil)
author	Maldonado Jr, Walter
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2015-08-06)
last changes	2015-08-06
year	2015

description	(no language specified) This package provides a class and a bibliography style for the FCAV-UNESP (Faculdade de Ciências Agrárias e Veterinárias de Jaboticabal UNESP) brazilian university, written based on the institution rules for thesis publications.
documentation	<i>Package documentation (Brazilian Portuguese):</i> https://ctan.org/tex-archive/macros/latex/contrib/fcavtex/manual/fcavtex.pdf
– local file	<code>./3079296094-fcavtex.pdf</code>
documentation	<i>Readme (in Brazilian Portuguese):</i> https://ctan.org/tex-archive/macros/latex/contrib/fcavtex/README
contact	<i>repository:</i> https://github.com/waltermaldonado/fcavTeX
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fcavtex
on MikTeX	<code>fcavtex</code>
on T _E XLive	<code>fcavtex</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
language(s)	Portuguese
last access	2025-02-07

2153 *fchart* – Flow diagrams in LaTeX 2.09

Web page on CTAN	https://ctan.org/pkg/fchart
name	<code>fchart</code>
caption	Flow diagrams in LaTeX 2.09
author	Schollmeyer, Michael
copyright	M. Schollmeyer (1992)
license	<code>noinfo = noinfo</code>
version	2.0
description	(no language specified) This is not a package, rather a set of macros to be read using <code>\input</code> , offering a means of drawing structures without the use of the <code>picture</code> environment.
documentation	(German) <i>Usage manual:</i> https://ctan.org/tex-archive/macros/latex209/contrib/fchart/fcdoc.pdf
– local file	<code>./5084708156-fcdoc.pdf</code>

on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/fchart
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
language(s)	German
year	1992
last access	2025-02-07

2154 *fcltxdoc* – Macros for use in the author’s documentation

Web page on CTAN	https://ctan.org/pkg/fcltxdoc
name	fcltxdoc
caption	Macros for use in the author’s documentation
author	Chervet, Florent
copyright	Florent Chervet (2010-2011)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The package is not advertised for public use, but is necessary for the support of others of the author’s packages (which are compiled under the <i>ltxdoc</i> class).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fcltxdoc/fcltxdoc.pdf
– local file	./7486633566-fcltxdoc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fcltxdoc
on MikTeX	fcltxdoc
on T _E XLive	fcltxdoc
keyword	doc-supp (macros and tools for preparing documentation)
language(s)	no language specified
year	2011
last access	2025-02-07

2155 fcolumn – Typesetting financial tables

Web page on CTAN <https://ctan.org/pkg/fcolumn>

name	fcolumn
caption	Typesetting financial tables
author	Olthof, Edgar
copyright	Edgar Olthof (2015-2026)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.4.4
description	(no language specified) In financial reports, text and currency amounts are regularly put in one table, e.g., a year balance or a profit-and-loss overview. This package provides the settings for automatically typesetting such columns, including the sum line (preceded by a rule of the correct width) using the specifier ” f ”.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fcolumn/fcolumn.pdf
– local file	./8075425968-fcolumn.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fcolumn/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fcolumn
on MikTeX	fcolumn
on T _E XLive	fcolumn
keyword	table (table typesetting)
keyword	tagged-pdf-incompatible (tagged PDF incompatible)
language(s)	no language specified
year	2026
last access	2026-04-10

2156 *fdsymbol* – A maths symbol font

Web page on CTAN <https://ctan.org/pkg/fdsymbol>

name	<code>fdsymbol</code>
caption	A maths symbol font
author	Ummels, Michael
copyright	Michael Ummels (2011)
license	ofl = The SIL Open Font License (free)
version	0.8
description	(no language specified) FdSymbol is a maths symbol font, designed as a companion to the Fedra family by Typotheque, but it might also fit other contemporary typefaces.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/fdsymbol/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/fdsymbol/fdsymbol.pdf
– local file	<code>./3786379853-fdsymbol.pdf</code>
contact	<i>repository</i> : https://github.com/ummels/fdsymbol
on CTAN	https://ctan.org/tex-archive/fonts/fdsymbol
installation	https://ctan.org/tex-archive/install/fonts/fdsymbol.tds.zip
on MikTeX	<code>fdsymbol</code>
on TeXLive	<code>fdsymbol</code>
keyword	<code>font-symbol</code> (fonts that provide collections of symbols)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>font-symbol-maths</code> (collections of mathematical symbols)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font</code> (fonts themselves)
language(s)	no language specified
year	2011
last access	2025-02-07

2157 *fduthesis* – LaTeX thesis template for Fudan University

Web page on CTAN	https://ctan.org/pkg/fduthesis
name	<code>fduthesis</code>
caption	LaTeX thesis template for Fudan University
author	Zeng, Xiangdong
copyright	Xiangdong Zeng (2017-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.9a (2023-05-27)
last changes	2023-05-27
year	2023
description	(no language specified) This package is a LaTeX thesis template package for Fudan University. It can make it easy to write theses both in Chinese and English.
documentation	<i>Package documentation (Chinese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/fduthesis/fduthesis.pdf
– local file	<code>./1736942723-fduthesis.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fduthesis/README.md
documentation	<i>Code Implementation (Chinese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/fduthesis/fduthesis-code.pdf
– local file	<code>./5892937619-fduthesis-code.pdf</code>
documentation	<i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/fduthesis/fduthesis-en.pdf
– local file	<code>./1356493534-fduthesis-en.pdf</code>
contact	<i>bugs</i> : https://github.com/stone-zeng/fduthesis/issues
contact	<i>repository</i> : https://github.com/stone-zeng/fduthesis
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fduthesis
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/fduthesis.tds.zip
on MikTeX	<code>fduthesis</code>
on T _E XLive	<code>fduthesis</code>
keyword	<code>class</code> (alternative LaTeX class(es))

keyword	<code>doc-templ</code> (template to guide document development)
keyword	<code>latex3</code> (work done for the project to upgrade LaTeX)
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
keyword	<code>chinese</code> (support for typesetting Chinese languages)
see also	see section 1374 on page 1242: (<code>CQUThesis</code> – LaTeX Thesis Template for Chongqing University)
see also	see section 6104 on page 5516: (<code>thuthesis</code> – Thesis template for Tsinghua University)
language(s)	English; Chinese
last access	2025-02-12

2158 *featpost* – MetaPost macros for 3D

Web page on CTAN <https://ctan.org/pkg/featpost>

name	<code>featpost</code>
caption	MetaPost macros for 3D
author	Gonçalves, Luís Nobre
copyright	Luís Nobre Gonçalves (2005, 2011, 2013)
license	gpl = GNU General Public License (free)
version	0.8.8
description	(no language specified) These macros allow the production of three-dimensional schemes containing: angles, circles, cylinders, cones and spheres, among other things.
documentation	(no language specified) <i>Manual</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/featpost/doc/featpostmanual.pdf
– local file	<code>./9581446127-featpostmanual.pdf</code>
documentation	(no language specified) <i>Promotional stuff</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/featpost/doc/metapostpropaganda.pdf
– local file	<code>./5696417380-metapostpropaganda.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/featpost
on MikTeX	<code>featpost</code>
on T _E XLive	<code>featpost</code>

keyword	graphics-3d (graphics with 3-dimensional output)
language(s)	no language specified
year	2013
last access	2025-02-07

2159 *fei* – Class for academic works at FEI University Center — Brazil

Web page on CTAN <https://ctan.org/pkg/fei>

name	<i>fei</i>
caption	Class for academic works at FEI University Center — Brazil
author	De Rizzo Meneghetti, Douglas
copyright	Douglas De Rizzo Meneghetti (2014-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	4.10.4 (2022-12-23)
last changes	2022-12-23
year	2022
description	(no language specified) <i>fei</i> is a class created by graduate students and LaTeX enthusiasts that allows students from FEI University Center to create their academic works, be it a monograph, masters dissertation or phd thesis, under the typographic rules of the institution. The class makes it possible to create a full academic work, supporting functionalities such as cover, title page, catalog entry, dedication, summary, lists of figures, tables, algorithms, acronyms and symbols, multiple authors, index, references, appendices and attachments. <i>fei</i> is loosely based in the Brazilian National Standards Organization (Associação Brasileira de Normas Técnicas, ABNT) standards for the creation of academic works, such as ABNT NBR 10520:2002 (Citations) and ABNT NBR 6023:2002 (Bibliographic References).
documentation	(Portuguese (Brazilia)) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fei/fei.pdf
– local file	<code>./8418563470-fei.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fei/README
home page	https://douglasrizzo.com.br/Classe-Latex-FEI/
contact	<i>support</i>: https://groups.google.com/forum/#!forum/grupo-latex-fei

contact	<i>bugs:</i> https://github.com/douglasrizzo/Classe-Latex-FEI/issues
contact	<i>repository:</i> https://github.com/douglasrizzo/Classe-Latex-FEI/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fei
on MikTeX	fei
on T _E XLive	fei
keyword	class (alternative LaTeX class(es))
keyword	std-conform (support conformance to standards)
keyword	doc-templ (template to guide document development)
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	portuguese-br (support for typesetting Brazilian Portuguese)
language(s)	Portuguese (Brazilia)
last access	2025-02-07

2160 *fenetreacas* – Commands for CAS-like windows (Xcas or Geogebra) in TikZ

Web page on CTAN	https://ctan.org/pkg/fenetreacas
name	FenetreCas
caption	Commands for CAS-like windows (Xcas or Geogebra) in TikZ
author	Pierquet, Cédric
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.4 (2023-11-05)
last changes	2023-11-05
year	2023
description	(no language specified) This package provides some commands (in French) to display, with <i>TikZ</i> , windows like Xcas or Geogebra : • <code>\begin{CalculFormelGeogebra}</code> and <code>\LigneCalculsGeogebra</code> ; • <code>\begin{CalculFormelXcas}</code> and <code>\LigneCalculsXcas</code> .
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/fenetreacas/README.md

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/fenetrecas/doc/FenetreCas-doc.pdf
– local file	<code>./1400535867-FenetreCas-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/fenetrecas
on MikTeX	<code>fenetrecas</code>
on TeXLive	<code>fenetrecas</code>
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>graphics</code> (<code>graphics</code> (support packages))
language(s)	no language specified
last access	2025-05-27

2161 *fenixpar* – One-shot changes to token registers such as `\everypar`

Web page on CTAN	https://ctan.org/pkg/fenixpar
name	<code>fenixpar</code>
caption	One-shot changes to token registers such as <code>\everypar</code>
author	Música de Rivera, Javier
license	lppl = The LaTeX Project Public License (free)
version	0.92
description	(no language specified) The bundle provides two packages, <code>fenixtok</code> and <code>fenixpar</code>. The <code>fenixtok</code> package provides user macros to add material to a token register; the material will be (automatically) removed from the token register when the register is executed. Material may be added either to the left or to the right, and care is taken not to override any redefinition that may be included in the token register itself. The <code>fenixpar</code> package uses the macros of <code>fenixtok</code> to provide a user interface to manipulation of the <code>\everypar</code> token register. The packages require the e-TeX extensions; with them, they work either with Plain TeX or with LaTeX.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/generic/fenixpar/README
on CTAN	https://ctan.org/tex-archive/macros/generic/fenixpar

2162 *feplatex* – French version of "graphics in LaTeX"

on MikTeX	fenixpar
on T _E XLive	fenixpar
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	without year
last access	2025-02-07

2162 *feplatex* – French version of "graphics in LaTeX"

Web page on CTAN <https://ctan.org/pkg/feplatex>

name	feplatex
caption	French version of "graphics in LaTeX"
author	Drucbert, Jean-Pierre
license	gpl = GNU General Public License (free)
description	(no language specified) This is the French translation of <i>epslatex</i> , and describes how to use imported graphics in LaTeX(2e) documents.
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/epslatex/french/feplatex.pdf
– local file	./7619890733-feplatex.pdf
on CTAN	https://ctan.org/tex-archive/info/epslatex/french
on MikTeX	guides
on T _E XLive	epslatex-fr
keyword	french-doc (documentation in French)
keyword	graphics (graphics (support packages))
keyword	translation (translation of material from the archive, to another language)
language(s)	no language specified
year	without year
last access	2025-02-07

2163 *fetamont* – Extended version of Knuth’s logo typeface

Web page on CTAN <https://ctan.org/pkg/fetamont>

name	fetamont
caption	Extended version of Knuth’s logo typeface
author	Romer, Linus
copyright	Linus Romer (2014-2017)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2017-04-15)
last changes	2017-04-15
year	2017
description	(no language specified) The fetamont typeface was designed in Metafont and extends the Logo fonts to complete the T1 encoding. The designs of the glyphs A, E, F, M, N, O, P, S and T are based on the Metafont constructions by D. E. Knuth. The glyphs Y and l imitate the shapes of the corresponding glyphs in the METATYPE1 logo.
documentation	(no language specified) <i>Package “design and construction”</i> : https://ctan.org/tex-archive/fonts/fetamont/fetamont-typeface.pdf
– local file	./6705466454-fetamont-typeface.pdf
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/fetamont/fetamont.pdf
– local file	./2120391153-fetamont.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/fetamont/README
on CTAN	https://ctan.org/tex-archive/fonts/fetamont
on MikTeX	fetamont
on TeXLive	fetamont
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-otf (font in OpenType format)
keyword	font-type1 (font available in Adobe Type 1 format)
see also	see section 3939 on page 3562: (mflogo – LaTeX support for Metafont logo fonts)
see also	see section 3909 on page 3535: (metalogo – Extended TeX logo macros)

2164 *fetchbibpes* – Creates a DB of Bible verses from e-Sword, then fetches them...

language(s) no language specified
last access 2025-02-07

2164 *fetchbibpes* – Creates a DB of Bible verses from e-Sword, then fetches them on command

Web page on CTAN <https://ctan.org/pkg/fetchbibpes>

name *fetchbibpes*
caption Creates a DB of Bible verses from e-Sword, then fetches them on command
author Story, Donald P.
copyright D. P. Story (2016-2021)
license lpl11.2 = The LaTeX Project Public License 1.2 (free)
version (2021-03-08)
last changes 2021-03-08
year 2021
description (no language specified) This bundle provides two packages, *bibpes* and *fetchbibpes*. This pair of packages was motivated by a friend, who was preparing Bible studies lessons using a combination of the application *e-Sword* and LaTeX. He wanted a ‘database’ of Bible packages from which he could simply ‘fetch’ passages into the LaTeX source file.

Package *bibpes* is used to develop a database of verses, and package *fetchbibpes* is used to fetch the verses.

documentation (no language specified) *Readme*: [https://ctan.org/tex-archive/macros/latex/contrib/](https://ctan.org/tex-archive/macros/latex/contrib/fetchbibpes/README.md)
[fetchbibpes/README.md](https://ctan.org/tex-archive/macros/latex/contrib/fetchbibpes/README.md)

documentation (no language specified) *Code documentation*:
[https://ctan.org/tex-archive/macros/latex/contrib/](https://ctan.org/tex-archive/macros/latex/contrib/fetchbibpes/docs/fetchbibpes.pdf)
[fetchbibpes/docs/fetchbibpes.pdf](https://ctan.org/tex-archive/macros/latex/contrib/fetchbibpes/docs/fetchbibpes.pdf)

– local file ./8851931025-fetchbibpes.pdf
documentation (no language specified) *User manual*:
[https://ctan.org/tex-archive/macros/latex/contrib/](https://ctan.org/tex-archive/macros/latex/contrib/fetchbibpes/docs/fetchbibpes_man.pdf)
[fetchbibpes/docs/fetchbibpes_man.pdf](https://ctan.org/tex-archive/macros/latex/contrib/fetchbibpes/docs/fetchbibpes_man.pdf)

– local file ./2785424503-fetchbibpes_man.pdf
on CTAN [https://ctan.org/tex-archive/macros/latex/contrib/](https://ctan.org/tex-archive/macros/latex/contrib/fetchbibpes)
[fetchbibpes](https://ctan.org/tex-archive/macros/latex/contrib/fetchbibpes)
on MikTeX *fetchbibpes*

keyword	theology (typeset devotional texts and other material of interest to theologians)
keyword	db-access (access database for document contents)
see also	see section 692 on page 642: (bibletext – Insert Bible passages by their reference)
see also	see section 685 on page 635: (bibleref – Format bible citations)
language(s)	no language specified
last access	2025-02-07

2165 fetchcls – Fetch the current class name

Web page on CTAN <https://ctan.org/pkg/fetchcls>

name	fetchcls
caption	Fetch the current class name
author	Giannotti, Ruben
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2015-08-11)
last changes	2015-08-11
year	2015
description	(no language specified) With standard LaTeX you are able to check for the class in use invoking the kernel command <code>\@ifclassloaded</code>. However, doing so you cannot get the explicit class name, unless you want to loop over every possible class name until <code>\@ifclassloaded</code> returns true — don't do that! With the help of the present package you can obtain the name of the current class with significantly less effort. Just load the package as usual: <code>\usepackage{fetchcls}</code>; then, the control sequence <code>\classname</code> will hold the name you were looking for.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fetchcls/fetchcls.pdf
– local file	<code>./1487732588-fetchcls.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fetchcls/README.md
contact	<i>repository</i> : https://github.com/giannotr/fetchcls
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fetchcls

on MikTeX	fetchcls
on T _E XLive	fetchcls
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

2166 feupphdtheses – Typeset Engineering PhD theses at the University of Porto

Web page on CTAN <https://ctan.org/pkg/feupphdtheses>

name	feupphdtheses
caption	Typeset Engineering PhD theses at the University of Porto
author	Espinoza, Mario Saenz
license	lppl = The LaTeX Project Public License (free)
version	4.0
description	(no language specified) A complete template for thesis/works of Faculdade de Engenharia da Universidade do Porto (FEUP) Faculty of Engineering University of Porto.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/feupphdtheses/README
documentation	(no language specified) <i>Template showing construction and appearance</i> : https://ctan.org/tex-archive/macros/latex/contrib/feupphdtheses/Template_EN.pdf
– local file	./8689489638-Template_EN.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/feupphdtheses
on MikTeX	feupphdtheses
on T _E XLive	feupphdtheses
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

2167 fewerfloatpages – Reduce the number of unnecessary float pages

Web page on CTAN <https://ctan.org/pkg/fewerfloatpages>

name	fewerfloatpages
caption	Reduce the number of unnecessary float pages
author	Mittelbach, Frank
copyright	Frank Mittelbach (2019-2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0b (2021-03-02)
last changes	2021-03-02
year	2021
description	(no language specified) This package implements a float algorithm extension for handling float pages. It attempts to reduce the number of unnecessary (fairly empty) float pages while making sure that floats nevertheless stay close to their call-outs. Several aspects of the algorithm behavior are adjustable.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fewerfloatpages/README.md
documentation	(no language specified) <i>Documented package code</i> : https://ctan.org/tex-archive/macros/latex/contrib/fewerfloatpages/fewerfloatpages-code.pdf
– local file	./4071917691-fewerfloatpages-code.pdf
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fewerfloatpages/fewerfloatpages-doc.pdf
– local file	./7939961238-fewerfloatpages-doc.pdf
contact	<i>repository</i> : https://github.com/FrankMittelbach/fmitex-fewerfloatpages
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fewerfloatpages
on MikTeX	fewerfloatpages
on T _E XLive	fewerfloatpages
keyword	float (typesetting floats)
keyword	tagged-pdf (tagged PDF compatible)
language(s)	no language specified
last access	2026-04-10

2168 feyn – A font for in-text Feynman diagrams

Web page on CTAN <https://ctan.org/pkg/feyn>

name	feyn
caption	A font for in-text Feynman diagrams
author	Gray, Norman
copyright	Norman Gray (1991, 1994, 2001, 2002, 2005, 2008-2017)
license	bsd2 = Simplified BSD License (free)
version	0.4.3 (2022-07-20)
last changes	2022-07-20
year	2022
description	(no language specified) Feyn may be used to produce relatively simple Feynman diagrams within equations in a LaTeX document. While the feynmf package is good at drawing large diagrams for figures, the present package and its fonts allow diagrams within equations or text, at a matching size. The fonts are distributed as Metafont source, and macros for their use are also provided.
documentation	(no language specified) <i>Font details</i>: https://ctan.org/tex-archive/fonts/feyn/exercise-font.pdf
– local file	<code>./2114389354-exercise-font.pdf</code>
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/feyn/feyn.pdf
– local file	<code>./7177006282-feyn.pdf</code>
documentation	(no language specified) <i>Brief sample</i>: https://ctan.org/tex-archive/fonts/feyn/overheads.pdf
– local file	<code>./2384762193-overheads.pdf</code>
documentation	(no language specified) <i>Package Readme</i>: https://ctan.org/tex-archive/fonts/feyn/README
home page	https://purl.org/nxg/dist/feyn
contact	<i>repository</i> : https://heptapod.host/nxg/feyn
on CTAN	https://ctan.org/tex-archive/fonts/feyn
on MikTeX	feyn
on T _E XLive	feyn
keyword	font-mf (fonts distributed as Metafont source)

keyword	graphics-use (graphics (typesetting actual pictures))
keyword	font (fonts themselves)
keyword	physics (support for typesetting physics documents)
language(s)	no language specified
last access	2025-02-07

2169 *feynman* – Feynman diagrams in LaTeX 2.09

Web page on CTAN <https://ctan.org/pkg/feynman>

name	feynman
caption	Feynman diagrams in LaTeX 2.09
author	Levine, Michael
license	other-nonfree = License that prevents distribution (not free)
version	1.0
description	(no language specified) The feynman package uses LaTeX picture mode commands and various sorts of symbols to construct a Feynman diagram as part of the text of a document. Note that the package was designed for use with LaTeX 2.09, and more modern and flexible packages are available, notably the feyn / feynmf combination; such packages should be used in new work.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex209/contrib/feynman/doc/feynmandoc.ps
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/feynman
keyword	physics (support for typesetting physics documents)
keyword	graphics-use (graphics (typesetting actual pictures))
see also	see section 2168 on page 1964 : (feyn – A font for in-text Feynman diagrams)
see also	see section 2170 on page 1966 : (feynmf – Macros and fonts for creating Feynman (and other) diagrams)
language(s)	no language specified
year	without year
last access	2025-02-07

2170 *feynmf* – Macros and fonts for creating Feynman (and other) diagrams

Web page on CTAN <https://ctan.org/pkg/feynmf>

name	feynmf
caption	Macros and fonts for creating Feynman (and other) diagrams
author	Ohl, Thorsten
copyright	Thorsten Ohl (1989, 1990, 1992-1996)
license	gpl = GNU General Public License (free)
version	1.08
description	(no language specified) The feynmf package provides an interface to Metafont (inspired by the facilities of mfpic) to use simple structure specifications to produce relatively complex diagrams. (The feynmp package, also part of this bundle, uses MetaPost in the same way.) While the package was designed for Feynman diagrams, it could in principle be used for diagrams in graph and similar theories, where the structure is semi-algorithmically determined.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/feynmf/fmfman.pdf
– local file	./1617018035-fmfman.pdf
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/feynmf/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/feynmf
on MikTeX	feynmf
on T _E XLive	feynmf
keyword	physics (support for typesetting physics documents)
keyword	graphics-use (graphics (typesetting actual pictures))
keyword	mp-use (use, and support for use, of MetaPost)
language(s)	no language specified
year	1996
last access	2025-02-07

2171 *feynmp-auto* – Automatic processing of *feynmp* graphics

Web page on CTAN <https://ctan.org/pkg/feynmp-auto>

name	<code>feynmp-auto</code>
caption	Automatic processing of <i>feynmp</i> graphics
author	Gregorio, Enrico
copyright	Enrico Gregorio (2013)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1
description	(no language specified) The package takes care of running Metapost on the output files produced by the feynmp package, so that the compiled pictures will be available in the next run of LaTeX. The package honours options that apply to feynmp .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/feynmp-auto/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/feynmp-auto/feynmp-auto.pdf
– local file	<code>./3415103296-feynmp-auto.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/feynmp-auto
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/feynmp-auto.tds.zip
on MikTeX	<code>feynmp-auto</code>
on T _E XLive	<code>feynmp-auto</code>
keyword	<code>graphics-inline</code> (graphics inline for external processing)
language(s)	no language specified
year	2013
last access	2025-02-07

2172 ffcode – Fixed-font code blocks formatted nicely

Web page on CTAN <https://ctan.org/pkg/ffcode>

name	ffcode
caption	Fixed-font code blocks formatted nicely
author	Bugayenko, Yegor
copyright	Yegor Bugayenko (2021-2025)
license	mit = MIT License (free)
version	0.10.1 (2025-01-05)
last changes	2025-01-05
year	2025
description	(no language specified) This LaTeX package helps you write source code in your academic papers and make it looks neat. It uses minted and tcolorbox , configuring them the right way, to ensure that code fragments and code blocks look nicer.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ffcode/ffcode.pdf
– local file	<code>./6664856242-ffcode.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ffcode/README.md
contact	<i>repository</i> : https://github.com/yegor256/ffcode
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ffcode
on MikTeX	ffcode
on T _E XLive	ffcode
keyword	line-nos (number the typeset lines)
keyword	verbatim (verbatim typesetting, etc.)
keyword	listing (computer code listing)
language(s)	no language specified
last access	2025-02-07

2173 *ffslides* – Freeform slides based on the article class

Web page on CTAN <https://ctan.org/pkg/ffslides>

name	<code>ffslides</code>
caption	Freeform slides based on the article class
author	Wolters, Mark A.
copyright	Mark A. Wolters (2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2015-11-19)
last changes	2015-11-19
year	2015
description	(no language specified) The <code>ffslides</code> (“freeform slides”) class is intended to make it easier to place various types of content freely on the page, and therefore easier to design documents with a strong visual component: presentations, posters, research or lecture notes, and so on. The goal of the class is to be less rigid and less complex than some of the popular presentation-making options. It is essentially a small set of macros added to the article class. A well-organized template file is included, and the documentation is itself an extensive example of the class’s capabilities.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ffslides/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ffslides/ffslides-doc.pdf
– local file	<code>./3753985273-ffslides-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ffslides
on T _E XLive	<code>ffslides</code>
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2025-02-07

2174 *fge* – A font for Frege’s Grundgesetze der Arithmetik

Web page on CTAN <https://ctan.org/pkg/fge>

name	<i>fge</i>
caption	A font for Frege’s Grundgesetze der Arithmetik
author	Green, J.J.
copyright	J.J.Green (2006, 2007, 2009, 2011, 2015)
license	lppl = The LaTeX Project Public License (free)
version	1.25 (2015-05-19)
last changes	2015-05-19
year	2015
description	(no language specified) The fonts are provided as Metafont source and Adobe Type 1 (pfb) files. A small LaTeX package (<i>fge</i>) is included.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/fge/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/fge/fge-doc.pdf
– local file	<code>./7009989082-fge-doc.pdf</code>
home page	https://jjg.gitlab.io/en/code/fge/
on CTAN	https://ctan.org/tex-archive/fonts/fge
on MikTeX	<i>fge</i>
on T _E XLive	<i>fge</i>
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>font</code> (fonts themselves)
keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
language(s)	no language specified
last access	2025-02-07

2175 *fgruler* – Draw rulers on the foreground or in the text

Web page on CTAN <https://ctan.org/pkg/fgruler>

name	<code>fgruler</code>
caption	Draw rulers on the foreground or in the text
author	Tómacs, Tibor
copyright	Tibor Tómacs (2017-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.6 (2024-04-11)
last changes	2024-04-11
year	2024
description	(no language specified) This package draws horizontal and vertical rulers on the foreground of every (or the current) page at absolute positions. In this way, you can check the page layout dimensions. You can also draw various rulers in the text. The <code>fgruler</code> package requires the services of the following packages: <code>kvoptions</code> , <code>etoolbox</code> , <code>xcolor</code> , <code>graphicx</code> , <code>eso-pic</code> .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fgruler/fgruler.pdf
– local file	<code>./3857052915-fgruler.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fgruler/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fgruler
on MikTeX	<code>fgruler</code>
on TeXLive	<code>fgruler</code>
keyword	<code>misc-support</code> (miscellaneous support stuff)
see also	see section 5255 on page 4761 : (<code>ruler</code> – A typographic ruler for TeX)
language(s)	no language specified
last access	2025-02-07

2176 *fhj-script* – Classes and packages for formatting documents for FH JOANNEUM

Web page on CTAN <https://ctan.org/pkg/fhj-script>

name	FHJ-Script
caption	Classes and packages for formatting documents for FH JOANNEUM
author	Hammer, Michael E.
copyright	Michael Hammer (2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	4.0c (2025-08-10)
last changes	2025-08-10
year	2025
description	(no language specified) This is a collection of classes and packages for the university of applied sciences (FH JOANNEUM, Graz, Austria). It is used by the institute for applied informatics. Mainly for creation of the master thesis and expose. It could be also the base for other academic work related to the study programs.
documentation	(no language specified) <i>Documentation for papers</i> : https://ctan.org/tex-archive/macros/latex/contrib/fhj-script/fhjpaper.pdf
– local file	<code>./9209721567-fhjpaper.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fhj-script/README.md
documentation	(no language specified) <i>Documentation for common macros</i> : https://ctan.org/tex-archive/macros/latex/contrib/fhj-script/fhjcommon.pdf
– local file	<code>./8545814858-fhjcommon.pdf</code>
documentation	(no language specified) <i>Documentation for books and thesis</i> : https://ctan.org/tex-archive/macros/latex/contrib/fhj-script/fhjbook.pdf
– local file	<code>./5116041798-fhjbook.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fhj-script
on MikTeX	<code>fhj-script</code>
on TeXLive	<code>fhj-script</code>
keyword	journalpub (typesetting journals, etc)
keyword	dissertation (typesetting dissertations, theses, etc.)

2177 *fi2t1* – Tools for installing Type 1 fonts in MiKTeX

keyword `class` (alternative LaTeX class(es))
language(s) no language specified
last access 2025-08-30

2177 *fi2t1* – Tools for installing Type 1 fonts in MiKTeX

Web page on CTAN <https://ctan.org/pkg/fi2t1>

name *fi2t1*
caption Tools for installing Type 1 fonts in MiKTeX
author Kapune, Albert
license other-free = Free license not otherwise listed (free)
description (no language specified) Preparing Type1 fonts for **MiKTeX** is a tedious work. This package contains a small guideline for the font installation and a binary (and its BASIC source) that performs the necessary .pfb conversions. The tool requires the **fontinst** package. It is specific to MiKTeX 2.3.
documentation (no language specified) *Installation guide*:
<https://ctan.org/tex-archive/support/miktex-contrib/fi2t1/Fontinstallation.pdf>
– local file ./9648288862-Fontinstallation.pdf
on CTAN <https://ctan.org/tex-archive/support/miktex-contrib/fi2t1>
keyword `font-proc` (process fonts for use with TeX (includes installation))
language(s) no language specified
year without year
last access 2025-02-07

2178 *fi2t1* – Beamer theme for thesis defense presentations at Masaryk University (Brno, Czech Republic)

Web page on CTAN <https://ctan.org/pkg/fi2t1>

name *fi2t1*
caption Beamer theme for thesis defense presentations at Masaryk University (Brno, Czech Republic)
author Starý Novotný, Vít
copyright Vít Novotný (2016-2021)

license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2.0 (2021-09-07)
last changes	2021-09-07
year	2021
description	(no language specified) A beamer theme for the typesetting of thesis defense presentations at the Masaryk University (Brno, Czech Republic). The theme has been designed for easy extensibility by color themes of other academic institutions.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/beamer-contrib/themes/fibeamer/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/beamer-contrib/themes/fibeamer/fibeamer.pdf
– local file	./2819681194-fibeamer.pdf
home page	https://www.fi.muni.cz/lemma/projekty/fithesis3/#fibeamer
contact	<i>announce</i> : https://github.com/Witiko/fibeamer/releases
contact	<i>bugs</i> : https://github.com/Witiko/fibeamer/issues
contact	<i>repository</i> : https://github.com/Witiko/fibeamer
contact	<i>development</i> : https://github.com/Witiko/fibeamer/pulls
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/beamer-contrib/themes/fibeamer
on MikTeX	fibeamer
keyword	obsolete (package declared obsolete)
keyword	presentation (slides, beamers, handouts, etc.)
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
last access	2025-02-07

2179 fibnum – Generate Fibonacci numbers

Web page on CTAN <https://ctan.org/pkg/fibnum>

name	fibnum
caption	Generate Fibonacci numbers
author	Oberdiek, Heiko
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2016-05-16)
last changes	2016-05-16
year	2016
description	(no language specified) The package provides an expandable command to provide the Fibonacci number for a given index. The command is only limited by the ability of a TeX integer to represent the resulting number, The package is distributed as part of the oberdiek distribution.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/fibnum.pdf
– local file	./5711091793-fibnum.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/fibnum.dtx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/oberdiek.tds.zip
on MikTeX	oberdiek
on TeXLive	oberdiek
keyword	calculation (perform calculations within TeX)
language(s)	no language specified
last access	2025-02-07

2180 *fifinddo* – Filtering files using TeX

Web page on CTAN <https://ctan.org/pkg/fifinddo>

name	fifinddo
caption	Filtering files using TeX
author	Lück, Uwe
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.61
description	(no language specified) The package parses plain text or TeX files, using TeX; it generalises the philosophy behind docstrip, based on TeX macro argument processing. The results are not then processed, but written to another file (possibly for later processing by TeX). The package finds practical application in the author's makedoc package. The package is part of the author's nicetext bundle.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/nicetext/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/nicetext/doc/fifinddo.pdf
– local file	./2396500896-fifinddo.pdf
contact	<i>support</i> : http://www.webdesign-bu.de/uwe_lueck/contact.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nicetext/use/fifinddo.sty
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/nicetext.tds.zip
on MikTeX	nicetext
on TeXLive	nicetext
keyword	doc-supp (macros and tools for preparing documentation)
language(s)	no language specified
year	without year
last access	2025-02-07

2181 *fifinddo-info* – German HTML beamer presentation on nicetext and morehype

Web page on CTAN <https://ctan.org/pkg/fifinddo-info>

name	fifinddo-info
caption	German HTML beamer presentation on nicetext and morehype
author	Lück, Uwe
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1b
description	(English) The bundle: • exhibits the process of making an "HTML beamer presentation" with the <i>blogdot</i> package from the <i>morehype</i> bundle, and • HTML generation based on the <i>fifinddo</i> package.
documentation	(German) <i>Readme</i>: https://ctan.org/tex-archive/info/fifinddo-info/LIESMICH.txt
documentation	(English) <i>Readme</i>: https://ctan.org/tex-archive/info/fifinddo-info/README
documentation	(German) <i>The presentation document</i>: https://ctan.org/tex-archive/info/fifinddo-info/dantev45.htm
contact	<i>support</i> : http://www.webdesign-bu.de/uwe_lueck/contact.html
on CTAN	https://ctan.org/tex-archive/info/fifinddo-info
installation	https://ctan.org/tex-archive/install/info/fifinddo-info.tds.zip
on T _E XLive	fifinddo-info
keyword	cvt-html (generate HTML from TeX-ish sources)
keyword	documentation ('stand-alone' documentation)
language(s)	German; English
year	without year
last access	2025-02-07

2182 *fifo-stack* – FIFO and stack implementation for package writers

Web page on CTAN <https://ctan.org/pkg/fifo-stack>

name	<code>fifo-stack</code>
caption	FIFO and stack implementation for package writers
author	Gaito, Stephen
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) A LaTeX implementation of a combined FIFO Stack modified from the existing <code>stack</code> package by Benjamin Bayart. The package renames the original's <code>\Push</code> and <code>\Pop</code> commands <code>\FSPush</code> and <code>\FSPop</code>, and which work on the top/end of the FIFO/Stack), and adds the ability to <code>\FSUnshift</code> and <code>\FSShift</code> from the bottom (front) of the FIFO/Stack.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fifo-stack/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fifo-stack/fifo-stack.pdf
– local file	<code>./5931400340-fifo-stack.pdf</code>
contact	<i>repository</i> : https://github.com/diSimplex/latexFifoStack
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fifo-stack
on MikTeX	<code>fifo-stack</code>
on T _E XLive	<code>fifo-stack</code>
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	without year
last access	2025-02-07

2183 *fig2eng* – Convert *fig* files to English

Web page on CTAN <https://ctan.org/pkg/fig2eng>

name	<code>fig2eng</code>
caption	Convert <i>fig</i> files to English
author	Tobin, Geoffrey
license	<code>noinfo</code> = <code>noinfo</code>
version	0.4
description	(no language specified) This is a program for converting Fig 2.1 graphics language files into understandable English.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/fig2eng/README
on CTAN	https://ctan.org/tex-archive/graphics/fig2eng
keyword	<code>misc-conv</code> (miscellaneous conversions)
language(s)	no language specified
year	without year
last access	2025-02-07

2184 *fig2lat* – Convert *.fig* files to vector graphics

Web page on CTAN <https://ctan.org/pkg/fig2lat>

name	<code>fig2lat</code>
caption	Convert <i>.fig</i> files to vector graphics
author	Krause, Dirk
license	<code>bsd</code> = BSD Style License (free)
description	(no language specified) The <i>fig2lat</i> program converts Fig drawings created in XFig, jFig or WinFIG to vector graphics formats used in LaTeX/pdfLaTeX environments. Note that earlier versions of the program were called <code>fig2vect</code> . The program is part of the dktools bundle, which is no longer hosted on CTAN.
contact	<i>repository</i> : http://dktools.sourceforge.net/fig2lat.html
keyword	<code>graphics-prep</code> (prepare graphics for use with *TeX)
language(s)	no language specified

year without year
last access 2026-04-10

2185 *fig2mf* – Convert *fig* output to Metafont

Web page on CTAN <https://ctan.org/pkg/fig2mf>

name *fig2mf*
caption Convert *fig* output to Metafont
author Starks, Anthony
copyright Anthony Starks (1993)
license nosell = Do Not Sell Except by Arrangement (not free)
version 0.04
description (no language specified) The generated Metafont code uses the *mfpic* macros.
documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/graphics/fig2mf/README>
on CTAN <https://ctan.org/tex-archive/graphics/fig2mf>
keyword *graphics-import* (convert a foreign graphics format for use with TeX)
see also see section 2186 on page 1980: (*fig2mfpic* – Convert *fig* output to *mfpic*)
language(s) no language specified
year 1993
last access 2025-02-07

2186 *fig2mfpic* – Convert *fig* output to *mfpic*

Web page on CTAN <https://ctan.org/pkg/fig2mfpic>

name *fig2mfpic*
caption Convert *fig* output to *mfpic*
author Tobin, Geoffrey
license noinfo = noinfo
version 0.024
description (no language specified) This package is based on *fig2mf* , and is firmly targeted at *mfpic* .

2187 *fig2sty* – Use *fig* as layout designer for LaTeX

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/fig2mfpic/README
on CTAN	https://ctan.org/tex-archive/graphics/fig2mfpic
keyword	graphics-import (convert a foreign graphics format for use with TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

2187 *fig2sty* – Use *fig* as layout designer for LaTeX

Web page on CTAN <https://ctan.org/pkg/fig2sty>

name	<i>fig2sty</i>
caption	Use <i>fig</i> as layout designer for LaTeX
author	Rohner, M.
license	other-free = Free license not otherwise listed (free)
version	0.1
description	(no language specified) Fig2sty allows you to generate fancy layouts with LaTeX. The basic idea is to draw layout definitions interactively with XFig and transform this definition to a LaTeX style file. You can then use LaTeX to typeset your text into arbitrarily shaped polygons (frames) within the layout; the setup can also include background figures derived from your <i>fig</i> .
keyword	layout (layout of objects on the page)
language(s)	no language specified
year	without year
last access	2025-02-07

2188 *fig2vect* – Yet another Fig to vector converter

Web page on CTAN <https://ctan.org/pkg/fig2vect>

name	<i>fig2vect</i>
caption	Yet another Fig to vector converter
author	Krause, Dirk
license	other-free = Free license not otherwise listed (free)

description	(no language specified) This package is now distributed as part of the dktools bundle, under a new name: fig2lat . (Note: dktools is no longer hosted on CTAN.)
keyword	graphics-import (convert a foreign graphics format for use with TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

2189 fig4latex – Management of figures for large LaTeX documents

Web page on CTAN <https://ctan.org/pkg/fig4latex>

name	fig4latex
caption	Management of figures for large LaTeX documents
author	Fields, Joe
copyright	Joseph E. Fields (2009)
license	gpl3 = GNU General Public License, version 3 (free)
version	0.2
description	(no language specified) Fig4LaTeX simplifies management of the figures in a large LaTeX document. Fig4LaTeX is appropriate for projects that include figures with graphics created by XFig — in particular, graphics which use the combined PS/LaTeX (or PDF/LaTeX) export method. An example document (with its output) is provided.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/fig4latex/README
on CTAN	https://ctan.org/tex-archive/graphics/fig4latex
on MikTeX	fig4latex
on TeXLive	fig4latex
keyword	graphics-incl (include external graphics)
language(s)	no language specified
year	2009
last access	2025-02-07

2190 *figbas* – Mini-fonts for figured-bass notation in music

Web page on CTAN <https://ctan.org/pkg/figbas>

name	figbas
caption	Mini-fonts for figured-bass notation in music
author	Tennent, Bob
license	lppl = The LaTeX Project Public License (free)
version	1.0.3
description	(no language specified) This package consists of three mini-fonts (and associated metrics) of conventional ligatures for the figured-bass notations 2+, 4+, 5+, 6+ and 9+ in music manuscripts. The fonts are usable with Computer Modern Roman and Sans, and Palatino/Palladio, respectively.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/figbas/README
documentation	(no language specified) <i>Short example of use:</i> https://ctan.org/tex-archive/fonts/figbas/example.pdf
– local file	<code>./1726172580-example.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/figbas
installation	https://ctan.org/tex-archive/install/fonts/figbas.tds.zip
on MikTeX	figbas
on T _E XLive	figbas
keyword	music (typesetting music and related stuff)
language(s)	no language specified
year	without year
last access	2025-02-07

2191 figbib – Organize figure databases with BibTeXWeb page on CTAN <https://ctan.org/pkg/figbib>

name	FigBib
caption	Organize figure databases with BibTeX
author	Poland, Jan
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) FigBib lets you organize your figures in BibTeX databases. Some FigBib features are: • Store and manage figures in a BibTeX database; • Include figures in your LaTeX document with one short command; • Generate a List of Figures containing more/other information than the figure captions; • Control with one switch where to output the figures, either as usual float objects or in a separate part at the end of your document.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/figbib/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/figbib
on MikTeX	figbib
on TeXLive	figbib
keyword	bibtex-util (utilities for managing BibTeX files)
language(s)	no language specified
year	without year
last access	2025-02-07

2192 figcaps – Collect figure captions for later printingWeb page on CTAN <https://ctan.org/pkg/figcaps>

name	figcaps
caption	Collect figure captions for later printing
author	Daly, Patrick W.
copyright	Patrick W Daly (1993-1999)
license	lppl = The LaTeX Project Public License (free)

version	4.7
description	(no language specified) This package allows the figure captions to be collected throughout the paper and printed on a separate page at the end. The figures themselves will not appear in the text. This is for purposes of a manuscript for submission. Similarly, tables are not printed in the text, but are outputted at the end, after the figure captions. This package may optionally be used with the <code>longtable</code> environment defined in the package of the same name. The package is part of the preprint bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/preprint/figcaps.pdf
– local file	<code>./9872782464-figcaps.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/preprint
on MikTeX	preprint
on TeXLive	preprint
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
year	1999
last access	2025-02-07

2193 *figchild* – Pictures for creating children’s activities

Web page on CTAN	https://ctan.org/pkg/figchild
name	<code>figchild</code>
caption	Pictures for creating children’s activities
author	de Souza Bastos, Fernando
copyright	Fernando de Souza Bastos (2021-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.1.1
description	(no language specified) This package was created with the aim of facilitating the work of Elementary School teachers who need to create colorful and attractive activities for their students. It is a product of the Computational Mathematics discipline offered at the Federal University of Viçosa — Campus UFV — Florestal by professor Fernando de Souza Bastos. It makes use of the TikZ and xcolor packages.

2194 *figflow* – Flow text around a figure

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/figchild/figchild.pdf
– local file	./2085506862-figchild.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/figchild/README.md
home page	https://github.com/fsbmat-ufv/figchild
contact	<i>repository</i> : https://github.com/fsbmat-ufv/figchild
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/figchild
on MikTeX	figchild
on T _E XLive	figchild
keyword	teaching (support for teachers and teaching administrators)
keyword	graphics (graphics (support packages))
keyword	amusements (jokes, distractions, tongue-in-cheek packages, and other entertainment material)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
year	2022
last access	2025-02-07

2194 *figflow* – Flow text around a figure

Web page on CTAN <https://ctan.org/pkg/figflow>

name	figflow
caption	Flow text around a figure
author	Hutchinson, Ian
copyright	Ian Hutchinson (1995)
license	other-free = Free license not otherwise listed (free)
version	(2011-02-18)
last changes	2011-02-18
year	2011

description	(no language specified) Provides a Plain TeX macro <code>\figflow</code> that allows one to insert a figure into an area inset into a paragraph. Command arguments are width and height of the figure, and the figure (and its caption) itself. Usage details are to be found in the TeX file itself. The package does not work with LaTeX; packages such as <code>wrapfig</code> , <code>floatflt</code> and <code>picins</code> support the needs of LaTeX users in this area.
documentation	(no language specified) <i>Motivation for package:</i> https://ctan.org/tex-archive/macros/plain/contrib/figflow/README
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/figflow
on MikTeX	figflow
on TeXLive	figflow
keyword	text-flow (flow text round an insertion in the paragraph)
language(s)	no language specified
last access	2025-02-07

2195 *figfrag* – Convert xfig figures with embedded LaTeX commands to EPS

Web page on CTAN	https://ctan.org/pkg/figfrag
name	figfrag
caption	Convert xfig figures with embedded LaTeX commands to EPS
author	Ditzel, Maarten
license	gpl = GNU General Public License (free)
description	(no language specified) Figfrag generates EPS from xfig figures replacing all text with its LaTeX equivalent. Consequently, the EPS may be converted to PDF for use with pdfLaTeX. Figfrag includes support for colour and font style.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/figfrag/README
on CTAN	https://ctan.org/tex-archive/graphics/figfrag
keyword	graphics-prep (prepare graphics for use with *TeX)
keyword	graphics-text (text within graphics (drawn or overlaid))
language(s)	no language specified
year	without year
last access	2025-02-07

2196 figplace – Floating figures in Plain TeX

Web page on CTAN <https://ctan.org/pkg/figplace>

name	figplace
caption	Floating figures in Plain TeX
author	Zalmstra, Joost
license	noinfo = noinfo
version	(1992-08-31)
last changes	1992-08-31
year	1992
description	(no language specified) The macros implement a single stack of floats, and insert a maximum of two per page; the output routine used is an extension of the Plain version.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/figplace.tex
keyword	plain-ext (extensions to Plain TeX for higher-level constructs)
keyword	float (typesetting floats)
language(s)	no language specified
last access	2025-02-07

2197 figput – Create interactive figures in LaTeX

Web page on CTAN <https://ctan.org/pkg/figput>

name	figput
caption	Create interactive figures in LaTeX
author	Fairman, Randall
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
version	0.90
description	(no language specified) FigPut allows figures to be specified using JavaScript. The resulting document can be viewed as a static PDF, as usual, or the document can be viewed in a web-browser, in which case the figures are interactive. A variety of interactive widgets are included.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/figput/README.md

2198 `figsinltx` – A tutorial on figures in LaTeX 2.09

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/figput/figput-manual/figput-manual.pdf
– local file	<code>./2028776823-figput-manual.pdf</code>
contact	<i>repository:</i> https://github.com/rsfairman/figput
on CTAN	https://ctan.org/tex-archive/graphics/figput
on MikTeX	<code>figput</code>
on TeXLive	<code>figput</code>
keyword	<code>graphics</code> (<code>graphics</code> (support packages))
keyword	<code>callback</code> (call external code and process the result)
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>cgi-latex</code> (support for LaTeX(-like) on the web, or feeding into other applications)
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
language(s)	no language specified
year	without year
last access	2025-02-07

2198 `figsinltx` – A tutorial on figures in LaTeX 2.09

Web page on CTAN	https://ctan.org/pkg/figsinltx
name	<code>figsinltx</code>
caption	A tutorial on figures in LaTeX 2.09
author	Goel, Anil
copyright	Anil Goel (1993, 1994)
license	<code>noinfo = noinfo</code>
version	1.1
description	(no language specified) A brief (and not entirely comprehensive) tutorial on the state of <code>graphics</code> in LaTeX 2.09 at the end of the time that version was current.
on CTAN	https://ctan.org/tex-archive/obsolete/info/figsinltx.ps
keyword	<code>obsolete</code> (package declared obsolete)
keyword	<code>latex-doc</code> (<code>latex-doc(unknown)</code>)
language(s)	no language specified

year 1994
last access 2025-02-11

2199 *figsize* – Auto-size graphics

Web page on CTAN <https://ctan.org/pkg/figsize>

name FigSize
caption Auto-size graphics
author Tanbakuchi, Anthony A.
license lppl = The LaTeX Project Public License (free)
version 0.1
description (no language specified) The FigSize package enables automatic sizing of graphics, especially when including graphics with the [graphicx](#) package. The user only has to specify the number of graphics that should fit to a page or fraction thereof and the package will dynamically calculate the correct graphics sizes relative to the page size. Thus, graphics can be auto-sized to fill a whole page or fraction and manual changes of graphic sizes are never needed when changing document layouts. Finally, the package's dynamic lengths can be used to allow other document element sizes to be dynamic.
documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/figsize/figsize.pdf>
– local file ./2870425357-figsize.pdf
documentation (no language specified) *Package Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/figsize/README>
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/figsize>
on MikTeX figsize
on T_EXLive figsize
keyword graphics (graphics (support packages))
language(s) no language specified
year without year
last access 2025-02-07

2200 figureversions – Figure versions for LaTeX

Web page on CTAN <https://ctan.org/pkg/figureversions>

name	figureversions
caption	Figure versions for LaTeX
author	Ummels, Michael
copyright	Michael Ummels (2025)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0
description	(no language specified) The figureversions package defines several commands to switch between figure versions, which determine the appearance of numbers in your document. The package works with many font packages available on CTAN as well as with most OpenType fonts under XeTeX and LuaTeX in combination with fontspec.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/figureversions/figureversions.pdf
– local file	./8444689084-figureversions.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/figureversions/README.md
contact	<i>development:</i> https://github.com/ummels/figureversions
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/figureversions
on T _E XLive	figureversions
keyword	layout (layout of objects on the page)
keyword	font-sel (font selection schemes)
keyword	numbers (formatting numbers, etc)
keyword	typesetting (support for variations of typographic style)
language(s)	no language specified
year	2025
last access	2025-04-11

2201 *fihyph* – Hyphenation patterns for Finnish language

Web page on CTAN <https://ctan.org/pkg/fihyph>

name	<code>fihyph</code>
caption	Hyphenation patterns for Finnish language
author	Hellgren, Timo
license	pd = Public Domain Software (free)
description	(no language specified) Two sets of hyphenation patterns are provided; <code>fihyph.tex</code> , and <code>fi8hyph.tex</code> (which is modified from <code>fihyph.tex</code> to make the Finnish accented letters to work with LaTeX2e, adding some <code>\catcode</code> , <code>\uccode</code> , and <code>\lccode</code> commands after the model used in the hyphenation files for the other European languages). The package is superseded by the Finnish patterns available in the hyph-utf8 bundle.
on CTAN	https://ctan.org/tex-archive/language/hyphenation/fihyph
on T _E XLive	<code>hyphen-finnish</code>
keyword	<code>hyphenation</code> (macros or tables for hyphenation)
keyword	<code>finnish</code> (support for typesetting Finnish)
language(s)	no language specified
year	without year
last access	2025-02-07

2202 *filecontents* – Create an external file from within a LaTeX document

Web page on CTAN <https://ctan.org/pkg/filecontents>

name	<code>filecontents</code>
caption	Create an external file from within a LaTeX document
author	Pakin, Scott
copyright	Scott Pakin (2011-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.5a (2023-04-02)
last changes	2023-04-02
year	2023

description	(no language specified) LaTeX2e’s <code>filecontents</code> and <code>filecontents*</code> environments enable a LaTeX source file to generate external files as it runs through LaTeX. However, there are two limitations of these environments: they refuse to overwrite existing files, and they can only be used in the preamble of a document. The <code>filecontents</code> package removes these limitations, letting you overwrite existing files and letting you use <code>filecontents</code> / <code>filecontents*</code> anywhere. As of September 2019 the author tells us: ”This package is no longer necessary due to its functionality having moved into recent LaTeX kernels. It’s probably better not to move the package to obsolete because users may need it to rebuild old documents. Version 1.5 provides full functionality when run with an older kernel but issues a warning message and disables itself when run with a newer kernel.” Supply the <code>overwrite</code> option to LaTeX’s built-in <code>filecontents</code> environment to mimic this package’s behavior: <pre>\begin{filecontents}[overwrite]{my- file}...\end{filecontents}</pre>
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/filecontents/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/filecontents/filecontents.pdf
– local file	<code>./9817241000-filecontents.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/filecontents
on MikTeX	<code>filecontents</code>
on TeXLive	<code>filecontents</code>
keyword	<code>file-mgmt</code> (TeX-related-file management)
language(s)	no language specified
last access	2025-02-07

2203 *filecontentsdef – filecontents + macro + verbatim*

Web page on CTAN	https://ctan.org/pkg/filecontentsdef
name	<code>filecontentsdef</code>
caption	<code>filecontents + macro + verbatim</code>
author	Burnol, Jean-François

copyright	Jean-François Burnol (2016-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.5 (2019-09-29)
last changes	2019-09-29
year	2019
description	(no language specified) The package provides two environments called <code>filecontentsdef</code> and <code>filecontentshere</code>. They are derived from the LaTeX <code>filecontents</code> environment as provided by Scott Pakin's <code>filecontents</code> package. In addition to the file creation they either store the (verbatim) contents in a macro (<code>filecontentsdef</code>) or typeset them (verbatim) on the spot (<code>filecontentshere</code>). The author developed the package to display TeX code verbatim in documentation and the same time produce the corresponding files during the LaTeX run in order to embed them in the PDF as file attachment annotations (by using Scott Pakin's package <code>attachfile</code>).
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/filecontentsdef/filecontentsdef.pdf
– local file	<code>./6309138345-filecontentsdef.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/filecontentsdef/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/filecontentsdef
on MikTeX	<code>filecontentsdef</code>
on TeXLive	<code>filecontentsdef</code>
keyword	<code>file-mgmt</code> (TeX-related-file management)
see also	see section 2202 on page 1992: (<code>filecontents</code> – Create an external file from within a LaTeX document)
language(s)	no language specified
last access	2025-02-07

2204 filedate – Access and compare info and modification dates

Web page on CTAN <https://ctan.org/pkg/filedate>

name	filedate
caption	Access and compare info and modification dates
author	Lück, Uwe
license	lppl = The LaTeX Project Public License (free)
version	(2013-03-27)
last changes	2013-03-27
year	2013
description	(no language specified) The package provides basic access to the date of a LaTeX source file according to its <code>\Provides...</code> entry (the "info date") as well as to its modification date according to <code>\pdffilemoddate</code> if the latter is available.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/filedate/doc/filedate.pdf
– local file	<code>./5536567165-filedate.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/filedate/README
contact	<i>support:</i> http://www.webdesign-bu.de/uwe_lueck/contact.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/filedate
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/filedate.tds.zip
on MikTeX	filedate
on TeXLive	filedate
keyword	date-time (manipulate dates and/or times)
keyword	file-mgmt (TeX-related-file management)
language(s)	no language specified
last access	2025-02-07

2205 fileerr – LaTeX’s mechanisms for dealing with file errors

Web page on CTAN <https://ctan.org/pkg/fileerr>

name	fileerr
caption	LaTeX’s mechanisms for dealing with file errors
author	Mittelbach, Frank
copyright	Frank Mittelbach (1994-2004)
copyright	The LaTeX3 Project et al. (1993-2023)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1a (2003-12-28)
last changes	2003-12-28
year	2003
description	(no language specified) Provides files to be used in subverting the response to TeX’s ‘file not found’ errors, when running LaTeX. This package is part of the latex-tools bundle in the LaTeX required distribution.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/required/tools/fileerr.pdf
– local file	./9780678908-fileerr.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/required/tools
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-tools.tds.zip
on MikTeX	latex-tools
on TeXLive	tools
keyword	error-supp (control of LaTeX error messages)
keyword	file-mgmt (TeX-related-file management)
language(s)	no language specified
last access	2026-04-10

2206 filehdr – Self-descriptions in file headersWeb page on CTAN <https://ctan.org/pkg/filehdr>

name	filehdr
caption	Self-descriptions in file headers
author	Beebe, Nelson H. F.
license	gpl = GNU General Public License (free)
version	1.31
description	(no language specified) Functions for GNU Emacs Lisp to add "standard" file headers to a file. These headers contain everything you might want to about a package (and a lot you probably wouldn't), except that they don't hold any information about distribution or licensing.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/support/filehdr/filehdr.pdf
– local file	./8022044746-filehdr.pdf
on CTAN	https://ctan.org/tex-archive/support/filehdr
keyword	editor-extn (plug-ins for editors, for better (La)TeX and Meta* support)
language(s)	no language specified
year	without year
last access	2025-02-07

2207 filehook – Hooks for input filesWeb page on CTAN <https://ctan.org/pkg/filehook>

name	filehook
caption	Hooks for input files
author	Scharrer, Martin
copyright	Martin Scharrer (2010-2022)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.8b (2022-10-25)
last changes	2022-10-25
year	2022

description	(no language specified) The package provides several file hooks (<code>AtBegin</code> , <code>AtEnd</code> , ...) for files read by <code>\input</code> , <code>\include</code> and <code>\InputIfFileExists</code> . General hooks for all such files (e.g. all <code>\include</code> d ones) and file specific hooks only used for named files are provided; two hooks are provided for the end of <code>\include</code> d files — one before, and one after the final <code>\clearpage</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/filehook/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/filehook/filehook.pdf
– local file	<code>./6498448533-filehook.pdf</code>
home page	https://github.com/MartinScharrer/filehook
contact	<i>bugs</i> : https://github.com/MartinScharrer/filehook/issues
contact	<i>repository</i> : https://github.com/MartinScharrer/filehook.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/filehook
on MikTeX	<code>filehook</code>
on T _E XLive	<code>filehook</code>
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

2208 *fileinfo* – Enhanced display of LaTeX File Information

Web page on CTAN	https://ctan.org/pkg/fileinfo
name	<code>fileinfo</code>
caption	Enhanced display of LaTeX File Information
author	Lück, Uwe
copyright	Uwe Lück (2008, 2010)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.81a
description	(no language specified) The bundle provides two packages, <code>readprov</code> and <code>myfilist</code> . The <code>readprov</code> package provides a means of reading file information without loading the body of the file. The <code>myfilist</code> package uses <code>readprov</code> and controls what <code>\listfiles</code> will report.

2209 *filemod* – Provide file modification times, and compare them

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fileinfo/README.pdf
– local file	<code>./5862516172-README.pdf</code>
contact	<i>support</i> : http://www.webdesign-bu.de/uwe_lueck/contact.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fileinfo
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/fileinfo.tds.zip
on MikTeX	<code>fileinfo</code>
on T _E XLive	<code>fileinfo</code>
keyword	<code>doc-mgmt</code> (support for keeping track of document development)
language(s)	no language specified
year	2010
last access	2025-02-07

2209 *filemod* – Provide file modification times, and compare them

Web page on CTAN	https://ctan.org/pkg/filemod
name	<code>filemod</code>
caption	Provide file modification times, and compare them
author	Scharrer, Martin
copyright	Martin Scharrer (2011)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2
description	(no language specified) The package provides macros to read and compare the modification dates of files. The files may be <code>.tex</code> files, images or other files (as long as they can be found by LaTeX). It uses the <code>\pdffilemoddate</code> primitive of pdfLaTeX to find the file modification date as PDF date string, parses the string and returns the value to the user. The package will also work for DVI output with recent versions of the LaTeX compiler which uses pdfLaTeX in DVI mode. The functionality is provided by purely expandable macros or by faster but non-expandable ones.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/filemod/filemod.pdf
– local file	<code>./8883292965-filemod.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/filemod/README
home page	https://github.com/MartinScharrer/filemod
contact	<i>bugs</i> : https://github.com/MartinScharrer/filemod/issues
contact	<i>repository</i> : https://github.com/MartinScharrer/filemod.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/filemod
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/filemod.tds.zip
on MikTeX	filemod
on T _E XLive	filemod
keyword	doc-tool (document development tools)
see also	see section 5673 on page 5135: (stampinclude – Inclusion based on .aux file date stamps)
language(s)	no language specified
year	2011
last access	2025-02-07

2210 *fillform* – Typeset answers to overprint on printed forms

Web page on CTAN	https://ctan.org/pkg/fillform
name	fillform
caption	Typeset answers to overprint on printed forms
author	Wagner, Zdeněk
copyright	Zdeněk Wagner (1992)
license	nosell = Do Not Sell Except by Arrangement (not free)
description	(no language specified) The package places picture environments according to a proforma file, and typesets the associated text in the environments. The resulting file is designed to be printed on a single-sheet feed printer, on top of the form itself.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex209/contrib/fillform/README
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/fillform
keyword	form-fillin (design forms for information collection)

language(s)	no language specified
year	1992
last access	2025-02-07

2211 *fillpages* – Fill up the page count to a certain number (e.g. divisible by 4)

Web page on CTAN <https://ctan.org/pkg/fillpages>

name	<code>fillpages</code>
caption	Fill up the page count to a certain number (e.g. divisible by 4)
author	Ruprecht, Gabriel
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1.0 (2025-01-21)
last changes	2025-01-21
year	2025
description	(no language specified) For printing, the physical page count must be divisible by a certain number, most often 4, 8 or 16. This LaTeX package inserts blank or predefined pages, if needed.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fillpages/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fillpages/fillpages-documentation.pdf
– local file	<code>./9821550610-fillpages-documentation.pdf</code>
contact	<i>repository</i> : https://bitbucket.org/maestro-glanz/fillpages
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fillpages
on MikTeX	<code>fillpages</code>
on T _E XLive	<code>fillpages</code>
keyword	blank-page (control of blank pages in a document)
language(s)	no language specified
last access	2025-02-07

2212 *fillwith* – Fill vertical space with solid rules or dotted lines

Web page on CTAN <https://ctan.org/pkg/fillwith>

name	<code>fillwith</code>
caption	Fill vertical space with solid rules or dotted lines
author	Rees, Clea F.
copyright	Clea F. Rees (2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3
description	(no language specified) A LaTeX package for filling vertical space with something rather than nothing. Currently supported somethings are solid rules and dotted lines, with or without numbers. The package uses a mixture of plain-ish macros, LaTeX2e and expl3 methods, but a key-value approach to configuration should make the document-level interface relatively sane, even if nothing else is.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fillwith/fillwith.pdf
– local file	<code>./1957078547-fillwith.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fillwith/README.md
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/fillwith/fillwith-example.pdf
– local file	<code>./3033292863-fillwith-example.pdf</code>
contact	<i>bugs</i> : https://codeberg.org/cfr/fillwith/issues
contact	<i>repository</i> : https://codeberg.org/cfr/fillwith
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fillwith
on MikTeX	<code>fillwith</code>
on T _E XLive	<code>fillwith</code>
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>leaders</code> (typeset leaders, etc.)
keyword	<code>exercise</code> (exercises, problems for solution, etc.)
keyword	<code>teaching</code> (support for teachers and teaching administrators)
language(s)	no language specified

year 2024
last access 2025-02-07

2213 findbib – Find bibliographic details from SPIRES

Web page on CTAN <https://ctan.org/pkg/findbib>

name	findbib
caption	Find bibliographic details from SPIRES
author	Goldstein, Kevin
author	Nesti, Fabrizio
license	gpl = GNU General Public License (free)
version	2.3
description	(no language specified) Findbib is a shell script that enables the user to avoid writing BibTeX database entries for papers that appear on SPIRES : if the citation key is in SPIRES standard form, or is an arXiv preprint number, the bibliographic details are retrieved on-line. A companion script, addbib, adds the information to an existing BibTeX database.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/biblio/bibtex/utils/findbib/documentation.pdf
– local file	./2214034778-documentation.pdf
documentation	(no language specified) <i>Example document produced with findbib:</i> https://ctan.org/tex-archive/biblio/bibtex/utils/findbib/example.pdf
– local file	./1972223404-example.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/biblio/bibtex/utils/findbib/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/findbib
keyword	bibtex-gen (derive BibTeX data from resources other than BibTeX libraries)
language(s)	no language specified
year	without year
last access	2025-02-07

2214 findhyph – Find hyphenated words in a documentWeb page on CTAN <https://ctan.org/pkg/findhyph>

name	findhyph
caption	Find hyphenated words in a document
author	Budaj, Martin
license	gpl2 = GNU General Public License, version 2 (free)
version	3.4
description	(no language specified) Findhyph is a Perl script that will analyse the log file from running your document with <code>\tracingparagraphs=1</code> set. The output contains enough context to enable you to find the hyphenated word that's being referenced.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/findhyph/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/findhyph/doc/findhyph.pdf
– local file	./3013975900-findhyph.pdf
on CTAN	https://ctan.org/tex-archive/support/findhyph
on MikTeX	findhyph
on TeXLive	findhyph
keyword	hyph-gen (support for generating or improving hyphenation tables)
language(s)	no language specified
year	without year
last access	2025-02-07

2215 fink – The LaTeX2e File Name KeeperWeb page on CTAN <https://ctan.org/pkg/fink>

name	Fink
caption	The LaTeX2e File Name Keeper
author	Verna, Didier
copyright	Didier Verna (1999-2002, 2007-2011)
license	lppl = The LaTeX Project Public License (free)
version	2.2.1

description	(no language specified) This package "looks over your shoulder" and keeps track of files <code>\input</code> 'ed (the LaTeX way) or <code>\include</code> 'ed in your document. You then have permanent access to the name of the file currently being processed through the macro <code>\finkfile</code> . FiNK also comes with support for AUC-TeX. As of version 2.2.1, FiNK has been deprecated and is not maintained anymore. People interested in FiNK's functionality are invited to use a package named currfile instead.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fink/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fink
on MikTeX	<code>fink</code>
on T _E XLive	<code>fink</code>
keyword	<code>doc-tool</code> (document development tools)
see also	see section 1440 on page 1302: (<code>currfile</code> – Provide file name and path of input files)
language(s)	no language specified
year	2011
last access	2025-02-07

2216 *finomaton* – Comfortably draw and typeset finite state machines

Web page on CTAN <https://ctan.org/pkg/finomaton>

name	<code>Finomaton</code>
caption	Comfortably draw and typeset finite state machines
author	Triska, Markus
copyright	Markus Triska (2003, 2006, 2007)
license	gpl = GNU General Public License (free)
version	1.0
description	(no language specified) Finomaton is a TCL program that allows users to comfortably draw and typeset finite state machines (automata). The resulting graphs can be exported to plain MetaPost and subsequently be included in TeX and LaTeX documents for excellent typesetting quality. In contrast to many other packages, the mouse can be used to interactively move objects around. States are magnetic to facilitate connection, and any TeX command can be embedded in the labels of states and lines.

2217 *finplain* – A Finnish version of *plain.bst*

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/finomaton/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/finomaton/examples/finomaton.pdf
– local file	<code>./4906979175-finomaton.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/finomaton
keyword	automata (finite-state machines, automata, labelled graphs, etc.)
language(s)	no language specified
year	2007
last access	2025-02-07

2217 *finplain* – A Finnish version of *plain.bst*

Web page on CTAN	https://ctan.org/pkg/finplain
name	<code>finplain</code>
caption	A Finnish version of <i>plain.bst</i>
author	Kaijanaho, Antti-Juhani
license	other-free = Free license not otherwise listed (free)
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/finplain.bst
on MikTeX	<code>finbib</code>
on T _E XLive	<code>finbib</code>
keyword	<code>bibtex-sty</code> (<code>bibtex-sty(unknown)</code>)
keyword	<code>finnish</code> (support for typesetting Finnish)
language(s)	no language specified
year	without year
last access	2025-02-07

2218 finstrut – Adjust behaviour of the ends of footnotes

Web page on CTAN <https://ctan.org/pkg/finstrut>

name	finstrut
caption	Adjust behaviour of the ends of footnotes
author	Lück, Uwe
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.5
description	(no language specified) The LaTeX internal command <code>\@finalstrut</code> is used automatically used at the end of footnote texts to insert a strut to avoid mis-spacing of multiple footnotes. Unfortunately the command can cause a blank line at the end of a footnote. The package provides a solution to this problem.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/finstrut/finstrut.pdf
– local file	<code>./5637906123-finstrut.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/finstrut/README
contact	<i>support</i> : http://www.webdesign-bu.de/uwe_lueck/contact.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/finstrut
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/finstrut.tds.zip
on MikTeX	finstrut
on T _E XLive	finstrut
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	without year
last access	2025-02-07

2219 *fira* – Fira fonts with LaTeX supportWeb page on CTAN <https://ctan.org/pkg/fira>

name	fira
caption	Fira fonts with LaTeX support
author	Tennent, Bob
license	lppl = The LaTeX Project Public License (free)
license	ofl = The SIL Open Font License (free)
version	4.3 (2022-09-17)
last changes	2022-09-17
year	2022
description	(no language specified) This package provides LaTeX, pdfLaTeX, XeLaTeX and LuaLaTeX support for the Fira Sans and Fira Mono families of fonts designed by Erik Spiekermann and Ralph du Carrois of Carrois Type Design. Fira Sans is available in eleven weights with corresponding italics: light, regular, medium, bold, ...
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/fira/doc/fira-samples.pdf
– local file	./6997462435-fira-samples.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/fira/README
contact	<i>repository</i> : https://github.com/buildingfirefoxos/Building-Blocks/tree/gh-pages/fonts/FiraSans
on CTAN	https://ctan.org/tex-archive/fonts/fira
installation	https://ctan.org/tex-archive/install/fonts/fira.tds.zip
on MikTeX	fira
on T _E XLive	fira
keyword	font (fonts themselves)
keyword	font-t1enc (font providing LaTeX T1 encoding support)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-mono (monospaced font)
keyword	font-proportional (variable-spaced font)
keyword	font-body (font designed for use as body font for Latin-based script documents)

2220 *firamath* – Fira sans serif font with Unicode math support

keyword	font-sans (sans-serif font)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-otf (font in OpenType format)
language(s)	no language specified
last access	2025-02-07

2220 *firamath* – Fira sans serif font with Unicode math support

Web page on CTAN <https://ctan.org/pkg/firamath>

name	firamath
caption	Fira sans serif font with Unicode math support
author	Zeng, Xiangdong
copyright	Xiangdong Zeng (2018-2020)
license	ofl = The SIL Open Font License (free)
version	0.3.4 (2020-10-15)
last changes	2020-10-15
year	2020
description	(no language specified) Fira Math is a sans-serif font with Unicode math support. The design of this font is based on Fira Sans and FiraGO . Fira Math is distributed in OpenType format and can be used with the unicode-math package under XeLaTeX or LuaLaTeX. More support is offered by the firamath-otf package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/firamath/firamath-specimen.pdf
– local file	./1536167681-firamath-specimen.pdf
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/fonts/firamath/firamath-demo.pdf
– local file	./8415551569-firamath-demo.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/firamath/README.md
home page	https://firamath.github.io/
contact	<i>bugs</i> : https://github.com/firamath/firamath/issues
contact	<i>repository</i> : https://github.com/firamath/firamath
on CTAN	https://ctan.org/tex-archive/fonts/firamath

installation	https://ctan.org/tex-archive/install/fonts/firamath.tds.zip
on MikTeX	firamath
on T _E XLive	firamath
keyword	font-maths (fonts for use in mathematics)
keyword	font-otf (font in OpenType format)
keyword	font-sans (sans-serif font)
keyword	font (fonts themselves)
see also	see section 2511 on page 2273: (GFSNeohellenicMath – A math font in the Neo-Hellenic style)
see also	see section 2221 on page 2010: (firamath-otf – Use OpenType math font Fira Math)
see also	see section 2219 on page 2008: (fira – Fira fonts with LaTeX support)
language(s)	no language specified
last access	2025-02-07

2221 *firamath-otf* – Use OpenType math font Fira Math

Web page on CTAN	https://ctan.org/pkg/firamath-otf
name	firamath-otf
caption	Use OpenType math font Fira Math
author	Voß, Herbert
copyright	Herbert Voß (2018-2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.03b (2023-09-08)
last changes	2023-09-08
year	2023
description	(no language specified) The package offers XeTeX/LuaTeX support for the Sans Serif OpenType Fira Math Font .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/firamath-otf/doc/firamath-otf-doc.pdf
– local file	./9720733193-firamath-otf-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/firamath-otf/README.md

on CTAN	https://ctan.org/tex-archive/fonts/firamath-otf
on MikTeX	firamath-otf
on T _E XLive	firamath-otf
keyword	font-use (font selection, mapping, etc.)
keyword	font-sans (sans-serif font)
keyword	tagged-pdf (tagged PDF compatible)
keyword	font-otf (font in OpenType format)
keyword	font-maths (fonts for use in mathematics)
see also	see section 2220 on page 2009: (firamath – Fira sans serif font with Unicode math support)
language(s)	no language specified
last access	2026-04-13

2222 *firefox-ctan-plugins* – Firefox search proformas for CTAN

Web page on CTAN	https://ctan.org/pkg/firefox-ctan-plugins
Alias	firefox-ctan-plugins
name	firefox-ctan-plugins
caption	Firefox search proformas for CTAN
author	Engler, Martin
license	pd = Public Domain Software (free)
version	(2009-04-22)
last changes	2009-04-22
year	2009
description	(no language specified) Two Firefox plugins for searching CTAN.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/firefox-ctan-plugins/README
on CTAN	https://ctan.org/tex-archive/support/firefox-ctan-plugins
keyword	ctan (support for work with the CTAN archive)
language(s)	no language specified
last access	2025-02-07

2223 first-latex-doc – A document for absolute LaTeX beginners

Web page on CTAN <https://ctan.org/pkg/first-latex-doc>

name	first-latex-doc
caption	A document for absolute LaTeX beginners
author	Berry, Karl
author	Hefferon, Jim
author	Pégourié-Gonnard, Manuel
license	pd = Public Domain Software (free)
version	(2009-07-06)
last changes	2009-07-06
year	2009
description	(no language specified) The document leads a reader, who knows nothing about LaTeX, through the production of a two page document. The user who has completed that first document, and wants to carry on, will find recommendations for tutorials.
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/first-latex-doc/first-latex-doc.pdf
– local file	./5581940076-first-latex-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/first-latex-doc/README
on CTAN	https://ctan.org/tex-archive/info/first-latex-doc
on MikTeX	first-latex-doc
on T _E XLive	first-latex-doc
keyword	tut-latex (tutorial material for LaTeX)
language(s)	no language specified
last access	2025-02-07

2224 *first-packages* – A short list of go-to LaTeX packages, aimed at a beginner

Web page on CTAN <https://ctan.org/pkg/first-packages>

name	first-packages
caption	A short list of go-to LaTeX packages, aimed at a beginner
author	Hefferon, Jim
license	cc0 = CC0 1.0 (free)
description	(no language specified) A list of suggested packages for most of what beginners want to do. The goal is to cite one package in each area that is capable and reliable, and that is in MacTeX, MiKTeX, and TeX Live. This package has become part of latex-doc-ptr as of January 2021.
keyword	tutorial (tutorial material (general))
keyword	tut-latex (tutorial material for LaTeX)
language(s)	no language specified
year	without year
last access	2025-02-07

2225 *firstline* – Print the first line of a paragraph in a different font

Web page on CTAN <https://ctan.org/pkg/firstline>

name	firstline
caption	Print the first line of a paragraph in a different font
author	Fox, Jim
license	noinfo = noinfo
version	(1989-11-23)
last changes	1989-11-23
year	1989
description	(no language specified) This sample file defines a command <code>\firstline</code> . Place the command <code>\firstline</code> at the start of a paragraph, and it will set the first line subject to the font command <code>\Firstlinefont</code> . The file is part of the Plain TeX samples collection .
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/samples/firstline.tex
keyword	parshape (non-standard paragraph shapes)

keyword layout (layout of objects on the page)
 language(s) no language specified
 last access 2025-02-07

2226 *firststeps-xampl* – Examples from “First steps in LaTeX”

Web page on CTAN <https://ctan.org/pkg/firststeps-xampl>

name firststeps-xampl
 caption Examples from “First steps in LaTeX”
 author Grätzer, George
 license noinfo = noinfo
 version (1990-06-20)
 last changes 1990-06-20
 year 1990
 description (no language specified) These are the examples that appear in the author’s book, which was published by Birkhäuser, 1999, ISBN 0-8176-4132-7. Among the examples are a number of templates for LaTeX documents.
 on CTAN <https://ctan.org/tex-archive/info/examples/FirstSteps>
 keyword book-ex (copies of examples from a published book)
 language(s) no language specified
 last access 2025-02-07

2227 *fistrum* – Access to 150 paragraphs of Lorem Fistrum very dummy text

Web page on CTAN <https://ctan.org/pkg/fistrum>

name fistrum
 caption Access to 150 paragraphs of Lorem Fistrum very dummy text
 author Davó, David
 copyright Phelype Oleinik (lipsum) (2021)
 copyright Patrick Happel (lipsum) (2014-2019)
 copyright David Davó (fistrum) (2023)
 license lppl1.3 = The LaTeX Project Public License 1.3 (free)
 version 0.1 (2023-02-28)

last changes	2023-02-28
year	2023
description	(no language specified) <i>Fistrum</i> is a LaTeX package forked from lipsum that produces dummy text for use in documents and examples. The paragraphs were taken with permission from https://www.chiquitoipsum.com/ . <i>Fistrum</i> es un paquete de LaTeX derivado de lipsum que produce texto de ejemplo para usarlo en documentos y ejemplos. Los párrafos se han tomado con permiso de https://www.chiquitoipsum.com/ .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fistrum/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fistrum/fistrum.pdf
– local file	<code>./5335757649-fistrum.pdf</code>
contact	<i>announce</i> : https://github.com/daviddavo/fistrum/releases
contact	<i>bugs</i> : https://github.com/daviddavo/fistrum/issues
contact	<i>repository</i> : https://github.com/daviddavo/fistrum
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fistrum
on MikTeX	<code>fistrum</code>
on TeXLive	<code>fistrum</code>
keyword	<code>spanish</code> (support for typesetting Spanish)
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>dummy-gen</code> (dummy text generator for tests and examples)
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

2228 fitbox – Fit graphics on a page

Web page on CTAN <https://ctan.org/pkg/fitbox>

name	fitbox
caption	Fit graphics on a page
author	Veytsman, Boris
copyright	Boris Veytsman (2015-2019)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.02
description	(no language specified) The package allows a box (usually an <code>\includegraphics</code> box) to fit on the page. It scales the box to the maximal allowed size within the user-set limits. If there is not enough space on the page, the box is moved to the next one.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fitbox/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fitbox/fitbox.pdf
– local file	./5613977301-fitbox.pdf
home page	https://github.com/borisveytsman/fitbox
contact	<i>bugs</i> : https://github.com/borisveytsman/fitbox/issues
contact	<i>repository</i> : https://github.com/borisveytsman/fitbox/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fitbox
on MikTeX	fitbox
on T _E XLive	fitbox
keyword	boxing (creating boxes)
language(s)	no language specified
year	2019
last access	2025-02-07

2229 *fitch* – LaTeX macros for Fitch-style natural deduction

Web page on CTAN <https://ctan.org/pkg/fitch>

name	<code>fitch</code>
caption	LaTeX macros for Fitch-style natural deduction
author	Zach, Richard
copyright	Peter Selinger (2002-2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2023-12-17)
last changes	2023-12-17
year	2023
description	(no language specified) The package provides macros for typesetting natural deduction proofs in Fitch style, with subproofs indented and offset by scope lines.
documentation	(no language specified) <i>Code description</i> : https://ctan.org/tex-archive/macros/latex/contrib/fitch/fitch.hacker.txt
documentation	(no language specified) <i>User guide</i> : https://ctan.org/tex-archive/macros/latex/contrib/fitch/fitchdoc.pdf
– local file	<code>./8877021065-fitchdoc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fitch/README.md
contact	<i>bugs</i> : https://github.com/OpenLogicProject/fitch/issues/
contact	<i>repository</i> : https://github.com/OpenLogicProject/fitch/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fitch
on MikTeX	<code>fitch</code>
on T _E XLive	<code>fitch</code>
keyword	logic (typesetting logician’s discussions)
keyword	maths (support for typesetting mathematics)
keyword	proof (typeset proofs and proof diagrams)
language(s)	no language specified
last access	2025-02-07

2230 *fithesis* – Thesis class and template for Masaryk University (Brno, Czech Republic)

Web page on CTAN <https://ctan.org/pkg/fithesis>

name	fithesis
caption	Thesis class and template for Masaryk University (Brno, Czech Republic)
author	Starý Novotný, Vít
copyright	Daniel Marek (DM), Jan Pavlovič (JP), Petr Sojka (PS), Vít Starý Novotný (VN), and Tereza Vrabcová (TV) (1998-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1.1 (2024-03-06)
last changes	2024-03-06
year	2024
description	(no language specified) A document class for the typesetting of theses at the Masaryk University (Brno, Czech Republic). The class has been designed for easy extensibility by style and locale files of other academic institutions.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fithesis/fithesis.pdf
– local file	./7334404752-fithesis.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fithesis/README.md
home page	https://www.fi.muni.cz/tech/unix/tex/fithesis.html.en
contact	<i>bugs</i> : https://gitlab.fi.muni.cz/external_relations/document_templates/fithesis/-/issues
contact	<i>repository</i> : https://gitlab.fi.muni.cz/external_relations/document_templates/fithesis
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fithesis
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/fithesis.tds.zip
on MikTeX	fithesis
on T _E XLive	fithesis
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-07

2231 *fitr* – Set a rectangular destination and jump to itWeb page on CTAN <https://ctan.org/pkg/fitr>

name	FitR
caption	Set a rectangular destination and jump to it
author	Story, Donald P.
copyright	D. P. Story (2012-2020)
license	lpl = The LaTeX Project Public License (free)
version	1.3.2 (2020-07-09)
last changes	2020-07-09
year	2020
description	(no language specified) The package is an implementation of the FitR view-type destination as described in the PDF Reference; it defines one new command <code>\jdRect</code>. The command (optionally) sets a jump to and/or sets a destination of a FitR (Rectangle). (Can you see where <code>\jdRect</code> comes from?). The package requires eforms (part of the AeB) and collectbox (by Martin Scharrer). Drivers supported are dvips and dvipsone (using Adobe Distiller as the PDF creator); pdfTeX (including LuaTeX); and dvipdfm, dvipdfmx, and XeTeX. The package was developed in response to a user of the AeB Bundle who was interested in developing documents for students with low vision; the idea is to magnify regions of the document so the student can read more comfortably. Optional special effects are included (JavaScript functions) to help focus one the rectangle as it is magnified, and as the previous view is restored.
documentation	(no language specified) <i>Code documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fitr/docs/fitr.pdf
– local file	<code>./7285925757-fitr.pdf</code>
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/fitr/examples/fitr_demo.pdf
– local file	<code>./5430511394-fitr_demo.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fitr/README.md
documentation	(no language specified) <i>User manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/fitr/docs/fitr_man.pdf
– local file	<code>./3226769117-fitr_man.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fitr

on MikTeX	<code>fitr</code>
keyword	<code>pdf-forms</code> (create pdf form fields, use form fields as an integral part of the package)
keyword	<code>adobe-distiller</code> (convert PostScript to PDF using Adobe Distiller)
keyword	<code>visual-supp</code> (support for typesetting with low-vision readers in mind)
language(s)	no language specified
last access	2025-02-07

2232 *fits-astro* – Retrieving FITS file header information in LuaTeX

Web page on CTAN <https://ctan.org/pkg/fits-astro>

name	<code>fits-astro</code>
caption	Retrieving FITS file header information in LuaTeX
author	Dao, Valentin
copyright	Valentin Dao (2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.0 (2026-04-06)
last changes	2026-04-06
year	2026
description	(no language specified) This package provides a simple interface to read Flexible Image Transport System (FITS) files and access their header to retrieve information. It allows the user to typeset a key's value directly in the document or store it in a macro for further processing.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/luatex/generic/fits-astro/fits-astro.pdf
– local file	<code>./2275134635-fits-astro.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/luatex/generic/fits-astro/README.md
contact	<i>repository:</i> https://github.com/ankaa3908/fits-astro/tree/main
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/fits-astro
on TeXLive	<code>fits-astro</code>
keyword	<code>luatex</code> (LuaTeX and packages that require it)

keyword	astronomy (astronomy articles, astronomical charts)
keyword	macro-gen (macros that are independent of the (TeX) format in use)
language(s)	no language specified
last access	2026-04-10

2233 *fix-cm* – Permit Computer Modern fonts at arbitrary sizes

Web page on CTAN <https://ctan.org/pkg/fix-cm>

name	fix-cm
caption	Permit Computer Modern fonts at arbitrary sizes
author	The LaTeX Project Team
author	Schmidt, Walter A.
copyright	The LaTeX Project (1993-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1t (2020-11-24)
last changes	2020-11-24
year	2020
description	(no language specified) Overrides the (original) LaTeX restrictions on the sizes at which CM and EC fonts may be used. This package is part of the LaTeX distribution .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/base/fix-cm.pdf
– local file	./9698196462-fix-cm.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/base
on MikTeX	ltxbase
on TeXLive	latex
keyword	font-supp (metrics, macro incantations and other font support)
see also	see section 6383 on page 5768 : (<code>type1ec</code> – Permit EC, TC and LH fonts at arbitrary sizes)
see also	see section 6382 on page 5767 : (<code>type1cm</code> – Arbitrary size font selection in LaTeX)
language(s)	no language specified
last access	2025-02-07

2234 *fix2col* – Fix miscellaneous two column mode features

Web page on CTAN <https://ctan.org/pkg/fix2col>

name	<code>fix2col</code>
caption	Fix miscellaneous two column mode features
author	Carlisle, David
copyright	David Carlisle (1997-2015)
license	lppl = The LaTeX Project Public License (free)
version	0.04
description	(no language specified) OBSOLETE: do not use in new documents. This package will do nothing in LaTeX formats after 2015/01/01 as the fixes that it implements were incorporated into the fixltx2e package, which is itself obsolete as since the 2015/01/01 release these fixes are in the LaTeX format itself. Fix mark handling so that <code>\firstmark</code> is taken from the first column if that column has any marks at all; keep two column floats like <code>figure*</code> in sequence with single column floats like <code>figure</code>.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fix2col/fix2col.pdf
– local file	<code>./7546830655-fix2col.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fix2col/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fix2col
on MikTeX	<code>fix2col</code>
on TeXLive	<code>fix2col</code>
keyword	macro-supp (support for development of (La)TeX macros)
keyword	typesetting (support for variations of typographic style)
language(s)	no language specified
year	2015
last access	2025-02-07

2235 *fixbbl* – Patch bibliographies inappropriately broken by BibTeX

Web page on CTAN <https://ctan.org/pkg/fixbbl>

name	fixbbl
caption	Patch bibliographies inappropriately broken by BibTeX
author	Stajano, Frank
license	other-free = Free license not otherwise listed (free)
description	(no language specified) This Python script deals with the well-known BibTeX bug(feature) whereby BibTeX inserts a ”%” in a url to cause the bibliography line to fit into its minuscule vision of what is an acceptable input line for TeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/fixbbl/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/fixbbl
keyword	bibtex-supp (BibTeX citation support)
language(s)	no language specified
year	without year
last access	2025-02-07

2236 *fixcmex* – Fully scalable version of Computer Modern Math Extension font

Web page on CTAN <https://ctan.org/pkg/fixcmex>

name	fixcmex
caption	Fully scalable version of Computer Modern Math Extension font
author	Gregorio, Enrico
copyright	Enrico Gregorio (2015-2019)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1 (2019-08-05)
last changes	2019-08-05
year	2019

2237 *fixdif* – Macros for typesetting differential operators

description	(no language specified) This package provides a fully scalable version of the Computer Modern Math Extension font for curing sizing problems mainly with lmodern . It can be used when the main font of the document is Computer Modern (or European Modern, if T1 encoding is selected), or Latin Modern. It redefines the math extension font so that it becomes arbitrarily scalable, using the optical size fonts provided by the AMS together with the original <code>cmex10</code> font.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fixcmex/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fixcmex/fixcmex.pdf
– local file	<code>./2303247566-fixcmex.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fixcmex
on MikTeX	<code>fixcmex</code>
on TeXLive	<code>fixcmex</code>
keyword	<code>font-supp-maths</code> (metrics, macro incantations and other support for maths fonts)
language(s)	no language specified
last access	2025-02-07

2237 *fixdif* – Macros for typesetting differential operators

Web page on CTAN <https://ctan.org/pkg/fixdif>

name	<code>fixdif</code>
caption	Macros for typesetting differential operators
author	Zhang, Tingxuan
copyright	Zhang Tingxuan (2022-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.1 (2023-03-20)
last changes	2023-03-20
year	2023

2238 `fixfoot` – Multiple use of the same footnote text

description	(no language specified) This package redefines the <code>\d</code> command in LaTeX and provides an interface to define new commands for differential operators. It is compatible with pdfTeX, XeTeX and LuaTeX, and can also be used with the unicode-math package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fixdif/README.md
documentation	<i>Package documentation (Chinese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/fixdif/fixdif-zh-cn.pdf
– local file	<code>./3576169838-fixdif-zh-cn.pdf</code>
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/fixdif/fixdif.pdf
– local file	<code>./8364712888-fixdif.pdf</code>
contact	<i>bugs</i> : https://github.com/AlphaZTX/fixdif/issues
contact	<i>repository</i> : https://github.com/AlphaZTX/fixdif
contact	<i>development</i> : https://www.ctan.org/author/zhang-tx
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fixdif
on MikTeX	<code>fixdif</code>
on T _E XLive	<code>fixdif</code>
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	Chinese
last access	2025-02-07

2238 `fixfoot` – Multiple use of the same footnote text

Web page on CTAN <https://ctan.org/pkg/fixfoot>

name	<code>fixfoot</code>
caption	Multiple use of the same footnote text
author	Carlisle, David
author	Fairbairns, Robin
license	lppl = The LaTeX Project Public License (free)
version	0.3a

2239 *fixjfm* – Fix JFM (for *pTeX)

description	(no language specified) Provides a <code>\DeclareFixedFootnote</code> command to provide a single command for a frequently-used footnote. The package ensures that only one instance of the footnote text appears on each page (LaTeX needs to be run several times to achieve this).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fixfoot/fixfoot.pdf
– local file	<code>./8806779218-fixfoot.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fixfoot/README
contact	<i>support</i> : https://github.com/rf-latex/fixfoot/issues
contact	<i>repository</i> : https://github.com/rf-latex/fixfoot
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fixfoot
on MikTeX	<code>fixfoot</code>
on T _E XLive	<code>fixfoot</code>
keyword	footnote (footnote support)
see also	see section 5299 on page 4799: (<code>savefnmark</code> – Save name of the footnote mark for reuse)
language(s)	no language specified
year	without year
last access	2025-02-10

2239 *fixjfm* – Fix JFM (for *pTeX)

Web page on CTAN <https://ctan.org/pkg/fixjfm>

name	<code>fixjfm</code>
caption	Fix JFM (for *pTeX)
author	Zhang, Yue
copyright	Yue ZHANG (2017-2018)
license	knuth = Knuth License (free)
version	0.8 (2018-03-24)
last changes	2018-03-24
year	2018

2240 *fixlatvian* – Improve Latvian language support in XeLaTeX

description	(no language specified) This package fixes several bugs in the JFM format. Both LaTeX and plain TeX are supported.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/jptex/generic/fixjfm/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/jptex/generic/fixjfm/fixjfm-doc.pdf
– local file	<code>./2707099080-fixjfm-doc.pdf</code>
contact	<i>repository</i> : https://github.com/Man-Ting-Fang/fixjfm
on CTAN	https://ctan.org/tex-archive/macros/jptex/generic/fixjfm
on MikTeX	<code>fixjfm</code>
on TeXLive	<code>fixjfm</code>
keyword	macro-supp (support for development of (La)TeX macros)
keyword	japanese (support for typesetting Japanese)
keyword	chinese (support for typesetting Chinese languages)
see also	see section 874 on page 799: (BXjaprnind – Adjust the position of parentheses at paragraph head)
language(s)	no language specified
last access	2025-02-07

2240 *fixlatvian* – Improve Latvian language support in XeLaTeX

Web page on CTAN <https://ctan.org/pkg/fixlatvian>

name	<code>fixlatvian</code>
caption	Improve Latvian language support in XeLaTeX
author	Vihrov, Andrey
copyright	Andrey Vihrov (2010-2011)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1a
description	(no language specified) The package offers improvement of the Latvian language support in <i>polyglossia</i> , in particular in the area of the standard classes.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/fixlatvian/README
documentation	<i>Package documentation (Latvian)</i> : https://ctan.org/tex-archive/macros/xetex/latex/fixlatvian/fixlatvian.pdf

– local file	<code>./9876076977-fixlatvian.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/fixlatvian
on MikTeX	<code>fixlatvian</code>
on TeXLive	<code>fixlatvian</code>
keyword	<code>multilingual-addon</code> (extra language ‘drivers’ for existing multilingual packages)
language(s)	Latvian
year	2011
last access	2025-02-07

2241 *fixltx2e* – Patches for LaTeX

Web page on CTAN	https://ctan.org/pkg/fixltx2e
name	<code>fixltx2e</code>
caption	Patches for LaTeX
author	The LaTeX Project Team
copyright	The LaTeX3 Project (1993-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.1a (2016-12-29)
last changes	2016-12-29
year	2016
description	(no language specified) This package does nothing other than issue a warning in current LaTeX Releases. In earlier releases it was used to distribute bug fixes and improvements to the LaTeX kernel. See the latexrelease package for further details of the new bug fix policy.
on CTAN	https://ctan.org/tex-archive/macros/latex/base
on MikTeX	<code>ltxbase</code>
on TeXLive	<code>latex</code>
keyword	<code>obsolete</code> (package declared obsolete)
keyword	<code>typesetting</code> (support for variations of typographic style)
language(s)	no language specified

last access 2025-02-07

2242 *fixltxhyph* – Allow hyphenation of partially-emphasised substringsWeb page on CTAN <https://ctan.org/pkg/fixltxhyph>

name	fixltxhyph
caption	Allow hyphenation of partially-emphasised substrings
author	Beccari, Claudio
copyright	Claudio Beccari (2011-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.5
description	(no language specified) The package fixes the problem of TeX failing to hyphenate letter strings that seem (to TeX) to be words, but which are followed by an apostrophe and then an emphasis command. The cause of the problem is not the apostrophe, but the font change in the middle of the string. The problem arises in Catalan, French, Italian and Romansh.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fixltxhyph/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fixltxhyph/fixltxhyph.pdf
– local file	./6260179229-fixltxhyph.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fixltxhyph
on MikTeX	fixltxhyph
on T _E XLive	fixltxhyph
keyword	italian (support for typesetting Italian)
keyword	catalan (documentation in and support for typesetting Catalan)
keyword	french (support for typesetting French)
language(s)	no language specified
year	2024
last access	2025-02-07

2243 *fixmath* – Make maths comply with ISO 31-0:1992 to ISO 31-13:1992Web page on CTAN <https://ctan.org/pkg/fixmath>

name	<code>fixmath</code>
caption	Make maths comply with ISO 31-0:1992 to ISO 31-13:1992
author	Schmidt, Walter A.
author	Harcombe, Keiran
copyright	Keiran Harcombe (2022)
copyright	Walter Schmidt (2000-2003)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.9.1 (2022-10-06)
last changes	2022-10-06
year	2022
description	(no language specified) LaTeX's default style of typesetting mathematics does not comply with the International Standards ISO 31-0:1992 to ISO 31-13:1992 which require that uppercase Greek letters always be typeset upright, as opposed to italic (even though they usually represent variables) and allow for typesetting of variables in a boldface italic style (even though the required fonts are available). This package ensures that uppercase Greek be typeset in italic style, that upright Δ and Ω symbols are available through the commands <code>\upDelta</code> and <code>\upOmega</code> ; and provides a new math alphabet <code>\mathbold</code> for boldface italic letters, including Greek. This package used to be part of the was bundle, but has now become a package in its own right.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fixmath/fixmath.pdf
– local file	<code>./5554927200-fixmath.pdf</code>
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fixmath/README
contact	<i>repository</i> : https://gitlab.com/kjhtex/fixmath
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fixmath
on MikTeX	<code>was</code>
on TeXLive	<code>fixmath</code>
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	no language specified

last access 2025-02-07

2244 *fixme* – Collaborative annotation tool for LaTeXWeb page on CTAN <https://ctan.org/pkg/fixme>

name	FiXme
caption	Collaborative annotation tool for LaTeX
author	Verna, Didier
copyright	Didier Verna (1998-2002, 2004-2007, 2009, 2013, 2017-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	4.5 (2019-01-03)
last changes	2019-01-03
year	2019
description	(no language specified) FiXme is a collaborative annotation tool for LaTeX documents. Annotating a document here refers to inserting meta-notes, that is, notes that do not belong to the document itself, but rather to its development or reviewing process. Such notes may involve things of different importance levels, ranging from simple "fix the spelling" flags to critical "this paragraph is a lie" mentions. Annotations like this should be visible during the development or reviewing phase, but should normally disappear in the final version of the document. FiXme is designed to ease and automate the process of managing collaborative annotations, by offering a set of predefined note levels and layouts, the possibility to register multiple authors, to reference annotations by listing and indexing etc. FiXme is extensible, giving you the possibility to create new layouts or even complete "themes", and also comes with support for AUCTeX.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fixme/fixme.pdf
– local file	./9580217689-fixme.pdf
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fixme/README.md
home page	https://www.lrde.epita.fr/~didier/software/latex.php#fixme
contact	<i>repository</i> : https://github.com/didierverna/fixme
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fixme
on MikTeX	fixme

on T _E XLive	fixme
keyword	notes (general notes (not including endnotes or footnotes))
keyword	editorial (editor's marks, highlights, etc.)
language(s)	no language specified
last access	2025-02-07

2245 *fixmetodonotes* – Add notes on document development

Web page on CTAN <https://ctan.org/pkg/fixmetodonotes>

name	fixmetodonotes
caption	Add notes on document development
author	Barabucci, Gioele
license	pd = Public Domain Software (free)
version	0.2.2
description	(no language specified) The package provides tools to highlight FIXME and TODO annotations. The command <code>\listofnotes</code> prints a list of outstanding notes, with links to the pages on which they appear.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fixmetodonotes/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fixmetodonotes
on MikT _E X	fixmetodonotes
on T _E XLive	fixmetodonotes
keyword	editorial (editor's marks, highlights, etc.)
keyword	notes (general notes (not including endnotes or footnotes))
see also	see section 6256 on page 5658: (<i>todonotes</i> – Marking things to do in a LaTeX document)
see also	see section 2244 on page 2031: (<i>FixMe</i> – Collaborative annotation tool for LaTeX)
language(s)	no language specified
year	without year
last access	2025-02-07

2246 *fixocgx* – Add support for dvips+ps2pdf, XeLaTeX, dvipdfmx to the ocgx package

Web page on CTAN <https://ctan.org/pkg/fixocgx>

name	<i>fixocgx</i>
caption	Add support for dvips+ps2pdf, XeLaTeX, dvipdfmx to the ocgx package
author	Grahn, Alexander
copyright	Alexander Grahn (2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.5 (2015-06-15)
last changes	2015-06-15
year	2015
description	(no language specified) This package extends the usability of the <i>ocgx</i> package by Paul Gaborit for creating PDF Layers to all known engines including: • LaTeX -> dvips -> ps2pdf/Distiller • (Xe)LaTeX(x) -> dvipdfmx (pdfLaTeX and LuaLaTeX are already supported by <i>ocgx</i> .) It also ensures compatibility with the <i>media9</i> and <i>animate</i> packages. Note that the author now considers the package obsolete; users of the package are advised to switch to using <i>ocgx2</i> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/fixocgx/README
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/fixocgx
keyword	pdf-feat (access PDF features)
keyword	adobe-distiller (convert PostScript to PDF using Adobe Distiller)
keyword	obsolete (package declared obsolete)
see also	see section 4353 on page 3942: (<i>ocgx</i> – Use OCGs within a PDF document without JavaScript)
see also	see section 4351 on page 3940: (<i>ocg-p</i> – PDF OCG support in LaTeX)
language(s)	no language specified
last access	2025-02-07

2247 fixpdfmag – Fix magnification in pdfTeX

Web page on CTAN <https://ctan.org/pkg/fixpdfmag>

name	fixpdfmag
caption	Fix magnification in pdfTeX
author	Bezos López, Javier
license	pd = Public Domain Software (free)
version	(2007-01-21)
last changes	2007-01-21
year	2007
description	(no language specified) A recent change to pdfTeX has caused magnification to apply to page dimensions. This small package changes the values set in the page dimension variables from <code>pt</code> to <code>truept</code> , thus evading the effects of <code>\mag</code> .
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/fixpdfmag.tex
on MikTeX	fixpdfmag
on T _E XLive	fixpdfmag
keyword	geometry (change geometry of page layout)
language(s)	no language specified
last access	2025-02-07

2248 fixtounicode – Utility functions for setting tounicode mappings for 7/8 bit fonts

Web page on CTAN <https://ctan.org/pkg/fixtounicode>

name	fixtounicode
caption	Utility functions for setting tounicode mappings for 7/8 bit fonts
author	Rees, Clea F.
copyright	Clea F. Rees (2025-2026)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.1

description	(no language specified) This package provides utility functions in expl3 and LaTeX2e syntax for setting tounicode mappings for 7/8 bit fonts. The package provides a unified interface which enables mappings for both pdfTeX and LuaTeX. The aim is to make it easier to make legacy (text) symbol packages, which often use arbitrary glyph names and encodings, accessible for the two engines currently capable of producing accessible PDFs. The package provides a limited workaround for LuaTeX 1.22 and earlier, which make the provision of such mappings more challenging. Full support requires pdfTeX or LuaTeX 1.24 or later.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fixtounicode/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fixtounicode/fixtounicode.pdf
– local file	<code>./8835912939-fixtounicode.pdf</code>
contact	<i>repository</i> : https://codeberg.org/cfr/nfssext
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fixtounicode
on MikTeX	<code>fixtounicode</code>
on TeXLive	<code>fixtounicode</code>
keyword	<code>font-use</code> (font selection, mapping, etc.)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>unicode</code> (Unicode, material supporting it, and packages requiring it)
keyword	<code>pdf-feat</code> (access PDF features)
language(s)	no language specified
year	2026
last access	2026-04-10

2249 fiziko – A MetaPost library for physics textbook illustrationsWeb page on CTAN <https://ctan.org/pkg/fiziko>

name	fiziko
caption	A MetaPost library for physics textbook illustrations
author	Slyusarev, Sergey
copyright	Sergey Slyusarev (2023)
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	0.2.1 (2026-04-11)
last changes	2026-04-11
year	2026
description	(no language specified) This MetaPost library was initially written to automate some elements of black and white illustrations for a physics textbook. It provides functions to draw things like lines of variable width, shaded spheres, and tubes of different kinds, which can be used to produce images of a variety of objects. The library also contains functions to draw some objects constructed from these primitives.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/metapost/contrib/macros/fiziko/fiziko.pdf
– local file	./1807915477-fiziko.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/metapost/contrib/macros/fiziko/README
contact	<i>bugs:</i> https://github.com/jemmybutton/fiziko/issues
contact	<i>repository:</i> https://github.com/jemmybutton/fiziko
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/fiziko
on MikTeX	fiziko
on T _E XLive	fiziko
keyword	physics (support for typesetting physics documents)
keyword	graphics-mpost (graphics generated using MetaPost)
keyword	graphics (graphics (support packages))
language(s)	no language specified
last access	2026-04-19

2250 *fjodor* – A selection of layout styles

Web page on CTAN <https://ctan.org/pkg/fjodor>

name	<code>fjodor</code>
caption	A selection of layout styles
author	Filipović, Zoran T.
license	gpl = GNU General Public License (free)
version	(2019-12-22)
last changes	2019-12-22
year	2019
description	(no language specified) The package provides several page layouts, selectable by package options.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fjodor/fjodor.pdf
– local file	<code>./5088856635-fjodor.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fjodor/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fjodor
on MikTeX	<code>fjodor</code>
on TeXLive	<code>fjodor</code>
keyword	<code>geometry</code> (change geometry of page layout)
language(s)	no language specified
last access	2025-02-07

2251 *flabels* – Labels for files and folders

Web page on CTAN <https://ctan.org/pkg/flabels>

name	<code>flabels</code>
caption	Labels for files and folders
author	Börchers, Volker
copyright	Volker Börchers (1997, 1999)
license	lppl = The LaTeX Project Public License (free)
version	1.0

2252 *flacards* – Generate flashcards for printing

description	(no language specified) Macros for typesetting pretty labels (optionally colored) for the back of files or binders (currently only the special A4 "Leitz-Ordner" ring binder is supported).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/flabels/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/flabels/flabels.pdf
– local file	<code>./3575945214-flabels.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/flabels
on MikTeX	<code>flabels</code>
on TeXLive	<code>flabels</code>
keyword	<code>labels</code> (typeset sets of labels (for cutting out, etc.))
language(s)	no language specified
year	1999
last access	2025-02-07

2252 *flacards* – Generate flashcards for printing

Web page on CTAN	https://ctan.org/pkg/flacards
name	<code>flacards</code>
caption	Generate flashcards for printing
author	Stuhrmann, Norbert
license	gpl = GNU General Public License (free)
version	0.1.1b
description	(no language specified) The <code>flacards</code> class provides an easy interface to produce flashcards. It will print several cards per page, on both sides of the paper.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/flacards/flacards.pdf
– local file	<code>./7493986579-flacards.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/flacards/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/flacards
on MikTeX	<code>flacards</code>

2253 *flagderiv* – Flag style derivation package

on T _E XLive	flacards
keyword	card-flash (typesetting ‘flash’ cards for teaching and learning)
keyword	class (alternative LaTeX class(es))
see also	see section 2256 on page 2041: (flashcards – A class for typesetting flashcards)
see also	see section 2255 on page 2041: (flashcard – Typeset flash cards)
language(s)	no language specified
year	without year
last access	2025-02-07

2253 *flagderiv* – Flag style derivation package

Web page on CTAN <https://ctan.org/pkg/flagderiv>

name	flagderiv
caption	Flag style derivation package
author	van Tilburg, Paul
license	gpl = GNU General Public License (free)
version	0.10
description	(no language specified) The flagderiv package is used to create mathematical derivations using the flag/flagpole notation. The package features an intuitive command syntax, opening and closing multiple flagpoles, different comment styles, customizable symbols and label namespaces.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/flagderiv/flagderiv.pdf
– local file	./2309295293-flagderiv.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/flagderiv
on MikT _E X	flagderiv
on T _E XLive	flagderiv
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	without year
last access	2025-02-07

2254 flags – Setting and clearing of flags in bit fields

Web page on CTAN <https://ctan.org/pkg/flags>

name	flags
caption	Setting and clearing of flags in bit fields
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2007)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.5 (2016-05-16)
last changes	2016-05-16
year	2016
description	(no language specified) This package allows the setting and clearing of flags in bit fields and converts the bit field into a decimal number. Currently the bit field is limited to 31 bits. It is now deprecated because of new more powerful package bitset . The package is part of the oberdiek bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/flags.pdf
– local file	<code>./6601269493-flags.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/flags.dtx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/oberdiek.tds.zip
on MikTeX	oberdiek
on T _E XLive	oberdiek
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

2255 flashcard – Typeset flash cardsWeb page on CTAN <https://ctan.org/pkg/flashcard>

name	flashcard
caption	Typeset flash cards
author	Kilfiger, James
license	pd = Public Domain Software (free)
description	(no language specified) Flash cards are often used for revision; they are cards with a question on one side and the answer on the other (though the mechanism could be adapted for other purposes).
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/misc/flashcard.cls
on T _E XLive	ltxmisc
keyword	card-flash (typesetting ‘flash’ cards for teaching and learning)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
year	without year
last access	2025-02-07

2256 flashcards – A class for typesetting flashcardsWeb page on CTAN <https://ctan.org/pkg/flashcards>

name	flashcards
caption	A class for typesetting flashcards
author	Budge, Alexander M.
author	Vernon, Matthew
copyright	Matthew Vernon (2022)
copyright	Alexander M. Budge (2000)
license	gpl2+ = GNU General Public License, version 2 or newer (free)
version	1.0.2
description	(no language specified) The FlashCards class provides for the typesetting of flash cards. By flash card, we mean a two sided card which has a prompt or a question on one side and the response or the answer on the flip (back) side. Flash cards come in many sizes depending on the nature of the information they contain.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/flashcards/flashcards.pdf
– local file	./6516697409-flashcards.pdf
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/flashcards/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/flashcards
on MikTeX	flashcards
on TeXLive	flashcards
keyword	card-flash (typesetting ‘flash’ cards for teaching and learning)
see also	see section 1806 on page 1630: (ecards – Electronic flash cards)
see also	see section 2255 on page 2041: (flashcard – Typeset flash cards)
language(s)	no language specified
year	2022
last access	2025-02-07

2257 *flashmovie* – Directly embed flash movies into PDF files

Web page on CTAN	https://ctan.org/pkg/flashmovie
name	flashmovie
caption	Directly embed flash movies into PDF files
author	Hartmann, Timo
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.4
description	(no language specified) The package allows direct embedding of flash movies into PDF files. It is designed for use with pdfLaTeX. The package takes advantage of the embedded Adobe Flash player in Adobe Reader 9; the reader is invoked with the ‘rich media annotation’ feature, described in ”Adobe Supplement to the ISO 32000 BaseVersion: 1.7 ExtensionLevel: 3”. This method of embedding movies is attractive since it removes all platform dependencies; however, the user <i>is</i> required to use Acrobat 9.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/flashmovie/README

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/flashmovie
on MikTeX	flashmovie
on T _E XLive	flashmovie
keyword	graphics-motion (motion graphics)
see also	see section 4074 on page 3687: (movie15 – Multimedia inclusion package)
language(s)	no language specified
year	without year
last access	2025-02-07

2258 *flatex* – Flatten `\input`, etc., in a LaTeX file

Web page on CTAN <https://ctan.org/pkg/flatex>

name	flatex
caption	Flatten <code>\input</code> , etc., in a LaTeX file
author	Har-Peled, Sarel
license	noinfo = noinfo
version	1.21
description	(no language specified) A C program to flatten a LaTeX file into a single file, by explicitly including the files included by <code>\include</code> and <code>\input</code> commands. Also, if BibTeX is being used, then includes the bbl file into the resulting file. The result is therefore a stand-alone LaTeX file that can be emailed to a collaborator.
on CTAN	https://ctan.org/tex-archive/support/flatex
keyword	file-mgmt (TeX-related-file management)
see also	see section 2259 on page 2044: (flatten – Flatten <code>\input</code> , etc., in a LaTeX file)
language(s)	no language specified
year	without year
last access	2025-02-07

2259 flatten – Flatten \input, etc., in a LaTeX file

Web page on CTAN <https://ctan.org/pkg/flatten>

name	flatten
caption	Flatten \input, etc., in a LaTeX file
author	Wilson, Peter R.
license	other-free = Free license not otherwise listed (free)
description	(no language specified) A program to flatten a LaTeX root file by copying \input and \include ed files into the root file.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/flatten/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/flatten/flatten.ps
on CTAN	https://ctan.org/tex-archive/support/flatten
keyword	file-mgmt (TeX-related-file management)
see also	see section 2258 on page 2043: (flatex – Flatten \input, etc., in a LaTeX file)
language(s)	no language specified
year	without year
last access	2025-02-07

2260 fldigigal – Create a Flash slide show of digital photos

Web page on CTAN <https://ctan.org/pkg/fldigigal>

name	fldigigal
caption	Create a Flash slide show of digital photos
author	Story, Donald P.
copyright	D. P. Story (2010-2020)
license	lppl1 = The LaTeX Project Public License 1 (free)
version	0.6 (2020-08-08)
last changes	2020-08-08
year	2020

description	(no language specified) The package uses the rmannot package (thus requiring an Adobe Distiller workflow) to create what the author calls "an AcroTeX Flash Digital Gallery"; that is, a Flash slide show that displays a series of digital images (PNG, JPG or GIF formats). The document author describes the digital images (path and caption) from the LaTeX source; on compilation, <i>fldigigal</i> writes an XML file, which Distiller embeds in the PDF. The digital images may be embedded in the PDF, or be accessed remotely (reducing filesize). Three layouts are offered: vertical thumbnails, horizontal thumbnails, or no thumbnails. This package has become obsolete after December 2020. Since December 2020, Adobe no longer supports Flash player (SWF, FLV). This package uses a custom SWF file (<code>fdg_ht1.swf</code> , eg); as a result this package will no longer function in Adobe Acrobat Reader DC. The package will continue to produce PDFs as designed, but only if built using Acrobat XI (or a version Acrobat prior to 2021) and viewed in Adobe Acrobat Reader XI (or a version of Reader prior 2021).
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/obsolete/macros/latex/contrib/fldigigal/doc/fdg_man.pdf
– local file	<code>./5253628097-fdg_man.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/obsolete/macros/latex/contrib/fldigigal/README.md
home page	http://www.math.uakron.edu/~dpstory/fldigigal.html
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/fldigigal
on MikTeX	<code>fldigigal</code>
keyword	<code>obsolete</code> (package declared obsolete)
keyword	<code>adobe-distiller</code> (convert PostScript to PDF using Adobe Distiller)
keyword	<code>graphics-use</code> (graphics (typesetting actual pictures))
keyword	<code>pdf-forms</code> (create pdf form fields, use form fields as an integral part of the package)
language(s)	no language specified
last access	2025-02-07

2261 flexipage – Flexible page geometry with marginaliaWeb page on CTAN <https://ctan.org/pkg/flexipage>

name	flexipage
caption	Flexible page geometry with marginalia
author	Vrba, Anton
copyright	Anton Vrba (2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.02 (2023-03-17)
last changes	2023-03-17
year	2023
description	(no language specified) This package allows easy page layout if marginalia is required. Mid document changes are possible such as: new marginal width, full width text, and landscape text without marginal. Partners well with the package sidenotesplus . The package also aids the layout for book printing, allowing for binding corrections and adding page bleed, if required.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/flexipage/flexipage.pdf
– local file	./3452455308-flexipage.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/flexipage/README.txt
contact	<i>repository</i> : https://github.com/anton-vrba/flexipage
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/flexipage
on MikTeX	flexipage
on T _E XLive	flexipage
keyword	marginal (marginal notes, etc.)
language(s)	no language specified
last access	2025-02-07

2262 flexisym – Symbol manipulation for breqn

Web page on CTAN <https://ctan.org/pkg/flexisym>

name	flexisym
caption	Symbol manipulation for breqn
author	Madsen, Lars
author	Downes, Michael J.
author	Høgholm, Morten
author	Wright, Joseph
author	Robertson, Will
copyright	Michael J. Downes (1997-2003)
copyright	Lars Madsen (2007-2014)
copyright	Morten Høgholm (2007-2008)
copyright	Will Robertson (2007-2020)
copyright	Ulrike Fischer (2020)
copyright	Joseph Wright (2010-2017)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.98l (2021-10-28)
last changes	2021-10-28
year	2021
description	(no language specified) Flexisym converts mathematical symbol definitions to the form they need for breqn to work. The package offers support for breqn and is part of the bundle of the same name.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/breqn/README.md
documentation	(no language specified) <i>Package listing (not much documentation)</i> : https://ctan.org/tex-archive/macros/latex/contrib/breqn/flexisym.pdf
– local file	./2696059566-flexisym.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/breqn
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/breqn.tds.zip
keyword	maths-symbol (construction or application of mathematical symbols)

keyword expl3 (expl3(unknown))
 language(s) no language specified
 last access 2025-02-07

2263 *flipbook* – Typeset flipbook animations, in the corners of documents

Web page on CTAN <https://ctan.org/pkg/flipbook>

name flipbook
 caption Typeset flipbook animations, in the corners of documents
 author Buffet, Olivier
 copyright Olivier Buffet (2011)
 license lppl = The LaTeX Project Public License (free)
 version 0.2
 description (no language specified) The package provides techniques for adding flip book
 animations in the corner of your LaTeX documents (using images or ASCII
 art).
 Animations are defined as a set of numbered files (e.g., "im1.pdf", "im2.pdf",
 "im3.pdf", ...). The package relies on [fancyhdr](#) to control the corners.
 documentation (no language specified) *Readme:* [https://ctan.org/tex-archive/
 macros/latex/contrib/flipbook/README](https://ctan.org/tex-archive/macros/latex/contrib/flipbook/README)
 documentation (no language specified) *Package documentation:*
 [https://ctan.org/tex-archive/macros/latex/contrib/
 flipbook/flipbook-doc.pdf](https://ctan.org/tex-archive/macros/latex/contrib/flipbook/flipbook-doc.pdf)
 – local file ./2092833742-flipbook-doc.pdf
 on CTAN [https:
 //ctan.org/tex-archive/macros/latex/contrib/flipbook](https://ctan.org/tex-archive/macros/latex/contrib/flipbook)
 on MikTeX flipbook
 on T_EXLive flipbook
 keyword graphics-motion (motion graphics)
 keyword graphics-use (graphics (typesetting actual pictures))
 language(s) no language specified
 year 2011
 last access 2025-02-07

2264 flippdf – Horizontal flipping of pages with pdfLaTeXWeb page on CTAN <https://ctan.org/pkg/flippdf>

name	flippdf
caption	Horizontal flipping of pages with pdfLaTeX
author	Callegari, Sergio
copyright	Sergio Callegari (2006, 2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.0b (2020-10-27)
last changes	2020-10-27
year	2020
description	(no language specified) The package allows the production of a document with pages "mirrored". This is sometimes required by publishers who want camera-ready documents to be printed on transparent film (to be viewed from the "wrong" side). The package only works with pdfLaTeX or LuaLaTeX in PDF output mode. Package everypage is required on LaTeX releases before Fall 2020.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/flippdf/flippdf.pdf
– local file	./5422652017-flippdf.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/flippdf/README.md
contact	<i>bugs</i> : https://github.com/callegari/LaTeX-flippdf/issues
contact	<i>repository</i> : https://github.com/callegari/LaTeX-flippdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/flippdf
on MikTeX	flippdf
on T _E XLive	flippdf
keyword	book-pub (preparing a book for publication)
language(s)	no language specified
last access	2025-02-07

2265 float – Improved interface for floating objectsWeb page on CTAN <https://ctan.org/pkg/float>

name	float
caption	Improved interface for floating objects
author	Lingnau, Anselm
license	lppl = The LaTeX Project Public License (free)
version	1.3d
description	(no language specified) Improves the interface for defining floating objects such as figures and tables. Introduces the boxed float, the ruled float and the plaintop float. You can define your own floats and improve the behaviour of the old ones. The package also provides the H float modifier option of the obsolete here package. You can select this as automatic default with <code>\floatplacement{figure}{H}</code>.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/float/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/float/float.pdf
– local file	<code>./2845938038-float.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/float
on MikTeX	float
on T _E XLive	float
keyword	float (typesetting floats)
see also	see section 5226 on page 4734 : (<code>rotfloat</code> – Rotate floats)
language(s)	no language specified
year	without year
last access	2025-02-07

2266 floatbytocbasic – An enhancement to package float using package tocbasic

Web page on CTAN <https://ctan.org/pkg/floatbytocbasic>

name	floatbytocbasic
caption	An enhancement to package float using package tocbasic
author	Kohm, Markus
copyright	Markus Kohm (2008-2023)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2023-08-16)
last changes	2023-08-16
year	2023
description	(no language specified) This package adds usage of package tocbasic to package float . This not only improves compatibility with KOMA-Script but also adds several new features to float like optional automatic entries to the table of contents for the lists of new floats, optional numbering of the lists of new floats etc.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/floatbytocbasic/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/floatbytocbasic/floatbytocbasic.pdf
– local file	./2494546171-floatbytocbasic.pdf
home page	https://github.com/komascript/third-party-enhancements
contact	<i>bugs</i> : https://github.com/komascript/third-party-enhancements/issues
contact	<i>repository</i> : https://github.com/komascript/third-party-enhancements/tree/main/floatbytocbasic
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/floatbytocbasic
on MikTeX	floatbytocbasic
on T _E XLive	floatbytocbasic
keyword	float (typesetting floats)
language(s)	no language specified
last access	2025-02-07

2267 floatfig – Deprecated: Allows text to be wrapped around figures

Web page on CTAN <https://ctan.org/pkg/floatfig>

name	floatfig
caption	Deprecated: Allows text to be wrapped around figures
author	Kneser, Thomas
license	nosell = Do Not Sell Except by Arrangement (not free)
description	(no language specified) The package floatfig was a style option for LaTeX 2.09. It has been extended somewhat for LaTeX2e and renamed floatflt . Floatfig does not itself work under current LaTeX. The package is retained only as a ZIP archive.
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex209/contrib/floatfig.zip
keyword	text-flow (flow text round an insertion in the paragraph)
keyword	latex209 (package only known to work with LaTeX 2.09)
see also	see section 4661 on page 4223 : (picins – Insert pictures into paragraphs)
see also	see section 6726 on page 6067 : (wrapfig – Produces figures which text can flow around)
language(s)	no language specified
year	without year
last access	2025-02-11

2268 floatflt – Wrap text around floats

Web page on CTAN <https://ctan.org/pkg/floatflt>

name	floatflt
caption	Wrap text around floats
author	Dahlgren, Mats
copyright	Mats Dahlgren (1994-1998)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.31
description	(no language specified) The package can float text around figures and tables which do not span the full width of a page; it improves upon floatfig , and allows tables/figures to be set left/right or alternating on even/odd pages.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/floatflt/floatflt.pdf
– local file	<code>./4651038460-floatflt.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/floatflt
on MikTeX	<code>floatflt</code>
on T _E XLive	<code>floatflt</code>
keyword	<code>text-flow</code> (flow text round an insertion in the paragraph)
see also	see section 6726 on page 6067: (<code>wrapfig</code> – Produces figures which text can flow around)
language(s)	no language specified
year	1998
last access	2025-02-07

2269 floatnohead – Suppress page headings on float-only pages

Web page on CTAN <https://ctan.org/pkg/floatnohead>

name	<code>floatnohead</code>
caption	Suppress page headings on float-only pages
author	Rahtz, Sebastian
author	Hosek, Don
license	<code>noinfo = noinfo</code>
version	(1991-08-07)
last changes	1991-08-07
year	1991
description	(no language specified) The package suppresses page headers on float-only pages. Although the package was written for LaTeX 2.09, the technique will work with LaTeX 2e, though the effect is better achieved using <code>\iffloatpage</code> command in the fancyhdr package.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/floatnohead.sty
keyword	<code>page-hf</code> (page head- and foot-lines)
language(s)	no language specified
last access	2025-02-07

2270 floatpag – Different pagestyles on float pages

Web page on CTAN <https://ctan.org/pkg/floatpag>

name	floatpag
caption	Different pagestyles on float pages
author	Statulevičius, Vytas
copyright	Vytas Statulevičius (1999-2012)
copyright	Sigitas Tolušis (2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.0 (2021-10-04)
last changes	2021-10-04
year	2021
description	(no language specified) The package provides commands to specify the pagestyle to be used on ‘ordinary’ float pages and rotated float pages (from the rotating package), as well as a command <code>\thisfloatpagestyle</code> to apply just to the float in which it was issued. The package is part of the sttools bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sttools/floatpag.pdf
– local file	<code>./2523242215-floatpag.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sttools
on MikTeX	sttools
on T _E XLive	sttools
keyword	float (typesetting floats)
keyword	page-hf (page head- and foot-lines)
language(s)	no language specified
last access	2025-02-07

2271 floatrow – Modifying the layout of floats

Web page on CTAN <https://ctan.org/pkg/floatrow>

name	floatrow
caption	Modifying the layout of floats
author	Lapko, Olga
license	lppl = The LaTeX Project Public License (free)
version	0.3b
description	(no language specified) The floatrow package provides many ways to customize layouts of floating environments and has code to cooperate with the caption 3.x package. The package offers mechanisms to put floats side by side, and to put the caption beside its float. The floatrow settings could be expanded to the floats created by packages rotating , wrapfig , subfig (in the case of rows of subfloats), and longtable .
documentation	<i>Package documentation (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/floatrow/floatrow.pdf
– local file	<code>./2502140566-floatrow.pdf</code>
documentation	<i>Package documentation (Russian):</i> https://ctan.org/tex-archive/macros/latex/contrib/floatrow/floatrow-rus.pdf
– local file	<code>./8045439197-floatrow-rus.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/floatrow/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/floatrow
on MikTeX	floatrow
on T _E XLive	floatrow
keyword	float (typesetting floats)
language(s)	English; Russian
year	without year
last access	2025-02-07

2272 *floatrowbytocbasic* – An enhancement to package *floatrow* using package *tocbasic*

Web page on CTAN <https://ctan.org/pkg/floatrowbytocbasic>

name	<code>floatrowbytocbasic</code>
caption	An enhancement to package <i>floatrow</i> using package <i>tocbasic</i>
author	Kohm, Markus
copyright	Markus Kohm (2008-2023)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2023-08-16)
last changes	2023-08-16
year	2023
description	(no language specified) This package adds usage of package <i>tocbasic</i> to package <i>floatrow</i> . This not only improves compatibility with <i>KOMA-Script</i> but also adds several new features to <i>floatrow</i> like optional automatic entries to the table of contents for the lists of new floats, optional numbering of the lists of new floats etc.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/floatrowbytocbasic/floatrowbytocbasic.pdf
– local file	<code>./7427838489-floatrowbytocbasic.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/floatrowbytocbasic/README.md
home page	https://github.com/komascript/third-party-enhancements
contact	<i>bugs:</i> https://github.com/komascript/third-party-enhancements/issues
contact	<i>repository:</i> https://github.com/komascript/third-party-enhancements/tree/main/floatrowbytocbasic
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/floatrowbytocbasic
on MikTeX	<code>floatrowbytocbasic</code>
on T _E XLive	<code>floatrowbytocbasic</code>
keyword	<code>float</code> (typesetting floats)
language(s)	no language specified
last access	2025-02-07

2273 *flow* – Draw flow diagrams in picture mode

Web page on CTAN <https://ctan.org/pkg/flow>

name	flow
caption	Draw flow diagrams in picture mode
author	Brown, Terry
copyright	Terry Brown (2005)
license	gpl2 = GNU General Public License, version 2 (free)
version	0.99g
description	(no language specified) Flow is a small program that parses a flowchart description and produces LaTeX picture environment code.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/flow/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/flow/flowdoc.pdf
– local file	./6948798757-flowdoc.pdf
on CTAN	https://ctan.org/tex-archive/support/flow
keyword	diagram-flow (flow (and similar) diagrams, including Nassi-Shneiderman)
language(s)	no language specified
year	2005
last access	2025-02-07

2274 *flowchart* – Shapes for drawing flowcharts, using TikZ

Web page on CTAN <https://ctan.org/pkg/flowchart>

name	flowchart
caption	Shapes for drawing flowcharts, using TikZ
author	Robson, Adrian P.
copyright	Adrian P Robson (2013-2015)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.3

description	(no language specified) The package provides a set of ‘traditional’ flowchart element shapes; the documentation shows how to build a flowchart from these elements, using pgf/TikZ . The package also requires the makeshape package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/flowchart/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/flowchart/flowchart.pdf
– local file	<code>./7766283967-flowchart.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/flowchart
on MikTeX	<code>flowchart</code>
on T _E XLive	<code>flowchart</code>
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>diagram-flow</code> (flow (and similar) diagrams, including Nassi-Shneiderman)
see also	see section 4178 on page 3781 : (<code>nassflow</code> – Drawing Nassi-Shneiderman diagrams and flowcharts)
see also	see section 5716 on page 5180 : (<code>struktex</code> – Draw Nassi-Shneiderman charts)
language(s)	no language specified
year	2015
last access	2025-02-07

2275 *flowfram* – Create text frames for posters, brochures or magazines

Web page on CTAN	https://ctan.org/pkg/flowfram
name	<code>flowfram</code>
caption	Create text frames for posters, brochures or magazines
author	Talbot, Nicola
copyright	Nicola Talbot (2007-2026)
license	l _{pl} 1.3 = The LaTeX Project Public License 1.3 (free)
version	2.1 (2026-02-23)
last changes	2026-02-23
year	2026

description	(no language specified) The flowfram package enables you to create frames in a document such that the contents of the document environment flow from one frame to the next in the order in which they were defined. This is useful for creating posters or magazines, indeed any form of document that does not conform to the standard one or two column layout.
documentation	(no language specified) <i>User guide</i> : https://ctan.org/tex-archive/macros/latex/contrib/flowfram/flowfram-manual.pdf
– local file	<code>./4453186167-flowfram-manual.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/flowfram/flowfram-code.pdf
– local file	<code>./7662588225-flowfram-code.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/flowfram/README
documentation	(no language specified) <i>Author's FAQ</i> : http://www.dickimaw-books.com/faqs/flowframfaq.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/flowfram
on MikTeX	flowfram
on T _E XLive	flowfram
keyword	layout (layout of objects on the page)
keyword	magazine (magazines, newspapers and other ephemeral publications)
keyword	poster (typeset posters, etc.)
language(s)	no language specified
last access	2026-04-10

2276 *flowframtk* – Vector graphics application with support for *flowfram.sty*

Web page on CTAN	https://ctan.org/pkg/flowframtk
Alias	jpgfdraw
name	FlowframTk
caption	Vector graphics application with support for <i>flowfram.sty</i>
author	Talbot, Nicola
license	gpl = GNU General Public License (free)
version	0.8.4

description	(no language specified) FlowframTk is a graphics application written in Java designed for use with flowfram and pgf, but can also be used to create standalone image files. You can use FlowframTk to: • Construct frames for use with the flowfram package. • Construct shapes using lines, moves and cubic Bezier segments. • Edit shapes by changing the defining control points. • Add symmetry to shapes. • Convert shapes into patterns (rotational, scaled, spiral). • Incorporate text and bitmap images (for annotation and background effects). • Display text along a shape. • Extract the parameters for TeX's <code>\parshape</code> command and for <code>\shapepar</code> (defined in the shapepar package). Pictures can be saved in FlowframTk's native binary format (JDR) or native ascii format (AJR) or can be exported as: • a <code>pgfpicture</code> environment for use in LaTeX documents with the pgf package; • a LaTeX class or package that loads the flowfram package; • a PostScript file; • a PDF file; • a PNG image file; or • an SVG image file. Alternative text can be specified to use when exporting to a LaTeX file (e.g. if the text contains symbols or if it should be set in maths mode). Mappings can be used to specify what LaTeX font declarations should be used when exporting to a LaTeX file. To install, download and run the installer application <code>flowframtk-version-installer.jar</code> (where <i>version</i> is the version number). This application replaces the now obsolete JpgfDraw.
documentation	(no language specified) <i>User manual</i>: https://ctan.org/tex-archive/graphics/flowframtk/flowframtk-en-GB.pdf
– local file	<code>./1863283820-flowframtk-en-GB.pdf</code>

2277 *fltpage* – Place caption on an adjacent page

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/flowframtk/README
documentation	(no language specified) <i>FAQ and troubleshooting guide</i> : https://www.dickimaw-books.com/software/flowframtk/
home page	https://www.dickimaw-books.com/software/flowframtk/
on CTAN	https://ctan.org/tex-archive/graphics/flowframtk
keyword	graphics-prep (prepare graphics for use with *TeX)
language(s)	no language specified
year	without year
last access	2026-04-10

2277 *fltpage* – Place caption on an adjacent page

Web page on CTAN	https://ctan.org/pkg/fltpage
name	fltpage
caption	Place caption on an adjacent page
author	Gross, Sebastian
copyright	Sebastian Gross (1998)
license	other-nonfree = License that prevents distribution (not free)
version	0.3
description	(no language specified) Defines environments <code>FPfigure</code> and <code>FPtable</code> , analogous to <code>figure</code> and <code>table</code> . In twoside mode, the caption for one of the ‘new’ environments, will be set on the opposite page of a figure/table which needs a whole page. In oneside mode the caption will be set on the preceding or following page.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fltpage/fltpage.pdf
– local file	<code>./3941411422-fltpage.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fltpage
keyword	float (typesetting floats)
keyword	caption (typesetting captions)
language(s)	no language specified
year	1998

last access 2025-02-07

2278 *fltpoint* – Simple floating point arithmetic

Web page on CTAN <https://ctan.org/pkg/fltpoint>

name	fltpoint
caption	Simple floating point arithmetic
author	Guthöhrlein, Eckhart
license	other-free = Free license not otherwise listed (free)
version	1.1b
description	(no language specified) The package provides simple floating point operations (addition, subtraction, multiplication, division and rounding). Used, for example, by rccol .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/fltpoint/fltpoint.pdf
– local file	./4754819672-fltpoint.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/fltpoint/README
on CTAN	https://ctan.org/tex-archive/macros/generic/fltpoint
on MikTeX	fltpoint
on TeXLive	fltpoint
keyword	macro-gen (macros that are independent of the (TeX) format in use)
keyword	arithmetic (perform and typeset arithmetic problems)
keyword	calculation (perform calculations within TeX)
see also	see section 2368 on page 2145 : (fp – Fixed point arithmetic)
language(s)	no language specified
year	without year
last access	2025-02-07

2279 flushend – Balancing columns at last page

Web page on CTAN <https://ctan.org/pkg/flushend>

name	flushend
caption	Balancing columns at last page
author	Tolušis, Sigitas
copyright	Sigitas Tolušis (1997-2021)
license	lppl = The LaTeX Project Public License (free)
version	4.0 (2021-10-04)
last changes	2021-10-04
year	2021
description	(no language specified) LaTeX's built-in two-column code finishes off a document exactly where the text stops; this will typically leave an isolated left-hand column, or a right-hand column shorter than the left-hand one. This package modifies the LaTeX output routine to make the two columns as nearly of the same length as possible. The package is part of the sttools bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sttools/flushend.pdf
– local file	./5475786621-flushend.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sttools
on MikTeX	sttools
on TeXLive	sttools
keyword	multicol (more than one column on the page)
see also	see section 447 on page 409 : (balance – Balanced two-column mode)
language(s)	no language specified
last access	2025-02-07

2280 *fmp* – Include Functional MetaPost in LaTeXWeb page on CTAN <https://ctan.org/pkg/fmp>

name	<code>fmp</code>
caption	Include Functional MetaPost in LaTeX
author	Kuhlmann, Marco
license	lppl = The LaTeX Project Public License (free)
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fmp/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fmp/fmp.pdf
– local file	<code>./4186598230-fmp.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fmp
on MikTeX	<code>fmp</code>
on T _E XLive	<code>fmp</code>
keyword	<code>graphics-inline</code> (graphics inline for external processing)
language(s)	no language specified
year	without year
last access	2025-02-07

2281 *fmtcount* – Display the value of a LaTeX counter in a variety of formatsWeb page on CTAN <https://ctan.org/pkg/fmtcount>

name	<code>fmtcount</code>
caption	Display the value of a LaTeX counter in a variety of formats
author	Nijenhuis, Erik
author	Talbot, Nicola
author	Belaïche, Vincent
copyright	Nicola Talbot, Vincent Belaïche and Erik Nijenhuis (2024-2025)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.12 (2025-12-02)
last changes	2025-12-02
year	2025

description	(no language specified) The package provides commands that display the value of a LaTeX counter in a variety of formats (ordinal, text, hexadecimal, decimal, octal, binary etc). The package offers some multilingual support; configurations for use in English (both British and American usage), French (including Belgian and Swiss variants), German, Italian, Portuguese and Spanish documents are provided. This package was originally provided as part of the author's datetime package, but is now distributed separately.
documentation	(no language specified) <i>Author's FAQ</i> : http://www.dickimaw-books.com/faqs/fmtcountfaq.html
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/fmtcount/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fmtcount/fmtcount.pdf
– local file	<code>./5586745210-fmtcount.pdf</code>
contact	<i>bugs</i> : https://github.com/Xerdi/fmtcount/issues
contact	<i>repository</i> : https://github.com/Xerdi/fmtcount
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fmtcount
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/fmtcount.tds.zip
on MikTeX	<code>fmtcount</code>
on T _E XLive	<code>fmtcount</code>
keyword	<code>numbers</code> (formatting numbers, etc)
language(s)	no language specified
last access	2025-12-13

2282 *fn2end* – Convert footnotes to endnotes

Web page on CTAN <https://ctan.org/pkg/fn2end>

name	<code>fn2end</code>
caption	Convert footnotes to endnotes
author	Border, Kim C
license	pd = Public Domain Software (free)
version	1.1

description	(no language specified) Defines macros <code>\makeendnotes</code> , which converts <code>\footnote</code> to produce endnotes; and <code>\theendnotes</code> which prints them out.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fn2end/fn2end.pdf
– local file	<code>./1803140599-fn2end.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fn2end
on MikTeX	<code>fn2end</code>
on TeXLive	<code>fn2end</code>
keyword	<code>footnote</code> (footnote support)
keyword	<code>endnote</code> (notes typeset at end document)
see also	see section 1903 on page 1719: (<code>endnotes</code> – Place footnotes at the end)
language(s)	no language specified
year	without year
last access	2025-02-07

2283 *fnbreak* – Warn for split footnotes

Web page on CTAN <https://ctan.org/pkg/fnbreak>

name	<code>fnbreak</code>
caption	Warn for split footnotes
author	Harders, Harald
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.40 (2023-03-18)
last changes	2023-03-18
year	2023
description	(no language specified) This package detects footnotes that are split over several pages, and writes a warning to the log file.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fnbreak/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fnbreak/fnbreak.pdf
– local file	<code>./6414948585-fnbreak.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fnbreak

on MikTeX	fncbreak
on T _E XLive	fncbreak
keyword	footnote (footnote support)
language(s)	no language specified
last access	2025-02-07

2284 fncychap – Seven predefined chapter heading styles

Web page on CTAN <https://ctan.org/pkg/fncychap>

name	fncychap
caption	Seven predefined chapter heading styles
author	Lindgren, Ulf
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.34
description	(no language specified) Each style can be modified using a set of simple commands. Optionally one can modify the formatting routines in order to create additional chapter headings. This package was previously known as FancyChapter.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fncychap/README
documentation	(no language specified) <i>Package documentation, with examples</i> : https://ctan.org/tex-archive/macros/latex/contrib/fncychap/fncychap.pdf
– local file	./4074241706-fncychap.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fncychap
on MikTeX	fncychap
on T _E XLive	fncychap
keyword	headings (chapter, section, etc., heading styles)
see also	see section 3884 on page 3512: (MemoirChapterStyles – Chapter styles in memoir class)
language(s)	no language specified
year	without year
last access	2025-02-07

2285 fncylab – Alter the format of \label references

Web page on CTAN <https://ctan.org/pkg/fncylab>

name	fncylab
caption	Alter the format of \label references
author	Fairbairns, Robin
author	Carlisle, David
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) LaTeX provides a mechanism for altering the appearance of references to labels, but it's somewhat flawed, and requires that the user manipulate internal commands. The package solves the problem, by providing a <code>\labelformat</code> command for changing the format of references to labels. The package also provides a <code>\Ref</code> command to make reference to such redefined labels at the start of a sentence.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fncylab/fncylab.pdf
– local file	<code>./2013806457-fncylab.pdf</code>
contact	<i>support</i> : https://github.com/rf-latex/fncylab/issues
contact	<i>repository</i> : https://github.com/rf-latex/fncylab
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fncylab
on MikTeX	fncylab
on TeXLive	fncylab
keyword	label-ref (label and reference systems)
language(s)	no language specified
year	without year
last access	2025-02-09

2286 fnlineno – Number the lines of footnotes

Web page on CTAN <https://ctan.org/pkg/fnlineno>

name	fnlineno
caption	Number the lines of footnotes
author	Lück, Uwe
author	Wette, Karl
copyright	Uwe Lück (2010)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.55
description	(no language specified) The package extends the lineno package so that even lines within a <code>\footnote</code> are numbered and may be referred to using <code>\linelabel</code> , <code>\ref</code> , etc. The package is delivered as part of the ‘ lineno bundle’
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/lineno/doc/fnlineno.pdf
– local file	<code>./5579076822-fnlineno.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/lineno/README.md
contact	<i>support</i> : https://github.com/latex-lineno/lineno/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lineno
on MikTeX	lineno
on TeXLive	lineno
keyword	footnote (footnote support)
keyword	line-nos (number the typeset lines)
language(s)	no language specified
year	2010
last access	2025-02-07

2287 fnote – Auto-numbered footnotes in Plain TeXWeb page on CTAN <https://ctan.org/pkg/fnote>

name	fnote
caption	Auto-numbered footnotes in Plain TeX
license	noinfo = noinfo
version	(1992-08-27)
last changes	1992-08-27
year	1992
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/fnote.tex
keyword	footnote (footnote support)
language(s)	no language specified
last access	2025-02-07

2288 fnpara – Footnotes in paragraphsWeb page on CTAN <https://ctan.org/pkg/fnpara>

name	fnpara
caption	Footnotes in paragraphs
author	Wujastyk, Dominik
author	Rowley, Chris
author	Smith, Bradley
copyright	Chris Rowley, Dominik Wujastyk and Bradley A. Smith (1988,1995,2012)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2012-03-10)
last changes	2012-03-10
year	2012
description	(no language specified) Typeset footnotes in run-on paragraphs, instead of one above another; this is a re-seating, for the LaTeX environment, of an example in the TeXbook. The same basic code, improved for use in e-TeX -based LaTeX, appears in the comprehensive footnote package footmisc , and superior versions are also available in the manyfoot and bigfoot packages.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fnpara/fnpara-doc.pdf
– local file	<code>./8406177194-fnpara-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fnpara
on MikTeX	<code>fnpara</code>
on T _E XLive	<code>fnpara</code>
keyword	<code>footnote</code> (footnote support)
language(s)	no language specified
last access	2025-02-07

2289 *fnpara-pln* – Footnotes in paragraphs

Web page on CTAN <https://ctan.org/pkg/fnpara-pln>

name	<code>fnpara-pln</code>
caption	Footnotes in paragraphs
author	Wujastyk, Dominik
license	other-free = Free license not otherwise listed (free)
version	(1988-09-15)
last changes	1988-09-15
year	1988
description	(no language specified) Typeset footnotes in run-on paragraphs, instead of one above another, as in the ‘Dirty Tricks’ on pp 398–400 of the TeXbook. This code formed the basis of a LaTeX <i>fnpara</i> package , and has been further adapted and made more robust for use in e-TeX , appears in the comprehensive footnote package footmisc .
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/fnpara.tex
keyword	<code>footnote</code> (footnote support)
language(s)	no language specified
last access	2025-02-07

2290 *fnpct* – Manage footnote marks’ interaction with punctuation

Web page on CTAN <https://ctan.org/pkg/fnpct>

name	fnpct
caption	Manage footnote marks’ interaction with punctuation
author	Niederberger, Clemens
copyright	Clemens Niederberger (2012-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1a (2022-02-27)
last changes	2022-02-27
year	2022
description	(no language specified) The package moves footnote marks after following punctuation (comma or full stop), and adjusts kerning as appropriate. As a side effect, a change to the handling of multiple footnotes is provided.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fnpct/fnpct-manual.pdf
– local file	<code>./1535424639-fnpct-manual.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fnpct/README
contact	<i>bugs</i> : https://github.com/cgnieder/fnpct/issues
contact	<i>repository</i> : https://github.com/cgnieder/fnpct/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fnpct
on MikTeX	fnpct
on T _E XLive	fnpct
keyword	footnote (footnote support)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

2291 *fnpos* – Control the position of footnotes on the page

Web page on CTAN <https://ctan.org/pkg/fnpos>

name	<code>fnpos</code>
caption	Control the position of footnotes on the page
author	Nakashima, Hiroshi
copyright	Hiroshi Nakashima (1999)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The <code>fnpos</code> package controls the positions of footnotes, in circumstances where the footnote would ordinarily attach itself to the bottom of the text (rather than the bottom of the page) as in the "bottom" option of the <code>footmisc</code> package. The package has a clear advantage over <code>footmisc</code> in its commands to control the position of footnotes relative to floats on the page. The package is part of the <code>yafoot</code> bundle of footnote facilities.
documentation	(no language specified) <i>Bundle Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/yafoot/README
documentation	(no language specified) <i>Bundle documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/yafoot/yafoot-man.pdf
– local file	<code>./7831620015-yafoot-man.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/yafoot
on MikTeX	<code>yafoot</code>
on T _E XLive	<code>yafoot</code>
keyword	footnote (footnote support)
language(s)	no language specified
year	1999
last access	2025-02-07

2292 *fnspe* – Macros for supporting mainly students of FNSPE CTU in PragueWeb page on CTAN <https://ctan.org/pkg/fnspe>

name	fnspe
caption	Macros for supporting mainly students of FNSPE CTU in Prague
author	Zeman, Michal
license	lppl = The LaTeX Project Public License (free)
version	1.2a (2017-09-20)
last changes	2017-09-20
year	2017
description	(no language specified) This package is primary intended for students of FNSPE CTU in Prague but many other students or scientists can found this package as useful. This package implements different standards of tensor notation, interval notation and complex notation. Further many macros and shortcuts are added, e.q. for spaces, operators, physics unit, etc.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fnspe/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fnspe/fnspe.pdf
– local file	./8497521540-fnspe.pdf
home page	https://bitbucket.org/Zemaster/fnspe-latex-package
contact	<i>repository</i> : https://bitbucket.org/Zemaster/fnspe-latex-package
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fnspe
on MikTeX	fnspe
on T _E XLive	fnspe
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
last access	2025-02-07

2293 fntguide – Documentation of LaTeX font commands

Web page on CTAN <https://ctan.org/pkg/fntguide>

name	fntguide
caption	Documentation of LaTeX font commands
author	The LaTeX Project Team
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Documentation of commands for selecting fonts, as well as those for defining the data-structures used by the selection commands. For further guidance, two papers may be helpful — ” Essential NFSS ” by Sebastian Rahtz, written shortly after the appearance of LaTeX2e, and ” Font selection in LaTeX ” by Walter Schmidt. Fntguide is part of a set of documentation that also covers new LaTeX 2e commands , class and package writing , typesetting Cyrillic , LaTeX font encodings , configuration options and modification of latex .
documentation	(no language specified) <i>The document itself</i>: https://ctan.org/tex-archive/macros/latex/base/fntguide.pdf
– local file	./5418911802-fntguide.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/base
on MikTeX	ltxbase
on TeXLive	latex
keyword	latex-doc (latex-doc(unknown))
language(s)	no language specified
year	without year
last access	2025-02-11

2294 fntproof – A programmable font test pattern generator

Web page on CTAN <https://ctan.org/pkg/fntproof>

name	fntproof
caption	A programmable font test pattern generator
author	Luecking, Daniel H.
license	pd = Public Domain Software (free)
version	(2010-11-30)

2295 *fnumprint* – Print a number in ‘appropriate’ format

last changes	2010-11-30
year	2010
description	(no language specified) The package implements all the font testing commands of Knuth’s testfont.tex , but arranges that information necessary for each command is supplied as arguments to that command, rather than prompted for. This makes it possible to type all the tests in one command line, and easy to input the package in a file and to use the commands there. A few additional commands supporting this last purpose are also made available.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/fntproof/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/fntproof/fntproof-doc.pdf
– local file	<code>./7794118913-fntproof-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/generic/fntproof
on MikTeX	<code>fntproof</code>
on T _E XLive	<code>fntproof</code>
keyword	<code>font-devel</code> (support for font development, testing and characterisation)
language(s)	no language specified
last access	2025-02-07

2295 *fnumprint* – Print a number in ‘appropriate’ format

Web page on CTAN <https://ctan.org/pkg/fnumprint>

name	<code>fnumprint</code>
caption	Print a number in ‘appropriate’ format
author	Schneider, Robin
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1a
description	(no language specified) The package defines two macros which decide to typeset a number either as an Arabic number or as a word (or words) for the number. If the number is between zero and twelve (including zero and twelve) then words will be used; if the number is outside that range, it will be typeset using the package numprint Words for English representation of numbers are generated within the package, while those for German are generated using the package zahl2string .

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fnumprint/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fnumprint/fnumprint.pdf
– local file	<code>./3809419933-fnumprint.pdf</code>
contact	<i>repository</i> : https://github.com/ypid/latex-packages/tree/master/fnumprint
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fnumprint
on MikTeX	<code>fnumprint</code>
on T _E XLive	<code>fnumprint</code>
keyword	<code>numbers</code> (formatting numbers, etc)
language(s)	no language specified
year	without year
last access	2025-02-07

2296 *fodot* – Helpful commands to work with the FODOT

Web page on CTAN	https://ctan.org/pkg/fodot
name	<code>fodot</code>
caption	Helpful commands to work with the FODOT
author	Fleiner, Christian
copyright	Christian Fleiner (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.0.1 (2025-08-29)
last changes	2025-08-29
year	2025
description	(no language specified) This package provides helpful commands to work with the <code>fodot</code> language in LaTeX including syntax highlighting in listings. The <code>fodot</code> language itself is not introduced. Instead, please refer to the official documentation: • Official documentation of <code>fodot</code>: https://fo-dot.readthedocs.io/en/latest/FO-dot.html • Technical implementation of <code>fodot</code>: https://docs.idp-z3.be/en/stable/introduction.html

2297 *foekfont* – The title font of the Mads Føk magazine

- Reasoning engine IDP-Z3 (using fodot): <https://idp-z3.be/> .

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fodot/fodot-doc.pdf
– local file	<code>./2534487771-fodot-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fodot/README.md
home page	https://gitlab.com/EAVISE/CFL/fodot-latex
contact	<i>bugs</i> : https://gitlab.com/EAVISE/CFL/fodot-latex/-/issues
contact	<i>repository</i> : https://gitlab.com/EAVISE/CFL/fodot-latex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fodot
on MikTeX	fodot
on T _E XLive	fodot
keyword	logic (typesetting logician’s discussions)
language(s)	no language specified
last access	2025-08-31

2297 *foekfont* – The title font of the Mads Føk magazine

Web page on CTAN	https://ctan.org/pkg/foekfont
name	foekfont
caption	The title font of the Mads Føk magazine
author	Jørgensen, Palle
license	gpl = GNU General Public License (free)
version	(2006-11-29)
last changes	2006-11-29
year	2006
description	(no language specified) The bundle provides an Adobe Type 1 font, and LaTeX support for its use. The magazine web site shows the font in use in a few places.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/foekfont/foekfont.pdf
– local file	<code>./9143241796-foekfont.pdf</code>

documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/fonts/foekfont/README
on CTAN	https://ctan.org/tex-archive/fonts/foekfont
on MikTeX	foekfont
on T _E XLive	foekfont
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
keyword	font-novelty (fonts designed more for fun than for actual use)
language(s)	no language specified
last access	2025-02-07

2298 *foilhtml* – Interface between *foiltex* and *LaTeX2HTML*

Web page on CTAN	https://ctan.org/pkg/foilhtml
name	foilhtml
caption	Interface between foiltex and LaTeX2HTML
author	Veytsman, Boris
copyright	Boris Veytsman (1998)
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) Provides integration between FoilTeX and LaTeX2HTML , adding sectioning commands and elements of logical formatting to FoilTeX and providing support for FoilTeX commands in LaTeX2HTML.
home page	http://borisv.lk.net
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/foilhtml
on MikTeX	foilhtml
on T _E XLive	foilhtml
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
year	1998
last access	2025-02-07

2299 foiltex – A LaTeX2e class for overhead transparencies

Web page on CTAN <https://ctan.org/pkg/foiltex>

name	foiltex
caption	A LaTeX2e class for overhead transparencies
author	Hafner, James
copyright	IBM Corporation (1995, 1997, 1998, 2002, 2008)
license	nosell = Do Not Sell Except by Arrangement (not free)
version	2.1.4b
description	(no language specified) This is a venerable package, which used to have many admirers. It has not, however, been adopted by any of those developing screen-projector packages (as for example seminar was adopted by the developers of prosper). The class may be used with fancybox to place a variety of borders around the slides.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/foiltex/foiltex.pdf
– local file	./1892238082-foiltex.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/foiltex/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/foiltex
keyword	presentation (slides, beamers, handouts, etc.)
keyword	class (alternative LaTeX class(es))
see also	see section 5404 on page 4894 : (seminar – Make overhead slides)
language(s)	no language specified
year	2008
last access	2025-02-07

2300 *foliono* – Use folio numbers to replace page numbers

Web page on CTAN <https://ctan.org/pkg/foliono>

name	<code>foliono</code>
caption	Use folio numbers to replace page numbers
author	Syrjänen, Tommi
copyright	Tommy Syrjänen (2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.000 (2021-03-25)
last changes	2021-03-25
year	2021
description	(no language specified) This package adds functionality to create several styles of folio numbers. Folio numbering preceded the modern page numbering convention and was in common use until the 18th century. In folio numbering the numbers are placed only on odd (right-side) pages and the numbers typically comprise of two parts: quire and folio numbers. The intended use for this package is to help creating old-style books.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/foliono/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/foliono/foliono.pdf
– local file	<code>./9556182730-foliono.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/foliono
on MikTeX	<code>foliono</code>
on TeXLive	<code>foliono</code>
keyword	<code>page-nos</code> (control sequence and typesetting of page numbers)
keyword	<code>numbers</code> (formatting numbers, etc)
language(s)	no language specified
last access	2025-02-07

2301 *fonetika* – Support for the Danish "Dania" phonetic system

Web page on CTAN <https://ctan.org/pkg/fonetika>

name	fonetika
caption	Support for the Danish "Dania" phonetic system
author	Jørgensen, Palle
license	other-free = Free license not otherwise listed (free)
version	(2006-09-27)
last changes	2006-09-27
year	2006
description	(no language specified) Fonetika Dania is a font bundle with a serif font and a sans serif font for the danish phonetic system Dania. Both fonts exist in regular and bold weights. LaTeX support is provided. The fonts are based on URW Palladio and Iwona Condensed, and were created using FontForge.
documentation	(no language specified) <i>Package Readme</i>: https://ctan.org/tex-archive/fonts/fonetika/README
on CTAN	https://ctan.org/tex-archive/fonts/fonetika
on MikTeX	fonetika
on TeXLive	fonetika
keyword	font-sans (sans-serif font)
keyword	font-specialist (fonts with specific small application areas)
keyword	font (fonts themselves)
keyword	phonetic (support for phonetic notation)
language(s)	no language specified
last access	2025-02-07

2302 font-change – Macros to change text and mathematics fonts in plain TeX

Web page on CTAN <https://ctan.org/pkg/font-change>

name	font-change
caption	Macros to change text and mathematics fonts in plain TeX
author	Dhawan, Amit Raj
license	other-free = Free license not otherwise listed (free)
version	2015.2
description	(no language specified) Macros to Change Text and Mathematics fonts in TeX: 45 Beautiful Variants The macros are written for plain TeX and may be used with other packages like AmSTeX, eplain, etc. They also work with XeTeX. The macros allow users to change the fonts (for both text and mathematics) in their TeX document with only one statement. The fonts may be used readily at various predefined sizes. All the fonts called by these macro files are free and are included in current MiKTeX and TeX Live distributions.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/contrib/font-change/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/plain/contrib/font-change/doc/font-change.pdf
– local file	./2497024310-font-change.pdf
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/font-change
on MikTeX	font-change
on TeXLive	font-change
keyword	plain-ext (extensions to Plain TeX for higher-level constructs)
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year
last access	2025-02-07

2303 font-change-xetex – Macros to change text and mathematics fonts in plain XeTeXWeb page on CTAN <https://ctan.org/pkg/font-change-xetex>

name	font-change-xetex
caption	Macros to change text and mathematics fonts in plain XeTeX
author	Dhawan, Amit Raj
license	other-free = Free license not otherwise listed (free)
version	2016.1
description	(no language specified) This package consists of macros that can be used to typeset "plain" XeTeX documents using any OpenType or TrueType font installed on the computer system. The macros allow the user to change the text mode fonts and some math mode fonts. For any declared font family, various font style, weight, and size variants like bold, italics, small caps, etc., are available through standard and custom TeX control statements. Using the optional argument of the macros, the available XeTeX font features and OpenType tags can be accessed. Other features of the package include activating and deactivating hanging punctuation, and support for special Unicode characters.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/xetex/plain/font-change-xetex/doc/font-change-xetex.pdf
– local file	./8463725024-font-change-xetex.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/xetex/plain/font-change-xetex/README.txt
on CTAN	https://ctan.org/tex-archive/macros/xetex/plain/font-change-xetex
on MikTeX	font-change-xetex
on TeXLive	font-change-xetex
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
keyword	plain-ext (extensions to Plain TeX for higher-level constructs)
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year
last access	2025-02-09

2304 font-selection – Font selection for plain TeX

Web page on CTAN <https://ctan.org/pkg/font-selection>

name	font_selection
caption	Font selection for plain TeX
author	de Wijn, Harold
copyright	Harold W. de Wijn (1994-1999)
license	gpl = GNU General Public License (free)
description	(no language specified) Font selection for plain TeX, featuring: 21 sizes in the range 7 to 154 points; 16 typefaces, including Italic Bold, Calligraphic Bold, Sans Serif, Sans Serif Italic, and Sans Serif Bold; Boldmath, inclusive of subscripts, superscripts, and symbols; and a few other useful macros.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/contrib/font_selection/README
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/font_selection
keyword	font-sel (font selection schemes)
keyword	plain-ext (extensions to Plain TeX for higher-level constructs)
see also	see section 4367 on page 3954: (ofs – Macros for managing large font collections)
see also	see section 4725 on page 4278: (plnfss – Font selection for Plain TeX)
see also	see section 2313 on page 2094: (fontch – Changing fonts, sizes and encodings in Plain TeX)
language(s)	no language specified
year	1999
last access	2025-02-07

2305 fontawesome – Font containing web-related icons

Web page on CTAN <https://ctan.org/pkg/fontawesome>

name	fontawesome
caption	Font containing web-related icons
author	Gandy, Dave
author	Danaux, Xavier

license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	4.6.3.2
description	(no language specified) The package offers access to the large number of web-related icons provided by the included font . The package requires the package, fontspec , if run with XeTeX or LuaTeX.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/fontawesome/doc/fontawesome.pdf
– local file	<code>./1224284548-fontawesome.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/fontawesome/README.md
contact	<i>repository</i> : https://github.com/xdanau/fontawesome-latex
on CTAN	https://ctan.org/tex-archive/fonts/fontawesome
on MikTeX	fontawesome
on TeXLive	fontawesome
keyword	<code>font-supp-symbol</code> (metrics, macro incantations and other support for symbol fonts)
keyword	<code>font-symbol</code> (fonts that provide collections of symbols)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
language(s)	no language specified
year	without year
last access	2025-02-07

2306 fontawesome5 – Font Awesome 5 with LaTeX support

Web page on CTAN <https://ctan.org/pkg/fontawesome5>

name	fontawesome5
caption	Font Awesome 5 with LaTeX support
author	Krüger, Marcel
copyright	Marcel Krueger (2018-2022)
license	ofl = The SIL Open Font License (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)

version	5.15.4
description	(no language specified) This package provides LaTeX support for the included "Font Awesome 5 Free" icon set. These icons were designed by Font Awesome and released under the SIL OFL 1.1 license. The commercial "Pro" version is also supported, if it is installed and XeLaTeX or LuaLaTeX is used.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/fontawesome5/doc/fontawesome5.pdf
– local file	<code>./3264565345-fontawesome5.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/fontawesome5/README.md
on CTAN	https://ctan.org/tex-archive/fonts/fontawesome5
on MikTeX	<code>fontawesome5</code>
on TeXLive	<code>fontawesome5</code>
keyword	<code>font-supp-symbol</code> (metrics, macro incantations and other support for symbol fonts)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-symbol</code> (fonts that provide collections of symbols)
see also	see section 2305 on page 2085: (<code>fontawesome</code> – Font containing web-related icons)
language(s)	no language specified
year	2022
last access	2025-02-07

2307 *fontawesome6* – Font Awesome 6 with LaTeX support

Web page on CTAN <https://ctan.org/pkg/fontawesome6>

name	<code>fontawesome6</code>
caption	Font Awesome 6 with LaTeX support
author	Nagel, Daniel
copyright	Daniel Nagel (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	ofl = The SIL Open Font License (free)

version	6.7.2-3
description	(no language specified) This package provides LaTeX support for the included "Font Awesome 6 Free" icon set. These icons were designed by Fort Awesome and released under the SIL OFL 1.1 license. The commercial "Pro" version is also supported, if it is installed and XeLaTeX or LuaLaTeX is used. For this font you need a paid license, for more information visit Fort Awesome Pro . More information about Font Awesome is available at Fort Awesome . To use an icon after the package is loaded, just enter the name of the icon in CamelCase prefixed with <code>\fa</code> , for example <code>\faAddressBook</code> for the address-book icon. The TeX files are derived from the Font Awesome 5 package, are maintained by Daniel Nagel and are released under the LaTeX Project Public License version 1.3c. All included fonts are provided by Fort Awesome under the SIL OFL 1.1 license This package is not an official Fort Awesome project. For bug reports, please open an issue at https://github.com/braniiii/fontawesome.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/fontawesome6/doc/fontawesome6.pdf
– local file	<code>./5880856566-fontawesome6.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/fontawesome6/README.md
home page	https://github.com/braniiii/fontawesome
contact	<i>support:</i> https://github.com/braniiii/fontawesome/issues
contact	<i>announce:</i> https://github.com/braniiii/fontawesome/releases
contact	<i>bugs:</i> https://github.com/braniiii/fontawesome/issues
contact	<i>repository:</i> https://github.com/braniiii/fontawesome
contact	<i>development:</i> https://github.com/braniiii/fontawesome
on CTAN	https://ctan.org/tex-archive/fonts/fontawesome6
on MikTeX	fontawesome6
on TeXLive	fontawesome6
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
keyword	font-supp-symbol (metrics, macro incantations and other support for symbol fonts)
keyword	font-symbol (fonts that provide collections of symbols)
keyword	font-otf (font in OpenType format)

see also	see section 2306 on page 2086: (<i>fontawesome5</i> – Font Awesome 5 with LaTeX support)
see also	see section 2305 on page 2085: (<i>fontawesome</i> – Font containing web-related icons)
language(s)	no language specified
year	2025
last access	2025-09-26

2308 *fontawesome7* – Font Awesome 7 with LaTeX support

Web page on CTAN <https://ctan.org/pkg/fontawesome7>

name	<i>fontawesome7</i>
caption	Font Awesome 7 with LaTeX support
author	Nagel, Daniel
copyright	Daniel Nagel (2025)
license	ofl = The SIL Open Font License (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	7.1.0-1
description	(no language specified) This package provides LaTeX support for the included "Font Awesome 7 Free" icon set. These icons were designed by Fort Awesome and released under the SIL OFL 1.1 license. The commercial "Pro" version has only preliminary alpha support for now, if it is installed and XeLaTeX or LuaLaTeX is used. For this font you need a paid license, for more information visit Font Awesome Pro . More information about Font Awesome is available at Font Awesome . To use an icon after the package is loaded, just enter the name of the icon in CamelCase prefixed with <code>\fa</code> , for example <code>\faAddressBook</code> for the <code>address-book</code> icon. The TeX files are derived from the Font Awesome 5 package, are maintained by Daniel Nagel and are released under the LaTeX Project Public License version 1.3c. All included fonts are provided by Font Awesome under the SIL OFL 1.1 license This package is not an official Fort Awesome project. For bug reports, please open an issue at https://github.com/braniiii/fontawesome.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/fontawesome7/doc/fontawesome7.pdf
– local file	<code>./8871235877-fontawesome7.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/fontawesome7/README.md
contact	<i>announce</i> : https://github.com/braniiii/fontawesome/releases
contact	<i>bugs</i> : https://github.com/braniiii/fontawesome/issues
contact	<i>repository</i> : https://github.com/braniiii/fontawesome
on CTAN	https://ctan.org/tex-archive/fonts/fontawesome7
on MikTeX	fontawesome7
on T _E XLive	fontawesome7
keyword	font-symbol (fonts that provide collections of symbols)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-otf (font in OpenType format)
keyword	font (fonts themselves)
keyword	font-supp-symbol (metrics, macro incantations and other support for symbol fonts)
see also	see section 2306 on page 2086: (fontawesome5 – Font Awesome 5 with LaTeX support)
see also	see section 2305 on page 2085: (fontawesome – Font containing web-related icons)
language(s)	no language specified
year	2025
last access	2025-11-11

2309 fontawesomescaled – Additional macros for fontawesome icons

Web page on CTAN <https://ctan.org/pkg/fontawesomescaled>

name	fontawesomescaled
caption	Additional macros for fontawesome icons
author	Pierquet, Cédric
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.1 (2025-08-04)
last changes	2025-08-04
year	2025

2310 *fontaxes* – Additional font selection axes for LaTeX

description	(no language specified) This package provides additional macros for fontawesome icons with custom scale or alias creation: • <code>\faIconScaled{}</code> for <code>\faIcon{}</code> • <code>\faScaled{}</code> for <code>\fa</code> • <code>\CreateAliasFa</code> for alias
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fontawesomescaled/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fontawesomescaled/doc/fontawesomescaled-doc.pdf
– local file	<code>./5420673257-fontawesomescaled-doc.pdf</code>
contact	<i>bugs</i> : https://github.com/cpierquet/latex-packages/issues
contact	<i>repository</i> : https://github.com/cpierquet/latex-packages/tree/main/fontawesomescaled
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fontawesomescaled
on MikTeX	fontawesomescaled
on TeXLive	fontawesomescaled
keyword	font-sel (font selection schemes)
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-08-30

2310 **fontaxes** – Additional font selection axes for LaTeX

Web page on CTAN <https://ctan.org/pkg/fontaxes>

name	fontaxes
caption	Additional font selection axes for LaTeX
author	Ummels, Michael
author	Bühmann, Andreas
copyright	Andreas Buehmann (2007)
copyright	Michael Ummels (2011-2025)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)

2311 fontbl – A font sampler

version	2.0.1 (2025-05-24)
last changes	2025-05-24
year	2025
description	(no language specified) The package adds several new font axes on top of LaTeX's New Font Selection Scheme. In particular, it splits the shape axis into a primary and a secondary shape axis, and it adds three new axes to deal with the different figure versions offered by many professional fonts. This package has nowadays been deprecated in favour of the figureversions package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fontaxes/fontaxes.pdf
– local file	<code>./5240289848-fontaxes.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fontaxes/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fontaxes
on MikTeX	fontaxes
on TeXLive	fontaxes
keyword	font-use (font selection, mapping, etc.)
keyword	expl3 (expl3(unknown))
keyword	obsolete (package declared obsolete)
language(s)	no language specified
last access	2025-05-30

2311 fontbl – A font sampler

Web page on CTAN <https://ctan.org/pkg/fontbl>

name	fontbl
caption	A font sampler
author	Beeman, Roger L.
author	MacKay, Pierre A.
license	noinfo = noinfo

description	(no language specified) An interactive program, that asks for font name and magnification, and then sets a table, a lower- and an upper-case alphabet listing, and a short text sample. This sample reflects a combination of the options available in testfont (in the Plain TeX distribution).
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/fontbl.tex
keyword	font-devel (support for font development, testing and characterisation)
see also	see section 2314 on page 2095: (fontchart – A font sampler)
language(s)	no language specified
year	without year
last access	2025-02-07

2312 fontbook – Generate a font book

Web page on CTAN	https://ctan.org/pkg/fontbook
name	fontbook
caption	Generate a font book
author	Pinson, Raphaël
copyright	Raphaël Pinson (2011)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2
description	(no language specified) The package provides a means of producing a ‘book’ of font samples (for evaluation, etc.).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/xetex/latex/fontbook/fontbook.pdf
– local file	./7153059597-fontbook.pdf
documentation	(no language specified) <i>Sample usage (free fonts book)</i> : https://ctan.org/tex-archive/macros/xetex/latex/fontbook/fontbook-freefonts.pdf
– local file	./8692203060-fontbook-freefonts.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/fontbook/README
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/fontbook
on MikTeX	fontbook
on TeXLive	fontbook

keyword	<code>font-devel</code> (support for font development, testing and characterisation)
language(s)	no language specified
year	2011
last access	2025-02-07

2313 *fontch* – Changing fonts, sizes and encodings in Plain TeX

Web page on CTAN <https://ctan.org/pkg/fontch>

name	<code>fontch</code>
caption	Changing fonts, sizes and encodings in Plain TeX
author	Medina, Rodrigo
license	lppl = The LaTeX Project Public License (free)
version	2.2
description	(no language specified) The <code>fontch</code> macros allow the user to change font size and family anywhere in a plain TeX document. Sizes of 8, 10, 12, 14, 20 and 24 points are available. A sans serif family (<code>\sf</code>) is defined in addition to the families already defined in plain TeX. Optional support for Latin Modern T1 and TS1 fonts is given. There are macros for non-latin1 letters and for most TS1 symbols. Math mode always uses CM fonts. A command for producing doubled-spaced documents is also provided. The present version of the package is designed to deal with the latest release of the Latin Modern fonts version 1.106. Unfortunately, it can no longer support earlier versions of the fonts, so an obsolete version of the package is retained for users who don't yet have access to the latest version of the fonts.
documentation	(no language specified) <i>Readme and usage details</i> : https://ctan.org/tex-archive/macros/plain/contrib/fontch/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/plain/contrib/fontch/fontch.pdf
– local file	<code>./4487399809-fontch.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/fontch
on MikTeX	<code>fontch</code>
on TeXLive	<code>fontch</code>
keyword	<code>plain-ext</code> (extensions to Plain TeX for higher-level constructs)
keyword	<code>font-sel</code> (font selection schemes)

see also	see section 4367 on page 3954: (<code>ofs</code> – Macros for managing large font collections)
see also	see section 2304 on page 2085: (<code>font_selection</code> – Font selection for plain TeX)
see also	see section 4725 on page 4278: (<code>plnfss</code> – Font selection for Plain TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

2314 fontchart – A font sampler

Web page on CTAN <https://ctan.org/pkg/fontchart>

name	fontchart
caption	A font sampler
author	Lemberg, Werner
license	noinfo = noinfo
version	(2001-07-18)
last changes	2001-07-18
year	2001
description	(no language specified) Produces a font sample that is in some ways simpler than that produced by testfont (in the Plain TeX distribution), but which shows strikingly large glyph images, and avoids some difficulties with boundary characters, such as are often used in Greek fonts (and fonts for similar writing systems).
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/fontchart.tex
on MikTeX	plain
on TeXLive	plain
keyword	font-devel (support for font development, testing and characterisation)
see also	see section 2311 on page 2092: (<code>fontbl</code> – A font sampler)
language(s)	no language specified
last access	2025-02-07

2315 *fontinf* – An introduction to font usage in LaTeX (German)

Web page on CTAN <https://ctan.org/pkg/fontinf>

name	<code>fontinf</code>
caption	An introduction to font usage in LaTeX (German)
author	Ruedas, Thomas
author	Bezos López, Javier
license	nosource = No Source Available (not free)
version	(1999-10-16)
last changes	1999-10-16
year	1999
description	(no language specified) A German translation of a guide by Javier Bezos on how to use fonts in LaTeX.
on CTAN	https://ctan.org/tex-archive/obsolete/info/german/fontinf.pdf
keyword	<code>obsolete</code> (package declared obsolete)
keyword	<code>german-doc</code> (documentation in German)
language(s)	no language specified
last access	2025-02-07

2316 *fontenc* – Standard package for selecting font encodings

Web page on CTAN <https://ctan.org/pkg/fontenc>

name	<code>fontenc</code>
caption	Standard package for selecting font encodings
author	The LaTeX Project Team
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The package allows the user to select font encodings, and for each encoding provides an interface to ‘font-encoding-specific’ commands for each font. Its most powerful effect is to enable hyphenation to operate on texts containing any character in the font. The package supersedes <code>tlenc</code> ; it is distributed as part of the latex distribution.

documentation	(no language specified) <i>Package documentation (in section ltoutenc.dtx):</i> https://ctan.org/tex-archive/macros/latex/base/source2e.pdf
– local file	./9863350500-source2e.pdf
documentation	(no language specified) <i>Background information:</i> https://www.latex-project.org/help/documentation/encguide.pdf
– local file	./1375840919-encguide.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/base
on MikTeX	ltxbase
on TeXLive	latex
keyword	fontenc (support for font encodings)
keyword	tagged-pdf (tagged PDF compatible)
language(s)	no language specified
year	without year
last access	2026-04-24

2317 *fontinst* – Help with installing fonts for TeX and LaTeX

Web page on CTAN	https://ctan.org/pkg/fontinst
name	fontinst
caption	Help with installing fonts for TeX and LaTeX
author	Jeffrey, Alan
author	Rahtz, Sebastian
author	Vieth, Ulrik
author	Hellström, Lars
copyright	The fontinst maintenance team (1998-2001)
license	lppl = The LaTeX Project Public License (free)
version	1.933

description	(no language specified) TeX macros for converting Adobe Font Metric files to TeX metric and virtual font format. Fontinst helps mainly with the number crunching and shovelling parts of font installation. This means in practice that it creates a number of files which give the TeX metrics (and related information) for a font family that (La)TeX needs to do any typesetting in these fonts. Fontinst furthermore makes it easy to create fonts containing glyphs from more than one base font, taking advantage of (e.g.) "expert" font sets. Fontinst cannot examine files to see if they contain any useful information, nor automatically search for files or work with binary file formats; those tasks must normally be done manually or with the help of some other tool, such as the <code>pltotf</code> and <code>vptovf</code> programs.
documentation	(no language specified) <i>Package introduction</i>: https://ctan.org/tex-archive/fonts/utilities/fontinst/doc/manual/intro98.pdf
– local file	<code>./7462557873-intro98.pdf</code>
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/utilities/fontinst/doc/manual/fontinst.pdf
– local file	<code>./9650814511-fontinst.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/utilities/fontinst/README
on CTAN	https://ctan.org/tex-archive/fonts/utilities/fontinst
on MikTeX	<code>fontinst</code>
on T _E XLive	<code>fontinst</code>
keyword	<code>font-cvt</code> (convert a font to a form usable with TeX)
language(s)	no language specified
year	2001
last access	2025-02-07

2318 *fontinstallationguide* – Font installation guide

Web page on CTAN	https://ctan.org/pkg/fontinstallationguide
name	<code>fontinstallationguide</code>
caption	Font installation guide
author	Lehman, Philipp
copyright	Philipp Lehman (2002-2004)

2319 *fontload* – A partial font downloading utility

license	fdl = Free Documentation License (free)
version	2.14
description	(no language specified) This guide discusses the most common scenarios you are likely to encounter when installing Type 1 PostScript fonts. While the individual tools employed in the installation process are documented well, the actual difficulty most users are facing when trying to install new fonts is understanding how to put all the pieces together. This is what this guide is about.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/Type1fonts/fontinstallationguide/README
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/Type1fonts/fontinstallationguide/fontinstallationguide.pdf
– local file	./6152544598-fontinstallationguide.pdf
on CTAN	https://ctan.org/tex-archive/info/Type1fonts/fontinstallationguide
on MikTeX	fontinstallationguide
on T _E XLive	fontinstallationguide
keyword	font-doc (documentation about choosing installing and using fonts)
language(s)	no language specified
year	2004
last access	2025-02-07

2319 *fontload* – A partial font downloading utility

Web page on CTAN	https://ctan.org/pkg/fontload
name	fontload
caption	A partial font downloading utility
author	Malyshev, Basil
copyright	Basil K. Malyshev (1994)
license	noinfo = noinfo
version	(1995-01-27)
last changes	1995-01-27
year	1995

description	(no language specified) The tool scans a PostScript file, and replaces the embedded Adobe Type 1 fonts with appropriately subsetting versions. The process of scanning the file is done using a PostScript program executing in <i>ghostscript</i> . The need for the tool has largely disappeared, for (La)TeX users, following the introduction of the partial-downloading capabilities of current versions of <i>dvips</i> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/utilities/fontload/README
on CTAN	https://ctan.org/tex-archive/fonts/utilities/fontload
keyword	ps-manip (manipulate PostScript files)
language(s)	no language specified
last access	2025-02-07

2320 fontloader-luaotfload – Alternative fontloaders for luaotfload

Web page on CTAN <https://ctan.org/pkg/fontloader-luaotfload>

name	fontloader-luaotfload
caption	Alternative fontloaders for luaotfload
author	Fischer, Ulrike
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0
description	(no language specified) The package offers some alternative fontloaders to be used with older versions of <i>luaotfload</i> . However, in view of recent development of the <i>luaotfload</i> package itself <i>fontloader-luaotfload</i> has become obsolete as of September 2018.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/macros/luatex/generic/fontloader-luaotfload/fontloader-luaotfload.pdf
– local file	./4226560896-fontloader-luaotfload.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/luatex/generic/fontloader-luaotfload/README.md
contact	<i>repository</i> : https://github.com/u-fischer/fontloader-archive
on CTAN	https://ctan.org/tex-archive/obsolete/macros/luatex/generic/fontloader-luaotfload

on MikTeX	fontloader-luaotfload
keyword	luatex (LuaTeX and packages that require it)
keyword	font-use (font selection, mapping, etc.)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
year	without year
last access	2025-02-09

2321 fontmfizz – Font Mfizz icons for use in LaTeX

Web page on CTAN <https://ctan.org/pkg/fontmfizz>

name	fontmfizz
caption	Font Mfizz icons for use in LaTeX
author	Dungs, Kevin
copyright	Kevin Dungs (2014-2017)
license	mit = MIT License (free)
version	(2017-03-19)
last changes	2017-03-19
year	2017
description	(no language specified) The MFizz font provides scalable vector icons representing programming languages, operating systems, software engineering, and technology. It can be seen as an extension to FontAwesome. This package requires the fontspec package and either the Xe(La)TeX or Lua(La)TeX engine to load the included ttf font.
documentation	(no language specified) <i>List of symbols</i>: https://ctan.org/tex-archive/fonts/fontmfizz/fontmfizz.pdf
– local file	<code>./3859806170-fontmfizz.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/fontmfizz/README
contact	<i>repository</i> : https://github.com/kdungs/latex-fontmfizz/
on CTAN	https://ctan.org/tex-archive/fonts/fontmfizz
on MikTeX	fontmfizz
on T _E XLive	fontmfizz

2322 *fontname* – Scheme for naming fonts in TeX

keyword	<code>font-ttf</code> (font available in TrueType format)
keyword	<code>font-supp-symbol</code> (metrics, macro incantations and other support for symbol fonts)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-symbol</code> (fonts that provide collections of symbols)
see also	see section 2305 on page 2085: (<i>fontawesome</i> – Font containing web-related icons)
language(s)	no language specified
last access	2025-02-07

2322 *fontname* – Scheme for naming fonts in TeX

Web page on CTAN <https://ctan.org/pkg/fontname>

name	<code>fontname</code>
caption	Scheme for naming fonts in TeX
author	Berry, Karl
license	gpl = GNU General Public License (free)
version	(2010-10-24)
last changes	2010-10-24
year	2010
description	(no language specified) The scheme for assigning names is described (in the documentation part of the package), and map files giving the relation between foundry name and ‘TeX-name’ are also provided.
documentation	(no language specified) <i>Outline of the mapping scheme (PDF)</i> : https://ctan.org/tex-archive/info/fontname/fontname.pdf
– local file	<code>./7168032990-fontname.pdf</code>
documentation	(no language specified) <i>Outline of the mapping scheme (HTML)</i> : https://ctan.org/tex-archive/info/fontname/fontname.html
on CTAN	https://ctan.org/tex-archive/info/fontname
on MikTeX	<code>fontname</code>
on TeXLive	<code>fontname</code>
keyword	<code>font-doc</code> (documentation about choosing installing and using fonts)
language(s)	no language specified
last access	2025-02-07

2323 fontools – Tools to simplify using fonts (especially TT/OTF ones)

Web page on CTAN <https://ctan.org/pkg/fontools>

Alias autoinst

name fontools

caption Tools to simplify using fonts (especially TT/OTF ones)

author Penninga, Marc

copyright Marc Penninga (2005-2026)

license gpl2 = GNU General Public License, version 2 (free)

version (2026-04-22)

last changes 2026-04-22

year 2026

description (no language specified) This package provides tools to simplify using OpenType fonts with LaTeX.

By far the most important program in this bundle is autoinst:

- `autoinst` – a wrapper script around Eddie Kohler’s LCDF TypeTools. Autoinst aims to automate the installation of OpenType fonts in LaTeX by calling the LCDF TypeTools (with the correct options) for all fonts you wish to install, and generating the necessary `.fd` and `.sty` files.

In addition, this bundle contains a few other, less important utilities:

- `afm2afm` – re-encode `.afm` files,
- `ot2kpx` – extract kerning pairs from OpenType fonts,
- `splitttc` – split an OpenType Collection file (`ttc` or `otc`) into individual fonts.

documentation (no language specified) *autoinst* documentation: <https://ctan.org/tex-archive/fonts/utilities/fontools/doc/autoinst.pdf>

– local file `./7240904971-autoinst.pdf`

documentation (no language specified) *splitttc* documentation: <https://ctan.org/tex-archive/fonts/utilities/fontools/doc/splitttc.pdf>

– local file `./5586348680-splitttc.pdf`

documentation (no language specified) *Bundle readme*: <https://ctan.org/tex-archive/fonts/utilities/fontools/README.md>

documentation (no language specified) *ot2kpx* documentation: <https://ctan.org/tex-archive/fonts/utilities/fontools/doc/ot2kpx.pdf>

2324 *fonts-arundina* – *DejaVu-compatible Thai fonts*

– local file	<code>./7094316198-ot2kpx.pdf</code>
documentation	(no language specified) <i>afm2afm</i> documentation: https://ctan.org/tex-archive/fonts/utilities/fonttools/doc/afm2afm.pdf
– local file	<code>./2100119157-afm2afm.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/utilities/fonttools
on MikTeX	fonttools
on T _E XLive	fonttools
keyword	font-devel (support for font development, testing and characterisation)
language(s)	no language specified
last access	2026-04-29

2324 *fonts-arundina* – *DejaVu-compatible Thai fonts*

Web page on CTAN <https://ctan.org/pkg/fonts-arundina>

name	fonts-arundina
caption	DejaVu-compatible Thai fonts
author	Karoonboonyanan, Theppitak
copyright	Software Industry Promotion Agency (2007)
copyright	Bitstream, Inc. (2003)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
license	other-free = Free license not otherwise listed (free)
version	0.3.2
description	(no language specified) Arundina is a set of DejaVu-compatible Thai fonts from the Software Industry Promotion Agency (Public Organization) of Thailand (otherwise known as SIPA). Serif, sans-serif and monospace type faces are included, with LaTeX support files.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/thai/fonts-arundina/README
home page	https://linux.thai.net/projects/fonts-sipa-arundina
contact	<i>support</i> : https://groups.google.com/forum/#!forum/thai-linux-foss-devel
contact	<i>announce</i> : https://groups.google.com/forum/#!forum/thai-linux-foss-devel
contact	<i>bugs</i> : https://github.com/tlwg/fonts-arundina/issues

contact	<i>repository:</i> https://github.com/tlwg/fonts-arundina
contact	<i>development:</i> https://groups.google.com/forum/#!forum/thai-linux-foss-devel
on CTAN	https://ctan.org/tex-archive/fonts/thai/fonts-arundina
installation	https://ctan.org/tex-archive/install/fonts/thai/fonts-arundina.tds.zip
on MikTeX	fonts-arundina
keyword	font-thai (font for typesetting Thai script)
keyword	thai (support for typesetting, and documentation in Thai)
language(s)	no language specified
year	2007
last access	2025-02-07

2325 fonts-churchslavonic – Fonts for typesetting in Church Slavonic language

Web page on CTAN	https://ctan.org/pkg/fonts-churchslavonic
name	fonts-churchslavonic
caption	Fonts for typesetting in Church Slavonic language
author	Andreev, Aleksandr
author	Kroutikov, Mike
license	ofl = The SIL Open Font License (free)
version	2.3 (2023-06-22)
last changes	2023-06-22
year	2023
description	(no language specified) The package provides Unicode-encoded OpenType fonts for Church Slavonic which are intended for Unicode TeX engines only.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/fonts-churchslavonic/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/fonts-churchslavonic/docs/fonts-churchslavonic.pdf
– local file	./6756320949-fonts-churchslavonic.pdf
home page	https://sci.ponomar.net/fonts.html
contact	<i>bugs:</i> https://github.com/typiconman/fonts-cu/issues

contact	<i>repository:</i> https://github.com/typiconman/fonts-cu
on CTAN	https://ctan.org/tex-archive/fonts/fonts-churchslavonic
on MikTeX	fonts-churchslavonic
on TeXLive	fonts-churchslavonic
keyword	churchslavonic (support for typesetting Church Slavonic)
keyword	font (fonts themselves)
keyword	font-otf (font in OpenType format)
see also	see section 1074 on page 975: (churchslavonic – Typeset documents in Church Slavonic language using Unicode)
language(s)	no language specified
last access	2025-02-07

2326 fonts-tlwg – Thai fonts for LaTeX from TLWG

Web page on CTAN	https://ctan.org/pkg/fonts-tlwg
name	fonts-tlwg
caption	Thai fonts for LaTeX from TLWG
author	Karoonboonyanan, Theppitak
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
license	gpl2+ = GNU General Public License, version 2 or newer (free)
license	other-free = Free license not otherwise listed (free)
version	0.7.3
description	(no language specified) A collection of free Thai fonts, supplied as FontForge sources, and with LaTeX .fd files.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/thai/fonts-tlwg/README
home page	https://linux.thai.net/projects/fonts-tlwg
contact	<i>support:</i> https://groups.google.com/forum/#!forum/thai-linux-foss-devel
contact	<i>bugs:</i> https://github.com/tlwg/fonts-tlwg/issues
contact	<i>repository:</i> https://github.com/tlwg/fonts-tlwg
on CTAN	https://ctan.org/tex-archive/fonts/thai/fonts-tlwg

installation	https://ctan.org/tex-archive/install/fonts/thai/fonts-tlwg.tds.zip
on MikTeX	fonts-tlwg
on TeXLive	fonts-tlwg
keyword	font-thai (font for typesetting Thai script)
keyword	thai (support for typesetting, and documentation in Thai)
keyword	font (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-02-07

2327 fontssampler – Samples of fonts that come with TeX Live

Web page on CTAN	https://ctan.org/pkg/fontssampler
name	fontssampler
caption	Samples of fonts that come with TeX Live
author	Flynn, Peter
copyright	Silmaril Consultants (2000)
license	gpl = GNU General Public License (free)
description	(no language specified) A set of short examples of a wide collection of fonts.
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/fontssampler/sampler.pdf
– local file	./5929018925-sampler.pdf
on CTAN	https://ctan.org/tex-archive/info/fontssampler
on MikTeX	fontssampler
keyword	font-devel (support for font development, testing and characterisation)
language(s)	no language specified
year	2000
last access	2025-02-07

2328 fontscale – A flexible interface for setting font sizes

Web page on CTAN <https://ctan.org/pkg/fontscale>

name	fontscale
caption	A flexible interface for setting font sizes
author	Beery, Oliver
copyright	Oliver Beery (2024-2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	5.0.0 (2026-02-17)
last changes	2026-02-17
year	2026
description	(no language specified) This package provides an interface for selecting (arbitrary) font sizes and associated values.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fontscale/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fontscale/fontscale.pdf
– local file	./6871507479-fontscale.pdf
contact	<i>repository</i> : https://github.com/beeryoliver/fontscale
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fontscale
on MikTeX	fontscale
on T _E XLive	fontscale
keyword	font-sel (font selection schemes)
see also	see section 5344 on page 4838: (scrartcl – KOMA-Script ‘article’ class)
see also	see section 2233 on page 2021: (fix-cm – Permit Computer Modern fonts at arbitrary sizes)
language(s)	no language specified
last access	2026-04-10

2329 fontscripts – Font encodings, metrics and Lua script fragments for font creation

Web page on CTAN <https://ctan.org/pkg/fontscripts>

name	fontscripts
caption	Font encodings, metrics and Lua script fragments for font creation
author	Rees, Clea F.
copyright	Clea F. Rees (2010-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3 (2025-02-22)
last changes	2025-02-22
year	2025
description	(no language specified) Font encodings, metrics and Lua script fragments for generating font support packages for 8-bit engines with l3build . Optional template-based system enables the automatic generation of font tables and l3build tests. Easy addition of variable scaling to <code>fd</code> files (unsupported by some tools). Primarily designed for fontinst , but can be adapted for use with other programmes. Default configuration is intended to be cross-platform and require only tools included in TeX Live, but the documentation includes a simple adaption for integration with FontForge and GNU make.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/utilities/fontscripts/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/utilities/fontscripts/fontscripts-doc.pdf
– local file	<code>./3153687589-fontscripts-doc.pdf</code>
contact	<i>repository</i> : https://codeberg.org/cfr/nfssext
on CTAN	https://ctan.org/tex-archive/fonts/utilities/fontscripts
installation	https://ctan.org/tex-archive/install/fonts/utilities/fontscripts.tds.zip
on T _E XLive	fontscripts
keyword	package-devel (support for package development)
keyword	font-cvt (convert a font to a form usable with TeX)
language(s)	no language specified
last access	2025-02-28

2330 *fontsetup* – A front-end to fontspec, for selected fonts with math support

Web page on CTAN <https://ctan.org/pkg/fontsetup>

name	fontsetup
caption	A front-end to fontspec, for selected fonts with math support
author	Tsolomitis, Antonis
license	gpl3 = GNU General Public License, version 3 (free)
version	2.3.0 (2024-11-01)
last changes	2024-11-01
year	2024
description	(no language specified) This package facilitates the use of fontspec for users who do not wish to bother with details, with a special focus on quality fonts supporting Mathematics.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/fontsetup/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/fontsetup/doc/fontsetup-doc.pdf
– local file	./5406587944-fontsetup-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/fontsetup
on MikTeX	fontsetup
on TeXLive	fontsetup
keyword	font-sel (font selection schemes)
keyword	maths (support for typesetting mathematics)
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
keyword	luatex (LuaTeX and packages that require it)
keyword	font-supp (metrics, macro incantations and other font support)
see also	see section 2331 on page 2111: (<i>fontsetup-nonfree</i> – A front-end to fontspec, for selected non-free fonts)
language(s)	no language specified
last access	2025-02-09

2331 **fontsetup-nonfree** – A front-end to *fontspec*, for selected non-free fonts

Web page on CTAN <https://ctan.org/pkg/fontsetup-nonfree>

name	fontsetup-nonfree
caption	A front-end to <i>fontspec</i> , for selected non-free fonts
author	Tsolomitis, Antonis
copyright	Antonis Tsolomitis (2021)
license	gpl3 = GNU General Public License, version 3 (free)
version	2.0 (2023-12-14)
last changes	2023-12-14
year	2023
description	(no language specified) This package accompanies fontsetup and includes support for nonfree fonts.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/fontsetup-nonfree/doc/fontsetup-nonfree-doc.pdf
– local file	./7338649505-fontsetup-nonfree-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/fontsetup-nonfree/README
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/fontsetup-nonfree
on MikTeX	fontsetup-nonfree
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
keyword	maths (support for typesetting mathematics)
keyword	font-sel (font selection schemes)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
last access	2025-02-09

2332 **fontsize** – A small package to set arbitrary sizes for the main font of the document

Web page on CTAN <https://ctan.org/pkg/fontsize>

name	fontsize
caption	A small package to set arbitrary sizes for the main font of the document
author	Valbusa, Ivan
copyright	Ivan Valbusa (2020-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.9 (2024-12-04)
last changes	2024-12-04
year	2024
description	(no language specified) The package allows you to set arbitrary sizes for the main font of the document, through the <code>fontsize=<size></code> option.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fontsize/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fontsize/fontsize.pdf
– local file	./3092851621-fontsize.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fontsize
on MikTeX	fontsize
on T _E XLive	fontsize
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
language(s)	no language specified
last access	2025-02-07

2333 fontsmpl – Print a sample of a font

Web page on CTAN <https://ctan.org/pkg/fontsmpl>

name	fontsmpl
caption	Print a sample of a font
author	The LaTeX Project Team
author	Jeffrey, Alan
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.11
description	(no language specified) Provides a package which defines a command <code>\fontsample</code> (which will print a sample of the current font), and a document which prompts for a font family name (such as "cmr") and prints a sampler of the whole family. This package is part of the latex-tools bundle in the LaTeX required distribution.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/required/tools/fontsmpl.pdf
– local file	<code>./8554599810-fontsmpl.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/required/tools
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-tools.tds.zip
on MikTeX	latex-tools
on T _E XLive	tools
keyword	font-devel (support for font development, testing and characterisation)
see also	see section 2311 on page 2092 : (<code>fontbl</code> – A font sampler)
see also	see section 2314 on page 2095 : (<code>fontchart</code> – A font sampler)
see also	see section 5897 on page 5340 : (<code>testfont</code> – A testbed for font evaluation)
language(s)	no language specified
year	without year
last access	2025-02-07

2334 fontspec – Advanced font selection in XeLaTeX and LuaLaTeX

Web page on CTAN <https://ctan.org/pkg/fontspec>

name	fontspec
caption	Advanced font selection in XeLaTeX and LuaLaTeX
author	Robertson, Will
author	The LaTeX Project Team
copyright	Khaled Hosny (2009-2013)
copyright	The LaTeX project (2022-2025)
copyright	Will Robertson (2004-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.9g (2025-09-29)
last changes	2025-09-29
year	2025
description	(no language specified) Fontspec is a package for XeLaTeX and LuaLaTeX. It provides an automatic and unified interface to feature-rich AAT and OpenType fonts through the NFSS in LaTeX running on XeTeX or LuaTeX engines. The package requires the l3kernel and xparse bundles from the LaTeX3 development team.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/unicodetex/latex/fontspec/fontspec.pdf
– local file	./4298780178-fontspec.pdf
documentation	(no language specified) <i>Package README</i>: https://ctan.org/tex-archive/macros/unicodetex/latex/fontspec/README.md
contact	<i>bugs</i> : https://github.com/latex3/fontspec/issues
contact	<i>repository</i> : https://github.com/latex3/fontspec/
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/fontspec
installation	https://ctan.org/tex-archive/install/macros/unicodetex/latex/fontspec.tds.zip
on MikTeX	fontspec
on T _E XLive	fontspec
keyword	font-sel (font selection schemes)

keyword	luatex (LuaTeX and packages that require it)
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
language(s)	no language specified
last access	2025-10-05

2335 fonttable – Print font tables from a LaTeX document

Web page on CTAN <https://ctan.org/pkg/fonttable>

name	fonttable
caption	Print font tables from a LaTeX document
author	Robertson, Will
author	The LaTeX Project Team
author	Wilson, Peter R.
copyright	LaTeX Project (2025-2026)
copyright	Will Robertson (2009-2011, 2017)
copyright	Peter R. Wilson (2005-2009)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.6e (2026-04-19)
last changes	2026-04-19
year	2026
description	(no language specified) This is a package version of <code>nfssfont.tex</code> (part of the LaTeX distribution); it enables you to print a table of the characters of a font and/or some text (for demonstration or testing purposes), from within a document. (Packages such as testfont and <code>nfssfont.tex</code> provide these facilities, but they run as interactive programs: the user is expected to type details of what is needed.) Note that the package mftinc also has a <code>\fonttable</code> function; the documentation explains how avoid a clash with that package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fonttable/fonttable.pdf
– local file	<code>./2852801044-fonttable.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fonttable/README.md
contact	<i>bugs</i> : https://github.com/LaTeX-Package-Repositories/herries-press/issues

contact	<i>repository:</i> https://github.com/LaTeX-Package-Repositories/herries-press
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fonttable
on MikTeX	fonttable
on T _E XLive	fonttable
keyword	font-index (lists of glyphs available from font(s))
keyword	font-devel (support for font development, testing and characterisation)
keyword	tagged-pdf-incompatible (tagged PDF incompatible)
see also	see section 6479 on page 5855: (unicodfonttable – A Unicode font table generator)
language(s)	no language specified
last access	2026-04-28

2336 fontwrap – Bind fonts to specific unicode blocks

Web page on CTAN <https://ctan.org/pkg/fontwrap>

name	fontwrap
caption	Bind fonts to specific unicode blocks
author	Kamermans, Mike
license	gpl = GNU General Public License (free)
description	(no language specified) The package (which runs under XeLaTeX) lets you bind fonts to specific unicode blocks, for automatic font tagging of multilingual text. The package uses Perl (via perl_{tex}) to construct its tables.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/xetex/latex/fontwrap/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/xetex/latex/fontwrap/fontwrap.pdf
– local file	./8675137853-fontwrap.pdf
documentation	(no language specified) <i>Examples of use:</i> https://ctan.org/tex-archive/macros/xetex/latex/fontwrap/fontwrap_example.pdf
– local file	./2661405675-fontwrap_example.pdf
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/fontwrap

on MikTeX	fontwrap
on T _E XLive	fontwrap
keyword	unicode (Unicode, material supporting it, and packages requiring it)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-sel (font selection schemes)
language(s)	no language specified
year	without year
last access	2025-02-07

2337 *footbib* – Bibliographic references as footnotes

Web page on CTAN <https://ctan.org/pkg/footbib>

name	footbib
caption	Bibliographic references as footnotes
author	Domenjoud, Eric
license	lppl = The LaTeX Project Public License (free)
version	2.0.7
description	(no language specified) The package makes bibliographic references appear as footnotes. It defines a command <code>\footcite</code> which is similar to the LaTeX <code>\cite</code> command but the references cited in this way appear at the bottom of the pages. This ‘foot bibliography’ does not conflict with the standard one and both may exist simultaneously in a document. The command <code>\cite</code> may still be used to produce the standard bibliography. The foot bibliography uses its own style and bibliographic database which may be specified independently of the standard one. Any standard bibliography style may be used.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/footbib/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/footbib/footbib.pdf
– local file	./8774554531-footbib.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/footbib
on MikTeX	footbib
on T _E XLive	footbib

keyword	<code>cite-foot</code> (citations in footnotes)
see also	see section 3107 on page 2803: (<code>jurabib</code> – Extended BibTeX citation support for the humanities and legal texts)
language(s)	no language specified
year	without year
last access	2025-02-07

2338 *footmisc* – A range of footnote options

Web page on CTAN <https://ctan.org/pkg/footmisc>

name	<code>footmisc</code>
caption	A range of footnote options
author	Fairbairns, Robin
author	Mittelbach, Frank
copyright	Frank Mittelbach (2018-2025)
copyright	Robin Fairbairns (1995-2011)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	7.0b (2025-05-09)
last changes	2025-05-09
year	2025
description	(no language specified) A collection of ways to change the typesetting of footnotes. The package provides means of changing the layout of the footnotes themselves (including setting them in ‘paragraphs’ — the <code>para</code> option), a way to number footnotes per page (the <code>perpage</code> option), to make footnotes disappear in a ‘moving’ argument (<code>stable</code> option) and to deal with multiple references to footnotes from the same place (<code>multiple</code> option). The package also has a range of techniques for labelling footnotes with symbols rather than numbers. Some of the functions of the package are overlap with the functionality of other packages. The <code>para</code> option is also provided by the <code>manyfoot</code> and <code>bigfoot</code> packages, though those are both also portmanteau packages. (Don’t be seduced by <code>fnpara</code> , whose implementation is improved by the present package.) The <code>perpage</code> option is also offered by <code>footnpag</code> and by the rather more general-purpose <code>perpage</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/footmisc/README.md

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/footmisc/footmisc-doc.pdf
– local file	<code>./9456309015-footmisc-doc.pdf</code>
contact	<i>repository:</i> https://github.com/frankmittelbach/fmitex-footmisc
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/footmisc
on MikTeX	<code>footmisc</code>
on T _E XLive	<code>footmisc</code>
keyword	<code>tagged-pdf</code> (tagged PDF compatible)
keyword	<code>footnote</code> (footnote support)
see also	see section 4125 on page 3733: (<code>multifootnote</code> – Multiple numbers for the same footnote)
see also	see section 2339 on page 2119: (<code>footmisc</code> – A range of footnote options)
see also	see section 1903 on page 1719: (<code>endnotes</code> – Place footnotes at the end)
see also	see section 2408 on page 2179: (<code>ftnright</code> – Footnotes in two column documents in one column only)
language(s)	no language specified
last access	2026-04-10

2339 *footmisc* – A range of footnote options

Web page on CTAN	https://ctan.org/pkg/footmisc
name	<code>footmisc</code>
caption	A range of footnote options
author	Roucariès, Bastien
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	20161201

description	(no language specified) This a fork of footmisc package allowing to use hyperref. Here is a copy of the description of package footmisc: A collection of ways to change the typesetting of footnotes. The package provides means of changing the layout of the footnotes themselves (including setting them in ‘paragraphs’ — the <code>para</code> option), a way to number footnotes per page (the <code>perpage</code> option), to make footnotes disappear in a ‘moving’ argument (<code>stable</code> option) and to deal with multiple references to footnotes from the same place (<code>multiple</code> option). The package also has a range of techniques for labelling footnotes with symbols rather than numbers. Some of the functions of the package are overlap with the functionality of other packages. The <code>para</code> option is also provided by the manyfoot and bigfoot packages, though those are both also portmanteau packages. (Don’t be seduced by fnpara , whose implementation is improved by the present package.) The <code>perpage</code> option is also offered by footnpag and by the rather more general-purpose perpage
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/footmisc/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/footmisc
on MikTeX	footmisc
on T _E XLive	footmisc
keyword	footnote (footnote support)
see also	see section 2408 on page 2179: (<code>ftnright</code> – Footnotes in two column documents in one column only)
see also	see section 1903 on page 1719: (<code>endnotes</code> – Place footnotes at the end)
language(s)	no language specified
year	without year
last access	2025-02-07

2340 footnote – Improve on LaTeX’s footnote handling

Web page on CTAN	https://ctan.org/pkg/footnote
name	footnote
caption	Improve on LaTeX’s footnote handling
author	Wooding, Mark
copyright	Mark Wooding (1996)

license	gpl = GNU General Public License (free)
version	1.13
description	(no language specified) The footnote package provides commands for handling footnotes rather more fluently than LaTeX manages. Several LaTeX commands and environments (for example, <code>\parbox</code>, <code>minipage</code> and <code>tabular</code>) "trap" footnotes. The footnote package provides an environment <code>savenotes</code>, that can be wrapped around a command or environment; at <code>\end{savenotes}</code> all the footnotes within will emerge. The command <code>\makesavenoteenv</code> will generate environments that behave as if they've been wrapped in a <code>savenotes</code> environment. The package also provides <code>footnote</code> and <code>footnotetext</code> environments which you can put verbatim inside. The package is part of the <code>mdwtools</code> bundle.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mdwtools/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mdwtools/footnote.pdf
– local file	<code>./3466538642-footnote.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mdwtools
on MikTeX	<code>mdwtools</code>
on TeXLive	<code>mdwtools</code>
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
keyword	<code>footnote</code> (footnote support)
language(s)	no language specified
year	1996
last access	2025-02-07

2341 `footnotebackref` – Back-references from footnotes

Web page on CTAN <https://ctan.org/pkg/footnotebackref>

name	<code>footnotebackref</code>
caption	Back-references from footnotes
author	Lange, Holger
copyright	Holger Lange (2012)

license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The package provides the means of creating hyperlinks, from a footnote at the bottom of the page, back to the occurrence of the footnote in the main text.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/footnotebackref/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/footnotebackref/footnotebackref.pdf
– local file	./5815010017-footnotebackref.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/footnotebackref
on MikTeX	footnotebackref
on TeXLive	footnotebackref
keyword	footnote (footnote support)
keyword	hyper (support for hypertext)
language(s)	no language specified
year	2012
last access	2025-02-07

2342 *footnotehyper* – A *hyperref* aware footnote environment

Web page on CTAN <https://ctan.org/pkg/footnotehyper>

name	footnotehyper
caption	A <i>hyperref</i> aware footnote environment
author	Burnol, Jean-François
copyright	Jean-Francois Burnol (2016-2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1e (2021-08-13)
last changes	2021-08-13
year	2021

description	(no language specified) This package provides a footnote environment allowing verbatim material and a savenotes environment which captures footnotes across problematic environments. It is a successor to the footnote package by Mark Wooding which had various compatibility issues with modern packages (hyperref , color , xcolor , babel-french).
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/footnotehyper/footnotehyper.pdf
– local file	<code>./6629563871-footnotehyper.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/footnotehyper/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/footnotehyper
on MikTeX	<code>footnotehyper</code>
on TeXLive	<code>footnotehyper</code>
keyword	<code>footnote</code> (footnote support)
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
see also	see section 2340 on page 2120: (<code>footnote</code> – Improve on LaTeX’s footnote handling)
language(s)	no language specified
last access	2025-02-07

2343 *footnoterange* – References to ranges of footnotes

Web page on CTAN <https://ctan.org/pkg/footnoterange>

name	<code>footnoterange</code>
caption	References to ranges of footnotes
author	Münch, Hans-Martin
copyright	Hans-Martin Münch et al. (2012-2026)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1c (2026-01-19)
last changes	2026-01-19
year	2026

2344 *footnrange* – Per-page numbering of footnotes

description	(no language specified) The package provides the environments <code>footnrange</code> and <code>footnrange*</code> . Multiple footnotes inside these environments are not referenced as (e.g.) "1 2 3" but as "1-3", i.e., the range (from first to last referred footnote at that place) is given. If the <code>hyperref</code> package is loaded with enabled <code>hyperfootnotes</code> -option, then the references are hyperlinked. (References to footnotes in <code>footnrange*</code> environments are never hyperlinked.)
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/footnrange/footnrange.pdf
– local file	<code>./5278020468-footnrange.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/footnrange/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/footnrange
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/footnrange.tds.zip
on MikTeX	<code>footnrange</code>
on TeXLive	<code>footnrange</code>
keyword	<code>label-ref</code> (label and reference systems)
keyword	<code>tagged-pdf-incompatible</code> (tagged PDF incompatible)
keyword	<code>footnote</code> (footnote support)
see also	see section 2338 on page 2118: (<code>footmisc</code> – A range of footnote options)
language(s)	no language specified
last access	2026-04-10

2344 *footnpag* – Per-page numbering of footnotes

Web page on CTAN	https://ctan.org/pkg/footnpag
name	<code>footnpag</code>
caption	Per-page numbering of footnotes
author	Schrod, Joachim
license	gpl = GNU General Public License (free)
description	(no language specified) Allows footnotes on individual pages to be numbered from 1, rather than being numbered sequentially through the document.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/footnpag/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/footnpag/footnpag-user.pdf
– local file	<code>./6862719230-footnpag-user.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/footnpag
on MikTeX	footnpag
on TeXLive	footnpag
keyword	footnote (footnote support)
keyword	tagged-pdf-partially (tagged PDF partially compatible)
see also	see section 2338 on page 2118: (<code>footmisc</code> – A range of footnote options)
language(s)	no language specified
year	without year
last access	2026-04-10

2345 *forarray* – Using array structures in LaTeX

Web page on CTAN <https://ctan.org/pkg/forarray>

name	<code>forarray</code>
caption	Using array structures in LaTeX
author	Schröppel, Christian
copyright	Christian Schröppel (2008)
license	lppl = The LaTeX Project Public License (free)
version	1.01
description	(no language specified) The package provides functionality for processing lists and array structures in LaTeX. Arrays can contain characters as well as TeX and LaTeX commands, nesting of arrays is possible, and arrays are processed within the same brace level as their surrounding environment. Array levels can be delimited by characters or control sequences defined by the user. Practical uses of this package include data management, construction of lists and tables, and calculations based on the contents of lists and arrays.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/forarray/README.txt

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/forarray/forarray.pdf
– local file	./2623249914-forarray.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/forarray
on MikTeX	forarray
on T _E XLive	forarray
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	2008
last access	2025-02-07

2346 *foreign* – Systematic treatment of ‘foreign’ words in documents

Web page on CTAN	https://ctan.org/pkg/foreign
name	foreign
caption	Systematic treatment of ‘foreign’ words in documents
author	Ratcliffe, Philip G.
copyright	Philip G. Ratcliffe (2012)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.7
description	(no language specified) The package supports authors’ use of consistent typesetting of foreign words in documents.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/foreign/foreign.pdf
– local file	./8533990637-foreign.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/foreign/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/foreign
on MikTeX	foreign
on T _E XLive	foreign
keyword	typesetting (support for variations of typographic style)
language(s)	no language specified

year 2012
last access 2025-02-07

2347 forest – Drawing (linguistic) trees

Web page on CTAN <https://ctan.org/pkg/forest>

name	forest
caption	Drawing (linguistic) trees
author	Živanović, Sašo
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.1.5 (2017-07-14)
last changes	2017-07-14
year	2017
description	(no language specified) The package provides a PGF/TikZ-based mechanism for drawing linguistic (and other kinds of) trees. Its main features are: • a packing algorithm which can produce very compact trees; • a user-friendly interface consisting of the familiar bracket encoding of trees plus the key-value interface to option-setting; • many tree-formatting options, with control over option values of individual nodes and mechanisms for their manipulation; • the possibility to decorate the tree using the full power of PGF/TikZ; and • an externalization mechanism sensitive to code-changes.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/forest/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/forest/forest-doc.pdf
– local file	./4268196562-forest-doc.pdf
contact	<i>repository</i> : https://github.com/sasozivanovic/forest
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/forest
on MikTeX	forest
on T _E XLive	forest
keyword	tree (mechanisms for drawing trees)
keyword	pgf-tikz (package uses PGF-TikZ)

keyword	linguistic (support for linguistics)
see also	see section 2349 on page 2129: (<i>forest-quickstart</i> – Quickstart Guide for Linguists package “forest”)
language(s)	no language specified
last access	2025-02-07

2348 *forest-ext* – Additional Forest libraries providing bug fixes, extensions and support for tagging

Web page on CTAN <https://ctan.org/pkg/forest-ext>

name	<i>forest-ext</i>
caption	Additional Forest libraries providing bug fixes, extensions and support for tagging
author	Rees, Clea F.
copyright	Clea F. Rees (2025-2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3
description	(no language specified) <i>forest-ext</i> is a new package offering additional libraries for Forest: • <i>ext.tagging</i> supports tagging forest trees • <i>ext.multi</i> provides styles for limited inclusion of children with multiple parents • <i>ext.utils</i> provides some utilities and miscellaneous styles • <i>ext.ling</i> provides some simple extensions for linguistics, but currently only one is enabled Debugging versions of all libraries are provided.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/forest-ext/README.md
documentation	(no language specified) <i>Code documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/forest-ext/forest-ext-code.pdf
– local file	<code>./9617517745-forest-ext-code.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/forest-ext/forest-ext-doc.pdf

2349 *forest-quickstart* – Quickstart Guide for Linguists package “forest”

– local file	<code>./1435622304-forest-ext-doc.pdf</code>
contact	repository: https://codeberg.org/cfr/prooftrees
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/forest-ext
on MikTeX	<code>forest-ext</code>
on T _E XLive	<code>forest-ext</code>
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>linguistic</code> (support for linguistics)
keyword	<code>tree</code> (mechanisms for drawing trees)
language(s)	no language specified
year	2026
last access	2026-04-10

2349 *forest-quickstart* – Quickstart Guide for Linguists package “forest”

Web page on CTAN <https://ctan.org/pkg/forest-quickstart>

name	<code>forest-quickstart</code>
caption	Quickstart Guide for Linguists package “forest”
author	Vanden Wyngaerd, Guido
license	fdl = Free Documentation License (free)
version	(2020-06-28)
last changes	2020-06-28
year	2020
description	(no language specified) forest is a PGF/TikZ-based package for drawing linguistic (and other kinds of) trees. This manual provides a quickstart guide for linguists with just the essential things that you need to get started.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/forest-quickstart/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/info/forest-quickstart/forest-quickstart.pdf
– local file	<code>./4498837610-forest-quickstart.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/forest-quickstart
on MikTeX	<code>forest-quickstart</code>

2350 *forindex* – Manipulate `\index` commands in a LaTeX file

on T _E XLive	forest-quickstart
keyword	linguistic (support for linguistics)
keyword	docu-pkg (documentation of another package)
see also	see section 2347 on page 2127: (forest – Drawing (linguistic) trees)
language(s)	no language specified
last access	2026-04-10

2350 *forindex* – Manipulate `\index` commands in a LaTeX file

Web page on CTAN <https://ctan.org/pkg/forindex>

name	forindex
caption	Manipulate <code>\index</code> commands in a LaTeX file
author	Milanese, Guido
license	gpl = GNU General Public License (free)
version	0.1
description	(no language specified) The <i>forindex</i> bundle consists of two programs: <i>doindex</i> and <i>cleanindex</i>. <i>Doindex</i> reads a list of items to index, and processes a LaTeX file to add <code>\index</code> commands in accordance with the items in the list. <i>Cleanindex</i> removes the <code>\index</code> commands from a LaTeX file. Both programs are written in SNOBOL IV ; .exe files compiled with Spitbol are available for Windows users.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/indexing/forindex/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/indexing/forindex/docs/forindex.pdf
– local file	./8181450498-forindex.pdf
on CTAN	https://ctan.org/tex-archive/indexing/forindex
keyword	index-proc (process and/or generate index material)
language(s)	no language specified
year	without year
last access	2026-04-10

2351 *forloop* – Iteration in LaTeX

Web page on CTAN <https://ctan.org/pkg/forloop>

name	forloop
caption	Iteration in LaTeX
author	Setzer, Nick
copyright	N. Setzer (2005-2023)
license	lgpl = GNU Lesser General Public License (free)
version	3.0 (2023-05-03)
last changes	2023-05-03
year	2023
description	(no language specified) The package provides a command <code>\forloop</code> for doing iteration in LaTeX macro programming.
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/forloop/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/forloop/forloop.pdf
– local file	./9165804480-forloop.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/forloop
on MikTeX	forloop
on TeXLive	forloop
keyword	macro-supp (support for development of (La)TeX macros)
keyword	macro-iterate (repeat TeX material)
language(s)	no language specified
last access	2025-02-07

2352 formal-grammar – Typeset formal grammars

Web page on CTAN <https://ctan.org/pkg/formal-grammar>

name	formal-grammar
caption	Typeset formal grammars
author	Vassor, Martin
copyright	Martin Vassor (2021-2022)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2
description	(no language specified) This package provides a new environment and associated commands to typeset BNF grammars. It allows to easily write formal grammars. Its original motivation was to typeset grammars for beamer presentations, therefore, there are macros to emphasize or downplay some parts of the grammar (which is the main novelty compared to other BNF packages).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/formal-grammar/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/formal-grammar/formal-grammar.pdf
– local file	./6090181853-formal-grammar.pdf
contact	<i>repository</i> : https://framagit.org/Bromind/LaTeX-packages/-/tree/master
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/formal-grammar
on MikTeX	formal-grammar
on T _E XLive	formal-grammar
keyword	formal-spec (typeset formal specification languages)
language(s)	no language specified
year	2022
last access	2025-02-07

2353 *format* – Format a counter as a fixed-point numberWeb page on CTAN <https://ctan.org/pkg/format>

name	<code>format</code>
caption	Format a counter as a fixed-point number
author	Karney, Charles
license	<code>noinfo = noinfo</code>
version	(1986-04-29)
last changes	1986-04-29
year	1986
description	(no language specified) The package defines a macro that takes an optional integer power argument, and a counter. The output is then the decimal representation of <code><counter> * 10**<power></code> (the absolute value of <code><power></code> may not exceed 6).
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/format.sty
keyword	<code>numbers</code> (formatting numbers, etc)
language(s)	no language specified
last access	2025-02-07

2354 *formation-latex-ul* – Introductory LaTeX course in FrenchWeb page on CTAN <https://ctan.org/pkg/formation-latex-ul>

name	<code>formation-latex-ul</code>
caption	Introductory LaTeX course in French
author	Goulet, Vincent
copyright	Vincent Goulet (2015-2024)
license	<code>cc-by-4 = CC BY 4.0</code> (free)
version	2024.03 (2024-03-07)
last changes	2024-03-07
year	2024
description	(no language specified) This package contains the supporting documentation, slides, exercise files, and templates for an introductory LaTeX course (in French) prepared for Université Laval, Québec, Canada.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/formation-latex-ul/README.md
documentation	(French) <i>The course itself (Manual)</i> : https://ctan.org/tex-archive/info/formation-latex-ul/doc/formation-latex-ul.pdf
– local file	<code>./2268909639-formation-latex-ul.pdf</code>
documentation	(French) <i>The course itself (Slides)</i> : https://ctan.org/tex-archive/info/formation-latex-ul/doc/formation-latex-ul-diapos.pdf
– local file	<code>./4366278207-formation-latex-ul-diapos.pdf</code>
home page	https://vigou3.gitlab.io/formation-latex-ul
contact	<i>repository</i> : https://gitlab.com/vigou3/formation-latex-ul
on CTAN	https://ctan.org/tex-archive/info/formation-latex-ul
on MikTeX	<code>formation-latex-ul</code>
on T _E XLive	<code>formation-latex-ul</code>
keyword	<code>tut-latex</code> (tutorial material for LaTeX)
keyword	<code>course-material</code> (course material)
keyword	<code>french-doc</code> (documentation in French)
language(s)	French
last access	2025-02-07

2355 `formlett` – Letters to multiple recipients

Web page on CTAN	https://ctan.org/pkg/formlett
name	<code>formlett</code>
caption	Letters to multiple recipients
author	Jiang, Zhuhan
license	gpl = GNU General Public License (free)
version	2.3
description	(no language specified) A package for multiple letters from the same basic source; the package offers parametrisation of the letters actually sent.
documentation	(no language specified) <i>User manual</i> : https://ctan.org/tex-archive/macros/generic/formlett/user_manual.pdf
– local file	<code>./7583035326-user_manual.pdf</code>

documentation	(no language specified) <i>Programmers manual</i> : https://ctan.org/tex-archive/macros/generic/formlett/prog_manual.pdf
– local file	<code>./6244769135-prog_manual.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/generic/formlett
on T _E XLive	<code>formlett</code>
keyword	<code>letter</code> (typesetting letters, envelopes, faxes, etc)
see also	see section 1928 on page 1742: (<code>envlab</code> – Addresses on envelopes or mailing labels)
see also	see section 115 on page 105: (<code>akletter</code> – Comprehensive letter support)
see also	see section 1618 on page 1468: (<code>dinbrief</code> – German letter DIN style)
language(s)	no language specified
year	without year
last access	2025-02-07

2356 *forms16be* – Initialize form properties using big-endian encoding

Web page on CTAN <https://ctan.org/pkg/forms16be>

name	<code>forms16be</code>
caption	Initialize form properties using big-endian encoding
author	Story, Donald P.
copyright	D. P. Story (2017-2019)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.3 (2019-03-20)
last changes	2019-03-20
year	2019
description	(no language specified) This package provides support for UTF-16BE Unicode character encoding (called a big-endian character string) for the text string type (PDF Reference, version 1.7, beginning on page 158). Text strings are used in "text annotations, bookmark names, article threads, document information, and so forth" (to partially quote page 158). The particular application is to set property values of form fields, at least those properties that take the text strings as its value. The package contains support for Basic Latin plus the ability to enter any unicode character using the notation <code>\uXXXX</code>, where <code>XXXX</code> are four hex digits. The Package works for dvips/Distiller, pdfLaTeX, LuaLaTeX, and XeLaTeX.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/forms16be/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/forms16be/doc/forms16be-man.pdf
– local file	./9401174815-forms16be-man.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/forms16be
on MikTeX	forms16be
on TeXLive	forms16be
keyword	pdf-feat (access PDF features)
keyword	adobe-distiller (convert PostScript to PDF using Adobe Distiller)
keyword	form-fillin (design forms for information collection)
language(s)	no language specified
last access	2025-02-07

2357 *formula* – Typesetting physical units

Web page on CTAN	https://ctan.org/pkg/formula
name	formula
caption	Typesetting physical units
author	Tille, Andreas
copyright	Andreas Tille (1998)
license	gpl = GNU General Public License (free)
version	0.2
description	(no language specified) Support for typesetting physical symbols, ensuring the same shape in text and maths mode. The user may specify their own units, and may change the format for the package's predefined physical units.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/formula/formula.pdf
– local file	./4580339276-formula.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/formula
on MikTeX	formula

2358 *formular* – Create forms containing field for manual entry

keyword	units (uniform typesetting of units)
keyword	scientific-docs (support for writers of scientific documents)
language(s)	no language specified
year	1998
last access	2025-02-07

2358 *formular* – Create forms containing field for manual entry

Web page on CTAN <https://ctan.org/pkg/formular>

name	formular
caption	Create forms containing field for manual entry
author	Wirth, Hans-Christoph
copyright	Hans-Christoph Wirth (2001)
license	lpl = The LaTeX Project Public License (free)
version	1.0a
description	(no language specified) When typesetting forms there often arises the need for defining fields which consist of one or more lines where the customer can write something down manually. This package offers some commands for defining such fields in a distinctive way.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/formular/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/formular/formular.pdf
– local file	./4450521833-formular.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/formular
on MikTeX	formular
on T _E XLive	formular
keyword	form-fillin (design forms for information collection)
language(s)	no language specified
year	2001
last access	2025-02-07

2359 fortran – Print Fortran programs

Web page on CTAN <https://ctan.org/pkg/fortran>

name	fortran
caption	Print Fortran programs
author	Toby, B. H.
license	noinfo = noinfo
version	(1986-08-31)
last changes	1986-08-31
year	1986
description	(no language specified) Provides a specialised verbatim file input, tuned to the needs of Fortran programs (including emulation of tab characters)
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/fortran.tex
keyword	listing (computer code listing)
language(s)	no language specified
last access	2025-02-07

2360 forum – Forum fonts with LaTeX support

Web page on CTAN <https://ctan.org/pkg/forum>

name	forum
caption	Forum fonts with LaTeX support
author	Tennent, Bob
license	lppl = The LaTeX Project Public License (free)
license	ofl = The SIL Open Font License (free)
version	(2022-09-30)
last changes	2022-09-30
year	2022

description	(no language specified) This package provides LaTeX, pdfLaTeX, XeLaTeX and LuaLaTeX support for the Forum font, designed by Denis Masharov. Forum has antique, classic "Roman" proportions. It can be used to set body texts and works well in titles and headlines too. It is truly multilingual, with glyphs for Central and Eastern Europe, Baltics, Cyrillic and Asian Cyrillic communities. There is currently just a regular weight and an artificially emboldened bold.
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/forum/doc/forum-samples.pdf
– local file	<code>./7679245874-forum-samples.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/forum/README
home page	https://fonts.google.com/specimen/Forum
on CTAN	https://ctan.org/tex-archive/fonts/forum
installation	https://ctan.org/tex-archive/install/fonts/forum.tds.zip
on MikTeX	<code>forum</code>
on T _E XLive	<code>forum</code>
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-cyrillic</code> (fonts for Cyrillic and related scripts)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-multilingual</code> (font with adaptations to several languages)
keyword	<code>font-t1enc</code> (font providing LaTeX T1 encoding support)
language(s)	no language specified
last access	2025-02-07

2361 fotex – Process XSL-FO

Web page on CTAN <https://ctan.org/pkg/fotex>

name	fotex
caption	Process XSL-FO
author	Rahtz, Sebastian
copyright	Sebastian Rahtz (1999)
license	lppl = The LaTeX Project Public License (free)
version	(1999-08-01)
last changes	1999-08-01
year	1999
on CTAN	https://ctan.org/tex-archive/obsolete/macros/fotex
keyword	format (macros to build a format)
keyword	foreign-import (import files in a non-TeX (or different TeX) format)
see also	see section 4510 on page 4081: (passivetex – Support package for XML/SGML typesetting)
language(s)	no language specified
last access	2025-02-07

2362 fouridx – Left sub- and superscripts in maths mode

Web page on CTAN <https://ctan.org/pkg/fouridx>

name	fouridx
caption	Left sub- and superscripts in maths mode
author	Karrmann, Stefan
copyright	Stefan Karrmann (2008, 2013)
license	lppl = The LaTeX Project Public License (free)
version	2.00
description	(no language specified) The package enables left subscripts and superscripts in maths mode. The sub- and superscripts are raised for optimum fitting to the symbol indexed, in such a way that left and right sub- and superscripts are set on the same level, as appropriate. The package provides an alternative to the use of the <code>\sideset</code> command in the amsmath package.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fouridx/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fouridx/fouridx.pdf
– local file	<code>./7125216937-fouridx.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fouridx
on MikTeX	<code>fouridx</code>
on TeXLive	<code>fouridx</code>
keyword	maths (support for typesetting mathematics)
keyword	subsup-pos (position sub- and superscripts (left and right sides))
language(s)	no language specified
year	2013
last access	2025-02-07

2363 *fourier* – Using Utopia fonts in LaTeX documents

Web page on CTAN <https://ctan.org/pkg/fourier>

name	<code>fourier</code>
caption	Using Utopia fonts in LaTeX documents
author	Bovani, Michel
license	lppl = The LaTeX Project Public License (free)
version	2.4 (2024-09-08)
last changes	2024-09-08
year	2024
description	(no language specified) Fourier-GUTenberg is a LaTeX typesetting system which uses Adobe Utopia as its standard base font. Fourier-GUTenberg provides all complementary typefaces needed to allow Utopia based TeX typesetting, including an extensive mathematics set and several other symbols. The system is absolutely stand-alone: apart from Utopia and Fourier, no other typefaces are required. The <i>fourier</i> fonts will also work with Adobe Utopia Expert fonts, which are only available for purchase. Utopia is a registered trademark of Adobe Systems Incorporated.

documentation	(no language specified) <i>The Fourier ornaments</i> : https://ctan.org/tex-archive/fonts/fourier-GUT/doc/fourier-orns-doc.pdf
– local file	<code>./7660510715-fourier-orns-doc.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/fourier-GUT/doc/fourier-doc-en.pdf
– local file	<code>./7241233066-fourier-doc-en.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/fourier-GUT/README
on CTAN	https://ctan.org/tex-archive/fonts/fourier-GUT
on MikTeX	<code>fourier</code>
on T _E XLive	<code>fourier</code>
keyword	<code>font-maths</code> (fonts for use in mathematics)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-suppl</code> (metrics, macro incantations and other font support)
see also	see section 6552 on page 5923: (<code>utopia</code> – Adobe Utopia fonts)
language(s)	no language specified
last access	2025-02-07

2364 *fouriernc* – Use New Century Schoolbook text with Fourier maths fonts

Web page on CTAN <https://ctan.org/pkg/fouriernc>

name	<code>FourierNC</code>
caption	Use New Century Schoolbook text with Fourier maths fonts
author	Sharpe, Michael
author	Zedler, Michael
license	lppl = The LaTeX Project Public License (free)
version	(2013-04-02)
last changes	2013-04-02
year	2013

description	(no language specified) This package provides a LaTeX mathematics font setup for use with New Century Schoolbook text. In order to use it you need to have the Fourier-GUTenberg fonts installed.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/fouriernc/README
documentation	(no language specified) <i>FourierNC test example::</i> https://ctan.org/tex-archive/fonts/fouriernc/doc/test_fouriernc.pdf
– local file	./8726430908-test_fouriernc.pdf
on CTAN	https://ctan.org/tex-archive/fonts/fouriernc
installation	https://ctan.org/tex-archive/install/fonts/fouriernc.tds.zip
on MikTeX	fouriernc
on T _E XLive	fouriernc
keyword	font-maths (fonts for use in mathematics)
keyword	font (fonts themselves)
keyword	font-virtual (virtual font(s) using existing fonts)
language(s)	no language specified
last access	2025-02-07

2365 *fourproject* – Analyse and display the structure of a TeX document

Web page on CTAN	https://ctan.org/pkg/fourproject
name	fourproject
caption	Analyse and display the structure of a TeX document
author	Frambach, Erik
license	gpl = GNU General Public License (free)
description	(no language specified) A Windows32 program that analyses and displays the structure of a TeX document, its chapters, sections, labels, references, captions, graphics, etc.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/4project/00-readme.txt
on CTAN	https://ctan.org/tex-archive/support/4project
keyword	doc-tool (document development tools)
language(s)	no language specified

year without year
last access 2025-02-07

2366 *fourspell* – Windows32 spell checker for TeX, RTF, HTML, and BibTeX

Web page on CTAN <https://ctan.org/pkg/fourspell>

name *fourspell*
caption Windows32 spell checker for TeX, RTF, HTML, and BibTeX
author Frambach, Erik
license gpl = GNU General Public License (free)
description (no language specified) A Windows32 spell-checker for (La)TeX, RTF, HTML, BibTeX documents, or any other ASCII format, with or without tags. Highly configurable. Supports multiple codepages (can spell-check e.g. Russian), uses colors to display document and tag structures. Dictionaries are compatible with **WinEdt** .
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/support/4spell/00-readme.txt>
on CTAN <https://ctan.org/tex-archive/support/4spell>
keyword *spell* (TeX-aware spelling checker)
language(s) no language specified
year without year
last access 2025-02-07

2367 *fox-listings* – Listings language definition for COSYScript (COSY INFINITY)

Web page on CTAN <https://ctan.org/pkg/fox-listings>

name *fox-listings*
caption Listings language definition for COSYScript (COSY INFINITY)
author Valetov, Eremey
copyright Eremey Valetov (2026)
license lppl1.3c = The LaTeX Project Public License 1.3c (free)
version 1.4 (2026-03-21)
last changes 2026-03-21
year 2026

description	(no language specified) The fox-listings package provides a listings language definition for COSYScript, the programming language of COSY INFINITY, a beam dynamics code using high-order differential-algebraic (DA) transfer maps and methods. It defines six keyword groups with independent styling, supports nested {...} comments and single-quoted strings, and provides two predefined styles: FOXcolor (screen) and FOXmono (print).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fox-listings/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fox-listings/fox-listings-doc.pdf
– local file	./2816574816-fox-listings-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fox-listings
on MikTeX	fox-listings
on TeXLive	fox-listings
keyword	listing (computer code listing)
language(s)	no language specified
last access	2026-04-10

2368 *fp* – Fixed point arithmetic

Web page on CTAN	https://ctan.org/pkg/fp
name	fp
caption	Fixed point arithmetic
author	Mehlich, Michael
copyright	Michael Mehlich (1994-1999)
license	lppl = The LaTeX Project Public License (free)
version	2.1d
description	(no language specified) An extensive collection of arithmetic operations for fixed point real numbers of high precision.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fp/README
documentation	(no language specified) <i>Documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fp/documentation.pdf
– local file	./4559602666-documentation.pdf

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fp
on MikTeX	fp
on T _E XLive	fp
keyword	arithmetic (perform and typeset arithmetic problems)
keyword	calculation (perform calculations within TeX)
see also	see section 2278 on page 2062: (<code>fltpoint</code> – Simple floating point arithmetic)
language(s)	no language specified
year	1999
last access	2025-02-07

2369 *fpl* – SC and OsF fonts for URW Palladio L

Web page on CTAN <https://ctan.org/pkg/fpl>

name	<i>fpl</i>
caption	SC and OsF fonts for URW Palladio L
author	Stubner, Ralf
copyright	Ralf Stubner (2004, 2005)
license	gpl2 = GNU General Public License, version 2 (free)
license	lppl = The LaTeX Project Public License (free)
version	1.003 (2018-12-11)
last changes	2018-12-11
year	2018
description	(no language specified) The FPL Fonts provide a set of SC/OsF fonts for URW Palladio L which are compatible with respect to metrics with the Palatino SC/OsF fonts from Adobe. Note that it is not my aim to exactly reproduce the outlines of the original Adobe fonts. The SC and OsF in the FPL Fonts were designed with the glyphs from URW Palladio L as starting point. For some glyphs (e.g. ‘o’) I got the best result by scaling and boldening. For others (e.g. ‘h’) shifting selected portions of the character gave more satisfying results. All this was done using the free font editor FontForge. The kerning data in these fonts comes from Walter Schmidt’s improved Palatino metrics. LaTeX use is enabled by the <code>mathpazo</code> package, which is part of the psnfss distribution.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/fpl/README

contact	<i>bugs:</i> https://github.com/rstub/fpl/issues
contact	<i>repository:</i> https://github.com/rstub/fpl
on CTAN	https://ctan.org/tex-archive/fonts/fpl
on MikTeX	fpl
on TeXLive	fpl
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font-serif (serif font)
keyword	font-sfd (FontForge font file)
keyword	font-proportional (variable-spaced font)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
language(s)	no language specified
last access	2025-02-07

2370 fptex – A web2C-based TeX system for MS-Windows32

Web page on CTAN	https://ctan.org/pkg/fptex
name	fpTeX
caption	A web2C-based TeX system for MS-Windows32
author	Popineau, Fabrice
license	gpl = GNU General Public License (free)
version	0.7
description	(no language specified) A distribution of TeX for MS-Windows based on web2c and teTeX , and using InstallShield for installation. Fptex has its own DVI previewer Windvi. The author of fpTeX has switched his attentions to development of the XEmTeX system, and fpTeX is no longer being developed.
on CTAN	https://ctan.org/tex-archive/obsolete/systems/win32/fptex
keyword	distribution (components (or support) of TeX distribution)
keyword	obsolete (package declared obsolete)
see also	see section 5901 on page 5343 : (tetex – Obsolete TeX distribution for Unix/Linux)

see also	see section 6670 on page 6022: (Web2C – Conversion programs and supporting code to compile TeX in C)
language(s)	no language specified
year	without year
last access	2025-02-07

2371 *fragmaster* – Using *psfrag* with *pdfLaTeX*

Web page on CTAN <https://ctan.org/pkg/fragmaster>

name	<code>fragmaster</code>
caption	Using <i>psfrag</i> with <i>pdfLaTeX</i>
author	Domingo, Augustin Martin
author	Vogel, Tilman
license	gpl = GNU General Public License (free)
version	1.6
description	(no language specified) <i>Fragmaster</i> enables you to use <i>psfrag</i> with <i>pdfLaTeX</i> . It takes EPS files and <i>psfrag</i> substitution definition files, and produces PDF and EPS files with the substitutions included.
documentation	<i>Readme (English)</i> : https://ctan.org/tex-archive/support/fragmaster/README
documentation	<i>Readme (German)</i> : https://ctan.org/tex-archive/support/fragmaster/README.de
on CTAN	https://ctan.org/tex-archive/support/fragmaster
on T _E XLive	<code>fragmaster</code>
keyword	<code>graphics-prep</code> (prepare graphics for use with *TeX)
language(s)	German; English
year	without year
last access	2025-02-07

2372 fragments – Fragments of LaTeX code

Web page on CTAN <https://ctan.org/pkg/fragments>

name	fragments
caption	Fragments of LaTeX code
author	Carlisle, David
license	collection = collection
description	(no language specified) A collection of fragments of LaTeX code, suitable for inclusion in packages, or (possibly) in users' documents. Included are: • checklab , for modifying the label checking code at <code>\end{document}</code> ; • overrightarrow , defining a doubled over-arrow macro; • removefr , for removing 'reset' relations between counters; and • subscript , defining a <code>\textsubscript</code> command.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fragments/README
contact	<i>support</i> : https://github.com/rf-latex/fragments/issues
contact	<i>repository</i> : https://github.com/rf-latex/fragments
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fragments
on T _E XLive	fragments
keyword	collection (a collection of packages)
language(s)	no language specified
year	without year
last access	2025-02-11

2373 fragoli – Macros for constructing complex semantic derivations

Web page on CTAN <https://ctan.org/pkg/fragoli>

name	FraGoLi
caption	Macros for constructing complex semantic derivations
author	Koenig, Paul Eduard
copyright	Paul Eduard Koenig (2025)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)

version	1.2.3 (2025-06-11)
last changes	2025-06-11
year	2025
description	(no language specified) The primary goal of this package is to provide a minimal and user-friendly syntax for constructing large and complex <i>semantic derivations</i>, following the specific notational style used at Goethe University Frankfurt. It includes a comprehensive set of commands for text formatting and various types of bracketing, ensuring a consistent style — particularly when distinguishing between meta-language and object-language within a single derivation or formula. Formula-Style is loosely based on the accompanying material to an introductory course to linguistic semantics by Prof. Dr. Thomas Ede Zimmermann. The package brings together and refines a collection of LaTeX commands and concepts developed over the years within the Department of Linguistics at the Goethe-Universität at Frankfurt am Main. In the process of preparing research papers, assignments, and examinations, numerous custom LaTeX headers and commands were shared within the department — some mutually compatible, others not. Note: The package name is an abbreviation of "Frankfurt Goethe Linguistic".
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fragoli/fragoli_doc.pdf
– local file	<code>./9377724243-fragoli_doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fragoli/README.md
contact	<i>bugs</i> : https://github.com/fragoli/FraGoLi/issues
contact	<i>repository</i> : https://github.com/fragoli/FraGoLi
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fragoli
on MikTeX	<code>fragoli</code>
on TeXLive	<code>fragoli</code>
keyword	<code>linguistic</code> (support for linguistics)
language(s)	no language specified
last access	2025-06-19

2374 frame – Framed boxes for Plain TeX

Web page on CTAN <https://ctan.org/pkg/frame>

name	frame
caption	Framed boxes for Plain TeX
author	Van Zandt, Timothy
author	Voß, Herbert
copyright	Herbert Voß (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) A jiffy file (taken from fancybox) for placing a frame around a box of text. The macros also provide for typesetting an empty box of given dimensions.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/frame/frame-doc.pdf
– local file	<code>./5736712608-frame-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/frame/README
on CTAN	https://ctan.org/tex-archive/macros/generic/frame
on MikTeX	frame
on T _E XLive	frame
keyword	boxing (creating boxes)
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
see also	see section 822 on page 753 : (<code>boxit</code> – Draw a box around a text)
language(s)	no language specified
year	2010
last access	2026-04-13

2375 framed – Framed or shaded regions that can break across pagesWeb page on CTAN <https://ctan.org/pkg/framed>

name	framed
caption	Framed or shaded regions that can break across pages
author	Arseneau, Donald
copyright	Donald Arseneau (1992-2011)
license	other-free = Free license not otherwise listed (free)
version	0.96
description	(no language specified) The package creates three environments: • <code>framed</code> , which puts an ordinary frame box around the region, • <code>shaded</code> , which shades the region, and • <code>leftbar</code> , which places a line at the left side. The environments allow a break at their start (the <code>\FrameCommand</code> enables creation of a title that is "attached" to the environment); breaks are also allowed in the course of the framed/shaded matter. There is also a command <code>\MakeFramed</code> to make your own framed-style environments.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/framed/framed.pdf
– local file	<code>./7591577430-framed.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/framed
on MikTeX	framed
on T _E XLive	framed
keyword	boxing (creating boxes)
keyword	box-breaking (breaking boxes over a page boundary, etc)
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
see also	see section 3858 on page 3488: (<code>mdframed</code> – Framed environments that can split at page boundaries)
language(s)	no language specified
year	2011
last access	2025-02-07

2376 **framedsyntax** – Typeset the syntax of commands and environments within coloured boxes

Web page on CTAN <https://ctan.org/pkg/framedsyntax>

name	FramedSyntax
caption	Typeset the syntax of commands and environments within coloured boxes
author	Beccari, Claudio
copyright	Claudio Beccari (2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2.8 (2024-09-04)
last changes	2024-09-04
year	2024
description	(no language specified) When creating new packages or user guides, it is necessary to describe their syntax. This package helps by creating coloured frames with rounded corners, with a coloured background containing the coloured syntax text.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/framedsyntax/FramedSyntax.pdf
– local file	./8442367240-FramedSyntax.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/framedsyntax/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/framedsyntax
on MikTeX	framedsyntax
on T _E XLive	framedsyntax
keyword	verbatim (verbatim typesetting, etc.)
keyword	boxing (creating boxes)
keyword	listing (computer code listing)
keyword	colour (typesetting in colour)
language(s)	no language specified
last access	2025-02-07

2377 *francais-bst* – Bibliographies conforming to French typographic standards

Web page on CTAN <https://ctan.org/pkg/francais-bst>

name	francais-bst
caption	Bibliographies conforming to French typographic standards
author	Goulet, Vincent
copyright	Vincent Goulet (2012-2024)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.0a (2024-02-13)
last changes	2024-02-13
year	2024
description	(no language specified) The package provides bibliographies (in French) conforming to the rules in "Guide de la communication écrite" (Malo, M., Quebec Amerique, 1996. ISBN 978-2-8903-7875-9). The BibTeX styles were generated using custom-bib and they are compatible with natbib.
documentation	(English + French) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/francais-bst/README.md
documentation	(French (Canada)) <i>Package documentation</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/francais-bst/francais-bst.pdf
– local file	<code>./7422962343-francais-bst.pdf</code>
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/francais-bst
installation	https://ctan.org/tex-archive/install/biblio/bibtex/contrib/francais-bst.tds.zip
on MikTeX	francais-bst
on T _E XLive	francais-bst
keyword	french (support for typesetting French)
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	English + French; French (Canada)
last access	2025-02-07

2378 **frankenbundle** – Develop and distribute LaTeX packages and classes and BibTeX styles

Web page on CTAN <https://ctan.org/pkg/frankenbundle>

name	frankenbundle
caption	Develop and distribute LaTeX packages and classes and BibTeX styles
author	Swift, Matt
license	pd = Public Domain Software (free)
version	1.10
description	(no language specified) Frankenbundle allows an author to maintain and distribute a bundle of one or more LaTeX packages and classes and BibTeX bibliography styles, their documentation, and any support files with a high degree of sophistication, consistency, and convenience both for the author and their end users, who will receive the bundle in a form easy to understand and use. The author using Frankenbundle needs a Unix-like environment, GNU Make, and a rudimentary understanding of Makefiles. The end user does not need Make.
documentation	(no language specified) <i>Bundle Readme</i> : https://ctan.org/tex-archive/support/frankenbundle/README-Frankenbundle
on CTAN	https://ctan.org/tex-archive/support/frankenbundle
keyword	bundle (pack files up for distribution or archiving)
language(s)	no language specified
year	without year
last access	2025-02-07

2379 **frankenstein** – A collection of LaTeX packages

Web page on CTAN <https://ctan.org/pkg/frankenstein>

name	frankenstein
caption	A collection of LaTeX packages
author	Swift, Matt
license	collection = collection
description	(no language specified) Frankenstein is a bundle of LaTeX packages serving various purposes and a BibTeX bibliography style. Descriptions are given under the individual packages: abbrevs , achicago package , achicago bibstyle , attrib , blkcntrl , compsci , dialogue , lips , moredefs , newclude , slempth , titles .

documentation	(no language specified) <i>Bundle README</i> : https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/frankenstein
on MikTeX	frankenstein
on T _E XLive	frankenstein
keyword	collection (a collection of packages)
see also	see section 2380 on page 2156: (frankenstein-unsupported – Unsupported packages from the Frankenstein bundle)
language(s)	no language specified
year	without year
last access	2025-02-11

2380 **frankenstein-unsupported** – **Unsupported packages from the Frankenstein bundle**

Web page on CTAN	https://ctan.org/pkg/frankenstein-unsupported
name	frankenstein-unsupported
caption	Unsupported packages from the Frankenstein bundle
author	Swift, Matt
license	collection = collection
description	(no language specified) These packages were part of the original release of the Frankenstein bundle (under the name "monster"). The collection comprises: • bits : ‘sub-document’ environments; • drama : stage scripts; and • includex : full-document inclusion.
documentation	(no language specified) <i>Bundle README</i> : https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/unsupported/README-unsupported
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/unsupported
on MikTeX	frankenstein
keyword	collection (a collection of packages)
language(s)	no language specified

year without year
last access 2025-02-11

2381 frcursive – French cursive hand fonts

Web page on CTAN <https://ctan.org/pkg/frcursive>

name frcursive
caption French cursive hand fonts
author Beffara, Emmanuel
license lpl1.2 = The LaTeX Project Public License 1.2 (free)
version (2011-11-09)
last changes 2011-11-09
year 2011
description (no language specified) A hand-writing font in the style of the French academic running-hand. The font was written in Metafont and has been converted to Adobe Type 1 format. LaTeX support (NFFS fd files, and a package) and font maps are provided.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/fonts/frcursive/README>
documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/fonts/frcursive/frcursive.pdf>
– local file ./7223937788-frcursive.pdf
contact *repository*: <https://framagit.org/manu/french-cursive>
on CTAN <https://ctan.org/tex-archive/fonts/frcursive>
installation <https://ctan.org/tex-archive/install/fonts/frcursive.tds.zip>
on MikTeX frcursive
on T_EXLive frcursive
keyword font-type1 (font available in Adobe Type 1 format)
keyword font-mf (fonts distributed as Metafont source)
keyword font (fonts themselves)
keyword font-calligraphic (calligraphic (or handwriting) fonts)
language(s) no language specified
last access 2025-02-07

2382 frederika2016 – An OpenType Greek calligraphy font

Web page on CTAN <https://ctan.org/pkg/frederika2016>

name	frederika2016
caption	An OpenType Greek calligraphy font
author	Syropoulos, Apostolos
license	ofl = The SIL Open Font License (free)
version	1.000 2016 initial release
description	(no language specified) Frederika2016 is an attempt to digitize Hermann Zapf's Frederika font. The font is the Greek companion of Virtuosa by the same designer. This font is a calligraphy font and this is an initial release.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/frederika2016/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/frederika2016/FontInfo.pdf
– local file	./8862471298-FontInfo.pdf
on CTAN	https://ctan.org/tex-archive/fonts/frederika2016
on MikTeX	frederika2016
on T _E XLive	frederika2016
keyword	font-otf (font in OpenType format)
keyword	font (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-02-07

2383 free-math-font-survey – A survey of available free Mathematics fonts

Web page on CTAN <https://ctan.org/pkg/free-math-font-survey>

name	free-math-font-survey
caption	A survey of available free Mathematics fonts
author	Hartke, Stephen
copyright	Stephen G. Hartke (2006)
license	noinfo = noinfo

version	(2006-11-07)
last changes	2006-11-07
year	2006
description	(no language specified) This document is a survey of the free mathematics fonts that are available for use with TeX and LaTeX. Examples are provided for each font, links to where to obtain the font, and the commands for loading the associated LaTeX package. The survey is available in both English and Vietnamese .
documentation	(English) <i>The survey, as a PDF file</i> : https://ctan.org/tex-archive/info/Free_Math_Font_Survey/en/survey.pdf
– local file	./2312031132-survey.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/Free_Math_Font_Survey/en/README
documentation	(English) <i>The survey, as an HTML file</i> : https://ctan.org/tex-archive/info/Free_Math_Font_Survey/en/survey.html
on CTAN	https://ctan.org/tex-archive/info/Free_Math_Font_Survey/en
keyword	fac-survey (survey of TeX-related facilities)
language(s)	English
last access	2025-02-07

2384 **free-math-font-survey-vn** – The survey of available free Mathematics fonts, translated to Vietnamese

Web page on CTAN	https://ctan.org/pkg/free-math-font-survey-vn
name	free-math-font-survey-vn
caption	The survey of available free Mathematics fonts, translated to Vietnamese
author	Hòa, Thái Phú Khánh
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) This is a translation to Vietnamese of Stephen Hartke's survey of free Mathematics fonts .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/Free_Math_Font_Survey/vn/README
documentation	(Vietnamese) <i>The survey, as a PDF file</i> : https://ctan.org/tex-archive/info/Free_Math_Font_Survey/vn/survey-vn.pdf

2385 *freealign* – Align math formulas in different lines

– local file	<code>./3081404787-survey-vn.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/Free_Math_Font_Survey/vn
keyword	vietnamese (support for typesetting of Vietnamese)
keyword	fac-survey (survey of TeX-related facilities)
language(s)	Vietnamese
year	without year
last access	2025-02-07

2385 *freealign* – Align math formulas in different lines

Web page on CTAN	https://ctan.org/pkg/freealign
name	<code>freealign</code>
caption	Align math formulas in different lines
author	Lyu, Jianrui
license	lpp1.3c = The LaTeX Project Public License 1.3c (free)
version	2024A (2024-01-01)
last changes	2024-01-01
year	2024
description	(no language specified) This package provides several commands for aligning math formulas in different lines.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/freealign/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/freealign/freealign.pdf
– local file	<code>./5462984072-freealign.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/freealign
on MikTeX	<code>freealign</code>
on TeXLive	<code>freealign</code>
keyword	maths (support for typesetting mathematics)
keyword	alignment (tables, tab structures, etc)
language(s)	no language specified

last access 2025-02-07

2386 freemath – LaTeX maths without backslashesWeb page on CTAN <https://ctan.org/pkg/freemath>

name	freemath
caption	LaTeX maths without backslashes
author	plante
copyright	plante (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1
description	(no language specified) This package allows for the omission of backslashes from most math mode commands. Specifically, any consecutive string of at least two (Latin) letters appearing in math mode will automatically be turned into the control sequence with the same name, if it exists. The package provides the <code>\freemathon</code> and <code>\freemathoff</code> commands which respectively activate and deactivate this behaviour. It is <i>disabled</i> by default upon loading. Regular commands initiated by a backslash may of course still be used when <i>freemath</i> is active, and can furthermore be freely mixed with backslash-free commands.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/freemath/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/freemath/freemath-doc.pdf
– local file	<code>./5532301522-freemath-doc.pdf</code>
contact	<i>repository</i> : https://github.com/plante3/freemath
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/freemath
on MikTeX	freemath
on TeXLive	freemath
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	2025

2387 *freetype* – A full-featured font rasterizer library

last access 2025-12-02

2387 *freetype* – A full-featured font rasterizer library

Web page on CTAN <https://ctan.org/pkg/freetype>

name	freetype
caption	A full-featured font rasterizer library
author	Lemberg, Werner
license	gpl = GNU General Public License (free)
version	2.3.5
description	(no language specified) The freetype libraries provide a uniform access method for programmers wishing to use any sort of font, including TrueType, Adobe Type 1 and OpenType (either major variant).
documentation	(no language specified) <i>Package documentation:</i> http://freetype.sourceforge.net/freetype2/index.html
on CTAN	https://ctan.org/tex-archive/fonts/utilities/freetype
keyword	font-proc (process fonts for use with TeX (includes installation))
language(s)	no language specified
year	without year
last access	2025-02-07

2388 *frege* – Typeset fregean Begriffsschrift

Web page on CTAN <https://ctan.org/pkg/frege>

name	frege
caption	Typeset fregean Begriffsschrift
author	Pamp, Quirin
license	gpl = GNU General Public License (free)
version	1.3

description	(no language specified) The package defines a number of new commands for typesetting Fregean Begriffsschrift in LaTeX. It is loosely based on the package <code>begriff</code> , and offers a number of improvements including better relative lengths of the content stroke with respect to other strokes, content strokes that point at the middle of lines rather than the bottom, a greater width for the assertion stroke as compared to the content stroke, a more intuitive structure for the conditional, greater care taken to allow for the linewidth in the spacing of formulas.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/frege/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/frege/frege.pdf
– local file	<code>./9262366126-frege.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/frege
on MikTeX	<code>frege</code>
on TeXLive	<code>frege</code>
keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>logic</code> (typesetting logician’s discussions)
see also	see section 551 on page 507: (<code>begriff</code> – Typeset Begriffsschrift)
see also	see section 574 on page 528: (<code>bguq</code> – Improved quantifier stroke for Begriffsschrift packages)
see also	see section 2647 on page 2396: (<code>grundgesetze</code> – Typeset Frege’s Grundgesetze der Arithmetik)
language(s)	no language specified
year	without year
last access	2025-02-07

2389 french-translations – French translation project

Web page on CTAN <https://ctan.org/pkg/french-translations>

name	<code>french-translations</code>
caption	French translation project
author	Bayart, Benjamin
license	lppl = The LaTeX Project Public License (free)

description	(no language specified) The output of a project to produce translations of the documentation of LaTeX packages.
on CTAN	https://ctan.org/tex-archive/info/french-translations
keyword	collection (a collection of packages)
keyword	french-doc (documentation in French)
language(s)	no language specified
year	without year
last access	2025-02-07

2390 frenchle – French macros, usable stand-alone or with Babel

Web page on CTAN	https://ctan.org/pkg/frenchle
name	frenchle
caption	French macros, usable stand-alone or with Babel
author	Juillerat, Raymond
author	Gaulle, Bernard
license	lppl = The LaTeX Project Public License (free)
version	5.9995
description	(no language specified) This is a redistribution and repackaging of the late Bernard Gaulle's "light" package to typeset French documents according to the rules of the "Imprimerie Nationale". The package offers a package, two Babel language definition files (<code>french.ldf</code> and <code>frenchle.ldf</code>), and a package to enable the non-standard definition files to be loaded into an unmodified Babel. The user may simply use <code>frenchle.sty</code> if typesetting a French-only document, but should use Babel with the <code>frenchle</code> option for a multilingual document. Note that this package is now obsolete; users of the package are advised to switch to using e-french.
documentation	(English) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/language/french/frenchle/README.le
documentation	(French) <i>Alire</i> : https://ctan.org/tex-archive/obsolete/language/french/frenchle/ALIRE.le
documentation	(French) <i>Foire aux question</i> : https://ctan.org/tex-archive/obsolete/language/french/frenchle/faq.pdf

– local file	<code>./2806755189-faq.pdf</code>
documentation	(French) <i>Guide de l'utilisateur</i> : https://ctan.org/tex-archive/obsolete/language/french/frenchle/frenchle.pdf
– local file	<code>./9637777971-frenchle.pdf</code>
on CTAN	https://ctan.org/tex-archive/obsolete/language/french/frenchle
keyword	french (support for typesetting French)
keyword	obsolete (package declared obsolete)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
language(s)	English; French
year	without year
last access	2025-02-07

2391 *frenchmath* – Typesetting mathematics according to French rules

Web page on CTAN <https://ctan.org/pkg/frenchmath>

name	<code>frenchmath</code>
caption	Typesetting mathematics according to French rules
author	Missier, Antoine
copyright	Antoine Missier (2019-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.1 (2024-05-07)
last changes	2024-05-07
year	2024
description	(no language specified) The package provides: • capital letters in roman (upright shape) in mathematical mode according to French rule (can be optionally disabled), • correct spacing in math mode after commas, before a semicolon and around square brackets, • some useful macros and aliases for symbols used in France: <code>\infeg</code>, <code>\supeg</code>, <code>\paral</code>, ... • several macros for writing french operator names like <code>pgcd</code>, <code>ppcm</code>, <code>Card</code>, <code>rg</code>, <code>Vect</code>, ...

- optionally lowercase Greek letters in upright shape,

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/frenchmath/README.md
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/frenchmath/frenchmath.pdf
– local file	<code>./6780015566-frenchmath.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/frenchmath
on MikTeX	<code>frenchmath</code>
on TeXLive	<code>frenchmath</code>
keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>french</code> (support for typesetting French)
language(s)	French
last access	2025-02-07

2392 *frenchponct* – Implement French-style spacing at punctuation

Web page on CTAN	https://ctan.org/pkg/frenchponct
name	<code>frenchponct</code>
caption	Implement French-style spacing at punctuation
author	Roy, Y.
license	<code>noinfo = noinfo</code>
version	(1989-12-21)
last changes	1989-12-21
year	1989
description	(no language specified) The package represents an early instance of the (now common) active-character technique of inserting space in front of the <code>;</code> <code>!</code> <code>?</code> punctuation characters.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/frenchponct.sty
keyword	<code>french</code> (support for typesetting French)
language(s)	no language specified
last access	2025-02-07

2393 frenchpro – Professional typesetting of French documents

Web page on CTAN <https://ctan.org/pkg/frenchpro>

name frenchpro

caption Professional typesetting of French documents

author Gaulle, Bernard

license shareware = Shareware: A fee is required (not free)

version 5,9994

description (no language specified) The FrenchPro package is designed for professional typesetting of French documents, containing complementary LaTeX packages for better integration with LaTeX. Authors and Editors willing to apply the typographic rules coming from the "Imprimerie Nationale" usually use FrenchPro with great profit. The package is distributed for Windows, Unix, and MacOS, ready to install (see the home page).

NOTE: as installed on CTAN, the package offers several alternative bundled copies, in place of the standard CTAN .zip file; these copies are to be found in the root directory of the distribution.

Note that this package is now obsolete; users of the package are advised to switch to using [e-french](#).

documentation (French) *FAQ*: <https://ctan.org/tex-archive/obsolete/language/french/frenchpro/french/FAQ.pdf>

– local file ./1634236507-FAQ.pdf

documentation *Guide de l'utilisateur French Pro*:
<https://ctan.org/tex-archive/obsolete/language/french/frenchpro/french/doc/frguide.pdf>

– local file ./6882486786-frguide.pdf

documentation (French) *Notice d'utilisation*: <https://ctan.org/tex-archive/obsolete/language/french/frenchpro/french/ALIRE.pdf>

– local file ./1663887692-ALIRE.pdf

on CTAN <https://ctan.org/tex-archive/obsolete/language/french/frenchpro>

keyword french (support for typesetting French)

keyword obsolete (package declared obsolete)

see also see section [2390](#) on page [2164](#): (`frenchle` – French macros, usable stand-alone or with Babel)

language(s) French

2394 *frenchquote* – Make something like guillemets

year without year
last access 2025-02-07

2394 *frenchquote* – Make something like guillemets

Web page on CTAN <https://ctan.org/pkg/frenchquote>

name *frenchquote*
caption Make something like guillemets
license noinfo = noinfo
version (1992-03-20)
last changes 1992-03-20
year 1992
description (no language specified) The package defines `\frlquote` and `\frquote` which construct objects vaguely like the french quote marks ”guillemets”, from small versions of the maths symbols `\langle` and `\rangle`.
on CTAN <https://ctan.org/tex-archive/macros/latex209/contrib/misc/frenchquote.sty>
keyword french (support for typesetting French)
language(s) no language specified
last access 2025-02-07

2395 *fretplot* – Create scale and chord diagrams for guitar-like instruments

Web page on CTAN <https://ctan.org/pkg/fretplot>

name *fretplot*
caption Create scale and chord diagrams for guitar-like instruments
author Ganguly, Soumendra
copyright Soumendra Ganguly (2025)
license lpl1.3 = The LaTeX Project Public License 1.3 (free)
version 1.0.0
description (no language specified) This LuaLaTeX package provides batch generation of scale and chord diagrams for plucked string instruments, such as the guitar.

- **Flexible and Automated:** Highly customizable and automatable via simple, powerful file formats for describing fretboard diagrams. Easily generate batches of diagrams.
- **Attractive Defaults:** Comes with sensible, visually appealing default settings.
- **Music Theory Aware:** Includes easy-to-use LaTeX macros that understand music theory. Render guitar scale diagrams by specifying the musical scale or scale type via built-in macros or directly via degree, pitch class, or interval formulae.

documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/fretplot/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/fretplot/doc_fretplot.pdf
– local file	<code>./7765319187-doc_fretplot.pdf</code>
contact	<i>bugs:</i> https://github.com/8vasu/fretplot/issues
contact	<i>repository:</i> https://github.com/8vasu/fretplot
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/fretplot
on MikTeX	<code>fretplot</code>
on T _E XLive	<code>fretplot</code>
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>music</code> (typesetting music and related stuff)
keyword	<code>graphics</code> (graphics (support packages))
keyword	<code>diagram</code> (diagrams)
keyword	<code>luatex</code> (LuaTeX and packages that require it)
language(s)	no language specified
year	2025
last access	2026-04-27

2396 *frhyph* – French hyphenation patternsWeb page on CTAN <https://ctan.org/pkg/frhyph>

name	frhyph
caption	French hyphenation patterns
author	Flipo, Daniel
license	other-free = Free license not otherwise listed (free)
version	2.12
on CTAN	https://ctan.org/tex-archive/language/hyphenation/frhyph.tex
keyword	hyphenation (macros or tables for hyphenation)
keyword	french (support for typesetting French)
language(s)	no language specified
year	without year
last access	2025-02-07

2397 *fribidixetex* – A pre-processor for XeTeX files to support unicode bidirectional algorithmWeb page on CTAN <https://ctan.org/pkg/fribidixetex>

name	FriBidiXeTeX
caption	A pre-processor for XeTeX files to support unicode bidirectional algorithm
author	bidix-tex GitHub Organisation
author	Khalighi, Vafa
copyright	Khaled Hosny (2015)
copyright	Vafa Khalighi (2016)
copyright	Artyom Tonkikh (2007)
license	gpl2 = GNU General Public License, version 2 (free)
version	0.0.2
description	(no language specified) The package provides a pre-processor for XeTeX files to support unicode bidirectional algorithm. To use FriBidiXeTeX, run the <code>fribidixetex</code> command on the XeTeX file. The resulting file can then be processed by the XeTeX engine to produce the final output.

2398 *fribrief* – Two LaTeX classes for writing letters in German

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/fribidixetex/README.md
contact	<i>bugs</i> : https://github.com/bidi-tex/fribidixetex/issues
contact	<i>repository</i> : https://github.com/bidi-tex/fribidixetex
on CTAN	https://ctan.org/tex-archive/support/fribidixetex
on MikTeX	miktex-fribidixetex-bin-2.9
keyword	bidi (support bidirectional typesetting)
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
keyword	preprocessor (preprocesses source before using TeX)
language(s)	no language specified
year	2016
last access	2025-02-09

2398 *fribrief* – Two LaTeX classes for writing letters in German

Web page on CTAN	https://ctan.org/pkg/fribrief
name	fribrief
caption	Two LaTeX classes for writing letters in German
author	Fries, Alexander
license	other-nonfree = License that prevents distribution (not free)
version	(1997-07-02)
last changes	1997-07-02
year	1997
documentation	(German) <i>Description of k-fribri class</i> : https://ctan.org/tex-archive/macros/latex/contrib/fribrief/k_fribri.ger
documentation	(German) <i>Description of fribrief class</i> : https://ctan.org/tex-archive/macros/latex/contrib/fribrief/fribrief.ger
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fribrief
keyword	class (alternative LaTeX class(es))
keyword	letter (typesetting letters, envelopes, faxes, etc)
language(s)	German
last access	2025-02-07

2399 frimurer – Access to the ‘frimurer’ cipher for use with LaTeX

Web page on CTAN <https://ctan.org/pkg/frimurer>

name	frimurer
caption	Access to the ‘frimurer’ cipher for use with LaTeX
author	Jørgensen, Palle
copyright	Palle Jørgensen (2020)
license	gpl3 = GNU General Public License, version 3 (free)
version	1
description	(no language specified) This package provides access to the ‘frimurer’ cipher for use with LaTeX.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/frimurer/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/frimurer/frimurer.pdf
– local file	./1699535307-frimurer.pdf
on CTAN	https://ctan.org/tex-archive/fonts/frimurer
on MikTeX	frimurer
on T _E XLive	frimurer
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
year	2020
last access	2025-02-07

2400 **frletter** – Typeset letters in the French style

Web page on CTAN <https://ctan.org/pkg/frletter>

name	frletter
caption	Typeset letters in the French style
author	Andronic, Liviu
license	pd = Public Domain Software (free)
version	(2007-10-22)
last changes	2007-10-22
year	2007
description	(no language specified) A small class for typesetting letters in France. No assumption is made about the language in use. The class represents a small modification of the beletter class, which is itself a modification of the standard LaTeX letter class.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/frletter/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/frletter
on MikTeX	frletter
on TeXLive	frletter
keyword	letter (typesetting letters, envelopes, faxes, etc)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-07

2401 **frontespizio** – Create a frontispiece for Italian theses

Web page on CTAN <https://ctan.org/pkg/frontespizio>

name	frontespizio
caption	Create a frontispiece for Italian theses
author	Gregorio, Enrico
copyright	Enrico Gregorio (2008)
license	lpl = The LaTeX Project Public License (free)

version	1.4a
description	(no language specified) Typesetting a frontispiece independently of the layout of the main document is difficult. This package provides a solution by producing an auxiliary TeX file to be typeset on its own and the result is automatically included at the next run. The markup necessary for the frontispiece is written in the main document in a <code>frontespizio</code> environment. Documentation is mainly in Italian, as the style is probably apt only to theses in Italy.
documentation	(Italian) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/frontespizio/frontespizio.pdf
– local file	<code>./4220844020-frontespizio.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/frontespizio/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/frontespizio
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/frontespizio.tds.zip
on MikTeX	<code>frontespizio</code>
on T _E XLive	<code>frontespizio</code>
keyword	typesetting (support for variations of typographic style)
keyword	dissertation (typesetting dissertations, theses, etc.)
see also	see section 6272 on page 5673: (TOPTesi – Bundle for typesetting multilanguage theses)
language(s)	Italian
year	2008
last access	2025-02-07

2402 *froufrou* – Fancy section separators

Web page on CTAN	https://ctan.org/pkg/froufrou
name	<code>froufrou</code>
caption	Fancy section separators
author	Lago, Nelson
copyright	Nelson Lago (2020-2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)

2403 *frpseudocode* – French translation for the *algorithmicx* package

version	1.4.0 (2021-05-06)
last changes	2021-05-06
year	2021
description	(no language specified) This package provides fancy separators, which are visual cues that indicate a change of subject or context without actually starting a new chapter or section.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/froufrou/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/froufrou/froufrou.pdf
– local file	./8139000359-froufrou.pdf
contact	<i>bugs</i> : https://gitlab.com/lago/froufrou/-/issues
contact	<i>repository</i> : https://gitlab.com/lago/froufrou
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/froufrou
on MikTeX	froufrou
on TeXLive	froufrou
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
language(s)	no language specified
last access	2025-02-07

2403 *frpseudocode* – French translation for the *algorithmicx* package

Web page on CTAN	https://ctan.org/pkg/frpseudocode
name	frpseudocode
caption	French translation for the <i>algorithmicx</i> package
author	Irwin, Oliver
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3.0 (2020-08-10)
last changes	2020-08-10
year	2020

description	(no language specified) This package is intended for use alongside Szász János' algorithmicx package. Its aim is to provide a French translation of terms and words used in algorithms to make it integrate seamlessly in a French written document.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/frpseudocode/README.md
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/frpseudocode/frpseudocode-example.pdf
– local file	<code>./6502413368-frpseudocode-example.pdf</code>
contact	<i>bugs</i> : https://github.com/olirwin/frpseudocode/issues
contact	<i>repository</i> : https://github.com/olirwin/frpseudocode/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/frpseudocode
on MikTeX	frpseudocode
on T _E XLive	frpseudocode
keyword	pseudocode (typeset languages for expressing algorithms)
keyword	french (support for typesetting French)
language(s)	no language specified
last access	2025-02-07

2404 *ftc-notebook* – Typeset FIRST Tech Challenge (FTC) notebooks

Web page on CTAN <https://ctan.org/pkg/ftc-notebook>

name	ftc-notebook
caption	Typeset FIRST Tech Challenge (FTC) notebooks
author	Team Robocracy
copyright	FTC 9773, Team Robocracy (2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2019-02-16)
last changes	2019-02-16
year	2019

2405 `ftcap` – Allows `\caption` at the beginning of a table-environment

description	(no language specified) This LaTeX package will greatly simplify filling entries for your FIRST Tech Challenge (FTC) engineering or outreach notebook. We developed this package to support most frequently used constructs encountered in an FTC notebook: meetings, tasks, decisions with pros and cons, tables, figures with explanations, team stories and bios, and more. We developed this package during the 2018-2019 season and are using it for our engineering notebook. Team Robocracy is sharing this style in the spirit of coopertition.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/ftc-notebook/ftc-notebook.pdf
– local file	<code>./2164055895-ftc-notebook.pdf</code>
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/ftc-notebook/example-notebook.pdf
– local file	<code>./5920462834-example-notebook.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/ftc-notebook/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ftc-notebook
on MikTeX	<code>ftc-notebook</code>
on TeXLive	<code>ftc-notebook</code>
keyword	memorandum (typeset memorandum or other short note)
language(s)	no language specified
last access	2025-02-07

2405 `ftcap` – Allows `\caption` at the beginning of a table-environment

Web page on CTAN	https://ctan.org/pkg/ftcap
name	<code>ftcap</code>
caption	Allows <code>\caption</code> at the beginning of a table-environment
author	Steffani, Hans Friedrich
license	gpl = GNU General Public License (free)
version	1.4

description	(no language specified) For several reasons a <code>\caption</code> may be desirable at the top of a <code>table</code> environment. This package changes the <code>table</code> environment such that <code>\abovecaptionskip</code> and <code>\belowcaptionskip</code> are swapped. The package should also work with a non-standard <code>table</code> environment.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/ftcap/ftcap.pdf
– local file	<code>./3779520376-ftcap.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ftcap
on MikTeX	<code>ftcap</code>
on T _E XLive	<code>ftcap</code>
keyword	<code>caption</code> (typesetting captions)
keyword	<code>table</code> (table typesetting)
language(s)	no language specified
year	without year
last access	2025-02-07

2406 *ftetx* – TeX support in FTE text editor

Web page on CTAN	https://ctan.org/pkg/ftetx
name	<code>ftetx</code>
caption	TeX support in FTE text editor
author	Zydowitz, O
copyright	O Zydowitz (1997)
license	artistic = Perl Artistic License (not free)
version	0.04
description	(English) A TeX package for FTE (FTE = Folding Text Editor by Marko Macek) Adds a TeX menu system for FTE. Changes syntax highlighting for FTE's TeX-Mode. Runs TeX, dvi-drivers, ispell, etc., from FTE. Calls LaTeX help files from FTE. It is preconfigured for emTeX .
documentation	(English) <i>Readme:</i> https://ctan.org/tex-archive/systems/os2/ftetx/README
on CTAN	https://ctan.org/tex-archive/systems/os2/ftetx/ftetx004.zip
keyword	<code>ide</code> (integrated development environments)
language(s)	English

year 1997
last access 2025-02-07

2407 *ftn* – LaTeX footnotes anywhere

Web page on CTAN <https://ctan.org/pkg/ftn>

name *ftn*
caption LaTeX footnotes anywhere
author Thorup, Kresten Krab
license noinfo = noinfo
version (1991-06-25)
last changes 1991-06-25
year 1991
description (no language specified) Defines a command to modify any environment (except floats) to preserve footnotes. The package, by default, applies the command to `tabular`, `array`, `minipage` and `eqnarray` (!) environments.
on CTAN <https://ctan.org/tex-archive/macros/latex209/contrib/misc/ftn.sty>
keyword footnote (footnote support)
see also see section 2340 on page 2120: (*footnote* – Improve on LaTeX’s footnote handling)
language(s) no language specified
last access 2025-02-07

2408 *ftnright* – Footnotes in two column documents in one column only

Web page on CTAN <https://ctan.org/pkg/ftnright>

name *ftnright*
caption Footnotes in two column documents in one column only
author The LaTeX Project Team
author Mittelbach, Frank
copyright Frank Mittelbach (1989-2004)
copyright The LaTeX3 Project et al. (1993-2023)
license lpl1.3c = The LaTeX Project Public License 1.3c (free)

2409 `ftnxtra` – Extend the applicability of the `\footnote` command

version	1.1f (2023-07-08)
last changes	2023-07-08
year	2023
description	(no language specified) Assembles footnotes on two-column pages at the bottom of the right hand column. This package is part of the latex-tools bundle in the LaTeX required distribution.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/required/tools/ftnright.pdf
– local file	<code>./1248997778-ftnright.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/required/tools
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-tools.tds.zip
on MikTeX	<code>latex-tools</code>
on TeXLive	<code>tools</code>
keyword	footnote (footnote support)
keyword	tagged-pdf-incompatible (tagged PDF incompatible)
language(s)	no language specified
last access	2026-04-10

2409 `ftnxtra` – Extend the applicability of the `\footnote` command

Web page on CTAN <https://ctan.org/pkg/ftnxtra>

name	<code>ftnxtra</code>
caption	Extend the applicability of the <code>\footnote</code> command
author	bidi-tex GitHub Organisation
author	Khalighi, Vafa
copyright	Persian TeX Group (2009-2013)
license	lppl = The LaTeX Project Public License (free)
version	0.1
description	(no language specified) The package treats footnotes in <code>\caption</code> , the <code>tabular</code> environment, and <code>\chapter</code> and other <code>\section</code> -like commands.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ftnxtra/README

2410 `fullblock` – Left-blocking for letter class

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ftnextra/ftnextra.pdf
– local file	<code>./8510177576-ftnextra.pdf</code>
contact	<i>bugs</i> : https://github.com/bidi-tex/ftnextra/issues
contact	<i>repository</i> : https://github.com/bidi-tex/ftnextra
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ftnextra
on MikTeX	<code>ftnextra</code>
on TeXLive	<code>ftnextra</code>
keyword	<code>footnote</code> (footnote support)
see also	see section 2340 on page 2120: (<code>footnote</code> – Improve on LaTeX’s footnote handling)
see also	see section 2338 on page 2118: (<code>footmisc</code> – A range of footnote options)
language(s)	no language specified
year	2013
last access	2025-02-07

2410 `fullblock` – Left-blocking for letter class

Web page on CTAN	https://ctan.org/pkg/fullblock
name	<code>fullblock</code>
caption	Left-blocking for letter class
author	Cloos Jr., James H.
license	lppl = The LaTeX Project Public License (free)
version	1.03
description	(no language specified) Used with the <code>letter</code> documentclass to set the letter in a <code>fullblock</code> style (everything at the left margin).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fullblock/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fullblock/fullblock.pdf
– local file	<code>./1544955573-fullblock.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fullblock

2411 *fullminipage* – Minipage spanning a complete page

on MikTeX	fullblck
on T _E XLive	fullblck
keyword	letter (typesetting letters, envelopes, faxes, etc)
language(s)	no language specified
year	without year
last access	2025-02-07

2411 *fullminipage* – Minipage spanning a complete page

Web page on CTAN <https://ctan.org/pkg/fullminipage>

name	fullminipage
caption	Minipage spanning a complete page
author	Schneider, Christian
license	gpl3 = GNU General Public License, version 3 (free)
version	0.1.1
description	(no language specified) This package provides the environment <code>fullminipage</code> , which generates a minipage spanning a new, complete page with page style empty. The environment provides options to set margins around the minipage and configure the background.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fullminipage/fullminipage.pdf
– local file	<code>./5169062647-fullminipage.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fullminipage/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fullminipage
on MikTeX	fullminipage
on T _E XLive	fullminipage
keyword	layout (layout of objects on the page)
language(s)	no language specified
year	without year
last access	2025-02-07

2412 *fullpage* – Set all page margins to 1.5cm

Web page on CTAN <https://ctan.org/pkg/fullpage>

name	fullpage
caption	Set all page margins to 1.5cm
author	Daly, Patrick W.
copyright	Patrick W Daly (1994-1999)
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) This package sets all 4 margins to be either 1 inch or 1.5 cm, and specifies the page style. The package is part of the preprint bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/preprint/fullpage.pdf
– local file	./6449268114-fullpage.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/preprint
on MikTeX	preprint
on T _E XLive	preprint
keyword	geometry (change geometry of page layout)
language(s)	no language specified
year	1999
last access	2025-02-07

2413 *fullpict* – Full page pictures

Web page on CTAN <https://ctan.org/pkg/fullpict>

name	fullpict
caption	Full page pictures
author	Shawyer, Bruce
license	noinfo = noinfo
version	(2003-10-31)
last changes	2003-10-31

year	2003
description	(no language specified) The package provides picture-mode environments whose size is related to the size of the page. The <code>fullpict</code> environment takes arguments to specify the dimension of the picture in picture mode ‘unit lengths’; the value for <code>\unitlength</code> is defined by the fact that the picture is to be 90% of <code>\textwidth</code> . Similar environments <code>halfpict</code> (half the width of <code>fullpict</code>), and <code>scalepict</code> (a given percentage of the width of <code>fullpict</code>), are also defined.
documentation	(no language specified) <i>Command summary</i> : https://ctan.org/tex-archive/macros/latex/contrib/fullpict/fullpict.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fullpict
on MikTeX	<code>fullpict</code>
keyword	<code>graphics-in-tex</code> (graphics produced by one of the *TeX engines)
language(s)	no language specified
last access	2025-02-07

2414 *fullwidth* – Adjust margins of text block

Web page on CTAN	https://ctan.org/pkg/fullwidth
name	<code>fullwidth</code>
caption	Adjust margins of text block
author	Daniel, Marco
copyright	Marco Daniel (2011)
license	lppl = The LaTeX Project Public License (free)
version	0.1
description	(no language specified) The package provides the environment <code>fullwidth</code> , which sets the left and right margins in a simple way. There is no constraint about page breaks; if you are using the <code>twoside</code> mode, you can set the inner and outer margins to avoid the effects of the different margins.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fullwidth/fullwidth.pdf
– local file	<code>./5012808863-fullwidth.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fullwidth/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fullwidth

on MikTeX	fullwidth
on T _E XLive	fullwidth
keyword	geometry (change geometry of page layout)
language(s)	no language specified
year	2011
last access	2025-02-07

2415 *functan* – Macros for functional analysis and PDE theory

Web page on CTAN <https://ctan.org/pkg/functan>

name	functan
caption	Macros for functional analysis and PDE theory
author	Lejay, Antoine
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) This package provides a convenient and coherent way to deal with name of functional spaces (mainly Sobolev spaces) in functional analysis and PDE theory. It also provides a set of macros for dealing with norms, scalar products and convergence with some object oriented flavor (it gives the possibility to override the standard behavior of norms, ...).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/functan/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/functan/functan.pdf
– local file	./6148561530-functan.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/functan
on MikTeX	functan
on T _E XLive	functan
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	without year
last access	2025-02-07

2416 functional – An intuitive functional programming interface for LaTeX2Web page on CTAN <https://ctan.org/pkg/functional>

name	functional
caption	An intuitive functional programming interface for LaTeX2
author	Lyu, Jianrui
copyright	Jianrui Lyu (2022-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2024C (2024-12-18)
last changes	2024-12-18
year	2024
description	(no language specified) This package provides an intuitive functional programming interface for LaTeX2, which is an alternative choice to expl3 or LuaTeX, if you want to do programming in LaTeX. Although there are functions in LaTeX3 programming layer (expl3), the evaluation of them is from outside to inside. With this package, the evaluation of functions is from inside to outside, which is the same as other programming languages such as Lua. In this way, it is rather easy to debug code too.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/functional/functional.pdf
– local file	./5042954998-functional.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/functional/README.txt
home page	https://github.com/lvjrr/functional/wiki
contact	<i>support</i> : https://github.com/lvjrr/functional/discussions
contact	<i>announce</i> : https://github.com/lvjrr/functional/wiki/ChangeLog
contact	<i>bugs</i> : https://github.com/lvjrr/functional/issues
contact	<i>repository</i> : https://github.com/lvjrr/functional
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/functional
on MikTeX	functional
on TeXLive	functional
keyword	expl3 (expl3(unknown))

keyword	macro-supp (support for development of (La)TeX macros)
keyword	latex3 (work done for the project to upgrade LaTeX)
language(s)	no language specified
last access	2025-02-12

2417 *fundus* – Providing LaTeX access to various font families

Web page on CTAN <https://ctan.org/pkg/fundus>

name	fundus
caption	Providing LaTeX access to various font families
author	Neugebauer, Gerd
license	collection = collection
version	(2012-04-17)
last changes	2012-04-17
year	2012
description	(no language specified) Fonts supported are • Peter Vanroose’s <i>calligra</i> font (package <i>fundus-calligra</i>); • the emulation of <i>Peter Vanroose’s handwriting</i> (package <i>fundus-script</i> ; • the <i>Washington University cyrillic</i> fonts (package <i>fundus-cyr</i>); • the <i>la and lla children’s handwriting fonts</i> (package <i>fundus-la</i>); • the <i>Computer Modern outline fonts</i> (package <i>fundus-outline</i>); • a group of ‘Startrek’ fonts (package <i>fundus-startrek</i> , which contains the fonts it supports; • the <i>Sütterlin</i> font (package <i>fundus-sueterlin</i>); • the <i>twcal</i> calligraphic fonts (package <i>fundus-twcal</i>); and • the <i>va</i> handwriting font (package <i>fundus-va</i>).
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fundus
keyword	collection (a collection of packages)
language(s)	no language specified
last access	2026-04-14

2418 *fundus-calligra* – Support for the calligra font in LaTeX documents

Web page on CTAN <https://ctan.org/pkg/fundus-calligra>

name	fundus-calligra
caption	Support for the calligra font in LaTeX documents
author	Neugebauer, Gerd
copyright	Gerd Neugebauer (1996)
license	other-free = Free license not otherwise listed (free)
version	1.2
description	(no language specified) The package offers support for the <i>calligra</i> handwriting font, in LaTeX documents. The package is part of the <i>fundus</i> bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/fundus/calligra/calligra.pdf
– local file	./6460600733-calligra.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fundus/calligra
on MikTeX	fundus-calligra
on TeXLive	fundus-calligra
keyword	font-supp (metrics, macro incantations and other font support)
keyword	tagged-pdf (tagged PDF compatible)
language(s)	no language specified
year	1996
last access	2026-04-14

2419 *fundus-cyr* – Support for Washington University Cyrillic fonts

Web page on CTAN <https://ctan.org/pkg/fundus-cyr>

name	<i>fundus-cyr</i>
caption	Support for Washington University Cyrillic fonts
author	Neugebauer, Gerd
copyright	Gerd Neugebauer (1995-2012)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2012-04-14)
last changes	2012-04-14
year	2012
description	(no language specified) The package supports the use of the Washington Cyrillic fonts with LaTeX (Note that standard LaTeX has support, too, as encoding OT2). The package is distributed as part of the fundus bundle.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fundus/cyr/cyr.sty
on MikTeX	<i>fundus-cyr</i>
on T _E XLive	<i>fundus-cyr</i>
keyword	<i>font-supp</i> (metrics, macro incantations and other font support)
language(s)	no language specified
last access	2026-04-14

2420 *fundus-la* – Support for the la and lla fonts in LaTeX documents

Web page on CTAN <https://ctan.org/pkg/fundus-la>

name	<i>fundus-la</i>
caption	Support for the la and lla fonts in LaTeX documents
author	Neugebauer, Gerd
copyright	Gerd Neugebauer (1996)
license	other-free = Free license not otherwise listed (free)
version	1.2

description	(no language specified) The package offers support for the la and lla children’s handwriting fonts, in LaTeX documents. The package is part of the fundus bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/fundus/la/la.pdf
– local file	<code>./2887308813-la.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fundus/la
on MikTeX	<code>fundus-la</code>
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
language(s)	no language specified
year	1996
last access	2026-04-14

2421 *fundus-outline* – LaTeX support for CM outline fonts

Web page on CTAN <https://ctan.org/pkg/fundus-outline>

name	<code>fundus-outline</code>
caption	LaTeX support for CM outline fonts
author	Neugebauer, Gerd
copyright	Gerd Neugebauer (1997)
license	other-free = Free license not otherwise listed (free)
version	1.1
description	(no language specified) The package offers support for use of the CM outline fonts in LaTeX documents, using a technique rather different from that of LaTeX’s own font selection system. The package is part of the fundus bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/fundus/outline/outline.pdf
– local file	<code>./3962559270-outline.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fundus/outline
on MikTeX	<code>fundus-outline</code>

2422 *fundus-pvscript* – Support for Vanroose handwriting font

keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	1997
last access	2026-04-14

2422 *fundus-pvscript* – Support for Vanroose handwriting font

Web page on CTAN <https://ctan.org/pkg/fundus-pvscript>

name	fundus-pvscript
caption	Support for Vanroose handwriting font
author	Neugebauer, Gerd
copyright	Gerd Neugebauer (1996)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2
description	(no language specified) The package supports use, in LaTeX, of the Metafont emulation of Peter Vanroose's handwriting . The package is distributed as part of the fundus bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/fundus/pvscript/pvscript.pdf
– local file	./4633491442-pvscript.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fundus/pvscript
on MikTeX	fundus-pvscript
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	1996
last access	2026-04-14

2423 *fundus-startrek* – ‘Startrek’ fonts, and macros to support them

Web page on CTAN <https://ctan.org/pkg/fundus-startrek>

name	fundus-startrek
caption	‘Startrek’ fonts, and macros to support them
author	Neugebauer, Gerd
copyright	Gerd Neugebauer (1996-2012)
license	other-nonfree = License that prevents distribution (not free)
version	1.1
description	(no language specified) The package provides 5 fonts (in Type 1 and TrueType format) and LaTeX support for their use.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/fundus/startrek/startrek.pdf
– local file	./6312711882-startrek.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fundus/startrek
keyword	font (fonts themselves)
language(s)	no language specified
year	2012
last access	2026-04-14

2424 *fundus-sueterlin* – Sütterlin

Web page on CTAN <https://ctan.org/pkg/fundus-sueterlin>

name	fundus-sueterlin
caption	Sütterlin
author	Neugebauer, Gerd
copyright	Gerd Neugebauer (1996-2012)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2
description	(no language specified) The package supports use, in LaTeX, of the Metafont emulation of the Sueterlin handwriting fonts The package is distributed as part of the fundus bundle..

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/fundus/suetterl/suetterl.pdf
– local file	./1647668245-suetterl.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fundus/suetterl
on MikTeX	fundus-sueterlin
on T _E XLive	fundus-sueterlin
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	2012
last access	2026-04-14

2425 *fundus-twcal* – LaTeX support for the twcal handwriting font

Web page on CTAN	https://ctan.org/pkg/fundus-twcal
name	fundus-twcal
caption	LaTeX support for the twcal handwriting font
author	Neugebauer, Gerd
copyright	Gerd Neugebauer (1996)
license	other-free = Free license not otherwise listed (free)
version	1.2
description	(no language specified) The package offers LaTeX support for using the twcal (German) handwriting font. The package is distributed as part of the fundus bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/fundus/twcal/twcal.pdf
– local file	./6893788501-twcal.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fundus/twcal
on MikTeX	fundus-twcal
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	1996

last access 2026-04-14

2426 *fundus-v*a – Support for the *va* fonts in LaTeX documents

Web page on CTAN <https://ctan.org/pkg/fundus-v>

name *fundus-v*a

caption Support for the *va* fonts in LaTeX documents

author Neugebauer, Gerd

copyright Gerd Neugebauer (1996-2012)

license lpl1.3 = The LaTeX Project Public License 1.3 (free)

version 1.3

description (no language specified) The packages provides LaTeX support for the *va* font, in T1 encoding..
The package is part of the *fundus* bundle.

documentation (no language specified) *Package documentation:* <https://ctan.org/tex-archive/macros/latex/contrib/fundus/va/va.pdf>

– local file ./5498703373-*va*.pdf

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/fundus/va>

on MikTeX *fundus-v*a

keyword font-supp (metrics, macro incantations and other font support)

language(s) no language specified

year 2012

last access 2026-04-14

2427 *funnelweb* – A flexible, language-independent web system

Web page on CTAN <https://ctan.org/pkg/funnelweb>

name *funnelweb*

caption A flexible, language-independent web system

author Coates, Tony

license lpl = The LaTeX Project Public License (free)

description (no language specified) A ‘Literate Programming’ tool, which produces documentation for programs in TeX or LaTeX.

documentation	(no language specified) <i>User manual</i> : https://ctan.org/tex-archive/web/funnelAC/userman/u_manual.ps
home page	http://ross.net/funnelweb/
on CTAN	https://ctan.org/tex-archive/web/funnelAC
keyword	litprog (literate programming)
language(s)	no language specified
year	without year
last access	2025-02-07

2428 futhark – Fonts for the Older Futhark script

Web page on CTAN	https://ctan.org/pkg/futhark
name	futhark
caption	Fonts for the Older Futhark script
author	deyAvemta, Stayka
license	other-nonfree = License that prevents distribution (not free)
version	(1993-05-02)
last changes	1993-05-02
year	1993
description	(no language specified) Futhark is an ancient runic script , possibly developed from the Greek or Etruscan alphabets. There is an alternate Futhark system (not represented in this font) which may be related to ogham . The font is presented as Metafont source.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/futhark/READ.ME
on CTAN	https://ctan.org/tex-archive/fonts/futhark
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-rune (fonts for runic inscriptions)
keyword	font (fonts themselves)
see also	see section 5260 on page 4765 : (runic – Fonts for Anglo-Saxon futharc script)
see also	see section 136 on page 125 : (allrunes – Fonts and LaTeX package for almost all runes)

see also	see section 2430 on page 2197: (<i>futhorc</i> – Anglo-Friesic futhorc alphabet font)
language(s)	no language specified
last access	2025-02-07

2429 *futharksymp* – Macros for entering futhark runes

Web page on CTAN <https://ctan.org/pkg/futharksymp>

name	futharksymp
caption	Macros for entering futhark runes
author	Plasschaert, Lander
copyright	Lander Plasschaert (2025)
license	mit = MIT License (free)
version	1.0.1 (2025-10-03)
last changes	2025-10-03
year	2025
description	(no language specified) This package provides simple macros for entering both younger- and elder futhark runes using the <i>allrunesy</i> package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/futharksymp/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/futharksymp/futharksymp-doc.pdf
– local file	./9784894128-futharksymp-doc.pdf
contact	<i>bugs</i> : https://github.com/LanderPlasschaert/futharksymp/issues
contact	<i>repository</i> : https://github.com/LanderPlasschaert/futharksymp
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/futharksymp
on T _E XLive	futharksymp
keyword	font-rune (fonts for runic inscriptions)
language(s)	no language specified
last access	2025-10-09

2430 *futhorc* – Anglo-Friesic *futhorc* alphabet font

Web page on CTAN <https://ctan.org/pkg/futhorc>

name	<code>futhorc</code>
caption	Anglo-Friesic <i>futhorc</i> alphabet font
author	Pantke, Micaela
license	other-nonfree = License that prevents distribution (not free)
description	(no language specified) The distribution is Metafont source, and parameter files are provided for a range of font sizes.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/futhorc/README
on CTAN	https://ctan.org/tex-archive/fonts/futhorc
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>font-rune</code> (fonts for runic inscriptions)
see also	see section 2428 on page 2195: (<i>futhark</i> – Fonts for the Older Futhark script)
language(s)	no language specified
year	without year
last access	2025-02-07

2431 *futurans* – Metrics and LaTeX support for Futura Fonts From Adobe As Used By No Starch Press

Web page on CTAN <https://ctan.org/pkg/futurans>

name	<code>futurans</code>
caption	Metrics and LaTeX support for Futura Fonts From Adobe As Used By No Starch Press
author	Veytsman, Boris
license	bsd = BSD Style License (free)
version	1.0b
description	(no language specified) This package provides metric files and LaTeX support for Futura fonts from Adobe. It has everything you need to typeset in this font — except the font itself, of course.

2432 *fvextra* – Extensions and patches for fancyvrb

documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/psfonts/adobe/futurans/fvsample.pdf
– local file	./3261433189-fvsample.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/psfonts/adobe/futurans/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/psfonts/adobe/futurans/futurans.pdf
– local file	./6506754595-futurans.pdf
on CTAN	https://ctan.org/tex-archive/fonts/psfonts/adobe/futurans
installation	https://ctan.org/tex-archive/install/fonts/psfonts/adobe/futurans.tds.zip
on MikTeX	futurans
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year
last access	2026-04-10

2432 *fvextra* – Extensions and patches for fancyvrb

Web page on CTAN	https://ctan.org/pkg/fvextra
name	fvextra
caption	Extensions and patches for fancyvrb
author	Poore, Geoffrey
copyright	Geoffrey M. Poore (2016-2024)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.10.0 (2024-11-17)
last changes	2024-11-17
year	2024
description	(no language specified) This package provides several extensions to fancyvrb , including automatic line breaking and improved math mode. It also patches some fancyvrb internals. Parts of fvextra were originally developed as part of pythontex and minted.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fvextra/README

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/fvextra/fvextra.pdf
– local file	<code>./6283815881-fvextra.pdf</code>
home page	https://github.com/gpoore/fvextra
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fvextra
on MikTeX	<code>fvextra</code>
on T _E XLive	<code>fvextra</code>
keyword	<code>verbatim</code> (verbatim typesetting, etc.)
language(s)	no language specified
last access	2025-02-07

2433 *fweb* – A literate programming tool working with LaTeX

Web page on CTAN	https://ctan.org/pkg/fweb
name	<code>fweb</code>
caption	A literate programming tool working with LaTeX
author	Krommes, John A.
license	gpl = GNU General Public License (free)
version	1.62
description	(no language specified) FWEB is based on an early version (0.5) of Silvio Levy's CWEB . The 'F' stands for Fortran (which motivated the initial development), but FWEB now supports multiple-language programming in C, C++, Fortran, Ratfor, and TeX.
documentation	(no language specified) <i>Release notes</i> : https://ctan.org/tex-archive/web/fweb/READ_ME-1.6x
documentation	(no language specified) <i>Package documentation</i> : http://w3.pppl.gov/~krommes/fweb_toc.html
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/web/fweb/READ_ME
on CTAN	https://ctan.org/tex-archive/web/fweb
keyword	<code>litprog</code> (literate programming)
language(s)	no language specified
year	without year

last access 2025-02-07

2434 *fwlw* – Get first and last words of a page

Web page on CTAN <https://ctan.org/pkg/fwlw>

name	fwlw
caption	Get first and last words of a page
author	Arseneau, Donald
license	other-free = Free license not otherwise listed (free)
version	(2011-02-28)
last changes	2011-02-28
year	2011
description	(no language specified) The package extracts the first and last words of a page, together with the first word of the next page, just before the page is formed into the object to print. The package defines a couple of page styles that use the words that have been extracted.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/fwlw/fwlw.pdf
– local file	./3238685370-fwlw.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fwlw
on MikTeX	fwlw
on T _E XLive	fwlw
keyword	page-hf (page head- and foot-lines)
language(s)	no language specified
last access	2025-02-07

2435 *g-brief* – Letter document class

Web page on CTAN <https://ctan.org/pkg/g-brief>

name	g-brief
caption	Letter document class
author	Lenzen, Michael
copyright	Michael Lenzen (1991-2003, 2008)
license	lppl1 = The LaTeX Project Public License 1 (free)

version	4.0.3 (2019-03-14)
last changes	2019-03-14
year	2019
description	(no language specified) Designed for formatting formless letters in German; can also be used for English (by those who can read the documentation). There are LaTeX 2.09 documentstyle and LaTeX 2e class files for both an ‘old’ and a ‘new’ version of g-brief.
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/g-brief/g-brief.pdf
– local file	./8910143743-g-brief.pdf
documentation	(German) <i>Example, new version</i> : https://ctan.org/tex-archive/macros/latex/contrib/g-brief/beispiel2.pdf
– local file	./5818825964-beispiel2.pdf
documentation	(German) <i>Example, old version</i> : https://ctan.org/tex-archive/macros/latex/contrib/g-brief/beispiel.pdf
– local file	./3821660093-beispiel.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/g-brief/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/g-brief
on MikTeX	g-brief
on T _E XLive	g-brief
keyword	letter (typesetting letters, envelopes, faxes, etc)
keyword	class (alternative LaTeX class(es))
keyword	german (support for typesetting German)
see also	see section 5370 on page 4863: (scr _l tttr2 – KOMA-Script ‘letter’ class)
see also	see section 1618 on page 1468: (dinbrief – German letter DIN style)
see also	see section 1928 on page 1742: (envlab – Addresses on envelopes or mailing labels)
see also	see section 5368 on page 4861: (scrletter – Letter extension to KOMA-Script classes)
see also	see section 115 on page 105: (akletter – Comprehensive letter support)
language(s)	German
last access	2025-02-07

2436 *gaceta* – A class to typeset La Gaceta de la RSME

Web page on CTAN <https://ctan.org/pkg/gaceta>

name	<code>gaceta</code>
caption	A class to typeset La Gaceta de la RSME
author	Varona, Juan Luis
license	lppl = The LaTeX Project Public License (free)
version	1.06
description	(no language specified) The class will typeset papers for «La Gaceta de la Real Sociedad Matemática Española».
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gaceta/README
documentation	(Spanish) <i>Example 1: how to write an article</i> : https://ctan.org/tex-archive/macros/latex/contrib/gaceta/plantilla-articulo-suelto.pdf
– local file	<code>./1777456163-plantilla-articulo-suelto.pdf</code>
documentation	(Spanish) <i>Example 2: how to write an article</i> : https://ctan.org/tex-archive/macros/latex/contrib/gaceta/plantilla-articulo-de-seccion.pdf
– local file	<code>./2158012537-plantilla-articulo-de-seccion.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gaceta
on MikTeX	<code>gaceta</code>
on TeXLive	<code>gaceta</code>
keyword	<code>journalpub</code> (typesetting journals, etc)
keyword	<code>class</code> (alternative LaTeX class(es))
language(s)	Spanish
year	without year
last access	2025-02-07

2437 *gahyph* – Hyphenation patterns for the Irish language

Web page on CTAN <https://ctan.org/pkg/gahyph>

name	gahyph
caption	Hyphenation patterns for the Irish language
author	Scannell, Kevin P.
copyright	Kevin P. Scannell (2004)
license	gpl = GNU General Public License (free)
version	1.0
home page	https://cadhan.com/fleiscin/index-en.html
contact	repository: https://github.com/hyphenation/fleiscin
on CTAN	https://ctan.org/tex-archive/language/hyphenation/gahyph.tex
keyword	hyphenation (macros or tables for hyphenation)
keyword	irish-gaelic (support for typesetting the Irish (gaelic) language)
language(s)	no language specified
year	2004
last access	2025-02-07

2438 *galois* – Typeset Galois connections

Web page on CTAN <https://ctan.org/pkg/galois>

name	galois
caption	Typeset Galois connections
author	Cousot, Patrick
license	lppl = The LaTeX Project Public License (free)
version	1.5
description	(no language specified) The package deals with connections in two-dimensional style, optionally in colour.
documentation	(no language specified) <i>Package description</i> : https://ctan.org/tex-archive/macros/latex/contrib/galois/galois.pdf
– local file	./9659106079-galois.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/galois

on MikTeX	galois
on T _E XLive	galois
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	without year
last access	2025-02-07

2439 *gamebook* – Typeset gamebooks and other interactive novels

Web page on CTAN	https://ctan.org/pkg/gamebook
name	gamebook
caption	Typeset gamebooks and other interactive novels
author	Miede, André
copyright	André Miede (2011)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) This package provides the means in order to lay-out gamebooks with LaTeX. A simple gamebook example is included with the package, and acts as a tutorial.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gamebook/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gamebook/gamebook.pdf
– local file	<code>./2436969693-gamebook.pdf</code>
documentation	(no language specified) <i>Simple gamebook example</i> : https://ctan.org/tex-archive/macros/latex/contrib/gamebook/gamebook-example.pdf
– local file	<code>./9182471285-gamebook-example.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gamebook
on MikTeX	gamebook
on T _E XLive	gamebook
keyword	games (process game diagrams, gamebooks, and other amusements)
language(s)	no language specified

year 2011
last access 2025-02-07

2440 `gamebooklib` – Macros for setting numbered entries in shuffled order

Web page on CTAN <https://ctan.org/pkg/gamebooklib>

name	Gamebooklib
caption	Macros for setting numbered entries in shuffled order
author	Lee, Robert J
copyright	Robert J Lee (2021-2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.4 (2023-07-28)
last changes	2023-07-28
year	2023
description	(no language specified) This package provides macros and environments to allow the user to typeset a series of cross-referenced, numbered "entries", shuffled into random order, to produce an interactive novel or "gamebook". This allows entries to be written in natural order and shuffled automatically into a repeatable non-linear order. Limited support is provided for footnotes to appear at the natural position: the end of each entry, or the end of each page, whichever is closest to the footnote mark. This is unrelated to the <code>gamebook</code> package which is more concerned with the formatting of entries rather than their order. The two packages can be used together or separately.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/gamebooklib/gamebooklib.pdf
– local file	<code>./1859304830-gamebooklib.pdf</code>
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/gamebooklib/gamebooklib_test.pdf
– local file	<code>./2862932422-gamebooklib_test.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/gamebooklib/README

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gamebooklib
on MikTeX	gamebooklib
on T _E XLive	gamebooklib
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	random (generate and/or use pseudo-random numbers)
language(s)	no language specified
last access	2025-02-07

2441 *gammas* – Template for the GAMM Archive for Students

Web page on CTAN	https://ctan.org/pkg/gammas
name	gammas
caption	Template for the GAMM Archive for Students
author	Kern, Dominik
author	Unger, Benjamin
author	Bartelt, Matthias
author	Hansen-Doerr, Arne Claus
author	GAMM Juniors
copyright	GAMM Juniors (2020)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1 (2020-09-22)
last changes	2020-09-22
year	2020
description	(no language specified) This is the official document class for typesetting journal articles for GAMM Archive for Students (GAMMAS), the open-access online journal run by the GAMM Juniors (GAMM = Gesellschaft für angewandte Mathematik und Mechanik).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gammas/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gammas
on MikTeX	gammas
on T _E XLive	gammas

keyword journalpub (typesetting journals, etc)
 keyword class (alternative LaTeX class(es))
 language(s) no language specified
 last access 2025-02-07

2442 *gandhi* – Gandhi Serif and Sans fonts, with LaTeX support

Web page on CTAN <https://ctan.org/pkg/gandhi>

name *gandhi*
 caption Gandhi Serif and Sans fonts, with LaTeX support
 author Tennent, Bob
 license lpl = The LaTeX Project Public License (free)
 license nosell = Do Not Sell Except by Arrangement (not free)
 version (2022-10-01)
 last changes 2022-10-01
 year 2022
 description (no language specified) The Gandhi Serif and Sans families of fonts were developed for [Librerías Gandhi](#) .
 The license is liberal but not entirely free: you may not modify the fonts in a font editor or sell or rent out the fonts.
 documentation (no language specified) *Readme:*
<https://ctan.org/tex-archive/fonts/gandhi/README>
 documentation (no language specified) *Font samples:* <https://ctan.org/tex-archive/fonts/gandhi/doc/gandhi-samples.pdf>
 – local file ./2986635854-gandhi-samples.pdf
 on CTAN <https://ctan.org/tex-archive/fonts/gandhi>
 installation <https://ctan.org/tex-archive/install/fonts/gandhi.tds.zip>
 keyword font-otf (font in OpenType format)
 keyword font-tlenc (font providing LaTeX T1 encoding support)
 keyword font-sans (sans-serif font)
 keyword font-serif (serif font)
 keyword font-type1 (font available in Adobe Type 1 format)

language(s) no language specified
last access 2025-02-10

2443 **gapfill** – Generate LaTeX picture environments from PostScript output of drawing programs

Web page on CTAN <https://ctan.org/pkg/gapfill>

name	gapfill
caption	Generate LaTeX picture environments from PostScript output of drawing programs
author	Möller, Herbert
copyright	H. Möller (2006, 2009)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.6
description	(no language specified) GaPFiLL ("Graphics as PostScript Filtered for LaTeX") is a method for the generation of LaTeX picture environments in four steps: • Construct the desired figure with a drawing program; • Export as a PostScript file; • Apply a Perl filter program to the PostScript text; • Transfer the resulting code into a LaTeX document.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/gapfill/GaPDoc1.pdf
– local file	./3700943182-GaPDoc1.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/gapfill/README
on CTAN	https://ctan.org/tex-archive/graphics/gapfill
on MikTeX	gapfill
keyword	graphics-prep (prepare graphics for use with *TeX)
language(s)	no language specified
year	2009
last access	2025-02-07

2444 *garamond-libre* – The Garamond Libre font faceWeb page on CTAN <https://ctan.org/pkg/garamond-libre>

name	<code>garamond-libre</code>
caption	The Garamond Libre font face
author	Tennent, Bob
author	Miller, Daniel Benjamin
copyright	Daniel Benjamin Miller (2019-2020)
license	mit = MIT License (free)
license	lppl = The LaTeX Project Public License (free)
version	1.4 (2024-04-23)
last changes	2024-04-23
year	2024
description	(no language specified) Garamond Libre is a free and open-source old-style font family. It is a "true Garamond," i.e., it is based off the designs of 16th-century French engraver Claude Garamond (also spelled Garamont). The Roman design is Garamond's; the italics are from a design by Robert Granjon. The upright Greek font is after a design by Firmin Didot; the "italic" Greek font is after a design by Alexander Wilson. The font family includes support for Latin, Greek (monotonic and polytonic) and Cyrillic scripts, as well as small capitals, old-style figures, superior and inferior figures, historical ligatures, Byzantine musical symbols, the IPA and swash capitals.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/garamond-libre/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/garamond-libre/doc/garamond-libre.pdf
– local file	<code>./1549477902-garamond-libre.pdf</code>
home page	https://dbmiller.org/type/garamond-libre.html
contact	<i>bugs</i>: https://github.com/dbenjaminmiller/garamond-libre/issues
contact	<i>repository</i>: https://github.com/dbenjaminmiller/garamond-libre
on CTAN	https://ctan.org/tex-archive/fonts/garamond-libre

installation	https://ctan.org/tex-archive/install/fonts/garamond-libre.tds.zip
on MikTeX	<code>garamond-libre</code>
on T _E XLive	<code>garamond-libre</code>
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-cyrillic</code> (fonts for Cyrillic and related scripts)
keyword	<code>font-multilingual</code> (font with adaptations to several languages)
keyword	<code>font-tlenc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font-greek</code> (font for Greek (archaic, classical and modern))
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-proportional</code> (variable-spaced font)
language(s)	no language specified
last access	2025-02-10

2445 *garamond-math* – An OTF math font matching EB Garamond

Web page on CTAN <https://ctan.org/pkg/garamond-math>

name	<code>garamond-math</code>
caption	An OTF math font matching EB Garamond
author	Zeng, Xiangdong
author	Zhao, Yuansheng
license	ofl = The SIL Open Font License (free)
version	(2022-01-03)
last changes	2022-01-03
year	2022

description	(no language specified) Garamond-Math is an open type math font matching EB Garamond (Octavio Pardo) and EB Garamond (Georg Mayr-Duffner) . Many mathematical symbols are derived from other fonts, others are made from scratch. The metric is generated with a Python script. Issues, bug reports and other contributions are welcome.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/garamond-math/Garamond-Math.pdf
– local file	<code>./6886681672-Garamond-Math.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/garamond-math/README.md
home page	https://github.com/YuanshengZhao/Garamond-Math
contact	<i>bugs</i> : https://github.com/YuanshengZhao/Garamond-Math/issues
contact	<i>repository</i> : https://github.com/YuanshengZhao/Garamond-Math
on CTAN	https://ctan.org/tex-archive/fonts/garamond-math
on MikTeX	<code>garamond-math</code>
on TeXLive	<code>garamond-math</code>
keyword	<code>font-maths</code> (fonts for use in mathematics)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-bbd</code> (doublestroke (blackboard bold) fonts)
keyword	<code>font-sans</code> (sans-serif font)
language(s)	no language specified
last access	2025-02-07

2446 *garamondx* – ‘Expert’-like extensions to URW Garamond, and maths italic

Web page on CTAN <https://ctan.org/pkg/garamondx>

name	<code>garamondx</code>
caption	‘Expert’-like extensions to URW Garamond, and maths italic
author	Sharpe, Michael
copyright	URW++ Design and Development (2020)
copyright	Michael Sharpe (2013-2025)

license	nosell = Do Not Sell Except by Arrangement (not free)
version	1.22 (2025-01-06)
last changes	2025-01-06
year	2025
description	(no language specified) The package adds small caps, f-ligatures and old style figures to URW GaramondNo8 . The package also provides a matching maths italic add-on for use with newtxmath . The package makes use of the etoolbox package.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/garamondx/doc/garamondx-doc.pdf
– local file	./3989020730-garamondx-doc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/garamondx/README
documentation	(French) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/garamondx/doc/garamondx-docFr.pdf
– local file	./3874422296-garamondx-docFr.pdf
on CTAN	https://ctan.org/tex-archive/fonts/garamondx
keyword	font-t1enc (font providing LaTeX T1 encoding support)
keyword	font-maths (fonts for use in mathematics)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
keyword	font-serif (serif font)
language(s)	French
last access	2025-02-07

2447 *garrigues* – MetaPost macros for the reproduction of Garrigues’ Easter nomogram

Web page on CTAN	https://ctan.org/pkg/garrigues
name	<i>garrigues</i>
caption	MetaPost macros for the reproduction of Garrigues’ Easter nomogram
author	Roegel, Denis B.
copyright	D. Roegel (2001-2008)
license	lppl = The LaTeX Project Public License (free)

2448 *gastex* – *Graphs and Automata Simplified in TeX*

version	(2009-08-10)
last changes	2009-08-10
year	2009
description	(no language specified) MetaPost macros for the reproduction of Garrigues' Easter nomogram. These macros are described in Denis Roegel: An introduction to nomography: Garrigues' nomogram for the computation of Easter , TUGboat (volume 30, number 1, 2009, pages 88-104)
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/garrigues/README
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/garrigues
on MikTeX	garrigues
on TeXLive	garrigues
keyword	calculation (perform calculations within TeX)
language(s)	no language specified
last access	2025-02-07

2448 *gastex* – *Graphs and Automata Simplified in TeX*

Web page on CTAN <https://ctan.org/pkg/gastex>

name	GasTeX
caption	Graphs and Automata Simplified in TeX
author	Gastin, Paul
copyright	Paul Gastin (2006-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.1 (2024-02-12)
last changes	2024-02-12
year	2024
description	(no language specified) GasTeX is a set of LaTeX macros which enable the user to draw graphs, automata, nets, diagrams, etc., very easily, in the LaTeX picture environment.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/graphics/gastex/README

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/gastex/gastex-doc.pdf
– local file	<code>./5115990083-gastex-doc.pdf</code>
home page	http://www.lsv.fr/~gastin/gastex/index.html
on CTAN	https://ctan.org/tex-archive/graphics/gastex
on MikTeX	gastex
on TeXLive	gastex
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
see also	see section 4989 on page 4517: (pstricks-base – PostScript macros for TeX)
language(s)	no language specified
last access	2025-02-07

2449 gatech-thesis – Georgia Institute of Technology thesis class

Web page on CTAN	https://ctan.org/pkg/gatech-thesis
name	gatech-thesis
caption	Georgia Institute of Technology thesis class
author	Keller, Mitchell T.
author	Wilson, Charles
copyright	Charles S. Wilson (2002)
license	gpl = GNU General Public License (free)
version	1.8
description	(no language specified) The output generated by using this class had been approved by the Georgia Tech Office of Graduate Studies. It satisfies their undocumented moving-target requirements in addition to the actual documented requirements of the June 2002 Georgia Tech Thesis Style Manual, as amended up to 2010. However, as of 2021, the version on CTAN is considered obsolete. A current version is maintained locally at Georgia Tech.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/gatech-thesis/README
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/gatech-thesis
on MikTeX	gatech-thesis

2450 *gates* – Support for writing modular and customisable code

keyword	<code>obsolete</code> (package declared obsolete)
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
keyword	<code>class</code> (alternative LaTeX class(es))
language(s)	no language specified
year	2002
last access	2025-02-07

2450 *gates* – Support for writing modular and customisable code

Web page on CTAN <https://ctan.org/pkg/gates>

name	<code>gates</code>
caption	Support for writing modular and customisable code
author	Robbers, Yuri
author	Isambert, Paul
license	lppl = The LaTeX Project Public License (free)
version	0.2
description	(no language specified) The package provides the means of writing code in a modular fashion: big macros or functions are divided into small chunks (called gates) with names, which can be externally controlled (e.g. they can be disabled, subjected to conditionals, loops...) and/or augmented with new chunks. Thus complex code may easily be customised without having to rewrite it, or even understand its implementation: the behavior of existing gates can be modified, and new ones can be added, without endangering the whole design. This allows code to be hacked in ways the original authors might have never envisioned. The gates package is implemented independently for both TeX and Lua. The TeX implementation, running in any current environment, requires the texapi package, whereas the Lua version can be run with any Lua interpreter, not just LuaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/gates/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/gates/gates-doc.pdf
– local file	<code>./8058853281-gates-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/generic/gates

on MikT _E X	gates
on T _E XLive	gates
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	without year
last access	2025-02-07

2451 *gatherenum* – A crossover of *align** and *enumerate*

Web page on CTAN <https://ctan.org/pkg/gatherenum>

name	gatherenum
caption	A crossover of <i>align*</i> and <i>enumerate</i>
author	Rivaud, Julien
copyright	Julien RIVAUD (2016-2019)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	1.8 (2019-09-29)
last changes	2019-09-29
year	2019
description	(no language specified) This package (ab)uses the inline enumeration capabilities of enumitem to add a "displayed" enumeration mode, triggered by adding 'gathered' to the key-value option list of the enumerate environment. The end result is similar to a regular enumerate environment wrapped in a multicols environment, with the following advantages: • Gathered enumerate can pack items depending on their actual width rather than a fixed, constant number per line. • Gathered enumeration fills items in a line-major order (instead of column-major order), which my students found less confusing. YMMV. The package depends on enumitem , expl3 , and xparse ,
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gatherenum/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gatherenum/gatherenum.pdf
– local file	./6821391452-gatherenum.pdf

2452 *gauss* – A package for Gaussian operations

contact	<i>bugs:</i> https://gitlab.com/frnchfrgg-latex/gatherenum/-/issues
contact	<i>repository:</i> https://gitlab.com/frnchfrgg-latex/gatherenum
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gatherenum
on MikTeX	gatherenum
on T _E XLive	gatherenum
keyword	list (list: general)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

2452 *gauss* – A package for Gaussian operations

Web page on CTAN <https://ctan.org/pkg/gauss>

name	gauss
caption	A package for Gaussian operations
author	Kauers, Manuel
copyright	Manuel Kauers (2001, 2002)
license	lppl = The LaTeX Project Public License (free)
version	(2003-01-14)
last changes	2003-01-14
year	2003
description	(no language specified) The gauss package provides configurable tools for producing row and column operations on matrices (a.k.a. Gaussian operations).
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/gauss/gauss-doc.pdf
– local file	./3939253083-gauss-doc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/gauss/README
documentation	(no language specified) <i>Example of use (Gaussian elimination):</i> https://ctan.org/tex-archive/macros/latex/contrib/gauss/gauss-ex.pdf
– local file	./9454564031-gauss-ex.pdf

home page	http://www.kauers.de
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gauss
on MikTeX	gauss
on T _E XLive	gauss
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

2453 *gb4e* – Linguistic tools

Web page on CTAN <https://ctan.org/pkg/gb4e>

name	gb4e
caption	Linguistic tools
author	Thiersch, Craig
author	Dimitriadis, Alexis
author	Kolb, Hans-Peter
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	(2010-07-02)
last changes	2010-07-02
year	2010
description	(no language specified) Provides an environment for linguistic examples, tools for glosses, and various other goodies. The code was developed from the midnight and covington packages.
documentation	(no language specified) <i>Package description</i> : https://ctan.org/tex-archive/macros/latex/contrib/gb4e/gb4e-doc.pdf
– local file	<code>./4180283776-gb4e-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gb4e
on MikTeX	gb4e
on T _E XLive	gb4e
keyword	linguistic (support for linguistics)
language(s)	no language specified
last access	2025-02-07

2454 gb4e-next – Linguistic tools

Web page on CTAN <https://ctan.org/pkg/gb4e-next>

name	gb4e-next
caption	Linguistic tools
author	Munn, Alan
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.5 (2024-10-27)
last changes	2024-10-27
year	2024
description	(no language specified) The package provides gb4e users two relative example reference commands. <code>\Next</code> refers to the next example in the document and <code>\Prev</code> refers to the previous example. No explicit label command is required.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gb4e-next/README.md
documentation	(no language specified) <i>Package description</i> : https://ctan.org/tex-archive/macros/latex/contrib/gb4e-next/gb4e-next.pdf
– local file	<code>./9122479782-gb4e-next.pdf</code>
contact	<i>bugs</i> : https://github.com/amunn/gb4e-next/issues
contact	<i>repository</i> : https://github.com/amunn/gb4e-next
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gb4e-next
on T _E XLive	gb4e-next
keyword	linguistic (support for linguistics)
language(s)	no language specified
last access	2025-02-07

2455 *gbrief-creator* – A front end for the *gbrief* package

Web page on CTAN <https://ctan.org/pkg/gbrief-creator>

name	gbrief-creator
caption	A front end for the <i>gbrief</i> package
author	Schinke, Carsten
copyright	Carsten Schinke (2009)
license	nosource = No Source Available (not free)
version	1.000 beta
description	(no language specified) A small Windows front end, that creates files for use with the <i>g-brief</i> German letter macros.
documentation	<i>Readme (German)</i> : https://ctan.org/tex-archive/support/gbrief-creator/README
on CTAN	https://ctan.org/tex-archive/support/gbrief-creator
keyword	preprocessor (preprocesses source before using TeX)
keyword	letter (typesetting letters, envelopes, faxes, etc)
language(s)	German
year	2009
last access	2025-02-07

2456 *gbt7714* – BibTeX implementation of China's bibliography style standard GB/T 7714-2015

Web page on CTAN <https://ctan.org/pkg/gbt7714>

name	gbt7714
caption	BibTeX implementation of China's bibliography style standard GB/T 7714-2015
author	Lee, Zeping
copyright	Zeping Lee (2016-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.1.5 (2022-10-03)
last changes	2022-10-03
year	2022

2457 *gcard* – Arrange text on a sheet to fold into a greeting card

description	(no language specified) The package provides a BibTeX implementation for the Chinese national bibliography style standard GB/T 7714-2015. It consists of two <code>bst</code> files for numerical and author-year styles as well as a LaTeX package which provides the citation style defined in the standard. The package is compatible with <code>natbib</code> and supports language detection (Chinese and English) for each bibliography entry.
documentation	(Chinese) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/gbt7714/README.md
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/gbt7714/gbt7714.pdf
– local file	<code>./6903378252-gbt7714.pdf</code>
contact	<i>announce</i> : https://github.com/CTeX-org/gbt7714-bibtex-style/releases
contact	<i>bugs</i> : https://github.com/zepinglee/gbt7714-bibtex-style/issues
contact	<i>repository</i> : https://github.com/zepinglee/gbt7714-bibtex-style
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/gbt7714
on MikTeX	<code>gbt7714</code>
on TeXLive	<code>gbt7714</code>
keyword	<code>bibtex-supp</code> (BibTeX citation support)
keyword	<code>std-conform</code> (support conformance to standards)
keyword	<code>chinese</code> (support for typesetting Chinese languages)
language(s)	Chinese
last access	2025-02-07

2457 *gcard* – Arrange text on a sheet to fold into a greeting card

Web page on CTAN <https://ctan.org/pkg/gcard>

name	<code>gcard</code>
caption	Arrange text on a sheet to fold into a greeting card
author	McBane, George
license	lppl = The LaTeX Project Public License (free)
version	(2007-08-21)

last changes	2007-08-21
year	2007
description	(no language specified) The package provides a simple means of producing greeting cards. It arranges four panels onto a single sheet so that when the sheet is folded twice the four panels are arranged as front cover, inside left and right pages, and back cover. It uses the textpos package for placement on the sheet and the graphicx package for the necessary rotation. The four panels are set in minipages for formatting by the user.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gcard/gcard.pdf
– local file	<code>./1472243233-gcard.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gcard/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gcard
on MikTeX	<code>gcard</code>
on T _E XLive	<code>gcard</code>
keyword	letter (typesetting letters, envelopes, faxes, etc)
keyword	graphics-use (graphics (typesetting actual pictures))
language(s)	no language specified
last access	2025-02-07

2458 gchords – Typeset guitar chords

Web page on CTAN <https://ctan.org/pkg/gchords>

name	<code>gchords</code>
caption	Typeset guitar chords
author	Peeters, Kasper
copyright	Kaspar Peeters (2001-2009)
license	gpl = GNU General Public License (free)
version	1.20
description	(no language specified) A LaTeX package for typesetting of guitar chord diagrams, including options for chord names, finger numbers and typesetting above lyrics. The bundle also includes a TCL script (<code>chordbox.tcl</code>) that provides a graphical application which creates LaTeX files that use <code>gchords.sty</code>.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/gchords/gchords_doc.pdf
– local file	<code>./9021483000-gchords_doc.pdf</code>
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/graphics/gchords/README
home page	http://kasper.phi-sci.com/gchords/
on CTAN	https://ctan.org/tex-archive/graphics/gchords
on MikTeX	gchords
on T _E XLive	gchords
keyword	music (typesetting music and related stuff)
language(s)	no language specified
year	2009
last access	2025-02-07

2459 *gcite* – Citations in a reader-friendly style

Web page on CTAN <https://ctan.org/pkg/gcite>

name	gcite
caption	Citations in a reader-friendly style
author	Phillips, Iain
author	Atkinson, Matthew Tylee
copyright	Matthew Tylee Atkinson, Iain Phillips (2009)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0.1
description	(no language specified) The package allows citations in the German style, which is considered by many to be particularly reader-friendly. The citation provides a small amount of bibliographic information in a footnote on the page where each citation is made. It combines a desire to eliminate unnecessary page-turning with the look-up efficiency afforded by numeric citations. The package makes use of BibLaTeX, and is considered experimental; comment is invited.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/exptl/gcite/gcite.pdf
– local file	<code>./4736344642-gcite.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/exptl/gcite/README
on CTAN	https://ctan.org/tex-archive/macros/latex/exptl/gcite
on T _E XLive	gcite
keyword	biblatex (BibLaTeX bibliography support)
keyword	german (support for typesetting German)
language(s)	no language specified
year	2009
last access	2025-02-07

2460 *gckanbun* – Kanbun typesetting for (u)pLaTeX and LuaLaTeX

Web page on CTAN	https://ctan.org/pkg/gckanbun
name	gckanbun
caption	Kanbun typesetting for (u)pLaTeX and LuaLaTeX
author	Yamamoto, Munehiro
author	KKTeX
copyright	Munehiro Yamamoto (2017-2025)
copyright	Kosei Kawaguchi (2025)
license	mit = MIT License (free)
version	2.2.7 (2026-01-05)
last changes	2026-01-05
year	2026
description	(no language specified) This package provides a Kanbun (漢文, "Chinese writing") typesetting for (u)pLaTeX and LuaLaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/japanese/gckanbun/README.md
documentation	(Japanese) <i>Package documentation</i> : https://ctan.org/tex-archive/language/japanese/gckanbun/gckanbun-doc.pdf
– local file	./6646405691-gckanbun-doc.pdf
contact	<i>repository</i> : https://github.com/munepi/gckanbun
on CTAN	https://ctan.org/tex-archive/language/japanese/gckanbun
on MikT _E X	gckanbun

on T _E XLive	gckanbun
keyword	chinese (support for typesetting Chinese languages)
keyword	japanese (support for typesetting Japanese)
see also	see section 3118 on page 2814: (kanbun – Typeset kanbun-kundoku with support for kanbun annotation)
language(s)	Japanese
last access	2026-01-19

2461 *gelasio* – LaTeX support for the Gelasio family of fonts

Web page on CTAN <https://ctan.org/pkg/gelasio>

name	gelasio
caption	LaTeX support for the Gelasio family of fonts
author	Tennent, Bob
license	ofl = The SIL Open Font License (free)
license	lppl = The LaTeX Project Public License (free)
version	(2024-04-23)
last changes	2024-04-23
year	2024
description	(no language specified) This package provides (pdf)LaTeX, XeLaTeX and LuaLaTeX support for the Gelasio family of fonts designed by Eben Sorkin to be metric-compatible with Georgia in its Regular and Bold weights. Medium and SemiBold weights have been added.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/gelasio/README
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/gelasio/doc/gelasio-samples.pdf
– local file	./6835034477-gelasio-samples.pdf
contact	<i>development</i> : https://github.com/SorkinType/Gelasio
on CTAN	https://ctan.org/tex-archive/fonts/gelasio
installation	https://ctan.org/tex-archive/install/fonts/gelasio.tds.zip
on MikT _E X	gelasio
on T _E XLive	gelasio

keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
keyword	font-serif (serif font)
keyword	font-proportional (variable-spaced font)
keyword	font-otf (font in OpenType format)
keyword	font-body (font designed for use as body font for Latin-based script documents)
language(s)	no language specified
last access	2025-02-10

2462 *gelasiomath* – Math and small cap additions to Gelasio fonts

Web page on CTAN <https://ctan.org/pkg/gelasiomath>

name	gelasiomath
caption	Math and small cap additions to Gelasio fonts
author	Sharpe, Michael
license	ofl = The SIL Open Font License (free)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.01 (2025-01-06)
last changes	2025-01-06
year	2025
description	(no language specified) The package offers math support for the gelasio package, using symbols from newtxmath, Roman math letters from Gelasio and Greek math letters based on XCharter Greek. Also added small caps based on XCharter small caps and other minor features to Gelasio.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/gelasiomath/README
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/gelasiomath/doc/gelasiomath-doc.pdf
– local file	./8485661467-gelasiomath-doc.pdf
on CTAN	https://ctan.org/tex-archive/fonts/gelasiomath
on MikTeX	gelasiomath
on T _E XLive	gelasiomath
keyword	font (fonts themselves)

keyword	font-maths (fonts for use in mathematics)
language(s)	no language specified
last access	2025-02-07

2463 *gellmu* – LaTeX-like markup for writing XML documents

Web page on CTAN <https://ctan.org/pkg/gellmu>

name	GELLMU
caption	LaTeX-like markup for writing XML documents
author	Hammond, William F.
copyright	William F. Hammond (2001-2006)
license	gpl = GNU General Public License (free)
version	0.8.4.1
description	(no language specified) GELLMU is an acronym for "Generalized Extensible LaTeX-Like Markup". With GELLMU one may use LaTeX-like markup to write consciously for SGML document types such as HTML, DocBook, TEI, or GELLMU's own LaTeX-like document type 'article'. The package provides a syntactic translator, which is the project layer for all document types. The article document type is very much like LaTeX with a tightly enforced syntax and vocabulary. For article, the package provides translators to classic HTML, regular LaTeX and the XML form of HTML extended by MathML (XHTML). The latter form provides optimal online content that is 'accessible' and in the author's opinion superior to PDF for web presentation.
documentation	(no language specified) <i>The GELLMU manual, XHTML format</i> : https://ctan.org/tex-archive/support/gellmu/doc/glman.xhtml
documentation	(no language specified) <i>Introductory guide</i> : https://ctan.org/tex-archive/support/gellmu/doc/userdoc.pdf
– local file	./1498799927-userdoc.pdf
documentation	(no language specified) <i>The GELLMU manual</i> : https://ctan.org/tex-archive/support/gellmu/doc/glman.pdf
– local file	./3839286775-glman.pdf
documentation	(no language specified) <i>Introductory guide, XHTML format</i> : https://ctan.org/tex-archive/support/gellmu/doc/userdoc.xhtml
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/gellmu/README

home page	https://www.albany.edu/~hammond/gellmu/
on CTAN	https://ctan.org/tex-archive/support/gellmu
keyword	struc-mkup (structured markup)
language(s)	no language specified
year	2006
last access	2025-02-07

2464 *gen* – Genealogy symbols

Web page on CTAN	https://ctan.org/pkg/gen
name	gen
caption	Genealogy symbols
author	Knuth, Donald E.
license	knuth = Knuth License (free)
description	(no language specified) A (Metafont) font developed for Jill Knuth's genealogy project. Available in three optical sizes: files <code>gen.mf</code> , <code>gen{8,9,10}.mf</code>
on CTAN	https://ctan.org/tex-archive/systems/knuth/local/cm
keyword	font-specialist (fonts with specific small application areas)
keyword	font-symbol (fonts that provide collections of symbols)
keyword	font (fonts themselves)
see also	see section 2467 on page 2230: (genealogy – A compilation genealogy font)
language(s)	no language specified
year	without year
last access	2025-02-11

2465 *gender* – Gender neutrality for languages with grammatical genderWeb page on CTAN <https://ctan.org/pkg/gender>

name	gender
caption	Gender neutrality for languages with grammatical gender
author	Banhardt, Steffen
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2015-03-07)
last changes	2015-03-07
year	2015
description	(no language specified) Many languages — like German or French — use masculine and feminine grammatical genders. There are many ideas how to promote gender neutrality in those languages. The <i>gender</i> package uses alternately masculine and feminine forms. It is also possible to use just one form out of a template.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gender/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gender/gender.pdf
– local file	./4255280217-gender.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gender
on MikTeX	gender
on TeXLive	gender
keyword	typesetting (support for variations of typographic style)
keyword	linguistic (support for linguistics)
see also	see section 2711 on page 2453: (<i>he-she</i> – Alternating pronouns to aid gender-neutral writing)
see also	see section 1833 on page 1655: (<i>eemeir</i> – Adjust the gender of words in a document)
language(s)	no language specified
last access	2025-02-07

2466 *gene-logic* – Typeset logic formulae, etc

Web page on CTAN <https://ctan.org/pkg/gene-logic>

name	gene-logic
caption	Typeset logic formulae, etc
author	Neugebauer, Gerd
copyright	Gerd Neugebauer (1995)
license	other-free = Free license not otherwise listed (free)
version	1.4
description	(no language specified) The package provides a facility to typeset certain logic formulae. It provides an environment like <code>eqnarray</code> , a <code>newtheorem</code> -like environment (<code>NewTheorem</code>), and several macros.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/gene-logic/gn-logic14.pdf
– local file	<code>./5144816997-gn-logic14.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gene-logic
on MikTeX	gene-logic
on TeXLive	gene-logic
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	1995
last access	2026-04-14

2467 *genealogy* – A compilation genealogy font

Web page on CTAN <https://ctan.org/pkg/genealogy>

name	genealogy
caption	A compilation genealogy font
author	Roegel, Denis B.
license	lppl = The LaTeX Project Public License (free)
version	(1999-03-02)
last changes	1999-03-02

year	1999
description	(no language specified) A simple compilation of the genealogical symbols found in the wasy and gen fonts, adding the male and female symbols to Knuth's 'gen' font, and so avoiding loading two fonts when you need only genealogical symbols. The font is distributed as Metafont source.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/genealogy/README
on CTAN	https://ctan.org/tex-archive/fonts/genealogy
on MikTeX	genealogy
on TeXLive	genealogy
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-symbol (fonts that provide collections of symbols)
keyword	font-specialist (fonts with specific small application areas)
keyword	genealogy (typesetting genealogical information)
keyword	font (fonts themselves)
language(s)	no language specified
last access	2025-02-07

2468 *genealogy-profiles* – Genealogical profiles for LaTeX

Web page on CTAN <https://ctan.org/pkg/genealogy-profiles>

name	genealogy-profiles
caption	Genealogical profiles for LaTeX
author	Eriksen, Mikkel Eide
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
version	(2024-01-24)
last changes	2024-01-24
year	2024
description	(no language specified) This package enables the presentation of individual profiles, which may be useful for genealogical or local history treatises. Each profile is typeset using key/value-configurable environments, and a number of macros are provided to enable references and name formatting.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/genealogy-profiles/docs/genealogy-profiles.pdf
– local file	<code>./7741475934-genealogy-profiles.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/genealogy-profiles/README.md
contact	<i>bugs</i> : https://github.com/mikkelee/latex-genprofile/issues
contact	<i>repository</i> : https://github.com/mikkelee/latex-genprofile
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/genealogy-profiles
on MikTeX	<code>genealogy-profiles</code>
on T _E XLive	<code>genealogy-profiles</code>
keyword	<code>genealogy</code> (typesetting genealogical information)
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>humanities</code> (support for studies in the humanities)
language(s)	no language specified
last access	2025-02-07

2469 *genealogytree* – Pedigree and genealogical tree diagrams

Web page on CTAN	https://ctan.org/pkg/genealogytree
name	<code>genealogytree</code>
caption	Pedigree and genealogical tree diagrams
author	Sturm, Thomas F.
copyright	Prof. Dr. Dr. Thomas F. Sturm (2013-2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.3.0 (2023-03-09)
last changes	2023-03-09
year	2023

description	(no language specified) Pedigree and genealogical tree diagrams are proven tools to visualize genetic and relational connections between individuals. The naming (“tree”) derives from historical family diagrams. However, even the smallest family entity consisting of two parents and several children is hardly a ‘mathematical’ tree — it is a more general graph. The package provides a set of tools to typeset genealogical trees (i.e., to typeset a set of special graphs for the description of family-like structures). The package uses an autolayout algorithm which can be customized, e.g., to prioritize certain paths.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/genealogytree/genealogytree.pdf
– local file	<code>./2182680174-genealogytree.pdf</code>
documentation	(no language specified) <i>Example 4</i>: https://ctan.org/tex-archive/macros/latex/contrib/genealogytree/genealogytree-example-4.pdf
– local file	<code>./5272501606-genealogytree-example-4.pdf</code>
documentation	(no language specified) <i>Example 1</i>: https://ctan.org/tex-archive/macros/latex/contrib/genealogytree/genealogytree-example-1.pdf
– local file	<code>./2446226758-genealogytree-example-1.pdf</code>
documentation	(no language specified) <i>Example 2</i>: https://ctan.org/tex-archive/macros/latex/contrib/genealogytree/genealogytree-example-2.pdf
– local file	<code>./4523299487-genealogytree-example-2.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/genealogytree/README.md
documentation	(no language specified) <i>Example 3</i>: https://ctan.org/tex-archive/macros/latex/contrib/genealogytree/genealogytree-example-3.pdf
– local file	<code>./9476559195-genealogytree-example-3.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/genealogytree
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/genealogytree.tds.zip
on MikTeX	<code>genealogytree</code>
on TeXLive	<code>genealogytree</code>
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)

2470 *genfam* – Run Metafont to produce the bitmap fonts

keyword	genealogy (typesetting genealogical information)
keyword	humanities (support for studies in the humanities)
see also	see section 4945 on page 4476: (pst-pdgr – Draw medical pedigrees using PSTricks)
language(s)	no language specified
last access	2025-02-07

2470 *genfam* – Run Metafont to produce the bitmap fonts

Web page on CTAN <https://ctan.org/pkg/genfam>

name	genfam
caption	Run Metafont to produce the bitmap fonts
author	Schrod, Joachim
license	gpl = GNU General Public License (free)
description	(no language specified) Genfam is a Perl script that is called with a "device specification" and a font family reference, and will run Metafont to produce the requisite bitmap fonts. The font family reference actually identifies a specification file; an example of such a file is provided.
on CTAN	https://ctan.org/tex-archive/support/genfam
keyword	font-proc (process fonts for use with TeX (includes installation))
language(s)	no language specified
year	without year
last access	2025-02-07

2471 *genindex* – Alternative index series

Web page on CTAN <https://ctan.org/pkg/genindex>

name	genindex
caption	Alternative index series
author	Smith, Cameron
license	noinfo = noinfo
version	1.0

description	(no language specified) A generalisation of the LaTeX 2.09 <code>\makeindex</code> and <code>\makeglossary</code> commands to allow definition of other index series. A more thorough-going approach to this mechanism may be found in the index package, which has been adapted for modern LaTeX. The distribution contains a memo package, which uses the mechanism to define notes on a work in progress without affecting its appearance.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex209/contrib/genindex/readme
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/genindex
keyword	<code>index-multi</code> (multiple indexes in a document)
keyword	<code>index</code> (index support)
language(s)	no language specified
year	without year
last access	2025-02-07

2472 *genmpage* – Generalization of LaTeX’s minipages

Web page on CTAN	https://ctan.org/pkg/genmpage
name	<code>genmpage</code>
caption	Generalization of LaTeX’s minipages
author	Lotze, Thomas
license	lppl = The LaTeX Project Public License (free)
version	0.3.1
description	(no language specified) The GenMPage package generalizes LaTeX’s minipages. Keyval options and styles can be used to determine their appearance in an easy and consistent way. Includes options for paragraph indentation and vertical alignment with respect to the visual top and bottom margins.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/genmpage/genmpage.pdf
– local file	<code>./4388072648-genmpage.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/genmpage
on MikTeX	<code>genmpage</code>
on T _E XLive	<code>genmpage</code>

2473 gensymb – Generic symbols for both text and math mode

keyword	layout (layout of objects on the page)
keyword	boxing (creating boxes)
language(s)	no language specified
year	without year
last access	2025-02-07

2473 gensymb – Generic symbols for both text and math mode

Web page on CTAN <https://ctan.org/pkg/gensymb>

name	gensymb
caption	Generic symbols for both text and math mode
author	Schmidt, Walter A.
author	Harcombe, Keiran
copyright	Walter Schmidt (2003-2022)
copyright	Keiran Harcombe (2022)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0.2
description	(no language specified) Provides generic commands <code>\degree</code>, <code>\celsius</code>, <code>\perthousand</code>, <code>\micro</code> and <code>\ohm</code> which work both in text and maths mode. Various means are provided to fake the symbols or take them from particular symbol fonts, if they are not available in the default fonts used in the document. This should be perfectly transparent at user level, so that one can apply the same notation for units of measurement in text and math mode and with arbitrary typefaces. Note that the package has been designed to work in conjunction with units.sty. This package used to be part of the was bundle, but has now become a package in its own right.
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gensymb/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gensymb/gensymb.pdf
– local file	<code>./6126310624-gensymb.pdf</code>
contact	<i>repository</i> : https://gitlab.com/kjhtex/gensymb
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gensymb

on MikTeX	gensymb
on T _E XLive	gensymb
keyword	text-symbol (symbols for use in text)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	2022
last access	2025-02-07

2474 gentabtex – Python helper for creating tables

Web page on CTAN <https://ctan.org/pkg/gentabtex>

name	gentabtex
caption	Python helper for creating tables
author	Algaba, Manuel Gutierrez
copyright	Manuel Gutierrez Algaba (2004)
license	gpl = GNU General Public License (free)
description	(no language specified) The bundle provides a Python script that interprets a higher-level language for specifying table constraints: you write a program in that language, and the helper script emits the LaTeX code you need for your table. Strong points of the script are in balancing the width of columns in terms of the total amount of text they contain (but see also the tabulary package), and the design of sparse tables (where rather few values need to be entered).
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/support/gentabtex/gentabtex.pdf
– local file	./5505032851-gentabtex.pdf
on CTAN	https://ctan.org/tex-archive/support/gentabtex
keyword	table (table typesetting)
language(s)	no language specified
year	2004
last access	2025-02-07

2475 gentium-original – Gentium font and support files

Web page on CTAN <https://ctan.org/pkg/gentium-original>

name	gentium-original
caption	Gentium font and support files
author	Schmitz, Thomas A.
author	Miklavec, Mojca
copyright	Mojca Miklavec, Thomas A. Schmitz (2008)
license	ofl = The SIL Open Font License (free)
version	(2013-05-07)
last changes	2013-05-07
year	2013
description	(no language specified) The package includes TrueType fonts from SIL , files needed to use them in pdfTeX in multiple encodings (agr, t2a, ec/T1, texnansi, l7x, qx, t5) and support files for ConTeXt. Other encodings, and LaTeX support remain to be added. Note that development has continued with the gentium-tug bundle, rendering the present package obsolete.
documentation	(no language specified) <i>FAQ</i>: https://ctan.org/tex-archive/obsolete/fonts/gentium/doc/fonts/gentium/Gentium_1.02/GENTIUM-FAQ.txt
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/obsolete/fonts/gentium/README
on CTAN	https://ctan.org/tex-archive/obsolete/fonts/gentium
on MikTeX	gentium
keyword	obsolete (package declared obsolete)
keyword	font-ttf (font available in TrueType format)
keyword	font-multilingual (font with adaptations to several languages)
keyword	font (fonts themselves)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
last access	2025-02-07

2476 *gentium-otf* – Support Gentium fonts for LuaLaTeX and XeLaTeX

Web page on CTAN <https://ctan.org/pkg/gentium-otf>

name	gentium-otf
caption	Support Gentium fonts for LuaLaTeX and XeLaTeX
author	Voß, Herbert
copyright	Herbert Voss (2025)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.01
description	(no language specified) This package supports the free TrueType Gentium fonts from the gentium-sil package and defines missing typefaces. All font features are available via special macros. The package works only for LuaLaTeX/XeLaTeX.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/gentium-otf/doc/gentium-otf-doc.pdf
– local file	./8381110313-gentium-otf-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/gentium-otf/README.md
on CTAN	https://ctan.org/tex-archive/fonts/gentium-otf
on MikTeX	gentium-otf
on TeXLive	gentium-otf
keyword	font-cyrillic (fonts for Cyrillic and related scripts)
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font-multilingual (font with adaptations to several languages)
keyword	font-proportional (variable-spaced font)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	tagged-pdf (tagged PDF compatible)
keyword	font-ttf (font available in TrueType format)
keyword	font-serif (serif font)
keyword	font-greek (font for Greek (archaic, classical and modern))
language(s)	no language specified
year	2025

last access 2026-04-13

2477 *gentium-sil* – A complete Greek font with Latin and Cyrillic, tooWeb page on CTAN <https://ctan.org/pkg/gentium-sil>Alias *gentium*name *gentium-sil*

caption A complete Greek font with Latin and Cyrillic, too

author SIL International

license ofl = The SIL Open Font License (free)

version 6.200

description (no language specified) This is a redistribution of the original Gentium release from SIL, not altered in any way.

Gentium is a typeface family designed to enable the diverse ethnic groups around the world who use the Latin, Cyrillic and Greek scripts to produce readable, high-quality publications.

The Gentium family includes a complete Greek font, supporting both monotonic and polytonic forms. While some Greek characters do closely resemble Latin ones, it is a separate design that embraces the robust, distinctive character of the Greek script, but does so within the design context of the whole typeface. As a result, the two scripts can be successfully mixed in a paragraph or page of text.

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/fonts/gentium-sil/README.txt>documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/fonts/gentium-sil/documentation/index.html>home page <https://software.sil.org/gentium/>contact *support*: <https://software.sil.org/gentium/support/>contact *bugs*: <https://lists.tug.org/gentium>contact *repository*: <https://github.com/silnrsi/font-gentium>on CTAN <https://ctan.org/tex-archive/fonts/gentium-sil>on MikTeX *gentium-sil*on T_EXLive *gentium-sil*keyword *font-body* (font designed for use as body font for Latin-based script documents)

2478 *gentium-tug* – *Gentium fonts (in two formats) and support files*

keyword	<code>font-ttf</code> (font available in TrueType format)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font-greek</code> (font for Greek (archaic, classical and modern))
keyword	<code>font-cyrillic</code> (fonts for Cyrillic and related scripts)
keyword	<code>font-multilingual</code> (font with adaptations to several languages)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-serif</code> (serif font)
see also	see section 2476 on page 2239: (<code>gentium-otf</code> – Support Gentium fonts for LuaLaTeX and XeLaTeX)
language(s)	no language specified
year	without year
last access	2025-02-07

2478 *gentium-tug* – Gentium fonts (in two formats) and support files

Web page on CTAN <https://ctan.org/pkg/gentium-tug>

name	<code>gentium-tug</code>
caption	Gentium fonts (in two formats) and support files
author	Berry, Karl
author	Miklavec, Mojca
author	Schmitz, Thomas A.
author	Farar, Pavel
license	other-free = Free license not otherwise listed (free)
license	ofl = The SIL Open Font License (free)
version	1.102
description	(no language specified) Gentium is a typeface family designed to enable the diverse ethnic groups around the world who use the Latin, Cyrillic and Greek scripts to produce readable, high-quality publications. It supports a wide range of Latin- and Cyrillic-based alphabets. The package consists of: • The original (unaltered) GentiumPlus, GentiumBook, and other Gentium-family fonts in TrueType format, as developed by SIL and released under the OFL (see OFL.txt and OFL-FAQ.txt);

- Converted fonts in PostScript Type 1 format, released under the same terms. These incorporate the name "Gentium" by permission of SIL given to the TeX Users Group;
- LaTeX and other supporting files;
- TeX-related documentation, and the SIL documentation and other files.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/fonts/gentium-tug/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/fonts/gentium-tug/doc/gentium-tug/gentium.pdf
– local file	./5616999123-gentium.pdf
home page	https://tug.org/gentium
on CTAN	https://ctan.org/tex-archive/obsolete/fonts/gentium-tug
on MikTeX	gentium-tug
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-tlenc (font providing LaTeX T1 encoding support)
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-proportional (variable-spaced font)
keyword	font-greek (font for Greek (archaic, classical and modern))
keyword	font-ttf (font available in TrueType format)
keyword	font (fonts themselves)
keyword	font-multilingual (font with adaptations to several languages)
keyword	font-cyrillic (fonts for Cyrillic and related scripts)
keyword	font-serif (serif font)
see also	see section 2477 on page 2240: (gentium-sil – A complete Greek font with Latin and Cyrillic, too)
language(s)	no language specified
year	without year
last access	2025-02-07

2479 *gentl-gr* – Modern Greek translation of the Gentle Introduction to TeX

Web page on CTAN <https://ctan.org/pkg/gentl-gr>

name	<i>gentl-gr</i>
caption	Modern Greek translation of the Gentle Introduction to TeX
author	Filippou, Dimitrios
copyright	Dimitrios Filippou (1997-1999, 2001)
license	nosell = Do Not Sell Except by Arrangement (not free)
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/greek/gentle/gentl-gr.pdf
– local file	<code>./4323296060-gentl-gr.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/greek/gentle
keyword	<i>greek-doc</i> (documentation in Greek)
keyword	<i>tut-plaintex</i> (tutorial material for Plain TeX)
see also	see section 2480 on page 2243: (<i>gentle</i> – A Gentle Introduction to TeX)
language(s)	no language specified
year	2001
last access	2025-02-07

2480 *gentle* – A Gentle Introduction to TeX

Web page on CTAN <https://ctan.org/pkg/gentle>

name	<i>gentle</i>
caption	A Gentle Introduction to TeX
author	Doob, Michael
license	other-free = Free license not otherwise listed (free)
version	(1993-11-30)
last changes	1993-11-30
year	1993
description	(no language specified) The "Gentle Introduction" is the longest-established comprehensive free tutorial on the use of plain TeX.
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/gentle/gentle.pdf

– local file	<code>./1377823339-gentle.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/gentle
on T _E XLive	<code>gentle</code>
keyword	<code>tut-plaintex</code> (tutorial material for Plain TeX)
see also	see section 2479 on page 2243: (<code>gentl-gr</code> – Modern Greek translation of the Gentle Introduction to TeX)
language(s)	no language specified
last access	2025-02-07

2481 *gentombow* – Generate Japanese-style crop marks

Web page on CTAN <https://ctan.org/pkg/gentombow>

name	<code>gentombow</code>
caption	Generate Japanese-style crop marks
author	Yamashita, Hironobu
copyright	Hironobu Yamashita (2016-2022)
license	bsd3 = 3-clause BSD License (free)
version	(2022-09-10)
last changes	2022-09-10
year	2022
description	(no language specified) This bundle provides a LaTeX package for generating Japanese-style crop marks (called ‘tombow’ in Japanese) for practical use in self-publishing.

The bundle contains the following packages:

- `gentombow.sty` : Generate crop marks (called ‘tombow’ in Japanese) for practical use in self-publishing. It provides the core ‘tombow’ feature if not available.
- `pxgentombow.sty` : Superseded by `gentombow.sty` ; kept for compatibility only.
- `bounddvi.sty` : Set papersize special to DVI file. Can be used on LaTeX/ **pLaTeX** / **upLaTeX** (with DVI output mode) with **dvips** or **dvipdfmx** drivers.

documentation	(no language specified) <i>Documentation of the gentombow package (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/gentombow/gentombow.pdf
---------------	--

2482 *geometry* – Flexible and complete interface to document dimensions

– local file	<code>./5221301718-gentombow.pdf</code>
documentation	<i>Documentation of the gentombow package (Japanese):</i> https://ctan.org/tex-archive/macros/latex/contrib/gentombow/gentombow-ja.pdf
– local file	<code>./5829480317-gentombow-ja.pdf</code>
documentation	<i>Documentation of the bounddvi package (Japanese):</i> https://ctan.org/tex-archive/macros/latex/contrib/gentombow/bounddvi.pdf
– local file	<code>./4098270670-bounddvi.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/gentombow/README.md
documentation	(no language specified) <i>Documentation of the bounddvi package (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/gentombow/bounddvi-en.pdf
– local file	<code>./2893891407-bounddvi-en.pdf</code>
contact	<i>repository:</i> https://github.com/aminophen/gentombow
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gentombow
on MikTeX	gentombow
on T _E XLive	gentombow
keyword	japanese (support for typesetting Japanese)
keyword	layout-page (page trim marks and decorations)
keyword	page-control (select pages to be output, etc.)
language(s)	Japanese
last access	2025-02-07

2482 *geometry* – Flexible and complete interface to document dimensions

Web page on CTAN <https://ctan.org/pkg/geometry>

name	<code>geometry</code>
caption	Flexible and complete interface to document dimensions
author	The LaTeX Project Team
author	Umeki, Hideo
author	Carlisle, David
copyright	Hideo Umeki, David Carlisle (2018-2026)

copyright	Hideo Umeki (1996-2010)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	6.0 (2026-03-07)
last changes	2026-03-07
year	2026
description	(no language specified) The package provides an easy and flexible user interface to customize page layout, implementing auto-centering and auto-balancing mechanisms so that the users have only to give the least description for the page layout. For example, if you want to set each margin 2cm without header space, what you need is just <code>\usepackage[margin=2cm,nohead]{geometry}</code>. The package knows about all the standard paper sizes, so that the user need not know what the nominal ‘real’ dimensions of the paper are, just its standard name (such as <code>a4</code>, <code>letter</code>, etc.). An important feature is the package’s ability to communicate the paper size it’s set up to the output (whether via DVI <code>\specials</code> or via direct interaction with pdf(La)TeX).
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/geometry/README.md
documentation	<i>Package documentation (German)</i> : https://ctan.org/tex-archive/macros/latex/contrib/geometry/geometry-de.pdf
– local file	<code>./3328171264-geometry-de.pdf</code>
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/geometry/geometry.pdf
– local file	<code>./7020667634-geometry.pdf</code>
contact	<i>bugs</i> : https://github.com/LaTeX-Package-Repositories/geometry/issues
contact	<i>repository</i> : https://github.com/LaTeX-Package-Repositories/geometry
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/geometry
on MikTeX	<code>geometry</code>
on TeXLive	<code>geometry</code>
keyword	<code>tagged-pdf</code> (tagged PDF compatible)
keyword	<code>geometry</code> (change geometry of page layout)
see also	see section 6629 on page 5987: (<code>vmargin</code> – Set various page dimensions)

see also	see section 6384 on page 5768: (<i>typearea</i> – Set page margins)
see also	see section 2483 on page 2247: (<i>geometry-de</i> – German documentation for the <i>geometry</i> package)
language(s)	German
last access	2026-04-10

2483 *geometry-de* – German documentation for the *geometry* package

Web page on CTAN <https://ctan.org/pkg/geometry-de>

name	<i>geometry-de</i>
caption	German documentation for the <i>geometry</i> package
author	Umeki, Hideo
copyright	Hideo Umeki (1996-2010)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	5.9 (2020-01-02)
last changes	2020-01-02
year	2020
description	(no language specified) German translation of the <i>geometry</i> documentation, by Hans-Martin Haase of the University of Jena. Note: This used to be an independent package, but has become part of the main <i>geometry</i> package in January 2020.
documentation	(English) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/geometry/README.md
documentation	(German) <i>The document itself</i> : https://ctan.org/tex-archive/macros/latex/contrib/geometry/geometry-de.pdf
– local file	<code>./3328171264-geometry-de.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/geometry
on MikTeX	<i>geometry</i>
on TeXLive	<i>geometry</i>
keyword	<i>german-doc</i> (documentation in German)
keyword	<i>geometry</i> (change geometry of page layout)
keyword	<i>translation</i> (translation of material from the archive, to another language)
see also	see section 6384 on page 5768: (<i>typearea</i> – Set page margins)

see also	see section 2482 on page 2245: (<i>geometry</i> – Flexible and complete interface to document dimensions)
see also	see section 6629 on page 5987: (<i>vmargin</i> – Set various page dimensions)
language(s)	German; English
last access	2026-03-17

2484 *geomsty* – Macros used in typesetting a geometry book

Web page on CTAN <https://ctan.org/pkg/geomsty>

name	<i>geomsty</i>
caption	Macros used in typesetting a geometry book
author	Levy, Silvio
copyright	Silvio Levy (1992)
license	nocommercial = No Commercial Use (not free)
description	(no language specified) <i>Geomsty</i> is a LaTeX 2.09 document style, loosely based on the standard book and article styles. It provides: inclusion of PostScript figures, and of TeX text within figures; automatic creation of index entries and cross-references where appropriate; no need to worry about fragile commands in almost all situations; greater versatility in defining theorem-like environments; proofing aids such as version numbers and a running index.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex209/contrib/geomsty/manual.ps
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex209/contrib/geomsty/README
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/geomsty
keyword	<i>class</i> (alternative LaTeX class(es))
keyword	<i>latex209</i> (package only known to work with LaTeX 2.09)
language(s)	no language specified
year	1992
last access	2025-02-11

2485 *geophysics* – Articles for the journal *Geophysics*

Web page on CTAN <https://ctan.org/pkg/geophysics>

name	geophysics
caption	Articles for the journal <i>Geophysics</i>
author	Gildea, Stephen
copyright	Stephen Gildea (1987)
license	nosell = Do Not Sell Except by Arrangement (not free)
version	(1987-01-15)
last changes	1987-01-15
year	1987
description	(no language specified) The rules implemented are taken from "Instructions to authors", <i>Geophysics</i> , January 1986.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/geophysics.sty
keyword	latex209 (package only known to work with LaTeX 2.09)
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
last access	2025-02-11

2486 *georgian* – Support for typesetting in Georgian

Web page on CTAN <https://ctan.org/pkg/georgian>

name	georgian
caption	Support for typesetting in Georgian
author	Shoshiashvili, Levan
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.9.5
description	(no language specified) The bundle provides fonts, babel and LaTeX NFSS support, for typesetting text written in Georgian.
documentation	<i>Installation notes (English)</i> : https://ctan.org/tex-archive/language/georgian/doc/latex/georgian/geotex-en.pdf
– local file	./7311027305-geotex-en.pdf

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/georgian/README
documentation	<i>Installation notes (Georgian)</i> : https://ctan.org/tex-archive/language/georgian/doc/latex/georgian/geotex-ka.pdf
– local file	<code>./9323506848-geotex-ka.pdf</code>
on CTAN	https://ctan.org/tex-archive/language/georgian
on MikTeX	<code>georgian</code>
keyword	<code>font</code> (fonts themselves)
keyword	<code>multilingual-addon</code> (extra language ‘drivers’ for existing multilingual packages)
keyword	<code>font-nonroman</code> (fonts for “other” non-Roman scripts)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
see also	see section 390 on page 357: (<code>babel-georgian</code> – Babel support for Georgian)
language(s)	English; Georgian
year	without year
last access	2025-02-07

2487 *georgian-stanier* – A Georgian font

Web page on CTAN <https://ctan.org/pkg/georgian-stanier>

name	<code>georgian-stanier</code>
caption	A Georgian font
author	Stanier, Alan
license	<code>noinfo = noinfo</code>
version	(1994-06-17)
last changes	1994-06-17
year	1994
description	(no language specified) The package provides fonts for the Mxedruli alphabet for writing Georgian; the font is available in two shapes—upright and italic. The fonts are distributed as Metafont source; they work poorly in modern environments, and could do with expert attention (if you are interested, please contact the CTAN team for details).

documentation	(no language specified) <i>Readme about the italic shape font</i> : https://ctan.org/tex-archive/fonts/georgian/stanier/itgeorgian.README
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/georgian/stanier/README
on CTAN	https://ctan.org/tex-archive/fonts/georgian/stanier
keyword	font-nonroman (fonts for “other” non-Roman scripts)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
see also	see section 4152 on page 3757: (mxedruli – A pair of fonts for different Georgian alphabets)
language(s)	no language specified
last access	2025-02-07

2488 *geradwp* – Document class for the Cahiers du GERAD series

Web page on CTAN <https://ctan.org/pkg/geradwp>

name	geradwp
caption	Document class for the Cahiers du GERAD series
author	Hamel, Benoit
copyright	GERAD, HEC Montreal (2021-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1 (2022-04-25)
last changes	2022-04-25
year	2022
description	(no language specified) This package provides the <code>geradwp</code> class, a class based on article and compatible with LaTeX. With this class, researchers at GERAD will be able to write their working paper while complying to all the presentation standards required by the <i>Cahiers du GERAD</i> series.
documentation	<i>Package documentation (French)</i> : https://ctan.org/tex-archive/macros/latex/contrib/geradwp/geradwp-fr.pdf
– local file	<code>./6541814149-geradwp-fr.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/geradwp/README.md
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/geradwp/geradwp.pdf

2489 *german* – Support for German typography

– local file	<code>./7394483974-geradwp.pdf</code>
home page	https://www.gerad.ca/fr/papers
contact	<i>support</i> : https://www.gerad.ca/fr/publications/papers/cahiers-procedure
contact	<i>bugs</i> : https://github.com/metalogueur/geradwp/issues
contact	<i>repository</i> : https://github.com/metalogueur/geradwp
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/geradwp
on MikTeX	<code>geradwp</code>
on T _E XLive	<code>geradwp</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>doc-templ</code> (template to guide document development)
keyword	<code>misc-paper</code> (discussion/working paper (rather than journal paper))
language(s)	French
last access	2025-02-07

2489 *german* – Support for German typography

Web page on CTAN	https://ctan.org/pkg/german
name	<code>german</code>
caption	Support for German typography
author	Raichle, Bernd
license	lppl = The LaTeX Project Public License (free)
version	2.5e
description	(no language specified) Supports the old German orthography (alte deutsche Rechtschreibung).
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/language/german/gerdoc.pdf
– local file	<code>./9192258063-gerdoc.pdf</code>
documentation	(German) <i>Readme</i> : https://ctan.org/tex-archive/language/german/00readme.1st
on CTAN	https://ctan.org/tex-archive/language/german
on MikTeX	<code>german</code>

on T _E XLive	german
keyword	german (support for typesetting German)
language(s)	German
year	without year
last access	2025-02-07

2490 *germbib* – German variants of standard BibTeX styles

Web page on CTAN <https://ctan.org/pkg/germbib>

name	germbib
caption	German variants of standard BibTeX styles
author	Harders, Harald
license	other-free = Free license not otherwise listed (free)
version	(2000-08-21)
last changes	2000-08-21
year	2000
description	(no language specified) A development of the (old) <code>german.sty</code>, this bundle provides German packages, BibTeX styles and documentary examples, for writing documents with bibliographies. The author has since developed the babelbib bundle, which (he asserts) supersedes <code>germbib</code>.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/germbib/README.bibgerm
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/germbib
on MikT _E X	germbib
on T _E XLive	germbib
keyword	german (support for typesetting German)
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
last access	2025-02-07

2491 *germdoc* – A collection of documentation available in German

Web page on CTAN <https://ctan.org/pkg/germdoc>

name *germdoc*
caption A collection of documentation available in German
license collection = collection
description (no language specified) Packages covered are:

- *g-brief* ;
- *german.sty* ;
- *picinpar* ; and
- script (the predecessor of *koma-script* .

The packages are not collected in this way, on CTAN; this entry provides a convenient reference point.

keyword *collection* (a collection of packages)
keyword *german-doc* (documentation in German)
language(s) no language specified
year without year
last access 2025-02-11

2492 *germkorr* – Change kerning for German quotation marks

Web page on CTAN <https://ctan.org/pkg/germkorr>

name *germkorr*
caption Change kerning for German quotation marks
author Baumann, Timo
copyright Timo Baumann (2009)
license gpl = GNU General Public License (free)
version 1.0
description (no language specified) The package *germkorr* has to be loaded after the package *german* .

It brings some letters like T nearer to german single and double quotes even when that letter wears a standard accent like ”\T”.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/germkorr/germkorr.pdf
– local file	./6357204925-germkorr.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/germkorr/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/germkorr
on MikTeX	germkorr
on TeXLive	germkorr
keyword	quote-marks (manage (possibly language dependent) quote marks)
keyword	german (support for typesetting German)
see also	see section 2489 on page 2252: (german – Support for German typography)
language(s)	no language specified
year	2009
last access	2025-02-07

2493 *geschichtsfinkl* – BibLaTeX style for historians

Web page on CTAN	https://ctan.org/pkg/geschichtsfinkl
name	geschichtsfinkl
caption	BibLaTeX style for historians
author	Zachhuber, Jonathan
copyright	Jonathan Zachhuber (2011-2016)
license	lppl = The LaTeX Project Public License (free)
version	1.4 (2016-09-21)
last changes	2016-09-21
year	2016
description	(no language specified) The package provides a BibLaTeX style, (mostly) meeting the requirements of the History Faculty of the University of Freiburg (Germany).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/geschichtsfinkl/README

documentation	<i>Package documentation (German):</i> https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/geschichtsfrkl/geschichtsfrkl.pdf
– local file	<code>./6569049841-geschichtsfrkl.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/geschichtsfrkl
on MikTeX	<code>geschichtsfrkl</code>
on TeXLive	<code>geschichtsfrkl</code>
keyword	<code>biblatex</code> (BibLaTeX bibliography support)
keyword	<code>humanities</code> (support for studies in the humanities)
language(s)	German
last access	2025-02-07

2494 *getargs* – A flexible list-parsing macro with configurable parsing character

Web page on CTAN <https://ctan.org/pkg/getargs>

name	<code>getargs</code>
caption	A flexible list-parsing macro with configurable parsing character
author	Segletes, Steven B.
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.01 (2016-05-20)
last changes	2016-05-20
year	2016
description	(no language specified) This short package provides a flexible list-parsing macro with the ability to configure the parsing character, as well as the macro names in which the parsed list items are placed. The name of the parsing macro is <code>\getargs</code>. It is a significant improvement over similarly named macros in the same author's <code>stringstrings</code> and <code>readarray</code> packages. It is the author's intent to eventually have the parsers of those other packages point to this package, to achieve a measure of uniformity. Note: This package has been withdrawn by its author in July 2016. It will be replaced by the forthcoming <code>listofitems</code> package.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/obsolete/macros/latex/contrib/getargs/getargs.pdf

2495 *getfiledate* – Find the date of last modification of a file

– local file	<code>./8944390898-getargs.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/getargs/README
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/getargs
on MikTeX	<code>getargs</code>
keyword	<code>obsolete</code> (package declared obsolete)
keyword	<code>text-manip</code> (manipulate strings (typically in token lists))
language(s)	no language specified
last access	2025-02-07

2495 *getfiledate* – Find the date of last modification of a file

Web page on CTAN <https://ctan.org/pkg/getfiledate>

name	<code>getfiledate</code>
caption	Find the date of last modification of a file
author	Musa, Ahmed
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) The package fetches from the system the date of last modification or opening of an existing file, using the function <code>\pdffilemoddate</code> (present in recent versions of pdfTeX); the user may specify how the date is to be presented.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/getfiledate/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/getfiledate/getfiledate-guide.pdf
– local file	<code>./4855180563-getfiledate-guide.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/getfiledate
on MikTeX	<code>getfiledate</code>
on TeXLive	<code>getfiledate</code>
keyword	<code>file-mgmt</code> (TeX-related-file management)
language(s)	no language specified

year	without year
last access	2025-02-07

2496 *getitems* – Gathering items from a list-like environment

Web page on CTAN <https://ctan.org/pkg/getitems>

name	getitems
caption	Gathering items from a list-like environment
author	Hendrickson, Anders O. F.
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2016-01-11)
last changes	2016-01-11
year	2016
description	(no language specified) This package provides a <code>\gatheritems</code> command to parse a list of data separated by <code>\item</code> tokens. This makes it easier to define custom environments which structure their data in the same way that <code>itemize</code> or <code>enumerate</code> do.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/getitems/getitems.pdf
– local file	<code>./1842340317-getitems.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/getitems/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/getitems
on MikTeX	getitems
on TeXLive	getitems
keyword	macro-supp (support for development of (La)TeX macros)
keyword	text-manip (manipulate strings (typically in token lists))
language(s)	no language specified
last access	2025-02-07

2497 *getmap* – Download OpenStreetMap maps for use in documentsWeb page on CTAN <https://ctan.org/pkg/getmap>

name	getmap
caption	Download OpenStreetMap maps for use in documents
author	Kleber, Josef
copyright	Josef Kleber (2014, 2016-2019)
license	lppl = The LaTeX Project Public License (free)
version	1.11 (2019-03-25)
last changes	2019-03-25
year	2019
description	(no language specified) The package provides a simple interface to OpenStreetMap, and to Google Maps "map images". In the simplest case, it is sufficient to specify the address you need (if you don't, the package will use its own default). The package loads the map image using an external lua script (invoked via <code>\write 18</code>: LaTeX must be running with <code>\write 18</code> enabled). The ("external") lua script may be used from the command line; a bash version is provided.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/getmap/getmap.pdf
– local file	<code>./5845965607-getmap.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/getmap/README.md
home page	http://getmap.jklatex.de/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/getmap
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/getmap.tds.zip
on MikTeX	getmap
on TeXLive	getmap
keyword	cartography (map production and geographical data usage)
language(s)	no language specified
last access	2025-02-07

2498 *getoptk* – Define macros with sophisticated options

Web page on CTAN <https://ctan.org/pkg/getoptk>

name	getoptk
caption	Define macros with sophisticated options
author	Le Barbier Grünwald, Michael
copyright	Michael Le Barbier Grünwald (2011)
license	other-free = Free license not otherwise listed (free)
version	1.0
description	(no language specified) The package provides a means of defining macros whose options are taken from a dictionary, which includes options which themselves have arguments. The package was designed for use with Plain TeX; its syntax derives from that of the <code>\hbox</code>, <code>\hrule</code>, etc., TeX primitives.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/contrib/getoptk/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/plain/contrib/getoptk/guide.pdf
– local file	<code>./9098043489-guide.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/getoptk
on MikTeX	getoptk
on TeXLive	getoptk
keyword	macro-def (alternative ways of defining macros)
language(s)	no language specified
year	2011
last access	2025-02-07

2499 getrefs – BibTeX style to sort by "journal" entries of references

Web page on CTAN <https://ctan.org/pkg/getrefs>

name	getrefs
caption	BibTeX style to sort by "journal" entries of references
author	Deutscher, Stefan A.
license	other-free = Free license not otherwise listed (free)
version	(1998-11-10)
last changes	1998-11-10
year	1998
description	(no language specified) A BibTeX style file to sort entries by 'source' (e.g., journal), thus facilitating the retrieval of references from a library. A LaTeX document template is provided.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/getrefs/getrefs.txt
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/getrefs
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
last access	2025-02-07

2500 gettitlestring – Clean up title references

Web page on CTAN <https://ctan.org/pkg/gettitlestring>

name	gettitlestring
caption	Clean up title references
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2009, 2010)
copyright	Oberdiek Package Support Group (2016-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.6 (2019-12-15)
last changes	2019-12-15
year	2019

2501 *gfdl* – Support for using GNU Free Documentation License in LaTeX

description	(no language specified) Cleans up the title string (removing <code>\label</code> commands) for packages (such as nameref) that typeset such strings.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/gettitlestring/gettitlestring.pdf
– local file	<code>./6644265670-gettitlestring.pdf</code>
contact	<i>bugs:</i> https://github.com/ho-tex/gettitlestring/issues
contact	<i>repository:</i> https://github.com/ho-tex/gettitlestring
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gettitlestring
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/gettitlestring.tds.zip
on MikTeX	<code>gettitlestring</code>
on TeXLive	<code>gettitlestring</code>
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

2501 *gfdl* – Support for using GNU Free Documentation License in LaTeX

Web page on CTAN <https://ctan.org/pkg/gfdl>

name	<code>gfdl</code>
caption	Support for using GNU Free Documentation License in LaTeX
author	निरंजन
copyright	निरंजन (2022, 2023, 2025)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
license	fdl = Free Documentation License (free)
version	0.2 (2025-05-01)
last changes	2025-05-01
year	2025

description	(no language specified) The GFDL (GNU Free Documentation License) is a popular license used for programming manuals, documentations and various other textual works too, but using this license with LaTeX is not very convenient. This package aims to help users in easily using the license without violating any rules of the license. With a handful of commands, users can rest assured that their document will be perfectly licensed under GFDL.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gfdl/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gfdl/gfdl.pdf
– local file	<code>./7497500045-gfdl.pdf</code>
home page	https://puszcza.gnu.org.ua/projects/gfdl-tex
contact	<i>bugs</i> : https://puszcza.gnu.org.ua/bugs/?group=gfdl-tex
contact	<i>repository</i> : https://git.gnu.org.ua/gfdl-tex.git/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gfdl
on MikTeX	gfdl
on TeXLive	gfdl
keyword	licence-mgmt (manage application of licence information)
language(s)	no language specified
last access	2025-05-07

2502 *gfnotation* – Typeset Gottlob Frege’s notation in plain TeX

Web page on CTAN <https://ctan.org/pkg/gfnotation>

name	<code>gfnotation</code>
caption	Typeset Gottlob Frege’s notation in plain TeX
author	Wermuth, Udo
license	gpl3 = GNU General Public License, version 3 (free)
version	2.9 (2015-03-29)
last changes	2015-03-29
year	2015
description	(no language specified) The package implements macros for plain TeX to typeset the notation invented by Gottlob Frege in 1879 for his books “Begriffsschrift” and “Grundgesetze der Arithmetik” (two volumes). The output styles of both books are supported.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/contrib/gfnotation/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/plain/contrib/gfnotation/GFnotation-doc.pdf
– local file	<code>./2916944518-GFnotation-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/gfnotation
on MikTeX	gfnotation
on T _E XLive	gfnotation
keyword	logic (typesetting logician’s discussions)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

2503 *gfs* – The GFS font collection

Web page on CTAN <https://ctan.org/pkg/gfs>

name	GFS
caption	The GFS font collection
author	Tsolomitis, Antonis
author	The Greek Font Society
author	Matthiopoulos, George D.
license	other-free = Free license not otherwise listed (free)
description	(no language specified) The Greek Font Society has made a large number of fonts publicly available, and this collection reflects those that have been adapted, by Tsolomitis and others, for use with LaTeX. The collection comprises: • GFS Artemisia , a relatively modern general-purpose font; • GFS Baskerville , based on Baskerville’s classic font; • GFS Bodoni , based on Bodoni’s 19th century work; • GFS Didot , based on Didot’s 1805 font; • GFS Neo-Hellenic , a version of a font developed in Britain in the early 20th century; and

- **GFS Porson** , developed from the early 19th century font based on Porson's writing.

The fonts, except Baskerville and Porson, support the Latin alphabet as well as the Greek alphabet. Neo Hellenic has been matched to the existing **CM bright** set of mathematics fonts.

home page	http://myria.math.aegean.gr/labs/dt/
on CTAN	https://ctan.org/tex-archive/fonts/greek/gfs
keyword	font-collection (listing a set of related fonts)
keyword	font-greek (font for Greek (archaic, classical and modern))
keyword	font (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-02-07

2504 *gfsartemisia* – A modern Greek font design

Web page on CTAN <https://ctan.org/pkg/gfsartemisia>

name	GFS Artemisia
caption	A modern Greek font design
author	The Greek Font Society
author	Tsolomitis, Antonis
author	Matthiopoulos, George D.
license	other-free = Free license not otherwise listed (free)
version	1.0
description	(no language specified) GFS Artemisia is a relatively modern font, designed as a ‘general purpose’ font in the same sense as Times is nowadays treated. The present version has been provided by the Greek Font Society . The font supports the Greek and Latin alphabets. LaTeX support is provided, using the OT1, T1 and LGR encodings.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/greek/gfs/gfsartemisia/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/greek/gfs/gfsartemisia/doc/gfsartemisia.pdf
– local file	./7570230246-gfsartemisia.pdf

2505 gfsbaskerville – A Greek font, from one such by Baskerville

documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/greek/gfs/gfsartemisia/doc/ArtemisiaSpecimen.pdf
– local file	./2077640281-ArtemisiaSpecimen.pdf
home page	http://myria.math.aegean.gr/labs/dt/
on CTAN	https://ctan.org/tex-archive/fonts/greek/gfs/gfsartemisia
on MikTeX	gfsartemisia
on T _E XLive	gfsartemisia
keyword	font (fonts themselves)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-greek (font for Greek (archaic, classical and modern))
keyword	font-otf (font in OpenType format)
language(s)	no language specified
year	without year
last access	2025-02-07

2505 gfsbaskerville – A Greek font, from one such by Baskerville

Web page on CTAN	https://ctan.org/pkg/gfsbaskerville
name	GFS Baskerville
caption	A Greek font, from one such by Baskerville
author	Tsolomitis, Antonis
author	The Greek Font Society
license	other-free = Free license not otherwise listed (free)
version	1.0
description	(no language specified) The font is a digital implementation of Baskerville’s classic Greek font, provided by the Greek Font Society . The font covers Greek only, and LaTeX support provides for the use of LGR encoding.
documentation	(no language specified) <i>Font specimen, etc.</i> : https://ctan.org/tex-archive/fonts/greek/gfs/gfsbaskerville/doc/BaskervilleSpecimen.pdf
– local file	./1801823139-BaskervilleSpecimen.pdf

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/greek/gfs/gfsbaskerville/doc/gfsbaskerville.pdf
– local file	./9835942896-gfsbaskerville.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/greek/gfs/gfsbaskerville/README
home page	http://myria.math.aegean.gr/labs/dt/
on CTAN	https://ctan.org/tex-archive/fonts/greek/gfs/gfsbaskerville
on MikTeX	gfsbaskerville
on TeXLive	gfsbaskerville
keyword	font (fonts themselves)
keyword	font-greek (font for Greek (archaic, classical and modern))
keyword	font-otf (font in OpenType format)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
year	without year
last access	2025-02-07

2506 gfsbodoni – A Greek and Latin font based on Bodoni

Web page on CTAN	https://ctan.org/pkg/gfsbodoni
name	GFS Bodoni
caption	A Greek and Latin font based on Bodoni
author	Tsolomitis, Antonis
author	The Greek Font Society
license	ofl = The SIL Open Font License (free)
version	1.01
description	(no language specified) Bodoni's Greek fonts in the 18th century broke, for the first time, with the Byzantine cursive tradition of Greek fonts. GFS Bodoni resurrects his work for general use. The font family supports both Greek and Latin letters. LaTeX support of the fonts is provided, offering OT1, T1 and LGR encodings. The fonts themselves are provided in Adobe Type 1 and OpenType formats.

2507 *gfscomplutum* – A Greek font with a long history

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/greek/gfs/gfsbodoni/doc/gfsbodoni.pdf
– local file	<code>./2032306140-gfsbodoni.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/greek/gfs/gfsbodoni/README
documentation	(no language specified) <i>Font sample</i> : https://ctan.org/tex-archive/fonts/greek/gfs/gfsbodoni/doc/Bodoni_Specimen.pdf
– local file	<code>./8446966204-Bodoni_Specimen.pdf</code>
home page	http://myria.math.aegean.gr/labs/dt/
on CTAN	https://ctan.org/tex-archive/fonts/greek/gfs/gfsbodoni
on MikTeX	<code>gfsbodoni</code>
on T _E XLive	<code>gfsbodoni</code>
keyword	font (fonts themselves)
keyword	font-greek (font for Greek (archaic, classical and modern))
keyword	font-otf (font in OpenType format)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
year	without year
last access	2025-02-07

2507 *gfscomplutum* – A Greek font with a long history

Web page on CTAN <https://ctan.org/pkg/gfscomplutum>

name	GFS Complutum
caption	A Greek font with a long history
author	Matthiopoulos, George D.
author	Tsolomitis, Antonis
license	ofl = The SIL Open Font License (free)
version	1.0
description	(no language specified) GFS Complutum derives, via a long development, from a minuscule-only font cut in the 16th century. An unsatisfactory set of majuscules were added in the early 20th century, but its author died before he could complete the revival of the font. The Greek Font Society has released this version, which has a new set of majuscules.

2508 *gfsdidot* – A Greek font based on Didot’s work

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/greek/gfs/gfscomplutum/doc/gfscomplutum.pdf
– local file	<code>./8539237812-gfscomplutum.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/greek/gfs/gfscomplutum/README
documentation	(no language specified) <i>Font sample</i> : https://ctan.org/tex-archive/fonts/greek/gfs/gfscomplutum/doc/ComplutumSpecimen.pdf
– local file	<code>./3011490465-ComplutumSpecimen.pdf</code>
home page	http://myria.math.aegean.gr/labs/dt/
on CTAN	https://ctan.org/tex-archive/fonts/greek/gfs/gfscomplutum
on MikTeX	<code>gfscomplutum</code>
on TeXLive	<code>gfscomplutum</code>
keyword	<code>font-greek</code> (font for Greek (archaic, classical and modern))
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
language(s)	no language specified
year	without year
last access	2025-02-07

2508 *gfsdidot* – A Greek font based on Didot’s work

Web page on CTAN <https://ctan.org/pkg/gfsdidot>

name	<code>GFSDidot</code>
caption	A Greek font based on Didot’s work
author	Aubord, Alain
author	The Greek Font Society
author	Matthiopoulos, George D.
author	Tsolomitis, Antonis
license	other-free = Free license not otherwise listed (free)
version	(2023-12-13)

last changes	2023-12-13
year	2023
description	(no language specified) The design of Didot’s 1805 Greek typeface was influenced by the neoclassical ideals of the late 18th century. The font was brought to Greece at the time of the 1821 Greek Revolution, by Didot’s son, and was very widely used. The present version is provided by the Greek Font Society . The font supports the Greek alphabet, and is accompanied by a matching Latin alphabet based on Zapf’s Palatino. LaTeX support is provided, using the OT1, T1, TS1, and LGR encodings.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/greek/gfs/gfsdidot/README
documentation	(no language specified) <i>Font sample</i> : https://ctan.org/tex-archive/fonts/greek/gfs/gfsdidot/doc/DidotSpecimen.pdf
– local file	<code>./7158045218-DidotSpecimen.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/greek/gfs/gfsdidot/doc/GFSDidot-LaTeX-Guide.pdf
– local file	<code>./6363395311-GFSDidot-LaTeX-Guide.pdf</code>
home page	http://myria.math.aegean.gr/labs/dt/
on CTAN	https://ctan.org/tex-archive/fonts/greek/gfs/gfsdidot
on MikTeX	<code>gfsdidot</code>
on T _E XLive	<code>gfsdidot</code>
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-multilingual</code> (font with adaptations to several languages)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-t1enc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font-greek</code> (font for Greek (archaic, classical and modern))
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
language(s)	no language specified
last access	2025-02-07

2509 gfsdidotclassic – The classic version of GFSDidot

Web page on CTAN <https://ctan.org/pkg/gfsdidotclassic>

name	GFSDidotClassic
caption	The classic version of GFSDidot
author	Tsolomitis, Antonis
copyright	George Matthiopoulos (1995)
license	ofl = The SIL Open Font License (free)
version	001.001
description	(no language specified) The classic version of GFSDidot provided for Unicode TeX engines.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/greek/gfs/gfsdidotclassic/README
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/greek/gfs/gfsdidotclassic/GFS_Didot_Classic_Specimen.pdf
– local file	./9869453425-GFS_Didot_Classic_Specimen.pdf
on CTAN	https://ctan.org/tex-archive/fonts/greek/gfs/gfsdidotclassic
on MikTeX	gfsdidotclassic
on TeXLive	gfsdidotclassic
keyword	font-otf (font in OpenType format)
keyword	font (fonts themselves)
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font-greek (font for Greek (archaic, classical and modern))
language(s)	no language specified
year	1995
last access	2025-02-07

2510 *gfsneohellenic* – A font in the Neo-Hellenic style

Web page on CTAN <https://ctan.org/pkg/gfsneohellenic>

name	GFS NeoHellenic
caption	A font in the Neo-Hellenic style
author	The Greek Font Society
author	Tsolomitis, Antonis
license	other-free = Free license not otherwise listed (free)
version	1.02 (2022-07-20)
last changes	2022-07-20
year	2022
description	(no language specified) The NeoHellenic style evolved in academic circles in the 19th and 20th century; the present font follows a cut commissioned from Monotype in 1927. The present version was provided by the Greek Font Society . The font supports both Greek and Latin characters, and has been adjusted to work well with the cmbright fonts for mathematics support. LaTeX support of the fonts is provided, offering OT1, T1 and LGR encodings.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/greek/gfs/gfsneohellenic/README
documentation	(no language specified) <i>Font details and sample</i> : https://ctan.org/tex-archive/fonts/greek/gfs/gfsneohellenic/doc/NeohellenicSpecimen.pdf
– local file	./4682550436-NeohellenicSpecimen.pdf
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/greek/gfs/gfsneohellenic/doc/GFSNeohellenic-Guide-for-Latex.pdf
– local file	./8215264178-GFSNeohellenic-Guide-for-Latex.pdf
home page	http://myria.math.aegean.gr/labs/dt/
on CTAN	https://ctan.org/tex-archive/fonts/greek/gfs/gfsneohellenic
on MikTeX	gfsneohellenic
on TeXLive	gfsneohellenic
keyword	font (fonts themselves)
keyword	font-greek (font for Greek (archaic, classical and modern))

keyword font-otf (font in OpenType format)
 language(s) no language specified
 last access 2025-02-07

2511 gfsneohellenicmath – A math font in the Neo-Hellenic style

Web page on CTAN <https://ctan.org/pkg/gfsneohellenicmath>

name GFSNeohellenicMath

caption A math font in the Neo-Hellenic style

author Tsolomitis, Antonis

license ofl = The SIL Open Font License (free)

version 1.02 (2022-07-18)

last changes 2022-07-18

year 2022

description (no language specified) The GFSNeohellenic font, a historic font first designed by Victor Scholderer, and digitized by George Matthiopoulos of the Greek Font Society (GFS), now has native support for Mathematics.

The project was commissioned to GFS by the Department of Mathematics of the University of the Aegean, Samos, Greece. The Math Table was constructed by the Mathematics Professor A. Tsolomitis. A useful application is in beamer documents since this is a Sans Math font.

The GFSNeohellenic fontfamily supports many languages (including Greek), and it is distributed (both text and math) under the OFL license.

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/fonts/gfsneohellenicmath/README>

on CTAN <https://ctan.org/tex-archive/fonts/gfsneohellenicmath>

on MikTeX gfsneohellenicmath

on T_EXLive gfsneohellenicmath

keyword font-maths (fonts for use in mathematics)

keyword font-otf (font in OpenType format)

keyword font-greek (font for Greek (archaic, classical and modern))

keyword font-type1 (font available in Adobe Type 1 format)

keyword maths (support for typesetting mathematics)

keyword font (fonts themselves)

2512 *gfsporson* – A Greek font, originally from Porson

language(s) no language specified
last access 2025-02-07

2512 *gfsporson* – A Greek font, originally from Porson

Web page on CTAN <https://ctan.org/pkg/gfsporson>

name GFS Porson
caption A Greek font, originally from Porson
author Tsolomitis, Antonis
author The Greek Font Society
license other-free = Free license not otherwise listed (free)
version 1.01
description (no language specified) Porson is an elegant Greek font, originally cut at the turn of the 19th Century in England. The present version has been provided by the [Greek Font Society](#) .

The font supports the Greek alphabet only. LaTeX support is provided, using the LGR encoding.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/fonts/greek/gfs/gfsporson/README>
documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/fonts/greek/gfs/gfsporson/doc/gfsporson.pdf>
– local file ./4768894482-gfsporson.pdf
home page <http://myria.math.aegean.gr/labs/dt/>
on CTAN <https://ctan.org/tex-archive/fonts/greek/gfs/gfsporson>
on MikTeX gfsporson
on T_EXLive gfsporson
keyword font (fonts themselves)
keyword font-greek (font for Greek (archaic, classical and modern))
keyword font-type1 (font available in Adobe Type 1 format)
keyword font-otf (font in OpenType format)
language(s) no language specified
year without year
last access 2025-02-07

2513 *gfssolomos* – A Greek-alphabet font

Web page on CTAN <https://ctan.org/pkg/gfssolomos>

name	GFS Solomos
caption	A Greek-alphabet font
author	Tsolomitis, Antonis
license	ofl = The SIL Open Font License (free)
version	1.0
description	(no language specified) Solomos is a font which traces its descent from a calligraphically-inspired font of the mid-19th century. LaTeX support, for use with the LGR encoding only, is provided.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/greek/gfs/gfssolomos/doc/gfssolomos.pdf
– local file	./8758891429-gfssolomos.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/greek/gfs/gfssolomos/README
home page	http://myria.math.aegean.gr/labs/dt/
on CTAN	https://ctan.org/tex-archive/fonts/greek/gfs/gfssolomos
on MikTeX	gfssolomos
on T _E XLive	gfssolomos
keyword	font (fonts themselves)
keyword	font-greek (font for Greek (archaic, classical and modern))
keyword	font-otf (font in OpenType format)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
year	without year
last access	2025-02-07

2514 ghab – Typeset ghab boxes in LaTeX

Web page on CTAN <https://ctan.org/pkg/ghab>

name	ghab
caption	Typeset ghab boxes in LaTeX
author	bidi-tex GitHub Organisation
author	Khalighi, Vafa
copyright	Persian TeX Group (2011-2013)
license	lppl = The LaTeX Project Public License (free)
version	0.5
description	(no language specified) The package defines a command <code>\darghab</code> that will typeset its argument in a box with a decorated frame. The width of the box may be set using an optional argument.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ghab/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ghab/ghab-doc.pdf
– local file	<code>./8552761743-ghab-doc.pdf</code>
contact	<i>bugs</i> : https://github.com/bidi-tex/ghab/issues
contact	<i>repository</i> : https://github.com/bidi-tex/ghab
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ghab
on MikTeX	ghab
on TeXLive	ghab
keyword	boxing (creating boxes)
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
language(s)	no language specified
year	2013
last access	2025-02-09

2515 ghostscript – Freely available PostScript interpreter

Web page on CTAN <https://ctan.org/pkg/ghostscript>

name	ghostscript
caption	Freely available PostScript interpreter
author	Deutsch, L. Peter
license	collection = collection
description	(no language specified) Ghostscript is a freely available PostScript interpreter which is available for many platforms. It is a near-essential complement to a TeX installation, used in many utilities, including PostScript/PDF viewers such as gv and GSview . Ghostscript is no longer held on CTAN: please see the home page for downloads.
home page	http://www.ghostscript.com/
keyword	graphics-prep (prepare graphics for use with *TeX)
language(s)	no language specified
year	without year
last access	2025-02-11

2516 ghsystem – Globally harmonised system of chemical (etc) naming

Web page on CTAN <https://ctan.org/pkg/ghsystem>

name	ghsystem
caption	Globally harmonised system of chemical (etc) naming
author	Niederberger, Clemens
copyright	Clemens Niederberger (2011-2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	4.8c (2020-02-17)
last changes	2020-02-17
year	2020
description	(no language specified) The package provides the means to typeset all the hazard and precautionary statements and pictograms in a straightforward way. The statements are taken from EU regulation 1272/2008.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ghsystem/ghsystem-manual.pdf
– local file	<code>./6150108124-ghsystem-manual.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ghsystem/README
contact	<i>repository</i> : https://github.com/cgnieder/ghsystem/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ghsystem
on MikTeX	ghsystem
on TeXLive	ghsystem
keyword	chemistry (chemistry document support)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

2517 *gi-handout* – A LaTeX class for typesetting GI publications

Web page on CTAN	https://ctan.org/pkg/gi-handout
name	gi-handout
caption	A LaTeX class for typesetting GI publications
author	Hilbig, André
author	Heyder, Frederick
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.99
description	(no language specified) This class provides a layout for publications of the Gesellschaft für Informatik e.V. (GI), following its corporate design.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gi-handout/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gi-handout/gi-handout-doc.pdf
– local file	<code>./3456509400-gi-handout-doc.pdf</code>
contact	<i>repository</i> : https://git.uni-wuppertal.de/ddi/material/gi-handout

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gi-handout
keyword	doc-templ (template to guide document development)
see also	see section 3500 on page 3163: (<code>lni</code> – Official class for the “Lecture Notes in Informatics”)
language(s)	no language specified
year	without year
last access	2026-04-01

2518 *gillcm* – Alternative unslanted italic Computer Modern fonts

Web page on CTAN	https://ctan.org/pkg/gillcm
name	<code>gillcm</code>
caption	Alternative unslanted italic Computer Modern fonts
author	Veytsman, Boris
copyright	Boris Veytsman (2010)
license	bsd = BSD Style License (free)
version	1.1
description	(no language specified) This is a demonstration of the use of virtual fonts for unusual effects: the package implements an old idea of Eric Gill. The package was written for the author’s talk at TUG 2010.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/gillcm/README
documentation	(no language specified) <i>Sample of the fonts</i> : https://ctan.org/tex-archive/fonts/gillcm/sample.pdf
– local file	<code>./1902919063-sample.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/gillcm/gillcm.pdf
– local file	<code>./8068336083-gillcm.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/gillcm
installation	https://ctan.org/tex-archive/install/fonts/gillcm.tds.zip
on MikTeX	<code>gillcm</code>
on T _E XLive	<code>gillcm</code>

keyword	font-virtual (virtual font(s) using existing fonts)
language(s)	no language specified
year	2010
last access	2026-04-10

2519 *gillius* – Gillius fonts with LaTeX support

Web page on CTAN <https://ctan.org/pkg/gillius>

name	gillius
caption	Gillius fonts with LaTeX support
author	Tennent, Bob
license	gpl2+ = GNU General Public License, version 2 or newer (free)
license	lppl = The LaTeX Project Public License (free)
version	(2022-10-30)
last changes	2022-10-30
year	2022
description	(no language specified) This package provides LaTeX, pdfLaTeX, XeLaTeX and LuaLaTeX support for the Gillius and Gillius No. 2 families of sans serif fonts and condensed versions of them, designed by Hirwen Harendal. According to the designer, the fonts were inspired by Gill Sans.
documentation	(no language specified) <i>Gillius No. 2 font samples</i> : https://ctan.org/tex-archive/fonts/gillius/doc/gillius2-samples.pdf
– local file	./4228450227-gillius2-samples.pdf
documentation	(no language specified) <i>Gillius font samples</i> : https://ctan.org/tex-archive/fonts/gillius/doc/gillius-samples.pdf
– local file	./7130668178-gillius-samples.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/gillius/README
home page	http://arkandis.tuxfamily.org/adffonts.html
on CTAN	https://ctan.org/tex-archive/fonts/gillius
installation	https://ctan.org/tex-archive/install/fonts/gillius.tds.zip
on MikTeX	gillius
on T _E XLive	gillius

keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font-t1enc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font-sans</code> (sans-serif font)
keyword	<code>font</code> (fonts themselves)
language(s)	no language specified
last access	2025-02-10

2520 *gincldtex* – Include TeX files as graphics (.tex support for \includegraphics)

Web page on CTAN <https://ctan.org/pkg/gincldtex>

name	<code>gincldtex</code>
caption	Include TeX files as graphics (.tex support for \includegraphics)
author	Scharrer, Martin
copyright	Martin Scharrer (2009)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.3
description	(no language specified) The package builds on the standard LaTeX packages <code>graphics</code> and/or <code>graphicx</code> and allows external LaTeX source files to be included, in the same way as graphic files, by <code>\includegraphics</code>. In effect, then package adds support for the <code>.tex</code> extension. Some of the lower level operations like clipping and trimming are implemented using the <code>adjustbox</code> package which includes native pdfLaTeX support and uses the <code>pgf</code> package for other output formats.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gincldtex/gincldtex.pdf
– local file	<code>./9887757344-gincldtex.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gincldtex/README
home page	https://github.com/MartinScharrer/gincldtex

contact	<i>bugs</i> : https://github.com/MartinScharrer/gincltex/issues
contact	<i>repository</i> : https://github.com/MartinScharrer/gincltex.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gincltex
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/gincltex.tds.zip
on MikTeX	gincltex
on TeXLive	gincltex
keyword	graphics (graphics (support packages))
keyword	listing (computer code listing)
language(s)	no language specified
year	2009
last access	2025-02-07

2521 *gindex* – Formatting indexes

Web page on CTAN <https://ctan.org/pkg/gindex>

name	gindex
caption	Formatting indexes
author	Bezos López, Javier
copyright	Javier Bezos (2019)
license	mit = MIT License (free)
version	0.2 (2019-10-07)
last changes	2019-10-07
year	2019
description	(no language specified) This package provides a way to generate the format of index entries from within LaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gindex/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gindex/gindex.pdf
– local file	./4234916497-gindex.pdf
home page	http://www.texnia.com

contact	repository: https://github.com/jbezos/gindex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gindex
on MikTeX	gindex
on TeXLive	gindex
keyword	index (index support)
keyword	index-proc (process and/or generate index material)
language(s)	no language specified
last access	2025-02-07

2522 *ginpenc* – Modification of *inputenc* for German

Web page on CTAN <https://ctan.org/pkg/ginpenc>

name	ginpenc
caption	Modification of <i>inputenc</i> for German
author	Harders, Harald
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) If the inputenc is used and German umlauts are input directly, they are converted to the LICR representation <code>\a</code> (etc.). This breaks the sort algorithm of makeindex , for instance. <i>Ginpenc</i> converts umlauts and the sharp-s to the short forms defined by babel , e.g., <code>\a</code> instead, if the text is typeset in German.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ginpenc/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ginpenc/ginpenc.pdf
– local file	<code>./7977963406-ginpenc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ginpenc
on MikTeX	ginpenc
on TeXLive	ginpenc
keyword	inputenc (input encoding support for TeX engines)
language(s)	no language specified
year	without year

last access 2025-02-07

2523 *git-latexdiff* – Call *latexdiff* on two Git revisions of a file

Web page on CTAN <https://ctan.org/pkg/git-latexdiff>

name	<code>git-latexdiff</code>
caption	Call <i>latexdiff</i> on two Git revisions of a file
author	Moy, Matthieu
copyright	Matthieu Moy (2020)
license	bsd2 = Simplified BSD License (free)
version	1.6.0
description	(no language specified) <i>git-latexdiff</i> is a tool to graphically visualize differences between different versions of a LaTeX file. Technically, it is a wrapper around <i>git</i> and <i>latexdiff</i> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/git-latexdiff/README.md
home page	https://gitlab.com/git-latexdiff/git-latexdiff
on CTAN	https://ctan.org/tex-archive/support/git-latexdiff
on MikTeX	<code>git-latexdiff</code>
on TeXLive	<code>git-latexdiff</code>
keyword	<code>version-control</code> (version control details)
keyword	<code>doc-mgmt</code> (support for keeping track of document development)
language(s)	no language specified
year	2020
last access	2025-02-07

2524 gitfile-info – Get git metadata for a specific file

Web page on CTAN <https://ctan.org/pkg/gitfile-info>

name	gitfile-info
caption	Get git metadata for a specific file
author	Hilbig, André
copyright	André Hilbig (2016-2019)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.5 (2019-08-21)
last changes	2019-08-21
year	2019
description	(no language specified) If you are using git to control versions of LaTeX-files, you may want to show yourself or other users or devs the current version of the file, information about the author and last edited date. All packages for git known make that kind of information available for the whole repository. But sometimes you have a lot of files within the same repository in different versions, from different authors etc. Perhaps you also split up a big project in small files and want to show within the document who had edited what. This package gives you the opportunity to do so.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/support/gitfile-info/gitfile-info.pdf
– local file	./4529867212-gitfile-info.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/gitfile-info/README
on CTAN	https://ctan.org/tex-archive/support/gitfile-info
on MikTeX	gitfile-info
on T _E XLive	gitfile-info
keyword	version-control (version control details)
see also	see section 2527 on page 2288: (gitinfo2 – Access metadata from the git distributed version control system)
language(s)	no language specified
last access	2025-02-07

2525 gitinfo – Access metadata from the git distributed version control system

Web page on CTAN <https://ctan.org/pkg/gitinfo>

name	gitinfo
caption	Access metadata from the git distributed version control system
author	The LaTeX Project Team
author	Longborough, Brent
copyright	Brent Longborough (2011)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The package makes it possible to incorporate <code>git</code> version control metadata into documents. For <code>memoir</code> users, the package provides the means to tailor page headers and footers to use the metadata. Note this version is now deprecated, but is kept on the archive, <i>pro tem</i>, for continuity for existing users. All new repositories should use <code>gitinfo2</code>.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gitinfo/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gitinfo/gitinfo.pdf
– local file	./4035103128-gitinfo.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gitinfo
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/gitinfo.tds.zip
on MikTeX	gitinfo
on TeXLive	gitinfo
keyword	version-control (version control details)
keyword	doc-mgmt (support for keeping track of document development)
language(s)	no language specified
year	2011
last access	2025-02-07

2526 gitinfo-lua – Display git project information in your LaTeX projects

Web page on CTAN <https://ctan.org/pkg/gitinfo-lua>

name	gitinfo-lua
caption	Display git project information in your LaTeX projects
author	Nijenhuis, Erik
copyright	E. Nijenhuis (2023-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2.0
description	(no language specified) This project aims to display git project information in PDF documents. It is mostly written in Lua for executing the <code>git</code> commands, thereby making this package only applicable for LuaLaTeX with shell escape enabled. If LuaLaTeX isn't working for you, you could try gitinfo2 instead. For LaTeX, a set of standard macros is provided for displaying basic information or setting the project directory, and a set of advanced macros for formatting commits and tags.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/luatex/latex/gitinfo-lua/doc/gitinfo-lua.pdf
– local file	<code>./8088681607-gitinfo-lua.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/luatex/latex/gitinfo-lua/README.md
contact	<i>bugs</i> : https://github.com/Xerdi/gitinfo-lua/issues
contact	<i>repository</i> : https://github.com/Xerdi/gitinfo-lua
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/gitinfo-lua
on MikTeX	gitinfo-lua
on TeXLive	gitinfo-lua
keyword	luatex (LuaTeX and packages that require it)
keyword	doc-mgmt (support for keeping track of document development)
keyword	version-control (version control details)
language(s)	no language specified
year	2024
last access	2025-02-09

2527 gitinfo2 – Access metadata from the git distributed version control systemWeb page on CTAN <https://ctan.org/pkg/gitinfo2>

name	gitinfo2
caption	Access metadata from the git distributed version control system
author	The LaTeX Project Team
author	Longborough, Brent
copyright	Brent Longborough (2014-2015)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.0.7 (2015-11-22)
last changes	2015-11-22
year	2015
description	(no language specified) The package makes it possible to incorporate git version control metadata into documents. For memoir users, the package provides the means to tailor page headers and footers to use the metadata. gitinfo2 is a new release of gitinfo. The changes to version 2 are not backward-compatible, and the package name has been changed to avoid impact on existing users' repositories. All new repositories should use this version of the package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gitinfo2/gitinfo2.pdf
– local file	./7283903267-gitinfo2.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gitinfo2/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gitinfo2
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/gitinfo2.tds.zip
on MikTeX	gitinfo2
on T _E XLive	gitinfo2
keyword	doc-mgmt (support for keeping track of document development)
keyword	version-control (version control details)
language(s)	no language specified
last access	2025-02-07

2528 gitlog – Typesetting git changelogs

Web page on CTAN <https://ctan.org/pkg/gitlog>

name	gitlog
caption	Typesetting git changelogs
author	The LaTeX Project Team
author	Longborough, Brent
copyright	Brent Longborough (2015)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.0.beta (2015-11-22)
last changes	2015-11-22
year	2015
description	(no language specified) This package allows git change log history to be incorporated into LaTeX documents; the log data is obtained from the git distributed version control system. The current release (0.0.beta) is a proof-of-concept release to allow users an early evaluation and to attract ideas and support. Requests and suggestions, as well as code contributions are welcome.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gitlog/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gitlog/gitlog.pdf
– local file	./6539586250-gitlog.pdf
contact	<i>repository</i> : https://github.com/Hightor/gitlog/tree/develop
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gitlog
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/gitlog.tds.zip
on MikTeX	gitlog
on TeXLive	gitlog
keyword	doc-mgmt (support for keeping track of document development)
keyword	version-control (version control details)
language(s)	no language specified
last access	2025-02-07

2529 *gitstatus* – Include Git information in the document as watermark or via variables

Web page on CTAN <https://ctan.org/pkg/gitstatus>

name	gitstatus
caption	Include Git information in the document as watermark or via variables
author	Gruber, Maximilian
copyright	Maximilian Gruber (2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2022-10-06)
last changes	2022-10-06
year	2022
description	(no language specified) If your LaTeX-document is version-controlled with git, you might encounter situations, where you want to include some information of your git-repository into your LaTeX-document- e.g. to keep track on who gave you feedback on which version of your document. This git-information can be included on every page by a watermark or (for custom needs) via provided variables.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gitstatus/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gitstatus/gitstatus.pdf
– local file	./9193882349-gitstatus.pdf
home page	https://github.com/mgrub/gitstatus
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gitstatus
on MikTeX	gitstatus
on T _E XLive	gitstatus
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
keyword	watermark (separate printing, under (or over) the page as a whole)
language(s)	no language specified
last access	2025-02-07

2530 *gitver* – Get the current git hash of a project and typeset it in the document

Web page on CTAN <https://ctan.org/pkg/gitver>

name	gitver
caption	Get the current git hash of a project and typeset it in the document
author	Baynham, Charles
copyright	Charles Baynham (2019-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.4 (2022-07-16)
last changes	2022-07-16
year	2022
description	(no language specified) This package will get a description of the current git version of the document and store it in a command <code>\gitVer</code>. If memoir or fancyhdr are in use, it will also add this to the document footers unless the option "noheader" is passed. The package also defines a command <code>\versionBox</code> which outputs a box containing the version and date of compilation. The package requires hyperref, catchfile, pdfdoccmds, and datetime.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gitver/gitver.pdf
– local file	./1183253956-gitver.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gitver/README.md
contact	<i>bugs</i> : https://github.com/charlesbaynham/gitver/issues
contact	<i>repository</i> : https://github.com/charlesbaynham/gitver
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gitver
on MikTeX	gitver
on TeXLive	gitver
keyword	doc-mgmt (support for keeping track of document development)
keyword	version-control (version control details)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

2531 gkpmac – The macros used in "Concrete Mathematics"Web page on CTAN <https://ctan.org/pkg/gkpmac>

name	gkpmac
caption	The macros used in "Concrete Mathematics"
author	Knuth, Donald E.
license	knuth = Knuth License (free)
description	(no language specified) The macros seem to have been updated since the book was published, but the changes are very small, in some cases merely of notation.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/gkpmac.tex
on MikTeX	plain
on T _E XLive	plain
keyword	font-use (font selection, mapping, etc.)
language(s)	no language specified
year	without year
last access	2025-02-11

2532 gl-tree – Linguistic trees with a preprocessorWeb page on CTAN <https://ctan.org/pkg/gl-tree>

name	gl-tree
caption	Linguistic trees with a preprocessor
author	Lee, Greg
license	pd = Public Domain Software (free)
version	1.1
description	(no language specified) Trees are described by a <code>\tree</code> command followed by a parenthesised outline of the tree to be typeset. Possible output includes TeX commands, possibly using PostScript <code>\special s</code> to do the more difficult things (like sloped lines). The preprocessors are specified (mostly) as lex tables; a Makefile is provided.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/graphics/tree/README
on CTAN	https://ctan.org/tex-archive/graphics/tree

keyword	tree (mechanisms for drawing trees)
language(s)	no language specified
year	without year
last access	2025-02-07

2533 *gladtex* – LaTeX equations in HTML

Web page on CTAN <https://ctan.org/pkg/gladtex>

name	GladTeX
caption	LaTeX equations in HTML
author	Humenda, Sebastian
author	Gulbrandsen, Martin G.
copyright	Sebastian Humenda (2013-2016)
copyright	Jonathan Daugherty (2011-2013)
copyright	Martin G. Gulbrandsen (1999-2010)
license	lgpl3 = GNU Lesser General Public License 3 (free)
version	3.0.0
description	(no language specified) GladTeX is a utility that enables LaTeX equations within HTML code. You write HTML code as usual, but in addition you can include equations within the special tags <code><EQ>...</EQ></code>, as if within <code>\$\$...\$\$</code> in LaTeX. Then you run <code>gladtex</code>, which replaces the equations by images. Features include image alignment (baseline of equations agree with baseline of text), GIF and PNG support, transparent backgrounds and antialiasing. Additionally, GladTeX can aid the creation of accessible documents for the blind by providing the LaTeX equation in the <code>alt</code> attribute of an image. It also comes with a library which allows embedding GladTeX into other applications.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/support/gladtex/README.md
contact	<i>repository</i> : http://humenda.github.io/GladTeX
on CTAN	https://ctan.org/tex-archive/support/gladtex
keyword	cvt-html (generate HTML from TeX-ish sources)
language(s)	no language specified
year	2016
last access	2025-02-07

2534 *gleitobjekte* – Tutorial from a DANTE meeting in November 1997

Web page on CTAN <https://ctan.org/pkg/gleitobjekte>

name	gleitobjekte
caption	Tutorial from a DANTE meeting in November 1997
author	Reichert, Axel
license	noinfo = noinfo
version	(1998-02-16)
last changes	1998-02-16
year	1998
description	(no language specified) The script of a tutorial held at the November 1997 DANTE meeting. Topics covered include floats and their placement, captions, inclusion of graphics, lettering of graphics, layout of tables and large amounts of numerical data.
documentation	(no language specified) <i>The script itself</i> : https://ctan.org/tex-archive/info/german/gleitobjekte/gleitobjekte.pdf
– local file	./4607901736-gleitobjekte.pdf
on CTAN	https://ctan.org/tex-archive/info/german/gleitobjekte
keyword	german-doc (documentation in German)
language(s)	no language specified
last access	2025-02-07

2535 *glhyph* – Hyphenation patterns for Galician

Web page on CTAN <https://ctan.org/pkg/glhyph>

name	glhyph
caption	Hyphenation patterns for Galician
author	Música de Rivera, Javier
copyright	Javier Música (2006, 2007)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.4

description	(no language specified) Development of the patterns was based on the schema developed by Javier Bezos for the CervanTeX patterns for Spanish. The package includes a script for generating UTF-8 patterns, and UTF-8 patterns themselves (which patterns are also now part of hyph-utf8).
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/language/hyphenation/glhyph/README
on CTAN	https://ctan.org/tex-archive/language/hyphenation/glhyph
on MikTeX	glhyph
on T _E XLive	hyphen-spanish
keyword	hyphenation (macros or tables for hyphenation)
language(s)	no language specified
year	2007
last access	2025-02-07

2536 *glmatrix* – Macros for linear algebra calculations using scalars, vectors, and matrices

Web page on CTAN <https://ctan.org/pkg/glmatrix>

name	glmatrix
caption	Macros for linear algebra calculations using scalars, vectors, and matrices
author	Warnking, Rene
copyright	Rene Warnking (2026)
license	bsd3 = 3-clause BSD License (free)
version	1.0.0
description	(no language specified) This package provides macros for linear algebra calculations with scalars, vectors, and matrices. Its structure is based on the JavaScript library <i>glmatrix.js</i> , and it similarly provides several convenience functions often used in computer graphics contexts, like creating a translation matrix.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/glmatrix/glmatrix-doc.pdf
– local file	./3780407071-glmatrix-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/glmatrix/README.txt

contact	<i>bugs:</i> https://github.com/rwarnking/glmatrix.tex/issues
contact	<i>repository:</i> https://github.com/rwarnking/glmatrix.tex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/glmatrix
on MikTeX	glmatrix
on TeXLive	glmatrix
keyword	calculation (perform calculations within TeX)
keyword	maths (support for typesetting mathematics)
keyword	teaching (support for teachers and teaching administrators)
keyword	matrix (typeset matrices)
language(s)	no language specified
year	2026
last access	2026-04-14

2537 *globalvals* – Declare global variables

Web page on CTAN <https://ctan.org/pkg/globalvals>

name	globalvals
caption	Declare global variables
author	Baynham, Charles
copyright	Charles Baynham (2019)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1 (2019-02-06)
last changes	2019-02-06
year	2019
description	(no language specified) This package allows the user to declare a variable which can then be used anywhere else in a document, including before it was declared.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/globalvals/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/globalvals/globalvals.pdf
– local file	./5774117445-globalvals.pdf

2538 *glonti* – Virtual fonts for T2A-encoded fonts

home page	https://github.com/charlesbaynham/globalvals
contact	<i>bugs:</i> https://github.com/charlesbaynham/globalvals/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/globalvals
on MikTeX	globalvals
on TeXLive	globalvals
keyword	misc-support (miscellaneous support stuff)
language(s)	no language specified
last access	2025-02-07

2538 *glonti* – Virtual fonts for T2A-encoded fonts

Web page on CTAN <https://ctan.org/pkg/glonti>

name	<i>glonti</i>
caption	Virtual fonts for T2A-encoded fonts
author	Glonti, Nana
license	noinfo = noinfo
version	1.0
description	(no language specified) The package ‘makes’ a T2A-encoded font family from the cm and the cmcyr fonts, by means of a set of virtual fonts.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/cyrillic/glonti/README
on CTAN	https://ctan.org/tex-archive/fonts/cyrillic/glonti
on MikTeX	<i>glonti</i>
keyword	font-cyrillic (fonts for Cyrillic and related scripts)
keyword	font-virtual (virtual font(s) using existing fonts)
keyword	font (fonts themselves)
see also	see section 3416 on page 3081 : (lh – Cyrillic fonts that support LaTeX standard encodings)
language(s)	no language specified
year	without year
last access	2025-02-07

2539 *glosmathtools* – Mathematical nomenclature tools based on the glossaries package

Web page on CTAN <https://ctan.org/pkg/glosmathtools>

name	glosmathtools
caption	Mathematical nomenclature tools based on the glossaries package
author	Gagnon, Francis
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.0 (2020-03-26)
last changes	2020-03-26
year	2020
description	(no language specified) This package can be used to generate a mathematical nomenclature (also called "list of symbols" or "notation"). It is based on the glossaries package.

Its main features are:

- symbol categories (e.g.: latin, greek)
- automatic but customizable symbol sorting
- easy subscript management
- easy accentuation management
- abbreviation support (with first use definition)
- bilingual nomenclatures (for bilingual documents)
- bilingual abbreviations

The documentation is based on the [ulthese](#) class.

The package itself depends on [glossaries](#) , [amsmath](#) , [amsfonts](#) , and [etoolbox](#) .

documentation	<i>Package documentation and sample (French):</i> https://ctan.org/tex-archive/macros/latex/contrib/glosmathtools/sample_glosmathtools_fr.pdf
– local file	./5086143708-sample_glosmathtools_fr.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/glosmathtools/README.md
documentation	(no language specified) <i>Package documentation and sample (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/glosmathtools/sample_glosmathtools_en.pdf
– local file	./6137856979-sample_glosmathtools_en.pdf
contact	<i>repository:</i> https://github.com/franckgaga/glosmathtools

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/glosmathtools
on MikTeX	glosmathtools
on T _E XLive	glosmathtools
keyword	maths (support for typesetting mathematics)
keyword	glossary (glossary and nomenclature support)
keyword	etex (requires e-TeX)
language(s)	French
last access	2025-02-07

2540 *gloss* – Create glossaries using BibTeX

Web page on CTAN <https://ctan.org/pkg/gloss>

name	<i>gloss</i>
caption	Create glossaries using BibTeX
author	Bezos López, Javier
author	de Arriba, Jose Luis Diaz
copyright	Jose Luis Diaz (1998)
copyright	Jose Luis Diaz,Javier Bezos (1999-2002)
license	lppl = The LaTeX Project Public License (free)
version	1.5.2
description	(no language specified) A glossary package using BibTeX with <code>\cite</code> replaced by <code>\gloss</code> .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gloss/gloss.pdf
– local file	<code>./6097902731-gloss.pdf</code>
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gloss/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gloss
on MikTeX	<i>gloss</i>
on T _E XLive	<i>gloss</i>
keyword	glossary (glossary and nomenclature support)
see also	see section 2565 on page 2323: (<i>glosstex</i> – Prepare glossaries in LaTeX)

see also	see section 4282 on page 3877: (nomencl – Produce lists of symbols as in nomenclature)
see also	see section 2564 on page 2321: (glossary – Create a glossary)
language(s)	no language specified
year	2002
last access	2025-02-07

2541 *gloss-occitan* – Polyglossia support for Occitan

Web page on CTAN <https://ctan.org/pkg/gloss-occitan>

name	<i>gloss-occitan</i>
caption	Polyglossia support for Occitan
author	Valmary, Cédric
copyright	Cédric Valmary (2015-2016)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1
description	(no language specified) Occitan language description file for polyglossia
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gloss-occitan/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gloss-occitan/gloss-occitan.pdf
– local file	./4686021455-gloss-occitan.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gloss-occitan
on T _E XLive	<i>gloss-occitan</i>
keyword	occitan (support for typesetting Occitan)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
language(s)	no language specified
year	2016
last access	2025-02-07

2542 *glossaries* – Create glossaries and lists of acronyms

Web page on CTAN <https://ctan.org/pkg/glossaries>

name	<code>glossaries</code>
caption	Create glossaries and lists of acronyms
author	Talbot, Nicola
copyright	Nicola Talbot (2007-2026)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	5.1 (2026-04-21)
last changes	2026-04-21
year	2026
description	(no language specified) The <code>glossaries</code> package supports acronyms and multiple glossaries, and has provision for operation in several languages (using the facilities of either <code>babel</code> or <code>polyglossia</code>). New entries are defined to have a name and description (and optionally an associated symbol). Support for multiple languages is offered, and plural forms of terms may be specified. An additional package, <code>glossaries-accsupp</code>, can make use of the <code>accsupp</code> package mechanisms for accessibility support for PDF files containing glossaries. The user may define new glossary styles, and preambles and postambles can be specified. There is provision for loading a database of terms, but only terms used in the text will be added to the relevant glossary. The package uses an indexing program to provide the actual glossary; either <code>makeindex</code> or <code>xindy</code> may serve this purpose, and a Perl script is provided to serve as interface. This package requires the <code>mfistuc</code> package. The package supersedes the author's <code>glossary</code> package (which is now obsolete).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries/README.md
documentation	(no language specified) <i>Beginners' guide (PDF)</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries/glossariesbegin.pdf
– local file	<code>./2484518605-glossariesbegin.pdf</code>
documentation	(no language specified) <i>Package code and documentation (PDF)</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries/glossaries-code.pdf
– local file	<code>./4162789967-glossaries-code.pdf</code>

documentation	(no language specified) <i>User manual (HTML)</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries/glossaries-user.html
documentation	(no language specified) <i>How to upgrade from glossary.sty (PDF)</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries/glossary2glossaries.pdf
– local file	<code>./1111672324-glossary2glossaries.pdf</code>
documentation	(no language specified) <i>User manual (PDF)</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries/glossaries-user.pdf
– local file	<code>./5204727101-glossaries-user.pdf</code>
documentation	(no language specified) <i>How to upgrade from glossary.sty (HTML)</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries/glossary2glossaries.html
documentation	(no language specified) <i>Author’s FAQ</i> : http://www.dickimaw-books.com/faqs/glossariesfaq.html
contact	<i>bugs</i> : https://www.dickimaw-books.com/bugtracker.php?category=glossaries
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/glossaries
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/glossaries.tds.zip
on MikTeX	<code>glossaries</code>
on T _E XLive	<code>glossaries</code>
keyword	<code>glossary</code> (glossary and nomenclature support)
keyword	<code>acronym</code> (define and use acronyms)
language(s)	no language specified
last access	2026-04-29

2543 *glossaries-accsupp* – Accessibility support for glossaries

Web page on CTAN	https://ctan.org/pkg/glossaries-accsupp
name	<code>glossaries-accsupp</code>
caption	Accessibility support for glossaries
author	Talbot, Nicola
copyright	Nicola Talbot (2009)

2544 *glossaries-danish* – Danish language module for glossaries package

license	lpl = The LaTeX Project Public License (free)
version	0.2
description	(no language specified) The package provides an interface between glossaries package, and the PDF accessibility support package accsupp . The package is distributed as part of the glossaries bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/glossaries/glossaries-user.pdf
– local file	./5204727101-glossaries-user.pdf
documentation	(no language specified) <i>Bundle readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/glossaries/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/glossaries
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/glossaries.tds.zip
on MikTeX	glossaries
on TeXLive	glossaries
keyword	pdf-feat (access PDF features)
keyword	glossary (glossary and nomenclature support)
keyword	accessible (accessibility support)
language(s)	no language specified
year	2009
last access	2026-04-29

2544 *glossaries-danish* – Danish language module for glossaries package

Web page on CTAN	https://ctan.org/pkg/glossaries-danish
name	glossaries-danish
caption	Danish language module for glossaries package
author	Talbot, Nicola
copyright	Nicola Talbot (2014)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) Danish language module for glossaries package.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-danish/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-danish/glossaries-danish.pdf
– local file	./9214078663-glossaries-danish.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/glossaries-danish
on MikTeX	glossaries-danish
on TeXLive	glossaries-danish
keyword	glossary (glossary and nomenclature support)
keyword	danish (support for typesetting, or documentation in Danish)
language(s)	no language specified
year	2014
last access	2026-04-29

2545 *glossaries-dutch* – Dutch language module for glossaries package

Web page on CTAN	https://ctan.org/pkg/glossaries-dutch
name	glossaries-dutch
caption	Dutch language module for glossaries package
author	Talbot, Nicola
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1
description	(no language specified) Dutch language module for glossariesr package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-dutch/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-dutch/glossaries-dutch.pdf
– local file	./5121873371-glossaries-dutch.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/glossaries-dutch
on MikTeX	glossaries-dutch

on T _E XLive	<code>glossaries-dutch</code>
keyword	<code>glossary</code> (glossary and nomenclature support)
see also	see section 2542 on page 2301: (<code>glossaries</code> – Create glossaries and lists of acronyms)
language(s)	no language specified
year	without year
last access	2026-04-29

2546 *glossaries-english* – English language module for glossaries package

Web page on CTAN <https://ctan.org/pkg/glossaries-english>

name	<code>glossaries-english</code>
caption	English language module for glossaries package
author	Talbot, Nicola
copyright	Nicola Talbot (2014)
license	l ^{pl} 1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) English language module for <i>glossaries</i> package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-english/glossaries-english.pdf
– local file	<code>./1576358615-glossaries-english.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-english/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/glossaries-english
on MikT _E X	<code>glossaries-english</code>
on T _E XLive	<code>glossaries-english</code>
keyword	<code>glossary</code> (glossary and nomenclature support)
see also	see section 2542 on page 2301: (<code>glossaries</code> – Create glossaries and lists of acronyms)
language(s)	no language specified
year	2014
last access	2026-04-29

2547 glossaries-estonian – Estonian language module for glossaries package

Web page on CTAN <https://ctan.org/pkg/glossaries-estonian>

name	glossaries-estonian
caption	Estonian language module for glossaries package
author	Kankainen, Kristian
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) This package provides the Estonian language module for the glossaries package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-estonian/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-estonian/glossaries-estonian.pdf
– local file	./4613929819-glossaries-estonian.pdf
contact	<i>bugs</i> : https://github.com/keeleleek/glossaries-estonian/issues
contact	<i>repository</i> : https://github.com/keeleleek/glossaries-estonian
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/glossaries-estonian
on MikTeX	glossaries-estonian
on TeXLive	glossaries-estonian
keyword	estonian (support for typesetting Estonian)
keyword	glossary (glossary and nomenclature support)
language(s)	no language specified
year	without year
last access	2026-04-29

2548 *glossaries-extra* – An extension to the *glossaries* package

Web page on CTAN <https://ctan.org/pkg/glossaries-extra>

name	<code>glossaries-extra</code>
caption	An extension to the <i>glossaries</i> package
author	Talbot, Nicola
copyright	Nicola Talbot (2015-2026)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.1 (2026-04-21)
last changes	2026-04-21
year	2026
description	(no language specified) This package provides improvements and extra features to the <i>glossaries</i> package. Some of the default <i>glossaries.sty</i> behaviour is changed by <code>glossaries-extra.sty</code>. See the user manual glossaries-extra-manual.pdf for further details. <code>glossaries-extra.sty</code> requires the <i>glossaries</i> package and, naturally, all packages required by <code>glossaries.sty</code>.
documentation	(no language specified) <i>Documented code</i>: https://ctan.org/tex-archive/macros/latex/contrib/glossaries-extra/glossaries-extra-code.pdf
– local file	<code>./1481755795-glossaries-extra-code.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/glossaries-extra/README
documentation	(no language specified) <i>User manual (PDF)</i>: https://ctan.org/tex-archive/macros/latex/contrib/glossaries-extra/glossaries-extra-manual.pdf
– local file	<code>./7195864622-glossaries-extra-manual.pdf</code>
documentation	(no language specified) <i>User manual (HTML)</i>: https://ctan.org/tex-archive/macros/latex/contrib/glossaries-extra/glossaries-extra-manual.html
contact	<i>bugs</i>: https://www.dickimaw-books.com/bugtracker.php?category=glossaries-extra
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/glossaries-extra
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/glossaries-extra.tds.zip

on MikTeX	<code>glossaries-extra</code>
on TeXLive	<code>glossaries-extra</code>
keyword	acronym (define and use acronyms)
keyword	glossary (glossary and nomenclature support)
see also	see section 2542 on page 2301: (<code>glossaries</code> – Create glossaries and lists of acronyms)
language(s)	no language specified
last access	2026-04-29

2549 *glossaries-finnish* – Finnish language module for glossaries package

Web page on CTAN <https://ctan.org/pkg/glossaries-finnish>

name	<code>glossaries-finnish</code>
caption	Finnish language module for glossaries package
author	Välimäki, Tuomas
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2016-04-01)
last changes	2016-04-01
year	2016
description	(no language specified) Finnish language module for glossaries package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-finnish/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-finnish/glossaries-finnish.pdf
– local file	<code>./7569716100-glossaries-finnish.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/glossaries-finnish
on MikTeX	<code>glossaries-finnish</code>
on TeXLive	<code>glossaries-finnish</code>
keyword	glossary (glossary and nomenclature support)
see also	see section 2542 on page 2301: (<code>glossaries</code> – Create glossaries and lists of acronyms)
language(s)	no language specified

last access 2026-04-29

2550 *glossaries-french* – French language module for glossaries package

Web page on CTAN <https://ctan.org/pkg/glossaries-french>

name	<code>glossaries-french</code>
caption	French language module for glossaries package
author	Talbot, Nicola
author	Belaïche, Vincent
author	Bitouzé, Denis
copyright	Nicola Talbot (2014)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2016-12-12)
last changes	2016-12-12
year	2016
description	(no language specified) French language module for <i>glossaries</i> package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-french/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-french/glossaries-french.pdf
– local file	<code>./6829129251-glossaries-french.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/glossaries-french
on MikTeX	<code>glossaries-french</code>
on TeXLive	<code>glossaries-french</code>
keyword	<code>glossary</code> (glossary and nomenclature support)
keyword	<code>french</code> (support for typesetting French)
see also	see section 2542 on page 2301: (<i>glossaries</i> – Create glossaries and lists of acronyms)
language(s)	no language specified
last access	2026-04-29

2551 *glossaries-german* – German language module for *glossaries* package

Web page on CTAN <https://ctan.org/pkg/glossaries-german>

name	<code>glossaries-german</code>
caption	German language module for <i>glossaries</i> package
author	Talbot, Nicola
copyright	Nicola Talbot (2014)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) German language module for the <i>glossaries</i> package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-german/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-german/glossaries-german.pdf
– local file	<code>./6466336713-glossaries-german.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/glossaries-german
on MikTeX	<code>glossaries-german</code>
on TeXLive	<code>glossaries-german</code>
keyword	<code>glossary</code> (glossary and nomenclature support)
see also	see section 2542 on page 2301: (<i>glossaries</i> – Create glossaries and lists of acronyms)
language(s)	no language specified
year	2014
last access	2026-04-29

2552 *glossaries-irish* – Irish language module for glossaries package

Web page on CTAN <https://ctan.org/pkg/glossaries-irish>

name	<code>glossaries-irish</code>
caption	Irish language module for glossaries package
author	Talbot, Nicola
copyright	Nicola Talbot (2014)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) Irish language module for glossaries package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-irish/glossaries-irish.pdf
– local file	<code>./3685442317-glossaries-irish.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-irish/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/glossaries-irish
on MikTeX	<code>glossaries-irish</code>
on TeXLive	<code>glossaries-irish</code>
keyword	<code>glossary</code> (glossary and nomenclature support)
keyword	<code>irish-gaelic</code> (support for typesetting the Irish (gaelic) language)
see also	see section 2542 on page 2301: (<code>glossaries</code> – Create glossaries and lists of acronyms)
language(s)	no language specified
year	2014
last access	2026-04-29

2553 *glossaries-italian* – Italian language module for *glossaries* package

Web page on CTAN <https://ctan.org/pkg/glossaries-italian>

name	<code>glossaries-italian</code>
caption	Italian language module for <i>glossaries</i> package
author	Talbot, Nicola
copyright	Nicola Talbot (2014)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) Italian language module for <i>glossaries</i> package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-italian/glossaries-italian.pdf
– local file	<code>./5678307403-glossaries-italian.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-italian/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/glossaries-italian
on MikTeX	<code>glossaries-italian</code>
on TeXLive	<code>glossaries-italian</code>
keyword	<code>glossary</code> (glossary and nomenclature support)
keyword	<code>italian</code> (support for typesetting Italian)
see also	see section 2542 on page 2301: (<code>glossaries</code> – Create glossaries and lists of acronyms)
language(s)	no language specified
year	2014
last access	2026-04-29

2554 *glossaries-magyar* – Magyar language module for glossaries package

Web page on CTAN <https://ctan.org/pkg/glossaries-magyar>

name	<code>glossaries-magyar</code>
caption	Magyar language module for glossaries package
author	Talbot, Nicola
copyright	Nicola Talbot (2014)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) Magyar language module for <i>glossaries</i> package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-magyar/glossaries-magyar.pdf
– local file	<code>./8999929287-glossaries-magyar.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-magyar/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/glossaries-magyar
on MikTeX	<code>glossaries-magyar</code>
on TeXLive	<code>glossaries-magyar</code>
keyword	<code>glossary</code> (glossary and nomenclature support)
see also	see section 2542 on page 2301: (<code>glossaries</code> – Create glossaries and lists of acronyms)
language(s)	no language specified
year	2014
last access	2026-04-29

2555 *glossaries-norsk* – Norsk Bokmål language module for the glossaries Package

Web page on CTAN <https://ctan.org/pkg/glossaries-norsk>

name	<code>glossaries-norsk</code>
caption	Norsk Bokmål language module for the glossaries Package
author	Stendahl, Jakob
copyright	Jakob Stendahl (2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2023-05-16)
last changes	2023-05-16
year	2023
description	(no language specified) This package adds Norwegian Bokmål translations for the glossaries package. These will be loaded automatically when the babel package is loaded with the option <code>norsk</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-norsk/README
home page	https://github.com/JakobST1n/glossaries-norsk
contact	<i>bugs</i> : https://github.com/JakobST1n/glossaries-norsk/issues
contact	<i>repository</i> : https://github.com/JakobST1n/glossaries-norsk.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/glossaries-norsk
on T _E XLive	<code>glossaries-norsk</code>
keyword	<code>glossary</code> (glossary and nomenclature support)
keyword	<code>norwegian</code> (support for typesetting Norwegian)
language(s)	no language specified
last access	2026-04-29

2556 *glossaries-nynorsk* – Nynorsk language module for the glossaries package

Web page on CTAN <https://ctan.org/pkg/glossaries-nynorsk>

name	glossaries-nynorsk
caption	Nynorsk language module for the glossaries package
author	Haustveit, Eirik
copyright	Eirik Haustveit (2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) Norwegian Nynorsk language module for the glossaries package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-nynorsk/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-nynorsk/glossaries-nynorsk.pdf
– local file	./7463026075-glossaries-nynorsk.pdf
home page	https://github.com/switchcraft/glossaries-nynorsk
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/glossaries-nynorsk
on MikTeX	glossaries-nynorsk
on T _E XLive	glossaries-nynorsk
keyword	glossary (glossary and nomenclature support)
keyword	norwegian (support for typesetting Norwegian)
language(s)	no language specified
year	2020
last access	2026-04-29

2557 glossaries-polish – Polish language module for glossaries package

Web page on CTAN <https://ctan.org/pkg/glossaries-polish>

name	glossaries-polish
caption	Polish language module for glossaries package
author	Talbot, Nicola
copyright	Nicola Talbot (2014)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) Polish language module for the glossaries package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-polish/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-polish/glossaries-polish.pdf
– local file	./1205640752-glossaries-polish.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/glossaries-polish
on MikTeX	glossaries-polish
on TeXLive	glossaries-polish
keyword	glossary (glossary and nomenclature support)
see also	see section 2542 on page 2301 : (glossaries – Create glossaries and lists of acronyms)
language(s)	no language specified
year	2014
last access	2026-04-29

2558 **glossaries-portuges** – **Portuges language module for glossaries package**

Web page on CTAN <https://ctan.org/pkg/glossaries-portuges>

name	glossaries-portuges
caption	Portuges language module for glossaries package
author	Talbot, Nicola
copyright	Nicola Talbot (2014)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1
description	(no language specified) Portuges language module for glossaries package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-portuges/glossaries-portuges.pdf
– local file	./9298062608-glossaries-portuges.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-portuges/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/glossaries-portuges
on MikTeX	glossaries-portuges
on TeXLive	glossaries-portuges
keyword	glossary (glossary and nomenclature support)
language(s)	no language specified
year	2014
last access	2026-04-29

2559 **glossaries-serbian** – **Serbian language module for glossaries package**

Web page on CTAN <https://ctan.org/pkg/glossaries-serbian>

name	glossaries-serbian
caption	Serbian language module for glossaries package
author	Talbot, Nicola
copyright	Nicola Talbot (2014)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)

version	1.0
description	(no language specified) Serbian language module for glossaries package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-serbian/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-serbian/glossaries-serbian.pdf
– local file	./2879197557-glossaries-serbian.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/glossaries-serbian
on MikTeX	glossaries-serbian
on T _E XLive	glossaries-serbian
keyword	glossary (glossary and nomenclature support)
language(s)	no language specified
year	2014
last access	2026-04-29

2560 *glossaries-slovene* – Slovene language module for glossaries package

Web page on CTAN	https://ctan.org/pkg/glossaries-slovene
name	glossaries-slovene
caption	Slovene language module for glossaries package
author	Bačić, Deni
copyright	Deni Bačić (2019)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) Slovene language module for glossaries package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-slovene/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-slovene/glossaries-slovene.pdf
– local file	./3977249524-glossaries-slovene.pdf
home page	https://github.com/b4d/glossaries-slovene

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/glossaries-slovene
on MikTeX	glossaries-slovene
on TeXLive	glossaries-slovene
keyword	glossary (glossary and nomenclature support)
language(s)	no language specified
year	2019
last access	2026-04-29

2561 *glossaries-spanish* – Spanish language module for glossaries package

Web page on CTAN	https://ctan.org/pkg/glossaries-spanish
name	glossaries-spanish
caption	Spanish language module for glossaries package
author	Talbot, Nicola
copyright	Nicola Talbot (2014)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) Spanish language module for <i>glossaries</i> package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-spanish/glossaries-spanish.pdf
– local file	./3563670004-glossaries-spanish.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-spanish/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/glossaries-spanish
on MikTeX	glossaries-spanish
on TeXLive	glossaries-spanish
keyword	glossary (glossary and nomenclature support)
language(s)	no language specified
year	2014
last access	2026-04-29

2562 **glossaries-swedish** – Swedish language module for glossaries package

Web page on CTAN <https://ctan.org/pkg/glossaries-swedish>

name	glossaries-swedish
caption	Swedish language module for glossaries package
author	Nyqvist, Robert
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2016-03-05)
last changes	2016-03-05
year	2016
description	(no language specified) Swedish language module for the glossaries package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-swedish/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-swedish/glossaries-swedish.pdf
– local file	./8684657703-glossaries-swedish.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/glossaries-swedish
on MikTeX	glossaries-swedish
keyword	glossary (glossary and nomenclature support)
keyword	swedish (support for typesetting Swedish)
language(s)	no language specified
last access	2026-04-29

2563 **glossaries-ukrainian** – Ukrainian language module for glossaries package

Web page on CTAN <https://ctan.org/pkg/glossaries-ukrainian>

name	glossaries-ukrainian
caption	Ukrainian language module for glossaries package
author	Veytsman, Boris
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2025-12-21)

last changes	2025-12-21
year	2025
description	(no language specified) Ukrainian language module for the glossaries package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-ukrainian/glossaries-ukrainian.pdf
– local file	./1551585582-glossaries-ukrainian.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/glossaries-ukrainian/README
contact	<i>bugs</i> : https://github.com/borisveytsman/glossaries-ukrainian/issues
contact	<i>repository</i> : https://github.com/borisveytsman/glossaries-ukrainian/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/glossaries-ukrainian
on MikTeX	glossaries-ukrainian
on TeXLive	glossaries-ukrainian
keyword	ukrainian (documentation in, and support for typesetting Ukrainian)
keyword	glossary (glossary and nomenclature support)
language(s)	no language specified
last access	2026-04-29

2564 *glossary* – Create a glossary

Web page on CTAN	https://ctan.org/pkg/glossary
name	glossary
caption	Create a glossary
author	Talbot, Nicola
copyright	Nicola Talbot (2006)
license	lppl = The LaTeX Project Public License (free)
version	2.4

description	(no language specified) The package supports generation of a glossary with <code>makeindex</code>. It has a certain amount of flexibility allowing the user to customize the format of the glossary and define new glossary-style objects so that you can have more than one type of glossary in your document. The package is no longer supported; the author urges users to switch to use of its replacement, the <code>glossaries</code> package. Migration support is available, within the newer package.
documentation	(no language specified) <i>Package documentation (HTML)</i>: https://ctan.org/tex-archive/obsolete/macros/latex/contrib/glossary/manual.html
documentation	(no language specified) <i>Package documentation (PDF)</i>: https://ctan.org/tex-archive/obsolete/macros/latex/contrib/glossary/glossary.pdf
– local file	<code>./9657240452-glossary.pdf</code>
documentation	(no language specified) <i>Package README</i>: https://ctan.org/tex-archive/obsolete/macros/latex/contrib/glossary/README
documentation	(no language specified) <i>How to upgrade to glossaries.sty</i>: https://ctan.org/tex-archive/macros/latex/contrib/glossaries/glossary2glossaries.pdf
– local file	<code>./1111672324-glossary2glossaries.pdf</code>
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/glossary
on MikTeX	<code>glossary</code>
keyword	<code>obsolete</code> (package declared obsolete)
keyword	<code>glossary</code> (glossary and nomenclature support)
see also	see section 2540 on page 2299: (<code>gloss</code> – Create glossaries using BibTeX)
see also	see section 4282 on page 3877: (<code>nomenc1</code> – Produce lists of symbols as in nomenclature)
see also	see section 2565 on page 2323: (<code>glosstex</code> – Prepare glossaries in LaTeX)
language(s)	no language specified
year	2006
last access	2025-02-07

2565 glosstex – Prepare glossaries in LaTeX

Web page on CTAN <https://ctan.org/pkg/glosstex>

name	glosstex
caption	Prepare glossaries in LaTeX
author	Yavuz, Volkan
license	gpl = GNU General Public License (free)
description	(no language specified) GlossTeX is a tool for the automatic preparation of glossaries, lists of acronyms and sorted lists in general for use with LaTeX and MakeIndex. GlossTeX combines the functionality of acronym and nomencl and provides some new features. Various binaries are available in the bin subdirectory.
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/support/glosstex/README
documentation	(no language specified) <i>Package's LaTeX support manual</i> : https://ctan.org/tex-archive/support/glosstex/glosstex.pdf
– local file	./7442042749-glosstex.pdf
on CTAN	https://ctan.org/tex-archive/support/glosstex
keyword	glossary (glossary and nomenclature support)
see also	see section 2540 on page 2299 : (gloss – Create glossaries using BibTeX)
see also	see section 2564 on page 2321 : (glossary – Create a glossary)
language(s)	no language specified
year	without year
last access	2025-02-07

2566 glotex – A glossary processor

Web page on CTAN <https://ctan.org/pkg/glotex>

name	glotex
caption	A glossary processor
author	Ianigro, Stefano
author	Aurbach, R L
author	Hantelmann, Fred
license	nosell = Do Not Sell Except by Arrangement (not free)

version	2.1
description	(no language specified) Glotex is supplied as C source (and as a DOS executable), and a supporting package is provided (whose detection of ‘current language’ is inadequate for current usage). The bundle is distributed with idxTeX .
documentation	(German) <i>Readme</i> : https://ctan.org/tex-archive/indexing/glo+idxTeX/README
documentation	<i>User manual (German)</i> : https://ctan.org/tex-archive/indexing/glo+idxTeX/glo+idx.pdf
documentation	<i>User manual (English)</i> : https://ctan.org/tex-archive/indexing/glo+idxTeX/glotex.pdf
on CTAN	https://ctan.org/tex-archive/indexing/glo+idxTeX
keyword	<code>glossary</code> (glossary and nomenclature support)
see also	see section 2564 on page 2321: (<code>glossary</code> – Create a glossary)
see also	see section 3741 on page 3384: (<code>makeglos</code> – Include a glossary into a document)
see also	see section 2540 on page 2299: (<code>gloss</code> – Create glossaries using BibTeX)
language(s)	German; English
year	without year
last access	2025-09-11

2567 *gmdoc* – Documentation of LaTeX packages

Web page on CTAN <https://ctan.org/pkg/gmdoc>

name	<code>gmdoc</code>
caption	Documentation of LaTeX packages
author	Murzynowski, Grzegorz
copyright	Grzegorz Murzynowski (2006, 2007, 2008, 2009, 2010)
license	lppl = The LaTeX Project Public License (free)
version	0.993

description	(no language specified) A LaTeX package and an example class for documenting (La)TeX packages, document classes, .dtx etc., providing hyperlinks. The package is believed to be compatible with doc and permits minimal markup of code (the macrocode environment is no longer necessary). The package provides automatic detection of definitions (detecting such things as <code>\def</code>, <code>\newcommand</code>, <code>\DeclareOption</code> etc.). The package needs hyperref and the author's three 'basic' packages: gmutils, gmverb and gmiflink. As a bonus (and as an example of doc compatibility) driver files are provided that may be used to typeset the LaTeX Base.
documentation	(no language specified) <i>README</i> : https://ctan.org/tex-archive/macros/latex/contrib/gmdoc/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gmdoc/gmdoc.pdf
– local file	<code>./1146030245-gmdoc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gmdoc
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/gmdoc.tds.zip
on MikTeX	gmdoc
on T _E XLive	gmdoc
keyword	doc-supp (macros and tools for preparing documentation)
keyword	class (alternative LaTeX class(es))
see also	see section 2568 on page 2325: (<i>gmdoc-enhance</i> – Some enhancements to the gmdoc package)
language(s)	no language specified
year	2010
last access	2025-02-07

2568 gmdoc-enhance – Some enhancements to the gmdoc package

Web page on CTAN <https://ctan.org/pkg/gmdoc-enhance>

name	gmdoc-enhance
caption	Some enhancements to the gmdoc package
author	Ebermann, Paul
license	lppl = The LaTeX Project Public License (free)

2569 *gmeometric* – Change page size wherever it’s safe

version	0.2
description	(no language specified) This package provides some enhancements for the <i>gmdoc</i> package: nicer formatting for multiple line inline comments, an ability to “comment out” some code, and a macro to input other files in “normal” LaTeX mode.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gmdoc-enhance/gmdoc-enhance.pdf
– local file	<code>./5388977676-gmdoc-enhance.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gmdoc-enhance/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gmdoc-enhance
on MikTeX	<code>gmdoc-enhance</code>
on TeXLive	<code>gmdoc-enhance</code>
keyword	<code>doc-supp</code> (macros and tools for preparing documentation)
see also	see section 2567 on page 2324: (<i>gmdoc</i> – Documentation of LaTeX packages)
language(s)	no language specified
year	without year
last access	2025-02-07

2569 *gmeometric* – Change page size wherever it’s safe

Web page on CTAN <https://ctan.org/pkg/gmeometric>

name	<code>gmeometric</code>
caption	Change page size wherever it’s safe
author	Murzynowski, Grzegorz
license	lppl = The LaTeX Project Public License (free)
version	0.73
description	(no language specified) Changing the size of the typeset area is well-known to be a dangerous operation in TeX documents. This package identifies the circumstances where the <code>\geometry</code> command of the <i>geometry</i> package may safely be used, (other, of course, than in the preamble of a document) and provides a mechanism for using it. The package makes use of the author’s <i>gmutils</i> package.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/gmeometric/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/gmeometric/gmeometric.pdf
– local file	<code>./1584654381-gmeometric.pdf</code>
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/gmeometric
on MikTeX	<code>gmeometric</code>
keyword	<code>geometry</code> (change geometry of page layout)
keyword	<code>obsolete</code> (package declared obsolete)
language(s)	no language specified
year	without year
last access	2025-02-07

2570 *gmiflink* – Simplify usage of `\hypertarget` and `\hyperlink`

Web page on CTAN	https://ctan.org/pkg/gmiflink
name	<code>gmiflink</code>
caption	Simplify usage of <code>\hypertarget</code> and <code>\hyperlink</code>
author	Murzynowski, Grzegorz
copyright	Grzegorz Murzynowski (2005, 2006)
license	lppl = The LaTeX Project Public License (free)
version	0.97
description	(no language specified) Three hyperref -based macros that simplify usage of <code>\hypertarget</code> and <code>\hyperlink</code> : one argument instead of the same one twice. Also <code>\gmiflink</code> and <code>\gmifref</code> which typeset plain text instead of generating an error or printing “?” if there is no respective <code>\hypertarget</code> or label.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gmiflink/gmiflink.pdf
– local file	<code>./1105769341-gmiflink.pdf</code>
documentation	(no language specified) <i>README</i> : https://ctan.org/tex-archive/macros/latex/contrib/gmiflink/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gmiflink

2571 *gmp* – Enable integration between MetaPost pictures and LaTeX

installation	https://ctan.org/tex-archive/install/macros/latex/contrib/gmiflink.tds.zip
on MikTeX	gmiflink
on T _E XLive	gmiflink
keyword	hyper (support for hypertext)
see also	see section 2842 on page 2572: (<code>hyperref</code> – Extensive support for hypertext in LaTeX)
language(s)	no language specified
year	2006
last access	2025-02-07

2571 *gmp* – Enable integration between MetaPost pictures and LaTeX

Web page on CTAN <https://ctan.org/pkg/gmp>

name	<i>gmp</i>
caption	Enable integration between MetaPost pictures and LaTeX
author	Gregorio, Enrico
copyright	Enrico Gregorio (2011)
license	l _{pp} 1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The package allows integration between MetaPost pictures and LaTeX. The main feature is that passing parameters to the MetaPost pictures is possible and the picture code can be put inside arguments to commands, including <code>\newcommand</code> .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gmp/gmp.pdf
– local file	<code>./4478794110-gmp.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gmp/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gmp
on MikTeX	<i>gmp</i>
on T _E XLive	<i>gmp</i>
keyword	graphics (graphics (support packages))
keyword	mp-supp (support tools and macros for MetaPost programming)

language(s)	no language specified
year	2011
last access	2025-02-07

2572 gmutils – Support macros for other packages

Web page on CTAN <https://ctan.org/pkg/gmutils>

name	gmutils
caption	Support macros for other packages
author	Murzynowski, Grzegorz
license	lppl = The LaTeX Project Public License (free)
version	0.996
description	(no language specified) Miscellaneous macros used by others of the author's packages. Contents of the package: <code>\newgif</code> and other globals; <code>\@ifnextcat</code> and <code>\@ifXeTeX;</code> <code>\(Re)storeMacro(s)</code> to override redefinitions; <code>\afterfi</code> and friends; commands from relsize, etc.; "almost an environment" or redefinition of <code>\begin</code> (<code>\begin*</code> doesn't check if the argument environment is defined).
documentation	(no language specified) <i>README</i> : https://ctan.org/tex-archive/macros/latex/contrib/gmutils/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gmutils/gmutils.pdf
– local file	<code>./9768135341-gmutils.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gmutils
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/gmutils.tds.zip
on MikTeX	gmutils
on TeXLive	gmutils
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	without year
last access	2025-02-07

2573 gmverb – A variant of LaTeX `\verb`, `verbatim` and `shortverb`Web page on CTAN <https://ctan.org/pkg/gmverb>

name	gmverb
caption	A variant of LaTeX <code>\verb</code> , <code>verbatim</code> and <code>shortverb</code>
author	Murzynowski, Grzegorz
license	lppl = The LaTeX Project Public License (free)
version	0.98
description	(no language specified) A redefinition of <code>\verb</code> and <code>verbatim</code> so that long lines are breakable before <code>\</code> and after <code>{</code> with <code>%</code> as ‘hyphen’. Allows you to define your own <code>verbatim</code>-like environments (subject to a size limit) and allows you to declare any single character as a shorthand as in the <code>\MakeShortVerb</code> command of the <code>shortverb</code> package of the LaTeX distribution. The package depends on the gmutils package.
documentation	(no language specified) <i>README</i> : https://ctan.org/tex-archive/macros/latex/contrib/gmverb/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gmverb/gmverb.pdf
– local file	<code>./6197875530-gmverb.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gmverb
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/gmverb.tds.zip
on MikTeX	gmverb
on TeXLive	gmverb
keyword	<code>verbatim</code> (verbatim typesetting, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

2574 *gmverse* – A package for typesetting (short) poems

Web page on CTAN <https://ctan.org/pkg/gmverse>

name	gmverse
caption	A package for typesetting (short) poems
author	Murzynowski, Grzegorz
copyright	Grzegorz Murzynowski (2006, 2008)
license	lppl = The LaTeX Project Public License (free)
version	0.73
description	(no language specified) A redefinition of the <code>verse</code> environment to make the <code>\</code> command optional for line ends and to give it a possibility of optical centering and 'right-hanging' alignment of lines broken because of length.
documentation	(no language specified) <i>README</i> : https://ctan.org/tex-archive/macros/latex/contrib/gmverse/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gmverse/gmverse.pdf
– local file	<code>./4734849895-gmverse.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gmverse
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/gmverse.tds.zip
on MikTeX	gmverse
on T _E XLive	gmverse
keyword	verse (typeset verse, etc.)
language(s)	no language specified
year	2008
last access	2025-02-07

2575 gnu-freefont – A Unicode font, with rather wide coverageWeb page on CTAN <https://ctan.org/pkg/gnu-freefont>

name	gnu-freefont
caption	A Unicode font, with rather wide coverage
author	White, Steve
license	gpl3 = GNU General Public License, version 3 (free)
version	(2012-05-03)
last changes	2012-05-03
year	2012
description	(no language specified) The package provides a set of outline (i.e. OpenType) fonts covering as much as possible of the Unicode character set. The set consists of three typefaces: one monospaced and two proportional (one with uniform and one with modulated stroke).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/gnu-freefont/README
contact	<i>repository</i> : http://savannah.gnu.org/projects/freefont/
on CTAN	https://ctan.org/tex-archive/fonts/gnu-freefont
on MikTeX	gnu-freefont
on TeXLive	gnu-freefont
keyword	font (fonts themselves)
keyword	font-sfd (FontForge font file)
keyword	font-sans (sans-serif font)
keyword	font-otf (font in OpenType format)
keyword	font-serif (serif font)
keyword	font-proportional (variable-spaced font)
keyword	font-cyrillic (fonts for Cyrillic and related scripts)
keyword	font-hebrew (font for Hebrew script)
keyword	font-mono (monospaced font)
language(s)	no language specified
last access	2025-02-07

2576 gnuplot – General purpose plotting program

Web page on CTAN <https://ctan.org/pkg/gnuplot>

name	gnuplot
caption	General purpose plotting program
author	Williams, Thomas
author	Hecking, Lars
author	Kelley, Colin
copyright	Thomas Williams, Colin Kelley (1986-1993, 1998, 2004)
license	other-free = Free license not otherwise listed (free)
version	5.2.6
description	(no language specified) Generate almost any type of chart you wish and save it in LaTeX format or as PDF (or in any of a dozen other formats).
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/graphics/gnuplot/5.2.6/readme
documentation	(no language specified) <i>FAQ</i> : http://www.gnuplot.info/faq/faq.html
home page	http://www.gnuplot.info/
on CTAN	https://ctan.org/tex-archive/graphics/gnuplot/5.2.6
keyword	graphics-engn (graphics generator whose output is good for use with TeX)
see also	see section 2577 on page 2334: (gnuplottex – Embed Gnuplot commands in LaTeX documents)
language(s)	no language specified
year	2004
last access	2025-02-07

2577 `gnuplottex` – Embed Gnuplot commands in LaTeX documents

Web page on CTAN <https://ctan.org/pkg/gnuplottex>

name	gnuplottex
caption	Embed Gnuplot commands in LaTeX documents
author	Kotthoff, Lars
copyright	Lars Kotthoff (2006-2019)
license	gpl2 = GNU General Public License, version 2 (free)
version	0.9.5
description	(no language specified) This package allows you to include Gnuplot graphs in your LaTeX documents. The gnuplot code is extracted from the document and written to <code>.gnuplot</code> files. Then, if shell escape is used, the graph files are automatically processed to graphics or LaTeX code files which will then be included in the document. If shell escape isn't used, the user will have to manually convert the files by running gnuplot on the extracted <code>.gnuplot</code> files.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gnuplottex/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gnuplottex/gnuplottex.pdf
– local file	<code>./1055221379-gnuplottex.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gnuplottex
on MikTeX	gnuplottex
on TeXLive	gnuplottex
keyword	graphics-inline (graphics inline for external processing)
see also	see section 1288 on page 1167: (ConTeXt-gnuplot – Inclusion of Gnuplot graphs in ConTeXt)
language(s)	no language specified
year	2019
last access	2025-02-07

2578 *go* – Fonts and macros for typesetting go games

Web page on CTAN <https://ctan.org/pkg/go>

name	<i>go</i>
caption	Fonts and macros for typesetting go games
author	Kołodziejska, Hanna
license	pd = Public Domain Software (free)
description	(no language specified) The macros provide for nothing more complicated than the standard 19x19 board; the fonts are written in Metafont.
on CTAN	https://ctan.org/tex-archive/fonts/go
on MikTeX	<i>go</i>
on T _E XLive	<i>go</i>
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	font (fonts themselves)
keyword	font-symbol (fonts that provide collections of symbols)
keyword	font-mf (fonts distributed as Metafont source)
see also	see section 2911 on page 2633: (<i>igo</i> – Fonts and macro to typeset Go diagrams)
language(s)	no language specified
year	without year
last access	2025-02-07

2579 *go-make* – A make variant for LaTeX documents

Web page on CTAN <https://ctan.org/pkg/go-make>

name	<i>go-make</i>
caption	A make variant for LaTeX documents
author	Musliner, David J.
copyright	David J. Musliner and The University of Michigan (1992)
license	other-free = Free license not otherwise listed (free)
version	3.6

description	(no language specified) Go automates the processing of a LaTeX document, according to a file <code>.gorc</code> in the same directory as the document. Has facilities for previewing the document, with a "continuous preview" mode. Go is set up to deal with LaTeX 2.09 documents; it would need some attention to prepare it for use with modern documents.
on CTAN	https://ctan.org/tex-archive/support/go
keyword	compilation (the document compilation process)
see also	see section 3339 on page 3013: (<code>latexmk</code> – Fully automated LaTeX document generation)
language(s)	no language specified
year	1992
last access	2025-02-07

2580 *gobble* – More gobble macros for PlainTeX and LaTeX

Web page on CTAN	https://ctan.org/pkg/gobble
name	<code>gobble</code>
caption	More gobble macros for PlainTeX and LaTeX
author	Scharrer, Martin
copyright	Martin Scharrer (2012-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2 (2019-01-04)
last changes	2019-01-04
year	2019
description	(no language specified) The LaTeX package <code>gobble</code> includes several gobble macros not included in the LaTeX kernel. These macros remove a number of arguments after them, a feature regularly used inside other macros. This includes gobble macros for optional arguments. The LaTeX package <code>gobble-user</code> provides these macros at the user level, i.e. using names without <code>@</code> so that these can be used without <code>\makeatletter</code> and <code>\makeatother</code>. The same macros are provided inside <code>.tex</code> files for use with plain-TeX or other TeX formats. However, the gobble macros for optional macros require <code>\@ifnextchar</code> to be defined.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/gobble/gobble.pdf

2581 *goblin* – Tolkien’s goblin alphabet

– local file	<code>./2745264682-gobble.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/gobble/README
home page	https://github.com/MartinScharrer/gobble
contact	<i>bugs</i> : https://github.com/MartinScharrer/gobble/issues
contact	<i>repository</i> : https://github.com/MartinScharrer/gobble.git
on CTAN	https://ctan.org/tex-archive/macros/generic/gobble
on MikTeX	<code>gobble</code>
on T _E XLive	<code>gobble</code>
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

2581 *goblin* – Tolkien’s goblin alphabet

Web page on CTAN <https://ctan.org/pkg/goblin>

name	<code>goblin</code>
caption	Tolkien’s goblin alphabet
author	Stanier, Alan
license	<code>noinfo = noinfo</code>
version	(1995-03-16)
last changes	1995-03-16
year	1995
description	(no language specified) The font covers the alphabet that Tolkien designed for the book “The Father Christmas Letters”. The font is distributed as Metafont source; it works very poorly in modern environments, and could do with expert attention (if you are interested, please contact the CTAN team for details).
on CTAN	https://ctan.org/tex-archive/fonts/goblin
keyword	<code>font-invented</code> (font for an ‘invented’ language or script)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>font</code> (fonts themselves)
language(s)	no language specified

last access 2025-02-07

2582 *gofonts* – GoSans and GoMono fonts with LaTeX supportWeb page on CTAN <https://ctan.org/pkg/gofonts>

name	<code>gofonts</code>
caption	GoSans and GoMono fonts with LaTeX support
author	Tennent, Bob
license	other-free = Free license not otherwise listed (free)
license	lppl = The LaTeX Project Public License (free)
version	(2022-09-12)
last changes	2022-09-12
year	2022
description	(no language specified) This package provides LaTeX, pdfLaTeX, XeLaTeX and LuaLaTeX support for the GoSans and GoMono families of fonts designed by the Bigelow & Holmes foundry for the Go project. GoSans is available in three weights: Regular, Medium, and Bold (with corresponding italics). GoMono is available in regular and bold, with italics. Notes on the design may be found at https://blog.golang.org/go-fonts.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/gofonts/README
documentation	(no language specified) <i>Design notes</i>: https://ctan.org/tex-archive/fonts/gofonts/doc/gofonts.pdf
– local file	<code>./8114040397-gofonts.pdf</code>
documentation	(no language specified) <i>Font samples</i>: https://ctan.org/tex-archive/fonts/gofonts/doc/go-samples.pdf
– local file	<code>./7345837003-go-samples.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/gofonts
installation	https://ctan.org/tex-archive/install/fonts/gofonts.tds.zip
on MikTeX	<code>gofonts</code>
on T _E XLive	<code>gofonts</code>
keyword	<code>font-sans</code> (sans-serif font)

2583 *gost* – BibTeX styles to format according to GOST

keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-cyrillic</code> (fonts for Cyrillic and related scripts)
keyword	<code>font-ttf</code> (font available in TrueType format)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-tlenc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-greek</code> (font for Greek (archaic, classical and modern))
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-multilingual</code> (font with adaptations to several languages)
keyword	<code>font-mono</code> (monospaced font)
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font-serif</code> (serif font)
language(s)	no language specified
last access	2025-02-07

2583 *gost* – BibTeX styles to format according to GOST

Web page on CTAN <https://ctan.org/pkg/gost>

name	<code>gost</code>
caption	BibTeX styles to format according to GOST
author	Polyakov, Maksym
author	Kotelnikov, Igor A.
copyright	Maksym Polyakov (1996-2005)
copyright	Igor A. Kotelnikov (2012-2021)
copyright	Leonid Sinev (2017)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2l (2021-02-05)
last changes	2021-02-05
year	2021

2584 *gothic* – A collection of old German-style fonts

description	(no language specified) BibTeX styles to format bibliographies in English, Russian or Ukrainian according to GOST 7.0.5-2008 or GOST 7.1-2003. Both 8-bit and Unicode (UTF-8) versions of each BibTeX style, in each case offering a choice of sorted and unsorted. Further, a set of three styles (which do not conform to current standards) are retained for backwards compatibility.
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/gost/doc/gost.pdf
– local file	<code>./7831317146-gost.pdf</code>
documentation	(English) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/gost/README.md
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/gost
installation	https://ctan.org/tex-archive/install/biblio/bibtex/contrib/gost.tds.zip
on MikTeX	<code>gost</code>
on T _E XLive	<code>gost</code>
keyword	<code>bibtex-sty</code> (<code>bibtex-sty(unknown)</code>)
keyword	<code>std-conform</code> (support conformance to standards)
keyword	<code>russian</code> (support for typesetting Russian)
see also	see section 642 on page 592: (<code>biblatex-gost</code> – BibLaTeX support for GOST standard bibliographies)
language(s)	English
last access	2025-02-07

2584 *gothic* – A collection of old German-style fonts

Web page on CTAN <https://ctan.org/pkg/gothic>

name	<code>gothic</code>
caption	A collection of old German-style fonts
author	Taupin, Daniel
author	Ludewig, Berthold
author	Bronger, Torsten
author	Haralambous, Yannis
author	Schrell, Andreas
license	<code>collection = collection</code>

2585 *goth* – An implementation of the Gotoh sequence alignment algorithm

description	(no language specified) A collection of fonts that reproduce those used in "old German" printing and handwriting. The set comprises Gothic , Schwabacher and Fraktur fonts, a pair of handwriting fonts, Sütterlin and Schwell , and a font containing decorative initials . In addition, there are two re-encoding packages for Haralambous's fonts, providing T1, using virtual fonts , and OT1 and T1, using Metafont .
on CTAN	https://ctan.org/tex-archive/fonts/gothic
on T _E XLive	gothic
keyword	font-collection (listing a set of related fonts)
keyword	font-gothic (font for gothic or blackletter shapes)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-02-11

2585 *goth* – An implementation of the Gotoh sequence alignment algorithm

Web page on CTAN	https://ctan.org/pkg/goth
name	goth
caption	An implementation of the Gotoh sequence alignment algorithm
author	Asakura, Takuto
copyright	Takuto Asakura (2017)
license	mit = MIT License (free)
version	1.1 (2017-07-07)
last changes	2017-07-07
year	2017
description	(no language specified) This package calculates biological sequence alignment with the Gotoh algorithm. The package also provides an interface to control various settings including algorithm parameters.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/goth/goth.pdf
– local file	./3586610070-goth.pdf

2586 `gpdata` – Cause MetaPost graph package to ignore '#'-comments

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gotoh/README.md
contact	<i>repository</i> : https://github.com/wtsnjp/Gotoh
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gotoh
on MikTeX	gotoh
on T _E XLive	gotoh
keyword	biology (typeset biological data)
language(s)	no language specified
last access	2025-02-07

2586 `gpdata` – Cause MetaPost graph package to ignore '#'-comments

Web page on CTAN <https://ctan.org/pkg/gpdata>

name	gpdata
caption	Cause MetaPost graph package to ignore '#'-comments
author	Vieth, Ulrik
license	noinfo = noinfo
version	1.04
description	(no language specified) This file modifies the <code>Grdln_</code> routine of the MetaPost graph package, so that it can parse and ignore comment lines in data files starting with a '#' sign, similar to the conventions in Gnuplot. Note that the graph package will still interpret an empty line as "end of data" (even if it precedes any data).
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/misc/gpdata.mp
keyword	graphics-plot (plot data)
language(s)	no language specified
year	without year
last access	2025-02-07

2587 gplot – CGM-based graphics support

Web page on CTAN <https://ctan.org/pkg/gplot>

name	gplot
caption	CGM-based graphics support
author	Andrews, Phil
license	noinfo = noinfo
version	4.3b2
on CTAN	https://ctan.org/tex-archive/support/gplot
keyword	graphics-import (convert a foreign graphics format for use with TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

2588 grabbox – Read an argument into a box and execute the code afterwards

Web page on CTAN <https://ctan.org/pkg/grabbox>

name	grabbox
caption	Read an argument into a box and execute the code afterwards
author	Spratte, Jonathan P.
copyright	Jonathan P. Spratte (2018-2019)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.4 (2019-05-08)
last changes	2019-05-08
year	2019
description	(no language specified) The package provides the command <code>\grabbox</code> , which grabs an argument into a box and executes the code afterwards.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/grabbox/grabbox.pdf
– local file	<code>./1653640826-grabbox.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/grabbox/README.md

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/grabbox
on MikTeX	grabbox
on T _E XLive	grabbox
keyword	boxing (creating boxes)
language(s)	no language specified
last access	2025-02-07

2589 *gradback* – Gradient backgrounds for dvips output

Web page on CTAN	https://ctan.org/pkg/gradback
name	gradback
caption	Gradient backgrounds for dvips output
author	Pedersen, Bjørn
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) There being no documentation, this package is really for the determined user only: there is some description of arguments to the package's command in comments in the package file.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gradback
on MikTeX	gradback
keyword	background (decorate/confuse text by adding a background)
keyword	graphics-supp (support for other packages or for drivers)
language(s)	no language specified
year	without year
last access	2025-02-07

2590 *gradient-text* – Decorate text with linear gradient colors

Web page on CTAN <https://ctan.org/pkg/gradient-text>

name	<code>gradient-text</code>
caption	Decorate text with linear gradient colors
author	Du, Sicheng
copyright	Sicheng Du (2022-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2 (2023-01-17)
last changes	2023-01-17
year	2023
description	(no language specified) This package enables writers to conveniently decorate text with linear gradient colors. The RGB values of the first and the last character are specified as parameters while the rest of the text is colored automatically.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gradient-text/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gradient-text/gradient-text.pdf
– local file	<code>./7462282789-gradient-text.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gradient-text
on MikTeX	<code>gradient-text</code>
on TeXLive	<code>gradient-text</code>
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>colour</code> (typesetting in colour)
language(s)	no language specified
last access	2025-02-07

2591 *gradientframe* – Simple gradient frames around objects

Web page on CTAN <https://ctan.org/pkg/gradientframe>

name	<code>gradientframe</code>
caption	Simple gradient frames around objects
author	Raue, Christian
copyright	Christian Raue (2011)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2
description	(no language specified) The package provides a means of drawing graded frames around objects. The gradients of the frames are drawn using the color package.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/gradientframe/gradientframe.pdf
– local file	<code>./2169051920-gradientframe.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/gradientframe/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gradientframe
on MikTeX	<code>gradientframe</code>
on T _E XLive	<code>gradientframe</code>
keyword	<code>decoration</code> (highlighting typeset material, fancy frames, watermarks, etc.)
language(s)	no language specified
year	2011
last access	2025-02-07

2592 *grading-scheme* – Typeset grading schemes in tabular format

Web page on CTAN <https://ctan.org/pkg/grading-scheme>

name	grading-scheme
caption	Typeset grading schemes in tabular format
author	Keßler, Maximilian
copyright	Maximilian Kessler (2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.1
description	(no language specified) This package aims at an easy-to-use interface to typeset grading schemes in tabular format, in particular grading-schemes of exercises of mathematical olympiads where multiple solutions have to be graded and might offer mutual exclusive ways of receiving points.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/grading-scheme/grading-scheme.pdf
– local file	./2501622710-grading-scheme.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/grading-scheme/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/grading-scheme
on MikTeX	grading-scheme
on T _E XLive	grading-scheme
keyword	expl3 (expl3(unknown))
keyword	table (table typesetting)
language(s)	no language specified
year	2022
last access	2025-02-07

2593 **gradstudentresume** – A generic template for graduate student resumes

Web page on CTAN <https://ctan.org/pkg/gradstudentresume>

name	gradstudentresume
caption	A generic template for graduate student resumes
author	Kumar, Anagha
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2015-11-12)
last changes	2015-11-12
year	2015
description	(no language specified) The package offers a template for graduate students writing an academic CV. The goal is to create a flexible template that can be customized based on each specific individual's needs.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gradstudentresume/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gradstudentresume
on MikTeX	gradstudentresume
on T _E XLive	gradstudentresume
keyword	class (alternative LaTeX class(es))
keyword	cv (curriculum vitae/Resumé)
language(s)	no language specified
last access	2025-02-07

2594 **grafcet** – Draw Grafcet/SFC with TikZ

Web page on CTAN <https://ctan.org/pkg/grafcet>

name	grafcet
caption	Draw Grafcet/SFC with TikZ
author	Papanicola, Robert
license	lpl1 = The LaTeX Project Public License 1 (free)
version	1.3.5
description	(French) L'objectif de la librairie GRAFCET est de permettre le tracé de grafcet selon la norme EN 60848 à partir de Pgf/TikZ .

2595 *grafik* – EPS graphics under Windows

description	(English) The package provides a library (GRAFCET) that can draw Grafcet Sequential Function Chart (SFC) diagrams, in accordance with EN 60848, using Pgf/TikZ .
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/grafcet/grafcet.pdf
– local file	<code>./6208305395-grafcet.pdf</code>
home page	http://sciences-indus-cpge.papanicola.info/Grafcet-avec-pgf-Tikz
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/grafcet
on MikTeX	grafcet
on TeXLive	grafcet
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	diagram (diagrams)
see also	see section 6148 on page 5559 : (<code>tikz-sfc</code> – Symbols collection for typesetting Sequential Function Chart (SFC) diagrams (PLC programs))
language(s)	English; French
year	without year
last access	2025-02-07

2595 *grafik* – EPS graphics under Windows

Web page on CTAN <https://ctan.org/pkg/grafik>

name	grafik
caption	EPS graphics under Windows
author	Dübendorfer, Marco
copyright	Marco Dübendorfer (1999)
license	noinfo = noinfo
version	(2001-04-26)
last changes	2001-04-26
year	2001
description	(no language specified) A guide (in German) on how to produce EPS graphics files for use with LaTeX on MS Windows platforms.

2596 *grant* – Classes for formatting federal grant proposals

on CTAN	https://ctan.org/tex-archive/info/german/grafik/eps_anleitung.html
keyword	german-doc (documentation in German)
language(s)	no language specified
last access	2025-02-07

2596 *grant* – Classes for formatting federal grant proposals

Web page on CTAN <https://ctan.org/pkg/grant>

name	grant
caption	Classes for formatting federal grant proposals
author	Karr, Jonathan
copyright	Jonathan Karr (2016)
license	mit = MIT License (free)
version	0.0.5
description	(no language specified) LaTeX classes for formatting federal grant proposals: • grant: Base class for formatting grant proposals • grant-arl: Army Research Laboratory • grant-darpa: Defense Advanced Research Projects Agency • grant-doe: Department of Energy • grant-nih: National Institutes of Health • grant-nrl: Naval Research Laboratory • grant-nsf: National Science Foundation • grant-onr: Office of Naval Research
documentation	(no language specified) <i>User manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/grant/grant.pdf
– local file	<code>./4823034092-grant.pdf</code>
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/grant/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/grant
on MikTeX	grant
on TeXLive	grant

keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>proposal</code> (typeset proposals to funding bodies, etc)
language(s)	no language specified
year	2016
last access	2025-02-07

2597 *graph35* – Draw keys and screen items of several Casio calculators

Web page on CTAN <https://ctan.org/pkg/graph35>

name	<code>graph35</code>
caption	Draw keys and screen items of several Casio calculators
author	Paternault, Louis
copyright	Louis Paternault (2018-2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1.4 (2023-04-04)
last changes	2023-04-04
year	2023
description	(no language specified) This package defines commands to draw the Casio Graph 35 / fx-9750GII calculator (and other models). It can draw the whole calculator, or parts of it (individual keys, part of the screen, etc.). It was written to typeset documents instructing students how to use their calculator.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/graph35/README.md
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/graphics/graph35/graph35-en.pdf
– local file	<code>./8921658282-graph35-en.pdf</code>
documentation	<i>Package documentation (French)</i> : https://ctan.org/tex-archive/graphics/graph35/graph35-fr.pdf
– local file	<code>./9436090537-graph35-fr.pdf</code>
contact	<i>bugs</i> : https://framagit.org/spalax/graph35/issues
contact	<i>repository</i> : https://framagit.org/spalax/graph35
on CTAN	https://ctan.org/tex-archive/graphics/graph35
on MikTeX	<code>graph35</code>
on TeXLive	<code>graph35</code>

2598 *graphbase* – A platform for combinatorial algorithms

keyword	teaching (support for teachers and teaching administrators)
keyword	graphics (graphics (support packages))
keyword	maths (support for typesetting mathematics)
language(s)	French
last access	2025-02-07

2598 *graphbase* – A platform for combinatorial algorithms

Web page on CTAN <https://ctan.org/pkg/graphbase>

name	GraphBase
caption	A platform for combinatorial algorithms
author	Knuth, Donald E.
license	knuth = Knuth License (free)
description	(no language specified) A <code>cweb</code> program developed (presumably) in pursuit of work on ‘ <i>The Art of Computer Programming</i> ’.
documentation	(no language specified) <i>Package outline</i> : https://ctan.org/tex-archive/support/graphbase/abstract.pdf
– local file	<code>./2965138182-abstract.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/graphbase/README
on CTAN	https://ctan.org/tex-archive/support/graphbase
keyword	graphics-engn (graphics generator whose output is good for use with TeX)
language(s)	no language specified
year	without year
last access	2025-02-11

2599 *graphbox* – Extend *graphicx* to improve placement of graphics

Web page on CTAN <https://ctan.org/pkg/graphbox>

name	graphbox
caption	Extend <i>graphicx</i> to improve placement of graphics
author	Beisert, Niklas
copyright	Niklas Beisert (2013-2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2018-01-17)
last changes	2018-01-17
year	2018
description	(no language specified) Graphbox is an extension of the standard graphicx LaTeX2e package to allow the placement of graphics relative to the "current position" using additional optional arguments of <code>\includegraphics</code>. For example, changing the vertical alignment is convenient for using graphics as elements of (mathematical) formulae. Options for shifting, smashing and hiding the graphics may be useful in support, for example, of the beamer framework.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/graphbox/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/graphbox/graphbox.pdf
– local file	./9667187041-graphbox.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/graphbox
on MikTeX	graphbox
on TeXLive	graphbox
keyword	graphics (graphics (support packages))
keyword	graphics-incl (include external graphics)
language(s)	no language specified
last access	2025-02-07

2600 *graphconv* – Convert graph files to PSTricksWeb page on CTAN <https://ctan.org/pkg/graphconv>

name	GraphConv
caption	Convert graph files to PSTricks
author	Chicoine, Martin
license	nosource = No Source Available (not free)
version	1.01
description	(no language specified) Graph is a very easy to use program to create simple graphs. GraphConv is a small Windows program to convert Graph files to PSTricks code.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/graphconv/README
on CTAN	https://ctan.org/tex-archive/support/graphconv
keyword	graphics-import (convert a foreign graphics format for use with TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

2601 *grapher* – Create graphs, state machine and data flow diagramsWeb page on CTAN <https://ctan.org/pkg/grapher>

name	grapher
caption	Create graphs, state machine and data flow diagrams
author	Algaba, Manuel Gutierrez
license	other-free = Free license not otherwise listed (free)
description	(no language specified) Grapher is a python script; you provide it with a specification (in python) of a diagram, and grapher emits <code>gpics</code> code that can be translated to LaTeX and used to typeset the diagram in your document.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/grapher/grapher.pdf
– local file	<code>./5308062563-grapher.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/grapher/README.grapher

2602 *graphfig* – Simpler graphic, subfigure and float

on CTAN	https://ctan.org/tex-archive/support/grapher
keyword	graphics-engn (graphics generator whose output is good for use with TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

2602 *graphfig* – Simpler graphic, subfigure and float

Web page on CTAN <https://ctan.org/pkg/graphfig>

name	graphfig
caption	Simpler graphic, subfigure and float
author	Bosisio, Francesco
copyright	Francesco Bosisio (1997-2010)
license	lpl = The LaTeX Project Public License (free)
version	2.2
description	(no language specified) This package combines the tools of the <code>graphic</code>, <code>subfigure</code> and <code>float</code> packages in a way that makes their use simpler and more robust. The <code>Figure</code> environment (capitalized) differs from the standard LaTeX figure environment by the addition of a mandatory argument to specify the caption and an optional argument to be used as a label. These ensure that the <code>\label</code> command appears after the <code>\caption</code> command to avoid the common labelling error. The commands <code>\graphfig</code> and <code>\graphfig*</code> have the additional advantage that the image will be automatically centered horizontally. The package is part of the bosisio bundle.
documentation	(no language specified) <i>Package documentation (PDF)</i> : https://ctan.org/tex-archive/macros/latex/contrib/bosisio/graphfig.pdf
– local file	<code>./2891234569-graphfig.pdf</code>
documentation	(no language specified) <i>Package documentation (HTML)</i> : https://ctan.org/tex-archive/macros/latex/contrib/bosisio/graphfig.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bosisio
keyword	float (typesetting floats)
keyword	graphics-incl (include external graphics)
language(s)	no language specified

year 2010
last access 2025-02-07

2603 *graphicp* – An enhanced version of *graphics*

Web page on CTAN <https://ctan.org/pkg/graphicp>

name *graphicp*
caption An enhanced version of *graphics*
author Szabó, Péter
license noinfo = noinfo
version 0.12
description (no language specified) An extension of the standard LaTeX *graphics* package, with features to speed it up and to improve its accuracy. (In particular, the calculations relating to bounding boxes are performed in an out-of-line Perl script, which means that the operation is potentially more robust, and the calculations are more accurate than can be achieved within TeX itself.

The package works under Plain TeX as well as LaTeX.
documentation (no language specified) *Package documentation:* <https://ctan.org/tex-archive/macros/latex/exptl/graphicp/graphicpdoc.pdf>
– local file ./3834796904-graphicpdoc.pdf
on CTAN <https://ctan.org/tex-archive/macros/latex/exptl/graphicp>
keyword *graphics-incl* (include external *graphics*)
language(s) no language specified
year without year
last access 2025-02-07

2604 *graphics* – Standard LaTeX *graphics*

Web page on CTAN <https://ctan.org/pkg/graphics>

name *graphics*
caption Standard LaTeX *graphics*
author Carlisle, David
author The LaTeX Project Team
copyright David Carlisle, Sebastian Rahtz (1994)

copyright	David Carlisle, LaTeX3 Project (1995-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.4g (2024-08-06)
last changes	2024-08-06
year	2024
description	(no language specified) The package was designed to accommodate all needs for inclusion of graphics in LaTeX documents, replacing many earlier packages used in LaTeX 2.09. The package aims to give a consistent interface to including the file types that are understood in your output, by use of ‘printer drivers’ (now known, simply, as ‘drivers’). The distribution of the package contains several drivers, but others (for example, pdfTeX) are distributed separately. The package also offers several means of manipulating graphics in the course of inserting them into a document (for example, rotation and scaling). For extended documentation see epslatex . The package is part of the graphics bundle , which is one of the collections in the LaTeX ‘required’ set of packages.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/required/graphics/graphics.pdf
– local file	<code>./4124050283-graphics.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/required/graphics
on MikTeX	graphics
on TeXLive	graphics
keyword	<code>graphics-incl</code> (include external graphics)
see also	see section 2609 on page 2362: (<code>graphicx</code> – Enhanced support for graphics)
language(s)	no language specified
last access	2025-02-07

2605 *graphics-cfg* – Sample configuration files for LaTeX color and graphics

Web page on CTAN	https://ctan.org/pkg/graphics-cfg
name	<code>graphics-cfg</code>
caption	Sample configuration files for LaTeX color and graphics
author	The LaTeX Project Team

2606 *graphics-def* – Colour and graphics option files

license	pd = Public Domain Software (free)
version	(2016-06-04)
last changes	2016-06-04
year	2016
description	(no language specified) This bundle includes <code>color.cfg</code> and <code>graphics.cfg</code> files that set default "driver" options for the color and graphics packages. It contains support for defaulting the new LuaTeX option which was added to graphics and color in the 2016-02-01 release. The LuaTeX option is only used for LuaTeX versions from 0.87, older versions use the pdfTeX option as before.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/graphics-cfg/README.md
contact	<i>repository</i> : https://github.com/latex3/graphics-cfg
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/graphics-cfg
on MikTeX	<code>graphics-cfg</code>
on TeXLive	<code>graphics-cfg</code>
keyword	<code>graphics</code> (<code>graphics</code> (support packages))
keyword	<code>colour</code> (typesetting in colour)
see also	see section 2604 on page 2356 : (<code>graphics</code> – Standard LaTeX graphics)
see also	see section 1203 on page 1094 : (<code>color</code> – Colour control for LaTeX documents)
language(s)	no language specified
last access	2025-02-07

2606 *graphics-def* – Colour and graphics option files

Web page on CTAN <https://ctan.org/pkg/graphics-def>

name	<code>graphics-def</code>
caption	Colour and graphics option files
author	The LaTeX Project Team
author	Wright, Joseph
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2024-04-13)
last changes	2024-04-13

year	2024
description	(no language specified) This bundle is a combined distribution consisting of <code>dvips.def</code> , <code>pdfTeX.def</code> , <code>luatex.def</code> , <code>xetex.def</code> , <code>dvipdfmx.def</code> , and <code>dvipsvgm.def</code> driver option files for the LaTeX <code>graphics</code> and <code>color</code> packages. It is hoped that by combining their source repositories at https://github.com/latex3/graphics-def it will be easier to coordinate updates.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/graphics-def/README.md
home page	https://www.latex-project.org/
contact	<i>bugs</i> : https://github.com/latex3/graphics-def/issues
contact	<i>repository</i> : https://github.com/latex3/graphics-def
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/graphics-def
on MikTeX	graphics-def
on TeXLive	graphics-def
keyword	graphics-driv (‘driver’ for output from graphics ‘kernel’ packages)
language(s)	no language specified
last access	2025-02-07

2607 *graphics-pln* – LaTeX-style graphics for Plain TeX users

Web page on CTAN <https://ctan.org/pkg/graphics-pln>

name	graphics-pln
caption	LaTeX-style graphics for Plain TeX users
author	Carlisle, David
copyright	David Carlisle (1995-2024)
license	lppl = The LaTeX Project Public License (free)
version	(2024-06-19)
last changes	2024-06-19
year	2024

description	(no language specified) The Plain TeX graphics package is mostly a thin shell around the LaTeX graphicx and color packages, with support of the LaTeX-isms in those packages provided by miniltx (which is the largest part of the bundle). The bundle also contains a file "picture.tex", which is a wrapper around the autopict.sty , and provides the LaTeX picture mode to Plain TeX users.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/graphics/README.md
contact	<i>bugs</i> : https://github.com/davidcarlisle/graphics-pln/issues
contact	<i>repository</i> : https://github.com/davidcarlisle/graphics-pln
on CTAN	https://ctan.org/tex-archive/macros/plain/graphics
on MikTeX	graphics-pln
on TeXLive	graphics-pln
keyword	graphics-incl (include external graphics)
keyword	plain-ext (extensions to Plain TeX for higher-level constructs)
language(s)	no language specified
last access	2025-02-07

2608 graphicscache – Cache includegraphics calls

Web page on CTAN <https://ctan.org/pkg/graphicscache>

name	graphicscache
caption	Cache includegraphics calls
author	Schwarz, Max
copyright	Max Schwarz (2018-2021)
license	bsd3 = 3-clause BSD License (free)
version	0.4 (2022-12-20)
last changes	2022-12-20
year	2022
description	(no language specified) This LaTeX package provides caching of <code>\includegraphics</code> calls, with several useful effects: • Recompilations are much faster (10x speedup observed). • Images can be postprocessed with <code>ghostscript</code> before inclusion, thus:

- Automatic downscaling to specified DPI
- Automatic JPEG compression with configurable quality
- Much smaller files (e.g. 10MB instead of 150MB)!

Note: Due to the one-by-one invocation of `pdflatex` and `ghostscript` for each graphics element, the first compilation is typically slower than usual.

Note: `graphicscache` needs the `\write18` call (also called shell escape). This is a security risk if you have untrusted TeX sources.

`graphicscache` supports pdfLaTeX and LuaLaTeX; XeLaTeX is not supported.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/graphicscache/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/graphicscache/graphicscache.pdf
– local file	<code>./3390220165-graphicscache.pdf</code>
contact	<i>repository</i> : https://github.com/xqms/graphicscache
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/graphicscache
on MikTeX	<code>graphicscache</code>
on TeXLive	<code>graphicscache</code>
keyword	<code>ext-code</code> (run an external program from within a document)
keyword	<code>graphics</code> (graphics (support packages))
keyword	<code>cond-comp</code> (conditional typesetting)
keyword	<code>compilation</code> (the document compilation process)
language(s)	no language specified
last access	2025-02-07

2609 *graphicx* – Enhanced support for graphics

Web page on CTAN <https://ctan.org/pkg/graphicx>

name	graphicx
caption	Enhanced support for graphics
author	The LaTeX Project Team
author	Carlisle, David
copyright	David Carlisle, Sebastian Rahtz (1994)
copyright	David Carlisle, LaTeX3 Project (1995-2021)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2d (2021-09-16)
last changes	2021-09-16
year	2021
description	(no language specified) The package builds upon the graphics package, providing a key-value interface for optional arguments to the <code>\includegraphics</code> command. This interface provides facilities that go far beyond what the graphics package offers on its own. For extended documentation, see epslatex . The package is part of the latex-graphics bundle, which is one of the collections in the LaTeX ‘required’ set of packages.
documentation	<i>Guide to graphics in LaTeX (Italian)</i> : https://ctan.org/tex-archive/info/italian/itgrfguide/itgrfguide.pdf
– local file	<code>./2445591105-itgrfguide.pdf</code>
documentation	<i>Guide to graphics in LaTeX (English)</i> : https://ctan.org/tex-archive/macros/latex/required/graphics/grfguide.pdf
– local file	<code>./4982391813-grfguide.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/required/graphics
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-graphics.tds.zip
on MikTeX	graphics
on TeXLive	graphics
keyword	graphics-incl (include external graphics)
language(s)	English; Italian

last access 2025-02-07

2610 *graphicx-psmin* – Reduce size of PostScript files by not repeating imagesWeb page on CTAN <https://ctan.org/pkg/graphicx-psmin>

name	graphicx-psmin
caption	Reduce size of PostScript files by not repeating images
author	Adriaens, Hendri
copyright	Hendri Adriaens (2004-2020)
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) The package is an extension of the standard latex-graphics bundle and provides a way to include repeated PostScript graphics (ps, eps) only once in a PostScript document. This leads to smaller PostScript documents when having, for instance, a logo on every page. The package only works when post-processed with dvips, which should be version 5.95b or later. The difference for a resulting distilled PDF file is minimal (as Ghostscript and Adobe Distiller only include a single copy of each graphics file, anyway).
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/graphicx-psmin/graphicx-psmin.pdf
– local file	./7276734103-graphicx-psmin.pdf
documentation on CTAN	(no language specified) <i>Package README</i>: https://ctan.org/tex-archive/macros/latex/contrib/graphicx-psmin/README https://ctan.org/tex-archive/macros/latex/contrib/graphicx-psmin
on MikTeX	graphicx-psmin
on T _E XLive	graphicx-psmin
keyword	graphics-incl (include external graphics)
see also	see section 2604 on page 2356 : (graphics – Standard LaTeX graphics)
see also	see section 2609 on page 2362 : (graphicx – Enhanced support for graphics)
language(s)	no language specified
year	2020
last access	2025-02-07

2611 `graphicxbox` – Insert a graphical image as a background

Web page on CTAN <https://ctan.org/pkg/graphicxbox>

name	<code>graphicxbox</code>
caption	Insert a graphical image as a background
author	Story, Donald P.
license	lppl = The LaTeX Project Public License (free)
version	1.0 (2014-01-10)
last changes	2014-01-10
year	2014
description	(no language specified) The package defines two new commands <code>\graphicxbox</code> and <code>\fggraphicxbox</code> , which are companions to <code>\colorbox</code> and <code>\fcolorbox</code> of the Standard LaTeX color package . The <code>\graphicxbox</code> command inserts a graphical image as a background rather than a background color, while <code>\fggraphicxbox</code> does the same thing, but also draws a colored frame around the box.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/graphicxbox/doc/graphicxbox.pdf
– local file	<code>./3947974877-graphicxbox.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/graphicxbox/README
documentation	(no language specified) <i>Package example</i> : https://ctan.org/tex-archive/macros/latex/contrib/graphicxbox/examples/grfxbox_tst.pdf
– local file	<code>./6519611046-grfxbox_tst.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/graphicxbox
on MikTeX	<code>graphicxbox</code>
on TeXLive	<code>graphicxbox</code>
keyword	boxing (creating boxes)
keyword	<code>graphics-incl</code> (include external graphics)
see also	see section 2613 on page 2366 : (<code>GraphicxSP</code> – An extension of the <code>graphicx</code> package)
see also	see section 1203 on page 1094 : (<code>color</code> – Colour control for LaTeX documents)

language(s) no language specified
last access 2025-02-07

2612 *graphicxpsd* – Adobe Photoshop Data format (PSD) support for *graphicx* package

Web page on CTAN <https://ctan.org/pkg/graphicxpsd>

name *graphicxpsd*
caption Adobe Photoshop Data format (PSD) support for *graphicx* package
author Yamamoto, Munehiro
copyright Munehiro Yamamoto (2017-2021)
license mit = MIT License (free)
version 2.0 (2026-03-01)
last changes 2026-03-01
year 2026
description (no language specified) This package provides Adobe Photoshop Data format (PSD) support for the *graphicx* package with the *sips* (Darwin/macOS) or *convert* (ImageMagick) command.
documentation (no language specified) *Package documentation:*
<https://ctan.org/tex-archive/macros/latex/contrib/graphicxpsd/graphicxpsd.pdf>
– local file ./8206514772-graphicxpsd.pdf
documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/macros/latex/contrib/graphicxpsd/README.md>
contact *repository:* <https://github.com/munepi/graphicxpsd>
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/graphicxpsd>
on MikTeX *graphicxpsd*
on T_EXLive *graphicxpsd*
keyword *graphics-incl* (include external graphics)
see also see section 2609 on page 2362: (*graphicx* – Enhanced support for graphics)
language(s) no language specified
last access 2026-03-20

2613 *graphicxsp* – An extension of the *graphicx* package

Web page on CTAN <https://ctan.org/pkg/graphicxsp>

name	GraphicxSP
caption	An extension of the <i>graphicx</i> package
author	Story, Donald P.
copyright	D. P. Story (2007-2019)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	(2019-11-13)
last changes	2019-11-13
year	2019
description	(no language specified) GraphicxSP embeds a graphic file in a PDF document in such a way that the author may re-use that same graphics without significantly increasing the file size. GraphicxSP also supports the Adobe transparency model.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/graphicxsp/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/graphicxsp/docs/grxsp_man.pdf
– local file	<code>./5019309167-grxsp_man.pdf</code>
home page	http://www.math.uakron.edu/~dpstory/graphicxsp.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/graphicxsp
on MikTeX	<code>graphicxsp</code>
keyword	<code>graphics-incl</code> (include external graphics)
language(s)	no language specified
last access	2025-02-07

2614 graphpap – For producing graph paper

Web page on CTAN <https://ctan.org/pkg/graphpap>

name	graphpap
caption	For producing graph paper
author	The LaTeX Project Team
author	Lamport, Leslie
copyright	The LaTeX3 Project et al. (1993-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0c (1994-08-09)
last changes	1994-08-09
year	1994
description	(no language specified) This file defines the <code>\graphpaper</code> command which makes a grid of lines. This file is part of the LaTeX distribution.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/base/graphpap.pdf
– local file	<code>./8444579648-graphpap.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/base
on MikTeX	ltxbase
on T _E XLive	latex
keyword	graphics-use (graphics (typesetting actual pictures))
language(s)	no language specified
last access	2025-02-07

2615 **graphpaper** – A LaTeX class to generate several types of graph papers

Web page on CTAN <https://ctan.org/pkg/graphpaper>

name	graphpaper
caption	A LaTeX class to generate several types of graph papers
author	Beccari, Claudio
author	Biccari, Francesco
copyright	Claudio Beccari & Francesco Biccari (2020-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1 (2022-04-23)
last changes	2022-04-23
year	2022
description	(no language specified) Graphpaper is a LaTeX document class which allows to print several types of graph papers: bilinear (millimeter paper), semilogarithmic, bilogarithmic, polar, log-polar, Smith charts. It is based on the picture environment and its extensions.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/graphpaper/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/graphpaper/graphpaper.pdf
– local file	./8944918055-graphpaper.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/graphpaper
on MikTeX	graphpaper
on TeXLive	graphpaper
keyword	class (alternative LaTeX class(es))
keyword	macro-supp (support for development of (La)TeX macros)
see also	see section 2641 on page 2391 : (gridpapers – Graph paper backgrounds and color schemes)
language(s)	no language specified
last access	2024-04-19

2616 *graphtex* – Graphs theory and related diagrams in a TeX document

Web page on CTAN <https://ctan.org/pkg/graphtex>

name	GraphTeX
caption	Graphs theory and related diagrams in a TeX document
author	Pliam, John
copyright	John Pliam (1994)
license	gpl = GNU General Public License (free)
version	1.0.1beta
description	(no language specified) GraphTeX is a Perl library (graphtex.pl) along with a preprocessor (gt) which can be used to generate TeXdraw commands producing graphs and related diagrams inside a TeX document. A graph can be "typeset" by writing a .gt source file which resembles a matrix environment.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/graphtex/manual1.0.1beta.ps
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/graphtex/README
on CTAN	https://ctan.org/tex-archive/graphics/graphtex
keyword	graphics-engn (graphics generator whose output is good for use with TeX)
language(s)	no language specified
year	1994
last access	2025-02-07

2617 *graphviz* – Write graphviz (dot+neato) inline in LaTeX documents

Web page on CTAN <https://ctan.org/pkg/graphviz>

name	graphviz
caption	Write graphviz (dot+neato) inline in LaTeX documents
author	Rayside, Derek
copyright	Derek Rayside (2003-2013)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.94 (2013-08-15)
last changes	2013-08-15
year	2013

description	(no language specified) The package allows inline use of graphviz code, in a LaTeX document.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/graphviz/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/graphviz/graphviz.pdf
– local file	./8775212526-graphviz.pdf
home page	http://www.graphviz.org
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/graphviz
on MikTeX	graphviz
on T _E XLive	graphviz
keyword	graphics-inline (graphics inline for external processing)
see also	see section 1670 on page 1514: (dottex – Use dot code in LaTeX)
language(s)	no language specified
last access	2025-02-07

2618 *gratzer-color-scheme* – Colors definitions, theorems, corollaries, lemmas, and propositions

Web page on CTAN	https://ctan.org/pkg/gratzer-color-scheme
name	Gratzer-Color-Scheme
caption	Colors definitions, theorems, corollaries, lemmas, and propositions
author	Grätzer, George
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0
description	(no language specified) This LaTeX package introduces the "Grätzer Color Scheme" for math publications, which colors theorems and corollaries red, lemmas and propositions blue, definitions green.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gratzer-color-scheme/README.txt
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/gratzer-color-scheme/example.pdf
– local file	./2608778114-example.pdf

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gratzer-color-scheme
on MikTeX	gratzer-color-scheme
on T _E XLive	gratzer-color-scheme
keyword	maths (support for typesetting mathematics)
keyword	colour (typesetting in colour)
language(s)	no language specified
year	without year
last access	2025-02-07

2619 *gray* – Fonts for gray-scales

Web page on CTAN	https://ctan.org/pkg/gray
name	gray
caption	Fonts for gray-scales
author	Knuth, Donald E.
license	knuth = Knuth License (free)
description	(no language specified) The font is discussed in the Metafont book, by Knuth.
on CTAN	https://ctan.org/tex-archive/fonts/cm/utilityfonts/gray
keyword	font (fonts themselves)
keyword	font-specialist (fonts with specific small application areas)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	no language specified
year	without year
last access	2025-02-11

2620 grayhints – Produce ‘gray hints’ to a variable text field

Web page on CTAN <https://ctan.org/pkg/grayhints>

name	grayhints
caption	Produce ‘gray hints’ to a variable text field
author	Story, Donald P.
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	(2018-11-01)
last changes	2018-11-01
year	2018
description	(no language specified) The package provides JavaScript code snippets to create ‘gray hints’. Gray hints, as the author terms them, are text that appears initially in a text field that gives a short hint as to what the contents of the text field should be. For example, a text field might contain the hint ‘First Name’, or a date field might read ‘yyyy/mm/dd’. As soon as the field comes into focus, the hint disappears. It reappears when the field is blurred and the user did not enter any text into the field. The package works for dvips/Distiller, pdfLaTeX, LuaLaTeX, and XeLaTeX.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/grayhints/doc/grayhints_man.pdf
– local file	./3947851918-grayhints_man.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/grayhints/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/grayhints
on MikTeX	grayhints
on TeXLive	grayhints
keyword	misc-support (miscellaneous support stuff)
keyword	pdf-forms (create pdf form fields, use form fields as an integral part of the package)
keyword	adobe-distiller (convert PostScript to PDF using Adobe Distiller)
language(s)	no language specified
last access	2025-02-07

2621 *grchyph* – Hyphenation for classical Greek, under XeTeX

Web page on CTAN <https://ctan.org/pkg/grchyph>

name	grchyph
caption	Hyphenation for classical Greek, under XeTeX
author	Codet, Yves
license	lppl = The LaTeX Project Public License (free)
version	0.1
description	(no language specified) These patterns are written "in Unicode" to work with XeTeX ; they will not work with a standard TeX installation.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/hyphenation/grchyph/README
on CTAN	https://ctan.org/tex-archive/macros/xetex/hyphenation/grchyph
keyword	greek (support for typesetting Greek)
keyword	hyphenation (macros or tables for hyphenation)
language(s)	no language specified
year	without year
last access	2025-02-07

2622 *greek-fontenc* – LICR macros and encoding definition files for Greek

Web page on CTAN <https://ctan.org/pkg/greek-fontenc>

name	greek-fontenc
caption	LICR macros and encoding definition files for Greek
author	Milde, Günter
copyright	Günter Milde (2010-2023)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
license	bsd2 = Simplified BSD License (free)
version	2.6 (2023-11-16)
last changes	2023-11-16
year	2023

description	(no language specified) LICR macros for characters from the Greek script and encoding definition files for Greek text font encodings.
documentation	(no language specified) <i>Package documentation (HTML)</i> : https://ctan.org/tex-archive/language/greek/greek-fontenc/greek-fontenc-doc.html
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/greek/greek-fontenc/README.md
contact	<i>bugs</i> : https://codeberg.org/milde/greek-tex/issues
contact	<i>repository</i> : https://codeberg.org/milde/greek-tex
on CTAN	https://ctan.org/tex-archive/language/greek/greek-fontenc
on MikTeX	greek-fontenc
on T _E XLive	greek-fontenc
keyword	greek (support for typesetting Greek)
keyword	fontenc (support for font encodings)
language(s)	no language specified
last access	2025-02-07

2623 *greek-inputenc* – Greek encoding support for inputenc

Web page on CTAN <https://ctan.org/pkg/greek-inputenc>

name	greek-inputenc
caption	Greek encoding support for inputenc
author	Syropoulos, Apostolos
author	Filippou, Dimitrios
author	Milde, Günter
copyright	Apostolos Syropoulos (2000)
copyright	Dimitrios Filippou (1999)
copyright	Günter Milde (2013-2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.9 (2023-03-21)
last changes	2023-03-21
year	2023

description	(no language specified) Input encoding definition files for UTF-8, Macintosh Greek, and ISO 8859-7 enabling the use of literal characters for Greek letters and symbols with 8-bit TeX engines (pdfLaTeX).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/language/greek/greek-inputenc/greek-inputenc-doc.html
documentation	(no language specified) <i>Test, demonstrating the range covered</i> : https://ctan.org/tex-archive/language/greek/greek-inputenc/greek-utf8.pdf
– local file	<code>./6124516869-greek-utf8.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/greek/greek-inputenc/README.md
contact	<i>bugs</i> : https://codeberg.org/milde/greek-tex/issues
contact	<i>repository</i> : https://codeberg.org/milde/greek-tex
on CTAN	https://ctan.org/tex-archive/language/greek/greek-inputenc
on MikTeX	<code>greek-inputenc</code>
on T _E XLive	<code>greek-inputenc</code>
keyword	<code>inputenc</code> (input encoding support for TeX engines)
keyword	<code>greek</code> (support for typesetting Greek)
language(s)	no language specified
last access	2025-02-07

2624 *greek-makeindex* – *Makeindex working with Greek*

Web page on CTAN <https://ctan.org/pkg/greek-makeindex>

name	<code>greek-makeindex</code>
caption	Makeindex working with Greek
author	Syropoulos, Apostolos
copyright	Apostolos Syropoulos (1998-2009)
license	other-free = Free license not otherwise listed (free)
version	2.0

description	(no language specified) Makeindex is resolutely stuck with Latin-based alphabets, so will not deal with Greek indexes, unaided. This package provides a Perl script that will transmute the index of a Greek document in such a way that makeindex will sort the entries according to the rules of the Greek alphabet.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/language/greek/mkgrkindex/mkgrkindex.pdf
– local file	<code>./2814843147-mkgrkindex.pdf</code>
on CTAN	https://ctan.org/tex-archive/language/greek/mkgrkindex
on T _E XLive	mkgrkindex
keyword	greek (support for typesetting Greek)
keyword	index-proc (process and/or generate index material)
language(s)	no language specified
year	2009
last access	2025-02-07

2625 *greek4cbc* – A Greek font from 394BC

Web page on CTAN	https://ctan.org/pkg/greek4cbc
name	greek4cbc
caption	A Greek font from 394BC
author	Wilson, Peter R.
license	lppl = The LaTeX Project Public License (free)
version	2.1
description	(no language specified) Provides a Greek monumental font as used on a stele in Athens in 394BC. The font consists of majuscules only and is in Adobe Type 1 format. This is one of a series of archaic fonts.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/archaic/greek4cbc/greek4cbc.pdf
– local file	<code>./6981555423-greek4cbc.pdf</code>
documentation	(no language specified) <i>Samples of entire archaic bundle:</i> https://ctan.org/tex-archive/fonts/archaic/asamples.pdf
– local file	<code>./8592837549-asamples.pdf</code>
documentation	(no language specified) <i>Sample of Greek C4 BCE font:</i> https://ctan.org/tex-archive/fonts/archaic/greek4cbc/trygivbc.pdf
– local file	<code>./3245648976-trygivbc.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/archaic/greek4cbc/README
on CTAN	https://ctan.org/tex-archive/fonts/archaic/greek4cbc
on MikTeX	archaic
on T _E XLive	archaic
keyword	font-archaic (fonts reproducing archaic scripts or inscriptions)
keyword	font-greek (font for Greek (archaic, classical and modern))
keyword	font (fonts themselves)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
year	without year
last access	2025-02-07

2626 *greek6cbc* – A Greek font from the sixth century BC

Web page on CTAN	https://ctan.org/pkg/greek6cbc
name	greek6cbc
caption	A Greek font from the sixth century BC
author	Wilson, Peter R.
license	lppl = The LaTeX Project Public License (free)
version	2.1
description	(no language specified) This Greek font (in Type 1 format) is typical of the writing used in the 6th century BC. It is one of a series of archaic fonts.
documentation	(no language specified) <i>Package documentation</i> :: https://ctan.org/tex-archive/fonts/archaic/greek6cbc/greek6cbc.pdf
– local file	./7934522136-greek6cbc.pdf
documentation	(no language specified) <i>Sample of Greek C6 BCE font</i> :: https://ctan.org/tex-archive/fonts/archaic/greek6cbc/trygvibc.pdf
– local file	./4483346044-trygvibc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/archaic/greek6cbc/README
documentation	(no language specified) <i>Samples of entire archaic bundle</i> :: https://ctan.org/tex-archive/fonts/archaic/asamples.pdf

– local file	<code>./8592837549-asamples.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/archaic/greek6cbc
on MikTeX	<code>greek6cbc</code>
on T _E XLive	<code>archaic</code>
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-archaic</code> (fonts reproducing archaic scripts or inscriptions)
keyword	<code>font-greek</code> (font for Greek (archaic, classical and modern))
language(s)	no language specified
year	without year
last access	2025-02-07

2627 *greekctr* – Represent counters by letters of the Greek alphabet

Web page on CTAN	https://ctan.org/pkg/greekctr
name	<code>greekctr</code>
caption	Represent counters by letters of the Greek alphabet
author	Knappen, Jörg
copyright	Jörg Knappen (1991-1999)
license	gpl = GNU General Public License (free)
description	(no language specified) The commands <code>\greek</code> and <code>\Greek</code> use (mathematical) Greek letters (or upper case Latin letters, where appropriate), to enumerate numbers up to 24. Numbers 25 and above are represented with <code>\omega</code> / <code>\Omega</code> , and provoke an error message. The package is part of Jörg Knappen's collection .
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/jknappen/00readme.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jknappen
on MikTeX	<code>jknappen</code>
on T _E XLive	<code>jknaptx</code>
keyword	<code>numbers</code> (formatting numbers, etc)
keyword	<code>greek</code> (support for typesetting Greek)

see also	see section 1909 on page 1725: (<code>engrec</code> – Enumerate with lower- or uppercase Greek letters)
language(s)	no language specified
year	1999
last access	2025-02-07

2628 *greekdates* – Provides ancient Greek day and month names, dates, etc

Web page on CTAN <https://ctan.org/pkg/greekdates>

name	<code>greekdates</code>
caption	Provides ancient Greek day and month names, dates, etc
author	Tsolomitis, Antonis
copyright	Antonis Tsolomitis (2001)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package provides easy access to ancient Greek names of days and months of various regions of Greece. In case the historical information about a region is not complete, we use the Athenian name of the month. Moreover commands and options are provided, in order to completely switch to the "ancient way", commands such as <code>\today</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/greekdates/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/greekdates/greekdates.pdf
– local file	<code>./6135092413-greekdates.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/greekdates
on MikTeX	<code>greekdates</code>
on TeXLive	<code>greekdates</code>
keyword	<code>date-time</code> (manipulate dates and/or times)
keyword	<code>greek</code> (support for typesetting Greek)
language(s)	no language specified
year	2001
last access	2025-02-07

2629 greekinfo3 – Overview of systems, packages, and fonts for Greek TeXWeb page on CTAN <https://ctan.org/pkg/greekinfo3>

name	greekinfo3
caption	Overview of systems, packages, and fonts for Greek TeX
author	Filippou, Dimitrios
author	Dimakos, Ioannis
license	noinfo = noinfo
version	(2014-11-30)
last changes	2014-11-30
year	2014
description	(no language specified) The document "Twenty-five years of Greek TeXing" provides an updated perspective of all available systems, packages, and fonts for typesetting Greek texts using TeX/LaTeX.
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/greek/greekinfo3/greekinfo3.pdf
– local file	./4309206548-greekinfo3.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/greek/greekinfo3/README
on CTAN	https://ctan.org/tex-archive/info/greek/greekinfo3
keyword	greek-doc (documentation in Greek)
language(s)	no language specified
last access	2025-02-07

2630 greektex – Fonts for typesetting Greek/English documentsWeb page on CTAN <https://ctan.org/pkg/greektex>

name	greektex
caption	Fonts for typesetting Greek/English documents
author	Sfyrakis, Chrysovalantis
author	Moschovakis, Yiannis
license	pd = Public Domain Software (free)

description	(no language specified) The fonts are based on Silvio Levy’s classical Greek fonts ; macros and Greek hyphenation patterns for the fonts’ encoding are also provided.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/greek/greetex/README
documentation	(Greek) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/greek/greetex/greetexdoc.pdf
– local file	<code>./9149116039-greetexdoc.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/greek/greetex
on T _E XLive	<code>greetex</code>
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>font-greek</code> (font for Greek (archaic, classical and modern))
see also	see section 2631 on page 2381: (<i>greetex-fd</i> – LaTeX font definition files for GreekTeX)
language(s)	Greek
year	without year
last access	2025-02-07

2631 *greetex-fd* – LaTeX font definition files for GreekTeX

Web page on CTAN	https://ctan.org/pkg/greetex-fd
name	<code>greetex-fd</code>
caption	LaTeX font definition files for GreekTeX
author	Brodnik, Andrej
copyright	Andrej Brodnik (1995)
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) FD files for the three families of fonts of the GreekTeX bundle, in a U encoding (for the roman, sans and teletype families), and again as an OML encoding for the roman family.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/greek/greetex-fd/README
on CTAN	https://ctan.org/tex-archive/fonts/greek/greetex-fd
keyword	<code>font-suppl</code> (metrics, macro incantations and other font support)

language(s)	no language specified
year	1995
last access	2025-02-07

2632 greektonoi – Facilitates writing/editing of multiaccented greek

Web page on CTAN <https://ctan.org/pkg/greektonoi>

name	<code>greektonoi</code>
caption	Facilitates writing/editing of multiaccented greek
author	Cornaros, Charalampos
license	lgpl3 = GNU Lesser General Public License 3 (free)
version	(2016-01-01)
last changes	2016-01-01
year	2016
description	(no language specified) The <code>greektonoi</code> mapping extends the <code>betababel</code> package or the <code>babel</code> <code>polutonikogreek</code> option to provide a simple way to insert ancient Greek texts with diacritical characters into your document using a similar method to the commonly used Beta Code transliteration, but with much more freedom. It is designed especially for the XeTeX engine and it could also be used for fast and easy modification of monotonic greek texts to polytonic. The output text is natively encoded in Unicode, so it can be reused in any possible way. The <code>greektonoi</code> package provides, in addition to inserting greek accents and breathings, many other symbols used in greek numbers and arithmetic or in the greek archaic period. It could be used with <code>greektonoi</code> mapping or independently.
documentation	<i>Package documentation (Greek):</i> https://ctan.org/tex-archive/language/greek/greektonoi/greektonoi.pdf
– local file	<code>./7384688446-greektonoi.pdf</code>
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/language/greek/greektonoi/greektonoi-en.pdf
– local file	<code>./8049957041-greektonoi-en.pdf</code>
home page	http://myria.math.aegean.gr/labs/dt/
on CTAN	https://ctan.org/tex-archive/language/greek/greektonoi
on MikTeX	<code>greektonoi</code>
on T _E XLive	<code>greektonoi</code>
keyword	<code>greek</code> (support for typesetting Greek)

keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
language(s)	Greek
last access	2025-02-07

2633 *greenpoint* – The Green Point logo

Web page on CTAN	https://ctan.org/pkg/greenpoint
name	greenpoint
caption	The Green Point logo
author	Triska, Markus
copyright	Markus Triska (2001, 2003)
license	gpl = GNU General Public License (free)
description	(no language specified) A Metafont-implementation of the logo commonly known as ‘Der Grüne Punkt’ (‘The Green Point’). In Austria, it can be found on nearly every bottle. It should not be confused with the ‘Recycle’-logo , implemented by Ian Green.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/greenpoint/README
on CTAN	https://ctan.org/tex-archive/fonts/greenpoint
on MikTeX	greenpoint
on T _E XLive	greenpoint
keyword	font (fonts themselves)
keyword	font-specialist (fonts with specific small application areas)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	no language specified
year	2003
last access	2025-02-07

2634 gregoriotex – Engraving Gregorian Chant scores

Web page on CTAN <https://ctan.org/pkg/gregoriotex>

name	gregoriotex
caption	Engraving Gregorian Chant scores
author	Roux, Élie
author	Springuel, Fr. Samuel
author	So, Henry
copyright	The Gregorio project (2007-2025)
license	gpl3 = GNU General Public License, version 3 (free)
version	6.1.0
description	(no language specified) Gregorio is a software application for engraving Gregorian Chant scores on a computer. Gregorio's main job is to convert a gabc file (simple text representation of a score) into a GregorioTeX file, which makes TeX able to create a PDF of your score.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/gregoriotex/doc/GregorioRef.pdf
– local file	./7033976172-GregorioRef.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/gregoriotex/README.md
home page	http://gregorio-project.github.io/
contact	<i>support</i> : http://gregorio-project.github.io/contact.html
on CTAN	https://ctan.org/tex-archive/support/gregoriotex
installation	https://ctan.org/tex-archive/install/support/gregoriotex.tds.zip
on MikTeX	gregoriotex
on T _E XLive	gregoriotex
keyword	music (typesetting music and related stuff)
keyword	chords (chord notations, as for song books)
language(s)	no language specified
year	2025
last access	2025-03-10

2635 grfext – Manipulate the graphics package’s list of extensions

Web page on CTAN <https://ctan.org/pkg/grfext>

name	grfext
caption	Manipulate the graphics package’s list of extensions
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2007, 2010)
copyright	Oberdiek Package Support Group (2016-2019)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3 (2019-12-03)
last changes	2019-12-03
year	2019
description	(no language specified) This package provides macros for adding to, and reordering the list of graphics file extensions recognised by package graphics .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/grfext/grfext.pdf
– local file	./8991581080-grfext.pdf
contact	<i>bugs</i> : https://github.com/ho-tex/grfext/issues
contact	<i>repository</i> : https://github.com/ho-tex/grfext
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/grfext
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/grfext.tds.zip
on MikTeX	grfext
on T _E XLive	grfext
keyword	graphics-supp (support for other packages or for drivers)
language(s)	no language specified
last access	2025-02-07

2636 grffile – Extended file name support for graphics (legacy package)

Web page on CTAN <https://ctan.org/pkg/grffile>

name	grffile
caption	Extended file name support for graphics (legacy package)
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2006-2012)
copyright	Oberdiek Package Support Group (2016-2019)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.1 (2019-11-11)
last changes	2019-11-11
year	2019
description	(no language specified) The original package extended the file name processing of package graphics to support a larger range of file names. The base LaTeX code now supports multiple dots and spaces, and this package by default is a stub that just loads graphicx . However, <code>\usepackage{grffile}[=v1]</code> may be used to access version 1(.18) of the package if that is needed.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/grffile/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/grffile/grffile.pdf
– local file	<code>./7334729218-grffile.pdf</code>
contact	<i>bugs</i> : https://github.com/ho-tex/grffile/issues
contact	<i>repository</i> : https://github.com/ho-tex/grffile
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/grffile
on MikTeX	grffile
on TeXLive	grffile
keyword	file-mgmt (TeX-related-file management)
language(s)	no language specified
last access	2025-02-07

2637 grfguide – LaTeX standard graphics and color packages documentation

Web page on CTAN <https://ctan.org/pkg/grfguide>

name	grfguide
caption	LaTeX standard graphics and color packages documentation
author	Carlisle, David
copyright	David Carlisle (1994-1996, 1998, 1999)
copyright	David Carlisle, LaTeX3 Project (2005-2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2021-03-05)
last changes	2021-03-05
year	2021
description	(no language specified) Documentation of the LaTeX Graphics bundle. The guide discusses using graphics in LaTeX, including documentation on the use of colour (the color package).
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/macros/latex/required/graphics/grfguide.pdf
– local file	<code>./4982391813-grfguide.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/required/graphics
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-graphics.tds.zip
on MikTeX	graphics
on T _E XLive	graphics
keyword	graphics-doc (documentation of techniques for using graphics)
language(s)	no language specified
last access	2025-02-07

2638 grfpaste – Include fragments of a dvi file

Web page on CTAN <https://ctan.org/pkg/grfpaste>

name	grfpaste
caption	Include fragments of a dvi file
author	Carlisle, David
copyright	David Carlisle (1997)
license	lppl = The LaTeX Project Public License (free)
version	0.2
description	(no language specified) Provides a mechanism to include fragments of dvi files with the graphicx package, so that you can use <code>\includegraphics</code> to include dvi files. The package requires the dvipaste program.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/grfpaste/doc/grfpaste.pdf
– local file	<code>./7081094001-grfpaste.pdf</code>
documentation	(no language specified) <i>Readme-alike:</i> https://ctan.org/tex-archive/macros/latex/contrib/grfpaste/dvipaste.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/grfpaste
on MikTeX	grfpaste
on T _E XLive	grfpaste
keyword	graphics-incl (include external graphics)
language(s)	no language specified
year	1997
last access	2025-02-07

2639 grid – Grid typesetting in LaTeX

Web page on CTAN <https://ctan.org/pkg/grid>

name	grid
caption	Grid typesetting in LaTeX
author	River Valley Technologies
copyright	River Valley Technologies (2009)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package helps to enables grid typesetting in double column documents. Grid typesetting (vertical aligning of lines of text in adjacent columns) is a difficult task in LaTeX, and the present package is no more than an attempt to help users to achieve it in a limited way. An example document, <code>grid.tex</code>, is provided with simple instructions to typeset it using the package. The package needs a lot more work: this is only a beginning...
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/grid/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/grid/grid.pdf
– local file	<code>./2907842168-grid.pdf</code>
home page	http://river-valley.com/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/grid
on MikTeX	grid
on TeXLive	grid
keyword	typeset-grid (typeset, snapping lines of text to a grid)
language(s)	no language specified
year	2009
last access	2025-02-07

2640 *grid-system* – Page organisation, modelled on CSS facilities

Web page on CTAN <https://ctan.org/pkg/grid-system>

name	grid-system
caption	Page organisation, modelled on CSS facilities
author	Bitzl, Marcus
license	apache2 = Apache License, version 2.0 (free)
version	0.3.0 (2014-02-16)
last changes	2014-02-16
year	2014
description	(no language specified) The package provides the means for LaTeX to implement a grid system as known from CSS grid systems. The facility is useful for creating box layouts as used in brochures.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/grid-system/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/grid-system/grid-system.pdf
– local file	./2831002873-grid-system.pdf
contact	<i>repository</i> : https://github.com/bitzl/latex-grid-system
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/grid-system
on MikTeX	grid-system
on T _E XLive	grid-system
keyword	layout (layout of objects on the page)
language(s)	no language specified
last access	2025-02-07

2641 gridpapers – Graph paper backgrounds and color schemesWeb page on CTAN <https://ctan.org/pkg/gridpapers>

name	gridpapers
caption	Graph paper backgrounds and color schemes
author	Stein, Leo
author	McNees, Robert
copyright	Robert McNees, Leo C. Stein (2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0.2 (2021-03-27)
last changes	2021-03-27
year	2021
description	(no language specified) This package provides many preset yet customizable graph paper backgrounds. Some of the preset patterns include standard quadrille or graph pattern, dot grid, hexagons, isometric or triangular grid, squares with 45° "light cone" lines, ruled, and more. Pattern sizes can be controlled via package options. There are several preset color palletes, and colors can be overridden. The package uses the PGF/TikZ package, and the geometry package to control page size.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gridpapers/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gridpapers/gridpapers.pdf
– local file	./4031423989-gridpapers.pdf
contact	<i>bugs</i> : https://github.com/mcnees/LaTeX-Graph-Paper/issues
contact	<i>repository</i> : https://github.com/mcnees/LaTeX-Graph-Paper
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gridpapers
on MikTeX	gridpapers
on T _E XLive	gridpapers
keyword	background (decorate/confuse text by adding a background)
keyword	pgf-tikz (package uses PGF-TikZ)

see also	see section 2615 on page 2368: (<code>graphpaper</code> – A LaTeX class to generate several types of graph papers)
language(s)	no language specified
last access	2025-02-07

2642 *gridset* – Grid, a.k.a. in-register, setting

Web page on CTAN <https://ctan.org/pkg/gridset>

name	gridset
caption	Grid, a.k.a. in-register, setting
author	Kohm, Markus
copyright	Markus Kohm (2008-2020)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.4 (2024-08-17)
last changes	2024-08-17
year	2024
description	(no language specified) Grid setting — also known as strict in-register setting — is something, that should be done for a lot of documents but is not easy using LaTeX. The package helps to get the information needed for grid setting. It does not implement auto grid setting, but there is a command <code>\vskipnextgrid</code> , that moves to the next grid position. This may be enough under some circumstances, but in other circumstances it may fail. Thus <i>gridset</i> is only one more step for grid setting, not a complete solution.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gridset/gridset.pdf
– local file	<code>./7607182434-gridset.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gridset/README.md
home page	https://github.com/komascript/gridset
contact	<i>repository</i> : https://github.com/komascript/gridset.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gridset
on MikTeX	gridset
on TeXLive	gridset
keyword	typeset-grid (typeset, snapping lines of text to a grid)

language(s) no language specified
last access 2025-02-07

2643 gridslides – Free form slides with blocks placed on a grid

Web page on CTAN <https://ctan.org/pkg/gridslides>

name gridslides
caption Free form slides with blocks placed on a grid
author Mendler, Daniel
copyright Daniel Mendler (2017)
license gpl2 = GNU General Public License, version 2 (free)
license lpl1.3 = The LaTeX Project Public License 1.3 (free)
version 0.1.1 (2017-11-28)
last changes 2017-11-28
year 2017
description (no language specified) This package allows creating free form slides with blocks placed on a grid. The blocks can be filled with text, equations, figures etc. The resulting slides are similar to the ones produced with [LaTeX beamer](#) , but more flexible.
Sequential unconvener of elements is supported. A compiler script is provided which compiles each slide separately, this way avoiding long compile times.
documentation (no language specified) *Package documentation:*
<https://ctan.org/tex-archive/macros/latex/contrib/gridslides/gridslides.pdf>
– local file ./6653733382-gridslides.pdf
documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/macros/latex/contrib/gridslides/README.md>
documentation (no language specified) *Example of use:* <https://ctan.org/tex-archive/macros/latex/contrib/gridslides/example.pdf>
– local file ./5578483980-example.pdf
contact *bugs:* <https://github.com/minad/gridslides/issues>
contact *repository:* <https://github.com/minad/gridslides>
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/gridslides>
on MikTeX gridslides

2644 *grkfst* – Install Greek Type 1 fonts

on T _E XLive	gridslides
keyword	class (alternative LaTeX class(es))
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2025-02-07

2644 *grkfst* – Install Greek Type 1 fonts

Web page on CTAN <https://ctan.org/pkg/grkfst>

name	grkfst
caption	Install Greek Type 1 fonts
author	Kryukov, Alexey
copyright	Alexej Kryukov (2002-2005)
license	lppl = The LaTeX Project Public License (free)
version	0.3.2
description	(no language specified) This is a plug-in for <i>fontinst</i> , for installing Greek Type 1 fonts for use with (La)TeX using the LGR encoding. For Unicode fonts to use with Omega, see the author's <i>ofntinst</i> bundle.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/utilities/fontinst-contrib/grkfst/README
on CTAN	https://ctan.org/tex-archive/fonts/utilities/fontinst-contrib/grkfst
keyword	omega (Omega and packages that use it)
keyword	greek (support for typesetting Greek)
keyword	font-cvt (convert a font to a form usable with TeX)
language(s)	no language specified
year	2005
last access	2025-02-07

2645 grnumalt – Ancient Greek (Athenian) numbers

Web page on CTAN <https://ctan.org/pkg/grnumalt>

name	grnumalt
caption	Ancient Greek (Athenian) numbers
author	Syropoulos, Apostolos
copyright	Apostolos Syropoulos (1997)
license	other-nonfree = License that prevents distribution (not free)
version	1.1
description	(no language specified) The package implements a numbering system that was used in ancient Athens, producing the ‘Athenian’ numeral for any positive number. The package’s <code>\athnum</code> command can (in principle) be used to provide alternative typeset display of the value of counters.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/grnumalt/grnumalt.pdf
– local file	<code>./8654495165-grnumalt.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/grnumalt
keyword	numbers (formatting numbers, etc)
keyword	greek (support for typesetting Greek)
language(s)	no language specified
year	1997
last access	2025-02-07

2646 grtimes – Typeset Greek text with Times New Roman Greek

Web page on CTAN <https://ctan.org/pkg/grtimes>

name	grtimes
caption	Typeset Greek text with Times New Roman Greek
author	Syropoulos, Apostolos
copyright	Apostolos Syropoulos (1999-2002)
license	other-nonfree = License that prevents distribution (not free)
version	1.0

description	(no language specified) The bundle assumes you have run ttf2mf to produce Metafont source from the (Monotype) Times New Roman TrueType font that you (otherwise, legally) own. (The translation may be steered by a file within the this package.) The package grtimes, in the bundle, allows the user to typeset monotonic Greek text using these Metafont-specified fonts.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/greek/grtimes/README
on CTAN	https://ctan.org/tex-archive/fonts/greek/grtimes
keyword	font-supp (metrics, macro incantations and other font support)
keyword	greek (support for typesetting Greek)
language(s)	no language specified
year	2002
last access	2025-02-07

2647 *grundgesetze* – Typeset Frege’s *Grundgesetze der Arithmetik*

Web page on CTAN <https://ctan.org/pkg/grundgesetze>

name	grundgesetze
caption	Typeset Frege’s <i>Grundgesetze der Arithmetik</i>
author	Rossberg, Marcus
copyright	Josh Parsons, Marcus Rossberg, J.J. Green, Richard Kimberly Heck, Agustín Rayo (2003-2021)
license	gpl2 = GNU General Public License, version 2 (free)
version	1.03 (2021-04-26)
last changes	2021-04-26
year	2021
description	(no language specified) The package defines maths mode commands for typesetting Gottlob Frege’s concept-script in the style of his “ <i>Grundgesetze der Arithmetik</i> ” (Basic Laws of Arithmetic).
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/grundgesetze/grundgesetze.pdf
– local file	./7699812607-grundgesetze.pdf

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/grundgesetze/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/grundgesetze
on MikTeX	grundgesetze
on T _E XLive	grundgesetze
keyword	maths (support for typesetting mathematics)
keyword	logic (typesetting logician’s discussions)
see also	see section 2388 on page 2162: (<i>frege</i> – Typeset fregean Begriffsschrift)
see also	see section 551 on page 507: (<i>begriff</i> – Typeset Begriffsschrift)
see also	see section 574 on page 528: (<i>bguq</i> – Improved quantifier stroke for Begriffsschrift packages)
language(s)	no language specified
last access	2025-02-07

2648 *grverb* – Typesetting Greek verbatim

Web page on CTAN	https://ctan.org/pkg/grverb
name	grverb
caption	Typesetting Greek verbatim
author	Syropoulos, Apostolos
copyright	Apostolos Syropoulos (1999)
license	other-nonfree = License that prevents distribution (not free)
version	1.0
description	(no language specified) The package provides verbatim typesetting, in the context of the Greek option in <i>babel</i> . The package uses the public domain <code>Greek-CourierPlain</code> font, and the font itself (in Type 1 format), metrics and a font map entry for its use are provided.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/language/greek/grverb/grverb.pdf
– local file	<code>./2465356135-grverb.pdf</code>
on CTAN	https://ctan.org/tex-archive/language/greek/grverb
keyword	verbatim (verbatim typesetting, etc.)
keyword	greek (support for typesetting Greek)

2649 *gs1* – Typeset EAN barcodes using TeX rules, only

language(s)	no language specified
year	1999
last access	2025-02-07

2649 *gs1* – Typeset EAN barcodes using TeX rules, only

Web page on CTAN <https://ctan.org/pkg/g1>

name	GS1
caption	Typeset EAN barcodes using TeX rules, only
author	Kohm, Markus
copyright	Markus Kohm (2012-2021)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	23 (2021-06-17)
last changes	2021-06-17
year	2021
description	(no language specified) The (LaTeX3) package typesets EAN-8 and EAN-13 barcodes, using the facilities of the rule-D package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/g1/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/g1/G1.pdf
– local file	./6905159772-GS1.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/g1
on MikTeX	gs1
on TeXLive	gs1
keyword	barcode (barcodes and other machine-readable tags)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

2650 *gsemthesis* – Geneva School of Economics and Management PhD thesis format

Web page on CTAN <https://ctan.org/pkg/gsemthesis>

name	<code>gsemthesis</code>
caption	Geneva School of Economics and Management PhD thesis format
author	Rousseaux, Emmanuel
copyright	Emmanuel Rousseaux (2014-2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.9.4 (2015-02-09)
last changes	2015-02-09
year	2015
description	(no language specified) The class provides a PhD thesis template for the Geneva School of Economics and Management (GSEM), University of Geneva, Switzerland. The class provides utilities to easily set up the cover page, the front matter pages, the page headers, etc., conformant to the official guidelines of the GSEM Faculty for writing PhD dissertations.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gsemthesis/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gsemthesis/gsemthesis.pdf
– local file	<code>./2453732614-gsemthesis.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gsemthesis
on MikTeX	<code>gsemthesis</code>
on T _E XLive	<code>gsemthesis</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
language(s)	no language specified
last access	2025-02-07

2651 *gsftopk* – Convert "Ghostscript fonts" to PK files

Web page on CTAN <https://ctan.org/pkg/gsftopk>

name	gsftopk
caption	Convert "Ghostscript fonts" to PK files
author	Vojta, Paul
license	gpl = GNU General Public License (free)
version	1.19.2
description	(no language specified) Designed for use with xdvi and dvips this utility converts Adobe Type 1 fonts to PK bitmap format. It should not ordinarily be much used nowadays, since both its target applications are now capable of dealing with Type 1 fonts, direct.
home page	http://math.berkeley.edu/~vojta/gsftopk.html
on CTAN	https://ctan.org/tex-archive/fonts/utilities/gsftopk
on MikTeX	gsftopk
on T _E XLive	gsftopk
keyword	font-cvt (convert a font to a form usable with TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

2652 *gsview* – View PostScript under MS-Windows or OS/2

Web page on CTAN <https://ctan.org/pkg/gsview>

name	gsview
caption	View PostScript under MS-Windows or OS/2
author	Lang, Russell
license	nosell = Do Not Sell Except by Arrangement (not free)
version	5.0
description	(no language specified) GSView is a graphical interface for the Ghostscript interpreter of PostScript and PDF, under Windows, OS/2 or Unix-alike systems. GSview was inspired by Tim Theisen's X11 Ghostview program (the current X11 derivative of that is gv). GSview is no longer available from CTAN: it should be retrieved from its home page .

keyword	previewer (application for viewing a typeset document on screen)
language(s)	no language specified
year	without year
last access	2025-02-07

2653 *gtex-letter* – A Gnome assistant to ease the writing of LaTeX letters

Web page on CTAN <https://ctan.org/pkg/gtex-letter>

name	gtex-letter
caption	A Gnome assistant to ease the writing of LaTeX letters
author	Folini, Christian
license	gpl = GNU General Public License (free)
description	(no language specified) A good looking interface, based on the gnome-desktop. Serial letters are supported. Multiple letter headers can be accessed from within the application. Standard openings and default closings can be configured. These openings can be configured to adopt to the sex of the addressee automatically. You can choose from three different user interfaces. Novice is very easy for the beginner, intermediate is the standard way, expert is straight forward, all on one big page. The application can swallow text you pipe into it, being it the address or the text of the letter. A special non-interactive mode lets you produce standard-letters in an extremely efficient way. gtex-letter connects to the gnome-address-book from the gnome-pim package. gtex-letter is implemented in python and based on gnome.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/gtex-letter/manual/html/index.html
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/gtex-letter/README
on CTAN	https://ctan.org/tex-archive/support/gtex-letter
keyword	letter (typesetting letters, envelopes, faxes, etc)
language(s)	no language specified
year	without year
last access	2025-02-07

2654 gtl – Manipulating generalized token lists

Web page on CTAN <https://ctan.org/pkg/gtl>

name	gtl
caption	Manipulating generalized token lists
author	Le Floch, Bruno
copyright	Bruno Le Floch (2013, 2015, 2017, 2018,2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.6 (2024-01-04)
last changes	2024-01-04
year	2024
description	(no language specified) The package provides tools for simple operations on lists of tokens which are not necessarily balanced. It is in particular used a lot in the unravel package, to go through tokens one at a time rather than having to work with entire braced groups at a time.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/gtl/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/gtl/gtl.pdf
– local file	./6698868061-gtl.pdf
contact	<i>bugs</i> : https://github.com/blefloch/latex-gtl/issues
contact	<i>repository</i> : https://github.com/blefloch/latex-gtl
on CTAN	https://ctan.org/tex-archive/macros/generic/gtl
on MikTeX	gtl
on T _E XLive	gtl
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

2655 *gtrcrd* – Add chords to lyricsWeb page on CTAN <https://ctan.org/pkg/gtrcrd>

name	<code>gtrcrd</code>
caption	Add chords to lyrics
author	Bresciani, Riccardo
copyright	Riccardo Bresciani (2012-2013)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2013-12-24)
last changes	2013-12-24
year	2013
description	(no language specified) The package provides the means to specify guitar chords to be played with each part of the lyrics of a song. The syntax of the macros reduces the chance of failing to provide a chord where one is needed, and the structure of the macros ensures that the chord specification appears immediately above the start of the lyric.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gtrcrd/gtrcrd-doc.pdf
– local file	<code>./1084301205-gtrcrd-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gtrcrd/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gtrcrd
on MikTeX	<code>gtrcrd</code>
on T _E XLive	<code>gtrcrd</code>
keyword	<code>music</code> (typesetting music and related stuff)
keyword	<code>chords</code> (chord notations, as for song books)
language(s)	no language specified
last access	2025-02-07

2656 gtrlib-largetrees – Library for genealogytree aiming at large trees

Web page on CTAN <https://ctan.org/pkg/gtrlib-largetrees>

name	<code>gtrlib.largetrees</code>
caption	Library for genealogytree aiming at large trees
author	Grewe, Richard
copyright	Richard Grewe (2015-2018)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.2b (2018-11-02)
last changes	2018-11-02
year	2018
description	(no language specified) The main goal of this package is to offer additional database fields and formats for the genealogytree package, particularly for typesetting large trees. The package depends on genealogytree and etoolbox .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/gtrlib-largetrees/gtrlib.largetrees.pdf
– local file	<code>./2771941920-gtrlib.largetrees.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/gtrlib-largetrees/README.md
contact	<i>repository:</i> https://github.com/Ri-Ga/gtrlib.largetrees
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gtrlib-largetrees
on MikTeX	<code>gtrlib-largetrees</code>
on T _E XLive	<code>gtrlib-largetrees</code>
keyword	genealogy (typesetting genealogical information)
see also	see section 2469 on page 2232 : (genealogytree – Pedigree and genealogical tree diagrams)
language(s)	no language specified
last access	2025-02-07

2657 *gu* – Typeset crystallographic group-subgroup-schemes

Web page on CTAN <https://ctan.org/pkg/gu>

name	gu
caption	Typeset crystallographic group-subgroup-schemes
author	Lange, Stefan
copyright	Stefan Lange (2006)
license	lppl = The LaTeX Project Public License (free)
version	(2007-01-19)
last changes	2007-01-19
year	2007
description	(no language specified) The package simplifies typesetting of simple crystallographic group-subgroup-schemes in the Bärnighausen formalism. It defines a new environment <code>stammbaum</code> , wherein all elements of the scheme are defined. Afterwards all necessary dimensions are calculated and the scheme is drawn. Currently two steps of symmetry reduction are supported.
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gu/gudoc.pdf
– local file	<code>./6024363154-gudoc.pdf</code>
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/gu/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gu
on MikTeX	gu
on T _E XLive	gu
keyword	crystallography (typeset material to do with crystallography)
language(s)	German
last access	2025-02-07

2658 guarani – Guarani support

Web page on CTAN <https://ctan.org/pkg/guarani>

name	guarani
caption	Guarani support
author	Bezos López, Javier
copyright	Javier Bezos (2004)
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) This is an (unfinished) package for support of Guarani, which is the main language spoken in Paraguay. The bundle provides Babel support for writing in Guarani, together with an inputenc definition file for a windows Guarani code page.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/guarani/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/language/guarani/guarani.pdf
– local file	./9511993887-guarani.pdf
on CTAN	https://ctan.org/tex-archive/language/guarani
keyword	inputenc (input encoding support for TeX engines)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
keyword	other-lang (support for a language whose support is not otherwise catalogued)
language(s)	no language specified
year	2004
last access	2025-02-07

2659 gudea – The Gudea font face with support for LaTeX and pdfLaTeX

Web page on CTAN <https://ctan.org/pkg/gudea>

name	gudea
caption	The Gudea font face with support for LaTeX and pdfLaTeX
author	Ebinger, Carl-Clemens
license	lppl = The LaTeX Project Public License (free)

license	ofl = The SIL Open Font License (free)
version	0.0.1
description	(no language specified) This package provides the Gudea family of fonts designed by Agustina Mingote, with support for LaTeX and pdfLaTeX.
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/gudea/doc/Gudea-samples.pdf
– local file	<code>./7123758623-Gudea-samples.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/gudea/README
home page	https://github.com/ccebinger/CTAN_Gudea
contact	<i>support</i> : https://github.com/ccebinger/CTAN_Gudea
contact	<i>bugs</i> : https://github.com/ccebinger/CTAN_Gudea
contact	<i>repository</i> : https://github.com/ccebinger/CTAN_Gudea
contact	<i>development</i> : https://github.com/ccebinger/CTAN_Gudea
on CTAN	https://ctan.org/tex-archive/fonts/gudea
on MikTeX	<code>gudea</code>
on T _E XLive	<code>gudea</code>
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font-tlenc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-sans</code> (sans-serif font)
language(s)	no language specified
year	without year
last access	2025-02-07

2660 *guia-bibtex* – Guía casi completa de BibTeX

Web page on CTAN <https://ctan.org/pkg/guia-bibtex>

name	guia-bibtex
caption	Guia casi completa de BibTeX
author	López, Joaquín Ataz
license	fdl = Free Documentation License (free)
description	(no language specified) The document is an (as-complete-as-possible) manual about the use of BibTeX with LaTeX, in Spanish.
documentation	(Spanish) <i>The document itself</i> : https://ctan.org/tex-archive/info/spanish/guia-bibtex/guia-bibtex.pdf
– local file	./5622593359-guia-bibtex.pdf
on CTAN	https://ctan.org/tex-archive/info/spanish/guia-bibtex
keyword	spanish-doc (documentation in Spanish)
language(s)	Spanish
year	without year
last access	2025-02-07

2661 *guide-latex-fr* – A french guide on LaTeX – for beginners or advanced users

Web page on CTAN <https://ctan.org/pkg/guide-latex-fr>

name	guide-latex-fr
caption	A french guide on LaTeX – for beginners or advanced users
author	Bouzigues, Adrien
license	cc-by-nc-nd-4 = CC BY-NC-ND 4.0 (not free)
version	3.8 (2022-12-28)
last changes	2022-12-28
year	2022

description	(no language specified) Si tu ne connais rien à LaTeX, si tu veux apprendre à rédiger des rapports élégants sous LaTeX, et si en plus tu es Français, je sais exactement ce que tu ressens: c'est extrêmement dur de commencer tout seul, en autodidacte. C'est pourquoi j'ai réuni toutes mes connaissances actuelles sur LaTeX dans ce guide. Il peut donc t'aider à apprendre les bases ou aller plus loin dans ton utilisation de LaTeX. Des exemples détaillés sont fournis tout le long du guide. If you want to start from scratch and learn how to type good-looking reports with LaTeX, and if you're French, then I know it can be really hard to do it by yourself. That's why I put all the knowledge I acquired into this guide. It can help a lot to learn the bases or to move forward and use LaTeX to type more handsome documents. Lots of examples are provided all along this guide.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/guide-latex-fr/README.md
documentation	(French) <i>The document itself</i> : https://ctan.org/tex-archive/info/guide-latex-fr/guide-latex-fr.pdf
– local file	./7450336769-guide-latex-fr.pdf
home page	https://glf.cl215.fr/
on CTAN	https://ctan.org/tex-archive/info/guide-latex-fr
on MikTeX	guide-latex-fr
keyword	french-doc (documentation in French)
keyword	tut-latex (tutorial material for LaTeX)
see also	see section 3550 on page 3208: (lshort-french – Short introduction to LaTeX, French translation)
language(s)	French
last access	2025-02-07

2662 *guit-corso* – Introduzione al mondo di LaTeX

Web page on CTAN	https://ctan.org/pkg/guit-corso
name	GuIT-corso
caption	Introduzione al mondo di LaTeX
author	Vavassori, Emiliano Giovanni
author	Busdraghi, Fabiano
author	Himmelmann, Maurizio W.
copyright	Gruppo Utilizzatori Italiani di TeX (2006)

license	nocommercial = No Commercial Use (not free)
version	1.0
description	(English) This material provides everything is necessary to give a LaTeX course in Italian. The course is divided into four lessons and it has been written for people without any previous knowledge of LaTeX. It has been successfully tested on Windows and *nix platforms. The class guitbeamer is needed to run the presentations. Documentation is only available in Italian.
description	(Italian) Viene qui presentato il materiale realizzato per il corso "Introduzione al mondo di LaTeX" tenuto dai membri del Gruppo Utilizzatori Italiani di TeX e destinato a chiunque abbia in animo di organizzare un corso ma non trovi il tempo e/o la voglia necessaria per allestire tutto il materiale. Il corso è articolato in quattro lezioni ed è rivolto a discenti senza alcuna conoscenza pregressa di LaTeX e/o linguaggi di programmazione. Esso può essere svolto sia per piattaforme Windows che *nix, essendo stato sperimentato con successo su entrambi i sistemi. Le presentazioni a video sono realizzate sulla base della classe guitbeamer sviluppata da Emiliano Giovanni Vavassori e disponibile su CTAN.
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/info/italian/GuIT/corso_guit/README
documentation	(Italian) <i>Lezione 3</i> : https://ctan.org/tex-archive/info/italian/GuIT/corso_guit/Lezione_3.pdf
– local file	./5443031249-Lezione_3.pdf
documentation	(Italian) <i>Lezione 1</i> : https://ctan.org/tex-archive/info/italian/GuIT/corso_guit/Lezione_1.pdf
– local file	./7733511806-Lezione_1.pdf
documentation	(Italian) <i>Lezione 2</i> : https://ctan.org/tex-archive/info/italian/GuIT/corso_guit/Lezione_2.pdf
– local file	./4762584623-Lezione_2.pdf
documentation	(Italian) <i>Lezione 4</i> : https://ctan.org/tex-archive/info/italian/GuIT/corso_guit/Lezione_4.pdf
– local file	./6563507320-Lezione_4.pdf
documentation	(Italian) <i>General documentation</i> : https://ctan.org/tex-archive/info/italian/GuIT/corso_guit/doc/documentazione.pdf
– local file	./8734335510-documentazione.pdf
on CTAN	https://ctan.org/tex-archive/info/italian/GuIT/corso_guit
keyword	italian-doc (documentation in Italian)

language(s)	English; Italian
year	2006
last access	2025-02-07

2663 guitar – Guitar chords and song texts

Web page on CTAN <https://ctan.org/pkg/guitar>

name	<code>guitar</code>
caption	Guitar chords and song texts
author	Väth, Martin
copyright	Martin Väth (2001, 2009, 2013)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.6
description	(no language specified) (La)TeX macros for typesetting guitar chords over song texts. The toolbox package is required. Note that this package only places arbitrary TeX code over the lyrics. To typeset the chords graphically (and not only by name), the author recommends use of an additional package such as gchords by K. Peeters.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/guitar/guitar.pdf
– local file	<code>./2124078887-guitar.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/guitar
on MikTeX	<code>guitar</code>
on TeXLive	<code>guitar</code>
keyword	<code>chords</code> (chord notations, as for song books)
keyword	<code>music</code> (typesetting music and related stuff)
language(s)	no language specified
year	2013
last access	2025-02-07

2664 guitarchordschemes – Guitar Chord and Scale Tablatures

Web page on CTAN <https://ctan.org/pkg/guitarchordschemes>

name guitarchordschemes

caption Guitar Chord and Scale Tablatures

author Niederberger, Clemens

copyright Clemens Niederberger (2013-2016)

license lpl1.3 = The LaTeX Project Public License 1.3 (free)

version 0.7 (2016-08-16)

last changes 2016-08-16

year 2016

description (no language specified) This package provides two commands (`\chordscheme` and `\scales`).

With those commands it is possible to draw schematic diagrams of guitar chord tablatures and scale tablatures. Both commands know a range of options that allow wide customization of the output.

The package's drawing is done with the help of **TikZ**.

documentation (English) *Package documentation*:
https://ctan.org/tex-archive/macros/latex/contrib/guitarchordschemes/guitarchordschemes_en.pdf

– local file ./9043090183-guitarchordschemes_en.pdf

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/guitarchordschemes/README>

contact *repository*: <https://github.com/cgnieder/guitarchordschemes>

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/guitarchordschemes>

on MikTeX guitarchordschemes

on T_EXLive guitarchordschemes

keyword chords (chord notations, as for song books)

keyword music (typesetting music and related stuff)

see also see section 2663 on page 2411: (guitar – Guitar chords and song texts)

language(s) English

last access 2025-02-07

2665 *guitartabs* – A class for drawing guitar tablatures easily

Web page on CTAN <https://ctan.org/pkg/guitartabs>

name	guitartabs
caption	A class for drawing guitar tablatures easily
author	Babushkin, Andrey
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2018-05-01)
last changes	2018-05-01
year	2018
description	(no language specified) This package provides is a simple LaTeX2e class that allows guitarists to create basic guitar tablatures using LaTeX. Create music and do not be bothered with macro programming. The class depends on the LaTeX packages geometry , harmony , inputenc , intcalc , musixtex , tikz , and xifthen , as well as the article class.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/guitartabs/README.md
documentation	(no language specified) <i>Example of use</i>: https://ctan.org/tex-archive/macros/latex/contrib/guitartabs/nothingelsematters.pdf
– local file	./4943158689-nothingelsematters.pdf
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/guitartabs/guitartabs-doc.pdf
– local file	./2771422486-guitartabs-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/guitartabs
on MikTeX	guitartabs
on TeXLive	guitartabs
keyword	chords (chord notations, as for song books)
keyword	music (typesetting music and related stuff)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-07

2666 *guitbeamer* – Beamer-based class for GuIT presentations

Web page on CTAN <https://ctan.org/pkg/guitbeamer>

name	GuITbeamer
caption	Beamer-based class for GuIT presentations
author	Vavassori, Emiliano Giovanni
copyright	Gruppo Utilizzatori Italiani di TeX (2006)
license	nocommercial = No Commercial Use (not free)
version	0.4
description	(no language specified) The <i>guitbeamer</i> class is written to simplify the preparation of presentations on LaTeX to members of GuIT. The class is based on <i>beamer</i> .
documentation	(Italian) <i>Class documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/GuIT/guitbeamer/guitbeamer.pdf
– local file	<code>./3774918584-guitbeamer.pdf</code>
documentation	(no language specified) <i>Class README</i> : https://ctan.org/tex-archive/macros/latex/contrib/GuIT/guitbeamer/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/GuIT/guitbeamer
on MikTeX	<i>guitbeamer</i>
keyword	class (alternative LaTeX class(es))
keyword	presentation (slides, beamers, handouts, etc.)
keyword	italian (support for typesetting Italian)
language(s)	Italian
year	2006
last access	2025-02-07

2667 *guitlogo* – Macros for typesetting the GuIT logoWeb page on CTAN <https://ctan.org/pkg/guitlogo>

name	GuITlogo
caption	Macros for typesetting the GuIT logo
author	Vicentini, Emanuele
copyright	Gruppo Utilizzatori Italiani di TeX (2003-2006, 2009, 2012, 2019, 2020)
license	lpl1.3a = The LaTeX Project Public License 1.3a (free)
version	1.0.0-alpha.4 (2020-07-03)
last changes	2020-07-03
year	2020
description	(no language specified) This package provides some commands useful to correctly write the logo of "Gruppo Utilizzatori Italiani di TeX" (Italian TeX User Group), using the default document color or any other color the user may ever choose, in conformity with the logo's scheme as seen on the group's website https://www.guitex.org . Likewise, commands are provided that simplify the writing of the GuIT acronym's complete expansion, of the addresses of the group's internet site and public forum, and the meeting 'GuITmeeting' and the magazine Ars TeXnica's logo. Optionally, using hyperref , the outputs of the above cited commands can become hyperlinks to the group's website https://www.guitex.org . The Documentation is available in Italian only.
documentation	(Italian) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/GuIT/GuITlogo/guit.pdf
– local file	./9873339765-guit.pdf
documentation	(Italian) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/GuIT/GuITlogo/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/GuIT/GuITlogo
on MikTeX	guitlogo
on TeXLive	guitlogo
keyword	logo (symbols or drawings to specify an object, including icons)
language(s)	Italian
last access	2025-02-07

2668 gurmukhi – Support for Gurmukhi

Web page on CTAN <https://ctan.org/pkg/gurmukhi>

name	gurmukhi
caption	Support for Gurmukhi
author	Pandey, Anshuman
license	noinfo = noinfo
version	(1999-03-02)
last changes	1999-03-02
year	1999
description	(no language specified) TeX support for Gurmukhi (a Punjabi language), including a converter from US-ASCII to Gurmukhi.
on CTAN	https://ctan.org/tex-archive/language/gurmukhi/pandey
keyword	indic (support for languages of the Indian subcontinent)
see also	see section 2669 on page 2416: (gurmukhi-singh – Support for Gurmukhi in TeX)
language(s)	no language specified
last access	2025-02-07

2669 gurmukhi-singh – Support for Gurmukhi in TeX

Web page on CTAN <https://ctan.org/pkg/gurmukhi-singh>

name	gurmukhi-singh
caption	Support for Gurmukhi in TeX
author	Singh, Amarjit
license	gpl = GNU General Public License (free)
description	(no language specified) A preprocessor (provided as C source) for Gurmukhi text expressed in a Latin alphabet, Metafont source of a Gurmukhi font, and plain TeX macros (derived from Devanagari macros).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/language/gurmukhi/singh/manual.ps
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/gurmukhi/singh/Readme
on CTAN	https://ctan.org/tex-archive/language/gurmukhi/singh

keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>font-indic</code> (fonts for languages of the Indian subcontinent)
keyword	<code>font</code> (fonts themselves)
keyword	<code>indic</code> (support for languages of the Indian subcontinent)
see also	see section 2668 on page 2416: (<code>gurmukhi</code> – Support for Gurmukhi)
language(s)	no language specified
year	without year
last access	2025-02-07

2670 *gurps* – Typeset Generic Universal Role Playing System (GURPS) materials

Web page on CTAN <https://ctan.org/pkg/gurps>

name	<code>gurps</code>
caption	Typeset Generic Universal Role Playing System (GURPS) materials
author	Farley, Nathanael
copyright	Nathanael Farley (2017)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.1 (2018-02-14)
last changes	2018-02-14
year	2018
description	(no language specified) This package supports typesetting Generic Universal Role Playing System (GURPS) materials. It provides many convenience commands (e.g. <code>\gurps</code>, <code>\SJGamesOnlinePolicy</code>) as well as limited NPC building capabilities with a character environment. The package requires the use of LuaLaTeX as several of the internal calculations are in Lua.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/gurps/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/gurps/gurps.pdf
– local file	<code>./8961864218-gurps.pdf</code>
contact	<i>bugs</i>: https://github.com/nasfarley88/gurps-latex-package/issues

2672 *gv* – An X front end for Ghostscript

Web page on CTAN <https://ctan.org/pkg/gv>

name	gv
caption	An X front end for Ghostscript
author	Marchesi, José E.
copyright	José E. Marchesi (2004-2006)
license	gpl3 = GNU General Public License, version 3 (free)
version	3.7.4
description	(no language specified) GNU gv enables the user to view and navigate through PostScript and PDF documents on an X display by providing a user interface for the Ghostscript interpreter. Development of gv was based on ghostview 1.5 (which CTAN does not hold).
home page	http://www.gnu.org/software/gv/
on CTAN	https://ctan.org/tex-archive/support/gv
keyword	previewer (application for viewing a typeset document on screen)
language(s)	no language specified
year	2006
last access	2025-02-07

2673 *gv-savepos* – A patch to gv to save positions

Web page on CTAN <https://ctan.org/pkg/gv-savepos>

name	gv-savepos
caption	A patch to gv to save positions
author	Thành, Hàn Thế
license	pd = Public Domain Software (free)
description	(no language specified) A patch against the sources of <i>gv</i> (version 3.6.2), to record the coordinates of the cursor in a file. Such a file simplifies the process of preparing images using packages such as <i>pinlabel</i> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/gv-savepos/README
on CTAN	https://ctan.org/tex-archive/support/gv-savepos

2674 gzt – Bundle of classes for “La Gazette des Mathématiciens”

keyword	previewer (application for viewing a typeset document on screen)
language(s)	no language specified
year	without year
last access	2025-02-07

2674 gzt – Bundle of classes for “La Gazette des Mathématiciens”

Web page on CTAN <https://ctan.org/pkg/gzt>

name	gzt
caption	Bundle of classes for “La Gazette des Mathématiciens”
author	Bitouzé, Denis
copyright	Denis Bitouzé (2014-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1.4 (2024-03-09)
last changes	2024-03-09
year	2024
description	(no language specified) This bundle provides two classes and BibLaTeX styles for the French journal “La Gazette des Mathématiciens” : • gzt for the complete issues of the journal, aimed at the Gazette’s team, • gztarticle , intended for authors who wish to publish an article in the Gazette. This class’s goals are to – faithfully reproduce the layout of the Gazette, thus enabling the authors to be able to work their document in actual conditions, and – provide a number of tools (commands and environments) to facilitate the drafting of documents, in particular those containing mathematical formulas.
documentation	(no language specified) <i>Code documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/gzt/doc/english/gzt-code.pdf
– local file	./9708802256-gzt-code.pdf
documentation	(French) <i>User manual</i>: https://ctan.org/tex-archive/macros/latex/contrib/gzt/doc/french/gzt-fr.pdf
– local file	./2770595141-gzt-fr.pdf

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gzt/README.md
contact	<i>bugs</i> : https://github.com/dbitouze/gzt/issues
contact	<i>repository</i> : https://github.com/dbitouze/gzt/
contact	<i>development</i> : https://github.com/dbitouze/gzt/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gzt
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/gzt.tds.zip
on MikTeX	<code>gzt</code>
on T _E XLive	<code>gzt</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>french</code> (support for typesetting French)
keyword	<code>journalpub</code> (typesetting journals, etc)
language(s)	French
last access	2025-02-07

2675 `h2020proposal` – LaTeX class and template for EU H2020 RIA proposal

Web page on CTAN	https://ctan.org/pkg/h2020proposal
name	<code>h2020proposal</code>
caption	LaTeX class and template for EU H2020 RIA proposal
author	Indiveri, Giacomo
copyright	Giacomo Indiveri (2010, 2015)
license	gpl3 = GNU General Public License, version 3 (free)
version	1.0 (2015-09-20)
last changes	2015-09-20
year	2015
description	(no language specified) This package consists of a class file as well as FET and ICT proposal templates for writing EU H2020 RIA proposals and generating automatically the many cross-referenced tables that are required.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/h2020proposal/README.txt

documentation	(no language specified) <i>Template (FET)</i> : https://ctan.org/tex-archive/macros/latex/contrib/h2020proposal/template-fet/template-fet.pdf
– local file	<code>./6248878650-template-fet.pdf</code>
documentation	(no language specified) <i>Template (ICT)</i> : https://ctan.org/tex-archive/macros/latex/contrib/h2020proposal/template-ict/template-ict.pdf
– local file	<code>./3154642722-template-ict.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/h2020proposal/manual/h2020proposal.pdf
– local file	<code>./9932673016-h2020proposal.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/h2020proposal
on MikTeX	h2020proposal
on TeXLive	h2020proposal
keyword	class (alternative LaTeX class(es))
keyword	proposal (typeset proposals to funding bodies, etc)
language(s)	no language specified
last access	2025-02-07

2676 ha-prosper – Patches and improvements for prosper

Web page on CTAN <https://ctan.org/pkg/ha-prosper>

name	ha-prosper
caption	Patches and improvements for prosper
author	Adriaens, Hendri
license	lppl = The LaTeX Project Public License (free)
version	4.21
description	(no language specified) HA-prosper is a patch for prosper that adds new functionality to prosper based presentations. Among the new features you will find automatic generation of a table of contents on each slide, support for notes and portrait slides. The available styles demonstrate how to expand the functionality of prosper even further.
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/ha-prosper/README

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/ha-prosper/Doc/HA-prosper.pdf
– local file	./2959485227-HA-prosper.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ha-prosper
on MikTeX	ha-prosper
on TeXLive	ha-prosper
keyword	presentation (slides, beamers, handouts, etc.)
see also	see section 4771 on page 4320: (powerdot – A presentation class)
language(s)	no language specified
year	without year
last access	2025-02-07

2677 *hackalloc* – Make allocations local

Web page on CTAN	https://ctan.org/pkg/hackalloc
name	hackalloc
caption	Make allocations local
license	noinfo = noinfo
version	(1989-12-21)
last changes	1989-12-21
year	1989
description	(no language specified) The package makes <i>all</i> allocation (<code>\newcount</code> , <code>\newdimen</code> , etc.) local.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/hackalloc.sty
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

2678 *hackthefootline* – Footline selection and configuration for LaTeX beamer’s standard themes

Web page on CTAN <https://ctan.org/pkg/hackthefootline>

name	hackthefootline
caption	Footline selection and configuration for LaTeX beamer’s standard themes
author	Friedl, Sebastian
copyright	Sebastian Friedl (2017)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2018-01-29)
last changes	2018-01-29
year	2018
description	(no language specified) This package is taking over, defining and redefining different footlines. Configuration is provided via using key-value syntax. It depends on the pgfkeys used for providing the configuration keys. Optional features require the following LaTeX packages: appendixnumberbeamer , calc , etoolbox , and numprint .
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/hackthefootline/doc/hackthefootline-doc.pdf
– local file	./3733416210-hackthefootline-doc.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/hackthefootline/README.md
contact	<i>bugs</i> : https://github.com/sfr682k/hackthefootline/issues
contact	<i>repository</i> : https://github.com/sfr682k/hackthefootline
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/hackthefootline
on MikTeX	hackthefootline
on T _E XLive	hackthefootline
keyword	page-hf (page head- and foot-lines)
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2025-02-07

2679 hacm – Font support for the Arka languageWeb page on CTAN <https://ctan.org/pkg/hacm>

name	hacm
caption	Font support for the Arka language
author	Miyatani, Kazuaki
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1
description	(no language specified) The package supports typesetting <i>hacm</i> , the alphabet of the constructed language <i>Arka</i> . The bundle provides nine official fonts, in Adobe Type 1 format.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/hacm/doc/hacmdoc.pdf
– local file	./6676414193-hacmdoc.pdf
documentation on CTAN	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/hacm/README
installation	https://ctan.org/tex-archive/install/fonts/hacm.tds.zip
on MikTeX	hacm
on T _E XLive	hacm
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-invented (font for an ‘invented’ language or script)
keyword	font (fonts themselves)
keyword	lang-invented (support for typesetting invented language(s))
language(s)	no language specified
year	without year
last access	2025-02-07

2680 hagenberg-thesis – Collection of LaTeX classes, style files and example documents for academic manuscripts

Web page on CTAN <https://ctan.org/pkg/hagenberg-thesis>

name	hagenberg-thesis
caption	Collection of LaTeX classes, style files and example documents for academic manuscripts
author	Burger, Wilhelm
author	Hochleitner, Wolfgang
license	cc-by-4 = CC BY 4.0 (free)
version	(2023-02-13)
last changes	2023-02-13
year	2023
description	(no language specified) A collection of modern LaTeX classes, style files and example documents for authoring Bachelor, Master or Diploma theses and related academic manuscripts in English and German. Includes comprehensive tutorials (in English and German) with detailed instructions and authoring guidelines.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hagenberg-thesis/doc/hagenberg-thesis.pdf
– local file	./7104149524-hagenberg-thesis.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hagenberg-thesis/README.md
documentation	(German) <i>Example document / Tutorial</i> : https://ctan.org/tex-archive/macros/latex/contrib/hagenberg-thesis/doc/hagenberg-thesis-tutorial-de.pdf
– local file	./8871337517-hagenberg-thesis-tutorial-de.pdf
documentation	(English) <i>Example document / Tutorial</i> : https://ctan.org/tex-archive/macros/latex/contrib/hagenberg-thesis/doc/hagenberg-thesis-tutorial-en.pdf
– local file	./4879212050-hagenberg-thesis-tutorial-en.pdf
contact	<i>repository</i> : https://github.com/Digital-Media/HagenbergThesis
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hagenberg-thesis
on MikTeX	hagenberg-thesis

2681 *halftone* – Knuth’s halftone font and its uses

on T _E XLive	hagenberg-thesis
keyword	class (alternative LaTeX class(es))
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	German; English
last access	2025-02-07

2681 *halftone* – Knuth’s halftone font and its uses

Web page on CTAN <https://ctan.org/pkg/halftone>

name	halftone
caption	Knuth’s halftone font and its uses
author	Knuth, Donald E.
author	Clark, Adrian
license	noinfo = noinfo
version	(1992-09-27)
last changes	1992-09-27
year	1992
description	(no language specified) Knuth’s font is of course distributed as Metafont source. Macros that demonstrate usage of the font to produce actual printable pictures are also provided.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/halftone/blurb.txt
documentation	(no language specified) <i>TUGboat paper on the macros</i> : https://tug.org/TUGboat/Articles/tb08-3/tb19clark.pdf
– local file	./7731297861-tb19clark.pdf
on CTAN	https://ctan.org/tex-archive/fonts/halftone
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-specialist (fonts with specific small application areas)
keyword	font (fonts themselves)
language(s)	no language specified
last access	2025-02-11

2682 halloweenmath – Scary and creepy math symbols with AMS-LaTeX integration

Web page on CTAN <https://ctan.org/pkg/halloweenmath>

name	halloweenmath
caption	Scary and creepy math symbols with AMS-LaTeX integration
author	Mezzetti, Gustavo
copyright	G. Mezzetti (2017-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.11 (2019-11-01)
last changes	2019-11-01
year	2019
description	(no language specified) The package defines a handful of commands for typesetting mathematical symbols of various kinds, ranging from ‘large’ operators to extensible arrow-like relations and growing arrow-like math accents that all draw from the classic Halloween-related iconography (pumpkins, witches, ghosts, cats, and so on) while being, at the same time, seamlessly integrated within the rest of the mathematics produced by (AmS-)LaTeX.
documentation	(no language specified) <i>User manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/halloweenmath/halloweenmath-man.pdf
– local file	./7437336627-halloweenmath-man.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/halloweenmath/README
documentation	(no language specified) <i>2nd Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/halloweenmath/00readme.txt
documentation	(no language specified) <i>Package overview</i> : https://ctan.org/tex-archive/macros/latex/contrib/halloweenmath/halloweenmath-doc.pdf
– local file	./4378307202-halloweenmath-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/halloweenmath
on MikTeX	halloweenmath
on T _E XLive	halloweenmath
keyword	amusements (jokes, distractions, tongue-in-cheek packages, and other entertainment material)
keyword	maths (support for typesetting mathematics)
keyword	maths-symbol (construction or application of mathematical symbols)

language(s) no language specified
last access 2025-02-07

2683 hamnosys – A font for sign languages

Web page on CTAN <https://ctan.org/pkg/hamnosys>

name hamnosys
caption A font for sign languages
author Hanke, Thomas
author Schulder, Marc
copyright Universität Hamburg (2021-2022)
license lpl1.3c = The LaTeX Project Public License 1.3c (free)
version 1.0.3 (2022-02-08)
last changes 2022-02-08
year 2022
description (no language specified) The Hamburg Notation System, HamNoSys for short, is a system for the phonetic transcription of signed languages. This package makes HamNoSys available in XeLaTeX and LuaLaTeX.
The package provides a Unicode font for rendering HamNoSys symbols as well as three methods for entering them.
documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/fonts/hamnosys/README.md>
documentation (no language specified) *Package documentation*:
<https://ctan.org/tex-archive/fonts/hamnosys/hamnosys.pdf>
– local file ./3616313463-hamnosys.pdf
home page <https://github.com/DGS-Korpus/HamNoSys4TeX>
contact *bugs*: <https://github.com/DGS-Korpus/HamNoSys4TeX/issues>
contact *repository*: <https://github.com/DGS-Korpus/HamNoSys4TeX>
on CTAN <https://ctan.org/tex-archive/fonts/hamnosys>
on MikTeX hamnosys
on T_EXLive hamnosys
keyword font-ttf (font available in TrueType format)
keyword accessible (accessibility support)

language(s) no language specified
last access 2025-02-07

2684 *handin* – Light weight template for creating school submissions using LaTeX

Web page on CTAN <https://ctan.org/pkg/handin>

name *handin*
caption Light weight template for creating school submissions using LaTeX
author Storvik Strauman, Andreas
copyright Andreas Storvik Strauman (2018)
license lpl1.3c = The LaTeX Project Public License 1.3c (free)
version 0.1.1
description (no language specified) This package is for students creating school submissions using LaTeX. It is especially suitable for math, physics, statistics and the like. It can easily be used for creating exercises, too.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/handin/README.txt>
documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/handin/handin-doc.pdf>
– local file ./9895472499-handin-doc.pdf
documentation (no language specified) *Example of use*: <https://ctan.org/tex-archive/macros/latex/contrib/handin/example.pdf>
– local file ./9691422828-example.pdf
contact *bugs*:
<https://github.com/Strauman/Handin-LaTeX-template/issues>
contact *repository*:
<https://github.com/Strauman/Handin-LaTeX-template>
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/handin>
on MikTeX *handin*
on T_EXLive *handin*
keyword doc-templ (template to guide document development)
language(s) no language specified
year 2018

last access 2025-02-07

2685 *handout* – Create handout for auditors of a talk

Web page on CTAN <https://ctan.org/pkg/handout>

name	handout
caption	Create handout for auditors of a talk
author	Rouquette, Maïeul
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.6.0 (2017-04-21)
last changes	2017-04-21
year	2017
description	(no language specified) In some fields of scholarship, a beamer does not offer good support when giving a talk in a proceeding. For example, in classical philology, the main sources are text, and it will be better to distribute a handout to the audience with extracts of the texts about which we will talk. The package supports preparation of such handouts when writing the talk.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/handout/handout.pdf
– local file	<code>./9459383980-handout.pdf</code>
documentation	<i>Tutorial (in French)</i>: http://geekographie.maieul.net/Fabriquer-un-exemplier
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/handout/README
contact	<i>bugs</i> : https://github.com/maieul/handout/issues
contact	<i>repository</i> : https://github.com/maieul/handout
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/handout
on MikTeX	handout
on T _E XLive	handout
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	French
last access	2025-02-07

2686 **handoutwithnotes** – Create Handouts with notes from your LaTeX beamer presentation

Web page on CTAN <https://ctan.org/pkg/handoutwithnotes>

name	handoutWithNotes
caption	Create Handouts with notes from your LaTeX beamer presentation
author	Diepen, Guido
author	Peischl, Marei
copyright	Guido Diepen (2009-2018)
copyright	Marei Peischl (2021-2022)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3 (2022-02-22)
last changes	2022-02-22
year	2022
description	(no language specified) This package provides pgfpages layouts to place notes next to the scaled slides.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/handoutwithnotes/handoutWithNotes.pdf
– local file	./4796996691-handoutWithNotes.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/handoutwithnotes/README.md
contact	<i>bugs:</i> https://github.com/gdiepen/latexbeamer-handoutWithNotes/issues
contact	<i>repository:</i> https://github.com/gdiepen/latexbeamer-handoutWithNotes
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/handoutwithnotes
on MikTeX	handoutwithnotes
on T _E XLive	handoutwithnotes
keyword	expl3 (expl3(unknown))
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2025-02-07

2687 hands – Pointing hand font

Web page on CTAN <https://ctan.org/pkg/hands>

name	hands
caption	Pointing hand font
author	Tobin, Georgia K. M.
author	Powroz, Norman
license	pd = Public Domain Software (free)
version	(1992-09-27)
last changes	1992-09-27
year	1992
description	(no language specified) Provides right- and left-pointing hands in both black-on-white and white-on-black realisation. The font is distributed as Metafont source.
on CTAN	https://ctan.org/tex-archive/fonts/hands
on MikTeX	hands
on TeXLive	hands
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-symbol (fonts that provide collections of symbols)
language(s)	no language specified
last access	2025-02-07

2688 hang – Environments for hanging paragraphs and list items

Web page on CTAN <https://ctan.org/pkg/hang>

name	hang
caption	Environments for hanging paragraphs and list items
author	Nolda, Andreas
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.1 (2017-02-18)
last changes	2017-02-18
year	2017

description	(no language specified) This package provides environments for hanging paragraphs and list items. In addition, it defines environments for labeled paragraphs and list items.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hang/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hang/hang.pdf
– local file	<code>./6175926933-hang.pdf</code>
documentation	(no language specified) <i>Sample of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/hang/sample.pdf
– local file	<code>./9674365164-sample.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hang
on MikTeX	hang
on TeXLive	hang
keyword	layout (layout of objects on the page)
keyword	list (list: general)
see also	see section 2690 on page 2435: (hanging – Hanging paragraphs)
language(s)	no language specified
last access	2025-02-07

2689 *hangcaption* – Hanging layout for captions

Web page on CTAN	https://ctan.org/pkg/hangcaption
name	hangcaption
caption	Hanging layout for captions
author	Jones, David M.
license	noinfo = noinfo
version	2.0
description	(no language specified) The hangcaption package redefines the caption command to produce captions with hanging indentation. While this package will work with current LaTeX, its effects are better achieved by one of the many functions of the caption package.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/hangcaption.sty
keyword	caption (typesetting captions)

language(s)	no language specified
year	without year
last access	2025-02-07

2690 *hanging* – Hanging paragraphs

Web page on CTAN <https://ctan.org/pkg/hanging>

name	<code>hanging</code>
caption	Hanging paragraphs
author	Robertson, Will
author	Wilson, Peter R.
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2b
description	(no language specified) The hanging package facilitates the typesetting of hanging paragraphs. The package also enables typesetting with hanging punctuation, by making punctuation characters active. This facility is best suppressed (it can interfere with other packages) — there are package options for suppressing each individual punctuation character. ‘Real’ attempts at hanging punctuation should nowadays use the microtype package, which takes advantage of the support offered in recent versions of pdfTeX.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hanging/hanging.pdf
– local file	<code>./9375831071-hanging.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hanging/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hanging
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/hanging.tds.zip
on MikTeX	<code>hanging</code>
on T _E XLive	<code>hanging</code>
keyword	<code>layout</code> (layout of objects on the page)
see also	see section 2688 on page 2433 : (<code>hang</code> – Environments for hanging paragraphs and list items)

language(s)	no language specified
year	without year
last access	2025-02-07

2691 hanoi – Tower of Hanoi in TeX

Web page on CTAN <https://ctan.org/pkg/hanoi>

name	hanoi
caption	Tower of Hanoi in TeX
author	Blackmore, Brian
license	pd = Public Domain Software (free)
version	20120101
description	(no language specified) The Plain TeX program (typed in the shape of the towers of Hanoi) serves both as a game and as a TeX programming exercise. As a game it will solve the towers with (up to) 15 discs (with 15 discs, 32767 moves are needed).
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/hanoi
on T _E XLive	hanoi
keyword	games (process game diagrams, gamebooks, and other amusements)
language(s)	no language specified
year	without year
last access	2025-02-07

2692 hanzibox – Boxed Chinese characters with Pinyin above and translation below

Web page on CTAN <https://ctan.org/pkg/hanzibox>

name	hanzibox
caption	Boxed Chinese characters with Pinyin above and translation below
author	Geng, Nan
copyright	Nan Geng (2020-2022)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.3.0 (2022-04-17)
last changes	2022-04-17

year	2022
description	(no language specified) This is a LaTeX package written to simplify the input of Chinese with Hanyu Pinyin and translation. Hanyu Pinyin is placed above Chinese with the xpinyin package, and the translation is placed below. The package can be used as a utility for learning to write and pronounce Chinese characters, for Chinese character learning plans, presentations, exercise booklets and other documentation work.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/hanzibox/README.md
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/xetex/latex/hanzibox/hanzibox.pdf
– local file	./6554460267-hanzibox.pdf
contact	<i>bugs</i> : https://gitee.com/nwafu_nan/hanzibox-l3/issues
contact	<i>repository</i> : https://gitee.com/nwafu_nan/hanzibox-l3
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/hanzibox
on MikTeX	hanzibox
on TeXLive	hanzibox
keyword	expl3 (expl3(unknown))
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
keyword	chinese (support for typesetting Chinese languages)
language(s)	Chinese
last access	2025-02-09

2693 *happy4th* – A firework display in obfuscated TeX

Web page on CTAN <https://ctan.org/pkg/happy4th>

name	happy4th
caption	A firework display in obfuscated TeX
author	Blackmore, Brian
license	pd = Public Domain Software (free)
version	20120102
description	(no language specified) The output PDF file gives an amusing display, as the reader pages through it.

2694 *har2nat* – Replace the harvard package with natbib

documentation	(no language specified) <i>Package output</i> : https://ctan.org/tex-archive/macros/plain/contrib/happy4th/happy4th.pdf
– local file	./5480106109-happy4th.pdf
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/happy4th
on MikTeX	happy4th
on T _E XLive	happy4th
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	frivolous (TeX code as a source of humour)
language(s)	no language specified
year	without year
last access	2025-02-07

2694 *har2nat* – Replace the harvard package with natbib

Web page on CTAN	https://ctan.org/pkg/har2nat
name	har2nat
caption	Replace the harvard package with natbib
author	Straathof, Bas
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) This small package allows a LaTeX document containing the citation commands provided by the Harvard package to be compiled using the natbib package. Migration from harvard to natbib thus can be achieved simply by replacing <pre>\usepackage{harvard}</pre> with <pre>usepackage{natbib} usepackage{har2nat}</pre> It is important that har2nat be loaded after natbib, since it modifies natbib commands.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/har2nat/har2nat.pdf

– local file	<code>./6336765370-har2nat.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/har2nat/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/har2nat
on MikTeX	har2nat
on T _E XLive	har2nat
keyword	bibtex-supp (BibTeX citation support)
language(s)	no language specified
year	without year
last access	2025-02-07

2695 haranoaji – Harano Aji Fonts

Web page on CTAN	https://ctan.org/pkg/haranoaji
name	haranoaji
caption	Harano Aji Fonts
author	Hosoda, Masamichi
copyright	Masamichi Hosoda (2019-2023)
license	ofl = The SIL Open Font License (free)
version	20231009-2
description	(no language specified) Harano Aji Fonts (Harano Aji Mincho and Harano Aji Gothic) are fonts obtained by replacing Adobe-Identity-0 (AI0) CIDs of Source Han fonts (Source Han Serif and Source Han Sans) with Adobe-Japan1 (AJ1) CIDs. There are 14 fonts, 7 weights each for Mincho and Gothic.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/haranoaji/README
home page	https://github.com/trueroad/HaranoAjiFonts
on CTAN	https://ctan.org/tex-archive/fonts/haranoaji
on MikTeX	haranoaji
on T _E XLive	haranoaji
keyword	font (fonts themselves)
keyword	font-cjk (fonts for far eastern languages (Chinese, Japanese and Korean))

keyword	japanese (support for typesetting Japanese)
see also	see section 2696 on page 2440: (<i>haranoaji-extra</i> – Harano Aji Fonts)
language(s)	no language specified
year	2023
last access	2025-02-07

2696 *haranoaji-extra* – Harano Aji Fonts

Web page on CTAN <https://ctan.org/pkg/haranoaji-extra>

name	haranoaji-extra
caption	Harano Aji Fonts
author	Hosoda, Masamichi
copyright	Masamichi Hosoda (2019-2023)
license	ofl = The SIL Open Font License (free)
version	20231009
description	(no language specified) Harano Aji Fonts (Harano Aji Mincho and Harano Aji Gothic) are fonts obtained by replacing Adobe-Identity-0 (AI0) CIDs of Source Han fonts (Source Han Serif and Source Han Sans) with Adobe-Japan1 (AJ1) CIDs. There are 14 fonts, 7 weights each for Mincho and Gothic.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/haranoaji-extra/README
home page	https://github.com/trueroad/HaranoAjiFonts
on CTAN	https://ctan.org/tex-archive/fonts/haranoaji-extra
on MikTeX	haranoaji-extra
on T _E XLive	haranoaji-extra
keyword	font-cjk (fonts for far eastern languages (Chinese, Japanese and Korean))
keyword	font (fonts themselves)
keyword	japanese (support for typesetting Japanese)
see also	see section 2695 on page 2439: (<i>haranoaji</i> – Harano Aji Fonts)
language(s)	no language specified
year	2023
last access	2025-02-07

2697 hardwrap – Hard wrap text to a certain character lengthWeb page on CTAN <https://ctan.org/pkg/hardwrap>

name	hardwrap
caption	Hard wrap text to a certain character length
author	Robertson, Will
author	Godby, Kevin
copyright	Will Robertson, Kevin Godby (2010, 2011)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2
description	(no language specified) The package facilitates wrapping text to a specific character width, breaking lines by words rather than, as done by TeX, by characters. The primary use for these facilities is to aid the generation of messages sent to the log file or console output to display messages to the user. Package authors may also find this useful when writing out arbitrary text to an external file.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hardwrap/hardwrap.pdf
– local file	<code>./4922760586-hardwrap.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hardwrap/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hardwrap
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/hardwrap.tds.zip
on MikTeX	hardwrap
on TeXLive	hardwrap
keyword	layout (layout of objects on the page)
language(s)	no language specified
year	2011
last access	2025-02-07

2698 harmony – Typeset harmony symbols, etc., for musicologyWeb page on CTAN <https://ctan.org/pkg/harmony>

name	harmony
caption	Typeset harmony symbols, etc., for musicology
author	Wegner, Arnim
author	Wegner, Dagny
copyright	Dagny Wegner, Arnim Wegner (2005-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2024-08-01)
last changes	2024-08-01
year	2024
description	(no language specified) The package harmony.sty uses the packages ifthen and amssymb from the amsfonts bundle, together with the LaTeX font lccirclew10 and the font musix13 from musixtex .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/harmony/README
documentation	(no language specified) <i>Package documentation (by example)</i> : https://ctan.org/tex-archive/macros/latex/contrib/harmony/harmony.pdf
– local file	./8057030595-harmony.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/harmony
on MikTeX	harmony
on T _E XLive	harmony
keyword	music (typesetting music and related stuff)
language(s)	no language specified
last access	2025-02-07

2699 *harnon-cv* – A CV document class with a vertical timeline for experience

Web page on CTAN <https://ctan.org/pkg/harnon-cv>

name	<i>harnon-cv</i>
caption	A CV document class with a vertical timeline for experience
author	Hart, William
license	pd = Public Domain Software (free)
version	1.0
description	(no language specified) The class offers another modern, neat, design, and provides a simple means of adding an ‘experience timeline’.
documentation	(no language specified) <i>Sample of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/harnon-cv/sample.pdf
– local file	<code>./2651890494-sample.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/harnon-cv/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/harnon-cv
on MikTeX	<i>harnon-cv</i>
on T _E XLive	<i>harnon-cv</i>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>cv</code> (curriculum vitae/Resumé)
language(s)	no language specified
year	without year
last access	2025-02-07

2700 *harpoon* – Extra harpoons, using the graphics package

Web page on CTAN <https://ctan.org/pkg/harpoon>

name	<i>harpoon</i>
caption	Extra harpoons, using the graphics package
author	Kuipers, Tobias
license	pd = Public Domain Software (free)
version	1.0

description	(no language specified) Provides over- and under-harpoon symbol commands; the harpoons may point in either direction, with the hook pointing up or down. The covered object is provided as an argument to the commands, so that they have the look of accent commands.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/harpoon/harpoon.pdf
– local file	<code>./4599749107-harpoon.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/harpoon
on MikTeX	harpoon
on TeXLive	harpoon
keyword	graphics-symb (create symbols, rather than select from a font)
language(s)	no language specified
year	without year
last access	2025-02-07

2701 *harvard* – Harvard citation package for use with LaTeX 2e

Web page on CTAN <https://ctan.org/pkg/harvard>

name	harvard
caption	Harvard citation package for use with LaTeX 2e
author	Williams, Peter
author	Schnier, Thorsten
copyright	Peter Williams (1994)
license	lppl = The LaTeX Project Public License (free)
version	2.0.5
description	(no language specified) This is a re-implementation, for LaTeX 2e, of the original Harvard package. The bundle contains the LaTeX package, several BibTeX styles, and a ‘Perl package’ for use with LaTeX2HTML. Harvard is an author-year citation style (all but the first author are suppressed in second and subsequent citations of the same entry); the package defines several variant styles: • <code>apsr.bst</code> for the American Political Science Review; • <code>agsm.bst</code> for Australian Government publications; • <code>dcu.bst</code> from the Design Computing Unit of the University of Sydney;

- `kluwer.bst` which aims at the format preferred in Kluwer publications;
- `nederlands.bst` which deals with sorting Dutch names with prefixes (such as `van`) according to Dutch rules,
- together with several styles whose authors offer no description of their behaviour.

documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/harvard/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/harvard/harvard.pdf
– local file	<code>./2455954262-harvard.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/harvard
on MikTeX	<code>harvard</code>
on T _E XLive	<code>harvard</code>
keyword	<code>bibtex-sty</code> (<code>bibtex-sty(unknown)</code>)
keyword	<code>bibtex-supp</code> (BibTeX citation support)
see also	see section 2694 on page 2438: (<code>har2nat</code> – Replace the <code>harvard</code> package with <code>natbib</code>)
language(s)	no language specified
year	1994
last access	2025-02-07

2702 *harvard-obsolete* – The Harvard bibliography style family

Web page on CTAN <https://ctan.org/pkg/harvard-obsolete>

name	<code>harvard-obsolete</code>
caption	The Harvard bibliography style family
author	Williams, Peter
license	<code>noinfo</code> = <code>noinfo</code>
version	(1993-11-25)
last changes	1993-11-25
year	1993

description	(no language specified) There are two primary forms of citation in the Harvard style, dependent upon whether the reference is used as a noun or parenthetically. The citations themselves are in author-date style, with authors after the first suppressed in repeat citations. The three original bibliography styles are agsm.bst (for Australian Government publications), dcu.bst (from the Design Computing Unit of the University of Sydney) and kluwer.bst (aiming at the format preferred in Kluwer publications). This package is no longer recommended for use: the harvard package for current LaTeX should be used instead.
documentation	(no language specified) <i>Package outline:</i> https://ctan.org/tex-archive/obsolete/biblio/bibtex/contrib/harvard/harvard.description
on CTAN	https://ctan.org/tex-archive/obsolete/biblio/bibtex/contrib/harvard
keyword	bibtex-sty (bibtex-sty(unknown))
keyword	bibtex-supp (BibTeX citation support)
language(s)	no language specified
last access	2025-02-07

2703 *harveyballs* – Create Harvey Balls using TikZ

Web page on CTAN	https://ctan.org/pkg/harveyballs
name	harveyballs
caption	Create Harvey Balls using TikZ
author	Roth, Sascha
copyright	Sascha Roth (2013)
license	gpl3 = GNU General Public License, version 3 (free)
version	1.1 (2013-10-22)
last changes	2013-10-22
year	2013
description	(no language specified) The package provides 5 commands (giving symbols that indicate values from "none" to "full").
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/harveyballs/harveyballs-Manual.pdf
– local file	./8414212130-harveyballs-Manual.pdf

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/harveyballs/README
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/harveyballs
on MikTeX	harveyballs
on T _E XLive	harveyballs
keyword	graphics-symb (create symbols, rather than select from a font)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-02-07

2704 *harvmac* – Macros for scientific articles

Web page on CTAN <https://ctan.org/pkg/harvmac>

name	harvmac
caption	Macros for scientific articles
author	Ginsparg, Paul
copyright	Paul Ginsparg (1991)
license	other-free = Free license not otherwise listed (free)
version	(1992-07-20)
last changes	1992-07-20
year	1992
description	(no language specified) Known as ‘Harvard macros’, since written at that University.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/harvmac
on MikTeX	harvmac
on T _E XLive	harvmac
keyword	plain-ext (extensions to Plain TeX for higher-level constructs)
language(s)	no language specified
last access	2025-02-09

2705 *hatching* – MetaPost macros for hatching interior of closed paths

Web page on CTAN <https://ctan.org/pkg/hatching>

name	<i>hatching</i>
caption	MetaPost macros for hatching interior of closed paths
author	Jackowski, Bogusław
license	pd = Public Domain Software (free)
version	0.11
description	(no language specified) The file <i>hatching.mp</i> contains a set of MetaPost macros for hatching interior of closed paths. Examples of usage are included.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/hatching/README
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/hatching
on MikTeX	<i>hatching</i>
on T _E XLive	<i>hatching</i>
keyword	graphics-subpic (generate parts of pictures)
language(s)	no language specified
year	without year
last access	2025-02-07

2706 *hausarbeit-jura* – Class for writing “juristische Hausarbeiten” at German Universities

Web page on CTAN <https://ctan.org/pkg/hausarbeit-jura>

name	<i>hausarbeit-jura</i>
caption	Class for writing “juristische Hausarbeiten” at German Universities
author	Sievers, Martin
copyright	Martin Sievers (2012-2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.1.0 (2020-08-06)
last changes	2020-08-06
year	2020

description	(no language specified) The class was developed for use by students writing legal essays ("juristische Hausarbeit") at German Universities. It is based on jurabook and jurabib and makes it easy for LaTeX beginners to get a correct and nicely formatted paper.
documentation	<i>Package documentation (German):</i> https://ctan.org/tex-archive/macros/latex/contrib/hausarbeit-jura/hausarbeit-jura.pdf
– local file	./2598681253-hausarbeit-jura.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/hausarbeit-jura/README.md
contact	<i>repository:</i> https://github.com/sieversMartin/hausarbeit-jura
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hausarbeit-jura
on MikTeX	hausarbeit-jura
on TeXLive	hausarbeit-jura
keyword	class (alternative LaTeX class(es))
keyword	essay (course work essays, assignments, etc.)
keyword	legal (typesetting legal documents or study material)
language(s)	German
last access	2025-02-07

2707 havannah – Diagrams of board positions in the games of Havannah and Hex

Web page on CTAN	https://ctan.org/pkg/havannah
name	havannah
caption	Diagrams of board positions in the games of Havannah and Hex
author	Ciura, Marcin
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	(2015-02-21)
last changes	2015-02-21
year	2015
description	(no language specified) This package defines macros for typesetting diagrams of board positions in the games of Havannah and Hex.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/havannah/havannah.pdf

2708 *hc* – Replacement for the LaTeX classes

– local file	<code>./4779524821-havannah.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/havannah/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/havannah
on MikTeX	havannah
on TeXLive	havannah
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-02-07

2708 *hc* – Replacement for the LaTeX classes

Web page on CTAN	https://ctan.org/pkg/hc
name	hcbundle
caption	Replacement for the LaTeX classes
author	Siefkes, Christian
license	other-free = Free license not otherwise listed (free)
description	(no language specified) A set of replacements for the default LaTeX classes, based upon the Koma-Script bundle and the seminar class. Includes <code>hcart</code> , <code>hcreport</code> , <code>hcletter</code> , and <code>hcslices</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hc/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hc
on MikTeX	hc
on TeXLive	hc
keyword	presentation (slides, beamers, handouts, etc.)
keyword	letter (typesetting letters, envelopes, faxes, etc)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
year	without year
last access	2025-02-07

2709 **hduthesis** – LaTeX class for bachelor and MPhil theses in Hangzhou Dianzi University

Web page on CTAN <https://ctan.org/pkg/hduthesis>

name	hduThesis
caption	LaTeX class for bachelor and MPhil theses in Hangzhou Dianzi University
author	Xia, Mingyu
copyright	Mingyu Xia (2023-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1.1 (2025-03-23)
last changes	2025-03-23
year	2025
description	(no language specified) This package provides a LaTeX template for graduation theses from Hangzhou Dianzi University. It supports the formatting of bachelor and MPhil degree theses.
documentation	(Chinese) <i>Example of use (master's thesis)</i> : https://ctan.org/tex-archive/macros/latex/contrib/hduthesis/doc/example/hduthesis-mphil.pdf
– local file	./4263639533-hduthesis-mphil.pdf
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hduthesis/doc/hduthesis.pdf
– local file	./8449069014-hduthesis.pdf
documentation	(no language specified) <i>Example of use (beamer presentation)</i> : https://ctan.org/tex-archive/macros/latex/contrib/hduthesis/doc/example/hduthesis-beamer.pdf
– local file	./3869400043-hduthesis-beamer.pdf
documentation	(Chinese) <i>Example of use (bachelor thesis)</i> : https://ctan.org/tex-archive/macros/latex/contrib/hduthesis/doc/example/hduthesis-bachelor.pdf
– local file	./8580589648-hduthesis-bachelor.pdf
documentation	(no language specified) <i>Example of use (stationery)</i> : https://ctan.org/tex-archive/macros/latex/contrib/hduthesis/doc/example/hduthesis-stationery.pdf
– local file	./4766563948-hduthesis-stationery.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hduthesis/README.md

home page	https://github.com/myhsia/hduthesis
contact	<i>support</i> : https://qm.qq.com/q/RGFmHwBecC
contact	<i>announce</i> : https://qm.qq.com/q/RGFmHwBecC
contact	<i>bugs</i> : https://github.com/myhsia/hduthesis/issues
contact	<i>repository</i> : https://github.com/myhsia/hduthesis
contact	<i>development</i> : https://github.com/myhsia
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hduthesis
on MikTeX	hduthesis
on TeXLive	hduthesis
keyword	doc-templ (template to guide document development)
keyword	class (alternative LaTeX class(es))
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	expl3 (expl3(unknown))
keyword	chinese (support for typesetting Chinese languages)
language(s)	Chinese
last access	2025-04-01

2710 *he-le-na* – Support for Serbian typesetting

Web page on CTAN	https://ctan.org/pkg/he-le-na
name	he-le-na
caption	Support for Serbian typesetting
author	Filipović, Zoran T.
copyright	Zoran T. Filipović (2010)
license	shareware = Shareware: A fee is required (not free)
version	(2010-11-22)
last changes	2010-11-22
year	2010
description	(no language specified) The package contains a number of commands defining Serbian abbreviations, and a large number of hyphenation exceptions.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/serbian/filipovic/he-le-na/README

on CTAN	https://ctan.org/tex-archive/language/serbian/filipovic/he-le-na
on MikTeX	he-le-na
keyword	serbian (documentation in, and support for typesetting Serbian)
language(s)	no language specified
last access	2025-02-07

2711 *he-she* – Alternating pronouns to aid gender-neutral writing

Web page on CTAN	https://ctan.org/pkg/he-she
name	he-she
caption	Alternating pronouns to aid gender-neutral writing
author	Munn, Alan
copyright	Alan Munn (2011, 2013, 2016)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3
description	(no language specified) The package implements a version of semi-automatic pronoun switching for writing gender-neutral (and possibly annoying) prose. It has upper- and lowercase versions of switching pronouns for all case forms, plus anaphoric versions that reflect the current gender choice.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/he-she/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/he-she/he-she.pdf
– local file	./7883182672-he-she.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/he-she
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/he-she.tds.zip
on MikTeX	he-she
on T _E XLive	he-she
keyword	typesetting (support for variations of typographic style)
see also	see section 1833 on page 1655: (eemeir – Adjust the gender of words in a document)
see also	see section 2465 on page 2229: (gender – Gender neutrality for languages with grammatical gender)

language(s)	no language specified
year	2016
last access	2025-02-07

2712 *headerfooter* – Define the layouts of page headers and footers

Web page on CTAN <https://ctan.org/pkg/headerfooter>

name	<code>headerfooter</code>
caption	Define the layouts of page headers and footers
author	Gildea, Stephen
copyright	Stephen Gildea (1987)
license	nosell = Do Not Sell Except by Arrangement (not free)
version	(1989-04-13)
last changes	1989-04-13
year	1989
description	(no language specified) Defines (for LaTeX 2.09) the common model of left, centre, right entries for both odd and even pages. This, and similar packages, are now superseded by fancyhdr .
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/headerfooter.sty
keyword	<code>page-hf</code> (page head- and foot-lines)
see also	see section 2121 on page 1920 : (<code>fancyhdr</code> – Extensive control of page headers and footers in LaTeX2e)
language(s)	no language specified
last access	2025-02-07

2713 *hebdomon* – A document class for report writing in university settings

Web page on CTAN <https://ctan.org/pkg/hebdomon>

name	Hebdomon
caption	A document class for report writing in university settings
author	McGuiness, Daniel T.
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1 (2024-08-08)
last changes	2024-08-08
year	2024
description	(no language specified) This package provides a documentclass for streamlining document creation in LaTeX. It does not overwrite any TeX or LaTeX commands so the user could use their own macros or other commands as they wish.
documentation	(no language specified) <i>Package documentation and example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/hebdomon/doc/HebdomonGuide.pdf
– local file	<code>./5786223430-HebdomonGuide.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/hebdomon/README.md
contact	<i>bugs:</i> https://github.com/dTmC0945/Hebdomon-LaTeX-Document-Class/issues
contact	<i>repository:</i> https://github.com/dTmC0945/Hebdomon-LaTeX-Document-Class
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hebdomon
on MikTeX	hebdomon
on T _E XLive	hebdomon
keyword	report-like (regularly-formatted reports)
keyword	class (alternative LaTeX class(es))
keyword	doc-templ (template to guide document development)
language(s)	no language specified
last access	2025-02-07

2714 *hebrew-fonts* – Input encodings, font encodings and font definition files for Hebrew

Web page on CTAN <https://ctan.org/pkg/hebrew-fonts>

name	hebrew-fonts
caption	Input encodings, font encodings and font definition files for Hebrew
author	Fogiel, Udi
copyright	Udi Fogiel (2023)
copyright	Boris Lavva (1997-2005)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3
description	(no language specified) A collection of input encodings, font encodings and font definition files for the Hebrew language.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hebrew-fonts/README.md
documentation	(no language specified) <i>Documentation of Hebrew input encodings</i> : https://ctan.org/tex-archive/macros/latex/contrib/hebrew-fonts/hebinp.pdf
– local file	./7054829501-hebinp.pdf
documentation	(no language specified) <i>Documentation of Hebrew font encodings</i> : https://ctan.org/tex-archive/macros/latex/contrib/hebrew-fonts/hebfontenc.pdf
– local file	./3048434687-hebfontenc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hebrew-fonts
on MikTeX	hebrew-fonts
on TeXLive	hebrew-fonts
keyword	hebrew (documentation in and support for typesetting Hebrew)
keyword	inputenc (input encoding support for TeX engines)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	fontenc (support for font encodings)
language(s)	no language specified
year	2023
last access	2025-02-07

2715 *hebtex* – Support for Hebrew and other right-to-left languages

Web page on CTAN <https://ctan.org/pkg/hebtex>

name	hebtex
caption	Support for Hebrew and other right-to-left languages
author	Porrat, Rama
license	other-nonfree = License that prevents distribution (not free)
version	(1998-10-25)
last changes	1998-10-25
year	1998
description	(no language specified) A comprehensive collection of fonts, macros, and support material for typesetting Hebrew and other right-to-left languages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/hebrew/hebtex/readme
on CTAN	https://ctan.org/tex-archive/language/hebrew/hebtex
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-hebrew (font for Hebrew script)
keyword	font (fonts themselves)
keyword	hebrew (documentation in and support for typesetting Hebrew)
language(s)	no language specified
last access	2025-02-07

2716 *hecthese* – A class for dissertations and theses at HEC Montréal

Web page on CTAN <https://ctan.org/pkg/hecthese>

name	hecthese
caption	A class for dissertations and theses at HEC Montréal
author	Hamel, Benoit
copyright	HEC Montreal (2017-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.0 (2026-04-20)
last changes	2026-04-20
year	2026

description	(no language specified) This package provides the <code>hecthese</code> class, a class based on <code>memoir</code> and compatible with LaTeX. Using this class, postgraduate students at HEC Montréal will be able to write their dissertation or thesis while complying with all the presentation standards required by the University. This class is meant to be as flexible as possible; in particular, there are very few hardcoded features except those that take care of the document's layout. Dissertations and theses at HEC Montréal can be written on a per-chapter or per-article basis. Documents that are written on a per-article basis require a bibliography for each of the included articles and a general bibliography for the entire document. The <code>hecthese</code> class takes care of these requirements.
documentation	<i>Package documentation (French)</i> : https://ctan.org/tex-archive/macros/latex/contrib/hecthese/hecthese-fr.pdf
– local file	<code>./9413792575-hecthese-fr.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hecthese/README.md
documentation	<i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/hecthese/hecthese.pdf
– local file	<code>./6264767029-hecthese.pdf</code>
home page	http://www.hec.ca/biblio
contact	<i>repository</i> : https://github.com/metalogueur/hecthese
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hecthese
on MikTeX	<code>hecthese</code>
on T _E XLive	<code>hecthese</code>
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
keyword	<code>class</code> (alternative LaTeX class(es))
language(s)	English; French
last access	2026-04-29

2717 *hellas* – Typeset bibliographies which include Greek

Web page on CTAN <https://ctan.org/pkg/hellas>

name	hellas
caption	Typeset bibliographies which include Greek
author	Syropoulos, Apostolos
license	other-free = Free license not otherwise listed (free)
version	(1989-08-23)
last changes	1989-08-23
year	1989
description	(no language specified) Hellas is a BibTeX style, based on the standard plain style, for typesetting databases that containing both Greek and non-Greek bibliographic records. For most bibliographic record types there is an equivalent record type whose name begins with the prefix <code>gr-</code> . These <code>gr-something</code> records may have fields <code>translator</code> and <code>original-title</code> in addition to the fields one might expect in a standard BibTeX record.
on CTAN	https://ctan.org/tex-archive/language/greek/BibTeX
keyword	<code>bibtex-sty</code> (<code>bibtex-sty(unknown)</code>)
keyword	<code>greek</code> (support for typesetting Greek)
language(s)	no language specified
last access	2025-02-07

2718 *helmholtz-ellis-ji-notation* – Beautiful in-line microtonal just intonation accidentals

Web page on CTAN <https://ctan.org/pkg/helmholtz-ellis-ji-notation>

name	helmholtz-ellis-ji-notation
caption	Beautiful in-line microtonal just intonation accidentals
author	Nicholson, Thomas
copyright	Thomas Nicholson (2020)
license	cc-by-4 = CC BY 4.0 (free)
version	1.1 (2020-05-19)
last changes	2020-05-19

year	2020
description	(no language specified) The Helmholtz-Ellis JI Pitch Notation (HEJI), devised in the early 2000s by Marc Sabat and Wolfgang von Schweinitz, explicitly notates the raising and lowering of the <i>untuned</i> diatonic Pythagorean notes by specific microtonal ratios defined for each prime. It provides visually distinctive "logos" distinguishing families of justly tuned intervals that relate to the harmonic series. These take the form of strings of additional accidental symbols based on historical precedents, extending the traditional sharps and flats. Since its 2020 update, HEJI ver. 2 ("HEJI2") provides unique microtonal symbols through the 47-limit. This package is a simple LaTeX implementation of HEJI2 that allows for in-line typesetting of microtonal accidentals for use within theoretical texts, program notes, symbol legends, etc. Documents must be compiled using XeLaTeX.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/helmholtz-ellis-ji-notation/helmholtz-ellis-ji-notation.pdf
– local file	<code>./1523872656-helmholtz-ellis-ji-notation.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/helmholtz-ellis-ji-notation/README.md
home page	http://plainsound.org/
on CTAN	https://ctan.org/tex-archive/fonts/helmholtz-ellis-ji-notation
on MikTeX	helmholtz-ellis-ji-notation
on TeXLive	helmholtz-ellis-ji-notation
keyword	font (fonts themselves)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	music (typesetting music and related stuff)
keyword	font-otf (font in OpenType format)
keyword	font-music (fonts of music symbols)
language(s)	no language specified
last access	2025-02-07

2719 helvet – Load Helvetica, scaled

Web page on CTAN <https://ctan.org/pkg/helvet>

name	helvet
caption	Load Helvetica, scaled
author	The LaTeX Project Team
author	Schmidt, Walter A.
copyright	Walter Schmidt (1999-2005)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	9.2a
description	(no language specified) The package provides a means of loading Helvetica (and its clones), scaled so that it matches Times Roman (to some extent). The package is delivered as part of the psnfss bundle, which is itself part of the LaTeX ‘required’ set of packages.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/required/psnfss/psnfss2e.pdf
– local file	<code>./8199555513-psnfss2e.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/required/psnfss/README
on CTAN	https://ctan.org/tex-archive/macros/latex/required/psnfss
on MikTeX	psnfss
on TeXLive	psnfss
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	2005
last access	2025-02-07

2720 *hep* – A “convenience wrapper” for High Energy Physics packages

Web page on CTAN <https://ctan.org/pkg/hep>

name	hep
caption	A “convenience wrapper” for High Energy Physics packages
author	Buckley, Andy
license	lpl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) Loads the author’s hepunits and hepnice names packages, and a selection of others that are useful in High Energy Physics papers, etc.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hep/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hep
on MikTeX	hep
on T _E XLive	hep
keyword	physics (support for typesetting physics documents)
language(s)	no language specified
year	without year
last access	2025-02-07

2721 *hep-acronym* – An acronym extension for glossaries

Web page on CTAN <https://ctan.org/pkg/hep-acronym>

name	hep-acronym
caption	An acronym extension for glossaries
author	Hajer, Jan
copyright	Jan Hajer (2019-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3 (2024-11-01)
last changes	2024-11-01
year	2024

description	(no language specified) The <code>hep-acronym</code> package provides an acronym macro based on the <code>glossaries</code> package. The package is loaded with <code>\usepackage{hep-acronym}</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hep-acronym/README.md
documentation	(no language specified) <i>Package implementation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hep-acronym/hep-acronym-implementation.pdf
– local file	<code>./5743243153-hep-acronym-implementation.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hep-acronym/hep-acronym-documentation.pdf
– local file	<code>./8092796547-hep-acronym-documentation.pdf</code>
contact	<i>bugs</i> : https://github.com/janhajer/hep-paper/issues
contact	<i>repository</i> : https://github.com/janhajer/hep-paper
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hep-acronym
on MikTeX	<code>hep-acronym</code>
on T _E XLive	<code>hep-acronym</code>
keyword	acronym (define and use acronyms)
language(s)	no language specified
last access	2025-02-07

2722 *hep-bibliography* – An acronym extension for glossaries

Web page on CTAN <https://ctan.org/pkg/hep-bibliography>

name	<code>hep-bibliography</code>
caption	An acronym extension for glossaries
author	Hajer, Jan
copyright	Jan Hajer (2019-2023)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3 (2024-11-01)
last changes	2024-11-01
year	2024

description	(no language specified) The <i>hep-bibliography</i> package extends the BibLaTeX package with some functionality mostly useful for high energy physics. In particular it makes full use of all BibTeX fields provided by Discover High-Energy Physics . The package is loaded with <code>\usepackage{hep-bibliography}</code> .
documentation	(no language specified) <i>Package implementation</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/hep-bibliography/hep-bibliography-implementation.pdf
– local file	<code>./5089058402-hep-bibliography-implementation.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/hep-bibliography/hep-bibliography-documentation.pdf
– local file	<code>./5916935929-hep-bibliography-documentation.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/hep-bibliography/README.md
contact	<i>bugs</i> : https://github.com/janhajer/hep-paper/issues
contact	<i>repository</i> : https://github.com/janhajer/hep-paper
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/hep-bibliography
on MikTeX	<i>hep-bibliography</i>
on T _E XLive	<i>hep-bibliography</i>
keyword	<i>physics</i> (support for typesetting physics documents)
keyword	<i>biblatex</i> (BibLaTeX bibliography support)
language(s)	no language specified
last access	2025-02-07

2723 *hep-float* – Convenience package for float placement

Web page on CTAN	https://ctan.org/pkg/hep-float
name	<i>hep-float</i>
caption	Convenience package for float placement
author	Hajer, Jan
copyright	Jan Hajer (2019-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)

version	1.3 (2024-11-01)
last changes	2024-11-01
year	2024
description	(no language specified) The hep-float package redefines some LaTeX float placement defaults and defines convenience wrappers for floats. The package is loaded with <code>\usepackage{hep-float}</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hep-float/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hep-float/hep-float-documentation.pdf
– local file	<code>./1180609857-hep-float-documentation.pdf</code>
documentation	(no language specified) <i>Package implementation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hep-float/hep-float-implementation.pdf
– local file	<code>./7979312375-hep-float-implementation.pdf</code>
contact	<i>bugs</i> : https://github.com/janhajer/hep-paper/issues
contact	<i>repository</i> : https://github.com/janhajer/hep-paper
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hep-float
on MikTeX	hep-float
on T _E XLive	hep-float
keyword	float (typesetting floats)
language(s)	no language specified
last access	2025-02-07

2724 *hep-font* – Latin modern extended by computer modern

Web page on CTAN <https://ctan.org/pkg/hep-font>

name	hep-font
caption	Latin modern extended by computer modern
author	Hajer, Jan
copyright	Jan Hajer (2019-2023)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)

version	1.3 (2024-11-01)
last changes	2024-11-01
year	2024
description	(no language specified) The <i>hep-font</i> package loads standard font packages and extends the usual Latin Modern implementations by replacing missing fonts with Computer Modern counterparts. The package is loaded with <code>\usepackage{hep-font}</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/utilities/hep-font/README.md
documentation	(no language specified) <i>Package implementation</i> : https://ctan.org/tex-archive/fonts/utilities/hep-font/hep-font-implementation.pdf
– local file	<code>./4215217238-hep-font-implementation.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/utilities/hep-font/hep-font-documentation.pdf
– local file	<code>./2061062988-hep-font-documentation.pdf</code>
contact	<i>bugs</i> : https://github.com/janhajer/hep-paper/issues
contact	<i>repository</i> : https://github.com/janhajer/hep-paper
on CTAN	https://ctan.org/tex-archive/fonts/utilities/hep-font
on MikTeX	<code>hep-font</code>
on TeXLive	<code>hep-font</code>
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-use</code> (font selection, mapping, etc.)
keyword	<code>font-mgmt</code> (management of fonts)
language(s)	no language specified
last access	2025-02-07

2725 *hep-gen* – Generic macros for quantum physics

Web page on CTAN <https://ctan.org/pkg/hep-gen>

name	hep-gen
caption	Generic macros for quantum physics
license	noinfo = noinfo
version	(1993-02-15)
last changes	1993-02-15
year	1993
description	(no language specified) Provides macros for ‘slashed’ variables, Dirac bra-ket notation and ‘normal ordered’ products.
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/hep.tex
on MikTeX	genmisc
keyword	physics (support for typesetting physics documents)
see also	see section 2734 on page 2476: (HEPparticles – Macros for typesetting high energy physics particle names)
see also	see section 831 on page 761: (braket – Dirac bra-ket and set notations)
language(s)	no language specified
last access	2025-02-07

2726 *hep-graphic* – Extensions for graphics, plots and feynman graphs in high energy physics

Web page on CTAN <https://ctan.org/pkg/hep-graphic>

name	hep-graphic
caption	Extensions for graphics, plots and feynman graphs in high energy physics
author	Hajer, Jan
copyright	Jan Hajer (2019-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3 (2024-11-01)
last changes	2024-11-01
year	2024

description	(no language specified) The hep-graphic package collects convinience macros that modify the behaviour of the TikZ , pgfplots , and TikZ-Feynman packages and ensure that the generated graphics look consistent.
documentation	(no language specified) <i>Package implementation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hep-graphic/hep-graphic-implementation.pdf
– local file	./8478139026-hep-graphic-implementation.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hep-graphic/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hep-graphic/hep-graphic-documentation.pdf
– local file	./9426351783-hep-graphic-documentation.pdf
contact	<i>bugs</i> : https://github.com/janhajer/hep-paper/issues
contact	<i>repository</i> : https://github.com/janhajer/hep-paper
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hep-graphic
on MikTeX	hep-graphic
on TeXLive	hep-graphic
keyword	graphics (graphics (support packages))
language(s)	no language specified
last access	2025-02-07

2727 hep-math – Extended math macros

Web page on CTAN <https://ctan.org/pkg/hep-math>

name	hep-math
caption	Extended math macros
author	Hajer, Jan
copyright	Jan Hajer (2019-2023)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3 (2024-11-01)
last changes	2024-11-01
year	2024

description	(no language specified) The hep-math package provides some additional features beyond the mathtools and amsmath packages. To use the package place <code>\usepackage{hep-math}</code> in the preamble
documentation	(no language specified) <i>Package implementation:</i> https://ctan.org/tex-archive/macros/latex/contrib/hep-math/hep-math-implementation.pdf
– local file	<code>./3247396084-hep-math-implementation.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/hep-math/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/hep-math/hep-math-documentation.pdf
– local file	<code>./6580321855-hep-math-documentation.pdf</code>
contact	<i>bugs:</i> https://github.com/janhajer/hep-paper/issues
contact	<i>repository:</i> https://github.com/janhajer/hep-paper
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hep-math
on MikTeX	hep-math
on T _E XLive	hep-math
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

2728 *hep-math-font* – Extended Greek and sans-serif math

Web page on CTAN <https://ctan.org/pkg/hep-math-font>

name	hep-math-font
caption	Extended Greek and sans-serif math
author	Hajer, Jan
copyright	Jan Hajer (2019-2023)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3 (2024-11-01)
last changes	2024-11-01
year	2024

description	(no language specified) The hep-math-font package adjust the math fonts to be sans-serif if the document is sans-serif. Additionally Greek letters are redefined to be always italic and upright in math and text mode respectively. Some math font macros are adjusted to give more consistently the naively expected results. The package is loaded with <code>\usepackage{hep-math-font}</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/utilities/hep-math-font/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/utilities/hep-math-font/hep-math-font-documentation.pdf
– local file	<code>./4920132479-hep-math-font-documentation.pdf</code>
documentation	(no language specified) <i>Package implementation</i> : https://ctan.org/tex-archive/fonts/utilities/hep-math-font/hep-math-font-implementation.pdf
– local file	<code>./2975385755-hep-math-font-implementation.pdf</code>
contact	<i>bugs</i> : https://github.com/janhajer/hep-paper/issues
contact	<i>repository</i> : https://github.com/janhajer/hep-paper
on CTAN	https://ctan.org/tex-archive/fonts/utilities/hep-math-font
on MikTeX	<code>hep-math-font</code>
on T _E XLive	<code>hep-math-font</code>
keyword	<code>font-supp-maths</code> (metrics, macro incantations and other support for maths fonts)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-use</code> (font selection, mapping, etc.)
keyword	<code>font-mgmt</code> (management of fonts)
language(s)	no language specified
last access	2025-02-07

2729 hep-paper – Publications in High Energy Physics

Web page on CTAN	https://ctan.org/pkg/hep-paper
name	hep-paper
caption	Publications in High Energy Physics
author	Hajer, Jan
copyright	Jan Hajer (2019-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.3 (2024-11-01)
last changes	2024-11-01
year	2024
description	(no language specified) This package aims to provide a single style file containing most configurations and macros necessary to write appealing publications in High Energy Physics. Instead of reinventing the wheel by introducing newly created macros, hep-paper preferably loads third party packages as long as they are light-weight enough. For usual publications it suffices to load the hep-paper package, without optional arguments, in addition to the article class.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hep-paper/README.md
documentation	(no language specified) <i>Package implementation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hep-paper/hep-paper-implementation.pdf
– local file	./5576547706-hep-paper-implementation.pdf
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hep-paper/hep-paper-documentation.pdf
– local file	./9371406595-hep-paper-documentation.pdf
contact	<i>bugs</i> : https://github.com/janhajer/hep-paper/issues
contact	<i>repository</i> : https://github.com/janhajer/hep-paper
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hep-paper
on MikTeX	hep-paper
on T _E XLive	hep-paper
keyword	physics (support for typesetting physics documents)

language(s) no language specified
last access 2025-02-07

2730 *hep-reference* – Adjustments for publications in High Energy Physics

Web page on CTAN <https://ctan.org/pkg/hep-reference>

name *hep-reference*
caption Adjustments for publications in High Energy Physics
author Hajer, Jan
copyright Jan Hajer (2019-2023)
license lpl1.3c = The LaTeX Project Public License 1.3c (free)
version 1.3 (2024-11-01)
last changes 2024-11-01
year 2024
description (no language specified) This package makes some changes to the reference, citation and footnote macros to improve the default behavior of LaTeX for High Energy Physics publications.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/hep-reference/README.md>
documentation (no language specified) *Package documentation*:
<https://ctan.org/tex-archive/macros/latex/contrib/hep-reference/hep-reference-documentation.pdf>
– local file ./7439659525-hep-reference-documentation.pdf
contact *bugs*: <https://github.com/janhajer/hep-paper/issues>
contact *repository*: <https://github.com/janhajer/hep-paper>
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/hep-reference>
on MikTeX *hep-reference*
on T_EXLive *hep-reference*
keyword *ref-latex* (LaTeX reference documents)
see also see section 2729 on page 2471: (*hep-paper* – Publications in High Energy Physics)
language(s) no language specified
last access 2025-02-07

2731 hep-text – List and text extensions

Web page on CTAN <https://ctan.org/pkg/hep-text>

name	hep-text
caption	List and text extensions
author	Hajer, Jan
copyright	Jan Hajer (2019-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3 (2024-11-01)
last changes	2024-11-01
year	2024
description	(no language specified) The hep-text package extends LaTeX lists using the enumitem package and provides some text macros. The package is loaded with <code>\usepackage{hep-text}</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hep-text/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hep-text/hep-text-documentation.pdf
– local file	<code>./8332354051-hep-text-documentation.pdf</code>
documentation	(no language specified) <i>Package implementation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hep-text/hep-text-implementation.pdf
– local file	<code>./5398219703-hep-text-implementation.pdf</code>
contact	<i>bugs</i> : https://github.com/janhajer/hep-paper/issues
contact	<i>repository</i> : https://github.com/janhajer/hep-paper
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hep-text
on MikTeX	hep-text
on T _E XLive	hep-text
keyword	list (list: general)
language(s)	no language specified
last access	2025-02-07

2732 *hep-title* – Extensions for the title page

Web page on CTAN <https://ctan.org/pkg/hep-title>

name	hep-title
caption	Extensions for the title page
author	Hajer, Jan
copyright	Jan Hajer (2019-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3 (2024-11-01)
last changes	2024-11-01
year	2024
description	(no language specified) The <i>hep-title</i> package extends the <code>title</code> macros of the standard classes with macros for a preprint, affiliation, editors, and endorsers. The package is loaded with <code>\usepackage{hep-title}</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hep-title/README.md
documentation	(no language specified) <i>Package implementation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hep-title/hep-title-implementation.pdf
– local file	<code>./4323847557-hep-title-implementation.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hep-title/hep-title-documentation.pdf
– local file	<code>./6204825713-hep-title-documentation.pdf</code>
contact	<i>bugs</i> : https://github.com/janhajer/hep-paper/issues
contact	<i>repository</i> : https://github.com/janhajer/hep-paper
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hep-title
on MikTeX	hep-title
on T _E XLive	hep-title
keyword	titlepage (typesetting title pages for documents)
language(s)	no language specified
last access	2025-02-07

2733 hepnames – Pre-defined high energy particle names

Web page on CTAN <https://ctan.org/pkg/hepnames>

name	hepnames
caption	Pre-defined high energy particle names
author	Buckley, Andy
license	lppl = The LaTeX Project Public License (free)
version	2.0
description	(no language specified) Hepnames provides a pair of LaTeX packages, heppennames and hepnicensames, providing a large set of pre-defined high energy physics particle names built with the hepparticles package. The packages are based on <code>pennames.sty</code> by Michel Goosens and Eric van Herwijnen. Heppennames re-implements the particle names in <code>pennames.sty</code>, with some additions and alterations and greater flexibility and robustness due to the <code>hepparticles</code> structures, which were written for this purpose. Hepnicensames provides the main non-resonant particle names from heppennames with more "friendly" names.
documentation	(no language specified) <i>Enumeration of available pennames</i>: https://ctan.org/tex-archive/macros/latex/contrib/hepnames/heppennames-rm.pdf
– local file	<code>./8995677324-heppennames-rm.pdf</code>
documentation	(no language specified) <i>Details of the package bundle</i>: https://ctan.org/tex-archive/macros/latex/contrib/hepnames/hepnames.pdf
– local file	<code>./4978819800-hepnames.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/hepnames/README
documentation	(no language specified) <i>Enumeration of available nicenames</i>: https://ctan.org/tex-archive/macros/latex/contrib/hepnames/hepnicensames-rm.pdf
– local file	<code>./4015332632-hepnicensames-rm.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hepnames
on MikTeX	hepnames
on TeXLive	hepnames
keyword	physics (support for typesetting physics documents)
language(s)	no language specified

year without year
last access 2025-02-07

2734 hepparticles – Macros for typesetting high energy physics particle names

Web page on CTAN <https://ctan.org/pkg/hepparticles>

name	HEPparticles
caption	Macros for typesetting high energy physics particle names
author	Buckley, Andy
license	lppl = The LaTeX Project Public License (free)
version	2.0
description	(no language specified) HEPparticles is a set of macros for typesetting high energy particle names, to meet the following criteria: 1. The main particle name is a Roman or Greek symbol, to be typeset in upright font in normal contexts. 2. Additionally a superscript and/or subscript may follow the main symbol. 3. Particle resonances may also have a resonance specifier which is typeset in parentheses following the main symbol. In general the parentheses may also be followed by sub- and superscripts. 4. The particle names are expected to be used both in and out of mathematical contexts. 5. If the surrounding text is bold or italic then the particle name should adapt to that context as best as possible (this may not be possible for Greek symbols). A consequence of point 5 is that the well-known problems with boldness of particle names in section titles, headers and tables of contents automatically disappear if these macros are used.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hepparticles/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hepparticles/hepparticles.pdf
– local file	./4358153215-hepparticles.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hepparticles
on MikTeX	hepparticles
on T _E XLive	hepparticles

keyword	physics (support for typesetting physics documents)
see also	see section 3845 on page 3477: (maybemath – Make math bold or italic according to context)
language(s)	no language specified
year	without year
last access	2025-02-07

2735 *hepthesis* – A class for academic reports, especially PhD theses

Web page on CTAN <https://ctan.org/pkg/hepthesis>

name	hepthesis
caption	A class for academic reports, especially PhD theses
author	Buckley, Andy
license	lppl = The LaTeX Project Public License (free)
version	1.5.2
description	(no language specified) Hepthesis is a LaTeX class for typesetting large academic reports, in particular PhD theses. It was originally developed for typesetting the author's high-energy physics PhD thesis and includes some features specifically tailored to such an application. In particular, hepthesis offers: • Attractive semantic environments for various rubric sections; • Extensive options for draft production, screen viewing and binding-ready output; • Helpful extensions of existing environments, including equation and tabular; and • Support for quotations at the start of the thesis and each chapter. The class is based on scrbook, from the KOMA-Script bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hepthesis/hepthesis.pdf
– local file	./1339507683-hepthesis.pdf
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/hepthesis/README
documentation	(no language specified) <i>Part of a thesis, seen as for printing</i> : https://ctan.org/tex-archive/macros/latex/contrib/hepthesis/example/example.pdf

2736 *hepunits* – A set of units useful in high energy physics applications

– local file	<code>./6254994843-example.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hepthesis
on MikTeX	<code>hepthesis</code>
on TeXLive	<code>hepthesis</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
keyword	<code>physics</code> (support for typesetting physics documents)
language(s)	no language specified
year	without year
last access	2025-02-07

2736 *hepunits* – A set of units useful in high energy physics applications

Web page on CTAN	https://ctan.org/pkg/hepunits
name	<code>Hepunits</code>
caption	A set of units useful in high energy physics applications
author	Buckley, Andy
license	lpl = The LaTeX Project Public License (free)
version	2.0.0
description	(no language specified) <i>Hepunits</i> is a LaTeX package built on the SIunits package which adds a collection of useful HEP units to the existing SIunits set. These include the energy units <code>\MeV</code> , <code>\GeV</code> , <code>\TeV</code> and the derived momentum and mass units <code>\MeVoverc</code> , <code>\MeVovercsq</code> and so on.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hepunits/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hepunits/hepunits.pdf
– local file	<code>./8023850728-hepunits.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hepunits
on MikTeX	<code>hepunits</code>
on TeXLive	<code>hepunits</code>
keyword	<code>physics</code> (support for typesetting physics documents)

language(s)	no language specified
year	without year
last access	2025-02-07

2737 *here* – Emulation of obsolete package for "here" floats

Web page on CTAN <https://ctan.org/pkg/here>

name	here
caption	Emulation of obsolete package for "here" floats
author	Berry, Karl
license	pd = Public Domain Software (free)
version	(2009-11-21)
last changes	2009-11-21
year	2009
description	(no language specified) Provides the <code>H</code> option for floats in LaTeX to signify that the environment is not really a float (and should therefore be placed "here" and not float at all). The package emulates an older package of the same name, which has long been suppressed by its author. The job is done by nothing more than loading the <code>float</code> package, which has long provided the option in an acceptable framework.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/here/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/here
on MikTeX	here
on T _E XLive	here
keyword	float (typesetting floats)
language(s)	no language specified
last access	2025-02-07

2738 **hereapplies** – A LaTeX package for referencing groups of pages that share something in common

Web page on CTAN <https://ctan.org/pkg/hereapplies>

name	hereapplies
caption	A LaTeX package for referencing groups of pages that share something in common
author	madmurphy
copyright	madmurphy (2022)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	1.0.2 (2023-10-24)
last changes	2023-10-24
year	2023
description	(no language specified) <i>Here Applies</i> is a LaTeX package that allows to collect groups of labels and reference them altogether. It can be used for creating informal glossaries that cross-link concepts to their applications, or simply mentioning multiple pages that share something in common.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hereapplies/hereapplies-doc.pdf
– local file	./7789765256-hereapplies-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hereapplies/README.md
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/hereapplies/hereapplies-example.pdf
– local file	./1416939948-hereapplies-example.pdf
contact	<i>announce</i> : https://github.com/madmurphy/hereapplies.sty/releases
contact	<i>bugs</i> : https://github.com/madmurphy/hereapplies.sty/issues
contact	<i>repository</i> : https://github.com/madmurphy/hereapplies.sty
contact	<i>development</i> : https://github.com/madmurphy
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hereapplies
on MikTeX	hereapplies
on T _E XLive	hereapplies

keyword label-ref (label and reference systems)
 language(s) no language specified
 last access 2025-02-07

2739 *heria* – A LaTeX class for Horizon Europe RIA and IA grant proposals

Web page on CTAN <https://ctan.org/pkg/heria>

name *heria*

caption A LaTeX class for Horizon Europe RIA and IA grant proposals

author Miller, Tristan

copyright Tristan Miller (2023-2024)

copyright John Kormylo (2016)

license lpl1.3c = The LaTeX Project Public License 1.3c (free)

version 3.4.1.3 (2024-09-03)

last changes 2024-09-03

year 2024

description (no language specified) This class facilitates the preparation of Research and Innovation Action (RIA) and Innovation Action (IA) funding proposals for the European Commission's Horizon Europe program.

The class is a conversion of the official Part B template into LaTeX; it preserves the formatting and most of the instructions of the original version, and has the additional feature that tables (listing the participants, work packages, deliverables, etc.) are programmatically generated according to data supplied by the user.

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/heria/README.md>

documentation (no language specified) *Example of use*: <https://ctan.org/tex-archive/macros/latex/contrib/heria/heria-proposal.pdf>

– local file ./1611754409-heria-proposal.pdf

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/heria/heria.pdf>

– local file ./6042957904-heria.pdf

contact *bugs*: <https://github.com/logological/heria/issues>

contact *repository*: <https://github.com/logological/heria>

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/heria
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/heria.tds.zip
on MikTeX	heria
on T _E XLive	heria
keyword	class (alternative LaTeX class(es))
keyword	proposal (typeset proposals to funding bodies, etc)
language(s)	no language specified
last access	2025-02-07

2740 *heros-otf* – Using the OpenType fonts TeX Gyre Heros>

Web page on CTAN	https://ctan.org/pkg/heros-otf
name	heros-otf
caption	Using the OpenType fonts TeX Gyre Heros>
author	Voß, Herbert
copyright	Herbert Voss (2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.01
description	(no language specified) This package can only be used with LuaLaTeX or XeLaTeX. It does the font setting for the OpenType font ‘TeX Gyre Heros’. The condensed versions of the fonts are also supported. The missing typefaces for slanted text are also defined.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/heros-otf/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/heros-otf/doc/heros-otf-doc.pdf
– local file	./3184432581-heros-otf-doc.pdf
on CTAN	https://ctan.org/tex-archive/fonts/heros-otf
on T _E XLive	heros-otf
keyword	font-maths (fonts for use in mathematics)
keyword	font-sans (sans-serif font)
keyword	tagged-pdf (tagged PDF compatible)

keyword	<code>xetex</code> (XeTeX, material supporting it, and packages requiring it)
keyword	<code>font</code> (fonts themselves)
keyword	<code>luatex</code> (LuaTeX and packages that require it)
keyword	<code>font-otf</code> (font in OpenType format)
language(s)	no language specified
year	2022
last access	2026-04-13

2741 *hershey* – Experiments with the Hershey fonts

Web page on CTAN <https://ctan.org/pkg/hershey>

name	<code>hershey</code>
caption	Experiments with the Hershey fonts
author	Yap, Ken
license	<code>noinfo</code> = <code>noinfo</code>
version	(1991-11-27)
last changes	1991-11-27
year	1991
description	(no language specified) The Hershey fonts were developed by the US government, and are freely available. The present bundle shows the outcome of some work on making the fonts usable as system fonts, with a view (eventually) to their use in typesetting programs. The directory contains a number of Metafont sources, but not all will actually compile.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/hershey/README
on CTAN	https://ctan.org/tex-archive/fonts/hershey
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>font</code> (fonts themselves)
language(s)	no language specified
last access	2025-02-07

2742 *hershey-mp* – MetaPost support for the Hershey font file format

Web page on CTAN <https://ctan.org/pkg/hershey-mp>

name	hershey-mp
caption	MetaPost support for the Hershey font file format
author	Renkema, Esger
license	eupl = European Union Public License 1.2 (free)
version	2022/1.0
description	(no language specified) This package provides MetaPost support for reading jhf vector font files, used by (mostly? only?) the so-called Hershey Fonts of the late 1960s. The package does not include the actual font files, which you can probably find in the software repository of your operating system.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/metapost/contrib/macros/hershey-mp/hershey.pdf
– local file	./8194564468-hershey.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/metapost/contrib/macros/hershey-mp/README
contact	<i>repository:</i> https://gitlab.com/renkema/hershey
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/hershey-mp
on MikTeX	hershey-mp
on T _E XLive	hershey-mp
keyword	mp-supp (support tools and macros for MetaPost programming)
keyword	mp-use (use, and support for use, of MetaPost)
language(s)	no language specified
year	without year
last access	2025-02-07

2743 *heuristica* – Fonts extending Utopia, with LaTeX support filesWeb page on CTAN <https://ctan.org/pkg/heuristica>

name	heuristica
caption	Fonts extending Utopia, with LaTeX support files
author	Sharpe, Michael
copyright	Andrey Panov (2008-2012)
license	ofl = The SIL Open Font License (free)
license	lppl = The LaTeX Project Public License (free)
version	1.093 (2024-01-30)
last changes	2024-01-30
year	2024
description	(no language specified) The fonts extend the utopia set with Cyrillic glyphs, additional figure styles, ligatures and Small Caps in Regular style only. Macro support, and maths fonts that match the Utopia family, are provided by the Fourier and the Mathdesign font packages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/heuristica/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/heuristica/doc/heuristica-doc.pdf
– local file	./2715002124-heuristica-doc.pdf
on CTAN	https://ctan.org/tex-archive/fonts/heuristica
on MikTeX	heuristica
on T _E XLive	heuristica
keyword	font (fonts themselves)
keyword	cyrillic (support languages written using Cyrillic alphabets)
keyword	font-cyrillic (fonts for Cyrillic and related scripts)
keyword	font-otf (font in OpenType format)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
last access	2025-02-07

2744 *hex* – Print a counter in hexadecimal

Web page on CTAN <https://ctan.org/pkg/hex>

name	<code>hex</code>
caption	Print a counter in hexadecimal
author	Domenjoud, Eric
license	noinfo = noinfo
version	(1991-10-07)
last changes	1991-10-07
year	1991
description	(no language specified) Defines a macro <code>\hex</code> that takes a counter name as argument.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/hex.sty
keyword	<code>numbers</code> (formatting numbers, etc)
see also	see section 740 on page 682: (<code>binhex</code> – Convert numbers into binary, octal and hexadecimal)
language(s)	no language specified
last access	2025-02-07

2745 *hexboard* – For drawing Hex boards and games

Web page on CTAN <https://ctan.org/pkg/hexboard>

name	<code>hexboard</code>
caption	For drawing Hex boards and games
author	Rowlett, Peter
author	Sangwin, Chris
copyright	Peter Rowlett and Chris Sangwin (2022)
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
version	1.0 (2022-02-19)
last changes	2022-02-19
year	2022

description	(no language specified) hexboard is a package for LaTeX that should also work with LuaTeX and XeTeX, that provides functionality for drawing Hex boards and games. The aim is a clean, clear design with flexibility for drawing different sorts of Hex diagrams.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/hexboard/hexboard.pdf
– local file	./4792797492-hexboard.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/hexboard/README.md
contact	<i>bugs</i> : https://github.com/prowlett/hexboard/issues
contact	<i>repository</i> : https://github.com/prowlett/hexboard
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/hexboard
on MikTeX	hexboard
on TeXLive	hexboard
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	graphics (graphics (support packages))
language(s)	no language specified
last access	2025-02-07

2746 *hexdump* – Read and typeset ASCII hexdump files

Web page on CTAN <https://ctan.org/pkg/hexdump>

name	hexdump
caption	Read and typeset ASCII hexdump files
author	Hillebrand, Thomas
copyright	Thomas Hillebrand (2000)
license	other-nonfree = License that prevents distribution (not free)
version	0.1
description	(no language specified) The main macro reads an ASCII hexdump file and puts it, verbatim, into the document. Additional macros provide, e.g., for a Directory of Dumps. The package uses moreverb’s facilities, so depends on that package.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/misc/hexdump.sty

2747 *hexgame* – Provide an environment to draw a hexgame-board

keyword `verbatim` (verbatim typesetting, etc.)
 language(s) no language specified
 year 2000
 last access 2025-02-07

2747 *hexgame* – Provide an environment to draw a hexgame-board

Web page on CTAN <https://ctan.org/pkg/hexgame>

name `hexgame`
 caption Provide an environment to draw a hexgame-board
 author Brouwer, Meron
 copyright Meron Brouwer (2006)
 license lppl = The LaTeX Project Public License (free)
 version 1.0
 description (no language specified) Hex is a mathematical game invented by the Danish mathematician Piet Hein and independently by the mathematician John Nash. This package defines an environment that enables the user to draw such a game in a trivial way.
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/hexgame/README>
 documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/hexgame/hexgame.pdf>
 – local file `./8879977502-hexgame.pdf`
 on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/hexgame>
 on MikTeX `hexgame`
 on TeXLive `hexgame`
 keyword games (process game diagrams, gamebooks, and other amusements)
 language(s) no language specified
 year 2006
 last access 2025-02-07

2748 hf-tikz – A simple way to highlight formulas and formula parts

Web page on CTAN <https://ctan.org/pkg/hf-tikz>

name	hf-tikz
caption	A simple way to highlight formulas and formula parts
author	Fiandrino, Claudio
copyright	Claudio Fiandrino (2014)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.3a
description	(no language specified) The package provides a way to highlight formulas and formula parts in both documents and presentations, us TikZ .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/hf-tikz/hf-tikz.pdf
– local file	./5917313232-hf-tikz.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/hf-tikz/README
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/hf-tikz
on MikTeX	hf-tikz
on TeXLive	hf-tikz
keyword	maths (support for typesetting mathematics)
keyword	presentation (slides, beamers, handouts, etc.)
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
language(s)	no language specified
year	2014
last access	2025-02-07

2749 hfbright – The hfbright fonts

Web page on CTAN <https://ctan.org/pkg/hfbright>

name	hfbright
caption	The hfbright fonts
author	Harders, Harald
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) These are Adobe Type 1 versions of the OT1-encoded and maths parts of the Computer Modern Bright fonts.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/ps-type1/hfbright/README
on CTAN	https://ctan.org/tex-archive/fonts/ps-type1/hfbright
on MikTeX	hfbright
on TeXLive	hfbright
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-sans (sans-serif font)
keyword	font (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-02-07

2750 hfoldsty – Old style numerals with EC fonts

Web page on CTAN <https://ctan.org/pkg/hfoldsty>

name	hfoldsty
caption	Old style numerals with EC fonts
author	Harders, Harald
license	gpl = GNU General Public License (free)
version	1.15
description	(no language specified) The hfoldsty package provides virtual fonts for using oldstyle (0123456789) figures with the European Computer Modern fonts. It does a similar job as the eco package by Sebastian Kirsch but includes a couple of improvements, i.e., better kerning with guillemets, and support for character protruding using the pdfcpot package.

2751 *hfutexam* – Exam class for Hefei University of Technology (China)

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/hfoldsty/README
on CTAN	https://ctan.org/tex-archive/fonts/hfoldsty
on MikTeX	hfoldsty
on T _E XLive	hfoldsty
keyword	font-virtual (virtual font(s) using existing fonts)
keyword	font (fonts themselves)
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year
last access	2025-02-07

2751 *hfutexam* – Exam class for Hefei University of Technology (China)

Web page on CTAN	https://ctan.org/pkg/hfutexam
name	HFUTExam
caption	Exam class for Hefei University of Technology (China)
author	Zhang, Shenxing
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.9 (2023-11-13)
last changes	2023-11-13
year	2023
description	(no language specified) This package provides an exam class for Hefei University of Technology (China). 该文档类提供了合肥工业大学考试试卷模板，点击下方 Download 来下载所有文件。
documentation	(no language specified) <i>Example of use (2)</i> : https://ctan.org/tex-archive/macros/latex/contrib/hfutexam/hfutexam_datizhi.pdf
– local file	./2679071862-hfutexam_datizhi.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hfutexam/README.md

documentation	(no language specified) <i>Example of use (3)</i> : https://ctan.org/tex-archive/macros/latex/contrib/hfutexam/hfutexam_shijuan.pdf
– local file	./8228726361-hfutexam_shijuan.pdf
documentation	(no language specified) <i>Example of use (4)</i> : https://ctan.org/tex-archive/macros/latex/contrib/hfutexam/hfutexam_simple.pdf
– local file	./5491295794-hfutexam_simple.pdf
documentation	(no language specified) <i>Example of use (1)</i> : https://ctan.org/tex-archive/macros/latex/contrib/hfutexam/hfutexam_cankaodaan.pdf
– local file	./5055743296-hfutexam_cankaodaan.pdf
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hfutexam/hfutexam.pdf
– local file	./7639315117-hfutexam.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hfutexam
on MikTeX	hfutexam
on T _E XLive	hfutexam
keyword	chinese (support for typesetting Chinese languages)
keyword	exam (exams, quizzes, etc.)
language(s)	no language specified
last access	2025-02-07

2752 hfutthesis – LaTeX Thesis Template for Hefei University of Technology

Web page on CTAN <https://ctan.org/pkg/hfutthesis>

name	hfutthesis
caption	LaTeX Thesis Template for Hefei University of Technology
author	Yin, Zhenhao
copyright	HFUT TeX Users Group (2021-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.4 (2022-04-09)
last changes	2022-04-09

year	2022
description	(no language specified) This project is based on the HFUT-Thesis LaTeX template of Hefei University of Technology compiled on the basis of ustctug/ustcthesi , in accordance with the latest version of Hefei University of Technology Graduate Dissertation Writing Specifications and Hefei University of Technology Undergraduate Graduation Project (Thesis) Work Implementation Rules .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/hfutthesis/README.md
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/xetex/latex/hfutthesis/hfutthesis-doc.pdf
– local file	<code>./1371779897-hfutthesis-doc.pdf</code>
documentation	(Chinese) <i>Example of use</i> : https://ctan.org/tex-archive/macros/xetex/latex/hfutthesis/hfutthesis-example.pdf
– local file	<code>./2795912067-hfutthesis-example.pdf</code>
contact	<i>bugs</i> : https://github.com/HFUTTUG/HFUT_Thesis/issues
contact	<i>repository</i> : https://github.com/HFUTTUG/HFUT_Thesis
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/hfutthesis
on MikTeX	<code>hfutthesis</code>
on TeXLive	<code>hfutthesis</code>
keyword	<code>xetex</code> (XeTeX, material supporting it, and packages requiring it)
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>chinese</code> (support for typesetting Chinese languages)
keyword	<code>doc-templ</code> (template to guide document development)
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
language(s)	Chinese
last access	2025-02-09

2753 hge – An “Old English” font

Web page on CTAN <https://ctan.org/pkg/hge>

name	hge
caption	An “Old English” font
license	noinfo = noinfo
version	(1992-04-10)
last changes	1992-04-10
year	1992
description	(no language specified) This is a derivative, in Metafont, of the “Old English” font in the (free) Hershey collection.
on CTAN	https://ctan.org/tex-archive/fonts/hge
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-gothic (font for gothic or blackletter shapes)
language(s)	no language specified
last access	2025-02-07

2754 hhline – Better horizontal lines in tabulars and arrays

Web page on CTAN <https://ctan.org/pkg/hhline>

name	hhline
caption	Better horizontal lines in tabulars and arrays
author	Carlisle, David
copyright	The LaTeX3 Project et al. (1993-2023)
copyright	David Carlisle (1991-1994)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.04 (2020-01-04)
last changes	2020-01-04
year	2020

description	(no language specified) The command <code>\hhline</code> produces a line like <code>\hline</code> , or a double line like <code>\hline\hline</code> , except for its interaction with vertical lines. The command takes a preamble (rather like the preamble of a tabular environment), and this specifies whether there are to be one or two horizontal lines, and what happens when the horizontal line meets a vertical one. The package is part of the latex-tools bundle in the LaTeX required distribution.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/required/tools/hhline.pdf
– local file	<code>./5594618410-hhline.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/required/tools
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-tools.tds.zip
on MikTeX	<code>latex-tools</code>
on T _E XLive	<code>tools</code>
keyword	<code>table-rule</code> (rules within tables)
language(s)	no language specified
last access	2025-02-07

2755 hhtensor – Print vectors, matrices, and tensors

Web page on CTAN <https://ctan.org/pkg/hhtensor>

name	<code>hhtensor</code>
caption	Print vectors, matrices, and tensors
author	Harders, Harald
copyright	Harald Harders (2003)
license	lppl = The LaTeX Project Public License (free)
version	0.61
description	(no language specified) This package provides commands for vectors, matrices, and tensors with different styles — arrows (as the LaTeX default), underlined, and bold.
documentation	(no language specified) <i>Package Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/hhtensor/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/hhtensor/hhtensor.pdf

– local file	<code>./3403679650-hhtensor.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hhtensor
on MikTeX	hhtensor
on TeXLive	hhtensor
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	2003
last access	2025-02-07

2756 *hideanswer* – Generate documents with and without answers by toggling a switch

Web page on CTAN	https://ctan.org/pkg/hideanswer
name	hideanswer
caption	Generate documents with and without answers by toggling a switch
author	Kusakabe, Yukoh
copyright	Yukoh KUSAKABE (2022-2024)
license	mit = MIT License (free)
version	1.2 (2024-11-23)
last changes	2024-11-23
year	2024
description	(no language specified) This package can generate documents with and without answers from a single file by toggling a switch. However, it can only be used to create documents to be printed on paper.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/hideanswer/hideanswer-doc.pdf
– local file	<code>./8282986386-hideanswer-doc.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/hideanswer/README.md
home page	https://www.metaphysica.info/tool/hideanswer/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hideanswer
on MikTeX	hideanswer

on T _E XLive	hideanswer
keyword	cond-comp (conditional typesetting)
keyword	exam (exams, quizzes, etc.)
language(s)	no language specified
last access	2025-02-07

2757 *hideproofs* – Defines an a starred proof environment that hides proofs in draft mode

Web page on CTAN <https://ctan.org/pkg/hideproofs>

name	hideproofs
caption	Defines an a starred proof environment that hides proofs in draft mode
author	Wintz, Paul
copyright	pwintz (2025)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) This package introduces an alternate proof environment, <code>proof*</code>, which conditionally hides or shows its contents based on the document mode (<code>draft</code>, <code>final</code>, or <code>default</code>). This is useful for omitting formal proofs from draft versions while retaining them in final documents. The motivation for this package is to reduce the clutter in large files by omitting long proofs, allowing authors to focus their attention on results or proofs that are currently works in progress.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hideproofs/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hideproofs/hideproofs-doc.pdf
– local file	./3637015612-hideproofs-doc.pdf
contact	<i>bugs</i> : https://github.com/pwintz/hideproofs/issues
contact	<i>repository</i> : https://github.com/pwintz/hideproofs
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hideproofs
on T _E XLive	hideproofs
keyword	proof (typeset proofs and proof diagrams)

keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	2025
last access	2025-06-19

2758 hieroglf – The “poor man’s” Egyptian Hieroglyphic font

Web page on CTAN <https://ctan.org/pkg/hieroglf>

name	hieroglf
caption	The “poor man’s” Egyptian Hieroglyphic font
author	Wilson, Peter R.
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.5
description	(no language specified) The hieroglf bundle provides a Type 1 rendition of some of the ancient Egyptian hieroglyphs. Hieroglyphic writing was used between about 3000 BC and 400 AD. The bundle is based on Serge Rosmorduc’s comprehensive hieroglyph package, but only provides about one tenth of his 650-odd hieroglyphs. Sufficient glyphs are provided for writing a few names like Cleopatra or Ptolomey (together with cartouches) and some numbers, but the package is not for serious Egyptologists. The bundle is part of a set of archaic fonts , and requires use of the oands fonts from that set.
documentation	(no language specified) <i>Sample of hieroglyphic font</i> : https://ctan.org/tex-archive/fonts/archaic/hieroglf/trypmhg.pdf
– local file	./1054195737-trypmhg.pdf
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/archaic/hieroglf/hieroglf.pdf
– local file	./6846380308-hieroglf.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/archaic/hieroglf/README
documentation	(no language specified) <i>Samples of entire archaic bundle</i> : https://ctan.org/tex-archive/fonts/archaic/asamples.pdf
– local file	./8592837549-asamples.pdf
on CTAN	https://ctan.org/tex-archive/fonts/archaic/hieroglf

on MikT _E X	archaic
on T _E XLive	archaic
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-archaic (fonts reproducing archaic scripts or inscriptions)
keyword	font (fonts themselves)
keyword	font-egyptian (hieroglyph fonts)
language(s)	no language specified
year	without year
last access	2025-02-07

2759 hieroglyph – Hieroglyph fonts and other support

Web page on CTAN <https://ctan.org/pkg/hieroglyph>

name	hieroglyph
caption	Hieroglyph fonts and other support
author	Rosmorduc, Serge
copyright	Serge Rosmorduc (1993, 1994, 2002)
license	gpl = GNU General Public License (free)
version	3.5
description	(no language specified) HieroTeX is a system for typesetting ancient Egyptian hieroglyphs. It contains a hieroglyphic font, a number of style files, and a helper program in C called <code>sesh</code> which allows one to type hieroglyphic texts using the ‘manuel de codage’, which is the current standard for encoding ancient Egyptian. The fonts in the base system are distributed as Metafont source, but Adobe type 1 versions are also provided.
documentation	(English) <i>Readme</i> : https://ctan.org/tex-archive/fonts/hieroglyph/README
documentation	(French) <i>Lisez-moi</i> : https://ctan.org/tex-archive/fonts/hieroglyph/LIZEZMOI
on CTAN	https://ctan.org/tex-archive/fonts/hieroglyph
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-egyptian (hieroglyph fonts)
keyword	font-archaic (fonts reproducing archaic scripts or inscriptions)
keyword	font (fonts themselves)

keyword	<code>font-mf</code> (fonts distributed as Metafont source)
see also	see section 2758 on page 2498: (<code>hieroglf</code> – The “poor man’s” Egyptian Hieroglyphic font)
language(s)	English; French
year	2002
last access	2025-02-07

2760 *highlight* – Converts source code to syntax highlighted TeX or LaTeX

Web page on CTAN <https://ctan.org/pkg/highlight>

name	<code>highlight</code>
caption	Converts source code to syntax highlighted TeX or LaTeX
author	Simon, André
copyright	André Simon (2003)
license	gpl3 = GNU General Public License, version 3 (free)
version	2.16
description	(no language specified) This is a program which converts source code to TeX and LaTeX with syntax highlighting. It is possible to add custom programming language definitions easily. Highlight supports 100 programming languages and includes 50 colour themes. It features code reformatting and indenting.
documentation	<i>Manual (English, as HTML):</i> http://www.andre-simon.de/doku/highlight/en/highlight.html
documentation	<i>Manual (German):</i> https://ctan.org/tex-archive/support/highlight/README_DE
documentation	<i>Manual (English):</i> https://ctan.org/tex-archive/support/highlight/README
documentation	<i>Handbuch (German; HTML):</i> http://www.andre-simon.de/doku/highlight/highlight.html
on CTAN	https://ctan.org/tex-archive/support/highlight
keyword	<code>listing</code> (computer code listing)
see also	see section 3470 on page 3137: (<code>listings</code> – Typeset source code listings using LaTeX)
see also	see section 3413 on page 3079: (<code>lgrind</code> – Produce beautiful listings of source code with LaTeX)

language(s)	German; English
year	2003
last access	2025-02-07

2761 highlightlatex – Syntax highlighting for LaTeX

Web page on CTAN <https://ctan.org/pkg/highlightlatex>

name	highlightlatex
caption	Syntax highlighting for LaTeX
author	Kuhlmann, Vincent
copyright	Vincent Kuhlmann (2021)
license	mit = MIT License (free)
version	(2021-03-14)
last changes	2021-03-14
year	2021
description	(no language specified) This package provides extensive colored syntax highlighting for LaTeX. For this purpose it builds on the generic listings package.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/highlightlatex/highlightlatex-manual.pdf
– local file	./8374539692-highlightlatex-manual.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/highlightlatex/README.md
home page	https://github.com/vkuhlmann/highlight-latex
contact	<i>bugs:</i> https://github.com/vkuhlmann/highlight-latex/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/highlightlatex
on MikTeX	highlightlatex
on TeXLive	highlightlatex
keyword	listing (computer code listing)
keyword	synt-hlt (highlight syntax of computer code, etc.)
language(s)	no language specified
last access	2025-02-07

2762 highlightx – Highlight formulas or paragraphs

Web page on CTAN <https://ctan.org/pkg/highlightx>

name	highlightx
caption	Highlight formulas or paragraphs
author	Pierquet, Cédric
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.7 (2025-05-26)
last changes	2025-05-26
year	2025
description	(no language specified) This package provides commands (in French or English) to highlight formulas or paragraphs with handwriting effect: • coded using soul and TikZ ; • <code>\SurlignerFormule</code> and <code>\SurlignerTexte</code> in French; • <code>\HighlightFormula</code> and <code>\TextHighlight</code> in English. The code for highlighting paragraphs with handwriting effect has been contributed by Antal Spector-Zabusky.
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/highlightx/doc/highlightx-doc.pdf
– local file	<code>./3269769500-highlightx-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/highlightx/README.md
contact	<i>repository</i> : https://forge.apps.education.fr/pierquetcedric/packages-latex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/highlightx
on MikTeX	highlightx
on T _E XLive	highlightx
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
language(s)	French
last access	2025-06-05

2763 *hilowres* – Support high and low resolution versions of same picture

Web page on CTAN <https://ctan.org/pkg/hilowres>

name	hilowres
caption	Support high and low resolution versions of same picture
author	Gerell, Johann
copyright	Johann Gerell (1999)
license	other-nonfree = License that prevents distribution (not free)
version	1.0
description	(no language specified) A package to simplify the inclusion of low resolution versions of high resolution images, if each pair of files have the same basename (e.g., <code>bird_low.eps</code> and <code>bird.eps</code>). The package is a simple wrapper around the <code>\includegraphics</code> command of the graphicx package.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hilowres/readme.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hilowres
keyword	graphics-supp (support for other packages or for drivers)
language(s)	no language specified
year	1999
last access	2025-02-07

2764 *hindawi-latex-template* – A LaTeX template for authors of the Hindawi journals

Web page on CTAN <https://ctan.org/pkg/hindawi-latex-template>

name	hindawi-latex-template
caption	A LaTeX template for authors of the Hindawi journals
author	Kumar, Shanu
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2021-02-09)
last changes	2021-02-09
year	2021

description	(no language specified) This package contains a LaTeX template for authors of the Hindawi journals. Authors can use this template for formatting their research articles for submissions. The package has been created and is maintained by the Typeset team .
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/hindawi-latex-template/hindawi_latex_template.pdf
– local file	<code>./5558831286-hindawi_latex_template.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/hindawi-latex-template/README
contact	<i>support:</i> https://www.typeset.io
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hindawi-latex-template
on MikTeX	hindawi-latex-template
on TeXLive	hindawi-latex-template
keyword	std-conform (support conformance to standards)
keyword	journalpub (typesetting journals, etc)
keyword	doc-templ (template to guide document development)
language(s)	no language specified
last access	2025-02-07

2765 hindmadurai – The HindMadurai font face with support for LaTeX and pdfLaTeX

Web page on CTAN <https://ctan.org/pkg/hindmadurai>

name	hindmadurai
caption	The HindMadurai font face with support for LaTeX and pdfLaTeX
author	Ebinger, Carl-Clemens
license	ofl = The SIL Open Font License (free)
license	lppl = The LaTeX Project Public License (free)
version	0.0.1
description	(no language specified) This package provides the HindMadurai family of fonts designed by the Indian Type Foundry, with support for LaTeX and pdfLaTeX.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/hindmadurai/README

documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/hindmadurai/doc/HindMadurai-samples.pdf
– local file	<code>./3710434023-HindMadurai-samples.pdf</code>
home page	https://github.com/ccebinger/CTAN_HindMadurai
contact	<i>support</i> : https://github.com/ccebinger/CTAN_HindMadurai
contact	<i>bugs</i> : https://github.com/ccebinger/CTAN_HindMadurai
contact	<i>repository</i> : https://github.com/ccebinger/CTAN_HindMadurai
contact	<i>development</i> : https://github.com/ccebinger/CTAN_HindMadurai
on CTAN	https://ctan.org/tex-archive/fonts/hindmadurai
on MikTeX	<code>hindmadurai</code>
on T _E XLive	<code>hindmadurai</code>
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-t1enc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-indic</code> (fonts for languages of the Indian subcontinent)
language(s)	no language specified
year	without year
last access	2025-02-07

2766 *histogr* – Draw histograms with the LaTeX picture environment

Web page on CTAN <https://ctan.org/pkg/histogr>

name	<code>histogr</code>
caption	Draw histograms with the LaTeX picture environment
author	Schöpf, Rainer
copyright	Rainer Schöpf (1987-1997)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)

version	1.01
description	(no language specified) This is a collection pf macros to draw histogram bars inside a LaTeX picture-environment.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/histogr
on MikTeX	histogr
on T _E XLive	histogr
keyword	graphics-plot (plot data)
language(s)	no language specified
year	1997
last access	2025-02-07

2767 *historische-zeitschrift* – BibLaTeX style for the journal 'Historische Zeitschrift'

Web page on CTAN	https://ctan.org/pkg/historische-zeitschrift
name	historische-zeitschrift
caption	BibLaTeX style for the journal 'Historische Zeitschrift'
author	Waßenhoven, Dominik
copyright	Dominik Waßenhoven (2008-2014)
license	lpl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) The package provides citations according with the house style of the 'Historische Zeitschrift', a German historical journal. The scheme is a fullcite for the first citation and 'Author, Shorttitle (as note N, P)' for later citations (P being the page number). For further details, see the description of the house style at the journal's site . The package depends on BibLaTeX (version 3.3 or higher) as well as etoolbox (version 1.5 or higher).
documentation	(German) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/historische-zeitschrift/LIESMICH
documentation	(English) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/historische-zeitschrift/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/historische-zeitschrift

on MikTeX	historische-zeitschrift
on T _E XLive	historische-zeitschrift
keyword	biblatex (BibLaTeX bibliography support)
keyword	journalpub (typesetting journals, etc)
language(s)	German; English
year	2014
last access	2025-02-07

2768 *histyle* – A “HighStyle” environment for TeX

Web page on CTAN <https://ctan.org/pkg/histyle>

name	histyle
caption	A “HighStyle” environment for TeX
license	noinfo = noinfo
version	1.2
description	(no language specified) Described as “very rudimentary beginnings of HighStyle environment for [Plain] TeX”. The package defines a bunch of macros and (LaTeX-like) environments in support of its aim. (There’s no documentation, to speak of, and no information about HighStyle, on which the package is supposedly based: there seems to be no information about HighStyle on the Web, either.)
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/histyle
keyword	plain-ext (extensions to Plain TeX for higher-level constructs)
language(s)	no language specified
year	without year
last access	2025-02-07

2769 hitec – Class for documentation

Web page on CTAN <https://ctan.org/pkg/hitec>

name	hitec
caption	Class for documentation
author	Billauer, Eli
copyright	Eli Billauer (2001)
license	lppl = The LaTeX Project Public License (free)
version	0.0(beta)
description	(no language specified) An article-based class designed for use for documentation in high-technology companies.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hitec/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hitec/hitec_doc.pdf
– local file	./3769028706-hitec_doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hitec
on MikTeX	hitec
on T _E XLive	hitec
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
year	2001
last access	2025-02-07

2770 hitex – A TeX extension writing HINT output for on-screen reading

Web page on CTAN <https://ctan.org/pkg/hitex>

Alias	HINT
name	hitex
caption	A TeX extension writing HINT output for on-screen reading
author	Ruckert, Martin
copyright	Martin Ruckert (null)
license	x11 = X11 License (free)

description	(no language specified) An extension of TeX which generates HINT output. The HINT file format is an alternative to the DVI and PDF formats which was designed specifically for on-screen reading of documents. Especially on mobile devices, reading DVI or PDF documents can be cumbersome. Mobile devices are available in a large variety of sizes but typically are not large enough to display documents formatted for a4/letter-size paper. To compensate for the limitations of a small screen, users are used to alternating between landscape (few long lines) and portrait (more short lines) mode. The HINT format supports variable and varying screen sizes, leveraging the ability of TeX to format a document for nearly-arbitrary values of <code>\hsize</code> and <code>\vsize</code>.
documentation	(no language specified) <i>HiTeX documentation, in both PDF and HINT formats:</i> https://ctan.org/tex-archive/systems/doc/hitex
documentation	(no language specified) <i>TUGboat articles by the author:</i> https://tug.org/TUGboat/Contents/listauthor.html#Ruckert,Martin
home page	https://hint.userweb.mwn.de/
contact	<i>support:</i> https://lists.tug.org/tex-k
contact	<i>bugs:</i> https://lists.tug.org/tex-k
contact	<i>repository:</i> https://tug.org/svn/texlive/trunk/Build/source/texk/web2c/hitexdir
contact	<i>development:</i> https://github.com/ruckertm/HINT
keyword	engine (TeX (or TeX-alike) typesetting engine)
see also	see section 2771 on page 2509: (<i>hitex-def</i> – Support files for HiTeX)
see also	see section 3165 on page 2856: (<i>knuth-hint</i> – HINT collection of typeset C/WEB sources in TeX Live)
language(s)	no language specified
year	without year
last access	2025-02-07

2771 *hitex-def* – Support files for HiTeX

Web page on CTAN <https://ctan.org/pkg/hitex-def>

name	<i>hitex-def</i>
caption	Support files for HiTeX
author	Ruckert, Martin
copyright	Martin Ruckert (null)

license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
license	x11 = X11 License (free)
description	(no language specified) Base support files for HiTeX, both plain and LaTeX,
contact	<i>repository</i> : https://tug.org/svn/texlive/trunk/Build/source/texk/web2c/hitexdir/tex
contact	<i>development</i> : https://github.com/ruckertm/HINT
on CTAN	https://ctan.org/tex-archive/macros/generic/hitex-def
on MikTeX	hitex-def
keyword	engine (TeX (or TeX-alike) typesetting engine)
see also	see section 2770 on page 2508: (<i>hitex</i> – A TeX extension writing HINT output for on-screen reading)
language(s)	no language specified
year	without year
last access	2025-02-07

2772 *hithesis* – Harbin Institute of Technology Thesis Template

Web page on CTAN	https://ctan.org/pkg/hithesis
name	<i>hithesis</i>
caption	Harbin Institute of Technology Thesis Template
author	Yanshuo, Chu
copyright	Chu Yanshuo (2017-2020)
license	lpl1.3a = The LaTeX Project Public License 1.3a (free)
version	2.0.11
description	(no language specified) <i>hithesis</i> is a LaTeX thesis template package for Harbin Institute of Technology supporting bachelor, master, doctor dissertations.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/hithesis/README.md
documentation	<i>Package documentation (Chinese)</i> : https://ctan.org/tex-archive/macros/xetex/latex/hithesis/hithesis.pdf
– local file	<code>./4787104644-hithesis.pdf</code>
home page	https://github.com/dustincys/hithesis
contact	<i>support</i> : https://github.com/dustincys/hithesis/issues

contact	<i>announce:</i> https://github.com/dustincys
contact	<i>bugs:</i> https://github.com/dustincys/hithesis/issues
contact	<i>repository:</i> https://github.com/dustincys
contact	<i>development:</i> https://github.com/dustincys
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/hithesis
on MikTeX	hithesis
on T _E XLive	hithesis
keyword	class (alternative LaTeX class(es))
keyword	chinese (support for typesetting Chinese languages)
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
language(s)	Chinese
year	2020
last access	2025-02-09

2773 *hitreport* – Harbin Institute of Technology Report LaTeX Template

Web page on CTAN	https://ctan.org/pkg/hitreport
name	hitreport
caption	Harbin Institute of Technology Report LaTeX Template
author	Sun, Xiao
copyright	Xiao Sun (2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.0 (2021-01-14)
last changes	2021-01-14
year	2021
description	(no language specified) This package provides an assignment and experiment report template free of configuration designed for undergraduates on the three campuses of Harbin Institute of Technology.
documentation	(Chinese) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/hitreport/hitreport.pdf
– local file	./2182583214-hitreport.pdf

2774 *hitszbeamer* – A beamer theme for Harbin Institute of Technology, ShenZhen

documentation	(Chinese) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/hitreport/hitreport-example.pdf
– local file	<code>./5102081036-hitreport-example.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/hitreport/README.md
contact	<i>bugs:</i> https://github.com/DemerzelSun12/hitreport/issues
contact	<i>repository:</i> https://github.com/DemerzelSun12/hitreport
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hitreport
on MikTeX	hitreport
on TeXLive	hitreport
keyword	chinese (support for typesetting Chinese languages)
keyword	report-like (regularly-formatted reports)
keyword	class (alternative LaTeX class(es))
keyword	doc-templ (template to guide document development)
language(s)	Chinese
last access	2025-02-07

2774 *hitszbeamer* – A beamer theme for Harbin Institute of Technology, ShenZhen

Web page on CTAN	https://ctan.org/pkg/hitszbeamer
name	hitszbeamer
caption	A beamer theme for Harbin Institute of Technology, ShenZhen
author	Yang, Jingxuan
copyright	Jingxuan Yang (2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.0 (2020-03-17)
last changes	2020-03-17
year	2020
description	(no language specified) This is a beamer theme designed for Harbin Institute of Technology, ShenZhen (HITSZ).
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/hitszbeamer/README.md

documentation	(Chinese) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/hitszbeamer/main.pdf
– local file	./6045724462-main.pdf
documentation	(Chinese) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/hitszbeamer/hitszbeamer.pdf
– local file	./4970647873-hitszbeamer.pdf
home page	https://github.com/YangLaTeX/hitszbeamer
contact	<i>announce:</i> https://github.com/YangLaTeX/hitszbeamer/releases
contact	<i>bugs:</i> https://github.com/YangLaTeX/hitszbeamer/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/hitszbeamer
on MikTeX	hitszbeamer
on TeXLive	hitszbeamer
keyword	presentation (slides, beamers, handouts, etc.)
keyword	chinese (support for typesetting Chinese languages)
language(s)	Chinese
last access	2025-02-07

2775 *hitszthesis* – A dissertation template for Harbin Institute of Technology, ShenZhen

Web page on CTAN	https://ctan.org/pkg/hitszthesis
name	HITSZThesis
caption	A dissertation template for Harbin Institute of Technology, ShenZhen
author	Yang, Jingxuan
copyright	YangLaTeX (2019-2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.2.1 (2021-11-15)
last changes	2021-11-15
year	2021
description	(no language specified) This package provides a dissertation template for Harbin Institute of Technology, ShenZhen (HITSZ), including bachelor, master and doctor dissertations.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hitszthesis/README.md
documentation	(Chinese) <i>Sample document 2</i> : https://ctan.org/tex-archive/macros/latex/contrib/hitszthesis/hitszthesis-master.pdf
– local file	<code>./1192558010-hitszthesis-master.pdf</code>
documentation	(Chinese) <i>Sample document 3</i> : https://ctan.org/tex-archive/macros/latex/contrib/hitszthesis/hitszthesis-doctor.pdf
– local file	<code>./5781239039-hitszthesis-doctor.pdf</code>
documentation	(Chinese) <i>Sample document 1</i> : https://ctan.org/tex-archive/macros/latex/contrib/hitszthesis/hitszthesis-bachelor.pdf
– local file	<code>./9080784238-hitszthesis-bachelor.pdf</code>
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hitszthesis/hitszthesis.pdf
– local file	<code>./1256266648-hitszthesis.pdf</code>
contact	<i>support</i> : https://github.com/YangLaTeX/hitszthesis/wiki
contact	<i>announce</i> : https://github.com/YangLaTeX/hitszthesis/releases
contact	<i>bugs</i> : https://github.com/YangLaTeX/hitszthesis/issues
contact	<i>repository</i> : https://github.com/YangLaTeX/hitszthesis
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hitszthesis
on MikTeX	<code>hitszthesis</code>
on T _E XLive	<code>hitszthesis</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>chinese</code> (support for typesetting Chinese languages)
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
language(s)	Chinese
last access	2025-02-07

2776 *hitttype* – Typesetting Hittite cuneiform

Web page on CTAN <https://ctan.org/pkg/hitttype>

name	HitType
caption	Typesetting Hittite cuneiform
author	Walls, Jonathan
copyright	Jonathan Walls (2025)
license	nocommercial = No Commercial Use (not free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.0 (2025-04-07)
last changes	2025-04-07
year	2025
description	(no language specified) This package allows for typing in Hittite cuneiform in LaTeX documents, using relatively simple commands based on the Latin transcriptions of the various signs. It also includes some formatting commands designed to allow for easy formatting of heterographic compounds, as well as shorthands for symbols commonly used in transcriptions. The <code>UllikummiA.ttf</code>, <code>UllikummiB.ttf</code>, and <code>UllikummiC.ttf</code> files comprise the Ullikummi Hittite cuneiform fonts developed by Dr Sylvie Vanséveren, distributed with written permission from Dr Vanséveren, available on Hethitologie Portal Mainz at https://www.hethport.uni-wuerzburg.de/cuneifont/.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/hitttype/Documentation/hitttype-doc.pdf
– local file	<code>./9982290410-hitttype-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/hitttype/README.md
home page	https://glottophilos.com/hitttype.html
contact	<i>support</i> : https://glottophilos.com/contact.php
on CTAN	https://ctan.org/tex-archive/fonts/hitttype
on MikTeX	<code>hitttype</code>
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>luatex</code> (LuaTeX and packages that require it)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-ttf</code> (font available in TrueType format)

2777 *hktex* – A TeX/LaTeX equivalent for Android

keyword font-archaic (fonts reproducing archaic scripts or inscriptions)
language(s) no language specified
last access 2025-04-11

2777 *hktex* – A TeX/LaTeX equivalent for Android

Web page on CTAN <https://ctan.org/pkg/hktex>

name *hktex*
caption A TeX/LaTeX equivalent for Android
author Tse, Kwanleung
license lpl1.3 = The LaTeX Project Public License 1.3 (free)
version 2.04 (2014-10-01)
last changes 2014-10-01
year 2014
description (no language specified) The package offers formula parsing software written for mobile phones and tablets using the Android operating system. It is developed entirely with Google Eclipse and thus allows app developers and book writers to import the files easily.
documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/systems/android/hktex/HKtexdoc.pdf>
– local file ./6818430636-HKtexdoc.pdf
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/systems/android/hktex/README>
on CTAN <https://ctan.org/tex-archive/systems/android/hktex>
keyword android (usable under Android)
language(s) no language specified
last access 2025-02-07

2778 hlatex – Support for the Korean languageWeb page on CTAN <https://ctan.org/pkg/hlatex>

name	hlatex
caption	Support for the Korean language
author	Un, Koaunghi
license	lppl = The LaTeX Project Public License (free)
version	1.0.1
description	(no language specified) Support for Korean documents written in Korean standard KSC codes for LaTeX2e.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/language/korean/HLaTeX/hlguide.pdf
– local file	<code>./7922092077-hlguide.pdf</code>
documentation	(English) <i>Readme</i> : https://ctan.org/tex-archive/language/korean/HLaTeX/README.en
on CTAN	https://ctan.org/tex-archive/language/korean/HLaTeX
keyword	korean (support for typesetting Korean)
see also	see section 2779 on page 2517: (HLaTeX fonts – A collection of Korean (Hangul) fonts)
see also	see section 6424 on page 5807: (uhc – Fonts for the Korean language)
language(s)	English
year	without year
last access	2025-02-07

2779 hlatex-fonts – A collection of Korean (Hangul) fontsWeb page on CTAN <https://ctan.org/pkg/hlatex-fonts>

name	HLaTeX fonts
caption	A collection of Korean (Hangul) fonts
author	Un, Koaunghi
license	other-free = Free license not otherwise listed (free)
description	(no language specified) A collection of fonts in Adobe Type 1 format for use with HLaTeX , Korean LaTeX. The CJK fonts provide a replacement route to font support for Korean.

on CTAN	https://ctan.org/tex-archive/fonts/korean/HLaTeX
keyword	font (fonts themselves)
keyword	font-cjk (fonts for far eastern languages (Chinese, Japanese and Korean))
keyword	korean (support for typesetting Korean)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
year	without year
last access	2025-02-07

2780 *hletter* – Flexible letter typesetting with flexible page headings

Web page on CTAN	https://ctan.org/pkg/hletter
name	hletter
caption	Flexible letter typesetting with flexible page headings
author	Housley, Brian
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	4.2
description	(no language specified) The package permits the user to specify easily, with the aid of self defined key-words, letters (with a logo and private) and headings. The heading may include a footer and the letter provides commands to include a scanned signature and two signees. The package works with the merge package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hletter/Hletter.pdf
– local file	./5139428676-Hletter.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hletter/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hletter
on MikTeX	hletter
on T _E XLive	hletter
keyword	letter (typesetting letters, envelopes, faxes, etc)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
year	without year

last access 2025-02-07

2781 **hlist** – Horizontal and columned lists

Web page on CTAN <https://ctan.org/pkg/hlist>

name	hlist
caption	Horizontal and columned lists
author	Tellechea, Christian
copyright	Christian Tellechea (2017)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.11 (2017-08-08)
last changes	2017-08-08
year	2017
description	(no language specified) This plain TeX and LaTeX package provides the "hlist" environment in which <code>\hitem</code> starts a horizontal and columned item. It depends upon the simplekv package.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/generic/hlist/hlist-fr.pdf
– local file	./2833920097-hlist-fr.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/generic/hlist/README
on CTAN	https://ctan.org/tex-archive/macros/generic/hlist
on MikTeX	hlist
on TeXLive	hlist
keyword	list (list: general)
keyword	table (table typesetting)
keyword	list-supp (list support)
language(s)	no language specified
last access	2025-02-07

2782 hmt rump – Describe card games

Web page on CTAN <https://ctan.org/pkg/hmtrump>

name	hmtrump
caption	Describe card games
author	Hitomi, Shoma
copyright	Shoma Hitomi (2019)
license	other-free = Free license not otherwise listed (free)
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
version	1.2a
description	(no language specified) This package provides a font with LuaLaTeX support for describing card games.
documentation	(Japanese) <i>Example of use</i> : https://ctan.org/tex-archive/macros/luatex/latex/hmtrump/hmtrump-sample.pdf
– local file	<code>./3563684003-hmtrump-sample.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/hmtrump/README.md
documentation	(Japanese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/hmtrump/hmtrump.pdf
– local file	<code>./5060477522-hmtrump.pdf</code>
home page	http://www.circle9.work/cards/intro/hmtrump/index.html
contact	<i>repository</i> : https://github.com/Hitomi-San/hmtrump
contact	<i>development</i> : http://www.circle9.work/
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/hmtrump
on MikTeX	hmtrump
on T _E XLive	hmtrump
keyword	font-symbol (fonts that provide collections of symbols)
keyword	luatex (LuaTeX and packages that require it)
keyword	font (fonts themselves)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	font-supp-symbol (metrics, macro incantations and other support for symbol fonts)

keyword	font-ttf (font available in TrueType format)
language(s)	Japanese
year	2019
last access	2025-02-09

2783 hobby – An implementation of Hobby’s algorithm for PGF/TikZ

Web page on CTAN <https://ctan.org/pkg/hobby>

name	hobby
caption	An implementation of Hobby’s algorithm for PGF/TikZ
author	Stacey, Andrew
copyright	Andrew Stacey (2012-2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.12 (2023-09-01)
last changes	2023-09-01
year	2023
description	(no language specified) This package defines a path generation function for PGF/TikZ which implements Hobby’s algorithm for a path built out of Bezier curves which passes through a given set of points. The path thus generated may be used as a TikZ ‘to path’. The implementation is in LaTeX3.
documentation	(English) <i>Readme</i>: https://ctan.org/tex-archive/graphics/pgf/contrib/hobby/README
documentation	(no language specified) <i>Annotated code</i>: https://ctan.org/tex-archive/graphics/pgf/contrib/hobby/hobby_code.pdf
– local file	<code>./3066308530-hobby_code.pdf</code>
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/graphics/pgf/contrib/hobby/hobby.pdf
– local file	<code>./5681022132-hobby.pdf</code>
contact	<i>repository</i> : https://github.com/loopspace/hobby
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/hobby
on MikTeX	hobby
on TeXLive	hobby
keyword	expl3 (expl3(unknown))

keyword	graphics-supp (support for other packages or for drivers)
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	graphics-curve (draw (parametric) curves)
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
language(s)	English
last access	2025-02-07

2784 *hobete* – Unofficial beamer theme for the University of Hohenheim

Web page on CTAN <https://ctan.org/pkg/hobete>

name	hobete
caption	Unofficial beamer theme for the University of Hohenheim
author	Görlach, Tobias
license	lpl = The LaTeX Project Public License (free)
version	(2012-06-26)
last changes	2012-06-26
year	2012
description	(no language specified) The package provides a beamer theme which features the Ci colors of the University of Hohenheim. Please note that this is not an official Theme, and that there will be no support for it, from the University. Furthermore there is NO relationship between the University and this theme.
documentation	<i>Readme (German):</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/hobete/README
documentation	<i>Package documentation (German):</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/hobete/hobete_doc.pdf
– local file	./5519562783-hobete_doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/hobete
on MikTeX	hobete
on T _E XLive	hobete
keyword	poster (typeset posters, etc.)
keyword	presentation (slides, beamers, handouts, etc.)

language(s) German
last access 2025-02-07

2785 hobsub – Construct package bundles

Web page on CTAN <https://ctan.org/pkg/hobsub>

name	hobsub
caption	Construct package bundles
author	Oberdiek, Heiko
copyright	Oberdiek Package Support Group (2019)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2019-11-14)
last changes	2019-11-14
year	2019
description	(no language specified) Heiko Oberdiek's <code>hobsub</code> package (and <code>hobsub-hyperref</code> and <code>hobsub-generic</code> packages) defined a mechanism for concatenating multiple files into a single file for faster loading. The disadvantage is that it introduces hard dependencies between the source files that are included and complicates distribution and updates. It was principally used with <code>hyperref</code> but is not currently used in any standard packages in TeX Live. The packages are still distributed as simple stubs that reference the included packages via <code>\RequirePackage</code> rather than copying their source. The documented source of the original packages is available at github , but is not distributed to CTAN.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hobsub/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hobsub/hobsub.pdf
– local file	<code>./5182973472-hobsub.pdf</code>
contact	<i>bugs</i> : https://github.com/ho-tex/hobsub/issues
contact	<i>repository</i> : https://github.com/ho-tex/hobsub
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hobsub
on MikTeX	hobsub

2786 *hoffset-voffset* – Calculate values for `\hoffset` and `\voffset`

on T _E XLive	hobsub
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

2786 *hoffset-voffset* – Calculate values for `\hoffset` and `\voffset`

Web page on CTAN <https://ctan.org/pkg/hoffset-voffset>

name	hoffset-voffset
caption	Calculate values for <code>\hoffset</code> and <code>\voffset</code>
author	Zabelin, Anatoly A.
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The bundle contains Pascal source, and a Windows executable.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/hoffset-voffset/README
on CTAN	https://ctan.org/tex-archive/support/hoffset-voffset
keyword	geometry (change geometry of page layout)
language(s)	no language specified
year	without year
last access	2025-02-07

2787 *hologo* – A collection of logos with bookmark support

Web page on CTAN <https://ctan.org/pkg/hologo>

name	hologo
caption	A collection of logos with bookmark support
author	Oberdiek, Heiko
copyright	Oberdiek Package Support Group (2016-2026)
copyright	Heiko Oberdiek (2010-2012)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.17 (2026-04-02)
last changes	2026-04-02

year	2026
description	(no language specified) The package defines a single command <code>\hologo</code> , whose argument is the usual case-confused ASCII version of the logo. The command is bookmark-enabled, so that every logo becomes available in bookmarks without further work.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/hologo/hologo.pdf
– local file	<code>./9727027654-hologo.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/hologo/README.md
contact	<i>bugs</i> : https://github.com/ho-tex/hologo/issues
contact	<i>repository</i> : https://github.com/ho-tex/hologo
on CTAN	https://ctan.org/tex-archive/macros/generic/hologo
on MikTeX	hologo
on TeXLive	hologo
keyword	tagged-pdf (tagged PDF compatible)
keyword	macro-gen (macros that are independent of the (TeX) format in use)
keyword	logo (symbols or drawings to specify an object, including icons)
language(s)	no language specified
last access	2026-04-11

2788 *holtpolt* – Typeset Maxwell’s non-commutative division

Web page on CTAN <https://ctan.org/pkg/holtpolt>

name	holtpolt
caption	Typeset Maxwell’s non-commutative division
author	Knappen, Jörg
copyright	Jörg Knappen (1996-1999)
license	gpl = GNU General Public License (free)
version	(2000-03-17)
last changes	2000-03-17
year	2000

description	(no language specified) Defines two commands <code>\holter</code> and <code>\polter</code> that typeset Maxwell' non-commutative division operations. The package is part of Jörg Knappen's collection .
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jknappen/holtpolt.sty
on MikTeX	jknappen
on T _E XLive	jknapltx
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

2789 holtxdoc – Documentation macros for oberdiek bundle, etc

Web page on CTAN <https://ctan.org/pkg/holtxdoc>

name	holtxdoc
caption	Documentation macros for oberdiek bundle, etc
author	Oberdiek, Heiko
copyright	Oberdiek Support Group (2016)
copyright	Heiko Oberdiek (1999-2012)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.29 (2019-11-12)
last changes	2019-11-12
year	2019
description	(no language specified) These are personal macros, which are not necessarily useful to other authors (they are provided as part of the source of others of the author's packages). Macros that may be of use to other authors are available separately, in package hypdoc .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/holtxdoc.pdf
– local file	./1425088459-holtxdoc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/holtxdoc.dtx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/oberdiek.tds.zip

on MikTeX	oberdiek
on TeXLive	oberdiek
keyword	doc-supp (macros and tools for preparing documentation)
language(s)	no language specified
last access	2025-02-07

2790 *homework* – A LaTeX class for writing your homework

Web page on CTAN <https://ctan.org/pkg/homework>

name	homework
caption	A LaTeX class for writing your homework
author	XU, Jinwen
copyright	Jinwen XU (2023-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2024-09-30)
last changes	2024-09-30
year	2024
description	(no language specified) The current document class is for writing homework. It has the following features. • Simple and clear interface. • Built-in support for many theorem-type environments, already configured and ready to use. • Multilingual support. • Page numbers are of the form "Page [current] of [total]", which can help you ensure that there are no missing pages when you print your homework for submission. • Support writing problem statements and solutions (or proofs) in different colors. • Every statement and solution has its own QED symbol, in hollow or solid shape, respectively. • You can mark the unfinished parts, and a report shall be generated at the end of your document for reminding.
documentation	<i>Example of use (Chinese):</i> https://ctan.org/tex-archive/macros/latex/contrib/homework/homework-demo-cn.pdf

– local file	<code>./1105563181-homework-demo-cn.pdf</code>
documentation	(no language specified) <i>Example of an Exercise Sheet, with Answer:</i> https://ctan.org/tex-archive/macros/latex/contrib/homework/homework-example-sheet-answer.pdf
– local file	<code>./2026882422-homework-example-sheet-answer.pdf</code>
documentation	(no language specified) <i>Example of use (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/homework/homework-demo-en.pdf
– local file	<code>./1492052721-homework-demo-en.pdf</code>
documentation	<i>Example of use (Traditional Chinese):</i> https://ctan.org/tex-archive/macros/latex/contrib/homework/homework-demo-tc.pdf
– local file	<code>./5045120712-homework-demo-tc.pdf</code>
documentation	<i>Example of use (French):</i> https://ctan.org/tex-archive/macros/latex/contrib/homework/homework-demo-fr.pdf
– local file	<code>./2593207725-homework-demo-fr.pdf</code>
documentation	<i>Example of use (Japanese):</i> https://ctan.org/tex-archive/macros/latex/contrib/homework/homework-demo-jp.pdf
– local file	<code>./2297637896-homework-demo-jp.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/homework/README.md
documentation	(no language specified) <i>Example of an Exercise Sheet:</i> https://ctan.org/tex-archive/macros/latex/contrib/homework/homework-example-sheet.pdf
– local file	<code>./4539561024-homework-example-sheet.pdf</code>
documentation	<i>Example of use (Spanish):</i> https://ctan.org/tex-archive/macros/latex/contrib/homework/homework-demo-es.pdf
– local file	<code>./6699630120-homework-demo-es.pdf</code>
documentation	<i>Example of use (German):</i> https://ctan.org/tex-archive/macros/latex/contrib/homework/homework-demo-de.pdf
– local file	<code>./5878974102-homework-demo-de.pdf</code>
contact	<i>repository:</i> https://github.com/Jinwen-XU/homework
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/homework
on MikTeX	<code>homework</code>
on TeXLive	<code>homework</code>

keyword	class (alternative LaTeX class(es))
keyword	multilingual (support for more than one (natural) language)
keyword	essay (course work essays, assignments, etc.)
keyword	expl3 (expl3(unknown))
language(s)	German; Spanish; French; Japanese; Chinese
last access	2025-02-07

2791 *hook-pre-commit-pkg* – Pre-commit git hook for LaTeX package developpers

Web page on CTAN <https://ctan.org/pkg/hook-pre-commit-pkg>

name	hook-pre-commit-pkg
caption	Pre-commit git hook for LaTeX package developpers
author	Rouquette, Maïeul
copyright	Maïeul Rouquette (2014-2016)
license	gpl3 = GNU General Public License, version 3 (free)
version	1.1.2
description	(no language specified) This package provides a pre-commit git hook to check basic LaTeX syntax for the use of package developers. It is installed by copying it into the <code>.git/.hooks</code> file. It then checks the following file types: <code>.sty</code>, <code>.dtx</code>, <code>.bbx</code>, <code>.cbx</code>, and <code>.ltx</code>. List of performed checks: • Each line must be terminated by a <code>%</code>, without a space before it. Empty lines are allowed, but not lines with nothing but spaces in them. • <code>\begin{macro}</code> and <code>\end{macro}</code> must be paired. • <code>\begin{macrocode}</code> and <code>\end{macrocode}</code> must be paired. • <code>\begin{macro}</code> must have a second argument. • One space must be printed between <code>%</code> and <code>\begin{macro}</code> or <code>\end{macro}</code>. <code>%</code> must be the first character in the line. • Four spaces must be printed between <code>%</code> and <code>\begin{macrocode}</code> or <code>\end{macrocode}</code>. • <code>\cs</code> argument must not start with a backslash.
documentation	<i>Tutorial (French):</i> http://geekographie.maieul.net/Hook-de-pre-commit-pour-fichier

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/hook-pre-commit-pkg/README
contact	<i>repository</i> : https://github.com/maieul/git-hooks
on CTAN	https://ctan.org/tex-archive/support/hook-pre-commit-pkg
on T _E XLive	hook-pre-commit-pkg
keyword	package-devel (support for package development)
language(s)	French
year	2016
last access	2025-02-07

2792 hopatch – Load patches for packages

Web page on CTAN <https://ctan.org/pkg/hopatch>

name	hopatch
caption	Load patches for packages
author	Oberdiek, Heiko
copyright	Oberdiek Package Support Group (2016-2023)
copyright	Heiko Oberdiek (2011, 2012)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.5 (2023-01-07)
last changes	2023-01-07
year	2023
description	(no language specified) Hopatch provides a command with which the user may register of patch code for a particular package. Hopatch will apply the patch immediately, if the relevant package has already been loaded; otherwise it will store the patch until the package appears.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hopatch/hopatch.pdf
– local file	./1183889996-hopatch.pdf
contact	<i>bugs</i> : https://github.com/ho-tex/hopatch/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hopatch
on MikT _E X	hopatch
on T _E XLive	hopatch

keyword macro-supp (support for development of (La)TeX macros)
 language(s) no language specified
 last access 2025-02-07

2793 horoscop – Generate astrological charts in LaTeX

Web page on CTAN <https://ctan.org/pkg/horoscop>
 name horoscop
 caption Generate astrological charts in LaTeX
 author Skala, Matthew
 license pd = Public Domain Software (free)
 version 1.01
 description (no language specified) The horoscop package provides a unified interface for astrological font packages; typesetting with [pict2e](#) of standard wheel charts and some variations, in PostScript- and PDF-generating TeX engines; and access to external calculation software (Astrolog and Swiss Ephemeris) for computing object positions.
 documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/horoscop/horoscop.pdf>
 – local file ./9907401331-horoscop.pdf
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/horoscop/README>
 on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/horoscop>
 on MikTeX horoscop
 on T_EXLive horoscop
 keyword astrology (fonts and typesetting for astrologers)
 language(s) no language specified
 year without year
 last access 2025-02-07

2794 *hp2pl* – Create TeX PL files from HP AutoFont Support

Web page on CTAN <https://ctan.org/pkg/hp2pl>

name	HPt fm2pl
caption	Create TeX PL files from HP AutoFont Support
author	Walsh, Norman
copyright	Small Planet Software (1992, 1993)
license	pd = Public Domain Software (free)
version	1.0b beta
description	(no language specified) HP provides Autofont support files for all of the built-in printer fonts and all of the cartridges that it sells. Use HPtfm2pl to create PL files, and then pltotf to convert those to TFM files.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/hp2pl/readme
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/hp2pl/hptfm2pl.doc
on CTAN	https://ctan.org/tex-archive/support/hp2pl
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	1993
last access	2025-02-07

2795 *hp2xx* – HP GL converter

Web page on CTAN <https://ctan.org/pkg/hp2xx>

name	hp2xx
caption	HP GL converter
license	gpl = GNU General Public License (free)
version	3.4.4
description	(no language specified) HP2xx is a versatile tool to convert vector-oriented graphics data given in Hewlett-Packard's HP-GL plotter language into a variety of popular graphics formats, both vector- and raster-oriented. HP2xx may also be used as an HP GL viewer on certain platforms.
home page	http://www.gnu.org/software/hp2xx/hp2xx.html

on CTAN <https://ctan.org/tex-archive/support/hp2xx>
 keyword `graphics-prep` (prepare graphics for use with *TeX)
 language(s) no language specified
 year without year
 last access 2025-02-07

2796 *hpgl2ps* – Translate HPGL to PostScript

Web page on CTAN <https://ctan.org/pkg/hpgl2ps>

name *hpgl2ps*
 caption Translate HPGL to PostScript
 author McCormick, Doc
 license noinfo = noinfo
 version (1992-09-27)
 last changes 1992-09-27
 year 1992
 description (no language specified) An ancient converter, which covers (most of) the language of DXY plotters, and RD-GL format (a superset of HPGL at the time the program was written). The converter doesn't cover all of the respective languages, but warns about things it doesn't understand.
 documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/graphics/hpgl2ps/README>
 on CTAN <https://ctan.org/tex-archive/graphics/hpgl2ps>
 keyword `graphics-import` (convert a foreign graphics format for use with TeX)
 language(s) no language specified
 last access 2025-02-07

2797 hpsdiss – A dissertation class

Web page on CTAN <https://ctan.org/pkg/hpsdiss>

name	hpsdiss
caption	A dissertation class
author	Schmid, Hanspeter
license	gpl = GNU General Public License (free)
version	1.0
description	(no language specified) The class was developed to typeset a dissertation at ETH Zürich. The requirements were to use A5 paper and 10pt type. A sample of the output is shown in the PDF documentation link.
documentation	(no language specified) <i>Example of package use:</i> https://ctan.org/tex-archive/macros/latex/contrib/hpsdiss/hpsdiss.pdf
– local file	./9334293979-hpsdiss.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hpsdiss
on MikTeX	hpsdiss
on TeXLive	hpsdiss
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
year	without year
last access	2025-02-07

2798 href-ul – Underscored LaTeX hyperlinks

Web page on CTAN <https://ctan.org/pkg/href-ul>

name	href-ul
caption	Underscored LaTeX hyperlinks
author	Bugayenko, Yegor
copyright	Yegor Bugayenko (2021-2024)
license	mit = MIT License (free)
version	0.4.1 (2024-11-01)

2799 *hrefhide* – Suppress hyper links when printing

last changes	2024-11-01
year	2024
description	(no language specified) This LaTeX package makes hyperlinks underscored, just like on the web. The package uses hyperref and ulem .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/href-ul/href-ul.pdf
– local file	<code>./1022558150-href-ul.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/href-ul/README.md
contact	<i>bugs</i> : https://github.com/yegor256/href-ul/issues
contact	<i>repository</i> : https://github.com/yegor256/href-ul
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/href-ul
on MikTeX	href-ul
on TeXLive	href-ul
keyword	hyper (support for hypertext)
keyword	verbatim (verbatim typesetting, etc.)
keyword	underline (underlining/overlining text (including other decorations))
language(s)	no language specified
last access	2025-02-07

2799 hrefhide – Suppress hyper links when printing

Web page on CTAN <https://ctan.org/pkg/hrefhide>

name	hrefhide
caption	Suppress hyper links when printing
author	Münch, Hans-Martin
copyright	H.-Martin Münch (2010-2025)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1b (2025-01-27)
last changes	2025-01-27
year	2025

description	(no language specified) This package provides the command <code>\hrefdisplayonly</code> (additionally to <code>\href</code> provided by the <code>hyperref</code> package). While the (hyperlinked) text appears like an ordinary <code>\href</code> in the compiled pdf-file, the same text will be "hidden" when printing the text. Hiding is actually achieved by making the text the same colour as the background, thus preserving the layout of the rest of the text. Further the commands <code>\hycon</code> and <code>\hycoff</code> (hyper-colour-on/off) can be used to simulate switching option <code>ocgcolorlinks</code> of the <code>hyperref</code> package on and off. This package is possibly obsolete, see section 3: "Alternatives" in the documentation.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/hrefhide/hrefhide.pdf
– local file	<code>./4055420188-hrefhide.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/hrefhide/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hrefhide
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/hrefhide.tds.zip
on MikTeX	hrefhide
on T _E XLive	hrefhide
keyword	hyper (support for hypertext)
language(s)	no language specified
last access	2025-02-07

2800 *hrhyph* – Croatian hyphenation

Web page on CTAN <https://ctan.org/pkg/hrhyph>

name	hrhyph
caption	Croatian hyphenation
author	Marinović, Igor
copyright	Igor Marinović (1994, 1996, 2011)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2011-06-07)
last changes	2011-06-07

year	2011
description	(no language specified) Hyphenation patterns for the Croatian language for use with T1 encoding as supported in EC fonts. Note that these patterns are no longer used by distributions; a version of the patterns, encoded in UTF-8, are the location of current development.
on CTAN	https://ctan.org/tex-archive/language/hyphenation/hrhyph.tex
on T _E XLive	hyphen-croatian
keyword	hyphenation (macros or tables for hyphenation)
keyword	croatian (support for typesetting Croatian)
language(s)	no language specified
last access	2025-02-07

2801 *hrlatex* – LaTeX support for Croatian documents

Web page on CTAN	https://ctan.org/pkg/hrlatex
name	hrlatex
caption	LaTeX support for Croatian documents
author	Maretić, Marcel
copyright	Marcel Maretić (2006, 2010)
license	lppl = The LaTeX Project Public License (free)
version	0.23
description	(no language specified) This package simplifies creation of new documents for the (average) Croatian user. As an example, a class file <code>hrdipl.cls</code> (designed for the graduation thesis at the University of Zagreb) and sample thesis documents are included.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/croatian/hrlatex/README
documentation	(Croatian) <i>Package documentation</i> :: https://ctan.org/tex-archive/language/croatian/hrlatex/hrlatex.pdf
– local file	<code>./6569220839-hrlatex.pdf</code>
on CTAN	https://ctan.org/tex-archive/language/croatian/hrlatex
on MikT _E X	hrlatex
on T _E XLive	hrlatex

keyword	croatian (support for typesetting Croatian)
language(s)	Croatian
year	2010
last access	2025-02-07

2802 *hsindex* – An alternative index processor to imakeidx written with Haskell

Web page on CTAN <https://ctan.org/pkg/hsindex>

name	hsindex
caption	An alternative index processor to imakeidx written with Haskell
author	Joulin, Jean-Luc
copyright	Jean-Luc Joulin (2018-2020)
license	gpl = GNU General Public License (free)
version	0.12.0
description	(no language specified) HsIndex is an index generator that can be used with the LaTeX (LuaLaTeX, XeLaTeX, ...) processor in association with the imakeidx package. HsIndex was made to compensate the absence and/or buggy version of xindy in Debian.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/indexing/hsindex/README.md
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/indexing/hsindex/README
home page	http://www.jeanjoux.fr/Haskell/HsIndex/hsindex-en.html
contact	<i>repository</i> : https://gitlab.com/JeanJouX/hsindex
on CTAN	https://ctan.org/tex-archive/indexing/hsindex
keyword	index (index support)
language(s)	no language specified
year	2020
last access	2025-02-07

2803 `html2latex` – Convert HTML to LaTeX

Web page on CTAN <https://ctan.org/pkg/html2latex>

name	<code>html2latex</code>
caption	Convert HTML to LaTeX
author	Torkington, Nathan
author	Seibert, Stan
author	Thatcher, Peter
author	Reimers, Roland
license	gpl2 = GNU General Public License, version 2 (free)
version	1.1
description	(no language specified) An HTML to LaTeX translator originally written in C, but now recast as a Perl module.
documentation	(no language specified) <i>POD documentation</i> : http://search.cpan.org/~peter/html2latex/html2latex
contact	<i>repository</i> : http://html2latex.sourceforge.net
on CTAN	https://ctan.org/tex-archive/support/html2latex
keyword	<code>foreign-import</code> (import files in a non-TeX (or different TeX) format)
language(s)	no language specified
year	without year
last access	2025-02-07

2804 `htmlhelp` – HTML translation of VMS help files

Web page on CTAN <https://ctan.org/pkg/htmlhelp>

name	<code>htmlhelp</code>
caption	HTML translation of VMS help files
author	Greenwade, George
author	Walsh, Norman
license	<code>noinfo</code> = <code>noinfo</code>
version	(1994-04-12)
last changes	1994-04-12
year	1994

description	(no language specified) A series zip archives of HTML files derived from VMS help for BibTeX, LaTeX, makeindex and SliTeX.
on CTAN	https://ctan.org/tex-archive/info/htmlhelp
keyword	documentation (‘stand-alone’ documentation)
see also	see section 3286 on page 2968: (latex-info – Unofficial reference manual for LaTeX)
language(s)	no language specified
last access	2025-02-07

2805 hu-berlin-bundle – LaTeX classes for the Humboldt-Universität zu Berlin

Web page on CTAN <https://ctan.org/pkg/hu-berlin-bundle>

name	hu-berlin-bundle
caption	LaTeX classes for the Humboldt-Universität zu Berlin
author	Bossert, Lukas C.
license	bsd3 = 3-clause BSD License (free)
license	gpl2 = GNU General Public License, version 2 (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1.2 (2023-05-14)
last changes	2023-05-14
year	2023
description	(no language specified) This package provides files according to the corporate design of the Humboldt-Universität zu Berlin. This is <i>not</i> an official package by the university itself, and not officially approved by it. More information can be found in the Humboldt University’s corporate design guideline and on the website https://www.hu-berlin.de/de/hu-intern/design . At present, the bundle contains a letter class based on scrlltr2 and a package <code>hu-berlin-base.sty</code> which contains all relevant code for documents and documentclasses of the bundle.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/hu-berlin-bundle/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/hu-berlin-bundle/hu-berlin-bundle.pdf
– local file	<code>./8960685563-hu-berlin-bundle.pdf</code>

contact	<i>bugs</i> : https://github.com/LukasCBossert/hu-berlin-bundle/issues
contact	<i>repository</i> : https://github.com/LukasCBossert/hu-berlin-bundle
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/hu-berlin-bundle
on MikTeX	hu-berlin-bundle
on TeXLive	hu-berlin-bundle
keyword	luatex (LuaTeX and packages that require it)
keyword	letter (typesetting letters, envelopes, faxes, etc)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-09

2806 *huawei* – Template for Huawei documents

Web page on CTAN	https://ctan.org/pkg/huawei
name	huawei
caption	Template for Huawei documents
author	Bugayenko, Yegor
copyright	Yegor Bugayenko (2021-2024)
license	mit = MIT License (free)
version	0.19.1 (2024-12-17)
last changes	2024-12-17
year	2024
description	(no language specified) This unofficial package provides a class for creating documents for people working with Huawei Technologies Co., Ltd.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/huawei/huawei.pdf
– local file	./8389620215-huawei.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/huawei/README.md
home page	https://github.com/yegor256/huawei.cls

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/huawei
on MikTeX	huawei
on T _E XLive	huawei
keyword	class (alternative LaTeX class(es))
keyword	misc-paper (discussion/working paper (rather than journal paper))
language(s)	no language specified
last access	2025-02-07

2807 *huaz* – Automatic definite articles for Hungarian

Web page on CTAN <https://ctan.org/pkg/huaz>

name	huaz
caption	Automatic definite articles for Hungarian
author	Tómacs, Tibor
copyright	Tibor Tómacs (2022-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.1 (2024-05-05)
last changes	2024-05-05
year	2024
description	(no language specified) In Hungarian there are two definite articles, "a" and "az", which are determined by the pronunciation of the subsequent word. The definite article is "az", if the first phoneme of the pronounced word is a vowel, otherwise it is "a". The <i>huaz</i> package helps the user to insert automatically the correct definite article for cross-references and other commands containing text.
documentation	(Hungarian) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/huaz/huaz.pdf
– local file	./6379698104-huaz.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/huaz/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/huaz
on MikTeX	huaz
on T _E XLive	huaz
keyword	hungarian (support for typesetting Hungarian)
language(s)	Hungarian

last access 2025-02-07

2808 *huffman* – Drawing binary Huffman trees with MetaPost and METAOBJWeb page on CTAN <https://ctan.org/pkg/huffman>

name	huffman
caption	Drawing binary Huffman trees with MetaPost and METAOBJ
author	Chupin, Maxime
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1 (2023-05-10)
last changes	2023-05-10
year	2023
description	(no language specified) This MetaPost package allows to draw binary Huffman trees from two arrays : an array of strings, and an array of weights (numeric). It is based on the METAOBJ package which provides many tools for building trees in general.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/huffman/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/huffman/doc/huffman-doc-en.pdf
– local file	./8509593538-huffman-doc-en.pdf
home page	https://plmlab.math.cnrs.fr/mchupin/huffman
contact	<i>repository</i> : https://github.com/chupinmaxime/huffman/
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/huffman
on MikTeX	huffman
on T _E XLive	huffman
keyword	graphics-mpost (graphics generated using MetaPost)
keyword	tree (mechanisms for drawing trees)
language(s)	no language specified
last access	2025-02-07

2809 *huhyph* – Hyphenation patterns for the Hungarian language

Web page on CTAN <https://ctan.org/pkg/huhyph>

name	huhyph
caption	Hyphenation patterns for the Hungarian language
author	Mayer, Gyula
license	other-free = Free license not otherwise listed (free)
description	(no language specified) This set of patterns is now superseded by those in the hungarian bundle .
documentation	(Hungarian) <i>Package documentation</i> : https://ctan.org/tex-archive/language/hungarian/hyphenation/huhyphn.pdf
– local file	./3124836808-huhyphn.pdf
on CTAN	https://ctan.org/tex-archive/language/hyphenation/huhyph.tex
keyword	hyphenation (macros or tables for hyphenation)
keyword	obsolete (package declared obsolete)
keyword	hungarian (support for typesetting Hungarian)
language(s)	Hungarian
year	without year
last access	2025-02-07

2810 *hulipsum* – Hungarian dummy text (Lórum ipse)

Web page on CTAN <https://ctan.org/pkg/hulipsum>

name	hulipsum
caption	Hungarian dummy text (Lórum ipse)
author	Tómacs, Tibor
copyright	Tibor Tómacs (2018-2024)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3 (2024-04-12)
last changes	2024-04-12
year	2024

2811 *humanbio* – Bibliography style for "Human Biology"

description	(no language specified) <i>Lorem ipsum</i> is an improper Latin filler dummy text, cf. the lipsum package. It is commonly used for demonstrating the textual elements of a document template. <i>Lórum ipse</i> is a Hungarian variation of <i>Lorem ipsum</i> . (<i>Lórum</i> is a Hungarian card game, and <i>ipse</i> is a Hungarian slang word meaning <i>bloke</i> .) With this package you can typeset 150 paragraphs of <i>Lórum ipse</i> . All paragraphs are taken with permission from http://www.lorumipse.hu . Thanks to <i>Lórum Ipse Lab</i> (Viktor Nagy and Dávid Takács) for their work.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hulipsum/hulipsum.pdf
– local file	./8418074755-hulipsum.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hulipsum/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hulipsum
on MikTeX	hulipsum
on T _E XLive	hulipsum
keyword	dummy-gen (dummy text generator for tests and examples)
keyword	macro-supp (support for development of (La)TeX macros)
keyword	hungarian (support for typesetting Hungarian)
language(s)	no language specified
last access	2025-02-07

2811 *humanbio* – Bibliography style for "Human Biology"

Web page on CTAN	https://ctan.org/pkg/humanbio
name	humanbio
caption	Bibliography style for "Human Biology"
author	Rogers, Alan
license	nocommercial = No Commercial Use (not free)
version	1.1
description	(no language specified) A style derived from <i>apalike</i> in the BibTeX bundle, adopting further features from astron.bst ; use with the LaTeX package that comes with <i>astron</i>.

2812 *humanist* – *Humanist manuscript book-hand font*

on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/humanbio.bst
on MikTeX	beebe
on T _E XLive	beebe
keyword	biology (typeset biological data)
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
year	without year
last access	2025-02-07

2812 *humanist* – *Humanist manuscript book-hand font*

Web page on CTAN	https://ctan.org/pkg/humanist
name	humanist
caption	Humanist manuscript book-hand font
author	Wilson, Peter R.
copyright	Peter Wilson (2002, 2003)
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The <i>humanist</i> and <i>allhmin</i> packages provide Metafont fonts based on the Humanist manuscript book-hand used from the 14th century AD onwards. The font consists of uppercase and lowercase letters, digits and some appropriate period punctuation marks. Both normal and bold versions are provided. This is one of a set of manuscript fonts . Access to the docmfp package is desirable but not essential.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/bookhands/humanist/README
on CTAN	https://ctan.org/tex-archive/fonts/bookhands/humanist
on MikTeX	humanist
on T _E XLive	bookhands
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-bookhand (fonts of scripts used for manuscript books)
language(s)	no language specified

year 2003
last access 2025-02-07

2813 *humannat* – Bibliography style for "Human Nature" and "American Anthropologist"

Web page on CTAN <https://ctan.org/pkg/humannat>

name humannat
caption Bibliography style for "Human Nature" and "American Anthropologist"
author Rogers, Alan
license nocommercial = No Commercial Use (not free)
version 1.03
description (no language specified) A style derived from `apalike.bst` in the **BibTeX** distribution, adopting further features from `astron.bst` ; use with the LaTeX package that comes with `astron`.
on CTAN <https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/humannat.bst>
on MikTeX beebe
on T_EXLive beebe
keyword journalpub (typesetting journals, etc)
keyword bibtex-sty (bibtex-sty(unknown))
language(s) no language specified
year without year
last access 2025-02-07

2814 *huncial* – Fonts based on the half Uncial manuscript book-hand

Web page on CTAN <https://ctan.org/pkg/huncial>

name huncial
caption Fonts based on the half Uncial manuscript book-hand
author Wilson, Peter R.
license lppl = The LaTeX Project Public License (free)
version 1.0

description	(no language specified) The huncial and allhunc1 packages provide Metafont fonts based on the Half Uncial manuscript book-hand used between the 3rd and 9th centuries. The font consists of minuscules and digits, with some appropriate period punctuation marks and ligatures. Both normal and bold versions are provided. This is one of a set of manuscript fonts . Access to the docmfp package is desirable but not essential.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/bookhands/huncial/README
on CTAN	https://ctan.org/tex-archive/fonts/bookhands/huncial
on MikTeX	huncial
on T _E XLive	bookhands
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-bookhand (fonts of scripts used for manuscript books)
language(s)	no language specified
year	without year
last access	2025-02-07

2815 *hungarian* – New Hungarian hyphenation patterns

Web page on CTAN	https://ctan.org/pkg/hungarian
name	hungarian
caption	New Hungarian hyphenation patterns
author	Nagy, Bence
license	gpl = GNU General Public License (free)
description	(no language specified) These patterns are a modern substitute for those in the huhyph package.
on CTAN	https://ctan.org/tex-archive/language/hungarian/hyphenation
on T _E XLive	hyphen-hungarian
keyword	hungarian (support for typesetting Hungarian)
keyword	hyphenation (macros or tables for hyphenation)
language(s)	no language specified

year without year
last access 2025-02-07

2816 *hustthesis* – Unofficial thesis template for Huazhong University

Web page on CTAN <https://ctan.org/pkg/hustthesis>

name	<code>hustthesis</code>
caption	Unofficial thesis template for Huazhong University
author	Cheng, Xu
author	HUANG, Yuxi
copyright	HUANG Yuxi (2014-2026)
copyright	hust-latex Organization (2014-2026)
copyright	Xu Cheng (2013-2014)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.1.0 (2026-03-06)
last changes	2026-03-06
year	2026
description	(no language specified) The package provides an Unofficial Thesis Template in LaTeX for Huazhong University of Science and Technology.
documentation	(no language specified) <i>Readme (English)</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/hustthesis/README.md
documentation	<i>Readme (Chinese)</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/hustthesis/README.zh-cn.md
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/hustthesis/hustthesis.pdf
– local file	<code>./7434482161-hustthesis.pdf</code>
contact	<i>bugs</i> : https://github.com/hust-latex/hustthesis/issues
contact	<i>repository</i> : https://github.com/hust-latex/hustthesis
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/hustthesis
on MikTeX	<code>hustthesis</code>
on TeXLive	<code>hustthesis</code>
keyword	chinese (support for typesetting Chinese languages)

keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	class (alternative LaTeX class(es))
language(s)	Chinese
last access	2026-03-26

2817 *hustvisual* – Visual Identity of Huazhong University of Science and Technology

Web page on CTAN <https://ctan.org/pkg/hustvisual>

name	hustvisual
caption	Visual Identity of Huazhong University of Science and Technology
author	HUANG, Yuxi
copyright	HUANG Yuxi (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.0 (2025-05-07)
last changes	2025-05-07
year	2025
description	(no language specified) The package provides a collection of visual identity assets for Huazhong University of Science and Technology (HUST), implemented using LaTeX3 and TikZ .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hustvisual/README.md
documentation	(no language specified) <i>Readme (Chinese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/hustvisual/README.zh-cn.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hustvisual/hustvisual.pdf
– local file	./2300847612-hustvisual.pdf
contact	<i>bugs</i> : https://github.com/hust-latex/hustvisual/issues
contact	<i>repository</i> : https://github.com/hust-latex/hustvisual
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hustvisual
on MikTeX	hustvisual
on TeXLive	hustvisual

keyword	chinese (support for typesetting Chinese languages)
keyword	logo (symbols or drawings to specify an object, including icons)
keyword	expl3 (expl3(unknown))
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-05-14

2818 *hvarabic* – Macros for RTL typesetting

Web page on CTAN <https://ctan.org/pkg/hvarabic>

name	hvarabic
caption	Macros for RTL typesetting
author	Voß, Herbert
copyright	Herbert Voss (2021-2025)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.02 (2025-10-01)
last changes	2025-10-01
year	2025
description	(no language specified) This package provides some macros for right-to-left typesetting. It uses by default the arabic fonts Scheherazade and ALM fixed, the only monospaced arabic font. The package works with LuaLaTeX or XeLaTeX, but not with pdfLaTeX or latex.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/unicodetex/latex/hvarabic
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/unicodetex/latex/hvarabic/doc/hvarabic.pdf
– local file	./5063125596-hvarabic.pdf
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/hvarabic
on MikTeX	hvarabic
on TeXLive	hvarabic

keyword `arabic` (documentation in and support for typesetting Arabic)
 keyword `bidi` (support bidirectional typesetting)
 language(s) no language specified
 last access 2026-04-13

2819 `hvdashln` – Horizontal and vertical dashed lines in arrays and tabulars

Web page on CTAN <https://ctan.org/pkg/hvdashln>

name `hvdashln`
 caption Horizontal and vertical dashed lines in arrays and tabulars
 author Nakashima, Hiroshi
 copyright Hiroshi Nakashima (1993, 1999)
 license lppl = The LaTeX Project Public License (free)
 description (no language specified) Definitions of horizontal and vertical dashed lines for the array and tabular environment. Instead of building partial horizontal dashed lines using Isozaki's `\cline{2-3}`, `\hdashline` fills the full width. The proportion of the dashed line is defined by the two parameters: `\hdashlinewidth=2pt` and `\hdashlinegap=2pt`, where the former defines the width of the dash and the latter sets their gap.
 Note that this functionality has been re-implemented, for current LaTeX, in the package [arydshln](#) .
 on CTAN <https://ctan.org/tex-archive/macros/latex209/contrib/misc/hvdashln.sty>
 keyword `line-patt` (patterning lines (dashes, etc))
 keyword `table-rule` (rules within tables)
 keyword `table` (table typesetting)
 language(s) no language specified
 year 1999
 last access 2025-02-07

2820 hvextern – Write and execute external code, and insert the output

Web page on CTAN <https://ctan.org/pkg/hvextern>

name	hvextern
caption	Write and execute external code, and insert the output
author	Voß, Herbert
copyright	Herbert Voß (2016-2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.42 (2025-05-14)
last changes	2025-05-14
year	2025
description	(no language specified) This package allows to write MetaPost, TeX, ConTeXt, LaTeX, LuaTeX, LuaLaTeX, XeTeX, XeLaTeX, Lua, Perl, or Python source code into an external file, run that file via shell-escape to create PDF, PNG, or text output, and include that output automatically into the main LaTeX document.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hvextern/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hvextern/doc/hvextern.pdf
– local file	./6704597148-hvextern.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hvextern
on MikTeX	hvextern
on TeXLive	hvextern
keyword	image-supp (manipulating images for inclusion in documents)
keyword	ext-code (run an external program from within a document)
keyword	comp-supp (support for preparing documents)
language(s)	no language specified
last access	2026-04-13

2821 hvfloat – Controlling captions, fullpage and doublepage floatsWeb page on CTAN <https://ctan.org/pkg/hvfloat>

name	hvfloat
caption	Controlling captions, fullpage and doublepage floats
author	Voß, Herbert
copyright	Herbert Voss (2003-2025)
license	lpl = The LaTeX Project Public License (free)
version	2.56 (2025-12-29)
last changes	2025-12-29
year	2025
description	(no language specified) This package defines a macro to place objects (tables and figures) and their captions in different positions with different rotating angles within a float. All objects and captions can be framed. The main command is <code>\hvFloat{float type}{floating object}{caption}{label}</code> ; a simple example is <code>\hvFloat{figure}{\includegraphics{rose}}{Caption}{fig:0}</code> . Options are provided to place captions to the right or left, and rotated. Setting <code>nonFloat=true</code> results in placing the float here.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hvfloat/doc/hvfloat.pdf
– local file	<code>./9652707728-hvfloat.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hvfloat/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hvfloat
on MikTeX	hvfloat
on TeXLive	hvfloat
keyword	float (typesetting floats)
keyword	box-manip (manipulating boxes)
keyword	tagged-pdf-incompatible (tagged PDF incompatible)
see also	see section 5224 on page 4732: (rotating – Rotation tools, including rotated full-page floats)
language(s)	no language specified
last access	2026-04-13

2822 hvindex – Support for indexing

Web page on CTAN <https://ctan.org/pkg/hvindex>

name	hvindex
caption	Support for indexing
author	Voß, Herbert
license	lppl = The LaTeX Project Public License (free)
version	0.04a (2025-01-24)
last changes	2025-01-24
year	2025
description	(no language specified) The package simplifies the indexing of words using the <code>\index</code> command of makeidx . With the package, to index a word in a text, you only have to type it once; the package makes sure it is both typeset and indexed.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hvindex/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hvindex/doc/hvindex-doc.pdf
– local file	<code>./6355071177-hvindex-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hvindex
on MikTeX	hvindex
on TeXLive	hvindex
keyword	tagged-pdf (tagged PDF compatible)
keyword	index (index support)
language(s)	no language specified
last access	2026-04-13

2823 hvlogos – Print TeX-related names as logo

Web page on CTAN <https://ctan.org/pkg/hvlogos>

name	hvlogos
caption	Print TeX-related names as logo
author	Voß, Herbert
copyright	Herbert Voss (2021-2025)
license	lpl = The LaTeX Project Public License (free)
version	0.16 (2025-10-29)
last changes	2025-10-29
year	2025
description	(no language specified) This package is more or less an extension to Heiko Oberdiek's package hologo . It prints TeX-related names as logos. The package requires fetamont , hologo , dantelogo , and xspace .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/hvlogos/doc/hvlogos-doc.pdf
– local file	<code>./4690033844-hvlogos-doc.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/hvlogos/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hvlogos
on MikTeX	hvlogos
on T _E XLive	hvlogos
keyword	tagged-pdf-partially (tagged PDF partially compatible)
keyword	logo (symbols or drawings to specify an object, including icons)
language(s)	no language specified
last access	2026-04-13

2824 *hvmath* – Support for using the Micropress HV-Math fonts (Helvetica Maths)

Web page on CTAN <https://ctan.org/pkg/hvmath>

name	<code>hvmath</code>
caption	Support for using the Micropress HV-Math fonts (Helvetica Maths)
author	Harcombe, Keiran
author	Schmidt, Walter A.
license	lppl = The LaTeX Project Public License (free)
version	1.5
description	(no language specified) Typeset math in a style that suits the Adobe Helvetica text fonts. Commercial (Adobe type 1) versions of the HV-Math fonts are available from Micropress; free bitmap versions of the fonts from the Micropress fonts directories.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/psnfssx/hvmath
on MikTeX	<code>hvmath</code>
keyword	<code>font-supp-maths</code> (metrics, macro incantations and other support for maths fonts)
see also	see section 6242 on page 5646 : (<code>tmmath</code> – Support for using the Micropress TM-Math fonts)
language(s)	no language specified
year	without year
last access	2025-02-07

2825 *hvmath-fonts* – Bitmap versions of the Micropress HV-Math fonts (Helvetica Maths)

Web page on CTAN <https://ctan.org/pkg/hvmath-fonts>

name	<code>hvmath-fonts</code>
caption	Bitmap versions of the Micropress HV-Math fonts (Helvetica Maths)
author	MicroPress
license	nocommercial = No Commercial Use (not free)
description	(no language specified) This is the ‘public’ part of the HV-Math font distribution: metrics, and a set of bitmap files. Actually to use the fonts, you probably also need the macros by Walter Schmidt.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/micropress/hvmath/hvmath.txt
on CTAN	https://ctan.org/tex-archive/fonts/micropress/hvmath
keyword	font (fonts themselves)
keyword	font-adhoc (font distributed in an ad-hoc fashion)
keyword	font-maths (fonts for use in mathematics)
see also	see section 2824 on page 2557: (hvmath – Support for using the Micropress HV-Math fonts (Helvetica Maths))
language(s)	no language specified
year	without year
last access	2025-02-07

2826 hvpymmentex – Syntax-Highlighting of program code

Web page on CTAN	https://ctan.org/pkg/hvpymmentex
name	hvpymmentex
caption	Syntax-Highlighting of program code
author	Voß, Herbert
copyright	Herbert Voss (2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.01
description	(no language specified) The package is based on pymmentex but provides an automatic run from within the document itself, with the option <code>-shell-escape</code> . It does not need the additional action by the user to run the external program <code>pymmentize</code> to create the code snippets.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hvpymmentex/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hvpymmentex/doc/hvpymmentex.pdf
– local file	<code>./8939219124-hvpymmentex.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hvpymmentex
on MikTeX	hvpymmentex
on T _E XLive	hvpymmentex

2827 *hvqrurl* – Insert a QR code in the margin

keyword	listing (computer code listing)
keyword	synt-hlt (highlight syntax of computer code, etc.)
see also	see section 5035 on page 4558: (pygmentex – Use Pygments to format code listings in documents)
language(s)	no language specified
year	2022
last access	2026-04-13

2827 *hvqrurl* – Insert a QR code in the margin

Web page on CTAN <https://ctan.org/pkg/hvqrurl>

name	hvqrurl
caption	Insert a QR code in the margin
author	Voß, Herbert
copyright	Herbert Voß (2019-2024)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.09
description	(no language specified) This package allows to draw an URL as a QR code into the margin of a one- or twosided document. The following packages are loaded by default: qrcode , marginnote , url , xcolor and xkeyval .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hvqrurl/doc/hvqrurl.pdf
– local file	<code>./5625743010-hvqrurl.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hvqrurl/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hvqrurl
on MikTeX	hvqrurl
on TeXLive	hvqrurl
keyword	qrcode (typeset quick response codes)
language(s)	no language specified
year	2024
last access	2026-04-13

2828 hwemoji – Unicode emoji support for pdfLaTeX with sequencesWeb page on CTAN <https://ctan.org/pkg/hwemoji>

name	hwemoji
caption	Unicode emoji support for pdfLaTeX with sequences
author	Hwy
copyright	Hwy (2022)
license	cc-by-4 = CC BY 4.0 (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2022-11-10)
last changes	2022-11-10
year	2022
description	(no language specified) This package provides direct support for Unicode emoji in pdfLaTeX, with full access to emoji sequences including but not limited to flag sequences, diversity modifier sequences, and tag sequences. Emojis are displayed through Twemoji digital assets, as licensed under the CC-BY 4.0.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hwemoji/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hwemoji/hwemoji.pdf
– local file	./7765902248-hwemoji.pdf
contact	<i>support</i> : mailto:identitysuccessfullyconcealed@gmail.com
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hwemoji
on MikTeX	hwemoji
on TeXLive	hwemoji
keyword	text-symbol (symbols for use in text)
keyword	graphics (graphics (support packages))
language(s)	no language specified
last access	2025-02-07

2829 hwkatakana – Half-width katakana fonts

Web page on CTAN <https://ctan.org/pkg/hwkatakana>

name	hwkatakana
caption	Half-width katakana fonts
author	Hassenpflug, Gernot
license	gpl = GNU General Public License (free)
version	1.0
description	(no language specified) Half-width katakana Type 1 fonts in SJIS encoding are provided to integrate with the Wadalab fonts for use with, for example, the CJK package. Auxiliary files to use the font with Unicode UTF8 encoding are also provided. The origin of the font is the Wadalab gothic font katakana glyphs, which have been modified to make up the JIS X 0201 set of half-width katakana characters using Fontforge. The Wadalab fonts need to be available for this package to work. Note: This package has now been included in the Wadalab fonts bundle so that this separate bundle is considered obsolete.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/fonts/hwkatakana/README
documentation	(no language specified) <i>Font sampler</i> : https://ctan.org/tex-archive/obsolete/fonts/hwkatakana/hwkatakana-sampler-UTF8.pdf
– local file	./8116508341-hwkatakana-sampler-UTF8.pdf
on CTAN	https://ctan.org/tex-archive/obsolete/fonts/hwkatakana
keyword	obsolete (package declared obsolete)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-cjk (fonts for far eastern languages (Chinese, Japanese and Korean))
keyword	font (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-02-07

2830 *hyacc-cm* – Hyphenation using 7-bit fonts

Web page on CTAN <https://ctan.org/pkg/hyacc-cm>

name	hyacc-cm
caption	Hyphenation using 7-bit fonts
author	Siebenmann, Laurent
author	Flipo, Daniel
license	noinfo = noinfo
version	(1993-02-18)
last changes	1993-02-18
year	1993
description	(no language specified) A scheme for obtaining respectable hyphenation in the presence of accents, using only CM fonts (and in the absence of the MLTeX extensions).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/hyacc-cm/hyacc-cm.doc
on CTAN	https://ctan.org/tex-archive/macros/generic/hyacc-cm
keyword	hyphenation (macros or tables for hyphenation)
language(s)	no language specified
last access	2025-02-07

2831 *hybrid-latex* – Allow active Python code in LaTeX documents

Web page on CTAN <https://ctan.org/pkg/hybrid-latex>

name	hybrid-latex
caption	Allow active Python code in LaTeX documents
author	Brewin, Leo Christopher
copyright	Leo Brewin (2018)
license	mit = MIT License (free)
version	0.1 (2018-08-22)
last changes	2018-08-22
year	2018

description	(no language specified) This is a collection of Python and Bash shell scripts that allows LaTeX documents to contain active Python code. The active code blocks are processed ahead of LaTeX and their results are accessible within the same LaTeX document. Thus a calculation that might otherwise be done in two documents, one using Python to do the maths, and a separate LaTeX document to record the results, can be consolidated into a single source.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hybrid-latex/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hybrid-latex/doc/hybrid.pdf
– local file	./9533832789-hybrid.pdf
contact	<i>repository</i> : https://github.com/leo-brewin/hybrid-latex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hybrid-latex
on MikTeX	hybrid-latex
keyword	callback (call external code and process the result)
language(s)	no language specified
last access	2025-02-07

2832 *hycolor* – Implements colour for packages *hyperref* and *bookmark*

Web page on CTAN <https://ctan.org/pkg/hycolor>

name	hycolor
caption	Implements colour for packages <i>hyperref</i> and <i>bookmark</i>
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2007-2011)
copyright	Oberdiek Package Support Group (2016-2020)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.10 (2020-01-27)
last changes	2020-01-27
year	2020
description	(no language specified) This package provides the code for the <code>color</code> option that is used by packages <i>hyperref</i> and <i>bookmark</i> . It is not intended as package for the user.

documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hycolor/hycolor.pdf
– local file	<code>./7919199825-hycolor.pdf</code>
contact	<i>bugs</i> : https://github.com/ho-tex/hycolor/issues
contact	<i>repository</i> : https://github.com/ho-tex/hycolor
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hycolor
on MikTeX	hycolor
on TeXLive	hycolor
keyword	colour (typesetting in colour)
language(s)	English
last access	2025-02-07

2833 *hypbmsec* – Hypertext bookmarks in sectioning commands

Web page on CTAN	https://ctan.org/pkg/hypbmsec
name	hypbmsec
caption	Hypertext bookmarks in sectioning commands
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (1998-2000, 2006, 2007)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.5 (2016-05-16)
last changes	2016-05-16
year	2016
description	(no language specified) Bookmark entries can be given as another argument to the LaTeX sectioning commands. The hyperref package is required to get the bookmarks, but the syntax works without it. This package is part of the oberdiek bundle.
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/hypbmsec.pdf
– local file	<code>./8083944090-hypbmsec.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/hypbmsec.dtx

installation	https://ctan.org/tex-archive/install/macros/latex/contrib/oberdiek.tds.zip
on MikTeX	oberdiek
on T _E XLive	oberdiek
keyword	hyper (support for hypertext)
language(s)	English
last access	2025-02-07

2834 *hypcap* – Adjusting the anchors of captions

Web page on CTAN <https://ctan.org/pkg/hypcap>

name	hypcap
caption	Adjusting the anchors of captions
author	Oberdiek, Heiko
copyright	Oberdiek Package Support Group (2016-2024)
copyright	Heiko Oberdiek (1999-2001, 2006-2008, 2011)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.13 (2024-07-26)
last changes	2024-07-26
year	2024
description	(no language specified) The package offers a solution to the problem that when you link to a float using hyperref, the link anchors to below the float's caption, rather than the beginning of the float. Hypcap defines a separate <code>\capstart</code> command, which you put where you want links to end; you should have a <code>\capstart</code> command for each <code>\caption</code> command. Package options can be used to auto-insert a <code>\capstart</code> at the start of a float environment.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hypcap/hypcap.pdf
– local file	<code>./6164134546-hypcap.pdf</code>
contact	<i>bugs</i> : https://github.com/ho-tex/hypcap/issues
contact	<i>repository</i> : https://github.com/ho-tex/hypcap
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hypcap
on MikTeX	hypcap

on T _E XLive	hypcap
keyword	caption (typesetting captions)
keyword	hyper (support for hypertext)
language(s)	no language specified
last access	2025-02-07

2835 *hypdestopt* – Hyperref destination optimizer

Web page on CTAN <https://ctan.org/pkg/hypdestopt>

name	hypdestopt
caption	Hyperref destination optimizer
author	Oberdiek, Heiko
copyright	Oberdiek Package Support Group (2016-2025)
copyright	Heiko Oberdiek (2006-2008, 2011)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.9 (2025-06-23)
last changes	2025-06-23
year	2025
description	(no language specified) This package supports hyperref ’s pdfTeX driver. It removes unnecessary destinations and shortens the destination names or uses numbered destinations to get smaller PDF files.
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hypdestopt/hypdestopt.pdf
– local file	<code>./4177613638-hypdestopt.pdf</code>
contact	<i>bugs</i> : https://github.com/ho-tex/hypdestopt/issues
contact	<i>repository</i> : https://github.com/ho-tex/hypdestopt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hypdestopt
on MikT _E X	oberdiek
on T _E XLive	hypdestopt
keyword	hyper (support for hypertext)
language(s)	English
last access	2025-06-29

2836 hypdoc – Hyper extensions for doc.styWeb page on CTAN <https://ctan.org/pkg/hypdoc>

name	hypdoc
caption	Hyper extensions for doc.sty
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2002, 2006, 2007, 2009-2011)
copyright	Oberdiek Package Support Group (2016-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.19 (2023-10-26)
last changes	2023-10-26
year	2023
description	(no language specified) This package adds hypertext features to the package doc that is used in the documentation system of LaTeX2e . Bookmarks are added and references are linked as far as possible.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/hypdoc/hypdoc.pdf
– local file	<code>./5064313099-hypdoc.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/hypdoc/README.md
contact	<i>bugs:</i> https://github.com/ho-tex/hypdoc/issues
contact	<i>repository:</i> https://github.com/ho-tex/hypdoc
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hypdoc
on MikTeX	hypdoc
on TeXLive	hypdoc
keyword	hyper (support for hypertext)
keyword	doc-supp (macros and tools for preparing documentation)
language(s)	no language specified
last access	2025-02-07

2837 hypdvips – Hyperref extensions for use with dvipsWeb page on CTAN <https://ctan.org/pkg/hypdvips>

name	hypdvips
caption	Hyperref extensions for use with dvips
author	Niedrist, Raimund
copyright	Raimund Niedrist (2008-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.03 (2019-07-31)
last changes	2019-07-31
year	2019
description	(no language specified) The hypdvips package fixes some problems when using hyperref with dvips. It also adds support for breaking links, file attachments, embedded documents and different types of GoTo-links. The cooperation of hyperref with cleveref is improved, which in addition allows an enhanced back-referencing system.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hypdvips/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hypdvips/hypdvips.pdf
– local file	./8910194909-hypdvips.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hypdvips
on MikTeX	hypdvips
on T _E XLive	hypdvips
keyword	hyper (support for hypertext)
see also	see section 837 on page 766 : (<code>breakurl</code> – Line-breakable <code>\url</code> -like links in <code>hyperref</code> when compiling via <code>dvips/ps2pdf</code>)
language(s)	no language specified
last access	2025-02-07

2838 *hyper* – Hypertext cross referencing

Web page on CTAN <https://ctan.org/pkg/hyper>

name	<code>hyper</code>
caption	Hypertext cross referencing
author	Mehlich, Michael
copyright	Michael Mehlich (1995-1999)
license	lpl = The LaTeX Project Public License (free)
version	4.2d
description	(no language specified) Redefines LaTeX cross-referencing commands to insert \special commands for HyperTeX dvi viewers, such as recent versions of <code>xdvi</code> . The package is now largely superseded by hyperref .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hyper/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hyper/hyper.pdf
– local file	<code>./1816337719-hyper.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hyper
on MikTeX	<code>hyper</code>
on T _E XLive	<code>hyper</code>
keyword	<code>hyper</code> (support for hypertext)
language(s)	no language specified
year	1999
last access	2025-02-07

2839 *hyperbar* – Add interactive Barcode fields to PDF forms

Web page on CTAN <https://ctan.org/pkg/hyperbar>

name	<code>hyperbar</code>
caption	Add interactive Barcode fields to PDF forms
author	Krüger, Marcel
copyright	Marcel Krüger (2018)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)

2840 *hyperlatex* – A restricted LaTeX system that also produces HTML

version	0.1
description	(no language specified) The package extends the hyperref functionality for creating interactive forms to allow adding Barcode form fields supported by some modern PDF readers. Currently, only pdfTeX is supported.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hyperbar/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hyperbar/hyperbar.pdf
– local file	./5956481758-hyperbar.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hyperbar
on MikTeX	hyperbar
on TeXLive	hyperbar
keyword	pdf-forms (create pdf form fields, use form fields as an integral part of the package)
keyword	pdf-feat (access PDF features)
keyword	hyper (support for hypertext)
see also	see section 2842 on page 2572: (hyperref – Extensive support for hypertext in LaTeX)
language(s)	no language specified
year	2018
last access	2025-02-07

2840 *hyperlatex* – A restricted LaTeX system that also produces HTML

Web page on CTAN <https://ctan.org/pkg/hyperlatex>

name	hyperlatex
caption	A restricted LaTeX system that also produces HTML
author	Sgouros, Tom
author	Cheong, Otfried
license	gpl = GNU General Public License (free)
version	2.9

description	(no language specified) HyperLaTeX defines a form of LaTeX that may be processed in the ordinary way with a <code>latex</code> command, for printed output. However, HyperLaTeX documents may also be processed by the program <code>hyperlatex</code> to produce good-quality HTML. HyperLaTeX is not a LaTeX to HTML converter (see, for example, tth or latex2html for that). Rather, HyperLaTeX provides an environment where the author can prepare a document that may be converted to either print or HTML output.
documentation	(no language specified) <i>Package documentation</i> : http://hyperlatex.sourceforge.net/html/hyperlatex.html
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/support/hyperlatex/README
contact	<i>repository</i> : http://hyperlatex.sourceforge.net/
on CTAN	https://ctan.org/tex-archive/support/hyperlatex
keyword	<code>cvt-html</code> (generate HTML from TeX-ish sources)
keyword	<code>format</code> (macros to build a format)
language(s)	no language specified
year	without year
last access	2025-02-07

2841 *hypernat* – Allow *hyperref* and *natbib* to work together

Web page on CTAN	https://ctan.org/pkg/hypernat
name	<code>hypernat</code>
caption	Allow <i>hyperref</i> and <i>natbib</i> to work together
author	Berger, Jens
copyright	Jens Berger (2001)
license	gpl = GNU General Public License (free)
version	1.0b
description	(no language specified) Allows hyperref package and the natbib package with options <code>'numbers'</code> and <code>'sort&compress'</code> to work together. This means that multiple sequential citations (e.g [3,2,1]) will be compressed to [1-3], where the '1' and the '3' are (color-)linked to the bibliography.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hypernat/hypernat.pdf
– local file	<code>./4622525722-hypernat.pdf</code>

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hypernat
on MikTeX	hypernat
on T _E XLive	hypernat
keyword	hyper (support for hypertext)
keyword	cite-sup (citation support)
language(s)	no language specified
year	2001
last access	2025-02-07

2842 hyperref – Extensive support for hypertext in LaTeX

Web page on CTAN	https://ctan.org/pkg/hyperref
name	hyperref
caption	Extensive support for hypertext in LaTeX
author	Oberdiek Package Support Group
author	The LaTeX Project Team
author	Oberdiek, Heiko
author	Rahtz, Sebastian
copyright	Oberdiek Package Support Group (2016-2019)
copyright	LaTeX3 Project (2019-2026)
copyright	Sebastian Rahtz et al. (1995-2001)
copyright	Heiko Oberdiek (2001-2015)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	7.01q (2026-04-24)
last changes	2026-04-24
year	2026

description	(no language specified) The <code>hyperref</code> package is used to handle cross-referencing commands in LaTeX to produce hypertext links in the document. The package provides backends for the <code>\special</code> set defined for HyperTeX DVI processors; for embedded <code>pdfmark</code> commands for processing by Acrobat Distiller (<code>dvips</code> and Y&Y's <code>dvipsone</code>); for Y&Y's <code>dviwindo</code>; for PDF control within <code>pdfTeX</code> and <code>dvipdfm</code> ; for <code>TeX4ht</code> ; and for VTeX's pdf and HTML backends. The package is distributed with the <code>backref</code> and <code>nameref</code> packages, which make use of the facilities of <code>hyperref</code>. The package depends on the author's <code>kvoptions</code> , <code>ltxcmds</code> and <code>refcount</code> packages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hyperref/README.md
documentation	(no language specified) <i>Manual, PDF version</i> : https://ctan.org/tex-archive/macros/latex/contrib/hyperref/doc/hyperref-doc.pdf
– local file	<code>./1017289786-hyperref-doc.pdf</code>
documentation	(no language specified) <i>Manual, HTML version</i> : https://ctan.org/tex-archive/macros/latex/contrib/hyperref/doc/hyperref-doc.html
documentation	(no language specified) <i>Paper on tagging and navigation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hyperref/doc/paper.pdf
– local file	<code>./1599814177-paper.pdf</code>
home page	https://github.com/latex3/hyperref
contact	<i>bugs</i> : https://github.com/latex3/hyperref/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hyperref
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/hyperref.tds.zip
on MikTeX	<code>hyperref</code>
on T _E XLive	<code>hyperref</code>
keyword	<code>form-fillin</code> (design forms for information collection)
keyword	<code>adobe-distiller</code> (convert PostScript to PDF using Adobe Distiller)
keyword	<code>pdf-feat</code> (access PDF features)
keyword	<code>etex</code> (requires e-TeX)
keyword	<code>tagged-pdf-partially</code> (tagged PDF partially compatible)
keyword	<code>hyper</code> (support for hypertext)

language(s)	no language specified
last access	2026-04-29

2843 *hyperxmp* – Embed XMP metadata within a LaTeX document

Web page on CTAN <https://ctan.org/pkg/hyperxmp>

name	hyperxmp
caption	Embed XMP metadata within a LaTeX document
author	Pakin, Scott
copyright	Scott Pakin (2011-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	5.13
description	(no language specified) XMP (eXtensible Metadata Platform) is a mechanism proposed by Adobe for embedding document metadata within the document itself. The metadata is designed to be easy to extract, even by programs that are oblivious to the document's file format. Most of Adobe's applications store XMP metadata when saving files. Now, with the hyperxmp package, it is trivial for LaTeX document authors to store XMP metadata in their documents as well. The package integrates seamlessly with hyperref and requires virtually no modifications to documents that already exploit hyperref's mechanisms for specifying PDF metadata. The current version of hyperxmp can embed the following metadata as XMP : title, authors, primary author's title or position, metadata writer, subject/summary, keywords, copyright, license URL, document base URL, document identifier and instance identifier, language, source file name, PDF generating tool, PDF version, and contact telephone number/postal address/email address/URL. Hyperxmp currently embeds XMP only within PDF documents; it is compatible with pdfLaTeX, XeLaTeX, LaTeX+dvipdfm, and LaTeX+dvips+ps2pdf.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hyperxmp/hyperxmp.pdf
– local file	./4042581736-hyperxmp.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hyperxmp/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hyperxmp
on MikTeX	hyperxmp
on TeXLive	hyperxmp

keyword	pdf-feat (access PDF features)
language(s)	no language specified
year	2024
last access	2025-02-07

2844 *hypgotoe* – Links to embedded files

Web page on CTAN <https://ctan.org/pkg/hypgotoe>

name	hypgotoe
caption	Links to embedded files
author	Oberdiek, Heiko
copyright	Oberdiek Package Support Group (2016-2019)
copyright	Heiko Oberdiek (2007)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.3 (2019-12-29)
last changes	2019-12-29
year	2019
description	(no language specified) This experimental package is a first experiment for links to embedded files. It is named after the PDF action name /GoToE . The package is part of the oberdiek bundle.
documentation	(English) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/hypgotoe.pdf
– local file	./2999504355-hypgotoe.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/hypgotoe.dtx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/oberdiek.tds.zip
on MikTeX	oberdiek
on TeXLive	oberdiek
keyword	pdf-feat (access PDF features)
language(s)	English
last access	2025-02-07

2845 hyph-utf8 – Hyphenation patterns expressed in UTF-8Web page on CTAN <https://ctan.org/pkg/hyph-utf8>

name	hyph-utf8
caption	Hyphenation patterns expressed in UTF-8
author	Rosendahl, Arthur
author	Hosny, Khaled
author	Miklavac, Mojca
author	Roux, Élie
author	Pégourié-Gonnard, Manuel
copyright	TeX Users Group (2008-2025)
license	mit = MIT License (free)
version	(2025-01-20)
last changes	2025-01-20
year	2025
description	(no language specified) Modern native UTF-8 engines such as XeTeX and LuaTeX need hyphenation patterns in UTF-8 format, whereas older systems require hyphenation patterns in the 8-bit encoding of the font in use (such encodings are codified in the LaTeX scheme with names like OT1, T2A, TS1, OML, LY1, etc). The present package offers a collection of conversions of existing patterns to UTF-8 format, together with converters for use with 8-bit fonts in older systems. Since hyphenation patterns for Knuthian-style TeX systems are only read at iniTeX time, it is hoped that the UTF-8 patterns, with their converters, will completely supplant the older patterns.
documentation	(English) <i>Main documentation for hyph-utf8</i> : https://ctan.org/tex-archive/language/hyph-utf8/doc/hyph-utf8.pdf
– local file	<code>./3004825438-hyph-utf8.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/hyph-utf8/README.md
home page	http://www.hyphenation.org
contact	<i>support</i> : https://tug.org/mailman/listinfo/tex-hyphen
contact	<i>bugs</i> : https://github.com/hyphenation/tex-hyphen/issues
contact	<i>repository</i> : https://github.com/hyphenation/tex-hyphen
on CTAN	https://ctan.org/tex-archive/language/hyph-utf8

installation	https://ctan.org/tex-archive/install/language/hyph-utf8.tds.zip
on MikTeX	hyph-utf8
on T _E XLive	hyph-utf8
keyword	hyphenation (macros or tables for hyphenation)
see also	see section 1569 on page 1423: (dehyph-expt1 – Experimental hyphenation patterns for the German language)
language(s)	English
last access	2025-02-07

2846 *hyphen-accent* – LaTeX 2.09 code for using DC fonts

Web page on CTAN	https://ctan.org/pkg/hyphen-accent
name	hyphen-accent
caption	LaTeX 2.09 code for using DC fonts
author	Taupin, Daniel
license	noinfo = noinfo
version	(1993-09-24)
last changes	1993-09-24
year	1993
description	(no language specified) The bundle presents variants of the (pre-LaTeX 2e) nfss, that may be used to typeset inflected Latin alphabet text using the DC fonts (the pre-release forerunners of the EC fonts), thus allowing hyphenation using the (then) new 8-bit hyphenation patterns.
on CTAN	https://ctan.org/tex-archive/language/hyphen-accent
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
last access	2025-02-07

2847 hyphen-spanish – Standard hyphenation rules for Spanish

Web page on CTAN <https://ctan.org/pkg/hyphen-spanish>

name	hyphen-spanish
caption	Standard hyphenation rules for Spanish
author	Carmona, Francesc
author	Bezos López, Javier
copyright	Javier Bezos and CervanTeX (2001-2019)
license	mit = MIT License (free)
version	5.0
description	(no language specified) This directory is a permanent place for the latest official release of the hyphenation patterns for the Spanish language, valid for XeTeX , LuaTeX , and pdfTeX , with the tools used to generate them.
documentation	<i>Paper on word division (Spanish)</i> : https://ctan.org/tex-archive/language/spanish/hyphen-spanish/division.pdf
– local file	./1991873860-division.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/spanish/hyphen-spanish/README.md
home page	http://www.cervantex.es/
contact	<i>bugs</i> : https://github.com/jbezos/tex-hyphen-spanish/issues
contact	<i>repository</i> : https://github.com/jbezos/tex-hyphen-spanish
on CTAN	https://ctan.org/tex-archive/language/spanish/hyphen-spanish
on T _E XLive	hyphen-spanish
keyword	hyphenation (macros or tables for hyphenation)
keyword	spanish (support for typesetting Spanish)
language(s)	Spanish
year	2019
last access	2025-02-07

2848 hyphenat – Disable/enable hyphenation

Web page on CTAN <https://ctan.org/pkg/hyphenat>

name	hyphenat
caption	Disable/enable hyphenation
author	Robertson, Will
author	Wilson, Peter R.
copyright	Peter R. Wilson (1998-2004)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.3c
description	(no language specified) This package can disable all hyphenation or enable hyphenation of non-alphabetic characters or monospaced fonts. The package can also enable hyphenation within ‘words’ that contain non-alphabetic characters (e.g., that include underscores), and hyphenation of text typeset in monospaced (e.g., cmmtt) fonts.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hyphenat/hyphenat.pdf
– local file	<code>./5988746753-hyphenat.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hyphenat/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hyphenat
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/hyphenat.tds.zip
on MikTeX	hyphenat
on T _E XLive	hyphenat
keyword	hyphenation (macros or tables for hyphenation)
language(s)	no language specified
year	2004
last access	2025-02-07

2849 hyphenation-greek – Hyphenation patterns for ancient and modern Greek

Web page on CTAN <https://ctan.org/pkg/hyphenation-greek>

name	hyphenation-greek
caption	Hyphenation patterns for ancient and modern Greek
author	Filippou, Dimitrios
copyright	D. Filippou (2000-2004)
license	lppl = The LaTeX Project Public License (free)
version	4.0
description	(no language specified) Contains the hyphenation patterns for ancient Greek and modern Greek in polytonic (multi-accent) and monotonic (uni-accent) systems. The hyphenation patterns will work perfectly with the <code>babel greek</code> option or with Dryllerakis' <code>GreeKTeX</code> . The patterns can easily be converted for use with the ibycus fonts (see the ibycus-babel package), or with Omega/Lambda (see the antomega package). For any other Greek package, the patterns will have to be re-coded.
documentation	(English) <i>Bundle README</i> : https://ctan.org/tex-archive/language/hyphenation/elhyphen/README
documentation	<i>Article about modern Greek patterns</i> : https://ctan.org/tex-archive/language/hyphenation/elhyphen/modern.pdf
– local file	<code>./2131797499-modern.pdf</code>
documentation	<i>Article about ancient Greek patterns</i> : https://ctan.org/tex-archive/language/hyphenation/elhyphen/ancient.pdf
– local file	<code>./7564858593-ancient.pdf</code>
on CTAN	https://ctan.org/tex-archive/language/hyphenation/elhyphen
keyword	hyphenation (macros or tables for hyphenation)
keyword	greek (support for typesetting Greek)
language(s)	Greek; English
year	2004
last access	2025-02-07

2850 hyphenex – US English hyphenation exceptions file

Web page on CTAN <https://ctan.org/pkg/hyphenex>

name	hyphenex
caption	US English hyphenation exceptions file
author	Lemberg, Werner
author	Berry, Karl
author	Beeton, Barbara
copyright	TeX Users Group (2008, 2010, 2012, 2013, 2015, 2021)
license	other-free = Free license not otherwise listed (free)
version	(2021-01-10)
last changes	2021-01-10
year	2021
description	(no language specified) Exceptions for American English hyphenation patterns are occasionally published in the TeX User Group journal TUGboat . This bundle provides alternative Perl and Bourne shell scripts to convert the source of such an article into an exceptions file, together with a recent copy of the article and machine-readable files.
documentation	(no language specified) <i>A version of the article</i> : https://ctan.org/tex-archive/info/digests/tugboat/hyphenex/tb0hyf.pdf
– local file	./6813955370-tb0hyf.pdf
documentation	(English) <i>Documentation off CTAN</i> : https://www.tug.org/TUGboat/
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/digests/tugboat/hyphenex/README
on CTAN	https://ctan.org/tex-archive/info/digests/tugboat/hyphenex
on MikTeX	hyphenex
on T _E XLive	hyphenex
keyword	hyphenation (macros or tables for hyphenation)
see also	see section 6349 on page 5738: (tugboat-plain – Plain TeX macros for TUGboat)
see also	see section 6348 on page 5737: (tugboat – LaTeX macros for TUGboat articles)
language(s)	English

last access 2025-02-07

2851 *hyphsubst* – Substitute hyphenation patterns

Web page on CTAN <https://ctan.org/pkg/hyphsubst>

name	hyphsubst
caption	Substitute hyphenation patterns
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2008)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.3 (2016-05-16)
last changes	2016-05-16
year	2016
description	(no language specified) A TeX format file may include alternative hyphenation patterns for a language with a different name. If the naming convention follows <i>babel's</i> rules, then the hyphenation patterns for a language may be replaced by the alternative hyphenation patterns, provided in the format file. The package is part of the <i>oberdiek</i> bundle.
documentation	(English) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/hyphsubst.pdf
– local file	<code>./2471382348-hyphsubst.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/hyphsubst.dtx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/oberdiek.tds.zip
on MikTeX	oberdiek
on TeXLive	oberdiek
keyword	hyphenation (macros or tables for hyphenation)
language(s)	English
last access	2025-02-07

2852 hypht1 – Additional hyphenation patternsWeb page on CTAN <https://ctan.org/pkg/hypht1>

name	hypht1
caption	Additional hyphenation patterns
author	Raichle, Bernd
copyright	Bernd Raichle/DANTE e.V. (1995-2000)
license	lppl = The LaTeX Project Public License (free)
version	0.3
description	(no language specified) Additional hyphenation patterns which have to be loaded in conjunction with each "normal" set of patterns. The package contains patterns to allow hyphenation after an explicit – character, which are needed if you want to use (e.g.) the second hyphen character (<code>\char127</code>) of any T1-encoded font as <code>\hyphenchar\font</code> . Usage details are described in comments in the file.
on CTAN	https://ctan.org/tex-archive/language/hyphenation/hypht1.tex
keyword	hyphenation (macros or tables for hyphenation)
language(s)	no language specified
year	2000
last access	2025-02-07

2853 hypplain – Basic support for multiple languages in Plain TeXWeb page on CTAN <https://ctan.org/pkg/hypplain>

name	HyPlain
caption	Basic support for multiple languages in Plain TeX
author	Gregorio, Enrico
license	pd = Public Domain Software (free)
version	1.0
description	(no language specified) The package offers a means to set up hyphenation suitable for several languages and/or dialects, and to select them or switch between them while typesetting.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/plain/contrib/hypplain/hydoc.pdf

2854 *i-ching* – An *i-ching* package

– local file	<code>./4025559035-hydoc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/hyplain
on T _E XLive	hyplain
keyword	multilingual (support for more than one (natural) language)
keyword	hyphenation (macros or tables for hyphenation)
keyword	plain-ext (extensions to Plain TeX for higher-level constructs)
see also	see section 369 on page 337: (babel – Multilingual support for LaTeX, LuaLaTeX, XeLaTeX, and Plain TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

2854 *i-ching* – An *i-ching* package

Web page on CTAN	https://ctan.org/pkg/i-ching
name	<i>i-ching</i>
caption	An <i>i-ching</i> package
author	Bzyl, Włodek
license	gpl = GNU General Public License (free)
description	(no language specified) A complete Plain TeX-based <i>i-ching</i> divination system, including an Adobe Type 1 font for the characters. Translations are derived from Alan Stanier's work in his <i>iching</i> package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/psfonts/i-ching/README
on CTAN	https://ctan.org/tex-archive/fonts/psfonts/i-ching
keyword	games (process game diagrams, gamebooks, and other amusements)
language(s)	no language specified
year	without year
last access	2025-02-07

2855 *iacrj* – A document class for IACR journal publications

Web page on CTAN <https://ctan.org/pkg/iacrj>

name	<i>iacrj</i>
caption	A document class for IACR journal publications
author	McCurley, Kevin
copyright	Joppe W. Bos; Kevin S. McCurley (2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.9.1
description	(no language specified) The <i>iacrj</i> document class is used to produce publications for three IACR journals. It is intended as an eventual replacement for <i>iacrcc.cls</i> and <i>iacrtrans.cls</i>. It can be used to produce publications for IACR Communications in Cryptology, IACR Transactions on Symmetric Cryptology, and IACR Transactions on Cryptographic Hardware and Embedded Systems. <i>iacrj.cls</i> is part of a larger set of tools for implementing a journal publishing workflow, and it depends on the <i>metacapture.sty</i> package. There is also a companion open source implementation of a publishing workflow written in Python that is used for this journal and provides a simplified workflow for copy editing and production. Further information on this workflow can be found in two articles that were published by the authors: • Lowering the Cost of Diamond Open Access Journals , • A LaTeX publishing workflow
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/iacrj/iacrj-doc.pdf
– local file	<code>./7647876920-iacrj-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/iacrj/README.md
home page	https://github.com/IACR/latex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/iacrj
on MikTeX	<i>iacrj</i>
on T _E XLive	<i>iacrj</i>
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
year	2026
last access	2026-04-10

2856 *iagproc* – Class for two column IAG Proceedings articles

Web page on CTAN <https://ctan.org/pkg/iagproc>

name	<i>iagproc</i>
caption	Class for two column IAG Proceedings articles
author	Vermeer, Martin
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) LaTeX2e class file for two column IAG Proceedings articles, like those for the Banff GGG2000 Symposium or the Thessaloniki IGGC 2002 meeting.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/misc/iagproc.cls
keyword	confproc (typesetting conference proceedings)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
year	without year
last access	2026-04-10

2857 *iahypen* – Hyphenation patterns for Interlingua

Web page on CTAN <https://ctan.org/pkg/iahypen>

name	<i>iahypen</i>
caption	Hyphenation patterns for Interlingua
author	Kleiweg, Peter
copyright	Peter Kleiweg (1989-2005)
license	lppl = The LaTeX Project Public License (free)
version	0.2c
description	(no language specified) Interlingua is an "international auxiliary language".
on CTAN	https://ctan.org/tex-archive/language/hyphenation/iahypen.tex
keyword	other-lang (support for a language whose support is not otherwise catalogued)
keyword	hyphenation (macros or tables for hyphenation)
language(s)	no language specified

year 2005
last access 2025-02-07

2858 *iaria* – Write documents for the IARIA publications

Web page on CTAN <https://ctan.org/pkg/iaria>

name *iaria*
caption Write documents for the IARIA publications
author Neumann, Christoph P.
copyright Christoph P. Neumann (2023-2026)
license lpl1.3c = The LaTeX Project Public License 1.3c (free)
version 0.9.1
description (no language specified) This package contains templates for the creation of documents for IARIA publications (International Academy, Research, and Industry Association) and implements the specifications for the IARIA citation style.
documentation (no language specified) *Example of use:*
<https://ctan.org/tex-archive/macros/latex/contrib/iaria/template/iaria-example-ctan.pdf>
– local file ./8240668880-iaria-example-ctan.pdf
documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/macros/latex/contrib/iaria/README>
documentation (no language specified) *Package documentation:* <https://ctan.org/tex-archive/macros/latex/contrib/iaria/iaria.pdf>
– local file ./4515995604-iaria.pdf
contact *repository:* <https://github.com/cyberlytics/iaria>
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/iaria>
on MikTeX *iaria*
on T_EXLive *iaria*
keyword doc-templ (template to guide document development)
keyword publisher (prepare documents for a specific publisher)
keyword class (alternative LaTeX class(es))
see also see section 2859 on page 2588: (*iaria-lite* – Write documents for the IARIA publications)

language(s)	no language specified
year	2026
last access	2026-04-10

2859 *iaria-lite* – Write documents for the IARIA publications

Web page on CTAN	https://ctan.org/pkg/iaria-lite
name	<i>iaria-lite</i>
caption	Write documents for the IARIA publications
author	Neumann, Christoph P.
copyright	Christoph P. Neumann (2023-2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.9.1
description	(no language specified) This package provides a convenient environment for writing IARIA (International Academy, Research, and Industry Association) scholarly publications. It does not implement the specifications for the IARIA citation style, for which you have to use the <i>iaria</i> class.
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/iaria-lite/template/iaria-lite-example-ctan.pdf
– local file	<code>./9220193345-iaria-lite-example-ctan.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/iaria-lite/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/iaria-lite/iaria-lite.pdf
– local file	<code>./2253324143-iaria-lite.pdf</code>
contact	<i>repository:</i> https://github.com/cyberlytics/iaria-lite
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/iaria-lite
on MikTeX	<i>iaria-lite</i>
on T _E XLive	<i>iaria-lite</i>
keyword	<code>doc-templ</code> (template to guide document development)
keyword	<code>class</code> (alternative LaTeX class(es))

keyword	publisher (prepare documents for a specific publisher)
see also	see section 2858 on page 2587: (<i>iaria</i> – Write documents for the IARIA publications)
language(s)	no language specified
year	2026
last access	2026-04-10

2860 *ibarra* – *LaTeX* support for the Ibarra Real Nova family of fonts

Web page on CTAN <https://ctan.org/pkg/ibarra>

name	ibarra
caption	<i>LaTeX</i> support for the Ibarra Real Nova family of fonts
author	Tennent, Bob
license	ofl = The SIL Open Font License (free)
license	lppl = The <i>LaTeX</i> Project Public License (free)
version	(2024-04-23)
last changes	2024-04-23
year	2024
description	(no language specified) The Ibarra Real Nova is a revival of a typeface designed by Geronimo Gil for the publication of Don Quixote for the Real Academia de la Lengua in 1780. Joaquin Ibarra was the printer.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/ibarra/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/ibarra/doc/ibarra-samples.pdf
– local file	./5740341605-ibarra-samples.pdf
home page	https://github.com/googlefonts/ibarrareal
on CTAN	https://ctan.org/tex-archive/fonts/ibarra
installation	https://ctan.org/tex-archive/install/fonts/ibarra.tds.zip
on MikTeX	ibarra
on T _E XLive	ibarra
keyword	font-body (font designed for use as body font for Latin-based script documents)

keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-t1enc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font-serif</code> (serif font)
keyword	<code>tagged-pdf</code> (tagged PDF compatible)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-otf</code> (font in OpenType format)
language(s)	no language specified
last access	2026-04-10

2861 *ibm* – Metrics for IBM fonts

Web page on CTAN <https://ctan.org/pkg/ibm>

name	<code>ibm</code>
caption	Metrics for IBM fonts
author	Rahtz, Sebastian
license	<code>noinfo</code> = <code>noinfo</code>
description	(no language specified) These metrics (a TFM and a VF file) cover a font whose actual identity is unclear to the present cataloguer; it appears to be a variant of Times, but is not included in the package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/fonts/psfonts/ibm/timesnew/README
on CTAN	https://ctan.org/tex-archive/obsolete/fonts/psfonts/ibm
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-absent</code> (support is for a font not available on CTAN)
language(s)	no language specified
year	without year
last access	2026-04-10

2862 *ibmres-tex* – A semi-automated approach to the production of resumes

Web page on CTAN <https://ctan.org/pkg/ibmres-tex>

name	ibmres-tex
caption	A semi-automated approach to the production of resumes
author	Leeman, George B
copyright	International Business Machines Corporation (1993)
license	other-free = Free license not otherwise listed (free)
version	1.01
description	(no language specified) The package is designed to offer advice on creating effective resumés, and to provide a mechanism for generating one, based on a series of templates.
documentation	(no language specified) <i>Extract of the documentation:</i> https://ctan.org/tex-archive/macros/latex209/contrib/ibmres-tex/ibmres.pdf
– local file	./6631149821-ibmres.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/ibmres-tex
keyword	latex209 (package only known to work with LaTeX 2.09)
keyword	cv (curriculum vitae/Resumé)
language(s)	no language specified
year	1993
last access	2025-02-11

2863 *ibrackets* – Intelligent brackets

Web page on CTAN <https://ctan.org/pkg/ibrackets>

name	ibrackets
caption	Intelligent brackets
author	Missier, Antoine
copyright	Antoine Missier (2022-2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2

description	(no language specified) This small package provides a new definition of brackets [and] as active characters to get correct blank spaces in mathematical mode when using for open intervals. Instead of parenthesis:]-\infty, 0[is equivalent to (-\infty, 0) .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ibrackets/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ibrackets/ibrackets.pdf
– local file	./4812410273-ibrackets.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ibrackets
on MikTeX	ibrackets
on T _E XLive	ibrackets
keyword	french (support for typesetting French)
keyword	paren-mgmt (match and otherwise manage parentheses)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	2023
last access	2025-02-07

2864 *ibycus-babel* – Use the Ibycus 4 Greek font with Babel

Web page on CTAN <https://ctan.org/pkg/ibycus-babel>

name	ibycus-babel
caption	Use the Ibycus 4 Greek font with Babel
author	Heslin, Peter J.
license	lppl = The LaTeX Project Public License (free)
version	3.0
description	(no language specified) The package allows you to use the Ibycus 4 font for ancient Greek with Babel. It uses a Perl script to generate hyphenation patterns for Ibycus from those for the ordinary Babel encoding, <i>cbgreek</i> . It sets up <i>ibycus</i> as a pseudo-language you can specify in the normal Babel manner. For proper hyphenation of Greek quoted in mid-paragraph, you should use it with <i>elatex</i> (all current distributions of LaTeX are built with <i>e-TeX</i> , so the constraint should not be onerous).

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/language/greek/ibycus-babel/ibycus-babel.pdf
– local file	<code>./9636820060-ibycus-babel.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/greek/ibycus-babel/README
on CTAN	https://ctan.org/tex-archive/language/greek/ibycus-babel
on MikTeX	<code>ibycus-babel</code>
on TeXLive	<code>ibycus-babel</code>
keyword	<code>greek</code> (support for typesetting Greek)
keyword	<code>multilingual-addon</code> (extra language ‘drivers’ for existing multilingual packages)
language(s)	no language specified
year	without year
last access	2025-02-07

2865 *ibyrk* – Fonts and macros to typeset ancient Greek

Web page on CTAN	https://ctan.org/pkg/ibyrk
name	<code>ibyrk</code>
caption	Fonts and macros to typeset ancient Greek
author	Schmidt, Walter A.
author	Harcombe, Keiran
author	MacKay, Pierre A.
license	gpl = GNU General Public License (free)
version	4.5
description	(no language specified) Ibycus is a Greek typeface, based on Silvio Levy’s realisation of a classic Didot cut of Greek type from around 1800. The fonts are available both as Metafont source and in Adobe Type 1 format. This distribution of ibycus is accompanied by a set of macro packages to use it with Plain TeX or LaTeX, but for use with Babel, see the ibycus-babel package.
documentation	(no language specified) <i>General and installation Readme</i> : https://ctan.org/tex-archive/fonts/greek/ibyrk/README

documentation	(no language specified) <i>Macro usage Readme</i> : https://ctan.org/tex-archive/fonts/greek/ibygrk/doc/generic/ibycus4/README
on CTAN	https://ctan.org/tex-archive/fonts/greek/ibygrk
on MikTeX	ibycus4
on T _E XLive	ibygrk
keyword	font-greek (font for Greek (archaic, classical and modern))
keyword	greek (support for typesetting Greek)
keyword	font (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-02-07

2866 icehyph – Icelandic hyphenation patterns

Web page on CTAN	https://ctan.org/pkg/icehyph
name	icehyph
caption	Icelandic hyphenation patterns
author	Pind, Jörgen
author	Sverrisson, Marteinn
license	lppl = The LaTeX Project Public License (free)
version	(2004-03-02)
last changes	2004-03-02
year	2004
description	(no language specified) Hyphenation patterns for Icelandic; apparently designed for a modern encoding (by contrast with <i>ishyph</i> , whose encoding is not apparently published.
on CTAN	https://ctan.org/tex-archive/language/hyphenation/icehyph.tex
on T _E XLive	hyphen-icelandic
keyword	icelandic (support for typesetting the Icelandic language)
keyword	hyphenation (macros or tables for hyphenation)
language(s)	no language specified

last access 2025-02-07

2867 *icelandic* – Icelandic Fonts

Web page on CTAN <https://ctan.org/pkg/icelandic>

name	icelandic
caption	Icelandic Fonts
author	Pind, Jörgen
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Sources for Icelandic Fonts, together with some macro support, under Plain TeX and LaTeX 2.09. The fonts seem not to compile correctly under current Metafont.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/icelandic/readme
on CTAN	https://ctan.org/tex-archive/fonts/icelandic
keyword	icelandic (support for typesetting the Icelandic language)
language(s)	no language specified
year	without year
last access	2025-02-07

2868 *iching* – A font for I Ching divinations

Web page on CTAN <https://ctan.org/pkg/iching>

name	iching
caption	A font for I Ching divinations
author	Stanier, Alan
license	noinfo = noinfo
version	(1994-07-11)
last changes	1994-07-11
year	1994
description	(no language specified) A LaTeX file is provided to print out divinations, using the font (supplied as Metafont source). The <code>\interpret</code> macro in the LaTeX file is a simplified beast, in which significance is only accorded to one line in the hexagram.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/iching/README
on CTAN	https://ctan.org/tex-archive/fonts/iching
keyword	games (process game diagrams, gamebooks, and other amusements)
language(s)	no language specified
last access	2025-02-07

2869 *icite* – Indices locorum citatorum

Web page on CTAN <https://ctan.org/pkg/icite>

name	<i>icite</i>
caption	Indices locorum citatorum
author	Alessi, Robert
copyright	Robert Alessi (2019-2020)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
version	1.3a (2020-03-05)
last changes	2020-03-05
year	2020
description	(no language specified) The package is designed to produce from BibTeX or BibLaTeX bibliographical databases the different indices of authors and works cited which are called indices locorum citatorum. It relies on a specific <code>\icite</code> command and can operate with either BibTeX or BibLaTeX.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/icite/icite.pdf
– local file	<code>./4996761657-icite.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/icite/README.md
home page	http://www.robertalessi.net/icite
contact	<i>bugs</i> : https://gitlab.com/ralessi/icite/-/issues
contact	<i>repository</i> : http://git.robertalessi.net/icite
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/icite
on MikTeX	<i>icite</i>
on T _E XLive	<i>icite</i>

keyword	<code>biblatex</code> (BibLaTeX bibliography support)
keyword	<code>index</code> (index support)
keyword	<code>humanities</code> (support for studies in the humanities)
keyword	<code>bibtex-supp</code> (BibTeX citation support)
keyword	<code>cite-supp</code> (citation support)
language(s)	no language specified
last access	2025-02-07

2870 *icomma* – Intelligent commas for decimal numbers

Web page on CTAN <https://ctan.org/pkg/icomma>

name	<code>icomma</code>
caption	Intelligent commas for decimal numbers
author	Schmidt, Walter A.
copyright	Walter Schmidt (2001, 2002)
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) An intelligent comma, which yields proper spacing in decimal numbers as well as in mathematical expressions. In contrast to other known solutions, this package does not depend on the encoding of the CM maths fonts, and it works with decimal numbers of arbitrary length. This package is part of the <code>was</code> bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/was/icomma.pdf
– local file	<code>./3176798985-icomma.pdf</code>
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/was/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/was
on MikTeX	<code>was</code>
on TeXLive	<code>was</code>
keyword	<code>typesetting</code> (support for variations of typographic style)
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	no language specified
year	2002

last access 2025-02-07

2871 *icon-appr* – Creates icon appearances for form buttons

Web page on CTAN <https://ctan.org/pkg/icon-appr>

name	<code>icon-appr</code>
caption	Creates icon appearances for form buttons
author	Story, Donald P.
copyright	D.P.Story (2018-2020)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	(2020-06-13)
last changes	2020-06-13
year	2020
description	(no language specified) Use this package to create icon appearances for push buttons, check box buttons, and radio buttons form fields. Package works for pdfLaTeX, LuaLaTeX, XeLaTeX, dvips/distiller or dvips/ps2pdf; some techniques require Acrobat. Pdfmark-type drivers require, depending on the method used, aeb_pro or graphicxsp. PDF Viewers: Adobe Reader DC, PDF-XChange Editor, and, of course Adobe Acrobat. SummatraPDF previews the icon buttons very well.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/icon-appr/docs/iconappr-man.pdf
– local file	<code>./4689840398-iconappr-man.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/icon-appr/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/icon-appr
on MikTeX	<code>icon-appr</code>
keyword	<code>pdf-forms</code> (create pdf form fields, use form fields as an integral part of the package)
keyword	<code>graphics</code> (graphics (support packages))
keyword	<code>logo</code> (symbols or drawings to specify an object, including icons)
language(s)	no language specified
last access	2025-02-07

2872 icons – TeX icons

Web page on CTAN <https://ctan.org/pkg/icons>

name	icons
caption	TeX icons
author	Carriba, Manuel
author	Sendoukas, Hippocrates
license	knuth = Knuth License (free)
version	(1995-05-14)
last changes	1995-05-14
year	1995
description	(no language specified) These are conversions of Knuth's icons (designed for the OpenWindows filemanager) for use in other systems.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/icons/texicons.readme
on CTAN	https://ctan.org/tex-archive/support/icons
keyword	logo (symbols or drawings to specify an object, including icons)
language(s)	no language specified
last access	2025-02-07

2873 icsv – Class for typesetting articles for the ICSV conference

Web page on CTAN <https://ctan.org/pkg/icsv>

name	icsv
caption	Class for typesetting articles for the ICSV conference
author	Robertson, Will
copyright	Will Robertson (2006)
license	lppl = The LaTeX Project Public License (free)
version	0.2
description	(no language specified) This is an ad-hoc class for typesetting articles for the ICSV conference, based on the earlier active-conf by the same author.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/conferences/icsv/icsv.pdf

– local file	<code>./6406445934-icsv.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/conferences/icsv
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/conferences/icsv.tds.zip
on MikTeX	icsv
on TeXLive	icsv
keyword	confproc (typesetting conference proceedings)
language(s)	no language specified
year	2006
last access	2025-02-07

2874 *idealfonts* – Font and LaTeX support for Textures users

Web page on CTAN	https://ctan.org/pkg/idealfonts
name	<code>idealfonts</code>
caption	Font and LaTeX support for Textures users
author	Gaulle, Bernard
license	noinfo = noinfo
version	(1998-06-15)
last changes	1998-06-15
year	1998
description	(no language specified) Consists of 2 files that might help Textures users: one to ease the use of the basic 35 Adobe fonts with the T1 font encoding with LaTeX; the other for people willing to automatically install the latest LaTeX version under Textures.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/mac/textures/contrib/IdealFonts/README.IF
on CTAN	https://ctan.org/tex-archive/systems/mac/textures/contrib/IdealFonts
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
last access	2025-02-07

2875 ideavault – Idea (concept) management packageWeb page on CTAN <https://ctan.org/pkg/ideavault>

name	IdeaVault
caption	Idea (concept) management package
author	Czarkowski, Tomasz M.
copyright	Tomasz M. Czarkowski (2024-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.5 (2025-03-28)
last changes	2025-03-28
year	2025
description	(no language specified) This LuaLaTeX package provides tools for the management (i.e. creation and printing) of ideas (i.e. pieces of LaTeX code representing concepts). It supports dependencies, nested idea printing and tags, and can be useful for writing rulebooks or handbooks with many definitions.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/ideavault/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/ideavault/ideavault-doc.pdf
– local file	./6790849294-ideavault-doc.pdf
contact	<i>repository</i> : https://gitlab.com/toq_eria/public/ideavault
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/ideavault
on MikTeX	ideavault
on T _E XLive	ideavault
keyword	luatex (LuaTeX and packages that require it)
keyword	doc-supp (macros and tools for preparing documentation)
language(s)	no language specified
last access	2025-04-08

2876 *identkey* – Typesetting bracketed dichotomous identification keys

Web page on CTAN <https://ctan.org/pkg/identkey>

name	<i>identkey</i>
caption	Typesetting bracketed dichotomous identification keys
author	White, Robert
copyright	Robert White (2018)
license	gpl3 = GNU General Public License, version 3 (free)
version	0.1.0
description	(no language specified) The package is for typesetting bracketed dichotomous identification keys.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/identkey/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/identkey
on MikTeX	<i>identkey</i>
on T _E XLive	<i>identkey</i>
keyword	biology (typeset biological data)
see also	see section 1605 on page 1455: (<i>dichokey</i> – Construct dichotomous identification keys)
language(s)	no language specified
year	2018
last access	2025-02-07

2877 *idverb* – Inline verbatim identifiers

Web page on CTAN <https://ctan.org/pkg/idverb>

name	<i>idverb</i>
caption	Inline verbatim identifiers
author	Schrod, Joachim
license	gpl = GNU General Public License (free)
version	1.1
description	(no language specified) Typeset identifiers (and other short things) verbatim, using the <code> identifier </code> notation. This package is part of the <i>js-misc</i> bundle.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/plain/contrib/js-misc/idverb.dvi
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/js-misc
keyword	<code>verbatim</code> (verbatim typesetting, etc.)
see also	see section 5469 on page 4948: (<code>shortvrb</code> – Abbreviated verbatim commands)
language(s)	no language specified
year	without year
last access	2025-02-07

2878 *idxcmds* – Semantic commands for adding formatted index entries

Web page on CTAN <https://ctan.org/pkg/idxcmds>

name	<code>idxcmds</code>
caption	Semantic commands for adding formatted index entries
author	Niederberger, Clemens
copyright	Clemens Niederberger (2012-2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2c (2015-08-13)
last changes	2015-08-13
year	2015
description	(no language specified) The package provides commands for adding formatted index entries; it arises from the author's work on large documents.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/idxcmds/idxcmds_en.pdf
– local file	<code>./9833350009-idxcmds_en.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/idxcmds/README
contact	<i>repository</i> : https://github.com/cgnieder/idxcmds/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/idxcmds
on MikTeX	<code>idxcmds</code>
on TeXLive	<code>idxcmds</code>

keyword	index (index support)
language(s)	no language specified
last access	2025-02-07

2879 *idxlayout* – Configurable index layout, responsive to KOMA-Script and memoir

Web page on CTAN <https://ctan.org/pkg/idxlayout>

name	idxlayout
caption	Configurable index layout, responsive to KOMA-Script and memoir
author	Titz, Thomas
copyright	Thomas Titz (2010-2012)
license	lppl = The LaTeX Project Public License (free)
version	0.4d
description	(no language specified) The <i>idxlayout</i> package offers a key-value interface to configure index layout parameters, e.g. allowing for three-column indexes or for "parent" items and their affiliated subitems being typeset as a single paragraph. The package is responsive to the index-related options and commands of the KOMA-Script and memoir classes.
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/idxlayout/idxlayout.pdf
– local file	<code>./5676850998-idxlayout.pdf</code>
documentation	(English) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/idxlayout/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/idxlayout
on MikTeX	idxlayout
on TeXLive	idxlayout
keyword	index (index support)
language(s)	English
year	2012
last access	2025-02-07

2880 *idx*tex – An index processor

Web page on CTAN <https://ctan.org/pkg/idxtex>

name	<code>idx</code> tex
caption	An index processor
author	Aurbach, R L
author	Hantelmann, Fred
author	Ianigro, Stefano
license	nosell = Do Not Sell Except by Arrangement (not free)
version	3.1
description	(no language specified) <i>Idx</i> tex is supplied as C source (and as a DOS executable), and a supporting package is provided (whose detection of ‘current language’ is inadequate for current usage). The bundle is distributed with glotex .
documentation	<i>User manual (German)</i> : https://ctan.org/tex-archive/indexing/glo+idxtex/glo+idx.pdf
documentation	(German) <i>Bundle readme</i> : https://ctan.org/tex-archive/indexing/glo+idxtex/README
documentation	<i>User manual (English)</i> : https://ctan.org/tex-archive/indexing/glo+idxtex/idxtex.pdf
on CTAN	https://ctan.org/tex-archive/indexing/glo+idxtex
keyword	index (index support)
see also	see section 3745 on page 3388 : (<code>makeindex</code> – Process index output to produce typesettable code)
see also	see section 6801 on page 6137 : (<code>xindy</code> – A general-purpose index processor)
language(s)	German; English
year	without year
last access	2025-09-11

2881 *ieeeannot* – A sorting version of *IEEEtran.bst*

Web page on CTAN <https://ctan.org/pkg/ieeeannot>

name	IEEEannot
caption	A sorting version of IEEEtran.bst
author	Barik, Titus
author	Shell, Michael
license	artistic = Perl Artistic License (not free)
version	1.11
description	(no language specified) IEEEannot is a LaTeX bibliography style to generate an annotated bibliography in the IEEE citation format. It should not be used in submissions to the IEEE.
home page	http://www.barik.net/sw/ieee/
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/IEEEannot.bst
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
year	without year
last access	2025-02-07

2882 *ieeeconf* – Macros for IEEE conference proceedings

Web page on CTAN <https://ctan.org/pkg/ieeeconf>

name	IEEEconf
caption	Macros for IEEE conference proceedings
author	Pakin, Scott
copyright	Scott Pakin (2009)
license	lppl = The LaTeX Project Public License (free)
version	1.4
description	(no language specified) The IEEEconf class implements the formatting dictated by the IEEE Computer Society Press for conference proceedings.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/IEEEconf/IEEEconf.pdf
– local file	./6453654726-IEEEconf.pdf

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/IEEEconf/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/IEEEconf
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/IEEEconf.tds.zip
on MikTeX	ieeconf
on T _E XLive	ieeconf
keyword	class (alternative LaTeX class(es))
keyword	confproc (typesetting conference proceedings)
language(s)	no language specified
year	2009
last access	2025-02-07

2883 *ieeepes* – IEEE Power Engineering Society Transactions

Web page on CTAN <https://ctan.org/pkg/ieeepes>

name	ieeepes
caption	IEEE Power Engineering Society Transactions
author	Kuhlmann, Volker
license	lppl = The LaTeX Project Public License (free)
version	4.0
description	(no language specified) Supports typesetting of transactions, as well as discussions and closures, for the IEEE Power Engineering Society Transactions journals.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ieeepes/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ieeepes/ieeepes_doc.pdf
– local file	./6157710744-ieeepes_doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ieeepes
on MikTeX	ieeepes
on T _E XLive	ieeepes

keyword journalpub (typesetting journals, etc)
 language(s) no language specified
 year without year
 last access 2025-02-07

2884 *ieeetran* – Document class for IEEE Transactions journals and conferences

Web page on CTAN <https://ctan.org/pkg/ieeetran>

name IEEEtran
 caption Document class for IEEE Transactions journals and conferences
 author Shell, Michael
 copyright Michael Shell (2001-2015)
 license lpl1.3 = The LaTeX Project Public License 1.3 (free)
 version 1.8b
 description (no language specified) The class and its BibTeX style enable authors to produce officially-correct output for the Institute of Electrical and Electronics Engineers (IEEE) transactions, journals and conferences.
 documentation (no language specified) *Package documentation:*
https://ctan.org/tex-archive/macros/latex/contrib/IEEEtran/IEEEtran_HOWTO.pdf
 – local file ./2407633308-IEEEtran_HOWTO.pdf
 documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/macros/latex/contrib/IEEEtran/README>
 home page <http://www.michaelshell.org/tex/ieeetran/>
 on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/IEEEtran>
 on MikTeX ieeetran
 on T_EXLive ieeetran
 keyword journalpub (typesetting journals, etc)
 keyword class (alternative LaTeX class(es))
 language(s) no language specified
 year 2015
 last access 2025-02-07

2885 ieeetrantools – Functionality from IEEEtran for use with other classes

Web page on CTAN <https://ctan.org/pkg/ieeetrantools>

name	ieeetrantools
caption	Functionality from IEEEtran for use with other classes
author	Shell, Michael
copyright	Michael Shell (2002-2014)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.4 (2014-09-17)
last changes	2014-09-17
year	2014
description	(no language specified) The package provides several commands from the IEEEtran class file so that they can be used under other LaTeX classes; the package should not be used in a document that uses that parent class. The user guide only covers the ways in which usage differs from that in the parent class; thus the documentation of that class should be regarded as part of the documentation for the package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/IEEEtran/tools/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/IEEEtran/tools/IEEEtrantools_doc.txt
home page	http://www.michaelshell.org
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/IEEEtran/tools
on MikTeX	ieeetran
on TeXLive	ieeetran
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

2886 ieejtran – Unofficial bibliography style file for the Institute of Electrical Engineers of JapanWeb page on CTAN <https://ctan.org/pkg/ieejtran>

name	IEEJtran
caption	Unofficial bibliography style file for the Institute of Electrical Engineers of Japan
author	Ejiri, Haruki
copyright	Haruki Ejiri and Yoshi Ri (2020-2023)
license	mit = MIT License (free)
version	0.19 (2023-01-26)
last changes	2023-01-26
year	2023
description	(no language specified) This package provides an <i>unofficial</i> BibTeX style for authors of the Institute of Electrical Engineers of Japan (IEEJ) transactions journals and conferences.
documentation	<i>Package documentation (Japanese)</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/ieejtran/ieejtran.pdf
– local file	./5228685658-ieejtran.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/ieejtran/README
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/ieejtran/ieejtran-en.pdf
– local file	./6892110434-ieejtran-en.pdf
contact	<i>repository</i> : https://github.com/ehki/jIEEEtran
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/ieejtran
on MikTeX	ieejtran
on T _E XLive	ieejtran
keyword	japanese (support for typesetting Japanese)
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	Japanese
last access	2025-02-07

2887 *ietfbibs* – Generate BibTeX entries for various IETF index files

Web page on CTAN <https://ctan.org/pkg/ietfbibs>

name	ietfbibs
caption	Generate BibTeX entries for various IETF index files
author	Mortier, Richard
copyright	Richard Mortier (2000-2016)
license	mit = MIT License (free)
version	1.0.0
description	(no language specified) The package provides scripts to translate IETF index files to BibTeX files.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/ietfbibs/README.md
contact	<i>repository</i> : https://github.com/mor1/ietfbibs
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/ietfbibs
on T _E XLive	ietfbibs
keyword	bibtex-gen (derive BibTeX data from resources other than BibTeX libraries)
language(s)	no language specified
year	2016
last access	2025-02-07

2888 *iexec* – Execute shell commands and input their output

Web page on CTAN <https://ctan.org/pkg/iexec>

name	iexec
caption	Execute shell commands and input their output
author	Bugayenko, Yegor
copyright	Yegor Bugayenko (2021-2025)
license	mit = MIT License (free)
version	0.15.0 (2025-01-16)
last changes	2025-01-16

year	2025
description	(no language specified) With the help of the <code>\iexec</code> command, you can execute a shell command and then input its output into your document. This package also lets you use any special symbols inside your command.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/iexec/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/iexec/iexec.pdf
– local file	<code>./1174753903-iexec.pdf</code>
contact	<i>repository</i> : https://github.com/yegor256/iexec
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/iexec
on MikTeX	<code>iexec</code>
on TeXLive	<code>iexec</code>
keyword	<code>exec-foreign</code> (execute ‘other types’ of language)
keyword	<code>sys-supp</code> (os-level support facilities for TeX)
language(s)	no language specified
last access	2025-02-07

2889 *ifacmtg* – Elsevier Science preprint style for IFAC meetings

Web page on CTAN	https://ctan.org/pkg/ifacmtg
name	<code>ifacmtg</code>
caption	Elsevier Science preprint style for IFAC meetings
author	Pepping, Simon
copyright	Elsevier Science (1995)
license	other-nonfree = License that prevents distribution (not free)
description	(no language specified) To prepare a paper for an IFAC meeting, using LaTeX, the author needs a bibliography style such as harvard .
documentation	(no language specified) <i>Instructions to authors</i> : https://ctan.org/tex-archive/macros/latex/contrib/ifacmtg/instraut.pdf
– local file	<code>./4610877511-instraut.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ifacmtg/README.1st

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ifacmtg
keyword	class (alternative LaTeX class(es))
keyword	confproc (typesetting conference proceedings)
language(s)	no language specified
year	1995
last access	2025-02-07

2890 *ifallfalse* – Compare a string against a set of other strings

Web page on CTAN	https://ctan.org/pkg/ifallfalse
name	<i>ifallfalse</i>
caption	Compare a string against a set of other strings
author	Chen, Dennis
copyright	Dennis Chen (2021)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.0.0 (2021-07-22)
last changes	2021-07-22
year	2021
description	(no language specified) This package allows you to check whether a string is contained within another set of strings, and perform an action if it is not. This is done by using the <code>allfalse</code> environment and passing in a string and an action to be performed if the string is not contained in the set. Then, passing in a string to the <code>\orcheck</code> macro inside the respective <code>allfalse</code> environment adds that to the set of strings. This package does not work with the LuaTeX engine.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/ifallfalse/ifallfalse.pdf
– local file	<code>./3067091704-ifallfalse.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/ifallfalse/README.md
contact	<i>repository:</i> https://github.com/chennisden/ifallfalse
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ifallfalse

2891 *ifdraft* – Detect “draft” and “final” class options

on MikTeX	ifallfalse
on T _E XLive	ifallfalse
keyword	macro-supp (support for development of (La)TeX macros)
keyword	cond-comp (conditional typesetting)
language(s)	no language specified
last access	2025-02-07

2891 *ifdraft* – Detect “draft” and “final” class options

Web page on CTAN <https://ctan.org/pkg/ifdraft>

name	ifdraft
caption	Detect “draft” and “final” class options
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (1999, 2005, 2006, 2008)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.4 (2016-05-16)
last changes	2016-05-16
year	2016
description	(no language specified) The package defines commands that switch according to the prevailing ‘draft’ or ‘final’ options; each command takes two arguments, the first for the ‘true’, the second for the ‘false’ case. Commands are: • <code>\ifdraft</code> determines whether we’re operating in draft (‘true’) or final mode; • <code>\ifoptiondraft</code> determines whether a ‘draft’ option has been given; and • <code>\ifoptionfinal</code> determines whether a ‘final’ option has been given.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/ifdraft.pdf
– local file	<code>./8750887655-ifdraft.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/ifdraft.dtx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/oberdiek.tds.zip
on MikTeX	oberdiek

on T _E XLive	oberdiek
keyword	env-query (examine the TeX programming environment)
language(s)	no language specified
last access	2025-02-07

2892 *ifetex* – Provides `\ifetex` switch

Web page on CTAN <https://ctan.org/pkg/ifetex>

name	<code>ifetex</code>
caption	Provides <code>\ifetex</code> switch
author	The LaTeX Project Team
author	Scharrer, Martin
copyright	Martin Scharrer (2011-2018)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3 (2019-10-25)
last changes	2019-10-25
year	2019
description	(no language specified) The package provides the switch <code>\ifetex</code> which indicates whether e-TeX is available or not. The package can be loaded as LaTeX package using <code>\usepackage{ifetex}</code> or in plain TeX using <code>\input ifetex</code>. In either case it aborts silently if the <code>\ifetex</code> macro is already defined. The package's test is whether <code>\eTeXversion</code> is defined as a primitive; if it is, the package assumes e-TeX features are available. Please note, that <code>ifetex</code> is now part of <i>iftex</i>.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/iftex/iftex.pdf
– local file	<code>./8346982340-iftex.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/iftex/README.md
home page	https://github.com/MartinScharrer/ifetex
contact	<i>bugs</i> : https://github.com/MartinScharrer/ifetex/issues
contact	<i>repository</i> : https://github.com/MartinScharrer/ifetex.git
on CTAN	https://ctan.org/tex-archive/macros/generic/iftex

installation	https://ctan.org/tex-archive/install/macros/generic/iftex.tds.zip
on MikTeX	iftex
on TeXLive	iftex
keyword	env-query (examine the TeX programming environment)
language(s)	no language specified
last access	2025-02-07

2893 iffont – Conditionally load fonts with fontspec

Web page on CTAN <https://ctan.org/pkg/iffont>

name	iffont
caption	Conditionally load fonts with fontspec
author	Weiss, Benjamin
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0.0 (2015-11-11)
last changes	2015-11-11
year	2015
description	(no language specified) This package provides a macro to select the first font XeLaTeX or LuaTeX can find in a comma separated list and, additionally, a number of macro tests.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/iffont/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/iffont/iffont.pdf
– local file	./2406565486-iffont.pdf
contact	<i>repository</i> : https://github.com/benjamin-weiss/iffont
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/iffont
on MikTeX	iffont
on TeXLive	iffont
keyword	font-mgmt (management of fonts)
language(s)	no language specified
last access	2025-02-07

2894 ifis-macros – Check if a given input string is a number or dimension for TeXWeb page on CTAN <https://ctan.org/pkg/ifis-macros>

name	ifis-macros
caption	Check if a given input string is a number or dimension for TeX
author	Wermuth, Udo
copyright	Udo Wermuth (2024)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	1.0 (2024-04-07)
last changes	2024-04-07
year	2024
description	(no language specified) This package provides two macros: <code>\ifisint</code> and <code>\ifisdim</code> . They test if a given input string represents either a valid integer or a valid dimension for TeX.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/plain/contrib/ifis-macros/ifis-macros-doc.pdf
– local file	<code>./3403762626-ifis-macros-doc.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/plain/contrib/ifis-macros/README
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/ifis-macros
on MikTeX	ifis-macros
on TeXLive	ifis-macros
keyword	plain-ext (extensions to Plain TeX for higher-level constructs)
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

2895 iflang – Expandable checks for the current language

Web page on CTAN <https://ctan.org/pkg/iflang>

name	iflang
caption	Expandable checks for the current language
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2007)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.7 (2018-01-21)
last changes	2018-01-21
year	2018
description	(no language specified) This package provides expandable checks for the current language based on macro <code>\language</code> or hyphenation patterns. The package is part of the oberdiek bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/iflang.pdf
– local file	./1699723251-iflang.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/iflang.dtx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/oberdiek.tds.zip
on MikTeX	oberdiek
on TeXLive	oberdiek
keyword	multilingual (support for more than one (natural) language)
keyword	env-query (examine the TeX programming environment)
language(s)	no language specified
last access	2025-02-07

2896 ifluatex – Provides the `\ifluatex` switch

Web page on CTAN <https://ctan.org/pkg/ifluatex>

name	<code>ifluatex</code>
caption	Provides the <code>\ifluatex</code> switch
author	Oberdiek, Heiko
author	The LaTeX Project Team
copyright	Heiko Oberdiek (2007, 2009, 2010)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.5 (2019-10-25)
last changes	2019-10-25
year	2019
description	(no language specified) The package looks for LuaTeX regardless of its mode and provides the switch <code>\ifluatex</code> ; it works with Plain TeX or LaTeX. The package has been integrated into the iftex bundle.
on CTAN	https://ctan.org/tex-archive/macros/generic/iftex
installation	https://ctan.org/tex-archive/install/macros/generic/iftex.tds.zip
on MikTeX	<code>iftex</code>
on TeXLive	<code>iftex</code>
keyword	<code>env-query</code> (examine the TeX programming environment)
language(s)	no language specified
last access	2025-02-07

2897 ifmslide – Presentation slides for screen and printouts

Web page on CTAN <https://ctan.org/pkg/ifmslide>

name	<code>ifmslide</code>
caption	Presentation slides for screen and printouts
author	Emmel, Thomas
copyright	Thomas Emmel (2000-2001)
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	0.47

description	(no language specified) This package is used to produce printed slides with LaTeX and online presentations with pdfLaTeX. It is provided by the ‘Institute of Mechanics’ (ifm) Univ. of Technology Darmstadt, Germany. It is based on ideas of pdfslide , but completely rewritten for compatibility with texpower and seminar . The manual describes all functions and provides a sample.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ifmslide/README
documentation	(no language specified) <i>Package manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/ifmslide/ifmman.pdf
– local file	<code>./7925732713-ifmman.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ifmslide
on MikTeX	<code>ifmslide</code>
on TeXLive	<code>ifmslide</code>
keyword	presentation (slides, beamers, handouts, etc.)
see also	see section 4827 on page 4370 : (<code>prospcr</code> – LaTeX class for high quality slides)
language(s)	no language specified
year	2001
last access	2025-02-07

2898 *ifmtarg* – If-then-else command for processing potentially empty arguments

Web page on CTAN <https://ctan.org/pkg/ifmtarg>

name	<code>ifmtarg</code>
caption	If-then-else command for processing potentially empty arguments
author	Wilson, Peter R.
author	Robertson, Will
license	lppl = The LaTeX Project Public License (free)
version	1.2b
description	(no language specified) This package provides a command for the LaTeX programmer for testing whether an argument is empty.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ifmtarg/ifmtarg.pdf
– local file	<code>./2853960913-ifmtarg.pdf</code>

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ifmtarg
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/ifmtarg.tds.zip
on MikTeX	ifmtarg
on T _E XLive	ifmtarg
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	without year
last access	2025-02-07

2899 ifnextok – Utility macro: peek ahead without ignoring spaces

Web page on CTAN	https://ctan.org/pkg/ifnextok
name	ifnextok
caption	Utility macro: peek ahead without ignoring spaces
author	Lück, Uwe
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.3
description	(no language specified) The package deals with the behaviour of the LaTeX internal command <code>\@ifnextchar</code>, which skips blank spaces. This has the potential to surprise users, since it can produce really unwanted effects. A common example occurs with brackets starting a line following <code>\</code>: the command looks for an optional argument, whereas the user wants the brackets to be printed. The package offers commands and options for modifying this behaviour, maybe limited to certain parts of the document source.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ifnextok/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ifnextok/ifnextok.pdf
– local file	./2582786107-ifnextok.pdf
contact	<i>support</i> : http://www.webdesign-bu.de/uwe_lueck/contact.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ifnextok

2900 *ifoddpag*e – Determine if the current page is odd or even

installation	https://ctan.org/tex-archive/install/macros/latex/contrib/ifnextok.tds.zip
on MikTeX	ifnextok
on TeXLive	ifnextok
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	without year
last access	2025-02-07

2900 *ifoddpag*e – Determine if the current page is odd or even

Web page on CTAN	https://ctan.org/pkg/ifoddpag
name	ifoddpag
caption	Determine if the current page is odd or even
author	Scharrer, Martin
copyright	Martin Scharrer (2011-2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2 (2022-10-18)
last changes	2022-10-18
year	2022
description	(no language specified) The package provides an <code>\ifoddpag</code> conditional to determine if the current page is odd or even. The macro <code>\checkoddpag</code> must be used direct before to check the page number using a label. Two compiler runs are therefore required to achieve correct results. In addition, the conditional <code>\ifoddpagoronside</code> is provided which is also true in onside mode where all pages use the odd page layout.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ifoddpag/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ifoddpag/ifoddpag.pdf
– local file	./4280455247-ifoddpag.pdf
home page	https://github.com/MartinScharrer/ifoddpag
contact	<i>bugs</i> : https://github.com/MartinScharrer/ifoddpag/issues
contact	<i>repository</i> : https://github.com/MartinScharrer/ifoddpag.git

2901 *ifpdf* – Provides the `\ifpdf` conditional

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ifoddpage
on MikTeX	ifoddpage
on TeXLive	ifoddpage
keyword	typesetting (support for variations of typographic style)
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

2901 *ifpdf* – Provides the `\ifpdf` conditional

Web page on CTAN <https://ctan.org/pkg/ifpdf>

name	ifpdf
caption	Provides the <code>\ifpdf</code> conditional
author	The LaTeX Project Team
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2001, 2005-2011)
copyright	Heiko Oberdiek and LaTeX3 project (2016-2017)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.4 (2019-10-25)
last changes	2019-10-25
year	2019
description	(no language specified) This package looks for pdfTeX in pdf mode and implements and sets the switch <code>\ifpdf</code>. The detection is based on the value of <code>\pdfoutput</code> (which the package will not change). The package works with plain or LaTeX formats. To use it with LaTeX simply <code>\usepackage{ifpdf}</code>. Then use <code>\ifpdf ... \else ... \fi</code>. The package has been integrated into the iftex bundle.
contact	<i>bugs:</i> https://github.com/latex3/iftex/issues
contact	<i>repository:</i> https://github.com/latex3/iftex
on CTAN	https://ctan.org/tex-archive/macros/generic/iftex
installation	https://ctan.org/tex-archive/install/macros/generic/iftex.tds.zip
on MikTeX	iftex

on T _E XLive	<code>iftex</code>
keyword	<code>env-query</code> (examine the TeX programming environment)
language(s)	no language specified
last access	2025-02-07

2902 *ifplatform* – Conditionals to test which platform is being used

Web page on CTAN <https://ctan.org/pkg/ifplatform>

name	<code>ifplatform</code>
caption	Conditionals to test which platform is being used
author	Große, Johannes
author	Robertson, Will
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.4a (2017-10-13)
last changes	2017-10-13
year	2017
description	(no language specified) This package uses the (La)TeX extension <code>-shell-escape</code> to establish whether the document is being processed on a Windows or on a Unix-like system (Mac OS X, Linux, etc.), or on Cygwin (Unix environment over a windows system). Booleans provided are: • <code>\ifwindows</code>, • <code>\iflinux</code>, • <code>\ifmacosx</code> and • <code>\ifcygwin</code>. The package also preserves the output of <code>uname</code> on a Unix-like system, which may be used to distinguish between various classes of Unix systems.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ifplatform/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ifplatform/ifplatform.pdf
– local file	<code>./8310749686-ifplatform.pdf</code>
contact	<i>repository</i> : https://github.com/wspr/will2e

2903 *ifptex* – Check if the engine is pTeX or one of its derivatives

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ifplatform
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/ifplatform.tds.zip
on MikTeX	ifplatform
on TeXLive	ifplatform
keyword	env-query (examine the TeX programming environment)
language(s)	no language specified
last access	2025-02-07

2903 *ifptex* – Check if the engine is pTeX or one of its derivatives

Web page on CTAN	https://ctan.org/pkg/ifptex
name	ifptex
caption	Check if the engine is pTeX or one of its derivatives
author	Yato, Takayuki
copyright	Takayuki YATO (2008-2023)
license	mit = MIT License (free)
version	2.2c (2023-04-08)
last changes	2023-04-08
year	2023
description	(no language specified) The <i>ifptex</i> package is a counterpart of <i>ifxetex</i> , <i>ifluatex</i> , etc. for the <i>ptex</i> engine. The <i>ifuptex</i> package is an alias to <i>ifptex</i> provided for backward compatibility.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/ifptex/README.md
documentation	<i>Readme (Japanese)</i> : https://ctan.org/tex-archive/macros/generic/ifptex/README-ja.md
contact	<i>repository</i> : https://github.com/zr-tex8r/ifptex
on CTAN	https://ctan.org/tex-archive/macros/generic/ifptex
on MikTeX	ifptex
on TeXLive	ifptex
keyword	env-query (examine the TeX programming environment)
keyword	japanese (support for typesetting Japanese)

language(s) Japanese
last access 2025-02-07

2904 *ifsym* – A collection of symbols

Web page on CTAN <https://ctan.org/pkg/ifsym>

name *ifsym*
caption A collection of symbols
author Klöckl, Ingo
copyright Ingo Klöckl (1999)
license other-free = Free license not otherwise listed (free)
description (no language specified) A set of symbol fonts, written in Metafont, offering (respectively) clock-face symbols, geometrical symbols, weather symbols, mountaineering symbols, electronic circuit symbols and a set of miscellaneous symbols. A LaTeX package is provided, that allows the user to load only those symbols needed in a document.
documentation *Documentation and font tables (German):*
<https://ctan.org/tex-archive/fonts/ifsym/ifsym.ps>
on CTAN <https://ctan.org/tex-archive/fonts/ifsym>
on MikTeX *ifsym*
on T_EXLive *ifsym*
keyword *font-mf* (fonts distributed as Metafont source)
keyword *font-symbol* (fonts that provide collections of symbols)
keyword *font* (fonts themselves)
language(s) German
year 1999
last access 2025-02-07

2905 iftex – Am I running under pdfTeX, XeTeX or LuaTeX?Web page on CTAN <https://ctan.org/pkg/iftex>

name	iftex
caption	Am I running under pdfTeX, XeTeX or LuaTeX?
author	The LaTeX Project Team
author	Khalighi, Vafa
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0g (2024-12-12)
last changes	2024-12-12
year	2024
description	(no language specified) The package, which works both for Plain TeX and for LaTeX, defines the <code>\ifPDFTeX</code>, <code>\ifXeTeX</code>, and <code>\ifLuaTeX</code> conditionals for testing which engine is being used for typesetting. The package also provides the <code>\RequirePDFTeX</code>, <code>\RequireXeTeX</code>, and <code>\RequireLuaTeX</code> commands which throw an error if pdfTeX, XeTeX or LuaTeX (respectively) is not the engine in use.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/iftex/iftex.pdf
– local file	<code>./8346982340-iftex.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/iftex/README.md
contact	<i>bugs</i> : https://github.com/latex3/iftex/issues
contact	<i>repository</i> : https://github.com/latex3/iftex
on CTAN	https://ctan.org/tex-archive/macros/generic/iftex
installation	https://ctan.org/tex-archive/install/macros/generic/iftex.tds.zip
on MikTeX	iftex
on TeXLive	iftex
keyword	env-query (examine the TeX programming environment)
keyword	macro-gen (macros that are independent of the (TeX) format in use)
see also	see section 2901 on page 2623: (<code>ifpdf</code> – Provides the <code>ifpdf</code> conditional)
see also	see section 2896 on page 2619: (<code>ifluatex</code> – Provides the <code>\ifluatex</code> switch)
see also	see section 2892 on page 2615: (<code>ifetex</code> – Provides <code>\ifetex</code> switch)

see also	see section 2908 on page 2630: (<i>ifvtext</i> – Detects use of VTeX and its facilities)
see also	see section 2909 on page 2631: (<i>ifxetex</i> – Am I running under XeTeX?)
language(s)	no language specified
last access	2025-02-07

2906 *ifthen* – Conditional commands in LaTeX documents

Web page on CTAN <https://ctan.org/pkg/ifthen>

name	<i>ifthen</i>
caption	Conditional commands in LaTeX documents
author	The LaTeX Project Team
author	Carlisle, David
author	Lamport, Leslie
copyright	The LaTeX3 Project et al. (1993-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1e (2024-03-16)
last changes	2024-03-16
year	2024
description	(no language specified) The package’s basic command is <code>\ifthenelse</code>, which can use a wide array of tests. Also provided is a simple loop command <code>\whiledo</code>. Ifthen is a separate package within the LaTeX distribution; while it will always be present in a LaTeX distribution, a <code>\usepackage</code> command is always needed to load it.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/base/ifthen.pdf
– local file	<code>./2876205168-ifthen.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/base
on MikTeX	<code>ltxbase</code>
on TeXLive	<code>latex</code>
keyword	macro-supp (support for development of (La)TeX macros)
keyword	cond-comp (conditional typesetting)
see also	see section 6796 on page 6132: (<i>xifthen</i> – Extended conditional commands)

see also see section 2907 on page 2629: (*ifthenx* – Extra tests for \ifthenelse)
 language(s) no language specified
 last access 2025-02-07

2907 *ifthenx* – Extra tests for \ifthenelse

Web page on CTAN <https://ctan.org/pkg/ifthenx>

name *ifthenx*
 caption Extra tests for \ifthenelse
 author Jones, Geoffrey
 copyright Geoffrey Jones (2012)
 license lppl = The LaTeX Project Public License (free)
 version 0.1a
 description (no language specified) The package extends the *ifthen* package, providing extra predicates for the package’s \ifthenelse command.
 The package is complementary to *xifthen*, in that they provide different facilities; the two may be loaded in the same document, as long as *xifthen* is loaded first.
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/ifthenx/README>
 on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/ifthenx>
 on MikTeX *ifthenx*
 on T_EXLive *ifthenx*
 keyword cond-comp (conditional typesetting)
 keyword macro-supp (support for development of (La)TeX macros)
 see also see section 6796 on page 6132: (*xifthen* – Extended conditional commands)
 language(s) no language specified
 year 2012
 last access 2025-02-07

2908 ifvtex – Detects use of VTeX and its facilitiesWeb page on CTAN <https://ctan.org/pkg/ifvtex>

name	ifvtex
caption	Detects use of VTeX and its facilities
author	The LaTeX Project Team
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2001, 2006-2008, 2010)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.7 (2019-10-25)
last changes	2019-10-25
year	2019
description	(no language specified) The package looks for VTeX and sets the switch <code>\ifvtex</code>. In the presence of VTeX, the mode switches <code>\ifvtexdvi</code>, <code>\ifvtexpdf</code> and <code>\ifvtexps</code> are set; <code>\ifvtexgex</code> tells you whether GeX is operating. The package has been integrated into the iftex bundle.
contact	<i>bugs:</i> https://github.com/latex3/iftex/issues
contact	<i>repository:</i> https://github.com/latex3/iftex
on CTAN	https://ctan.org/tex-archive/macros/generic/iftex
installation	https://ctan.org/tex-archive/install/macros/generic/iftex.tds.zip
on MikTeX	iftex
on T _E XLive	iftex
keyword	env-query (examine the TeX programming environment)
language(s)	no language specified
last access	2025-02-07

2909 ifxetex – Am I running under XeTeX?

Web page on CTAN <https://ctan.org/pkg/ifxetex>

name	<code>ifxetex</code>
caption	Am I running under XeTeX?
author	Robertson, Will
author	The LaTeX Project Team
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.7 (2019-10-25)
last changes	2019-10-25
year	2019
description	(no language specified) A simple package which provides an <code>\ifxetex</code> conditional, so that other code can determine that it is running under XeTeX. The package requires the e-TeX extensions to the TeX primitive set. Please note that <code>ifxetex</code> is now part of the iftex bundle.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/generic/iftex/iftex.pdf
– local file	<code>./8346982340-iftex.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/generic/iftex/README.md
contact	<i>bugs</i> : https://github.com/latex3/iftex/issues
contact	<i>repository</i> : https://github.com/latex3/iftex
on CTAN	https://ctan.org/tex-archive/macros/generic/iftex
installation	https://ctan.org/tex-archive/install/macros/generic/iftex.tds.zip
on MikTeX	<code>iftex</code>
on T _E XLive	<code>iftex</code>
keyword	<code>env-query</code> (examine the TeX programming environment)
see also	see section 2908 on page 2630: (<code>ifvtex</code> – Detects use of VTeX and its facilities)
see also	see section 2896 on page 2619: (<code>ifluatex</code> – Provides the <code>\ifluatex</code> switch)
see also	see section 2901 on page 2623: (<code>ifpdf</code> – Provides the <code>\ifpdf</code> conditional)
language(s)	no language specified

last access 2025-02-07

2910 *ifxptex* – Detect pTeX and its derivatives

Web page on CTAN <https://ctan.org/pkg/ifxptex>

name	<code>ifxptex</code>
caption	Detect pTeX and its derivatives
author	Zhang, Yue
copyright	Yue ZHANG (2017)
license	knuth = Knuth License (free)
version	0.2 (2017-12-27)
last changes	2017-12-27
year	2017
description	(no language specified) The package provides commands for detecting pTeX and its derivatives (e-pTeX, upTeX, e-upTeX, and ApTeX). Both LaTeX and plain TeX are supported.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/ifxptex/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/ifxptex/ifxptex-doc.pdf
– local file	<code>./8002564288-ifxptex-doc.pdf</code>
contact	<i>repository</i> : https://github.com/Man-Ting-Fang/ifxptex
on CTAN	https://ctan.org/tex-archive/macros/generic/ifxptex
on MikTeX	<code>ifxptex</code>
on T _E XLive	<code>ifxptex</code>
keyword	<code>env-query</code> (examine the TeX programming environment)
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
see also	see section 2903 on page 2625: (<code>ifptex</code> – Check if the engine is pTeX or one of its derivatives)
language(s)	no language specified
last access	2025-02-07

2911 *igo* – Fonts and macro to typeset Go diagramsWeb page on CTAN <https://ctan.org/pkg/igo>

name	<code>igo</code>
caption	Fonts and macro to typeset Go diagrams
author	Dupuis, Étienne
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.62
description	(no language specified) This package is based on the package <code>go</code> written in 1991 by Hanna Kołodziejaska which provides typesetting facilities for Go games and positions. Although <code>igo</code> contains roughly the same commands as the original package and uses the fonts created by Kołodziejaska, it has been improved in a number of ways. It uses command names less likely to conflict with standard AMS packages. It allows different board sizes to be used. It understands a standardized notation for board coordinates. And it provides a facility to work on more than one board. Moreover, a few commands were reworked to define positions or game sequences more conveniently.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/igo/igo.pdf
– local file	<code>./4548127274-igo.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/igo
on MikTeX	<code>igo</code>
keyword	<code>games</code> (process game diagrams, gamebooks, and other amusements)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>font-symbol</code> (fonts that provide collections of symbols)
language(s)	no language specified
year	without year
last access	2025-02-07

2912 *iitem* – Multiple level of lists in one list-like environment

Web page on CTAN <https://ctan.org/pkg/iitem>

name	<i>iitem</i>
caption	Multiple level of lists in one list-like environment
author	Vitecek, Ben
copyright	Ben Vitecek (2013)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package defines multiple level lists within one list-like environment. instead of writing

```

\begin{enumerate}
\item 1
\begin{enumerate}
\item 2
\begin{enumerate}
\item 3
\begin{enumerate}
\item 4
\end{enumerate}
\end{enumerate}
\item 2.1
\end{enumerate}
\item 1.1
\begin{enumerate}
\item 2
\end{enumerate}
\end{enumerate}

```

this package allows you to write

```

\begin{enumerate}
\item 1
\iitem 2
\iiitem 3
\ivtem 4
\iitem 2.1
\item 1.1
\iitem 2
\end{enumerate}

```

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/iitem/iitem.dtx
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/iitem/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/iitem
on MikTeX	iitem
on T _E XLive	iitem
keyword	list (list: general)
language(s)	no language specified
year	2013
last access	2025-02-07

2913 *ijc* – International Journal of Control style

Web page on CTAN	https://ctan.org/pkg/ijc
name	ijc
caption	International Journal of Control style
author	Balemi, Silvano
license	noinfo = noinfo
version	(1993-08-03)
last changes	1993-08-03
year	1993
description	(no language specified) A version of the LaTeX 2.09 document style article, together with an appropriate BibTeX style.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/ijc
keyword	journalpub (typesetting journals, etc)
keyword	latex209 (package only known to work with LaTeX 2.09)
language(s)	no language specified
last access	2025-02-11

2914 *ijcai89* – Format papers for IJCAI 1989Web page on CTAN <https://ctan.org/pkg/ijcai89>

name	<i>ijcai89</i>
caption	Format papers for IJCAI 1989
author	Patel-Schneider, Peter
license	noinfo = noinfo
version	(1988-02-22)
last changes	1988-02-22
year	1988
description	(no language specified) A package to format LaTeX 2.09 article-style documents in the format required for papers at the meeting. (An "instructions for authors" document is present in the distribution, but unfortunately it is incomplete.)
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/ijcai89
keyword	confproc (typesetting conference proceedings)
language(s)	no language specified
last access	2025-02-07

2915 *ijmart* – LaTeX Class for the Israel Journal of MathematicsWeb page on CTAN <https://ctan.org/pkg/ijmart>

name	<i>ijmart</i>
caption	LaTeX Class for the Israel Journal of Mathematics
author	Veytsman, Boris
copyright	The Hebrew University Magnes Press (2007)
license	lppl = The LaTeX Project Public License (free)
version	1.7
description	(no language specified) The Israel Journal of Mathematics is published by The Hebrew University Magnes Press. This class provides LaTeX support for its authors and editors. It strives to achieve the distinct "look and feel" of the journal, while having the interface similar to that of the <i>amsart</i> document class. This will help authors already familiar with <i>amsart</i> to easily submit manuscripts for The Israel Journal of Mathematics or to put the preprints in <i>arXiv</i> with minimal changes in the LaTeX source.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ijmart/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ijmart/ijmart.pdf
– local file	<code>./1174543548-ijmart.pdf</code>
documentation	(no language specified) <i>Sample paper</i> : https://ctan.org/tex-archive/macros/latex/contrib/ijmart/ijmsample.pdf
– local file	<code>./3039198509-ijmsample.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ijmart
on MikTeX	<code>ijmart</code>
on T _E XLive	<code>ijmart</code>
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
year	2007
last access	2025-02-07

2916 *ijqc* – BibTeX style file for the Intl. J. Quantum Chem

Web page on CTAN	https://ctan.org/pkg/ijqc
name	<code>ijqc</code>
caption	BibTeX style file for the Intl. J. Quantum Chem
author	Mathar, Richard J
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) <i>ijqc.bst</i> is a BibTeX style file to support publication in Wiley's International Journal of Quantum Chemistry. It is not in any way officially endorsed by the publisher or editors, and is provided without any warranty one could ever think of.
documentation	(no language specified) <i>Example output</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/ijqc/xampl.pdf
– local file	<code>./4955478450-xampl.pdf</code>
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/ijqc/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/ijqc

on MikTeX	ijqc
on T _E XLive	ijqc
keyword	bibtex-sty (bibtex-sty(unknown))
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
year	without year
last access	2025-02-07

2917 *ijsra* – LaTeX document class for the International Journal of Student Research in Archaeology

Web page on CTAN <https://ctan.org/pkg/ijsra>

name	ijsra
caption	LaTeX document class for the International Journal of Student Research in Archaeology
author	Bossert, Lukas C.
copyright	Lukas C. Bossert (2016)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2017-07-24)
last changes	2017-07-24
year	2017
description	(no language specified) This is a document class called ijsra which is used for the International Journal of Student Research in Archaeology.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ijsra/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ijsra/ijsra.pdf
– local file	./3619786147-ijsra.pdf
contact	<i>bugs</i> : https://github.com/LukasCBossert/documentclass-ijsra/issues
contact	<i>repository</i> : https://github.com/LukasCBossert/documentclass-ijsra
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ijsra
on MikTeX	ijsra

2918 *imac* – International Modal Analysis Conference format

on T _E XLive	ijsra
keyword	journalpub (typesetting journals, etc)
see also	see section 645 on page 595: (biblatex-ijsra – BibLaTeX style for the International Journal of Student Research in Archaeology)
language(s)	no language specified
last access	2025-02-07

2918 *imac* – International Modal Analysis Conference format

Web page on CTAN <https://ctan.org/pkg/imac>

name	imac
caption	International Modal Analysis Conference format
author	Slater, Joseph
copyright	Joseph C. Slater (1999)
license	gpl = GNU General Public License (free)
description	(no language specified) A set of files for producing correctly formatted documents for the International Modal Analysis Conference. The bundle provides a LaTeX package and a BibTeX style file.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/imac/imac.pdf
– local file	./6058177644-imac.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/imac
on MikT _E X	imac
on T _E XLive	imac
keyword	confproc (typesetting conference proceedings)
language(s)	no language specified
year	1999
last access	2025-02-09

2919 *image-gallery* – Create an overview of pictures from a digital camera or from other sources

Web page on CTAN <https://ctan.org/pkg/image-gallery>

name	image-gallery
caption	Create an overview of pictures from a digital camera or from other sources
author	Niepraschk, Rolf
license	lppl = The LaTeX Project Public License (free)
version	1.0j
description	(no language specified) The class may be used to create an overview of pictures from a digital camera or from other sources. It is possible to adjust the size of the pictures and all the margins. The example file shows the usage.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/image-gallery/README
documentation	(no language specified) <i>Example output</i> : https://ctan.org/tex-archive/macros/latex/contrib/image-gallery/gallery-example.pdf
– local file	./4010697102-gallery-example.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/image-gallery
on MikTeX	image-gallery
on T _E XLive	image-gallery
keyword	class (alternative LaTeX class(es))
keyword	graphics-use (graphics (typesetting actual pictures))
language(s)	no language specified
year	without year
last access	2025-02-07

2920 imakeidx – A package for producing multiple indexes

Web page on CTAN <https://ctan.org/pkg/imakeidx>

name	imakeidx
caption	A package for producing multiple indexes
author	Gregorio, Enrico
author	Beccari, Claudio
copyright	Enrico Gregorio (2010-2016)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3e
description	(no language specified) The package enables the user to produce and typeset one or more indexes simultaneously with a document. The package is known to work in LaTeX documents processed with pdfLaTeX, XeLaTeX and LuaLaTeX. If makeindex is used for processing the index entries, no particular setting up is needed when TeX Live is used. Using xindy or other programs it is necessary to enable shell escape; shell escape is also needed if splitindex is used.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/imakeidx/imakeidx.pdf
– local file	./5539011277-imakeidx.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/imakeidx/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/imakeidx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/imakeidx.tds.zip
on MikTeX	imakeidx
on TeXLive	imakeidx
keyword	index (index support)
language(s)	no language specified
year	2016
last access	2025-02-07

2921 imaketex – An Imake system for TeX

Web page on CTAN <https://ctan.org/pkg/imaketex>

name	Imake-TeX
caption	An Imake system for TeX
author	Klute, Rainer
license	noinfo = noinfo
version	1.0
description	(no language specified) Imake-TeX basically consists of a shell script <code>texmkmf</code> (TeX make makefile) and a template file <code>TeX.tmpl</code>. Their installation is (of course) performed with the help of Imake. The generated Makefile has targets for creating dependency information, and for generating DVI and PostScript output.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/support/imaketex/README
on CTAN	https://ctan.org/tex-archive/support/imaketex
keyword	compilation (the document compilation process)
see also	see section 3339 on page 3013: (<code>latexmk</code> – Fully automated LaTeX document generation)
language(s)	no language specified
year	without year
last access	2025-02-07

2922 imfellenglish – IM Fell English fonts with LaTeX support

Web page on CTAN <https://ctan.org/pkg/imfellenglish>

name	imfellEnglish
caption	IM Fell English fonts with LaTeX support
author	Tennent, Bob
license	ofl = The SIL Open Font License (free)
version	(2022-10-01)
last changes	2022-10-01
year	2022

2923 *imfellflowers* – IM Fell Flower OpenType fonts

description	(no language specified) Igino Marini has implemented digital revivals of fonts bequeathed to Oxford University by Dr. John Fell, Bishop of Oxford and Dean of Christ Church in 1686. This package provides the English family, consisting of Roman, Italic and Small-Cap fonts.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/imfellenglish/doc/imfellEnglish.pdf
– local file	<code>./4912698454-imfellEnglish.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/imfellenglish/README
on CTAN	https://ctan.org/tex-archive/fonts/imfellenglish
installation	https://ctan.org/tex-archive/install/fonts/imfellEnglish.tds.zip
on MikTeX	<code>imfellenglish</code>
on T _E XLive	<code>imfellenglish</code>
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-otf</code> (font in OpenType format)
language(s)	no language specified
last access	2025-02-07

2923 *imfellflowers* – IM Fell Flower OpenType fonts

Web page on CTAN <https://ctan.org/pkg/imfellflowers>

name	<code>imfellflowers</code>
caption	IM Fell Flower OpenType fonts
author	Tennent, Bob
license	nosell = Do Not Sell Except by Arrangement (not free)
version	(2023-07-15)
last changes	2023-07-15
year	2023
description	(no language specified) The package provides two flower fonts in OpenType format by IM Fell, as revived by Igino Marini.
documentation	(no language specified) <i>Sample</i> : https://ctan.org/tex-archive/fonts/imfellflowers/doc/imfellflowers-glyphs.pdf

2924 *impatient* – Free edition of the book "TeX for the Impatient"

– local file	<code>./8204067809-imfellflowers-glyphs.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/imfellflowers/README
home page	https://www.ikern.space/about
on CTAN	https://ctan.org/tex-archive/fonts/imfellflowers
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font</code> (fonts themselves)
language(s)	no language specified
last access	2025-02-07

2924 *impatient* – Free edition of the book "TeX for the Impatient"

Web page on CTAN	https://ctan.org/pkg/impatient
name	<code>impatient</code>
caption	Free edition of the book "TeX for the Impatient"
author	Berry, Karl
author	Hargreaves, Kathryn A.
author	Abrahams, Paul W.
copyright	Paul Abrahams, Kathryn Hargreaves, Karl Berry (2003-2020)
license	fdl = Free Documentation License (free)
version	2020 (2020-01-03)
last changes	2020-01-03
year	2020
description	(no language specified) "TeX for the Impatient" is a book (of around 350 pages) on TeX, Plain TeX and Eplain. The book is also available in French and Chinese translations.
documentation	(no language specified) <i>Basic project information</i> : https://ctan.org/tex-archive/info/impatient/README
documentation	<i>A copy of the book (French translation)</i> : https://ctan.org/tex-archive/info/impatient/fr/fbook.pdf
– local file	<code>./2075286975-fbook.pdf</code>
documentation	<i>A copy of the book (English)</i> : https://ctan.org/tex-archive/info/impatient/book.pdf

– local file	<code>./5679963179-book.pdf</code>
documentation	<i>A copy of the book (Chinese translation):</i> https://ctan.org/tex-archive/info/impatient/cn/cnbook.pdf
– local file	<code>./3302157673-cnbook.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/impatient
on MikTeX	<code>impatient</code>
on TeXLive	<code>impatient</code>
keyword	<code>tut-plaintex</code> (tutorial material for Plain TeX)
keyword	<code>book-src</code> (source of a published book)
keyword	<code>french-doc</code> (documentation in French)
keyword	<code>chinese-doc</code> (documentation in Chinese languages)
language(s)	English; French; Chinese
last access	2025-02-07

2925 *impnatty* – Support typography of l’Imprimerie Nationale Française

Web page on CTAN	https://ctan.org/pkg/impnatty
name	<code>impnatty</code>
caption	Support typography of l’Imprimerie Nationale Française
author	Pinson, Raphaël
copyright	Raphaël Pinson (2011-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.5
description	(no language specified) The package provides useful macros implementing recommendations by the French Imprimerie Nationale.
documentation	(English) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/impnatty/impnatty.pdf
– local file	<code>./4387063771-impnatty.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/impnatty/README.md
documentation	(French) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/impnatty/impnatty-fr.pdf
– local file	<code>./8227838432-impnatty-fr.pdf</code>

2926 *import* – Establish input relative to a directory

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/impnatty
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/impnatty.tds.zip
on MikTeX	impnatty
on T _E XLive	impnatty
keyword	typesetting (support for variations of typographic style)
see also	see section 1775 on page 1602: (e-french – Comprehensive LaTeX support for French-language typesetting)
language(s)	English; French
year	2019
last access	2025-02-07

2926 *import* – Establish input relative to a directory

Web page on CTAN	https://ctan.org/pkg/import
name	import
caption	Establish input relative to a directory
author	Arseneau, Donald
license	pd = Public Domain Software (free)
version	6.2 (2020-04-01)
last changes	2020-04-01
year	2020
description	(no language specified) The commands <code>\import{full_path}{file}</code> and <code>\subimport{path_extension}{file}</code> set up input through standard LaTeX mechanisms (<code>\input</code> , <code>\include</code> and <code>\includegraphics</code>) to load files relative to the <code>\import -ed</code> directory. There are also <code>\includefrom</code> , <code>\subincludefrom</code> , and <code>*</code> variants of the commands.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/import/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/import/import.pdf
– local file	<code>./6459484134-import.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/import

on MikTeX	import
on TeXLive	import
keyword	file-control (manipulation of TeX macro file i/o)
language(s)	no language specified
last access	2025-02-07

2927 *impose* – PostScript imposition and support utilities

Web page on CTAN <https://ctan.org/pkg/impose>

name	impose
caption	PostScript imposition and support utilities
author	Grobgeld, Dov
copyright	Dov Grobgeld (1999)
license	gpl = GNU General Public License (free)
version	0.1
description	(no language specified) Impose is used for two-up printing of DSC-compliant PostScript (including that from Netscape, dvips, and FrameMaker). It makes an effort to remove white space from the printout by probing the original PostScript for the bounding box of the printed area. This makes the output much more aesthetically satisfying than does a simple layout of non-cropped original pages.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/impose/html/index.html
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/support/impose/README
on CTAN	https://ctan.org/tex-archive/support/impose
keyword	ps-manip (manipulate PostScript files)
language(s)	no language specified
year	1999
last access	2025-02-07

2928 *imprintmtshadow* – Support files for the Monotype Imprint Shadow fonts

Web page on CTAN <https://ctan.org/pkg/imprintmtshadow>

name	imprintmtshadow
caption	Support files for the Monotype Imprint Shadow fonts
author	Veytsman, Boris
copyright	Boris Veytsman (2012)
license	other-free = Free license not otherwise listed (free)
version	1.0
description	(no language specified) The fonts themselves are only available for purchase.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/imprintmtshadow/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/imprintmtshadow/imprintmtshadow.pdf
– local file	./5656306639-imprintmtshadow.pdf
on CTAN	https://ctan.org/tex-archive/fonts/imprintmtshadow
installation	https://ctan.org/tex-archive/install/fonts/imprintmtshadow.tds.zip
on MikTeX	imprintmtshadow
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-absent (support is for a font not available on CTAN)
language(s)	no language specified
year	2012
last access	2025-02-07

2929 *imsproc* – Typeset IMS conference proceedings

Web page on CTAN <https://ctan.org/pkg/imsproc>

name	imsproc
caption	Typeset IMS conference proceedings
author	biditex GitHub Organisation
author	Khalighi, Vafa
copyright	Persian TeX Group (2011-2013)

license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1
description	(no language specified) The class typesets papers for IMS (Iranian Mathematical Society) conference proceedings. The class uses the XePersian package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/imsproc/README
contact	<i>bugs</i> : https://github.com/bidi-tex/imsproc/issues
contact	<i>repository</i> : https://github.com/bidi-tex/imsproc
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/imsproc
on MikTeX	imsproc
on T _E XLive	imsproc
keyword	confproc (typesetting conference proceedings)
language(s)	no language specified
year	2013
last access	2025-02-07

2930 *imtekda* – IMTEK thesis class

Web page on CTAN <https://ctan.org/pkg/imtekda>

name	IMTEKda
caption	IMTEK thesis class
author	Dreher, Simon
copyright	Simon Dreher (2005-2009)
license	lpl = The LaTeX Project Public License (free)
version	1.7
description	(no language specified) The class permits typesetting of diploma, bachelor's and master's theses for the Institute of Microsystem Technology (IMTEK) at the University of Freiburg (Germany). The class is based on the KOMA-Script class scrbook . Included in the documentation is a large collection of useful tips for typesetting theses and a list of recommended packages.
documentation	<i>Readme (German)</i> : https://ctan.org/tex-archive/macros/latex/contrib/imtekda/README

documentation	<i>Package documentation (German):</i> https://ctan.org/tex-archive/macros/latex/contrib/imtekda/IMTEKda.pdf
– local file	<code>./8190308108-IMTEKda.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/imtekda
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/imtekda.tds.zip
on MikTeX	<code>imtekda</code>
on TeXLive	<code>imtekda</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
language(s)	German
year	2009
last access	2025-02-07

2931 *incgraph* – Sophisticated graphics inclusion in a PDF document

Web page on CTAN	https://ctan.org/pkg/incgraph
name	<code>incgraph</code>
caption	Sophisticated graphics inclusion in a PDF document
author	Sturm, Thomas F.
copyright	Prof. Dr. Dr. Thomas F. Sturm (2012-2026)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.4.0 (2026-03-04)
last changes	2026-03-04
year	2026
description	(no language specified) The package provides tools for including graphics at the full size of the output medium, or for creating "pages" whose size is that of the graphic they contain. A principal use case is documents that require inclusion of (potentially many) scans or photographs. Bookmarking is especially supported. The tool box has basic macros and a 'convenience' user interface that wraps <code>\includegraphics</code> .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/incgraph/incgraph.pdf

2932 *includernw* – Include .Rnw inside .tex

– local file	<code>./5879476135-incgraph.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/incgraph/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/incgraph
on MikTeX	incgraph
on T _E XLive	incgraph
keyword	graphics-incl (include external graphics)
see also	see section 2609 on page 2362: (graphicx – Enhanced support for graphics)
language(s)	no language specified
last access	2026-04-10

2932 *includernw* – Include .Rnw inside .tex

Web page on CTAN	https://ctan.org/pkg/includernw
name	includeRnw
caption	Include .Rnw inside .tex
author	Storvik Strauman, Andreas
copyright	Andreas Storvik Strauman (2018)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.0 (2018-05-01)
last changes	2018-05-01
year	2018
description	(no language specified) This package is for including .Rnw (knitr/sweave)-files inside .tex -files. It requires that you have R and the R -package knitr installed. Note: This package will probably not work on Windows. It is tested only on OS X, and will probably also work on standard Linux distros.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/includernw/README.txt
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/includernw/includeRnw-doc.pdf
– local file	<code>./2939435204-includeRnw-doc.pdf</code>

contact	<i>bugs</i> : https://github.com/Strauman/includeRnw/issues
contact	<i>repository</i> : https://github.com/Strauman/includeRnw
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/includernw
on MikTeX	includernw
on TeXLive	includernw
keyword	subdocs (include complete documents in other documents)
keyword	statistics (typeset reports, diagrams, etc., of statistics)
keyword	compilation (the document compilation process)
language(s)	no language specified
last access	2025-02-07

2933 *includex* – *Extended \include*

Web page on CTAN	https://ctan.org/pkg/includex
name	<i>includex</i>
caption	<i>Extended \include</i>
author	Swift, Matt
license	gpl = GNU General Public License (free)
version	0.6
description	(no language specified) The package defines a command <code>\includedoc</code>, which allows you to include just the contents of one source file into another, ignoring text outside <code>\begin{document} ... \end{document}</code> in the included file. In other respects, the command behaves like the standard LaTeX command <code>\include</code>. The package is not supported, and is distributed as one of the frankenstein bundle’s ‘appendices’. The package’s functionality is now provided by the newclude package.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/unsupported/includex.pdf
– local file	<code>./3964888846-includex.pdf</code>
documentation	(no language specified) <i>Bundle README</i>: https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/unsupported/README-unsupported

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/unsupported
on MikTeX	frankenstein
keyword	subdocs (include complete documents in other documents)
see also	see section 1649 on page 1495: (docmute – Input files ignoring LaTeX preamble, etc)
see also	see section 5674 on page 5136: (standalone – Compile TeX pictures stand-alone or as part of a document)
see also	see section 4223 on page 3822: (newclude – Reimplemented \include system for LaTeX)
see also	see section 1226 on page 1114: (combine – Bundle individual documents into a single document)
language(s)	no language specified
year	without year
last access	2025-02-07

2934 *inconsolata* – A monospaced font, with support files for use with TeX

Web page on CTAN <https://ctan.org/pkg/inconsolata>

name	inconsolata
caption	A monospaced font, with support files for use with TeX
author	Sharpe, Michael
author	Levien, Raph
author	Berry, Karl
copyright	Michael Sharpe (2013-2017)
license	apache2 = Apache License, version 2.0 (free)
license	ofl = The SIL Open Font License (free)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.121 (2019-06-20)
last changes	2019-06-20
year	2019

description	(no language specified) Inconsolata is a monospaced font designed by Raph Levien. This package contains the font (in both Adobe Type 1 and OpenType formats) in regular and bold weights, with additional glyphs and options to control slashed zero, upright quotes and a shapelier lower-case L, plus metric files for use with TeX, and LaTeX font definition and other relevant files.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/inconsolata/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/inconsolata/doc/inconsolata-doc.pdf
– local file	<code>./4916548565-inconsolata-doc.pdf</code>
home page	http://levien.com/type/myfonts/inconsolata.html
on CTAN	https://ctan.org/tex-archive/fonts/inconsolata
installation	https://ctan.org/tex-archive/install/fonts/inconsolata.tds.zip
on MikTeX	<code>inconsolata</code>
on TeXLive	<code>inconsolata</code>
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-mono</code> (monospaced font)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-t1enc</code> (font providing LaTeX T1 encoding support)
language(s)	no language specified
last access	2025-02-07

2935 *inconsolata-nerd-font* – Inconsolata Nerd Font with support for XeLaTeX or LuaLaTeX

Web page on CTAN	https://ctan.org/pkg/inconsolata-nerd-font
name	<code>inconsolata-nerd-font</code>
caption	Inconsolata Nerd Font with support for XeLaTeX or LuaLaTeX
author	Lukasczyk, Stephan
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
license	ofl = The SIL Open Font License (free)
version	0.5

description	(no language specified) Inconsolata is a monospaced font designed by Raph Levien. It is already available via the inconsolata package. However, that package provides a pretty old version of the font. Additionally, the Nerd Font project extended the font by a huge amount of additional glyphs. This package provides the Inconsolata Nerd Font in <code>.ttf</code> format as well as a convenient interface to load the font for the XeTeX and LuaTeX engines.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/inconsolata-nerd-font/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/inconsolata-nerd-font/inconsolata-nerd-font.pdf
– local file	<code>./2333692602-inconsolata-nerd-font.pdf</code>
contact	<i>bugs</i> : https://github.com/stephanlukasczyk/inconsolata-nerd-font/issues
contact	<i>repository</i> : https://github.com/stephanlukasczyk/inconsolata-nerd-font
on CTAN	https://ctan.org/tex-archive/fonts/inconsolata-nerd-font
on MikTeX	<code>inconsolata-nerd-font</code>
on T _E XLive	<code>inconsolata-nerd-font</code>
keyword	<code>font-ttf</code> (font available in TrueType format)
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-mono</code> (monospaced font)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year
last access	2025-02-07

2936 indent – Environments that change marginsWeb page on CTAN <https://ctan.org/pkg/indent>

name	indent
caption	Environments that change margins
license	noinfo = noinfo
version	(1993-04-09)
last changes	1993-04-09
year	1993
description	(no language specified) Defines an environment <code>indentation</code> that adjusts its margins relative to the rest of the page. Note that (unlike more modern packages such as changepage) the package does not employ a surrounding <code>list</code> environment, so that the user needs to create any necessary skip above or below the indented matter.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/indent.sty
keyword	geometry-adj (temporarily adjust page layout)
language(s)	no language specified
last access	2025-02-07

2937 indentfirst – Indent first paragraph after section headerWeb page on CTAN <https://ctan.org/pkg/indentfirst>

name	indentfirst
caption	Indent first paragraph after section header
author	The LaTeX Project Team
author	Carlisle, David
copyright	David Carlisle (1991-1994)
copyright	The LaTeX3 Project et al. (1993-2023)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.03 (2023-07-02)
last changes	2023-07-02
year	2023

description	(no language specified) This minimalist package is part of the latex-tools bundle in the LaTeX required distribution.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/required/tools/indentfirst.pdf
– local file	<code>./9457900223-indentfirst.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/required/tools
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-tools.tds.zip
on MikTeX	<code>latex-tools</code>
on TeXLive	<code>tools</code>
keyword	typesetting (support for variations of typographic style)
keyword	headings (chapter, section, etc., heading styles)
language(s)	no language specified
last access	2025-02-07

2938 index – Extended index for LaTeX including multiple indexes

Web page on CTAN <https://ctan.org/pkg/index>

name	<code>index</code>
caption	Extended index for LaTeX including multiple indexes
author	Jones, David M.
copyright	David M. Jones (2024, 2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	4.04 (2025-02-06)
last changes	2025-02-06
year	2025
description	(no language specified) This is a reimplementation of LaTeX's indexing macros to provide better support for indexing. For example, it supports multiple indexes in a single document and provides a more robust <code>\index</code> command. It supplies short hand notations for the <code>\index</code> command (<code>^{\word}</code>) and a * variation of <code>\index</code> (abbreviated <code>_{\word}</code>) that prints the word being indexed, as well as creating an index entry for it.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/index/README.md

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/index/index.pdf
– local file	<code>./8733036126-index.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/index
on MikTeX	<code>index</code>
on TeXLive	<code>index</code>
keyword	<code>index-multi</code> (multiple indexes in a document)
keyword	<code>index</code> (index support)
see also	see section 5643 on page 5109: (<code>splitindex</code> – Unlimited number of indexes)
see also	see section 4127 on page 3735: (<code>multind</code> – Multiple indexes in LaTeX documents)
language(s)	no language specified
last access	2025-02-17

2939 *indextools* – Producing multiple indices

Web page on CTAN <https://ctan.org/pkg/indextools>

name	<code>indextools</code>
caption	Producing multiple indices
author	Rouquette, Maïeul
copyright	Enrico Gregorio (2010-2013)
copyright	Maïeul Rouquette (2014-2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.7.0 (2023-10-14)
last changes	2023-10-14
year	2023
description	(no language specified) This package enables the user to produce and typeset one or more indices simultaneously. The package is known to work in LaTeX documents processed with pdfLaTeX, XeLaTeX and LuaLaTeX. If <code>makeindex</code> is used for processing the index entries, no particular setup is needed when TeX Live is used. Using <code>xindy</code> or other programs, it is necessary to enable shell escape. Shell escape is also needed if <code>splitindex</code> is used. This is a fork of <code>imakeidx</code>, with new features and fixed bugs.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/indextools/indextools.pdf
– local file	./3526539357-indextools.pdf
documentation on CTAN	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/indextools/README
on MikTeX	https://ctan.org/tex-archive/macros/latex/contrib/indextools
on T _E XLive	indextools
keyword	index (index support)
see also	see section 2920 on page 2641: (imakeidx – A package for producing multiple indexes)
language(s)	no language specified
last access	2025-02-17

2940 *indextra* – Enhanced index typesetting

Web page on CTAN	https://ctan.org/pkg/indextra
name	indextra
caption	Enhanced index typesetting
author	Cain, Alan J.
copyright	Alan J. Cain (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.21.6 (2025-10-26)
last changes	2025-10-26
year	2025
description	(no language specified) This package provides some enhanced features for typesetting indexes, notably: (1) Continuation text when entries or sub-entries continue from one page or column to the next. (2) An interface for accessing marks created from index entries, so that (for example) a running head can include the range of index entries that appears on the page.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/indextra/

2941 *indic-type1* – Indic Type 1 fonts converted from public Metafont sources

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/indexextra/indexextra-doc.pdf
– local file	<code>./3176647900-indexextra-doc.pdf</code>
contact	<i>bugs:</i> https://codeberg.org/ajcain/indexextra/issues
contact	<i>repository:</i> https://codeberg.org/ajcain/indexextra
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/indexextra
on MikTeX	indexextra
on T _E XLive	indexextra
keyword	expl3 (expl3(unknown))
keyword	index (index support)
language(s)	no language specified
last access	2025-11-02

2941 *indic-type1* – Indic Type 1 fonts converted from public Metafont sources

Web page on CTAN	https://ctan.org/pkg/indic-type1
name	<i>indic-type1</i>
caption	Indic Type 1 fonts converted from public Metafont sources
author	Píška, Karel
license	gpl2 = GNU General Public License, version 2 (free)
version	2.05a
description	(no language specified) Adobe Type 1 version of public Metafont fonts (from CTAN) for 10 Indic scripts: Devanagari, Sanskrit, Gurmukhi/Punjabi, Bangla, Tamil, Sinhala, Malayalam, Kannada, Telugu, Tibetan. The fonts derive from an accurate analytic conversion to outlines using MetaPost output, with subsequent optimization and autohinting with FontForge. The package contains the PFB and map files for 122 fonts, the copies of the TFM files have been also included to allow testing the fonts without the original packages. For font tables, proofsheets and other information see the package home page.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/ps-type1/indic/README

on CTAN	https://ctan.org/tex-archive/fonts/ps-type1/indic
on MikTeX	indic-type1
keyword	font-indic (fonts for languages of the Indian subcontinent)
keyword	font (fonts themselves)
keyword	sanskrit (support for typesetting Sanskrit)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
year	without year
last access	2025-02-07

2942 *induni-om* – Omega fonts for characters used in study of Sanskrit

Web page on CTAN	https://ctan.org/pkg/induni-om
name	induni-om
caption	Omega fonts for characters used in study of Sanskrit
author	Smith, John
license	gpl = GNU General Public License (free)
version	(2009-01-20)
last changes	2009-01-20
year	2009
description	(no language specified) The files are a comprehensive set of virtual fonts for the Latin glyphs used in the study of Sanskrit and similar languages. The virtual fonts are built for use with Omega , and use the URW look-alikes for Times, etc as base fonts.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/induni-om/README
on CTAN	https://ctan.org/tex-archive/fonts/induni-om
keyword	font-virtual (virtual font(s) using existing fonts)
keyword	sanskrit (support for typesetting Sanskrit)
keyword	font-indic (fonts for languages of the Indian subcontinent)
keyword	font (fonts themselves)
keyword	omega (Omega and packages that use it)
language(s)	no language specified

last access 2025-02-07

2943 *indxcite* – Generate author index based on citations

Web page on CTAN <https://ctan.org/pkg/indxcite>

name	indxcite
caption	Generate author index based on citations
author	Ashton, James
license	other-nonfree = License that prevents distribution (not free)
version	1.1
description	(no language specified) A package to automatically generate an Author Index based on citations made using BibTeX. It requires the use of the harvard and index packages and LaTeX2e.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/indxcite/indxcite.pdf
– local file	./2334677927-indxcite.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/indxcite
on MikTeX	indxcite
keyword	index-auth (index of referenced authors)
language(s)	no language specified
year	without year
last access	2025-02-07

2944 *infpic* – Macros to insert pictures in paragraphs

Web page on CTAN <https://ctan.org/pkg/infpic>

name	infpic
caption	Macros to insert pictures in paragraphs
author	Ulrych, Oldrich
license	noinfo = noinfo
version	(1992-07-30)
last changes	1992-07-30
year	1992

description	(no language specified) Provides macros for placing pictures, and Metafont support for making the simple pictures in the first place.
on CTAN	https://ctan.org/tex-archive/macros/generic/infpic
keyword	graphics-use (graphics (typesetting actual pictures))
see also	see section 6726 on page 6067: (<code>wrapfig</code> – Produces figures which text can flow around)
see also	see section 2963 on page 2679: (<code>insbox</code> – Insert pictures/boxes into paragraphs)
see also	see section 2268 on page 2052: (<code>floatflt</code> – Wrap text around floats)
language(s)	no language specified
last access	2025-02-07

2945 *infufrgs* – A LaTeX Class for INF/UFRGS Documents

Web page on CTAN	https://ctan.org/pkg/infufrgs
name	<code>infufrgs</code>
caption	A LaTeX Class for INF/UFRGS Documents
author	Mello Schnorr, Lucas
copyright	UFRGS TeX Users Group (2001-2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	5.0.1 (2026-03-18)
last changes	2026-03-18
year	2026
description	(no language specified) <code>infufrgs</code> is a LaTeX document class that formats theses, dissertations, monographs and research reports following the typographic and bibliographic standards required by the Institute of Informatics (INF) of the Universidade Federal do Rio Grande do Sul (UFRGS), Porto Alegre, Brazil.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/infufrgs/infufrgs-doc.pdf
– local file	<code>./3702926912-infufrgs-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/infufrgs/README.md

2946 `infwarerr` – Complete set of information/warning/error message macros

documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/infufrgs/infufrgs-example.pdf
– local file	<code>./1375202216-infufrgs-example.pdf</code>
home page	https://www.inf.ufrgs.br/utug/
contact	<i>announce:</i> https://listas.inf.ufrgs.br/mailman/listinfo/utug-l
contact	<i>bugs:</i> https://github.com/schnorr/infufrgs/issues
contact	<i>repository:</i> https://github.com/schnorr/infufrgs/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/infufrgs
on MikTeX	<code>infufrgs</code>
on TeXLive	<code>infufrgs</code>
keyword	<code>doc-templ</code> (template to guide document development)
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>std-conform</code> (support conformance to standards)
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
keyword	<code>report-like</code> (regularly-formatted reports)
language(s)	no language specified
last access	2026-04-10

2946 `infwarerr` – Complete set of information/warning/error message macros

Web page on CTAN	https://ctan.org/pkg/infwarerr
name	<code>infwarerr</code>
caption	Complete set of information/warning/error message macros
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2007, 2010)
copyright	Oberdiek Package Support Group (2016-2019)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.5 (2019-12-03)
last changes	2019-12-03
year	2019

description	(no language specified) This package provides a complete set of macros for information, warning and error messages. Under LaTeX, the commands are wrappers for the corresponding LaTeX commands; under Plain TeX they are available as complete implementations.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/infwarrerr/infwarrerr.pdf
– local file	<code>./5934417290-infwarrerr.pdf</code>
contact	<i>bugs:</i> https://github.com/ho-tex/infwarrerr/issues
contact	<i>repository:</i> https://github.com/ho-tex/infwarrerr
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/infwarrerr
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/infwarrerr.tds.zip
on MikTeX	<code>infwarrerr</code>
on TeXLive	<code>infwarrerr</code>
keyword	messages (manage messages to the user)
language(s)	no language specified
last access	2025-02-07

2947 *inhyph* – Hyphenation patterns for Bahasa Indonesia

Web page on CTAN	https://ctan.org/pkg/inhyph
name	<code>inhyph</code>
caption	Hyphenation patterns for Bahasa Indonesia
author	Knappen, Jörg
author	Mart, Terry
copyright	Jörg Knappen and Terry Mart (1996, 1997)
license	gpl = GNU General Public License (free)
version	1.3
on CTAN	https://ctan.org/tex-archive/language/hyphenation/inhyph.tex
keyword	other-lang (support for a language whose support is not otherwise catalogued)
keyword	hyphenation (macros or tables for hyphenation)

2948 initials – Adobe Type 1 decorative initial fonts

language(s)	no language specified
year	1997
last access	2025-02-07

2948 initials – Adobe Type 1 decorative initial fonts

Web page on CTAN	https://ctan.org/pkg/initials
name	initials
caption	Adobe Type 1 decorative initial fonts
author	Loreti, Maurizio
author	Steffmann, Dieter
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) For each font, at least a <code>.pfb</code> and a <code>.tfm</code> file is provided, with an <code>.fd</code> file for use with LaTeX.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/initials/README
on CTAN	https://ctan.org/tex-archive/fonts/initials
on MikTeX	initials
on T _E XLive	initials
keyword	font (fonts themselves)
keyword	font-decor (decorative or initial fonts)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
year	without year
last access	2025-02-07

2949 *inkpaper* – A mathematical paper template

Web page on CTAN <https://ctan.org/pkg/inkpaper>

name `inkpaper`

caption A mathematical paper template

author Liang, Moyan

copyright Moyan Liang (2019)

license gpl3 = GNU General Public License, version 3 (free)

version 1.0

description (no language specified) InkPaper is designed to write mathematical papers, especially designed for

1. Mathematics Students.
2. ZJGS students.
3. magazine editors.

NOTICE. This is not a *Thesis* class.

documentation (English) *Package documentation:* <https://ctan.org/tex-archive/macros/latex/contrib/inkpaper/inkpaper-en.pdf>

– local file `./4574132526-inkpaper-en.pdf`

documentation (Chinese (China)) *Package documentation:* <https://ctan.org/tex-archive/macros/latex/contrib/inkpaper/inkpaper-cn.pdf>

– local file `./4660479124-inkpaper-cn.pdf`

documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/macros/latex/contrib/inkpaper/README.md>

contact *support:* <https://github.com/inklatex-group/inkpaper/issues>

contact *repository:* <https://github.com/inklatex-group/inkpaper/>

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/inkpaper>

on MikTeX `inkpaper`

on T_EXLive `inkpaper`

keyword `maths` (support for typesetting mathematics)

keyword `maths-theorem` (typeset mathematical theorems)

language(s) English; Chinese (China)

year 2019
last access 2025-02-07

2950 *inline-images* – Inline images in base64 encoding

Web page on CTAN <https://ctan.org/pkg/inline-images>

name *inline-images*
caption Inline images in base64 encoding
author Wäckerlin, Marc
license lgpl3 = GNU Lesser General Public License 3 (free)
version 1.0
description (no language specified) The package provides a command `\inlineimg` to dynamically create a file containing the inline image in base64 format, which is decoded and included in the source file.

Requirements

- LaTeX must be run with option `-shell-escape` .
- Program `base64` .

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/inline-images/README.md>

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/inline-images>

on MikTeX *inline-images*

on T_EXLive *inline-images*

keyword *image-supp* (manipulating images for inclusion in documents)

language(s) no language specified

year without year

last access 2025-02-07

2951 inlinebib – Citations in footnotes

Web page on CTAN <https://ctan.org/pkg/inlinebib>

name	inlinebib
caption	Citations in footnotes
author	Seindal, René
copyright	René Seindal (1994, 1995)
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) A BibTeX style and a LaTeX package that allow for a full bibliography at the end of the document as well as citation details in footnotes. The footnote details include "op. cit." and "ibid." contractions.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/biblio/bibtex/contrib/inlinebib/inlinebib.htm
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/inlinebib
on MikTeX	inlinebib
on TeXLive	inlinebib
keyword	cite-foot (citations in footnotes)
language(s)	no language specified
year	1995
last access	2025-02-07

2952 inlinedef – Inline expansions within definitions

Web page on CTAN <https://ctan.org/pkg/inlinedef>

name	inlinedef
caption	Inline expansions within definitions
author	Hicks, Stephen
copyright	Stephen D. Hicks (2008)
license	lppl = The LaTeX Project Public License (free)
version	1.0

2953 *inlinedef* – Insert inline images, with automatic size/positioning

description	(no language specified) The package provides a macro <code>\Inline</code> that precedes a <code>\def</code> or <code>\gdef</code> . Within the definition text of an inlined definition, keywords such as <code>\Expand</code> may be used to selectively inline certain expansions at definition-time. This eases the process of redefining macros in terms of the original definition, as well as definitions in which the token that must be expanded is deep within, where <code>\expandafter</code> would be difficult and <code>\edef</code> is not suitable. Another application is as an easier version of <code>\aftergroup</code> , by defining a macro in terms of expanded local variables, then ending the group with <code>\expandafter\endgroup\macro</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/inlinedef/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/inlinedef/inlinedef.pdf
– local file	<code>./8958415851-inlinedef.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/inlinedef
on MikTeX	<code>inlinedef</code>
on TeXLive	<code>inlinedef</code>
keyword	macro-def (alternative ways of defining macros)
language(s)	no language specified
year	2008
last access	2025-02-07

2953 *inlinegraphicx* – Insert inline images, with automatic size/positioning

Web page on CTAN	https://ctan.org/pkg/inlinegraphicx
name	<code>inlinegraphicx</code>
caption	Insert inline images, with automatic size/positioning
author	Pierquet, Cédric
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.0 (2024-11-06)
last changes	2024-11-06
year	2024
description	(no language specified) Insert inline images (based on <i>graphicx</i> and <i>calc</i> packages), with automatic size/positioning.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/inlinegraphicx/doc/inlinegraphicx-doc.pdf
– local file	<code>./1320424490-inlinegraphicx-doc.pdf</code>
documentation on CTAN	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/inlinegraphicx/README.md https://ctan.org/tex-archive/macros/latex/contrib/inlinegraphicx
on T _E XLive	<code>inlinegraphicx</code>
keyword	<code>graphics-incl</code> (include external graphics)
language(s)	no language specified
last access	2025-05-27

2954 `inlinelabel` – Assign equation numbers to inline equations

Web page on CTAN	https://ctan.org/pkg/inlinelabel
name	<code>inlinelabel</code>
caption	Assign equation numbers to inline equations
author	Kusakabe, Yukoh
copyright	Yukoh Kusakabe (2022)
license	mit = MIT License (free)
version	1.2.1 (2022-07-08)
last changes	2022-07-08
year	2022
description	(no language specified) This package can assign equation numbers to inline equations. When Japanese is supported, you can switch to circled equation numbers.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/inlinelabel/inlinelabel.pdf
– local file	<code>./4000380580-inlinelabel.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/inlinelabel/README.md
home page	https://www.metaphysica.info/technote/package_inlinelabel/

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/inlinelabel
on MikTeX	inlinelabel
on T _E XLive	inlinelabel
keyword	label-ref (label and reference systems)
language(s)	no language specified
last access	2025-02-07

2955 innerscript – Small modifications to math formatting

Web page on CTAN <https://ctan.org/pkg/innerscript>

name	innerscript
caption	Small modifications to math formatting
author	Kosowsky, Conrad
copyright	Conrad Kosowsky (2021, 2023-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.4a (2025-05-08)
last changes	2025-05-08
year	2025
description	(no language specified) This package optionally modifies four aspects of TeX's automatic math formatting to improve typesetting: (1) it adds extra space around relation and operation symbols in superscripts and subscripts; (2) it removes extra space around <code>\left - \right</code> delimiter pairs; (3) it adds extra space after right delimiters in certain situations; and (4) it forces <code>\left</code> and <code>\right</code> delimiters to completely cover their contents. Using LuaLaTeX is required.
documentation	(no language specified) <i>User guide</i> : https://ctan.org/tex-archive/macros/luatex/latex/innerscript/innerscript-user-guide.pdf
– local file	<code>./8178769309-innerscript-user-guide.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/innerscript/README.txt
documentation	(no language specified) <i>Code implementation</i> : https://ctan.org/tex-archive/macros/luatex/latex/innerscript/innerscript-code.pdf
– local file	<code>./8577516980-innerscript-code.pdf</code>

on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/inner-script
on MikTeX	inner-script
on TeXLive	inner-script
keyword	maths (support for typesetting mathematics)
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
last access	2025-09-11

2956 inputenc – Accept different input encodings

Web page on CTAN	https://ctan.org/pkg/inputenc
name	inputenc
caption	Accept different input encodings
author	Jeffrey, Alan
author	Mittelbach, Frank
author	The LaTeX Project Team
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3d (2024-02-08)
last changes	2024-02-08
year	2024
description	(no language specified) The package translates various standard and other input encodings into a ‘LaTeX internal language’. The internal language is expressed entirely in TeX’s base encoding (standard ASCII printable characters, carriage control tokens and TeX control sequences, the latter mostly defined by LaTeX). The package is part of the LaTeX distribution.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/base/inputenc.pdf
– local file	./2570069379-inputenc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/base
on MikTeX	ltxbase
on TeXLive	latex
keyword	enc-juggle (conversion between encodings)

keyword	tagged-pdf (tagged PDF compatible)
see also	see section 2957 on page 2674: (<i>inputenx</i> – Enhanced input encoding handling)
language(s)	no language specified
last access	2026-04-10

2957 *inputenx* – Enhanced input encoding handling

Web page on CTAN <https://ctan.org/pkg/inputenx>

name	<i>inputenx</i>
caption	Enhanced input encoding handling
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2006-2011)
copyright	Oberdiek Package Support Group (2016-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.12 (2019-11-29)
last changes	2019-11-29
year	2019
description	(no language specified) This package deals with input encodings. It provides a wider range of input encodings using standard mappings, than does <i>inputenc</i> ; it also covers nearly all slots. In this way, it serves as more uptodate replacement for package <i>inputenc</i> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/inputenx/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/inputenx/inputenx.pdf
– local file	<code>./7235664699-inputenx.pdf</code>
contact	<i>bugs</i> : https://github.com/ho-tex/inputenx/issues
contact	<i>repository</i> : https://github.com/ho-tex/inputenx
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/inputenx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/inputenx.tds.zip
on MikTeX	<i>inputenx</i>

2958 *inputfile* – Input LaTeX files, remembering the file name

on T _E XLive	inputenx
keyword	inputenc (input encoding support for TeX engines)
language(s)	no language specified
last access	2025-02-07

2958 *inputfile* – Input LaTeX files, remembering the file name

Web page on CTAN <https://ctan.org/pkg/inputfile>

name	inputfile
caption	Input LaTeX files, remembering the file name
author	Tucci, R.
license	noinfo = noinfo
version	(1991-02-21)
last changes	1991-02-21
year	1991
description	(no language specified) The package keeps the file name as the file is input; the name of the current file may be retrieved using the command <code>\inputfilename</code> .
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/inputfile.sty
keyword	doc-tool (document development tools)
see also	see section 2215 on page 2004: (FINK – The LaTeX2e File Name Keeper)
language(s)	no language specified
last access	2025-02-07

2959 *inputnormalization* – Wrapper for XeTeX’s and LuaTeX’s input normalization

Web page on CTAN <https://ctan.org/pkg/inputnormalization>

name	inputnormalization
caption	Wrapper for XeTeX’s and LuaTeX’s input normalization
author	Krüger, Marcel
copyright	Marcel Krüger (2021)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)

2960 *inputtrc* – Trace which file loads which

version	0.2
description	(no language specified) This package provides a cross engine interface to normalizing input before it's read by TeX. It is based on XeTeX's <code>\XeTeXinputnormalization</code> primitive and lua-uni-algos for LuaTeX.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/unicodetex/generic/inputnormalization/inputnormalization.pdf
– local file	<code>./4449734800-inputnormalization.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/unicodetex/generic/inputnormalization/README.md
contact	<i>repository:</i> https://github.com/zauguin/inputnormalization
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/generic/inputnormalization
on MikTeX	<code>inputnormalization</code>
on TeXLive	<code>inputnormalization</code>
keyword	unicode (Unicode, material supporting it, and packages requiring it)
keyword	luatex (LuaTeX and packages that require it)
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
language(s)	no language specified
year	2021
last access	2025-02-09

2960 *inputtrc* – Trace which file loads which

Web page on CTAN	https://ctan.org/pkg/inputtrc
name	<code>inputtrc</code>
caption	Trace which file loads which
author	Lück, Uwe
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.3

description	(no language specified) The package produces screen/log messages of the form ‘<current> INPUTTING <next>’ reporting LaTeX input commands (<current> and <next> being file names). The message is indented to reflect the level of input nesting. Tracing may be turned on and off, and the unit of indentation may be adjusted. The implementation somewhat resembles those of packages FiNK and inputfile . .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/inputtrc/doc/inputtrc.pdf
– local file	./5499759408-inputtrc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/inputtrc/README
contact	<i>support:</i> http://www.webdesign-bu.de/uwe_lueck/contact.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/inputtrc
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/inputtrc.tds.zip
on MikTeX	inputtrc
on TeXLive	inputtrc
keyword	debug-supp (support for package or document debugging)
language(s)	no language specified
year	without year
last access	2025-02-07

2961 inriafonts – Inria fonts with LaTeX support

Web page on CTAN <https://ctan.org/pkg/inriafonts>

name	inriafonts
caption	Inria fonts with LaTeX support
author	Markey, Nicolas
license	lppl = The LaTeX Project Public License (free)
license	ofl = The SIL Open Font License (free)
version	1.0

description	(no language specified) Inria is a free font designed by Black[Foundry] for Inria research institute. The font is available for free. It comes as Serif and Sans Serif, each with three weights and matching italics. Using these fonts with XeLaTeX and LuaLaTeX is easy using the fontspec package; we refer to the documentation of fontspec for more information. The present package provides a way of using them with LaTeX and pdfLaTeX: it provides two style files, <code>InriaSerif.sty</code> and <code>InriaSans.sty</code>, together with the PostScript version of the fonts and their associated files. These were created using <code>autoinst</code>.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/inriafonts/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/inriafonts/doc/inriafonts.pdf
– local file	<code>./5336541846-inriafonts.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/inriafonts
on MikTeX	<code>inriafonts</code>
on TeXLive	<code>inriafonts</code>
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font-sans</code> (sans-serif font)
keyword	<code>font-tlenc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
language(s)	no language specified
year	without year
last access	2025-02-07

2962 *inrstex* – Extended Plain TeX for use with MLTeXWeb page on CTAN <https://ctan.org/pkg/inrstex>

name	inrstex
caption	Extended Plain TeX for use with MLTeX
author	Ferguson, Michael J.
license	noinfo = noinfo
version	(1991-09-17)
last changes	1991-09-17
year	1991
description	(no language specified) INRSTeX supports the preparation of documents in several languages, using ordinary fonts. It is usable with any TeX system, but is most useful when using ordinary CM fonts with an MLTeX system. The macros include support for PostScript graphics.
on CTAN	https://ctan.org/tex-archive/obsolete/macros/inrstex
keyword	format (macros to build a format)
language(s)	no language specified
last access	2025-02-07

2963 *insbox* – Insert pictures/boxes into paragraphsWeb page on CTAN <https://ctan.org/pkg/insbox>

name	insbox
caption	Insert pictures/boxes into paragraphs
author	Gulczynski, Michal
license	pd = Public Domain Software (free)
version	2.2
description	(no language specified) The package provides convenient bundling of the <code>\parshape</code> primitive. LaTeX users should note that this is a generic package, and should be loaded using <code>\input</code> .
documentation	(no language specified) <i>Examples of use:</i> https://ctan.org/tex-archive/macros/generic/insbox/demo.pdf
– local file	<code>./4124102419-demo.pdf</code>

on CTAN	https://ctan.org/tex-archive/macros/generic/insbox
on MikTeX	insbox
on T _E XLive	insbox
keyword	text-flow (flow text round an insertion in the paragraph)
see also	see section 2944 on page 2662: (infpic – Macros to insert pictures in paragraphs)
see also	see section 6726 on page 6067: (wrapfig – Produces figures which text can flow around)
see also	see section 2268 on page 2052: (floatflt – Wrap text around floats)
language(s)	no language specified
year	without year
last access	2025-02-07

2964 *inscrutable* – A response to Perl hackers' silliness

Web page on CTAN	https://ctan.org/pkg/inscrutable
name	inscrutable
caption	A response to Perl hackers' silliness
author	Greene, Andrew
license	noinfo = noinfo
version	(1993-02-15)
last changes	1993-02-15
year	1993
description	(no language specified) A sillier way to produce a simple message would be hard to imagine.
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/inscrutable.tex
on MikTeX	genmisc
keyword	frivolous (TeX code as a source of humour)
see also	see section 6797 on page 6133: (xii – Christmas silliness (English))
language(s)	no language specified
last access	2025-02-07

2965 *insdljs* – Insert document-level JavaScript in LaTeX documents

Web page on CTAN <https://ctan.org/pkg/insdljs>

name	insdljs
caption	Insert document-level JavaScript in LaTeX documents
author	Story, Donald P.
copyright	D. P. Story (2001-2021)
license	lppl = The LaTeX Project Public License 1 (free)
version	2.5.5 (2021-06-19)
last changes	2021-06-19
year	2021
description	(no language specified) The package defines an <code>insDLJS</code> environment and an <code>\OpenAction</code> command which specifies action to be performed when the document is opened at page 1. Various other supporting and other macros are defined. The package is part of the AcroTeX bundle.
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/acrotex/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/acrotex
on MikTeX	acrotex
keyword	pdf-feat (access PDF features)
language(s)	no language specified
last access	2025-02-07

2966 *inslrmaj* – Fonts based on the Insular Majuscule manuscript book-hand

Web page on CTAN <https://ctan.org/pkg/inslrmaj>

name	inslrmaj
caption	Fonts based on the Insular Majuscule manuscript book-hand
author	Wilson, Peter R.
license	lppl = The LaTeX Project Public License (free)

description	(no language specified) The <i>inslrmaj</i> and <i>allimaj</i> packages provide Metafont fonts based on the Insular Majuscule manuscript book-hand used between the 6th and 9th centuries. The font consists of majuscules and digits, with some appropriate period punctuation marks and ligatures. Both normal and bold versions are provided. This is one of a set of manuscript fonts . Access to the docmfp package is desirable but not essential.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/bookhands/inslrmaj/README
on CTAN	https://ctan.org/tex-archive/fonts/bookhands/inslrmaj
on MikTeX	<i>inslrmaj</i>
keyword	font (fonts themselves)
keyword	font-medieval (fonts for Medieval script)
keyword	font-bookhand (fonts of scripts used for manuscript books)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	no language specified
year	without year
last access	2025-02-07

2967 *inslrmin* – Fonts based on the Insular Minuscule manuscript book-hand

Web page on CTAN	https://ctan.org/pkg/inslrmin
name	<i>inslrmin</i>
caption	Fonts based on the Insular Minuscule manuscript book-hand
author	Wilson, Peter R.
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The <i>inslrmin</i> and <i>allimin</i> packages provide Metafont fonts based on the Insular Miniscules manuscript book-hand used from the 6th century onwards. The font consists of minuscules and digits, with some appropriate period punctuation marks and ligatures. Both normal and bold versions are provided. This is one of a set of manuscript fonts . Access to the docmfp package is desirable but not essential.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/bookhands/inslrmin/README
on CTAN	https://ctan.org/tex-archive/fonts/bookhands/inslrmin

on MikTeX	inslrmn
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
keyword	font-medieval (fonts for Medieval script)
keyword	font-bookhand (fonts of scripts used for manuscript books)
language(s)	no language specified
year	without year
last access	2025-02-07

2968 **install-latex-guide-zh-cn – A short introduction to LaTeX installation written in Chinese**

Web page on CTAN	https://ctan.org/pkg/install-latex-guide-zh-cn
name	Install-LaTeX-Guide-zh-cn
caption	A short introduction to LaTeX installation written in Chinese
author	Wang, Ran
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2024.9.1
description	(no language specified) This package will introduce the operations related to installing TeX Live (introducing MacTeX in macOS), upgrading macro packages, and compiling simple documents on Windows 10, Ubuntu 20.04, and macOS systems, and mainly introducing command line operations.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/install-latex-guide-zh-cn/README.md
documentation	(Chinese) <i>The document itself</i> : https://ctan.org/tex-archive/info/install-latex-guide-zh-cn/install-latex-guide-zh-cn.pdf
– local file	./5460986162-install-latex-guide-zh-cn.pdf
contact	<i>repository</i> : https://github.com/OsbertWang/install-latex-guide-zh-cn
on CTAN	https://ctan.org/tex-archive/info/install-latex-guide-zh-cn
on T _E XLive	install-latex-guide-zh-cn
keyword	chinese-doc (documentation in Chinese languages)
keyword	tutorial (tutorial material (general))

language(s)	Chinese
year	without year
last access	2025-02-07

2969 *installfont* – A bash script for installing a LaTeX font family

Web page on CTAN <https://ctan.org/pkg/installfont>

name	installfont
caption	A bash script for installing a LaTeX font family
author	Kleber, Josef
copyright	Josef Kleber (2009-2010, 2013)
license	lppl = The LaTeX Project Public License (free)
version	1.7
description	(no language specified) With this script you can install a LaTeX font family (PostScript Type 1, TrueType and OpenType formats are supported). Font series from light to ultra bold, and (faked) small caps and (faked) slanted shapes are supported, but not expert fonts. The script will rename the fonts automatically (optional) or will otherwise expect the *.afm files and the font files (in PostScript Type1 format) named in the Karl Berry scheme (e.g. 5bbr8a.pfb). After running the script, you should have a working font installation in your local TeX tree.
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/support/installfont/installfont.pdf
– local file	./4780850714-installfont.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/installfont/README
contact	<i>repository</i> : https://bitbucket.org/kleberj/installfont/
on CTAN	https://ctan.org/tex-archive/support/installfont
on T _E XLive	installfont
keyword	font-proc (process fonts for use with TeX (includes installation))
language(s)	English
year	2013
last access	2025-02-07

2970 intcalc – Expandable arithmetic operations with integers

Web page on CTAN <https://ctan.org/pkg/intcalc>

name	intcalc
caption	Expandable arithmetic operations with integers
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2007)
copyright	Oberdiek Package Support Group (2016-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3 (2019-12-15)
last changes	2019-12-15
year	2019
description	(no language specified) This package provides expandable arithmetic operations with integers, using the e-TeX extension <code>\numexpr</code> if it is available.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/intcalc/intcalc.pdf
– local file	./4813956372-intcalc.pdf
contact	<i>bugs</i> : https://github.com/ho-tex/intcalc/issues
contact	<i>repository</i> : https://github.com/ho-tex/intcalc
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/intcalc
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/intcalc.tds.zip
on MikTeX	intcalc
on TeXLive	intcalc
keyword	calculation (perform calculations within TeX)
keyword	arithmetic (perform and typeset arithmetic problems)
language(s)	no language specified
last access	2025-02-07

2971 **inter** – The **inter** font face with support for LaTeX, XeLaTeX, and LuaLaTeX

Web page on CTAN <https://ctan.org/pkg/inter>

name	<code>inter</code>
caption	The <i>inter</i> font face with support for LaTeX, XeLaTeX, and LuaLaTeX
author	Ebinger, Carl-Clemens
copyright	The Inter Project Authors (2016-2023)
license	lppl = The LaTeX Project Public License (free)
license	ofl = The SIL Open Font License (free)
version	(2023-11-24)
last changes	2023-11-24
year	2023
description	(no language specified) This package provides LaTeX, pdfLaTeX, XeLaTeX and LuaLaTeX support for the Inter Sans family of fonts (version 3.015), designed by Rasmus Andersson. Inter is a typeface specially designed for user interfaces with focus on high legibility of small-to-medium sized text on computer screens. The family features a tall x-height to aid in readability of mixed-case and lower-case text.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/inter/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/inter/doc/inter-samples.pdf
– local file	<code>./4533519436-inter-samples.pdf</code>
contact	<i>repository</i> : https://github.com/ccebinger/CTAN_Inter
on CTAN	https://ctan.org/tex-archive/fonts/inter
on MikTeX	<code>inter</code>
on TeXLive	<code>inter</code>
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-sans</code> (sans-serif font)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-t1enc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)

keyword	font-proportional (variable-spaced font)
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
last access	2025-02-07

2972 *interactiveanimation* – Create PDF files with branching animations

Web page on CTAN <https://ctan.org/pkg/interactiveanimation>

name	interactiveanimation
caption	Create PDF files with branching animations
author	Toro, Javier
author	González, Luis
author	Linares, Pedro
copyright	Luis González, Javier Toro and Pedro Linares (2012-2013)
license	lppl = The LaTeX Project Public License (free)
version	0.2
description	(no language specified) The package provides an interface to create PDF files with branching animations. Animations are built up as a set of concatenated interactive frames; frames may contain images, and buttons which may control the progress of the animation. The package only works with <code>pdflatex</code>.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/interactiveanimation/interactiveanimation.pdf
– local file	<code>./2264732371-interactiveanimation.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/interactiveanimation/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/interactiveanimation
on MikTeX	interactiveanimation
keyword	graphics-motion (motion graphics)
language(s)	no language specified
year	2013
last access	2025-02-07

2973 *interactiveplot* – Provides an interface to create interactive 2D/3D functions inside a PDF file

Web page on CTAN <https://ctan.org/pkg/interactiveplot>

name	<code>interactiveplot</code>
caption	Provides an interface to create interactive 2D/3D functions inside a PDF file
author	Toro, Javier
author	Bock, Roberto
author	Linares, Pedro
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) The package provides an interface to create interactive 2D/3D functions inside a PDF file. It requires pdfTeX 1.2 or later. The output can only be viewed in Adobe Reader 11.0 or later.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/interactiveplot/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/interactiveplot/interactiveplotmanual.pdf
– local file	<code>./3124469281-interactiveplotmanual.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/interactiveplot
on MikTeX	<code>interactiveplot</code>
keyword	graphics-plot (plot data)
language(s)	no language specified
year	without year
last access	2025-02-07

2974 *interactiveworkbook* – LaTeX-based interactive PDF on the WebWeb page on CTAN <https://ctan.org/pkg/interactiveworkbook>

name	interactiveworkbook
caption	LaTeX-based interactive PDF on the Web
author	Kuhn, Jonathan
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The package <i>interactiveworkbook</i> gives the user the ability to write LaTeX documents which, ultimately, create interactive question-and-answer Portable Document Format (PDF) tutorials meant to be used by Internet students and that, in particular, freely use mathematical notation.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/interactiveworkbook/documentation/interactiveworkbookmanual.pdf
– local file	./4911282305-interactiveworkbookmanual.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/interactiveworkbook
on MikTeX	interactiveworkbook
on T _E XLive	interactiveworkbook
keyword	tutorial (tutorial material (general))
language(s)	no language specified
year	without year
last access	2025-02-07

2975 *interchar* – Managing character class schemes in XeTeXWeb page on CTAN <https://ctan.org/pkg/interchar>

name	interchar
caption	Managing character class schemes in XeTeX
author	Hu, Zou
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2

2976 *interfaces* – Set parameters for other packages, conveniently

description	(no language specified) The package manages character class schemes of XeTeX. Using this package, you may switch among different character class schemes. Migration commands are provided for make packages using this mechanism compatible with each others.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/interchar/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/xetex/latex/interchar/interchar.pdf
– local file	<code>./5173146424-interchar.pdf</code>
contact	<i>repository</i> : https://github.com/zohooo/interchar
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/interchar
installation	https://ctan.org/tex-archive/install/macros/xetex/latex/interchar.tds.zip
on MikTeX	<code>interchar</code>
on T _E XLive	<code>interchar</code>
keyword	<code>xetex</code> (XeTeX, material supporting it, and packages requiring it)
language(s)	no language specified
year	without year
last access	2025-02-09

2976 *interfaces* – Set parameters for other packages, conveniently

Web page on CTAN	https://ctan.org/pkg/interfaces
name	<code>interfaces</code>
caption	Set parameters for other packages, conveniently
author	Chervet, Florent
copyright	Florent Chervet (2010)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.1

description	(no language specified) The package provides a small number of convenient macros that access features in <i>other</i> frequently-used packages, or provide interfaces to other useful facilities such as the pdfTeX <code>\pdfelapsedtime</code> primitive. Most of these macros use pgfkeys to provide a key-value syntax. The package also uses the package <code>scrfile</code> from the Koma-Script bundle (for controlled loading of other files) and etoolbox . The package is bundled with sub-packages containing actual interfaces: by default, the package loads all available sub-packages, but techniques are provided for the user to select no more than the interfaces needed for a job.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/interfaces/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/interfaces/interfaces.pdf
– local file	<code>./1440577448-interfaces.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/interfaces
on MikTeX	interfaces
on TeXLive	interfaces
keyword	package-supp (support for other packages)
language(s)	no language specified
year	2010
last access	2025-02-07

2977 *interlinear* – A package for creating interlinear glossed texts with customizable formatting

Web page on CTAN <https://ctan.org/pkg/interlinear>

name	interlinear
caption	A package for creating interlinear glossed texts with customizable formatting
author	Josué, Akpoué Kouamé
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0

2978 *interpol* – Add interpolation to MetaPost graph package

description	(no language specified) The <code>interlinear</code> package facilitates the creation of interlinear glossed texts, commonly used in linguistic examples. It is based on the <code>gb4e</code> package and builds upon its functionality to provide enhanced features. It offers extensive customization options, allowing users to control font styles, formatting, and layout. With predefined styles and margin note customization, <code>interlinear</code> provides a flexible solution for presenting linguistic data.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/interlinear/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/interlinear/interlinear-doc.pdf
– local file	<code>./3831230606-interlinear-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/interlinear
on MikTeX	<code>interlinear</code>
on T _E XLive	<code>interlinear</code>
keyword	linguistic (support for linguistics)
language(s)	no language specified
year	without year
last access	2025-02-07

2978 *interpol* – Add interpolation to MetaPost graph package

Web page on CTAN <https://ctan.org/pkg/interpol>

name	<code>interpol</code>
caption	Add interpolation to MetaPost graph package
author	Vieth, Ulrik
license	<code>noinfo = noinfo</code>
version	1.04
description	(no language specified) This file declares a new internal quantity interpolating and modifies the <code>augment</code> and <code>Mreadpath</code> routines of the MetaPost graph package (part of the base MetaPost distribution) to construct a path from data points using Bezier curves instead of polygons (line segments) when <code>interpolating</code> is set positive. Use of this feature can lead to severe distortions if the data isn't suitable. Its usefulness may best be seen when plotting smooth functions evaluated numerically at discrete intervals.

on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/misc/interpol.mp
keyword	graphics (graphics (support packages))
language(s)	no language specified
year	without year
last access	2025-02-07

2979 *interpreter* – Translate input files on the fly

Web page on CTAN <https://ctan.org/pkg/interpreter>

name	<code>interpreter</code>
caption	Translate input files on the fly
author	Isambert, Paul
author	Robbers, Yuri
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) The package preprocesses input files to a Lua(La)TeX run, on the fly. The user defines Lua regular expressions to search for patterns and modify input lines (or entire paragraphs) accordingly, before TeX reads the material. In this way, documents may be prepared in a non-TeX language (e.g., some lightweight markup language) and turned into ‘proper’ TeX for processing. The source of the documentation is typed in such a lightweight language and is thus easily readable in a text editor (the PDF file is also available, of course); the transformation to TeX syntax via Interpreter’s functions is explained in the documentation itself. Interpreter is implemented using the author’s gates (lua version), and works for plain TeX and LaTeX, but not ConTeXt.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/interpreter/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/generic/interpreter/interpreter-doc.pdf
– local file	<code>./8335734259-interpreter-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/interpreter

on MikTeX	interpreter
on TeXLive	interpreter
keyword	luatex (LuaTeX and packages that require it)
keyword	foreign-import (import files in a non-TeX (or different TeX) format)
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	without year
last access	2025-02-09

2980 *interval* – Format mathematical intervals, ensuring proper spacing

Web page on CTAN <https://ctan.org/pkg/interval>

name	interval
caption	Format mathematical intervals, ensuring proper spacing
author	Madsen, Lars
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.4 (2019-03-06)
last changes	2019-03-06
year	2019
description	(no language specified) When typing an open interval as $]a, b[$, a closing bracket is being used in place of an opening fence and vice versa. This leads to the wrong spacing in, say, $] -a, b[$ or $\\$A\in]a, b[=B\\$. The package attempts to solve this using: <pre>\interval{a}{b} -> [a,b] \interval[open]{a}{b} ->]a,b[\interval[open left]{a}{b} ->]a,b]</pre> The package also supports fence scaling and ensures that the enclosing fences will end up having the proper closing and opening types. TeX maths does not do this job properly. The package depends on pgfkeys.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/interval/interval.pdf
– local file	./7434102523-interval.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/interval/README

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/interval
on MikTeX	interval
on T _E XLive	interval
keyword	maths (support for typesetting mathematics)
keyword	paren-mgmt (match and otherwise manage parentheses)
language(s)	no language specified
last access	2025-02-07

2981 *intex* – Support typesetting and indexing words and phrases

Web page on CTAN	https://ctan.org/pkg/intex
name	intex
caption	Support typesetting and indexing words and phrases
author	Ranange, Martin Thorsen
license	gpl3 = GNU General Public License, version 3 (free)
version	1.8.0
description	(no language specified) The package adds functionality to LaTeX to ease typesetting and indexing of phrases, acronyms, and proper names in a consistent manner throughout documents of arbitrary length. The package provides a processor <code>mkintex</code>, that processes an intermediate <code>.itx</code> file, generating appropriate entries for both LaTeX and makeindex.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/support/intex/README
on CTAN	https://ctan.org/tex-archive/support/intex
keyword	index-proc (process and/or generate index material)
language(s)	no language specified
year	without year
last access	2025-02-07

2982 *intexgral* – A LaTeX package for typesetting integralsWeb page on CTAN <https://ctan.org/pkg/intexgral>name *intexgral*

caption A LaTeX package for typesetting integrals

author Dao, Valentin

copyright Valentin Dao (2025)

license lpl1.3c = The LaTeX Project Public License 1.3c (free)

version 3.0.1 (2026-01-02)

last changes 2026-01-02

year 2026

description (no language specified) Typesetting integrals, although common in LaTeX, is not particularly practical. The way in which the different parts are managed often generates unreadable source code, making modifications laborious. The package therefore follows a simple philosophy: focus on the essential element of an integral, the integrand. Everything else (limits, differentials, symbols) can be modified using keys. These keys are designed to allow you to easily and quickly change the style of an integral. Additionally, the package provides various auxiliary macros to support some keys which can have lengthy inputs.

documentation *Package documentation (French)*: <https://ctan.org/tex-archive/macros/latex/contrib/intexgral/intexgral-fr.pdf>

– local file ./8143371913-intexgral-fr.pdf

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/intexgral/README.md>

documentation (no language specified) *Package documentation (English)*:
<https://ctan.org/tex-archive/macros/latex/contrib/intexgral/intexgral-en.pdf>

– local file ./4023227693-intexgral-en.pdf

contact *bugs*: <https://github.com/ankaa3908/intexgral/issues>contact *repository*: <https://github.com/ankaa3908/intexgral/tree/main>

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/intexgral>

on MikTeX *intexgral*on T_EXLive *intexgral*

keyword maths (support for typesetting mathematics)

language(s) French
last access 2026-01-14

2983 *intopdf* – Embed non-PDF files into PDF with hyperlink

Web page on CTAN <https://ctan.org/pkg/intopdf>

name *intopdf*
caption Embed non-PDF files into PDF with hyperlink
author Krüger, Marcel
copyright Marcel Krueger (2018-2020)
license lpl1.3c = The LaTeX Project Public License 1.3c (free)
version 0.4.1 (2022-07-21)
last changes 2022-07-21
year 2022
description (no language specified) The package allows to embed non-PDF files (e.g., BibTeX) into PDF with a hyperlink.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/intopdf/README.md>
documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/intopdf/intopdf.pdf>
– local file ./3291101312-intopdf.pdf
contact *repository*: <https://github.com/zauguin/intopdf>
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/intopdf>
on MikTeX *intopdf*
on T_EXLive *intopdf*
keyword hyper (support for hypertext)
keyword pdf-feat (access PDF features)
language(s) no language specified
last access 2025-02-07

2984 **intro-scientific** – Introducing scientific/mathematical documents using LaTeX

Web page on CTAN <https://ctan.org/pkg/intro-scientific>

name	intro-scientific
caption	Introducing scientific/mathematical documents using LaTeX
author	Bennierson, Andrew J.
copyright	Andrew J. Bennieston (2007-2008)
license	lpl = The LaTeX Project Public License (free)
version	5th edition
description	(no language specified) "Writing Scientific Documents Using LaTeX" is an article introducing the use of LaTeX in typesetting scientific documents. It covers the basics of creating a new LaTeX document, special typesetting considerations, mathematical typesetting and graphics. It also touches on bibliographic data and BibTeX.
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/intro-scientific/scidoc.pdf
– local file	./2281983740-scidoc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/intro-scientific/README
on CTAN	https://ctan.org/tex-archive/info/intro-scientific
on T _E XLive	intro-scientific
keyword	tut-latex (tutorial material for LaTeX)
language(s)	no language specified
year	2008
last access	2025-02-07

2985 **inversepath** – Calculate inverse file paths

Web page on CTAN <https://ctan.org/pkg/inversepath>

name	inversepath
caption	Calculate inverse file paths
author	Robertson, Will
copyright	Will Robertson (2007, 2008)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)

2986 `invertedparagraphs` – Indented text with negative paragraph indentation

version	0.2
description	(no language specified) The package calculates inverse relative paths. Such things may be useful, for example, when writing an auxiliary file to a different directory.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/inversepath/inversepath.pdf
– local file	<code>./8358012899-inversepath.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/inversepath/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/inversepath
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/inversepath.tds.zip
on MikTeX	<code>inversepath</code>
on TeXLive	<code>inversepath</code>
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	2008
last access	2025-02-07

2986 `invertedparagraphs` – Indented text with negative paragraph indentation

Web page on CTAN <https://ctan.org/pkg/invertedparagraphs>

name	<code>invertedparagraphs</code>
caption	Indented text with negative paragraph indentation
license	<code>noinfo = noinfo</code>
version	(1991-08-07)
last changes	1991-08-07
year	1991
description	(no language specified) Defines an environment that behaves like a list, except that instead of an item label, the paragraph starts at the left margin, but carries on indented. The macros (gratuitously) load <code>maybeload</code> and <code>redefine</code> .

on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/invertedparagraphs.tex
keyword	list (list: general)
language(s)	no language specified
last access	2025-02-07

2987 *invoice* – Generate invoices

Web page on CTAN <https://ctan.org/pkg/invoice>

name	invoice
caption	Generate invoices
author	Corff, Oliver
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2018-08-06)
last changes	2018-08-06
year	2018
description	(no language specified) The package may be used for generating invoices. The package can deal with invisible expense items and deductions; output may be presented in any of 10 different languages. A long-standing bug has been removed. Numbers now can show the comma as decimal separator. The package depends on the fp , calc and siunitx for its calculations.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/invoice/invoice.pdf
– local file	./8514455607-invoice.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/invoice/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/invoice
on MikTeX	invoice
on TeXLive	invoice
keyword	invoice (typesetting and calculating invoices)
see also	see section 2107 on page 1907 : (<i>facture</i> – Generate an invoice)
see also	see section 2989 on page 2702 : (<i>invoice2</i> – Intelligent invoices with LaTeX3)

language(s) no language specified
last access 2025-02-07

2988 *invoice-class* – Produces a standard US invoice from a CSV file

Web page on CTAN <https://ctan.org/pkg/invoice-class>

name *invoice-class*
caption Produces a standard US invoice from a CSV file
author Munn, Alan
copyright Alan Munn (2019)
license lpl1.3 = The LaTeX Project Public License 1.3 (free)
version 1.0
description (no language specified) This class produces a standard US commercial invoice using data from a CSV file. Invoices can span multiple pages. The class is configurable for different shipping addresses.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/invoice-class/README.md>
documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/invoice-class/doc/invoice-class.pdf>
– local file ./1541772709-invoice-class.pdf
contact *repository*: <https://github.com/amunn/invoice-class>
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/invoice-class>
on MikTeX *invoice-class*
on T_EXLive *invoice-class*
keyword csv-support (read, process and convert CSV data)
keyword invoice (typesetting and calculating invoices)
language(s) no language specified
year 2019
last access 2025-02-07

2989 invoice2 – Intelligent invoices with LaTeX3

Web page on CTAN <https://ctan.org/pkg/invoice2>

name	invoice2
caption	Intelligent invoices with LaTeX3
author	Dierl, Simon
copyright	Simon Dierl (2017-2018)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	(2018-01-15)
last changes	2018-01-15
year	2018
description	(no language specified) Typeset invoices with automatic VAT and calculation of totals. Supports internationalization, invoices are typeset with booktabs for readability. Does not support separate projects per invoice. Can be used as a replacement for invoice in most cases.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/invoice2/invoice2.pdf
– local file	./4782020053-invoice2.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/invoice2/README.md
home page	https://github.com/no-preserve-root/invoice2
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/invoice2
on MikTeX	invoice2
on T _E XLive	invoice2
keyword	invoice (typesetting and calculating invoices)
language(s)	no language specified
last access	2025-02-07

2990 *iodhbwm* – Unofficial template of the DHBW MannheimWeb page on CTAN <https://ctan.org/pkg/iodhbwm>

name	iodhbwm
caption	Unofficial template of the DHBW Mannheim
author	Faltin, Felix
copyright	Felix Faltin (2017-2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2.2 (2021-02-15)
last changes	2021-02-15
year	2021
description	(no language specified) This package provides an <i>unofficial</i> template of the DHBW Mannheim for the creation of bachelor thesis, studies or project work with LaTeX. The aim of the package is the quick creation of a basic framework without much effort.
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/iodhbwm/doc/iodhbwm.pdf
– local file	./6236080130-iodhbwm.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/iodhbwm/README.md
home page	https://faltfe.github.io/iodhbwm/
contact	<i>bugs</i> : https://github.com/faltfe/iodhbwm/issues
contact	<i>repository</i> : https://github.com/faltfe/iodhbwm/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/iodhbwm
on MikTeX	iodhbwm
on T _E XLive	iodhbwm
keyword	misc-paper (discussion/working paper (rather than journal paper))
keyword	class (alternative LaTeX class(es))
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	German
last access	2025-02-07

2991 *ionumbers* – Restyle numbers in maths modeWeb page on CTAN <https://ctan.org/pkg/ionumbers>name *ionumbers*

caption Restyle numbers in maths mode

author Schneider, Christian

copyright Christian Schneider (2007-2009, 2011, 2012, 2014)

license gpl = GNU General Public License (free)

version 0.3.3 (2014-04-06)

last changes 2014-04-06

year 2014

description (no language specified) ‘*ionumbers*’ stands for ‘input/output numbers’.

The package restyles numbers in maths mode. If a number in the input file is written, e.g., as $\$3,231.44\$$ as commonly used in English texts, the package is able to restyle it to be output as $\$3\,,231\{\,,\}44\$$ as commonly used in German texts (and vice versa). This may be useful, for example, if you have a large table and want to include it in texts with different output conventions without the need to change the table.

The package can also automatically group digits left of the decimal separator (thousands) and right of the decimal separator (thousandths) in triplets without the need of specifying commas (English) or points (German) as separators. E.g., the input $\$1234.567890\$$ can be output as $\$1\,,234.\,,567\,,890\$$.

Finally, an *e* starts the exponent of the number. For example, $\$21e6\$$ may be output as $\$26\times10\,,^{\{6\}}\$$.

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/ionumbers/README>documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/ionumbers/ionumbers.pdf>– local file *./5339961535-ionumbers.pdf*on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/ionumbers>on MikTeX *ionumbers*on TeXLive *ionumbers*keyword *numbers* (formatting numbers, etc)

language(s) no language specified

last access 2025-02-07

2992 *iopart-num* – Numeric citation style for IOP journals

Web page on CTAN <https://ctan.org/pkg/iopart-num>

name	<code>iopart-num</code>
caption	Numeric citation style for IOP journals
author	Caprio, Mark
copyright	M. A. Caprio (2009)
license	lppl = The LaTeX Project Public License (free)
version	2.1
description	(no language specified) A BibTeX style providing numeric citation in Harvard-like format. Intended for use with Institute of Physics (IOP) journals, including Journal of Physics.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/iopart-num/iopart-num.pdf
– local file	<code>./9539712769-iopart-num.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/iopart-num/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/iopart-num
on MikTeX	<code>iopart-num</code>
on T _E XLive	<code>iopart-num</code>
keyword	<code>bibtex-supp</code> (BibTeX citation support)
keyword	<code>journalpub</code> (typesetting journals, etc)
language(s)	no language specified
year	2009
last access	2025-02-07

2993 *ipa* – LaTeX macros for using WSUIPA fonts

Web page on CTAN <https://ctan.org/pkg/ipa>

name	<i>ipa</i>
caption	LaTeX macros for using WSUIPA fonts
author	Roegel, Denis B.
author	Brodnik, Andrej
license	noinfo = noinfo
version	1.0
description	(no language specified) The package comprises alternative LaTeX support of the <i>wsuipa</i> fonts. On CTAN (and in the TeX Live distribution), these macros are to be found with the fonts themselves.
on CTAN	https://ctan.org/tex-archive/fonts/wsuipa
keyword	phonetic (support for phonetic notation)
language(s)	no language specified
year	without year
last access	2025-02-07

2994 *ipaex* – IPA (Japanese) fonts

Web page on CTAN <https://ctan.org/pkg/ipaex>

name	<i>ipaex</i>
caption	IPA (Japanese) fonts
author	Information-technology Promotion Agency, Japan
author	Preining, Norbert
author	Kitagawa, Hironori
copyright	Information-technology Promotion Agency, Japan (2010-2014)
license	other-free = Free license not otherwise listed (free)
version	(2019-09-05)
last changes	2019-09-05
year	2019
description	(no language specified) The fonts provide fixed-width glyphs for Kana and Kanji characters, proportional width glyphs for Western characters.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/ipaex/README
on CTAN	https://ctan.org/tex-archive/fonts/ipaex
on MikTeX	ipaex
on T _E XLive	ipaex
keyword	japanese (support for typesetting Japanese)
keyword	font (fonts themselves)
keyword	font-ttf (font available in TrueType format)
see also	see section 2995 on page 2707: (<i>ipaex-type1</i> – IPAex fonts converted to Type-1 format Unicode subfonts)
language(s)	no language specified
last access	2025-02-07

2995 *ipaex-type1* – IPAex fonts converted to Type-1 format Unicode subfonts

Web page on CTAN	https://ctan.org/pkg/ipaex-type1
name	ipaex-type1
caption	IPAex fonts converted to Type-1 format Unicode subfonts
author	Yato, Takayuki
copyright	Information-technology Promotion Agency, Japan (IPA) (2003-2015)
copyright	Takayuki YATO (2013-2018)
license	other-free = Free license not otherwise listed (free)
version	0.5 (2018-05-05)
last changes	2018-05-05
year	2018
description	(no language specified) The package contains the IPAex Fonts converted into Unicode subfonts in Type1 format, which is most suitable for use with the CJK package. Font conversion was done with t_{tf}2pt1 .
documentation	<i>Readme (Japanese)</i> : https://ctan.org/tex-archive/fonts/ipaex-type1/README-ja.md
documentation	<i>Readme (English)</i> : https://ctan.org/tex-archive/fonts/ipaex-type1/README.md

2996 *ipsum* – Insert multilingual placeholder text

documentation	(Japanese) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/ipaex-type1/sample-ipaex-type1.pdf
– local file	<code>./8413624030-sample-ipaex-type1.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/ipaex-type1
on MikTeX	<code>ipaex-type1</code>
on T _E XLive	<code>ipaex-type1</code>
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>japanese</code> (support for typesetting Japanese)
keyword	<code>font</code> (fonts themselves)
language(s)	English; Japanese
last access	2025-02-07

2996 *ipsum* – Insert multilingual placeholder text

Web page on CTAN	https://ctan.org/pkg/ipsum
name	<code>ipsum</code>
caption	Insert multilingual placeholder text
author	Pierquet, Cédric
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.3 (2025-07-15)
last changes	2025-07-15
year	2025
description	(no language specified) This is a package to work with multilingual Lorem Ipsum dummy texts.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ipsum/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ipsum/doc/ipsum-doc.pdf
– local file	<code>./4055334140-ipsum-doc.pdf</code>
contact	<i>bugs</i> : https://github.com/cpierquet/latex-packages/issues
contact	<i>repository</i> : https://github.com/cpierquet/latex-packages/tree/main/ipsum
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ipsum

on MikTeX	ipsum
on T _E XLive	ipsum
keyword	dummy-gen (dummy text generator for tests and examples)
see also	see section 3464 on page 3132: (lipsum – Easy access to the Lorem Ipsum and other dummy texts)
language(s)	no language specified
last access	2025-07-16

2997 *iran-bibtex* – Iran Manual of Style Citation Guide for BibTeX

Web page on CTAN <https://ctan.org/pkg/iran-bibtex>

name	iran-bibtex
caption	Iran Manual of Style Citation Guide for BibTeX
author	Rasuli, Farshad
copyright	Farshad Rasuli (2023-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.4.3
description	(no language specified) The <i>iran-bibtex</i> package, designed for LaTeX, provides BibTeX styles in accordance with the guidelines outlined in the Iran Manual of Style (1st edn., 2016)—citation guide to Persian, and English information sources. A collection of illustrative examples showcasing the usage of this package has been meticulously prepared and is accessible in the package's GitHub repository under the 'examples' sub-directory. To facilitate alphabetical sorting of references, prioritizing Persian/Farsi items ahead of English/Latin ones, a dedicated file named <i>iran-bibtex-cp1256fa.csf</i> is provided for use with this package. This file, derived from the ascii.csf file, serves the purpose of arranging references in the desired order. It is important to note that this package relies on the natbib package, which is automatically loaded.
documentation	(Persian) <i>User guide</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/iran-bibtex/iran-bibtex-userguide-fa.pdf
– local file	<i>./4853946518-iran-bibtex-userguide-fa.pdf</i>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/iran-bibtex/README.md

2998 *is-bst* – Extended versions of standard BibTeX styles

documentation	(Persian) <i>Reference sheet</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/iran-bibtex/iran-bibtex-pattern.pdf
– local file	<code>./5821685441-iran-bibtex-pattern.pdf</code>
contact	<i>bugs</i> : https://github.com/farshadrasuli/iran-bibtex/issues
contact	<i>repository</i> : https://github.com/farshadrasuli/iran-bibtex
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/iran-bibtex
on MikTeX	<code>iran-bibtex</code>
on T _E XLive	<code>iran-bibtex</code>
keyword	<code>persian</code> (support for typesetting Persian)
keyword	<code>bibtex-sty</code> (<code>bibtex-sty(unknown)</code>)
language(s)	Persian
year	2024
last access	2025-02-07

2998 *is-bst* – Extended versions of standard BibTeX styles

Web page on CTAN	https://ctan.org/pkg/is-bst
name	<code>is-bst</code>
caption	Extended versions of standard BibTeX styles
author	Beebe, Nelson H. F.
license	other-free = Free license not otherwise listed (free)
version	2.03
description	(no language specified) The bundle contains an extended version (<code>xbtxbst.doc</code>) of the source of the standard BibTeX styles, together with corresponding versions of the standard styles. The styles offer support for CODEN, ISBN, ISSN, LCCN, and PRICE fields, extended PAGES fields, the PERIODICAL entry, and extended citation label suffixing.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/is-bst
on T _E XLive	<code>is-bst</code>
keyword	<code>bibtex-sty</code> (<code>bibtex-sty(unknown)</code>)
language(s)	no language specified

year	without year
last access	2025-02-07

2999 **iscram** – A LaTeX class to publish article to ISCRAM conferences

Web page on CTAN <https://ctan.org/pkg/isclam>

name	iscram
caption	A LaTeX class to publish article to ISCRAM conferences
author	Gaborit, Paul
copyright	Paul Gaborit (2016-2017)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1
description	(no language specified) LaTeX class to publish article to ISCRAM (International Conference on Information Systems for Crisis Response and Management).
documentation	(no language specified) <i>Package documenatation</i> : https://ctan.org/tex-archive/macros/latex/contrib/iscram/iscram-class-doc.pdf
– local file	./9394191699-iscram-class-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/iscram/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/iscram
on MikTeX	iscram
on TeXLive	iscram
keyword	confproc (typesetting conference proceedings)
language(s)	no language specified
year	2017
last access	2025-02-07

3000 *isf* – Access italic computer modern sans in LaTeX 2.09

Web page on CTAN <https://ctan.org/pkg/isf>

name	<i>isf</i>
caption	Access italic computer modern sans in LaTeX 2.09
author	Greenwade, George
license	noinfo = noinfo
version	(1989-08-25)
last changes	1989-08-25
year	1989
description	(no language specified) Provides LaTeX 2.09 (dynamic-loading) font tables for a font selection command <code>\isf</code> , giving access to Computer Modern Sans Serif ‘Italic’ fonts. (The font is actually a slanted version.) Note that these macros do not work with current LaTeX, but since the NFSS supports the fonts anyway, this is not a problem.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/isf.sty
keyword	latex209 (package only known to work with LaTeX 2.09)
keyword	font-sel (font selection schemes)
see also	see section 846 on page 773: (<i>bsf</i> – Access bold computer modern sans in LaTeX 2.09)
language(s)	no language specified
last access	2025-02-11

3001 *ishyph* – Hyphenation patterns for Icelandic

Web page on CTAN <https://ctan.org/pkg/ishyph>

name	<i>ishyph</i>
caption	Hyphenation patterns for Icelandic
author	Pind, Jörgen
license	other-free = Free license not otherwise listed (free)
version	(1987-06-30)
last changes	1987-06-30
year	1987

3002 *isi2bib* – Vim script to convert bib database from ISI to BibTeX format...

description	(no language specified) These patterns are supposedly based on the encoding of the ‘Icelandic Roman’ fonts, so are probably of little use nowadays without some translation process; the icehyph is probably a better bet, nowadays.
on CTAN	https://ctan.org/tex-archive/language/hyphenation/ishyph.tex
keyword	hyphenation (macros or tables for hyphenation)
keyword	icelandic (support for typesetting the Icelandic language)
language(s)	no language specified
last access	2025-02-07

3002 *isi2bib* – Vim script to convert bib database from ISI to BibTeX format

Web page on CTAN <https://ctan.org/pkg/isi2bib>

name	isi2bib-vim
caption	Vim script to convert bib database from ISI to BibTeX format
author	Thakkar, Ajit
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) A script that enables Vim (a popular text editor) to convert a bibliographic database from ISI (Institute of Scientific Information, Web of Science) export format to BibTeX format.
on CTAN	https://ctan.org/tex-archive/support/vim/isi2bib.vim
keyword	bibtex-gen (derive BibTeX data from resources other than BibTeX libraries)
see also	see section 3003 on page 2714 : (<i>isi2bibtex</i> – Converter for ISI to BibTeX)
language(s)	no language specified
year	without year
last access	2025-02-07

3003 *isi2bibtex* – Converter for ISI to BibTeX

Web page on CTAN <https://ctan.org/pkg/isi2bibtex>

name	<code>isi2bibtex</code>
caption	Converter for ISI to BibTeX
author	Lee, John J.
license	gpl = GNU General Public License (free)
version	0.33
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/isi2bibtex/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/isi2bibtex
on MikTeX	<code>isi2bibtex</code>
keyword	<code>bibtex-gen</code> (derive BibTeX data from resources other than BibTeX libraries)
see also	see section 3002 on page 2713: (<code>isi2bib-vim</code> – Vim script to convert bib database from ISI to BibTeX format)
language(s)	no language specified
year	without year
last access	2025-02-07

3004 *iso* – Generic ISO standards typesetting macros

Web page on CTAN <https://ctan.org/pkg/iso>

name	<code>iso</code>
caption	Generic ISO standards typesetting macros
author	Wilson, Peter R.
license	lppl = The LaTeX Project Public License (free)
version	2.4
description	(no language specified) Generic class and package files for typesetting ISO International Standard documents. Several standard documents have been printed by ISO from camera-ready copy prepared using LaTeX and these files. The class makes use of the <code>isorot</code> package, rather than use other mechanisms directly.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/isostds/iso/README
documentation	(no language specified) <i>Package manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/isostds/iso/isoman.pdf
– local file	<code>./8914947242-isoman.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/isostds/iso
on MikTeX	<code>iso</code>
on T _E XLive	<code>iso</code>
keyword	<code>typeset-std</code> (typeset documents about standards, or the standards themselves)
see also	see section 3006 on page 2716: (<code>iso10303</code> – Typesetting the STEP standards)
language(s)	no language specified
year	without year
last access	2025-02-07

3005 *iso-tex* – Display (La)TeX accented letters in GNU Emacs

Web page on CTAN	https://ctan.org/pkg/iso-tex
name	<code>ISO-TeX</code>
caption	Display (La)TeX accented letters in GNU Emacs
author	Neugebauer, Gerd
license	<code>gpl</code> = GNU General Public License (free)
description	(no language specified) GNU Emacs modes to display letters with standard TeX accents as the character they are supposed to represent (for example <code>"\e"</code> would display as <code>"é"</code>). This provides an alternative approach to that provided by inputenc, in which the user types the desired character and (La)TeX transparently executes the commands needed to produce the character in the typeset output. The package is said to be capable of working with GNU Emacs version 19 or later.
on CTAN	https://ctan.org/tex-archive/support/iso-tex
keyword	<code>editor-extn</code> (plug-ins for editors, for better (La)TeX and Meta* support)
language(s)	no language specified
year	without year

last access 2026-04-14

3006 iso10303 – Typesetting the STEP standards

Web page on CTAN <https://ctan.org/pkg/iso10303>

name	iso10303
caption	Typesetting the STEP standards
author	Wilson, Peter R.
license	lppl = The LaTeX Project Public License (free)
version	1.5
description	(no language specified) Class and package files building on iso for typesetting the ISO 10303 (STEP) standards. Standard documents prepared using these packages have been published by ISO.
documentation	(no language specified) <i>Package manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/isostds/iso10303/stepman.pdf
– local file	./2235849554-stepman.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/isostds/iso10303/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/isostds/iso10303
on MikTeX	iso10303
on T _E XLive	iso10303
keyword	typeset-std (typeset documents about standards, or the standards themselves)
language(s)	no language specified
year	without year
last access	2025-02-07

3007 *iso209* – A document style for ISO standards

Web page on CTAN <https://ctan.org/pkg/iso209>

name	<code>iso209</code>
caption	A document style for ISO standards
author	North, Nicolas
license	noinfo = noinfo
version	2.6
description	(no language specified) An early predecessor of Wilson's <i>iso</i> .
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/iso
keyword	<code>typeset-std</code> (typeset documents about standards, or the standards themselves)
keyword	<code>latex209</code> (package only known to work with LaTeX 2.09)
language(s)	no language specified
year	without year
last access	2025-02-11

3008 *isodate* – Tune the output format of dates according to language

Web page on CTAN <https://ctan.org/pkg/isodate>

name	<code>isodate</code>
caption	Tune the output format of dates according to language
author	Harders, Harald
copyright	Harald Harders (2000-2005)
license	lppl = The LaTeX Project Public License (free)
version	2.28
description	(no language specified) This package provides ten output formats of the commands <code>\today</code>, <code>\printdate</code>, <code>\printdateTeX</code>, and <code>\daterange</code> (partly language dependent). Formats available are: ISO (yyyy-mm-dd), numeric (e.g. dd.\mm.\yyyy), short (e.g. dd.\mm.\yy), TeX (yyyy/mm/dd), original (e.g. dd. mmm yyyy), short original (e.g. dd. mmm yy), as well as numerical formats with Roman numerals for the month.

The commands `\printdate` and `\printdateTeX` print any date. The command `\daterange` prints a date range and leaves out unnecessary year or month entries.

This package supports German (old and new rules), Austrian, US English, British English, French, Danish, Swedish, and Norwegian.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/isodate/isodate.pdf
– local file	<code>./1934303133-isodate.pdf</code>
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/isodate/README
documentation	(no language specified) <i>Test document showing styles</i> : https://ctan.org/tex-archive/macros/latex/contrib/isodate/testdate.pdf
– local file	<code>./8941674161-testdate.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/isodate
on MikTeX	<code>isodate</code>
on TeXLive	<code>isodate</code>
keyword	<code>date-time</code> (manipulate dates and/or times)
language(s)	no language specified
year	2005
last access	2025-02-07

3009 *isodoc* – A LaTeX class for typesetting letters and invoices

Web page on CTAN <https://ctan.org/pkg/isodoc>

name	<code>isodoc</code>
caption	A LaTeX class for typesetting letters and invoices
author	Dekker, Wybo H.
copyright	Wybo Dekker (2005-2021)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.16 (2025-06-20)
last changes	2025-06-20
year	2025

description	(no language specified) The isodoc class can be used for the preparation of letters and invoices (and, in the future, similar documents). Documents are set up with options, thus making the class easily adaptable to user's wishes and extensible for other document types. The class is based on the NTG brief class by Victor Eijkhout, which implements the NEN1026 standard.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/isodoc/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/isodoc/isodoc.pdf
– local file	<code>./4322316773-isodoc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/isodoc
on MikTeX	<code>isodoc</code>
on TeXLive	<code>isodoc</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>letter</code> (typesetting letters, envelopes, faxes, etc)
keyword	<code>invoice</code> (typesetting and calculating invoices)
language(s)	no language specified
last access	2025-07-16

3010 *isolatin1* – An obsolete means to use ISO 8859-1 with TeX

Web page on CTAN <https://ctan.org/pkg/isolatin1>

name	<code>isolatin1</code>
caption	An obsolete means to use ISO 8859-1 with TeX
license	<code>noinfo = noinfo</code>
version	0.9
description	(no language specified) The package represents an outdated mechanism for reading ISO Latin-1 (ISO/IEC 8859-1) by means of setting the printing glyphs in the upper half of the character set to category code "active", and defining them all. While this mechanism is broadly that employed by the standard LaTeX inputenc package, the standard package has several advantages, including a more satisfactory approach to undefined character codes, better integration with other input encodings and generally improved robustness.

on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/isolatin1.sty
keyword	latex209 (package only known to work with LaTeX 2.09)
keyword	inputenc (input encoding support for TeX engines)
see also	see section 2956 on page 2673: (inputenc – Accept different input encodings)
language(s)	no language specified
year	without year
last access	2025-02-11

3011 *isomath* – Mathematics style for science and technology

Web page on CTAN	https://ctan.org/pkg/isomath
name	isomath
caption	Mathematics style for science and technology
author	Milde, Günter
copyright	Günter Milde (2008, 2010)
license	lppl = The LaTeX Project Public License (free)
version	0.6.1
description	(no language specified) The package provides tools for a mathematical style that conforms to the International Standard ISO 80000-2 and is common in science and technology. It changes the default shape of capital Greek letters to italic, sets up bold italic and sans-serif bold italic math alphabets with Latin and Greek characters, and defines macros for markup of vector, matrix and tensor symbols.
documentation	(no language specified) <i>Package documentation (in HTML format):</i> https://ctan.org/tex-archive/macros/latex/contrib/isomath/isomath.html
documentation	(no language specified) <i>Package documentation (in PDF format):</i> https://ctan.org/tex-archive/macros/latex/contrib/isomath/isomath.pdf
– local file	./1140190872-isomath.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/isomath/README

3012 *isonums* – Display numbers in maths mode according to ISO 31-0

documentation	(no language specified) <i>Package source (in HTML format):</i> https://ctan.org/tex-archive/macros/latex/contrib/isomath/isomath.sty.html
documentation	(no language specified) <i>Example of appearance:</i> https://ctan.org/tex-archive/macros/latex/contrib/isomath/isomath-test.pdf
– local file	<code>./5128894422-isomath-test.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/isomath
on MikTeX	<code>isomath</code>
on TeXLive	<code>isomath</code>
keyword	<code>std-conform</code> (support conformance to standards)
keyword	<code>font-supp-maths</code> (metrics, macro incantations and other support for maths fonts)
language(s)	no language specified
year	2010
last access	2025-02-07

3012 *isonums* – Display numbers in maths mode according to ISO 31-0

Web page on CTAN <https://ctan.org/pkg/isonums>

name	<code>isonums</code>
caption	Display numbers in maths mode according to ISO 31-0
author	Rivera, Luis
author	Väth, Martin
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package makes a quick hack to <i>ziffer</i> to display numbers in maths mode according to ISO 31-0, regardless of input format (European \$1.235,7\$ or Anglo-American \$1,235.7\$). The options <code>[euro, anglo]</code> control the global input format. Default input format is <code>anglo</code> . Documentation is included as comments to the text source.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/isonums/isonums.pdf
– local file	<code>./3464655689-isonums.pdf</code>

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/isonums
on MikTeX	isonums
on TeXLive	isonums
keyword	std-conform (support conformance to standards)
language(s)	no language specified
year	without year
last access	2025-02-07

3013 *isopt* – Writing a TeX length with a space between number and unit

Web page on CTAN	https://ctan.org/pkg/isopt
name	isopt
caption	Writing a TeX length with a space between number and unit
author	Voß, Herbert
copyright	Herbert Voß (2017)
license	lppl = The LaTeX Project Public License (free)
version	0.01
description	(no language specified) Writing a TeX length with \the writes the value and the unit without a space. Package isopt provides a macro \ISO which inserts a user defined space between number and unit.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/isopt/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/isopt/doc/isopt-doc.pdf
– local file	./5970773409-isopt-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/isopt
on MikTeX	isopt
on TeXLive	isopt
keyword	misc-support (miscellaneous support stuff)
language(s)	no language specified
year	2017
last access	2026-04-13

3014 isorot – Rotation of document elements

Web page on CTAN <https://ctan.org/pkg/isorot>

name	isorot
caption	Rotation of document elements
author	Wilson, Peter R.
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The package is for rotation of document elements. It is a combination of the lscap package and an extension of the rotating package. The package is designed for use with the iso class but may be used with any normal class.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/isorot/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/isorot/rotman.pdf
– local file	./3638445476-rotman.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/isorot
on MikTeX	isorot
on T _E XLive	isorot
keyword	rotation (rotate typeset objects on their page)
language(s)	no language specified
year	without year
last access	2025-02-07

3015 isosigns – ISO signs and colors according to the standards 7001, 7010 and 3864

Web page on CTAN <https://ctan.org/pkg/isosigns>

Alias	isosafety
name	isosigns
caption	ISO signs and colors according to the standards 7001, 7010 and 3864
author	Steinhauer, Ben
copyright	BenSt099 (2024-2025)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.1 (2025-08-31)

3016 *isotope* – A package for typesetting isotopes

last changes	2025-08-31
year	2025
description	(no language specified) The package provides safety colors (ISO 3864), safety signs (ISO 7010), and public information symbols (ISO 7001) from the ISO . It can be useful when creating instructions for chemical or physical experiments. Note: This is <i>not</i> an <i>official</i> package from ISO.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/isosigns/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/isosigns/doc/isosigns-docs.pdf
– local file	./8699540300-isosigns-docs.pdf
contact	<i>bugs</i> : https://github.com/BenSt099/isosigns/issues
contact	<i>repository</i> : https://github.com/BenSt099/isosigns
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/isosigns
on MikTeX	isosigns
on T _E XLive	isosigns
keyword	graphics-symb (create symbols, rather than select from a font)
keyword	typeset-std (typeset documents about standards, or the standards themselves)
keyword	logo (symbols or drawings to specify an object, including icons)
language(s)	no language specified
last access	2025-09-11

3016 *isotope* – A package for typesetting isotopes

Web page on CTAN <https://ctan.org/pkg/isotope>

name	isotope
caption	A package for typesetting isotopes
author	Bauke, Heiko
license	lppl = The LaTeX Project Public License (free)
version	0.3

3017 *isotope* – Multi-platform spell checker

description	(no language specified) The package provides a command <code>\isotope</code> for setting the atomic weight and atomic number indications of isotopes. (The naive way of doing the job with (La)TeX mathematics commands produces an unsatisfactory result.)
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/isotope
on MikTeX	isotope
on TeXLive	isotope
keyword	physics (support for typesetting physics documents)
keyword	subsup-pos (position sub- and superscripts (left and right sides))
language(s)	no language specified
year	without year
last access	2025-02-07

3017 *ispell* – Multi-platform spell checker

Web page on CTAN <https://ctan.org/pkg/ispell>

name	ispell
caption	Multi-platform spell checker
author	Atkinson, Kevin
license	other-free = Free license not otherwise listed (free)
version	3.3.02
description	(no language specified) Ispell is a fast screen-oriented spelling checker that shows you your errors in the context of the original file, and suggests possible corrections when it can figure them out. Compared to UNIX spell, it is faster and much easier to use. Ispell can also handle languages other than English. Ispell is now largely superseded by aspell , a package that seasoned ispell users will find a comfortable home.
on CTAN	https://ctan.org/tex-archive/support/ispell
keyword	spell (TeX-aware spelling checker)
language(s)	no language specified
year	without year
last access	2025-02-07

3018 isphysicalmath – Simple way to write nice formulas

Web page on CTAN <https://ctan.org/pkg/isphysicalmath>

name	isphysicalmath
caption	Simple way to write nice formulas
author	Fantini, Mario
copyright	Mario Fantini (2024)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.0.0
description	(no language specified) This package helps users to write mathematical and physical contents according to scientific notation (international mainly), in an elegant way. It deals with the notation and formatting of formulas, quantities, numerical values, factors, dimensions, measurement units and also performs its activities in complex mathematical environments.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/isphysicalmath/isphysicalmath-doc.pdf
– local file	./7485857557-isphysicalmath-doc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/isphysicalmath/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/isphysicalmath
on MikTeX	isphysicalmath
on TeXLive	isphysicalmath
keyword	units (uniform typesetting of units)
see also	see section 5523 on page 4997: (siunitx – A comprehensive (SI) units package)
language(s)	no language specified
year	2024
last access	2025-02-07

3019 *issuulinks* – Produce external links instead of internal ones

Web page on CTAN <https://ctan.org/pkg/issuulinks>

name	issuulinks
caption	Produce external links instead of internal ones
author	Veytsman, Boris
copyright	Boris Veytsman (2012)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1
description	(no language specified) The PDF visualizer http://issuu.com/ISSUU is a popular service which shows PDF documents "a page a time". Due to the way it is implemented, internal links in these documents are not allowed. Instead, they must be converted to external ones in the form http://issuu.com/action/page?page=PAGENUMBER. The package patches hyperref to produce external links in the required form instead of internal links created by <code>\ref</code>, <code>\cite</code> and other commands. Since the package redefines the internals of hyperref, it must be loaded it AFTER hyperref.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/issuulinks/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/issuulinks/issuulinks.pdf
– local file	<code>./5182603353-issuulinks.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/issuulinks
on MikTeX	issuulinks
on TeXLive	issuulinks
keyword	label-ref (label and reference systems)
keyword	hyper (support for hypertext)
language(s)	no language specified
year	2012
last access	2025-02-07

3020 *ist21* – Title page for the old BSI IST/21 committee

Web page on CTAN <https://ctan.org/pkg/ist21>

name	<code>ist21</code>
caption	Title page for the old BSI IST/21 committee
license	<code>noinfo = noinfo</code>
version	(1989-05-20)
last changes	1989-05-20
year	1989
description	(no language specified) A variant of the standard LaTeX 2.09 titlepage package, designed for the working papers, etc., of the committee. (The committee covered, at various times, standardisation of OSI architecture, OSI upper layers, distributed processing, databases and graphics.)
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/ist21.sty
keyword	<code>covers</code> (typeset badges, covers or labels for things (or people))
language(s)	no language specified
last access	2025-02-07

3021 *istgame* – Draw Game Trees with TikZ

Web page on CTAN <https://ctan.org/pkg/istgame>

name	<code>istgame</code>
caption	Draw Game Trees with TikZ
author	Cho, In-Sung
copyright	In-Sung Cho (2015-2019)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.1 (2022-03-22)
last changes	2022-03-22
year	2022

description	(no language specified) This LaTeX package provides macros based on TikZ to draw a game tree. The main idea underlying its core macros is the completion of a whole tree by using a sequence of simple ‘parent-child’ tree structures, with no longer nested relations involved (like the use of ‘grandchildren’ or ‘great-grandchildren’). Using this package you can draw a game tree as easily as drawing a game tree with pen and paper. This package depends on expl3 , TikZ , and xparse . The ‘ist’ prefix stands for ”it’s a simple tree” or ”In-Sung’s simple tree.”
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/istgame/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/istgame/istgame-doc.pdf
– local file	<code>./4492720236-istgame-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/istgame
on MikTeX	istgame
on TeXLive	istgame
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	tree (mechanisms for drawing trees)
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

3022 *ital* – Automatic italic correction

Web page on CTAN <https://ctan.org/pkg/ital>

name	<i>ital</i>
caption	Automatic italic correction
author	Bernstein, Dan
license	noinfo = noinfo
version	(1989-02-12)
last changes	1989-02-12

year	1989
description	(no language specified) The package defines commands <code>\ital</code> and <code>\slant</code> that provide the requisite italic correction at the end of their argument, and the command <code>\upright</code> that provides italic correction in front of its argument as necessary. A command <code>\emph</code> is also provided, choosing between <code>\ital</code> and <code>\upright</code> according to the state of the surrounding text. These facilities are (of course) provided in LaTeX 2e, with different names as part of the distribution.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/ital.sty
keyword	font-supp (metrics, macro incantations and other font support)
see also	see section 3023 on page 2730: (<i>italic</i> – Automatic italic correction for italic and slanted text)
language(s)	no language specified
last access	2025-02-07

3023 *italic* – Automatic italic correction for italic and slanted text

Web page on CTAN <https://ctan.org/pkg/italic>

name	<i>italic</i>
caption	Automatic italic correction for italic and slanted text
author	Goatley, Hunter
license	noinfo = noinfo
version	(1991-08-21)
last changes	1991-08-21
year	1991
description	(no language specified) The package defines commands <code>\ital</code> and <code>\slant</code> , somewhat simpler than those in <i>ital</i> , which package has wider coverage.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/italic.sty
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
last access	2025-02-07

3024 *ite* – Interactive TeX editor

Web page on CTAN <https://ctan.org/pkg/ite>

name	<code>ite</code>
caption	Interactive TeX editor
author	Kühn, Wolfgang
copyright	Wolfgang Kuehn (1999-2005)
license	gpl2 = GNU General Public License, version 2 (free)
description	(no language specified) <i>iTe</i> is an easy to use, interactive authoring tool for LaTeX and TeX documents. With <i>iTe</i> running inside emacs, it is possible to select arbitrary display fragments such as figures, equations, labels, captions, etc. These fragments can then be freely moved, rotated and scaled.
documentation	(no language specified) <i>Package manual</i> : https://ctan.org/tex-archive/support/ite/manual.html
documentation	(no language specified) <i>Package overview</i> : https://ctan.org/tex-archive/support/ite/index.html
on CTAN	https://ctan.org/tex-archive/support/ite
keyword	<code>editor-extn</code> (plug-ins for editors, for better (La)TeX and Meta* support)
language(s)	no language specified
year	2005
last access	2025-02-07

3025 *ithyph* – Hyphenation patterns for the Italian language

Web page on CTAN <https://ctan.org/pkg/ithyph>

name	<code>ithyph</code>
caption	Hyphenation patterns for the Italian language
author	Beccari, Claudio
copyright	Claudio Beccari (1998, 2007)
license	lgpl = GNU Lesser General Public License (free)
version	4.8g
description	(no language specified) These hyphenation patterns for the Italian language are supposed to comply with the Recommendation UNI 6461 on hyphenation issued by the Italian Standards Institution (Ente Nazionale di Unificazione UNI).

on CTAN	https://ctan.org/tex-archive/language/hyphenation/ithyph.tex
on T _E XLive	hyphen-italian
keyword	hyphenation (macros or tables for hyphenation)
keyword	italian (support for typesetting Italian)
language(s)	no language specified
year	2007
last access	2025-02-07

3026 itnumpar – Spell numbers in words (Italian)

Web page on CTAN	https://ctan.org/pkg/itnumpar
name	itnumpar
caption	Spell numbers in words (Italian)
author	Gregorio, Enrico
copyright	Enrico Gregorio (2007)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) Sometimes we need to say "Capitolo primo" or "Capitolo uno" instead of "Capitolo 1", that is, spelling the number in words instead of the usual digit form. This package provides support for spelling out numbers in Italian words, both in cardinal and in ordinal form.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/itnumpar/itnumpar.pdf
– local file	./2187280012-itnumpar.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/itnumpar/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/itnumpar
on MikT _E X	itnumpar
on T _E XLive	itnumpar
keyword	italian (support for typesetting Italian)
keyword	numbers (formatting numbers, etc)

language(s)	no language specified
year	2007
last access	2025-02-07

3027 itrans-processor – Transliteration of Indian Languages

Web page on CTAN <https://ctan.org/pkg/itrans-processor>

name	itrans-processor
------	------------------

caption	Transliteration of Indian Languages
---------	-------------------------------------

author	Chopde, Avinash
--------	-----------------

license	other-free = Free license not otherwise listed (free)
---------	---

version	5.32
---------	------

description	(no language specified) Itrans is a pre-processor: it converts English-encoded text into various Indian Language scripts for printing or for display.
-------------	---

The input text to itrans is in a transliterated form: each letter in an Indian Script is assigned an English equivalent, and the English letters are used to represent what will eventually print out in the Indian Language Script.

documentation	(no language specified) <i>Package documentation</i> : http://www.aczoom.com/itrans/html/idoc/idoc.html
---------------	---

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/indian/itrans/README
---------------	---

home page	http://www.aczoom.com/itrans/
-----------	---

on CTAN	https://ctan.org/tex-archive/language/indian/itrans
---------	---

keyword	indic (support for languages of the Indian subcontinent)
---------	--

keyword	markup (alternative markup scheme)
---------	------------------------------------

language(s)	no language specified
-------------	-----------------------

year	without year
------	--------------

last access	2025-02-07
-------------	------------

3028 *ivd2dvi* – Convert IVD-DVI files to DVIWeb page on CTAN <https://ctan.org/pkg/ivd2dvi>

name	<i>ivd2dvi</i>
caption	Convert IVD-DVI files to DVI
author	Denenberg, Larry
copyright	Larry Denenberg (1988)
license	other-free = Free license not otherwise listed (free)
description	(no language specified) The TeX extension TeX-XeT (single hyphen: not to be confused with TeX-XeT) produces ‘IVD-DVI’ files which extend DVI files with ‘reflection’ commands for horizontal reversal of text. In general, IVD-DVI files cannot be processed by an ordinary DVI processor; <i>ivd2dvi</i> will convert such a file to DVI so that it can be processed by a normal DVI driver.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/dviware/ivd2dvi/ivd2dvi.readme
documentation	(no language specified) <i>Man page</i> : https://ctan.org/tex-archive/dviware/ivd2dvi/doc
on CTAN	https://ctan.org/tex-archive/dviware/ivd2dvi
keyword	<i>dvi-proc</i> (DVI processor)
language(s)	no language specified
year	1988
last access	2025-02-07

3029 *iwhdp* – Halle Institute for Economic Research (IWH) Discussion PapersWeb page on CTAN <https://ctan.org/pkg/iwhdp>

name	<i>iwhdp</i>
caption	Halle Institute for Economic Research (IWH) Discussion Papers
author	Ehrenfeld, Wilfried
copyright	Wilfried Ehrenfeld (2010-2015)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.50 (2015-06-01)
last changes	2015-06-01
year	2015

description	(no language specified) The document class is for creating Discussion Papers of the Halle Institute for Economic Research (IWH) in Halle, Germany. The class offers options for both English and German texts.
documentation	<i>Package documentation (German):</i> https://ctan.org/tex-archive/obsolete/macros/latex/contrib/iwhdp/iwhdp_Manual.pdf
– local file	<code>./3175485657-iwhdp_Manual.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/obsolete/macros/latex/contrib/iwhdp/README
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/iwhdp
on MikTeX	iwhdp
keyword	class (alternative LaTeX class(es))
keyword	obsolete (package declared obsolete)
keyword	misc-paper (discussion/working paper (rather than journal paper))
language(s)	German
last access	2025-02-07

3030 iwona – A two-element sans-serif font

Web page on CTAN <https://ctan.org/pkg/iwona>

name	iwona
caption	A two-element sans-serif font
author	Nowacki, Janusz Marian
copyright	Janusz M. Nowacki (1998-2010)
license	gfl = The GUST Font License (GFL) (free)
version	0.995b
description	(no language specified) Iwona is a two-element sans-serif typeface. It was created as an alternative version of the Kurier typeface, which was designed in 1975 for a diploma in typeface design at the Warsaw Academy of Fine Arts under the supervision of Roman Tomaszewski. This distribution contains a significantly extended set of characters covering the following modern alphabets: latin (including Vietnamese), Cyrillic and Greek as well as a number of additional symbols (including mathematical symbols). The fonts are prepared in Type 1 and OpenType formats. For use with TeX the following encoding files have been prepared: T1 (ec), T2 (abc), and OT2—Cyrillic, T5 (Vietnamese), OT4, QX, texansi and nonstandard (IL2 for

	the Czech fonts), as well as supporting macros and files defining fonts for LaTeX.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/iwona/doc/fonts/iwona/iwona-info.pdf
– local file	<code>./6627426334-iwona-info.pdf</code>
documentation	(no language specified) <i>Outline in English</i> :: https://ctan.org/tex-archive/fonts/iwona/00readme.eng
documentation	(no language specified) <i>Outline in Polish</i> :: https://ctan.org/tex-archive/fonts/iwona/00readme.pol
on CTAN	https://ctan.org/tex-archive/fonts/iwona
on MikTeX	<code>iwona</code>
on TeXLive	<code>iwona</code>
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font</code> (fonts themselves)
language(s)	no language specified
year	2010
last access	2025-02-07

3031 *iwonamath* – LaTeX support for scaled Iwona math fonts

Web page on CTAN	https://ctan.org/pkg/iwonamath
name	<code>iwonamath</code>
caption	LaTeX support for scaled Iwona math fonts
author	Veytsman, Boris
copyright	Boris Veytsman (2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1 (2024-07-19)
last changes	2024-07-19
year	2024

3032 *izhitsa* – Support for the old Russian font "Izhitsa"

description	(no language specified) This package provides an interface to the Iwona math fonts by Janusz Marian Nowacki. It allows to use Iwona as math complement for sans serif fonts without native math. The package allows font scaling, the choice of light and condensed versions, and the creation of multiple math versions.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/iwonamath/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/iwonamath/iwonamath.pdf
– local file	<code>./5760460217-iwonamath.pdf</code>
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/iwonamath/sample.pdf
– local file	<code>./8668478978-sample.pdf</code>
contact	<i>bugs</i> : https://github.com/borisveytsman/iwonamath/issues
contact	<i>repository</i> : https://github.com/borisveytsman/iwonamath
contact	<i>development</i> : https://github.com/borisveytsman/iwonamath/pulls
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/iwonamath
on MikTeX	<code>iwonamath</code>
on T _E XLive	<code>iwonamath</code>
keyword	<code>expl3 (expl3(unknown))</code>
keyword	<code>font-supp-maths</code> (metrics, macro incantations and other support for maths fonts)
language(s)	no language specified
last access	2025-02-07

3032 *izhitsa* – Support for the old Russian font "Izhitsa"

Web page on CTAN <https://ctan.org/pkg/izhitsa>

name	<code>izhitsa</code>
caption	Support for the old Russian font "Izhitsa"
author	Motygin, Oleg V.
license	pd = Public Domain Software (free)
description	(no language specified) Includes Metafont code and LaTeX style file.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/cyrillic/old_slavonic/izhitsa/readme
on CTAN	https://ctan.org/tex-archive/fonts/cyrillic/old_slavonic/izhitsa
keyword	font-historical (fonts for a script or language now obsolete)
keyword	font (fonts themselves)
keyword	font-cyrillic (fonts for Cyrillic and related scripts)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	no language specified
year	without year
last access	2025-02-07

3033 *jablantile* – Metafont version of tiles in the style of Slavik Jablan

Web page on CTAN	https://ctan.org/pkg/jabantile
name	jablantile
caption	Metafont version of tiles in the style of Slavik Jablan
author	Knuth, Donald E.
license	pd = Public Domain Software (free)
version	(2009-12-03)
last changes	2009-12-03
year	2009
description	(no language specified) This is a small Metafont font to implement the modular tiles described by Slavik Jablan. For an outline of the theoretical structure of the tiles, see (for example) Jablan's JMM 2006 Exhibit .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/jabantile/README
documentation	(no language specified) <i>Example of use (letter to Jablan)</i> : https://ctan.org/tex-archive/fonts/jabantile/jabantile.pdf
– local file	./9318879552-jabantile.pdf
on CTAN	https://ctan.org/tex-archive/fonts/jabantile
on MikTeX	jablantile
on T _E XLive	jablantile
keyword	font-mf (fonts distributed as Metafont source)

keyword	font (fonts themselves)
keyword	font-novelty (fonts designed more for fun than for actual use)
language(s)	no language specified
last access	2025-02-11

3034 jabref – Graphical frontend to manage BibTeX databases

Web page on CTAN <https://ctan.org/pkg/jabref>

name	jabref
caption	Graphical frontend to manage BibTeX databases
author	Alver, Morten
author	Kopp, Oliver
author	The JabRef Project
author	Batada, Nizar
license	mit = MIT License (free)
version	5.10
description	(no language specified) JabRef is a graphical frontend to manage BibTeX (and BibLaTeX) databases having BibTeX as internal format. It offers quality checks for entries; fetching complete bibliographic information based on ISBN, DOI, PubMed-ID and arXiv-ID; searching across many online scientific catalogues such as CiteSeer, CrossRef, Google Scholar, IEEEExplore, INSPIRE-HEP, Medline PubMed, MathSciNet, Springer, arXiv, and zbMATH. It allows for grouping entries (and storing the group information in the <code>.bib</code> file itself), advancing searching and filtering, finding duplicate entries, attaching and renaming PDFs (e.g., according to the BibTeX key), and generating BibTeX keys. Since JabRef fully relies on BibTeX, additional information such as ranking, priority, printed-flag, and quality-assured-flag are stored in the BibTeX entry in the <code>.bib</code> file itself.
home page	https://www.jabref.org/
contact	<i>support:</i> https://discourse.jabref.org/
contact	<i>announce:</i> https://blog.jabref.org/feed.xml
contact	<i>bugs:</i> https://github.com/JabRef/jabref/issues
contact	<i>repository:</i> https://github.com/jabref/jabref/

keyword	bibtex-util (utilities for managing BibTeX files)
keyword	biblatex (BibLaTeX bibliography support)
language(s)	no language specified
year	without year
last access	2025-02-07

3035 *jacow* – A class for submissions to the proceedings of conferences on JACoW.org

Web page on CTAN <https://ctan.org/pkg/jacow>

name	jacow
caption	A class for submissions to the proceedings of conferences on JACoW.org
author	Schaa, Volker RW
copyright	JACoW, Geneva, Switzerland (1996-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.7 (2022-02-02)
last changes	2022-02-02
year	2022
description	(no language specified) The <i>jacow</i> class is used for submissions to the proceedings of conferences on Joint Accelerator Conferences Website (JACoW) , an international collaboration that publishes the proceedings of accelerator conferences held around the world.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/jacow/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/jacow/JACoW_LaTeX_A4.pdf
– local file	./1817924503-JACoW_LaTeX_A4.pdf
home page	https://www.jacow.org/Authors/LaTeX
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jacow
on MikTeX	jacow
on T _E XLive	jacow
keyword	confproc (typesetting conference proceedings)
language(s)	no language specified
last access	2025-02-07

3036 *jadetex* – Macros supporting Jade DSSSL output

Web page on CTAN <https://ctan.org/pkg/jadetex>

name	<code>jadetex</code>
caption	Macros supporting Jade DSSSL output
author	Castle, Ian
author	Rahtz, Sebastian
license	other-free = Free license not otherwise listed (free)
version	3.13
description	(no language specified) Macro package on top of LaTeX to typeset TeX output of the Jade DSSSL implementation.
contact	repository: http://jadetex.sourceforge.net/
on CTAN	https://ctan.org/tex-archive/macros/plain/formats/jadetex
on MikTeX	<code>jadetex</code>
on T _E XLive	<code>jadetex</code>
keyword	foreign-import (import files in a non-TeX (or different TeX) format)
language(s)	no language specified
year	without year
last access	2025-02-07

3037 *jamtimes* – Expanded Times Roman fonts

Web page on CTAN <https://ctan.org/pkg/jamtimes>

name	<code>jamtimes</code>
caption	Expanded Times Roman fonts
author	Veytsman, Boris
copyright	Boris Veytsman (2010)
license	other-free = Free license not otherwise listed (free)
version	1.12
description	(no language specified) The package offers LaTeX support for the expanded Times Roman font, which has been used for many years in the <i>Journal d'Analyse Mathématique</i> . Mathematics support is based on the Belleek fonts.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/jamtimes/jamtimes.pdf
– local file	<code>./2989618323-jamtimes.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/jamtimes/README
on CTAN	https://ctan.org/tex-archive/fonts/jamtimes
installation	https://ctan.org/tex-archive/install/fonts/jamtimes.tds.zip
on MikTeX	<code>jamtimes</code>
on TeXLive	<code>jamtimes</code>
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
language(s)	no language specified
year	2010
last access	2025-02-07

3038 *japanese-mathformulas* – Compiling basic math formulas in Japanese using LuaLaTeX

Web page on CTAN	https://ctan.org/pkg/japanese-mathformulas
name	<code>japanese-mathformulas</code>
caption	Compiling basic math formulas in Japanese using LuaLaTeX
author	Hugh
copyright	Hugh, Ponkichi (2022)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.2
description	(no language specified) This is a style file for compiling basic maths formulas in Japanese using LuaLaTeX. <code>\NewDocumentCommand</code> allows you to specify whether the formula should be used within a sentence or on a new line. The main packages used in <code>japanese-mathformulas.sty</code> are amsmath, amssymb, siunitx, ifthen, xparse, TikZ, mathtools, and graphics.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/japanese-mathformulas/README.txt

documentation	(Japanese) <i>Example of use:</i> https://ctan.org/tex-archive/macros/luatex/latex/japanese-mathformulas/japanese-mathformulas-sample.pdf
– local file	./8135825595-japanese-mathformulas-sample.pdf
documentation	(Japanese) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/luatex/latex/japanese-mathformulas/japanese-mathformulas.pdf
– local file	./8827877119-japanese-mathformulas.pdf
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/japanese-mathformulas
on MikTeX	japanese-mathformulas
on TeXLive	japanese-mathformulas
keyword	japanese (support for typesetting Japanese)
keyword	maths (support for typesetting mathematics)
keyword	luatex (LuaTeX and packages that require it)
language(s)	Japanese
year	2022
last access	2025-02-09

3039 *japanese-otf* – Advanced font selection for platex and its friends

Web page on CTAN	https://ctan.org/pkg/japanese-otf
name	japanese-otf
caption	Advanced font selection for platex and its friends
author	Tanaka, Takuji
author	Preining, Norbert
author	Japanese TeX Development Community
copyright	SAITO Shuzaburo and INOUE Koichi (2003-2019)
copyright	Japanese TeX Development Community (2017-2023)
copyright	TANAKA Takuji (2007-2023)
license	bsd3 = 3-clause BSD License (free)
version	(2023-10-09)
last changes	2023-10-09

year	2023
description	(no language specified) The package contains pLaTeX support files and virtual fonts for supporting a wide variety of fonts in LaTeX using the pTeX engine .
documentation	<i>Readme (English)</i> : https://ctan.org/tex-archive/macros/jptex/latex/japanese-otf/README
documentation	(Japanese) <i>Readme (japanese)</i> : https://ctan.org/tex-archive/macros/jptex/latex/japanese-otf/doc/readme-ja.txt
home page	http://psitau.kitunebi.com/otf.html
contact	<i>support</i> : https://github.com/texjporg/japanese-otf-mirror/issues
contact	<i>repository</i> : https://github.com/texjporg/japanese-otf-mirror
on CTAN	https://ctan.org/tex-archive/macros/jptex/latex/japanese-otf
on MikTeX	japanese-otf
on T _E XLive	japanese-otf
keyword	font-cjk (fonts for far eastern languages (Chinese, Japanese and Korean))
keyword	japanese (support for typesetting Japanese)
keyword	font-use (font selection, mapping, etc.)
language(s)	English; Japanese
last access	2025-02-07

3040 *japanese-otf-uptex* – Support for Japanese OTF files in upLaTeX

Web page on CTAN <https://ctan.org/pkg/japanese-otf-uptex>

name	japanese-otf-uptex
caption	Support for Japanese OTF files in upLaTeX
author	Japanese TeX Development Community
author	Tanaka, Takuji
author	Preining, Norbert
license	bsd3 = 3-clause BSD License (free)
description	(no language specified) This bundle has been merged into japanese-otf .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/jptex/latex/japanese-otf/README

on CTAN	https://ctan.org/tex-archive/macros/jptex/latex/japanese-otf
on MikTeX	japanese-otf
on T _E XLive	japanese-otf
keyword	japanese (support for typesetting Japanese)
keyword	font-use (font selection, mapping, etc.)
keyword	font-cjk (fonts for far eastern languages (Chinese, Japanese and Korean))
language(s)	no language specified
year	without year
last access	2025-02-07

3041 *jas99* – BibTeX style for American Meteorological Society (AMS)

Web page on CTAN <https://ctan.org/pkg/jas99>

name	jas99
caption	BibTeX style for American Meteorological Society (AMS)
author	Flatau, Piotr J.
author	Moran, Mike
license	other-free = Free license not otherwise listed (free)
version	(1993-07-20)
last changes	1993-07-20
year	1993
description	(no language specified) This style is a development of newapa.bst , and is in its turn superseded by jas99-m.bst .
on CTAN	https://ctan.org/tex-archive/obsolete/biblio/bibtex/contrib/misc/jas99.bst
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
last access	2025-02-07

3042 *jas99m* – BibTeX style for American Meteorological Society (AMS)

Web page on CTAN <https://ctan.org/pkg/jas99m>

name	jas99_m
caption	BibTeX style for American Meteorological Society (AMS)
author	Furue, Ryo
license	pd = Public Domain Software (free)
description	(no language specified) This style is based on an earlier style <i>jas99</i> ; the package acquired a new name since the original authors (of <i>jac99.bst</i>) aren't contactable. Modifications are simply for better conformance to the AMS' requirements for journals Journal of Atmospheric Science, Journal of Applied Meteorology and Monthly Weather Review..
on CTAN	https://ctan.org/tex-archive/obsolete/biblio/bibtex/contrib/misc/jas99_m.bst
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
year	without year
last access	2025-02-07

3043 *jasthesis* – A 'standard' thesis class

Web page on CTAN <https://ctan.org/pkg/jasthesis>

name	jasthesis
caption	A 'standard' thesis class
author	Shepherd, James
license	noinfo = noinfo
version	0.5
description	(no language specified) A class that produces theses in the format required by the University of Bristol (UK). This is close to the requirements of the standard BS 4821:1990.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/jasthesis/jasthesis.pdf
– local file	./6645042143-jasthesis.pdf
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/jasthesis/README

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jasthesis
on MikTeX	jasthesis
keyword	class (alternative LaTeX class(es))
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

3044 *javabib* – A BibTeX file manager written in Java

Web page on CTAN	https://ctan.org/pkg/javabib
name	JavaBib
caption	A BibTeX file manager written in Java
license	noinfo = noinfo
version	III
description	(no language specified) JavaBib reads the whole BibTeX file into memory and presents an index to the file and editing and management facilities.
documentation	(no language specified) <i>Package details page</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/JavaBib/index.html
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/JavaBib
keyword	bibtex-util (utilities for managing BibTeX files)
language(s)	no language specified
year	without year
last access	2025-02-07

3045 javadoc – Documenting source code

Web page on CTAN <https://ctan.org/pkg/javadoc>

name	javadoc
caption	Documenting source code
author	Kiesel, Matthias Jolle
license	gpl = GNU General Public License (free)
description	(no language specified) The package processes source code in a manner based on the javadoc system for documenting Java (and other language) source; its output is LaTeX, via a ‘doclet’. A package for processing this output is provided.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/javadoc/README
documentation	<i>Doclet documentation (German)</i> : https://ctan.org/tex-archive/macros/latex/contrib/javadoc/doclet/texgen_doc_de.pdf
– local file	./7892620008-texgen_doc_de.pdf
documentation	<i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/javadoc/doc/javadoc_doc_en.pdf
– local file	./5736467150-javadoc_doc_en.pdf
documentation	<i>Doclet documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/javadoc/doclet/texgen_doc_en.pdf
– local file	./2193643319-texgen_doc_en.pdf
documentation	<i>Package documentation (German)</i> : https://ctan.org/tex-archive/macros/latex/contrib/javadoc/doc/javadoc_doc_de.pdf
– local file	./8782076185-javadoc_doc_de.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/javadoc
keyword	listing (computer code listing)
language(s)	German; English
year	without year
last access	2025-02-07

3046 javadv – DVI viewer and printer coded in JavaWeb page on CTAN <https://ctan.org/pkg/javadv>

name	javaDVI
caption	DVI viewer and printer coded in Java
author	Hurt, James
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) javaDVI is a DVI viewer and printer coded in Java, and running under the Java RTE 1.3 using the BaKoMa True Type fonts . The fonts are included as a .zip file, a format suitable for use with javaDVI.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/dviware/javadv/Readme.txt
on CTAN	https://ctan.org/tex-archive/dviware/javadv
keyword	dvi-prev (preview DVI files)
keyword	dvi-print (convert DVI files for (direct) printing, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

3047 javascript-texed – Small MikTeX-editor for Win32 Intel platformWeb page on CTAN <https://ctan.org/pkg/javascript-texed>

name	javascript_TeXed
caption	Small MikTeX-editor for Win32 Intel platform
author	Yasko, Nick
license	nocommercial = No Commercial Use (not free)
description	(no language specified) A small editor for MikTeX as an HTML application (~20kb). Works on MS-Windows with Internet Explorer 5.0 and later. You can run it as JS-TeX.hta from command line or start JS-TeX.hta filename.tex If you have help for LaTeX in HTML you can use it by filling the HELP field in Options.
on CTAN	https://ctan.org/tex-archive/support/javascript_TeXed
keyword	editor (editor designed (or adapted) for use with (La)TeX)
language(s)	no language specified

year without year
last access 2025-02-07

3048 *javascripthttp* – Add buttons to a PDF to easily get and post web content

Web page on CTAN <https://ctan.org/pkg/javascripthttp>

name JavascriptHTTP

caption Add buttons to a PDF to easily get and post web content

author Zwahlen, Cedric V.

copyright Cedric V. Zwahlen (2023)

license lpl1.3c = The LaTeX Project Public License 1.3c (free)

version 1.1 (2023-06-20)

last changes 2023-06-20

year 2023

description (no language specified) This small package adds commands for LaTeX to create buttons with which to fetch content from the internet. The content can optionally be transformed with Javascript and displayed in textfields. For these interactive elements to work, a PDF using the commands provided by this package must be opened in Acrobat Pro.

documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/macros/latex/contrib/javascripthttp/README.md>

documentation (no language specified) *Package documentation:* <https://ctan.org/tex-archive/macros/latex/contrib/javascripthttp/javascripthttp-doc.pdf>

– local file ./6232076017-javascripthttp-doc.pdf

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/javascripthttp>

on MikTeX javascripthttp

keyword pdf-feat (access PDF features)

keyword acrobat (relies on availability of Adobe Acrobat, etc.)

language(s) no language specified

last access 2025-02-07

3049 *javatex* – A Java implementation of TeX

Web page on CTAN <https://ctan.org/pkg/javatex>

name	javatex
caption	A Java implementation of TeX
author	Murphy, Timothy
license	noinfo = noinfo
version	(1998-10-05)
last changes	1998-10-05
year	1998
description	(no language specified) At root, this is a ‘small’ TeX (<code>memmax=64K</code>), but a larger version may be built. The implementation was in essence an experiment, and performance proved so poor that the author considers it unusable in practice.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/javatex/README.javaTeX
on CTAN	https://ctan.org/tex-archive/systems/javatex
keyword	engine (TeX (or TeX-alike) typesetting engine)
language(s)	no language specified
last access	2025-02-07

3050 *jbact* – BibTeX style for biology journals

Web page on CTAN <https://ctan.org/pkg/jbact>

name	jbact
caption	BibTeX style for biology journals
author	Schneider, Thomas
license	other-free = Free license not otherwise listed (free)
version	1.30
description	(no language specified) The style is a development of <code>apalike.bst</code> in the BibTeX bundle. The style serves two journals — if the user executes ” <code>\nocite{TitlesOn}</code> ”, the style serves for the Journal of Theoretical Biology; otherwise it serves for the Journal of Molecular Biology.

on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/jbact.bst
on T _E XLive	jbact
keyword	bibtex-sty (bibtex-sty(unknown))
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
year	without year
last access	2025-02-07

3051 jbibtexmanager – Managing citations in BibTeX format

Web page on CTAN	https://ctan.org/pkg/jbibtexmanager
name	JBibtexManager
caption	Managing citations in BibTeX format
author	Batada, Nizar
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) JBibtexManager is a front-end to BibTeX database. You can add, edit, sort and search. Furthermore, you can find and delete duplicate entries. You can customize BibTeX templates, fonts, colors and more. JBibtexManager is a java GUI for managing citations in BibTeX format. The citations are presented in a spreadsheet format and allows sorting based on year, journal, and key. Furthermore, it allows searching for text in the author and title fields, and allows printing in the spreadsheet format. Requires java 1.4 and should work on all platforms.
on CTAN	https://ctan.org/tex-archive/obsolete/biblio/bibtex/Utils/jbibtexmanager
keyword	obsolete (package declared obsolete)
keyword	bibtex-util (utilities for managing BibTeX files)
language(s)	no language specified
year	without year
last access	2025-02-07

3052 *jcc* – BibTeX style file for J. Comp. ChemWeb page on CTAN <https://ctan.org/pkg/jcc>

name	<i>jcc</i>
caption	BibTeX style file for J. Comp. Chem
author	Cervellino, Antonio
author	Hill, Jörg-Rüdiger
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) <i>jcc.bst</i> is a BibTeX style for J. Comp. Chem. originally dating from 2000. It is now modified to make it really compliant with the journal's present style requirements, as: author's initials after the name, authors' names separated by ";", no brackets around the year...
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/chem-journal/jcc.bst
keyword	<i>bibtex-sty</i> (<i>bibtex-sty</i> (unknown))
keyword	<i>journalpub</i> (typesetting journals, etc)
keyword	<i>chemistry</i> (chemistry document support)
language(s)	no language specified
year	without year
last access	2025-02-07

3053 *jeep* – Modified LaTeX2.09 article and report stylesWeb page on CTAN <https://ctan.org/pkg/jeep>

name	<i>jeep</i>
caption	Modified LaTeX2.09 article and report styles
author	Stewart, G. W.
license	noinfo = noinfo
description	(no language specified) A personal adaptation of LaTeX standard code, with adjustment of the default page size, code to allow the user to customise section headers, an early version of fancy headers, compact lists and table of contents.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/jeep

keyword	doc-style (LaTeX 2.09 document style)
language(s)	no language specified
year	without year
last access	2025-02-07

3054 *jeopardy* – Build a jeopardy game in LaTeX

Web page on CTAN <https://ctan.org/pkg/jeopardy>

name	jeopardy
caption	Build a jeopardy game in LaTeX
author	Mařík, Robert
copyright	Robert Mařík (2004)
license	lppl = The LaTeX Project Public License (free)
version	1.1a
description	(no language specified) The jeopardy package allows to build a jeopardy game with pdfLaTeX. It is based on the jj-game class and exerquiz package, written by D. P. Story. The author of the game can use multichoice questions or fill-in questions. The answer for fill-in questions is either a mathematical formula or text string (see the documentation of exerquiz and <code>\RespBoxMath</code> and <code>\RespBoxTxt</code> commands to learn more about the capabilities). JavaScripts are written to record the score. If the score is greater than a given value, a hidden string is shown. The user should use the style with some screen presentation package, such as web . The package is distributed with some example games, including both 1- and 2-player games.
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/jeopardy/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/jeopardy/jeopardy.pdf
– local file	<code>./7863789576-jeopardy.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jeopardy
on MikTeX	jeopardy
keyword	games (process game diagrams, gamebooks, and other amusements)
language(s)	no language specified
year	2004

last access 2025-02-07

3055 `jetbrainsmono-otf` – Package (or only fontspec config files) support for the OpenType font JetBrains

Web page on CTAN <https://ctan.org/pkg/jetbrainsmono-otf>

name	<code>jetbrainsmono-otf</code>
caption	Package (or only fontspec config files) support for the OpenType font JetBrains
author	Pierquet, Cédric
copyright	C. Pierquet (with help from D. Flipo) (2025)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
license	ofl = The SIL Open Font License (free)
version	0.1
description	(no language specified) Support for the OpenType font JetBrainsMono (so with LuaLaTeX/XeTeX and fontspec), with or without ligatures, and with weights versions. • <code>jetbrainsmono</code> or <code>jetbrainscode</code> for regular version, • <code>jetbrainsmono-medium</code> or <code>jetbrainscode-medium</code> for medium version, • <code>jetbrainsmono-light</code> or <code>jetbrainscode-light</code> for light version, • <code>jetbrainsmono-extralight</code> or <code>jetbrainscode-extralight</code> for extralight version, • <code>jetbrainsmono-thin</code> or <code>jetbrainscode-thin</code> for thin version.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/jetbrainsmono-otf/doc/jetbrainsmono-otf-doc.pdf
– local file	<code>./8009191044-jetbrainsmono-otf-doc.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/jetbrainsmono-otf/README.md
contact	<i>repository:</i> https://forge.apps.education.fr/pierquetcedric/packages-latex
on CTAN	https://ctan.org/tex-archive/fonts/jetbrainsmono-otf
on MikTeX	<code>jetbrainsmono-otf</code>
on T _E XLive	<code>jetbrainsmono-otf</code>

3056 *jeuxcartes* – Macros to insert playing cards

keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-otf (font in OpenType format)
keyword	font-mono (monospaced font)
language(s)	no language specified
year	2025
last access	2025-05-27

3056 *jeuxcartes* – Macros to insert playing cards

Web page on CTAN <https://ctan.org/pkg/jeuxcartes>

name	JeuxCartes
caption	Macros to insert playing cards
author	Pierquet, Cédric
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
license	lgpl2.1 = GNU Lesser General Public License 2.1 (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	mit = MIT License (free)
license	pd = Public Domain Software (free)
version	0.3.4 (2025-10-04)
last changes	2025-10-04
year	2025
description	(no language specified) This package provides macros to insert playing cards, single, or hand, or random-hand, Poker or French Tarot or Uno, from png files.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/jeuxcartes/README.md
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/jeuxcartes/doc/JeuxCartes-doc.pdf
– local file	<code>./3089881508-JeuxCartes-doc.pdf</code>
contact	<i>bugs</i> : https://github.com/cpierquet/latex-packages/issues
contact	<i>repository</i> : https://github.com/cpierquet/latex-packages/tree/main/jeuxcartes
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jeuxcartes

on MikTeX	jeuxcartes
on T _E XLive	jeuxcartes
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	card-gen (cards for miscellaneous purposes)
language(s)	French
last access	2025-10-12

3057 *jflap2tikz* – Convert JFlap file into a LaTeX file depicting the automaton using TikZ

Web page on CTAN <https://ctan.org/pkg/jflap2tikz>

name	jflap2tikz
caption	Convert JFlap file into a LaTeX file depicting the automaton using TikZ
author	Mertz, Andrew
license	other-free = Free license not otherwise listed (free)
version	1.2
description	(no language specified) JFlap is an excellent piece of software for experimenting with finite state machines, Turing machines and for exploring many aspects of the theory of computation. JFLAP2TikZ is a script that converts a JFlap ‘ <i>jff</i> ’ file representing a finite automaton, push down automaton, or Turing machine to LaTeX file depicting the automaton graphically using TikZ.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/jflap2tikz/JFLAP2TikZ.pdf
– local file	<code>./6395035929-JFLAP2TikZ.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/jflap2tikz/README
on CTAN	https://ctan.org/tex-archive/graphics/jflap2tikz
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	graphics-prep (prepare graphics for use with *TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

3058 jfmutil – Utility to process pTeX-extended TFM and VFWeb page on CTAN <https://ctan.org/pkg/jfmutil>

name	jfmutil
caption	Utility to process pTeX-extended TFM and VF
author	Yato, Takayuki
copyright	Takayuki YATO (2008-2021)
license	mit = MIT License (free)
version	1.3.3
description	(no language specified) This program provides functionality to process data files (JFM and VF) that form logical fonts used in (u)pTeX . The functions currently available include: • The mutual conversion between Japanese virtual fonts (pairs of VF and JFM) and files in the "ZVP format", which is an original text format representing data in virtual fonts. This function can be seen as a counterpart to the <code>vftovp</code> / <code>vptovf</code> programs. • The mutual conversion between VF files alone and files in the "ZVP0 format", which is a subset of the ZVP format.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/utilities/jfmutil/README.md
documentation	<i>Readme (Japanese)</i> : https://ctan.org/tex-archive/fonts/utilities/jfmutil/README-ja.md
on CTAN	https://ctan.org/tex-archive/fonts/utilities/jfmutil
on MikTeX	jfmutil
on T _E XLive	jfmutil
keyword	font-proc (process fonts for use with TeX (includes installation))
keyword	japanese (support for typesetting Japanese)
language(s)	Japanese
year	2021
last access	2025-02-07

3059 jfontmaps – Font maps and configuration tools for Japanese fonts

Web page on CTAN <https://ctan.org/pkg/jfontmaps>

name	jfontmaps
caption	Font maps and configuration tools for Japanese fonts
author	Preining, Norbert
license	pd = Public Domain Software (free)
license	gpl3 = GNU General Public License, version 3 (free)
version	20161108.0
description	(no language specified) The package offers font maps, and supporting material, that make various Japanese fonts available to users of (u)ptex and related programs or formats. The package does not ship any of the fonts mentioned in the documentation, but only map files for use with dvipdfmx ; the user must obtain the other fonts separately. The first exception is that ipa and ipaex the respective fonts are shipped as part of the TeX Live distribution and are available for free. The other exception is that the Yu Mincho/Gothic fonts are available to Windows and MacOSX users, as part of their operating system distribution. This package has now been superseded by ptex-fontmaps .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/language/japanese/jfontmaps/README
on CTAN	https://ctan.org/tex-archive/obsolete/language/japanese/jfontmaps
keyword	font-use (font selection, mapping, etc.)
keyword	japanese (support for typesetting Japanese)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
year	without year
last access	2025-02-07

3060 *jhep* – Class for JHEP

Web page on CTAN <https://ctan.org/pkg/jhep>

name	jhep
caption	Class for JHEP
author	Nesti, Fabrizio
license	other-nonfree = License that prevents distribution (not free)
version	3.1.2
description	(no language specified) A LaTeX class used to typeset manuscripts in JHEP style.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jhep
on MikTeX	jhep
keyword	journalpub (typesetting journals, etc)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
year	without year
last access	2025-02-07

3061 *jieeeetran* – Unofficial BibTeX style for citing Japanese articles in IEEE format

Web page on CTAN <https://ctan.org/pkg/jieeeetran>

name	jIEEEtran
caption	Unofficial BibTeX style for citing Japanese articles in IEEE format
author	Ejiri, Haruki
copyright	Haruki Ejiri and Yoshi Ri (2020-2023)
license	mit = MIT License (free)
version	0.19 (2023-01-26)
last changes	2023-01-26
year	2023
description	(no language specified) This package provides an <i>unofficial</i> BibTeX style for authors trying to cite Japanese articles in the Institute of Electrical and Electronics Engineers (IEEE) format.

3062 *jigsaw* – Draw jigsaw pieces with TikZ

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/jieeetran/README
documentation	<i>Package documentation (Japanese)</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/jieeetran/jieeetran.pdf
– local file	<code>./3558372308-jieeetran.pdf</code>
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/jieeetran/jieeetran-en.pdf
– local file	<code>./9730682715-jieeetran-en.pdf</code>
contact	<i>repository</i> : https://github.com/ehki/jIEEEtran
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/jieeetran
on T _E XLive	<code>jieeetran</code>
keyword	<code>japanese</code> (support for typesetting Japanese)
keyword	<code>bibtex-sty</code> (<code>bibtex-sty(unknown)</code>)
language(s)	Japanese
last access	2025-02-07

3062 *jigsaw* – Draw jigsaw pieces with TikZ

Web page on CTAN <https://ctan.org/pkg/jigsaw>

name	<code>jigsaw</code>
caption	Draw jigsaw pieces with TikZ
author	<code>samcarter</code>
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.5 (2024-04-25)
last changes	2024-04-25
year	2024
description	(no language specified) This is a small LaTeX package to draw jigsaw pieces with TikZ. It is possible to draw individual pieces and adjust their shape, create tile patterns or automatically generate complete jigsaws.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/jigsaw/jigsaw-doc.pdf
– local file	<code>./3216519839-jigsaw-doc.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/jigsaw/README.md
contact	<i>support</i> : https://github.com/samcarter/jigsaw/issues
contact	<i>repository</i> : https://github.com/samcarter/jigsaw
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/jigsaw
on MikTeX	jigsaw
on T _E XLive	jigsaw
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-02-07

3063 *jj-game* – A LaTeX class to construct Jeopardy-like games

Web page on CTAN <https://ctan.org/pkg/jj-game>

name	jj-game
caption	A LaTeX class to construct Jeopardy-like games
author	Story, Donald P.
copyright	D. P. Story (2000-2016)
license	lppl = The LaTeX Project Public License (free)
version	3.1 (2016-11-24)
last changes	2016-11-24
year	2016
description	(no language specified) The class defines a Jeopardy-like game; question answers may be multiple choice, or text or mathematics ‘fill-ins’. The basic game can be constructed using dvipsone, dvips, pdftex or dvipdfm. The ‘pro’ option of the game works with dvipsone or dvips only, and requires Adobe Acrobat Pro 7.0 (or later), with its distiller. The game requires the AcroTeX education bundle, and (for the pro option) AeB pro. Also, the eforms package dated 2016-08-29 or later is required. Samples of sources for games are provided.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/jj_game/doc/jjg_man.pdf
– local file	<code>./9901819262-jjg_man.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/jj_game/README.md
home page	http://www.math.uakron.edu/~dpstory/jj_game.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jj_game
on MikTeX	jj-game
keyword	class (alternative LaTeX class(es))
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	adobe-distiller (convert PostScript to PDF using Adobe Distiller)
keyword	pdf-forms (create pdf form fields, use form fields as an integral part of the package)
language(s)	no language specified
last access	2025-02-07

3064 *jkmath* – Macros for mathematics that make the code more readable

Web page on CTAN <https://ctan.org/pkg/jkmath>

name	jkmath
caption	Macros for mathematics that make the code more readable
author	Kaerts, Jonas
license	lppl = The LaTeX Project Public License (free)
version	0.1
description	(no language specified) Inspired by the physics package on CTAN, the package defines some simple macros for mathematical notation which make the code more readable and/or allow flexibility in typesetting material.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/jkmath/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/jkmath/jkmath.pdf
– local file	./7278387085-jkmath.pdf
home page	https://github.com/JKaerts/jkmath
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jkmath
on MikTeX	jkmath
on TeXLive	jkmath

keyword `maths` (support for typesetting mathematics)
 language(s) no language specified
 year without year
 last access 2025-02-07

3065 *jknappen* – Miscellaneous packages by Joerg Knappen

Web page on CTAN <https://ctan.org/pkg/jknappen>

name *jknappen*
 caption Miscellaneous packages by Joerg Knappen
 author Knappen, Jörg
 license gpl = GNU General Public License (free)
 description (no language specified) Miscellaneous macros by Jörg Knappen, including:

- [represent counters in greek](#) ;
- [Maxwell's non-commutative division](#) ;
- [latin1jk](#) , [latin2jk](#) and [latin3jk](#) , which are their [inputenc](#) definition files that allow verbatim input in the respective ISO Latin codes;
- [blackboard bold fonts in maths](#) ;
- [use of RSFS fonts in maths](#) ;
- [extra alignments for \parbox es](#) ;
- [swap Roman and Sans fonts](#) ;
- [transliterate semitic languages](#) ;
- [patches to make \(La\)TeX formulae embeddable in SGML](#) ;
- [use maths "minus" in text as appropriate](#) ;
- [simple Young tableaux](#) .

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/jknappen>

on MikTeX *jknappen*

on T_EXLive *jknapltx*

keyword `collection` (a collection of packages)
 language(s) no language specified
 year without year

last access 2025-02-07

3066 *jkthesis* – Document class for formatting a thesis

Web page on CTAN <https://ctan.org/pkg/jkthesis>

name	jkthesis
caption	Document class for formatting a thesis
author	Küpper, Jochen
copyright	Jochen Küpper (2000-2002)
license	other-nonfree = License that prevents distribution (not free)
version	1.1
description	(no language specified) For use for dissertations in the Heinrich-Heine-Universität Düsseldorf.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/jkthesis/README.jkthesis
documentation	<i>Package documentation (German)</i> : https://ctan.org/tex-archive/macros/latex/contrib/jkthesis/jkthesis.pdf
– local file	./5187770869-jkthesis.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jkthesis
keyword	class (alternative LaTeX class(es))
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	German
year	2002
last access	2025-02-07

3067 *jlabels* – Make letter-sized pages of labels

Web page on CTAN <https://ctan.org/pkg/jlabels>

name	<i>jlabels</i>
caption	Make letter-sized pages of labels
author	Tartir, Jamal K.
license	lppl = The LaTeX Project Public License (free)
version	(2011-06-05)
last changes	2011-06-05
year	2011
description	(no language specified) The package provides controls for the numbers of rows and columns.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/jlabels/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/jlabels/jlabels.pdf
– local file	<code>./8031637846-jlabels.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jlabels
on MikTeX	<i>jlabels</i>
on T _E XLive	<i>jlabels</i>
keyword	<i>labels</i> (typeset sets of labels (for cutting out, etc.))
language(s)	no language specified
last access	2025-02-07

3068 *jlm* – Jörg’s LaTeX Mode - an advanced LaTeX mode for Jed

Web page on CTAN <https://ctan.org/pkg/jlm>

name	<i>jlm</i>
caption	Jörg’s LaTeX Mode - an advanced LaTeX mode for Jed
author	Sommer, Jörg
copyright	Jörg Sommer (2003-2007)
copyright	Guido Gonzato (2003)

license	gpl = GNU General Public License (free)
version	188
description	(no language specified) JLM is an advanced LaTeX mode for the Jed editor. Its aim is to help the user by taking over annoying and stupid things that need to be done, like adding <code>\usepackage</code> when you add a command or environment from this package, or placing dollar signs around mathematical commands and move the cursor to an appropriate point. JLM does not think for you. If you want a tabular but insert an itemize, JLM doesn't prevent this. So, you should be familiar with LaTeX and know what environments and commands are, and where to place them in a document; JLM is there to help writing them.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/jed/jlm/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/jed/jlm/doc/jlm.pdf
– local file	./6002608268-jlm.pdf
on CTAN	https://ctan.org/tex-archive/support/jed/jlm
keyword	editor-extn (plug-ins for editors, for better (La)TeX and Meta* support)
see also	see section 3314 on page 2993: (<code>latex4jed</code> – A much enhanced LaTeX mode for the Jed editor)
language(s)	no language specified
year	2007
last access	2025-02-07

3069 `jlreq` – Japanese document class based on requirements for Japanese text layout

Web page on CTAN <https://ctan.org/pkg/jlreq>

name	<code>jlreq</code>
caption	Japanese document class based on requirements for Japanese text layout
author	Abe, Noriyuki
copyright	Noriyuki Abe (2017-2024)
license	bsd2 = Simplified BSD License (free)
version	(2025-03-16)
last changes	2025-03-16
year	2025

description	(no language specified) This package provides a Japanese document class based on requirements for Japanese text layout . The class file and the JFM (Japanese font metric) files for LuaTeX-ja / pLaTeX / upLaTeX are provided.
documentation	(Japanese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/jptex/latex/jlreq/jlreq-ja.pdf
– local file	<code>./6177753496-jlreq-ja.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/jptex/latex/jlreq/jlreq.pdf
– local file	<code>./8872830401-jlreq.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/jptex/latex/jlreq/README.md
documentation	(Japanese) <i>Readme</i> : https://ctan.org/tex-archive/macros/jptex/latex/jlreq/README-ja.md
home page	https://github.com/abenori/jlreq
on CTAN	https://ctan.org/tex-archive/macros/jptex/latex/jlreq
installation	https://ctan.org/tex-archive/install/macros/jptex/latex/jlreq.tds.zip
on MikTeX	<code>jlreq</code>
on TeXLive	<code>jlreq</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>japanese</code> (support for typesetting Japanese)
keyword	<code>font-cjk</code> (fonts for far eastern languages (Chinese, Japanese and Korean))
keyword	<code>expl3</code> (expl3(unknown))
keyword	<code>std-conform</code> (support conformance to standards)
language(s)	Japanese
last access	2025-03-27

3070 *jlreq-deluxe* – Multi-weight Japanese font support for the *jlreq* class

Web page on CTAN <https://ctan.org/pkg/jlreq-deluxe>

name	<code>jlreq-deluxe</code>
caption	Multi-weight Japanese font support for the <i>jlreq</i> class
author	Morimi, Yukimasa
copyright	Yukimasa Morimi (2019-2024)
license	mit = MIT License (free)
version	0.5.0 (2024-02-18)
last changes	2024-02-18
year	2024
description	(no language specified) This package provides multi-weight Japanese font support for the <i>jlreq</i> class.
documentation	(no language specified) <i>Readme (English)</i> : https://ctan.org/tex-archive/macros/jptex/latex/jlreq-deluxe/README.md
documentation	(Japanese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/jptex/latex/jlreq-deluxe/jlreq-deluxe.pdf
– local file	<code>./2781764803-jlreq-deluxe.pdf</code>
documentation	(no language specified) <i>Readme (Japanese)</i> : https://ctan.org/tex-archive/macros/jptex/latex/jlreq-deluxe/README-ja.md
contact	<i>repository</i> : https://github.com/h20y6m/jlreq-deluxe
on CTAN	https://ctan.org/tex-archive/macros/jptex/latex/jlreq-deluxe
on MikTeX	<code>jlreq-deluxe</code>
on TeXLive	<code>jlreq-deluxe</code>
keyword	<code>font-cjk</code> (fonts for far eastern languages (Chinese, Japanese and Korean))
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>font-use</code> (font selection, mapping, etc.)
keyword	<code>japanese</code> (support for typesetting Japanese)
see also	see section 3069 on page 2767: (<i>jlreq</i> – Japanese document class based on requirements for Japanese text layout)
language(s)	Japanese
last access	2025-03-27

3071 *jmakepdfx* – A Java interface to Ghostscript to convert PDF to PDF/X

Web page on CTAN <https://ctan.org/pkg/jmakepdfx>

name	jmakepdfx
caption	A Java interface to Ghostscript to convert PDF to PDF/X
author	Talbot, Nicola
license	gpl = GNU General Public License (free)
version	0.3b
description	(no language specified) The package provides Java GUI application that uses Ghostscript to convert PDF files to PDF/X. There is a choice of CMYK or greyscale profile. This uses Ghostscript's <code>/prepress</code> setting, which is analogous to Acrobat Distiller's "Prepress Optimized" setting.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/jmakepdfx/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/jmakepdfx/jmakepdfx.pdf
– local file	<code>./5467335377-jmakepdfx.pdf</code>
home page	http://www.dickimaw-books.com/apps/jmakepdfx/
on CTAN	https://ctan.org/tex-archive/support/jmakepdfx
keyword	pdfprocess (process PDF files)
language(s)	no language specified
year	without year
last access	2025-02-07

3072 *jmb* – BibTeX style for the Journal of Theoretical Biology

Web page on CTAN <https://ctan.org/pkg/jmb>

name	jmb
caption	BibTeX style for the Journal of Theoretical Biology
author	Schneider, Thomas
license	other-free = Free license not otherwise listed (free)
version	1.21

description	(no language specified) This BibTeX bibliography style is for the Journal of Molecular Biology and Journal of Theoretical Biology; the accompanying LaTeX (2.09) package is a close relative of <code>apalike.sty</code> in the BibTeX distribution; it features author-date references. The bibliography style has control over whether to print reference titles; if your database contains an article with the cite key "TitlesOn", and you invoke it by <code>\nocite{TitlesOn}</code> , titles will be printed; otherwise titles will not be printed.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/jmb
on T _E XLive	jmb
keyword	molbio (support for typesetting molecular biology)
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
year	without year
last access	2025-02-07

3073 *jmlr* – Class files for the Journal of Machine Learning Research

Web page on CTAN	https://ctan.org/pkg/jmlr
name	jmlr
caption	Class files for the Journal of Machine Learning Research
author	Talbot, Nicola
copyright	Nicola Talbot (2006-2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.30 (2022-02-09)
last changes	2022-02-09
year	2022
description	(no language specified) The <code>jmlr</code> bundle provides a class for authors (<code>jmlr</code>) and a class for production editors (<code>jmlrbook</code>). The <code>jmlrbook</code> class can be used to combine articles written using the <code>jmlr</code> class into a book. The class uses the combine class and the hyperref package to produce either a colour hyperlinked book for on-line viewing or a greyscale nonhyperlinked book for printing. Production editors can use makejmlrbookgui to help build the proceedings from the articles.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/jmlr/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/jmlr/jmlr.pdf
– local file	<code>./1439403618-jmlr.pdf</code>
contact	<i>bugs</i> : https://www.dickimaw-books.com/bugtracker.php?category=jmlr
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jmlr
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/jmlr.tds.zip
on MikTeX	<code>jmlr</code>
on T _E XLive	<code>jmlr</code>
keyword	<code>journalpub</code> (typesetting journals, etc)
keyword	<code>class</code> (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-07

3074 *jmsdelim* – A package for compositional delimiter sizing

Web page on CTAN <https://ctan.org/pkg/jmsdelim>

name	<code>jmsdelim</code>
caption	A package for compositional delimiter sizing
author	Sterling, Jonathan
copyright	Jonathan Sterling (2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2.0
description	(no language specified) Correctly sizing delimiters is very difficult, particularly in well-architected documents: a correctly engineered mathematical document will include macros for all operations, and these macros necessarily will include delimiters (such as parentheses). However, the correct size for the delimiter cannot be chosen ahead of time, because it will depend on the arguments; two options are available: 1. Provide optional arguments to each notation macro for choosing delimiter sizes. This is nearly intractable to do in practice. 2. Ignore delimiter sizes.

With `jmsdelim` we offer an alternative: the correct delimiter sizes can be set at the leaf nodes of a mathematical expression, and magically bubble upward through the delimiters.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/jmsdelim/jmsdelim.pdf
– local file	<code>./8733702062-jmsdelim.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/jmsdelim/README.md
home page	https://github.com/jonsterling/latex3-jmsdelim
contact	<i>bugs</i> : https://github.com/jonsterling/latex3-jmsdelim/issues/6
contact	<i>repository</i> : https://github.com/jonsterling/latex3-jmsdelim
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jmsdelim
on T _E XLive	<code>jmsdelim</code>
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	no language specified
year	2022
last access	2025-02-07

3075 *jneurosci* – BibTeX style for the Journal of Neuroscience

Web page on CTAN	https://ctan.org/pkg/jneurosci
name	<code>jneurosci</code>
caption	BibTeX style for the Journal of Neuroscience
author	Hennig, Matthias
license	lppl = The LaTeX Project Public License (free)
version	1.00
description	(no language specified) This is a slightly modified version of the <code>namedplus</code> style, which fully conforms with the Journal of Neuroscience citation style. It should be characterised as an author-date citation style; a BibTeX style and a LaTeX package are provided.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/biblio/bibtex/contrib/jneurosci/jneurosci.pdf

3076 jnuexam – Exam class for Jinan University

– local file	./1420426614-jneurosci.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/jneurosci/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/jneurosci
on MikTeX	jneurosci
on T _E XLive	jneurosci
keyword	neuro (typesetting neuroscience material)
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
year	without year
last access	2025-02-07

3076 jnuexam – Exam class for Jinan University

Web page on CTAN <https://ctan.org/pkg/jnuexam>

name	jnuexam
caption	Exam class for Jinan University
author	Lyu, Jianrui
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2024F (2024-07-09)
last changes	2024-07-09
year	2024
description	(no language specified) The package provides an exam class for Jinan University (China).
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/jnuexam/jnuexam.pdf
– local file	./8030433379-jnuexam.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/jnuexam/README
home page	https://lvjr.bitbucket.io/jnuexam.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jnuexam
on MikTeX	jnuexam

3077 `jobname-suffix` – Compile differently based on the filename

on T _E XLive	jnuexam
keyword	exam (exams, quizzes, etc.)
keyword	chinese (support for typesetting Chinese languages)
keyword	class (alternative LaTeX class(es))
language(s)	Chinese
last access	2025-02-07

3077 `jobname-suffix` – Compile differently based on the filename

Web page on CTAN <https://ctan.org/pkg/jobname-suffix>

name	<code>jobname-suffix</code>
caption	Compile differently based on the filename
author	Siefken, Jason
copyright	Jason Siefken (2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) This package allows to compile a document differently depending on the portion of the document's file name (internally, the <code>\jobname</code>) that comes after the first "-" character. This allows one to have one source file and multiple links to this source file that each compile differently.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/jobname-suffix/jobname-suffix.pdf
– local file	<code>./6588917106-jobname-suffix.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/jobname-suffix/README.md
home page	https://github.com/siefkenj/jobname-suffix
contact	<i>bugs:</i> https://github.com/siefkenj/jobname-suffix/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jobname-suffix
on MikT _E X	<code>jobname-suffix</code>
on T _E XLive	<code>jobname-suffix</code>
keyword	compilation (the document compilation process)
language(s)	no language specified

year 2022
last access 2025-02-07

3078 *joinbox* – Join boxes vertically or horizontally

Web page on CTAN <https://ctan.org/pkg/joinbox>

name *joinbox*
caption Join boxes vertically or horizontally
author Geng, Nan
copyright Nan Geng (2020-2024)
license lpl1.3c = The LaTeX Project Public License 1.3c (free)
version 1.0.3 (2024-09-09)
last changes 2024-09-09
year 2024
description (no language specified) This package can join boxes vertically or horizontally. When using vertical joining, all boxes to be joined will keep same width, while when using horizontal joined, all boxes to be joined keep same height.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/joinbox/README.md>
documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/joinbox/joinbox.pdf>
– local file ./1325654787-joinbox.pdf
contact *bugs*: https://gitee.com/nwafu_nan/joinbox/issues
contact *repository*: https://gitee.com/nwafu_nan/joinbox
contact *development*: https://gitee.com/nwafu_nan/joinbox/pulls
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/joinbox>
on MikTeX *joinbox*
on T_EXLive *joinbox*
keyword expl3 (expl3(unknown))
keyword box-manip (manipulating boxes)
language(s) no language specified
last access 2025-02-07

3079 josefin – Josefin fonts with LaTeX support

Web page on CTAN <https://ctan.org/pkg/josefin>

name	josefin
caption	Josefin fonts with LaTeX support
author	Tennent, Bob
license	ofl = The SIL Open Font License (free)
license	lppl = The LaTeX Project Public License (free)
version	(2022-10-01)
last changes	2022-10-01
year	2022
description	(no language specified) This package provides LaTeX, pdfLaTeX, XeLaTeX and LuaLaTeX support for the Josefin Sans family of fonts, designed by Santiago Orozco of the Typemade foundry in Monterey, Mexico. Josefin Sans is available in seven weights, with corresponding italics.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/josefin/README
documentation	(no language specified) <i>Font samples:</i> https://ctan.org/tex-archive/fonts/josefin/doc/josefin-samples.pdf
– local file	./1634055708-josefin-samples.pdf
contact	<i>development:</i> https://github.com/googlefonts/josefinsans
on CTAN	https://ctan.org/tex-archive/fonts/josefin
installation	https://ctan.org/tex-archive/install/fonts/josefin.tds.zip
on MikTeX	josefin
on TeXLive	josefin
keyword	font-proportional (variable-spaced font)
keyword	font-t1enc (font providing LaTeX T1 encoding support)
keyword	font-mono (monospaced font)
keyword	font-sans (sans-serif font)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font-otf (font in OpenType format)

keyword	font (fonts themselves)
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
last access	2025-02-07

3080 *jourcl* – Cover letter for journal submissions

Web page on CTAN <https://ctan.org/pkg/jourcl>

name	<i>jourcl</i>
caption	Cover letter for journal submissions
author	Kukovec, Rok
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
version	(2022-12-16)
last changes	2022-12-16
year	2022
description	(no language specified) Paper submissions to journals are usually accompanied by a cover letter. This package provides a LaTeX class and a template for such a cover letter with the following main features: • Minimalistic design. • Custom image. • Pre-defined commands for journal name, author, date, etc. • Many macros contained in this package speed up the process of preparing the necessary ingredients for the cover letter. • Macros for recommending up to three reviewers and/or editors. • ORCID logo and link to the submitting author's ORCID page. • Controls for adding a "Conflict of interest" statement and declaration. • Custom greeting (e.g., "Dear Editor" for a regular submission, "Dear Editor-in-Chief" for a submission to a journal's special issue, etc.) • Predefined valedictions for different types of submissions (e.g., Yours sincerely, Yours faithfully, Best regards, etc.)
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/jourcl/jourcl.pdf
– local file	./4653903241-jourcl.pdf

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/jourcl/README.md
contact	<i>repository</i> : https://github.com/firefly-cpp/cover-letter-latex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jourcl
on MikTeX	jourcl
on T _E XLive	jourcl
keyword	letter (typesetting letters, envelopes, faxes, etc)
keyword	doc-templ (template to guide document development)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-07

3081 *jourrr* – A LaTeX template for journal rebuttal letters

Web page on CTAN <https://ctan.org/pkg/jourrr>

name	jourrr
caption	A LaTeX template for journal rebuttal letters
author	Kukovec, Rok
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
version	(2023-10-14)
last changes	2023-10-14
year	2023
description	(no language specified) This package provides an elegant LaTeX template designed for crafting professional rebuttal letters in response to editors or reviewers. It consists of a LaTeX class and a template, fine-tuned to support your publishing journey with several pre-defined commands that drastically speed up the process of preparing letters during the revision process. The repository hosts a template for writing responses to editors/reviewers comments for journal submissions written in LaTeX that is minimalistic in one way while pre-defined with several commands that drastically speed up the process of preparing letters during the revision process. Main Features of this template: • With front page included

- **Response ticks** to mark as completed
- Custom response color
- Minimalistic design
- Everything is customizable
- Predefined commands for a journal name, submission ID, author, editor, associate editor, date, etc.
- Many macros included
- Predefined different valedictions for different types of submissions (e.g., Yours sincerely, Yours faithfully, Best regards, etc.)
- Custom greeting (e.g., "Dear Editor" or bDear Editor-in-Chief" for regular submission, etc.)
- (Optional) Table of contents, jump to the reply you wish to address
- Option to add custom Signature (i.e. an image of your hand-written signature)

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/jourrr/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/jourrr/jourrr.pdf
– local file	./3512983915-jourrr.pdf
home page	https://github.com/firefly-cpp/latex-response-reviewers
contact	<i>support</i> : https://github.com/firefly-cpp/latex-response-reviewers/issues
contact	<i>announce</i> : https://github.com/firefly-cpp/latex-response-reviewers
contact	<i>bugs</i> : https://github.com/firefly-cpp/latex-response-reviewers/issues
contact	<i>repository</i> : https://github.com/firefly-cpp/latex-response-reviewers
contact	<i>development</i> : https://github.com/firefly-cpp/latex-response-reviewers
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jourrr
on MikTeX	jourrr
on T _E XLive	jourrr

keyword	class (alternative LaTeX class(es))
keyword	letter (typesetting letters, envelopes, faxes, etc)
keyword	doc-templ (template to guide document development)
language(s)	no language specified
last access	2025-02-07

3082 *jouthesis* – Template for Jiangsu Ocean University undergraduate thesis

Web page on CTAN <https://ctan.org/pkg/jouthesis>

name	<i>jouthesis</i>
caption	Template for Jiangsu Ocean University undergraduate thesis
author	Luk, Tseka
copyright	Tseka Luk (2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2026-03-07)
last changes	2026-03-07
year	2026
description	(no language specified) This is a standards-first LaTeX template for Jiangsu Ocean University undergraduate theses. It provides a thesis class, handbook form templates, academic heading rules, reproducible font routing for KaiTi_GB2312/SimSun/SimHei/Times New Roman, bundled open-source fallback fonts, and end-to-end regression checks for handbook alignment and cross-platform builds.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/jouthesis/README
home page	https://github.com/TsekaLuk/JOU-Undergraduate-Thesis-LaTeX-Template
contact	<i>bugs</i> : https://github.com/TsekaLuk/JOU-Undergraduate-Thesis-LaTeX-Template/issues
contact	<i>repository</i> : https://github.com/TsekaLuk/JOU-Undergraduate-Thesis-LaTeX-Template
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jouthesis
on MikTeX	<i>jouthesis</i>
on TeXLive	<i>jouthesis</i>

keyword dissertation (typesetting dissertations, theses, etc.)
 language(s) no language specified
 last access 2026-04-10

3083 *joy-of-tex* – User documentation for the AMS-TeX macro collection

Web page on CTAN <https://ctan.org/pkg/joy-of-tex>

name *joy-of-tex*

caption User documentation for the AMS-TeX macro collection

author The American Mathematical Society

copyright The American Mathematical Society (1990)

license nocommercial = No Commercial Use (not free)

version (2019-01-28)

last changes 2019-01-28

year 2019

description (no language specified) This distribution makes the full text of the most recent reprint of the second edition of "The Joy of TeX" by Michael Spivak available for the first time, as a pdf file: *joyt2.pdf*. "Joy" is the user documentation for **AMS-TeX**. (Please note that **AMS-TeX** is no longer supported by the AMS, nor is it used by the AMS publishing program.)

joyt2.pdf — The Joy of TeX, second edition: A Gourmet guide to typesetting with the **AMS-TeX** macro package, by M. D. Spivak. This is the final edition, printed with corrections by the American Mathematical Society in 2004.

Any material in this guide may be reproduced or duplicated for personal or educational use.

documentation (no language specified) *The document itself*:
<https://ctan.org/tex-archive/info/joy-of-tex/joyt2.pdf>

– local file ./1513429091-joyt2.pdf

documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/info/joy-of-tex/README>

on CTAN <https://ctan.org/tex-archive/info/joy-of-tex>

on MikTeX *joy-of-tex*

keyword maths-doc (documentation of typesetting mathematics)

see also	see section 184 on page 171: (<i>amstex</i> – American Mathematical Society plain TeX macros)
language(s)	no language specified
last access	2025-02-07

3084 *jpeg2ps* – Convert JPEG files to PostScript Level 2 or 3 EPS

Web page on CTAN <https://ctan.org/pkg/jpeg2ps>

name	<i>jpeg2ps</i>
caption	Convert JPEG files to PostScript Level 2 or 3 EPS
author	Merz, Thomas
copyright	Thomas Merz (1994-1999)
license	nosell = Do Not Sell Except by Arrangement (not free)
version	1.8
description	(no language specified) Converts JPEG files to PostScript Level 2 or 3 EPS. In fact, <i>jpeg2ps</i> is not really a converter but a "wrapper": it reads the image parameters (width, height, number of color components) in a JPEG file, writes the according EPS header and then copies the compressed JPEG data to the output file. Decompression is done by the PostScript interpreter (only PostScript Level 2 and 3 interpreters support JPEG compression and decompression).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/jpeg2ps/jpeg2ps.txt
documentation	(German) <i>More about JPEG</i> : https://ctan.org/tex-archive/support/jpeg2ps/jpeg2ps.pdf
on CTAN	https://ctan.org/tex-archive/support/jpeg2ps
keyword	graphics-prep (prepare graphics for use with *TeX)
see also	see section 778 on page 714: (<i>bmeeps</i> – Converter from PNG/JPEG/Tgb81AIFF/NetPBM to EPS)
language(s)	German
year	1999
last access	2026-04-19

3085 jpeg2ps-os2 – JPEG to PostScript converter for OS/2Web page on CTAN <https://ctan.org/pkg/jpeg2ps-os2>

name	jpeg2ps-os2
caption	JPEG to PostScript converter for OS/2
author	Niepraschk, Rolf
author	Deutscher, Stefan A.
license	nosell = Do Not Sell Except by Arrangement (not free)
description	(no language specified) OS/2 port of jpeg2ps .
on CTAN	https://ctan.org/tex-archive/support/jpeg2ps/os2
keyword	graphics-prep (prepare graphics for use with *TeX)
language(s)	no language specified
year	without year
last access	2026-04-19

3086 jphysiol – BibTeX style for the Journal of PhysiologyWeb page on CTAN <https://ctan.org/pkg/jphysiol>

name	jphysiol
caption	BibTeX style for the Journal of Physiology
author	Hennig, Matthias
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The BibTeX style comes with a supporting LaTeX package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/jphysiol/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/jphysiol
on MikTeX	jphysiol
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
year	without year

last access 2025-02-07

3087 *jpicedt* – A graphical editor generating LaTeX commands

Web page on CTAN <https://ctan.org/pkg/jpicedt>

name	JPicEdt
caption	A graphical editor generating LaTeX commands
author	Reynal, Sylvain
author	Belaïche, Vincent
license	gpl = GNU General Public License (free)
version	1.3.2
description	(no language specified) JPicEdt is a graphical editor, written in Java (so portable to most machines), that can read (and generates output in) LaTeX picture mode, optionally including eepic commands. JPicEdt can also generate output as PSTricks macros.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/jpicedt/doc/index.html
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/jpicedt/jPicEdtReadme_1_3_2.html
contact	<i>repository</i> : http://jpicedt.sourceforge.net/
on CTAN	https://ctan.org/tex-archive/graphics/jpicedt
keyword	graphics-prep (prepare graphics for use with *TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

3088 *jpneduenumerate* – Enumerative expressions in Japanese education

Web page on CTAN <https://ctan.org/pkg/jpneduenumerate>

name	jpneduenumerate
caption	Enumerative expressions in Japanese education
author	Kusakabe, Yukoh
copyright	Yukoh KUSAKABE (screen-name) (2022-2024)
license	mit = MIT License (free)

version	1.3 (2024-11-19)
last changes	2024-11-19
year	2024
description	(no language specified) Mathematical equation representation in Japanese education differs somewhat from the standard LaTeX writing style. This package introduces enumerative expressions in Japanese education.
documentation	(English + Japanese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/jpneduenumerate/jpneduenumerate.pdf
– local file	./6827124865-jpneduenumerate.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/jpneduenumerate/README.md
home page	https://www.metaphysica.info/technote/package_jpneduenumerate/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jpneduenumerate
on MikTeX	jpneduenumerate
on TeXLive	jpneduenumerate
keyword	maths (support for typesetting mathematics)
keyword	japanese (support for typesetting Japanese)
keyword	list-enum (list: items enumerated)
language(s)	English + Japanese
last access	2025-02-07

3089 *jpnedumathsymbols* – Mathematical equation representation in Japanese education

Web page on CTAN	https://ctan.org/pkg/jpnedumathsymbols
name	jpnedumathsymbols
caption	Mathematical equation representation in Japanese education
author	Kusakabe, Yukoh
copyright	Yukoh KUSAKABE (2022-2024)
license	mit = MIT License (free)
version	1.3 (2024-11-24)
last changes	2024-11-24

year	2024
description	(no language specified) Mathematical equation representation in Japanese education differs somewhat from the standard LaTeX writing style. This package introduces mathematical equation representation in Japanese education.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/jpnedumathsymbols/README.md
documentation	(English + Japanese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/jpnedumathsymbols/jpnedumathsymbols-doc.pdf
– local file	./7629821428-jpnedumathsymbols-doc.pdf
home page	https://www.metaphysica.info/tool/jpnedumathsymbols/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jpnedumathsymbols
on MikTeX	jpnedumathsymbols
on TeXLive	jpnedumathsymbols
keyword	japanese (support for typesetting Japanese)
keyword	maths (support for typesetting mathematics)
language(s)	English + Japanese
last access	2025-02-07

3090 *jpsj* – Document Class for Journal of the Physical Society of Japan

Web page on CTAN	https://ctan.org/pkg/jpsj
name	<i>jpsj</i>
caption	Document Class for Journal of the Physical Society of Japan
author	Kuwabara, Makoto
copyright	The Institute of Pure and Applied Physics, The Physical Society of Japan (2007)
license	lppl = The LaTeX Project Public License (free)
version	1.2.2
documentation	(no language specified) <i>Instructions for authors</i> : https://ctan.org/tex-archive/macros/latex/contrib/jpsj/injpsj2.pdf
– local file	./6197526628-injpsj2.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jpsj

on MikTeX jpsj
on T_EXLive jpsj
keyword physics (support for typesetting physics documents)
keyword journalpub (typesetting journals, etc)
language(s) no language specified
year 2007
last access 2025-02-07

3091 jqt1999 – Journal of Quality Technology BibTeX format

Web page on CTAN <https://ctan.org/pkg/jqt1999>

name jqt1999
caption Journal of Quality Technology BibTeX format
author Forrest, David
license lppl = The LaTeX Project Public License (free)
description (no language specified) This is a derivative work of Oren Patashnik's apalike BibTeX style. It is a BibTeX file for the Journal of Quality Technology that can be used with [natbib](#). It puts semicolons between authors, quotes around titles, and 'pp.' before page numbers.
on CTAN <https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/jqt1999.bst>
keyword bibtex-sty (bibtex-sty(unknown))
language(s) no language specified
year without year
last access 2025-02-07

3092 js-misc – Miscellaneous macros from Joachim Schrod

Web page on CTAN <https://ctan.org/pkg/js-misc>

name js-misc
caption Miscellaneous macros from Joachim Schrod
author Schrod, Joachim
license pd = Public Domain Software (free)
description (no language specified) A bunch of packages, including:

- `idverb.tex` , for ‘short verbatim’;
- `xfig.tex` , for including xfig/transfig output in a TeX document; and
- `cassette.tex` for setting cassette labels.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/contrib/js-misc/README
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/js-misc
on MikTeX	js-misc
on TeXLive	js-misc
keyword	collection (a collection of packages)
language(s)	no language specified
year	without year
last access	2025-02-07

3093 *jsclasses* – Classes tailored for use with Japanese

Web page on CTAN	https://ctan.org/pkg/jsclasses
name	jsclasses
caption	Classes tailored for use with Japanese
author	Okumura, Haruhiko
author	Japanese TeX Development Community
copyright	ASCII MEDIA WORKS (1995-1999)
copyright	Japanese TeX Development Community (2016-2025)
copyright	Haruhiko Okumura (1999-2016)
license	bsd = BSD Style License (free)
version	(2025-05-10)
last changes	2025-05-10
year	2025
description	(no language specified) Classes <code>jsarticle</code> and <code>jsbook</code> are provided, together with packages <code>okumacro</code> and <code>okuverb</code> . These classes are designed to work under ASCII Corporation’s Japanese TeX system <code>ptex</code> .

documentation	<i>Okumacro package documentation (Japanese)</i> : https://ctan.org/tex-archive/macros/jptex/latex/jsclasses/okumacro.pdf
– local file	<code>./1945191898-okumacro.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/jptex/latex/jsclasses/README.md
documentation	<i>Jsverb package documentation (Japanese)</i> : https://ctan.org/tex-archive/macros/jptex/latex/jsclasses/jsverb.pdf
– local file	<code>./9602239141-jsverb.pdf</code>
documentation	<i>Okuverb package documentation (Japanese)</i> : https://ctan.org/tex-archive/macros/jptex/latex/jsclasses/okuverb.pdf
– local file	<code>./5270052607-okuverb.pdf</code>
documentation	<i>Documentation of the classes (Japanese)</i> : https://ctan.org/tex-archive/macros/jptex/latex/jsclasses/jsclasses.pdf
– local file	<code>./2959818698-jsclasses.pdf</code>
contact	<i>repository</i> : https://github.com/texjporg/jsclasses
on CTAN	https://ctan.org/tex-archive/macros/jptex/latex/jsclasses
installation	https://ctan.org/tex-archive/install/macros/jptex/latex/jsclasses.tds.zip
on MikTeX	<code>jsclasses</code>
on T _E XLive	<code>jsclasses</code>
keyword	<code>tagged-pdf-incompatible</code> (tagged PDF incompatible)
keyword	<code>japanese</code> (support for typesetting Japanese)
keyword	<code>class</code> (alternative LaTeX class(es))
language(s)	Japanese
last access	2026-04-10

3094 *jslectureplanner* – Creation and management of university course material

Web page on CTAN <https://ctan.org/pkg/jslectureplanner>

name	jslectureplanner
caption	Creation and management of university course material
author	Spitzmüller, Jürgen
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.15 (2025-10-02)
last changes	2025-10-02
year	2025
description	(no language specified) The <code>jslectureplanner</code> package facilitates the generation and management of university course material. It provides an interface to set up and access centralized course data that can be reused in all course documents. Furthermore, the package is able to calculate the session dates of a whole semester and generate course programs, if the course is held weekly and the date of the first lecture is specified. Moreover, the package can be used to generate a sectioned course bibliography via BibLaTeX. The bundle also includes a package <code>jsmembertable.sty</code> that helps in generating course member and presence lists.
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/jslectureplanner/examples/English/lecturepresentation-english.pdf
– local file	<code>./6416518253-lecturepresentation-english.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/jslectureplanner/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/jslectureplanner/jslectureplanner.pdf
– local file	<code>./3084604205-jslectureplanner.pdf</code>
contact	<i>repository:</i> https://github.com/jspitz/jslectureplanner
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jslectureplanner
on MikTeX	jslectureplanner
on T _E XLive	jslectureplanner
keyword	expl3 (expl3(unknown))
keyword	teaching (support for teachers and teaching administrators)

keyword planning (construct diagrams, etc., for planning)
 language(s) no language specified
 last access 2025-10-09

3095 *jsonparse* – Parse, store and access JSON data in LaTeX documents

Web page on CTAN <https://ctan.org/pkg/jsonparse>
 name jsonparse
 caption Parse, store and access JSON data in LaTeX documents
 author Habicht, Jasper
 copyright Jasper Habicht (2024-2026)
 license lpl1.3c = The LaTeX Project Public License 1.3c (free)
 version 1.7.1 (2026-01-28)
 last changes 2026-01-28
 year 2026
 description (no language specified) This package provides an easy way to read in JSON data from files or strings in LaTeX documents, parse the data and store it in a user-defined token variable.
 documentation (no language specified) *Package documentation:*
 <https://ctan.org/tex-archive/macros/latex/contrib/jsonparse/jsonparse-doc.pdf>
 – local file ./1271749284-jsonparse-doc.pdf
 documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/macros/latex/contrib/jsonparse/README.md>
 contact *bugs:* <https://github.com/jasperhabicht/jsonparse/issues>
 contact *repository:* <https://github.com/jasperhabicht/jsonparse>
 on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/jsonparse>
 on MikTeX jsonparse
 on TeXLive jsonparse
 keyword tagged-pdf (tagged PDF compatible)
 keyword data-manip (manipulate data within TeX)
 language(s) no language specified
 last access 2026-04-10

3096 *jsonresume* – A minimal LuaLaTeX package for rendering JSON Resume data into LaTeX documents

Web page on CTAN <https://ctan.org/pkg/jsonresume>

name	jsonresume
caption	A minimal LuaLaTeX package for rendering JSON Resume data into LaTeX documents
author	Wolfsteiner, Lukas
copyright	Lukas Wolfsteiner (2026)
license	mit = MIT License (free)
version	1.0.2 (2026-01-31)
last changes	2026-01-31
year	2026
description	(no language specified) A minimal LuaLaTeX package for rendering JSON Resume data into clean, professional resumes.

Features

Full JSON Resume Schema Support All 12 sections (basics, work, volunteer, education, awards, certificates, publications, skills, languages, interests, references, projects)

Load from File or URL Local JSON files or remote URLs

Schema Validation Strict mode warns about schema violations

Clean FAANG-style Formatting Professional typography with no distracting design elements

Customizable Section Titles Override default section headers

Requirements

LuaLaTeX Part of TeX Live or MiKTeX

curl For URL loading, pre-installed on most systems

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/jsonresume/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/jsonresume/jsonresume-doc.pdf
– local file	./5936188766-jsonresume-doc.pdf

3097 *jspell* – An ASCII file spelling checker

documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/luatex/latex/ jsonresume/example/example.pdf
– local file	<code>./9200562150-example.pdf</code>
contact	<i>bugs:</i> https://github.com/dotWee/TeXed-JSON-Resume/issues
contact	<i>repository:</i> https://github.com/dotWee/TeXed-JSON-Resume
on CTAN	https: //ctan.org/tex-archive/macros/luatex/latex/jsonresume
on MikTeX	jsonresume
on T _E XLive	jsonresume
keyword	data-manip (manipulate data within TeX)
language(s)	no language specified
last access	2026-04-10

3097 *jspell* – An ASCII file spelling checker

Web page on CTAN	https://ctan.org/pkg/jspell
name	jspell
caption	An ASCII file spelling checker
author	Jeong, Joohee
license	nosource = No Source Available (not free)
version	2.11
description	(no language specified) A spelling checker for use under MS-DOS.
documentation	(no language specified) <i>Package manual:</i> https://ctan.org/tex-archive/support/jspell/manual.txt
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/jspell/00readme.txt
on CTAN	https://ctan.org/tex-archive/support/jspell
keyword	spell (TeX-aware spelling checker)
language(s)	no language specified
year	without year
last access	2026-04-10

3098 *jtb* – BibTeX style for Journal of Theoretical Biology

Web page on CTAN <https://ctan.org/pkg/jtb>

name	<i>jtb</i>
caption	BibTeX style for Journal of Theoretical Biology
author	Rogers, Alan
license	other-nonfree = License that prevents distribution (not free)
description	(no language specified) This style is a derivative of <i>humanbio.bst</i> , which is in turn derived from <i>astron.bst</i> .
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/jtb.bst
keyword	<i>journalpub</i> (typesetting journals, etc)
keyword	<i>bibtex-supp</i> (BibTeX citation support)
see also	see section 3099 on page 2795: (<i>jtbnew</i> – BibTeX style for Journal of Theoretical Biology)
language(s)	no language specified
year	without year
last access	2026-04-10

3099 *jtbnew* – BibTeX style for Journal of Theoretical Biology

Web page on CTAN <https://ctan.org/pkg/jtbnew>

name	<i>jtbnew</i>
caption	BibTeX style for Journal of Theoretical Biology
author	Robbers, Yuri
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Developed using <i>makebst</i> ; apparently intended to supersede <i>jtb.bst</i> .
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/jtbnew.bst
keyword	<i>journalpub</i> (typesetting journals, etc)
keyword	<i>bibtex-supp</i> (BibTeX citation support)
language(s)	no language specified
year	without year

last access 2026-04-10

3100 *juliamono* – Support for the TrueType font JuliaMono

Web page on CTAN <https://ctan.org/pkg/juliamono>

name	JuliaMono
caption	Support for the TrueType font JuliaMono
author	Voß, Herbert
copyright	Herbert Voß (2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
license	ofl = The SIL Open Font License (free)
version	0.06 (2025-11-02)
last changes	2025-11-02
year	2025
description	(no language specified) JuliaMono is a monospaced font for scientific and technical computing. There are font files for Regular, Italic, Bold and BoldItalic in light, medium, black and extra bold version. There are more than 12 thousand glyphs in every font file.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/juliamono/doc/juliamono-doc.pdf
– local file	<code>./5274145911-juliamono-doc.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/juliamono/README.md
on CTAN	https://ctan.org/tex-archive/fonts/juliamono
on MikTeX	<code>juliamono</code>
on TeXLive	<code>juliamono</code>
keyword	<code>font-mono</code> (monospaced font)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>tagged-pdf</code> (tagged PDF compatible)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
language(s)	no language specified
last access	2026-04-13

3101 jumplines – Articles with teasers and continuation later onWeb page on CTAN <https://ctan.org/pkg/jumplines>

name	jumplines
caption	Articles with teasers and continuation later on
author	Hupfer, Christian
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2 (2015-06-02)
last changes	2015-06-02
year	2015
description	(no language specified) <i>Jumplines</i> is a package for typesetting (newspaper) articles that show a teaser (some few lines of text/content) and are continued at a later place, with optional hyperlinking and a list of articles. It requires lua_latex for colour support in split boxes.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/jumplines/README
documentation	(no language specified) <i>Package example</i> : https://ctan.org/tex-archive/macros/latex/contrib/jumplines/jumplines_example.pdf
– local file	<code>./3843833612-jumplines_example.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/jumplines/jumplines_doc.pdf
– local file	<code>./7416182527-jumplines_doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jumplines
on MikTeX	jumplines
on T _E XLive	jumplines
keyword	journalpub (typesetting journals, etc)
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
last access	2025-02-09

3102 junicode – A TrueType and OpenType font family for mediaevalists

Web page on CTAN <https://ctan.org/pkg/junicode>

name	Junicode
caption	A TrueType and OpenType font family for mediaevalists
author	Tennent, Bob
author	Baker, Peter S.
license	ofl = The SIL Open Font License (free)
license	lppl = The LaTeX Project Public License (free)
version	2.218 (2025-08-31)
last changes	2025-08-31
year	2025
description	(no language specified) Junicode is a TrueType/OpenType font family with many features for antiquarians (especially medievalists) based on typefaces used by the Oxford Press in the late 17th and early 18th centuries. It works well with Lua(La)TeX or Xe(La)TeX, but the basic textual features are also available with (pdf)LaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/junicode/README
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/junicode/doc/junicode-samples.pdf
– local file	<code>./5628107593-junicode-samples.pdf</code>
documentation	(no language specified) <i>User Manual</i> : https://ctan.org/tex-archive/fonts/junicode/doc/JunicodeManual.pdf
– local file	<code>./1512209542-JunicodeManual.pdf</code>
contact	<i>support</i> : https://github.com/psb1558/Junicode-font/discussions
contact	<i>repository</i> : https://github.com/psb1558/Junicode-font
on CTAN	https://ctan.org/tex-archive/fonts/junicode
installation	https://ctan.org/tex-archive/install/fonts/junicode.tds.zip
on MikTeX	junicode
on T _E XLive	junicode
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-supp (metrics, macro incantations and other font support)

keyword	font (fonts themselves)
keyword	font-medieval (fonts for Medieval script)
keyword	font-otf (font in OpenType format)
keyword	font-historical (fonts for a script or language now obsolete)
language(s)	no language specified
last access	2025-09-13

3103 *junicodevf* – A TrueType variable font family for mediaevalists

Web page on CTAN <https://ctan.org/pkg/junicodevf>

name	junicodevf
caption	A TrueType variable font family for mediaevalists
author	Baker, Peter S.
author	Tennent, Bob
license	lppl = The LaTeX Project Public License (free)
license	ofl = The SIL Open Font License (free)
version	2.218 (2025-09-01)
last changes	2025-09-01
year	2025
description	(no language specified) This package supports the Junicode variable fonts for LuaLaTeX. The Junicode font is primarily for scholars and students of the Middle Ages, but it serves users with a wide variety of interests. It tracks the development of the Medieval Unicode Font Initiative (MUFI), with its wealth of specialized medieval characters, but it also provides many OpenType features that allow users to access MUFI characters in accessible ways.
documentation	(no language specified) <i>User Manual</i> : https://ctan.org/tex-archive/fonts/junicodevf/doc/JunicodeManual.pdf
– local file	./7456757166-JunicodeManual.pdf
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/junicodevf/doc/junicodevf-samples.pdf
– local file	./6297249252-junicodevf-samples.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/junicodevf/README
contact	<i>repository</i> : https://github.com/psb1558/Junicode-font

on CTAN	https://ctan.org/tex-archive/fonts/junicodevf
installation	https://ctan.org/tex-archive/install/fonts/junicodevf.tds.zip
on MikTeX	junicodevf
on TeXLive	junicodevf
keyword	font-medieval (fonts for Medieval script)
keyword	font-historical (fonts for a script or language now obsolete)
keyword	font (fonts themselves)
keyword	font-ttf (font available in TrueType format)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
last access	2025-09-13

3104 jupynotex – Include whole or partial Jupyter notebooks in LaTeX documents

Web page on CTAN	https://ctan.org/pkg/jupynotex
name	jupynotex
caption	Include whole or partial Jupyter notebooks in LaTeX documents
author	Batista, Facundo
copyright	Facundo Batista (2020-2025)
license	apache2 = Apache License, version 2.0 (free)
version	1.1
description	(no language specified) This package provides a <code>python3</code> script and a LaTeX <code>.sty</code> file which can be used together to include Jupyter Notebooks (all of them, or some specific cells) as part of a LaTeX document. It will convert the Jupyter Notebook format to proper LaTeX so it gets included seamlessly, supporting text, LaTeX, images, etc.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/jupynotex/README.md
home page	https://github.com/facundobatista/jupynotex/
contact	<i>support</i> : https://github.com/facundobatista/jupynotex/issues
contact	<i>bugs</i> : https://github.com/facundobatista/jupynotex/issues

3105 jura – A document class for German legal texts

contact	repository: https://github.com/facundobatista/jupynotex/
contact	development: https://github.com/facundobatista/jupynotex/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jupynotex
on MikTeX	jupynotex
on T _E XLive	jupynotex
keyword	data-import (importing data into documents)
keyword	foreign-import (import files in a non-TeX (or different TeX) format)
keyword	ext-code (run an external program from within a document)
language(s)	no language specified
year	2025
last access	2025-05-06

3105 jura – A document class for German legal texts

Web page on CTAN <https://ctan.org/pkg/jura>

name	jura
caption	A document class for German legal texts
author	Braun, Felix
license	gpl = GNU General Public License (free)
version	4.3
description	(no language specified) Implements the standard layout for German term papers in law (one-and-half linespacing, 7 cm margins, etc.). Includes alphanum that permits alphanumeric section numbering (e.g., A. Introduction; III. International Law).
documentation	(German) <i>Class documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/jura/jura.pdf
– local file	./4773688900-jura.pdf
documentation	(English) <i>README file</i> : https://ctan.org/tex-archive/macros/latex/contrib/jura/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jura
on MikTeX	jura
on T _E XLive	jura
keyword	german (support for typesetting German)

keyword	legal (typesetting legal documents or study material)
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	class (alternative LaTeX class(es))
see also	see section 3108 on page 2804: (<i>juramisc</i> – Typesetting German juridical documents)
see also	see section 141 on page 130: (<i>alnumsec</i> – Alphanumeric section numbering)
see also	see section 3107 on page 2803: (<i>jurabib</i> – Extended BibTeX citation support for the humanities and legal texts)
language(s)	German; English
year	without year
last access	2025-02-07

3106 *juraabbrev* – Abbreviations for typesetting (German) juridical documents

Web page on CTAN	https://ctan.org/pkg/juraabbrev
name	<i>juraabbrev</i>
caption	Abbreviations for typesetting (German) juridical documents
author	Wartenburger, Lucas
license	gpl = GNU General Public License (free)
description	(no language specified) This package should be helpful for people working on (German) law. It helps you to handle abbreviations and creates a list of those (pre-defined) abbreviations that have actually been used in the document
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/juraabbrev/README
documentation	<i>Package documentation (German)</i> : https://ctan.org/tex-archive/macros/latex/contrib/juraabbrev/juraabbrev.pdf
– local file	<code>./7270568959-juraabbrev.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/juraabbrev
on MikTeX	<i>juraabbrev</i>
on T _E XLive	<i>juraabbrev</i>
keyword	legal (typesetting legal documents or study material)
keyword	german (support for typesetting German)

see also	see section 3109 on page 2805: (<i>jurar</i> sp – Citations of judgements and official documents in (German) juridical documents)
language(s)	German
year	without year
last access	2025-02-07

3107 *jurabib* – Extended BibTeX citation support for the humanities and legal texts

Web page on CTAN <https://ctan.org/pkg/jurabib>

name	<i>jurabib</i>
caption	Extended BibTeX citation support for the humanities and legal texts
author	Berger, Jens
license	gpl = GNU General Public License (free)
version	0.6
description	(no language specified) This package enables automated citation with BibTeX for legal studies and the humanities. In addition, the package provides commands for specifying editors in a commentary in a convenient way. Simplified formatting of the citation as well as the bibliography entry is also provided. It is possible to display the (short) title of a work only if an authors is cited with multiple works. Giving a full citation in the text, conforming to the bibliography entry, is supported. Several options are provided which might be of special interest for those outside legal studies—for instance, displaying multiple full citations. In addition, the format of last names and first names of authors may be changed easily. Cross references to other footnotes are possible. Language dependent handling of bibliography entries is possible by the special language field.
documentation	<i>Package documentation (German)</i> : https://ctan.org/tex-archive/macros/latex/contrib/jurabib/docs/german/jbgerdoc.pdf
– local file	<code>./5315043374-jbgerdoc.pdf</code>
documentation	<i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/jurabib/docs/english/jbendoc.pdf
– local file	<code>./4386658163-jbendoc.pdf</code>
contact	<i>repository</i> : http://sourceforge.net/projects/jurabib
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jurabib
on MikTeX	<i>jurabib</i>
on T _E XLive	<i>jurabib</i>

keyword	bibtex-supp (BibTeX citation support)
see also	see section 141 on page 130: (alnumsec – Alphanumeric section numbering)
see also	see section 146 on page 134: (alphanum – Sectioning commands for jura)
see also	see section 3108 on page 2804: (juramisc – Typesetting German juridical documents)
see also	see section 3105 on page 2801: (jura – A document class for German legal texts)
language(s)	German; English
year	without year
last access	2025-02-07

3108 *juramisc* – Typesetting German juridical documents

Web page on CTAN	https://ctan.org/pkg/juramisc
name	juramisc
caption	Typesetting German juridical documents
author	Sodtalbers, Axel
copyright	Axel Sodtalbers (2001, 2006)
license	lppl = The LaTeX Project Public License (free)
version	0.91
description	(no language specified) A collection of classes for typesetting court sentences, legal opinions, books and dissertations for German lawyers. A <i>jurabook</i> class is also provided, which may not yet be complete.
documentation	(German) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/juramisc/README
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/juramisc/doc/jmgerdoc.pdf
– local file	./7395637101-jmgerdoc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/juramisc
on MikTeX	juramisc
on T _E XLive	juramisc
keyword	german (support for typesetting German)
keyword	class (alternative LaTeX class(es))

keyword	legal (typesetting legal documents or study material)
keyword	book-pub (preparing a book for publication)
see also	see section 3105 on page 2801: (<i>jura</i> – A document class for German legal texts)
see also	see section 141 on page 130: (<i>alnumsec</i> – Alphanumeric section numbering)
see also	see section 146 on page 134: (<i>alphanum</i> – Sectioning commands for <i>jura</i>)
see also	see section 3107 on page 2803: (<i>jurabib</i> – Extended BibTeX citation support for the humanities and legal texts)
language(s)	German
year	2006
last access	2025-02-07

3109 *jurarsp* – Citations of judgements and official documents in (German) juridical documents

Web page on CTAN <https://ctan.org/pkg/jurarsp>

name	<i>jurarsp</i>
caption	Citations of judgements and official documents in (German) juridical documents
author	Wartenburger, Lucas
license	gpl = GNU General Public License (free)
version	0.52
description	(no language specified) This package should be helpful for people working on (German) law. It (ab)uses BibTeX for citations of judgements and official documents. For this purpose, a special BibTeX-style is provided.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/jurarsp/README
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/jurarsp/jurarsp.pdf
– local file	<code>./3742867916-jurarsp.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jurarsp
on MikTeX	<i>jurarsp</i>
on TeXLive	<i>jurarsp</i>
keyword	german (support for typesetting German)

keyword	legal (typesetting legal documents or study material)
keyword	bibtex-supp (BibTeX citation support)
see also	see section 3106 on page 2802: (juraabbrev – Abbreviations for typesetting (German) juridical documents)
language(s)	German
year	without year
last access	2025-02-07

3110 *justfontitte* – *JustFontIt TeX Edition*

Web page on CTAN <https://ctan.org/pkg/justfontitte>

name	JustFontItTE
caption	JustFontIt TeX Edition
author	Kostin, Alexei
copyright	Alexei V. Kostin (2006)
license	nosell = Do Not Sell Except by Arrangement (not free)
version	1.1
description	(no language specified) JustFontIt TeX Edition for Win32 is a tool for TeX users. It helps installing fonts in Type1 Binary (PFB), Type1 ASCII (PFA), TrueType and OpenType/CFF to use with TeX. The major features of JustFontIt TeX Edition are: • Functionality of the pltotf, tftopl, vftovp, vptovf tools, all developed by Prof. D. E. Knuth; • Direct production of TFM and PL TeX metric files from various sources (PFA, PFB, TTF, OTF, AFM, PFM), including reencoding; • Support for response files and recursive directory search; • Clear command-line interface; and • High performance.
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/fonts/utilities/JustFontItTE/README
on CTAN	https://ctan.org/tex-archive/fonts/utilities/JustFontItTE
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified

year 2006
last access 2025-02-07

3111 *jvlisting* – A replacement for LaTeX’s verbatim package

Web page on CTAN <https://ctan.org/pkg/jvlisting>

name *jvlisting*
caption A replacement for LaTeX’s verbatim package
author Voss, Jochen
copyright Jochen Voss (2011)
license lpl = The LaTeX Project Public License (free)
version 0.7
description (no language specified) This package provides a LaTeX environment `listing`, an alternative to the built-in `verbatim` environment. The `listing` environment is tailored for including listings of computer program source code into documents.

The main advantages over the original `verbatim` environment are:

- environments automatically fixes leading whitespace so that the environment and program listing can be indented with the rest of the document source, and;
- `listing` environments may easily be customised and extended.

documentation (no language specified) *Package documentation:* <https://ctan.org/tex-archive/macros/latex/contrib/jvlisting/jvlisting.pdf>

– local file `./8294878229-jvlisting.pdf`

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/jvlisting>

on MikTeX *jvlisting*

on T_EXLive *jvlisting*

keyword `listing` (computer code listing)

see also see section 6587 on page 5952: (`verbatim` – Reimplementation of and extensions to LaTeX `verbatim`)

language(s) no language specified

year 2011

last access 2025-02-07

3112 jwjournal – A personal class for writing journals

Web page on CTAN	https://ctan.org/pkg/jwjournal
name	jwjournal
caption	A personal class for writing journals
author	XU, Jinwen
copyright	Jinwen XU (2023-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2024-11-05)
last changes	2024-11-05
year	2024
description	(no language specified) This LaTeX document class enables the user to turn simple pure text entries into a colorful and nicely formatted journal.
documentation	(no language specified) <i>Example of use (German):</i> https://ctan.org/tex-archive/macros/latex/contrib/jwjournal/jwjournal-demo-de.pdf
– local file	./9523344028-jwjournal-demo-de.pdf
documentation	(no language specified) <i>Example of use (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/jwjournal/jwjournal-demo-en.pdf
– local file	./9301566723-jwjournal-demo-en.pdf
documentation	(no language specified) <i>Example of use (Chinese):</i> https://ctan.org/tex-archive/macros/latex/contrib/jwjournal/jwjournal-demo-cn.pdf
– local file	./4241544163-jwjournal-demo-cn.pdf
documentation	(no language specified) <i>Example of use (French):</i> https://ctan.org/tex-archive/macros/latex/contrib/jwjournal/jwjournal-demo-fr.pdf
– local file	./2379079473-jwjournal-demo-fr.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/jwjournal/README.md
contact	<i>repository:</i> https://github.com/Jinwen-XU/jwjournal
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jwjournal
on MikTeX	jwjournal

on T _E XLive	jwjournal
keyword	expl3 (expl3(unknown))
keyword	class (alternative LaTeX class(es))
keyword	article-like (LaTeX article classes and their developments)
keyword	multilingual (support for more than one (natural) language)
language(s)	no language specified
last access	2025-02-07

3113 *jyu-chem-thesis* – Template for theses at the Department of Chemistry, University of Jyväskylä

Web page on CTAN	https://ctan.org/pkg/jyu-chem-thesis
name	jyu-chem-thesis
caption	Template for theses at the Department of Chemistry, University of Jyväskylä
author	Melander, Marko
copyright	Marko Melander; Minttu Smith; Toni Kiljunen (2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2026-02-11)
last changes	2026-02-11
year	2026
description	(no language specified) This is a template for producing Bachelor and Master theses according to the guidelines by the Department of Chemistry, University of Jyväskylä. The formatting follows the guide " Tieteellisen opinnäytetyön kirjoitusohje ".
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/jyu-chem-thesis/README
documentation	(Finnish) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/jyu-chem-thesis/jyu-chem-thesis-example.pdf
– local file	./1569797574-jyu-chem-thesis-example.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jyu-chem-thesis
on MikT _E X	jyu-chem-thesis
on T _E XLive	jyu-chem-thesis

keyword	doc-templ (template to guide document development)
keyword	std-conform (support conformance to standards)
language(s)	Finnish
last access	2026-04-10

3114 *kalendarium* – Print dates according to the classical Latin calendar

Web page on CTAN <https://ctan.org/pkg/kalendarium>

name	kalendarium
caption	Print dates according to the classical Latin calendar
author	Smith, Andrew
copyright	Andrew Smith (2018)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0
description	(no language specified) <i>kalendarium</i> is a LaTeX3 package that provides several macros with which to print dates in classical Latin given days on the Julian or Gregorian calendars, using the same syntax used by ancient Roman authors. The format of these dates may be customised either in the package options or on a per-command basis; these options also allow for the generation of date strings according to different eras of the Classical period.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/kalendarium/kalendarium.pdf
– local file	./1078218898-kalendarium.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/kalendarium/README.md
home page	https://github.com/Andrew-William-Smith/kalendarium
contact	<i>support:</i> https://github.com/Andrew-William-Smith/kalendarium/issues
contact	<i>announce:</i> https://github.com/Andrew-William-Smith/kalendarium/commits/master
contact	<i>bugs:</i> https://github.com/Andrew-William-Smith/kalendarium/issues
contact	<i>repository:</i> https://github.com/Andrew-William-Smith/kalendarium

contact	<i>development:</i> https://github.com/Andrew-William-Smith/kalendarium
on CTAN	https: //ctan.org/tex-archive/macros/latex/contrib/kalendarium
on MikTeX	kalendarium
on T _E XLive	kalendarium
keyword	latex3 (work done for the project to upgrade LaTeX)
keyword	calendar (typeset calendars, diaries, planning charts, etc.)
language(s)	no language specified
year	2018
last access	2025-02-12

3115 *kalender* – Create a calendar, in German

Web page on CTAN	https://ctan.org/pkg/kalender
name	kalender
caption	Create a calendar, in German
author	Söhner, Jörg
license	noinfo = noinfo
version	(1995-03-24)
last changes	1995-03-24
year	1995
description	(no language specified) The package defines a macro <code>\Kalender</code> , which takes one argument, and generates a calendar for the year the argument specifies. The calendar provides a table of conversion of days to day of week, for the whole year plus December of the previous year and January of the following year. The macros use packages <i>calc</i> and <i>ifthen</i> .
on CTAN	https: //ctan.org/tex-archive/macros/latex/contrib/kalender
on MikTeX	kalender
keyword	calendar (typeset calendars, diaries, planning charts, etc.)
see also	see section 5887 on page 5331: (termcal – Print a class calendar)
see also	see section 4718 on page 4272: (plcalendar – Plain macros for making nice calendars)

see also	see section 904 on page 826: (<code>calendar</code> – A package for calendars and timetables)
language(s)	no language specified
last access	2025-02-07

3116 *kalender-209* – Produce page-per-day calendars

Web page on CTAN <https://ctan.org/pkg/kalender-209>

name	<code>kalender-209</code>
caption	Produce page-per-day calendars
author	Schrell, Andreas
license	<code>noinfo</code> = <code>noinfo</code>
version	(1991-10-09)
last changes	1991-10-09
year	1991
description	(no language specified) Prints a calendar/timetable from a given date for a given number of days. The parameters are read interactively; prompts (and output) are in German. The code is written for LaTeX 2.09, but it works with no problems under LaTeX 2e.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/kalender.tex
keyword	<code>calendar</code> (typeset calendars, diaries, planning charts, etc.)
keyword	<code>timetable</code> (schedules of operations, courses, etc.)
keyword	<code>latex209</code> (package only known to work with LaTeX 2.09)
language(s)	no language specified
last access	2025-02-11

3117 kanaparser – Kana parser for LuaTeX

Web page on CTAN <https://ctan.org/pkg/kanaparser>

name	kanaparser
caption	Kana parser for LuaTeX
author	Zahumensky, Adam
license	bsd = BSD Style License (free)
version	1.0
description	(no language specified) The package provides a kana parser for LuaTeX. It is a set of 4 macros that handle transliteration of text: 1. from hiragana and katakana to Latin 2. from Latin and katakana to hiragana 3. from Latin and hiragana to katakana It can be used to write kana directly using only the ASCII character set or for education purposes. The package has support for obsolete and rarely used syllables, some only accessible via the provided toggle macro.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/kanaparser/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/generic/kanaparser/description.pdf
– local file	./3470694236-description.pdf
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/kanaparser
on MikTeX	kanaparser
on TeXLive	kanaparser
keyword	japanese (support for typesetting Japanese)
keyword	luatex (LuaTeX and packages that require it)
keyword	parser (parser application)
language(s)	no language specified
year	without year
last access	2026-04-10

3118 *kanbun* – Typeset *kanbun-kundoku* with support for *kanbun* annotation

Web page on CTAN <https://ctan.org/pkg/kanbun>

name	kanbun
caption	Typeset <i>kanbun-kundoku</i> with support for <i>kanbun</i> annotation
author	Chen, Yuanhao
copyright	Yuanhao Chen (2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2 (2022-02-13)
last changes	2022-02-13
year	2022
description	(no language specified) This package allows users to manually input macros for elements in a <i>kanbun-kundoku</i> (漢文訓読) paragraph. More importantly, it accepts plain text input in the ” <i>kanbun</i> annotation” form when used with LuaLaTeX, which allows typesetting <i>kanbun-kundoku</i> paragraphs efficiently.
documentation	(Chinese + Japanese) <i>Example of use</i>: https://ctan.org/tex-archive/macros/latex/contrib/kanbun/kanbun-example.pdf
– local file	<code>./3270442318-kanbun-example.pdf</code>
documentation	(no language specified) <i>Package documentation (English)</i>: https://ctan.org/tex-archive/macros/latex/contrib/kanbun/kanbun-en.pdf
– local file	<code>./9157773590-kanbun-en.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/kanbun/README.md
documentation	<i>Package documentation (Japanese)</i>: https://ctan.org/tex-archive/macros/latex/contrib/kanbun/kanbun-ja.pdf
– local file	<code>./1806503518-kanbun-ja.pdf</code>
contact	<i>bugs</i> : https://github.com/edward-martyr/kanbun/issues
contact	<i>repository</i> : https://github.com/edward-martyr/kanbun
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/kanbun
on MikTeX	kanbun
on T _E XLive	kanbun
keyword	expl3 (expl3(unknown))

3119 *kantlipsum* – Generate sentences in Kant’s style

keyword	japanese (support for typesetting Japanese)
keyword	use-luatex (package will use LuaTeX facilities if available)
keyword	chinese (support for typesetting Chinese languages)
see also	see section 2460 on page 2224: (gckanbun – Kanbun typesetting for (u)pLaTeX and LuaLaTeX)
language(s)	Japanese; Chinese + Japanese
last access	2025-02-07

3119 *kantlipsum* – Generate sentences in Kant’s style

Web page on CTAN <https://ctan.org/pkg/kantlipsum>

name	kantlipsum
caption	Generate sentences in Kant’s style
author	Gregorio, Enrico
copyright	Enrico Gregorio (2011-2023)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.8c (2023-11-27)
last changes	2023-11-27
year	2023
description	(no language specified) The package spits out sentences in Kantian style; the text is provided by the <i>Kant generator for Python</i> by Mark Pilgrim, described in the book ”Dive into Python”. The package is modelled on lipsum , and may be used for similar purposes.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/kantlipsum/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/kantlipsum/kantlipsum.pdf
– local file	./8221091945-kantlipsum.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/kantlipsum
on MikTeX	kantlipsum
on T _E XLive	kantlipsum
keyword	dummy-gen (dummy text generator for tests and examples)

keyword	macro-supp (support for development of (La)TeX macros)
keyword	expl3 (expl3(unknown))
see also	see section 764 on page 702: (blindtext – Producing ‘blind’ text for testing)
language(s)	no language specified
last access	2025-02-07

3120 *karnaugh* – Typeset Karnaugh-Veitch-maps

Web page on CTAN <https://ctan.org/pkg/karnaugh>

name	karnaugh
caption	Typeset Karnaugh-Veitch-maps
author	Wieland, Andreas W.
copyright	Andreas W. Wieland (1998-2002)
license	lpl1 = The LaTeX Project Public License 1 (free)
version	(2002-01-07)
last changes	2002-01-07
year	2002
description	(no language specified) The package provides macros for typesetting Karnaugh-Maps and Veitch-Charts in a simple and user-friendly way. Karnaugh-Maps and Veitch-Charts are used to display and simplify logic functions “manually”. These macros can typeset Karnaugh-Maps and Veitch-Charts with up to ten variables (=1024 entries).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/karnaugh/kvdoc.pdf
– local file	./6261849189-kvdoc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/karnaugh
on MikTeX	karnaugh
on T _E XLive	karnaugh
keyword	engineering (typesetting associated with engineering of whatever sort)
keyword	maths (support for typesetting mathematics)
see also	see section 3122 on page 2818: (karnaughmap – Typeset Karnaugh maps)
see also	see section 295 on page 271: (askmaps – Typeset American style Karnaugh maps)

see also	see section 3121 on page 2817: (<i>karnaugh-map</i> – LaTeX package for drawing karnaugh maps with up to 6 variables)
language(s)	no language specified
last access	2025-02-07

3121 *karnaugh-map* – LaTeX package for drawing karnaugh maps with up to 6 variables

Web page on CTAN <https://ctan.org/pkg/karnaugh-map>

name	<i>karnaugh-map</i>
caption	LaTeX package for drawing karnaugh maps with up to 6 variables
author	Jacobsson, Mattias
copyright	Mattias Jacobsson and contributors (2015-2022)
license	cc-by-sa-3 = CC BY-SA 3.0 (free)
version	2.0 (2022-01-15)
last changes	2022-01-15
year	2022
description	(no language specified) This package draws karnaugh maps with 2, 3, 4, 5, and 6 variables. It also contains commands for filling the karnaugh map with terms semi-automatically or manually. Last but not least it contains commands for drawing implicants on top of the map. This package depends on the keyval , kvoptions , TikZ , xparse , and xstring packages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/karnaugh-map/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/karnaugh-map/karnaugh-map.pdf
– local file	<code>./6382192608-karnaugh-map.pdf</code>
contact	<i>bugs</i> : https://github.com/2pi/karnaugh-map/issues
contact	<i>repository</i> : https://github.com/2pi/karnaugh-map
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/karnaugh-map
on MikTeX	<i>karnaugh-map</i>
on T _E XLive	<i>karnaugh-map</i>
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)

keyword	maths (support for typesetting mathematics)
keyword	engineering (typesetting associated with engineering of whatever sort)
see also	see section 3120 on page 2816: (karnaugh – Typeset Karnaugh-Veitch-maps)
see also	see section 3122 on page 2818: (karnaughmap – Typeset Karnaugh maps)
language(s)	no language specified
last access	2025-02-07

3122 karnaughmap – Typeset Karnaugh maps

Web page on CTAN <https://ctan.org/pkg/karnaughmap>

name	karnaughmap
caption	Typeset Karnaugh maps
author	Michael, Vonbun
copyright	Michael Vonbun (2015)
license	lpp1.2 = The LaTeX Project Public License 1.2 (free)
version	2.0 (2015-04-20)
last changes	2015-04-20
year	2015
description	(no language specified) This package provides an easy to use interface to typeset Karnaugh maps using TikZ . Though similar to the karnaugh macros, it provides a key-value system to customize karnaughmaps and a proper LaTeX package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/karnaughmap/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/karnaughmap/karnaughmap.pdf
– local file	./6401026984-karnaughmap.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/karnaughmap
on MikTeX	karnaughmap
on TeXLive	karnaughmap
keyword	engineering (typesetting associated with engineering of whatever sort)
keyword	maths (support for typesetting mathematics)

keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
see also	see section 3121 on page 2817: (<code>karnaugh-map</code> – LaTeX package for drawing karnaugh maps with up to 6 variables)
see also	see section 3120 on page 2816: (<code>karnaugh</code> – Typeset Karnaugh-Veitch-maps)
language(s)	no language specified
last access	2025-02-07

3123 *karta* – Cartographic signs

Web page on CTAN <https://ctan.org/pkg/karta>

name	<code>karta</code>
caption	Cartographic signs
license	<code>noinfo</code> = <code>noinfo</code>
description	(no language specified) Metafont description of a font <code>karta15</code> . The Metafont as written is somewhat unsatisfactory: a tidied version, the font <code>nkarta</code> (which also has the glyphs as MetaPost figures) is to be preferred. A PostScript Type 1 copy of <code>karta15</code> is available from the niceframe fonts bundle.
on CTAN	https://ctan.org/tex-archive/fonts/karta
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-symbol</code> (fonts that provide collections of symbols)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
language(s)	no language specified
year	without year
last access	2025-02-07

3124 *kaytannollista-latexia* – Practical manual for LaTeX (Finnish)

Web page on CTAN <https://ctan.org/pkg/kaytannollista-latexia>

name	<code>kaytannollista-latexia</code>
caption	Practical manual for LaTeX (Finnish)
author	Likonen, Teemu
license	<code>cc-by-sa-4</code> = CC BY-SA 4.0 (free)
version	2025

description	(no language specified) ”Käytännöllistä Latexia” is a practical manual for LaTeX written in the Finnish language. The manual covers most of the topics that a typical document author needs. So it can be a useful guide for beginners as well as a reference manual for advanced users.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/kaytannollista-latexia/README.md
documentation	(Finnish) <i>The document itself</i> : https://ctan.org/tex-archive/info/kaytannollista-latexia/kaytannollista-latexia.pdf
– local file	./4963377827-kaytannollista-latexia.pdf
contact	<i>support</i> : https://github.com/tlikonen/latex-opas/discussions
contact	<i>bugs</i> : https://github.com/tlikonen/latex-opas/issues
contact	<i>repository</i> : https://github.com/tlikonen/latex-opas
contact	<i>development</i> : https://github.com/tlikonen/latex-opas/discussions
on CTAN	https://ctan.org/tex-archive/info/kaytannollista-latexia
on MikTeX	kaytannollista-latexia
on T _E XLive	kaytannollista-latexia
keyword	tut-latex (tutorial material for LaTeX)
keyword	finnish-doc (documentation written in Finnish)
language(s)	Finnish
year	without year
last access	2025-02-07

3125 *kblocks* – Easily typeset Control Block Diagrams and Signal Flow Graphs

Web page on CTAN <https://ctan.org/pkg/kblocks>

name	kblocks
caption	Easily typeset Control Block Diagrams and Signal Flow Graphs
author	Somefun, Oluwasegun
copyright	Oluwasegun Somefun (2021)
license	mit = MIT License (free)
version	2.0

description	(no language specified) Kblocks defines a number of commands to make drawing control block diagrams using TikZ/PGF more structured and easier. It reduces the learning curve for TikZ/PGF and serves as a frontend, by focusing on the block resp. flow diagrams only.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/kblocks/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/kblocks/kblocks-doc.pdf
– local file	<code>./8282476265-kblocks-doc.pdf</code>
home page	https://github.com/somefunAgba/kblocks
contact	<i>bugs</i> : https://github.com/somefunAgba/kblocks/issues
contact	<i>repository</i> : https://github.com/somefunAgba/kblocks
contact	<i>development</i> : https://github.com/somefunAgba/kblocks/pulls
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/kblocks
on MikTeX	kblocks
on TeXLive	kblocks
keyword	diagram-flow (flow (and similar) diagrams, including Nassi-Shneiderman)
keyword	diagram-block (block diagrams)
language(s)	no language specified
year	2021
last access	2025-02-07

3126 *kbordermatrix* – LaTeX version of *\bordermatrix*

Web page on CTAN <https://ctan.org/pkg/kbordermatrix>

name	<code>kbordermatrix</code>
caption	LaTeX version of <i>\bordermatrix</i>
author	Border, Kim C
license	noinfo = noinfo
version	(2011-09-21)
last changes	2011-09-21
year	2011

description	(no language specified) The package defines <code>\kbordermatrix</code> along the lines of Plain TeX's <code>\bordermatrix</code> .
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/kbordermatrix.sty
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

3127 *kdgdocs* – Document classes for Karel de Grote University College

Web page on CTAN <https://ctan.org/pkg/kdgdocs>

name	kdgdocs
caption	Document classes for Karel de Grote University College
author	Daems, Walter
author	Levrie, Paul
copyright	Paul Levrie and Walter Daems (2010-2011)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The bundle provides two classes for usage by KdG professors and master students: • <code>kdgcoursetext</code>: for writing course texts, and • <code>kdgmasterthesis</code>: for writing master's theses. The bundle replaces the original <code>kdgcoursetext</code> package (now removed from the archive).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/kdgdocs/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/kdgdocs/kdgdocs.pdf
– local file	<code>./1726755912-kdgdocs.pdf</code>
documentation	(no language specified) <i>Course text example</i> : https://ctan.org/tex-archive/macros/latex/contrib/kdgdocs/kdgcoursetext-example.pdf
– local file	<code>./3271031358-kdgcoursetext-example.pdf</code>

documentation	(no language specified) <i>Master thesis example</i> : https://ctan.org/tex-archive/macros/latex/contrib/kdgdocs/kdgmastertesis-example.pdf
– local file	<code>./6076208725-kdgmastertesis-example.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/kdgdocs
on MikTeX	kdgdocs
on T _E XLive	kdgdocs
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
year	2011
last access	2025-02-07

3128 *kdgreek* – Greek fonts and macros

Web page on CTAN <https://ctan.org/pkg/kdgreek>

name	kdgreek
caption	Greek fonts and macros
author	Dryllerakis, K J
copyright	K J Dryllerakis (1991-1992)
license	gpl = GNU General Public License (free)
version	3.1
description	(no language specified) The fonts are distributed as Metafont source; the design derives from Silvio Levy's fonts , but has also been influenced by Yannis Haralambous' work. They are 8-bit fonts which, the author believes, leads to more robust macro programming. Both ancient and modern Greek are supported. Macros to work with Plain TeX ('grektex') and with LaTeX 2.09 ('grlatrix') are provided.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/fonts/greek/kd/README
on CTAN	https://ctan.org/tex-archive/fonts/greek/kd
on MikTeX	kdgreek
keyword	font-mf (fonts distributed as Metafont source)

keyword	greek (support for typesetting Greek)
keyword	font (fonts themselves)
language(s)	no language specified
year	1992
last access	2025-02-07

3129 kdpcover – Covers for books published by Kindle Direct Publishing

Web page on CTAN <https://ctan.org/pkg/kdpcover>

name	kdpcover
caption	Covers for books published by Kindle Direct Publishing
author	Bugayenko, Yegor
copyright	Yegor Bugayenko (2021-2022)
license	mit = MIT License (free)
version	0.6.0
description	(no language specified) The problem this class solves is the necessity to change the size of the cover PDF according to the number of pages in the book — the bigger the book, the larger the spine of the book must be. The provided class makes the necessary calculations on-the-fly, using the <code>qpdf</code> tool. Obviously, you need to have it installed. Also, you must run <code>pdflatex</code> with the <code>-shell-escape</code> option, in order to allow LaTeX to run <code>qpdf</code> .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/kdpcover/kdpcover.pdf
– local file	<code>./2826272959-kdpcover.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/kdpcover/README.md
contact	<i>bugs</i> : https://github.com/yegor256/kdpcover/issues
contact	<i>repository</i> : https://github.com/yegor256/kdpcover
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/kdpcover
on MikTeX	kdpcover
on T _E XLive	kdpcover
keyword	std-conform (support conformance to standards)
keyword	doc-templ (template to guide document development)

keyword	class (alternative LaTeX class(es))
keyword	covers (typeset badges, covers or labels for things (or people))
language(s)	no language specified
year	2022
last access	2025-02-07

3130 *keisenote* – TikZ-based Japanese-style notebook ruled lines for LaTeX

Web page on CTAN <https://ctan.org/pkg/keisenote>

name	keisenote
caption	TikZ-based Japanese-style notebook ruled lines for LaTeX
author	KKTeX
copyright	KKTeX (2025)
license	mit = MIT License (free)
version	1.2.0 (2025-12-30)
last changes	2025-12-30
year	2025
description	(no language specified) Typeset Japanese-style ruled notebook lines in LaTeX. It supports full-page (<code>\notefill</code>) and short (<code>\note</code>) blocks. Spacing, dot size, and color are adjustable. The package is compatible with multicols.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/keisenote/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/keisenote/keisenote-doc.pdf
– local file	./3648935478-keisenote-doc.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/keisenote
on MikTeX	keisenote
on TeXLive	keisenote
keyword	japanese (support for typesetting Japanese)
keyword	notes (general notes (not including endnotes or footnotes))
language(s)	no language specified
last access	2026-01-13

3131 kelly-greek-font – Simple fonts for Greek

Web page on CTAN <https://ctan.org/pkg/kelly-greek-font>

name	kelly-greek-font
caption	Simple fonts for Greek
author	Hamilton Kelly, Brian
license	noinfo = noinfo
version	(1988-09-14)
last changes	1988-09-14
year	1988
description	(no language specified) Brian Hamilton Kelly developed these fonts for personal use, taking the Greek mathematical symbols from the Computer Modern fonts as a starting point. The fonts are available in several styles, as Metafont source; the transliteration used is described in a paper accompanying the distribution. Macro support is available, for use with LaTeX 2.09 (only).
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/greek/kelly/README
on CTAN	https://ctan.org/tex-archive/fonts/greek/kelly
keyword	greek (support for typesetting Greek)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
language(s)	no language specified
last access	2025-02-07

3132 kerkis – Kerkis (Greek) font family

Web page on CTAN <https://ctan.org/pkg/kerkis>

name	kerkis
caption	Kerkis (Greek) font family
author	Tsolomitis, Antonis
copyright	Department of Mathematics, University of the Aegean (2002)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.11 (2020-09-05)

last changes	2020-09-05
year	2020
description	(no language specified) Sans-serif Greek fonts to match the URW Bookman set (which are distributed with Kerkis). The Kerkis font set has some support for mathematics as well as other glyphs missing from the base URW Bookman fonts. Macros are provided to use the fonts in OT1, T1 (only NG/ng glyphs missing) and LGR encodings, as well as in mathematics; small caps and old-style number glyphs are also available. The philosophy, and the design process, of the Kerkis fonts is discussed in a paper in TUGboat 23(3/4), 2002 .
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/greek/kerkis/README
on CTAN	https://ctan.org/tex-archive/fonts/greek/kerkis
on MikTeX	kerkis
on TeXLive	kerkis
keyword	font-t1enc (font providing LaTeX T1 encoding support)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font (fonts themselves)
keyword	font-maths (fonts for use in mathematics)
keyword	font-otf (font in OpenType format)
keyword	font-greek (font for Greek (archaic, classical and modern))
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
last access	2025-02-07

3133 *kerntest* – Print tables and generate control files to adjust kernings

Web page on CTAN <https://ctan.org/pkg/kerntest>

name	kerntest
caption	Print tables and generate control files to adjust kernings
author	Harders, Harald
license	lppl = The LaTeX Project Public License (free)
version	1.32

description	(no language specified) This class makes it easy to generate tables that show many different kerning pairs of an arbitrary font, usable by LaTeX. It shows the kerning values that are used in the font by default. In addition, this class enables the user to alter the kernings and to observe the results. Kerning pairs can be defined for groups of similar glyphs at the same time. An mtX file is generated automatically. The mtX file may then be loaded by fontinst to introduce the user-made kernings into the virtual font for later use in LaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/kerntest/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/kerntest/kerntest.pdf
– local file	./4593398684-kerntest.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/kerntest
on MikTeX	kerntest
on TeXLive	kerntest
keyword	font-devel (support for font development, testing and characterisation)
language(s)	no language specified
year	without year
last access	2025-02-07

3134 ketcindy – Creating graphics for TeX using Cinderella

Web page on CTAN	https://ctan.org/pkg/ketcindy
name	ketcindy
caption	Creating graphics for TeX using Cinderella
author	Takato, Setsuo
copyright	Setsuo Takato (2014-2019)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	20191225.0

description	(no language specified) KeTCindy combines a plugin to Cinderella with free mathematical software (R, Maxima, ...) to produce high-quality LaTeX graphics. Using Cinderella to generate graphics in an interactive environment, the generated image can be fine-tuned using KeTCindy commands embedded into CindyScript, the scripting language of Cinderella. KeTCindy can be regarded as a prominent scheme to establish an effective linkage between visualization tools and editing tools. Moreover, KeTCindy enables the importation of data calculated or simulated using other mathematical software such as Maxima, Fricas, Risa/Asir and R, and to combine them with the graphical data, so that an extremely wide range of mathematical objects can be presented.
documentation	<i>Reference manual (Japanese):</i> https://ctan.org/tex-archive/graphics/ketcindy/ketcindyfolder/doc/ketmanual/KeTCindyReferenceJ.pdf
– local file	./2398630648-KeTCindyReferenceJ.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/ketcindy/README
documentation	(no language specified) <i>Reference manual (English):</i> https://ctan.org/tex-archive/graphics/ketcindy/ketcindyfolder/doc/ketmanual/KeTCindyReferenceE.pdf
– local file	./6942002470-KeTCindyReferenceE.pdf
documentation	(no language specified) <i>User guide (English):</i> https://ctan.org/tex-archive/graphics/ketcindy/ketcindyfolder/doc/ketmanual/KeTCindyGuideE.pdf
– local file	./8672640410-KeTCindyGuideE.pdf
documentation	<i>User guide (Japanese):</i> https://ctan.org/tex-archive/graphics/ketcindy/ketcindyfolder/doc/ketmanual/KeTCindyGuideJ.pdf
– local file	./4002756272-KeTCindyGuideJ.pdf
contact	<i>support:</i> https://github.com/ketpic/ketcindy/issues
contact	<i>bugs:</i> https://github.com/ketpic/ketcindy/issues
contact	<i>repository:</i> https://github.com/ketpic/ketcindy
on CTAN	https://ctan.org/tex-archive/graphics/ketcindy
installation	https://ctan.org/tex-archive/install/graphics/ketcindy.tds.zip
on MikTeX	ketcindy
on TeXLive	ketcindy

keyword	graphics (graphics (support packages))
keyword	maths (support for typesetting mathematics)
language(s)	Japanese
year	2019
last access	2025-02-07

3135 *keycommand* – Simple creation of commands with key-value arguments

Web page on CTAN <https://ctan.org/pkg/keycommand>

name	keycommand
caption	Simple creation of commands with key-value arguments
author	Chervet, Florent
copyright	Florent Chervet (2009-2010)
license	lpl = The LaTeX Project Public License (free)
version	3.1415
description	(no language specified) The package (which requires e-TeX) provides a natural way to define commands with optional keys. The package provides <code>\newkeycommand</code>, <code>\renewkeycommand</code>, <code>\providekeycommand</code>, <code>\newkeyenvironment</code> and <code>\renewkeyenvironment</code>, together with <code>\keycmd</code> for a more advanced interface. The package is based on kvsetkeys by Heiko Oberdiek.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/keycommand/keycommand.pdf
– local file	<code>./3738226345-keycommand.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/keycommand/README
documentation	(no language specified) <i>Example of usage</i>: https://ctan.org/tex-archive/macros/latex/contrib/keycommand/keycommand-example.pdf
– local file	<code>./2238593269-keycommand-example.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/keycommand
on MikTeX	keycommand

on T _E XLive	keycommand
keyword	keyval (key-value argument systems)
language(s)	no language specified
year	2010
last access	2025-02-07

3136 **keyfloat** – Provides a key/value interface for generating floats

Web page on CTAN <https://ctan.org/pkg/keyfloat>

name	keyfloat
caption	Provides a key/value interface for generating floats
author	Dunn, Brian
copyright	Brian Dunn (2016-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.09
description	(no language specified) The keyfloat package provides a key/value user interface for quickly creating figures with a single image each, figures with arbitrary contents, tables, subfloats, rows of floats, floats located [H]ere, floats in the [M]argin, and floats with text [W]rapped around them. Key/value combinations may specify a caption and label, a width proportional to \linewidth, a fixed width and/or height, rotation, scaling, a tight or loose frame, an \arraystretch, a continued float, additional supplemental text, and an artist/author's name with automatic index entry. When used with the tocdata package, the name also appears in the List of Figures. Floats may be placed into a row environment, and are typeset to fit within the given number of columns, continuing to the next row if necessary. Nested sub-rows may be used to generate layouts such as two small figures placed vertically next to one larger figure. Subfloats are supported by two environments.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/keyfloat/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/keyfloat/keyfloat.pdf
– local file	./6389825560-keyfloat.pdf
contact	<i>bugs</i> : https://github.com/bdte/keyfloat

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/keyfloat
on MikTeX	keyfloat
on TeXLive	keyfloat
keyword	float (typesetting floats)
language(s)	no language specified
year	2024
last access	2025-02-07

3137 *keyindex* – Index entries by key lookup

Web page on CTAN	https://ctan.org/pkg/keyindex
name	keyindex
caption	Index entries by key lookup
author	Zach, Richard
copyright	Richard Zach (2019)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0
description	(no language specified) The package provides functionality for producing an index without directly entering index entries into the text using the <code>\index</code> command, but instead by looking up short keys and printing a predefined string in the main text and adding a corresponding index entry. The standard use case is the production of an index of names.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/keyindex/keyindex.pdf
– local file	<code>./3911236337-keyindex.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/keyindex/README.md
contact	<i>bugs</i> : https://github.com/rzach/keyindex/issues
contact	<i>repository</i> : https://github.com/rzach/keyindex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/keyindex
on MikTeX	keyindex
on TeXLive	keyindex

keyword	index (index support)
language(s)	no language specified
year	2019
last access	2025-02-07

3138 *keyparse* – Key based parser

Web page on CTAN <https://ctan.org/pkg/keyparse>

name	keyparse
caption	Key based parser
author	Rogard, Erwann
copyright	Erwann Rogard (2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1
description	(no language specified) This LaTeX package provides an interface to define and evaluate key-based replacement rules. It can be used to parse the argument specification of a document command.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/keyparse/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/keyparse/keyparse.pdf
– local file	./6132725575-keyparse.pdf
contact	<i>repository</i> : https://github.com/rogard/keyparse
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/keyparse
on MikTeX	keyparse
on TeXLive	keyparse
keyword	expl3 (expl3(unknown))
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	2021
last access	2025-02-07

3139 keyreader – A robust interface to xkeyval

Web page on CTAN <https://ctan.org/pkg/keyreader>

name	keyreader
caption	A robust interface to xkeyval
author	Musa, Ahmed
copyright	Ahmed Musa (2011-2012)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.5b
description	(no language specified) The package provides a robust interface to controlling keys in xkeyval , removing some of that package’s restrictions. The package also addresses some of the issues now covered by the author’s ltxkeys package, which was assumed to be a replacement for <code>keyreader</code> . Since <code>keyreader</code> has remained a favourite with users, it has been reinstated.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/keyreader/doc/keyreader-guide.pdf
– local file	<code>./1565458634-keyreader-guide.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/keyreader/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/keyreader
on MikTeX	keyreader
on TeXLive	keyreader
keyword	keyval (key-value argument systems)
language(s)	no language specified
year	2012
last access	2025-02-07

3140 keystroke – Graphical representation of keys on keyboard

Web page on CTAN <https://ctan.org/pkg/keystroke>

name	keystroke
caption	Graphical representation of keys on keyboard
author	Niepraschk, Rolf
license	gpl = GNU General Public License (free)
version	1.6
description	(no language specified) A LaTeX package which provides macros for the graphical representation of the keys on a computer keyboard.
documentation	(no language specified) <i>Package demo</i> : https://ctan.org/tex-archive/macros/latex/contrib/keystroke/key-test.pdf
– local file	./9061187184-key-test.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/keystroke/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/keystroke
on MikTeX	keystroke
on T _E XLive	keystroke
keyword	doc-supp (macros and tools for preparing documentation)
language(s)	no language specified
year	without year
last access	2025-02-07

3141 keytheorems – An l3keys interface to amsthm

Web page on CTAN <https://ctan.org/pkg/keytheorems>

name	keytheorems
caption	An l3keys interface to amsthm
author	Bertucci, Matthew
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3.5 (2026-02-20)
last changes	2026-02-20

3142 *keyval* – Process ‘key=value’ schemes

year	2026
description	(no language specified) An expl3 -implementation of a key-value interface to amsthm , implementing most of the functionality provided by thmtools . Several issues encountered with thmtools are avoided (see the README for a list) and a few new features are added.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/keytheorems/doc/keytheorems-doc.pdf
– local file	./6917768858-keytheorems-doc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/keytheorems/README.md
contact	<i>bugs:</i> https://github.com/mbertucci47/keytheorems/issues
contact	<i>repository:</i> https://github.com/mbertucci47/keytheorems
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/keytheorems
on MikTeX	keytheorems
on TeXLive	keytheorems
keyword	tagged-pdf-partially (tagged PDF partially compatible)
keyword	maths (support for typesetting mathematics)
keyword	maths-theorem (typeset mathematical theorems)
keyword	keyval (key-value argument systems)
language(s)	no language specified
last access	2026-02-25

3142 *keyval* – Process ‘key=value’ schemes

Web page on CTAN	https://ctan.org/pkg/keyval
name	keyval
caption	Process ‘key=value’ schemes
author	Carlisle, David
author	The LaTeX Project Team
copyright	David Carlisle (1993-1995, 1997-1999)
copyright	David Carlisle, LaTeX3 Project (2000-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)

version	1.15 (2022-05-29)
last changes	2022-05-29
year	2022
description	(no language specified) The package offered the first key-value decoder for LaTeX 2e; its original user was the graphicx package, but it is widely used elsewhere in common LaTeX packages. The package is part of the latex-graphics bundle, which is one of the collections in the LaTeX ‘required’ set of packages.
on CTAN	https://ctan.org/tex-archive/macros/latex/required/graphics
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-graphics.tds.zip
on MikTeX	graphics
on TeXLive	graphics
keyword	keyval (key-value argument systems)
see also	see section 4805 on page 4349: (processkv – Process key-value pairs)
see also	see section 6810 on page 6146: (xkeyval – Extension of the keyval package)
language(s)	no language specified
last access	2025-02-07

3143 keyval2e – A lightweight and robust key-value parser

Web page on CTAN <https://ctan.org/pkg/keyval2e>

name	keyval2e
caption	A lightweight and robust key-value parser
author	Musa, Ahmed
copyright	Ahmed Musa (2011)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.0.2
description	(no language specified) The package provides lightweight and robust facilities for creating and managing keys. Its machinery isn’t as extensive as that of, e.g., the ltxkeys package, but it is equally robust; ease of use and speed of processing are the design aims of the package.

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/keyval2e/keyval2e-guide.pdf
– local file	<code>./1461734203-keyval2e-guide.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/keyval2e/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/keyval2e
on MikTeX	<code>keyval2e</code>
on TeXLive	<code>keyval2e</code>
keyword	<code>keyval</code> (key-value argument systems)
language(s)	no language specified
year	2011
last access	2025-02-07

3144 `keyvaltable` – Re-usable table layouts separating content and presentation

Web page on CTAN	https://ctan.org/pkg/keyvaltable
name	<code>keyvaltable</code>
caption	Re-usable table layouts separating content and presentation
author	Grewe, Richard
copyright	Richard Grewe (2016-2020)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	2.3
description	(no language specified) The main goal of this package is to offer means for typesetting tables easily and yet still looking rather nicely in a way that separates content from presentation and with re-usable layout for tables of the same type. For this purpose, the package provides the environment <code>KeyValTable</code>, which allows one to typeset tables that have a previously defined column layout and whose rows can be produced in a key-value fashion.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/keyvaltable/keyvaltable.pdf
– local file	<code>./8949023247-keyvaltable.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/keyvaltable/README.md
contact	<i>bugs</i> : https://github.com/Ri-Ga/keyvaltable/issues
contact	<i>repository</i> : https://github.com/Ri-Ga/keyvaltable
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/keyvaltable
on MikTeX	keyvaltable
on TeXLive	keyvaltable
keyword	table (table typesetting)
language(s)	no language specified
year	2020
last access	2025-02-07

3145 `kfupm-math-exam` – A LaTeX document style to produce homework, quiz and exam papers

Web page on CTAN <https://ctan.org/pkg/kfupm-math-exam>

name	<code>kfupm-math-exam</code>
caption	A LaTeX document style to produce homework, quiz and exam papers
author	Alshahrani, Mohammed
copyright	Mohammed Alshahrani (2022)
license	mit = MIT License (free)
version	0.1.0
description	(no language specified) The package provides commands and environments that simplify and streamline the process of preparing homework, quiz and exam papers according to a preferred style. The default style is based on the guidelines set by the department of mathematics at King Fahd University of Petroleum and Minerals (KFUPM). It can be easily customized to fit any style for any institution.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/kfupm-math-exam/kfupm-math-exam.pdf
– local file	<code>./9315610325-kfupm-math-exam.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/kfupm-math-exam/README.txt

home page	https://github.com/mmogib/kfupm-math-exam
contact	bugs: https://github.com/mmogib/kfupm-math-exam/issues
contact	repository: https://github.com/mmogib/kfupm-math-exam
contact	development: https://github.com/mmogib/kfupm-math-exam
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/kfupm-math-exam
on MikTeX	kfupm-math-exam
on T _E XLive	kfupm-math-exam
keyword	exam (exams, quizzes, etc.)
language(s)	no language specified
year	2022
last access	2025-02-07

3146 *khatalmaqala* – Arabic font for university articles

Web page on CTAN <https://ctan.org/pkg/khatalmaqala>

name	khatalmaqala
caption	Arabic font for university articles
author	Abdalmatin, Zain Ibn
copyright	Zain Ibn Abd-al-Matin (2023)
license	ofl = The SIL Open Font License (free)
version	1.0.2 (2023-09-11)
last changes	2023-09-11
year	2023
description	(no language specified) This font family is a modification of "cm-unicode" fonts, with Arabic support. It was originally made for a group of undergraduate students at Misr University For Science And Technology (Egypt) many years ago. After a few semesters, it had become the main font for their articles and assignments. Now, it is on CTAN for easier access. khatalmaqala = khat (font) + maqala (article) = font for article
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/fonts/khatalmaqala/sample-of-khatalmaqala.pdf

3147 *kile* – A user friendly TeX/LaTeX editor for KDE

– local file	<code>./6743988405-sample-of-khatalmaqala.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/khatalmaqala/README.md
contact	<i>bugs</i> : https://github.com/zainibnabdalmatin/khatalmaqala/issues
contact	<i>repository</i> : https://github.com/zainibnabdalmatin/khatalmaqala
on CTAN	https://ctan.org/tex-archive/fonts/khatalmaqala
on MikTeX	khatalmaqala
on TeXLive	khatalmaqala
keyword	font (fonts themselves)
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font-arabic (fonts for typesetting arabic)
keyword	font-serif (serif font)
keyword	font-cm (font serving Computer Modern-style shapes)
keyword	font-ttf (font available in TrueType format)
language(s)	no language specified
last access	2025-02-07

3147 *kile* – A user friendly TeX/LaTeX editor for KDE

Web page on CTAN	https://ctan.org/pkg/kile
name	kile
caption	A user friendly TeX/LaTeX editor for KDE
author	Brachet, Pascal
author	Wijnhout, Jeroen
license	gpl = GNU General Public License (free)
version	2.0
description	(no language specified) The Kile project is developing a user friendly TeX/LaTeX editor. It will run on systems with the KDE desktop environment. (KDE is available for many architectures with Linux installed.)

documentation	(no language specified) <i>Package documentation:</i> http://kile.sourceforge.net/documentation.php
contact	<i>repository:</i> http://kile.sourceforge.net
keyword	ide (integrated development environments)
language(s)	no language specified
year	without year
last access	2025-02-07

3148 *kinematikz* – Design kinematic chains and mechanisms

Web page on CTAN <https://ctan.org/pkg/kinematikz>

name	kinematikz
caption	Design kinematic chains and mechanisms
author	Santos, Vitor
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
license	gpl = GNU General Public License (free)
version	1.0
description	(no language specified) This package provides functionalities to draw kinematic diagrams for mechanisms using dedicate symbols (some from the ISO standard and others). The intention is not to represent CAD mechanical drawings of mechanisms and robots, but only to represent 2D and 3D kinematic chains. The package provides links, joints and other symbols, mostly in the form of TikZ pic objects. These pics can be placed in the canvas either by a central point for joints, and start and end points for some links.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive//graphics/pgf/contrib/kinematikz/kinematikzmanual.pdf
– local file	./3920798805-kinematikzmanual.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive//graphics/pgf/contrib/kinematikz/README
on CTAN	https://ctan.org/tex-archive//graphics/pgf/contrib/kinematikz
on MikTeX	kinematikz
on T _E XLive	kinematikz
keyword	physics (support for typesetting physics documents)

keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
year	without year
last access	2025-02-07

3149 *kix* – Typeset KIX codes

Web page on CTAN <https://ctan.org/pkg/kix>

name	kix
caption	Typeset KIX codes
author	Stoks, Sander
copyright	Sander R.M. Stoks (1998)
license	lpl1 = The LaTeX Project Public License 1 (free)
version	(2011-03-04)
last changes	2011-03-04
year	2011
description	(no language specified) Implements KIX codes as used by the Dutch PTT for bulk mail addressing. (Royal Mail 4 State Code.) KIX is a registered trade mark of PTT Post Holdings B. V.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/kix/kix.pdf
– local file	./3268529531-kix.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/kix
on MikTeX	kix
on T _E XLive	kix
keyword	barcode (barcodes and other machine-readable tags)
see also	see section 3150 on page 2844: (KIXfont – A font for KIX codes)
see also	see section 4882 on page 4415: (pst-barcode – Print barcodes using PostScript)
language(s)	no language specified
last access	2025-02-07

3150 kixfont – A font for KIX codes

Web page on CTAN <https://ctan.org/pkg/kixfont>

name	KIXfont
caption	A font for KIX codes
author	van Rein, Rick
license	other-free = Free license not otherwise listed (free)
description	(no language specified) The KIX code is a barcode-like format used by the Dutch PTT to encode country codes, zip codes and street numbers in a machine-readable format. If printed below the address line on bulk mailings, a discount can be obtained. The font is distributed in Metafont format, and covers the numbers and upper-case letters.
documentation	(no language specified) <i>Font table</i>: https://ctan.org/tex-archive/fonts/kixfont/kixtable.pdf
– local file	./2579331895-kixtable.pdf
on CTAN	https://ctan.org/tex-archive/fonts/kixfont
on MikTeX	kixfont
on T _E XLive	kixfont
keyword	font (fonts themselves)
keyword	font-specialist (fonts with specific small application areas)
keyword	barcode (barcodes and other machine-readable tags)
keyword	font-mf (fonts distributed as Metafont source)
see also	see section 3149 on page 2843: (kix – Typeset KIX codes)
see also	see section 4882 on page 4415: (pst-barcode – Print barcodes using PostScript)
language(s)	no language specified
year	without year
last access	2025-02-07

3151 *kkluaverb* – Provides a Lua-enhanced versatile `\verb` command

Web page on CTAN <https://ctan.org/pkg/kkluaverb>

name	kkluaverb
caption	Provides a Lua-enhanced versatile <code>\verb</code> command
author	KKTeX
license	mit = MIT License (free)
version	2.1.2 (2026-01-27)
last changes	2026-01-27
year	2026
description	(no language specified) This package provides a Lua-enhanced command similar to <code>\verb</code> , as well as an environment similar to <code>lstlisting</code> . These can be safely used in the arguments of arbitrary commands without breaking, and they work correctly in the table of contents and indexes. The package also allows the creation of an arbitrary number of text-replacement rules and color presets.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/kkluaverb/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/kkluaverb/kkluaverb-doc.pdf
– local file	<code>./1156760804-kkluaverb-doc.pdf</code>
contact	<i>repository</i> : https://github.com/KKTeX/KKluaverb
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/kkluaverb
on MikTeX	kkluaverb
on TeXLive	kkluaverb
keyword	verbatim (verbatim typesetting, etc.)
see also	see section 1368 on page 1236: (<code>cprotect</code> – Allow verbatim, etc., in macro arguments)
language(s)	no language specified
last access	2026-02-04

3152 *kkran* – Generate answer fields in tests and exams

Web page on CTAN <https://ctan.org/pkg/kkran>

name	KKran
caption	Generate answer fields in tests and exams
author	KKTeX
copyright	Kosei Kawaguchi (2025-2026)
license	mit = MIT License (free)
version	1.1.6 (2026-02-20)
last changes	2026-02-20
year	2026
description	(no language specified) A Lua- and TikZ-based package created for the Japanese education sector. It enables the arrangement of box-shaped answer fields in any desired combination using simple commands. It also facilitates the easy creation of multiple-choice answer sheets (mark sheets). Furthermore, it covers the functionality of toggling the display of model answers (solutions) via an option, and even the creation of grid-style answer fields (graph paper-like cells). The package name originates from ”欄 (:ran)”, which means ”a small piece of area”, or ”a small space”.
documentation	(Japanese) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/kkran/kkran-doc.pdf
– local file	<code>./5667443508-kkran-doc.pdf</code>
documentation	(Japanese) <i>Example of use</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/kkran/kkran-sample.pdf
– local file	<code>./7700843839-kkran-sample.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/kkran/README.md
contact	<i>repository</i> : https://github.com/KKTeX/KKran
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/kkran
on MikTeX	kkran
on TeXLive	kkran
keyword	exam (exams, quizzes, etc.)
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	luatex (LuaTeX and packages that require it)

keyword	teaching (support for teachers and teaching administrators)
keyword	japanese (support for typesetting Japanese)
language(s)	Japanese
last access	2026-04-10

3153 *kksymbols* – LaTeX commands for enclosing characters in circles, squares, diamonds, or brackets

Web page on CTAN <https://ctan.org/pkg/kksymbols>

name	KKsymbols
caption	LaTeX commands for enclosing characters in circles, squares, diamonds, or brackets
author	KKTeX
copyright	Kosei Kawaguchi (2025-2026)
license	mit = MIT License (free)
version	2.1.4 (2026-04-17)
last changes	2026-04-17
year	2026
description	(no language specified) This package offers LaTeX commands for enclosing characters in circles, squares, diamonds, or brackets, with automatic scaling and baseline correction to ensure correct appearance in both horizontal and vertical writing modes. The package relies on TikZ and works only with LuaLaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/kksymbols/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/kksymbols/kksymbols-doc.pdf
– local file	<code>./7495309141-kksymbols-doc.pdf</code>
contact	<i>repository</i> : https://github.com/KKTeX/KKsymbols
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/kksymbols
on MikTeX	kksymbols
on TeXLive	kksymbols
keyword	japanese (support for typesetting Japanese)

keyword	text-symbol (symbols for use in text)
keyword	luatex (LuaTeX and packages that require it)
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	graphics-symb (create symbols, rather than select from a font)
language(s)	no language specified
last access	2026-04-24

3154 *klinz* – A Klingon font

Web page on CTAN <https://ctan.org/pkg/klinz>

name	klinz
caption	A Klingon font
author	Wünsch, Karl Günter
copyright	Karl Günter Wünsch (1993)
license	other-free = Free license not otherwise listed (free)
description	(no language specified) Offers a full set of upper case and small caps letters, together with numbers and some punctuation. The font is distributed in Metafont format.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/klinz/README
on CTAN	https://ctan.org/tex-archive/fonts/klinz
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-invented (font for an ‘invented’ language or script)
language(s)	no language specified
year	1993
last access	2025-02-07

3155 *kmrhyph* – Hyphenation patterns for Kurmanji, T1 encoded

Web page on CTAN <https://ctan.org/pkg/kmrhyph>

name	kmrhyph
caption	Hyphenation patterns for Kurmanji, T1 encoded
author	Knappen, Jörg
copyright	Jörg Knappen and Medeni Shemdê (2009)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) These are patterns for the Kurmanji language (Northern Kurdish, as spoken in Turkey and by the Kurdish diaspora in Europe). The patterns are generated from a word list of approximately 2500 hyphenated words, and are presented in T1 encoding.
on CTAN	https://ctan.org/tex-archive/language/hyphenation/kmrhyph.tex
keyword	hyphenation (macros or tables for hyphenation)
keyword	kurdish (support for typesetting Kurdish)
keyword	kurmanji (support for typesetting Kurmanji)
language(s)	no language specified
year	2009
last access	2025-02-07

3156 *knit* – Tangle and weave with multiple change files

Web page on CTAN <https://ctan.org/pkg/knit>

name	knit
caption	Tangle and weave with multiple change files
author	Appelt, Wolfgang
license	noinfo = noinfo
version	2.7
description	(no language specified) Knit and twist are represented as change files from tangle and weave (respectively). In each case, they act in the same way as the parent program, but can process more than one change file at the same time.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/web/knit/README
on CTAN	https://ctan.org/tex-archive/web/knit
keyword	litprog-tools (litprog-tools(unknown))
language(s)	no language specified
year	without year
last access	2025-02-07

3157 knitting – Produce knitting charts, in Plain TeX or LaTeX

Web page on CTAN <https://ctan.org/pkg/knitting>

name	knitting
caption	Produce knitting charts, in Plain TeX or LaTeX
author	Barton, Ariel
copyright	Ariel Barton (2010-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.0
description	(no language specified) The package provides symbol fonts and commands to write charted instructions for cable and lace knitting patterns, using either plain TeX or LaTeX. The fonts are available both as Metafont source and in Adobe Type 1 format.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/knitting/docs/knitting-doc.pdf
– local file	./5562631336-knitting-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/knitting/README
on CTAN	https://ctan.org/tex-archive/fonts/knitting
on MikTeX	knitting
on T _E XLive	knitting
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
keyword	diagram (diagrams)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-symbol (fonts that provide collections of symbols)

see also	see section 3158 on page 2851: (<i>knittingpattern</i> – Create knitting patterns)
language(s)	no language specified
year	2019
last access	2025-02-07

3158 *knittingpattern* – Create knitting patterns

Web page on CTAN <https://ctan.org/pkg/knittingpattern>

name	<i>knittingpattern</i>
caption	Create knitting patterns
author	Griffiths, Hugh
copyright	Hugh Griffiths (2010)
license	lpp1.3 = The LaTeX Project Public License 1.3 (free)
version	(2009-11-13)
last changes	2009-11-13
year	2009
description	(no language specified) The class provides a simple, effective method for knitters to produce high-quality, attractive patterns using LaTeX. It does this by providing commands to handle as much of the layout of the document as possible, leaving the author free to concentrate on the pattern.
documentation	(no language specified) <i>Package introduction</i> : https://ctan.org/tex-archive/macros/latex/contrib/knittingpattern/introduction.pdf
– local file	<code>./4100941186-introduction.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/knittingpattern/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/knittingpattern
on MikTeX	<i>knittingpattern</i>
on TeXLive	<i>knittingpattern</i>
keyword	diagram (diagrams)
see also	see section 3157 on page 2850: (<i>knitting</i> – Produce knitting charts, in Plain TeX or LaTeX)
language(s)	no language specified

last access 2025-02-07

3159 *knot* – A Celtic knotwork font

Web page on CTAN <https://ctan.org/pkg/knot>

name	knot
caption	A Celtic knotwork font
author	Jaquina, Jo
license	noinfo = noinfo
version	(1992-03-27)
last changes	1992-03-27
year	1992
description	(no language specified) The package provides a set of (basically similar) fonts. The glyphs of each font may be assembled into a knotwork pattern. The fonts are distributed as Metafont source; a TeX document to test the fonts is supplied.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/knot/README
on CTAN	https://ctan.org/tex-archive/fonts/knot
on MikTeX	knot
keyword	font-decor (decorative or initial fonts)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
language(s)	no language specified
last access	2025-02-07

3160 **knowledge** – Displaying, hyperlinking, and indexing notions in a document

Web page on CTAN <https://ctan.org/pkg/knowledge>

name	knowledge
caption	Displaying, hyperlinking, and indexing notions in a document
author	Colcombet, Thomas
copyright	Thomas Colcombet (2016-2020)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.29 (2024-03-10)
last changes	2024-03-10
year	2024
description	(no language specified) The package offers a systematic way to handle notions/concepts/terms throughout a document. It helps building an index. In combination with hyperref it makes it easy to have every reference of a concept linked to its introduction. It also offers simple notations.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/knowledge/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/knowledge/knowledge.pdf
– local file	./6490630919-knowledge.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/knowledge
on MikTeX	knowledge
on T _E XLive	knowledge
keyword	expl3 (expl3(unknown))
keyword	index (index support)
keyword	label-ref (label and reference systems)
language(s)	no language specified
last access	2025-02-07

3161 knst – Multiple-guess tests

Web page on CTAN <https://ctan.org/pkg/knst>

name	knst
caption	Multiple-guess tests
author	Saludes, Jordi
license	noinfo = noinfo
version	(1996-12-09)
last changes	1996-12-09
year	1996
description	(no language specified) A package supporting the generation and correction of multiple option tests as appears in TUGBoat Volume 17, Number 3: "Fast and secure multiple option tests".
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/knst/README
documentation	(no language specified) <i>The paper</i> : https://tug.org/TUGboat/Articles/tb17-3/tb52salu.pdf
– local file	./8029237708-tb52salu.pdf
on CTAN	https://ctan.org/tex-archive/macros/generic/knst
keyword	exam (exams, quizzes, etc.)
keyword	plain-ext (extensions to Plain TeX for higher-level constructs)
language(s)	no language specified
last access	2025-02-07

3162 knuth-base – The current state of Knuth's contributions

Web page on CTAN <https://ctan.org/pkg/knuth-base>

name	knuth-base
caption	The current state of Knuth's contributions
author	Knuth, Donald E.
license	knuth = Knuth License (free)
description	(no language specified) This directory tree holds copies of material on Knuth's mirror site. The material is divided into two main parts: – the distribution , and – Knuth's local information .

on CTAN	https://ctan.org/tex-archive/systems/knuth
keyword	collection (a collection of packages)
language(s)	no language specified
year	without year
last access	2025-02-11

3163 *knuth-dist* – The current state of Knuth’s contributions

Web page on CTAN <https://ctan.org/pkg/knuth-dist>

name	knuth-dist
caption	The current state of Knuth’s contributions
author	Knuth, Donald E.
license	knuth = Knuth License (free)
license	pd = Public Domain Software (free)
version	(2021-02-05)
last changes	2021-02-05
year	2021
description	(no language specified) This directory tree represents a snapshot of Knuth’s own sources (including those of TeX and Metafont) and documentation (including The TeXbook and The METAFONTbook). The tree may be browsed from this directory, but all significant items on the tree have their own catalogue entries.
documentation	(no language specified) <i>The TeX tuneup of 2021</i>: https://tug.org/TUGboat/tb42-1/tb130knuth-tuneup21.pdf
– local file	./9110836777-tb130knuth-tuneup21.pdf
home page	https://www-cs-faculty.stanford.edu/~knuth/abcde.html
contact	<i>support</i> : https://tug.org/texmfbug
contact	<i>repository</i> : https://tug.org/historic
on CTAN	https://ctan.org/tex-archive/systems/knuth/dist
keyword	engine (TeX (or TeX-alike) typesetting engine)
keyword	collection (a collection of packages)
see also	see section 3168 on page 2859: (<i>knuth-local</i> – Knuth’s local information)
language(s)	no language specified

last access 2025-02-11

3164 *knuth-errata* – Knuth’s published errata

Web page on CTAN <https://ctan.org/pkg/knuth-errata>

name	knuth-errata
caption	Knuth’s published errata
author	Knuth, Donald E.
license	knuth = Knuth License (free)
version	(2021-02-05)
last changes	2021-02-05
year	2021
description	(no language specified) These files record details of problems reported in Knuth’s ‘Computers and Typesetting’ series of books, for the Computer Modern fonts, and for TeX, Metafont and related programs.
on CTAN	https://ctan.org/tex-archive/systems/knuth/dist/errata
on T _E XLive	knuth-errata
keyword	doc-errata (lists of errata in published books)
language(s)	no language specified
last access	2025-02-11

3165 *knuth-hint* – HINT collection of typeset C/WEB sources in TeX Live

Web page on CTAN <https://ctan.org/pkg/knuth-hint>

name	knuth-hint
caption	HINT collection of typeset C/WEB sources in TeX Live
author	Scherer, Andreas
license	knuth = Knuth License (free)
license	pd = Public Domain Software (free)
version	2.5 (2024-08-12)
last changes	2024-08-12
year	2024

description	(no language specified) The <code>knuth-hint</code> package contains the large collection of HINT documents for many of the CWEB and WEB sources of programs in the TeX Live distribution (and, for technical reasons, a PDF document for XeTeX). Each program is presented in its original form as written by the respective authors, and in the “changed” form as used in TeX Live. Care has been taken to keep the section numbering intact, so that you can study the codes and the changes in parallel. Also included are the “errata” for Donald Knuth’s “Computers & Typesetting”. HINT is the dynamic document format created by Martin Ruckert’s HiTeX engine that was added to TeX Live 2022. The HINT files can be viewed on Linux, Windows, and Android with the <code>hintview</code> application. The <code>knuth-hint</code> package is a showcase of HiTeX’s capabilities.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/info/knuth-hint/README.md
contact	<i>support</i> : https://tug.org/texmfbug
contact	<i>repository</i> : https://github.com/ascherer/web
on CTAN	https://ctan.org/tex-archive/info/knuth-hint
on TeXLive	<code>knuth-hint</code>
keyword	<code>collection</code> (a collection of packages)
see also	see section 3169 on page 2859: (<code>knuth-pdf</code> – PDF collection of typeset C/WEB sources in TeX Live)
language(s)	no language specified
last access	2025-02-07

3166 `knuth-letter` – Knuth’s example letter macros

Web page on CTAN	https://ctan.org/pkg/knuth-letter
Alias	<code>letterformat</code>
name	<code>knuth-letter</code>
caption	Knuth’s example letter macros
author	Knuth, Donald E.
license	<code>knuth</code> = Knuth License (free)
description	(no language specified) These are Knuth’s own letter macros. Documentation is entirely missing from the archive, but the macros are discussed in some detail in the TeXbook (which says it is describing <code>letterformat.tex</code>).
on CTAN	https://ctan.org/tex-archive/systems/knuth/local/lib/letterformat.tex

on MikTeX	plain
on T _E XLive	plain
keyword	plain-ext (extensions to Plain TeX for higher-level constructs)
keyword	letter (typesetting letters, envelopes, faxes, etc)
language(s)	no language specified
year	without year
last access	2025-02-11

3167 knuth-lib – Core TeX and Metafont sources from Knuth

Web page on CTAN <https://ctan.org/pkg/knuth-lib>

name	knuth-lib
caption	Core TeX and Metafont sources from Knuth
author	Knuth, Donald E.
license	knuth = Knuth License (free)
version	(2021-02-05)
last changes	2021-02-05
year	2021
description	(no language specified) A collection of core TeX and Metafont macro files from DEK, apart from the plain format and base. Includes the MF logo font(s), webmac.tex, etc.
on CTAN	https://ctan.org/tex-archive/systems/knuth/dist/lib
on MikTeX	knuth-lib
on T _E XLive	knuth-lib
keyword	collection (a collection of packages)
language(s)	no language specified
last access	2025-02-11

3168 knuth-local – Knuth’s local informationWeb page on CTAN <https://ctan.org/pkg/knuth-local>

name	knuth-local
caption	Knuth’s local information
author	Knuth, Donald E.
license	pd = Public Domain Software (free)
version	(2021-02-05)
last changes	2021-02-05
year	2021
description	(no language specified) A collection of experimental programs and developments based on, or complementary to, the matter in his distribution directories .
on CTAN	https://ctan.org/tex-archive/systems/knuth/local
on MikTeX	knuth-local
on T _E XLive	knuth-local
keyword	collection (a collection of packages)
see also	see section 3163 on page 2855 : (knuth-dist – The current state of Knuth’s contributions)
language(s)	no language specified
last access	2025-02-11

3169 knuth-pdf – PDF collection of typeset C/WEB sources in TeX LiveWeb page on CTAN <https://ctan.org/pkg/knuth-pdf>

name	knuth-pdf
caption	PDF collection of typeset C/WEB sources in TeX Live
author	Scherer, Andreas
license	pd = Public Domain Software (free)
version	2.5 (2024-08-12)
last changes	2024-08-12
year	2024

description	(no language specified) Here you find a large collection of PDF documents for many C/WEB programs in TeX Live, both in their original form as written by their respective authors, and in the changed form as they are actually used in the TeX Live system. Care has been taken to keep the section numbering intact, so that you can study the sources and their changes in parallel. Also included is the collection of "errata" for Donald Knuth's "Computers & Typesetting series". Although not all the texts here are written or maintained by Donald Knuth, it is more convenient for everything to be collected in one place for reading and searching. They all stem from the system that Knuth created. The central entry point is the "index" file, with links to the individual documents, either in HTML or in PDF format.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/info/knuth-pdf/README.md
contact	<i>support</i> : https://tug.org/texmfbug
contact	<i>repository</i> : https://github.com/ascherer/web
on CTAN	https://ctan.org/tex-archive/info/knuth-pdf
on T _E XLive	knuth-pdf
keyword	collection (a collection of packages)
language(s)	no language specified
last access	2025-02-07

3170 *koi8* – KOI-8 input support

Web page on CTAN	https://ctan.org/pkg/koi8
name	<i>koi8</i>
caption	KOI-8 input support
author	Blumenthal, Uri
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) A package to perform internal translation from the KOI-8 encoding (de-facto standard of the Russian Unix world) to the "alternative encoding" used by most (pre-UTF-8) Cyrillic packages. You still need one of these packages for the actual Russian typesetting. The style works with all major Cyrillic packages, including cmcyr, cmcyralt, LH.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/koi8/readme
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/koi8
keyword	cyrillic (support languages written using Cyrillic alphabets)

3171 *koma-moderncvclassic* – Makes the style and command of moderncv (style classic) avai...

keyword	enc-juggle (conversion between encodings)
see also	see section 5115 on page 4635: (<code>rawprint</code> – Print raw Russian text)
language(s)	no language specified
year	without year
last access	2025-02-07

3171 *koma-moderncvclassic* – Makes the style and command of moderncv (style classic) available for koma-classes and thus compatible with BibLaTeX

Web page on CTAN <https://ctan.org/pkg/koma-moderncvclassic>

name	koma-moderncvclassic
caption	Makes the style and command of moderncv (style classic) available for koma-classes and thus compatible with BibLaTeX
author	Södergran, Salome
copyright	Salome Södergran (2010-2011)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.5
description	(no language specified) This package provides an imitation of the moderncv class with the classic style (by Xavier Danaux), to be used in conjunction with the koma-classes . Thus it is possible to configure pagelayout, headings etc. the way it is done in koma-classes. Moreover, it is possible to use BibLaTeX, while the original moderncv-class is incompatible with BibLaTeX.
documentation	(no language specified) <i>Example input</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-moderncvclassic/cvbasic.tex
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-moderncvclassic/README
documentation	(no language specified) <i>Example output</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-moderncvclassic/cvbasic.pdf
– local file	./7755526864-cvbasic.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/koma-moderncvclassic
on MikTeX	koma-moderncvclassic
on TeXLive	koma-moderncvclassic
keyword	cv (curriculum vitae/Resumé)

see also	see section 4038 on page 3651: (<i>moderncv</i> – A modern curriculum vitae class)
see also	see section 3172 on page 2862: (<i>koma-script</i> – A bundle of versatile classes and packages)
language(s)	no language specified
year	2011
last access	2025-02-07

3172 *koma-script* – A bundle of versatile classes and packages

Web page on CTAN <https://ctan.org/pkg/koma-script>

name	<i>koma-script</i>
caption	A bundle of versatile classes and packages
author	Kohm, Markus
copyright	Markus Kohm (1994-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.43 (2024-10-24)
last changes	2024-10-24
year	2024
description	(no language specified) The KOMA-Script bundle provides replacements for the <i>article</i> , <i>report</i> , and <i>book</i> classes with emphasis on typography and versatility. There is also a <i>letter class</i> .

The bundle also offers:

- a *package for calculating type areas* in the way laid down by the typographer Jan Tschichold,
- packages for easily changing and defining page styles,
- a package *scrdate* for getting not only the current date but also the name of the day, and
- a package *scrtime* for getting the current time.

All these packages may be used not only with KOMA-Script classes but also with the standard classes.

Since every package has its own version number, the version number quoted only refers to the version of *scrbook* , *scrreprt* , *scrartcl* , *scrlettr2* and *typearea* (which are the main parts of the bundle).

documentation	<i>English documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-en.pdf
– local file	<code>./2064675180-scrguide-en.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/koma-script/README.md
documentation	<i>German documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-de.pdf
– local file	<code>./9865824920-scrguide-de.pdf</code>
home page	https://komascript.de
contact	<i>repository:</i> https://sourceforge.net/p/koma-script/code
contact	<i>development:</i> https://sourceforge.net/p/koma-script
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/koma-script
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/koma-script.tds.zip
on MikTeX	<code>koma-script</code>
on TeXLive	<code>koma-script</code>
keyword	<code>notes</code> (general notes (not including endnotes or footnotes))
keyword	<code>package-mgmt</code> (support for managing packages within documents)
keyword	<code>date-time</code> (manipulate dates and/or times)
keyword	<code>keyval</code> (key-value argument systems)
keyword	<code>legal</code> (typesetting legal documents or study material)
keyword	<code>book-pub</code> (preparing a book for publication)
keyword	<code>io-mgmt</code> (manage TeX's limited i/o streams)
keyword	<code>page-hf</code> (page head- and foot-lines)
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>float</code> (typesetting floats)
keyword	<code>letter</code> (typesetting letters, envelopes, faxes, etc)
keyword	<code>geometry</code> (change geometry of page layout)
keyword	<code>toc-etc</code> (deal with Tables of Contents, and of other such things)
keyword	<code>addr-list</code> (lists of addresses, for a personal directory (or the like))
see also	see section 5344 on page 4838: (<code>scrartcl</code> – KOMA-Script ‘article’ class)
see also	see section 5349 on page 4843: (<code>scrbook</code> – KOMA-Script ‘book’ class)

language(s) German; English
last access 2025-02-07

3173 koma-script-examples – Examples from the KOMA-Script book

Web page on CTAN <https://ctan.org/pkg/koma-script-examples>

name koma-script-examples
caption Examples from the KOMA-Script book
author Kohm, Markus
copyright Markus Kohm (2008, 2013-2017)
license lpp1.3c = The LaTeX Project Public License 1.3c (free)
version (2018-03-12)
last changes 2018-03-12
year 2018
description (no language specified) This package contains some examples from the 6th edition of the book »KOMA-Script«, »Eine Sammlung von Klassen und Paketen für LaTeX2ε« by Markus Kohm, published by Lehmanns Media.
There are no further descriptions of these examples.
documentation *English Readme:* <https://ctan.org/tex-archive/info/examples/KOMA-Script-6/README.txt>
documentation *German Readme:* <https://ctan.org/tex-archive/info/examples/KOMA-Script-6/LIESMICH.txt>
home page <https://komascript.de/>
on CTAN <https://ctan.org/tex-archive/info/examples/KOMA-Script-6>
on MikTeX koma-script-examples
on T_EXLive koma-script-examples
keyword book-ex (copies of examples from a published book)
language(s) German; English
last access 2025-02-07

3174 *koma-script-examples-3* – Examples from the 3rd edition of the KOMA-Script book

Web page on CTAN <https://ctan.org/pkg/koma-script-examples-3>

name	koma-script-examples-3
caption	Examples from the 3rd edition of the KOMA-Script book
author	Kohm, Markus
copyright	Markus Kohm (2008)
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) This package contains some examples from the 3th edition of the book «KOMA-Script—Eine Sammlung von Klassen und Paketen für LaTeX2e» by Markus Kohm and Jens-Uwe Morawski. There are no further descriptions of these examples.
documentation	<i>English Readme:</i> https://ctan.org/tex-archive/info/examples/KOMA-Script-3/README
documentation	<i>German Readme:</i> https://ctan.org/tex-archive/info/examples/KOMA-Script-3/LIESMICH.txt
home page	https://komascript.de/
on CTAN	https://ctan.org/tex-archive/info/examples/KOMA-Script-3
keyword	book-ex (copies of examples from a published book)
language(s)	German; English
year	2008
last access	2025-02-07

3175 *koma-script-examples-4* – Examples from the 4th edition of the KOMA-Script book

Web page on CTAN <https://ctan.org/pkg/koma-script-examples-4>

name	koma-script-examples-4
caption	Examples from the 4th edition of the KOMA-Script book
author	Kohm, Markus
copyright	Markus Kohm (2008)
license	lppl = The LaTeX Project Public License (free)

description	(no language specified) This package contains some examples from the 4th edition of the book «KOMA-Script—Eine Sammlung von Klassen und Paketen für LaTeX2e» by Markus Kohm and Jens-Uwe Morawski. There are no further descriptions of these examples.
documentation	<i>German Readme:</i> https://ctan.org/tex-archive/info/examples/KOMA-Script-4/LIESMICH.txt
documentation	<i>English Readme:</i> https://ctan.org/tex-archive/info/examples/KOMA-Script-4/README
home page	https://komascript.de/
on CTAN	https://ctan.org/tex-archive/info/examples/KOMA-Script-4
keyword	book-ex (copies of examples from a published book)
language(s)	German; English
year	2008
last access	2025-02-07

3176 *koma-script-examples-5* – Examples from the 5th edition of the KOMA-Script book

Web page on CTAN	https://ctan.org/pkg/koma-script-examples-5
name	koma-script-examples-5
caption	Examples from the 5th edition of the KOMA-Script book
author	Kohm, Markus
copyright	Markus Kohm (2014)
license	lpl = The LaTeX Project Public License (free)
version	(2014-05-18)
last changes	2014-05-18
year	2014
description	(no language specified) This package contains some examples from the 5th edition of the book »KOMA-Script«, »Eine Sammlung von Klassen und Paketen für LaTeX2e« by Markus Kohm, published by Lehmanns Media. There are no further descriptions of these examples.
documentation	<i>English Readme:</i> https://ctan.org/tex-archive/info/examples/KOMA-Script-5/README
documentation	<i>German Readme:</i> https://ctan.org/tex-archive/info/examples/KOMA-Script-5/LIESMICH.txt

home page	https://komascript.de/
on CTAN	https://ctan.org/tex-archive/info/examples/KOMA-Script-5
on T _E XLive	koma-script-examples
keyword	book-ex (copies of examples from a published book)
language(s)	German; English
last access	2025-02-07

3177 *koma-script-obsolete* – *Deprecated packages from koma-script*

Web page on CTAN	https://ctan.org/pkg/koma-script-obsolete
name	koma-script-obsolete
caption	Deprecated packages from koma-script
author	Kohm, Markus
copyright	Markus Kohm (1994-2020)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2020-06-06)
last changes	2020-06-06
year	2020
description	(no language specified) The bundle provides copies of old versions of packages in the current koma-script bundle. Packages in the obsolete ‘distribution’ are <code>scrlettr</code>, <code>scrpage</code>, scrpage2, and tocstyle; they should not be used in new documents, but are preserved for use in existing documents.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/obsolete/macros/latex/contrib/koma-script-obsolete/README
documentation	(no language specified) <i>Obsolete scrlettr documentation</i>: https://ctan.org/tex-archive/obsolete/macros/latex/contrib/koma-script-obsolete/scrlettr.pdf
– local file	<code>./3064790723-scrlettr.pdf</code>
documentation	(no language specified) <i>Obsolete tocstyle documentation</i>: https://ctan.org/tex-archive/obsolete/macros/latex/contrib/koma-script-obsolete/tocstyle-obsolete.pdf
– local file	<code>./1119872468-tocstyle-obsolete.pdf</code>

documentation	(no language specified) <i>Obsolete scrpage2 documentation:</i> https://ctan.org/tex-archive/obsolete/macros/latex/contrib/koma-script-obsolete/scrpage2-obsolete.pdf
– local file	./2554008464-scrpage2-obsolete.pdf
documentation	(no language specified) <i>Obsolete scrpage documentation:</i> https://ctan.org/tex-archive/obsolete/macros/latex/contrib/koma-script-obsolete/scrpage-obsolete.pdf
– local file	./9014280078-scrpage-obsolete.pdf
home page	https://komascript.de/
contact	<i>repository:</i> http://svn.code.sf.net/p/koma-script/code/trunk/obsolete/
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/koma-script-obsolete
keyword	obsolete (package declared obsolete)
language(s)	no language specified
last access	2025-02-07

3178 koma-script-sfs – Koma-script letter class option for Finnish

Web page on CTAN	https://ctan.org/pkg/koma-script-sfs
name	koma-script-sfs
caption	Koma-script letter class option for Finnish
author	Väisänen, Hannu
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) A koma-script parameter set for letters on A4 paper, complying with Finnish standards SFS 2486, 2487 and 2488; suitable for window envelopes with window on the left size in the sizes C5, C65, E5 and E65 (although, because the address window is smaller, for sizes E5 and E65 the address may not fit within the window, but ordinary 3-line address should fit).
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/koma-script-SFS/README
documentation	<i>Package documentation (Finnish):</i> https://ctan.org/tex-archive/macros/latex/contrib/koma-script-SFS/SFSesim.pdf
– local file	./4944665422-SFSesim.pdf

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/koma-script-SFS
on T _E XLive	koma-script-sfs
keyword	letter (typesetting letters, envelopes, faxes, etc)
language(s)	Finnish
year	without year
last access	2025-02-07

3179 komacv – Typesetting a beautiful CV with various style options

Web page on CTAN <https://ctan.org/pkg/komacv>

name	komacv
caption	Typesetting a beautiful CV with various style options
author	Södergran, Salome
copyright	Salome Södergran (2014-2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1.2 (2021-02-12)
last changes	2021-02-12
year	2021
description	(no language specified) The class simplifies the creation of beautiful CV. The user may choose between different styles, and may adjust settings to tune the output.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/komacv/komacv.pdf
– local file	./5731293926-komacv.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/komacv/README
documentation	(no language specified) <i>Example of use (“casual”)</i> : https://ctan.org/tex-archive/macros/latex/contrib/komacv/examples/komacv_example_casual.pdf
– local file	./6037198914-komacv_example_casual.pdf
documentation	(no language specified) <i>Example of use (“classic”)</i> : https://ctan.org/tex-archive/macros/latex/contrib/komacv/examples/komacv_example_classic.pdf
– local file	./1310637314-komacv_example_classic.pdf

documentation	(no language specified) <i>Example of use ("old style")</i> : https://ctan.org/tex-archive/macros/latex/contrib/komacv/examples/komacv_example_oldstyle.pdf
– local file	./9363806294-komacv_example_oldstyle.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/komacv
on MikTeX	komacv
on T _E XLive	komacv
keyword	class (alternative LaTeX class(es))
keyword	cv (curriculum vitae/Resumé)
language(s)	no language specified
last access	2025-02-07

3180 **komacv-rg – LaTeX packages that aid in creating CVs based on the komacv class and creating related documents**

Web page on CTAN <https://ctan.org/pkg/komacv-rg>

name	komacv-rg
caption	LaTeX packages that aid in creating CVs based on the komacv class and creating related documents
author	Grewe, Richard
copyright	Richard Grewe (2016-2018)
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	0.9.2
description	(no language specified) The komacv-rg bundle provides packages that aid in creating CVs based on the komacv class and creating related documents, such as cover letters and cover sheets for job applications. Concretely, the bundle consists of three packages: komacv-addons, komacv-lco, and komacv-multilang. • komacv-addons is a small collection of add-ons and fixes for the komacv class; • komacv-lco enables the use of letter class options from scrlltr2 also in komacv-based and other non-scrlltr2-based documents; • komacv-multilang enables the provisioning of CVs in multiple languages and the selection of a language via babel or polyglossia.

documentation	(no language specified) <i>Package documentation komacv-multilang:</i> https://ctan.org/tex-archive/macros/latex/contrib/komacv-rg/komacv-multilang.pdf
– local file	./7784651286-komacv-multilang.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/komacv-rg/README.md
documentation	(no language specified) <i>Package documentation komacv-lco:</i> https://ctan.org/tex-archive/macros/latex/contrib/komacv-rg/komacv-lco.pdf
– local file	./5050785866-komacv-lco.pdf
documentation	(no language specified) <i>Package documentation komacv-addons:</i> https://ctan.org/tex-archive/macros/latex/contrib/komacv-rg/komacv-addons.pdf
– local file	./4899318370-komacv-addons.pdf
contact	<i>bugs:</i> https://github.com/Ri-Ga/komacv-rg/issues/
contact	<i>repository:</i> https://github.com/Ri-Ga/komacv-rg/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/komacv-rg
on MikTeX	komacv-rg
on TeXLive	komacv-rg
keyword	cv (curriculum vitae/Resumé)
language(s)	no language specified
year	2018
last access	2025-02-07

3181 **konwerter** – A program for automatic numbering of compounds in chemical publications

Web page on CTAN	https://ctan.org/pkg/konwerter
name	konwerter
caption	A program for automatic numbering of compounds in chemical publications
author	Wawrzyniak, Piotr
license	gpl2 = GNU General Public License, version 2 (free)
version	0.2.4

description	(no language specified) Konwerter automatically numbers compounds in chemical publications created by LaTeX . It is written in C++ and works both in Unix and Windows operating systems. It works similar to LaTeX <code>\label</code> and <code>\ref</code> commands. Instead of giving number to every compound you give them labels and then refer to the structure in the text using the same label. The konwerter is able to resolve labels to numbers both in the eps files and in the text.
documentation	(Polish) <i>Readme</i> : https://ctan.org/tex-archive/support/konwerter/README.pl
documentation	(English) <i>Readme</i> : https://ctan.org/tex-archive/support/konwerter/README
home page	http://konwerter.exroot.org/
on CTAN	https://ctan.org/tex-archive/support/konwerter
keyword	chemistry (chemistry document support)
language(s)	English; Polish
year	without year
last access	2025-02-07

3182 *korigamik* – Typeset articles using KorigamiK's document class

Web page on CTAN	https://ctan.org/pkg/korigamik
name	KorigamiK
caption	Typeset articles using KorigamiK's document class
author	Lakhwani, Kushagra
copyright	Kushagra Lakhwani (2023)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	1.0
description	(no language specified) The KorigamiK class is used for typesetting documents for university or school projects and lab reports. It is based on the article class with modifications to allow for more flexible front-matter among other small changes.
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/korigamik/korigamik-example.pdf
– local file	./5414337603-korigamik-example.pdf

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/korigamik/README.md
contact	<i>bugs</i> : https://github.com/KorigamiK/doc-korigamik/issues/
contact	<i>repository</i> : https://github.com/KorigamiK/doc-korigamik/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/korigamik
on MikTeX	korigamik
on T _E XLive	korigamik
keyword	class (alternative LaTeX class(es))
keyword	article-like (LaTeX article classes and their developments)
keyword	doc-templ (template to guide document development)
language(s)	no language specified
year	2023
last access	2025-02-07

3183 *kotex-oblivoir* – A LaTeX document class for typesetting Korean documents

Web page on CTAN <https://ctan.org/pkg/kotex-oblivoir>

name	kotex-oblivoir
caption	A LaTeX document class for typesetting Korean documents
author	Kim, Kangsoo
author	Lee, Kihwang
copyright	Kangsoo Kim (2006-2025)
copyright	Kihwang Lee (2013, 2017-2020)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.4 (2025-02-07)
last changes	2025-02-07
year	2025
description	(no language specified) The class is based on <i>memoir</i> , and is adapted to typesetting Korean documents. The bundle (of class and associated packages) belongs to the <code>ko.TeX</code> bundle. It depends on <i>memoir</i> and <i>kotex-utf</i> to function.

documentation	(Korean) <i>Package documentation:</i> https://ctan.org/tex-archive/language/korean/kotex-oblivoir/doc/oblivoir-simpdoc.pdf
– local file	./9532429999-oblivoir-simpdoc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/language/korean/kotex-oblivoir/README
on CTAN	https://ctan.org/tex-archive/language/korean/kotex-oblivoir
on MikTeX	kotex-oblivoir
on TeXLive	kotex-oblivoir
keyword	class (alternative LaTeX class(es))
keyword	korean (support for typesetting Korean)
language(s)	Korean
last access	2025-02-07

3184 kotex-plain – Macros for typesetting Korean under Plain TeX

Web page on CTAN	https://ctan.org/pkg/kotex-plain
name	kotex-plain
caption	Macros for typesetting Korean under Plain TeX
author	Lee, Kihwang
copyright	Dohyun Kim (2009-2022)
copyright	Kangsoo Kim (2015-2022)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.0.0 (2022-06-22)
last changes	2022-06-22
year	2022
description	(no language specified) The package provides macros for typesetting Hangul, the native alphabet of the Korean language, using plain *TeX. Input Korean text should be encoded in UTF-8. The package belongs to the ko.TeX bundle.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/language/korean/kotex-plain/README
on CTAN	https://ctan.org/tex-archive/language/korean/kotex-plain

on MikTeX	<code>kotex-plain</code>
on TeXLive	<code>kotex-plain</code>
keyword	korean (support for typesetting Korean)
keyword	enc-juggle (conversion between encodings)
keyword	plain-ext (extensions to Plain TeX for higher-level constructs)
language(s)	no language specified
last access	2025-02-07

3185 *kotex-utf* – Typeset Hangul, coded in UTF-8

Web page on CTAN <https://ctan.org/pkg/kotex-utf>

name	<code>kotex-utf</code>
caption	Typeset Hangul, coded in UTF-8
author	Lee, Kihwang
copyright	Koaunghi Un (2007-2013)
copyright	Kangsoo Kim and Dohyun Kim (2007-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.0.0 (2022-06-22)
last changes	2022-06-22
year	2022
description	(no language specified) The package typesets Hangul, which is the native alphabet of the Korean language; input Korean text should be encoded in UTF-8. The bundle (of class and associated packages) belongs to the <code>ko.TeX</code> bundle.
documentation	<i>Package documentation (Korean)</i> : https://ctan.org/tex-archive/language/korean/kotex-utf/doc/kotex-utf-doc.pdf
– local file	<code>./8087767342-kotex-utf-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/korean/kotex-utf/README
on CTAN	https://ctan.org/tex-archive/language/korean/kotex-utf
on MikTeX	<code>kotex-utf</code>
on TeXLive	<code>kotex-utf</code>
keyword	korean (support for typesetting Korean)

language(s) Korean
last access 2025-02-07

3186 kotex-utils – Utility scripts and support files for typesetting Korean

Web page on CTAN <https://ctan.org/pkg/kotex-utils>

name kotex-utils
caption Utility scripts and support files for typesetting Korean
author Lee, Kihwang
copyright Dohyun Kim and Kangsoo Kim (2003-2013)
license lppl = The LaTeX Project Public License (free)
version 2.1.0 (2015-10-27)
last changes 2015-10-27
year 2015
description (no language specified) The bundle provides scripts and support files for index generation in Korean language typesetting.
The files belong to the `ko.TeX` bundle.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/language/korean/kotex-utils/README>
on CTAN <https://ctan.org/tex-archive/language/korean/kotex-utils>
on MikTeX kotex-utils
on TeXLive kotex-utils
keyword korean (support for typesetting Korean)
keyword index (index support)
language(s) no language specified
last access 2025-02-07

3187 kpathsea – Path searching library for TeX-related filesWeb page on CTAN <https://ctan.org/pkg/kpathsea>

name	kpathsea
caption	Path searching library for TeX-related files
author	The TeX Live Team
author	Weber, Olaf
license	lgpl2.1 = GNU Lesser General Public License 2.1 (free)
description	(no language specified) Kpathsea is a library and utility programs which provide path searching facilities for TeX file types, including the self-locating feature required for movable installations, layered on top of a general search mechanism. It is not distributed separately, but rather is released and maintained as part of the TeX Live sources .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/systems/doc/kpathsea/kpathsea.pdf
– local file	./2261277821-kpathsea.pdf
home page	https://tug.org/kpathsea
contact	<i>support</i> : https://lists.tug.org/tex-k
contact	<i>bugs</i> : https://lists.tug.org/tex-k
contact	<i>repository</i> : https://tug.org/svn/texlive/trunk/Build/source/texk/kpathsea/
on T _E XLive	kpathsea
keyword	sys-supp (os-level support facilities for TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

3188 kpfonts – A complete set of fonts for text and mathematicsWeb page on CTAN <https://ctan.org/pkg/kpfonts>

name	kpfonts
caption	A complete set of fonts for text and mathematics
author	Caignaert, Christophe
license	gpl = GNU General Public License (free)
license	lppl = The LaTeX Project Public License (free)
version	3.36 (2024-10-27)
last changes	2024-10-27
year	2024
description	(no language specified) The family contains text fonts in roman, sans-serif and monospaced shapes, with true small caps and old-style numbers; the package offers full support of the textcomp package. The mathematics fonts include all the AMS fonts, in both normal and bold weights. Each of the font types is available in two main versions: default and ‘light’. Each version is available in four variants: default; oldstyle numbers; oldstyle numbers with old ligatures such as ct and st, and long-tailed capital Q; and veryoldstyle with long s. Other variants include small caps as default or ‘large small caps’, and for mathematics both upright and slanted shapes for Greek letters, as well as default and narrow versions of multiple integrals. The fonts were originally derived from URW Palladio (with URW’s agreement) though the fonts are very clearly different in appearance from their parent.
documentation	<i>Package documentation (English):</i> https://ctan.org/tex-archive/fonts/kpfonts/doc/kpfonts.pdf
– local file	<code>./2267980274-kpfonts.pdf</code>
documentation	(no language specified) <i>Summary of features:</i> https://ctan.org/tex-archive/fonts/kpfonts/doc/kpfonts-abstract.pdf
– local file	<code>./1836917711-kpfonts-abstract.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/kpfonts/README.txt
on CTAN	https://ctan.org/tex-archive/fonts/kpfonts
on MikTeX	kpfonts
on T _E XLive	kpfonts
keyword	font-serif (serif font)
keyword	font-type1 (font available in Adobe Type 1 format)

keyword	font-sans (sans-serif font)
keyword	font-maths (fonts for use in mathematics)
keyword	font (fonts themselves)
keyword	font-mono (monospaced font)
see also	see section 3189 on page 2879: (<i>kpfonts-otf</i> – OpenType versions of the kpfonts (Type1) designed by Christophe Caignaert)
language(s)	English
last access	2025-02-07

3189 *kpfonts-otf* – OTF version of the Kp-fonts

Web page on CTAN <https://ctan.org/pkg/kpfonts-otf>

name	kpfonts-otf
caption	OTF version of the Kp-fonts
author	Flipo, Daniel
copyright	Daniel Flipo (2020-2025)
license	ofl = The SIL Open Font License (free)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.65 (2025-01-15)
last changes	2025-01-15
year	2025
description	(no language specified) This bundle provides OpenType versions of the Type1 Kp-fonts designed by Christophe Caignaert. It is usable with LuaTeX or XeTeX engines only. It consists of sixteen Text fonts (eight Serif, four Sans-Serif, four Monotype) and six Math fonts. Serif and Sans-Serif families have small caps available in two sizes (SmallCaps and PetitesCaps), upper and lowercase digits, real superscripts and subscripts; ancient ligatures (ct and st), ancient long-s and a long-tailed capital Q are available via font features. Math fonts cover all usual symbols including AMS'; a full list of available symbols is provided, see the 'List of glyphs'.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/kpfonts-otf/README.md

documentation	<i>Package documentation (English):</i> https://ctan.org/tex-archive/fonts/kpfonts-otf/doc/Kpfonts-OTF-Doc-English.pdf
– local file	<code>./3037909270-Kpfonts-OTF-Doc-English.pdf</code>
documentation	(no language specified) <i>List of glyphs:</i> https://ctan.org/tex-archive/fonts/kpfonts-otf/doc/unimath-kpfonts.pdf
– local file	<code>./5079339563-unimath-kpfonts.pdf</code>
documentation	<i>Package documentation (French):</i> https://ctan.org/tex-archive/fonts/kpfonts-otf/doc/Kpfonts-OTF-Doc-French.pdf
– local file	<code>./4485861347-Kpfonts-OTF-Doc-French.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/kpfonts-otf
on MikTeX	<code>kpfonts-otf</code>
on T _E XLive	<code>kpfonts-otf</code>
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-mono</code> (monospaced font)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-maths</code> (fonts for use in mathematics)
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-sans</code> (sans-serif font)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
see also	see section 3188 on page 2878: (<code>kpfonts</code> – A complete set of fonts for text and mathematics)
language(s)	English; French
last access	2025-02-07

3190 ksfh-nat – BibTeX style for KSFH Munich

Web page on CTAN <https://ctan.org/pkg/ksfh-nat>

name	ksfh-nat
caption	BibTeX style for KSFH Munich
author	Bilger, Matthias
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1
description	(no language specified) The package supports bibliographies as standard for KSFH (Katholische Stiftungsfachhochschule) Munich. BibTeX entries in article, book, inbook, incollection and misc formats are supported.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/ksfh_nat
on MikTeX	ksfh-nat
on TeXLive	ksfh_nat
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
year	without year
last access	2025-02-07

3191 ksp-thesis – A LaTeX class for theses published with KIT Scientific Publishing

Web page on CTAN <https://ctan.org/pkg/ksp-thesis>

name	ksp-thesis
caption	A LaTeX class for theses published with KIT Scientific Publishing
author	Heinze, David
copyright	David Heinze (2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0.2 (2015-12-09)
last changes	2015-12-09
year	2015

description	(no language specified) This package provides a LaTeX class intended for authors who want to publish their thesis or other scientific work with KIT Scientific Publishing (KSP). The class is based on the scrbook class of the KOMA-script bundle in combination with the ClassicThesis and ArsClassica packages. It modifies some of the layout and style definitions of these packages in order to provide a document layout that should be compatible with the requirements by KSP.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/ksp-thesis/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/ksp-thesis/ksp-thesis.pdf
– local file	./6393329302-ksp-thesis.pdf
contact	<i>repository:</i> https://github.com/GORywwyN/ksp-thesis/tree/master/release/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ksp-thesis
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/ksp-thesis.tds.zip
on MikTeX	ksp-thesis
on TeXLive	ksp-thesis
keyword	class (alternative LaTeX class(es))
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
last access	2025-02-07

3192 **ktbox** – Framework for semantic color, structured highlighting, and scholarly communication

Web page on CTAN <https://ctan.org/pkg/ktbox>

name	KTBox
caption	Framework for semantic color, structured highlighting, and scholarly communication
author	Mangal, Bhaskar
copyright	Bhaskar Mangal (2025)
license	apache2 = Apache License, version 2.0 (free)

version	0.0.1
description	(no language specified) KTBBox is a modular LaTeX framework that introduces semantic color palettes, structured highlight boxes, and ORCID-linked author utilities for scholarly writing. The package is composed of three lightweight and independent style files: • ktbox.sty – defines highlight boxes (standard, numbered, wide) with semantic theming. • ktcolor.sty – provides semantic color palettes with light and dark modes. • ktorcid.sty – adds ORCID-linked author commands and icons. The framework separates structure from style, ensuring compatibility with major classes such as IEEEtran, acmart, article, beamer, and ICLR. Features include numbered key-takeaway boxes, wide-format environments for emphasis, multi-column layouts, and dual light/dark themes. KTBBox aims to improve clarity, portability, and reproducibility in academic publishing across articles, posters, and presentations.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ktbox/doc/ktbox.pdf
– local file	<code>./8047895656-ktbox.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ktbox/README.md
contact	<i>announce</i> : https://github.com/mangalbhaskar/ktbox/releases
contact	<i>bugs</i> : https://github.com/mangalbhaskar/ktbox/issues
contact	<i>repository</i> : https://github.com/mangalbhaskar/ktbox
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ktbox
on T _E XLive	ktbox
keyword	boxing (creating boxes)
keyword	notes (general notes (not including endnotes or footnotes))
language(s)	no language specified
year	2025
last access	2025-10-07

3193 *ktexshell* – Graphical frontend to TeXWeb page on CTAN <https://ctan.org/pkg/ktexshell>

name	KTeXShell
caption	Graphical frontend to TeX
author	Fischer, Arnd
license	gpl = GNU General Public License (free)
version	0.4.0
description	(no language specified) KTeXShell is a KDE frontend to (La)TeX. The intended audience is the difference between the set of all (explicit and implicit) TeX-users and that of users of tools like LyX or KLyX.
on CTAN	https://ctan.org/tex-archive/obsolete/support/ktexshell
keyword	ide (integrated development environments)
see also	see section 3147 on page 2841: (<i>kile</i> – A user friendly TeX/LaTeX editor for KDE)
language(s)	no language specified
year	without year
last access	2025-02-07

3194 *ktv-texdata* – Extract subsets of documentsWeb page on CTAN <https://ctan.org/pkg/ktv-texdata>

name	ktv-texdata
caption	Extract subsets of documents
author	Huynh, Ky-Anh
license	gpl = GNU General Public License (free)
version	05.34
description	(no language specified) The package defines an <code>exercice</code> environment which numbers every exercise, and a command <code>\get</code> to extract a collection whose argument is a comma-separated set of exercise index numbers. While the package was designed for teachers constructing tables of exercises, it plainly has more general application.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/ktv-texdata/doc/ktv-texdata.pdf

3195 *ku-template* – *Copenhagen University or faculty logo for front page*

– local file	<code>./4691149710-ktv-texdata.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ktv-texdata/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ktv-texdata
on MikTeX	ktv-texdata
on T _E XLive	ktv-texdata
keyword	data-sel (select data from sets in the TeX file)
language(s)	no language specified
year	without year
last access	2025-02-07

3195 *ku-template* – Copenhagen University or faculty logo for front page

Web page on CTAN	https://ctan.org/pkg/ku-template
name	ku-template
caption	Copenhagen University or faculty logo for front page
author	Pedersen, Lucas Alexander V.
license	mit = MIT License (free)
version	0.02 (2017-11-28)
last changes	2017-11-28
year	2017
description	(no language specified) A comprehensive package for adding University of Copenhagen or faculty logo to your front page. For use by student or staff at University of Copenhagen (Københavns Universitet).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ku-template/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ku-template
on MikTeX	ku-template
on T _E XLive	ku-template
keyword	logo (symbols or drawings to specify an object, including icons)
language(s)	no language specified
last access	2025-02-07

3196 kurdishlipsum – A ‘lipsum’ package for the Kurdish languageWeb page on CTAN <https://ctan.org/pkg/kurdishlipsum>

name	kurdishlipsum
caption	A ‘lipsum’ package for the Kurdish language
author	Jund, Asaad Abozeid
copyright	Asaad Abozeid Jund (2018)
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) This package provides lipsum-like facilities for the Kurdish language. The package gives you easy access to the Kurdish poetry and balladry texts of the Diwany Vafaiy, Ahmedy Xani, Naly, Mahwy,.... The package needs to be run under XeLaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/kurdishlipsum/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/xetex/latex/kurdishlipsum/kurdishlipsum.pdf
– local file	./9183861288-kurdishlipsum.pdf
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/kurdishlipsum
on MikTeX	kurdishlipsum
on TeXLive	kurdishlipsum
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
keyword	dummy-gen (dummy text generator for tests and examples)
keyword	kurdish (support for typesetting Kurdish)
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	2018
last access	2025-02-09

3197 *kurier* – A two-element sans-serif typefaceWeb page on CTAN <https://ctan.org/pkg/kurier>

name	kurier
caption	A two-element sans-serif typeface
author	Nowacki, Janusz Marian
copyright	Janusz M. Nowacki (1998-2010)
license	gfl = The GUST Font License (GFL) (free)
version	0.995b
description	(no language specified) <i>Kurier</i> is a two-element sans-serif typeface. It was designed for a diploma in typeface design at the Warsaw Academy of Fine Arts under the supervision of Roman Tomaszewski. This distribution contains a significantly extended set of characters covering the following modern alphabets: latin (including Vietnamese), Cyrillic and Greek as well as a number of additional symbols (including mathematical symbols). The fonts are prepared in Type 1 and OpenType formats. For use with TeX the following encoding files have been prepared: T1 (ec), T2 (abc), and OT2—Cyrillic, T5 (Vietnamese), OT4, QX, texansi and—nonstandard (IL2 for the Czech fonts), as well as supporting macros and files defining fonts for LaTeX.
documentation	<i>Outline in English:</i> https://ctan.org/tex-archive/fonts/kurier/00readme.eng
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/kurier/doc/fonts/kurier/kurier-info.pdf
– local file	./9052684964-kurier-info.pdf
documentation	<i>Outline in Polish:</i> https://ctan.org/tex-archive/fonts/kurier/00readme.pol
on CTAN	https://ctan.org/tex-archive/fonts/kurier
on MikTeX	kurier
on TeXLive	kurier
keyword	font (fonts themselves)
keyword	font-otf (font in OpenType format)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	English; Polish
year	2010

last access 2025-02-07

3198 kuvio – Drawing macros and fonts for diagrams

Web page on CTAN <https://ctan.org/pkg/kuvio>

name	kuvio
caption	Drawing macros and fonts for diagrams
author	Svensson, Anders
copyright	Anders G S Svensson (1994-1996)
license	other-nonfree = License that prevents distribution (not free)
version	(1995-10-31)
last changes	1995-10-31
year	1995
description	(no language specified) Commutative diagrams using PostScript specials (uses <code>\special</code> definitions for dvips , but the macros are designed for flexibility in this respect).
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/generic/diagrams/kuvio/README
documentation	(no language specified) <i>Comment on Feruglio's review</i> : https://ctan.org/tex-archive/macros/generic/diagrams/kuvio/README2
on CTAN	https://ctan.org/tex-archive/macros/generic/diagrams/kuvio
keyword	diagram-comm (commutative diagrams)
keyword	dvips-special (use dvips <code>\special</code> commands)
language(s)	no language specified
last access	2025-02-07

3199 kvdefinekeys – Define keys for use in the kvsetkeys package

Web page on CTAN <https://ctan.org/pkg/kvdefinekeys>

name	kvdefinekeys
caption	Define keys for use in the kvsetkeys package
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2010, 2011)
copyright	Oberdiek Package Support Group (2016-2019)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.6 (2019-12-19)
last changes	2019-12-19
year	2019
description	(no language specified) The package provides a macro <code>\kv@define@key</code> (analogous to keyval 's <code>\define@key</code> , to define keys for use by kvsetkeys .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/kvdefinekeys/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/kvdefinekeys/kvdefinekeys.pdf
– local file	<code>./6739450562-kvdefinekeys.pdf</code>
contact	<i>bugs</i> : https://github.com/ho-tex/kvdefinekeys/issues
contact	<i>repository</i> : https://github.com/ho-tex/kvdefinekeys
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/kvdefinekeys
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/kvdefinekeys.tds.zip
on MikTeX	kvdefinekeys
on T _E XLive	kvdefinekeys
keyword	keyval (key-value argument systems)
language(s)	no language specified
last access	2025-02-07

3200 *kvmmap* – Create Karnaugh maps with LaTeX

Web page on CTAN <https://ctan.org/pkg/kvmmap>

name	kvmmap
caption	Create Karnaugh maps with LaTeX
author	Frank, Ben
copyright	Ben Frank (2018-2020)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3.5 (2020-09-16)
last changes	2020-09-16
year	2020
description	(no language specified) This LaTeX package allows the creation of (even large) Karnaugh maps. It provides a tabular-like input syntax and support for drawing bundles (implicants) around adjacent values. It is based on an answer at StackExchange .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/kvmmap/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/kvmmap/kvmmap.pdf
– local file	./8460647792-kvmmap.pdf
home page	https://gitlab.com/benfrank/kvmmap
contact	<i>bugs</i> : https://gitlab.com/benfrank/kvmmap/-/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/kvmmap
on MikTeX	kvmmap
on T _E XLive	kvmmap
keyword	engineering (typesetting associated with engineering of whatever sort)
keyword	maths (support for typesetting mathematics)
see also	see section 3122 on page 2818 : (karnaughmap – Typeset Karnaugh maps)
see also	see section 3121 on page 2817 : (karnaugh-map – LaTeX package for drawing karnaugh maps with up to 6 variables)
language(s)	no language specified
last access	2025-02-07

3201 kvoptions – Key value format for package options

Web page on CTAN <https://ctan.org/pkg/kvoptions>

name	kvoptions
caption	Key value format for package options
author	Oberdiek, Heiko
copyright	Oberdiek Package Support Group (2016-2022)
copyright	Heiko Oberdiek (2004, 2006, 2007, 2009-2011)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.15 (2022-06-15)
last changes	2022-06-15
year	2022
description	(no language specified) This package offers support for package authors who want to use options in key-value format for their package options.
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/kvoptions/kvoptions.pdf
– local file	./9785747909-kvoptions.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/kvoptions/README.md
contact	<i>bugs</i> : https://github.com/ho-tex/kvoptions/issues
contact	<i>repository</i> : https://github.com/ho-tex/kvoptions
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/kvoptions
on MikTeX	kvoptions
on TeXLive	kvoptions
keyword	keyval (key-value argument systems)
language(s)	English
last access	2025-02-07

3202 kvsetkeys – Key value parser with default handler supportWeb page on CTAN <https://ctan.org/pkg/kvsetkeys>

name	kvsetkeys
caption	Key value parser with default handler support
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2006, 2007, 2009-2012)
copyright	Oberdiek Package Support Group (2016-2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.19 (2022-10-05)
last changes	2022-10-05
year	2022
description	(no language specified) This package provides <code>\kvsetkeys</code> , a variant of package <code>keyval</code> 's <code>\setkeys</code> . It allows the user to specify a handler that deals with unknown options. Active commas and equal signs may be used (e.g. see <code>babel</code> 's shorthands) and only one level of curly braces are removed from the values.
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/kvsetkeys/kvsetkeys.pdf
– local file	<code>./7694482639-kvsetkeys.pdf</code>
contact	<i>bugs</i> : https://github.com/ho-tex/kvsetkeys/issues
contact	<i>repository</i> : https://github.com/ho-tex/kvsetkeys
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/kvsetkeys
on MikTeX	kvsetkeys
on TeXLive	kvsetkeys
keyword	keyval (key-value argument systems)
language(s)	English
last access	2025-02-07

3203 l2a – LaTeX to ASCII

Web page on CTAN <https://ctan.org/pkg/l2a>

name	l2a
caption	LaTeX to ASCII
author	Hannemyr, Gisle
copyright	Gisle Hannemyr (1988, 1990)
license	other-free = Free license not otherwise listed (free)
version	1.0
description	(no language specified) L2a attempts to remove LaTeX markup commands, leaving only the body of text. It is intended to be used when journal editors request plain ASCII text for typesetting, or when you want to post a plain version of a LaTeX document on an electronic conference system.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/support/l2a/l2a.pdf
– local file	./3148939225-l2a.pdf
on CTAN	https://ctan.org/tex-archive/support/l2a
keyword	plain-text (derive plain text from a TeX document)
see also	see section 1586 on page 1439: (detex – Strip TeX from a source file)
language(s)	no language specified
year	1990
last access	2025-02-07

3204 l2picfaq – LaTeX pictures "how-to" (German)

Web page on CTAN <https://ctan.org/pkg/l2picfaq>

name	l2picfaq
caption	LaTeX pictures "how-to" (German)
author	Bischoff, Dominik
copyright	Dominik Bischoff (2005-2007)
license	fdl = Free Documentation License (free)
version	1.50

3205 `l2tabu` – Obsolete packages and commands

description	(no language specified) The document (in German) is a collection of "how-to" notes about LaTeX and pictures. The aim of the document is to provide a solution, in the form of some sample code, for every problem.
documentation	(German) <i>The document itself</i> : https://ctan.org/tex-archive/info/l2picfaq/german/l2picfaq.pdf
– local file	<code>./5847373908-l2picfaq.pdf</code>
documentation	(German) <i>Package README</i> : https://ctan.org/tex-archive/info/l2picfaq/german/README
on CTAN	https://ctan.org/tex-archive/info/l2picfaq/german
on T _E XLive	<code>l2picfaq</code>
keyword	<code>faq</code> (frequently asked questions, with answers)
see also	see section 1953 on page 1762: (<code>epslatex</code> – Guide to using Encapsulated PostScript in LaTeX)
language(s)	German
year	2007
last access	2025-02-07

3205 `l2tabu` – Obsolete packages and commands

Web page on CTAN <https://ctan.org/pkg/l2tabu>

name	<code>l2tabu</code>
caption	Obsolete packages and commands
author	Ensenbach, Marc
author	Trettin, Mark
copyright	Mark Trettin (2005)
copyright	Marc Ensenbach (2009-2016)
license	other-free = Free license not otherwise listed (free)
version	2.4 (2016-02-03)
last changes	2016-02-03
year	2016
description	(no language specified) The "sins" of LaTeX users, and how to correct them. The document provides a list of obsolete packages and commands. This original is in German; it has been translated into English , French , Italian , and Spanish .

documentation	(German) <i>The document itself</i> : https://ctan.org/tex-archive/info/l2tabu/german/l2tabu.pdf
– local file	<code>./4033430304-l2tabu.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/l2tabu/german/README
on CTAN	https://ctan.org/tex-archive/info/l2tabu/german
on MikTeX	<code>l2tabu</code>
on T _E XLive	<code>l2tabu</code>
keyword	<code>latex-qual</code> (encourage quality in LaTeX markup)
keyword	<code>german-doc</code> (documentation in German)
language(s)	German
last access	2025-02-11

3206 *l2tabu-english* – English translation of "Obsolete packages and commands"

Web page on CTAN	https://ctan.org/pkg/l2tabu-english
name	<code>l2tabu-english</code>
caption	English translation of "Obsolete packages and commands"
author	Fenn, Jürgen
author	Trettin, Mark
license	gpl = GNU General Public License (free)
version	1.8.5.7
description	(no language specified) English translation of the l2tabu practical guide to LaTeX2e by Mark Trettin. A list of obsolete packages and commands.
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/l2tabu/english/l2tabuen.pdf
– local file	<code>./3376821890-l2tabuen.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/l2tabu/english
on MikTeX	<code>l2tabu-english</code>
on T _E XLive	<code>l2tabu-english</code>
keyword	<code>documentation</code> ('stand-alone' documentation)
keyword	<code>translation</code> (translation of material from the archive, to another language)
language(s)	no language specified

year without year
last access 2025-02-07

3207 *l2tabu-french* – French translation of *l2tabu*

Web page on CTAN <https://ctan.org/pkg/l2tabu-french>

p>name *l2tabu-french*
caption French translation of *l2tabu*
author Henel, Yvon
author Alfonsi, Bernard
license gpl = GNU General Public License (free)
version 2.3
description (no language specified) French translation of *l2tabu* .
documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/info/l2tabu/french/README>
documentation (French) *The document itself*: <https://ctan.org/tex-archive/info/l2tabu/french/l2tabufr.pdf>
– local file ./8402472220-l2tabufr.pdf
on CTAN <https://ctan.org/tex-archive/info/l2tabu/french>
on MikTeX *l2tabu-french*
on T_EXLive *l2tabu-french*
keyword french-doc (documentation in French)
see also see section 3205 on page 2894: (*l2tabu* – Obsolete packages and commands)
see also see section 3208 on page 2897: (*l2tabu-italian* – Italian Translation of Obsolete packages and commands)
see also see section 3206 on page 2895: (*l2tabu-english* – English translation of “Obsolete packages and commands”)
language(s) French
year without year
last access 2025-02-07

3208 *l2tabu-italian* – Italian Translation of Obsolete packages and commands

Web page on CTAN <https://ctan.org/pkg/l2tabu-italian>

name	<code>l2tabu-italian</code>
caption	Italian Translation of Obsolete packages and commands
author	Sacchetto, Mauro
author	Zannarini, Emanuele
license	other-free = Free license not otherwise listed (free)
version	2.3
description	(no language specified) Italian translation of the l2tabu practical guide to LaTeX2e (a list of obsolete packages and commands).
documentation	(Italian) <i>The document itself</i> : https://ctan.org/tex-archive/info/l2tabu/italian/l2tabuit.pdf
– local file	<code>./7040545257-l2tabuit.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/l2tabu/italian
on MikTeX	<code>l2tabu-italian</code>
on TeXLive	<code>l2tabu-italian</code>
keyword	<code>italian-doc</code> (documentation in Italian)
see also	see section 3205 on page 2894 : (<code>l2tabu</code> – Obsolete packages and commands)
see also	see section 3206 on page 2895 : (<code>l2tabu-english</code> – English translation of “Obsolete packages and commands”)
see also	see section 3207 on page 2896 : (<code>l2tabu-french</code> – French translation of <code>l2tabu</code>)
language(s)	Italian
year	without year
last access	2025-02-07

3209 *l2tabu-spanish* – Spanish translation of "Obsolete packages and commands"

Web page on CTAN <https://ctan.org/pkg/l2tabu-spanish>

name	<i>l2tabu-spanish</i>
caption	Spanish translation of "Obsolete packages and commands"
author	Trettin, Mark
author	Medina Arellano, Gonzalo
license	pd = Public Domain Software (free)
version	1.1
description	(no language specified) A Spanish translation of the <i>l2tabu</i> practical guide to LaTeX2e by Mark Trettin. A list of obsolete packages, commands and usages.
documentation	(Spanish) <i>The document itself</i> : https://ctan.org/tex-archive/info/l2tabu/spanish/l2tabues.pdf
– local file	<code>./4809687854-l2tabues.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/l2tabu/spanish/README
on CTAN	https://ctan.org/tex-archive/info/l2tabu/spanish
on T _E XLive	<i>l2tabu-spanish</i>
keyword	spanish-doc (documentation in Spanish)
language(s)	Spanish
year	without year
last access	2025-02-07

3210 *l2x* – LaTeX to ASCII

Web page on CTAN <https://ctan.org/pkg/l2x>

name	<i>l2x</i>
caption	LaTeX to ASCII
author	Schulzrinne, Henning
copyright	Henning Schulzrinne (1994)
license	nocommercial = No Commercial Use (not free)
version	1.4

description	(no language specified) L2x is a general-purpose LaTeX converter. It consists of a parser written in C, which then calls Tcl functions for each LaTeX function. The Tcl functions return the translated value. A number of Tcl functions are provided: for example <code>l2html.tcl</code> (for HTML file output) and <code>ms.tcl</code> (for <code>nroff/troff -ms</code> macros).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/l2x/README
on CTAN	https://ctan.org/tex-archive/support/l2x
keyword	<code>cvt-other</code> (convert TeX-ish sources to some other markup (than HTML))
keyword	<code>cvt-html</code> (generate HTML from TeX-ish sources)
language(s)	no language specified
year	1994
last access	2025-02-07

3211 *l3backend* – LaTeX3 backend drivers

Web page on CTAN	https://ctan.org/pkg/l3backend
name	<code>l3backend</code>
caption	LaTeX3 backend drivers
author	The LaTeX Project Team
copyright	The LaTeX3 Project (2019-2026)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2026-02-18)
last changes	2026-02-18
year	2026
description	(no language specified) This package forms parts of <code>expl3</code>, and contains the code used to interface with backends (drivers) across the <code>expl3</code> codebase. The functions here are defined differently depending on the engine in use. As such, these are distributed separately from <code>l3kernel</code> to allow this code to be updated on an independent schedule.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/required/l3backend/l3backend-code.pdf
– local file	<code>./8636630518-l3backend-code.pdf</code>

3212 *l3backend-dev* – *LaTeX3 backend drivers (dev)*

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/required/l3backend/README.md
home page	https://www.latex-project.org
contact	<i>bugs</i> : https://github.com/latex3/latex3/issues
contact	<i>repository</i> : https://github.com/latex3/latex3/
on CTAN	https://ctan.org/tex-archive/macros/latex/required/l3backend
installation	https://ctan.org/tex-archive/install/macros/latex/required/l3backend.tds.zip
on MikTeX	<i>l3backend</i>
on TeXLive	<i>l3backend</i>
keyword	macro-supp (support for development of (La)TeX macros)
keyword	latex3 (work done for the project to upgrade LaTeX)
language(s)	no language specified
last access	2026-04-10

3212 *l3backend-dev* – *LaTeX3 backend drivers (dev)*

Web page on CTAN	https://ctan.org/pkg/l3backend-dev
name	<i>l3backend-dev</i>
caption	<i>LaTeX3 backend drivers (dev)</i>
author	The LaTeX Project Team
copyright	The LaTeX3 Project (2019-2026)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2026-02-18)
last changes	2026-02-18
year	2026
description	(no language specified) This is a pre-release version of the <i>l3backend</i> package. It accompanies the pre-testing kernel code (<i>latex-base-dev</i>), and is intended for testing by knowledgeable users.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex-dev/required/l3backend/README.md

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex-dev/required/l3backend/l3backend-code.pdf
– local file	<code>./8415628571-l3backend-code.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex-dev/required/l3backend
installation	https://ctan.org/tex-archive/install/macros/latex-dev/required/l3backend-dev.tds.zip
on MikTeX	<code>l3backend-dev</code>
on TeXLive	<code>l3backend-dev</code>
keyword	<code>latex3</code> (work done for the project to upgrade LaTeX)
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
keyword	<code>pre-release</code> (developing version of new software)
language(s)	no language specified
last access	2026-04-10

3213 *l3build* – A testing and building system for (La)TeX

Web page on CTAN	https://ctan.org/pkg/l3build
name	<code>l3build</code>
caption	A testing and building system for (La)TeX
author	The LaTeX Project Team
copyright	The LaTeX Project (2014-2026)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2026-03-26)
last changes	2026-03-26
year	2026
description	(no language specified) The build system supports testing and building LaTeX3 code, on Linux, Mac OS X and Windows systems. The package offers: • A unit testing system for (La)TeX code (whether kernel code or contributed packages); • A system for typesetting package documentation; and • An automated process for creating CTAN releases.

3214 `l3docstrip` – Strip documentation in LaTeX3 source

The package is essentially independent of other material released by the LaTeX3 team, and may be updated on a different schedule.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/l3build/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/l3build/l3build.pdf
– local file	<code>./7112810181-l3build.pdf</code>
home page	https://www.latex-project.org
contact	<i>bugs</i> : https://github.com/latex3/l3build/issues
contact	<i>repository</i> : https://github.com/latex3/l3build
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/l3build
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/l3build.tds.zip
on MikTeX	<code>l3build</code>
on TeXLive	<code>l3build</code>
keyword	<code>package-devel</code> (support for package development)
keyword	<code>ctan</code> (support for work with the CTAN archive)
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
language(s)	no language specified
last access	2026-04-10

3214 `l3docstrip` – Strip documentation in LaTeX3 source

Web page on CTAN	https://ctan.org/pkg/l3docstrip
name	<code>l3docstrip</code>
caption	Strip documentation in LaTeX3 source
author	The LaTeX Project Team
copyright	The LaTeX3 Project (2012-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2024-12-09)
last changes	2024-12-09
year	2024

description	(no language specified) The package provides, for the LaTeX 3 distribution, the same function as does docstrip for LaTeX 2e code — to remove comments from a source file, to provide a faster-running (and more compact) version of the <code>.dtx</code> source. The package is distributed as part of the l3kernel bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/required/l3kernel/l3docstrip.pdf
– local file	<code>./6133637025-l3docstrip.pdf</code>
home page	https://www.latex-project.org
contact	<i>bugs:</i> https://github.com/latex3/latex3/issues
contact	<i>repository:</i> https://github.com/latex3/latex3
on CTAN	https://ctan.org/tex-archive/macros/latex/required/l3kernel
installation	https://ctan.org/tex-archive/install/macros/latex/required/l3kernel.tds.zip
keyword	doc-supp (macros and tools for preparing documentation)
keyword	latex3 (work done for the project to upgrade LaTeX)
keyword	pre-release (developing version of new software)
language(s)	no language specified
last access	2025-02-12

3215 *l3experimental* – Experimental LaTeX3 concepts

Web page on CTAN	https://ctan.org/pkg/l3experimental
name	<code>l3experimental</code>
caption	Experimental LaTeX3 concepts
author	The LaTeX Project Team
copyright	The LaTeX3 Project (1998-2004, 2008-2012, 2014-2026)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2026-02-18)
last changes	2026-02-18
year	2026

description	(no language specified) The <i>l3experimental</i> packages are a collection of experimental implementations for aspects of the LaTeX3 kernel, dealing with higher-level ideas such as the Designer Interface. Some of them work as stand alone packages, providing new functionality, and can be used on top of LaTeX2e with no changes to the existing kernel. The present release includes: • <i>l3draw</i> , a code-level interface for constructing drawings; • <i>xcoffins</i> , which allows the alignment of boxes using a series of ‘handle’ positions, supplementing the simple TeX reference point;
documentation	(no language specified) <i>xcoffins</i> documentation: https://ctan.org/tex-archive/macros/latex/contrib/l3experimental/xcoffins.pdf
– local file	<code>./7975484778-xcoffins.pdf</code>
documentation	(no language specified) <i>l3draw</i> documentation: https://ctan.org/tex-archive/macros/latex/contrib/l3experimental/l3draw.pdf
– local file	<code>./9562643094-l3draw.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/l3experimental/README.md
home page	https://www.latex-project.org
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/l3experimental
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/l3experimental.tds.zip
on MikTeX	<code>l3experimental</code>
on TeXLive	<code>l3experimental</code>
keyword	<code>layout</code> (layout of objects on the page)
keyword	<code>latex3</code> (work done for the project to upgrade LaTeX)
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
see also	see section 3216 on page 2905: (<code>l3kernel</code> – LaTeX3 programming conventions)
see also	see section 3219 on page 2909: (<code>l3packages</code> – High-level LaTeX3 concepts)
language(s)	no language specified
last access	2026-04-10

3216 *l3kernel* – LaTeX3 programming conventions

Web page on CTAN <https://ctan.org/pkg/l3kernel>

name	<code>l3kernel</code>
caption	LaTeX3 programming conventions
author	The LaTeX Project Team
copyright	The LaTeX Project (1990-2026)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2026-03-20)
last changes	2026-03-20
year	2026
description	(no language specified) The <i>l3kernel</i> bundle provides an implementation of the LaTeX3 programmers' interface, as a set of packages that run under LaTeX2e. The interface provides the foundation on which the LaTeX3 kernel and other future code are built: it is an API for TeX programmers. The packages are set up so that the LaTeX3 conventions can be used with regular LaTeX2e packages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/required/l3kernel/README.md
documentation	(no language specified) <i>The LaTeX3 Programming Language</i> : https://ctan.org/tex-archive/macros/latex/required/l3kernel/expl3.pdf
– local file	<code>./2655976003-expl3.pdf</code>
documentation	(no language specified) <i>The LaTeX3 interfaces</i> : https://ctan.org/tex-archive/macros/latex/required/l3kernel/interface3.pdf
– local file	<code>./7165803293-interface3.pdf</code>
documentation	(no language specified) <i>Syntax changes</i> : https://ctan.org/tex-archive/macros/latex/required/l3kernel/l3syntax-changes.pdf
– local file	<code>./3142460286-l3syntax-changes.pdf</code>
documentation	(no language specified) <i>LaTeX3 style guide</i> : https://ctan.org/tex-archive/macros/latex/required/l3kernel/l3styleguide.pdf
– local file	<code>./9438999427-l3styleguide.pdf</code>
home page	https://www.latex-project.org

3217 `l3kernel-dev` – Development pre-release of `l3kernel`

contact	<i>bugs:</i> https://github.com/latex3/latex3/issues
contact	<i>repository:</i> https://github.com/latex3/latex3
on CTAN	https://ctan.org/tex-archive/macros/latex/required/l3kernel
installation	https://ctan.org/tex-archive/install/macros/latex/required/l3kernel.tds.zip
on MikTeX	<code>l3kernel</code>
on TeXLive	<code>l3kernel</code>
keyword	<code>format</code> (macros to build a format)
keyword	<code>latex3</code> (work done for the project to upgrade LaTeX)
see also	see section 3219 on page 2909: (<code>l3packages</code> – High-level LaTeX3 concepts)
see also	see section 3211 on page 2899: (<code>l3backend</code> – LaTeX3 backend drivers)
see also	see section 3215 on page 2903: (<code>l3experimental</code> – Experimental LaTeX3 concepts)
language(s)	no language specified
last access	2026-04-10

3217 `l3kernel-dev` – Development pre-release of `l3kernel`

Web page on CTAN <https://ctan.org/pkg/l3kernel-dev>

name	<code>l3kernel-dev</code>
caption	Development pre-release of <code>l3kernel</code>
author	The LaTeX Project Team
copyright	The LaTeX Project (1990-2026)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2026-03-20)
last changes	2026-03-20
year	2026
description	(no language specified) This is a pre-release version of the <code>l3kernel</code> package. It accompanies the pre-testing kernel code (<code>latex-base-dev</code>), and is intended for testing by knowledgeable users.
documentation	(no language specified) <i>The LaTeX3 Programming Language</i> : https://ctan.org/tex-archive/macros/latex-dev/required/l3kernel/exp13.pdf

– local file	<code>./8095107559-expl3.pdf</code>
documentation	(no language specified) <i>Syntax changes</i> : https://ctan.org/tex-archive/macros/latex-dev/required/l3kernel/l3syntax-changes.pdf
– local file	<code>./3565836942-l3syntax-changes.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex-dev/required/l3kernel/README.md
documentation	(no language specified) <i>The LaTeX3 interfaces</i> : https://ctan.org/tex-archive/macros/latex-dev/required/l3kernel/interface3.pdf
– local file	<code>./6186929147-interface3.pdf</code>
documentation	(no language specified) <i>LaTeX3 style guide</i> : https://ctan.org/tex-archive/macros/latex-dev/required/l3kernel/l3styleguide.pdf
– local file	<code>./2020157978-l3styleguide.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex-dev/required/l3kernel
installation	https://ctan.org/tex-archive/install/macros/latex-dev/required/l3kernel-dev.tds.zip
on MikTeX	<code>l3kernel-dev</code>
on TeXLive	<code>l3kernel-dev</code>
keyword	pre-release (developing version of new software)
keyword	format (macros to build a format)
keyword	latex3 (work done for the project to upgrade LaTeX)
language(s)	no language specified
last access	2026-04-10

3218 *l3keys2e* – *LaTeX2e* option processing using *LaTeX3* keys

Web page on CTAN	https://ctan.org/pkg/l3keys2e
name	<code>l3keys2e</code>
caption	<i>LaTeX2e</i> option processing using <i>LaTeX3</i> keys
author	The LaTeX Project Team
copyright	The LaTeX3 project (2009-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)

version	(2024-08-16)
last changes	2024-08-16
year	2024
description	(no language specified) This package is deprecated in favor of methods integrated into the LaTeX kernel from 2022-06-01. The package provides an interface whereby LaTeX 2e users may use the key-value functions provided in the LaTeX 3 kernel distribution. The key-value system implemented is more similar to that of pgfkeys than to any other extant package. The package is part of the l3packages bundle.
documentation	(no language specified) <i>Bundle readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/l3packages/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/l3packages/l3keys2e.pdf
– local file	<code>./8643356907-l3keys2e.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/l3packages
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/l3packages.tds.zip
on MikTeX	l3packages
on TeXLive	l3packages
keyword	latex3 (work done for the project to upgrade LaTeX)
keyword	macro-supp (support for development of (La)TeX macros)
keyword	pre-release (developing version of new software)
keyword	keyval (key-value argument systems)
language(s)	no language specified
last access	2025-02-12

3219 l3packages – High-level LaTeX3 concepts

Web page on CTAN <https://ctan.org/pkg/l3packages>

name	l3packages
caption	High-level LaTeX3 concepts
author	The LaTeX Project Team
copyright	The LaTeX project (1998-2012, 2015-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2025-10-09)
last changes	2025-10-09
year	2025
description	(no language specified) This collection deals with higher-level ideas such as the Designer Interface, as part of LaTeX3 developments. The packages here have over time migrated into the LaTeX kernel: the material here is retained to support older files. The appropriate LaTeX kernel releases incorporating the ideas from the packages here are • l3keys2e 022-06-01 • xfp 022-06-01 • xparse 020-10-01 • xtemplate 024-06-01
documentation	(no language specified) <i>xfp</i> documentation: https://ctan.org/tex-archive/macros/latex/contrib/l3packages/xfp.pdf
– local file	<code>./9899088080-xfp.pdf</code>
documentation	(no language specified) <i>xtemplate</i> documentation: https://ctan.org/tex-archive/macros/latex/contrib/l3packages/xtemplate.pdf
– local file	<code>./2735136666-xtemplate.pdf</code>
documentation	(no language specified) <i>l3keys2e</i> documentation: https://ctan.org/tex-archive/macros/latex/contrib/l3packages/l3keys2e.pdf
– local file	<code>./8643356907-l3keys2e.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/l3packages/README.md
documentation	(no language specified) <i>xparse</i> documentation: https://ctan.org/tex-archive/macros/latex/contrib/l3packages/xparse.pdf

3220 `l3regex` – Regular expression facilities for LaTeX

– local file	<code>./4323415448-xparse.pdf</code>
home page	https://www.latex-project.org
contact	<i>bugs</i> : https://github.com/latex3/latex3/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/l3packages
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/l3packages.tds.zip
on MikTeX	<code>l3packages</code>
on TeXLive	<code>l3packages</code>
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
keyword	<code>latex3</code> (work done for the project to upgrade LaTeX)
see also	see section 3216 on page 2905: (<code>l3kernel</code> – LaTeX3 programming conventions)
see also	see section 3215 on page 2903: (<code>l3experimental</code> – Experimental LaTeX3 concepts)
language(s)	no language specified
last access	2025-10-31

3220 `l3regex` – Regular expression facilities for LaTeX

Web page on CTAN	https://ctan.org/pkg/l3regex
name	<code>l3regex</code>
caption	Regular expression facilities for LaTeX
author	The LaTeX Project Team
copyright	The LaTeX3 Project (2011-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2024-12-09)
last changes	2024-12-09
year	2024

description	(no language specified) The package provides regular expression testing, extraction of submatches, splitting, and replacement, all acting on token lists. The syntax of regular expressions is mostly a subset of the PCRE syntax (and is very close to Posix), with some additions arising from the fact that TeX manipulates tokens rather than characters. For performance reasons, only a limited set of features are implemented. Notably, back-references are not supported. The package is currently distributed as part of the LaTeX3 l3kernel bundle.
home page	https://www.latex-project.org
contact	<i>bugs:</i> https://github.com/latex3/latex3/issues
contact	<i>repository:</i> https://github.com/latex3/latex3
on CTAN	https://ctan.org/tex-archive/macros/latex/required/l3kernel/l3regex.dtx
keyword	latex3 (work done for the project to upgrade LaTeX)
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-12

3221 *l3sys-query* – System queries for LaTeX using Lua

Web page on CTAN <https://ctan.org/pkg/l3sys-query>

name	<i>l3sys-query</i>
caption	System queries for LaTeX using Lua
author	The LaTeX Project Team
copyright	The LaTeX3 Project (2024)
license	mit = MIT License (free)
version	(2024-04-08)
last changes	2024-04-08
year	2024

description	(no language specified) The <code>l3sys-query</code> script provides a method for TeX runs to obtain system information via shell escape to Lua. The facilities are more limited than the similar Java script <code>texosquery</code>, but since it uses Lua, <code>l3sys-query</code> can be used out of the box; with any installed TeX system. The script is written taking account of TeX Live security requirements; it is therefore suitable for use with restricted shell escape, the standard setting when installing a TeX system. The supported queries are ls Directory listing supporting a range of options pwd Obtaining details of the current working directory
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/l3sys-query/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/l3sys-query/l3sys-query-tool.pdf
– local file	<code>./3980916912-l3sys-query-tool.pdf</code>
home page	https://github.com/latex3/l3sys-query
contact	<i>bugs</i> : https://github.com/latex3/l3sys-query/issues
on CTAN	https://ctan.org/tex-archive/support/l3sys-query
on MikTeX	<code>l3sys-query</code>
on TeXLive	<code>l3sys-query</code>
keyword	<code>use-lua</code> (package requires availability of lua)
keyword	<code>sys-supp</code> (os-level support facilities for TeX)
see also	see section 6016 on page 5439: (<code>texosquery</code> – Cross-platform Java application to query OS information)
language(s)	no language specified
last access	2025-02-11

3222 1a – School handwriting fonts

Web page on CTAN <https://ctan.org/pkg/1a>

name	1a
caption	School handwriting fonts
author	Heuer, Johannes
copyright	Johannes Heuer (1994)

license	noinfo = noinfo
version	(1994-04-18)
last changes	1994-04-18
year	1994
description	(no language specified) This package comprises two fonts, <i>la</i> and <i>lla</i> (provided as Metafont source); their glyphs simulate handwriting as taught in (German) primary schools. The fonts come with a brief (LaTeX 2.09) example file. Macro support under LaTeX 2e is provided by the <i>la</i> package in the <i>fundus</i> bundle, which should be used in preference to the LaTeX 2.09 macros that come with the font.
on CTAN	https://ctan.org/tex-archive/fonts/la
keyword	font-calligraphic (calligraphic (or handwriting) fonts)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
language(s)	no language specified
last access	2025-02-07

3223 *laansort* – *Sorting within TeX*

Web page on CTAN <https://ctan.org/pkg/laansort>

name	laansort
caption	Sorting within TeX
author	van der Laan, Kees
license	noinfo = noinfo
version	1.0
description	(no language specified) Macros for sorting items within TeX. Two sorting algorithms are provided: heapsort and quicksort.
documentation	(no language specified) <i>TUGboat paper</i> : https://tug.org/TUGboat/Articles/tb14-3/tb40laan-sort.pdf
– local file	<code>./3638076902-tb40laan-sort.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/generic/laansort
keyword	macro-sort (sort data within TeX macros)
language(s)	no language specified
year	without year

last access 2025-02-07

3224 *labbook* – Typeset laboratory journals

Web page on CTAN <https://ctan.org/pkg/labbook>

name *labbook*

caption Typeset laboratory journals

author Küster, Frank

license lpl = The LaTeX Project Public License (free)

description (no language specified) This class is designed to typeset laboratory journals that contain chronologically ordered records about experiments. From the sectioning commands, an experiment index is generated. The class is based on the KOMA-Script class *scrbook.cls*. There can be several index entries for one experiment.

documentation *Package documentation (English)*: <https://ctan.org/tex-archive/macros/latex/contrib/labbook/labbook.pdf>

– local file *./8828010037-labbook.pdf*

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/labbook/README>

documentation *Package documentation (German)*: <https://ctan.org/tex-archive/macros/latex/contrib/labbook/labboode.pdf>

– local file *./6490714197-labboode.pdf*

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/labbook>

on MikTeX *labbook*

on T_EXLive *labbook*

keyword *record-keep* (formatting material that constitutes records)

keyword *class* (alternative LaTeX class(es))

language(s) German; English

year without year

last access 2025-02-07

3225 *label-pln* – Print address labels in three columns

Web page on CTAN <https://ctan.org/pkg/label-pln>

name	label-pln
caption	Print address labels in three columns
license	noinfo = noinfo
version	(1992-08-27)
last changes	1992-08-27
year	1992
description	(no language specified) Input may be a set of labels in-line in a document, or a file of labels.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/label.tex
keyword	labels (typeset sets of labels (for cutting out, etc.))
keyword	plain-ext (extensions to Plain TeX for higher-level constructs)
language(s)	no language specified
last access	2025-02-07

3226 *labelcas* – Check the existence of labels, and fork accordingly

Web page on CTAN <https://ctan.org/pkg/labelcas>

name	labelcas
caption	Check the existence of labels, and fork accordingly
author	Diez, Ulrich
copyright	Ulrich Diez (2006)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.12
description	(no language specified) The package defines two commands: • <code>\eachlabelcase</code>, which distinguishes whether a set of labels is defined, and for each label either queues action accordingly, or appends the action to a macro; and

3227 `labelfig` – Label LaTeX 2.09 figures included in documents

- `\lotlabelcase`, which takes a comma-separated list of label names, and distinguishes the resulting action on whether all were defined, whether none were defined, whether not all were defined, or whether the list is empty (again, the action resulting from `\lotlabelcase` may be written to a macro).

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/labelcas/labelcas.pdf
– local file	<code>./3695704646-labelcas.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/labelcas/README
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/labelcas
on MikTeX	<code>labelcas</code>
keyword	<code>label-ref</code> (label and reference systems)
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
keyword	<code>obsolete</code> (package declared obsolete)
language(s)	no language specified
year	2006
last access	2025-02-07

3227 `labelfig` – Label LaTeX 2.09 figures included in documents

Web page on CTAN	https://ctan.org/pkg/labelfig
name	<code>labelfig</code>
caption	Label LaTeX 2.09 figures included in documents
author	Siebenmann, Laurent
license	<code>noinfo = noinfo</code>
version	(1991-10-06)
last changes	1991-10-06
year	1991

3228 *labelmac3* – Print Avery 5160 labels for laser printers

description	(no language specified) The user specifies a table of labels (in a group <code>\SetLabels ... \endSetLabels</code>), and then includes the graphic and places the labels at the same time using the command <code>\AffixLabels</code> . The package can draw a grid over your figure, to ease estimation of the labels' required location.
documentation	(no language specified) (<i>Sort of</i>) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex209/contrib/labelfig/labelfig.txt
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/labelfig
keyword	graphics-text (text within graphics (drawn or overlaid))
see also	see section 4446 on page 4025: (<i>overpic</i> – Combine LaTeX commands over included graphics)
language(s)	no language specified
last access	2025-02-07

3228 *labelmac3* – Print Avery 5160 labels for laser printers

Web page on CTAN <https://ctan.org/pkg/labelmac3>

name	labelmac3
caption	Print Avery 5160 labels for laser printers
author	Rao, R. Bharat
license	noinfo = noinfo
version	(1991-10-11)
last changes	1991-10-11
year	1991
description	(no language specified) Accepts <code>\address</code> commands, whose arguments are printed 30 to a page, in boxes of dimension 2.625" x 1".
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/labelmac3.tex
keyword	labels (typeset sets of labels (for cutting out, etc.))
see also	see section 3225 on page 2915: (<i>label-pln</i> – Print address labels in three columns)
language(s)	no language specified
last access	2025-02-07

3229 labelmag – Manage a collection of labels

Web page on CTAN <https://ctan.org/pkg/labelmag>

name	labelmag
caption	Manage a collection of labels
author	Willadt, Peter
license	nosource = No Source Available (not free)
description	(no language specified) A MS-Win32 program for managing a collection of labels to be typeset by TeX and printed on demand. The collection will be held together within a single file; labels may be kept within categories. As an advanced feature, mailing labels, e.g., may query an ODBC data source.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/win32/texhelpers/labelmag/README
on CTAN	https://ctan.org/tex-archive/systems/win32/texhelpers/labelmag
keyword	labels (typeset sets of labels (for cutting out, etc.))
language(s)	no language specified
year	without year
last access	2025-02-07

3230 labels – Print sheets of sticky labels

Web page on CTAN <https://ctan.org/pkg/labels>

name	labels
caption	Print sheets of sticky labels
author	Gustafson, Grant
author	Gilbey, Julian
author	Rahtz, Sebastian
copyright	Julian Gilbey (2002-2003)
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	.13

description	(no language specified) A LaTeX package to print a regular grid of ragged-right labels on a page, suitable for sheets of labels which can be fed through a printer. Macros are provided to allow easy input of names and addresses in a form free of TeX markup. Equally useful is a feature for making multiple copies of a single label, e.g., return address stickers to go with the labels. Rows, columns, borders can all be specified to match the label sheet being used.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/labels
on MikTeX	labels
on TeXLive	labels
keyword	labels (typeset sets of labels (for cutting out, etc.))
language(s)	no language specified
year	2003
last access	2025-02-07

3231 *labels4easylist* – Add reference labels to *easylist* items

Web page on CTAN	https://ctan.org/pkg/labels4easylist
name	labels4easylist
caption	Add reference labels to <i>easylist</i> items
author	Paciorek, Robert
copyright	Robert Paciorek (2019)
license	mit = MIT License (free)
version	1.0
description	(no language specified) This package provides the <code>\itemLabel</code> macro for adding configurable reference labels to <i>easylist</i> items.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/labels4easylist/labels4easylist.pdf
– local file	<code>./3660482433-labels4easylist.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/labels4easylist/README
contact	<i>bugs</i> : https://bitbucket.org/OpCode-eu-org/latex-lib/issues
contact	<i>repository</i> : https://bitbucket.org/OpCode-eu-org/latex-lib/

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/labels4easylist
on MikTeX	labels4easylist
on T _E XLive	labels4easylist
keyword	list (list: general)
language(s)	no language specified
year	2019
last access	2025-02-07

3232 *labelschanged* – Identify labels which cause endless “may have changed” warnings

Web page on CTAN	https://ctan.org/pkg/labelschanged
name	labelschanged
caption	Identify labels which cause endless “may have changed” warnings
author	Dunn, Brian
license	pd = Public Domain Software (free)
version	1.01
description	(no language specified) Several conditions can cause LaTeX labels to keep changing, no matter how many times a document is recompiled. This package helps diagnose the cause of repeated “Label(s) may have changed” warnings. The names and before/after definitions of changing labels are printed at the end of each compile. Multiply-defined labels are printed as well.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/labelschanged/labelschanged.pdf
– local file	./4751052442-labelschanged.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/labelschanged/README.txt
contact	<i>bugs</i> : https://github.com/bdte/labelschanged
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/labelschanged
on MikTeX	labelschanged
on T _E XLive	labelschanged

3233 *lablst-pkg* – List names of labels in a document

keyword	misc-support (miscellaneous support stuff)
keyword	label-ref (label and reference systems)
language(s)	no language specified
year	without year
last access	2025-02-07

3233 *lablst-pkg* – List names of labels in a document

Web page on CTAN <https://ctan.org/pkg/lablst-pkg>

name	lablst-pkg
caption	List names of labels in a document
author	Karney, Charles
license	noinfo = noinfo
version	(2009-11-28)
last changes	2009-11-28
year	2009
description	(no language specified) A derivative of the file <code>lablst.tex</code> (in the LaTeX distribution); embeds itself in <code>\end{document}</code> and prints, below the end of the document itself, a list of labels used. (Such a package today would use <code>\AtEndDocument</code> from LaTeX 2e, but this package hacks itself in without ceremony.)
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/lablst.sty
keyword	latex209 (package only known to work with LaTeX 2.09)
keyword	label-ref (label and reference systems)
keyword	debug-supp (support for package or document debugging)
language(s)	no language specified
last access	2025-02-11

3234 labtex – Label diagrams produced in MetafontWeb page on CTAN <https://ctan.org/pkg/labtex>

name	labtex
caption	Label diagrams produced in Metafont
author	Hoenig, Alan
license	noinfo = noinfo
version	0.9
description	(no language specified) Comes with a Metafont support file, which is to be input by the diagram file.
on CTAN	https://ctan.org/tex-archive/macros/generic/labtex
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
language(s)	no language specified
year	without year
last access	2025-02-07

3235 labyrinth – Draw labyrinths and solution pathsWeb page on CTAN <https://ctan.org/pkg/labyrinth>

name	labyrinth
caption	Draw labyrinths and solution paths
author	Zigliotto, Francesco
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The labyrinth package provides code and an environment for typesetting simple labyrinths with LaTeX, and generating an automatic or manual solution path.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/labyrinth/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/labyrinth/labyrinth.pdf
– local file	./8280540535-labyrinth.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/labyrinth

on MikTeX	labyrinth
on T _E XLive	labyrinth
keyword	games (process game diagrams, gamebooks, and other amusements)
language(s)	no language specified
year	without year
last access	2025-02-07

3236 lacheck – LaTeX checker

Web page on CTAN <https://ctan.org/pkg/lacheck>

name	lacheck
caption	LaTeX checker
author	The TeX Live Team
author	Abrahamsen, Per
author	Thorup, Kresten Krab
license	gpl = GNU General Public License (free)
description	(no language specified) Lacheck is a tool for finding common mistakes in LaTeX documents. The distribution includes sources, and executables for OS/2 and Win32 environments.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/lacheck/README
on CTAN	https://ctan.org/tex-archive/support/lacheck
on T _E XLive	lacheck
keyword	latex-qual (encourage quality in LaTeX markup)
see also	see section 4165 on page 3769: (nag – Detecting and warning about obsolete LaTeX commands)
see also	see section 3205 on page 2894: (l2tabu – Obsolete packages and commands)
language(s)	no language specified
year	without year
last access	2025-02-11

3237 *ladder* – Draw simple ladder diagrams using TikZ

Web page on CTAN <https://ctan.org/pkg/ladder>

name	<code>ladder</code>
caption	Draw simple ladder diagrams using TikZ
author	Cadiou, Aurélien
license	mit = MIT License (free)
version	(2017-05-17)
last changes	2017-05-17
year	2017
description	(no language specified) This package permits the creation of simple ladder diagrams within LaTeX documents. Required packages are <code>tikz</code> , <code>ifthen</code> , and <code>calc</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/ladder/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/ladder/ladder.pdf
– local file	<code>./2635902918-ladder.pdf</code>
contact	<i>bugs</i> : https://github.com/AurelienC/tex-ladder/issues
contact	<i>repository</i> : https://github.com/AurelienC/tex-ladder
contact	<i>development</i> : https://github.com/AurelienC/tex-ladder/graphs/contributors
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/ladder
on MikTeX	<code>ladder</code>
on TeXLive	<code>ladder</code>
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>diagram-circ</code> (circuit diagrams)
language(s)	no language specified
last access	2025-02-07

3238 lahyph – Hyphenation patterns for the Latin languageWeb page on CTAN <https://ctan.org/pkg/lahyph>

name	lahyph
caption	Hyphenation patterns for the Latin language
author	Beccari, Claudio
license	lppl = The LaTeX Project Public License (free)
version	3.1
description	(no language specified) These are patterns for the Latin language mainly in modern spelling (u when u is needed and v when v is needed); medieval spelling with the ligatures \ae and \oe and the (uncial) lowercase ‘v’ written as a ‘u’ is also supported; apparently there is no conflict between the patterns of modern Latin and those of medieval Latin. The patterns support the restricted character set of the OT1-encoding (obviously without the ligature characters), as well as T1-encoded usage.
on CTAN	https://ctan.org/tex-archive/language/hyphenation/lahyph.tex
on T _E XLive	hyphen-latin
keyword	hyphenation (macros or tables for hyphenation)
keyword	latin (support for typesetting Latin (ancient, medieval and ‘modern’))
language(s)	no language specified
year	without year
last access	2025-02-07

3239 laletter – Los Alamos letter styleWeb page on CTAN <https://ctan.org/pkg/laletter>

name	laletter
caption	Los Alamos letter style
author	Sydoriak, Steve
copyright	The Regents of the University of California (1990)
license	other-nonfree = License that prevents distribution (not free)
version	(1989-09-18)
last changes	1989-09-18

year	1989
description	(no language specified) Format letters for Los Alamos, in accordance with the Laboratory’s ”Office Procedures Manual”
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex209/contrib/laletter/README
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/laletter
keyword	latex209 (package only known to work with LaTeX 2.09)
keyword	letter (typesetting letters, envelopes, faxes, etc)
language(s)	no language specified
last access	2025-02-11

3240 *lambda-lists* – Lists in TeX’s mouth

Web page on CTAN	https://ctan.org/pkg/lambda-lists
name	lambda-lists
caption	Lists in TeX’s mouth
author	Jeffrey, Alan
copyright	Alan Jeffrey (1990-2013)
license	lppl = The LaTeX Project Public License (free)
version	(2013-08-06)
last changes	2013-08-06
year	2013
description	(no language specified) These list-processing macros avoid the reassignments employed in the macros shown in Appendix D of the TeXbook: all the manipulations take place in what Knuth is pleased to call ”TeX’s mouth”.
on CTAN	https://ctan.org/tex-archive/macros/generic/lambda-lists
on MikTeX	lambda-lists
on TeXLive	lambda-lists
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

3241 *lambdax* – Use Lambda expression within LaTeX

Web page on CTAN <https://ctan.org/pkg/lambdax>

name	<code>lambdax</code>
caption	Use Lambda expression within LaTeX
author	Rogard, Erwann
copyright	Erwann Rogard (2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1
description	(no language specified) This package provides Lambda expressions. It is an interface to specify the parameters and replacement code of a document-command, and then to evaluate it with compatible arguments. Optionally, it can be used recursively.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/lambdax/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/lambdax/lambdax.pdf
– local file	<code>./2656028825-lambdax.pdf</code>
contact	<i>repository</i> : https://github.com/rogard/lambdax
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lambdax
on MikTeX	<code>lambdax</code>
on TeXLive	<code>lambdax</code>
keyword	<code>macro-def</code> (alternative ways of defining macros)
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
language(s)	no language specified
year	2021
last access	2025-02-07

3242 lamemo – Memo style as used at Los AlamosWeb page on CTAN <https://ctan.org/pkg/lamemo>

name	lamemo
caption	Memo style as used at Los Alamos
author	Sydoriak, Steve
copyright	The Regents of the University of California (1990)
license	other-free = Free license not otherwise listed (free)
version	(1990-03-28)
last changes	1990-03-28
year	1990
description	(no language specified) Provides a memo style conforming to the office procedures manual of the Los Alamos National Laboratory.
documentation	(no language specified) <i>Package reference notes</i> : https://ctan.org/tex-archive/macros/latex209/contrib/lamemo/memo.ref
documentation	(no language specified) <i>TUGboat paper</i> : https://tug.org/TUGboat/Articles/tb10-4/tb26sydoriak.pdf
– local file	./2580346566-tb26sydoriak.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex209/contrib/lamemo/memo.README
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/lamemo
keyword	latex209 (package only known to work with LaTeX 2.09)
keyword	memorandum (typeset memorandum or other short note)
language(s)	no language specified
last access	2025-02-11

3243 *lametex* – A PostScript translator for a subset of LaTeX

Web page on CTAN <https://ctan.org/pkg/lametex>

name	lametex
caption	A PostScript translator for a subset of LaTeX
author	Monsarrat, Jonathan
copyright	Jonathan Monsarrat (1992)
license	nosell = Do Not Sell Except by Arrangement (not free)
version	1.1
description	(no language specified) <i>LameTeX</i> is a direct PostScript generator for a (very limited) subset of LaTeX. One of its original design goals, the inclusion of PostScript commands directly in a LaTeX document, has been superseded by PSTricks. However, one of the side effects of a special-purpose translator for LaTeX is the ability of that translator to produce different kinds of output, including plain ASCII. The system only understands a subset of LaTeX, and is not set up to use Type 1 fonts; however, it is capable of doing some interesting tricks.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/support/lametex/README
documentation	(no language specified) <i>Package documentation (in PostScript)</i>: https://ctan.org/tex-archive/support/lametex/doc/lametex_doc.ps
on CTAN	https://ctan.org/tex-archive/support/lametex
keyword	engine (TeX (or TeX-alike) typesetting engine)
language(s)	no language specified
year	1992
last access	2025-02-07

3244 *lamstex* – A merge of the best in AMS-TeX and LaTeX

Web page on CTAN <https://ctan.org/pkg/lamstex>

name	LamSTeX
caption	A merge of the best in AMS-TeX and LaTeX
author	Spivak, Michael
copyright	The Texplorators Corporation (1989, 1990, 1991)
license	pd = Public Domain Software (free)

version	2.01
description	(no language specified) The package was produced in response to a perceived demand from AMSTeX users for the sorts of facilities that LaTeX provides. (In the event, most such users use AMS-LaTeX, which the AMS develops.) The distribution comprises TeX source and set of fonts (as Metafont source) that are used in the package's commutative diagram macros. Furthermore, two applications are associated with LamsTeX, an index-processor that deals with LamsTeX's indexing commands, and dvipaste.
documentation	(no language specified) <i>Installation notes</i>: https://ctan.org/tex-archive/macros/lamstex/NOTE
documentation	(no language specified) <i>Wizards' manual</i>: https://ctan.org/tex-archive/macros/lamstex/doc/The_LaTeX_Wizards_Manual.pdf
– local file	<code>./3029100478-The_LaTeX_Wizards_Manual.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/lamstex
on MikTeX	<code>lamstex</code>
keyword	format (macros to build a format)
language(s)	no language specified
year	1991
last access	2025-02-07

3245 lamstex-index – Index processor for LamsTeX

Web page on CTAN	https://ctan.org/pkg/lamstex-index
name	<code>lamstex-index</code>
caption	Index processor for LamsTeX
author	Spivak, Michael
license	pd = Public Domain Software (free)
description	(no language specified) This index processor deals with indexing commands from LamsTeX usage, only. An MS-DOS executable is provided.
on CTAN	https://ctan.org/tex-archive/indexing/lamstex-index
keyword	<code>index-proc</code> (process and/or generate index material)
language(s)	no language specified
year	without year

last access 2025-02-07

3246 *landscape* – Set up for typesetting in landscape

Web page on CTAN <https://ctan.org/pkg/landscape>

name	landscape
caption	Set up for typesetting in landscape
author	Hosek, Don
license	noinfo = noinfo
version	(1988-05-02)
last changes	1988-05-02
year	1988
description	(no language specified) The landscape package is long superseded by the geometry package, which has sophisticated controls on page layout. If your need is for occasional pages in landscape layout, consider lscape , or rotating for rotated float pages.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/landscape.sty
keyword	landscape (print landscape orientation, manipulate landscape material)
keyword	layout (layout of objects on the page)
language(s)	no language specified
last access	2025-02-07

3247 *langcode* – Simple language-dependent settings based on language codes

Web page on CTAN <https://ctan.org/pkg/langcode>

name	langcode
caption	Simple language-dependent settings based on language codes
author	Lück, Uwe
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2

description	(no language specified) The package provides a command <code>\uselangcode{<code>}</code> to adjust language-dependent settings such as key words, typographical conventions and language codes (ISO 639-1). The package provides a means of selecting macros according to the specified code, for preparing a document that is to be separately typeset in different languages. The package is dependent on the plainpkg package, and is already in use in the morehype and catcodes packages.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/generic/langcode/langcode.pdf
– local file	<code>./9058459548-langcode.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/generic/langcode/README
contact	<i>support:</i> http://www.webdesign-bu.de/uwe_lueck/contact.html
on CTAN	https://ctan.org/tex-archive/macros/generic/langcode
installation	https://ctan.org/tex-archive/install/macros/generic/langcode.tds.zip
on MikTeX	langcode
on TeXLive	langcode
keyword	multilingual (support for more than one (natural) language)
keyword	macro-gen (macros that are independent of the (TeX) format in use)
language(s)	no language specified
year	without year
last access	2025-02-07

3248 langnames – Name languages and their genetic affiliations consistently

Web page on CTAN	https://ctan.org/pkg/langnames
name	langnames
caption	Name languages and their genetic affiliations consistently
author	García Matarredona, Alejandro
author	निरंजन
copyright	Alejandro García Matarredona, निरंजन (2022-2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)

version	3.0.0
description	(no language specified) This package attempts to make the typing of language names, codes, and families slightly easier by providing macros to access pre-defined language—code—family combinations from two important databases, as well as the possibility to create new combinations. It may be particularly useful for large, collaborative projects as well as typologically minded ones with a variety of language examples.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/langnames/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/langnames/langnames.pdf
– local file	<code>./7244184788-langnames.pdf</code>
home page	https://github.com/cicervlvs/langnames
contact	<i>bugs</i> : https://github.com/cicervlvs/langnames/issues
contact	<i>repository</i> : https://github.com/cicervlvs/langnames
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/langnames
on MikTeX	langnames
on T _E XLive	langnames
keyword	linguistic (support for linguistics)
keyword	abbrev (macros for defining abbreviations in documents)
language(s)	no language specified
year	2023
last access	2025-02-07

3249 langsci – Typeset books for publication with Language Science Press

Web page on CTAN	https://ctan.org/pkg/langsci
name	langsci
caption	Typeset books for publication with Language Science Press
author	Nordhoff, Sebastian
copyright	Language Science Press (2012-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2024-12-03)

last changes	2024-12-03
year	2024
description	(no language specified) This package allows you to typeset monographs and edited volumes for publication with Language Science Press (https://www.langsci-press.org). It includes all necessary files for title pages, frontmatter, main content, list of references and indexes. Dust jackets for BoD and Createspace (print-on-demand service providers) can also be produced.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/xetex/latex/langsci/documentation/langsci-doc.pdf
– local file	<code>./1494583340-langsci-doc.pdf</code>
documentation	(no language specified) <i>README.md</i> : https://ctan.org/tex-archive/macros/xetex/latex/langsci/README.md
home page	https://www.langsci-press.org
contact	<i>support</i> : mailto:support@langsci-press.org
contact	<i>bugs</i> : https://github.com/langsci/langscibook/issues
contact	<i>repository</i> : https://github.com/langsci/langscibook
contact	<i>development</i> : https://github.com/glottotopia
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/langsci
on MikTeX	langsci
on TeXLive	langsci
keyword	class (alternative LaTeX class(es))
keyword	book-pub (preparing a book for publication)
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
last access	2025-02-07

3250 *langsci-affiliations* – Collect and order authors and affiliations

Web page on CTAN <https://ctan.org/pkg/langsci-affiliations>

name	langsci-affiliations
caption	Collect and order authors and affiliations
author	Kopecky, Felix
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
description	(no language specified) This package provides a command <code>\ResolveAffiliations</code> , which collects author–affiliation pairs and outputs them according to the user configuration. The package uses LaTeX3 data types. It is aimed at class authors, i.e. maintainers of document templates in publishing houses, universities, etc. It is probably not that useful to document authors. As of March 2021, this package is distributed as part of the langsci bundle.
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/langsci/langsci-affiliations.sty
keyword	class-supp (support for class (and package) development)
keyword	package-devel (support for package development)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
year	without year
last access	2025-02-07

3251 *langsci-avm* – Feature structures and attribute-value matrices (AVM)

Web page on CTAN <https://ctan.org/pkg/langsci-avm>

name	langsci-avm
caption	Feature structures and attribute-value matrices (AVM)
author	Kopecky, Felix
copyright	Felix Kopecky, Language Science Press (2020-2023)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3.0

description	(no language specified) A package for typesetting feature structures, also known as attribute-value matrices (AVMs), for use in linguistics. The package provides a minimal and easy to read syntax. It depends only on the array package and can be placed almost everywhere, in particular in footnotes or graphs and tree structures. The package serves the same purpose as, Christopher Manning’s <code>avm</code> package, but shares no code base with that package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/langsci-avm/langsci-avm.pdf
– local file	<code>./6519699448-langsci-avm.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/langsci-avm/README
contact	<i>bugs</i> : https://github.com/langsci/langsci-avm/issues
contact	<i>repository</i> : https://github.com/langsci/langsci-avm
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/langsci-avm
on MikTeX	<code>langsci-avm</code>
on TeXLive	<code>langsci-avm</code>
keyword	<code>matrix</code> (typeset matrices)
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>linguistic</code> (support for linguistics)
language(s)	no language specified
year	2023
last access	2025-02-07

3252 *lapdf* – PDF drawing directly in TeX documents

Web page on CTAN	https://ctan.org/pkg/lapdf
name	<code>lapdf</code>
caption	PDF drawing directly in TeX documents
author	Reimers, Detlef
copyright	Detlef Reimers (2006-2011)
license	gpl = GNU General Public License (free)
version	1.1

description	(no language specified) The package provides the means to use PDF drawing primitives to produce high quality, colored graphics. It • uses Bézier curves (integral and rational) from degree one to seven, • allows TeX typesetting in the graphic, • offers most of the standard math functions, • allows plotting normal, parametric and polar functions. The package has linear, logx, logy, logxy and polar grids with many specs; • it can rotate, clip and do many nice things easily • it has two looping commands for programming and many instructive example files. The package requires pdfTeX but otherwise only depends on the calc package.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/lapdf/lapdf.pdf
– local file	./2119357713-lapdf.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/lapdf/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lapdf
on MikTeX	lapdf
on TeXLive	lapdf
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
language(s)	no language specified
year	2011
last access	2025-02-07

3253 *laps* – Zero-width boxes for annotations, etc

Web page on CTAN <https://ctan.org/pkg/laps>

name	laps
caption	Zero-width boxes for annotations, etc
license	noinfo = noinfo
version	(1993-02-15)
last changes	1993-02-15
year	1993

3254 *lastbib* – Record the number of citations in a document

description	(no language specified) Provides macros extends the <code>\llap</code> / <code>\rlap</code> set in Plain TeX: • <code>\ulap</code> and <code>/dlap</code> are up and down laps, in the same series as the originals; • <code>\xlap</code> and <code>\ylap</code> are laps in the horizontal and vertical directions, respectively, and • <code>\zlap</code> provides a box of zero dimensions in both axes, centred on its midpoint.
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/laps.tex
on MikTeX	genmisc
keyword	macro-supp (support for development of (La)TeX macros)
keyword	plain-ext (extensions to Plain TeX for higher-level constructs)
language(s)	no language specified
last access	2025-02-07

3254 *lastbib* – Record the number of citations in a document

Web page on CTAN	https://ctan.org/pkg/lastbib
name	lastbib
caption	Record the number of citations in a document
author	Tuleuov, Berik I.
license	lppl = The LaTeX Project Public License (free)
version	2.1 (2024-03-02)
last changes	2024-03-02
year	2024
description	(no language specified) The package records the number of citations in a document, and provides a command (<code>\LastBib</code>) to print the number.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/lastbib/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lastbib
on MikTeX	lastbib
on T _E XLive	lastbib

3255 *lastpackage* – Indicates the last loaded package

keyword cite-supp (citation support)
language(s) no language specified
last access 2025-02-07

3255 *lastpackage* – Indicates the last loaded package

Web page on CTAN <https://ctan.org/pkg/lastpackage>

name lastpackage
caption Indicates the last loaded package
author Pospiech, Matthias
copyright Matthias Pospiech (2014)
license lpl1.3 = The LaTeX Project Public License 1.3 (free)
version 0.1 (2014-06-27)
last changes 2014-06-27
year 2014
description (no language specified) This package may be used to define the last point where some code shall be executed. Its provides a package name for use in package-placing commands from the author's [templatetools](#) .
Usage examples are provided in the documentation.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/lastpackage/README>
documentation (no language specified) *Package documentation*:
<https://ctan.org/tex-archive/macros/latex/contrib/lastpackage/lastpackage.pdf>
– local file ./3160786952-lastpackage.pdf
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/lastpackage>
on MikTeX lastpackage
on T_EXLive lastpackage
keyword preamble-admin (construction of a LaTeX document preamble)
language(s) no language specified
last access 2025-02-07

3256 *lastpage* – Reference last page for Page N of M type footers

Web page on CTAN <https://ctan.org/pkg/lastpage>

name	<code>lastpage</code>
caption	Reference last page for Page N of M type footers
author	Münch, Hans-Martin
author	Goldberg, Jeffrey
copyright	H.-Martin Münch (2010-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.1g (2025-06-06)
last changes	2025-06-06
year	2025
description	(no language specified) Reference the number of pages in your LaTeX document through the introduction of a new label which can be referenced like <code>\pageref{LastPage}</code> to give a reference to the last page of a document. It is particularly useful in the page footer that says: Page N of M.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/lastpage/lastpage.pdf
– local file	<code>./7986145281-lastpage.pdf</code>
documentation	(no language specified) <i>Package examples</i> : https://ctan.org/tex-archive/macros/latex/contrib/lastpage/lastpage-example.pdf
– local file	<code>./5091289419-lastpage-example.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/lastpage/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lastpage
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/lastpage.tds.zip
on MikTeX	<code>lastpage</code>
on TeXLive	<code>lastpage</code>
keyword	<code>label-ref</code> (label and reference systems)
see also	see section 6275 on page 5676 : (<code>totpages</code> – Count pages in a document, and report last page number)
language(s)	no language specified

last access 2025-06-10

3257 *latable* – A near-WYSIWYG editor for LaTeX tables

Web page on CTAN <https://ctan.org/pkg/latable>

name	LaTable
caption	A near-WYSIWYG editor for LaTeX tables
author	Denisov, Alex A.
license	nosell = Do Not Sell Except by Arrangement (not free)
version	0.7
description	(no language specified) A LaTeX table editor for Windows machines with the following features: • real-time LaTeX code preview; • limited clipboard support for import/export into other spreadsheet and text editors; • CSV support; • support for ‘tabular’, ‘array’ and custom environments; • custom column formats.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/support/latable/Readme.txt
on CTAN	https://ctan.org/tex-archive/support/latable
keyword	editor (editor designed (or adapted) for use with (La)TeX)
keyword	csv-support (read, process and convert CSV data)
language(s)	no language specified
year	without year
last access	2025-02-07

3258 *l_{at}ed* – Graphical LaTeX picture editor

Web page on CTAN <https://ctan.org/pkg/lated>

name	<code>lated</code>
caption	Graphical LaTeX picture editor
author	Ressler, Eugene K.
copyright	Gene Ressler (1993, 1994, 1997)
license	nosell = Do Not Sell Except by Arrangement (not free)
version	1.1
description	(no language specified) A graphical editor for drawings in the LaTeX picture environment. It runs under MS-DOS and MS-Windows. The distribution includes full sources, including LaTeX source for its documentation.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/msdos/lated/readme.txt
on CTAN	https://ctan.org/tex-archive/systems/msdos/lated
keyword	<code>graphics-editor</code> (graphics editor whose output is good for TeX)
language(s)	no language specified
year	1997
last access	2025-02-07

3259 *l_{at}ex* – A TeX macro package that defines LaTeX

Web page on CTAN <https://ctan.org/pkg/latex>

name	<code>latex</code>
caption	A TeX macro package that defines LaTeX
author	The LaTeX Project Team
author	Lamport, Leslie
copyright	The LaTeX3 Project et al. (1989-2023)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2024-11-01)
last changes	2024-11-01
year	2024

description	(no language specified) LaTeX is a widely-used macro package for TeX, providing many basic document formatting commands extended by a wide range of packages. It is a development of Leslie Lamport's LaTeX 2.09, and superseded the older system in June 1994. The basic distribution is catalogued separately, at latex-base; apart from a large set of contributed packages and third-party documentation (elsewhere on the archive), the distribution includes: – a bunch of required packages, which LaTeX authors are "entitled to assume" will be present on any system running LaTeX; and – a minimal set of documentation detailing differences from the 'old' version of LaTeX in the areas of user commands, font selection and control, class and package writing, font encodings, configuration options and modification of LaTeX. For downloading details, see the linked catalogue entries above.
home page	http://www.latex-project.org/
on MikTeX	ltxbase
on TeXLive	latex
keyword	format (macros to build a format)
language(s)	no language specified
last access	2025-02-11

3260 latex-amsmath – AMS mathematical facilities for LaTeX

Web page on CTAN <https://ctan.org/pkg/latex-amsmath>

name	latex-amsmath
caption	AMS mathematical facilities for LaTeX
author	The LaTeX Project Team
copyright	LaTeX3 Project and American Mathematical Society (2016-2023)
copyright	American Mathematical Society (2001-2004, 2007, 2008, 2010, 2011, 2013)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2024-11-01a
description	(no language specified) The package provides the principal packages in the AMS-LaTeX distribution. It adapts for use in LaTeX most of the mathematical features found in AMS-TeX; it is highly recommended as an adjunct to serious mathematical typesetting in LaTeX. When amsmath is loaded, AMS-LaTeX packages ambsy (for bold symbols), amsopn (for operator names) and amstext (for text embedded in mathematics) are also loaded.

amsmath is part of the LaTeX required distribution; however, several contributed packages add still further to its appeal; examples are **empheq**, which provides functions for decorating and highlighting mathematics, and **ntheorem**, for specifying theorem (and similar) definitions.

documentation	(English) <i>Examples paper</i> : https://ctan.org/tex-archive/macros/latex/required/amsmath/testmath.pdf
– local file	<code>./5078667046-testmath.pdf</code>
documentation	(English) <i>Sub-equation usage</i> : https://ctan.org/tex-archive/macros/latex/required/amsmath/subeqn.pdf
– local file	<code>./2766336465-subeqn.pdf</code>
documentation	<i>User guide (Italian)</i> : https://ctan.org/tex-archive/info/italian/amslldoc/itamslldoc.pdf
– local file	<code>./3492394586-itamslldoc.pdf</code>
documentation	<i>AMSMath FAQ (Italian)</i> : https://ctan.org/tex-archive/info/italian/amsmath/amsmath.faq
documentation	<i>User guide (Vietnamese)</i> : https://ctan.org/tex-archive/info/amslatex/vietnamese/amslldoc-vi.pdf
– local file	<code>./6942434285-amslldoc-vi.pdf</code>
documentation	<i>User guide (English)</i> : https://ctan.org/tex-archive/macros/latex/required/amsmath/amslldoc.pdf
– local file	<code>./3160711963-amslldoc.pdf</code>
documentation	(English) <i>Differences from previous versions</i> : https://ctan.org/tex-archive/macros/latex/required/amsmath/diffs-m.txt
documentation	(English) <i>Technical details</i> : https://ctan.org/tex-archive/macros/latex/required/amsmath/technote.pdf
– local file	<code>./6072123175-technote.pdf</code>
documentation	<i>AMSMath FAQ (English)</i> : http://www.ams.org/tex/amsmath-faq.html
documentation	(English) <i>General README</i> : https://ctan.org/tex-archive/macros/latex/required/amsmath/README.md
home page	http://www.ams.org/tex/amslatex.html
on CTAN	https://ctan.org/tex-archive/macros/latex/required/amsmath
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-amsmath.tds.zip
on MikTeX	amsmath

on T _E XLive	amsmath
keyword	maths (support for typesetting mathematics)
see also	see section 3836 on page 3468: (mathtools – Mathematical tools to use with amsmath)
see also	see section 4181 on page 3784: (Nath – Natural mathematics notation)
language(s)	English; Italian; Vietnamese
year	2023
last access	2025-02-11

3261 latex-amsmath-dev – Development pre-release of the LaTeX amsmath bundle

Web page on CTAN <https://ctan.org/pkg/latex-amsmath-dev>

name	latex-amsmath-dev
caption	Development pre-release of the LaTeX amsmath bundle
author	The LaTeX Project Team
copyright	American Mathematical Society (2001-2004, 2007, 2008, 2010, 2011, 2013)
copyright	The LaTeX Project and American Mathematical Society (2016-2023)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2025-06-01 pre-release 0a
description	(no language specified) This is a pre-release version of the standard LaTeX amsmath bundle . It accompanies the pre-testing kernel code (latex-base-dev), and is intended for testing by knowledgeable users.
documentation	(English) <i>Differences from previous versions:</i> https://ctan.org/tex-archive/macros/latex-dev/required/amsmath/diffs-m.txt
documentation	(English) <i>Technical details:</i> https://ctan.org/tex-archive/macros/latex-dev/required/amsmath/technote.pdf
– local file	./8381947471-technote.pdf
documentation	<i>User guide (English):</i> https://ctan.org/tex-archive/macros/latex-dev/required/amsmath/amslldoc.pdf
– local file	./7712340154-amslldoc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex-dev/required/amsmath/README.md
documentation	<i>AMSMath FAQ (English):</i> http://www.ams.org/tex/amsmath-faq.html

documentation	(English) <i>Sub-equation usage</i> : https://ctan.org/tex-archive/macros/latex-dev/required/amsmath/subeqn.pdf
– local file	<code>./7204832212-subeqn.pdf</code>
documentation	(English) <i>Examples paper</i> : https://ctan.org/tex-archive/macros/latex-dev/required/amsmath/testmath.pdf
– local file	<code>./2012107339-testmath.pdf</code>
documentation	<i>User guide (Vietnamese)</i> : https://ctan.org/tex-archive/info/amslatex/vietnamese/amslatex-vi.pdf
– local file	<code>./6942434285-amslatex-vi.pdf</code>
documentation	<i>User guide (Italian)</i> : https://ctan.org/tex-archive/info/italian/amslatex/italian-amslatex.pdf
– local file	<code>./3492394586-italian-amslatex.pdf</code>
documentation	<i>AMSMath FAQ (Italian)</i> : https://ctan.org/tex-archive/info/italian/amsmath/amsmath-faq
on CTAN	https://ctan.org/tex-archive/macros/latex-dev/required/amsmath
installation	https://ctan.org/tex-archive/install/macros/latex-dev/required/latex-amsmath-dev.tds.zip
on MikTeX	<code>latex-amsmath-dev</code>
on TeXLive	<code>latex-amsmath-dev</code>
keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>latex-devel</code> (LaTeX experimental developments ‘in the wild’)
language(s)	English; Italian; Vietnamese
year	2023
last access	2025-02-11

3262 latex-base – Base sources of LaTeX

Web page on CTAN <https://ctan.org/pkg/latex-base>

name	<code>latex-base</code>
caption	Base sources of LaTeX
author	Mittelbach, Frank
author	The LaTeX Project Team
copyright	The LaTeX3 Project et al. (1989-2025)

license	lpp1.3c = The LaTeX Project Public License 1.3c (free)
version	(2025-11-01)
last changes	2025-11-01
year	2025
description	(no language specified) This bundle comprises the source of LaTeX itself, together with several packages which are considered ‘part of the kernel’. This bundle, together with the required packages, constitutes what every LaTeX distribution should contain.
documentation	(no language specified) <i>LaTeX3 methods for document authors</i> : https://ctan.org/tex-archive/macros/latex/base/usrguide.pdf
– local file	./3850173027-usrguide.pdf
documentation	(no language specified) <i>Modification guide</i> : https://ctan.org/tex-archive/macros/latex/base/modguide.pdf
– local file	./1381620236-modguide.pdf
documentation	(no language specified) <i>Cyrillic languages guide</i> : https://ctan.org/tex-archive/macros/latex/base/cyrguide.pdf
– local file	./4609391987-cyrguide.pdf
documentation	(no language specified) <i>User guide to LaTeX2e (historic version)</i> : https://ctan.org/tex-archive/macros/latex/base/usrguide-historic.pdf
– local file	./5395744546-usrguide-historic.pdf
documentation	(no language specified) <i>Font selection guide</i> : https://ctan.org/tex-archive/macros/latex/base/fntguide.pdf
– local file	./5418911802-fntguide.pdf
documentation	(no language specified) <i>Font encoding guide</i> : https://ctan.org/tex-archive/macros/latex/base/encguide.pdf
– local file	./7744807269-encguide.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/base/README.md
documentation	(no language specified) <i>Configuration guide</i> : https://ctan.org/tex-archive/macros/latex/base/cfgguide.pdf
– local file	./8138060815-cfgguide.pdf
documentation	(no language specified) <i>Complete LaTeX2e news</i> : https://ctan.org/tex-archive/macros/latex/base/ltnews.pdf
– local file	./2156511728-ltnews.pdf

documentation	(no language specified) <i>Class and package programming guide</i> : https://ctan.org/tex-archive/macros/latex/base/clsguide.pdf
– local file	<code>./9083027076-clsguide.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/base
installation	https://ctan.org/tex-archive/install/macros/latex/latex-base.tds.zip
on MikTeX	<code>ltxbase</code>
on TeXLive	<code>latex</code>
keyword	<code>format</code> (macros to build a format)
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>tagged-pdf-partially</code> (tagged PDF partially compatible)
language(s)	no language specified
last access	2026-04-10

3263 *latex-base-dev* – Development pre-release of the LaTeX kernel

Web page on CTAN <https://ctan.org/pkg/latex-base-dev>

name	<code>latex-base-dev</code>
caption	Development pre-release of the LaTeX kernel
author	The LaTeX Project Team
copyright	The LaTeX Project (1993-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2025-11-01 pre-release 1
description	(no language specified) This package provides a testing release for upcoming LaTeX2e kernel changes. Testing by the LaTeX team itself suggests that the code is stable and usable, but wider use by knowledgeable users is required by adding these changes to the release LaTeX kernel. Typically, the code here will be used by a TeX system to create dedicated formats, for example <code>pdflatex-dev</code> , which can then be used explicitly for testing.
documentation	(no language specified) <i>Complete LaTeX2e news</i> : https://ctan.org/tex-archive/macros/latex-dev/base/ltnews.pdf
– local file	<code>./9769252971-ltnews.pdf</code>
documentation	(no language specified) <i>Font selection guide</i> : https://ctan.org/tex-archive/macros/latex-dev/base/fntguide.pdf
– local file	<code>./7156629649-fntguide.pdf</code>

documentation	(no language specified) <i>LaTeX for authors — historic version</i> : https://ctan.org/tex-archive/macros/latex-dev/base/usrguide-historic.pdf
– local file	<code>./5158434406-usrguide-historic.pdf</code>
documentation	(no language specified) <i>Cyrillic languages guide</i> : https://ctan.org/tex-archive/macros/latex-dev/base/cyrguide.pdf
– local file	<code>./8474775249-cyrguide.pdf</code>
documentation	(no language specified) <i>Font encoding guide</i> : https://ctan.org/tex-archive/macros/latex-dev/base/encguide.pdf
– local file	<code>./6420823587-encguide.pdf</code>
documentation	(no language specified) <i>Configuration guide</i> : https://ctan.org/tex-archive/macros/latex-dev/base/cfgguide.pdf
– local file	<code>./1600332156-cfgguide.pdf</code>
documentation	(no language specified) <i>Modification guide</i> : https://ctan.org/tex-archive/macros/latex-dev/base/modguide.pdf
– local file	<code>./7396163200-modguide.pdf</code>
documentation	(no language specified) <i>Class and package programming guide</i> : https://ctan.org/tex-archive/macros/latex-dev/base/clsguide.pdf
– local file	<code>./4045375397-clsguide.pdf</code>
documentation	(no language specified) <i>User guide to LaTeX 2e</i> : https://ctan.org/tex-archive/macros/latex-dev/base/usrguide.pdf
– local file	<code>./4837616627-usrguide.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex-dev/base/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex-dev/base
installation	https://ctan.org/tex-archive/install/macros/latex-dev/latex-base-dev.tds.zip
on MikTeX	<code>latex-base-dev</code>
on T _E XLive	<code>latex-base-dev</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>latex-devel</code> (LaTeX experimental developments ‘in the wild’)
keyword	<code>format</code> (macros to build a format)
see also	see section 3262 on page 2946: (<code>latex-base</code> – Base sources of LaTeX)
language(s)	no language specified
year	2024

last access 2025-02-11

3264 *latex-bib-ex* – Examples for the book *Bibliografien mit LaTeX*

Web page on CTAN <https://ctan.org/pkg/latex-bib-ex>

name	latex-bib-ex
caption	Examples for the book <i>Bibliografien mit LaTeX</i>
author	Voß, Herbert
copyright	Herbert Voß (2011)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2012-04-02)
last changes	2012-04-02
year	2012
description	(no language specified) The bundle provides a collection of files containing every example in the book "Bibliografien mit LaTeX" (ISBN 978-3865414151), by the package author.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/examples/LaTeX-Bib/README
on CTAN	https://ctan.org/tex-archive/info/examples/LaTeX-Bib
keyword	book-ex (copies of examples from a published book)
language(s)	no language specified
last access	2026-04-13

3265 *latex-bib2-ex* – Examples for the book *Bibliografien mit LaTeX*

Web page on CTAN <https://ctan.org/pkg/latex-bib2-ex>

name	latex-bib2-ex
caption	Examples for the book <i>Bibliografien mit LaTeX</i>
author	Voß, Herbert
copyright	Herbert Voß (2016)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2016-03-17)
last changes	2016-03-17

year	2016
description	(no language specified) The bundle provides a collection of files containing every example in the second edition of "Bibliografien mit LaTeX", by the package author.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/examples/LaTeX-Bib2/README
on CTAN	https://ctan.org/tex-archive/info/examples/LaTeX-Bib2
keyword	book-ex (copies of examples from a published book)
language(s)	no language specified
last access	2026-04-13

3266 *latex-bnf* – LaTeX macros for typing BNF specifications

Web page on CTAN	https://ctan.org/pkg/latex-bnf
name	latex-bnf
caption	LaTeX macros for typing BNF specifications
author	Osborne, Martin J.
license	noinfo = noinfo
version	1.1a
description	(no language specified) The package defines an environment <code>grammar</code> . The contents of the environment is a context-free grammar, and the environment will pretty-print it.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex209/contrib/tex-bnf/bnf.pdf
– local file	<code>./3752418269-bnf.pdf</code>
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex209/contrib/tex-bnf/bnf.README
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/tex-bnf
keyword	formal-spec (typeset formal specification languages)
language(s)	no language specified
year	without year
last access	2025-02-10

3267 latex-brochure – A publicity flyer for LaTeX

Web page on CTAN <https://ctan.org/pkg/latex-brochure>

name	LaTeX-brochure
caption	A publicity flyer for LaTeX
author	Flynn, Peter
license	lppl = The LaTeX Project Public License (free)
version	(2013-01-22)
last changes	2013-01-22
year	2013
description	(no language specified) The document is designed as a publicity flyer for LaTeX, but also serves as an interesting showcase of what LaTeX can do. The flyer is designed for printing, double-sided, on A3 paper, which would then be folded once.
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/latex-brochure/brochure.pdf
– local file	./3072028160-brochure.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/latex-brochure/README
documentation	(no language specified) <i>Readme (PDF format)</i> : https://ctan.org/tex-archive/info/latex-brochure/README.pdf
– local file	./4137428196-README.pdf
on CTAN	https://ctan.org/tex-archive/info/latex-brochure
on T _E XLive	latex-brochure
keyword	advert (small advertisements, fly sheets, etc.)
see also	see section 3303 on page 2982: (LaTeX-veryshortguide – The Very Short Guide to LaTeX)
language(s)	no language specified
last access	2025-02-10

3268 latex-context-ppchtex – Legacy stub to allow loading pictex as m-pictex

Web page on CTAN <https://ctan.org/pkg/latex-context-ppchtex>

name	latex-context-ppchtex
caption	Legacy stub to allow loading pictex as m-pictex
author	Carlisle, David
license	lppl = The LaTeX Project Public License (free)
version	(2023-03-25)
last changes	2023-03-25
year	2023
description	(no language specified) m-pictex.sty was a wrapper for a ConTeXt module making picTeX more easily usable in classic TeX with no e-TeX extensions. m-pictex.sty is here adjusted to be a stub loading pictex.sty . This has not been needed in LaTeX or ConTeXt for decades, but old documents may be using this name.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/obsolete/macros/latex/contrib/latex-context-ppchtex/README.md
contact	<i>support</i> : https://github.com/LaTeX-Package-Repositories/latex-context-ppchtex/issues
contact	<i>repository</i> : https://github.com/LaTeX-Package-Repositories/latex-context-ppchtex/
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/latex-context-ppchtex
on T _E XLive	latex-context-ppchtex
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
keyword	obsolete (package declared obsolete)
keyword	graphics-supp (support for other packages or for drivers)
language(s)	no language specified
last access	2025-02-10

3269 latex-course – A LaTeX course as a projected presentation

Web page on CTAN <https://ctan.org/pkg/latex-course>

name	latex-course
caption	A LaTeX course as a projected presentation
author	Buxbaum, Engelbert
license	gpl = GNU General Public License (free)
version	2
description	(no language specified) A brief Beamer-based slide presentation on LaTeX, based on Rupprecht's LaTeX 2.09 course , which the author has translated to English and taken to LaTeX2e/Beamer. Additional material was taken from the Short Introduction to LaTeX .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/latex-course/README
documentation	(no language specified) <i>The course itself</i> : https://ctan.org/tex-archive/info/latex-course/LaTeX-Course.pdf
– local file	./5476992830-LaTeX-Course.pdf
on CTAN	https://ctan.org/tex-archive/info/latex-course
on MikTeX	latex-course
on T _E XLive	latex-course
keyword	tut-latex (tutorial material for LaTeX)
keyword	course-material (course material)
language(s)	no language specified
year	without year
last access	2025-02-10

3270 latex-cyrillic – Support for Cyrillic fonts in LaTeX

Web page on CTAN <https://ctan.org/pkg/latex-cyrillic>

name	cyrillic
caption	Support for Cyrillic fonts in LaTeX
author	The LaTeX Project Team
copyright	The LaTeX project (1993-2022)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)

3271 *latex-dependency-grapher* – Visualize the dependencies of LaTeX files

version	(2024-06-01)
last changes	2024-06-01
year	2024
description	(no language specified) This bundle of macros files provides macro support (including font encoding macros) for the use of Cyrillic characters in fonts encoded under the T2* and X2 encodings. These encodings cover (between them) pretty much every language that is written in a Cyrillic alphabet. This directory is part of the LaTeX ” required ” distribution.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/required/cyrillic/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/required/cyrillic
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-cyrillic.tds.zip
on MikTeX	cyrillic
on TeXLive	cyrillic
keyword	cyrillic (support languages written using Cyrillic alphabets)
language(s)	no language specified
last access	2025-02-11

3271 *latex-dependency-grapher* – Visualize the dependencies of LaTeX files

Web page on CTAN <https://ctan.org/pkg/latex-dependency-grapher>

name	latex-dependency-grapher
caption	Visualize the dependencies of LaTeX files
author	Streit, Alexander
copyright	A. Streit, D. Roth, Y. Weibel (2024)
license	apache2 = Apache License, version 2.0 (free)
version	1.0
description	(no language specified) This application allows you to visualize the dependencies in LaTeX files. It’s a console based java application, that takes a LaTeX file or a folder as input, and creates a graph with GraphViz to visualize the dependencies. It also scans for unused, but declared, packages and optionally removes them from the LaTeX files.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/latex-dependency-grapher/README.md
on CTAN	https://ctan.org/tex-archive/support/latex-dependency-grapher
keyword	package-devel (support for package development)
language(s)	no language specified
year	2024
last access	2025-02-11

3272 latex-doc – Documentation supplied as part of the LaTeX distribution

Web page on CTAN <https://ctan.org/pkg/latex-doc>

name	latex-doc
caption	Documentation supplied as part of the LaTeX distribution
author	The LaTeX Project Team
copyright	The LaTeX Team (1989-2023)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2024-11-01)
last changes	2024-11-01
year	2024
description	(no language specified) A collection of documentation that is provided with LaTeX itself, listed in the latex-base package. Note that (apart from notices of releases) the documentation mostly covers changes and details of adaptations; there are no complete tutorials, such as you might find in the Not so short introduction or the Beginner's guide .
home page	http://www.latex-project.org
on CTAN	https://ctan.org/tex-archive/macros/latex/base
on MikTeX	ltxbase
on T _E XLive	latex
keyword	latex-doc (latex-doc(unknown))
language(s)	no language specified
last access	2025-02-11

3273 latex-doc-ptr – A direction-finder for LaTeX resources available onlineWeb page on CTAN <https://ctan.org/pkg/latex-doc-ptr>

name	latex-doc-ptr
caption	A direction-finder for LaTeX resources available online
author	Hefferon, Jim
author	Pégourié-Gonnard, Manuel
author	Berry, Karl
license	pd = Public Domain Software (free)
version	(2024-09-29)
last changes	2024-09-29
year	2024
description	(no language specified) A brief set of recommendations for users who need online documentation of LaTeX. The document supports the need for documentation of LaTeX itself, in distributions. For example, it could be used in the command <code>texdoc latex</code> , in the TeX Live distribution.
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/latex-doc-ptr/latex-doc-ptr.pdf
– local file	<code>./2386741059-latex-doc-ptr.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/latex-doc-ptr/README
contact	<i>repository</i> : https://gitlab.com/jim.hefferon/latex-doc-ptr
on CTAN	https://ctan.org/tex-archive/info/latex-doc-ptr
on MikTeX	latex-doc-ptr
on T _E XLive	latex-doc-ptr
keyword	latex-doc (latex-doc(unknown))
language(s)	no language specified
last access	2025-02-11

3274 latex-errata – Errata for the LaTeX Manual

Web page on CTAN <https://ctan.org/pkg/latex-errata>

name	latex-errata
caption	Errata for the LaTeX Manual
author	Lamport, Leslie
copyright	Leslie Lamport (2006)
license	noinfo = noinfo
version	(2006-01-18)
last changes	2006-01-18
year	2006
description	(no language specified) These are all the errors and omissions to the manual, <i>LaTeX: A Document Preparation System</i> , second edition, published by Addison-Wesley, reported as of 18 Jan 2006.
documentation	(no language specified) <i>Errata to the Second Edition of the LaTeX Manual</i> : https://ctan.org/tex-archive/macros/latex/base/lamport-manual.pdf
– local file	./5908722017-lamport-manual.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/base
keyword	doc-errata (lists of errata in published books)
language(s)	no language specified
last access	2025-02-10

3275 latex-essential – Essential information for writing LaTeX documents

Web page on CTAN <https://ctan.org/pkg/latex-essential>

name	latex-essential
caption	Essential information for writing LaTeX documents
author	Rivera, Luis
author	Warbrick, Jon
copyright	Jon Warbrick (1989)
license	other-free = Free license not otherwise listed (free)
version	03

description	(no language specified) A brief introduction to LaTeX2e.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/latex-essential/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/info/latex-essential/ess2e.pdf
– local file	./6558665934-ess2e.pdf
on CTAN	https://ctan.org/tex-archive/info/latex-essential
keyword	latex-doc (latex-doc(unknown))
language(s)	no language specified
year	1989
last access	2025-02-11

3276 *latex-firstaid* – First aid for external LaTeX files and packages that need updating

Web page on CTAN	https://ctan.org/pkg/latex-firstaid
name	latex-firstaid
caption	First aid for external LaTeX files and packages that need updating
author	The LaTeX Project Team
copyright	The LaTeX3 Project et al. (2020-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1j (2024-11-24)
last changes	2024-11-24
year	2024
description	(no language specified) This package contains some first aid for LaTeX packages or classes that require updates because of internal changes to the LaTeX kernel that are not yet reflected in the package's or class's code. The file <code>latex2e-first-aid-for-external-files.ltx</code> provided by this package is meant to be loaded during format generation and <i>not</i> by the user.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/required/firstaid/latex2e-first-aid-for-external-files.pdf
– local file	./7850125685-latex2e-first-aid-for-external-files.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/required/firstaid/README.md

home page	https://www.latex-project.org
on CTAN	https://ctan.org/tex-archive/macros/latex/required/firstaid
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-firstaid.tds.zip
on MikTeX	latex-firstaid
keyword	bugfix (correct a problem, ahead of the “proper” fix)
keyword	format (macros to build a format)
language(s)	no language specified
last access	2025-02-11

3277 *latex-firstaid-dev* – Development pre-release of the LaTeX firstaid package

Web page on CTAN	https://ctan.org/pkg/latex-firstaid-dev
name	latex-firstaid-dev
caption	Development pre-release of the LaTeX firstaid package
author	The LaTeX Project Team
copyright	The LaTeX Project et al. (2020-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1j (2024-10-24)
last changes	2024-10-24
year	2024
description	(no language specified) This is a pre-release version of the standard LaTeX firstaid package . It accompanies the pre-testing kernel code (<i>latex-base-dev</i>), and is intended for testing by knowledgeable users.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex-dev/required/firstaid/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex-dev/required/firstaid/latex2e-first-aid-for-external-files.pdf
– local file	./8053712777-latex2e-first-aid-for-external-files.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex-dev/required/firstaid
installation	https://ctan.org/tex-archive/install/macros/latex-dev/required/latex-firstaid-dev.tds.zip

on MikTeX	latex-firstaid-dev
on T _E XLive	latex-firstaid-dev
keyword	bugfix (correct a problem, ahead of the “proper” fix)
keyword	format (macros to build a format)
keyword	latex-devel (LaTeX experimental developments ‘in the wild’)
language(s)	no language specified
last access	2025-02-11

3278 latex-fonts – A collection of fonts used in LaTeX distributions

Web page on CTAN <https://ctan.org/pkg/latex-fonts>

name	latex-fonts
caption	A collection of fonts used in LaTeX distributions
author	Melliar-Smith, Michael
author	Schwartz, Richard
author	Knuth, Donald E.
author	MacKay, Pierre A.
author	Lamport, Leslie
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) This is a collection of fonts for use with standard LaTeX packages and classes. It includes ‘invisible’ fonts (for use with the slides class), line and circle fonts (for use in the picture environment) and ‘LaTeX symbol’ fonts. For full support of a LaTeX installation, some Computer Modern font variants cmbsy(6-9), cmcsc(8,9), cmex(7-9) and cmmib(5-9) from the amsfonts distribution, are also necessary. The fonts are available as Metafont source, and metric (tfm) files are also provided. Most of the fonts are also available in Adobe Type 1 format, in the amsfonts distribution.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/latex/README
on CTAN	https://ctan.org/tex-archive/fonts/latex
on MikTeX	latex-fonts
on T _E XLive	latex-fonts

keyword	font-mf (fonts distributed as Metafont source)
keyword	font-symbol (fonts that provide collections of symbols)
keyword	font (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-02-11

3279 *latex-for-undergraduates* – A tutorial aimed at introducing undergraduate students to LaTeX

Web page on CTAN <https://ctan.org/pkg/latex-for-undergraduates>

name	latex-for-undergraduates
caption	A tutorial aimed at introducing undergraduate students to LaTeX
author	Lounsbury, Andrew
license	pd = Public Domain Software (free)
version	1.0.3 (2024-02-27)
last changes	2024-02-27
year	2024
description	(no language specified) A tutorial aimed at introducing undergraduate students to LaTeX, including an introduction to LaTeX Workshop in Visual Studio Code and an example package of user-defined LaTeX commands.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/latex-for-undergraduates/README.md
documentation	(no language specified) <i>Documentation of personal macro package</i> : https://ctan.org/tex-archive/info/latex-for-undergraduates/alounsbuymacros-doc.pdf
– local file	./3432762966-alounsbuymacros-doc.pdf
documentation	(no language specified) <i>The tutorial itself</i> : https://ctan.org/tex-archive/info/latex-for-undergraduates/LaTeX_for_Undergraduates.pdf
– local file	./9895746681-LaTeX_for_Undergraduates.pdf
on CTAN	https://ctan.org/tex-archive/info/latex-for-undergraduates
on MikTeX	latex-for-undergraduates
on T _E XLive	latex-for-undergraduates

keyword	maths-doc (documentation of typesetting mathematics)
keyword	tut-latex (tutorial material for LaTeX)
language(s)	no language specified
last access	2025-02-11

3280 latex-formatter – A LaTeX formatter written in Rust

Web page on CTAN <https://ctan.org/pkg/latex-formatter>

name	latex-formatter
caption	A LaTeX formatter written in Rust
author	Underwood, William George
copyright	William George Underwood (2025)
license	mit = MIT License (free)
version	0.5.6
description	(no language specified) This package provides the <code>tex-fmt</code> command line tool for formatting LaTeX source files. Binaries are included for Linux, MacOS and Windows.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/latex-formatter/latex-formatter.pdf
– local file	<code>./1844294537-latex-formatter.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/latex-formatter/README.md
contact	<i>repository</i> : https://github.com/WGUNDERWOOD/tex-fmt
on CTAN	https://ctan.org/tex-archive/support/latex-formatter
keyword	code-layout (improve the appearance of LaTeX code)
language(s)	no language specified
year	2025
last access	2025-10-20

3281 latex-git-log – Typeset git log information

Web page on CTAN <https://ctan.org/pkg/latex-git-log>

name	latex-git-log
caption	Typeset git log information
author	Schneider, Robin
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	1.1.0
description	(no language specified) The program is run within a git repository, and outputs the entire version history, as a LaTeX table. That output will typically be redirected to a file; the author recommends typesetting in landscape orientation.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/latex-git-log/README.md
contact	<i>repository</i> : https://github.com/ypid/typesetting/tree/master/scripts/latex-git-log
on CTAN	https://ctan.org/tex-archive/support/latex-git-log
on MikTeX	latex-git-log
on TeXLive	latex-git-log
keyword	project-mgmt (TeX-related project management)
language(s)	no language specified
year	without year
last access	2025-02-11

3282 latex-graphics – The LaTeX standard graphics bundle

Web page on CTAN <https://ctan.org/pkg/latex-graphics>

name	latex-graphics
caption	The LaTeX standard graphics bundle
author	The LaTeX Project Team
copyright	The LaTeX3 Project et al. (1993-2022)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2024-11-01)

last changes	2024-11-01
year	2024
description	(no language specified) This is a collection of LaTeX packages for: • producing colour • including graphics (eg PostScript) files • rotation and scaling of text in LaTeX documents. It comprises the packages <code>color</code> , <code>graphics</code> , <code>graphicx</code> , <code>trig</code> , <code>epsfig</code> , <code>keyval</code> , and <code>lscape</code> .
documentation	(no language specified) <i>Bundle documentation</i> : https://ctan.org/tex-archive/macros/latex/required/graphics/grfguide.pdf
– local file	<code>./4982391813-grfguide.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/required/graphics/README.md
home page	https://www.latex-project.org/
contact	<i>bugs</i> : https://www.latex-project.org/bugs/
on CTAN	https://ctan.org/tex-archive/macros/latex/required/graphics
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-graphics.tds.zip
on MikTeX	graphics
on TeXLive	graphics
keyword	graphics (graphics (support packages))
keyword	collection (a collection of packages)
language(s)	no language specified
last access	2025-02-11

3283 latex-graphics-dev – Development pre-release of the LaTeX graphics bundle

Web page on CTAN <https://ctan.org/pkg/latex-graphics-dev>

name	latex-graphics-dev
caption	Development pre-release of the LaTeX graphics bundle
author	The LaTeX Project Team
copyright	The LaTeX Project (1993-2023)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2025-06-01 pre-release 0
description	(no language specified) This is a pre-release version of the standard LaTeX graphics bundle . It accompanies the pre-testing kernel code (latex-base-dev), and is intended for testing by knowledgeable users.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex-dev/required/graphics/README.md
documentation	(no language specified) <i>Bundle documentation</i> : https://ctan.org/tex-archive/macros/latex-dev/required/graphics/grfguide.pdf
– local file	./6330992865-grfguide.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex-dev/required/graphics
installation	https://ctan.org/tex-archive/install/macros/latex-dev/required/latex-graphics-dev.tds.zip
on MikTeX	latex-graphics-dev
on T _E XLive	latex-graphics-dev
keyword	latex-devel (LaTeX experimental developments ‘in the wild’)
keyword	collection (a collection of packages)
keyword	graphics (graphics (support packages))
see also	see section 3282 on page 2964: (latex-graphics – The LaTeX standard graphics bundle)
language(s)	no language specified
year	2023
last access	2025-02-11

3284 latex-hlp – A VMS help file for LaTeX 2.09

Web page on CTAN <https://ctan.org/pkg/latex-hlp>

name	latex-hlp
caption	A VMS help file for LaTeX 2.09
author	Greenwade, George
license	noinfo = noinfo
version	1.0a
description	(no language specified) The file is a replacement for the LaTeX help file in the VMS help library. It derives from the DECUS help file, with the LaTeX command strings copied to a higher level. The file dates from 1993, so the information is all related to LaTeX 2.09.
on CTAN	https://ctan.org/tex-archive/info/latex.hlp
keyword	latex-doc (latex-doc(unknown))
language(s)	no language specified
year	without year
last access	2025-02-11

3285 latex-indexer – Automate index generation for LaTeX documents

Web page on CTAN <https://ctan.org/pkg/latex-indexer>

name	latex-indexer
caption	Automate index generation for LaTeX documents
author	Degenhardt, David
license	gpl3 = GNU General Public License, version 3 (free)
version	1.0.0 (2025-06-13)
last changes	2025-06-13
year	2025
description	(no language specified) This is a free, open-source, platform-independent tool designed to automate the generation of indexes for LaTeX documents. It extracts words from <code>.tex</code> files, generates frequency distributions using PGFplots , allows users to select and tag terms (including variants and sub-variants), and compiles the indexed document with MakeIndex . Released under GPL-3, it saves approximately 80% of indexing time, making document creation more efficient.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/indexing/latex-indexer/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/indexing/latex-indexer/latex-indexer.pdf
– local file	<code>./3345101813-latex-indexer.pdf</code>
contact	<i>repository</i> : https://gitlab.ti.bfh.ch/texnicians/latex-indexer
on CTAN	https://ctan.org/tex-archive/indexing/latex-indexer
keyword	<code>index-proc</code> (process and/or generate index material)
keyword	<code>index</code> (index support)
language(s)	no language specified
last access	2025-07-26

3286 *latex-info* – Unofficial reference manual for LaTeX

Web page on CTAN	https://ctan.org/pkg/latex-info
name	<code>latex-info</code>
caption	Unofficial reference manual for LaTeX
author	Greenwade, George
author	Steffens, Stefan
license	<code>noinfo = noinfo</code>
version	2.0
description	(no language specified) An unofficial reference manual covering LaTeX 2e. The Texinfo source was originally derived from the VMS help file in the DECUS TeX distribution of 1990, with many subsequent changes. All the other formats are derived from the Texinfo source, as usual. This package is now stale. Please refer to latex2e-help-texinfo instead.
on CTAN	https://ctan.org/tex-archive/obsolete/info/latex-info
keyword	<code>obsolete</code> (package declared obsolete)
keyword	<code>latex-doc</code> (<code>latex-doc(unknown)</code>)
language(s)	no language specified
year	without year
last access	2025-02-11

3287 latex-lab – LaTeX laboratory

Web page on CTAN <https://ctan.org/pkg/latex-lab>

name	latex-lab
caption	LaTeX laboratory
author	The LaTeX Project Team
copyright	The LaTeX Project (2021-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2024-11-01 PL2
description	(no language specified) This bundle holds optional files that are loaded in certain situations by kernel code (if available). While this code is still in development and the use is experimental, it is stored outside the format so that there can be intermediate releases not affecting the production use of LaTeX. Once the code is finalized and properly tested it will eventually move to the kernel and the corresponding file in this bundle will vanish. Note that none of these files are directly user accessible in documents (i.e., they aren't packages), so the process is transparent to documents already using the new functionality.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/required/latex-lab/README.md
home page	https://www.latex-project.org
on CTAN	https://ctan.org/tex-archive/macros/latex/required/latex-lab
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-lab.tds.zip
on MikTeX	latex-lab
on TeXLive	latex-lab
keyword	latex-devel (LaTeX experimental developments ‘in the wild’)
keyword	format (macros to build a format)
language(s)	no language specified
year	2024
last access	2025-02-11

3288 latex-lab-dev – LaTeX laboratory: Development pre-release

Web page on CTAN <https://ctan.org/pkg/latex-lab-dev>

name	latex-lab-dev
caption	LaTeX laboratory: Development pre-release
author	The LaTeX Project Team
copyright	The LaTeX Project (2021-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2025-06-01 pre-release 1
description	(no language specified) This package provides a testing release for upcoming changes to the latex-lab bundle, which provides a route for additions to the LaTeX kernel to be stabilised. It accompanies the pre-testing kernel code (latex-base-dev), and is intended for testing by knowledgeable users.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex-dev/required/latex-lab/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex-dev/required/latex-lab
installation	https://ctan.org/tex-archive/install/macros/latex-dev/required/latex-lab-dev.tds.zip
on MikTeX	latex-lab-dev
on T _E XLive	latex-lab-dev
keyword	latex-devel (LaTeX experimental developments ‘in the wild’)
keyword	format (macros to build a format)
language(s)	no language specified
year	2024
last access	2025-02-11

3289 latex-make – Easy compiling of complex (and simple) LaTeX documents

Web page on CTAN <https://ctan.org/pkg/latex-make>

name	latex-make
caption	Easy compiling of complex (and simple) LaTeX documents
author	Danjan, Vincent
license	gpl = GNU General Public License (free)
version	2.4.3
description	(no language specified) This package provides several tools that aim to simplify the compilation of LaTeX documents: • LaTeX.mk: a Makefile snippet to help compiling LaTeX documents in DVI, PDF, PS, ... format. Dependencies are automatically tracked: one should be able to compile documents with a one-line Makefile containing 'include LaTeX.mk'. Complex documents (with multiple bibliographies, indexes, glossaries, ...) should be correctly managed. • figlatex.sty: a LaTeX package to easily insert xfig figures (with <code>\includegraphics{file.fig}</code>). It can interact with LaTeX.mk so that the latter automatically invokes transfig if needed. • And various helper tools for LaTeX.mk This package <i>requires</i> GNUMake (≥ 3.81).
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/support/latex-make/README
documentation	(no language specified) <i>texdepends Package documentation</i>: https://ctan.org/tex-archive/support/latex-make/texdepends.pdf
– local file	./6509762210-texdepends.pdf
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/support/latex-make/latex-make.pdf
– local file	./9647081540-latex-make.pdf
documentation	(no language specified) <i>figlatex Package documentation</i>: https://ctan.org/tex-archive/support/latex-make/figlatex.pdf
– local file	./3651855886-figlatex.pdf
contact	<i>repository</i> : https://gitlab.inria.fr/latex-utils/latex-make
on CTAN	https://ctan.org/tex-archive/support/latex-make
on MikTeX	latex-make
on TeXLive	latex-make

keyword	compilation (the document compilation process)
language(s)	no language specified
year	without year
last access	2025-02-11

3290 *latex-mr* – A practical guide to LaTeX and Polyglossia for Marathi and other Indian languages

Web page on CTAN <https://ctan.org/pkg/latex-mr>

name	latex-mr
caption	A practical guide to LaTeX and Polyglossia for Marathi and other Indian languages
author	Holkar, Rohit Dilip
copyright	Rohit Dilip Holkar (2017)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The package provides a short guide to LaTeX and specifically to the polyglossia package. This document aims to introduce LaTeX and polyglossia for Indian languages. Though the document often discusses the language Marathi, the discussion applies to other India languages also, with some minute changes which are described in Section 1.2. We assume that the user of this document knows basic (La)TeX or has, at least, tried her hand on it. This document is not very suitable for first time users.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/info/latex-mr/latex-mr.pdf
– local file	./4163041382-latex-mr.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/latex-mr/README.md
home page	https://sites.google.com/site/homerdholkar/other/latex-poly-mr
contact	<i>announce</i> : https://sites.google.com/site/homerdholkar/other/latex-poly-mr
on CTAN	https://ctan.org/tex-archive/info/latex-mr
on MikTeX	latex-mr
on T _E XLive	latex-mr

keyword	marathi (support for typesetting Marathi)
keyword	indic (support for languages of the Indian subcontinent)
keyword	tut-latex (tutorial material for LaTeX)
language(s)	no language specified
year	2017
last access	2025-02-10

3291 latex-notes-zh-cn – Chinese Introduction to TeX and LaTeX

Web page on CTAN	https://ctan.org/pkg/latex-notes-zh-cn
name	latex-notes-zh-cn
caption	Chinese Introduction to TeX and LaTeX
author	Huang, Alpha
copyright	Alpha Huang (2008)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.20
description	(no language specified) The document is an introduction to TeX/LaTeX, in Chinese. It covers basic text typesetting, mathematics, graphics, tables, Chinese language & fonts, and some miscellaneous features (hyperlinks, long documents, bibliographies, indexes and page layout).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/latex-notes-zh-cn/README
documentation	(Chinese) <i>The document itself</i> : https://ctan.org/tex-archive/info/latex-notes-zh-cn/latex-notes-zh-cn.pdf
– local file	./3879492419-latex-notes-zh-cn.pdf
on CTAN	https://ctan.org/tex-archive/info/latex-notes-zh-cn
on T _E XLive	latex-notes-zh-cn
keyword	chinese-doc (documentation in Chinese languages)
language(s)	Chinese
year	2008
last access	2025-02-10

3292 latex-papersize – Calculate LaTeX settings for any font and paper size

Web page on CTAN <https://ctan.org/pkg/latex-papersize>

name	latex-papersize
caption	Calculate LaTeX settings for any font and paper size
author	Brown, Silas
copyright	Silas S. Brown (2005-2009, 2016, 2019)
license	apache2 = Apache License, version 2.0 (free)
version	1.63
description	(no language specified) The package is a Python script, whose typical use is when preparing printed material for users with low vision. The most effective way of doing this is to print on (notional) small paper, and then to magnify the result; the script calculates the settings for various font and paper sizes. More details are to be read in the script itself.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/latex-papersize/README
on CTAN	https://ctan.org/tex-archive/support/latex-papersize
on MikTeX	latex-papersize
on T _E XLive	latex-papersize
keyword	layout (layout of objects on the page)
language(s)	no language specified
year	2019
last access	2025-02-10

3293 latex-pro-pragmatiky – LaTeX for pragmatists

Web page on CTAN <https://ctan.org/pkg/latex-pro-pragmatiky>

name	latex-pro-pragmatiky
caption	LaTeX for pragmatists
author	Satrappa, Pavel
copyright	Pavel Satrappa (2011)
license	other-free = Free license not otherwise listed (free)
version	1.1

description	(English) An introduction to LaTeX from the practical point of view. From the bare essentials over more complex constructs (tables, mathematics) up to selected packages (multicolumn typesetting, color). Written in Czech language.
description	(Czech) Prakticky pojatý úvod do LaTeXu v češtině. Od úplných základů přes pokročilejší konstrukce (tabulky, matematické vzorce) až po vybrané rozšiřující balíčky (sazba do sloupců, barva).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/czech/latex-pro-pragmatiky/README
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/czech/latex-pro-pragmatiky/latex-pro-pragmatiky.pdf
– local file	./3038003946-latex-pro-pragmatiky.pdf
on CTAN	https://ctan.org/tex-archive/info/czech/latex-pro-pragmatiky
keyword	czech-doc (documentation in Czech)
keyword	czech (support for typesetting Czech)
language(s)	Czech; English
year	2011
last access	2025-02-10

3294 latex-referenz – Examples from the book “LaTeX Referenz”

Web page on CTAN <https://ctan.org/pkg/latex-referenz>

name	LaTeX-Referenz
caption	Examples from the book “LaTeX Referenz”
author	Voß, Herbert
copyright	Herbert Voß (2007-2013)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2 (2015-03-29)
last changes	2015-03-29
year	2015

description	(no language specified) This bundle contains all the examples, as source, eps and pdf, of the author's book "LaTeX Referenz" (2nd ed.), published by DANTE/Lehmanns. The examples can be run, using the example class (<code>ttctexa.cls</code>) in the distribution.
documentation	(German) <i>Readme</i> : https://ctan.org/tex-archive/info/examples/LaTeX-Referenz/README
on CTAN	https://ctan.org/tex-archive/info/examples/LaTeX-Referenz
keyword	book-ex (copies of examples from a published book)
language(s)	German
last access	2026-04-13

3295 *latex-refsheet* – LaTeX Reference Sheet for a thesis with KOMA-Script

Web page on CTAN	https://ctan.org/pkg/latex-refsheet
name	latex-refsheet
caption	LaTeX Reference Sheet for a thesis with KOMA-Script
author	Schubert, Elke
author	Lammarsch, Marion
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2
description	(no language specified) This LaTeX Reference Sheet is for writing a thesis using the KOMA-Script document classes (<code>scrartcl</code> , <code>scrreprt</code> , <code>scrbook</code>) and all the packages needed for a thesis in natural sciences.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/latex-refsheet/README.md
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/latex-refsheet/LaTeX_RefSheet.pdf
– local file	<code>./2774762670-LaTeX_RefSheet.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/latex-refsheet
on MikTeX	latex-refsheet
on TeXLive	latex-refsheet
keyword	tut-cheat (tutorial “cheat-sheet”)
language(s)	no language specified

year	without year
last access	2025-02-10

3296 latex-sciences-humaines – (Xe)LaTeX Appliqué aux sciences humaines

Web page on CTAN <https://ctan.org/pkg/latex-sciences-humaines>

name	latex-sciences-humaines
caption	(Xe)LaTeX Appliqué aux sciences humaines
author	Rouquette, Maïeul
license	nosource = No Source Available (not free)
version	(2012-09-01)
last changes	2012-09-01
year	2012
description	(no language specified) The package provides a published book (in French); the book is also available on paper.
on CTAN	https://ctan.org/tex-archive/info/latex-sciences-humaines.pdf
keyword	french-doc (documentation in French)
keyword	humanities (support for studies in the humanities)
language(s)	no language specified
last access	2025-02-10

3297 latex-tabellen – LaTeX Tabellen

Web page on CTAN <https://ctan.org/pkg/latex-tabellen>

name	latex-tabellen
caption	LaTeX Tabellen
author	Voß, Herbert
copyright	Herbert Voß (2008-2010)
license	lppl = The LaTeX Project Public License (free)
version	(2010-02-08)
last changes	2010-02-08
year	2010

description	(no language specified) The examples from the book «Tabellen mit LaTeX», 2nd ed.
on CTAN	https://ctan.org/tex-archive/info/examples/Tabellen2
keyword	book-ex (copies of examples from a published book)
language(s)	no language specified
last access	2026-04-13

3298 latex-tagging-status – The LaTeX Tagging Status data

Web page on CTAN <https://ctan.org/pkg/latex-tagging-status>

name	latex-tagging-status
caption	The LaTeX Tagging Status data
author	The LaTeX Project Team
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2025-09-09)
last changes	2025-09-09
year	2025
description	(no language specified) TeX data of the tagging status derived from https://latex3.github.io/tagging-project/tagging-status/full . This will allow latex-lab to provide interfaces to check the status of packages used in a document.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/latex-tagging-status/README.md
contact	<i>bugs</i> : https://github.com/latex3/tagging-project/issues
contact	<i>repository</i> : https://github.com/latex3/tagging-project
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/latex-tagging-status
on T _E XLive	latex-tagging-status
keyword	tagged-pdf (tagged PDF compatible)
language(s)	no language specified
last access	2025-09-11

3299 latex-tds – A structured copy of the LaTeX distribution

Web page on CTAN <https://ctan.org/pkg/latex-tds>

name	LaTeX-tds
caption	A structured copy of the LaTeX distribution
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2006-2014)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2014-11-12)
last changes	2014-11-12
year	2014
description	(no language specified) This bundle provides a set of zip file modules containing TDS -compliant trees for items of the LaTeX distribution (both the base system and required packages), together with ‘user-friendly’ documentation (PDF files with navigation support using bookmarks and links). A further module (knuth) performs the same service for Knuth’s software distribution . This bundle has been moved to the /obsolete branch of the archive as of April 2020 because the LaTeX files are now very much out of date.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/latex-tds/README
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/latex-tds
keyword	obsolete (package declared obsolete)
language(s)	no language specified
last access	2025-02-10

3300 latex-tools – The LaTeX standard tools bundle

Web page on CTAN <https://ctan.org/pkg/latex-tools>

name	latex-tools
caption	The LaTeX standard tools bundle
author	The LaTeX Project Team
copyright	The LaTeX3 Project et al. (1993-2023)

license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2024-11-01)
last changes	2024-11-01
year	2024
description	(no language specified) A collection of (variously) simple tools provided as part of the LaTeX required tools distribution, comprising the packages: afterpage , array , bm , calc , dcolumn , delarray , enumerate , fileerr , fontsmpl , ftnright , hhline , indentfirst , layout , longtable , multicol , rawfonts , shellesc , showkeys , somedefs , tabularx , theorem , trace , varioref , verbatim , xr , and xspace .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/required/tools/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/required/tools
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-tools.tds.zip
on MikTeX	latex-tools
on T _E XLive	tools
keyword	collection (a collection of packages)
language(s)	no language specified
last access	2025-02-11

3301 latex-tools-dev – Development pre-release of the LaTeX tools bundle

Web page on CTAN <https://ctan.org/pkg/latex-tools-dev>

name	latex-tools-dev
caption	Development pre-release of the LaTeX tools bundle
author	The LaTeX Project Team
copyright	The LaTeX3 Project et al. (1993-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2025-06-01 pre-release 1
description	(no language specified) This is a pre-release version of the standard LaTeX tools bundle . It accompanies the pre-testing kernel code (latex-base-dev), and is intended for testing by knowledgeable users.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex-dev/required/tools/README.md

on CTAN	https://ctan.org/tex-archive/macros/latex-dev/required/tools
installation	https://ctan.org/tex-archive/install/macros/latex-dev/required/latex-tools-dev.tds.zip
on MikTeX	latex-tools-dev
on TeXLive	latex-tools-dev
keyword	collection (a collection of packages)
keyword	latex-devel (LaTeX experimental developments ‘in the wild’)
language(s)	no language specified
year	2024
last access	2025-02-11

3302 latex-uni8 – Universal inputenc, fontenc, and babel for pdfLaTeX and LuaLaTeX

Web page on CTAN	https://ctan.org/pkg/latex-uni8
name	latex-uni8
caption	Universal inputenc, fontenc, and babel for pdfLaTeX and LuaLaTeX
author	Szabó, Péter
license	lppl = The LaTeX Project Public License (free)
version	0.03 (2019-01-14)
last changes	2019-01-14
year	2019
description	(no language specified) This package provides a LaTeX style file which makes it easy to use input encoding (UTF-8 by default, can be changed), fontspec.sty (optional), font encoding (T1 if fontspec.sty is not used), babel (English language by default), hyphenation, underline (with soul.sty), default text and math fonts (Computer Modern or Times), and paper sizes correctly with both pdfLaTeX and LuaLaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/latex-uni8/README.txt
contact	<i>support</i> : https://github.com/pts/latex-uni8/issues
contact	<i>repository</i> : https://github.com/pts/latex-uni8
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/latex-uni8
on MikTeX	latex-uni8

on T _E XLive	latex-uni8
keyword	fontenc (support for font encodings)
keyword	misc-support (miscellaneous support stuff)
keyword	inputenc (input encoding support for TeX engines)
keyword	unicode (Unicode, material supporting it, and packages requiring it)
language(s)	no language specified
last access	2025-02-11

3303 latex-veryshortguide – The Very Short Guide to LaTeX

Web page on CTAN <https://ctan.org/pkg/latex-veryshortguide>

name	LaTeX-veryshortguide
caption	The Very Short Guide to LaTeX
author	Flynn, Peter
copyright	Silmaril Consultants (2009-2020)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.7
description	(no language specified) This is a 4-page reminder of what LaTeX does. It is designed for printing on A4 paper, double-sided, and folding once to A5. Such an ‘imposed’ version of the document is provided in the distribution, as PDF. An analogous version is provided in ‘legal’ format.
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/latex-veryshortguide/veryshortguide.pdf
– local file	./4213292546-veryshortguide.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/latex-veryshortguide/README.md
documentation	(no language specified) <i>The document itself, imposed for 1 sheet of A4 paper</i> : https://ctan.org/tex-archive/info/latex-veryshortguide/veryshortguide-A4-imposed.pdf
– local file	./2763319468-veryshortguide-A4-imposed.pdf
home page	http://latex.silmaril.ie/veryshortguide/
on CTAN	https://ctan.org/tex-archive/info/latex-veryshortguide
on MikT _E X	latex-veryshortguide
on T _E XLive	latex-veryshortguide

keyword	tut-latex (tutorial material for LaTeX)
see also	see section 3267 on page 2952: (LaTeX-brochure – A publicity flyer for LaTeX)
language(s)	no language specified
year	2020
last access	2025-02-11

3304 *latex-via-exemplos* – A LaTeX course written in brazilian portuguese language

Web page on CTAN <https://ctan.org/pkg/latex-via-exemplos>

name	latex-via-exemplos
caption	A LaTeX course written in brazilian portuguese language
author	Massago, Sadao
copyright	Sadao Massago (2018-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2025-01-06)
last changes	2025-01-06
year	2025
description	(no language specified) This is a LaTeX2e course written in brazilian portuguese language.
documentation	(Portuguese (Brazilia)) <i>The document itself:</i> https://ctan.org/tex-archive/info/latex-via-exemplos/latex-via-exemplos.pdf
– local file	./5072120425-latex-via-exemplos.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/info/latex-via-exemplos/README.md
on CTAN	https://ctan.org/tex-archive/info/latex-via-exemplos
on MikTeX	latex-via-exemplos
on T _E XLive	latex-via-exemplos
keyword	tut-latex (tutorial material for LaTeX)
keyword	portuguese-doc (documentation in Portuguese)
see also	see section 3560 on page 3216: (lshort-portuguese-br – Introduction to LaTeX in Portuguese (Brazil))
language(s)	Portuguese (Brazilia)

last access 2025-02-11

3305 *latex209* – Old, unsupported, LaTeX

Web page on CTAN <https://ctan.org/pkg/latex209>

name *latex209*

caption Old, unsupported, LaTeX

author Lamport, Leslie

license lppl = The LaTeX Project Public License (free)

description (no language specified) The distribution of LaTeX 2.09 was last updated in 1993. A copy is kept for its possible historical interest: it is not recommended for current use—all current distributions provide **LaTeX 2e** (now known simply as ‘LaTeX’. Bug fixes, when they arise, are applied to current LaTeX, not to LaTeX 2.09.

A large number of packages were contributed for use with LaTeX 2.09, and while many have been discarded or converted for use with current LaTeX, a significant number await classification.

on CTAN <https://ctan.org/tex-archive/obsolete/macros/latex209/distributions>

keyword *format* (macros to build a format)

keyword *obsolete* (package declared obsolete)

language(s) no language specified

year without year

last access 2025-02-11

3306 *latex2e-help-texinfo* – Unofficial reference manual covering LaTeX2e

Web page on CTAN <https://ctan.org/pkg/latex2e-help-texinfo>

name *latex2e-help-texinfo*

caption Unofficial reference manual covering LaTeX2e

author Martinsen, Torsten

author Greenwade, George

author Berry, Karl

author Hefferon, Jim

author Gilmore, Stephen

license	other-free = Free license not otherwise listed (free)
version	(2024-05-13)
last changes	2024-05-13
year	2024
description	(no language specified) The manual is provided as Texinfo source (which was originally derived from the VMS help file in the DECUS TeX distribution of 1990, with many subsequent changes). This is a collaborative development, and details of getting involved are to be found on the package home page. A Spanish translation is included here, and a French translation is available as a separate package. All the other formats in the distribution are derived from the Texinfo source, as usual.
documentation	<i>HTML conversion of the source (French):</i> https://ctan.org/tex-archive/info/latex2e-help-texinfo-fr/latex2e-fr.html
documentation	(no language specified) <i>HTML conversion of the source (English):</i> https://ctan.org/tex-archive/info/latex2e-help-texinfo/latex2e.html
documentation	<i>PDF conversion of the source (Spanish):</i> https://ctan.org/tex-archive/info/latex2e-help-texinfo/spanish/latex2e-es.pdf
– local file	<code>./8175271249-latex2e-es.pdf</code>
documentation	(no language specified) <i>Package Readme:</i> https://ctan.org/tex-archive/info/latex2e-help-texinfo/README
documentation	(no language specified) <i>PDF conversion of the source (English):</i> https://ctan.org/tex-archive/info/latex2e-help-texinfo/latex2e.pdf
– local file	<code>./4317245690-latex2e.pdf</code>
documentation	<i>PDF conversion of the source (French):</i> https://ctan.org/tex-archive/info/latex2e-help-texinfo-fr/latex2e-fr.pdf
– local file	<code>./8732040373-latex2e-fr.pdf</code>
documentation	<i>HTML conversion of the source (Spanish):</i> https://ctan.org/tex-archive/info/latex2e-help-texinfo/spanish/latex2e-es.html
home page	https://latexref.xyz
contact	<i>support:</i> https://lists.tug.org/latexrefman
contact	<i>bugs:</i> https://puszcza.gnu.org.ua/bugs/?group=latexrefman

contact repository: <https://puszcza.gnu.org.ua/projects/latexrefman/>

contact development: <https://latexref.xyz/dev/>

on CTAN <https://ctan.org/tex-archive/info/latex2e-help-texinfo>

on MikTeX latex2e-help-texinfo

on T_EXLive latex2e-help-texinfo

keyword spanish-doc (documentation in Spanish)

keyword documentation (‘stand-alone’ documentation)

keyword ref-latex (LaTeX reference documents)

language(s) Spanish; French

last access 2025-02-11

3307 *latex2e-help-texinfo-fr* – A French translation of “*latex2e-help-texinfo*”

Web page on CTAN <https://ctan.org/pkg/latex2e-help-texinfo-fr>

name latex2e-help-texinfo-fr

caption A French translation of “*latex2e-help-texinfo*”

author Belaïche, Vincent

license pd = Public Domain Software (free)

version (2022-08-29)

last changes 2022-08-29

year 2022

description (no language specified) This package provides a complete French translation of [latex2e-help-texinfo](#) .

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/info/latex2e-help-texinfo-fr/README>

documentation *HTML conversion of the source (French)*: <https://ctan.org/tex-archive/info/latex2e-help-texinfo-fr/latex2e-fr.html>

documentation *PDF conversion of the source (French)*: <https://ctan.org/tex-archive/info/latex2e-help-texinfo-fr/latex2e-fr.pdf>

– local file ./8732040373-latex2e-fr.pdf

home page <https://puszcza.gnu.org.ua/software/latexrefman/>

contact bugs: <https://lists.tug.org/latexrefman>

on CTAN	https://ctan.org/tex-archive/info/latex2e-help-texinfo-fr
on MikTeX	latex2e-help-texinfo-fr
on T _E XLive	latex2e-help-texinfo-fr
keyword	ref-latex (LaTeX reference documents)
keyword	documentation (‘stand-alone’ documentation)
keyword	french-doc (documentation in French)
language(s)	French
last access	2025-02-11

3308 latex2e-reference – A reference for LaTeX in HTML

Web page on CTAN <https://ctan.org/pkg/latex2e-reference>

name	latex2e-reference
caption	A reference for LaTeX in HTML
author	Dietze, Martin “Herbert”
license	noinfo = noinfo
version	1.6
description	(no language specified) The HTML hyper-document provides a thorough (though slightly dated) discussion of LaTeX 2e.
on CTAN	https://ctan.org/tex-archive/obsolete/info/latex2e-reference
keyword	ref-latex (LaTeX reference documents)
language(s)	no language specified
year	without year
last access	2025-02-11

3309 latex2html – Convert LaTeX into HTML documents

Web page on CTAN <https://ctan.org/pkg/latex2html>

name	latex2html
caption	Convert LaTeX into HTML documents
author	Stigge, Roland
author	Gildea, Daniel
author	Drakos, Nikos
author	de Souza, Paulo Ney
author	Moore, Ross
copyright	Ross Moore (1996-2001)
license	gpl = GNU General Public License (free)
description	(no language specified) A Perl program that translates LaTeX into HTML (HyperText Markup Language), optionally creating separate HTML files corresponding to each unit (e.g., section) of the document. LaTeX2HTML proceeds by interpreting LaTeX (to the best of its abilities). It contains definitions from a wide variety of classes and packages, and users may add further definitions by writing Perl scripts that provide information about class/package commands.
home page	http://www.latex2html.org/
contact	<i>repository:</i> https://github.com/latex2html/latex2html/
keyword	cvt-html (generate HTML from TeX-ish sources)
see also	see section 6341 on page 5729: (tth – A TeX to HTML translator)
see also	see section 5945 on page 5382: (tex2page – Produce HTML from TeX/LaTeX)
see also	see section 5950 on page 5386: (TeX4ht – Convert (La)TeX to HTML/XML)
language(s)	no language specified
year	2001
last access	2025-02-10

3310 latex2man – Translate LaTeX-based manual pages into Unix man format

Web page on CTAN <https://ctan.org/pkg/latex2man>

name	latex2man
caption	Translate LaTeX-based manual pages into Unix man format
author	Vollmer, Jürgen
license	lpl1 = The LaTeX Project Public License 1 (free)
version	1.30 (2026-01-16)
last changes	2026-01-16
year	2026
description	(no language specified) Latex2man is a tool to translate UNIX manual pages written with LaTeX into the troff format understood by the UNIX <code>man(1)</code> command. Alternatively HTML, Texinfo, or LaTeX code can be produced too. Output of parts of the text may be suppressed using the conditional text feature (for this, LaTeX generation may be used). There is a LaTeX package (<code>latex2man.sty</code>) for writing the man page and a Perl script (<code>latex2man</code>) that does the actual translation.
documentation	(no language specified) <i>Package documentation (HTML)</i> : https://ctan.org/tex-archive/support/latex2man/latex2man.html
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/latex2man/README
documentation	(no language specified) <i>Package documentation (PDF)</i> : https://ctan.org/tex-archive/support/latex2man/latex2man.pdf
– local file	<code>./4332729785-latex2man.pdf</code>
home page	http://www.informatik-vollmer.de/software/latex2man.php
on CTAN	https://ctan.org/tex-archive/support/latex2man
on MikTeX	latex2man
on TeXLive	latex2man
keyword	cvt-other (convert TeX-ish sources to some other markup (than HTML))
language(s)	no language specified
last access	2026-01-23

3311 latex2nemeth – Convert LaTeX source to Braille with math in Nemeth

Web page on CTAN <https://ctan.org/pkg/latex2nemeth>

name	Latex2Nemeth
caption	Convert LaTeX source to Braille with math in Nemeth
author	Tsolomitis, Antonis
author	Papasalouros, Andreas
copyright	Andreas Papasalouros, Antonis Tsolomitis (2016-2022)
license	gpl3 = GNU General Public License, version 3 (free)
version	1.1.3
description	(no language specified) After many failed attempts to transcribe real math notes and books to Braille/Nemeth in order to deal with a real situation (blind student in Math Dept.), we decided to develop a new program that follows a direct, from LaTeX to Braille/Nemeth, approach. Our main target was the Greek language which is only Braille level 1, but English at level 1 is supported as well. Simple pictures in PSTricks are also supported in order to produce tactile graphics with specialized equipment. Note that embossing will need LibreOffice and <code>odt2braille</code> as this project does not deal with embossers' drivers. What's new in version 1.1 In this version, the support of the user level commands of the amsmath package was added, as described in its user guide, with the exception of commutative diagrams (amscd package) as well as structures that are irrelevant to visually impaired persons. Also, the Unicode mathematics symbols of the unicode-math package that are represented by the Nemeth code are now supported by latex2nemeth. We would like to acknowledge support by the TUGfund for this project (TUGfund project 33).
documentation	(no language specified) <i>HowTo videos on youtube</i> : https://www.youtube.com/playlist?list=PLcBOch-MEQ5o1_7Qd474I3dK_T1lKuvqq
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/latex2nemeth/README
home page	http://myria.math.aegean.gr/labs/dt/braille/index-en.html
on CTAN	https://ctan.org/tex-archive/support/latex2nemeth
on MikTeX	latex2nemeth

3312 *latex2pydata* – Write data to file in Python literal format

on T _E XLive	latex2nemeth
keyword	accessible (accessibility support)
keyword	cvt-other (convert TeX-ish sources to some other markup (than HTML))
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	2022
last access	2025-02-11

3312 *latex2pydata* – Write data to file in Python literal format

Web page on CTAN <https://ctan.org/pkg/latex2pydata>

name	latex2pydata
caption	Write data to file in Python literal format
author	Poore, Geoffrey
copyright	Geoffrey M. Poore (2023-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.4.0 (2024-11-17)
last changes	2024-11-17
year	2024
description	(no language specified) This package writes data to file using Python literal syntax . The data may be loaded safely in Python using the <code>ast.literal-eval()</code> function or the latex2pydata Python package . The data can also be hashed within LaTeX (mdfivesum) so that it is possible to check for the existence of external cached content generated with the data.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/latex2pydata/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/latex2pydata/latex2pydata.pdf
– local file	<code>./1682673284-latex2pydata.pdf</code>
contact	<i>bugs</i> : https://github.com/gpoore/latex2pydata/issues
contact	<i>repository</i> : https://github.com/gpoore/latex2pydata
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/latex2pydata

on MikTeX	latex2pydata
on T _E XLive	latex2pydata
keyword	data-manip (manipulate data within TeX)
language(s)	no language specified
last access	2025-02-11

3313 *latex2rtf* – Convert LaTeX into Rich Text Format

Web page on CTAN <https://ctan.org/pkg/latex2rtf>

name	latex2rtf
caption	Convert LaTeX into Rich Text Format
author	Dorner, Fernando
author	Granzer, Andreas
author	Hennings, Wilfried
license	lppl = The LaTeX Project Public License (free)
version	2.3.8
description	(no language specified) Translates LaTeX text into RTF (Rich Text Format as used by Microsoft Word and the like). Graphics and tables are converted as are cross references and the bibliography; many packages are supported (in whole or as implementation of a subset of their commands) — for example, the whole of natbib is implemented.
documentation	(no language specified) <i>Release notes (Windows users)</i> : https://ctan.org/tex-archive/support/latex2rtf/relnotes238-win.txt
documentation	(no language specified) <i>Release notes (Unix users)</i> : https://ctan.org/tex-archive/support/latex2rtf/relnotes238-unix.txt
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/latex2rtf/README
contact	<i>repository</i> : http://latex2rtf.sourceforge.net/
on CTAN	https://ctan.org/tex-archive/support/latex2rtf
keyword	cvt-other (convert TeX-ish sources to some other markup (than HTML))
see also	see section 5946 on page 5383: (<i>tex2rtf</i> – TeX translator, output formats include RTF)
language(s)	no language specified
year	without year

last access 2025-02-11

3314 latex4jed – A much enhanced LaTeX mode for the Jed editorWeb page on CTAN <https://ctan.org/pkg/latex4jed>

name latex4jed

caption A much enhanced LaTeX mode for the Jed editor

author Gonzato, Guido

license gpl = GNU General Public License (free)

description (no language specified) This S-Lang file for the **Jed** editor provides a much enhanced LaTeX mode in the fashion of AUC TeX: menus, shortcuts, templates, syntax highlighting, document outline, integrated debugging, symbol completion, full integration with external programs, and more. It was designed with both the beginner and the advanced LaTeX user in mind.

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/support/jed/latex4jed/README>

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/support/jed/latex4jed/latex4jed.pdf>

– local file ./2967828503-latex4jed.pdf

on CTAN <https://ctan.org/tex-archive/support/jed/latex4jed>

keyword editor-extn (plug-ins for editors, for better (La)TeX and Meta* support)

language(s) no language specified

year without year

last access 2025-02-11

3315 latex4musicians – A guide for combining LaTeX and musicWeb page on CTAN <https://ctan.org/pkg/latex4musicians>

name LaTeX4Musicians

caption A guide for combining LaTeX and music

author Gonzato, Guido

license fdl = Free Documentation License (free)

version 1.0.1 (2019-01-19)

last changes 2019-01-19

year	2019
description	(no language specified) This guide, "LaTeX for Musicians", explains how to create LaTeX documents that include several kinds of music elements: music symbols, song lyrics, guitar chords diagrams, lead sheets, music excerpts, guitar tablatures, multi-page scores.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/latex4musicians/README
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/latex4musicians/latex4musicians.pdf
– local file	./7289461275-latex4musicians.pdf
on CTAN	https://ctan.org/tex-archive/info/latex4musicians
on MikTeX	latex4musicians
on T _E XLive	latex4musicians
keyword	music (typesetting music and related stuff)
keyword	tutorial (tutorial material (general))
keyword	tut-latex (tutorial material for LaTeX)
language(s)	no language specified
last access	2025-02-11

3316 *latex4wp* – A LaTeX guide specifically designed for word processor users

Web page on CTAN	https://ctan.org/pkg/latex4wp
name	LaTeX4WP
caption	A LaTeX guide specifically designed for word processor users
author	Gonzato, Guido
license	fdl = Free Documentation License (free)
version	1.2 (2023-08-28)
last changes	2023-08-28
year	2023
description	(no language specified) "LaTeX for Word Processor Users" is a guide that helps converting knowledge and techniques of word processing into the LaTeX typesetting environment. It aims at helping WP users use LaTeX instead.
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/latex4wp/latex4wp.pdf

– local file	<code>./8869619557-latex4wp.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/latex4wp/README.md
on CTAN	https://ctan.org/tex-archive/info/latex4wp
on MikTeX	<code>latex4wp</code>
on T _E XLive	<code>latex4wp</code>
keyword	<code>documentation</code> (‘stand-alone’ documentation)
keyword	<code>fac-survey</code> (survey of TeX-related facilities)
language(s)	no language specified
last access	2025-02-11

3317 *latex4wp-it* – *LaTeX guide for word processor users, in Italian*

Web page on CTAN	https://ctan.org/pkg/latex4wp-it
name	<code>latex4wp-it</code>
caption	LaTeX guide for word processor users, in Italian
author	Gonzato, Guido
license	fdl = Free Documentation License (free)
version	1.0.10
description	(no language specified) The package provides a version of the document in Italian
documentation	(Italian) <i>The document itself</i> : https://ctan.org/tex-archive/info/latex4wp-it/latex4wp-it.pdf
– local file	<code>./6431094101-latex4wp-it.pdf</code>
documentation	(Italian) <i>Readme</i> : https://ctan.org/tex-archive/info/latex4wp-it/README
on CTAN	https://ctan.org/tex-archive/info/latex4wp-it
on T _E XLive	<code>latex4wp-it</code>
keyword	<code>italian-doc</code> (documentation in Italian)
keyword	<code>fac-survey</code> (survey of TeX-related facilities)
language(s)	Italian
year	without year
last access	2025-02-11

3318 latexalpha2 – Embed Mathematica code and plots into LaTeX

Web page on CTAN <https://ctan.org/pkg/latexalpha2>

name	latexalpha2
caption	Embed Mathematica code and plots into LaTeX
author	Liu, Yi
copyright	Yi Liu (2019)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2019-03-02)
last changes	2019-03-02
year	2019
description	(no language specified) This LaTeX package allows you to embed and execute your Wolfram Language (Mathematica) source code in a LaTeX document. When the document is compiled, the computation results will be inserted into the compiled file. In addition to general Wolfram Language computations it is also quite easy to generate plots or animations with this package. Moreover, all the embedded code can be executed either locally (via locally installed Mathematica) or on the cloud (via Wolfram Cloud). The main features of this package are somewhat similar to SageTeX , but here we use Wolfram Language (Mathematica) instead of Sage. The package is heavily inspired by LaTeX-Alpha , which also explains the name "latexalpha2". Unfortunately, LaTeX-Alpha has been down for a while. The objective of <code>latexalpha2</code> is to replace LaTeX-Alpha and at the same time provide various new features.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/latexalpha2/latexalpha2.pdf
– local file	<code>./3005296362-latexalpha2.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/latexalpha2/README.md
contact	<i>bugs</i> : https://github.com/stevenliuyi/latex-alpha2/issues
contact	<i>repository</i> : https://github.com/stevenliuyi/latex-alpha2
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/latexalpha2
on MikTeX	latexalpha2
keyword	callback (call external code and process the result)

keyword graphics-inline (graphics inline for external processing)
 language(s) no language specified
 last access 2025-02-10

3319 *latexbangla* – Enhanced LaTeX integration for Bangla

Web page on CTAN <https://ctan.org/pkg/latexbangla>

name latexbangla

caption Enhanced LaTeX integration for Bangla

author Hasan, Adib

copyright Adib Hasan (2016)

license lpl1.3 = The LaTeX Project Public License 1.3 (free)

version 0.2 (2016-10-31)

last changes 2016-10-31

year 2016

description (no language specified) This package simplifies the process of writing Bangla in LaTeX and addresses most of the associated typesetting issues.

Notable features:

- Automated transition from Bangla to English and vice versa.
- Patch for the unproportionate whitespace issue in popular Bangla fonts.
- Full support for all the common commands and environments.
- Bangla numbering for page, section, chapter, footnotes etc. (extending polyglossia's support).
- New theorem, problems, example, solution and other environments, all of which are in Bangla.

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/language/bengali/latexbangla/README>

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/language/bengali/latexbangla/latexbangla.pdf>

– local file ./5602284725-latexbangla.pdf

on CTAN <https://ctan.org/tex-archive/language/bengali/latexbangla>

on MikTeX latexbangla

on T _E XLive	latexbangla
keyword	indic (support for languages of the Indian subcontinent)
keyword	bengali (support for typesetting Bengali)
language(s)	no language specified
last access	2025-02-10

3320 latexbug – Bug classification for LaTeX related bugs

Web page on CTAN <https://ctan.org/pkg/latexbug>

name	latexbug
caption	Bug classification for LaTeX related bugs
author	The LaTeX Project Team
copyright	The LaTeX Team et al. (2016-2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0r (2026-03-16)
last changes	2026-03-16
year	2026
description	(no language specified) The package is written in order to help identifying the rightful addressee for a bug report. The LaTeX team asks that it will be loaded in any test file that is intended to be sent to the LaTeX bug database as part of a bug report.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/required/latexbug/latexbug.pdf
– local file	./2120722455-latexbug.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/required/latexbug/README.md
contact	<i>repository</i> : https://github.com/latex3/latexbug
on CTAN	https://ctan.org/tex-archive/macros/latex/required/latexbug
installation	https://ctan.org/tex-archive/install/macros/latex/required/latexbug.tds.zip
on MikT _E X	latexbug
on T _E XLive	latexbug
keyword	tagged-pdf (tagged PDF compatible)

keyword `latex-devel` (LaTeX experimental developments ‘in the wild’)
 language(s) no language specified
 last access 2026-04-10

3321 *latexcad* – A CAD drawing package

Web page on CTAN <https://ctan.org/pkg/latexcad>
 name `latexcad`
 caption A CAD drawing package
 author Leis, John
 license lppl = The LaTeX Project Public License (free)
 on CTAN <https://ctan.org/tex-archive/obsolete/systems/msdos/latexcad.zip>
 keyword `graphics-engn` (graphics generator whose output is good for use with TeX)
 language(s) no language specified
 year without year
 last access 2026-04-10

3322 *latexcheat* – A LaTeX cheat sheet

Web page on CTAN <https://ctan.org/pkg/latexcheat>
 name `latexcheat`
 caption A LaTeX cheat sheet
 author Chang, Winston
 license lppl = The LaTeX Project Public License (free)
 version 1.13
 description (no language specified) A LaTeX reference sheet for writing scientific papers. Unlike many other such sheets, this sheet does not focus on typesetting mathematics (though it does list some symbols).
 documentation (no language specified) *The document itself*: <https://ctan.org/tex-archive/info/latexcheat/latexcheat/latexsheet.pdf>
 – local file `./9535426879-latexsheet.pdf`
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/info/latexcheat/README>

on CTAN	https://ctan.org/tex-archive/info/latexcheat/latexcheat
on T _E XLive	latexcheat
keyword	tut-cheat (tutorial “cheat-sheet”)
language(s)	no language specified
year	without year
last access	2026-04-10

3323 latexcheat-de – A LaTeX cheat sheet, in German

Web page on CTAN	https://ctan.org/pkg/latexcheat-de
name	latexcheat-de
caption	A LaTeX cheat sheet, in German
author	Schwindt, Tammo
copyright	Winston Chang (2006)
copyright	Tammo Schwindt (2014)
license	lppl = The LaTeX Project Public License (free)
version	(2014-11-29)
last changes	2014-11-29
year	2014
description	(no language specified) This is a translation to German of Winston Chang’s LaTeX cheat sheet (a reference sheet for writing scientific papers). It has been adapted to German standards using the KOMA script document classes.
documentation	(German) <i>The document itself</i> : https://ctan.org/tex-archive/info/latexcheat/latexcheat-de/latexsheet-de.pdf
– local file	./1025507901-latexsheet-de.pdf
documentation	<i>Readme (in German)</i> : https://ctan.org/tex-archive/info/latexcheat/latexcheat-de/README
contact	<i>repository</i> : https://github.com/tammon/Deutsches-LaTeX-Cheat-Sheet
on CTAN	https://ctan.org/tex-archive/info/latexcheat/latexcheat-de
on T _E XLive	latexcheat-de
keyword	tut-cheat (tutorial “cheat-sheet”)

keyword german-doc (documentation in German)
 language(s) German
 last access 2026-03-26

3324 latexcheat-esmx – A LaTeX cheat sheet, in Spanish

Web page on CTAN <https://ctan.org/pkg/latexcheat-esmx>

name latexcheat-esmx
 caption A LaTeX cheat sheet, in Spanish
 author Rivera, Luis
 author Chang, Winston
 copyright Winston Chang (2006)
 copyright J. Luis Rivera N. (2009-2015)
 license lpl = The LaTeX Project Public License (free)
 version 2.00 (2015-04-13)
 last changes 2015-04-13
 year 2015
 description (no language specified) This is a translation to Spanish (Castellano) of Winston Chang's **LaTeX cheat sheet** (a reference sheet for writing scientific papers).
 documentation (Spanish) *Readme*: <https://ctan.org/tex-archive/info/latexcheat/latexcheat-esmx/README>
 documentation (Spanish) *The document itself*: <https://ctan.org/tex-archive/info/latexcheat/latexcheat-esmx/latexsheet-esmx.pdf>
 – local file ./4704200704-latexsheet-esmx.pdf
 on CTAN <https://ctan.org/tex-archive/info/latexcheat/latexcheat-esmx>
 on T_EXLive latexcheat-esmx
 keyword tut-cheat (tutorial “cheat-sheet”)
 keyword spanish-doc (documentation in Spanish)
 language(s) Spanish
 last access 2025-02-10

3325 latexcheat-ptbr – A LaTeX cheat sheet, in Brazilian Portuguese

Web page on CTAN <https://ctan.org/pkg/latexcheat-ptbr>

name	latexcheat-ptbr
caption	A LaTeX cheat sheet, in Brazilian Portuguese
author	Chang, Winston
author	Granja, Silvio Cesar Garcia
copyright	Winston Chang (2006)
license	lppl = The LaTeX Project Public License (free)
version	1.13
description	(no language specified) This is a translation to Brazilian Portuguese of Winston Chang's LaTeX cheat sheet
documentation	<i>Readme (in Brazilian Portuguese):</i> https://ctan.org/tex-archive/info/latexcheat/latexcheat-ptbr/README-ptbr
documentation	(Portuguese) <i>The document itself:</i> https://ctan.org/tex-archive/info/latexcheat/latexcheat-ptbr/latexsheet-ptbr.pdf
– local file	./6532354721-latexsheet-ptbr.pdf
on CTAN	https://ctan.org/tex-archive/info/latexcheat/latexcheat-ptbr
on T _E XLive	latexcheat-ptbr
keyword	portuguese-doc (documentation in Portuguese)
keyword	tut-cheat (tutorial “cheat-sheet”)
language(s)	Portuguese
year	2006
last access	2025-02-10

3326 latexcolors – Use color definitions from latexcolor.com

Web page on CTAN <https://ctan.org/pkg/latexcolors>

name	latexcolors
caption	Use color definitions from latexcolor.com
author	Plüss, Tobias
copyright	Tobias Plüss (2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1a
description	(no language specified) Built on top of the xcolor package, the <code>latexcolors</code> package defines the set of colors shown on latexcolor.com for use in documents typeset with LaTeX & friends.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/latexcolors/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/latexcolors/latexcolors.pdf
– local file	<code>./7852829538-latexcolors.pdf</code>
contact	<i>bugs</i> : https://github.com/tcpluess/latexcolors/issues
contact	<i>repository</i> : https://github.com/tcpluess/latexcolors
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/latexcolors
on MikTeX	latexcolors
on T _E XLive	latexcolors
keyword	colour (typesetting in colour)
language(s)	no language specified
year	2019
last access	2025-02-10

3327 latexcount – Perl script to count words of LaTeX documents

Web page on CTAN <https://ctan.org/pkg/latexcount>

name	latexcount
caption	Perl script to count words of LaTeX documents
author	Magnus, P.D.
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The latexcount script gives a reasonably accurate count of the number of words in the main text of an article, the number of words in footnotes, and the number of words total. The list of tags that don't get counted can be extended as needed.
on CTAN	https://ctan.org/tex-archive/support/latexcount
keyword	word-count (count the 'words' in a document)
language(s)	no language specified
year	without year
last access	2025-02-10

3328 latexcourse-rug – A LaTeX course book

Web page on CTAN <https://ctan.org/pkg/latexcourse-rug>

name	latexcourse-rug
caption	A LaTeX course book
author	Kroonenberg, Siep
copyright	Siep Kroonenberg (2014, 2015)
license	other-free = Free license not otherwise listed (free)
version	1.1 (2015-12-06)
last changes	2015-12-06
year	2015
description	(no language specified) The package provides the book and practice files for a LaTeX course that the author has give several times at the Rijksuniversiteit Groningen (Netherlands).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/latexcourse-rug/README

documentation	(no language specified) <i>Printable copy of the course:</i> https://ctan.org/tex-archive/info/latexcourse-rug/latexcourse-rug.pdf
– local file	./3741039774-latexcourse-rug.pdf
on CTAN	https://ctan.org/tex-archive/info/latexcourse-rug
on MikTeX	latexcourse-rug
on T _E XLive	latexcourse-rug
keyword	course-material (course material)
language(s)	no language specified
last access	2025-02-10

3329 latexdb – Integrates LaTeX and SQL databases

Web page on CTAN <https://ctan.org/pkg/latexdb>

name	LaTeXDB
caption	Integrates LaTeX and SQL databases
author	Eßer, Hans-Georg
copyright	Hans-Georg Eßer (2003-2006)
license	gpl = GNU General Public License (free)
version	0.3
description	(no language specified) LaTeXDB brings together LaTeX and a MySQL database. You can use SQL queries in your LaTeX document and loop over the result sets creating tables, serial letters, and other stuff.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/latexdb/README
on CTAN	https://ctan.org/tex-archive/support/latexdb
keyword	db-access (access database for document contents)
keyword	preprocessor (preprocesses source before using TeX)
language(s)	no language specified
year	2006
last access	2025-02-10

3330 latexdemo – Demonstrate LaTeX code with its resulting output

Web page on CTAN <https://ctan.org/pkg/latexdemo>

name	latexdemo
caption	Demonstrate LaTeX code with its resulting output
author	Pospiech, Matthias
copyright	Matthias Pospiech (2014-2023)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2
description	(no language specified) The package provides configurable tools to print out LaTeX code and the resulting output in the same document. It also supports printing the result inside a conditional sequence; thus one may suppress printing if the code would not compile.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/latexdemo/latexdemo.pdf
– local file	./2433883123-latexdemo.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/latexdemo
on MikTeX	latexdemo
on TeXLive	latexdemo
keyword	macro-demo (print (La)TeX code verbatim alongside the rendered result)
keyword	listing (computer code listing)
language(s)	no language specified
year	2023
last access	2025-02-11

3331 latexdiff – Determine and mark up significant differences between LaTeX files

Web page on CTAN <https://ctan.org/pkg/latexdiff>

name	latexdiff
caption	Determine and mark up significant differences between LaTeX files
author	Tilman, Frederik
copyright	F J Tilman (2004-2024)
license	gpl3 = GNU General Public License, version 3 (free)

3332 *latexdraw* – CAD oriented drawing program

version	(2026-01-02)
last changes	2026-01-02
year	2026
description	(no language specified) Latexdiff is a Perl script for visual mark up and revision of significant differences between two LaTeX files. Various options are available for visual markup using standard LaTeX packages such as color . Changes not directly affecting visible text, for example in formatting commands, are still marked in the LaTeX source. A rudimentary revision facility is provided by another Perl script, latexrevise, which accepts or rejects all changes. Manual editing of the difference file can be used to override this default behaviour and accept or reject selected changes only.
documentation	(no language specified) <i>Package manual</i> : https://ctan.org/tex-archive/support/latexdiff/doc/latexdiff-man.pdf
– local file	<code>./1281544896-latexdiff-man.pdf</code>
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/support/latexdiff/README
contact	<i>repository</i> : https://github.com/ftilmann/latexdiff/
on CTAN	https://ctan.org/tex-archive/support/latexdiff
on MikTeX	latexdiff
on T _E XLive	latexdiff
keyword	doc-mgmt (support for keeping track of document development)
language(s)	no language specified
last access	2026-01-15

3332 *latexdraw* – CAD oriented drawing program

Web page on CTAN <https://ctan.org/pkg/latexdraw>

name	latexdraw
caption	CAD oriented drawing program
author	Siegert, Hans-Jurgen
license	nocommercial = No Commercial Use (not free)
version	15.29

description	(no language specified) An X-Windows based CAD orientated drawing program which generates LaTeX output using latexdraw.sty, based on pstricks . The picture may be generated as complete LaTeX-source or as a picture-environment to be included in other documents. You must translate the dvi-file generated by LaTeX to a PostScript-file using dvips before you can view or print the document.
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/support/latexdraw/doc/ltdmanual.html.g/index.html
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/support/latexdraw/doc/ltdmanual.html.e/index.html
on CTAN	https://ctan.org/tex-archive/support/latexdraw
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
keyword	pstricks (package using PStricks for graphical output)
language(s)	German; English
year	without year
last access	2026-04-12

3333 *latexfileinfo-pkgs* – A comparison of packages showing LaTeX file information

Web page on CTAN	https://ctan.org/pkg/latexfileinfo-pkgs
name	latexfileinfo-pkgs
caption	A comparison of packages showing LaTeX file information
author	Lück, Uwe
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.22
description	(no language specified) The package provides an HTML file that lists and compares CTAN packages that display LaTeX source file information from \ProvidesClass, \ProvidesFile, and \ProvidesPackage commands in the LaTeX file. Five packages of the author's, and several other packages are discussed; revision control systems are mentioned briefly.
documentation	(no language specified) <i>The document itself</i>: https://ctan.org/tex-archive/info/latexfileinfo-pkgs/latexfileinfo_pkgs.htm
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/info/latexfileinfo-pkgs/README

3334 *latexfileversion* – Prints the version and date of a LaTeX class or style file

contact	<i>support:</i> http://www.webdesign-bu.de/uwe_lueck/contact.html
on CTAN	https://ctan.org/tex-archive/info/latexfileinfo-pkgs
installation	https://ctan.org/tex-archive/install/info/latexfileinfo-pkgs.tds.zip
on MikTeX	latexfileinfo-pkgs
on T _E XLive	latexfileinfo-pkgs
keyword	review-document (document reviewing subjects relevant for TeX users)
language(s)	no language specified
year	without year
last access	2025-02-11

3334 *latexfileversion* – Prints the version and date of a LaTeX class or style file

Web page on CTAN <https://ctan.org/pkg/latexfileversion>

name	latexfileversion
caption	Prints the version and date of a LaTeX class or style file
author	Harders, Harald
license	lppl = The LaTeX Project Public License (free)
version	0.3
description	(no language specified) This simple shell script prints the version and date of a LaTeX class or style file. Syntax: <code>latexfileversion <file></code> This programme handles style files (extension <code>.sty</code>), class files (extension <code>.cls</code>), and other TeX input files. The file extension must be given.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/latexfileversion/README
on CTAN	https://ctan.org/tex-archive/support/latexfileversion
on T _E XLive	latexfileversion
keyword	file-mgmt (TeX-related-file management)
language(s)	no language specified
year	without year
last access	2025-02-11

3335 latexgit – A LaTeX git wrapper

Web page on CTAN <https://ctan.org/pkg/latexgit>

name	LaTeXgit
caption	A LaTeX git wrapper
author	Staps, Camil
copyright	Camil Staps (2016-2020)
license	gpl3 = GNU General Public License, version 3 (free)
version	(2020-04-20)
last changes	2020-04-20
year	2020
description	(no language specified) This package provides several macros to fetch git information and typeset it. The macros defined by LaTeXgit can be helpful to documentation authors and others to whom clear document versioning is important.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/latexgit/latexgit.pdf
– local file	<code>./4396559899-latexgit.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/latexgit/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/latexgit
on MikTeX	latexgit
on T _E XLive	latexgit
keyword	version-control (version control details)
keyword	doc-mgmt (support for keeping track of document development)
language(s)	no language specified
last access	2025-02-11

3336 *latexindent* – Indent a LaTeX document, highlighting the programming structure

Web page on CTAN <https://ctan.org/pkg/latexindent>

name	latexindent
caption	Indent a LaTeX document, highlighting the programming structure
author	Hughes, Chris
license	gpl3 = GNU General Public License, version 3 (free)
version	4.0 (2026-03-15)
last changes	2026-03-15
year	2026
description	(no language specified) The Perl script processes a LaTeX file, indenting parts so as to highlight the structure for the reader. Included are also binary (executable) files for Windows, Ubuntu Linux, and macOS.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/support/latexindent/documentation/latexindent.pdf
– local file	./7586282640-latexindent.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/latexindent/README
contact	<i>bugs:</i> https://github.com/cmhughes/latexindent.pl/issues
contact	<i>repository:</i> https://github.com/cmhughes/latexindent.pl
contact	<i>development:</i> https://github.com/cmhughes/latexindent.pl/tree/develop
on CTAN	https://ctan.org/tex-archive/support/latexindent
on MikTeX	latexindent
on T _E XLive	latexindent
keyword	code-layout (improve the appearance of LaTeX code)
language(s)	no language specified
last access	2026-03-23

3337 latexinfo – Texinfo for LaTeX 2.09

Web page on CTAN <https://ctan.org/pkg/latexinfo>

name	latexinfo
caption	Texinfo for LaTeX 2.09
author	Clarkson, Michael E.
author	Stallman, Richard M.
copyright	Michael E. Clarkson (1991)
license	gpl = GNU General Public License (free)
description	(no language specified) A LaTeX 2.09 extension of texinfo , together with Emacs 18 elisp support files ("manual generator" commands). While the package showed some promise, it hasn't been followed up to current LaTeX or current Emacs.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex209/contrib/latexinfo/README
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/latexinfo
keyword	doc-suppl (macros and tools for preparing documentation)
language(s)	no language specified
year	1991
last access	2025-02-10

3338 latexmake – LaTeX Makefile

Web page on CTAN <https://ctan.org/pkg/latexmake>

name	latexmake
caption	LaTeX Makefile
author	McLean, Evan
author	Musliner, David J.
author	Sun, Tong
license	noinfo = noinfo
version	2.0

description	(no language specified) This is a generic Makefile for use with make(1), to create output from a LaTeX file. It will run the designated LaTeX FILE through TeX in turn until all cross-references are resolved, building all indices. The directory containing each FILE is searched for included files. Latexmake can also generate .pdf , .html , .txt or .rtf files.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/latexmake/README
on CTAN	https://ctan.org/tex-archive/support/latexmake
keyword	compilation (the document compilation process)
see also	see section 4834 on page 4377: (prv – Compile, preview, and print LaTeX documents)
see also	see section 3342 on page 3016: (latexn – Run LaTeX as many times as needed)
language(s)	no language specified
year	without year
last access	2025-02-10

3339 latexmk – Fully automated LaTeX document generation

Web page on CTAN <https://ctan.org/pkg/latexmk>

name	latexmk
caption	Fully automated LaTeX document generation
author	Collins, John
author	McLean, Evan
author	Musliner, David J.
copyright	John Collins (1998-2025)
license	gpl2 = GNU General Public License, version 2 (free)
version	4.88 (2026-03-09)
last changes	2026-03-09
year	2026

description	(no language specified) Latexmk completely automates the process of generating a LaTeX document. Given the source files for a document, latexmk issues the appropriate sequence of commands to generate a .dvi , .ps , .pdf or hardcopy version of the document. An important feature is the "preview continuous mode", where the script watches all of the source files (primary file and included TeX and graphics files), and reruns LaTeX, etc., whenever a source file has changed. Thus a previewer can offer a display of the document's latest state.
documentation	(no language specified) <i>Manual page, PDF</i> : https://ctan.org/tex-archive/support/latexmk/latexmk.pdf
– local file	./7616181077-latexmk.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/latexmk/README
documentation	(no language specified) <i>Manual page, text format</i> : https://ctan.org/tex-archive/support/latexmk/latexmk.txt
home page	https://www.cantab.net/users/johncollins/latexmk/index.html
on CTAN	https://ctan.org/tex-archive/support/latexmk
on MikTeX	latexmk
on TeXLive	latexmk
keyword	compilation (the document compilation process)
see also	see section 3342 on page 3016: (latexn – Run LaTeX as many times as needed)
see also	see section 250 on page 230: (arara – Automation of LaTeX compilation)
see also	see section 4834 on page 4377: (prv – Compile, preview, and print LaTeX documents)
language(s)	no language specified
last access	2026-03-20

3340 latexmng – An integrated development environment for WindowsWeb page on CTAN <https://ctan.org/pkg/latexmng>

name	LaTeXMng
caption	An integrated development environment for Windows
author	Vabishchevich, Petr
copyright	VNP Comp (2004)

license	shareware = Shareware: A fee is required (not free)
version	2.0
description	(no language specified) LaTeXMng is an easy to use integrated development environment for Windows. The application integrates all the tools needed for the creation of LaTeX documents, under Windows 2000, XP or later editions of MS Windows. LaTeXMng is distributed as LaTeXMngSetup.exe. Run LaTeXMngSetup.exe and simply follow the on-screen instructions to install LaTeXMng. A free 30 day trial licence is offered.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/win32/latexmng/README
on CTAN	https://ctan.org/tex-archive/systems/win32/latexmng
keyword	ide (integrated development environments)
language(s)	no language specified
year	2004
last access	2025-02-10

3341 *latexmp* – Interface for LaTeX-based typesetting in MetaPost

Web page on CTAN	https://ctan.org/pkg/latexmp
name	latexMP
caption	Interface for LaTeX-based typesetting in MetaPost
author	Morawski, Jens-Uwe
license	pd = Public Domain Software (free)
version	1.2.1
description	(no language specified) The MetaPost package latexMP implements a user-friendly interface to access LaTeX-based typesetting capabilities in MetaPost. The text to be typeset is given as string. This allows even dynamic text elements, for example counters, to be used in labels. Compared to other implementations it is much more flexible, since it can be used as direct replacement for <code>btex.etex</code> , and much faster, compared for example to the solution provided by <code>tex.mp</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/latexmp/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/latexmp/doc/latexmp.pdf

3342 `latexn` – Run LaTeX as many times as needed

– local file	<code>./2883440798-latexmp.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/latexmp
on MikTeX	<code>latexmp</code>
on TeXLive	<code>latexmp</code>
keyword	<code>graphics-text</code> (text within graphics (drawn or overlaid))
language(s)	no language specified
year	without year
last access	2025-02-10

3342 `latexn` – Run LaTeX as many times as needed

Web page on CTAN	https://ctan.org/pkg/latexn
name	<code>latexn</code>
caption	Run LaTeX as many times as needed
author	Collins, John
license	<code>noinfo = noinfo</code>
description	(no language specified) A csh script to run LaTeX as many times as needed (and hopefully no more) on a given file to resolve cross references, and to ensure that the table of contents and index (if any) are up-to-date.
on CTAN	https://ctan.org/tex-archive/support/latexn
keyword	<code>compilation</code> (the document compilation process)
see also	see section 3339 on page 3013: (<code>latexmk</code> – Fully automated LaTeX document generation)
language(s)	no language specified
year	without year
last access	2025-02-10

3343 latexexpand – Expand `\input` and `\include` in a LaTeX document

Web page on CTAN <https://ctan.org/pkg/latexexpand>

name	latexexpand
caption	Expand <code>\input</code> and <code>\include</code> in a LaTeX document
author	Musliner, David J.
author	Moy, Matthieu
author	Lovell, Matthew
copyright	Matthieu Moy (2012-2023)
license	bsd3 = 3-clause BSD License (free)
version	1.7.2 (2023-02-27)
last changes	2023-02-27
year	2023
description	(no language specified) Latexpand is a Perl script that simply replaces <code>\input</code> and <code>\include</code> commands with the content of the input or included file. The script does not deal with <code>\includeonly</code> commands.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/latexexpand/README
contact	<i>repository</i> : https://gitlab.com/latexexpand/latexexpand
on CTAN	https://ctan.org/tex-archive/support/latexexpand
on MikTeX	latexexpand
on TeXLive	latexexpand
keyword	file-mgmt (TeX-related-file management)
language(s)	no language specified
last access	2025-02-11

3344 latexpik – LaTeX picture editor for WindowsWeb page on CTAN <https://ctan.org/pkg/latexpik>

name	LaTeXPiX
caption	LaTeX picture editor for Windows
author	van Beurden, N. J. H. M.
license	nosource = No Source Available (not free)
version	(2009-12-28)
last changes	2009-12-28
year	2009
description	(no language specified) LaTeXPiX is a picture editor for LaTeX and works on all Microsoft Windows versions. LaTeXPiX offers advanced picture drawing, editing and generation beyond the scope of most other available editors. Features include: drawing and resizing squares and circles; show the bounding box of inserted images; Polish and Japanese translations.
on CTAN	https://ctan.org/tex-archive/systems/win32/latexpik
keyword	graphics-editor (graphics editor whose output is good for TeX)
language(s)	no language specified
last access	2025-02-11

3345 latexrelease – LaTeX release emulationWeb page on CTAN <https://ctan.org/pkg/latexrelease>

name	latexrelease
caption	LaTeX release emulation
author	The LaTeX Project Team
copyright	The LaTeX3 Project (1993-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0p (2024-08-11)
last changes	2024-08-11
year	2024

description	(no language specified) This package provides both forward and backward compatibility of the LaTeX kernel, i.e. older kernels can be made to behave like a current one (if you have a current <code>latexrelease</code> but an old format) and a current kernel can be asked to emulate an older kernel version. The package is part of the LaTeX distribution.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/base/latexrelease.pdf
– local file	<code>./6706950048-latexrelease.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/base
keyword	<code>format</code> (macros to build a format)
language(s)	no language specified
last access	2025-02-11

3346 *latexrender* – Use LaTeX in PHP programs

Web page on CTAN	https://ctan.org/pkg/latexrender
name	<code>LatexRender</code>
caption	Use LaTeX in PHP programs
author	Zeiss, Benjamin
author	Mayer, Steve
copyright	Benjamin Zeiss (2003, 2004)
license	gpl = GNU General Public License (free)
version	0.8
description	(no language specified) <code>LatexRender</code> is a set of scripts that allows one to call LaTeX from PHP programs; in particular, this allows users to enter LaTeX commands in a forum and, on posting, have it replaced by a suitable gif or png. <code>LatexRender</code> requires LaTeX and ImageMagick to be installed. The open source PHP code was originally designed for use with phpBB, but it can be adapted for use with other PHP programs. Details and example installations may be found in the maintainer's home page .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/latexrender/README
on CTAN	https://ctan.org/tex-archive/support/latexrender
keyword	<code>cgi-latex</code> (support for LaTeX(-alike) on the web, or feeding into other applications)

see also	see section 3976 on page 3595: (<code>mimetex</code> – Parse LaTeX math expressions and emit gif or xbitmaps)
language(s)	no language specified
year	2004
last access	2025-02-10

3347 latexscreenshooter – Capture screenshots within LaTeX documents

Web page on CTAN <https://ctan.org/pkg/latexscreenshooter>

name	LaTeXScreenShooter
caption	Capture screenshots within LaTeX documents
author	Vaney, Quentin
author	Freléchoz, Xavier
copyright	Quentin Vaney and Xavier Freléchoz (2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2024-05-06)
last changes	2024-05-06
year	2024
description	(no language specified) This is a Java-based application designed to capture screenshots of web pages specified within LaTeX documents. It supports both X11 and Wayland display servers, ensuring compatibility across different Linux environments and windows.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/latexscreenshooter/latexscreenshooter.pdf
– local file	<code>./1471604415-latexscreenshooter.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/latexscreenshooter/README.md
on CTAN	https://ctan.org/tex-archive/graphics/latexscreenshooter
on MikTeX	latexscreenshooter
keyword	<code>graphics-incl</code> (include external graphics)
language(s)	no language specified
last access	2025-02-11

3348 latexwide – Multifunctional editor for LaTeX

Web page on CTAN <https://ctan.org/pkg/latexwide>

name	LaTeX-WIDE
caption	Multifunctional editor for LaTeX
author	Lubenets, Yuri
license	nocommercial = No Commercial Use (not free)
description	(no language specified) LaTeX WIDE is an editor for use under Windows, which has low impact on the Windows system, yet offers rich functionality for the user; in particular, help is available both in English and in Russian.
documentation	<i>English documentation::</i> https://ctan.org/tex-archive/systems/win32/LaTeX_WIDE/English/readme.txt
documentation	<i>Russian documentation::</i> https://ctan.org/tex-archive/systems/win32/LaTeX_WIDE/Russian/readme.txt
on CTAN	https://ctan.org/tex-archive/systems/win32/LaTeX_WIDE
keyword	editor (editor designed (or adapted) for use with (La)TeX)
language(s)	English; Russian
year	without year
last access	2025-02-11

3349 latexwizard – Create the header of a LaTeX document

Web page on CTAN <https://ctan.org/pkg/latexwizard>

name	latexwizard
caption	Create the header of a LaTeX document
author	Willadt, Peter
license	noinfo = noinfo
version	1.0 beta 4
description	(no language specified) A tool to create the header of a LaTeX document. It guides you within a few steps through the more or less important options and packages.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/systems/win32/texhelpers/latexwizard/README
on CTAN	https://ctan.org/tex-archive/systems/win32/texhelpers/latexwizard

keyword	editor (editor designed (or adapted) for use with (La)TeX)
language(s)	no language specified
year	without year
last access	2025-02-11

3350 *latin* – Latin language definition for Babel

Web page on CTAN <https://ctan.org/pkg/latin>

name	<i>latin</i>
caption	Latin language definition for Babel
author	Beccari, Claudio
license	lppl = The LaTeX Project Public License (free)
version	2/0f
description	(no language specified) This is an interim release of a new version of the Latin language definition for Babel . It can be used to replace the Latin support already present in Babel. The ecclesiastic package may be used to adjust the packages settings for use with Christian sacred text.

on CTAN <https://ctan.org/tex-archive/language/latin>

keyword	<i>latin</i> (support for typesetting Latin (ancient, medieval and ‘modern’))
keyword	<i>multilingual-addon</i> (extra language ‘drivers’ for existing multilingual packages)
language(s)	no language specified
year	without year
last access	2025-02-07

3351 *latin1jk* – Inputenc encoding for verbatim ISO 8859-1 use

Web page on CTAN <https://ctan.org/pkg/latin1jk>

name	<i>latin1jk</i>
caption	Inputenc encoding for verbatim ISO 8859-1 use
author	Knappen, Jörg
copyright	Jörg Knappen (1995, 1996, 2000, 2003)
license	gpl = GNU General Public License (free)

version	1.3
description	(no language specified) A definition file for the inputenc package, in which all characters from ISO/IEC 8859-1 (ISO Latin-1) are loaded as text characters. This allows verbatim setting of Latin-1 encoded files. The file is part of Jörg Knappen’s collection .
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jknappen/latin1jk.def
on MikTeX	jknappen
on T _E XLive	jknapltx
keyword	inputenc (input encoding support for TeX engines)
see also	see section 3353 on page 3024: (<i>latin3jk</i> – Inputenc encoding for verbatim ISO 8859-3 use)
see also	see section 3352 on page 3023: (<i>latin2jk</i> – Inputenc encoding for verbatim ISO 8859-2 use)
language(s)	no language specified
year	2003
last access	2025-02-07

3352 *latin2jk* – Inputenc encoding for verbatim ISO 8859-2 use

Web page on CTAN <https://ctan.org/pkg/latin2jk>

name	latin2jk
caption	Inputenc encoding for verbatim ISO 8859-2 use
author	Knappen, Jörg
copyright	Jörg Knappen (1997, 1999, 2000, 2003)
license	gpl = GNU General Public License (free)
version	1.3
description	(no language specified) A definition file for the inputenc package, in which all characters from ISO/IEC 8859-2 (ISO Latin-2) are loaded as text characters. This allows verbatim setting of Latin-2 encoded files. The file is part of Jörg Knappen’s collection .
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jknappen/latin2jk.def
on MikTeX	jknappen

on T _E XLive	jknaptlx
keyword	inputenc (input encoding support for TeX engines)
see also	see section 3353 on page 3024: (<i>latin3jk</i> – Inputenc encoding for verbatim ISO 8859-3 use)
see also	see section 3351 on page 3022: (<i>latin1jk</i> – Inputenc encoding for verbatim ISO 8859-1 use)
language(s)	no language specified
year	2003
last access	2025-02-07

3353 *latin3jk* – Inputenc encoding for verbatim ISO 8859-3 use

Web page on CTAN	https://ctan.org/pkg/latin3jk
name	latin3jk
caption	Inputenc encoding for verbatim ISO 8859-3 use
author	Knappen, Jörg
copyright	Jörg Knappen (1995, 1996, 2000, 2003)
license	gpl = GNU General Public License (free)
version	1.3
description	(no language specified) A definition file for the <i>inputenc</i> package, in which all characters from ISO/IEC 8859-3 (ISO Latin-3) are loaded as text characters. This allows verbatim setting of Latin-3 encoded files. The file is part of <i>Jörg Knappen's collection</i> .
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jknappen/latin3jk.def
on MikT _E X	jknappen
on T _E XLive	jknaptlx
keyword	inputenc (input encoding support for TeX engines)
see also	see section 3351 on page 3022: (<i>latin1jk</i> – Inputenc encoding for verbatim ISO 8859-1 use)
see also	see section 3352 on page 3023: (<i>latin2jk</i> – Inputenc encoding for verbatim ISO 8859-2 use)
language(s)	no language specified
year	2003

last access 2025-02-07

3354 *latino-sine-flexione* – LaTeX support for documents written in Peano’s InterlinguaWeb page on CTAN <https://ctan.org/pkg/latino-sine-flexione>

name	latino-sine-flexione
caption	LaTeX support for documents written in Peano’s Interlingua
author	Leve, Victore
license	pd = Public Domain Software (free)
version	1.2
description	(no language specified) Latino sine Flexione (or Interlingua) is a language constructed by Giuseppe Peano at the beginning of the last century. This simplified Latin is designed to be an instrument for international cooperation, especially in the academic sphere. (Note that this “Interlingua” is different from the “Interlingua” that was created a few decades after Peano’s work and which is supported by babel-interlingua !) This package provides the necessary translations to use the language within a LaTeX document. It also imports fontenc in order to be able to use ligatures and quotation marks. Finally, it offers a text in Interlingua that can be used as a dummy text: <i>Fundamento de intelligentia</i> . This article by H. Bijlsma was first published in <i>Schola et Vita</i> Anno I (1926).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/latino-sine-flexione/README.md
contact	<i>support</i> : http://reddit.com/r/LatinoSineFlexione/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/latino-sine-flexione
on MikTeX	latino-sine-flexione
on T _E XLive	latino-sine-flexione
keyword	interlingua (support for typesetting interlingua)
language(s)	no language specified
year	without year
last access	2025-02-07

3355 *lato* – Lato font family and LaTeX support

Web page on CTAN <https://ctan.org/pkg/lato>

name	lato
caption	Lato font family and LaTeX support
author	El Morabity, Mohamed
author	Dziedzic, Łukasz
license	ofl = The SIL Open Font License (free)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.3
description	(no language specified) Lato is a sanserif typeface family designed in the Summer 2010 by Warsaw-based designer Łukasz Dziedzic for the tyPoland foundry. This font, which includes five weights (hairline, light, regular, bold and black), is available from the Google Font Directory as TrueType files under the Open Font License version 1.1. The package provides support for this font in LaTeX. It includes the original TrueType fonts, as well as Type 1 versions, converted for this package using FontForge for full support with Dvips.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/lato/doc/lato.pdf
– local file	./9046882831-lato.pdf
documentation	(no language specified) <i>Font samples</i>: https://ctan.org/tex-archive/fonts/lato/doc/lato-samples.pdf
– local file	./4033307364-lato-samples.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/lato/README
home page	http://www.latofonts.com/
on CTAN	https://ctan.org/tex-archive/fonts/lato
installation	https://ctan.org/tex-archive/install/fonts/lato.tds.zip
on MikTeX	lato
on T _E XLive	lato
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-ttf (font available in TrueType format)
keyword	font (fonts themselves)
keyword	font-sans (sans-serif font)

language(s)	no language specified
year	without year
last access	2025-02-07

3356 *layaureo* – A package to improve the A4 page layout

Web page on CTAN <https://ctan.org/pkg/layaureo>

name	Layaureo
caption	A package to improve the A4 page layout
author	Busdraghi, Fabiano
copyright	Gruppo Utilizzatori Italiani di TeX (2003)
license	lppl = The LaTeX Project Public License (free)
version	0.2
description	(no language specified) This package produces a wide page layout for documents that use A4 paper size. Moreover, LayAureo provides both a simple hook for leaving an empty space which is required if pages are bundled by a press binding (use option <code>binding=length</code>), and an option called <code>big</code> which it forces <code>typearea</code> to become maximum.
documentation	(Italian) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/layaureo/DocFiles/layaureo.pdf
– local file	<code>./8943801545-layaureo.pdf</code>
documentation	(no language specified) <i>Readme and summary</i> : https://ctan.org/tex-archive/macros/latex/contrib/layaureo/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/layaureo
on MikTeX	layaureo
on TeXLive	layaureo
keyword	layout (layout of objects on the page)
language(s)	Italian
year	2003
last access	2025-02-07

3357 layout – View the layout of a documentWeb page on CTAN <https://ctan.org/pkg/layout>

name	layout
caption	View the layout of a document
author	The LaTeX Project Team
author	Braams, Johannes L.
author	McPherson, Kent
author	Umeki, Hideo
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2e (2023-08-20)
last changes	2023-08-20
year	2023
description	(no language specified) The package defines a command <code>\layout</code> , which will show a summary of the layout of the current document. This package is part of the latex-tools bundle in the LaTeX required distribution.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/required/tools/layout.pdf
– local file	<code>./2567282038-layout.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/required/tools
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-tools.tds.zip
keyword	layout-show (display details of page layout)
see also	see section 3358 on page 3029 : (<code>layouts</code> – Display various elements of a document’s layout)
language(s)	no language specified
last access	2025-02-07

3358 layouts – Display various elements of a document’s layoutWeb page on CTAN <https://ctan.org/pkg/layouts>

name	layouts
caption	Display various elements of a document’s layout
author	Wilson, Peter R.
author	Robertson, Will
copyright	Peter R. Wilson (1998-2004)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.6d
description	(no language specified) Display information about a document, including: text positioning on a page; disposition of floats; layout of paragraphs, lists, footnotes, table of contents, and sectional headings; font boxes. Facilities are provided for a document designer to experiment with the layout parameters.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/layouts/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/layouts/layman.pdf
– local file	./9577157313-layman.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/layouts
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/layouts.tds.zip
on MikTeX	layouts
on T _E XLive	layouts
keyword	geometry (change geometry of page layout)
keyword	layout-show (display details of page layout)
see also	see section 3357 on page 3028 : (layout – View the layout of a document)
language(s)	no language specified
year	2004
last access	2025-02-07

3359 lazylist – Lists in TeX’s “mouth”

Web page on CTAN <https://ctan.org/pkg/lazylist>

name	lazylist
caption	Lists in TeX’s “mouth”
author	Jeffrey, Alan
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.0a
description	(no language specified) The package was developed to provide flexible lists, whose ordering can be altered on the fly. The implementation involves a pile of lambda-calculus and list-handling macros of an incredibly obtuse nature. The TUGboat paper serves as a manual for the macros. Having said all of which, confidence is enhanced by the knowledge that the TeX code was formally verified.
documentation	(no language specified) <i>Paper prepared for TUGboat</i> : https://ctan.org/tex-archive/macros/latex/contrib/lazylist/lazylist.pdf
– local file	./8865080958-lazylist.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lazylist
on MikTeX	lazylist
on TeXLive	lazylist
keyword	list (list: general)
language(s)	no language specified
year	without year
last access	2025-02-07

3360 *lb2-examples* – Examples from “Der LaTeX Begleiter”

Web page on CTAN <https://ctan.org/pkg/lb2-examples>

name	<code>lb2-examples</code>
caption	Examples from “Der LaTeX Begleiter”
author	Mittelbach, Frank
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
description	(no language specified) The source of the examples printed in the book, together with necessary supporting files. The book was published by Addison-Wesley, 2005, ISBN 3-8273-7166-X.
documentation	(German) <i>Readme</i> : https://ctan.org/tex-archive/info/examples/lb2/README-examples.txt
on CTAN	https://ctan.org/tex-archive/info/examples/lb2
keyword	<code>book-ex</code> (copies of examples from a published book)
language(s)	German
year	without year
last access	2026-04-10

3361 *lccaps* – Lowercased (spaced) small capitals

Web page on CTAN <https://ctan.org/pkg/lccaps>

name	<code>lccaps</code>
caption	Lowercased (spaced) small capitals
author	Giannotti, Ruben
copyright	Ruben Giannotti (2018)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2018-01-21)
last changes	2018-01-21
year	2018

description	(no language specified) This little package serves the purpose of providing a uniform method to use lowercased small capitals and spaced lowercased small capitals. It relies on the <code>iftex</code> , <code>textcase</code> , and <code>microtype</code> packages and comes with four new user macros: <code>\textlcc</code> , the main feature: lowercased small capitals; <code>\spacedcaps</code> , a prefix to small capitals text commands to slightly increase their spacing; <code>\textslcc</code> and <code>\textssc</code> , which are shortcuts for <code>\spacedcaps\textlcc</code> and <code>\spacedcaps\textsc</code> (accordingly).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/lccaps/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/lccaps/lccaps.pdf
– local file	<code>./3639194809-lccaps.pdf</code>
home page	https://github.com/giannotr/lccaps
contact	<i>bugs</i> : https://github.com/giannotr/lccaps/issues
contact	<i>repository</i> : https://github.com/giannotr/lccaps.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lccaps
on MikTeX	<code>lccaps</code>
on T _E XLive	<code>lccaps</code>
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
language(s)	no language specified
last access	2025-02-07

3362 *lcd* – Alphanumeric LCD-style displays

Web page on CTAN <https://ctan.org/pkg/lcd>

name	<code>lcd</code>
caption	Alphanumeric LCD-style displays
author	Kaufmann, Mike
license	lppl = The LaTeX Project Public License (free)
version	0.3
description	(no language specified) A LaTeX package that will display text as on an (early) LCD display (the output is very visibly pixellated). Assumes 8-bit input in its internal verbatim-style environment.

documentation	(no language specified) <i>Examples</i> : https://ctan.org/tex-archive/macros/latex/contrib/lcd/example.pdf
– local file	<code>./5054006869-example.pdf</code>
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/lcd/00readme
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lcd
on MikTeX	<code>lcd</code>
on TeXLive	<code>lcd</code>
keyword	<code>graphics-in-tex</code> (graphics produced by one of the *TeX engines)
language(s)	no language specified
year	without year
last access	2025-02-07

3363 *lcdf-typetools* – A bundle of outline font manipulation tools

Web page on CTAN <https://ctan.org/pkg/lcdf-typetools>

name	<code>LCDF-typetools</code>
caption	A bundle of outline font manipulation tools
author	Kohler, Eddie
copyright	Eddie Kohler (1997-2006)
license	<code>gpl</code> = GNU General Public License (free)
description	(no language specified) This bundle of tools comprises: • <code>Cfftot1</code>, which translates a Compact Font Format (CFF) font, or a PostScript-flavored OpenType font, into PostScript Type 1 format. It correctly handles subroutines and hints; • <code>Mmafm</code> and <code>mmpfb</code>, which create instances of multiple-master fonts (<code>mmafm</code> and <code>mmpfb</code> were previously distributed in their own package, <code>mminstance</code>); • <code>Otfinfo</code>, which reports information about OpenType fonts, such as the features they support and the contents of their ‘size’ optical size features; • <code>Otfotfm</code>, which creates TeX font metrics and encodings that correspond to a PostScript-flavored OpenType font. It will interpret glyph positionings, substitutions, and ligatures as far as it is able. You can say which OpenType features should be activated;

- T1dotlessj, creates a Type 1 font whose only character is a dotless j matching the input font’s design;
- T1lint, which checks a Type 1 font for correctness;
- T1reencode, which replaces a font’s internal encoding with one you specify; and
- T1testpage, which creates a PostScript proof for a Type 1 font. It is preliminary software.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/utilities/lcdf-typetools/README
home page	http://www.lcdf.org/type/
on CTAN	https://ctan.org/tex-archive/fonts/utilities/lcdf-typetools
on MikTeX	miktex-lcdf-typetools-bin-2.9
on T _E XLive	lcdftypetools
keyword	font-devel (support for font development, testing and characterisation)
language(s)	no language specified
year	2006
last access	2025-02-07

3364 *l_{cg}* – Generate random integers

Web page on CTAN <https://ctan.org/pkg/lcg>

name	<i>l_{cg}</i>
caption	Generate random integers
author	Janka, Erich
copyright	Erich Janka (2001, 2003, 2008)
license	lppl = The LaTeX Project Public License (free)
version	1.3
description	(no language specified) The <i>l_{cg}</i> package generates random numbers (integers) via a linear congruential generator (Schrage’s method). The random numbers are written to a counter. The <i>keyval</i> package is used for the user to provide values for the range and a seed, and for the name of the counter to be used.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/lcg/lcg.pdf
– local file	<code>./5507336133-lcg.pdf</code>

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lcg
on MikTeX	lcg
on T _E XLive	lcg
keyword	calculation (perform calculations within TeX)
keyword	random (generate and/or use pseudo-random numbers)
see also	see section 5104 on page 4626: (<code>random</code> – Generating “random” numbers in TeX)
language(s)	no language specified
year	2008
last access	2025-02-07

3365 *lcircuit* – Circuit symbols for use in LaTeX picture mode

Web page on CTAN	https://ctan.org/pkg/lcircuit
name	lcircuit
caption	Circuit symbols for use in LaTeX picture mode
author	Johnstone, Adrian
license	noinfo = noinfo
version	(1992-10-11)
last changes	1992-10-11
year	1992
description	(no language specified) The set includes all basic logic gates in four orientations, FETs, power supply pins, transmission gates, capacitors, resistors and wiring T-junctions.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/lcircuit/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/lcircuit/lcircuit.pdf
– local file	./5025702944-lcircuit.pdf
on CTAN	https://ctan.org/tex-archive/graphics/lcircuit
keyword	diagram-circ (circuit diagrams)
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
language(s)	no language specified

last access 2025-02-07

3366 `lcyw` – Make Classic Cyrillic CM fonts accessible in LaTeX

Web page on CTAN <https://ctan.org/pkg/lcyw>

name	<code>lcyw</code>
caption	Make Classic Cyrillic CM fonts accessible in LaTeX
author	Lidovski, Vladimir
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1
description	(no language specified) The package makes the classic CM Cyrillic fonts accessible for use with LaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/lcyw/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/lcyw/lcyw.pdf
– local file	<code>./8275650140-lcyw.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lcyw
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/lcyw.tds.zip
on MikTeX	<code>lcyw</code>
on T _E XLive	<code>lcyw</code>
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year
last access	2025-02-07

3367 *ldiff* – A script for marking the differences between two LaTeX files

Web page on CTAN <https://ctan.org/pkg/ldiff>

name	<code>ldiff</code>
caption	A script for marking the differences between two LaTeX files
author	Tsur, Dekel
license	gpl = GNU General Public License (free)
description	(no language specified) The Ldiff (LaTeX diff) script takes two LaTeX (or LyX) files as input and generate a PostScript file that contains the changes between the two files: Text that appears in both files is shown in black, text that appears only in the first file is shown in red and is crossed out, and text that appears only in the second file is shown in blue. Note that in some cases, Ldiff will not give correct results.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/ldiff/README
on CTAN	https://ctan.org/tex-archive/support/ldiff
keyword	doc-debug (tools, etc., for “debugging” documents)
language(s)	no language specified
year	without year
last access	2025-02-07

3368 *leading* – Define leading with a length

Web page on CTAN <https://ctan.org/pkg/leading>

name	<code>leading</code>
caption	Define leading with a length
author	Robertson, Will
copyright	Will Robertson (2007, 2008)
license	lppl = The LaTeX Project Public License (free)
version	0.3
description	(no language specified) The package defines a command <code>\leading</code> , whose argument is a <code><length></code> that specifies the nominal distance between consecutive baselines of typeset text. The command replaces the rather more difficult LaTeX command <code>\linespread{<ratio>}</code> , where the leading is specified by reference to the font size.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/leading/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/leading/leading.pdf
– local file	./6553229401-leading.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/leading
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/leading.tds.zip
on MikTeX	leading
on T _E XLive	leading
keyword	layout (layout of objects on the page)
keyword	typesetting (support for variations of typographic style)
language(s)	no language specified
year	2008
last access	2025-02-07

3369 leadsheets – Typesetting leadsheets and songbooks

Web page on CTAN	https://ctan.org/pkg/leadsheets
name	leadsheets
caption	Typesetting leadsheets and songbooks
author	Niederberger, Clemens
copyright	Clemens Niederberger (2014-2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.7 (2022-01-05)
last changes	2022-01-05
year	2022
description	(no language specified) This LaTeX package offers support for typesetting simple leadsheets of songs, i.e. song lyrics and the corresponding chords.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/leadsheets/README

3370 *leaflet* – Create small handouts (flyers)

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/leadsheets/leadsheets_en.pdf
– local file	<code>./4972796980-leadsheets_en.pdf</code>
contact	<i>bugs</i> : https://github.com/cgnieder/leadsheets/issues
contact	<i>repository</i> : https://github.com/cgnieder/leadsheets
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/leadsheets
on MikTeX	leadsheets
on T _E XLive	leadsheets
keyword	chords (chord notations, as for song books)
keyword	music (typesetting music and related stuff)
see also	see section 5603 on page 5071: (songbook – Package for typesetting song lyrics and chord books)
see also	see section 5605 on page 5073: (songs – Produce song books for church or fellowship)
language(s)	no language specified
last access	2025-02-07

3370 *leaflet* – Create small handouts (flyers)

Web page on CTAN <https://ctan.org/pkg/leaflet>

name	leaflet
caption	Create small handouts (flyers)
author	Niepraschk, Rolf
author	Schmidt, Walter A.
author	Gäßlein, Hubert
author	Schlegelmilch, Jürgen
copyright	Walter Schmidt (2000)
copyright	Jürgen Schlegelmilch (1998)
copyright	Rolf Niepraschk, Hubert Gäßlein (2002-2004)
copyright	Rolf Niepraschk (2012-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)

version	2.1c (2024-03-12)
last changes	2024-03-12
year	2024
description	(no language specified) A document class to create small hand-outs (flyers) that fit on a single sheet of paper which is then folded twice. Pages are rearranged by LaTeX so that they print correctly on a single sheet — no external script is necessary. (Works with PostScript and PDF.) This is a complete reimplementaion with permission of the original author Jürgen Schlegelmilch.
documentation	(no language specified) <i>Package manual (as a leaflet)</i>: https://ctan.org/tex-archive/macros/latex/contrib/leaflet/leaflet-manual.pdf
– local file	<code>./4784591758-leaflet-manual.pdf</code>
documentation	(no language specified) <i>Documented source</i>: https://ctan.org/tex-archive/macros/latex/contrib/leaflet/leaflet.pdf
– local file	<code>./3988566843-leaflet.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/leaflet/README.md
contact	<i>bugs</i> : https://github.com/rolfn/leaflet/issues
contact	<i>repository</i> : https://github.com/rolfn/leaflet
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/leaflet
on MikTeX	leaflet
on TeXLive	leaflet
keyword	layout (layout of objects on the page)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-07

3371 *leawood* – LaTeX support for use of ITC Leawood font family

Web page on CTAN <https://ctan.org/pkg/leawood>

name	leawood
caption	LaTeX support for use of ITC Leawood font family
author	Pakin, Scott
copyright	Scott Pakin (2003)
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The package provides all of the files needed to make the ITC Leawood font available to TeX and LaTeX. Note that the font itself is not freely available; the leawood package assumes you have already purchased ITC Leawood.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/psfonts/leawood/leawood.pdf
– local file	./2102394711-leawood.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/psfonts/leawood/README
on CTAN	https://ctan.org/tex-archive/fonts/psfonts/leawood
on MikTeX	leawood
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	2003
last access	2025-02-07

3372 *lebhart* – Write your articles in a colorful way

Web page on CTAN <https://ctan.org/pkg/lebhart>

name	lebhart
caption	Write your articles in a colorful way
author	XU, Jinwen
copyright	Jinwen XU (2021-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2024-02-20)
last changes	2024-02-20

year	2024
description	(no language specified) This package provides a LaTeX class for typesetting articles with a colorful design. Currently, it has native support for Chinese (simplified and traditional), English, French, German, Italian, Japanese, Portuguese (European and Brazilian), Russian and Spanish typesetting. It compiles with either XeLaTeX or LuaLaTeX. This is part of the colorist class series and depends on <code>colorist.sty</code> from the colorist package. The package name "lebhart" is taken from the German word "lebhaft" ("vivid"), combined with the first three letters of "Artikel" ("article").
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/lebhart/README.md
contact	<i>repository</i>: https://github.com/Jinwen-XU/colorist/tree/main/lebhart
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/lebhart
on MikTeX	lebhart
on TeXLive	lebhart
keyword	expl3 (expl3(unknown))
keyword	article-like (LaTeX article classes and their developments)
keyword	class (alternative LaTeX class(es))
keyword	chinese (support for typesetting Chinese languages)
keyword	multilingual (support for more than one (natural) language)
see also	see section 1214 on page 1104: (<code>colorist</code> – Write your articles or books in a colorful way)
language(s)	no language specified
last access	2025-02-07

3373 lecturenotes – A LaTeX document class for lecture notes

Web page on CTAN <https://ctan.org/pkg/lecturenotes>

name	lecturenotes
caption	A LaTeX document class for lecture notes
author	Belvadi, V.H.
copyright	V.H. Belvadi (2017-2025)
license	mit = MIT License (free)
version	3.2 (2025-03-18)
last changes	2025-03-18
year	2025
description	(no language specified) A LaTeX document class for lecture notes — for a seminar, for an entire course with several lectures, or for brief talks. Provides an elegant template with support for sidenotes and detailed title section along with several other options. Requires compilation with LuaLaTeX and typesets with the kpfonts-otf package.
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/luatex/latex/lecturenotes/sample/lecturenotes-sample.pdf
– local file	./5902024390-lecturenotes-sample.pdf
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/luatex/latex/lecturenotes/doc/lecturenotes-doc.pdf
– local file	./8744954575-lecturenotes-doc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/luatex/latex/lecturenotes/README.md
contact	<i>bugs:</i> https://github.com/vhbelvadi/LaTeX-lecture-notes-class/issues
contact	<i>repository:</i> https://github.com/vhbelvadi/LaTeX-lecture-notes-class
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/lecturenotes
on MikTeX	lecturenotes
on T _E XLive	lecturenotes
keyword	luatex (LuaTeX and packages that require it)
keyword	teaching (support for teachers and teaching administrators)

keyword	<code>class</code> (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-03-27

3374 *lecturer* – On-screen presentations for (almost) all formats

Web page on CTAN <https://ctan.org/pkg/lecturer>

name	<code>lecturer</code>
caption	On-screen presentations for (almost) all formats
author	Isambert, Paul
license	lppl = The LaTeX Project Public License (free)
version	(2011-09-11)
last changes	2011-09-11
year	2011
description	(no language specified) The package creates slides for on-screen presentations based on PDF features without manipulating TeX's typesetting process. The presentation flow relies on PDF's abilities to display content step by step.

Features include:

- Free positioning of anything anywhere in painted areas on the slide, as well as in the main textblock;
- Numerous attributes to control the layout and the presentation flow, from TeX's primitive dimensions to the visibility of steps;
- Feature inheritance from global to local settings, with intermediate types;
- Basic drawing facilities to produce symbols, e.g., for list items or buttons;
- Colours, transparency, shades, and pictures;
- Navigation with links, pop-up menus, and customizable bookmarks;
- Easy switch between presentation and handout; and
- PDF transitions.

Besides the traditional documentation, the distribution includes visual documentation and six demo presentations ranging from geometric abstraction to classic style to silly video game.

Lecturer is designed to work with all formats, but presently fails with ConTeXt MkIV (because of clashes in management of PDF objects, probably), works only with pdfTeX and LuaTeX for the time being, and requires `texapi` and `yax` , both v.1.02.

documentation	(no language specified) <i>Visual package documentation:</i> https://ctan.org/tex-archive/macros/generic/lecturer/doc/LecturerDemo-VisualDoc.pdf
– local file	./4815672051-LecturerDemo-VisualDoc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/generic/lecturer/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/generic/lecturer/doc/lecturer-doc.pdf
– local file	./8984706601-lecturer-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/generic/lecturer
on MikTeX	lecturer
on T _E XLive	lecturer
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2025-02-07

3375 *lectures* – A document class for quickly drafting nice looking lecture notes

Web page on CTAN	https://ctan.org/pkg/lectures
name	lectures
caption	A document class for quickly drafting nice looking lecture notes
author	Cappelletti, Luca
copyright	Luca Cappelletti (2019-2025)
license	mit = MIT License (free)
version	1.0.7 (2025-03-15)
last changes	2025-03-15
year	2025
description	(no language specified) This LaTeX documentclass provides a number of gimmicks to draft nice looking lecture notes, such as a number of theorem environments, automatic spacing and alignment of figures and much more. More information is available in the package readme .
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/lectures/README.md
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/lectures/example.pdf

3376 lectureslides – Combine single PDF files into one file

– local file	<code>./6847659275-example.pdf</code>
contact	<i>bugs:</i> https://github.com/LucaCappelletti94/lectures/issues
contact	<i>repository:</i> https://github.com/LucaCappelletti94/lectures
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lectures
on MikTeX	lectures
on T _E XLive	lectures
keyword	class (alternative LaTeX class(es))
keyword	teaching (support for teachers and teaching administrators)
language(s)	no language specified
last access	2025-03-25

3376 lectureslides – Combine single PDF files into one file

Web page on CTAN	https://ctan.org/pkg/lectureslides
name	lectureslides
caption	Combine single PDF files into one file
author	Zhang, Taihao
copyright	Taihao Zhang (2021-2022)
license	cc-by-4 = CC BY 4.0 (free)
version	1.0
description	(no language specified) This package makes it easy to combine and index individual PDF files into one large PDF file.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/lectureslides/lectureslides-doc.pdf
– local file	<code>./3869503769-lectureslides-doc.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/lectureslides/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lectureslides
on MikTeX	lectureslides
on T _E XLive	lectureslides

keyword	pdfprocess (process PDF files)
see also	see section 4553 on page 4119: (pdfjam – Shell script interface to pdfpages)
see also	see section 4561 on page 4127: (pdfpages – Include PDF documents in LaTeX)
language(s)	no language specified
year	2022
last access	2025-03-25

3377 *led* – An environment for LaTeX document development

Web page on CTAN <https://ctan.org/pkg/led>

name	LEd
caption	An environment for LaTeX document development
author	Deorowicz, Sebastian
author	Skorczynski, Adam
license	nosource = No Source Available (not free)
version	0.46 beta
description	(no language specified) LEd (LaTeX Editor) is a free environment for rapid TeX/LaTeX document processing. LEd includes a project manager, a powerful editor, an integrated spellchecker and thesaurus, a built-in DVI viewer, descriptive hints for LaTeX commands, a code completion mechanism, a multilingual environment, and more.
documentation	(no language specified) <i>FAQ</i> : http://www.latexeditor.org/faq.html
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/LEd/README
home page	http://www.latexeditor.org
on CTAN	https://ctan.org/tex-archive/support/LEd
keyword	editor (editor designed (or adapted) for use with (La)TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

3378 ledarab – Typeset scholarly editions in arabic

Web page on CTAN <https://ctan.org/pkg/ledarab>

name	ledarab
caption	Typeset scholarly editions in arabic
author	bidi-tex GitHub Organisation
author	Rouquette, Maïeul
author	Khalighi, Vafa
author	Wilson, Peter R.
copyright	Peter R. Wilson (2005)
license	lppl = The LaTeX Project Public License (free)
version	0.1
description	(no language specified) Ledarab extends the ledmac package for typesetting texts in the Arabic script, as implemented by ArabTeX . Ledarab is distributed with ledmac and another related package ledpar .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ledmac/ledarab.pdf
– local file	<code>./6217135324-ledarab.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ledmac/README
documentation	(no language specified) <i>Package FAQ, etc.</i> : http://www.djdekker.net/ledmac/
contact	<i>bugs</i> : https://github.com/bidi-tex/ledmac/issues
contact	<i>repository</i> : https://github.com/bidi-tex/ledmac
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ledmac
on MikTeX	ledmac
on T _E XLive	ledmac
keyword	crit-ed (typeset scholarly editions of texts)
language(s)	no language specified
year	2005
last access	2025-02-09

3379 ledmac – Typeset scholarly editions

Web page on CTAN <https://ctan.org/pkg/ledmac>

name	ledmac
caption	Typeset scholarly editions
author	Khalighi, Vafa
author	Rouquette, Maïeul
author	bidi-tex GitHub Organisation
author	Wilson, Peter R.
copyright	Maïeul Rouquette (2011-2016)
copyright	Peter R. Wilson (2003-2005)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.19.4 (2016-08-06)
last changes	2016-08-06
year	2016
description	(no language specified) A macro package for typesetting scholarly critical editions. The ledmac package is a LaTeX port of the plain TeX EDMAC macros. It supports indexing by page and line number and simple tabular- and array-style environments. The package is distributed with the related ledpar and ledarab packages. The package is now superseded by reledmac .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ledmac/ledmac.pdf
– local file	<code>./2972049980-ledmac.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ledmac/README
documentation	(no language specified) <i>Package FAQ, etc.</i> : http://www.djdekker.net/ledmac/
contact	<i>bugs</i> : https://github.com/bidi-tex/ledmac/issues
contact	<i>repository</i> : https://github.com/bidi-tex/ledmac
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ledmac
on MikTeX	ledmac
on T _E XLive	ledmac
keyword	crit-ed (typeset scholarly editions of texts)

see also	see section 4743 on page 4293: (poemscol – Typesetting Critical Editions of Poetry)
see also	see section 1831 on page 1653: (ednotes – Typeset scholarly editions)
language(s)	no language specified
last access	2025-02-09

3380 *ledpar* – Typeset scholarly editions in parallel texts

Web page on CTAN <https://ctan.org/pkg/ledpar>

name	ledpar
caption	Typeset scholarly editions in parallel texts
author	Khalighi, Vafa
author	biditex GitHub Organisation
author	Rouquette, Maïeul
author	Wilson, Peter R.
license	lppl = The LaTeX Project Public License (free)
version	0.14a
description	(no language specified) Ledpar provides parallel-text typesetting (either in parallel columns, or on opposing pages), for the ledmac package. Ledpar is distributed with ledmac and with another related package ledarab .
documentation	(no language specified) <i>Package FAQ, etc.</i> : http://www.djdekker.net/ledmac/
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ledmac/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ledmac/ledpar.pdf
– local file	./5667364411-ledpar.pdf
contact	<i>bugs</i> : https://github.com/bidi-tex/ledmac/issues
contact	<i>repository</i> : https://github.com/bidi-tex/ledmac
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ledmac
on MikTeX	ledmac
on T _E XLive	ledmac
keyword	crit-ed (typeset scholarly editions of texts)

keyword	parallel (parallel columns)
see also	see section 1859 on page 1679: (eledpar – Typeset scholarly editions in parallel texts)
language(s)	no language specified
year	without year
last access	2025-02-07

3381 *leftidx* – Left and right subscripts and superscripts in math mode

Web page on CTAN <https://ctan.org/pkg/leftidx>

name	<i>leftidx</i>
caption	Left and right subscripts and superscripts in math mode
author	Harders, Harald
copyright	Harald Harders (2000, 2001, 2003)
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Left and right subscripts and superscripts are automatically raised for better fitting to the symbol they belong to.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/leftidx/leftidx.pdf
– local file	<code>./6453590444-leftidx.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/leftidx/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/leftidx
on MikTeX	<i>leftidx</i>
on T _E XLive	<i>leftidx</i>
keyword	subsup-pos (position sub- and superscripts (left and right sides))
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	2003
last access	2025-02-07

3382 leftindex – Left indices with better spacing

Web page on CTAN <https://ctan.org/pkg/leftindex>

name	leftindex
caption	Left indices with better spacing
author	Ørsted, Sebastian
copyright	Sebastian Ørsted (2020-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2beta (2024-01-31)
last changes	2024-01-31
year	2024
description	(no language specified) This package provides commands for typesetting left indices. Unlike other similar packages, leftindex also indents the left superscript, providing much better spacing in general.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/leftindex/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/leftindex/leftindex.pdf
– local file	./6482803891-leftindex.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/leftindex
on MikTeX	leftindex
on T _E XLive	leftindex
keyword	maths (support for typesetting mathematics)
keyword	expl3 (expl3(unknown))
keyword	subsup-pos (position sub- and superscripts (left and right sides))
language(s)	no language specified
last access	2025-02-07

3383 leilletter – A letter class for Leiden University

Web page on CTAN <https://ctan.org/pkg/leilletter>

name LEIletter

caption A letter class for Leiden University

author Kreutzer, Michiel

copyright Michiel Kreutzer (2009)

license cc-by-sa-3 = CC BY-SA 3.0 (free)

license lpl1.3c = The LaTeX Project Public License 1.3c (free)

version 1.3 (2020-02-09)

last changes 2020-02-09

year 2020

description (no language specified) This package is a LaTeX implementation of the business letter formatting that is used at Leiden University, using the institute graphic identity as specified on www.leidenuniv.nl .

The LEIletter class is an extension of the standard **KOMA-script** letter class **scrlltr2** . It is intended to be used for writing business letters. It is compliant to the house style and allows for using windowed envelopes of the DL format, with right-aligned window.

The class requires and uses the following packages that are part of most modern LaTeX distributions: **graphicx** , **ifthen** , **array** , **babel** , **ragged2e** , **hyperref** , **textcase** , **microtype** , **scrlayer-scrpage** , **geometry** , **setspace** , **lipsum** , and **minionpro** .

The package relies on the Minion Pro fonts from Adobe, which are commercial but easily available.

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/leilletter/LEIletter.pdf>

– local file ./7403846408-LEIletter.pdf

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/leilletter/README>

home page <https://www.leidenuniv.nl>

contact *repository*:
<https://github.com/michielkreutzer/leilletter/tree/master>

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/leilletter>

on MikTeX	leiletter
keyword	letter (typesetting letters, envelopes, faxes, etc)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-07

3384 *leipzig* – Typeset and index linguistic gloss abbreviations

Web page on CTAN <https://ctan.org/pkg/leipzig>

name	leipzig
caption	Typeset and index linguistic gloss abbreviations
author	Weber, Natalie
copyright	Natalie Weber (2013-2017)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.3 (2019-10-19)
last changes	2019-10-19
year	2019
description	(no language specified) The <i>leipzig</i> package provides a set of macros for standard glossing abbreviations, with options to create new ones. They are mnemonic (e.g. <code>\Acc{}</code> for accusative, abbreviated <code>acc</code>). These abbreviations can be used alone or on top of the glossaries package for easy indexing and glossary printing.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/leipzig/leipzig.pdf
– local file	<code>./3962746655-leipzig.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/leipzig/README.md
contact	<i>repository</i> : https://github.com/natalieweber/leipzig
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/leipzig
on MikTeX	leipzig
on T _E XLive	leipzig
keyword	linguistic (support for linguistics)
language(s)	no language specified

last access 2025-02-07

3385 *lengthconvert* – Express lengths in arbitrary units

Web page on CTAN <https://ctan.org/pkg/lengthconvert>

name	<code>lengthconvert</code>
caption	Express lengths in arbitrary units
author	Daniel, Marco
copyright	Marco Daniel (2013)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0a
description	(no language specified) The package provides a command to convert a length to any of a large selection of units. The package relies on the LaTeX3 programming environment .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/lengthconvert/lengthconvert.pdf
– local file	<code>./3526248225-lengthconvert.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lengthconvert
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/lengthconvert.tds.zip
on MikTeX	<code>lengthconvert</code>
on TeXLive	<code>lengthconvert</code>
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>misc-conv</code> (miscellaneous conversions)
keyword	<code>units</code> (uniform typesetting of units)
see also	see section 6488 on page 5864 : (<code>unitconv</code> – Convert a length into one with another unit)
see also	see section 4800 on page 4344 : (<code>printlen</code> – Print lengths using specified units)
language(s)	no language specified
year	2013
last access	2025-02-07

3386 `leporello` – A simple LaTeX document class to create folded leaflets using columns and boxes

Web page on CTAN <https://ctan.org/pkg/leporello>

name	<code>leporello</code>
caption	A simple LaTeX document class to create folded leaflets using columns and boxes
author	Habicht, Jasper
copyright	Jasper Habicht (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.3 (2025-09-15)
last changes	2025-09-15
year	2025
description	(no language specified) A simple LaTeX document class to create folded leaflets with the following key features: • The document layout consists of a specific number of pages that can have varying widths and are placed next to each other. Each page contains one frame to contain typeset material. • Material is typeset in boxes, and boxes are positioned in columns which in turn are placed into the frames on the pages of the document. • Columns are predefined and then placed into the frame of a page in the document layout. This way, columns can be used on pages with varying widths. • Boxes can have padding (including bleed) and a background and are positioned inside a column.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/leporello/leporello-doc.pdf
– local file	<code>./5042279018-leporello-doc.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/leporello/README.md
contact	<i>bugs</i> : https://github.com/jasperhabicht/leporello/issues
contact	<i>repository</i> : https://github.com/jasperhabicht/leporello
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/leporello
on MikTeX	<code>leporello</code>

on T _E XLive	leporello
keyword	boxing (creating boxes)
keyword	layout (layout of objects on the page)
keyword	multicol (more than one column on the page)
keyword	expl3 (expl3(unknown))
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-09-30

3387 lete-sans-math – Lato-based OpenType Math font for LuaTeX and XeTeX

Web page on CTAN <https://ctan.org/pkg/lete-sans-math>

Alias	LatoMath
name	LeteSansMath
caption	Lato-based OpenType Math font for LuaTeX and XeTeX
author	Bu, Chenjing
author	Flipo, Daniel
copyright	Chenjing Bu, Daniel Flipo (2024)
license	ofl = The SIL Open Font License (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.45 (2024-12-14)
last changes	2024-12-14
year	2024
description	(no language specified) This package provides a Unicode Math font <code>LeteSansMath.otf</code> meant to be used together with Lato sans-serif TrueType Text fonts in LuaLaTeX or XeLaTeX documents. Note: "Lato" means "Summer" in Polish, same as "l'été" in French.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/lete-sans-math/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/lete-sans-math/LeteSansMath.pdf
– local file	<code>./9056043708-LeteSansMath.pdf</code>

documentation	(no language specified) <i>List of glyphs</i> : https://ctan.org/tex-archive/fonts/lete-sans-math/unimath-lete.pdf
– local file	./8124385534-unimath-lete.pdf
home page	https://github.com/abccsss/LeteSansMath
on CTAN	https://ctan.org/tex-archive/fonts/lete-sans-math
on MikTeX	lete-sans-math
on T _E XLive	lete-sans-math
keyword	font-otf (font in OpenType format)
keyword	font-maths (fonts for use in mathematics)
see also	see section 3355 on page 3026: (lato – Lato font family and LaTeX support)
language(s)	no language specified
last access	2025-02-07

3388 *letgut* – Class for the newsletter “La Lettre GUTenberg” of the French TeX User Group GUTenberg

Web page on CTAN <https://ctan.org/pkg/letgut>

name	letgut
caption	Class for the newsletter “La Lettre GUTenberg” of the French TeX User Group GUTenberg
author	Association GUTenberg
copyright	Association GUTenberg (1994-2026)
copyright	Denis Bitouzé (2022)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.9.14 (2026-02-16)
last changes	2026-02-16
year	2026
description	(no language specified) The French TeX User Group GUTenberg has been publishing “The GUTenberg Letter”, its irregular newsletter, since February 1993. For this purpose, a dedicated, in-house (La)TeX class was gradually created but, depending on new needs and on the people who were publishing the Newsletter, its development was somewhat erratic; in particular, it would not have been possible to publish its code as it was. In addition, its documentation was non-existent.

The Board of Directors of the association, elected in November 2020, wished to provide a better structured, more perennial and documented class, able to be published on the CTAN. This is now done with the present ‘letgut’ class.

French

L’association GUTenberg publie “La Lettre GUTenberg”, son bulletin irrégulomestriel, depuis février 1993.

Pour ce faire, une classe (La)TeX dédiée, maison, a peu à peu vu le jour mais, au gré des nouveaux besoins et des personnes qui ont assuré la publication de la Lettre, son développement a été quelque peu erratique ; il n’aurait notamment pas été possible de publier son code en l’état. En outre, sa documentation était inexistante.

Le Conseil d’Administration de l’association, élu en novembre 2020, a souhaité fournir une classe mieux structurée, davantage pérenne et documentée, à même d’être publiée sur le CTAN. C’est désormais chose faite avec la présente classe `letgut`.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/letgut/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/letgut/doc/letgut.pdf
– local file	<code>./6691982424-letgut.pdf</code>
contact	<i>bugs</i> : https://gitlab.gutenberg-asso.fr/gutenberg/letgut/-/issues
contact	<i>repository</i> : https://gitlab.gutenberg-asso.fr/gutenberg/letgut
contact	<i>development</i> : https://gitlab.gutenberg-asso.fr/gutenberg/letgut/-/merge_requests
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/letgut
installation	https://ctan.org/tex-archive/install/macros/luatex/latex/letgut.tds.zip
on MikTeX	<code>letgut</code>
on T _E XLive	<code>letgut</code>
keyword	<code>luatex</code> (LuaTeX and packages that require it)
keyword	<code>magazine</code> (magazines, newspapers and other ephemeral publications)
language(s)	no language specified
last access	2026-02-25

3389 letltxmacro – Let assignment for LaTeX macros

Web page on CTAN <https://ctan.org/pkg/letltxmacro>

name	letltxmacro
caption	Let assignment for LaTeX macros
author	Oberdiek, Heiko
copyright	Oberdiek Package Support Group (2016-2019)
copyright	Heiko Oberdiek (2008, 2010)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.6 (2019-12-03)
last changes	2019-12-03
year	2019
description	(no language specified) TeX's <code>\let</code> assignment does not work for LaTeX macros with optional arguments or for macros that are defined as robust macros by <code>\DeclareRobustCommand</code> . This package defines <code>\LetLtxMacro</code> that also takes care of the involved internal macros.
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/letltxmacro/letltxmacro.pdf
– local file	<code>./6671808261-letltxmacro.pdf</code>
contact	<i>bugs</i> : https://github.com/ho-tex/letltxmacro/issues
contact	<i>repository</i> : https://github.com/ho-tex/letltxmacro
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/letltxmacro
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/letltxmacro.tds.zip
on MikTeX	letltxmacro
on T _E XLive	letltxmacro
keyword	macro-def (alternative ways of defining macros)
language(s)	English
last access	2025-02-07

3390 letter – The standard LaTeX2e letter document class

Web page on CTAN <https://ctan.org/pkg/letter>

name	letter
caption	The standard LaTeX2e letter document class
author	The LaTeX Project Team
author	Schöpf, Rainer
author	Mittelbach, Frank
author	Lamport, Leslie
license	lpp1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3c (2024-08-12)
last changes	2024-08-12
year	2024
description	(no language specified) This is the Standard Letter Document Class for LaTeX version 2e .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/base/letter.pdf
– local file	./5244002883-letter.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/base
on MikTeX	ltxbase
on T _E XLive	latex
keyword	class (alternative LaTeX class(es))
keyword	tagged-pdf-partially (tagged PDF partially compatible)
keyword	letter (typesetting letters, envelopes, faxes, etc)
language(s)	no language specified
last access	2026-04-10

3391 letter-plain – Letter macros for Plain TeX

Web page on CTAN <https://ctan.org/pkg/letter-plain>

name	letter-plain
caption	Letter macros for Plain TeX
license	noinfo = noinfo
description	(no language specified) These macros would seem to be used by Knuth himself (a version with a slightly different default address may be found in the CTAN copy of Knuth's "local library" of macros).
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/letter.tex
keyword	letter (typesetting letters, envelopes, faxes, etc)
keyword	plain-ext (extensions to Plain TeX for higher-level constructs)
see also	see section 3394 on page 3064 : (<code>lettermac</code> – Simple macros for writing letters (Plain TeX))
language(s)	no language specified
year	without year
last access	2025-02-07

3392 letter1 – Letter formatting macros

Web page on CTAN <https://ctan.org/pkg/letter1>

name	letter1
caption	Letter formatting macros
license	noinfo = noinfo
version	(1989-11-23)
last changes	1989-11-23
year	1989
description	(no language specified) A simple set of macros, which acts as a driver file for producing a letter.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/contrib/letter1/README
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/letter1

keyword	<code>plain-ext</code> (extensions to Plain TeX for higher-level constructs)
keyword	<code>letter</code> (typesetting letters, envelopes, faxes, etc)
see also	see section 3166 on page 2857: (<code>knuth-letter</code> – Knuth’s example letter macros)
language(s)	no language specified
last access	2025-02-07

3393 *lettergothic* – The Adobe Type 1 font family Letter GothicType

Web page on CTAN <https://ctan.org/pkg/lettergothic>

name	<code>lettergothic</code>
caption	The Adobe Type 1 font family Letter GothicType
author	Schmidt, Walter A.
author	Harcombe, Keiran
author	URW GmbH
license	nocommercial = No Commercial Use (not free)
description	(no language specified) This bundle provides the Adobe Type 1 font family Letter Gothic which URW has made available for free under the Aladdin Free Public License. The original distribution site of the font files is http://www.artifex.com/downloads/. The fonts are accompanied by the TeX font metrics, virtual fonts, font definition and font mapping files to use them with LaTeX. The support material is released under the LPPL.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/urw/lettergothic/README.lettergothic
on CTAN	https://ctan.org/tex-archive/fonts/urw/lettergothic
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-mono</code> (monospaced font)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
language(s)	no language specified
year	without year
last access	2025-02-07

3394 **lettermac** – Simple macros for writing letters (Plain TeX)

Web page on CTAN <https://ctan.org/pkg/lettermac>

name	lettermac
caption	Simple macros for writing letters (Plain TeX)
author	Smith, J. Daniel
license	noinfo = noinfo
version	(1989-11-08)
last changes	1989-11-08
year	1989
description	(no language specified) No description provided by author.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/lettermac.tex
keyword	plain-ext (extensions to Plain TeX for higher-level constructs)
keyword	letter (typesetting letters, envelopes, faxes, etc)
see also	see section 3391 on page 3062: (letter-plain – Letter macros for Plain TeX)
language(s)	no language specified
last access	2025-02-09

3395 **letterspacing** – Letter spacing

Web page on CTAN <https://ctan.org/pkg/letterspacing>

name	letterspacing
caption	Letter spacing
author	Taylor, Philip
license	knuth = Knuth License (free)
description	(no language specified) Space out the letters of text; the command is <code>\letterspace<\hbox modifier>\{<text>\}</code> : the text is placed in an <code>\hbox</code> of the specified size, and space is inserted between each glyph to make the text fit the box. Note that letterspacing is not ordinarily considered acceptable in modern typesetting of English.

on CTAN	https://ctan.org/tex-archive/macros/generic/misc/letterspacing.tex
on MikTeX	genmisc
on T _E XLive	letterspacing
keyword	letterspace (change space between characters)
see also	see section 5609 on page 5076: (soul – Hyphenation for letterspacing, underlining, and more)
language(s)	no language specified
year	without year
last access	2025-02-07

3396 *letterswitharrows* – Draw arrows over math letters

Web page on CTAN	https://ctan.org/pkg/letterswitharrows
name	letterswitharrows
caption	Draw arrows over math letters
author	Teegen, Maximilian
copyright	J. M. Teegen (2019-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2024-10-31)
last changes	2024-10-31
year	2024
description	(no language specified) This package provides LaTeX math-mode commands for setting left and right arrows over mathematical symbols so that the arrows dynamically scale with the symbols. While it is possible to set arrows over longer strings of symbols, the focus lies on single characters.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/letterswitharrows/letterswitharrows.pdf
– local file	./4794065857-letterswitharrows.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/letterswitharrows/README.txt
contact	<i>repository</i> : https://github.com/max-te/letterswitharrows
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/letterswitharrows

on MikTeX	letterswitharrows
on TeXLive	letterswitharrows
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	maths (support for typesetting mathematics)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

3397 *lettre* – Letters and faxes in French

Web page on CTAN <https://ctan.org/pkg/lettre>

name	lettre
caption	Letters and faxes in French
author	Belaïche, Vincent
author	Mégevand, Denis
copyright	Denis Mégevand (2000-2013)
copyright	Vincent Belaïche (2013-2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.002 (2020-04-13)
last changes	2020-04-13
year	2020
description	(no language specified) Developed from the ancestor of the standard letter class, at the Observatoire de Genève.
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/lettre/lettre.pdf
– local file	./7335942660-lettre.pdf
documentation	<i>Readme (French)</i> : https://ctan.org/tex-archive/macros/latex/contrib/lettre/ALIRE
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/lettre/README
home page	https://puszcza.gnu.org.ua/projects/latex-lettre
contact	<i>bugs</i> : https://puszcza.gnu.org.ua/bugs/?group=latex-lettre
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lettre

installation	https://ctan.org/tex-archive/install/macros/latex/contrib/lettre.tds.zip
on MikTeX	lettre
on T _E XLive	lettre
keyword	class (alternative LaTeX class(es))
keyword	letter (typesetting letters, envelopes, faxes, etc)
keyword	french (support for typesetting French)
language(s)	French
last access	2025-02-07

3398 *lettrine* – Typeset dropped capitals

Web page on CTAN	https://ctan.org/pkg/lettrine
name	lettrine
caption	Typeset dropped capitals
author	Flipo, Daniel
copyright	Daniel Flipo (1999-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.83 (2025-12-06)
last changes	2025-12-06
year	2025
description	(no language specified) The <i>lettrine</i> package supports various dropped capitals styles, typically those described in the French typographic books. In particular, it has facilities for the paragraph text’s left edge to follow the outline of capitals that have a regular shape (such as ”A” and ”V”).
documentation	<i>Package examples (Arabic)</i> : https://ctan.org/tex-archive/macros/latex/contrib/lettrine/doc/lettrine-demo-arabic.pdf
– local file	<code>./6601799471-lettrine-demo-arabic.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/lettrine/doc/lettrine.pdf
– local file	<code>./7215000202-lettrine.pdf</code>
documentation	<i>Package examples (French)</i> : https://ctan.org/tex-archive/macros/latex/contrib/lettrine/doc/lettrine-demo-fr.pdf

3399 *levy-font* – Fonts for typesetting classical greek

– local file	<code>./7505511453-lettrine-demo-fr.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/lettrine/README.md
documentation	<i>Package examples (German)</i> : https://ctan.org/tex-archive/macros/latex/contrib/lettrine/doc/lettrine-demo-de.pdf
– local file	<code>./5247281223-lettrine-demo-de.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lettrine
on MikTeX	lettrine
on T _E XLive	lettrine
keyword	lettrine (drop capitals and flow text around them)
keyword	tagged-pdf (tagged PDF compatible)
language(s)	Arabic; German; French
last access	2025-12-18

3399 *levy-font* – Fonts for typesetting classical greek

Web page on CTAN	https://ctan.org/pkg/levy-font
name	levy-font
caption	Fonts for typesetting classical greek
author	Levy, Silvio
author	Wonneberger, Reinhard
author	Wujastyk, Dominik
copyright	Silvio Levy, Dominik Wujastyk, Reinhard Wonneberger (1992)
license	gpl2 = GNU General Public License, version 2 (free)
version	(2011-03-12)
last changes	2011-03-12
year	2011
description	(no language specified) These fonts are derivatives of Kunth's CM fonts. Macros for use with Plain TeX are included in the package; for use with LaTeX, see lgreek (with English documentation) or levy (with German documentation).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/greek/levy/README
on CTAN	https://ctan.org/tex-archive/fonts/greek/levy

on MikTeX	levy-font
on T _E XLive	levy
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
keyword	font-greek (font for Greek (archaic, classical and modern))
language(s)	no language specified
last access	2025-02-07

3400 *levy-latex* – Macros for using Silvio Levy's Greek fonts

Web page on CTAN <https://ctan.org/pkg/levy-latex>

name	levy-latex
caption	Macros for using Silvio Levy's Greek fonts
author	Dafferner, Andreas
license	nosell = Do Not Sell Except by Arrangement (not free)
version	1.0a
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/levy
keyword	font-supp (metrics, macro incantations and other font support)
see also	see section 3412 on page 3078: (lgreek – LaTeX macros for using Silvio Levy's Greek fonts)
language(s)	no language specified
year	without year
last access	2025-02-07

3401 *lewis* – Draw Lewis structures

Web page on CTAN <https://ctan.org/pkg/lewis>

name	lewis
caption	Draw Lewis structures
author	Horvath, Kent
license	pd = Public Domain Software (free)
version	0.1

description	(no language specified) The package provides rudimentary support for drawing Lewis Structures. Support is limited to elements that support the octet rule.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/lewis/lewis.pdf
– local file	./4885123767-lewis.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/lewis/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lewis
on MikTeX	lewis
on T _E XLive	lewis
keyword	chemistry (chemistry document support)
language(s)	no language specified
year	without year
last access	2025-02-07

3402 *lexend* – The Lexend fonts for XeLaTeX and LuaLaTeX through fontspec

Web page on CTAN <https://ctan.org/pkg/lexend>

name	lexend
caption	The Lexend fonts for XeLaTeX and LuaLaTeX through fontspec
author	Schinko, Yannick
license	ofl = The SIL Open Font License (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1.0.70 (2021-01-30)
last changes	2021-01-30
year	2021
description	(no language specified) The purpose of this package is pretty straightforward: The Lexend font collection has been designed by Dr. Bonnie Shaver-Troup and Thomas Jockin to make reading easier for everyone. Now my goal is to bring this wonderful collection to the world of LaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/lexend/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/lexend/doc/lexend.pdf

3403 *lexikon* – Macros for a two language dictionary

– local file	<code>./8091836228-lexend.pdf</code>
home page	https://github.com/BrainStone/latex-lexend
contact	<i>support:</i> https://discord.me/bungeechat
contact	<i>announce:</i> https://github.com/BrainStone/latex-lexend/blob/master/CHANGELOG.md
contact	<i>bugs:</i> https://github.com/BrainStone/latex-lexend/issues
contact	<i>repository:</i> https://github.com/BrainStone/latex-lexend
contact	<i>development:</i> https://github.com/BrainStone/latex-lexend#developing
on CTAN	https://ctan.org/tex-archive/fonts/lexend
on MikTeX	lexend
on T _E XLive	lexend
keyword	font (fonts themselves)
keyword	font-ttf (font available in TrueType format)
keyword	font-proportional (variable-spaced font)
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font-sans (sans-serif font)
keyword	font-suppl (metrics, macro incantations and other font support)
keyword	font-collection (listing a set of related fonts)
language(s)	no language specified
last access	2025-02-07

3403 *lexikon* – Macros for a two language dictionary

Web page on CTAN	https://ctan.org/pkg/lexikon
name	lexikon
caption	Macros for a two language dictionary
author	Kielhorn, Axel
license	lppl = The LaTeX Project Public License (free)
version	1.0c
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/lexikon/lexikon-doc.pdf

3404 *lexitex* – Footnote-style citations for law journals

– local file	<code>./5703327873-lexikon-doc.pdf</code>
documentation	(no language specified) <i>Upload note</i> : https://ctan.org/tex-archive/macros/latex/contrib/lexikon/lexikon.upl
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lexikon
on MikTeX	lexikon
on T _E XLive	lexikon
keyword	dictionary (macros that support preparation of dictionaries, lexicons, etc)
language(s)	no language specified
year	without year
last access	2025-02-07

3404 *lexitex* – Footnote-style citations for law journals

Web page on CTAN	https://ctan.org/pkg/lexitex
name	lexitex
caption	Footnote-style citations for law journals
author	Bennett, Frank
copyright	Frank Bennett (1992-1994)
license	pd = Public Domain Software (free)
version	2.0j
description	(no language specified) A predecessor of the camel system.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/lexitex/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lexitex
keyword	cite-supp (citation support)
see also	see section 3107 on page 2803: (jurabib – Extended BibTeX citation support for the humanities and legal texts)
language(s)	no language specified
year	1994
last access	2025-02-07

3405 *lexref* – Convenient and uniform references to legal provisionsWeb page on CTAN <https://ctan.org/pkg/lexref>

name	lexref
caption	Convenient and uniform references to legal provisions
author	Vion, Adrien
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1a
description	(no language specified) The package is aimed at continental lawyers (especially those in Switzerland and Germany), allowing the user to make references to legal provisions conveniently and uniformly. The package also allows the user to add cited Acts to a nomenclature list (automatically), and to build specific indexes for each cited Act. The package is still under development, and should be treated as an ‘alpha’-release.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/lexref/lexref.pdf
– local file	./7005977474-lexref.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/lexref/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lexref
on MikTeX	lexref
on T _E XLive	lexref
keyword	legal (typesetting legal documents or study material)
language(s)	no language specified
year	without year
last access	2025-02-07

3406 *l_{extex}* – Typesetting legal documents using plain TeX

Web page on CTAN <https://ctan.org/pkg/l_{extex}>

name	<code>l_{extex}</code>
caption	Typesetting legal documents using plain TeX
author	Horne, Roger
license	noinfo = noinfo
version	1.005
description	(no language specified) LeXTeX is a collection of macros intended to enable English lawyers, and in particular Barristers, to format their work using Plain TeX. The bundle incorporates the ruled table macros from TeXsis .
documentation	(no language specified) <i>Readme</i> : <a href="https://ctan.org/tex-archive/macros/plain/contrib/l<sub>extex</sub>/read.me">https://ctan.org/tex-archive/macros/plain/contrib/l_{extex}/read.me
on CTAN	<a href="https://ctan.org/tex-archive/macros/plain/contrib/l<sub>extex</sub>">https://ctan.org/tex-archive/macros/plain/contrib/l_{extex}
keyword	<code>plain-ext</code> (extensions to Plain TeX for higher-level constructs)
keyword	<code>legal</code> (typesetting legal documents or study material)
language(s)	no language specified
year	without year
last access	2025-02-07

3407 *l_{fb}* – A Greek font with normal and bold variants

Web page on CTAN <https://ctan.org/pkg/l_{fb}>

name	<code>l_{fb}</code>
caption	A Greek font with normal and bold variants
author	Field, Laurie
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) This is a Greek font written in Metafont, with inspiration from the Bodoni typefaces in old books. It is stylistically a little more exotic than the standard textbook Greek fonts, particularly in glyphs like the lowercase rho and kappa. It aims for a rather calligraphic feel, but seems to blend well with Computer Modern. There is a ligature scheme which automatically inserts the breathings required for ancient texts, making the input text more readable than in some schemes.

documentation	(Greek) <i>Example of text in lfb</i> : https://ctan.org/tex-archive/fonts/greek/lfb/example.pdf
– local file	<code>./3659813311-example.pdf</code>
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/fonts/greek/lfb/README
on CTAN	https://ctan.org/tex-archive/fonts/greek/lfb
on MikTeX	<code>lfb</code>
on T _E XLive	<code>lfb</code>
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>font-greek</code> (font for Greek (archaic, classical and modern))
keyword	<code>font</code> (fonts themselves)
language(s)	Greek
year	without year
last access	2025-02-07

3408 *lfonts-ams* – Use AMS fonts as standard LaTeX 2.09 fonts

Web page on CTAN	https://ctan.org/pkg/lfonts-ams
name	<code>lfonts-ams</code>
caption	Use AMS fonts as standard LaTeX 2.09 fonts
author	Fuchs, David R.
license	<code>noinfo = noinfo</code>
version	(1986-05-06)
last changes	1986-05-06
year	1986
description	(no language specified) A replacement for the file <code>lfonts.tex</code> in the LaTeX 2.09 distribution, which treats the AMS symbol fonts as first-class citizens of LaTeX, in the same way as CM fonts are treated. Note that the fonts used are the old <code>msxm</code> / <code>msym</code> set, which are only now available in virtual font form (based on the current symbol fonts <code>msam</code> / <code>msbm</code>).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex209/contrib/lfonts_ams/lfonts_ams.readme
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/lfonts_ams/lfonts_ams.tex

keyword font-supp (metrics, macro incantations and other font support)
 keyword latex209 (package only known to work with LaTeX 2.09)
 language(s) no language specified
 last access 2025-02-11

3409 *lgc-examples* – Examples from The LaTeX Graphics Companion

Web page on CTAN <https://ctan.org/pkg/lgc-examples>

name lgc-examples
 caption Examples from The LaTeX Graphics Companion
 author Rahtz, Sebastian
 license lppl = The LaTeX Project Public License (free)
 description (no language specified) The source of the examples printed in the book, together with necessary supporting files.
 documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/info/examples/lgc/README>
 on CTAN <https://ctan.org/tex-archive/info/examples/lgc>
 on T_EXLive latex-graphics-companion
 keyword book-ex (copies of examples from a published book)
 language(s) no language specified
 year without year
 last access 2025-02-07

3410 *lgc2-examples* – Examples from The LaTeX Graphics Companion, second edition

Web page on CTAN <https://ctan.org/pkg/lgc2-examples>

name lgc2-examples
 caption Examples from The LaTeX Graphics Companion, second edition
 author Rahtz, Sebastian
 author Mittelbach, Frank
 license lppl = The LaTeX Project Public License (free)
 description (no language specified) The source of the examples printed in the book, together with necessary supporting files.

documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/info/examples/lgc2/README
on CTAN	https://ctan.org/tex-archive/info/examples/lgc2
keyword	book-ex (copies of examples from a published book)
language(s)	no language specified
year	without year
last access	2026-04-10

3411 *lgraph* – A program to generate graphs

Web page on CTAN <https://ctan.org/pkg/lgraph>

name	<i>lgraph</i>
caption	A program to generate graphs
author	Podar, Sunil
license	noinfo = noinfo
version	(1986-10-05)
last changes	1986-10-05
year	1986
description	(no language specified) The package offers a translation of external parameters into LaTeX commands to produce the corresponding graph. (There is mention of a file of documentation, which has apparently been lost.)
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex209/contrib/lgraph
keyword	obsolete (package declared obsolete)
keyword	graphics-engn (graphics generator whose output is good for use with TeX)
language(s)	no language specified
last access	2025-02-07

3412 *lgreek* – LaTeX macros for using Silvio Levy’s Greek fonts

Web page on CTAN <https://ctan.org/pkg/lgreek>

name	lgreek
caption	LaTeX macros for using Silvio Levy’s Greek fonts
author	Murphy, Timothy
license	gpl2 = GNU General Public License, version 2 (free)
version	(2011-03-12)
last changes	2011-03-12
year	2011
description	(no language specified) A conversion of Silvio Levy’s Plain TeX macros for use with LaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/lgreek/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/lgreek/lgreekuse.pdf
– local file	./3809955210-lgreekuse.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lgreek
on MikTeX	lgreek
on T _E XLive	lgreek
keyword	greek (support for typesetting Greek)
keyword	font-use (font selection, mapping, etc.)
see also	see section 3400 on page 3069: (levy-latex – Macros for using Silvio Levy’s Greek fonts)
language(s)	no language specified
last access	2025-02-07

3413 lgrind – Produce beautiful listings of source code with LaTeX

Web page on CTAN <https://ctan.org/pkg/lgrind>

name	lgrind
caption	Produce beautiful listings of source code with LaTeX
author	Piefel, Michael
license	other-nonfree = License that prevents distribution (not free)
version	3.67
description	(no language specified) LGrind is a descendant of the Unix utility vgrind. It prepares various programming language source code (e.g., C, C++, Pascal, BASIC, Modula-2, Fortran, RATFOR Yacc, PostScript, Prolog, MLisp, Icon, LaTeX, Perl, CSH Bourne Shell, assembler, 68000 assembler, asm68, VMS assembler, ISP, LDL, Linda, MODEL, MatLab, Russell) for pretty-printing within LaTeX. Options for producing includable files and processing embedded listings in LaTeX texts are provided.
documentation	(no language specified) <i>FAQ</i> : https://ctan.org/tex-archive/support/lgrind/FAQ
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/lgrind/lgrind.pdf
– local file	./7665577959-lgrind.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/lgrind/README
on CTAN	https://ctan.org/tex-archive/support/lgrind
keyword	listing (computer code listing)
see also	see section 3470 on page 3137: (listings – Typeset source code listings using LaTeX)
see also	see section 6058 on page 5474: (tgrind – Produce beautiful program listings using plain TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

3414 lgrmath – Use LGR-encoded fonts in math modeWeb page on CTAN <https://ctan.org/pkg/lgrmath>

name	<code>lgrmath</code>
caption	Use LGR-encoded fonts in math mode
author	Burnol, Jean-François
copyright	Jean-François Burnol (2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2022-11-16)
last changes	2022-11-16
year	2022
description	(no language specified) The <code>lgrmath</code> package is a LaTeX package which sets the Greek letters in math mode to use glyphs from the LGR-encoded font of one's choice. The documentation includes a rather extensive list of the available font family names on typical LaTeX installations.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/lgrmath/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/lgrmath/lgrmath.pdf
– local file	<code>./5957358222-lgrmath.pdf</code>
contact	<i>bugs</i> : https://github.com/jfbu/lgrmath/issues
contact	<i>repository</i> : https://github.com/jfbu/lgrmath
contact	<i>development</i> : https://github.com/jfbu/lgrmath/pulls
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lgrmath
on MikTeX	<code>lgrmath</code>
on T _E XLive	<code>lgrmath</code>
keyword	<code>greek</code> (support for typesetting Greek)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
language(s)	no language specified
last access	2025-02-07

3415 *lgrx* – Obsolete package for Greek in text

Web page on CTAN <https://ctan.org/pkg/lgrx>

name	<i>lgrx</i>
caption	Obsolete package for Greek in text
author	Milde, Günter
copyright	Günter Milde (2010)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.9 (2013-09-13)
last changes	2013-09-13
year	2013
description	(no language specified) The LGRx bundle provided packages and definitions for typesetting Greek text with fonts in the LGR encoding. It has been made obsolete by the combination of <code>greek-fontenc</code> and <code>greek-inputenc</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/lgrx/README
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/lgrx
keyword	obsolete (package declared obsolete)
keyword	inputenc (input encoding support for TeX engines)
keyword	greek (support for typesetting Greek)
language(s)	no language specified
last access	2025-02-07

3416 *lh* – Cyrillic fonts that support LaTeX standard encodings

Web page on CTAN <https://ctan.org/pkg/lh>

name	<i>lh</i>
caption	Cyrillic fonts that support LaTeX standard encodings
author	Khodulev, Andrey
author	Lapko, Olga
author	Berdnikov, Alexander

author	Volovich, Vladimir
license	lppl = The LaTeX Project Public License (free)
version	3.5g
description	(no language specified) The LH fonts address the problem of the wide variety of alphabets that are written with Cyrillic-style characters. The fonts are the original basis of the set of T2* and X2 encodings that are now used when LaTeX users need to write in Cyrillic languages. Macro support in standard LaTeX encodings is offered through the latex-cyrillic and t2 bundles, and the package itself offers support for other (more traditional) encodings. The fonts, in the standard T2* and X2 encodings are available in Adobe Type 1 format, in the CM-Super family of fonts. The package also offers its own LaTeX support for OT2 encoded fonts, CM bright shaped fonts and Concrete shaped fonts .
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/cyrillic/lh/README
on CTAN	https://ctan.org/tex-archive/fonts/cyrillic/lh
on MikTeX	lh
on T _E XLive	lh
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-cyrillic (fonts for Cyrillic and related scripts)
see also	see section 1260 on page 1143 : (concrete – Concrete Roman fonts)
see also	see section 965 on page 878 : (ccfonts – Support for Concrete text and math fonts in LaTeX)
see also	see section 1152 on page 1049 : (cmbright – Computer Modern Bright fonts)
see also	see section 1807 on page 1631 : (ecc – Sources for the European Concrete fonts)
language(s)	no language specified
year	without year
last access	2025-02-07

3417 *lhcyr* – A non-standard Cyrillic input schemeWeb page on CTAN <https://ctan.org/pkg/lhcyr>

name	lhcyr
caption	A non-standard Cyrillic input scheme
author	Zhytnikov, Vadim V.
license	other-free = Free license not otherwise listed (free)
description	(no language specified) A collection of three LaTeX 2e styles intended for typesetting Russian and bilingual English-Russian documents, using the lh fonts and without the benefit of babel's language-switching mechanisms. The packages (<i>lhcyralt</i> and <i>lhcyrwin</i> for use under emTeX , and <i>lhcyrkoi</i> for use under teTeX) provide mappings between the input encoding and the font encoding (which is described as OT1). The way this is done does <i>not</i> match the way inputenc would do the job, for output via fontenc to one of the T2 series of font encodings.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/lhcyr/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lhcyr
on MikTeX	lhcyr
on T _E XLive	lhcyr
keyword	font-supp (metrics, macro incantations and other font support)
keyword	multilingual (support for more than one (natural) language)
see also	see section 3170 on page 2860: (<i>koi8</i> – KOI-8 input support)
language(s)	no language specified
year	without year
last access	2025-02-07

3418 *lhelp* – Miscellaneous helper packagesWeb page on CTAN <https://ctan.org/pkg/lhelp>

name	lhhelp
caption	Miscellaneous helper packages
author	Kuhlmann, Volker
license	gpl = GNU General Public License (free)

version	2.0
description	(no language specified) This package defines macros which are useful for many documents. It is a large collection of simple ‘little helpers’ which do not really warrant a separate package on their own. Included are, among other things, definitions of common units with preceding thinspaces, framed boxes where both width and height can be specified, starting new odd or even pages, draft markers, notes, conditional includes, including EPS files, and versions of <code>enumerate</code> and <code>itemize</code> which allow the horizontal and vertical spacing to be changed.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/lhelp/lhelp.pdf
– local file	<code>./5125659266-lhelp.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lhelp
on MikTeX	<code>lhelp</code>
on TeXLive	<code>lhelp</code>
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
language(s)	no language specified
year	without year
last access	2025-02-07

3419 *libertine* – Use of Linux Libertine and Biolinum fonts with LaTeX

Web page on CTAN	https://ctan.org/pkg/libertine
Alias	<code>biolinum</code>
name	<code>libertine</code>
caption	Use of Linux Libertine and Biolinum fonts with LaTeX
author	Tennent, Bob
license	<code>gpl</code> = GNU General Public License (free)
license	<code>ofl</code> = The SIL Open Font License (free)
license	<code>lppl</code> = The LaTeX Project Public License (free)
version	5.3.0 (2024-12-04)
last changes	2024-12-04
year	2024

description	(no language specified) The package provides the Libertine and Biolinum fonts in both Type 1 and OTF styles, together with support macros for their use. Monospaced and display fonts, and the "keyboard" set are also included, in OTF style, only. The mweights package is used to manage the selection of font weights. The package supersedes both the libertineotf and the libertine-legacy packages.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/libertine/README
documentation	(no language specified) <i>Font samples</i>: https://ctan.org/tex-archive/fonts/libertine/doc/libertine-samples.pdf
– local file	<code>./7514788551-libertine-samples.pdf</code>
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/libertine/doc/libertine.pdf
– local file	<code>./6210688292-libertine.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/libertine
installation	https://ctan.org/tex-archive/install/fonts/libertine.tds.zip
on MikTeX	<code>libertine</code>
on TeXLive	<code>libertine</code>
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-sans</code> (sans-serif font)
keyword	<code>font-t1enc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-mono</code> (monospaced font)
keyword	<code>font-serif</code> (serif font)
language(s)	no language specified
last access	2025-02-07

3420 *libertine-legacy* – Linux Libertine fonts for (La)TeX and pdf(La)TeX users

Web page on CTAN <https://ctan.org/pkg/libertine-legacy>

name	libertine-legacy
caption	Linux Libertine fonts for (La)TeX and pdf(La)TeX users
author	Niedermair, Michael
author	Tennent, Bob
license	gpl = GNU General Public License (free)
version	(2011-12-30)
last changes	2011-12-30
year	2011
description	(no language specified) The package provides support for (traditional-)TeX-based users of the libertine bundle, who were left isolated when that bundle switched to OTF-only form on 2012-12-11 (thus only, now, supporting XeTeX and LuaTeX users). To prevent confusion with libertine ‘original’, there are no OTF fonts in the present package. Note that the package is now deemed obsolete; the unified libertine package serves its purpose.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/fonts/libertine-legacy/README
on CTAN	https://ctan.org/tex-archive/obsolete/fonts/libertine-legacy
keyword	font (fonts themselves)
keyword	font-suppl (metrics, macro incantations and other font support)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
last access	2025-02-07

3421 *libertine-type1* – (pdf)LaTeX support for the Libertine family of fonts

Web page on CTAN <https://ctan.org/pkg/libertine-type1>

name	<code>libertine-type1</code>
caption	(pdf)LaTeX support for the Libertine family of fonts
author	Tennent, Bob
license	lppl = The LaTeX Project Public License (free)
version	5.3.0
description	(no language specified) The package (and the companion biolinum-type1 package of sans serif fonts) replace the libertine-legacy bundle. However, the packages do not provide the range of font shapes available with libertine-legacy . The support files for the package were generated using the autoinst script.
documentation	(no language specified) <i>Samples</i> : https://ctan.org/tex-archive/obsolete/fonts/libertine-type1/doc/samples.pdf
– local file	<code>./2627694732-samples.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/fonts/libertine-type1/README
on CTAN	https://ctan.org/tex-archive/obsolete/fonts/libertine-type1
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>obsolete</code> (package declared obsolete)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-sans</code> (sans-serif font)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
see also	see section 3423 on page 3089 : (<code>libertineotf</code> – Linux Libertine fonts for use with Lua(La)TeX and Xe(La)TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

3422 *libertinegc* – Libertine add-on to support Greek and Cyrillic

Web page on CTAN <https://ctan.org/pkg/libertinegc>

name	libertinegc
caption	Libertine add-on to support Greek and Cyrillic
author	Sharpe, Michael
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.01 (2017-06-16)
last changes	2017-06-16
year	2017
description	(no language specified) The package provides LaTeX support files to access the Greek and Cyrillic glyphs in LinuxLibertine. It functions as an add-on to the libertine package, using filenames and macro names that are compatible with that package. Supported encodings: LGR, T2A, T2B, T2C, OT2.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/libertinegc/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/libertinegc/doc/libertinegc-doc.pdf
– local file	./1590880471-libertinegc-doc.pdf
on CTAN	https://ctan.org/tex-archive/fonts/libertinegc
installation	https://ctan.org/tex-archive/install/fonts/libertinegc.tds.zip
on MikTeX	libertinegc
on T _E XLive	libertinegc
keyword	font (fonts themselves)
keyword	font-greek (font for Greek (archaic, classical and modern))
keyword	font-cyrillic (fonts for Cyrillic and related scripts)
keyword	font-serif (serif font)
keyword	font-multilingual (font with adaptations to several languages)
see also	see section 3419 on page 3084 : (<i>libertine</i> – Use of Linux Libertine and Biolinum fonts with LaTeX)
language(s)	no language specified
last access	2025-02-07

3423 *libertineotf* – Linux Libertine fonts for use with Lua(La)TeX and Xe(La)TeX

Web page on CTAN <https://ctan.org/pkg/libertineotf>

name	<code>libertineotf</code>
caption	Linux Libertine fonts for use with Lua(La)TeX and Xe(La)TeX
author	Gundlach, Patrick
author	Niedermair, Michael
license	gpl2 = GNU General Public License, version 2 (free)
version	5.13-8
description	(no language specified) The Linux-Libertine project offers a font family with a wide range of shapes, and support of several alphabets (including Latin, Cyrillic, Greek and Hebrew). This bundle provides the fonts in OpenType format (see libertine-type1 and biolinum-type1 packages for a release in Adobe Type 1 format). The bundle is now obsolete, being replaced by the libertine package.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/obsolete/fonts/libertineotf/README
on CTAN	https://ctan.org/tex-archive/obsolete/fonts/libertineotf
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-sans</code> (sans-serif font)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
language(s)	no language specified
year	without year
last access	2025-02-07

3424 *libertinus* – Wrapper to use the correct *libertinus* package according to the used TeX engine

Web page on CTAN <https://ctan.org/pkg/libertinus>

name	<code>libertinus</code>
caption	Wrapper to use the correct <i>libertinus</i> package according to the used TeX engine
author	Voß, Herbert
copyright	Herbert Voß (2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.02
description	(no language specified) This package is only a wrapper for the two packages libertinus-type1 (pdfLaTeX) and libertinus-otf (LuaLaTeX/XeLaTeX). The Libertinus fonts are similar to Libertine and Biolinum, but come with math symbols.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/libertinus/doc/libertinus-doc.pdf
– local file	<code>./5020970410-libertinus-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/libertinus/README.md
on CTAN	https://ctan.org/tex-archive/fonts/libertinus
on MikTeX	<code>libertinus</code>
on TeXLive	<code>libertinus</code>
keyword	<code>font-sans</code> (sans-serif font)
keyword	<code>tagged-pdf</code> (tagged PDF compatible)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-mono</code> (monospaced font)
keyword	<code>font-maths</code> (fonts for use in mathematics)
language(s)	no language specified
year	2018
last access	2026-04-13

3425 *libertinus-fonts* – The Libertinus font family

Web page on CTAN <https://ctan.org/pkg/libertinus-fonts>

name	libertinus-fonts
caption	The Libertinus font family
author	MacIennan, Caleb
author	Hosny, Khaled
copyright	The Libertinus Project Authors (2012-2021)
copyright	Philipp H. Poll (2003–2012)
license	ofl = The SIL Open Font License (free)
version	7.051 (2024-09-27)
last changes	2024-09-27
year	2024
description	(no language specified) This is a fork of the Linux Libertine and Linux Biolinum fonts that started as an OpenType math companion of the Libertine font family, but grown as a full fork to address some of the bugs in the fonts. The family consists of: • Libertinus Serif: forked from Linux Libertine. • Libertinus Sans: forked from Linux Biolinum. • Libertinus Mono: forked from Linux Libertine Mono. • Libertinus Math: an OpenType math font for use in OpenType math-capable applications like LuaTeX, XeTeX or MS Word 2007+.
documentation	(no language specified) <i>Math font samples</i>: https://ctan.org/tex-archive/fonts/libertinus-fonts/documentation/Math-Sample.pdf
– local file	./4254778265-Math-Sample.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/libertinus-fonts/README.md
documentation	(no language specified) <i>Font samples</i>: https://ctan.org/tex-archive/fonts/libertinus-fonts/documentation/sample.pdf
– local file	./5479995762-sample.pdf
contact	<i>announce</i> : https://github.com/alerque/libertinus/releases
contact	<i>bugs</i> : https://github.com/alerque/libertinus/issues
contact	<i>repository</i> : https://github.com/alerque/libertinus

on CTAN	https://ctan.org/tex-archive/fonts/libertinus-fonts
on MikTeX	libertinus-fonts
on TeXLive	libertinus-fonts
keyword	font-maths (fonts for use in mathematics)
keyword	font-otf (font in OpenType format)
keyword	font-multilingual (font with adaptations to several languages)
keyword	font (fonts themselves)
keyword	font-proportional (variable-spaced font)
keyword	font-serif (serif font)
keyword	font-mono (monospaced font)
keyword	font-sans (sans-serif font)
keyword	font-body (font designed for use as body font for Latin-based script documents)
see also	see section 3427 on page 3094: (<i>libertinus-type1</i> – Support for using Libertinus fonts with LaTeX/pdfLaTeX)
see also	see section 3426 on page 3092: (<i>libertinus-otf</i> – Support for Libertinus OpenType)
language(s)	no language specified
last access	2025-02-07

3426 *libertinus-otf* – Support for Libertinus OpenType

Web page on CTAN	https://ctan.org/pkg/libertinus-otf
name	libertinus-otf
caption	Support for Libertinus OpenType
author	Voß, Herbert
copyright	Herbert Voß (2023-2025)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.34 (2025-12-16)
last changes	2025-12-16
year	2025

description	(no language specified) This package offers LuaLaTeX/XeLaTeX support for the Libertinus OpenType fonts maintained by Khaled Hosny. Missing fonts are defined via several font feature settings. The Libertinus fonts are similar to Libertine and Biolinum, but come with math symbols.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/libertinus-otf/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/libertinus-otf/doc/libertinus-otf-doc.pdf
– local file	<code>./7150069117-libertinus-otf-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/libertinus-otf
on MikTeX	<code>libertinus-otf</code>
on TeXLive	<code>libertinus-otf</code>
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>luatex</code> (LuaTeX and packages that require it)
keyword	<code>tagged-pdf-partially</code> (tagged PDF partially compatible)
keyword	<code>font-sans</code> (sans-serif font)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-maths</code> (fonts for use in mathematics)
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>xetex</code> (XeTeX, material supporting it, and packages requiring it)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-mono</code> (monospaced font)
see also	see section 3427 on page 3094: (<code>libertinus-type1</code> – Support for using Libertinus fonts with LaTeX/pdfLaTeX)
see also	see section 3425 on page 3091: (<code>libertinus-fonts</code> – The Libertinus font family)
language(s)	no language specified
last access	2026-04-13

3427 *libertinus-type1* – Support for using Libertinus fonts with LaTeX/pdfLaTeX

Web page on CTAN <https://ctan.org/pkg/libertinus-type1>

name	libertinus-type1
caption	Support for using Libertinus fonts with LaTeX/pdfLaTeX
author	Tennent, Bob
license	gpl2 = GNU General Public License, version 2 (free)
license	lppl = The LaTeX Project Public License (free)
license	ofl = The SIL Open Font License (free)
version	(2025-01-11)
last changes	2025-01-11
year	2025
description	(no language specified) This package provides support for use of Libertinus fonts with traditional processing engines (LaTeX with dvips or dvipdfmx, or pdfLaTeX).
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/libertinus-type1/doc/libertinus-samples.pdf
– local file	./7521622087-libertinus-samples.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/libertinus-type1/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/libertinus-type1/doc/libertinus-type1.pdf
– local file	./9192039785-libertinus-type1.pdf
on CTAN	https://ctan.org/tex-archive/fonts/libertinus-type1
installation	https://ctan.org/tex-archive/install/fonts/libertinus-type1.tds.zip
on MikTeX	libertinus-type1
on TeXLive	libertinus-type1
keyword	font-t1enc (font providing LaTeX T1 encoding support)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-sans (sans-serif font)
keyword	font (fonts themselves)

keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font-mono</code> (monospaced font)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-serif</code> (serif font)
see also	see section 3426 on page 3092: (<code>libertinus-otf</code> – Support for Libertinus OpenType)
see also	see section 3425 on page 3091: (<code>libertinus-fonts</code> – The Libertinus font family)
language(s)	no language specified
last access	2025-02-10

3428 *libertinust1math* – A Type 1 font and LaTeX support for Libertinus Math

Web page on CTAN <https://ctan.org/pkg/libertinust1math>

name	<code>LibertinusT1Math</code>
caption	A Type 1 font and LaTeX support for Libertinus Math
author	Sharpe, Michael
copyright	Michael Sharpe (2016-2024)
copyright	Philipp H. Poll (2003–2012)
copyright	Khaled Hosny (2012-2016)
license	lppl = The LaTeX Project Public License (free)
license	ofl = The SIL Open Font License (free)
version	2.0.6 (2024-06-03)
last changes	2024-06-03
year	2024
description	(no language specified) The package provides a Type1 version of Libertinus Math, with a number of additions and changes, plus LaTeX support files that allow it to serve as a math accompaniment to Libertine under LaTeX. In addition, with option <code>sansmath</code>, it can function as a standalone math font with sans serif Roman and Greek letters.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/libertinust1math/doc/LibertinusT1Math-doc.pdf
– local file	<code>./1457042031-LibertinusT1Math-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/libertinust1math/README
on CTAN	https://ctan.org/tex-archive/fonts/libertinust1math
on MikTeX	<code>libertinust1math</code>
on TeXLive	<code>libertinust1math</code>
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-maths</code> (fonts for use in mathematics)
keyword	<code>font-sans</code> (sans-serif font)
language(s)	no language specified
last access	2025-02-07

3429 libgreek – Greek letters in math mode from Libertinus or Linux Libertine/Biolinum

Web page on CTAN <https://ctan.org/pkg/libgreek>

name	<code>libgreek</code>
caption	Greek letters in math mode from Libertinus or Linux Libertine/Biolinum
author	Burnol, Jean-François
copyright	Jean-François Burnol (2011-2012, 2022)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1 (2022-11-11)
last changes	2022-11-11
year	2022
description	(no language specified) This package allows LaTeX users (especially if using traditional LaTeX/pdfLaTeX) to set the Greek letters in math mode using the glyphs from the Libertinus Serif or Sans font via the font support files provided by Bob Tennent’s libertinus-type1 package. All Greek letters are defined both in <code>\dotsup</code> and <code>\dotsit</code> variants. The style (ISO, TeX, or French i.e. upright) can be modified midway in the document. A “legacy” mode uses font support from the (obsolete) libertine-legacy package which maps to the Linux Libertine or Biolinum fonts.

This package is for users who only want to customize Greek letters in math mode.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/libgreek/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/libgreek/libgreek.pdf
– local file	<code>./3592405509-libgreek.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/libgreek
on MikTeX	<code>libgreek</code>
on TeXLive	<code>libgreek</code>
keyword	<code>font-maths</code> (fonts for use in mathematics)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
language(s)	no language specified
last access	2025-02-07

3430 *librarian* – Tools to create bibliographies in TeX

Web page on CTAN	https://ctan.org/pkg/librarian
name	<code>librarian</code>
caption	Tools to create bibliographies in TeX
author	Isambert, Paul
license	lpl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package extracts information in bib files, makes it available in the current document, and sorts lists of entries according to that information and the user's specifications. Citation and bibliography styles can then be written directly in TeX, without any use of BibTeX. Creating references thus depends entirely on the user's skill in TeX. The package works with all formats that use plain TeX's basic syntactic sugar; the distribution includes a third-party file for ConTeXt and a style file for LaTeX. As an example of use, an Author (Year) style is given in a separate file and explained in the documentation.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/librarian/README

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/librarian/doc/generic/librarian/librarian-doc.pdf
– local file	./5197261146-librarian-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/generic/librarian
on MikTeX	librarian
on T _E XLive	librarian
keyword	biblio (bibliography processor)
language(s)	no language specified
year	without year
last access	2025-02-07

3431 *librebaskerville* – The Libre Baskerville family of fonts with LaTeX support

Web page on CTAN	https://ctan.org/pkg/librebaskerville
name	librebaskerville
caption	The Libre Baskerville family of fonts with LaTeX support
author	Tennent, Bob
license	lppl = The LaTeX Project Public License (free)
license	ofl = The SIL Open Font License (free)
version	(2022-09-17)
last changes	2022-09-17
year	2022
description	(no language specified) This package provides the Libre Baskerville family of fonts, designed by Pablo Impallari, for use with LaTeX, pdfLaTeX, XeLaTeX or LuaLaTeX. It is primarily intended to be a web font but is also attractive as a text font. A BoldItalic variant has been artificially generated.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/librebaskerville/README
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/librebaskerville/doc/librebaskerville-samples.pdf
– local file	./2644880485-librebaskerville-samples.pdf
on CTAN	https://ctan.org/tex-archive/fonts/librebaskerville

installation	https://ctan.org/tex-archive/install/fonts/librebaskerville.tds.zip
on MikTeX	librebaskerville
on T _E XLive	librebaskerville
keyword	font-tlenc (font providing LaTeX T1 encoding support)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-proportional (variable-spaced font)
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font-serif (serif font)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font (fonts themselves)
keyword	font-ttf (font available in TrueType format)
language(s)	no language specified
last access	2025-02-10

3432 librebodoni – Libre Bodoni fonts with LaTeX support

Web page on CTAN	https://ctan.org/pkg/librebodoni
name	librebodoni
caption	Libre Bodoni fonts with LaTeX support
author	Tennent, Bob
license	lppl = The LaTeX Project Public License (free)
license	ofl = The SIL Open Font License (free)
version	(2022-09-18)
last changes	2022-09-18
year	2022
description	(no language specified) The Libre Bodoni fonts are designed by Pablo Impallari and Rodrigo Fuenzalida, based on the 19th century Morris Fuller Benton's.
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/librebodoni/doc/librebodoni-samples.pdf
– local file	./1206064325-librebodoni-samples.pdf

documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/librebodoni/README
on CTAN	https://ctan.org/tex-archive/fonts/librebodoni
installation	https://ctan.org/tex-archive/install/fonts/librebodoni.tds.zip
on MikTeX	librebodoni
on T _E XLive	librebodoni
keyword	font (fonts themselves)
keyword	font-t1enc (font providing LaTeX T1 encoding support)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-proportional (variable-spaced font)
keyword	font-otf (font in OpenType format)
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-serif (serif font)
language(s)	no language specified
last access	2025-02-10

3433 *librecaslon* – Libre Caslon fonts, with LaTeX support

Web page on CTAN	https://ctan.org/pkg/librecaslon
name	librecaslon
caption	Libre Caslon fonts, with LaTeX support
author	Tennent, Bob
license	ofl = The SIL Open Font License (free)
license	lppl = The LaTeX Project Public License (free)
version	(2022-09-18)
last changes	2022-09-18
year	2022

description	(no language specified) The Libre Caslon fonts are designed by Pablo Impallari. Although they have been designed for use as web fonts, they work well as conventional text fonts. An artificially generated BoldItalic variant has been added.
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/librecaslon/doc/librecaslon-samples.pdf
– local file	<code>./8898624086-librecaslon-samples.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/librecaslon/README
home page	https://github.com/impallari/Libre-Caslon-Text
on CTAN	https://ctan.org/tex-archive/fonts/librecaslon
installation	https://ctan.org/tex-archive/install/fonts/librecaslon.tds.zip
on MikTeX	<code>librecaslon</code>
on TeXLive	<code>librecaslon</code>
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-t1enc</code> (font providing LaTeX T1 encoding support)
language(s)	no language specified
last access	2025-02-10

3434 librefranklin – LaTeX support for the Libre-Franklin family of fonts

Web page on CTAN <https://ctan.org/pkg/librefranklin>

name librefranklin

caption LaTeX support for the Libre-Franklin family of fonts

author Tennent, Bob

license lppl = The LaTeX Project Public License (free)

license ofl = The SIL Open Font License (free)

version (2022-09-19)

last changes 2022-09-19

year 2022

description (no language specified) Libre Franklin is an interpretation and expansion based on the 1912 Morris Fuller Benton's classic, designed by Pablo Impallari, Rodrigo Fuenzalida and Nhung Nguyen.

documentation (no language specified) *Package documentation*:
<https://ctan.org/tex-archive/fonts/librefranklin/doc/librefranklin-samples.pdf>

– local file ./1960903468-librefranklin-samples.pdf

documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/fonts/librefranklin/README>

home page <https://github.com/impallari/Libre-Franklin>

on CTAN <https://ctan.org/tex-archive/fonts/librefranklin>

installation <https://ctan.org/tex-archive/install/fonts/librefranklin.tds.zip>

on MikTeX librefranklin

on T_EXLive librefranklin

keyword font-proportional (variable-spaced font)

keyword font-sans (sans-serif font)

keyword font-body (font designed for use as body font for Latin-based script documents)

keyword font (fonts themselves)

keyword font-type1 (font available in Adobe Type 1 format)

keyword font-otf (font in OpenType format)

keyword font-t1enc (font providing LaTeX T1 encoding support)

language(s) no language specified
last access 2025-02-10

3435 *libris* – Libris ADF fonts, with LaTeX support

Web page on CTAN <https://ctan.org/pkg/libris>

name	libris
caption	Libris ADF fonts, with LaTeX support
author	Rees, Clea F.
author	Harendal, Hirwen
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
license	gpl2 = GNU General Public License, version 2 (free)
version	1.1
description	(no language specified) LibrisADF is a sans-serif family designed to mimic Lydian. The bundle includes: • fonts, in Adobe Type 1, TrueType and OpenType formats, and • LaTeX support macros, for use with the Type 1 versions of the fonts. The LaTeX macros depend on the nfssexst-cfr bundle. GPL licensing applies the fonts themselves; the support macros are distributed under LPPL licensing.
documentation	(no language specified) <i>Details of distribution</i> : https://ctan.org/tex-archive/fonts/libris/doc/librisadf.pdf
– local file	./3943021037-librisadf.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/libris/README.md
home page	http://arkandis.tuxfamily.org/tugfonts.htm
contact	<i>repository</i> : https://codeberg.org/cfr/nfssexst
on CTAN	https://ctan.org/tex-archive/fonts/libris
on MikTeX	libris
on T _E XLive	libris
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-supp (metrics, macro incantations and other font support)

keyword	font (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-02-07

3436 lie-hasse – Draw Hasse diagrams

Web page on CTAN <https://ctan.org/pkg/lie-hasse>

name	lie-hasse
caption	Draw Hasse diagrams
author	McKay, Benjamin
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.02 (2024-12-04)
last changes	2024-12-04
year	2024
description	(no language specified) This package draws Hasse diagrams of the partially ordered sets of the simple roots of any complex simple Lie algebra. It uses the Dynkin diagrams package dynkin-diagrams .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/lie-hasse/lie-hasse.pdf
– local file	./5858385111-lie-hasse.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/lie-hasse/README
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/lie-hasse
on MikTeX	lie-hasse
on TeXLive	lie-hasse
keyword	diagram (diagrams)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-02-07

3437 *liederbuch* – A LaTeX package for storing songs or other content, and repeated reuse in documents

Web page on CTAN <https://ctan.org/pkg/liederbuch>

name	liederbuch
caption	A LaTeX package for storing songs or other content, and repeated reuse in documents
author	Ruprecht, Gabriel
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1.0 (2025-01-20)
last changes	2025-01-20
year	2025
description	(no language specified) This package is meant for content which you reuse regularly, like songs in small booklets. For example the booklets used at church, weddings or similar events. It has two major parts: 1. You typeset your content once (most likely a song), garnish it with some meta data and put it into a sty-file. From there you can insert this content into your document with one single line. The inserted content can have header and footer that use the meta data (i.e. title, composer, lyricist). 2. Inside these content fragments, you can use the <code>\notenzeile</code> (stave line) command to combine an image of a stave line with song lyrics. If correctly used, the lyrics are placed correctly below the notes and need most often no or only minor adjustments. With that you can combine any stave image with LaTeX fonts. You can find resources and inspiration in a demo project.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/liederbuch/liederbuch-documentation.pdf
– local file	<code>./2376666038-liederbuch-documentation.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/liederbuch/README.md
contact	<i>repository</i>: https://bitbucket.org/maestro-glanz/liederbuch-package/src/master
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/liederbuch
on MikTeX	liederbuch
on T _E XLive	liederbuch

3438 *lifia-th* – A thesis class for LIFIA, Grenoble

keyword `expl3` (`expl3(unknown)`)
 keyword `music` (typesetting music and related stuff)
 language(s) no language specified
 last access 2025-02-07

3438 *lifia-th* – A thesis class for LIFIA, Grenoble

Web page on CTAN <https://ctan.org/pkg/lifia-th>

name `lifia-th`
 caption A thesis class for LIFIA, Grenoble
 author Pfister, Wilfried
 license other-free = Free license not otherwise listed (free)
 version 2.0
 description (no language specified) The class is designed to produce a Thesis in French, and the documentation is also in French.
 documentation *Readme (French)*: <https://ctan.org/tex-archive/macros/latex/contrib/lifia-th/LISEZ.MOI>
 documentation (French) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/lifia-th/lifia-th.pdf>
 – local file `./9497506920-lifia-th.pdf`
 on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/lifia-th>
 keyword `class` (alternative LaTeX class(es))
 keyword `dissertation` (typesetting dissertations, theses, etc.)
 language(s) French
 year without year
 last access 2025-02-07

3439 liftarm – Geometric constructions with liftarms using TikZ and LaTeX3Web page on CTAN <https://ctan.org/pkg/liftarm>

name	liftarm
caption	Geometric constructions with liftarms using TikZ and LaTeX3
author	Floré, Matthias
copyright	Matthias Floré (2022-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.0 (2024-05-20)
last changes	2024-05-20
year	2024
description	(no language specified) This package is based on the package TikZ and can be used to draw geometric constructions with liftarms. There are several options for the appearance of the liftarms. It provides an environment to connect multiple liftarms using the Newton-Raphson method and LU decomposition. It also provides an environment to describe a construction and a method to animate a construction with one or more traces.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/liftarm/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/liftarm/liftarm.pdf
– local file	./4648509126-liftarm.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/liftarm
on MikTeX	liftarm
on TeXLive	liftarm
keyword	graphics (graphics (support packages))
keyword	expl3 (expl3(unknown))
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-02-07

3440 *ligatex* – Remove unnecessary ligaturesWeb page on CTAN <https://ctan.org/pkg/ligatex>

name	LigaTeX
caption	Remove unnecessary ligatures
author	Killesreiter, Gerhard
license	gpl = GNU General Public License (free)
description	(no language specified) LigaTeX removes unnecessary ligatures (accented characters written out as more than one letter) from TeX files (for example, it translates "ae" to "\a "). The program currently only works with texts written in German. However, the author welcomes additions to LigaTeX in order to make it usable with any language.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/ligatex/README
on CTAN	https://ctan.org/tex-archive/support/ligatex
keyword	preprocessor (preprocesses source before using TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

3441 *light-latex-make* – llmk: A build tool for LaTeX documentsWeb page on CTAN <https://ctan.org/pkg/light-latex-make>

Alias	llmk
name	Light LaTeX Make
caption	llmk: A build tool for LaTeX documents
author	Asakura, Takuto
copyright	Takuto Asakura (2018-2023)
license	mit = MIT License (free)
version	1.2.0

description	(no language specified) Light LaTeX Make (llmk) is yet another build tool specific for LaTeX documents. Its aim is to provide a simple way to specify a workflow of processing LaTeX documents and encourage people to always explicitly show the right workflow for each document. The main features of <code>llmk</code> are all about the above purpose. First, you can describe the workflows either in an external file <code>llmk.toml</code> or in a LaTeX document source in the form of magic comments. Further, multiple magic comment formats can be used. Second, it is fully cross-platform. The only requirement of the program is the <code>texlua</code> command; <code>llmk</code> provides a uniform way to describe the workflows available for nearly all TeX environments. Third, it behaves exactly the same in any environment. At this point, <code>llmk</code> intentionally does not provide any method for user configuration. Therefore one can guarantee that for a LaTeX document with an <code>llmk</code> setup, the process of typesetting the document will be reproduced in any TeX environment with the program.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/light-latex-make/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/light-latex-make/llmk.pdf
– local file	<code>./8212972252-llmk.pdf</code>
contact	<i>bugs</i> : https://github.com/wtsnjp/llmk/issues
contact	<i>repository</i> : https://github.com/wtsnjp/llmk
on CTAN	https://ctan.org/tex-archive/support/light-latex-make
on MikTeX	<code>light-latex-make</code>
on T _E XLive	<code>light-latex-make</code>
keyword	<code>comp-supp</code> (support for preparing documents)
keyword	<code>use-lua</code> (package requires availability of lua)
keyword	<code>compilation</code> (the document compilation process)
language(s)	no language specified
year	2023
last access	2025-02-07

3442 ligtype – Comprehensive ligature suppression functionalitiesWeb page on CTAN <https://ctan.org/pkg/ligtype>

name	ligtype
caption	Comprehensive ligature suppression functionalities
author	Kelkel, Thomas
copyright	Thomas Kelkel (2022-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3 (2023-07-08)
last changes	2023-07-08
year	2023
description	(no language specified) This package suppresses inappropriate ligatures following specified rules. Both font and user kerning are applied correctly, and f-glyphs are automatically replaced with their short-arm variant (if available). Also there is an emphasis on speed. By default the package applies German language ligature suppression rules. With the help of options and macros it can be used for other languages as well. The package requires LuaLaTeX.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/ligtype/ligtype.pdf
– local file	./1594013241-ligtype.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/ligtype/README.md
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/ligtype
on MikTeX	ligtype
on TeXLive	ligtype
keyword	letterspace (change space between characters)
keyword	luatex (LuaTeX and packages that require it)
keyword	typesetting (support for variations of typographic style)
see also	see section 5203 on page 4715 : (rmligs – Remove incorrect ligatures in German documents)
language(s)	no language specified
last access	2025-02-09

3443 lilyglyphs – Access lilypond fragments and glyphs, in LaTeX

Web page on CTAN <https://ctan.org/pkg/lilyglyphs>

name	<code>lilyglyphs</code>
caption	Access lilypond fragments and glyphs, in LaTeX
author	Liska, Urs
copyright	Urs Liska et al. (2012-2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2.4 (2020-09-29)
last changes	2020-09-29
year	2020
description	(no language specified) The package provides the means to include arbitrary elements of Lilypond notation, including symbols from Lilypond’s Emmentaler font, in a LaTeX document. The package uses OpenType fonts, and as a result must be compiled with LuaLaTeX or XeLaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/lilyglyphs/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/lilyglyphs/documentation/lilyglyphs.pdf
– local file	<code>./7431590792-lilyglyphs.pdf</code>
contact	<i>repository</i> : https://github.com/uliska/lilyglyphs
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/lilyglyphs
on MikTeX	<code>lilyglyphs</code>
on TeXLive	<code>lilyglyphs</code>
keyword	<code>font-music</code> (fonts of music symbols)
keyword	<code>font</code> (fonts themselves)
keyword	<code>music</code> (typesetting music and related stuff)
keyword	<code>font-otf</code> (font in OpenType format)
see also	see section 1295 on page 1173: (<code>context-lilypond</code> – Lilypond code in ConTeXt)
language(s)	no language specified

last access 2025-02-07

3444 *limap* – Typeset maps and blocks according to the Information Mapping® method

Web page on CTAN <https://ctan.org/pkg/limap>

name	limap
caption	Typeset maps and blocks according to the Information Mapping® method
author	Neugebauer, Gerd
copyright	Gerd Neugebauer (1999-2016)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.2
description	(no language specified) The Information Mapping® method provides a methodology for structuring and presenting information. It claims to be useful for readers who are more concerned about finding the right information than reading the document as a whole. Thus short, highly structured, and context free pieces of information are used. A LaTeX style and a LaTeX class are provided. The style contains definitions to typeset maps and blocks according to the Information Mapping® method. The class provides all definitions to typeset a whole document.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gene/limap/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gene/limap/limap.pdf
– local file	./6711352091-limap.pdf
home page	http://gerd-neugebauer.de/software/TeX/limap/
contact	<i>repository</i> : https://sourceforge.net/p/gene-tex-lib/svn/HEAD/tree/limap/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gene/limap
on MikTeX	limap
on T _E XLive	limap
keyword	class (alternative LaTeX class(es))
keyword	report-like (regularly-formatted reports)
keyword	struc-mkup (structured markup)
keyword	article-like (LaTeX article classes and their developments)

keyword	book-pub (preparing a book for publication)
language(s)	no language specified
year	2016
last access	2026-04-14

3445 *limecv* – A (Xe/Lua)LaTeX document class for curriculum vitae

Web page on CTAN <https://ctan.org/pkg/limecv>

name	<code>limecv</code>
caption	A (Xe/Lua)LaTeX document class for curriculum vitae
author	Pieters, Olivier
copyright	Olivier Pieters (2017-2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.12
description	(no language specified) <i>limecv</i> is a (Xe/Lua)LaTeX document class to write curriculum vitae. It is designed with the following design rules: simple, elegant and clean. To this end, it offers several environments and macros for convenience.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/limecv/limecv.pdf
– local file	<code>./4558250863-limecv.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/limecv/README.md
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/limecv/examples/mwe-xelatex.pdf
– local file	<code>./8160809923-mwe-xelatex.pdf</code>
home page	https://olivierpieters.be/projects/limecv
contact	<i>bugs</i> : https://github.com/opieters/limecv/issues
contact	<i>repository</i> : https://github.com/opieters/limecv
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/limecv
on MikTeX	<code>limecv</code>
on T _E XLive	<code>limecv</code>
keyword	<code>class</code> (alternative LaTeX class(es))

keyword cv (curriculum vitae/Resumé)
 language(s) no language specified
 year 2020
 last access 2025-02-07

3446 linearA – Linear A script fonts

Web page on CTAN <https://ctan.org/pkg/linearA>

name linearA
 caption Linear A script fonts
 author Syropoulos, Apostolos
 copyright Apostolos Syropoulos (2006)
 license lppl = The LaTeX Project Public License (free)
 description (no language specified) The linearA package provides a simple interface to two fonts which include all known symbols, simple and complex, of the Linear A script. This way one can easily replicate Linear A "texts" using modern typographic technology. Note that the Linear A script has not been deciphered yet and probably never will be deciphered.
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/fonts/archaic/linearA/README>
 documentation (no language specified) *Font samples*: https://ctan.org/tex-archive/fonts/archaic/linearA/doc/linearA_glyphs.pdf
 – local file ./7112794100-linearA_glyphs.pdf
 on CTAN <https://ctan.org/tex-archive/fonts/archaic/linearA>
 on MikTeX linearA
 on T_EXLive linearA
 keyword font (fonts themselves)
 keyword font-archaic (fonts reproducing archaic scripts or inscriptions)
 keyword font-type1 (font available in Adobe Type 1 format)
 language(s) no language specified
 year 2006
 last access 2025-02-07

3447 linearb – Linear B script used in the Bronze Age for Mycenaean Greek

Web page on CTAN <https://ctan.org/pkg/linearb>

name	linearb
caption	Linear B script used in the Bronze Age for Mycenaean Greek
author	Wilson, Peter R.
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The linearb package provides a Metafont and Adobe Type 1 font versions of the Linear B script which was a syllabary used in the Bronze Age for writing Mycenaean Greek. This is one of a series of archaic fonts.
documentation	(no language specified) <i>Sample of Linear B font</i> : https://ctan.org/tex-archive/fonts/archaic/linearb/trylinearb.pdf
– local file	./6634628739-trylinearb.pdf
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/archaic/linearb/linearb.pdf
– local file	./2841405803-linearb.pdf
documentation	(no language specified) <i>Samples of entire archaic bundle</i> :: https://ctan.org/tex-archive/fonts/archaic/asamples.pdf
– local file	./8592837549-asamples.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/archaic/linearb/README
on CTAN	https://ctan.org/tex-archive/fonts/archaic/linearb
on MikTeX	archaic
on T _E XLive	archaic
keyword	font-archaic (fonts reproducing archaic scripts or inscriptions)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
keyword	font-greek (font for Greek (archaic, classical and modern))
language(s)	no language specified
year	without year
last access	2025-02-07

3448 linearregression – Calculate and display linear regressions

Web page on CTAN <https://ctan.org/pkg/linearregression>

name	linearregression
caption	Calculate and display linear regressions
author	Benciolini, Battista
license	lppl = The LaTeX Project Public License (free)
version	(2024-12-14)
last changes	2024-12-14
year	2024
description	(no language specified) This package provides the definition of some document-level commands (and some auxiliary functions) that perform the linear regression on a set of data and present the data and the results in tabular and in graphic form.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/linearregression/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/linearregression/linearregression.pdf
– local file	./3357063917-linearregression.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/linearregression
on MikTeX	linearregression
on TeXLive	linearregression
keyword	calculation (perform calculations within TeX)
keyword	maths (support for typesetting mathematics)
keyword	expl3 (expl3(unknown))
see also	see section 6804 on page 6140: (xint-regression – Classic regressions, with xint)
language(s)	no language specified
last access	2025-02-07

3449 linebreaker – Prevent overflow boxes with LuaLaTeXWeb page on CTAN <https://ctan.org/pkg/linebreaker>

name	linebreaker
caption	Prevent overflow boxes with LuaLaTeX
author	Hoftich, Michal
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1c (2023-03-21)
last changes	2023-03-21
year	2023
description	(no language specified) This package tries to prevent overflow lines in paragraphs or boxes. It changes LuaTeX's <code>\linebreak</code> callback and re-typesets the paragraph with increased values of <code>\tolerance</code> and <code>\emergencystretch</code> until the overflow no longer happens. If that doesn't help, it chooses the solution with the lowest badness.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/linebreaker/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/linebreaker/linebreaker-doc.pdf
– local file	<code>./5956007495-linebreaker-doc.pdf</code>
contact	<i>bugs</i> : https://github.com/michal-h21/linebreaker/issues
contact	<i>repository</i> : https://github.com/michal-h21/linebreaker
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/linebreaker
on MikTeX	linebreaker
on TeXLive	linebreaker
keyword	micro-layout (paragraph shapes, margin adjustments, etc.)
keyword	expl3 (expl3(unknown))
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
last access	2025-02-09

3450 *linegoal* – A “dimen” that returns the space left on the line

Web page on CTAN <https://ctan.org/pkg/linegoal>

name	<code>linegoal</code>
caption	A “dimen” that returns the space left on the line
author	Chervet, Florent
copyright	Florent Chervet (2010)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.9
description	(no language specified) The <i>linegoal</i> package provides a macro <code>\linegoal</code> to be used with <code>\setlength</code>: <pre>\setlength< some dimen >\linegoal</pre> will set <code>< some dimen ></code> to the horizontal length of the remainder of the line. This is achieved using the <code>\pdfsavepos</code> primitive of pdfTeX, through the zref-savepos package. Example: <pre>Some text: \begin{tabularx}{\linegoal{11X}} \hline one & two \\ three & four \\ \hline \end{tabularx}</pre> will position the table after the initial text, and make the table fill the rest of the line.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/linegoal/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/linegoal/linegoal.pdf
– local file	<code>./9427531921-linegoal.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/linegoal
on MikTeX	<code>linegoal</code>
on TeXLive	<code>linegoal</code>
keyword	layout (layout of objects on the page)
language(s)	no language specified
year	2010

last access 2025-02-07

3451 *lineno* – Line numbers on paragraphs

Web page on CTAN <https://ctan.org/pkg/lineno>

name	lineno
caption	Line numbers on paragraphs
author	Wette, Karl
author	Lück, Uwe
author	Böttcher, Stephan
copyright	Stephan I. Böttcher (1995-2003)
copyright	Karl Wette (2021-2025)
copyright	Uwe Lück (2002-2005, 2011)
license	lpl = The LaTeX Project Public License (free)
version	5.9 (2026-03-08)
last changes	2026-03-08
year	2026
description	(no language specified) Adds line numbers to selected paragraphs with reference possible through the LaTeX <code>\ref</code> and <code>\pageref</code> cross reference mechanism. Line numbering may be extended to footnote lines, using the fnlineno package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/lineno/doc/lineno.pdf
– local file	./3663763085-lineno.pdf
documentation	(no language specified) <i>Supplementary files as PDF</i> : https://ctan.org/tex-archive/macros/latex/contrib/lineno/doc/lnosuppl.pdf
– local file	./6864671755-lnosuppl.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/lineno/README.md
documentation	(no language specified) <i>User manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/lineno/doc/ulineno.pdf
– local file	./4351372315-ulineno.pdf
contact	<i>bugs</i> : https://github.com/latex-lineno/lineno/issues
contact	<i>repository</i> : https://github.com/latex-lineno/lineno

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lineno
on MikTeX	<code>lineno</code>
on T _E XLive	<code>lineno</code>
keyword	<code>line-nos</code> (number the typeset lines)
keyword	<code>tagged-pdf-incompatible</code> (tagged PDF incompatible)
keyword	<code>typesetting</code> (support for variations of typographic style)
see also	see section 4743 on page 4293: (<code>poemscol</code> – Typesetting Critical Editions of Poetry)
see also	see section 4333 on page 3923: (<code>numline</code> – LaTeX macros for numbering lines)
see also	see section 1831 on page 1653: (<code>ednotes</code> – Typeset scholarly editions)
see also	see section 3769 on page 3407: (<code>manyfoot</code> – Adds footnote levels to standard LaTeX’s footnote mechanism)
see also	see section 3379 on page 3049: (<code>ledmac</code> – Typeset scholarly editions)
see also	see section 1828 on page 1650: (<code>edmac</code> – Typeset critical editions)
language(s)	no language specified
last access	2026-03-17

3452 *linenoamsmath* – Use the *lineno* package together with *amsmath*

Web page on CTAN	https://ctan.org/pkg/linenoamsmath
name	<code>linenoamsmath</code>
caption	Use the <i>lineno</i> package together with <i>amsmath</i>
author	Wette, Karl
copyright	Karl Wette (2021)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) This package patches the <i>amsmath</i> package to work with the <i>lineno</i> package. As of December 2022 the functionality of this package has been incorporated into the <i>lineno</i> package itself.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/linenoamsmath/README

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/linenoamsmath/linenoamsmath.pdf
– local file	./7478379482-linenoamsmath.pdf
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/linenoamsmath
on MikTeX	linenoamsmath
keyword	obsolete (package declared obsolete)
keyword	line-nos (number the typeset lines)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	2021
last access	2026-03-17

3453 *ling-macros* – Macros for typesetting formal linguistics

Web page on CTAN	https://ctan.org/pkg/ling-macros
name	ling-macros
caption	Macros for typesetting formal linguistics
author	McKenzie, Andrew
copyright	Andrew McKenzie (2016)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2016-10-12)
last changes	2016-10-12
year	2016
description	(no language specified) This package contains macros for typesetting glosses and formal expressions. It covers a range of subfields in formal linguistics.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ling-macros/ling-macros-doc.pdf
– local file	./4146935674-ling-macros-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ling-macros/README.txt

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ling-macros
on MikTeX	ling-macros
on T _E XLive	ling-macros
keyword	linguistic (support for linguistics)
language(s)	no language specified
last access	2025-02-07

3454 *lingtrees* – Linguistics trees preprocessor and macros

Web page on CTAN	https://ctan.org/pkg/lingtrees
name	lingtrees
caption	Linguistics trees preprocessor and macros
author	Andrews, Avery D
copyright	Avery DeLano Andrews 3rd (1991, 2005, 2006)
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) LingTrees is a package for formatting linguistics trees, consisting of a preprocessor that converts an indented list format into LaTeX macros, and some macros for doing the layout and line drawing. The line drawing may be done either by tree-dvips or by PSTricks (PSTricks gives the user more functionality).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/LingTrees/lingtrees.doc.pdf
– local file	./2371019902-lingtrees.doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/LingTrees/README
documentation	(no language specified) <i>Support package for using tree-dvips</i> : https://ctan.org/tex-archive/macros/latex/contrib/LingTrees/pst-tree-dvips-emu.doc.pdf
– local file	./1087447710-pst-tree-dvips-emu.doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/LingTrees
keyword	tree (mechanisms for drawing trees)
keyword	linguistic (support for linguistics)

language(s)	no language specified
year	2006
last access	2025-02-07

3455 *linguex* – Format linguists’ examples

Web page on CTAN <https://ctan.org/pkg/linguex>

name	linguex
caption	Format linguists’ examples
author	Sternefeld, Wolfgang
copyright	Wolfgang Sternefeld (1996-2003)
license	lppl = The LaTeX Project Public License (free)
version	4.3
description	(no language specified) This bundle comprises two packages: • The <code>linguex</code> package facilitates the formatting of linguist examples, automatically taking care of example numbering, indentations, indexed brackets, and the “*” in grammaticality judgments. • The <code>ps-trees</code> package provides linguistic trees, building on the macros of <code>tree-dvips</code>, but overcoming some of the older package’s shortcomings.
documentation	(no language specified) <i>Linguex manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/linguex/doc/linguex-doc.pdf
– local file	<code>./4599175878-linguex-doc.pdf</code>
documentation	(no language specified) <i>PS-trees manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/linguex/doc/ps-trees-doc.pdf
– local file	<code>./5435044088-ps-trees-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/linguex
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/linguex.tds.zip
on MikTeX	linguex
on T _E XLive	linguex
keyword	linguistic (support for linguistics)

keyword	tree (mechanisms for drawing trees)
language(s)	no language specified
year	2003
last access	2025-02-07

3456 *linguisticspro* – LinguisticsPro fonts with LaTeX support

Web page on CTAN <https://ctan.org/pkg/linguisticspro>

name	linguisticspro
caption	LinguisticsPro fonts with LaTeX support
author	Tennent, Bob
license	ofl = The SIL Open Font License (free)
license	lppl = The LaTeX Project Public License (free)
version	(2022-10-28)
last changes	2022-10-28
year	2022
description	(no language specified) The package provides LaTeX, pdfLaTeX, XeLaTeX and LuaLaTeX support for the LinguisticsPro family of fonts. This family is derived from the Utopia Nova font family, by Andreas Nolda.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/linguisticspro/doc/linguisticspro-samples.pdf
– local file	<code>./5175126900-linguisticspro-samples.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/linguisticspro/README
home page	https://www.fontsquirrel.com/fonts/linguistics-pro
on CTAN	https://ctan.org/tex-archive/fonts/linguisticspro
installation	https://ctan.org/tex-archive/install/fonts/linguisticspro.tds.zip
on MikTeX	linguisticspro
on T _E XLive	linguisticspro
keyword	font-greek (font for Greek (archaic, classical and modern))
keyword	font-serif (serif font)

3457 *linguistix* – Enhanced support for linguistics

keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font-tlenc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font-cyrillic</code> (fonts for Cyrillic and related scripts)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-multilingual</code> (font with adaptations to several languages)
language(s)	no language specified
last access	2025-02-07

3457 *linguistix* – Enhanced support for linguistics

Web page on CTAN <https://ctan.org/pkg/linguistix>

Alias	<code>LinguisTiX-greek</code>
Alias	<code>LinguisTiX-nfss</code>
Alias	<code>LinguisTiX-british</code>
Alias	<code>LinguisTiX-marathi</code>
Alias	<code>LinguisTiX-fixpex</code>
Alias	<code>LinguisTiX-american</code>
Alias	<code>LinguisTiX-fonts</code>
Alias	<code>LinguisTiX-languages</code>
Alias	<code>LinguisTiX-malayalam</code>
Alias	<code>LinguisTiX-base</code>
Alias	<code>LinguisTiX-ipa</code>
Alias	<code>LinguisTiX-logos</code>
name	<code>LinguisTiX</code>
caption	Enhanced support for linguistics
author	निरंजन
copyright	निरंजन (2025, 2026)

license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	0.9b (2026-04-27)
last changes	2026-04-27
year	2026
description	(no language specified) This is an experimental bundle of packages that provide enhanced support for typesetting in linguistics. It can be used as a single package, or the packages can be loaded independently for separate features. Currently, it provides the following packages: 1. LinguisTiX-base: A base package used by other LinguisTiX siblings 2. LinguisTiX-fixpex: Solves the compatibility bug between expex and unicode-math 3. LinguisTiX-fonts: General text in the New Computer Modern font family 4. LinguisTiX-ipa: IPA text in the New Computer Modern font family 5. LinguisTiX-glossing: Accessible interlinear glossing 6. LinguisTiX-leipzig: Leipzig-style glossing with tagging 7. LinguisTiX-languages: Support for modern multilingual typesetting 8. LinguisTiX-logos: For printing the logos of the LinguisTiX bundle 9. LinguisTiX-nfss: Extra control over NFSS
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/linguistix/README.txt
documentation	(no language specified) <i>Documentation of the LinguisTiX bundle</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/linguistix/linguistix.pdf
– local file	<code>./7770957040-linguistix.pdf</code>
documentation	(no language specified) <i>TUGboat article about this package</i> : https://tug.org/members/TUGboat/tb46-2/tb143niranjan-linguistix.pdf
– local file	<code>./4742923239-tb143niranjan-linguistix.pdf</code>
documentation	(no language specified) <i>Documentation of supported languages</i> : https://download.gnu.org.ua/release/linguistix/doc/languages
home page	https://puszcza.gnu.org.ua/projects/linguistix
contact	<i>bugs</i> : https://puszcza.gnu.org.ua/bugs/?group=linguistix
contact	<i>repository</i> : https://git.gnu.org.ua/linguistix.git/
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/linguistix

on MikTeX	linguistix
on T _E XLive	linguistix
keyword	linguistic (support for linguistics)
language(s)	no language specified
last access	2026-04-29

3458 *linkedthm* – Hyperlinked theorem–proof environments for LaTeX

Web page on CTAN <https://ctan.org/pkg/linkedthm>

name	linkedthm
caption	Hyperlinked theorem–proof environments for LaTeX
author	Ortega Andrés, Luis Antonio
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2025-07-21)
last changes	2025-07-21
year	2025
description	(no language specified) This package provides lightweight infrastructure for bidirectional linking between theorem-like environments and their corresponding proofs. It automatically adds a [Proof] hyperlink at the end of a theorem and a restated version with a [Return] link inside the proof. You can declare any number of custom linked environments (e.g., <code>linkeddefinition</code>, <code>linkedexample</code>) using <code>\DeclareLinkedTheorem</code>, and base them on any amsthm-compatible environment. This is useful for mathematical writing and documentation, where proof navigation is essential. The package uses amsthm, xparse, and hyperref, and is compatible with all standard LaTeX engines.
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/linkedthm/linkedthm-example.pdf
– local file	<code>./4447198227-linkedthm-example.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/linkedthm/README.md

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/linkedthm/linkedthm-doc.pdf
– local file	./3925489858-linkedthm-doc.pdf
contact	<i>repository</i> : https://github.com/Ludvins/linkedthm/tree/main
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/linkedthm
on MikTeX	linkedthm
on TeXLive	linkedthm
keyword	maths-theorem (typeset mathematical theorems)
keyword	hyper (support for hypertext)
language(s)	no language specified
last access	2026-04-10

3459 *linop* – Typeset linear operators as they appear in quantum theory or linear algebra

Web page on CTAN <https://ctan.org/pkg/linop>

name	<i>linop</i>
caption	Typeset linear operators as they appear in quantum theory or linear algebra
author	Weytjens, Johannes
copyright	Johannes Weytjens (2016)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1 (2016-06-06)
last changes	2016-06-06
year	2016
description	(no language specified) This small package aims to provide two simple commands and many options to easily write linear operators as they appear in many-body physics, quantum theory, and linear algebra, in any of the ways commonly in use.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/linop/linop.pdf
– local file	./4089781508-linop.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/linop/README.md

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/linop
on MikTeX	linop
on T _E XLive	linop
keyword	maths (support for typesetting mathematics)
keyword	physics (support for typesetting physics documents)
language(s)	no language specified
last access	2026-03-26

3460 linsys – Typeset systems of linear equations

Web page on CTAN <https://ctan.org/pkg/linsys>

name	linsys
caption	Typeset systems of linear equations
author	Kehowski, Walter A.
license	gpl = GNU General Public License (free)
description	(no language specified) Defines an environment linsys, that sets systems of equations in an eqnarray-like array, with a symbol labelling each line of the system.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/misc/linsys.sty
on MikTeX	ltxmisc
on T _E XLive	ltxmisc
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	without year
last access	2026-03-26

3461 lintex – Tidy up after a TeX run

Web page on CTAN <https://ctan.org/pkg/lintex>

name	lintex
caption	Tidy up after a TeX run
author	Loreti, Maurizio
author	Kavanagh, Ryan
copyright	Ryan Kavanagh (2010)
license	gpl = GNU General Public License (free)
version	1.13
description	(no language specified) A C program that removes auxilliary TeX and LaTeX files that are usually not needed after a run (log, aux, dvi, files), and only if their modification time is more recent than the source.
documentation	(no language specified) <i>Man page</i> : https://ctan.org/tex-archive/support/lintex/lintex.pdf
– local file	./8081667721-lintex.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/lintex/README
on CTAN	https://ctan.org/tex-archive/support/lintex
keyword	comp-mgmt (control TeX’s behaviour during compilation)
language(s)	no language specified
year	2010
last access	2025-02-07

3462 lion-msc – LaTeX class for B.Sc. and M.Sc. reports at Leiden Institute of Physics (LION)

Web page on CTAN <https://ctan.org/pkg/lion-msc>

name	lion-msc
caption	LaTeX class for B.Sc. and M.Sc. reports at Leiden Institute of Physics (LION)
author	de Dood, Michiel
copyright	Michiel de Dood (2014-2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.30 (2020-06-04)

last changes	2020-06-04
year	2020
description	(no language specified) LaTeX class for B.Sc. and M.Sc. reports at Leiden Institute of Physics (LION). The purpose of this class is twofold: It creates a uniform layout of the student theses from our department. More importantly it contains several fields on the front-page that the user needs to fill that are used in the university administration (name, student number and name of supervisor). Students are free to change the layout of the text but should leave the title page as it is.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/lion-msc/lion-msc.pdf
– local file	<code>./5716614661-lion-msc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/lion-msc/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lion-msc
on MikTeX	lion-msc
on TeXLive	lion-msc
keyword	class (alternative LaTeX class(es))
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
last access	2025-02-07

3463 *lips* – Text ellipses in LaTeX

Web page on CTAN	https://ctan.org/pkg/lips
name	lips
caption	Text ellipses in LaTeX
author	Swift, Matt
license	gpl = GNU General Public License (free)
version	2.1

description	(no language specified) A LaTeX package defining <code>\lips</code> , which generates text ellipses that are closer to what <i>The Chicago Manual of Style</i> suggests than what <code>\dots</code> produces. The package does the right thing in most circumstances, and so is easier to use, as well. The package is part of the frankenstein bundle of packages.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/lips.pdf
– local file	<code>./5998790886-lips.pdf</code>
documentation	(no language specified) <i>Bundle README</i> : https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/frankenstein
on MikTeX	frankenstein
on TeXLive	frankenstein
keyword	typesetting (support for variations of typographic style)
see also	see section 1866 on page 1685: (<code>\ellipsis</code> – Fix uneven spacing around ellipses in LaTeX text mode)
language(s)	no language specified
year	without year
last access	2025-02-11

3464 *lipsum* – Easy access to the Lorem Ipsum and other dummy texts

Web page on CTAN <https://ctan.org/pkg/lipsum>

name	lipsum
caption	Easy access to the Lorem Ipsum and other dummy texts
author	Happel, Patrick
author	Oleinik, Phelype
copyright	Patrick Happel (2014-2019)
copyright	Phelype Oleinik (2021)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.7
description	(no language specified) This package gives you easy access to 150 paragraphs of the Lorem Ipsum dummy text provided by https://lipsum.com , plus a growing list of other dummy texts in different languages.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/lipsum/lipsum.pdf
– local file	./1622864378-lipsum.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/lipsum/README.txt
contact	<i>bugs</i> : https://github.com/PhelypeOleinik/lipsum/issues
contact	<i>repository</i> : https://github.com/PhelypeOleinik/lipsum
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lipsum
on MikTeX	lipsum
on TeXLive	lipsum
keyword	macro-supp (support for development of (La)TeX macros)
keyword	dummy-gen (dummy text generator for tests and examples)
keyword	multilingual (support for more than one (natural) language)
keyword	expl3 (expl3(unknown))
see also	see section 764 on page 702: (blindtext – Producing ‘blind’ text for testing)
see also	see section 3119 on page 2815: (kantlipsum – Generate sentences in Kant’s style)
language(s)	no language specified
year	2021
last access	2025-02-07

3465 *lisp-on-tex* – Execute LISP code in a LaTeX document

Web page on CTAN	https://ctan.org/pkg/lisp-on-tex
name	lisp-on-tex
caption	Execute LISP code in a LaTeX document
author	Shizuya, Hakuta
copyright	HAKUTA Shizuya (2012-2024)
license	bsd = BSD Style License (free)
version	2.1
description	(no language specified) The package provides a LISP interpreter written using TeX macros; it is provided as a LaTeX package. The interpreter static scoping, dynamic typing, and eager evaluation.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/lisp-on-tex/README.md
documentation	(no language specified) <i>Slides from TUG 2013 presentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/lisp-on-tex/tug2013/slide.pdf
– local file	<code>./8988107706-slide.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lisp-on-tex
on MikTeX	<code>lisp-on-tex</code>
on TeXLive	<code>lisp-on-tex</code>
keyword	<code>exec-foreign</code> (execute ‘other types’ of language)
language(s)	no language specified
year	2024
last access	2026-04-10

3466 *list* – List ASCII text files

Web page on CTAN	https://ctan.org/pkg/list
name	<code>list</code>
caption	List ASCII text files
author	Knuth, Donald E.
license	knuth = Knuth License (free)
description	(no language specified) Output is a verbatim listing of the input file, ready for printing. Use will (typically) be something like: <code>tex list *.c \\end</code>
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/list.tex
keyword	<code>plain-ext</code> (extensions to Plain TeX for higher-level constructs)
keyword	<code>verbatim</code> (verbatim typesetting, etc.)
see also	see section 3490 on page 3156: (<code>llist</code> – List ASCII text files in landscape)
language(s)	no language specified
year	without year
last access	2025-02-11

3467 listbib – Lists contents of BibTeX files

Web page on CTAN <https://ctan.org/pkg/listbib>

name	listbib
caption	Lists contents of BibTeX files
author	Kuhlmann, Volker
copyright	Volker Kuhlmann (2000)
license	gpl = GNU General Public License (free)
version	2.2
description	(no language specified) Generates listings of bibliographic data bases in BibTeX format — for example for archival purposes. Included is a listbib.bst which is better suited for this purpose than the standard styles.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/listbib/listbib-doc.pdf
– local file	./8087042237-listbib-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/listbib
on MikTeX	listbib
on T _E XLive	listbib
keyword	bibtex-util (utilities for managing BibTeX files)
see also	see section 695 on page 644: (biblist – Print a BibTeX database)
language(s)	no language specified
year	2000
last access	2025-02-07

3468 listing – Produce formatted program listings

Web page on CTAN <https://ctan.org/pkg/listing>

name	listing
caption	Produce formatted program listings
author	Hebley, Matthew
author	Kuhlmann, Volker
copyright	Matthew Hebley, Volker Kuhlmann (1994, 1996, 1999)

license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) The listing environment is provided and is similar to figure and table, although it is not a floating environment. Includes support for <code>\caption</code> , <code>\label</code> , <code>\ref</code> , and introduces <code>\listoflistings</code> , <code>\listingname</code> , <code>\listlistingname</code> . It produces a <code>.lol</code> file. It does not change <code>\@makecaption</code> (unless the option <code>bigcaptions</code> is used), so packages that change the layout of <code>\caption</code> still work.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/listing/listing.pdf
– local file	<code>./4667829172-listing.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/listing
on MikTeX	<code>listing</code>
on TeXLive	<code>listing</code>
keyword	<code>listing</code> (computer code listing)
see also	see section 3470 on page 3137: (<code>listings</code> – Typeset source code listings using LaTeX)
language(s)	no language specified
year	1999
last access	2025-02-07

3469 *listing-pln* – Almost-verbatim list programs

Web page on CTAN	https://ctan.org/pkg/listing-pln
name	<code>listing-pln</code>
caption	Almost-verbatim list programs
author	Toby, B. H.
license	<code>noinfo</code> = <code>noinfo</code>
version	(1986-08-31)
last changes	1986-08-31
year	1986
description	(no language specified) This is a development (using the facilities of the <code>varisize</code> bundle) of the author's <code>fortran</code> package.

on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/listing.mac
keyword	listing (computer code listing)
language(s)	no language specified
last access	2025-02-07

3470 listings – Typeset source code listings using LaTeX

Web page on CTAN <https://ctan.org/pkg/listings>

name	listings
caption	Typeset source code listings using LaTeX
author	Heinz, Carsten
author	Moses, Brooks
author	Hoffmann, Jobst
copyright	Carsten Heinz (1996-2004)
copyright	Jobst Hoffmann (2013-2025)
copyright	Brooks Moses (2006-2007)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.11a
description	(no language specified) The package enables the user to typeset programs (programming code) within LaTeX; the source code is read directly by TeX—no front-end processor is needed. Keywords, comments and strings can be typeset using different styles (default is bold for keywords, italic for comments and no special style for strings). Support for hyperref is provided. To use, <code>\usepackage{listings}</code>, identify the language of the object to typeset, using a construct like: <code>\lstset{language=Python}</code>, then use environment <code>lstlisting</code> for inline code. External files may be formatted using <code>\lstinputlisting</code> to process a given file in the form appropriate for the current language. Short (in-line) listings are also available, using either <code>\lstinline ... </code> or <code> ... </code> (after defining the <code> </code> token with the <code>\lstMakeShortInline</code> command).
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/listings/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/listings/listings.pdf
– local file	<code>./2262301689-listings.pdf</code>

3471 `listings-ext` – Automated input of source

documentation	(no language specified) <i>Language “drivers” details</i> : https://ctan.org/tex-archive/macros/latex/contrib/listings/lstdrvrs.pdf
– local file	<code>./8367308055-lstdrvrs.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/listings
on MikTeX	<code>listings</code>
on T _E XLive	<code>listings</code>
keyword	<code>synt-hlt</code> (highlight syntax of computer code, etc.)
keyword	<code>listing</code> (computer code listing)
keyword	<code>macro-demo</code> (print (La)TeX code verbatim alongside the rendered result)
keyword	<code>verbatim</code> (verbatim typesetting, etc.)
see also	see section 3468 on page 3135: (<code>listing</code> – Produce formatted program listings)
language(s)	no language specified
year	2025
last access	2025-11-16

3471 `listings-ext` – Automated input of source

Web page on CTAN <https://ctan.org/pkg/listings-ext>

name	<code>listings-ext</code>
caption	Automated input of source
author	Hoffman, Joel M.
copyright	Jobst Hoffmann (2008-2010)
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	67
description	(no language specified) The package provides a means of marking a source, so that samples of it may be included in a document (by means of the <code>listings</code> package) in a stable fashion, regardless of any change to the source. The markup in the source text defines tags for blocks of source. These tags are processed by a shell script to make a steering file that is used by the package when LaTeX is being run.y
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/listings-ext/README

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/listings-ext/listings-ext.pdf
– local file	<code>./4228905198-listings-ext.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/listings-ext
on MikTeX	<code>listings-ext</code>
on TeXLive	<code>listings-ext</code>
keyword	<code>listing</code> (computer code listing)
language(s)	no language specified
year	2010
last access	2025-11-16

3472 listingsutf8 – Allow UTF-8 in listings input

Web page on CTAN	https://ctan.org/pkg/listingsutf8
name	<code>listingsutf8</code>
caption	Allow UTF-8 in listings input
author	Oberdiek, Heiko
copyright	Oberdiek Package Support Group (2016-2019)
copyright	Heiko Oberdiek (2007, 2011)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.5 (2019-12-10)
last changes	2019-12-10
year	2019
description	(no language specified) Package listings does not support files with multi-byte encodings such as UTF-8. In the case of <code>\lstinputlisting</code> , a simple workaround is possible if a one-byte encoding exists that the file can be converted to. The package requires the e-TeX extensions under pdfTeX (in either PDF or DVI output mode).
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/listingsutf8/listingsutf8.pdf
– local file	<code>./5677274415-listingsutf8.pdf</code>
contact	<i>bugs</i> : https://github.com/ho-tex/listingsutf8/issues

3473 *listlbls* – Creates a list of all labels used throughout a document

contact	repository: https://github.com/ho-tex/listingsutf8
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/listingsutf8
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/listingsutf8.tds.zip
on MikTeX	listingsutf8
on TeXLive	listingsutf8
keyword	listing (computer code listing)
keyword	utf8-adapt (adaptation of existing packages to UTF-8 input)
keyword	synt-hlt (highlight syntax of computer code, etc.)
language(s)	English
last access	2025-11-16

3473 *listlbls* – Creates a list of all labels used throughout a document

Web page on CTAN	https://ctan.org/pkg/listlbls
name	listlbls
caption	Creates a list of all labels used throughout a document
author	Melzer, Norbert
copyright	Norbert Melzer (2014)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.04
description	(no language specified) The package aims to help a LaTeX author to keep track of all defined labels by typesetting a complete list of labels wherever the author requests it. (Of course, the user may need to have additional LaTeX runs to get the references right.) This package is based on an answer David Carlisle gave on TeX/Stackexchange in the thread ‘ List of all labels with hyperlinks ’.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/listlbls/listlbls.pdf
– local file	./4249848217-listlbls.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/listlbls/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/listlbls

on MikTeX	listlbls
on T _E XLive	listlbls
keyword	debug-supp (support for package or document debugging)
keyword	label-ref (label and reference systems)
language(s)	no language specified
year	2014
last access	2025-02-07

3474 listliketab – Typeset lists as tables

Web page on CTAN <https://ctan.org/pkg/listliketab>

name	listliketab
caption	Typeset lists as tables
author	Pakin, Scott
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The listliketab package helps the user make list-like tabulars, i.e., a tabular that is indistinguishable from an itemize or enumerate environment. The advantage of using a tabular is that the user can add additional columns to each entry in the list.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/listliketab/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/listliketab/listliketab.pdf
– local file	./7543952257-listliketab.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/listliketab
on MikTeX	listliketab
on T _E XLive	listliketab
keyword	table (table typesetting)
keyword	list (list: general)
language(s)	no language specified
year	without year
last access	2025-02-09

3475 *listofanswers* – Provide a list of answers to mathematical problems

Web page on CTAN <https://ctan.org/pkg/listofanswers>

name	listofanswers
caption	Provide a list of answers to mathematical problems
author	Ipanaqué, Robert
license	gpl = GNU General Public License (free)
version	1.2
description	(Spanish) Este paquete permite elaborar una lista de respuestas a ejercicios de matemática en un documento LaTeX.
documentation	(Spanish) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/listofanswers/listofanswers.pdf
– local file	./8032039990-listofanswers.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/listofanswers
on MikTeX	listofanswers
keyword	toc-etc (deal with Tables of Contents, and of other such things)
keyword	spanish (support for typesetting Spanish)
language(s)	Spanish
year	without year
last access	2025-02-07

3476 *listofitems* – Grab items in lists using user-specified sep char

Web page on CTAN <https://ctan.org/pkg/listofitems>

name	listofitems
caption	Grab items in lists using user-specified sep char
author	Tellechea, Christian
copyright	Christian Tellechea (2016-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.65 (2024-03-09)
last changes	2024-03-09
year	2024

description	(no language specified) This simple package is designed to read a list of items whose parsing character may be selected by the user. Once the list is read, its items are stored in a structure that behaves as a dimensioned array. As such, it becomes very easy to access an item in the list by its number. For example, if the list is stored in the macro <code>\foo</code>, the item #3 is designated by <code>\foo[3]</code>. A component may, in turn, be a list with a parsing delimiter different from the parent list, paving the way for nesting and employing a syntax reminiscent of an array of several dimensions of the type <code>\foo[3,2]</code> to access the item #2 of the list contained within the item #3 of the top-tier list.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/listofitems/README
documentation	<i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/generic/listofitems/listofitems-en.pdf
– local file	<code>./8308768220-listofitems-en.pdf</code>
documentation	<i>Package documentation (French)</i> : https://ctan.org/tex-archive/macros/generic/listofitems/listofitems-fr.pdf
– local file	<code>./4777483881-listofitems-fr.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/generic/listofitems
on MikTeX	<code>listofitems</code>
on T _E XLive	<code>listofitems</code>
keyword	<code>text-manip</code> (manipulate strings (typically in token lists))
keyword	<code>list</code> (list: general)
language(s)	English; French
last access	2025-02-07

3477 *listofsymbols* – Create and manipulate lists of symbols

Web page on CTAN	https://ctan.org/pkg/listofsymbols
name	<code>listofsymbols</code>
caption	Create and manipulate lists of symbols
author	Spreng, Stefan
license	lppl = The LaTeX Project Public License (free)
version	0.2

description	(no language specified) Listofsymbols provides commands to automatically create a list of symbols (also called notation or nomenclature), and to handle symbols logically, i.e. define a macro that is expanded to the desired output and use the macro in the text rather than 'hardcoding' the output into the text. This helps to ensure consistency throughout the text, especially if there is a chance that symbols will be changed at some stage. The package is more or less a combination of what the packages nomencl and formula do. The concept of creating the list of symbols, though, is different from the way nomencl.sty does it.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/listofsymbols/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/listofsymbols/listofsymbols.pdf
– local file	<code>./1184193232-listofsymbols.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/listofsymbols
on MikTeX	<code>listofsymbols</code>
on TeXLive	<code>listofsymbols</code>
keyword	<code>toc-etc</code> (deal with Tables of Contents, and of other such things)
language(s)	no language specified
year	without year
last access	2025-02-07

3478 listparskip – Adjust vertical space around lists

Web page on CTAN <https://ctan.org/pkg/listparskip>

name	<code>listparskip</code>
caption	Adjust vertical space around lists
author	Kosowsky, Conrad
copyright	Conrad Kosowsky (2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2024-12-17)
last changes	2024-12-17
year	2024

description	(no language specified) This package modifies list environments such that they add <code>\parskip</code> and <code>\partopsep</code> before or after a list if and only if the environment follows or precedes, respectively, a blank line (i.e. a <code>\par</code>).
documentation	(no language specified) <i>User guide</i> : https://ctan.org/tex-archive/macros/latex/contrib/listparskip/listparskip_user_guide.pdf
– local file	<code>./9807582466-listparskip_user_guide.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/listparskip/README.txt
documentation	(no language specified) <i>Code implementation</i> : https://ctan.org/tex-archive/macros/latex/contrib/listparskip/listparskip_code.pdf
– local file	<code>./7305057086-listparskip_code.pdf</code>
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/listparskip/listparskip_example.pdf
– local file	<code>./8270632211-listparskip_example.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/listparskip
on MikTeX	<code>listparskip</code>
on TeXLive	<code>listparskip</code>
keyword	<code>list-supp</code> (list support)
language(s)	no language specified
last access	2025-02-07

3479 *litebook* – A fresh cover and chapter design for books

Web page on CTAN	https://ctan.org/pkg/litebook
name	<code>LiteBook</code>
caption	A fresh cover and chapter design for books
author	Xia, Mingyu
copyright	Mingyu Hsia (2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2b (2024-03-26)
last changes	2024-03-26

year	2024
description	(no language specified) This template provides a fresh cover and chapter design for books. It was originally used for the reformatting of the textbook <i>General Relativity</i> by R. Wald which you can download from https://github.com/xiamyphys/LaTeX-General-Relativity-R.Wald Welcome to feedback bugs or ideas via email xiamyphys@gmail.com . The package has been superseded by whatsnote .
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/obsolete/macros/latex/contrib/litebook/doc/litebook.pdf
– local file	./4471849533-litebook.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/obsolete/macros/latex/contrib/litebook/README.md
contact	<i>support</i> : https://qm.qq.com/q/RGFmHwBecC
contact	<i>announce</i> : https://t.me/hsiaстexcafe
contact	<i>bugs</i> : https://github.com/xiamyphys/LiteBook/issues
contact	<i>repository</i> : https://github.com/xiamyphys/LiteBook
contact	<i>development</i> : https://github.com/xiamyphys
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/litebook
on MikTeX	litebook
keyword	book-pub (preparing a book for publication)
keyword	doc-templ (template to guide document development)
keyword	obsolete (package declared obsolete)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-07

3480 *literate* – A *literate* programming system, not tied to any language

Web page on CTAN <https://ctan.org/pkg/literate>

name	<code>literate</code>
caption	A <i>literate</i> programming system, not tied to any language
author	Schrod, Joachim
copyright	Joachim Schrod (1988)
license	pd = Public Domain Software (free)
description	(no language specified) The system consists of two parts: a processor, <code>makeprog</code> , which extracts program code from a <i>literate</i> source file, and a set of macros that will typeset the source file (possibly after application, by <code>makeprog</code> , of a change file). <code>Makeprog</code> is distributed as a web source file.
documentation	(no language specified) <i>Email from original distribution</i> : https://ctan.org/tex-archive/macros/plain/contrib/literate/origin
documentation	(no language specified) <i>Detailed outline of system</i> : https://ctan.org/tex-archive/macros/plain/contrib/literate/progdocu.pdf
– local file	<code>./2720241126-progdocu.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/literate
keyword	<code>litprog</code> (<i>literate</i> programming)
language(s)	no language specified
year	1988
last access	2025-02-07

3481 *literaturnaya* – The *Literaturnaya* family of fonts

Web page on CTAN <https://ctan.org/pkg/literaturnaya>

name	<code>literaturnaya</code>
caption	The <i>Literaturnaya</i> family of fonts
author	ParaGraph International
author	Volovich, Vladimir
author	Malyarenko, Anatoliy A.
copyright	ParaGraph International and Russian Foundation for Basic Research (1996)
license	nosell = Do Not Sell Except by Arrangement (not free)

version	0.2
description	(no language specified) The package contains the Literaturnaya family of fonts (as released under a no-charge licence some time back), together with support files for use (La)TeX. Since their licence is not (DFSG) free so that they can't appear in distributions, the fonts are uploaded to CTAN and will shortly be available to users of the 'getnonfreefonts' script.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/cyrillic/literat/README
on CTAN	https://ctan.org/tex-archive/fonts/cyrillic/literat
keyword	font-cyrillic (fonts for Cyrillic and related scripts)
keyword	font (fonts themselves)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
year	1996
last access	2025-02-07

3482 *litesolution* – A LaTeX class for typesetting solutions of problems in exams, textbooks, etc

Web page on CTAN	https://ctan.org/pkg/litesolution
name	LiteSolution
caption	A LaTeX class for typesetting solutions of problems in exams, textbooks, etc
author	Xia, Mingyu
copyright	Mingyu Hsia (2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.4a (2024-08-15)
last changes	2024-08-15
year	2024
description	(no language specified) This LaTeX class has been designed for typesetting solutions of problems in exams, textbooks etc. Welcome to feedback bugs or ideas via email xiamyphys@gmail.com . The package has been superseded by whatsnote .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/litesolution/README.md

3483 `litetable` – Class schedules with colorful course blocks

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/litesolution/doc/litesolution.pdf
– local file	<code>./7861632725-litesolution.pdf</code>
contact	<i>support</i> : https://qm.qq.com/q/RGFmHwBecC
contact	<i>bugs</i> : https://github.com/xiamyphys/litesolution/issues
contact	<i>repository</i> : https://github.com/xiamyphys/litesolution
contact	<i>development</i> : https://github.com/xiamyphys
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/litesolution
on MikTeX	<code>litesolution</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>obsolete</code> (package declared obsolete)
keyword	<code>doc-templ</code> (template to guide document development)
language(s)	no language specified
last access	2025-02-07

3483 `litetable` – Class schedules with colorful course blocks

Web page on CTAN	https://ctan.org/pkg/litetable
name	<code>LiteTable</code>
caption	Class schedules with colorful course blocks
author	Xia, Mingyu
author	Guo, Lijun
copyright	Mingyu Xia (2023-2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.9A (2026-02-07)
last changes	2026-02-07
year	2026
description	(no language specified) This package provides a colorful timetable design, developed using <code>expl3</code> , and based on <code>TikZ</code> .
documentation	<i>Package documentation (Chinese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/litetable/litetable-zh-cn.pdf

– local file	<code>./5383299410-litetable-zh-cn.pdf</code>
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/litetable/litetable.pdf
– local file	<code>./5345739417-litetable.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/litetable/README.md
documentation	<i>Package documentation (Cantonese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/litetable/litetable-zh-hk.pdf
– local file	<code>./4903545786-litetable-zh-hk.pdf</code>
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/litetable/litetable-demo.pdf
– local file	<code>./4991330660-litetable-demo.pdf</code>
home page	https://github.com/myhsia
contact	<i>support</i> : https://github.com/myhsia/litetable/issues
contact	<i>repository</i> : https://github.com/myhsia/litetable
contact	<i>development</i> : https://github.com/myhsia
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/litetable
on MikTeX	litetable
on T _E XLive	litetable
keyword	table (table typesetting)
keyword	doc-templ (template to guide document development)
language(s)	Cantonese; Chinese
last access	2026-04-10

3484 lithuanian – Lithuanian language support

Web page on CTAN <https://ctan.org/pkg/lithuanian>

name	lithuanian
caption	Lithuanian language support
author	Tolušis, Sigitas
copyright	Vytas Statulevicius (1992-2023)
copyright	Yannis Haralambous (1992-2023)
copyright	Sigitas Tolusis (1998-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2023-03-07)
last changes	2023-03-07
year	2023
description	(no language specified) This language support package provides: • extra 8-bit encoding L7x used by fontenc : <code>l7xenc.def</code> , <code>l7xenc.dfu</code> , <code>l7xenc.sty</code> • Lithuanian TeX support for URW family Type1 fonts: <code>map</code>, <code>fd</code>, <code>tfm</code> with L7x encoding • extra code page definitions used by inputenc : <code>cp775.def</code> , <code>latin7.def</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/lithuanian/README.md
on CTAN	https://ctan.org/tex-archive/language/lithuanian
on MikTeX	lithuanian
on TeXLive	lithuanian
keyword	font-suppl (metrics, macro incantations and other font support)
keyword	lithuanian (support for typesetting Lithuanian)
keyword	font-proc (process fonts for use with TeX (includes installation))
language(s)	no language specified
last access	2025-02-07

3485 *liturg* – Support for typesetting Catholic liturgical texts

Web page on CTAN <https://ctan.org/pkg/liturg>

name	liturg
caption	Support for typesetting Catholic liturgical texts
author	Goodman, Donald P.
copyright	Donald P. Goodman (2008)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The packages offers simple macros for typesetting Catholic liturgical texts, particularly Missal and Breviary texts. The package assumes availability of Latin typesetting packages.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/liturg/liturg.pdf
– local file	./6438063597-liturg.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/liturg/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/liturg
on MikTeX	liturg
on T _E XLive	liturg
keyword	theology (typeset devotional texts and other material of interest to theologians)
language(s)	no language specified
year	2008
last access	2025-02-07

3486 *liturgy-cw* – Create Common Worship style documents

Web page on CTAN <https://ctan.org/pkg/liturgy-cw>

name	<i>liturgy-cw</i>
caption	Create Common Worship style documents
author	Theulings, Dimitri
copyright	Dimitri Theulings (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2 (2025-06-03)
last changes	2025-06-03
year	2025
description	(no language specified) This package greatly simplifies the typesetting of service sheets and booklets in the style of the Common Worship liturgical resources of the Church of England. The package provides commands for a number of liturgical elements, including rubrics, responsories and ‘required part’ indicators.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/unicodetex/latex/liturgy-cw/liturgy-cw.pdf
– local file	<code>./1494392960-liturgy-cw.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/unicodetex/latex/liturgy-cw/README.md
contact	<i>bugs:</i> https://github.com/dimitrit/liturgy-cw/issues
contact	<i>repository:</i> https://github.com/dimitrit/liturgy-cw
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/liturgy-cw
on MikTeX	<i>liturgy-cw</i>
on T _E XLive	<i>liturgy-cw</i>
keyword	theology (typeset devotional texts and other material of interest to theologians)
keyword	verse (typeset verse, etc.)
language(s)	no language specified
last access	2025-06-09

3487 *ljmetrics* – Metrics for Laserjet built-in fontsWeb page on CTAN <https://ctan.org/pkg/ljmetrics>

name	ljmetrics
caption	Metrics for Laserjet built-in fonts
author	Walsh, Norman
license	noinfo = noinfo
version	0.9
description	(no language specified) The distribution offers TFM (and PL) files derived from Hewlett-Packard's LaserJet IV Developers kit. No outlines are provided; the metrics are only usable with drivers adapted for output to the relevant printers (e.g., dviljk).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/ljmetrics/README
on CTAN	https://ctan.org/tex-archive/fonts/ljmetrics
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year
last access	2025-02-07

3488 *lkort* – A short introduction to LaTeX, in DutchWeb page on CTAN <https://ctan.org/pkg/lkort>

name	lkort
caption	A short introduction to LaTeX, in Dutch
author	van Oostrum, Pieter
license	noinfo = noinfo
description	(no language specified) This is a Dutch translation of an early document on the sequence that led to lshort , which itself has been translated to Dutch . The package itself is not available on CTAN, but appears in some distributions.
keyword	latex-doc (latex-doc(unknown))
keyword	dutch-doc (documentation in Dutch)
language(s)	no language specified
year	without year

last access 2025-02-11

3489 *lkproof* – LK Proof figure macros

Web page on CTAN <https://ctan.org/pkg/lkproof>

name	LKproof
caption	LK Proof figure macros
author	Tatsuta, Makoto
copyright	Makoto Tatsuta (1990-2005)
license	gpl = GNU General Public License (free)
version	3.1 (2005-11-24)
last changes	2005-11-24
year	2005
description	(no language specified) The package defines a pair of commands <code>\infer</code> and <code>\deduce</code> , that are used in constructing LK proof diagrams.
documentation	(no language specified) <i>Details of usage, from author's web site:</i> http://research.nii.ac.jp/~tatsuta/proof-sty.html
documentation	(no language specified) <i>Summary documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/lkproof/lkproof-doc.pdf
– local file	<code>./6457922799-lkproof-doc.pdf</code>
home page	http://research.nii.ac.jp/~tatsuta/index-e.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lkproof
on MikTeX	lkproof
on T _E XLive	lkproof
keyword	logic (typesetting logician's discussions)
see also	see section 4823 on page 4367: (proofs – Macros for building proof trees)
language(s)	no language specified
last access	2025-02-07

3490 *llist* – List ASCII text files in landscape

Web page on CTAN <https://ctan.org/pkg/llist>

name	<code>llist</code>
caption	List ASCII text files in landscape
author	Knuth, Donald E.
license	knuth = Knuth License (free)
description	(no language specified) Output is a verbatim listing of the input file, ready for printing in landscape orientation. Use will (typically) be something like: <code>tex llist *.c \\end</code>
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/llist.tex
keyword	<code>verbatim</code> (verbatim typesetting, etc.)
see also	see section 3466 on page 3134: (<code>list</code> – List ASCII text files)
language(s)	no language specified
year	without year
last access	2025-02-11

3491 *llncls* – Document class and bibliography style for Lecture Notes in Computer Science (LNCS)

Web page on CTAN <https://ctan.org/pkg/llncls>

name	<code>llncls</code>
caption	Document class and bibliography style for Lecture Notes in Computer Science (LNCS)
author	Richter, Markus
copyright	Springer (1996-2025)
license	cc-by-4 = CC BY 4.0 (free)
version	2.26 (2025-02-25)
last changes	2025-02-25
year	2025

description	(no language specified) This is Springer's official macro package for typesetting contributions to be published in Springer's Lecture Notes in Computer Science (LNCS) and its related proceedings series CCIS, LNBIP, LNICST, and IFIP AICT.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/llncls/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/llncls/llnclsdoc.pdf
– local file	<code>./7266090651-llnclsdoc.pdf</code>
home page	https://www.springer.com/gp/computer-science/lncs
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/llncls
on MikTeX	llncls
on T _E XLive	llncls
keyword	journalpub (typesetting journals, etc)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-03-05

3492 llncls209 – Macros for Springer books

Web page on CTAN	https://ctan.org/pkg/llncls209
name	llncls209
caption	Macros for Springer books
license	noinfo = noinfo
version	1.1
description	(no language specified) LaTeX 2.09 style for submissions to Springer-Verlag's Lecture Notes in Computer Science series. These macros are considered obsolete.
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex209/contrib/springer/llncls
keyword	latex209 (package only known to work with LaTeX 2.09)
keyword	obsolete (package declared obsolete)
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified

year without year
last access 2025-03-05

3493 `llncsconf` – LaTeX package extending Springer’s `llncs` class

Web page on CTAN <https://ctan.org/pkg/llncsconf>

name `llncsconf`
caption LaTeX package extending Springer’s `llncs` class
author Brucker, Achim D.
copyright Achim D. Brucker (2003-2018)
license lpl1.3c = The LaTeX Project Public License 1.3c (free)
version 1.2.0
description (no language specified) The package extends Springer’s `llncs` class for adding additional notes describing the status of the paper (submitted, accepted) as well as for creating author-archived versions that include the references to the official version hosted by Springer (as requested by the copyright transfer agreement for Springer’s LNCS series).
documentation (no language specified) *Example of use:*
https://ctan.org/tex-archive/macros/latex/contrib/llncsconf/example/example_accepted_crop.pdf
– local file `./5751932701-example_accepted_crop.pdf`
documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/macros/latex/contrib/llncsconf/README.md>
contact *bugs:* <https://github.com/adbrucker/llncsconf/issues>
contact *repository:* <https://github.com/adbrucker/llncsconf>
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/llncsconf>
on MikTeX `llncsconf`
on T_EXLive `llncsconf`
keyword archival (creating archival copies, or copies for distribution)
keyword journalpub (typesetting journals, etc)
language(s) no language specified
year 2018
last access 2025-03-05

3494 *lm* – Latin modern fonts in outline formatsWeb page on CTAN <https://ctan.org/pkg/lm>Alias *lmodern*name *lm*

caption Latin modern fonts in outline formats

author Nowacki, Janusz Marian

author Jackowski, Bogusław

copyright B. Jackowski and J.M. Nowacki (2003-2021)

license gfl = The GUST Font License (GFL) (free)

version 2.005

description (no language specified) The Latin Modern family of fonts consists of 72 text fonts and 20 mathematics fonts, and is based on the Computer Modern fonts released into public domain by AMS (copyright © 1997 AMS). The *lm* font set contains a lot of additional characters, mainly accented ones, but not exclusively. There is one set of fonts, available both in Adobe Type 1 format (*.pfb) and in OpenType format (*.otf). There are five sets of TeX Font Metric files, corresponding to: Cork encoding (cork-*.tfm); QX encoding (qx-*.tfm); TeX'n'ANSI aka LY1 encoding (texnansi-*.tfm); T5 (Vietnamese) encoding (t5-*.tfm); and Text Companion for EC fonts aka TS1 (ts1-*.tfm).

documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/fonts/lm/README>

home page <https://www.gust.org.pl/projects/e-foundry/latin-modern>on CTAN <https://ctan.org/tex-archive/fonts/lm>on MikTeX *lm*on T_EXLive *lm*keyword *font-otf* (font in OpenType format)keyword *font-body* (font designed for use as body font for Latin-based script documents)keyword *font-serif* (serif font)keyword *font-cm* (font serving Computer Modern-style shapes)keyword *font-type1* (font available in Adobe Type 1 format)keyword *font* (fonts themselves)keyword *font-sans* (sans-serif font)keyword *font-mono* (monospaced font)

keyword	font-proportional (variable-spaced font)
language(s)	no language specified
year	2021
last access	2025-02-07

3495 *lm-math* – OpenType maths fonts for Latin Modern

Web page on CTAN <https://ctan.org/pkg/lm-math>

name	lm-math
caption	OpenType maths fonts for Latin Modern
author	Pianowski, Piotr
author	Jackowski, Bogusław
author	Strzelczyk, Piotr
copyright	B. Jackowski, P. Strzelczyk, P. Pianowski (2012-2014)
license	gfl = The GUST Font License (GFL) (free)
version	1.959 (2014-09-05)
last changes	2014-09-05
year	2014
description	(no language specified) Latin Modern Math is a maths companion for the Latin Modern family of fonts, in OpenType format. For use with LuaLaTeX or XeLaTeX, support is available from the unicode-math package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/lm-math/README
home page	https://www.gust.org.pl/projects/e-foundry/latin-modern
on CTAN	https://ctan.org/tex-archive/fonts/lm-math
on MikTeX	lm-math
on T _E XLive	lm-math
keyword	font-otf (font in OpenType format)
keyword	font-maths (fonts for use in mathematics)
keyword	font (fonts themselves)
language(s)	no language specified
last access	2025-02-07

3496 lmacs – A simple package for including support filesWeb page on CTAN <https://ctan.org/pkg/lmacs>

name	lmacs
caption	A simple package for including support files
author	Story, Donald P.
license	noinfo = noinfo
version	1.1
description	(no language specified) The package allows the user to manage sets of local macros, potentially loading different collections of macros for different documents.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/lmacs/docs/lmacs.pdf
– local file	<code>./7288114731-lmacs.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/lmacs/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lmacs
on MikTeX	lmacs
keyword	macro-supp (support for development of (La)TeX macros)
keyword	compilation (the document compilation process)
language(s)	no language specified
year	without year
last access	2025-02-07

3497 lmake – Process lists to do repetitive actionsWeb page on CTAN <https://ctan.org/pkg/lmake>

name	lmake
caption	Process lists to do repetitive actions
author	Pan, Shengjun
copyright	Shengjun Pan (2012)
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.0

description	(no language specified) The package provides commands to simplify processing of sequential list-like structures, such as making a series of ‘similar’ commands from a list of names.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/lmake/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/lmake/lmake.pdf
– local file	<code>./8837961184-lmake.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lmake
on MikTeX	<code>lmake</code>
on TeXLive	<code>lmake</code>
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
language(s)	no language specified
year	2012
last access	2025-02-07

3498 *lms* – LaTeX 2.09 style for LMS journals

Web page on CTAN	https://ctan.org/pkg/lms
name	<code>lms</code>
caption	LaTeX 2.09 style for LMS journals
author	Woollatt, Alison
author	Mulvey, Rod
author	Garling, Ben
copyright	Cambridge University Press (1993-1995)
license	other-nonfree = License that prevents distribution (not free)
version	0.6
description	(no language specified) The <code>lms</code> document style is a development of the standard LaTeX 2.09 <code>article</code> style. Source of a guide and of a usage sample are provided.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex209/contrib/lms/readme.txt
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/lms
keyword	<code>latex209</code> (package only known to work with LaTeX 2.09)

keyword journalpub (typesetting journals, etc)
 language(s) no language specified
 year 1995
 last access 2025-02-11

3499 *ln03dvi* – DVI to LN03 driver

Web page on CTAN <https://ctan.org/pkg/ln03dvi>

name *ln03dvi*
 caption DVI to LN03 driver
 author Thomas, Matt
 copyright Digital Equipment Corporation (1985-1987)
 license noinfo = noinfo
 version 1.2-013
 description (no language specified) A development of *dvi2ln3*, written in VAX C, but with conscious efforts to avoid VAX and VMS dependencies (though some dependencies do remain).
 on CTAN <https://ctan.org/tex-archive/dviware/ln03/thomas>
 keyword dvi-print (convert DVI files for (direct) printing, etc.)
 language(s) no language specified
 year 1987
 last access 2025-02-07

3500 *lni* – Official class for the “Lecture Notes in Informatics”

Web page on CTAN <https://ctan.org/pkg/lni>

name *lni*
 caption Official class for the “Lecture Notes in Informatics”
 author Sievers, Martin
 copyright Gesellschaft für Informatik e.V. (2016-2025)
 license lpl1.3c = The LaTeX Project Public License 1.3c (free)
 version 2.0 (2025-02-05)
 last changes 2025-02-05

year	2025
description	(no language specified) This is the official version of the class "l ⁿ i" for submissions to the Lecture Notes in Informatics published by the Gesellschaft für Informatik . To use it, download the file <code>lⁿi-author-template.tex</code> and edit it in your favorite LaTeX editor.
documentation	(no language specified) <i>Package documentation</i> : <a href="https://ctan.org/tex-archive/macros/latex/contrib/l<sup>n</sup>i/l<sup>n</sup>i.pdf">https://ctan.org/tex-archive/macros/latex/contrib/lⁿi/lⁿi.pdf
– local file	<code>./3000804966-lⁿi.pdf</code>
documentation	(no language specified) <i>Readme</i> : <a href="https://ctan.org/tex-archive/macros/latex/contrib/l<sup>n</sup>i/README.md">https://ctan.org/tex-archive/macros/latex/contrib/lⁿi/README.md
contact	<i>bugs</i> : https://github.com/gi-ev/LNI/issues
contact	<i>repository</i> : https://github.com/gi-ev/LNI
on CTAN	<a href="https://ctan.org/tex-archive/macros/latex/contrib/l<sup>n</sup>i">https://ctan.org/tex-archive/macros/latex/contrib/lⁿi
on MikTeX	<code>lⁿi</code>
on T ^E XLive	<code>lⁿi</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>doc-templ</code> (template to guide document development)
keyword	<code>journalpub</code> (typesetting journals, etc)
see also	see section 652 on page 601: (<code>biblatex-lⁿi</code> – LNI style for BibLaTeX)
language(s)	no language specified
last access	2025-02-12

3501 `lobster2` – Lobster Two fonts, with support for all LaTeX engines

Web page on CTAN <https://ctan.org/pkg/lobster2>

name	<code>lobster2</code>
caption	Lobster Two fonts, with support for all LaTeX engines
author	Tennent, Bob
copyright	Igino Marini (2011)
copyright	Pablo Impallari (2011)
license	lppl = The LaTeX Project Public License (free)
license	ofl = The SIL Open Font License (free)

version	(2020-09-19)
last changes	2020-09-19
year	2020
description	(no language specified) This package provides LaTeX, pdfLaTeX, XeLaTeX and LuaLaTeX support for the Lobster Two family of fonts, designed by Pablo Impallari. This is a family of script fonts with many ligatures and terminal forms; for the best results, use XeLaTeX or LuaLaTeX. There are two weights and italic variants for both.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/lobster2/doc/lobster2-samples.pdf
– local file	<code>./9838910036-lobster2-samples.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/lobster2/README
contact	<i>repository:</i> https://github.com/impallari/The-Lobster-Font
on CTAN	https://ctan.org/tex-archive/fonts/lobster2
installation	https://ctan.org/tex-archive/install/fonts/lobster2.tds.zip
on MikTeX	<code>lobster2</code>
on T _E XLive	<code>lobster2</code>
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-t1enc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-calligraphic</code> (calligraphic (or handwriting) fonts)
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font-otf</code> (font in OpenType format)
language(s)	no language specified
last access	2025-02-07

3502 *locality* – Various macros for keeping things local

Web page on CTAN <https://ctan.org/pkg/locality>

name	<code>locality</code>
caption	Various macros for keeping things local
author	Gross, Jason
copyright	Jason Gross (2010)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2
description	(no language specified) A toolbox of macros designed to allow the LaTeX programmer to work around some of the restrictions of the TeX grouping mechanisms. The present release offers a preliminary view of the package; not all of its facilities are working optimally
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/locality/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/locality/locality.pdf
– local file	<code>./8669104314-locality.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/locality
on MikTeX	<code>locality</code>
on TeXLive	<code>locality</code>
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	2010
last access	2025-02-07

3503 *localloc* – Macros for localizing TeX register allocations

Web page on CTAN <https://ctan.org/pkg/localloc>

name	<code>localloc</code>
caption	Macros for localizing TeX register allocations
author	Raichle, Bernd
license	other-free = Free license not otherwise listed (free)
description	(no language specified) This package approaches the problem of the shortage of registers, by providing a mechanism for local allocation. The package works with Plain TeX, LaTeX, and LaTeX 2.09.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/localloc/localloc.pdf
– local file	<code>./9254054825-localloc.pdf</code>
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/generic/localloc/localloc.README
on CTAN	https://ctan.org/tex-archive/macros/generic/localloc
on MikTeX	<code>localloc</code>
on TeXLive	<code>localloc</code>
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
keyword	<code>macro-gen</code> (macros that are independent of the (TeX) format in use)
language(s)	no language specified
year	without year
last access	2025-02-07

3504 *logbox* – e-TeX showbox facilities for exploration purposes

Web page on CTAN <https://ctan.org/pkg/logbox>

name	<code>logbox</code>
caption	e-TeX showbox facilities for exploration purposes
author	Chervet, Florent
copyright	Florent Chervet (2011)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0

3505 *logfilter* – Choose what you want to see of a (La)TeX log

description	(no language specified) The command <code>\logbox</code> does <code>\showbox</code> without stopping the compilation. The package's main command is <code>\viewbox*</code> : the box is typeset (copied) with its dimensions, and its contents are logged in the <code>.log</code> file.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/logbox/logbox.pdf
– local file	<code>./5529124338-logbox.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/logbox/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/logbox
on MikTeX	<code>logbox</code>
on T _E XLive	<code>logbox</code>
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
language(s)	no language specified
year	2011
last access	2025-02-07

3505 *logfilter* – Choose what you want to see of a (La)TeX log

Web page on CTAN	https://ctan.org/pkg/logfilter
name	<code>logfilter</code>
caption	Choose what you want to see of a (La)TeX log
author	Graversen, Kasper B.
license	other-free = Free license not otherwise listed (free)
description	(no language specified) LogFilter is a program that monitors the logfiles (La)TeX produces and presents them in an interactive environment to the user. The program lets the user choose which errors he cares to see. Furthermore LogFilter integrates with your editor so that when pressing an error, your editor will open the TeX file and jump to the according line. Some errors do not contain linenumbers in which case the program only opens the file where the error has occurred.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/logfilter/README
on CTAN	https://ctan.org/tex-archive/support/logfilter
keyword	<code>log-manip</code> (analyse or otherwise manipulate logs)

language(s)	no language specified
year	without year
last access	2025-02-07

3506 *log gates* – A small font for logic gates, and LaTeX support

Web page on CTAN <https://ctan.org/pkg/loggates>

name	loggates
caption	A small font for logic gates, and LaTeX support
author	Verwer, Nico
license	noinfo = noinfo
version	(1992-06-15)
last changes	1992-06-15
year	1992
description	(no language specified) Loggates is a small font of electronic logic gate symbols (distributed as Metafont source), which is supported by a (LaTeX 2.09) macro package. The author seems to have had ambitions to integrate the symbols into a package using XY-pic to draw logic diagrams, but there's no evidence that the work ever went that far.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex209/contrib/loggates/lgdoc.pdf
– local file	./4259394911-lgdoc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex209/contrib/loggates/readme
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/loggates
keyword	electronic (support of electronic design)
see also	see section 1084 on page 985: (Circuit_macros – M4 macros for electric circuit diagrams)
language(s)	no language specified
last access	2025-02-07

3507 *logic* – A font for electronic logic design

Web page on CTAN <https://ctan.org/pkg/logic>

name	<code>logic</code>
caption	A font for electronic logic design
author	Simpson, Rick
license	noinfo = noinfo
version	(1991-03-08)
last changes	1991-03-08
year	1991
description	(no language specified) A Metafont font, and a minuscule set of macros for its use, designed in support of logic design diagrams.
on CTAN	https://ctan.org/tex-archive/fonts/logic
on MikTeX	<code>logic</code>
keyword	electronic (support of electronic design)
language(s)	no language specified
last access	2025-02-07

3508 *logical-markup-utils* – Packages for language-dependent inline quotes and dashes

Web page on CTAN <https://ctan.org/pkg/logical-markup-utils>

name	<code>logical-markup-utils</code>
caption	Packages for language-dependent inline quotes and dashes
author	Masłowski, Michał
copyright	Michał Masłowski (2009)
license	gpl3 = GNU General Public License, version 3 (free)
version	(2009-05-09)
last changes	2009-05-09
year	2009
description	(no language specified) The bundle contains two packages: • <code>quoted</code> , for inserting quotation marks; and • <code>onedash</code> , for inserting dashes.

	Each package takes a language name as an option; accepted language options are <code>american</code> , <code>british</code> , <code>german</code> and <code>polish</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/logical-markup-utils/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/logical-markup-utils
on MikTeX	<code>logical-markup-utils</code>
on T _E XLive	<code>logical-markup-utils</code>
keyword	<code>quote-marks</code> (manage (possibly language dependent) quote marks)
see also	see section 1410 on page 1274: (<code>csquotes</code> – Context sensitive quotation facilities)
language(s)	no language specified
last access	2025-02-07

3509 *logicproof* – Box proofs for propositional and predicate logic

Web page on CTAN <https://ctan.org/pkg/logicproof>

name	<code>logicproof</code>
caption	Box proofs for propositional and predicate logic
author	Davidson, Alan
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2014-03-20)
last changes	2014-03-20
year	2014
description	(no language specified) A common style of proof used in propositional and predicate logic is <i>Fitch proofs</i>, in which each line of the proof has a statement and a justification, and subproofs within a larger proof have boxes around them. The package provides environments for typesetting such proofs and boxes. It creates proofs in a style similar to that used in "Logic in Computer Science" by Huth and Ryan.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/logicproof/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/logicproof/logicproof.pdf

– local file	<code>./1498241044-logicproof.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/logicproof
on MikTeX	<code>logicproof</code>
on T _E XLive	<code>logicproof</code>
keyword	<code>logic</code> (typesetting logician’s discussions)
language(s)	no language specified
last access	2025-02-07

3510 *logicpuzzle* – Typeset (grid-based) logic puzzles

Web page on CTAN <https://ctan.org/pkg/logicpuzzle>

name	<code>logicpuzzle</code>
caption	Typeset (grid-based) logic puzzles
author	Kleber, Josef
copyright	Josef Kleber (2013-2014)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.5
description	(no language specified) The package allows the user to typeset various logic puzzles. At the moment the following puzzles are supported: • 2D-Sudoku (aka Magiequadrat, Diagon, ...), • Battleship (aka Bimaru, Marinespiel, Batalla Naval, ...), • Bokkusu (aka Kakurasu, Feldersummenrätsel, ...), • Bridges (akak Brückenbau, Hashi, ...), • Chaos Sudoku, • Four Winds (aka Eminent Domain, Lichtstrahl, ...), • Hakyuu (aka Seismic, Ripple Effect, ...), • Hitori, • Kakuro, • Kendoku (aka Mathdoku, Calcudoku, Basic, MiniPlu, Ken Ken, Square Wisdom, Sukendo, Caldoku, ...), • Killer Sudoku (aka Samunapure, Sum Number Place, Sumdoku, Gebietssummen, ...),

- Laser Beam (aka Laserstrahl, ...),
- Magic Labyrinth (aka Magic Spiral, Magisches Labyrinth, ...),
- Magnets (aka Magnetplatte, Magnetfeld, ...),
- Masyu (aka Mashi, {WhitelBlack} Pearls, ...),
- Minesweeper (aka Minensuche, ...),
- Nonogram (aka Griddlers, Hanjie, Tsunami, Logic Art, Logimage, ...),
- Number Link (aka Alphabet Link, Arukone, Buchstabenbund, ...),
- Resuko,
- Schatzsuche,
- Skyline (aka Skycrapers, Wolkenkratzer, Hochhäuser, ...), including Skyline Sudoku and Skyline Sudoku (N*N) variants,
- Slitherlink (aka Fences, Number Line, Dotty Dilemma, Sli-Lin, Takegaki, Great Wall of China, Loop the Loop, Rundweg, Gartenzaun, ...),
- Star Battle (aka Sternenschlacht, ...),
- Stars and Arrows (aka Sternenhimmel, ...),
- Sudoku,
- Sun and Moon (aka Sternenhaufen, Munraito, ...),
- Tents and Trees (aka Zeltlager, Zeltplatz, Camping, ...), and
- Tunnel.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/logicpuzzle/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/logicpuzzle/logicpuzzle.pdf
– local file	<code>./1069902013-logicpuzzle.pdf</code>
contact	<i>repository</i> : https://bitbucket.org/kleberj/logicpuzzle/
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/logicpuzzle
installation	https://ctan.org/tex-archive/install/graphics/pgf/contrib/logicpuzzle.tds.zip
on MikTeX	<code>logicpuzzle</code>
on T _E XLive	<code>logicpuzzle</code>
keyword	<code>games</code> (process game diagrams, gamebooks, and other amusements)

keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
year	2014
last access	2025-02-07

3511 *logictools* – Additional tools for typesetting formal logic

Web page on CTAN <https://ctan.org/pkg/logictools>

name	logictools
caption	Additional tools for typesetting formal logic
author	Cheang, Miles Min Yin
copyright	Miles Min Yin Cheang (2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1.1 (2025-05-20)
last changes	2025-05-20
year	2025
description	(no language specified) Adds various tools for typesetting formal logic, including: • An environment that makes it easier to produce good looking formal logic. • A few macros that would be of interest to people studying logic at Oxford (or other places with similar notational conventions).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/logictools/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/logictools/Logictools_Documentation.pdf
– local file	./7094375224-Logictools_Documentation.pdf
contact	<i>announce</i> : https://github.com/IToastPotatoes/logictools/releases
contact	<i>bugs</i> : https://github.com/IToastPotatoes/logictools/issues
contact	<i>repository</i> : https://github.com/IToastPotatoes/logictools/tree/main
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/logictools

on MikT _E X	logictools
on T _E XLive	logictools
keyword	expl3 (expl3(unknown))
keyword	maths (support for typesetting mathematics)
keyword	logic (typesetting logician’s discussions)
language(s)	no language specified
last access	2025-05-27

3512 *logix* – Supplement to the Unicode math symbols

Web page on CTAN <https://ctan.org/pkg/logix>

name	logix
caption	Supplement to the Unicode math symbols
author	Finney, Michael Lee
copyright	Michael Lee Finney (2001-2022)
license	ofl = The SIL Open Font License (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.13
description	(no language specified) The package provides a Unicode font with over 4,000 symbols to supplement the Unicode math symbols. It is compatible with and complements the AMS STIX2 math fonts, but focuses on new symbols and symbol variants more suited to work in logic.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/logix/doc/logix.pdf
– local file	./3074814926-logix.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/logix/README
on CTAN	https://ctan.org/tex-archive/fonts/logix
on MikT _E X	logix
on T _E XLive	logix
keyword	font-ttf (font available in TrueType format)
keyword	font (fonts themselves)
keyword	font-supp (metrics, macro incantations and other font support)

keyword	font-maths (fonts for use in mathematics)
keyword	font-symbol-maths (collections of mathematical symbols)
keyword	font-otf (font in OpenType format)
keyword	logic (typesetting logician’s discussions)
language(s)	no language specified
year	2022
last access	2025-02-07

3513 *logoetalab* – Insert Licence Etalab 2.0 logo

Web page on CTAN <https://ctan.org/pkg/logoetalab>

name	logoetalab
caption	Insert Licence Etalab 2.0 logo
author	Pierquet, Cédric
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
license	cc-by-2 = CC BY 2.0 (free)
version	0.1.1 (2023-11-19)
last changes	2023-11-19
year	2023
description	(no language specified) This package provides commands to display the “Licence Ouverte Etalab 2.0” vector logo: • vertical or horizontal version; • some color choice.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/logoetalab/README.md
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/logoetalab/doc/logoetalab-doc.pdf
– local file	./5659520052-logoetalab-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/logoetalab
on MikTeX	logoetalab
on T _E XLive	logoetalab
keyword	pgf-tikz (package uses PGF-TikZ)

keyword	logo (symbols or drawings to specify an object, including icons)
keyword	french (support for typesetting French)
keyword	graphics-use (graphics (typesetting actual pictures))
language(s)	French
last access	2025-05-27

3514 *logpap* – Generate logarithmic graph paper with LaTeX

Web page on CTAN <https://ctan.org/pkg/logpap>

name	logpap
caption	Generate logarithmic graph paper with LaTeX
author	Kaufmann, Mike
license	lppl = The LaTeX Project Public License (free)
version	0.6
description	(no language specified) The logpap package provides four macros for drawing logarithmic-logarithmic, logarithmic-linear, linear-logarithmic and (because it was easy to implement) linear-linear graph paper with LaTeX.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/logpap/example.pdf
– local file	./1076599927-example.pdf
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/logpap/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/logpap
on MikTeX	logpap
on T _E XLive	logpap
keyword	diagram (diagrams)
language(s)	no language specified
year	without year
last access	2025-02-07

3515 logreq – Support for automation of the LaTeX workflowWeb page on CTAN <https://ctan.org/pkg/logreq>

name	logreq
caption	Support for automation of the LaTeX workflow
author	Lehman, Philipp
copyright	Philipp Lehman (2010)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The package helps to automate a typical LaTeX workflow that involves running LaTeX several times, running tools such as BibTeX or makeindex, and so on. It will log requests like "please rerun LaTeX" or "please run BibTeX on file X" to an external XML file which lists all open tasks in a machine-readable format. Compiler scripts and integrated LaTeX editing environments may parse this file to determine the next steps in the workflow in a way that is more efficient than parsing the main log file. In sum, the package will do two things: • enable package authors to use LaTeX commands to issue requests, • collect all requests from all packages and write them to an external XML file at the end of the document.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/logreq/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/logreq
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/logreq.tds.zip
on MikTeX	logreq
on TeXLive	logreq
keyword	compilation (the document compilation process)
language(s)	no language specified
year	2010
last access	2025-02-07

3516 logsys – Draw logarithmic coordinate systemsWeb page on CTAN <https://ctan.org/pkg/logsys>

name	logsys
caption	Draw logarithmic coordinate systems
author	Hansen, Mogens Lemvig
license	lppl = The LaTeX Project Public License (free)
version	1.4
description	(no language specified) The package (part of the coordsys distribution) extends the coordsys package to provide logarithmic and double-logarithmic coordinate systems and grids.
documentation	(no language specified) <i>Bundle Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/coordsys/README
documentation	(no language specified) <i>Bundle documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/coordsys/coordsys.pdf
– local file	./6694546396-coordsys.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/coordsys
on MikTeX	coordsys
on TeXLive	coordsys
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
language(s)	no language specified
year	without year
last access	2025-02-07

3517 lolliipop – TeX made easyWeb page on CTAN <https://ctan.org/pkg/lolliipop>

name	lolliipop
caption	TeX made easy
author	Khalighi, Vafa
author	Eijkhout, Victor
author	bidi-tex GitHub Organisation
copyright	Vafa Khalighi (2014-2016)

copyright	Victor Eijkhout (1992, 1993)
license	gpl3 = GNU General Public License, version 3 (free)
version	1.07
description	(no language specified) Lollipop is "TeX made easy" — it is a macro package that functions as a toolbox for writing TeX macros. Its main aim is to make macro writing so easy that implementing a fully new layout in TeX would become a matter of less than an hour for an average document. The aim is that such a task could be accomplished by someone with only a very basic training in TeX programming. Thus, Lollipop aims to make structured text formatting available in environments where typical users would switch to WYSIWYG packages for the freedom that such a mechanism offers. In addition, development of support for Lollipop documents written in RTL languages (such as Persian) is underway.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/formats/lollipop/README
documentation	(no language specified) <i>Package manual</i> : https://ctan.org/tex-archive/macros/plain/formats/lollipop/doc/manual/lollipop-manual.pdf
– local file	<code>./9884338318-lollipop-manual.pdf</code>
contact	<i>bugs</i> : https://github.com/bidi-tex/lollipop/issues
contact	<i>repository</i> : https://github.com/bidi-tex/lollipop
on CTAN	https://ctan.org/tex-archive/macros/plain/formats/lollipop
on MikTeX	<code>lollipop</code>
on T _E XLive	<code>lollipop</code>
keyword	format (macros to build a format)
language(s)	no language specified
year	2016
last access	2025-02-07

3518 *longdiv* – Long division arithmetic problemsWeb page on CTAN <https://ctan.org/pkg/longdiv>

name	<code>longdiv</code>
caption	Long division arithmetic problems
author	Arseneau, Donald
license	pd = Public Domain Software (free)
version	1
description	(no language specified) Work out and print integer long division problems. Use: <code>\longdiv{numerator}{denominator}</code> . The numerator and denominator (divisor and dividend) must be integers, and the quotient is an integer too. <code>\longdiv</code> leaves the remainder from the division at the bottom of its diagram of the problem.
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/longdiv.tex
on MikTeX	<code>longdiv</code>
keyword	arithmetic (perform and typeset arithmetic problems)
see also	see section 3519 on page 3181: (<i>longdivision</i> – Typesets long division)
see also	see section 6815 on page 6150: (<i>xlop</i> – Calculates and displays arithmetic operations)
language(s)	no language specified
year	without year
last access	2025-02-07

3519 *longdivision* – Typesets long divisionWeb page on CTAN <https://ctan.org/pkg/longdivision>

name	<code>longdivision</code>
caption	Typesets long division
author	Chatham, Hood
license	lppl = The LaTeX Project Public License (free)
version	1.2.2 (2023-10-21)
last changes	2023-10-21
year	2023

description	(no language specified) This package executes the long division algorithm and typesets the solutions. The dividend must be a positive decimal number and the divisor must be a positive integer. Repeating decimals is handled correctly, putting a bar over the repeated part of the decimal. Dividends up to 20 digits long are handled gracefully (though the typeset result will take up about a page), and dividends between 20 and 60 digits long slightly less gracefully. The package defines two macros, <code>\longdivision</code> and <code>\intlonddivision</code>. Each takes two arguments, a dividend and a divisor. <code>\longdivision</code> keeps dividing until the remainder is zero, or it encounters a repeated remainder. <code>\intlonddivision</code> stops when the dividend stops (though the dividend doesn't have to be an integer). This package depends on the <code>xparse</code> package from the <code>l3packages</code> bundle.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/longdivision/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/longdivision/longdivision_manual.pdf
– local file	<code>./3008915723-longdivision_manual.pdf</code>
contact	<i>repository</i> : https://github.com/hoodmane/longdivision
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/longdivision
on MikTeX	<code>longdivision</code>
on TeXLive	<code>longdivision</code>
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>arithmetic</code> (perform and typeset arithmetic problems)
see also	see section 3518 on page 3181: (<code>longdiv</code> – Long division arithmetic problems)
language(s)	no language specified
last access	2025-02-07

3520 *longfbox* – Draw framed boxes with standard CSS attributes that can break over multiple pages

Web page on CTAN <https://ctan.org/pkg/longfbox>

name	longfbox
caption	Draw framed boxes with standard CSS attributes that can break over multiple pages
author	Leijen, Daan
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The longfbox package provides framed boxes that can be customized using standard CSS attributes. It was written to support precise rendering of Madoko documents in LaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/longfbox/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/longfbox/longfbox.pdf
– local file	./8236811886-longfbox.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/longfbox
on MikTeX	longfbox
on T _E XLive	longfbox
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
keyword	boxing (creating boxes)
language(s)	no language specified
year	without year
last access	2025-02-07

3521 **longfigure** – Provides a figure-like environment that break over pages

Web page on CTAN <https://ctan.org/pkg/longfigure>

name	longfigure
caption	Provides a figure-like environment that break over pages
author	Arnold, Tim
copyright	Tim Arnold (2014)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The longfigure package uses and relabels components of the well-known longtable package, written by David Carlisle, to provide a table-like environment that can display a stream of figures as a single figure that can break across pages.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/longfigure/longfigure.pdf
– local file	./7937611710-longfigure.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/longfigure/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/longfigure
on MikTeX	longfigure
on T _E XLive	longfigure
keyword	graphics-incl (include external graphics)
keyword	table (table typesetting)
keyword	table-long (typeset tables that may be too big for a page)
language(s)	no language specified
year	2014
last access	2025-02-07

3522 *longmath* – Nested delimiter groups extending over multiple array cells or linesWeb page on CTAN <https://ctan.org/pkg/longmath>

name	<code>longmath</code>
caption	Nested delimiter groups extending over multiple array cells or lines
author	Matschull, Hans-Jürgen
copyright	Hans-Jürgen Matschull (2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2024-07-04)
last changes	2024-07-04
year	2024
description	(no language specified) This package provides yet another solution to some well known typesetting problems solved in a variety of ways: multi line formulas with paired and nested delimiters. It tackles the problem at the Lua level, which has some advantages over solutions implemented in TeX. In particular, the TeX code need not be executed multiple times, and there is no interference between TeX grouping and the nesting of delimiter groups. As a byproduct, delimiters can be scaled in various ways, inner delimiters come in different flavours like relational and binary operators, punctuation symbols etc., and outer delimiters can be selected automatically according to the nesting level. Last but not least, delimiter groups can even extend across several array cells or across the whole document. A special environment is provided as well, which allows multi line expressions to be placed inside a displayed equation and make TeX do the line splitting and alignment.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/luatex/latex/longmath/longmath-doc.pdf
– local file	<code>./2408400066-longmath-doc.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/luatex/latex/longmath/README
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/longmath
on MikTeX	<code>longmath</code>
on TeXLive	<code>longmath</code>
keyword	<code>luatex</code> (LuaTeX and packages that require it)
keyword	<code>maths</code> (support for typesetting mathematics)

keyword	paren-mgmt (match and otherwise manage parentheses)
language(s)	no language specified
last access	2025-02-09

3523 longnamefilelist – Tidy \listfiles with long file names

Web page on CTAN <https://ctan.org/pkg/longnamefilelist>

name	longnamefilelist
caption	Tidy \listfiles with long file names
author	Lück, Uwe
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2
description	(no language specified) The package equips LaTeX's <code>\listfiles</code> command with an optional argument for the number of characters in the longest base filename. This way you get a neatly aligned file list even when it contains files whose base names have more than 8 characters. The package can be combined with the myfilist package as explained in the documentation.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/longnamefilelist/longnamefilelist.pdf
– local file	<code>./7435380487-longnamefilelist.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/longnamefilelist/README
contact	<i>support:</i> http://www.webdesign-bu.de/uwe_lueck/contact.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/longnamefilelist
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/longnamefilelist.tds.zip
on MikTeX	longnamefilelist
on TeXLive	longnamefilelist
keyword	doc-mgmt (support for keeping track of document development)
language(s)	no language specified
year	without year
last access	2025-02-07

3524 *longtable* – Allow tables to flow over page boundaries

Web page on CTAN <https://ctan.org/pkg/longtable>

name	<code>longtable</code>
caption	Allow tables to flow over page boundaries
author	Kastrup, David
author	The LaTeX Project Team
author	Carlisle, David
copyright	The LaTeX3 Project et al. (1993-2023)
copyright	David Carlisle (1990-2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	4.22 (2024-10-27)
last changes	2024-10-27
year	2024
description	(no language specified) Longtable allows you to write tables that continue to the next page. You can write captions within the table (typically at the start of the table), and headers and trailers for pages of table. Longtable arranges that the columns on successive pages have the same widths. This last contrasts with the superficially similar supertabular package. Longtable (unlike supertabular) modifies the output routine, and consequently won't work in a multicolumn environment (or in other circumstances where the output routine has been critically altered); it also fails in twocolumn pages. This package is part of the latex-tools bundle in the LaTeX required distribution.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/required/tools/longtable.pdf
– local file	<code>./8657897935-longtable.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/required/tools
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-tools.tds.zip
on MikTeX	<code>latex-tools</code>
on TeXLive	<code>tools</code>
keyword	<code>table-long</code> (typeset tables that may be too big for a page)
keyword	<code>table</code> (table typesetting)
language(s)	no language specified

last access 2025-02-07

3525 *longtocline* – Macros to produce a table of contents

Web page on CTAN <https://ctan.org/pkg/longtocline>

name	longtocline
caption	Macros to produce a table of contents
license	noinfo = noinfo
version	(1992-08-27)
last changes	1992-08-27
year	1992
description	(no language specified) Defines a macro <code>\hugeheader</code> (3 arguments) that produces a table of contents line rather similar to that provided as standard in LaTeX.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/longtocline.tex
keyword	toc-etc (deal with Tables of Contents, and of other such things)
language(s)	no language specified
last access	2025-02-07

3526 *longtwocolumn* – A twocolumn alternative allowing automatic page breaks

Web page on CTAN <https://ctan.org/pkg/longtwocolumn>

name	longtwocolumn
caption	A twocolumn alternative allowing automatic page breaks
author	Kohm, Markus
copyright	Markus Kohm (2013-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1 (2025-07-21)
last changes	2025-07-21
year	2025

description	(no language specified) This package provides a command <code>\longtwocolumn</code> similar to the LaTeX kernel command <code>\twocolumn</code> , but it allows the optional argument to span several pages. The package is an adaption of an old KOMA-Script forum entry.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/longtwocolumn/longtwocolumn.pdf
– local file	<code>./9252220384-longtwocolumn.pdf</code>
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/longtwocolumn/longtwocolumn-example.pdf
– local file	<code>./7974290949-longtwocolumn-example.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/longtwocolumn/README.md
home page	https://gitlab.com/latex9343737/packages/longtwocolumn
contact	<i>repository:</i> https://gitlab.com/latex9343737/packages/longtwocolumn.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/longtwocolumn
on MikTeX	<code>longtwocolumn</code>
on T _E XLive	<code>longtwocolumn</code>
keyword	<code>multicol</code> (more than one column on the page)
language(s)	no language specified
last access	2025-08-01

3527 *lookbibtex* – Tools for examining BibTeX files

Web page on CTAN <https://ctan.org/pkg/lookbibtex>

name	<code>lookbibtex</code>
caption	Tools for examining BibTeX files
author	Heidemann, John
copyright	John Heidemann (1990)
license	gpl = GNU General Public License (free)
version	1.22
description	(no language specified) The bundle provides two Perl scripts:

3528 *loops* – General looping macros for use with LaTeX

- `lookbibtex`, which searches a BibTeX database for a Perl regular expression, optionally with a restriction on which field to examine; and
- `bibdestringify`, which performs all string substitutions (i.e., things of the form `@string{foo = "bar"}`) in a BibTeX file.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/utis/lookbibtex/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utis/lookbibtex
keyword	<code>bibtex-util</code> (utilities for managing BibTeX files)
language(s)	no language specified
year	1990
last access	2025-02-07

3528 *loops* – General looping macros for use with LaTeX

Web page on CTAN <https://ctan.org/pkg/loops>

name	<code>loops</code>
caption	General looping macros for use with LaTeX
author	Musa, Ahmed
copyright	Ahmed Musa (2012)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3
description	(no language specified) The package provides efficient looping macros for processing both <code>csv</code> (separated-values) and <code>nsv/tsv</code> (non-separated values) lists. CSV lists which have associated parsers may be processed with the tools of the package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/loops/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/loops
on MikTeX	<code>loops</code>
on TeXLive	<code>loops</code>
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
keyword	<code>csv-support</code> (read, process and convert CSV data)
keyword	<code>list-supp</code> (list support)

3529 *losymbol* – Defines a mechanism for producing a list of symbols

language(s)	no language specified
year	2012
last access	2025-02-07

3529 *losymbol* – Defines a mechanism for producing a list of symbols

Web page on CTAN <https://ctan.org/pkg/losymbol>

name	<i>losymbol</i>
caption	Defines a mechanism for producing a list of symbols
author	van Dooren, Gerry
license	noinfo = noinfo
version	(1992-08-31)
last changes	1992-08-31
year	1992
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/losymbol.sty
keyword	toc-etc (deal with Tables of Contents, and of other such things)
language(s)	no language specified
last access	2025-02-07

3530 *lout* – An alternative typesetting system

Web page on CTAN <https://ctan.org/pkg/lout>

name	<i>lout</i>
caption	An alternative typesetting system
author	Kingston, Jeff
license	gpl = GNU General Public License (free)
version	3.40
description	(no language specified) Lout is a long-established typesetting system with many advanced features. Its output is in PostScript, but otherwise TeX users will find many concepts familiar.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/lout/README
contact	<i>repository</i> : http://lout.sourceforge.net/

on CTAN <https://ctan.org/tex-archive/support/lout>
 keyword engine (TeX (or TeX-alike) typesetting engine)
 language(s) no language specified
 year without year
 last access 2025-02-07

3531 `loval` – Round-cornered framed boxes

Web page on CTAN <https://ctan.org/pkg/loval>

name `loval`
 caption Round-cornered framed boxes
 author Schalück, Elmar
 copyright Elmar Schalück (1991)
 license noinfo = noinfo
 version 1.1
 description (no language specified) This appears to be an upgrade of the author's **oval** package. It certainly performs better than that package; however, it is prone to tedious (and information-free) warning messages.
 documentation (no language specified) *Demonstration output:* <https://ctan.org/tex-archive/macros/latex209/contrib/loval/lovaltest.pdf>
 – local file `./6899116576-lovaltest.pdf`
 on CTAN <https://ctan.org/tex-archive/macros/latex209/contrib/loval>
 keyword boxing (creating boxes)
 keyword latex209 (package only known to work with LaTeX 2.09)
 language(s) no language specified
 year 1991
 last access 2025-02-11

3532 lparse – Parse macro arguments with Lua using xparse-like specificationWeb page on CTAN <https://ctan.org/pkg/lparse>

name	<code>lparse</code>
caption	Parse macro arguments with Lua using xparse-like specification
author	Friedrich, Josef
copyright	Josef Friedrich (2023-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3.0 (2025-07-02)
last changes	2025-07-02
year	2025
description	(no language specified) The name <code>lparse</code> is derived from <code>xparse</code>. The ‘x’ has been replaced by an ‘l’ because this package only works with LuaTeX. ‘l’ stands for “Lua”. Just as with <code>xparse</code>, it is possible to use a special syntax consisting of single letters to express the arguments of a macro. However, <code>lparse</code> is able to read arguments regardless of the macro system used — whether LaTeX, or ConTeXt, or even plain TeX. Of course, LuaTeX must always be used as the engine.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/lparse/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/generic/lparse/lparse-doc.pdf
– local file	<code>./6115803760-lparse-doc.pdf</code>
contact	<i>announce</i> : https://github.com/Josef-Friedrich/lparse/blob/main/CHANGELOG.md
contact	<i>bugs</i> : https://github.com/Josef-Friedrich/lparse/issues
contact	<i>repository</i> : https://github.com/Josef-Friedrich/lparse
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/lparse
on MikTeX	<code>lparse</code>
on TeXLive	<code>lparse</code>
keyword	macro-def (alternative ways of defining macros)
keyword	parser (parser application)
keyword	luatex (LuaTeX and packages that require it)

keyword	keyval (key-value argument systems)
keyword	macro-gen (macros that are independent of the (TeX) format in use)
language(s)	no language specified
last access	2025-07-09

3533 *lpform* – Typesetting linear programming formulations and sets of equations

Web page on CTAN <https://ctan.org/pkg/lpform>

name	lpform
caption	Typesetting linear programming formulations and sets of equations
author	Waltman, Marijn
copyright	Marijn Waltman (2014)
license	lppl = The LaTeX Project Public License (free)
version	(2015-04-18)
last changes	2015-04-18
year	2015
description	(no language specified) The package is designed to aid the author writing linear programming formulations, one restriction at a time. With the package, one can easily label equations, formulations can span multiple pages and several elements of the layout (such as spacing, texts and equation tags) are also customizable. Besides linear programming formulations, this package can also be used to display any series of aligned equations with easy labeling/referencing and other customization options.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/lpform/lpform-doc.pdf
– local file	./4549512779-lpform-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/lpform/README
on CTAN	https://ctan.org/tex-archive/macros/generic/lpform
on MikTeX	lpform
on TeXLive	lpform
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

3534 lpic – Put LaTeX material over included graphics

Web page on CTAN <https://ctan.org/pkg/lpic>

name	lpic
caption	Put LaTeX material over included graphics
author	Matveev, Rostislav
copyright	R. Matveyev (2010)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.8
description	(no language specified) The package defines a convenient interface to put any LaTeX material on top of included graphics. The LaTeX material may also be rotated and typeset on top of a white box overshadowing the graphics. The coordinates of the LaTeX boxes are given relative to the original, unscaled graphics; when the graphics is rescaled, the LaTeX annotations stay at their right places (unless you do something extreme). In a draft mode, the package enables you to draw a coordinate grid over the picture for easy adjustment of positions of the annotations.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/lpic/instructions.pdf
– local file	./2260276635-instructions.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/lpic/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lpic
on MikTeX	lpic
on T _E XLive	lpic
keyword	graphics-text (text within graphics (drawn or overlaid))
see also	see section 4446 on page 4025: (<i>overpic</i> – Combine LaTeX commands over included graphics)
language(s)	no language specified
year	2010
last access	2025-02-07

3535 lplfitch – Fitch-style natural deduction proofs

Web page on CTAN <https://ctan.org/pkg/lplfitch>

name	lplfitch
caption	Fitch-style natural deduction proofs
author	Zach, Richard
copyright	John Etchemendy, Dave Barker-Plummer, and Richard Zach (2013)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.9
description	(no language specified) The package provides macros for typesetting natural deduction proofs in "Fitch" style, with subproofs indented and offset by scope lines. The proofs from use of the package are in the format used in the textbook "Language, Proof, and Logic" by Dave Barker-Plummer, Jon Barwise, and John Etchemendy. (In fact, the prefix "lpl" in the package name stands for "Language, Proof, and Logic".)
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/lplfitch/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/lplfitch/lplfitch.pdf
– local file	./5258098893-lplfitch.pdf
contact	<i>repository</i> : https://github.com/rzach/lplfitch
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lplfitch
on MikTeX	lplfitch
on T _E XLive	lplfitch
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	2013
last access	2025-02-07

3536 *lps* – Class for "Logic and Philosophy of Science"

Web page on CTAN <https://ctan.org/pkg/lps>

name	<i>lps</i>
caption	Class for "Logic and Philosophy of Science"
author	Cevolani, Gustavo
copyright	Gustavo Cevolani (2005, 2006, 2007, 2010, 2011)
license	lppl = The LaTeX Project Public License (free)
version	0.7
description	(no language specified) The ' Logic and Philosophy of Science ' journal is an online publication of the University of Trieste (Italy). The class builds on the standard article class to offer a format that LaTeX authors may use when submitting to the journal.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/lps/lps.pdf
– local file	<code>./5928644462-lps.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/lps/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lps
on MikTeX	<i>lps</i>
on T _E XLive	<i>lps</i>
keyword	journalpub (typesetting journals, etc)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
year	2011
last access	2025-02-07

3537 *lpw* – A literate programming environment for Macs

Web page on CTAN <https://ctan.org/pkg/lpw>

name	<i>lpw</i>
caption	A literate programming environment for Macs
author	Lindenberg, Norbert
license	shareware = Shareware: A fee is required (not free)
version	1.1
description	(no language specified) The environment offers a WYSIWYG word processor based on style sheets, and a project management system (among other things).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/web/lpw/README
on CTAN	https://ctan.org/tex-archive/web/lpw
keyword	<i>litprog</i> (literate programming)
language(s)	no language specified
year	without year
last access	2025-02-07

3538 *lroundrect* – LaTeX macros for utilizing the roundrect MetaPost routines

Web page on CTAN <https://ctan.org/pkg/lroundrect>

name	<i>lroundrect</i>
caption	LaTeX macros for utilizing the roundrect MetaPost routines
author	Goodman, Donald P.
copyright	Donald P. Goodman (2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2015-09-01)
last changes	2015-09-01
year	2015
description	(no language specified) This LaTeX package provides ways to use the extremely configurable rounded rectangles of the <i>roundrect</i> MetaPost package with LaTeX. It is chiefly useful for examples, but also has macros for particular types of boxes which are useful on their own.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/lroundrect/lroundrect.pdf
– local file	<code>./1378168865-lroundrect.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/lroundrect/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lroundrect
on MikTeX	<code>lroundrect</code>
on T _E XLive	<code>lroundrect</code>
keyword	<code>boxing</code> (creating boxes)
language(s)	no language specified
last access	2025-02-07

3539 *lsabon* – Support files for the Linotype Sabon fonts

Web page on CTAN	https://ctan.org/pkg/lsabon
name	<code>lsabon</code>
caption	Support files for the Linotype Sabon fonts
author	Veytsman, Boris
copyright	Boris Veytsman (2012-2015)
license	other-free = Free license not otherwise listed (free)
version	1.1
description	(no language specified) The fonts themselves are only available for purchase.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/lsabon/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/lsabon/lsabon.pdf
– local file	<code>./8181731637-lsabon.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/lsabon
installation	https://ctan.org/tex-archive/install/fonts/lsabon.tds.zip
on MikTeX	<code>lsabon</code>
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)

language(s)	no language specified
year	2015
last access	2025-02-07

3540 *lsc* – Typesetting Live Sequence Charts

Web page on CTAN <https://ctan.org/pkg/lsc>

name	<i>lsc</i>
caption	Typesetting Live Sequence Charts
author	Westphal, Bernd
copyright	Bernd Westphal (2005-2006)
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) This package is similar to the <i>msc</i> package in that it provides macros for typesetting a variant of sequence diagrams, in this case the Live Sequence Charts of Damm and Harel. The package supports the full LSC language of the original LSC paper, the Klose-extensions for formal verification and some of the Harel-extensions for the Play-In/Play-Out approach (cf. the manual).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/lsc/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/lsc/lsc.pdf
– local file	<code>./6755536701-lsc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lsc
on MikTeX	<i>lsc</i>
on T _E XLive	<i>lsc</i>
keyword	<code>comp-net</code> (typeset computer network concepts)
language(s)	no language specified
year	2006
last access	2025-02-07

3541 *lscape* – Place selected parts of a document in landscape

Web page on CTAN <https://ctan.org/pkg/lscape>

name	<code>lscape</code>
caption	Place selected parts of a document in landscape
author	The LaTeX Project Team
author	Carlisle, David
copyright	David Carlisle, LaTeX3 Project (2000-2021)
copyright	David Carlisle (1994, 1999-2000)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.02 (2020-05-28)
last changes	2020-05-28
year	2020
description	(no language specified) Modifies the margins and rotates the page contents but not the page number. Useful, for example, with large multipage tables, as it is compatible with longtable and supertabular . Note that the package makes no special provision for PDF output, where in principle a single page can be shown at full landscape width; such an effect may be achieved using the pdfscape package instead. The package is part of the latex-graphics bundle, which is one of the collections in the LaTeX ‘required’ set of packages.
on CTAN	https://ctan.org/tex-archive/macros/latex/required/graphics
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-graphics.tds.zip
on MikTeX	graphics
on TeXLive	graphics
keyword	landscape (print landscape orientation, manipulate landscape material)
keyword	layout (layout of objects on the page)
see also	see section 5224 on page 4732 : (rotating – Rotation tools, including rotated full-page floats)
language(s)	no language specified
last access	2025-02-07

3542 *lscapeenhanced* – An enhancement to the *lscape* and *pdfscape* packages

Web page on CTAN <https://ctan.org/pkg/lscapeenhanced>

name	lscapeenhanced
caption	An enhancement to the <i>lscape</i> and <i>pdfscape</i> packages
author	Kohm, Markus
copyright	Markus Kohm (2008-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2024-04-16)
last changes	2024-04-16
year	2024
description	(no language specified) The package solves an issue with the detection of text height, e.g., by package <i>scrlayer</i> or <i>showframe</i> , when using the <i>landscape</i> environment of package <i>lscape</i> or <i>pdfscape</i> .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/lscapeenhanced/lscapeenhanced.pdf
– local file	./1226552406-lscapeenhanced.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/lscapeenhanced/README.md
home page	https://github.com/komascript/third-party-enhancements
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lscapeenhanced
on MikTeX	lscapeenhanced
on T _E XLive	lscapeenhanced
keyword	landscape (print landscape orientation, manipulate landscape material)
keyword	layout (layout of objects on the page)
language(s)	no language specified
last access	2025-02-07

3543 lshort – A short introduction to LaTeX 2eWeb page on CTAN <https://ctan.org/pkg/lshort>

name	lshort
caption	A short introduction to LaTeX 2e
author	Oetiker, Tobias
license	collection = collection
description	(no language specified) Lshort started as a translation and rationalisation of a ground-breaking German-language introduction to LaTeX. It has since taken on a momentum of its own, and has itself been translated into a number of languages. Thus we have introductory text available to a wide proportion of the user community. The archive holds versions in Bulgarian , Chinese , Dutch , English , Finnish , French , German , Italian , Japanese , Korean , Mongolian , Persian , Polish , Portuguese , Brazilian Portuguese , Russian , Slovak , Slovenian , Spanish , Thai , Turkish , Ukrainian and Vietnamese .
on CTAN	https://ctan.org/tex-archive/info/lshort
keyword	tut-latex (tutorial material for LaTeX)
language(s)	no language specified
year	without year
last access	2025-02-11

3544 lshort-bulgarian – Bulgarian translation of the "Short Introduction to LaTeX2e"Web page on CTAN <https://ctan.org/pkg/lshort-bulgarian>

name	lshort-bulgarian
caption	Bulgarian translation of the "Short Introduction to LaTeX2e"
author	Karakoleva, Stefka
license	pd = Public Domain Software (free)
description	(no language specified) The source files, PostScript and PDF files of the Bulgarian translation of the " Short Introduction to LaTeX 2e ".
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/lshort/bulgarian/README
documentation	(Bulgarian) <i>The document itself</i> : https://ctan.org/tex-archive/info/lshort/bulgarian/lshort-bg.pdf
– local file	./4407578612-lshort-bg.pdf

on CTAN	https://ctan.org/tex-archive/info/lshort/bulgarian
on T _E XLive	<code>lshort-bulgarian</code>
keyword	<code>tut-latex</code> (tutorial material for LaTeX)
keyword	<code>bulgarian</code> (support for typesetting and documentation in Bulgarian)
language(s)	Bulgarian
year	without year
last access	2025-02-07

3545 *lshort-czech* – Czech translation of the “Short Introduction to LaTeX2e”

Web page on CTAN	https://ctan.org/pkg/lshort-czech
name	<code>lshort-czech</code>
caption	Czech translation of the “Short Introduction to LaTeX2e”
author	Stříž, Pavel
author	Oetiker, Tobias
author	Madr, Míchal
license	gpl = GNU General Public License (free)
version	4.27
description	(no language specified) This is the Czech translation of ” A Short Introduction to LaTeX2e ”.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/lshort/czech/README
documentation	(Czech) <i>The document itself</i> : https://ctan.org/tex-archive/info/lshort/czech/lshort-cs.pdf
– local file	<code>./8574645196-lshort-cs.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/lshort/czech
on MikT _E X	<code>lshort-czech</code>
on T _E XLive	<code>lshort-czech</code>
keyword	<code>tut-latex</code> (tutorial material for LaTeX)
keyword	<code>czech-doc</code> (documentation in Czech)
language(s)	Czech
year	without year
last access	2025-02-07

3546 lshort-dutch – Introduction to LaTeX in Dutch

Web page on CTAN <https://ctan.org/pkg/lshort-dutch>

name	<code>lshort-dutch</code>
caption	Introduction to LaTeX in Dutch
author	Becuwe, Stefan
author	Oetiker, Tobias
author	Windels, Bart
license	gpl = GNU General Public License (free)
version	1.3
description	(no language specified) This is the Dutch (Nederlands) translation of the Short Introduction to LaTeX2e .
documentation	(Dutch) <i>The document itself</i> : https://ctan.org/tex-archive/info/lshort/dutch/lshort-nl-1.3.pdf
– local file	<code>./2176244721-lshort-nl-1.3.pdf</code>
documentation	(Dutch) <i>Readme</i> : https://ctan.org/tex-archive/info/lshort/dutch/LEESMIJ
on CTAN	https://ctan.org/tex-archive/info/lshort/dutch
on MikTeX	<code>lshort-dutch</code>
on T _E XLive	<code>lshort-dutch</code>
keyword	<code>tut-latex</code> (tutorial material for LaTeX)
keyword	<code>dutch-doc</code> (documentation in Dutch)
language(s)	Dutch
year	without year
last access	2025-02-07

3547 lshort-english – A (Not So) Short Introduction to LaTeX2e

Web page on CTAN <https://ctan.org/pkg/lshort-english>

name	lshort-english
caption	A (Not So) Short Introduction to LaTeX2e
author	Oetiker, Tobias
copyright	Tobias Oetiker and Contributors (1995-2021)
license	gpl2 = GNU General Public License, version 2 (free)
version	6.4 (2021-03-09)
last changes	2021-03-09
year	2021
description	(no language specified) The document derives from a German introduction (' lkurz '), which was translated and updated; it continues to be updated. This translation has, in its turn, been translated into several other languages; see the lshort catalogue entry for the current list.
documentation	(no language specified) <i>The document itself (A5 paper format)</i> : https://ctan.org/tex-archive/info/lshort/english/lshort-a5.pdf
– local file	./8783985373-lshort-a5.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/lshort/english/README
documentation	(no language specified) <i>The document itself (letter format)</i> : https://ctan.org/tex-archive/info/lshort/english/lshort-letter.pdf
– local file	./5002307078-lshort-letter.pdf
documentation	(no language specified) <i>The document itself (A4 paper format)</i> : https://ctan.org/tex-archive/info/lshort/english/lshort.pdf
– local file	./7477347806-lshort.pdf
home page	http://tobi.oetiker.ch/
on CTAN	https://ctan.org/tex-archive/info/lshort/english
on MikTeX	lshort-english
on T _E XLive	lshort-english
keyword	documentation ('stand-alone' documentation)
keyword	tut-latex (tutorial material for LaTeX)
language(s)	no language specified
last access	2025-02-07

3548 lshort-estonian – Estonian introduction to LaTeX

Web page on CTAN <https://ctan.org/pkg/lshort-estonian>

name	lshort-estonian
caption	Estonian introduction to LaTeX
author	Palm, Reimo
license	gpl2 = GNU General Public License, version 2 (free)
version	5.05
description	(no language specified) This is the Estonian translation of Short Introduction to LaTeX2e .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/lshort/estonian/README
documentation	(Estonian) <i>The document itself</i> : https://ctan.org/tex-archive/info/lshort/estonian/lshort-ee.pdf
– local file	./9612804776-lshort-ee.pdf
on CTAN	https://ctan.org/tex-archive/info/lshort/estonian
on MikTeX	lshort-estonian
on T _E XLive	lshort-estonian
keyword	tut-latex (tutorial material for LaTeX)
keyword	estonian (support for typesetting Estonian)
language(s)	Estonian
year	without year
last access	2025-02-07

3549 lshort-finnish – Finnish introduction to LaTeX

Web page on CTAN <https://ctan.org/pkg/lshort-finnish>

name	lshort-finnish
caption	Finnish introduction to LaTeX
author	Hellgren, Timo
copyright	Timo Hellgren (1998-2003)
license	pd = Public Domain Software (free)

description	(no language specified) This is the Finnish translation of Short Introduction to LaTeX2e , with added coverage of Finnish typesetting rules.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/lshort/finnish/README
documentation	(Finnish) <i>The document itself</i> : https://ctan.org/tex-archive/info/lshort/finnish/lyhyt2e.pdf
– local file	<code>./3766777668-lyhyt2e.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/lshort/finnish
on MikTeX	<code>lshort-finnish</code>
on T _E XLive	<code>lshort-finnish</code>
keyword	<code>tut-latex</code> (tutorial material for LaTeX)
keyword	<code>finnish-doc</code> (documentation written in Finnish)
language(s)	Finnish
year	2003
last access	2025-02-07

3550 *lshort-french* – Short introduction to LaTeX, French translation

Web page on CTAN	https://ctan.org/pkg/lshort-french
name	<code>lshort-french</code>
caption	Short introduction to LaTeX, French translation
author	Pégourié-Gonnard, Manuel
author	Oetiker, Tobias
author	Colin, Samuel
copyright	LAAS/CNRS (translation) (1998-2001)
license	gpl = GNU General Public License (free)
version	5.01fr-0
description	(no language specified) French version of A Short Introduction to LaTeX2e .
documentation	(French) <i>The document itself</i> : https://ctan.org/tex-archive/info/lshort/french/lshort-fr.pdf
– local file	<code>./6106870255-lshort-fr.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/lshort/french/README

on CTAN	https://ctan.org/tex-archive/info/lshort/french
on MikTeX	<code>lshort-french</code>
on T _E XLive	<code>lshort-french</code>
keyword	<code>french-doc</code> (documentation in French)
keyword	<code>tut-latex</code> (tutorial material for LaTeX)
language(s)	French
year	2001
last access	2025-02-07

**3551 *lshort-german* – German version of “A Short Introduction to LaTeX2e”:
LaTeX2e-Kurzbeschreibung**

Web page on CTAN	https://ctan.org/pkg/lshort-german
name	<code>lshort-german</code>
caption	German version of “A Short Introduction to LaTeX2e”: LaTeX2e-Kurzbeschreibung
author	Kopp, Oliver
author	Schmidt, Walter A.
author	Daniel, Marco
author	Gundlach, Patrick
license	opl = Open Publication License (free)
version	3.0c
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/lshort/german/README
documentation	(German) <i>The document itself</i> : https://ctan.org/tex-archive/info/lshort/german/l2kurz.pdf
– local file	<code>./4778216188-l2kurz.pdf</code>
home page	https://github.com/dante-ev/l2kurz
contact	<i>bugs</i> : https://github.com/dante-ev/l2kurz/issues
contact	<i>repository</i> : https://github.com/dante-ev/l2kurz.git
on CTAN	https://ctan.org/tex-archive/info/lshort/german
on MikTeX	<code>lshort-german</code>
on T _E XLive	<code>lshort-german</code>

keyword german-doc (documentation in German)
 keyword tut-latex (tutorial material for LaTeX)
 language(s) German
 year without year
 last access 2025-02-07

3552 *lshort-italian* – Introduction to LaTeX in Italian

Web page on CTAN <https://ctan.org/pkg/lshort-italian>

name lshort-italian
 caption Introduction to LaTeX in Italian
 author GuIT (Gruppo Utilizzatori Italiani di TeX)
 author Bilotta, Giuseppe
 author Beccari, Claudio
 license gpl = GNU General Public License (free)
 version 6.2 (2020-11-30)
 last changes 2020-11-30
 year 2020
 description (no language specified) This is the Italian translation of the [Short Introduction to LaTeX2e](#) .
 documentation (Italian) *The document itself*: <https://ctan.org/tex-archive/info/lshort/italian/it-lshort.pdf>
 – local file ./9380181069-it-lshort.pdf
 contact *support*: <https://www.guitex.org/home/en/forum/index>
 contact *bugs*: <https://www.guitex.org/home/en/forum/index>
 on CTAN <https://ctan.org/tex-archive/info/lshort/italian>
 on MikTeX lshort-italian
 on TeXLive lshort-italian
 keyword italian-doc (documentation in Italian)
 keyword tut-latex (tutorial material for LaTeX)
 language(s) Italian
 last access 2025-02-07

3553 *lshort-japanese* – Japanese version of A Short Introduction to LaTeX2e

Web page on CTAN	https://ctan.org/pkg/lshort-japanese
name	<code>lshort-japanese</code>
caption	Japanese version of A Short Introduction to LaTeX2e
author	Masataka, Nomura
license	gpl = GNU General Public License (free)
documentation	(Japanese) <i>The document itself</i> : https://ctan.org/tex-archive/info/lshort/japanese/jlshort.ps
on CTAN	https://ctan.org/tex-archive/info/lshort/japanese
on MikTeX	<code>lshort-japanese</code>
on T _E XLive	<code>lshort-japanese</code>
keyword	<code>tut-latex</code> (tutorial material for LaTeX)
keyword	<code>japanese-doc</code> (documentation in Japanese)
language(s)	Japanese
year	without year
last access	2025-02-07

3554 *lshort-korean* – Korean introduction to LaTeX

Web page on CTAN	https://ctan.org/pkg/lshort-korean
name	<code>lshort-korean</code>
caption	Korean introduction to LaTeX
author	Cho, In-Sung
author	Kim, Kangsoo
license	fdl = Free Documentation License (free)
version	(2021-03-16)
last changes	2021-03-16
year	2021
description	(no language specified) A translation of Oetiker's original (not so) short introduction .
documentation	(Korean) <i>The document itself</i> : https://ctan.org/tex-archive/info/lshort/korean/lshort-ko.pdf

– local file `./5600013073-lshort-ko.pdf`
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/info/lshort/korean/README.md>
on CTAN <https://ctan.org/tex-archive/info/lshort/korean>
on MikTeX `lshort-korean`
on T_EXLive `lshort-korean`
keyword `korean-doc` (documentation in Korean)
keyword `tut-latex` (tutorial material for LaTeX)
language(s) Korean
last access 2025-02-07

3555 *lshort-mongol* – Short introduction to LaTeX, in Mongolian

Web page on CTAN <https://ctan.org/pkg/lshort-mongol>
name `lshort-mongol`
caption Short introduction to LaTeX, in Mongolian
author Batumongke, Dorjgotov
license lppl = The LaTeX Project Public License (free)
version 4.26
description (no language specified) A translation of Oetiker's *Not so short introduction* .
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/info/lshort/mongolian/lshort-mongol/README>
documentation (Mongolian) *The document itself*: <https://ctan.org/tex-archive/info/lshort/mongolian/lshort-mongol/lshort-mn.pdf>
– local file `./9891492609-lshort-mn.pdf`
on CTAN <https://ctan.org/tex-archive/info/lshort/mongolian/lshort-mongol>
on T_EXLive `lshort-mongol`
keyword `mongolian-doc` (documentation in Mongolian)
keyword `tut-latex` (tutorial material for LaTeX)
language(s) Mongolian
year without year
last access 2025-02-07

3556 *lshort-mongolian* – Short introduction to LaTeX 2.09, Mongolian translation

Web page on CTAN <https://ctan.org/pkg/lshort-mongolian>

name	<i>lshort-mongolian</i>
caption	Short introduction to LaTeX 2.09, Mongolian translation
author	Corff, Oliver
author	Dorj, Dorjpalam
license	noinfo = noinfo
description	(no language specified) This is Mongolian version of the original (LaTeX 2.09) <i>lshort</i> , as translated from the Russian version.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/lshort/mongolian/lshort-mongolian/README
documentation	(Mongolian) <i>The document itself</i> : https://ctan.org/tex-archive/info/lshort/mongolian/lshort-mongolian/bogino.pdf
– local file	<i>./7628768636-bogino.pdf</i>
on CTAN	https://ctan.org/tex-archive/info/lshort/mongolian/lshort-mongolian
on MikTeX	<i>lshort-mongolian</i>
keyword	<i>mongolian-doc</i> (documentation in Mongolian)
keyword	<i>tut-latex</i> (tutorial material for LaTeX)
language(s)	Mongolian
year	without year
last access	2025-02-07

3557 *lshort-persian* – Persian (Farsi) introduction to LaTeX

Web page on CTAN <https://ctan.org/pkg/lshort-persian>

name	<i>lshort-persian</i>
caption	Persian (Farsi) introduction to LaTeX
author	Omidali, Mehdi
author	Oetiker, Tobias
license	pd = Public Domain Software (free)
version	5.01

3558 *lshort-polish* – Introduction to LaTeX in Polish

description	(no language specified) A Persian (Farsi) translation of Oetiker's (not so) short introduction .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/lshort/persian/README
documentation	(Persian) <i>The document itself</i> : https://ctan.org/tex-archive/info/lshort/persian/lshort.pdf
– local file	<code>./1071406167-lshort.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/lshort/persian
on MikTeX	<code>lshort-persian</code>
on TeXLive	<code>lshort-persian</code>
keyword	<code>persian-doc</code> (documentation in Persian)
language(s)	Persian
year	without year
last access	2025-02-07

3558 *lshort-polish* – Introduction to LaTeX in Polish

Web page on CTAN <https://ctan.org/pkg/lshort-polish>

name	<code>lshort-polish</code>
caption	Introduction to LaTeX in Polish
author	Goldasz, Janusz
author	Kubiak, Ryszard
author	Przechlewski, Tomasz
author	Serwin, Marcin
copyright	Tobias Oetiker and Contributors (1995-2021)
copyright	Tomasz Przechlewski, Ryszard Kubiak, Janusz Gołdasz and Marcin Serwin (1999, 2007, 2022)
license	gpl2+ = GNU General Public License, version 2 or newer (free)
version	6.4PL1 (2022-05-13)
last changes	2022-05-13
year	2022
description	(no language specified) This is the Polish translation of A Short Introduction to LaTeX2e .

documentation	(Polish) <i>The document itself (letter format)</i> : https://ctan.org/tex-archive/info/lshort/polish/lshort-letter-pl.pdf
– local file	<code>./7551230209-lshort-letter-pl.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/lshort/polish/README
documentation	(Polish) <i>The document itself (A5 paper format)</i> : https://ctan.org/tex-archive/info/lshort/polish/lshort-a5-pl.pdf
– local file	<code>./6694815481-lshort-a5-pl.pdf</code>
documentation	(Polish) <i>The document itself (A4 paper format)</i> : https://ctan.org/tex-archive/info/lshort/polish/lshort-pl.pdf
– local file	<code>./7257568031-lshort-pl.pdf</code>
contact	<i>bugs</i> : https://gitlab.com/marcin-serwin/lshort-pl/-/issues
contact	<i>repository</i> : https://gitlab.com/marcin-serwin/lshort-pl
on CTAN	https://ctan.org/tex-archive/info/lshort/polish
on MikTeX	<code>lshort-polish</code>
on TeXLive	<code>lshort-polish</code>
keyword	<code>tut-latex</code> (tutorial material for LaTeX)
keyword	<code>polish-doc</code> (documentation in Polish)
language(s)	Polish
last access	2025-02-07

3559 *lshort-portuguese* – Introduction to LaTeX in Portuguese

Web page on CTAN	https://ctan.org/pkg/lshort-portuguese
name	<code>lshort-portuguese</code>
caption	Introduction to LaTeX in Portuguese
author	Simões, Alberto Manuel Brandão
license	pd = Public Domain Software (free)
version	5.01.0
description	(no language specified) This is the Portuguese translation of A Short Introduction to LaTeX2e .
documentation	(Portuguese) <i>The document itself</i> : https://ctan.org/tex-archive/info/lshort/portuguese/pt-lshort.pdf
– local file	<code>./4102355663-pt-lshort.pdf</code>

on CTAN <https://ctan.org/tex-archive/info/lshort/portuguese>
on MikTeX *lshort-portuguese*
on T_EXLive *lshort-portuguese*
keyword *portuguese-doc* (documentation in Portuguese)
keyword *tut-latex* (tutorial material for LaTeX)
language(s) Portuguese
year without year
last access 2025-02-07

3560 *lshort-portuguese-br* – Introduction to LaTeX in Portuguese (Brazil)

Web page on CTAN <https://ctan.org/pkg/lshort-portuguese-br>
name *lshort-portuguese-br*
caption Introduction to LaTeX in Portuguese (Brazil)
author Polli, Demerson Andre
license pd = Public Domain Software (free)
version 3.20
description (no language specified) This is the Brazilian Portuguese translation of [A Short Introduction to LaTeX2e](#) .
documentation (Portuguese) *The document itself*: <https://ctan.org/tex-archive/info/lshort/portuguese-BR/lshortBR.pdf>
– local file *./7164221880-lshortBR.pdf*
on CTAN <https://ctan.org/tex-archive/info/lshort/portuguese-BR>
keyword *tut-latex* (tutorial material for LaTeX)
keyword *portuguese-doc* (documentation in Portuguese)
language(s) Portuguese
year without year
last access 2025-02-07

3561 *lshort-russian* – Russian introduction to LaTeX

Web page on CTAN <https://ctan.org/pkg/lshort-russian>

name	<code>lshort-russian</code>
caption	Russian introduction to LaTeX
author	Tobotras, Boris
license	gpl = GNU General Public License (free)
description	(no language specified) Russian version of A Short Introduction to LaTeX2e .
documentation	(Russian) <i>The document itself</i> : https://ctan.org/tex-archive/info/lshort/russian/lshortru.pdf
– local file	<code>./1536230180-lshortru.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/lshort/russian
on MikTeX	<code>lshort-russian</code>
on TeXLive	<code>lshort-russian</code>
keyword	<code>russian-doc</code> (documentation in Russian)
keyword	<code>tut-latex</code> (tutorial material for LaTeX)
language(s)	Russian
year	without year
last access	2025-02-07

3562 *lshort-slovak* – Slovak introduction to LaTeX

Web page on CTAN <https://ctan.org/pkg/lshort-slovak>

name	<code>lshort-slovak</code>
caption	Slovak introduction to LaTeX
author	Oetiker, Tobias
author	Busa, Jan
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) A Slovak translation of Oetiker's (not so) short introduction .
documentation	(Slovak) <i>The document itself</i> : https://ctan.org/tex-archive/info/lshort/slovak/Slshorte.pdf
– local file	<code>./5874323360-Slshorte.pdf</code>

on CTAN	https://ctan.org/tex-archive/info/lshort/slovak
on MikTeX	<code>lshort-slovak</code>
on T _E XLive	<code>lshort-slovak</code>
keyword	<code>tut-latex</code> (tutorial material for LaTeX)
keyword	<code>slovak</code> (support for typesetting, and documentation in Slovak)
language(s)	Slovak
year	without year
last access	2025-02-07

3563 *lshort-slovenian* – Slovenian translation of *lshort*

Web page on CTAN	https://ctan.org/pkg/lshort-slovenian
name	<code>lshort-slovenian</code>
caption	Slovenian translation of <i>lshort</i>
author	Plestenjak, Bor
copyright	B. Plestenjak (2008)
license	gpl = GNU General Public License (free)
version	4.20
description	(no language specified) A Slovenian translation of the Not So Short Introduction to LaTeX 2_ε .
documentation	(Slovenian) <i>The document itself</i> : https://ctan.org/tex-archive/info/lshort/slovenian/lshort-slovenian.pdf
– local file	<code>./3844232940-lshort-slovenian.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/lshort/slovenian/README
on CTAN	https://ctan.org/tex-archive/info/lshort/slovenian
on MikTeX	<code>lshort-slovenian</code>
on T _E XLive	<code>lshort-slovenian</code>
keyword	<code>tut-latex</code> (tutorial material for LaTeX)
keyword	<code>slovenian</code> (support for typesetting, and documentation in Slovenian)
language(s)	Slovenian
year	2008
last access	2025-02-07

3564 lshort-spanish – Short introduction to LaTeX, Spanish translation

Web page on CTAN <https://ctan.org/pkg/lshort-spanish>

name	lshort-spanish
caption	Short introduction to LaTeX, Spanish translation
author	Vela, Daniel
author	Carleos Artime, Carlos Enrique
author	Rivera, Luis
license	other-free = Free license not otherwise listed (free)
version	0.5
description	(no language specified) A Spanish translation of the Short Introduction to LaTeX2e , version 20.
documentation	(Spanish) <i>The document itself (A4 paper)</i> : https://ctan.org/tex-archive/info/lshort/spanish/lshort-a4.pdf
– local file	./8485226907-lshort-a4.pdf
documentation	(Spanish) <i>The document itself (letter paper)</i> : https://ctan.org/tex-archive/info/lshort/spanish/lshort-letter.pdf
– local file	./3976957928-lshort-letter.pdf
on CTAN	https://ctan.org/tex-archive/info/lshort/spanish
on MikTeX	lshort-spanish
on T _E XLive	lshort-spanish
keyword	tut-latex (tutorial material for LaTeX)
keyword	spanish-doc (documentation in Spanish)
language(s)	Spanish
year	without year
last access	2025-02-07

3565 `lshort-thai` – Introduction to LaTeX in Thai

Web page on CTAN <https://ctan.org/pkg/lshort-thai>

name	<code>lshort-thai</code>
caption	Introduction to LaTeX in Thai
author	Visavakul, Chakkapas
author	Oetiker, Tobias
license	pd = Public Domain Software (free)
version	1.32
description	(no language specified) This is the Thai translation of the Short Introduction to LaTeX2e .
documentation	(Thai) <i>The document itself:</i> https://ctan.org/tex-archive/info/lshort/thai/lsh132.pdf
– local file	<code>./7761639633-lsh132.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/info/lshort/thai/readme
on CTAN	https://ctan.org/tex-archive/info/lshort/thai
on MikTeX	<code>lshort-thai</code>
on T _E XLive	<code>lshort-thai</code>
keyword	<code>thai</code> (support for typesetting, and documentation in Thai)
keyword	<code>tut-latex</code> (tutorial material for LaTeX)
language(s)	Thai
year	without year
last access	2025-02-07

3566 `lshort-turkish` – Turkish introduction to LaTeX

Web page on CTAN <https://ctan.org/pkg/lshort-turkish>

name	<code>lshort-turkish</code>
caption	Turkish introduction to LaTeX
author	Karaoglu, Bekir
author	Oetiker, Tobias
license	pd = Public Domain Software (free)

version	4.20
description	(no language specified) A Turkish translation of Oetiker's (not so) short introduction .
documentation	(Turkish) <i>The document itself</i> : https://ctan.org/tex-archive/info/lshort/turkish/lshort-tr.pdf
– local file	./4770769024-lshort-tr.pdf
on CTAN	https://ctan.org/tex-archive/info/lshort/turkish
on T _E XLive	lshort-turkish
keyword	tut-latex (tutorial material for LaTeX)
keyword	turkish (documentation in, and support for typesetting Turkish)
language(s)	Turkish
year	without year
last access	2025-02-07

3567 *lshort-ukr* – Ukrainian version of the LaTeX introduction

Web page on CTAN	https://ctan.org/pkg/lshort-ukr
name	lshort-ukr
caption	Ukrainian version of the LaTeX introduction
author	Polyakov, Maksym
license	other-free = Free license not otherwise listed (free)
version	4.00
description	(no language specified) Ukrainian version of A Short Introduction to LaTeX2e.
documentation	(Ukrainian) <i>The document itself</i> : https://ctan.org/tex-archive/info/lshort/ukrainian/lshort-ukr.pdf
– local file	./8371607986-lshort-ukr.pdf
on CTAN	https://ctan.org/tex-archive/info/lshort/ukrainian
on T _E XLive	lshort-ukr
keyword	tut-latex (tutorial material for LaTeX)
keyword	ukrainian (documentation in, and support for typesetting Ukrainian)
language(s)	Ukrainian
year	without year
last access	2025-02-07

3568 lshort-vietnamese – Vietnamese version of the LaTeX introduction

Web page on CTAN <https://ctan.org/pkg/lshort-vietnamese>

name	lshort-vietnamese
caption	Vietnamese version of the LaTeX introduction
author	Nguyen, Tan Khoa
license	lppl = The LaTeX Project Public License (free)
version	4.00
description	(no language specified) Vietnamese version of A Short Introduction to LaTeX2e .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/lshort/vietnamese/README
documentation	(Vietnamese) <i>The document itself</i> : https://ctan.org/tex-archive/info/lshort/vietnamese/lshort-vi.pdf
– local file	./7459746462-lshort-vi.pdf
on CTAN	https://ctan.org/tex-archive/info/lshort/vietnamese
on T _E XLive	lshort-vietnamese
keyword	tut-latex (tutorial material for LaTeX)
keyword	vietnamese-doc (documentation in Vietnamese)
language(s)	Vietnamese
year	without year
last access	2025-02-07

3569 lshort-zh-cn – Introduction to LaTeX, in Chinese

Web page on CTAN <https://ctan.org/pkg/lshort-zh-cn>

name	lshort-zh-cn
caption	Introduction to LaTeX, in Chinese
author	Zeng, Xiangdong
author	Zhang, Tingxuan
author	Stuart, Louis
author	Xing, Zhaopeng
copyright	Chinese TeX Society (2018-2024)

license	fdl = Free Documentation License (free)
version	6.05 (2024-12-18)
last changes	2024-12-18
year	2024
description	(no language specified) A Chinese edition of the not so short introduction to LaTeX2e , with additional information of typesetting Chinese language.
documentation	<i>Readme (Chinese)</i> : https://ctan.org/tex-archive/info/lshort/chinese/README-zh.md
documentation	(Chinese) <i>The document itself</i> : https://ctan.org/tex-archive/info/lshort/chinese/lshort-zh-cn.pdf
– local file	<code>./8327472726-lshort-zh-cn.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/lshort/chinese/README.md
contact	<i>bugs</i> : https://github.com/CTeX-org/lshort-zh-cn/issues
contact	<i>repository</i> : https://github.com/CTeX-org/lshort-zh-cn
on CTAN	https://ctan.org/tex-archive/info/lshort/chinese
on MikTeX	<code>lshort-zh-cn</code>
on T _E XLive	<code>lshort-chinese</code>
keyword	<code>tut-latex</code> (tutorial material for LaTeX)
keyword	<code>chinese-doc</code> (documentation in Chinese languages)
language(s)	Chinese
last access	2025-02-07

3570 *lstaddons* – Add-on packages for listings: autogobble and line background

Web page on CTAN	https://ctan.org/pkg/lstaddons
name	<code>lstaddons</code>
caption	Add-on packages for listings: autogobble and line background
author	Scharrer, Martin
copyright	Martin Scharrer (2011-2024)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2 (2024-08-18)
last changes	2024-08-18

year	2024
description	(no language specified) The bundle contains a small collection of add-on packages for the listings package. Current packages are: • <code>lstlinebgrd</code>: colour the background of some or all lines of a listing; and • <code>lstautogobble</code>: set the standard "gobble" option to the indent of the first line of the code.
documentation	(no language specified) <i>lstlinebgrd</i> package documentation: https://ctan.org/tex-archive/macros/latex/contrib/lstaddons/lstlinebgrd.pdf
– local file	<code>./6613432572-lstlinebgrd.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/lstaddons/README.txt
documentation	(no language specified) <i>lstautogobble</i> package documentation: https://ctan.org/tex-archive/macros/latex/contrib/lstaddons/lstautogobble.pdf
– local file	<code>./6431151514-lstautogobble.pdf</code>
home page	https://github.com/MartinScharrer/lstaddons
contact	<i>bugs</i> : https://github.com/MartinScharrer/lstaddons/issues
contact	<i>repository</i> : https://github.com/MartinScharrer/lstaddons.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lstaddons
on MikTeX	lstaddons
on T _E XLive	lstaddons
keyword	listing (computer code listing)
language(s)	no language specified
last access	2025-02-07

3571 *lstbayes* – Listings language driver for Bayesian modeling languages

Web page on CTAN <https://ctan.org/pkg/lstbayes>

name	lstbayes
caption	Listings language driver for Bayesian modeling languages
author	Arnold, Jeffrey B.
copyright	Jeffrey B. Arnold (2015-2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2018-07-06)
last changes	2018-07-06
year	2018
description	(no language specified) The package provides language drivers for the listings package for several languages not included in that package: BUGS, JAGS, and Stan.
documentation	(no language specified) <i>Examples of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/lstbayes/examples.pdf
– local file	./5434856645-examples.pdf
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/lstbayes/lstbayes.pdf
– local file	./2418449112-lstbayes.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/lstbayes/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lstbayes
on MikTeX	lstbayes
on TeXLive	lstbayes
keyword	listing (computer code listing)
language(s)	no language specified
last access	2025-02-07

3572 *lstfiracode* – Use Fira Code font for listings

Web page on CTAN <https://ctan.org/pkg/lstfiracode>

name	lstfiracode
caption	Use Fira Code font for listings
author	Zhang, Ruixi
copyright	Ruixi Zhang (2018)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1c (2018-12-24)
last changes	2018-12-24
year	2018
description	(no language specified) The <code>lstfiracode</code> package defines <code>FiraCodeStyle</code> for the use with the <code>listings</code> package. This style contains almost all ligatures in Nikita Prokopov's Fira Code family of fonts.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/lstfiracode/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/lstfiracode/lstfiracode.pdf
– local file	<code>./5477593947-lstfiracode.pdf</code>
home page	https://github.com/RuixiZhang42/lstfiracode
contact	<i>support</i> : https://github.com/RuixiZhang42/lstfiracode/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lstfiracode
on MikTeX	lstfiracode
on TeXLive	lstfiracode
keyword	listing (computer code listing)
see also	see section 2219 on page 2008: (<code>fira</code> – Fira fonts with LaTeX support)
language(s)	no language specified
last access	2025-02-07

3573 *lt3graph* – Provide a graph datastructure for experimental LaTeX3Web page on CTAN <https://ctan.org/pkg/lt3graph>

name	lt3graph
caption	Provide a graph datastructure for experimental LaTeX3
author	Helvensteijn, Michiel
copyright	Michiel Helvensteijn (2014)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1.9
description	(no language specified) The package defines a ‘graph’ data structure, for use in documents that are using the experimental LaTeX 3 syntax .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/lt3graph/lt3graph.pdf
– local file	./2026548060-lt3graph.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/lt3graph/README
contact	<i>bugs</i> : https://github.com/mhelvens/latex-lt3graph/issues
contact	<i>repository</i> : https://github.com/mhelvens/latex-lt3graph
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lt3graph
on MikTeX	lt3graph
on T _E XLive	lt3graph
keyword	macro-supp (support for development of (La)TeX macros)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
year	2014
last access	2025-02-10

3574 lt3luabridge – Execute Lua code in any TeX engine that exposes the shellWeb page on CTAN <https://ctan.org/pkg/lt3luabridge>

name	lt3luabridge
caption	Execute Lua code in any TeX engine that exposes the shell
author	Starý Novotný, Vít
copyright	Vít Novotný (2016-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.2.2 (2025-06-24)
last changes	2025-06-24
year	2025
description	(no language specified) This is an expl3 (-generic) package for plain TeX, LaTeX, and ConTeXt that allows you to execute Lua code in LuaTeX or any other TeX engine that exposes the shell.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/lt3luabridge/lt3luabridge.pdf
– local file	./3599945577-lt3luabridge.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/lt3luabridge/README.md
contact	<i>announce</i> : https://github.com/witiko/lt3luabridge/releases
contact	<i>bugs</i> : https://github.com/witiko/lt3luabridge/issues
contact	<i>repository</i> : https://github.com/witiko/lt3luabridge
contact	<i>development</i> : https://github.com/witiko/lt3luabridge/discussions
on CTAN	https://ctan.org/tex-archive/macros/generic/lt3luabridge
on MikTeX	lt3luabridge
on T _E XLive	lt3luabridge
keyword	exec-foreign (execute ‘other types’ of language)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-07-04

3575 lt3rawobjects – Objects and proxies in LaTeX3

Web page on CTAN <https://ctan.org/pkg/lt3rawobjects>

name	lt3rawobjects
caption	Objects and proxies in LaTeX3
author	De Donato, Paolo
copyright	Paolo De Donato (2022)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	2.3 (2023-03-17)
last changes	2023-03-17
year	2023
description	(no language specified) This package introduces a new mechanism to create objects like the well known C structures. The functions exported by this package are quite low level, and many important mechanisms like member protection and name resolution aren't already defined and should be introduced by intermediate packages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/lt3rawobjects/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/lt3rawobjects/lt3rawobjects.pdf
– local file	./6531059499-lt3rawobjects.pdf
home page	https://github.com/Loara/lt3rawobjects
contact	<i>support</i> : https://github.com/Loara/lt3rawobjects/discussions
contact	<i>announce</i> : https://github.com/Loara/lt3rawobjects/releases
contact	<i>bugs</i> : https://github.com/Loara/lt3rawobjects/issues
contact	<i>repository</i> : https://github.com/Loara/lt3rawobjects.git
contact	<i>development</i> : https://github.com/Loara/lt3rawobjects/pulls
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lt3rawobjects
on MikTeX	lt3rawobjects
on T _E XLive	lt3rawobjects
keyword	macro-supp (support for development of (La)TeX macros)
keyword	expl3 (expl3(unknown))

language(s) no language specified
last access 2025-02-10

3576 ltablex – Table package extensions

Web page on CTAN <https://ctan.org/pkg/ltablex>

name *ltablex*
caption Table package extensions
author Goel, Anil
license lppl = The LaTeX Project Public License (free)
version 1.1 (2014-08-13)
last changes 2014-08-13
year 2014
description (no language specified) Modifies the tabularx environment to combine the features of the tabularx package (auto-sized columns in a fixed width table) with those of the longtable package (multi-page tables).
documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/ltablex/ltablex.pdf>
– local file ./8622312687-ltablex.pdf
documentation (no language specified) *README file*: <https://ctan.org/tex-archive/macros/latex/contrib/ltablex/README>
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/ltablex>
on MikTeX *ltablex*
on T_EXLive *ltablex*
keyword table-long (typeset tables that may be too big for a page)
keyword table (table typesetting)
see also see section 6816 on page 6151: (xltabular – Longtable support with possible X-column specifier)
language(s) no language specified
last access 2025-02-07

3577 ltabptch – Bug fix for longtable

Web page on CTAN <https://ctan.org/pkg/ltabptch>

name	ltabptch
caption	Bug fix for longtable
author	Lück, Uwe
license	lppl = The LaTeX Project Public License (free)
version	1.74d
description	(no language specified) A patch for LaTeX bugs tools/3180 and tools/3480. The patch applies to version 4.11 of longtable .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ltabptch/ltabptch.pdf
– local file	./4820236636-ltabptch.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ltabptch/README
contact	<i>support</i> : http://www.webdesign-bu.de/uwe_lueck/contact.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ltabptch
on MikTeX	ltabptch
on TeXLive	ltabptch
keyword	table-long (typeset tables that may be too big for a page)
language(s)	no language specified
year	without year
last access	2025-02-07

3578 ltb2bib – Converts amsrefs' .ltb bibliographical databases to BibTeX format

Web page on CTAN <https://ctan.org/pkg/ltb2bib>

name	ltb2bib
caption	Converts amsrefs' .ltb bibliographical databases to BibTeX format
author	Bartholdi, Laurent
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.01

3579 *ltcaption* – Fix some caption problems in longtables

description	(no language specified) This package implements a LaTeX command that converts an amsrefs bibliographical database (<code>.ltb</code>) to a BibTeX bibliographical database (<code>.bib</code>). ltb2bib is the reverse of the "amsxport" option in amsrefs. Typical uses are: • produce bib entries for some publishers which don't accept amsrefs (Taylor & Francis, for example); • import an ltb database in a database management program, e.g. for sorting; • access one's ltb database within emacs's RefTeX mode.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/ltb2bib/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/ltb2bib/ltb2bib.pdf
– local file	<code>./7615920780-ltb2bib.pdf</code>
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/ltb2bib
on MikTeX	ltb2bib
on TeXLive	ltb2bib
keyword	biblio (bibliography processor)
see also	see section 183 on page 170: (amsrefs – A LaTeX-based replacement for BibTeX)
language(s)	no language specified
year	without year
last access	2025-02-07

3579 *ltcaption* – Fix some caption problems in longtables

Web page on CTAN	https://ctan.org/pkg/ltcaption
name	ltcaption
caption	Fix some caption problems in longtables
author	Sommerfeldt, Axel
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2 (2013-06-01)
last changes	2013-06-01
year	2013

description	(no language specified) Captions in longtables exhibit margin problems, unless they are centred on the table. This package corrects this problem. The package is distributed as part of the caption package distribution.
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/caption/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/caption/ltcaption.pdf
– local file	./9330931995-ltcaption.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/caption
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/caption.tds.zip
on MikTeX	caption
keyword	caption (typesetting captions)
keyword	table (table typesetting)
language(s)	no language specified
last access	2025-02-07

3580 ltmermaid – Embed Mermaid diagrams in LaTeX

Web page on CTAN <https://ctan.org/pkg/ltmermaid>

name	ltmermaid
caption	Embed Mermaid diagrams in LaTeX
author	Ando, Ryoya
copyright	Ryoya Ando (2026)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0a (2026-04-20)
last changes	2026-04-20
year	2026

description	(no language specified) Embed Mermaid diagrams in LaTeX. Diagram sources are written to disk, and the Mermaid CLI (mmdc) renders vector PDFs, which are then included using <code>\includegraphics</code>. <code>mermaid.sty</code> is the implementation to be used with pdfLaTeX/XeLaTeX/upLaTeX/LuaLaTeX, etc. It invokes the Mermaid CLI via the <code>shellesc</code> package (or directly via <code>\write18</code>). No Lua interpreter is required. <code>ltmermaid.sty</code> is an implementation dedicated to LuaLaTeX that provides the same macros (the <code>Renderer</code> option, <code>\Mermaid...</code> macros, and the <code>mermaid</code> environment) as <code>mermaid.sty</code>. The CLI is invoked via Lua's <code>os.execute</code>.
documentation	(no language specified) <i>ltmermaid</i> documentation: https://ctan.org/tex-archive/macros/latex/contrib/ltmermaid/ltmermaid-doc.pdf
– local file	<code>./2983337638-ltmermaid-doc.pdf</code>
documentation	<i>ltmermaid</i> documentation (Japanese): https://ctan.org/tex-archive/macros/latex/contrib/ltmermaid/ltmermaid-doc-ja.pdf
– local file	<code>./1974533424-ltmermaid-doc-ja.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/ltmermaid/README.md
documentation	(no language specified) <i>mermaid</i> documentation: https://ctan.org/tex-archive/macros/latex/contrib/ltmermaid/mermaid-doc.pdf
– local file	<code>./2137550386-mermaid-doc.pdf</code>
documentation	<i>mermaid</i> documentation (Japanese): https://ctan.org/tex-archive/macros/latex/contrib/ltmermaid/mermaid-doc-ja.pdf
– local file	<code>./8412890897-mermaid-doc-ja.pdf</code>
contact	<i>repository</i> : https://github.com/ryoya9826/ltMermaid
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ltmermaid
on T _E XLive	<code>ltmermaid</code>
keyword	diagram (diagrams)
language(s)	Japanese
last access	2026-04-24

3581 ltnews – The latest LaTeX newsWeb page on CTAN <https://ctan.org/pkg/ltnews>

name	ltnews
caption	The latest LaTeX news
author	Mittelbach, Frank
author	The LaTeX Project Team
author	Rowley, Chris
license	lpp1.3c = The LaTeX Project Public License 1.3c (free)
version	1.09 (2025-05-29)
last changes	2025-05-29
year	2025
description	(no language specified) At least one ‘number’ of ltnews is published each time a new revision of LaTeX2e is released. The files are distributed as part of the LaTeX distribution.
documentation	(no language specified) <i>All news flyers in a single document:</i> https://ctan.org/tex-archive/macros/latex/base/ltnews.pdf
– local file	./2156511728-ltnews.pdf
home page	https://www.latex-project.org/news/latex2e-news/
on CTAN	https://ctan.org/tex-archive/macros/latex/base
keyword	ref-latex (LaTeX reference documents)
language(s)	no language specified
last access	2026-04-10

3582 ltoh – A converter from LaTeX to HTMLWeb page on CTAN <https://ctan.org/pkg/ltoh>

name	ltoh
caption	A converter from LaTeX to HTML
author	Quong, Russell
copyright	Russell W Quong (1996, 1997)
license	other-free = Free license not otherwise listed (free)
version	98a

3583 `ltoh` – Example code for "LaTeX Tipps und Tricks" book

description	(no language specified) Ltoh is a customisable Perl script for translation. It does not handle mathematics, and it requires arguments of macros to be surrounded by braces.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/ltoh/readme.pdf
– local file	<code>./9959481322-readme.pdf</code>
on CTAN	https://ctan.org/tex-archive/support/ltoh
keyword	<code>cvt-html</code> (generate HTML from TeX-ish sources)
see also	see section 5867 on page 5314: (<code>techexplorer</code> – Browser plugin for viewing TeX and LaTeX sources)
see also	see section 3309 on page 2988: (<code>latex2html</code> – Convert LaTeX into HTML documents)
see also	see section 3587 on page 3240: (<code>ltx2x</code> – Replace LaTeX commands in a document by user-defined strings)
see also	see section 6341 on page 5729: (<code>tth</code> – A TeX to HTML translator)
language(s)	no language specified
year	1997
last access	2025-02-07

3583 `lth` – Example code for "LaTeX Tipps und Tricks" book

Web page on CTAN <https://ctan.org/pkg/lth>

name	<code>lth</code>
caption	Example code for "LaTeX Tipps und Tricks" book
author	Klöckl, Ingo
license	<code>noinfo = noinfo</code>
version	(1999-10-22)
last changes	1999-10-22
year	1999
description	(no language specified) This is the code for the examples in the book "LaTeX Tipps und Tricks", dpunkt 2000, ISBN 3-932588-37-1. The code includes application examples as well as packages and class files developed in the book.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/examples/lth/README
on CTAN	https://ctan.org/tex-archive/info/examples/lth

keyword	book-ex (copies of examples from a published book)
language(s)	no language specified
last access	2025-02-07

3584 *ltx-talk* – A class for typesetting presentations

Web page on CTAN <https://ctan.org/pkg/ltx-talk>

name	<i>ltx-talk</i>
caption	A class for typesetting presentations
author	Wright, Joseph
copyright	Joseph Wright (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.1 (2025-07-14)
last changes	2025-07-14
year	2025
description	(no language specified) This class is <i>highly</i> experimental, and changes may occur to almost all interfaces. Development is focussed on tagging/functionality as the primary driver; as such, support for design aspects is likely to be lower priority.

It **requires** LaTeX 2025-11-01: this is currently available as a pre-release by using `lualatex-dev` or `pdflatex-dev`.

The *ltx-talk* class is focused on producing (on-screen) presentations, along with support material such as handouts and speaker notes. Content is created in a `frame` environment, each of which can be divided up into a number of slides (actual output pages). A simple ‘overlay’ notation is used to specify which material appears on each slide within a frame. The class supports a range of environments to enable complex slide relationships to be constructed.

The appearance of slides is controlled by a template system. Many of the elements of slides can be adjusted by setting simple key-based values in the preamble. More complex changes can be implemented by altering specific, targeted definitions without needing to rewrite entire blocks of code. This allows a variety of visual appearances to be selected for the same content source.

The *ltx-talk* class has syntax similar to the popular *beamer* class, although there are some (deliberate) differences. However, *ltx-talk* has been implemented to support creation of tagged (accessible) PDF output as a core aim. As such, it is suited to creating output for reuse in other formats, e.g. HTML conversions, without additional steps.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ltx-talk/ltx-talk.pdf
– local file	<code>./7901697254-ltx-talk.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ltx-talk/README.md
home page	https://www.texdev.net/ltx-talk
contact	<i>bugs</i> : https://github.com/josephwright/ltx-talk/issues
contact	<i>repository</i> : https://github.com/josephwright/ltx-talk
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ltx-talk
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/ltx-talk.tds.zip
on MikTeX	<code>ltx-talk</code>
on TeXLive	<code>ltx-talk</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>presentation</code> (slides, beamers, handouts, etc.)
see also	see section 492 on page 447: (<code>beamer</code> – A LaTeX class for producing presentations and slides)
language(s)	no language specified
last access	2025-07-16

3585 `ltx2mathml` – Convert LaTeX math to MathML

Web page on CTAN	https://ctan.org/pkg/ltx2mathml
name	<code>ltx2mathml</code>
caption	Convert LaTeX math to MathML
author	Frane Jr, Peter
copyright	Peter Frane Jr. (2020)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	1.0
description	(no language specified) This package contains source code for converting a subset of LaTeX math to MathML.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/ltx2mathml/README

on CTAN <https://ctan.org/tex-archive/support/ltx2mathml>
 keyword misc-conv (miscellaneous conversions)
 language(s) no language specified
 year 2020
 last access 2025-02-10

3586 *ltx2rtf* – A conversion program from LaTeX to Rich Text Format

Web page on CTAN <https://ctan.org/pkg/ltx2rtf>
 name ltx2rtf
 caption A conversion program from LaTeX to Rich Text Format
 author Taupin, Daniel
 author Dorner, Fernando
 author Granzer, Andreas
 copyright Andreas Granzer and Fernando Dorner (1994)
 license other-free = Free license not otherwise listed (free)
 version (1998-12-22)
 last changes 1998-12-22
 year 1998
 on CTAN <https://ctan.org/tex-archive/support/ltx2rtf>
 keyword cvt-other (convert TeX-ish sources to some other markup (than HTML))
 language(s) no language specified
 last access 2025-02-10

3587 `ltx2x` – Replace LaTeX commands in a document by user-defined strings

Web page on CTAN <https://ctan.org/pkg/ltx2x>

name	<code>ltx2x</code>
caption	Replace LaTeX commands in a document by user-defined strings
author	Wilson, Peter R.
license	lppl = The LaTeX Project Public License (free)
version	0.92
description	(no language specified) A program to replace LaTeX commands by user-defined characters. Typical uses are for deTeXing and pretty-printing, or for replacing LaTeX commands by SGML, HTML or RTF tags, etc.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/ltx2x/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/support/ltx2x/ltx2x.html
on CTAN	https://ctan.org/tex-archive/support/ltx2x
keyword	<code>cvt-other</code> (convert TeX-ish sources to some other markup (than HTML))
language(s)	no language specified
year	without year
last access	2025-02-10

3588 `ltx3pub` – Early publications of the LaTeX project

Web page on CTAN <https://ctan.org/pkg/ltx3pub>

name	<code>ltx3pub</code>
caption	Early publications of the LaTeX project
author	Rowley, Chris
author	Mittelbach, Frank
license	noinfo = noinfo
description	(no language specified) A collection of documents (mostly available as LaTeX source) prepared in the process of planning work on LaTeX 3. A single document, on maths font encoding, is kept in readily-readable form.
documentation	(no language specified) <i>The maths font encoding report:</i> https://ctan.org/tex-archive/info/ltx3pub/processed/l3d007.pdf

3589 `ltx4yt` – Play YouTube videos in the default browser

– local file	<code>./9704451326-13d007.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/ltx3pub
keyword	latex3 (work done for the project to upgrade LaTeX)
language(s)	no language specified
year	without year
last access	2026-04-10

3589 `ltx4yt` – Play YouTube videos in the default browser

Web page on CTAN <https://ctan.org/pkg/ltx4yt>

name	<code>ltx4yt</code>
caption	Play YouTube videos in the default browser
author	Story, Donald P.
copyright	D. P. Story (2020-2021)
license	lppl = The LaTeX Project Public License (free)
version	(2021-06-08)
last changes	2021-06-08
year	2021
description	(no language specified) This package provides some tools for creating links, dropdown lists, popup menus for playing selected YouTube videos in the default browser. Perfect for personal use and for academic, professional, or classroom presentations that refer to YouTube content. All workflows are supported: pdfLaTeX, LuaLaTeX, XeLaTeX, dvips → distiller, and dvips → ps2pdf. In the latter case, the document should not use any document JavaScripts.
documentation	(no language specified) <i>Code documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/ltx4yt/docs/ltx4yt.pdf
– local file	<code>./6395433672-ltx4yt.pdf</code>
documentation	(no language specified) <i>Example of use (2)</i>: https://ctan.org/tex-archive/macros/latex/contrib/ltx4yt/examples/ltx4yt-2.pdf
– local file	<code>./5784994360-ltx4yt-2.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/ltx4yt/README.md

documentation	(no language specified) <i>Example of use (1)</i> : https://ctan.org/tex-archive/macros/latex/contrib/ltx4yt/examples/ltx4yt-1.pdf
– local file	<code>./1238444927-ltx4yt-1.pdf</code>
documentation	(no language specified) <i>User manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/ltx4yt/docs/ltx4yt-man.pdf
– local file	<code>./8378562678-ltx4yt-man.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ltx4yt
on MikTeX	<code>ltx4yt</code>
keyword	multimedia (support for multimedia in documents)
keyword	pdf-feat (access PDF features)
language(s)	no language specified
last access	2025-02-10

3590 *ltxcmds* – Some LaTeX kernel commands for general use

Web page on CTAN <https://ctan.org/pkg/ltxcmds>

name	<code>ltxcmds</code>
caption	Some LaTeX kernel commands for general use
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2009-2011)
copyright	Oberdiek Package Support Group (2016-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.26 (2023-12-04)
last changes	2023-12-04
year	2023
description	(no language specified) This package exports some utility macros from the LaTeX kernel into a separate namespace and also makes them available for other formats such as plain TeX.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/ltxcmds/ltxcmds.pdf
– local file	<code>./2402895369-ltxcmds.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/ltxcmds/README.md

contact	<i>bugs:</i> https://github.com/ho-tex/ltxcmds/issues
contact	<i>repository:</i> https://github.com/ho-tex/ltxcmds
on CTAN	https://ctan.org/tex-archive/macros/generic/ltxcmds
on MikTeX	ltxcmds
on T _E XLive	ltxcmds
keyword	macro-gen (macros that are independent of the (TeX) format in use)
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-10

3591 *ltxdiff* – A Win32 program that compares tokens in two .tex files

Web page on CTAN <https://ctan.org/pkg/ltxdiff>

name	ltxdiff
caption	A Win32 program that compares tokens in two .tex files
author	Becker, Bernd
license	nosource = No Source Available (not free)
version	0.9.0
description	(no language specified) The program compares tokens in two .tex files (or directories, possibly with subdirectories, containing .tex files) and marks differences according to the options set, by using GNU Diff to find tokens to be marked. Another diff program may be used as well if it has the switches <code>-b</code> , <code>-B</code> , <code>-d</code> , and <code>-E</code> and they have the same effect as with GNU diff.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/ltxdiff/README
on CTAN	https://ctan.org/tex-archive/support/ltxdiff
keyword	doc-mgmt (support for keeping track of document development)
see also	see section 3331 on page 3006: (<i>latexdiff</i> – Determine and mark up significant differences between LaTeX files)
language(s)	no language specified
year	without year
last access	2025-02-10

3592 `ltxdoc` – Class for documented LaTeX macro files

Web page on CTAN <https://ctan.org/pkg/ltxdoc>

name	<code>ltxdoc</code>
caption	Class for documented LaTeX macro files
author	Carlisle, David
author	The LaTeX Project Team
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.1j (2024-02-08)
last changes	2024-02-08
year	2024
description	(no language specified) Provides a means of documenting entire class or package distributions, by processing their <code>.dtx</code> files; uses the <code>doc</code> package. The class is part of the LaTeX distribution.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/base/ltxdoc.pdf
– local file	<code>./8618503295-ltxdoc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/base
on MikTeX	<code>ltxbase</code>
on TeXLive	<code>latex</code>
keyword	<code>doc-supp</code> (macros and tools for preparing documentation)
keyword	<code>class</code> (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-10

3593 ltxdockit – Documentation support

Web page on CTAN <https://ctan.org/pkg/ltxdockit>

name	ltxdockit
caption	Documentation support
author	Lehman, Philipp
copyright	Philipp Lehman (2008)
license	lppl = The LaTeX Project Public License (free)
version	1.2d
description	(no language specified) This bundle, consisting of a simple wrapper class and some packages, forms a small LaTeX/BibTeX documentation kit; the author uses it for some of his own packages. The package is not supported: users should not attempt its use unless they are capable of dealing with problems unaided. (The actual purpose of releasing the package is to make it possible for third parties to compile the documentation of other packages, should that be necessary.)
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ltxdockit/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ltxdockit
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/ltxdockit.tds.zip
on MikTeX	ltxdockit
on T _E XLive	ltxdockit
keyword	doc-supp (macros and tools for preparing documentation)
language(s)	no language specified
year	2008
last access	2025-02-10

3594 ltxfileinfo – Print version information for a LaTeX file

Web page on CTAN <https://ctan.org/pkg/ltxfileinfo>

name	ltxfileinfo
caption	Print version information for a LaTeX file
author	Dekker, Wybo H.
license	gpl = GNU General Public License (free)
version	2.04
description	(no language specified) <i>ltxfileinfo</i> displays version information for LaTeX files. If no path information is given, the file is searched using <code>kpsewhich</code> . As an extra, for developers, the script will (use the <code>-star</code> or <code>-color</code> options) check the validity of the <code>\Provides...</code> statements in the files. The script uses code from Uwe Lück's readprov.sty .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/ltxfileinfo/ltxfileinfo.pdf
– local file	./4825043559-ltxfileinfo.pdf
documentation	(no language specified) <i>README</i> : https://ctan.org/tex-archive/support/ltxfileinfo/README
on CTAN	https://ctan.org/tex-archive/support/ltxfileinfo
on T _E XLive	ltxfileinfo
keyword	file-mgmt (TeX-related-file management)
language(s)	no language specified
year	without year
last access	2025-02-10

3595 ltxgrid – Control of the page grid

Web page on CTAN <https://ctan.org/pkg/ltxgrid>

name	ltxgrid
caption	Control of the page grid
author	Ogawa, Arthur
license	lppl = The LaTeX Project Public License (free)
version	4.2f

description	(no language specified) Provides commands <code>\onecolumngrid</code> and <code>\twocolumngrid</code>, that switch to one- or two-column setting, balancing columns on exit from two-column setting. These commands differ from the <code>multicols</code> environment of the multicol package in that they impose no restrictions on the insertion of floats. In addition, the package provides commands for manipulating penalties and glue in TeX’s vertical lists. The package is distributed as part of the RevTeX bundle, and requires the ltxutil package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/revtex/ltxgrid.pdf
– local file	<code>./6851902053-ltxgrid.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/revtex
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/revtex.tds.zip
keyword	obsolete (package declared obsolete)
keyword	multicol (more than one column on the page)
language(s)	no language specified
year	without year
last access	2025-02-10

3596 ltxguidex – An extended ltxguide class

Web page on CTAN	https://ctan.org/pkg/ltxguidex
name	<code>ltxguidex</code>
caption	An extended <i>ltxguide</i> class
author	Turner, Rebecca
copyright	Rebecca Turner (2019)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2.0
description	(no language specified) The <code>ltxguidex</code> document class extends ltxguide with a set of environments and commands that make writing beautiful LaTeX documentation easier and more natural.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ltxguidex/README.md

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ltxguidex/ltxguidex.pdf
– local file	./8943228437-ltxguidex.pdf
home page	https://github.com/9999years/ltxguidex
contact	<i>bugs</i> : https://github.com/9999years/ltxguidex/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ltxguidex
on MikTeX	ltxguidex
on T _E XLive	ltxguidex
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
year	2019
last access	2025-02-10

3597 *ltximg* – Extract LaTeX environments into separate image files

Web page on CTAN <https://ctan.org/pkg/ltximg>

name	ltximg
caption	Extract LaTeX environments into separate image files
author	González Luengo, Pablo
copyright	Pablo González Luengo (2013-2021)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	2.1 (2021-05-21)
last changes	2021-05-21
year	2021
description	(no language specified) <i>ltximg</i> is a Perl script that automates the process of extracting and converting environments provided by TikZ , PStricks and other packages from input file to image formats and standalone files using <code>ghostscript</code> and <code>poppler-utils</code> . It generates a file with only extracted environments and another with all extracted environments converted to <code>\includegraphics</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/ltximg/README.md
documentation	(no language specified) <i>Manual page (PDF)</i> : https://ctan.org/tex-archive/support/ltximg/ltximg.man1.pdf

– local file	<code>./9228917827-ltximg.man1.pdf</code>
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/support/ltximg/ltximg-doc.pdf
– local file	<code>./4721998341-ltximg-doc.pdf</code>
contact	<i>support:</i> https://github.com/pablgonz/ltximg/issues
contact	<i>repository:</i> https://github.com/pablgonz/ltximg
on CTAN	https://ctan.org/tex-archive/support/ltximg
on MikTeX	<code>ltximg</code>
on T _E XLive	<code>ltximg</code>
keyword	<code>subdocs</code> (include complete documents in other documents)
keyword	<code>chunks</code> (extract chunks of a document for separate processing)
keyword	<code>graphics</code> (graphics (support packages))
language(s)	no language specified
last access	2025-02-10

3598 *ltxindex* – A LaTeX package to typeset indices with GNU's Texindex

Web page on CTAN	https://ctan.org/pkg/ltxindex
name	<code>ltxindex</code>
caption	A LaTeX package to typeset indices with GNU's Texindex
author	Rivera, Luis
copyright	Richard Stallman, Robert J. Chassell, Michael Clarkson, J. Luis Rivera N. (2004)
license	gpl = GNU General Public License (free)
version	0.1c
description	(no language specified) A LaTeX package that allows the user to make indexes with GNU's Texindex program, instead of <code>makeindex</code>. It provides the indexing commands available in Texinfo by default, but only defines the concept index (<code>cp</code>) by default — the user must define other standard indexes, and there is no provision for custom indexes. The package is not currently maintained. According to the author, the purpose of this package is nowadays better served by xindy .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/obsolete/macros/latex/contrib/ltxindex/ltxindex.pdf

3599 *ltxinput* – Find files input by a document

– local file	<code>./6488624903-ltxindex.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/ltxindex/README
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/ltxindex
on MikTeX	<code>ltxindex</code>
keyword	<code>index</code> (index support)
keyword	<code>obsolete</code> (package declared obsolete)
language(s)	no language specified
year	2004
last access	2025-02-10

3599 *ltxinput* – Find files input by a document

Web page on CTAN <https://ctan.org/pkg/ltxinput>

name	<code>ltxinput</code>
caption	Find files input by a document
author	Green, J.J.
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) An MSDOS utility which recursively searches a file for input (and include) statements, writing a list of files which are input to stdout and to a batch file which sets an environmental variable LTXINPUT to point to this filelist. The C source, MSDOS binary, documentation and test files are included in the distribution.
on CTAN	https://ctan.org/tex-archive/support/ltxinput
keyword	<code>file-mgmt</code> (TeX-related-file management)
language(s)	no language specified
year	without year
last access	2025-02-10

3600 ltxkeys – A robust key parser for LaTeXWeb page on CTAN <https://ctan.org/pkg/ltxkeys>

name	ltxkeys
caption	A robust key parser for LaTeX
author	Musa, Ahmed
copyright	Ahmed Musa (2011)
license	lppl = The LaTeX Project Public License (free)
version	0.0.3c
description	(no language specified) The package provides facilities for creating and managing keys in the sense of the keyval and xkeyval packages, but it is intended to be more robust and faster. Its robustness comes from its ability to preserve braces in key values throughout parsing. The need to preserve braces in key values arises often in parsing keys (for example, in the xwatermark package). The package is faster than xkeyval package because (among other things) it avoids character-wise parsing of key values (called "selective sanitization" by the xkeyval package). The package also provides functions for defining and managing keys.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ltxkeys/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ltxkeys/doc/ltxkeys-guide.pdf
– local file	<code>./6895079765-ltxkeys-guide.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ltxkeys
on MikTeX	ltxkeys
on T _E XLive	ltxkeys
keyword	keyval (key-value argument systems)
see also	see section 6810 on page 6146 : (xkeyval – Extension of the keyval package)
language(s)	no language specified
year	2011
last access	2025-02-10

3601 ltxmisc – Miscellaneous LaTeX packages, etcWeb page on CTAN <https://ctan.org/pkg/ltxmisc>

name	ltxmisc
caption	Miscellaneous LaTeX packages, etc
license	collection = collection
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/misc
on MikTeX	ltxmisc
on T _E XLive	ltxmisc
keyword	collection (a collection of packages)
language(s)	no language specified
year	without year
last access	2025-02-11

3602 ltxnew – A simple means of creating commandsWeb page on CTAN <https://ctan.org/pkg/ltxnew>

name	ltxnew
caption	A simple means of creating commands
author	Chervet, Florent
copyright	Florent Chervet (2009-2010)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3
description	(no language specified) The package ltxnew provides <code>\new</code>, <code>\renew</code> and <code>\provide</code> prefixes for checking definitions. It is designed to work with e-TeX distributions of LaTeX and relies on the LaTeX internal macro <code>\@ifdefinable</code>. Local allocation of counters, dimensions, skips, muskips, boxes, tokens and marks are provided by the <code>etex</code> package. <code>\new</code> and <code>\renew</code> as well as <code>\provide</code> may be used for all kind of control sequences. Please refer to the section "Using <code>\new</code>" of the PDF documentation.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/ltxnew/README

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ltxnew/ltxnew.pdf
– local file	./3591841998-ltxnew.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ltxnew
on MikTeX	ltxnew
on T _E XLive	ltxnew
keyword	macro-def (alternative ways of defining macros)
language(s)	no language specified
year	2010
last access	2025-02-10

3603 ltxtable – Longtable and tabularx merge

Web page on CTAN	https://ctan.org/pkg/ltxtable
name	ltxtable
caption	Longtable and tabularx merge
author	Carlisle, David
copyright	David Carlisle (1995, 2021)
license	lppl = The LaTeX Project Public License (free)
version	0.4 (2021-06-13)
last changes	2021-06-13
year	2021
description	(no language specified) Ltxtable provides the functionality of longtable and tabularx together inside a longtable environment. The code of each such environment (with X specifiers in its column layout) should be in a separate file, which is then included in your document by a command <pre>\LTxtable{<width>}{<file name>}</pre> The <code>\multicolumn</code> command is suppressed in environments included in this way. The distributed file ltxtable.tex both generates the package file and produces documentation. The package is distributed as part of the carlisle bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/carlisle/ltxtable.pdf

– local file	<code>./2689666851-ltxtable.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/carlisle/ltxtable.tex
keyword	table-long (typeset tables that may be too big for a page)
keyword	table (table typesetting)
language(s)	no language specified
last access	2025-02-10

3604 *ltxtools* – A collection of LaTeX API macros

Web page on CTAN	https://ctan.org/pkg/ltxtools
name	<code>ltxtools</code>
caption	A collection of LaTeX API macros
author	Musa, Ahmed
copyright	Ahmed Musa (2011)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.0.1a
description	(no language specified) This is a bundle of macros that the author uses in the coding of others of his macro files.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ltxtools/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ltxtools
on MikTeX	<code>ltxtools</code>
on TeXLive	<code>ltxtools</code>
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	2011
last access	2025-02-10

3605 `ltxutil` – LaTeX utility macros

Web page on CTAN <https://ctan.org/pkg/ltxutil>

name	<code>ltxutil</code>
caption	LaTeX utility macros
author	Ogawa, Arthur
copyright	Arthur Ogawa (2009)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	4.2f
description	(no language specified) A collection of LaTeX utilities; the package is distributed as part of the RevTeX bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/revtex/ltxutil.pdf
– local file	<code>./6653944518-ltxutil.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/revtex
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/revtex.tds.zip
keyword	obsolete (package declared obsolete)
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	2009
last access	2025-02-10

3606 `lua-alt-getopt` – Process application arguments the same way as `getopt_long`

Web page on CTAN <https://ctan.org/pkg/lua-alt-getopt>

name	<code>lua-alt-getopt</code>
caption	Process application arguments the same way as <code>getopt_long</code>
author	Hosny, Khaled
author	Cheusov, Aleksey
copyright	Aleksey Cheusov (2009)
license	mit = MIT License (free)
version	0.7.0

description	(no language specified) <code>lua_altgetopt</code> is a MIT-licensed module for Lua, for processing application arguments in the same way as BSD/GNU <code>getopt_long(3)</code> functions do. This module is made available for lua script writers to have consistent command line parsing routines.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/lualibs/lua-alt-getopt/README
contact	<i>repository</i> : https://github.com/cheusov/lua-alt-getopt
on CTAN	https://ctan.org/tex-archive/support/lualibs/lua-alt-getopt
on MikTeX	<code>lua-alt-getopt</code>
on T _E XLive	<code>lua-alt-getopt</code>
keyword	<code>lua-supp</code> (support for using Lua code)
language(s)	no language specified
year	2009
last access	2025-02-07

3607 *lua-check-hyphen* – Mark hyphenations in a document, for checking

Web page on CTAN <https://ctan.org/pkg/lua-check-hyphen>

name	<code>lua-check-hyphen</code>
caption	Mark hyphenations in a document, for checking
author	Gundlach, Patrick
copyright	Patrick Gundlach (2012–2018)
license	mit = MIT License (free)
version	0.7a (2018-04-19)
last changes	2018-04-19
year	2018
description	(no language specified) The package looks at all hyphenation breaks in the document, comparing them against a white-list prepared by the author. If a hyphenation break is found, for which there is no entry in the white-list, the package flags the line where the break starts. The author may then either add the hyphenation to the white-list, or adjust the document to avoid the break.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/lua-check-hyphen/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/lua-check-hyphen/doc/luacheckhyphenmanual.pdf
– local file	<code>./1752844655-luacheckhyphenmanual.pdf</code>
documentation	(no language specified) <i>Sample of use</i> : https://ctan.org/tex-archive/macros/luatex/latex/lua-check-hyphen/doc/sample.pdf
– local file	<code>./9430366345-sample.pdf</code>
contact	<i>bugs</i> : https://github.com/pgundlach/lua-check-hyphen/issues
contact	<i>repository</i> : https://github.com/pgundlach/lua-check-hyphen
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/lua-check-hyphen
on MikTeX	<code>lua-check-hyphen</code>
on TeXLive	<code>lua-check-hyphen</code>
keyword	hyphenation (macros or tables for hyphenation)
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
last access	2025-02-09

3608 `lua-list-hyphen` – Per-language listing of hyphenated words for LuaLaTeX

Web page on CTAN <https://ctan.org/pkg/lua-list-hyphen>

name	<code>lua-list-hyphen</code>
caption	Per-language listing of hyphenated words for LuaLaTeX
author	Cain, Alan J.
copyright	Alan J. Cain (2025-2026)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2.45 (2026-04-11)
last changes	2026-04-11
year	2026

description	(no language specified) This LuaLaTeX package writes each word that has been hyphenated across lines to a file, using a different file for each language, for subsequent external checking.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/luatex/latex/lua-list-hyphen/lua-list-hyphen-doc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/luatex/latex/lua-list-hyphen/README.md
contact	<i>bugs:</i> https://codeberg.org/ajcain/lua-list-hyphen/issues
contact	<i>repository:</i> https://codeberg.org/ajcain/lua-list-hyphen
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/lua-list-hyphen
keyword	luatex (LuaTeX and packages that require it)
keyword	hyphenation (macros or tables for hyphenation)
language(s)	no language specified
last access	2026-04-11

3609 *lua-physical* – Functions and objects for the computation of physical quantities

Web page on CTAN <https://ctan.org/pkg/lua-physical>

name	lua-physical
caption	Functions and objects for the computation of physical quantities
author	Jenni, Thomas
copyright	Thomas Jenni (2020-2021)
license	mit = MIT License (free)
version	1.0.5 (2021-05-08)
last changes	2021-05-08
year	2021
description	(no language specified) This is a pure Lua library, which provides functions and objects for the computation of physical quantities. The package provides units of the SI and the imperial system. In order to display the numbers with measurement uncertainties, the package is able to perform Gaussian error propagation.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/luatex/latex/lua-physical/lua-physical.pdf

– local file	<code>./6892396040-lua-physical.pdf</code>
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/luatex/latex/lua-physical/lua-physical_example.pdf
– local file	<code>./1685435398-lua-physical_example.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/luatex/latex/lua-physical/README.md
home page	https://github.com/tjenni/lua-physical
contact	<i>bugs:</i> https://github.com/tjenni/lua-physical/issues
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/lua-physical
on MikTeX	<code>lua-physical</code>
on TeXLive	<code>lua-physical</code>
keyword	<code>luatex</code> (LuaTeX and packages that require it)
keyword	<code>physics</code> (support for typesetting physics documents)
language(s)	no language specified
last access	2025-02-09

3610 *lua-placeholders* – Specifying placeholders for demonstration purposes

Web page on CTAN	https://ctan.org/pkg/lua-placeholders
name	<code>lua-placeholders</code>
caption	Specifying placeholders for demonstration purposes
author	Nijenhuis, Erik
copyright	E. Nijenhuis (2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.3 (2024-04-02)
last changes	2024-04-02
year	2024

3611 `lua-regression` – Add polynomial regressions to graphs

description	(no language specified) This package is meant for setting parameters in a LuaLaTeX document in a more programmatic way with YAML. Parameters can be specified by adding a ” <i>recipe</i> ” file. These recipe files describe the parameter’s type, placeholders and/or default values. From thereon, the placeholders can be displayed in the document and an ” <i>example</i> ” document can be created. An ” <i>actual copy</i> ” document can be created by loading additional ” <i>payload</i> ” files, which all must correspond to a recipe file.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/lua-placeholders/README.md
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/luatex/latex/lua-placeholders/doc/lua-placeholders-example/example.pdf
– local file	<code>./6869295468-example.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/lua-placeholders/doc/lua-placeholders-manual.pdf
– local file	<code>./3736072711-lua-placeholders-manual.pdf</code>
contact	<i>repository</i> : https://github.com/Xerdi/lua-placeholders
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/lua-placeholders
on MikTeX	<code>lua-placeholders</code>
on TeXLive	<code>lua-placeholders</code>
keyword	<code>luatex</code> (LuaTeX and packages that require it)
language(s)	no language specified
last access	2025-02-09

3611 `lua-regression` – Add polynomial regressions to graphs

Web page on CTAN <https://ctan.org/pkg/lua-regression>

name	<code>lua-regression</code>
caption	Add polynomial regressions to graphs
author	Allison, George
copyright	George Allison (2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0.0

description	(no language specified) This LuaLaTeX package provides a simple interface for performing polynomial regression on data sets. It allows users to specify the order of the polynomial regression, the columns of the data set to use, and whether to plot the results. The package also includes options for confidence intervals and error bands.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/luaregression/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/luaregression/doc/luaregression-doc.pdf
– local file	<code>./8219054264-lua-regression-doc.pdf</code>
contact	<i>bugs</i> : https://github.com/HaivuUK/luaregression/issues
contact	<i>repository</i> : https://github.com/HaivuUK/luaregression
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/luaregression
on T _E XLive	<code>lua-regression</code>
keyword	<code>graphics-plot</code> (plot data)
keyword	<code>csv-support</code> (read, process and convert CSV data)
keyword	<code>data-manip</code> (manipulate data within TeX)
keyword	<code>luatex</code> (LuaTeX and packages that require it)
keyword	<code>data-prep</code> (prepare data for use within TeX)
language(s)	no language specified
year	2025
last access	2025-04-08

3612 `lua-tikz3dtools` – Draw properly occluded 3D parametric objects under perspective projection

Web page on CTAN	https://ctan.org/pkg/luatikz3dtools
name	<code>lua-tikz3dtools</code>
caption	Draw properly occluded 3D parametric objects under perspective projection
author	Nice, Jasper
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1.0 (2025-09-04)
last changes	2025-09-04

year	2025
description	(no language specified) This — currently experimental — package improves on existing 3D capabilities in <i>TikZ</i>. In particular, the package enables z-sorting of multiple triangulated parametric objects and uses elaborate occlusion logic. The parametric objects are defined using <code>pgfkeys</code>, and endeavor to enable user customization. All of the 3D math is handled in Lua, and the results are projected onto the 2D <i>TikZ</i> canvas. The user is enabled to use linear, affine and projective transformations on their parametric objects. The current aim of the package is to enable parametric object clipping, and to improve on the occlusion logic.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/luatikz3dtools/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/luatikz3dtools/doc/luatikz3dtools-doc.pdf
– local file	<code>./7500670472-luatikz3dtools-doc.pdf</code>
contact	<i>repository</i> : https://github.com/Pseudonym321/TikZ-Animations/tree/master1/TikZ/luatikz3dtools
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/luatikz3dtools
on MikTeX	<code>luatikz3dtools</code>
on TeXLive	<code>luatikz3dtools</code>
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>graphics-3d</code> (graphics with 3-dimensional output)
keyword	<code>graphics</code> (graphics (support packages))
keyword	<code>luatex</code> (LuaTeX and packages that require it)
language(s)	no language specified
last access	2025-09-11

3613 lua-tinyyaml – A tiny YAML (subset) parser in pure Lua

Web page on CTAN <https://ctan.org/pkg/lua-tinyyaml>

name	lua-tinyyaml
caption	A tiny YAML (subset) parser in pure Lua
author	Lee, Zeping
license	mit = MIT License (free)
version	0.4.4 (2025-02-01)
last changes	2025-02-01
year	2025
description	(no language specified) This package provides a YAML (subset) parser written in pure Lua. It supports a subset of the YAML 1.2 specifications. It is required by several other LuaTeX packages including markdown and citeproc-lua .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/luatex/generic/lua-tinyyaml/lua-tinyyaml.pdf
– local file	./9984896775-lua-tinyyaml.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/luatex/generic/lua-tinyyaml/README.md
contact	<i>repository:</i> https://github.com/zepinglee/lua-tinyyaml
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/lua-tinyyaml
on MikTeX	lua-tinyyaml
on TeXLive	lua-tinyyaml
keyword	parser (parser application)
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
last access	2025-02-09

3614 lua-typo – Highlighting typographical flaws with LuaLaTeX

Web page on CTAN <https://ctan.org/pkg/lua-typo>

name	lua-typo
caption	Highlighting typographical flaws with LuaLaTeX
author	Flipo, Daniel
copyright	Daniel Flipo (2020-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.87 (2024-04-18)
last changes	2024-04-18
year	2024
description	(no language specified) Prints the list of pages on which typographical flaws were found (i.e. widows, orphans, hyphenated words split across two pages, consecutive lines ending with hyphens, paragraphs ending on too short or nearly full lines, homeoarchy, etc). Customisable colours are used to highlight these flaws.
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/luatex/latex/lua-typo/doc/lua-typo-demo.pdf
– local file	<code>./1546924599-lua-typo-demo.pdf</code>
documentation	<i>Package documentation (French):</i> https://ctan.org/tex-archive/macros/luatex/latex/lua-typo/doc/lua-typo-fr.pdf
– local file	<code>./9276379555-lua-typo-fr.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/luatex/latex/lua-typo/README.md
documentation	(no language specified) <i>Package documentation (English):</i> https://ctan.org/tex-archive/macros/luatex/latex/lua-typo/doc/lua-typo.pdf
– local file	<code>./7850807079-lua-typo.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/lua-typo
on MikTeX	lua-typo
on T _E XLive	lua-typo
keyword	text-layout (layout of text within paragraphs)
keyword	luatex (LuaTeX and packages that require it)

language(s) French
last access 2025-02-09

3615 *lua-uca* – Unicode Collation Algorithm library for Lua

Web page on CTAN <https://ctan.org/pkg/lua-uca>

name Lua-UCA
caption Unicode Collation Algorithm library for Lua
author Hoftich, Michal
copyright Michal Hoftich (2020-2021)
license mit = MIT License (free)
version 0.1d (2024-05-09)
last changes 2024-05-09
year 2024
description (no language specified) The Lua-UCA library provides basic support for Unicode Collation Algorithm in Lua. It can be used to sort arrays of strings according to rules of particular languages. It can be used in other Lua projects that need to sort text in a language dependent way, like indexing processors, bibliographic generators, etc.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/support/lualibs/lua-uca/README.md>
documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/support/lualibs/lua-uca/lua-uca-doc.pdf>
– local file ./2996599880-lua-uca-doc.pdf
contact *bugs*: <https://github.com/michal-h21/lua-uca/issues>
contact *repository*: <https://github.com/michal-h21/lua-uca>
on CTAN <https://ctan.org/tex-archive/support/lualibs/lua-uca>
on MikTeX lua-uca
on T_EXLive lua-uca
keyword typesetting (support for variations of typographic style)
keyword luatex (LuaTeX and packages that require it)
language(s) no language specified
last access 2025-02-09

3616 `lua-ul` – Underlining for LuaLaTeX

Web page on CTAN <https://ctan.org/pkg/lua-ul>

name	Lua-UL
caption	Underlining for LuaLaTeX
author	Krüger, Marcel
copyright	Marcel Krüger (2020-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2.1 (2024-02-26)
last changes	2024-02-26
year	2024
description	(no language specified) This package provides underlining, strikethrough, and highlighting using features in LuaLaTeX which avoid the restrictions imposed by other methods. In particular, kerning is not affected, the underlined text can use arbitrary commands, hyphenation works etc. The package requires LuaTeX version $\geq 1.12.0$.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/lua-ul/lua-ul.pdf
– local file	<code>./7622714640-lua-ul.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/lua-ul/README.md
contact	<i>bugs</i> : https://github.com/zauguin/luaul/issues
contact	<i>repository</i> : https://github.com/zauguin/luaul
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/lua-ul
on MikTeX	<code>lua-ul</code>
on T _E XLive	<code>lua-ul</code>
keyword	<code>luatex</code> (LuaTeX and packages that require it)
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>underline</code> (underlining/overlining text (including other decorations))
language(s)	no language specified
last access	2025-02-09

3617 lua-uni-algos – Unicode algorithms for LuaTeX

Web page on CTAN <https://ctan.org/pkg/lua-uni-algos>

name	lua-uni-algos
caption	Unicode algorithms for LuaTeX
author	Krüger, Marcel
copyright	Marcel Krüger (2020-2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.4.1 (2022-02-26)
last changes	2022-02-26
year	2022
description	(no language specified) Lua code working with Unicode data has to deal with quite some challenges. For example there are many canonically equivalent sequences which should be treated in the same way, and even identifying a single character becomes quite different once you have to deal with all kinds of combining characters, emoji sequences and syllables in different scripts. Therefore <code>lua-uni-algos</code> wants to build a collection of small libraries implementing algorithms to deal with lots of the details in Unicode, such that authors of LuaTeX packages can focus on their actual functionality instead of having to fight against the peculiarities of Unicode. Given that this package provides Lua modules, it is only useful in Lua(HB)TeX. Additionally, it expects an up-to-date version of the <code>unicode-data</code> package to be present. This package is intended for package authors only; no user-level functionality provided.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/lua-uni-algos/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/generic/lua-uni-algos/lua-uni-algos.pdf
– local file	<code>./7334045330-lua-uni-algos.pdf</code>
contact	<i>repository</i> : https://github.com/latex3/lua-uni-algos
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/lua-uni-algos
on MikTeX	lua-uni-algos
on TeXLive	lua-uni-algos

keyword `luatex` (LuaTeX and packages that require it)
 keyword `unicode` (Unicode, material supporting it, and packages requiring it)
 language(s) no language specified
 last access 2025-02-09

3618 *lua-unicode-math* – OpenType Math font support for LuaLaTeX

Web page on CTAN <https://ctan.org/pkg/lua-unicode-math>

name `lua-unicode-math`
 caption OpenType Math font support for LuaLaTeX
 author Krüger, Marcel
 copyright Marcel Krueger (2025)
 license lpl1.3c = The LaTeX Project Public License 1.3c (free)
 version 0.2 (2025-12-11)
 last changes 2025-12-11
 year 2025
 description (no language specified) A faster and more compatible package to support using OpenType *math* fonts in LuaLaTeX as an alternative for `unicode-math` .
 documentation (no language specified) *Package documentation:*
 <https://ctan.org/tex-archive/macros/luatex/latex/lua-unicode-math/lua-unicode-math.pdf>
 – local file `./7855979701-lua-unicode-math.pdf`
 documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/macros/luatex/latex/lua-unicode-math/README.md>
 documentation (no language specified) *Example of use:*
 <https://ctan.org/tex-archive/macros/luatex/latex/lua-unicode-math/amsmath-testmath.pdf>
 – local file `./8217002603-amsmath-testmath.pdf`
 contact *bugs:* <https://github.com/zauguin/lua-unicode-math/issues>
 contact *repository:* <https://github.com/zauguin/lua-unicode-math>
 on CTAN <https://ctan.org/tex-archive/macros/luatex/latex/lua-unicode-math>
 keyword `luatex` (LuaTeX and packages that require it)
 keyword `unicode` (Unicode, material supporting it, and packages requiring it)

keyword	maths (support for typesetting mathematics)
keyword	font-use (font selection, mapping, etc.)
language(s)	no language specified
last access	2025-12-12

3619 lua-visual-debug – Visual debugging with LuaLaTeX

Web page on CTAN <https://ctan.org/pkg/lua-visual-debug>

name	lua-visual-debug
caption	Visual debugging with LuaLaTeX
author	Gundlach, Patrick
copyright	Patrick Gundlach et al. (2012-2023)
license	mit = MIT License (free)
version	0.9 (2023-01-04)
last changes	2023-01-04
year	2023
description	(no language specified) The package uses <code>lua</code> code to provide visible indications of boxes, glues, kerns and penalties in the PDF output. The package is known to work in LaTeX and Plain TeX documents.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/lua-visual-debug/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/generic/lua-visual-debug/doc/lvdebug-doc.pdf
– local file	<code>./6914546095-lvdebug-doc.pdf</code>
documentation	(no language specified) <i>Sample output</i> : https://ctan.org/tex-archive/macros/luatex/generic/lua-visual-debug/doc/sample.pdf
– local file	<code>./1866352790-sample.pdf</code>
contact	<i>repository</i> : https://github.com/pgundlach/lvdebug
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/lua-visual-debug
on MikTeX	lua-visual-debug
on TeXLive	lua-visual-debug

keyword	luatex (LuaTeX and packages that require it)
keyword	debug-supp (support for package or document debugging)
keyword	macro-gen (macros that are independent of the (TeX) format in use)
language(s)	no language specified
last access	2025-02-09

3620 **lua-widow-control** – Automatically remove widows and orphans from any document

Web page on CTAN <https://ctan.org/pkg/lua-widow-control>

name	lua-widow-control
caption	Automatically remove widows and orphans from any document
author	Chernoff, Max
copyright	gucci-on-fleek (2021-2022)
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
license	other-free = Free license not otherwise listed (free)
version	3.0.1 (2024-03-11)
last changes	2024-03-11
year	2024
description	(no language specified) Unmodified TeX has very few ways of preventing widows and orphans. In documents with figures, section headings, and equations, TeX can stretch the vertical glue between items in order to prevent widows and orphans, but many documents have no figures or headings. TeX can also shorten the page by 1 line, but this will give each page a different length which can make a document look uneven. The typical solution is to strategically insert <code>\looseness=1</code>, but this requires manual editing every time that the document is edited. Lua-widow-control is essentially an automation of the <code>\looseness</code> method: it uses Lua callbacks to find "stretchy" paragraphs, then it lengthens them to remove widows and orphans. Lua-widow-control is compatible with all LuaTeX and LuaMetaTeX-based formats. All that is required is to load the package at the start of your document. To load:

- Plain LuaTeX: `\input lua-widow-control`
- LuaLaTeX: `\usepackage{lua-widow-control}`
- ConTeXt: `\usemodule[lua-widow-control]`
- OpTeX: `\load[lua-widow-control]`

documentation	(no language specified) <i>TUGboat</i> article: https://ctan.org/tex-archive/macros/luatex/generic/lua-widow-control/tb133chernoff-widows.pdf
– local file	<code>./3559599633-tb133chernoff-widows.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/generic/lua-widow-control/lua-widow-control.pdf
– local file	<code>./2349918618-lua-widow-control.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/lua-widow-control/README.md
documentation	(no language specified) <i>Zpravodaj</i> article: https://ctan.org/tex-archive/macros/luatex/generic/lua-widow-control/lwc-zpravodaj.pdf
– local file	<code>./7746908284-lwc-zpravodaj.pdf</code>
contact	<i>support</i> : https://github.com/gucci-on-fleek/lua-widow-control/discussions
contact	<i>bugs</i> : https://github.com/gucci-on-fleek/lua-widow-control/issues
contact	<i>repository</i> : https://github.com/gucci-on-fleek/lua-widow-control
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/lua-widow-control
installation	https://ctan.org/tex-archive/install/macros/luatex/generic/lua-widow-control.tds.zip
on MikTeX	<code>lua-widow-control</code>
on TeXLive	<code>lua-widow-control</code>
keyword	layout (layout of objects on the page)
keyword	luatex (LuaTeX and packages that require it)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-09

3621 lua2dox – Auto-documentation of lua code

Web page on CTAN <https://ctan.org/pkg/lua2dox>

name	lua2dox
caption	Auto-documentation of lua code
author	Dales, Simon
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2
description	(no language specified) The package extends the well-known C-like language autodoc tool, <code>doxygen</code>, to read and document <code>lua</code> code. In use, you edit and test your code and periodically run the autodoc tool to update the documentation, which may be viewed via an html browser. Autodoc tools can read the code well enough to find <code>function/...</code> declarations and document them. If the code also contains appropriately formatted "magic comments", the tool can use them to supplement the documentation. The package is a first prototype of a planned <code>TeX2DoX</code> tool (in development), which will process joint (La)TeX/lua documents.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/web/lua2dox/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/web/lua2dox/lua2dox-refm.pdf
– local file	<code>./2688131704-lua2dox-refm.pdf</code>
on CTAN	https://ctan.org/tex-archive/web/lua2dox
keyword	litprog (literate programming)
language(s)	no language specified
year	without year
last access	2025-02-07

3622 `luaaddplot` – An extension to `pgfplots`' `\addplot` macro

Web page on CTAN <https://ctan.org/pkg/luaaddplot>

name	<code>luaaddplot</code>
caption	An extension to <code>pgfplots</code> ' <code>\addplot</code> macro
author	Kotucha, Reinhard
copyright	Reinhard Kotucha (2022)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0a (2024-09-22)
last changes	2024-09-22
year	2024
description	(no language specified) This package is an extension to pgfplots . It extends the <code>\addplot</code> macro by a facility which allows modification of data files while they are read. With <code>luaaddplot</code> it is no longer necessary to pre-process data files generated by measuring devices with external scripts. This package can be used with plain LuaTeX or LuaLaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/luaaddplot/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/generic/luaaddplot/luaaddplot.pdf
– local file	<code>./9610138474-luaaddplot.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/luaaddplot
on MikTeX	<code>luaaddplot</code>
on TeXLive	<code>luaaddplot</code>
keyword	<code>graphics-plot</code> (plot data)
keyword	<code>luatex</code> (LuaTeX and packages that require it)
keyword	<code>graphics</code> (graphics (support packages))
language(s)	no language specified
last access	2025-02-09

3623 *luabibentry* – Repeat BibTeX entries in a LuaLaTeX document body

Web page on CTAN <https://ctan.org/pkg/luabibentry>

name	luabibentry
caption	Repeat BibTeX entries in a LuaLaTeX document body
author	Kopp, Oliver
copyright	Oliver Kopp (2011-2012)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1a (2012-02-02)
last changes	2012-02-02
year	2012
description	(no language specified) The package reimplements bibentry , for use in LuaLaTeX.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/luatex/latex/luabibentry/luabibentry.pdf
– local file	./4119079357-luabibentry.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/luatex/latex/luabibentry/README
contact	<i>bugs:</i> https://github.com/koppor/luabibentry/issues
contact	<i>repository:</i> https://github.com/koppor/luabibentry
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/luabibentry
installation	https://ctan.org/tex-archive/install/macros/luatex/latex/luabibentry.tds.zip
on MikTeX	luabibentry
on T _E XLive	luabibentry
keyword	cite-supp (citation support)
keyword	use-lua (package requires availability of lua)
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
last access	2025-02-09

3624 *luabidi* – Bidi functions for LuaTeX

Web page on CTAN <https://ctan.org/pkg/luabidi>

name	luabidi
caption	Bidi functions for LuaTeX
author	Khalighi, Vafa
author	Spitzmüller, Jürgen
author	bidi-tex GitHub Organisation
author	Fogiel, Udi
author	Rosendahl, Arthur
copyright	Vafa Khalighi (2009)
copyright	Arthur Reutenauer (2013, 2019-2026)
copyright	Jürgen Spitzmüller (2019-2026)
copyright	Udi Fogiel (2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	mit = MIT License (free)
version	1.0 (2026-04-10)
last changes	2026-04-10
year	2026
description	(no language specified) The package attempts to emulate the XeTeX bidi package, in the context of LuaTeX.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/luabidi/luabidi.pdf
– local file	<code>./2675641381-luabidi.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/luabidi/README.md
contact	<i>bugs</i> : https://codeberg.org/polyglossia/luabidi/issues
contact	<i>repository</i> : https://codeberg.org/polyglossia/luabidi
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/luabidi
on MikTeX	luabidi
on T _E XLive	luabidi
keyword	luatex (LuaTeX and packages that require it)
keyword	typesetting (support for variations of typographic style)

language(s)	no language specified
last access	2026-04-18

3625 *luacas* – A computer algebra system for users of LuaLaTeX

Web page on CTAN <https://ctan.org/pkg/luacas>

name	luacas
caption	A computer algebra system for users of LuaLaTeX
author	Cochrane, Evan
author	All, Timothy
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.2 (2023-05-26)
last changes	2023-05-26
year	2023
description	(no language specified) This package provides a portable computer algebra system capable of symbolic computation, written entirely in Lua, designed for use in LuaLaTeX. Features include: arbitrary-precision integer and rational arithmetic, factoring of univariate polynomials over the rationals and finite fields, number theoretic algorithms, symbolic differentiation and integration, and more. The target audience for this package are mathematics students, instructors, and professionals who would like some ability to perform basic symbolic computations within LaTeX without the need for laborious and technical setup.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/luacas/doc/luacas.pdf
– local file	./2089874471-luacas.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/luacas/README.md
contact	<i>bugs</i> : https://github.com/cochraef/LuaLaTeX-CAS/issues
contact	<i>repository</i> : https://github.com/cochraef/LuaLaTeX-CAS
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/luacas
installation	https://ctan.org/tex-archive/install/macros/luatex/latex/luacas.tds.zip
on MikTeX	luacas
on TeXLive	luacas

keyword	luatex (LuaTeX and packages that require it)
keyword	maths (support for typesetting mathematics)
keyword	calculation (perform calculations within TeX)
language(s)	no language specified
last access	2025-02-09

3626 *luacensor* – Securely redact sensitive information using Lua

Web page on CTAN <https://ctan.org/pkg/luacensor>

name	LuaCensor
caption	Securely redact sensitive information using Lua
author	Granet, Elijah Z
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
license	ofl = The SIL Open Font License (free)
version	1.1.1
description	(no language specified) This package provides simple tools for creating redacted documents. Its tools are useful for lawyers, workers in sensitive industries, and others who need to easily produce both unrestricted versions of documents (for limited, secure release) and restricted versions of documents (for general release). Redaction is done both by hiding all characters and by slightly varying the length of strings to prevent jigsaw identification. It also is friendly to screen readers by adding alt-text indicating redacted content.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/luatex/latex/luacensor/luacensor-documentation.pdf
– local file	./3484202595-luacensor-documentation.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/luatex/latex/luacensor/README.txt
contact	<i>bugs:</i> https://github.com/ezgranet/luacensor/issues
contact	<i>repository:</i> https://github.com/ezgranet/luacensor
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/luacensor
on MikTeX	luacensor
on TeXLive	luacensor
keyword	security (document security measures)

keyword	luatex (LuaTeX and packages that require it)
keyword	cond-comp (conditional typesetting)
keyword	editorial (editor's marks, highlights, etc.)
language(s)	no language specified
year	without year
last access	2025-02-09

3627 *luacode* – Helper for executing lua code from within TeX

Web page on CTAN <https://ctan.org/pkg/luacode>

name	luacode
caption	Helper for executing lua code from within TeX
author	Pégourié-Gonnard, Manuel
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2a
description	(no language specified) Executing Lua code from within TeX with <code>directlua</code> can sometimes be tricky: there is no easy way to use the percent character, counting backslashes may be hard, and Lua comments don't work the way you expect. The package provides the <code>\luaexec</code> command and the <code>luacode (*)</code> environments to help with these problems.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/luacode/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/luacode/luacode.pdf
– local file	<code>./7456603861-luacode.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/luacode
installation	https://ctan.org/tex-archive/install/macros/luatex/latex/luacode.tds.zip
on MikTeX	luacode
on TeXLive	luacode
keyword	luatex (LuaTeX and packages that require it)
keyword	lua-supp (support for using Lua code)
language(s)	no language specified
year	without year

last access 2025-02-09

3628 `luacolor` – Color support based on LuaTeX’s node attributes

Web page on CTAN <https://ctan.org/pkg/luacolor>

name	<code>luacolor</code>
caption	Color support based on LuaTeX’s node attributes
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2007, 2009-2011)
copyright	Oberdiek Package Support Group (2016-2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.18 (2023-08-18)
last changes	2023-08-18
year	2023
description	(no language specified) This package implements color support based on LuaTeX’s node attributes.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/luacolor/luacolor.pdf
– local file	<code>./9826971063-luacolor.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/luacolor/README.md
contact	<i>bugs</i> : https://github.com/ho-tex/luacolor/issues
contact	<i>repository</i> : https://github.com/ho-tex/luacolor
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/luacolor
on MikTeX	<code>luacolor</code>
on TeXLive	<code>luacolor</code>
keyword	<code>colour</code> (typesetting in colour)
keyword	<code>luatex</code> (LuaTeX and packages that require it)
language(s)	no language specified
last access	2025-02-09

3629 *luacomplex* – Operations on complex numbers inside LaTeX documents using LuaWeb page on CTAN <https://ctan.org/pkg/luacomplex>

name	luacomplex
caption	Operations on complex numbers inside LaTeX documents using Lua
author	Chetan Shirore and Ajit Kumar
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.4 (2023-11-17)
last changes	2023-11-17
year	2023
description	(no language specified) The <i>luacomplex</i> package is developed to define complex numbers and perform basic arithmetic on complex numbers in LaTeX. It also loads the <i>luamaths</i> package. It provides an easy way to define complex numbers and perform operations on complex numbers. There is no particular environment for performing operations on complex numbers. The package commands can be used in any environment (including the mathematics environment). It is written in Lua, and the <code>.tex</code> file is to be compiled with the LuaLaTeX engine.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/luacomplex/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/luacomplex/luacomplex.pdf
– local file	<code>./5688655386-luacomplex.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/luacomplex
on MikTeX	luacomplex
on TeXLive	luacomplex
keyword	luatex (LuaTeX and packages that require it)
keyword	maths (support for typesetting mathematics)
keyword	calculation (perform calculations within TeX)
keyword	arithmetic (perform and typeset arithmetic problems)
language(s)	no language specified
last access	2025-02-09

3630 luafindfont – Search fonts in the LuaTeX font database

Web page on CTAN <https://ctan.org/pkg/luafindfont>

Alias	findfont
name	luafindfont
caption	Search fonts in the LuaTeX font database
author	Voß, Herbert
copyright	Herbert Voß (2021-2025)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.16
description	(no language specified) This Lua script searches for fonts in the font database.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/luafindfont/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/luafindfont/doc/luafindfont-doc.pdf
– local file	./7184090762-luafindfont-doc.pdf
on CTAN	https://ctan.org/tex-archive/support/luafindfont
on MikTeX	luafindfont
on TeXLive	luafindfont
keyword	font-sel (font selection schemes)
language(s)	no language specified
year	2025
last access	2026-04-13

3631 luagcd – Computation of gcd of integers inside LaTeX using Lua

Web page on CTAN <https://ctan.org/pkg/luagcd>

name	luagcd
caption	Computation of gcd of integers inside LaTeX using Lua
author	Chetan Shirore and Ajit Kumar
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1

description	(no language specified) Using Lua, the luagcd package is developed to find the greatest common divisor (gcd) of integers in LaTeX. The package provides commands to obtain step-by-step computation of gcd of two integers by using the Euclidean algorithm. In addition, the package has the command to express gcd of two integers as a linear combination. The Bezout's Identity can be verified for any two integers using commands in the package. No particular environment is required for the use of commands in the package. It is written in Lua, and the TeX file has to be compiled with the LuaLaTeX engine.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/luagcd/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/luagcd/luagcd.pdf
– local file	./3752827129-luagcd.pdf
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/luagcd
on MikTeX	luagcd
on TeXLive	luagcd
keyword	luatex (LuaTeX and packages that require it)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	without year
last access	2025-02-09

3632 luahttp – Compile-time internet-interactive PDF-documents using Lua and LuaTeX

Web page on CTAN <https://ctan.org/pkg/luahttp>

name	luahttp
caption	Compile-time internet-interactive PDF-documents using Lua and LuaTeX
author	Casaburi, Johannes
copyright	Johannes Casaburi (2023)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.1
description	(no language specified) This small package provides five commands to make HTTP requests using Lua and LuaTeX. Functionalities include API calls, fetch RSS feeds and the possibility to include images using a link. These commands run during the compilation of the PDF-Documents and may require user interaction.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/luahhttp/luahhttp-doc.pdf
– local file	<code>./4342014814-luahhttp-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/luahhttp/README.md
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/luahhttp
on MikTeX	<code>luahhttp</code>
on TeXLive	<code>luahhttp</code>
keyword	<code>use-lua</code> (package requires availability of lua)
keyword	<code>luatex</code> (LuaTeX and packages that require it)
language(s)	no language specified
year	2023
last access	2025-02-09

3633 *luahyperbolic* – Hyperbolic geometry in the Poincaré disk model

Web page on CTAN <https://ctan.org/pkg/luahyperbolic>

name	<code>luahyperbolic</code>
caption	Hyperbolic geometry in the Poincaré disk model
author	Mégy, Damien
license	cc0 = CC0 1.0 (free)
version	(2026-03-16)
last changes	2026-03-16
year	2026
description	(no language specified) This package allows to draw pictures and do computations in plane hyperbolic geometry, in the Poincaré disk model. Computations are done with Lua, and graphics are generated with TikZ. The package is written in Lua and requires LuaLaTeX. Features: • Draw geodesic lines, segments, polygons, rays, circles, horocycles, hypercycles. • Label and mark segments, angles • Compute intersections of geodesics, circles, symmetries, reflections, exponential maps, automorphisms

- Draw hyperbolic triangle tilings with a simple LaTeX macro

Example tiling : <https://raw.githubusercontent.com/dmegy/luahyperbolic/refs/heads/main/triangle-tiling-2-4-5.png>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/luahyperbolic/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/luahyperbolic/documentation-luahyperbolic.pdf
– local file	<code>./9696816376-documentation-luahyperbolic.pdf</code>
contact	<i>repository</i> : https://github.com/dmegy/luahyperbolic
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/luahyperbolic
on T _E XLive	<code>luahyperbolic</code>
keyword	<code>luatex</code> (LuaTeX and packages that require it)
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	no language specified
last access	2026-03-26

3634 *luahyphenrules* – Loading patterns in LuaLaTeX with language.dat

Web page on CTAN <https://ctan.org/pkg/luahyphenrules>

name	<code>luahyphenrules</code>
caption	Loading patterns in LuaLaTeX with language.dat
author	Bezos López, Javier
copyright	Javier Bezos (2016-2020)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1
description	(no language specified) Preloading hyphenation patterns (or 'hyphen rules.') into any format based upon LuaTeX is not required in LuaTeX and recent releases of babel don't do it anyway. This package is addressed to those who just want to select the languages and load their patterns by means of 'language.dat' without loading 'babel'.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/luahyphenrules/luahyphenrules.pdf

3635 *luaimageembed* – Embed images as base64-encoded strings

– local file	<code>./5585196726-luahyphenrules.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/luahyphenrules/README.md
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/luahyphenrules
on MikTeX	luahyphenrules
on T _E XLive	luahyphenrules
keyword	luatex (LuaTeX and packages that require it)
keyword	hyphenation (macros or tables for hyphenation)
language(s)	no language specified
year	2020
last access	2025-02-09

3635 *luaimageembed* – Embed images as base64-encoded strings

Web page on CTAN	https://ctan.org/pkg/luaimageembed
name	luaimageembed
caption	Embed images as base64-encoded strings
author	Sachs, Christian
copyright	Christian Sachs (2019)
license	mit = MIT License (free)
version	0.1
description	(no language specified) This package allows to embed images directly as base64-encoded strings into an LuaLaTeX document. This can be useful, e. g. to package a document with images into a single TeX file, or with automatically generated graphics.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/luaimageembed/README.md
home page	https://github.com/csachs/luaimageembed
contact	<i>announce</i> : https://github.com/csachs/luaimageembed/releases
contact	<i>bugs</i> : https://github.com/csachs/luaimageembed/issues
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/luaimageembed
on MikTeX	luaimageembed

on T _E XLive	luaimageembed
keyword	lua-supp (support for using Lua code)
keyword	image-supp (manipulating images for inclusion in documents)
see also	see section 2950 on page 2668: (<i>inline-images</i> – Inline images in base64 encoding)
language(s)	no language specified
year	2019
last access	2025-02-07

3636 *luaindex* – Create index using LuaLaTeX

Web page on CTAN <https://ctan.org/pkg/luaindex>

name	luaindex
caption	Create index using LuaLaTeX
author	Kohm, Markus
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1b
description	(no language specified) Luaindex provides (yet another) index processor, written in Lua.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/luaindex/luaindex.pdf
– local file	./3701151761-luaindex.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/luaindex/README
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/luaindex
on MikT _E X	luaindex
on T _E XLive	luaindex
keyword	index (index support)
language(s)	no language specified
year	without year
last access	2025-02-07

3637 luainputenc – Replacing inputenc for use in LuaTeXWeb page on CTAN <https://ctan.org/pkg/luainputenc>

name	luainputenc
caption	Replacing inputenc for use in LuaTeX
author	Roux, Élie
author	Pégourié-Gonnard, Manuel
copyright	Elie Roux (2009)
license	pd = Public Domain Software (free)
version	0.973
description	(no language specified) LuaTeX operates by default in UTF-8 input; thus LaTeX documents that need 8-bit character-sets need special treatment. (In fact, LaTeX documents using UTF-8 with "traditional" — 256-glyph — fonts also need support from this package.) The package, therefore, replaces the LaTeX standard <i>inputenc</i> for use under LuaTeX. With a current LuaTeX, the package has the same behaviour with LuaTeX as <i>inputenc</i> has under pdfTeX.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/luatex/latex/luainputenc/luainputenc.pdf
– local file	./2811970396-luainputenc.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/luatex/latex/luainputenc/README
contact	<i>repository</i> : https://github.com/lualatex/luainputenc
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/luainputenc
installation	https://ctan.org/tex-archive/install/macros/luatex/latex/luainputenc.tds.zip
on MikTeX	luainputenc
on TeXLive	luainputenc
keyword	luatex (LuaTeX and packages that require it)
keyword	inputenc (input encoding support for TeX engines)
language(s)	no language specified
year	2009
last access	2025-02-09

3638 *luaintro* – Examples from the book “Einführung in LuaTeX und LuaLaTeX”

Web page on CTAN <https://ctan.org/pkg/luaintro>

name	luaintro
caption	Examples from the book “Einführung in LuaTeX und LuaLaTeX”
author	Voß, Herbert
copyright	Herbert Voß (2013-2014)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.03
description	(no language specified) The bundle provides source of all the examples published in the German book “Einführung in LuaTeX und LuaLaTeX”, published by Lehmanns Media and DANTE, Berlin.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/examples/luaintro/README
on CTAN	https://ctan.org/tex-archive/info/examples/luaintro
keyword	book-ex (copies of examples from a published book)
language(s)	no language specified
year	2014
last access	2026-04-13

3639 *luakeys* – A Lua module for parsing key-value options

Web page on CTAN <https://ctan.org/pkg/luakeys>

name	luakeys
caption	A Lua module for parsing key-value options
author	Friedrich, Josef
copyright	Josef Friedrich (2021-2025)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.17.0 (2025-07-19)
last changes	2025-07-19
year	2025

description	(no language specified) This package provides a Lua module that can parse key-value options like the TeX packages keyval , kvsetkeys , kvoptions , xkeyval , pgfkeys etc. <code>luakeys</code> , however, accomplishes this task entirely by using the Lua language and does not rely on TeX. Therefore this package can only be used with the TeX engine LuaTeX . Since <code>luakeys</code> uses LPeg , the parsing mechanism should be pretty robust.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/luakeys/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/generic/luakeys/luakeys-doc.pdf
– local file	<code>./9876795563-luakeys-doc.pdf</code>
contact	<i>bugs</i> : https://github.com/Josef-Friedrich/luakeys/issues
contact	<i>repository</i> : https://github.com/Josef-Friedrich/luakeys
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/luakeys
on MikTeX	<code>luakeys</code>
on TeXLive	<code>luakeys</code>
keyword	<code>luatex</code> (LuaTeX and packages that require it)
keyword	<code>keyval</code> (key-value argument systems)
keyword	<code>macro-gen</code> (macros that are independent of the (TeX) format in use)
language(s)	no language specified
last access	2025-07-31

3640 *luakeyval* – A minimal key/value system for LuaTeX based on token.scan_key_cs

Web page on CTAN <https://ctan.org/pkg/luakeyval>

name	<code>luakeyval</code>
caption	A minimal key/value system for LuaTeX based on token.scan_key_cs
author	Fogiel, Udi
license	0bsd = Zero-Clause BSD (free)
version	0.1

description	(no language specified) luakeyval is a Lua module that helps defining macros which accepts key/val lists by scanning the input stream with <code>token.scan_key_cs</code> . This is helpfull for creating use interface macros from within a Lua module.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/luakeyval/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/generic/luakeyval/luakeyval.pdf
– local file	<code>./6216067097-luakeyval.pdf</code>
contact	<i>bugs</i> : https://github.com/Udi-Fogiel/luakeyval/issues
contact	<i>repository</i> : https://github.com/Udi-Fogiel/luakeyval
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/luakeyval
on T _E XLive	luakeyval
keyword	keyval (key-value argument systems)
keyword	luatex (LuaTeX and packages that require it)
keyword	macro-gen (macros that are independent of the (TeX) format in use)
language(s)	no language specified
year	without year
last access	2025-12-12

3641 *lualatex-doc* – A guide to use of LaTeX with LuaTeX

Web page on CTAN <https://ctan.org/pkg/lualatex-doc>

name	lualatex-doc
caption	A guide to use of LaTeX with LuaTeX
author	Pégourié-Gonnard, Manuel
license	fdl = Free Documentation License (free)
version	(2013-05-05)
last changes	2013-05-05
year	2013

description	(no language specified) The document is a map/guide to the world of LuaLaTeX. Coverage supports both new users and package developers. Apart from the introductory material, the document gathers information from several sources, and offers links to others.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/info/luatex/lualatex-doc/README
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/obsolete/info/luatex/lualatex-doc/lualatex-doc.pdf
– local file	<code>./2543160394-lualatex-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/obsolete/info/luatex/lualatex-doc
on MikTeX	<code>lualatex-doc</code>
keyword	<code>obsolete</code> (package declared obsolete)
keyword	<code>luatex-doc</code> (documentation of LuaTeX and related packages)
language(s)	no language specified
last access	2025-02-09

3642 *lualatex-doc-de* – Guide to LuaLaTeX (German translation)

Web page on CTAN	https://ctan.org/pkg/lualatex-doc-de
name	<code>lualatex-doc-de</code>
caption	Guide to LuaLaTeX (German translation)
author	Römer, Christine
author	Pégourié-Gonnard, Manuel
license	fdl = Free Documentation License (free)
version	1.0
description	(no language specified) The document is a German translation of the map/guide to the world of LuaLaTeX . Coverage supports both new users and package developers. Apart from the introductory material, the document gathers information from several sources, and offers links to others.
documentation	(no language specified) <i>The translated document itself</i> : https://ctan.org/tex-archive/info/luatex/lualatex-doc-de/lualatex-doc-DE.pdf
– local file	<code>./9859977849-lualatex-doc-DE.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/luatex/lualatex-doc-de

on MikTeX	lualatex-doc-de
on T _E XLive	lualatex-doc-de
keyword	german (support for typesetting German)
keyword	luatex-doc (documentation of LuaTeX and related packages)
language(s)	no language specified
year	without year
last access	2025-02-09

3643 lualatex-math – Fixes for mathematics-related LuaLaTeX issues

Web page on CTAN <https://ctan.org/pkg/lualatex-math>

name	lualatex-math
caption	Fixes for mathematics-related LuaLaTeX issues
author	Stephani, Philipp
copyright	Google LLC (2021, 2022)
copyright	Philipp Stephani, Joseph Wright, and Will Robertson (2011-2020)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.12 (2022-01-01)
last changes	2022-01-01
year	2022
description	(no language specified) The package patches a few commands of the LaTeX2e kernel and the amsmath and mathtools packages to be more compatible with the LuaTeX engine. It is only meaningful for LuaLaTeX documents containing mathematical formulas, and does not exhibit any new functionality. The fixes are mostly moved from the unicode-math package to this package since they are not directly related to Unicode mathematics typesetting.
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/lualatex-math/lualatex-math.pdf
– local file	<code>./9187865002-lualatex-math.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/lualatex-math/README
contact	<i>bugs</i> : https://github.com/phst/lualatex-math/issues
contact	<i>repository</i> : https://github.com/phst/lualatex-math

on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/lualatex-math
installation	https://ctan.org/tex-archive/install/macros/luatex/latex/lualatex-math.tds.zip
on MikTeX	lualatex-math
on T _E XLive	lualatex-math
keyword	luatex (LuaTeX and packages that require it)
keyword	expl3 (expl3(unknown))
keyword	maths (support for typesetting mathematics)
language(s)	English
last access	2025-02-09

3644 lua_latex-platform – Load platform-specific code into LuaTeX

Web page on CTAN	https://ctan.org/pkg/lualatex-platform
name	luaLaTeX-platform
caption	Load platform-specific code into LuaTeX
author	Stephani, Philipp
copyright	Philipp Stephani (2011)
license	other-free = Free license not otherwise listed (free)
version	0.1
description	(no language specified) While platform-specific problems can often be handled purely in Lua, it sometimes happens that access to the native operating system API is required. For such tasks, Lua itself makes it possible to load extension modules written in C (or other languages provided that they can produce a dynamic library that exports a certain C-style function). The present package aims to provide such an extension module that is usable from both Lua and LuaTeX and adds a small set of features not available otherwise. This release merely supports listing the fonts known to the operating system (this feature could usefully be integrated into the luaotfload package).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/systems/luatex/contrib/lualatex-platform/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/systems/luatex/contrib/lualatex-platform/lualatex-platform.html

on CTAN	https://ctan.org/tex-archive/obsolete/systems/luatex/contrib/lualatex-platform
keyword	lua-supp (support for using Lua code)
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
year	2011
last access	2025-02-09

3645 `lualatex-truncate` – A wrapper for using the `truncate` package with LuaLaTeX

Web page on CTAN	https://ctan.org/pkg/lualatex-truncate
name	<code>lualatex-truncate</code>
caption	A wrapper for using the <code>truncate</code> package with LuaLaTeX
author	Friedl, Sebastian
copyright	Sebastian Friedl (2018)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1 (2018-08-22)
last changes	2018-08-22
year	2018
description	(no language specified) This package provides a wrapper for the <code>truncate</code> package, thus fixing issues related to LuaTeX's hyphenation algorithm.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/lualatex-truncate/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/lualatex-truncate/lualatex-truncate-doc.pdf
– local file	<code>./4020697661-lualatex-truncate-doc.pdf</code>
contact	<i>bugs</i> : https://gitlab.com/SFr682k/lualatex-truncate/-/issues
contact	<i>repository</i> : https://gitlab.com/SFr682k/lualatex-truncate
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/lualatex-truncate
on MikTeX	<code>lualatex-truncate</code>
on TeXLive	<code>lualatex-truncate</code>

keyword	layout (layout of objects on the page)
keyword	luatex (LuaTeX and packages that require it)
see also	see section 6327 on page 5719: (truncate – Truncate text to a specified width)
language(s)	no language specified
last access	2025-02-09

3646 lua_lib_s – Additional Lua functions for LuaTeX macro programmers

Web page on CTAN <https://ctan.org/pkg/lualibs>

name	lua _l ib _s
caption	Additional Lua functions for LuaTeX macro programmers
author	Gesang, Philipp
author	The LaTeX Project Team
author	Roux, Élie
copyright	PRAGMA ADE / ConTeXt Development Team / The LuaLaTeX Dev Team (2009-2022)
license	gpl2 = GNU General Public License, version 2 (free)
version	2.76
description	(no language specified) Lua _l ib _s is a collection of Lua modules useful for general programming. The bundle is based on lua modules shipped with ConTeXt, and made available in this bundle for use independent of ConTeXt.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/generic/lualibs/lualibs.pdf
– local file	<code>./1733174582-lualibs.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/lualibs/README.md
contact	<i>support</i> : https://github.com/latex3/lualibs/issues
contact	<i>repository</i> : https://github.com/latex3/lualibs
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/lualibs
installation	https://ctan.org/tex-archive/install/macros/luatex/generic/lualibs.tds.zip

on MikTeX	lualibs
on T _E XLive	lualibs
keyword	luatex (LuaTeX and packages that require it)
keyword	lua-supp (support for using Lua code)
language(s)	no language specified
year	2022
last access	2025-02-09

3647 lualinalg – A linear algebra package for LuaLaTeX

Web page on CTAN <https://ctan.org/pkg/lualinalg>

name	lualinalg
caption	A linear algebra package for LuaLaTeX
author	Chetan Shirore and Ajit Kumar
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.9 (2023-11-17)
last changes	2023-11-17
year	2023
description	(no language specified) The lualinalg package is developed to perform operations on vectors and matrices defined over the field of real or complex numbers inside LaTeX documents. It provides flexible ways for defining and displaying vectors and matrices. No particular environment of LaTeX is required to use commands in the package. The package is written in Lua, and tex file is to be compiled with the LuaLaTeX engine. The time required for calculations is not an issue while compiling with LuaLaTeX. There is no need to install Lua on the user's system as TeX distributions (TeX Live or MikTeX) come bundled with LuaLaTeX. It may also save users' efforts to copy vectors and matrices from other software (which may not be in LaTeX-compatible format) and to use them in a tex file. The vectors and matrices of reasonable size can be handled with ease. The package can be modified or extended by writing custom Lua programs.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/lualinalg/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/lualinalg/lualinalg.pdf
– local file	./6627548767-lualinalg.pdf

on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/lualinalg
on MikTeX	<i>lualinalg</i>
on T _E XLive	<i>lualinalg</i>
keyword	<i>luatex</i> (LuaTeX and packages that require it)
keyword	<i>maths</i> (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-09

3648 *lualineno* – Line numbering in LuaTeX-based formats

Web page on CTAN	https://ctan.org/pkg/lualineno
name	<i>lualineno</i>
caption	Line numbering in LuaTeX-based formats
author	Fogiel, Udi
copyright	Udi Fogiel (2024-2025)
license	0bsd = Zero-Clause BSD (free)
version	0.1
description	(no language specified) The package provides flexible line numbering for LuaTeX-based formats. It supports OpTeX, LuaLaTeX, and Plain LuaTeX.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/generic/lualineno/lualineno-doc.pdf
– local file	<code>./8949927489-lualineno-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/lualineno/README.md
contact	<i>bugs</i> : https://codeberg.org/Udi-Fogiel/luu-lineno/issues
contact	<i>repository</i> : https://codeberg.org/Udi-Fogiel/luu-lineno
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/lualineno
on MikTeX	<i>lualineno</i>
on T _E XLive	<i>lualineno</i>
keyword	<i>line-nos</i> (number the typeset lines)
keyword	<i>luatex</i> (LuaTeX and packages that require it)

keyword	typesetting (support for variations of typographic style)
language(s)	no language specified
year	2025
last access	2026-02-18

3649 *luamathalign* – More flexible alignment in amsmath environments

Web page on CTAN <https://ctan.org/pkg/luamathalign>

name	luamathalign
caption	More flexible alignment in amsmath environments
author	Krüger, Marcel
copyright	Marcel Krüger (2019-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3 (2022-05-04)
last changes	2022-05-04
year	2022
description	(no language specified) Allow aligning mathematical expressions on points where where directly using & is not possible, especially in nested macros or environments.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/luamathalign/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/luamathalign/luamathalign.pdf
– local file	./2594778366-luamathalign.pdf
contact	<i>bugs</i> : https://github.com/zauguin/luamathalign/issues
contact	<i>repository</i> : https://github.com/zauguin/luamathalign
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/luamathalign
on MikTeX	luamathalign
on T _E XLive	luamathalign
keyword	luatex (LuaTeX and packages that require it)
keyword	font-maths (fonts for use in mathematics)
language(s)	no language specified

last access 2025-02-09

3650 *luamaths* – Provide standard mathematical operations inside LaTeX documents using Lua

Web page on CTAN <https://ctan.org/pkg/luamaths>

name	luamaths
caption	Provide standard mathematical operations inside LaTeX documents using Lua
author	Chetan Shirore and Ajit Kumar
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.6
description	(no language specified) The luamaths package is developed to perform standard mathematical operations inside LaTeX documents using Lua. It provides an easy way to perform standard mathematical operations. There is no particular environment in the package for performing mathematical operations. The package commands can be used in any environment (including the mathematics environment). There is no need to install Lua on users system as TeX distributions (TeX Live or MikTeX) come bundled with LuaLaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/luamaths/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/luamaths/luamaths.pdf
– local file	./3949889164-luamaths.pdf
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/luamaths
on MikTeX	luamaths
on T _E XLive	luamaths
keyword	luatex (LuaTeX and packages that require it)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	without year
last access	2025-02-09

3651 *luamesh* – Computes and draws 2D Delaunay triangulationWeb page on CTAN <https://ctan.org/pkg/luamesh>

name	luamesh
caption	Computes and draws 2D Delaunay triangulation
author	Chupin, Maxime
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.7
description	(no language specified) The package allows to compute and draw 2D Delaunay triangulation. The algorithm is written with lua, and depending upon the choice of the engine, the drawing is done by MetaPost (with luamplib) or by TikZ. The Delaunay triangulation algorithm is the Bowyer and Watson algorithm. Several macros are provided to draw the global mesh, the set of points, or a particular step of the algorithm.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/luatex/latex/luamesh/doc/luamesh-doc.pdf
– local file	./6023220678-luamesh-doc.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/luatex/latex/luamesh/README
home page	https://plmlab.math.cnrs.fr/mchupin/luamesh
contact	<i>repository</i> : https://plmlab.math.cnrs.fr/mchupin/luamesh
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/luamesh
on MikTeX	luamesh
on T _E XLive	luamesh
keyword	graphics (graphics (support packages))
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	graphics-mpost (graphics generated using MetaPost)
keyword	luatex (LuaTeX and packages that require it)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	without year
last access	2025-02-09

3652 `luamml` – Automatically generate MathML from LuaLaTeX math mode materialWeb page on CTAN <https://ctan.org/pkg/luamml>

name	LuaMML
caption	Automatically generate MathML from LuaLaTeX math mode material
author	Krüger, Marcel
copyright	Marcel Krueger (2020-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2.0
description	(no language specified) LuaMML is an experimental package to automatically generate a MathML representation of mathematical expressions written in LuaLaTeX documents. These MathML representations can be used for improving accessibility or to ease conversion into new output formats like HTML.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/luamml/luamml.pdf
– local file	<code>./3046816135-luamml.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/luamml/README.md
contact	<i>support</i> : https://github.com/latex3/luamml/issues
contact	<i>bugs</i> : https://github.com/zauguin/luamml/issues
contact	<i>repository</i> : https://github.com/latex3/luamml
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/luamml
on MikTeX	<code>luamml</code>
on T _E XLive	<code>luamml</code>
keyword	<code>luatex</code> (LuaTeX and packages that require it)
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	no language specified
year	2024
last access	2025-02-09

3653 *luamodulartables* – Generate modular addition and multiplication tables

Web page on CTAN <https://ctan.org/pkg/luamodulartables>

name	luamodulartables
caption	Generate modular addition and multiplication tables
author	Chetan Shirore and Ajit Kumar
license	lpp1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1
description	(no language specified) This package is developed to generate modular addition and multiplication tables for positive integers. It provides an easy way to generate modular addition and modular multiplication tables for positive integers in LaTeX documents. The commands in the package have optional arguments for the formatting of tables. These commands can be used in an environment similar to a <code>tabular</code> or <code>array</code> environment. The commands can also be used with the booktabs package, which provides nice formatting of tables in LaTeX. It is written in Lua, and TeX file is to be compiled with LuaLaTeX engine.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/luamodulartables/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/luamodulartables/luamodulartables.pdf
– local file	./7140302563-luamodulartables.pdf
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/luamodulartables
on MikTeX	luamodulartables
on TeXLive	luamodulartables
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
year	without year
last access	2025-02-09

3654 *luamplib* – Use LuaTeX’s built-in MetaPost interpreter

Web page on CTAN <https://ctan.org/pkg/luamplib>

name	luamplib
caption	Use LuaTeX’s built-in MetaPost interpreter
author	Hagen, Hans
author	Kim, Dohyun
author	Hoekwater, Taco
author	Roux, Élie
author	Pégourié-Gonnard, Manuel
author	Gesang, Philipp
copyright	Hans Hagen, Taco Hoekwater, Elie Roux, Manuel Pégourié-Gonnard, Philipp Gesang and Kim Dohyun (2008-2026)
license	gpl2 = GNU General Public License, version 2 (free)
version	2.41.0 (2026-04-28)
last changes	2026-04-28
year	2026
description	(no language specified) The package enables the user to specify MetaPost diagrams (which may include colour specifications from the color or xcolor packages) into a document, using LuaTeX’s built-in MetaPost library. The facility is only available in PDF mode.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/luamplib/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/generic/luamplib/luamplib.pdf
– local file	./4894700013-luamplib.pdf
contact	<i>bugs</i> : https://github.com/lualatex/luamplib/issues
contact	<i>repository</i> : https://github.com/lualatex/luamplib
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/luamplib
installation	https://ctan.org/tex-archive/install/macros/luatex/generic/luamplib.tds.zip
on MikTeX	luamplib
on T _E XLive	luamplib

keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
keyword	tagged-pdf (tagged PDF compatible)
keyword	mp-use (use, and support for use, of MetaPost)
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
last access	2026-04-29

3655 luanumint – Numerical integration using Lua inside LaTeX documents

Web page on CTAN <https://ctan.org/pkg/luanumint>

name	luanumint
caption	Numerical integration using Lua inside LaTeX documents
author	Chetan Shirore and Ajit Kumar
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2 (2023-11-17)
last changes	2023-11-17
year	2023
description	(no language specified) This package uses Lua to calculate the numerical integral value of real-valued functions of a real variable over closed and bounded intervals. The package provides commands to perform numerical integration using the mid-point, trapezoidal, and Simpson's one-third and three-eighth rules. The <code>loadstring</code> command is used to load and evaluate functions at different points in the mathematics environment of Lua. The package also provides commands to perform numerical integration using step-by-step calculations. The package's commands have an optional argument to round off the numbers to the desired number of decimal places. The <code>breqn</code> package is loaded to display and align step-by-step calculations properly. Advanced users can customize the code to achieve the desired formatting of step-by-step computations. The package can assist in creating various problems on numerical integration with their solutions. The results obtained using different methods of numerical integration can be compared. It can save users' efforts of doing computations involving numerical integration in external software and copying them inside LaTeX documents.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/luanumint/README.txt

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/luatex/latex/luanumint/luanumint.pdf
– local file	<code>./5327087337-luanumint.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/luanumint
on MikTeX	luanumint
on TeXLive	luanumint
keyword	luatex (LuaTeX and packages that require it)
keyword	calculation (perform calculations within TeX)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2026-04-10

3656 luaoptions – Option handling for LuaLaTeX packages

Web page on CTAN	https://ctan.org/pkg/luaoptions
name	luaoptions
caption	Option handling for LuaLaTeX packages
author	Peron, Jacques
copyright	The LuaLaTeX-Tools Project (2015-2022)
license	mit = MIT License (free)
version	0.8 (2022-10-30)
last changes	2022-10-30
year	2022
description	(no language specified) This LuaLaTeX package provides extensive support for handling <i>options</i> , on package level and locally. It allows the declaration of sets of options, along with defaults, expected/allowed values and limited type checking. These options can be enforced as package options, changed at any point during a document, or overwritten locally by optional macro arguments. It is also possible to instantiate an Options object as an independent Lua object, without linking it to a package. <code>luaoptions</code> can be used to enforce and prepopulate options, or it can be used to simply handle the parsing of optional <code>key=value</code> arguments into proper Lua tables.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/luatex/latex/luaoptions/luaoptions.pdf

3657 *luaotfload* – OpenType ‘loader’ for Plain TeX and LaTeX

– local file	<code>./6210206157-luaoptions.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/luaoptions/README.md
contact	<i>bugs</i> : https://github.com/lualatex-tools/luaoptions/issues
contact	<i>repository</i> : https://github.com/lualatex-tools/luaoptions
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/luaoptions
on MikTeX	luaoptions
on TeXLive	luaoptions
keyword	package-supp (support for other packages)
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
last access	2025-02-09

3657 *luaotfload* – OpenType ‘loader’ for Plain TeX and LaTeX

Web page on CTAN <https://ctan.org/pkg/luaotfload>

name	luaotfload
caption	OpenType ‘loader’ for Plain TeX and LaTeX
author	Pégourié-Gonnard, Manuel
author	Hosny, Khaled
author	Krüger, Marcel
author	Roux, Élie
author	Fischer, Ulrike
author	Robertson, Will
author	The LaTeX Project Team
author	Gesang, Philipp
copyright	PRAGMA ADE / ConTeXt Development Team (2009-2024)
license	gpl2 = GNU General Public License, version 2 (free)
version	3.29 (2024-12-03)
last changes	2024-12-03
year	2024

3658 `luapackageloader` – Allow LuaTeX to load external Lua packages

description	(no language specified) The package adopts the TrueType/OpenType Font loader code provided in ConTeXt, and adapts it to use in Plain TeX and LaTeX. It works under LuaLaTeX only.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/luatex/generic/luatload/luatload-latex.pdf
– local file	<code>./9765121520-luatload-latex.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/luatex/generic/luatload/README.md
contact	<i>support:</i> https://github.com/latex3/luatload/issues
contact	<i>repository:</i> https://github.com/latex3/luatload
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/luatload
installation	https://ctan.org/tex-archive/install/macros/luatex/generic/luatload.tds.zip
on MikTeX	<code>luatload</code>
on TeXLive	<code>luatload</code>
keyword	<code>luatex</code> (LuaTeX and packages that require it)
keyword	<code>font-use</code> (font selection, mapping, etc.)
language(s)	no language specified
last access	2025-03-09

3658 `luapackageloader` – Allow LuaTeX to load external Lua packages

Web page on CTAN <https://ctan.org/pkg/luapackageloader>

name	<code>luapackageloader</code>
caption	Allow LuaTeX to load external Lua packages
author	Jois, Deepak
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2 (2019-12-21)
last changes	2019-12-21
year	2019

description	(no language specified) This package allows LuaTeX to load packages from the default <code>package.path</code> and <code>package.cpath</code> locations. This could be useful to load external Lua modules, including modules installed via LuaRocks . This package requires ifluatex .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/luapackageloader/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/generic/luapackageloader/luapackageloader.pdf
– local file	<code>./2283899142-luapackageloader.pdf</code>
contact	<i>bugs</i> : https://github.com/deepakjois/luapackageloader/issues
contact	<i>repository</i> : https://github.com/deepakjois/luapackageloader
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/luapackageloader
on MikTeX	luapackageloader
on TeXLive	luapackageloader
keyword	luatex (LuaTeX and packages that require it)
keyword	use-lua (package requires availability of lua)
keyword	lua-supp (support for using Lua code)
language(s)	no language specified
last access	2025-02-09

3659 *luaplot* – Plotting graphs using Lua

Web page on CTAN <https://ctan.org/pkg/luaplot>

name	luaplot
caption	Plotting graphs using Lua
author	Chetan Shirore and Ajit Kumar
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.5 (2023-11-17)
last changes	2023-11-17
year	2023

description	(no language specified) This package uses Lua to plot graphs of real-valued functions of a real variable in LaTeX. It furthermore makes use of the MetaPost system as well as the luamplib and luacode packages. It provides an easy way for plotting graphs of standard mathematical functions. There is no particular environment in the package for plotting graphs. It also works inside LaTeX floating environments, like tables and figures. The compilation time for plotting several graphs in LaTeX using this package is significantly less with the LuaLaTeX engine. The package is based on the core idea of loading mathematical functions inside Lua and determining plot points using different methods available in Lua. After determining plot points in Lua, two different approaches are used: • Pass plot points to the MetaPost system via luamplib . • Pass plot points to the TikZ package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/luaplot/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/luaplot/luaplot.pdf
– local file	<code>./2510737105-luaplot.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/luaplot
on MikTeX	<code>luaplot</code>
on T _E XLive	<code>luaplot</code>
keyword	<code>graphics</code> (graphics (support packages))
keyword	<code>mp-use</code> (use, and support for use, of MetaPost)
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>graphics-plotfn</code> (plot a representation of a function)
keyword	<code>luatex</code> (LuaTeX and packages that require it)
keyword	<code>graphics-mpost</code> (graphics generated using MetaPost)
language(s)	no language specified
last access	2025-02-09

3660 *luaprohtable* – Programmable table interface for LuaLaTeX

Web page on CTAN <https://ctan.org/pkg/luaprohtable>

name	luaprohtable
caption	Programmable table interface for LuaLaTeX
author	Xiang, Ziyue
copyright	Ziyue "Alan" Xiang (2020)
license	mit = MIT License (free)
version	1.0
description	(no language specified) This package allows you to modify a cell based on the contents of other cells using LaTeX macros.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/luaprohtable/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/luaprohtable/luaprohtable-doc.pdf
– local file	./8037428992-luaprohtable-doc.pdf
contact	<i>repository</i> : https://github.com/xziyue/luaprohtable
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/luaprohtable
on MikTeX	luaprohtable
on T _E XLive	luaprohtable
keyword	table (table typesetting)
language(s)	no language specified
year	2020
last access	2025-02-07

3661 luapstricks – A PStricks backend for LuaLaTeX

Web page on CTAN <https://ctan.org/pkg/luapstricks>

name	luapstricks
caption	A PStricks backend for LuaLaTeX
author	Krüger, Marcel
copyright	Marcel Krüger (2021-2026)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.11 (2026-01-10)
last changes	2026-01-10
year	2026
description	(no language specified) This package enables the use of PStricks directly in LuaLaTeX documents, without invoking external programmes, by implementing a PostScript interpreter in Lua. Therefore it does not require shell escape to be enabled or special environments, and instead allows PStricks to be used exactly like in dvips based documents.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/luapstricks/README.md
contact	<i>bugs</i> : https://github.com/zauguin/luapstricks/issues
contact	<i>repository</i> : https://github.com/zauguin/luapstricks
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/luapstricks
on MikTeX	luapstricks
on TeXLive	luapstricks
keyword	luatex (LuaTeX and packages that require it)
keyword	pstricks (package using PStricks for graphical output)
language(s)	no language specified
last access	2026-04-12

3662 luaquotes – Smart setting of quotation marks

Web page on CTAN	https://ctan.org/pkg/luaquotes
name	luaquotes
caption	Smart setting of quotation marks
author	Granet, Elijah Z
copyright	Elijah Z Granet (2022-2023)
license	cc-by-sa-3 = CC BY-SA 3.0 (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.4.0
description	(no language specified) This package automatically generates quotation marks and punctuation depending on the selected language.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/luaquotes/luaquotes-documentation.pdf
– local file	./8503533542-luaquotes-documentation.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/luaquotes/README
contact	<i>bugs</i> : https://github.com/ezgranet/luaquotes/issues
contact	<i>repository</i> : https://github.com/ezgranet/luaquotes
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/luaquotes
on MikTeX	luaquotes
on T _E XLive	luaquotes
keyword	quote-marks (manage (possibly language dependent) quote marks)
see also	see section 1410 on page 1274: (csquotes – Context sensitive quotation facilities)
language(s)	no language specified
year	2023
last access	2025-02-07

3663 *luarandom* – Create lists of random numbers

Web page on CTAN <https://ctan.org/pkg/luarandom>

name	luarandom
caption	Create lists of random numbers
author	Voß, Herbert
copyright	Herbert Voß (2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.02
description	(no language specified) This package can create lists of random numbers for any given interval $[a ; b]$. It is possible to get lists with or without multiple numbers. The random generator will be initialized by the system time. The package can only be used with LuaLaTeX!
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/luarandom/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/luarandom/doc/luarandom-doc.pdf
– local file	./8123575096-luarandom-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/luarandom
on MikTeX	luarandom
on TeXLive	luarandom
keyword	luatex (LuaTeX and packages that require it)
keyword	random (generate and/or use pseudo-random numbers)
keyword	calculation (perform calculations within TeX)
keyword	tagged-pdf (tagged PDF compatible)
language(s)	no language specified
year	2019
last access	2026-04-13

3664 *luaset* – Set Operations inside LaTeX documents using LuaWeb page on CTAN <https://ctan.org/pkg/luaset>

name	luaset
caption	Set Operations inside LaTeX documents using Lua
author	Chetan Shirore and Ajit Kumar
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1
description	(no language specified) The <i>luaset</i> package is developed to define finite sets and perform operations on them inside LaTeX documents. There is no particular environment in the package for performing set operations. The package commands can be used in any environment (including the mathematics environment). It is written in Lua, and the <code>.tex</code> file is to be compiled with the LuaLaTeX engine. The time required for operations on sets is not an issue while compiling with the LuaLaTeX engine. There is no need to install Lua on the users system as TeX distributions (TeX Live or MikTeX) come bundled with LuaLaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/luaset/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/luaset/luaset.pdf
– local file	<code>./3942887444-luaset.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/luaset
on MikTeX	luaset
on TeXLive	luaset
keyword	maths (support for typesetting mathematics)
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
year	without year
last access	2025-02-09

3665 *luasseq* – Drawing spectral sequences in LuaLaTeX

Web page on CTAN <https://ctan.org/pkg/luasseq>

name	luasseq
caption	Drawing spectral sequences in LuaLaTeX
author	Bauer, Tilman
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2023-01-10)
last changes	2023-01-10
year	2023
description	(no language specified) The package is an update of the author's sseq package, for use with LuaLaTeX. This version uses less memory, and operates faster than the original; it also offers several enhancements.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/luasseq/luasseq.pdf
– local file	./5574662583-luasseq.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/luasseq/README
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/luasseq
on MikTeX	luasseq
on TeXLive	luasseq
keyword	luatex (LuaTeX and packages that require it)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-09

3666 luatbls – Lua tables made accessible in LaTeXWeb page on CTAN <https://ctan.org/pkg/luatbls>

name	luatbls
caption	Lua tables made accessible in LaTeX
author	Ewasiuk, Kale
copyright	Kale Ewasiuk (2025)
license	mit = MIT License (free)
version	(2025-01-05)
last changes	2025-01-05
year	2025
description	(no language specified) This package provides a LaTeX interface to create, modify, and use the Lua data structure »tables«. Lua tables can be declared with the help of luakeys , and this package provides facilities to set, get, check, iterate, apply, etc. to the table.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/luatbls/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/luatbls/luatbls.pdf
– local file	./9414555797-luatbls.pdf
contact	<i>repository</i> : https://github.com/kalekje/luatbls
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/luatbls
on MikTeX	luatbls
on T _E XLive	luatbls
keyword	luatex (LuaTeX and packages that require it)
keyword	parser (parser application)
language(s)	no language specified
last access	2025-02-09

3667 luatex – The LuaTeX engine

Web page on CTAN <https://ctan.org/pkg/luatex>

name	luatex
caption	The LuaTeX engine
author	The LuaTeX Team
license	gpl2+ = GNU General Public License, version 2 or newer (free)
description	(no language specified) LuaTeX is a greatly extended version of pdfTeX using Lua as an embedded scripting language. The LuaTeX project's main objective is to provide an open and configurable variant of TeX while at the same time offering substantive backward compatibility. LuaTeX uses Unicode (as UTF-8) as its default input encoding, and is able to use modern (OpenType and TrueType) fonts (for both text and mathematics).
documentation	(no language specified) <i>LuaTeX Reference</i>: https://ctan.org/tex-archive/systems/doc/luatex/luatex.pdf
– local file	./3542390166-luatex.pdf
home page	http://luatex.org
contact	<i>support</i> : https://lists.tug.org/luatex
contact	<i>bugs</i> : https://mailman.ntg.nl/mailman/listinfo/dev-luatex
contact	<i>repository</i> : https://tug.org/svn/texlive/trunk/Build/source/texk/web2c/luatexdir
on MikTeX	miktex-luatex-bin-2.9
on TeXLive	luatex
keyword	engine (TeX (or TeX-alike) typesetting engine)
language(s)	no language specified
year	without year
last access	2025-02-07

3668 *luatex-cn* – A LuaTeX based package to handle Chinese text typesettingWeb page on CTAN <https://ctan.org/pkg/luatex-cn>

name	LuaTeX-CN
caption	A LuaTeX based package to handle Chinese text typesetting
author	Li, Sheldon
copyright	Open-Guji (2026)
license	apache2 = Apache License, version 2.0 (free)
version	0.3.1
description	(no language specified) A LuaTeX package for Chinese character typesetting, covering horizontal/vertical, traditional/modern layout. Currently focus on Ancient Book replication. Implemented core logic of vertical typesetting, decorative elements of traditional Chinese books, and interlinear notes.
documentation	<i>Package documentation (Chinese)</i> : https://ctan.org/tex-archive/language/chinese/luatex-cn/doc/luatex-cn-wiki-zh.pdf
– local file	./2632835010-luatex-cn-wiki-zh.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/chinese/luatex-cn/README.md
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/language/chinese/luatex-cn/doc/luatex-cn-wiki-en.pdf
– local file	./9828479703-luatex-cn-wiki-en.pdf
contact	<i>bugs</i> : https://github.com/open-guji/luatex-cn/issues
contact	<i>repository</i> : https://github.com/open-guji/luatex-cn
on CTAN	https://ctan.org/tex-archive/language/chinese/luatex-cn
on MikTeX	luatex-cn
on T _E XLive	luatex-cn
keyword	class (alternative LaTeX class(es))
keyword	luatex (LuaTeX and packages that require it)
keyword	chinese (support for typesetting Chinese languages)
language(s)	Chinese
year	2026
last access	2026-04-10

3669 luatex-def – LuaTeX option file for color and graphics

Web page on CTAN <https://ctan.org/pkg/luatex-def>

name	luatex-def
caption	LuaTeX option file for color and graphics
author	The LaTeX Project Team
author	Carlisle, David
copyright	LaTeX3 Project and Heiko Oberdiek (2016-2018)
copyright	David Carlisle, Sebastian Rahtz, Hans Hagen, Heiko Oberdiek, and Martin Schröder (2000-2015)
copyright	LaTeX3 Project (2018-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2e (2024-04-13)
last changes	2024-04-13
year	2024
description	(no language specified) This version of <code>luatex.def</code> is a modified version of pdfTeX.def . This is only needed for LuaTeX releases from 0.87 on: it will not work with the version 0.80 in current TeX Live and MiKTeX distributions but is being made available for testing. If you have a test version of LuaTeX 0.88 you may use this file via ” <code>\usepackage[luatex]{graphicx}</code> ”. This file is now distributed as part of the graphics-def bundle.
contact	repository: https://github.com/latex3/luatex-def
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/graphics-def
keyword	graphics-drv (‘driver’ for output from graphics ‘kernel’ packages)
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
last access	2025-02-09

3670 luatex-pkg – Basic definitions for LuaTeX

Web page on CTAN <https://ctan.org/pkg/luatex-pkg>

name	luatex-pkg
caption	Basic definitions for LuaTeX
author	Oberdiek, Heiko
copyright	Oberdiek Package Support Group (2016, 2019)
copyright	Heiko Oberdiek (2007, 2009, 2010)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
description	(no language specified) Heiko Oberdiek's <code>luatex</code> package was influential in setting up initial support for LuaTeX in LaTeX, however the functionality was merged many years ago into <code>luatexbase</code> and from there into <code>lualatex</code>, and so included by default into the format, or into separately distributed packages <code>luatexbase</code> and <code>ctablestack</code>. The original code is not supported in current LuaTeX and not included in any other package in TeX Live if used with a LuaTeX later than 0.80, so is no longer distributed in this release. The original documented source is available at a separate repository.
contact	repository: https://github.com/ho-tex/old-source
keyword	luatex (LuaTeX and packages that require it)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
year	2019
last access	2025-02-09

3671 luatex-type-definitions – Type definitions for the Lua API of LuaTeX

Web page on CTAN <https://ctan.org/pkg/luatex-type-definitions>

name	luatex-type-definitions
caption	Type definitions for the Lua API of LuaTeX
author	Friedrich, Josef
copyright	Josef Friedrich (2022-2025)
license	gpl2+ = GNU General Public License, version 2 or newer (free)
version	0.1.0 (2025-07-13)

last changes	2025-07-13
year	2025
description	(no language specified) LuaTeX has a very large Lua API. This project tries to make this API accessible in the text editor of your choice. This is made possible by the lua-language-server — a server that implements the Language Server Protocol (LSP) for the Lua language. Features such as code completion, syntax highlighting, and marking of warnings and errors should therefore not only be possible in Visual Studio Code , but in a large number of editors that support the LSP.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/luatex-type-definitions/README.md
contact	<i>bugs</i> : https://github.com/Josef-Friedrich/LuaTeX_Lua-API/issues
contact	<i>repository</i> : https://github.com/Josef-Friedrich/LuaTeX_Lua-API
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/luatex-type-definitions
on T _E XLive	luatex-type-definitions
keyword	lua-supp (support for using Lua code)
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
last access	2025-07-16

3672 luatex85 – pdfTeX aliases for LuaTeX

Web page on CTAN	https://ctan.org/pkg/luatex85
name	luatex85
caption	pdfTeX aliases for LuaTeX
author	Carlisle, David
author	Wright, Joseph
author	The LaTeX Project Team
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.4 (2016-06-15)
last changes	2016-06-15

year	2016
description	(no language specified) The package provides emulation of pdfTeX primitives for LuaTeX v0.85+.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/luatex85/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/luatex85/luatex85.pdf
– local file	./2232329176-luatex85.pdf
on CTAN	https://ctan.org/tex-archive/macros/generic/luatex85
on MikTeX	luatex85
on T _E XLive	luatex85
keyword	lua-supp (support for using Lua code)
language(s)	no language specified
last access	2025-02-07

3673 luatexbase – Basic resource management for LuaTeX code

Web page on CTAN <https://ctan.org/pkg/luatexbase>

name	luatexbase
caption	Basic resource management for LuaTeX code
author	Roux, Élie
author	Carlisle, David
author	Wright, Joseph
author	Gesang, Philipp
author	Pégourié-Gonnard, Manuel
copyright	Manuel Pégourié-Gonnard (2010-2011)
copyright	Élie Roux (2009-2013)
copyright	David Carlisle and Joseph Wright (2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3 (2015-10-04)
last changes	2015-10-04
year	2015

description	(no language specified) The LaTeX kernel (LaTeX2e 2015/10/01 onward) builds in support for LuaTeX functionality, also available as <code>lualuatex.tex</code> for users of plain TeX and those with older LaTeX kernel implementations. This support is based on ideas taken from the original <code>luatexbase</code> package, but there are interface differences. This ‘stub’ package provides a compatibility layer to allow existing packages to upgrade smoothly to the new support structure.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/luatexbase/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/generic/luatexbase/luatexbase.pdf
– local file	<code>./8390640575-luatexbase.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/luatexbase
installation	https://ctan.org/tex-archive/install/macros/luatex/generic/luatexbase.tds.zip
on MikTeX	<code>luatexbase</code>
on T _E XLive	<code>luatexbase</code>
keyword	<code>luatex</code> (LuaTeX and packages that require it)
language(s)	no language specified
last access	2025-02-09

3674 *luatexja* – Typeset Japanese with Lua(La)TeX

Web page on CTAN <https://ctan.org/pkg/luatexja>

name	<code>luatexja</code>
caption	Typeset Japanese with Lua(La)TeX
author	Kitagawa, Hironori
copyright	The LuaTeX-ja project (2011-2026)
license	bsd = BSD Style License (free)
version	20260420.0
description	(no language specified) The package offers support for typesetting Japanese documents with LuaTeX. Either of the Plain and LaTeX2e formats may be used with the package.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/luatexja/README
documentation	<i>Package documentation (Japanese)</i> : https://ctan.org/tex-archive/macros/luatex/generic/luatexja/doc/luatexja-ja.pdf
– local file	<code>./6704288862-luatexja-ja.pdf</code>
documentation	<i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/luatex/generic/luatexja/doc/luatexja-en.pdf
– local file	<code>./9249751516-luatexja-en.pdf</code>
home page	https://github.com/luatexja/luatexja/wiki/Home (en)
contact	<i>bugs</i> : https://github.com/luatexja/luatexja/issues
contact	<i>repository</i> : https://github.com/luatexja/luatexja
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/luatexja
on MikTeX	<code>luatexja</code>
on TeXLive	<code>luatexja</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>japanese</code> (support for typesetting Japanese)
keyword	<code>luatex</code> (LuaTeX and packages that require it)
keyword	<code>tagged-pdf-partially</code> (tagged PDF partially compatible)
keyword	<code>macro-gen</code> (macros that are independent of the (TeX) format in use)
language(s)	English; Japanese
year	2026
last access	2026-04-28

3675 `luatexko` – Typeset Korean with Lua(La)TeX

Web page on CTAN	https://ctan.org/pkg/luatexko
name	<code>luatexko</code>
caption	Typeset Korean with Lua(La)TeX
author	Kim, Dohyun
author	Nam, Soojin
copyright	Dohyun Kim, Soojin Nam (2013-2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)

version	5.7 (2026-02-20)
last changes	2026-02-20
year	2026
description	(no language specified) This is a Lua(La)TeX macro package that supports typesetting Korean documents including Old Hangul texts. As LuaTeX has opened up access to almost all the hidden routines of TeX engine, users can obtain more beautiful outcome using this package rather than other Hangul macros operating on other engines. LuaTeX version 1.10+ and luaotfload version 2.96+ are required for this package to run. This package also requires the cjk-ko package for its full functionality.
documentation	(Korean) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/generic/luatexko/luatexko-doc.pdf
– local file	<code>./3413010435-luatexko-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/luatexko/README
contact	<i>bugs</i> : https://github.com/dohyunkim/luatexko/issues
contact	<i>repository</i> : https://github.com/dohyunkim/luatexko
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/luatexko
on MikTeX	luatexko
on T _E XLive	luatexko
keyword	luatex (LuaTeX and packages that require it)
keyword	tagged-pdf (tagged PDF compatible)
keyword	korean (support for typesetting Korean)
language(s)	Korean
last access	2026-04-10

3676 luatextra – Additional macros for Plain TeX and LaTeX in LuaTeX

Web page on CTAN <https://ctan.org/pkg/luatextra>

name	luatextra
caption	Additional macros for Plain TeX and LaTeX in LuaTeX
author	Pégourié-Gonnard, Manuel
author	Roux, Élie
copyright	Elie Roux (2009)
license	pd = Public Domain Software (free)
version	1.0.1
description	(no language specified) The package provides a coherent extended programming environment for use with LuaTeX. It loads packages fontspec , luatexbase and lualibs , and provides additional user-level features and goodies. The package is under development, and its specification may be expected to change.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/luatextra/luatextra.pdf
– local file	<code>./6322584462-luatextra.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/luatextra/README
contact	<i>repository</i> : https://github.com/lualatex/luatextra
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/luatextra
installation	https://ctan.org/tex-archive/install/macros/luatex/latex/luatextra.tds.zip
on MikTeX	luatextra
on TeXLive	luatextra
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
year	2009
last access	2025-02-09

3677 *luatikz* – A 2D graphics library to draw TikZ graphics using the Lua programming languageWeb page on CTAN <https://ctan.org/pkg/luatikz>

name	luatikz
caption	A 2D graphics library to draw TikZ graphics using the Lua programming language
author	Kittenberger, Axel
license	mit = MIT License (free)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.12.0 (2024-12-04)
last changes	2024-12-04
year	2024
description	(no language specified) This package provides a comfort graphics library to work with graphic objects as immutables in the Lua programming language. It writes code for the TikZ package. It overloads operators, so you can use standard math expressions to work with graphical objects. There probably isn't anything that couldn't been done just as well with pgfmath and TikZ directly. However, if a graphic gets more complicated, Lua may just be easier to work with as base.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/luatikz/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/luatikz/luatikz.pdf
– local file	./8786594968-luatikz.pdf
contact	<i>bugs</i> : https://gitlab.com/csc1/luatikz/-/issues
contact	<i>repository</i> : https://gitlab.com/csc1/luatikz
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/luatikz
on MikTeX	luatikz
on T _E XLive	luatikz
keyword	luatex (LuaTeX and packages that require it)
keyword	graphics (graphics (support packages))
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified

last access 2025-02-09

3678 luatodonotes – Add editing annotations in a LuaLaTeX documentWeb page on CTAN <https://ctan.org/pkg/luatodonotes>

name luatodonotes

caption Add editing annotations in a LuaLaTeX document

author Lipp, Fabian

copyright Fabian Lipp (2014-2020)

license lpl1.2 = The LaTeX Project Public License 1.2 (free)

version 0.5 (2020-02-16)

last changes 2020-02-16

year 2020

description (no language specified) The package allows the user to insert comments into a document that suggest (for example) further editing that may be needed.

The comments are shown in the margins alongside the text; different styles for the comments may be used; the styles are selected using package options.

The package is based on the package [todonotes](#), and depends heavily on Lua, so it can only be used with LuaLaTeX.documentation (no language specified) *Package documentation:*<https://ctan.org/tex-archive/macros/luatex/latex/luatodonotes/luatodonotes.pdf>

– local file ./4302570086-luatodonotes.pdf

documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/macros/luatex/latex/luatodonotes/README.md>contact *bugs:* <https://github.com/fabianlipp/luatodonotes/issues>contact *repository:* <https://github.com/fabianlipp/luatodonotes>on CTAN <https://ctan.org/tex-archive/macros/luatex/latex/luatodonotes>

on MikTeX luatodonotes

on T_EXLive luatodonotes

keyword luatex (LuaTeX and packages that require it)

keyword use-lua (package requires availability of lua)

keyword editorial (editor's marks, highlights, etc.)

keyword	notes (general notes (not including endnotes or footnotes))
see also	see section 6256 on page 5658: (todonotes – Marking things to do in a LaTeX document)
language(s)	no language specified
last access	2025-02-09

3679 *luatruth*table – Generate truth tables of boolean values in LuaLaTeX

Web page on CTAN <https://ctan.org/pkg/luatruthtable>

name	luatruthtable
caption	Generate truth tables of boolean values in LuaLaTeX
author	Chetan Shirore and Ajit Kumar
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3
description	(no language specified) This package provides an easy way for generating truth tables of boolean values in LuaLaTeX. The time required for operations is no issue while compiling with LuaLaTeX. The package supports nesting of commands for multiple operations. It can be modified or extended by writing custom lua programs. There is no need to install lua on users system as TeX distributions (TeX Live or MikTeX) come bundled with LuaLaTeX.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/luatex/latex/luatruthtable/luatruthtable.pdf
– local file	./4399956343-luatruthtable.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/luatex/latex/luatruthtable/README.txt
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/luatruthtable
on MikTeX	luatruthtable
on TeXLive	luatruthtable
keyword	maths (support for typesetting mathematics)
keyword	luatex (LuaTeX and packages that require it)
keyword	logic (typesetting logician’s discussions)
language(s)	no language specified

year without year
last access 2025-02-09

3680 `luavlna` – Prevent line breaks after single letter words, units, or academic titles

Web page on CTAN <https://ctan.org/pkg/luavlna>

name `luavlna`

caption Prevent line breaks after single letter words, units, or academic titles

author Hoftich, Michal

license lpl1.3 = The LaTeX Project Public License 1.3 (free)

version 0.1n (2025-10-29)

last changes 2025-10-29

year 2025

description (no language specified) In some languages, like Czech or Polish, there should be no single letter words at the end of a line, according to typographical norms. This package handles such situations using LuaTeX's callback mechanism. In doing this, the package can detect languages used in the text and insert spaces only in parts of the document where languages requiring this feature are used.

Another feature of this package is the inclusion of non-breakable space after initials (like in personal names), after or before academic degrees, and between numbers and units.

The package supports both plain LuaTeX and LuaLaTeX.

BTW: "vlna" is the Czech word for "wave" or "curl" and also denotes the tilde which, in TeX, is used for "unbreakable spaces".

documentation (no language specified) *Package documentation:*
<https://ctan.org/tex-archive/macros/luatex/generic/luavlna/luavlna-doc.pdf>

– local file `./8689126998-luavlna-doc.pdf`

documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/macros/luatex/generic/luavlna/README.md>

contact *bugs:* <https://github.com/michal-h21/luavlna/issues>

contact *repository:* <https://github.com/michal-h21/luavlna>

on CTAN <https://ctan.org/tex-archive/macros/luatex/generic/luavlna>

on MikTeX `luavlna`

on T _E XLive	luavlna
keyword	typesetting (support for variations of typographic style)
keyword	luatex (LuaTeX and packages that require it)
keyword	czech (support for typesetting Czech)
keyword	slovak (support for typesetting, and documentation in Slovak)
keyword	polish (support for typesetting Polish)
see also	see section 1897 on page 1714: (<i>encxvlna</i> – Insert nonbreakable spaces, using <i>encTeX</i>)
see also	see section 6787 on page 6124: (<i>xevlna</i> – Insert non-breakable spaces using XeTeX)
language(s)	no language specified
last access	2025-11-06

3681 *luaxml* – Lua library for reading and serialising XML files

Web page on CTAN <https://ctan.org/pkg/luaxml>

name	luaxml
caption	Lua library for reading and serialising XML files
author	Hoftich, Michal
license	other-free = Free license not otherwise listed (free)
version	0.2c (2026-01-29)
last changes	2026-01-29
year	2026
description	(no language specified) LuaXML is a pure Lua library for reading and serializing XML files. The current release is aimed mainly at support for the <i>odsfile</i> package. The documentation was created by automatic conversion of original documentation in the source code.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/luaxml/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/generic/luaxml/luaxml.pdf
– local file	./4355209548-luaxml.pdf
contact	<i>repository</i> : https://github.com/michal-h21/LuaXML

on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/luaxml
on MikTeX	luaxml
on T _E XLive	luaxml
keyword	luatex (LuaTeX and packages that require it)
keyword	use-lua (package requires availability of lua)
keyword	foreign-import (import files in a non-TeX (or different TeX) format)
language(s)	no language specified
last access	2026-02-08

3682 *lucida* – Metrics, etc., for Lucida Bright and Lucida Math

Web page on CTAN	https://ctan.org/pkg/lucida
name	lucida
caption	Metrics, etc., for Lucida Bright and Lucida Math
author	Schmidt, Walter A.
author	Harcombe, Keiran
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The bundle provides metric, virtual font, and map files, to use the Lucida font sets with current LaTeX/dvips/dvipdfm or pdfLaTeX. The metrics support T1, TS1, and LY1 encodings (note: there is no support for the OT1 encoding). Note that macro support (at all levels above the .fd files), and support for use of the fonts for typesetting maths, is provided separately in the PSNFSS Lucida extension.
documentation	(no language specified) <i>Relationship to LaTeX usage</i> : https://ctan.org/tex-archive/fonts/psfonts/bh/lucida/doc/lucida.txt
documentation	(no language specified) <i>README</i> : https://ctan.org/tex-archive/fonts/psfonts/bh/lucida/doc/readme.lucida
on CTAN	https://ctan.org/tex-archive/fonts/psfonts/bh/lucida
installation	https://ctan.org/tex-archive/install/fonts/psfonts/bh/lucida.tds.zip
on MikTeX	lubright
keyword	font-supp (metrics, macro incantations and other font support)

see also	see section 3684 on page 3334: (<i>lucidabr</i> – PSNFSS support for Lucida Type 1 fonts)
language(s)	no language specified
year	without year
last access	2025-02-07

3683 *lucida-otf* – Support for the Lucida Bright fonts (OpenType)

Web page on CTAN <https://ctan.org/pkg/lucida-otf>

name	<i>lucida-otf</i>
caption	Support for the Lucida Bright fonts (OpenType)
author	Voß, Herbert
copyright	Herbert Voß (2025)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.12
description	(no language specified) This package supports the non-free fonts from Bigelow & Holmes which are available from the TUG office for a special price for members of any TeX user group. See https://tug.org/lucida
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/lucida-otf/doc/lucida-otf-doc.pdf
– local file	<code>./4148751185-lucida-otf-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/lucida-otf/README.md
home page	https://tug.org/store/lucida/
contact	<i>support</i> : https://tug.org/mailman/listinfo/lucida
contact	<i>bugs</i> : https://tug.org/mailman/listinfo/lucida
on CTAN	https://ctan.org/tex-archive/fonts/lucida-otf
on MikTeX	<i>lucida-otf</i>
keyword	<i>font-mono</i> (monospaced font)
keyword	<i>font-gothic</i> (font for gothic or blackletter shapes)
keyword	<i>font-otf</i> (font in OpenType format)
keyword	<i>font-maths</i> (fonts for use in mathematics)

keyword	<code>font-use</code> (font selection, mapping, etc.)
keyword	<code>font-absent</code> (support is for a font not available on CTAN)
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-sans</code> (sans-serif font)
keyword	<code>tagged-pdf</code> (tagged PDF compatible)
keyword	<code>font-calligraphic</code> (calligraphic (or handwriting) fonts)
see also	see section 3684 on page 3334: (<i>lucidabr</i> – PSNFSS support for Lucida Type 1 fonts)
language(s)	no language specified
year	2025
last access	2026-04-13

3684 *lucidabr* – PSNFSS support for Lucida Type 1 fonts

Web page on CTAN	https://ctan.org/pkg/lucidabr
Alias	<code>psnfssx-luc</code>
name	<code>lucidabr</code>
caption	PSNFSS support for Lucida Type 1 fonts
author	TUG Lucida Support Group
copyright	TeX Users Group (2005-2021)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2021-02-03)
last changes	2021-02-03
year	2021
description	(no language specified) This package provides macros for using the Bigelow and Holmes Lucida fonts, in Type 1 format, with LaTeX. Metrics and other font support files are provided separately in the <i>Lucida</i> package.
documentation	(no language specified) <i>Acquiring the fonts themselves</i> : https://ctan.org/tex-archive/macros/latex/contrib/psnfssx/lucidabr/README.TUG
documentation	(no language specified) <i>Macro documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/psnfssx/lucidabr/lucidabr.pdf

– local file	<code>./3011546127-lucidabr.pdf</code>
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/psnfssx/lucidabr/README
documentation	(no language specified) <i>Samples of Lucida Type 1 fonts (HTML)</i> : https://tug.org/store/lucida/type1.html
documentation	(no language specified) <i>Samples of Lucida Type 1 fonts</i> : https://ctan.org/tex-archive/macros/latex/contrib/psnfssx/lucidabr/lucida-sample.pdf
– local file	<code>./6950698900-lucida-sample.pdf</code>
documentation	(no language specified) <i>AMSMath test file using Lucida</i> : https://ctan.org/tex-archive/macros/latex/contrib/psnfssx/lucidabr/lucida-amsmath.pdf
– local file	<code>./9917070045-lucida-amsmath.pdf</code>
home page	https://tug.org/lucida/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/psnfssx/lucidabr
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/psnfssx/lucidabr.tds.zip
keyword	font-suppl (metrics, macro incantations and other font support)
keyword	font-use (font selection, mapping, etc.)
see also	see section 3682 on page 3332: (<code>lucida</code> – Metrics, etc., for Lucida Bright and Lucida Math)
language(s)	no language specified
last access	2025-02-07

3685 `lucide-admonitions` – Provides environments for rendering admonition boxes in multiple languages

Web page on CTAN <https://ctan.org/pkg/lucide-admonitions>

name	<code>lucide-admonitions</code>
caption	Provides environments for rendering admonition boxes in multiple languages
author	Mustasaar, Priit
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1

description	(no language specified) A LaTeX package for rendering admonition boxes with Lucide icons . It provides predefined box types inspired by MkDocs and Zensical, with customizable icons, colors, and titles. The package supports standard LaTeX and KOMA-Script classes, and offers optional box titles and page-breaking support via tcolorbox. Titles can be automatically translated into multiple languages using the translations package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/lucide-admonitions/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/lucide-admonitions/lucide-admonitions.pdf
– local file	./8936308357-lucide-admonitions.pdf
contact	<i>bugs</i> : https://github.com/priiduonu/lucide-admonitions/issues
contact	<i>repository</i> : https://github.com/priiduonu/lucide-admonitions
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lucide-admonitions
keyword	boxing (creating boxes)
language(s)	no language specified
year	without year
last access	2026-04-29

3686 *lucide-icons* – Use *lucide-icons* through LaTeX commandsWeb page on CTAN <https://ctan.org/pkg/lucide-icons>

name	lucide-icons
caption	Use lucide-icons through LaTeX commands
author	Pierquet, Cédric
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	isc = ISC License (free)
version	0.1.0 (2025-07-30)
last changes	2025-07-30
year	2025

description	(no language specified) This package provides commands like twemojis which allow to use Lucide-Icons through LaTeX commands. The implementation relies on images (PDF from SVG) and should work on every installation.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/lucide-icons/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/lucide-icons/doc/lucide-icons-doc.pdf
– local file	<code>./4255912767-lucide-icons-doc.pdf</code>
contact	<i>bugs</i> : https://github.com/cpierquet/latex-packages/issues
contact	<i>repository</i> : https://github.com/cpierquet/latex-packages/tree/main/lucide-icons
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lucide-icons
keyword	text-symbol (symbols for use in text)
keyword	graphics (graphics (support packages))
language(s)	no language specified
last access	2025-07-31

3687 *luciole* – Luciole OpenType fonts for LuaTeX and XeTeX

Web page on CTAN <https://ctan.org/pkg/luciole>

name	<i>luciole</i>
caption	Luciole OpenType fonts for LuaTeX and XeTeX
author	Flipo, Daniel
copyright	Laurent Bourcellier, Jonathan Fabreguettes, Daniel Flipo (2024-2025)
license	cc-by-4 = CC BY 4.0 (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	ofl = The SIL Open Font License (free)
version	0.60 (2025-10-28)
last changes	2025-10-28
year	2025

description	(no language specified) This package provides four Unicode Math text fonts <code>Luciole-*.ttf</code> and a companion math font <code>Luciole-Math.otf</code> . These have been developed explicitly for visually impaired people and are the result of a two-year collaboration between the Centre Technique Régional pour la Déficience Visuelle (the Regional Technical Center for Visual Impairment) and the type-design studio typographies.fr. This project received a grant from the Swiss Ceres Foundation and support from the DIPHE laboratory at the Université Lumière Lyon 2.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/luciole/Luciole-Doc.pdf
– local file	<code>./3326162068-Luciole-Doc.pdf</code>
documentation	(no language specified) <i>List of glyphs</i> : https://ctan.org/tex-archive/fonts/luciole/unimath-luciole.pdf
– local file	<code>./1167615684-unimath-luciole.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/luciole/README.md
home page	https://luciole-vision.com/
on CTAN	https://ctan.org/tex-archive/fonts/luciole
on MikTeX	<code>luciole</code>
on T _E XLive	<code>luciole</code>
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-ttf</code> (font available in TrueType format)
keyword	<code>font-sans</code> (sans-serif font)
keyword	<code>font-symbol-maths</code> (collections of mathematical symbols)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font</code> (fonts themselves)
language(s)	no language specified
last access	2025-11-03

3688 *lucold* – Use old-style digits with Lucida fontsWeb page on CTAN <https://ctan.org/pkg/lucold>

name	lucold
caption	Use old-style digits with Lucida fonts
author	Loreti, Maurizio
license	gpl = GNU General Public License (free)
description	(no language specified) The package provides the means to switch the rendering of all the digits of a document from ‘lining’ to ‘old-style’ numbers, when using Lucida fonts. The switch affects all digits in text mode, or all digits in text and math mode. It works both for normal weight and boldface text and math; since the boldface old-style digits are in the Lucida Expert font set, you need it for the boldface digits. Includes a set of AWK programs used to automatically build <code>.fd</code> , <code>.tfm</code> , and <code>.vf</code> files from the existing Lucida PSNFSS distribution, and that may easily be changed for the generation of different virtual files for whatever font.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/lucold/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lucold
on MikTeX	lucold
keyword	font-supp (metrics, macro incantations and other font support)
see also	see section 3682 on page 3332: (<i>lucida</i> – Metrics, etc., for Lucida Bright and Lucida Math)
see also	see section 3684 on page 3334: (<i>lucidabr</i> – PSNFSS support for Lucida Type 1 fonts)
language(s)	no language specified
year	without year
last access	2025-02-07

3689 *lug* – Create and edit TeX Local User Group web pagesWeb page on CTAN <https://ctan.org/pkg/lug>

name	lug
caption	Create and edit TeX Local User Group web pages
author	Dekker, Wybo H.
license	gpl = GNU General Public License (free)

version	3.00
description	(no language specified) <code>lug</code> can be used to maintain the TeX Local User Group web pages, currently located at www.ntg.nl/lug . Without options specified, it reads key=value pairs, possibly embedded in the body of a mail as sent by a web form like here. You can feed the complete email (after saving it) to <code>lug</code> , or you can paste its content to standard input.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/lug/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/lug/lug.pdf
– local file	<code>./6454745032-lug.pdf</code>
on CTAN	https://ctan.org/tex-archive/support/lug
keyword	<code>misc-support</code> (miscellaneous support stuff)
language(s)	no language specified
year	without year
last access	2025-02-07

3690 *lutabulartools* – Some useful LuaLaTeX-based tabular tools

Web page on CTAN <https://ctan.org/pkg/lutabulartools>

name	<code>lutabulartools</code>
caption	Some useful LuaLaTeX-based tabular tools
author	Ewasiuk, Kale
copyright	Kale Ewasiuk (2021-2025)
license	mit = MIT License (free)
version	(2025-01-06)
last changes	2025-01-06
year	2025
description	(no language specified) This package provides some useful commands for tabular matter. It uses LuaLaTeX and offers the ability to combine the facilities of <code>multirow</code> and <code>makecell</code> with an easy to use syntax. It also adds some enhanced rules for the <code>booktabs</code> package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/generic/lutabulartools/lutabulartools.pdf

3691 *luwa-ul* – Provides underlines and highlightings which can be used in v...

– local file	<code>./6930296313-lutabulartools.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/lutabulartools/README.md
contact	<i>repository</i> : https://github.com/kalekje/lutabulartools
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/lutabulartools
on MikTeX	lutabulartools
on T _E XLive	lutabulartools
keyword	table (table typesetting)
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
last access	2025-02-09

3691 *luwa-ul* – Provides underlines and highlightings which can be used in vertical mode

Web page on CTAN <https://ctan.org/pkg/luwa-ul>

name	luwa-ul
caption	Provides underlines and highlightings which can be used in vertical mode
author	KKTeX
copyright	Kosei Kawaguchi (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.1 (2025-10-26)
last changes	2025-10-26
year	2025
description	(no language specified) This package provides underlining and highlighting that remain intact even in vertical writing environments and when used together with ruby text. It internally uses lua-ul package, so it can be used only under LuaLaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/luwa-ul/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/luwa-ul/luwa-ul-doc.pdf
– local file	<code>./7065673991-luwa-ul-doc.pdf</code>
contact	<i>repository</i> : https://github.com/KKTeX/luwa-ul

on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/luwa-ul
keyword	japanese (support for typesetting Japanese)
keyword	underline (underlining/overlining text (including other decorations))
language(s)	no language specified
last access	2025-10-26

3692 *luwiantype* – Typesetting package for Hieroglyphic Luwian

Web page on CTAN	https://ctan.org/pkg/luwiantype
name	LuwianType
caption	Typesetting package for Hieroglyphic Luwian
author	Walls, Jonathan
copyright	Jonathan Walls (2024-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	ofl = The SIL Open Font License (free)
version	1.3 (2025-02-01)
last changes	2025-02-01
year	2025
description	(no language specified) This package allows for typing in Hieroglyphic Luwian in LaTeX documents, using relatively simple commands based on the Latin transcriptions of the various signs. It also includes some formatting commands designed to allow boustrophedon and columns, as well as shorthands for symbols commonly used in transcriptions.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/luwiantype/Documentation/luwiantype-doc.pdf
– local file	./8163174351-luwiantype-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/luwiantype/README.md
home page	https://glottophilos.com/luwiantype.html
contact	<i>support</i> : https://glottophilos.com/contact.php
on CTAN	https://ctan.org/tex-archive/fonts/luwiantype
on MikTeX	luwiantype
on T _E XLive	luwiantype

keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>linguistic</code> (support for linguistics)
keyword	<code>font-archaic</code> (fonts reproducing archaic scripts or inscriptions)
keyword	<code>font-ttf</code> (font available in TrueType format)
language(s)	no language specified
last access	2025-02-10

3693 luximono – Free monospace fonts

Web page on CTAN <https://ctan.org/pkg/luximono>

name	LuxiMono
caption	Free monospace fonts
author	Harcombe, Keiran
author	Bigelow, Charles
author	Schmidt, Walter A.
author	Holmes, Kris
copyright	Bigelow & Holmes Inc. (2001)
license	other-nonfree = License that prevents distribution (not free)
version	(2004-01-26)
last changes	2004-01-26
year	2004
description	(no language specified) LuxiMono is a family of general-purpose monospaced (typewriter) fonts. This distribution contains the fonts in Adobe Type 1 format, and <code>tfm</code> , <code>vf</code> and LaTeX-related files are also provided.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/LuxiMono/README
on CTAN	https://ctan.org/tex-archive/fonts/LuxiMono
keyword	<code>font-mono</code> (monospaced font)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-t1enc</code> (font providing LaTeX T1 encoding support)
language(s)	no language specified
last access	2024-05-26

3694 *lwarp* – Converts LaTeX to HTML

Web page on CTAN <https://ctan.org/pkg/lwarp>

name	lwarp
caption	Converts LaTeX to HTML
author	Dunn, Brian
copyright	Brian Dunn (2016-2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.921 (2026-02-24)
last changes	2026-02-24
year	2026
description	(no language specified) This package converts LaTeX to HTML by using LaTeX to process the user's document and generate HTML tags. External utility programs are only used for the final conversion of text and images. Math may be represented by SVG files or MathJax. Hundreds of LaTeX packages are supported, and their load order is automatically verified. Documents may be produced by LaTeX, LuaLaTeX, XeLaTeX, and by several CJK engines, classes, and packages. A <code>texlua</code> script automates compilation, index, glossary, and batch image processing, and also supports latexmk. Configuration is semi-automatic at the first manual compile. Support files are self-generated. Print and HTML versions of each document may coexist. Assistance is provided for HTML import into EPUB conversion software and word processors. Requirements include the commonly-available Poppler utilities, and Perl. Detailed installation instructions are included for each of the major operating systems and TeX distributions. A quick-start tutorial is provided.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/lwarp/README.txt
documentation	(no language specified) <i>Quick-start tutorial</i> : https://ctan.org/tex-archive/macros/latex/contrib/lwarp/lwarp_tutorial.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/lwarp/lwarp.pdf
– local file	./9759981202-lwarp.pdf
contact	<i>bugs</i> : https://github.com/bdte/lwarp
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lwarp

installation	https://ctan.org/tex-archive/install/macros/latex/contrib/lwarp.tds.zip
on MikTeX	lwarp
on T _E XLive	lwarp
keyword	cvt-html (generate HTML from TeX-ish sources)
keyword	tagged-pdf-incompatible (tagged PDF incompatible)
see also	see section 3309 on page 2988: (latex2html – Convert LaTeX into HTML documents)
language(s)	no language specified
last access	2026-03-02

3695 *lwc-examples* – Examples from The LaTeX Web Companion

Web page on CTAN	https://ctan.org/pkg/lwc-examples
name	lwc-examples
caption	Examples from The LaTeX Web Companion
author	Rahtz, Sebastian
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The source of the examples printed in the book, together with necessary supporting files.
on CTAN	https://ctan.org/tex-archive/info/examples/lwc
on T _E XLive	latex-web-companion
keyword	book-ex (copies of examples from a published book)
language(s)	no language specified
year	without year
last access	2025-02-07

3696 lxfonts – Set of slide fonts based on CM

Web page on CTAN <https://ctan.org/pkg/lxfonts>

name	LXfont _s
caption	Set of slide fonts based on CM
author	Beccari, Claudio
copyright	Claudio Beccari (2008-2025)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.0 (2025-02-03)
last changes	2025-02-03
year	2025
description	(no language specified) The bundle contains the traditional slides fonts revised to be completely usable both as text fonts and mathematics fonts; they are fully integrated with the new operators, letters, symbols and extensible delimiter fonts, as well as with the AMS fonts, all redone with the same stylistic parameters.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/lxfonts/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/lxfonts/doc/lxfonts.pdf
– local file	<code>./2672093934-lxfonts.pdf</code>
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/fonts/lxfonts/doc/LXfont-s-demo.pdf
– local file	<code>./3203361381-LXfont-s-demo.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/lxfonts
on MikTeX	<code>lxfonts</code>
on TeXLive	<code>lxfonts</code>
keyword	<code>font-sans</code> (sans-serif font)
keyword	<code>font-maths</code> (fonts for use in mathematics)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
language(s)	no language specified
last access	2025-02-07

3697 *lxgw-fonts* – An unprofessional open-source Chinese font familyWeb page on CTAN <https://ctan.org/pkg/lxgw-fonts>

name	LXGW-fonts
caption	An unprofessional open-source Chinese font family
author	Xia, Mingyu
copyright	The Klee Project Authors (2020)
copyright	LXGW (2021-2025)
license	ofl = The SIL Open Font License (free)
version	1.521 (2025-11-29)
last changes	2025-11-29
year	2025
description	(no language specified) The LXGW Font Family provides an unprofessional open-source Chinese font family in .ttf format.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/lxgw-fonts/README.md
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/fonts/lxgw-fonts/LXGW-demo.pdf
– local file	./9169810341-LXGW-demo.pdf
home page	https://github.com/myhsia/LXGW-CTAN
contact	<i>support</i> : https://github.com/lxgw
contact	<i>bugs</i> : https://github.com/myhsia/LXGW-CTAN/issues
contact	<i>development</i> : https://github.com/myhsia
on CTAN	https://ctan.org/tex-archive/fonts/lxgw-fonts
keyword	font-cjk (fonts for far eastern languages (Chinese, Japanese and Korean))
keyword	font-ttf (font available in TrueType format)
keyword	font (fonts themselves)
language(s)	no language specified
last access	2025-11-29

3698 *lxmail* – A letter-generator that produces LaTeX outputWeb page on CTAN <https://ctan.org/pkg/lxmail>

name	lxmail
caption	A letter-generator that produces LaTeX output
author	Fasada,
license	nosell = Do Not Sell Except by Arrangement (not free)
description	(no language specified) Lxmail is a DOS application that manages an address database, and uses it to produce LaTeX files for letters and (separately) for labels.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/support/lxmail/lxmail10.txt
on CTAN	https://ctan.org/tex-archive/support/lxmail
keyword	obsolete (package declared obsolete)
keyword	letter (typesetting letters, envelopes, faxes, etc)
language(s)	no language specified
year	without year
last access	2025-02-07

3699 *ly1* – Support for LY1 LaTeX encodingWeb page on CTAN <https://ctan.org/pkg/ly1>

name	ly1
caption	Support for LY1 LaTeX encoding
author	Berry, Karl
author	Schmidt, Walter A.
author	Carlisle, David
copyright	David Carlisle (1997, 1998, 1999, 2022)
license	lppl = The LaTeX Project Public License (free)
version	(2022-06-11)
last changes	2022-06-11
year	2022

3700 *lydtype* – Typing in the Lydian alphabet

description	(no language specified) The Y&Y ‘texnansi’ (TeX and ANSI, for Microsoft interpretations of ANSI standards) encoding lives on, even after the decease of the company; it is known in the LaTeX scheme of things as LY1 encoding. This bundle includes metrics and LaTeX macros to use the basic three (Times, Helvetica and Courier) Adobe Type 1 fonts in LaTeX using LY1 encoding.
documentation	(no language specified) <i>Outline of usage:</i> https://ctan.org/tex-archive/fonts/psfonts/ly1/README.md
on CTAN	https://ctan.org/tex-archive/fonts/psfonts/ly1
installation	https://ctan.org/tex-archive/install/fonts/psfonts/ly1.tds.zip
on MikTeX	ly1
on TeXLive	ly1
keyword	font-supp (metrics, macro incantations and other font support)
keyword	fontenc (support for font encodings)
language(s)	no language specified
last access	2025-02-07

3700 *lydtype* – Typing in the Lydian alphabet

Web page on CTAN <https://ctan.org/pkg/lydtype>

name	LydType
caption	Typing in the Lydian alphabet
author	Walls, Jonathan
copyright	Jonathan Walls (2025)
license	ofl = The SIL Open Font License (free)
license	lpp1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2025-11-03)
last changes	2025-11-03
year	2025

description	(no language specified) This package aims to allow platform-agnostic typing in the Lydian alphabet using LaTeX, in particular as a way to deal with the fact that Overleaf does not support direct input of certain characters outside of a given Unicode range. The package was developed for use with LuaLaTeX and XeLaTeX, functionality with other compilers is not guaranteed. The package includes the Noto Sans Lydian font as developed by Google.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/lydtype/Documentation/lydtype-doc.pdf
– local file	<code>./5478101400-lydtype-doc.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/lydtype/README.md
home page	https://glottophilos.com
contact	<i>support:</i> https://glottophilos.com/contact.php
on CTAN	https://ctan.org/tex-archive/fonts/lydtype
on MikTeX	lydtype
on T _E XLive	lydtype
keyword	font (fonts themselves)
keyword	font-ttf (font available in TrueType format)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-archaic (fonts reproducing archaic scripts or inscriptions)
language(s)	no language specified
last access	2025-11-13

3701 *lylualatex* – Commands to include lilypond scores within a (Lua)LaTeX document

Web page on CTAN	https://ctan.org/pkg/lylualatex
name	<code>lylualatex</code>
caption	Commands to include lilypond scores within a (Lua)LaTeX document
author	The Gregorio Project,
author	Peron, Jacques
copyright	Jacques Peron et al. (2015-2023)
license	mit = MIT License (free)
version	1.1.5 (2023-04-18)

last changes	2023-04-18
year	2023
description	(no language specified) This package provides macros for the inclusion of LilyPond scores within LuaLaTeX. It calls LilyPond to compile scores, then includes the produced files. Dependencies: currfile , environ , graphicx , luaotfload , luaoptions , luatexbase , metalogo , minibox , pdfpages , xkeyval .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/lyluatex/lyluatex.pdf
– local file	./3137381200-lyluatex.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/lyluatex/README.md
contact	<i>bugs</i> : https://github.com/jperon/lyluatex/issues
contact	<i>repository</i> : https://github.com/jperon/lyluatex
on CTAN	https://ctan.org/tex-archive/support/lyluatex
on MikTeX	lyluatex
on T _E XLive	lyluatex
keyword	music (typesetting music and related stuff)
keyword	music-extinp (external input sources for music)
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
last access	2025-02-09

3702 lyx – Document processor based on LaTeX

Web page on CTAN <https://ctan.org/pkg/lyx>

name	lyx
caption	Document processor based on LaTeX
author	Ettrich, Matthias
license	gpl = GNU General Public License (free)
version	1.3.2

description	(no language specified) LyX is an open source document processor that encourages an approach to writing based on the structure of your documents, not their appearance. LyX lets you concentrate on writing, leaving details of visual layout to the software. LyX produces its output using LaTeX in the background; LyX is far more than a front-end to LaTeX, however. No knowledge of LaTeX is necessary to use LyX, but such knowledge sometimes helps explain the way LyX is behaving. LyX is not provided on CTAN; potential users should go to the LyX home page for more information.
home page	http://www.lyx.org/
keyword	ide (integrated development environments)
language(s)	no language specified
year	without year
last access	2025-02-07

3703 *m-pictex* – Enable PicTeX to run with LaTeX

Web page on CTAN <https://ctan.org/pkg/m-pictex>

name	<i>m-pictex</i>
caption	Enable PicTeX to run with LaTeX
author	Burnus, Tobias
license	other-free = Free license not otherwise listed (free)
description	(no language specified) <i>m-pictex</i> used to be a ConTeXt MK II module making PicTeX available without e-TeX. The ConTeXt code is no longer distributed. The LaTeX wrapper has not been needed since LaTeX switched to e-TeX 20 years ago. However a LaTeX <i>m-pictex.sty</i> is available via the latex-context-ppchtex package. It simply loads PicTeX, for compatibility of old documents using <i>m-pictex</i> rather than <i>pictex</i>.
keyword	obsolete (package declared obsolete)
keyword	graphics-supp (support for other packages or for drivers)
language(s)	no language specified
year	without year
last access	2025-02-07

3704 *m-tx* – A preprocessor for *pmx*Web page on CTAN <https://ctan.org/pkg/m-tx>

name	M-Tx
caption	A preprocessor for <i>pmx</i>
author	Tennent, Bob
author	Laurie, Dirk
license	mit = MIT License (free)
version	0.63d (2022-08-19)
last changes	2022-08-19
year	2022
description	(no language specified) M-Tx is a preprocessor to <i>pmx</i> , which is itself a preprocessor to <i>musixtex</i> , a music typesetting system. The prime motivation to the development of M-Tx was to provide lyrics for music to be typeset. In fact, <i>pmx</i> now provides a lyrics interface, but M-Tx continues in use by those who prefer its language.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/m-tx/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/m-tx/doc/mtxdoc.pdf
– local file	./1309697586-mtxdoc.pdf
home page	http://icking-music-archive.org/software/indexmt6.html
on CTAN	https://ctan.org/tex-archive/support/m-tx
on MikTeX	<i>m-tx</i>
on T _E XLive	<i>m-tx</i>
keyword	<i>music</i> (typesetting music and related stuff)
language(s)	no language specified
last access	2025-02-07

3705 *m3d* – Extension of plain MetaPost for 3D graphics

Web page on CTAN <https://ctan.org/pkg/m3d>

name	m3D
caption	Extension of plain MetaPost for 3D graphics
author	Phan, Anthony
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) M3D is another extension of plain MetaPost for 3 dimensional graphics. While the author claims it should not be regarded as stable, he believes it has value simply as a source of ideas for those who wish to implement 3D graphics in MetaPost. The package (stable or not) exhibits some interesting abilities, both in the package manual and in the gallery that comes with the distribution.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/m3D/README
documentation	(no language specified) <i>Package manual</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/m3D/manual/m3Dmanual.pdf
– local file	./4225012421-m3Dmanual.pdf
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/m3D
on MikTeX	m3d
keyword	graphics-3d (graphics with 3-dimensional output)
keyword	graphics-use (graphics (typesetting actual pictures))
language(s)	no language specified
year	without year
last access	2025-02-07

3706 *maad* – Mathematical Approximations and Documentation

Web page on CTAN <https://ctan.org/pkg/maad>

name	maad
caption	Mathematical Approximations and Documentation
author	Watson, Jr, Harry A.
license	pd = Public Domain Software (free)

version	(1994-09-02)
last changes	1994-09-02
year	1994
description	(no language specified) A document describing the parameterisation of least-squares curve fitting, and showing how (using PicTeX) to display error bars.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/maad/readme.txt
on CTAN	https://ctan.org/tex-archive/info/maad
keyword	documentation ('stand-alone' documentation)
language(s)	no language specified
last access	2025-02-07

3707 *mab2bib* – Converter tools: MAB to BibTeX and UTF-8 to LaTeX ASCII

Web page on CTAN <https://ctan.org/pkg/mab2bib>

name	mab2bib
caption	Converter tools: MAB to BibTeX and UTF-8 to LaTeX ASCII
author	Ramm, Henning Hraban
license	other-free = Free license not otherwise listed (free)
version	0.2a
description	(no language specified) Simple Python scripts to convert MAB bibliography files into BibTeX and UTF-8 encoded text files into ASCII with LaTeX codes
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/mab2bib/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/mab2bib
keyword	bibtex-gen (derive BibTeX data from resources other than BibTeX libraries)
language(s)	no language specified
year	without year
last access	2025-02-07

3708 *macbibtex* – BibTeX for the Macintosh

Web page on CTAN <https://ctan.org/pkg/macbibtex>

name	macbibtex
caption	BibTeX for the Macintosh
author	Darley, Vince
license	lppl = The LaTeX Project Public License (free)
version	1.1.7
description	(no language specified) A port of BibTeX which is distributed with OzTeX for the Macintosh OS.
keyword	obsolete (package declared obsolete)
keyword	biblio (bibliography processor)
see also	see section 4450 on page 4028: (<i>oztex</i> – TeX for the Macintosh)
language(s)	no language specified
year	without year
last access	2025-02-07

3709 *macfont* – Convert Apple type 1 fonts for use under Windows

Web page on CTAN <https://ctan.org/pkg/macfont>

name	macfont
caption	Convert Apple type 1 fonts for use under Windows
author	Walsh, Norman
copyright	Norman Walsh (1993)
license	gpl = GNU General Public License (free)
version	1.1
description	(no language specified) MacFont converts Macintosh Type 1 fonts into standard ASCII format. In order to use MacFont, you must transfer the ‘resource forks’ of the Macintosh font onto your PC or workstation. This can generally be accomplished by archiving the font on the Macintosh and extracting the archive with macunpack or a similar non-Mac tool on your workstation.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/utilities/macfont/README
on CTAN	https://ctan.org/tex-archive/fonts/utilities/macfont

keyword	font-cvt (convert a font to a form usable with TeX)
language(s)	no language specified
year	1993
last access	2025-02-07

3710 *macrolist* – List operations for LaTeX2e

Web page on CTAN <https://ctan.org/pkg/macrolist>

name	macrolist
caption	List operations for LaTeX2e
author	Chen, Dennis
copyright	Dennis Chen (2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.1.0 (2021-07-31)
last changes	2021-07-31
year	2021
description	(no language specified) This package provides a list data structure and common list functions such as <code>\macrolistadd</code>, <code>\macrolistremove</code>, <code>\macrolistforeach</code>, as well as <code>\macrolistremovelast</code> (similar to C++’s <code>pop_back</code>) and <code>\macrolistjoin</code> (similar to Javascript’s <code>arr.join</code>). Unlike most programming languages, the lists in this package are 1-indexed, meaning the first element is numbered 1, the second element numbered 2, and so on.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/macrolist/macrolist.pdf
– local file	<code>./6788692423-macrolist.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/macrolist/README.md
contact	<i>repository</i> : https://github.com/chennisden/macrolist
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/macrolist
on MikTeX	macrolist
on TeXLive	macrolist
keyword	list (list: general)

keyword macro-supp (support for development of (La)TeX macros)
 language(s) no language specified
 last access 2025-02-07

3711 macros2e – A list of internal LaTeX2e macros

Web page on CTAN <https://ctan.org/pkg/macros2e>

name macros2e
 caption A list of internal LaTeX2e macros
 author Scharrer, Martin
 copyright Martin Scharrer (2011-2017)
 license lpl1.3c = The LaTeX Project Public License 1.3c (free)
 version 0.4a (2017-12-09)
 last changes 2017-12-09
 year 2017
 description (no language specified) This document lists the internal macros defined by the LaTeX2e base files which can also be useful to package authors. The macros are hyper-linked to their description in [source2e](#) . For this to work both PDFs must be inside the same directory. This document is not yet complete in content and format and may miss some macros.
 documentation (no language specified) *The macro list itself:*
<https://ctan.org/tex-archive/info/macros2e/macros2e.pdf>
 – local file ./5822144843-macros2e.pdf
 documentation (no language specified) *Readme:*
<https://ctan.org/tex-archive/info/macros2e/README>
 home page <https://github.com/MartinScharrer/macros2e>
 contact *bugs:* <https://github.com/MartinScharrer/macros2e/issues>
 contact *repository:* <https://github.com/MartinScharrer/macros2e.git>
 on CTAN <https://ctan.org/tex-archive/info/macros2e>
 on MikTeX macros2e
 on T_EXLive macros2e
 keyword latex-doc (latex-doc(unknown))
 language(s) no language specified
 last access 2025-02-11

3712 **macroswap** – Swap the definitions of two LaTeX macros

Web page on CTAN <https://ctan.org/pkg/macroswap>

name	macroswap
caption	Swap the definitions of two LaTeX macros
author	Lee, Robert J
copyright	Robert J Lee (2013)
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.1
description	(no language specified) The package provides simple utility methods to swap the meaning (token expansion) of two macros by name.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/macroswap/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/macroswap/macroswap.pdf
– local file	./8243465136-macroswap.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/macroswap
on MikTeX	macroswap
on TeXLive	macroswap
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	2013
last access	2025-02-07

3713 **mactex** – The TeX Live Mac distribution

Web page on CTAN <https://ctan.org/pkg/mactex>

Alias	basictex
name	mactex
caption	The TeX Live Mac distribution
author	TUG TWG-MacTeX
license	other-free = Free license not otherwise listed (free)

description	(no language specified) MacTeX is a complete, easy-to-install TeX distribution for recent MacOS versions. The <code>.pkg</code> file is an install package for Apple's installer. The <code>mactex</code> package contains all of TeX Live , with some GUI applications, and a recent version of Ghostscript. The <code>basictex</code> package contains a selected subset of packages, specified in TL's <code>scheme-small</code> . Beware: the download is large (over 5 Gbytes).
home page	https://tug.org/mactex
on CTAN	https://ctan.org/tex-archive/systems/mac/mactex
keyword	distribution (components (or support) of TeX distribution)
see also	see section 3715 on page 3361: (<code>mactextras</code> – Extras for the MacTeX distribution)
language(s)	no language specified
year	without year
last access	2025-02-07

3714 *mactex-basic* – A basic TeX distribution for the Macintosh

Web page on CTAN	https://ctan.org/pkg/mactex-basic
name	<code>mactex-basic</code>
caption	A basic TeX distribution for the Macintosh
author	TUG TWG-MacTeX
license	other-free = Free license not otherwise listed (free)
description	(no language specified) This package provides an (extremely) basic TeX distribution for MacOS X systems.
documentation	(no language specified) <i>Package documentation</i> : https://www.tug.org/mactex/BasicTeX.pdf
– local file	<code>./4138947427-BasicTeX.pdf</code>
home page	https://tug.org/mactex
on CTAN	https://ctan.org/tex-archive/systems/mac/mactex/BasicTeX.pkg
keyword	distribution (components (or support) of TeX distribution)
see also	see section 3713 on page 3359: (<code>mactex</code> – The TeX Live Mac distribution)
language(s)	no language specified
year	without year

last access 2025-02-07

3715 *mactextr*as – Extras for the MacTeX distribution

Web page on CTAN <https://ctan.org/pkg/mactextr>

name	mactextr
caption	Extras for the MacTeX distribution
author	TUG TWG-MacTeX
license	other-free = Free license not otherwise listed (free)
description	(no language specified) MacTeXtras is a collection of auxiliary material for Macintosh machines, beyond what MacTeX provides; it is distributed as a .zip file, that contains extra programs, demos and documentation for MacTeX users.
home page	https://tug.org/mactex
on CTAN	https://ctan.org/tex-archive/systems/mac/mactex/MacTeXtras.zip
keyword	distribution (components (or support) of TeX distribution)
language(s)	no language specified
year	without year
last access	2025-02-07

3716 *mactotex* – Convert "Macintosh PostScript" for use with TeX

Web page on CTAN <https://ctan.org/pkg/mactotex>

name	mactotex
caption	Convert "Macintosh PostScript" for use with TeX
author	Fedor, Adam
copyright	Adam S. Fedor (1991)
license	noinfo = noinfo
version	(1991-10-03)
last changes	1991-10-03
year	1991

description	(no language specified) The program cleans out all the irrelevant things that the MACOS applications used to add, and restructures so that the files can be "used with TeX". The documentation talks about using psfig , but it doesn't seem likely that this is actually necessary, 15 years after the program was written.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/mactotex/README
on CTAN	https://ctan.org/tex-archive/graphics/mactotex
keyword	graphics-prep (prepare graphics for use with *TeX)
language(s)	no language specified
last access	2025-02-07

3717 *mafr* – Mathematics in accord with French usage

Web page on CTAN <https://ctan.org/pkg/mafr>

name	<i>mafr</i>
caption	Mathematics in accord with French usage
author	Obrecht, Christian
copyright	Christian Obrecht (2005)
license	gpl = GNU General Public License (free)
version	1.0
description	(no language specified) The package provides settings and macros for typesetting mathematics with LaTeX in compliance with French usage. It comes with two document classes, 'fiche' and 'cours', useful to create short high school documents such as tests or lessons. The documentation is in French.
documentation	(French) <i>Package ALIRE</i> : https://ctan.org/tex-archive/macros/latex/contrib/mafr/ALIRE
documentation	(English) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/mafr/README
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mafr/docmafr.pdf
– local file	<code>./4948340727-docmafr.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mafr
on MikTeX	<i>mafr</i>
on TeXLive	<i>mafr</i>

keyword	french (support for typesetting French)
keyword	exercise (exercises, problems for solution, etc.)
keyword	maths (support for typesetting mathematics)
language(s)	English; French
year	2005
last access	2025-02-07

3718 *magaz* – Magazine layout

Web page on CTAN <https://ctan.org/pkg/magaz>

name	magaz
caption	Magazine layout
author	Arseneau, Donald
copyright	Donald Arseneau (1999-2011)
license	other-free = Free license not otherwise listed (free)
version	0.4
description	(no language specified) The current version does special formatting for the first line of text in a paragraph. The package is part of a larger body of tools which remain in preparation.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/magaz/magaz.pdf
– local file	./8509025861-magaz.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/magaz
on MikTeX	magaz
on T _E XLive	magaz
keyword	typesetting (support for variations of typographic style)
keyword	layout (layout of objects on the page)
language(s)	no language specified
year	2011
last access	2025-02-07

3719 *magic* – A font to go with the Magic(TM) game

Web page on CTAN <https://ctan.org/pkg/magic>

name	<code>magic</code>
caption	A font to go with the Magic(TM) game
author	Dörntge, Rainer
license	other-free = Free license not otherwise listed (free)
version	(1995-03-06)
last changes	1995-03-06
year	1995
description	(no language specified) A small set of symbols appropriate to the game. The font is expressed in Metafont; unusually, the size-specific file <code>magic12.mf</code> is input by <code>magic.mf</code> , rather than the other way around.
on CTAN	https://ctan.org/tex-archive/fonts/magic
on MikTeX	<code>magic</code>
keyword	<code>games</code> (process game diagrams, gamebooks, and other amusements)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-symbol</code> (fonts that provide collections of symbols)
language(s)	no language specified
last access	2025-02-07

3720 *magicnum* – Access TeX systems’ “magic numbers”

Web page on CTAN <https://ctan.org/pkg/magicnum>

name	<code>magicnum</code>
caption	Access TeX systems’ “magic numbers”
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2007, 2009-2011)
copyright	Oberdiek Package Support Group (2016-2019)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.7 (2019-11-29)
last changes	2019-11-29

year	2019
description	(no language specified) This package allows access to the various parameter values in TeX (catcode values), e-TeX (group, if and node types, and interaction mode), and LuaTeX (pdfliteral mode) by a hierarchical name system.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/magicnum/magicnum.pdf
– local file	./4751584828-magicnum.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/magicnum/README.md
contact	<i>bugs</i> : https://github.com/ho-tex/magicnum/issues
contact	<i>repository</i> : https://github.com/ho-tex/magicnum
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/magicnum
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/magicnum.tds.zip
on MikTeX	magicnum
on T _E XLive	magicnum
keyword	debug-supp (support for package or document debugging)
language(s)	no language specified
last access	2025-02-07

3721 *magicthegathering* – LaTeX package for Magic: The Gathering typesetting

Web page on CTAN <https://ctan.org/pkg/magicthegathering>

name	magicthegathering
caption	LaTeX package for Magic: The Gathering typesetting
author	Hypergeomancer
copyright	Hypergeomancer (2024-2026)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1
description	(no language specified) The magicthegathering package provides LaTeX commands for typesetting Magic: The Gathering content: inline mana symbols, expansion-set icons, Scryfall-linked card names, sidebar-guide tables, plain-text deck-list import, and tournament match-result tracking.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/magicthegathering/magicthegathering-doc.pdf
– local file	./9167207709-magicthegathering-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/magicthegathering/README.md
contact	<i>repository</i> : https://github.com/Hypergeomancer/magicthegathering-latex-package
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/magicthegathering
on MikTeX	magicthegathering
on TeXLive	magicthegathering
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	amusements (jokes, distractions, tongue-in-cheek packages, and other entertainment material)
keyword	graphics-symb (create symbols, rather than select from a font)
language(s)	no language specified
year	2026
last access	2026-04-10

3722 *magicwatermark* – An easy and flexible way to set watermarks

Web page on CTAN <https://ctan.org/pkg/magicwatermark>

name	magicwatermark
caption	An easy and flexible way to set watermarks
author	Guo, Lijun
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2B
description	(no language specified) This package can flexibly set and clear watermarks. It is based on everypage and TikZ , encapsulated by LaTeX3. All watermark content is placed inside a TikZ node in the center of the page.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/magicwatermark/README.md

3723 *magra* – The Magra font face with support for LaTeX and pdfLaTeX

documentation	<i>Package documentation (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/magicwatermark/doc/magicwatermark-en.pdf
– local file	./9204207549-magicwatermark-en.pdf
documentation	<i>Package documentation (Chinese):</i> https://ctan.org/tex-archive/macros/latex/contrib/magicwatermark/doc/magicwatermark-cn.pdf
– local file	./6607199203-magicwatermark-cn.pdf
home page	https://github.com/ljguo1020/magicwatermark
contact	<i>support:</i> https://github.com/ljguo1020/magicwatermark
contact	<i>announce:</i> https://github.com/ljguo1020/magicwatermark
contact	<i>bugs:</i> https://github.com/ljguo1020/magicwatermark/issues
contact	<i>repository:</i> https://github.com/ljguo1020/magicwatermark
contact	<i>development:</i> https://github.com/ljguo1020/magicwatermark
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/magicwatermark
on MikTeX	magicwatermark
on TeXLive	magicwatermark
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	watermark (separate printing, under (or over) the page as a whole)
keyword	background (decorate/confuse text by adding a background)
language(s)	English; Chinese
year	without year
last access	2026-04-10

3723 *magra* – The Magra font face with support for LaTeX and pdfLaTeX

Web page on CTAN	https://ctan.org/pkg/magra
name	magra
caption	The Magra font face with support for LaTeX and pdfLaTeX
author	Ebinger, Carl-Clemens
license	ofl = The SIL Open Font License (free)
license	lppl = The LaTeX Project Public License (free)

version	0.0.1
description	(no language specified) This package provides the Magra family of fonts designed by FontFuror, with support for LaTeX and pdfLaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/magra/README
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/magra/doc/Magra-samples.pdf
– local file	./8635293801-Magra-samples.pdf
home page	https://github.com/ccebinger/CTAN_Magra
contact	<i>support</i> : https://github.com/ccebinger/CTAN_Magra
contact	<i>bugs</i> : https://github.com/ccebinger/CTAN_Magra
contact	<i>repository</i> : https://github.com/ccebinger/CTAN_Magra
contact	<i>development</i> : https://github.com/ccebinger/CTAN_Magra
on CTAN	https://ctan.org/tex-archive/fonts/magra
on MikTeX	magra
on T _E XLive	magra
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font (fonts themselves)
keyword	font-sans (sans-serif font)
keyword	font-t1enc (font providing LaTeX T1 encoding support)
keyword	font-proportional (variable-spaced font)
language(s)	no language specified
year	without year
last access	2026-04-10

3724 mahjong – Typeset Mahjong Tiles using MPSZ Notation

Web page on CTAN <https://ctan.org/pkg/mahjong>

name	mahjong
caption	Typeset Mahjong Tiles using MPSZ Notation
author	Schmitz, Daniel
copyright	Daniel Schmitz (2021)
license	cc-by-1 = CC BY 1.0 (free)
license	mit = MIT License (free)
version	1.1 (2025-01-06)
last changes	2025-01-06
year	2025
description	(no language specified) The mahjong package provides a LaTeX2e and LaTeX3 interface for typesetting mahjong tiles using an extended version of MPSZ algebraic notation. Features include spaces, rotated, blank, and concealed tiles, as well as red fives. The size of the mahjong tiles can be controlled using a package option and an optional argument of \mahjong. It is primarily aimed at Riichi (aka. Japanese) Mahjong but can be used to typeset any style of mahjong.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/graphics/mahjong/README.md
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/graphics/mahjong/mahjong.pdf
– local file	./2715110142-mahjong.pdf
home page	https://github.com/Schmytzi/mahjong-tex
on CTAN	https://ctan.org/tex-archive/graphics/mahjong
on MikTeX	mahjong
on TeXLive	mahjong
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	expl3 (expl3(unknown))
keyword	graphics (graphics (support packages))
language(s)	no language specified
last access	2025-02-07

3725 mailing – Macros for mail merging

Web page on CTAN <https://ctan.org/pkg/mailling>

name	mailing
caption	Macros for mail merging
author	Braams, Johannes L.
copyright	Johannes Braams (1999-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0c (2024-07-20)
last changes	2024-07-20
year	2024
description	(no language specified) This package is for use when sending a large number of letters, all with the same body text. The package's <code>\addressfile</code> command is used to specify who the letter is to be sent to; the body of the <code>\mailingtext</code> command specifies the text of the letters, possibly using macros defined in the <code>\addressfile</code> .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mailling/mailling.pdf
– local file	<code>./8480720638-mailling.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mailling/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mailling
on MikTeX	mailing
on TeXLive	mailing
keyword	mailing (mail merge, etc)
language(s)	no language specified
last access	2025-02-07

3726 mailmerge – Repeating text field substitution

Web page on CTAN <https://ctan.org/pkg/mailmerge>

name	mailmerge
caption	Repeating text field substitution
author	Frasson, Miguel Vinícius Santini
copyright	Miguel V. S. Frasson (2009)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.0
description	(no language specified) The package mailmerge provides an interface to produce text from a template, where fields are replaced by actual data, as in a database. The package may be used to produce several letters from a template, certificates or other such documents. It allows access to the entry number, number of entries and so on.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mailmerge/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mailmerge/mailmerge.pdf
– local file	./7773978349-mailmerge.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mailmerge
on MikTeX	mailmerge
on T _E XLive	mailmerge
keyword	mailing (mail merge, etc)
see also	see section 3898 on page 3525: (merge – Perform mail merges in LaTeX)
see also	see section 3725 on page 3370: (mailing – Macros for mail merging)
see also	see section 4766 on page 4315: (postcards – Facilitates mass-mailing of postcards (junkmail))
language(s)	no language specified
year	2009
last access	2025-02-07

3727 *maine-thesis* – A document class for University of Maine graduate theses

Web page on CTAN <https://ctan.org/pkg/maine-thesis>

name	maine-thesis
caption	A document class for University of Maine graduate theses
author	Bock, Camden
author	Springuel, Fr. Samuel
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.0.0 (2025-09-05)
last changes	2025-09-05
year	2025
description	(no language specified) The <code>maine-thesis</code> class provides support for the formatting requirements for graduate theses of the Graduate School at The University of Maine. It sets default parameters for the report class, modifies captions, references, and the table of contents, and makes specific environments available. The <code>maine-thesis</code> class reflects the guidelines published by the Graduate School at The University of Maine. The Graduate School at the University of Maine does not provide official support for any thesis style class or template.
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/maine-thesis/maine-thesis-example.pdf
– local file	<code>./3169132911-maine-thesis-example.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/maine-thesis/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/maine-thesis/maine-thesis.pdf
– local file	<code>./5197507046-maine-thesis.pdf</code>
contact	<i>support:</i> https://gitlab.com/maine-thesis/maine-thesis/issues
contact	<i>repository:</i> https://gitlab.com/maine-thesis/maine-thesis
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/maine-thesis
keyword	<code>std-conform</code> (support conformance to standards)
keyword	<code>class</code> (alternative LaTeX class(es))

3728 *make-env* – *Print USPS standard envelopes*

keyword dissertation (typesetting dissertations, theses, etc.)
language(s) no language specified
last access 2025-09-06

3728 *make-env* – **Print USPS standard envelopes**

Web page on CTAN <https://ctan.org/pkg/make-env>

name make-env
caption Print USPS standard envelopes
author Smith, J. Daniel
license noinfo = noinfo
version (1990-01-12)
last changes 1990-01-12
year 1990
description (no language specified) The package prints USPS standard envelopes, using the author's **lettermac** and **zip** packages.
on CTAN <https://ctan.org/tex-archive/macros/plain/contrib/make-env>
keyword letter (typesetting letters, envelopes, faxes, etc)
language(s) no language specified
last access 2025-02-07

3729 *make-latex* – **LaTeX Makefile**

Web page on CTAN <https://ctan.org/pkg/make-latex>

name make_latex
caption LaTeX Makefile
author Beasley, David
license noinfo = noinfo
version (1993-10-13)
last changes 1993-10-13
year 1993

description	(no language specified) Make_latex is a library of make(1) rules for producing LaTeX documents; it has rules for running LaTeX ‘enough’ times, for running BibTeX, for various format conversions and for printing final results.
documentation	(no language specified) <i>Unix-style man page</i> : https://ctan.org/tex-archive/support/make_latex/make_latex.pdf
– local file	./9122959930-make_latex.pdf
on CTAN	https://ctan.org/tex-archive/support/make_latex
keyword	compilation (the document compilation process)
see also	see section 2579 on page 2335: (go-make – A make variant for LaTeX documents)
see also	see section 3342 on page 3016: (latexn – Run LaTeX as many times as needed)
see also	see section 3339 on page 3013: (latexmk – Fully automated LaTeX document generation)
see also	see section 3338 on page 3012: (latexmake – LaTeX Makefile)
see also	see section 4834 on page 4377: (prv – Compile, preview, and print LaTeX documents)
language(s)	no language specified
last access	2025-02-07

3730 *make4ht* – A build system for *tex4ht*

Web page on CTAN <https://ctan.org/pkg/make4ht>

name	make4ht
caption	A build system for <i>tex4ht</i>
author	Hoftich, Michal
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.4e (2026-02-24)
last changes	2026-02-24
year	2026
description	(no language specified) <i>make4ht</i> is a simple build system for <i>tex4ht</i> , a TeX to XML converter. It provides a command line tool that drives the conversion process. It also provides a library which can be used to create customized conversion tools.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/make4ht/make4ht-doc.pdf
– local file	<code>./9020363335-make4ht-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/make4ht/README
contact	<i>repository</i> : https://github.com/michal-h21/make4ht
on CTAN	https://ctan.org/tex-archive/support/make4ht
on MikTeX	<code>make4ht</code>
on T _E XLive	<code>make4ht</code>
keyword	<code>cvt-html</code> (generate HTML from TeX-ish sources)
see also	see section 5950 on page 5386: (TeX4ht – Convert (La)TeX to HTML/XML)
see also	see section 5949 on page 5385: (tex4ebook – Converter from LaTeX to ebook formats)
language(s)	no language specified
last access	2026-03-03

3731 *makebarcode* – Print various kinds 2/5 and Code 39 bar codes

Web page on CTAN <https://ctan.org/pkg/makebarcode>

name	<code>makebarcode</code>
caption	Print various kinds 2/5 and Code 39 bar codes
author	Wagner, Zdeněk
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package contains macros for printing various 2/5 bar codes and Code 39 bar codes. The macros do not use fonts but create the bar codes directly using vertical rules. It is therefore possible to vary width to height ratio, ratio of thin and thick bars. The package is therefore convenient for printing ITF bar codes as well as bar codes for identification labels for HP storage media.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/makebarcode/doc/latex/makebarcode/makebarcode.pdf
– local file	<code>./3841066727-makebarcode.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/makebarcode/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/makebarcode
on MikTeX	makebarcode
on T _E XLive	makebarcode
keyword	barcode (barcodes and other machine-readable tags)
language(s)	no language specified
year	without year
last access	2025-02-07

3732 *makebase* – Typeset counters in a different base

Web page on CTAN <https://ctan.org/pkg/makebase>

name	makebase
caption	Typeset counters in a different base
author	Flynn, Peter
copyright	Peter Flynn (2016)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2 (2016-05-10)
last changes	2016-05-10
year	2016
description	(no language specified) This package typesets a LaTeX counter such as <code>page</code> in an arbitrary base (default 16). It does not change font or typeface. The package extends the functionality of the existing hex LaTeX 2.09 package and provides documentation. However, the author is not a mathematician, and suggestions for rewriting the code are welcomed. Warning: this is alpha software and may contain bugs. Please report problems to the author.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/makebase/makebase.pdf
– local file	<code>./3215675899-makebase.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/makebase/README.md

3733 *makebox* – Defines a `\makebox*` command

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/makebase
on MikTeX	makebase
on TeXLive	makebase
keyword	numbers (formatting numbers, etc)
language(s)	no language specified
last access	2025-02-07

3733 *makebox* – Defines a `\makebox*` command

Web page on CTAN <https://ctan.org/pkg/makebox>

name	makebox
caption	Defines a <code>\makebox*</code> command
author	Harders, Harald
license	lpl = The LaTeX Project Public License (free)
version	0.1
description	(no language specified) Define a <code>\makebox*</code> command that does the same as a <code>\makebox</code> command, except that the width is given by a sample text instead of an explicit length measure.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/makebox/makebox.pdf
– local file	<code>./5141496562-makebox.pdf</code>
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/makebox/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/makebox
on MikTeX	makebox
on TeXLive	makebox
keyword	boxing (creating boxes)
language(s)	no language specified
year	without year
last access	2025-02-07

3734 *makecell* – Tabular column heads and multilined cells

Web page on CTAN <https://ctan.org/pkg/makecell>

name	makecell
caption	Tabular column heads and multilined cells
author	Lapko, Olga
copyright	Olga Lapko (2005-2007)
license	lpl = The LaTeX Project Public License (free)
version	0.1e
description	(no language specified) This package supports common layouts for tabular column heads in whole documents, based on one-column tabular environment. In addition, it can create multi-lined tabular cells.

The Package also offers:

- a macro which changes the vertical space around all the cells in a tabular environment (similar to the function of the **tabls** package, but using the facilities of the **array**)
- macros for multirow cells, which use the facilities of the **multirow** package;
- macros to number rows in tables, or to skip cells;
- diagonally divided cells;
- horizontal lines in tabular environments with defined thickness.

documentation	(no language specified) <i>README file</i> : https://ctan.org/tex-archive/macros/latex/contrib/makecell/README
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/makecell/makecell.pdf
– local file	<code>./7095337357-makecell.pdf</code>
documentation	(Russian) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/makecell/makecell-rus.pdf
– local file	<code>./7443779836-makecell-rus.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/makecell
on MikTeX	makecell
on T _E XLive	makecell
keyword	table (table typesetting)

language(s) English; Russian
 year 2007
 last access 2025-02-07

3735 *makecirc* – A MetaPost library for drawing electrical circuit diagrams

Web page on CTAN <https://ctan.org/pkg/makecirc>

name MakeCirc

caption A MetaPost library for drawing electrical circuit diagrams

author Bustamante Argañaraz, Gustavo Sebastián

license lppl = The LaTeX Project Public License (free)

description (no language specified) MakeCirc is a MetaPost library that contains diverse symbols for use in circuit diagrams. MakeCirc offers a high quality tool, with a simple syntax. MakeCirc is completely integrated with LaTeX documents and with other MetaPost drawing/graphic. Its output is a PostScript file. MakeCirc only requires (La)TeX and MetaPost to work.

documentation *Package documentation in Spanish:* <https://ctan.org/tex-archive/graphics/metapost/contrib/macros/makecirc/MakeCirc.pdf>

– local file ./7840780694-MakeCirc.pdf

documentation *Package documentation in English:*
<https://ctan.org/tex-archive/graphics/metapost/contrib/macros/makecirc/MakeCirc-en.pdf>

– local file ./3678847367-MakeCirc-en.pdf

documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/graphics/metapost/contrib/macros/makecirc/README>

on CTAN <https://ctan.org/tex-archive/graphics/metapost/contrib/macros/makecirc>

on MikTeX makecirc

on T_EXLive makecirc

keyword diagram-circ (circuit diagrams)

language(s) English; Spanish

year without year

last access 2025-02-07

3736 **makecmds** – The new `\makecommand` command always (re)defines a command

Web page on CTAN <https://ctan.org/pkg/makecmds>

name	makecmds
caption	The new <code>\makecommand</code> command always (re)defines a command
author	Wilson, Peter R.
author	Robertson, Will
copyright	Peter R. Wilson (2000)
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The package provides a <code>\makecommand</code> command, which is like <code>\(re)newcommand</code> except it always (re)defines a command. There is also <code>\makeenvironment</code> and <code>\provideenvironment</code> for environments.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/makecmds/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/makecmds
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/makecmds.tds.zip
on MikTeX	makecmds
on T _E XLive	makecmds
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	2000
last access	2025-02-07

3737 **makecookbook** – Make a Cookbook

Web page on CTAN <https://ctan.org/pkg/makecookbook>

name	makecookbook
caption	Make a Cookbook
author	Murphy, Terrence
author	D’Amico, Rosalie
copyright	Terrence P. Murphy and Rosalie D’Amico (2018)

license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.85
description	(no language specified) The makecookbook bundle contains the files needed to create a nice quality family cookbook in a form ready to submit to most print-on-demand companies. Modifiable choices have been made regarding standard book features such as trim size, margins, headers/footers, chapter heading formatting, front matter (copyright page, table of contents, etc.) and back matter (index). Commands and environments have been created to format the food stories and recipes. The user will need to: 1. supply their own food stories and recipes(!), and 2. install the needed fonts. We assume a LuaTeX compile. Please note that no new document class or package is included here. Rather, we provide a modifiable preamble and a small number of other files that, together, fully support creation of all of the <i>internal</i> pages of a cookbook (i.e., everything except the cover art).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/makecookbook/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/makecookbook/makecookbook-doc.pdf
– local file	<code>./6751961202-makecookbook-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/makecookbook
on T _E XLive	makecookbook
keyword	cooking (typesetting cooking recipes, etc)
keyword	book-pub (preparing a book for publication)
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
year	2018
last access	2025-02-09

3738 makedoc – Preprocessing documentation with TeX

Web page on CTAN <https://ctan.org/pkg/makedoc>

name	makedoc
caption	Preprocessing documentation with TeX
author	Lück, Uwe
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.52
description	(no language specified) The package may be used to produce typeset documentation from a package file. The comments in the file are typeset (as appropriate) and the code is printed verbatim. This mechanism, the author suggests, is cleaner and easier to use than the docstrip-based mechanism commonly used. The package is distributed as part of the author's nicetext bundle.
documentation	(no language specified) <i>Cheat sheet</i> : https://ctan.org/tex-archive/macros/latex/contrib/nicetext/doc/mdoccheat.pdf
– local file	<code>./4650860261-mdoccheat.pdf</code>
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/nicetext/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/nicetext/doc/makedoc.pdf
– local file	<code>./2288318178-makedoc.pdf</code>
contact	<i>support</i> : http://www.webdesign-bu.de/uwe_lueck/contact.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nicetext
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/nicetext.tds.zip
on MikTeX	nicetext
on TeXLive	nicetext
keyword	doc-supp (macros and tools for preparing documentation)
language(s)	no language specified
year	without year
last access	2025-02-07

3739 makedtx – Perl script to help generate dtx and ins files

Web page on CTAN <https://ctan.org/pkg/makedtx>

name	makedtx
caption	Perl script to help generate dtx and ins files
author	Belaïche, Vincent
author	Talbot, Nicola
copyright	Vincent Belaïche (2026)
copyright	Nicola Talbot (2018)
license	lppl = The LaTeX Project Public License (free)
version	1.3
description	(no language specified) The makedtx bundle is provided to help LaTeX2e developers to write the code and documentation in separate files, and then combine them into a single <code>.dtx</code> file for distribution. It automatically generates the character table, and also writes the associated installation (<code>.ins</code>) script.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/makedtx/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/support/makedtx/makedtx.pdf
– local file	<code>./3469803955-makedtx.pdf</code>
home page	https://puszcza.gnu.org.ua/projects/latex-makedtx
contact	<i>bugs:</i> https://puszcza.gnu.org.ua/bugs/?group=latex-makedtx
contact	<i>repository:</i> https://puszcza.gnu.org.ua/svn/?group=latex-makedtx
contact	<i>development:</i> https://puszcza.gnu.org.ua/project/memberlist.php?group=latex-makedtx
on CTAN	https://ctan.org/tex-archive/support/makedtx
on MikTeX	makedtx
on T _E XLive	makedtx
keyword	package-devel (support for package development)
see also	see section 1784 on page 1610: (EasyDTX – A simplified DTX format)
see also	see section 5721 on page 5184: (sty2dtx – Create a <code>.dtx</code> file from a <code>.sty</code> file)
language(s)	no language specified

year 2026
last access 2026-03-26

3740 *makefonts* – Shell scripts to generate bitmaps from Metafont sources

Web page on CTAN <https://ctan.org/pkg/makefonts>

name *makefonts*
caption Shell scripts to generate bitmaps from Metafont sources
author Kuhlmann, Volker
license pd = Public Domain Software (free)
version 2.0
description (no language specified) This package contains shell scripts which generate PK files, based on the long-established script *allcm*.

Modern TeX distributions use Adobe Type 1 fonts for preference (if they allow bitmap forms at all), and will generate such bitmap fonts as are needed on-the-fly. These scripts are therefore most useful to those who have a principled objection to the use of outline fonts (or to the design of those available).
documentation (no language specified) *Bundle README*: <https://ctan.org/tex-archive/fonts/utilities/makefonts/README>
on CTAN <https://ctan.org/tex-archive/fonts/utilities/makefonts>
keyword *font-devel* (support for font development, testing and characterisation)
language(s) no language specified
year without year
last access 2026-03-26

3741 *makeglos* – Include a glossary into a document

Web page on CTAN <https://ctan.org/pkg/makeglos>

name *makeglos*
caption Include a glossary into a document
author Henlich, Thomas
license gpl = GNU General Public License (free)

description	(no language specified) The package provides the means to include a glossary into a document. The glossary is prepared by an external program, such as <i>xindy</i> or <i>makeindex</i> , in the same way that an index is made.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/makeglos/makeglos.pdf
– local file	<code>./6365043853-makeglos.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/makeglos/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/makeglos
on MikTeX	<code>makeglos</code>
on T _E XLive	<code>makeglos</code>
keyword	<code>glossary</code> (glossary and nomenclature support)
see also	see section 2540 on page 2299: (<code>gloss</code> – Create glossaries using BibTeX)
see also	see section 4282 on page 3877: (<code>nomenc1</code> – Produce lists of symbols as in nomenclature)
see also	see section 2565 on page 2323: (<code>glosstex</code> – Prepare glossaries in LaTeX)
language(s)	no language specified
year	without year
last access	2026-03-26

3742 *makeglossariesgui* – Java GUI alternative to *makeglossaries* script

Web page on CTAN <https://ctan.org/pkg/makeglossariesgui>

name	<code>MakeGlossariesGUI</code>
caption	Java GUI alternative to <i>makeglossaries</i> script
author	Talbot, Nicola
copyright	Nicola L. C. Talbot (2011-2020)
license	gpl3 = GNU General Public License, version 3 (free)
version	2.2 (2020-03-09)
last changes	2020-03-09
year	2020

description	(no language specified) The package provides a Java GUI alternative to the <i>makeglossaries</i> Perl script (supplied by the <i>glossaries</i> package). The package was designed for people who don't want to use the command prompt but can't get their editor to run <i>makeglossaries</i> . It can also be used as a diagnostic tool when there are problems with the document <i>glossaries</i> .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/makeglossariesgui/makeglossariesgui-en.pdf
– local file	<code>./6495094932-makeglossariesgui-en.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/makeglossariesgui/README
home page	https://www.dickimaw-books.com/software/makeglossariesgui/
contact	<i>bugs</i> : https://github.com/nlct/makeglossariesgui/issues
contact	<i>repository</i> : https://github.com/nlct/makeglossariesgui
on CTAN	https://ctan.org/tex-archive/support/makeglossariesgui
keyword	<i>glossary</i> (glossary and nomenclature support)
language(s)	no language specified
last access	2025-02-07

3743 *makegobbler* – Keep or drop some part of LaTeX source code

Web page on CTAN	https://ctan.org/pkg/makegobbler
name	<code>makegobbler</code>
caption	Keep or drop some part of LaTeX source code
author	Belaïche, Vincent
copyright	Vincent Belaïche (2025-2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	other-free = Free license not otherwise listed (free)
version	0.3.2 (2026-02-15)
last changes	2026-02-15
year	2026

description	(no language specified) The makegobbler package provides a mechanism to selectively drop (gobble) or keep ("ungobble") portions of LaTeX source code, either conditionally or unconditionally. The affected code is delimited by user-defined control sequences that act as explicit markers. For example, you can define a conditional as follows: <code>\newif\ifkeep</code> You can then make a portion of the source conditional like this: <code>\keepfalse</code> <code>\MGBkeep*\ifkeep\SomeArbitraryDelimitingControlSequence</code> Here, everything — including <code>\fi#!{ }_ ^ \$</code> — is dropped. <code>\SomeArbitraryDelimitingControlSequence</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/makegobbler/README.md
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/makegobbler/makegobbler-doc.pdf
– local file	<code>./7279760771-makegobbler-doc.pdf</code>
home page	https://puszcza.gnu.org.ua/projects/latex-makegobbler
contact	<i>bugs</i>: https://puszcza.gnu.org.ua/bugs/?group=latex-makegobbler
contact	<i>repository</i>: https://svn.gnu.org.ua/sources/latex-makegobbler/trunk
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/makegobbler
on MikTeX	makegobbler
on TeXLive	makegobbler
keyword	macro-supp (support for development of (La)TeX macros)
keyword	cond-comp (conditional typesetting)
see also	see section 2016 on page 1819: (etoolbox – e-TeX tools for LaTeX)
language(s)	French
last access	2026-04-10

3744 *makeidx* – Standard LaTeX package for creating indexesWeb page on CTAN <https://ctan.org/pkg/makeidx>

name	<code>makeidx</code>
caption	Standard LaTeX package for creating indexes
author	The LaTeX Project Team
license	lppl = The LaTeX Project Public License (free)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0m (2021-10-04)
last changes	2021-10-04
year	2021
description	(no language specified) Standard package for creating indexes; the package is available as part of the LaTeX distribution.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/base/makeindx.pdf
– local file	<code>./2856539617-makeindx.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/base
on MikTeX	<code>ltxbase</code>
on TeXLive	<code>latex</code>
keyword	<code>index</code> (index support)
keyword	<code>tagged-pdf</code> (tagged PDF compatible)
language(s)	no language specified
last access	2026-04-10

3745 *makeindex* – Process index output to produce typesettable codeWeb page on CTAN <https://ctan.org/pkg/makeindex>

name	<code>makeindex</code>
caption	Process index output to produce typesettable code
author	Beebe, Nelson H. F.
author	Chen, Pehong
license	other-free = Free license not otherwise listed (free)
version	2.12

description	(no language specified) A general purpose hierarchical index generator; it accepts one or more input files (often produced by a text formatter such as TeX or troff), sorts the entries, and produces an output file which can be formatted. The formats of the input and output files are specified in a style file; by default, input is assumed to be an <code>.idx</code> file, as generated by LaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/indexing/makeindex/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/indexing/makeindex/doc/makeindex.pdf
– local file	<code>./9464149544-makeindex.pdf</code>
documentation	(no language specified) <i>Paper on preparing indexes</i> : https://ctan.org/tex-archive/indexing/makeindex/paper/ind.pdf
– local file	<code>./5849729576-ind.pdf</code>
on CTAN	https://ctan.org/tex-archive/indexing/makeindex
on MikTeX	<code>miktex-makeindex-bin-2.9</code>
on TeXLive	<code>makeindex</code>
keyword	index (index support)
see also	see section 3746 on page 3389: (<i>makeindexk</i> – <i>Makeindex development sources</i>)
see also	see section 6801 on page 6137: (<i>xindy</i> – A general-purpose index processor)
language(s)	no language specified
year	without year
last access	2026-04-10

3746 *makeindexk* – *Makeindex development sources*

Web page on CTAN <https://ctan.org/pkg/makeindexk>

name	<code>makeindexk</code>
caption	Makeindex development sources
author	Chen, Pehong
author	The TeX Live Team
license	other-free = Free license not otherwise listed (free)
description	(no language specified) The package contains the development sources of <i>makeindex</i> , which is now maintained as part of TeX Live.

documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/indexing/makeindexk/README
on CTAN	https://ctan.org/tex-archive/indexing/makeindexk
on T _E XLive	<code>makeindex</code>
keyword	<code>index</code> (index support)
language(s)	no language specified
year	without year
last access	2026-03-26

3747 `makelabels` – Add a ‘`makelabels`’ feature to KOMA-Script letter classes and package

Web page on CTAN	https://ctan.org/pkg/makelabels
name	<code>makelabels</code>
caption	Add a ‘ <code>makelabels</code> ’ feature to KOMA-Script letter classes and package
author	Kohm, Markus
copyright	Markus Kohm (2009-2021)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0
description	(no language specified) The standard letter class <code>letter</code> has a label feature. You can activate it using <code>\makelabels</code>. While in Germany window envelopes are common, printing labels is not common, and <code>scrlltr2</code> has never supported label printing. Using <code>makelabels.lco</code> does implement a <code>\makelabels</code> feature similar to the standard letter classes. Currently there are (almost) no configuration features for <code>makelabels.lco</code>. But you may use the <code>enlab</code> package after loading <code>makelabels.lco</code> to get various configuration features.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/makelabels/README.md
documentation	(no language specified) <i>Example of use (1):</i> https://ctan.org/tex-archive/macros/latex/contrib/makelabels/makelabels-example.pdf
– local file	<code>./7382348941-makelabels-example.pdf</code>
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/makelabels/makelabels.pdf
– local file	<code>./2586526617-makelabels.pdf</code>

documentation	(no language specified) <i>Example of use (2)</i> : https://ctan.org/tex-archive/macros/latex/contrib/makelabels/makelabels-envlab-example.pdf
– local file	<code>./9771412258-makelabels-envlab-example.pdf</code>
home page	https://github.com/komascript/makelabels
contact	<i>announce</i> : https://github.com/komascript/makelabels/releases
contact	<i>bugs</i> : https://github.com/komascript/makelabels/issues
contact	<i>repository</i> : https://github.com/komascript/makelabels.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/makelabels
on MikTeX	makelabels
on TeXLive	makelabels
keyword	letter (typesetting letters, envelopes, faxes, etc)
keyword	labels (typeset sets of labels (for cutting out, etc.))
language(s)	no language specified
year	2021
last access	2025-02-07

3748 *makeplot* – Easy plots from Matlab in LaTeX

Web page on CTAN	https://ctan.org/pkg/makeplot
name	makeplot
caption	Easy plots from Matlab in LaTeX
author	Vila-Forcén, José-Emilio
copyright	José-Emilio Vila-Forcén (2005-2008)
license	lppl = The LaTeX Project Public License (free)
version	1.0.6
description	(no language specified) Existing approaches to create EPS files from Matlab (laprint , mma2ltx , <code>print -eps</code> , etc.) aren't satisfactory; makeplot aims to resolve this problem. Makeplot is a LaTeX package that uses the pstricks pst-plot functions to plot data that it takes from Matlab output files.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/makeplot/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/makeplot/makeplot.pdf
– local file	<code>./5624667581-makeplot.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/makeplot
on MikTeX	makeplot
on TeXLive	makeplot
keyword	graphics-plot (plot data)
language(s)	no language specified
year	2008
last access	2025-02-07

3749 *makeprog* – A literate system for TeX programming

Web page on CTAN	https://ctan.org/pkg/makeprog
name	makeprog
caption	A literate system for TeX programming
author	Schrod, Joachim
copyright	Joachim Schrod (1988-1990)
license	gpl = GNU General Public License (free)
version	1.0.1
description	(no language specified) A literate programming system strongly influenced by the ideas of Knuth’s web system, but designed for processing TeX-based sources (documentation processing is provided in both Plain TeX and LaTeX). In contrast to the LaTeX project’s doc and docstrip, but in common with Knuth’s system, there is a separate program (<i>makeprog</i>) for producing code to run (equivalent to Knuth’s <i>tangle</i>). However, <i>makeprog</i> doesn’t rearrange code in the way that <i>tangle</i> does.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/makeprog/readme
on CTAN	https://ctan.org/tex-archive/support/makeprog
keyword	litprog (literate programming)

language(s) no language specified
 year 1990
 last access 2025-02-07

3750 *maker* – Include Arduino or Processing code in LaTeX documents

Web page on CTAN <https://ctan.org/pkg/maker>

name *maker*
 caption Include Arduino or Processing code in LaTeX documents
 author Lagos Suárez, Fausto Mauricio
 license lpp11.3c = The LaTeX Project Public License 1.3c (free)
 version 1.0 (2017-07-15)
 last changes 2017-07-15
 year 2017
 description (no language specified) The first version of the package allows to include Arduino or Processing code using three different forms:

1. writing the code directly in the LaTeX document
2. writing Arduino or Processing commands in line with the text
3. calling to Arduino or Processing files

All these options support the syntax highlighting of the oficial IDE.

documentation (Spanish) *Package documentation*: https://ctan.org/tex-archive/macros/latex/contrib/maker/maker_manual.pdf
 – local file ./2028336616-maker_manual.pdf
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/maker/README>
 home page https://github.com/piratax007/maker_LaTeX_package
 contact *bugs*: https://github.com/piratax007/maker_LaTeX_package
 contact *repository*: https://github.com/piratax007/maker_LaTeX_package
 on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/maker>
 on MikTeX *maker*
 on T_EXLive *maker*
 keyword *listing* (computer code listing)

3751 *makerobust* – Making a macro robust (legacy package)

keyword synt-hlt (highlight syntax of computer code, etc.)
language(s) Spanish
last access 2025-02-07

3751 *makerobust* – Making a macro robust (legacy package)

Web page on CTAN <https://ctan.org/pkg/makerobust>

name makerobust

caption Making a macro robust (legacy package)

author Oberdiek, Heiko

copyright Oberdiek Oberdiek Package Support Group (2019)

license lpl11.3c = The LaTeX Project Public License 1.3c (free)

version 2.0 (2019-11-12)

last changes 2019-11-12

year 2019

description (no language specified) Heiko Oberdiek's *makerobust* package defined a command with name `\MakeRobustCommand` that could be used to make fragile commands robust.

The LaTeX format has, since 2015, included a command `\MakeRobust` with the same syntax and behaviour. Also by 2019, almost all commands in LaTeX that may be used in a moving argument are already robust.

This package is now just a simple one-liner defining the name `\MakeRobustCommand` as an alias for `\MakeRobust`.

This package should not be used in any new documents.

documentation (English) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/makerobust/makerobust.pdf>

– local file `./1949410193-makerobust.pdf`

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/makerobust/README.md>

contact *bugs*: <https://github.com/ho-tex/makerobust/issues>

contact *repository*: <https://github.com/ho-tex/makerobust>

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/makerobust>

on MikTeX makerobust

on T _E XLive	makerobust
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	English
last access	2025-02-07

3752 *makerobust209* – Make an existing LaTeX command robust

Web page on CTAN <https://ctan.org/pkg/makerobust209>

name	makerobust209
caption	Make an existing LaTeX command robust
author	Carlisle, David
license	noinfo = noinfo
version	1.01
description	(no language specified) The package provides a command <code>\makerobust</code> that converts the definition of a command to a robust one.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/makerobust.sty
keyword	macro-supp (support for development of (La)TeX macros)
keyword	latex209 (package only known to work with LaTeX 2.09)
see also	see section 3751 on page 3394: (<i>makerobust</i> – Making a macro robust (legacy package))
language(s)	no language specified
year	without year
last access	2025-02-11

3753 *makeshape* – Declare new PGF shapes

Web page on CTAN <https://ctan.org/pkg/makeshape>

name	makeshape
caption	Declare new PGF shapes
author	Robson, Adrian P.
copyright	Adrian P Robson (2013)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)

version	2.1
description	(no language specified) The package simplifies production of custom shapes with correct anchor borders, in PGF/TikZ ; the only requirement is a PGF path describing the anchor border. The package also provides macros that help with the management of shape parameters, and the definition of anchor points.
documentation	(no language specified) <i>Package test procedure</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/makeshape/ontesting.pdf
– local file	./9017787778-ontesting.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/makeshape/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/makeshape/makeshape.pdf
– local file	./8566858753-makeshape.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/makeshape
on MikTeX	makeshape
on TeXLive	makeshape
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
year	2013
last access	2025-02-07

3754 *maketable* – Convert Word or Excel tables to TeX tabular structures

Web page on CTAN <https://ctan.org/pkg/maketable>

name	maketable
caption	Convert Word or Excel tables to TeX tabular structures
author	Maier, Gunter
license	other-free = Free license not otherwise listed (free)
description	(no language specified) MAKETABLE helps in converting tables in Word, Excel, etc. to a tabular structure for TeX. Copy your table in Word, Excel, etc. and paste it into a data grid in MAKETABLE. Click a button to convert the data grid to the tabular structure, then copy and paste it into your TeX editor.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/maketable/README
on CTAN	https://ctan.org/tex-archive/support/maketable
keyword	table (table typesetting)
keyword	data-import (importing data into documents)
language(s)	no language specified
year	without year
last access	2025-02-07

3755 *makor2* – Typeset pointed Hebrew using Omega

Web page on CTAN	https://ctan.org/pkg/makor2
name	Makor 2
caption	Typeset pointed Hebrew using Omega
author	Hoenig, Alan
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Makor2 can be used to typeset Hebrew with vowels or liturgical accents, Yiddish, documents prepared using ArabTeX Hebrew conventions, Biblia Hebraica Stuttgartensia, and Old Hebrew. Makor uses an intuitive interface—that is, you type characters on the keyboard according to more-or-less what they sound like, and Makor renders them in proper Hebrew.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/hebrew/makor/tex/makor2/README
documentation	(no language specified) <i>TUGboat paper</i> : https://tug.org/TUGboat/Articles/tb24-1/hoenig.pdf
– local file	./6974454946-hoenig.pdf
documentation	(no language specified) <i>Reference card</i> : https://ctan.org/tex-archive/language/hebrew/makor/tex/makor2/refcard.pdf
– local file	./9686819349-refcard.pdf
documentation	(no language specified) <i>Users manual</i> : https://ctan.org/tex-archive/language/hebrew/makor/tex/makor2/mkr2man.pdf
– local file	./6422118533-mkr2man.pdf
on CTAN	https://ctan.org/tex-archive/language/hebrew/makor
keyword	omega (Omega and packages that use it)

keyword hebrew (documentation in and support for typesetting Hebrew)
 language(s) no language specified
 year without year
 last access 2025-02-07

3756 *malayalam-latex* – *LaTeX for Malayalam*

Web page on CTAN <https://ctan.org/pkg/malayalam-latex>

name malayalam-latex
 caption LaTeX for Malayalam
 author Alex, A. J.
 copyright Alex A.J. (2003, 2005, 2007, 2017)
 license lpl1.2 = The LaTeX Project Public License 1.2 (free)
 version 0.9.7
 description (no language specified) Fonts (in Adobe Type 1 format), metrics and macros for typesetting Malayalam with LaTeX.
 documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/language/malayalam/doc/mm-usr.pdf>
 – local file ./3243497909-mm-usr.pdf
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/language/malayalam/README>
 home page <https://alex.org.in/tex>
 on CTAN <https://ctan.org/tex-archive/language/malayalam>
 on MikTeX malayalam-latex
 keyword indic (support for languages of the Indian subcontinent)
 keyword font-type1 (font available in Adobe Type 1 format)
 keyword font-indic (fonts for languages of the Indian subcontinent)
 keyword font (fonts themselves)
 see also see section 3758 on page 3399: (malayalam-omega – Typesetting Malayalam using Omega)
 language(s) no language specified
 year 2017
 last access 2025-02-07

3757 *malayalam-obsolete* – Fonts for typesetting Malayalam, with a pre-processor

Web page on CTAN <https://ctan.org/pkg/malayalam-obsolete>

name	malayalam-obsolete
caption	Fonts for typesetting Malayalam, with a pre-processor
author	Hellingman, Jeroen
license	gpl = GNU General Public License (free)
version	1.6
on CTAN	https://ctan.org/tex-archive/obsolete/language/malayalam
keyword	font-indic (fonts for languages of the Indian subcontinent)
keyword	indic (support for languages of the Indian subcontinent)
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	no language specified
year	without year
last access	2025-02-07

3758 *malayalam-omega* – Typesetting Malayalam using Omega

Web page on CTAN <https://ctan.org/pkg/malayalam-omega>

name	malayalam-omega
caption	Typesetting Malayalam using Omega
author	Alex, A. J.
copyright	Alex A. J. (2005-2007)
license	lppl = The LaTeX Project Public License (free)
version	1.0.2
description	(no language specified) This package enables typesetting in the Indian language Malayalam using LaTeX on an Omega platform; UTF-8 source files are supported.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/omega/latex/contrib/malayalam-omega/doc/manual-malayalam.pdf
– local file	./5654669937-manual-malayalam.pdf

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/omega/latex/contrib/malayalam-omega/README
on CTAN	https://ctan.org/tex-archive/macros/omega/latex/contrib/malayalam-omega
keyword	indic (support for languages of the Indian subcontinent)
keyword	omega (Omega and packages that use it)
see also	see section 3756 on page 3398: (malayalam-latex – LaTeX for Malayalam)
language(s)	no language specified
year	2007
last access	2025-02-07

3759 *maltese* – Support input in Maltese

Web page on CTAN	https://ctan.org/pkg/maltese
name	maltese
caption	Support input in Maltese
author	Farrugia, Paulseph-John
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Commands for input of Maltese characters, in the absence of the appropriate Unicode input mechanisms.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/language/maltese/maltese.pdf
– local file	./6579705674-maltese.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/maltese/README.txt
on CTAN	https://ctan.org/tex-archive/language/maltese
on MikTeX	maltese
keyword	maltese (support for typesetting Maltese)
language(s)	no language specified
year	without year
last access	2025-02-07

3760 malvern – A sans-serif font familyWeb page on CTAN <https://ctan.org/pkg/malvern>

name	malvern
caption	A sans-serif font family
author	Cugley, Damian
copyright	P. Damian Cugley (1991-1994)
license	other-free = Free license not otherwise listed (free)
version	1.2
description	(no language specified) The Malvern family is a broad family of sanserif fonts which includes Greek letters, diacritical marks and composites as well as the latin alphabet and some symbols. The font is supplied as a Metafont program.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/malvern/dvi/install.dvi
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/malvern/00readme.txt
on CTAN	https://ctan.org/tex-archive/fonts/malvern
on MikTeX	malvern
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
language(s)	no language specified
year	1994
last access	2025-02-07

3761 mandel – Compute the Mandelbrot setWeb page on CTAN <https://ctan.org/pkg/mandel>

name	mandel
caption	Compute the Mandelbrot set
license	noinfo = noinfo
version	(1994-07-06)
last changes	1994-07-06
year	1994

description	(no language specified) A tail-recursive macro to compute the set, and then to print it. The author claims the program took 5 minutes to run on his 66 MHz machine; on this cataloguer's 2.4 GHz machine it takes about 1.1 seconds.
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/mandel.tex
on MikTeX	genmisc
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

3762 *mandi* – Macros for introductory physics and astronomy

Web page on CTAN	https://ctan.org/pkg/mandi
name	mandi
caption	Macros for introductory physics and astronomy
author	Heafner, Paul J.
copyright	Paul J. Heafner (2021-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.2.2 (2024-02-27)
last changes	2024-02-27
year	2024
description	(no language specified) The package contains commands for students and teachers of introductory physics. Commands for physical quantities intelligently handle SI units so the user need not do so. There are other features that should make LaTeX easy for introductory physics students. The name of the package can be pronounced as "M&I" and refers to the physics textbook Matter & Interactions.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mandi/mandi.pdf
– local file	<code>./1901753723-mandi.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mandi/README.md
contact	<i>bugs</i> : https://github.com/heafnerj/mandi/issues
contact	<i>repository</i> : https://github.com/heafnerj/mandi

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mandi
on MikTeX	mandi
on T _E XLive	mandi
keyword	physics (support for typesetting physics documents)
keyword	expl3 (expl3(unknown))
see also	see section 5523 on page 4997: (siunitx – A comprehensive (SI) units package)
language(s)	no language specified
last access	2025-02-07

3763 *manfnt* – LaTeX support for the TeX book symbols

Web page on CTAN	https://ctan.org/pkg/manfnt
name	manfnt
caption	LaTeX support for the TeX book symbols
author	Kielhorn, Axel
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) A LaTeX package for easy access to the symbols of the Knuth’s ‘ <i>manual</i> ’ font , such as the Dangerous Bend and Manual-errata Arrow.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/manfnt/manfnt.pdf
– local file	./2506565408-manfnt.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/manfnt
on MikTeX	manfnt
on T _E XLive	manfnt
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year
last access	2025-02-07

3764 manjutex – Manju language supportWeb page on CTAN <https://ctan.org/pkg/manjutex>

name	manjutex
caption	Manju language support
author	Corff, Oliver
license	gpl = GNU General Public License (free)
description	(no language specified) Manju is a language of North East Asia, belonging to the Tungusic branch of the Altaic languages. Though it is virtually not spoken anymore, it survives in written form as Manju was the native language of the rulers of the Qing dynasty (1644–1911) in China. Large quantities of documents of the Imperial Archives survive, as well as some of the finest dictionaries ever compiled in Asia, like the Pentaglot, a dictionary comprising Manju, Tibetan, Mongolian, Uighur and Chinese. ManjuTeX was developed on the basis of MonTeX, and provides all necessary characters for writing standard Manju as well as transliterated Tibetan texts, for which purpose a number of additional characters were created. This catalogue entry describes the ‘original’ ManjuTeX; its functionality has now been subsumed into monTeX, though the obsolete ManjuTeX remains on the archive.
on CTAN	https://ctan.org/tex-archive/obsolete/language/manju/manjutex
keyword	manju (support for typesetting Manju)
language(s)	no language specified
year	without year
last access	2025-02-07

3765 manpage – Man pages in LaTeXWeb page on CTAN <https://ctan.org/pkg/manpage>

name	manpage
caption	Man pages in LaTeX
author	Chen, Rong
copyright	Rong Chen (1990)
license	nosell = Do Not Sell Except by Arrangement (not free)

description	(no language specified) The package provides a <code>manpage</code> environment that may be used as part of a document written using a LaTeX 2.09 <code>documentstyle</code> (examples are supplied that use <code>report</code> style). The package has not been tested under current LaTeX.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/manpage
keyword	<code>doc-supp</code> (macros and tools for preparing documentation)
keyword	<code>latex209</code> (package only known to work with LaTeX 2.09)
language(s)	no language specified
year	1990
last access	2025-02-11

3766 *manual* – Knuth’s ”manual” fonts

Web page on CTAN <https://ctan.org/pkg/manual>

name	<code>manual</code>
caption	Knuth’s ”manual” fonts
author	Knuth, Donald E.
author	Hoekwater, Taco
license	<code>knuth</code> = Knuth License (free)
description	(no language specified) Metafont (by Donald Knuth) and Adobe Type 1 (by Taco Hoekwater) versions of the font containing the odd symbols Knuth uses in his books. LaTeX support is available using the <code>manfnt</code> package
on CTAN	https://ctan.org/tex-archive/fonts/manual
on MikTeX	<code>metafont</code>
on T _E XLive	<code>manfnt</code>
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-symbol</code> (fonts that provide collections of symbols)
language(s)	no language specified
year	without year
last access	2025-02-11

3767 manual209 – A document style for manualsWeb page on CTAN <https://ctan.org/pkg/manual209>

name	manual209
caption	A document style for manuals
author	Nieland, Ted
license	nosell = Do Not Sell Except by Arrangement (not free)
version	(1988-04-04)
last changes	1988-04-04
year	1988
description	(no language specified) A LaTeX 2.09 document style, based on <code>book</code> , with modifications for manual generation and maintenance (including per-chapter page numbering, as in the <code>chappg</code> package).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex209/contrib/manual/README
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/manual
keyword	latex209 (package only known to work with LaTeX 2.09)
keyword	doc-supp (macros and tools for preparing documentation)
language(s)	no language specified
last access	2025-02-11

3768 manuscript – Emulate look of a document typed on a typewriterWeb page on CTAN <https://ctan.org/pkg/manuscript>

name	Manuscript
caption	Emulate look of a document typed on a typewriter
author	Cepl, Matej
license	lppl = The LaTeX Project Public License (free)
version	1.7
description	(no language specified) This package is designed for those who have to submit dissertations, etc., to institutions that still maintain the typewriter is the summit of non-professional printing.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/manuscript/manuscript.pdf
– local file	<code>./6306160482-manuscript.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/manuscript/README
contact	<i>repository</i> : https://gitlab.com/mcepl/manuscript
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/manuscript
on MikTeX	<code>manuscript</code>
on TeXLive	<code>manuscript</code>
keyword	typesetting (support for variations of typographic style)
language(s)	no language specified
year	without year
last access	2025-02-07

3769 manyfoot – Adds footnote levels to standard LaTeX’s footnote mechanism

Web page on CTAN	https://ctan.org/pkg/manyfoot
name	<code>manyfoot</code>
caption	Adds footnote levels to standard LaTeX’s footnote mechanism
author	Rozhenko, Alexander I.
copyright	Alexander I. Rozhenko (1998-2005)
license	lppl = The LaTeX Project Public License (free)
version	1.11 (2019-08-03)
last changes	2019-08-03
year	2019
description	(no language specified) Implements a command, <code>\newfootnote</code> , that adds footnote levels to standard LaTeX’s footnote mechanism. Footnotes of every additional level are automatically grouped together on a LaTeX2e output page and are separated from other levels by special vertical spaces. The command <code>\newfootnote</code> allows customisation of the way footnotes of additional level are represented in LaTeX2e documents. Two customisation styles are available now: the <code>plain</code> style is the ordinary LaTeX style of footnote representation; the <code>para</code> style causes footnotes to be typeset as a run-in paragraph.

3770 *manyind* – Provides support for many indexes

This package is part of the **ncctools** bundle.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncctools/doc/manyfoot.pdf
– local file	<code>./8575603352-manyfoot.pdf</code>
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncctools/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ncctools
on MikTeX	<code>ncctools</code>
on TeXLive	<code>ncctools</code>
keyword	<code>footnote</code> (footnote support)
see also	see section 1828 on page 1650: (<code>edmac</code> – Typeset critical editions)
see also	see section 3451 on page 3119: (<code>lineno</code> – Line numbers on paragraphs)
see also	see section 3379 on page 3049: (<code>ledmac</code> – Typeset scholarly editions)
see also	see section 4743 on page 4293: (<code>poemscol</code> – Typesetting Critical Editions of Poetry)
see also	see section 1831 on page 1653: (<code>ednotes</code> – Typeset scholarly editions)
see also	see section 730 on page 674: (<code>bigfoot</code> – Footnotes for critical editions)
language(s)	no language specified
last access	2025-02-07

3770 *manyind* – Provides support for many indexes

Web page on CTAN <https://ctan.org/pkg/manyind>

name	<code>manyind</code>
caption	Provides support for many indexes
author	van der Kallen, Wilberd
copyright	Wilberd van der Kallen (2018-2019)
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	(2019-01-28)
last changes	2019-01-28
year	2019

description	(no language specified) This package provides support for many indexes, leaving all the bookkeeping to LaTeX and makeindex . No extra programs or files are needed. One runs <code>latex</code> and <code>makeindex</code> as if there is just one index. In the main file one puts commands like <code>\setindex{main}</code> to steer the flow. Some features of <code>makeindex</code> may no longer work.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/manyind/mind.html
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/manyind/README.md
home page	https://www.staff.science.uu.nl/~kalle101/mind.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/manyind
on MikTeX	<code>manyind</code>
on TeXLive	<code>manyind</code>
keyword	<code>index-multi</code> (multiple indexes in a document)
see also	see section 4127 on page 3735: (<code>multind</code> – Multiple indexes in LaTeX documents)
see also	see section 5643 on page 5109: (<code>splitindex</code> – Unlimited number of indexes)
language(s)	no language specified
last access	2025-02-07

3771 *mapcodes* – Support for multiple character sets and encodings

Web page on CTAN <https://ctan.org/pkg/mapcodes>

name	<code>mapcodes</code>
caption	Support for multiple character sets and encodings
author	Piotrowski, Michael
license	other-nonfree = License that prevents distribution (not free)
version	1.04
description	(no language specified) Mapcodes is an early package covering the same ground as the standard LaTeX inputenc . It provides for input in ISO Latin-1 and -2, IBM codepages 850 and 852, and HP, Macintosh and Atari encodings.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mapcodes
keyword	<code>inputenc</code> (input encoding support for TeX engines)

language(s) no language specified
year without year
last access 2025-02-07

3772 *maple* – Styles and examples for the MAPLE newsletter

Web page on CTAN <https://ctan.org/pkg/maple>

name maple
caption Styles and examples for the MAPLE newsletter
license noinfo = noinfo
version 1.8
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/maple/README>
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/maple>
on MikTeX maple
keyword journalpub (typesetting journals, etc)
language(s) no language specified
year without year
last access 2025-02-07

3773 *marathi* – Typeset Marathi language using XeLaTeX or LuaLaTeX

Web page on CTAN <https://ctan.org/pkg/marathi>

name marathi
caption Typeset Marathi language using XeLaTeX or LuaLaTeX
author निरंजन
copyright निरंजन (2020-2021)
license other-free = Free license not otherwise listed (free)
license fdl = Free Documentation License (free)
license gpl3+ = GNU General Public License, version 3 or newer (free)
version 1.7 (2021-12-16)
last changes 2021-12-16
year 2021

3774 *marcellus* – Marcellus fonts with LaTeX support

description	(no language specified) लुआ-लाटेक् व झी-लाटेक् ह्यांच्यासह मराठीचा सुलभ वापर करण्यासाठी. लाटेक्-वरील मराठीच्या स्थानिकीकरणाचे काम ह्या आज्ञासंचामार्फत केले जाईल. expex व blindtext ह्या आज्ञासंचांचे स्थानिकीकरण तूर्तास ह्या आज्ञासंचामार्फत पुरवले जात आहे. For conveniently typesetting Marathi language with LuaLaTeX and XeLaTeX. This package will provide localizations needed for the Marathi language. Currently the package localizes package blindtext and package expex .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/marathi/README.txt
documentation	(Marathi) <i>Package documentation</i> : https://ctan.org/tex-archive/language/marathi/marathi.pdf
– local file	./9975174640-marathi.pdf
home page	https://puszcza.gnu.org.ua/projects/marathi
contact	<i>support</i> : mailto:marathi-latex@gnu.org.ua
contact	<i>bugs</i> : https://puszcza.gnu.org.ua/bugs/?group=marathi
contact	<i>repository</i> : https://git.gnu.org.ua/marathi.git
on CTAN	https://ctan.org/tex-archive/language/marathi
on MikTeX	marathi
on TeXLive	marathi
keyword	marathi (support for typesetting Marathi)
keyword	indic (support for languages of the Indian subcontinent)
language(s)	Marathi
last access	2025-02-07

3774 *marcellus* – Marcellus fonts with LaTeX support

Web page on CTAN <https://ctan.org/pkg/marcellus>

name	Marcellus
caption	Marcellus fonts with LaTeX support
author	Tennent, Bob
license	ofl = The SIL Open Font License (free)
license	lppl = The LaTeX Project Public License (free)
version	(2022-09-20)
last changes	2022-09-20

year	2022
description	(no language specified) This package provides LaTeX, pdfLaTeX, XeLaTeX and LuaLaTeX support for the Marcellus family of fonts, designed by Brian J. Bonislawsky. Marcellus is a flared-serif family, inspired by classic Roman inscription letterforms. There is currently just a regular weight and small-caps. The regular weight will be silently substituted for bold.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/marcellus/README
documentation	(no language specified) <i>Font samples</i>: https://ctan.org/tex-archive/fonts/marcellus/doc/marcellus-samples.pdf
– local file	<code>./4497767170-marcellus-samples.pdf</code>
home page	https://fonts.google.com/specimen/Marcellus
on CTAN	https://ctan.org/tex-archive/fonts/marcellus
installation	https://ctan.org/tex-archive/install/fonts/marcellus.tds.zip
on MikTeX	<code>marcellus</code>
on T _E XLive	<code>marcellus</code>
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-ttf</code> (font available in TrueType format)
keyword	<code>font-t1enc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font</code> (fonts themselves)
language(s)	no language specified
last access	2025-02-10

3775 *margbib* – Display bibitem tags in the margins

Web page on CTAN <https://ctan.org/pkg/margbib>

name	margbib
caption	Display bibitem tags in the margins
author	Tinnefeld, Karsten
license	gpl = GNU General Public License (free)
version	1.0c
description	(no language specified) The package redefines the ‘thebibliography’ environment to place the citation key into the margin.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/margbib/margbib.pdf
– local file	./2811832150-margbib.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/margbib
on MikTeX	margbib
on TeXLive	margbib
keyword	cite-supp (citation support)
keyword	marginal (marginal notes, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

3776 *marginal* – Extensions to \marginpar handling

Web page on CTAN <https://ctan.org/pkg/marginal>

name	marginal
caption	Extensions to \marginpar handling
author	Tolušis, Sigitas
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2012-05-29)
last changes	2012-05-29
year	2012

description	(no language specified) The package provides the commands • <code>\showlostmarginals</code>, to output lost marginal notes at the left of the page, • <code>\enlargefreelist</code>, to provide more free space for marginals and floats (see also morefloats); and • <code>\onesidemarginals</code>, to force all marginal notes onto the same side of the page, thus leaving space for twice as many notes. The package was formerly part of the sttools bundle and has been withdrawn by the author in June 2015.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/obsolete/macros/latex/contrib/marginal/marginal.pdf
– local file	<code>./3937136752-marginal.pdf</code>
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/marginal
keyword	<code>obsolete</code> (package declared obsolete)
keyword	<code>marginal</code> (marginal notes, etc.)
language(s)	no language specified
last access	2025-02-07

3777 *marginalia* – Non-floating marginal content with automatic placement for LuaLaTeX

Web page on CTAN <https://ctan.org/pkg/marginalia>

name	<code>marginalia</code>
caption	Non-floating marginal content with automatic placement for LuaLaTeX
author	Cain, Alan J.
copyright	Alan J. Cain (2025-2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.83.20 (2026-01-02)
last changes	2026-01-02
year	2026
description	(no language specified) This LuaLaTeX package allows the placement of marginal content anywhere, without <code>\marginpar</code>'s limits, and automatically adjusts positions to prevent overlaps or content being pushed off the page, and offers key–value settings that allow fine-grained customization.

documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/luatex/latex/marginalia/marginalia-doc-ysep-explanation.pdf
– local file	./7503674241-marginalia-doc-ysep-explanation.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/luatex/latex/marginalia/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/luatex/latex/marginalia/marginalia-doc.pdf
– local file	./3740099843-marginalia-doc.pdf
contact	<i>bugs:</i> https://codeberg.org/ajcain/marginalia/issues
contact	<i>repository:</i> https://codeberg.org/ajcain/marginalia
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/marginalia
on MikTeX	marginalia
on T _E XLive	marginalia
keyword	luatex (LuaTeX and packages that require it)
keyword	tagged-pdf (tagged PDF compatible)
keyword	marginal (marginal notes, etc.)
keyword	notes (general notes (not including endnotes or footnotes))
language(s)	no language specified
last access	2026-03-26

3778 *marginfit* – Improved margin notes

Web page on CTAN <https://ctan.org/pkg/marginfit>

name	marginfit
caption	Improved margin notes
author	Leclaire, Maurice
copyright	Maurice Leclaire (2017-2018)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2018-06-08)
last changes	2018-06-08
year	2018

description	(no language specified) This package fixes various bugs with the margin paragraph implementation of LaTeX. Those bugs include margin notes that are attached to the wrong side as well as those that stick out of the bottom of the page. This package provides a drop-in replacement solution.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/marginfit/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/marginfit/marginfit.pdf
– local file	<code>./5682764232-marginfit.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/marginfit
on MikTeX	<code>marginfit</code>
on TeXLive	<code>marginfit</code>
keyword	<code>marginal</code> (marginal notes, etc.)
language(s)	no language specified
last access	2025-02-07

3779 *marginfix* – Patch `\marginpar` to avoid overfull margins

Web page on CTAN <https://ctan.org/pkg/marginfix>

name	<code>marginfix</code>
caption	Patch <code>\marginpar</code> to avoid overfull margins
author	Hicks, Stephen
copyright	Stephen D. Hicks (2010-2020)
license	lppl = The LaTeX Project Public License (free)
version	1.2 (2020-05-06)
last changes	2020-05-06
year	2020

description	(no language specified) Authors using LaTeX to typeset books with significant margin material often run into the problem of long notes running off the bottom of the page. A typical workaround is to insert <code>\vshift</code> commands by hand, but this is a tedious process that is invalidated when pagination changes. Another workaround is <i>memoir</i> 's <code>\sidebar</code> function, but this can be unsatisfying for short textual notes, and standard <code>marginpars</code> cannot be mixed with sidebars. This package implements a solution to make <code>marginpars</code> "just work" by keeping a list of floating inserts and arranging them intelligently in the output routine.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/marginfix/marginfix.pdf
– local file	<code>./3049636439-marginfix.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/marginfix/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/marginfix
on MikTeX	<code>marginfix</code>
on TeXLive	<code>marginfix</code>
keyword	<code>marginal</code> (marginal notes, etc.)
language(s)	no language specified
last access	2025-02-07

3780 *marginnote* – Notes in the margin, even where `\marginpar` fails

Web page on CTAN <https://ctan.org/pkg/marginnote>

name	<code>marginnote</code>
caption	Notes in the margin, even where <code>\marginpar</code> fails
author	Kohm, Markus
copyright	Markus Kohm (2005-2026)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.4d (2026-01-05)
last changes	2026-01-05
year	2026

3781 *marginote* – Make numbered notes in the margin

description	(no language specified) This package provides the command <code>\marginnote</code> that may be used instead of <code>\marginpar</code> at almost every place where <code>\marginpar</code> cannot be used, e.g., inside floats, footnotes, or in frames made with the framed package.
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/marginnote/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/marginnote/marginnote.pdf
– local file	<code>./7821718692-marginnote.pdf</code>
home page	https://codeberg.org/komascript/marginnote
contact	<i>repository</i> : https://codeberg.org/komascript/marginnote.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/marginnote
on MikTeX	<code>marginnote</code>
on T _E XLive	<code>marginnote</code>
keyword	notes (general notes (not including endnotes or footnotes))
keyword	tagged-pdf-incompatible (tagged PDF incompatible)
language(s)	no language specified
last access	2026-03-26

3781 *marginote* – Make numbered notes in the margin

Web page on CTAN	https://ctan.org/pkg/marginnote
name	<code>marginnote</code>
caption	Make numbered notes in the margin
author	Greenwade, George
license	<code>noinfo = noinfo</code>
version	2.0
description	(no language specified) The package places its argument the margin, ‘numbering’ it using <code>\fnsymbol</code> sequence. The same effect may be achieved using the footmisc package with the <code>marginal</code> option
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/marginote.sty

keyword	notes (general notes (not including endnotes or footnotes))
language(s)	no language specified
year	without year
last access	2026-03-26

3782 *maritime* – International maritime signal flags using TikZ

Web page on CTAN <https://ctan.org/pkg/maritime>

name	maritime
caption	International maritime signal flags using TikZ
author	Davis, Neal E.
copyright	Sigilante (2025)
license	mit = MIT License (free)
version	1.0 (2025-02-15)
last changes	2025-02-15
year	2025
description	(no language specified) This package provides LaTeX commands for drawing international maritime signal flags using TikZ (A-Z, NATO 0-9).
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/maritime/doc/maritime-doc.pdf
– local file	./8980354504-maritime-doc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/maritime/README.md
contact	<i>repository:</i> https://github.com/sigilante/maritime
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/maritime
on T _E XLive	maritime
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	graphics (graphics (support packages))
language(s)	no language specified
last access	2025-02-23

3783 *markdown* – Converting and rendering markdown documents inside TeXWeb page on CTAN <https://ctan.org/pkg/markdown>

name	markdown
caption	Converting and rendering markdown documents inside TeX
author	Starý Novotný, Vít
copyright	John MacFarlane, Hans Hagen (2009-2016)
copyright	Vít Starý Novotný, Andrej Genčur (2016-2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.15.0-0-g58d7bf4d (2026-04-08)
last changes	2026-04-08
year	2026
description	(no language specified) The package provides facilities for the conversion of markdown and YAML markup to plain TeX. These are provided both in form of a Lua module and in form of plain TeX, LaTeX, and ConTeXt macro packages that enable the direct inclusion of markdown and YAML documents inside TeX documents.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/markdown/README.md
documentation	(no language specified) <i>User Manual (HTML)</i> : https://ctan.org/tex-archive/macros/generic/markdown/markdown.html
documentation	(no language specified) <i>Technical documentation</i> : https://ctan.org/tex-archive/macros/generic/markdown/markdown.pdf
– local file	./9235578826-markdown.pdf
contact	<i>announce</i> : https://github.com/Witiko/markdown/releases
contact	<i>bugs</i> : https://github.com/Witiko/markdown/issues
contact	<i>repository</i> : https://github.com/Witiko/markdown
contact	<i>development</i> : https://github.com/Witiko/markdown/pulls
on CTAN	https://ctan.org/tex-archive/macros/generic/markdown
installation	https://ctan.org/tex-archive/install/macros/generic/markdown.tds.zip
on MikTeX	markdown
on T _E XLive	markdown
keyword	markup (alternative markup scheme)

language(s) no language specified
last access 2026-04-17

3784 *marnote* – Place text in the margin of a document

Web page on CTAN <https://ctan.org/pkg/marnote>

name *marnote*
caption Place text in the margin of a document
author McCauley, James Darrell
license noinfo = noinfo
version 0.1
description (no language specified) The package rotates a text (using *dvips* commands) and places it in the margin of a document. The position of the margin is assumed, rather than calculated, so the package will not work with other than the author's original paper size (presumably letter). A command for writing a pale "DRAFT" diagonally across a page, is also provided.

The package apparently relies on PostScript code from the *psfig* bundle.
on CTAN <https://ctan.org/tex-archive/macros/latex209/contrib/misc/marnote.sty>
keyword editorial (editor's marks, highlights, etc.)
language(s) no language specified
year without year
last access 2026-03-26

3785 *marvosym* – Martin Vogel's Symbols (*marvosym*) font

Web page on CTAN <https://ctan.org/pkg/marvosym>

name *marvosym*
caption Martin Vogel's Symbols (*marvosym*) font
author Miklavec, Mojca
author Vogel, Martin
author Henlich, Thomas
license ofl = The SIL Open Font License (free)
version 2.2a

description	(no language specified) Martin Vogel’s Symbol font (marvosym) contains the Euro currency symbol as defined by the European commission, along with symbols for structural engineering; symbols for steel cross-sections; astronomy signs (sun, moon, planets); the 12 signs of the zodiac; scissor symbols; CE sign and others. The package contains both the original TrueType font and the derived Type 1 font, together with support files for TeX (LaTeX).
documentation	(no language specified) <i>Font tables, etc.:</i> https://ctan.org/tex-archive/fonts/marvosym/doc/fonts/marvosym/marvodoc.pdf
– local file	./8543831387-marvodoc.pdf
documentation	(no language specified) <i>README:</i> https://ctan.org/tex-archive/fonts/marvosym/README
home page	http://www.marvosym.de
on CTAN	https://ctan.org/tex-archive/fonts/marvosym
on MikTeX	marvosym
on T _E XLive	marvosym
keyword	tagged-pdf-partially (tagged PDF partially compatible)
keyword	font-ttf (font available in TrueType format)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-symbol (fonts that provide collections of symbols)
keyword	font (fonts themselves)
language(s)	no language specified
year	without year
last access	2026-03-26

3786 *matapli* – Class for the french journal “MATAPLI”

Web page on CTAN	https://ctan.org/pkg/matapli
name	matapli
caption	Class for the french journal “MATAPLI”
author	Chupin, Maxime
copyright	Maxime Chupin (2021)

license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2.0 (2022-03-11)
last changes	2022-03-11
year	2022
description	(no language specified) This is a class for the french journal ”MATAPLI” of the <i>Société de Mathématiques Appliquées et Industrielles</i> (SMAI).
documentation	(French) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/matapli/doc/examples/modeleauteur/modele.pdf
– local file	./5121891989-modele.pdf
documentation	(French) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/matapli/doc/examples/couverture/couvertureModele.pdf
– local file	./3605489767-couvertureModele.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/matapli/README.md
documentation	(French) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/matapli/doc/matapli-doc.pdf
– local file	./9057888246-matapli-doc.pdf
home page	https://plmlab.math.cnrs.fr/mchupin/matapli
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/matapli
on MikTeX	matapli
on T _E XLive	matapli
keyword	expl3 (expl3(unknown))
keyword	class (alternative LaTeX class(es))
keyword	french (support for typesetting French)
keyword	journalpub (typesetting journals, etc)
language(s)	French
last access	2025-02-07

3787 `matc3` – Commands for MatematicaC3 textbooks

Web page on CTAN <https://ctan.org/pkg/matc3>

name	<code>matc3</code>
caption	Commands for MatematicaC3 textbooks
author	Vrettos, Dimitrios
copyright	Dimitrios Vrettos (2013)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0.1
description	(no language specified) The package provides support for the Matematica C3 project to produce free mathematical text books for use in Italian high schools.
documentation	<i>Package documentation (in Italian):</i> https://ctan.org/tex-archive/macros/latex/contrib/matc3/matc3.pdf
– local file	<code>./7671234746-matc3.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/matc3/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/matc3
on MikTeX	<code>matc3</code>
on T _E XLive	<code>matc3</code>
keyword	<code>maths</code> (support for typesetting mathematics)
see also	see section 3788 on page 3425: (<code>matc3mem</code> – Class for MatematicaC3 textbooks)
language(s)	Italian
year	2013
last access	2025-02-07

3788 *matc3mem* – Class for MatematicaC3 textbooks

Web page on CTAN <https://ctan.org/pkg/matc3mem>

name	<code>matc3mem</code>
caption	Class for MatematicaC3 textbooks
author	Vrettos, Dimitrios
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1
description	(no language specified) The class is a development of memoir , with additions (specifically, mathematical extensions) that provide support for writing the books for the Matematica C3 project to produce free mathematical textbooks for use in Italian high schools.
documentation	<i>Package documentation (in Italian):</i> https://ctan.org/tex-archive/macros/latex/contrib/matc3mem/matc3mem.pdf
– local file	<code>./6308241752-matc3mem.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/matc3mem/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/matc3mem
on MikTeX	<code>matc3mem</code>
on T _E XLive	<code>matc3mem</code>
keyword	<code>maths</code> (support for typesetting mathematics)
see also	see section 3787 on page 3424 : (<code>matc3</code> – Commands for MatematicaC3 textbooks)
language(s)	Italian
year	without year
last access	2025-02-07

3789 *match_parens* – Find mismatches of parentheses, braces, (angle) brackets, in texts

Web page on CTAN https://ctan.org/pkg/match_parens

name	<i>match_parens</i>
caption	Find mismatches of parentheses, braces, (angle) brackets, in texts
author	Dekker, Wybo H.
copyright	Wybo Dekker (2009-2023)
license	gpl = GNU General Public License (free)
version	1.44
description	(no language specified) Mismatches of parentheses, braces, (angle) brackets, especially in TeX sources which may be rich in those, may be difficult to trace. This little Ruby script helps you by writing your text to standard output, after adding a left margin to your text, which will normally be almost empty, but will clearly show any mismatches.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/match_parens/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/match_parens/match_parens.pdf
– local file	<code>./7703190411-match_parens.pdf</code>
on CTAN	https://ctan.org/tex-archive/support/match_parens
on T _E XLive	<i>match_parens</i>
keyword	debug-supp (support for package or document debugging)
language(s)	no language specified
year	2023
last access	2025-02-07

3790 *math-e* – Examples from the book Typesetting Mathematics with LaTeX

Web page on CTAN <https://ctan.org/pkg/math-e>

name	<i>math-e</i>
caption	Examples from the book Typesetting Mathematics with LaTeX
author	Voß, Herbert
copyright	Herbert Voß (2010)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)

version	(2010-10-11)
last changes	2010-10-11
year	2010
description	(no language specified) The bundle contains all the examples from the (English) book "Typesetting Mathematics with LaTeX" (UIT Press, Cambridge, 2010). The examples are stand alone documents and may be separately processed with LaTeX or pdfLaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/examples/Math-E/README
on CTAN	https://ctan.org/tex-archive/info/examples/Math-E
keyword	book-ex (copies of examples from a published book)
language(s)	no language specified
last access	2026-04-13

3791 *math-into-latex-4 – Samples from Math into LaTeX, 4th Edition*

Web page on CTAN <https://ctan.org/pkg/math-into-latex-4>

name	math-into-latex-4
caption	Samples from Math into LaTeX, 4th Edition
author	Grätzer, George
license	other-free = Free license not otherwise listed (free)
description	(no language specified) Samples for the book 'More Math into LaTeX', 4th edition. In addition, there are two excerpts from the book: • A Short Course to help you get started quickly with LaTeX, including detailed instructions on how to install LaTeX on a PC or a Mac; • Math and Text Symbol Tables.
documentation	(no language specified) <i>Short Course and Installation Instructions</i> : https://ctan.org/tex-archive/info/Math_into_LaTeX-4/Short_Course.pdf
– local file	./3107345367-Short_Course.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/examples/Math_into_LaTeX-4/README

documentation	(no language specified) <i>Math and Text Symbol Tables</i> : https://ctan.org/tex-archive/info/examples/Math_into_LaTeX-4/SymbolTables.pdf
– local file	<code>./3168958047-SymbolTables.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/examples/Math_into_LaTeX-4
on T _E XLive	<code>math-into-latex-4</code>
keyword	<code>book-ex</code> (copies of examples from a published book)
language(s)	no language specified
year	without year
last access	2025-02-07

3792 *math-operator* – Predefined and new math operators

Web page on CTAN	https://ctan.org/pkg/math-operator
name	<code>math-operator</code>
caption	Predefined and new math operators
author	Kosowsky, Conrad
copyright	Conrad Kosowsky (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3a (2025-09-10)
last changes	2025-09-10
year	2025
description	(no language specified) This package defines control sequences for roughly one hundred and fifty math operators, including special functions, probability distributions, pure mathematical constructions, and a variant of <code>\overline</code>. The package also provides an interface for users to define new math operators similar to the amsopn package. New operators can be medium or bold weight, and they may be declared as <code>\mathord</code> or <code>\mathop</code> subformulas.
documentation	(no language specified) <i>Code implementation</i>: https://ctan.org/tex-archive/macros/latex/contrib/math-operator/math-operator-code.pdf
– local file	<code>./7575494029-math-operator-code.pdf</code>

documentation	(no language specified) <i>User guide</i> : https://ctan.org/tex-archive/macros/latex/contrib/math-operator/math-operator-user-guide.pdf
– local file	./9422766800-math-operator-user-guide.pdf
documentation on CTAN	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/math-operator/README.txt https://ctan.org/tex-archive/macros/latex/contrib/math-operator
on MikTeX	math-operator
on TeXLive	math-operator
keyword	maths (support for typesetting mathematics)
keyword	maths-symbol (construction or application of mathematical symbols)
language(s)	no language specified
last access	2025-09-11

3793 *mathabx* – Three series of mathematical symbols

Web page on CTAN	https://ctan.org/pkg/mathabx
name	mathabx
caption	Three series of mathematical symbols
author	Phan, Anthony
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Mathabx is a set of 3 mathematical symbols font series: matha, mathb and mathx. They are defined by Metafont code and should be of reasonable quality (bitmap output). Things change from time to time, so there is no claim of stability (encoding, metrics, design). The package includes Plain TeX and LaTeX support macros. A version of the fonts, in Adobe Type 1 format , is also available.
documentation	(no language specified) <i>Package documentation, including font lists</i> : https://ctan.org/tex-archive/fonts/mathabx/mathtest.pdf
– local file	./6251075835-mathtest.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/mathabx/README
home page	http://www-math.univ-poitiers.fr/~phan/
on CTAN	https://ctan.org/tex-archive/fonts/mathabx

on MikTeX	<code>mathabx</code>
on T _E XLive	<code>mathabx</code>
keyword	<code>font-symbol-maths</code> (collections of mathematical symbols)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
language(s)	no language specified
year	without year
last access	2025-02-07

3794 *mathabx-type1* – Outline version of the *mathabx* fonts

Web page on CTAN <https://ctan.org/pkg/mathabx-type1>

name	<code>mathabx-type1</code>
caption	Outline version of the <i>mathabx</i> fonts
author	Hotta, Kohsaku
license	lppl = The LaTeX Project Public License (free)
version	(2011-01-19)
last changes	2011-01-19
year	2011
description	(no language specified) This is an Adobe Type 1 outline version of the <i>mathabx</i> fonts.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/ps-type1/mathabx/README
on CTAN	https://ctan.org/tex-archive/fonts/ps-type1/mathabx
on MikTeX	<code>mathabx-type1</code>
on T _E XLive	<code>mathabx-type1</code>
keyword	<code>font-symbol-maths</code> (collections of mathematical symbols)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
see also	see section 3793 on page 3429: (<i>mathabx</i> – Three series of mathematical symbols)
language(s)	no language specified
last access	2025-02-07

3795 mathador – LaTeX commands for the French game “Mathador”Web page on CTAN <https://ctan.org/pkg/mathador>name `mathador`

caption LaTeX commands for the French game “Mathador”

author Pierquet, Cédric

license other-free = Free license not otherwise listed (free)

license lpl1.3c = The LaTeX Project Public License 1.3c (free)

version 0.1.1 (2025-09-24)

last changes 2025-09-24

year 2025

description (no language specified) This is a LaTeX package with graphic commands for the French game MATHADOR (by author Éric Trouillet and Réseau CANOPÉ).

The principle of the game is like this:

- Roll the dice!
- They give you one target number (between 0 and 99) and five numbers to use to reach it.
- You can use the four arithmetic operations to get there.

documentation (French) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/mathador/doc/mathador-doc.pdf>

– local file `./7380936574-mathador-doc.pdf`

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/mathador/README.md>

contact *bugs*: <https://github.com/cpierquet/latex-packages/issues>

contact *repository*: <https://github.com/cpierquet/latex-packages/tree/main/mathador>

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/mathador>

on T_EXLive `mathador`

keyword `graphics` (graphics (support packages))

keyword `games` (process game diagrams, gamebooks, and other amusements)

keyword `pgf-tikz` (package uses PGF-TikZ)

language(s) French
last access 2025-10-01

3796 *mathalpha* – General package for loading maths alphabets in LaTeX

Web page on CTAN <https://ctan.org/pkg/mathalpha>

Alias mathalfa
name mathalpha
caption General package for loading maths alphabets in LaTeX
author Sharpe, Michael
copyright Michael Sharpe (2012-2021)
license lpl1.3c = The LaTeX Project Public License 1.3c (free)
version 1.145 (2025-01-17)
last changes 2025-01-17
year 2025
description (no language specified) Package mathalfa was renamed to mathalpha. For backward compatibility the old name will continue to be recognized in LaTeX documents.

The package provides means of loading maths alphabets (such as are normally addressed via macros `\mathcal`, `\mathbb`, `\mathfrak` and `\mathscr`), offering various features normally missing in existing packages for this job.
documentation (no language specified) *Package documentation*:
<https://ctan.org/tex-archive/macros/latex/contrib/mathalpha/doc/mathalpha-doc.pdf>
– local file ./3632879921-mathalpha-doc.pdf
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/mathalpha/README>
documentation (no language specified) *TUGboat paper about the package*:
<http://www.tug.org/TUGboat/tb32-2/tb101sharpe.pdf>
– local file ./7625284147-tb101sharpe.pdf
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/mathalpha>
on MikTeX mathalpha
on T_EXLive mathalpha
keyword maths (support for typesetting mathematics)

language(s) no language specified
last access 2025-02-07

3797 *mathalphabets* – Chinese introduction to mathematical alphabets

Web page on CTAN <https://ctan.org/pkg/mathalphabets>

name *mathalphabets*
caption Chinese introduction to mathematical alphabets
author Chao, Conden
copyright Conden Chao (2021-2022)
license nocommercial = No Commercial Use (not free)
version 4.0 (2022-06-24)
last changes 2022-06-24
year 2022
description (no language specified) This is a Chinese introduction to mathematical alphabets including Greek alphabets, and Latin alphabets in script, calligraphic, fraktur, double stroke and blackboard bold fonts, and Hebrew alphabets. Furthermore, we will give some advice on how to use and read them.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/info/mathalphabets/README.md>
documentation (Chinese) *The document itself*: <https://ctan.org/tex-archive/info/mathalphabets/mathalphabets.pdf>
– local file ./8655136238-mathalphabets.pdf
on CTAN <https://ctan.org/tex-archive/info/mathalphabets>
keyword chinese-doc (documentation in Chinese languages)
keyword tutorial (tutorial material (general))
keyword documentation (‘stand-alone’ documentation)
language(s) Chinese
last access 2025-02-07

3798 *mathastext* – Use the text font in maths mode

Web page on CTAN <https://ctan.org/pkg/mathastext>

name	mathastext
caption	Use the text font in maths mode
author	Burnol, Jean-François
copyright	Jean-François Burnol (2011-2019, 2022-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.4e (2024-10-26)
last changes	2024-10-26
year	2024
description	(no language specified) The package uses a text font (usually the document's text font) for the letters of the Latin alphabet needed when typesetting mathematics. (Optionally, other characters in the font may also be used). This facility makes possible (for a document with simple mathematics) a far wider choice of text font, with little worry that no specially designed accompanying maths fonts are available. The package also offers a simple mechanism for using many different choices of (text hence, now, maths) font in the same document. Of course, using one font for two purposes helps produce smaller PDF files.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mathastext/mathastext.pdf
– local file	./6223244958-mathastext.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mathastext/README.md
documentation	(no language specified) <i>Showcase</i> : http://jf.burnol.free.fr/showcase.html
home page	http://jf.burnol.free.fr/mathastext.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mathastext
on MikTeX	mathastext
on T _E XLive	mathastext
keyword	maths (support for typesetting mathematics)
keyword	font-supp-maths (metrics, macro incantations and other support for maths fonts)
keyword	font-sel (font selection schemes)

language(s) no language specified
last access 2025-02-07

3799 *mathbbol* – Use the *bbold* fonts in mathematics

Web page on CTAN <https://ctan.org/pkg/mathbbol>

name *mathbbol*
caption Use the *bbold* fonts in mathematics
author Knappen, Jörg
copyright Jörg Knappen (1995, 1996)
license gpl = GNU General Public License (free)
version (1995-01-01)
last changes 1995-01-01
year 1995
description (no language specified) Macros for using the *bbold* fonts (including some related symbols taken from the *stmaryd* fonts). The package itself needs two *.fd* files (to be found in the downloaded directory) to operate.
The file is part of [Jörg Knappen's collection](#) .
documentation (no language specified) *Package Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/jknappen/mathbbol.rme>
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/jknappen>
on MikTeX jknappen
on T_EXLive jknapltx
keyword font-supp-maths (metrics, macro incantations and other support for maths fonts)
language(s) no language specified
last access 2025-02-07

3800 mathcmd – Mathematics support commandsWeb page on CTAN <https://ctan.org/pkg/mathcmd>

name	mathcmd
caption	Mathematics support commands
author	Bosisio, Francesco
copyright	F. Bosisio (1997-2010)
license	lpl = The LaTeX Project Public License (free)
version	2.2
description	(no language specified) The package provides refinements of the commands for typesetting integrals, sums, derivatives, limits and vector operators. The package is part of the bosisio bundle.
documentation	(no language specified) <i>Package documentation (PDF)</i> : https://ctan.org/tex-archive/macros/latex/contrib/bosisio/mathcmd.pdf
– local file	./7052176842-mathcmd.pdf
documentation	(no language specified) <i>Package documentation (HTML)</i> : https://ctan.org/tex-archive/macros/latex/contrib/bosisio/mathcmd.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bosisio
keyword	font-supp-maths (metrics, macro incantations and other support for maths fonts)
language(s)	no language specified
year	2010
last access	2025-02-07

3801 mathcommand – \newcommand-like commands for defining math macrosWeb page on CTAN <https://ctan.org/pkg/mathcommand>

name	mathcommand
caption	\newcommand-like commands for defining math macros
author	Colcombet, Thomas
copyright	Thomas Colcombet (2019-2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)

version	1.04 (2021-06-07)
last changes	2021-06-07
year	2021
description	(no language specified) This package provides functionalities for defining macros 1. that have different behaviors depending on whether in math or text mode, 2. that absorb Primes, Indices and Exponents (PIE) as extra parameters usable in the code; and 3. it offers some iteration facilities for defining macros with similar code. The primary objective of this package is to be used together with the knowledge package for a proper handling of mathematical notations.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/mathcommand/mathcommand.pdf
– local file	<code>./6430528942-mathcommand.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/mathcommand/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mathcommand
on MikTeX	mathcommand
on TeXLive	mathcommand
keyword	maths (support for typesetting mathematics)
keyword	macro-def (alternative ways of defining macros)
keyword	expl3 (expl3(unknown))
keyword	macro-iterate (repeat TeX material)
language(s)	no language specified
last access	2025-02-07

3802 *mathcomp* – Text symbols in maths mode

Web page on CTAN <https://ctan.org/pkg/mathcomp>

name	mathcomp
caption	Text symbols in maths mode
author	Böb, Tilmann
copyright	Tilmann Böb (1996-2001)
license	lppl = The LaTeX Project Public License (free)
version	0.1f
description	(no language specified) A package which provides access to some interesting characters of the Text Companion fonts (TS1 encoding) in maths mode.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mathcomp/mathcomp.pdf
– local file	./8964391931-mathcomp.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mathcomp
on MikTeX	mathcomp
on T _E XLive	mathcomp
keyword	font-supp-maths (metrics, macro incantations and other support for maths fonts)
see also	see section 6039 on page 5458: (textcomp – LaTeX support for the Text Companion fonts)
language(s)	no language specified
year	2001
last access	2025-02-07

3803 *mathdesign* – Mathematical fonts to fit with particular text fonts

Web page on CTAN <https://ctan.org/pkg/mathdesign>

name	mathdesign
caption	Mathematical fonts to fit with particular text fonts
author	Pichaureau, Paul
copyright	Paul Pichaureau for the MathDesign Project (2003, 2012)
license	gpl = GNU General Public License (free)

version	2.31
description	(no language specified) The Math Design project offers free mathematical fonts that match with existing text fonts. To date, three free font families are available: Adobe Utopia, URW Garamond and Bitstream Charter. Three commercial fonts are also supported: Adobe Garamond Pro, Adobe UtopiaStd and ITC Charter. Mathdesign covers the whole LaTeX glyph set, including AMS symbols and some extra. Both roman and bold versions of these symbols can be used. Moreover you can choose between three greek fonts (two of them created by the Greek Font Society).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/mathdesign/doc/mathdesign-doc.pdf
– local file	<code>./5942378444-mathdesign-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/mathdesign
installation	https://ctan.org/tex-archive/install/fonts/mathdesign.tds.zip
on MikTeX	<code>mathdesign</code>
on T _E XLive	<code>mathdesign</code>
keyword	<code>font-maths</code> (fonts for use in mathematics)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-supp-maths</code> (metrics, macro incantations and other support for maths fonts)
see also	see section 2363 on page 2141: (<code>fourier</code> – Using Utopia fonts in LaTeX documents)
language(s)	no language specified
year	2012
last access	2025-02-07

3804 mathdots – Commands to produce dots in math that respect font size

Web page on CTAN <https://ctan.org/pkg/mathdots>

name	mathdots
caption	Commands to produce dots in math that respect font size
author	Luecking, Daniel H.
copyright	Daniel H. Luecking (2001-2014)
license	lppl = The LaTeX Project Public License (free)
version	0.9
description	(no language specified) Redefines <code>\ddots</code> and <code>\vdots</code> , and defines <code>\iddots</code> . The dots produced by <code>\iddots</code> slant in the opposite direction to <code>\ddots</code> . All the commands are designed to change size appropriately in scripts, as well as in response to LaTeX size changing commands. The commands may also be used in plain TeX.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/mathdots/mathdots.pdf
– local file	<code>./7879214398-mathdots.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/mathdots/README
on CTAN	https://ctan.org/tex-archive/macros/generic/mathdots
installation	https://ctan.org/tex-archive/install/macros/generic/mathdots.tds.zip
on MikTeX	genmisc
on TeXLive	mathdots
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	2014
last access	2025-02-07

3805 *mathematica* – Support for fonts distributed with MathematicaWeb page on CTAN <https://ctan.org/pkg/mathematica>

name	<code>mathematica</code>
caption	Support for fonts distributed with Mathematica
author	Kuska, Jens-Peer
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Virtual TeX fonts that can be used with the PostScript fonts distributed with Mathematica 3.0. The archives use a TDS conforming directory structure. A style file for LaTeX2e is included, that enables use of the fonts and the new symbols from LaTeX2e.
on CTAN	https://ctan.org/tex-archive/fonts/psfonts/Mathematica3.0
on MikTeX	<code>mathematica</code>
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year
last access	2025-02-07

3806 *mathesatz-examples* – Examples from the book “Mathematiksatz mit LaTeX”Web page on CTAN <https://ctan.org/pkg/mathesatz-examples>

name	<code>mathesatz-examples</code>
caption	Examples from the book “Mathematiksatz mit LaTeX”
author	Voß, Herbert
copyright	Herbert Voß (2018-2023)
license	lppl = The LaTeX Project Public License (free)
version	3
description	(no language specified) The bundle all the examples from the extended German version of the well-established Math mode , named “Mathematiksatz mit LaTeX”, available as a book and published in the DANTE Edition series. A PDF version of each of the (many) examples in the directory is provided.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/examples/Math/README

on CTAN	https://ctan.org/tex-archive/info/examples/Math
keyword	book-ex (copies of examples from a published book)
language(s)	no language specified
year	2023
last access	2026-04-13

3807 *mathexam* – Package for typesetting exams

Web page on CTAN <https://ctan.org/pkg/mathexam>

name	mathexam
caption	Package for typesetting exams
author	Hlavacek, Jan
copyright	Jan Hlavacek (2007)
license	lpl = The LaTeX Project Public License (free)
version	1.00
description	(no language specified) The package can help you typeset exams (mostly in mathematics and related disciplines where students are required to show their calculations followed by one or more short answers). It provides commands for inclusion of space for calculations, as well as commands for automatic creation of "answer spaces". In addition, the package will automatically create page headers and footers, and will let you include instructions and space for students to put their name.
documentation	(no language specified) <i>Sample exam</i> : https://ctan.org/tex-archive/macros/latex/contrib/mathexam/doc/sample.pdf
– local file	./6112509458-sample.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mathexam/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mathexam/doc/mathexam.pdf
– local file	./4245769009-mathexam.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mathexam
on MikTeX	mathexam
on T _E XLive	mathexam

keyword	exam (exams, quizzes, etc.)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	2007
last access	2025-02-07

3808 *mathfam256* – Extend math family up to 256 for pLaTeX/upLaTeX/Lamed

Web page on CTAN <https://ctan.org/pkg/mathfam256>

name	mathfam256
caption	Extend math family up to 256 for pLaTeX/upLaTeX/Lamed
author	Yamashita, Hironobu
copyright	Hironobu Yamashita (2016-2018)
license	bsd3 = 3-clause BSD License (free)
version	0.5 (2020-01-23)
last changes	2020-01-23
year	2020
description	(no language specified) This package increases the upper limit of math symbols up to 256, using <code>\omath...</code> primitives. These primitives were originally introduced in Omega and are currently available in the following formats: • pLaTeX (runs on e-pTeX), • upLaTeX (runs on e-upTeX), • Lamed (runs on Aleph , successor of Omega).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mathfam256/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mathfam256/mathfam256.pdf
– local file	<code>./8568268815-mathfam256.pdf</code>
contact	<i>repository</i> : https://github.com/aminophen/mathfam256
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mathfam256
on MikTeX	mathfam256

on T _E XLive	mathfam256
keyword	etex (requires e-TeX)
keyword	japanese (support for typesetting Japanese)
keyword	maths (support for typesetting mathematics)
keyword	omega (Omega and packages that use it)
language(s)	no language specified
last access	2025-02-07

3809 *mathfixs* – Fix various layout issues in math mode

Web page on CTAN <https://ctan.org/pkg/mathfixs>

name	mathfixs
caption	Fix various layout issues in math mode
author	Beisert, Niklas
copyright	Niklas Beisert (2018-2024)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.12 (2024-11-18)
last changes	2024-11-18
year	2024
description	(no language specified) This is a LaTeX2e package to fix some odd behaviour in math mode such as spacing around fractions and roots, math symbols within bold text as well as capital Greek letters. It also adds some related macros.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mathfixs/mathfixs.pdf
– local file	./8617156713-mathfixs.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mathfixs/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mathfixs
on MikT _E X	mathfixs
on T _E XLive	mathfixs
keyword	bugfix (correct a problem, ahead of the “proper” fix)
keyword	maths (support for typesetting mathematics)

language(s) no language specified
last access 2025-02-07

3810 *mathfont* – Use TrueType and OpenType fonts in math mode

Web page on CTAN <https://ctan.org/pkg/mathfont>

name *mathfont*
caption Use TrueType and OpenType fonts in math mode
author Kosowsky, Conrad
copyright Conrad Kosowsky (2018, 2019, 2021-2023, 2025, 2026)
license lpl1.3c = The LaTeX Project Public License 1.3c (free)
version 3.0a (2026-02-07)
last changes 2026-02-07
year 2026
description (no language specified) The *mathfont* package adapts unicode text fonts for math mode. The package allows the user to specify a default unicode font for different classes of math symbols, and it enables Unicode input in math mode. The package provides tools to change the font locally for math alphabet characters. When typesetting with LuaTeX, *mathfont* adds resizable delimiters, big operators, and a *MathConstants* table to text fonts.
documentation (no language specified) *User guide*: <https://ctan.org/tex-archive/macros/unicodetex/latex/mathfont/mathfont-user-guide.pdf>
– local file ./9799007817-mathfont-user-guide.pdf
documentation (no language specified) *Symbol list*:
<https://ctan.org/tex-archive/macros/unicodetex/latex/mathfont/mathfont-symbol-list.pdf>
– local file ./9920869509-mathfont-symbol-list.pdf
documentation (no language specified) *Example with Roboto*:
<https://ctan.org/tex-archive/macros/unicodetex/latex/mathfont/mathfont-example-roboto.pdf>
– local file ./1677200703-mathfont-example-roboto.pdf
documentation (no language specified) *Example with Kelvinch*:
<https://ctan.org/tex-archive/macros/unicodetex/latex/mathfont/mathfont-example-kelvinch.pdf>
– local file ./7831443471-mathfont-example-kelvinch.pdf

3811 *mathgifs* – Support for Microsoft Georgia and ITC Franklin Gothic

documentation	(no language specified) <i>Code implementation</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/mathfont/mathfont-code.pdf
– local file	<code>./8207347432-mathfont-code.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/mathfont/README.txt
documentation	(no language specified) <i>Example with Cormorant</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/mathfont/mathfont-example-cormorant.pdf
– local file	<code>./8074122190-mathfont-example-cormorant.pdf</code>
documentation	(no language specified) <i>Example with Typey</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/mathfont/mathfont-example-typey.pdf
– local file	<code>./4277741435-mathfont-example-typey.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/mathfont
on MikTeX	mathfont
on TeXLive	mathfont
keyword	maths (support for typesetting mathematics)
keyword	font-use (font selection, mapping, etc.)
keyword	font-mgmt (management of fonts)
language(s)	no language specified
last access	2026-03-26

3811 *mathgifs* – Support for Microsoft Georgia and ITC Franklin Gothic

Web page on CTAN	https://ctan.org/pkg/mathgifs
name	mathgifs
caption	Support for Microsoft Georgia and ITC Franklin Gothic
author	Veytsman, Boris
copyright	Boris Veytsman (2009)
license	other-free = Free license not otherwise listed (free)
version	0.4

description	(no language specified) The package offers LaTeX support for Microsoft Georgia and ITC Franklin Gothic fonts. Support is available both for text and mathematics. The fonts are supplied, for example, with Microsoft Windows distributions. The distributed fonts are available in TrueType format; to use the package, a user must translate the fonts to Type 1 format (using, for example, <code>ttf2pt1</code>). The maths support is very preliminary: much work remains on individual kerning and glyph placement
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/mathgifs/mathgifs.pdf
– local file	<code>./4245962434-mathgifs.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/mathgifs/README
documentation	(no language specified) <i>Samples of both font families</i>: https://ctan.org/tex-archive/fonts/mathgifs/sample.pdf
– local file	<code>./3524498532-sample.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/mathgifs
installation	https://ctan.org/tex-archive/install/fonts/mathgifs.tds.zip
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-supp-maths</code> (metrics, macro incantations and other support for maths fonts)
see also	see section 6697 on page 6044: (<code>Winfonts</code> – Use fonts distributed with Windows XP)
language(s)	no language specified
year	2009
last access	2026-03-26

3812 *mathgreek*s – Use different Greek letter fonts in math mode

Web page on CTAN <https://ctan.org/pkg/mathgreek>

name	<code>mathgreek</code> s
caption	Use different Greek letter fonts in math mode
author	Missier, Antoine
copyright	Antoine Missier (2024)

license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2 (2024-05-07)
last changes	2024-05-07
year	2024
description	(no language specified) The purpose of this package is to provide access to numerous Greek letter fonts for math mode, without altering other mathematical characters and symbols and without loading whole extensions that provide these fonts. Moreover, the chosen font or shape can be changed dynamically throughout the document.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mathgreeks/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mathgreeks/mathgreeks.pdf
– local file	./1351362083-mathgreeks.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mathgreeks
on MikTeX	mathgreeks
on TeXLive	mathgreeks
keyword	font-supp-maths (metrics, macro incantations and other support for maths fonts)
language(s)	no language specified
last access	2025-02-07

3813 mathinst – Merge font families to create mathematical font sets

Web page on CTAN <https://ctan.org/pkg/mathinst>

name	mathinst
caption	Merge font families to create mathematical font sets
author	Hoenig, Alan
license	gpl = GNU General Public License (free)
description	(no language specified) A set of Perl and fontinst scripts to integrate mathematical fonts for use by (La)TeX using a family of Roman types and a set of raw math fonts (such as Euler, or the commercial MathTime or Lucida New Math fonts). All fonts are properly scaled for compatibility with the Roman fonts.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/utilities/mathinst/README
on CTAN	https://ctan.org/tex-archive/fonts/utilities/mathinst
keyword	font-proc (process fonts for use with TeX (includes installation))
language(s)	no language specified
year	without year
last access	2025-02-07

3814 *mathkit* – Generate maths fonts to match outline fonts

Web page on CTAN <https://ctan.org/pkg/mathkit>

name	mathkit
caption	Generate maths fonts to match outline fonts
author	Hoenig, Alan
license	gpl = GNU General Public License (free)
version	0.7
description	(no language specified) Creates Metafont for maths fonts that match Adobe Type 1 fonts (Times, Palatino, and others) for typesetting mathematics with TeX. The output also includes Plain TeX and LaTeX macros for using the fonts. The bundle includes parameters for building fonts to match Adobe Times Roman and Palatino, and Monotype Baskerville.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/utilities/mathkit/readme
on CTAN	https://ctan.org/tex-archive/fonts/utilities/mathkit
keyword	font-devel (support for font development, testing and characterisation)
language(s)	no language specified
year	without year
last access	2025-02-07

3815 *mathlig* – Define maths “ligatures”

Web page on CTAN <https://ctan.org/pkg/mathlig>

name	<code>mathlig</code>
caption	Define maths “ligatures”
author	Bean, Jules
copyright	Jules Bean (2001)
license	other-free = Free license not otherwise listed (free)
version	1.0
description	(no language specified) The package defines character sequences that “behave like” ligatures, in maths mode. Example definitions (chosen to show the package’s flexibility, are: • <code>\mathlig{->}{\rightarrow}</code> • <code>\mathlig{<-}{\leftarrow}</code> • <code>\mathlig{<->}{\leftrightarrow}</code>
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/mathlig.tex
on T _E XLive	<code>mathlig</code>
keyword	<code>shortcut</code> (shortcuts when typing)
language(s)	no language specified
year	2001
last access	2025-02-07

3816 *mathpartir* – Typesetting sequences of math formulas, e.g. type inference rules

Web page on CTAN <https://ctan.org/pkg/mathpartir>

name	<code>mathpartir</code>
caption	Typesetting sequences of math formulas, e.g. type inference rules
author	Remy, Didier
copyright	Didier Remy (2001-2005, 2015, 2016)
license	gpl2 = GNU General Public License, version 2 (free)
version	1.3.2

description	(no language specified) The package provides macros for typesetting math formulas in mixed horizontal and vertical mode, automatically as best fit. It provides an environment <code>mathpar</code> that behaves much as a loose centered paragraph where words are math formulas, and spaces between them are larger and adjustable. It also provides a macro <code>\inferrule</code> for typesetting fractions where both the numerator and denominator may be sequences of formulas that will be also typeset in a similar way. It can typically be used for typesetting sets of type inference rules or typing derivations. A macro <code>inferrule</code> for typesetting type inference rules.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mathpartir/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mathpartir/mathpartir.pdf
– local file	<code>./8520387305-mathpartir.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mathpartir
on MikTeX	<code>mathpartir</code>
on TeXLive	<code>mathpartir</code>
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	no language specified
year	2016
last access	2025-02-07

3817 *mathpazo* – Fonts to typeset mathematics to match Palatino

Web page on CTAN <https://ctan.org/pkg/mathpazo>

name	<code>mathpazo</code>
caption	Fonts to typeset mathematics to match Palatino
author	Puga, Diego
copyright	Diego Puga (2000, 2002)
license	gpl = GNU General Public License (free)
version	1.003

description	(no language specified) The Pazo Math fonts are a family of PostScript fonts suitable for typesetting mathematics in combination with the Palatino family of text fonts. The Pazo Math family is made up of five fonts provided in Adobe Type 1 format (PazoMath, PazoMath-Italic, PazoMath-Bold, PazoMath-BoldItalic, and PazoMathBlackboardBold). These contain, in designs that match Palatino, glyphs that are usually not available in Palatino and for which Computer Modern looks odd when combined with Palatino. These glyphs include the uppercase Greek alphabet in upright and slanted shapes in regular and bold weights, the lowercase Greek alphabet in slanted shape in regular and bold weights, several mathematical glyphs (partialdiff, summation, product, coproduct, emptyset, infinity, and proportional) in regular and bold weights, other glyphs (Euro and dotlessj) in upright and slanted shapes in regular and bold weights, and the uppercase letters commonly used to represent various number sets (C, I, N, Q, R, and Z) in blackboard bold. LaTeX macro support (using package mathpazo.sty) is provided in psnfss (a required part of any LaTeX distribution).
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/mathpazo/README
documentation	(no language specified) <i>Font tables</i>:: https://ctan.org/tex-archive/fonts/mathpazo/pazotest.pdf
– local file	<code>./5259603638-pazotest.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/mathpazo
on MikTeX	<code>mathpazo</code>
on T _E XLive	<code>mathpazo</code>
keyword	<code>font-maths</code> (fonts for use in mathematics)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-bbd</code> (doublestroke (blackboard bold) fonts)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
see also	see section 4233 on page 3832 : (<code>newpx</code> – Alternative uses of the PX fonts, with improved metrics)
see also	see section 5921 on page 5363 : (<code>tex-gyre-math-pagella</code> – Maths fonts to match the tex-gyre-pagella text font)
see also	see section 5022 on page 4546 : (<code>pxfonts</code> – Palatino-like fonts in support of mathematics)
language(s)	no language specified
year	2002
last access	2025-02-07

3818 *mathpple* – Use PostScript Palatino for typesetting maths

Web page on CTAN <https://ctan.org/pkg/mathpple>

name	mathpple
caption	Use PostScript Palatino for typesetting maths
author	Schmidt, Walter A.
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) The package defined a scheme whereby mathematics used Palatino or (Palatino clone) fonts in mathematics, and other mathematical symbols, etc., were scaled to fit. Mathpple is now rendered obsolete by <i>mathpazo</i>, which offers a better-designed set of mathematical fonts than mathpple could ever hope to provide. Mathpple is no longer distributed.
keyword	obsolete (package declared obsolete)
see also	see section 4233 on page 3832: (<i>newpx</i> – Alternative uses of the PX fonts, with improved metrics)
see also	see section 5022 on page 4546: (<i>pxfonts</i> – Palatino-like fonts in support of mathematics)
language(s)	no language specified
year	without year
last access	2025-02-07

3819 *mathptm* – Adobe Times Roman (or equivalent) for text and maths

Web page on CTAN <https://ctan.org/pkg/mathptm>

name	mathptm
caption	Adobe Times Roman (or equivalent) for text and maths
author	Jeffrey, Alan
author	Rahtz, Sebastian
author	Vieth, Ulrik
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The mathptm package is now obsolete, replaced by the <i>newtx</i> package, which does the same job, better.

keyword	obsolete (package declared obsolete)
language(s)	no language specified
year	without year
last access	2025-02-07

3820 *mathptmx* – Use Times as default text font, and provide maths support

Web page on CTAN <https://ctan.org/pkg/mathptmx>

name	mathptmx
caption	Use Times as default text font, and provide maths support
author	Vieth, Ulrik
author	Schmidt, Walter A.
author	Jeffrey, Alan
author	Rahtz, Sebastian
author	The LaTeX Project Team
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) This package defines Adobe Times Roman (or equivalent) as default text font, and provides maths support using glyphs from the Symbol, Chancery and Computer Modern fonts together with letters, etc., from Times Roman. It supersedes both the original <i>times</i> and the <i>mathptm</i> packages. The package is part of <i>psnfss</i>, but is reckoned to be obsolete. Users are recommended to switch to using <i>newtx</i> in its place.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/required/psnfss/psnfss2e.pdf
– local file	./8199555513-psnfss2e.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/required/psnfss/README
on CTAN	https://ctan.org/tex-archive/macros/latex/required/psnfss
on MikTeX	psnfss
on T _E XLive	psnfss
keyword	font (fonts themselves)
keyword	font-maths (fonts for use in mathematics)

keyword	obsolete (package declared obsolete)
keyword	font-virtual (virtual font(s) using existing fonts)
see also	see section 5923 on page 5365: (tex-gyre-math-terms – Maths fonts to match TeX Gyre Terms)
see also	see section 4237 on page 3836: (newtx – Alternative uses of the TX fonts, with improved metrics)
see also	see section 6374 on page 5760: (txfonts – Times-like fonts in support of mathematics)
language(s)	no language specified
year	without year
last access	2025-02-07

3821 *mathpunctspace* – Control the space after punctuation in math expressions

Web page on CTAN <https://ctan.org/pkg/mathpunctspace>

name	mathpunctspace
caption	Control the space after punctuation in math expressions
author	Kieda, Yuwsuke
license	bsd2 = Simplified BSD License (free)
version	1.1 (2018-02-27)
last changes	2018-02-27
year	2018
description	(no language specified) This package provides a mechanism to control the space after commas and semicolons in mathematical expressions.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mathpunctspace/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mathpunctspace/doc/mathpunctspace.pdf
– local file	./3295102315-mathpunctspace.pdf
contact	<i>repository</i> : https://github.com/yuw/texmf-mathpunctspace
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mathpunctspace
on MikTeX	mathpunctspace

on T _E XLive	mathpunctspace
keyword	typesetting (support for variations of typographic style)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

3822 *mathrsfs* – Support for using RSFS fonts in maths

Web page on CTAN <https://ctan.org/pkg/mathrsfs>

name	mathrsfs
caption	Support for using RSFS fonts in maths
author	Knappen, Jörg
copyright	Jörg Knappen (1995, 1996, 1998, 1999)
license	gpl = GNU General Public License (free)
version	1.0
description	(no language specified) Support use of the Raph Smith’s Formal Script font in mathematics. Provides a <code>\mathscr</code> command, rather than overwriting the standard <code>\mathcal</code> command, as in calrsfs . The package is part of Jörg Knappen’s collection .
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/jknappen/00readme.txt
documentation	(no language specified) <i>Package readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/jknappen/mathrsfs.rme
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jknappen
on MikT _E X	jknappen
on T _E XLive	jknapltx
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-maths (fonts for use in mathematics)
see also	see section 3065 on page 2764 : (jknappen – Miscellaneous packages by Joerg Knappen)
language(s)	no language specified
year	1999
last access	2025-02-07

3823 maths-symbols – Summary of mathematical symbols available in LaTeX

Web page on CTAN <https://ctan.org/pkg/maths-symbols>

name	maths-symbols
caption	Summary of mathematical symbols available in LaTeX
author	Fairbairns, Robin
author	Carlisle, David
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	3.4
description	(no language specified) A predecessor of the comprehensive symbols list , covering mathematical symbols available in standard LaTeX (including the AMS symbols, if available at compile time).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/symbols/math/README
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/symbols/math/maths-symbols.pdf
– local file	./3280959198-maths-symbols.pdf
contact	<i>repository</i> : https://github.com/davidcarlisle/dpctex/tree/master/maths-symbols
on CTAN	https://ctan.org/tex-archive/info/symbols/math
on T _E XLive	maths-symbols
keyword	font-index (lists of glyphs available from font(s))
language(s)	no language specified
year	without year
last access	2025-02-07

3824 mathsci2bibtex – Convert Mathsci database information to BibTeX

Web page on CTAN <https://ctan.org/pkg/mathsci2bibtex>

name	mathsci2bibtex
caption	Convert Mathsci database information to BibTeX
author	Zakharevich, Ilya
license	noinfo = noinfo
version	(1993-04-19)

last changes	1993-04-19
year	1993
description	(no language specified) A Perl script for the job.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/mathsci2bibtex
keyword	foreign-import (import files in a non-TeX (or different TeX) format)
see also	see section 3825 on page 3458: (<i>mathscinet</i> – Retrieve references from MathSciNet in BibTeX format)
language(s)	no language specified
last access	2025-02-07

3825 *mathscinet* – Retrieve references from MathSciNet in BibTeX format

Web page on CTAN	https://ctan.org/pkg/mathscinet
name	mathscinet
caption	Retrieve references from MathSciNet in BibTeX format
author	Tweedale, Michael
license	gpl = GNU General Public License (free)
version	0.1
description	(no language specified) A Perl script that downloads references from MathSciNet in BibTeX format. The site has recently been redesigned, and this script works with the new layout.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/mathscinet/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/mathscinet
keyword	bibtex-gen (derive BibTeX data from resources other than BibTeX libraries)
see also	see section 3824 on page 3457: (<i>mathsci2bibtex</i> – Convert Mathsci database information to BibTeX)
language(s)	no language specified
year	without year
last access	2025-02-07

3826 mathsemantics – Semantic math commands in LaTeX

Web page on CTAN <https://ctan.org/pkg/mathsemantics>

name	mathsemantics
caption	Semantic math commands in LaTeX
author	Bergmann, Ronny
copyright	Ronny Bergmann, Roland Herzog (2022)
license	mit = MIT License (free)
version	1.0.0 (2022-05-06)
last changes	2022-05-06
year	2022
description	(no language specified) This LaTeX package provides both syntactic and semantic helpers to typeset mathematics in LaTeX. The syntactic layer eases typesetting of formulae in general, while the semantic layer provides commands like <code>\inner{x}{y}</code> to unify typesetting of inner products. These not only unify typesetting of math formulae but also allow to easily adapt notation if a user prefers to. The semantic layer is split into topics.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mathsemantics/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mathsemantics/mathsemantics-documentation.pdf
– local file	./3448434707-mathsemantics-documentation.pdf
contact	<i>support</i> : https://github.com/kellertuer/MathSemantics.sty/discussions
contact	<i>bugs</i> : https://github.com/kellertuer/MathSemantics.sty/issues
contact	<i>repository</i> : https://github.com/kellertuer/MathSemantics.sty
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mathsemantics
on MikTeX	mathsemantics
on TeXLive	mathsemantics
keyword	maths (support for typesetting mathematics)
language(s)	no language specified

last access 2025-02-07

3827 *mathspad* – A mathematics-capable word processor with LaTeX output

Web page on CTAN <https://ctan.org/pkg/mathspad>

name	MathSpad
caption	A mathematics-capable word processor with LaTeX output
author	Verhoeven, Richard
license	other-free = Free license not otherwise listed (free)
version	0.60
description	(no language specified) An XWindows WYSIWYG structure editor implementing stencils which define two views of a document, the on-screen view and the output view (which might be LaTeX, TeX, HTML, troff).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/mathspad/README
on CTAN	https://ctan.org/tex-archive/support/mathspad
keyword	editor (editor designed (or adapted) for use with (La)TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

3828 *mathspec* – Specify arbitrary fonts for mathematics in XeTeX

Web page on CTAN <https://ctan.org/pkg/mathspec>

name	mathspec
caption	Specify arbitrary fonts for mathematics in XeTeX
author	Moschou, Andrew Gilbert
copyright	Andrew Gilbert Moschou (2008, 2016)
license	lppl = The LaTeX Project Public License (free)
version	0.2b

description	(no language specified) The mathspec package provides an interface to typeset mathematics in XeLaTeX with arbitrary text fonts using fontspec as a backend. The package is under development and later versions might to be incompatible with this version, as this version is incompatible with earlier versions. The package requires at least version 0.9995 of XeTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/mathspec/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/xetex/latex/mathspec/mathspec.pdf
– local file	<code>./5813576156-mathspec.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/mathspec
on MikTeX	<code>mathspec</code>
on T _E XLive	<code>mathspec</code>
keyword	<code>font-sel</code> (font selection schemes)
keyword	<code>font-maths</code> (fonts for use in mathematics)
language(s)	no language specified
year	2016
last access	2025-02-07

3829 mathspec – A Perl filter program for use with PiCTeX

Web page on CTAN	https://ctan.org/pkg/mathspec
name	<code>mathspec</code>
caption	A Perl filter program for use with PiCTeX
author	Nickalls, Dick
author	Syropoulos, Apostolos
copyright	A. Syropoulos and R.W.D. Nickalls (2005)
license	lppl = The LaTeX Project Public License (free)
version	1.13

description	(no language specified) MathsPIC(Perl) is a development of the earlier MathsPIC(DOS) program, now implemented as a Perl script, being much more portable than the earlier program. MathsPIC parses a plain text input file and generates a plain text output-file containing commands for drawing a diagram. Version 1.0 produces output containing PiCTeX and (La)TeX commands, which may then be processed by plain TeX or LaTeX in the usual way. MathsPIC also outputs a comprehensive log-file. MathsPIC facilitates creating figures using PiCTeX by providing an environment for manipulating named points and also allows the use of variables and maths (advance, multiply, and divide)—in short—it takes the pain out of PiCTeX. Both the original DOS version and the new Perl version are available.
documentation	(no language specified) <i>User documentation (DOS version)</i> : https://ctan.org/tex-archive/graphics/mathspic/dos/mpicm21.pdf
– local file	<code>./8790905512-mpicm21.pdf</code>
documentation	(no language specified) <i>Perl source listing</i> : https://ctan.org/tex-archive/graphics/mathspic/perl/sourcecode113.pdf
– local file	<code>./7502884664-sourcecode113.pdf</code>
documentation	(no language specified) <i>User documentation (Perl version)</i> : https://ctan.org/tex-archive/graphics/mathspic/perl/mathspicmanual.pdf
– local file	<code>./3952065401-mathspicmanual.pdf</code>
documentation	(no language specified) <i>Readme (DOS version)</i> : https://ctan.org/tex-archive/graphics/mathspic/dos/readme21.txt
documentation	(no language specified) <i>Readme (Perl version)</i> : https://ctan.org/tex-archive/graphics/mathspic/perl/README.txt
on CTAN	https://ctan.org/tex-archive/graphics/mathspic
on MikTeX	<code>mathspic</code>
on TeXLive	<code>mathspic</code>
keyword	<code>graphics-prep</code> (prepare graphics for use with *TeX)
language(s)	no language specified
year	2005
last access	2025-02-07

3830 *mathstone* – Use Adobe Stone Serif and Stone Sans for typesetting mathsWeb page on CTAN <https://ctan.org/pkg/mathstone>

name	mathstone
caption	Use Adobe Stone Serif and Stone Sans for typesetting maths
author	Adrián, Luis Marco
copyright	Luis Marco Adrián (2011)
license	gpl3 = GNU General Public License, version 3 (free)
version	2.0
description	(no language specified) The package provides metric files and LaTeX support for Stone Sans and Stone Serif fonts from Adobe, in both maths and text modes. It has everything you need to typeset in this font — except the font itself. You need to purchase the fonts themselves: the pfb files are not included in the package. To use Greek letters, you need to install the package Mathdesign. Three math versions (normal, semibold and bold) are provided for each font.
documentation	(no language specified) <i>Demonstration of character set:</i> https://ctan.org/tex-archive/fonts/mathstone/doc/test/mathstonetest.pdf
– local file	./4915666992-mathstonetest.pdf
documentation	(English) <i>Readme:</i> https://ctan.org/tex-archive/fonts/mathstone/README
documentation	(Spanish) <i>Readme:</i> https://ctan.org/tex-archive/fonts/mathstone/LEEME
on CTAN	https://ctan.org/tex-archive/fonts/mathstone
on MikTeX	mathstone
keyword	font-absent (support is for a font not available on CTAN)
keyword	font-supp-maths (metrics, macro incantations and other support for maths fonts)
language(s)	English; Spanish
year	2011
last access	2025-02-07

3831 *mathstyle* – Manage mathematics typesetting styleWeb page on CTAN <https://ctan.org/pkg/mathstyle>

name	<code>mathstyle</code>
caption	Manage mathematics typesetting style
author	Robertson, Will
author	Høgholm, Morten
author	Wright, Joseph
author	Madsen, Lars
author	Downes, Michael J.
copyright	Will Robertson (2007-2020)
copyright	Joseph Wright (2010-2017)
copyright	Ulrike Fischer (2020)
copyright	Lars Madsen (2007-2014)
copyright	Morten Høgholm (2007-2008)
copyright	Michael J. Downes (1997-2003)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.98l (2021-10-28)
last changes	2021-10-28
year	2021
description	(no language specified) The package performs two functions: • to make sub- and superscript operations macros, which has the effect of making their behaviour uniform and more readily understandable; and • to take advantage of the lack of infix operations (such as <code>\over</code>) in LaTeX to redesign the control of mathematical typesetting style, and to rationalise the way <code>\mathchoice</code> and dependent mechanisms work. The package offers support for breqn and is part of the bundle of the same name.
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/breqn/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/breqn/mathstyle.pdf
– local file	<code>./5809427591-mathstyle.pdf</code>

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/breqn
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/breqn.tds.zip
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

3832 *mathtex* – A CGI program to use LaTeX to put mathematics on the web

Web page on CTAN <https://ctan.org/pkg/mathtex>

name	mathtex
caption	A CGI program to use LaTeX to put mathematics on the web
author	Forkosh, John
copyright	John Forkosh Associates, Inc. (2007-2014)
license	gpl = GNU General Public License (free)
version	1.05 (2014-12-06)
last changes	2014-12-06
year	2014
description	(no language specified) MathTeX is a CGI program, written in C, that uses LaTeX and either dvipng or dvips/convert to emit GIF or PNG images of LaTeX mathematical expressions. Users can put mathematics directly in html pages with an tag of the form <pre></pre> (see the package home page for a complete discussion). MathTeX is a successor of the author's earlier mimeTeX ; but mathTeX uses real LaTeX, where as mimeTeX uses its own built-in fonts, interpreter and rendering engine. Users who have LaTeX available on their server can obtain higher quality images and full LaTeX support with mathTeX. Users whose server doesn't offer LaTeX can continue to use mimeTeX. The two programs are "plug-compatible", using the same tag "user interface", so migration is trivial. The package home page carries extensive documentation of MathTeX.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/support/mathtex/README
documentation	(no language specified) <i>Package manual (HTML)</i>: https://ctan.org/tex-archive/support/mathtex/mathtex.html

on CTAN	https://ctan.org/tex-archive/support/mathtex
keyword	<code>cgi-latex</code> (support for LaTeX(-alike) on the web, or feeding into other applications)
language(s)	no language specified
last access	2025-02-07

3833 *mathtime-ltx* – LaTeX macros for using MathTime and MathTime Plus

Web page on CTAN <https://ctan.org/pkg/mathtime-ltx>

name	<code>mathtime-ltx</code>
caption	LaTeX macros for using MathTime and MathTime Plus
author	Mittelbach, Frank
author	Carlisle, David
license	lppl = The LaTeX Project Public License (free)
documentation	(no language specified) <i>Package outline:</i> https://ctan.org/tex-archive/macros/latex/contrib/psnfssx/mathtime/mathtime.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/psnfssx/mathtime
on MikTeX	<code>mathtime</code>
keyword	<code>font-supp-maths</code> (metrics, macro incantations and other support for maths fonts)
language(s)	no language specified
year	without year
last access	2026-04-10

3834 *mathtime-metrics* – MathTime AFM files

Web page on CTAN <https://ctan.org/pkg/mathtime-metrics>

name	<code>mathtime-metrics</code>
caption	MathTime AFM files
license	noinfo = noinfo
version	(1992-10-22)
last changes	1992-10-22

year	1992
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/mathtime/README
on CTAN	https://ctan.org/tex-archive/fonts/mathtime
keyword	font-supp-maths (metrics, macro incantations and other support for maths fonts)
language(s)	no language specified
last access	2025-02-07

3835 *mathtime-pln* – Plain TeX macros for using MathTime and MathTime Plus

Web page on CTAN <https://ctan.org/pkg/mathtime-pln>

name	mathtime-pln
caption	Plain TeX macros for using MathTime and MathTime Plus
author	Lewenberg, Adam
copyright	Adam H. Lewenberg (1993, 1994)
license	other-free = Free license not otherwise listed (free)
version	1.30
description	(no language specified) Note that the (commercial) fonts themselves are now superseded, and no longer available. The package makes use of the mtmacs file that came with the fonts.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/mathtime
keyword	font-supp-maths (metrics, macro incantations and other support for maths fonts)
language(s)	no language specified
year	1994
last access	2025-02-07

3836 *mathtools* – Mathematical tools to use with amsmath

Web page on CTAN <https://ctan.org/pkg/mathtools>

name	mathtools
caption	Mathematical tools to use with amsmath
author	Høgholm, Morten
author	The LaTeX Project Team
author	Madsen, Lars
author	Robertson, Will
author	Wright, Joseph
copyright	Lars Madsen, The LaTeX3 Project (2020-2024)
copyright	Morten Høgholm (2002-2011)
copyright	Lars Madsen (2012-2019)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.31 (2024-10-04)
last changes	2024-10-04
year	2024
description	(no language specified) Mathtools provides a series of packages designed to enhance the appearance of documents containing a lot of mathematics. The main backbone is amsmath, so those unfamiliar with this required part of the LaTeX system will probably not find the packages very useful. Mathtools provides many useful tools for mathematical typesetting. It is based on amsmath and fixes various deficiencies of amsmath and standard LaTeX. It provides: • Extensible symbols, such as brackets, arrows, harpoons, etc.; • Various symbols such as <code>\coloneqq</code> ($\coloneqq$); • Easy creation of new tag forms; • Showing equation numbers only for referenced equations; • Extensible arrows, harpoons and hookarrows; • Starred versions of the amsmath matrix environments for specifying the column alignment; • More building blocks: multlined, cases-like environments, new gathered environments; • Maths versions of <code>\makebox</code>, <code>\llap</code>, <code>\rlap</code> etc.;

- Cramped math styles; and more...

Mathtools requires **mhsetup** .

documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/mathtools/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mathtools/mathtools.pdf
– local file	<code>./4373969975-mathtools.pdf</code>
contact	<i>repository</i> : https://github.com/latex3/mathtools
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mathtools
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/mathtools.tds.zip
on MikTeX	mathtools
on T _E XLive	mathtools
keyword	maths (support for typesetting mathematics)
see also	see section 3955 on page 3576: (mhsetup – The mathtools “setup” function)
see also	see section 1889 on page 1707: (empheq – EMPHasizing EQuations)
language(s)	no language specified
last access	2025-02-07

3837 *mathtrip* – A trip to the wonderful world of mathematics

Web page on CTAN	https://ctan.org/pkg/mathtrip
name	MathTrip
caption	A trip to the wonderful world of mathematics
author	Aubord, Alain
license	bsd = BSD Style License (free)
license	nocommercial = No Commercial Use (not free)
license	lppl = The LaTeX Project Public License (free)
version	2.8 (2022-10-01)
last changes	2022-10-01
year	2022

description	(no language specified) This document is a port (with a few additions) to LaTeX of the document https://www.tug.org/texshowcase/cheat.pdf produced and written in plain TeX. That original TeX document was written by Steve Seiden. The purpose of the port to LaTeX is to make it possible to use the document to test some Unicode math fonts and unicode TeX more easily. This seems to be difficult with Plain TeX where the use of a font other than the Computer Modern fonts seems to be awfully complicated.
documentation	(no language specified) <i>The document itself, compiled with luatex:</i> https://ctan.org/tex-archive/info/mathtrip/MathTrip_lualatex.pdf
– local file	<code>./6763688221-MathTrip_lualatex.pdf</code>
documentation	(no language specified) <i>The document itself, compiled with xetex:</i> https://ctan.org/tex-archive/info/mathtrip/MathTrip_xelatex.pdf
– local file	<code>./2821448049-MathTrip_xelatex.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/info/mathtrip/README.txt
on CTAN	https://ctan.org/tex-archive/info/mathtrip
keyword	maths (support for typesetting mathematics)
keyword	font-devel (support for font development, testing and characterisation)
keyword	unicode (Unicode, material supporting it, and packages requiring it)
keyword	demo-code (code that serves as examples of TeX programming)
language(s)	no language specified
last access	2026-04-10

3838 *mathtype* – Evaluation version of a commercial equation editor

Web page on CTAN	https://ctan.org/pkg/mathtype
name	MathType
caption	Evaluation version of a commercial equation editor
author	Virga, Bruce
author	Mathews, Bob
license	other-nonfree = License that prevents distribution (not free)
version	7

description	(no language specified) MathType is a point and click mathematical equation editor. While its mouse-centric user interface is somewhat the opposite of TeX's, it has a number of features that may be of interest to members of the TeX community: • It works with many Windows applications that TeX does not work directly with, such as word processors, presentation programs like PowerPoint, and many more. You can even place equations in flowcharts made with programs like Visio. • It can produce TeX and LaTeX code from its equations. This can be helpful to someone learning TeX or just to take advantage of MathType's ability to work directly in mathematical notation in order to get the nested braces right on a particularly gnarly equation. • You can even type TeX language directly into the MathType window. This allows you to get the best of both the WYSIWYG editing and TeX worlds. • MathType can also produce GIF files for websites and blogs and EPS files for desktop publishing chores. MathType does not require a product key for installation. Upon first launch, you will have an opportunity to begin a 30-day trial or to enter a purchased product key. If you decide to purchase MathType, you can use the Order MathType command within MathType itself to purchase a product key. You can also visit the Wiris website to learn more about MathType. If you have questions, email them to support@wiris.com.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/support/mathtype/README.txt
home page	https://docs.wiris.com/en/mathtype/mathtype_desktop/start
contact	<i>support</i>: https://docs.wiris.com/en/mathtype/known_issues/start#mathtype_desktop
on CTAN	https://ctan.org/tex-archive/support/mathtype
keyword	editor (editor designed (or adapted) for use with (La)TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

3839 matlab-prettifier – Pretty-print Matlab source code

Web page on CTAN <https://ctan.org/pkg/matlab-prettifier>

name	matlab-prettifier
caption	Pretty-print Matlab source code
author	Cretel, Julien
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.3
description	(no language specified) The package extends the facilities of the listings package, to pretty-print Matlab and Octave source code. (Note that support of Octave syntax is not complete.)
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/matlab-prettifier/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/matlab-prettifier/matlab-prettifier.pdf
– local file	./9077964407-matlab-prettifier.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/matlab-prettifier
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/matlab-prettifier.tds.zip
on MikTeX	matlab-prettifier
on T _E XLive	matlab-prettifier
keyword	listing (computer code listing)
see also	see section 3840 on page 3473 : (matlabweb – Literate programming system for Matlab)
language(s)	no language specified
year	without year
last access	2025-02-07

3840 matlabweb – Literate programming system for Matlab

Web page on CTAN <https://ctan.org/pkg/matlabweb>

name	matlabweb
caption	Literate programming system for Matlab
author	Potse, Mark
license	gpl = GNU General Public License (free)
version	2.10
description	(no language specified) Matlabweb is a literate programming system for the Matlab language. Similar to CWEB, it is created with a slightly modified version of the Spider system. Matlabweb can be used with plain TeX or LaTeX, the latter with help from the webfiles package.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/web/matlabweb/README
on CTAN	https://ctan.org/tex-archive/web/matlabweb
keyword	litprog (literate programming)
language(s)	no language specified
year	without year
last access	2025-02-07

3841 matrix-skeleton – A PGF/TikZ library that simplifies working with multiple matrix nodes

Web page on CTAN <https://ctan.org/pkg/matrix-skeleton>

name	matrix-skeleton
caption	A PGF/TikZ library that simplifies working with multiple matrix nodes
author	Dudebout, Nicolas
copyright	Nicolas Dudebout (2013-2022)
license	isc = ISC License (free)
version	1.1
description	(no language specified) The package provides a PGF/TikZ library that simplifies working with multiple matrix nodes. To do so, it correctly aligns groups of nodes with the content of the whole matrix. Furthermore, <code>matrix.skeleton</code> provides rows and columns for easy styling.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/matrix-skeleton/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/matrix-skeleton/matrix.skeleton.pdf
– local file	<code>./6831907549-matrix.skeleton.pdf</code>
contact	<i>bugs</i> : https://github.com/dudebout/matrix.skeleton/issues
contact	<i>repository</i> : https://github.com/dudebout/matrix.skeleton
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/matrix-skeleton
on MikTeX	<code>matrix-skeleton</code>
on T _E XLive	<code>matrix-skeleton</code>
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	no language specified
year	2022
last access	2025-02-07

3842 *mattens* – Matrices/tensor typesetting

Web page on CTAN	https://ctan.org/pkg/mattens
name	<code>mattens</code>
caption	Matrices/tensor typesetting
author	Els, Daniel
copyright	Danie Els (2001-2022)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3b
description	(no language specified) The <i>mattens</i> package contains the definitions to typeset matrices, vectors and tensors as used in the engineering community for the representation of common vectors and tensors such as forces, velocities, moments of inertia, etc.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mattens/mattens.pdf
– local file	<code>./5805436344-mattens.pdf</code>

documentation	(no language specified) <i>Sample of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/mattens/mattens_sample.pdf
– local file	./5025359985-mattens_sample.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/mattens/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mattens
on MikTeX	mattens
on TeXLive	mattens
keyword	maths (support for typesetting mathematics)
keyword	engineering (typesetting associated with engineering of whatever sort)
language(s)	no language specified
year	2022
last access	2025-02-07

3843 *mattex* – Import Matlab values to LaTeX documents

Web page on CTAN	https://ctan.org/pkg/mattex
name	mattex
caption	Import Matlab values to LaTeX documents
author	Van Snick, Romeo
copyright	Romeo Van Snick (2012)
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	0.1
description	(no language specified) The package provides macros and Matlab m-files that allow a user to export matlab variables to an intermediary file, and then import them to LaTeX for later use. This improves consistency and helps to prevent errors that might arise when manually copy-pasting.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/mattex/mattex_en.pdf
– local file	./7063148873-mattex_en.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mattex
on MikTeX	mattex

3844 *maybeload* – Prevent reloading of files

keyword	<code>data-import</code> (importing data into documents)
see also	see section 4332 on page 3922: (<code>numericplots</code> – Plot numeric data (including Matlab export) using PSTricks)
see also	see section 3748 on page 3391: (<code>makeplot</code> – Easy plots from Matlab in LaTeX)
see also	see section 3918 on page 3543: (<code>metapost-matlab</code> – MetaPost data plotting in Matlab style)
language(s)	no language specified
year	2012
last access	2025-02-07

3844 *maybeload* – Prevent reloading of files

Web page on CTAN <https://ctan.org/pkg/maybeload>

name	<code>maybeload</code>
caption	Prevent reloading of files
license	<code>noinfo = noinfo</code>
version	(1986-06-27)
last changes	1986-06-27
year	1986
description	(no language specified) Defines a command <code>\thisfileis</code> , which will become <code>\endinput</code> if it's called for a second or subsequent time with a particular file name.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/maybeload.tex
keyword	<code>comp-mgmt</code> (control TeX's behaviour during compilation)
language(s)	no language specified
last access	2025-02-07

3845 maybemath – Make math bold or italic according to contextWeb page on CTAN <https://ctan.org/pkg/maybemath>

name	maybemath
caption	Make math bold or italic according to context
author	Buckley, Andy
license	lppl = The LaTeX Project Public License (free)
version	(2005-02-22)
last changes	2005-02-22
year	2005
description	(no language specified) The <code>\maybebm</code> and <code>\maybeit</code> macros can be used in maths expressions to make the arguments typeset as bold or italic respectively if the surrounding context is appropriate. They are useful for writing user macros for use in general contexts. <code>\maybebm</code> is especially appropriate when section titles contain math expressions, since the title will appear bold but the header and table of contents usually replicate the title in normal width. It uses the bm package to make things bold <code>\maybeit</code> performs a similar role to <code>\mathrm{}</code> but the maths expression will be italicised if the surrounding text is. <code>\maybeit</code>subscript is provided to shift subscripts to the left if the expression is italicised.
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/maybemath/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/maybemath/maybemath.pdf
– local file	<code>./5164198557-maybemath.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/maybemath
on MikTeX	maybemath
on TeXLive	maybemath
keyword	font-sel (font selection schemes)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

3846 maze – Generate random mazes

Web page on CTAN <https://ctan.org/pkg/maze>

name	maze
caption	Generate random mazes
author	Du, Sicheng
copyright	Sicheng Du (2022-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2 (2023-01-10)
last changes	2023-01-10
year	2023
description	(no language specified) This package can generate random square mazes of a specified size. The mazes generated by this package are natural and their solution is not too obvious. The output is based on the <code>picture</code> environment.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/maze/maze.pdf
– local file	<code>./3124220936-maze.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/maze/README.md
contact	<i>repository</i> : https://github.com/Quantum-Phantom/expl3maze/tree/v1.2
contact	<i>development</i> : https://github.com/Quantum-Phantom
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/maze
on MikTeX	maze
on TeXLive	maze
keyword	expl3 (expl3(unknown))
keyword	games (process game diagrams, gamebooks, and other amusements)
language(s)	no language specified
last access	2025-02-07

3847 mbboard – Comprehensive blackboard bold fonts

Web page on CTAN <https://ctan.org/pkg/mbboard>

name	mbboard
caption	Comprehensive blackboard bold fonts
author	Phan, Anthony
license	knuth = Knuth License (free)
version	0.4
description	(no language specified) The distribution mbboard defines blackboard bold fonts for use with TeX either in text or maths mode; the fonts are specified in Metafont. The fonts cover upper and lower case roman letters (including ligatures), digits, and several maths-greek and hebrew letters.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/mbboard/mbboard.html
on CTAN	https://ctan.org/tex-archive/fonts/mbboard
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
keyword	font-bbd (doublestroke (blackboard bold) fonts)
see also	see section 1673 on page 1516: (doublestroke – Typeset mathematical double stroke symbols)
see also	see section 483 on page 439: (bbm – “Blackboard-style” cm fonts)
see also	see section 485 on page 441: (bbold – Sans serif blackboard bold)
language(s)	no language specified
year	without year
last access	2025-02-07

3848 mbenotes – Notes in tables or images

Web page on CTAN <https://ctan.org/pkg/mbenotes>

name	mbenotes
caption	Notes in tables or images
author	Borck-Elsner, Matthias
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	2 (2013-10-01)

3849 `mboxfill` – Fill free space with a pattern

last changes	2013-10-01
year	2013
description	(no language specified) The package defines a command <code>\tabnote</code> , which stores notes for later processing by the command <code>\thetabnotes</code> , and a corresponding <code>\imgnote</code> for images. The package is derived from mechanisms in the package endnotes .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/mbenotes/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/mbenotes/mbenotes.pdf
– local file	<code>./6591690685-mbenotes.pdf</code>
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/mbenotes
on MikTeX	<code>mbenotes</code>
keyword	<code>notes</code> (general notes (not including endnotes or footnotes))
keyword	<code>obsolete</code> (package declared obsolete)
language(s)	no language specified
last access	2025-02-07

3849 `mboxfill` – Fill free space with a pattern

Web page on CTAN <https://ctan.org/pkg/mboxfill>

name	<code>mboxfill</code>
caption	Fill free space with a pattern
author	Rozhenko, Alexander I.
copyright	Alexander I. Rozhenko (2005)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package provides a convenient means of accessing the various leaders commands in TeX; define a box size, a filling object, and a sort of leader, and <code>mboxfill</code> will lay down an fill pattern. The package is part of the ncctools bundle.
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncctools/README

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncctools/doc/mboxfill.pdf
– local file	./8226991047-mboxfill.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ncctools
on MikTeX	ncctools
on TeXLive	ncctools
keyword	leaders (typeset leaders, etc.)
language(s)	no language specified
year	2005
last access	2025-02-07

3850 mcaption – Put captions in the margin

Web page on CTAN	https://ctan.org/pkg/mcaption
name	mcaption
caption	Put captions in the margin
author	Hennig, Stephan
copyright	Stephan Hennig (2005)
license	lppl = The LaTeX Project Public License (free)
version	3.0
description	(no language specified) The mcaption package provides an mcaption environment which puts figure or table captions in the margin. The package works with the standard classes and with the KOMA-Script document classes scrartcl, scrreprt and scrbook. The package requires the changepage package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mcaption/mcaption.pdf
– local file	./6364452362-mcaption.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mcaption/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mcaption
on MikTeX	mcaption

on T_EXLive mcaption
 keyword caption (typesetting captions)
 language(s) no language specified
 year 2005
 last access 2025-02-07

3851 *mceinleger* – Creating covers for music cassettes

Web page on CTAN <https://ctan.org/pkg/mceinleger>

name mceinleger
 caption Creating covers for music cassettes
 author Benischke, Florian
 license gpl = GNU General Public License (free)
 description (no language specified) A package for creating MC-covers on your own. It allows the creation of simple covers as well as covers with an additional page for more information about the cassette (table of contents e.g.). The *rotating* package is required.
 documentation (no language specified) *Package documentation:*
 <https://ctan.org/tex-archive/macros/latex/contrib/mceinleger/mceinleger.pdf>
 – local file ./3629785864-mceinleger.pdf
 on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/mceinleger>
 on MikT_EX mceinleger
 on T_EXLive mceinleger
 keyword covers (typeset badges, covers or labels for things (or people))
 see also see section 972 on page 884: (cdcover – Typeset CD covers)
 language(s) no language specified
 year without year
 last access 2025-02-07

3852 mcexam – Create randomized Multiple Choice questions

Web page on CTAN <https://ctan.org/pkg/mcexam>

name	mcexam
caption	Create randomized Multiple Choice questions
author	Vannieuwenhuyze, Jorre
copyright	Jorre Vannieuwenhuyze (2017)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.5 (2021-09-12)
last changes	2021-09-12
year	2021
description	(no language specified) This LaTeX package automatically randomly permutes the order of questions as well as the answer options in different versions of a multiple choice exam/test. Next to the exam versions themselves, the package also allows printing a concept version of the exam, a key table with the correct answers or points, and a document with solutions and explanations per exam version. The package also allows writing an R code which processes the results of the exam and calculates the grades. The following other LaTeX packages are required: enumitem , environ , etoolbox , longtable , newfile , pgffor (from the PGF/TikZ bundle), xkeyval , and xstring .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mcexam/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mcexam/mcexam.pdf
– local file	<code>./3354310791-mcexam.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mcexam
on MikTeX	mcexam
on TeXLive	mcexam
keyword	random (generate and/or use pseudo-random numbers)
keyword	exam (exams, quizzes, etc.)
see also	see section 1984 on page 1790 : (esami – Typeset exams with scrambled questions and answers)
language(s)	no language specified

last access 2025-02-07

3853 *mcf2graph* – Draw chemical structure diagrams with MetaPost

Web page on CTAN <https://ctan.org/pkg/mcf2graph>

name	mcf2graph
caption	Draw chemical structure diagrams with MetaPost
author	Yamaji, Akira
copyright	Akira Yamaji (2013-2025)
license	mit = MIT License (free)
version	5.29 (2025-10-05)
last changes	2025-10-05
year	2025
description	(no language specified) The Molecular Coding Format (MCF) is a linear notation for describing chemical structure diagrams. This package converts MCF to graphic files using MetaPost.
documentation	(no language specified) <i>Molecular Coding Format Examples</i> : https://ctan.org/tex-archive/graphics/mcf2graph/mcf_example.pdf
– local file	./8853605745-mcf_example.pdf
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/mcf2graph/mcf_manual.pdf
– local file	./7564518408-mcf_manual.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/mcf2graph/README
on CTAN	https://ctan.org/tex-archive/graphics/mcf2graph
on MikTeX	mcf2graph
on T _E XLive	mcf2graph
keyword	graphics-mpost (graphics generated using MetaPost)
keyword	graphics (graphics (support packages))
keyword	chemistry (chemistry document support)
language(s)	no language specified
last access	2025-10-13

3854 mcite – Multiple items in a single citationWeb page on CTAN <https://ctan.org/pkg/mcite>

name	mcite
caption	Multiple items in a single citation
author	Ohl, Thorsten
copyright	Thorsten.Ohl (1994)
license	gpl = GNU General Public License (free)
version	1.6
description	(no language specified) The mcite package allows the user to collapse multiple citations into one, as is customary in physics journals. The package requires a customised BibTeX style for its work; the documentation explains how to do that customisation.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mcite/mcite.pdf
– local file	./4525869709-mcite.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mcite/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mcite
on MikTeX	mcite
on TeXLive	mcite
keyword	cite-supp (citation support)
language(s)	no language specified
year	1994
last access	2025-02-07

3855 mciteplus – Enhanced multiple citationsWeb page on CTAN <https://ctan.org/pkg/mciteplus>

name	mciteplus
caption	Enhanced multiple citations
author	Shell, Michael
license	lppl = The LaTeX Project Public License (free)
version	1.2 (2013-09-13)

last changes	2013-09-13
year	2013
description	(no language specified) The mciteplus LaTeX package is an enhanced reimplementation of Thorsten Ohl's mcite package which provides support for the grouping of multiple citations together as is often done in physics journals. An extensive set of features provide for other applications such as reference sublisting.
documentation	(no language specified) <i>Details for modifying .bst code:</i> https://ctan.org/tex-archive/macros/latex/contrib/mciteplus/mciteplus_code.txt
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/mciteplus/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/mciteplus/mciteplus_doc.pdf
– local file	./3101464898-mciteplus_doc.pdf
home page	http://www.michaelshell.org/tex/mciteplus/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mciteplus
on MikTeX	mciteplus
on TeXLive	mciteplus
keyword	cite-supp (citation support)
language(s)	no language specified
last access	2025-02-07

3856 mcmthesis – Template designed for MCM/ICM

Web page on CTAN	https://ctan.org/pkg/mcmthesis
name	mcmthesis
caption	Template designed for MCM/ICM
author	LaTeX 工作室
author	Wang, Zhaoli
author	Huang, Liam
copyright	Zhaoli Wang (2010-2015)
copyright	Liam Huang (2014-2019)

copyright	latexstudio (2019-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	6.3.3 (2024-01-22)
last changes	2024-01-22
year	2024
description	(no language specified) The package offers a template for MCM (The Mathematical Contest in Modeling) and ICM (The Interdisciplinary Contest in Modeling) for typesetting the submitted paper.
documentation	(Chinese + English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mcmthesis/mcmthesis.pdf
– local file	<code>./3631980225-mcmthesis.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mcmthesis/README.md
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/mcmthesis/mcmthesis-demo.pdf
– local file	<code>./4084098315-mcmthesis-demo.pdf</code>
contact	<i>repository</i> : https://github.com/latexstudio-org/mcmthesis
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mcmthesis
on MikTeX	<code>mcmthesis</code>
on TeXLive	<code>mcmthesis</code>
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	class (alternative LaTeX class(es))
language(s)	Chinese + English
last access	2025-02-07

3857 mctex – Convert VAXIMA output to (La)TeX codeWeb page on CTAN <https://ctan.org/pkg/mctex>

name	mctex
caption	Convert VAXIMA output to (La)TeX code
author	Leangsuksun, Chokchai
copyright	Kent State University (1991)
license	noinfo = noinfo
version	(1991-02-22)
last changes	1991-02-22
year	1991
description	(no language specified) McTeX is a Franz Lisp package that provides VAXIMA commands to output an expression as a TeX or LaTeX file. (VAXIMA is itself a Franz Lisp port of Macsyma.)
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/mctex/README
documentation	(no language specified) <i>Command summary</i> : https://ctan.org/tex-archive/support/mctex/tex.txt
on CTAN	https://ctan.org/tex-archive/support/mctex
keyword	foreign-import (import files in a non-TeX (or different TeX) format)
language(s)	no language specified
last access	2025-02-07

3858 mdframed – Framed environments that can split at page boundariesWeb page on CTAN <https://ctan.org/pkg/mdframed>

name	mdframed
caption	Framed environments that can split at page boundaries
author	Schubert, Elke
author	Daniel, Marco
copyright	Marco Daniel (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.9b

description	(no language specified) The package develops the facilities of framed in providing breakable framed and coloured boxes. The user may instruct the package to perform its operations using default LaTeX commands, PStricks or TikZ .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mdframed/mdframed.pdf
– local file	<code>./1118522463-mdframed.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mdframed/README
contact	<i>repository</i> : https://github.com/marcodaniel/mdframed
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mdframed
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/mdframed.tds.zip
on MikTeX	mdframed
on T _E XLive	mdframed
keyword	boxing (creating boxes)
keyword	box-breaking (breaking boxes over a page boundary, etc)
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
see also	see section 2375 on page 2152: (<code>framed</code> – Framed or shaded regions that can break across pages)
language(s)	no language specified
year	2010
last access	2025-02-07

3859 *mdputu* – Upright digits in Adobe Utopia Italic

Web page on CTAN <https://ctan.org/pkg/mdputu>

name	mdputu
caption	Upright digits in Adobe Utopia Italic
author	Veytsman, Boris
copyright	Boris Veytsman (2010)
license	other-free = Free license not otherwise listed (free)
version	1.2

description	(no language specified) The Annals of Mathematics uses italics for theorems. However, slanted digits and parentheses look disturbing when surrounded by (upright) mathematics. This package provides virtual fonts with italics and upright digits and punctuation, as an extension to Mathdesign's Utopia bundle .
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/mdputu/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/mdputu/mdputu.pdf
– local file	./6635517987-mdputu.pdf
on CTAN	https://ctan.org/tex-archive/fonts/mdputu
installation	https://ctan.org/tex-archive/install/fonts/mdputu.tds.zip
on MikTeX	mdputu
on T _E XLive	mdputu
keyword	font-maths (fonts for use in mathematics)
keyword	font-virtual (virtual font(s) using existing fonts)
language(s)	no language specified
year	2010
last access	2025-02-07

3860 mdsymbol – Symbol fonts to match Adobe Myriad Pro

Web page on CTAN	https://ctan.org/pkg/mdsymbol
name	mdsymbol
caption	Symbol fonts to match Adobe Myriad Pro
author	Schubert, Sebastian
copyright	Sebastian Schubert (2011)
license	ofl = The SIL Open Font License (free)
version	0.5
description	(no language specified) The package provides a font of mathematical symbols, MyriadPro The font is designed as a companion to Adobe Myriad Pro, but it might also fit well with other contemporary typefaces.
documentation	(no language specified) <i>Package documentation, including font tables:</i> https://ctan.org/tex-archive/fonts/mdsymbol/mdsymbol.pdf
– local file	./7638006621-mdsymbol.pdf

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/mdsymbol/README
on CTAN	https://ctan.org/tex-archive/fonts/mdsymbol
installation	https://ctan.org/tex-archive/install/fonts/mdsymbol.tds.zip
on MikTeX	mdsymbol
on T _E XLive	mdsymbol
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-otf (font in OpenType format)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-symbol (fonts that provide collections of symbols)
keyword	font-symbol-maths (collections of mathematical symbols)
language(s)	no language specified
year	2011
last access	2025-02-07

3861 *mdvi* – A DVI previewer

Web page on CTAN	https://ctan.org/pkg/mdvi
name	mdvi
caption	A DVI previewer
author	Atria, Matias
license	gpl = GNU General Public License (free)
description	(no language specified) MDVI is a previewer for DVI files on Unix-like systems. It supports a rich variety of font formats (PK, GF, VF/OVF, Type1 and TrueType), uses kpathsea to locate files and is able to use the same font map files used by dvips, pdfTeX and ghostscript, making its integration with an existing TeX/Ghostscript installation painless. The present version is said to be incomplete, but should be “perfectly usable”.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/dviware/mdvi/README
contact	<i>repository</i> : http://mdvi.sourceforge.net
on CTAN	https://ctan.org/tex-archive/dviware/mdvi
keyword	dvi-prev (preview DVI files)

language(s)	no language specified
year	without year
last access	2025-02-07

3862 mdwfonts – A model for font manipulation

Web page on CTAN <https://ctan.org/pkg/mdwfonts>

name	mdwfonts
------	----------

caption	A model for font manipulation
---------	-------------------------------

author	Wooding, Mark
--------	---------------

license	gpl = GNU General Public License (free)
---------	---

version	1.2
---------	-----

description	(no language specified) The mdwfonts bundle provides an alternative means of management and configuration of the fonts used in a document. It allows users to define a favourite collection of fonts, in a way that any document that employs the package will honour those design decisions.
-------------	---

In addition, the bundle provides various metrics and font sets that were not available when the bundle was developed; most of these fonts are now obsolete.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mdwfonts/README
---------------	---

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mdwfonts/mdwfonts.pdf
---------------	--

– local file	./3483060200-mdwfonts.pdf
--------------	---------------------------

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mdwfonts
---------	---

keyword	font-suppl (metrics, macro incantations and other font support)
---------	---

language(s)	no language specified
-------------	-----------------------

year	without year
------	--------------

last access	2025-02-07
-------------	------------

3863 mdwlist – Miscellaneous list-related commands

Web page on CTAN <https://ctan.org/pkg/mdwlist>

name	mdwlist
caption	Miscellaneous list-related commands
author	Wooding, Mark
copyright	Mark Wooding (1996)
license	gpl = GNU General Public License (free)
description	(no language specified) The mdwlist package provides: • a means of building description-like lists, to your specification, • a macro to generate a "compact" version of an existing list, and • a method of suspending and resuming a list, so as to interject some "body" text into a list (typically, an enumerated list). The package is part of the mdwtools bundle; it is superseded by enumitem, which is to be preferred for new work.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mdwtools/mdwlist.pdf
– local file	<code>./3870855256-mdwlist.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mdwtools/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mdwtools
on MikTeX	mdwtools
on TeXLive	mdwtools
keyword	list (list: general)
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	1996
last access	2025-02-07

3864 mdwmath – Some maths extensions

Web page on CTAN <https://ctan.org/pkg/mdwmath>

name	mdwmath
caption	Some maths extensions
author	Wooding, Mark
copyright	Mark Wooding (1996)
license	gpl = GNU General Public License (free)
version	1.1
description	(no language specified) The package provides a set of modest improvements to LaTeX maths handling: • permit <code>\sqrt</code> to omit its vinculum (bar over its argument), as required; • add some boolean operators; and • provide some user control of the expansion of delimiters as the delimited material grows. The package is part of the mdwtools bundle.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mdwtools/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mdwtools/mdwmath.pdf
– local file	<code>./8954892923-mdwmath.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mdwtools
on MikTeX	mdwtools
on T _E XLive	mdwtools
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	1996
last access	2025-02-07

3865 mdwtab – A reimplementaion of tabular and array environments

Web page on CTAN <https://ctan.org/pkg/mdwtab>

name	mdwtab
caption	A reimplementaion of tabular and array environments
author	Wooding, Mark
copyright	Mark Wooding (1996)
license	gpl = GNU General Public License (free)
version	1.9
description	(no language specified) This reimplementaion of the tabular and array environments re-does what the array package does, but in a way that builds on a reimplementaion of the tabular and array functionality within the LaTeX kernel itself. Among many improvements claimed for the package is that there are no built-in column types: all column types are explicitly declared within the package. The package is part of the mdwtools bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mdwtools/mdwtab.pdf
– local file	<code>./8509176521-mdwtab.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mdwtools/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mdwtools
on MikTeX	mdwtools
on T _E XLive	mdwtools
keyword	table (table typesetting)
language(s)	no language specified
year	1996
last access	2025-02-09

3866 *mdwtools* – Miscellaneous tools by Mark Wooding

Web page on CTAN <https://ctan.org/pkg/mdwtools>

name *mdwtools*

caption Miscellaneous tools by Mark Wooding

author Wooding, Mark

license gpl = GNU General Public License (free)

version 1.05.4

description (no language specified) This collection of tools includes:

- support for short commands starting with @ ,
- macros to sanitise the OT1 encoding of the *cmmt* fonts ;
- a ‘do after’ command ;
- improved footnote support ;
- mathenv for various alignment in maths;
- list handling ;
- *mdwmath* which adds some minor changes to LaTeX maths;
- a rewrite of LaTeX’s *tabular* and *array* environments ;
- verbatim handling ; and
- syntax diagrams .

documentation (no language specified) *Bundle readme*: <https://ctan.org/tex-archive/macros/latex/contrib/mdwtools/README>

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/mdwtools>

on MikTeX *mdwtools*

on T_EXLive *mdwtools*

keyword *verbatim* (verbatim typesetting, etc.)

keyword *footnote* (footnote support)

keyword *syntax* (syntax of computer science constructs)

keyword *list-supp* (list support)

keyword *table* (table typesetting)

keyword *maths* (support for typesetting mathematics)

keyword *macro-supp* (support for development of (La)TeX macros)

3867 *measurebox* – *Precise measurements of glyphs*

keyword	notes (general notes (not including endnotes or footnotes))
language(s)	no language specified
year	without year
last access	2025-02-07

3867 *measurebox* – Precise measurements of glyphs

Web page on CTAN <https://ctan.org/pkg/measurebox>

name	measurebox
caption	Precise measurements of glyphs
author	Slurp
license	mit = MIT License (free)
version	1.0
description	(no language specified) MeasureBox is a (plain TeX) package for measuring material. It is intended for precise measurements of glyphs so that they can be manipulated by other macros and packages (e.g. the Stretchy package). Its only dependency is the pdfToolbox package, which is currently only supported by plain-pdfTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/measurebox/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/measurebox/documentation.pdf
– local file	./3373149104-documentation.pdf
on CTAN	https://ctan.org/tex-archive/macros/generic/measurebox
on MikTeX	measurebox
on TeXLive	measurebox
keyword	measure (measure and report details of a document)
keyword	font-devel (support for font development, testing and characterisation)
language(s)	no language specified
year	without year
last access	2025-05-13

3868 *mecaso* – Formulas frequently used in rigid body mechanicsWeb page on CTAN <https://ctan.org/pkg/mecaso>

name	mecaso
caption	Formulas frequently used in rigid body mechanics
author	Derrazi, Youssef
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	1.0
description	(no language specified) This package provides a number of formulas frequently used in rigid body mechanics. Since most of these formulas are long and tedious to write, this package wraps them up in short commands.
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mecaso/mecaso.pdf
– local file	./6017646721-mecaso.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mecaso/README.md
contact	<i>repository</i> : https://github.com/YDFTW/mecaso
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mecaso
on MikTeX	mecaso
on TeXLive	mecaso
keyword	physics (support for typesetting physics documents)
language(s)	French
year	without year
last access	2025-02-07

3869 *media4svg* – Multimedia inclusion for the dvisvgm backendWeb page on CTAN <https://ctan.org/pkg/media4svg>

name	media4svg
caption	Multimedia inclusion for the dvisvgm backend
author	Grahn, Alexander
copyright	Alexander Grahn (2020-2022)
license	lppl = The LaTeX Project Public License (free)

version	0.13 (2022-10-12)
last changes	2022-10-12
year	2022
description	(no language specified) This package implements an interface for embedding video and audio files in SVG (Scalable Vector Graphics) output. SVG with embedded media is very portable, as it is supported by all modern Web browsers across a variety of operating systems and platforms, including portable devices. All DVI producing TeX engines can be used. The dvisvgm utility, which is part of all major TeX distributions, converts the intermediate DVI to SVG. By default, media files are embedded into the SVG output to make self-sufficient SVG files.
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/media4svg/example/beamer-example-1.svg
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/media4svg/README.md
contact	<i>repository:</i> https://gitlab.com/agrahn/media4svg
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/media4svg
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/media4svg.tds.zip
on MikTeX	media4svg
on TeXLive	media4svg
keyword	multimedia (support for multimedia in documents)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

3870 *media9* – Multimedia inclusion package with Adobe Reader-9/X compatibility

Web page on CTAN <https://ctan.org/pkg/media9>

name	media9
caption	Multimedia inclusion package with Adobe Reader-9/X compatibility
author	Grahn, Alexander
copyright	Alexander Grahn (2012-2024)

license	lpl = The LaTeX Project Public License (free)
version	1.29 (2024-09-16)
last changes	2024-09-16
year	2024
description	(no language specified) The package provides an interface to embed interactive Flash (SWF) and 3D objects (Adobe U3D & PRC), as well as video and sound files or streams in the popular MP4, FLV and MP3 formats into PDF documents with Acrobat-9/X compatibility. Playback of multimedia files uses the built-in Flash Player of Adobe Reader and does, therefore, not depend on external plug-ins. Flash Player supports the efficient H.264 codec for video compression. The package is based on the RichMedia Annotation, an Adobe addition to the PDF specification. It replaces the now obsolete movie15 package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/media9/doc/media9.pdf
– local file	./6717680219-media9.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/media9/README.md
contact	<i>repository</i> : https://gitlab.com/agrahn/media9
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/media9
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/media9.tds.zip
on MikTeX	media9
on T _E XLive	media9
keyword	multimedia (support for multimedia in documents)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

3871 medmath – Better medium-size math commandsWeb page on CTAN <https://ctan.org/pkg/medmath>

name	medmath
caption	Better medium-size math commands
author	Lyu, Jianrui
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2025A (2025-02-22)
last changes	2025-02-22
year	2025
description	(no language specified) This package started as a fork of the mediummath code of the nccmath package, aiming to provide more stable and flexible medium-size math commands. This concerns sizes of operators and infinite loops caused by definite integrals.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/medmath/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/medmath/medmath.pdf
– local file	./6177739957-medmath.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/medmath
on MikTeX	medmath
on TeXLive	medmath
keyword	bugfix (correct a problem, ahead of the “proper” fix)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-28

3872 *medstarbeamer* – Beamer document class for MedStar Health Research Institute

Web page on CTAN <https://ctan.org/pkg/medstarbeamer>

name	medstarbeamer
caption	Beamer document class for MedStar Health Research Institute
author	Kumar, Anagha
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2015-11-12)
last changes	2015-11-12
year	2015
description	(no language specified) This is a beamer template for MedStar Health presentations. It includes sample presentations using both .tex files and .rnw files. The document class is obviously compatible with both. The advantage of the .rnw file is that it can be used with knitr such that you can weave your R code with your presentation.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/medstarbeamer/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/medstarbeamer
on MikTeX	medstarbeamer
on T _E XLive	medstarbeamer
keyword	statistics (typeset reports, diagrams, etc., of statistics)
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2025-02-07

3873 *meetingmins* – Format written minutes of meetings

Web page on CTAN <https://ctan.org/pkg/meetingmins>

name	meetingmins
caption	Format written minutes of meetings
author	Beitzel, Brian
copyright	Brian D. Beitzel (2011-2013)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)

3874 *megatape* – Make cassette tape labels

version	1.6
description	(no language specified) The class allows formatting of meeting minutes using <code>\section</code> commands (which provide hierarchical structure). An agenda can also be produced for distribution prior to the meeting, with user-selected portions suppressed from printing.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/meetingmins/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/meetingmins/meetingmins.pdf
– local file	<code>./4258554008-meetingmins.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/meetingmins
on MikTeX	meetingmins
on T _E XLive	meetingmins
keyword	meeting-admin (calls, agendas, minutes of meetings)
language(s)	no language specified
year	2013
last access	2025-02-07

3874 *megatape* – Make cassette tape labels

Web page on CTAN <https://ctan.org/pkg/megatape>

name	megatape
caption	Make cassette tape labels
author	Nickel, Martin
license	other-free = Free license not otherwise listed (free)
version	(1986-06-20)
last changes	1986-06-20
year	1986
description	(no language specified) The package is an extension of the tape package.
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex209/contrib/megatape/read.me

on CTAN <https://ctan.org/tex-archive/macros/latex209/contrib/megatape>

keyword covers (typeset badges, covers or labels for things (or people))

language(s) no language specified

last access 2025-02-07

3875 *mem* – A multilingual system for Lamed

Web page on CTAN <https://ctan.org/pkg/mem>

name *mem*

caption A multilingual system for Lamed

author Bezos López, Javier

license lppl = The LaTeX Project Public License (free)

version 0.0004

description (no language specified) This package consists of experimental code for a multilingual system for Lamed (i.e., LaTeX running over **Aleph**). This distribution has pre-alpha status, and is offered for experimentation and to attract contributions.

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/exptl/mem/readme.txt>

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/exptl/mem/mem.pdf>

– local file ./6438956426-mem.pdf

contact *repository*: <http://mem-latex.sourceforge.net>

on CTAN <https://ctan.org/tex-archive/macros/latex/exptl/mem>

keyword multilingual (support for more than one (natural) language)

language(s) no language specified

year without year

last access 2025-02-07

3876 membranecomputing – Membrane Computing notation

Web page on CTAN <https://ctan.org/pkg/membranecomputing>

name	membranecomputing
caption	Membrane Computing notation
author	Orellana Martín, David
copyright	David Orellana Martín (2020-2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2.1 (2022-10-05)
last changes	2022-10-05
year	2022
description	(no language specified) This is a LaTeX package for the Membrane Computing community. It comprises the definition of P systems, rules and some concepts related to languages and computational complexity usually needed for Membrane Computing research. The package depends on ifthen and xstring.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/membranecomputing/membranecomputing.pdf
– local file	./2188712449-membranecomputing.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/membranecomputing/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/membranecomputing
on MikTeX	membranecomputing
on TeXLive	membranecomputing
keyword	comp-theory (typeset theoretical computer science material)
keyword	comp-sci (typeset computer-science related material)
language(s)	no language specified
last access	2025-02-07

3877 memdesign – Notes on book design

Web page on CTAN <https://ctan.org/pkg/memdesign>

name	memdesign
caption	Notes on book design
author	Wilson, Peter R.
author	Madsen, Lars
copyright	Peter R. Wilson (2010-2018)
copyright	Peter R. Wilson (2001-2009)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2018-09-14)
last changes	2018-09-14
year	2018
description	(no language specified) "A Few Notes on Book Design" provides an introduction to the business of book design. It is an extended version of what used to be the first part of the <i>memoir</i> users' manual. Please note that the compiled copy, supplied in the package, uses commercial fonts; the README file contains instructions on how to compile the document without these fonts.
documentation	(no language specified) <i>The document itself</i>: https://ctan.org/tex-archive/info/memdesign/memdesign.pdf
– local file	<code>./9965931282-memdesign.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/info/memdesign/README
on CTAN	https://ctan.org/tex-archive/info/memdesign
on MikTeX	memdesign
on T _E XLive	memdesign
keyword	review-document (document reviewing subjects relevant for TeX users)
language(s)	no language specified
last access	2025-02-07

3878 memexsupp – Experimental memoir support

Web page on CTAN <https://ctan.org/pkg/memexsupp>

name	memexsupp
caption	Experimental memoir support
author	Madsen, Lars
license	lppl = The LaTeX Project Public License (free)
version	0.1
description	(no language specified) A package of code proposed as supporting material for memoir . The package is intended as a test bed for such code, which may in the fullness of time be adopted into the main memoir release.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/memexsupp/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/memexsupp/memexsupp.pdf
– local file	./6280682407-memexsupp.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/memexsupp
on MikTeX	memexsupp
on TeXLive	memexsupp
keyword	test-dist (proposed additions to other packages)
language(s)	no language specified
year	without year
last access	2025-02-07

3879 memhfixc – Adjustment for using hyperref in memoir documents

Web page on CTAN <https://ctan.org/pkg/memhfixc>

name	memhfixc
caption	Adjustment for using hyperref in memoir documents
author	Madsen, Lars
author	Wilson, Peter R.
copyright	Peter R. Wilson (2001-2006)
copyright	Lars Madsen (2011-2021)

license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.21 (2023-07-28)
last changes	2023-07-28
year	2023
description	(no language specified) Any recent version of hyperref will automatically load this package if it finds itself running under the memoir class. Otherwise, the package should simply be loaded (without options) <i>after</i> hyperref has been loaded. The package is distributed as part of the memoir distribution.
documentation	(no language specified) <i>Distribution readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/memoir/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/memoir
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/memoir.tds.zip
on MikTeX	memoir
on TeXLive	memoir
keyword	class (alternative LaTeX class(es))
keyword	hyper (support for hypertext)
language(s)	no language specified
last access	2025-02-07

3880 *memo-pln* – Plain TeX macros for memoranda

Web page on CTAN <https://ctan.org/pkg/memo-pln>

name	memo-pln
caption	Plain TeX macros for memoranda
license	noinfo = noinfo
version	(1992-08-27)
last changes	1992-08-27
year	1992
description	(no language specified) The macros generate a ‘banner’ for the top of the (first) page of a memorandum. (The macros are designed for CalTech, but changing that part of the header would not be difficult.)

on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/memo.tex
keyword	memorandum (typeset memorandum or other short note)
language(s)	no language specified
last access	2025-02-07

3881 *memo2* – A memo document style

Web page on CTAN <https://ctan.org/pkg/memo2>

name	memo2
caption	A memo document style
author	McPherson, Kent
license	noinfo = noinfo
version	(1992-12-30)
last changes	1992-12-30
year	1992
description	(no language specified) A small document style (LaTeX 2.09) which produces a presentable memorandum layout. The style will work under LaTeX 2e (subject to the usual complaints), but requires the extradefs package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex209/contrib/memo2/memo.pdf
– local file	<code>./3608470499-memo.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/memo2
keyword	doc-style (LaTeX 2.09 document style)
see also	see section 4230 on page 3829 : (<code>newlfn</code> – Write letters, facsimiles, and memos)
see also	see section 3880 on page 3508 : (<code>memo-pln</code> – Plain TeX macros for memoranda)
language(s)	no language specified
last access	2025-02-07

3882 *memo209* – A memo document style

Web page on CTAN <https://ctan.org/pkg/memo209>

name	memo209
caption	A memo document style
author	Roth, Mark
license	noinfo = noinfo
version	(1988-11-22)
last changes	1988-11-22
year	1988
description	(no language specified) The style provides a means of producing the (then standard) USAF memo format, with optional attachments.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/memo
keyword	doc-style (LaTeX 2.09 document style)
see also	see section 4230 on page 3829: (<i>newlrm</i> – Write letters, facsimiles, and memos)
language(s)	no language specified
last access	2025-02-07

3883 *memoir* – Typeset fiction, non-fiction and mathematical books

Web page on CTAN <https://ctan.org/pkg/memoir>

name	memoir
caption	Typeset fiction, non-fiction and mathematical books
author	Wilson, Peter R.
author	Madsen, Lars
copyright	Lars Madsen (2011-2025)
copyright	Peter R. Wilson (2001-2011)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.8.4b (2025-11-04)
last changes	2025-11-04
year	2025

description	(no language specified) The memoir class is for typesetting poetry, fiction, non-fiction, and mathematical works. Permissible document ‘base’ font sizes range from 9 to 60pt. There is a range of page-styles and well over a dozen chapter-styles to choose from, as well as methods for specifying your own layouts and designs. The class also provides the functionality of over thirty of the more popular packages, thus simplifying document sources. Users who wish to use the hyperref package, in a document written with the memoir class, should also use the memhfixc package (part of this bundle). Note, however, that any current version of hyperref actually loads the package automatically if it detects that it is running under memoir.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/memoir/README
documentation	(no language specified) <i>Pracjourn paper about background</i> : https://tug.org/pracjourn/2006-3/wilson/wilson.pdf
– local file	<code>./4339902633-wilson.pdf</code>
documentation	(no language specified) <i>Basic user manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/memoir/memman.pdf
– local file	<code>./5059964765-memman.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/memoir
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/memoir.tds.zip
on MikTeX	<code>memoir</code>
on T _E XLive	<code>memoir</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>book-pub</code> (preparing a book for publication)
see also	see section 3877 on page 3506 : (<code>memdesign</code> – Notes on book design)
language(s)	no language specified
last access	2025-11-14

3884 memoirchapterstyles – Chapter styles in memoir class

Web page on CTAN <https://ctan.org/pkg/memoirchapterstyles>

name	MemoirChapterStyles
caption	Chapter styles in memoir class
author	Madsen, Lars
copyright	Lars Madsen (2006)
license	lppl = The LaTeX Project Public License (free)
version	1.7e
description	(no language specified) A showcase of chapter styles available to users of memoir: the six provided in the class itself, plus many from elsewhere (by the present author and others). The package's resources apply only to memoir, but the package draws from a number of sources relating to standard classes, including the fncychap package, and Vincent Zoonekynd's tutorial on headings.
documentation	(no language specified) <i>The document itself</i>: https://ctan.org/tex-archive/info/latex-samples/MemoirChapStyles/MemoirChapStyles.pdf
– local file	<code>./7115912765-MemoirChapStyles.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/info/latex-samples/MemoirChapStyles/README
on CTAN	https://ctan.org/tex-archive/info/latex-samples/MemoirChapStyles
on MikTeX	memoirchapterstyles
on T _E XLive	memoirchapterstyles
keyword	use-sample (sample of use of macro collections, etc.)
language(s)	no language specified
year	2006
last access	2025-11-14

3885 *memoize* – Externalization of graphics and memoization of compilation results in generalWeb page on CTAN <https://ctan.org/pkg/memoize>

name	Memoize
caption	Externalization of graphics and memoization of compilation results in general
author	Živanović, Sašo
copyright	Saso Zivanovic (2020-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.4.1 (2024-12-02)
last changes	2024-12-02
year	2024
description	(no language specified) Memoize is a package for externalization of graphics and memoization of compilation results in general, allowing the author to reuse the results of compilation-intensive code. Memoize (i) induces very little overhead, as all externalized graphics is produced in a single compilation. It features (ii) automatic recompilation upon the change of code or user-adjustable context, and (iii) automatic externalization of TikZ pictures and Forest trees, easily extensible to other commands and environments. Furthermore, Memoize (iv) supports cross-referencing, TikZ overlays and Beamer , (v) works with all major engines and formats, and (vi) is adaptable to any workflow.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/memoize/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/memoize/doc/memoize-doc.pdf
– local file	./1058380059-memoize-doc.pdf
contact	<i>repository</i> : https://github.com/sasozivanovic/memoize
on CTAN	https://ctan.org/tex-archive/macros/generic/memoize
installation	https://ctan.org/tex-archive/install/macros/generic/memoize.tds.zip
on MikTeX	memoize
on TeXLive	memoize
keyword	cond-comp (conditional typesetting)
keyword	macro-gen (macros that are independent of the (TeX) format in use)
keyword	graphics (graphics (support packages))
keyword	compilation (the document compilation process)

keyword	ext-code (run an external program from within a document)
language(s)	no language specified
last access	2025-02-07

3886 memoize-ext – Extended support for memoization with Memoize

Web page on CTAN <https://ctan.org/pkg/memoize-ext>

name	memoize-ext
caption	Extended support for memoization with Memoize
author	Rees, Clea F.
copyright	Clea F. Rees (2025-2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3.5
description	(no language specified) Automatic handling of additional kinds of material by or during memoization with Memoize . Provides support for memoizing content in tagged PDFs and compatibility with ltx-talk . TikZ pictures tagged with <code>alt</code> , <code>actualtext</code> or <code>artifact</code> are handled automatically. The package supports automatic detection of expl3 syntax zones, auto-replication of expl3 functions without ‘weird’ arguments and auto-memoization of l3draw pictures. The code is arranged into interdependent modules so activation may be customised at load time.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/memoize-ext/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/memoize-ext/memoize-ext.pdf
– local file	<code>./9750168997-memoize-ext.pdf</code>
home page	https://codeberg.org/cfr/prooftrees
contact	<i>repository</i> : https://github.com/cfr42/prooftrees
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/memoize-ext
on MikTeX	memoize-ext
on T _E XLive	memoize-ext
keyword	diagram (diagrams)
keyword	pgf-tikz (package uses PGF-TikZ)

language(s)	no language specified
year	2026
last access	2026-03-26

3887 *memory* – Containers for data in LaTeX

Web page on CTAN <https://ctan.org/pkg/memory>

name	memory
caption	Containers for data in LaTeX
author	Zhiwei, Song
copyright	Song Zhiwei (2013)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2
description	(no language specified) The package allows the user to declare single object or array containers.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/memory/memory.pdf
– local file	./2651165019-memory.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/memory/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/memory
on MikTeX	memory
on TeXLive	memory
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	2013
last access	2025-02-07

3888 *memorygraphs* – *TikZ* styles to typeset graphs of program memory

Web page on CTAN <https://ctan.org/pkg/memorygraphs>

name	memorygraphs
caption	<i>TikZ</i> styles to typeset graphs of program memory
author	Staps, Camil
copyright	C.Staps (2018-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1.1 (2019-01-06)
last changes	2019-01-06
year	2019
description	(no language specified) This package defines some <i>TikZ</i> styles and adds anchors to existing styles that ease the declaration of "memory graphs". It is intended for graphs that represent the memory of a computer program during its execution.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/memorygraphs/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/memorygraphs/memorygraphs.pdf
– local file	./8419647662-memorygraphs.pdf
home page	https://gitlab.science.ru.nl/cstaps/memorygraphs
contact	<i>support</i> : https://gitlab.science.ru.nl/cstaps/memorygraphs/issues
contact	<i>bugs</i> : https://gitlab.science.ru.nl/cstaps/memorygraphs/issues
contact	<i>repository</i> : https://gitlab.science.ru.nl/cstaps/memorygraphs
contact	<i>development</i> : https://gitlab.science.ru.nl/cstaps/memorygraphs
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/memorygraphs
on MikTeX	memorygraphs
on TeXLive	memorygraphs
keyword	graphics (graphics (support packages))

keyword pgf-tikz (package uses PGF-TikZ)
 language(s) no language specified
 last access 2025-02-07

3889 mendex-doc – Documentation for Mendex index processor

Web page on CTAN <https://ctan.org/pkg/mendex-doc>

name mendex-doc
 caption Documentation for Mendex index processor
 author Japanese TeX Development Community
 copyright Japanese TeX Development Community (2016-2022)
 copyright ASCII MEDIA WORKS (2010)
 license bsd3 = 3-clause BSD License (free)
 version (2022-04-05)
 last changes 2022-04-05
 year 2022
 description (no language specified) This package provides documentation for Mendex (Japanese index processor). The source code of the program is not included, it can be obtained from TeX Live subversion repository.
 documentation (Japanese) *Package documentation:*
<https://ctan.org/tex-archive/info/mendex-doc/mendex.pdf>
 – local file ./7181410324-mendex.pdf
 documentation (no language specified) *Readme:*
<https://ctan.org/tex-archive/info/mendex-doc/README.md>
 contact *repository:* <https://github.com/texjporg/mendex-doc>
 on CTAN <https://ctan.org/tex-archive/info/mendex-doc>
 on MikTeX mendex-doc
 on TeXLive mendex-doc
 keyword index (index support)
 keyword documentation (‘stand-alone’ documentation)
 language(s) Japanese
 last access 2025-02-07

3890 *mensa-tex* – Typeset simple school cafeteria menus

Web page on CTAN <https://ctan.org/pkg/mensa-tex>

name *mensa-tex*

caption Typeset simple school cafeteria menus

author Friedl, Sebastian

copyright Sebastian Friedl (2017)

license lpl1.3c = The LaTeX Project Public License 1.3c (free)

version (2017-12-03)

last changes 2017-12-03

year 2017

description (no language specified) This package provides a flexible LaTeX2e class for typesetting school cafeteria menus consisting of two lunches (with dessert), and dinner.

It supports two different layouts:

- The first layout is optimized for printing the menu on A4 paper.
- The second layout is optimized for smartphone screens and uses one (A6 sized) page per day.

Supported localizations are English (GB/US) and German. A way of defining additional localizations is described in the documentation.

The package requires [array](#) , [colortbl](#) , [datetime2](#) , [datetime2-calc](#) , [geometry](#) , [graphicx](#) , [lmodern](#) , [textcomp](#) , and [xcolor](#) .

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/mensa-tex/README.md>

documentation (no language specified) *Package documentation*:
<https://ctan.org/tex-archive/macros/latex/contrib/mensa-tex/doc/mensa-tex-doc.pdf>

– local file ./9952874062-mensa-tex-doc.pdf

contact *bugs*: <https://github.com/sfr682k/mensa-tex/issues>

contact *repository*: <https://github.com/sfr682k/mensa-tex>

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/mensa-tex>

on MikTeX *mensa-tex*

on T_EXLive *mensa-tex*

keyword class (alternative LaTeX class(es))
 keyword cooking (typesetting cooking recipes, etc)
 language(s) no language specified
 last access 2025-02-07

3891 *mentis* – A basis for books to be published by Mentis publishers

Web page on CTAN <https://ctan.org/pkg/mentis>

name *mentis*
 caption A basis for books to be published by Mentis publishers
 author Verweyen, Georg Michael
 license lppl = The LaTeX Project Public License (free)
 version 1.5
 description (no language specified) This LaTeX class loads *scrbook* and provides changes necessary for publishing at Mentis publishers in Paderborn, Germany. It is not an official Mentis class, merely one developed by an author in close co-operation with Mentis.
 documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/mentis/mentis.pdf>
 – local file ./8790858846-mentis.pdf
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/mentis/README>
 on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/mentis>
 on MikTeX *mentis*
 on T_EXLive *mentis*
 keyword book-pub (preparing a book for publication)
 keyword publisher (prepare documents for a specific publisher)
 keyword class (alternative LaTeX class(es))
 language(s) no language specified
 year without year
 last access 2025-02-07

3892 menu – Typesetting menus

Web page on CTAN <https://ctan.org/pkg/menu>

name	menu
caption	Typesetting menus
author	Lickert, Knut
license	other-free = Free license not otherwise listed (free)
version	0.994
description	(no language specified) The package defines command <code>\menu</code> which assists typesetting of a path through a program's menu.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/menu/menu.pdf
– local file	<code>./2111268365-menu.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/menu/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/menu
on MikTeX	menu
on T _E XLive	menu
keyword	doc-supp (macros and tools for preparing documentation)
language(s)	no language specified
year	without year
last access	2025-02-07

3893 menucard – Typesetting menu cards with LaTeX

Web page on CTAN <https://ctan.org/pkg/menucard>

name	menucard
caption	Typesetting menu cards with LaTeX
author	Frank, Sascha
copyright	Sascha Frank (2020)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1 (2020-06-17)
last changes	2020-06-17

year	2020
description	(no language specified) This LaTeX package can be used for typesetting simple restaurant menus.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/menucard/menucard.pdf
– local file	./7256704143-menucard.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/menucard/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/menucard
on MikTeX	menucard
on T _E XLive	menucard
keyword	cooking (typesetting cooking recipes, etc)
keyword	doc-supp (macros and tools for preparing documentation)
language(s)	no language specified
last access	2025-02-07

3894 menukeys – Format menu sequences, paths and keystrokes from lists

Web page on CTAN <https://ctan.org/pkg/menukeys>

name	menukeys
caption	Format menu sequences, paths and keystrokes from lists
author	Weh, Tobias
author	Spratte, Jonathan P.
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.6.2 (2022-07-01)
last changes	2022-07-01
year	2022
description	(no language specified) This package is designed to format menu sequences, paths and keyboard shortcuts automatically. There are several predefined styles and one can define one's own styles in a flexible way.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/menukeys/menukeys.pdf
– local file	./1318212526-menukeys.pdf

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/menukeys/README
contact	<i>bugs</i> : https://github.com/tweh/menukeys/issues
contact	<i>repository</i> : https://github.com/tweh/menukeys
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/menukeys
on MikTeX	menukeys
on T _E XLive	menukeys
keyword	doc-supp (macros and tools for preparing documentation)
language(s)	no language specified
last access	2025-02-07

3895 *meparticle* – Class for Mechanical Engineering Publications

Web page on CTAN	https://ctan.org/pkg/meparticle
name	MEP article
caption	Class for Mechanical Engineering Publications
author	Balemi, Silvano
license	noinfo = noinfo
version	(1992-03-26)
last changes	1992-03-26
year	1992
description	(no language specified) A LaTeX 2.09 document style (i.e., the equivalent of a LaTeX 2e class) for the proceedings of Mechanical Engineering Publications Limited.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/meparticle.sty
keyword	doc-style (LaTeX 2.09 document style)
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
last access	2025-02-07

3896 meper – MetaPost editor and previewerWeb page on CTAN <https://ctan.org/pkg/meper>

name	meper
caption	MetaPost editor and previewer
author	Pan, Shengjun
license	gpl = GNU General Public License (free)
version	(2009-02-17)
last changes	2009-02-17
year	2009
description	(no language specified) MEPer is a java program for editing MetaPost source files and previewing output images. It works in both Linux and Windows, provided that the following programs are installed: the latest Sun JSE, MetaPost, and either ImageMagick or Ghostscript. The present version is preliminary.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/meper/README
home page	http://www.cse.ucsd.edu/~slpan/MEPer/
on CTAN	https://ctan.org/tex-archive/support/meper
keyword	mp-supp (support tools and macros for MetaPost programming)
language(s)	no language specified
last access	2025-02-07

3897 mercatormap – Spherical Mercator coordinate systems and Web Mercator tile integrationWeb page on CTAN <https://ctan.org/pkg/mercatormap>

name	mercatormap
caption	Spherical Mercator coordinate systems and Web Mercator tile integration
author	Sturm, Thomas F.
copyright	Prof. Dr. Dr. Thomas F. Sturm (2020-2026)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3.0 (2026-02-19)
last changes	2026-02-19

year	2026
description	(no language specified) This package extends TikZ with tools to create map graphics. The provided coordinate system relies on the Web Mercator projection used on the Web by OpenStreetMap and others. The package supports the seamless integration of graphics from public map tile servers by a Python script. Also, common map elements like markers, geodetic networks, bar scales, routes, orthodrome pieces, and more are part of the package.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/mercatormap/mercatormap.pdf
– local file	<code>./5998159408-mercatormap.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/mercatormap/README.md
home page	https://github.com/T-F-S/mercatormap
contact	<i>bugs:</i> https://github.com/T-F-S/mercatormap/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mercatormap
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/mercatormap.tds.zip
on MikTeX	mercatormap
on T _E XLive	mercatormap
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	cartography (map production and geographical data usage)
keyword	graphics (graphics (support packages))
language(s)	no language specified
last access	2026-03-26

3898 merge – Perform mail merges in LaTeXWeb page on CTAN <https://ctan.org/pkg/merge>

name	merge
caption	Perform mail merges in LaTeX
author	McKinstry, Graeme
license	noinfo = noinfo
version	(1988-10-06)
last changes	1988-10-06
year	1988
description	(no language specified) The package (a style option of the LaTeX 2.09 letter style) reads a file of addresses, and then generates a letter for each such address, using the body of the document.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/merge.sty
keyword	mailing (mail merge, etc)
language(s)	no language specified
last access	2026-03-26

3899 merriweather – Merriweather and MerriweatherSans fonts, with LaTeX supportWeb page on CTAN <https://ctan.org/pkg/merriweather>

name	merriweather
caption	Merriweather and MerriweatherSans fonts, with LaTeX support
author	Tennent, Bob
license	ofl = The SIL Open Font License (free)
license	lppl = The LaTeX Project Public License (free)
version	(2022-09-20)
last changes	2022-09-20
year	2022

description	(no language specified) This package provides the Merriweather and MerriweatherSans families of fonts, designed by Eben Sorkin, with support for LaTeX, pdfLaTeX, XeLaTeX, and LuaLaTeX. Merriweather features a very large x height, slightly condensed letterforms, a mild diagonal stress, sturdy serifs and open forms. The Sans family closely harmonizes with the weights and styles of the serif family. There are four weights and italics for each.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/merriweather/README
documentation	(no language specified) <i>Font samples:</i> https://ctan.org/tex-archive/fonts/merriweather/doc/merriweather-samples.pdf
– local file	<code>./2552292553-merriweather-samples.pdf</code>
home page	https://fonts.google.com/specimen/Merriweather
on CTAN	https://ctan.org/tex-archive/fonts/merriweather
installation	https://ctan.org/tex-archive/install/fonts/merriweather.tds.zip
on MikTeX	<code>merriweather</code>
on TeXLive	<code>merriweather</code>
keyword	<code>font-sans</code> (sans-serif font)
keyword	<code>tagged-pdf</code> (tagged PDF compatible)
keyword	<code>font-tlenc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-ttf</code> (font available in TrueType format)
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
language(s)	no language specified
last access	2026-03-26

3900 **messagebubbles** – Display message bubbles as a conversation

Web page on CTAN <https://ctan.org/pkg/messagebubbles>

name	messagebubbles
caption	Display message bubbles as a conversation
author	Harrer, Simon
license	lppl = The LaTeX Project Public License (free)
version	0.0.2
description	(no language specified) The package enables the user to typeset a tuple of text and date-time as a message bubble. A conversation may be typeset as alternating left- and right-aligned bubbles.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/messagebubbles/README
documentation	(no language specified) <i>Usecase</i> : https://ctan.org/tex-archive/macros/latex/contrib/messagebubbles/messagebubbles-usage.pdf
– local file	./8550338198-messagebubbles-usage.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/messagebubbles
on MikTeX	messagebubbles
keyword	doc-mgmt (support for keeping track of document development)
language(s)	no language specified
year	without year
last access	2026-03-26

3901 **messagepassing** – Draw diagrams to represent communication protocols

Web page on CTAN <https://ctan.org/pkg/messagepassing>

name	messagepassing
caption	Draw diagrams to represent communication protocols
author	Vassor, Martin
copyright	Martin Vassor (2022)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2

description	(no language specified) This package provides an environment to easily draw diagrams to represent communication protocols using message passing among processes. Processes are represented as horizontal or vertical lines, and communications as arrows between lines. The package also provides multiple macros to decorate those diagrams, for instance to annotate the diagram, to add crashes to the processes, checkpoints, ...
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/messagepassing/messagepassing.pdf
– local file	./3244737059-messagepassing.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/messagepassing/README.md
contact	<i>repository:</i> https://framagit.org/Bromind/LaTeX-packages/-/tree/master
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/messagepassing
on MikTeX	messagepassing
on T _E XLive	messagepassing
keyword	diagram (diagrams)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
year	2022
last access	2025-02-07

3902 meta-mode – Emacs mode for Metafont/post

Web page on CTAN	https://ctan.org/pkg/meta-mode
name	meta-mode
caption	Emacs mode for Metafont/post
author	Vieth, Ulrik
copyright	Ulrik Vieth (1997)
license	gpl = GNU General Public License (free)
version	1.0

description	(no language specified) A GNU Emacs Lisp package that implements a major mode for editing Metafont or Metapost sources. It provides many features commonly found in Emacs editing modes for programming languages, such as automatic indenting of source code, syntactic highlighting (a.k.a. fontification), symbol completion, as well as miscellaneous other basic editing functions adapted to the mode-specific semantics such as motion commands or commands to mark, reindent, or comment-out environments or regions.
on CTAN	https://ctan.org/tex-archive/support/emacs-modes/meta-mode.el
keyword	editor-extn (plug-ins for editors, for better (La)TeX and Meta* support)
language(s)	no language specified
year	1997
last access	2025-02-07

3903 metacapture – A package for the capture of author-supplied metadata

Web page on CTAN <https://ctan.org/pkg/metacapture>

name	metacapture
caption	A package for the capture of author-supplied metadata
author	McCurley, Kevin
copyright	Joppe W. Bos and Kevin S. McCurley (2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.9.1
description	(no language specified) Curation and indexing of metadata is a crucial part of journal publishing. The <code>metacapture</code> package is one component in an open source workflow implementation that is designed to automate the production and copy editing of journal articles. It is used by the <code>iacrj</code> document class for the journal IACR CiC, but can also be used for other journals. It is intended primarily for use by LaTeX document class designers, but may also be useful for authors who may wish to change their document class in the future. When a document that loads <code>metacapture.sty</code> is compiled, it produces a YAML-like text file containing all metadata from the document. The <code>metacapture</code> package accomplishes this by providing replacements for the generic macros <code>\title</code>, <code>\author</code> and <code>\maketitle</code> macros that have traditionally been used by document classes. The <code>metacapture</code> package also provides several implementations of the <code>\maketitle</code> macro in different styles, partly as a way to demonstrate how to separate metadata capture from styling of front matter. Document class designers can also write their own

implementation of `\maketitle` with their preferred styling using the dictionary-like data structures used to hold author metadata.

The *metacapture* package is part of a larger set of tools for implementing a journal publishing workflow. There is also a companion open source implementation of a publishing workflow written in Python that is used for this journal and provides a simplified workflow for copy editing and production. Further information on this workflow can be found in two articles that were published by the authors:

- [Lowering the Cost of Diamond Open Access Journals](#) ,
- [A LaTeX publishing workflow](#)

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/metacapture/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/metacapture/metacapture-doc.pdf
– local file	<code>./4562999801-metacapture-doc.pdf</code>
home page	https://github.com/IACR/latex/tree/main/metacapture
contact	<i>bugs</i> : https://github.com/IACR/latex/issues?q=state%3Aopen%20label%3Ametacapture.sty
contact	<i>repository</i> : https://github.com/IACR/latex/tree/main/metacapture
contact	<i>development</i> : https://github.com/IACR/latex/tree/main/metacapture
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/metacapture
on MikTeX	<code>metacapture</code>
on TeXLive	<code>metacapture</code>
keyword	metadata (process document metadata)
language(s)	no language specified
year	2026
last access	2026-03-26

3904 metafont – A system for specifying fonts

Web page on CTAN <https://ctan.org/pkg/metafont>

Alias	Metafont
name	Metafont
caption	A system for specifying fonts
author	Knuth, Donald E.
copyright	D. E. Knuth (null)
license	knuth = Knuth License (free)
version	2.71828182 (2021-02-05)
last changes	2021-02-05
year	2021
description	(no language specified) The program takes a programmatic specification of a font, and produces a bitmap font (whose properties are defined by a set of parameters of the target device), and metrics for use by TeX . The bitmap output may be converted into a format directly usable by a device driver, etc., by the tools provided in the parallel mfware distribution. Third parties have developed tools to convert the bitmap output to outline fonts. The distribution includes the source of Knuth's <i>Metafont book</i> ; this source is there to read, as an example of writing TeX — it should not be processed without Knuth's direct permission. The mailing list <code>tex-fonts@math.utah.edu</code> is the best for general discussion of Metafont usage; the <code>tex-k@tug.org</code> list is best for bug reports about building the software, etc.
contact	<i>support</i> : https://lists.tug.org/tex-k
contact	<i>bugs</i> : https://lists.tug.org/tex-k
contact	<i>repository</i> : https://tug.org/svn/texlive/trunk/Build/source/texk/web2c/
on CTAN	https://ctan.org/tex-archive/systems/knuth/dist/mf
on MikTeX	miktex-metafont-bin-2.9
on TeXLive	metafont
keyword	font-proc (process fonts for use with TeX (includes installation))
keyword	font-devel (support for font development, testing and characterisation)
see also	see section 3915 on page 3540: (metapost – A development of Metafont for creating graphics)

language(s) no language specified
last access 2025-02-11

3905 metafont-beginners – An introductory tutorial for Metafont

Web page on CTAN <https://ctan.org/pkg/metafont-beginners>

name metafont-beginners
caption An introductory tutorial for Metafont
author Tobin, Geoffrey
license pd = Public Domain Software (free)
version (2009-10-09)
last changes 2009-10-09
year 2009
description (no language specified) An old introduction to the use of Metafont, that has stood the test of time. It focuses on using the program, rather than designing fonts, but does offer advice about understanding errors in other people's fonts.
documentation (English) *The introductory document itself::*
<https://ctan.org/tex-archive/info/metafont/beginners/metafont-for-beginners.pdf>
– local file ./3107838048-metafont-for-beginners.pdf
on CTAN <https://ctan.org/tex-archive/info/metafont/beginners>
on MikTeX guides
on T_EXLive metafont-beginners
keyword mf-doc (documentation for Metafont users)
language(s) English
last access 2025-02-07

3906 *metafp* – Some Experiences in Running Metafont and MetaPost

Web page on CTAN <https://ctan.org/pkg/metafp>

name	metafp
caption	Some Experiences in Running Metafont and MetaPost
author	Wilson, Peter R.
license	nosource = No Source Available (not free)
documentation	(English) <i>The document itself</i> :: https://ctan.org/tex-archive/info/metafont/metafp/metafp.pdf
– local file	./8183006020-metafp.pdf
on CTAN	https://ctan.org/tex-archive/info/metafont/metafp
keyword	mf-doc (documentation for Metafont users)
keyword	mp-doc (documentation for MetaPost users)
language(s)	English
year	without year
last access	2025-02-07

3907 *metago* – MetaPost output of Go positions

Web page on CTAN <https://ctan.org/pkg/metago>

name	metago
caption	MetaPost output of Go positions
author	Zheng, Wentao
copyright	Wentao Zheng (2008)
license	lppl = The LaTeX Project Public License (free)
version	0.9
description	(no language specified) The package allows you to draw Go game positions with MetaPost. Two methods of usage are provided, either using the package programmatically, or using the package via a script (which may produce several images).
documentation	(no language specified) <i>PracTeX journal paper about the package</i> : https://tug.org/pracjourn/2008-2/zheng/zheng.pdf
– local file	./4675782402-zheng.pdf

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/metago/README
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/metago
on MikTeX	metago
on T _E XLive	metago
keyword	mp-use (use, and support for use, of MetaPost)
keyword	games (process game diagrams, gamebooks, and other amusements)
see also	see section 2578 on page 2335: (go – Fonts and macros for typesetting go games)
see also	see section 2911 on page 2633: (igo – Fonts and macro to typeset Go diagrams)
language(s)	no language specified
year	2008
last access	2025-02-07

3908 metainfo – Typeset document outline with metainfo

Web page on CTAN	https://ctan.org/pkg/metainfo
name	metainfo
caption	Typeset document outline with metainfo
author	Sauer, Jonathan
copyright	Jonathan Sauer (2004)
license	lppl = The LaTeX Project Public License (free)
version	0.9.1
description	(no language specified) The package picks up TeX comments in document that are structured according to its rules, and typesets them. Operation is <code>\typesetmetainfo{<filename>}</code> (typically in a separate document).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sauerj/metainfo.pdf
– local file	./3801356327-metainfo.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sauerj
on MikTeX	sauerj
on T _E XLive	sauerj

keyword	listing (computer code listing)
keyword	doc-suppl (macros and tools for preparing documentation)
language(s)	no language specified
year	2004
last access	2025-02-07

3909 *metalogo* – *Extended TeX logo macros*

Web page on CTAN <https://ctan.org/pkg/metalogo>

name	metalogo
caption	Extended TeX logo macros
author	Moschou, Andrew Gilbert
copyright	Andrew Gilbert Moschou (2009)
license	lpl = The LaTeX Project Public License (free)
version	0.12
description	(no language specified) This package exposes spacing parameters for various TeX logos to the end user, to optimise the logos for different fonts. Written especially for XeLaTeX users.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/metalogo/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/metalogo/metalogo.pdf
– local file	./3680358756-metalogo.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/metalogo
on MikTeX	metalogo
on TeXLive	metalogo
keyword	logo (symbols or drawings to specify an object, including icons)
see also	see section 3910 on page 3536: (metalogo – Adjust TeX logos, with font detection)
language(s)	no language specified
year	2009
last access	2025-02-07

3910 *metalogox* – Adjust TeX logos, with font detection

Web page on CTAN <https://ctan.org/pkg/metalogox>

name	metalogox
caption	Adjust TeX logos, with font detection
author	Dunn, Brian
copyright	Brian Dunn (2019, 2023-2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.07 (2025-01-23)
last changes	2025-01-23
year	2025
description	(no language specified) This package extends the <i>metalogo</i> package to automatically adjust the appearance of the logos TeX, LaTeX, LaTeX2e, XeLaTeX, and LuaLaTeX, depending on the font detected or the option given to <i>metalogox</i>. Most of the serif and sans fonts listed at The LaTeX Font Catalogue are supported. The package also supports the <i>hologo</i> and <i>hologos</i> packages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/metalogox/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/metalogox/metalogox.pdf
– local file	./9535076292-metalogox.pdf
contact	<i>repository</i> : https://github.com/bdte/metalogox
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/metalogox
on MikTeX	metalogox
on TeXLive	metalogox
keyword	logo (symbols or drawings to specify an object, including icons)
see also	see section 3909 on page 3535: (<i>metalogo</i> – Extended TeX logo macros)
language(s)	no language specified
last access	2025-02-07

3911 metanorma – Write Metanorma standardization documents using LaTeX

Web page on CTAN <https://ctan.org/pkg/metanorma>

name metanorma

caption Write Metanorma standardization documents using LaTeX

author Brasolin, Paolo

copyright Ribose Inc. (2019-2020)

license mit = MIT License (free)

version 0.5.0

description (no language specified) metanorma

This work includes a LaTeX document class, a 'latexml' script and a 'latexmlpost' stylesheet which allow you to write a LaTeX document and transcode it into Metanorma's 'ADOC' format.

This work is sponsored by Ribose Inc. (<<https://www.ribose.com>>).

This work is maintained by Ribose Inc. (<open.source@ribose.com>).

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/metanorma/metanorma.pdf>

– local file ./8428744788-metanorma.pdf

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/metanorma/README.md>

home page <https://github.com/metanorma/tex2mn>

contact *support*: <https://github.com/metanorma/tex2mn/issues>

contact *announce*: <https://github.com/metanorma/tex2mn/releases>

contact *bugs*: <https://github.com/metanorma/tex2mn/issues>

contact *repository*: <https://github.com/metanorma/tex2mn>

contact *development*: <https://github.com/metanorma/tex2mn>

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/metanorma>

on T_EXLive metanorma

keyword scientific-docs (support for writers of scientific documents)

keyword class (alternative LaTeX class(es))

keyword cvt-other (convert TeX-ish sources to some other markup (than HTML))

keyword format-cvt (convert one format of file to another)

keyword	std-conform (support conformance to standards)
language(s)	no language specified
year	2020
last access	2025-02-07

3912 *metaobj* – *MetaPost* package providing high-level objects

Web page on CTAN <https://ctan.org/pkg/metaobj>

name	metaobj
caption	MetaPost package providing high-level objects
author	Roegel, Denis B.
license	lppl = The LaTeX Project Public License (free)
version	0.93
description	(no language specified) METAOBJ is a large MetaPost package providing high-level objects. It implements many of PSTricks' features for node connections, but also trees, matrices, and many other things. It more or less contains boxes.mp and rboxes.mp. There is a large (albeit not complete) documentation distributed with the package. It is easily extensible with new objects.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/metaobj/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/metaobj/doc/momanual.pdf
– local file	./8602983678-momanual.pdf
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/metaobj
on MikTeX	metaobj
on T _E XLive	metaobj
keyword	graphics-engn (graphics generator whose output is good for use with TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

3913 *metaphor* – Conceptual metaphors and their mappings

Web page on CTAN <https://ctan.org/pkg/metaphor>

name	metaphor
caption	Conceptual metaphors and their mappings
author	Lounsbury, Andrew
copyright	A. W. Lounsbury (2026)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0
description	(no language specified) This package provides commands that typeset conceptual metaphors and their mappings, and it allows for the indexing of all metaphors and metonyms in a document. The package requires imakeidx , kvoptions , and tabularx
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/metaphor/metaphor-doc.pdf
– local file	<code>./4468853474-metaphor-doc.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/metaphor/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/metaphor
on MikTeX	metaphor
on TeXLive	metaphor
keyword	table (table typesetting)
keyword	linguistic (support for linguistics)
language(s)	no language specified
year	2026
last access	2026-04-03

3914 metaplot – Plot-manipulation macros for use in MetaPostWeb page on CTAN <https://ctan.org/pkg/metaplot>

name	MetaPlot
caption	Plot-manipulation macros for use in MetaPost
author	Moses, Brooks
license	lppl = The LaTeX Project Public License (free)
version	0.91
description	(no language specified) MetaPlot is a set of MetaPost macros for manipulating pre-generated plots (and similar objects), and formatting them for inclusion in a MetaPost figure. The intent is that the plots can be generated by some outside program, in an abstract manner that does not require making decisions about on-page sizing and layout, and then they can be imported into MetaPlot and arranged using the full capabilities of MetaPost. Metaplot also includes a very flexible set of macros for generating plot axes, which may be useful in other contexts as well. Presently, MetaPlot is in something of a pre-release beta state; it is quite functional, but the syntax of the commands is still potentially in flux.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/graphics/metaplot/README
on CTAN	https://ctan.org/tex-archive/graphics/metaplot
on MikTeX	metaplot
on T _E XLive	metaplot
keyword	graphics-plot (plot data)
language(s)	no language specified
year	without year
last access	2025-02-07

3915 metapost – A development of Metafont for creating graphicsWeb page on CTAN <https://ctan.org/pkg/metapost>

Alias	metapost
Alias	metapost
name	metapost
caption	A development of Metafont for creating graphics

author	The MetaPost Team
author	Hobby, John
license	lgpl = GNU Lesser General Public License (free)
description	(no language specified) MetaPost uses a language based on that of Metafont to produce precise technical illustrations. Its output is scalable PostScript or SVG, rather than the bitmaps Metafont creates.
documentation	(no language specified) <i>METAPOST Users Manual</i> : https://ctan.org/tex-archive/systems/doc/metapost/mpman.pdf
– local file	<code>./9929992776-mpman.pdf</code>
home page	https://tug.org/metapost
contact	<i>support</i> : https://lists.tug.org/metapost
contact	<i>repository</i> : https://tug.org/svn/texlive/trunk/Build/source/texk/web2c/mplibdir
on MikTeX	<code>/miktex-metapost-bin-2.9</code>
on T _E XLive	<code>metapost</code>
keyword	graphics-engn (graphics generator whose output is good for use with TeX)
see also	see section 310 on page 285: (<i>asymptote</i> – 2D and 3D TeX-Aware Vector Graphics Language)
language(s)	no language specified
year	without year
last access	2025-02-07

3916 *metapost-colorbrewer* – An implementation of the colorbrewer2.org colours for MetaPost

Web page on CTAN <https://ctan.org/pkg/metapost-colorbrewer>

name	<code>metapost-colorbrewer</code>
caption	An implementation of the colorbrewer2.org colours for MetaPost
author	Thurston, Toby
copyright	Toby Thurston (2018)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	(2018-09-18)
last changes	2018-09-18
year	2018

description	(no language specified) This package provides two MetaPost include files that define all the colorbrewer2.org colours: • <code>colorbrewer-cmyk.mp</code> • <code>colorbrewer-rgb.mp</code> The first defines all the colours as CMYK, the second as RGB. Use whichever one you prefer. For an example of what you can do, and a list of all the names, have a look at <code>colorbrewer-sampler.mp</code>. You can also see the names on http://colorbrewer2.org. The package also includes the Python script used to generate the MP source from the colorbrewer project.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/graphics/metapost/contrib/macros/metapost-colorbrewer/README.md
contact	<i>repository</i> : https://github.com/thruston/metapost-colorbrewer
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/metapost-colorbrewer
on MikTeX	<code>metapost-colorbrewer</code>
on TeXLive	<code>metapost-colorbrewer</code>
keyword	<code>mp-supp</code> (support tools and macros for MetaPost programming)
keyword	<code>mp-use</code> (use, and support for use, of MetaPost)
language(s)	no language specified
last access	2025-02-07

3917 *metapost-examples* – Example drawings using MetaPost

Web page on CTAN <https://ctan.org/pkg/metapost-examples>

name	MetaPost examples
caption	Example drawings using MetaPost
author	Zoonekynd, Vincent
license	other-free = Free license not otherwise listed (free)
description	(no language specified) These are a few (hundred) example pictures drawn with MetaPost, ranging from very simple (lines and circles) to rather intricate (uncommon geometric transformations, fractals, bitmap, etc).

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/metapost/examples/README
on CTAN	https://ctan.org/tex-archive/info/metapost/examples
on MikTeX	metapost-examples
on T _E XLive	metapost-examples
keyword	demo-code (code that serves as examples of TeX programming)
language(s)	no language specified
year	without year
last access	2025-02-07

3918 *metapost-matlab* – MetaPost data plotting in Matlab style

Web page on CTAN <https://ctan.org/pkg/metapost-matlab>

name	metapost-matlab
caption	MetaPost data plotting in Matlab style
author	Yang, Yang
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Matlab has powerful data plotting ability, but one annoying problem prevents it from being perfect: when you increase the linewidth, the dotted line size stays the same, so the plotted line no longer looks like a dotted line. Another problem is Matlab's bugs: it often cuts away some curves and captions. And, of course, Matlab is expensive. On the other hand, the free Gnuplot doesn't produce very satisfactory visual effects either. The author got accustomed to Matlab's easy interface, and wanted to integrate the powerful graphic functions of MetaPost with the interface of Matlab. The outcome was matlab.mp. It is based on graph.mp (part of the MetaPost distribution). The package collects data into 2D arrays, and remembers the line styles, so it's easy to plot out legends. The package features: – All kinds of line colour, width, style (dotted/dashed, etc), and markers (the code may easily be expanded); – Easy interface, very similar to Matlab; – The full power of LaTeX is available in captions and legends, by using the latexmp package.
documentation	(no language specified) <i>Package README</i>: https://ctan.org/tex-archive/graphics/metapost/contrib/macros/matlab/README

documentation	(no language specified) <i>User guide</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/matlab/user_guide.pdf
– local file	./3682976617-user_guide.pdf
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/matlab
keyword	graphics-plot (plot data)
see also	see section 3915 on page 3540: (metapost – A development of Metafont for creating graphics)
see also	see section 3341 on page 3015: (latexMP – Interface for LaTeX-based typesetting in MetaPost)
language(s)	no language specified
year	without year
last access	2025-02-09

3919 *metastr* – Store and compose strings

Web page on CTAN <https://ctan.org/pkg/metastr>

name	<i>metastr</i>
caption	Store and compose strings
author	Beisert, Niklas
copyright	Niklas Beisert (2020)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1.2 (2020-09-02)
last changes	2020-09-02
year	2020
description	(no language specified) This is a package to store and compose strings in a structured way. This can serve various purposes, for example: • manage and write document metadata; • use templates for formatting document data; • assist in assembling and displaying document license information; • facilitate basic internationalisation and localisation.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/metastr/metastr.pdf

3920 *metatex* – Incorporate Metafont pictures in TeX source

– local file	<code>./3177212925-metastr.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/metastr/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/metastr
on MikTeX	<code>metastr</code>
on T _E XLive	<code>metastr</code>
keyword	<code>licence-mgmt</code> (manage application of licence information)
keyword	<code>metadata</code> (process document metadata)
keyword	<code>string</code> (text string searches and manipulation)
language(s)	no language specified
last access	2025-02-07

3920 *metatex* – Incorporate Metafont pictures in TeX source

Web page on CTAN <https://ctan.org/pkg/metatex>

name	<code>METATeX</code>
caption	Incorporate Metafont pictures in TeX source
author	Casares, Ramón
copyright	Ramón Casares (2003, 2004)
license	<code>gpl</code> = GNU General Public License (free)
version	1.1
description	(no language specified) METATeX is a set of plain TeX and Metafont macros that you can use to define both the text and the figures in a single source file. Because METATeX sets up two way communication, from TeX to Metafont and back from Metafont to TeX, drawing dimensions can be controlled by TeX and labels can be located by Metafont. Only standard features of TeX and Metafont are used, but two runs of TeX and one of Metafont are needed.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/plain/contrib/metatex/mtpaper.pdf
– local file	<code>./7740426406-mtpaper.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/contrib/metatex/README
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/metatex

on MikT _E X	metatex
on T _E XLive	metatex
keyword	graphics-inline (graphics inline for external processing)
see also	see section 1888 on page 1706: (emp – “Encapsulate” MetaPost figures in a document)
language(s)	no language specified
year	2004
last access	2025-02-07

3921 metatype1 – Generate Type 1 fonts from MetaPost

Web page on CTAN	https://ctan.org/pkg/metatype1
name	metatype1
caption	Generate Type 1 fonts from MetaPost
author	JNS team
license	pd = Public Domain Software (free)
version	0.56 (2015-04-27)
last changes	2015-04-27
year	2015
description	(no language specified) The system employs scripts, common utility programs, and a set of MetaPost macros to provide a means of expressing the details outline fonts <i>directly</i> in the MetaPost language. The system was employed to generate the Latin Modern fonts, and the distribution includes an example development of Knuth’s logo fonts.
documentation	(no language specified) <i>Paper with tutorial example using MetaType1</i>: https://tug.org/TUGboat/tb28-2/tb89hoeppner.pdf
– local file	./3197723589-tb89hoeppner.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/utilities/metatype1/README
documentation	(no language specified) <i>Paper about the MetaType1 project</i>: https://tug.org/TUGboat/tb24-1/jackowski.pdf
– local file	./1964511683-jackowski.pdf
on CTAN	https://ctan.org/tex-archive/fonts/utilities/metatype1
on T _E XLive	metatype1

keyword font-devel (support for font development, testing and characterisation)
 language(s) no language specified
 last access 2025-02-07

3922 metauml – MetaPost library for typesetting UML diagrams

Web page on CTAN <https://ctan.org/pkg/metauml>

name metauml

caption MetaPost library for typesetting UML diagrams

author Gheorghies, Ovidiu

copyright Ovidiu Gheorghies (2005,2019)

license gpl = GNU General Public License (free)

version 0.2.6

description (no language specified) MetaUML is a MetaPost library for typesetting UML diagrams, which provides a usable, human-friendly textual notation for UML, offering now support for class, package, activity, state, and use case diagrams.

documentation (no language specified) *Package documentation*:
<https://ctan.org/tex-archive/graphics/metapost/contrib/macros/metauml/doc/metauml-manual-v0.2.6-19d34de3da75cbd9f814f0a9ec03b4e0861b1541.pdf>

– local file ./8185031510-metauml-manual-v0.2.6-19d34de3da75cbd9f814f0a9ec03b4e0861b1541.pdf

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/graphics/metapost/contrib/macros/metauml/README>

contact *repository*: <https://github.com/ogheorghies/MetaUML>

on CTAN <https://ctan.org/tex-archive/graphics/metapost/contrib/macros/metauml>

on MikTeX metauml

on T_EXLive metauml

keyword uml (support for Universal Modelling Language diagrams)

keyword mp-use (use, and support for use, of MetaPost)

see also see section 2090 on page 1891: (expressg – Diagrams consisting of boxes, lines, and annotations)

see also see section 6445 on page 5823: (UML – UML diagrams in LaTeX)

see also see section 4974 on page 4503: (pst-uml – UML diagrams with PSTricks)

language(s)	no language specified
year	2019
last access	2025-02-07

3923 method – Typeset method and variable declarations

Web page on CTAN <https://ctan.org/pkg/method>

name	method
caption	Typeset method and variable declarations
author	Drucbert, Jean-Pierre
author	Leineweber, Thomas
license	lppl = The LaTeX Project Public License (free)
version	2.0b
description	(no language specified) The package supports typesetting of programming language method and variable declarations. It supports declarations in German, French and English.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/method/method.pdf
– local file	./3319759632-method.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/method/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/method
on MikTeX	method
on TeXLive	method
keyword	listing (computer code listing)
language(s)	no language specified
year	without year
last access	2025-02-07

3924 metre – Support for the work of classicists

Web page on CTAN <https://ctan.org/pkg/metre>

name `metre`

caption Support for the work of classicists

author Boggio-Togna, Gianfranco

copyright Gianfranco Boggio-Togna (2000, 2001)

license lppl = The LaTeX Project Public License (free)

version 1.0

description (no language specified) The package provides classicists with some of the tools that are needed for typesetting scholarly publications dealing with Greek and Latin texts, with special emphasis on Greek verse.

As the package's name suggests, its core is a comprehensive set of commands for generating metrical schemes and for placing prosodical marks on text set in the Latin or the Greek alphabet. The rest of the package provides a miscellany of commands for symbols (most of them not directly related to metre) that are often used in critical editions of classical texts.

The package does not require any special font: all symbols are taken from the Computer Modern fonts (which are included in all TeX distributions) and the package's commands are based on TeX primitives.

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/metre/metre.pdf>

– local file `./5062793342-metre.pdf`

documentation (no language specified) *Example of usage*: <https://ctan.org/tex-archive/macros/latex/contrib/metre/demo.pdf>

– local file `./4064592750-demo.pdf`

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/metre/README>

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/metre>

on T_EXLive `metre`

keyword `linguistic` (support for linguistics)

keyword `crit-ed` (typeset scholarly editions of texts)

language(s) no language specified

year 2001

last access 2025-02-07

3925 *metrix* – Typeset metric marks for Latin textWeb page on CTAN <https://ctan.org/pkg/metrix>

name	<code>metrix</code>
caption	Typeset metric marks for Latin text
author	Weh, Tobias
copyright	Tobias Weh (2013-2016)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.5
description	(no language specified) The package may be used to type the prosodics/metrics of (latin) verse; it provides macros to typeset the symbols standing alone, and in combination with symbols, giving automatic alignment. The package requires TikZ (including the <code>calc</code> library), xpatch , and xparse (thus also requiring the experimental LaTeX3 environment).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/metrix/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/metrix/metrix.pdf
– local file	<code>./6075629323-metrix.pdf</code>
contact	<i>bugs</i> : https://github.com/tweh/metrix/issues
contact	<i>repository</i> : https://github.com/tweh/metrix
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/metrix
on MikTeX	<code>metrix</code>
on T _E XLive	<code>metrix</code>
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>verse</code> (typeset verse, etc.)
keyword	<code>latin</code> (support for typesetting Latin (ancient, medieval and ‘modern’))
language(s)	no language specified
year	2016
last access	2025-02-07

3926 *met symb* – The package provides dedicated TeX commands to generate (vectorial) meteorological symbols

Web page on CTAN <https://ctan.org/pkg/metsymb>

name	<code>met symb</code>
caption	The package provides dedicated TeX commands to generate (vectorial) meteorological symbols
author	Vogt, Frédéric P.A.
copyright	MeteoSwiss (2021-2023)
license	bsd3 = 3-clause BSD License (free)
version	1.2.0
description	(no language specified) The <i>met symb</i> package introduces commands to generate official meteorological symbols with vectorial quality. These include: <code>oktas</code> (<code>\zerookta</code>, <code>\oneokta</code>, <code>\twooktas</code>, <code>\ldots</code>), cloud genera (<code>\cirrus</code>, <code>\cirrostratus</code>, <code>\nimbostratus</code>, ...), and <code>C_L</code> / <code>C_M</code> / <code>C_H</code> cloud codes (<code>\clIII</code>, <code>\cmVI</code>, <code>\chIX</code>, ...). Individual symbols are designed using TikZ. They are then bundled into a dedicated font with FontForge, and eventually tied to dedicted LaTeX commands. The <i>met symb</i> OpenType font is a side-product that can be used on its own. This package essentially introduces a new font in which each symbol is assigned to a glyph, which can then be called individually from LaTeX documents via dedicated commands.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/metsymb/README.md
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/metsymb/source/metsymb.pdf
– local file	<code>./2228186162-metsymb.pdf</code>
contact	<i>support</i> : https://github.com/MeteoSwiss/metsymb/discussions
contact	<i>bugs</i> : https://github.com/MeteoSwiss/metsymb/issues
contact	<i>repository</i> : https://github.com/MeteoSwiss/metsymb
on CTAN	https://ctan.org/tex-archive/fonts/metsymb
on MikTeX	<code>met symb</code>
on TeXLive	<code>met symb</code>
keyword	<code>font-symbol</code> (fonts that provide collections of symbols)
keyword	<code>font-specialist</code> (fonts with specific small application areas)
keyword	<code>font-sfd</code> (FontForge font file)

3927 *mewltx* – *MicroEmacs for Windows LaTeX interface*

keyword	font-otf (font in OpenType format)
keyword	scientific-docs (support for writers of scientific documents)
keyword	font (fonts themselves)
language(s)	no language specified
year	2023
last access	2025-02-07

3927 *mewltx* – MicroEmacs for Windows LaTeX interface

Web page on CTAN <https://ctan.org/pkg/mewltx>

name	mewltx
caption	MicroEmacs for Windows LaTeX interface
author	Reid, Michael F.
license	noinfo = noinfo
version	1.0
description	(no language specified) The bundle provides macros for MicroEmacs for Windows, to enable it to make sense of LaTeX documents
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/support/mewltx/mewlatex.txt
on CTAN	https://ctan.org/tex-archive/support/mewltx
keyword	editor-extn (plug-ins for editors, for better (La)TeX and Meta* support)
language(s)	no language specified
year	without year
last access	2025-02-07

3928 mex – Polish formats for TeX

Web page on CTAN <https://ctan.org/pkg/mex>

name	mex
caption	Polish formats for TeX
author	Ryćko, Marek
author	Jackowski, Bogusław
license	knuth = Knuth License (free)
version	1.05a
description	(no language specified) MeX is an adaptation of Plain TeX (MeX) and LaTeX209 (LaMeX) formats to the Polish language and to Polish printing customs. It contains a complete set of Metafont sources of Polish fonts, hyphenation rules for the Polish language and sources of formats.
documentation	(English) <i>Readme</i> : https://ctan.org/tex-archive/language/polish/readme.mex
documentation	(Polish) <i>Readme</i> : https://ctan.org/tex-archive/language/polish/czytaj.mex
on CTAN	https://ctan.org/tex-archive/language/polish/mex105a.zip
on T _E XLive	mex
keyword	format (macros to build a format)
keyword	polish (support for typesetting Polish)
language(s)	English; Polish
year	without year
last access	2025-02-07

3929 mf-ps – Metafont-PostScript conversions

Web page on CTAN <https://ctan.org/pkg/mf-ps>

name	mf-ps
caption	Metafont-PostScript conversions
author	Jackowski, Bogusław
license	pd = Public Domain Software (free)
description	(no language specified) A Metafont support package including: • <code>epstomf</code>, a tiny AWK script for converting EPS files into Metafont;

3930 *mf2ps* – Modification of Metafont to produce PostScript output

- `mftoeps` for generating (encapsulated) PostScript files readable, e.g., by CorelDRAW, Adobe Illustrator and Fontographer;
- a collection of routines (in folder `progs`) for converting Metafont-coded graphics into encapsulated PostScript; and
- `roex.mf`, which provides Metafont macros for removing overlaps and expanding strokes.

In `mftoeps`, Metafont writes PostScript code to a log-file, from which it may be extracted by either TeX or AWK.

documentation	(no language specified) <i>Outline of mftoeps</i> : https://ctan.org/tex-archive/graphics/MF-PS/mftoeps/README
documentation	(no language specified) <i>Outline of MF support macros</i> : https://ctan.org/tex-archive/graphics/MF-PS/roex/README
documentation	(no language specified) <i>Bundle overview</i> : https://ctan.org/tex-archive/graphics/MF-PS/README
documentation	(no language specified) <i>Outline of epstomf</i> : https://ctan.org/tex-archive/graphics/MF-PS/epstomf/README
documentation	(no language specified) <i>Outline of supporting programs</i> : https://ctan.org/tex-archive/graphics/MF-PS/progs/README
on CTAN	https://ctan.org/tex-archive/graphics/MF-PS
keyword	<code>graphics-import</code> (convert a foreign graphics format for use with TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

3930 *mf2ps* – Modification of Metafont to produce PostScript output

Web page on CTAN <https://ctan.org/pkg/mf2ps>

name	<code>mf2ps</code>
caption	Modification of Metafont to produce PostScript output
author	Berry, Daniel
author	Yanai, Shimon
license	<code>noinfo = noinfo</code>
version	(1993-02-18)
last changes	1993-02-18
year	1993

description	(no language specified) The system describes Pascal source modifications to Metafont (version 1.7 or earlier) for it to produce fonts specified in PostScript. The work was undertaken before Adobe published the specification of its Type 1 format, so that the fonts thus produced are bulky and relatively inefficient, in modern terms.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/utilities/mf2ps/READ.ME
documentation	(no language specified) <i>Paper describing the system</i> : https://ctan.org/tex-archive/fonts/utilities/mf2ps/doc/paper.pdf
– local file	<code>./9721531135-paper.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/utilities/mf2ps
keyword	<code>font-proc</code> (process fonts for use with TeX (includes installation))
see also	see section 3921 on page 3546: (<code>metatype1</code> – Generate Type 1 fonts from MetaPost)
language(s)	no language specified
last access	2025-02-07

3931 *mf2pt1* – Convert stylized Metafont to PostScript Type 1

Web page on CTAN	https://ctan.org/pkg/mf2pt1
name	<code>mf2pt1</code>
caption	Convert stylized Metafont to PostScript Type 1
author	Pakin, Scott
copyright	Scott Pakin (2005-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.8
description	(no language specified) <code>mf2pt1</code> is a Perl script that facilitates producing PostScript Type 1 fonts from a Metafont source file. It is not, as the name may imply, an automatic converter of arbitrary Metafont fonts to Type 1 format. <code>mf2pt1</code> imposes a number of restrictions on the Metafont input. If these restrictions are met, <code>mf2pt1</code> will produce valid Type 1 output with more accurate control points than can be reverse-engineered by TeXtrace, mftrace , and other programs which convert bitmaps to outline fonts.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/mf2pt1/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/mf2pt1/mf2pt1.pdf

3932 *mf2pt3* – Create Adobe Type 3 fonts

– local file	<code>./9818678657-mf2pt1.pdf</code>
on CTAN	https://ctan.org/tex-archive/support/mf2pt1
on MikTeX	<code>mf2pt1</code>
on TeXLive	<code>mf2pt1</code>
keyword	<code>font-proc</code> (process fonts for use with TeX (includes installation))
see also	see section 3921 on page 3546: (<code>metatype1</code> – Generate Type 1 fonts from MetaPost)
language(s)	no language specified
year	2024
last access	2025-02-07

3932 *mf2pt3* – Create Adobe Type 3 fonts

Web page on CTAN <https://ctan.org/pkg/mf2pt3>

name	<code>mf2pt3</code>
caption	Create Adobe Type 3 fonts
author	Syropoulos, Apostolos
copyright	Apostolos Syropoulos (1998)
license	<code>noinfo</code> = <code>noinfo</code>
version	(1998-12-24)
last changes	1998-12-24
year	1998
description	(no language specified) Perl script to generate PostScript Type 3 fonts from Metafont sources by processing MetaPost output.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/utilities/mf2pt3/mf2pt3.html
on CTAN	https://ctan.org/tex-archive/fonts/utilities/mf2pt3
keyword	<code>font-proc</code> (process fonts for use with TeX (includes installation))
language(s)	no language specified
last access	2025-02-07

3933 *mf2tex* – Add labels into drawings created with MetafontWeb page on CTAN <https://ctan.org/pkg/mf2tex>

name	<i>mf2tex</i>
caption	Add labels into drawings created with Metafont
author	Spalek, Robert
license	gpl = GNU General Public License (free)
version	(1997-03-14)
last changes	1997-03-14
year	1997
description	(no language specified) A package of macros in TeX and Metafont which allows a user to easily add labels to Metafont sources (text or mathematics). Normally you can only draw in Metafont and all labels you must write into the TeX source before (or after) inserting the picture. This package allows you to write TeX labels straight into the Metafont source and to generate corresponding TeX source.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/mf2tex/README
on CTAN	https://ctan.org/tex-archive/graphics/mf2tex
keyword	graphics-supp (support for other packages or for drivers)
language(s)	no language specified
last access	2025-02-07

3934 *mfb-oldstyle* – MFB Oldstyle serif fontsWeb page on CTAN <https://ctan.org/pkg/mfb-oldstyle>

name	<i>mfb-oldstyle</i>
caption	MFB Oldstyle serif fonts
author	Miller, Daniel Benjamin
license	cc0 = CC0 1.0 (free)
version	1.0 (2024-08-05)
last changes	2024-08-05
year	2024

description	(no language specified) Oldstyle is a serif font family designed for body text. This typeface was originally designed by Morris Fuller Benton and released by American Type Founders in 1909 as Century Oldstyle. The family contains three fonts: regular, italic and bold. (Currently, no bold italic font is provided.) Superior and inferior figures are available for all fonts in the family. Small capitals and old-style figures are available only for the regular font.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/mfb-oldstyle/doc/mfb-oldstyle-doc.pdf
– local file	<code>./9908839607-mfb-oldstyle-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/mfb-oldstyle/README
contact	<i>bugs</i> : https://github.com/dbenjaminmiller/mfb-oldstyle/issues
contact	<i>repository</i> : https://github.com/dbenjaminmiller/mfb-oldstyle
on CTAN	https://ctan.org/tex-archive/fonts/mfb-oldstyle
on MikTeX	<code>mfb-oldstyle</code>
on T _E XLive	<code>mfb-oldstyle</code>
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-suppl</code> (metrics, macro incantations and other font support)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-serif</code> (serif font)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-proportional</code> (variable-spaced font)
language(s)	no language specified
last access	2025-02-07

3935 *mfbook* – The source of The Metafontbook

Web page on CTAN <https://ctan.org/pkg/mfbook>

name	mfbook
caption	The source of The Metafontbook
author	Knuth, Donald E.
copyright	American Mathematical Society (1986)
license	other-nonfree = License that prevents distribution (not free)
version	(2021-02-05)
last changes	2021-02-05
year	2021
description	(no language specified) This file provides the source of The Metafontbook, which is provided as an example of the business of writing a book in TeX. The source has ‘protection’ against use to produce a document: such use is only allowed with the permission of the Copyright holder and of the publisher (Addison-Wesley).
on CTAN	https://ctan.org/tex-archive/systems/knuth/dist/mf/mfbook.tex
keyword	book-src (source of a published book)
language(s)	no language specified
last access	2025-02-11

3936 *mff* – Multiple font formats

Web page on CTAN <https://ctan.org/pkg/mff>

name	mff
caption	Multiple font formats
author	Berdnikov, Alexander
author	Turtia, S. B.
license	noinfo = noinfo
version	1.21

description	(no language specified) A package to provide something similar to Adobe Type 1 ‘multiple master’ fonts, but using Metafont; you specify a font by a set of Metafont parameters, and TeX makes up an mf file to generate the required font. This package is not integrated with NFSS (or MakeTeXTFM) but it is <i>fun</i> ...
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mff/mffdok.pdf
– local file	./1371972203-mffdok.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mff
on MikTeX	mff
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year
last access	2025-02-07

3937 mff-util – Metafont management

Web page on CTAN <https://ctan.org/pkg/mff-util>

name	mff-util
caption	Metafont management
author	Cugley, Damian
copyright	Damian Cugley (1991, 1992)
license	other-free = Free license not otherwise listed (free)
version	2.9.0
description	(no language specified) Mff is a front-end to Metafont, which will manage font families in a manner reminiscent of the <i>mfjob</i> application in the (now largely defunct) emTeX distribution. The package promotes a style of writing Metafont for families of fonts, and in the presence of such style, the package can generate driver files to use when generating particular fonts.
documentation	(no language specified) <i>Package manual page</i> : https://ctan.org/tex-archive/fonts/utilities/mff-29/mff.pdf
– local file	./3723588438-mff.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/utilities/mff-29/README

3938 *mfirstuc* – Uppercase the first letter of a word

on CTAN	https://ctan.org/tex-archive/fonts/utilities/mff-29
keyword	font-util (manipulate or examine fonts)
language(s)	no language specified
year	1992
last access	2025-02-07

3938 *mfirstuc* – Uppercase the first letter of a word

Web page on CTAN <https://ctan.org/pkg/mfirstuc>

name	<i>mfirstuc</i>
caption	Uppercase the first letter of a word
author	Talbot, Nicola
copyright	Nicola Talbot (2021-2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.08 (2022-10-14)
last changes	2022-10-14
year	2022
description	(no language specified) The package provides commands <code>\makefirstuc</code> that uppercases the first letter in its argument (with a check for a semantic markup command at the start of the argument), and <code>\xmakefirstuc</code> which expands the argument before uppercasing. It also provides <code>\capitalisewords{phrase}</code> which applies <code>\makefirstuc</code> to each word in the <i>phrase</i> , where the words are separated by regular spaces. (Exceptions can be made for words that shouldn't be converted.)
documentation	(no language specified) <i>Package code and documentation (PDF)</i> : https://ctan.org/tex-archive/macros/latex/contrib/mfirstuc/mfirstuc-code.pdf
– local file	<code>./5683323776-mfirstuc-code.pdf</code>
documentation	(no language specified) <i>Package documentation (HTML)</i> : https://ctan.org/tex-archive/macros/latex/contrib/mfirstuc/mfirstuc-manual.html
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mfirstuc/README
documentation	(no language specified) <i>User manual (PDF)</i> : https://ctan.org/tex-archive/macros/latex/contrib/mfirstuc/mfirstuc-manual.pdf

3939 *mflogo* – LaTeX support for Metafont logo fonts

– local file	<code>./8332257690-mfirstuc-manual.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mfirstuc
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/mfirstuc.tds.zip
on MikTeX	<code>mfirstuc</code>
on TeXLive	<code>mfirstuc</code>
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
keyword	<code>text-manip</code> (manipulate strings (typically in token lists))
language(s)	no language specified
last access	2025-02-07

3939 *mflogo* – LaTeX support for Metafont logo fonts

Web page on CTAN	https://ctan.org/pkg/mflogo
name	<code>mflogo</code>
caption	LaTeX support for Metafont logo fonts
author	Vieth, Ulrik
copyright	Ulrik Vieth (1994-1999)
license	lppl = The LaTeX Project Public License (free)
version	2.0
description	(no language specified) LaTeX package and font definition file to access the Knuthian mflogo fonts described in ‘The Metafontbook’ and to typeset Metafont logos in LaTeX documents.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mflogo/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mflogo/mflogo.pdf
– local file	<code>./6281012424-mflogo.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mflogo
on MikTeX	<code>mflogo</code>
on TeXLive	<code>mflogo</code>
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
language(s)	no language specified

year 1999
last access 2025-02-07

3940 mflogo-font – Metafont logo font

Web page on CTAN <https://ctan.org/pkg/mflogo-font>

name	mflogo-font
caption	Metafont logo font
author	Hoekwater, Taco
author	Knuth, Donald E.
copyright	D. E. Knuth (null)
license	knuth = Knuth License (free)
version	1.002
description	(no language specified) These fonts were created in Metafont by Knuth, for his own publications. At some stage, the letters ‘P’ and ‘S’ were added, so that the MetaPost logo could also be expressed. The fonts were originally issued (of course) as Metafont source; they have since been autotraced and reissued in Adobe Type 1 format by Taco Hoekwater.
documentation	(no language specified) <i>Readme for Type 1 version:</i> https://ctan.org/tex-archive/fonts/mflogo/ps-type1/hoekwater/README
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/mflogo/README
on CTAN	https://ctan.org/tex-archive/fonts/mflogo
on MikTeX	mflogo
on T _E XLive	mflogo
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	no language specified
year	without year
last access	2025-02-11

3941 *mflogo209* – Typeset the Metafont logo under LaTeX 2.09

Web page on CTAN <https://ctan.org/pkg/mflogo209>

name	mflogo209
caption	Typeset the Metafont logo under LaTeX 2.09
author	Hosek, Don
license	noinfo = noinfo
version	(1989-03-27)
last changes	1989-03-27
year	1989
description	(no language specified) This package uses the LaTeX 2.09 font selection system; current LaTeX users need the mflogo package.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/mf.sty
keyword	font-supp (metrics, macro incantations and other font support)
keyword	latex209 (package only known to work with LaTeX 2.09)
language(s)	no language specified
last access	2025-02-11

3942 *mfnfss* – Packages to typeset oldgerman and pandora fonts in LaTeX

Web page on CTAN <https://ctan.org/pkg/mfnfss>

name	mfnfss
caption	Packages to typeset oldgerman and pandora fonts in LaTeX
author	The LaTeX Project Team
author	Mittelbach, Frank
copyright	Frank Mittelbach (2017)
license	lppl = The LaTeX Project Public License (free)
version	(2017-12-10)
last changes	2017-12-10
year	2017

description	(no language specified) This bundle contains two packages: – oldgerm, a package to typeset with old german fonts designed by Yannis Haralambous. – pandora, a package to typeset with Pandora fonts designed by Neena Billawala. Note that support for the Pandora fonts is also available via the pandora-latex package.
documentation	(no language specified) <i>Documentation of the pandora support:</i> https://github.com/FrankMittelbach/historical-fmitex/blob/master/mfnfss/pandora.ps
documentation	(no language specified) <i>Documentation of the Old German support:</i> https://ctan.org/tex-archive/macros/latex/contrib/mfnfss/oldgerm.pdf
– local file	./1641535173-oldgerm.pdf
contact	<i>bugs:</i> https://github.com/FrankMittelbach/historical-fmitex/issues
contact	<i>repository:</i> https://github.com/FrankMittelbach/historical-fmitex/tree/master/mfnfss
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mfnfss
on MikTeX	mfnfss
on TeXLive	mfnfss
keyword	font-supp (metrics, macro incantations and other font support)
keyword	tagged-pdf (tagged PDF compatible)
language(s)	no language specified
last access	2026-04-10

3943 mfpic – Draw Metafont/post pictures from (La)TeX commands

Web page on CTAN	https://ctan.org/pkg/mfpic
name	mfpic
caption	Draw Metafont/post pictures from (La)TeX commands
author	Luecking, Daniel H.
author	Tobin, Geoffrey
copyright	Daniel H. Luecking (2002-2009)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)

version	1.10
description	(no language specified) Mfpic is a scheme for producing pictures from (La)TeX commands. Commands <code>\mfpic</code> and <code>\endmfpic</code> (in LaTeX, the <code>mfpic</code> environment) enclose a group in which drawing commands may be placed. The commands generate a Meta-language file, which may be processed by MetaPost (or even Metafont). The resulting image file will be read back in to the document to place the picture at the point where the original (La)TeX commands appeared. Note that the ability to use MetaPost here means that the package works equally well in LaTeX and pdfLaTeX.
documentation	(English) <i>Mfpic manual</i>: https://ctan.org/tex-archive/graphics/mfpic/doc/mfpic-doc.pdf
– local file	<code>./3766448143-mfpic-doc.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/graphics/mfpic/README
documentation	(English) <i>Short introduction</i>: https://ctan.org/tex-archive/graphics/mfpic/doc/mfpguide.pdf
– local file	<code>./2687216125-mfpguide.pdf</code>
documentation	(English) <i>Quick reference</i>: https://ctan.org/tex-archive/graphics/mfpic/doc/mfpcard.pdf
– local file	<code>./9407538300-mfpcard.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/mfpic
installation	https://ctan.org/tex-archive/install/graphics/mfpic.tds.zip
on MikTeX	<code>mfpic</code>
on T _E XLive	<code>mfpic</code>
keyword	<code>graphics-in-tex</code> (graphics produced by one of the *TeX engines)
see also	see section 4010 on page 3627: (<code>mkpic</code> – Perl interface to <code>mfpic</code>)
language(s)	English
year	2009
last access	2025-02-07

3944 mfpic4ode – Macros to draw direction fields and solutions of ODEs

Web page on CTAN <https://ctan.org/pkg/mfpic4ode>

name	mfpic4ode
caption	Macros to draw direction fields and solutions of ODEs
author	Mařík, Robert
copyright	Robert Mařík (2006-2008)
license	lpl = The LaTeX Project Public License (free)
version	0.4
description	(no language specified) The package is a small set of macros for drawing direction fields, phase portraits and trajectories of differential equations and two dimensional autonomous systems. The Euler, Runge-Kutta and 4th order Runge-Kutta algorithms are available to solve the ODEs. The picture is translated into mfpic macros and MetaPost is used to create the final drawing. The package is was designed for use with LaTeX, but it can be used in plain TeX as well.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mfpic4ode/README
documentation	(no language specified) <i>Examples of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/mfpic4ode/demo/demo.pdf
– local file	./5596279173-demo.pdf
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mfpic4ode/mfpic4ode.pdf
– local file	./6638420903-mfpic4ode.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mfpic4ode
on MikTeX	mfpic4ode
on TeXLive	mfpic4ode
keyword	graphics-plotfn (plot a representation of a function)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	2008
last access	2025-02-07

3945 mftinc – Pretty-print Metafont source

Web page on CTAN <https://ctan.org/pkg/mftinc>

name	mftinc
caption	Pretty-print Metafont source
author	Pakin, Scott
copyright	Scott Pakin (2005)
license	lppl = The LaTeX Project Public License (free)
version	1.0a
description	(no language specified) The mft program pretty-prints Metafont source code into a TeX file. The mftinc package facilitates incorporating such files into a LaTeX2e document. In addition, mftinc provides routines for improved comment formatting and for typesetting font tables.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mftinc/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mftinc/mftinc.pdf
– local file	./1423703452-mftinc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mftinc
on MikTeX	mftinc
on TeXLive	mftinc
keyword	listing (computer code listing)
see also	see section 1648 on page 1494: (docmfp – Document non-LaTeX code)
language(s)	no language specified
year	2005
last access	2025-02-07

3946 mftrace – Convert Metafont fonts to Adobe Type 1Web page on CTAN <https://ctan.org/pkg/mftrace>

name	mftrace
caption	Convert Metafont fonts to Adobe Type 1
author	Nienhuys, Han-Wen
license	gpl = GNU General Public License (free)
description	(no language specified) Mftrace is a small Python program that lets you trace a TeX bitmap font into a PFA or PFB font (A PostScript Type 1 Scaleable Font) or TTF (TrueType) font.
home page	https://lilypond.org/mftrace/
keyword	font-devel (support for font development, testing and characterisation)
language(s)	no language specified
year	without year
last access	2025-02-07

3947 mfware – Supporting tools for use with MetafontWeb page on CTAN <https://ctan.org/pkg/mfware>

name	mfware
caption	Supporting tools for use with Metafont
author	Knuth, Donald E.
author	Fuchs, David R.
author	Rokicki, Tom
license	pd = Public Domain Software (free)
version	(2021-02-05)
last changes	2021-02-05
year	2021
description	(no language specified) A collection of programs (as web source) for processing the output of Metafont .
contact	<i>support</i> : https://lists.tug.org/tex-k
contact	<i>bugs</i> : https://lists.tug.org/tex-k

contact	repository: https://tug.org/svn/texlive/trunk/Build/source/texk/web2c/
on CTAN	https://ctan.org/tex-archive/systems/knuth/dist/mfware
on MikTeX	miktex-mfware-bin-2.9
on T _E XLive	mfware
keyword	collection (a collection of packages)
language(s)	no language specified
last access	2025-02-11

3948 *mfwl* – Making friends with LaTeX

Web page on CTAN <https://ctan.org/pkg/mfwl>

name	MFwL
caption	Making friends with LaTeX
author	Kumar, Rohit Vishal
copyright	Rohit Vishal Kumar (2006)
license	gpl = GNU General Public License (free)
version	2.00
description	(no language specified) "Making Friends with LaTeX" (MFwL) is a small presentation which the author uses to introduce LaTeX to his students. It is made using the Prosper Package. The objective of MFwL is to introduce newcomers to LaTeX and make them aware of various aspects of working with LaTeX. It covers: (i) LaTeX Advocacy (ii) LaTeX Document Structure (iii) Paragraph Mode and Math Mode (iv) Structuring the document (v) Creating Tables, Graphics (in very short) (vi) BibTeX (vii) Recommendations for a LaTeX system (viii) References for further reading Its objective is not to make a person expert in using LaTeX but to get the person interested in LaTeX by making him understand the LaTeX way of working. The intention is that once the person is comfortable with the idea s/he can then explore the wonders of LaTeX on his/her own pace.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/info/MFwL/README

on CTAN <https://ctan.org/tex-archive/info/MFwL>
 keyword `tut-latex` (tutorial material for LaTeX)
 language(s) no language specified
 year 2006
 last access 2025-02-07

3949 `mgltex` – High-quality graphics from MGL scripts embedded in LaTeX documents

Web page on CTAN <https://ctan.org/pkg/mgltex>

name `mglTeX`
 caption High-quality graphics from MGL scripts embedded in LaTeX documents
 author Sejas Viscarra, Diego
 author Balakin, Alexey
 copyright Alexey Balakin and Diego Sejas Viscarra (2014-2016)
 license cc-by-sa-3 = CC BY-SA 3.0 (free)
 license gpl3 = GNU General Public License, version 3 (free)
 version 4.2 (2016-04-26)
 last changes 2016-04-26
 year 2016
 description (no language specified) This package allows you to create high-quality publication-ready graphics directly from MGL scripts embedded into your LaTeX document, using the [MathGL library](#) .
 Besides following the LaTeX philosophy of allowing you to concentrate on content rather than output (`mglTeX` takes care of producing the output), `mglTeX` facilitates the maintenance of your document, since both code for text and code for plots are contained in a single file.
[MathGL](#) . is a fast and efficient library by Alexey Balakin for the creation of high-quality publication-ready scientific graphics. Although it defines interfaces for many programming languages, it also implements its own scripting language, called MGL, which can be used independently.
 documentation (no language specified) *Package documentation*:
<https://ctan.org/tex-archive//graphics/mgltex/mgltex.pdf>
 – local file `./9162390041-mgltex.pdf`
 documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/graphics/mgltex/README>

on CTAN	https://ctan.org/tex-archive/graphics/mgltex
on T _E XLive	mgltex
keyword	maths (support for typesetting mathematics)
keyword	graphics-plotfn (plot a representation of a function)
keyword	graphics-plot (plot data)
language(s)	no language specified
last access	2025-02-07

3950 *mh* – Stub for the (old) ‘mh’ bundle

Web page on CTAN <https://ctan.org/pkg/mh>

name	mh
caption	Stub for the (old) ‘mh’ bundle
author	Wright, Joseph
author	Høgholm, Morten
author	Madsen, Lars
author	Robertson, Will
copyright	Morten Høgholm (2002-2010)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2014-08-06)
last changes	2014-08-06
year	2014
description	(no language specified) The mh bundle was a series of packages to enhance the appearance of documents containing a lot of maths; the package were designed to support and extend the LaTeX <i>required</i> amsmath The packages (no longer distributed as a bundle) comprise: • breqn , which enables automatic line-breaking in displayed equations; • empheq , which provides various mechanisms for ‘visual markup’ of mathematical matter; • flexisym , which converts symbol definitions to a form usable within breqn ;

- **mathstyle** , which takes advantage of LaTeX’s suppression of some of TeX’s maths operators, to improve the performance of sub- and superscripts, and other aspects of mathematical typesetting style, including the ever-tricky `\mathchoice` operator;
- **mathtools** , providing a range of extensions to maths as a whole; and
- **mhsetup** , which provides various programming tools for other packages of the set.

keyword collection (a collection of packages)
 keyword maths (support for typesetting mathematics)
 language(s) no language specified
 last access 2025-02-07

3951 *mhack* – Macros for marginal notes, in Plain TeX

Web page on CTAN <https://ctan.org/pkg/mhack>

name *mhack*
 caption Macros for marginal notes, in Plain TeX
 author Walsh, Norman
 license noinfo = noinfo
 version (1991-09-27)
 last changes 1991-09-27
 year 1991
 description (no language specified) These macros present two macros for inserting marginal notes.

The first (`\ihack`) uses an insert to build a margin-full of notes, starting at the top of the page; the macro requires changes to the output routine.

The other macro (`\vhack`) just `\vadjust`s each note to the horizontal position where it starts; this requires no change to the output routine, but provides no protection against notes colliding with each other.

 on CTAN <https://ctan.org/tex-archive/macros/plain/contrib/misc/mhack.tex>
 keyword notes (general notes (not including endnotes or footnotes))
 language(s) no language specified
 last access 2025-02-07

3952 *mhchem* – Typeset chemical formulae/equations and H and P statements

Web page on CTAN <https://ctan.org/pkg/mhchem>

name	mhchem
caption	Typeset chemical formulae/equations and H and P statements
author	Hensel, Martin
copyright	Martin Hensel (2004-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2024-01-29)
last changes	2024-01-29
year	2024
description	(no language specified) The bundle provides three packages: The <code>mhchem</code> package provides commands for typesetting chemical molecular formulae and equations. The <code>hpstatement</code> package provides commands for the official hazard statements and precautionary statements (H and P statements) that are used to label chemicals. The <code>rsphrase</code> package provides commands for the official Risk and Safety (R and S) Phrases that are used to label chemicals. The package requires the expl3 bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mhchem/mhchem.pdf
– local file	<code>./9354480001-mhchem.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mhchem/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mhchem
on MikTeX	mhchem
on TeXLive	mhchem
keyword	chemistry (chemistry document support)
keyword	safety-notice (risk and safety (etc.) notices)
see also	see section 5091 on page 4614 : (<code>r_und_s</code> – Chemical hazard codes)
language(s)	no language specified
last access	2025-02-07

3953 mhequ – Multicolumn equations, tags, labels, sub-numbering

Web page on CTAN <https://ctan.org/pkg/mhequ>

name	mhequ
caption	Multicolumn equations, tags, labels, sub-numbering
author	Hairer, Martin
copyright	Martin Hairer (2000, 2005, 2015, 2022)
license	pd = Public Domain Software (free)
version	1.72
description	(no language specified) The <code>mhequ</code> style file simplifies creating multi-column equation environments and tagging equations therein. It supports sub-numbering of blocks of equations (like (1.2a), (1.2b), etc) and references to each equation individually (1.2a) or to the whole block (1.2). The labels can be shown in draft mode. The default behaviour is to show an equation number if and only if the equation actually has a label, which reduces visual clutter. Comments in the package itself describe its usage, which should also be self-evident from the provided example file.
documentation	(no language specified) <i>Examples of package use:</i> https://ctan.org/tex-archive/macros/latex/contrib/mhequ/mhequ-example.pdf
– local file	<code>./6034831111-mhequ-example.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/mhequ/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mhequ
on MikTeX	mhequ
on T _E XLive	mhequ
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	2022
last access	2025-02-07

3954 *mhs* – Historical mathematics

Web page on CTAN <https://ctan.org/pkg/mhs>

name	<i>mhs</i>
caption	Historical mathematics
author	Brix, K.
license	other-nonfree = License that prevents distribution (not free)
version	1.05i
description	(no language specified) This package provides a collection of macros for historical descriptions of mathematicians; the macros provide full names and birth and death dates of significant mathematicians.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mhs
keyword	<i>maths</i> (support for typesetting mathematics)
language(s)	no language specified
year	without year
last access	2025-02-07

3955 *mhsetup* – The mathtools “setup” function

Web page on CTAN <https://ctan.org/pkg/mhsetup>

name	<i>mhsetup</i>
caption	The mathtools “setup” function
author	Høgholm, Morten
author	Wright, Joseph
author	Madsen, Lars
author	The LaTeX Project Team
author	Robertson, Will
copyright	Morten Høgholm (2002-2007, 2010)
copyright	Lars Madsen (2017-2019)
copyright	Lars Madsen, The LaTeX3 Project (2020-2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.4 (2021-03-18)
last changes	2021-03-18

year	2021
description	(no language specified) Mhsetup is part of the mathtools bundle, which provides a series of packages designed to enhance the appearance of documents containing a lot of mathematics. The main backbone is amsmath, so those unfamiliar with this required part of the LaTeX system will probably not find the packages very useful. The mhsetup package defines various programming tools needed by both empheq and mathtools. In the future, most of these tools will probably be an integral part of LaTeX3.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mathtools/mhsetup.pdf
– local file	./6503954267-mhsetup.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mathtools/README.md
contact	<i>repository</i> : https://github.com/latex3/mathtools
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mathtools
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/mathtools.tds.zip
keyword	maths (support for typesetting mathematics)
see also	see section 175 on page 162: (amsmath – AMS mathematical facilities for LaTeX)
language(s)	no language specified
last access	2025-02-07

3956 *mi-solns* – Extract solutions from exercises and quizzes

Web page on CTAN <https://ctan.org/pkg/mi-solns>

name	mi-solns
caption	Extract solutions from exercises and quizzes
author	Story, Donald P.
copyright	D. P. Story (2018)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	0.6 (2018-12-18)
last changes	2018-12-18

3957 *miama* – The Miama Nueva handwriting font with LaTeX support

year	2018
description	(no language specified) This package is designed to mark a solution environment of an exercise or quiz and insert it into the same or a different document. Solutions are ones created by either the exerquiz or eqexam package. All PDF creators are supported.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mi-solns/docs/mi-solns.pdf
– local file	./4210121184-mi-solns.pdf
documentation	(no language specified) <i>User manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/mi-solns/docs/mi-solnsman.pdf
– local file	./2887976685-mi-solnsman.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mi-solns/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mi-solns
on MikTeX	mi-solns
on T _E XLive	mi-solns
keyword	exercise (exercises, problems for solution, etc.)
keyword	exam (exams, quizzes, etc.)
language(s)	no language specified
last access	2025-02-07

3957 *miama* – The Miama Nueva handwriting font with LaTeX support

Web page on CTAN <https://ctan.org/pkg/miama>

name	miama
caption	The Miama Nueva handwriting font with LaTeX support
author	Romer, Linus
copyright	Linus Romer (2016-2025)
license	ofl = The SIL Open Font License (free)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2 (2025-01-15)
last changes	2025-01-15

3958 *microimp* – A TeX-based word processor

year	2025
description	(no language specified) Miama Nueva is a handwriting / script font with over 1300 glyphs that supports latin, cyrillic, and greek. It comes complete with LaTeX support.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/miama/miama.pdf
– local file	<code>./7539818251-miama.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/miama/README
on CTAN	https://ctan.org/tex-archive/fonts/miama
on MikTeX	miama
on T _E XLive	miama
keyword	<code>font-cyrillic</code> (fonts for Cyrillic and related scripts)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-t1enc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-greek</code> (font for Greek (archaic, classical and modern))
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-multilingual</code> (font with adaptations to several languages)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-calligraphic</code> (calligraphic (or handwriting) fonts)
language(s)	no language specified
last access	2025-02-07

3958 *microimp* – A TeX-based word processor

Web page on CTAN <https://ctan.org/pkg/microimp>

name	MicroIMP
caption	A TeX-based word processor
author	MicroPress
copyright	Micropress Inc (2005)
license	nocommercial = No Commercial Use (not free)
version	0.18

3959 *microtype* – Subliminal refinements towards typographical perfection

description	(no language specified) The idea behind MicroIMP is to reconcile two (so far) disjoint worlds: the World of the Word Processors and the World of quality technical typesetting. MicroIMP achieves this by being a true WYSIWYG word processor, which is based on a LaTeX system.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/win32/microimp/README
documentation	(no language specified) <i>System documentation</i> : https://ctan.org/tex-archive/systems/win32/microimp/microimp.pdf
– local file	./9576074046-microimp.pdf
on CTAN	https://ctan.org/tex-archive/systems/win32/microimp
keyword	editor (editor designed (or adapted) for use with (La)TeX)
language(s)	no language specified
year	2005
last access	2025-02-07

3959 *microtype* – Subliminal refinements towards typographical perfection

Web page on CTAN <https://ctan.org/pkg/microtype>

name	microtype
caption	Subliminal refinements towards typographical perfection
author	Schlicht, Robert
copyright	Robert Schlicht (2004-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.2 (2024-12-12)
last changes	2024-12-12
year	2024
description	(no language specified) The package provides a LaTeX interface to the micro-typographic extensions that were introduced by pdfTeX and have since also propagated to XeTeX and LuaTeX: most prominently, character protrusion and font expansion, furthermore the adjustment of interword spacing and additional kerning, as well as hyphenatable letterspacing (tracking) and the possibility to disable all or selected ligatures. These features may be applied to customisable sets of fonts, and all micro-typographic aspects of the fonts can be configured in a straight-forward and flexible way. Settings for various fonts are provided.

Note that character protrusion requires pdfTeX, LuaTeX, or XeTeX. Font expansion works with pdfTeX or LuaTeX. The package will by default enable protrusion and expansion if they can safely be assumed to work. Disabling ligatures requires pdfTeX or LuaTeX, while the adjustment of interword spacing and of kerning only works with pdfTeX. Letterspacing is available with pdfTeX or LuaTeX.

The alternative package ‘letterspace’, which also works with plain TeX, provides the user commands for letterspacing only, omitting support for all other extensions.

documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/microtype/README.md
documentation	(no language specified) <i>User manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/microtype/microtype.pdf
– local file	<code>./2285932811-microtype.pdf</code>
documentation	(no language specified) <i>Implementation details</i> : https://ctan.org/tex-archive/macros/latex/contrib/microtype/microtype-code.pdf
– local file	<code>./1492849350-microtype-code.pdf</code>
contact	<i>bugs</i> : https://github.com/schlicht/microtype/issues
contact	<i>repository</i> : https://github.com/schlicht/microtype/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/microtype
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/microtype.tds.zip
on MikTeX	<code>microtype</code>
on T _E XLive	<code>microtype</code>
keyword	<code>micro-layout</code> (paragraph shapes, margin adjustments, etc.)
keyword	<code>letterspace</code> (change space between characters)
see also	see section 4548 on page 4114: (pdfcp _{rot} – Activating and setting of character protruding using pdfLaTeX)
language(s)	no language specified
last access	2025-02-07

3960 *microtype-de* – Translation into German of the documentation of *microtype*

Web page on CTAN <https://ctan.org/pkg/microtype-de>

name	microtype-de
caption	Translation into German of the documentation of <i>microtype</i>
author	Schröder, Jenny
author	Schwerdtfeger, Sebastian
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.4
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/obsolete/info/translations/microtype/de/microtype-DE.pdf
– local file	./2565860614-microtype-DE.pdf
on CTAN	https://ctan.org/tex-archive/obsolete/info/translations/microtype/de
on T _E XLive	microtype-de
keyword	typesetting (support for variations of typographic style)
keyword	german-doc (documentation in German)
keyword	obsolete (package declared obsolete)
keyword	translation (translation of material from the archive, to another language)
language(s)	no language specified
year	without year
last access	2025-02-07

3961 *mid2tex* – Convert MIDI to MusicTeX input

Web page on CTAN <https://ctan.org/pkg/mid2tex>

name	Mid2TeX/Free
caption	Convert MIDI to MusicTeX input
author	Köhler, Andreas
license	noinfo = noinfo
version	(1996-07-28)
last changes	1996-07-28

year	1996
description	(no language specified) A student project (apparently). Documentation in German.
documentation	(German) <i>Readme</i> : https://ctan.org/tex-archive/support/midi2tex/readme
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/support/midi2tex/doc/m2t_doc.ps
on CTAN	https://ctan.org/tex-archive/support/midi2tex
keyword	music-extinp (external input sources for music)
see also	see section 3962 on page 3583: (Midi2TeX/Free – Convert MIDI to MusicTeX input)
see also	see section 4136 on page 3743: (musicTeX – Typesetting music with TeX)
language(s)	German
last access	2025-02-07

3962 *midi2tex* – Convert MIDI to MusicTeX input

Web page on CTAN <https://ctan.org/pkg/midi2tex>

name	Midi2TeX/Free
caption	Convert MIDI to MusicTeX input
author	Verbruggen, Ad
author	Kuykens, Hans
license	noinfo = noinfo
version	1.3
description	(no language specified) Midi2TeX will translate up to 16 tracks, taking account (in some sense) of everything in the MIDI file.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/midi2tex/midi2tex.txt
on CTAN	https://ctan.org/tex-archive/support/midi2tex
keyword	music-extinp (external input sources for music)
see also	see section 4136 on page 3743: (musicTeX – Typesetting music with TeX)
see also	see section 3961 on page 3582: (Mid2TeX/Free – Convert MIDI to MusicTeX input)
language(s)	no language specified

year without year
last access 2025-02-07

3963 *midnight* – A set of useful macro tools

Web page on CTAN <https://ctan.org/pkg/midnight>

name	midnight
caption	A set of useful macro tools
author	van der Goot, Marcel
copyright	Marcel van der Goot (1991)
license	other-free = Free license not otherwise listed (free)
description	(no language specified) Included are: • quire: making booklets, etc.; • gloss: vertically align words in consecutive sentences; • loop: a looping construct; • dolines: ‘meta’-macros to separate arguments by newlines; • labels: address labels and bulk mail letters; • styledef: selectively input part of a file; and • border: borders around boxes.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/generic/midnight/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/midnight/midnight.pdf
– local file	./5976012382-midnight.pdf
on CTAN	https://ctan.org/tex-archive/macros/generic/midnight
on MikTeX	midnight
on TeXLive	midnight
keyword	linguistic (support for linguistics)
keyword	letter (typesetting letters, envelopes, faxes, etc)
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	1991

last access 2025-02-07

3964 *midpage* – Environment for vertical centring

Web page on CTAN <https://ctan.org/pkg/midpage>

table
name	midpage
caption	Environment for vertical centring
author	Robertson, Will
author	Wilson, Peter R.
copyright	Peter Wilson (1996)
license	lppl = The LaTeX Project Public License (free)
version	1.1a
description	(no language specified) The environment will centre text, if immediately preceded and followed by `\clearpage`.
documentation	(no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/midpage/midpage.pdf>
– local file	`./3465765670-midpage.pdf`
on CTAN	<https://ctan.org/tex-archive/macros/latex/contrib/midpage>
on MikTeX	midpage
on TeXLive	midpage
keyword	layout (layout of objects on the page)
language(s)	no language specified
year	1996
last access	2025-02-07

3965 mif2xfig – Conversion between Frame Maker and XfigWeb page on CTAN <https://ctan.org/pkg/mif2xfig>

name	mif2xfig
caption	Conversion between Frame Maker and Xfig
author	Lundqvist, Mikael
license	noinfo = noinfo
description	(no language specified) A tool to convert diagrams from Frame Maker's MIF format to XFig's format, and vice versa.
keyword	graphics-prep (prepare graphics for use with *TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

3966 miktex – A free TeX distribution for MS-WindowsWeb page on CTAN <https://ctan.org/pkg/miktex>

name	miktex
caption	A free TeX distribution for MS-Windows
author	Schenk, Christian
license	other-free = Free license not otherwise listed (free)
version	24.12
description	(no language specified) A distribution of TeX and friends for Windows 2000, XP, Vista and Windows 7, as well as Windows Server 2003 and 2008. Features include easy installation and configuration, and full TeX, LaTeX and ConTeXt support. MiKTeX includes a set of "canned" distributions, up to installation of 'everything there is'. Users may update their installation manually, or they can allow MiKTeX to install new stuff automatically (as needed), from the net. A command-line utility, 'texify', simplifies the production of DVI (or PDF) documents by automatically invoking LaTeX (pdfLaTeX), Makeindex, and BibTeX as many times as necessary to produce a DVI (PDF) file with sorted indices and all cross-references resolved. A "portable" distribution is available, for users to carry in their pocket... Users of MiKTeX commonly control their work with an editor/shell; many are available, such as the free texniccenter and the shareware winedt.

documentation	(no language specified) <i>System manual</i> : http://docs.miktex.org/manual/
documentation	(no language specified) <i>System FAQ</i> : http://docs.miktex.org/faq/
documentation	(no language specified) <i>System README</i> : https://ctan.org/tex-archive/systems/win32/miktex/README.md
home page	http://miktex.org
on CTAN	https://ctan.org/tex-archive/systems/win32/miktex
keyword	distribution (components (or support) of TeX distribution)
see also	see section 443 on page 406: (bakoma – A TeX distribution for MS-Windows VISTA/XP/2000)
language(s)	no language specified
year	without year
last access	2025-02-07

3967 miktex-portable – A version of MikTeX to carry around

Web page on CTAN <https://ctan.org/pkg/miktex-portable>

name	miktex-portable
caption	A version of MikTeX to carry around
author	Schenk, Christian
license	other-free = Free license not otherwise listed (free)
version	24.1
description	(no language specified) The portable edition allows you to run MiKTeX from a portable storage device. Please note that there is no seperate installer. Just download the standard installer and rename it to <code>miktex-portable.exe</code> .
documentation	(no language specified) <i>Details of distribution</i> : http://miktex.org/portable/about
home page	http://miktex.org
on CTAN	https://ctan.org/tex-archive/systems/win32/miktex/setup/windows-x64/basic-miktex-24.1-x64.exe
keyword	distribution (components (or support) of TeX distribution)
language(s)	no language specified
year	without year
last access	2025-02-07

3968 *miktex_update* – A cygwin bash script for automatic updating and installing new packages of MiKTeX

Web page on CTAN https://ctan.org/pkg/miktex_update

name	miktex_update
caption	A cygwin bash script for automatic updating and installing new packages of MiKTeX
author	Kleber, Josef
license	lppl = The LaTeX Project Public License (free)
version	1.4
description	(no language specified) The miktex_update script offers automatic updating and installing of new packages of an existing MiKTeX installation. It supports direct connection with online repositories of the MiKTeX server network, as well as synchronizing a local repository (CTAN) with following update. In the end you should have an up-to-date and complete MiKTeX installation.
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/support/miktex_update/miktex_update.pdf
– local file	./1402768209-miktex_update.pdf
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/support/miktex_update/miktex_update_de.pdf
– local file	./7947317733-miktex_update_de.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/miktex_update/README
on CTAN	https://ctan.org/tex-archive/support/miktex_update
keyword	distribution (components (or support) of TeX distribution)
see also	see section 3966 on page 3586: (miktex – A free TeX distribution for MS-Windows)
language(s)	German; English
year	without year
last access	2025-02-07

3969 *mil* – Samples from Math into LaTeX

Web page on CTAN <https://ctan.org/pkg/mil>

name	<i>mil</i>
caption	Samples from Math into LaTeX
author	Grätzer, George
copyright	Birkhäuser Boston (1996)
license	noinfo = noinfo
description	(no language specified) Samples and templates from Grätzer's book.
on CTAN	https://ctan.org/tex-archive/info/examples/mil
keyword	book-ex (copies of examples from a published book)
language(s)	no language specified
year	1996
last access	2025-02-07

3970 *mil3* – Samples from Math into LaTeX, third edition

Web page on CTAN <https://ctan.org/pkg/mil3>

name	<i>mil3</i>
caption	Samples from Math into LaTeX, third edition
author	Grätzer, George
license	other-free = Free license not otherwise listed (free)
version	(2000-05-19)
last changes	2000-05-19
year	2000
description	(no language specified) Examples, samples and templates from the third edition of Grätzer's book.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/examples/mil3/README
on CTAN	https://ctan.org/tex-archive/info/examples/mil3
on MikTeX	<i>mil3</i>
keyword	book-ex (copies of examples from a published book)
language(s)	no language specified

last access 2025-02-07

3971 *milestonetimeline* – Horizontal milestone timeline

Web page on CTAN <https://ctan.org/pkg/milestonetimeline>

name	milestonetimeline
caption	Horizontal milestone timeline
author	Watson, Bret
copyright	Bret Watson (2026)
license	gpl3 = GNU General Public License, version 3 (free)
version	1.0
description	(no language specified) The <i>milestonetimeline</i> package provides a flexible way to create horizontal milestone timelines in LaTeX documents with support for date-based positioning, label rotation, and per-milestone customization. Features: • Date-based positioning (ISO format: YYYY-MM-DD) • Automatic spacing (when no dates provided) • Customizable label rotation (0, 45, 90 degrees) • Per-milestone height control • Highlighted milestones (different color/shape) • Compact and vertical presets • Date markers on timeline
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/milestonetimeline/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/milestonetimeline/milestonetimeline.pdf
– local file	./5336946523-milestonetimeline.pdf
contact	<i>repository</i> : https://github.com/baradhili/latex-linear-milestone-timeline
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/milestonetimeline
on MikTeX	milestonetimeline
on TeXLive	milestonetimeline

keyword	project-mgmt (TeX-related project management)
keyword	diagram-tmg (timing diagrams)
language(s)	no language specified
year	2026
last access	2026-03-26

3972 *miller* – Typeset miller indices

Web page on CTAN <https://ctan.org/pkg/miller>

name	miller
caption	Typeset miller indices
author	Pedersen, Bjørn
author	Harders, Harald
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) Typeset miller indices, e.g., <1-20>, that are used in material science with an easy syntax. Minus signs are printed as bar above the corresponding number.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/miller/miller.pdf
– local file	./2800166859-miller.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/miller/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/miller
on MikTeX	miller
on TeXLive	miller
keyword	mat-sci (typeset matter relevant to Materials Science)
language(s)	no language specified
year	without year
last access	2026-03-26

3973 *milog* – A LaTeX class for fulfilling the documentation duties according to the German minimum wage law MiLoG

Web page on CTAN <https://ctan.org/pkg/milog>

name	<i>milog</i>
caption	A LaTeX class for fulfilling the documentation duties according to the German minimum wage law MiLoG
author	Kleber, Josef
copyright	Josef Kleber (2016)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) Seit dem 1. Januar 2015 gilt in Deutschland grundsätzlich für alle Arbeitnehmer ein flächendeckender gesetzlicher Mindestlohn in Höhe von derzeit 8,50€ pro Stunde. Mit Wirkung ab 1. August 2015 wurden die Dokumentations- und Aufzeichnungspflichten gelockert. Nach §17 MiLoG, muss Beginn, Ende und Dauer der täglichen Arbeitszeit der in §22 MiLoG definierten Arbeitnehmern (formlos) aufgezeichnet werden. Zusätzlich ermöglicht <i>milog.cls</i> aus praktischen Gründen die Aufzeichnung von unbezahlten Pausen und Bemerkungen (Ruhetag, Urlaub, krank, ...). Die Erfassung der Arbeitszeiten erfolgt in einer simplen CSV-Datei, aus der die Klasse automatisch einen Arbeitszeitschein erstellt. Alternativ können die Daten auch durch einen CSV-Export – mit eventueller Nachbearbeitung – einer geeigneten App erhoben werden. The <i>milog.cls</i> class provides means to fulfill the documentation duties by the German minimum wage law MiLoG. The recording of working hours is carried out in a simple CSV file from which the class will automatically create a time sheet. Alternatively, data can also be collected by a CSV export of a suitable app.
documentation	(no language specified) <i>Example</i> : https://ctan.org/tex-archive/macros/latex/contrib/milog/milog-example.pdf
– local file	<code>./5712427894-milog-example.pdf</code>
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/milog/milog.pdf
– local file	<code>./3290019618-milog.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/milog/README.md
documentation	(no language specified) <i>Example</i> : https://ctan.org/tex-archive/macros/latex/contrib/milog/milog-formular.pdf

3974 *milstd* – Generate documents according to MIL STD 490

– local file	<code>./8163188639-milog-formular.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/milog
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/milog.tds.zip
on MikTeX	<code>milog</code>
on T _E XLive	<code>milog</code>
keyword	<code>legal</code> (typesetting legal documents or study material)
language(s)	German
year	2016
last access	2026-03-26

3974 *milstd* – Generate documents according to MIL STD 490

Web page on CTAN <https://ctan.org/pkg/milstd>

name	<code>milstd</code>
caption	Generate documents according to MIL STD 490
author	McPherson, Kent
license	<code>noinfo = noinfo</code>
version	(1986-02-27)
last changes	1986-02-27
year	1986
description	(no language specified) MIL STD 490 (now superseded by MIL STD 490A) is a USA Department of Defense standard for documentation of DoD projects. The document style implements the standard for documents not in ‘book form’. (For documents in book form, the bookform style should be used.) The style needs the extradefs package.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/milstd
keyword	<code>doc-style</code> (LaTeX 2.09 document style)
language(s)	no language specified
last access	2026-03-26

3975 *milsymb* – *LaTeX* package for *TikZ* based drawing of military symbols as per NATO APP-6(C)

Web page on CTAN <https://ctan.org/pkg/milsymb>

name	MilSymb
caption	<i>LaTeX</i> package for <i>TikZ</i> based drawing of military symbols as per NATO APP-6(C)
author	Crosby, Damian
copyright	Damian Crosby (2018-2023)
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
version	1.03 (2023-03-27)
last changes	2023-03-27
year	2023
description	(no language specified) The package offers commands to draw military symbols as per NATO APP-6(C) https://web.archive.org/web/20150921231042/http://armawiki.zu-morc.de/files/NATO/APP-6(C).pdf . It has a set of commands for drawing all symbols found in the document up to the control measures, as well as support for custom non-standard symbols. Control measures are planned to be included in a future release.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/milsymb/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/milsymb/milsymb.pdf
– local file	./5963412124-milsymb.pdf
home page	https://github.com/ralphieraccoon/MilSymb/wiki
contact	<i>bugs</i> : https://github.com/ralphieraccoon/MilSymb/issues
contact	<i>repository</i> : https://github.com/ralphieraccoon/MilSymb
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/milsymb
on MikTeX	milsymb
on T _E XLive	milsymb
keyword	symbol-sup (manage symbols in a document)
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	graphics (graphics (support packages))

language(s) no language specified
 last access 2025-02-07

3976 *mimetex* – Parse LaTeX math expressions and emit gif or xbitmaps

Web page on CTAN <https://ctan.org/pkg/mimetex>

name *mimetex*
 caption Parse LaTeX math expressions and emit gif or xbitmaps
 author Forkosh, John
 copyright John Forkosh Associates (2002-2012)
 license gpl = GNU General Public License (free)
 version 1.74 (2012-03-31)
 last changes 2012-03-31
 year 2012
 description (no language specified) MimeTeX parses LaTeX mathematics expressions, emitting either gif images or mime xbitmaps of them, rather than the usual TeX DVI files. MimeTeX images are therefore easily inserted directly into html documents using a standard html img tag without intermediate dvi-to-gif conversion, and without storing lots of little gif image files, one file for each converted expression. This makes your web site and html documents more easily maintained. See [the mimetex web site](#) for many examples demonstrating mimeTeX's features and usage.
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/support/mimetex/README>
 documentation (no language specified) *Package manual (HTML)*: <https://ctan.org/tex-archive/support/mimetex/mimetex.html>
 on CTAN <https://ctan.org/tex-archive/support/mimetex>
 keyword *cgi-latex* (support for LaTeX(-like) on the web, or feeding into other applications)
 language(s) no language specified
 last access 2025-02-07

3977 *mindflow* – Write your ideas in a clear way

Web page on CTAN <https://ctan.org/pkg/mindflow>

name	mindflow
caption	Write your ideas in a clear way
author	XU, Jinwen
copyright	Jinwen XU (2021-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2022-12-06)
last changes	2022-12-06
year	2022
description	(no language specified) This package provides an environment that has its own line numbers or markers and can be well distinguished from the main text, for writing your ideas or annotations.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mindflow/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mindflow/mindflow.pdf
– local file	./2611496631-mindflow.pdf
contact	<i>repository</i> : https://github.com/Jinwen-XU/mindflow
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mindflow
on MikTeX	mindflow
on T _E XLive	mindflow
keyword	notes (general notes (not including endnotes or footnotes))
language(s)	no language specified
last access	2025-02-07

3978 minibox – A simple type of box for LaTeX

Web page on CTAN <https://ctan.org/pkg/minibox>

name	minibox
caption	A simple type of box for LaTeX
author	Robertson, Will
copyright	Will Robertson (2009)
license	lpl = The LaTeX Project Public License (free)
version	0.2a
description	(no language specified) This small package provides a convenient input syntax for boxes that don't break their text over lines automatically, but do allow manual line breaks. The boxes shrink to the natural width of the longest line they contain.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/minibox/minibox.pdf
– local file	./8047086636-minibox.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/minibox/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/minibox
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/minibox.tds.zip
on MikTeX	minibox
on TeXLive	minibox
keyword	boxing (creating boxes)
language(s)	no language specified
year	2009
last access	2025-02-07

3979 **minidocument** – Creates miniature documents inside other LaTeX documents

Web page on CTAN <https://ctan.org/pkg/minidocument>

name	minidocument
caption	Creates miniature documents inside other LaTeX documents
author	Leclaire, Maurice
copyright	Maurice Leclaire (2017)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2017-04-11)
last changes	2017-04-11
year	2017
description	(no language specified) This package can be used to create miniature documents inside other LaTeX documents. Inside the minidocument all features of the outer vertical mode like page breaking, floats, marginpars, etc. are available.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/minidocument/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/minidocument/minidocument.pdf
– local file	./9136669149-minidocument.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/minidocument
on MikTeX	minidocument
on T _E XLive	minidocument
keyword	subdocs (include complete documents in other documents)
see also	see section 5735 on page 5198: (subfiles – Individual typesetting of subfiles of a “main” document)
language(s)	no language specified
last access	2025-02-07

3980 minifp – Fixed-point real computations to 8 decimals

Web page on CTAN <https://ctan.org/pkg/minifp>

name	minifp
caption	Fixed-point real computations to 8 decimals
author	Luecking, Daniel H.
copyright	Daniel H. Luecking (2008-2013)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.96
description	(no language specified) The package provides basic arithmetic operations to 8 decimal places for plain TeX or LaTeX. Results are exact when they fit within the digit limits. Along with the basic package is an optional extension that adds computation of sin, cos, log, sqrt, exp, powers and angles. These are also exact when theoretically possible and are otherwise accurate to at least 7 decimal places. In addition, the package provides a stack-based programming environment.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/minifp/doc/minifp.pdf
– local file	./8990852829-minifp.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/minifp/README
on CTAN	https://ctan.org/tex-archive/macros/generic/minifp
installation	https://ctan.org/tex-archive/install/macros/generic/minifp.tds.zip
on MikTeX	minifp
on T _E XLive	minifp
keyword	calculation (perform calculations within TeX)
keyword	random (generate and/or use pseudo-random numbers)
keyword	arithmetic (perform and typeset arithmetic problems)
language(s)	no language specified
year	2013
last access	2025-02-07

3981 miniltx – An abstract of LaTeX facilities for use with Plain TeX

Web page on CTAN <https://ctan.org/pkg/miniltx>

name	miniltx
caption	An abstract of LaTeX facilities for use with Plain TeX
author	Berry, Karl
author	Carlisle, David
copyright	David Carlisle, LaTeX3 Project (1996-2022)
copyright	LaTeX3 Project and original authors (1993-1996)
license	lppl = The LaTeX Project Public License (free)
version	(2023-06-19)
last changes	2023-06-19
year	2023
description	(no language specified) Part of the plain TeX graphics collection which allows the use of LaTeX's graphics, colour, and picture mode commands in plain TeX based formats.
on CTAN	https://ctan.org/tex-archive/macros/plain/graphics/miniltx.tex
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

3982 minim – A modern plain format for the LuaTeX engine

Web page on CTAN <https://ctan.org/pkg/minim>

name	minim
caption	A modern plain format for the LuaTeX engine
author	Renkema, Esger
copyright	Esger Renkema, Michal Vlasák (2022)
license	eupl = European Union Public License 1.2 (free)
version	2025/1.7

description	(no language specified) This is a modern plain format for the LuaTeX engine, adding improved low-level support for many LuaTeX extensions and newer PDF features. While it can be used as drop-in replacement for plain TeX, it probably is most useful as a basis for your own formats. Most features included in the format are provided by separate packages that can be used on their own; see the packages • minim-mp for mplib (MetaPost) support • minim-math for unicode mathematics • minim-pdf for creating Tagged PDF • minim-xmp for XMP (metadata) inclusion This package contains only their shared lowest-level programming interface, along with their combined format.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/luatex/generic/minim/minim.pdf
– local file	./9525858148-minim.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/luatex/generic/minim/README
contact	<i>repository:</i> https://gitlab.com/renkema/minim
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/minim
on MikTeX	minim
on T _E XLive	minim
keyword	luatex (LuaTeX and packages that require it)
keyword	format (macros to build a format)
see also	see section 4401 on page 3987: (OpTeX – LuaTeX format based on Plain TeX and OPmac)
language(s)	no language specified
year	2022
last access	2025-02-09

3983 *minim-hatching* – Create tiling patterns with the *minim-mp* MetaPost processor

Web page on CTAN <https://ctan.org/pkg/minim-hatching>

name	minim-hatching
caption	Create tiling patterns with the minim-mp MetaPost processor
author	Renkema, Esger
copyright	Esger Renkema (2022)
license	eupl = European Union Public License 1.2 (free)
version	2022/1.1
description	(no language specified) This is a small proof-of-concept library of tiling patterns for use with the minim-mp MetaPost processor.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/minim-hatching/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/minim-hatching/minim-hatching-doc.pdf
– local file	./7681137866-minim-hatching-doc.pdf
contact	<i>repository</i> : https://gitlab.com/renkema/minim
on CTAN	https://ctan.org/tex-archive/graphics/minim-hatching
on MikTeX	minim-hatching
on T _E XLive	minim-hatching
keyword	graphics-subpic (generate parts of pictures)
keyword	luatex (LuaTeX and packages that require it)
see also	see section 2705 on page 2448: (<i>hatching</i> – MetaPost macros for hatching interior of closed paths)
see also	see section 3982 on page 3600: (<i>minim</i> – A modern plain format for the LuaTeX engine)
language(s)	no language specified
year	2022
last access	2025-02-09

3984 minim-math – Extensive maths for LuaTeX

Web page on CTAN <https://ctan.org/pkg/minim-math>

name	minim-math
caption	Extensive maths for LuaTeX
author	Renkema, Esger
copyright	Esger Renkema (2022)
license	eupl = European Union Public License 1.2 (free)
version	2025/1.5
description	(no language specified) This package provides a simple and highly configurable way to use Unicode and OpenType mathematics with simple LuaTeX, taking advantage of most of the engine's new capabilities in mathematical typesetting. Also included are the proper settings and definitions for almost all Unicode mathematical characters.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/luatex/generic/minim-math/minim-math.pdf
– local file	./3988509502-minim-math.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/luatex/generic/minim-math/README
contact	<i>repository:</i> https://gitlab.com/renkema/minim
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/minim-math
on MikTeX	minim-math
on T _E XLive	minim-math
keyword	maths (support for typesetting mathematics)
keyword	luatex (LuaTeX and packages that require it)
see also	see section 3982 on page 3600: (<i>minim</i> – A modern plain format for the LuaTeX engine)
language(s)	no language specified
year	2022
last access	2025-02-09

3985 *minim-mp* – Low-level mplib integration for LuaTeX

Web page on CTAN <https://ctan.org/pkg/minim-mp>

name	minim-mp
caption	Low-level mplib integration for LuaTeX
author	Renkema, Esger
copyright	Esger Renkema (2022)
license	eupl = European Union Public License 1.2 (free)
version	2025/1.7
description	(no language specified) This package offers low-level mplib integration for LuaLaTeX and plain LuaTeX. It is designed with the purpose of being easy to extend. The use of multiple simultaneous MetaPost instances is supported, as well as running TeX or lua code from within MetaPost. With the included minim-mp and minim-lamp format files, you can even use Lua(La)TeX as a stand-alone MetaPost compiler.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/minim-mp/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/generic/minim-mp/minim-mp.pdf
– local file	./1715527414-minim-mp.pdf
contact	<i>repository</i> : https://gitlab.com/renkema/minim
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/minim-mp
on MikTeX	minim-mp
on TeXLive	minim-mp
keyword	mp-supp (support tools and macros for MetaPost programming)
keyword	mp-use (use, and support for use, of MetaPost)
keyword	luatex (LuaTeX and packages that require it)
see also	see section 3982 on page 3600: (<i>minim</i> – A modern plain format for the LuaTeX engine)
language(s)	no language specified
year	2022
last access	2025-02-09

3986 *minim-pdf* – Low-level PDF integration for LuaTeX

Web page on CTAN <https://ctan.org/pkg/minim-pdf>

name	minim-pdf
caption	Low-level PDF integration for LuaTeX
author	Renkema, Esger
copyright	Esger Renkema (2022)
license	eupl = European Union Public License 1.2 (free)
version	2025/1.6
description	(no language specified) This package adds low-level support to plain LuaTeX for marking up the structure of a PDF document. The implementation is rather basic, but should allow you to make your PDFs fully PDF/A-compliant.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/minim-pdf/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/generic/minim-pdf/minim-pdf.pdf
– local file	./1634016048-minim-pdf.pdf
contact	<i>repository</i> : https://gitlab.com/renkema/minim
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/minim-pdf
on MikTeX	minim-pdf
on T _E XLive	minim-pdf
keyword	pdf-feat (access PDF features)
keyword	tagged-pdf (tagged PDF compatible)
keyword	luatex (LuaTeX and packages that require it)
see also	see section 3982 on page 3600: (<i>minim</i> – A modern plain format for the LuaTeX engine)
language(s)	no language specified
year	2022
last access	2025-02-09

3987 *minim-xmp* – Embed XMP metadata in PDF with LuaTeX

Web page on CTAN <https://ctan.org/pkg/minim-xmp>

name	minim-xmp
caption	Embed XMP metadata in PDF with LuaTeX
author	Renkema, Esger
copyright	Esger Renkema (2022)
license	eupl = European Union Public License 1.2 (free)
version	2025/1.4
description	(no language specified) This package enables the inclusion of XMP (eXtensible Metadata Platform) data in the pdf output generated by (plain) LuaTeX. The use of XMP is required by PDF standards such as PDF/A.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/minim-xmp/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/generic/minim-xmp/minim-xmp.pdf
– local file	./6316318624-minim-xmp.pdf
contact	<i>repository</i> : https://gitlab.com/renkema/minim
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/minim-xmp
on MikTeX	minim-xmp
on TeXLive	minim-xmp
keyword	pdf-feat (access PDF features)
keyword	luatex (LuaTeX and packages that require it)
see also	see section 2843 on page 2574: (<i>hyperxmp</i> – Embed XMP metadata within a LaTeX document)
see also	see section 3982 on page 3600: (<i>minim</i> – A modern plain format for the LuaTeX engine)
language(s)	no language specified
year	2022
last access	2025-02-09

3988 `minimal` – A trivial class, for use when testing

Web page on CTAN <https://ctan.org/pkg/minimal>

name	<code>minimal</code>
caption	A trivial class, for use when testing
author	The LaTeX Project Team
copyright	The LaTeX3 Project et al. (1993-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2001-05-25)
last changes	2001-05-25
year	2001
description	(no language specified) The class specifies almost nothing but font size, page geometry and page numbering.
on CTAN	https://ctan.org/tex-archive/macros/latex/base
on MikTeX	<code>ltxbase</code>
on TeXLive	<code>latex</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>test-bed</code> (environment for testing (La)TeX code)
language(s)	no language specified
last access	2025-02-07

3989 `minimalist` – Write your articles or books in a simple and clear way

Web page on CTAN <https://ctan.org/pkg/minimalist>

name	<code>minimalist</code>
caption	Write your articles or books in a simple and clear way
author	XU, Jinwen
copyright	Jinwen XU (2021-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2025-10-21)
last changes	2025-10-21
year	2025

description	(no language specified) This package offers you a LaTeX style file and two classes to typeset articles or books in a simple and clear way. These classes currently have native support for English, French, German, Italian, Portuguese (European and Brazilian), and Spanish typesetting. They compile with any major TeX engine. You may also wish to consider the packages <code>einfort</code> and <code>simplivre</code>, which are enhanced versions of the classes provided here. They have unicode support, thus can only be used with either XeLaTeX or LuaLaTeX. Currently they have native support for Chinese (both simplified and traditional), English, French, German, Italian, Japanese, Portuguese (European and Brazilian), Russian and Spanish typesetting, and also use more beautiful fonts.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/minimalist/README.md
contact	<i>repository</i> : https://github.com/Jinwen-XU/minimalist
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/minimalist
on MikTeX	minimalist
on TeXLive	minimalist
keyword	multilingual (support for more than one (natural) language)
keyword	article-like (LaTeX article classes and their developments)
keyword	class (alternative LaTeX class(es))
keyword	book-pub (preparing a book for publication)
keyword	expl3 (expl3(unknown))
see also	see section 5514 on page 4989: (<code>simplivre</code> – Write your books in a simple and clear way)
see also	see section 1847 on page 1667: (<code>einfort</code> – Write your articles in a simple and clear way)
language(s)	no language specified
last access	2025-10-28

3990 *minion2newtx* – Enable use of Minion Pro with newtx

Web page on CTAN <https://ctan.org/pkg/minion2newtx>

name	<code>minion2newtx</code>
caption	Enable use of Minion Pro with newtx
author	Sharpe, Michael

3991 *minionpro* – LaTeX support for Adobe MinionPro fonts

license	lppl = The LaTeX Project Public License (free)
license	gpl3 = GNU General Public License, version 3 (free)
version	2.01 (2024-04-12)
last changes	2024-04-12
year	2024
description	(no language specified) The package is an add-on to the newtxmath package, providing metric files that allow use of the Roman and Greek letters from MinionPro Version 2 within newtxmath using the ‘minion’ option.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/minion2newtx/doc/minion2newtxdoc.pdf
– local file	./1420356632-minion2newtxdoc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/minion2newtx/README
on CTAN	https://ctan.org/tex-archive/fonts/minion2newtx
on MikTeX	minion2newtx
keyword	font-virtual (virtual font(s) using existing fonts)
keyword	font (fonts themselves)
language(s)	no language specified
last access	2025-02-07

3991 *minionpro* – LaTeX support for Adobe MinionPro fonts

Web page on CTAN <https://ctan.org/pkg/minionpro>

name	minionpro
caption	LaTeX support for Adobe MinionPro fonts
author	Blumensath, Achim
license	pd = Public Domain Software (free)
version	2.1

description	(no language specified) This package provides support for the Minion Pro fonts from Adobe. (Note that the font family itself is only available under commercial terms from Adobe.) The package offers access to a wide range of encodings and variants, including greek, cyrillic, four figure versions, and maths alphabets. The base font is the Open Type version of Minion Pro; scripts are provided to convert the Open Type to Adobe Type 1 format. (Minion Pro is commercially available, and copies are bundled with Acrobat Reader.) The font is <i>not</i> bundled with this package. By default, the package sets up Minion-based maths alphabets, and uses such symbols as are available in Minion, in maths mode. A complementary set of symbols is provided by the MnSymbol fonts and package.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/minionpro/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/minionpro/MinionPro.pdf
– local file	<code>./9815828913-MinionPro.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/minionpro
keyword	<code>font-use</code> (font selection, mapping, etc.)
keyword	<code>font-maths</code> (fonts for use in mathematics)
language(s)	no language specified
year	without year
last access	2025-02-07

3992 minipage-marginpar – Minipages with marginal notes

Web page on CTAN <https://ctan.org/pkg/minipage-marginpar>

name	<code>minipage-marginpar</code>
caption	Minipages with marginal notes
author	Ebermann, Paul
license	lppl = The LaTeX Project Public License (free)
version	0.2

3993 *miniplot* – A package for easy figure arrangement

description	(no language specified) This package allows <code>\marginpar</code> -commands inside of <code>minipages</code> and other boxes. (It takes another approach than <code>marginnote</code> by Markus Kohm: it saves all <code>\marginpar</code> -commands and typesets them outside (i.e., after) the box.) The package defines an environment <code>minipagewithmarginpars</code> (to be used like <code>minipage</code>)—and the internal commands may be used by other packages to define similar environments or commands.
documentation	(no language specified) <i>README file</i> : https://ctan.org/tex-archive/macros/latex/contrib/minipage-marginpar/README
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/minipage-marginpar/minipage-marginpar.pdf
– local file	<code>./4440569071-minipage-marginpar.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/minipage-marginpar
on MikTeX	<code>minipage-marginpar</code>
on TeXLive	<code>minipage-marginpar</code>
keyword	<code>notes</code> (general notes (not including endnotes or footnotes))
keyword	<code>boxing</code> (creating boxes)
language(s)	German
year	without year
last access	2025-02-07

3993 *miniplot* – A package for easy figure arrangement

Web page on CTAN	https://ctan.org/pkg/miniplot
name	MiniPlot
caption	A package for easy figure arrangement
author	Wahl, Tobias
license	lppl = The LaTeX Project Public License (free)

description	(no language specified) MiniPlot is a package to help the LaTeX user typeset EPS figures using an easy-to-use interface. Figures can be arranged as one-figure-only or as a collection of figures in columns and rows which can itself contain sub-figures in columns and rows. Wrapped figures are also supported. This package provides commands to display a framebox instead of the figure as the graphics package does already but additionally it writes useful information such as the label and scaling factor into these boxes.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/minipLOT/minipLOT.pdf
– local file	./2187966049-minipLOT.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/minipLOT
on MikTeX	minipLOT
on T _E XLive	minipLOT
keyword	graphics-use (graphics (typesetting actual pictures))
language(s)	no language specified
year	without year
last access	2025-02-07

3994 *minitoc* – Produce a table of contents for each chapter, part or section

Web page on CTAN <https://ctan.org/pkg/minitoc>

name	minitoc
caption	Produce a table of contents for each chapter, part or section
author	Drucbert, Jean-Pierre
copyright	Jean-Pierre F. Drucbert (1993-2008)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	62
description	(no language specified) The minitoc package allows you to add mini-tables-of-contents (minitocs) at the beginning of every chapter, part or section. There is also provision for mini-lists of figures and of tables. At the part level, they are parttocs, partlofs and partlots. If the type of document does not use chapters, the basic provision is section level secttocs, sectlofs and sectlots. The package has provision for language-specific configuration of its own "fixed names", using .mld files (analogous to <i>babel</i> .ldf files that do that job for LaTeX's own fixed names).

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/minitoc/minitoc.pdf
– local file	./1343158207-minitoc.pdf
documentation	(English) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/minitoc/README.md
contact	<i>support</i> : https://github.com/LaTeX-Package-Repositories/minitoc/issues
contact	<i>repository</i> : https://github.com/LaTeX-Package-Repositories/minitoc
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/minitoc
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/minitoc.tds.zip
on MikTeX	minitoc
on T _E XLive	minitoc
keyword	toc-etc (deal with Tables of Contents, and of other such things)
language(s)	English
year	2008
last access	2025-02-07

3995 *minorrevision* – Quote and refer to a manuscript for minor revisions

Web page on CTAN	https://ctan.org/pkg/minorrevision
name	minorrevision
caption	Quote and refer to a manuscript for minor revisions
author	Guillaumin, Matthieu
copyright	Matthieu Guillaumin (2013)
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.1

3996 *minted* – Highlighted source code for LaTeX

description	(no language specified) The package supports those who publish articles in peer-reviewed journals. In the final stages of the review process, the authors typically have to provide an additional document (such as a letter to the editors), in which they provide a list of modifications that they made to the manuscript. The package automatically provides line numbers and quotations from the manuscript, for this letter. The package loads the package lineno , so (in effect) shares lineno 's incompatibilities.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/minorrevision/minorrevision.pdf
– local file	<code>./3952774194-minorrevision.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/minorrevision/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/minorrevision
on T _E XLive	<code>minorrevision</code>
keyword	<code>editorial</code> (editor's marks, highlights, etc.)
language(s)	no language specified
year	2013
last access	2025-02-07

3996 *minted* – Highlighted source code for LaTeX

Web page on CTAN <https://ctan.org/pkg/minted>

name	<code>minted</code>
caption	Highlighted source code for LaTeX
author	Poore, Geoffrey
author	Rudolph, Konrad
copyright	Geoffrey M. Poore (2013-2024)
copyright	Konrad Rudolph (2010-2011)
license	bsd3 = 3-clause BSD License (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.4.0 (2024-11-17)

last changes	2024-11-17
year	2024
description	(no language specified) The package that facilitates expressive syntax highlighting in LaTeX using the powerful Pygments library. The package also provides options to customize the highlighted source code output using <code>fancyvrb</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/minted/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/minted/minted.pdf
– local file	./5918306634-minted.pdf
contact	<i>repository</i> : https://github.com/gpoore/minted
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/minted
on MikTeX	minted
on T _E XLive	minted
keyword	verbatim (verbatim typesetting, etc.)
keyword	listing (computer code listing)
keyword	synt-hlt (highlight syntax of computer code, etc.)
see also	see section 6011 on page 5434: (texments – Using the Pygments highlighter in LaTeX)
see also	see section 6595 on page 5959: (verbments – Syntax highlighting of source code in LaTeX documents)
language(s)	no language specified
last access	2025-02-07

3997 *minted-code* – Predefined environments for typesetting LaTeX code with minted

Web page on CTAN <https://ctan.org/pkg/minted-code>

name	minted-code
caption	Predefined environments for typesetting LaTeX code with minted
author	Voß, Herbert
copyright	Herbert Voss (2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.01 (2025-10-08)

last changes	2025-10-08
year	2025
description	(no language specified) With package minted one can typeset LaTeX code with unicode characters. This package <code>minted-code</code> defines several environments to simplify the application.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/minted-code/doc/minted-code-doc.pdf
– local file	<code>./5770593661-minted-code-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/minted-code/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/minted-code
on MikTeX	<code>minted-code</code>
on TeXLive	<code>minted-code</code>
keyword	unicode (Unicode, material supporting it, and packages requiring it)
keyword	<code>synt-hlt</code> (highlight syntax of computer code, etc.)
keyword	<code>listing</code> (computer code listing)
keyword	<code>verbatim</code> (verbatim typesetting, etc.)
language(s)	no language specified
last access	2026-04-13

3998 *mintspirit* – LaTeX support for MintSpirit font families

Web page on CTAN	https://ctan.org/pkg/mintspirit
name	<code>mintspirit</code>
caption	LaTeX support for MintSpirit font families
author	Tennent, Bob
license	lppl = The LaTeX Project Public License (free)
license	ofl = The SIL Open Font License (free)
version	(2022-09-21)
last changes	2022-09-21
year	2022

description	(no language specified) The package provides LaTeX, pdfLaTeX, XeLaTeX and LuaLaTeX support for the MintSpirit and MintSpiritNo2 families of fonts, designed by Hirwen Harendal. MintSpirit was originally designed for use as a system font on a Linux Mint system. The No. 2 variant provides more conventional shapes for some glyphs.
documentation	(no language specified) <i>MintSpirit samples</i> : https://ctan.org/tex-archive/fonts/mintspirit/doc/mintspirit-samples.pdf
– local file	./6507149916-mintspirit-samples.pdf
documentation	(no language specified) <i>MintSpirit2 samples</i> : https://ctan.org/tex-archive/fonts/mintspirit/doc/mintspirit2-samples.pdf
– local file	./9203060578-mintspirit2-samples.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/mintspirit/README
home page	http://arkandis.tuxfamily.org/adffonts.html
on CTAN	https://ctan.org/tex-archive/fonts/mintspirit
installation	https://ctan.org/tex-archive/install/fonts/mintspirit.tds.zip
on MikTeX	mintspirit
on T _E XLive	mintspirit
keyword	font (fonts themselves)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-sans (sans-serif font)
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-proportional (variable-spaced font)
keyword	font-otf (font in OpenType format)
keyword	font-t1enc (font providing LaTeX T1 encoding support)
language(s)	no language specified
last access	2025-02-07

3999 *minutes* – Typeset the minutes of meetings

Web page on CTAN <https://ctan.org/pkg/minutes>

name	minutes
caption	Typeset the minutes of meetings
author	Lickert, Knut
license	lppl = The LaTeX Project Public License (free)
version	1.8f
description	(no language specified) Supports the creation of a collection of minutes. Features include: • Support of tasks (who, schedule, what, time of finishing; • possibility of creating a list of open tasks; • inclusion of open tasks from other minutes; • Support for attachments; • Support of schedule dates (in planning: support for the calendar package); • Different versions ('secret parts'); and • Macros for votes and decisions (list of decisions). Support for minutes in German, Dutch and English is provided.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/minutes/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/minutes/minutes.pdf
– local file	./7633436897-minutes.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/minutes
on MikTeX	minutes
on T _E XLive	minutes
keyword	meeting-admin (calls, agendas, minutes of meetings)
language(s)	no language specified
year	without year
last access	2025-02-07

4000 *mirr* – PostScript mirror header (for dvips)

Web page on CTAN <https://ctan.org/pkg/mirr>

name	<i>mirr</i>
caption	PostScript mirror header (for dvips)
author	BOP
license	pd = Public Domain Software (free)
description	(no language specified) A small header for making a mirror of <i>dvips</i> output files.
on CTAN	https://ctan.org/tex-archive/macros/generic/TeX-PS/mirr.hd
on MikTeX	tex-ps
on T _E XLive	tex-ps
keyword	ps-manip (manipulate PostScript files)
language(s)	no language specified
year	without year
last access	2025-02-07

4001 *mismath* – Miscellaneous mathematical macros

Web page on CTAN <https://ctan.org/pkg/mismath>

name	<i>mismath</i>
caption	Miscellaneous mathematical macros
author	Missier, Antoine
copyright	Antoine Missier (2019-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.2 (2025-10-08)
last changes	2025-10-08
year	2025
description	(no language specified) The package provides some mathematical macros to typeset: • mathematical constants e, i, π in upright shape (automatically) as recommended by ISO 80000-2,

4002 *missaali* – A late medieval OpenType textura font

- vectors with nice arrows and adjusted norm (and tensors),
- tensors in sans serif bold italic shape,
- some standard operator names,
- improved spacings in mathematical formulas,
- systems of equations and small matrices,
- displaymath in double columns for lengthy calculations.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mismath/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mismath/mismath.pdf
– local file	<code>./4704759908-mismath.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mismath
on MikTeX	<code>mismath</code>
on TeXLive	<code>mismath</code>
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	no language specified
last access	2025-10-22

4002 *missaali* – A late medieval OpenType textura font

Web page on CTAN	https://ctan.org/pkg/missaali
name	<code>missaali</code>
caption	A late medieval OpenType textura font
author	Syrjänen, Tommi
copyright	Tommi Syrjänen (2016)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
license	ofl = The SIL Open Font License (free)
version	2.0

description	(no language specified) This package contains the free OpenType Textura font Missaali and a style file for using it with XeLaTeX. Textura is a typeface based on the textus quadratus form of the textualis formata that late medieval scribes used for the most valuable manuscripts. The font Missaali is based on Textura that German printer Bartholomew Ghotan used for printing missals and psalters in the 1480s. This font has two intended use cases: • as a Gothic display font; and • for emulating late-medieval manuscripts. In addition to the basic textura letters, the font contains a large number of abbreviation sigla as well as a set of Lombardic initials. As modern typesetting algorithms are not intended for creating 15th century style layout, the package contains a XeLaTeX style file that makes it easier to achieve the classic incunabula look.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/missaali/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/missaali/missaali.pdf
– local file	./3934544473-missaali.pdf
on CTAN	https://ctan.org/tex-archive/fonts/missaali
on MikTeX	missaali
on T _E XLive	missaali
keyword	font-otf (font in OpenType format)
keyword	font-medieval (fonts for Medieval script)
keyword	font-gothic (font for gothic or blackletter shapes)
language(s)	no language specified
year	2016
last access	2025-02-07

4003 *mitpress* – Typeset documents for MIT Press

Web page on CTAN <https://ctan.org/pkg/mitpress>

name	mitpress
caption	Typeset documents for MIT Press
license	noinfo = noinfo
description	(no language specified) A rather small number of changes from (apparently) article class.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/misc/mitpress.sty
keyword	publisher (prepare documents for a specific publisher)
language(s)	no language specified
year	without year
last access	2025-02-07

4004 *mitthesis* – A LaTeX template for an MIT thesis

Web page on CTAN <https://ctan.org/pkg/mitthesis>

name	mitthesis
caption	A LaTeX template for an MIT thesis
author	Lienhard, John H.
copyright	John Lienhard (2024-2026)
license	mit = MIT License (free)
version	1.22 (2026-01-31)
last changes	2026-01-31
year	2026
description	(no language specified) This class provides a LaTeX template for an MIT thesis or dissertation formatted according to the requirements of the Massachusetts Institute of Technology Libraries (as posted in 2025): https://libraries.mit.edu/distinctive-collections/thesis-specs/ This template is appropriate for an MIT thesis or MIT dissertation of any type. This template works with either pdfLaTeX or LuaLaTeX. The bibliography may be prepared with biblatex / biber . The class requires TeX Live 2022 or later distributions.

	This template replaces the older version of <code>mitthesis.cls</code> , which was first composed in the 1980s.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mitthesis/README.md
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/mitthesis/examples/font_samples/Lmodern_sample.pdf
– local file	<code>./4576281989-Lmodern_sample.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mitthesis/mitthesis-doc/mitthesis-doc.pdf
– local file	<code>./8822597996-mitthesis-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mitthesis
on MikTeX	<code>mitthesis</code>
on TeXLive	<code>mitthesis</code>
keyword	<code>scientific-docs</code> (support for writers of scientific documents)
keyword	<code>doc-templ</code> (template to guide document development)
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
keyword	<code>humanities</code> (support for studies in the humanities)
keyword	<code>engineering</code> (typesetting associated with engineering of whatever sort)
keyword	<code>tagged-pdf</code> (tagged PDF compatible)
language(s)	no language specified
last access	2026-03-26

4005 *mk* – A TeX and LaTeX maker

Web page on CTAN <https://ctan.org/pkg/mk>

name	<code>mk</code>
caption	A TeX and LaTeX maker
author	Dekker, Wybo H.
license	gpl = GNU General Public License (free)
version	3.10

description	(no language specified) <i>mk</i> is a Bash script that, in close collaboration with vpp (short for View and Print PDF/PostScript), is helpful in the cyclic process of editing, compiling, viewing, and printing a LaTeX, XeLaTeX, or plain TeX document. Essentially, <i>mk</i> uses texi2dvi for compilation, vpp for viewing and printing.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/latex_maker/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/latex_maker/mk.pdf
– local file	<code>./6487369186-mk.pdf</code>
on CTAN	https://ctan.org/tex-archive/support/latex_maker
on MikTeX	<code>mk</code>
keyword	compilation (the document compilation process)
language(s)	no language specified
year	without year
last access	2026-03-26

4006 mkbangtex – A preprocessor for BangTeX

Web page on CTAN	https://ctan.org/pkg/mkbangtex
name	<code>mkbangtex</code>
caption	A preprocessor for BangTeX
author	Ray, Koushik
license	gpl = GNU General Public License (free)
version	1.0
description	(no language specified) <i>Mkbangtex</i> input is a Bengali document written, phonetically, in Roman script; its output serves as input to BangTeX . <i>Mkbangtex</i> is presented as a script written in Python.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/language/bengali/mkbangtex/mkbangtex.pdf
– local file	<code>./9883039644-mkbangtex.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/bengali/mkbangtex/README
on CTAN	https://ctan.org/tex-archive/language/bengali/mkbangtex
keyword	indic (support for languages of the Indian subcontinent)

keyword	bengali (support for typesetting Bengali)
language(s)	no language specified
year	without year
last access	2026-03-26

4007 *mkbib* – BibTeX file creator

Web page on CTAN <https://ctan.org/pkg/mkbib>

name	mkbib
caption	BibTeX file creator
author	Banerjee, Rudra
copyright	Rudra Banerjee (2012)
license	gpl3 = GNU General Public License, version 3 (free)
version	2.1
description	(no language specified) Mkbib is a generator of BibTeX files; it is interactive, using <code>gtk+3</code> ; the user may search Google Scholar from within mkbib.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/mkbib/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/mkbib
keyword	bibtex-util (utilities for managing BibTeX files)
language(s)	no language specified
year	2012
last access	2025-07-16

4008 *mkjobtexmf* – Generate a texmf tree for a particular job

Web page on CTAN <https://ctan.org/pkg/mkjobtexmf>

name	mkjobtexmf
caption	Generate a texmf tree for a particular job
author	Oberdiek, Heiko
license	artistic = Perl Artistic License (not free)
version	0.8

4009 *mkpattern* – A utility for making hyphenation patterns

description	(no language specified) The package provides a Perl script, which runs a program and tries to find the names of file used. Two methods are available, option <code>-recorder</code> of (Web2C) TeX and the program <code>strace</code> . Then it generates a directory with a <code>texmf</code> tree. It checks the found files and tries sort them in this <code>texmf</code> tree. The script may be used for archiving purposes or to speed up later TeX runs.
documentation	(no language specified) <i>Package documentation (PDF format)</i> : https://ctan.org/tex-archive/support/mkjobtexmf/mkjobtexmf.pdf
– local file	<code>./1468851834-mkjobtexmf.pdf</code>
documentation	(no language specified) <i>Package documentation (text format)</i> : https://ctan.org/tex-archive/support/mkjobtexmf/mkjobtexmf.txt
on CTAN	https://ctan.org/tex-archive/support/mkjobtexmf
on MikTeX	<code>mkjobtexmf</code>
on TeXLive	<code>mkjobtexmf</code>
keyword	<code>archival</code> (creating archival copies, or copies for distribution)
language(s)	no language specified
year	without year
last access	2025-07-16

4009 *mkpattern* – A utility for making hyphenation patterns

Web page on CTAN <https://ctan.org/pkg/mkpattern>

name	<code>mkpattern</code>
caption	A utility for making hyphenation patterns
author	Música de Rivera, Javier
copyright	Javier A. Música (2006, 2007)
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) Mkpattern is a general purpose program for the generation of hyphenation patterns, with definition of letter sets and template-like constructions. It also provides an easy way to handle different input and output encodings, and features generation of clean UTF-8 patterns. The package was used for the creation of the Galician patterns .

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/language/hyphenation/utils/mkpattern/mkpatter.pdf
– local file	<code>./1747196240-mkpatter.pdf</code>
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/language/hyphenation/utils/mkpattern/README
on CTAN	https://ctan.org/tex-archive/language/hyphenation/utils/mkpattern
on MikTeX	<code>mkpattern</code>
on T _E XLive	<code>mkpattern</code>
keyword	<code>hyphenation</code> (macros or tables for hyphenation)
language(s)	no language specified
year	2007
last access	2025-07-16

4010 `mkpic` – Perl interface to `mfpic`

Web page on CTAN	https://ctan.org/pkg/mkpic
name	<code>mkpic</code>
caption	Perl interface to <code>mfpic</code>
author	Dekker, Wybo H.
license	gpl = GNU General Public License (free)
version	1.02
description	(no language specified) <code>mkpic</code> provides an easy interface for making small pictures with <code>mfpic</code> . To this end you create an input file consisting of commands, one per line, with space separated parameters (or you modify the DATA section of the <code>mkpic</code> script, which is used if you run it without an input file). For an extensive description see the file <code>mkpicdoc.pdf</code> , which is part of the distribution.
documentation	(no language specified) <i>Package manual page</i> : https://ctan.org/tex-archive/support/mkpic/mkpic.pdf
– local file	<code>./2330024192-mkpic.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/mkpic/mkpicdoc.pdf
– local file	<code>./3341056429-mkpicdoc.pdf</code>

documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/mkpic/README
on CTAN	https://ctan.org/tex-archive/support/mkpic
on T _E XLive	<code>mkpic</code>
keyword	<code>graphics</code> (<code>graphics</code> (support packages))
language(s)	no language specified
year	without year
last access	2025-07-16

4011 `mkpkfontdir` – Manipulate TDS directories for PK fonts

Web page on CTAN	https://ctan.org/pkg/mkpkfontdir
name	<code>mkpkfontdir</code>
caption	Manipulate TDS directories for PK fonts
author	Arrouye, Yves
copyright	Yves Arrouye (1995)
license	<code>noinfo = noinfo</code>
version	(1995-08-31)
last changes	1995-08-31
year	1995
description	(no language specified) This utility is designed to place PK fonts in "correct" TDS directories, possibly by reference to the location of the corresponding TFM files. It can also flatten a tree, for efficient searching, by making a directory of symbolic links.
documentation	(no language specified) <i>Installation details:</i> https://ctan.org/tex-archive/fonts/utilities/mkpkfontdir/INSTALL
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/utilities/mkpkfontdir/README
on CTAN	https://ctan.org/tex-archive/fonts/utilities/mkpkfontdir
keyword	<code>font-mgmt</code> (management of fonts)
language(s)	no language specified
last access	2025-07-16

4012 *mkstmp_pro* – Provides a simple workflow for creating custom stamps

Web page on CTAN https://ctan.org/pkg/mkstmp_pro

name	mkstmp
caption	Provides a simple workflow for creating custom stamps
author	Story, Donald P.
copyright	D. P. Story (2012-2016)
license	lppl = The LaTeX Project Public License (free)
version	1.1 (2016-08-21)
last changes	2016-08-21
year	2016
description	(no language specified) The package provides is a simple workflow for creating custom stamps that are used for making comments. The package requires Adobe Distiller as a PDF creator.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/mkstmpdad/doc/mkstmpdad_man.pdf
– local file	./3957875319-mkstmpdad_man.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/mkstmpdad/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mkstmpdad
on MikTeX	mkstmp_pro
keyword	adobe-distiller (convert PostScript to PDF using Adobe Distiller)
keyword	pdfprocess (process PDF files)
see also	see section 91 on page 84: (aeb_dad – A drag-and-drop matching game with PDF files)
language(s)	no language specified
last access	2025-07-16

4013 mla – MLA BibTeX styles

Web page on CTAN <https://ctan.org/pkg/mla>

name	mla
caption	MLA BibTeX styles
author	Shaw, Caitlin
author	Weissert, Thomas
license	noinfo = noinfo
version	(1997-03-26)
last changes	1997-03-26
year	1997
description	(no language specified) A bibliography style for the Modern Language Association's manual of style.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/mla
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
last access	2025-02-07

4014 mla-paper – Proper MLA formatting

Web page on CTAN <https://ctan.org/pkg/mla-paper>

name	mla-paper
caption	Proper MLA formatting
author	Aycock, Ryan
author	Wheelwright, Steven
license	lppl = The LaTeX Project Public License (free)
version	(2010-12-29)
last changes	2010-12-29
year	2010
description	(no language specified) The package formats articles using the MLA style ("MLA" = "Modern Language Association"). The aim is that students and other academics in the humanities should be able to typeset their materials, properly, with minimal effort on their part.

documentation	(no language specified) <i>Readme (with package use details)</i> : https://ctan.org/tex-archive/macros/latex/contrib/mla-paper/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mla-paper
on MikTeX	mla-paper
on T _E XLive	mla-paper
keyword	humanities (support for studies in the humanities)
keyword	gen-paper (paper (simply) for communication, not necessarily for publication)
see also	see section 4015 on page 3631: (<i>mlac1s</i> – LaTeX class for MLA papers)
language(s)	no language specified
last access	2025-02-07

4015 *mlac1s* – LaTeX class for MLA papers

Web page on CTAN <https://ctan.org/pkg/mlac1s>

name	mlac1s
caption	LaTeX class for MLA papers
author	Price, Seth
copyright	Seth Price (2019)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1 (2024-09-13)
last changes	2024-09-13
year	2024
description	(no language specified) In the United States, secondary and undergraduate students are generally expected to adhere to the format prescribed by the Modern Language Association (MLA) for typewritten essays, research papers and writings. This package provides a simple, straightforward LaTeX class for composing papers almost perfectly adherent to the MLA style guide.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mlac1s/mla.pdf
– local file	./7978661395-m1a.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mlac1s/README.md

4016 *mlawriter* – Write MLA style documents in Plain TeX

documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/mlacls/mla-example.pdf
– local file	<code>./4266651657-mla-example.pdf</code>
contact	<i>bugs:</i> https://gitlab.com/ssterling/mlacls/-/issues
contact	<i>repository:</i> https://gitlab.com/ssterling/mlacls
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mlacls
on MikTeX	<code>mlacls</code>
on TeXLive	<code>mlacls</code>
keyword	<code>gen-paper</code> (paper (simply) for communication, not necessarily for publication)
keyword	<code>humanities</code> (support for studies in the humanities)
keyword	<code>class</code> (alternative LaTeX class(es))
see also	see section 4014 on page 3630: (<code>mla-paper</code> – Proper MLA formatting)
language(s)	no language specified
last access	2025-02-07

4016 *mlawriter* – Write MLA style documents in Plain TeX

Web page on CTAN	https://ctan.org/pkg/mlawriter
name	<code>mlawriter</code>
caption	Write MLA style documents in Plain TeX
author	Wang, Qifan
copyright	Qifan Wang (2023)
license	cc0 = CC0 1.0 (free)
version	1.1.0 (2023-07-05)
last changes	2023-07-05
year	2023
description	(no language specified) With this Plain TeX extension, papers can be written in MLA style. These appear as if they were written in MS Word.
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/plain/contrib/mlawriter/testmla.pdf
– local file	<code>./4908954347-testmla.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/contrib/mlawriter/README
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/mlawriter
on MikTeX	mlawriter
on T _E XLive	mlawriter
keyword	plain-ext (extensions to Plain TeX for higher-level constructs)
language(s)	no language specified
last access	2025-02-07

4017 *mlbib* – Support for multilingual bibliographies

Web page on CTAN	https://ctan.org/pkg/mlbib
name	mlbib
caption	Support for multilingual bibliographies
author	Matiaske, Wenzel
copyright	Wenzel Matiaske (1992, 1996)
license	gpl = GNU General Public License (free)
version	1.0
description	(no language specified) A package and a collection of BibTeX styles that implement a bibliography "language" tag. Bibliographies with this tag can also be used in monolingual documents.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mlbib/README
documentation	<i>Package documentation (German, with English abstract)</i> : https://ctan.org/tex-archive/macros/latex/contrib/mlbib/mlbib.pdf
– local file	./2937184101-mlbib.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mlbib
keyword	multilingual (support for more than one (natural) language)
keyword	bibtex-sty (bibtex-sty(unknown))
see also	see section 430 on page 395: (babelbib – Multilingual bibliographies)
language(s)	German
year	1996
last access	2025-02-07

4018 `mleftright` – Variants of delimiters that act as maths open/close

Web page on CTAN <https://ctan.org/pkg/mleftright>

name	<code>mleftright</code>
caption	Variants of delimiters that act as maths open/close
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2010)
copyright	Oberdiek Package Support Group (2016-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2 (2019-12-03)
last changes	2019-12-03
year	2019
description	(no language specified) The package defines variants <code>\mleft</code> and <code>\mright</code> of <code>\left</code> and <code>\right</code> , that make the delimiters act as <code>\mathopen</code> and <code>\mathclose</code> . These commands address spacing difficulties in subformulas.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/mleftright/mleftright.pdf
– local file	<code>./9353582660-mleftright.pdf</code>
contact	<i>bugs:</i> https://github.com/ho-tex/mleftright/issues
contact	<i>repository:</i> https://github.com/ho-tex/mleftright
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mleftright
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/mleftright.tds.zip
on MikTeX	<code>mleftright</code>
on TeXLive	<code>mleftright</code>
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

4019 mlist – Logical markup for lists

Web page on CTAN <https://ctan.org/pkg/mlist>

name	<code>mlist</code>
caption	Logical markup for lists
author	Robertson, Will
copyright	Will Robertson (2007)
license	lppl = The LaTeX Project Public License (free)
version	0.6a
description	(no language specified) The package defines commands that create macros for typesetting vectors, matrices and functions, in a logical way. For example, logical indexing can then be used to refer to elements or arguments without hard-coding the symbols in the document.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mlist/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mlist/mlist.pdf
– local file	<code>./4789029420-mlist.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mlist
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/mlist.tds.zip
on MikTeX	<code>mlist</code>
on TeXLive	<code>mlist</code>
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	no language specified
year	2007
last access	2025-02-07

4020 *mlmath* – Mathematical notation for Machine LearningWeb page on CTAN <https://ctan.org/pkg/mlmath>

name	MLMath
caption	Mathematical notation for Machine Learning
author	Ma, Zheng
copyright	Zheng Ma, Zhiqin Xu, Tao Luo and Yaoyu Zhang (2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.0
description	(no language specified) This package introduces a suggestion of a mathematical notation protocol for machine learning. The field of machine learning has been evolving rapidly in recent years. Communication between different researchers and research groups becomes increasingly important. A key challenge for communication arises from inconsistent notation usages among different papers. This proposal suggests a standard for commonly used mathematical notation for machine learning.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mlmath/mlmath.pdf
– local file	<code>./4820758854-mlmath.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mlmath/README.md
contact	<i>bugs</i> : https://github.com/Mayuyu/suggested-notation-for-machine-learning/issues
contact	<i>repository</i> : https://github.com/Mayuyu/suggested-notation-for-machine-learning
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mlmath
on MikTeX	<code>mlmath</code>
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	no language specified
year	2020
last access	2025-02-07

4021 *mlmodern* – A blacker Type 1 version of Computer Modern, with multilingual support

Web page on CTAN <https://ctan.org/pkg/mlmodern>

name	MLModern
caption	A blacker Type 1 version of Computer Modern, with multilingual support
author	Miller, Daniel Benjamin
copyright	B. Jackowski and J.M. Nowacki (2003-2009)
copyright	Daniel Benjamin Miller (2021)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2 (2021-01-18)
last changes	2021-01-18
year	2021
description	(no language specified) MLModern is a text and math font family with (La)TeX support, based on the design of Donald Knuth's Computer Modern and the Latin Modern project. It avoids the spindliness of most other Type 1 versions of Computer Modern.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/mlmodern/doc/mlmodern.pdf
– local file	./9674160862-mlmodern.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/mlmodern/README
on CTAN	https://ctan.org/tex-archive/fonts/mlmodern
on MikTeX	mlmodern
on T _E XLive	mlmodern
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-sans (sans-serif font)
keyword	font-t1enc (font providing LaTeX T1 encoding support)
keyword	font-maths (fonts for use in mathematics)
keyword	font-mono (monospaced font)
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font-cm (font serving Computer Modern-style shapes)
keyword	font-suppl (metrics, macro incantations and other font support)
keyword	font (fonts themselves)

keyword	font-proportional (variable-spaced font)
keyword	font-serif (serif font)
language(s)	no language specified
last access	2025-02-07

4022 *mltex* – The MLTeX system

Web page on CTAN <https://ctan.org/pkg/mltex>

name	<code>mltex</code>
caption	The MLTeX system
author	Raichle, Bernd
author	Ferguson, Michael J.
copyright	Bernd Raichle (1995)
license	knuth = Knuth License (free)
version	2.2
description	(no language specified) MLTeX is a modification of TeX version ≥ 3.0 that allows the hyphenation of words with accented letters using ordinary Computer Modern (CM) fonts. The system is distributed as a TeX change file.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/generic/mltex/README.v22
on CTAN	https://ctan.org/tex-archive/systems/generic/mltex
on MikTeX	<code>mltex</code>
on TeXLive	<code>mltex</code>
keyword	engine (TeX (or TeX-alike) typesetting engine)
keyword	multilingual (support for more than one (natural) language)
language(s)	no language specified
year	1995
last access	2025-02-07

4023 `mltex-ltx` – LaTeX support for MLTeX

Web page on CTAN <https://ctan.org/pkg/mltex-ltx>

name	<code>mltex-ltx</code>
caption	LaTeX support for MLTeX
author	Raichle, Bernd
copyright	Bernd Raichle (1996-1998)
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Support for MLTeX , the multilingual TeX extension from Michael J. Ferguson.
documentation	(no language specified) <i>Overview of the package</i> : https://ctan.org/tex-archive/macros/latex/contrib/mltex/mltex.txt
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mltex/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mltex
on MikTeX	<code>mltex</code>
on T _E XLive	<code>mltex</code>
keyword	format (macros to build a format)
keyword	multilingual (support for more than one (natural) language)
language(s)	no language specified
year	1998
last access	2025-02-07

4024 `mluexercise` – Exercises/homework at the Martin Luther University Halle-Wittenberg

Web page on CTAN <https://ctan.org/pkg/mluexercise>

name	<code>mluexercise</code>
caption	Exercises/homework at the Martin Luther University Halle-Wittenberg
author	Fachschaftrsrat Mathematik/Informatik Uni Halle
copyright	Fachschaftrsrat Mathematik/Informatik Martin-Luther-Universität Halle-Wittenberg (2020)
license	mit = MIT License (free)
version	2.0 (2020-11-12)

last changes	2020-11-12
year	2020
description	(no language specified) This package provides a template class for solving weekly exercises at the Institute for Computer Science of Martin Luther University Halle-Wittenberg. The class can be used by all students—especially first semesters—to typeset their exercises with low effort in beautiful LaTeX. A bunch of handy macros are included that are used throughout many lectures during the bachelor’s degree program. The class is maintained by the students’ council of the university. The focus is on encouraging first semester students to use LaTeX for typesetting, thus the package has been kept as simple as possible.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/mluexercise/mluexercise.pdf
– local file	<code>./7639827790-mluexercise.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/mluexercise/README.md
home page	https://fachschaft.mathinf.uni-halle.de/
contact	<i>announce:</i> https://github.com/fsrmatheinfo/mluexercise/releases
contact	<i>bugs:</i> https://github.com/fsrmatheinfo/mluexercise/issues
contact	<i>repository:</i> https://github.com/fsrmatheinfo/mluexercise
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mluexercise
on MikTeX	mluexercise
on T _E XLive	mluexercise
keyword	class (alternative LaTeX class(es))
keyword	exercise (exercises, problems for solution, etc.)
language(s)	no language specified
last access	2025-02-07

4025 mm – A jiffy Multiple Master toolWeb page on CTAN <https://ctan.org/pkg/mm>

name	mm
caption	A jiffy Multiple Master tool
author	Goossens, Michel
author	Rahtz, Sebastian
license	noinfo = noinfo
version	(1997-03-31)
last changes	1997-03-31
year	1997
description	(no language specified) A set of simple scripts and programs for deriving instances from Adobe Multiple Master fonts for use with dvips . The scripts use ghostscript to derive metrics, etc.
on CTAN	https://ctan.org/tex-archive/fonts/utilities/mm
keyword	font-proc (process fonts for use with TeX (includes installation))
language(s)	no language specified
last access	2025-02-07

4026 mma2ltx – Use Mathematica graphics in a LaTeX documentWeb page on CTAN <https://ctan.org/pkg/mma2ltx>

name	mma2ltx
caption	Use Mathematica graphics in a LaTeX document
author	Ghibo, Giuseppe
copyright	Giuseppe Ghibo (1994, 1995)
license	shareware = Shareware: A fee is required (not free)
version	1.23
description	(no language specified) The program allows the Mathematica user to include the graphics produced by Mathematica in a LaTeX document using the LaTeX document's fonts and symbols for labels.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/mma2ltx/doc/mma2ltx.pdf
– local file	./6430565882-mma2ltx.pdf

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/mma2ltx/README
on CTAN	https://ctan.org/tex-archive/graphics/mma2ltx
keyword	graphics-incl (include external graphics)
see also	see section 4854 on page 4391: (<i>psfrag</i> – Replace strings in encapsulated PostScript figures)
language(s)	no language specified
year	1995
last access	2025-02-07

4027 *mmafm* – Font metrics for multiple-master font

Web page on CTAN	https://ctan.org/pkg/mmafm
name	mmafm
caption	Font metrics for multiple-master font
author	Kohler, Eddie
license	gpl = GNU General Public License (free)
description	(no language specified) Creates an AFM file (font metrics) corresponding to an instance of a multiple-master font by interpolating at a given point in a multiple master's design space. It reads the AMFM and AFM files distributed with the font. Mmafm is now distributed as part of the lcdf-typetools bundle.
documentation	(no language specified) <i>Package documentation</i> : http://www.lcdf.org/~eddielwo/type/mmafm.1.html
home page	http://www.lcdf.org/~eddielwo/type/
on CTAN	https://ctan.org/tex-archive/fonts/utilities/lcdf-typetools
keyword	font-proc (process fonts for use with TeX (includes installation))
language(s)	no language specified
year	without year
last access	2025-02-07

4028 mmap – Include CMap resources in PDF files from pdfTeXWeb page on CTAN <https://ctan.org/pkg/mmap>

name	mmap
caption	Include CMap resources in PDF files from pdfTeX
author	Moore, Ross
license	lppl = The LaTeX Project Public License (free)
version	1.03
description	(no language specified) The package is an extension of cmap with improved flexibility and coverage, including the ability to re-encode Knuth's basic mathematics fonts.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mmap/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mmap
on MikTeX	mmap
on T _E XLive	mmap
keyword	pdf-feat (access PDF features)
see also	see section 1148 on page 1045 : (cmap – Make PDF files searchable and copyable)
language(s)	no language specified
year	without year
last access	2025-02-07

4029 mmpfb – Create instance of multiple-master fontWeb page on CTAN <https://ctan.org/pkg/mmpfb>

name	mmpfb
caption	Create instance of multiple-master font
author	Kohler, Eddie
license	gpl = GNU General Public License (free)
description	(no language specified) Creates a normal, single-master font program which corresponding to an instance of a multiple-master font. It reads the multiple master font program in PFA or PFB format. Mmpfb is now distributed as part of the lcdf-typetools bundle.

documentation	(no language specified) <i>Package documentation</i> : http://www.lcdf.org/~eddielwo/type/mmpfb.1.html
home page	http://www.lcdf.org/~eddielwo/type/
on CTAN	https://ctan.org/tex-archive/fonts/utilities/lcdf-typtools
keyword	<code>font-proc</code> (process fonts for use with TeX (includes installation))
see also	see section 4027 on page 3642: (<code>mmafm</code> – Font metrics for multiple-master font)
language(s)	no language specified
year	without year
last access	2025-02-07

4030 `mmttools` – Multiple master fonts tools

Web page on CTAN	https://ctan.org/pkg/mmttools
name	<code>mmttools</code>
caption	Multiple master fonts tools
author	Kohler, Eddie
license	gpl = GNU General Public License (free)
version	1.13
description	(no language specified) Two tools for working with multiple master fonts: • <code>mmafm</code> creates an AFM by interpolation from a multiple master font’s metrics; and • <code>mmpfb</code> creates a ”normal” PFB font by interpolation from a multiple master font. The contents of this bundle are now distributed as part of the <code>lcdf-typtools</code> bundle.
home page	http://www.lcdf.org/type/
on CTAN	https://ctan.org/tex-archive/obsolete/fonts/utilities/mmttools
keyword	<code>font-proc</code> (process fonts for use with TeX (includes installation))
language(s)	no language specified
year	without year
last access	2025-02-07

4031 *mnhyphn* – Mongolian hyphenation patterns in T2A encoding

Web page on CTAN <https://ctan.org/pkg/mnhyphn>

name	mnhyphn
caption	Mongolian hyphenation patterns in T2A encoding
author	Batumongke, Dorjgotov
copyright	D. Batumongke (2007-2009, 2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.4 (2024-02-05)
last changes	2024-02-05
year	2024
description	(no language specified) Serves Mongolian written using Cyrillic letters, using T2A-encoded output. (Note that the montex bundle provides hyphenation patterns for its own encoding setup.)
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/hyphenation/mnhyphn/README
on CTAN	https://ctan.org/tex-archive/language/hyphenation/mnhyphn
on T _E XLive	mnhyphn
keyword	hyphenation (macros or tables for hyphenation)
keyword	mongolian (support for typesetting Mongolian)
language(s)	no language specified
last access	2025-02-07

4032 *mnotes* – Margin annotation for collaborative writing

Web page on CTAN <https://ctan.org/pkg/mnotes>

name	mnotes
caption	Margin annotation for collaborative writing
author	Luz, Saturnino
copyright	Saturnino Luz (2013-2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.9

description	(no language specified) The package provides a flexible mechanism for annotating, and commenting upon, collaboratively-written documents.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mnotes/mnotes.pdf
– local file	<code>./9533602858-mnotes.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mnotes/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mnotes
on MikTeX	<code>mnotes</code>
on T _E XLive	<code>mnotes</code>
keyword	<code>marginal</code> (marginal notes, etc.)
language(s)	no language specified
year	2021
last access	2025-02-07

4033 *mnras* – Monthly Notices of the Royal Astronomical Society

Web page on CTAN <https://ctan.org/pkg/mnras>

name	<code>mnras</code>
caption	Monthly Notices of the Royal Astronomical Society
author	Thompson, Nadine
author	Clube, Kim
author	Royal Astronomical Society
author	Jones, Peter
copyright	Royal Astronomical Society (2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.2 (2023-07-20)
last changes	2023-07-20
year	2023
description	(no language specified) Package for preparing papers in the journal "Monthly Notices of the Royal Astronomical Society".
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mnras/README.txt

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mnras/mnras_guide.pdf
– local file	<code>./8764869136-mnras_guide.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mnras
on MikTeX	<code>mnras</code>
on TeXLive	<code>mnras</code>
keyword	<code>doc-templ</code> (template to guide document development)
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>journalpub</code> (typesetting journals, etc)
language(s)	no language specified
last access	2025-02-07

4034 *mnras-plain* – Plain TeX macros for MNRAS

Web page on CTAN	https://ctan.org/pkg/mnras-plain
name	<code>mnras-plain</code>
caption	Plain TeX macros for MNRAS
author	Woollatt, Alison
copyright	Cambridge University Press (1995)
license	<code>noinfo = noinfo</code>
version	1.6
description	(no language specified) Macros for writing papers for the Monthly Notices of the Royal Astronomical Society, in Plain TeX. The macros can switch between use of Computer Modern fonts (for authors' proofing work) and Monotype Times (for publication).
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/mnras
keyword	<code>journalpub</code> (typesetting journals, etc)
see also	see section 4033 on page 3646: (<code>mnras</code> – Monthly Notices of the Royal Astronomical Society)
language(s)	no language specified
year	1995
last access	2025-02-07

4035 mnsymbol – Mathematical symbol font for Adobe MinionPro

Web page on CTAN <https://ctan.org/pkg/mnsymbol>

name	MnSymbol
caption	Mathematical symbol font for Adobe MinionPro
author	Blumensath, Achim
license	pd = Public Domain Software (free)
version	1.4
description	(no language specified) MnSymbol is a symbol font family, designed to be used in conjunction with Adobe Minion Pro (via the MinionPro package). Almost all of LaTeX and AMS mathematical symbols are provided; remaining coverage is available from the MinionPro font with the MinionPro package. The fonts are available both as Metafont source and as Adobe Type 1 format, and a comprehensive support package is provided. While the fonts were designed to fit with Minion Pro, the design should fit well with other renaissance or baroque faces: indeed, it will probably work with most fonts that are neither too wide nor too thin, for example Palatino or Times; it is known to look good with Sabon. There is no package designed to configure its use with any font other than Minion Pro, but (for example) simply loading mnsymbol after mathpazo will probably do what is needed.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/mnsymbol/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/mnsymbol/MnSymbol.pdf
– local file	./6953316912-MnSymbol.pdf
on CTAN	https://ctan.org/tex-archive/fonts/mnsymbol
on MikTeX	mnsymbol
on T _E XLive	mnsymbol
keyword	font (fonts themselves)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-symbol-maths (collections of mathematical symbols)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	no language specified
year	without year
last access	2025-02-07

4036 *mnttex* – Tools for the "The Secret History of the Mongols"Web page on CTAN <https://ctan.org/pkg/mnttex>

name	<i>mnttex</i>
caption	Tools for the "The Secret History of the Mongols"
author	Corff, Oliver
license	lppl = The LaTeX Project Public License (free)
version	0.3
description	(no language specified) The Secret History of the Mongols (Monggol-un niguca tobciyan→MNT) is the oldest work of Mongolian literature surviving today. Though the language of the text is Middle Mongolian, the text was written entirely in Chinese characters which were used to render Mongolian phonetically. Modern tools for typing, editing and typesetting Chinese do not easily lend themselves for preparing research documentation due to peculiarities of the historical source. The MNTTeX package assists the scholar typesetting the complex Chinese material by accessing all characters either by number or pronunciation as well as offering convenient access to small or combined characters. The MNTTeX package relies on an existing environment for processing Chinese characters and assumes that the package CJK is installed. It is further required to have a recent inputenc package with ucs support from the unicode package. Without these, MNTTeX is not likely to work. Furthermore it is required to use the font zysong.ttf or a similar font in Song style. Since not all characters used in the MNT are provided by modern fonts they had to be made for this package. Being closely modelled according to Song style, these especially made characters would stand out in stark contrast from e.g. Kaiti style character sets. Limited in number, these individual characters were coded as scalable vector images, rather than as font. No difference between these characters and ordinary characters can be perceived in print even though the on-screen display may appear hardly intelligible.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/mongolian/MNT/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/language/mongolian/MNT/doc/mnttex.pdf
– local file	./4896453835-mnttex.pdf
on CTAN	https://ctan.org/tex-archive/language/mongolian/MNT
keyword	mongolian (support for typesetting Mongolian)
language(s)	no language specified

year without year
last access 2025-02-07

4037 *modeles-factures-belges-assocs* – Generate invoices for Belgian non-profit organizations

Web page on CTAN <https://ctan.org/pkg/modeles-factures-belges-assocs>

table
name	modeles-factures-belges-assocs
caption	Generate invoices for Belgian non-profit organizations
author	Cassart, Rudy
author	Sebille, Robert
copyright	Robert Sebille (2018-2019)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.1 (2019-02-12)
last changes	2019-02-12
year	2019
description	(no language specified) This package provides templates and a `sty` file for generating invoices for Belgian non-profit organizations.
documentation	(no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/modeles-factures-belges-assocs/README.md>
documentation	(no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/modeles-factures-belges-assocs/doc-modeles-factures-belges-assocs.pdf>
– local file	`./2085366411-doc-modeles-factures-belges-assocs.pdf`
home page	<https://gitlab.adullact.net/zenjo/modeles-factures-belges-assocs/wikis/home>
contact	*announce*: <https://gitlab.adullact.net/zenjo/modeles-factures-belges-assocs/wikis/annonces>
contact	*bugs*: <https://gitlab.adullact.net/zenjo/modeles-factures-belges-assocs/issues>
contact	*repository*: <https://gitlab.adullact.net/zenjo/modeles-factures-belges-assocs/tree/master>
on CTAN	<https://ctan.org/tex-archive/macros/latex/contrib/modeles-factures-belges-assocs>

on MikTeX	modeles-factures-belges-assocs
on T _E XLive	modeles-factures-belges-assocs
keyword	invoice (typesetting and calculating invoices)
language(s)	no language specified
last access	2025-02-07

4038 moderncv – A modern curriculum vitae class

Web page on CTAN <https://ctan.org/pkg/moderncv>

name	moderncv
caption	A modern curriculum vitae class
author	Lachnit, Stephan
author	Adlkofer, Daniel
author	Danaux, Xavier
copyright	moderncv maintainers (github.com/moderncv) (2020-2026)
copyright	Xavier Danaux (2006-2015)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.5.1 (2026-01-31)
last changes	2026-01-31
year	2026
description	(no language specified) The class provides facilities for typesetting modern curriculums vitae, both in a classic and in a casual style. It is fairly customizable, allowing you to define your own style by changing the colours, the fonts, etc. The <code>template.tex</code> file can be used as an example.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/moderncv/manual/moderncv_userguide.pdf
– local file	<code>./2729135169-moderncv_userguide.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/moderncv/README.md
home page	https://github.com/moderncv/moderncv
contact	<i>bugs</i> : https://github.com/moderncv/moderncv/issues
contact	<i>repository</i> : https://github.com/moderncv/moderncv.git

contact	<i>development:</i> https://github.com/moderncv
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/moderncv
on MikTeX	moderncv
on TeXLive	moderncv
keyword	doc-templ (template to guide document development)
keyword	letter (typesetting letters, envelopes, faxes, etc)
keyword	cv (curriculum vitae/Resumé)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2026-02-11

4039 *modernnewspaper* – A modern, Unicode-first newspaper package for LaTeX

Web page on CTAN	https://ctan.org/pkg/modernnewspaper
name	modernnewspaper
caption	A modern, Unicode-first newspaper package for LaTeX
author	Laitei
copyright	Laitei (2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2.1 (2026-01-07)
last changes	2026-01-07
year	2026
description	(no language specified) <i>modernnewspaper</i> is a Unicode-first LaTeX package for producing newspaper-style documents. It supports multi-column layouts, multilingual content (including right-to-left scripts), Unicode-safe drop caps, column-safe images, and modern metadata such as website URLs. The package is designed for XeLaTeX and LuaLaTeX and is suitable for both print and digital newspapers.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/unicodetex/latex/modernnewspaper/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/unicodetex/latex/modernnewspaper/docs/modernnewspaper-doc.pdf
– local file	./3960916279-modernnewspaper-doc.pdf

4040 modernposter – A modern LaTeX poster theme

contact	<i>support:</i> https://buymeacoffee.com/laitei
contact	<i>announce:</i> https://github.com/Laitei40/modernnewspaper/discussions/categories/announcements
contact	<i>bugs:</i> https://github.com/Laitei40/modernnewspaper/issues
contact	<i>repository:</i> https://github.com/Laitei40/modernnewspaper
contact	<i>development:</i> https://github.com/Laitei40/
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/modernnewspaper
on MikTeX	modernnewspaper
on T _E XLive	modernnewspaper
keyword	magazine (magazines, newspapers and other ephemeral publications)
language(s)	no language specified
last access	2026-03-26

4040 modernposter – A modern LaTeX poster theme

Web page on CTAN <https://ctan.org/pkg/modernposter>

name	modernposter
caption	A modern LaTeX poster theme
author	Derler, David
copyright	David Derler et al. (2018)
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
version	1.03.1 (2018-04-03)
last changes	2018-04-03
year	2018
description	(no language specified) This class extends the a0poster class in that it adds support to easily create posters without the need for taking care of the layout at all. It allows to use <code>\maketitle</code> to generate a fancy header containing the title information and also provides macros to position various different types of text boxes in a two-column layout. The color scheme is inspired by the metropolis beamer theme.
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/modernposter/demo.pdf
– local file	<code>./2643644707-demo.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/modernposter/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/modernposter/modernposter.pdf
– local file	<code>./2523308340-modernposter.pdf</code>
contact	<i>repository</i> : https://github.com/derlerd/modernposter
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/modernposter
on MikTeX	<code>modernposter</code>
on TeXLive	<code>modernposter</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>poster</code> (typeset posters, etc.)
see also	see section 506 on page 461: (<code>beamerposter</code> – Extend beamer and <code>a0poster</code> for custom sized posters)
language(s)	no language specified
last access	2025-02-07

4041 **modernruler** – Flexible ruler and annotation commands with key-value support and vertical writing compatibility

Web page on CTAN <https://ctan.org/pkg/modernruler>

name	<code>modernruler</code>
caption	Flexible ruler and annotation commands with key-value support and vertical writing compatibility
author	KKTeX
copyright	Kosei Kawaguchi (2025-2026)
license	mit = MIT License (free)
version	2.1.6 (2026-02-07)
last changes	2026-02-07
year	2026

description	(no language specified) This package provides a versatile set of commands for drawing rules and creating annotations in LaTeX. While standard LaTeX rules can be rigid, this package introduces more flexible alternatives: <code>\mruleth</code> (horizontal rules), <code>\mruletv</code> (vertical rules), and <code>\undernote</code> (underlined annotations). Key Features: • Key-Value Interface: All commands support a consistent key-value syntax for adjust dimensions (width, height, depth), colors, and dash patterns (dash, dash-len, gap-len). • Underline Annotations: The <code>\undernote</code> command allows users to attach descriptive notes to underlined text. It automatically handles positioning, spacing between multiple notes, and provides options for various border styles (solid or dashed boxes). • Vertical Writing Compatibility: Designed with multilingual typesetting in mind, the package is compatible with vertical writing modes, ensuring that rules and notes are oriented correctly. • Customization: Users can update package-wide defaults at any point in the document using a dedicated set of <code>\SetUNote...</code> commands.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/modernruler/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/modernruler/modernruler-doc.pdf
– local file	<code>./5056894744-modernruler-doc.pdf</code>
contact	<i>repository:</i> https://github.com/KKTeX/modernruler
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/modernruler
on MikTeX	<code>modernruler</code>
on TeXLive	<code>modernruler</code>
keyword	<code>notes</code> (general notes (not including endnotes or footnotes))
keyword	<code>rule</code> (produce rules within a document)
keyword	<code>misc-support</code> (miscellaneous support stuff)
language(s)	no language specified
last access	2026-03-26

4042 *moderntimeline* – Timelines for use with moderncv

Web page on CTAN <https://ctan.org/pkg/moderntimeline>

name	moderntimeline
caption	Timelines for use with moderncv
author	Pinson, Raphaël
copyright	Raphaël Pinson (2011-2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.11 (2020-06-11)
last changes	2020-06-11
year	2020
description	(no language specified) The package provides commands to configure and to draw time line diagrams; such diagrams are designed to fit into <i>Curriculum Vitae</i> documents written using the moderncv class.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/moderntimeline/moderntimeline.pdf
– local file	./6795386582-moderntimeline.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/moderntimeline/README.md
contact	<i>bugs</i> : https://github.com/raphink/moderntimeline/issues
contact	<i>repository</i> : https://github.com/raphink/moderntimeline
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/moderntimeline
on MikTeX	moderntimeline
on TeXLive	moderntimeline
keyword	cv (curriculum vitae/Resumé)
keyword	diagram (diagrams)
language(s)	no language specified
last access	2025-02-07

4043 modes – A collection of Metafont mode_def'sWeb page on CTAN <https://ctan.org/pkg/modes>

name	modes
caption	A collection of Metafont mode_def's
author	Berry, Karl
license	pd = Public Domain Software (free)
version	4.4 (2026-01-13)
last changes	2026-01-13
year	2026
description	(no language specified) The modes file collects all known Metafont modes for printing or display devices, of whatever printing technology. Special provision is made for write-white printers, and a 'landscape' mode is available, for making suitable fonts for printers with pixels whose aspect is non-square. The file also provides definitions that make \special s identifying the mode in Metafont's GF output, and put coding information and other Xerox-world information in the TFM file.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/modes/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/modes/modes.pdf
– local file	./7946653541-modes.pdf
contact	<i>support:</i> https://lists.tug.org/tex-k
on CTAN	https://ctan.org/tex-archive/fonts/modes
on MikTeX	modes
on TeXLive	modes
keyword	font-devel (support for font development, testing and characterisation)
language(s)	no language specified
last access	2026-01-20

4044 modguide – The rules about modifying LaTeX

Web page on CTAN <https://ctan.org/pkg/modguide>

name	modguide
caption	The rules about modifying LaTeX
author	The LaTeX Project Team
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) A discussion of the rules for modifying LaTeX, and the rationale for those rules. Part of a set of documentation that also covers new LaTeX 2e commands , font-handling , class and package writing , typesetting Cyrillic and LaTeX font encodings , configuration options .
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/macros/latex/base/modguide.pdf
– local file	./1381620236-modguide.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/base
on MikTeX	ltxbase
on T _E XLive	latex
keyword	latex-doc (latex-doc(unknown))
language(s)	no language specified
year	without year
last access	2025-02-11

4045 modidiagram – Drawing molecular orbital diagrams

Web page on CTAN <https://ctan.org/pkg/modidiagram>

name	modidiagram
caption	Drawing molecular orbital diagrams
author	Niederberger, Clemens
copyright	Clemens Niederberger (2011-2019)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3a (2020-11-08)
last changes	2020-11-08

year	2020
description	(no language specified) The package provides an environment <code>MOdiagram</code> and some commands, to create molecular orbital diagrams using <code>TikZ</code>. For example, the MO diagram of dihydrogen would be written as: <pre> \begin{MOdiagram} \atom{left}{ 1s = {0;up} } \atom{right}{ 1s = {0;up} } \molecule{ 1sMO = {1;pair, } } \end{MOdiagram} </pre> The package also needs the <code>l3kernel</code> and <code>l3packages</code> bundles from the LaTeX 3 experimental distribution.
documentation	<i>Package documentation (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/modiagram/modiagram_en.pdf
– local file	<code>./2967158473-modiagram_en.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/modiagram/README
contact	<i>bugs:</i> https://bitbucket.org/cgnieder/modiagram/issues
contact	<i>repository:</i> https://bitbucket.org/cgnieder/modiagram/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/modiagram
on MikTeX	<code>modiagram</code>
on T _E XLive	<code>modiagram</code>
keyword	<code>chemistry</code> (chemistry document support)
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>diagram</code> (<code>diagrams</code>)
language(s)	English
last access	2025-02-07

4046 modref – Customisation of cross-references in LaTeX

Web page on CTAN <https://ctan.org/pkg/modref>

name	<code>modref</code>
caption	Customisation of cross-references in LaTeX
author	de Beaudrap, Niel
copyright	J. Niel de Beaudrap (2009)

license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package contains macros which allow authors to easily customise how cross-references appear in their document, both in general (across all cross-references) and for particular types of references (identified by a prefix in the reference label), in a very generic manner.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/modref/modref.pdf
– local file	./9165901416-modref.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/modref/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/modref
on MikTeX	modref
on TeXLive	modref
keyword	label-ref (label and reference systems)
see also	see section 5150 on page 4666: (refstyle – Advanced formatting of cross references)
language(s)	no language specified
year	2009
last access	2025-02-07

4047 *modroman* – Write numbers in lower case roman numerals

Web page on CTAN <https://ctan.org/pkg/modroman>

name	modroman
caption	Write numbers in lower case roman numerals
author	Henel, Yvon
license	lppl = The LaTeX Project Public License (free)
version	1

description	(no language specified) This package provides only two macros viz. <code>\modromannumeral</code> which writes the number given as argument in lower case roman numeral with a ‘j’ instead of a ‘i’ as the final letter of numbers greater than 1 and <code>\modroman{MyCounter}</code> which writes the value of a counter in the same way. You use the first in the same way as the TeX primitive <code>\romannumeral</code> and the second as LaTeX command <code>\roman</code> . The default option is ‘vpourv’ with which 5 is ‘translated’ as ‘v’ and option ‘upourv’ with which the same 5 is given as ‘u’.
documentation	<i>Package documentation (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/modroman/modroman-en.pdf
– local file	<code>./4665596648-modroman-en.pdf</code>
documentation	<i>Readme (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/modroman/README
documentation	<i>Readme (French):</i> https://ctan.org/tex-archive/macros/latex/contrib/modroman/LISEZMOI
documentation	(no language specified) <i>Documentated source (bilingual):</i> https://ctan.org/tex-archive/macros/latex/contrib/modroman/modroman.pdf
– local file	<code>./9920382723-modroman.pdf</code>
documentation	<i>Package documentation (French):</i> https://ctan.org/tex-archive/macros/latex/contrib/modroman/modroman-fr.pdf
– local file	<code>./5887599740-modroman-fr.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/modroman
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/modroman.tds.zip
on MikTeX	<code>modroman</code>
on TeXLive	<code>modroman</code>
keyword	<code>numbers</code> (formatting numbers, etc)
language(s)	English; French
year	without year
last access	2025-02-07

4048 modular – Relative section headings for modular documents

Web page on CTAN <https://ctan.org/pkg/modular>

name	modular
caption	Relative section headings for modular documents
author	Sank, Daniel Thomas
copyright	Daniel Thomas Sank (2017)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2016-12-27)
last changes	2016-12-27
year	2016
description	(no language specified) LaTeX sections have absolute depth, e.g. <code>\section</code>, <code>\subsection</code>, etc. When composing modular documents, we want <i>relative</i> depths. The coseoul package provides relative headings, but does not get things right when composing a document modularly from multiple parts. This package provides the missing piece. <code>modular</code> relies on coseoul, import, and ifthen.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/modular/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/modular/doc/modular.pdf
– local file	<code>./5725831776-modular.pdf</code>
contact	<i>bugs</i> : https://github.com/danielsank/tex-modular/issues
contact	<i>repository</i> : https://github.com/danielsank/tex-modular
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/modular
on MikTeX	modular
on TeXLive	modular
keyword	file-control (manipulation of TeX macro file i/o)
keyword	headings (chapter, section, etc., heading styles)
see also	see section 1352 on page 1222 : (coseoul – Context sensitive outline elements)
language(s)	no language specified

last access 2025-02-07

4049 *modulus* – A non-destructive modulus and integer quotient operator for TeXWeb page on CTAN <https://ctan.org/pkg/modulus>

name	<code>modulus</code>
caption	A non-destructive modulus and integer quotient operator for TeX
author	Goodman, Donald P.
copyright	Donald P. Goodman (2018)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0
description	(no language specified) The package provides an easy way to take the remainder of a division operation without destroying the values of the counters containing the dividend and divisor. Also provides a way to take the integer quotient of a division operation without destroying the values of the counters containing the dividend and divisor. A tiny but occasionally useful package, when doing heavy TeX programming.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/modulus/modulus.pdf
– local file	<code>./9594027369-modulus.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/modulus/README
on CTAN	https://ctan.org/tex-archive/macros/generic/modulus
on MikTeX	<code>modulus</code>
on TeXLive	<code>modulus</code>
keyword	<code>calculation</code> (perform calculations within TeX)
language(s)	no language specified
year	2018
last access	2025-02-07

4050 *mohe-book* – Typeset authored, translated, and research books according to mohe rules

Web page on CTAN <https://ctan.org/pkg/mohe-book>

name	mohe-book
caption	Typeset authored, translated, and research books according to mohe rules
author	Nabavi, Amanullah
copyright	Amanullah Nabavi (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.0 (2025-01-01)
last changes	2025-01-01
year	2025
description	(no language specified) The mohe-book LaTeX class is a specialized template designed to streamline the typesetting of academic and educational materials, including authored textbooks, translated works, research publications, and course materials. Tailored for faculty members and academic staff in Afghanistan, it adheres to rigorous scholarly standards while offering customizable layouts for bilingual (e.g., Dari-English) or multilingual content. Key features include preconfigured chapter/section styles, support for complex scripts, and templates for front matter (prefaces, dedications) and back matter (bibliographies, indices). The package aims to simplify the creation of professional-grade academic documents, ensuring consistency and compliance with institutional or regional publishing guidelines.
documentation	(Persian) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/xetex/latex/mohe-book/mohe-book-doc.pdf
– local file	./3661779511-mohe-book-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/mohe-book/README.txt
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/mohe-book
keyword	book-pub (preparing a book for publication)
keyword	doc-templ (template to guide document development)
keyword	class (alternative LaTeX class(es))
keyword	persian (support for typesetting Persian)
language(s)	Persian
last access	2025-04-11

4051 mohelper – Draw fully customizable MO diagramsWeb page on CTAN <https://ctan.org/pkg/mohelper>

name mohelper

caption Draw fully customizable MO diagrams

author Altergott, Viktor

copyright Viktor Altergott (2026)

license gpl3 = GNU General Public License, version 3 (free)

version 1.0

description (no language specified) This is a package to draw fully customizable MO diagrams.

The package comes with the `mohelper` environment and many other commands to create an MO diagram. The diagram is created using **TikZ**. See the manual for further information and use the interactive webhelper (<https://thevircraft.github.io/modiagram-latex-integration/>).

documentation (no language specified) *Package documentation:*
<https://ctan.org/tex-archive/graphics/pgf/contrib/mohelper/mohelper-doc.pdf>

– local file ./1802017771-mohelper-doc.pdf

documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/graphics/pgf/contrib/mohelper/README.md>

contact *bugs:* <https://github.com/thevircraft/modiagram-latex-integration/issues>

contact *repository:* <https://github.com/thevircraft/modiagram-latex-integration>

on CTAN <https://ctan.org/tex-archive/graphics/pgf/contrib/mohelper>

on MikTeX mohelper

on T_EXLive mohelper

keyword diagram (diagrams)

keyword chemistry (chemistry document support)

keyword pgf-tikz (package uses PGF-TikZ)

language(s) no language specified

year 2026

last access 2026-04-14

4052 *mol2chemfig* – Convert chemical structures from MDL molfile format to chemfig source code

Web page on CTAN <https://ctan.org/pkg/mol2chemfig>

name	mol2chemfig
caption	Convert chemical structures from MDL molfile format to chemfig source code
author	Palmer, Michael
license	lpl = The LaTeX Project Public License (free)
version	1.5
description	(no language specified) The package contains <code>mol2chemfig.lua</code> , the Lua web client version of <code>mol2chemfig</code> . It is used from the command line but calls the <code>mol2chemfig</code> server for every request, to convert chemical structures from MDL molfile format or SMILES format to TeX format for processing using <code>chemfig</code> .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/mol2chemfig/mol2chemfig-doc.pdf
– local file	<code>./7351516755-mol2chemfig-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/mol2chemfig/README
on CTAN	https://ctan.org/tex-archive/graphics/mol2chemfig
on MikTeX	mol2chemfig
keyword	foreign-import (import files in a non-TeX (or different TeX) format)
keyword	chemistry (chemistry document support)
language(s)	no language specified
year	without year
last access	2025-02-07

4053 *moloch* – Beamer theme based on Metropolis

Web page on CTAN <https://ctan.org/pkg/moloch>

name	moloch
caption	Beamer theme based on Metropolis
author	Larsson, Johan
copyright	Johan Larsson and contributors (2024)

license	cc-by-sa-4 = CC BY-SA 4.0 (free)
version	2.2.0
description	(no language specified) Moloch is a clean and simple beamer theme. It is a fork of the Metropolis theme, but has a more minimalistic and slightly less opinionated design.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/moloch/moloch.pdf
– local file	./4197996789-moloch.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/moloch/README.md
home page	https://moloch.ink
contact	<i>support</i> : https://github.com/jolars/moloch/discussions
contact	<i>repository</i> : https://github.com/jolars/moloch
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/moloch
on MikTeX	moloch
on T _E XLive	moloch
keyword	presentation (slides, beamers, handouts, etc.)
see also	see section 521 on page 478: (beamertheme-metropolis – A modern LaTeX beamer theme)
language(s)	no language specified
year	2024
last access	2026-02-25

4054 monospace-otf – OpenType MonaSpace fonts with fontspec support

Web page on CTAN <https://ctan.org/pkg/monospace-otf>

name	MonaSpace-OTF
caption	OpenType MonaSpace fonts with fontspec support
author	Pierquet, Cédric
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
license	ofl = The SIL Open Font License (free)

version	0.1 (2025-12-02)
last changes	2025-12-02
year	2025
description	(no language specified) This package provides the OpenType MonaSpace fonts with fontspec support for LuaLaTeX and XeTeX, with or without ligatures. The fonts come in five styles (<i>Argon</i> , <i>Krypton</i> , <i>Neon</i> , <i>Radon</i> , <i>Xenon</i>) and five weights (<i>ExtraLight</i> , <i>Light</i> , <i>Regular</i> , <i>Medium</i> , <i>SemiBold</i>), and with <i>healing</i> support. See https://monaspace.githubnext.com for further information.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/monaspace-otf/doc/monaspace-otf.pdf
– local file	./5594612169-monaspace-otf.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/monaspace-otf/README.md
contact	<i>bugs</i> : https://github.com/cpierquet/latex-packages/issues
contact	<i>repository</i> : https://github.com/cpierquet/latex-packages/tree/main/monaspace-otf
on CTAN	https://ctan.org/tex-archive/fonts/monaspace-otf
on T _E XLive	monaspace-otf
keyword	font-otf (font in OpenType format)
keyword	font-mono (monospaced font)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font (fonts themselves)
language(s)	no language specified
last access	2025-12-03

4055 mongolian-babel – A language definition file for Mongolian in Babel

Web page on CTAN <https://ctan.org/pkg/mongolian-babel>

name	mongolian-babel
caption	A language definition file for Mongolian in Babel
author	Batumongke, Dorjgotov
copyright	Dorjgotov Batumongke (2007)
license	lppl = The LaTeX Project Public License (free)

version	1.2
description	(no language specified) This package provides support for Mongolian in a Cyrillic alphabet. (The work derives from the earlier Russian work for babel.)
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/language/mongolian/babel/mongolian.pdf
– local file	./7888429858-mongolian.pdf
on CTAN	https://ctan.org/tex-archive/language/mongolian/babel
on MikTeX	mongolian-babel
on T _E XLive	mongolian-babel
keyword	mongolian (support for typesetting Mongolian)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
language(s)	no language specified
year	2007
last access	2025-02-07

4056 monofill – Alignment of plain text

Web page on CTAN <https://ctan.org/pkg/monofill>

name	monofill
caption	Alignment of plain text
author	Lück, Uwe
copyright	Uwe Lück (2012)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2
description	(no language specified) The package provides horizontal alignment, as in the LaTeX command <code>\listfiles</code> (or the author’s longnamefilelist package). Uses may include in-text tables, or even code listings.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/monofill/doc/monofill.pdf
– local file	./9227792987-monofill.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/monofill/README

4057 *monster* – Obsolete name for *Frankenstein*

contact	<i>support:</i> http://www.webdesign-bu.de/uwe_lueck/contact.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/monofill
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/monofill.tds.zip
on MikTeX	monofill
on T _E XLive	monofill
keyword	alignment (tables, tab structures, etc)
language(s)	no language specified
year	2012
last access	2025-02-07

4057 *monster* – Obsolete name for *Frankenstein*

Web page on CTAN <https://ctan.org/pkg/monster>

name	monster
caption	Obsolete name for <i>Frankenstein</i>
author	Swift, Matt
license	gpl = GNU General Public License (free)
description	(no language specified) This is an (obsolete) 8+3-compliant name for the <i>frankenstein</i> bundle.
keyword	collection (a collection of packages)
language(s)	no language specified
year	without year
last access	2025-02-07

4058 *montex* – Mongolian LaTeX

Web page on CTAN <https://ctan.org/pkg/montex>

name *montex*

caption Mongolian LaTeX

author Corff, Oliver

license gpl = GNU General Public License (free)

version IVu.04.092

description (no language specified) MonTeX provides Mongolian and Manju support for the TeX/LaTeX community.

Mongolian is a language spoken in North East Asia, namely Mongolia and the Inner Mongol Autonomous Region of China. Today, it is written in an extended Cyrillic alphabet in Mongolia whereas the Uighur writing continues to be in use in Inner Mongolia, though it is also, legally speaking, the official writing system of Mongolia.

Manju is another language of North East Asia, belonging to the Tungusic branch of the Altaic languages. Though it is hardly spoken nowadays, it survives in written form as Manju was the native language of the rulers of the Qing dynasty (1644–1911) in China. Large quantities of documents of the Imperial Archives survive, as well as some of the finest dictionaries ever compiled in Asia, like the Pentaglot, a dictionary comprising Manju, Tibetan, Mongolian, Uighur and Chinese. MonTeX provides all necessary characters for writing standard Mongolian in Cyrillic and Classical (aka Traditional or Uighur) writing, and Manju as well as transliterated Tibetan texts, for which purpose a number of additional characters was created.

In MonTeX, both Mongolian and Manju are entered in romanized form. The retransliteration (from Latin input to Mongolian and Manju output) is completely realized in TeX/Metafont so that no external preprocessor is required.

Please note that most of the enhanced functions of MonTeX require a working e-LaTeX environment. This is especially true when compiling documents with Mongolian or Manju as the main document language. It is recommended to choose pdfelatex as the resulting PDF files are truly portable. Vertical text generated by MonTeX is not supported in DVI.

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/language/mongolian/montex/doc/montex.pdf>

– local file ./7731006575-montex.pdf

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/language/mongolian/montex/README>

on CTAN	https://ctan.org/tex-archive/language/mongolian/montex
on MikTeX	montex
on T _E XLive	montex
keyword	font-mf (fonts distributed as Metafont source)
keyword	mongolian (support for typesetting Mongolian)
keyword	font (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-02-07

4059 *montserrat* – *Montserrat sans serif, otf and pfb, with LaTeX support files*

Web page on CTAN <https://ctan.org/pkg/montserrat>

name	montserrat
caption	Montserrat sans serif, otf and pfb, with LaTeX support files
author	Sharpe, Michael
copyright	Michael Sharpe (2017-2019)
copyright	The Montserrat Project Authors (2011-2016)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
license	ofl = The SIL Open Font License (free)
version	1.03
description	(no language specified) Montserrat is a geometric sans-serif typeface designed by Julieta Ulanovsky, inspired by posters and signage from her historical Buenos Aires neighborhood of the same name. It is rather close in spirit to Gotham and Proxima Nova, but has its own individual appearance — more informal, less extended, and more idiosyncratic. It is provided in a total of nine different weights, each having eight figure styles and small caps in both upright and italic shapes. There are two quite different versions that don't fit into the usual LaTeX classifications. The version having the appellation "Alternates" has letter shapes that are much more rounded than the default version, reflecting the signage in the neighborhood of Montserrat.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/montserrat/doc/montserrat-doc.pdf
– local file	./6577166404-montserrat-doc.pdf

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/montserrat/README
on CTAN	https://ctan.org/tex-archive/fonts/montserrat
installation	https://ctan.org/tex-archive/install/fonts/montserrat.tds.zip
on MikTeX	montserrat
on TeXLive	montserrat
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-t1enc (font providing LaTeX T1 encoding support)
keyword	font (fonts themselves)
keyword	font-otf (font in OpenType format)
keyword	font-sans (sans-serif font)
language(s)	no language specified
year	2019
last access	2025-02-07

4060 *moodle* – Generating Moodle quizzes via LaTeX

Web page on CTAN	https://ctan.org/pkg/moodle
name	moodle
caption	Generating Moodle quizzes via LaTeX
author	Guerquin-Kern, Matthieu
author	Hendrickson, Anders O. F.
copyright	Anders O. F. Hendrickson (2016)
copyright	Matthieu Guerquin-Kern (2019-2021)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) A package for writing Moodle quizzes in LaTeX. In addition to typesetting the quizzes for proofreading, the package compiles an XML file to be uploaded to a Moodle server.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/moodle/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/moodle/moodle.pdf

4061 *moonphase* – Font for representing the phases of the moon

– local file	<code>./4489913462-moodle.pdf</code>
contact	<i>bugs:</i> https://framagit.org/mattgk/moodle/-/issues
contact	<i>repository:</i> https://framagit.org/mattgk/moodle/-/tree/master
contact	<i>development:</i> https://framagit.org/mattgk/moodle
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/moodle
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/moodle.tds.zip
on MikTeX	moodle
on T _E XLive	moodle
keyword	exam (exams, quizzes, etc.)
language(s)	no language specified
year	2021
last access	2025-02-07

4061 *moonphase* – Font for representing the phases of the moon

Web page on CTAN	https://ctan.org/pkg/moonphase
name	moonphase
caption	Font for representing the phases of the moon
author	Brabec, Stanislav
license	noinfo = noinfo
version	(1996-10-06)
last changes	1996-10-06
year	1996
description	(no language specified) The package comprises a small font (as Metafont source) and a set of macros for its use.
on CTAN	https://ctan.org/tex-archive/fonts/moonphase
on MikTeX	moonphase
keyword	font-specialist (fonts with specific small application areas)
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	no language specified

last access 2025-02-07

4062 *moredefs* – LaTeX defining, expansion, and debugging commands

Web page on CTAN <https://ctan.org/pkg/moredefs>

name	moredefs
caption	LaTeX defining, expansion, and debugging commands
author	Swift, Matt
license	gpl = GNU General Public License (free)
version	1.8
description	(no language specified) A LaTeX package providing numerous defining, expansion, and debugging commands for programming in LaTeX and writing LaTeX packages and classes. The package is part of the frankenstein bundle of packages.
documentation	(no language specified) <i>Bundle README</i> : https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/moredefs.pdf
– local file	./2479718506-moredefs.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/frankenstein
on MikTeX	frankenstein
on TeXLive	frankenstein
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	without year
last access	2025-02-07

4063 moreenum – More enumeration options

Web page on CTAN <https://ctan.org/pkg/moreenum>

name	moreenum
caption	More enumeration options
author	Bradley, Seamus
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.03
description	(no language specified) The package provides the following new enumerate styles: • <code>\greek</code> for lowercase Greek letters; • <code>\Greek</code> for uppercase Greek letters; • <code>\enumHex</code> for uppercase hexadecimal enumeration; • <code>\enumhex</code> for lowercase hexadecimal enumeration; • <code>\enumbinary</code> for binary enumeration; • <code>\enumoctal</code> for octal enumeration; • <code>\levelnth</code> for "1st", "2nd", "3rd" etc., with the "nth"s on the baseline; • <code>raisenth</code> for "1st", "2nd", "3rd" etc., with the "nth"s raised; • <code>\nthwords</code> for "first", "second", "third" etc.; • <code>\Nthwords</code> for "First", "Second", "Third" etc.; • <code>\NTHWORDS</code> for "FIRST", "SECOND", "THIRD" etc.; • <code>\nwords</code> for "one", "two", "three" etc.; • <code>\Nwords</code> for "One", "Two", "Three" etc.; and • <code>\NWORDS</code> for "ONE", "TWO", "THREE" etc.

Each of these works with `enumitem`'s "starred variant" feature. So `\begin{enumerate}[label=\enumhex*]` will output a hex enumerated list. Enumitem provides a `start=0` option for starting your enumerations at 0.

The package requires `amsmath`, `alphalph`, `enumitem` (of course), `binhex` and `nth`, all of which are widely available.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/moreenum/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/moreenum/moreenum-doc.pdf

4064 *morefloats* – Increase the number of simultaneous LaTeX floats

– local file	<code>./3103721759-moreenum-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/moreenum
on MikTeX	moreenum
on TeXLive	moreenum
keyword	<code>list-enum</code> (list: items enumerated)
keyword	<code>numbers</code> (formatting numbers, etc)
language(s)	no language specified
year	without year
last access	2025-02-07

4064 *morefloats* – Increase the number of simultaneous LaTeX floats

Web page on CTAN	https://ctan.org/pkg/morefloats
name	<code>morefloats</code>
caption	Increase the number of simultaneous LaTeX floats
author	Hosek, Don
author	Münch, Hans-Martin
copyright	H.-Martin Münch (2010-2025)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1a (2025-02-28)
last changes	2025-02-28
year	2025
description	(no language specified) LaTeX can, by default, only cope with 18 outstanding floats; any more, and you get the error "too many unprocessed floats". This package releases the limit; TeX itself imposes limits (which are independent of the help offered by e-TeX). However, if your floats can't be placed anywhere, extending the number of floats merely delays the arrival of the inevitable error message.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/morefloats/morefloats.pdf
– local file	<code>./5644498782-morefloats.pdf</code>

documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/morefloats/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/morefloats
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/morefloats.tds.zip
on MikTeX	morefloats
on TeXLive	morefloats
keyword	float (typesetting floats)
language(s)	no language specified
last access	2025-02-07

4065 *morehelp* – Improve LaTeX error messages

Web page on CTAN <https://ctan.org/pkg/morehelp>

name	morehelp
caption	Improve LaTeX error messages
author	Kummer, Olaf
license	other-nonfree = License that prevents distribution (not free)
version	0.1alpha
description	(no language specified) The package enhances LaTeX2e error messages by providing descriptions of the possible causes including those that may not be obvious. This style is effectively an online substitute for error lists found in the LaTeX books, although it cannot completely replace them. Only true LaTeX errors are included: TeX errors are beyond the reach of ordinary macros.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/morehelp/morehelp.README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/morehelp
keyword	error-supp (control of LaTeX error messages)
language(s)	no language specified
year	without year
last access	2025-02-07

4066 morehype – Hypertext tools for use with LaTeX

Web page on CTAN <https://ctan.org/pkg/morehype>

name	morehype
caption	Hypertext tools for use with LaTeX
author	Lück, Uwe
copyright	Uwe Lück (2011-2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	r0.83
description	(no language specified) The bundle provides three packages: • <code>texlinks</code>: shorthand macros for TeX-related external hyperlinks with hyperref, the <code>blog</code> package in the present bundle, etc; • <code>hypertoc</code>: adjust the presentation of coloured frames in hyperref tables of contents (article class only); • <code>blog</code>: fast generation of simple HTML by expanding LaTeX macros, using the fifinddo package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/morehype/README
documentation	(no language specified) <i>Package documentation: blog</i> : https://ctan.org/tex-archive/macros/latex/contrib/morehype/doc/blog.pdf
– local file	<code>./9532159862-blog.pdf</code>
documentation	(no language specified) <i>Package documentation: hypertoc</i> : https://ctan.org/tex-archive/macros/latex/contrib/morehype/doc/hypertoc.pdf
– local file	<code>./8741307438-hypertoc.pdf</code>
documentation	(no language specified) <i>Package documentation: texlinks</i> : https://ctan.org/tex-archive/macros/latex/contrib/morehype/doc/texlinks.pdf
– local file	<code>./6326025784-texlinks.pdf</code>
contact	<i>support</i> : http://www.webdesign-bu.de/uwe_lueck/contact.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/morehype
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/morehype.tds.zip
on MikTeX	morehype

on T _E XLive	morehype
keyword	hyper (support for hypertext)
language(s)	no language specified
year	2015
last access	2025-02-07

4067 *moremath* – Additional commands for typesetting maths

Web page on CTAN <https://ctan.org/pkg/moremath>

name	moremath
caption	Additional commands for typesetting maths
author	Ilg, Marcel
copyright	Marcel Ilg (2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.5.0 (2024-08-20)
last changes	2024-08-20
year	2024
description	(no language specified) This package provides several document level commands to ease typesetting of maths with LaTeX. This package provides complementary commands to all operators defined by amsmath which typeset the operators together with delimiters (which can be scaled manually, automatically or not at all). These commands also accept optional sub- and superscripts. Additionally, this package provides several commands to typeset gradient, divergence, curl, Laplace, and d'Alembert operators. Those commands also accept an optional subscript and their appearance can be modified using key-value options. Furthermore several commands for producing row and column vectors, as well as (anti-)diagonal matrices and identity matrices, utilizing mathtools' <code>matrix*</code> family of environments, are provided. Most of the document level commands defined by this package can also be disabled using a package load-time option to avoid clashes with commands defined by other packages. The package depends on mathtools, bm (optional), and amssymb.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/moremath/README.md

4068 *moresize* – Allows font sizes up to 35.83pt

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/moremath/moremath-doc.pdf
– local file	<code>./2634061246-moremath-doc.pdf</code>
contact	<i>bugs</i> : https://github.com/Mister00X/moremath/issues
contact	<i>repository</i> : https://github.com/Mister00X/moremath
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/moremath
on MikTeX	moremath
on T _E XLive	moremath
keyword	maths (support for typesetting mathematics)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

4068 *moresize* – Allows font sizes up to 35.83pt

Web page on CTAN	https://ctan.org/pkg/moresize
name	moresize
caption	Allows font sizes up to 35.83pt
author	Cornelssen, Christian
copyright	Christian Cornelssen (1997-1999)
license	lppl = The LaTeX Project Public License (free)
version	1.9
description	(no language specified) A package for using font sizes up to 35.88pt, for example with the EC fonts. New commands <code>\HUGE</code> and <code>\small</code> for selecting font sizes are provided together with some options working around current LaTeX2e shortcomings in using big font sizes. The package also provides options for improving the typesetting of paragraphs (or headlines) with embedded math expressions at font sizes above 17.28pt.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/moresize/moresize.pdf
– local file	<code>./9038340036-moresize.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/moresize/README

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/moresize
on MikTeX	moresize
on T _E XLive	moresize
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	1999
last access	2025-02-07

4069 *moreverb* – Extended verbatim

Web page on CTAN	https://ctan.org/pkg/moreverb
name	moreverb
caption	Extended verbatim
author	Schöpf, Rainer
author	Carlisle, David
author	Eijkhout, Victor
author	Duggan, Angus
author	Fairbairns, Robin
copyright	Robin Fairbairns (1997, 2002, 2008, 2011)
license	lppl = The LaTeX Project Public License (free)
version	2.3a
description	(no language specified) A collection of verbatim facilities that provide line-numbered verbatim, verbatim that obeys TAB characters, verbatim input and verbatim output to file. The package makes use of the LaTeX required verbatim package. The package is formed from a series of small pieces, and is somewhat unstructured. The user who looks for thought-through verbatim facilities is advised to consider using the fancyvrb package in place of moreverb.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/moreverb/moreverb.pdf
– local file	./4260098702-moreverb.pdf
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/moreverb/README

contact	<i>support:</i> https://github.com/rf-latex/moreverb/issues
contact	<i>repository:</i> https://github.com/rf-latex/moreverb
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/moreverb
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/moreverb.tds.zip
on MikTeX	moreverb
on TeXLive	moreverb
keyword	verbatim (verbatim typesetting, etc.)
see also	see section 2134 on page 1931: (<code>fancyvrb</code> – Sophisticated verbatim text)
see also	see section 6643 on page 5999: (<code>vrbb</code> – Verbatim macros in plain TeX)
language(s)	no language specified
year	2011
last access	2025-02-07

4070 *morewrites* – Always room for a new write stream

Web page on CTAN <https://ctan.org/pkg/morewrites>

name	<i>morewrites</i>
caption	Always room for a new write stream
author	Le Floch, Bruno
copyright	Bruno Le Floch (2011-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2024-02-02)
last changes	2024-02-02
year	2024
description	(no language specified) The package aims to solve the error "No room for a new <code>\write</code>", which occurs when the user, or when the user's packages have 'allocated too many streams' using <code>\newwrite</code> (TeX has a fixed maximum number – 16 – such streams built-in to its code). The package hooks into TeX primitive commands associated with writing to files; it should be loaded near the beginning of the sequence of loading packages for a document. The package uses the l3kernel bundle.

4071 *morisawa* – Enables selection of 5 standard Japanese fonts for pLaTeX + ...

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/morewrites/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/morewrites/morewrites.pdf
– local file	./4547857496-morewrites.pdf
contact	<i>repository</i> : https://github.com/blefloch/latex-morewrites
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/morewrites
on MikTeX	morewrites
on TeXLive	morewrites
keyword	io-mgmt (manage TeX’s limited i/o streams)
keyword	expl3 (expl3(unknown))
see also	see section 5270 on page 4774: (rvwrite – Increase the number of available output streams in LaTeX)
language(s)	no language specified
last access	2025-02-07

4071 *morisawa* – Enables selection of 5 standard Japanese fonts for pLaTeX + dvips

Web page on CTAN	https://ctan.org/pkg/morisawa
name	morisawa
caption	Enables selection of 5 standard Japanese fonts for pLaTeX + dvips
author	Japanese TeX Development Community
copyright	Japanese TeX Development Community (2016-2018)
license	bsd = BSD Style License (free)
version	(2018-03-11)
last changes	2018-03-11
year	2018
description	(no language specified) The package enables selection of 5 standard Japanese fonts for pLaTeX + dvips. It was originally written by Haruhiko Okumura as part of jsclasses bundle, and the TFM/VF files were previously distributed as part of the ptex-fonts package.
documentation	(Japanese) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/morisawa/morisawa.pdf

4072 morse – Support for printing Morse code signs

– local file	<code>./2589154183-morisawa.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/morisawa/README.md
contact	<i>repository</i> : https://github.com/texjporg/morisawa
on CTAN	https://ctan.org/tex-archive/fonts/morisawa
on MikTeX	<code>morisawa</code>
on T _E XLive	<code>morisawa</code>
keyword	<code>tagged-pdf-incompatible</code> (tagged PDF incompatible)
keyword	<code>font-cjk</code> (fonts for far eastern languages (Chinese, Japanese and Korean))
see also	see section 5000 on page 4526: (<code>ptex-fonts</code> – Fonts for use with pTeX)
see also	see section 3093 on page 2789: (<code>jsclasses</code> – Classes tailored for use with Japanese)
language(s)	Japanese
last access	2026-04-10

4072 morse – Support for printing Morse code signs

Web page on CTAN <https://ctan.org/pkg/morse>

name	<code>morse</code>
caption	Support for printing Morse code signs
author	Heyl, Udo
copyright	Udo Heyl (1998)
license	<code>nosell</code> = Do Not Sell Except by Arrangement (not free)
version	1.0
description	(no language specified) The bundle contains both LaTeX macros and Metafont source of a font for the package to use.
documentation	(no language specified) <i>Report on the font</i> : https://ctan.org/tex-archive/fonts/morse/morsedoc.pdf
– local file	<code>./7680248347-morsedoc.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/morse/morse.txt
on CTAN	https://ctan.org/tex-archive/fonts/morse
keyword	<code>font</code> (fonts themselves)

keyword	font-mf (fonts distributed as Metafont source)
keyword	font-specialist (fonts with specific small application areas)
language(s)	no language specified
year	1998
last access	2025-02-07

4073 *movement-arrows* – Drawing movement arrows on linguistic example sentences

Web page on CTAN <https://ctan.org/pkg/movement-arrows>

name	movement-arrows
caption	Drawing movement arrows on linguistic example sentences
author	Munn, Alan
copyright	Alan Munn (2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.0 (2023-06-02)
last changes	2023-06-02
year	2023
description	(no language specified) This package supplies simple support for drawing movement arrows on example sentences. It automatically adjusts spacing between examples or gloss lines to make room for the arrows. Arrows can also be annotated with labels. The package uses TikZ as a base, and various properties of the arrows can be adjusted using TikZ styles. The package has been tested with the gb4e , linguex , and ExPex example packages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/movement-arrows/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/movement-arrows/movement-arrows.pdf
– local file	./1255493286-movement-arrows.pdf
contact	<i>bugs</i> : https://github.com/amunn/movement-arrows/issues
contact	<i>repository</i> : https://github.com/amunn/movement-arrows
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/movement-arrows

on MikTeX	movement-arrows
on TeXLive	movement-arrows
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	linguistic (support for linguistics)
language(s)	no language specified
last access	2025-02-07

4074 *movie15* – Multimedia inclusion package

Web page on CTAN <https://ctan.org/pkg/movie15>

name	movie15
caption	Multimedia inclusion package
author	Grahn, Alexander
copyright	Alexander Grahn (2004-2009)
license	lppl = The LaTeX Project Public License (free)
version	(2012-05-16)
last changes	2012-05-16
year	2012
description	(no language specified) The package provides an interface to embed movies, sounds and 3D objects into PDF documents for use with LaTeX as well as pdfLaTeX. The package defines a command <code>\includemovie</code> with PDF-1.5 compatibility. Option ‘autoplay’ causes the media clip to be started right after the page has loaded. This is useful for side by side movie clips to be played back synchronously. The package is now superseded by media9
documentation	(no language specified) <i>README file</i> : https://ctan.org/tex-archive/macros/latex/contrib/movie15/README
documentation	(no language specified) <i>Overlay example</i> : https://ctan.org/tex-archive/macros/latex/contrib/movie15/doc/overlay-example.pdf
– local file	<code>./4664009076-overlay-example.pdf</code>
documentation	(no language specified) <i>Package Documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/movie15/doc/movie15.pdf
– local file	<code>./7879399474-movie15.pdf</code>

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/movie15
on MikTeX	movie15
on T _E XLive	movie15
keyword	obsolete (package declared obsolete)
keyword	multimedia (support for multimedia in documents)
see also	see section 2257 on page 2042: (flashmovie – Directly embed flash movies into PDF files)
language(s)	no language specified
last access	2025-02-07

4075 *mp-geom2d* – Flat geometry with MetaPost

Web page on CTAN <https://ctan.org/pkg/mp-geom2d>

name	mp-geom2d
caption	Flat geometry with MetaPost
author	Chupin, Maxime
author	Sarlat, Jean-Michel
license	lpp1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3
description	(no language specified) This package was written with the aim of providing MetaPost macros for creating a geometry figure that closely matches an imperative description: • Let A be the point with coordinates (2,3). • Let B be the point with coordinates (4,5). • Draw the line (A, B). • ...
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/mp-geom2d/README.md
documentation	<i>Package documentation (French)</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/mp-geom2d/doc/mp-geom2d-doc-fr.pdf
– local file	./4882603213-mp-geom2d-doc-fr.pdf

documentation	(English) <i>Package documentation (English):</i> https://ctan.org/tex-archive/graphics/metapost/contrib/macros/mp-geom2d/doc/mp-geom2d-doc-en.pdf
– local file	<code>./4559446112-mp-geom2d-doc-en.pdf</code>
contact	<i>bugs:</i> https://gitlab.gutenberg-asso.fr/mchupin/mp-geom2d/-/issues
contact	<i>repository:</i> https://gitlab.gutenberg-asso.fr/mchupin/mp-geom2d
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/mp-geom2d
on MikTeX	<code>mp-geom2d</code>
on TeXLive	<code>mp-geom2d</code>
keyword	graphics (graphics (support packages))
keyword	graphics-mpost (graphics generated using MetaPost)
keyword	maths (support for typesetting mathematics)
language(s)	English; French
year	without year
last access	2025-09-11

4076 `mp-neuralnetwork` – Drawing artificial neural networks with MetaPost and META OBJ

Web page on CTAN <https://ctan.org/pkg/mp-neuralnetwork>

name	<code>mp-neuralnetwork</code>
caption	Drawing artificial neural networks with MetaPost and META OBJ
author	Chupin, Maxime
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1 (2025-01-27)
last changes	2025-01-27
year	2025
description	(no language specified) This MetaPost package allows to draw artificial neural networks. It is based on the META OBJ package which provides many tools to draw and arrange nodes. This package is in beta version — do not hesitate to report bugs, as well as requests for improvement.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/mp-neuralnetwork/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/mp-neuralnetwork/doc/mp-neuralnetwork-doc-en.pdf
– local file	./9271789283-mp-neuralnetwork-doc-en.pdf
contact	<i>bugs</i> : https://gitlab.gutenberg-asso.fr/mchupin/mp-neuralnetwork/-/issues
contact	<i>repository</i> : https://gitlab.gutenberg-asso.fr/mchupin/mp-neuralnetwork
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/mp-neuralnetwork
on MikTeX	mp-neuralnetwork
on T _E XLive	mp-neuralnetwork
keyword	graphics-mpost (graphics generated using MetaPost)
keyword	diagram (diagrams)
language(s)	no language specified
last access	2025-02-07

4077 mp3d – 3D animations

Web page on CTAN	https://ctan.org/pkg/mp3d
name	threed
caption	3D animations
author	Roegel, Denis B.
license	lppl = The LaTeX Project Public License (free)
version	1.34
description	(no language specified) Create animations of 3-dimensional objects (such as polyhedra) in MetaPost .
documentation	(English) <i>Paper on geometry, for TUGboat</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/mp3d/doc/tugboat-geometry-space.pdf
– local file	./3311053937-tugboat-geometry-space.pdf

documentation	(French) <i>Paper on geometry, for Cahiers Gutenberg</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/mp3d/doc/gut2001.pdf
– local file	<code>./3217252951-gut2001.pdf</code>
documentation	(English) <i>Corrected TUGboat paper</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/mp3d/doc/paper1997corrected.pdf
– local file	<code>./1742531355-paper1997corrected.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/mp3d/README
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/mp3d
on MikTeX	threed
on TeXLive	mp3d
keyword	mp-use (use, and support for use, of MetaPost)
keyword	graphics-3d (graphics with 3-dimensional output)
language(s)	English; French
year	without year
last access	2025-02-07

4078 mparhack – Work around a LaTeX bug in marginpars

Web page on CTAN	https://ctan.org/pkg/mparhack
name	mparhack
caption	Work around a LaTeX bug in marginpars
author	Fischer, Ulrike
author	Ulrich, Stefan
copyright	Tom Sgouros, Stefan Ulrich, Ulrike Fischer (2021)
copyright	Tom Sgouros, Stefan Ulrich (1999-2005)
license	gpl2+ = GNU General Public License, version 2 or newer (free)
version	1.5 (2021-05-02)
last changes	2021-05-02
year	2021

4079 `mparrows` – *MetaPost module with different types of arrow heads*

description	(no language specified) Works around the LaTeX bug that <code>marginpar s</code> will sometimes come out at the wrong margin.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mparhack/mparhack.pdf
– local file	<code>./5136248239-mparhack.pdf</code>
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/mparhack/README.md
contact	<i>bugs</i> : https://github.com/u-fischer/mparhack/issues
contact	<i>repository</i> : https://github.com/u-fischer/mparhack
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mparhack
on MikTeX	<code>mparhack</code>
on T _E XLive	<code>mparhack</code>
keyword	<code>marginal</code> (marginal notes, etc.)
language(s)	no language specified
last access	2025-02-07

4079 `mparrows` – **MetaPost module with different types of arrow heads**

Web page on CTAN <https://ctan.org/pkg/mparrows>

name	<code>mparrows</code>
caption	MetaPost module with different types of arrow heads
author	Jørgensen, Palle
copyright	Palle Jørgensen (2016)
license	pd = Public Domain Software (free)
version	0.1
description	(no language specified) A package to provide different types of arrow heads to be used with MetaPost commands <code>drawarrow</code> and <code>drawdblarrow</code> commands.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/mparrows/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/mparrows/mparrows.pdf
– local file	<code>./4770268722-mparrows.pdf</code>

on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/mparrows
on MikTeX	mparrows
on T _E XLive	mparrows
keyword	mp-supp (support tools and macros for MetaPost programming)
language(s)	no language specified
year	2016
last access	2025-02-07

4080 mpattern – Patterns in MetaPost

Web page on CTAN	https://ctan.org/pkg/mpattern
name	mpattern
caption	Patterns in MetaPost
author	Bolek, Piotr
license	pd = Public Domain Software (free)
description	(no language specified) A package for defining and using patterns in MetaPost, using the Pattern Color Space available in PostScript Level 2.
documentation	(no language specified) <i>Package test output</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/mpattern/mpattern_test.pdf
– local file	./9533352942-mpattern_test.pdf
documentation	<i>Package Readme (English)</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/mpattern/README
documentation	<i>Package Readme (Polish)</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/mpattern/README.PL
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/mpattern
on MikTeX	mpattern
on T _E XLive	mpattern
keyword	graphics-use (graphics (typesetting actual pictures))
language(s)	English; Polish
year	without year
last access	2025-02-07

4081 *mpchess* – Drawing chess boards and positions with MetaPost

Web page on CTAN <https://ctan.org/pkg/mpchess>

name	MPchess
caption	Drawing chess boards and positions with MetaPost
author	Chupin, Maxime
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	gpl2+ = GNU General Public License, version 2 or newer (free)
version	0.9
description	(no language specified) This package allows you to draw chess boards and positions. The appearance of the drawings is modern and largely inspired by what is offered by the excellent web site Lichess.org . Relying on MetaPost probably allows more graphic flexibility than the excellent LaTeX packages. This package is in beta version, do not hesitate to report bugs, as well as requests for improvement
documentation	<i>Package documentation (French):</i> https://ctan.org/tex-archive/graphics/metapost/contrib/macros/mpchess/doc/mpchess-doc-fr.pdf
– local file	<code>./5797466260-mpchess-doc-fr.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/metapost/contrib/macros/mpchess/README.md
documentation	(no language specified) <i>Package documentation (English):</i> https://ctan.org/tex-archive/graphics/metapost/contrib/macros/mpchess/doc/mpchess-doc-en.pdf
– local file	<code>./6685397107-mpchess-doc-en.pdf</code>
home page	https://gitlab.gutenberg-asso.fr/mchupin/mpchess
contact	<i>bugs:</i> https://gitlab.gutenberg-asso.fr/mchupin/mpchess/-/issues
contact	<i>repository:</i> https://gitlab.gutenberg-asso.fr/mchupin/mpchess
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/mpchess
on MikTeX	mpchess
on T _E XLive	mpchess
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	mp-use (use, and support for use, of MetaPost)

4082 *mpcolornames* – *Extend list of predefined colour names for MetaPost*

keyword	graphics-mpost (graphics generated using MetaPost)
keyword	graphics (graphics (support packages))
language(s)	French
year	without year
last access	2025-02-07

4082 *mpcolornames* – Extend list of predefined colour names for MetaPost

Web page on CTAN <https://ctan.org/pkg/mpcolornames>

name	mpcolornames
caption	Extend list of predefined colour names for MetaPost
author	Hennig, Stephan
copyright	Stephan Hennig (2009, 2011)
license	lpl = The LaTeX Project Public License (free)
version	0.20
description	(no language specified) The MetaPost format <code>plain.mp</code> provides only five built-in colour names (variables), all of which are defined in the RGB model: red, green and blue for the primary colours and black and white. The package makes more than 500 colour names from different colour sets in different colour models available to MetaPost. Colour sets include X11, SVG, DVIPS and xcolor specifications.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/mpcolornames/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/mpcolornames/doc/metapost/mpcolornames/mpcolornames.pdf
– local file	<code>./1955865167-mpcolornames.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/mpcolornames
on MikTeX	mpcolornames
on T _E XLive	mpcolornames
keyword	colour (typesetting in colour)
language(s)	no language specified
year	2011
last access	2025-02-07

4083 **mpdinbrief** – An enhanced version of **dinbrief**

Web page on CTAN <https://ctan.org/pkg/mpdinbrief>

name	mpdinbrief
caption	An enhanced version of <i>dinbrief</i>
author	Pilzecker, Markus
license	nosell = Do Not Sell Except by Arrangement (not free)
version	1.66
description	(no language specified) A minor enhancement of dinbrief , implementing (as its parent package does) the letter layout rules of DIN (Deutsches Institut für Normung, German standardisation institute).
documentation	<i>Package documentation (mostly in German):</i> https://ctan.org/tex-archive/macros/latex/contrib/mpdinbrief/mpdinbrief.pdf
– local file	./7604117162-mpdinbrief.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/mpdinbrief/mpdinbrief.README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mpdinbrief
keyword	std-conform (support conformance to standards)
keyword	letter (typesetting letters, envelopes, faxes, etc)
language(s)	German
year	without year
last access	2025-02-07

4084 **mpedit** – MetaPost text editor for Win32

Web page on CTAN <https://ctan.org/pkg/mpedit>

name	MPEdit
caption	MetaPost text editor for Win32
author	Vabishchevich, Petr
license	other-free = Free license not otherwise listed (free)

description	(no language specified) MPEdit is an editor for creating and editing MetaPost files. MPEdit uses the standard Multiple Document Interface (MDI). It works in a LaTeX environment and supports the production and prereview of figures in PostScript using mp, LaTeX, dvips and gsvie.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/tools/MPEdit/Readme.txt
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/tools/MPEdit
keyword	editor (editor designed (or adapted) for use with (La)TeX)
keyword	mp-supp (support tools and macros for MetaPost programming)
language(s)	no language specified
year	without year
last access	2025-02-07

4085 mpfonts – Computer Modern Type 3 fonts converted using MetaPost

Web page on CTAN <https://ctan.org/pkg/mpfonts>

name	mpfonts
caption	Computer Modern Type 3 fonts converted using MetaPost
author	Miller, Daniel Benjamin
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	knuth = Knuth License (free)
license	other-free = Free license not otherwise listed (free)
license	pd = Public Domain Software (free)
license	ofl = The SIL Open Font License (free)
version	(2020-01-30)
last changes	2020-01-30
year	2020
description	(no language specified) The Computer Modern fonts are available in Type 1 format, but these renditions are somewhat thin and spindly, and produce much lighter results than the originals. It is alternatively possible to use Metafont bitmaps, but this has its disadvantages in comparison with vector fonts. These fonts are conversions to Type 3 fonts, done entirely in MetaPost; they are vector fonts which are a direct conversion from the original Metafont files, so they are the design most authentic to the originals.

However, these fonts, because they are PostScript Type 3 fonts, are not suitable for on-screen reading, and should probably only be used for printing.

Note: do NOT add the map file to updmap!

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/mpfonts/README
on CTAN	https://ctan.org/tex-archive/fonts/mpfonts
on MikTeX	mpfonts
on TeXLive	mpfonts
keyword	font-mono (monospaced font)
keyword	font-proportional (variable-spaced font)
keyword	font (fonts themselves)
keyword	font-maths (fonts for use in mathematics)
keyword	font-serif (serif font)
keyword	font-cm (font serving Computer Modern-style shapes)
keyword	font-sans (sans-serif font)
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font-symbol-maths (collections of mathematical symbols)
language(s)	no language specified
last access	2025-02-07

4086 *mpgraphics* – Process and display MetaPost figures inline

Web page on CTAN	https://ctan.org/pkg/mpgraphics
name	mpgraphics
caption	Process and display MetaPost figures inline
author	Khalighi, Vafa
author	bidi-tex GitHub Organisation
copyright	Persian TeX Group (2011-2013)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.3

description	(no language specified) The package allows LaTeX users to typeset MetaPost code inline and display figures in their documents with only and only one run of LaTeX, pdfLaTeX or XeLaTeX (no separate runs of mpost). Mpgraphics achieves this by using the shell escape (<code>\write 18</code>) feature of current TeX distributions, so that the whole process is automatic and the end user is saved the tiresome processing.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mpgraphics/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mpgraphics/mpgraphics.pdf
– local file	<code>./8332218023-mpgraphics.pdf</code>
contact	<i>bugs</i> : https://github.com/bidi-tex/mpgraphics/issues
contact	<i>repository</i> : https://github.com/bidi-tex/mpgraphics
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mpgraphics
on MikTeX	mpgraphics
on TeXLive	mpgraphics
keyword	graphics-inline (graphics inline for external processing)
see also	see section 1888 on page 1706: (emp – “Encapsulate” MetaPost figures in a document)
language(s)	no language specified
year	2013
last access	2025-02-07

4087 mpkiviat – MetaPost package to draw Kivi

Web page on CTAN	https://ctan.org/pkg/mpkivi
name	mpkivi
caption	MetaPost package to draw Kivi
author	Chupin, Maxime
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1
description	(no language specified) This MetaPost package allows to draw Kivi diagrams (or radar chart, web chart, spider chart, etc.).

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/mpkiviat/doc/mpkiviat-doc.pdf
– local file	<code>./8461690453-mpkiviat-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/mpkiviat/README.md
home page	https://gitlab.gutenberg-asso.fr/mchupin/mpkiviat
contact	<i>bugs</i> : https://gitlab.gutenberg-asso.fr/mchupin/mpkiviat/-/issues
contact	<i>repository</i> : https://gitlab.gutenberg-asso.fr/mchupin/mpkiviat
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/mpkiviat
on MikTeX	<code>mpkiviat</code>
on T _E XLive	<code>mpkiviat</code>
keyword	<code>diagram (diagrams)</code>
keyword	<code>graphics-plot (plot data)</code>
language(s)	no language specified
year	without year
last access	2025-02-07

4088 *mpman-ru* – A Russian translation of the MetaPost manual

Web page on CTAN	https://ctan.org/pkg/mpman-ru
name	<code>mpman-ru</code>
caption	A Russian translation of the MetaPost manual
author	Hobby, John
author	Lidovski, Vladimir
license	other-free = Free license not otherwise listed (free)
version	1.004
description	(no language specified) A translation of the user manual, as distributed with MetaPost itself.
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/metapost/doc/russian/mpman-ru/mpman-ru.pdf

– local file	<code>./6306712221-mpman-ru.pdf</code>
documentation	<i>Readme (Russian, KOI-8 encoded):</i> https://ctan.org/tex-archive/info/metapost/doc/russian/mpman-ru/README.ru.koi8-r
documentation	<i>Readme (English):</i> https://ctan.org/tex-archive/info/metapost/doc/russian/mpman-ru/README
on CTAN	https://ctan.org/tex-archive/info/metapost/doc/russian/mpman-ru
on MikTeX	<code>mpman-ru</code>
on T _E XLive	<code>mpman-ru</code>
keyword	<code>mp-doc</code> (documentation for MetaPost users)
keyword	<code>russian-doc</code> (documentation in Russian)
keyword	<code>translation</code> (translation of material from the archive, to another language)
language(s)	English; Russian
year	without year
last access	2025-02-07

4089 *mpostinl* – Embed MetaPost figures within LaTeX documents

Web page on CTAN <https://ctan.org/pkg/mpostinl>

name	<code>mpostinl</code>
caption	Embed MetaPost figures within LaTeX documents
author	Beisert, Niklas
copyright	Niklas Beisert (2010-2018)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.5 (2018-12-30)
last changes	2018-12-30
year	2018
description	(no language specified) This LaTeX2e package enables the embedding of MetaPost figures within LaTeX documents. The package automatically collects the embedded definitions and figures in a <code>.mp</code> file, adds an appropriate LaTeX document structure, and compiles it to <code>.mps</code> files. It also allows for various configuration options to manage the generation of files and compilation.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mpostinl/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mpostinl/mpostinl.pdf
– local file	<code>./1722416836-mpostinl.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mpostinl
on MikTeX	<code>mpostinl</code>
on TeXLive	<code>mpostinl</code>
keyword	<code>comp-mgmt</code> (control TeX’s behaviour during compilation)
keyword	<code>graphics</code> (graphics (support packages))
keyword	<code>graphics-inline</code> (graphics inline for external processing)
keyword	<code>mp-supp</code> (support tools and macros for MetaPost programming)
language(s)	no language specified
last access	2025-02-07

4090 *mpstoeps* – A convertor from MetaPost output to Encapsulated PostScript

Web page on CTAN	https://ctan.org/pkg/mpstoeps
name	<code>MPStoEPS</code>
caption	A convertor from MetaPost output to Encapsulated PostScript
author	Henderson, Troy L.
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) This Perl script converts a MetaPost output file (with file extension <code>.mps</code>) into a self-contained (with all fonts embedded) Encapsulated PostScript file. Although MetaPost graphics are meant to be included in a TeX document, there are reasons to have them stand alone, e.g. debugging the graphics during the development processes.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/tools/mpstoeps/README
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/tools/mpstoeps
keyword	<code>graphics-prep</code> (prepare graphics for use with *TeX)
language(s)	no language specified
year	without year

last access 2025-02-07

4091 *mptopdf* – Direct MetaPost graphics support in PDF

Web page on CTAN <https://ctan.org/pkg/mptopdf>

Alias pdf-mps-supp

name mptopdf

caption Direct MetaPost graphics support in PDF

author Hagen, Hans

license gpl = GNU General Public License (free)

description (no language specified) This package provides a set of macros and a script for MetaPost graphics support. All files are maintained as part of the ConTeXt distribution.

The macros provide support for the use of MetaPost graphics output directly in pdfTeX, either in ConTeXt or using the LaTeX *graphics* package under pdfTeX.

The script is `mptopdf.pl`, a standalone Perl script to convert MetaPost output to PDF.

home page <https://www.pragma-ade.com/>

on CTAN <https://ctan.org/tex-archive/graphics/metapost/contrib/tools/mptopdf>

on MikTeX mptopdf

on T_EXLive mptopdf

keyword *graphics-epspdf* (converting graphics files from MetaPost output or (E)PS to embeddable PDF)

see also see section 3915 on page 3540: (*metapost* – A development of Metafont for creating graphics)

see also see section 4571 on page 4137: (*pdftex* – A TeX extension for direct creation of PDF)

see also see section 1267 on page 1149: (*context* – The ConTeXt macro package)

language(s) no language specified

year without year

last access 2025-07-09

4092 *mptrees* – Probability trees with MetaPost

Web page on CTAN <https://ctan.org/pkg/mptrees>

name	mptrees
caption	Probability trees with MetaPost
author	Péault, Olivier
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	24.04 (2024-04-08)
last changes	2024-04-08
year	2024
description	(no language specified) This package provides MetaPost tools for drawing simple probability trees and graphs (in discrete geometry).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/mptrees/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/mptrees/mptrees-doc.pdf
– local file	./2295732077-mptrees-doc.pdf
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/mptrees
on MikTeX	mptrees
on T _E XLive	mptrees
keyword	maths (support for typesetting mathematics)
keyword	graphics-mpost (graphics generated using MetaPost)
keyword	probability (typeset reports, etc., of probability)
keyword	diagram-maths (diagrams used in mathematics)
language(s)	no language specified
last access	2025-02-07

4093 mrcheckbib – A BibTeX file verification tool

Web page on CTAN <https://ctan.org/pkg/mrcheckbib>

name	mrcheckbib
caption	A BibTeX file verification tool
author	Cagnol, John
copyright	John Cagnol (2006)
license	gpl = GNU General Public License (free)
description	(no language specified) Mrcheckbib is a shell script for BibTeX file verification using the AMS MRef database. The script takes every entry in a BibTeX file (.bib) and checks it against the database. If it finds a unique MRef entry, then your entry will be replaced by the MRef one.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/utis/mrcheckbib/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utis/mrcheckbib
keyword	bibtex-util (utilities for managing BibTeX files)
language(s)	no language specified
year	2006
last access	2025-02-07

4094 mrecog – Recognise un-escaped command names in maths

Web page on CTAN <https://ctan.org/pkg/mrecog>

name	mrecog
caption	Recognise un-escaped command names in maths
author	Wentworth, Robert H
copyright	Robert H. Wentworth (1990)
license	noinfo = noinfo
version	0.1

description	(no language specified) The package enables ‘command sequence recognition’ on all text in maths mode. In this state, an consecutive sequence of two or more letters, delimited by non-letters, will be checked to see if it is the name of a current control sequence. If the command is so recognised, the letters will be replaced with the corresponding control sequence. The package reportedly works both with Plain TeX and LaTeX, but has an interesting list of ‘issues’...
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/mrecog.tex
keyword	shortcut (shortcuts when typing)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	1990
last access	2025-02-07

4095 *ms* – Various LaTeX packages by Martin Schröder

Web page on CTAN <https://ctan.org/pkg/ms>

name	ms
caption	Various LaTeX packages by Martin Schröder
author	Schröder, Martin
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) This was a bundle of LaTeX packages by Martin Schröder. All packages of that bundle have now become independent packages. Here the list of the packages previously being a part of the bundle: • countlto • multitoc • prelim2e • ragged2e • everyshi (obsolete) • everysel (obsolete)
keyword	collection (a collection of packages)
language(s)	no language specified
year	without year

last access 2025-02-07

4096 *msc* – Draw MSC diagrams

Web page on CTAN <https://ctan.org/pkg/msc>

name	<i>msc</i>
caption	Draw MSC diagrams
author	Mauw, Sjouke
author	van Deursen, Ton
author	Gil Pons, Reynaldo
author	Bos, Victor
copyright	V. Bos, T. van Deursen and S. Mauw (2008-2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.00 (2022-05-13)
last changes	2022-05-13
year	2022
description	(no language specified) The package should be useful to all people that prepare their texts with LaTeX and want to draw Message Sequence Charts in their texts. The package is not an MSC editor; it simply takes a textual description of an MSC and draws the corresponding MSC. The current version of the MSC macro package supports the full MSC2000 language.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/msc/README.txt
documentation	(no language specified) <i>User manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/msc/msc.pdf
– local file	<code>./2380495965-msc.pdf</code>
home page	https://satoss.uni.lu/software/mscpackage/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/msc
on MikTeX	<i>msc</i>
on TeXLive	<i>msc</i>
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>comp-net</code> (typeset computer network concepts)
language(s)	no language specified

last access 2025-02-07

4097 msg – A package for LaTeX localisationWeb page on CTAN <https://ctan.org/pkg/msg>

name	msg
caption	A package for LaTeX localisation
author	Gaulle, Bernard
license	lppl = The LaTeX Project Public License (free)
version	0.51
description	(no language specified) The package is designed to localise any document class or package. This should be very useful for end-users who could obtain messages in their own preferred language. It is really easy to use by writers of other classes and packages. Volunteers are urged to test the package, report, and even to localise the message file to their own language. Documentation is provided in English.
documentation	(no language specified) <i>User guide</i> : https://ctan.org/tex-archive/macros/latex/contrib/msg/msgguide.pdf
– local file	./5327996200-msgguide.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/msg/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/msg/msg.pdf
– local file	./2545416983-msg.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/msg
on MikTeX	msg
on T _E XLive	msg
keyword	multilingual (support for more than one (natural) language)
language(s)	no language specified
year	without year
last access	2025-02-07

4098 mslapa – Michael Landy’s APA citation style

Web page on CTAN <https://ctan.org/pkg/mslapa>

name	mslapa
caption	Michael Landy’s APA citation style
author	Landy, Michael S.
license	other-free = Free license not otherwise listed (free)
version	(1995-05-01)
last changes	1995-05-01
year	1995
description	(no language specified) LaTeX and BibTeX style files for a respectably close approximation to APA (American Psychological Association) citation and reference style.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mslapa/mslapa.pdf
– local file	./4772606705-mslapa.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mslapa/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mslapa
on MikTeX	mslapa
on T _E XLive	mslapa
keyword	psychology (support for typesetting texts relating to psychology)
keyword	journalpub (typesetting journals, etc)
keyword	bibtex-sty (bibtex-sty(unknown))
keyword	apa (typesetting according to the rules of the American Psychological Association)
see also	see section 217 on page 199: (apa – American Psychological Association format)
see also	see section 222 on page 204: (apacite – Citation style following the rules of the APA)
language(s)	no language specified
last access	2025-02-07

4099 *msu-thesis* – Class for Michigan State University Master’s and PhD theses

Web page on CTAN <https://ctan.org/pkg/msu-thesis>

name	<code>msu-thesis</code>
caption	Class for Michigan State University Master’s and PhD theses
author	Munn, Alan
copyright	Alan Munn (2009-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	4.3b (2024-07-08)
last changes	2024-07-08
year	2024
description	(no language specified) This is a class file for producing dissertations and theses according to the Michigan State University Graduate School Guidelines for Electronic Submission of Master’s Theses and Dissertations. The class should meet all current requirements and is updated whenever the university guidelines change. The class is based on the <i>memoir</i> document class, and inherits the functionality of that class.
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/msu-thesis/samples/MSU-thesis-template.pdf
– local file	<code>./1620752541-MSU-thesis-template.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/msu-thesis/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/msu-thesis/msu-thesis.pdf
– local file	<code>./3496205437-msu-thesis.pdf</code>
home page	https://amunn.github.io/msu-thesis
contact	<i>bugs:</i> https://github.com/amunn/msu-thesis/issues
contact	<i>repository:</i> https://github.com/amunn/msu-thesis
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/msu-thesis
on MikTeX	<code>msu-thesis</code>
on T _E XLive	<code>msu-thesis</code>

keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>std-conform</code> (support conformance to standards)
keyword	<code>doc-templ</code> (template to guide document development)
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
language(s)	no language specified
last access	2025-02-07

4100 *msx2msa* – Simulate *msxm* and *msym* fonts using *msam* and *msbm*

Web page on CTAN <https://ctan.org/pkg/msx2msa>

name	<code>msx2msa</code>
caption	Simulate <i>msxm</i> and <i>msym</i> fonts using <i>msam</i> and <i>msbm</i>
license	<code>noinfo</code> = <code>noinfo</code>
version	(1992-08-16)
last changes	1992-08-16
year	1992
description	(no language specified) In the deeps of time, the AMS distributed mathematical symbol fonts called <i>msxm</i> and <i>msym</i> ; these fonts were designed using the original (SAIL) version of Metafont and for a long time after the demise of that system were only available as 300 dpi bitmaps. Eventually, the symbols were re-implemented using ‘modern’ Metafont in fonts called <i>msam</i> and <i>msbm</i> . The virtual fonts of this bundle implement the encoding of the old fonts using the glyphs of the new fonts, and can be used as drop-in replacements in documents (and even when processing DVI files).
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/vf-files/msx2msa/README
on CTAN	https://ctan.org/tex-archive/fonts/vf-files/msx2msa
keyword	<code>font-symbol</code> (fonts that provide collections of symbols)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-symbol-maths</code> (collections of mathematical symbols)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
see also	see section 4101 on page 3712: (<i>msym</i> – A partial implementation of the old <i>msym10</i> font)
language(s)	no language specified

last access 2025-02-07

4101 *msym* – A partial implementation of the old *msym10* font

Web page on CTAN <https://ctan.org/pkg/msym>

name	<i>msym</i>
caption	A partial implementation of the old <i>msym10</i> font
author	Horn, Berthold K. P.
license	noinfo = noinfo
version	(1993-04-19)
last changes	1993-04-19
year	1993
description	(no language specified) This Adobe Type 1 font provides a good approximation to the rendition of the "important" blackboard bold letters from the old <i>msym10</i> font, viz., C, N, R, S and Z. (There is a school of thought that believes that <i>msym10</i> 's blackboard bold "looked better" than that of <i>msbm10</i> , but <i>msym10</i> is no longer available.)
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/msym/readme
on CTAN	https://ctan.org/tex-archive/fonts/msym
keyword	<i>font-maths</i> (fonts for use in mathematics)
keyword	<i>font-type1</i> (font available in Adobe Type 1 format)
keyword	<i>font</i> (fonts themselves)
keyword	<i>font-bbd</i> (doublestroke (blackboard bold) fonts)
see also	see section 4100 on page 3711: (<i>msx2msa</i> – Simulate <i>msxm</i> and <i>msym</i> fonts using <i>msam</i> and <i>msbm</i>)
language(s)	no language specified
last access	2025-02-07

4102 *mt11p* – Use MathTime complete under LaTeXWeb page on CTAN <https://ctan.org/pkg/mt11p>

name	mt11p
caption	Use MathTime complete under LaTeX
author	Lím, Drahoslav
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) A package to use the MathTime and MathTimePLUS ("MathTime complete") fonts, as distributed by Y&Y, inc, in LaTeX2e. Everything is included, including (patched) font metrics, except, of course, the Type 1 fonts themselves. The package cooperates with the AMS packages (amsmath, amssymb, etc.); T1 and OT1 encodings (as operator fonts) are fully supported. The package does not assume you own any other commercial (non-printer-resident) fonts. This package has no connection with the mathtime package by Frank Mittelbach and David Carlisle, commissioned by Y&Y. Furthermore, there is no guarantee that the package will work with the "MathTime Pro" fonts distributed by Personal TeX Inc (which have superseded the Y&Y distribution).
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/mt11p/mt11p.pdf
– local file	./4641151762-mt11p.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/mt11p/README
on CTAN	https://ctan.org/tex-archive/fonts/mt11p
on MikTeX	mathtime
keyword	font-supp-maths (metrics, macro incantations and other support for maths fonts)
language(s)	no language specified
year	without year
last access	2025-02-07

4103 *mtbe* – Macros for "Mathematical TeX by Example"

Web page on CTAN <https://ctan.org/pkg/mtbe>

name	<i>mtbe</i>
caption	Macros for "Mathematical TeX by Example"
author	Borde, Arvind
copyright	Academic Press (1993)
license	other-free = Free license not otherwise listed (free)
description	(no language specified) Various groups of macros for typesetting the book. In particular, macros for dealing with the Computer Modern Concrete fonts that replace Knuth's own (gkpmac).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/contrib/mtbe/readme.txt
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/mtbe
on MikTeX	<i>mtbe</i>
keyword	book-pub (preparing a book for publication)
language(s)	no language specified
year	1993
last access	2025-02-07

4104 *mtex* – The pioneering music-in-TeX macros

Web page on CTAN <https://ctan.org/pkg/mtex>

name	<i>mtex</i>
caption	The pioneering music-in-TeX macros
author	Schofer, Angelika
author	Steinbach, Andrea
copyright	Andrea Steinbach and Angelika Schofer (1986, 1987)
license	noinfo = noinfo
version	0.92
description	(no language specified) This package, MuTeX (as it was originally known) the humble base by which both musicTeX and (indirectly) musixTeX were inspired.
on CTAN	https://ctan.org/tex-archive/obsolete/macros/mtex

4105 *mtgreek* – Use italic and upright greek letters with mathtime

keyword	<code>music</code> (typesetting music and related stuff)
language(s)	no language specified
year	1987
last access	2025-02-07

4105 *mtgreek* – Use italic and upright greek letters with mathtime

Web page on CTAN <https://ctan.org/pkg/mtgreek>

name	<code>mtgreek</code>
caption	Use italic and upright greek letters with mathtime
author	Tinnefeld, Karsten
license	lppl = The LaTeX Project Public License (free)
version	1.1+
description	(no language specified) This package is an add-on to the MathTime a style to provide TeX support for the use of the MathTime(tm) fonts (formerly distributed by YandY, Inc.). The MathTime package has uppercase Greek letters hardwired to be upright and only upright; this package provides a switch to choose between the two kinds of Greek uppercase letters.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/mtgreek/mtgreek.pdf
– local file	<code>./9418853543-mtgreek.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mtgreek
on MikTeX	<code>mtgreek</code>
on TeXLive	<code>mtgreek</code>
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>greek</code> (support for typesetting Greek)
language(s)	no language specified
year	without year
last access	2025-02-07

4106 mtp2lite – Subset of MathTime Pro 2 font setWeb page on CTAN <https://ctan.org/pkg/mtp2lite>

name	mtp2lite
caption	Subset of MathTime Pro 2 font set
author	Spivak, Michael
license	other-nonfree = License that prevents distribution (not free)
version	2 lite
description	(no language specified) This is a free subset of the (commercial) MathTime Pro 2 font set, which provides comprehensive support for mathematics in documents with Times Roman as body font. While the subset does not provide everything the full bundle provides, it is nevertheless a very capable set of fonts.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/mtp2lite/texmf/doc/fonts/mtpro2/guide2.pdf
– local file	./4128912620-guide2.pdf
home page	http://www.pctex.com/mtpro2.html#MTPro2_Lite
on CTAN	https://ctan.org/tex-archive/fonts/mtp2lite
keyword	font-supp-maths (metrics, macro incantations and other support for maths fonts)
language(s)	no language specified
year	without year
last access	2025-02-07

4107 mucproc – Conference proceedings for the German MuC-conferenceWeb page on CTAN <https://ctan.org/pkg/mucproc>

name	mucproc
caption	Conference proceedings for the German MuC-conference
author	Peischl, Marei
copyright	Marei Peischl (2017)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.02 (2017-03-09)

last changes	2017-03-09
year	2017
description	(no language specified) The <code>mucproc.cls</code> is a document class to support the formatting guidelines for submissions to the German Mensch und Computer conference. This work consists of the files <code>mucproc.dtx</code> and <code>mucproc.ins</code> and the derived files <code>mucproc.cls</code> , <code>mucfontsize10pt.clo</code> . A compilable demonstration file using the <code>mucproc</code> class can be found on https://github.com/Blubu/mucproc/ . This example fulfills the formatting guidelines for MuC 2017.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mucproc/mucproc.pdf
– local file	<code>./8343186713-mucproc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mucproc/README.md
contact	<i>repository</i> : https://github.com/Blubu/mucproc/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mucproc
on MikTeX	<code>mucproc</code>
on T _E XLive	<code>mucproc</code>
keyword	<code>confproc</code> (typesetting conference proceedings)
keyword	<code>class</code> (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-07

4108 *mugsthe^sis* – Thesis class complying with Marquette University Graduate School requirements

Web page on CTAN	<a href="https://ctan.org/pkg/mugsthe<sup>s</sup>is">https://ctan.org/pkg/mugsthe^sis
name	<code>mugsthe^sis</code>
caption	Thesis class complying with Marquette University Graduate School requirements
author	Gessler, Paul D.
copyright	Paul D. Gessler (2014-2022)
license	l ^p l1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2022-09-01)

last changes	2022-09-01
year	2022
description	(no language specified) The bundle offers a thesis class, based on memoir , that complies with Marquette University Graduate School requirements.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mugsthesis/mugsthesis.pdf
– local file	<code>./8713043936-mugsthesis.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mugsthesis/README.md
contact	<i>support</i> : https://lists.sr.ht/~pdgessler/public-inbox
contact	<i>announce</i> : https://sr.ht/~pdgessler/mugsthesis/feed
contact	<i>bugs</i> : https://todo.sr.ht/~pdgessler/mugsthesis
contact	<i>repository</i> : https://sr.ht/~pdgessler/mugsthesis/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mugsthesis
on MikTeX	mugsthesis
on T _E XLive	mugsthesis
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
last access	2025-02-07

4109 *muling* – MA Thesis class for the Department of Linguistics, University of Mumbai

Web page on CTAN <https://ctan.org/pkg/muling>

name	<i>muling</i>
caption	MA Thesis class for the Department of Linguistics, University of Mumbai
author	निरंजन
copyright	निरंजन (2020, 2021, 2023)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
license	fdl = Free Documentation License (free)
version	0.5 (2023-04-02)
last changes	2023-04-02

4110 `multenum` – Multi-column enumerated lists

year	2023
description	(no language specified) This is a class file for writing MA thesis as required by the Department of Linguistics at the University of Mumbai.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/muling/muling.pdf
– local file	<code>./5086683628-muling.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/muling/README.txt
home page	https://puszcza.gnu.org.ua/projects/muling
contact	<i>support</i> : mailto:muling-help@gnu.org.ua
contact	<i>bugs</i> : https://puszcza.gnu.org.ua/bugs/?group=muling
contact	<i>repository</i> : https://git.gnu.org.ua/muling.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/muling
on MikTeX	<code>muling</code>
on T _E XLive	<code>muling</code>
keyword	<code>linguistic</code> (support for linguistics)
keyword	<code>class</code> (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-07

4110 `multenum` – Multi-column enumerated lists

Web page on CTAN <https://ctan.org/pkg/multenum>

name	<code>multenum</code>
caption	Multi-column enumerated lists
author	Kletzing, Dennis
license	lppl1 = The LaTeX Project Public License 1 (free)
version	(1997-10-23)
last changes	1997-10-23
year	1997

4111 *multi-sudoku* – Create and customise Sudoku grids of various sizes

description	(no language specified) Defines an environment <code>multienumerate</code> , that produces an enumerated array in which columns are vertically aligned on the counter. The motivation was lists of answers for a text book, where there are many rather small items; the <code>multienumerate</code> environment goes some way to making such lists look neater.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/multenum/multienum.pdf
– local file	<code>./4152780496-multienum.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/multenum/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/multenum
on MikTeX	<code>multenum</code>
on TeXLive	<code>multenum</code>
keyword	<code>list-enum</code> (list: items enumerated)
keyword	<code>list</code> (list: general)
see also	see section 4488 on page 4061: (<code>paralist</code> – Enumerate and itemize within paragraphs)
see also	see section 5466 on page 4946: (<code>shortlst</code> – Compact lists by running several items per line)
language(s)	no language specified
last access	2025-02-07

4111 *multi-sudoku* – Create and customise Sudoku grids of various sizes

Web page on CTAN	https://ctan.org/pkg/multi-sudoku
name	<code>multi-sudoku</code>
caption	Create and customise Sudoku grids of various sizes
author	Bartolo Alegre, Luis F.
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.00

4112 *multiaudience* – Several versions of output from the same source

description	(no language specified) This package provides tools for typesetting Sudoku grids of various sizes in LaTeX. Unlike other Sudoku packages which are typically limited to the standard 9×9 layout, this package supports a broad range of grid sizes – from trivial 1×1 puzzles to extended 49×49 Sudokus – that’s the limit for now! Grids are drawn with our sudoku environment, which is based on using LaTeX’s native tabular environment. We include intuitive options to control dimensions, font size, and grid thickness. Entries in the grid are inserted as in a regular table, thus making it simple to create, customise, and fill Sudoku puzzles manually.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/multi-sudoku/multi-sudoku-documentation.pdf
– local file	./6998734981-multi-sudoku-documentation.pdf
documentation on CTAN	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/multi-sudoku/README.txt https://ctan.org/tex-archive/macros/latex/contrib/multi-sudoku
keyword	games (process game diagrams, gamebooks, and other amusements)
language(s)	no language specified
year	without year
last access	2025-08-01

4112 *multiaudience* – Several versions of output from the same source

Web page on CTAN	https://ctan.org/pkg/multiaudience
name	multiaudience
caption	Several versions of output from the same source
author	Veytsman, Boris
copyright	Boris Veytsman (2015-2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.04 (2021-10-02)
last changes	2021-10-02
year	2021
description	(no language specified) This package allows to generate several versions of the same document for different audiences.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/multiaudience/multiaudience.pdf
– local file	<code>./3855045199-multiaudience.pdf</code>
documentation on CTAN	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/multiaudience/README https://ctan.org/tex-archive/macros/latex/contrib/multiaudience
on MikTeX	<code>multiaudience</code>
on TeXLive	<code>multiaudience</code>
keyword	<code>cond-comp</code> (conditional typesetting)
language(s)	no language specified
last access	2025-02-07

4113 `multibbl` – Multiple bibliographies

Web page on CTAN	https://ctan.org/pkg/multibbl
name	<code>multibbl</code>
caption	Multiple bibliographies
author	Syropoulos, Apostolos
license	lpl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) The package <code>multibbl</code> redefines the standard bibliographic commands so that one can generate multiple reference sections. Each section has its own auxiliary file (for use with BibTeX) and title.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/multibbl/multibbl.pdf
– local file	<code>./8204686286-multibbl.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/multibbl
on MikTeX	<code>multibbl</code>
on TeXLive	<code>multibbl</code>
keyword	<code>bibtex-supp</code> (BibTeX citation support)
keyword	<code>bibtex-multi</code> (multiple BibTeX bibliographies in a document)

language(s)	no language specified
year	without year
last access	2025-02-07

4114 *multibib* – Multiple bibliographies within one document

Web page on CTAN <https://ctan.org/pkg/multibib>

name	multibib
caption	Multiple bibliographies within one document
author	Hansen, Thorsten
license	lpl = The LaTeX Project Public License (free)
version	1.4
description	(no language specified) The package the creation of references to multiple bibliographies within one document. It thus provides complementary functionality to packages like <i>bibunits</i> and <i>chapterbib</i> , which allow the creation of one bibliography for multiple, but different parts of the document. Multibib is compatible with <i>inlinebib</i> , <i>natbib</i> , and <i>koma-script</i> .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/multibib/multibib.pdf
– local file	<code>./7114587010-multibib.pdf</code>
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/multibib/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/multibib
on MikTeX	multibib
on T _E XLive	multibib
keyword	<code>bibtex-multi</code> (multiple BibTeX bibliographies in a document)
keyword	<code>bibtex-supp</code> (BibTeX citation support)
language(s)	no language specified
year	without year
last access	2025-02-07

4115 **multibibliography** – Multiple versions of a bibliography, with different sort orders

Web page on CTAN <https://ctan.org/pkg/multibibliography>

name	multibibliography
caption	Multiple versions of a bibliography, with different sort orders
author	Haralambous, Yannis
author	Cohen, Michael
author	Veytsman, Boris
copyright	Michael Cohen, Yannis Haralambous, Boris Veytsman (2013)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.03
description	(no language specified) Conventional standards for bibliography styles impose a forced choice between index and name/year citations, and corresponding references. The package avoids this choice, by providing alphabetic, sequenced, and even chronological orderings of references. Inline citations, that integrate these heterogeneous styles, are also supported (and work with other bibliography packages).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/multibibliography/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/multibibliography/multibibliography.pdf
– local file	./6636813393-multibibliography.pdf
documentation	(no language specified) <i>TUGboat paper</i> : https://ctan.org/tex-archive/macros/latex/contrib/multibibliography/tug-paper.pdf
– local file	./5928546055-tug-paper.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/multibibliography
on MikTeX	multibibliography
on T _E XLive	multibibliography
keyword	bibtex-supp (BibTeX citation support)
see also	see section 4269 on page 3867: (nmbib – Multiple versions of a bibliography, with different sort orders)
language(s)	no language specified
year	2013

last access 2025-02-07

4116 *multibox* – Multiple boxes and frames for the picture environment

Web page on CTAN <https://ctan.org/pkg/multibox>

name	<code>multibox</code>
caption	Multiple boxes and frames for the picture environment
author	Hamilton Kelly, Brian
license	noinfo = noinfo
version	(1988-10-13)
last changes	1988-10-13
year	1988
description	(no language specified) The package defines commands <code>\multibox</code> and <code>\multiframe</code> , that take a sequence of texts to be placed in boxes; the arguments correspond to those of <code>multiput</code> .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/multibox/multibox.pdf
– local file	<code>./1290029776-multibox.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/multibox
on MikTeX	<code>multibox</code>
keyword	boxing (creating boxes)
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
language(s)	no language specified
last access	2025-02-07

4117 *multicap* – Format captions inside multicols

Web page on CTAN <https://ctan.org/pkg/multicap>

name	<code>multicap</code>
caption	Format captions inside multicols
author	Vassilogiorgakis, John
license	lppl = The LaTeX Project Public License (free)

4118 *multicol* – Intermix single and multiple columns

description	(no language specified) This is a package for formatting captions of column figures and column tabular material, which cannot be standard floats in a multicols environment. The package also provides a convenient way to customise your captions, whether they be in multicols or not.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/multicap/multicap.pdf
– local file	<code>./9363460190-multicap.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/multicap
on MikTeX	<code>multicap</code>
on TeXLive	<code>multicap</code>
keyword	<code>caption</code> (typesetting captions)
see also	see section 925 on page 843: (<code>caption</code> – Customising captions in floating environments)
language(s)	no language specified
year	without year
last access	2025-02-07

4118 **multicol** – Intermix single and multiple columns

Web page on CTAN <https://ctan.org/pkg/multicol>

name	<code>multicol</code>
caption	Intermix single and multiple columns
author	The LaTeX Project Team
author	Mittelbach, Frank
copyright	Frank Mittelbach (1989-2023)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.0b (2025-10-21)
last changes	2025-10-21
year	2025

description	(no language specified) Multicol defines a multicol environment which typesets text in multiple columns (up to a maximum of 10), and (by default) balances the end of each column at the end of the environment. The package enables you to switch between any (permitted) number of columns at will: there is no imposed "clear page" operation, as there is in unadorned LaTeX at a switch between <code>\onecolumn</code> and <code>\twocolumn</code> sections. The multicolumn environment can also be used inside a box, thus allowing multicolumned insets in text. Multicol patches the output routine, and may clash with other packages that do the same (e.g., <code>longtable</code>); furthermore, there is no provision for single column floats inside a multicolumn environment, so figures and tables must be coded in-line (using, for example, the H modifier of the <code>float</code> package). The package is part of the <code>latex-tools</code> bundle in the LaTeX <code>required</code> distribution.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/required/tools/multicol.pdf
– local file	<code>./5252064883-multicol.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/required/tools
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-tools.tds.zip
on MikTeX	<code>latex-tools</code>
on TeXLive	<code>tools</code>
keyword	<code>tagged-pdf</code> (tagged PDF compatible)
keyword	<code>multicol</code> (more than one column on the page)
language(s)	no language specified
last access	2026-04-10

4119 *multicolpar* – Put successive paragraphs in different columns

Web page on CTAN <https://ctan.org/pkg/multicolpar>

name	<code>multicolpar</code>
caption	Put successive paragraphs in different columns
author	Hailperin, Max
author	Orlandini, Mauro
license	<code>noinfo</code> = <code>noinfo</code>
version	(1993-01-12)
last changes	1993-01-12

year	1993
description	(no language specified) This arrangement is useful when displaying a translated document as a "parallel text". The number of columns to be used is controlled by a parameter of the <code>multicolpar</code> environment.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/multicolpar.sty
keyword	<code>parallel</code> (parallel columns)
keyword	<code>multilingual</code> (support for more than one (natural) language)
keyword	<code>multicol</code> (more than one column on the page)
language(s)	no language specified
last access	2025-02-07

4120 `multicolrule` – Decorative rules between columns

Web page on CTAN <https://ctan.org/pkg/multicolrule>

name	<code>multicolrule</code>
caption	Decorative rules between columns
author	Hagen, Karl
copyright	Karl Hagen (2018-2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3a
description	(no language specified) This package lets you customize the appearance of the vertical rule that appears between columns of multicolumn text. It is primarily intended to work with the <code>multicol</code> package, hence its name, but also supports the <code>twocolumn</code> option and <code>\twocolumn</code> macro provided by the standard classes (and related classes such as the <code>KOMA-Script</code> equivalents). The package depends on <code>expl3</code> and <code>xparse</code>.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/multicolrule/multicolrule.pdf
– local file	<code>./2508739842-multicolrule.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/multicolrule/README.md
contact	<i>bugs</i> : https://github.com/polysyllabic/multicolrule/issues
contact	<i>repository</i> : https://github.com/polysyllabic/multicolrule

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/multicolrule
on MikTeX	multicolrule
on TeXLive	multicolrule
keyword	line-weight (control the weight of rules, etc., in text)
keyword	expl3 (expl3(unknown))
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
keyword	rule (produce rules within a document)
keyword	line-patt (patterning lines (dashes, etc))
language(s)	no language specified
year	2020
last access	2025-02-07

4121 *multidef* – Quickly define several similar macros

Web page on CTAN	https://ctan.org/pkg/multidef
name	multidef
caption	Quickly define several similar macros
author	Markey, Nicolas
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.10
description	(no language specified) Multidef provides a simple way of defining several macros having similar definitions.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/multidef/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/multidef/multidef.pdf
– local file	./3828349129-multidef.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/multidef
on MikTeX	multidef
on TeXLive	multidef
keyword	macro-supp (support for development of (La)TeX macros)

language(s)	no language specified
year	without year
last access	2025-02-07

4122 multido – A loop facility for Generic TeX

Web page on CTAN <https://ctan.org/pkg/multido>

name	multido
caption	A loop facility for Generic TeX
author	Niepraschk, Rolf
author	Van Zandt, Timothy
author	Voß, Herbert
copyright	Herbert Voß and Rolf Niepraschk (2004-2010)
license	lppl = The LaTeX Project Public License (free)
version	1.42
description	(no language specified) The package provides the <code>\multido</code> command, which was originally designed for use with PSTricks . Fixed-point arithmetic is used when working on the loop variable, so that the package is equally applicable in graphics applications like PSTricks as it is with the more common integer loops.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/generic/multido/multido-doc.pdf
– local file	<code>./1304130103-multido-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/generic/multido
on MikTeX	multido
on TeXLive	multido
keyword	macro-supp (support for development of (La)TeX macros)
keyword	tagged-pdf (tagged PDF compatible)
language(s)	no language specified
year	2010
last access	2026-04-13

4123 `multienv` – Multiple environments using a “key=value” syntax

Web page on CTAN <https://ctan.org/pkg/multienv>

name	<code>multienv</code>
caption	Multiple environments using a “key=value” syntax
author	Scharrer, Martin
copyright	Martin Scharrer (2012)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The package provides a <code>multienv</code> environment which permits easy addition of multiple environments using a <code>key=value</code> syntax. Macros to define environments using this syntax are also provided.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/multienv/multienv.pdf
– local file	<code>./6265483809-multienv.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/multienv/README
home page	https://github.com/MartinScharrer/multienv
contact	<i>bugs</i> : https://github.com/MartinScharrer/multienv/issues
contact	<i>repository</i> : https://github.com/MartinScharrer/multienv.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/multienv
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/multienv.tds.zip
on MikTeX	<code>multienv</code>
on TeXLive	<code>multienv</code>
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	2012
last access	2025-02-07

4124 *multiexpand* – Variations on the primitive command `\expandafter`

Web page on CTAN <https://ctan.org/pkg/multiexpand>

name	<code>multiexpand</code>
caption	Variations on the primitive command <code>\expandafter</code>
author	Le Floch, Bruno
copyright	Bruno Le Floch (2011-2017)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.5 (2017-11-29)
last changes	2017-11-29
year	2017
description	(no language specified) The package provides two user commands; one that performs multiple expansions, and one that does multiple <code>\expandafter</code> operations, in a single macro call. The author suggests that the same effect could be provided by use of the command variant mechanisms of LaTeX 3 (see, for example, the interface documentation of the experimental LaTeX 3 kernel).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/multiexpand/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/multiexpand/multiexpand.pdf
– local file	<code>./2808666261-multiexpand.pdf</code>
contact	<i>bugs</i> : https://github.com/blefloch/latex-multiexpand/issues
contact	<i>repository</i> : https://github.com/blefloch/latex-multiexpand
on CTAN	https://ctan.org/tex-archive/macros/generic/multiexpand
on MikTeX	<code>multiexpand</code>
on T _E XLive	<code>multiexpand</code>
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

4125 multifootnote – Multiple numbers for the same footnoteWeb page on CTAN <https://ctan.org/pkg/multifootnote>

name	multifootnote
caption	Multiple numbers for the same footnote
author	XU, Jinwen
copyright	Jinwen XU (2022-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2024-03-24)
last changes	2024-03-24
year	2024
description	(no language specified) This package provides several commands for generating footnotes which correspond to multiple footnote numbers (resp. marks). In some cases, you may wish for certain footnotes to correspond to several places in your text. The traditional solution usually involves writing the same footnote mark multiple times at the corresponding places. However, this approach makes it difficult to see at once how many times a footnote has been referred to. Therefore, the current package proposes another method: writing the footnote marks in linear order, and allowing a footnote text to match several of these marks.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/multifootnote/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/multifootnote/multifootnote-doc.pdf
– local file	./8226288096-multifootnote-doc.pdf
contact	<i>repository</i> : https://github.com/Jinwen-XU/multifootnote
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/multifootnote
on MikTeX	multifootnote
on T _E XLive	multifootnote
keyword	footnote (footnote support)
see also	see section 2338 on page 2118: (<code>footmisc</code> – A range of footnote options)
language(s)	no language specified
last access	2025-02-07

4126 **multilang** – A LaTeX package for maintaining multiple translations of a document

Web page on CTAN <https://ctan.org/pkg/multilang>

name	multilang
caption	A LaTeX package for maintaining multiple translations of a document
author	Grewe, Richard
copyright	Richard Grewe (2016-2018)
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	0.9b
description	(no language specified) Maintaining a LaTeX document with translations for multiple languages can be cumbersome and error-prone. This package provides a set of macros for defining macros and environments as wrappers around existing macros and environments. These wrappers allow one to clearly specify multiple translations for the arguments to the wrapped macros and environments while only the translation of the document's language is actually shown. Choosing a translation then is as simple as choosing the document's language via babel or polyglossia.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/multilang/multilang.pdf
– local file	./6017431463-multilang.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/multilang/README.md
contact	<i>bugs</i> : https://github.com/Ri-Ga/multilang/issues
contact	<i>repository</i> : https://github.com/Ri-Ga/multilang
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/multilang
on MikTeX	multilang
on T _E XLive	multilang
keyword	multilingual (support for more than one (natural) language)
language(s)	no language specified
year	2018
last access	2025-02-07

4127 multind – Multiple indexes in LaTeX documents

Web page on CTAN <https://ctan.org/pkg/multind>

name	multind
caption	Multiple indexes in LaTeX documents
author	Long, F.W.
license	noinfo = noinfo
version	1.1b
description	(no language specified) The package redefines <code>\makeindex</code>, <code>\index</code> and <code>\printindex</code> commands to deal with multiple indexes. In each case, the command gains a (first) argument specifying the index in question: the name used there is used as a name for the index files, so one then uses the command <code>makeindex <index file></code> for each index, separately. The package does not work in documents using AMS classes; the AMS provide a replacement package amsmidx, which is based on multind.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/multind.sty
keyword	index-multi (multiple indexes in a document)
keyword	index (index support)
see also	see section 2938 on page 2657: (<code>index</code> – Extended index for LaTeX including multiple indexes)
see also	see section 5643 on page 5109: (<code>splitindex</code> – Unlimited number of indexes)
language(s)	no language specified
year	without year
last access	2025-02-07

4128 multinotes – Typesetting multilingual lecture notes and exercise sheets

Web page on CTAN <https://ctan.org/pkg/multinotes>

name	multinotes
caption	Typesetting multilingual lecture notes and exercise sheets
author	Evans, Dafydd
copyright	Dafydd Evans (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)

version	1.0 (2025-06-21)
last changes	2025-06-21
year	2025
description	(no language specified) This package provides tools for typesetting multilingual lecture notes, exercise sheets, and general-purpose documents. Each language is specified via its corresponding babel identifier and is associated with a declaration, macro, and environment used to delimit content written in that language. Arbitrary combinations of languages can be loaded in a single document to support both monolingual and multilingual output. The package also defines macros and environments for typesetting lecture notes and exercise sheets, including configurable inclusion of elements such as proofs, solutions, and sketchboxes.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/multinotes/multinotes.pdf
– local file	<code>./1514776549-multinotes.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/multinotes/README.txt
home page	https://github.com/dimbyd/multinotes/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/multinotes
keyword	exercise (exercises, problems for solution, etc.)
keyword	multilingual (support for more than one (natural) language)
language(s)	no language specified
last access	2025-06-25

4129 multiobjective – Symbols for multiobjective optimisation etc

Web page on CTAN	https://ctan.org/pkg/multiobjective
name	multiobjective
caption	Symbols for multiobjective optimisation etc
author	Martí, Luis
copyright	Luis Martí (2008)
license	lppl = The LaTeX Project Public License (free)
version	1.0

4130 *multiple-choice* – LaTeX package for multiple-choice questions

description	(no language specified) The package provides a series of operators commonly used in papers related to multiobjective optimisation, multiobjective evolutionary algorithms, multicriteria decision making and similar fields.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/multiobjective/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/multiobjective/multiobjective.pdf
– local file	./3115002094-multiobjective.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/multiobjective
on MikTeX	multiobjective
on TeXLive	multiobjective
keyword	maths-symbol (construction or application of mathematical symbols)
language(s)	no language specified
year	2008
last access	2025-02-07

4130 *multiple-choice* – LaTeX package for multiple-choice questions

Web page on CTAN <https://ctan.org/pkg/multiple-choice>

name	multiple-choice
caption	LaTeX package for multiple-choice questions
author	Razavian, Seied-Mohammad-Javad
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2 (2022-06-24)
last changes	2022-06-24
year	2022
description	(no language specified) This package adjusts the choices of the multiple-choice question automatically. It has been wholly inspired by the work of Enrico Gregorio and improved by Vafa Khalighi and I've just packed and redistributed it under the name of the <i>multiple-choice</i> package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/multiple-choice/README

4131 `multirow` – Create tabular cells spanning multiple rows

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/multiple-choice/doc/multiple-choice-doc.pdf
– local file	<code>./2993853765-multiple-choice-doc.pdf</code>
contact	<i>bugs:</i> https://github.com/javadr/multiple-choice.sty/issues
contact	<i>repository:</i> https://github.com/javadr/multiple-choice.sty
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/multiple-choice
on MikTeX	<code>multiple-choice</code>
on TeXLive	<code>multiple-choice</code>
keyword	exam (exams, quizzes, etc.)
see also	see section 5047 on page 4571: (QCM – A LaTeX2e class for making multiple choice questionnaires)
language(s)	no language specified
last access	2025-02-07

4131 `multirow` – Create tabular cells spanning multiple rows

Web page on CTAN	https://ctan.org/pkg/multirow
name	<code>multirow</code>
caption	Create tabular cells spanning multiple rows
author	Leichter, Jerry
author	van Oostrum, Pieter
copyright	Pieter van Oostrum (2016-2024)
copyright	Jerry Leichter (1994)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.9 (2024-11-12)
last changes	2024-11-12
year	2024
description	(no language specified) The package has a lot of flexibility, including an option for specifying an entry at the “natural” width of its text. The package is distributed with the <code>bigdelim</code> and <code>bigstrut</code> packages, which can be used to advantage with <code>\multirow</code> cells.

4132 *multitoc* – Set table of contents in multiple columns

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/multirow/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/multirow/multirow.pdf
– local file	<code>./9746369910-multirow.pdf</code>
contact	<i>bugs</i> : https://github.com/pietvo/multirow/issues
contact	<i>repository</i> : https://github.com/pietvo/multirow
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/multirow
on MikTeX	<code>multirow</code>
on TeXLive	<code>multirow</code>
keyword	<code>table</code> (table typesetting)
see also	see section 729 on page 673: (<code>bigdelim</code> – Big delimiters in tabular or array)
see also	see section 734 on page 677: (<code>bigstrut</code> – Struts for opening up tabular spacing)
language(s)	no language specified
last access	2025-02-07

4132 *multitoc* – Set table of contents in multiple columns

Web page on CTAN	https://ctan.org/pkg/multitoc
name	<code>multitoc</code>
caption	Set table of contents in multiple columns
author	Peischl, Marei
author	Schröder, Martin
copyright	Marei Peischl (peiTeX) (2024)
copyright	Martin Schröder (1998-1999)
license	lppl = The LaTeX Project Public License (free)
version	2.02
description	(no language specified) The package automatically sets the table of contents, list of figures and list of tables in two or more columns (the number of columns may be configured). The package uses the <code>multicol</code> package.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/multitoc/multitoc.pdf
– local file	./2165047714-multitoc.pdf
contact	<i>bugs</i> : https://gitlab.com/TeXhackse/multitoc/-/issues
contact	<i>repository</i> : https://gitlab.com/TeXhackse/multitoc/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/multitoc
on MikTeX	multitoc
on T _E XLive	multitoc
keyword	toc-etc (deal with Tables of Contents, and of other such things)
see also	see section 6248 on page 5650: (tocbasic – Management of tables/lists of contents (and the like))
language(s)	no language specified
year	2024
last access	2025-02-07

4133 *munich* – An alternative authordate bibliography style

Web page on CTAN	https://ctan.org/pkg/munich
name	munich
caption	An alternative authordate bibliography style
author	Brixner, Martin
license	lpl = The LaTeX Project Public License (free)
description	(no language specified) The Munich BibTeX style is produced with custom-bib , as a German (and, more generally, Continental European) alternative to such author-date styles as harvard and oxford .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/munich/documentation_munich_Bibtex_style.pdf
– local file	./6045988321-documentation_munich_Bibtex_style.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/munich/README
documentation	(no language specified) <i>Usage example</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/munich/example_munich_Bibtex_style.pdf

4134 *musical* – Typeset (musical) theatre scripts

– local file	<code>./7910105678-example_munich_Bibtex_style.pdf</code>
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/munich
on MikTeX	<code>munich</code>
on TeXLive	<code>munich</code>
keyword	<code>bibtex-sty (bibtex-sty(unknown))</code>
language(s)	no language specified
year	without year
last access	2025-02-07

4134 *musical* – Typeset (musical) theatre scripts

Web page on CTAN <https://ctan.org/pkg/musical>

name	<code>musical</code>
caption	Typeset (musical) theatre scripts
author	Howell, Dave
copyright	Dave Howell (2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.1 (2020-04-06)
last changes	2020-04-06
year	2020
description	(no language specified) This package is designed to simplify the development and distribution of scripts for theatrical musicals, especially ones under development. The output is formatted to follow generally accepted script style[1] while also maintaining a high level of typographic integrity, and includes commands for dialog, lyrics, stage directions, music and dance cues, rehearsal marks, and more. It gracefully handles dialog that crosses page breaks, and can generate lists of songs and lists of dances in the show. [1] There are lots of references for the One True Way to format a script. Naturally, none of them agree.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/musical/musical.pdf
– local file	<code>./3431043017-musical.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/musical/README.md

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/musical
on MikTeX	musical
on T _E XLive	musical
keyword	drama-script (typeset scripts for plays, etc.)
keyword	music (typesetting music and related stuff)
language(s)	no language specified
last access	2025-02-07

4135 *musicography* – Accessing symbols for music writing with pdfLaTeX

Web page on CTAN	https://ctan.org/pkg/musicography
name	musicography
caption	Accessing symbols for music writing with pdfLaTeX
author	Cashner, Andrew A.
copyright	Andrew A. Cashner (2017-2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2023-09-08)
last changes	2023-09-08
year	2023
description	(no language specified) This package makes available the most commonly used symbols in writing about music in a way that can be used with pdfLaTeX and looks consistent and attractive. It includes accidentals, meters, and notes of different rhythmic values. The package builds on the approach used in the <i>harmony</i> package, where the symbols are taken from the <i>MusiXTeX fonts</i>. But it provides a larger range of symbols and a more flexible, user-friendly interface written using <i>xparse</i> and <i>stackengine</i>.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/musicography/musicography.pdf
– local file	./2229571421-musicography.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/musicography/README.md
contact	<i>repository</i> : https://github.com/andrewacashner/musicography

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/musicography
on MikTeX	musicography
on T _E XLive	musicography
keyword	font-supp-symbol (metrics, macro incantations and other support for symbol fonts)
keyword	music (typesetting music and related stuff)
language(s)	no language specified
last access	2025-02-07

4136 music_{tex} – Typesetting music with TeX

Web page on CTAN	https://ctan.org/pkg/musictex
name	music _{tex}
caption	Typesetting music with TeX
author	Taupin, Daniel
license	noinfo = noinfo
version	5.20
description	(no language specified) MusicTeX is a set of macros, that first demonstrated the technique of simultaneous two-dimensional typesetting as applied to music. MusicTeX has its shortcomings (notably in the area of slurs), and is now largely superseded by MusiXTeX .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/musictex/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/macros/musictex/musicdoc.pdf
– local file	./5695014287-musicdoc.pdf
home page	http://icking-music-archive.org/software/indexmt6.html
on CTAN	https://ctan.org/tex-archive/obsolete/macros/musictex
keyword	music (typesetting music and related stuff)
keyword	obsolete (package declared obsolete)
see also	see section 14 on page 13: (abc2mtex – Notate tunes stored in ABC notation)
language(s)	no language specified
year	without year

last access 2025-02-07

4137 *musikui* – Easy creation of “arithmetical restoration” puzzles

Web page on CTAN <https://ctan.org/pkg/musikui>

name	musikui
caption	Easy creation of “arithmetical restoration” puzzles
author	Kaneko, Naoki
license	lpl = The LaTeX Project Public License (free)
version	1 (2018-04-25)
last changes	2018-04-25
year	2018
description	(no language specified) This package permits to easily typeset arithmetical restorations using LaTeX. This package requires the graphicx package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/musikui/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/musikui/musikui.pdf
– local file	./7454856416-musikui.pdf
contact	<i>repository</i> : https://github.com/puripuri2100/musikui.sty
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/musikui
on MikTeX	musikui
on T _E XLive	musikui
keyword	maths (support for typesetting mathematics)
keyword	puzzle (problems and puzzles, and their solutions)
language(s)	no language specified
last access	2025-02-07

4138 musixguit – Easy notation for guitar music, in MusiXTeX

Web page on CTAN <https://ctan.org/pkg/musixguit>

name	musixguit
caption	Easy notation for guitar music, in MusiXTeX
author	Niederberger, Clemens
copyright	Clemens Niederberger (2011)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2.2
description	(no language specified) The package provides commands for typesetting notes for guitar, especially for simplifying guitar notation with MusiXTeX .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/musixguit/README
documentation	<i>Package documentation (German)</i> : https://ctan.org/tex-archive/macros/latex/contrib/musixguit/musixguit_de.pdf
– local file	./7544992006-musixguit_de.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/musixguit
on MikTeX	musixguit
on TeXLive	musixguit
keyword	music (typesetting music and related stuff)
language(s)	German
year	2011
last access	2025-02-07

4139 musixtex – Sophisticated music typesetting

Web page on CTAN <https://ctan.org/pkg/musixtex>

name	MusiXTeX
caption	Sophisticated music typesetting
author	Tennent, Bob
author	Morimoto, Hiroaki
author	Vogel, Olivier

author	Egler, Andreas
author	Coulon, Jean-Pierre
author	Mitchell, Ross
author	Taupin, Daniel
author	Simons, Don
license	gpl2+ = GNU General Public License, version 2 or newer (free)
version	1.38 (2024-03-29)
last changes	2024-03-29
year	2024
description	(no language specified) MusiXTeX provides a set of macros, based on the earlier MusicTeX, for typesetting music with TeX. To produce optimal spacing, MusiXTeX is a three-pass system: etex, musixflx, and etex again. (Musixflx is a lua script that is provided in the bundle.) The three-pass process, optionally followed by processing for printed output, is automated by the musixtex wrapper script. The package uses its own specialised fonts, which must be available on the system for musixtex to run. This version of MusiXTeX builds upon work by Andreas Egler, whose own version is no longer being developed. The MusiXTeX macros are universally acknowledged to be challenging to use directly: the pmx preprocessor compiles a simpler input language to MusiXTeX macros..
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/musixtex/doc/musixdoc.pdf
– local file	./1664947411-musixdoc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/musixtex/README
documentation	(no language specified) <i>Package installation notes</i> : https://ctan.org/tex-archive/macros/generic/musixtex/doc/musixtex-install.pdf
– local file	./8619992140-musixtex-install.pdf
home page	http://icking-music-archive.org/software/htdocs
contact	<i>support</i> : https://www.tug.org/mailman/listinfo/tex-music
on CTAN	https://ctan.org/tex-archive/macros/generic/musixtex
installation	https://ctan.org/tex-archive/install/macros/musixtex.tds.zip

on MikT _E X	<code>musixtex</code>
on T _E XLive	<code>musixtex</code>
keyword	<code>music</code> (typesetting music and related stuff)
see also	see section 4738 on page 4289: (<code>pmx</code> – Preprocessor for MusiX _T TeX)
language(s)	no language specified
last access	2025-02-07

4140 *musixtex-egler* – Multi-pass music typesetting

Web page on CTAN <https://ctan.org/pkg/musixtex-egler>

name	<code>musixtex-egler</code>
caption	Multi-pass music typesetting
author	Egler, Andreas
author	Taupin, Daniel
copyright	Andreas Egler (1995)
license	nosell = Do Not Sell Except by Arrangement (not free)
version	0.51
description	(no language specified) The original development of Taupin’s original MusicT_EX , using an auxiliary program to produce slurs. Revised and developed versions have subsequently been released as ” Taupin’s MusixT_EX ”; Andreas Egler has moved on to another (as yet un-released) package.
on CTAN	https://ctan.org/tex-archive/obsolete/macros/musixtex/egler
keyword	<code>music</code> (typesetting music and related stuff)
language(s)	no language specified
year	1995
last access	2025-02-07

4141 musixtex-fonts – Fonts used by MusixTeX

Web page on CTAN <https://ctan.org/pkg/musixtex-fonts>

name	musixtex-fonts
caption	Fonts used by MusixTeX
author	Taupin, Daniel
author	Uchiyama, Takanori
author	Tennent, Bob
license	gpl = GNU General Public License (free)
version	(2023-01-11)
last changes	2023-01-11
year	2023
description	(no language specified) These are fonts for use with MusixTeX ; they are provided both as original Metafont source, and as converted Adobe Type 1. The bundle renders the older (Type 1 fonts only) bundle musixtex-t1fonts obsolete.
documentation	(no language specified) <i>Installation details:</i> https://ctan.org/tex-archive/fonts/musixtex-fonts/doc/musixtex-fonts-install.pdf
– local file	./1653351319-musixtex-fonts-install.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/musixtex-fonts/README
on CTAN	https://ctan.org/tex-archive/fonts/musixtex-fonts
installation	https://ctan.org/tex-archive/install/fonts/musixtex-fonts.tds.zip
on MikTeX	musixtex-fonts
on T _E XLive	musixtex-fonts
keyword	font-music (fonts of music symbols)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
keyword	font-otf (font in OpenType format)
language(s)	no language specified
last access	2025-02-07

4142 musixtex-t1fonts – Adobe Type 1 versions of MusiXTeX fonts

Web page on CTAN <https://ctan.org/pkg/musixtex-t1fonts>

name	musixtex-t1fonts
caption	Adobe Type 1 versions of MusiXTeX fonts
author	Uchiyama, Takanori
license	lppl = The LaTeX Project Public License (free)
version	1.13
description	(no language specified) This package provides Adobe Type 1 fonts (PFB format), and dvips and dvi2pdf map files for MusiXTeX. The fonts are based on the original Metafont sources, such as musix20.mf, which are distributed with MusiXTeX. The fonts provided here may be used to produce printer-independent PostScript files or PDF files. Note that the package is rendered obsolete by the musixtex-fonts bundle.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/fonts/musixtex/ps-type1/README
on CTAN	https://ctan.org/tex-archive/obsolete/fonts/musixtex/ps-type1/musixps-unix.tar.gz
keyword	obsolete (package declared obsolete)
keyword	font-music (fonts of music symbols)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-02-07

4143 musixtnt – A MusiXTeX extension library that enables transformations of the effect of notes commands

Web page on CTAN <https://ctan.org/pkg/musixtnt>

name	musixtnt
caption	A MusiXTeX extension library that enables transformations of the effect of notes commands
author	Tennent, Bob
copyright	Bob Tennent (2015-2016)

license	gpl2 = GNU General Public License, version 2 (free)
version	(2016-01-30)
last changes	2016-01-30
year	2016
description	(no language specified) The package includes an archive containing a MusiXTeX extension library <code>musixtnt</code> and C source code, binaries for Windows (32 bit and 64 bit) and MacOSX, and documentation for two programs: <code>fixmsxpart</code> and <code>msxlint</code>. <code>musixtnt.tex</code> provides a macro <code>\TransformNotes</code> that enables transformations of the effect of notes commands such as <code>\notes</code>. In general, the effect of <code>\TransformNotes{input}{output}</code> is that notes commands in the source will expect their arguments to match the input pattern, but the notes will be typeset according to the output pattern. An example is extracting single-instrument parts from a multi-instrument score. <code>fixmsxpart</code> corrects note spacing in a single-part MusiXTeX source (possibly derived from a multi-instrument score and as a result having irregular note spacing). <code>msxlint</code> detects incorrectly formatted notes lines in a MusiXTeX source file. This should be used before using <code>\TransformNotes</code>.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/musixtnt/doc/msxlint.pdf
– local file	<code>./6534622661-msxlint.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/musixtnt/README
on CTAN	https://ctan.org/tex-archive/macros/generic/musixtnt
on T _E XLive	<code>musixtnt</code>
keyword	<code>music</code> (typesetting music and related stuff)
language(s)	no language specified
last access	2025-02-07

4144 *musuos* – Typeset papers for the department of music, Osnabrück

Web page on CTAN <https://ctan.org/pkg/musuos>

name	<code>musuos</code>
caption	Typeset papers for the department of music, Osnabrück
author	Weh, Tobias

license	lppl = The LaTeX Project Public License (free)
version	1.1d
description	(no language specified) The package provides a LaTeX class for typesetting term papers at the institute of music and musicology of the University of Osnabrück, Germany, according to the specifications of Prof. Stefan Hahnheide. A BibLaTeX style is provided.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/musuos/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/musuos/musuos.pdf
– local file	./7290619624-musuos.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/musuos
on MikTeX	musuos
on TeXLive	musuos
keyword	music (typesetting music and related stuff)
keyword	dissertation (typesetting dissertations, theses, etc.)
see also	see section 659 on page 609: (biblatex-musuos – A BibLaTeX style for citations in musuos.cls)
language(s)	no language specified
year	without year
last access	2025-02-07

4145 *muthe*sis – Classes for University of Manchester Dept of Computer Science

Web page on CTAN	https://ctan.org/pkg/muthe sis
name	muthe
caption	Classes for University of Manchester Dept of Computer Science
author	Gough, Graham
copyright	G.D. Gough and the University of Manchester (1999-2011)
license	lppl = The LaTeX Project Public License (free)
version	(2011-08-25)
last changes	2011-08-25
year	2011

description	(no language specified) The bundle provides thesis and project report document classes from the University of Manchester’s Department of Computer Science.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/muthesis/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/muthesis
on MikTeX	muthesis
on TeXLive	muthesis
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
last access	2025-02-07

4146 mversion – Keeping track of document versions

Web page on CTAN <https://ctan.org/pkg/mversion>

name	mversion
caption	Keeping track of document versions
author	Schmeing, Michael
copyright	Michael Schmeing (2011)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.0.1
description	(no language specified) The package enables the user to keep track of different versions of a LaTeX document. The command <code>\version</code> prints the version and build numbers; each time you compile your document, the build number is increased by one. By placing <code>\version</code> in the header or footer, each page can be marked with the unique build number describing the progress of your document.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mversion/mVersion.pdf
– local file	<code>./6962395461-mVersion.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mversion/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mversion
on MikTeX	mversion

on T _E XLive	mversion
keyword	doc-tool (document development tools)
keyword	doc-mgmt (support for keeping track of document development)
language(s)	no language specified
year	2011
last access	2025-02-07

4147 *mwcls* – Polish-oriented document classes

Web page on CTAN <https://ctan.org/pkg/mwcls>

name	mwcls
caption	Polish-oriented document classes
author	Woliński, Marcin
copyright	Marcin Woliński (2000-2003, 2008-2009, 2017)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	0.75
description	(no language specified) mwcls is a set of document classes for LaTeX 2e designed with Polish typographical tradition in mind. Classes include: ‘mwart’ (which is a replacement for ‘article’), ‘mwrep’ (replacing ‘report’), and ‘mwbk’ (replacing ‘book’). Most features present in standard classes work with mwcls classes. Some extensions/exceptions include: sectioning commands allow for second optional argument (it is possible to state different texts for running head and for TOC), new environments ‘itemize*’ and ‘enumerate*’ for lists with long items, page styles have variants for normal, opening, closing, and blank pages.
documentation	(Polish) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mwcls/mwclsdoc.pdf
– local file	./3689520538-mwclsdoc.pdf
documentation	(Polish) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/mwcls/CZYTAJ
documentation	(English) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/mwcls/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mwcls
on MikT _E X	mwcls
on T _E XLive	mwcls

keyword	class (alternative LaTeX class(es))
keyword	book-pub (preparing a book for publication)
language(s)	English; Polish
year	2017
last access	2025-02-07

4148 *mwe* – Packages and image files for MWEs

Web page on CTAN <https://ctan.org/pkg/mwe>

name	mwe
caption	Packages and image files for MWEs
author	Scharrer, Martin
copyright	Martin Scharrer (2012-2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.5 (2018-03-30)
last changes	2018-03-30
year	2018
description	(no language specified) The bundle provides several files useful when creating a minimal working example (MWE). The package itself loads a small set of packages often used when creating MWEs. In addition, a range of images are provided, which will be installed in the <code>TEXMF</code> tree, so that they may be used in any (La)TeX document. This allows different users to share MWEs which include image commands, without the need to share image files or to use replacement code.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mwe/mwe.pdf
– local file	<code>./3231245607-mwe.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mwe/README
home page	https://github.com/MartinScharrer/mwe
contact	<i>bugs</i> : https://github.com/MartinScharrer/mwe/issues
contact	<i>repository</i> : https://github.com/MartinScharrer/mwe.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mwe
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/mwe.tds.zip

on MikTeX	mwe
on T _E XLive	mwe
keyword	debug-supp (support for package or document debugging)
language(s)	no language specified
last access	2025-02-07

4149 *mweights* – Support for multiple-weight font packages

Web page on CTAN <https://ctan.org/pkg/mweights>

name	mweights
caption	Support for multiple-weight font packages
author	Tennent, Bob
license	lppl = The LaTeX Project Public License (free)
version	(2020-01-23)
last changes	2020-01-23
year	2020
description	(no language specified) Many font families available for use with LaTeX are available at multiple weights. Many Type 1-oriented support packages for such fonts re-define the standard <code>\mddefault</code> or <code>\bfdefault</code> macros. This can create difficulties if the weight desired for one font family isn't available for another font family, or if it differs from the weight desired for another font family. The package provides a solution to these difficulties.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mweights/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mweights
on MikTeX	mweights
on T _E XLive	mweights
keyword	font-use (font selection, mapping, etc.)
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
last access	2025-02-07

4150 mwrite – Write information to filesWeb page on CTAN <https://ctan.org/pkg/mwrite>

name	mwrite
caption	Write information to files
author	Creutzig, Christopher
license	other-free = Free license not otherwise listed (free)
version	2.2
description	(no language specified) The package enables a job to write information to arbitrarily many files with names <code>\jobname.<ext></code> . The package itself writes to a file <code>\jobname.col</code> ; the user should not ask for output to that, or to any of the other standard LaTeX extensions.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mwrite
on MikTeX	mwrite
keyword	macro-supp (support for development of (La)TeX macros)
see also	see section 4070 on page 3683: (<i>morewrites</i> – Always room for a new write stream)
language(s)	no language specified
year	without year
last access	2025-02-07

4151 mxd – Support for Mongolian “horizontal” (Xewtee Dorwoljin) scriptWeb page on CTAN <https://ctan.org/pkg/mxd>

name	mxd
caption	Support for Mongolian “horizontal” (Xewtee Dorwoljin) script
author	Corff, Oliver
copyright	Oliver Corff (2001)
license	noinfo = noinfo
version	0.4 alpha
description	(no language specified) This package provides macro support, and Metafont fonts, for typesetting the Mongolian Xäwtää Dörböljin script in LaTeX. The script is an archaic one, which meets the needs of Mongolian, Tibetan and Sanskrit, but is now little used. The package is of alpha status, presented for evaluation.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/mongolian/mxd/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/language/mongolian/mxd/doc/mxd4tex.pdf
– local file	<code>./1284496416-mxd4tex.pdf</code>
on CTAN	https://ctan.org/tex-archive/language/mongolian/mxd
keyword	mongolian (support for typesetting Mongolian)
keyword	sanskrit (support for typesetting Sanskrit)
keyword	tibetan (support for typesetting Tibetan)
language(s)	no language specified
year	2001
last access	2025-02-07

4152 *mxedruli* – A pair of fonts for different Georgian alphabets

Web page on CTAN	https://ctan.org/pkg/mxedruli
name	<code>mxedruli</code>
caption	A pair of fonts for different Georgian alphabets
author	Heinecke, Johannes
license	lppl = The LaTeX Project Public License (free)
version	3.3c
description	(no language specified) Two Georgian fonts, in both Metafont and Type 1 formats, which cover the Mxedruli and the Xucuri alphabets.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/georgian/mxedruli/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/georgian/mxedruli/mxeddoc.pdf
– local file	<code>./8511557867-mxeddoc.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/georgian/mxedruli
on MikTeX	<code>mxedruli</code>
on T _E XLive	<code>mxedruli</code>
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)

keyword	font-type1 (font available in Adobe Type 1 format)
keyword	georgian (support for typesetting Georgian)
see also	see section 2487 on page 2250: (georgian-stanier – A Georgian font)
language(s)	no language specified
year	without year
last access	2025-02-07

4153 mychemistry – Create reaction schemes with LaTeX and chemfig

Web page on CTAN <https://ctan.org/pkg/mychemistry>

name	mychemistry
caption	Create reaction schemes with LaTeX and chemfig
author	Niederberger, Clemens
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.99b
description	(no language specified) The package provides commands for typesetting complex chemical reaction schemes with LaTeX and chemfig. The package requires the packages chemfig , mhchem , chemcompounds and (sometimes) chemexec . According to the author this package has been obsolete ever since the publication of chemfig v1.0 in August 2011.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/mychemistry/README
documentation	<i>Package documentation (English)</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/mychemistry/mychemistry_en.pdf
– local file	./5152460809-mychemistry_en.pdf
contact	<i>repository</i> : https://bitbucket.org/cgnieder/mychemistry/
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/mychemistry
on MikTeX	mychemistry
keyword	obsolete (package declared obsolete)
keyword	chemistry (chemistry document support)
language(s)	English

year	without year
last access	2025-02-07

4154 mycv – A list-driven CV class, allowing TikZ decorations

Web page on CTAN <https://ctan.org/pkg/mycv>

name	mycv
caption	A list-driven CV class, allowing TikZ decorations
author	Gherzi, Andrea
copyright	Andrea Gherzi (2012)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.5.6
description	(no language specified) The class provides a set of functionality for writing "curriculum vitae" with different layouts. The idea is that a user can write some custom configuration directives, by means of which is possible both to produce different c.v. layouts and quickly switch among them. In order to process such directives, the class uses a set of lists, provided by the package etextools . Basic support for using TikZ decorations is also provided.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mycv/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mycv/mycv.pdf
– local file	./1939221151-mycv.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mycv
on MikTeX	mycv
on T _E XLive	mycv
keyword	cv (curriculum vitae/Resumé)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
year	2012
last access	2025-02-07

4155 *myfilist* – Configuring the output of the `\listfiles` command

Web page on CTAN <https://ctan.org/pkg/myfilist>

name	<code>myfilist</code>
caption	Configuring the output of the <code>\listfiles</code> command
author	Lück, Uwe
copyright	Uwe Lück (2008, 2010)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.71
description	(no language specified) The package modifies the <code>\listfiles</code> facility so that the user can control what appears in the output, and in what order. Output may be to the terminal or to a log file (as normal) or to a separate text file. The package is part of the fileinfo bundle.
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fileinfo/README.pdf
– local file	<code>./5862516172-README.pdf</code>
contact	<i>support</i> : http://www.webdesign-bu.de/uwe_lueck/contact.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fileinfo
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/fileinfo.tds.zip
on MikTeX	<code>fileinfo</code>
on TeXLive	<code>fileinfo</code>
keyword	<code>doc-mgmt</code> (support for keeping track of document development)
see also	see section 1489 on page 1349 : (<code>dateiliste</code> – Extensions of the <code>\listfiles</code> concept)
language(s)	no language specified
year	2010
last access	2025-02-07

4156 mylatex – Make a format containing a document's preambleWeb page on CTAN <https://ctan.org/pkg/mylatex>

name	mylatex
caption	Make a format containing a document's preamble
author	Carlisle, David
license	lppl = The LaTeX Project Public License (free)
version	(2020-10-23)
last changes	2020-10-23
year	2020
description	(no language specified) The file <code>mylatex.ltx</code> permits you to create a format that pre-loads a set of package files (and/or other macros) that you regularly use. In some circumstances, this can be a great advantage (though on an ordinarily fast modern computer on the desktop, gains will be limited). The general scheme is to initialise your usage by a command of the form: <code>latex -ini mylatex.ltx <document></code> which will create a format file <code>mylatex.fmt</code>, which you then use as: <code>latex -fmt=mylatex <document></code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mylatex/README.txt
contact	<i>bugs</i> : https://github.com/davidcarlisle/dpctex/issues
contact	<i>repository</i> : https://github.com/davidcarlisle/dpctex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mylatex
on MikTeX	mylatex
on T _E XLive	mylatex
keyword	format (macros to build a format)
language(s)	no language specified
last access	2025-02-07

4157 mylatexformat – Build a format based on the preamble of a LaTeX file

Web page on CTAN <https://ctan.org/pkg/mylatexformat>

name	mylatexformat
caption	Build a format based on the preamble of a LaTeX file
author	Chervet, Florent
copyright	Florent Chervet (2010-2011)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.4
description	(no language specified) The use of formats helps to speed up compilations: packages which have been dumped in the format are loaded at very high speed. This is useful when a document loads many packages (including large packages such as pgf-TikZ). The package was developed from the work in mylatex, and eliminates many of the limitations and problems of that package.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/mylatexformat/mylatexformat.pdf
– local file	<code>./1886734560-mylatexformat.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/mylatexformat/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mylatexformat
on MikTeX	mylatexformat
on TeXLive	mylatexformat
keyword	format (macros to build a format)
language(s)	no language specified
year	2011
last access	2025-02-07

4158 myletter – An old letter class

Web page on CTAN <https://ctan.org/pkg/myletter>

name	myletter
caption	An old letter class
author	Kielhorn, Axel
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The class is superseded by the author's akletter .
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/akletter
keyword	letter (typesetting letters, envelopes, faxes, etc)
language(s)	no language specified
year	without year
last access	2025-02-07

4159 mynsfc – A CTeX-based template for writing the main body of NSFC proposals

Web page on CTAN <https://ctan.org/pkg/mynsfc>

name	mynsfc
caption	A CTeX-based template for writing the main body of NSFC proposals
author	Qi, Fei
copyright	Fei Qi (2015-2026)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.00
description	(no language specified) This package provides a CTeX-based template for writing the main text of National Natural Science Foundation of China (NSFC) proposals. The package defines styles of the outlines and uses BibLaTeX / biber for the management of references.
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mynsfc/mynsfc.pdf
– local file	<code>./9414958035-mynsfc.pdf</code>
documentation	(Chinese) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/mynsfc/my-proposal.pdf
– local file	<code>./5183074218-my-proposal.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mynsfc/README.md
contact	<i>bugs</i> : https://github.com/fredqi/mynsfc/issues
contact	<i>repository</i> : https://github.com/fredqi/mynsfc
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mynsfc
on MikTeX	mynsfc
on T _E XLive	mynsfc
keyword	doc-templ (template to guide document development)
keyword	proposal (typeset proposals to funding bodies, etc)
keyword	class (alternative LaTeX class(es))
language(s)	Chinese
year	2026
last access	2026-03-26

4160 *mystyletau* – Custom Tau glyphs for topology using vector fonts

Web page on CTAN <https://ctan.org/pkg/mystyletau>

name	mystyletau
caption	Custom Tau glyphs for topology using vector fonts
author	Meccariello, Antonello
author	Meccariello, Francesco
copyright	Antonello Meccariello & Francesco Meccariello (2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.0
description	(no language specified) This package provides two unique graphical variants of the Tau symbol: <code>\vtau</code> and <code>\atau</code> . These symbols were designed in Inkscape and converted into a TrueType font to ensure perfect scaling and color support. The package requires LuaLaTeX or XeLaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/mystyletau/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/mystyletau/mystyletau.pdf
– local file	<code>./4998936753-mystyletau.pdf</code>
contact	<i>bugs</i> : https://github.com/franto666/mystyletau/issues

contact	repository: https://github.com/franto666/mystyletau
on CTAN	https://ctan.org/tex-archive/fonts/mystyletau
on MikTeX	mystyletau
on TeXLive	mystyletau
keyword	maths (support for typesetting mathematics)
keyword	maths-symbol (construction or application of mathematical symbols)
keyword	font-ttf (font available in TrueType format)
keyword	luatex (LuaTeX and packages that require it)
keyword	font-symbol-maths (collections of mathematical symbols)
language(s)	no language specified
year	2026
last access	2026-04-15

4161 *na-border* – Decorative borders for texts in Arabic and French

Web page on CTAN <https://ctan.org/pkg/na-border>

name	na-border
caption	Decorative borders for texts in Arabic and French
author	Laouidji, Walid
author	Mohamed, Naam
license	other-free = Free license not otherwise listed (free)
license	lppl = The LaTeX Project Public License (free)
version	0.1
description	(no language specified) This packages facilitates the drawing of decorative page borders using the CornPop font. The package needs XeTeX and polyglossia and works with both Arabic and Latin scripts.
documentation	(Arabic) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/xetex/latex/na-border/doc/na-border.pdf
– local file	./4877027851-na-border.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/na-border/README.txt

on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/na-border
on MikTeX	na-border
keyword	layout-page (page trim marks and decorations)
keyword	font-ttf (font available in TrueType format)
keyword	arabic (documentation in and support for typesetting Arabic)
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
language(s)	Arabic
year	without year
last access	2026-03-26

4162 na-box – Arabic-aware version of pas-cours package

Web page on CTAN	https://ctan.org/pkg/na-box
name	na-box
caption	Arabic-aware version of pas-cours package
author	Mohamed, Naam
copyright	Naam Mohamed (2017)
license	lpl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) This is a modified version of the pas-cours package made compatible with XeLaTeX/ polyglossia to write arabic documents with fancy boxed theorem-alike environments.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/na-box/README
documentation	<i>Package documentation (in Arabic)</i> : https://ctan.org/tex-archive/macros/xetex/latex/na-box/na-box_doc.pdf
– local file	<code>./4958841479-na-box_doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/na-box
on MikTeX	na-box
on T _E XLive	na-box
keyword	teaching (support for teachers and teaching administrators)
see also	see section 4505 on page 4077 : (<code>pas-cours</code> – Macros useful in preparing teaching material)

language(s) Arabic
 year 2017
 last access 2025-02-07

4163 *na-position* – Tables of relative positions of curves and asymptotes or tangents in Arabic documents

Web page on CTAN <https://ctan.org/pkg/na-position>

name *na-position*
 caption Tables of relative positions of curves and asymptotes or tangents in Arabic documents
 author Mohamed, Naam
 author Laouidji, Walid
 license lpl = The LaTeX Project Public License (free)
 version 1.2 (2020-06-14)
 last changes 2020-06-14
 year 2020
 description (no language specified) This package facilitates, in most cases, the creation of tables of relative positions of a curve and its asymptote, or a curve and a tangent in one of its points.
 It depends on [tkz-tab](#) and [listofitems](#) , as well as [amsmath](#) , [amsfonts](#) , [mathrsfs](#) , and [amssymb](#) .
 This package has to be used with [polyglossia](#) and [XeLaTeX](#) to produce documents in Arabic.
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/xetex/latex/na-position/README>
 documentation *Package documentation (Arabic)*: <https://ctan.org/tex-archive/macros/xetex/latex/na-position/doc/na-positiondocAR.pdf>
 – local file ./9952786567-na-positiondocAR.pdf
 on CTAN <https://ctan.org/tex-archive/macros/xetex/latex/na-position>
 on MikTeX *na-position*
 on T_EXLive *na-position*
 keyword arabic (documentation in and support for typesetting Arabic)
 keyword maths (support for typesetting mathematics)

keyword	xetex (XeTeX, material supporting it, and packages requiring it)
language(s)	Arabic
last access	2025-02-09

4164 nabatean – Font for Nabatean script

Web page on CTAN <https://ctan.org/pkg/nabatean>

name	nabatean
caption	Font for Nabatean script
author	Wilson, Peter R.
copyright	Peter R. Wilson (1999-2005)
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) The nabatean bundle provides packages and fonts for the Nabatean script used in the Middle East between the fourth centuries BC and AD. This is one in a series of archaic fonts.
documentation	(no language specified) <i>Sample of Nabatean font</i> :: https://ctan.org/tex-archive/fonts/archaic/nabatean/trynabatean.pdf
– local file	./9094043214-trynabatean.pdf
documentation	(no language specified) <i>Package documentation</i> :: https://ctan.org/tex-archive/fonts/archaic/nabatean/nabatean.pdf
– local file	./8402027631-nabatean.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/archaic/nabatean/README
documentation	(no language specified) <i>Samples of entire archaic bundle</i> :: https://ctan.org/tex-archive/fonts/archaic/asamples.pdf
– local file	./8592837549-asamples.pdf
on CTAN	https://ctan.org/tex-archive/fonts/archaic/nabatean
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-archaic (fonts reproducing archaic scripts or inscriptions)
keyword	font (fonts themselves)
language(s)	no language specified

year 2005
last access 2025-02-07

4165 *nag* – Detecting and warning about obsolete LaTeX commands

Web page on CTAN <https://ctan.org/pkg/nag>

name	nag
caption	Detecting and warning about obsolete LaTeX commands
author	Schwarz, Ulrich M.
license	lppl = The LaTeX Project Public License (free)
version	0.7
description	(no language specified) Old habits die hard. All the same, there are commands, classes and packages which are outdated and superseded. The nag package provides routines to warn the user about the use of such obsolete things. As an example, we provide an extension that detects many of the "sins" described in l2tabu .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/nag/nag.pdf
– local file	./1223435733-nag.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/nag/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nag
on MikTeX	nag
on TeXLive	nag
keyword	latex-qual (encourage quality in LaTeX markup)
language(s)	no language specified
year	without year
last access	2025-02-11

4166 nahuatl – Render nahuatl glyphs

Web page on CTAN <https://ctan.org/pkg/nahuatl>

name	nahuatl
caption	Render nahuatl glyphs
author	Alvarez Zavala, Roberto
copyright	Roberto Alvarez Zavala (2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1
description	(no language specified) México has one of the five mother cultures on earth; its writing system has its own rules and glyphs, just as the other four cultures. This writing system has now been added to LaTeX for the purpose of enabling LaTeX to create codices, like the Codice Mendoza and others. This work is being continued to produce variants, and also for extending the quantity and quality of these glyphs.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/nahuatl/README.txt
documentation	(no language specified) <i>Package documentation (English)</i>: https://ctan.org/tex-archive/fonts/nahuatl/doc/nahuatl-en.pdf
– local file	./5640172705-nahuatl-en.pdf
documentation	(Spanish (Mexico)) <i>Package documentation (Spanish)</i>: https://ctan.org/tex-archive/fonts/nahuatl/doc/nahuatl-es.pdf
– local file	./6868747737-nahuatl-es.pdf
home page	https://www.facebook.com/LaTeXnomicon
on CTAN	https://ctan.org/tex-archive/fonts/nahuatl
on MikTeX	nahuatl
keyword	font-archaic (fonts reproducing archaic scripts or inscriptions)
keyword	font (fonts themselves)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	Spanish (Mexico)
year	2021
last access	2025-02-07

4167 *naive-ebnf* – EBNF in plain text

Web page on CTAN <https://ctan.org/pkg/naive-ebnf>

name	<code>naive-ebnf</code>
caption	EBNF in plain text
author	Bugayenko, Yegor
copyright	Yegor Bugayenko (2023-2024)
license	mit = MIT License (free)
version	0.0.18 (2024-11-13)
last changes	2024-11-13
year	2024
description	(no language specified) With the help of this LaTeX package a context-free grammar (CFG) may be rendered in a plain-text mode using a simplified Extended Backus-Naur Form (EBNF) notation.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/naive-ebnf/naive-ebnf.pdf
– local file	<code>./3249495146-naive-ebnf.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/naive-ebnf/README.md
contact	<i>repository</i> : https://github.com/yegor256/naive-ebnf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/naive-ebnf
on MikTeX	<code>naive-ebnf</code>
on T _E XLive	<code>naive-ebnf</code>
keyword	<code>formal-spec</code> (typeset formal specification languages)
language(s)	no language specified
last access	2025-02-07

4168 **nameauth** – Name authority mechanism for consistency in body text and index

Web page on CTAN <https://ctan.org/pkg/nameauth>

name	nameauth
caption	Name authority mechanism for consistency in body text and index
author	Schaum, Charles P.
copyright	Charles P. Schaum (2011-2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	4.1 (2025-02-04)
last changes	2025-02-04
year	2025
description	(no language specified) Publications that reference many names require editors and proofreaders to track those names in text and index. The package offers name authority macros that allow authors and compilers to normalize occurrences of names, variant name forms, and pen names in text and index. This may help minimize writing and production time and cost.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/nameauth/nameauth.pdf
– local file	./4837123274-nameauth.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/nameauth/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nameauth
on MikTeX	nameauth
on TeXLive	nameauth
keyword	editorial (editor’s marks, highlights, etc.)
keyword	editorial-consistency (ensure consistency of usage)
language(s)	no language specified
last access	2025-02-12

4169 named – “Named” bibliography style

Web page on CTAN <https://ctan.org/pkg/named>

name	named
caption	“Named” bibliography style
author	Patel-Schneider, Peter
license	other-free = Free license not otherwise listed (free)
version	(1992-07-20)
last changes	1992-07-20
year	1992
description	(no language specified) The BibTeX style is derived from the standard styles’ sources. A LaTeX(209) package is included.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/named
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
last access	2025-02-07

4170 namedef – TeX definitions with named parameters

Web page on CTAN <https://ctan.org/pkg/namedef>

name	namedef
caption	TeX definitions with named parameters
author	Oleinik, Phelype
copyright	Phelype Oleinik (2019-2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2020-06-20)
last changes	2020-06-20
year	2020
description	(no language specified) This package provides a prefix <code>\named</code> to be used in TeX definitions so that parameters can be identified by their name rather than by number, giving parameters a semantic rather than syntactic meaning, making it easy to understand long definitions. A usual definition reads:

4171 `namedtensor` – Macros for named tensor notation

```
\def\SayHello#1{Hello, #1!}
```

but with `namedef` you can replace `#1` by, say, `#[person]` :

```
\named\def\SayHello#[person]{Hello, #[person]!}
```

and `\named` will figure out the numbering of the parameters for you.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/namedef/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/namedef/namedef.pdf
– local file	<code>./9651357191-namedef.pdf</code>
contact	<i>bugs</i> : https://github.com/PhelypeOleinik/namedef/issues
contact	<i>repository</i> : https://github.com/PhelypeOleinik/namedef
on CTAN	https://ctan.org/tex-archive/macros/generic/namedef
on MikTeX	<code>namedef</code>
on TeXLive	<code>namedef</code>
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>macro-gen</code> (macros that are independent of the (TeX) format in use)
keyword	<code>macro-def</code> (alternative ways of defining macros)
language(s)	no language specified
last access	2025-02-07

4171 `namedtensor` – Macros for named tensor notation

Web page on CTAN <https://ctan.org/pkg/namedtensor>

name	<code>namedtensor</code>
caption	Macros for named tensor notation
author	Chiang, David
copyright	University of Notre Dame, Cornell University, and Harvard University (2022)
license	mit = MIT License (free)
version	0.4

4172 *nameref* – Make reference to section names, etc

description	(no language specified) This style file provides macros for named tensor notation. Please see the paper ' Named Tensor Notation ' for background on this notation.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/namedtensor/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/namedtensor
on MikTeX	<code>namedtensor</code>
on TeXLive	<code>namedtensor</code>
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	no language specified
year	2022
last access	2025-02-07

4172 *nameref* – Make reference to section names, etc

Web page on CTAN <https://ctan.org/pkg/nameref>

name	<code>nameref</code>
caption	Make reference to section names, etc
author	Rahtz, Sebastian
author	Oberdiek, Heiko
author	Oberdiek Package Support Group
copyright	Oberdiek Package Support Group (2016-2019)
copyright	The LaTeX3 Project (2019-2024)
copyright	Heiko Oberdiek (2001-2012)
copyright	Sebastian Rahtz (1995-1999)
copyright	Sebastian Rahtz, Heiko Oberdiek (2000)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.56 (2023-11-26)
last changes	2023-11-26
year	2023
description	(no language specified) Defines a <code>\nameref</code> command, that makes reference to an object by its name (e.g., the title of a section or chapter). The package is part of the hyperref bundle, and works well with <code>hyperref</code> .

documentation	(no language specified) <i>Hyperref bundle Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/hyperref/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/hyperref/doc/nameref.pdf
– local file	<code>./2081372540-nameref.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hyperref
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/hyperref.tds.zip
on MikTeX	hyperref
on T _E XLive	hyperref
keyword	label-ref (label and reference systems)
see also	see section 6209 on page 5617: (<code>\titleref</code> – A “ <code>\titleref</code> ” command to cross-reference section titles)
language(s)	no language specified
last access	2025-02-07

4173 *namespc* – Rudimentary C++-like namespaces in LaTeX

Web page on CTAN	https://ctan.org/pkg/namespc
name	<code>namespc</code>
caption	Rudimentary C++-like namespaces in LaTeX
author	Dreyer, Alexander
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The <code>namespc</code> package adds rudimentary C++-like namespace functionality to LaTeX. It may be used to declare local LaTeX commands, which can be made accessible in a later contexts without defining them globally.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/namespc/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/namespc/namespc.pdf
– local file	<code>./7956777570-namespc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/namespc

on MikTeX	namespc
on T _E XLive	namespc
keyword	latex-devel (LaTeX experimental developments ‘in the wild’)
language(s)	no language specified
year	without year
last access	2025-02-11

4174 *namunsrt* – An unsorted BibTeX style with labels provided in the database

Web page on CTAN <https://ctan.org/pkg/namunsrt>

name	namunsrt
caption	An unsorted BibTeX style with labels provided in the database
license	other-free = Free license not otherwise listed (free)
version	(1992-07-20)
last changes	1992-07-20
year	1992
description	(no language specified) The style requires a ‘<code>nam</code>’ field in every entry in the database; this entry is used to create the label that appears in the printed database. Since the output is not sorted, the result seems (to this cataloguer) rather less than optimal. While the technique is interesting, the lack of sorting and the fact that the <code>nam</code> field is required seem to preclude the style’s use in the ordinary course of events.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/namunsrt.bst
on MikTeX	beebe
on T _E XLive	beebe
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
last access	2025-02-07

4175 *nanicolle* – Typesetting herbarium specimen labels

Web page on CTAN <https://ctan.org/pkg/nanicolle>

name *nanicolle*

caption Typesetting herbarium specimen labels

author Yang, Yuchang

copyright Yuchang Yang (2016-2020)

license lpl1.3c = The LaTeX Project Public License 1.3c (free)

version 2.03y (2020-08-31)

last changes 2020-08-31

year 2020

description (no language specified) This package provides a LaTeX class `nanicolle.cls` for typesetting collection labels and identification labels in Chinese style or in western style for plant herbarium specimens.

So far, documents using this class can only be compiled with **XeLaTeX**.

Note: The name of the package is a compound of the Japanese "nani" (meaning "what") and a truncated form of the English "collect", thus expressing the ideas of identification/classification (taxonomy) and collection.

documentation *Example of use (Chinese):* <https://ctan.org/tex-archive/macros/xetex/latex/nanicolle/nanicolle-ex-zh.pdf>

– local file `./6481179138-nanicolle-ex-zh.pdf`

documentation (no language specified) *Package documentation (English):*
<https://ctan.org/tex-archive/macros/xetex/latex/nanicolle/nanicolle-doc-en.pdf>

– local file `./6921652901-nanicolle-doc-en.pdf`

documentation (no language specified) *Example of use (English):*
<https://ctan.org/tex-archive/macros/xetex/latex/nanicolle/nanicolle-ex-en.pdf>

– local file `./2814839995-nanicolle-ex-en.pdf`

documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/macros/xetex/latex/nanicolle/README.md>

documentation *Package documentation (Chinese):* <https://ctan.org/tex-archive/macros/xetex/latex/nanicolle/nanicolle-doc-zh.pdf>

– local file `./8676536372-nanicolle-doc-zh.pdf`

contact *bugs:*
<https://github.com/Mikumikunisiteageru/nanicolle/issues>

contact	repository: https://github.com/Mikumikunisiteageru/nanicolle
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/nanicolle
on MikTeX	nanicolle
on T _E XLive	nanicolle
keyword	class (alternative LaTeX class(es))
keyword	chinese (support for typesetting Chinese languages)
keyword	covers (typeset badges, covers or labels for things (or people))
keyword	labels (typeset sets of labels (for cutting out, etc.))
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
keyword	biology (typeset biological data)
language(s)	Chinese
last access	2025-02-09

4176 nanumtype1 – Type1 subfonts of Nanum Korean fonts

Web page on CTAN <https://ctan.org/pkg/nanumtype1>

name	nanumtype1
caption	Type1 subfonts of Nanum Korean fonts
author	Kim, Dohyun
license	ofl = The SIL Open Font License (free)
version	3.0
description	(no language specified) Nanum is a unicode font designed especially for Korean-language script. The font was designed by Sandoll Communication and Fontrix; it includes the sans serif (gothic), serif (myeongjo), pen script and brush script typefaces. The package provides Type1 subfonts converted from Nanum Myeongjo (Regular and ExtraBold) and Nanum Gothic (Regular and Bold) OTFs. C70, LUC, T1, and TS1 font definition files are also provided. (The package does not include OpenType/TrueType files, which are available from Naver)
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/nanumtype1/README
documentation	(no language specified) <i>Font sampler</i>: https://ctan.org/tex-archive/fonts/nanumtype1/doc/nanum-sampler.pdf

4177 nar – BibTeX style for Nucleic Acid Research

– local file	./5807024445-nanum-sampler.pdf
on CTAN	https://ctan.org/tex-archive/fonts/nanumtype1
on MikTeX	nanumtype1
on T _E XLive	nanumtype1
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
keyword	korean (support for typesetting Korean)
keyword	font-cjk (fonts for far eastern languages (Chinese, Japanese and Korean))
language(s)	no language specified
year	without year
last access	2025-02-07

4177 nar – BibTeX style for Nucleic Acid Research

Web page on CTAN <https://ctan.org/pkg/nar>

name	nar
caption	BibTeX style for Nucleic Acid Research
author	Schneider, Thomas
license	other-free = Free license not otherwise listed (free)
version	3.19 (2011-12-23)
last changes	2011-12-23
year	2011
description	(no language specified) This BibTeX bibliography style is for the journal Nucleic Acid Research. It was adapted from the standard unsrt.bst style file.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/nar.bst
on MikTeX	beebe
on T _E XLive	beebe
keyword	bibtex-sty (bibtex-sty(unknown))
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
last access	2025-02-07

4178 *nassflow* – Drawing Nassi-Shneiderman diagrams and flowcharts

Web page on CTAN <https://ctan.org/pkg/nassflow>

name	nassflow
caption	Drawing Nassi-Shneiderman diagrams and flowcharts
author	van Geest, Marion
author	Lindhout, C. M.
author	Braams, Johannes L.
license	nosell = Do Not Sell Except by Arrangement (not free)
version	(1997-02-05)
last changes	1997-02-05
year	1997
description	(no language specified) A pair of packages, nassi.sty for drawing Nassi-Shneiderman diagrams, and flow.sty for drawing flowcharts.
documentation	(no language specified) <i>Nassi manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/nassflow/nass_man.pdf
– local file	./5676825227-nass_man.pdf
documentation	(no language specified) <i>Flow manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/nassflow/flow_man.pdf
– local file	./9634686335-flow_man.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nassflow
keyword	diagram-flow (flow (and similar) diagrams, including Nassi-Shneiderman)
language(s)	no language specified
last access	2025-02-07

4179 natbib – Flexible bibliography support

Web page on CTAN <https://ctan.org/pkg/natbib>

name	natbib
caption	Flexible bibliography support
author	Daly, Patrick W.
author	Ogawa, Arthur
copyright	Patrick W Daly (1993-2009)
license	lppl = The LaTeX Project Public License (free)
version	8.31b
description	(no language specified) The bundle provides a package that implements both author-year and numbered references, as well as much detailed of support for other bibliography use. Also Provided are versions of the standard BibTeX styles that are compatible with <i>natbib</i> — <i>plainnat</i> , <i>unsrtnat</i> , <i>abbrnat</i> . The bibliography styles produced by <i>custom-bib</i> are designed from the start to be compatible with <i>natbib</i> .
documentation	<i>Translation of documentation to French:</i> https://ctan.org/tex-archive/info/translations/natbib/fr/f-natbib.pdf
– local file	<code>./8105222031-f-natbib.pdf</code>
documentation	(English) <i>Reference Sheet:</i> https://ctan.org/tex-archive/macros/latex/contrib/natbib/natnotes.pdf
– local file	<code>./6085805908-natnotes.pdf</code>
documentation	(English) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/natbib/README
documentation	(English) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/natbib/natbib.pdf
– local file	<code>./4126761828-natbib.pdf</code>
documentation	(English) <i>Readme for this release:</i> https://ctan.org/tex-archive/macros/latex/contrib/natbib/README.v831b
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/natbib
on MikTeX	natbib
on TeXLive	natbib
keyword	bibtex-supp (BibTeX citation support)
language(s)	English; French
year	2009

last access 2025-02-07

4180 *natded* – Typeset natural deduction proofs

Web page on CTAN <https://ctan.org/pkg/natded>

name	natded
caption	Typeset natural deduction proofs
author	Ajallooeeian, Mohammad M.
copyright	Mohammad M. Ajallooeeian (2014)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1
description	(no language specified) The package provides commands to typeset proofs in the style used by Jaśkowski, or that of Kalish and Montague.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/natded/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/natded/natded.pdf
– local file	./5537238386-natded.pdf
documentation	(no language specified) <i>Extended documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/natded/extended_doc.pdf
– local file	./8681895177-extended_doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/natded
on MikTeX	natded
on TeXLive	natded
keyword	proof (typeset proofs and proof diagrams)
language(s)	no language specified
year	2014
last access	2025-02-07

4181 *nath* – Natural mathematics notationWeb page on CTAN <https://ctan.org/pkg/nath>

name	Nath
caption	Natural mathematics notation
author	Marvan, Michal
license	gpl = GNU General Public License (free)
description	(no language specified) Nath is a LaTeX (both 2e and 2.09) style to separate presentation and content in mathematical typography. The style delivers a particular context-dependent presentation on the basis of a rather coarse context-independent notation. Highlighted features: depending on the context, the command <code>\frac</code> produces either built-up or case or solidus fractions, with parentheses added whenever required for preservation of the mathematical meaning; delimiters adapt their size to the material enclosed, rendering <code>\left</code> and <code>\right</code> almost obsolete.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/nath/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/nath/nathguide.pdf
– local file	<code>./2089254055-nathguide.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nath
on MikTeX	<code>nath</code>
on T _E XLive	<code>nath</code>
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	no language specified
year	without year
last access	2025-02-07

4182 *natmove* – Move punctuation following a citationWeb page on CTAN <https://ctan.org/pkg/natmove>

name	<code>natmove</code>
caption	Move punctuation following a citation
author	Arseneau, Donald
author	Wright, Joseph

4183 *nature* – Prepare papers for the journal Nature

copyright	Joseph Wright (2008-2022, 2024)
license	lppl = The LaTeX Project Public License (free)
version	1.1a (2010-01-15)
last changes	2010-01-15
year	2010
description	(no language specified) The package has only one purpose: to move superscripted citations beyond punctuation; some conventions for producing text prefer this layout. Some of the code in the package is derived from the cite package. The package is distributed as part of the achemso bundle.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/achemso/README.md
documentation	(no language specified) <i>Package documentation (part of achemso doc)</i> : https://ctan.org/tex-archive/macros/latex/contrib/achemso/achemso.pdf
– local file	<code>./1493382070-achemso.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/achemso
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/achemso.tds.zip
on MikTeX	achemso
on T _E XLive	achemso
keyword	typesetting (support for variations of typographic style)
language(s)	no language specified
last access	2025-02-07

4183 *nature* – Prepare papers for the journal Nature

Web page on CTAN <https://ctan.org/pkg/nature>

name	nature
caption	Prepare papers for the journal Nature
author	Czoschke, Peter
license	lppl = The LaTeX Project Public License (free)
version	1.0

description	(no language specified) Nature does not accept papers in LaTeX, but it does accept PDF. This class and BibTeX style provide what seems to be necessary to produce papers in a format acceptable to the publisher.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/nature/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nature
on MikTeX	nature
on T _E XLive	nature
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
year	without year
last access	2025-02-07

4184 navigator – PDF features across formats and engines

Web page on CTAN <https://ctan.org/pkg/navigator>

name	navigator
caption	PDF features across formats and engines
author	Isambert, Paul
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) Navigator implements PDF features for all formats (with some limitations in ConTeXt) with pdfTeX, LuaTeX and XeTeX (i.e. xdvipdfmx). Features include: • Customizable outlines (i.e. bookmarks); • Anchors; • Links and actions (e.g. JavaScript or user-defined PDF actions); • File embedding (not in ConTeXt); • Document information and PDF viewer's display (not in ConTeXt); and • Commands to create and use raw PDF objects. Navigator requires texapi and yax , both version at least 1.03.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/navigator/README

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/generic/navigator/navigator-doc.pdf
– local file	./9293533780-navigator-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/generic/navigator
on MikTeX	navigator
on T _E XLive	navigator
keyword	hyper (support for hypertext)
keyword	pdf-feat (access PDF features)
see also	see section 2842 on page 2572: (<code>hyperref</code> – Extensive support for hypertext in LaTeX)
language(s)	no language specified
year	without year
last access	2025-02-07

4185 *navydocs* – Support for Technical Reports by US Navy Organizations

Web page on CTAN <https://ctan.org/pkg/navydocs>

name	navydocs
caption	Support for Technical Reports by US Navy Organizations
author	Rochford, Peter A.
copyright	Peter Andrew Rochford (2016)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2017-07-01)
last changes	2017-07-01
year	2017
description	(no language specified) The navydocs package provides an easy means for creating title pages and the following supplementary material pages used in technical reports by United States Navy organizations. These pages are generated by specifying the page content via a set of commands and then calling a macro to create the page at its occurrence in the document. This package is provided in the hope that it proves useful to other Navy organizations, with users contributing macros for their organizations.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/navydocs/navydocs.pdf

– local file	<code>./2794440312-navydocs.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/navydocs/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/navydocs
on MikTeX	navydocs
on T _E XLive	navydocs
keyword	titlepage (typesetting title pages for documents)
keyword	report-like (regularly-formatted reports)
language(s)	no language specified
last access	2025-02-07

4186 *nb4latex* – Convert NotaBene4 to LaTeX

Web page on CTAN	https://ctan.org/pkg/nb4latex
name	<code>nb4latex</code>
caption	Convert NotaBene4 to LaTeX
author	Milanese, Guido
license	pd = Public Domain Software (free)
description	(no language specified) A program to convert old (MS-DOS) NotaBene4 (including ancient Greek and all the symbols of logic) files to LaTeX format. With this conversion program and its utilities, you can use NotaBene for editing (seeing all the accents, the Greek chars, etc.) and, at the very final stage of document preparation, convert it to LaTeX. The present version of the program is implemented for MS-DOS; the README discusses what might be necessary to update the program.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/msdos/nb4latex/README
on CTAN	https://ctan.org/tex-archive/systems/msdos/nb4latex
keyword	foreign-import (import files in a non-TeX (or different TeX) format)
language(s)	no language specified
year	without year
last access	2025-02-07

4187 nbaseprt – Print numbers in non-decimal bases

Web page on CTAN <https://ctan.org/pkg/nbaseprt>

name	nbaseprt
caption	Print numbers in non-decimal bases
author	Harders, Harald
copyright	Harald Harders (2004)
license	lppl = The LaTeX Project Public License (free)
version	0.11
description	(no language specified) The package nbaseprt prints integer numbers in different bases (octal, decimal, hexadecimal, binary) similarly to the numprint package. But here, the number of digits within one group depends on the base. This is a beta version of <code>nbaseprt.sty</code>. The main command <code>\nbaseprint</code> will stay stable but all configuration commands and the output of <code>\nbaseprint</code> may change in future. Please give me feedback what can be improved and if the abbreviations for the different number bases are correct.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/numprint/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/numprint/nbaseprt.pdf
– local file	<code>./1126230807-nbaseprt.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/numprint
on MikTeX	numprint
on T _E XLive	numprint
keyword	numbers (formatting numbers, etc)
see also	see section 4336 on page 3926: (numprint – Print numbers with separators and exponent if necessary)
language(s)	no language specified
year	2004
last access	2025-02-07

4188 nbaskerv – Metrics and LaTeX support for ITC New Baskerville Font From Adobe

Web page on CTAN <https://ctan.org/pkg/nbaskerv>

name	nbaskerv
caption	Metrics and LaTeX support for ITC New Baskerville Font From Adobe
author	Veytsman, Boris
license	bsd = BSD Style License (free)
version	1.0c
description	(no language specified) This package provides metric files and LaTeX support for ITC New Baskerville font from Adobe. It has everything you need to typeset in this font — except the font itself, of course.
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/psfonts/adobe/nbaskerv/nbsample.pdf
– local file	./2013136863-nbsample.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/psfonts/adobe/nbaskerv/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/psfonts/adobe/nbaskerv/nbaskerv.pdf
– local file	./8156097292-nbaskerv.pdf
on CTAN	https://ctan.org/tex-archive/fonts/psfonts/adobe/nbaskerv
installation	https://ctan.org/tex-archive/install/fonts/psfonts/adobe/nbaskerv.tds.zip
on MikTeX	nbaskerv
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year
last access	2026-04-10

4189 *nccbbb* – “Poor man’s” blackboard bold

Web page on CTAN <https://ctan.org/pkg/nccbbb>

name	<i>nccbbb</i>
caption	“Poor man’s” blackboard bold
author	Rozhenko, Alexander I.
copyright	Alexander I. Rozhenko (2002-2004)
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) The package implements about as good “poor man’s” blackboard bold as one can hope. The capital letters (commands <code>\bbba</code> to <code>\bbbz</code>) and a couple of digits (<code>\bbbzero</code> and <code>\bbbone</code>) are available. However, the author suggests that users should switch to the amsfonts package. This package is part of the ncctools bundle.
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncctools/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncctools/doc/nccbbb.pdf
– local file	<code>./8737802238-nccbbb.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ncctools
on MikTeX	<i>ncctools</i>
on T _E XLive	<i>ncctools</i>
keyword	<code>font-maths</code> (fonts for use in mathematics)
language(s)	no language specified
year	2004
last access	2025-02-07

4190 nccboxes – Elaborate box commands

Web page on CTAN <https://ctan.org/pkg/nccboxes>

name	nccboxes
caption	Elaborate box commands
author	Rozhenko, Alexander I.
copyright	Alexander I. Rozhenko (2002-2005)
license	lpl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) The package implements a set of box commands that take a "prototype" argument, a strut that specifies the alignment of the contents of the box. In addition, there are a series of macros for constructing struts. This package is part of the ncctools bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/ncctools/doc/nccboxes.pdf
– local file	./9061806791-nccboxes.pdf
documentation	(no language specified) <i>Bundle readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/ncctools/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ncctools
on MikTeX	ncctools
on TeXLive	ncctools
keyword	boxing (creating boxes)
language(s)	no language specified
year	2005
last access	2025-02-07

4191 *nccomma* – Use comma as decimal separator in mathematics

Web page on CTAN <https://ctan.org/pkg/nccomma>

name	<code>nccomma</code>
caption	Use comma as decimal separator in mathematics
author	Rozhenko, Alexander I.
copyright	Alexander I. Rozhenko (2005)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The <code>nccomma</code> package amends the behaviour of the comma in formulae so that it will behave as a decimal separator if followed by a decimal digit, but as punctuation otherwise. (The set of characters that determine its behaviour is configurable, but the set of decimal digits is the default.) The package is part of the <code>ncctools</code> bundle.
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncctools/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncctools/doc/nccomma.pdf
– local file	<code>./8232068352-nccomma.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ncctools
on MikTeX	<code>ncctools</code>
on T _E XLive	<code>ncctools</code>
keyword	<code>numbers</code> (formatting numbers, etc)
see also	see section 2870 on page 2597 : (<code>icomma</code> – Intelligent commas for decimal numbers)
language(s)	no language specified
year	2005
last access	2025-02-07

4192 ncccropbox – Crop-marked boxes

Web page on CTAN <https://ctan.org/pkg/ncccropbox>

name	ncccropbox
caption	Crop-marked boxes
author	Rozhenko, Alexander I.
copyright	Alexander I. Rozhenko (2002-2004)
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) The package provides commands for drawing boxes with ‘their own’ cropmarks; the boxes will line up in rows and columns. This package is part of the ncctools bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/ncctools/doc/ncccropbox.pdf
– local file	./4546224173-ncccropbox.pdf
documentation on CTAN	(no language specified) <i>Bundle readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/ncctools/README
on MikTeX	https://ctan.org/tex-archive/macros/latex/contrib/ncctools
on T _E XLive	ncctools
keyword	box-manip (manipulating boxes)
language(s)	no language specified
year	2004
last access	2025-02-07

4193 ncccropmark – Draw cropmarks on the output page

Web page on CTAN <https://ctan.org/pkg/ncccropmark>

name	ncccropmark
caption	Draw cropmarks on the output page
author	Rozhenko, Alexander I.
copyright	Alexander I. Rozhenko (2002-2004)
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) The package implements a command <code>\cropmark</code> , using the facilities of the watermark package. This package is part of the ncctools bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncctools/doc/ncccropmark.pdf
– local file	<code>./9366192284-ncccropmark.pdf</code>
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncctools/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ncctools
on MikTeX	ncctools
on T _E XLive	ncctools
keyword	book-pub (preparing a book for publication)
language(s)	no language specified
year	2004
last access	2025-02-07

4194 nccfancyhdr – Extensive control of page headers and footers

Web page on CTAN <https://ctan.org/pkg/nccfancyhdr>

name	nccfancyhdr
caption	Extensive control of page headers and footers
author	Rozhenko, Alexander I.
copyright	Alexander I. Rozhenko (2002-2004)
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) This package is a re-implementation of fancyhdr , addressing shortcomings that the author perceives in the original package. This package is part of the ncctools bundle.
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncctools/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncctools/doc/nccfancyhdr.pdf
– local file	./4482665915-nccfancyhdr.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ncctools
on MikTeX	ncctools
on T _E XLive	ncctools
keyword	page-hf (page head- and foot-lines)
language(s)	no language specified
year	2004
last access	2025-02-07

4195 nccfloats – Extensions of the LaTeX float mechanisms

Web page on CTAN <https://ctan.org/pkg/nccfloats>

name	nccfloats
caption	Extensions of the LaTeX float mechanisms
author	Rozhenko, Alexander I.
copyright	Alexander I. Rozhenko (2002-2006)
license	lpl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) The package provides a mechanism to attach a "style" to a float, and the concepts of mini-figures and -floats, and side-figures and -floats, are introduced. This package is part of the ncctools bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/ncctools/doc/nccfloats.pdf
– local file	./8344376985-nccfloats.pdf
documentation	(no language specified) <i>Bundle readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/ncctools/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ncctools
on MikTeX	ncctools
on TeXLive	ncctools
keyword	float (typesetting floats)
language(s)	no language specified
year	2006
last access	2025-02-07

4196 nccfoots – User-generated footnote marks

Web page on CTAN <https://ctan.org/pkg/nccfoots>

name	nccfoots
caption	User-generated footnote marks
author	Rozhenko, Alexander I.
copyright	Alexander I. Rozhenko (1998-2005)
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) Implements commands for generating footnotes whose marks you are required to provide. For example, to mark a footnote by a star you can write <code>\Footnote{*}{Footnote text}</code> . This package is part of the ncctools bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/ncctools/doc/nccfoots.pdf
– local file	<code>./4024663033-nccfoots.pdf</code>
documentation	(no language specified) <i>Bundle readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/ncctools/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ncctools
on MikTeX	ncctools
on TeXLive	ncctools
keyword	footnote (footnote support)
language(s)	no language specified
year	2005
last access	2025-02-07

4197 ncclatex – An extended general-purpose class

Web page on CTAN <https://ctan.org/pkg/ncclatex>

name	NCC-LaTeX
caption	An extended general-purpose class
author	Rozhenko, Alexander I.
license	lppl = The LaTeX Project Public License (free)
version	1.5
description	(no language specified) The ncc class provides a framework for a common class to replace the standard article, book and report classes, and providing a "preprint" class. The class's extensions are provided in a number of small packages, some of which may also be used with the standard classes. The ncclatex package also loads many of the packages of, and requires the latest version of the ncctools bundle.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncclatex/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncclatex/ncclatex.pdf
– local file	<code>./7191952121-ncclatex.pdf</code>
documentation	(Russian) <i>Package news</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncclatex/nccnews.pdf
– local file	<code>./5109638795-nccnews.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ncclatex
on MikTeX	ncclatex
on T _E XLive	ncclatex
keyword	class (alternative LaTeX class(es))
language(s)	Russian
year	without year
last access	2025-02-07

4198 nccmath – Extended mathematics capabilities

Web page on CTAN <https://ctan.org/pkg/nccmath>

name	nccmath
caption	Extended mathematics capabilities
author	Rozhenko, Alexander I.
copyright	Alexander I. Rozhenko (2002-2005)
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) The package adds some mathematical commands from ncclatex , tidies up some AMS-LaTeX facilities and extends others. This package is part of the ncctools bundle.
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncctools/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncctools/doc/nccmath.pdf
– local file	./6414108680-nccmath.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ncctools
on MikTeX	ncctools
on T _E XLive	ncctools
keyword	maths (support for typesetting mathematics)
see also	see section 3871 on page 3501 : (<i>medmath</i> – Better medium-size math commands)
language(s)	no language specified
year	2005
last access	2025-02-07

4199 nccparskip – Modify skips between paragraphs

Web page on CTAN <https://ctan.org/pkg/nccparskip>

name	nccparskip
caption	Modify skips between paragraphs
author	Rozhenko, Alexander I.
copyright	Alexander I. Rozhenko (2002-2004)
license	lpl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) The package defines one command, <code>\SetParskip</code> , which sets the distances between all paragraphs (including those within lists, and list items themselves). This package is part of the ncctools bundle.
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncctools/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncctools/doc/nccparskip.pdf
– local file	<code>./7971374319-nccparskip.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ncctools
on MikTeX	ncctools
on TeXLive	ncctools
keyword	layout (layout of objects on the page)
language(s)	no language specified
year	2004
last access	2025-02-07

4200 *nccpic* – Extend the *graphicx* package for more formats

Web page on CTAN <https://ctan.org/pkg/nccpic>

name	<i>nccpic</i>
caption	Extend the <i>graphicx</i> package for more formats
author	Rozhenko, Alexander I.
copyright	Alexander I. Rozhenko (2002-2005)
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) Extends the <i>graphicx</i> package to standardise a graphic input directory, to add a command for including other graphics (e.g., <i>picture</i> mode, <i>pstricks</i> , etc.) in a regular fashion, and to extend the list of known graphics to cover those accepted by the <i>MiKTeX</i> implementation of <i>dvips</i> and by the previewer YAP. The package is part of the <i>ncctools</i> bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncctools/doc/nccpic.pdf
– local file	<code>./2713850914-nccpic.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ncctools
on <i>MiKTeX</i>	<i>ncctools</i>
on <i>TeXLive</i>	<i>ncctools</i>
keyword	<code>graphics-incl</code> (include external graphics)
language(s)	no language specified
year	2005
last access	2025-02-07

4201 nccrules – Compose dashed lines

Web page on CTAN <https://ctan.org/pkg/nccrules>

name	nccrules
caption	Compose dashed lines
author	Rozhenko, Alexander I.
copyright	Alexander I. Rozhenko (2005)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package implements <code>\dashrule</code> and <code>\dashrulefill</code> commands, that specify dashed lines (or even multiple dashed lines). There are also variants of the footnote rule. The package is part of the ncctools bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/ncctools/doc/nccrules.pdf
– local file	./9095982374-nccrules.pdf
documentation	(no language specified) <i>Bundle readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/ncctools/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ncctools
on MikTeX	ncctools
on TeXLive	ncctools
keyword	rule (produce rules within a document)
language(s)	no language specified
year	2005
last access	2025-02-07

4202 *nccsect* – A re-implementation of sections, captions and tocs

Web page on CTAN <https://ctan.org/pkg/nccsect>

name	nccsect
caption	A re-implementation of sections, captions and tocs
author	Rozhenko, Alexander I.
copyright	Alexander I. Rozhenko (2002-2006)
license	lppl = The LaTeX Project Public License (free)
version	1.5
description	(no language specified) The package user has section control commands that mirror the internal controls used in LaTeX. In particular, the user may express the section level explicitly in a <code>\startsection</code> command, rather than by name (as in <code>\section</code>, <code>\subsection</code>, etc., in LaTeX itself, defined in terms of an internal command). By using this <code>\startsection</code>, the user may have astounding depths of sections, which is sometimes useful in extreme typesetting applications. A <code>\sectionstyle</code> command controls the appearance of predefined, or user-defined sections, and <code>\DeclareSection</code> allows the user to create sectioning or caption commands, or to modify existing ones. The package also extends user control of the appearance of tables of contents, etc., using a command <code>\DeclareTOCEntry</code>. This package is part of the ncctools bundle.
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncctools/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncctools/doc/nccsect.pdf
– local file	<code>./5727714057-nccsect.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ncctools
on MikTeX	ncctools
on TeXLive	ncctools
keyword	headings (chapter, section, etc., heading styles)
language(s)	no language specified
year	2006
last access	2025-02-07

4203 *nccstretch* – Insert a stretch between each token of a string

Web page on CTAN <https://ctan.org/pkg/nccstretch>

name	<code>nccstretch</code>
caption	Insert a stretch between each token of a string
author	Rozhenko, Alexander I.
copyright	Alexander I. Rozhenko (2004)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package defines one command, <code>\stretchwith</code>, which will insert its first argument between each pair of letters (or whatever) in its second argument. It is thus usable as a method for letterspacing (with a finite skip as first argument), or for filling a box's width (with an infinite stretch as first argument). The package is part of the ncctools bundle.
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncctools/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncctools/doc/nccstretch.pdf
– local file	<code>./8745208433-nccstretch.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ncctools
on MikTeX	<code>ncctools</code>
on T _E XLive	<code>ncctools</code>
keyword	<code>letterspace</code> (change space between characters)
see also	see section 3395 on page 3064 : (<code>letterspacing</code> – Letter spacing)
see also	see section 5609 on page 5076 : (<code>soul</code> – Hyphenation for letterspacing, underlining, and more)
language(s)	no language specified
year	2004
last access	2025-02-07

4204 *nccthm* – Another theorem environment

Web page on CTAN <https://ctan.org/pkg/nccthm>

name	nccthm
caption	Another theorem environment
author	Rozhenko, Alexander I.
copyright	Alexander I. Rozhenko (2002-2004)
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) This package's theorems have two distinguishing characteristics. First, theorem numbering uses dynamic counters (specified by using the dcounter package, which gives the user considerable flexibility in counting styles. Second, the environment isn't defined as a trivialist (as LaTeX theorems are), which gives extra flexibility in using the environment. In addition, parameter definition is explicit and well-organised, and there is a QED-symbol-placing command.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncctools/doc/nccthm.pdf
– local file	./3883974292-nccthm.pdf
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncctools/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ncctools
on MikTeX	ncctools
on T _E XLive	ncctools
keyword	maths-theorem (typeset mathematical theorems)
language(s)	no language specified
year	2004
last access	2025-02-07

4205 *ncctools* – A collection of general packages for LaTeX

Web page on CTAN <https://ctan.org/pkg/ncctools>

name	ncctools
caption	A collection of general packages for LaTeX
author	Rozhenko, Alexander I.
license	lppl = The LaTeX Project Public License (free)
version	3.5.3 (2019-08-03)
last changes	2019-08-03
year	2019
description	(no language specified) The NCCtools bundle contains many packages for general use under LaTeX; many are also used by NCC LaTeX . The bundle includes tools for:

- **executing commands after a package is loaded** ;
- **watermarks** ;
- **counter manipulation** (dynamic counters, changing counter numbering with another counter);
- **improvements to the description environment** ;
- **hyphenation of compound words** ;
- **new levels of footnotes** ;
- **space-filling patterns** ;
- **"poor man's" Black Board Bold symbols** ;
- **alignment of the content of a box** ;
- **use comma as decimal separator** ;
- **boxes with their own crop marks** ;
- **page cropmarks** ;
- **improvements to fancy headers** ;
- **float "styles", mini floats, side floats** ;
- **manually marked footnotes** ;
- **extension of amsmath** ;
- **control of paragraph skip** ; **an envelope to the graphicx package** ;
- **dashed and multiple rules** ;

- alternative techniques for declarations of sections, captions, and toc-entries ;
- generalised text-stretching ;
- generation of new theorem-like environments ;
- control of the text area ;
- centred page layouts ; and
- un-numbered top-level section .

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncctools/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ncctools
on MikTeX	ncctools
on TeXLive	ncctools
keyword	collection (a collection of packages)
language(s)	no language specified
last access	2025-02-07

4206 *nchairx* – Maths macros from chair X of Würzburg University

Web page on CTAN <https://ctan.org/pkg/nchairx>

name	nChairX
caption	Maths macros from chair X of Würzburg University
author	Dippell, Marvin
copyright	ChairX (2018-2021)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0.0
description	(no language specified) This package was developed by members of the chair for mathematical physics at the University of Würzburg as a collection of macros and predefined environments for quickly creating nice mathematical documents. (Note concerning the package name: the "n" stands for "new", the "X" is a roman 10.)
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/nchairx/README.md

documentation	(no language specified) <i>Primary package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/nchairx/doc/nchairx.pdf
– local file	./7124815292-nchairx.pdf
documentation	(no language specified) <i>Documentation of maths macros:</i> https://ctan.org/tex-archive/macros/latex/contrib/nchairx/doc/chairxmath.pdf
– local file	./8389948817-chairxmath.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nchairx
on MikTeX	nchairx
on T _E XLive	nchairx
keyword	physics (support for typesetting physics documents)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	2021
last access	2025-02-07

4207 *nddiss* – Notre Dame Dissertation format class

Web page on CTAN	https://ctan.org/pkg/nddiss
name	nddiss
caption	Notre Dame Dissertation format class
author	Vijay, Sameer
author	Brower, Donald
copyright	Sameer Vijay (2004, 2005)
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	3.2017.2
description	(no language specified) This class file conforms to the requirements of the Graduate School of the University of Notre Dame; with it a user can format a thesis or dissertation in LaTeX.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/nddiss/nddiss2e.pdf
– local file	./6298817208-nddiss2e.pdf

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/nddiss/README.md
contact	<i>repository</i> : https://github.com/ndlib/nddiss
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nddiss
on MikTeX	nddiss
on T _E XLive	nddiss
keyword	class (alternative LaTeX class(es))
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
year	2005
last access	2025-02-07

4208 nds-u-thesis – North Dakota State University disquisition class

Web page on CTAN	https://ctan.org/pkg/nds-u-thesis
name	nds-u-thesis
caption	North Dakota State University disquisition class
author	Totushek, Jonathan
author	Feickert, Aaron
author	Thorne, James
copyright	Aaron Feickert and Jonathan Totushek (2015-2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2018-02-13)
last changes	2018-02-13
year	2018
description	(no language specified) A class for generating disquisitions, intended to be in compliance with North Dakota State University requirements.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/nds-u-thesis/nds-u-thesis.pdf
– local file	./3706307146-nds-u-thesis.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/nds-u-thesis/README

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ndsu-thesis
on MikTeX	ndsu-thesis
on T _E XLive	ndsu-thesis
keyword	class (alternative LaTeX class(es))
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
last access	2025-02-07

4209 ndsu-thesis-2022 – North Dakota State University disquisition class 2022

Web page on CTAN	https://ctan.org/pkg/ndsu-thesis-2022
name	ndsu-thesis-2022
caption	North Dakota State University disquisition class 2022
author	Cannayen, Igathinathane
copyright	Aaron Feickert, Jonathan Totushek, and Igathinathane Cannayen (2022)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2022-07-10)
last changes	2022-07-10
year	2022
description	(no language specified) A class for generating disquisitions (MS and PhD - thesis, dissertation, and paper), intended to be in compliance with North Dakota State University requirements. Updated (2022) North Dakota State University LaTeX thesis class features several functionalities, including not limited to, numbered and non-numbered versions, overall justification, document point sizes, fonts options, SI units, show frames, URL breaking, long tables, subfigures, multi-page figures, chapter styles, subfiles, algorithm listing, BibTeX and BibLaTeX support, individual chapter and whole document bibliography, natbib citations, and clever references. The supplied simple and extended samples illustrate these features and guide students to use the class.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/ndsu-thesis-2022/ndsu-thesis-2022-documentation.pdf
– local file	<code>./1856011719-ndsu-thesis-2022-documentation.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ndsu-thesis-2022/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ndsu-thesis-2022
on MikTeX	ndsu-thesis-2022
on T _E XLive	ndsu-thesis-2022
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-07

4210 *ndedit-latex-extensions* – The LaTeX-Mode is a set of macros for the NEdit text editor

Web page on CTAN	https://ctan.org/pkg/ndedit-latex-extensions
name	NEdit-LaTeX-Extensions
caption	The LaTeX-Mode is a set of macros for the NEdit text editor
author	Fischer, Jörg
license	gpl = GNU General Public License (free)
version	0.9.1
description	(no language specified) The NEdit LaTeX-Mode is a package or set of macros, i.e. small programs, written in the NEdit macro or scripting language. It will turn NEdit, the Nirvana text editor, into an advanced LaTeX editor. NEdit version 5.4 or later is required.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/NEdit-LaTeX-Extensions/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/NEdit-LaTeX-Extensions/manual-s.pdf
– local file	./8255934743-manual-s.pdf
on CTAN	https://ctan.org/tex-archive/support/NEdit-LaTeX-Extensions
keyword	editor-extn (plug-ins for editors, for better (La)TeX and Meta* support)
language(s)	no language specified
year	without year
last access	2025-02-07

4211 *needspace* – Insert pagebreak if not enough space

Web page on CTAN <https://ctan.org/pkg/needspace>

name	needspace
caption	Insert pagebreak if not enough space
author	Robertson, Will
author	Wilson, Peter R.
author	The LaTeX Project Team
copyright	Will Robertson (2010, 2013)
copyright	LaTeX Project (2025)
copyright	Peter Wilson (1996-2003)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3e (2025-03-13)
last changes	2025-03-13
year	2025
description	(no language specified) Provides commands to disable pagebreaking within a given vertical space. If there is not enough space between the command and the bottom of the page, a new page will be started.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/needspace/needspace.pdf
– local file	<code>./2306907212-needspace.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/needspace/README.md
contact	<i>repository</i> : https://github.com/LaTeX-Package-Repositories/herries-press
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/needspace
on MikTeX	needspace
on T _E XLive	needspace
keyword	layout (layout of objects on the page)
language(s)	no language specified
last access	2025-03-25

4212 nehyph – Hyphenation patterns for Dutch

Web page on CTAN <https://ctan.org/pkg/nehyph>

name	NL hyphenation
caption	Hyphenation patterns for Dutch
author	Tutelaers, Piet
copyright	Piet Tutelaers (1996, 2000)
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) Hyphenation patterns for Dutch. Note that (despite the file's name), the ISO two-letter language code for Dutch is NL.
on CTAN	https://ctan.org/tex-archive/language/hyphenation/nehyph.tex
on T _E XLive	hyphen-dutch
keyword	dutch (support for typesetting Dutch)
keyword	hyphenation (macros or tables for hyphenation)
language(s)	no language specified
year	2000
last access	2025-02-07

4213 nemocal – Calendar maker

Web page on CTAN <https://ctan.org/pkg/nemocal>

name	nemocal
caption	Calendar maker
author	Jeong, Joohee
license	pd = Public Domain Software (free)
description	(no language specified) Nemocal produces a calendar whose coverage is determined by the switches you give the program; the calendar output is LaTeX 2.09 source. Program source and a DOS executable are provided; the source compiles with gcc after some minor modifications.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/nemocal/00readme
on CTAN	https://ctan.org/tex-archive/support/nemocal

keyword	calendar (typeset calendars, diaries, planning charts, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

4214 neoschool – LaTeX class for teachers

Web page on CTAN <https://ctan.org/pkg/neoschool>

name	neoschool
caption	LaTeX class for teachers
author	Ikhlef, Razik
copyright	Razik Ikhlef (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.0
description	(no language specified) This package provides secondary school teachers with a comprehensive set of tools for creating educational documents such as assessments, course materials, exercise sheets with solutions, and more. It includes eight predefined color themes, various class options for layout and typography, specialized environments, dedicated commands, and multiple preformatted header styles tailored to different document types. The package integrates numerous commonly used LaTeX packages, which significantly reduces the need for extensive preambles and minimizes compatibility issues. Additionally, it is multilingual, supporting French, English, and German.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/neoschool/README.md
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/neoschool/doc/neoschool.pdf
– local file	<code>./3999844510-neoschool.pdf</code>
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/neoschool/doc/neoschool-fr.pdf
– local file	<code>./4474378938-neoschool-fr.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/neoschool
on MikTeX	neoschool
on T _E XLive	neoschool
keyword	teaching (support for teachers and teaching administrators)

4215 *nestquot* – Alternate quotes between double and single with nesting

keyword	<code>class</code> (alternative LaTeX class(es))
language(s)	English; French
year	2025
last access	2025-02-07

4215 *nestquot* – Alternate quotes between double and single with nesting

Web page on CTAN <https://ctan.org/pkg/nestquot>

name	<code>nestquot</code>
caption	Alternate quotes between double and single with nesting
author	Hars, Florian
license	other-free = Free license not otherwise listed (free)
description	(no language specified) Provides two new commands: <code>\nlq</code> and <code>\nrq</code> for nesting left and right quotes that properly change between double and single quotes according to their nesting level. For example, the input <code>\nlq Foo \nlq bar\nrq\ bletch\nrq</code> will be typeset as if it had been entered as "Foo 'bar' bletch".

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/nestquot>

on T _E XLive	<code>nestquot</code>
keyword	<code>quote-marks</code> (manage (possibly language dependent) quote marks)
language(s)	no language specified
year	without year
last access	2025-02-07

4216 *neufont* – New font installation

Web page on CTAN <https://ctan.org/pkg/neufont>

name	<code>neufont</code>
caption	New font installation
author	Lorenz, Björn
copyright	Björn Lorenz (1997)
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) A guide on how to install new fonts (in German).

on CTAN	https://ctan.org/tex-archive/info/german/neufont.tex
keyword	german-doc (documentation in German)
language(s)	no language specified
year	1997
last access	2025-02-07

4217 *neuralnetwork* – Graph-drawing for neural networks

Web page on CTAN <https://ctan.org/pkg/neuralnetwork>

name	neuralnetwork
caption	Graph-drawing for neural networks
author	Cowan, Mark K.
license	gpl = GNU General Public License (free)
version	1.0 (2013-07-18)
last changes	2013-07-18
year	2013
description	(no language specified) The package provides facilities for graph-drawing, with facilities designed for neural network diagrams.
documentation	(no language specified) <i>Sample of a book using the package:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/neuralnetwork/examples/neural-networks-ebook.pdf
– local file	./6610102062-neural-networks-ebook.pdf
contact	<i>repository:</i> https://github.com/battlesnake/neural
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/neuralnetwork
on MikTeX	neuralnetwork
on TeXLive	neuralnetwork
keyword	diagram (diagrams)
language(s)	no language specified
last access	2025-02-07

4218 *neuron* – BibTeX style for the journal *Neuron*

Web page on CTAN <https://ctan.org/pkg/neuron>

name	neuron
caption	BibTeX style for the journal <i>Neuron</i>
author	Rizzuto, Dan
license	nosell = Do Not Sell Except by Arrangement (not free)
description	(no language specified) Generated by use of makebst .
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/neuron.bst
keyword	bibtex-sty (bibtex-sty(unknown))
keyword	journalpub (typesetting journals, etc)
keyword	neuro (typesetting neuroscience material)
language(s)	no language specified
year	without year
last access	2025-02-07

4219 *nevelok* – LaTeX package for automatic definite articles for Hungarian

Web page on CTAN <https://ctan.org/pkg/nevelok>

name	nevelok
caption	LaTeX package for automatic definite articles for Hungarian
author	Bodo, Zalan
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.03 (2015-12-05)
last changes	2015-12-05
year	2015
description	(no language specified) LaTeX package for automatic definite articles for Hungarian
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/nevelok/nevelok.pdf
– local file	./8841114467-nevelok.pdf

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/nevelok/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nevelok
on MikTeX	nevelok
on T _E XLive	nevelok
keyword	hungarian (support for typesetting Hungarian)
language(s)	no language specified
last access	2025-02-07

4220 newalg – Format algorithms like Cormen, Leiserson and Rivest

Web page on CTAN	https://ctan.org/pkg/newalg
name	newalg
caption	Format algorithms like Cormen, Leiserson and Rivest
author	Furnanz, Paul
author	Farnbach, Rick
license	noinfo = noinfo
version	(1995-01-08)
last changes	1995-01-08
year	1995
description	(no language specified) For comparison, see Cormen’s own clrscode .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/newalg/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/newalg/newalg.pdf
– local file	./3817299145-newalg.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/newalg
on MikTeX	newalg
keyword	pseudocode (typeset languages for expressing algorithms)
see also	see section 1131 on page 1031: (clrscode – Typesets pseudocode as in Introduction to Algorithms)
language(s)	no language specified

last access 2025-02-07

4221 newapa – Another APA citation mechanism

Web page on CTAN <https://ctan.org/pkg/newapa>

name	newapa
caption	Another APA citation mechanism
author	Spencer, Stephen N.
author	Ryu, Young
copyright	Stephen N. Spencer (1985)
license	lppl = The LaTeX Project Public License (free)
version	2.0
description	(no language specified) A LaTeX 2.09 package and BibTeX style for APA citations.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/newapa
keyword	apa (typesetting according to the rules of the American Psychological Association)
keyword	psychology (support for typesetting texts relating to psychology)
keyword	journalpub (typesetting journals, etc)
see also	see section 222 on page 204: (apacite – Citation style following the rules of the APA)
see also	see section 6069 on page 5484: (theapa – APA (American Psychology Association) Reference Citation for LaTeX)
language(s)	no language specified
year	1985
last access	2025-02-07

4222 `newcastle-bst` – A BibTeX style to format reference lists in the Harvard at Newcastle style

Web page on CTAN <https://ctan.org/pkg/newcastle-bst>

name	<code>newcastle-bst</code>
caption	A BibTeX style to format reference lists in the Harvard at Newcastle style
author	Briggs, Luke
copyright	Luke Briggs (2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1 (2021-07-10)
last changes	2021-07-10
year	2021
description	(no language specified) This package provides a BibTeX style to format reference lists in the Harvard at Newcastle style recommended by Newcastle University. It should be used alongside natbib for citations.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/biblio/bibtex/contrib/newcastle-bst/newcastle-bst.pdf
– local file	<code>./9735907939-newcastle-bst.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/biblio/bibtex/contrib/newcastle-bst/README.md
home page	https://github.com/LukeBriggsDev/Newcastle-BibTeX
contact	<i>bugs:</i> https://github.com/LukeBriggsDev/Newcastle-BibTeX/issues
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/newcastle-bst
on MikTeX	<code>newcastle-bst</code>
on TeXLive	<code>newcastle-bst</code>
keyword	<code>bibtex-sty</code> (<code>bibtex-sty(unknown)</code>)
language(s)	no language specified
last access	2025-02-07

4223 newclude – Reimplemented `\include` system for LaTeX

Web page on CTAN <https://ctan.org/pkg/newclude>

name	newclude
caption	Reimplemented <code>\include</code> system for LaTeX
author	Swift, Matt
license	gpl = GNU General Public License (free)
version	2
description	(no language specified) A LaTeX package providing a backwards-compatible reimplementation of <code>\include</code> and <code>\includeonly</code>. The principal new features are: • the restriction that <code>\clearpage</code> s must surround an included file is removed, • the restriction that <code>\include</code> s cannot be nested is removed, and • the provision of hooks to be executed before and after the contents of an included file. Newclude accomplishes the first two by using a single <code>.aux</code> file instead of many. Newclude also provides the experimental functionality of the unsupported package includex, which allows you to include partial contents of independent LaTeX files that can also be processed on their own (that is, files that contain <code>\documentclass</code>, <code>\begin{document}</code>, etc.).
documentation	(no language specified) <i>Bundle README</i> : https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/newclude.pdf
– local file	<code>./1386094956-newclude.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/frankenstein
on MikTeX	frankenstein
on TeXLive	frankenstein
keyword	subdocs (include complete documents in other documents)
see also	see section 1649 on page 1495 : (<code>docmute</code> – Input files ignoring LaTeX preamble, etc)
see also	see section 1226 on page 1114 : (<code>combine</code> – Bundle individual documents into a single document)

see also	see section 2933 on page 2652: (<code>\includex</code> – Extended <code>\include</code>)
see also	see section 5674 on page 5136: (<code>\standalone</code> – Compile TeX pictures stand-alone or as part of a document)
language(s)	no language specified
year	without year
last access	2025-02-07

4224 *newcommand* – Generate new LaTeX command definitions

Web page on CTAN <https://ctan.org/pkg/newcommand>

name	<code>newcommand</code>
caption	Generate new LaTeX command definitions
author	Pakin, Scott
copyright	Scott Pakin (2008)
license	lppl = The LaTeX Project Public License (free)
version	2.0
description	(no language specified) Generating any other than the simple <code>\newcommand</code> -style commands, in LaTeX, is tedious (in the least). This script allows the specification of commands in a ‘natural’ style; the script then generates macros to define the command.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/newcommand/newcommand.pdf
– local file	<code>./5372015065-newcommand.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/newcommand/README
on CTAN	https://ctan.org/tex-archive/support/newcommand
on T _E XLive	<code>newcommand</code>
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
language(s)	no language specified
year	2008
last access	2025-02-07

4225 newcomputermodern – Computer Modern fonts including matching non-latin alphabetsWeb page on CTAN <https://ctan.org/pkg/newcomputermodern>

Alias	newcm
name	NewComputerModern
caption	Computer Modern fonts including matching non-latin alphabets
author	Tsolomitis, Antonis
license	gfl = The GUST Font License (GFL) (free)
license	gpl3+fe = GNU General Public License 3 with font exception (free)
version	8.0.0 (2026-04-22)
last changes	2026-04-22
year	2026
description	(no language specified) This is a new assembly of Computer Modern fonts including extensions in many directions for both Latin based languages, non-Latin based languages and Mathematics, all compatible in style to CM fonts. In addition to the Regular weight of Computer Modern, it provides a Book weight for heavier printing. Regarding license: Some fonts are now distributed under GPL3+FontException+DistributionException in Chapter7 of the GPL. This is explicitly written and described in the <code>License.txt</code> file and the documentation of the package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/newcomputermodern/doc/newcm-doc.pdf
– local file	<code>./8638918972-newcm-doc.pdf</code>
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/newcomputermodern/doc/newcomputermodern-sample.pdf
– local file	<code>./9782874100-newcomputermodern-sample.pdf</code>
documentation	(no language specified) <i>Math coverage and symbol comparison</i> : https://ctan.org/tex-archive/fonts/newcomputermodern/doc/newcm-unimath-symbols.pdf
– local file	<code>./1740546275-newcm-unimath-symbols.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/newcomputermodern/README
home page	https://download.gnu.org.ua/release/newcm/
contact	<i>repository</i> : https://git.gnu.org.ua/newcm.git

on CTAN	https://ctan.org/tex-archive/fonts/newcomputermodern
on MikTeX	<code>newcomputermodern</code>
on T _E XLive	<code>newcomputermodern</code>
keyword	<code>font-hebrew</code> (font for Hebrew script)
keyword	<code>font-medieval</code> (fonts for Medieval script)
keyword	<code>font-maths</code> (fonts for use in mathematics)
keyword	<code>font-archaic</code> (fonts reproducing archaic scripts or inscriptions)
keyword	<code>font-georgian</code> (fonts for typesetting georgian)
keyword	<code>font-sans</code> (sans-serif font)
keyword	<code>other-lang</code> (support for a language whose support is not otherwise catalogued)
keyword	<code>font-cm</code> (font serving Computer Modern-style shapes)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>phonetic</code> (support for phonetic notation)
keyword	<code>editorial</code> (editor's marks, highlights, etc.)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>linguistic</code> (support for linguistics)
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-canadian-aboriginal</code> (fonts for Canadian Aboriginal)
keyword	<code>font-mono</code> (monospaced font)
keyword	<code>font-greek</code> (font for Greek (archaic, classical and modern))
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-multilingual</code> (font with adaptations to several languages)
keyword	<code>font-indic</code> (fonts for languages of the Indian subcontinent)
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font-cyrillic</code> (fonts for Cyrillic and related scripts)
keyword	<code>font-coptic</code> (fonts for coptic script)
keyword	<code>cherokee</code> (support for typesetting Cherokee)
keyword	<code>tagged-pdf</code> (tagged PDF compatible)
keyword	<code>font-armenian</code> (fonts for typesetting armenian)

language(s) no language specified
last access 2026-04-29

4226 *newenvi*ron – Processing an environment’s body

Web page on CTAN <https://ctan.org/pkg/newenvi>

name *newenvi*ron
caption Processing an environment’s body
author Musa, Ahmed
copyright Ahmed Musa (2013)
license lpl1.3 = The LaTeX Project Public License 1.3 (free)
version 1.0
description (no language specified) The package offers tools for collecting and executing an environment’s body.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/newenvi/README>
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/newenvi>
on MikTeX *newenvi*ron
on T_EXLive *newenvi*ron
keyword macro-supp (support for development of (La)TeX macros)
see also see section 1927 on page 1741: (*envi*ron – A new interface for environments in LaTeX)
language(s) no language specified
year 2013
last access 2025-02-07

4227 newfile – User level management of LaTeX input and output

Web page on CTAN <https://ctan.org/pkg/newfile>

name	newfile
caption	User level management of LaTeX input and output
author	Robertson, Will
author	Wilson, Peter R.
copyright	Peter R. Wilson (2002-2004)
license	lppl = The LaTeX Project Public License (free)
version	1.0c
description	(no language specified) Commands are defined to manage the limited pool of input and output handles provided by TeX. The <i>streams</i> so provided are mapped to various of the LaTeX input and output mechanisms. Some facilities of the verbatim package are also mapped.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/newfile/newfile.pdf
– local file	./4427476715-newfile.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/newfile/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/newfile
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/newfile.tds.zip
on MikTeX	newfile
on TeXLive	newfile
keyword	io-mgmt (manage TeX's limited i/o streams)
language(s)	no language specified
year	2004
last access	2025-02-07

4228 newfloat – Define new floating environments

Web page on CTAN <https://ctan.org/pkg/newfloat>

name	newfloat
caption	Define new floating environments
author	Sommerfeldt, Axel
copyright	Axel Sommerfeldt (2011-2023)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2
description	(no language specified) The package offers the command <code>\DeclareFloatingEnvironment</code> , which the user may use to define new floating environments which behave like the LaTeX standard floating environments <code>figure</code> and <code>table</code> .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/newfloat/newfloat.pdf
– local file	<code>./9365513416-newfloat.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/newfloat/README
home page	https://gitlab.com/axelsommerfeldt/newfloat
contact	<i>support</i> : https://gitlab.com/axelsommerfeldt/newfloat/-/issues
contact	<i>bugs</i> : https://gitlab.com/axelsommerfeldt/newfloat/-/issues
contact	<i>repository</i> : https://gitlab.com/axelsommerfeldt/newfloat/tree/master
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/newfloat
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/newfloat.tds.zip
on MikTeX	newfloat
on T _E XLive	newfloat
keyword	float (typesetting floats)
see also	see section 2265 on page 2050: (float – Improved interface for floating objects)
language(s)	no language specified

year 2023
last access 2025-02-07

4229 *newinsert* – Reworking Plain TeX's insert macros

Web page on CTAN <https://ctan.org/pkg/newinsert>

name *newinsert*
caption Reworking Plain TeX's insert macros
author Neumann, Walter D.
license noinfo = noinfo
version 1.2
description (no language specified) Fixes various problems with `\midinsert` and `\topinsert`.
on CTAN <https://ctan.org/tex-archive/macros/plain/contrib/misc/newinsert.tex>
keyword float (typesetting floats)
language(s) no language specified
year without year
last access 2025-02-07

4230 *newlfm* – Write letters, facsimiles, and memos

Web page on CTAN <https://ctan.org/pkg/newlfm>

name *newlfm*
caption Write letters, facsimiles, and memos
author Thompson, Paul A.
copyright Paul Thompson (1999-2009)
license gpl = GNU General Public License (free)
version 9.4

description	(no language specified) Integrates the letter class with fancyhdr and geometry to automatically make letterhead stationery. Useful for writing letters, fax, and memos. You can set up an address book using ‘wrapper’ macros. You put all the information for a person into a wrapper and then put the wrapper in a document. The class handles letterheads automatically. You place the object for the letterhead (picture, information, etc.) in a box and all sizing is set automatically.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/newlrm/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/newlrm/newlrm.pdf
– local file	./2897346423-newlrm.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/newlrm
on MikTeX	newlrm
on TeXLive	newlrm
keyword	letter (typesetting letters, envelopes, faxes, etc)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
year	2009
last access	2025-02-07

4231 *newpax* – Experimental package to extract and reinsert PDF annotations

Web page on CTAN <https://ctan.org/pkg/newpax>

name	newpax
caption	Experimental package to extract and reinsert PDF annotations
author	Fischer, Ulrike
copyright	Ulrike Fischer (2021-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.57 (2025-09-24)
last changes	2025-09-24
year	2025

description	(no language specified) The package is based on the pax package from Heiko Oberdiek. It offers a lua-based alternative to the java based pax.jar to extract the annotations from a PDF. The resulting file can then be used together with pax.sty. It also offers an extended style which works with all three major engines.
documentation	(no language specified) <i>Documentation on Use:</i> https://ctan.org/tex-archive/macros/latex/contrib/newpax/doc-use-newpax.pdf
– local file	./1363784537-doc-use-newpax.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/newpax/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/newpax/newpax.pdf
– local file	./6934265133-newpax.pdf
contact	<i>support:</i> https://github.com/u-fischer/newpax/issues
contact	<i>repository:</i> https://github.com/u-fischer/newpax
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/newpax
on MikTeX	newpax
on T _E XLive	newpax
keyword	expl3 (expl3(unknown))
keyword	luatex (LuaTeX and packages that require it)
keyword	pdf-feat (access PDF features)
language(s)	no language specified
last access	2025-10-01

4232 newproof – Make commands to define proofs

Web page on CTAN <https://ctan.org/pkg/newproof>

name	newproof
caption	Make commands to define proofs
author	Carlisle, David
author	Fairbairns, Robin
author	Piff, Mike
license	pd = Public Domain Software (free)

4233 *newpx* – Alternative uses of the PX fonts, with improved metrics

version	(2010-12-03)
last changes	2010-12-03
year	2010
description	(no language specified) The <code>\newproof</code> command is rather like <code>\newtheorem</code> ; it creates environments which may be used to typeset conventional mathematical proofs. The package is part of the piff bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/piff/newproof-doc.pdf
– local file	<code>./2040228122-newproof-doc.pdf</code>
documentation	(no language specified) <i>Bundle Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/piff/README
contact	<i>support</i> : https://github.com/rf-latex/piff/issues
contact	<i>repository</i> : https://github.com/rf-latex/piff
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/piff/newproof.sty
on MikTeX	<code>piff</code>
on TeXLive	<code>piff</code>
keyword	<code>maths-theorem</code> (typeset mathematical theorems)
language(s)	no language specified
last access	2025-02-07

4233 *newpx* – Alternative uses of the PX fonts, with improved metrics

Web page on CTAN <https://ctan.org/pkg/newpx>

name	<code>newpx</code>
caption	Alternative uses of the PX fonts, with improved metrics
author	Sharpe, Michael
license	lppl = The LaTeX Project Public License (free)
license	gfl = The GUST Font License (GFL) (free)
version	1.540 (2025-01-29)
last changes	2025-01-29
year	2025

description	(no language specified) This package, initially based on pxfonts , provides many fixes and enhancements to that package, and splits it in two parts (<code>newpxtext</code> and <code>newpxmath</code>) which may be run independently of one another. It provides scaling, improved metrics, and other options. For proper operation, the packages require that the packages newtxmath , pxfonts , and TeXGyrePagella be installed and their map files enabled.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/newpx/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/newpx/doc/newpxdoc.pdf
– local file	<code>./9205234575-newpxdoc.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/newpx
on MikTeX	<code>newpx</code>
on TeXLive	<code>newpx</code>
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-tlenc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-maths</code> (fonts for use in mathematics)
language(s)	no language specified
last access	2025-02-07

4234 newsletr – Macros for making newsletters with Plain TeX

Web page on CTAN <https://ctan.org/pkg/newsletr>

name	newsletr
caption	Macros for making newsletters with Plain TeX
author	Goatley, Hunter
license	other-free = Free license not otherwise listed (free)
documentation	(no language specified) <i>Help for newsletr format</i> : https://ctan.org/tex-archive/macros/plain/contrib/newsletr/newsletr.txt
documentation	(no language specified) <i>Sample Newsletter</i> : https://ctan.org/tex-archive/macros/plain/contrib/newsletr/newssamp.pdf
– local file	./5818489389-newssamp.pdf
documentation	(no language specified) <i>Another sample Newsletter</i> : https://ctan.org/tex-archive/macros/plain/contrib/newsletr/sample.pdf
– local file	./2442172755-sample.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/contrib/newsletr/README
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/newsletr
on MikTeX	newsletr
on TeXLive	newsletr
keyword	magazine (magazines, newspapers and other ephemeral publications)
language(s)	no language specified
year	without year
last access	2025-02-07

4235 newspaper – Typeset newsletters to resemble newspapers

Web page on CTAN <https://ctan.org/pkg/newspaper>

name	newspaper
caption	Typeset newsletters to resemble newspapers
author	Allen, Matthew
author	Griffith, David
copyright	Matthew Allen (2007)

license	lpl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The newspaper package redefines the page style and <code>\maketitle</code> command to produce a typeset page similar to that of a newspaper. It also provides several commands that (when used with other packages) simplify the writing of articles in a newspaper-style column format.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/newspaper/newspaper.pdf
– local file	<code>./2449669783-newspaper.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/newspaper/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/newspaper
on MikTeX	<code>newspaper</code>
on TeXLive	<code>newspaper</code>
keyword	magazine (magazines, newspapers and other ephemeral publications)
language(s)	no language specified
year	2007
last access	2025-02-07

4236 *newthm* – Obsolete version of *ntheorem*

Web page on CTAN <https://ctan.org/pkg/newthm>

name	<code>newthm</code>
caption	Obsolete version of <i>ntheorem</i>
author	Schlechte, Wolfgang Andreas
license	<code>noinfo</code> = <code>noinfo</code>
description	(no language specified) A modified version of the theorem style, which provides generation of lists of theorems. The package has been superseded by <i>ntheorem</i> . The package is no longer available from CTAN.
keyword	<code>obsolete</code> (package declared obsolete)
keyword	<code>maths-theorem</code> (typeset mathematical theorems)
language(s)	no language specified
year	without year

last access 2025-02-07

4237 `newtx` – Alternative uses of the TX fonts, with improved metricsWeb page on CTAN <https://ctan.org/pkg/newtx>

name	<code>newtx</code>
caption	Alternative uses of the TX fonts, with improved metrics
author	Sharpe, Michael
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.756 (2025-01-09)
last changes	2025-01-09
year	2025
description	(no language specified) The bundle splits <code>txfonts.sty</code> (from the TX fonts distribution) into two independent packages, <code>newtxtext.sty</code> and <code>newtxmath.sty</code>, each with fixes and enhancements. <code>newtxmath</code>’s metrics have been re-evaluated to provide a less tight appearance, and to provide a <code>libertine</code> option that substitutes Libertine italic and Greek letter for the existing math italic and Greek glyphs, making a mathematics package that matches Libertine text quite well. <code>newtxmath</code> can also use the maths italic font provided with the garamondx package, thus offering a garamond-alike text-with-maths combination.
documentation	(no language specified) <i>Notes concerning math fonts</i> : https://ctan.org/tex-archive/fonts/newtx/doc/mathnotes.pdf
– local file	<code>./4951892367-mathnotes.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/newtx/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/newtx/doc/newtxdoc.pdf
– local file	<code>./8381262052-newtxdoc.pdf</code>
documentation	(no language specified) <i>Implementation notes</i> : https://ctan.org/tex-archive/fonts/newtx/doc/implementation.pdf
– local file	<code>./1297468889-implementation.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/newtx
on MikTeX	<code>newtx</code>
on T _E XLive	<code>newtx</code>

keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-t1enc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font-maths</code> (fonts for use in mathematics)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-serif</code> (serif font)
see also	see section 3990 on page 3608: (<code>minion2newtx</code> – Enable use of Minion Pro with newtx)
language(s)	no language specified
last access	2025-02-07

4238 newtxsf – Sans-math fonts for use with newtx

Web page on CTAN <https://ctan.org/pkg/newtxsf>

name	<code>newtxsf</code>
caption	Sans-math fonts for use with newtx
author	Sharpe, Michael
license	ofl = The SIL Open Font License (free)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.056 (2024-01-25)
last changes	2024-01-25
year	2024
description	(no language specified) The package provides a maths support that amounts to modifications of the STIX sans serif Roman and Greek letters with most symbols taken from <code>newtxmath</code> (which must of course be installed and its map file enabled).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/newtxsf/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/newtxsf/doc/newtxsf-doc.pdf

4239 *newtxsf* – Enhancement of typewriter fonts from newtx

– local file	<code>./6012820142-newtxsf-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/newtxsf
on MikTeX	<code>newtxsf</code>
on TeXLive	<code>newtxsf</code>
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-sans</code> (sans-serif font)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-maths</code> (fonts for use in mathematics)
see also	see section 5699 on page 5162: (<code>stix</code> – OpenType Unicode maths fonts)
see also	see section 4237 on page 3836: (<code>newtx</code> – Alternative uses of the TX fonts, with improved metrics)
language(s)	no language specified
last access	2025-02-07

4239 *newtxtt* – Enhancement of typewriter fonts from newtx

Web page on CTAN <https://ctan.org/pkg/newtxtt>

name	<code>newtxtt</code>
caption	Enhancement of typewriter fonts from newtx
author	Sharpe, Michael
license	gpl3 = GNU General Public License, version 3 (free)
license	lpl = The LaTeX Project Public License (free)
version	1.059 (2024-03-12)
last changes	2024-03-12
year	2024
description	(no language specified) The package provides enhanced fonts with LaTeX support files providing access to the typewriter fonts from newtx. Regular and bold weights, slanted variants and a choice of four different styles for zero.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/newtxtt/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/newtxtt/doc/newtxtt-doc.pdf
– local file	<code>./2360251214-newtxtt-doc.pdf</code>

on CTAN	https://ctan.org/tex-archive/fonts/newtxtt
on MikTeX	<code>newtxtt</code>
on T _E XLive	<code>newtxtt</code>
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-t1enc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-mono</code> (monospaced font)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
language(s)	no language specified
last access	2025-02-07

4240 `newunicodechar` – Definitions of the meaning of Unicode characters

Web page on CTAN <https://ctan.org/pkg/newunicodechar>

name	<code>newunicodechar</code>
caption	Definitions of the meaning of Unicode characters
author	Gregorio, Enrico
copyright	Enrico Gregorio (2011-2018)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2 (2018-04-08)
last changes	2018-04-08
year	2018
description	(no language specified) The package provides a friendly interface for defining the meaning of Unicode characters. The document should be processed by (pdf)LaTeX with the unicode option of <code>inputenc</code> or <code>inputenx</code>, or by XeLaTeX/LuaLaTeX. The command provided is <pre>\newunicodechar{<char>}{<code>}</pre> where <code><char></code> is a directly-typed Unicode character, and <code><code></code> is its replacement.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/newunicodechar/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/newunicodechar/newunicodechar.pdf

– local file	<code>./2865046427-newunicodechar.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/newunicodechar
on MikTeX	newunicodechar
on TeXLive	newunicodechar
keyword	unicode (Unicode, material supporting it, and packages requiring it)
keyword	inputenc (input encoding support for TeX engines)
language(s)	no language specified
last access	2025-02-07

4241 *newvbtm* – Define your own verbatim-like environment

Web page on CTAN <https://ctan.org/pkg/newvbtm>

name	newvbtm
caption	Define your own verbatim-like environment
author	Nakashima, Hiroshi
copyright	Hiroshi Nakashima (1999)
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) Defines general purpose macro named <code>\newverbatim</code> to define your own verbatim-like environment. It also has a supplementary style file <code>varvbtm.sty</code> to provide set of macros for variants of verbatim, such as tab emulation.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/newvbtm/README
documentation	(no language specified) <i>Package manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/newvbtm/newvbtm-man.pdf
– local file	<code>./5301489232-newvbtm-man.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/newvbtm
on MikTeX	newvbtm
on TeXLive	newvbtm
keyword	verbatim (verbatim typesetting, etc.)
keyword	listing (computer code listing)

language(s)	no language specified
year	1999
last access	2025-02-07

4242 newverbs – Define new versions of `\verb`, including short verb versions

Web page on CTAN <https://ctan.org/pkg/newverbs>

name	newverbs
caption	Define new versions of <code>\verb</code> , including short verb versions
author	Scharrer, Martin
copyright	Martin Scharrer (2010-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.6a (2022-10-25)
last changes	2022-10-25
year	2022
description	(no language specified) The package allows the definition of <code>\verb</code> variants which add TeX code before and after the verbatim text (e.g., quotes or surrounding <code>\fbox{ }</code>). When used together with the shortvrb package it allows the definition of short verbatim characters which use this package's variant instead of the normal <code>\verb</code>. In addition, it is possible to collect an argument verbatim to either typeset or write it into a file. The <code>\Verbdef</code> command defines verbatim text to a macro which can later be used to write the verbatim text to a file.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/newverbs/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/newverbs/newverbs.pdf
– local file	<code>./9833132224-newverbs.pdf</code>
home page	https://github.com/MartinScharrer/newverbs
contact	<i>bugs</i> : https://github.com/MartinScharrer/newverbs/issues
contact	<i>repository</i> : https://github.com/MartinScharrer/newverbs.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/newverbs
on MikTeX	newverbs

on T _E XLive	newverbs
keyword	verbatim (verbatim typesetting, etc.)
see also	see section 5469 on page 4948: (<code>shortvrb</code> – Abbreviated verbatim commands)
language(s)	no language specified
last access	2025-02-07

4243 *nextpage* – Generalisations of the page advance commands

Web page on CTAN <https://ctan.org/pkg/nextpage>

name	nextpage
caption	Generalisations of the page advance commands
author	Robertson, Will
author	Wilson, Peter R.
license	lppl = The LaTeX Project Public License (free)
version	1.1a
description	(no language specified) Provides <code>\clearpage</code> and <code>\newpage</code> variants that guarantee to end up on even/odd numbered pages; these 4 commands all have an optional argument whose content will be placed on any "empty" page generated.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/misc/nextpage.sty
on MikT _E X	nextpage
on T _E XLive	nextpage
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	without year
last access	2025-02-07

4244 *nexus-otf* – Supporting for the Nexus OpenType or True Type Fonts

Web page on CTAN <https://ctan.org/pkg/nexus-otf>

name	<code>nexus-otf</code>
caption	Supporting for the Nexus OpenType or True Type Fonts
author	Voß, Herbert
copyright	Herbert Voß (2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.02
description	(no language specified) Package <code>nexus-otf</code> supports the Nexus fonts for the corporate design font of the Free University of Berlin (Freie Universität Berlin - Germany)
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/nexus-otf/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/nexus-otf/doc/nexus-otf-doc.pdf
– local file	<code>./1825885063-nexus-otf-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nexus-otf
on MikTeX	<code>nexus-otf</code>
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-ttf</code> (font available in TrueType format)
language(s)	no language specified
year	2018
last access	2026-04-13

4245 *nfssext-cfr* – Extensions to the LaTeX NFSS

Web page on CTAN <https://ctan.org/pkg/nfssext-cfr>

name	<code>nfssext-cfr</code>
caption	Extensions to the LaTeX NFSS
author	Lehman, Philipp
author	Rees, Clea F.
copyright	Clea F. Rees (2008-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1
description	(no language specified) The package is a development of <code>nfssext.sty</code> , distributed with the examples for the font installation guide . The package has been developed for use in packages such as cfr-lm and venturisadf ,
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/nfssext-cfr/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/nfssext-cfr/nfssext-cfr.pdf
– local file	<code>./9355639545-nfssext-cfr.pdf</code>
contact	<i>repository</i> : https://codeberg.org/cfr/nfssext
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nfssext-cfr
on MikTeX	<code>nfssext-cfr</code>
on T _E XLive	<code>nfssext-cfr</code>
keyword	<code>font-sel</code> (font selection schemes)
language(s)	no language specified
year	2024
last access	2025-02-07

4246 *nfssfont* – Typesetting font tables using LaTeX’s NFSS notation

Web page on CTAN <https://ctan.org/pkg/nfssfont>

name	<i>nfssfont</i>
caption	Typesetting font tables using LaTeX’s NFSS notation
author	The LaTeX Project Team
author	Mittelbach, Frank
copyright	The LaTeX3 Project (1993-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.2f (2023-11-07)
last changes	2023-11-07
year	2023
description	(no language specified) Typesetting font tables based on code written by Don Knuth (with fonts specified using LaTeX’s NFSS notation).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/base/nfssfont.pdf
– local file	<code>./5644418318-nfssfont.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/base
keyword	<code>font-index</code> (lists of glyphs available from font(s))
language(s)	no language specified
last access	2026-04-10

4247 *ngerman* – Support for new German typography

Web page on CTAN <https://ctan.org/pkg/ngerman>

name	<i>ngerman</i>
caption	Support for new German typography
author	Raichle, Bernd
copyright	Bernd Raichle (1998)
license	lppl = The LaTeX Project Public License (free)
version	2.5e
description	(no language specified) Supports the new German orthography (neue deutsche Rechtschreibung).

4248 `nicefilelist` – Provide `\listfiles` alignment

documentation	<i>Package documentation (German):</i> https://ctan.org/tex-archive/language/german/gerdoc.pdf
– local file	<code>./9192258063-gerdoc.pdf</code>
on CTAN	https://ctan.org/tex-archive/language/german/ngerman.sty
on MikTeX	<code>german</code>
on T _E XLive	<code>german</code>
keyword	<code>german</code> (support for typesetting German)
language(s)	German
year	1998
last access	2025-02-07

4248 `nicefilelist` – Provide `\listfiles` alignment

Web page on CTAN	https://ctan.org/pkg/nicefilelist
name	<code>nicefilelist</code>
caption	Provide <code>\listfiles</code> alignment
author	Lück, Uwe
copyright	Uwe Lück (2012)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.9c (2025-04-21)
last changes	2025-04-21
year	2025
description	(no language specified) The package extends <code>longnamefilelist</code>, keeping separate columns for date, version and "caption" (the caption now separately listed). Alignment is not disturbed by short file name extensions, such as <code>".fd"</code>. The package is not compatible with <code>longnamefilelist</code>: users need to re-read the documentation. Options <code>hashes</code> and <code>sizes</code> are provided for <code>\listfiles</code>, for use with LaTeX formats 2024-06-01 or newer.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/nicefilelist/doc/nicefilelist.pdf
– local file	<code>./3742878575-nicefilelist.pdf</code>

4249 *nicefrac* – Typeset in-line fractions in a "nice" way

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/nicefilelist/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nicefilelist
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/nicefilelist.tds.zip
on MikTeX	nicefilelist
on T _E XLive	nicefilelist
keyword	doc-mgmt (support for keeping track of document development)
language(s)	no language specified
last access	2025-05-04

4249 *nicefrac* – Typeset in-line fractions in a "nice" way

Web page on CTAN	https://ctan.org/pkg/nicefrac
name	nicefrac
caption	Typeset in-line fractions in a "nice" way
author	Reichert, Axel
copyright	Axel Reichert (1998)
license	gpl = GNU General Public License (free)
version	0.9b
description	(no language specified) The package typesets fractions "nicely" — in the form 'a/b' (i.e., staggered with a slash between them, rather than directly one over the other). The package is distributed as part of a bundle including the units package. Nicefrac's facilities are provided, in a cleaner way, by the (experimental) xfrac package, but see also the faktor package for quotient spaces and the like.
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/units/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/units/units.pdf
– local file	./1100096411-units.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/units
on MikTeX	units

on T _E XLive	units
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	1998
last access	2025-02-09

4250 *niceframe* – Support for fancy frames

Web page on CTAN <https://ctan.org/pkg/niceframe>

name	niceframe
caption	Support for fancy frames
author	Ohlhaut, Marcus
license	lppl = The LaTeX Project Public License (free)
version	1.1c
description	(no language specified) The package defines means of drawing frames around boxes, using dingbat fonts. Some (Metafont) font sources are included; the fonts are available separately in Type 1 format .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/niceframe/niceframe.pdf
– local file	./2919997350-niceframe.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/niceframe
on MikT _E X	niceframe
on T _E XLive	niceframe
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
see also	see section 6448 on page 5826 : (umrand – Package for fancy box frames)
language(s)	no language specified
year	without year
last access	2025-02-07

4251 **niceframe-type1** – Type 1 versions of the fonts recommended in niceframe

Web page on CTAN <https://ctan.org/pkg/niceframe-type1>

name	niceframe-type1
caption	Type 1 versions of the fonts recommended in niceframe
author	Niepraschk, Rolf
license	lppl = The LaTeX Project Public License (free)
version	(2024-07-19)
last changes	2024-07-19
year	2024
description	(no language specified) The bundle provides Adobe Type 1 versions of the fonts bbding10 , dingbat , karta15 , umranda and umrandb .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/niceframe/README.md
on CTAN	https://ctan.org/tex-archive/fonts/niceframe
on MikTeX	niceframe-type1
on TeXLive	niceframe-type1
keyword	font-decor (decorative or initial fonts)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
language(s)	no language specified
last access	2025-02-07

4252 **nicematrix** – Improve the typesetting of matrices and tabulars with PGF

Web page on CTAN <https://ctan.org/pkg/nicematrix>

name	nicematrix
caption	Improve the typesetting of matrices and tabulars with PGF
author	Pantigny, François
copyright	F. Pantigny (2018-2026)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	7.8 (2026-03-11)
last changes	2026-03-11

year	2026
description	(no language specified) This package is based on the package <code>array</code> . It creates <code>PGF/TikZ</code> nodes under the cells of the array and uses these nodes to provide functionalities to construct tabulars, arrays and matrices. Among the features : • continuous dotted lines for the mathematical matrices; • exterior rows and columns (so-called border matrices); • control of the width of the columns; • tools to color rows and columns with a good PDF result; • blocks of cells; • tabular notes; • etc. The package requires and loads <code>array</code> , <code>amsmath</code> , <code>pgfcore</code> , and the module shapes of <code>PGF</code> .
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/nicematrix/nicematrix.pdf
– local file	<code>./7690640215-nicematrix.pdf</code>
documentation	<i>Package documentation in French</i>: https://ctan.org/tex-archive/macros/latex/contrib/nicematrix/nicematrix-french.pdf
– local file	<code>./2366945863-nicematrix-french.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/nicematrix/README.md
contact	<i>repository</i> : https://github.com/fpantigny/nicematrix
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nicematrix
on MikTeX	<code>nicematrix</code>
on TeXLive	<code>nicematrix</code>
keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>matrix</code> (typeset matrices)
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>tagged-pdf-incompatible</code> (tagged PDF incompatible)
language(s)	French
last access	2026-03-26

4253 *nicetext* – Minimal markup for simple text (Wikipedia style) and documentation

Web page on CTAN <https://ctan.org/pkg/nicetext>

name	nicetext
caption	Minimal markup for simple text (Wikipedia style) and documentation
author	Lück, Uwe
copyright	Uwe Lück (2009-2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	r0.67
description	(no language specified) The bundle offers "minimal" markup syntax for various simple kinds of text. The user will typically involve little more than is printed, and will still get LaTeX quality. The bundle provides four packages: • wiki addresses general texts, marked up in the simple style used on Wikipedia; • niceverb is yet another means of documenting LaTeX packages: it offers syntax-aware typesetting of meta-variables (macro arguments) and for referring to commands (and their syntax) in footnotes, section titles etc.; • finddo aims to parse plain text or (La)TeX files using TeX, and to write the results to an external file; the package is used by another member of the bundle: • makedoc, which provides the means to produce typeset documentation direct from package files.
documentation	(no language specified) <i>Niceverb documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/nicetext/doc/niceverb.pdf
– local file	./7000016014-niceverb.pdf
documentation	(no language specified) <i>Cheatsheet for the wiki package</i>: https://ctan.org/tex-archive/macros/latex/contrib/nicetext/doc/wikicheat.pdf
– local file	./6030798767-wikicheat.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/nicetext/README
documentation	(no language specified) <i>Cheat sheet for the makedoc package</i>: https://ctan.org/tex-archive/macros/latex/contrib/nicetext/doc/mdoccheat.pdf

– local file	<code>./4650860261-mdoccheat.pdf</code>
documentation	(no language specified) <i>Makedoc documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/nicetext/doc/makedoc.pdf
– local file	<code>./2288318178-makedoc.pdf</code>
documentation	(no language specified) <i>Fifinddo documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/nicetext/doc/fifinddo.pdf
– local file	<code>./2396500896-fifinddo.pdf</code>
contact	<i>support</i> : http://www.webdesign-bu.de/uwe_lueck/contact.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nicetext
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/nicetext.tds.zip
on MikTeX	<code>nicetext</code>
on T _E XLive	<code>nicetext</code>
keyword	markup (alternative markup scheme)
see also	see section 1789 on page 1616: (easyLaTeX – Faster and simpler writing of LaTeX documents)
see also	see section 6379 on page 5764: (txt2latex – Convert text by fixing special chars and quote marks)
see also	see section 3739 on page 3383: (makedtx – Perl script to help generate dtx and ins files)
see also	see section 2567 on page 2324: (gmdoc – Documentation of LaTeX packages)
see also	see section 1642 on page 1489: (doc – Format LaTeX documentation)
language(s)	no language specified
year	2015
last access	2026-03-26

4254 niceverb – Minimising markup for documenting LaTeX packages

Web page on CTAN <https://ctan.org/pkg/niceverb>

name	niceverb
caption	Minimising markup for documenting LaTeX packages
author	Lück, Uwe
copyright	Uwe Lück (2009-2011)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.51
description	(no language specified) The package provides a useful means of describing LaTeX packages and the syntax of LaTeX macros.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/nicetext/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/nicetext/doc/niceverb.pdf
– local file	./7000016014-niceverb.pdf
contact	<i>support</i> : http://www.webdesign-bu.de/uwe_lueck/contact.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nicetext/use/niceverb.sty
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/nicetext.tds.zip
on MikTeX	nicetext
on T _E XLive	nicetext
keyword	markup (alternative markup scheme)
keyword	verbatim (verbatim typesetting, etc.)
keyword	package-doc (markup for documenting package sources)
keyword	listing (computer code listing)
language(s)	no language specified
year	2011
last access	2026-03-26

4255 *nidanfloat* – Bottom placement option for double float in two column mode (nidan-kumi)

Web page on CTAN <https://ctan.org/pkg/nidanfloat>

name	<i>nidanfloat</i>
caption	Bottom placement option for double float in two column mode (nidan-kumi)
author	Japanese TeX Development Community
copyright	ASCII MEDIA WORKS (2010)
copyright	Japanese TeX Development Community (2016-2018)
license	bsd3 = 3-clause BSD License (free)
version	(2018-07-28)
last changes	2018-07-28
year	2018
description	(no language specified) This package enables a bottom placement option for double floats in two column mode (<i>nidan-kumi</i>). It was originally part of the Japanese pLaTeX bundle and is now distributed as a separate package because it supports all LaTeX formats.
documentation	<i>Package documentation (Japanese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/nidanfloat/nidanfloat.pdf
– local file	<code>./4673226224-nidanfloat.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/nidanfloat/README.md
contact	<i>repository</i> : https://github.com/texjporg/nidanfloat
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nidanfloat
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/nidanfloat.tds.zip
on MikTeX	<i>nidanfloat</i>
on TeXLive	<i>nidanfloat</i>
keyword	float (typesetting floats)
keyword	japanese (support for typesetting Japanese)
language(s)	Japanese
last access	2025-02-07

4256 nih – A class for NIH grant applications

Web page on CTAN <https://ctan.org/pkg/nih>

name	nih
caption	A class for NIH grant applications
author	Donald, Bruce
copyright	Bruce Donald (2003, 2004, 2005, 2006)
license	lpl = The LaTeX Project Public License (free)
version	(2005-06-01)
last changes	2005-06-01
year	2005
description	(no language specified) The nih class offers support for grant applications to NIH, the National Institutes of Health, a US government agency. The example-* files provide a template for using nih.cls and submitting the biographical sketches the NIH wants. They (potentially) use denselists package, which just reduces list spacing; the package is distributed with the class, but is not part of the class proper. (The examples may be distributed without even the restrictions of the LaTeX licence.)
documentation	(no language specified) <i>Example – the class in normal use:</i> https://ctan.org/tex-archive/macros/latex/contrib/nih/example-nih-cls.pdf
– local file	./9235574579-example-nih-cls.pdf
documentation	(no language specified) <i>Example – an NIH biographical sketch:</i> https://ctan.org/tex-archive/macros/latex/contrib/nih/example-biosketch.pdf
– local file	./6494844672-example-biosketch.pdf
home page	http://www.cs.duke.edu/brd/NIH/tips/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nih
on MikTeX	nih
on T _E XLive	nih
keyword	proposal (typeset proposals to funding bodies, etc)
language(s)	no language specified
last access	2025-02-07

4257 *nihbiosketch* – A class for NIH biosketches based on the 2015 updated format

Web page on CTAN <https://ctan.org/pkg/nihbiosketch>

name	nihbiosketch
caption	A class for NIH biosketches based on the 2015 updated format
author	Magwene, Paul M.
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2016-01-22)
last changes	2016-01-22
year	2016
description	(no language specified) This LaTeX document class tries to adhere to the Biographical Sketch formatting requirements outlined in NIH Notice [NOT-OD-15-032] (http://grants.nih.gov/grants/guide/notice-files/NOT-OD-15-032.html). This new format is required for applications submitted for due dates on or after May 25, 2015. The package tries to mimic the example documents provided on the [SF 424 (R&R) Forms and Applications page] (http://grants.nih.gov/grants/funding/424/index.htm#format) as closely as possible. The author has used this class for his own grant submissions; however he offers no guarantee of conformity to NIH requirements.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/nihbiosketch/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nihbiosketch
on MikTeX	nihbiosketch
on T _E XLive	nihbiosketch
keyword	cv (curriculum vitae/Resumé)
see also	see section 4256 on page 3855: (<i>nih</i> – A class for NIH grant applications)
language(s)	no language specified
last access	2025-02-07

4258 nimbus15 – Support files for Nimbus 2015 Core fonts

Web page on CTAN <https://ctan.org/pkg/nimbus15>

name	nimbus15
caption	Support files for Nimbus 2015 Core fonts
author	Sharpe, Michael
license	other-free = Free license not otherwise listed (free)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.015 (2024-11-18)
last changes	2024-11-18
year	2024
description	(no language specified) The Nimbus 2015 Core fonts added Greek and Cyrillic glyphs. This package may be best suited as an add-on to the comprehensive Times package, providing support for Greek and Cyrillic. A new intermediate weight of NimbusMono (AKA Courier) is provided, along with a narrower version which may be useful for rendering code.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/nimbus15/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/nimbus15/doc/nimbus15-doc.pdf
– local file	./6282883700-nimbus15-doc.pdf
on CTAN	https://ctan.org/tex-archive/fonts/nimbus15
on MikTeX	nimbus15
on T _E XLive	nimbus15
keyword	font-t1enc (font providing LaTeX T1 encoding support)
keyword	font-proportional (variable-spaced font)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-greek (font for Greek (archaic, classical and modern))
keyword	font-mono (monospaced font)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-multilingual (font with adaptations to several languages)
keyword	font-otf (font in OpenType format)
keyword	font (fonts themselves)

keyword	<code>font-cyrillic</code> (fonts for Cyrillic and related scripts)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
language(s)	no language specified
last access	2025-02-07

4259 *nimsticks* – Draws sticks for games of multi-pile Nim

Web page on CTAN <https://ctan.org/pkg/nimsticks>

name	<code>nimsticks</code>
caption	Draws sticks for games of multi-pile Nim
author	Rowlett, Peter
copyright	Peter Rowlett (2022)
license	mit = MIT License (free)
version	2.0.1 (2022-08-14)
last changes	2022-08-14
year	2022
description	(no language specified) This LaTeX package provides commands <code>\drawnimstick</code> to draw a single nim stick and <code>\nimgame</code> which represents games of multi-pile Nim. Nim sticks are drawn with a little random wobble so they look ‘thrown together’ and not too regular. The package also provides options to customise the size and colour of the sticks, and flexibility to draw heaps of different objects.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/nimsticks/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/nimsticks/nimsticks.pdf
– local file	<code>./8212941935-nimsticks.pdf</code>
contact	<i>bugs</i> : https://github.com/prowlett/nimsticks/issues
contact	<i>repository</i> : https://github.com/prowlett/nimsticks
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/nimsticks
on MikTeX	<code>nimsticks</code>
on T _E XLive	<code>nimsticks</code>
keyword	games (process game diagrams, gamebooks, and other amusements)

keyword	graphics (graphics (support packages))
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-02-07

4260 *ninecolors* – Select colors with proper WCAG color contrast

Web page on CTAN <https://ctan.org/pkg/ninecolors>

name	ninecolors
caption	Select colors with proper WCAG color contrast
author	Lyu, Jianrui
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2022D (2022-02-13)
last changes	2022-02-13
year	2022
description	(no language specified) This package carefully selects and defines 9 colors for 13 hues each. All colors with the same suffix number have equal luminance level. Also the color black is of level 0, and the color white is of level 10. By simply choosing two colors in the above list, which differ in level by at least 5, as foreground and background colors, you will get proper WCAG Color Contrast.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ninecolors/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ninecolors/ninecolors.pdf
– local file	./3881530526-ninecolors.pdf
contact	<i>bugs</i> : https://github.com/lvjrr/ninecolors/issues
contact	<i>repository</i> : https://github.com/lvjrr/ninecolors
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ninecolors
on MikTeX	ninecolors
on TeXLive	ninecolors
keyword	expl3 (expl3(unknown))

keyword colour (typesetting in colour)
 language(s) no language specified
 last access 2025-02-07

4261 njurepo – Reports for Nanjing University

Web page on CTAN <https://ctan.org/pkg/njurepo>

name NJUrepo
 caption Reports for Nanjing University
 author Zheng, Zangwei
 copyright Zangwei Zheng (2019)
 license lpl1.3c = The LaTeX Project Public License 1.3c (free)
 version 1.1.2
 description (no language specified) This LaTeX document class provides a thesis template for Nanjing University in order to make it easy to write experiment reports and homework for the bachelor's curriculum.
 NJUrepo stands for **N**an**j**ing **U**niversity versatile **R**epo**r**t.

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/njurepo/README.md>
 documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/njurepo/njurepo.pdf>

– local file ./7222774999-njurepo.pdf
 on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/njurepo>
 on MikTeX njurepo
 on T_EXLive njurepo
 keyword dissertation (typesetting dissertations, theses, etc.)
 keyword class (alternative LaTeX class(es))
 see also see section 5433 on page 4918: (seuthesix – LaTeX class for theses at Southeast University, Nanjing, China)
 language(s) no language specified
 year 2019
 last access 2025-02-07

4262 *njustthesis* – Thesis template for the Nanjing University of Science and TechnologyWeb page on CTAN <https://ctan.org/pkg/njustthesis>name *njustthesis*

caption Thesis template for the Nanjing University of Science and Technology

author Zhenyu, Wu

copyright Wu Zhenyu (2022)

license gpl3+ = GNU General Public License, version 3 or newer (free)

version 0.0.1 (2022-03-04)

last changes 2022-03-04

year 2022

description (no language specified) This is a thesis template for the [Nanjing University of Science and Technology](#)> .documentation (no language specified) *Package documentation*:
<https://ctan.org/tex-archive/macros/latex/contrib/njustthesis/njustthesis.pdf>

– local file ./1585847668-njustthesis.pdf

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/njustthesis/README.md>home page <https://ctan.org/pkg/njustthesis>contact *announce*: <https://github.com/Freed-Wu/njustthesis/releases>contact *bugs*: <https://github.com/Freed-Wu/njustthesis/issues>contact *repository*: <https://github.com/Freed-Wu/njustthesis>on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/njustthesis>on MikTeX *njustthesis*on TeXLive *njustthesis*

keyword chinese (support for typesetting Chinese languages)

keyword dissertation (typesetting dissertations, theses, etc.)

language(s) no language specified

last access 2025-02-07

4263 njuthesis – LaTeX thesis template for Nanjing University

Web page on CTAN	https://ctan.org/pkg/njuthesis
name	njuthesis
caption	LaTeX thesis template for Nanjing University
author	Zhao, Yichen
author	Xiong, Yu
copyright	Nanjing University Linux User Group (2021-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.4.3 (2025-05-21)
last changes	2025-05-21
year	2025
description	(no language specified) The njuthesis class is intended for typesetting Nanjing University dissertations with LaTeX, providing support for bachelor, master, and doctoral theses as well as postdoctoral reports. Compilation of this class requires either XeLaTeX or LuaLaTeX.
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/njuthesis/njuthesis.pdf
– local file	./6729417044-njuthesis.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/njuthesis/README.md
contact	<i>support</i> : https://github.com/nju-lug/NJUThesis/discussions
contact	<i>announce</i> : https://github.com/nju-lug/NJUThesis/releases
contact	<i>bugs</i> : https://github.com/nju-lug/NJUThesis/issues
contact	<i>repository</i> : https://github.com/nju-lug/NJUThesis
contact	<i>development</i> : https://github.com/nju-lug
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/njuthesis
on MikTeX	njuthesis
on T _E XLive	njuthesis
keyword	latex3 (work done for the project to upgrade LaTeX)
keyword	chinese (support for typesetting Chinese languages)
keyword	expl3 (expl3(unknown))

keyword	proposal (typeset proposals to funding bodies, etc)
keyword	class (alternative LaTeX class(es))
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	Chinese
last access	2025-05-30

4264 *njuvisual* – Display logos related to Nanjing University

Web page on CTAN	https://ctan.org/pkg/njuvisual
name	<code>njuvisual</code>
caption	Display logos related to Nanjing University
author	Xiong, Yu
copyright	Nanjing University Linux User Group (2021-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3.0 (2022-12-13)
last changes	2022-12-13
year	2022
description	(no language specified) The <code>njuvisual</code> package collects standard colors and logos related to Nanjing University, saves the vector logos as TikZ pictures and provides a user-friendly interface to display them in documents and beamers.
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/njuvisual/njuvisual.pdf
– local file	<code>./1046511205-njuvisual.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/njuvisual/README.md
contact	<i>announce</i> : https://github.com/nju-lug/NJUVisual/releases
contact	<i>bugs</i> : https://github.com/nju-lug/NJUVisual/issues
contact	<i>repository</i> : https://github.com/nju-lug/NJUVisual
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/njuvisual
on MikTeX	<code>njuvisual</code>
on TeXLive	<code>njuvisual</code>
keyword	logo (symbols or drawings to specify an object, including icons)

4265 *nkarta* – A “new” version of the *karta* cartographic fonts

keyword	expl3 (expl3(unknown))
keyword	chinese (support for typesetting Chinese languages)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	Chinese
last access	2025-02-07

4265 *nkarta* – A “new” version of the *karta* cartographic fonts

Web page on CTAN <https://ctan.org/pkg/nkarta>

name	nkarta
caption	A “new” version of the <i>karta</i> cartographic fonts
author	Luecking, Daniel H.
license	pd = Public Domain Software (free)
version	0.2
description	(no language specified) A development of the <i>karta</i> font, offering more mathematical stability in Metafont. A version that will produce the glyphs as Encapsulated PostScript, using MetaPost, is also provided.
documentation	(no language specified) <i>A table of the MetaPost images:</i> https://ctan.org/tex-archive/fonts/nkarta/figtable.pdf
– local file	./3202224637-figtable.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/nkarta/README
documentation	(no language specified) <i>A testfont table of the font:</i> https://ctan.org/tex-archive/fonts/nkarta/fonttable.pdf
– local file	./1002850502-fonttable.pdf
on CTAN	https://ctan.org/tex-archive/fonts/nkarta
on MikTeX	nkarta
on T _E XLive	nkarta
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-symbol (fonts that provide collections of symbols)
keyword	font (fonts themselves)
language(s)	no language specified
year	without year

last access 2025-02-07

4266 *nl-interval* – Represent intervals on the number line

Web page on CTAN <https://ctan.org/pkg/nl-interval>

name	nl-interval
caption	Represent intervals on the number line
author	Neves, Antero
copyright	Antero Neves (2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2021-03-12)
last changes	2021-03-12
year	2021
description	(no language specified) This package provides macros to simplify the process of representing intervals on the number line. It depends on tkz-fct , ifthen , and xparse .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/nl-interval/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/nl-interval/nl-interval.pdf
– local file	./7697175462-nl-interval.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/nl-interval
on MikTeX	nl-interval
on T _E XLive	nl-interval
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

4267 nlatexdb – Database reports using LaTeX and .Net (or Mono)

Web page on CTAN <https://ctan.org/pkg/nlatexdb>

name	nlatexdb
caption	Database reports using LaTeX and .Net (or Mono)
author	Höns, Robin
copyright	Robin Höns (2011)
license	gpl = GNU General Public License (free)
version	0.03
description	(no language specified) This is a compatible rewrite of LaTeXDB (by Hans-Georg Eßer) or ratexdb (by this package’s author) in C#/.Net. It works under Mono, too. It is a preprocessor which performs SQL queries on a database and creates LaTeX code for the resulting rows. Ratexdb implements a few improvements, e.g. regexp postprocessing, command-line options, some protection against SQL injection, replacement of LaTeX reserved characters.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/support/nlatexdb/README
on CTAN	https://ctan.org/tex-archive/support/nlatexdb
keyword	preprocessor (preprocesses source before using TeX)
keyword	db-access (access database for document contents)
see also	see section 3329 on page 3005: (LaTeXDB – Integrates LaTeX and SQL databases)
language(s)	no language specified
year	2011
last access	2025-02-07

4268 nlctdoc – Package documentation class

Web page on CTAN <https://ctan.org/pkg/nlctdoc>

name	nlctdoc
caption	Package documentation class
author	Talbot, Nicola
copyright	Nicola Talbot (2013-2025)

license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.12 (2025-01-03)
last changes	2025-01-03
year	2025
description	(no language specified) The class provides support for the documentation of the author's packages, using koma-script . This class is provided "as is" solely for the benefit of anyone who wants to compile the documentation of those packages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/nlctdoc/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nlctdoc
on MikTeX	nlctdoc
on TeXLive	nlctdoc
keyword	doc-supp (macros and tools for preparing documentation)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-07

4269 nmbib – Multiple versions of a bibliography, with different sort orders

Web page on CTAN	https://ctan.org/pkg/nmbib
name	nmbib
caption	Multiple versions of a bibliography, with different sort orders
author	Veytsman, Boris
copyright	Michael Cohen and Boris Veytsman (2015-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.05
description	(no language specified) This package is a rewrite of the multibibliography package providing multiple bibliographies with different sorting. The new version offers a number of citation commands, streamlines the creation of bibliographies, ensures compatibility with the natbib package, and provides other improvements.
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/nmbib/nmbib-sample.pdf

– local file	<code>./6491995026-nmbib-sample.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/nmbib/nmbib.pdf
– local file	<code>./8297367214-nmbib.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/nmbib/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nmbib
on MikTeX	nmbib
on TeXLive	nmbib
keyword	bibtex-supp (BibTeX citation support)
see also	see section 4115 on page 3724: (multibibliography – Multiple versions of a bibliography, with different sort orders)
language(s)	no language specified
year	2024
last access	2025-02-07

4270 *nndraw* – Draw neural networks

Web page on CTAN <https://ctan.org/pkg/nndraw>

name	nndraw
caption	Draw neural networks
author	Dias, Carlos Cardoso
copyright	Carlos Cardoso Dias (2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) With this package you can create fully connected neural networks in a simple and efficient way.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/nndraw/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/nndraw/nndraw.pdf
– local file	<code>./3551125510-nndraw.pdf</code>
home page	https://github.com/carloscdias/nndraw
contact	<i>bugs</i> : https://github.com/carloscdias/nndraw/issues

on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/nndraw
on MikTeX	nndraw
on T _E XLive	nndraw
keyword	diagram (diagrams)
see also	see section 4217 on page 3817: (neuralnetwork – Graph-drawing for neural networks)
language(s)	no language specified
year	2021
last access	2025-02-07

4271 *nnext* – Extension for the *gb4e* package

Web page on CTAN <https://ctan.org/pkg/nnext>

name	nnext
caption	Extension for the <i>gb4e</i> package
author	LaCara, Nicholas
copyright	Nicholas LaCara (2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.0
description	(no language specified) This is an add-on for the <i>gb4e</i> package used in linguistics. It implements the <code>\Next</code> , <code>\NNext</code> , <code>\Last</code> , and <code>\LLast</code> commands from the <i>linguex</i> package or the <code>\nextx</code> , <code>\anextx</code> , <code>\lastx</code> , <code>\blastx</code> , and <code>\bblastx</code> commands from the <i>expex</i> package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/nnext/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/nnext/nnext.pdf
– local file	<code>./9054717614-nnext.pdf</code>
home page	https://github.com/nlacara/nnext
contact	<i>bugs</i> : https://github.com/nlacara/nnext/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nnext
on MikTeX	nnext
on T _E XLive	nnext
keyword	linguistic (support for linguistics)

language(s)	no language specified
year	2020
last access	2025-02-07

4272 nnfootnote – “No number” footnotes

Web page on CTAN <https://ctan.org/pkg/nnfootnote>

name	nnfootnote
caption	“No number” footnotes
author	Ellison, T Mark
license	noinfo = noinfo
version	(1991-06-26)
last changes	1991-06-26
year	1991
description	(no language specified) Defines a command <code>\nnfoottext</code> which leaves no mark, but adds its argument (and nothing else) to the footnote list for the page.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/nnfootnote.sty
keyword	footnote (footnote support)
language(s)	no language specified
last access	2025-02-07

4273 noconflict – Resolve macro name conflict between packages

Web page on CTAN <https://ctan.org/pkg/noconflict>

name	noconflict
caption	Resolve macro name conflict between packages
author	Hossain, M. Zahid
copyright	M. Zahid Hossain (2013)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The package provides several commands to prefix (and hence obscure) a macro’s (or a sequence of macros’) name, and to restore the original macro(s) at places in a document where they are needed.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/noconflict/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/noconflict
on T _E XLive	noconflict
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	2013
last access	2025-02-07

4274 `nodepthtext` – Change small texts to remove the depth of the letters

Web page on CTAN	https://ctan.org/pkg/nodepthtext
name	nodepthtext
caption	Change small texts to remove the depth of the letters
author	Pierquet, Cédric
copyright	Cédric Pierquet (2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.0 (2024-11-11)
last changes	2024-11-11
year	2024
description	(no language specified) Modify small texts in order to remove depth of letters (for small texts), with automatic raising/scaling.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/nodepthtext/doc/nodepthtext-doc.pdf
– local file	./2841021704-nodepthtext-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/nodepthtext/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nodepthtext
on MikT _E X	nodepthtext
on T _E XLive	nodepthtext
keyword	font-supp (metrics, macro incantations and other font support)

4275 *nodetree* – Visualize node lists in a tree view

keyword typesetting (support for variations of typographic style)
 language(s) no language specified
 last access 2025-05-27

4275 *nodetree* – Visualize node lists in a tree view

Web page on CTAN <https://ctan.org/pkg/nodetree>

name *nodetree*
 caption Visualize node lists in a tree view
 author Friedrich, Josef
 copyright Josef Friedrich (2016-2024)
 license lpl1.3 = The LaTeX Project Public License 1.3 (free)
 version 2.4.1 (2025-06-03)
 last changes 2025-06-03
 year 2025
 description (no language specified) *nodetree* is a development package that visualizes the structure of node lists. *nodetree* shows its debug informations in the console output when you compile a LuaTeX file. It uses a similar visual representation for node lists as the UNIX *tree* command for a folder structure.
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/luatex/generic/nodetree/README.md>
 documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/luatex/generic/nodetree/nodetree-doc.pdf>
 – local file ./3538055501-nodetree-doc.pdf
 contact *bugs*: <https://github.com/Josef-Friedrich/nodetree/issues>
 contact *repository*: <https://github.com/Josef-Friedrich/nodetree>
 contact *development*: <https://josef-friedrich.github.io/nodetree>
 on CTAN <https://ctan.org/tex-archive/macros/luatex/generic/nodetree>
 on MikTeX *nodetree*
 on T_EXLive *nodetree*
 keyword lua-supp (support for using Lua code)
 language(s) no language specified

last access 2025-06-10

4276 *nofill* – Preserve spaces and line breaks when setting text

Web page on CTAN <https://ctan.org/pkg/nofill>

name	<i>nofill</i>
caption	Preserve spaces and line breaks when setting text
license	noinfo = noinfo
version	(1992-08-27)
last changes	1992-08-27
year	1992
description	(no language specified) The commands <code>\fill</code> and <code>\nofill</code> bracket text in which multiple spaces are not collapsed into a single space, and spaces at the start of line are preserved.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/nofill.tex
keyword	<code>verbatim</code> (verbatim typesetting, etc.)
language(s)	no language specified
last access	2025-02-07

4277 *nohyph* – Norwegian hyphenation

Web page on CTAN <https://ctan.org/pkg/nohyph>

name	<i>nohyph</i>
caption	Norwegian hyphenation
author	Selberg, Ole Michael
author	Hufthammer, Karl Ove
author	Kleveland, Rune
license	other-free = Free license not otherwise listed (free)
description	(no language specified) The directory holds the main Norwegian hyphenation patterns , together with a couple of exception files, one for Norwegian Bokmål (<code>nbhyph.tex</code>) and one for Norwegian Nynorsk (<code>nnhyph.tex</code>). Each exception file may be used as a hyphenation file in its own right, since each also loads the main patterns.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/hyphenation/nohyph/README
on CTAN	https://ctan.org/tex-archive/language/hyphenation/nohyph
on T _E XLive	hyphen-norwegian
keyword	hyphenation (macros or tables for hyphenation)
keyword	norwegian (support for typesetting Norwegian)
language(s)	no language specified
year	without year
last access	2025-02-07

4278 nohyphbx – General hyphenation patterns for Norwegian

Web page on CTAN <https://ctan.org/pkg/nohyphbx>

name	nohyphbx
caption	General hyphenation patterns for Norwegian
author	Kleveland, Rune
author	Selberg, Ole Michael
copyright	Rune Kleveland, Ole Michael Selberg (2004, 2005)
license	lppl = The LaTeX Project Public License (free)
version	(2007-02-07)
last changes	2007-02-07
year	2007
description	(no language specified) Originally generated by a script written by Rune Kleveland from the Norwegian ispell dictionaries, the patterns have since been manually adjusted to prevent numerous wrong hyphenations, especially in compounds. The patterns are part of the Norwegian patterns bundle.
on CTAN	https://ctan.org/tex-archive/language/hyphenation/nohyph/nohyphbx.tex
on T _E XLive	hyphen-norwegian
keyword	hyphenation (macros or tables for hyphenation)
keyword	norwegian (support for typesetting Norwegian)
language(s)	no language specified

last access 2025-02-07

4279 noindentafter – Prevent paragraph indentation after environments or macrosWeb page on CTAN <https://ctan.org/pkg/noindentafter>

name	noindentafter
caption	Prevent paragraph indentation after environments or macros
author	Helvensteijn, Michiel
author	Hanisch, Falk
copyright	Falk Hanisch (2021)
copyright	Michiel Helvensteijn (2014-2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.00 (2021-05-14)
last changes	2021-05-14
year	2021
description	(no language specified) The package, as the name suggests, supplies tools to automatically suppress indentations in following paragraphs, specifically those following a particular macro or environment.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/noindentafter/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/noindentafter/doc/noindentafter.pdf
– local file	./2111079266-noindentafter.pdf
contact	<i>bugs</i> : https://github.com/mrpiggi/noindentafter/issues
contact	<i>repository</i> : https://github.com/mrpiggi/noindentafter
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/noindentafter
on MikTeX	noindentafter
on T _E XLive	noindentafter
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

4280 noitcrul – Improved underlines in mathematics

Web page on CTAN <https://ctan.org/pkg/noitcrul>

name	noitcrul
caption	Improved underlines in mathematics
author	Ebermann, Paul
copyright	Paul Ebermann (2006)
license	lppl = The LaTeX Project Public License (free)
version	0.2
description	(no language specified) The package provides a (maths mode) <code>\underline</code> variant which doesn't impose italics correction at the end.
documentation	(German) <i>Benutzerdoku</i> : https://ctan.org/tex-archive/macros/latex/contrib/noitcrul/noitcrul.pdf
– local file	<code>./4008923174-noitcrul.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/noitcrul/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/noitcrul
on MikTeX	noitcrul
on TeXLive	noitcrul
keyword	maths (support for typesetting mathematics)
keyword	underline (underlining/overlining text (including other decorations))
language(s)	German
year	2006
last access	2025-02-07

4281 *nolbreaks* – No line breaks in text

Web page on CTAN <https://ctan.org/pkg/nolbreaks>

name	nolbreaks
caption	No line breaks in text
author	Arseneau, Donald
license	pd = Public Domain Software (free)
version	1.2
description	(no language specified) Use <code>\nolbreaks{some text}</code> to prevent line breaks in "some text". This has the advantage over <code>\mbox{ }</code> that glue (rubber space) remains flexible. Most common cases are handled here (<code>\linebreak</code> is disabled, for example) but spaces hidden in macros or <code>{ }</code> can still create break-points.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/nolbreaks/nolbreaks.pdf
– local file	<code>./4972016847-nolbreaks.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nolbreaks
on MikTeX	nolbreaks
on TeXLive	nolbreaks
keyword	typesetting (support for variations of typographic style)
language(s)	no language specified
year	without year
last access	2025-02-07

4282 *nomenc1* – Produce lists of symbols as in nomenclature

Web page on CTAN <https://ctan.org/pkg/nomenc1>

name	nomenc1
caption	Produce lists of symbols as in nomenclature
author	Schandl, Bernd
author	Veytsman, Boris
author	Radhakrishnan, C. V.
author	Netherton, Lee

4283 `nomentbl` – Nomenclature typeset in a longtable

copyright	Boris Veytsman, Bernd Shandl, Lee Netherton, CV (1996-2021)
license	lppl = The LaTeX Project Public License (free)
version	5.6
description	(no language specified) Produces lists of symbols using the capabilities of the MakeIndex program.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/nomenc1/nomenc1.pdf
– local file	<code>./5054984097-nomenc1.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/nomenc1/README
home page	https://github.com/borisveytsman/nomenc1
contact	<i>bugs</i> : https://github.com/borisveytsman/nomenc1
contact	<i>repository</i> : https://github.com/borisveytsman/nomenc1
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nomenc1
on MikTeX	<code>nomenc1</code>
on T _E XLive	<code>nomenc1</code>
keyword	<code>glossary</code> (glossary and nomenclature support)
see also	see section 2565 on page 2323: (<code>glosstex</code> – Prepare glossaries in LaTeX)
language(s)	no language specified
year	2021
last access	2025-02-07

4283 `nomentbl` – Nomenclature typeset in a longtable

Web page on CTAN	https://ctan.org/pkg/nomentbl
name	<code>nomentbl</code>
caption	Nomenclature typeset in a longtable
author	Elmegaard, Brian
license	lppl = The LaTeX Project Public License (free)
version	0.4
description	(no language specified) <code>Nomentbl</code> typeset nomenclatures in a longtable instead of the <code>makeindex</code> style of nomenc1 . A nomenclature entry may have three arguments: Symbol, description and physical unit.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/nomentbl/nomentbl.pdf
– local file	<code>./5956766375-nomentbl.pdf</code>
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/nomentbl/example.pdf
– local file	<code>./6559541055-example.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nomentbl
on MikTeX	<code>nomentbl</code>
on T _E XLive	<code>nomentbl</code>
keyword	<code>glossary</code> (glossary and nomenclature support)
language(s)	no language specified
year	without year
last access	2025-02-07

4284 non-decimal-units – Display and manipulate historical non-decimal units

Web page on CTAN	https://ctan.org/pkg/non-decimal-units
name	<code>non-decimal-units</code>
caption	Display and manipulate historical non-decimal units
author	Eriksen, Mikkel Eide
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
version	(2024-01-25)
last changes	2024-01-25
year	2024
description	(no language specified) Many historical unit systems were non-decimal. For example, the Danish rigsdaler — where 1 rigsdaler consists of 6 mark, each again consisting of 16 skilling for a total of 96 skilling per rigsdaler — was used from 1625 to 1875, when currency was decimalised to the current system of 1 krone = 100 øre. Units for such measures as length, area, weight, and so on were also often non-decimal, and in fact remain so in the few places of the world that have not made the change to the metric system.

4285 `nonfloat` – Non-floating table and figure captions

The non-decimal numbers were chosen due to their larger number of division factors, which simplified mental arithmetic, eg. when sharing an amount of money or dividing goods.

This package enables creation and configuration of such units to facilitate their presentation in textual and tabular contexts, as well as simple arithmetic.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/non-decimal-units/docs/non-decimal-units.pdf
– local file	<code>./9331479190-non-decimal-units.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/non-decimal-units/README.md
contact	<i>bugs</i> : https://github.com/mikkelee/latex-units/issues
contact	<i>repository</i> : https://github.com/mikkelee/latex-units
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/non-decimal-units
on MikTeX	<code>non-decimal-units</code>
on TeXLive	<code>non-decimal-units</code>
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>units</code> (uniform typesetting of units)
language(s)	no language specified
last access	2025-02-07

4285 `nonfloat` – Non-floating table and figure captions

Web page on CTAN	https://ctan.org/pkg/nonfloat
name	<code>nonfloat</code>
caption	Non-floating table and figure captions
author	Rascher, Kai
license	pd = Public Domain Software (free)
version	1.0
description	(no language specified) Adjusts the figure and table environments to ensure that centered objects as one line captions are centered as well. Also the vertical spaces for table captions above the table are changed.
documentation	<i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/nonfloat/nonfloat-en.pdf

4286 `nonumonpart` – Prevent page numbers on part pages

– local file	<code>./7481301999-nonfloat-en.pdf</code>
documentation	<i>Package documentation (German):</i> https://ctan.org/tex-archive/macros/latex/contrib/nonfloat/nonfloat.pdf
– local file	<code>./5271160487-nonfloat.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nonfloat
on MikTeX	<code>nonfloat</code>
on TeXLive	<code>nonfloat</code>
keyword	<code>float</code> (typesetting floats)
language(s)	German; English
year	without year
last access	2025-02-07

4286 `nonumonpart` – Prevent page numbers on part pages

Web page on CTAN	https://ctan.org/pkg/nonumonpart
name	<code>nonumonpart</code>
caption	Prevent page numbers on part pages
author	Henel, Yvon
copyright	Yvon Henel (2011)
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	1
description	(no language specified) The package bundles the answer to the long-standing FAQ about removing page numbers on <code>\part</code> pages. The package accepts no options and defines no user commands; the user needs only to load it, and the requirement is met.
documentation	(English) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/nonumonpart/README
documentation	(French) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/nonumonpart/nonumonpart-fr.pdf
– local file	<code>./3822840919-nonumonpart-fr.pdf</code>
documentation	(French) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/nonumonpart/LISEZMOI

4287 *nopageno* – No page numbers in LaTeX documents

documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/nonumonpart/nonumonpart-en.pdf
– local file	<code>./9843099674-nonumonpart-en.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nonumonpart
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/nonumonpart.tds.zip
on MikTeX	<code>nonumonpart</code>
on T _E XLive	<code>nonumonpart</code>
keyword	<code>page-nos</code> (control sequence and typesetting of page numbers)
language(s)	English; French
year	2011
last access	2025-02-07

4287 *nopageno* – No page numbers in LaTeX documents

Web page on CTAN <https://ctan.org/pkg/nopageno>

name	<code>nopageno</code>
caption	No page numbers in LaTeX documents
author	Carlisle, David
license	lppl = The LaTeX Project Public License (free)
version	(1989-01-01)
last changes	1989-01-01
year	1989
description	(no language specified) LaTeX’s standard styles use two page styles, one on normal pages and one on ‘opening’ pages with <code>\maketitle</code> or <code>\chapter</code> , etc. Unfortunately there is only easy access to changing one of these two so if you want something other than ‘plain’ on the opening pages you must use <code>\thispagestyle</code> on each such page. The fancyhdr package does provide a more flexible interface, but if you just want an empty page style on all pages then this package will do the job.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/nopageno/nopageno.pdf
– local file	<code>./7271611576-nopageno.pdf</code>

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nopageno
on MikTeX	nopageno
on T _E XLive	nopageno
keyword	page-nos (control sequence and typesetting of page numbers)
language(s)	no language specified
last access	2025-02-07

4288 *noprot* – Avoid the need for protection

Web page on CTAN <https://ctan.org/pkg/noprot>

name	noprot
caption	Avoid the need for protection
author	Sozuer, Sami
license	noinfo = noinfo
version	(2004-08-16)
last changes	2004-08-16
year	2004
description	(no language specified) An approach to reducing the need for <code>\protect</code>. The package re-writes the <code>\thanks</code>, <code>\caption</code> and sectioning commands (<code>\chapter</code>, <code>\section</code>, ...), <code>\addcontentsline</code>, <code>\addtocontents</code> and <code>\bibitem</code>, to suppress the expansion of their arguments when those arguments are written to the <code>.aux</code> file. The mechanism is not entirely satisfactory: there is still a problem with things written with the <code>\mark*</code> commands, and one loses the facility of making direct reference to the current page (i.e., one must use <code>\pageref</code> for such things).
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/noprot.sty
keyword	protection (manipulate the LaTeX ‘ <code>\protect</code> ’ mechanism)
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

4289 *norbib* – Norwegian bibliography styles

Web page on CTAN <https://ctan.org/pkg/norbib>

name	norbib
caption	Norwegian bibliography styles
author	Langmyhr, Dag
license	other-free = Free license not otherwise listed (free)
description	(no language specified) Norwegian adaptations of the four standard BibTeX style files.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/norbib
keyword	norwegian (support for typesetting Norwegian)
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
year	without year
last access	2025-02-07

4290 *normalcolor* – Changing \normalcolor

Web page on CTAN <https://ctan.org/pkg/normalcolor>

name	normalcolor
caption	Changing \normalcolor
author	Kohm, Markus
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	r11 (2016-03-22)
last changes	2016-03-22
year	2016
description	(no language specified) This package provides a command <code>\setnormalcolor</code> with the same syntax as the command <code>\color</code> either of package color or of package xcolor . However, <code>\setnormalcolor</code> will not change the <i>current</i> colour but the <i>normal / default</i> color.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/normalcolor/normalcolor.pdf

4291 *nostarch* – LaTeX class for No Starch Press

– local file	<code>./8965478294-normalcolor.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/normalcolor/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/normalcolor
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/normalcolor.tds.zip
on MikTeX	<code>normalcolor</code>
on TeXLive	<code>normalcolor</code>
keyword	<code>colour</code> (typesetting in colour)
language(s)	no language specified
last access	2025-02-07

4291 *nostarch* – LaTeX class for No Starch Press

Web page on CTAN <https://ctan.org/pkg/nostarch>

name	<code>nostarch</code>
caption	LaTeX class for No Starch Press
author	Veytsman, Boris
copyright	Boris Veytsman (2008-2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.4 (2023-07-19)
last changes	2023-07-19
year	2023
description	(no language specified) The package provides the "official" LaTeX style for No Starch Press. Provided are a class, a package for interfacing to hyperref and an index style file. The style serves both for printed and for electronic books.
documentation	(no language specified) <i>Sample book</i> : https://ctan.org/tex-archive/macros/latex/contrib/nostarch/nssample.pdf
– local file	<code>./1743540914-nssample.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/nostarch/nostarch.pdf
– local file	<code>./6186491650-nostarch.pdf</code>

4292 *notebeamer* – A template for printing presentations on notepaper

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/nostarch/README
home page	https://www.nostarch.com
contact	<i>bugs</i> : https://github.com/borisveytsman/nostarch/issues
contact	<i>repository</i> : https://github.com/borisveytsman/nostarch
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nostarch
on MikTeX	nostarch
on T _E XLive	nostarch
keyword	book-pub (preparing a book for publication)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-07

4292 *notebeamer* – A template for printing presentations on notepaper

Web page on CTAN	https://ctan.org/pkg/notebeamer
name	NoteBeamer
caption	A template for printing presentations on notepaper
author	Xia, Mingyu
copyright	Mingyu Xia (2023-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	4.4A (2025-07-21)
last changes	2025-07-21
year	2025
description	(no language specified) This package provides an easy way to input slides on note pages quickly, developed by expl3 based on TikZ and <code>l3graphics</code> .
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/notebeamer/notebeamer-demo.pdf
– local file	<code>./3454994804-notebeamer-demo.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/notebeamer/README.md

4293 notes – Mark sections of a document

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/notebeamer/notebeamer.pdf
– local file	./9522954607-notebeamer.pdf
contact	<i>support:</i> https://github.com/myhsia/notebeamer/issues
contact	<i>repository:</i> https://github.com/myhsia/notebeamer
contact	<i>development:</i> https://github.com/myhsia
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/notebeamer
on MikTeX	notebeamer
on T _E XLive	notebeamer
keyword	expl3 (expl3(unknown))
keyword	presentation (slides, beamers, handouts, etc.)
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	notes (general notes (not including endnotes or footnotes))
keyword	doc-templ (template to guide document development)
language(s)	no language specified
last access	2025-08-01

4293 notes – Mark sections of a document

Web page on CTAN	https://ctan.org/pkg/notes
name	notes
caption	Mark sections of a document
author	Webb, Duncan
license	lppl = The LaTeX Project Public License (free)
version	1.0.1
description	(no language specified) The package provides environments to highlight significant portions of text within a document, by putting the text in a box and adding an icon in the margin. (The icons are provided as ‘fig’ sources, processable by xfig .)
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/notes/notes.pdf
– local file	./4477909573-notes.pdf

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/notes
on MikTeX	notes
on T _E XLive	notes
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

4294 *notes2bib* – Integrating notes into the bibliography

Web page on CTAN <https://ctan.org/pkg/notes2bib>

name	notes2bib
caption	Integrating notes into the bibliography
author	Wright, Joseph
copyright	Joseph Wright (2007-2013, 2016, 2019)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.0m (2019-09-28)
last changes	2019-09-28
year	2019
description	(no language specified) The package defines a new type of note, <code>bibnote</code>, which will always be added to the bibliography. The package allows footnotes and endnotes to be moved into the bibliography in the same way. The package can be used with <code>natbib</code> and <code>BibLaTeX</code> as well as plain LaTeX citations. Both sorted and unsorted bibliography styles are supported. The package uses the LaTeX 3 macros and the associated xpackages bundle. It also makes use of the e-TeX extensions (any post-2005 LaTeX distribution will provide these by default, but users of older systems may need to use an <code>elatex</code> command or equivalent). The package relies on LaTeX 3 support from the l3kernel and l3packages bundles.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/notes2bib/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/notes2bib/notes2bib.pdf
– local file	<code>./9879197216-notes2bib.pdf</code>

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/notes2bib
on MikTeX	notes2bib
on T _E XLive	notes2bib
keyword	notes (general notes (not including endnotes or footnotes))
keyword	bib-use (place non-bibliography material in the bibliography)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

4295 *notespages* – Filling documents with notes pages and notes areas

Web page on CTAN	https://ctan.org/pkg/notespages
name	NotesPages
caption	Filling documents with notes pages and notes areas
author	Kaufmann, Mike
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.8.1 (2016-08-21)
last changes	2016-08-21
year	2016
description	(no language specified) This package package provides one macro to insert a single notes page and another to fill the document with multiple notes pages, until the total number of pages (so far) is a multiple of a given number. A third command can be used to fill half empty pages with a notes area.
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/notespages/np-test.pdf
– local file	<code>./7467269589-np-test.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/notespages/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/notespages/notespages.pdf
– local file	<code>./7237171496-notespages.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/notespages

on MikTeX	notespages
on T _E XLive	notespages
keyword	notes (general notes (not including endnotes or footnotes))
keyword	blank-page (control of blank pages in a document)
language(s)	no language specified
last access	2025-02-07

4296 *notestex* – An all-in-one LaTeX notes package for students

Web page on CTAN	https://ctan.org/pkg/notestex
name	NotesTeX
caption	An all-in-one LaTeX notes package for students
author	Dhumuntarao, Aditya
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) This is a modification of the original J hep journal format in order to suit the needs of students in university. The goal of this package was to make notetaking easier for students and offer easy support for marginnotes along with a reliable and legible formatting structure.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/notestex/doc/NotesTeX.pdf
– local file	./5975782077-NotesTeX.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/notestex/README.md
contact	<i>repository</i> : https://github.com/Adhumunt/NotesTeX
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/notestex
on MikTeX	notestex
on T _E XLive	notestex
keyword	gen-paper (paper (simply) for communication, not necessarily for publication)
keyword	notes (general notes (not including endnotes or footnotes))

4297 *notex-bst* – A BibTeX style that outputs HTML

keyword	misc-paper (discussion/working paper (rather than journal paper))
language(s)	no language specified
year	without year
last access	2025-02-07

4297 *notex-bst* – A BibTeX style that outputs HTML

Web page on CTAN <https://ctan.org/pkg/notex-bst>

name	noTeX-bst
caption	A BibTeX style that outputs HTML
author	Vigna, Sebastiano
license	pd = Public Domain Software (free)
description	(no language specified) noTeX.bst produces a number of beautifully formatted HTML P elements instead of TeX code. It can be used to automatically generate bibliographies to be served on the web starting from BibTeX files.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/misc/noTeX.bst
on T _E XLive	notex-bst
keyword	cvt-html (generate HTML from TeX-ish sources)
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
year	without year
last access	2025-02-07

4298 *noto* – Support for Noto fonts

Web page on CTAN <https://ctan.org/pkg/noto>

name	noto
caption	Support for Noto fonts
author	Tennent, Bob
license	ofl = The SIL Open Font License (free)
license	lppl = The LaTeX Project Public License (free)
version	(2022-09-11)

last changes	2022-09-11
year	2022
description	(no language specified) This package provides LaTeX, pdfLaTeX, XeLaTeX and LuaLaTeX support for the NotoSerif, NotoSans and NotoSansMono families of fonts, designed by Steve Matteson for Google.
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/noto/doc/noto-samples.pdf
– local file	<code>./9096598051-noto-samples.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/noto/README
home page	https://www.google.com/get/noto/
on CTAN	https://ctan.org/tex-archive/fonts/noto
installation	https://ctan.org/tex-archive/install/fonts/noto.tds.zip
on MikTeX	<code>noto</code>
on T _E XLive	<code>noto</code>
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font-mono</code> (monospaced font)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-ttf</code> (font available in TrueType format)
keyword	<code>font-tlenc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-sans</code> (sans-serif font)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-multilingual</code> (font with adaptations to several languages)
keyword	<code>font-greek</code> (font for Greek (archaic, classical and modern))
language(s)	no language specified
last access	2025-02-07

4299 noto-emoji – Noto Emoji fonts

Web page on CTAN <https://ctan.org/pkg/noto-emoji>

name	noto-emoji
caption	Noto Emoji fonts
author	Zeng, Xiangdong
license	ofl = The SIL Open Font License (free)
version	2.034 (2021-11-02)
last changes	2021-11-02
year	2021
description	(no language specified) Noto Color Emoji supports all emoji defined in the latest Unicode version.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/noto-emoji/README.md
home page	https://www.google.com/get/noto/help/emoji/
contact	<i>bugs:</i> https://github.com/googlefonts/noto-emoji/issues
contact	<i>repository:</i> https://github.com/googlefonts/noto-emoji
on CTAN	https://ctan.org/tex-archive/fonts/noto-emoji
on MikTeX	noto-emoji
on TeXLive	noto-emoji
keyword	font (fonts themselves)
keyword	font-ttf (font available in TrueType format)
keyword	font-symbol (fonts that provide collections of symbols)
language(s)	no language specified
last access	2025-02-07

4300 *notoccite* – Prevent trouble from citations in table of contents, etc

Web page on CTAN <https://ctan.org/pkg/notoccite>

name	notoccite
caption	Prevent trouble from citations in table of contents, etc
author	Arseneau, Donald
license	pd = Public Domain Software (free)
description	(no language specified) If you have <code>\cite</code> commands in <code>\section</code> -like commands, or in <code>\caption</code> , the citation will also appear in the table of contents, or list of whatever. If you are also using an <code>unsrt</code> -like bibliography style, these citations will come at the very start of the bibliography, which is confusing. This package suppresses the effect.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/notoccite/notoccite.pdf
– local file	<code>./7484781491-notoccite.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/notoccite
on MikTeX	notoccite
on TeXLive	notoccite
keyword	headings (chapter, section, etc., heading styles)
keyword	cite-supp (citation support)
language(s)	no language specified
year	without year
last access	2025-02-07

4301 *notocjksc* – This package provides Noto CJK fonts

Web page on CTAN <https://ctan.org/pkg/notocjksc>

name	notoCJKsc
caption	This package provides Noto CJK fonts
author	Zhou, Harry
author	Y.D.X.
copyright	Google Inc. (2015-2024)
copyright	Adobe Systems Incorporated (2014-2025)

4302 notocondensed – Support for the condensed variants of the Noto fonts

license	ofl = The SIL Open Font License (free)
version	2.004 (2025-06-18)
last changes	2025-06-18
year	2025
description	(no language specified) This package provides Noto CJK fonts, also known as Source Han fonts, for Simplified Chinese. Language-specific static OpenType fonts for both Sans and Serif family are provided. The fonts are designed by Google and Adobe and distributed under the SIL Open Font License.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/notocjksc/README.md
home page	https://www.google.com/get/noto/
contact	<i>bugs</i> : https://github.com/notofonts/noto-cjk/issues
contact	<i>repository</i> : https://github.com/notofonts/noto-cjk
on CTAN	https://ctan.org/tex-archive/fonts/notocjksc
on MikTeX	notocjksc
keyword	font-otf (font in OpenType format)
keyword	font-cjk (fonts for far eastern languages (Chinese, Japanese and Korean))
see also	see section 1100 on page 1000: (cjk-fonts – Chinese/Japanese/Korean bitmap fonts)
see also	see section 4298 on page 3891: (noto – Support for Noto fonts)
language(s)	no language specified
last access	2025-11-09

4302 notocondensed – Support for the condensed variants of the Noto fonts

Web page on CTAN <https://ctan.org/pkg/notocondensed>

name	notocondensed
caption	Support for the condensed variants of the Noto fonts
author	Tennent, Bob
license	ofl = The SIL Open Font License (free)
license	lppl = The LaTeX Project Public License (free)
version	(2022-09-11)
last changes	2022-09-11

year	2022
description	(no language specified) This package provides pdfLaTeX, XeLaTeX and LuaLaTeX support for the condensed variants of the NotoSerif, NotoSans and NotoSansMono families of fonts, designed by Steve Matteson for Google.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/notocondensed/README
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/notocondensed/doc/notocondensed-samples.pdf
– local file	<code>./6814850577-notocondensed-samples.pdf</code>
home page	https://www.google.com/get/noto/
on CTAN	https://ctan.org/tex-archive/fonts/notocondensed
installation	https://ctan.org/tex-archive/install/fonts/notocondensed.tds.zip
on MikTeX	notocondensed
keyword	font-serif (serif font)
keyword	font-sans (sans-serif font)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-multilingual (font with adaptations to several languages)
keyword	font-ttf (font available in TrueType format)
keyword	font-mono (monospaced font)
keyword	font-proportional (variable-spaced font)
keyword	font-tlenc (font providing LaTeX T1 encoding support)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font (fonts themselves)
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font-greek (font for Greek (archaic, classical and modern))
language(s)	no language specified
last access	2025-02-07

4303 notomath – Math support for Noto fonts

Web page on CTAN <https://ctan.org/pkg/notomath>

name	notomath
caption	Math support for Noto fonts
author	Sharpe, Michael
copyright	Michael Sharpe (2020-2023)
license	ofl = The SIL Open Font License (free)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.031 (2024-06-03)
last changes	2024-06-03
year	2024
description	(no language specified) Math support via newtxmath for Google's NotoSerif and NotoSans . (Regular and Bold weights only.)
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/notomath/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/notomath/doc/notomath-doc.pdf
– local file	<code>./3719909437-notomath-doc.pdf</code>
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/notomath/doc/samplerSerif-crop.pdf
– local file	<code>./6840540487-samplerSerif-crop.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/notomath
on MikTeX	notomath
on TeXLive	notomath
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-sans (sans-serif font)
keyword	font (fonts themselves)
keyword	font-maths (fonts for use in mathematics)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-serif (serif font)
language(s)	no language specified
last access	2025-02-07

4304 *novabeamer-theme* – A flexible and customizable LaTeX theme for creating professional presentations

Web page on CTAN <https://ctan.org/pkg/novabeamer-theme>

name	NovaBeamer-Theme
caption	A flexible and customizable LaTeX theme for creating professional presentations
author	Martelli, Riccardo
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0
description	(no language specified) The NovaBeamer Theme is a LaTeX Beamer theme that offers customizable color schemes, modern slide layouts, and enhanced title page customization for creating elegant and professional presentations.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/novabeamer-theme/doc/novabeamer-doc.pdf
– local file	./4660207354-novabeamer-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/novabeamer-theme/README.md
documentation	(no language specified) <i>Examples</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/novabeamer-theme/examples/novabeamer-example.pdf
– local file	./6167851950-novabeamer-example.pdf
contact	<i>repository</i> : https://github.com/Riccardo-Martelli/NovaBeamer-Theme
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/novabeamer-theme
on T _E XLive	novabeamer-theme
keyword	presentation (slides, beamers, handouts, etc.)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
year	without year
last access	2025-04-02

4305 *novel* – Class for printing fiction, such as novels

Web page on CTAN <https://ctan.org/pkg/novel>

name	<i>novel</i>
caption	Class for printing fiction, such as novels
author	Allgeyer, Robert
copyright	Robert Allgeyer (2017-2024)
license	ofl = The SIL Open Font License (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.2 (2024-04-26)
last changes	2024-04-26
year	2024
description	(no language specified) This LuaLaTeX document class is specifically written to meet the needs of original fiction writers, who are typesetting their own novels for non-color print-on-demand technology. Built-in PDF/X is available, using new technology. The package is well suited for detective novels, science fiction, and short stories. It is however not recommended for creating color picture books or dissertations.
documentation	(no language specified) <i>Package documentation (HTML)</i>: https://ctan.org/tex-archive/macros/luatex/latex/novel/doc/novel-documentation.html
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/luatex/latex/novel/README.md
documentation	(no language specified) <i>Example document</i>: https://ctan.org/tex-archive/macros/luatex/latex/novel/doc/novel.pdf
– local file	<code>./5023868336-novel.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/novel
on MikTeX	<i>novel</i>
on T _E XLive	<i>novel</i>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>luatex</code> (LuaTeX and packages that require it)
keyword	<code>production</code> (support for production printing, etc)
keyword	<code>book-pub</code> (preparing a book for publication)
language(s)	no language specified

last access 2025-02-09

4306 noweb – A simple extensible literate programming toolWeb page on CTAN <https://ctan.org/pkg/noweb>

name	noweb
caption	A simple extensible literate programming tool
author	Ramsey, Norman
copyright	Norman Ramsey (1989-2018)
license	other-free = Free license not otherwise listed (free)
license	bsd2 = Simplified BSD License (free)
version	2.12 (2018-06-20)
last changes	2018-06-20
year	2018
description	(no language specified) Noweb is designed to meet the needs of literate programmers while remaining as simple as possible. Its primary advantages are simplicity, extensibility, and language-independence. Noweb uses 5 control sequences to WEB's 27. The noweb manual is only 4 and a bit pages; an additional page explains how to customize its LaTeX output. Noweb works "out of the box" with any programming language, and supports TeX, LaTeX, and HTML back ends. A back end to support full hypertext or indexing takes about 250 lines; a simpler one can be written in 40 lines of awk. Noweb does not prettyprint natively, but supports prettyprinting through such third-party filters as pretzel and dpp.
documentation	(English) <i>Frequently asked questions:</i> https://ctan.org/tex-archive/web/noweb/src/FAQ.html
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/web/noweb/README
documentation	(English) <i>Manual page:</i> https://ctan.org/tex-archive/web/noweb/src/xdoc/noweb.txt
home page	https://www.cs.tufts.edu/~nr/noweb
contact	<i>bugs:</i> https://github.com/nrnrrnr/noweb/issues
contact	<i>repository:</i> https://github.com/nrnrrnr/noweb
on CTAN	https://ctan.org/tex-archive/web/noweb
keyword	litprog (literate programming)
language(s)	English

last access 2025-02-07

4307 *nowidow* – Avoid widows

Web page on CTAN <https://ctan.org/pkg/nowidow>

name	nowidow
caption	Avoid widows
author	Pinson, Raphaël
copyright	Raphaël Pinson (2011)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) This package provides a useful macro to manage widow lines.
documentation	(no language specified) <i>Readme file</i> : https://ctan.org/tex-archive/macros/latex/contrib/nowidow/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/nowidow/nowidow.pdf
– local file	./2142674043-nowidow.pdf
contact	<i>repository</i> : https://github.com/raphink/nowidow
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nowidow
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/nowidow.tds.zip
on MikTeX	nowidow
on T _E XLive	nowidow
keyword	layout (layout of objects on the page)
language(s)	no language specified
year	2011
last access	2025-02-07

4308 nox – Adaptable tables

Web page on CTAN <https://ctan.org/pkg/nox>

name	nox
caption	Adaptable tables
author	Schöpf, Rainer
author	Borck-Elsner, Matthias
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package allows data, text (including (La)TeX commands or environments) to be formatted into a array which may be split.
documentation	<i>Readme (German):</i> https://ctan.org/tex-archive/macros/latex/contrib/nox/README
documentation	<i>Package documentation (German):</i> https://ctan.org/tex-archive/macros/latex/contrib/nox/nox.pdf
– local file	./2755622794-nox.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nox
on MikTeX	nox
on T _E XLive	nox
keyword	table (table typesetting)
keyword	table-long (typeset tables that may be too big for a page)
language(s)	German
year	without year
last access	2025-02-07

4309 npp-for-context – ConTeXt plugin for Notepad++

Web page on CTAN <https://ctan.org/pkg/npp-for-context>

name	npp-for-context
caption	ConTeXt plugin for Notepad++
author	Scarso, Luigi
author	Hamid, Idris Samawi
version	0.98

description	(no language specified) This package provides 1. A plugin for Notepad++ that implements, for the ConTeXt document processing system, a) a language lexer for semantic highlighting of TeX, LuaTeX, and ConTeXt commands; b) autocompletion of commands with full support for calltips (set in columns); c) tagging and insertion of markup and templates, with support for mnemonic keys. 2. A color scheme and two complementary Notepad++ themes: "Silver Twilight Hi" and "Silver Twilight Lo".
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/support/npp-for-context/doc/npp-context-manual.pdf
– local file	<code>./7164423751-npp-context-manual.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/npp-for-context/README.md
contact	<i>repository:</i> https://github.com/luigiScarso/context-npp
on CTAN	https://ctan.org/tex-archive/support/npp-for-context
keyword	editor-extn (plug-ins for editors, for better (La)TeX and Meta* support)
language(s)	no language specified
year	without year
last access	2025-02-07

4310 *nrc* – Class for the NRC technical journals

Web page on CTAN <https://ctan.org/pkg/nrc>

name	<i>nrc</i>
caption	Class for the NRC technical journals
author	Fairbairns, Robin
author	Thiele, Christina
license	lppl = The LaTeX Project Public License (free)
version	2.01a

description	(no language specified) Macros, and some documentation, for typesetting papers for submission to journals published by the National Research Council Research Press. At present, only <code>nrc2.cls</code> (for two-column layout) should be used.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/nrc/userguide.pdf
– local file	<code>./5297938024-userguide.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/nrc/README
documentation	(no language specified) <i>Notes for authors</i> : https://ctan.org/tex-archive/macros/latex/contrib/nrc/00-2013-feb-authors.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nrc
on MikTeX	<code>nrc</code>
on TeXLive	<code>nrc</code>
keyword	<code>physics</code> (support for typesetting physics documents)
keyword	<code>journalpub</code> (typesetting journals, etc)
language(s)	no language specified
year	without year
last access	2025-02-07

4311 ***nstc-proposal*** – LaTeX classes for preparing grant proposals to National Science and Technology Council, Taiwan

Web page on CTAN <https://ctan.org/pkg/nstc-proposal>

name	<code>nstc-proposal</code>
caption	LaTeX classes for preparing grant proposals to National Science and Technology Council, Taiwan
author	Chen, Liang-Ting
copyright	Liang-Ting Chen (2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0
description	(no language specified) This package consists of LaTeX classes for preparing grant proposals to the National Science and Technology Council, Taiwan, that is:

4312 *ntabbing* – Simple tabbing extension for automatic line numbering

- CM03
- CM302

which support typesetting in both Chinese and English and are compatible with pdfLaTeX and XeTeX.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/nstc-proposal/README.md
documentation	(Chinese (Taiwan)) <i>Package documentation (Traditional Chinese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/nstc-proposal/nstc-proposal.pdf
– local file	<code>./4708130627-nstc-proposal.pdf</code>
contact	<i>bugs</i> : https://github.com/L-TChen/nstc-proposal/issues
contact	<i>repository</i> : https://github.com/L-TChen/nstc-proposal
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nstc-proposal
on MikTeX	<code>nstc-proposal</code>
on TeXLive	<code>nstc-proposal</code>
keyword	<code>proposal</code> (typeset proposals to funding bodies, etc)
keyword	<code>class</code> (alternative LaTeX class(es))
language(s)	Chinese (Taiwan)
year	2024
last access	2025-02-07

4312 *ntabbing* – Simple tabbing extension for automatic line numbering

Web page on CTAN <https://ctan.org/pkg/ntabbing>

name	<code>ntabbing</code>
caption	Simple tabbing extension for automatic line numbering
author	Stupp, Gideon
license	<code>noinfo = noinfo</code>
version	(2000-04-09)
last changes	2000-04-09
year	2000

4313 ntg – Dutch TeX Users Group information

description	(no language specified) An extension of the tabbing environment that supports automatic line numbering. The lines can be referenced using the standard <code>\label</code> and <code>\ref</code> mechanism.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ntabbing/ntabbing.pdf
– local file	<code>./6922628191-ntabbing.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ntabbing
on MikTeX	ntabbing
keyword	<code>line-nos</code> (number the typeset lines)
keyword	<code>alignment</code> (tables, tab structures, etc)
language(s)	no language specified
last access	2025-02-07

4313 ntg – Dutch TeX Users Group information

Web page on CTAN <https://ctan.org/pkg/ntg>

name	ntg
caption	Dutch TeX Users Group information
license	other-free = Free license not otherwise listed (free)
on CTAN	https://ctan.org/tex-archive/usergrps/ntg
keyword	<code>advert</code> (small advertisements, fly sheets, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

4314 ntg-maps – The NTG's journal MAPS

Web page on CTAN <https://ctan.org/pkg/ntg-maps>

name	ntg-maps
caption	The NTG's journal MAPS
author	Nederlandstalige TeX Gebruikersgroep
license	other-nonfree = License that prevents distribution (not free)
version	(1995-01-29)

4315 `ntgclass` – “European” versions of standard classes

last changes	1995-01-29
year	1995
description	(no language specified) A collection of papers published in the group’s journal “Minutes and APpendiceS”.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/usergrps/ntg/maps/readme.txt
on CTAN	https://ctan.org/tex-archive/usergrps/ntg/maps
keyword	<code>journ-extract</code> (selections of journals, etc.)
language(s)	no language specified
last access	2025-02-07

4315 `ntgclass` – “European” versions of standard classes

Web page on CTAN <https://ctan.org/pkg/ntgclass>

name	<code>ntgclass</code>
caption	“European” versions of standard classes
author	Eijkhout, Victor
author	Braams, Johannes L.
copyright	NTG (1994-2026)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.1h
description	(no language specified) The bundle offers versions of the standard LaTeX article and report classes, rewritten to reflect a more European design, and the <code>a4</code> package, which is better tuned to the shape of a4 paper than is the <code>a4paper</code> class option of the standard classes. The classes include several for article and report requirements, and a letter class. The elements of the bundle were designed by members of the Dutch TeX Users Group NTG.
documentation	(Dutch) <i>The artikel (article) classes</i> : https://ctan.org/tex-archive/macros/latex/contrib/ntgclass/artdoc.pdf
– local file	<code>./7873368083-artdoc.pdf</code>
documentation	(no language specified) <i>Introduction to the classes</i> : https://ctan.org/tex-archive/macros/latex/contrib/ntgclass/classdoc.pdf
– local file	<code>./9739869825-classdoc.pdf</code>

4316 *nth* – Generate English ordinal numbers

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ntgclass/README
documentation	(Dutch) <i>The brief (letter) class</i> : https://ctan.org/tex-archive/macros/latex/contrib/ntgclass/briefdoc.pdf
– local file	<code>./2285534384-briefdoc.pdf</code>
documentation	(Dutch) <i>The rapport (report) classes</i> : https://ctan.org/tex-archive/macros/latex/contrib/ntgclass/rapdoc.pdf
– local file	<code>./1412004156-rapdoc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ntgclass
on MikTeX	<code>ntgclass</code>
on T _E XLive	<code>ntgclass</code>
keyword	<code>letter</code> (typesetting letters, envelopes, faxes, etc)
keyword	<code>class</code> (alternative LaTeX class(es))
language(s)	Dutch
year	2026
last access	2026-03-26

4316 *nth* – Generate English ordinal numbers

Web page on CTAN	https://ctan.org/pkg/nth
name	<code>nth</code>
caption	Generate English ordinal numbers
author	Arseneau, Donald
license	pd = Public Domain Software (free)
description	(no language specified) The command <code>\nth{<number>}</code> generates English ordinal numbers of the form 1st, 2nd, 3rd, 4th, etc. LaTeX package options may specify that the ordinal mark be superscripted, and that negative numbers may be treated; Plain TeX users have no access to package options, so need to redefine macros for these changes.
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/nth.sty
on MikTeX	<code>genmisc</code>
on T _E XLive	<code>nth</code>
keyword	<code>tagged-pdf</code> (tagged PDF compatible)

keyword	numbers (formatting numbers, etc)
see also	see section 1907 on page 1723: (<code>engord</code> – Converts numbers to English ordinal numbers)
language(s)	no language specified
year	without year
last access	2026-03-26

4317 *ntheorem* – Enhanced theorem environment

Web page on CTAN <https://ctan.org/pkg/ntheorem>

name	<code>ntheorem</code>
caption	Enhanced theorem environment
author	Schedler, Andreas
author	May, Wolfgang
copyright	Wolfgang May and Andreas Schedler (1997-2011)
license	lppl = The LaTeX Project Public License (free)
version	1.33
description	(no language specified) The package offers enhancements for theorem-like environments: • easier control of layout; proper placement of endmarks even when the environment ends with <code>\end{enumerate}</code> or <code>\end{displaymath}</code> (including support for <code>amsmath</code> displayed-equation environments); and • support for making a list of theorems, analagous to <code>\listoffigures</code>.
documentation	<i>Package documentation (Vietnamese):</i> https://ctan.org/tex-archive/info/translations/ntheorem/vn/ntheorem-doc-vn.pdf
– local file	<code>./7670195456-ntheorem-doc-vn.pdf</code>
documentation	<i>Package documentation (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/ntheorem/ntheorem.pdf
– local file	<code>./3769962975-ntheorem.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/ntheorem/README
home page	http://user.informatik.uni-goettingen.de/~may/Ntheorem/

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ntheorem
on MikTeX	<i>ntheorem</i>
on T _E XLive	<i>ntheorem</i>
keyword	<i>maths-theorem</i> (typeset mathematical theorems)
keyword	<i>tagged-pdf-incompatible</i> (tagged PDF incompatible)
see also	see section 1889 on page 1707: (<i>empheq</i> – EMPHasizing EQuations)
see also	see section 186 on page 173: (<i>amsthm</i> – Typesetting theorems (AMS style))
see also	see section 6086 on page 5500: (<i>thmtools</i> – Extensions to theorem environments)
language(s)	English; Vietnamese
year	2011
last access	2026-03-26

4318 *ntheorem-vn* – Vietnamese translation of documentation of *ntheorem*

Web page on CTAN	https://ctan.org/pkg/ntheorem-vn
name	<i>ntheorem-vn</i>
caption	Vietnamese translation of documentation of <i>ntheorem</i>
author	Huynh, Ky-Anh
license	lppl = The LaTeX Project Public License (free)
version	1.203
description	(no language specified) This is a translation of the documentation provided with <i>ntheorem</i> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/translations/ntheorem/vn/README
documentation	(Vietnamese) <i>The document itself</i> : https://ctan.org/tex-archive/info/translations/ntheorem/vn/ntheorem-doc-vn.pdf
– local file	<i>./7670195456-ntheorem-doc-vn.pdf</i>
on CTAN	https://ctan.org/tex-archive/info/translations/ntheorem/vn
on T _E XLive	<i>ntheorem-vn</i>
keyword	<i>vietnamese-doc</i> (documentation in Vietnamese)
keyword	<i>translation</i> (translation of material from the archive, to another language)

language(s)	Vietnamese
year	without year
last access	2026-03-26

4319 *nts* – New Typesetting System

Web page on CTAN <https://ctan.org/pkg/nts>

name	NTS
caption	New Typesetting System
author	The NTS Project
copyright	DANTE e.V. (2001)
license	other-free = Free license not otherwise listed (free)
version	1.00-beta
description	(no language specified) This is the first version of the proposed replacement "New Typesetting System" of the NTS project.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/nts/ntsbases-1.0-beta.README
on CTAN	https://ctan.org/tex-archive/systems/nts
keyword	engine (TeX (or TeX-alike) typesetting engine)
language(s)	no language specified
year	2001
last access	2026-03-26

4320 *nts-l* – NTS mailing list digests

Web page on CTAN <https://ctan.org/pkg/nts-l>

name	NTS-L
caption	NTS mailing list digests
license	digest = digest
version	(1995-01-13)
last changes	1995-01-13
year	1995

4321 *ntsfaq* – Frequently answered questions about TeX extension

description	(no language specified) This bundle holds postings from the NTS mailing list NTS-L , from 1992-05 to 1995-01.
on CTAN	https://ctan.org/tex-archive/info/digests/nts-1
keyword	mail-list (digests, etc., of mailing lists)
see also	see section 4321 on page 3912: (<i>ntsfaq</i> – Frequently answered questions about TeX extension)
language(s)	no language specified
last access	2026-03-26

4321 *ntsfaq* – Frequently answered questions about TeX extension

Web page on CTAN <https://ctan.org/pkg/ntsfaq>

name	ntsfaq
caption	Frequently answered questions about TeX extension
author	Knappen, Jörg
license	noinfo = noinfo
version	5
description	(no language specified) These answers come from the NTS-L mailing list. The answer deal with many details of the e-TeX TeX extension and the proposed New Typesetting System, of which a first base prototype system has now been released. The answers also cover extensions to related systems, and summaries of pre-existing extensions.
on CTAN	https://ctan.org/tex-archive/info/NTS-FAQ
keyword	docu-pkg (documentation of another package)
language(s)	no language specified
year	without year
last access	2026-03-26

4322 *nuc* – Notation for nuclear isotopes

Web page on CTAN <https://ctan.org/pkg/nuc>

name	<i>nuc</i>
caption	Notation for nuclear isotopes
author	Davis, Neal E.
license	lppl = The LaTeX Project Public License (free)
version	0.1
description	(no language specified) A simple package providing nuclear sub- and superscripts as commonly used in radiochemistry, radiation science, and nuclear physics and engineering applications. Isotopes which have Z with more digits than A require special spacing to appear properly; this spacing is supported in the package.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/nuc/nuc.pdf
– local file	<code>./8492299329-nuc.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/nuc/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nuc
on MikTeX	<i>nuc</i>
on TeXLive	<i>nuc</i>
keyword	<code>physics</code> (support for typesetting physics documents)
keyword	<code>subsup-pos</code> (position sub- and superscripts (left and right sides))
language(s)	no language specified
year	without year
last access	2026-03-26

4323 nucleardata – Provides data about atomic nuclides for documents

Web page on CTAN <https://ctan.org/pkg/nucleardata>

name	nucleardata
caption	Provides data about atomic nuclides for documents
author	Nettles, William G.
copyright	Bill Nettles (2015-2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2018-04-04)
last changes	2018-04-04
year	2018
description	(no language specified) The package provides data and commands for including nuclear and atomic mass and energy data in LaTeX documents. It uses the PythonTeX package and requires <code>pythontex.exe</code> to be called with the TeX file as the argument.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/nucleardata/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/nucleardata/nucleardata.pdf
– local file	<code>./5846552494-nucleardata.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nucleardata
on MikTeX	nucleardata
on TeXLive	nucleardata
keyword	callback (call external code and process the result)
keyword	physics (support for typesetting physics documents)
keyword	chemistry (chemistry document support)
language(s)	no language specified
last access	2025-02-07

4324 numalg – BibTeX style for Kluwer’s Numerical Algorithms

Web page on CTAN <https://ctan.org/pkg/numalg>

name	numalg
caption	BibTeX style for Kluwer’s Numerical Algorithms
author	Mathar, Richard J
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) This BibTeX style, generated by makebst , produces references in a form close to that specified for Springer Science and Business “Numerical Algorithms” (formerly from Kluwer). This file has been declared obsolete by its author, since Springer now provide their own style file.
on CTAN	https://ctan.org/tex-archive/obsolete/biblio/bibtex/contrib/misc/numalg.bst
keyword	obsolete (package declared obsolete)
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
year	without year
last access	2025-02-07

4325 numberedblock – Print a block of code, with unique index number

Web page on CTAN <https://ctan.org/pkg/numberedblock>

name	numberedblock
caption	Print a block of code, with unique index number
author	Segletes, Steven B.
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.10 (2014-02-24)
last changes	2014-02-24
year	2014
description	(no language specified) The package has been created for the convenience of the report writer; it provides the means to number, and label, code-block snippets in your document. In this way, you can (unambiguously) refer to each snippet elsewhere in your document.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/numberedblock/README
documentation	(no language specified) <i>Demonstration of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/numberedblock/testnumberedblock.pdf
– local file	./8832494608-testnumberedblock.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/numberedblock
on MikTeX	numberedblock
on TeXLive	numberedblock
keyword	listing (computer code listing)
keyword	label-ref (label and reference systems)
language(s)	no language specified
last access	2025-02-07

4326 *numberpt* – Counters spelled out in Portuguese

Web page on CTAN <https://ctan.org/pkg/numberpt>

name	numberpt
caption	Counters spelled out in Portuguese
author	Frasson, Miguel Vinícius Santini
copyright	Miguel V. S. Frasson (2019)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2019-07-13)
last changes	2019-07-13
year	2019
description	(no language specified) This packages defines commands to display counters spelled out in Portuguese. The styles are • <code>\numberpt</code> for "all lowercase" • <code>\Numberpt</code> for "First word capitalized" • <code>\NumberPt</code> for "All Capitalized" • <code>\NUMBERPT</code> for "ALL UPPERCASE"

For example, `\renewcommand{\thechapter}{\NumberPt{chapter}}` makes chapter titles to be rendered as "Capítulo Um", "Capítulo Dois" etc.

Options are offered to select variations in the spelling of "14", or Brazilian vs. European Portuguese forms in the spelling of "16", "17", and "19".

The package requires **expl3** and **xparse** .

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/numberpt/numberpt.pdf
– local file	<code>./1912626654-numberpt.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/numberpt/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/numberpt
on MikTeX	<code>numberpt</code>
on TeXLive	<code>numberpt</code>
keyword	<code>portuguese</code> (support for typesetting Portuguese)
keyword	<code>numbers</code> (formatting numbers, etc)
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
language(s)	no language specified
last access	2025-02-07

4327 **numbersets** – Display number sets with customizable typefaces

Web page on CTAN <https://ctan.org/pkg/numbersets>

name	<code>numbersets</code>
caption	Display number sets with customizable typefaces
author	Noguchi, Takumi
license	mit = MIT License (free)
version	0.2.0 (2024-10-15)
last changes	2024-10-15
year	2024
description	(no language specified) This package allows users to express mathematical concepts related to sets of numbers using meaningful commands rather than relying on visual representations.

Key Features:

4328 *numending* – Generates morphological end of units

- Command to specify typefaces for number sets.
- Interface for defining typeface rules.
- Interface for creating commands that represent number sets.
- Several predefined presets for common number sets.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/numbersets/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/numbersets/numbersets-doc.pdf
– local file	<code>./6895575711-numbersets-doc.pdf</code>
contact	<i>bugs</i> : https://github.com/enunun/numbersets/issues
contact	<i>repository</i> : https://github.com/enunun/numbersets
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/numbersets
on MikTeX	numbersets
on T _E XLive	numbersets
keyword	maths (support for typesetting mathematics)
keyword	numbers (formatting numbers, etc)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

4328 *numending* – Generates morphological end of units

Web page on CTAN <https://ctan.org/pkg/numending>

name	numending
caption	Generates morphological end of units
author	Kirillova, Dariya
license	noinfo = noinfo
version	(2015-05-08)
last changes	2015-05-08
year	2015

description	(no language specified) This package is intended for the formation of morphological endings for any units of the East Slavic group of languages (Russian, Ukrainian, Belarusian).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/numending/README
documentation	(Russian) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/numending/numending.pdf
– local file	<code>./9995430449-numending.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/numending
on MikTeX	<code>numending</code>
keyword	<code>linguistic</code> (support for linguistics)
language(s)	Russian
last access	2025-02-07

4329 *numERICA* – Numerically evaluate mathematical expressions in LaTeX form

Web page on CTAN <https://ctan.org/pkg/numERICA>

name	<code>numERICA</code>
caption	Numerically evaluate mathematical expressions in LaTeX form
author	Parsloe, Andrew
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.0.0
description	(no language specified) This package defines a command to wrap around a mathematical expression in its LaTeX form and, once values are assigned to variables, numerically evaluate it. The intent is to avoid the need to modify the LaTeX form of the expression being evaluated. For programs with a preview facility like LyX, or compile-as-you-go systems, interactive back-of-envelope calculations and numerical exploration are possible within the document being worked on. The package requires the bundles <code>l3kernel</code> and <code>l3packages</code>, and the <code>amsmath</code> and <code>mathtools</code> packages.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/numERICA/numERICA.pdf
– local file	<code>./3508299801-numERICA.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/numerica/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/numerica
on MikTeX	numerica
on T _E XLive	numerica
keyword	maths (support for typesetting mathematics)
keyword	expl3 (expl3(unknown))
keyword	calculation (perform calculations within TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

4330 *numerica-plus* – Iteration and recurrence relations: finding fixed points, zeros and extrema of functions

Web page on CTAN <https://ctan.org/pkg/numerica-plus>

name	numerica-plus
caption	Iteration and recurrence relations: finding fixed points, zeros and extrema of functions
author	Parsloe, Andrew
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.0.0
description	(no language specified) The package defines commands to iterate functions of a single variable, find fixed points, zeros and extrema of such functions, and calculate the terms of recurrence relations. numerica-plus requires the package numerica , which in turn requires l3kernel , l3packages , and the amsmath and mathtools packages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/numerica-plus/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/numerica-plus/numerica-plus.pdf
– local file	./1001850657-numerica-plus.pdf

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/numerica-plus
on MikTeX	numerica-plus
on T _E XLive	numerica-plus
keyword	maths (support for typesetting mathematics)
keyword	calculation (perform calculations within TeX)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
year	without year
last access	2025-02-07

4331 *numerica-tables* – Create multi-column tables of mathematical functions

Web page on CTAN	https://ctan.org/pkg/numerica-tables
name	numerica-tables
caption	Create multi-column tables of mathematical functions
author	Parsloe, Andrew
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.2.0
description	(no language specified) The package defines a command to create possibly multi-column tables of mathematical function values. Key = value settings produce a wide variety of table styles consistent with the booktabs package (required). Also required are the packages numerica , l3kernel , l3packages , amsmath and mathtools .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/numerica-tables/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/numerica-tables/numerica-tables.pdf
– local file	./7661707447-numerica-tables.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/numerica-tables
on MikTeX	numerica-tables
on T _E XLive	numerica-tables

keyword	maths (support for typesetting mathematics)
keyword	expl3 (expl3(unknown))
keyword	calculation (perform calculations within TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

4332 *numericplots* – Plot numeric data (including Matlab export) using PSTricks

Web page on CTAN <https://ctan.org/pkg/numericplots>

name	numericplots
caption	Plot numeric data (including Matlab export) using PSTricks
author	Michel, Alexander
author	König, Thomas
copyright	Thomas König, Alexander Michel, Michael Baumgart (2010-2013)
license	gpl3 = GNU General Public License, version 3 (free)
version	2.0.2 (2013-09-19)
last changes	2013-09-19
year	2013
description	(no language specified) Plotting numeric data is a task which has often to be done for scientific papers. LaTeX itself provides no facilities for drawing more than the simplest plots from supplied data. The package will process user input, and uses PSTricks to plot the results. The package provides Matlab functions to transform Matlab results to plottable data.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/numericplots/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/numericplots/doc/NumericPlots.pdf
– local file	./9568539765-NumericPlots.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/numericplots
on MikTeX	numericplots

on T _E XLive	numericplots
keyword	graphics-plot (plot data)
see also	see section 4948 on page 4479: (pst-plot – Plot data using PSTricks)
see also	see section 4623 on page 4186: (pgfplots – Create normal/logarithmic plots in two and three dimensions)
language(s)	no language specified
last access	2025-02-07

4333 numline – LaTeX macros for numbering lines

Web page on CTAN <https://ctan.org/pkg/numline>

name	numline
caption	LaTeX macros for numbering lines
author	Fortune, James
author	Jaegermann, Michal
license	noinfo = noinfo
version	1.3
description	(no language specified) The package works by patching the output routine; while it seems to work, it is definitely fragile. On the advice of one of the authors, the package has been declared obsolete.
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/numline
keyword	line-nos (number the typeset lines)
keyword	obsolete (package declared obsolete)
see also	see section 3451 on page 3119: (lineno – Line numbers on paragraphs)
language(s)	no language specified
year	without year
last access	2025-02-07

4334 numname – Convert a number to its English expression

Web page on CTAN <https://ctan.org/pkg/numname>

name	numname
caption	Convert a number to its English expression
author	Swamidass, S Joshua
copyright	Peter R. Wilson (2001-2005)
license	lppl = The LaTeX Project Public License (free)
version	(2007-07-05)
last changes	2007-07-05
year	2007
description	(no language specified) The package can generate cardinal (one, two, ...) and ordinal (first, second, ...) numbers. The code derives from the <i>memoir</i> class, and is extracted for the convenience of non-users of that class.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/numname/numname.pdf
– local file	<code>./6897737160-numname.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/numname/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/numname
on MikTeX	numname
on TeXLive	numname
keyword	numbers (formatting numbers, etc)
language(s)	no language specified
last access	2025-02-07

4335 `numnameru` – Converts a number to the russian spelled out name

Web page on CTAN <https://ctan.org/pkg/numnameru>

name	<code>numnameru</code>
caption	Converts a number to the russian spelled out name
author	Vit
copyright	Vit (2017)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2017-07-26)
last changes	2017-07-26
year	2017
description	(no language specified) This package converts a numerical number to the russian spelled out name of the number. For example, 1 → один, 2 → два, 12 → двенадцать.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/numnameru/numnameru.pdf
– local file	<code>./2920377324-numnameru.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/numnameru/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/numnameru
on MikTeX	<code>numnameru</code>
on TeXLive	<code>numnameru</code>
keyword	<code>numbers</code> (formatting numbers, etc)
see also	see section 4334 on page 3924: (<code>numname</code> – Convert a number to its English expression)
language(s)	no language specified
last access	2025-02-07

4336 numprint – Print numbers with separators and exponent if necessaryWeb page on CTAN <https://ctan.org/pkg/numprint>

name	numprint
caption	Print numbers with separators and exponent if necessary
author	Harders, Harald
copyright	Harald Harders (2000-2005, 2007, 2008, 2012)
license	lppl = The LaTeX Project Public License (free)
version	1.39
description	(no language specified) The package numprint prints numbers with a separator every three digits and converts numbers given as 12345.6e789 to $12,345,6\cdot 10^{789}$. Numbers are printed in the current mode (text or math) in order to use the correct font. Many things, including the decimal sign, the thousand separator, as well as the product sign can be changed by the user, e.g., to reach $12,345.6\text{times } 10^{789}$. If an optional argument is given it is printed upright as unit. Numbers can be rounded to a given number of digits. The package supports an automatic, language-dependent change of the number format. Tabular alignment using the tabular(*), array, tabularx, and longtable environments (similar to the dcolumn and rccol packages) is supported using all features of numprint. Additional text can be added before and after the formatted number.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/numprint/numprint.pdf
– local file	./6310511882-numprint.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/numprint
on MikTeX	numprint
on TeXLive	numprint
keyword	numbers (formatting numbers, etc)
language(s)	no language specified
year	2012
last access	2025-02-07

4337 numspell – Spelling cardinal and ordinal numbersWeb page on CTAN <https://ctan.org/pkg/numspell>

name	numspell
caption	Spelling cardinal and ordinal numbers
author	Tómacs, Tibor
copyright	Tibor Tómacs (2017-2024)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.6 (2024-04-13)
last changes	2024-04-13
year	2024
description	(no language specified) This package supports the spelling of cardinal and ordinal numbers. Supported languages are English, French, German, Hungarian, Italian, and Latin. The package requires xstring and iflang .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/numspell/numspell.pdf
– local file	./7503663146-numspell.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/numspell/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/numspell
on MikTeX	numspell
on T _E XLive	numspell
keyword	hungarian (support for typesetting Hungarian)
keyword	german (support for typesetting German)
keyword	italian (support for typesetting Italian)
keyword	numbers (formatting numbers, etc)
keyword	multilingual (support for more than one (natural) language)
keyword	english (typesetting specific to English)
keyword	french (support for typesetting French)
language(s)	no language specified
last access	2025-02-07

4338 nunito – The Nunito font face with support for LaTeX and pdfLaTeX

Web page on CTAN <https://ctan.org/pkg/nunito>

name	Nunito
caption	The Nunito font face with support for LaTeX and pdfLaTeX
author	Ebinger, Carl-Clemens
license	lppl = The LaTeX Project Public License (free)
license	ofl = The SIL Open Font License (free)
version	0.0.1 (2021-01-15)
last changes	2021-01-15
year	2021
description	(no language specified) This package provides LaTeX and pdfLaTeX support for the Nunito family of fonts, designed by Vernon Adams, Cyreal.
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/nunito/doc/nunito-samples.pdf
– local file	./8719332382-nunito-samples.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/nunito/README
contact	<i>repository</i> : https://github.com/ccebinger/CTAN_Nunito
on CTAN	https://ctan.org/tex-archive/fonts/nunito
on MikTeX	nunito
on TeXLive	nunito
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font-t1enc (font providing LaTeX T1 encoding support)
keyword	font-sans (sans-serif font)
keyword	font-proportional (variable-spaced font)
keyword	font (fonts themselves)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-otf (font in OpenType format)
language(s)	no language specified
last access	2025-02-07

4339 nwafuthesis – A thesis template package for Northwest A&F University, ChinaWeb page on CTAN <https://ctan.org/pkg/nwafuthesis>

name	nwafuthesis
caption	A thesis template package for Northwest A&F University, China
author	Geng, Nan
copyright	Nan Geng (2017-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.25 (2023-04-19)
last changes	2023-04-19
year	2023
description	(no language specified) This template supports doctoral and master dissertations and undergraduate theses in Chinese. With the help of modern LaTeX3 technology, <i>nwafuthesis</i> aims to create a simple interface, a normative format, as well as a hackable class for the users. At present, <i>nwafuthesis</i> only supports XeTeX and LuaTeX engines. <i>nwafuthesis</i> only allows UTF-8 encoding. <i>nwafuthesis</i> is based on the <i>fduthesis</i> template.
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/nwafuthesis/nwafuthesis.pdf
– local file	./7363121487-nwafuthesis.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/nwafuthesis/README.md
contact	<i>bugs</i> : https://gitee.com/nwafu_nan/nwafuthesis-13/issues
contact	<i>repository</i> : https://gitee.com/nwafu_nan/nwafuthesis-13
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/nwafuthesis
on MikTeX	nwafuthesis
on T _E XLive	nwafuthesis
keyword	expl3 (expl3(unknown))
keyword	doc-templ (template to guide document development)
keyword	class (alternative LaTeX class(es))
keyword	chinese (support for typesetting Chinese languages)
keyword	dissertation (typesetting dissertations, theses, etc.)

language(s) Chinese
last access 2025-02-07

4340 *nwejm* – Support for the journal “North-Western European Journal of Mathematics”

Web page on CTAN <https://ctan.org/pkg/nwejm>

name	<i>nwejm</i>
caption	Support for the journal “North-Western European Journal of Mathematics”
author	Bitouzé, Denis
copyright	Denis Bitouzé (2015-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.6 (2024-02-08)
last changes	2024-02-08
year	2024
description	(no language specified) The bundle includes LaTeX classes and BibLaTeX styles files dedicated to the new journal “North-Western European Journal of Mathematics” : • <i>nwejm</i> for the complete issues of the journal, aimed at the NWEJM’s team, • <i>nwejmart</i> , intended for the authors who wish to publish an article in the NWEJM. This class’s goal is to: – faithfully reproduce the layout of the <i>nwejm</i>, thus enabling the authors to be able to work their document in actual conditions, – provide a number of tools (commands and environments) to facilitate the drafting of documents, in particular those containing mathematical formulas.
documentation	(no language specified) <i>Readme.md</i> : https://ctan.org/tex-archive/macros/latex/contrib/nwejm/README.md
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/nwejm/doc/examples/sample.pdf
– local file	<code>./4959234509-sample.pdf</code>
documentation	<i>Package documentation (French)</i> : https://ctan.org/tex-archive/macros/latex/contrib/nwejm/doc/french/nwejm-fr.pdf
– local file	<code>./8024734338-nwejm-fr.pdf</code>

contact	repository: https://github.com/dbitouze/nwejm/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nwejm
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/nwejm.tds.zip
on MikTeX	nwejm
on TeXLive	nwejm
keyword	journalpub (typesetting journals, etc)
keyword	class (alternative LaTeX class(es))
language(s)	French
last access	2025-02-07

4341 `nxtlatex` – Classes and themes for faculty NXT (Reutlingen University)

Web page on CTAN <https://ctan.org/pkg/nxtlatex>

name	nxtlatex
caption	Classes and themes for faculty NXT (Reutlingen University)
author	Reichenberger, Volker
copyright	Volker Reichenberger (2025-2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	ofl = The SIL Open Font License (free)
version	1.2 (2026-04-21)
last changes	2026-04-21
year	2026
description	(no language specified) This bundle provides LaTeX tools for the faculty <i>NXT Nachhaltigkeit und Technologie</i> (Sustainability and Technology) at Reutlingen University, Germany. It comprises three components: a thesis class (nxtthesis) based on KOMA-Script <code>scrreprt</code> ; a letter class option (nxtbrief) for KOMA-Script <code>scrletter2</code> ; and a Beamer presentation theme (beamerthemeNXT) in 16:9 format with configurable header and footer graphics. An OpenType font (<code>NXT_Logo.otf</code> , OFL 1.1) encodes the NXT logo as a typographic glyph. All components can be adapted for use at other institutions.
documentation	(no language specified) <i>Example letter</i> : https://ctan.org/tex-archive/macros/latex/contrib/nxtlatex/BeispielbriefNXT.pdf
– local file	<code>./2160110125-BeispielbriefNXT.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/nxtlatex/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/nxtlatex/nxtlatex.pdf
– local file	<code>./6200889313-nxtlatex.pdf</code>
documentation	(no language specified) <i>Example thesis</i> : https://ctan.org/tex-archive/macros/latex/contrib/nxtlatex/BeispielthesisNXT.pdf
– local file	<code>./5867503773-BeispielthesisNXT.pdf</code>
documentation	(no language specified) <i>Example presentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/nxtlatex/BeispielfolienNXT.pdf
– local file	<code>./2448047541-BeispielfolienNXT.pdf</code>
home page	http://gitlab.reutlingen-university.de/reichenb/nxtlatex
contact	<i>repository</i> : http://gitlab.reutlingen-university.de/reichenb/nxtlatex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nxtlatex
on MikTeX	<code>nxtlatex</code>
on TeXLive	<code>nxtlatex</code>
keyword	<code>doc-templ</code> (template to guide document development)
language(s)	no language specified
last access	2026-04-29

4342 *nxuthesis* – Thesis template for Ningxia University

Web page on CTAN	https://ctan.org/pkg/nxuthesis
name	<code>NxuThesis</code>
caption	Thesis template for Ningxia University
author	Bao, Xianyuan
copyright	Xianyuan Bao (2024-2025)
copyright	Zeping Lee (2016-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.1.0 (2026-04-15)

4343 oands – Glyphs used when transliterating ancient scripts

last changes	2026-04-15
year	2026
description	(no language specified) This package provides a LaTeX thesis template for Ningxia University in order to make it easy to write theses for graduate students.
documentation	(no language specified) <i>Example document</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/nxuthesis/nxuthesis-example.pdf
– local file	./6149777172-nxuthesis-example.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/nxuthesis/README.md
contact	<i>announce</i> : https://github.com/baoxianyan/NXUThesis/releases
contact	<i>bugs</i> : https://github.com/baoxianyan/NXUThesis/issues
contact	<i>repository</i> : https://github.com/baoxianyan/NXUThesis
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/nxuthesis
on MikTeX	nxuthesis
on TeXLive	nxuthesis
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	chinese (support for typesetting Chinese languages)
keyword	doc-templ (template to guide document development)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2026-04-24

4343 oands – Glyphs used when transliterating ancient scripts

Web page on CTAN	https://ctan.org/pkg/oands
name	oands
caption	Glyphs used when transliterating ancient scripts
author	Wilson, Peter R.
license	lppl = The LaTeX Project Public License (free)
version	1.1

4344 obas – Web based interface to a bibliographical database

documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/archaic/oands/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/archaic/oands/oands.pdf
– local file	<code>./3252891283-oands.pdf</code>
documentation	(no language specified) <i>Sample of oands font:</i> https://ctan.org/tex-archive/fonts/archaic/oands/tryoands.pdf
– local file	<code>./9560471011-tryoands.pdf</code>
documentation	(no language specified) <i>Samples of entire archaic bundle:</i> https://ctan.org/tex-archive/fonts/archaic/asamples.pdf
– local file	<code>./8592837549-asamples.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/archaic/oands
on MikTeX	<code>oands</code>
on T _E XLive	<code>archaic</code>
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-specialist</code> (fonts with specific small application areas)
language(s)	no language specified
year	without year
last access	2025-02-07

4344 obas – Web based interface to a bibliographical database

Web page on CTAN	https://ctan.org/pkg/obas
name	<code>obas</code>
caption	Web based interface to a bibliographical database
author	van Heerden, Derick
license	gpl = GNU General Public License (free)
description	(no language specified) Provides a web based interface to a database of bibliographical records which can be queried and the results displayed either as HTML, or in plain ASCII, formatted as BibTeX entries or according to the APA citation style for use in an editor or word processor.
keyword	<code>ext-svc</code> (link to a service not on CTAN)

language(s)	no language specified
year	without year
last access	2025-02-07

4345 oberdiek – A bundle of packages submitted by Heiko Oberdiek

Web page on CTAN <https://ctan.org/pkg/oberdiek>

name	oberdiek
caption	A bundle of packages submitted by Heiko Oberdiek
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2007, 2009-2011)
copyright	Oberdiek Package Support Group (2016-2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2026-03-06)
last changes	2026-03-06
year	2026
description	(no language specified) The bundle comprises packages to provide: • bmpsize : get bitmap size and resolution data; • centernot : a horizontally-centred <code>\not</code> symbol; • chemarr : extensible chemists' reaction arrows; • classlist : record information about document class(es) used; • colonequals : poor man's mathematical relation symbols; • dvipscol : dvips colour stack management; • engord : define counter-printing operations producing English ordinals; • eolgrab : collect arguments delimited by end of line; • flags : setting and clearing flags in bit fields and converting the bit field into a decimal number; • holtxdoc : extra documentation macros; • hypbmsec : bookmarks in sectioning commands; • hypgotoe : experimental package for links to embedded files; • hyphsubst : substitute hyphenation patterns; • ifdraft : switch for option draft;

- **iflang** : provides expandable checks for the current language;
- **pdfcolparallel** : fixes colour problems in package **parallel** ;
- **pdfcolparcolumns** : fixes colour problems in package **parcolumns** ;
- **pdfcrypt** : setting PDF encryption;
- **protecteddef** : define a command that protected against expansion;
- **resizegather** : automatically resize overly large equations;
- **rotchiffre** : performs simple rotation cyphers;
- **scrindex** : redefines environment ‘theindex’ of package ‘index’, if a class from KOMA-Script is loaded;
- **setouterhbox** : set `\hbox` in outer horizontal mode;
- **settobox** : getting box sizes;
- **stackrel** : extensions of the `\stackrel` command;
- **stampinclude** : selects the files for `\include` by inspecting the timestamp of the `.aux` file(s);
- **tabularht** : tabulars with height specification;
- **tabularkv** : key value interface for tabular parameters;
- **thepdfnumber** : canonical numbers for use in PDF files and elsewhere;
- **twoopt** : commands with two optional arguments;

Each of the packages is represented by two files, a `.dtx` (documented source) and a PDF file; the `.ins` file necessary for installation is extracted by running the `.dtx` file with Plain TeX.

documentation	(no language specified) <i>Table of contents of the bundle</i> : https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/oberdiek.pdf
– local file	<code>./9809220962-oberdiek.pdf</code>
documentation	(no language specified) <i>Bundle README</i> : https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/README.md
contact	<i>bugs</i> : https://github.com/ho-tex/oberdiek/issues
contact	<i>repository</i> : https://github.com/ho-tex/oberdiek
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oberdiek
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/oberdiek.tds.zip
on MikTeX	<code>oberdiek</code>

on T _E XLive	oberdiek
keyword	collection (a collection of packages)
language(s)	no language specified
last access	2026-03-26

4346 *objectz* – Macros for typesetting Object Z

Web page on CTAN <https://ctan.org/pkg/objectz>

name	objectz
caption	Macros for typesetting Object Z
author	Rahtz, Sebastian
author	Leadbetter, David
copyright	Sebastian Rahtz (1995-1999)
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The package will typeset both Z and Object-Z specifications; it develops the original zed package
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/objectz/readme
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/objectz/ozguide.pdf
– local file	./8775813080-ozguide.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/objectz
on MikT _E X	objectz
on T _E XLive	objectz
keyword	formal-spec (typeset formal specification languages)
see also	see section 6910 on page 6236: (zed-csp – Typesetting Z and CSP format specifications)
language(s)	no language specified
year	1999
last access	2025-02-07

4347 *obnov* – Obyknovennaya Novaya fonts

Web page on CTAN <https://ctan.org/pkg/obnov>

name	obnov
caption	Obyknovennaya Novaya fonts
author	Solomykov, Basil
license	lppl = The LaTeX Project Public License (free)
version	0.11
description	(no language specified) The Obyknovennaya Novaya (Ordinary New Face) typeface was widely used in the USSR for scientific and technical publications, as well as textbooks. The fonts are encoded to KOI8-R (which is a long-established Russian font encoding, rather than a TeX/LaTeX encoding). To use the fonts, the user needs Cyrillic font support.
documentation	(no language specified) <i>Font samples</i>: https://ctan.org/tex-archive/fonts/obnov/example_obn.pdf
– local file	<code>./1197453379-example_obn.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/obnov/README
on CTAN	https://ctan.org/tex-archive/fonts/obnov
on MikTeX	obnov
on T _E XLive	obnov
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
keyword	cyrillic (support languages written using Cyrillic alphabets)
keyword	font-cyrillic (fonts for Cyrillic and related scripts)
language(s)	no language specified
year	without year
last access	2025-02-07

4348 **obsolete** – A tree holding obsolete software

Web page on CTAN <https://ctan.org/pkg/obsolete>

name	obsolete
caption	A tree holding obsolete software
license	collection = collection
description	(no language specified) Files from CTAN, that are no longer in active use, are moved to this tree if they may be useful for reference purposes.
on CTAN	https://ctan.org/tex-archive/obsolete
keyword	arch-tree (root directory of a (sub-)tree of the archive)
language(s)	no language specified
year	without year
last access	2025-02-11

4349 **oca** – OCR A font

Web page on CTAN <https://ctan.org/pkg/oca>

name	oca
caption	OCR A font
author	Wales, Richard B.
copyright	Richard B. Wales (1988, 1989)
license	nosell = Do Not Sell Except by Arrangement (not free)
version	(1990-04-05)
last changes	1990-04-05
year	1990
description	(no language specified) An OCR-A font as Metafont source. The font ocr-a is said to be a better representation of the standard than oca.
on CTAN	https://ctan.org/tex-archive/fonts/oca
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-specialist (fonts with specific small application areas)
keyword	font (fonts themselves)
language(s)	no language specified
last access	2025-02-07

4350 *occam* – Strip unnecessary macros from a fileWeb page on CTAN <https://ctan.org/pkg/occam>

name	occam
caption	Strip unnecessary macros from a file
author	Siebenmann, Laurent
license	noinfo = noinfo
version	(1991-08-12)
last changes	1991-08-12
year	1991
description	(no language specified) The Occam macros aim to implement, in TeX macros, what the author characterises as the equivalent of Occam’s razor: to produce macro packages that do exactly what a document needs, and no more. The main aims of the package are achieved by the macro package <code>Auditor.tex</code>, which explores the macro definitions of the file; and macros for the Mac QEDM editor to process the output of <code>Auditor</code> and the original file to remove unnecessary material (macros and related stuff).
documentation	(no language specified) <i>A paper outlining the system:</i> https://ctan.org/tex-archive/macros/generic/occam/Occam95.pdf
– local file	<code>./9914650589-Occam95.pdf</code>
documentation	(no language specified) <i>Package syntax specifaction:</i> https://ctan.org/tex-archive/macros/generic/occam/occam.spc
on CTAN	https://ctan.org/tex-archive/macros/generic/occam
keyword	optimise (optimise part of a TeX system)
language(s)	no language specified
last access	2025-02-07

4351 *ocg-p* – PDF OCG support in LaTeXWeb page on CTAN <https://ctan.org/pkg/ocg-p>

name	ocg-p
caption	PDF OCG support in LaTeX
author	Moshhammer, Werner
license	lpl = The LaTeX Project Public License (free)

version	0.4
description	(no language specified) The package provides OCG (Optional Content Groups) support within a PDF document, replacing the <code>ocg.sty</code> distributed with asymptote . Nested OCGs are supported. The package may be used with pdfLaTeX and XeLaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ocg-p/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ocg-p/ocg-p.pdf
– local file	<code>./6517201149-ocg-p.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ocg-p
on MikTeX	<code>ocg-p</code>
on TeXLive	<code>ocg-p</code>
keyword	<code>pdf-feat</code> (access PDF features)
language(s)	no language specified
year	without year
last access	2025-02-07

4352 *ocgtools* – Manipulate OCG layers in PDF presentations

Web page on CTAN <https://ctan.org/pkg/ocgtools>

name	<code>ocgtools</code>
caption	Manipulate OCG layers in PDF presentations
author	Mařík, Robert
copyright	Robert Mařík (2010)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	0.95a
description	(no language specified) The package provides the means to insert OGC (Optional Group Content, commonly known as layers) into PDF presentations. This allows the user to insert any TeX material into separate layers in a PDF document and also insert links which toggle these layers on and off. Parts of the PDF document, such as formatted text, tables, maths formulas or graphics may be switched to visible or invisible state by clicking active links or buttons. The documentation discusses the package's relation to various apparently similar packages.

4353 *ocgx* – Use OCGs within a PDF document without JavaScript

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ocgtools/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ocgtools/ocgtools.pdf
– local file	<code>./2253911851-ocgtools.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ocgtools
on MikTeX	<code>ocgtools</code>
keyword	<code>pdf-feat</code> (access PDF features)
see also	see section 4547 on page 4113: (<code>pdfcomment</code> – A user-friendly interface to pdf annotations)
see also	see section 2133 on page 1930: (<code>fancytooltips</code> – Include a wide range of material in PDF tooltips)
see also	see section 52 on page 49: (<code>acrotex</code> – The AcroTeX education bundle)
see also	see section 1333 on page 1205: (<code>cooltooltips</code> – Associate a pop-up window and tooltip with PDF hyperlinks)
see also	see section 4353 on page 3942: (<i>ocgx</i> – Use OCGs within a PDF document without JavaScript)
language(s)	no language specified
year	2010
last access	2025-02-07

4353 *ocgx* – Use OCGs within a PDF document without JavaScript

Web page on CTAN <https://ctan.org/pkg/ocgx>

name	<code>ocgx</code>
caption	Use OCGs within a PDF document without JavaScript
author	Gaborit, Paul
license	lppl = The LaTeX Project Public License (free)
version	0.5

4354 `ocgx2` – Drop-in replacement for ‘`ocgx`’ and ‘`ocg-p`’

description	(no language specified) The package extends the <code>ocg</code> package, which allows you to create OCGs (<i>Optional Content Group</i> s) in PDF documents. (The <code>ocg</code> package is distributed as part of Asymptote .) Every OCG includes TeX material into a layer of the PDF file. Each of these layers can be displayed or not. Links can enable or disable the display of OCGs. The <code>ocgx</code> package does not use Javascript embedded in the PDF document to enable (to show) or disable (to hide) OCGs.
documentation	(no language specified) <i>Package demo</i> : https://ctan.org/tex-archive/macros/latex/contrib/ocgx/demo-ocgx.pdf
– local file	<code>./4182652248-demo-ocgx.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ocgx/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ocgx/ocgx-manual-en.pdf
– local file	<code>./6297019305-ocgx-manual-en.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ocgx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/ocgx.tds.zip
on MikTeX	<code>ocgx</code>
on TeXLive	<code>ocgx</code>
keyword	<code>pdf-feat</code> (access PDF features)
see also	see section 310 on page 285: (<code>asymptote</code> – 2D and 3D TeX-Aware Vector Graphics Language)
language(s)	no language specified
year	without year
last access	2025-02-07

4354 `ocgx2` – Drop-in replacement for ‘`ocgx`’ and ‘`ocg-p`’

Web page on CTAN <https://ctan.org/pkg/ocgx2>

name	<code>ocgx2</code>
caption	Drop-in replacement for ‘ <code>ocgx</code> ’ and ‘ <code>ocg-p</code> ’
author	Grahn, Alexander
copyright	Alexander Grahn (2015-2024)
license	lppl = The LaTeX Project Public License (free)

4354 `ocgx2` – Drop-in replacement for ‘`ocgx`’ and ‘`ocg-p`’

version	0.60 (2024-09-16)
last changes	2024-09-16
year	2024
description	(no language specified) This package serves as a drop-in replacement for the packages <code>ocgx</code> by Paul Gaborit and <code>ocg-p</code> by Werner Moshhammer for the creation of PDF Layers. It re-implements the functionality of the <code>ocg</code> , <code>ocgx</code> , and <code>ocg-p</code> packages and adds support for all known engines and back-ends including: • LaTeX → dvips → ps2pdf/Distiller • (Xe)LaTeX(x) → dvipdfmx • pdfLaTeX and LuaLaTeX . It also ensures compatibility with the <code>media9</code> and <code>animate</code> packages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ocgx2/README.md
contact	<i>repository</i> : https://gitlab.com/agrahn/ocgx2
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ocgx2
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/ocgx2.tds.zip
on MikTeX	<code>ocgx2</code>
on TeXLive	<code>ocgx2</code>
keyword	<code>adobe-distiller</code> (convert PostScript to PDF using Adobe Distiller)
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>pdf-feat</code> (access PDF features)
see also	see section 4351 on page 3940: (<code>ocg-p</code> – PDF OCG support in LaTeX)
see also	see section 4353 on page 3942: (<code>ocgx</code> – Use OCGs within a PDF document without JavaScript)
language(s)	no language specified
last access	2025-02-07

4355 ochem – Typeset chemical formulae with LaTeXWeb page on CTAN <https://ctan.org/pkg/ochem>

name	ochem
caption	Typeset chemical formulae with LaTeX
author	Klöckl, Ingo
copyright	Ingo Klöckl (1999)
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) A Perl script to translate chemical formulae and reaction schemes into PostScript or LaTeX. Includes a LaTeX package to include the chemical reaction description in a LaTeX document.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/ochem/readme.txt
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/support/ochem/manual.ps
on CTAN	https://ctan.org/tex-archive/support/ochem
keyword	preprocessor (preprocesses source before using TeX)
keyword	chemistry (chemistry document support)
language(s)	German
year	1999
last access	2025-02-07

4356 ocherokee – LaTeX Support for the Cherokee languageWeb page on CTAN <https://ctan.org/pkg/ocherokee>

name	ocherokee
caption	LaTeX Support for the Cherokee language
author	Syropoulos, Apostolos
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Macros and Type 1 fonts for Typesetting the Cherokee language with the Omega version of LaTeX (known as Lambda).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/language/cherokee/ocherokee/doc/cherokee.pdf
– local file	./1295599614-cherokee.pdf

on CTAN	https://ctan.org/tex-archive/language/ Cherokee/o Cherokee
on T _E XLive	o Cherokee
keyword	omega (Omega and packages that use it)
keyword	Cherokee (support for typesetting Cherokee)
see also	see section 4382 on page 3968: (omega – A wide-character-set extension of TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

4357 *ocr-a* – Fonts for OCR-A

Web page on CTAN <https://ctan.org/pkg/ocr-a>

name	ocr-a
caption	Fonts for OCR-A
author	Lillqvist, Tor
author	Wales, Richard B.
copyright	Richard B. Wales (1988, 1989)
license	nosell = Do Not Sell Except by Arrangement (not free)
description	(no language specified) The fonts are distributed as Metafont source, derived from ANSI Standard X3.17-1977 (though use at your own risk).
on CTAN	https://ctan.org/tex-archive/fonts/ocr-a
keyword	font-specialist (fonts with specific small application areas)
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	no language specified
year	1989
last access	2025-02-07

4358 ocr-b – Fonts for OCR-B

Web page on CTAN <https://ctan.org/pkg/ocr-b>

name	ocr-b
caption	Fonts for OCR-B
author	Schwarz, Norbert
copyright	Norbert Schwarz (1995, 2010)
license	other-free = Free license not otherwise listed (free)
version	(2010-12-23)
last changes	2010-12-23
year	2010
description	(no language specified) Metafont source for OCR-B at several sizes.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/ocr-b/README
on CTAN	https://ctan.org/tex-archive/fonts/ocr-b
on MikTeX	ocr-b
on T _E XLive	ocr-b
keyword	font-specialist (fonts with specific small application areas)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
language(s)	no language specified
last access	2025-02-07

4359 ocr-b-outline – OCR-B fonts in Type 1 and OpenType

Web page on CTAN <https://ctan.org/pkg/ocr-b-outline>

name	ocr-b-outline
caption	OCR-B fonts in Type 1 and OpenType
author	Wagner, Zdeněk
license	other-free = Free license not otherwise listed (free)
version	(2011-01-06)
last changes	2011-01-06

year	2011
description	(no language specified) The package contains OCR-B fonts in Type1 and OpenType formats. They were generated from the Metafont sources of the OCR-B fonts . The metric files are not included here, so that original ocr-b package should also be installed.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/ocr-b-outline/README
on CTAN	https://ctan.org/tex-archive/fonts/ocr-b-outline
on MikTeX	ocr-b-outline
on T _E XLive	ocr-b-outline
keyword	font-otf (font in OpenType format)
keyword	font (fonts themselves)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-specialist (fonts with specific small application areas)
language(s)	no language specified
last access	2025-02-07

4360 ocr-latex – LaTeX support for ocr fonts

Web page on CTAN <https://ctan.org/pkg/ocr-latex>

name	ocr-latex
caption	LaTeX support for ocr fonts
author	Jørgensen, Palle
license	gpl = GNU General Public License (free)
version	(2006-09-18)
last changes	2006-09-18
year	2006
description	(no language specified) The package supports use of both ocr-a and ocr-b fonts in LaTeX documents.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ocr-latex/ocr.pdf
– local file	./9609709049-ocr.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ocr-latex

on MikTeX	ocr-latex
on T _E XLive	ocr-latex
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
last access	2025-02-07

4361 octave – Typeset musical pitches with octave designations

Web page on CTAN <https://ctan.org/pkg/octave>

name	octave
caption	Typeset musical pitches with octave designations
author	Cashner, Andrew A.
copyright	Andrew A. Cashner (2017)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2017-10-31)
last changes	2017-10-31
year	2017
description	(no language specified) This package package typesets musical pitch names with designation for the octave in either the Helmholtz system (with octave numbers), or the traditional system (with prime symbols). Authors can just write <code>\pitch{C}{4}</code> and the pitches will be rendered correctly depending on which package option was selected. The system can also be changed mid-document.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/octave/octave.pdf
– local file	<code>./5244562539-octave.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/octave/README.md
contact	<i>repository:</i> https://github.com/andrewacashner/octave
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/octave
on MikTeX	octave
on T _E XLive	octave
keyword	music (typesetting music and related stuff)
language(s)	no language specified

last access 2025-02-07

4362 *octavo* – Typeset books following classical design and layoutWeb page on CTAN <https://ctan.org/pkg/octavo>

name	octavo
caption	Typeset books following classical design and layout
author	Revets, Stefan A
copyright	Stefan A. Revets (2003, 2007)
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) The octavo class is a modification of the standard LaTeX book class. Its purpose is to typeset books following classical design and layout principles, with the express intention of encouraging the making of beautiful books by anyone with access to a good printer and with an inclination towards venerable crafts, e.g., bookbinding. The octavo class differs from the book class by implementing many of the proposals and insights of respected experts, especially Jan Tschichold and Hugh Williamson. The documentation discusses methods to organise and print out any text into signatures, which can then be gathered, folded and sewn into a book.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/octavo/tub-octavo.pdf
– local file	./3881092821-tub-octavo.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/octavo/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/octavo
on MikTeX	octavo
on T _E XLive	octavo
keyword	book-pub (preparing a book for publication)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
year	2007
last access	2025-02-07

4363 odesandpdes – Optimizing workflow involving odes and pdesWeb page on CTAN <https://ctan.org/pkg/odesandpdes>

name odesandpdes

caption Optimizing workflow involving odes and pdes

author McMullen-Diermayr, Anakin J.

copyright Anakin McMullen-Diermayr (2024)

license lpl1.3c = The LaTeX Project Public License 1.3c (free)

version 1.0.0 (2024-01-17)

last changes 2024-01-17

year 2024

description (no language specified) This package is the solution no one asked for, to a problem nobody had.

Have you ever thought to yourself "wow, I sure do dislike having to remember multiple macros for my odes and pdes" and the author of this package has to agree, wholeheartedly. In the modern world of "tik-toking" and "family guy surfing" our brains have rotted beyond salvage for even basic levels of cognitive recall. This package aims to fix this, through two macros that have been set to each have an identical form and function with an emphasis on intuitive use. Through setting options, the multiple common notational style are easily swapped between, all by a single option.

You're Welcome.

documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/macros/latex/contrib/odesandpdes/README.txt>documentation (no language specified) *Package documentation:* <https://ctan.org/tex-archive/macros/latex/contrib/odesandpdes/odesandpdes.pdf>

– local file ./1191683454-odesandpdes.pdf

contact *repository:* <https://github.com/Magos-Biologis/odesandpdes>on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/odesandpdes>

on MikTeX odesandpdes

on T_EXLive odesandpdes

keyword maths-syseqn (systems of equations)

keyword physics (support for typesetting physics documents)

keyword maths (support for typesetting mathematics)

language(s) no language specified
last access 2025-02-07

4364 *odsfile* – Read OpenDocument Spreadsheet documents as LaTeX tables

Web page on CTAN <https://ctan.org/pkg/odsfile>

name *odsfile*
caption Read OpenDocument Spreadsheet documents as LaTeX tables
author Hoftich, Michal
license lpl1.3c = The LaTeX Project Public License 1.3c (free)
version 0.10 (2025-10-31)
last changes 2025-10-31
year 2025
description (no language specified) The distribution includes a package and a *lua* library that can together read OpenDocument spreadsheet documents as LaTeX tables. Cells in the tables may be processed by LaTeX macros, so that (for example) the package may be used for drawing some plots.
The package uses *lua* 's zip library.
documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/luatex/latex/odsfile/odsfile.pdf>
– local file ./7331936716-odsfile.pdf
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/luatex/latex/odsfile/README>
on CTAN <https://ctan.org/tex-archive/macros/luatex/latex/odsfile>
on MikTeX *odsfile*
on TeXLive *odsfile*
keyword foreign-import (import files in a non-TeX (or different TeX) format)
keyword table (table typesetting)
keyword luatex (LuaTeX and packages that require it)
language(s) no language specified
last access 2025-11-07

4365 oesch – Font to provide the Österreichische Schulschrift

Web page on CTAN <https://ctan.org/pkg/oesch>

name	oesch
caption	Font to provide the Österreichische Schulschrift
author	Bachmaier, Gerhard A.
license	other-nonfree = License that prevents distribution (not free)
version	(2001-05-18)
last changes	2001-05-18
year	2001
description	(no language specified) Metafont sources and a LaTeX package for the Österreichische Schulschrift (Austrian school writing) of 1995, which differs from German school writing in a number of significant aspects.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/oesch/README
documentation	<i>Readme (German)</i> : https://ctan.org/tex-archive/fonts/oesch/LIESMICH
on CTAN	https://ctan.org/tex-archive/fonts/oesch
keyword	font (fonts themselves)
keyword	font-calligraphic (calligraphic (or handwriting) fonts)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	German
last access	2025-02-07

4366 ofntinst – Install Type 1 for use with Omega

Web page on CTAN <https://ctan.org/pkg/ofntinst>

name	ofntinst
caption	Install Type 1 for use with Omega
author	Kryukov, Alexey
copyright	Alexej Kryukov (2002-2005)
license	lppl = The LaTeX Project Public License (free)
version	0.2.2

4367 *ofs* – Macros for managing large font collections

description	(no language specified) This is a plug-in for fontinst , which takes several Type 1 fonts and merges them into one large (Unicode) virtual font for use with Omega.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/utilities/fontinst-contrib/ofntinst/README
on CTAN	https://ctan.org/tex-archive/fonts/utilities/fontinst-contrib/ofntinst
keyword	omega (Omega and packages that use it)
keyword	font-proc (process fonts for use with TeX (includes installation))
language(s)	no language specified
year	2005
last access	2025-02-07

4367 *ofs* – Macros for managing large font collections

Web page on CTAN <https://ctan.org/pkg/ofs>

name	ofs
caption	Macros for managing large font collections
author	Olšák, Petr
license	knuth = Knuth License (free)
version	(2004-05-31)
last changes	2004-05-31
year	2004
description	(no language specified) OFS (Olsak's Font System) is a set of Plain TeX and LaTeX macros for managing large font collections; it has been used by Czech/Slovak users for many years. Main features include: • Mapping from long names of fonts to the metric file name. The user can specify only exact long names in documents. • Support for many font encodings. • Printing of catalogues of fonts and test samples of font families; the interactive macro <code>\showfonts</code> shows all font families you have installed via OFS. • The user interface is the same for Plain TeX and for LaTeX, but the implementation differs: the LaTeX variant of OFS uses NFSS, but the Plain variant implements its own font management (which may even be better than NFSS)

- Support for math fonts including TX fonts.

documentation	(English) <i>EuroTeX paper</i> : https://ctan.org/tex-archive/macros/generic/ofs/doc/papers/eurotex2003-ofs.pdf
– local file	<code>./7331547202-eurotex2003-ofs.pdf</code>
documentation	(Czech) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/ofs/doc/ofsdoc.pdf
– local file	<code>./3933453933-ofsdoc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/ofs/README
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/ofs/doc/ofsdoc-e.pdf
– local file	<code>./8809455835-ofsdoc-e.pdf</code>
home page	http://petr.olsak.net/ofs.html
on CTAN	https://ctan.org/tex-archive/macros/generic/ofs
on MikTeX	<code>ofs</code>
on T _E XLive	<code>ofs</code>
keyword	<code>font-sel</code> (font selection schemes)
keyword	<code>plain-ext</code> (extensions to Plain TeX for higher-level constructs)
see also	see section 2304 on page 2085: (<code>font_selection</code> – Font selection for plain TeX)
see also	see section 2313 on page 2094: (<code>fontch</code> – Changing fonts, sizes and encodings in Plain TeX)
see also	see section 4725 on page 4278: (<code>plnfss</code> – Font selection for Plain TeX)
language(s)	Czech; English
last access	2025-02-07

4368 *ogham* – Fonts for typesetting Ogham script

Web page on CTAN	https://ctan.org/pkg/ogham
name	<code>ogham</code>
caption	Fonts for typesetting Ogham script
author	Stanier, Alan
author	Carlisle, David
author	Fairbairns, Robin

4369 *ogonek* – Support for Polish typography and the *ogonek*

license	pd = Public Domain Software (free)
version	(2008-06-14)
last changes	2008-06-14
year	2008
description	(no language specified) The font provides the Ogham alphabet, which is found on a number of Irish and Pictish carvings dating from the 4th century AD. The font is distributed as Metafont source, which has been patched (with the author's permission) for stability at different output device resolutions. (Thanks are due to Peter Flynn and Dan Luecking.)
documentation	(no language specified) <i>Testfont print</i> : https://ctan.org/tex-archive/fonts/ogham/testfont.pdf
– local file	<code>./6114137173-testfont.pdf</code>
contact	<i>support</i> : https://github.com/rf-latex/ogham/issues
contact	<i>repository</i> : https://github.com/rf-latex/ogham
on CTAN	https://ctan.org/tex-archive/fonts/ogham
on MikTeX	ogham
on T _E XLive	ogham
keyword	font-archaic (fonts reproducing archaic scripts or inscriptions)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
language(s)	no language specified
last access	2025-02-07

4369 *ogonek* – Support for Polish typography and the *ogonek*

Web page on CTAN	https://ctan.org/pkg/ogonek
name	ogonek
caption	Support for Polish typography and the <i>ogonek</i>
author	Bień, Janusz Stanisław
copyright	Janusz S. Bień (1995)
license	other-nonfree = License that prevents distribution (not free)
version	0.51

description	(no language specified) Defines a \k accent command that, even in the absence of T1- or Polish-encoded fonts, permits an ogonek diacritic.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ogonek/ogonek.pdf
– local file	./4714574364-ogonek.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ogonek/readme
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ogonek
keyword	polish (support for typesetting Polish)
language(s)	no language specified
year	1995
last access	2025-02-07

4370 *oinuit* – LaTeX Support for the Inuktitut Language

Web page on CTAN	https://ctan.org/pkg/oinuit
name	oinuit
caption	LaTeX Support for the Inuktitut Language
author	Syropoulos, Apostolos
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The package provides a set of Lambda (Omega LaTeX) typesetting tools for the Inuktitut language. Five different input methods are supported and with the necessary fonts are also provided.
on CTAN	https://ctan.org/tex-archive/language/inuktitut/oinuit
on MikTeX	oinuit
on T _E XLive	oinuit
keyword	omega (Omega and packages that use it)
keyword	other-lang (support for a language whose support is not otherwise catalogued)
language(s)	no language specified
year	without year
last access	2025-02-07

4371 *okuda* – Fonts for Klingon

Web page on CTAN <https://ctan.org/pkg/okuda>

name	okuda
caption	Fonts for Klingon
author	Shoulson, Mark
author	Kummer, Olaf
license	other-free = Free license not otherwise listed (free)
description	(no language specified) Metafont sources for the Klingon language with okuda orthography; the original version has been modified (adjusting spacing, apparently).
on CTAN	https://ctan.org/tex-archive/fonts/okuda
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-invented (font for an ‘invented’ language or script)
keyword	font (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-02-07

4372 *old-arrows* – Computer Modern old-style arrows with smaller arrowheads

Web page on CTAN <https://ctan.org/pkg/old-arrows>

name	old-arrows
caption	Computer Modern old-style arrows with smaller arrowheads
author	Dossena, Riccardo
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.0 (2017-01-05)
last changes	2017-01-05
year	2017
description	(no language specified) This package provides Computer Modern old-style arrows with smaller arrowheads, associated with the usual LaTeX commands. It can be used in documents that contain other amssymb arrow characters that also have small arrowheads. It is also possible to use the usual new-style Computer Modern arrows together with the old-style ones.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/old-arrows/README
documentation	<i>Package documentation (Italian)</i> : https://ctan.org/tex-archive/fonts/old-arrows/doc/old-arrows-italian.pdf
– local file	<code>./9837900453-old-arrows-italian.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/old-arrows/doc/old-arrows.pdf
– local file	<code>./5951203837-old-arrows.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/old-arrows
on MikTeX	<code>old-arrows</code>
on T _E XLive	<code>old-arrows</code>
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-symbol-maths</code> (collections of mathematical symbols)
language(s)	Italian
last access	2025-02-07

4373 *old-faq-en* – An early FAQ in English

Web page on CTAN	https://ctan.org/pkg/old-faq-en
name	<code>old-faq-en</code>
caption	An early FAQ in English
author	Bodenheimer, Bobby
license	<code>noinfo = noinfo</code>
version	1.53
description	(no language specified) This file is a copy of the last post of a plain text FAQ, which preceded (and to some extent, inspired) the UK FAQ . The content of the FAQ is probably too old to be of anything other than historical interest.
on CTAN	https://ctan.org/tex-archive/obsolete/help/TeX,_LaTeX,_etc.:_Frequently_Asked_Questions_with_Answers
keyword	<code>faq</code> (frequently asked questions, with answers)
language(s)	no language specified
year	without year
last access	2025-02-07

4374 *old-fontch* – Changing fonts, sizes and encodings in Plain TeX (obsolete version)

Web page on CTAN <https://ctan.org/pkg/old-fontch>

name	<code>old-fontch</code>
caption	Changing fonts, sizes and encodings in Plain TeX (obsolete version)
author	Medina, Rodrigo
license	lppl = The LaTeX Project Public License (free)
version	2.
description	(no language specified) The fontch macros allow the user to change font size and family anywhere in a plain TeX document. The present version of the package is designed to deal with the latest release of the Latin Modern fonts, version 1.106. Since it can no longer support earlier versions of the fonts, the obsolete version is retained on the archive for users who don't yet have access to the latest version of the fonts.
documentation	(no language specified) <i>Readme and usage details:</i> https://ctan.org/tex-archive/obsolete/macros/plain/contrib/fontch20/README
on CTAN	https://ctan.org/tex-archive/obsolete/macros/plain/contrib/fontch20
keyword	<code>font-sel</code> (font selection schemes)
see also	see section 2304 on page 2085 : (<code>font_selection</code> – Font selection for plain TeX)
see also	see section 4725 on page 4278 : (<code>plnfss</code> – Font selection for Plain TeX)
see also	see section 4367 on page 3954 : (<code>ofs</code> – Macros for managing large font collections)
language(s)	no language specified
year	without year
last access	2025-02-07

4375 oldlatin – Compute Modern-like font with long s

Web page on CTAN <https://ctan.org/pkg/oldlatin>

name	oldlatin
caption	Compute Modern-like font with long s
author	Terashita, Tera
license	lppl = The LaTeX Project Public License (free)
version	1.00
description	(no language specified) Metafont sources modified from Computer Modern in order to generate "long s" which was used in old text.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/gothic/oldlatin/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/gothic/oldlatin/oldlatin.pdf
– local file	./8056380657-oldlatin.pdf
on CTAN	https://ctan.org/tex-archive/fonts/gothic/oldlatin
on MikTeX	oldlatin
on T _E XLive	oldlatin
keyword	font (fonts themselves)
keyword	font-historical (fonts for a script or language now obsolete)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	no language specified
year	without year
last access	2025-02-07

4376 oldprsn – Fonts old Persian cuneiform script

Web page on CTAN <https://ctan.org/pkg/oldprsn>

name	oldprsn
caption	Fonts old Persian cuneiform script
author	Wilson, Peter R.
license	lppl = The LaTeX Project Public License (free)

description	(no language specified) Fonts (provided both as Metafont source and in Adobe Type 1 format) and macros for old Persian writing. This cuneiform script was in use between about 500 BCE and 350 BCE. This is one of a series of archaic fonts.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/archaic/oldprsn/oldprsn.pdf
– local file	<code>./7906012279-oldprsn.pdf</code>
documentation	(no language specified) <i>Samples of entire archaic bundle</i> : https://ctan.org/tex-archive/fonts/archaic/asamples.pdf
– local file	<code>./8592837549-asamples.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/archaic/oldprsn/README
documentation	(no language specified) <i>Sample of Old Persian font</i> : https://ctan.org/tex-archive/fonts/archaic/oldprsn/tryoldprsn.pdf
– local file	<code>./6316988331-tryoldprsn.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/archaic/oldprsn
on MikTeX	<code>archaic</code>
on T _E XLive	<code>archaic</code>
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>font-archaic</code> (fonts reproducing archaic scripts or inscriptions)
language(s)	no language specified
year	without year
last access	2025-02-07

4377 `oldstandard` – OldStandard fonts with LaTeX support

Web page on CTAN <https://ctan.org/pkg/oldstandard>

name	<code>OldStandard</code>
caption	OldStandard fonts with LaTeX support
author	Kryukov, Alexey
author	Tennent, Bob
author	Alessi, Robert

author	Lečić, Nikola
author	Tsolomitis, Antonis
copyright	Robert Alessi (2019-2023)
copyright	Alexey Kryukov (2006-2011)
license	ofl = The SIL Open Font License (free)
license	gfl = The GUST Font License (GFL) (free)
license	fdl = Free Documentation License (free)
license	lppl = The LaTeX Project Public License (free)
version	2.7a (2024-03-04)
last changes	2024-03-04
year	2024
description	(no language specified) Old Standard is designed to reproduce the actual printing style of the early 20th century, reviving a specific type of Modern (classicist) style of serif typefaces, very commonly used in various editions of the late 19th and early 20th century, but almost completely abandoned later. The font supports typesetting of Old and Middle English, Old Icelandic, Cyrillic (with historical characters, extensions for Old Slavonic and localised forms), Gothic transliterations, critical editions of Classical Greek and Latin, and many more. This package works with TeX engines that directly support OpenType features, such as XeTeX and LuaTeX, as well as traditional engines such as TeX and pdfTeX.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/oldstandard/doc/oldstandard.pdf
– local file	<code>./4732084625-oldstandard.pdf</code>
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/oldstandard/doc/oldstandard-samples.pdf
– local file	<code>./6079885505-oldstandard-samples.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/oldstandard/README
home page	https://sr.ht/~ralessi/oldstandard
contact	<i>bugs</i> : https://todo.sr.ht/~ralessi/oldstandard
on CTAN	https://ctan.org/tex-archive/fonts/oldstandard
installation	https://ctan.org/tex-archive/install/fonts/oldstandard.tds.zip

on MikTeX	oldstandard
on T _E XLive	oldstandard
keyword	font-serif (serif font)
keyword	font-otf (font in OpenType format)
keyword	font-cyrillic (fonts for Cyrillic and related scripts)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-suppl (metrics, macro incantations and other font support)
keyword	font (fonts themselves)
keyword	font-maths (fonts for use in mathematics)
keyword	font-proportional (variable-spaced font)
keyword	font-tlenc (font providing LaTeX T1 encoding support)
keyword	font-multilingual (font with adaptations to several languages)
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font-greek (font for Greek (archaic, classical and modern))
language(s)	no language specified
last access	2025-02-10

4378 oldstandardt1 – Type 1 versions of Old Standard fonts with LaTeX support

Web page on CTAN <https://ctan.org/pkg/oldstandardt1>

name	OldStandardT1
caption	Type 1 versions of Old Standard fonts with LaTeX support
author	Tennent, Bob
license	ofl = The SIL Open Font License (free)
version	(2016-06-28)
last changes	2016-06-28
year	2016

4379 `oldstyle` – Old style numbers in OT1 encoding

description	(no language specified) This package provides LaTeX and pdfLaTeX support for the Old Standard family of fonts, designed by Alexey Kryukov. Old Standard reproduces a specific type of Modern (classicist) style of serif typefaces, very commonly used in various editions of the late 19th and early 20th century, but almost completely abandoned later. Note: This was a transient version of the OldStandard package which should now, again, be used instead.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/obsolete/fonts/oldstandardt1/doc/oldstandard-samples.pdf
– local file	<code>./8105436497-oldstandard-samples.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/obsolete/fonts/oldstandardt1/README
on CTAN	https://ctan.org/tex-archive/obsolete/fonts/oldstandardt1
keyword	<code>font-serif</code> (serif font)
keyword	<code>font</code> (fonts themselves)
keyword	<code>obsolete</code> (package declared obsolete)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
language(s)	no language specified
last access	2025-02-07

4379 `oldstyle` – Old style numbers in OT1 encoding

Web page on CTAN	https://ctan.org/pkg/oldstyle
name	<code>oldstyle</code>
caption	Old style numbers in OT1 encoding
author	Carlisle, David
author	Fairbairns, Robin
copyright	Robin Fairbairns (1995, 1999)
license	lppl = The LaTeX Project Public License (free)
version	0.2
description	(no language specified) Font information needed to load the <code>cmmti</code> and <code>cmmtib</code> fonts for use to produce oldstyle numbers.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/oldstyle/oldstyle.pdf
– local file	<code>./4040470704-oldstyle.pdf</code>
contact	<i>support</i> : https://github.com/rf-latex/oldstyle/issues
contact	<i>repository</i> : https://github.com/rf-latex/oldstyle
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oldstyle
on MikTeX	oldstyle
on TeXLive	oldstyle
keyword	font-supp (metrics, macro incantations and other font support)
see also	see section 1812 on page 1636: (<code>eco</code> – Oldstyle numerals using EC fonts)
language(s)	no language specified
year	1999
last access	2025-02-07

4380 *oletex* – OLE - LaTeX interface

Web page on CTAN <https://ctan.org/pkg/oletex>

name	<code>oletex</code>
caption	OLE - LaTeX interface
author	Trifonov, Peter
license	gpl = GNU General Public License (free)
version	1.0 b4
description	(no language specified) OLET _ε uses Windows PostScript printing features to convert OLE objects (from other windows applications) into EPS files for use with LaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/win32/oletex/README
contact	<i>repository</i> : http://oletex.sourceforge.net/
on CTAN	https://ctan.org/tex-archive/systems/win32/oletex
keyword	graphics-prep (prepare graphics for use with *TeX)
language(s)	no language specified
year	without year

last access 2025-02-07

4381 *olsak-misc* – Collection of plain TeX macros written by Petr Olšák

Web page on CTAN <https://ctan.org/pkg/olsak-misc>

name *olsak-misc*

caption Collection of plain TeX macros written by Petr Olšák

author Olšák, Petr

license pd = Public Domain Software (free)

version Aug. 2022

description (no language specified) This is a collection of various single-file plain TeX macros written by Petr Olšák.

The documentation is included in each file separately.

- *booklet.tex* : re-orders PDF pages and collects them for booklet printing
- *cnv.tex* : conversion of texts
- *cnv-pu.tex* : example of usage of *cnv.tex* — pdf outlines in Unicode
- *cnv-word.tex* : example of usage of *cnv.tex* — word to word conversion
- *eparam.tex* : Full expansion during parameter scanning
- *fun-coffee.tex* : generates splotches in the document
- *openclose.tex* : repairs balanced text between \Open ...\Close pair
- *qrcode.tex* : QR code generated at TeX level
- *scanbase.tex* : parser of text-style mysql outputs
- *scancsv.tex* : parser of CSV format
- *seplist.tex* : macros with alternative separators of a parameter
- *xmlparser.tex* : parser of XML language

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/generic/olsak-misc/README>

home page <http://petr.olsak.net/ftp/olsak/makra/>

on CTAN <https://ctan.org/tex-archive/macros/generic/olsak-misc>

on MikTeX *olsak-misc*

on TeXLive *olsak-misc*

keyword	misc-support (miscellaneous support stuff)
language(s)	no language specified
year	without year
last access	2025-02-07

4382 omega – A wide-character-set extension of TeX

Web page on CTAN <https://ctan.org/pkg/omega>

name	omega
caption	A wide-character-set extension of TeX
author	Plaice, John
author	Haralambous, Yannis
license	gpl = GNU General Public License (free)
description	(no language specified) A development of TeX, which deals in multi-octet Unicode characters, to enable native treatment of a wide range of languages without changing character-set. Work on Omega has ceased (the TeX Live package contains only support files); its compatible successor is aleph , which is itself also in major maintenance mode only. Ongoing projects developing Omega (and Aleph) ideas include Omega-2 and LuaTeX .
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/obsolete/systems/omega/README
on CTAN	https://ctan.org/tex-archive/obsolete/systems/omega
on MikTeX	miktex-omega-bin-2.9
on TeXLive	omega
keyword	obsolete (package declared obsolete)
keyword	engine (TeX (or TeX-alike) typesetting engine)
keyword	omega (Omega and packages that use it)
language(s)	no language specified
year	without year
last access	2025-02-07

4383 *omgtudoc-asoiu* – A class for documents of the ASOIU department at Omsk State Technical University

Web page on CTAN <https://ctan.org/pkg/omgtudoc-asoiu>

name	omgtudoc-asoiu
caption	A class for documents of the ASOIU department at Omsk State Technical University
author	Kondratenko, Danila A.
copyright	Danila A. Kondratenko (2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1a (2025-02-18)
last changes	2025-02-18
year	2025
description	(no language specified) This package provides a class for documents which are prepared on the "Automatic systems for information processing and control" (ASOIU) of Omsk State Technical University, Omsk, Russia. The class is based on the article class and requires XeLaTeX or LuaLaTeX for its proper working. Formatting complies with the instructions issued on January 29, 2024 and at GOST 7.32-2017.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/unicodetex/latex/omgtudoc-asoiu/omgtudoc-asoiu.pdf
– local file	./7057041824-omgtudoc-asoiu.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/unicodetex/latex/omgtudoc-asoiu/README.md
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/omgtudoc-asoiu
keyword	std-conform (support conformance to standards)
keyword	article-like (LaTeX article classes and their developments)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-19

4384 one2many – Generalising mathematical index setsWeb page on CTAN <https://ctan.org/pkg/one2many>

name	12many
caption	Generalising mathematical index sets
author	Schwarz, Ulrich M.
copyright	Ulrich M. Schwarz (2005)
license	lppl = The LaTeX Project Public License (free)
version	0.3
description	(no language specified) In the discrete branches of mathematics and the computer sciences, it will only take some seconds before you're faced with a set like $\{1, \dots, m\}$. Some people write $\$1\ldotp\ldotp m\$$, others $\$\{j:1\leq j\leq m\}\$$, and the journal you're submitting to might want something else entirely. The 12many package provides an interface that makes changing from one to another a one-line change.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/12many/12many.pdf
– local file	./2349311022-12many.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/12many/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/12many
on MikTeX	12many
on TeXLive	12many
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	2005
last access	2025-02-07

4385 onedown – Typeset Bridge Diagrams

Web page on CTAN <https://ctan.org/pkg/onedown>

name OneDown

caption Typeset Bridge Diagrams

author Wiersma, Jacob

copyright Jacob Wiersma (2018-2023)

license lpl1.3 = The LaTeX Project Public License 1.3 (free)

version 1.7

description (no language specified) This is a comprehensive package to draw all sorts of bridge diagrams, including hands (stand alone or around a compass), bidding tables (stand alone or in connection with hands/compass), trick tables, and expert quizzes.

Features:

- Works for all fontsizes from `\ssmall` to `\HUGE`.
- Different fonts for hands, bidding diagrams, compass, etc. are possible.
- Annotations to card and bidding diagrams.
- Automated check on consistency of suit and hands.
- Multilingual output of bridge terms.
- Extensive documentation: User manual, Reference manual, and Examples.

documentation (no language specified) *Examples of use:*
<https://ctan.org/tex-archive/macros/latex/contrib/onedown/Examples/onedown-examples.pdf>

– local file `./8177968020-onedown-examples.pdf`

documentation (no language specified) *Reference Guide:*
<https://ctan.org/tex-archive/macros/latex/contrib/onedown/Examples/onedown-ref.pdf>

– local file `./8942793727-onedown-ref.pdf`

documentation (no language specified) *Package documentation:* <https://ctan.org/tex-archive/macros/latex/contrib/onedown/onedown.pdf>

– local file `./9732718911-onedown.pdf`

documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/macros/latex/contrib/onedown/README>

4386 *onepagem* – If the document has only one page, omit page number

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/onedown
on MikTeX	onedown
on T _E XLive	onedown
keyword	games (process game diagrams, gamebooks, and other amusements)
language(s)	no language specified
year	2023
last access	2025-02-07

4386 *onepagem* – If the document has only one page, omit page number

Web page on CTAN	https://ctan.org/pkg/onepagem
name	onepagem
caption	If the document has only one page, omit page number
author	Carlisle, David
author	Piff, Mike
author	Fairbairns, Robin
copyright	Mike Piff (1996)
license	pd = Public Domain Software (free)
version	1.01a
description	(no language specified) The page number must be produced by the usual means of <code>\thepage</code> . Requires two passes to have effect. The package is part of the piff bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/piff/onepagem-doc.pdf
– local file	<code>./7133514742-onepagem-doc.pdf</code>
documentation	(no language specified) <i>Readme (maintenance status)</i> : https://ctan.org/tex-archive/macros/latex/contrib/piff/README
contact	<i>support</i> : https://github.com/rf-latex/piff/issues
contact	<i>repository</i> : https://github.com/rf-latex/piff
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/piff/onepagem.sty
on T _E XLive	piff

keyword	page-nos (control sequence and typesetting of page numbers)
language(s)	no language specified
year	1996
last access	2025-02-07

4387 onepgnote – Space-efficient one-page notes for exams

Web page on CTAN <https://ctan.org/pkg/onepgnote>

name	onepgnote
caption	Space-efficient one-page notes for exams
author	He, Guanyuming
copyright	Guanyuming He (2025)
license	gpl3 = GNU General Public License, version 3 (free)
version	1.0.0 (2025-05-27)
last changes	2025-05-27
year	2025
description	(no language specified) An article-based LaTeX class that helps making one-page notes for exams. It makes the one-page note very space efficient, while maintaining the conspicuity of important texts. Another feature is the simple implementation of this class. With only 100+ lines of code, it achieves the above features, thanks to a few powerful ideas. This makes it easy for others to understand and improve the source code.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/onepgnote/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/onepgnote/onepgnote-manual.pdf
– local file	<code>./9620382264-onepgnote-manual.pdf</code>
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/onepgnote/onepgnote-example.pdf
– local file	<code>./2152122532-onepgnote-example.pdf</code>
contact	<i>repository</i> : https://github.com/guanyuming-he/onepgnote
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/onepgnote

on MikTeX	onepgnote
on T _E XLive	onepgnote
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-06-02

4388 *onlinebrief24* – LaTeX class for DIN 5008 type-B business letters for use with *onlinebrief24.de*

Web page on CTAN <https://ctan.org/pkg/onlinebrief24>

name	onlinebrief24
caption	LaTeX class for DIN 5008 type-B business letters for use with onlinebrief24.de
author	Luciano, Francesco
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2026-04-17)
last changes	2026-04-17
year	2026
description	(no language specified) This is a LaTeX letter class based on KOMA-Script scr_ltr2 . It is calibrated against the onlinebrief24.de letter specifications and provides:

- a plain letter layout
- a modern layout with header, footer, and accent colors
- a guides mode for technical layout inspection
- validated address-window inputs
- verified pdfLaTeX, XeLaTeX, LuaLaTeX workflows

The package currently supports one letter per document as the hardened use case.

[Onlinebrief24.de](#) is a hybrid mail service for business customers: documents are submitted digitally, and the service handles printing, enveloping, franking, and postal delivery.

The trademark holders have formally authorized the maintainer to use the Onlinebrief24 mark in connection with this LaTeX class.

documentation	(no language specified) <i>Example of use (infoblock)</i> : https://ctan.org/tex-archive/macros/latex/contrib/onlinebrief24/examples/example-onlinebrief24-infoblock.pdf
– local file	<code>./2417660979-example-onlinebrief24-infoblock.pdf</code>
documentation	(no language specified) <i>Example of use (modern)</i> : https://ctan.org/tex-archive/macros/latex/contrib/onlinebrief24/examples/example-onlinebrief24-modern.pdf
– local file	<code>./3842321573-example-onlinebrief24-modern.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/onlinebrief24/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/onlinebrief24/onlinebrief24-doc.pdf
– local file	<code>./2351018828-onlinebrief24-doc.pdf</code>
contact	<i>repository</i> : https://github.com/frluciano/latex-onlinebrief24
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/onlinebrief24
on MikTeX	<code>onlinebrief24</code>
on TeXLive	<code>onlinebrief24</code>
keyword	<code>std-conform</code> (support conformance to standards)
keyword	<code>letter</code> (typesetting letters, envelopes, faxes, etc)
language(s)	no language specified
last access	2026-04-25

4389 `onlyamsmath` – Inhibit use of non-`amsmath` mathematics markup when using `amsmath`

Web page on CTAN	https://ctan.org/pkg/onlyamsmath
name	<code>onlyamsmath</code>
caption	Inhibit use of non- <code>amsmath</code> mathematics markup when using <code>amsmath</code>
author	Harders, Harald
copyright	Harald Harders (2001, 2012, 2016)
license	lppl = The LaTeX Project Public License (free)
version	0.20

description	(no language specified) This package inhibits the usage of plain TeX and (on demand) of standard LaTeX mathematics environments. This is useful for class writers who want to encourage their users to use the environments provided by the amsmath package.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/onlyamsmath/onlyamsmath.pdf
– local file	<code>./1733469222-onlyamsmath.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/onlyamsmath/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/onlyamsmath
on MikTeX	onlyamsmath
on TeXLive	onlyamsmath
keyword	maths (support for typesetting mathematics)
keyword	latex-qual (encourage quality in LaTeX markup)
see also	see section 4165 on page 3769: (nag – Detecting and warning about obsolete LaTeX commands)
language(s)	no language specified
year	2016
last access	2025-02-11

4390 *onrannual* – Class for Office of Naval Research Ocean Battlespace Sensing annual report

Web page on CTAN	https://ctan.org/pkg/onrannual
name	<code>onrannual</code>
caption	Class for Office of Naval Research Ocean Battlespace Sensing annual report
author	Maxwell, Adam R.
copyright	Adam R. Maxwell (2009)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1

description	(no language specified) This is an unofficial document class for writing ONR annual reports using LaTeX; as ONR has had numerous problems with LaTeX-generated PDF submissions in the past. A skeleton document (and its PDF output) are included.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/onrannual/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/onrannual
on MikTeX	onrannual
on TeXLive	onrannual
keyword	report-like (regularly-formatted reports)
language(s)	no language specified
year	2009
last access	2025-02-07

4391 *oops* – A framework for making definitions, typically mathematical, inline

Web page on CTAN <https://ctan.org/pkg/oops>

name	oops
caption	A framework for making definitions, typically mathematical, inline
author	Rogard, Erwann
copyright	Erwann Rogard (2020)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0
description	(no language specified) <i>oops</i> is a package for LaTeX (hence "scribe") that organizes (typically mathematical) definitions along two dimensions: functions and objects, hence "OO". Such definitions are made inline thanks to a minimalist interface built upon xparse. To make a definition, use <code>\OopsNew{<tl1>}</code>, where <code><tl1></code> identifies an object, followed by input that alternates between "text" and instructions. The latter create and expand definitions using rules that can be modified at the package level or themselves inline. This framework is suitable for instance where <code><tl1></code> is either of <code>ModelA</code> and <code>ModelB</code>, and each requires its own definition of, say, a space. In this case, they would be encoded respectively as <code>\Space{ModelA}</code> and <code>\Space{ModelB}</code>. However, this would be verbose if most functions applied to just one object, so the package provides a generic one that is set by default to <code>Math</code>. For example,

4392 *opacity-pro* – Set transparency and blend mode

`\OopsNew{Math}[Let~]{Space=\Omega}[~denote the sample space]{ }`, followed by `Space`, expand to: "Let Omega denote the sample space" and "Omega".

Other features automate repetitive formatting tasks. Altogether, "practical".

As of April 2020, this package has been superseded by the **ccool** package.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/oops/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/oops/oops.pdf
– local file	<code>./4171750049-oops.pdf</code>
home page	https://github.com/rogard
contact	<i>repository</i> : https://github.com/rogard/oops
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/oops
on MikTeX	oops
keyword	maths (support for typesetting mathematics)
see also	see section 969 on page 881: (<code>ccool</code> – A key-value document command parser)
language(s)	no language specified
year	2020
last access	2025-02-07

4392 *opacity-pro* – Set transparency and blend mode

Web page on CTAN <https://ctan.org/pkg/opacity-pro>

name	opacity-pro
caption	Set transparency and blend mode
author	Story, Donald P.
copyright	D. P. Story (2018)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	(2018-06-11)
last changes	2018-06-11
year	2018

description	(no language specified) The package defines the <code>\settransparency</code> command and the <code>settransparency</code> environment. These allow the document to set the blend mode and opacity of LaTeX objects. PDF Creator: Adobe Distiller is required, with transparency operator set to true (<code>/AllowTransparency true</code>).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/opacity-pro/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/opacity-pro/doc/opacity-pro.pdf
– local file	<code>./7356885617-opacity-pro.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/opacity-pro
on MikTeX	<code>opacity-pro</code>
keyword	<code>adobe-distiller</code> (convert PostScript to PDF using Adobe Distiller)
keyword	<code>pdf-feat</code> (access PDF features)
language(s)	no language specified
last access	2025-02-07

4393 *opbible* – Creating a study Bible with OpTeX

Web page on CTAN <https://ctan.org/pkg/opbible>

name	OpBible
caption	Creating a study Bible with OpTeX
author	Olšák, Petr
license	gpl = GNU General Public License (free)
version	0.31
description	(no language specified) This package includes OpTeX macros which allow to create a study Bible in many language variants. The main Bible text is in separate files while the commentary apparatus can be written in other files. TeX is able to join all these data into a single print of a study Bible. Moreover, multiple language variants and translation subvariants are provided.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/opbible/README

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/generic/opbible/doc/opbible-doc.pdf
– local file	<code>./6948647867-opbible-doc.pdf</code>
home page	http://opbible.org
contact	<i>repository</i> : https://github.com/olsak/OpBible
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/opbible
on MikTeX	opbible
on TeXLive	opbible
keyword	luatex (LuaTeX and packages that require it)
keyword	theology (typeset devotional texts and other material of interest to theologians)
keyword	macro-gen (macros that are independent of the (TeX) format in use)
language(s)	no language specified
year	without year
last access	2025-02-07

4394 *opcit* – Footnote-style bibliographical references

Web page on CTAN <https://ctan.org/pkg/opcit>

name	opcit
caption	Footnote-style bibliographical references
author	Garcia-De Castro, Federico
copyright	Federico Garcia (2002)
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) This package addresses the problem of expressing citations in a style that is natural for humanities studies, yet does not interfere with the flow of text (as author-year styles do). The package differs from footbib in that it uses <i>real</i> footnotes, potentially in the same series as any of the document's other footnotes. <i>Opcit</i> also, as its name implies, avoids repetition of full citations, achieving this, to a large extent, automatically.

4395 *open-everyday-symbols* – A list of “everyday” symbols, to be extended by everybody

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/opcit/opcit.pdf
– local file	<code>./6965534960-opcit.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/opcit
on MikTeX	opcit
on TeXLive	opcit
keyword	bibtex-supp (BibTeX citation support)
keyword	footnote (footnote support)
language(s)	no language specified
year	2002
last access	2025-02-07

4395 *open-everyday-symbols* – A list of “everyday” symbols, to be extended by everybody

Web page on CTAN	https://ctan.org/pkg/open-everyday-symbols
name	open-everyday-symbols
caption	A list of “everyday” symbols, to be extended by everybody
author	Bercher, Pascal
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2025-04-20)
last changes	2025-04-20
year	2025
description	(no language specified) This is meant to be a community project: It’s a list of symbols/icons from an “everyday” context. It can literally be everything, and thus does <i>not</i> aim at mathematical symbols or the like. It’s basically an icons portfolio — tiny at this stage (basically merely providing the infrastructure for more symbols), but we hope for contributions from the community. Just create some symbols and make a pull request.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/open-everyday-symbols/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/open-everyday-symbols/open-everyday-symbols-doc.pdf
– local file	<code>./3872249736-open-everyday-symbols-doc.pdf</code>

contact	<i>bugs:</i> https://github.com/ProfDrChaos/open-everyday-symbols/issues
contact	<i>repository:</i> https://github.com/ProfDrChaos/open-everyday-symbols
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/open-everyday-symbols
on T _E XLive	open-everyday-symbols
keyword	graphics-symb (create symbols, rather than select from a font)
keyword	graphics (graphics (support packages))
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-04-21

4396 `opencolor` – Definitions from the Open Color library

Web page on CTAN	https://ctan.org/pkg/opencolor
name	opencolor
caption	Definitions from the Open Color library
author	Piazzai, Michele
copyright	Michele Piazzai (2022)
license	mit = MIT License (free)
version	1.0.1 (2023-03-05)
last changes	2023-03-05
year	2023
description	(no language specified) This package provides hexadecimal color definitions of the 130 colors included in the Open Color library.
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/opencolor/demo-opencolor.pdf
– local file	./3160018418-demo-opencolor.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/opencolor/README.md
contact	<i>bugs:</i> https://github.com/piazzai/opencolor/issues
contact	<i>repository:</i> https://github.com/piazzai/opencolor

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/opencolor
on MikTeX	<code>opencolor</code>
on T _E XLive	<code>opencolor</code>
keyword	<code>colour</code> (typesetting in colour)
see also	see section 1223 on page 1111: (<code>colorweb</code> – Extend the color package colour space)
language(s)	no language specified
last access	2025-02-07

4397 `openmoji` – Use `openmoji` through LaTeX commands

Web page on CTAN	https://ctan.org/pkg/openmoji
name	<code>openmoji</code>
caption	Use <code>openmoji</code> through LaTeX commands
author	Pierquet, Cédric
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
version	0.1.0 (2025-07-12)
last changes	2025-07-12
year	2025
description	(no language specified) This package provides commands like <code>twemojis</code> which allow to use OpenMoji through LaTeX commands. This relies on images (PDF from SVG), so no fancy unicode-font stuff is needed and it <i>should</i> work on every installation.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/openmoji/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/openmoji/doc/openmoji-doc.pdf
– local file	<code>./5042767054-openmoji-doc.pdf</code>
contact	<i>bugs</i> : https://github.com/cpierquet/latex-packages/issues
contact	<i>repository</i> : https://github.com/cpierquet/latex-packages/tree/main/openmoji

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/openmoji
on MikTeX	openmoji
on T _E XLive	openmoji
keyword	graphics (graphics (support packages))
keyword	text-symbol (symbols for use in text)
language(s)	no language specified
last access	2025-07-16

4398 opensans – The Open Sans font family, and LaTeX support

Web page on CTAN	https://ctan.org/pkg/opensans
name	opensans
caption	The Open Sans font family, and LaTeX support
author	El Morabity, Mohamed
copyright	Mohamed El Morabity (2011-2019)
license	apache2 = Apache License, version 2.0 (free)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.2
description	(no language specified) Open Sans is a humanist sans serif typeface designed by Steve Matteson; the font is available from the Google Font Directory as TrueType files licensed under the Apache License version 2.0. The package provides support for this font family in LaTeX. It includes the original TrueType fonts, as well as Type 1 versions, converted for this package using FontForge for full support with dvips
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/opensans/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/opensans/doc/opensans.pdf
– local file	./2664119754-opensans.pdf
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/opensans/doc/opensans-samples.pdf
– local file	./9139643142-opensans-samples.pdf
on CTAN	https://ctan.org/tex-archive/fonts/opensans

installation	https://ctan.org/tex-archive/install/fonts/opensans.tds.zip
on MikTeX	opensans
on T _E XLive	opensans
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
keyword	font-ttf (font available in TrueType format)
keyword	font-sans (sans-serif font)
language(s)	no language specified
year	2019
last access	2025-02-07

4399 *oplotsymb1* – Some symbols which are not easily available

Web page on CTAN	https://ctan.org/pkg/oplotsymb1
name	oPlotSymb1
caption	Some symbols which are not easily available
author	Döhring, B. Michel
copyright	B. Michel Döhring (2017)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.4 (2017-08-04)
last changes	2017-08-04
year	2017
description	(no language specified) This package is named oPlotSymb1 and it includes symbols, which are not easily available. Especially, these symbols are used in scientific plots, but the potential user is allowed to use them in other ways. This package uses TikZ and xcolor .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/oplotsymb1/oPlotSymb1-Manual-en.pdf
– local file	./7920051224-oPlotSymb1-Manual-en.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/oplotsymb1/README.md
contact	<i>repository</i> : https://github.com/micheld93/oPlotSymb1-LaTeX

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oplotsymb1
on MikTeX	oplotsymb1
on T _E XLive	oplotsymb1
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	graphics-symb (create symbols, rather than select from a font)
see also	see section 1251 on page 1135: (The Comprehensive LaTeX Symbol List – Symbols accessible from LaTeX)
language(s)	no language specified
last access	2025-02-07

4400 *opteng* – SPIE Optical Engineering and OE Letters manuscript template

Web page on CTAN	https://ctan.org/pkg/opteng
name	opteng
caption	SPIE Optical Engineering and OE Letters manuscript template
author	Egan,
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) With this template, and associated style and LaTeX packages, it is possible to estimate the page length of manuscripts for submission to the SPIE journals ‘Optical Engineering’ and ‘Optical Engineering Letters’. With a strict three-page limit, this is particularly important for the latter. The template gives simple instructions on how to prepare the manuscript.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/opteng/OptEngInstruct.pdf
– local file	./6752469661-OptEngInstruct.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/opteng/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/opteng
on MikTeX	opteng
on T _E XLive	opteng
keyword	journalpub (typesetting journals, etc)

see also	see section 5635 on page 5101: (<i>spie</i> – Support for formatting SPIE Proceedings manuscripts)
language(s)	no language specified
year	without year
last access	2025-02-07

4401 *optex* – LuaTeX format based on Plain TeX and OPmac

Web page on CTAN <https://ctan.org/pkg/optex>

name	OpTeX
caption	LuaTeX format based on Plain TeX and OPmac
author	Olšák, Petr
license	pd = Public Domain Software (free)
version	1.16
description	(no language specified) OpTeX is a LuaTeX format based on Plain TeX macros with power from OPmac (fonts selection system, colors, external graphics, references, hyperlinks, ...) with unicode fonts.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/optex/doc/optex-doc.pdf
– local file	<code>./9185743070-optex-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/optex/README
home page	http://petr.olsak.net/optex
on CTAN	https://ctan.org/tex-archive/macros/optex
on MikTeX	<code>optex</code>
on T _E XLive	<code>optex</code>
keyword	<code>format</code> (macros to build a format)
keyword	<code>luatex</code> (LuaTeX and packages that require it)
keyword	<code>plain-ext</code> (extensions to Plain TeX for higher-level constructs)
see also	see section 1408 on page 1272: (<i>csplain</i> – Plain TeX multilanguage support)
language(s)	no language specified
year	without year
last access	2025-02-07

4402 *optexcount* – Python script for counting words in OpTeX documentsWeb page on CTAN <https://ctan.org/pkg/optexcount>

name	OpTeXcount
caption	Python script for counting words in OpTeX documents
author	Hartmann, Richard
copyright	Richard Hartmann (2021)
license	mit = MIT License (free)
version	1.1
description	(no language specified) OpTeXcount is a basic python utility that analyzes OpTeX source code. It is inspired by already existing TeXcount for LaTeX. The functionality is really lightweight and basic. It counts words and other elements of OpTeX document and sorts them out into individual categories. Users can print the source code with highlighted words using several colors,so they see what is considered as word, header etc.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/optexcount/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/optexcount/doc/optexcount-doc.pdf
– local file	<code>./1726512234-optexcount-doc.pdf</code>
home page	https://github.com/rihartma/OpTeXcount
contact	<i>bugs</i> : https://github.com/rihartma/OpTeXcount/issues
contact	<i>repository</i> : https://github.com/rihartma/OpTeXcount
on CTAN	https://ctan.org/tex-archive/support/optexcount
on MikTeX	optexcount
on TeXLive	optexcount
keyword	word-count (count the ‘words’ in a document)
language(s)	no language specified
year	2021
last access	2025-02-07

4403 *optidef* – Environments for writing optimization problems

Web page on CTAN <https://ctan.org/pkg/optidef>

name *optidef*

caption Environments for writing optimization problems

author Lago Garcia, Jesus

copyright Jesus Lago Garcia (2016-2018)

license lpl1.3 = The LaTeX Project Public License 1.3 (free)

version 3.1 (2019-04-23)

last changes 2019-04-23

year 2019

description (no language specified) This small library provides a standard set of environments for writing optimization problems.

It automatically aligns the problems in three points with an optional fourth:

- Beginning of the words "minimize/argmin" and "subject to"
- The objective function and the longest left hand side of the constraints.
- The $=$ | $>$ | $<$ signs of the constraints.
- Optionally, the user can add manually a double align character $\&\&$ to align some common constraints feature. A clear example could be the constraints names, e.g. (boundary constraint) alignment with (dynamic constraint).

Furthermore, it provides an easy interface to define optimization problem for three different reference situations:

- Where no equation is referenced/numbered.
- Where the problem is referenced with a single number.
- Where each equation has an individual reference.

Finally, it also allows a definition of any optimization problem without a limitless number of constraints.

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/optidef/optidef.pdf>

– local file `./9369039398-optidef.pdf`

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/optidef/README.md>

contact *bugs*: <https://github.com/jeslago/optidef/issues>

contact	repository: https://github.com/jeslago/optidef
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/optidef
on MikTeX	optidef
on TeXLive	optidef
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

4404 *optikz* – Customizable optical components for drawing laser setups and optical systems using TikZ

Web page on CTAN	https://ctan.org/pkg/optikz
name	optikz
caption	Customizable optical components for drawing laser setups and optical systems using TikZ
author	Beyer, Martin
copyright	Martin Beyer (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.0
description	(no language specified) This package provides a collection of TikZ-based commands for drawing laser setups and optical systems. It includes components such as lenses, mirrors, beamsplitters, cameras, spectrometers, detectors and more. Each element is highly customizable through optional key-value arguments (e.g. angle, width, thickness, color). Furthermore, rainbow and single color beams can be drawn to visualize beam size and dispersion in e.g. stretcher-compressor setups.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/optikz/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/optikz/optikz_doc.pdf
– local file	./7825133502-optikz_doc.pdf
contact	repository: https://github.com/Tatze99/optikz
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/optikz
on TeXLive	optikz

4405 *optional* – Facilitate optional printing of parts of a document

keyword	physics (support for typesetting physics documents)
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	optics (diagrams of optical systems)
language(s)	no language specified
year	2025
last access	2025-08-01

4405 *optional* – Facilitate optional printing of parts of a document

Web page on CTAN <https://ctan.org/pkg/optional>

name	<code>optional</code>
caption	Facilitate optional printing of parts of a document
author	Arseneau, Donald
license	lppl = The LaTeX Project Public License (free)
version	2.2b
description	(no language specified) Optional provides simple, flexible, optional compilation of LaTeX documents. Option switches may be given via package options, by the <code>\UseOption</code> command, or interactively via the <code>\AskOption</code> command (help text may be provided, by defining the <code>\ExplainOptions</code> command). The package is <i>not</i> robust, in the way that <code>comment</code> package is, against ill-behaved text. In particular, verbatim text may not be directly included in optional sections (whether they're included or not).
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/optional/optional.pdf
– local file	<code>./9293160922-optional.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/optional
on MikTeX	<code>optional</code>
on TeXLive	<code>optional</code>
keyword	editorial (editor's marks, highlights, etc.)
keyword	cond-comp (conditional typesetting)
language(s)	no language specified
year	without year

last access 2025-02-07

4406 **options** – Provides convenient key-value options for LaTeX package writers

Web page on CTAN <https://ctan.org/pkg/options>

name	options
caption	Provides convenient key-value options for LaTeX package writers
author	Leijen, Daan
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The options package provides easy to use key-value options for LaTeX package writers. It has a similar interface as pgfkeys with path options but comes with more built-in data types and more convenient support for families and searching.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/options/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/options/options.pdf
– local file	./4557131081-options.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/options
on MikTeX	options
on T _E XLive	options
keyword	keyval (key-value argument systems)
see also	see section 4614 on page 4177 : (pgfkeys – Key value control for PGF)
see also	see section 3142 on page 2836 : (keyval – Process 'key=value' schemes)
see also	see section 6810 on page 6146 : (xkeyval – Extension of the keyval package)
language(s)	no language specified
year	without year
last access	2025-02-07

4407 *optparams* – Macros with multiple optional parameters

Web page on CTAN <https://ctan.org/pkg/optparams>

name	<code>optparams</code>
caption	Macros with multiple optional parameters
author	Sauer, Jonathan
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Provides a macro that can be used to process up to 9 optional arguments for an author's macro. This package is part of the sauerj bundle.
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sauerj/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sauerj/optparams.pdf
– local file	<code>./1112987991-optparams.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sauerj
on MikTeX	<code>sauerj</code>
on T _E XLive	<code>sauerj</code>
keyword	<code>macro-def</code> (alternative ways of defining macros)
see also	see section 4224 on page 3823 : (<code>newcommand</code> – Generate new LaTeX command definitions)
see also	see section 6369 on page 5756 : (<code>twoopt</code> – Definitions with two optional arguments)
language(s)	no language specified
year	without year
last access	2025-02-07

4408 orcidlink – Insert hyperlinked ORCiD logo

Web page on CTAN <https://ctan.org/pkg/orcidlink>

name	orcidlink
caption	Insert hyperlinked ORCiD logo
author	Stein, Leo
copyright	Leo Stein (2019-2026)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1.1 (2026-04-09)
last changes	2026-04-09
year	2026
description	(no language specified) This package provides a command to insert the ORCiD logo, which is hyperlinked to the URL of the researcher whose iD was specified.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/orcidlink/orcidlink.pdf
– local file	<code>./1019228342-orcidlink.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/orcidlink/README.md
contact	<i>bugs:</i> https://github.com/duetosymmetry/orcidlink-LaTeX-command/issues
contact	<i>repository:</i> https://github.com/duetosymmetry/orcidlink-LaTeX-command
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/orcidlink
on MikTeX	orcidlink
on TeXLive	orcidlink
keyword	tagged-pdf-partially (tagged PDF partially compatible)
keyword	hyper (support for hypertext)
keyword	graphics-symb (create symbols, rather than select from a font)
keyword	pgf-tikz (package uses PGF-TikZ)
see also	see section 1657 on page 1502 : (doi – Create correct hyperlinks for DOI numbers)
language(s)	no language specified

last access 2026-04-17

4409 *orderer* – Order references in a TeX file

Web page on CTAN <https://ctan.org/pkg/orderer>

name *Orderer*

caption Order references in a TeX file

author Siddikov, M.

license lpl = The LaTeX Project Public License (free)

description (no language specified) *Orderer* is a small Perl script that will take a TeX document and re-order the references in it. This saves the user from building a **BibTeX** database.

documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/support/orderer/README>

on CTAN <https://ctan.org/tex-archive/support/orderer>

keyword biblio-supp (support for manually-written bibliographies)

see also see section 4410 on page 3995: (*orderrefs* – Sort bibliography in LaTeX document by order of citation)

language(s) no language specified

year without year

last access 2025-02-07

4410 *orderrefs* – Sort bibliography in LaTeX document by order of citation

Web page on CTAN <https://ctan.org/pkg/orderrefs>

name *orderrefs*

caption Sort bibliography in LaTeX document by order of citation

author Collins, John

license gpl = GNU General Public License (free)

description (no language specified) When the bibliography in a LaTeX document is made ‘by hand’ (i.e., without use of BibTeX), it is frequently necessary to reorder the items in the bibliography according to their order of citation. *Orderrefs* is a little program that automates this reordering. It is a portable Perl script that should run on any computer with a working Perl installation.

4411 *ordinalpt* – Counters as ordinal numbers in Portuguese

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/orderrefs/orderrefs.pdf
– local file	<code>./1081523559-orderrefs.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/orderrefs/README
on CTAN	https://ctan.org/tex-archive/support/orderrefs
on MikTeX	<code>orderrefs</code>
keyword	<code>biblio-supp</code> (support for manually-written bibliographies)
language(s)	no language specified
year	without year
last access	2025-02-07

4411 *ordinalpt* – Counters as ordinal numbers in Portuguese

Web page on CTAN	https://ctan.org/pkg/ordinalpt
name	<code>ordinalpt</code>
caption	Counters as ordinal numbers in Portuguese
author	Frasson, Miguel Vinícius Santini
copyright	Miguel V. S. Frasson (2007)
license	lppl = The LaTeX Project Public License (free)
version	2.1
description	(no language specified) The package provides a counter style (like <code>\arabic</code> , <code>\alph</code> and others) which produces as output strings like "primeiro" ("first" in Portuguese), "segundo" (second), and so on up to 1999th. Separate counter commands are provided for different letter case variants, and for masculine and feminine gender inflections.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ordinalpt/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ordinalpt/ordinalpt.pdf
– local file	<code>./2550165353-ordinalpt.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ordinalpt
on MikTeX	<code>ordinalpt</code>
on TeXLive	<code>ordinalpt</code>

4412 *oriental* – A version of TeX for which Oriental languages are native

keyword	portuguese (support for typesetting Portuguese)
keyword	numbers (formatting numbers, etc)
language(s)	no language specified
year	2007
last access	2025-02-07

4412 *oriental* – A version of TeX for which Oriental languages are native

Web page on CTAN <https://ctan.org/pkg/oriental>

name	<code>oriental</code>
caption	A version of TeX for which Oriental languages are native
author	Prosoft International
license	nocommercial = No Commercial Use (not free)
version	2.1
description	(no language specified) A version of TeX that can cope with the large fonts that characterise the languages of China, Japan and Korea. The distribution is provided as DOS and ‘Unix’ executables (it is not clear <i>which</i> Unix is intended).
documentation	(no language specified) <i>Readme (DOS version)</i> : https://ctan.org/tex-archive/language/oriental/readme.dos
documentation	(no language specified) <i>Package documentation (for Unix)</i> : https://ctan.org/tex-archive/language/oriental/cctexunx.ps
documentation	(no language specified) <i>Readme (Unix version)</i> : https://ctan.org/tex-archive/language/oriental/readme.txt
on CTAN	https://ctan.org/tex-archive/language/oriental
keyword	engine (TeX (or TeX-alike) typesetting engine)
language(s)	no language specified
year	without year
last access	2025-02-07

4413 *orientation* – Set page orientation with dvips/Ghostscript (ps2pdf)

Web page on CTAN <https://ctan.org/pkg/orientation>

name	<code>orientation</code>
caption	Set page orientation with dvips/Ghostscript (ps2pdf)
author	Miller, Daniel Benjamin
license	cc0 = CC0 1.0 (free)
version	1.0 (2021-01-10)
last changes	2021-01-10
year	2021
description	(no language specified) This package provides commands for manual (per-page and per-document) orientation of pages in a PDF created with dvips / Ghostscript (ps2pdf). For future versions it is planned to add support for other drivers, allowing for PDF orientation to be set in (x)dvipdfmx and pdfmode pdfTeX using the same commands from the user perspective.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/orientation/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/orientation
on MikTeX	<code>orientation</code>
on T _E XLive	<code>orientation</code>
keyword	landscape (print landscape orientation, manipulate landscape material)
keyword	dvips-special (use dvips \special commands)
language(s)	no language specified
last access	2025-02-07

4414 *oriya* – Typesetting the Oriya script using TeX

Web page on CTAN <https://ctan.org/pkg/oriya>

name	oriya
caption	Typesetting the Oriya script using TeX
author	Hellingman, Jeroen
author	Pandey, Anshuman
copyright	Jeroen Hellingman & Anshuman Pandey (1996-2003)
license	other-free = Free license not otherwise listed (free)
version	0.99
description	(no language specified) A source preprocessor together with a set of fonts provided as Metafont source. (The preprocessor is available as source, and as a Win32 executable.)
documentation	(no language specified) <i>Package documentation (PostScript)</i> : https://ctan.org/tex-archive/language/oriya/doc/orman.ps
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/oriya/README
on CTAN	https://ctan.org/tex-archive/language/oriya
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-indic (fonts for languages of the Indian subcontinent)
keyword	indic (support for languages of the Indian subcontinent)
keyword	font (fonts themselves)
language(s)	no language specified
year	2003
last access	2024-05-26

4415 *orkhun* – A font for orkhun script

Web page on CTAN <https://ctan.org/pkg/orkhun>

name	orkhun
caption	A font for orkhun script
author	Rakhimov, Abdugafur
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The font covers an old Turkic script. It is provided as Metafont source.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/orkhun/rakhimov.pdf
– local file	./8686492030-rakhimov.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/orkhun/README
on CTAN	https://ctan.org/tex-archive/fonts/orkhun
on MikTeX	orkhun
on T _E XLive	orkhun
keyword	turkish (documentation in, and support for typesetting Turkish)
language(s)	no language specified
year	without year
last access	2025-02-07

4416 *os2tex* – A distribution of TeX for OS/2 Warp

Web page on CTAN <https://ctan.org/pkg/os2tex>

name	os2tex
caption	A distribution of TeX for OS/2 Warp
author	Kleinböhl, Jürgen
license	shareware = Shareware: A fee is required (not free)
documentation	(English) <i>Package documentation:</i> https://ctan.org/tex-archive/systems/os2/os2tex/os2tex.eng
documentation	(German) <i>Package documentation:</i> https://ctan.org/tex-archive/systems/os2/os2tex/os2tex.ger
on CTAN	https://ctan.org/tex-archive/systems/os2/os2tex

keyword	distribution (components (or support) of TeX distribution)
language(s)	German; English
year	without year
last access	2025-02-07

4417 *osa* – Macros for Optical Society of America Journals, etc

Web page on CTAN <https://ctan.org/pkg/osa>

name	osa
caption	Macros for Optical Society of America Journals, etc
author	Optical Society of America
copyright	Optical Society of America (2003)
license	noinfo = noinfo
description	(no language specified) A collection of templates for use with the society's journals, specifically J. Opt. Soc. Am A, J. Opt. Soc. Am. B, Applied Optics, Journal of Optical Networking, Optics Letters and Optical Networking.
documentation	(no language specified) <i>README file</i> : https://ctan.org/tex-archive/macros/latex/contrib/osa/README
documentation	(no language specified) <i>Template and style guide for Optics Express</i> : https://ctan.org/tex-archive/macros/latex/contrib/osa/optics_express/PDF_OpEx_style.pdf
– local file	<code>./7263471631-PDF_OpEx_style.pdf</code>
documentation	(no language specified) <i>Instructions for JOSA A/B, Applied Optics, Optics Letters</i> : https://ctan.org/tex-archive/macros/latex/contrib/osa/journals/OSAstyle_pdf.pdf
– local file	<code>./7557192391-OSAstyle_pdf.pdf</code>
home page	https://opg.optica.org/content/author/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/osa
on MikTeX	osa
keyword	journalpub (typesetting journals, etc)
see also	see section 5190 on page 4703: (revtex4-1 – Styles for various Physics Journals)
language(s)	no language specified
year	2003

last access 2025-02-07

4418 *oscola* – BibLaTeX style for the Oxford Standard for the Citation of Legal Authorities

Web page on CTAN <https://ctan.org/pkg/oscola>

name	<i>oscola</i>
caption	BibLaTeX style for the Oxford Standard for the Citation of Legal Authorities
author	Stanley, Paul
copyright	Paul Stanley (2014-2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.7
description	(no language specified) The package provides a set of style files for use with BibLaTeX (v 2+) and Biber (v 1+) to produce citations and bibliographies in accordance with the widely-used Oxford Standard for the Citation of Legal Authorities. It also includes facilities for constructing tables of cases and legislation from citations (in conjunction with appropriate indexing packages).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/oscola/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/oscola/oscola.pdf
– local file	./8882956135-oscola.pdf
contact	<i>repository</i> : https://github.com/PaulStanley/oscola-biblatex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/oscola
on MikTeX	<i>oscola</i>
on T _E XLive	<i>oscola</i>
keyword	<i>biblatex</i> (BibLaTeX bibliography support)
keyword	<i>legal</i> (typesetting legal documents or study material)
language(s)	no language specified
year	2020
last access	2025-02-07

4419 *osda* – Commands for Proceedings of the Workshop on Open-Source Design AutomationWeb page on CTAN <https://ctan.org/pkg/osda>

name	OSDA
caption	Commands for Proceedings of the Workshop on Open-Source Design Automation
author	Krieg, Christian
copyright	Christian Krieg (2023-2024)
license	other-nonfree = License that prevents distribution (not free)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.4.0 (2024-05-01)
last changes	2024-05-01
year	2024
description	(no language specified) This package automatically places a copyright notice as an un-numbered footnote on the title page of a document that calls <code>\maketitle</code> , indicating the information on the workshop where the paper was presented, along with additional information on the host conference, the license under which the document is published, and a link to the corresponding web page of the paper. The generated copyright notice contains a logo of the workshop, and a QR code that points to the paper's web page (to lead to further material). For cases when the copyright notice is not automatically set in the title page's footnote, the copyright notice can be set manually as well.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/osda/osda.pdf
– local file	<code>./2270502047-osda.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/osda/README.md
home page	https://osda.ws/r/ir2rh
contact	<i>bugs</i> : https://osda.ws/r/vZnf4
contact	<i>repository</i> : https://osda.ws/r/X0mQT
contact	<i>development</i> : https://osda.ws/r/AGryr
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/osda
on MikTeX	osda
keyword	journalpub (typesetting journals, etc)
keyword	footnote (footnote support)

language(s) no language specified
last access 2025-02-07

4420 *osmanian* – Osmanian font for writing Somali

Web page on CTAN <https://ctan.org/pkg/osmanian>

name *osmanian*
caption Osmanian font for writing Somali
author Stanier, Alan
license noinfo = noinfo
version (1994-06-28)
last changes 1994-06-28
year 1994
description (no language specified) The font is provided as Metafont source; it implements the alphabet for Somali invented by Osman Yusuf.
on CTAN <https://ctan.org/tex-archive/fonts/osmanian>
on MikTeX *osmanian*
keyword *somali* (support for typesetting Somali)
language(s) no language specified
last access 2025-02-07

4421 *oststud* – Templates for the student organization at OST FH, Switzerland

Web page on CTAN <https://ctan.org/pkg/oststud>

name *oststud*
caption Templates for the student organization at OST FH, Switzerland
author Pross, Naoki
copyright Naoki Pross (2023)
license cc-by-sa-4 = CC BY-SA 4.0 (free)
version 0.4 (2023-05-20)
last changes 2023-05-20
year 2023

description	(no language specified) This package is made by the student organization at the University of Applied Sciences of Eastern Switzerland (Ostschweizer Fachhochschule) to provide an easy to use interface for newbies and give a more consistent look and feel to the works produced by the organization's members. This package also contains <code>hsrstud.{ins,dtx}</code> which is the older version of the <code>oststud</code> package before the school changed its name in 2021. We would like to keep it for backwards compatibility when compiling old documents that have not been migrated yet.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/oststud/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/oststud/oststud.pdf
– local file	<code>./4251493570-oststud.pdf</code>
contact	<i>bugs</i> : https://github.com/HSR-Stud/HSRStud-Package/issues
contact	<i>repository</i> : https://github.com/HSR-Stud/HSRStud-Package
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oststud
on MikTeX	<code>oststud</code>
on T _E XLive	<code>oststud</code>
keyword	<code>doc-templ</code> (template to guide document development)
language(s)	no language specified
last access	2025-02-07

4422 *oswald* – The Oswald family of fonts with support for LaTeX and pdfLaTeX

Web page on CTAN	https://ctan.org/pkg/oswald
name	<code>Oswald</code>
caption	The Oswald family of fonts with support for LaTeX and pdfLaTeX
author	Ebinger, Carl-Clemens
license	ofl = The SIL Open Font License (free)
license	lppl = The LaTeX Project Public License (free)
version	(2021-10-17)
last changes	2021-10-17
year	2021

description	(no language specified) This package provides the Oswald family of fonts, designed by Vernon Adams, Kalapi Gajjar, Cyreal, with support for LaTeX and pdfLaTeX.
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/oswald/doc/Oswald-samples.pdf
– local file	<code>./3657547400-Oswald-samples.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/oswald/README
contact	<i>repository</i> : https://github.com/ccebinger/CTAN_Oswald
on CTAN	https://ctan.org/tex-archive/fonts/oswald
on MikTeX	<code>oswald</code>
on TeXLive	<code>oswald</code>
keyword	<code>font-sans</code> (sans-serif font)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-tlenc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font-proportional</code> (variable-spaced font)
language(s)	no language specified
last access	2025-02-07

4423 *ot-tableau* – Optimality Theory tableaux in LaTeX

Web page on CTAN <https://ctan.org/pkg/ot-tableau>

name	<code>ot-tableau</code>
caption	Optimality Theory tableaux in LaTeX
author	Baker, Adam
copyright	Adam Baker (2021-2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2023-08-01)
last changes	2023-08-01
year	2023

description	(no language specified) The package makes it easy to create beautiful optimality-theoretic tableaux. The LaTeX source is visually very similar to a formatted tableau, which makes working with the source code painless (well, less painful). A variety of stylistic variants are available to suit personal taste. The package requires xstring , amssymb , bbding , suffix , colortbl , rotating , hhline (optionally), arydshln , and tipa (optionally).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ot-tableau/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ot-tableau/ot-tableau.pdf
– local file	<code>./8935096261-ot-tableau.pdf</code>
home page	https://github.com/adamb924/ot-tableau
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ot-tableau
on MikTeX	ot-tableau
on T _E XLive	ot-tableau
keyword	linguistic (support for linguistics)
keyword	table (table typesetting)
language(s)	no language specified
last access	2025-02-07

4424 *ot2cyr* – Macros, metrics, etc., to use the OT2 Cyrillic encoding

Web page on CTAN	https://ctan.org/pkg/ot2cyr
name	ot2cyr
caption	Macros, metrics, etc., to use the OT2 Cyrillic encoding
author	Rahtz, Sebastian
license	lppl = The LaTeX Project Public License (free)
version	(2008-10-05)
last changes	2008-10-05
year	2008
description	(no language specified) A collection of LaTeX NFSS files, together with fontinst control files and metrics for Monotype New Times and Lucida Cyrillic.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/cyrillic/ot2cyr/README
on CTAN	https://ctan.org/tex-archive/fonts/cyrillic/ot2cyr
on MikTeX	<code>ot2cyr</code>
keyword	<code>font-cyrillic</code> (fonts for Cyrillic and related scripts)
keyword	<code>font-use</code> (font selection, mapping, etc.)
language(s)	no language specified
last access	2025-02-07

4425 `ot2woff` – OpenType to Woff converter

Web page on CTAN <https://ctan.org/pkg/ot2woff>

name	OT2Woff
caption	OpenType to Woff converter
author	Frane Jr, Peter
copyright	Peter Frane Jr (2020)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	1.0
description	(no language specified) This C++ program converts OpenType fonts (PostScript/TrueType) to the WOFF format. It is essentially a header-only library, as the complete functionalities are done in the headers. Font collections are <i>not</i> supported. See also its companion program Woff2OT, which performs the reverse of OT2Woff.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/utilities/ot2woff/README
on CTAN	https://ctan.org/tex-archive/fonts/utilities/ot2woff
keyword	<code>misc-conv</code> (miscellaneous conversions)
keyword	<code>font-proc</code> (process fonts for use with TeX (includes installation))
see also	see section 6712 on page 6055 : (Woff2OT – Woff to OpenType converter)
language(s)	no language specified
year	2020
last access	2025-02-07

4426 otfinst – Install OpenType fonts for use in TeX/LaTeX systems

Web page on CTAN <https://ctan.org/pkg/otfinst>

name	otfinst
caption	Install OpenType fonts for use in TeX/LaTeX systems
author	Owens, John
copyright	John Owens (2005, 2006)
license	bsd = BSD Style License (free)
version	1.0.3
description	(no language specified) Otfinst takes a list of OpenType font files as input, uses Eddie Kohler's otftotfm to install them into a TeX/LaTeX system, and builds and installs the necessary font description and style files. Otfinst was formerly known as otf _{tex} _install and is written in Python. It has similar capabilities to Marc Penninga's fontools .
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/fonts/utilities/otfinst/README
home page	http://www.ece.ucdavis.edu/~jowens/code/otfinst/
on CTAN	https://ctan.org/tex-archive/fonts/utilities/otfinst
keyword	font-proc (process fonts for use with TeX (includes installation))
language(s)	no language specified
year	2006
last access	2026-04-10

4427 otftofd – Generate control files for OpenType fonts

Web page on CTAN <https://ctan.org/pkg/otftofd>

name	otftofd
caption	Generate control files for OpenType fonts
author	Washburn, Geoffrey
copyright	Geoffrey Alan Washburn (2005)
license	gpl = GNU General Public License (free)
description	(no language specified) Otftofd helps with the task of generating NFSS font description files and map files for a large collection of OpenType fonts. Otftofd is written in CaSH (Caml Shell) and requires Eddie Kohler's excellent LCD _F Typetools.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/utilities/otftofd/README
on CTAN	https://ctan.org/tex-archive/fonts/utilities/otftofd
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	2005
last access	2025-02-07

4428 *othello* – Modification of a Go package to create othello boards

Web page on CTAN	https://ctan.org/pkg/othello
name	othello
caption	Modification of a Go package to create othello boards
author	le Comte, Michiel
license	gpl = GNU General Public License (free)
description	(no language specified) A package (based on Kolodziejska's go), and fonts (as Metafont source) are provided.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/othello
on MikTeX	othello
on T _E XLive	othello
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-specialist (fonts with specific small application areas)
language(s)	no language specified
year	without year
last access	2025-02-07

4429 *othelloboard* – Typeset Othello (Reversi) diagrams of any size, with annotations

Web page on CTAN <https://ctan.org/pkg/othelloboard>

name	othelloboard
caption	Typeset Othello (Reversi) diagrams of any size, with annotations
author	Hall, Steven
copyright	Steven Hall (2011)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2
description	(no language specified) The package enables the user to generate high-quality Othello (also known as Reversi) board diagrams of any size. The diagrams support annotations, including full game transcripts. Automated board or transcript creation, from plain text formats standard to WZebra (and other programs) is also supported.
documentation	(no language specified) <i>Usage example</i> : https://ctan.org/tex-archive/macros/latex/contrib/othelloboard/example-rose-chps1-2.pdf
– local file	./7789977413-example-rose-chps1-2.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/othelloboard/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/othelloboard/othelloboard.pdf
– local file	./9098362894-othelloboard.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/othelloboard
on MikTeX	othelloboard
on T _E XLive	othelloboard
keyword	games (process game diagrams, gamebooks, and other amusements)
see also	see section 4428 on page 4010: (<i>othello</i> – Modification of a Go package to create othello boards)
language(s)	no language specified
year	2011
last access	2025-02-07

4430 *ou-tma* – A package to aid in the writing of Tutor Marked Assessments for the Open University

Web page on CTAN <https://ctan.org/pkg/ou-tma>

name	<i>ou-tma</i>
caption	A package to aid in the writing of Tutor Marked Assessments for the Open University
author	Riley, Geoff
copyright	G. I. Rile (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.20
description	(no language specified) The <i>ou-tma</i> package simplifies the creation of TMAs (Tutor Marked Assessments) by providing an environment to encompass answers to questions, commands to enumerate parts and subparts of those questions, and a set of macros facilitating mathematical entry based on the styles used by the Open University (OU).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ou-tma/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ou-tma/ou-tma.pdf
– local file	<code>./6358152723-ou-tma.pdf</code>
home page	https://github.com/GeoffRiley/tma/
contact	<i>bugs</i> : https://github.com/GeoffRiley/tma/issues
contact	<i>repository</i> : https://github.com/GeoffRiley/tma/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ou-tma
keyword	exam (exams, quizzes, etc.)
language(s)	no language specified
year	2025
last access	2025-04-09

4431 oubraces – Braces over and under a formulaWeb page on CTAN <https://ctan.org/pkg/oubraces>

name	oubraces
caption	Braces over and under a formula
author	Arseneau, Donald
license	other-free = Free license not otherwise listed (free)
version	(2011-03-25)
last changes	2011-03-25
year	2011
description	(no language specified) Provides a means to interleave <code>\overbrace</code> and <code>\underbrace</code> in the same formula.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/oubraces/oubraces.pdf
– local file	./4027971794-oubraces.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oubraces
on MikTeX	oubraces
on TeXLive	oubraces
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

4432 oup-authoring-template – A general template for journals published by Oxford University Press (OUP)Web page on CTAN <https://ctan.org/pkg/oup-authoring-template>

name	oup-authoring-template
caption	A general template for journals published by Oxford University Press (OUP)
author	Jones, Peter
copyright	Oxford University Press (2020-2022)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.1 (2022-03-18)

last changes	2022-03-18
year	2022
description	(no language specified) This package provides a general LaTeX template for journals published by Oxford University Press (OUP). The template outputs to the three official page designs (traditional, contemporary, modern) used by many journals published by OUP, with large, medium and small page options. For more information see https://academic.oup.com/journals/pages/authors/preparing-your-manuscript .
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/oup-authoring-template/oup-authoring-template.pdf
– local file	./8237850501-oup-authoring-template.pdf
documentation	(no language specified) <i>User manual:</i> https://ctan.org/tex-archive/macros/latex/contrib/oup-authoring-template/doc/oup-authoring-template-doc.pdf
– local file	./8848455986-oup-authoring-template-doc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/oup-authoring-template/README
home page	http://academic.oup.com/journals/pages/authors/preparing_your_manuscript
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oup-authoring-template
on MikTeX	oup-authoring-template
on TeXLive	oup-authoring-template
keyword	journalpub (typesetting journals, etc)
keyword	class (alternative LaTeX class(es))
keyword	doc-templ (template to guide document development)
language(s)	no language specified
last access	2025-02-07

4433 `outerhbox` – Collect horizontal material for contributing to a paragraph

Web page on CTAN <https://ctan.org/pkg/outerhbox>

name	<code>outerhbox</code>
caption	Collect horizontal material for contributing to a paragraph
author	Fine, Jonathan
copyright	Jonathan Fine (2005)
license	gpl = GNU General Public License (free)
version	1.2
description	(no language specified) The package provides the <code>\outerhbox</code> command, which is similar to <code>\hbox</code> , except that material is set in outer horizontal mode. This prevents TeX from optimising away maths penalties and the like, that are needed when the material is <code>\unhbox</code> 'ed.
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/outerhbox.sty
on T _E XLive	<code>outerhbox</code>
keyword	boxing (creating boxes)
language(s)	no language specified
year	2005
last access	2025-02-07

4434 `outilsgeomtiks` – Some geometric tools, with TikZ

Web page on CTAN <https://ctan.org/pkg/outilsgeomtiks>

name	<code>OutilsGeomTikZ</code>
caption	Some geometric tools, with TikZ
author	Pierquet, Cédric
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.6 (2024-08-29)
last changes	2024-08-29
year	2024
description	(no language specified) This package provides some commands, with French keys, to display geometric tools using TikZ , for example a pen, a compass, a rule, a square, a protractor, ...

4435 *outline* – List environment for making outlines

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/ouilsgeomtikh/README.md
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/ouilsgeomtikh/doc/OutilsGeomTikh-doc.pdf
– local file	./9813449441-OutilsGeomTikh-doc.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/ouilsgeomtikh
on MikTeX	ouilsgeomtikh
on T _E XLive	ouilsgeomtikh
keyword	pgf-tikh (package uses PGF-TikZ)
keyword	graphics (graphics (support packages))
language(s)	French
last access	2025-05-27

4435 *outline* – List environment for making outlines

Web page on CTAN	https://ctan.org/pkg/outline
name	outline
caption	List environment for making outlines
author	Halvorson, Peter
author	Flaxman, Seth
license	lpl = The LaTeX Project Public License (free)
version	(2002-08-23)
last changes	2002-08-23
year	2002
description	(no language specified) The package defines an outline environment, which provides facilities similar to enumerate, but up to 6 levels deep.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/outline/outline.pdf
– local file	./4840899665-outline.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/outline/README

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/outline
on MikTeX	outline
on T _E XLive	outline
keyword	list-enum (list: items enumerated)
keyword	list (list: general)
language(s)	no language specified
last access	2025-02-07

4436 *outliner* – Change section levels easily

Web page on CTAN	https://ctan.org/pkg/outliner
name	outliner
caption	Change section levels easily
author	Eijkhout, Victor
license	gpl = GNU General Public License (free)
version	0.94
description	(no language specified) Allows you to write ”\Level 2 {Some heading}” instead of the usual \section stuff; the definitions of the levels can then easily be changed. There is a mechanism for shifting all levels. This makes it easy to bundle existing articles into a compilation.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/outliner
on MikTeX	outliner
on T _E XLive	outliner
keyword	headings (chapter, section, etc., heading styles)
language(s)	no language specified
year	without year
last access	2025-02-07

4437 outlines – Produce "outline" lists

Web page on CTAN <https://ctan.org/pkg/outlines>

name	outlines
caption	Produce "outline" lists
author	Pecheur, Charles
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) Defines an outline environment, which allows outline-style indented lists with freely mixed levels up to four levels deep. It replaces the nested <code>begin / end</code> pairs by different item tags <code>\1</code> to <code>\4</code> for each nesting level. This is very convenient in cases where nested lists are used a lot, such as for to-do lists or presentation slides.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/outlines/outlines.pdf
– local file	<code>./6619514730-outlines.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/outlines/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/outlines
on MikTeX	outlines
on T _E XLive	outlines
keyword	list (list: general)
language(s)	no language specified
year	without year
last access	2025-02-07

4438 outlining – Create outlines for scientific documents

Web page on CTAN <https://ctan.org/pkg/outlining>

name	outlining
caption	Create outlines for scientific documents
author	Block, Dimitri
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)

4439 `outoruby` – Ruby with line break support for Japanese text

version	0.1 (2017-10-23)
last changes	2017-10-23
year	2017
description	(no language specified) Every scientific document requires outlining before it is written. This package adds simple macros for your LaTeX document.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/outlining/outlining.pdf
– local file	<code>./6373900536-outlining.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/outlining/README.md
contact	<i>announce</i> : https://github.com/dimitriblock/latex-outlining/releases
contact	<i>bugs</i> : https://github.com/dimitriblock/latex-outlining/issues
contact	<i>repository</i> : https://github.com/dimitriblock/latex-outlining
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/outlining
on MikTeX	outlining
on TeXLive	outlining
keyword	outline (document outlining tools)
language(s)	no language specified
last access	2025-02-07

4439 `outoruby` – Ruby with line break support for Japanese text

Web page on CTAN	https://ctan.org/pkg/outoruby
name	<code>outoruby</code>
caption	Ruby with line break support for Japanese text
author	kkotsi
copyright	kkotsi (2025)
license	gpl3 = GNU General Public License, version 3 (free)
version	0.0.1 (2025-03-14)
last changes	2025-03-14

4440 *oval* – Round-cornered framed boxes

year	2025
description	(no language specified) This package provides the <code>\outoruby</code> command, which supports line breaks when typesetting ruby anotations. It automatically switches between appropriate ruby forms at the beginning and the end of lines according to JIS X 4051 and JLReq. This package depends on pxrubrica and supports any engine that is supported by that package.
documentation	(Japanese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/outoruby/outoruby.pdf
– local file	<code>./6004781289-outoruby.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/outoruby/README.md
contact	<i>repository</i> : https://codeberg.org/kkotsi/outoruby
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/outoruby
on MikTeX	outoruby
on TeXLive	outoruby
keyword	japanese (support for typesetting Japanese)
keyword	std-conform (support conformance to standards)
language(s)	Japanese
last access	2025-03-24

4440 *oval* – Round-cornered framed boxes

Web page on CTAN <https://ctan.org/pkg/oval>

name	oval
caption	Round-cornered framed boxes
author	Schalück, Elmar
copyright	Elmar Schalück (1991)
license	noinfo = noinfo
version	(1991-10-27)
last changes	1991-10-27
year	1991

description	(no language specified) The package seems somewhat feeble in its placement of the corner arcs. Metafont source of a replacement for the LaTeX circle-arc font is provided. The same author's loval package achieves better placement of the arcs.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/oval
keyword	boxing (creating boxes)
language(s)	no language specified
last access	2025-02-07

4441 **ovalfbox** – Boxes with frames whose corners are rounded

Web page on CTAN	https://ctan.org/pkg/ovalfbox
name	ovalfbox
caption	Boxes with frames whose corners are rounded
license	noinfo = noinfo
version	(1993-01-12)
last changes	1993-01-12
year	1993
description	(no language specified) The package defines a command <code>\ovalfbox</code> which seems more stable to the similar command in the package loval ; however, this package retains the problems with the positioning of multiline text in boxes.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/ovalfbox.sty
keyword	boxing (creating boxes)
language(s)	no language specified
last access	2025-02-07

4442 overarrows – Custom extensible arrows over math expressions

Web page on CTAN <https://ctan.org/pkg/overarrows>

name	overarrows
caption	Custom extensible arrows over math expressions
author	Labbé, Julien
copyright	Julien Labbé (2024-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.5 (2025-10-19)
last changes	2025-10-19
year	2025
description	(no language specified) A LaTeX package to create custom arrows over math expressions, mainly for vectors (but arrows can as well be drawn below). Arrows stretch with content, scale with math styles, and have a correct kerning when a subscript follows. Some predefined commands are also provided.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/overarrows/overarrows.pdf
– local file	./9349180805-overarrows.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/overarrows/README.md
contact	<i>bugs:</i> https://github.com/julienlabbe/latex-packages/issues
contact	<i>repository:</i> https://github.com/julienlabbe/latex-packages
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/overarrows
on MikTeX	overarrows
on T _E XLive	overarrows
keyword	maths (support for typesetting mathematics)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-11-01

4443 overcite – Compressed lists of superscript numerical citations

Web page on CTAN <https://ctan.org/pkg/overcite>

name	overcite
caption	Compressed lists of superscript numerical citations
author	Arseneau, Donald
license	other-free = Free license not otherwise listed (free)
version	4.01
description	(no language specified) The package is actually a wrapper for one of the functions of the cite packages; it is distributed as part of the cite bundle of packages.
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/cite/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/cite
on MikTeX	cite
on T _E XLive	cite
keyword	<code>cite-supp</code> (citation support)
language(s)	no language specified
year	without year
last access	2025-02-07

4444 overlays – Incremental slides

Web page on CTAN <https://ctan.org/pkg/overlays>

name	overlays
caption	Incremental slides
author	Nolda, Andreas
copyright	Andreas Nolda (2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.12 (2021-02-23)
last changes	2021-02-23
year	2021

description	(no language specified) This package allows to write presentations with incremental slides. It does not presuppose any specific document class. Rather, it is a lightweight alternative to full-fledged presentation classes like <code>beamer</code> . The package requires <code>xcolor</code> , <code>environ</code> , and <code>pgffor</code> (from the <code>pgf</code> bundle).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/overlays/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/overlays/overlays.pdf
– local file	<code>./9723777117-overlays.pdf</code>
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/overlays/sample.pdf
– local file	<code>./1519928773-sample.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/overlays
on MikTeX	<code>overlays</code>
on TeXLive	<code>overlays</code>
keyword	<code>presentation</code> (slides, beamers, handouts, etc.)
see also	see section 492 on page 447: (<code>beamer</code> – A LaTeX class for producing presentations and slides)
language(s)	no language specified
last access	2025-02-07

4445 `overlock` – Overlock sans fonts with LaTeX support

Web page on CTAN <https://ctan.org/pkg/overlock>

name	<code>overlock</code>
caption	Overlock sans fonts with LaTeX support
author	Tennent, Bob
copyright	Dario Manuel Muhafara (2011)
license	ofl = The SIL Open Font License (free)
version	(2022-09-23)
last changes	2022-09-23
year	2022

description	(no language specified) The package provides the Overlock and OverlockSC families of fonts, designed by Dario Manuel Muhafara of the TIPO foundry (http://www.tipo.net.ar), "rounded" sans-serif fonts in three weights (Regular, Bold, Black) with italic variants for each of them. There are also small-caps and old-style figures in the Regular weight.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/overlock/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/overlock/doc/overlock-samples.pdf
– local file	<code>./6473627155-overlock-samples.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/overlock
installation	https://ctan.org/tex-archive/install/fonts/overlock.tds.zip
on MikTeX	overlock
on TeXLive	overlock
keyword	font (fonts themselves)
keyword	font-ttf (font available in TrueType format)
keyword	font-sans (sans-serif font)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
last access	2025-02-07

4446 overpic – Combine LaTeX commands over included graphics

Web page on CTAN <https://ctan.org/pkg/overpic>

name	overpic
caption	Combine LaTeX commands over included graphics
author	Niepraschk, Rolf
copyright	Rolf Niepraschk (1997-2026)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.2 (2026-01-06)
last changes	2026-01-06
year	2026

4447 `overrightarrow` – Doubled “over” arrow

description	(no language specified) The <code>overpic</code> environment is a cross between the LaTeX <code>picture</code> environment and the <code>\includegraphics</code> command of graphicx . The resulting <code>picture</code> environment has the same dimensions as the included graphic. LaTeX commands can be placed on the graphic at defined positions; a grid for orientation is available.
documentation	<i>Readme (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/overpic/README.md
documentation	(English) <i>Documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/overpic/overpic.pdf
– local file	<code>./3504883285-overpic.pdf</code>
documentation	<i>Readme (German)</i> : https://ctan.org/tex-archive/macros/latex/contrib/overpic/README.de.md
home page	https://github.com/rolfn/overpic
contact	<i>bugs</i> : https://github.com/rolfn/overpic/issues
contact	<i>repository</i> : https://github.com/rolfn/overpic
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/overpic
on MikTeX	<code>overpic</code>
on T _E XLive	<code>overpic</code>
keyword	<code>graphics-text</code> (text within graphics (drawn or overlaid))
keyword	<code>tagged-pdf-incompatible</code> (tagged PDF incompatible)
language(s)	German; English
last access	2026-03-26

4447 `overrightarrow` – Doubled “over” arrow

Web page on CTAN <https://ctan.org/pkg/overrightarrow>

name	<code>overrightarrow</code>
caption	Doubled “over” arrow
author	Kilfiger, James
license	pd = Public Domain Software (free)
description	(no language specified) Provides a command <code>\Overrightarrow</code> that is an amalgam of <code>\overrightarrow</code> and <code>\Rightarrow</code>. The package is one of a collection of fragments designed for use by package writers and others.

documentation	(no language specified) <i>Collection readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fragments/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fragments
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	without year
last access	2026-03-26

4448 *overword* – Parse text

Web page on CTAN <https://ctan.org/pkg/overword>

name	overword
caption	Parse text
author	Bennett, Frank
copyright	Frank Bennett (1996, 1997)
license	nosell = Do Not Sell Except by Arrangement (not free)
version	3.1.1.1
description	(no language specified) Provides two macros which can be used as building blocks for the parsing of text. For an example of their use, see the calendar package. The package is distributed as part of the calendar bundle.
documentation	(no language specified) <i>Bundle Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/calendar/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/calendar
keyword	linguistic (support for linguistics)
language(s)	no language specified
year	1997
last access	2025-02-07

4449 oxford – A BibTeX style geared for use in the humanities

Web page on CTAN <https://ctan.org/pkg/oxford>

name	oxford
caption	A BibTeX style geared for use in the humanities
author	Antman, Peter
copyright	Peter Antman (1997)
license	nosell = Do Not Sell Except by Arrangement (not free)
description	(no language specified) The style implements the Oxford style interpreted through the eye of a Swede working in the field of the history of ideas. It is based on harvard and a heavily hacked bst-file generated with custom-bib. It currently only supports <code>\cite[]</code> and <code>\cite</code> and only in abbreviation mode.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/oxford/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/oxford
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
year	1997
last access	2025-02-07

4450 oztex – TeX for the Macintosh

Web page on CTAN <https://ctan.org/pkg/oztex>

name	oztex
caption	TeX for the Macintosh
author	Trevorrow, Andrew
license	shareware = Shareware: A fee is required (not free)
version	5.1
description	(no language specified) OzTeX still works under Mac OS/X, but it is no longer being maintained or updated. Users in need of the latest and greatest are recommended to consider MacTeX .
documentation	(no language specified) <i>OzTeX FAQ</i> : http://www.trevorrow.com/oztex/ozfaq.html
home page	http://www.trevorrow.com/oztex

on CTAN <https://ctan.org/tex-archive/systems/mac/oztex>
 keyword distribution (components (or support) of TeX distribution)
 language(s) no language specified
 year without year
 last access 2025-02-07

4451 *oztex-fonts* – Fonts packaged for use in OzTeX

Web page on CTAN <https://ctan.org/pkg/oztex-fonts>
 name *oztex-fonts*
 caption Fonts packaged for use in OzTeX
 author López-Valencia, Alejandro
 author de Bogotá, Santafé
 license other-free = Free license not otherwise listed (free)
 version (2002-01-27)
 last changes 2002-01-27
 year 2002
 description (no language specified) The bundle provides MacOS bitmaps and metrics.
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/systems/mac/fonts/oztex/README.macos>
 on CTAN <https://ctan.org/tex-archive/systems/mac/fonts/oztex>
 keyword distribution (components (or support) of TeX distribution)
 keyword font (fonts themselves)
 language(s) no language specified
 last access 2025-02-07

4452 *oztex-german* – German packaging of *OzTeX*Web page on CTAN <https://ctan.org/pkg/oztex-german>

name	OzTeX-german
caption	German packaging of OzTeX
author	Meyer-Lerbs, Lothar
license	pd = Public Domain Software (free)
on CTAN	https://ctan.org/tex-archive/obsolete/systems/mac/oztex-german
keyword	distribution (components (or support) of TeX distribution)
see also	see section 4450 on page 4028: (<i>oztex</i> – TeX for the Macintosh)
language(s)	no language specified
year	without year
last access	2025-02-07

4453 *pacioli* – Fonts designed by Fra Luca de Pacioli in 1497Web page on CTAN <https://ctan.org/pkg/pacioli>

name	pacioli
caption	Fonts designed by Fra Luca de Pacioli in 1497
author	Wilson, Peter R.
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Pacioli was a c.15 mathematician, and his font was designed according to ‘the divine proportion’. The font is uppercase letters together with punctuation and some alphabets; no lowercase or digits. The Metafont source is distributed in a .dtx file, together with LaTeX support.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/pacioli/README
documentation	(no language specified) <i>Font sample</i> : https://ctan.org/tex-archive/fonts/pacioli/tryfont.ps
on CTAN	https://ctan.org/tex-archive/fonts/pacioli
on MikTeX	pacioli
on TeXLive	pacioli

keyword	font-mf (fonts distributed as Metafont source)
keyword	font-historical (fonts for a script or language now obsolete)
keyword	font (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-02-07

4454 *packdoc* – Document LaTeX packages in a consistent way

Web page on CTAN <https://ctan.org/pkg/packdoc>

name	packdoc
caption	Document LaTeX packages in a consistent way
author	Moreira, Jander
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1
description	(no language specified) This package offers a variety of features for documenting LaTeX packages, ensuring consistent presentation, cross-referencing, and index generation. It also supports version and change tracking to maintain a consistent change history.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/packdoc/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/packdoc/packdoc-doc.pdf
– local file	./3001216631-packdoc-doc.pdf
home page	https://github.com/jandermoreira/packdoc
contact	<i>bugs</i> : https://github.com/jandermoreira/packdoc/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/packdoc
on MikTeX	packdoc
on TeXLive	packdoc
keyword	doc-supp (macros and tools for preparing documentation)
language(s)	no language specified
year	without year
last access	2025-02-07

4455 *padauk* – A high-quality TrueType font that supports the many diverse languages that use the Myanmar script

Web page on CTAN <https://ctan.org/pkg/padauk>

name	padauk
caption	A high-quality TrueType font that supports the many diverse languages that use the Myanmar script
author	Tennent, Bob
author	SIL International
copyright	Bob Tennent (2016)
license	ofl = The SIL Open Font License (free)
version	3.002
description	(no language specified) Padauk is a Unicode-based font family with broad support for writing systems that use the Myanmar script.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/fonts/padauk/README
documentation	(no language specified) <i>Package features</i> : https://ctan.org/tex-archive/obsolete/fonts/padauk/doc/Padauk-features.pdf
– local file	<code>./7414511199-Padauk-features.pdf</code>
home page	http://software.sil.org/padauk/
on CTAN	https://ctan.org/tex-archive/obsolete/fonts/padauk
on MikTeX	padauk
keyword	font-ttf (font available in TrueType format)
language(s)	no language specified
year	2016
last access	2025-02-07

4456 padcount – Pad numbers with arbitrary characters

Web page on CTAN <https://ctan.org/pkg/padcount>

name	padcount
caption	Pad numbers with arbitrary characters
author	Goodman, Donald P.
copyright	Donald P. Goodman (2018)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0
description	(no language specified) This package provides some simple macros which will pad numbers (or, indeed, any expanded token) with your choice of character (defaulting to "0") to your choice of number of places (defaults to "2"). This works not only on arabic numerals, but on any expanded list of tokens passed to it. This makes it suitable for, among other things, counters of all kinds.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/padcount/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/padcount/padcount.pdf
– local file	./3764316712-padcount.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/padcount
on MikTeX	padcount
on T _E XLive	padcount
keyword	numbers (formatting numbers, etc)
language(s)	no language specified
year	2018
last access	2025-02-07

4457 *pagecolor* – Interrogate page color

Web page on CTAN <https://ctan.org/pkg/pagecolor>

name	pagecolor
caption	Interrogate page color
author	Münch, Hans-Martin
copyright	H.-Martin Münch (2011-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2d (2025-01-28)
last changes	2025-01-28
year	2025
description	(no language specified) This package provides the command <code>\thepagecolor</code>, which gives the current page (background) color, i. e. the argument used with the most recent call of <code>\pagecolor{...}</code>. The command <code>\thepagecolornone</code> gives the same color as <code>\thepagecolor</code>, except when the page background color is "none" (e.g., as a result of using the <code>\nopagecolor</code> command). In that case <code>\thepagecolor</code> is "white" and <code>\thepagecolornone</code> is "none". When <code>\nopagecolor</code> is unknown or broken (crop package), this package provides a replacement. Similar to <code>\newgeometry</code> and <code>\restoregeometry</code> of the geometry package <code>\newpagecolor{...}</code> and <code>\restorepagecolor</code> are provided. For use with the crop package <code>\backgroundpagecolor{...}</code> as well as <code>\newbackgroundpagecolor{...}</code> and <code>\restorebackgroundpagecolor</code> are provided.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pagecolor/pagecolor.pdf
– local file	<code>./6989536713-pagecolor.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pagecolor/README
documentation	(no language specified) <i>Example</i> : https://ctan.org/tex-archive/macros/latex/contrib/pagecolor/pagecolor-example.pdf
– local file	<code>./1329567088-pagecolor-example.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pagecolor
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/pagecolor.tds.zip

on MikTeX	pagecolor
on T _E XLive	pagecolor
keyword	colour (typesetting in colour)
language(s)	no language specified
last access	2025-02-07

4458 *pagecont* – Page numbering that continues between documents

Web page on CTAN <https://ctan.org/pkg/pagecont>

name	pagecont
caption	Page numbering that continues between documents
author	Frasson, Miguel Vinícius Santini
copyright	Miguel V. S. Frasson (2007)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package provides the facility that several documents can be typeset independently with page numbers in sequence, as if they were a single document.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pagecont/pagecont.pdf
– local file	./2590660100-pagecont.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pagecont/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pagecont
on MikTeX	pagecont
on T _E XLive	pagecont
keyword	page-nos (control sequence and typesetting of page numbers)
language(s)	no language specified
year	2007
last access	2025-02-07

4459 *pagedraw* – Drawing program with EPS output

Web page on CTAN <https://ctan.org/pkg/pagedraw>

name	<i>pagedraw</i>
caption	Drawing program with EPS output
author	Karunakaran, V Karunakaran
license	nosource = No Source Available (not free)
description	(no language specified) Pagedraw is a free vector-graphics program capable of creating EPS files suitable for inclusion in TeX documents. Pagedraw runs on Windows 3.1 and Windows 95.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pagedraw/pgdraw20.txt
on CTAN	https://ctan.org/tex-archive/graphics/pagedraw/pgdraw20.zip
keyword	graphics-prep (prepare graphics for use with *TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

4460 *pagefoots* – Footnote numbering per page

Web page on CTAN <https://ctan.org/pkg/pagefoots>

name	<i>pagefoots</i>
caption	Footnote numbering per page
author	Hankerson, Darrel
author	Schellenberger, Brian T.
license	other-free = Free license not otherwise listed (free)
description	(no language specified) The code resets footnote numbers for each page, and ‘numbers’ footnotes using <code>\fnsymbol</code>. It needs two passes of LaTeX to ensure the renumbering is correct (as usual, it communicates information between passes using the <code>.aux</code> file). Note that the package was written for (old) LaTeX 2.09; its performance cannot be guaranteed with current LaTeX.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/pagefoots.sty

keyword	footnote (footnote support)
see also	see section 2338 on page 2118: (<code>footmisc</code> – A range of footnote options)
see also	see section 4593 on page 4157: (<code>perpage</code> – Make a counter reset at every page boundary)
language(s)	no language specified
year	without year
last access	2025-02-07

4461 **pageframe** – Page frames, grids, etc., for LaTeX 2.09

Web page on CTAN <https://ctan.org/pkg/pageframe>

name	pageframe
caption	Page frames, grids, etc., for LaTeX 2.09
author	Smith, Cameron
license	noinfo = noinfo
version	(1991-11-14)
last changes	1991-11-14
year	1991
description	(no language specified) The package provides page frames, trim marks, and grids, as appropriate for preparing books for publication. Also provided are a means of specifying a "skeleton" (showing the arrangement of parts of the document) and a page grid. It should be noted that the package seems not to work with LaTeX 2e.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex209/contrib/pageframe/README
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/pageframe
keyword	latex209 (package only known to work with LaTeX 2.09)
language(s)	no language specified
last access	2025-02-11

4462 pagegrid – Print page grid in backgroundWeb page on CTAN <https://ctan.org/pkg/pagegrid>

name	pagegrid
caption	Print page grid in background
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2009)
copyright	Oberdiek Package Support Group (2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.6 (2022-09-21)
last changes	2022-09-21
year	2022
description	(no language specified) This package puts a grid on the paper. It was written for developers of a class or package who have to put elements on definite locations on a page (e.g. letter class). The grid allows a faster optical check, whether the positions are correct. If the previewer already offers features for measuring, the package might be unnecessary. Otherwise it saves the developer from printing the page and measuring by hand. The package was part of the oberdiek bundle.
documentation	(English) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pagegrid/README.md
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pagegrid/pagegrid.pdf
– local file	./6361909464-pagegrid.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pagegrid
on MikTeX	pagegrid
on T _E XLive	pagegrid
keyword	background (decorate/confuse text by adding a background)
keyword	layout-show (display details of page layout)
language(s)	English
last access	2025-02-07

4463 *pagelayout* – Layout graphic rich documents

Web page on CTAN <https://ctan.org/pkg/pagelayout>

Alias	xput
name	pagelayout
caption	Layout graphic rich documents
author	Bartels, Friedemann
copyright	Friedemann Bartels (2022-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1.1 (2024-07-31)
last changes	2024-07-31
year	2024
description	(no language specified) The <i>pagelayout</i> class enables you to layout pages declaratively using simple macros for pages, covers, grids, templates, text, and graphics to create graphic rich, perfectly typeset, and print ready PDFs. The integration of Inkscape allows you to create box shadows. The integration of ImageMagick allows you to configure compression and sharpening for bitmap graphics to export web, print or preview versions of your document. Parallelized image optimization, caching, and a draft mode enable fast PDF creation and a responsive workflow, even for large documents with lots of photos and graphics. The <i>pagelayout</i> class also integrates the PGF/TikZ and tcolorbox LaTeX packages.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/pagelayout/doc/pagelayout-manual.pdf
– local file	<code>./2369881557-pagelayout-manual.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/pagelayout/README.md
contact	<i>bugs</i>: https://github.com/friedemannbartels/latex-pagelayout/issues
contact	<i>repository</i>: https://github.com/friedemannbartels/latex-pagelayout
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pagelayout

installation	https://ctan.org/tex-archive/install/macros/latex/contrib/pagelayout.tds.zip
on MikTeX	pagelayout
on T _E XLive	pagelayout
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	class (alternative LaTeX class(es))
keyword	layout (layout of objects on the page)
language(s)	no language specified
last access	2025-02-07

4464 *pagella-otf* – Using the OpenType fonts TeX Gyre Pagella

Web page on CTAN <https://ctan.org/pkg/pagella-otf>

name	pagella-otf
caption	Using the OpenType fonts TeX Gyre Pagella
author	Voß, Herbert
copyright	Herbert Voss (2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.02
description	(no language specified) This package can only be used with LuaLaTeX or XeLaTeX. It does the font setting for the OpenType font ‘TeX Gyre Pagella’ for text and math. The missing typefaces like bold math and slanted text are also defined
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/pagella-otf/doc/pagella-otf-doc.pdf
– local file	./2425804315-pagella-otf-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/pagella-otf/README.md
on CTAN	https://ctan.org/tex-archive/fonts/pagella-otf
on MikTeX	pagella-otf
on T _E XLive	pagella-otf
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
keyword	font-otf (font in OpenType format)

keyword	tagged-pdf (tagged PDF compatible)
keyword	luatex (LuaTeX and packages that require it)
keyword	font (fonts themselves)
keyword	font-maths (fonts for use in mathematics)
language(s)	no language specified
year	2022
last access	2026-04-13

4465 *pageno* – Page number-only page styles

Web page on CTAN <https://ctan.org/pkg/pageno>

name	pageno
caption	Page number-only page styles
author	McDonnell, Rowland
license	nosell = Do Not Sell Except by Arrangement (not free)
description	(no language specified) A LaTeX package that can re-define the plain page style under the control of options, so you can have page numbers: at the top or bottom of the page; in the inside corner, outside corner, or in the middle. It was inspired by Axel Sommerfeldt's rplain package. The same results may be achieved (as well as many other convenient running head/foot effects) by using fancyhdr or titleps
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pageno/pageno.pdf
– local file	./6172283164-pageno.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pageno
keyword	layout (layout of objects on the page)
language(s)	no language specified
year	without year
last access	2025-02-07

4466 *pagenote* – Notes at end of document

Web page on CTAN <https://ctan.org/pkg/pagenote>

name	<code>pagenote</code>
caption	Notes at end of document
author	Wilson, Peter R.
author	Robertson, Will
copyright	Peter R. Wilson (2004)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1a
description	(no language specified) The <code>pagenote</code> package provides tagged notes on a separate page (also known as ‘end notes’). Unless the <code>memoir</code> class is used, the package requires the <code>ifmtarg</code> package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pagenote/pagenote.pdf
– local file	<code>./7731291742-pagenote.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pagenote/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pagenote
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/pagenote.tds.zip
on MikTeX	<code>pagenote</code>
on T _E XLive	<code>pagenote</code>
keyword	<code>endnote</code> (notes typeset at end document)
keyword	<code>notes</code> (general notes (not including endnotes or footnotes))
see also	see section 1901 on page 1718: (<code>endnote</code> – Generic “endnotes” code)
language(s)	no language specified
year	2004
last access	2025-02-07

4467 pagerange – Flexible and configurable page range typesetting

Web page on CTAN <https://ctan.org/pkg/pagerange>

name	pagerange
caption	Flexible and configurable page range typesetting
author	Musa, Ahmed
copyright	Ahmed Musa (2009)
license	lppl = The LaTeX Project Public License (free)
version	0.5
description	(no language specified) The package defines a command <code>\pagerange</code> that typesets ranges of page numbers, expanding them (e.g., adding first or last page numbers) and standardising them.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pagerange/README
documentation	(no language specified) <i>Samples of usage</i> : https://ctan.org/tex-archive/macros/latex/contrib/pagerange/pagerange-guide.pdf
– local file	<code>./7102155180-pagerange-guide.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pagerange
on MikTeX	pagerange
on T _E XLive	pagerange
keyword	macro-supp (support for development of (La)TeX macros)
keyword	label-ref (label and reference systems)
language(s)	no language specified
year	2009
last access	2025-02-07

4468 pagereference – Labels and references in Plain TeX

Web page on CTAN <https://ctan.org/pkg/pagereference>

name	pagereference
caption	Labels and references in Plain TeX
author	Ungar, Peter
license	noinfo = noinfo
version	(1994-05-02)
last changes	1994-05-02
year	1994
description	(no language specified) Provides a mechanism for recording the location of labels placed in a document. The package requires a two-pass process (it asks the user whether this is the "second pass"). The first pass establishes where things are (writing the values of page labels to a .pgn file), the second pass fills in the references. There is no equivalent of the LaTeX mechanism for checking whether labels have changed during a run.
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/pagereference.tex
on MikTeX	genmisc
keyword	label-ref (label and reference systems)
language(s)	no language specified
last access	2025-02-07

4469 pagesel – Select pages of a document for output

Web page on CTAN <https://ctan.org/pkg/pagesel>

name	pagesel
caption	Select pages of a document for output
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (1999, 2003, 2006-2008)
copyright	Oberdiek Package Support Group (2016-2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.10 (2020-08-03)

4470 `pageslts` – Variants of last page labels

last changes	2020-08-03
year	2020
description	(no language specified) Selects single pages, ranges of pages, odd pages or even pages for output.
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pagesel/pagesel.pdf
– local file	<code>./1819657996-pagesel.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pagesel/README.md
contact	<i>bugs</i> : https://github.com/ho-tex/pagesel/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pagesel
on MikTeX	<code>pagesel</code>
on TeXLive	<code>pagesel</code>
keyword	<code>page-control</code> (select pages to be output, etc.)
see also	see section 5394 on page 4884: (<code>selectp</code> – Select pages to be output)
language(s)	English
last access	2025-02-07

4470 `pageslts` – Variants of last page labels

Web page on CTAN <https://ctan.org/pkg/pageslts>

name	<code>pagesLTS</code>
caption	Variants of last page labels
author	Münch, Hans-Martin
copyright	H.-Martin Münch (2010-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.0e (2025-06-05)
last changes	2025-06-05
year	2025

description	(no language specified) The package was designed as an extension of the lastpage package — as well as that package’s <code>LastPage</code> label (created in hook <code>enddocument/afterlastpage</code> , formerly <code>\AtEndDocument</code>) it adds a <code>VeryLastPage</code> (created in the same hook, but formerly <code>\AfterLastShipout</code>). When more than one page numbering scheme is in operation (as in a <code>book</code> class document with <code>frontmatter</code>), the labels above do not give the total number of pages, so the package also provides labels <code>pagesLTS.< numbering scheme ></code> , where the <i>numbering scheme</i> is <code>arabic</code> , <code>roman</code> , etc. The package relies on the undolabl package. Note: The ”LTS” of the package name stands for: ”L” = number of Last page, ”T” = Total number of pages, ”S” = page numbering Schemes (<code>roman</code>, <code>arabic</code>, ...)
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pageslts/README
documentation	(no language specified) <i>Package examples</i> : https://ctan.org/tex-archive/macros/latex/contrib/pageslts/pageslts-example.pdf
– local file	<code>./9221685940-pageslts-example.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pageslts/pageslts.pdf
– local file	<code>./8520059979-pageslts.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pageslts
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/pageslts.tds.zip
on MikTeX	<code>pageslts</code>
on TeXLive	<code>pageslts</code>
keyword	<code>label-ref</code> (label and reference systems)
language(s)	no language specified
last access	2025-06-10

4471 *palatino-nfss* – Select Adobe Palatino as default text font

Web page on CTAN <https://ctan.org/pkg/palatino-nfss>

name	palatino-nfss
caption	Select Adobe Palatino as default text font
author	Rahtz, Sebastian
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The palatino package is now obsolete, replaced by the mathpazo package that employs the mathpazo fonts to provide mathematics that matches the text font. Both packages are part of psnfss .
keyword	font-suppl (metrics, macro incantations and other font support)
see also	see section 4233 on page 3832: (newpx – Alternative uses of the PX fonts, with improved metrics)
see also	see section 5022 on page 4546: (pxfonts – Palatino-like fonts in support of mathematics)
language(s)	no language specified
year	without year
last access	2025-02-07

4472 *palette* – Create palettes for colors and symbols that can be swapped in

Web page on CTAN <https://ctan.org/pkg/palette>

name	palette
caption	Create palettes for colors and symbols that can be swapped in
author	Chen, Dennis
copyright	Dennis Chen (2021)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1.0 (2021-07-29)
last changes	2021-07-29
year	2021

description	(no language specified) The package 'palette' contains two files: 'colorpalette.sty' and 'symbolpalette'. One deals with colors and the other deals with symbols; the implementation is quite similar. With this package you can create themes. Each of these themes have a set of colors, and you can create palettes based on this theme with specific color values for each of the theme's color slots. The active palette for each theme can be swapped in to make experimenting with colors easier or give users choices as to which theme they pick.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/palette/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/palette/palette.pdf
– local file	./6066070524-palette.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/palette
on MikTeX	palette
on T _E XLive	palette
keyword	colour (typesetting in colour)
language(s)	no language specified
last access	2025-02-07

4473 *palladam* – A Tamil font for Macintosh users

Web page on CTAN	https://ctan.org/pkg/palladam
name	palladam
caption	A Tamil font for Macintosh users
author	Govindaraj, T.
copyright	T. Govindaraj (1989-1992)
license	nosell = Do Not Sell Except by Arrangement (not free)
version	2.1
description	(no language specified) The font's encoding was designed according to the author's view of what was natural.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/tamil/palladam/README
on CTAN	https://ctan.org/tex-archive/language/tamil/palladam

keyword	font-indic (fonts for languages of the Indian subcontinent)
keyword	font (fonts themselves)
language(s)	no language specified
year	1992
last access	2025-02-07

4474 *panda* – A package to estimate the blackness of fonts

Web page on CTAN <https://ctan.org/pkg/panda>

name	panda
caption	A package to estimate the blackness of fonts
author	samcarter
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3 (2026-02-12)
last changes	2026-02-12
year	2026
description	(no language specified) One challenge when drawing icons or symbols can be to make them blend in with the surrounding text. If their line widths look good with one font, they can stand out like a sore thumb with another font. The panda package provides tools to automatically adjust line widths etc. to fit in with the surrounding font.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/panda/panda-doc.pdf
– local file	./8435345647-panda-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/panda/README.md
home page	https://github.com/samcarter/panda
contact	<i>support</i> : https://github.com/samcarter/panda/issues
contact	<i>bugs</i> : https://github.com/samcarter/panda/issues
contact	<i>repository</i> : https://github.com/samcarter/panda
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/panda
on MikTeX	panda
on T _E XLive	panda

4475 *pandora* – The Pandora font family

keyword	font-supp-symbol (metrics, macro incantations and other support for symbol fonts)
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
last access	2026-02-18

4475 *pandora* – The Pandora font family

Web page on CTAN <https://ctan.org/pkg/pandora>

name	pandora
caption	The Pandora font family
author	Billawala, Nazeen N. (Neenie)
copyright	Nazeen N. Billawala (1989)
license	nocommercial = No Commercial Use (not free)
version	(1992-09-02)
last changes	1992-09-02
year	1992
description	(no language specified) The intent of the Pandora project was to test the ideas and power of Metafont in a design context. The starting point came from broad ideas about type, rather than trying to create a specific predetermined typeface. The fonts do not contain a full complement of OT1 glyphs. LaTeX support is available in the mfnfss bundle or (with "correct" font naming) in the pandora-latex bundle.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/pandora/README
on CTAN	https://ctan.org/tex-archive/fonts/pandora
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
see also	see section 4477 on page 4051 : (pandora-type1 – The Pandora font family)
language(s)	no language specified
last access	2026-04-19

4476 *pandora-latex* – LaTeX support for the Pandora fonts

Web page on CTAN <https://ctan.org/pkg/pandora-latex>

name	<code>pandora-latex</code>
caption	LaTeX support for the Pandora fonts
author	Jørgensen, Palle
license	gpl = GNU General Public License (free)
version	1.1
description	(no language specified) Support for Neena Billawala’s Pandora fonts, in LaTeX. Note that the mfnfss bundle already offers support, but the present package uses the “correct” (fontname) abbreviations for the font’s names.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pandora-latex/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pandora-latex/pandora.pdf
– local file	<code>./9533041257-pandora.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pandora-latex
on MikTeX	<code>pandora-latex</code>
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year
last access	2026-04-19

4477 *pandora-type1* – The Pandora font family

Web page on CTAN <https://ctan.org/pkg/pandora-type1>

name	<code>pandora-type1</code>
caption	The Pandora font family
author	Billawala, Nazeen N. (Neenie)
author	McPhee, Patrick T J
license	nocommercial = No Commercial Use (not free)
version	(2004-02-11)

4478 *pangram* – A LaTeX package for testing fonts

last changes	2004-02-11
year	2004
description	(no language specified) The fonts offer drop-in replacements for the pandora PK files, for use with dvips, dvipdfm, pdfTeX, etc. You should use the TFM files generated by Metafont (the package contains AFM files, but they have not been tested). The encoding is exactly the same as the PK files, and the package does not contain any additional characters. The fonts have been successfully used, but no warranty is offered.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/ps-type1/pandora/README
on CTAN	https://ctan.org/tex-archive/fonts/ps-type1/pandora
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
see also	see section 3942 on page 3564 : (<code>mfnfss</code> – Packages to typeset oldgerman and pandora fonts in LaTeX)
language(s)	no language specified
last access	2026-04-19

4478 *pangram* – A LaTeX package for testing fonts

Web page on CTAN <https://ctan.org/pkg/pangram>

name	pangram
caption	A LaTeX package for testing fonts
author	Zhang, Tingxuan
copyright	Zhang Tingxuan (2022-2023)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.0c (2023-03-01)
last changes	2023-03-01
year	2023
description	(no language specified) This package provides a simple way for font designers and users to test their fonts in different sizes without much input.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pangram/pangram.pdf
– local file	<code>./9422859427-pangram.pdf</code>

4479 `panneauxroute` – Commands to display French road signs (vector graphics)

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pangram/README.md
contact	<i>support</i> : https://github.com/CTeX-org/forum
contact	<i>bugs</i> : https://github.com/AlphaZTX/pangram/issues
contact	<i>repository</i> : https://github.com/AlphaZTX/pangram
contact	<i>development</i> : https://github.com/AlphaZTX
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pangram
on MikTeX	pangram
on T _E XLive	pangram
keyword	dummy-gen (dummy text generator for tests and examples)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

4479 `panneauxroute` – Commands to display French road signs (vector graphics)

Web page on CTAN <https://ctan.org/pkg/panneauxroute>

name	PanneauxRoute
caption	Commands to display French road signs (vector graphics)
author	Pierquet, Cédric
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	cc-by-sa-3 = CC BY-SA 3.0 (free)
version	0.1.2 (2024-09-14)
last changes	2024-09-14
year	2024
description	(no language specified) The package provides commands to insert French road signs as vector graphics: • <code>\AffPanneau[graphicx options]{code}</code> • <code>\prcode[graphicx options]</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/panneauxroute/doc/PanneauxRoute-doc.pdf

4480 *paper* – Versions of article class, tuned for scholarly publications...

– local file	<code>./8942826240-PanneauxRoute-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/panneauxroute/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/panneauxroute
on MikTeX	panneauxroute
on T _E XLive	panneauxroute
keyword	french (support for typesetting French)
keyword	graphics-use (graphics (typesetting actual pictures))
language(s)	no language specified
last access	2025-05-27

4480 *paper* – Versions of article class, tuned for scholarly publications

Web page on CTAN	https://ctan.org/pkg/paper
name	paper
caption	Versions of article class, tuned for scholarly publications
author	Matiaske, Wenzel
copyright	Wenzel Matiaske (1992, 1998)
license	gpl = GNU General Public License (free)
version	1.0l
description	(no language specified) A pair of classes derived from article, tuned for producing papers for journals. The classes introduce new layout options and font commands for sections/parts, and define a new keywords environment, subtitle and institution commands for the title section and new commands for revisions.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/paper/README
documentation	<i>Package documentation (German)</i> : https://ctan.org/tex-archive/macros/latex/contrib/paper/paper.pdf
– local file	<code>./4531094149-paper.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/paper
on MikTeX	paper
on T _E XLive	paper

keyword journalpub (typesetting journals, etc)
 language(s) German
 year 1998
 last access 2025-02-07

4481 *papercdcase* – Origami-style folding paper CD case

Web page on CTAN <https://ctan.org/pkg/papercdcase>

name *papercdcase*
 caption Origami-style folding paper CD case
 author Dussa, Tobias
 copyright Tobias Dussa (2006)
 license lppl = The LaTeX Project Public License (free)
 description (no language specified) This package implements a LaTeX style file to produce origami-style folding paper CD cases.
 documentation (no language specified) *Package documentation:*
<https://ctan.org/tex-archive/macros/latex/contrib/papercdcase/papercdcase.pdf>
 – local file ./7341149021-papercdcase.pdf
 on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/papercdcase>
 on MikTeX *papercdcase*
 on T_EXLive *papercdcase*
 keyword covers (typeset badges, covers or labels for things (or people))
 language(s) no language specified
 year 2006
 last access 2025-02-07

4482 **papermas** – Compute the mass of a printed version of a document

Web page on CTAN <https://ctan.org/pkg/papermas>

name	papermas
caption	Compute the mass of a printed version of a document
author	Münch, Hans-Martin
copyright	H.-Martin Münch (2010-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1a (2023-04-12)
last changes	2023-04-12
year	2023
description	(no language specified) The package computes the number of sheets of paper used by, and hence the mass of a document. This is useful (for example) when calculating postal charges.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/papermas/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/papermas/papermas.pdf
– local file	./9647916527-papermas.pdf
documentation	(no language specified) <i>Package examples</i> : https://ctan.org/tex-archive/macros/latex/contrib/papermas/papermas-example.pdf
– local file	./9380568236-papermas-example.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/papermas
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/papermas.tds.zip
on MikTeX	papermas
on TeXLive	papermas
keyword	calculation (perform calculations within TeX)
language(s)	no language specified
last access	2025-02-07

4483 papertex – Class for newspapers, etc

Web page on CTAN <https://ctan.org/pkg/papertex>

name	papertex
caption	Class for newspapers, etc
author	Llopis, Ignacio
copyright	Ignacio Llopis (2007)
license	lpl = The LaTeX Project Public License (free)
version	1.2b
description	(no language specified) This class allows LaTeX users to create a paperTeX newspaper. The final document has a front page and as many inner pages as desired. News items appear one after another and the user can choose the number of columns, style and so on. The class allows users to create newsletters too.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/papertex/papertex.pdf
– local file	./4361225746-papertex.pdf
documentation	(no language specified) <i>Example newspaper page</i> : https://ctan.org/tex-archive/macros/latex/contrib/papertex/example/example.pdf
– local file	./4532536180-example.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/papertex/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/papertex
on MikTeX	papertex
on T _E XLive	papertex
keyword	magazine (magazines, newspapers and other ephemeral publications)
language(s)	no language specified
year	2007
last access	2025-02-07

4484 papiergurvan – Commands to work with Gurvan Paper

Web page on CTAN <https://ctan.org/pkg/papiergurvan>

name	PapierGurvan
caption	Commands to work with Gurvan Paper
author	Pierquet, Cédric
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.0 (2023-09-11)
last changes	2023-09-11
year	2023
description	(no language specified) This package provides commands to display Gurvan grids or Gurvan full pages, and also the possibility to write on lines. The source for the design of the paper can be found at http://www.sos-ecriture.fr/2014/10/papier-gurvan.html .
documentation	(French) <i>Example of use (A5)</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/papiergurvan/doc/PapierGurvan-BelleAllure-A5.pdf
– local file	./1419582181-PapierGurvan-BelleAllure-A5.pdf
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/papiergurvan/doc/PapierGurvan-doc-fr.pdf
– local file	./3513469947-PapierGurvan-doc-fr.pdf
documentation	(French) <i>Example of use (A4)</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/papiergurvan/doc/PapierGurvan-BelleAllure-A4.pdf
– local file	./2932530372-PapierGurvan-BelleAllure-A4.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/papiergurvan/README.md
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/papiergurvan
on MikTeX	papiergurvan
on TeXLive	papiergurvan
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	french (support for typesetting French)
keyword	typeset-grid (typeset, snapping lines of text to a grid)

language(s) French
last access 2025-05-27

4485 *paracol* – Multiple columns with texts “in parallel”

Web page on CTAN <https://ctan.org/pkg/paracol>

name	paracol
caption	Multiple columns with texts “in parallel”
author	Nakashima, Hiroshi
author	Kurtz, Markus
copyright	Hiroshi Nakashima (2005-2018)
copyright	Markus Kurtz (2024-2025)
license	lppl = The LaTeX Project Public License (free)
version	1.37 (2025-07-14)
last changes	2025-07-14
year	2025
description	(no language specified) The package provides yet another multi-column typesetting mechanism by which you produce multi-column (e.g., bilingual) document switching and synchronizing each corresponding part in “parallel”.
documentation	(no language specified) <i>Complete package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/paracol/paracol.pdf
– local file	<code>./1889102703-paracol.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/paracol/README
documentation	(no language specified) <i>User manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/paracol/paracol-man.pdf
– local file	<code>./6400466436-paracol-man.pdf</code>
contact	<i>repository</i> : https://codeberg.org/mgkurtz/paracol
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/paracol
on MikTeX	paracol
on T _E XLive	paracol
keyword	parallel (parallel columns)
keyword	linguistic (support for linguistics)

see also	see section 4489 on page 4062: (<code>parallel</code> – Typeset parallel texts)
see also	see section 4493 on page 4066: (<code>parcolumns</code> – Multiple column parallel typesetting)
language(s)	no language specified
last access	2025-07-16

4486 *parades* – Tabulators and space between paragraphs in galley approach

Web page on CTAN <https://ctan.org/pkg/parades>

name	<code>parades</code>
caption	Tabulators and space between paragraphs in galley approach
author	Parashchenko, Oleg
copyright	Oleg Parashchenko (2016)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2016-02-09)
last changes	2016-02-09
year	2016
description	(no language specified) The LaTeX package <code>paravesp</code> controls the spaces above and below paragraphs. The python script <code>parades.py</code> generates paragraph styles with support of space above, space below and tabulators. The system imposes the galley approach on the document.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/parades/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/parades/parades.pdf
– local file	<code>./7995453329-parades.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/parades
on MikTeX	<code>parades</code>
on T _E XLive	<code>parades</code>
keyword	<code>parshape</code> (non-standard paragraph shapes)
language(s)	no language specified
last access	2025-02-07

4487 paragraphs – Paragraph "tricks" macros

Web page on CTAN <https://ctan.org/pkg/paragraphs>

name	paragraphs
caption	Paragraph "tricks" macros
license	noinfo = noinfo
version	(1992-08-27)
last changes	1992-08-27
year	1992
description	(no language specified) A collection of mechanisms for paragraph shapes and related techniques. The purpose of each macro is described in comments in the file.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/paragraphs.tex
keyword	parshape (non-standard paragraph shapes)
language(s)	no language specified
last access	2025-02-07

4488 paralist – Enumerate and itemize within paragraphs

Web page on CTAN <https://ctan.org/pkg/paralist>

name	paralist
caption	Enumerate and itemize within paragraphs
author	Schndl, Bernd
license	lppl = The LaTeX Project Public License (free)
version	2.7 (2017-01-22)
last changes	2017-01-22
year	2017
description	(no language specified) Provides enumerate and itemize environments that can be used within paragraphs to format the items either as running text or as separate paragraphs with a preceding number or symbol. Also provides compacted versions of enumerate and itemize.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/paralist/README

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/paralist/paralist.pdf
– local file	<code>./3024424097-paralist.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/paralist
on MikTeX	<code>paralist</code>
on T _E XLive	<code>paralist</code>
keyword	<code>list</code> (list: general)
keyword	<code>list-bull</code> (list: items bulleted)
keyword	<code>list-enum</code> (list: items enumerated)
see also	see section 4110 on page 3719: (<code>multenum</code> – Multi-column enumerated lists)
see also	see section 5466 on page 4946: (<code>shortlst</code> – Compact lists by running several items per line)
language(s)	no language specified
last access	2025-02-07

4489 *parallel* – Typeset parallel texts

Web page on CTAN	https://ctan.org/pkg/parallel
name	<code>parallel</code>
caption	Typeset parallel texts
author	Eckermann, Matthias
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Provides a parallel environment which allows two potentially different texts to be typeset in two columns, while maintaining alignment. The two columns may be on the same page, or on facing pages. This arrangement of text is commonly used when typesetting translations, but it can have value when comparing any two texts.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/parallel/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/parallel/parallel.pdf
– local file	<code>./9870526481-parallel.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/parallel

on MikTeX	<code>parallel</code>
on T _E XLive	<code>parallel</code>
keyword	<code>parallel</code> (parallel columns)
see also	see section 4485 on page 4059: (<code>paracol</code> – Multiple columns with texts “in parallel”)
see also	see section 4493 on page 4066: (<code>parcolumns</code> – Multiple column parallel typesetting)
language(s)	no language specified
year	without year
last access	2025-02-07

4490 *paramcalc* – Compute params to fit conditions

Web page on CTAN <https://ctan.org/pkg/paramcalc>

name	<code>paramcalc</code>
caption	Compute params to fit conditions
author	Frasson, Miguel Vinícius Santini
copyright	Miguel V. S. Frasson (2026)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) Sometimes one wants to compute font size or letter spacing so that text fits a desired length, or some unit length so that a picture fits some desired size, for instance. This package implements macros to compute such parameters to fit a condition.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/paramcalc
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/paramcalc/paramcalc.pdf
– local file	<code>./2098455206-paramcalc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/paramcalc
on MikTeX	<code>paramcalc</code>
on T _E XLive	<code>paramcalc</code>
keyword	<code>fit-to-size</code> (set up things to fit in a given space)

language(s)	no language specified
year	2026
last access	2026-03-26

4491 *paratype* – LaTeX support for free fonts by ParaType

Web page on CTAN <https://ctan.org/pkg/paratype>

name	paratype
------	----------

caption	LaTeX support for free fonts by ParaType
---------	--

author	Farar, Pavel
--------	--------------

license	lppl = The LaTeX Project Public License (free)
---------	--

version	(2014-02-02)
---------	--------------

last changes	2014-02-02
--------------	------------

year	2014
------	------

description	(no language specified) The package offers LaTeX support for the fonts PT Sans, PT Serif and PT Mono developed by ParaType for the project "Public Types of Russian Federation", and released under an open user license.
-------------	---

The fonts themselves are provided in both the TrueType and Type 1 formats, both created by ParaType). The fonts provide encodings OT1, T1, IL2, TS1, T2* and X2.

The package provides a convenient replacement of the two packages [ptsans](#) and [ptserif](#) .

documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/paratype/doc/paratype-sample.pdf
---------------	---

– local file	./5683938571-paratype-sample.pdf
--------------	----------------------------------

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/paratype/README
---------------	---

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/paratype/doc/paratype.pdf
---------------	--

– local file	./9527443891-paratype.pdf
--------------	---------------------------

on CTAN	https://ctan.org/tex-archive/fonts/paratype
---------	---

installation	https://ctan.org/tex-archive/install/fonts/paratype.tds.zip
--------------	---

on MikTeX	paratype
-----------	----------

on T _E XLive	paratype
-------------------------	----------

4492 *parboxx* – Two extra alignment options for `\parbox`

keyword	<code>tagged-pdf</code> (tagged PDF compatible)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-mono</code> (monospaced font)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font-cyrillic</code> (fonts for Cyrillic and related scripts)
keyword	<code>font-serif</code> (serif font)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-ttf</code> (font available in TrueType format)
keyword	<code>font-sans</code> (sans-serif font)
language(s)	no language specified
last access	2026-03-26

4492 *parboxx* – Two extra alignment options for `\parbox`

Web page on CTAN <https://ctan.org/pkg/parboxx>

name	<code>parboxx</code>
caption	Two extra alignment options for <code>\parbox</code>
author	Knappen, Jörg
license	gpl = GNU General Public License (free)
description	(no language specified) The package provides alignment options <code>T</code> (really at the top of the box) and <code>B</code> (really at the bottom of the box), for the standard LaTeX <code>\parbox</code> macro.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jknappen/parboxx.sty
on MikTeX	<code>jknappen</code>
on T _E XLive	<code>jknapltx</code>
keyword	<code>boxing</code> (creating boxes)
language(s)	no language specified
year	without year
last access	2026-03-26

4493 *parcolumns* – Multiple column parallel typesetting

Web page on CTAN <https://ctan.org/pkg/parcolumns>

name	parcolumns
caption	Multiple column parallel typesetting
author	Sauer, Jonathan
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Provides an environment for typesetting text in two or more parallel columns (as for example, in a multiply translated text). This package is part of the sauerj bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sauerj/parcolumns.pdf
– local file	./9078279183-parcolumns.pdf
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sauerj/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sauerj
on MikTeX	sauerj
on T _E XLive	sauerj
keyword	parallel (parallel columns)
keyword	tagged-pdf-incompatible (tagged PDF incompatible)
see also	see section 4489 on page 4062 : (parallel – Typeset parallel texts)
see also	see section 4485 on page 4059 : (paracol – Multiple columns with texts “in parallel”)
language(s)	no language specified
year	without year
last access	2026-03-26

4494 *paresse* – Define simple macros for greek letters

Web page on CTAN <https://ctan.org/pkg/paresse>

name	paresse
caption	Define simple macros for greek letters
author	Henel, Yvon
copyright	Yvon Henel (2004, 2008, 2020, 2021)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	5.0.2 (2021-05-16)
last changes	2021-05-16
year	2021
description	(no language specified) The package defines macros using $\S$ to type greek letters so that the user may (for example) type $\S a$ to get the effect of $\S\alpha$. However, it takes care only of letters which have a macro name like α or Ω .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/paresse/README.md
documentation	<i>Guide de l'utilisateur (French)</i> : https://ctan.org/tex-archive/macros/latex/contrib/paresse/paresse-fra.pdf
– local file	<code>./4937813408-paresse-fra.pdf</code>
documentation	(no language specified) <i>Code documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/paresse/paresse.pdf
– local file	<code>./2262026772-paresse.pdf</code>
documentation	<i>Lisezmoi (French)</i> : https://ctan.org/tex-archive/macros/latex/contrib/paresse/LISEZMOI.md
documentation	(no language specified) <i>User guide (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/paresse/paresse-eng.pdf
– local file	<code>./5197460699-paresse-eng.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/paresse
on MikTeX	paresse
on TeXLive	paresse
keyword	shortcut (shortcuts when typing)
keyword	expl3 (expl3(unknown))
language(s)	French

last access 2025-02-07

4495 *parisa* – *Parisa family of fonts*

Web page on CTAN <https://ctan.org/pkg/parisa>

name	parisa
caption	Parisa family of fonts
author	bidi-tex GitHub Organisation
author	Khalighi, Vafa
license	gpl3 = GNU General Public License, version 3 (free)
version	0.1 (2014-09-13)
last changes	2014-09-13
year	2014
description	(no language specified) The Parisa family consists of 12 otf fonts based on the "FarsiTeX Scientific fonts" released into the public domain. It is dedicated to Parisa Abbasi, thus the name Parisa for the fonts.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/parisa/README
contact	<i>bugs:</i> https://github.com/bidi-tex/parisa/issues
contact	<i>repository:</i> https://github.com/bidi-tex/parisa
on CTAN	https://ctan.org/tex-archive/fonts/parisa
on MikTeX	parisa
keyword	font (fonts themselves)
keyword	font-otf (font in OpenType format)
language(s)	no language specified
last access	2025-02-07

4496 parnotes – Notes after every paragraph (or elsewhere)Web page on CTAN <https://ctan.org/pkg/parnotes>

name	parnotes
caption	Notes after every paragraph (or elsewhere)
author	Hughes, Chelsea
copyright	Frank Mittelbach (2019, 2024)
copyright	Chelsea Hughes (2012, 2016)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3c (2024-06-12)
last changes	2024-06-12
year	2024
description	(no language specified) The package provides the <code>\parnote</code> command. The notes are set as (normal) running paragraphs; placement is at the end of each paragraph, or manually, using the <code>\parnotes</code> command.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/parnotes/parnotes.pdf
– local file	<code>./5087404665-parnotes.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/parnotes/README.md
contact	<i>repository</i> : https://github.com/FrankMittelbach/fmitex-parnotes
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/parnotes
on MikTeX	parnotes
on T _E XLive	parnotes
keyword	notes (general notes (not including endnotes or footnotes))
language(s)	no language specified
last access	2025-02-07

4497 *parrun* – Typesets (two) streams of text running parallel

Web page on CTAN <https://ctan.org/pkg/parrun>

name	parrun
caption	Typesets (two) streams of text running parallel
author	Dominici, Massimiliano
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) For typesetting translated text and the original source, parallel on the same page, one above the other.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/parrun/parrun.pdf
– local file	./8631483722-parrun.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/parrun/readme
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/parrun
on MikTeX	parrun
on T _E XLive	parrun
keyword	parallel (parallel columns)
see also	see section 4489 on page 4062: (parallel – Typeset parallel texts)
language(s)	no language specified
year	without year
last access	2025-02-07

4498 *parsa* – A XeLaTeX package for theses and dissertations at Iranian Universities

Web page on CTAN <https://ctan.org/pkg/parsa>

name	parsa
caption	A XeLaTeX package for theses and dissertations at Iranian Universities
author	Rasuli, Farshad
copyright	Farshad Rasuli (2019-2020)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3 (2020-04-22)
last changes	2020-04-22

4499 *parselines* – Apply a macro to each line of an environment

year	2020
description	(no language specified) A package for preparing dissertations and theses for Iranian universities as fast and as efficiently as possible. The package depends on xparse , fancyhdr , graphicx , multirow , float , and adjustbox .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/parsa/README.md
documentation	(Persian) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/xetex/latex/parsa/parsa-doc.pdf
– local file	<code>./8697612060-parsa-doc.pdf</code>
home page	https://github.com/farshadrasuli/parsa
contact	<i>bugs</i> : https://github.com/farshadrasuli/parsa/issues
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/parsa
on MikTeX	<code>parsa</code>
on T _E XLive	<code>parsa</code>
keyword	<code>xetex</code> (XeTeX, material supporting it, and packages requiring it)
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
keyword	<code>persian</code> (support for typesetting Persian)
language(s)	Persian
last access	2025-02-09

4499 *parselines* – Apply a macro to each line of an environment

Web page on CTAN	https://ctan.org/pkg/parselines
name	<code>parselines</code>
caption	Apply a macro to each line of an environment
author	Chervet, Florent
copyright	Florent Chervet (2010)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.4
description	(no language specified) The package defines an environment “ <code>parse lines</code> ” which processes each line of an environment with a macro. An example of shading the lines of an environment is given.

4500 *parsimatn* – Contemporary Persian font for scientific and formal writings...

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/parselines/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/parselines/parselines.pdf
– local file	./5038000135-parselines.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/parselines
on MikTeX	parselines
on T _E XLive	parselines
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	2010
last access	2025-02-07

4500 *parsimatn* – Contemporary Persian font for scientific and formal writings

Web page on CTAN	https://ctan.org/pkg/parsimatn
name	parsimatn
caption	Contemporary Persian font for scientific and formal writings
author	Kazemi, Sajad
copyright	SIL International (1994-2023)
copyright	Sajad Kazemi (2023)
license	ofl = The SIL Open Font License (free)
version	2.2 (2024-03-26)
last changes	2024-03-26
year	2024
description	(no language specified) This Persian font is suitable for official and scientific writings. All Persian and Arabic letters and numbers are designed by the author. During the design process, attention has been paid to the fact that, in addition to being new and innovative, the letters be familiar to the average Persian/Arabic viewer.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/parsimatn/README.md
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/fonts/parsimatn/parsimatn-example-of-use.pdf
– local file	<code>./3075066890-parsimatn-example-of-use.pdf</code>
contact	<i>bugs</i> : https://github.com/SajadKazemi/parsimatn/issues
contact	<i>repository</i> : https://github.com/SajadKazemi/parsimatn
on CTAN	https://ctan.org/tex-archive/fonts/parsimatn
on MikTeX	<code>parsimatn</code>
on T _E XLive	<code>parsimatn</code>
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-maths</code> (fonts for use in mathematics)
keyword	<code>font-ttf</code> (font available in TrueType format)
keyword	<code>persian</code> (support for typesetting Persian)
keyword	<code>font-arabic</code> (fonts for typesetting arabic)
language(s)	no language specified
last access	2025-02-07

4501 *parsinevis* – “Scheherazade New” adapted for Persian typesetting and scientific writings

Web page on CTAN <https://ctan.org/pkg/parsinevis>

name	<code>parsinevis</code>
caption	“Scheherazade New” adapted for Persian typesetting and scientific writings
author	SIL International
author	Kazemi, Sajad
copyright	Sajad Kazemi (2023)
copyright	SIL International (1994-2023)
license	ofl = The SIL Open Font License (free)
version	2.2 (2024-03-26)
last changes	2024-03-26
year	2024

4502 *parsitex* – A localized Persian and bidirectional extension of TeX

description	(no language specified) This font has been made by editing SIL’s “Scheherazade New”, making it more suitable for Persian typesetting. (Scheherazade New has SIL OFL license.)
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/parsinevis/parsinevis-sample.pdf
– local file	./4683710828-parsinevis-sample.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/parsinevis/README.md
contact	<i>bugs</i> : https://github.com/SajadKazemi/parsinevis/issues
contact	<i>repository</i> : https://github.com/SajadKazemi/parsinevis
on CTAN	https://ctan.org/tex-archive/fonts/parsinevis
on MikTeX	parsinevis
on TeXLive	parsinevis
keyword	font-arabic (fonts for typesetting arabic)
keyword	persian (support for typesetting Persian)
keyword	font (fonts themselves)
keyword	font-ttf (font available in TrueType format)
language(s)	no language specified
last access	2025-02-07

4502 *parsitex* – A localized Persian and bidirectional extension of TeX

Web page on CTAN <https://ctan.org/pkg/parsitex>

name	parsitex
caption	A localized Persian and bidirectional extension of TeX
author	Khalighi, Vafa
author	biditex GitHub Organisation
license	pd = Public Domain Software (free)
version	3.10
description	(no language specified) The bundle provides a change file for TeX 3.14159 in C, to provide a ParsiTeX system.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/parsitex/README

4503 `parskip` – Layout with zero `\parindent`, non-zero `\parskip`

documentation	(no language specified) <i>Typeset copy of the change file</i> : https://ctan.org/tex-archive/systems/parsitex/parsitex.pdf
– local file	<code>./8650544453-parsitex.pdf</code>
contact	<i>bugs</i> : https://github.com/bidi-tex/parsitex/issues
contact	<i>repository</i> : https://github.com/bidi-tex/parsitex
on CTAN	https://ctan.org/tex-archive/systems/parsitex
keyword	engine (TeX (or TeX-alike) typesetting engine)
keyword	persian (support for typesetting Persian)
language(s)	no language specified
year	without year
last access	2025-02-07

4503 `parskip` – Layout with zero `\parindent`, non-zero `\parskip`

Web page on CTAN <https://ctan.org/pkg/parskip>

name	<code>parskip</code>
caption	Layout with zero <code>\parindent</code> , non-zero <code>\parskip</code>
author	Mittelbach, Frank
author	Fairbairns, Robin
author	Partl, Hubert
copyright	H.Partl, TU Wien (1989)
copyright	Robin Fairbairns (2001)
copyright	Frank Mittelbach (2018-2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.0h (2021-03-14)
last changes	2021-03-14
year	2021
description	(no language specified) Simply changing <code>\parskip</code> and <code>\parindent</code> leaves a layout that is untidy; this package (though it is no substitute for a properly-designed class) helps alleviate this untidiness.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/parskip/README.md

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/parskip/parskip.pdf
– local file	./8503336103-parskip.pdf
contact	<i>repository</i> : https://github.com/FrankMittelbach/fmitex-parskip
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/parskip
on MikTeX	parskip
on T _E XLive	parskip
keyword	parshape (non-standard paragraph shapes)
keyword	layout (layout of objects on the page)
keyword	tagged-pdf (tagged PDF compatible)
language(s)	no language specified
last access	2026-04-10

4504 *parstat* – A Paragraph statistic package for OpTeX

Web page on CTAN	https://ctan.org/pkg/parstat
name	parstat
caption	A Paragraph statistic package for OpTeX
author	Krajník, Petr
copyright	Petr Krajník (2025)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0
description	(no language specified) This is a package for the OpTeX format that counts glyphs and spaces on paragraph lines. From these numbers a statistic is made, which is printed into the logfile.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/optex/parstat/README.md
contact	<i>bugs</i> : https://github.com/petrk23/parstat/issues
contact	<i>repository</i> : https://github.com/petrk23/parstat
on CTAN	https://ctan.org/tex-archive/macros/luatex/optex/parstat
on T _E XLive	parstat
keyword	luatex (LuaTeX and packages that require it)

language(s)	no language specified
year	2025
last access	2025-12-26

4505 *pas-cours* – **Macros useful in preparing teaching material**

Web page on CTAN	https://ctan.org/pkg/pas-cours
name	pas-cours
caption	Macros useful in preparing teaching material
author	Pasquet, Stéphane
license	lppl = The LaTeX Project Public License (free)
version	1.9
description	(no language specified) Several groups of macros cover different branches of mathematics.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pas-cours/README.txt
documentation	<i>Package documentation (in French)</i> : https://ctan.org/tex-archive/macros/latex/contrib/pas-cours/doc/pas-cours.pdf
– local file	./7188547068-pas-cours.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pas-cours
on MikTeX	pas-cours
on T _E XLive	pas-cours
keyword	teaching (support for teachers and teaching administrators)
language(s)	French
year	without year
last access	2025-02-07

4506 pas-crosswords – Creating crossword grids, using TikZ

Web page on CTAN <https://ctan.org/pkg/pas-crosswords>

name	pas-crosswords
caption	Creating crossword grids, using TikZ
author	Pasquet, Stéphane
license	lppl = The LaTeX Project Public License (free)
version	1.03
description	(no language specified) The package produces crossword grids, using a wide variety of colours and decorations of the grids and the text in them. The package uses TikZ for its graphical output.
documentation	<i>Package documentation (French):</i> https://ctan.org/tex-archive/macros/latex/contrib/pas-crosswords/doc/pas-crosswords.pdf
– local file	./6689820546-pas-crosswords.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/pas-crosswords/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pas-crosswords
on MikTeX	pas-crosswords
on TeXLive	pas-crosswords
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	games (process game diagrams, gamebooks, and other amusements)
see also	see section 1393 on page 1259: (crossword – Typeset crossword puzzles)
see also	see section 1394 on page 1261: (crosswrd – Macros for typesetting crossword puzzles)
language(s)	French
year	without year
last access	2025-02-07

4507 *pas-cv* – Flexible typesetting of *Curricula Vitae*

Web page on CTAN <https://ctan.org/pkg/pas-cv>

name	<code>pas-cv</code>
caption	Flexible typesetting of <i>Curricula Vitae</i>
author	Pasquet, Stéphane
license	lppl = The LaTeX Project Public License (free)
version	2.01 (2013-11-26)
last changes	2013-11-26
year	2013
description	(no language specified) The package provides the framework for typesetting a <i>Curriculum Vitae</i> (composed in French), together with a number of "themes" that may be used with the package. (The use of the themes may be seen in the package's <code>examples/</code> collection.) The author hints that conversion for use with other languages (than French) should be possible.
documentation	<i>Package documentation (French):</i> https://ctan.org/tex-archive/macros/latex/contrib/pas-cv/doc/pas-cv.pdf
– local file	<code>./1424638384-pas-cv.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pas-cv
on MikTeX	<code>pas-cv</code>
on T _E XLive	<code>pas-cv</code>
keyword	<code>cv</code> (curriculum vitae/Resumé)
language(s)	French
last access	2025-02-07

4508 *pas-tableur* – Create a spreadsheet layout

Web page on CTAN <https://ctan.org/pkg/pas-tableur>

name	<code>pas-tableur</code>
caption	Create a spreadsheet layout
author	Pasquet, Stéphane
license	lppl = The LaTeX Project Public License (free)
version	2.06 (2024-09-14)

4509 `pascaltriangle` – Draw beautiful Pascal (Yanghui) triangles

last changes	2024-09-14
year	2024
description	(no language specified) The package provides commands for creating a grid of rectangles, and commands for populating locations in the grid. PGF/TikZ is used for placement and population of the cells.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pas-tableur/README.txt
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pas-tableur/doc/pas-tableur.pdf
– local file	<code>./6618666315-pas-tableur.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pas-tableur
on MikTeX	<code>pas-tableur</code>
on TeXLive	<code>pas-tableur</code>
keyword	alignment (tables, tab structures, etc)
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
language(s)	French
last access	2025-02-07

4509 `pascaltriangle` – Draw beautiful Pascal (Yanghui) triangles

Web page on CTAN <https://ctan.org/pkg/pascaltriangle>

name	<code>pascaltriangle</code>
caption	Draw beautiful Pascal (Yanghui) triangles
author	Geng, Nan
copyright	Nan Geng (2020-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.1 (2022-01-28)
last changes	2022-01-28
year	2022
description	(no language specified) This LaTeX3 package based on TikZ helps to generate beautiful Pascal (Yanghui) triangles. It provides a unique drawing macro <code>\pascal</code> which can generate isosceles or right-angle triangles customized by means of different <code>\pascal</code> macro options or the <code>\pascalset</code> macro.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pascaltriangle/README.md
documentation	(Chinese + English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pascaltriangle/pascaltriangle.pdf
– local file	./6617222327-pascaltriangle.pdf
contact	<i>bugs</i> : https://github.com/registor/pascaltriangle/issues
contact	<i>repository</i> : https://github.com/registor/pascaltriangle
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pascaltriangle
on MikTeX	pascaltriangle
on T _E XLive	pascaltriangle
keyword	calculation (perform calculations within TeX)
keyword	maths (support for typesetting mathematics)
keyword	expl3 (expl3(unknown))
keyword	pgf-tikz (package uses PGF-TikZ)
see also	see section 741 on page 683: (binomexp – Calculate Pascal’s triangle)
language(s)	Chinese + English
last access	2025-02-07

4510 *passivetex* – Support package for XML/SGML typesetting

Web page on CTAN	https://ctan.org/pkg/passivetex
name	passivetex
caption	Support package for XML/SGML typesetting
author	Rahtz, Sebastian
license	other-free = Free license not otherwise listed (free)
description	(no language specified) Packages providing XML parsing, UTF-8 parsing, Unicode entities, and common formatting object definitions for <i>jadetex</i> .
documentation	(no language specified) <i>Paper from TUGboat</i> : https://tug.org/TUGboat/tb21-3/tb68goos.pdf
– local file	./7480084944-tb68goos.pdf
on CTAN	https://ctan.org/tex-archive/macros/plain/formats/xmltex/contrib/passivetex

4511 passopt – Passing options to packages or classes

on MikTeX	passivetex
on T _E XLive	passivetex
keyword	foreign-import (import files in a non-TeX (or different TeX) format)
language(s)	no language specified
year	without year
last access	2025-02-07

4511 passopt – Passing options to packages or classes

Web page on CTAN <https://ctan.org/pkg/passopt>

name	passopt
caption	Passing options to packages or classes
author	Yi, Qu
copyright	Qu Yi (2024)
license	cc-by-4 = CC BY 4.0 (free)
version	1.01c (2024-10-22)
last changes	2024-10-22
year	2024
description	(no language specified) This package allows to reset the global options of a loaded macro package or document class, or to change the position of the pre-passed options in the list to the right.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/passopt/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/passopt/passopt.pdf
– local file	./1271927026-passopt.pdf
contact	<i>repository</i> : https://github.com/texno3/passopt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/passopt
on MikTeX	passopt
on T _E XLive	passopt
keyword	expl3 (expl3(unknown))
keyword	typeset-tool (tools supporting or evaluating typesetting,)

keyword typesetting (support for variations of typographic style)
 language(s) no language specified
 last access 2025-02-07

4512 *patch* – Patch loaded packages, etc

Web page on CTAN <https://ctan.org/pkg/patch>

name *patch*
 caption Patch loaded packages, etc
 author Kastrup, David
 copyright David Kastrup (1994)
 license lppl = The LaTeX Project Public License (free)
 description (no language specified) The package defines macros that allow patching of existing commands, specifying those parts of the existing macro to be replaced, along with the replacements. Thus it provides more sophisticated manipulation than a package like *patchcmd*, which only permits modification by adding commands at the beginning or end of an existing definition.

The package is distributed in a relative of LaTeX doc format: it will run unmodified, though it benefits from docstrip treatment.

on CTAN <https://ctan.org/tex-archive/macros/generic/misc/patch.doc>

on T_EXLive *patch*

keyword macro-supp (support for development of (La)TeX macros)
 see also see section 2016 on page 1819: (*etoolbox* – e-TeX tools for LaTeX)
 see also see section 4513 on page 4084: (*patchcmd* – Change the definition of an existing command)
 language(s) no language specified
 year 1994
 last access 2025-02-07

4513 patchcmd – Change the definition of an existing commandWeb page on CTAN <https://ctan.org/pkg/patchcmd>

name	patchcmd
caption	Change the definition of an existing command
author	Downes, Michael J.
license	lppl = The LaTeX Project Public License (free)
version	1.05 (2016-06-03)
last changes	2016-06-03
year	2016
description	(no language specified) The package provides a command <code>\patchcommand</code> that can be used to add material at the beginning and/or the end of the replacement text of an existing macro. It works for macros with any number of normal arguments, including those that were defined with <code>\DeclareRobustCommand</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/patchcmd/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/patchcmd/patchcmd.pdf
– local file	<code>./1546104744-patchcmd.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/patchcmd
on MikTeX	patchcmd
on TeXLive	patchcmd
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

4514 patgen – Generate hyphenation patterns

Web page on CTAN <https://ctan.org/pkg/patgen>

name	patgen
caption	Generate hyphenation patterns
author	Liang, Franklin M.
author	The TeX Live Team
author	Rokicki, Tom
author	Breitenlohner, Peter
license	pd = Public Domain Software (free)
version	2.4
description	(no language specified) Patgen takes a list of hyphenated words and generates a set of patterns that can be used by the TeX 82 hyphenation algorithm. Patgen was originally written by Frank M. Liang as part of his Stanford Ph.D. work, and has always been distributed alongside the other programs coming from the Stanford TeX project. It was updated in 1991 by Peter Breitenlohner for the new 8-bit features of TeX version 3. (These updates related to input/output and programming overhead; the actual pattern generation algorithms were not changed.) Patgen is currently maintained as part of TeX Live.
documentation	(no language specified) <i>TUGboat</i> article: https://tug.org/TUGboat/tb40-2/tb125sojka-patgen.pdf
– local file	./2335006731-tb125sojka-patgen.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/systems/stanford/patgen/README
documentation	(no language specified) <i>Frank Liang's thesis</i>: https://tug.org/docs/liang/
contact	<i>support</i> : https://lists.tug.org/tex-k
contact	<i>bugs</i> : https://lists.tug.org/tex-k
contact	<i>repository</i> : https://tug.org/svn/texlive/trunk/Build/source/texk/web2c/
on CTAN	https://ctan.org/tex-archive/systems/stanford/patgen
on T _E XLive	patgen
keyword	hyph-gen (support for generating or improving hyphenation tables)

see also	see section 4515 on page 4086: (<i>patgen2-tutorial</i> – A tutorial on the use of Patgen 2)
language(s)	no language specified
year	without year
last access	2025-02-07

4515 *patgen2-tutorial* – A tutorial on the use of Patgen 2

Web page on CTAN <https://ctan.org/pkg/patgen2-tutorial>

name	<i>patgen2-tutorial</i>
caption	A tutorial on the use of Patgen 2
author	Haralambous, Yannis
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1 (2021-03-29)
last changes	2021-03-29
year	2021
description	(no language specified) This document describes the use of Patgen 2 to create hyphenation patterns for wide ranges of languages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/patgen2-tutorial/README.md
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/patgen2-tutorial/patgen2-tutorial.pdf
– local file	<code>./9548789668-patgen2-tutorial.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/patgen2-tutorial
on T _E XLive	<i>patgen2-tutorial</i>
keyword	tutorial (tutorial material (general))
language(s)	no language specified
last access	2025-02-07

4516 *path* – Typeset paths, making them breakableWeb page on CTAN <https://ctan.org/pkg/path>

name	<code>path</code>
caption	Typeset paths, making them breakable
author	Taylor, Philip
license	other-free = Free license not otherwise listed (free)
version	3.05
description	(no language specified) Defines a macro <code>\path ... </code> , similar to the LaTeX <code>\verb ... </code> , that sets the text in typewriter font and allows hyphen-less breaks at punctuation characters. The set of characters to be regarded as punctuation may be changed from the package's default.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/path/path-doc.pdf
– local file	<code>./5084184761-path-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/generic/path
on MikTeX	<code>path</code>
on T _E XLive	<code>path</code>
keyword	<code>verbatim</code> (verbatim typesetting, etc.)
see also	see section 6523 on page 5897: (<code>url</code> – Verbatim with URL-sensitive line breaks)
language(s)	no language specified
year	without year
last access	2025-02-07

4517 *pat-s-resume* – A LaTeX template for your resumeWeb page on CTAN <https://ctan.org/pkg/pats-resume>

name	<code>pat-s-resume</code>
caption	A LaTeX template for your resume
author	Benito Eberhard, Patrick
copyright	Patrick Benito (2025)
license	mit = MIT License (free)
version	(2025-03-02)

4518 *pauldoc* – German LaTeX package documentation

last changes	2025-03-02
year	2025
description	(no language specified) This package provides a compact and elegant template for your resume.
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/pats-resume/pats-resume-example.pdf
– local file	./3802397910-pats-resume-example.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/pats-resume/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/pats-resume/pats-resume-doc.pdf
– local file	./1841574716-pats-resume-doc.pdf
contact	<i>repository:</i> https://github.com/patrick-benito/pats-resume
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pats-resume
keyword	cv (curriculum vitae/Resumé)
keyword	doc-templ (template to guide document development)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-03-08

4518 *pauldoc* – German LaTeX package documentation

Web page on CTAN <https://ctan.org/pkg/pauldoc>

name	pauldoc
caption	German LaTeX package documentation
author	Ebermann, Paul
copyright	Paul Ebermann (2006-2009)
license	lppl = The LaTeX Project Public License (free)
version	0.5
description	(no language specified) The package provides helpers for German language package documentation.

documentation	(German) <i>Benutzerdoku</i> : https://ctan.org/tex-archive/macros/latex/contrib/pauldoc/pauldoc.pdf
– local file	<code>./9148372864-pauldoc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pauldoc/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pauldoc
on MikTeX	<code>pauldoc</code>
on TeXLive	<code>pauldoc</code>
keyword	<code>german-doc</code> (documentation in German)
keyword	<code>doc-supp</code> (macros and tools for preparing documentation)
language(s)	German
year	2009
last access	2025-02-07

4519 *pawpict* – Using graphics from PAW

Web page on CTAN	https://ctan.org/pkg/pawpict
name	<code>pawpict</code>
caption	Using graphics from PAW
author	Holm Christensen, Christian
copyright	Christian Holm (1997)
license	<code>gpl</code> = GNU General Public License (free)
version	1.0
description	(no language specified) Support for the easy inclusion of graphics made by PAW (Physics Analysis Workstation). You need to have PAW installed on your system to benefit from this package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pawpict/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pawpict
on MikTeX	<code>pawpict</code>
on TeXLive	<code>pawpict</code>
keyword	<code>physics</code> (support for typesetting physics documents)

keyword	graphics-prep (prepare graphics for use with *TeX)
language(s)	no language specified
year	1997
last access	2025-02-07

4520 *pax* – Extract and reinsert PDF annotations with pdfTeX

Web page on CTAN <https://ctan.org/pkg/pax>

name	pax
caption	Extract and reinsert PDF annotations with pdfTeX
author	Roucariès, Bastien
author	Oberdiek, Heiko
copyright	Bastien Roucariès (2020)
copyright	Heiko Oberdiek (2006-2012)
license	lppl = The LaTeX Project Public License (free)
license	gpl = GNU General Public License (free)
version	(2022-06-07)
last changes	2022-06-07
year	2022
description	(no language specified) If PDF files are included using pdfTeX, PDF annotations are stripped. The pax project offers a solution without altering pdfTeX. A Java program (pax.jar) parses the PDF file that will later be included. The program then writes the data of the annotations into a file that can be read by TeX. The LaTeX package pax extends the graphics package to support the scheme: if a PDF file is included, the package looks for the file with the annotation data, reads them and puts the annotations in the right place. Project status: experimental
documentation	(no language specified) <i>Package README</i>: https://ctan.org/tex-archive/macros/latex/contrib/pax/README
home page	https://github.com/bastien-roucaries/latex-pax
contact	<i>support</i>: https://github.com/bastien-roucaries/latex-pax/issues
contact	<i>announce</i>: https://github.com/bastien-roucaries/latex-pax

4521 *pb-diagram* – A commutative diagram package using LAMSTeX or Xy-pic fonts

contact	<i>bugs:</i> https://github.com/bastien-roucaries/latex-pax/issues
contact	<i>repository:</i> https://github.com/bastien-roucaries/latex-pax
contact	<i>development:</i> https://github.com/bastien-roucaries/latex-pax
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pax
on MikTeX	pax
on T _E XLive	pax
keyword	pdf-feat (access PDF features)
see also	see section 4571 on page 4137: (pdftex – A TeX extension for direct creation of PDF)
language(s)	no language specified
last access	2025-02-07

4521 *pb-diagram* – A commutative diagram package using LAMSTeX or Xy-pic fonts

Web page on CTAN	https://ctan.org/pkg/pb-diagram
name	pb-diagram
caption	A commutative diagram package using LAMSTeX or Xy-pic fonts
author	Burchard, Paul
license	other-free = Free license not otherwise listed (free)
version	5.0
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/pb-diagram/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/pb-diagram/pb-manual.pdf
– local file	./1592009045-pb-manual.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pb-diagram
on MikTeX	pb-diagram
on T _E XLive	pb-diagram
keyword	diagram-comm (commutative diagrams)
language(s)	no language specified

year without year
last access 2025-02-07

4522 *pbalance* – Balance last page in two-column mode

Web page on CTAN <https://ctan.org/pkg/pbalance>

name *pbalance*
caption Balance last page in two-column mode
author Lago, Nelson
copyright Nelson Lago (2020-2022)
license lpl1.3c = The LaTeX Project Public License 1.3c (free)
version 1.4.0 (2022-07-28)
last changes 2022-07-28
year 2022
description (no language specified) This package balances the columns on the last page of a two-column document. If the page is "simple" (no footnotes, floats, or marginpars), it uses the **balance** package; otherwise, it uses `\enlargethispage` to make the left column shorter, balancing the columns.
documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/pbalance/pbalance.pdf>
– local file ./8117415717-pbalance.pdf
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/pbalance/README.md>
home page <https://gitlab.com/lago/pbalance>
contact *bugs*: <https://gitlab.com/lago/pbalance/-/issues>
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/pbalance>
on MikTeX *pbalance*
on T_EXLive *pbalance*
keyword multicol (more than one column on the page)
see also see section 2279 on page 2063: (`flushend` – Balancing columns at last page)
language(s) no language specified
last access 2025-02-07

4523 pbibtex-base – Bibliography styles and miscellaneous files for pBibTeX

Web page on CTAN <https://ctan.org/pkg/pbibtex-base>

name	pbibtex-base
caption	Bibliography styles and miscellaneous files for pBibTeX
author	Maeda, Kazuki
author	Japanese TeX Development Community
copyright	Japanese TeX Development Community (2016-2023)
copyright	ASCII MEDIA WORKS (2010)
license	bsd3 = 3-clause BSD License (free)
version	(2023-02-23)
last changes	2023-02-23
year	2023
description	(no language specified) These are miscellaneous files, including bibliography styles (.bst), for pBibTeX, which is a Japanese extended version of BibTeX contained in TeX Live. The bundle is a redistribution derived from the ptex-texmf distribution by ASCII MEDIA WORKS.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/pbibtex/pbibtex-base/README.md
contact	<i>repository</i> : https://github.com/texjporg/pbibtex-base
on CTAN	https://ctan.org/tex-archive/biblio/pbibtex/pbibtex-base
on MikTeX	pbibtex-base
on TeXLive	pbibtex-base
keyword	japanese (support for typesetting Japanese)
keyword	biblio (bibliography processor)
see also	see section 4524 on page 4094 : (pbibtex-manual – Documentation files for (u)pBibTeX)
language(s)	no language specified
last access	2025-02-07

4524 pbibtex-manual – Documentation files for (u)pBibTeX

Web page on CTAN <https://ctan.org/pkg/pbibtex-manual>

name	pbibtex-manual
caption	Documentation files for (u)pBibTeX
author	Japanese TeX Development Community
copyright	Japanese TeX Development Community (2016-2023)
copyright	ASCII MEDIA WORKS (2010)
license	bsd3 = 3-clause BSD License (free)
version	(2023-02-25)
last changes	2023-02-25
year	2023
description	(no language specified) The bundle contains documentation files for Japanese pBibTeX and upBibTeX. For historical reasons, this also contains old documentation files for JBibTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/pbibtex/pbibtex-manual/README.md
documentation	(no language specified) <i>The manual itself</i> : https://ctan.org/tex-archive/biblio/pbibtex/pbibtex-manual/pbibtex-manual.pdf
– local file	./1752657003-pbibtex-manual.pdf
contact	<i>repository</i> : https://github.com/texjporg/pbibtex-manual
on CTAN	https://ctan.org/tex-archive/biblio/pbibtex/pbibtex-manual
on MikTeX	pbibtex-manual
on T _E XLive	pbibtex-manual
keyword	japanese (support for typesetting Japanese)
keyword	japanese-doc (documentation in Japanese)
keyword	biblio (bibliography processor)
see also	see section 4523 on page 4093 : (pbibtex-base – Bibliography styles and miscellaneous files for pBibTeX)
language(s)	no language specified
last access	2025-02-07

4525 *pbm2tex* – Translate PBM format to LaTeX

Web page on CTAN <https://ctan.org/pkg/pbm2tex>

name	<code>pbm2tex</code>
caption	Translate PBM format to LaTeX
author	Barth, Andreas
license	other-free = Free license not otherwise listed (free)
version	1.0
description	(no language specified) Pbm2tex is a C program which will read a PBM-format file and output LaTeX picture-mode commands. No executable is available.
on CTAN	https://ctan.org/tex-archive/support/pbm2tex
keyword	<code>graphics-prep</code> (prepare graphics for use with *TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

4526 *pbmtogf* – Convert PBM images to GF font files

Web page on CTAN <https://ctan.org/pkg/pbmtogf>

name	<code>pbmtogf</code>
caption	Convert PBM images to GF font files
author	Wong, Wai
copyright	Wai Wong (1998, 1999)
license	gpl = GNU General Public License (free)
version	1.0
description	(no language specified) A utility to convert a <code>pbm</code> (portable bitmap) file to a GF (font) and a PL (property list/metrics) file, effectively creating a font from the bitmap. The font can then be used in any TeX/LaTeX file. A similar operation is undertaken by the <code>pbmtopk</code> bundle (which is also able to translate back to PBM format).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/utilities/pbmtogf/00README
on CTAN	https://ctan.org/tex-archive/fonts/utilities/pbmtogf
keyword	<code>font-proc</code> (process fonts for use with TeX (includes installation))

4527 `pbmtopk` – Conversion between PBM and PK formats

language(s)	no language specified
year	1999
last access	2025-02-07

4527 `pbmtopk` – Conversion between PBM and PK formats

Web page on CTAN <https://ctan.org/pkg/pbmtopk>

name	PBMtoPK
caption	Conversion between PBM and PK formats
author	Duggan, Angus
license	noinfo = noinfo
version	(1991-10-30)
last changes	1991-10-30
year	1991
description	(no language specified) PBMtoPK is a program for converting and collecting bitmaps into a PK format font (with corresponding TFM file), for use with TeX. PKtoPBM performs the inverse operation, extracting bitmaps from a PK format font. A similar operation is undertaken by the pbmtogf bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pbmtopk/doc/pbmtopk.ps
on CTAN	https://ctan.org/tex-archive/graphics/pbmtopk
keyword	<code>font-proc</code> (process fonts for use with TeX (includes installation))
language(s)	no language specified
last access	2025-02-07

4528 `pbox` – A variable-width `\parbox` command

Web page on CTAN <https://ctan.org/pkg/pbox>

name	<code>pbox</code>
caption	A variable-width <code>\parbox</code> command
author	Law, Simon
license	gpl2 = GNU General Public License, version 2 (free)
version	1.2

description	(no language specified) Defines a command <code>\pbox{<max width>}{<text>}</code> which adjusts its width to that of the enclosed text, up to the maximum width given. The package also defines some associated length commands.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pbox/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pbox/pbox.pdf
– local file	<code>./7004302705-pbox.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pbox
on MikTeX	pbox
on T _E XLive	pbox
keyword	boxing (creating boxes)
see also	see section 6575 on page 5942: (<code>varwidth</code> – A variable-width minipage)
language(s)	no language specified
year	without year
last access	2025-02-07

4529 pbsheet – Problem sheet class

Web page on CTAN <https://ctan.org/pkg/pbsheet>

name	pbsheet
caption	Problem sheet class
author	Chafaï, Djalil
license	lppl = The LaTeX Project Public License (free)
version	0.1
description	(no language specified) This class is designed to simplify the typesetting of problem sheets with Mathematics and Computer Science content. It is currently customised towards teaching in French (and the examples are in French).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pbsheet/pbsheet.pdf
– local file	<code>./7230950221-pbsheet.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pbsheet/README

documentation	(French) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/pbsheet/xpl/xpl-fr.pdf
– local file	<code>./4863556714-xpl-fr.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pbsheet
on MikTeX	<code>pbsheet</code>
on TeXLive	<code>pbsheet</code>
keyword	<code>exercise</code> (exercises, problems for solution, etc.)
language(s)	French
year	without year
last access	2025-02-07

4530 *pcarl* – LaTeX Support for Adobe Caslon Open Face

Web page on CTAN <https://ctan.org/pkg/pcarl>

name	<code>pcarl</code>
caption	LaTeX Support for Adobe Caslon Open Face
author	Veytsman, Boris
copyright	Boris Veytsman (2010)
license	other-free = Free license not otherwise listed (free)
version	1.0a
description	(no language specified) The package provides LaTeX support for using Caslon Open Face. Caslon Open Face font was designed by Barnhart Brothers and Spindler in 1915. It was initially called College Oldstyle and based on Le Moreau de Jeune from G. Peignot foundry. Its relation to the classical Caslon font family is rather distant. Nevertheless it is a nice titling and display font. Adobe sells an OpenType version of this font, but other versions, including Adobe Type 1 are still available from other vendors, including fonts.com. Note that there are many "free" variants of this font available on the web; the package addresses the commercial product(s).
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/pcarl/README
documentation	(no language specified) <i>Simple font sample:</i> https://ctan.org/tex-archive/fonts/pcarl/pcarlsample.pdf

4531 *pcfonts* – Hebrew fonts for use on DOS PCs

– local file	<code>./7621710351-pcarlsample.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/pcarl/pcarl.pdf
– local file	<code>./4284938951-pcarl.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/pcarl
installation	https://ctan.org/tex-archive/install/fonts/pcarl.tds.zip
on MikTeX	<code>pcarl</code>
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
language(s)	no language specified
year	2010
last access	2025-02-07

4531 *pcfonts* – Hebrew fonts for use on DOS PCs

Web page on CTAN	https://ctan.org/pkg/pcfonts
name	<code>pcfonts</code>
caption	Hebrew fonts for use on DOS PCs
author	Porrat, Rama
license	nocommercial = No Commercial Use (not free)
version	(1996-05-06)
last changes	1996-05-06
year	1996
description	(no language specified) This bundle contains a set of the HebTeX fonts arranged for use under emTeX .
on CTAN	https://ctan.org/tex-archive/language/hebrew/hebtex/fonts/pccode
keyword	<code>font-hebrew</code> (font for Hebrew script)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>hebrew</code> (documentation in and support for typesetting Hebrew)
language(s)	no language specified
last access	2025-02-07

4532 *pclnfss* – Font support for current PCL printersWeb page on CTAN <https://ctan.org/pkg/pclnfss>

name	pclnfss
caption	Font support for current PCL printers
author	Harcke, Leif
license	gpl = GNU General Public License (free)
version	0.1
description	(no language specified) Pclnfss provides package and fd files for selecting and using the standard 45 scalable fonts built into most PCL laser printers, together with metrics and virtual font files.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pclnfss/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pclnfss
on MikTeX	pclnfss
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year
last access	2025-02-07

4533 *pdbf-toolkit* – A Toolkit for Creating Janiform Data DocumentsWeb page on CTAN <https://ctan.org/pkg/pdbf-toolkit>

name	pdbf-toolkit
caption	A Toolkit for Creating Janiform Data Documents
author	Bender, Patrick
license	mit = MIT License (free)
version	1.2.5

description	(no language specified) PDBF documents are a hybrid format. They are a valid PDF and a valid HTML page at the same time. You can now optionally add an VirtualBox OVA file with a complete operating system to the PDBF document. This means that the resulting file is a valid PDF, HTML, and OVA file at the same time. If you change the file extension to PDF and open it with an PDF viewer, you can see the static part of the document. If you change the file extension to HTML and open it with a Browser (currently Chrome, Firefox, Safari, and IE 10 are supported), you can see the dynamic part of the document. And if an ova file is attached you can also change the file extension to OVA and install and run the attached operating system. The difference between the PDF and the HTML version is that the PDF version contains a static version of all PDBF elements, whereas the HTML version is dynamic. For example you can zoom into graphs, temporarily remove dataseries from the graph, inspect and change the underling query of the PDBF element and see the result of the change directly in the browser. This approach works completely offline. No internet connection is required, neither at compile time, nor at viewing time. The toolkit is licensed under the MIT License.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/pdbf-toolkit/README.md
documentation	(no language specified) <i>Package documentation (HTML)</i> : https://ctan.org/tex-archive/support/pdbf-toolkit/pdbf-doc.html
documentation	(no language specified) <i>PDBF Documentation (HTML)</i> : http://uds-datalab.github.io/PDBF/pdbf-doc.html
contact	<i>repository</i> : http://uds-datalab.github.io/PDBF
on CTAN	https://ctan.org/tex-archive/support/pdbf-toolkit
keyword	cvt-other (convert TeX-ish sources to some other markup (than HTML))
keyword	cvt-html (generate HTML from TeX-ish sources)
language(s)	no language specified
year	without year
last access	2025-02-07

4534 *pdcmac* – Damian Cugley’s document tools

Web page on CTAN <https://ctan.org/pkg/pdcmac>

name	pdcmac
caption	Damian Cugley’s document tools
author	Cugley, Damian
license	other-nonfree = License that prevents distribution (not free)
description	(no language specified) PDCMAC is collection of macros which may be useful for setting documents using plain TeX. This package is much less powerful than LaTeX; it is designed as a simpler solution to simpler requirements. Because it is less complex, the macro code should be more readily adapted by other TeX hackers.
documentation	(no language specified) <i>Font selection documentation</i> : https://ctan.org/tex-archive/macros/plain/contrib/pdcmac/pdcfsel.pdf
– local file	./1321223520-pdcfsel.pdf
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/plain/contrib/pdcmac/pdcguide.pdf
– local file	./6557852248-pdcguide.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/contrib/pdcmac/README
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/pdcmac
keyword	font-sel (font selection schemes)
keyword	plain-ext (extensions to Plain TeX for higher-level constructs)
language(s)	no language specified
year	without year
last access	2025-02-09

4535 *pdf-forms-tutorial* – Tutorial on creating PDF forms using pdfLaTeX

Web page on CTAN <https://ctan.org/pkg/pdf-forms-tutorial>

name	pdf-forms-tutorial
caption	Tutorial on creating PDF forms using pdfLaTeX
author	Krause, Dirk
copyright	Dirk Krause (2007)

license	fdl = Free Documentation License (free)
version	0.9.5
description	(no language specified) This package contains a tutorial and examples showing how to create PDF forms using pdfLaTeX with the hyperref and insdljs packages.
documentation	<i>Tutorial (German):</i> https://ctan.org/tex-archive/info/pdf-forms-tutorial/de/forms.pdf
– local file	<code>./1591434174-forms.pdf</code>
documentation	<i>Tutorial (English):</i> https://ctan.org/tex-archive/info/pdf-forms-tutorial/en/forms.pdf
– local file	<code>./8269671111-forms.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/info/pdf-forms-tutorial/README
on CTAN	https://ctan.org/tex-archive/info/pdf-forms-tutorial
keyword	tut-latex (tutorial material for LaTeX)
language(s)	German; English
year	2007
last access	2025-02-07

4536 pdf-trans – A set of macros for various transformations of TeX boxes

Web page on CTAN	https://ctan.org/pkg/pdf-trans
name	pdf-trans
caption	A set of macros for various transformations of TeX boxes
author	Jackowski, Paweł
license	pd = Public Domain Software (free)
version	2.4
description	(no language specified) pdf-trans is a set of macros offering various transformations of TeX boxes (based on plain and pdfTeX primitives). It was initially inspired by trans.tex , remade to work with pdfTeX.
documentation	(no language specified) <i>Examples of use:</i> https://ctan.org/tex-archive/macros/generic/pdf-trans/example.pdf
– local file	<code>./5705005278-example.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/generic/pdf-trans

on MikTeX	pdf-trans
on T _E XLive	pdf-trans
keyword	box-manip (manipulating boxes)
see also	see section 6290 on page 5689: (trans – A simple TeX macro package for PostScript transformations)
language(s)	no language specified
year	without year
last access	2025-02-07

4537 pdf14 – Restore PDF 1.4 to a TeX live 2010 format

Web page on CTAN <https://ctan.org/pkg/pdf14>

name	pdf14
caption	Restore PDF 1.4 to a TeX live 2010 format
author	Pégourié-Gonnard, Manuel
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1
description	(no language specified) Starting with TeX Live 2010, the various formats, that directly generate PDF, default to generating PDF 1.5. This is generally a <i>good thing</i> , but it can lead to compatibility issues with some older PDF viewers. This package changes the version of PDF generated with formats (based on pdfTeX or LuaTeX in PDF mode), back to 1.4 for documents that need to achieve maximal compatibility with old viewers.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pdf14/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pdf14/pdf14.pdf
– local file	./5570016164-pdf14.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pdf14
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/pdf14.tds.zip
on MikTeX	pdf14
on T _E XLive	pdf14
keyword	pdf-feat (access PDF features)
language(s)	no language specified

year without year
last access 2025-02-07

4538 pdfannotations – Annotate PDF slides

Web page on CTAN <https://ctan.org/pkg/pdfannotations>

name pdfannotations
caption Annotate PDF slides
author Nanayakkara, Chevan
copyright Chevan Nanayakkara (2023)
license lpl1.3c = The LaTeX Project Public License 1.3c (free)
version 3.1 (2023-11-22)
last changes 2023-11-22
year 2023
description (no language specified) This is a package for annotating PDF slides with LaTeX elements, and for inserting code snippets.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/pdfannotations/README.txt>
home page <https://github.com/chevannanayakkara/pdfannotations>
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/pdfannotations>
on MikTeX pdfannotations
on T_EXLive pdfannotations
keyword pdf-feat (access PDF features)
see also see section 4547 on page 4113: (pdfcomment – A user-friendly interface to pdf annotations)
language(s) no language specified
last access 2025-02-07

4539 pdfarticle – Class for pdf publications

Web page on CTAN <https://ctan.org/pkg/pdfarticle>

name	pdfarticle
caption	Class for pdf publications
author	Paciorek, Robert
copyright	Robert Ryszard Paciorek (2015-2019)
license	mit = MIT License (free)
version	1.0
description	(no language specified) pdfArticle is simple document class dedicated for creating pdf documents with LuaLaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/pdfarticle/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/pdfarticle/pdfArticle.pdf
– local file	./6764913134-pdfArticle.pdf
contact	<i>bugs</i> : https://bitbucket.org/OpCode-eu-org/latex-lib/Issues
contact	<i>repository</i> : https://bitbucket.org/OpCode-eu-org/latex-lib/
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/pdfarticle
on MikTeX	pdfarticle
on T _E XLive	pdfarticle
keyword	class (alternative LaTeX class(es))
keyword	pdfprocess (process PDF files)
language(s)	no language specified
year	2019
last access	2025-02-07

4540 *pdfbook* – Rearrange pages of a PDF file for booklet printing

Web page on CTAN <https://ctan.org/pkg/pdfbook>

name	pdfbook
caption	Rearrange pages of a PDF file for booklet printing
author	Aivazian, Tigran
author	Eldering, Jaap
author	Buchert, Roman
license	gpl = GNU General Public License (free)
version	(2009-09-16)
last changes	2009-09-16
year	2009
description	(no language specified) Rearrange pages in a PDF file into signatures and (optionally) rescale to fit 2 original pages on 1 physical one.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/pdfbook/README
on CTAN	https://ctan.org/tex-archive/support/pdfbook
keyword	pdfprocess (process PDF files)
see also	see section 4541 on page 4107: (pdfbook2 – Create booklets from PDF files)
language(s)	no language specified
last access	2025-02-07

4541 *pdfbook2* – Create booklets from PDF files

Web page on CTAN <https://ctan.org/pkg/pdfbook2>

name	pdfbook2
caption	Create booklets from PDF files
author	Neumann, Johannes
copyright	Johannes Neumann (2015-2020)
license	gpl3 = GNU General Public License, version 3 (free)
version	1.4

description	(no language specified) This python program creates print-ready PDF files from some input PDF files for booklet printing. The resulting files need to be printed in landscape/long edge double sided printing. The default paper format depends on the locale and is chosen by pdfjam. It can be chosen using the <code>-paper</code> option. Before the pdf is composed, the input file is cropped to the relevant area in order to discard unnecessary white spaces. In this process, all pages are cropped to the same dimensions. Extra margins can be defined at the edges of the booklet and in the middle where the binding occurs. The output is written to INPUT-book.pdf. Existing files will be overwritten. All input files are processed separately.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/support/pdfbook2/README
on CTAN	https://ctan.org/tex-archive/support/pdfbook2
on MikTeX	pdfbook2
on T _E XLive	pdfbook2
keyword	pdfprocess (process PDF files)
see also	see section 4540 on page 4107: (pdfbook – Rearrange pages of a PDF file for booklet printing)
language(s)	no language specified
year	2020
last access	2025-02-07

4542 pdfcol – Macros for maintaining colour stacks under pdfTeX

Web page on CTAN <https://ctan.org/pkg/pdfcol>

name	pdfcol
caption	Macros for maintaining colour stacks under pdfTeX
author	Oberdiek, Heiko
copyright	Oberdiek Package Support Group (2016-2022)
copyright	Heiko Oberdiek (2007)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.7 (2022-09-21)
last changes	2022-09-21
year	2022

description	(no language specified) Since version 1.40 pdfTeX supports colour stacks. The driver file <code>pdftex.def</code> for package color defines and uses a main colour stack since version v0.04b. This package is intended for package writers. It defines macros for setting and maintaining new colour stacks.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pdfcol/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pdfcol/pdfcol.pdf
– local file	<code>./4337375484-pdfcol.pdf</code>
contact	<i>bugs</i> : https://github.com/ho-tex/pdfcol/issues
contact	<i>repository</i> : https://github.com/ho-tex/pdfcol
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pdfcol
on MikTeX	<code>pdfcol</code>
on T _E XLive	<code>pdfcol</code>
keyword	colour (typesetting in colour)
language(s)	no language specified
last access	2025-02-07

4543 pdfcolfoot – Separate color stack for footnotes with pdfTeX

Web page on CTAN <https://ctan.org/pkg/pdfcolfoot>

name	<code>pdfcolfoot</code>
caption	Separate color stack for footnotes with pdfTeX
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2007, 2012)
copyright	Oberdiek Package Support Group (2016-2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.4 (2023-01-10)
last changes	2023-01-10
year	2023
description	(no language specified) Since version 1.40 pdfTeX supports several colour stacks. This package uses a separate colour stack for footnotes that can break across pages.

4544 *pdfcolmk* – Improved colour support under pdfTeX (legacy stub)

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/pdfcolfoot/pdfcolfoot.pdf
– local file	<code>./7558517057-pdfcolfoot.pdf</code>
contact	<i>bugs:</i> https://github.com/ho-tex/pdfcolfoot/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pdfcolfoot
on MikTeX	pdfcolfoot
on T _E XLive	pdfcolfoot
keyword	footnote (footnote support)
keyword	colour (typesetting in colour)
language(s)	no language specified
last access	2025-02-07

4544 *pdfcolmk* – Improved colour support under pdfTeX (legacy stub)

Web page on CTAN <https://ctan.org/pkg/pdfcolmk>

name	pdfcolmk
caption	Improved colour support under pdfTeX (legacy stub)
author	Oberdiek, Heiko
copyright	Oberdiek Package Support Group (2019)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.0 (2019-11-24)
last changes	2019-11-24
year	2019
description	(no language specified) The package used to provide macros that emulated the ‘colour stack’ functionality of dvips. The colour stack deals with colour manipulations when asynchronous events (like page-breaking) occur. At the time the package was written, pdfTeX did not (yet) have such a stack, though dvips had had one for a long time. This package was an experimental solution to the problem, and worked best with pdf_eTeX. For current releases of pdfTeX (later than version 1.40.0, released in 2007), this package is not needed, since “real” colour stacks are available. The present

4545 `pdfcolparallel` – Fix colour problems in package ‘parallel’

`pdfcolmk` is therefore just an empty stub that does nothing at all, just in case there are still documents that reference it.

The documented source of the original package is still available at the [github repository](#).

contact	<i>bugs:</i> https://github.com/ho-tex/pdfcolmk/issues
contact	<i>repository:</i> https://github.com/ho-tex/pdfcolmk
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pdfcolmk
on MikTeX	<code>pdfcolmk</code>
on T _E XLive	<code>pdfcolmk</code>
keyword	colour (typesetting in colour)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
last access	2025-02-07

4545 `pdfcolparallel` – Fix colour problems in package ‘parallel’

Web page on CTAN <https://ctan.org/pkg/pdfcolparallel>

name	<code>pdfcolparallel</code>
caption	Fix colour problems in package ‘parallel’
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2007, 2008, 2010)
copyright	Oberdiek Package Support Group (2016-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.5 (2019-12-29)
last changes	2019-12-29
year	2019
description	(no language specified) Since version 1.40 pdfTeX supports colour stacks. This package uses them to fix colour problems in package parallel . The package is part of the oberdiek bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/pdfcolparallel.pdf
– local file	<code>./6681872449-pdfcolparallel.pdf</code>

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/pdfcolparallel.dtx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/oberdiek.tds.zip
on MikTeX	oberdiek
on T _E XLive	oberdiek
keyword	parallel (parallel columns)
keyword	colour (typesetting in colour)
language(s)	no language specified
last access	2025-02-07

4546 pdfcolparcolumns – Fix colour problems in package 'parcolumns'

Web page on CTAN <https://ctan.org/pkg/pdfcolparcolumns>

name	pdfcolparcolumns
caption	Fix colour problems in package 'parcolumns'
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2007, 2008, 2010)
copyright	Oberdiek Package Support Group (2016-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.5 (2019-12-29)
last changes	2019-12-29
year	2019
description	(no language specified) Since version 1.40 pdfTeX supports colour stacks. This package uses them to fix colour problems in package parcolumns . The package is part of the oberdiek bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/pdfcolparcolumns.pdf
– local file	./1887866434-pdfcolparcolumns.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/pdfcolparcolumns.dtx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/oberdiek.tds.zip

on MikTeX	oberdiek
on T _E XLive	oberdiek
keyword	parallel (parallel columns)
keyword	colour (typesetting in colour)
language(s)	no language specified
last access	2025-02-07

4547 pdfcomment – A user-friendly interface to pdf annotations

Web page on CTAN <https://ctan.org/pkg/pdfcomment>

name	pdfcomment
caption	A user-friendly interface to pdf annotations
author	Kleber, Josef
copyright	Josef Kleber (2008-2016)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.4a
description	(no language specified) For a long time pdfLaTeX has offered the command <code>\pdfannot</code> for inserting arbitrary PDF annotations. However, the command is presented in a form where additional knowledge of the definition of the PDF format is indispensable. This package is an answer to the – occasional – questions in newsgroups, about how one could use the comment function of Adobe Reader. At least for the writer of LaTeX code, the package offers a convenient and user-friendly means of using <code>\pdfannot</code> to provide comments in PDF files. Since version v1.1, pdfcomment.sty also supports LaTeX → dvips → ps2pdf, LaTeX → dvipdfmx, XeLaTeX and LuaLaTeX. Unfortunately, support of PDF annotations by PDF viewers may vary. The reference viewer for the development of this package is Adobe Reader.
documentation	(no language specified) <i>Example output: math mode:</i> https://ctan.org/tex-archive/macros/latex/contrib/pdfcomment/doc/example_math_markup.pdf
– local file	./5572205605-example_math_markup.pdf
documentation	(English) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/pdfcomment/doc/pdfcomment.pdf
– local file	./5294129583-pdfcomment.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/pdfcomment/README.md

documentation	(no language specified) <i>Example output:</i> https://ctan.org/tex-archive/macros/latex/contrib/pdfcomment/doc/example.pdf
– local file	<code>./8881206947-example.pdf</code>
documentation	(German) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/pdfcomment/doc/pdfcomment_de.pdf
– local file	<code>./8852709569-pdfcomment_de.pdf</code>
home page	http://pdfcomment.jklatex.de/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pdfcomment
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/pdfcomment.tds.zip
on MikTeX	pdfcomment
on TeXLive	pdfcomment
keyword	pdf-feat (access PDF features)
language(s)	German; English
year	2016
last access	2025-02-07

4548 pdfcprot – Activating and setting of character protruding using pdfLaTeX

Web page on CTAN	https://ctan.org/pkg/pdfcprot
name	pdfcprot
caption	Activating and setting of character protruding using pdfLaTeX
author	Schlemmer, Tobias
author	Schurig, Carsten
author	Hughes, Baden
license	lppl = The LaTeX Project Public License (free)
version	1.7a
description	(no language specified) This package provides an easy interface to adjust the character protrusion for different fonts and choosing the right adjustment automatically depending on the font. The package is largely superseded by microtype .

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pdfcprot/pdfcprot.pdf
– local file	./2976144249-pdfcprot.pdf
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pdfcprot/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pdfcprot
on MikTeX	pdfcprot
on T _E XLive	pdfcprot
keyword	micro-layout (paragraph shapes, margin adjustments, etc.)
see also	see section 3959 on page 3580: (microtype – Subliminal refinements towards typographical perfection)
language(s)	no language specified
year	without year
last access	2025-02-07

4549 pdfcrop – Crop PDF graphics

Web page on CTAN	https://ctan.org/pkg/pdfcrop
name	pdfcrop
caption	Crop PDF graphics
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2002, 2004, 2005, 2008-2011)
copyright	Oberdiek Package Support Group (2020-2023)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.42 (2023-04-15)
last changes	2023-04-15
year	2023
description	(no language specified) A Perl script that can either trim pages of any whitespace border, or trim them of a fixed border.
documentation	(no language specified) <i>Readme (including manual)</i> : https://ctan.org/tex-archive/support/pdfcrop/README.md
contact	<i>bugs</i> : https://github.com/ho-tex/pdfcrop/issues
contact	<i>repository</i> : https://github.com/ho-tex/pdfcrop

4550 *pdfcrypt* – Allows the setting of pdf encryption

on CTAN	https://ctan.org/tex-archive/support/pdfcrop
on MikTeX	pdfcrop
on T _E XLive	pdfcrop
keyword	pdfprocess (process PDF files)
language(s)	no language specified
last access	2025-02-07

4550 **pdfcrypt** – Allows the setting of pdf encryption

Web page on CTAN <https://ctan.org/pkg/pdfcrypt>

name	pdfcrypt
caption	Allows the setting of pdf encryption
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2001, 2006, 2007)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2016-05-16)
last changes	2016-05-16
year	2016
description	(no language specified) Allows the setting of pdf encryption options for VTeX and some older versions of pdfTeX. The options can be set as package options or in the command <code>\pdfcryptsetup</code>. Options include <code>owner=OwnerPassword</code>, <code>user=UserPassword</code>, <code>print</code>, <code>copy</code>, <code>edit</code>, <code>annotate=true</code>, <code>false</code>, <code>all</code>, <code>none</code>. The encryption is set at <code>\begin{document}</code> by default, but this can be forced for an earlier time by option ‘set’. Example: <pre>\usepackage[owner=Donald,user=Knuth,print=false]{pdfcrypt}</pre>
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/pdfcrypt.pdf
– local file	<code>./9313754603-pdfcrypt.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/pdfcrypt.dtx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/oberdiek.tds.zip
on MikTeX	oberdiek

on T _E XLive	oberdiek
keyword	pdf-feat (access PDF features)
language(s)	no language specified
last access	2025-02-07

4551 *pdfescape* – Implements pdfTeX’s escape features using TeX or e-TeX

Web page on CTAN <https://ctan.org/pkg/pdfescape>

name	pdfescape
caption	Implements pdfTeX’s escape features using TeX or e-TeX
author	Oberdiek, Heiko
copyright	Oberdiek Package Support Group (2016-2019)
copyright	Heiko Oberdiek (2007, 2010, 2011)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.15 (2019-12-09)
last changes	2019-12-09
year	2019
description	(no language specified) This package implements pdfTeX ’s escape features (<code>\pdfescapehex</code> , <code>\pdfunescapehex</code> , <code>\pdfescapename</code> , <code>\pdfescapestring</code>) using TeX or e-TeX.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pdfescape/pdfescape.pdf
– local file	<code>./4323556167-pdfescape.pdf</code>
contact	<i>bugs</i> : https://github.com/ho-tex/pdfescape/issues
contact	<i>repository</i> : https://github.com/ho-tex/pdfescape
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pdfescape
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/pdfescape.tds.zip
on MikT _E X	pdfescape
on T _E XLive	pdfescape
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified

last access 2025-02-07

4552 pdfextra – Extra PDF features for (Op)TeXWeb page on CTAN <https://ctan.org/pkg/pdfextra>

name pdfextra

caption Extra PDF features for (Op)TeX

author Vlasák, Michal

copyright Michal Vlasák (2021)

license other-free = Free license not otherwise listed (free)

version 0.3

description (no language specified) This package provides extra PDF features for **OpTeX** (or in limited form for plain LuaTeX and LuaLaTeX).

As a minimalistic format, **OpTeX** does not support "advanced" features of the PDF file format in its base. This third party package aims to provide them.

Summary of supported features:

- insertion of multimedia (audio, video, 3D),
- hyperlinks and other actions,
- triggering events,
- transitions,
- attachments.

documentation (no language specified) *Example of use:*
<https://ctan.org/tex-archive/macros/luatex/generic/pdfextra/examples/pdfextra-example.pdf>

– local file ./9956845044-pdfextra-example.pdf

documentation (no language specified) *Package documentation:*
<https://ctan.org/tex-archive/macros/luatex/generic/pdfextra/pdfextra-doc.pdf>

– local file ./1369264039-pdfextra-doc.pdf

documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/macros/luatex/generic/pdfextra/README.md>

contact *bugs:* <https://github.com/vlasakm/pdfextra/issues>

contact *repository:* <https://github.com/vlasakm/pdfextra>

on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/pdfextra
on MikTeX	pdfextra
on T _E XLive	pdfextra
keyword	pdf-feat (access PDF features)
language(s)	no language specified
year	2021
last access	2025-02-07

4553 pdfjam – Shell script interface to pdfpages

Web page on CTAN <https://ctan.org/pkg/pdfjam>

name	pdfjam
caption	Shell script interface to pdfpages
author	Thomas, Reuben
author	Kurtz, Markus
author	Firth, David
license	gpl2+ = GNU General Public License, version 2 or newer (free)
version	4.3.1
description	(no language specified) The package makes available the pdfjam shell script that provides a simple interface to much of the functionality of the excellent pdfpages package (by Andreas Matthias) for LaTeX. The pdfjam script takes one or more PDF (and/or JPG/PNG) files as input, and produces one or more PDF files as output. It is useful for joining files together, selecting pages, reducing several source pages onto one output page, etc., etc.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/pdfjam/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/support/pdfjam/pdfjam.pdf
– local file	./3757057555-pdfjam.pdf
contact	<i>repository:</i> https://github.com/pdfjam/pdfjam
on CTAN	https://ctan.org/tex-archive/support/pdfjam
on MikTeX	pdfjam

on T _E XLive	pdfjam
keyword	pdfprocess (process PDF files)
language(s)	no language specified
year	without year
last access	2026-04-12

4554 **pdflatexpicscale** – Support software for downscaling graphics to be included by pdfLaTeX

Web page on CTAN <https://ctan.org/pkg/pdflatexpicscale>

name	pdflatexpicscale
caption	Support software for downscaling graphics to be included by pdfLaTeX
author	Willadt, Peter
license	lppl = The LaTeX Project Public License (free)
version	0.50 (2024-10-18)
last changes	2024-10-18
year	2024
description	(no language specified) The package provides a script to scale pictures down to a target resolution before creating a PDF document with pdfLaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/pdflatexpicscale/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/pdflatexpicscale/pdflatexpicscale.pdf
– local file	./1289572035-pdflatexpicscale.pdf
on CTAN	https://ctan.org/tex-archive/support/pdflatexpicscale
on MikT _E X	pdflatexpicscale
on T _E XLive	pdflatexpicscale
keyword	graphics-prep (prepare graphics for use with *TeX)
language(s)	no language specified
last access	2025-02-07

4555 pdfscape – Make landscape pages display as landscapeWeb page on CTAN <https://ctan.org/pkg/pdfscape>

name	pdfscape
caption	Make landscape pages display as landscape
author	Oberdiek, Heiko
copyright	Oberdiek Package Support Group (2016-2025)
copyright	Heiko Oberdiek (2001, 2004, 2006-2008)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.14 (2025-06-23)
last changes	2025-06-23
year	2025
description	(no language specified) The package adds PDF support to the landscape environment of package lscap , by setting the PDF <code>/Rotate</code> page attribute. Pages with this attribute will be displayed in landscape orientation by conforming PDF viewers.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pdfscape/pdfscape.pdf
– local file	<code>./4378397093-pdfscape.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pdfscape/README.md
contact	<i>bugs</i> : https://github.com/ho-tex/pdfscape/issues
contact	<i>repository</i> : https://github.com/ho-tex/pdfscape
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pdfscape
on MikTeX	pdfscape
on T _E XLive	pdfscape
keyword	landscape (print landscape orientation, manipulate landscape material)
keyword	layout (layout of objects on the page)
see also	see section 3541 on page 3201 : (<code>landscape</code> – Place selected parts of a document in landscape)
language(s)	no language specified
last access	2025-06-29

4556 pdfmanagement – LaTeX PDF management bundle

Web page on CTAN <https://ctan.org/pkg/pdfmanagement>

Alias	pdfmanagement-testphase
name	pdfmanagement
caption	LaTeX PDF management bundle
author	The LaTeX Project Team
copyright	The LaTeX Project (2018-2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.97a (2026-04-21)
last changes	2026-04-21
year	2026
description	(no language specified) This package is used to load LaTeX’s PDF management code. The PDF management code offers backend independent interfaces to central PDF dictionaries, tools to create annotations, outlines, form Xobjects, form fields, to embed files, and to handle PDF standards. The code is currently provided as independent package. It is automatically loaded if a document uses <code>\DocumentMetadata</code>. It can also be loaded as a package. At a later stage it will be integrated into the LaTeX kernel (or in parts into permanent support packages).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pdfmanagement/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pdfmanagement/pdfmanagement.pdf
– local file	<code>./1695310065-pdfmanagement.pdf</code>
contact	<i>bugs</i> : https://github.com/latex3/pdfresources/issues
contact	<i>repository</i> : https://github.com/latex3/pdfresources
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pdfmanagement
on T _E XLive	pdfmanagement
keyword	pdf-feat (access PDF features)
keyword	latex-devel (LaTeX experimental developments ‘in the wild’)
language(s)	no language specified

last access 2026-04-29

4557 `pdfmarginpar` – Generate marginpar-equivalent PDF annotations

Web page on CTAN <https://ctan.org/pkg/pdfmarginpar>

name	<code>pdfmarginpar</code>
caption	Generate marginpar-equivalent PDF annotations
author	Feuersänger, Christian
copyright	Christian Feuersänger (2007, 2008)
license	gpl = GNU General Public License (free)
version	0.92
description	(no language specified) The package provides the <code>\pdfmarginpar</code> command which is similar in spirit to <code>\marginpar</code> . However, it creates PDF annotations which may be viewed with Adobe Reader in place of marginal texts. Small icons indicate the in-text position where the message originates, popups provide the messages themselves. Thus bugfixes and other such communications are clearly visible together when viewing the document, while the document itself is not obscured.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pdfmarginpar/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pdfmarginpar/doc/pdfmarginpar.pdf
– local file	<code>./7150359406-pdfmarginpar.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pdfmarginpar
on MikTeX	<code>pdfmarginpar</code>
on T _E XLive	<code>pdfmarginpar</code>
keyword	<code>pdf-feat</code> (access PDF features)
see also	see section 4547 on page 4113: (<code>pdfcomment</code> – A user-friendly interface to pdf annotations)
language(s)	no language specified
year	2008
last access	2025-02-07

4558 pdfmsym – PDF Math Symbols — various drawn mathematical symbolsWeb page on CTAN <https://ctan.org/pkg/pdfmsym>

name	pdfMsym
caption	PDF Math Symbols — various drawn mathematical symbols
author	Slurp
license	mit = MIT License (free)
version	1.1.1
description	(no language specified) This package defines a handful of mathematical symbols many of which are implemented via PDF's builtin drawing utility. It is intended for use with pdfTeX and LuaTeX and is supported by XeTeX to a lesser extent. Among the symbols it defines are some variants of commonly used ones, as well as more obscure symbols which cannot be as easily found in other TeX or LaTeX packages.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/pdfmsym/pdfmsym-doc.pdf
– local file	<code>./5144441024-pdfmsym-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/pdfmsym/README.md
on CTAN	https://ctan.org/tex-archive/macros/generic/pdfmsym
on MikTeX	pdfmsym
on TeXLive	pdfmsym
keyword	maths-symbol (construction or application of mathematical symbols)
keyword	graphics-symb (create symbols, rather than select from a font)
keyword	macro-gen (macros that are independent of the (TeX) format in use)
language(s)	no language specified
year	without year
last access	2025-02-07

4559 pdfoverlay – A LaTeX style for overlaying text on a PDF

Web page on CTAN <https://ctan.org/pkg/pdfoverlay>

name	pdfoverlay
caption	A LaTeX style for overlaying text on a PDF
author	Purton, David
copyright	David Purton (2018-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3 (2022-08-27)
last changes	2022-08-27
year	2022
description	(no language specified) It is often desirable to take an existing PDF and easily add annotations or text overlaying the PDF. This might arise if you wish to add comments to a PDF, fill in a PDF form, or add text to a PDF where space has been left for notes. This package provides a simple interface to do this without having to resort to inserting one page at a time. Some or all of the pages of the PDF can be included and not all pages of the PDF need have overlayed text. It is also possible to include text <i>between</i> pages of the PDF. Another advantage of this package is that the overlayed text can be set as normal flowing from one page to another or with manual page breaks if you wish. It is also possible to use any standard method to position text at arbitrary places on a given page.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pdfoverlay/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pdfoverlay/pdfoverlay.pdf
– local file	./7313408434-pdfoverlay.pdf
contact	<i>bugs</i> : https://github.com/dcpurton/pdfoverlay/issues
contact	<i>repository</i> : https://github.com/dcpurton/pdfoverlay
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pdfoverlay
on MikTeX	pdfoverlay
on T _E XLive	pdfoverlay
keyword	expl3 (expl3(unknown))

keyword graphics-incl (include external graphics)
 language(s) no language specified
 last access 2025-02-07

4560 *pdfpagediff* – Find difference between two PDF's

Web page on CTAN <https://ctan.org/pkg/pdfpagediff>

name pdfpagediff
 caption Find difference between two PDF's
 author Radhakrishnan, C. V.
 license lpl1 = The LaTeX Project Public License 1 (free)
 version 1.4
 description (no language specified) Find difference between two PDF's
 documentation (no language specified) *Package documentation:*
 <https://ctan.org/tex-archive/macros/latex/contrib/pdfpagediff/doc/pdfpagediff-doc.pdf>
 – local file ./4263253523-pdfpagediff-doc.pdf
 on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/pdfpagediff>
 on MikTeX pdfpagediff
 on T_EXLive pdfpagediff
 keyword pdf-view (view, or control viewing of, PDF)
 keyword pdfprocess (process PDF files)
 language(s) no language specified
 year without year
 last access 2025-02-07

4561 pdfpages – Include PDF documents in LaTeXWeb page on CTAN <https://ctan.org/pkg/pdfpages>

name	pdfpages
caption	Include PDF documents in LaTeX
author	Matthias, Andreas
copyright	Andreas Matthias (2001-2026)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.6h (2026-03-30)
last changes	2026-03-30
year	2026
description	(no language specified) This package simplifies the inclusion of external multi-page PDF documents in LaTeX documents. Pages may be freely selected and similar to <code>psnup</code> it is possible to put several logical pages onto each sheet of paper. Furthermore a lot of hypertext features like hyperlinks and article threads are provided. The package supports pdfTeX (pdfLaTeX) and VTeX. With VTeX it is even possible to use this package to insert PostScript files, in addition to PDF files.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pdfpages/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pdfpages/pdfpages.pdf
– local file	<code>./6601288453-pdfpages.pdf</code>
contact	<i>repository</i> : https://github.com/AndreasMatthias/pdfpages
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pdfpages
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/pdfpages.tds.zip
on MikTeX	pdfpages
on T _E XLive	pdfpages
keyword	pdf-feat (access PDF features)
keyword	tagged-pdf-incompatible (tagged PDF incompatible)
keyword	graphics-incl (include external graphics)
language(s)	no language specified
last access	2026-04-07

4562 pdfpc – Define data for the pdfpc presentation viewer

Web page on CTAN <https://ctan.org/pkg/pdfpc>

name	pdfpc
caption	Define data for the pdfpc presentation viewer
author	Stambulchik, Evgeny
copyright	Evgeny Stambulchik (2020-2023)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	0.7.1 (2023-10-21)
last changes	2023-10-21
year	2023
description	(no language specified) This packages allows to define additional meta data within the PDF file which can be interpreted by the PDF presenter console (pdfpc) program. pdfpc depends on kvoptions , xstring , iftex , and hyperxmp .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pdfpc/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pdfpc/pdfpc-doc.pdf
– local file	./9614038225-pdfpc-doc.pdf
home page	https://pdfpc.github.io/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pdfpc
on MikTeX	pdfpc
on T _E XLive	pdfpc
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2025-02-07

4563 pdfpc-movie – Pdfpc viewer-compatible hyperlinks to moviesWeb page on CTAN <https://ctan.org/pkg/pdfpc-movie>

name	pdfpc-movie
caption	Pdfpc viewer-compatible hyperlinks to movies
author	Friedl, Sebastian
copyright	Sebastian Friedl (2018)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2018-07-21)
last changes	2018-07-21
year	2018
description	(no language specified) This LaTeX2e package provides a command <code>\pdfpcmovie</code> for embedding (hyperlinking) movies in a way compatible with the PDF Presenter Console (pdfpc), a GPL2-licensed multi-monitor PDF presentation viewer application available on GitHub and shipped with some LINUX distributions such as Debian , Fedora , and Arch . The package depends on etoolbox , hyperref , and pgfkeys .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/pdfpc-movie/pdfpc-movie-doc.pdf
– local file	<code>./8194959955-pdfpc-movie-doc.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/pdfpc-movie/README.md
contact	<i>bugs:</i> https://gitlab.com/SFr682k/pdfpc-movie/-/issues
contact	<i>repository:</i> https://gitlab.com/SFr682k/pdfpc-movie
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pdfpc-movie
on MikTeX	pdfpc-movie
on T _E XLive	pdfpc-movie
keyword	pdf-view (view, or control viewing of, PDF)
keyword	presentation (slides, beamers, handouts, etc.)
keyword	multimedia (support for multimedia in documents)
language(s)	no language specified
last access	2025-02-07

4564 pdfprivacy – A LaTeX package to remove or suppress pdf meta-data

Web page on CTAN <https://ctan.org/pkg/pdfprivacy>

name	pdfprivacy
caption	A LaTeX package to remove or suppress pdf meta-data
author	Sion, Laurens
copyright	Laurens Sion (2017)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0
description	(no language specified) Creating pdfs with pdfLaTeX populates several pdf meta-data fields such as date/time of creation/modification, information about the LaTeX installation (e.g., pdfTeX version), and the relative paths of included pdfs. The pdfprivacy package provides support for emptying several of these pdf meta-data fields as well as suppressing some pdfTeX meta-data entries in the resulting pdf.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pdfprivacy/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pdfprivacy/pdfprivacy.pdf
– local file	./7423769893-pdfprivacy.pdf
contact	<i>bugs</i> : https://github.com/LaurensS/pdfprivacy/issues
contact	<i>repository</i> : https://github.com/LaurensS/pdfprivacy
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pdfprivacy
on MikTeX	pdfprivacy
on T _E XLive	pdfprivacy
keyword	pdf-feat (access PDF features)
keyword	pdf-view (view, or control viewing of, PDF)
keyword	pdfprocess (process PDF files)
language(s)	no language specified
year	2017
last access	2025-02-07

4565 pdfrack – Use psfrag with pdfLaTeX

Web page on CTAN <https://ctan.org/pkg/pdfrack>

name	PDFrack
caption	Use psfrag with pdfLaTeX
author	Boyer, Marc
license	noinfo = noinfo
version	1.0
description	(no language specified) PDFrack is a package that requires a Unix system. It works by scanning your source file and extracting each figure it contains to a separate LaTeX file. Each figure is then separately processed to PDF, which is read by pdfLaTeX on a later run. The author still considers the package experimental.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/pdfrack/doc/pdfrack.pdf
– local file	<code>./8567316802-pdfrack.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/pdfrack/README
on CTAN	https://ctan.org/tex-archive/support/pdfrack
keyword	graphics-text (text within graphics (drawn or overlaid))
keyword	graphics-epspdf (converting graphics files from MetaPost output or (E)PS to embeddable PDF)
language(s)	no language specified
year	without year
last access	2025-02-07

4566 pdfrender – Control rendering parameters

Web page on CTAN <https://ctan.org/pkg/pdfrender>

name	pdfrender
caption	Control rendering parameters
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2010)
copyright	Oberdiek Package Support Group (2016-2023)

license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.8 (2023-12-07)
last changes	2023-12-07
year	2023
description	(no language specified) The package provides interfaces for the user to control PDF parameters, such as line width or text rendering mode. The control operations work in a manner very similar to that of the color package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pdfrender/pdfrender.pdf
– local file	<code>./3898402324-pdfrender.pdf</code>
contact	<i>bugs</i> : https://github.com/ho-tex/pdfrender/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pdfrender
on MikTeX	pdfrender
on TeXLive	pdfrender
keyword	typesetting (support for variations of typographic style)
language(s)	no language specified
last access	2025-02-07

4567 pdfreview – Annotate PDF files with margin notes

Web page on CTAN <https://ctan.org/pkg/pdfreview>

name	pdfreview
caption	Annotate PDF files with margin notes
author	Palmer, Michael
license	lpl = The LaTeX Project Public License (free)
version	1.2 (2019-02-22)
last changes	2019-02-22
year	2019

description	(no language specified) This package lets you add comments in the page margins of PDF files, e.g. when reviewing manuscripts or grading reports. The PDF file to be annotated is included, one page at a time, as graphics, in a manner similar to the <code>pdfpages</code> package. Notes are placed in the margin next to the included graphics using a grid of help lines. Alternatively, only numbers are placed in the page margins, and the notes are collected into a numbered list at the end of the document. Note that this package is <i>not</i> intended for adding notes directly to the LaTeX source of the document that is being reviewed; instead, the document undergoing review is already in PDF format and remains unchanged. Also note that this package does not produce the usual PDF “sticky notes” that must be opened by clicking on them; instead, the notes are simply shown as text. This package depends on the following other LaTeX package: <code>adjustbox</code> , <code>calc</code> , <code>geometry</code> , <code>graphicx</code> , <code>grfile</code> , <code>ifthen</code> , <code>kvoptions</code> , <code>tikz</code> , <code>ulem</code> , and <code>xstring</code> .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pdfreview/pdfreview.pdf
– local file	<code>./1013076108-pdfreview.pdf</code>
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/pdfreview/sample.pdf
– local file	<code>./8741695500-sample.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pdfreview/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pdfreview
on MikTeX	<code>pdfreview</code>
on TeXLive	<code>pdfreview</code>
keyword	<code>marginal</code> (marginal notes, etc.)
keyword	<code>graphics-incl</code> (include external graphics)
keyword	<code>editorial</code> (editor’s marks, highlights, etc.)
keyword	<code>teaching</code> (support for teachers and teaching administrators)
language(s)	no language specified
last access	2025-02-07

4568 pdfscreen – Support screen-based document design

Web page on CTAN <https://ctan.org/pkg/pdfscreen>

name	pdfscreen
caption	Support screen-based document design
author	Radhakrishnan, C. V.
license	lppl = The LaTeX Project Public License (free)
version	1.5
description	(no language specified) An extension of the hyperref package to provide a screen-based document design. This package helps to generate pdf documents that are readable on screen and will fit the screen's aspect ratio. Also it can be used with various options to produce regular print versions of the same document without any extra effort.
documentation	(no language specified) <i>Manual, for printing:</i> https://ctan.org/tex-archive/macros/latex/contrib/pdfscreen/manual-print.pdf
– local file	./4625137782-manual-print.pdf
documentation	(no language specified) <i>Manual, for screen viewing:</i> https://ctan.org/tex-archive/macros/latex/contrib/pdfscreen/manual-screen.pdf
– local file	./4037742733-manual-screen.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pdfscreen
on MikTeX	pdfscreen
on TeXLive	pdfscreen
keyword	presentation (slides, beamers, handouts, etc.)
keyword	hyper (support for hypertext)
language(s)	no language specified
year	without year
last access	2025-02-07

4569 pdfslide – Presentation slides using pdfTeX

Web page on CTAN <https://ctan.org/pkg/pdfslide>

name	pdfslide
caption	Presentation slides using pdfTeX
author	Radhakrishnan, C. V.
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) This is a package for use with pdfTeX, to make nice presentation slides. Its aims are: to devise a method for easier technical presentation; to help the mix of mathematical formulae with text and graphics which other present day document processing tools fail to accomplish; to exploit the platform independence of TeX so that presentation documents become portable; and to offer the freedom and possibilities of using various backgrounds and other embellishments that a user can imagine to have in as presentation. The package can make use of the facilities of the PPower4 post-processor.
documentation	(no language specified) <i>Narrative demonstration of the package:</i> https://ctan.org/tex-archive/macros/latex/contrib/pdfslide/demo.pdf
– local file	./8715963234-demo.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pdfslide
on MikTeX	pdfslide
on T _E XLive	pdfslide
keyword	presentation (slides, beamers, handouts, etc.)
see also	see section 4827 on page 4370: (prosper – LaTeX class for high quality slides)
language(s)	no language specified
year	without year
last access	2025-02-07

4570 pdfsync – Provide links between source and PDFWeb page on CTAN <https://ctan.org/pkg/pdftsync>

name	pdfsync
caption	Provide links between source and PDF
author	Laurens, Jérôme
license	lppl = The LaTeX Project Public License (free)
version	(2008-01-25)
last changes	2008-01-25
year	2008
description	(no language specified) The package runs with pdfTeX or XeTeX, and creates an auxiliary file with geometrical information to permit references back and forth between source and PDF, assuming a conforming editor and PDF viewer.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pdftsync/pdftsync-doc.pdf
– local file	<code>./1362212431-pdftsync-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pdftsync/README
contact	<i>repository</i> : http://itexmac.sourceforge.net/pdftsync.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pdftsync
on MikTeX	pdfsync
on T _E XLive	pdfsync
keyword	debug-supp (support for package or document debugging)
see also	see section 6640 on page 5996: (vpe – Source specials for PDF output)
language(s)	no language specified
last access	2025-02-07

4571 *pdftex* – A TeX extension for direct creation of PDF

Web page on CTAN <https://ctan.org/pkg/pdftex>

name	pdftex
caption	A TeX extension for direct creation of PDF
author	The TeX Live Team
author	The pdfTeX Team
author	Thành, Hàn Thế
copyright	Hàn Thế Thành (null)
license	gpl = GNU General Public License (free)
description	(no language specified) An extension of TeX which can directly generate PDF documents as well as DVI output. All current free TeX distributions including TeX Live , MacTeX and MiKTeX include pdfTeX (Plain TeX) and pdfLaTeX (LaTeX), among many other formats based on the pdfTeX engine.
documentation	(no language specified) <i>Primitive usage examples</i> : https://ctan.org/tex-archive/systems/doc/pdftex/samplepdftex/samplepdf.tex
documentation	(no language specified) <i>User manual</i> : https://ctan.org/tex-archive/systems/doc/pdftex/manual/pdftex-a.pdf
– local file	./6345644257-pdftex-a.pdf
home page	http://www.pdftex.org
contact	<i>support</i> : https://lists.tug.org/pdftex
contact	<i>bugs</i> : https://mailman.ntg.nl/mailman/listinfo/ntg-pdftex
contact	<i>repository</i> : https://tug.org/svn/pdftex/branches/stable
on MikTeX	miktex-pdftex-bin-2.9
on T _E XLive	pdftex
keyword	engine (TeX (or TeX-alike) typesetting engine)
language(s)	no language specified
year	without year
last access	2025-02-07

4572 *pdftex-def* – Colour and Graphics support for pdfTeX

Web page on CTAN <https://ctan.org/pkg/pdftex-def>

name	pdftex-def
caption	Colour and Graphics support for pdfTeX
author	Oberdiek, Heiko
author	Schröder, Martin
author	Carlisle, David
author	Hagen, Hans
author	Rahtz, Sebastian
copyright	David Carlisle, Sebastian Rahtz, Hans Hagen, Heiko Oberdiek and Martin Schröder (2000-2015)
copyright	LaTeX3 project (2018-2024)
copyright	LaTeX3 project and Heiko Oberdiek (2016-2018)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2c (2024-04-13)
last changes	2024-04-13
year	2024
description	(no language specified) The file <code>pdftex.def</code> provides device-specific definitions for colour and graphics support when running pdf(La)TeX. It is now distributed as part of the graphics-def bundle.
contact	<i>repository:</i> https://github.com/ho-tex/pdftex-def/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/graphics-def
on MikTeX	graphics
keyword	graphics-drv (‘driver’ for output from graphics ‘kernel’ packages)
language(s)	no language specified
last access	2025-02-07

4573 **pdftex-djgpp** – An msdos-djgpp binary of the pdfTeX engine

Web page on CTAN <https://ctan.org/pkg/pdftex-djgpp>

name	pdftex-djgpp
caption	An msdos-djgpp binary of the pdfTeX engine
author	Rivera, Luis
license	gpl2+ = GNU General Public License, version 2 or newer (free)
version	(2019-10-02)
last changes	2019-10-02
year	2019
description	(no language specified) This package provides a binary of the pdfTeX engine for the msdos-djgpp distribution.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/msdos/djgpp-contrib/pdftex-djgpp/README.md
on CTAN	https://ctan.org/tex-archive/systems/msdos/djgpp-contrib/pdftex-djgpp
keyword	distribution (components (or support) of TeX distribution)
language(s)	no language specified
last access	2025-02-07

4574 **pdftex-oztex** – pdfTeX designed to run with OzTeX

Web page on CTAN <https://ctan.org/pkg/pdftex-oztex>

Alias	pdftex-oztex
name	pdftex-oztex
caption	pdfTeX designed to run with OzTeX
author	Kiffe, Tom
license	shareware = Shareware: A fee is required (not free)
version	14c
on CTAN	https://ctan.org/tex-archive/obsolete/systems/mac/pdftex
keyword	engine (TeX (or TeX-alike) typesetting engine)
keyword	obsolete (package declared obsolete)
language(s)	no language specified

year without year
last access 2025-02-07

4575 *pdftex-quiet* – A bash wrapper for pdfTeX limiting its output to relevant errors

Web page on CTAN <https://ctan.org/pkg/pdftex-quiet>

name	pdftex-quiet
caption	A bash wrapper for pdfTeX limiting its output to relevant errors
author	Kozlovský, Jiří
copyright	Jiří Kozlovský (2018)
license	gpl3 = GNU General Public License, version 3 (free)
version	1.1.0
description	(no language specified) This package provides a bash script aiming at reducing pdfTeX 's output to relevant errors, which are displayed in a red bold font. The project originally started as a TeX StackExchange answer .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/pdftex-quiet/README.md
contact	<i>repository</i> : https://gitlab.com/jirislav/pdftex-quiet
on CTAN	https://ctan.org/tex-archive/support/pdftex-quiet
on MikTeX	pdftex-quiet
on T _E XLive	pdftex-quiet
keyword	compilation (the document compilation process)
language(s)	no language specified
year	2018
last access	2025-02-07

4576 *pdftexcmds* – LuaTeX support for pdfTeX utility functions

Web page on CTAN <https://ctan.org/pkg/pdftexcmds>

name	pdftexcmds
caption	LuaTeX support for pdfTeX utility functions
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2007, 2009-2011)
copyright	Oberdiek Package Support Group (2016-2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.33 (2020-06-27)
last changes	2020-06-27
year	2020
description	(no language specified) LuaTeX provides most of the commands of pdfTeX 1.40. However, a number of utility functions are not available. This package tries to fill the gap and implements some of the missing primitives using Lua.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/pdftexcmds/pdftexcmds.pdf
– local file	./8595004115-pdftexcmds.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/pdftexcmds/README.md
contact	<i>bugs</i> : https://github.com/ho-tex/pdftexcmds/issues
contact	<i>repository</i> : https://github.com/ho-tex/pdftexcmds
on CTAN	https://ctan.org/tex-archive/macros/generic/pdftexcmds
on MikTeX	pdftexcmds
on TeXLive	pdftexcmds
keyword	macro-supp (support for development of (La)TeX macros)
keyword	macro-gen (macros that are independent of the (TeX) format in use)
language(s)	no language specified
last access	2025-02-07

4577 pdftoolbox – A plain-pd $\TeX$ toolbox for creating beautiful documentsWeb page on CTAN <https://ctan.org/pkg/pdftoolbox>

name	pdfToolbox
caption	A plain-pd $\TeX$ toolbox for creating beautiful documents
author	Feiglin, Ari
license	mit = MIT License (free)
version	0.2
description	(no language specified) pdfToolbox is a toolbox of various "subpackages" intended for programming and creating beautiful plain-pd$\TeX$ documents. It is an amalgamation of the following "subpackages" (in the future there will be an ability to access each one by itself): 1. pdfData — for storing and manipulating data; 2. pdfDstruct — for managing the layout and structure of your document; 3. pdfGraphics — for adding some color and illustrations to your document. pdfToolbox currently only works with pdf$\TeX$. It is not compatible with any form of LaTeX, and currently does not work with Xe$\TeX$ or Lua$\TeX$ (though hopefully Lua$\TeX$ support will be added in the future).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/pdftex/plain/pdftoolbox/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/pdftex/plain/pdftoolbox/Documentation/pdfToolbox-docs.pdf
– local file	./6021690644-pdfToolbox-docs.pdf
on CTAN	https://ctan.org/tex-archive/macros/pdftex/plain/pdftoolbox
on Mik $\TeX$	pdftoolbox
on T $\TeX$ Live	pdftoolbox
keyword	pdf-feat (access PDF features)
language(s)	no language specified
year	without year
last access	2025-04-11

4578 pdftricks – Support for PSTricks in pdfTeX

Web page on CTAN <https://ctan.org/pkg/pdftricks>

name	pdftricks
caption	Support for PSTricks in pdfTeX
author	Radhakrishnan, C. V.
author	Rajagopal, C. V.
license	gpl = GNU General Public License (free)
version	1.16
description	(no language specified) The PSTricks macros cannot be used (directly) with pdfTeX, since PSTricks uses PostScript arithmetic, which isn't part of PDF. This package circumvents this limitation so that the extensive facilities offered by the powerful PSTricks package can be made use of in a pdfTeX document. This is done using the shell escape function available in current TeX implementations. The package may also be used in support of other 'PostScript-output-only' packages, such as PSfrag . For alternatives, users may care to review the discussion in the PSTricks online documentation .
documentation	(no language specified) <i>Test example (source available):</i> https://ctan.org/tex-archive/graphics/pdftricks/test.pdf
– local file	./4644423523-test.pdf
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pdftricks/manual.pdf
– local file	./7392562020-manual.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pdftricks
on MikTeX	pdftricks
on TeXLive	pdftricks
keyword	pstricks (package using PSTricks for graphical output)
keyword	callback (call external code and process the result)
see also	see section 4944 on page 4475 : (pst-pdf – Make PDF versions of graphics by processing between runs)
language(s)	no language specified
year	without year
last access	2026-04-12

4579 pdftricks2 – Use PStricks in pdfTeX

Web page on CTAN <https://ctan.org/pkg/pdftricks2>

name	pdftricks2
caption	Use PStricks in pdfTeX
author	Reibiger, Christian
copyright	Christian Reibiger (2012)
license	gpl2 = GNU General Public License, version 2 (free)
version	1.01
description	(no language specified) The package provides the means of processing documents (that contain pstricks graphics specifications. The package is inspired by pdftricks
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pdftricks2/pdftricks2-doc.pdf
– local file	./1620888020-pdftricks2-doc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pdftricks2/README
on CTAN	https://ctan.org/tex-archive/graphics/pdftricks2
on MikTeX	pdftricks2
on TeXLive	pdftricks2
keyword	pstricks (package using PStricks for graphical output)
keyword	callback (call external code and process the result)
see also	see section 4578 on page 4143: (pdftricks – Support for PStricks in pdfTeX)
language(s)	no language specified
year	2012
last access	2026-04-12

4580 pdfx – PDF/X and PDF/A support for pdfTeX, LuaTeX and XeTeX

Web page on CTAN <https://ctan.org/pkg/pdfx>

name	pdfx
caption	PDF/X and PDF/A support for pdfTeX, LuaTeX and XeTeX
author	Radhakrishnan, C. V.
author	Moore, Ross
author	Thành, Hàn Thế
author	Selinger, Peter
copyright	CV Radhakrishnan and Hàn Thế Thành (2008-2019)
license	lppl = The LaTeX Project Public License (free)
version	1.6.5f
description	(no language specified) The package helps LaTeX users to create PDF/X, PFD/A and other standards-compliant PDF documents with pdfTeX, LuaTeX and XeTeX.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pdfx/pdfx.pdf
– local file	./7734305541-pdfx.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pdfx/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pdfx
on MikTeX	pdfx
on T _E XLive	pdfx
keyword	pdf-feat (access PDF features)
language(s)	no language specified
year	2019
last access	2025-02-07

4581 pdfxup – Create n-up PDF pages with minimal margins

Web page on CTAN <https://ctan.org/pkg/pdfxup>

name	pdfxup
caption	Create n-up PDF pages with minimal margins
author	Markey, Nicolas
copyright	Nicolas Markey (2015-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.12 (2024-06-11)
last changes	2024-06-11
year	2024
description	(no language specified) pdfxup is a Unix/Linux shell script that creates a PDF document where each page is obtained by combining several pages of a PDF file given as output. pdfxup uses ghostscript for computing the maximal bounding box of (some of) the pages of the document, and then uses pdflatex (with the graphicx package) in order to produce the new document.
documentation	(no language specified) <i>Package documentation (booklet, 1 page)</i> : https://ctan.org/tex-archive/support/pdfxup/doc/pdfxup.pdf
– local file	./6563856334-pdfxup.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/pdfxup/README
documentation	(no language specified) <i>Package documentation (original PDF, 2 pages)</i> : https://ctan.org/tex-archive/support/pdfxup/doc/pdfxup-doc.pdf
– local file	./7665649343-pdfxup-doc.pdf
on CTAN	https://ctan.org/tex-archive/support/pdfxup
on MikTeX	pdfxup
on TeXLive	pdfxup
keyword	pdfprocess (process PDF files)
language(s)	no language specified
last access	2025-02-07

4582 pecha – Print Tibetan text in the classic pecha layout style

Web page on CTAN <https://ctan.org/pkg/pecha>

name	Pecha
caption	Print Tibetan text in the classic pecha layout style
author	Jäger, Dieter
copyright	Dieter Jäger (2004)
license	gpl = GNU General Public License (free)
version	0.1
description	(no language specified) The pecha class provides an environment for writing Tibetan on LaTeX2e in the traditional Tibetan Pecha layout used for spiritual or philosophical texts, using the cTib4TeX package by Oliver Corff. It provides features like headers in different languages, page numbering in Tibetan and more.
documentation	(no language specified) <i>Example usage</i> : https://ctan.org/tex-archive/language/tibetan/pecha/example.pdf
– local file	<code>./1616841900-example.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/language/tibetan/pecha/pecha_docu.pdf
– local file	<code>./8441801455-pecha_docu.pdf</code>
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/language/tibetan/pecha/README
on CTAN	https://ctan.org/tex-archive/language/tibetan/pecha
on MikTeX	pecha
on T _E XLive	pecha
keyword	tibetan (support for typesetting Tibetan)
language(s)	no language specified
year	2004
last access	2025-02-07

4583 pedigree-perl – Generate TeX pedigree files from CSV files

Web page on CTAN <https://ctan.org/pkg/pedigree-perl>

name	pedigree-perl
caption	Generate TeX pedigree files from CSV files
author	Akhmadeeva, Leila
author	Veytsman, Boris
copyright	Boris Veytsman, Leila Akhmadeeva (2006-2022)
license	gpl2 = GNU General Public License, version 2 (free)
version	2.1
description	(no language specified) This program generates TeX commands to typeset pedigrees — either TeX fragments or full LaTeX files, to be processed by the authors' pst-pdgr package. The program has support for multilanguage pedigrees (at the present moment the English and Russian languages are supported).
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pedigree/pedigree-perl/doc/pedigree.pdf
– local file	./2002972313-pedigree.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pedigree/pedigree-perl
on MikTeX	pedigree-perl
on T _E XLive	pedigree-perl
keyword	humanities (support for studies in the humanities)
keyword	csv-support (read, process and convert CSV data)
language(s)	no language specified
year	2022
last access	2025-02-07

4584 *pegmatch* – Parsing Expression Grammars for TeX

Web page on CTAN <https://ctan.org/pkg/pegmatch>

name	pegmatch
caption	Parsing Expression Grammars for TeX
author	Lyu, Jianrui
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2025B (2025-02-16)
last changes	2025-02-16
year	2025
description	(no language specified) This package ports PEG (Parsing Expression Grammars) to TeX. Following the design in LPEG (Parsing Expression Grammars for Lua), it defines patterns as LaTeX3 variables, and offers several operators to compose patterns. In general, PEG matching is much more powerful than RE (Regular Expressions) matching.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pegmatch/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pegmatch/pegmatch.pdf
– local file	<code>./8015712264-pegmatch.pdf</code>
contact	<i>support</i> : https://github.com/lvjrr/pegmatch/discussions
contact	<i>bugs</i> : https://github.com/lvjrr/pegmatch/issues
contact	<i>repository</i> : https://github.com/lvjrr/pegmatch
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pegmatch
on TeXLive	pegmatch
keyword	parser (parser application)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-21

4585 *penlight* – Penlight Lua libraries made available to LuaLaTeX users

Web page on CTAN <https://ctan.org/pkg/penlight>

name	penlight
caption	Penlight Lua libraries made available to LuaLaTeX users
author	Ewasiuk, Kale
copyright	Kale Ewasiuk (2021-2024)
copyright	Steve Donovan, David Manura (2009-2016)
license	mit = MIT License (free)
version	(2024-09-15)
last changes	2024-09-15
year	2024
description	(no language specified) This LuaLaTeX package provides a wrapper to use the penlight Lua libraries with LuaLaTeX, with some extra functionality added.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/generic/penlight/penlight.pdf
– local file	<code>./1924485745-penlight.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/penlight/README.md
contact	<i>repository</i> : https://github.com/kalekje/penlight
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/penlight
on MikTeX	penlight
on T _E XLive	penlight
keyword	luatex (LuaTeX and packages that require it)
see also	see section 4586 on page 4151: (penlightplus – Additions to the Penlight Lua libraries)
language(s)	no language specified
last access	2025-02-07

4586 penlightplus – Additions to the Penlight Lua librariesWeb page on CTAN <https://ctan.org/pkg/penlightplus>

name	penlightplus
caption	Additions to the Penlight Lua libraries
author	Ewasiuk, Kale
copyright	Kale Ewasiuk (2021-2025)
license	mit = MIT License (free)
version	(2025-01-18)
last changes	2025-01-18
year	2025
description	(no language specified) This package extends the penlight package by adding useful functions for interfacing with LaTeX.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/luatex/generic/penlightplus/penlightplus.pdf
– local file	./3315205832-penlightplus.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/luatex/generic/penlightplus/README.md
contact	<i>repository:</i> https://github.com/kalekje/penlight
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/penlightplus
on MikTeX	penlightplus
on T _E XLive	penlightplus
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
last access	2025-02-07

4587 **pennstander-otf** – OpenType versions of the pennstander fonts (with math support)

Web page on CTAN <https://ctan.org/pkg/pennstander-otf>

name	pennstander-otf
caption	OpenType versions of the pennstander fonts (with math support)
author	Pierquet, Cédric
copyright	Cédric Pierquet (2025)
license	ofl = The SIL Open Font License (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1 (2025-12-03)
last changes	2025-12-03
year	2025
description	(no language specified) This bundle provides OpenType versions Pennstander fonts designed by Julius Ross. It is usable with LuaTeX or XeTeX engines only.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/pennstander-otf/doc/pennstander-otf-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/pennstander-otf/README.md
contact	<i>bugs</i> : https://github.com/cpierquet/latex-packages/issues
contact	<i>repository</i> : https://github.com/cpierquet/latex-packages/tree/main/pennstander-otf
on CTAN	https://ctan.org/tex-archive/fonts/pennstander-otf
keyword	font (fonts themselves)
keyword	font-otf (font in OpenType format)
keyword	font-sans (sans-serif font)
keyword	font-maths (fonts for use in mathematics)
language(s)	no language specified
last access	2025-12-04

4588 *penrose* – A TikZ library for producing Penrose tilings

Web page on CTAN <https://ctan.org/pkg/penrose>

name	penrose
caption	A TikZ library for producing Penrose tilings
author	Stacey, Andrew
copyright	Andrew Stacey (2014-2019)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.4
description	(no language specified) This package provides a TikZ library for drawing Penrose tiles. It currently supports the kite/dart, rhombus, and pentagon tile sets. There are two main methods for their placement: one that automatically generates a tiling, and one that allows for "by hand" placement. Furthermore, the tiles themselves can be deformed and will still (hopefully!) fit together in the correct fashion. This package is now superseded by package tilings , which deals with more extensive tiles than just the Penrose tile sets.
documentation	(no language specified) <i>User documentation</i>: https://ctan.org/tex-archive/obsolete/graphics/pgf/contrib/penrose/penrose.pdf
– local file	./6903811008-penrose.pdf
documentation	(no language specified) <i>Code documentation</i>: https://ctan.org/tex-archive/obsolete/graphics/pgf/contrib/penrose/penrose_code.pdf
– local file	./1795251765-penrose_code.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/obsolete/graphics/pgf/contrib/penrose/README
contact	<i>bugs</i> : https://github.com/loopspace/penrose/issues
contact	<i>repository</i> : https://github.com/loopspace/penrose
on CTAN	https://ctan.org/tex-archive/obsolete/graphics/pgf/contrib/penrose
on MikTeX	penrose
keyword	maths (support for typesetting mathematics)
keyword	expl3 (expl3(unknown))
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	obsolete (package declared obsolete)

language(s) no language specified
year 2019
last access 2025-02-07

4589 *perception* – BibTeX style for the journal *Perception*

Web page on CTAN <https://ctan.org/pkg/perception>
name *perception*
caption BibTeX style for the journal *Perception*
author Singer, Jed
license lpl = The LaTeX Project Public License (free)
description (no language specified) A product of custom-bib, provided simply to save others' time.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/biblio/bibtex/contrib/perception/README>
on CTAN <https://ctan.org/tex-archive/biblio/bibtex/contrib/perception>
on MikTeX *perception*
on T_EXLive *perception*
keyword journalpub (typesetting journals, etc)
keyword bibtex-sty (bibtex-sty(unknown))
language(s) no language specified
year without year
last access 2025-02-07

4590 *perfectcut* – Nested delimiters that consistently grow regardless of the contents

Web page on CTAN <https://ctan.org/pkg/perfectcut>
name *perfectcut*
caption Nested delimiters that consistently grow regardless of the contents
author Munch-Maccagnoni, Guillaume
license lpl1.3 = The LaTeX Project Public License 1.3 (free)
version 2.3

description	(no language specified) This package defines the command <code>\perfectcut#1#2</code> which displays a bracket <code><#1 #2></code>. Various other delimiters are similarly defined (parentheses, square brackets ...). The effect of these commands is to let the delimiters grow according to the number of nested <code>\perfectcommands</code> (regardless of the size of the contents). The package was originally intended for solving a notational issue for direct-style continuation calculi in proof theory. For general use, the package also defines commands for defining other sorts of delimiters which will behave in the same way (see example in the documentation). The package also offers a robust reimplementaion of <code>\big</code>, <code>\bigg</code>, etc.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/perfectcut/perfectcut.pdf
– local file	<code>./4054026183-perfectcut.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/perfectcut/README
home page	https://gitlab.com/gadmm/perfectcut
contact	<i>bugs:</i> https://gitlab.com/gadmm/perfectcut/-/issues
contact	<i>repository:</i> https://gitlab.com/gadmm/perfectcut.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/perfectcut
on MikTeX	<code>perfectcut</code>
on TeXLive	<code>perfectcut</code>
keyword	<code>paren-mgmt</code> (match and otherwise manage parentheses)
keyword	<code>comp-theory</code> (typeset theoretical computer science material)
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	no language specified
year	without year
last access	2025-02-07

4591 perltex – Define LaTeX macros in terms of Perl code

Web page on CTAN <https://ctan.org/pkg/perltex>

name	perltex
caption	Define LaTeX macros in terms of Perl code
author	Pakin, Scott
copyright	Scott Pakin (2003-2024)
license	lppl = The LaTeX Project Public License (free)
version	2.3
description	(no language specified) PerlTeX is a combination Perl script (perltex.pl) and LaTeX2e package (perltex.sty) that, together, give the user the ability to define LaTeX macros in terms of Perl code. Once defined, a Perl macro becomes indistinguishable from any other LaTeX macro. PerlTeX thereby combines LaTeX's typesetting power with Perl's programmability. PerlTeX will make use of persistent named pipes, and thereby run more efficiently, on operating systems that offer them (mostly Unix-like systems). Also provided is a switch to generate a PerlTeX-free, document-specific, noperltex.sty that is useful when distributing a document to places where PerlTeX is not available.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/perltex/perltex.pdf
– local file	./8981492990-perltex.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/perltex/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/perltex
on MikTeX	perltex
on TeXLive	perltex
keyword	callback (call external code and process the result)
language(s)	no language specified
year	2024
last access	2025-02-07

4592 permute – Support for symmetric groups

Web page on CTAN <https://ctan.org/pkg/permute>

name	permute
caption	Support for symmetric groups
author	Heinz, Carsten
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) A package for symmetric groups, allowing you to input, output, and calculate with them.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/permute/permute.pdf
– local file	./7090344811-permute.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/permute
on MikTeX	permute
on TeXLive	permute
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	without year
last access	2025-02-07

4593 perpage – Make a counter reset at every page boundary

Web page on CTAN <https://ctan.org/pkg/perpage>

name	perpage
caption	Make a counter reset at every page boundary
author	Kastrup, David
license	gpl2 = GNU General Public License, version 2 (free)
version	1.12

description	(no language specified) The package provides a mechanism to reset counters per page and/or keep their occurrences sorted in order of appearance on the page. The package also defines a command <code>\MakePerPage</code> that designates a counter to be reset per page. For example <code>\MakePerPage[2]{footnote}</code> will cause footnote numbers to start at 2 at the start of every page (the optional argument defaults to 1). The mechanism may require multiple passes to work; LaTeX gives the usual changed label warning if this is necessary. The package is distributed as part of the bigfoot bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bigfoot/perpage.pdf
– local file	<code>./3528754239-perpage.pdf</code>
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bigfoot/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bigfoot
on MikTeX	bigfoot
on TeXLive	bigfoot
keyword	macro-supp (support for development of (La)TeX macros)
keyword	counter-mgmt (management of counters)
keyword	typesetting (support for variations of typographic style)
language(s)	no language specified
year	without year
last access	2025-02-07

4594 *persian-bib* – Persian translations of classic BibTeX styles

Web page on CTAN <https://ctan.org/pkg/persian-bib>

name	persian-bib
caption	Persian translations of classic BibTeX styles
author	Amintoosi, Mahmood
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.9 (2015-05-09)
last changes	2015-05-09
year	2015

description	(no language specified) Currently 9 files: <code>acm-fa.bst</code> , <code>asa-fa.bst</code> , <code>chicago-fa.bst</code> , <code>ieeetr-fa.bst</code> , <code>plain-fa-inLTR-beamer.bst</code> , <code>plain-fa-inLTR.bst</code> , <code>plain-fa.bst</code> , <code>plainnat-fa.bst</code> and <code>unsrt-fa.bst</code> are modified for Persian documents prepared with XePersian (which the present package depends on). The Persian <code>.bst</code> files can simultaneously handle both Latin and Persian references. A file <code>cp1256fa.csf</code> is provided for correct sorting of Persian references and three fields <code>LANGUAGE</code> , <code>TRANSLATOR</code> and <code>AUTHORFA</code> are defined.
documentation	(Persian) <i>Package documentation</i>: https://ctan.org/tex-archive/biblio/bibtex/contrib/persian-bib/Persian-bib-userguide.pdf
– local file	<code>./6514688037-Persian-bib-userguide.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/biblio/bibtex/contrib/persian-bib/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/persian-bib
on MikTeX	<code>persian-bib</code>
on T _E XLive	<code>persian-bib</code>
keyword	<code>persian</code> (support for typesetting Persian)
keyword	<code>bibtex-sty</code> (<code>bibtex-sty(unknown)</code>)
language(s)	Persian
last access	2025-02-07

4595 *petiteannonce* – A class for small advertisements

Web page on CTAN <https://ctan.org/pkg/petiteannonce>

name	<code>petiteannonce</code>
caption	A class for small advertisements
author	Belaïche, Vincent
license	l _{pl} = The LaTeX Project Public License (free)
version	1.0001
description	(no language specified) The class enables you to create the sort of adverts that you pin on a noticeboard, with tear-off strips at the bottom where you can place contact details.

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/petiteannonce/petiteannonce.doc.pdf
– local file	./1509298629-petiteannonce.doc.pdf
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/petiteannonce/petiteannonceexample.pdf
– local file	./6696725105-petiteannonceexample.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/petiteannonce
on MikTeX	petiteannonce
on TeXLive	petiteannonce
keyword	advert (small advertisements, fly sheets, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

4596 *petri-nets* – A set TeX/LaTeX packages for drawing Petri nets

Web page on CTAN	https://ctan.org/pkg/petri-nets
name	Petri-nets
caption	A set TeX/LaTeX packages for drawing Petri nets
author	Pommereau, Franck
copyright	Franck Pommereau (1999-2000)
license	gpl = GNU General Public License (free)
description	(no language specified) Petri-nets offers a set of TeX/LaTeX packages about Petri nets and related models. Three packages are available: • the first allows the user to draw Petri-nets in PostScript documents; • the second defines macros related to PBC, M-nets and B(PN) models; • and a third that combines the other two.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/generic/petri-nets/pndoc.pdf
– local file	./8201983964-pndoc.pdf
on CTAN	https://ctan.org/tex-archive/macros/generic/petri-nets

4597 pf2afm – AFM generator for Adobe Type 1 fonts

on MikTeX	petri-nets
on T _E XLive	petri-nets
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	2000
last access	2025-02-07

4597 pf2afm – AFM generator for Adobe Type 1 fonts

Web page on CTAN <https://ctan.org/pkg/pf2afm>

name	pf2afm
caption	AFM generator for Adobe Type 1 fonts
author	BOP
license	pd = Public Domain Software (free)
version	1.0
description	(no language specified) A PostScript program for generating missing AFM files from PFB/PFA and (optionally) PFM font files.
on CTAN	https://ctan.org/tex-archive/fonts/utilities/pf2afm
keyword	font-proc (process fonts for use with TeX (includes installation))
language(s)	no language specified
year	without year
last access	2025-02-07

4598 pfarrei – LaTeX support of pastors' and priests' work

Web page on CTAN <https://ctan.org/pkg/pfarrei>

name	pfarrei
caption	LaTeX support of pastors' and priests' work
author	Kohm, Markus
copyright	Markus Kohm (2013)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	r37

description	(no language specified) In "Die TeXnische Komödie" (issue 1/2013) Christian Justen described his use of LaTeX in his work as priest (similar requirements may be encountered in the work of pastors and other ministers of religion). One point was to arrange A5 pages onto A4 landscape paper, either side-by-side or as a booklet. Justen made two bash scripts for this job; the package provides one texlua script for both requirements. (Note that file <code>a5toa4.tlu</code> should have execute permissions in any installation.)
documentation	<i>Package documentation (German):</i> https://ctan.org/tex-archive/macros/latex/contrib/pfarrei/pfarrei.pdf
– local file	<code>./3802911163-pfarrei.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/pfarrei/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pfarrei
on MikTeX	<code>pfarrei</code>
on TeXLive	<code>pfarrei</code>
keyword	<code>compact-print</code> (compact output, typically multiple pages/sheet)
language(s)	German
year	2013
last access	2025-02-07

4599 pdficons – Draw process flow diagrams in chemical engineering

Web page on CTAN <https://ctan.org/pkg/pdficons>

name	<code>pdficons</code>
caption	Draw process flow diagrams in chemical engineering
author	Drews, Aaron
copyright	Aaron Drews (2021-2026)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1 (2026-02-11)
last changes	2026-02-11
year	2026

4600 *pfm2afm* – Convert PFM files to AFM, and vice versa

description	(no language specified) This package provides TikZ shapes to represent commonly encountered unit operations for depiction in process flow diagrams (PFDs) and, to a lesser extent, process and instrumentation diagrams (PIDs). The package was designed with undergraduate chemical engineering students and faculty in mind, and the number of units provided should cover—in Turton’s estimate—about 90 percent of all fluid processing operations.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pfdicons/pfdicons-doc.pdf
– local file	<code>./2111375478-pfdicons-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pfdicons/README.md
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/pfdicons
on MikTeX	<code>pfdicons</code>
on TeXLive	<code>pfdicons</code>
keyword	<code>chemistry</code> (chemistry document support)
keyword	<code>graphics</code> (graphics (support packages))
keyword	<code>engineering</code> (typesetting associated with engineering of whatever sort)
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
language(s)	no language specified
last access	2026-03-26

4600 *pfm2afm* – Convert PFM files to AFM, and vice versa

Web page on CTAN <https://ctan.org/pkg/pfm2afm>

name	<code>pfm2afm</code>
caption	Convert PFM files to AFM, and vice versa
author	Lang, Russell
copyright	Russell Lang (1994)
license	gpl = GNU General Public License (free)
version	1.1
description	(no language specified) Two programs that translate in either direction between (binary) Windows printer font metric (PFM) and Adobe font metric (AFM) files.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/utilities/pfm2afm/README
on CTAN	https://ctan.org/tex-archive/fonts/utilities/pfm2afm
keyword	font-proc (process fonts for use with TeX (includes installation))
language(s)	no language specified
year	1994
last access	2025-02-07

4601 *pfnote* – Number footnotes per page

Web page on CTAN <https://ctan.org/pkg/pfnote>

name	pfnote
caption	Number footnotes per page
author	Nakashima, Hiroshi
copyright	Hiroshi Nakashima (1999)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package contrives to reset the footnote number for each page of the document (not as simple a job as it might seem). Other packages that can do this job are footnpag , perpage and footmisc . The package is part of the yafoot bundle of footnote facilities.
documentation	(no language specified) <i>Bundle documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/yafoot/yafoot-man.pdf
– local file	./7831620015-yafoot-man.pdf
documentation	(no language specified) <i>Bundle Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/yafoot/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/yafoot
on MikTeX	yafoot
on TeXLive	yafoot
keyword	footnote (footnote support)
language(s)	no language specified
year	1999
last access	2025-02-07

4602 *pgf* – Create PostScript and PDF graphics in TeX

Web page on CTAN <https://ctan.org/pkg/pgf>

Alias	TikZ
name	pgf
caption	Create PostScript and PDF graphics in TeX
author	Tantau, Till
author	Menke, Henri
author	Feuersänger, Christian
author	The PGF/TikZ Team
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	gpl2 = GNU General Public License, version 2 (free)
license	fdl = Free Documentation License (free)
version	3.1.11a (2025-08-29)
last changes	2025-08-29
year	2025
description	(no language specified) PGF is a macro package for creating graphics. It is platform- and format-independent and works together with the most important TeX backend drivers, including pdfTeX and dvips. It comes with a user-friendly syntax layer called TikZ. Its usage is similar to pstricks and the standard picture environment. PGF works with plain (pdf-)TeX, (pdf-)LaTeX, and ConTeXt. Unlike pstricks, it can produce either PostScript or PDF output.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/graphics/pgf/base/README.md
documentation	(no language specified) <i>Minimal introduction to TikZ (unofficial)</i>: https://cremeronline.com/LaTeX/minimaltikz.pdf
– local file	<code>./5663633399-minimaltikz.pdf</code>
documentation	(no language specified) <i>PGF Manual</i>: https://ctan.org/tex-archive/graphics/pgf/base/doc/generic/pgf/pgfmanual.pdf
– local file	<code>./3945307016-pgfmanual.pdf</code>
contact	<i>support</i> : https://tug.org/mailman/listinfo/pgf-tikz
contact	<i>bugs</i> : https://github.com/pgf-tikz/pgf/issues
contact	<i>repository</i> : https://github.com/pgf-tikz/pgf

on CTAN	https://ctan.org/tex-archive/graphics/pgf/base
installation	https://ctan.org/tex-archive/install/graphics/pgf/base/pgf.tds.zip
on MikTeX	pgf
on TeXLive	pgf
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	graphics (graphics (support packages))
language(s)	no language specified
last access	2025-08-31

4603 *pgf-blur* – PGF/TikZ package for “blurred” shadows

Web page on CTAN	https://ctan.org/pkg/pgf-blur
name	pgf-blur
caption	PGF/TikZ package for “blurred” shadows
author	Giese, Martin
author	Preining, Norbert
author	Stacey, Andrew
copyright	Norbert Preining (2018)
copyright	Martin Giese (2012)
license	pd = Public Domain Software (free)
license	lppl = The LaTeX Project Public License (free)
version	1.02
description	(no language specified) The package adds blurred/faded/fuzzy shadows to PGF/TikZ pictures. It is configured as a TikZ/PGF library module. The method is similar to that of the author’s pst-blur package for PSTricks.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pgf-blur/pgf-blur.pdf
– local file	./9144980573-pgf-blur.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pgf-blur/README.md
home page	https://github.com/norbusan/pgf-blur

contact	<i>bugs:</i> https://github.com/norbusan/pgf-blur/issues
contact	<i>repository:</i> https://github.com/norbusan/pgf-blur
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/pgf-blur
on MikTeX	pgf-blur
on TeXLive	pgf-blur
keyword	graphics-subpic (generate parts of pictures)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
year	2018
last access	2025-08-31

4604 pgf-cmykshadings – Support for CMYK and grayscale shadings in PGF/TikZ

Web page on CTAN <https://ctan.org/pkg/pgf-cmykshadings>

name	pgf-cmykshadings
caption	Support for CMYK and grayscale shadings in PGF/TikZ
author	Purton, David
copyright	David Purton (2018-2019)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2 (2019-11-05)
last changes	2019-11-05
year	2019
description	(no language specified) This package provides support for CMYK and grayscale shadings for the pgf package. By default pgf used to support only RGB shadings. The package attempts to produce shadings consistent with the currently selected xcolor colour model. The <code>rgb</code>, <code>cmyk</code>, and <code>gray</code> colour models from the xcolor package are supported. Note: This package has been deprecated since pgf version 3.1.3, since CMYK and grayscale shadings are now directly supported.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/obsolete/graphics/pgf/contrib/pgf-cmykshadings/README.md

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/graphics/pgf/contrib/pgf-cmykshadings/pgf-cmykshadings.pdf
– local file	./2564617789-pgf-cmykshadings.pdf
contact	<i>bugs</i> : https://github.com/dcpurton/pgf-cmykshadings/issues
contact	<i>repository</i> : https://github.com/dcpurton/pgf-cmykshadings
on CTAN	https://ctan.org/tex-archive/obsolete/graphics/pgf/contrib/pgf-cmykshadings
on MikTeX	pgf-cmykshadings
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	colour (typesetting in colour)
language(s)	no language specified
last access	2025-08-31

4605 *pgf-go* – Diagramming and commenting on Go games

Web page on CTAN <https://ctan.org/pkg/pgf-go>

name	pgf-go
caption	Diagramming and commenting on Go games
author	Perren, Jonatán
copyright	Jonatán Perren (2025)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2025.03.10 (2025-03-10)
last changes	2025-03-10
year	2025
description	(no language specified) A LaTeX package for creating Go (Baduk) diagrams with ease. It features an efficient coordinate-loading syntax to streamline workflows and offers flexible profile manipulation, allowing users to customize board layouts, stones, and annotations effortlessly.
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pgf-go/doc/examples/example-6.pdf
– local file	./1720631766-example-6.pdf
documentation	<i>Package documentation (Spanish)</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pgf-go/pgf-go-es.pdf

– local file	<code>./6942596411-pgf-go-es.pdf</code>
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pgf-go/pgf-go-en.pdf
– local file	<code>./5580321939-pgf-go-en.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pgf-go/README.md
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/pgf-go
on MikTeX	<code>pgf-go</code>
on T _E XLive	<code>pgf-go</code>
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
language(s)	Spanish
last access	2025-08-31

4606 *pgf-interference* – Drawing interference patterns with PGF/TikZ

Web page on CTAN	https://ctan.org/pkg/pgf-interference
name	<code>pgf-interference</code>
caption	Drawing interference patterns with PGF/TikZ
author	Wehr, Keno
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1
description	(no language specified) This LaTeX package makes it possible to simulate interference patterns occurring on a screen if monochromatic light is diffracted at regular structures of slits. It makes use of the PGF/TikZ graphics package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pgf-interference/README
documentation	<i>Package documentation (English)</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pgf-interference/pgf-interference-en.pdf
– local file	<code>./1687381618-pgf-interference-en.pdf</code>
documentation	<i>Package documentation (German)</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pgf-interference/pgf-interference-de.pdf

4607 *pgf-periodictable* – Create custom periodic tables of elements

– local file	<code>./1129887304-pgf-interference-de.pdf</code>
contact	<i>bugs:</i> https://codeberg.org/wehr/pgf-interference/issues
contact	<i>repository:</i> https://codeberg.org/wehr/pgf-interference
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/pgf-interference
on MikTeX	pgf-interference
on TeXLive	pgf-interference
keyword	physics (support for typesetting physics documents)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	German; English
year	without year
last access	2025-08-31

4607 *pgf-periodictable* – Create custom periodic tables of elements

Web page on CTAN <https://ctan.org/pkg/pgf-periodictable>

name	pgf-PeriodicTable
caption	Create custom periodic tables of elements
author	Gomes, Hugo
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.1.5 (2025-02-10)
last changes	2025-02-10
year	2025
description	(no language specified) The purpose of this package is to provide the Periodic Table of Elements in a simple way. It relies on PGF/TikZ to offer a full or partial periodic table with a variety of options and displaying the desired data for all the 118 elements. It can be done in different languages: English, French, German, Portuguese (from Portugal and from Brazil), Spanish, Italian and translations provided by user contributions – currently in Dutch and Chinese. Compatible with pdfLaTeX, LuaLaTeX and XeLaTeX engines.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/pgf-periodictable/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/pgf-periodictable/pgf-PeriodicTableManual.pdf

4608 *pgf-pie* – Draw pie charts, using PGF

– local file	<code>./3065529431-pgf-PeriodicTableManual.pdf</code>
contact	<i>repository</i> : https://github.com/HugoPGomes/pgf-periodictable
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/pgf-periodictable
on MikTeX	pgf-periodictable
on TeXLive	pgf-periodictable
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	chemistry (chemistry document support)
language(s)	no language specified
last access	2025-08-31

4608 *pgf-pie* – Draw pie charts, using PGF

Web page on CTAN <https://ctan.org/pkg/pgf-pie>

name	pgf-pie
caption	Draw pie charts, using PGF
author	The PGF/TikZ Team
author	Yuan, Xu
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	gpl2 = GNU General Public License, version 2 (free)
version	0.7
description	(no language specified) The package provides the means to draw pie (and variant) charts, using PGF/TikZ .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pgf-pie/pgf-pie-manual.pdf
– local file	<code>./4268081345-pgf-pie-manual.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pgf-pie/README.md
contact	<i>support</i> : https://tug.org/mailman/listinfo/pgf-tikz
contact	<i>bugs</i> : https://github.com/pgf-tikz/pgf-pie/issues
contact	<i>repository</i> : https://github.com/pgf-tikz/pgf-pie
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/pgf-pie

on MikTeX	pgf-pie
on T _E XLive	pgf-pie
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	genchart (drawing bar- or pie-charts)
language(s)	no language specified
year	without year
last access	2025-08-31

4609 pgf-soroban – Create images of the soroban using TikZ/PGF

Web page on CTAN <https://ctan.org/pkg/pgf-soroban>

name	pgf-soroban
caption	Create images of the soroban using TikZ/PGF
author	Delmotte, Alain
license	lppl = The LaTeX Project Public License (free)
version	1.1 (2013-11-27)
last changes	2013-11-27
year	2013
description	(no language specified) The package makes it possible to create pictures of the soroban (Japanese abacus) using PGF/TikZ
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pgf-soroban/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pgf-soroban/pgf-soroban-doc.pdf
– local file	./8262764675-pgf-soroban-doc.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/pgf-soroban
on MikTeX	pgf-soroban
on T _E XLive	pgf-soroban
keyword	diagram (diagrams)
see also	see section 4960 on page 4491: (pst-soroban – Draw a Soroban using PSTricks)
language(s)	no language specified

last access 2025-08-31

4610 *pgf-spectra* – Draw continuous or discrete spectra using PGF/TikZWeb page on CTAN <https://ctan.org/pkg/pgf-spectra>name *pgf-spectra*

caption Draw continuous or discrete spectra using PGF/TikZ

author Gomes, Hugo

license lpl1.3 = The LaTeX Project Public License 1.3 (free)

version 3.0.2 (2025-06-16)

last changes 2025-06-16

year 2025

description (no language specified) The purpose of this package is to draw the spectrum of elements in a simple way. It relies on **PGF/TikZ** to draw the desired spectrum, continuous or discrete.

Data for the spectra of 98 elements and their ions are available (from the NASA database and from NIST). Lines data ranges from Extreme UV to Near IR (from 10 to 4000 nanometers).

It also allows the user to draw spectra using their own data.

It is possible to redshift the lines of a spectrum, by directly entering the redshift value or the velocity and the angle to compute the redshift value.

Spectral lines data can be presented in a table or exported to a file.

The package also provides color conversion (correlated color temperature), shadings for use with **TikZ** and/or **pgfplots** and color maps for use with **pgfplots**.

documentation (no language specified) *Package documentation:*
<https://ctan.org/tex-archive/graphics/pgf/contrib/pgf-spectra/pgf-spectraManual.pdf>

– local file ./5649099495-pgf-spectraManual.pdf

documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/graphics/pgf/contrib/pgf-spectra/README>

on CTAN <https://ctan.org/tex-archive/graphics/pgf/contrib/pgf-spectra>

on MikTeX *pgf-spectra*

on T_EXLive *pgf-spectra*

keyword physics (support for typesetting physics documents)
 keyword pgf-tikz (package uses PGF-TikZ)
 language(s) no language specified
 last access 2025-08-31

4611 *pgf-umlcd* – Some LaTeX macros for UML Class Diagrams

Web page on CTAN <https://ctan.org/pkg/pgf-umlcd>

name pgf-umlcd
 caption Some LaTeX macros for UML Class Diagrams
 author Yuan, Xu
 author The PGF/TikZ Team
 copyright Yuan Xu (2009-2020)
 license gpl2 = GNU General Public License, version 2 (free)
 license lppl1.3c = The LaTeX Project Public License 1.3c (free)
 version 0.3 (2022-05-22)
 last changes 2022-05-22
 year 2022
 description (no language specified) Some LaTeX macros for UML Class Diagrams.
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/graphics/pgf/contrib/pgf-umlcd/README.md>
 documentation (no language specified) *Package documentation*:
 <https://ctan.org/tex-archive/graphics/pgf/contrib/pgf-umlcd/pgf-umlcd-manual.pdf>
 – local file ./3612802753-pgf-umlcd-manual.pdf
 contact *support*: <https://tug.org/mailman/listinfo/pgf-tikz>
 contact *bugs*: <https://github.com/pgf-tikz/pgf-umlcd/issues>
 contact *repository*: <https://github.com/pgf-tikz/pgf-umlcd>
 on CTAN <https://ctan.org/tex-archive/graphics/pgf/contrib/pgf-umlcd>
 on MikTeX pgf-umlcd
 on TeXLive pgf-umlcd
 keyword uml (support for Universal Modelling Language diagrams)

keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
see also	see section 6445 on page 5823: (UML – UML diagrams in LaTeX)
see also	see section 4974 on page 4503: (<code>pst-uml</code> – UML diagrams with PSTricks)
language(s)	no language specified
last access	2025-08-31

4612 *pgf-umlsd* – Draw UML Sequence Diagrams

Web page on CTAN <https://ctan.org/pkg/pgf-umlsd>

name	<code>pgf-umlsd</code>
caption	Draw UML Sequence Diagrams
author	The PGF/TikZ Team
author	Yuan, Xu
license	gpl = GNU General Public License (free)
version	0.7
description	(no language specified) LaTeX macros to draw UML diagrams using pgf
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pgf-umlsd/pgf-umlsd-manual.pdf
– local file	<code>./7555723690-pgf-umlsd-manual.pdf</code>
contact	<i>support</i> : https://tug.org/mailman/listinfo/pgf-tikz
contact	<i>bugs</i> : https://github.com/pgf-tikz/pgf-umlsd/issues
contact	<i>repository</i> : https://github.com/pgf-tikz/pgf-umlsd
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/pgf-umlsd
on MikTeX	<code>pgf-umlsd</code>
on TeXLive	<code>pgf-umlsd</code>
keyword	<code>uml</code> (support for Universal Modelling Language diagrams)
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
see also	see section 4974 on page 4503: (<code>pst-uml</code> – UML diagrams with PSTricks)
see also	see section 6445 on page 5823: (UML – UML diagrams in LaTeX)
language(s)	no language specified
year	without year

last access 2025-08-31

4613 *pgfgantt* – Draw Gantt charts with TikZ

Web page on CTAN <https://ctan.org/pkg/pgfgantt>

name	pgfgantt
caption	Draw Gantt charts with TikZ
author	Esser-Skala, Wolfgang
copyright	Wolfgang Skala (2018-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	5.0a (2024-06-19)
last changes	2024-06-19
year	2024
description	(no language specified) The package provides an environment for drawing Gantt charts that contain various elements (titles, bars, milestones, groups and links). Several keys customize the appearance of the chart elements.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pgfgantt/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pgfgantt/pgfgantt-doc.pdf
– local file	./1940955910-pgfgantt-doc.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/pgfgantt
on MikTeX	pgfgantt
on TeXLive	pgfgantt
keyword	gantt (real-time scheduling Gantt charts)
keyword	graphics (graphics (support packages))
keyword	diagram (diagrams)
keyword	pgf-tikz (package uses PGF-TikZ)
see also	see section 4911 on page 4443: (pst-gantt – Draw GANTT charts with PSTricks)
language(s)	no language specified
last access	2025-08-31

4614 pgfkeys – Key value control for PGF

Web page on CTAN <https://ctan.org/pkg/pgfkeys>

name	pgfkeys
caption	Key value control for PGF
author	Tantau, Till
copyright	Till Tantau (2007)
license	lppl = The LaTeX Project Public License (free)
version	(2007-10-08)
last changes	2007-10-08
year	2007
description	(no language specified) The package provides a flexible key management system, whose keys are arranged in a tree-like structure; key values may be functions as well as strings or numbers. The package is distributed as part of the pgf bundle.
documentation	(no language specified) <i>Documentation is a section in PGF document:</i> https://ctan.org/tex-archive/graphics/pgf/base/doc/generic/pgf/pgfmanual.pdf
– local file	<code>./3945307016-pgfmanual.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pgf/base
on MikTeX	pgf
on T _E XLive	pgf
keyword	keyval (key-value argument systems)
language(s)	no language specified
last access	2025-09-11

4615 pgfkeysearch – Find keys in a given path ‘recursively’Web page on CTAN <https://ctan.org/pkg/pgfkeysearch>

name	pgfkeysearch
caption	Find keys in a given path ‘recursively’
author	Frigeri, Alceu
copyright	Alceu Frigeri (2023-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	gpl = GNU General Public License (free)
version	1.5 (2025-11-06)
last changes	2025-11-06
year	2025
description	(no language specified) The command <code>\pgfkeysvalueof</code>, unlike <code>\pgfkeys</code>, does not use the <code>.unknown</code> handler, but raises an error if a key is not defined in the given path. It neither offers an option to search for the key in other paths. This package defines commands that allow to retrieve the value of a key, recursively searching for it in a list of paths.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pgfkeysearch/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pgfkeysearch/doc/pgfkeysearch.pdf
– local file	<code>./1100545791-pgfkeysearch.pdf</code>
contact	<i>bugs</i> : https://github.com/alceu-frigeri/pgfkeysearch/issues
contact	<i>repository</i> : https://github.com/alceu-frigeri/pgfkeysearch
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pgfkeysearch
on MikTeX	pgfkeysearch
on TeXLive	pgfkeysearch
keyword	keyval (key-value argument systems)
language(s)	no language specified
last access	2025-11-16

4616 *pgfkeyx* – Extended and more robust version of *pgfkeys*Web page on CTAN <https://ctan.org/pkg/pgfkeyx>

name	<code>pgfkeyx</code>
caption	Extended and more robust version of <i>pgfkeys</i>
author	Musa, Ahmed
copyright	Ahmed Musa (2012)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.0.1
description	(no language specified) The package extends and improves the robustness of the <i>pgfkeys</i> package. In particular, it can deal with active comma, equality sign, and slash in key parsing. The difficulty with active characters has long been a problem with the <i>pgfkeys</i> package. The package also introduces handlers beyond those that <i>pgfkeys</i> can offer.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pgfkeyx/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pgfkeyx
on MikTeX	<code>pgfkeyx</code>
on TeXLive	<code>pgfkeyx</code>
keyword	<code>keyval</code> (key-value argument systems)
language(s)	no language specified
year	2012
last access	2025-08-31

4617 *pgfmath-xfp* – Define *pgfmath* functions using *xfp*Web page on CTAN <https://ctan.org/pkg/pgfmath-xfp>

name	<code>pgfmath-xfp</code>
caption	Define <i>pgfmath</i> functions using <i>xfp</i>
author	Spratte, Jonathan P.
copyright	Jonathan P. Spratte (2020-2021)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0a (2025-01-11)

last changes	2025-01-11
year	2025
description	(no language specified) This package allows to define pgfmath functions that use the xfp fpu for their calculations. The input arguments are parsed with pgfmath (while the pgf -fpu is locally active), and the results are forwarded to xfp 's fpu for the function evaluation. The result of that calculation is then parsed by pgfmath again (with the surrounding settings of pgfmath). This way the functions should be usable in every pgfmath context, though there is some overhead to this approach. The package is only meant as a temporary stopgap until a more dedicated solution is available to use xfp in pgf .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pgfmath-xfp/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pgfmath-xfp/pgfmath-xfp.pdf
– local file	<code>./9315654265-pgfmath-xfp.pdf</code>
contact	<i>repository</i> : https://github.com/Skillmon/ltx_pgfmath-xfp
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pgfmath-xfp
on MikTeX	<code>pgfmath-xfp</code>
on T _E XLive	<code>pgfmath-xfp</code>
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>calculation</code> (perform calculations within TeX)
language(s)	no language specified
last access	2025-08-31

4618 *pgfmolbio* – Draw graphs typically found in molecular biology texts

Web page on CTAN	https://ctan.org/pkg/pgfmolbio
name	<code>pgfmolbio</code>
caption	Draw graphs typically found in molecular biology texts
author	Esser-Skala, Wolfgang
copyright	Wolfgang Skala (2011-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)

4619 *pgfmorepages* – Assemble multiple logical pages onto a physical page

version	0.21a (2024-06-17)
last changes	2024-06-17
year	2024
description	(no language specified) The package draws graphs typically found in molecular biology texts. Currently, the package contains modules for drawing DNA sequencing chromatograms and protein domain diagrams.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/pgfmlbio/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/pgfmlbio/pgfmlbio-doc.pdf
– local file	./4752140037-pgfmlbio-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/pgfmlbio
on MikTeX	pgfmlbio
on TeXLive	pgfmlbio
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	diagram (diagrams)
keyword	graphics (graphics (support packages))
keyword	luatex (LuaTeX and packages that require it)
keyword	molbio (support for typesetting molecular biology)
language(s)	no language specified
last access	2025-08-31

4619 *pgfmorepages* – Assemble multiple logical pages onto a physical page

Web page on CTAN <https://ctan.org/pkg/pgfmorepages>

name	pgfmorepages
caption	Assemble multiple logical pages onto a physical page
author	Stacey, Andrew
copyright	Andrew Stacey (2019-2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.20 (2020-04-16)
last changes	2020-04-16

year	2020
description	(no language specified) This package replaces and extends the pgfpages sub-package of the PGF system . It provides the capability to arrange multiple "logical" pages on multiple "physical" pages, for example as for arranging pages to make booklets.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/pgfmorepages/pgfmorepages.pdf
– local file	./2601445594-pgfmorepages.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/pgfmorepages/README
home page	https://github.com/loopspace/pgfmorepages
contact	<i>bugs:</i> https://github.com/loopspace/pgfmorepages/issues
contact	<i>repository:</i> https://github.com/loopspace/pgfmorepages
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/pgfmorepages
on MikTeX	pgfmorepages
on T _E XLive	pgfmorepages
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-08-31

4620 *pgfopts* – LaTeX package options with pgfkeys

Web page on CTAN <https://ctan.org/pkg/pgfopts>

name	pgfopts
caption	LaTeX package options with pgfkeys
author	Wright, Joseph
copyright	Joseph Wright (2008)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.1a

description	(no language specified) The pgfkeys package (part of the pgf distribution) is a well-designed way of defining and using large numbers of keys for key-value syntaxes. However, pgfkeys itself does not offer means of handling LaTeX class and package options. This package adds such option handling to pgfkeys, in the same way that kvoptions adds the same facility to the LaTeX standard keyval package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pgfopts/pgfopts.pdf
– local file	./2457125231-pgfopts.pdf
documentation on CTAN	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pgfopts/README
installation	https://ctan.org/tex-archive/macros/latex/contrib/pgfopts
on MikTeX	pgfopts
on TeXLive	pgfopts
keyword	keyval (key-value argument systems)
keyword	package-supp (support for other packages)
language(s)	no language specified
year	2008
last access	2025-08-31

4621 pgfornament – Drawing of Vectorian ornaments with PGF/TikZ

Web page on CTAN	https://ctan.org/pkg/pgfornament
name	pgfornament
caption	Drawing of Vectorian ornaments with PGF/TikZ
author	Matthes, Alain
copyright	Alain Matthes (2016-2020)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3 (2024-08-14)
last changes	2024-08-14
year	2024

description	(no language specified) This package allows the drawing of Vectorian ornaments (196) with PGF/TikZ . The documentation presents the syntax and parameters of the macro "pgfornament".
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tkz/pgfornament/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tkz/pgfornament/doc/ornaments.pdf
– local file	./5594418653-ornaments.pdf
home page	http://altermundus.fr
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tkz/pgfornament
on MikTeX	pgfornament
on TeXLive	pgfornament
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
keyword	graphics-plot (plot data)
see also	see section 4602 on page 4165: (pgf – Create PostScript and PDF graphics in TeX)
language(s)	no language specified
last access	2025-08-31

4622 *pgfornament-han* – *pgfornament library for Chinese traditional motifs and patterns*

Web page on CTAN <https://ctan.org/pkg/pgfornament-han>

name	pgfornament-han
caption	pgfornament library for Chinese traditional motifs and patterns
author	Lim, LianTze
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2024-10-22)
last changes	2024-10-22
year	2024

description	(no language specified) This package provides a pgfornament library for Chinese traditional motifs and patterns. The command <code>\pgfornamenthan</code> takes the same options as <code>\pgfornament</code> from the pgfornament package, but renders Chinese traditional motifs instead. The list of supported motifs, as well as some examples, can be found in the accompanying documentation. This bundle also provides three beamer themes incorporating these motifs; sample <code>.tex</code> files for creating beamer presentations and posters are included. 以 pgfornament 宏包的机制，实现绘制汉风图纹。<code>\pgfornamenthan</code> 和 <code>\pgfornament</code> 的参数是一样的；编译得出来的当然是汉风纹样了。宏包手册里有完整的纹样列表以及使用范例。我们也基于这些纹样，开发了三款beamer主题，并附上制作beamer幻灯片和海报的示范.tex文档。
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/pgfornament-han/README.md
documentation	<i>Package documentation (Chinese):</i> https://ctan.org/tex-archive/graphics/pgf/contrib/pgfornament-han/pgfornament-han-doc.pdf
– local file	<code>./5671803089-pgfornament-han-doc.pdf</code>
documentation	<i>(Chinese) Sample of the HeavenlyClouds beamer theme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/pgfornament-han/samples/heavenlyclouds-beamer-sample.pdf
– local file	<code>./2318923006-heavenlyclouds-beamer-sample.pdf</code>
documentation	<i>(Chinese) Sample of the Xiaoshan beamer theme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/pgfornament-han/samples/xiaoshan-beamer-sample.pdf
– local file	<code>./5744157645-xiaoshan-beamer-sample.pdf</code>
documentation	<i>(Chinese) Sample of the HeavenlyClouds poster theme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/pgfornament-han/samples/heavenlyclouds-poster-sample.pdf
– local file	<code>./1683719128-heavenlyclouds-poster-sample.pdf</code>
documentation	<i>(Chinese) Sample of the Tianqing beamer theme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/pgfornament-han/samples/tianqing-beamer-sample.pdf
– local file	<code>./3254720890-tianqing-beamer-sample.pdf</code>
documentation	<i>(Chinese) Sample of the Tianqing poster theme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/pgfornament-han/samples/tianqing-poster-sample.pdf
– local file	<code>./6689243542-tianqing-poster-sample.pdf</code>

4623 *pgfplots* – Create normal/logarithmic plots in two and three dimensions

documentation	(Chinese) <i>Sample of the Xiaoshan poster theme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/pgfornament-han/samples/xiaoshan-poster-sample.pdf
– local file	<code>./8456939900-xiaoshan-poster-sample.pdf</code>
contact	<i>repository:</i> https://github.com/liantze/pgfornament-han/
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/pgfornament-han
on MikTeX	<code>pgfornament-han</code>
on TeXLive	<code>pgfornament-han</code>
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>chinese</code> (support for typesetting Chinese languages)
keyword	<code>presentation</code> (slides, beamers, handouts, etc.)
keyword	<code>graphics-symb</code> (create symbols, rather than select from a font)
see also	see section 4621 on page 4183: (<code>pgfornament</code> – Drawing of Vectorian ornaments with PGF/TikZ)
language(s)	Chinese
last access	2025-08-31

4623 *pgfplots* – Create normal/logarithmic plots in two and three dimensions

Web page on CTAN	https://ctan.org/pkg/pgfplots
name	<code>pgfplots</code>
caption	Create normal/logarithmic plots in two and three dimensions
author	Feuersänger, Christian
author	The PGF/TikZ Team
author	Menke, Henri
copyright	Christian Feuersänger (2007-2021)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	1.18.2 (2025-08-14)
last changes	2025-08-14
year	2025

description	(no language specified) PGFPlots draws high-quality function plots in normal or logarithmic scaling with a user-friendly interface directly in TeX. The user supplies axis labels, legend entries and the plot coordinates for one or more plots and PGFPlots applies axis scaling, computes any logarithms and axis ticks and draws the plots, supporting line plots, scatter plots, piecewise constant plots, bar plots, area plots, mesh- and surface plots and some more. Pgfplots is based on PGF/TikZ (PGF); it runs equally for LaTeX/TeX/ConTeXt.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pgfplots/README
documentation	(no language specified) <i>Package manual</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pgfplots/doc/pgfplots.pdf
– local file	./8536785581-pgfplots.pdf
home page	http://pgfplots.sourceforge.net/
contact	<i>support</i> : https://tug.org/mailman/listinfo/pgf-tikz
contact	<i>bugs</i> : https://github.com/pgf-tikz/pgfplots/issues
contact	<i>repository</i> : https://github.com/pgf-tikz/pgfplots
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/pgfplots
installation	https://ctan.org/tex-archive/install/graphics/pgf/contrib/pgfplots.tds.zip
on MikTeX	pgfplots
on T _E XLive	pgfplots
keyword	graphics-plot (plot data)
keyword	graphics (graphics (support packages))
keyword	pgf-tikz (package uses PGF-TikZ)
see also	see section 4624 on page 4188: (pgfplotstable – Loads, rounds, formats and postprocesses numerical tables)
see also	see section 4948 on page 4479: (pst-plot – Plot data using PSTricks)
language(s)	no language specified
last access	2025-08-31

4624 pgfplotstable – Loads, rounds, formats and postprocesses numerical tables

Web page on CTAN <https://ctan.org/pkg/pgfplotstable>

name	pgfplotstable
caption	Loads, rounds, formats and postprocesses numerical tables
author	Menke, Henri
author	The PGF/TikZ Team
author	Feuersänger, Christian
copyright	Christian Feuersänger (2007-2021)
license	gpl = GNU General Public License (free)
version	1.18.2 (2025-08-14)
last changes	2025-08-14
year	2025
description	(no language specified) Pgfplotstable displays numerical tables rounded to desired precision in various display formats (for example scientific format, fixed point format or integer), using TeX's mathematical facilities for pretty printing. Furthermore, it provides methods for table postprocessing.
documentation	(no language specified) <i>Package manual</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pgfplots/doc/pgfplotstable.pdf
– local file	./1347182705-pgfplotstable.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/pgfplots
installation	https://ctan.org/tex-archive/install/graphics/pgf/contrib/pgfplots.tds.zip
on MikTeX	pgfplots
on T _E XLive	pgfplots
keyword	graphics-plot (plot data)
see also	see section 4623 on page 4186: (pgfplots – Create normal/logarithmic plots in two and three dimensions)
language(s)	no language specified
last access	2025-08-31

4625 *pgfplotsthemebeamer* – Use colours from the current beamer theme in pgfplots

Web page on CTAN <https://ctan.org/pkg/pgfplotsthemebeamer>

name	<code>pgfplotsthemebeamer</code>
caption	Use colours from the current beamer theme in pgfplots
author	samcarter
copyright	samcarter (2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2 (2024-08-02)
last changes	2024-08-02
year	2024
description	(no language specified) A LaTeX package for using colours from the current beamer theme in pgfplots diagrams.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pgfplotsthemebeamer/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pgfplotsthemebeamer/pgfplotsthemebeamer-doc.pdf
– local file	<code>./8882671013-pgfplotsthemebeamer-doc.pdf</code>
contact	<i>bugs</i> : https://github.com/samcarter/pgfplotsthemebeamer/issues
contact	<i>repository</i> : https://github.com/samcarter/pgfplotsthemebeamer
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/pgfplotsthemebeamer
on MikTeX	<code>pgfplotsthemebeamer</code>
on TeXLive	<code>pgfplotsthemebeamer</code>
keyword	graphics (graphics (support packages))
keyword	colour (typesetting in colour)
keyword	presentation (slides, beamers, handouts, etc.)
keyword	graphics-plot (plot data)
language(s)	no language specified
last access	2025-08-31

4626 *pgothic* – Fonts based on the Gothic Textura Prescisus manuscript book-hand

Web page on CTAN <https://ctan.org/pkg/pgothic>

name	pgothic
caption	Fonts based on the Gothic Textura Prescisus manuscript book-hand
author	Wilson, Peter R.
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The pgothic and allpgoth packages provide Metafont fonts based on the Gothic Textura Prescisus vel sine pedibus manuscript book-hand used from the 13th century AD. The font consists of majuscules, minuscules, and digits, with some appropriate period punctuation marks and ligatures. Both normal and bold versions are provided. This is one of a set of manuscript fonts . Access to the docmfp package is desirable but not essential to compile the package documentation.
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/bookhands/pgothic/pgothic-tryfont.pdf
– local file	./5985542450-pgothic-tryfont.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/bookhands/pgothic/README
on CTAN	https://ctan.org/tex-archive/fonts/bookhands/pgothic
on MikTeX	pgothic
on T _E XLive	bookhands
keyword	font-medieval (fonts for Medieval script)
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-bookhand (fonts of scripts used for manuscript books)
language(s)	no language specified
year	without year
last access	2025-02-07

4627 phaistos – Disk of Phaistos font

Web page on CTAN <https://ctan.org/pkg/phaistos>

name	phaistos
caption	Disk of Phaistos font
author	Syropoulos, Apostolos
copyright	Apostolos Syropoulos (2004)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) A font that contains all the symbols of the famous Disc of Phaistos, together with a LaTeX package. The disc was ‘printed’ by stamping the wet clay with some sort of punches, probably around 1700 BCE. The font is available in Adobe Type 1 and OpenType formats (the latter using the Unicode positions for the symbols). There are those who believe that this Cretan script was used to ‘write’ Greek (it is known, for example, that the rather later Cretan Linear B script was used to write Greek), but arguments for other languages have been presented.
documentation	(no language specified) <i>Table of symbols</i> : https://ctan.org/tex-archive/fonts/archaic/phaistos/var/glyphTable.pdf
– local file	<code>./4777529520-glyphTable.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/archaic/phaistos
on MikTeX	phaistos
on T _E XLive	phaistos
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-otf (font in OpenType format)
keyword	font (fonts themselves)
keyword	font-archaic (fonts reproducing archaic scripts or inscriptions)
language(s)	no language specified
year	2004
last access	2025-02-07

4628 phfcc – Convenient inline commenting in collaborative documents

Web page on CTAN <https://ctan.org/pkg/phfcc>

name	phfcc
caption	Convenient inline commenting in collaborative documents
author	Faist, Philippe
copyright	Philippe Faist (2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.0 (2021-10-06)
last changes	2021-10-06
year	2021
description	(no language specified) Easily define helper macros to insert comments in a LaTeX document. A convenient syntax enables you to mark text additions (e.g., “... \phf{I’m adding this text} ...” or “... \phf I’m adding this text\endphf ...”), an in-line comment (e.g., “... We’re the best \phf[I’m not sure about this.] ...”), and text removals (e.g., “... \phf*{remove me} ...”). New colors are assigned automatically to each commenter by default, and the appearance of all comments is highly customizable.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/phfcc/phfcc.pdf
– local file	./9243942475-phfcc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/phfcc/README.md
contact	<i>repository</i> : https://github.com/phfaist/phfqitltx
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/phfcc
on MikTeX	phfcc
on T _E XLive	phfcc
keyword	editorial (editor’s marks, highlights, etc.)
keyword	cond-comp (conditional typesetting)
language(s)	no language specified
last access	2025-02-07

4629 phfextendedabstract – Typeset extended abstracts for conferences, such as often encountered in quantum information theoryWeb page on CTAN <https://ctan.org/pkg/phfextendedabstract>

name	phfextendedabstract
caption	Typeset extended abstracts for conferences, such as often encountered in quantum information theory
author	Faist, Philippe
copyright	Philippe Faist, philippe.faist@bluewin.ch (2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2021-09-08)
last changes	2021-09-08
year	2021
description	(no language specified) Several conferences in various fields (such as quantum information theory) require the submission of <i>extended abstracts</i>. An extended abstract is a summary of a scientific result, presented at a high level, and consisting of at most a small handful of pages. The <code>phfextendedabstract</code> LaTeX class provides a simple style for such abstracts. There are only two sectioning levels, sections and paragraphs, and the style is optimized to save space as well as to guide the reader's eye through the overall structure of the document. An option will try to compress all vertical space to save some space, in case you need to satisfy page constraints. The style builds upon the powerful RevTeX class, so you can use all of RevTeX's features such as author affiliations, etc.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/phfextendedabstract/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/phfextendedabstract/phfextendedabstract.pdf
– local file	<code>./4554604012-phfextendedabstract.pdf</code>
home page	https://github.com/phfaist/phfqitltx
contact	<i>repository</i> : https://github.com/phfaist/phfqitltx
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/phfextendedabstract
on MikTeX	phfextendedabstract
on T _E XLive	phfextendedabstract
keyword	physics (support for typesetting physics documents)

language(s) no language specified
last access 2025-02-07

4630 *phffullpagefigure* – Figures which fill up a whole page

Web page on CTAN <https://ctan.org/pkg/phffullpagefigure>

name *phffullpagefigure*
caption Figures which fill up a whole page
author Faist, Philippe
copyright Philippe Faist (2016)
license lpl1.3 = The LaTeX Project Public License 1.3 (free)
version 1.0 (2016-08-15)
last changes 2016-08-15
year 2016
description (no language specified) This package defines a figure environment which provides the figure content on its own page, with the corresponding caption reading for example "Figure 3 (on next page): <caption>".
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/phffullpagefigure/README.md>
documentation (no language specified) *Package documentation*:
<https://ctan.org/tex-archive/macros/latex/contrib/phffullpagefigure/phffullpagefigure.pdf>
– local file ./8697891723-phffullpagefigure.pdf
contact *repository*: <https://github.com/phfaist/phfqitltx>
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/phffullpagefigure>
on MikTeX *phffullpagefigure*
on T_EXLive *phffullpagefigure*
keyword float (typesetting floats)
language(s) no language specified
last access 2025-02-07

4631 phfnote – Basic formatting for short documentsWeb page on CTAN <https://ctan.org/pkg/phfnote>

name	phfnote
caption	Basic formatting for short documents
author	Faist, Philippe
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	4.0 (2021-10-08)
last changes	2021-10-08
year	2021
description	(no language specified) This package provides basic formatting for short documents such as notes on a specific topic, short documentation, or quick memos. It aims to cover all basic needs for such purposes: include a standard set of relevant packages, a nice title which doesn't take up too much space, better page margin sizes, and some basic styling to make the note look nicer. At the same time, it is highly flexible and customizable.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/phfnote/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/phfnote/phfnote.pdf
– local file	./3161610460-phfnote.pdf
contact	<i>repository</i> : https://github.com/phfaist/phfqitltx
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/phfnote
on MikTeX	phfnote
on T _E XLive	phfnote
keyword	memorandum (typeset memorandum or other short note)
language(s)	no language specified
last access	2025-02-07

4632 phfparen – Parenthetic math expressions made simpler and less redundantWeb page on CTAN <https://ctan.org/pkg/phfparen>

name	phfparen
caption	Parenthetic math expressions made simpler and less redundant
author	Faist, Philippe
copyright	Philippe Faist (2016)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2016-08-15)
last changes	2016-08-15
year	2016
description	(no language specified) This package provides a more condensed and flexible syntax for parenthesis-delimited expressions in math mode which also allows for an easier switching of brace sizes. For example, the syntax ” <code>\big(a + b)</code> ” can be used to replace ” <code>\bigl(a + b \bigr)</code> ”.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/phfparen/phfparen.pdf
– local file	<code>./6672451374-phfparen.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/phfparen/README.md
contact	<i>repository</i> : https://github.com/phfaist/phfqitltx
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/phfparen
on MikTeX	phfparen
on TeXLive	phfparen
keyword	paren-mgmt (match and otherwise manage parentheses)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

4633 *phfqit* – Macros for typesetting Quantum Information Theory

Web page on CTAN <https://ctan.org/pkg/phfqit>

name	phfqit
caption	Macros for typesetting Quantum Information Theory
author	Faist, Philippe
copyright	Philippe Faist (2016)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	4.1 (2021-10-08)
last changes	2021-10-08
year	2021
description	(no language specified) This package provides macros to typeset some general mathematical operators (identity operator, trace, diagonal, rank, ...), a powerful implementation of the bra-ket notation (kets, bras, brackets, matrix elements etc. which can be sized as required), delimited expressions such as averages and norms, and some basic Lie algebra/group names. Macros for entropy measures for quantum information theory (smooth min- and max-entropy, smooth relative entropies, etc.) are also provided.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/phfqit/phfqit.pdf
– local file	./5224404203-phfqit.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/phfqit/README.md
contact	<i>repository</i> : https://github.com/phfaist/phfqitltx
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/phfqit
on MikTeX	phfqit
on T _E XLive	phfqit
keyword	maths (support for typesetting mathematics)
keyword	physics (support for typesetting physics documents)
language(s)	no language specified
last access	2025-02-07

4634 phfquotetext – Quote verbatim text without white space formatting

Web page on CTAN <https://ctan.org/pkg/phfquotetext>

name	phfquotetext
caption	Quote verbatim text without white space formatting
author	Faist, Philippe
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2016-08-15)
last changes	2016-08-15
year	2016
description	(no language specified) This package provides an environment for displaying block text with special characters, such as verbatim quotes from a referee report which may contain pseudo-(La)TeX code. This behaves like a <code>verbatim</code> environment, except that it displays its content as normal paragraph content, ignoring any white space preformatting.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/phfquotetext/phfquotetext.pdf
– local file	<code>./8867894718-phfquotetext.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/phfquotetext/README.md
contact	<i>repository:</i> https://github.com/phfaist/phfquitltx
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/phfquotetext
on MikTeX	phfquotetext
on T _E XLive	phfquotetext
keyword	verbatim (verbatim typesetting, etc.)
language(s)	no language specified
last access	2025-02-07

4635 phfsvnwatermark – Watermarks with version control information from SVN

Web page on CTAN <https://ctan.org/pkg/phfsvnwatermark>

name	phfsvnwatermark
caption	Watermarks with version control information from SVN
author	Faist, Philippe
copyright	Philippe Faist (2016)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2016-08-15)
last changes	2016-08-15
year	2016
description	(no language specified) This package allows you to add version control information as a gray watermark on each page of your document. The SVN info is read from keyword tags such as <code>\$Id\$</code> , <code>\$Date\$</code> , and <code>\$Author\$</code> via the svn or svn-multi packages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/phfsvnwatermark/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/phfsvnwatermark/phfsvnwatermark.pdf
– local file	<code>./7861811846-phfsvnwatermark.pdf</code>
contact	<i>repository</i> : https://github.com/phfaist/phfqitltx
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/phfsvnwatermark
on MikTeX	phfsvnwatermark
on TeXLive	phfsvnwatermark
keyword	watermark (separate printing, under (or over) the page as a whole)
keyword	version-control (version control details)
keyword	doc-mgmt (support for keeping track of document development)
language(s)	no language specified
last access	2025-02-07

4636 *phfthm* – Goodies for theorems and proofs

Web page on CTAN <https://ctan.org/pkg/phfthm>

name	phfthm
caption	Goodies for theorems and proofs
author	Faist, Philippe
copyright	Philippe Faist (2016-2021)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2 (2021-03-01)
last changes	2021-03-01
year	2021
description	(no language specified) This package provides enhanced theorem and proof environments based on the amsthm original versions. It allows for hooks to be placed, adds some default goodies and is highly customizable. In particular, it can connect theorems to proofs, automatically producing text such as "See proof on page XYZ" and "Proof of Theorem 4: ...".
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/phfthm/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/phfthm/phfthm.pdf
– local file	./7086840848-phfthm.pdf
contact	<i>repository</i> : https://github.com/phfaist/phfqitltx
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/phfthm
on MikTeX	phfthm
on T _E XLive	phfthm
keyword	maths-theorem (typeset mathematical theorems)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

4637 *philex* – Cross references for named and numbered environments

Web page on CTAN <https://ctan.org/pkg/philex>

name	philex
caption	Cross references for named and numbered environments
author	Pagin, Peter
license	lppl = The LaTeX Project Public License (free)
version	1.3
description	(no language specified) Philex provides means for creating and cross-referencing named or numbered environments. Possible uses would be equations, example sentences (as in linguistics or philosophy) or named principles. Cross references may refer either to the number, or to a short name of the target environment, or to the contents of the environment. Philex builds on the facilities of the linguex package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/philex/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/philex/philexmanual.pdf
– local file	./5682916339-philexmanual.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/philex
on MikTeX	philex
on T _E XLive	philex
keyword	label-ref (label and reference systems)
language(s)	no language specified
year	without year
last access	2025-02-07

4638 *philokalìa* – A font to typeset the *Philokalìa Books*

Web page on CTAN <https://ctan.org/pkg/philokalìa>

name	<i>philokalìa</i>
caption	A font to typeset the <i>Philokalìa Books</i>
author	Syropoulos, Apostolos
author	Gamvetas, Ioannis
copyright	Apostolos Syropoulos (2007, 2017)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2
description	(no language specified) The <i>philokalìa</i> package has been designed to ease the use of the <i>Philokalìa-Regular</i> OpenType font with XeLaTeX. The font started as a project to digitize the typeface used to typeset the <i>Philokalìa books</i> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/philokalìa/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/philokalìa/philokalìa.pdf
– local file	<code>./4781751419-philokalìa.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/philokalìa
on MikTeX	<i>philokalìa</i>
on T _E XLive	<i>philokalìa</i>
keyword	<code>font-greek</code> (font for Greek (archaic, classical and modern))
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
language(s)	no language specified
year	2017
last access	2025-02-07

4639 *philosophersimprint* – Typesetting articles for "Philosophers' Imprint"

Web page on CTAN <https://ctan.org/pkg/philosophersimprint>

name *philosophersimprint*

caption Typesetting articles for "Philosophers' Imprint"

author Veytsman, Boris

copyright Boris Veytsman (2007-2020)

license lpl1.3 = The LaTeX Project Public License 1.3 (free)

version 1.5

description (no language specified) In its [mission statement](#) we read "Philosophers' Imprint is a refereed series of original papers in philosophy, edited by philosophy faculty at the University of Michigan, with the advice of an international Board of Editors, and published on the World Wide Web by the University of Michigan Digital Library. The mission of the Imprint is to promote a future in which funds currently spent on journal subscriptions are redirected to the dissemination of scholarship for free, via the Internet".

The class helps authors to typeset their own articles in "Web-ready" format. No assumption is made about the fonts available to the author: the class itself is restricted to freely available and freely distributed fonts, only.

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/philosophersimprint/README>

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/philosophersimprint/philosophersimprint.pdf>

– local file *./2860356214-philosophersimprint.pdf*

documentation (no language specified) *Sample of usage*: <https://ctan.org/tex-archive/macros/latex/contrib/philosophersimprint/sample.pdf>

– local file *./9387872794-sample.pdf*

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/philosophersimprint>

on MikTeX *philosophersimprint*

on T_EXLive *philosophersimprint*

keyword *journalpub* (typesetting journals, etc)

language(s) no language specified

year 2020

last access 2025-02-07

4640 *phimisci* – A document class for the journal “Philosophy and the Mind Sciences”

Web page on CTAN <https://ctan.org/pkg/phimisci>

name	PhiMiSci
caption	A document class for the journal “Philosophy and the Mind Sciences”
author	Kopecky, Felix
copyright	Ruhr-Universität Bochum (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.1 (2025-09-26)
last changes	2025-09-26
year	2025
description	(no language specified) This package provides a document class for the open-access journal Philosophy and the Mind Sciences .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/phimisci/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/phimisci/phimisci.pdf
– local file	./1685336113-phimisci.pdf
documentation	(no language specified) <i>Quick reference sheet</i> : https://ctan.org/tex-archive/macros/latex/contrib/phimisci/phimisci-quick-reference-sheet.pdf
– local file	./6263428311-phimisci-quick-reference-sheet.pdf
contact	<i>repository</i> : https://github.com/phimisci/latex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/phimisci
on T _E XLive	phimisci
keyword	class (alternative LaTeX class(es))
keyword	expl3 (expl3(unknown))
keyword	doc-templ (template to guide document development)
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
last access	2025-10-01

4641 *phoenician* – Fonts for the Phoenician script in use from about 1600 BC

Web page on CTAN <https://ctan.org/pkg/phoenician>

name	phoenician
caption	Fonts for the Phoenician script in use from about 1600 BC
author	Wilson, Peter R.
copyright	Peter R. Wilson (1999-2006)
license	lpl = The LaTeX Project Public License (free)
version	2.2
description	(no language specified) The (Semitic) Phoenician script is in a direct line of ancestry for all the western world's alphabets. The fonts provide Mirrored forms for typesetting either left-to-right or right-to-left (as the Phoenicians did). The fonts are provided in Adobe Type 1 format. This is one of a series of <i>archaic</i> fonts.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/archaic/phoenician/README
documentation	(no language specified) <i>Samples of entire archaic bundle</i> : https://ctan.org/tex-archive/fonts/archaic/asamples.pdf
– local file	<code>./8592837549-asamples.pdf</code>
documentation	(no language specified) <i>Sample of Phoenician font</i> : https://ctan.org/tex-archive/fonts/archaic/phoenician/tryphnc.pdf
– local file	<code>./1312263363-tryphnc.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/archaic/phoenician/phoenician.pdf
– local file	<code>./6533821586-phoenician.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/archaic/phoenician
on MikTeX	phoenician
on T _E XLive	archaic
keyword	font-archaic (fonts reproducing archaic scripts or inscriptions)
keyword	font (fonts themselves)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
year	2006
last access	2025-02-07

4642 *phoncard* – Format telephone number lists

Web page on CTAN <https://ctan.org/pkg/phoncard>

name	phoncard
caption	Format telephone number lists
author	Greening, Daniel R.
copyright	Daniel R. Greening (1990)
license	nocommercial = No Commercial Use (not free)
version	(1992-08-27)
last changes	1992-08-27
year	1992
description	(no language specified) This (Plain TeX) program formats a list of telephone numbers into 9x9 grids on a page. The author uses these lists as wallet-sized directories. The program is distributed with an example data file.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/phoncard.tex
keyword	card-gen (cards for miscellaneous purposes)
language(s)	no language specified
last access	2025-02-07

4643 *phonenumber*s – Typesetting telephone numbers with LaTeX

Web page on CTAN <https://ctan.org/pkg/phonenumber>

name	phonenumber
caption	Typesetting telephone numbers with LaTeX
author	Wehr, Keno
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.6 (2025-05-06)
last changes	2025-05-06
year	2025

description	(no language specified) The <code>phonenumbers</code> package makes it possible to typeset telephone numbers according to different national conventions. German, Austrian, French, British and North American phone numbers are supported. Phone numbers from other countries are supported rudimentarily. The user can select from various formatting options, including the additional output of the country calling code. The package is able to check if a phone number is valid according to the national rules. It also allows to link phone numbers using the <code>hyperref</code> package.
documentation	(no language specified) <i>English package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/phonenumbers/doc/phonenumbers-en.pdf
– local file	<code>./4892736595-phonenumbers-en.pdf</code>
documentation	<i>German package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/phonenumbers/doc/phonenumbers-de.pdf
– local file	<code>./7343013196-phonenumbers-de.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/phonenumbers/README
contact	<i>bugs:</i> https://github.com/wehro/phonenumbers/issues
contact	<i>repository:</i> https://github.com/wehro/phonenumbers
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/phonenumbers
on MikTeX	<code>phonenumbers</code>
on TeXLive	<code>phonenumbers</code>
keyword	<code>numbers</code> (formatting numbers, etc)
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>addr-list</code> (lists of addresses, for a personal directory (or the like))
language(s)	German
last access	2025-05-14

4644 *phonetic* – Metafont Phonetic fonts, based on Computer Modern

Web page on CTAN <https://ctan.org/pkg/phonetic>

name	<code>phonetic</code>
caption	Metafont Phonetic fonts, based on Computer Modern
author	Pease, Emma
license	lppl = The LaTeX Project Public License (free)
version	(2011-03-26)
last changes	2011-03-26
year	2011
description	(no language specified) The fonts are based on Computer Modern, and specified in Metafont. Macros for the fonts' use are provided, both for LaTeX 2.09 and for current LaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/phonetic/README
on CTAN	https://ctan.org/tex-archive/fonts/phonetic
on MikTeX	<code>phonetic</code>
on T _E XLive	<code>phonetic</code>
keyword	<code>font</code> (fonts themselves)
keyword	<code>phonetic</code> (support for phonetic notation)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>font-specialist</code> (fonts with specific small application areas)
see also	see section 6197 on page 5606: (<code>tipa</code> – Fonts and macros for IPA phonetics characters)
language(s)	no language specified
last access	2025-02-07

4645 *phonrule* – Typeset linear phonological rules

Web page on CTAN <https://ctan.org/pkg/phonrule>

name	phonrule
caption	Typeset linear phonological rules
author	Coretta, Stefano
copyright	Stefano Coretta (2013-2017)
license	lpl1 = The LaTeX Project Public License 1 (free)
version	1.3.2 (2017-04-16)
last changes	2017-04-16
year	2017
description	(no language specified) The package provides macros for typesetting phonological rules like those in ‘Sound Pattern of English’ (Chomsky and Halle 1968).
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/phonrule/phonrule-doc.pdf
– local file	./6487012789-phonrule-doc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/phonrule/README.md
contact	<i>bugs:</i> https://github.com/stefanocoretta/phonrule/issues
contact	<i>repository:</i> https://github.com/stefanocoretta/phonrule
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/phonrule
on MikTeX	phonrule
on T _E XLive	phonrule
keyword	phonetic (support for phonetic notation)
language(s)	no language specified
last access	2025-02-07

4646 photo – A float environment for photographsWeb page on CTAN <https://ctan.org/pkg/photo>

name	photo
caption	A float environment for photographs
author	Kuhlmann, Volker
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) This package introduces a new float type called photo which works similar to the float types table and figure. Various options exist for placing photos, captions, and a "photographer" line. In twocolumn documents, a possibility exists to generate double-column floats automatically if the photo does not fit into one column. Photos do not have to be placed as floats, they can also be placed as boxes, with captions and photographer line still being available.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/photo/photo.pdf
– local file	./9485653863-photo.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/photo
on MikTeX	photo
on T _E XLive	photo
keyword	float (typesetting floats)
language(s)	no language specified
year	without year
last access	2025-02-07

4647 photobook – A document class for typesetting photo booksWeb page on CTAN <https://ctan.org/pkg/photobook>

name	photobook
caption	A document class for typesetting photo books
author	Naanou, Alex A.
copyright	Alex A. Naanou (2021-2023)
license	bsd3 = 3-clause BSD License (free)
version	0.1.31

description	(no language specified) The <code>photobook</code> LaTeX document class extends the book class defining a set of parameters, meta-macros, macros and environments with reasonable defaults to help typeset, build and print books mainly based on visual/image content.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/photobook/photobook.pdf
– local file	<code>./8212632021-photobook.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/photobook/README.md
home page	https://github.com/flynx/photobook
contact	<i>repository</i> : https://github.com/flynx/photobook
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/photobook
on MikTeX	<code>photobook</code>
on TeXLive	<code>photobook</code>
keyword	<code>class</code> (alternative LaTeX class(es))
language(s)	no language specified
year	2023
last access	2025-02-07

4648 *phy-bstyles* – A collection of BibTeX styles for physics journals

Web page on CTAN	https://ctan.org/pkg/phy-bstyles
name	<code>phy-bstyles</code>
caption	A collection of BibTeX styles for physics journals
author	Bode, Hans-Hermann
author	Karney, Charles
license	other-free = Free license not otherwise listed (free)
description	(no language specified) Proto BibTeX styles (<code>.btx</code> files) are provided, together with a GNU-emacs lisp program to generate usable <code>.bst</code> files. A set of actual <code>.bst</code> files, together with the required LaTeX packages, is also provided.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/phy-bstyles/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/phy-bstyles

keyword	<code>physics</code> (support for typesetting physics documents)
keyword	<code>bibtex-sty</code> (<code>bibtex-sty(unknown)</code>)
language(s)	no language specified
year	without year
last access	2025-02-07

4649 *physconst* – Macros for commonly used physical constants

Web page on CTAN <https://ctan.org/pkg/physconst>

name	<code>physconst</code>
caption	Macros for commonly used physical constants
author	Mulligan, Brian W.
copyright	Brian W. Mulligan (2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1.2 (2021-03-26)
last changes	2021-03-26
year	2021
description	(no language specified) This package consists of several macros that are shorthand for a variety of physical constants, e.g. the speed of light. The package developed out of physics and astronomy classes that the author has taught and wanted to ensure that he had correct values for each constant and did not wish to retype them every time he uses them. The constants can be used in two forms, the most accurate available values, or versions that are rounded to 3 significant digits for use in typical classroom settings, homework assignments, etc. Most constants are taken from CODATA 2018, with the exception of the astronomical objects, whose values are taken from International Astronomical Union specified values. Constants that are derived from true constants, e.g. the fine structure constant, have been calculated using the accepted values of the fundamental constants.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/physconst/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/physconst/physconst.pdf
– local file	<code>./2153057863-physconst.pdf</code>
contact	<i>bugs</i> : https://github.com/astrobit/physconst/issues

contact	repository: https://github.com/astrobit/physconst
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/physconst
on MikTeX	physconst
on TeXLive	physconst
keyword	numbers (formatting numbers, etc)
keyword	physics (support for typesetting physics documents)
language(s)	no language specified
last access	2025-02-07

4650 *physe* – The *PHYSE* format

Web page on CTAN <https://ctan.org/pkg/physe>

name	physe
caption	The <i>PHYSE</i> format
author	Breitenlohner, Peter
license	noinfo = noinfo
version	1.3.0
description	(no language specified) <i>PHYSE</i> is a format for writing physics papers, based on Knuth's plain .
on CTAN	https://ctan.org/tex-archive/obsolete/macros/physe
on MikTeX	physe
keyword	physics (support for typesetting physics documents)
keyword	format (macros to build a format)
language(s)	no language specified
year	without year
last access	2025-02-07

4651 physics – Macros supporting the Mathematics of PhysicsWeb page on CTAN <https://ctan.org/pkg/physics>

name	physics
caption	Macros supporting the Mathematics of Physics
author	de la Barrera, Sergio C.
license	lppl = The LaTeX Project Public License (free)
version	1.3
description	(no language specified) The package defines simple and flexible macros for typesetting equations in the languages of vector calculus and linear algebra, using Dirac notation.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/physics/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/physics/physics.pdf
– local file	./1385523732-physics.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/physics
on MikTeX	physics
on TeXLive	physics
keyword	physics (support for typesetting physics documents)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	without year
last access	2025-02-07

4652 physics-patch – Patches for the physics package, and integration of physics and siunitx packagesWeb page on CTAN <https://ctan.org/pkg/physics-patch>

name	physics-patch
caption	Patches for the physics package, and integration of physics and siunitx packages
author	Shen, Willie
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)

4653 *physics2* – Macros for typesetting maths faster and more simply

version	1.0 (2025-02-13)
last changes	2025-02-13
year	2025
description	(no language specified) This package fixes issues in the physics package and improves compatibility between physics and siunitx . It provides improved versions of <code>\qty</code> , <code>\dv</code> , and <code>\pdv</code> and introduces new macros.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/physics-patch/physics-patch.pdf
– local file	<code>./7343909033-physics-patch.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/physics-patch/README.md
contact	<i>announce:</i> https://github.com/Willie169/physics-patch/releases
contact	<i>bugs:</i> https://github.com/Willie169/physics-patch/issues
contact	<i>repository:</i> https://github.com/Willie169/physics-patch
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/physics-patch
keyword	<code>physics</code> (support for typesetting physics documents)
keyword	<code>scientific-docs</code> (support for writers of scientific documents)
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-13

4653 **physics2** – Macros for typesetting maths faster and more simply

Web page on CTAN <https://ctan.org/pkg/physics2>

name	<code>physics2</code>
caption	Macros for typesetting maths faster and more simply
author	Zhang, Tingxuan
copyright	Zhang Tingxuan (2022-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.1 (2024-01-10)

last changes	2024-01-10
year	2024
description	(no language specified) The <code>physics2</code> package defines commands for typesetting maths formulae faster and more simply. <code>physics2</code> is a modularized package, each module provides its own function. You can load modules separately after loading <code>physics2</code>. Modules of <code>physics</code> provide the following support: • Automatic braces; • Dirac bra-ket notation; • Easy way to typeset diagonal matrices and matrices with similar entries; • Double cross and double dot (binary) operators for tensors.
documentation	(no language specified) <i>physics2 manual for physics users</i>: https://ctan.org/tex-archive/macros/latex/contrib/physics2/physics2-legacy.pdf
– local file	<code>./7031245511-physics2-legacy.pdf</code>
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/physics2/physics2.pdf
– local file	<code>./2934794032-physics2.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/physics2/README.md
contact	<i>bugs</i> : https://github.com/AlphaZTX/physics2/issues
contact	<i>repository</i> : https://github.com/AlphaZTX/physics2
contact	<i>development</i> : https://www.ctan.org/author/zhang-tx
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/physics2
on MikTeX	<code>physics2</code>
on TeXLive	<code>physics2</code>
keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>physics</code> (support for typesetting physics documents)
language(s)	no language specified
last access	2025-02-07

4654 *physics3* – Modularized package for easy setting of physical formulasWeb page on CTAN <https://ctan.org/pkg/physics3>

name	<code>physics3</code>
caption	Modularized package for easy setting of physical formulas
author	Xia, Mingyu
copyright	Mingyu Xia (2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2A (2026-02-07)
last changes	2026-02-07
year	2026
description	(no language specified) This package defines commands for typesetting math formulae faster and more simply. <code>physics3</code> is a modularized package, that currently provides modules for: • Automatic braces • Dirac bra-ket notation • Easy way to typeset diagonal matrices and matrices with similar entries • Double cross and double dot (binary) operators for tensors
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/physics3/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/physics3/physics3.pdf
– local file	<code>./4353055750-physics3.pdf</code>
home page	https://github.com/myhsia
contact	<i>support</i> : https://github.com/myhsia/physics3/issues
contact	<i>repository</i> : https://github.com/myhsia/physics3
contact	<i>development</i> : https://github.com/myhsia
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/physics3
on MikTeX	<code>physics3</code>
on TeXLive	<code>physics3</code>
keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>physics</code> (support for typesetting physics documents)

language(s) no language specified
last access 2026-03-26

4655 *physunits* – Macros for commonly used physical units

Web page on CTAN <https://ctan.org/pkg/physunits>

name *physunits*
caption Macros for commonly used physical units
author Mulligan, Brian W.
copyright Brian W. Mulligan (2020)
license lpl1.3c = The LaTeX Project Public License 1.3c (free)
version 1.2.0 (2021-03-26)
last changes 2021-03-26
year 2021
description (no language specified) This package provides a collection of macros to simplify using physical units (e.g. m for meters, J for joules, etc.), especially in math mode. All major SI units are included, as well as some cgs units used in astronomy.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/physunits/README.md>
documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/physunits/physunits.pdf>
– local file ./3521007043-physunits.pdf
contact *repository*: <https://github.com/astrobit/physunits>
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/physunits>
on MikTeX *physunits*
on T_EXLive *physunits*
keyword scientific-docs (support for writers of scientific documents)
keyword physics (support for typesetting physics documents)
keyword units (uniform typesetting of units)
language(s) no language specified
last access 2025-02-07

4656 *physymb* – Assorted macros for Physicists

Web page on CTAN <https://ctan.org/pkg/physymb>

name	physymb
caption	Assorted macros for Physicists
author	Zaslavsky, David
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.3 (2014-12-19)
last changes	2014-12-19
year	2014
description	(no language specified) The package contains a large collection of small macros that may be useful to physicists and occasionally some mathematicians. It streamlines writing Dirac notation, derivatives, vector variables, unit vectors, scientific notation, elementary particles, and many other things. This package has been declared obsolete by its author.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/obsolete/macros/latex/contrib/physymb/physymb.pdf
– local file	./6630961908-physymb.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/obsolete/macros/latex/contrib/physymb/README
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/physymb
on MikTeX	physymb
keyword	obsolete (package declared obsolete)
keyword	physics (support for typesetting physics documents)
see also	see section 1235 on page 1123: (commath – Mathematics typesetting support)
see also	see section 5523 on page 4997: (siunitx – A comprehensive (SI) units package)
see also	see section 3762 on page 3402: (mandi – Macros for introductory physics and astronomy)
see also	see section 831 on page 761: (braket – Dirac bra-ket and set notations)
see also	see section 2733 on page 2475: (hepnames – Pre-defined high energy particle names)

see also see section 4651 on page 4214: (`physics` – Macros supporting the Mathematics of Physics)

language(s) no language specified

last access 2025-02-07

4657 *phyzzx* – A TeX format for physicists

Web page on CTAN <https://ctan.org/pkg/phyzzx>

name *phyzzx*

caption A TeX format for physicists

author Kaplunovsky, Vadim

license noinfo = noinfo

version (1988-04-27)

last changes 1988-04-27

year 1988

description (no language specified) The macros were developed at SLAC, and were updated after the transition from TeX 97 to TeX 1.0.

on CTAN <https://ctan.org/tex-archive/obsolete/macros/phyzzx>

on MikTeX *phyzzx*

keyword *format* (macros to build a format)

keyword *physics* (support for typesetting physics documents)

language(s) no language specified

last access 2025-02-07

4658 *pi* – Calculate pi

Web page on CTAN <https://ctan.org/pkg/pi>

name *pi*

caption Calculate pi

author Roegel, Denis B.

license noinfo = noinfo

version 0.993

description (no language specified) Generates pi, using the formula:

4659 *piano* – Typeset a basic 2-octave piano diagram

$$\text{Pi}=16*\arctan(1/5)-4*\arctan(1/239)$$

and leaves the result in an array `\xr`, printing what is calculated as it goes along.

The number of digits you can compute depends on your implementation of TeX. The last digit may be wrong, and if it's 0 or 9, the penultimate digit may also be wrong.

on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/pi.tex
keyword	calculation (perform calculations within TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

4659 *piano* – Typeset a basic 2-octave piano diagram

Web page on CTAN <https://ctan.org/pkg/piano>

name	piano
caption	Typeset a basic 2-octave piano diagram
author	Daneault, Émile
license	lpl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) This package adds the <code>\keyboard[1][2]..[7]</code> command to your project. When used, it draws a small 2 octaves piano keyboard on your document, with up to 7 keys highlighted. Keys go : Co, Cso, Do, Dso, Eo, Fo, Fso, Go, Gso, Ao, Aso, Bo, Ct, Cst, Dt, Dst, Et, Ft, Fst, Gt, Gst, At, Ast and Bt. (A working example is included in the README file.)
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/piano/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/piano
on MikTeX	piano
on T _E XLive	piano
keyword	music (typesetting music and related stuff)
language(s)	no language specified

year without year
last access 2025-02-07

4660 *picinpar* – Insert pictures into paragraphs

Web page on CTAN <https://ctan.org/pkg/picinpar>

name	<i>picinpar</i>
caption	Insert pictures into paragraphs
author	Sowa, Friedhelm
author	Blochwitz, Stefan
author	The LaTeX Project Team
license	gpl2+ = GNU General Public License, version 2 or newer (free)
version	1.3a
description	(no language specified) A legacy package for creating ‘windows’ in paragraphs, for inserting graphics, etc. (including ”dropped capitals”). Users should note that Pieter van Oostrum (in a published review of packages of this sort) does not recommend this package; Picins is recommended instead.
documentation	(English) <i>Package usage notes</i> : https://ctan.org/tex-archive/macros/latex209/contrib/picinpar/picinpar-en.pdf
– local file	<code>./7498333931-picinpar-en.pdf</code>
documentation	(German) <i>Package usage example</i> : https://ctan.org/tex-archive/macros/latex209/contrib/picinpar/picinpar-de.pdf
– local file	<code>./9072992928-picinpar-de.pdf</code>
contact	<i>bugs</i> : https://github.com/LaTeX-Package-Repositories/picinpar/issues
contact	<i>repository</i> : https://github.com/LaTeX-Package-Repositories/picinpar
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/picinpar
on MikTeX	<i>picinpar</i>
on T _E XLive	<i>picinpar</i>
keyword	text-flow (flow text round an insertion in the paragraph)
language(s)	German; English
year	without year

last access 2025-11-11

4661 picins – Insert pictures into paragraphs

Web page on CTAN <https://ctan.org/pkg/picins>

name	picins
caption	Insert pictures into paragraphs
author	Bleser, Joachim
license	other-nonfree = License that prevents distribution (not free)
description	(no language specified) Wraps the text of the paragraph around the inserted picture.
documentation	(no language specified) <i>Command summary</i> : https://ctan.org/tex-archive/macros/latex209/contrib/picins/picins.txt
documentation	(German) <i>Package documentation (incomplete)</i> : https://ctan.org/tex-archive/macros/latex209/contrib/picins/mpic.dvi
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/picins
keyword	text-flow (flow text round an insertion in the paragraph)
see also	see section 6726 on page 6067: (wrapfig – Produces figures which text can flow around)
see also	see section 2268 on page 2052: (floatflt – Wrap text around floats)
language(s)	German
year	without year
last access	2025-02-07

4662 picmac – A picture mode in Plain TeX

Web page on CTAN <https://ctan.org/pkg/picmac>

name	picmac
caption	A picture mode in Plain TeX
author	Knuth, Donald E.
license	knuth = Knuth License (free)
description	(no language specified) The package provides a subset of LaTeX's facilities, but also has quadratic spline macros.

on CTAN	https://ctan.org/tex-archive/systems/knuth/local/lib/picmac.tex
on MikTeX	miktex-tex
on T _E XLive	plain
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
keyword	graphics-curve (draw (parametric) curves)
language(s)	no language specified
year	without year
last access	2025-02-11

4663 *pict2e* – New implementation of picture commands

Web page on CTAN <https://ctan.org/pkg/pict2e>

name	pict2e
caption	New implementation of picture commands
author	Niepraschk, Rolf
author	Tkadlec, Josef
author	Gäblein, Hubert
copyright	Rolf Niepraschk, Hubert Gaesslein, Josef Tkadlec (2003-2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.4b (2020-09-30)
last changes	2020-09-30
year	2020
description	(no language specified) This package was described in the 2nd edition of ‘LaTeX: A Document Preparation System’, but the LaTeX project team declined to produce the package. For a long time, LaTeX included a ‘pict2e package’ that merely produced an apologetic error message. The new package extends the existing LaTeX picture environment, using the familiar technique (cf. the graphics and color packages) of driver files (at present, drivers for dvips, pdfTeX, LuaTeX, XeTeX, VTeX, dvi_{pdf}fm, and dvi_{pdf}mx are available). The package documentation has a fair number of examples of use, showing where things are improved by comparison with the LaTeX picture environment.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pict2e/README.md

documentation	(no language specified) <i>Documentation of graphics drivers:</i> https://ctan.org/tex-archive/macros/latex/contrib/pict2e/p2e-drivers.pdf
– local file	<code>./4843565842-p2e-drivers.pdf</code>
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/pict2e/pict2e.pdf
– local file	<code>./3253685291-pict2e.pdf</code>
home page	https://github.com/rolfn/pict2e
contact	<i>bugs:</i> https://github.com/rolfn/pict2e/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pict2e
on MikTeX	<code>pict2e</code>
on T _E XLive	<code>pict2e</code>
keyword	graphics (graphics (support packages))
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
see also	see section 1446 on page 1308: (<code>curve2e</code> – Extensions for package <code>pict2e</code>)
see also	see section 6833 on page 6166: (<code>xpicture</code> – Extensions of LaTeX picture drawing)
language(s)	no language specified
last access	2025-02-07

4664 *pictex* – Picture drawing macros for TeX and LaTeX

Web page on CTAN <https://ctan.org/pkg/pictex>

name	PicTeX
caption	Picture drawing macros for TeX and LaTeX
author	Wichura, Michael
license	lppl1 = The LaTeX Project Public License 1 (free)
version	1.1b
description	(no language specified) PicTeX is an early and very comprehensive drawing package that mostly draws by placing myriads of small dots to make up pictures. It has a tendency to run out of space; packages <code>m-pictex</code> and <code>pictexwd</code> deal with the problems in different ways.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pictex/PicTeX_manual.pdf

4665 *pictex-autoarea* – Automatic computation of bounding boxes with PiCTeX

– local file	<code>./8041290478-PiCTeX_manual.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pictex/README.txt
documentation	(no language specified) <i>Command summary</i> : https://ctan.org/tex-archive/info/pictex/summary/pictexsum.pdf
– local file	<code>./2469162103-pictexsum.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pictex
on MikTeX	<code>pictex</code>
on T _E XLive	<code>pictex</code>
keyword	<code>graphics-in-tex</code> (graphics produced by one of the *TeX engines)
see also	see section 5050 on page 4573: (<code>qfig</code> – DOS graphics program)
see also	see section 4667 on page 4228: (<code>PicTeXsum</code> – A summary of PiCTeX commands)
see also	see section 4666 on page 4227: (<code>pictex2</code> – Adds relative coordinates and improves the <code>\plot</code> command)
see also	see section 1934 on page 1748: (<code>epic</code> – Enhance LaTeX picture mode)
language(s)	no language specified
year	without year
last access	2025-02-07

4665 *pictex-autoarea* – Automatic computation of bounding boxes with PiCTeX

Web page on CTAN <https://ctan.org/pkg/pictex-autoarea>

name	<code>pictex-autoarea</code>
caption	Automatic computation of bounding boxes with PiCTeX
author	Lück, Uwe
copyright	Uwe Lück (2008)
license	lppl = The LaTeX Project Public License (free)
version	0.3a
description	(no language specified) This package makes PiCTeX recognize lines and arcs in determining the "bounding box" of a picture. (PiCTeX so far accounted for put commands only). The "bounding box" is essential for proper placement of a picture between running text and margins and for keeping the running text away.

4666 `pictex2` – Adds relative coordinates and improves the `\plot` command

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pictex-addons/autoarea/README
contact	<i>support</i> : http://www.webdesign-bu.de/uwe_lueck/contact.html
on CTAN	https://ctan.org/tex-archive/graphics/pictex-addons/autoarea
on MikTeX	<code>pictex-autoarea</code>
on T _E XLive	<code>autoarea</code>
keyword	<code>graphics-in-tex</code> (graphics produced by one of the *TeX engines)
see also	see section 4664 on page 4225: (PicTeX – Picture drawing macros for TeX and LaTeX)
language(s)	no language specified
year	2008
last access	2025-02-07

4666 `pictex2` – Adds relative coordinates and improves the `\plot` command

Web page on CTAN <https://ctan.org/pkg/pictex2>

name	<code>pictex2</code>
caption	Adds relative coordinates and improves the <code>\plot</code> command
author	Park, William
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Adds two user commands to standard PiCTeX . One command uses relative coordinates, thus eliminating the need to calculate the coordinate of every point manually as in standard PiCTeX. The other command modifies <code>\plot</code> to use a rule instead of dots if the line segment is horizontal or vertical.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pictex2/pictex2.sty
on MikTeX	<code>pictex2</code>
on T _E XLive	<code>pictex2</code>
keyword	<code>graphics-in-tex</code> (graphics produced by one of the *TeX engines)
language(s)	no language specified
year	without year
last access	2025-02-07

4667 *pictexsum* – A summary of *PicTeX* commands

Web page on CTAN <https://ctan.org/pkg/pictexsum>

name	PicTeXsum
caption	A summary of <i>PicTeX</i> commands
author	Duggan, Angus
copyright	Angus Duggan (1990)
license	other-free = Free license not otherwise listed (free)
version	(1990-01-22)
last changes	1990-01-22
year	1990
description	(no language specified) The document summarises the commands of <i>PicTeX</i> . While it is no substitute for the <i>PicTeX</i> manual itself (available from Personal TeX inc.), the document is a useful aide-memoire for those who have read the manual.
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/pictex/summary/pictexsum.pdf
– local file	./2469162103-pictexsum.pdf
on CTAN	https://ctan.org/tex-archive/info/pictex/summary
on T _E XLive	pictexsum
keyword	documentation (‘stand-alone’ documentation)
language(s)	no language specified
last access	2025-02-07

4668 *pictexwd* – A patched version of *PicTeX* using fewer registers

Web page on CTAN <https://ctan.org/pkg/pictexwd>

name	pictexwd
caption	A patched version of <i>PicTeX</i> using fewer registers
author	Schrell, Andreas
license	noinfo = noinfo
version	1.1

4669 *pictochrono* – Insert “chronometer pictograms” with a duration

description	(no language specified) This is a patched version of PicTeX that overcomes one of the significant problems with PicTeX, viz., the number of dimension registers it uses. It should be loaded in place of PicTeX. (Note that <code>pictexwd.sty</code> is also available, for use when loading the package in LaTeX.) A similar function (reducing the number of dimension registers needed) is performed by <code>m-pictex</code> . The files are available as part of the PicTeX distribution.
on MikTeX	<code>pictex</code>
on TeXLive	<code>pictex</code>
keyword	<code>graphics-in-tex</code> (graphics produced by one of the *TeX engines)
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
language(s)	no language specified
year	without year
last access	2025-02-07

4669 *pictochrono* – Insert “chronometer pictograms” with a duration

Web page on CTAN <https://ctan.org/pkg/pictochrono>

name	<code>pictochrono</code>
caption	Insert “chronometer pictograms” with a duration
author	Pierquet, Cédric
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.1 (2025-06-25)
last changes	2025-06-25
year	2025
description	(no language specified) Small package to insert, inline with automatic height and vertical offset, small “pictogram chronometers” to indicate a duration.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pictochrono/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pictochrono/doc/pictochrono-doc.pdf
– local file	<code>./7485856728-pictochrono-doc.pdf</code>
contact	<i>repository</i> : https://forge.apps.education.fr/pierquetcedric/packages-latex

on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/pictochrono
on MikTeX	pictochrono
on T _E XLive	pictochrono
keyword	graphics (graphics (support packages))
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-07-04

4670 *picture* – *Dimens for picture macros*

Web page on CTAN	https://ctan.org/pkg/picture
name	picture
caption	Dimens for picture macros
author	Oberdiek, Heiko
copyright	Oberdiek Package Support Group (2016-2026)
copyright	Heiko Oberdiek (2006-2009)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.0 (2026-03-07)
last changes	2026-03-07
year	2026
description	(no language specified) There are macro and environment arguments that expect numbers that will internally be multiplied by <code>\unitlength</code> . This package extends the syntax of these arguments, so that dimensions with calculation support may be used for these arguments.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/picture/picture.pdf
– local file	<code>./9001490117-picture.pdf</code>
contact	<i>bugs</i> : https://github.com/ho-tex/picture/issues
contact	<i>repository</i> : https://github.com/ho-tex/picture
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/picture
on MikTeX	picture
on T _E XLive	picture

keyword	tagged-pdf (tagged PDF compatible)
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2026-03-17

4671 *piechart* – Simple pie-charts with PSTricks

Web page on CTAN <https://ctan.org/pkg/piechart>

name	piechart
caption	Simple pie-charts with PSTricks
author	Girou, Denis
license	noinfo = noinfo
description	(no language specified) A pair of shell+AWK scripts that uses small parameter files to generate pie-charts (expressed as (La)TeX code using PSTricks).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/piechart/README
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/piechart
keyword	genchart (drawing bar- or pie-charts)
keyword	pstricks (package using PSTricks for graphical output)
see also	see section 4672 on page 4231 : (<i>piechartmp</i> – Draw pie-charts using MetaPost)
language(s)	no language specified
year	without year
last access	2026-04-12

4672 *piechartmp* – Draw pie-charts using MetaPost

Web page on CTAN <https://ctan.org/pkg/piechartmp>

name	piechartmp
caption	Draw pie-charts using MetaPost
author	Morawski, Jens-Uwe
license	lppl = The LaTeX Project Public License (free)
version	0.3.0

description	(no language specified) The piechartmp package is an easy way to draw pie-charts with MetaPost . The package implements an interface that enables users with little MetaPost experience to draw charts. A highlight of the package is the possibility of suppressing some segments of the chart, thus creating the possibility of several charts from the same data.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/piechartmp/piechartmp.pdf
– local file	./6947804989-piechartmp.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/piechartmp/README
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/piechartmp
on MikTeX	piechartmp
on T _E XLive	piechartmp
keyword	genchart (drawing bar- or pie-charts)
see also	see section 4671 on page 4231: (piechart – Simple pie-charts with PSTricks)
language(s)	no language specified
year	without year
last access	2025-02-07

4673 pieff – Macro tools by Mike Piff

Web page on CTAN <https://ctan.org/pkg/pieff>

name	pieff
caption	Macro tools by Mike Piff
author	Carlisle, David
author	Piff, Mike
license	pd = Public Domain Software (free)
version	(2010-12-04)
last changes	2010-12-04
year	2010
description	(no language specified) The set (now) consists of:

- a small package for dealing with **duplicate-numbered output pages** ;

4674 *piff-ams* – Early macros for using AMS fonts

- **newproof** , for defining mathematical proof structures;
- **onepagem** for omitting the page number in one-page documents and
- **time** , which prints a 12-hour format time.

contact	<i>support:</i> https://github.com/rf-latex/piff/issues
contact	<i>repository:</i> https://github.com/rf-latex/piff
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/piff
on MikTeX	piff
on T _E XLive	piff
keyword	collection (a collection of packages)
language(s)	no language specified
last access	2025-02-07

4674 *piff-ams* – Early macros for using AMS fonts

Web page on CTAN <https://ctan.org/pkg/piff-ams>

name	piff-ams
caption	Early macros for using AMS fonts
author	Piff, Mike
copyright	Mike Piff (1990, 1995)
license	other-nonfree = License that prevents distribution (not free)
version	3.16
description	(no language specified) This package was created (in its present form) after the advent of LaTeX 2e, but before the corresponding macros from the AMS itself had arrived. Those macros are now part of the standard LaTeX distribution as part of AMS-LaTeX .
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/piff-ams
keyword	obsolete (package declared obsolete)
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	1995
last access	2025-02-07

4675 *pifont* – Access to PostScript standard Symbol and Dingbats fonts

Web page on CTAN <https://ctan.org/pkg/pifont>

name	pifont
caption	Access to PostScript standard Symbol and Dingbats fonts
author	The LaTeX Project Team
author	Schmidt, Walter A.
author	Rahtz, Sebastian
copyright	Walter Schmidt (1999-2005)
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	9.2a
description	(no language specified) The package provides commands for Pi fonts (Dingbats, Symbol, etc.); all commands assume you know the character number within the font of the symbol within the font. The package is distributed as part of the psnfss , which is itself part of the LaTeX ‘required’ set of packages.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/required/psnfss/psnfss2e.pdf
– local file	./8199555513-psnfss2e.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/required/psnfss/README
on CTAN	https://ctan.org/tex-archive/macros/latex/required/psnfss
on MikTeX	psnfss
on T _E XLive	psnfss
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	2005
last access	2025-02-07

4676 *pigpen* – A font for the pigpen (or masonic) cipher

Web page on CTAN <https://ctan.org/pkg/pigpen>

name	pigpen
caption	A font for the pigpen (or masonic) cipher
author	Carlisle, David
author	Corff, Oliver
copyright	Oliver Corff (2008)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3 (2024-02-03)
last changes	2024-02-03
year	2024
description	(no language specified) The Pigpen cipher package provides the font and the necessary wrappers (style file, etc.) in order to write Pigpen ciphers, a simple substitution cipher. The package provides a font (available both as Metafont source, and as an Adobe Type 1 file), and macros for its use.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/pigpen/README.md
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/pigpen/doc/pigpendoc.pdf
– local file	./8469724832-pigpendoc.pdf
contact	<i>bugs</i>: https://github.com/LaTeX-Package-Repositories/pigpen/issues
contact	<i>repository</i>: https://github.com/LaTeX-Package-Repositories/pigpen
on CTAN	https://ctan.org/tex-archive/fonts/pigpen
on MikTeX	pigpen
on T _E XLive	pigpen
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	no language specified
last access	2025-02-07

4677 *pinlabel* – A TeX labelling package

Web page on CTAN <https://ctan.org/pkg/pinlabel>

name	pinlabel
caption	A TeX labelling package
author	Rourke, Colin
copyright	Mathematical Sciences Publishers (MSP) (2006-2011)
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) Pinlabel is a labelling package for attaching perfectly formatted TeX labels to figures and diagrams in both eps and pdf formats. It is suitable both for labelling a new diagram and for relabelling an existing diagram. The package uses coordinates derived from GhostView (or gv) and labels are placed with automatic and consistent spacing relative to the object labelled.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pinlabel/pinlabdoc.pdf
– local file	./7550648263-pinlabdoc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pinlabel
on MikTeX	pinlabel
on TeXLive	pinlabel
keyword	graphics-text (text within graphics (drawn or overlaid))
see also	see section 4854 on page 4391 : (<code>psfrag</code> – Replace strings in encapsulated PostScript figures)
see also	see section 4446 on page 4025 : (<code>overpic</code> – Combine LaTeX commands over included graphics)
language(s)	no language specified
year	2011
last access	2025-02-07

4678 *pinoutikz* – Draw chip pinouts with TikZ

Web page on CTAN <https://ctan.org/pkg/pinoutikz>

name	pinouTikZ
caption	Draw chip pinouts with TikZ
author	Blazek, Robert
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1.2
description	(no language specified) The package provides a set of macros for typesetting electronic chip pinouts. It is designed as a tool that is easy to use, with a lean syntax, native to LaTeX, and directly supporting PDF output format. It has therefore been based on the very impressive TikZ package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pinoutikz/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pinoutikz/pinoutikz_doc_en.pdf
– local file	./7345484473-pinoutikz_doc_en.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/pinoutikz
on MikTeX	pinoutikz
on T _E XLive	pinoutikz
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	electronic (support of electronic design)
keyword	graphics (graphics (support packages))
language(s)	no language specified
year	without year
last access	2025-02-07

4679 *pitex* – Documentation macros

Web page on CTAN <https://ctan.org/pkg/pitex>

name	pitex
caption	Documentation macros
author	Robbers, Yuri
author	Isambert, Paul
license	lppl = The LaTeX Project Public License (free)
version	(2011-11-17)
last changes	2011-11-17
year	2011
description	(no language specified) The bundle provides macros that the author uses when writing documentation (for example, that of the texapi and yax packages). The tools could be used by anyone, but there is no documentation, and the macros are subject to change without notice.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/contrib/pitex/README
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/pitex
on MikTeX	pitex
on T _E XLive	pitex
keyword	doc-supp (macros and tools for preparing documentation)
language(s)	no language specified
last access	2025-02-07

4680 *piton* – Typeset computer listings with LPEG of LuaLaTeX

Web page on CTAN <https://ctan.org/pkg/piton>

name	piton
caption	Typeset computer listings with LPEG of LuaLaTeX
author	Pantigny, François
copyright	François Pantigny (2022-2026)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	4.12 (2026-04-20)

last changes	2026-04-20
year	2026
description	(no language specified) This package uses the Lua library LPEG to typeset and highlight computer listings in several languages. It requires the use of LuaLaTeX. It won't work with XeLaTeX, nor pdfLaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/piton/README.md
documentation	<i>User manual (French)</i> : https://ctan.org/tex-archive/macros/luatex/latex/piton/piton-french.pdf
– local file	<code>./1247714931-piton-french.pdf</code>
documentation	(no language specified) <i>Code documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/piton/piton-code.pdf
– local file	<code>./9532542545-piton-code.pdf</code>
documentation	(no language specified) <i>User manual (English)</i> : https://ctan.org/tex-archive/macros/luatex/latex/piton/piton.pdf
– local file	<code>./8962611430-piton.pdf</code>
contact	<i>repository</i> : https://github.com/fpantigny/piton
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/piton
on MikTeX	<code>piton</code>
on T _E XLive	<code>piton</code>
keyword	<code>synt-hlt</code> (highlight syntax of computer code, etc.)
keyword	<code>luatex</code> (LuaTeX and packages that require it)
keyword	<code>listing</code> (computer code listing)
keyword	<code>tagged-pdf-incompatible</code> (tagged PDF incompatible)
see also	see section 1190 on page 1082: (<code>codehigh</code> – Highlight code and demos with <code>l3regex</code> and <code>LPEG</code>)
language(s)	French
last access	2026-04-29

4681 *pittetd* – Electronic Theses and Dissertations at PittWeb page on CTAN <https://ctan.org/pkg/pittetd>

name	pittetd
caption	Electronic Theses and Dissertations at Pitt
author	Fudrow, John
author	Garcia-De Castro, Federico
copyright	Federico Garcia (2003-2004)
license	lppl = The LaTeX Project Public License (free)
version	1.618
description	(no language specified) A document class for theses and dissertations. Provides patch files that enable pittetd to use files prepared for use with the pittdiss or pitthesis classes. The manual provides a detailed guide for users who wish to use the class to prepare their thesis or dissertation.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pittetd/pittetd.pdf
– local file	./6411206594-pittetd.pdf
home page	http://latexetdsupport.wikidot.com/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pittetd
on MikTeX	pittetd
on T _E XLive	pittetd
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
year	2004
last access	2025-02-07

4682 *pitthesis* – Document class for University of Pittsburgh theses

Web page on CTAN <https://ctan.org/pkg/pitthesis>

name	<code>pitthesis</code>
caption	Document class for University of Pittsburgh theses
author	Kim, Wonkoo
license	<code>noinfo = noinfo</code>
version	1.2
description	(no language specified) A class that may be used for the two major styles of thesis at Pittsburgh university, viz., Engineering, and "the rest".
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pitthesis/readme.1st
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pitthesis
on MikTeX	<code>pitthesis</code>
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
see also	see section 4681 on page 4240: (<code>pittetd</code> – Electronic Theses and Dissertations at Pitt)
language(s)	no language specified
year	without year
last access	2025-02-07

4683 *pixelart* – Draw pixel-art pictures

Web page on CTAN <https://ctan.org/pkg/pixelart>

name	<code>pixelart</code>
caption	Draw pixel-art pictures
author	Paternault, Louis
copyright	Louis Paternault (2017-2023)
license	<code>lpl1.3</code> = The LaTeX Project Public License 1.3 (free)
version	1.0.2 (2023-02-20)
last changes	2023-02-20
year	2023

description	(no language specified) A LuaLaTeX package to draw pixel-art pictures using TikZ.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pixelart/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pixelart/pixelart.pdf
– local file	<code>./5635017346-pixelart.pdf</code>
contact	<i>bugs</i> : https://framagit.org/spalax/pixelart/issues
contact	<i>repository</i> : https://framagit.org/spalax/pixelart
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/pixelart
on MikTeX	pixelart
on TeXLive	pixelart
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	graphics (graphics (support packages))
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
last access	2025-02-07

4684 *pixelarttikz* – Work with PixelArts, with TikZ

Web page on CTAN <https://ctan.org/pkg/pixelarttikz>

name	PixelArtTikz
caption	Work with PixelArts, with TikZ
author	Pierquet, Cédric
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.9 (2025-10-20)
last changes	2025-10-20
year	2025
description	(no language specified) The package defines commands and an environment for displaying pixel arts.
documentation	<i>Package documentation (French)</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pixelarttikz/doc/PixelArtTikz-doc-fr.pdf

4685 `pkbbox` – Derive glyph bounding boxes by building PK file

– local file	<code>./3834652812-PixelArtTikz-doc-fr.pdf</code>
documentation	(no language specified) <i>Package documentation (English, LaTeX3 version)</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pixelarttikz/doc/pixelarttikz-l3-doc.pdf
– local file	<code>./4371618774-pixelarttikz-l3-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pixelarttikz/README.md
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pixelarttikz/doc/PixelArtTikz-doc-en.pdf
– local file	<code>./5524612745-PixelArtTikz-doc-en.pdf</code>
contact	<i>bugs</i> : https://github.com/cpierquet/latex-packages/issues
contact	<i>repository</i> : https://github.com/cpierquet/latex-packages/tree/main/pixelarttikz
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/pixelarttikz
on MikTeX	<code>pixelarttikz</code>
on T _E XLive	<code>pixelarttikz</code>
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>graphics</code> (<code>graphics (support packages)</code>)
keyword	<code>pgf-tikz</code> (<code>package uses PGF-TikZ</code>)
language(s)	French
last access	2025-10-28

4685 `pkbbox` – Derive glyph bounding boxes by building PK file

Web page on CTAN <https://ctan.org/pkg/pkbbox>

name	<code>pkbbox</code>
caption	Derive glyph bounding boxes by building PK file
author	Walsh, Norman
license	<code>noinfo = noinfo</code>
version	(1992-11-30)
last changes	1992-11-30
year	1992

4686 *pkfind* – A ‘find’ command which understands pk files

description	(no language specified) The author found that AFM files generated by pfm2afm lacked glyph bounding box information, so that they are not much use for generating TFM files. This package proceeds by generating a PK file from the Type 1 font by use of ps2pk , and then using information from that to generate a more nearly valid AFM file from the original.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/utilities/pkbbox/README
on CTAN	https://ctan.org/tex-archive/fonts/utilities/pkbbox
keyword	font-util (manipulate or examine fonts)
language(s)	no language specified
last access	2025-02-07

4686 *pkfind* – A ‘find’ command which understands pk files

Web page on CTAN <https://ctan.org/pkg/pkfind>

name	pkfind
caption	A ‘find’ command which understands pk files
author	Vojta, Paul
license	other-free = Free license not otherwise listed (free)
version	1.0
description	(no language specified) The TDS standard specifies that <code>pk</code> and <code>gf</code> files contain <code>\special</code> strings to identify the contents of the files. <code>Pkfind</code> is a variant of the GNU <code>find</code> utility modified to understand those specials, and to act on them in some cases. For example, it can be used to delete all <code>pk</code> files created by gsftopk from a subdirectory tree.
on CTAN	https://ctan.org/tex-archive/obsolete/support/pkfind
keyword	font-util (manipulate or examine fonts)
language(s)	no language specified
year	without year
last access	2025-02-07

4687 *pkfix* – Replace *pk* fonts in PostScript with Type 1 fonts

Web page on CTAN <https://ctan.org/pkg/pkfix>

name	<code>pkfix</code>
caption	Replace <i>pk</i> fonts in PostScript with Type 1 fonts
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2001, 2005, 2007, 2009, 2011)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.7
description	(no language specified) The perl script <code>pkfix</code> looks for DVIPSBitmapFont comments in PostScript files, generated by ‘not too old’ dvips, and replaces them by type 1 versions of the fonts, if possible.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/pkfix/README
on CTAN	https://ctan.org/tex-archive/support/pkfix
on MikTeX	<code>pkfix</code>
on T _E XLive	<code>pkfix</code>
keyword	<code>font-util</code> (manipulate or examine fonts)
see also	see section 4688 on page 4245: (<code>pkfix-helper</code> – Make PostScript files accessible to <code>pkfix</code>)
language(s)	no language specified
year	2011
last access	2025-02-07

4688 *pkfix-helper* – Make PostScript files accessible to *pkfix*

Web page on CTAN <https://ctan.org/pkg/pkfix-helper>

name	<code>pkfix-helper</code>
caption	Make PostScript files accessible to <code>pkfix</code>
author	Pakin, Scott
copyright	Scott Pakin (2009-2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.6 (2020-08-06)

last changes	2020-08-06
year	2020
description	(no language specified) Pkfix is a useful utility for replacing resolution-dependent bitmapped fonts in a dvips-produced PostScript file with the corresponding resolution-independent vector fonts. Unfortunately, pkfix needs to parse certain PostScript comments that appear only in files produced by dvips versions later than 5.58 (ca. 1996); it fails to work on PostScript files produced by older versions of dvips. Pkfix-helper is a program that attempts to insert newer-dvips comments into an older-dvips PostScript file, thereby making the file suitable for processing by pkfix. pkfix-helper can sometimes process documents fully autonomously but does require the user to verify and, if needed, correct its decisions.
documentation	(no language specified) <i>Encoding tables and how to use them:</i> https://ctan.org/tex-archive/support/pkfix-helper/encoding-samples.pdf
– local file	<code>./5110654189-encoding-samples.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/pkfix-helper/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/support/pkfix-helper/pkfix-helper.pdf
– local file	<code>./4687195301-pkfix-helper.pdf</code>
on CTAN	https://ctan.org/tex-archive/support/pkfix-helper
on MikTeX	pkfix-helper
on T _E XLive	pkfix-helper
keyword	font-util (manipulate or examine fonts)
language(s)	no language specified
last access	2025-02-07

4689 pkgcheck – CTAN package checker

Web page on CTAN <https://ctan.org/pkg/pkgcheck>

name	pkgcheck
caption	CTAN package checker
author	Lotz, Manfred
copyright	Manfred Lotz (2018)
license	mit = MIT License (free)

4690 *pkginfograb* – Collect LaTeX package information in a regular way

license	apache2 = Apache License, version 2.0 (free)
version	3.3.1 (2025-12-11)
last changes	2025-12-11
year	2025
description	(no language specified) Packages uploaded to CTAN will be checked by the CTAN team before they get installed. This package provides the <code>pkgcheck</code> command line utility used by CTAN members for carrying out those checks that can be performed in an automated way. <code>pkgcheck</code> is a 64-bit static Linux binary, and runs out of the box. The only prerequisites is that <code>pdfinfo</code> is available. A Windows version is not planned.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/support/pkgcheck/README.md
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/support/pkgcheck/docs/pkgcheck.pdf
– local file	<code>./5958954719-pkgcheck.pdf</code>
contact	<i>support</i> : https://codeberg.org/ManfredLotz/pkgcheck/issues
contact	<i>bugs</i> : https://codeberg.org/ManfredLotz/pkgcheck/issues
contact	<i>repository</i> : https://codeberg.org/ManfredLotz/pkgcheck
on CTAN	https://ctan.org/tex-archive/support/pkgcheck
keyword	ctan (support for work with the CTAN archive)
language(s)	no language specified
last access	2025-12-20

4690 *pkginfograb* – Collect LaTeX package information in a regular way

Web page on CTAN <https://ctan.org/pkg/pkginfograb>

name	pkginfograb
caption	Collect LaTeX package information in a regular way
author	Frigeri, Alceu
copyright	Alceu Frigeri (2025)
license	gpl = GNU General Public License (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)

4691 *pkgloader* – Manage the options and loading order of other packages

version	1.2 (2025-11-16)
last changes	2025-11-16
year	2025
description	(no language specified) This package is aimed at package writers and offers a way to collect/document LaTeX package information (name, version, description, etc.) in a systematic way.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/pkginfograb/doc/pkginfograb.pdf
– local file	./9479633885-pkginfograb.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/pkginfograb/README.md
contact	<i>bugs:</i> https://github.com/alceu-frigeri/pkginfograb/issues
contact	<i>repository:</i> https://github.com/alceu-frigeri/pkginfograb
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pkginfograb
on MikTeX	pkginfograb
on T _E XLive	pkginfograb
keyword	macro-supp (support for development of (La)TeX macros)
keyword	metadata (process document metadata)
language(s)	no language specified
last access	2025-11-27

4691 *pkgloader* – Manage the options and loading order of other packages

Web page on CTAN <https://ctan.org/pkg/pkgloader>

name	pkgloader
caption	Manage the options and loading order of other packages
author	Helvensteijn, Michiel
copyright	Michiel Helvensteijn (2014-2018)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.7.0 (2018-04-29)
last changes	2018-04-29
year	2018

description	(no language specified) The package seeks to address the frustration caused by package conflicts. It is in an early stage of its development, and should probably not be used as a matter of course; however the author welcomes feedback via the home page link given in this catalogue entry. Nevertheless, the author urges users to try the package and to report issues (or whatever) via the package's repository . To use <code>pkgloader</code> you need, apart from packages installed by default, the lt3graph package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pkgloader/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pkgloader/pkgloader.pdf
– local file	<code>./7237792629-pkgloader.pdf</code>
contact	<i>bugs</i> : https://github.com/mhervens/latex-pkgloader/issues
contact	<i>repository</i> : https://github.com/mhervens/latex-pkgloader
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pkgloader
on MikTeX	<code>pkgloader</code>
on T _E XLive	<code>pkgloader</code>
keyword	<code>debug-supp</code> (support for package or document debugging)
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
language(s)	no language specified
last access	2025-02-07

4692 *pkuthss* – LaTeX template for dissertations in Peking University

Web page on CTAN <https://ctan.org/pkg/pkuthss>

name	<code>pkuthss</code>
caption	LaTeX template for dissertations in Peking University
author	Vector, Casper Ti.
copyright	Casper Ti. Vector (2010-2024)
license	pd = Public Domain Software (free)
license	bsd = BSD Style License (free)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)

4693 *pkware* – Utility programs for use with PK bitmap fonts

version	1.9.4 (2024-03-07)
last changes	2024-03-07
year	2024
description	(no language specified) The package provides a simple, clear and flexible LaTeX template for dissertations in Peking University.
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pkuthss/doc/pkuthss.pdf
– local file	<code>./5282829504-pkuthss.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pkuthss/README.txt
contact	<i>repository</i> : https://gitea.com/CasperVector/pkuthss
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pkuthss
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/pkuthss.tds.zip
on MikTeX	pkuthss
on TeXLive	pkuthss
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	class (alternative LaTeX class(es))
keyword	chinese (support for typesetting Chinese languages)
language(s)	Chinese
last access	2026-04-10

4693 *pkware* – Utility programs for use with PK bitmap fonts

Web page on CTAN <https://ctan.org/pkg/pkware>

name	pkware
caption	Utility programs for use with PK bitmap fonts
author	Rokicki, Tom
author	The TeX Live Team
license	pd = Public Domain Software (free)
version	(2020-04-23)
last changes	2020-04-23

year	2020
description	(no language specified) <code>pkttype</code> verifies a PK-format bitmap font. <code>pktogf</code> converts a PK-format bitmap font to GF format. These programs were originally written by Tomas Rokicki as part of his Stanford Ph.D. work, and have always been distributed alongside the other programs coming from the Stanford TeX project, though they are not maintained by Donald Knuth. The related program <code>gftopk[.web]</code>, however, is maintained by DEK and is part of the "mfware" collection, <code>gftopk</code> is by far the most commonly used of the PK font utilities.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/stanford/pkware/README
contact	<i>support</i> : https://lists.tug.org/tex-k
contact	<i>bugs</i> : https://lists.tug.org/tex-k
contact	<i>repository</i> : https://tug.org/svn/texlive/trunk/Build/source/texk/web2c/
on CTAN	https://ctan.org/tex-archive/systems/stanford/pkware
keyword	<code>font-cvt</code> (convert a font to a form usable with TeX)
see also	see section 3947 on page 3569: (<code>mfware</code> – Supporting tools for Metafont: <code>gftodvi</code> , <code>gftopk</code> , <code>gftype</code> , <code>mft</code>)
language(s)	no language specified
last access	2025-02-07

4694 p1 – Literate Programming for Prolog with LaTeX

Web page on CTAN	https://ctan.org/pkg/p1
name	<code>p1</code>
caption	Literate Programming for Prolog with LaTeX
author	Neugebauer, Gerd
license	other-free = Free license not otherwise listed (free)
version	3.0
description	(no language specified) Instead of having to transform the common source into program or documentation, the central idea was to develop a method to have one common source which can be interpreted by a Prolog system as well as by LaTeX, whether that Prolog system be C-Prolog, Quintus-Prolog, or ECLiPSe.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gene/pl/pl.pdf
– local file	<code>./8376379542-pl.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gene/pl/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gene/pl
on MikTeX	<code>pl</code>
on TeXLive	<code>plweb</code>
keyword	<code>litprog</code> (iterate programming)
language(s)	no language specified
year	without year
last access	2026-04-14

4695 *pl-mf* – Polish extension of Computer Modern fonts

Web page on CTAN <https://ctan.org/pkg/pl-mf>

name	<code>pl-mf</code>
caption	Polish extension of Computer Modern fonts
author	Jackowski, Bogusław
author	Ryćko, Marek
license	pd = Public Domain Software (free)
version	1.09a
description	(no language specified) The Polish extension of the Computer Modern fonts (compatible with CM itself) for use with Polish TeX formats. The fonts were originally a part of the MeX distribution (and they are still available that way).
on CTAN	https://ctan.org/tex-archive/language/polish/pl-mf.zip
on TeXLive	<code>pl</code>
keyword	<code>font</code> (fonts themselves)
keyword	<code>polish</code> (support for typesetting Polish)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
language(s)	no language specified
year	without year

last access 2025-02-07

4696 *placeat* – Absolute content positioningWeb page on CTAN <https://ctan.org/pkg/placeat>

name	<code>placeat</code>
caption	Absolute content positioning
author	Trautmann, Arno L
copyright	Arno L. Trautmann (2014)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1d1
description	(no language specified) The package provides commands so that the user of LuaLaTeX may position arbitrary content at any position specified by absolute coordinates on the page. The package draws a grid on each page of the document, to aid positioning (the grid may be disabled, for ‘final copy’ using the command <code>\placeatsetup</code>).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/placeat/placeat.pdf
– local file	<code>./9652150779-placeat.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/placeat/README.md
contact	<i>repository</i> : https://github.com/alt/placeat
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/placeat
on MikTeX	<code>placeat</code>
on TeXLive	<code>placeat</code>
keyword	layout (layout of objects on the page)
keyword	luatex (LuaTeX and packages that require it)
see also	see section 6049 on page 5467: (<code>textpos</code> – Place boxes at arbitrary positions on the LaTeX page)
language(s)	no language specified
year	2014
last access	2025-02-07

4697 placeins – Control float placementWeb page on CTAN <https://ctan.org/pkg/placeins>

name	placeins
caption	Control float placement
author	Arseneau, Donald
license	pd = Public Domain Software (free)
version	2.2
description	(no language specified) Defines a <code>\FloatBarrier</code> command, beyond which floats may not pass; useful, for example, to ensure all floats for a section appear before the next <code>\section</code> command.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/placeins/placeins-doc.pdf
– local file	<code>./5831333501-placeins-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/placeins
on MikTeX	placeins
on TeXLive	placeins
keyword	float (typesetting floats)
keyword	layout (layout of objects on the page)
language(s)	no language specified
year	without year
last access	2025-02-07

4698 placeins-plain – Insertions that keep their placeWeb page on CTAN <https://ctan.org/pkg/placeins-plain>

name	placeins-plain
caption	Insertions that keep their place
author	Arseneau, Donald
copyright	Donald Arseneau (1995)
license	pd = Public Domain Software (free)
version	2.0

description	(no language specified) This TeX file provides various mechanisms (for plain TeX and close relatives) to let insertions (footnotes, topins, pageins, etc.) float within their appropriate section, but to prevent them from intruding into the following section, even when sections do not normally begin a new page. (If your sections normally begin a new page, just use <code>\supereject</code> to flush out insertions.)
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/placeins.tex
on T _E XLive	placeins-plain
keyword	float (typesetting floats)
keyword	layout (layout of objects on the page)
language(s)	no language specified
year	1995
last access	2025-02-07

4699 plain – The Plain TeX format

Web page on CTAN <https://ctan.org/pkg/plain>

name	plain
caption	The Plain TeX format
author	Knuth, Donald E.
license	knuth = Knuth License (free)
version	3.141592653
description	(no language specified) Contains files used to build the Plain TeX format, as described in the TeXbook, together with various supporting files (some also discussed in the book).
on CTAN	https://ctan.org/tex-archive/macros/plain/base
on MikT _E X	plain
on T _E XLive	plain
keyword	format (macros to build a format)
language(s)	no language specified
year	without year
last access	2025-02-11

4700 *plain-cm* – Variable sized fonts in Plain TeX

Web page on CTAN <https://ctan.org/pkg/plain-cm>

name	<code>plain-cm</code>
caption	Variable sized fonts in Plain TeX
author	Horn, Berthold K. P.
author	Brotsky, Daniel C.
license	<code>noinfo</code> = <code>noinfo</code>
version	(1986-07-17)
last changes	1986-07-17
year	1986
description	(no language specified) A font-selection system for Plain TeX, that allows users to choose sizes other than 10pt as the base size of their document, and to use ‘relative’ sizes like <code>\big</code> , <code>\Big</code> (and so on) as commands taking an argument to be set in a larger-than-base size.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/plain-cm.tex
keyword	<code>font-sel</code> (font selection schemes)
see also	see section 2304 on page 2085: (<code>font_selection</code> – Font selection for plain TeX)
see also	see section 4367 on page 3954: (<code>ofs</code> – Macros for managing large font collections)
language(s)	no language specified
last access	2025-02-07

4701 *plain-ltx* – Make plain TeX files LaTeXable

Web page on CTAN <https://ctan.org/pkg/plain-ltx>

name	<code>plain-ltx</code>
caption	Make plain TeX files LaTeXable
author	Carlisle, David
license	<code>lppl</code> = The LaTeX Project Public License (free)

description	(no language specified) The package <code>plain.sty</code> defines a LaTeX environment which can process a document written to use Knuth's basic Plain TeX macros. Inside the environment, not everything is as Knuth intended (some Plain commands are suppressed, some are faked, and some basic mechanisms—such as font selection and the output routine—remain as in LaTeX). Thus "simple" documents will run, but elaborate macros defined in the document have a chance of failing. The package is distributed as part of the carlisle bundle.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/carlisle/plain.sty
keyword	<code>foreign-import</code> (import files in a non-TeX (or different TeX) format)
language(s)	no language specified
year	without year
last access	2025-02-07

4702 *plain-widow* – Three output routines that extend `\plainoutput`

Web page on CTAN <https://ctan.org/pkg/plain-widow>

name	<code>plain-widow</code>
caption	Three output routines that extend <code>\plainoutput</code>
author	Wermuth, Udo
copyright	Udo Wermuth (2025)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	1.0 (2025-05-13)
last changes	2025-05-13
year	2025
description	(no language specified) This package contains three output routines that extend <code>\plainoutput</code> . The first adds a reporting of problematic lines, i.e., for widow, club, and broken lines. The second prevents widow lines by changing the <code>\vsize</code> by one line. The third tries to avoid widow, club, and broken lines as much as possible for spreads.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/contrib/plain-widow/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/plain/contrib/plain-widow/plain-widow-doc.pdf

4703 *plainmisc* – Miscellaneous contributed macros for plain TeX

– local file `./1871104462-plain-widow-doc.pdf`
on CTAN <https://ctan.org/tex-archive/macros/plain/contrib/plain-widow>
keyword layout (layout of objects on the page)
keyword plain-ext (extensions to Plain TeX for higher-level constructs)
language(s) no language specified
last access 2025-05-16

4703 *plainmisc* – Miscellaneous contributed macros for plain TeX

Web page on CTAN <https://ctan.org/pkg/plainmisc>
name plainmisc
caption Miscellaneous contributed macros for plain TeX
license collection = collection
on CTAN <https://ctan.org/tex-archive/macros/plain/contrib/misc>
keyword arch-tree (root directory of a (sub-)tree of the archive)
language(s) no language specified
year without year
last access 2025-02-11

4704 *plainpkg* – A minimal method for making generic packages

Web page on CTAN <https://ctan.org/pkg/plainpkg>
name plainpkg
caption A minimal method for making generic packages
author Lück, Uwe
license lpl1.3 = The LaTeX Project Public License 1.3 (free)
version 0.4a
description (no language specified) The package provides a minimal method for making generic (i.e., TeX-format-independent) packaged, combining **maybeload** functionality, fallback definitions for LaTeX `\ProvidesPackage` and `\RequirePackage` functionality, and handling of arbitrary (multiple) "private letters" (analogous LaTeX packages' use of " @ ") in nested package files. The documentation contains a central reference for making and using generic packages based on the package.

4705 *plainyr* – Plain bibliography style, sorted by year first

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/plainpkg/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/plainpkg/plainpkg-doc.pdf
– local file	./8436614206-plainpkg-doc.pdf
contact	<i>support</i> : http://www.webdesign-bu.de/uwe_lueck/contact.html
on CTAN	https://ctan.org/tex-archive/macros/generic/plainpkg
installation	https://ctan.org/tex-archive/install/macros/generic/plainpkg.tds.zip
on MikTeX	plainpkg
on T _E XLive	plainpkg
keyword	macro-supp (support for development of (La)TeX macros)
keyword	macro-gen (macros that are independent of the (TeX) format in use)
language(s)	no language specified
year	without year
last access	2025-02-07

4705 *plainyr* – Plain bibliography style, sorted by year first

Web page on CTAN	https://ctan.org/pkg/plainyr
name	plainyr
caption	Plain bibliography style, sorted by year first
author	Perrone, Michael P.
license	other-free = Free license not otherwise listed (free)
version	(1992-06-26)
last changes	1992-06-26
year	1992
description	(no language specified) This is a version of the standard <code>plain</code> BibTeX style, modified to sort chronologically (by year) first, then by author, title, etc. (The style's name isn't what the author submitted: it was renamed for clarity.)
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/plainyr.bst
on MikTeX	beebe

4706 *plantslabels* – Write labels for plants

on T_EXLive beebe
 keyword bibtex-sty (bibtex-sty(unknown))
 language(s) no language specified
 last access 2025-02-07

4706 *plantslabels* – Write labels for plants

Web page on CTAN <https://ctan.org/pkg/plantslabels>

name plantslabels
 caption Write labels for plants
 author Meriadri, Luca
 license lppl = The LaTeX Project Public License (free)
 version 1.0
 description (no language specified) The package defines a command `\plant` , which has three mandatory and seven optional argument.

The package uses the [labels](#)

documentation (no language specified) *Package documentation:*
<https://ctan.org/tex-archive/macros/latex/contrib/plantslabels/doc/pdf/plantslabels.pdf>

– local file ./7946215424-plantslabels.pdf

documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/macros/latex/contrib/plantslabels/README>

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/plantslabels>

on MikT_EX plantslabels

on T_EXLive plantslabels

keyword covers (typeset badges, covers or labels for things (or people))

language(s) no language specified

year without year

last access 2025-02-07

4707 *plantuml* – Support for rendering UML diagrams using PlantUML

Web page on CTAN <https://ctan.org/pkg/plantuml>

name	plantuml
caption	Support for rendering UML diagrams using PlantUML
author	Kopp, Oliver
copyright	Oliver Kopp (2018-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.6.0
description	(no language specified) PlantUML is a program which transforms text into UML diagrams. This LaTeX package allows for embedding PlantUML diagrams using the PlantUML source. Currently, this project runs with LuaLaTeX only.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/plantuml/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/plantuml/plantuml.pdf
– local file	./2217845153-plantuml.pdf
contact	<i>bugs</i> : https://github.com/koppor/plantuml/issues
contact	<i>repository</i> : https://github.com/koppor/plantuml/
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/plantuml
on MikTeX	plantuml
on T _E XLive	plantuml
keyword	use-lua (package requires availability of lua)
keyword	uml (support for Universal Modelling Language diagrams)
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
year	2025
last access	2025-05-22

4708 *plari* – Typesetting stageplay scripts

Web page on CTAN <https://ctan.org/pkg/plari>

name	<code>plari</code>
caption	Typesetting stageplay scripts
author	Kaijanaho, Antti-Juhani
copyright	Antti-Juhani Kaijanaho (1998)
license	gpl = GNU General Public License (free)
description	(no language specified) Plari (the name comes from the Finnish usage for the working copy of a play) is a report-alike class, without section headings, and with paragraphs vertically separated rather than indented.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/plari/plari.pdf
– local file	<code>./4514630554-plari.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/plari/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/plari
on MikTeX	<code>plari</code>
on T _E XLive	<code>plari</code>
keyword	<code>drama-script</code> (typeset scripts for plays, etc.)
see also	see section 5491 on page 4968: (<i>sides</i> – A LaTeX class for typesetting stage plays)
language(s)	no language specified
year	1998
last access	2025-02-07

4709 *plates* – Arrange for “plates” sections of documents

Web page on CTAN <https://ctan.org/pkg/plates>

name	<code>plates</code>
caption	Arrange for “plates” sections of documents
author	Tanbakuchi, Anthony A.
license	lppl = The LaTeX Project Public License (free)
version	0.1

description	(no language specified) The plates package provides a simple facility for inserting colour figures in a document when they should be gathered and printed together as in a book's section of colour plates. The package provides a plate environment that takes the place of the figure environment for such colour images.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/plates/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/plates/plates.pdf
– local file	./2125134428-plates.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/plates
on MikTeX	plates
on TeXLive	plates
keyword	graphics-use (graphics (typesetting actual pictures))
language(s)	no language specified
year	without year
last access	2025-02-07

4710 platex – pLaTeX2e and miscellaneous macros for pTeX

Web page on CTAN <https://ctan.org/pkg/platex>

name	platex
caption	pLaTeX2e and miscellaneous macros for pTeX
author	Japanese TeX Development Community
author	Maeda, Kazuki
copyright	Japanese TeX Development Community (2016-2023)
copyright	ASCII MEDIA WORKS (2010)
license	bsd3 = 3-clause BSD License (free)
version	(2023-02-26)
last changes	2023-02-26
year	2023

4711 *platex-tools* – pLaTeX standard tools bundle

description	(no language specified) The bundle provides pLaTeX2e and miscellaneous macros for pTeX and e-pTeX. This is a community edition forked from the original ASCII edition (ptex-texmf-2.5).
documentation	(Japanese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/jptex/latex/platex/platex.pdf
– local file	./8896777835-platex.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/jptex/latex/platex/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/jptex/latex/platex/platex-en.pdf
– local file	./9506881204-platex-en.pdf
contact	<i>repository</i> : https://github.com/texjporg/platex
on CTAN	https://ctan.org/tex-archive/macros/jptex/latex/platex
installation	https://ctan.org/tex-archive/install/macros/jptex/latex/platex.tds.zip
on MikTeX	platex
on T _E XLive	platex
keyword	format (macros to build a format)
keyword	japanese (support for typesetting Japanese)
keyword	class (alternative LaTeX class(es))
language(s)	Japanese
last access	2025-02-07

4711 *platex-tools* – pLaTeX standard tools bundle

Web page on CTAN <https://ctan.org/pkg/platex-tools>

name	platex-tools
caption	pLaTeX standard tools bundle
author	Yamashita, Hironobu
copyright	Hironobu Yamashita (2016-2023)
license	bsd3 = 3-clause BSD License (free)
version	(2023-02-26)
last changes	2023-02-26

year	2023
description	(no language specified) This bundle is an extended version of the latex-tools bundle developed by the LaTeX team, mainly intended to support pLaTeX2e and upLaTeX2e . Currently patches for the latex-tools bundle and Martin Schröder's ms bundle are included.
documentation	(Japanese) <i>Documentation of the plectarray package:</i> https://ctan.org/tex-archive/macros/jptex/latex/platex-tools/plextarray.pdf
– local file	<code>./3282056276-plextarray.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/jptex/latex/platex-tools/README.md
documentation	(Japanese) <i>Documentation of the pxeveryshi package:</i> https://ctan.org/tex-archive/macros/jptex/latex/platex-tools/pxeveryshi.pdf
– local file	<code>./7215083422-pxeveryshi.pdf</code>
documentation	(Japanese) <i>Documentation of the pxmulticol package:</i> https://ctan.org/tex-archive/macros/jptex/latex/platex-tools/pxmulticol.pdf
– local file	<code>./9553019653-pxmulticol.pdf</code>
documentation	(Japanese) <i>Documentation of the pxatbegshi package:</i> https://ctan.org/tex-archive/macros/jptex/latex/platex-tools/pxatbegshi.pdf
– local file	<code>./4935300454-pxatbegshi.pdf</code>
documentation	(Japanese) <i>Documentation of the plextdelarray package:</i> https://ctan.org/tex-archive/macros/jptex/latex/platex-tools/plextdelarray.pdf
– local file	<code>./4297640074-plextdelarray.pdf</code>
documentation	(Japanese) <i>Documentation of the plarray package:</i> https://ctan.org/tex-archive/macros/jptex/latex/platex-tools/plarray.pdf
– local file	<code>./6017953144-plarray.pdf</code>
documentation	(Japanese) <i>Documentation of the pxftnright package:</i> https://ctan.org/tex-archive/macros/jptex/latex/platex-tools/pxftnright.pdf
– local file	<code>./4217331844-pxftnright.pdf</code>
documentation	(Japanese) <i>Documentation of the pxeveryssel package:</i> https://ctan.org/tex-archive/macros/jptex/latex/platex-tools/pxeveryssel.pdf
– local file	<code>./2815178077-pxeveryssel.pdf</code>

4712 *platexcheat* – A LaTeX cheat sheet, in Japanese

documentation	(Japanese) <i>Documentation of the pxxspace package</i> : https://ctan.org/tex-archive/macros/jptex/latex/platex-tools/pxxspace.pdf
– local file	<code>./6904260845-pxxspace.pdf</code>
contact	<i>repository</i> : https://github.com/aminophen/platex-tools
on CTAN	https://ctan.org/tex-archive/macros/jptex/latex/platex-tools
on MikTeX	platex-tools
on TeXLive	platex-tools
keyword	japanese (support for typesetting Japanese)
keyword	collection (a collection of packages)
language(s)	Japanese
last access	2025-02-07

4712 *platexcheat* – A LaTeX cheat sheet, in Japanese

Web page on CTAN	https://ctan.org/pkg/platexcheat
name	platexcheat
caption	A LaTeX cheat sheet, in Japanese
author	Asakura, Takuto
copyright	Takuto Asakura (2017)
license	mit = MIT License (free)
version	3.1
description	(no language specified) This is a translation to Japanese of Winston Chang's LaTeX cheat sheet (a reference sheet for writing scientific papers). It has been adapted to Japanese standards using pLaTeX , and also attached additional information of "standard LaTeX" (especially about math-mode).
documentation	(Japanese) <i>Example of use</i> : https://ctan.org/tex-archive/info/latexcheat/platexcheat/sample-jsclasses.pdf
– local file	<code>./1346530626-sample-jsclasses.pdf</code>
documentation	(Japanese) <i>The LaTeX cheat sheet</i> : https://ctan.org/tex-archive/info/latexcheat/platexcheat/platexsheet.pdf
– local file	<code>./4089102344-platexsheet.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/latexcheat/platexcheat/README.md

contact	repository: https://github.com/wtsnjp/platexcheat
on CTAN	https://ctan.org/tex-archive/info/latexcheat/platexcheat
on MikTeX	platexcheat
on TeXLive	platexcheat
keyword	tut-cheat (tutorial “cheat-sheet”)
language(s)	Japanese
year	2017
last access	2025-02-07

4713 *plautopatch* – Automated patches for pLaTeX/upLaTeX

Web page on CTAN <https://ctan.org/pkg/plautopatch>

name	plautopatch
caption	Automated patches for pLaTeX/upLaTeX
author	Yamashita, Hironobu
copyright	Hironobu Yamashita (2018-2021)
license	bsd3 = 3-clause BSD License (free)
version	0.9q (2021-12-07)
last changes	2021-12-07
year	2021
description	(no language specified) Japanese pLaTeX/upLaTeX formats and packages often conflict with other LaTeX packages which are unaware of pLaTeX/upLaTeX. In the worst case, such packages throw a fatal error or end up with a wrong output. The goal of this package is that there should be no need to worry about such incompatibilities, because specific patches are loaded automatically whenever necessary. This helps not only to simplify source files, but also to make the appearance of working pLaTeX/upLaTeX sources similar to those of ordinary LaTeX ones.
documentation	(no language specified) <i>Package documentation (English):</i> https://ctan.org/tex-archive/macros/jptex/latex/plautopatch/plautopatch.pdf
– local file	./8305303548-plautopatch.pdf
documentation	<i>Package documentation (Japanese):</i> https://ctan.org/tex-archive/macros/jptex/latex/plautopatch/plautopatch-ja.pdf

4714 *play* – Typeset drama using LaTeX

– local file	<code>./7473028942-plautopatch-ja.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/jptex/latex/plautopatch/README.md
contact	<i>repository</i> : https://github.com/aminophen/plautopatch
on CTAN	https://ctan.org/tex-archive/macros/jptex/latex/plautopatch
on MikTeX	plautopatch
on T _E XLive	plautopatch
keyword	japanese (support for typesetting Japanese)
keyword	bugfix (correct a problem, ahead of the “proper” fix)
keyword	debug-supp (support for package or document debugging)
language(s)	Japanese
last access	2025-02-07

4714 *play* – Typeset drama using LaTeX

Web page on CTAN <https://ctan.org/pkg/play>

name	<code>play</code>
caption	Typeset drama using LaTeX
author	Kilfiger, James
copyright	James Kilfiger (1999)
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) A class and style file that supports the typesetting of plays, including options for line numbering.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/play/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/play
on MikTeX	<code>play</code>
on T _E XLive	<code>play</code>
keyword	drama-script (typeset scripts for plays, etc.)
see also	see section 6820 on page 6155: (<code>xmlplay</code> – Typeset Shakespeare’s plays as marked up by Bosak)
language(s)	no language specified

year 1999
last access 2025-02-07

4715 *play-font* – The Play font face with support for LaTeX and pdfLaTeX

Web page on CTAN <https://ctan.org/pkg/play-font>

name	play-font
caption	The Play font face with support for LaTeX and pdfLaTeX
author	Ebinger, Carl-Clemens
license	ofl = The SIL Open Font License (free)
license	lppl = The LaTeX Project Public License (free)
version	0.0.1
description	(no language specified) This package provides the Play family of fonts designed by FontFuror, with support for LaTeX and pdfLaTeX.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/play-font/README
documentation	(no language specified) <i>Font samples:</i> https://ctan.org/tex-archive/fonts/play-font/doc/Play-samples.pdf
– local file	./9705941972-Play-samples.pdf
home page	https://github.com/ccebinger/CTAN_Play
contact	<i>support:</i> https://github.com/ccebinger/CTAN_Play
contact	<i>bugs:</i> https://github.com/ccebinger/CTAN_Play
contact	<i>repository:</i> https://github.com/ccebinger/CTAN_Play
contact	<i>development:</i> https://github.com/ccebinger/CTAN_Play
on CTAN	https://ctan.org/tex-archive/fonts/play-font
on MikTeX	play-font
keyword	font (fonts themselves)
keyword	font-otf (font in OpenType format)
keyword	font-sans (sans-serif font)
keyword	font-t1enc (font providing LaTeX T1 encoding support)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-type1 (font available in Adobe Type 1 format)

keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font-proportional (variable-spaced font)
language(s)	no language specified
year	without year
last access	2025-02-07

4716 **playcards** – A simple template for drawing playcards

Web page on CTAN	https://ctan.org/pkg/playcards
name	playcards
caption	A simple template for drawing playcards
author	Pagès, Clément
license	lgpl3 = GNU Lesser General Public License 3 (free)
version	0.2.1 (2023-06-11)
last changes	2023-06-11
year	2023
description	(no language specified) This small package provides commands for drawing customized playcards with width 59mm and height 89mm, which are typical card dimensions.
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/playcards/playcards-en.pdf
– local file	./9867705785-playcards-en.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/playcards/README.md
documentation	<i>Package documentation (French)</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/playcards/playcards-fr.pdf
– local file	./6788741806-playcards-fr.pdf
home page	https://cpages.org/latex/
contact	<i>repository</i> : https://github.com/cmtpages/playcards
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/playcards
on MikTeX	playcards

on T _E XLive	playcards
keyword	card-gen (cards for miscellaneous purposes)
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	French
last access	2025-02-07

4717 *playfair* – Playfair Display fonts with LaTeX support

Web page on CTAN <https://ctan.org/pkg/playfair>

name	playfair
caption	Playfair Display fonts with LaTeX support
author	Tennent, Bob
license	ofl = The SIL Open Font License (free)
license	lppl = The LaTeX Project Public License (free)
version	(2022-09-28)
last changes	2022-09-28
year	2022
description	(no language specified) This package provides the PlayFairDisplay family of fonts, designed by Claus Eggers Sørensen, for use with LaTeX, pdfLaTeX, XeLaTeX and LuaLaTeX. PlayFairDisplay is well suited for titling and headlines. It has an extra large x-height and short descenders. It can be set with no leading if space is tight, for instance in news headlines, or for stylistic effect in titles. Capitals are extra short, and only very slightly heavier than the lowercase characters. This helps achieve a more even typographical colour when typesetting proper nouns and initialisms.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/playfair/README
documentation	(no language specified) <i>Font samples</i>: https://ctan.org/tex-archive/fonts/playfair/doc/playfair-samples.pdf
– local file	./9314699769-playfair-samples.pdf
on CTAN	https://ctan.org/tex-archive/fonts/playfair
installation	https://ctan.org/tex-archive/install/fonts/playfair.tds.zip

on MikTeX	playfair
on T _E XLive	playfair
keyword	font-otf (font in OpenType format)
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font-tlenc (font providing LaTeX T1 encoding support)
keyword	font-serif (serif font)
keyword	font-proportional (variable-spaced font)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-display (display-style font)
keyword	font (fonts themselves)
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
last access	2025-02-07

4718 plcalendar – Plain macros for making nice calendars

Web page on CTAN	https://ctan.org/pkg/plcalendar
name	plcalendar
caption	Plain macros for making nice calendars
license	noinfo = noinfo
version	(1992-12-09)
last changes	1992-12-09
year	1992
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/calendar
on MikTeX	plcalendar
keyword	calendar (typeset calendars, diaries, planning charts, etc.)
see also	see section 904 on page 826: (calendar – A package for calendars and timetables)
see also	see section 3115 on page 2811: (kalender – Create a calendar, in German)
language(s)	no language specified
last access	2025-02-07

4719 plex – Support for IBM Plex fonts

Web page on CTAN <https://ctan.org/pkg/plex>

name	plex
caption	Support for IBM Plex fonts
author	Tennent, Bob
copyright	IBM Corp. with Reserved Font Name Plex (2017)
license	lppl = The LaTeX Project Public License (free)
license	ofl = The SIL Open Font License (free)
version	(2025-12-04)
last changes	2025-12-04
year	2025
description	(no language specified) The package provides LaTeX, pdfLaTeX, XeLaTeX and LuaLaTeX support for the IBM Plex families of fonts. Serif, Sans and Mono families are available in eight weights: Regular, Light, ExtraLight, Thin, Bold, Text, Medium and SemiBold (with corresponding italics).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/plex/README
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/plex/doc/plex-samples.pdf
– local file	./8650911309-plex-samples.pdf
home page	https://github.com/IBM/plex
contact	<i>bugs</i> : https://github.com/IBM/plex/issues/new
contact	<i>repository</i> : https://github.com/IBM/plex
on CTAN	https://ctan.org/tex-archive/fonts/plex
installation	https://ctan.org/tex-archive/install/fonts/plex.tds.zip
on MikTeX	plex
on TeXLive	plex
keyword	font-sans (sans-serif font)
keyword	font (fonts themselves)
keyword	font-proportional (variable-spaced font)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-t1enc (font providing LaTeX T1 encoding support)

keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-mono</code> (monospaced font)
language(s)	no language specified
last access	2025-12-11

4720 `plex-otf` – Support for the OpenType font IBM Plex

Web page on CTAN <https://ctan.org/pkg/plex-otf>

name	<code>plex-otf</code>
caption	Support for the OpenType font IBM Plex
author	Voß, Herbert
copyright	Herbert Voß (2023-2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.11a (2025-03-21)
last changes	2025-03-21
year	2025
description	(no language specified) This package supports the free otf fonts from the IBM Plex project which are available from GitHub or already part of your system (Windows/Linux/...). This package supports only XeLaTeX or LuaLaTeX; for pdfLaTeX use <code>plex-mono.sty</code>, <code>plex-sans.sty</code>, and/or <code>plex-serif.sty</code> from the plex package.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/plex-otf/README.md
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/plex-otf/doc/plex-otf-doc.pdf
– local file	<code>./9751467137-plex-otf-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/plex-otf
on MikTeX	<code>plex-otf</code>
on T _E XLive	<code>plex-otf</code>
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font-otf</code> (font in OpenType format)

keyword	<code>font-mono</code> (monospaced font)
keyword	<code>font-absent</code> (support is for a font not available on CTAN)
keyword	<code>tagged-pdf</code> (tagged PDF compatible)
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-sans</code> (sans-serif font)
see also	see section 4719 on page 4273: (<code>plex</code> – Support for IBM Plex fonts)
language(s)	no language specified
last access	2026-04-13

4721 **plfonts** – Polish extension to Computer Modern fonts

Web page on CTAN <https://ctan.org/pkg/plfonts>

name	<code>plfonts</code>
caption	Polish extension to Computer Modern fonts
license	pd = Public Domain Software (free)
description	(no language specified) Polish extension of Computer Modern fonts. These fonts are compatible with CM fonts; only Polish characters (as in EC/Cork encoding) and quotes are added. The fonts are distributed as Metafont sources or in Type1 format .
on MikTeX	<code>plpsfont</code>
on T _E XLive	<code>pl</code>
keyword	<code>polish</code> (support for typesetting Polish)
keyword	<code>font</code> (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-02-07

4722 *plhyph* – Hyphenation for PolishWeb page on CTAN <https://ctan.org/pkg/plhyph>

name	plhyph
caption	Hyphenation for Polish
author	Kołodziejska, Hanna
author	Ryćko, Marek
author	Jackowski, Bogusław
license	knuth = Knuth License (free)
version	3.0b
on CTAN	https://ctan.org/tex-archive/language/polish/plhyph.tex
on T _E XLive	hyphen-polish
keyword	hyphenation (macros or tables for hyphenation)
keyword	polish (support for typesetting Polish)
language(s)	no language specified
year	without year
last access	2025-02-07

4723 *plimsoll* – Fonts with the Plimsoll symbol and LaTeX supportWeb page on CTAN <https://ctan.org/pkg/plimsoll>

name	plimsoll
caption	Fonts with the Plimsoll symbol and LaTeX support
author	Jørgensen, Palle
copyright	Palle Jørgensen (2020)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	1 (2020-10-09)
last changes	2020-10-09
year	2020

4724 *plipsum* – ‘Lorem ipsum’ for Plain TeX developers

description	(no language specified) This package provides access to the Plimsoll symbol for use with LaTeX. The Plimsoll symbol is sometimes used in chemistry for denoting standard states and values. The LaTeX package provides access to this notation as well. The syntax for denoting the standard state is the same as suggested in the Comprehensive LaTeX Symbol List for emulating the Plimsoll mark.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/plimsoll/plimsoll.pdf
– local file	<code>./3162081912-plimsoll.pdf</code>
documentation on CTAN	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/plimsoll/README
on MikTeX	<code>plimsoll</code>
on TeXLive	<code>plimsoll</code>
keyword	<code>font-sfd</code> (FontForge font file)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>chemistry</code> (chemistry document support)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-symbol</code> (fonts that provide collections of symbols)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
language(s)	no language specified
last access	2025-02-07

4724 *plipsum* – ‘Lorem ipsum’ for Plain TeX developers

Web page on CTAN	https://ctan.org/pkg/plipsum
name	<code>plipsum</code>
caption	‘Lorem ipsum’ for Plain TeX developers
author	Spina, Sergio
copyright	Sergio Spina (2012)
license	lppl = The LaTeX Project Public License (free)
version	4.3

description	(no language specified) The package provides a paragraph generator designed for use in Plain TeX documents. The paragraphs generated contain many ‘f-groups’ (ff , fl etc.) so the text can act as a test of the ligatures of the font in use.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/contrib/plipsum/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/plain/contrib/plipsum/plipsum-doc.pdf
– local file	./8807607974-plipsum-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/plipsum
on MikTeX	plipsum
on TeXLive	plipsum
keyword	macro-supp (support for development of (La)TeX macros)
keyword	dummy-gen (dummy text generator for tests and examples)
see also	see section 3464 on page 3132: (lipsum – Easy access to the Lorem Ipsum and other dummy texts)
language(s)	no language specified
year	2012
last access	2025-02-07

4725 plnfss – Font selection for Plain TeX

Web page on CTAN <https://ctan.org/pkg/plnfss>

name	plnfss
caption	Font selection for Plain TeX
author	Kotucha, Reinhard
author	Thành, Hàn Thế
author	Konecny, Michal
license	lppl = The LaTeX Project Public License (free)
version	1.1

description	(no language specified) Plnfss is a set of macros to provide easy font access (somewhat similar to NFSS but with some limitations) with Plain TeX. Plnfss can automatically make use of PSNFSS fd files, i.e., when an Adobe Type 1 is used the relevant fd file will be loaded automatically. For cmr-like fonts (ec, vnr, csr or plr fonts), a special format called pfd (plain fd) is required and must be loaded manually. See ot1cmr.pfd for further information.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/plnfss/README
on CTAN	https://ctan.org/tex-archive/macros/plain/plnfss
installation	https://ctan.org/tex-archive/install/macros/plain/plnfss.tds.zip
on MikTeX	plnfss
on T _E XLive	plnfss
keyword	font-sel (font selection schemes)
keyword	plain-ext (extensions to Plain TeX for higher-level constructs)
see also	see section 4367 on page 3954: (ofs – Macros for managing large font collections)
see also	see section 2304 on page 2085: (font_selection – Font selection for plain TeX)
see also	see section 2313 on page 2094: (fontch – Changing fonts, sizes and encodings in Plain TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

4726 plpsfont – Polish extension of CM fonts in Type 1 format

Web page on CTAN <https://ctan.org/pkg/plpsfont>

name	plpsfont
caption	Polish extension of CM fonts in Type 1 format
author	Nowacki, Janusz Marian
license	pd = Public Domain Software (free)
version	1.15

description	(no language specified) This package is the Polish extension of the Computer Modern fonts (known as PL fonts), in Adobe Type 1 (PostScript) format. The fonts use the same .tfm files as for the version generated by Metafont . This release of fonts was adapted to the (mostly guessed) demands of the Windows environment, while keeping the fonts usable with TeX; however, encoding files are now added, as Windows and TeX use different encoding schemes.
on CTAN	https://ctan.org/tex-archive/language/polish/plpsfont
on MikTeX	plpsfont
on TeXLive	pl
keyword	font (fonts themselves)
keyword	polish (support for typesetting Polish)
language(s)	no language specified
year	without year
last access	2025-02-07

4727 *plstmary* – St. Mary’s Road font support for plain TeX

Web page on CTAN	https://ctan.org/pkg/plstmary
name	plstmary
caption	St. Mary’s Road font support for plain TeX
author	Luecking, Daniel H.
license	pd = Public Domain Software (free)
version	0.5c
description	(no language specified) The package provides commands to produce all the symbols of the St Mary’s Road fonts, in a Plain TeX environment.
documentation	(no language specified) <i>Package documentation and font tables</i> : https://ctan.org/tex-archive/macros/plain/contrib/plstmary/plstmary-doc.pdf
– local file	./4484689535-plstmary-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/contrib/plstmary/README
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/plstmary
installation	https://ctan.org/tex-archive/install/macros/plain/contrib/plstmary.tds.zip

on MikTeX	plstmary
on T _E XLive	plstmary
keyword	font-supp-symbol (metrics, macro incantations and other support for symbol fonts)
language(s)	no language specified
year	without year
last access	2025-02-07

4728 *pm-isomath* – Poor man ISO math for pdfLaTeX users

Web page on CTAN <https://ctan.org/pkg/pm-isomath>

name	pm-isomath
caption	Poor man ISO math for pdfLaTeX users
author	Beccari, Claudio
copyright	Claudio Beccari (2017-2021)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2.00 (2021-08-24)
last changes	2021-08-24
year	2021
description	(no language specified) This small package realizes a poor man approximation of the ISO regulations for physical sciences and technology. Contrary to other more elegant solutions, it does not load any math alphabet, since pdfLaTeX can use only a maximum of such alphabets. The necessary user macros are defined for typesetting common math symbols that require special ISO treatment.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pm-isomath/pm-isomath.pdf
– local file	./6511029574-pm-isomath.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pm-isomath/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pm-isomath
on MikTeX	pm-isomath
on T _E XLive	pm-isomath
keyword	physics (support for typesetting physics documents)

keyword maths (support for typesetting mathematics)
 language(s) no language specified
 last access 2025-02-07

4729 pmat – Typeset partitioned matrices

Web page on CTAN <https://ctan.org/pkg/pmat>

name pmat
 caption Typeset partitioned matrices
 author Oliveira e Silva, Tomàs
 license nosell = Do Not Sell Except by Arrangement (not free)
 version 0.1
 documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/macros/generic/pmat/readme>
 documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/generic/pmat/pmat.pdf>
 – local file ./8448683453-pmat.pdf
 on CTAN <https://ctan.org/tex-archive/macros/generic/pmat>
 keyword maths (support for typesetting mathematics)
 language(s) no language specified
 year without year
 last access 2025-02-07

4730 pmboxdraw – Poor man’s box drawing characters

Web page on CTAN <https://ctan.org/pkg/pmboxdraw>

name pmboxdraw
 caption Poor man’s box drawing characters
 author Oberdiek, Heiko
 copyright Heiko Oberdiek (2006, 2011)
 copyright Oberdiek Package Support Group (2016)
 copyright Oberdiek Package Support Group (2016-2019)
 license lpl1.3c = The LaTeX Project Public License 1.3c (free)

4731 *pmcstex* – *LaTeX* in *emTeX* IDE/FrontEnd for *EPM*

version	1.4 (2019-12-05)
last changes	2019-12-05
year	2019
description	(no language specified) This package declares box drawing characters of old code pages, e.g. cp437. It uses rules instead of using a font.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pmboxdraw/pmboxdraw.pdf
– local file	./8500690797-pmboxdraw.pdf
contact	<i>bugs</i> : https://github.com/ho-tex/pmboxdraw/issues
contact	<i>repository</i> : https://github.com/ho-tex/pmboxdraw
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pmboxdraw
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/pmboxdraw.tds.zip
on MikTeX	pmboxdraw
on TeXLive	pmboxdraw
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
language(s)	no language specified
last access	2025-02-07

4731 *pmcstex* – *LaTeX* in *emTeX* IDE/FrontEnd for *EPM*

Web page on CTAN <https://ctan.org/pkg/pmcstex>

name	pmcstex
caption	<i>LaTeX</i> in <i>emTeX</i> IDE/FrontEnd for <i>EPM</i>
author	Mikulik, Petr
license	lppl = The LaTeX Project Public License (free)
version	(2000-04-16)
last changes	2000-04-16
year	2000
description	(no language specified) A macro package that implements many (em)TeX related features for the OS/2 EPM editor. A menu item is added to the EPM menu, a new toolbar is provided, and hotkeys for some (La)TeX commands are defined.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/os2/pmcstex/README
documentation	(no language specified) <i>HTML version of package documentation</i> : http://www.sci.muni.cz/~mikulik/os2/pmCSTeXINF.html
home page	http://www.sci.muni.cz/~mikulik/os2/pmCSTeX.html
on CTAN	https://ctan.org/tex-archive/systems/os2/pmcstex
keyword	ide (integrated development environments)
keyword	editor-extn (plug-ins for editors, for better (La)TeX and Meta* support)
language(s)	no language specified
last access	2025-02-07

4732 *pmdb* – Create a DB (PDF) document for selecting content for inclusion in another documents

Web page on CTAN <https://ctan.org/pkg/pmdb>

name	pmdb
caption	Create a DB (PDF) document for selecting content for inclusion in another documents
author	Story, Donald P.
copyright	D. P. Story (2019-2021)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	(2021-06-07)
last changes	2021-06-07
year	2021
description	(no language specified) The "poor man's database" (pmdb) package promotes a workflow for building exams, homework, and other content. The package supports the creation of a PDF document, which is a database of problems (or content) to be included in a target document. The package inserts checkboxes into the margins of the DB document. The instructor can select which which of the problems are to be included in the target document by checking one ore more of the checkboxes. By clicking the special <code>\displayChoices</code> control, the selected content is copied into the AR/AA console window in the form of <code>\input</code> statements (<code>\input{probl.tex}</code> , eg), which is then be copied and pasted into the target document. By pressing <code>Ctrl+Click</code> while hovering over a checkbox, the associated content is loaded into the default application, possibly a LaTeX editor. For the <code>Ctrl+Click</code> feature to work, the file <code>aeb-reader.js</code> needs

4733 pmdp1 – Examples from "Praca magisterska i dyplomowa"

	to be installed. As the filename suggests, this file will work for Adobe Acrobat Reader (DC), as well as for the magnificent Adobe Acrobat itself.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pmdb/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pmdb/docs/pmdb.pdf
– local file	./8243879219-pmdb.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pmdb
on MikTeX	pmdb
keyword	pdf-forms (create pdf form fields, use form fields as an integral part of the package)
keyword	collection (a collection of packages)
language(s)	no language specified
last access	2025-02-07

4733 pmdp1 – Examples from "Praca magisterska i dyplomowa"

Web page on CTAN	https://ctan.org/pkg/pmdp1
name	pmdp1
caption	Examples from "Praca magisterska i dyplomowa"
author	Przechlewski, Tomasz
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package provides machine readable copies of the examples from the book 'Praca magisterska i dyplomowa z programem LaTeX' (on writing a thesis with LaTeX, in Polish).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/examples/przechlewski-book-examples/README
on CTAN	https://ctan.org/tex-archive/info/examples/przechlewski-book-examples
keyword	polish (support for typesetting Polish)
keyword	book-ex (copies of examples from a published book)
language(s)	no language specified
year	without year

last access 2025-02-07

4734 *pmdraw* – Draw elements of the diagram monoids

Web page on CTAN <https://ctan.org/pkg/pmdraw>

name	pmdraw
caption	Draw elements of the diagram monoids
author	Fresacher, Matthias
copyright	Matthias Fresacher (2023-2026)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.5 (2026-04-25)
last changes	2026-04-25
year	2026
description	(no language specified) This package allows you to draw elements of the diagram monoids, commonly referred to as diagrams. The package provides a lot of flexibility to draw most diagrams and can be customised as needed. It makes use of the TikZ and keyval packages.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pmdraw/pmdraw.pdf
– local file	./3953064460-pmdraw.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/pmdraw/README.md
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/pmdraw
on MikTeX	pmdraw
on T _E XLive	pmdraw
keyword	graphics (graphics (support packages))
keyword	maths (support for typesetting mathematics)
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	physics (support for typesetting physics documents)
keyword	diagram (diagrams)
language(s)	no language specified
last access	2026-04-29

4735 pmgraph – “Poor man’s” graphics

Web page on CTAN <https://ctan.org/pkg/pmgraph>

name	pmgraph
caption	“Poor man’s” graphics
author	Berdnikov, Alexander
author	Grineva, Olga
license	gpl = GNU General Public License (free)
version	1.0
description	(no language specified) A set of extensions to LaTeX picture environment, including a wider range of vectors, and a lot more box frame styles.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pmgraph/pmgraph.pdf
– local file	./2555760936-pmgraph.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pmgraph
on MikTeX	pmgraph
on T _E XLive	pmgraph
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
see also	see section 4663 on page 4224: (pict2e – New implementation of picture commands)
language(s)	no language specified
year	without year
last access	2026-03-26

4736 pmhanguljamo – Poor man’s Hangul Jamo input method

Web page on CTAN <https://ctan.org/pkg/pmhanguljamo>

name	pmhanguljamo
caption	Poor man’s Hangul Jamo input method
author	Kim, Kangsoo
copyright	Kangsoo Kim (2020-2023)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)

version	1.1 (2024-06-10)
last changes	2024-06-10
year	2024
description	(no language specified) This package provides a Hangul transliteration input method that allows to typeset Korean letters (Hangul) using the proper fonts. The name is derived from ”Poor man’s Hangul Jamo Input Method”. The use of XeLaTeX is recommended. pdfTeX is not supported.
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/language/korean/pmhanguljamo/doc/pmhanguljamo-doc.pdf
– local file	<code>./5567550829-pmhanguljamo-doc.pdf</code>
documentation	<i>Package documentation (Korean)</i> : https://ctan.org/tex-archive/language/korean/pmhanguljamo/doc/pmhanguljamo-kdoc.pdf
– local file	<code>./9566403687-pmhanguljamo-kdoc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/korean/pmhanguljamo/README.md
on CTAN	https://ctan.org/tex-archive/language/korean/pmhanguljamo
on MikTeX	<code>pmhanguljamo</code>
on TeXLive	<code>pmhanguljamo</code>
keyword	<code>expl3 (expl3(unknown))</code>
keyword	<code>xetex</code> (XeTeX, material supporting it, and packages requiring it)
keyword	<code>korean</code> (support for typesetting Korean)
see also	see section 3185 on page 2875: (<code>kotex-utf</code> – Typeset Hangul, coded in UTF-8)
language(s)	Korean
last access	2025-02-09

4737 *pmtex* – Preprocessor for MusicTeX

Web page on CTAN <https://ctan.org/pkg/pmtex>

name	<code>pmtex</code>
caption	Preprocessor for MusicTeX
author	Simons, Don
license	other-free = Free license not otherwise listed (free)
version	1.0
description	(no language specified) PMTeX is the MusicTeX predecessor of pmx (by the same author).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/pmtex/README
on CTAN	https://ctan.org/tex-archive/support/pmtex
keyword	<code>music</code> (typesetting music and related stuff)
language(s)	no language specified
year	without year
last access	2025-02-07

4738 *pmx* – Preprocessor for MusiXTeX

Web page on CTAN <https://ctan.org/pkg/pmx>

name	<code>pmx</code>
caption	Preprocessor for MusiXTeX
author	Tennent, Bob
author	Simons, Don
license	gpl2 = GNU General Public License, version 2 (free)
version	3.00 (2023-01-27)
last changes	2023-01-27
year	2023

description	(no language specified) PMX provides a preprocessor for MusiXTeX . pmxab builds a TeX input file based on a .pmx input file in a much simpler language, making most of the layout decisions by itself. It has most of MusiXTeX's functionality, but it also permits in-line TeX to give access to virtually all of MusiXTeX. For proof-listening, pmxab will make a MIDI file of your score. scor2prt is an auxiliary program that makes parts from a score.
documentation	(no language specified) <i>Package manual</i> : https://ctan.org/tex-archive/support/pmx/doc/pmx300.pdf
– local file	./4479883845-pmx300.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/pmx/README
documentation	(no language specified) <i>Installation details</i> : https://ctan.org/tex-archive/support/pmx/doc/pmx-install.pdf
– local file	./3029625828-pmx-install.pdf
home page	http://icking-music-archive.org/software/indexmt6.html
on CTAN	https://ctan.org/tex-archive/support/pmx
on MikTeX	pmx
on T _E XLive	pmx
keyword	music (typesetting music and related stuff)
language(s)	no language specified
last access	2025-02-07

4739 pmxchords – Produce chord information to go with pmx output

Web page on CTAN <https://ctan.org/pkg/pmxchords>

name	pmxchords
caption	Produce chord information to go with pmx output
author	Fafejta, Ondřej
license	gpl2 = GNU General Public License, version 2 (free)
version	2.0.2
description	(no language specified) The bundle supplements pmx , providing the means of typesetting chords above the notes of a score. The bundle contains:

4740 *pnas* – BibTeX style for PNAS (old version)

- macros for typing the chords;
- a Lua script to transpose chord macros to the required key signature; and
- support scripts for common requirements.

documentation	<i>Reference table (English):</i> https://ctan.org/tex-archive/support/pmxchords/doc/chordsRef.pdf
– local file	<code>./9882736802-chordsRef.pdf</code>
documentation	<i>Reference table (Czech):</i> https://ctan.org/tex-archive/support/pmxchords/doc/chordsRefCZ.pdf
– local file	<code>./4664758270-chordsRefCZ.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/pmxchords/README
on CTAN	https://ctan.org/tex-archive/support/pmxchords
installation	https://ctan.org/tex-archive/install/support/pmxchords.tds.zip
on MikTeX	<code>pmxchords</code>
on T _E XLive	<code>pmxchords</code>
keyword	<code>use-lua</code> (package requires availability of lua)
keyword	<code>music</code> (typesetting music and related stuff)
language(s)	Czech; English
year	without year
last access	2025-02-07

4740 *pnas* – BibTeX style for PNAS (old version)

Web page on CTAN <https://ctan.org/pkg/pnas>

name	PNAS
caption	BibTeX style for PNAS (old version)
author	Rogers, Alan
license	other-free = Free license not otherwise listed (free)
version	1.0
description	(no language specified) This style produces bibliographies in the format of "Proceedings of the National Academy of Sciences, USA". The style was derived from the standard <code>unsrt.bst</code> . It is obsolete and replaced by <code>pnas2009.bst</code> .

on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/pnas.bst
keyword	bibtex-sty (bibtex-sty(unknown))
see also	see section 4741 on page 4292: (PNAS 2009 – BibTeX style for PNAS (newer version))
language(s)	no language specified
year	without year
last access	2025-02-07

4741 **pnas2009 – BibTeX style for PNAS (newer version)**

Web page on CTAN <https://ctan.org/pkg/pnas2009>

name	PNAS 2009
caption	BibTeX style for PNAS (newer version)
author	Rogers, Alan
license	other-free = Free license not otherwise listed (free)
version	1.0
description	(no language specified) This style produces bibliographies in the format of "Proceedings of the National Academy of Sciences, USA". The style was derived from the standard <code>unsrt.bst</code> and adapted to the new (2009) formatting rules.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/pnas2009.bst
on T _E XLive	pnas2009
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
year	without year
last access	2025-02-07

4742 png2pdf – PNG to PDF converter

Web page on CTAN <https://ctan.org/pkg/png2pdf>

name	png2pdf
caption	PNG to PDF converter
author	Krause, Dirk
license	bsd = BSD Style License (free)
description	(no language specified) The png2pdf program converts PNG images to PDF. An alpha channel in the PNG file can be used to mix against a specified background color and/or to create a PDF image mask or PDF alpha channel. The program may be of interest for pdfLaTeX users creating posters, flyers having colored background, etc. The package's functionality is now replaced by bmpp , which is part of dktools .
keyword	obsolete (package declared obsolete)
keyword	graphics-prep (prepare graphics for use with *TeX)
language(s)	no language specified
year	without year
last access	2026-04-10

4743 poemscol – Typesetting Critical Editions of Poetry

Web page on CTAN <https://ctan.org/pkg/poemscol>

name	poemscol
caption	Typesetting Critical Editions of Poetry
author	Burt, John
copyright	John Burt (2002-2020)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.1415926
description	(no language specified) The package offers LaTeX macros for typesetting critical editions of poetry. Its features include automatic linenumbering, generation of separate endnotes sections for emendations, textual collations, and explanatory notes, special marking for cases in which page breaks occur during stanza breaks, running headers of the form 'Notes to pp. xx – yy' for the notes sections, index of titles and first lines, and automatic generation of a table of contents.

4744 *poetica* – Support for Adobe Poetica fonts in Type 1 format

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/poemscol/README
documentation	(no language specified) “ <i>Cheat Sheet</i> ”: https://ctan.org/tex-archive/macros/latex/contrib/poemscol/poemscolcheatsheet.pdf
– local file	<code>./5205175365-poemscolcheatsheet.pdf</code>
documentation	(no language specified) <i>Documented source</i> : https://ctan.org/tex-archive/macros/latex/contrib/poemscol/poemscol.pdf
– local file	<code>./3844952953-poemscol.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/poemscol
on MikTeX	<code>poemscol</code>
on T _E XLive	<code>poemscol</code>
keyword	<code>crit-ed</code> (typeset scholarly editions of texts)
see also	see section 1831 on page 1653: (<code>ednotes</code> – Typeset scholarly editions)
see also	see section 6602 on page 5965: (<code>verse</code> – Aids for typesetting simple verse)
see also	see section 3379 on page 3049: (<code>ledmac</code> – Typeset scholarly editions)
see also	see section 1828 on page 1650: (<code>edmac</code> – Typeset critical editions)
language(s)	no language specified
year	2020
last access	2025-02-07

4744 *poetica* – Support for Adobe Poetica fonts in Type 1 format

Web page on CTAN <https://ctan.org/pkg/poetica>

name	<code>poetica</code>
caption	Support for Adobe Poetica fonts in Type 1 format
author	Hoenig, Alan
license	<code>noinfo = noinfo</code>
version	(1995-12-12)
last changes	1995-12-12
year	1995

description	(no language specified) The fonts offer huge numbers of swashed and ligatured versions of glyphs, which are difficult for any software to control in a Type 1 font. This package (with some expenditure of effort in the user) will allow some really remarkable typeset effects. Note: poetica has been re-released as an OpenType font; the macros of this package would need some work before they would work with this alternate form.
documentation	(no language specified) <i>TUG conference paper</i> : https://tug.org/TUGboat/Articles/tb16-3/tb48hoen.pdf
– local file	<code>./1473219775-tb48hoen.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/poetica
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-absent (support is for a font not available on CTAN)
language(s)	no language specified
last access	2025-02-07

4745 *poetry* – Facilities for typesetting poetry and poetical structure

Web page on CTAN <https://ctan.org/pkg/poetry>

name	<code>poetry</code>
caption	Facilities for typesetting poetry and poetical structure
author	Goodman, Donald P.
copyright	Donald P. Goodman (2017-2019)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.2
description	(no language specified) This package provides some macros and general doodads for typesetting poetry. There is, of course, already the excellent verse package, and the poetrytex package provides some extra functionality on top of it. But <code>poetry</code> provides much of the same functionality in a bit of a different way, and with a few additional abilities, such as facilities for a list of poems, an index of first lines, and some structural commands.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/poetry/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/poetry/poetry.pdf
– local file	<code>./4477889020-poetry.pdf</code>

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/poetry
on MikTeX	poetry
on T _E XLive	poetry
keyword	verse (typeset verse, etc.)
language(s)	no language specified
year	2019
last access	2025-02-07

4746 *poetrytex* – Typeset anthologies of poetry

Web page on CTAN <https://ctan.org/pkg/poetrytex>

name	poetrytex
caption	Typeset anthologies of poetry
author	Whited, Sam
copyright	Samuel Whited (2012-2016)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.0.1
description	(no language specified) The package is designed to aid in the management and formatting of anthologies of poetry and other writings; it does not concern itself with actually typesetting the verse itself.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/poetrytex/poetrytex.pdf
– local file	./9686886281-poetrytex.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/poetrytex/README
contact	<i>repository</i> : https://codeberg.org/SamWhited/poetrytex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/poetrytex
on MikTeX	poetrytex
on T _E XLive	poetrytex
keyword	verse (typeset verse, etc.)
language(s)	no language specified
year	2016

4747 *pointruler* – 12” Ruler containing Points and Inches

last access 2025-02-07

4747 *pointruler* – 12” Ruler containing Points and Inches

Web page on CTAN <https://ctan.org/pkg/pointruler>

name	pointruler
caption	12” Ruler containing Points and Inches
author	Henderson, Troy L.
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) This 12 inch ruler has a points scale (72.27 points/inch) and an inches scale. It’s useful for precision measuring of LaTeX documents.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pointRuler/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pointRuler
keyword	typeset-tool (tools supporting or evaluating typesetting,)
language(s)	no language specified
year	without year
last access	2025-02-07

4748 *poiretone* – PoiretOne family of fonts with LaTeX support

Web page on CTAN <https://ctan.org/pkg/poiretone>

name	poiretone
caption	PoiretOne family of fonts with LaTeX support
author	Tennent, Bob
license	lppl = The LaTeX Project Public License (free)
license	ofl = The SIL Open Font License (free)
version	(2022-10-28)
last changes	2022-10-28
year	2022

description	(no language specified) This package provides LaTeX, pdfLaTeX, XeLaTeX and LuaLaTeX support for the PoiretOne family of fonts, designed by Denis Masharov. PoiretOne is a decorative geometric grotesque with a hint of Art Deco and constructivism. There is currently just a regular weight and an artificially emboldened bold.
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/poiretone/doc/poiret-samples.pdf
– local file	<code>./8168968996-poiret-samples.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/poiretone/README
home page	https://fonts.google.com/specimen/Poiret+One?selection.family=Poiret+One
on CTAN	https://ctan.org/tex-archive/fonts/poiretone
installation	https://ctan.org/tex-archive/install/fonts/poiretone.tds.zip
on MikTeX	<code>poiretone</code>
on T _E XLive	<code>poiretone</code>
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-t1enc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-ttf</code> (font available in TrueType format)
keyword	<code>font-sans</code> (sans-serif font)
keyword	<code>font-proportional</code> (variable-spaced font)
language(s)	no language specified
last access	2025-02-07

4749 *polexpr* – A parser for polynomial expressions

Web page on CTAN <https://ctan.org/pkg/polexpr>

name	polexpr
caption	A parser for polynomial expressions
author	Burnol, Jean-François
copyright	Jean-François Burnol (2018-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.8.7a (2022-05-19)
last changes	2022-05-19
year	2022
description	(no language specified) The package provides a parser <code>\poldef</code> of algebraic polynomial expressions. As it is based on xintexpr, the coefficients are allowed to be arbitrary rational numbers. Once defined, a polynomial is usable by its name either as a numerical function in <code>\xintexpr</code> / <code>\xinteval</code>, or for additional polynomial definitions, or as argument to the package macros. The localization of real roots to arbitrary precision as well as the determination of all rational roots is implemented via such macros. Since release 0.8, <i>polexpr</i> extends the xintexpr syntax to recognize polynomials as a new variable type (and not only as functions). Functionality which previously was implemented via macros such as the computation of a greatest common divisor is now available directly in <code>\xintexpr</code>, <code>\xinteval</code> or <code>\poldef</code> via infix or functional syntax.
documentation	(no language specified) <i>Examples of use</i> : https://ctan.org/tex-archive/macros/generic/polexpr/polexpr-examples.pdf
– local file	<code>./1512175399-polexpr-examples.pdf</code>
documentation	(no language specified) <i>Package documentation (HTML)</i> : https://ctan.org/tex-archive/macros/generic/polexpr/polexpr.html
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/polexpr/README.md
on CTAN	https://ctan.org/tex-archive/macros/generic/polexpr
on MikTeX	polexpr
on TeXLive	polexpr
keyword	calculation (perform calculations within TeX)
keyword	macro-gen (macros that are independent of the (TeX) format in use)

4750 poligraf – A TeX macro package for prepress

keyword	maths (support for typesetting mathematics)
keyword	arithmetic (perform and typeset arithmetic problems)
keyword	etex (requires e-TeX)
see also	see section 4755 on page 4306: (polynom – Macros for manipulating polynomials)
language(s)	no language specified
last access	2025-02-07

4750 poligraf – A TeX macro package for prepress

Web page on CTAN <https://ctan.org/pkg/poligraf>

name	poligraf
caption	A TeX macro package for prepress
author	Nowacki, Janusz Marian
license	pd = Public Domain Software (free)
version	2.0
description	(no language specified) A set of macros (employing PostScript) supporting professional page preparation for prepress; includes color separation (it needs cmyk-hax package), crop-marks, colour and grey scale bars, etc.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/TeX-PS/poligraf/README
on CTAN	https://ctan.org/tex-archive/macros/generic/TeX-PS/poligraf
on MikTeX	tex-ps
on T _E XLive	tex-ps
keyword	prepress (fine-tuning details of output, for printing)
language(s)	no language specified
year	without year
last access	2025-02-07

4751 polSKI – Typeset Polish documents with LaTeX and Polish fonts

Web page on CTAN <https://ctan.org/pkg/polSKI>

name	polSKI
caption	Typeset Polish documents with LaTeX and Polish fonts
author	Woliński, Marcin
author	Olko, Mariusz
copyright	Marcin Woliński (2000, 2002, 2003, 2007, 2017, 2021)
copyright	Mariusz Olko and Marcin Woliński (1997, 1998)
copyright	Mariusz Olko (1994)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.3.6 (2021-08-25)
last changes	2021-08-25
year	2021
description	(no language specified) Tools to typeset monolingual Polish documents in LaTeX2ϵ without babel or polyglossia . The package • loads Polish hyphenation patterns, • ensures that a font encoding suitable for Polish is used; in particular it enables Polish adaptation of Computer Modern fonts (the so-called PL fonts), • provides translations of <code>\today</code> and names like "Bibliography" or "Chapter", • redefines math symbols according to Polish typographical tradition, • provides macros for dashes according to Polish orthography, • provides a historical input method for "Polish characters", • works with traditional TeX as well as with Unicode aware variants. (This package was previously known as platex, but has been renamed to resolve a name clash.)
documentation	<i>Readme (Polish)</i> : https://ctan.org/tex-archive/macros/latex/contrib/polSKI/czytaj.txt
documentation	(Polish) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/polSKI/sample-polSKI.pdf
– local file	./1528820060-sample-polSKI.pdf

documentation	<i>Package documentation (largely in Polish):</i> https://ctan.org/tex-archive/macros/latex/contrib/polski/polski.pdf
– local file	<code>./6064866734-polski.pdf</code>
documentation	(no language specified) <i>Readme (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/polski/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/polski
on MikTeX	<code>polski</code>
on TeXLive	<code>polski</code>
keyword	<code>polish</code> (support for typesetting Polish)
language(s)	Polish
last access	2025-02-07

4752 *poltaawski* – Antykwa Półtawskiego Family of Fonts

Web page on CTAN	https://ctan.org/pkg/poltaawski
name	<code>poltaawski</code>
caption	Antykwa Półtawskiego Family of Fonts
author	Nowacki, Janusz Marian
author	Jackowski, Bogusław
copyright	Bogusław Jackowski, Janusz M. Nowacki and P. Strzelczyk (1999-2010)
license	gfl = The GUST Font License (GFL) (free)
version	1.101
description	(no language specified) The package contains the Antykwa Półtawskiego family of fonts in the PostScript Type 1 and OpenType formats. The original font was designed in the twenties of the XX century by the Polish typographer Adam Półtawski(1881-1952). Following the route set out by the Latin Modern and TeX Gyre projects (https://www.gust.org.pl/projects/e-foundry), the Antykwa Półtawskiego digitisation project aims at providing a rich collection of diacritical characters in the attempt to cover as many Latin-based scripts as possible. To our knowledge, the repertoire of characters covers all European languages as well as some other Latin-based alphabets such as Vietnamese and Navajo; at the request of users, recent extensions (following the enhancement of the Latin Modern collection) provide glyphs sufficient for typesetting of romanized transliterations of Arabic and Sanskrit scripts.

The Antykwa Półtawskiego family consists of 4 weights (light, normal, medium, bold), each having upright and italic forms and one of 5 design sizes: 6, 8, 10, 12 and 17pt. Altogether, the collection comprises 40 font files, containing the same repertoire of 1126 characters.

The preliminary version of Antykwa Półtawskiego (**antp** package) released in 2000 is rendered obsolete by this package.

documentation	(no language specified) <i>README</i> : https://ctan.org/tex-archive/fonts/poltawski/README
documentation	(no language specified) <i>Technical documentation</i> : https://ctan.org/tex-archive/fonts/poltawski/doc/fonts/poltawski/ap-info.pdf
– local file	./812356665-ap-info.pdf
home page	https://www.gust.org.pl/projects/e-foundry/poltawski
on CTAN	https://ctan.org/tex-archive/fonts/poltawski
on MikTeX	poltawski
on T _E XLive	poltawski
keyword	font-otf (font in OpenType format)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
language(s)	no language specified
year	2010
last access	2025-02-07

4753 *polyglossia* – An alternative to *babel* for *XeLaTeX* and *LuaLaTeX*

Web page on CTAN <https://ctan.org/pkg/polyglossia>

name	polyglossia
caption	An alternative to <i>babel</i> for <i>XeLaTeX</i> and <i>LuaLaTeX</i>
author	Charette, François
author	Rosendahl, Arthur
author	Spitzmüller, Jürgen
copyright	Elie Roux (2013)
copyright	Arthur Reutenauer (2011-2025)
copyright	François Charette (2008-2010)

copyright	Bastien Roucariès (2019-2023)
copyright	Udi Fogiel (2023-2025)
copyright	Jürgen Spitzmüller (2019-2026)
license	mit = MIT License (free)
license	cc0 = CC0 1.0 (free)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.10 (2026-04-18)
last changes	2026-04-18
year	2026
description	(no language specified) This package provides a complete Babel replacement for users of LuaLaTeX and XeLaTeX; it relies on the fontspec package, version 2.0 at least.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/unicodetex/latex/polyglossia/doc/polyglossia.pdf
– local file	<code>./7277853833-polyglossia.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/unicodetex/latex/polyglossia/README.md
contact	<i>bugs:</i> https://github.com/reutenauer/polyglossia/issues/
contact	<i>repository:</i> https://github.com/reutenauer/polyglossia
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/polyglossia
installation	https://ctan.org/tex-archive/install/macros/unicodetex/latex/polyglossia.tds.zip
on MikTeX	polyglossia
on T _E XLive	polyglossia
keyword	use-luatex (package will use LuaTeX facilities if available)
keyword	use-xetex (package will use XeTeX facilities if available)
keyword	multilingual (support for more than one (natural) language)
see also	see section 369 on page 337: (<i>babel</i> – Multilingual support for LaTeX, LuaLaTeX, XeLaTeX, and Plain TeX)
language(s)	no language specified
last access	2026-04-27

4754 polyhedra – A TikZ package for drawing polyhedraWeb page on CTAN <https://ctan.org/pkg/polyhedra>

name	polyhedra
caption	A TikZ package for drawing polyhedra
author	Zafeirakopoulos, Zafeirakis
copyright	Zafeirakis Zafeirakopoulos (2015-2023)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3
description	(no language specified) This package provides macros for creating polyhedral objects in 2D and 3D. It requires TikZ and tikz-3dplot . The macros provided can be used for drawing vertices, edges, rays, polygons and cones.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/polyhedra/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/polyhedra/polyhedra-doc.pdf
– local file	./7374347914-polyhedra-doc.pdf
contact	<i>repository</i> : https://github.com/zafeirakopoulos/polyhedra.sty
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/polyhedra
on MikTeX	polyhedra
on T _E XLive	polyhedra
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	maths (support for typesetting mathematics)
keyword	graphics (graphics (support packages))
language(s)	no language specified
year	2023
last access	2025-02-07

4755 *polynom* – Macros for manipulating polynomialsWeb page on CTAN <https://ctan.org/pkg/polynom>

name	polynom
caption	Macros for manipulating polynomials
author	Adriaens, Hendri
author	Heinz, Carsten
copyright	Carsten Heinz, Hendri Adriaens (2000-2017)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.19 (2017-07-17)
last changes	2017-07-17
year	2017
description	(no language specified) The polynom package implements macros for manipulating polynomials, for example it can typeset long polynomial divisions. The main test case and application is the polynomial ring in one variable with rational coefficients.
documentation	(no language specified) <i>Example of package use:</i> https://ctan.org/tex-archive/macros/latex/contrib/polynom/polydemo.pdf
– local file	./1137807608-polydemo.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/polynom/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/polynom/polynom.pdf
– local file	./9529514418-polynom.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/polynom
on MikTeX	polynom
on T _E XLive	polynom
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

4756 *polynomial* – Typeset (univariate) polynomials

Web page on CTAN <https://ctan.org/pkg/polynomial>

name	<code>polynomial</code>
caption	Typeset (univariate) polynomials
author	Höst, Stefan
copyright	Stefan Höst (2007)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package offers an easy way to write (univariate) polynomials and rational functions. It defines two commands, one for polynomials <code>\polynomial{coeffs}</code> and one for rational functions <code>\polynomialfrac{Numerator}{Denominator}</code> . Both commands take lists of coefficients as arguments, and offer limited optional behaviour.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/polynomial/polynomial.pdf
– local file	<code>./8433108047-polynomial.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/polynomial
on MikTeX	<code>polynomial</code>
on TeXLive	<code>polynomial</code>
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	2007
last access	2025-02-07

4757 *polyomino* – Polyominoes using TikZ and LaTeX3

Web page on CTAN <https://ctan.org/pkg/polyomino>

name	<code>polyomino</code>
caption	Polyominoes using TikZ and LaTeX3
author	Floré, Matthias
copyright	Matthias Floré (2024)

4758 *polytable* – Tabular-like environments with named columns

license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2024-08-01)
last changes	2024-08-01
year	2024
description	(no language specified) This package is based on the package TikZ and can be used to draw polyominoes. It is possible to define custom styles, pics and grids.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/polyomino/polyomino.pdf
– local file	./5255190719-polyomino.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/polyomino/README.md
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/polyomino
on MikTeX	polyomino
on TeXLive	polyomino
keyword	graphics (graphics (support packages))
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

4758 *polytable* – Tabular-like environments with named columns

Web page on CTAN	https://ctan.org/pkg/polytable
name	polytable
caption	Tabular-like environments with named columns
author	Löh, Andres
copyright	Andres Loeh (2003-2020)
license	lpl = The LaTeX Project Public License (free)
version	0.8.6 (2020-07-14)
last changes	2020-07-14
year	2020

description	(no language specified) This package implements a variant of tabular-like environments where columns can be given a name and entries can flexibly be placed between arbitrary columns. Complex alignment-based layouts, for example for program code, are possible. The package depends on lazylist .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/polytable/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/polytable/polytable.pdf
– local file	<code>./5883196903-polytable.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/polytable
on MikTeX	<code>polytable</code>
on TeXLive	<code>polytable</code>
keyword	<code>table</code> (table typesetting)
language(s)	no language specified
last access	2025-02-07

4759 *poorman* – Raster Chinese and Japanese fonts

Web page on CTAN <https://ctan.org/pkg/poorman>

name	<code>poorman</code>
caption	Raster Chinese and Japanese fonts
author	Ridgeway, Thomas
copyright	Humanities and Arts Computing Center, University of Washington (1990)
license	other-free = Free license not otherwise listed (free)
description	(no language specified) The <i>poorman</i> ’s fonts, <code>pmC</code> and <code>pmJ</code> , are less than ideal implementations of Chinese and Japanese for TeX. They are less than ideal because they use fonts based on 24x24 dot-matrix fonts, and don’t do vertical format typesetting and so forth. The <i>poorman</i> ’s bundle provides a Metafont code generator, which reads a dot matrix font, and emits code to represent it. Also provided are macros that permit use of the fonts in a TeX document.
documentation	(no language specified) <i>Package outline</i> : https://ctan.org/tex-archive/fonts/poorman/pmjintro.ps

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/poorman/README
on CTAN	https://ctan.org/tex-archive/fonts/poorman
keyword	font-devel (support for font development, testing and characterisation)
language(s)	no language specified
year	1990
last access	2025-02-07

4760 *poormanlog* – Logarithms and powers with (almost) 9 digits

Web page on CTAN <https://ctan.org/pkg/poormanlog>

name	poormanlog
caption	Logarithms and powers with (almost) 9 digits
author	Burnol, Jean-François
copyright	Jean-François Burnol (2019-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.07 (2022-05-25)
last changes	2022-05-25
year	2022
description	(no language specified) This small package (usable with Plain e-TeX, LaTeX, or others) with no dependencies provides two fast expandable macros computing logarithms in base 10 and fractional powers of 10. They handle arguments of 9 digit tokens which stand for either $1 \leq d.dddddddd < 10$ (for the log) or $0.xxxxxxxxxx$ (for powers of 10). They achieve a precision of 1ulp for the logarithm and 2ulp for fractional powers of ten. Extension to other numerical ranges has to be done by user, via own macros or some math engine. The xintexpr package (at 1.3f) imports the poormanlog macros as core constituents of its log10(), pow10(), log(), exp() and pow() functions.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/poormanlog/README
on CTAN	https://ctan.org/tex-archive/macros/generic/poormanlog
on MikTeX	poormanlog
on TeXLive	poormanlog

keyword calculation (perform calculations within TeX)
 language(s) no language specified
 last access 2025-02-07

4761 `popupmenu` – Create popup menus in PDF files

Web page on CTAN <https://ctan.org/pkg/popupmenu>

name `popupmenu`

caption Create popup menus in PDF files

author Story, Donald P.

copyright D.P. Story (2009-2020)

license lppl = The LaTeX Project Public License (free)

version 1.2 (2020-07-26)

last changes 2020-07-26

year 2020

description (no language specified) The package is used to create a menu structure. This menu structure (an array of menu items) is passed to the Acrobat JavaScript method `app.popupMenuEx()` method to create a popup menu. Using the environments defined in the package, and the command `\popupMenu`, you can create and display hierarchical menus. The menu items can have JavaScript actions associated with them, they can be marked and disabled.

The package only requires [hyperref](#). Thus, users of pdfTeX, dvipdfm and dvips can use this package. An example is included in the distribution.

documentation (no language specified) *User manual*: <https://ctan.org/tex-archive/macros/latex/contrib/popupmenu/docs/popupmenu-man.pdf>

– local file `./4890393713-popupmenu-man.pdf`

documentation (no language specified) *Code documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/popupmenu/docs/popupmenu.pdf>

– local file `./1240395229-popupmenu.pdf`

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/popupmenu/README.md>

home page <http://www.acrotex.net/blog/?tag=app-popupmenuex>

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/popupmenu>

on MikTeX	popupmenu
keyword	pdf-forms (create pdf form fields, use form fields as an integral part of the package)
keyword	pdf-feat (access PDF features)
see also	see section 89 on page 82: (AeB Pro – Items from the AeB Pro Family of Software)
language(s)	no language specified
last access	2025-02-07

4762 **portable-miktex – Instructions for setting up MikTeX on a portable device**

Web page on CTAN <https://ctan.org/pkg/portable-miktex>

name	Portable MikTeX
caption	Instructions for setting up MikTeX on a portable device
author	Grahn, Alexander
copyright	Alexander Grahn (2006)
license	fdl = Free Documentation License (free)
version	1.05
description	(no language specified) The file offers instructions for setting up a portable installation of MikTeX (≥ 2.5), Ghostscript and GSView on external storage devices such as USB sticks or mapped network drives. The instructions cover systems running Windows 2000, XP and 2003. The instructions are now obsolete; the user is advised to use MikTeX's own portable distribution .
on CTAN	https://ctan.org/tex-archive/obsolete/info/MiKTeX+Ghostscript+GSview+USB-drive-HOWTO.txt
keyword	documentation ('stand-alone' documentation)
language(s)	no language specified
year	2006
last access	2025-02-07

4763 *portland* – Simple portrait/landscape switching

Web page on CTAN <https://ctan.org/pkg/portland>

name	portland
caption	Simple portrait/landscape switching
author	Partl, Hubert
license	noinfo = noinfo
version	(1988-12-16)
last changes	1988-12-16
year	1988
description	(no language specified) The portland package provides portrait and landscape environments, that set page dimensions but don't provide any hints to output devices. Thus, while you can sometimes read the resulting text in a previewer, special measures have to be taken to print the output. The potential user will probably be better served by the lscape package (for DVI oriented output) or pdfscape (if using pdfLaTeX).
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/portland.sty
keyword	layout (layout of objects on the page)
language(s)	no language specified
last access	2025-02-07

4764 *pos-at* – Position things at absolute positions on the page

Web page on CTAN <https://ctan.org/pkg/pos-at>

name	pos-at
caption	Position things at absolute positions on the page
author	Gaulle, Bernard
author	Hogben, Colin
license	noinfo = noinfo
version	(1993-07-06)
last changes	1993-07-06
year	1993

description	(no language specified) Defines a command <code>\at(HPOS,VPOS){TEXT}</code> , which positions TEXT at HPOS from the left edge, VPOS from the top of the current page.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/at.sty
keyword	layout (layout of objects on the page)
see also	see section 6049 on page 5467: (<code>textpos</code> – Place boxes at arbitrary positions on the LaTeX page)
language(s)	no language specified
last access	2025-02-07

4765 *postage* – Stamp letters with »Deutsche Post«’s service »Internetmarke«

Web page on CTAN <https://ctan.org/pkg/postage>

name	postage
caption	Stamp letters with »Deutsche Post«’s service »Internetmarke«
author	Reimer, Jan Heinrich
copyright	Jan Heinrich Reimer (2018)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0
description	(no language specified) The postage package is used for franking letters with »Deutsche Post«’s online postage service »Internetmarke«. Note that in order to print valid stamps you must point to a valid PDF of »Deutsche Post«’s »Ausdruck 4-spaltig (DIN A4)«.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/postage/postage.pdf
– local file	<code>./1834837403-postage.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/postage/README.txt
home page	https://github.com/heinrichreimer/latex-postage
contact	<i>support</i>: https://github.com/heinrichreimer/latex-postage/issues
contact	<i>bugs</i>: https://github.com/heinrichreimer/latex-postage/issues
contact	<i>repository</i> : https://github.com/heinrichreimer/latex-postage

contact	<i>development:</i> https://github.com/heinrichreimer/latex-postage
on CTAN	https://ctan.org/tex-archive/graphics/postage
on MikTeX	postage
on T _E XLive	postage
keyword	letter (typesetting letters, envelopes, faxes, etc)
language(s)	no language specified
year	2018
last access	2025-02-07

4766 *postcards* – Facilitates mass-mailing of postcards (junkmail)

Web page on CTAN	https://ctan.org/pkg/postcards
name	postcards
caption	Facilitates mass-mailing of postcards (junkmail)
author	Kleb, Bil
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) A modification of the standard LaTeX letter class which prints multiple, pre-stamped, 5.5” by 3.5” postcards (a US standard size) via the envlab and mailing packages. An address database is employed to address the front side of each postcard and a message is printed on the back side of all. An illustrative example is provided.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/postcards/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/postcards
on MikTeX	postcards
on T _E XLive	postcards
keyword	letter (typesetting letters, envelopes, faxes, etc)
see also	see section 2355 on page 2134 : (<code>formlett</code> – Letters to multiple recipients)
see also	see section 1618 on page 1468 : (<code>dinbrief</code> – German letter DIN style)
see also	see section 2435 on page 2200 : (<code>g-brief</code> – Letter document class)
see also	see section 115 on page 105 : (<code>akletter</code> – Comprehensive letter support)
see also	see section 6044 on page 5462 : (<code>textmerg</code> – Merge text in TeX and LaTeX)

language(s)	no language specified
year	without year
last access	2025-02-07

4767 *poster* – Scale PostScript images for larger media or tiling

Web page on CTAN <https://ctan.org/pkg/poster>

name	<code>poster</code>
caption	Scale PostScript images for larger media or tiling
author	van Eijndhoven, Jos
copyright	Jos T.J. van Eijndhove (1999)
license	gpl2 = GNU General Public License, version 2 (free)
version	(1999-04-28)
last changes	1999-04-28
year	1999
description	(no language specified) Enlarge PostScript images and print them on larger media and/or tile them to print on multiple sheets. Supports foreign (non ISO A*) media sizes. An OS/2 port (suitable also for DOS) is available (see the <code>os2</code> sub-directory).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/poster/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/poster/manual.ps
on CTAN	https://ctan.org/tex-archive/support/poster
on MikTeX	<code>poster</code>
keyword	<code>poster</code> (typeset posters, etc.)
language(s)	no language specified
last access	2025-02-07

4768 poster-mac – Make posters and banners with TeX

Web page on CTAN <https://ctan.org/pkg/poster-mac>

name	poster-mac
caption	Make posters and banners with TeX
author	Van Zandt, Timothy
copyright	Timothy Van Zandt (1993)
license	lpl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) The package offers macros for making posters and banners with TeX. It is compatible with most TeX macro formats, including Plain TeX, LaTeX, AmSTeX, and AmS-LaTeX. The package creates a poster as huge box, which is then distributed over as many printer pages as necessary. The only special requirement is that your printer not be bothered by text that lies off the page. This is true of most printers, including laser printers and PostScript printers.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/poster/poster-doc.pdf
– local file	./9147175785-poster-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/poster/README
on CTAN	https://ctan.org/tex-archive/macros/generic/poster
on T _E XLive	poster-mac
keyword	poster (typeset posters, etc.)
see also	see section 1 on page 2: (a0poster – Support for designing posters on large paper)
see also	see section 4767 on page 4316: (poster – Scale PostScript images for larger media or tiling)
see also	see section 5335 on page 4831: (sciposter – Make posters of ISO A3 size and larger)
language(s)	no language specified
year	1993
last access	2025-02-09

4769 *postit* – A LaTeX package for displaying Post-it notesWeb page on CTAN <https://ctan.org/pkg/postit>

name	<code>postit</code>
caption	A LaTeX package for displaying Post-it notes
author	Pierquet, Cédric
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.5 (2025-07-29)
last changes	2025-07-29
year	2025
description	(no language specified) This package provides some commands and options for creating Post-it-like boxes with <code>tcolorbox</code> : • an environment <code>PostIt</code> with customizations; • a command <code>\MiniPostIt</code> to display a simple Post-It.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/postit/doc/postit-doc-en.pdf
– local file	<code>./6183343452-postit-doc-en.pdf</code>
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/postit/doc/postit-doc-fr.pdf
– local file	<code>./7923717050-postit-doc-fr.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/postit/README.md
contact	<i>bugs</i> : https://github.com/cpierquet/latex-packages/issues
contact	<i>repository</i> : https://github.com/cpierquet/latex-packages/tree/main/postit
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/postit
on MikTeX	<code>postit</code>
on T _E XLive	<code>postit</code>
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
keyword	boxing (creating boxes)
language(s)	French
last access	2025-08-01

4770 *postnotes* – Endnotes for LaTeX

Web page on CTAN <https://ctan.org/pkg/postnotes>

name	postnotes
caption	Endnotes for LaTeX
author	gusbrs
copyright	gusbrs (2022-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.5.1 (2024-12-05)
last changes	2024-12-05
year	2024
description	(no language specified) This is an endnotes package for LaTeX. Its user interface provides means to print multiple sections of notes along the document, and to subdivide them either automatically — by chapter, by section — or at manually specified places, thus being able to easily handle both numbered and unnumbered headings. The package also provides infrastructure for setting up contextual running headers for printed notes. The default is a simple but useful one, in the form "Notes to pages N-M", but more elaborate ones can be built. When hyperref is loaded, <i>postnotes</i> provides hyperlinked notes, including back links.
documentation	(no language specified) <i>Code documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/postnotes/postnotes-code.pdf
– local file	<code>./6717293952-postnotes-code.pdf</code>
documentation	(no language specified) <i>User manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/postnotes/postnotes-doc.pdf
– local file	<code>./8360951595-postnotes-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/postnotes/README.md
contact	<i>repository</i> : https://github.com/gusbrs/postnotes
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/postnotes
on MikTeX	postnotes
on T _E XLive	postnotes
keyword	endnote (notes typeset at end document)
keyword	expl3 (expl3(unknown))

language(s) no language specified
last access 2025-02-07

4771 *powerdot* – A presentation class

Web page on CTAN <https://ctan.org/pkg/powerdot>

name	powerdot
caption	A presentation class
author	Ellison, Chris
author	Adriaens, Hendri
copyright	Hendri Adriaens (2009-2021)
copyright	Hendri Adriaens, Chris Ellison (2005-2008)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.7 (2021-05-19)
last changes	2021-05-19
year	2021
description	(no language specified) Powerdot is a presentation class for LaTeX that allows for the quick and easy development of professional presentations. It comes with many tools that enhance presentations and aid the presenter. Examples are automatic overlays, personal notes and a handout mode. To view a presentation, DVI, PS or PDF output can be used. A powerful template system is available to easily develop new styles. A LyX layout file is provided.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/powerdot/README
documentation	<i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/powerdot/doc/powerdot.pdf
– local file	./2501316882-powerdot.pdf
documentation	<i>Package documentation (German)</i> : https://ctan.org/tex-archive/macros/latex/contrib/powerdot/doc/powerdotDE.pdf
– local file	./6990502802-powerdotDE.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/powerdot
on MikTeX	powerdot
on TeXLive	powerdot
keyword	presentation (slides, beamers, handouts, etc.)

keyword	<code>class</code> (alternative LaTeX class(es))
see also	see section 4827 on page 4370: (<code>prosper</code> – LaTeX class for high quality slides)
see also	see section 2676 on page 2422: (<code>ha-prosper</code> – Patches and improvements for <code>prosper</code>)
language(s)	German; English
last access	2025-02-07

4772 `powerdot-fuberlin` – Powerdot, using the style of FU Berlin

Web page on CTAN <https://ctan.org/pkg/powerdot-fuberlin>

name	<code>powerdot-fuberlin</code>
caption	Powerdot, using the style of FU Berlin
author	Voß, Herbert
copyright	Herbert Voß (2009-2019)
license	lppl = The LaTeX Project Public License (free)
version	0.02a
description	(no language specified) The bundle provides a <code>powerdot</code> -derived class and a package for use with <code>powerdot</code> to provide the corporate design of the Free University in Berlin. Users may use the class itself (<code>FUpowerdot</code>) or use the package in the usual way with <code>\style=BerlinFU</code> as a class option. Examples of using both the class and the package are provided; the PDF is visually identical, so the catalogue only lists one; the sources of the examples do of course differ.
documentation	(no language specified) <i>Example of use of the class:</i> https://ctan.org/tex-archive/macros/latex/contrib/powerdot-FUBerlin/doc/exampleClass.pdf
– local file	<code>./8345436197-exampleClass.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/powerdot-FUBerlin/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/powerdot-FUBerlin
on MikTeX	<code>powerdot-fuberlin</code>
on T _E XLive	<code>powerdot-fuberlin</code>

keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
year	2019
last access	2026-04-13

4773 `powerdot-tuliplab` – A style package for Powerdot to provide the design of TULIP Lab

Web page on CTAN <https://ctan.org/pkg/powerdot-tuliplab>

name	<code>powerdot-tuliplab</code>
caption	A style package for Powerdot to provide the design of TULIP Lab
author	Li, Gang
copyright	Gang Li (2012-2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0.0
description	(no language specified) <code>powerdot-tuliplab</code> is the LaTeX package used in TULIP Lab for presentation drafting. It comes with several sample <code>.tex</code> files so that you can quickly start working with it.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/powerdot-tuliplab/README.md
home page	https://github.com/tulip-lab/templatex
contact	<i>support</i> : https://github.com/tulip-lab/templatex/issues
contact	<i>announce</i> : https://github.com/tulip-lab/templatex
contact	<i>bugs</i> : https://github.com/tulip-lab/templatex/issues
contact	<i>repository</i> : https://github.com/tulip-lab/templatex
contact	<i>development</i> : https://github.com/tulip-lab/templatex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/powerdot-tuliplab
on MikTeX	<code>powerdot-tuliplab</code>
on TeXLive	<code>powerdot-tuliplab</code>
keyword	logo (symbols or drawings to specify an object, including icons)
language(s)	no language specified
year	2018

last access 2025-02-09

4774 *ppchTeX* – Typeset chemical formula diagramsWeb page on CTAN <https://ctan.org/pkg/ppchTeX>

name *ppchTeX*

caption Typeset chemical formula diagrams

author Hagen, Hans

license noinfo = noinfo

version (1997-03-19)

last changes 1997-03-19

year 1997

description (no language specified) *ppchTeX* is a separate module of the **ConTeXt** macro package for TeX. It seems to be in its final state (having not changed for more than 10 years).

keyword `chemistry` (chemistry document support)

see also see section 6865 on page 6195: (*xymTeX* – Typesetting chemical structures)

language(s) no language specified

last access 2025-02-07

4775 *pphlp* – Generate VMS help files from LaTeX 2.09 sourceWeb page on CTAN <https://ctan.org/pkg/pphlp>

name *pphlp*

caption Generate VMS help files from LaTeX 2.09 source

author Gray, Norman

license noinfo = noinfo

version 1.0

description (no language specified) The package provides a documentstyle, and a processor that converts documents in that style into VMS help format. The processor is written in Pascal (the VAX dialect, by the look of it).

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex209/contrib/pphlp/pphlp.readme>

on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/pphlp
keyword	cvt-other (convert TeX-ish sources to some other markup (than HTML))
language(s)	no language specified
year	without year
last access	2025-02-07

4776 ppmcheckpdf – Convert PDF to PNG and compare PNG files after l3build

Web page on CTAN <https://ctan.org/pkg/ppmcheckpdf>

name	ppmcheckpdf
caption	Convert PDF to PNG and compare PNG files after l3build
author	Lyu, Jianrui
copyright	Jianrui Lyu (2024-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2025A (2025-02-20)
last changes	2025-02-20
year	2025
description	(no language specified) The build system l3build normally writes the contents of some boxes from <code>.lvt</code> files into corresponding <code>.tlg</code> files. Sometimes a dependent package adds e.g. the command <code>\kern0pt</code>, so that test files fail, even if the PDF files look the same as before and are still correct. The ppmcheckpdf tool offers an alternative option for regression testing: instead of printing the contents of boxes in <code>.lvt</code> files, PDF files are converted to PNG files and you can compare the PNG files after l3build has finished its work.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/ppmcheckpdf/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/ppmcheckpdf/ppmcheckpdf.pdf
– local file	<code>./4982601788-ppmcheckpdf.pdf</code>
contact	<i>repository</i> : https://github.com/lvjrr/ppmcheck
on CTAN	https://ctan.org/tex-archive/support/ppmcheckpdf
on MikTeX	ppmcheckpdf
on T _E XLive	ppmcheckpdf

4777 *ppower4* – A postprocessor for PDF presentations

keyword use-lua (package requires availability of lua)
language(s) no language specified
last access 2025-02-27

4777 *ppower4* – A postprocessor for PDF presentations

Web page on CTAN <https://ctan.org/pkg/ppower4>

name *ppower4*
caption A postprocessor for PDF presentations
author Guntermann, Klaus
license gpl = GNU General Public License (free)
version 0.4
description (no language specified) Ppower4 is post processor for PDF presentations created by pdf(La)TeX. It can be used to prepare presentations which include pages building up step by step when viewed with Acrobat Reader (v4 and later).
The software is written in Java.
documentation (no language specified) *Package manual*:
<https://ctan.org/tex-archive/support/ppower4/manual.pdf>
– local file ./1969770637-manual.pdf
documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/support/ppower4/readme.html>
home page <http://tug.ctan.org/support/ppower4/index.html>
on CTAN <https://ctan.org/tex-archive/support/ppower4>
on MikTeX *ppower4*
keyword presentation (slides, beamers, handouts, etc.)
language(s) no language specified
year without year
last access 2025-02-07

4778 *ppr-prv* – Prosper preview

Web page on CTAN <https://ctan.org/pkg/ppr-prv>

name	ppr-prv
caption	Prosper preview
author	Goutelle, Mathieu
license	lppl = The LaTeX Project Public License (free)
version	0.13c
description	(no language specified) This class is used with LaTeX presentations using the prosper class. ppr-prv stands for ‘Prosper Preview’. The aim of this class is to produce a printable version of the slides written with Prosper , with two slides per page.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ppr-prv/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ppr-prv/ppr-prv.pdf
– local file	./1052606090-ppr-prv.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ppr-prv
on MikTeX	ppr-prv
on T _E XLive	ppr-prv
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

4779 *ppt-slides* – Good-looking slide decks à la PowerPoint (PPT)

Web page on CTAN <https://ctan.org/pkg/ppt-slides>

name	ppt-slides
caption	Good-looking slide decks à la PowerPoint (PPT)
author	Bugayenko, Yegor
copyright	Yegor Bugayenko (2022-2024)
license	mit = MIT License (free)

version	0.4.0 (2024-10-18)
last changes	2024-10-18
year	2024
description	(no language specified) This LaTeX package helps you create slide decks as good-looking as with PowerPoint™ , but more precise, uniform, and visually strict. Check this series of lectures fully designed with the use of this package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ppt-slides/README.md
documentation	(no language specified) <i>Package documentation and example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/ppt-slides/ppt-slides.pdf
– local file	./2702621465-ppt-slides.pdf
contact	<i>repository</i> : https://github.com/yegor256/ppt-slides
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ppt-slides
on MikTeX	ppt-slides
on TeXLive	ppt-slides
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2025-02-07

4780 *pracjournal* – Typeset articles for *PracTeX*

Web page on CTAN <https://ctan.org/pkg/pracjournal>

name	pracjournal
caption	Typeset articles for <i>PracTeX</i>
author	Robertson, Will
copyright	TeX Users Group (2005-2007)
license	gpl = GNU General Public License (free)
version	0.4n
description	(no language specified) The <i>pracjournal</i> class is used for typesetting articles in the <i>PracTeX</i> Journal. It is based on the article class with modifications to allow for more flexible front-matter and revision control, among other small changes.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pracjournal/README

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pracjourn/pracjourn.pdf
– local file	<code>./4487743633-pracjourn.pdf</code>
home page	https://tug.org/pracjourn
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pracjourn
on MikTeX	pracjourn
on T _E XLive	pracjourn
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
year	2007
last access	2025-02-07

4781 *practical-latex* – Example files for “Practical LaTeX”

Web page on CTAN	https://ctan.org/pkg/practical-latex
name	<code>practical-latex</code>
caption	Example files for “Practical LaTeX”
author	Grätzer, George
license	pd = Public Domain Software (free)
version	(2014-03-08)
last changes	2014-03-08
year	2014
description	(no language specified) The bundle offers the source of the examples set in the book: “Practical LaTeX, Springer Verlag, New York, 2014.”
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/examples/Practical_LaTeX/README
on CTAN	https://ctan.org/tex-archive/info/examples/Practical_LaTeX
keyword	<code>book-ex</code> (copies of examples from a published book)
language(s)	no language specified
last access	2025-02-07

4782 **practicalreports** – Some macros for writing practical reports

Web page on CTAN <https://ctan.org/pkg/practicalreports>

name	practicalreports
caption	Some macros for writing practical reports
author	Cawood, Justin
copyright	J. Cawood (2019)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.0.3
description	(no language specified) This package provides a handful of macros for writing up science practical reports.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/practicalreports/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/practicalreports/practicalreports.pdf
– local file	./5320951370-practicalreports.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/practicalreports
on MikTeX	practicalreports
on TeXLive	practicalreports
keyword	report-like (regularly-formatted reports)
language(s)	no language specified
year	2019
last access	2025-02-07

4783 **precattl** – Prepare special catcodes from token list

Web page on CTAN <https://ctan.org/pkg/precattl>

name	precattl
caption	Prepare special catcodes from token list
author	user202729
copyright	user202729 (2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)

4784 *prelim* – Mark preliminary copies with a line of information

version	0.0.0 (2022-07-07)
last changes	2022-07-07
year	2022
description	(no language specified) Allow users to write code that contains tokens with unusual catcodes.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/precattl/precattl.pdf
– local file	./6268627665-precattl.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/precattl/README
contact	<i>repository</i> : https://github.com/user202729/TeXlib
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/precattl
on MikTeX	precattl
on T _E XLive	precattl
keyword	debug-supp (support for package or document debugging)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

4784 *prelim* – Mark preliminary copies with a line of information

Web page on CTAN <https://ctan.org/pkg/prelim>

name	prelim
caption	Mark preliminary copies with a line of information
author	Tolksdorf, Robert
copyright	Robert Tolksdorf (1990)
license	gpl = GNU General Public License (free)
version	(1990-07-31)
last changes	1990-07-31
year	1990
description	(no language specified) A LaTeX 2.09 style option that marks drafts by adding a line stating that it's a draft to each page. The draftmark gives the status (which is controllable) and the date and time of processing.

4785 *prelim2e* – Allows the marking of preliminary versions of a document

documentation	<i>Package documentation (German):</i> https://ctan.org/tex-archive/macros/latex209/contrib/prelim/prelim.pdf
– local file	<code>./6166005185-prelim.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/prelim
keyword	<code>editorial</code> (editor’s marks, highlights, etc.)
language(s)	German
last access	2025-02-07

4785 *prelim2e* – Allows the marking of preliminary versions of a document

Web page on CTAN	https://ctan.org/pkg/prelim2e
name	<code>prelim2e</code>
caption	Allows the marking of preliminary versions of a document
author	Peischl, Marei
author	Schröder, Martin
copyright	Martin Schröder (1995-2009)
copyright	Marei Peischl (peiTeX) (2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.00
description	(no language specified) Puts text below the normal page content (the default text marks the document as draft and puts a timestamp on it). Can be used together with e.g. the vrsion , rcs and rcsinfo packages. Uses the everyshi package and can use the <code>scrttime</code> package from the koma-script bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/prelim2e/prelim2e.pdf
– local file	<code>./7098462427-prelim2e.pdf</code>
contact	<i>bugs:</i> https://github.com/TeXhackse/prelim2e/issues
contact	<i>repository:</i> https://github.com/TeXhackse/prelim2e
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/prelim2e
on MikTeX	<code>prelim2e</code>
on TeXLive	<code>prelim2e</code>
keyword	<code>editorial</code> (editor’s marks, highlights, etc.)

see also	see section 1354 on page 1224: (count1to – Make use of count1 to count9)
language(s)	no language specified
year	2020
last access	2025-02-07

4786 *prepr* – Preprint macros

Web page on CTAN <https://ctan.org/pkg/prepr>

name	<i>prepr</i>
caption	Preprint macros
author	Calvani, Massimo
license	noinfo = noinfo
version	(1989-11-23)
last changes	1989-11-23
year	1989
description	(no language specified) Macros for preparing preprints (not clear whether this is "preprints-in-general", or for some particular publication).
documentation	<i>Sample of use and instructions (Italian)</i> : https://ctan.org/tex-archive/macros/plain/contrib/prepr/preprint.pdf
– local file	<code>./3854604533-preprint.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/prepr
on MikTeX	<i>prepr</i>
keyword	<i>publisher</i> (prepare documents for a specific publisher)
language(s)	Italian
last access	2025-02-07

4787 preprint – A bundle of packages provided "as is"

Web page on CTAN <https://ctan.org/pkg/preprint>

name	preprint
caption	A bundle of packages provided "as is"
author	Daly, Patrick W.
copyright	Patrick W. Daly (2001)
license	collection = collection
version	2011
description	(no language specified) The bundle comprises: • authblk , which permits footnote style author/affiliation input in the <code>\author</code> command, • balance , to balance the end of <code>\twocolumn</code> pages, • figcaps , to send figure captions, etc., to end document, • fullpage , to set narrow page margins and set a fixed page style, and • sublabel , which permits counters to be subnumbered.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/preprint/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/preprint
on MikTeX	preprint
on TeXLive	preprint
keyword	collection (a collection of packages)
language(s)	no language specified
year	2001
last access	2025-02-11

4788 prerex – Interactive editor and macro support for prerequisite chartsWeb page on CTAN <https://ctan.org/pkg/prerex>

name	prerex
caption	Interactive editor and macro support for prerequisite charts
author	Tennent, Bob
copyright	R. D. Tennent (2006-2019)
license	gpl2 = GNU General Public License, version 2 (free)
license	lppl = The LaTeX Project Public License (free)
version	(2019-11-15)
last changes	2019-11-15
year	2019
description	(no language specified) This package consists of <code>prerex.sty</code>, a LaTeX package for producing charts of course nodes linked by arrows representing pre- and co-requisites, and <code>prerex</code>, an interactive program for creating and editing chart descriptions. The implementation of <code>prerex.sty</code> uses PGF, so that it may be used equally happily with LaTeX or pdfLaTeX; <code>prerex</code> itself is written in C. The package includes source code for a previewer application, a lightweight Qt-4 and poppler-based prerex-enabled PDF viewer.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/graphics/prerex/README
documentation	(no language specified) <i>Example charts</i>: https://research.cs.queensu.ca/home/rdt/
documentation	(no language specified) <i>Package introduction</i>: https://ctan.org/tex-archive/graphics/prerex/doc/intro.pdf
– local file	<code>./6687483290-intro.pdf</code>
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/graphics/prerex/doc/prerex.pdf
– local file	<code>./4155131469-prerex.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/prerex
on MikTeX	prerex
on T _E XLive	prerex
keyword	graphics-prep (prepare graphics for use with *TeX)
language(s)	no language specified

last access 2025-02-07

4789 **present** – **Presentations with Plain TeX**

Web page on CTAN <https://ctan.org/pkg/present>

name	present
caption	Presentations with Plain TeX
author	Meister, Matthias
copyright	Matthias Meister (2010-2019)
license	lppl = The LaTeX Project Public License (free)
version	2.2.1
description	(no language specified) The package offers a collection of simple macros for preparing presentations in Plain TeX. Slide colour and text colour may be set, links between parts of the presentation, to other files, and to web addresses may be inserted. Images may be included easily, and code is available to provide transition effects between slides or frames. The structure of the macros is not overly complex, so that users should find it easy to adapt the macros to their specific needs.
documentation	(no language specified) <i>Package documentation, as a presentation:</i> https://ctan.org/tex-archive/macros/plain/contrib/present/HowToTalkTeX.pdf
– local file	./4340982874-HowToTalkTeX.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/plain/contrib/present/README
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/present
on MikTeX	present
on T _E XLive	present
keyword	presentation (slides, beamers, handouts, etc.)
see also	see section 3374 on page 3044 : (<code>lecturer</code> – On-screen presentations for (almost) all formats)
language(s)	no language specified
year	2019
last access	2025-02-07

4790 **presentations** – Examples from the book **Präsentationen mit LaTeX**

Web page on CTAN <https://ctan.org/pkg/presentations>

name	presentations
caption	Examples from the book <i>Präsentationen mit LaTeX</i>
author	Voß, Herbert
copyright	Herbert Voß (2009)
license	lppl = The LaTeX Project Public License (free)
version	(2010-02-08)
last changes	2010-02-08
year	2010
description	(no language specified) This bundle contains all the examples, as source, eps and pdf, of the author's book "Präsentationen mit LaTeX", from the Dante-Edition series.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/examples/Präsentations_de/README
on CTAN	https://ctan.org/tex-archive/info/examples/Präsentations_de
keyword	book-ex (copies of examples from a published book)
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2026-04-13

4791 **presentations-en** – Examples from the book **Presentations with LaTeX**

Web page on CTAN <https://ctan.org/pkg/presentations-en>

name	presentations-en
caption	Examples from the book <i>Presentations with LaTeX</i>
author	Voß, Herbert
copyright	Herbert Voß (2012)
license	lppl = The LaTeX Project Public License (free)
version	(2012-08-18)
last changes	2012-08-18

4792 *pressrelease* – A class for typesetting press releases

year	2012
description	(no language specified) This bundle contains all the examples, as source, eps and pdf, of the author's book "Presentations with LaTeX", from the Dante-Edition series, Published by Lehmanns Media.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/examples/Presentations_en/README
on CTAN	https://ctan.org/tex-archive/info/examples/Presentations_en
keyword	book-ex (copies of examples from a published book)
keyword	presentation (slides, beamers, handouts, etc.)
see also	see section 4790 on page 4336: (presentations – Examples from the book Presentationen mit LaTeX)
language(s)	no language specified
last access	2026-04-13

4792 *pressrelease* – A class for typesetting press releases

Web page on CTAN <https://ctan.org/pkg/pressrelease>

name	pressrelease
caption	A class for typesetting press releases
author	Talbot, Nicola
copyright	Nicola Talbot (2014)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2014-09-10)
last changes	2014-09-10
year	2014
description	(no language specified) A configurable class for writing press releases.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pressrelease/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pressrelease/pressrelease.pdf
– local file	./3853165617-pressrelease.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pressrelease

4793 *prettyref* – Make label references “self-identify”

installation	https://ctan.org/tex-archive/install/macros/latex/contrib/pressrelease.tds.zip
on MikTeX	pressrelease
on T _E XLive	pressrelease
keyword	publicity (press releases, etc)
language(s)	no language specified
last access	2025-02-07

4793 *prettyref* – Make label references “self-identify”

Web page on CTAN <https://ctan.org/pkg/prettyref>

name	prettyref
caption	Make label references “self-identify”
author	Ruland, Kevin
copyright	Kevin Ruland (1995, 1998)
license	pd = Public Domain Software (free)
version	3.0
description	(no language specified) Prettyref provides a command <code>\newrefformat</code> , which specifies the way in which a reference is typeset, according to a label “identification”. The identification is set in the <code>\label</code> command, by using prefixed label names; so instead of <code>\label{mysection}</code> , one uses <code>\label{sec:mysection}</code> , and prettyref interprets the “sec:” part. The package is compatible with hyperref and with other packages.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/prettyref/prettyref.pdf
– local file	<code>./1047310279-prettyref.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/prettyref
on MikTeX	prettyref
on T _E XLive	prettyref
keyword	label-ref (label and reference systems)
see also	see section 6386 on page 5771 : (<code>typedref</code> – Eliminate errors by enforcing the types of labels)
language(s)	no language specified
year	1998

last access 2025-02-07

4794 *prettytok* – Pretty-print token lists

Web page on CTAN <https://ctan.org/pkg/prettytok>

name	prettytok
caption	Pretty-print token lists
author	user202729
copyright	user202729 (2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2.0 (2023-04-18)
last changes	2023-04-18
year	2023
description	(no language specified) Pretty-print token lists to HTML file for debugging purposes. Open the file in any browser to view the result. Can be used to replace <code>\tl_analysis_show:n</code> .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/prettytok/prettytok.pdf
– local file	<code>./7562205418-prettytok.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/prettytok/README
contact	<i>repository</i> : https://github.com/user202729/TeXlib
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/prettytok
on MikTeX	prettytok
on TeXLive	prettytok
keyword	debug-supp (support for package or document debugging)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

4795 *preview* – Extract bits of a LaTeX source for output

Web page on CTAN <https://ctan.org/pkg/preview>

name	preview
caption	Extract bits of a LaTeX source for output
author	The AUCTeX Team
author	Kastrup, David
copyright	Free Software Foundation (2001-2006, 2010, 2017-2024/)
license	gpl3 = GNU General Public License, version 3 (free)
version	14.0.6
description	(no language specified) The package is a free-standing part of the preview-latex bundle. The package provides the support preview-latex needs, when it chooses the matter it will preview. The output may reasonably be expected to have other uses, as in html translators, etc.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/preview/preview.pdf
– local file	<code>./3544526467-preview.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/preview/README
home page	https://www.gnu.org/software/auctex/preview-latex.html
contact	<i>support:</i> https://lists.gnu.org/mailman/listinfo/auctex
contact	<i>announce:</i> https://lists.gnu.org/mailman/listinfo/info-auctex
contact	<i>bugs:</i> https://debbugs.gnu.org/cgi/pkgreport.cgi?package=auctex
contact	<i>repository:</i> https://git.savannah.gnu.org/gitweb/?p=auctex.git
contact	<i>development:</i> https://lists.gnu.org/mailman/listinfo/auctex-devel
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/preview
on MikTeX	preview
on T _E XLive	preview
keyword	chunks (extract chunks of a document for separate processing)

language(s)	no language specified
year	2017
last access	2025-02-07

4796 *preview-latex* – Preview equations in Emacs

Web page on CTAN <https://ctan.org/pkg/preview-latex>

name	preview-latex
caption	Preview equations in Emacs
author	Kastrup, David
license	gpl = GNU General Public License (free)
version	13.3
description	(no language specified) The package allows appropriately selected parts of a LaTeX document to be formatted and displayed within your Emacs editor, allowing you to view what it looks like whilst still allowing you to edit it. Since version 11.80, <i>preview-latex</i> has been delivered as an integral part of AUCTeX.
home page	http://www.gnu.org/software/auctex/preview-latex.html
on CTAN	https://ctan.org/tex-archive/support/auctex
keyword	ide (integrated development environments)
keyword	editor-extn (plug-ins for editors, for better (La)TeX and Meta* support)
language(s)	no language specified
year	without year
last access	2025-02-07

4797 *prftree* – Macros for building proof trees

Web page on CTAN <https://ctan.org/pkg/prftree>

name	prftree
caption	Macros for building proof trees
author	Benini, Marco
license	gpl = GNU General Public License (free)
version	1.6 (2019-06-19)

4798 *principia* – Notations for typesetting the “Principia Mathematica”

last changes	2019-06-19
year	2019
description	(no language specified) A package to typeset proof trees for natural deduction calculi, sequent-like calculi, and similar.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/prftree/prftreedoc.pdf
– local file	<code>./9475312428-prftreedoc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/prftree/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/prftree
on MikTeX	prftree
on TeXLive	prftree
keyword	proof (typeset proofs and proof diagrams)
keyword	tree (mechanisms for drawing trees)
keyword	maths (support for typesetting mathematics)
see also	see section 4823 on page 4367: (proofs – Macros for building proof trees)
language(s)	no language specified
last access	2025-02-07

4798 *principia* – Notations for typesetting the “Principia Mathematica”

Web page on CTAN <https://ctan.org/pkg/principia>

name	principia
caption	Notations for typesetting the “Principia Mathematica”
author	Elkind, Landon D. C.
copyright	Landon D. C. Elkind (2021-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.4 (2025-03-19)
last changes	2025-03-19
year	2025
description	(no language specified) This package supports typesetting the Peanese notation in Volumes I-III of Whitehead and Russell’s 1910 ”Principia Mathematica”.

4799 *printbib* – Print the contents of a bibliography

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/principia/principia.pdf
– local file	./9024899830-principia.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/principia/README
documentation	(no language specified) <i>List of definitions</i> : https://ctan.org/tex-archive/macros/latex/contrib/principia/List-of-Definitions.pdf
– local file	./8975978260-List-of-Definitions.pdf
home page	https://logicalatomist.github.io/principia/
contact	<i>repository</i> : https://github.com/LogicalAtomist/principia
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/principia
on MikTeX	principia
on T _E XLive	principia
keyword	logic (typesetting logician’s discussions)
keyword	book-pub (preparing a book for publication)
language(s)	no language specified
last access	2025-03-21

4799 *printbib* – Print the contents of a bibliography

Web page on CTAN	https://ctan.org/pkg/printbib
name	printbib
caption	Print the contents of a bibliography
license	noinfo = noinfo
version	(1993-11-15)
last changes	1993-11-15
year	1993
description	(no language specified) This is a Bourne shell script that generates a LaTeX file to show the elements of a BibTeX file. Switches given to the script can change various elements of the output, in particular the Bibliography style to be used.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/printbib

4800 `printlen` – *Print lengths using specified units*

keyword `bibtex-supp` (BibTeX citation support)
language(s) no language specified
last access 2025-02-07

4800 `printlen` – Print lengths using specified units

Web page on CTAN <https://ctan.org/pkg/printlen>

name `printlen`
caption Print lengths using specified units
author Harders, Harald
author Robertson, Will
author Wilson, Peter R.
copyright Peter R. Wilson (2001)
license `lpl` = The LaTeX Project Public License (free)
version 1.1a
description (no language specified) `\printlength{length}` prints the value of a LaTeX length in the units specified by `\uselengthunit{unit}` ('unit' may be any TeX length unit except for scaled point, viz., any of: `pt`, `pc`, `in`, `mm`, `cm`, `bp`, `dd` or `cc`). When the unit is `pt`, the printed length value will include any stretch or shrink; otherwise these are not printed. The 'unit' argument may also be `PT`, in which case length values will be printed in point units but without any stretch or shrink values.
documentation (no language specified) *Package documentation:*
<https://ctan.org/tex-archive/macros/latex/contrib/printlen/printlen-doc.pdf>
– local file `./5340292964-printlen-doc.pdf`
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/printlen>
on MikTeX `ltxmisc`
on T_EXLive `printlen`
keyword `doc-debug` (tools, etc., for “debugging” documents)
keyword `debug-supp` (support for package or document debugging)
language(s) no language specified
year 2001
last access 2025-02-07

4801 *prisma-flow-diagram* – This package provides an abstraction for creating PRISMA 200...

4801 *prisma-flow-diagram* – This package provides an abstraction for creating PRISMA 2009 flow diagrams in LaTeX

Web page on CTAN <https://ctan.org/pkg/prisma-flow-diagram>

name	prisma-flow-diagram
caption	This package provides an abstraction for creating PRISMA 2009 flow diagrams in LaTeX
author	Santos, Ezequiel
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.0
description	(no language specified) This package provides an abstraction for creating PRISMA 2009 flow diagrams in LaTeX. It simplifies the process of building these diagrams by providing intuitive commands while maintaining full compatibility with TikZ.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/prisma-flow-diagram/README.md
home page	https://github.com/ezefranica/prisma-flow-diagram
contact	<i>support</i> : https://github.com/ezefranica/prisma-flow-diagram
contact	<i>announce</i> : https://github.com/ezefranica/prisma-flow-diagram/releases
contact	<i>bugs</i> : https://github.com/ezefranica/prisma-flow-diagram/issues
contact	<i>repository</i> : https://github.com/ezefranica/prisma-flow-diagram
contact	<i>development</i> : https://github.com/ezefranica/prisma-flow-diagram
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/prisma-flow-diagram
on MikTeX	prisma-flow-diagram
on T _E XLive	prisma-flow-diagram
keyword	diagram-flow (flow (and similar) diagrams, including Nassi-Shneiderman)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
year	without year
last access	2025-02-07

4802 *proba* – Shortcuts commands to symbols used in probability texts

Web page on CTAN <https://ctan.org/pkg/proba>

name	<i>proba</i>
caption	Shortcuts commands to symbols used in probability texts
author	Nguyen-Ngoc, Laurent
copyright	Laurent Nguyen-Ngoc (2003)
license	lppl = The LaTeX Project Public License (free)
version	(2003-05-31)
last changes	2003-05-31
year	2003
description	(no language specified) This package includes some of the most often used commands in probability texts, e.g. <i>probability</i> , <i>expectation</i> , <i>variance</i> , etc. It also includes some short commands for set (blackboard) or filtrations (calligraphic). It requires LaTeX2e and the <i>amsfonts</i> package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/proba/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/proba/proba.pdf
– local file	<code>./3349714954-proba.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/proba
on MikTeX	<i>proba</i>
on T _E XLive	<i>proba</i>
keyword	<i>probability</i> (typeset reports, etc., of probability)
language(s)	no language specified
last access	2025-02-07

4803 *probsoln* – Generate problem sheets and their solution sheets

Web page on CTAN <https://ctan.org/pkg/probsoln>

name *probsoln*

caption Generate problem sheets and their solution sheets

author Talbot, Nicola

license lppl = The LaTeX Project Public License (free)

version 3.05 (2017-07-10)

last changes 2017-07-10

year 2017

description (no language specified) The package is designed for lecturers who have to generate new problem sheets for their students on a regular basis (e.g. yearly) by randomly selecting a specified number of problems defined in another file.

The package allows you easily to generate a new problem sheet that is different from the previous year, thus alleviating the temptation of students to seek out the previous year's students and checking out their answers. The solutions to the problems can be defined along with the problem, making it easy to generate the solution sheet from the same source code; problems may be reused within a document, so that solutions may appear in a different section of the same document as the problems they cover.

documentation (no language specified) *Example of use:*
<https://ctan.org/tex-archive/macros/latex/contrib/probsoln/samples/sample.pdf>

– local file ./4163165997-sample.pdf

documentation (no language specified) *Author's FAQ:*
<http://www.dickimaw-books.com/faqs/probsolnfaq.html>

documentation (no language specified) *Package README:* <https://ctan.org/tex-archive/macros/latex/contrib/probsoln/README>

documentation (no language specified) *Package documentation:* <https://ctan.org/tex-archive/macros/latex/contrib/probsoln/probsoln.pdf>

– local file ./4611038726-probsoln.pdf

contact *bugs:* <http://www.dickimaw-books.com/cgi-bin/bugtracker.cgi?category=probsoln>

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/probsoln>

installation <https://ctan.org/tex-archive/install/macros/latex/contrib/probsoln.tds.zip>

4804 *proc* – Class for producing “proceedings”

on MikTeX	probsoln
on T _E XLive	probsoln
keyword	exercise (exercises, problems for solution, etc.)
language(s)	no language specified
last access	2025-02-07

4804 *proc* – Class for producing “proceedings”

Web page on CTAN <https://ctan.org/pkg/proc>

name	proc
caption	Class for producing “proceedings”
author	The LaTeX Project Team
copyright	The LaTeX3 Project et al. (1993-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3m (2021-12-09)
last changes	2021-12-09
year	2021
description	(no language specified) The class provides basic facilities for typesetting the proceedings of an event; it is an extension of the standard article class .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/base/proc.pdf
– local file	./6609898037-proc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/base
on MikTeX	ltxbase
on T _E XLive	latex
keyword	confproc (typesetting conference proceedings)
keyword	class (alternative LaTeX class(es))
see also	see section 796 on page 730 : (book – A class for typesetting books)
see also	see section 5169 on page 4683 : (report – Typeset a multi-chapter report)
see also	see section 278 on page 256 : (article – Default class for composing an article)
language(s)	no language specified
last access	2025-02-07

4805 processkv – Process key-value pairs

Web page on CTAN <https://ctan.org/pkg/processkv>

name	processkv
caption	Process key-value pairs
author	Sauer, Jonathan
license	lppl = The LaTeX Project Public License (free)
version	1.0.1
description	(no language specified) Process key-value lists by calling a user-defined macro for each key-value pair. This package is part of the sauerj bundle.
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sauerj/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sauerj/processkv.pdf
– local file	./3434974314-processkv.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sauerj
on MikTeX	sauerj
on TeXLive	sauerj
keyword	macro-supp (support for development of (La)TeX macros)
see also	see section 6810 on page 6146 : (<code>xkeyval</code> – Extension of the <code>keyval</code> package)
see also	see section 3142 on page 2836 : (<code>keyval</code> – Process ‘key=value’ schemes)
language(s)	no language specified
year	without year
last access	2025-02-07

4806 *prociagssymp* – Macros for IAG symposium papers

Web page on CTAN <https://ctan.org/pkg/prociagssymp>

name	procIAGssymp
caption	Macros for IAG symposium papers
author	Benciolini, Battista
license	lppl = The LaTeX Project Public License (free)
version	(2024-04-08)
last changes	2024-04-08
year	2024
description	(no language specified) This package provides (re-)definitions of some LaTeX commands that can be useful for the preparation of papers with the style of the proceedings of symposia sponsored by the ‘International Association of Geodesy (IAG)’ published by Springer-Verlag.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/prociagssymp/procIAGssymp.pdf
– local file	./5140850793-procIAGssymp.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/prociagssymp/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/prociagssymp
on MikTeX	prociagssymp
on TeXLive	prociagssymp
keyword	confproc (typesetting conference proceedings)
language(s)	no language specified
last access	2025-02-07

4807 *prodint* – A font that provides the product integral symbol

Web page on CTAN <https://ctan.org/pkg/prodint>

name	prodint
caption	A font that provides the product integral symbol
author	Gill, Richard
author	Loredo-Osti, J C
license	ofl = The SIL Open Font License (free)
version	(2001-08-09)
last changes	2001-08-09
year	2001
description	(no language specified) Product integrals are to products, as integrals are to sums. They have been around for more than a hundred years, they have not become part of the standard mathematician's toolbox, possibly because no-one invented the right mathematical symbol for them. The authors have remedied that situation by proposing the symbol and providing this font.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/prodint/README
documentation	(no language specified) <i>Demonstration of use</i> : https://ctan.org/tex-archive/fonts/prodint/prodint.pdf
– local file	./2164790801-prodint.pdf
on CTAN	https://ctan.org/tex-archive/fonts/prodint
on MikTeX	prodint
on T _E XLive	prodint
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

4808 productbox – Typeset a three-dimensional product boxWeb page on CTAN <https://ctan.org/pkg/productbox>

name	productbox
caption	Typeset a three-dimensional product box
author	Neugebauer, Gerd
copyright	Gerd Neugebauer (2010)
license	other-free = Free license not otherwise listed (free)
version	1.1
description	(no language specified) The package enables typesetting of a three-dimensional product box. This product box can be rendered as it is standing on a surface and some light is shed onto it. Alternatively it can be typeset as a wireframe to be cut out and glued together. This will lead to a physical product box. The package requires pgf and TikZ .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gene/productbox/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gene/productbox/productbox.pdf
– local file	<code>./7274790074-productbox.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gene/productbox
on MikTeX	productbox
on TeXLive	productbox
keyword	graphics-3d (graphics with 3-dimensional output)
language(s)	no language specified
year	2010
last access	2026-04-14

4809 **profcollege** – A LaTeX package for French maths teachers in college

Web page on CTAN <https://ctan.org/pkg/profcollege>

name	ProfCollege
caption	A LaTeX package for French maths teachers in college
author	Poulain, Christophe
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.99-A-o (2025-12-12)
last changes	2025-12-12
year	2025
description	(no language specified) This package provides some commands to help French mathematics teachers for 11-16 years olds, for example: • <code>\Tableau[Metre]</code> to write the tabular kmlhml... with some facilities, • <code>\Pythagore{ABC}{5}{7}</code> to write the entire calculation of AC with the Pythagorean theorem, • <code>\Trigo[Cosinus]{ABC}{3}{}{60}</code> to write the entire calculation of AC with cosine, • ... and some others.
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/profcollege/doc/profcollege-doc.pdf
– local file	<code>./4039379727-profcollege-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/profcollege/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/profcollege
on MikTeX	profcollege
on T _E XLive	profcollege
keyword	french (support for typesetting French)
keyword	maths (support for typesetting mathematics)
keyword	teaching (support for teachers and teaching administrators)
see also	see section 4811 on page 4355: (ProfLycee – A LaTeX package for French maths teachers in high school)
language(s)	French
last access	2025-12-25

4810 *proflabo* – Draw laboratory equipment

Web page on CTAN <https://ctan.org/pkg/proflabo>

name	proflabo
caption	Draw laboratory equipment
author	Mounier, Thomas
copyright	Thomas Mounier (2022)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) This package was developed to help French chemistry teachers to create drawings (using TikZ) for laboratory stuff.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/proflabo/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/proflabo/doc/ProfLabo-doc.pdf
– local file	./8785436732-ProfLabo-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/proflabo
on MikTeX	proflabo
on TeXLive	proflabo
keyword	chemistry (chemistry document support)
see also	see section 4924 on page 4455: (<i>pst-labo</i> – Draw objects for Chemistry laboratories)
language(s)	no language specified
year	2022
last access	2025-02-07

4811 **proflycee** – A LaTeX package for French maths teachers in high school

Web page on CTAN <https://ctan.org/pkg/proflycee>

name	ProfLycee
caption	A LaTeX package for French maths teachers in high school
author	Pierquet, Cédric
copyright	Cédric Pierquet (2023-2026)
license	mit = MIT License (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	cc-by-sa-3 = CC BY-SA 3.0 (free)
license	cc0 = CC0 1.0 (free)
version	4.00e (2026-03-12)
last changes	2026-03-12
year	2026
description	(no language specified) This package provides some commands to help French mathematics teachers for 15-18 years olds, for example: • solve equations to approximation ; • calculate an approximate value of an integral ; • present Python code or pseudocode, a Python execution console ; • simplify calculations in fractional form, simplify roots ; • display and use a trigonometric circle ; • display a small diagram for the sign of an affine function or a trinomial ; • ...
documentation	(French) <i>Examples using pyluatex</i>: https://ctan.org/tex-archive/macros/latex/contrib/proflycee/doc/ProfLycee-exemples-pyluatex.pdf
– local file	./8616269495-ProfLycee-exemples-pyluatex.pdf
documentation	(no language specified) <i>Simplified documentation (bilingual English-French)</i>: https://ctan.org/tex-archive/macros/latex/contrib/proflycee/doc/ProfLycee-doc-simple.pdf
– local file	./3793672567-ProfLycee-doc-simple.pdf
documentation	(French) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/proflycee/doc/ProfLycee-doc.pdf

– local file	<code>./5564372069-ProfLycee-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/proflycee/README.md
contact	<i>bugs</i> : https://github.com/cpierquet/latex-packages/issues
contact	<i>repository</i> : https://github.com/cpierquet/latex-packages/tree/main/proflycee
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/proflycee
on MikTeX	proflycee
on T _E XLive	proflycee
keyword	teaching (support for teachers and teaching administrators)
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	maths (support for typesetting mathematics)
keyword	french (support for typesetting French)
see also	see section 4809 on page 4353: (ProfCollege – A LaTeX package for French maths teachers in college)
language(s)	French
last access	2026-03-26

4812 *profmaquette* – Use exercises in different types of documents

Web page on CTAN	https://ctan.org/pkg/profmaquette
name	ProfMaquette
caption	Use exercises in different types of documents
author	Poulain, Christophe
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.99-q (2026-01-06)
last changes	2026-01-06
year	2026
description	(no language specified) This LaTeX package can help French maths teachers to put one and the same exercise into different sorts of documents.
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/profmaquette/doc/profmaquette-doc.pdf

– local file	<code>./2786687975-profmaquette-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/profmaquette/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/profmaquette
on MikTeX	profmaquette
on TeXLive	profmaquette
keyword	maths (support for typesetting mathematics)
keyword	teaching (support for teachers and teaching administrators)
keyword	exercise (exercises, problems for solution, etc.)
language(s)	French
last access	2026-03-26

4813 *profsio* – Commands (with TikZ) to work with French “BTS SIO” maths themes

Web page on CTAN <https://ctan.org/pkg/profsio>

name	ProfSio
caption	Commands (with TikZ) to work with French “BTS SIO” maths themes
author	Pierquet, Cédric
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3.5 (2025-09-24)
last changes	2025-09-24
year	2025
description	(no language specified) This package provides some commands (in French) to work with: • tables of Karnaugh ; • MPM graphs ; • simple graphs.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/profsio/README.md
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/profsio/doc/ProfSio-doc-fr.pdf
– local file	<code>./7535501987-ProfSio-doc-fr.pdf</code>

contact	<i>bugs:</i> https://github.com/cpierquet/latex-packages/issues
contact	<i>repository:</i> https://github.com/cpierquet/latex-packages/tree/main/profsio
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/profsio
on MikTeX	profsio
on T _E XLive	profsio
keyword	graphics (graphics (support packages))
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	maths (support for typesetting mathematics)
language(s)	French
last access	2026-03-26

4814 *progkeys* – Typeset programs, recognising keywords

Web page on CTAN	https://ctan.org/pkg/progkeys
name	progkeys
caption	Typeset programs, recognising keywords
author	Alabau, Miguel
copyright	Miguel Alabau (1993, 1994, 1995)
license	noinfo = noinfo
version	1.0
description	(no language specified) The programs package is allows a parameterized way of typesetting programs with TeX/LaTeX commands inside. The keywords package allows definition and use of sets of keyword commands that will be typeset with different fonts, according to the wish of the user.
documentation	(no language specified) <i>Documentation of keywords:</i> https://ctan.org/tex-archive/macros/latex/contrib/progkeys/keywords.pdf
– local file	./5473637062-keywords.pdf
documentation	(no language specified) <i>Documentation of programs:</i> https://ctan.org/tex-archive/macros/latex/contrib/progkeys/programs.pdf
– local file	./3329831789-programs.pdf
documentation	(no language specified) <i>Outline of both packages:</i> https://ctan.org/tex-archive/macros/latex/contrib/progkeys/README

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/progkeys
on MikTeX	progkeys
keyword	listing (computer code listing)
language(s)	no language specified
year	1995
last access	2025-02-07

4815 program – Typesetting programs and algorithms

Web page on CTAN <https://ctan.org/pkg/program>

name	program
caption	Typesetting programs and algorithms
author	Ward, Martin
copyright	Martin Ward (1991, 2007)
license	gpl3 = GNU General Public License, version 3 (free)
version	3.3.14 (2017-05-05)
last changes	2017-05-05
year	2017
description	(no language specified) The main offering is a program environment; a programbox environment is available for fragments that must not break with the pages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/program/README
documentation	(no language specified) <i>Generated documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/program/program-doc.pdf
– local file	./3275253324-program-doc.pdf
home page	http://www.gkc.org.uk
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/program
on MikTeX	program
on T _E XLive	program
keyword	listing (computer code listing)
keyword	pseudocode (typeset languages for expressing algorithms)

language(s) no language specified
last access 2025-02-07

4816 *progress* – Creates an overview of a document's state

Web page on CTAN <https://ctan.org/pkg/progress>

table
name	progress
caption	Creates an overview of a document's state
author	Graversen, Kasper B.
copyright	Kasper B. Graversen (2002-2003)
license	lppl = The LaTeX Project Public License (free)
version	1.10
description	(no language specified) Progress is a package which. when compiling TeX and LaTeX documents, generates a HTML file showing an overview of a document's state (of how finished it is). The report is sent to file `\ProgressReportName`, which is by default the `\jobname` with the date appended (but is user-modifiable).
documentation	(no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/progress/README>
documentation	(no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/progress/progress.pdf>
– local file	`./5585976789-progress.pdf`
on CTAN	<https://ctan.org/tex-archive/macros/latex/contrib/progress>
on MikTeX	progress
on TeXLive	progress
keyword	doc-mgmt (support for keeping track of document development)
language(s)	no language specified
year	2003
last access	2025-02-07

4817 **progressbar** – Visualize shares of total amounts in the form of a (progress-)bar

Web page on CTAN <https://ctan.org/pkg/progressbar>

name	progressbar
caption	Visualize shares of total amounts in the form of a (progress-)bar
author	Jira, Marcel
license	lppl = The LaTeX Project Public License (free)
version	1.0b 4
description	(no language specified) This package allows you to easily visualize shares of total amounts in the form of a bar. So basically you can convert any number between 0 and 1 to a progressbar using the command <code>\progressbar{<number>}</code> . Also a lot of customizations are possible, allowing you to create an unique progressbar on your own. The package uses TikZ to produce its graphics.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/progressbar/progressbar.pdf
– local file	<code>./7116757716-progressbar.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/progressbar/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/progressbar
on MikTeX	progressbar
on T _E XLive	progressbar
keyword	graphics-use (graphics (typesetting actual pictures))
language(s)	no language specified
year	without year
last access	2025-02-07

4818 projlib – A collection of facilitative toolsWeb page on CTAN <https://ctan.org/pkg/projlib>

name	ProjLib
caption	A collection of facilitative tools
author	XU, Jinwen
copyright	Jinwen XU (2021-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2025-10-21)
last changes	2025-10-21
year	2025
description	(no language specified) ProjLib is a collection of tools to help you write LaTeX documents. With the main package <code>ProjLib</code> loaded, you no longer need to set up the theorem-like environments, nor to manually configure the appropriate multilingual settings. In addition, a series of auxiliary functionalities are introduced.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/projlib/README.md
contact	<i>repository</i> : https://github.com/Jinwen-XU/ProjLib
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/projlib
on MikTeX	projlib
on TeXLive	projlib
keyword	misc-support (miscellaneous support stuff)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-10-28

4819 pronunciation – American English Pronunciation

Web page on CTAN <https://ctan.org/pkg/pronunciation>

name	pronunciation
caption	American English Pronunciation
author	Hugh
copyright	Hugh (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.2 (2025-02-02)
last changes	2025-02-02
year	2025
description	(no language specified) This style file is designed for automatically typing phonetic symbols in American English. The system supports as many as 21,082 English words all told. The main packages used in pronunciation.sty are ifthen , xparse and tipa .
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/pronunciation/pronunciation-en.pdf
– local file	./3624458286-pronunciation-en.pdf
documentation	<i>Package documentation (Japanese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/pronunciation/pronunciation-jp.pdf
– local file	./1813377983-pronunciation-jp.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pronunciation/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pronunciation
on T _E XLive	pronunciation
keyword	phonetic (support for phonetic notation)
keyword	linguistic (support for linguistics)
language(s)	Japanese
last access	2025-02-07

4820 *proof* – Shell based proofing for TeX-related files

Web page on CTAN <https://ctan.org/pkg/proof>

name	proof
caption	Shell based proofing for TeX-related files
author	Bosau, Klaus
license	other-free = Free license not otherwise listed (free)
version	1.2
description	(no language specified) Proof is able to process and view TeX, LaTeX, Metafont and MetaPost sources for proofing purposes.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/proof/README
on CTAN	https://ctan.org/tex-archive/support/proof
keyword	doc-tool (document development tools)
language(s)	no language specified
year	without year
last access	2025-02-07

4821 *proof-at-the-end* – A package to move proofs to appendix

Web page on CTAN <https://ctan.org/pkg/proof-at-the-end>

name	proof-at-the-end
caption	A package to move proofs to appendix
author	Colisson, Léo
copyright	Léo Colisson (2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2024-01-26)
last changes	2024-01-26
year	2024
description	(no language specified) This package aims to provide a way to easily move proofs to the appendix. You can (among other things) move proofs to different places/sections, create links from theorems to proofs, restate theorems, add comments in appendix...

4822 `proofread` – Commands for inserting annotations

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/proof-at-the-end/proof-at-the-end.pdf
– local file	<code>./2523370186-proof-at-the-end.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/proof-at-the-end/README.md
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/proof-at-the-end/proof-at-the-end_demo.pdf
– local file	<code>./3944481498-proof-at-the-end_demo.pdf</code>
home page	https://github.com/leo-colisson/proof-at-the-end
contact	<i>bugs:</i> https://github.com/leo-colisson/proof-at-the-end/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/proof-at-the-end
on MikTeX	<code>proof-at-the-end</code>
on TeXLive	<code>proof-at-the-end</code>
keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>proof</code> (typeset proofs and proof diagrams)
keyword	<code>appendix</code> (typesetting and using appendices)
language(s)	no language specified
last access	2025-02-07

4822 `proofread` – Commands for inserting annotations

Web page on CTAN	https://ctan.org/pkg/proofread
name	<code>proofread</code>
caption	Commands for inserting annotations
author	Dekker, Wybo H.
copyright	Wybo Dekker (2017)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.04 (2019-04-25)
last changes	2019-04-25
year	2019

description	(no language specified) This package defines a few LaTeX commands that may be useful when you proofread a LaTeX document. They allow you to easily highlight text and add comments in the margin. Vim escape sequences are provided for inserting or removing these LaTeX commands in the source. Options are provided for displaying the document with extra line spacing, and for displaying it in either corrected or uncorrected state, both without margin notes. The package is based on code for a text highlighting command that was published by Antal Spector-Zabusky on https://tex.stackexchange.com/questions/5959 . The main file, <code>proofread.dtx</code> , is self-extracting, so you can generate the style file by compiling <code>proofread.dtx</code> with pdfLaTeX. This package is based on the soul package; so if you plan to highlight non-ASCII characters, you must compile your source with either XeTeX- or LuaTeX-based compilers.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/proofread/README
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/proofread/example.pdf
– local file	<code>./1247271214-example.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/proofread/proofread.pdf
– local file	<code>./3673685510-proofread.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/proofread
on MikTeX	<code>proofread</code>
on TeXLive	<code>proofread</code>
keyword	<code>editorial</code> (editor’s marks, highlights, etc.)
keyword	<code>decoration</code> (highlighting typeset material, fancy frames, watermarks, etc.)
language(s)	no language specified
last access	2025-02-07

4823 proofs – Macros for building proof trees

Web page on CTAN <https://ctan.org/pkg/proofs>

name	proofs
caption	Macros for building proof trees
author	Taylor, Paul
copyright	Paul Taylor (1989-1996)
license	nosell = Do Not Sell Except by Arrangement (not free)
version	(1996-08-20)
last changes	1996-08-20
year	1996
description	(no language specified) The package will build a proof tree for Natural Deduction, Sequent Calculus, etc. The bundle also includes a QED package, for use to put marks at the end of a proof.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/generic/proofs/taylor/prooftree-doc.pdf
– local file	./4351245591-prooftree-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/generic/proofs/taylor
keyword	tree (mechanisms for drawing trees)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

4824 prooftrees – Forest-based proof trees (symbolic logic)

Web page on CTAN <https://ctan.org/pkg/prooftrees>

name	prooftrees
caption	Forest-based proof trees (symbolic logic)
author	Rees, Clea F.
copyright	Clea F. Rees (2016-2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.9.3 (2026-02-21)

last changes	2026-02-21
year	2026
description	(no language specified) The package supports drawing proof trees of the kind often used in introductory logic classes, especially those aimed at students without strong mathematical backgrounds. Hodges (1991) is one example of a text which uses this system. When teaching such a system it is especially useful to annotate the tree with line numbers, justifications and explanations of branch closures. <code>prooftrees</code> provides a single environment, <code>prooftree</code>, and a variety of tools for annotating, customising and highlighting such trees. A cross-referencing system is provided for trees which cite line numbers in justifications for proof lines or branch closures. <code>prooftrees</code> is based on <code>forest</code> and, hence, <code>TikZ</code>. The package requires version 2.1+ of <code>forest</code> for expected results. It will not work with versions prior to 2.1.
documentation	(no language specified) <i>User manual</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/prooftrees/prooftrees-doc.pdf
– local file	<code>./5528672123-prooftrees-doc.pdf</code>
documentation	(no language specified) <i>Code documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/prooftrees/prooftrees-code.pdf
– local file	<code>./4037636320-prooftrees-code.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/prooftrees/README.md
contact	<i>repository</i> : https://codeberg.org/cfr/prooftrees
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/prooftrees
on MikTeX	<code>prooftrees</code>
on TeXLive	<code>prooftrees</code>
keyword	<code>logic</code> (typesetting logician’s discussions)
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>tree</code> (mechanisms for drawing trees)
keyword	<code>tagged-pdf</code> (tagged PDF compatible)
see also	see section 2347 on page 2127: (<code>forest</code> – Drawing (linguistic) trees)
language(s)	no language specified
last access	2026-03-26

4825 *properties* – Load properties from a fileWeb page on CTAN <https://ctan.org/pkg/properties>

name	<code>properties</code>
caption	Load properties from a file
author	Niedermair, Michael
copyright	Michael Niedermair (2009)
license	lppl = The LaTeX Project Public License (free)
version	0.2
description	(no language specified) The package loads properties (key, value) from a properties file, e.g. <code>\jobname.properties</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/properties/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/properties
on MikTeX	<code>properties</code>
on TeXLive	<code>properties</code>
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	2009
last access	2025-02-07

4826 *proposal* – A set of LaTeX classes for preparing proposals for collaborative projectsWeb page on CTAN <https://ctan.org/pkg/proposal>

name	<code>proposal</code>
caption	A set of LaTeX classes for preparing proposals for collaborative projects
author	Kohlhase, Michael
copyright	Michael Kohlhase (2010-2016)
license	lppl = The LaTeX Project Public License (free)
version	(2016-04-15)
last changes	2016-04-15
year	2016

description	(no language specified) The process of preparing a collaborative proposal, to a major funding body, involves integration of contributions of a many people at many sites. It is therefore an ideal application for a text-based document preparation system such as LaTeX, in concert with a distributed version control system such as SVN. The <code>proposal</code> class itself provides a basis for such an enterprise. The <code>dfgproposal</code> and <code>dfgproposal</code> classes provide two specialisations of the base class for (respectively) German and European research proposals. The packages depend on the author's <code>stex</code> bundle.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/proposal/README
contact	<i>repository</i> : https://github.com/KWARC/LaTeX-proposal
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/proposal
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/proposal.tds.zip
on MikTeX	<code>proposal</code>
on TeXLive	<code>proposal</code>
keyword	<code>proposal</code> (typeset proposals to funding bodies, etc)
language(s)	no language specified
last access	2025-02-07

4827 *prosper* – LaTeX class for high quality slides

Web page on CTAN <https://ctan.org/pkg/prosper>

name	<code>prosper</code>
caption	LaTeX class for high quality slides
author	Goualard, Frederic
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.0h
description	(no language specified) Prosper is a LaTeX class for writing transparencies. It is written as an extension of the <code>seminar</code> class by Timothy Van Zandt. Prosper offers a friendly environment for creating slides for both presentations with an overhead projector and a video projector. Slides prepared for a presentation with a computer and a video projector may integrate animation

effects, incremental display, and so on. Various visual styles are supported (including some that mimic PowerPoint) and others are being contributed.

documentation	(no language specified) <i>A brief example of usage:</i> https://ctan.org/tex-archive/macros/latex/contrib/prosper/doc/prosper-tour.pdf
– local file	<code>./6490019706-prosper-tour.pdf</code>
documentation	(no language specified) <i>Package Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/prosper/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/prosper/doc/prosper-doc.pdf
– local file	<code>./2050085800-prosper-doc.pdf</code>
contact	<i>repository:</i> http://prosper.sourceforge.net/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/prosper
on MikTeX	<code>prosper</code>
on TeXLive	<code>prosper</code>
keyword	<code>presentation</code> (slides, beamers, handouts, etc.)
see also	see section 2676 on page 2422: (<code>ha-prosper</code> – Patches and improvements for <code>prosper</code>)
see also	see section 2897 on page 2619: (<code>ifmslide</code> – Presentation slides for screen and printouts)
language(s)	no language specified
year	without year
last access	2025-02-07

4828 `protecteddef` – Define protected commands

Web page on CTAN	https://ctan.org/pkg/protecteddef
name	<code>protecteddef</code>
caption	Define protected commands
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2011)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2016-05-16)

last changes	2016-05-16
year	2016
description	(no language specified) The package defines a command <code>\ProtectedDef</code> that will create LaTeX ‘robust’ command or an e-TeX ‘protected’ command as appropriate to its environment.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/protecteddef.pdf
– local file	<code>./6091600571-protecteddef.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/protecteddef.dtx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/oberdiek.tds.zip
on MikTeX	oberdiek
on TeXLive	oberdiek
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

4829 *protex* – Literate programming package

Web page on CTAN <https://ctan.org/pkg/protex>

name	protex
caption	Literate programming package
author	The TeX4ht Team
author	Gurari, Eitan M.
copyright	Eitan M. Gurari (1990, 1991)
license	lppl = The LaTeX Project Public License (free)
version	(2016-07-04)
last changes	2016-07-04
year	2016
description	(no language specified) ProTeX is a simple but powerful literate programming tool, which is designed to generate useful hypertext output (either PDF, or HTML using TeX4ht).

on CTAN	https://ctan.org/tex-archive/web/protex
on MikTeX	protex
on T _E XLive	protex
keyword	litprog (literate programming)
language(s)	no language specified
last access	2025-02-07

4830 *protext* – A MikTeX-based TeX installation for MS-Windows

Web page on CTAN <https://ctan.org/pkg/protext>

name	protext
caption	A MikTeX-based TeX installation for MS-Windows
author	Feuerstack, Thomas
license	other-free = Free license not otherwise listed (free)
version	3.2-031721
description	(no language specified) ProTeXt is a TeX distribution for Windows, based on MiKTeX . ProTeXt guides the MiKTeX installation via a short pdf document (available in German, English, French and Italian), which provides clickable links to install the various components, along with explanations. For ease of use, ProTeXt also adds TeXstudio , and Sumatra PDF . ProTeXt was discontinued in 2022.
home page	https://tug.org/protext/
on CTAN	https://ctan.org/tex-archive/obsolete/systems/windows/protext
keyword	distribution (components (or support) of TeX distribution)
language(s)	no language specified
year	without year
last access	2025-02-07

4831 `protocol` – A class for minutes of meetings

Web page on CTAN <https://ctan.org/pkg/protocol>

name	<code>protocol</code>
caption	A class for minutes of meetings
author	Leineweber, Thomas
copyright	Thomas Leineweber (1997-1999, 2006, 2009-2012)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.13
description	(no language specified) The present version of the class supports German meeting minutes including vote results and action items. The author has ambitions to internationalise the code, and would welcome support in the work.
documentation	(English) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/protocol/README
documentation	<i>Package documentation (German)</i> : https://ctan.org/tex-archive/macros/latex/contrib/protocol/protocol.pdf
– local file	<code>./7111412519-protocol.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/protocol
on MikTeX	<code>protocol</code>
on T _E XLive	<code>protocol</code>
keyword	meeting-admin (calls, agendas, minutes of meetings)
language(s)	German; English
year	2012
last access	2025-02-07

4832 protosem – Fonts for proto-Semitic cuneiform script

Web page on CTAN <https://ctan.org/pkg/protosem>

name	protosem
caption	Fonts for proto-Semitic cuneiform script
author	Wilson, Peter R.
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) A font (in Type 1 format) and macros for proto-Semitic writing. This script was in use about 1600 BCE, and seems to be the oldest ancestor of most of the world's alphabets. This is one of a series of archaic fonts.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/archaic/protosem/README
documentation	(no language specified) <i>Samples of entire archaic bundle</i> : https://ctan.org/tex-archive/fonts/archaic/asamples.pdf
– local file	./8592837549-asamples.pdf
documentation	(no language specified) <i>Sample of Proto-Semitic font</i> : https://ctan.org/tex-archive/fonts/archaic/protosem/tryprotosem.pdf
– local file	./1454236996-tryprotosem.pdf
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/archaic/protosem/protosem.pdf
– local file	./9976863095-protosem.pdf
on CTAN	https://ctan.org/tex-archive/fonts/archaic/protosem
on MikTeX	protosem
on TeXLive	archaic
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-archaic (fonts reproducing archaic scripts or inscriptions)
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	no language specified
year	without year
last access	2025-02-07

4833 *prtec* – A template for PRTEC conference papers

Web page on CTAN <https://ctan.org/pkg/prtec>

name	<code>prtec</code>
caption	A template for PRTEC conference papers
author	Lienhard, John H.
copyright	John H. Lienhard (2019-2024)
license	mit = MIT License (free)
version	1.07 (2024-07-07)
last changes	2024-07-07
year	2024
description	(no language specified) This package provides a LaTeX class, a BibTeX style, and a LaTeX template to format conference papers for the Pacific Rim Thermal Engineering Conference (PRTEC). The <code>.tex</code> and <code>.cls</code> files are commented and should be self-explanatory. The package depends on newtx.
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/prtec/PRTEC24-template.pdf
– local file	<code>./6705499627-PRTEC24-template.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/prtec/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/prtec
on MikTeX	<code>prtec</code>
on TeXLive	<code>prtec</code>
keyword	<code>scientific-docs</code> (support for writers of scientific documents)
keyword	<code>bibtex-sty</code> (<code>bibtex-sty(unknown)</code>)
keyword	<code>doc-templ</code> (template to guide document development)
keyword	<code>engineering</code> (typesetting associated with engineering of whatever sort)
keyword	<code>confproc</code> (typesetting conference proceedings)
keyword	<code>class</code> (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-07

4834 *prv* – Compile, preview, and print LaTeX documents

Web page on CTAN <https://ctan.org/pkg/prv>

name	<code>prv</code>
caption	Compile, preview, and print LaTeX documents
author	Dekker, Wybo H.
license	noinfo = noinfo
version	0.7
description	(no language specified) A Perl script that automates the process of generating a LaTeX document. Essentially, it is a highly specialized relative of the general make utility. Given the source files for a document, the script issues the appropriate sequence of commands to generate a <code>.dvi</code> , <code>.ps</code> or hardcopy version of the document. Also includes <code>prvps</code> for PostScript previewing. Derived from LatexMk version 2.0. The author has declared the package obsolete, since packages mk and vpp provide the same sorts of services.
on CTAN	https://ctan.org/tex-archive/obsolete/support/prv
keyword	<code>compilation</code> (the document compilation process)
language(s)	no language specified
year	without year
last access	2025-02-07

4835 *przechlewski-book* – Examples from Przechlewski's LaTeX book

Web page on CTAN <https://ctan.org/pkg/przechlewski-book>

name	<code>przechlewski-book</code>
caption	Examples from Przechlewski's LaTeX book
author	Przechlewski, Tomasz
license	lppl = The LaTeX Project Public License (free)
version	(2011-06-01)
last changes	2011-06-01
year	2011
description	(no language specified) The bundle provides machine-readable copies of the examples from the book "Praca magisterska i dyplomowa z programem LaTeX".

documentation	<i>Readme (Polish)</i> : https://ctan.org/tex-archive/info/examples/przechlewski-book-examples/README.pl
documentation	<i>Readme (English)</i> : https://ctan.org/tex-archive/info/examples/przechlewski-book-examples/README
on CTAN	https://ctan.org/tex-archive/info/examples/przechlewski-book-examples
on T _E XLive	przechlewski-book
keyword	book-ex (copies of examples from a published book)
language(s)	English; Polish
last access	2025-02-07

4836 *ps2eps* – Produce Encapsulated PostScript from PostScript

Web page on CTAN <https://ctan.org/pkg/ps2eps>

name	ps2eps
caption	Produce Encapsulated PostScript from PostScript
author	Bless, Roland
copyright	Roland Bless (1999-2020)
license	gpl = GNU General Public License (free)
version	1.70
description	(no language specified) Produce Encapsulated PostScript Files (EPS/EP_SF) from a one-page PostScript document, or any PostScript document. A correct Bounding Box is calculated for the EPS files and some PostScript command sequences that can produce erroneous results on printers are filtered. The input is cropped to include just the image contained in the PostScript file. The EPS files can then be included into TeX documents. Other programs like <code>ps2epsi</code> (a script distributed with <code>ghostscript</code>) don't always calculate the correct bounding box (because the values are put on the PostScript stack which may get corrupted by bad PostScript code) or they round it off, resulting in clipping the image. Therefore <code>ps2eps</code> uses a resolution of 144 dpi to get the correct bounding box. The bundle includes binaries for Linux, Solaris, Digital Unix or Windows 2000/9x/NT; for other platforms, the user needs <code>perl</code>, <code>ghostscript</code> and an ANSI-C compiler. Included in the distribution is the <code>bbox</code> program, an application to produce Bounding Box values for <code>rawppm</code> or <code>rawpbm</code> format files.
documentation	(no language specified) <i>Bbox documentation (PDF)</i>: https://ctan.org/tex-archive/support/ps2eps/doc/bbox.pdf

4837 *ps2mf* – Make Metafont files from Adobe Type 1 files

– local file	<code>./8735137828-bbox.pdf</code>
documentation	(no language specified) <i>Ps2eps documentation (HTML)</i> : https://ctan.org/tex-archive/support/ps2eps/doc/ps2eps.html
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/ps2eps/README.md
documentation	(no language specified) <i>Ps2eps documentation (PDF)</i> : https://ctan.org/tex-archive/support/ps2eps/doc/ps2eps.pdf
– local file	<code>./2884381703-ps2eps.pdf</code>
documentation	(no language specified) <i>Bbox documentation (HTML)</i> : https://ctan.org/tex-archive/support/ps2eps/doc/bbox.html
contact	<i>repository</i> : https://github.com/roland-bless/ps2eps
on CTAN	https://ctan.org/tex-archive/support/ps2eps
on T _E XLive	<code>ps2eps</code>
keyword	<code>ps-manip</code> (manipulate PostScript files)
language(s)	no language specified
year	2020
last access	2025-02-07

4837 *ps2mf* – Make Metafont files from Adobe Type 1 files

Web page on CTAN	https://ctan.org/pkg/ps2mf
name	<code>ps2mf</code>
caption	Make Metafont files from Adobe Type 1 files
author	Vens, Erik-Jan
license	gpl = GNU General Public License (free)
version	1.1 beta
description	(no language specified) Written in the days when use of fonts distributed in Adobe Type 1 format was a serious undertaking, this package translates such fonts to Metafont.
on CTAN	https://ctan.org/tex-archive/fonts/utilities/ps2mf
keyword	<code>obsolete</code> (package declared obsolete)
keyword	<code>ps-manip</code> (manipulate PostScript files)
keyword	<code>font-proc</code> (process fonts for use with TeX (includes installation))
language(s)	no language specified

year without year
last access 2025-02-07

4838 *ps2pk* – Generate a PK font from an Adobe Type 1 font

Web page on CTAN <https://ctan.org/pkg/ps2pk>

name *ps2pk*
caption Generate a PK font from an Adobe Type 1 font
author The TeX Live Team
author Tutelaers, Piet
author MacKay, Pierre A.
license other-free = Free license not otherwise listed (free)
description (no language specified) Generates a PK file from an Adobe Type 1 font. PK fonts are (or used to be) valuable in enabling previewers to view documents generated that use Type 1 fonts.
The program makes use of code donated to the X consortium by IBM.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/fonts/utilities/ps2pk/README>
on CTAN <https://ctan.org/tex-archive/fonts/utilities/ps2pk>
on MikTeX miktex-ps2pk-bin-2.9
on T_EXLive *ps2pk*
keyword *ps-manip* (manipulate PostScript files)
keyword *font-proc* (process fonts for use with TeX (includes installation))
language(s) no language specified
year without year
last access 2025-02-07

4839 **ps4mf** – Convert Adobe Type 1 fonts to Metafont

Web page on CTAN <https://ctan.org/pkg/ps4mf>

name	ps4mf
caption	Convert Adobe Type 1 fonts to Metafont
author	Neteler, Markus
license	gpl = GNU General Public License (free)
version	1.1
description	(no language specified) Ps4mf decodes Adobe Type 1 fonts and produces Metafont sources, in an encoding specified by the user. This package provides a Un*x-based source; an earlier version for MS-DOS is also available. The basic idea derives from ps2mf .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/utilities/ps4mf/ps4mf.txt
on CTAN	https://ctan.org/tex-archive/fonts/utilities/ps4mf
keyword	font-proc (process fonts for use with TeX (includes installation))
language(s)	no language specified
year	without year
last access	2025-02-07

4840 **ps4mf-dos** – Convert Adobe Type 1 fonts to Metafont, MS-DOS version

Web page on CTAN <https://ctan.org/pkg/ps4mf-dos>

name	ps4mf-dos
caption	Convert Adobe Type 1 fonts to Metafont, MS-DOS version
author	Neteler, Markus
copyright	Markus Neteler (1994, 1995)
license	gpl = GNU General Public License (free)
version	2.8
description	(no language specified) Ps4mf decodes Adobe Type 1 fonts and produces Metafont sources, in an encoding specified by the user. This package provides an MS-DOS-based version; a later Un*x-based version is also available. The basic idea derives from ps2mf

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/utilities/ps4mf-dos/ps4mf28.txt
on CTAN	https://ctan.org/tex-archive/fonts/utilities/ps4mf-dos
keyword	font-proc (process fonts for use with TeX (includes installation))
language(s)	no language specified
year	1995
last access	2025-02-07

4841 ps4pdf – Use PostScript commands inside a pdfLaTeX document

Web page on CTAN <https://ctan.org/pkg/ps4pdf>

name	ps4pdf
caption	Use PostScript commands inside a pdfLaTeX document
author	Niepraschk, Rolf
license	lpl = The LaTeX Project Public License (free)
version	0.6i
description	(no language specified) This LaTeX package provides a way to use PostScript commands (e.g., PSTricks graphics, PSfrag replacements, EPS graphics) inside a pdfLaTeX processed document. You need recent versions of the LaTeX packages preview, ifpdf, ifvtx and a new LaTeX base installation. All PostScript related commands, including <code>\usepackage</code>, must be a parameter of the <code>'PSforPDF'</code> macro. For details see the test file <code>'ps4pdf-test.tex'</code>. The PDF document is generated via dvips and ps2pdf. This package is now deprecated: it is recommended that users try pst-pdf instead.
documentation	(no language specified) <i>TUGboat paper on the package:</i> https://tug.org/TUGboat/Articles/tb22-4/tb72voss4pdf.pdf
– local file	<code>./3398235232-tb72voss4pdf.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/obsolete/macros/latex/contrib/ps4pdf/README
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/ps4pdf
on MikTeX	ps4pdf
keyword	obsolete (package declared obsolete)
keyword	graphics-epspdf (converting graphics files from MetaPost output or (E)PS to embeddable PDF)

4842 *ps_conv* – A converter from PostScript to Encapsulated PostScript

see also	see section 4578 on page 4143: (pdftricks – Support for PSTricks in pdfTeX)
language(s)	no language specified
year	without year
last access	2025-02-07

4842 *ps_conv* – A converter from PostScript to Encapsulated PostScript

Web page on CTAN https://ctan.org/pkg/ps_conv

name	ps_conv
caption	A converter from PostScript to Encapsulated PostScript
author	BOP
license	pd = Public Domain Software (free)
version	0.54
description	(no language specified) A PostScript program for converting one-page PostScript files into and EPS (encapsulated PostScript) files acceptable by CorelDRAW!(R), Adobe Illustrator(TM) and Fontographer(R).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/pstools/ps_conv/README
on CTAN	https://ctan.org/tex-archive/support/pstools/ps_conv
keyword	ps-manip (manipulate PostScript files)
language(s)	no language specified
year	without year
last access	2025-02-07

4843 *ps_view* – A PostScript previewer of PostScript files

Web page on CTAN https://ctan.org/pkg/ps_view

name	ps_view
caption	A PostScript previewer of PostScript files
author	BOP
license	pd = Public Domain Software (free)
version	2.01

description	(no language specified) A PostScript preamble providing an interactive environment for fast previewing of PostScript documents with Ghostscript , enabling scaling rotation, grids, printing specified pages, on-line help etc.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/ps_view/README
on CTAN	https://ctan.org/tex-archive/support/ps_view
keyword	ps-manip (manipulate PostScript files)
language(s)	no language specified
year	without year
last access	2025-02-07

4844 *psbao* – Draw Bao diagrams

Web page on CTAN <https://ctan.org/pkg/psbao>

name	psbao
caption	Draw Bao diagrams
author	Vessella, Nino
copyright	N. Vessella (2008)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package draws Bao diagrams in LaTeX. The package is a development of psgo , and uses PSTricks to draw the diagrams.
documentation	(no language specified) <i>Package manual</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/psbao/psbaomanual.pdf
– local file	<code>./6923549447-psbaomanual.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/psbao/README
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/psbao
on MikTeX	psbao
on TeXLive	psbao
keyword	games (process game diagrams, gamebooks, and other amusements)

language(s)	no language specified
year	2008
last access	2025-02-07

4845 *psbox* – PostScript box macros, etc

Web page on CTAN <https://ctan.org/pkg/psbox>

name	psbox
caption	PostScript box macros, etc
author	Orloff, Jean
license	noinfo = noinfo
version	1.34
description	(no language specified) The package enables incorporation of encapsulated PostScript in LaTeX or Plain TeX documents whose output is destined for a PostScript printer. This functionality is typically nowadays offered by the LaTeX graphics package and its derivatives. The package also provides a means of bundling all files of a document into a single file for transmission by Email or the like.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/generic/psbox/psbREAD.ME
on CTAN	https://ctan.org/tex-archive/macros/generic/psbox
keyword	graphics-incl (include external graphics)
language(s)	no language specified
year	without year
last access	2025-02-07

4846 *psboxit* – Enables one to put a PostScript drawing behind a TeX box

Web page on CTAN <https://ctan.org/pkg/psboxit>

name	psboxit
caption	Enables one to put a PostScript drawing behind a TeX box
author	Maillot, Jérôme
license	noinfo = noinfo
version	(1993-01-12)

last changes	1993-01-12
year	1993
description	(no language specified) The drawing is parameterised by the position and the size of the TeX box.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/psboxit.sty
keyword	background (decorate/confuse text by adding a background)
language(s)	no language specified
last access	2025-02-07

4847 *pseudo* – Straightforward pseudocode

Web page on CTAN	https://ctan.org/pkg/pseudo
name	<i>pseudo</i>
caption	Straightforward pseudocode
author	Hetland, Magnus Lie
copyright	Magnus Lie Hetland (2019-2023)
license	mit = MIT License (free)
version	1.2.3 (2023-03-21)
last changes	2023-03-21
year	2023
description	(no language specified) The package permits writing pseudocode without much fuss and with quite a bit of configurability. Its main environment combines aspects of <code>enumeration</code>, <code>tabbing</code> and <code>tabular</code> for nonintrusive line numbering, indentation and highlighting, and there is functionality for typesetting common syntactic elements such as keywords, identifiers, and comments. The package relies on <code>aliascnt</code>, <code>array</code>, <code>colortbl</code>, <code>expl3</code>, <code>l3keys2e</code>, <code>xcolor</code>, and <code>xparse</code>.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pseudo/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pseudo/doc/pseudo.pdf
– local file	<code>./2213012841-pseudo.pdf</code>
home page	https://github.com/mlhetland/pseudo.sty

contact	<i>bugs:</i> https://github.com/mlhetland/pseudo.sty/issues
contact	<i>repository:</i> https://github.com/mlhetland/pseudo.sty.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pseudo
on MikTeX	pseudo
on T _E XLive	pseudo
keyword	expl3 (expl3(unknown))
keyword	pseudocode (typeset languages for expressing algorithms)
see also	see section 4848 on page 4387: (pseudocode – LaTeX environment for specifying algorithms in a natural way)
language(s)	no language specified
last access	2025-02-07

4848 **pseudocode** – **LaTeX environment for specifying algorithms in a natural way**

Web page on CTAN	https://ctan.org/pkg/pseudocode
name	pseudocode
caption	LaTeX environment for specifying algorithms in a natural way
author	Kreher, Donald L.
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) This package provides the environment "pseudocode" for describing algorithms in a natural manner.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/pseudocode/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/pseudocode/pseudocode.pdf
– local file	./2570212115-pseudocode.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pseudocode
on MikTeX	pseudocode
on T _E XLive	pseudocode
keyword	pseudocode (typeset languages for expressing algorithms)
see also	see section 4847 on page 4386: (pseudo – Straightforward pseudocode)
language(s)	no language specified

year without year
last access 2025-02-07

4849 psfig – A graphics inclusion package

Web page on CTAN <https://ctan.org/pkg/psfig>

name *psfig*
caption A graphics inclusion package
author Darrell, Trevor
license nosell = Do Not Sell Except by Arrangement (not free)
version 1.10
description (no language specified) The *psfig* package enables users to include graphics in LaTeX documents, with a choice of *dvips* and *oxtex* drivers: other output mechanisms are not supported.

The *psfig* package is largely superseded, for various reasons, including its non-free licence. For new work, users are strongly encouraged to use the [LaTeX graphics bundle](#), specifically, either the [graphicx](#) or even [epsfig](#) package. In particular, *epsfig*, which is always to be found in modern distributions, implements a close analogue of the syntax of *psfig*.

documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/graphics/psfig/README>

on CTAN <https://ctan.org/tex-archive/graphics/psfig>
keyword *graphics-incl* (include external graphics)
see also see section 1946 on page 1757: (*epsf* – Simple macros for EPS inclusion)
language(s) no language specified
year without year
last access 2025-02-07

4850 *psfixbb* – Correct the bounding box of a PostScript file

Web page on CTAN <https://ctan.org/pkg/psfixbb>

name	psfixbb
caption	Correct the bounding box of a PostScript file
author	Dominik, Carsten
author	Karl, Holger
license	gpl = GNU General Public License (free)
version	3.0
description	(no language specified) Computes the BoundingBox of a PostScript file, using Ghostscript , <code>pnmfile</code> and <code>pnmcrop</code> ; then produces a new version of the file with the correct BoundingBox.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/psfixbb/psfixbb.html
on CTAN	https://ctan.org/tex-archive/support/psfixbb
keyword	graphics-prep (prepare graphics for use with *TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

4851 *psfont* – Alternative font handling in LaTeX

Web page on CTAN <https://ctan.org/pkg/psfont>

name	psfont
caption	Alternative font handling in LaTeX
author	Kirsch, Sebastian Marius
license	gpl = GNU General Public License (free)
description	(no language specified) The package offers a simple means of selecting fonts. It provides options for specifying any default font, checks that the choice(s) are valid, and if anything is unspecified supplies an appropriate font. The package also contains all parts of the psnfss which are not covered by this general concept (i.e., the <code>pifonts</code> , <code>mathptm</code> and two <code>fd</code> -files for Adobe Symbol and Adobe Zapf Dingbats). The package is specific to Adobe Type 1 fonts. Distribution is with the (rather more general) altfont package.

documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/altfont/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/altfont/psfont.pdf
– local file	<code>./5630693933-psfont.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/altfont
on MikTeX	<code>altfont</code>
on T _E XLive	<code>altfont</code>
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
see also	see section 4863 on page 4399: (<code>psnfss</code> – Font support for common PostScript fonts)
language(s)	no language specified
year	without year
last access	2025-02-07

4852 *psfonts* – PostScript fonts for use with TeX and LaTeX

Web page on CTAN	https://ctan.org/pkg/psfonts
name	<code>psfonts</code>
caption	PostScript fonts for use with TeX and LaTeX
license	<code>collection</code> = collection
description	(no language specified) The directory holds a range of (otherwise independent) Adobe Type 1 fonts and support for using them with TeX, together with a small selection of tools.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/psfonts/README
on CTAN	https://ctan.org/tex-archive/fonts/psfonts
keyword	<code>collection</code> (a collection of packages)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year
last access	2025-02-11

4853 **psfonts-tools** – Tools for creating a distribution of font metrics

Web page on CTAN <https://ctan.org/pkg/psfonts-tools>

name	psfonts-tools
caption	Tools for creating a distribution of font metrics
author	Tutelaers, Piet
author	Rahtz, Sebastian
copyright	Sebastian Rahtz (1994-1997)
license	noinfo = noinfo
version	(1998-05-12)
last changes	1998-05-12
year	1998
description	(no language specified) A set of tools, written in Perl, that supported the creation of the original CTAN set of Type 1 font metrics.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/psfonts/tools/README
on CTAN	https://ctan.org/tex-archive/fonts/psfonts/tools
keyword	font-proc (process fonts for use with TeX (includes installation))
language(s)	no language specified
last access	2025-02-07

4854 **psfrag** – Replace strings in encapsulated PostScript figures

Web page on CTAN <https://ctan.org/pkg/psfrag>

name	psfrag
caption	Replace strings in encapsulated PostScript figures
author	Grant, Michael
author	Barratt, Craig
author	Carlisle, David
license	other-free = Free license not otherwise listed (free)
version	3.04

description	(no language specified) Allows LaTeX constructions (equations, picture environments, etc.) to be precisely superimposed over Encapsulated PostScript figures, using your own favorite drawing tool to create an EPS figure and placing simple text ‘tags’ where each replacement is to be placed, with PSfrag automatically removing these tags from the figure and replacing them with a user specified LaTeX construction, properly aligned, scaled, and/or rotated.
documentation	<i>Package documentation (Italian)</i> : https://ctan.org/tex-archive/info/italian/psfrag/itpfgguide.pdf
– local file	<code>./1639660744-itpfgguide.pdf</code>
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/psfrag/README
documentation	(no language specified) <i>Release notice</i> : https://ctan.org/tex-archive/macros/latex/contrib/psfrag/announce.txt
documentation	<i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/psfrag/pfgguide.pdf
– local file	<code>./2876967260-pfgguide.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/psfrag
on MikTeX	psfrag
on T _E XLive	psfrag
keyword	graphics-text (text within graphics (drawn or overlaid))
see also	see section 4857 on page 4394: (psfragx – A psfrag eXtension)
language(s)	English; Italian
year	without year
last access	2025-02-07

4855 *psfrag-italian* – PSfrag documentation in Italian

Web page on CTAN <https://ctan.org/pkg/psfrag-italian>

name	Il sistema PSfrag
caption	PSfrag documentation in Italian
author	Chiesa, Flavio Casadei Della
license	gpl = GNU General Public License (free)
description	(no language specified) This is a translation of the documentation that comes with the psfrag documentation.

documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/italian/psfrag/itpfggguide.pdf
– local file	./1639660744-itpfggguide.pdf
on CTAN	https://ctan.org/tex-archive/info/italian/psfrag
on T _E XLive	psfrag-italian
keyword	italian-doc (documentation in Italian)
keyword	graphics (graphics (support packages))
language(s)	no language specified
year	without year
last access	2025-02-07

4856 *psfragger* – Use *psfrag* and LaTeX to label an *eps* file

Web page on CTAN	https://ctan.org/pkg/psfragger
name	psfragger
caption	Use <i>psfrag</i> and LaTeX to label an <i>eps</i> file
author	Cermelj, Primoz
copyright	Primoz Cermelj (2002)
license	nocommercial = No Commercial Use (not free)
version	1.3b
description	(no language specified) PSFragger is a Win32 application with which one can perform psfrag replacements and even transform resulting EPS files into PDF files (useful if pdfLaTeX is to be used). PSFragger can also act as a simple EPS bounding box correction tool and as an EPS to PDF conversion utility.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/psfragger/readme.txt
on CTAN	https://ctan.org/tex-archive/support/psfragger
keyword	graphics-prep (prepare graphics for use with *TeX)
language(s)	no language specified
year	2002
last access	2025-02-07

4857 *psfragx* – A *psfrag* eXtension

Web page on CTAN <https://ctan.org/pkg/psfragx>

name	psfragx
caption	A psfrag eXtension
author	Kockaert, Pascal
copyright	Pascal Kockaert (2003-2012)
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) PSfragX offers a mechanism to embed <code>\psfrag</code> commands, as provided by the psfrag package, into the EPS file itself. Each time a graphic is included, the EPS file is scanned. If some tagged lines are found, they are used to define the psfrag replacements that should be performed automatically. In addition, a similar mechanism holds for overpic objects. These are picture objects superimposed on the included graphic. A similar mechanism is implemented in psfrag itself (but deprecated in the documentation), but psfragx offers much more flexibility. For example, if babel is used, it is possible to define different replacements corresponding to different languages. The replacements to take into account will be selected on the basis of the current language of the document. A Matlab script (LaPrint) is provided, to export an EPS file with psfragx annotations ready embedded.
documentation	(no language specified) <i>LaPrint documentation</i>:: https://ctan.org/tex-archive/macros/latex/contrib/psfragx/laprint-3.16/laprintdoc.ps
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/psfragx/README
documentation	(no language specified) <i>Psfragx documentation</i>:: https://ctan.org/tex-archive/macros/latex/contrib/psfragx/Pre-Compiled-Files/psfragx.pdf
– local file	<code>./3221606182-psfragx.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/psfragx
on MikTeX	psfragx
on TeXLive	psfragx
keyword	graphics-text (text within graphics (drawn or overlaid))
language(s)	no language specified

year 2012
last access 2025-02-07

4858 psgo – Typeset go diagrams with PStricks

Web page on CTAN <https://ctan.org/pkg/psgo>

name *psgo*
caption Typeset go diagrams with PStricks
author Bos, Victor
copyright V. Bos (2001, 2003, 2004)
license lppl = The LaTeX Project Public License (free)
version 0.17
documentation (no language specified) *Package documentation*:
<https://ctan.org/tex-archive/graphics/pstricks/contrib/psgo/psgomanual.pdf>
– local file ./9235146075-psgomanual.pdf
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/graphics/pstricks/contrib/psgo/README>
on CTAN <https://ctan.org/tex-archive/graphics/pstricks/contrib/psgo>
on MikTeX *psgo*
on T_EXLive *psgo*
keyword games (process game diagrams, gamebooks, and other amusements)
keyword go (go game)
keyword pstricks (package using PStricks for graphical output)
language(s) no language specified
year 2004
last access 2026-04-12

4859 psgreek – LaTeX support for Greek Type 1 fonts

Web page on CTAN <https://ctan.org/pkg/psgreek>

name	psgreek
caption	LaTeX support for Greek Type 1 fonts
author	Kryukov, Alexey
author	Justen, Christian
copyright	Alexej Kryukov and Christian Justen (2003)
license	other-nonfree = License that prevents distribution (not free)
version	0.6
description	(no language specified) The PSGreek font package provides LaTeX support for some popular Type 1 Greek fonts. It also includes Unicode virtual fonts for use with Omega/Lambda. Of the Adobe Type 1 fonts distributed with the package, the licensing is variable: at least one is shareware, and the licensing of others is not known at all.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/greek/psgreek/doc/fonts/psgreek/psgreek.pdf
– local file	<code>./7202869825-psgreek.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/greek/psgreek/README
on CTAN	https://ctan.org/tex-archive/fonts/greek/psgreek
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-greek (font for Greek (archaic, classical and modern))
keyword	omega (Omega and packages that use it)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
keyword	font-absent (support is for a font not available on CTAN)
language(s)	no language specified
year	2003
last access	2025-02-07

4860 psizzl – A TeX format for physics papersWeb page on CTAN <https://ctan.org/pkg/psizzl>

name	psizzl
caption	A TeX format for physics papers
author	Ogawa, Arthur
license	lppl = The LaTeX Project Public License (free)
version	0.35
description	(no language specified) PSIZZL is a TeX format for physics papers written at SLAC and used at several other places. It dates from rather early in the development of TeX82; as a result, some of the descriptions of limitations look rather quaint to modern eyes.
documentation	(no language specified) <i>List of commands available</i> : https://ctan.org/tex-archive/macros/plain/formats/psizzl/psizzl.commands
documentation	(no language specified) <i>General introduction</i> : https://ctan.org/tex-archive/macros/plain/formats/psizzl/psizzl.txt
on CTAN	https://ctan.org/tex-archive/macros/plain/formats/psizzl
on MikTeX	psizzl
on T _E XLive	psizzl
keyword	format (macros to build a format)
keyword	physics (support for typesetting physics documents)
language(s)	no language specified
year	without year
last access	2025-02-07

4861 pslatex – Use PostScript fonts by defaultWeb page on CTAN <https://ctan.org/pkg/pslatex>

name	pslatex
caption	Use PostScript fonts by default
author	Carlisle, David
copyright	David Carlisle (1994, 1996, 2021, 2023)
license	lppl = The LaTeX Project Public License (free)
version	1.3 (2023-06-24)

last changes	2023-06-24
year	2023
description	(no language specified) A small package that makes LaTeX default to ‘standard’ PostScript fonts. It is basically a merger of the times and the (obsolete) mathptm packages from the psnfss suite. You must have installed standard LaTeX and the psnfss PostScript fonts to use this package. The main novel feature is that the pslatex package tries to compensate for the visual differences between the Adobe fonts by scaling Helvetica by 90%, and ‘condensing’ Courier (i.e. scaling horizontally) by 85%. The package is supplied with a (unix) shell file for a ‘pslatex’ command that allows standard LaTeX documents to be processed, without needing to edit the file. Note that current psnfss uses a different technique for scaling Helvetica, and treats Courier as a lost cause (there are better free fixed-width available now, than there were when pslatex was designed). As a result, pslatex is widely considered obsolete.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pslatex/README.txt
contact	<i>bugs</i> : https://github.com/davidcarlisle/dpctex/issues
contact	<i>repository</i> : https://github.com/davidcarlisle/dpctex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pslatex
on MikTeX	pslatex
on T _E XLive	pslatex
keyword	obsolete (package declared obsolete)
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
last access	2025-02-07

4862 *psmerge* – Concatenate PostScript files

Web page on CTAN <https://ctan.org/pkg/psmerge>

name	psmerge
caption	Concatenate PostScript files
author	Duggan, Angus
copyright	Angus J. C. Duggan (1991-1995)
license	other-free = Free license not otherwise listed (free)

version	p17
description	(no language specified) A Perl script that concatenates PostScript files as long as they have been generated by the same program (e.g., generated by dvips). The utility is part of the psutils bundle.
on T _E XLive	psutils
keyword	ps-manip (manipulate PostScript files)
language(s)	no language specified
year	1995
last access	2025-02-07

4863 *psnfss* – Font support for common PostScript fonts

Web page on CTAN <https://ctan.org/pkg/psnfss>

name	psnfss
caption	Font support for common PostScript fonts
author	Rahtz, Sebastian
author	Schmidt, Walter A.
author	The LaTeX Project Team
author	Harcombe, Keiran
copyright	Sebastian Rahtz, Walter Schmidt (1995-2020)
license	lppl = The LaTeX Project Public License (free)
version	9.3
description	(no language specified) Font definition files, macros and font metrics for freely-available Adobe Type 1 fonts. The font set consists of the ‘LaserWriter 35’ set (originally ‘freely available’ because embedded in PostScript printers), and a variety of other free fonts, together with some additions. Note that while many of the fonts are available in PostScript (and other) printers, most publishers require fonts <i>embedded</i> in documents, which requires that you have the fonts in your TeX system. Fortunately, there are free versions of the fonts from URW (available in the URW base5 bundle). The base set of text fonts covered by PSNFSS are: AvantGarde, Bookman, Courier, Helvetica, New Century Schoolbook, Palatino, Symbol, Times Roman and Zapf Dingbats. In addition, the fonts Bitstream Charter and Adobe Utopia are covered (those fonts were contributed to the Public Domain by their commercial foundries).

Separate packages are provided to load each font for use as main text font. The packages **helvet** (which allows Helvetica to be loaded with its size scaled to something more nearly appropriate for its use as a Sans-Serif font to match Times) and **pifont** (which provides the means to select single glyphs from symbol fonts) are tailored to special requirements of their fonts.

Mathematics are covered by the **mathptmx** package, which constructs passable mathematics from a combination of Times Roman, Symbol and some glyphs from Computer Modern, and by **Pazo Math** (optionally extended with the **fpl** small-caps and old-style figures fonts) which uses Palatino as base font, with the mathpazo fonts.

The bundle as a whole is part of the **LaTeX ‘required’** set of packages.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/required/psnfss/psnfss2e.pdf
– local file	<code>./8199555513-psnfss2e.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/required/psnfss/README
on CTAN	https://ctan.org/tex-archive/macros/latex/required/psnfss
on MikTeX	<code>psnfss</code>
on T _E XLive	<code>psnfss</code>
keyword	<code>font-sup</code> (metrics, macro incantations and other font support)
keyword	<code>font-use</code> (font selection, mapping, etc.)
see also	see section 4865 on page 4401: (<code>psnfssx</code> – Extra styles and encodings for PostScript fonts)
language(s)	no language specified
year	2020
last access	2025-02-07

4864 *psnfss-source* – Sources of the metrics used in PSNFSS

Web page on CTAN	https://ctan.org/pkg/psnfss-source
name	<code>psnfss-source</code>
caption	Sources of the metrics used in PSNFSS
author	Schmidt, Walter A.
author	Harcombe, Keiran
license	lppl = The LaTeX Project Public License (free)

version	9.2
description	(no language specified) The package comprises the makefiles, fontinst scripts and AFM files used to build the PSNFSS .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/psfonts/psnfss-source/README.sources
on CTAN	https://ctan.org/tex-archive/fonts/psfonts/psnfss-source
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year
last access	2025-02-07

4865 psnfssx – Extra styles and encodings for PostScript fonts

Web page on CTAN <https://ctan.org/pkg/psnfssx>

name	psnfssx
caption	Extra styles and encodings for PostScript fonts
author	Harcombe, Keiran
author	Schmidt, Walter A.
author	Rahtz, Sebastian
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Extends the list packages and encodings for using scaleable fonts beyond those available in the LaTeX ‘required’ bundle. Fonts covered include some that are only commercially available. Packages include: • support for Adobe Standard Encoding (“raw”) fonts in LaTeX; • support for various Adobe fonts; • support for Y&Y European Modern (EM) fonts; • support for Micropress Helvetica Math fonts; • support for B&H Lucida fonts; • support for Y&Y “LY1” font encoding; • support for MathTime fonts; and • support for Micropress Times Math fonts.

The Micropress fonts, Lucida, Mathtime and the European Modern fonts are not themselves available free, and are not therefore provided on the archive. (Bitmap version of the Micropress fonts *are* available — see [Helvetica](#) -Math and [Times](#) -Math bitmap font samples.)

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/psnfssx
on MikTeX	psnfssx
keyword	collection (a collection of packages)
language(s)	no language specified
year	without year
last access	2025-02-07

4866 *psnfssx-8r* – Raw Type 1 fonts with LaTeX

Web page on CTAN <https://ctan.org/pkg/psnfssx-8r>

name	psnfssx-8r
caption	Raw Type 1 fonts with LaTeX
license	noinfo = noinfo
version	(1995-03-12)
last changes	1995-03-12
year	1995
description	(no language specified) This package provides LaTeX support for the 8r encoding, which is how Adobe Standard Encoding Type 1 fonts are represented within a TeX system. Normally, 8r encoding is merely the base encoding of virtual fonts that specify OT1 or T1 encoding, but when virtual fonts are undesirable (for speed reasons) or unavailable, this package will serve. Users should note that the package is unsupported, and that it is not recommended by the LaTeX team.

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/psnfssx/8r/8r.sty
keyword	font-use (font selection, mapping, etc.)
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
last access	2025-02-07

4867 **psnfssx-adobe** – Packages to use a selection of Adobe Type 1 fonts

Web page on CTAN <https://ctan.org/pkg/psnfssx-adobe>

name	psnfssx-adobe
caption	Packages to use a selection of Adobe Type 1 fonts
author	Rahtz, Sebastian
copyright	Sebastian Rahtz (1995-2001)
license	lppl1 = The LaTeX Project Public License 1 (free)
version	(2001-02-07)
last changes	2001-02-07
year	2001
description	(no language specified) A small collection of packages for loading fonts, other than the usual ‘35 printer fonts’, for use in LaTeX documents.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/psnfssx/adobe
keyword	font-suppl (metrics, macro incantations and other font support)
keyword	font-use (font selection, mapping, etc.)
language(s)	no language specified
last access	2025-02-07

4868 **psnfssx-em** – Support for the em family of fonts

Web page on CTAN <https://ctan.org/pkg/psnfssx-em>

name	psnfssx-em
caption	Support for the em family of fonts
author	Horn, Berthold K. P.
author	Carlisle, David
copyright	Y&Y, Inc (1997)
license	noinfo = noinfo
version	(2001-02-22)
last changes	2001-02-22
year	2001

4869 *pspic* – Drawing pictures using PostScript specials

description	(no language specified) The <i>em</i> fonts were a commercial product of Y&Y, Inc, providing a set in Adobe Type 1 format that extended the Computer Modern set with accented glyphs suitable for arranging in LaTeX T1 encoding. This bundle provides a standard set of interfaces for using the fonts.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/psnfssx/em/em.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/psnfssx/em
keyword	font-suppl (metrics, macro incantations and other font support)
keyword	font-use (font selection, mapping, etc.)
language(s)	no language specified
last access	2024-02-15

4869 *pspic* – Drawing pictures using PostScript specials

Web page on CTAN <https://ctan.org/pkg/pspic>

name	<i>pspic</i>
caption	Drawing pictures using PostScript specials
author	Thorup, Kresten Krab
license	noinfo = noinfo
version	(1991-12-04)
last changes	1991-12-04
year	1991
description	(no language specified) The package provides macros for using <i>dvips</i> PostScript <code>\special s</code> to draw pictures similar to those achievable in LaTeX "picture mode". The package is extremely old, and is (apparently) superseded by <i>pspicture</i>.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/pspic.sty
keyword	graphics (graphics (support packages))
keyword	obsolete (package declared obsolete)
keyword	latex209 (package only known to work with LaTeX 2.09)
language(s)	no language specified
last access	2025-02-11

4870 pspicture – PostScript picture support

Web page on CTAN <https://ctan.org/pkg/pspicture>

name	pspicture
caption	PostScript picture support
author	Carlisle, David
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) A replacement for LaTeX's picture macros, that uses PostScript <code>\special</code> commands. The package is now largely superseded by pict2e .
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pspicture/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pspicture/pspicture.pdf
– local file	./5692883934-pspicture.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pspicture
on MikTeX	pspicture
on TeXLive	pspicture
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
year	without year
last access	2025-02-07

4871 psrip – Extract images from PostScript files

Web page on CTAN <https://ctan.org/pkg/psrip>

name	psrip
caption	Extract images from PostScript files
author	Lackas, Christian
license	gpl = GNU General Public License (free)
version	1.3

description	(no language specified) A Perl-script to extract images from PostScript files. The images are saved into the current directory if no other directory is given with the -d parameter. If there is no BoundingBox specified in the extracted image you have to insert it by hand.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/support/psrip/readme.txt
on CTAN	https://ctan.org/tex-archive/support/psrip
keyword	ps-manip (manipulate PostScript files)
keyword	graphics-prep (prepare graphics for use with *TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

4872 *pssplit* – Select pages from PostScript files

Web page on CTAN	https://ctan.org/pkg/pssplit
name	pssplit
caption	Select pages from PostScript files
author	Kleiweg, Peter
license	gpl = GNU General Public License (free)
description	(no language specified) A pair of programs (provided both as C source and as DOS executables) that perform the job, both for DSC-conformant, and for other PostScript level 2 documents.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/pssplit/README
home page	http://www.let.rug.nl/~kleiweg/postscript/
on CTAN	https://ctan.org/tex-archive/support/pssplit
keyword	ps-manip (manipulate PostScript files)
see also	see section 4996 on page 4523: (psutils – PostScript utilities)
language(s)	no language specified
year	without year
last access	2025-02-07

4873 *pst-2dplot* – A PStricks package for drawing 2D curves

Web page on CTAN <https://ctan.org/pkg/pst-2dplot>

name	pst-2dplot
caption	A PStricks package for drawing 2D curves
author	Delgosha, Farshid
copyright	Farshid Delgosha (2007-2008)
license	lppl = The LaTeX Project Public License (free)
version	1.5
description	(no language specified) Pst-2dplot is a pstricks package that offers an easy-to-use and intuitive tool for plotting 2-d curves. It defines an environment with commands similar to MATLAB for plotting.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-2dplot/pst-2dplot-doc.pdf
– local file	./7224782029-pst-2dplot-doc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-2dplot/README
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-2dplot
on MikTeX	pst-2dplot
on T _E XLive	pst-2dplot
keyword	pstricks (package using PStricks for graphical output)
keyword	graphics-plot (plot data)
language(s)	no language specified
year	2008
last access	2026-04-12

4874 *pst-3d* – A PStricks package for tilting and other pseudo-3D tricks

Web page on CTAN <https://ctan.org/pkg/pst-3d>

name	pst-3d
caption	A PStricks package for tilting and other pseudo-3D tricks
author	Van Zandt, Timothy
author	Voß, Herbert
license	lppl = The LaTeX Project Public License (free)
version	1.10
description	(no language specified) The package provides basic macros that use PStricks for shadows, tilting and three dimensional representations of text or graphical objects.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-3d/README
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-3d
on MikTeX	pst-3d
on T _E XLive	pst-3d
keyword	pstricks (package using PStricks for graphical output)
keyword	graphics-3d (graphics with 3-dimensional output)
keyword	tagged-pdf-incompatible (tagged PDF incompatible)
language(s)	no language specified
year	without year
last access	2026-04-13

4875 *pst-3dplot* – Draw 3D objects in parallel projection, using PStricks

Web page on CTAN <https://ctan.org/pkg/pst-3dplot>

name	pst-3dplot
caption	Draw 3D objects in parallel projection, using PStricks
author	Voß, Herbert
license	lppl = The LaTeX Project Public License (free)
version	2.09 (2023-11-01)

4876 *pst-abspos* – Put objects at an absolute position

last changes	2023-11-01
year	2023
description	(no language specified) A package using PSTricks to draw a large variety of graphs and plots, including 3D maths functions. Data can be read from external data files, making this package a generic tool for graphing within TeX/LaTeX, without the need for external tools.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-3dplot/doc/pst-3dplot-doc.pdf
– local file	./8451493806-pst-3dplot-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-3dplot/README
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-3dplot
on MikTeX	pst-3dplot
on TeXLive	pst-3dplot
keyword	graphics-plot (plot data)
keyword	graphics-3d (graphics with 3-dimensional output)
keyword	pstricks (package using PSTricks for graphical output)
language(s)	no language specified
last access	2026-04-13

4876 *pst-abspos* – Put objects at an absolute position

Web page on CTAN <https://ctan.org/pkg/pst-abspos>

name	pst-abspos
caption	Put objects at an absolute position
author	Voß, Herbert
license	lppl = The LaTeX Project Public License (free)
version	0.2
description	(no language specified) The (PSTricks-related) package provides a command <code>\pstPutAbs(x,y)</code> to put an object at an arbitrary absolute (or even a relative) position on the page.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-abspos/pst-abspos-doc.pdf
– local file	<code>./7581785113-pst-abspos-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-abspos/README
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-abspos
on MikTeX	<code>pst-abspos</code>
on T _E XLive	<code>pst-abspos</code>
keyword	<code>layout</code> (layout of objects on the page)
keyword	<code>pstricks</code> (package using PStricks for graphical output)
language(s)	no language specified
year	without year
last access	2026-04-13

4877 *pst-am* – Simulation of modulation and demodulation

Web page on CTAN	https://ctan.org/pkg/pst-am
name	<code>pst-am</code>
caption	Simulation of modulation and demodulation
author	Luque, Manuel
author	Voß, Herbert
license	lppl = The LaTeX Project Public License (free)
version	1.02
description	(no language specified) The package allows the simulation of the modulated and demodulated amplitude of radio waves. The user may plot curves of modulated signals, wave carrier, signal modulation, signal recovery and signal demodulation.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-am/pst-am-doc.pdf
– local file	<code>./3418890715-pst-am-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-am/README

on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-am
on MikTeX	pst-am
on T _E XLive	pst-am
keyword	pstricks (package using PSTricks for graphical output)
keyword	diagram (diagrams)
language(s)	no language specified
year	without year
last access	2026-04-13

4878 *pst-antiprism* – A PSTricks related package which draws an antiprism

Web page on CTAN	https://ctan.org/pkg/pst-antiprism
name	pst-antiprism
caption	A PSTricks related package which draws an antiprism
author	Luque, Manuel
author	Voß, Herbert
license	lppl = The LaTeX Project Public License (free)
version	0.02 (2018-02-12)
last changes	2018-02-12
year	2018
description	(no language specified) pst-antiprism is a PSTricks related package which draws an antiprism, which is a semiregular polyhedron constructed with 2-gons and triangles.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-antiprism/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-antiprism/doc/pst-antiprism-doc.pdf
– local file	./6867904940-pst-antiprism-doc.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-antiprism
on MikTeX	pst-antiprism
on T _E XLive	pst-antiprism

keyword	graphics (graphics (support packages))
keyword	pstricks (package using PSTricks for graphical output)
language(s)	no language specified
last access	2026-04-13

4879 *pst-arrow* – Special arrows for PSTricks

Web page on CTAN <https://ctan.org/pkg/pst-arrow>

name	pst-arrow
caption	Special arrows for PSTricks
author	Voß, Herbert
license	lppl = The LaTeX Project Public License (free)
version	0.05 (2021-11-16)
last changes	2021-11-16
year	2021
description	(no language specified) This package has all the code from the package pstricks-add which was related to arrows, like multiple arrows and so on.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-arrow/README
documentation	(no language specified) <i>Brief documentation, with examples</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-arrow/doc/pst-arrow-doc.pdf
– local file	./2504871807-pst-arrow-doc.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-arrow
on MikTeX	pst-arrow
on TeXLive	pst-arrow
keyword	pstricks (package using PSTricks for graphical output)
language(s)	no language specified
last access	2026-04-13

4880 *pst-asr* – Typeset autosegmental representations for linguists

Web page on CTAN <https://ctan.org/pkg/pst-asr>

name	pst-asr
caption	Typeset autosegmental representations for linguists
author	Frampton, John
license	lppl = The LaTeX Project Public License (free)
version	1.3
description	(no language specified) The package allows the user to typeset autosegmental representations. It uses the PStricks , and xkeyval packages.
documentation	(no language specified) <i>Examples of usage:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-asr/pst-asr-examples.pdf
– local file	<code>./7816713597-pst-asr-examples.pdf</code>
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-asr/pst-asr-doc.pdf
– local file	<code>./7081184683-pst-asr-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-asr
on MikTeX	pst-asr
on T _E XLive	pst-asr
keyword	pstricks (package using PStricks for graphical output)
keyword	linguistic (support for linguistics)
language(s)	no language specified
year	without year
last access	2026-04-12

4881 *pst-bar* – Produces bar charts using PSTricks

Web page on CTAN <https://ctan.org/pkg/pst-bar>

name	pst-bar
caption	Produces bar charts using PSTricks
author	Voß, Herbert
author	Ristow, Alan
license	lppl = The LaTeX Project Public License (free)
version	0.93 (2022-09-10)
last changes	2022-09-10
year	2022
description	(no language specified) The package uses pstricks to draw bar charts from data stored in a comma-delimited file. Several types of bar charts may be drawn, and the drawing parameters are highly customizable. No external packages are required except those that are part of the standard PSTricks distribution.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-bar/doc/pst-bar-doc.pdf
– local file	./9632456170-pst-bar-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-bar/README
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-bar
on MikTeX	pst-bar
on TeXLive	pst-bar
keyword	genchart (drawing bar- or pie-charts)
keyword	pstricks (package using PSTricks for graphical output)
language(s)	no language specified
last access	2026-04-13

4882 *pst-barcode* – Print barcodes using PostScript

Web page on CTAN <https://ctan.org/pkg/pst-barcode>

name	pst-barcode
caption	Print barcodes using PostScript
author	Burton, Terry
author	Voß, Herbert
license	lppl = The LaTeX Project Public License (free)
version	0.20
description	(no language specified) The <i>pst-barcode</i> package allows printing of barcodes, in a huge variety of formats, including quick-response (qr) codes (see documentation for details). As a PSTricks package, the package requires <i>pstricks</i>. The package uses PostScript for calculating the bars. For PDF output use a multi-pass mechanism such as <i>pst-pdf</i>.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-barcode/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-barcode/doc/pst-barcode-doc.pdf
– local file	./2763421848-pst-barcode-doc.pdf
home page	https://tug.org/PSTricks
contact	<i>support</i> : https://tug.org/mailman/listinfo/pstricks
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-barcode
on MikTeX	pst-barcode
on TeXLive	pst-barcode
keyword	tagged-pdf-incompatible (tagged PDF incompatible)
keyword	qr code (typeset quick response codes)
keyword	barcode (barcodes and other machine-readable tags)
keyword	pstricks (package using PSTricks for graphical output)
see also	see section 456 on page 417: (<i>barcodes</i> – Fonts for making barcodes)
see also	see section 5056 on page 4578: (<i>qr code</i> – Generate QR codes in LaTeX)
see also	see section 3149 on page 2843: (<i>kix</i> – Typeset KIX codes)

see also	see section 457 on page 418: (barcodes-vulis – A font for making barcodes)
see also	see section 1776 on page 1603: (ean – Macros for making EAN barcodes)
language(s)	no language specified
year	without year
last access	2026-04-13

4883 *pst-bezier* – Draw Bezier curves

Web page on CTAN <https://ctan.org/pkg/pst-bezier>

name	pst-bezier
caption	Draw Bezier curves
author	Nähring, Tobias
author	Voß, Herbert
license	lppl = The LaTeX Project Public License (free)
version	0.03
description	(no language specified) The package provides a macro <code>\psbcurve</code> for drawing a Bézier curve. Provision is made for full control of over all the control points of the curve.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-bezier/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-bezier/doc/pst-bezier-doc.pdf
– local file	./2835572534-pst-bezier-doc.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-bezier
on MikTeX	pst-bezier
on T _E XLive	pst-bezier
keyword	pstricks (package using PStricks for graphical output)
keyword	graphics-curve (draw (parametric) curves)
see also	see section 1795 on page 1621: (e bezier – Device independent picture environment enhancement)
language(s)	no language specified

year without year
last access 2026-04-13

4884 *pst-blur* – **PSTricks** package for “blurred” shadows

Web page on CTAN <https://ctan.org/pkg/pst-blur>

name	pst-blur
caption	PSTricks package for “blurred” shadows
author	Giese, Martin
author	Voß, Herbert
license	lpl = The LaTeX Project Public License (free)
version	2.0
description	(no language specified) Pst-blur is a package built for use with PSTricks . It provides macros that apply blurring to the normal shadow function of PSTricks.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-blur/pst-blur.pdf
– local file	./4477881162-pst-blur.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-blur
on MikTeX	pst-blur
on T _E XLive	pst-blur
keyword	pstricks (package using PSTricks for graphical output)
keyword	graphics-subpic (generate parts of pictures)
language(s)	no language specified
year	without year
last access	2026-04-13

4885 *pst-bspline* – Draw cubic B-spline curves and interpolations

Web page on CTAN <https://ctan.org/pkg/pst-bspline>

name	pst-bspline
caption	Draw cubic B-spline curves and interpolations
author	Sharpe, Michael
copyright	Michael Sharpe (2011)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.62 (2016-04-21)
last changes	2016-04-21
year	2016
description	(no language specified) The package draws uniform, cubic B-spline curves, open and closed, based on a sequence of B-spline control points. There is also code which permits drawing the open or closed cubic B-spline curve interpolating a sequence of points. Graphical output is created using PStricks .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-bspline/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-bspline/pst-bspline-doc.pdf
– local file	./4148399175-pst-bspline-doc.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-bspline
on MikTeX	pst-bspline
on TeXLive	pst-bspline
keyword	graphics-curve (draw (parametric) curves)
keyword	pstricks (package using PStricks for graphical output)
language(s)	no language specified
last access	2026-04-12

4886 *pst-calculate* – Support for floating point operations at LaTeX level

Web page on CTAN <https://ctan.org/pkg/pst-calculate>

name	pst-calculate
caption	Support for floating point operations at LaTeX level
author	Voß, Herbert
copyright	Herbert Voß (2018)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.02 (2019-01-24)
last changes	2019-01-24
year	2019
description	(no language specified) This package provides an interface to the LaTeX3 floating point unit (part of expl3), mainly used for PSTricks related packages to allow math expressions at LaTeX level. siunitx is used for formatting the calculated number. The package also depends on xkeyval and xparse.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pst-calculate/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pst-calculate/doc/pst-calculate-doc.pdf
– local file	./9305893832-pst-calculate-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pst-calculate
on MikTeX	pst-calculate
on TeXLive	pst-calculate
keyword	tagged-pdf-partially (tagged PDF partially compatible)
keyword	calculation (perform calculations within TeX)
language(s)	no language specified
last access	2026-04-13

4887 *pst-calendar* – Plot calendars in “fancy” ways

Web page on CTAN <https://ctan.org/pkg/pst-calendar>

name	<code>pst-calendar</code>
caption	Plot calendars in “fancy” ways
author	Voß, Herbert
author	Luque, Manuel
license	lppl = The LaTeX Project Public License (free)
version	0.48
description	(no language specified) The package uses pstricks and pst-3d to draw tabular calendars, or calendars on dodecahedra with a month to each face (the package also requires the multido and pst-xkey packages). The package works for years 2000–2099, and has options for calendars in French German and English, but the documentation is not available in English.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-calendar/README.md
documentation	(no language specified) <i>Package documentation</i> :: https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-calendar/doc/pst-calendar-doc.pdf
– local file	<code>./5241171570-pst-calendar-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-calendar
on MikTeX	<code>pst-calendar</code>
on T _E XLive	<code>pst-calendar</code>
keyword	calendar (typeset calendars, diaries, planning charts, etc.)
keyword	<code>pstricks</code> (package using PStricks for graphical output)
see also	see section 904 on page 826 : (<code>calendar</code> – A package for calendars and timetables)
language(s)	no language specified
year	without year
last access	2026-04-13

4888 *pst-cie* – CIE color space

Web page on CTAN <https://ctan.org/pkg/pst-cie>

name	pst-cie
caption	CIE color space
author	Luque, Manuel
author	Voß, Herbert
license	lppl = The LaTeX Project Public License (free)
version	1.06b
description	(no language specified) pst-cie is a PSTricks related package to show the different CIE color spaces: Adobe, CIE, ColorMatch, NTSC, Pal-Secam, ProPhoto, SMPTE, and sRGB.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-cie/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-cie/doc/pst-cie-doc.pdf
– local file	./1560744558-pst-cie-doc.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-cie
on MikTeX	pst-cie
on T _E XLive	pst-cie
keyword	colour (typesetting in colour)
keyword	pstricks (package using PSTricks for graphical output)
language(s)	no language specified
year	without year
last access	2026-04-13

4889 *pst-circ* – *PSTricks* package for drawing electric circuits

Web page on CTAN <https://ctan.org/pkg/pst-circ>

name	<code>pst-circ</code>
caption	<i>PSTricks</i> package for drawing electric circuits
author	Voß, Herbert
author	Jorssen, Christophe
license	lppl = The LaTeX Project Public License (free)
version	2.20
description	(no language specified) The package is built using <i>PSTricks</i> and in particular <i>pst-node</i> . It can easily draw current 2-terminal devices and some 3- and 4-terminal devices used in electronic or electric theory. The package's macros are designed with a view to 'logical' representation of circuits, as far as possible, so as to relieve the user of purely graphical considerations when expressing a circuit.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-circ/doc/pst-circ-doc.pdf
– local file	<code>./6610224620-pst-circ-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-circ/README
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-circ
on MikTeX	<code>pst-circ</code>
on TeXLive	<code>pst-circ</code>
keyword	<code>diagram-circ</code> (circuit diagrams)
keyword	<code>pstricks</code> (package using <i>PSTricks</i> for graphical output)
language(s)	no language specified
year	without year
last access	2026-04-13

4890 *pst-coil* – A PStricks package for coils, etc

Web page on CTAN <https://ctan.org/pkg/pst-coil>

name	pst-coil
caption	A PStricks package for coils, etc
author	Van Zandt, Timothy
author	Voß, Herbert
copyright	Herbert Voß (2006-2010)
license	lppl = The LaTeX Project Public License (free)
version	1.08
description	(no language specified) Pst-coil is a PStricks based package for coils and zigzags and for coil and zigzag node connections.
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-coil/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-coil/doc/pst-coil-doc.pdf
– local file	./4715246108-pst-coil-doc.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-coil
on MikTeX	pst-coil
on T _E XLive	pst-coil
keyword	pstricks (package using PStricks for graphical output)
keyword	physics (support for typesetting physics documents)
keyword	graphics-use (graphics (typesetting actual pictures))
keyword	tagged-pdf-incompatible (tagged PDF incompatible)
language(s)	no language specified
year	2010
last access	2026-04-13

4891 *pst-contourplot* – Draw implicit functions using the “marching squares” algorithm

Web page on CTAN <https://ctan.org/pkg/pst-contourplot>

name	<i>pst-contourplot</i>
caption	Draw implicit functions using the “marching squares” algorithm
author	Luque, Manuel
copyright	Manuel Luque (2018)
license	lppl = The LaTeX Project Public License (free)
version	0.6 (2018-07-14)
last changes	2018-07-14
year	2018
description	(no language specified) This package allows to draw implicit functions “ $f(x,y) = 0$ ” with options for coloring the inside of the surfaces, for marking the points and arrowing the curve at points chosen by the user. The package uses the “marching squares” algorithm.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-contourplot/README
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-contourplot/doc/pst-contourplot-docEN.pdf
– local file	<code>./5554394830-pst-contourplot-docEN.pdf</code>
documentation	<i>Package documentation (French)</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-contourplot/doc/pst-contourplot-docFR.pdf
– local file	<code>./7125212163-pst-contourplot-docFR.pdf</code>
home page	http://pstricks.blogspot.com
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-contourplot
on MikTeX	<i>pst-contourplot</i>
on TeXLive	<i>pst-contourplot</i>
keyword	<i>pstricks</i> (package using PStricks for graphical output)
keyword	<i>graphics-plotfn</i> (plot a representation of a function)
language(s)	French
last access	2026-04-12

4892 *pst-cox* – Drawing regular complex polytopes with PSTricks

Web page on CTAN <https://ctan.org/pkg/pst-cox>

name *pst-cox*

caption Drawing regular complex polytopes with PSTricks

author Luque, Jean-Gabriel

license lgpl = GNU Lesser General Public License (free)

version 0.98 Beta

description (no language specified) *Pst-cox* is a **PSTricks** package for drawing 2-dimensional projections of complex regular polytopes (after the work of Coxeter).

The package consists of a macro library for drawing the projections. The complex polytopes appear in the study of the root systems and play a crucial role in many domains related to mathematics and physics. These polytopes have been completely described by Coxeter in his book "Regular Complex Polytopes".

There exist only a finite numbers of exceptional regular complex polytopes (for example the icosahedron) and some infinite series (for example, one can construct a multi-dimensional analogue of the hypercube in any *finite* dimension).

The library contains two packages. The first, *pst-coxcoor*, is devoted to the exceptional complex regular polytopes whose coordinates have been pre-computed. The second, *pst-coxeterp*, is devoted to the infinite series.

documentation (English) *Documentation for pst-coxcoor*:
https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-cox/doc/pst-coxcoor/pst-coxcoor_doc.pdf

– local file ./5611178701-pst-coxcoor_doc.pdf

documentation (English) *Documentation for pst-coxeterp*:
https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-cox/doc/pst-coxeterp/pst-coxeterp_doc.pdf

– local file ./5161817640-pst-coxeterp_doc.pdf

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-cox/README>

home page <http://melusine.eu.org/syracuse/pstricks/pst-cox/>

on CTAN <https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-cox>

on MikTeX *pst-cox*

on T _E XLive	pst-cox
keyword	maths (support for typesetting mathematics)
keyword	physics (support for typesetting physics documents)
keyword	pstricks (package using PStricks for graphical output)
language(s)	English
year	without year
last access	2026-04-12

4893 *pst-dart* – Plotting dart boards

Web page on CTAN <https://ctan.org/pkg/pst-dart>

name	pst-dart
caption	Plotting dart boards
author	Voß, Herbert
license	lppl = The LaTeX Project Public License (free)
version	0.03
description	(no language specified) pst-dart is a PStricks related package and draws Dart Boards. Optional arguments are the unit and the fontsize.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-dart/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-dart/doc/pst-dart-doc.pdf
– local file	./4310060000-pst-dart-doc.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-dart
on MikT _E X	pst-dart
on T _E XLive	pst-dart
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	pstricks (package using PStricks for graphical output)
language(s)	no language specified
year	without year
last access	2026-04-13

4894 *pst-dbicons* – Support for drawing ER diagrams

Web page on CTAN <https://ctan.org/pkg/pst-dbicons>

name	pst-dbicons
caption	Support for drawing ER diagrams
author	May, Wolfgang
copyright	Wolfgang May (1997-2010)
license	lppl = The LaTeX Project Public License (free)
version	0.16
description	(no language specified) The package provides some useful macros in the database area. The package focusses on typesetting ER-Diagrams in a declarative style, i.e., by positioning some nodes and defining the position of all other nodes relative to them by using the standard database terminology. The PSTricks package is required for using pst-dbicons, but no deep knowledge of PSTricks commands is required (although such knowledge is useful for exploiting the full functionality of the package).
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-dbicons/pst-dbicons.pdf
– local file	./9233862328-pst-dbicons.pdf
documentation on CTAN	(no language specified) <i>Package README:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-dbicons/README
on MikTeX	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-dbicons
on T _E XLive	pst-dbicons
keyword	pstricks (package using PStricks for graphical output)
keyword	diagram (diagrams)
language(s)	no language specified
year	2010
last access	2026-04-12

4895 *pst-diffraction* – Print diffraction patterns from various apertures

Web page on CTAN <https://ctan.org/pkg/pst-diffraction>

name	pst-diffraction
caption	Print diffraction patterns from various apertures
author	Voß, Herbert
author	Luque, Manuel
license	lpl = The LaTeX Project Public License (free)
version	2.06a
description	(no language specified) The package enables the user to draw (using PSTricks) the diffraction patterns for different geometric forms of apertures for monochromatic light (using PSTricks). The aperture stops can have rectangular, circular or triangular openings. The view of the diffraction may be planar, or three-dimensional. Options available are the dimensions of the aperture under consideration and of the particular optical setting, e.g. the radius in case of an circular opening. Moreover one can choose the wavelength of the light (the associated color will be calculated by the package).
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-diffraction/doc/pst-diffraction-doc.pdf
– local file	./8580216795-pst-diffraction-doc.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-diffraction/README
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-diffraction
on MikTeX	pst-diffraction
on T _E XLive	pst-diffraction
keyword	graphics-use (graphics (typesetting actual pictures))
keyword	physics (support for typesetting physics documents)
keyword	pstricks (package using PStricks for graphical output)
language(s)	no language specified
year	without year
last access	2026-04-13

4896 *pst-electricfield* – Draw electric field and equipotential lines with PSTricks

Web page on CTAN <https://ctan.org/pkg/pst-electricfield>

name	pst-electricfield
caption	Draw electric field and equipotential lines with PSTricks
author	Luque, Manuel
author	Gilg, Jürgen
author	Megrét, Patrice
author	Voß, Herbert
license	lppl = The LaTeX Project Public License (free)
version	0.14
description	(no language specified) The package provides macros to plot electric field and equipotential lines using PSTricks . There may be any number of charges which can be placed in a cartesian coordinate system by (x,y) values.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-electricfield/README
documentation	<i>Package documentation (German)</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-electricfield/pst-electricfield-docDE.pdf
– local file	./5280227378-pst-electricfield-docDE.pdf
documentation	<i>Package documentation (English)</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-electricfield/pst-electricfield-docEN.pdf
– local file	./1441740046-pst-electricfield-docEN.pdf
documentation	<i>Package documentation (French)</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-electricfield/pst-electricfield-docFR.pdf
– local file	./5944730380-pst-electricfield-docFR.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-electricfield
on MikTeX	pst-electricfield
on TeXLive	pst-electricfield
keyword	graphics-use (graphics (typesetting actual pictures))
keyword	pstricks (package using PSTricks for graphical output)
language(s)	German; English; French

year without year
last access 2026-04-13

4897 *pst-eps* – Create EPS files from PSTricks figures

Web page on CTAN <https://ctan.org/pkg/pst-eps>

name	pst-eps
caption	Create EPS files from PSTricks figures
author	Voß, Herbert
author	Van Zandt, Timothy
copyright	Herbert Voß (2006)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) Pst-eps is a PSTricks -based package for exporting PSTricks images ‘on the fly’ to encapsulated PostScript (EPS) image files, which can then be read into a document in the usual way.
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-eps/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-eps/pst-eps-doc.pdf
– local file	./9883749306-pst-eps-doc.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-eps
on MikTeX	pst-eps
on T _E XLive	pst-eps
keyword	pstricks (package using PSTricks for graphical output)
keyword	tagged-pdf-incompatible (tagged PDF incompatible)
keyword	graphics-prep (prepare graphics for use with *TeX)
language(s)	no language specified
year	2006
last access	2026-04-13

4898 *pst-eucl* – Euclidean geometry with PSTricks

Web page on CTAN <https://ctan.org/pkg/pst-eucl>

name	<code>pst-eucl</code>
caption	Euclidean geometry with PSTricks
author	Voß, Herbert
author	Rodriguez, Dominique
copyright	Dominique Rodriguez (2000-2013)
copyright	Dominique Rodriguez, Herbert Voß (2014-2023)
copyright	Liao Xiongfei (2020)
license	lpl = The LaTeX Project Public License (free)
version	1.77 (2023-04-15)
last changes	2023-04-15
year	2023
description	(no language specified) The package allows the drawing of Euclidean geometric figures using TeX pstricks macros for specifying mathematical constraints. It is thus possible to build point using common transformations or intersections. The use of coordinates is limited to points which controlled the figure.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-eucl/README
documentation	<i>Package documentation (English)</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-eucl/doc/pst-eucl-doc.pdf
– local file	<code>./5933253700-pst-eucl-doc.pdf</code>
home page	http://pstricks.tug.org
contact	<i>support</i> : https://tug.org/mailman/listinfo/pstricks
contact	<i>repository</i> : https://archiv.dante.de/~herbert/TeXnik/
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-eucl
on MikTeX	<code>pst-eucl</code>
on TeXLive	<code>pst-eucl</code>
keyword	<code>graphics-use</code> (graphics (typesetting actual pictures))
keyword	<code>pstricks</code> (package using PSTricks for graphical output)
keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>tagged-pdf-incompatible</code> (tagged PDF incompatible)

see also	see section 6223 on page 5629: (<i>tkz-euclide</i> – Tools for drawing Euclidean geometry)
see also	see section 2026 on page 1829: (<i>eukleides</i> – A geometry drawing system)
language(s)	English
last access	2026-04-13

4899 *pst-eucl-translation-bg* – Bulgarian translation of the *pst-eucl* documentation

Web page on CTAN <https://ctan.org/pkg/pst-eucl-translation-bg>

name	<i>pst-eucl-translation-bg</i>
caption	Bulgarian translation of the <i>pst-eucl</i> documentation
author	Karakoleva, Stefka
license	lppl = The LaTeX Project Public License (free)
version	1.3.2
description	(no language specified) The <i>pst-eucl</i> package documentation in Bulgarian language - Euclidean Geometry with PSTricks.
documentation	(Bulgarian) <i>Package documentation</i> : https://ctan.org/tex-archive/info/translations/pst-eucl/bulgarian/pst-eucl-docBG.pdf
– local file	<code>./5274850399-pst-eucl-docBG.pdf</code>
documentation	(English) <i>Readme</i> : https://ctan.org/tex-archive/info/translations/pst-eucl/bulgarian/README
documentation	(Bulgarian) <i>Readme</i> : https://ctan.org/tex-archive/info/translations/pst-eucl/bulgarian/README-bulgarian.txt
on CTAN	https://ctan.org/tex-archive/info/translations/pst-eucl/bulgarian
on T _E XLive	<i>pst-eucl-translation-bg</i>
keyword	<i>pstricks</i> (package using PSTricks for graphical output)
keyword	<i>maths</i> (support for typesetting mathematics)
keyword	<i>translation</i> (translation of material from the archive, to another language)
keyword	<i>bulgarian</i> (support for typesetting and documentation in Bulgarian)
see also	see section 4898 on page 4431: (<i>pst-eucl</i> – Euclidean geometry with PSTricks)
language(s)	Bulgarian; English
year	without year

last access 2026-04-12

4900 *pst-exa* – Typeset PSTricks examples, with code

Web page on CTAN <https://ctan.org/pkg/pst-exa>

name	pst-exa
caption	Typeset PSTricks examples, with code
author	Voß, Herbert
copyright	Herbert Voß and Pablo Gonzalez Luengo (2015)
license	lppl = The LaTeX Project Public License (free)
version	0.06
description	(no language specified) The (PSTricks -related) package provides an environment PSTexample to put code and output side by side or one above the other.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-exa/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-exa/doc/pst-exa-doc.pdf
– local file	./1929188463-pst-exa-doc.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-exa
on MikTeX	pst-exa
on TeXLive	pst-exa
keyword	pstricks (package using PSTricks for graphical output)
keyword	listing (computer code listing)
see also	see section 5474 on page 4953 : (<code>showexpl</code> – Typesetting LaTeX source code)
language(s)	no language specified
year	2015
last access	2026-04-13

4901 *pst-feyn* – Draw graphical elements for Feynman diagrams

Web page on CTAN <https://ctan.org/pkg/pst-feyn>

name	<code>pst-feyn</code>
caption	Draw graphical elements for Feynman diagrams
author	Voß, Herbert
copyright	Herbert Voß (2018)
license	lppl = The LaTeX Project Public License (free)
version	0.01
description	(no language specified) <code>pst-feyn</code> is a set of drawing graphical elements which are used for Feynman diagrams. The package is based on the macros of the old package <code>axodraw</code> but uses the capabilities of PSTricks.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-feyn/doc/pst-feyn-doc.pdf
– local file	<code>./6343077340-pst-feyn-doc.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-feyn/README.md
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-feyn
on MikTeX	<code>pst-feyn</code>
on TeXLive	<code>pst-feyn</code>
keyword	<code>physics</code> (support for typesetting physics documents)
see also	see section 367 on page 335: (<code>axodraw2</code> – Feynman diagrams in a LaTeX document)
language(s)	no language specified
year	2018
last access	2026-04-13

4902 *pst-fill* – Fill or tile areas with PSTricks

Web page on CTAN <https://ctan.org/pkg/pst-fill>

name	<code>pst-fill</code>
caption	Fill or tile areas with PSTricks
author	Girou, Denis
author	Voß, Herbert
license	lppl = The LaTeX Project Public License (free)
version	1.02
description	(no language specified) Pst-fill is a PSTricks -based package for filling and tiling areas or characters.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-fill/doc/pst-fill-doc.pdf
– local file	<code>./4600683659-pst-fill-doc.pdf</code>
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-fill/README
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-fill
on MikTeX	<code>pst-fill</code>
on TeXLive	<code>pst-fill</code>
keyword	<code>graphics-fill-tile</code> (graphics filling or tiling an area)
keyword	<code>pstricks</code> (package using PSTricks for graphical output)
keyword	<code>tagged-pdf-incompatible</code> (tagged PDF incompatible)
language(s)	no language specified
year	without year
last access	2026-04-13

4903 *pst-fit* – Macros for curve fitting

Web page on CTAN <https://ctan.org/pkg/pst-fit>

name	pst-fit
caption	Macros for curve fitting
author	Ledger, Buddy
author	Voß, Herbert
copyright	Buddy Ledger, Herbert Voß (2012-2024)
license	lppl = The LaTeX Project Public License (free)
version	0.03
description	(no language specified) The package uses PSTricks to fit curves to: • Linear Functions; • Power Functions; • exp Function; • Log_{10} and Log_e functions; • Recip; • Kings Law data; • Gaussian; and • 4th order Polynomial
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-fit/doc/pst-fit-doc.pdf
– local file	./5243347866-pst-fit-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-fit/README
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-fit
on MikTeX	pst-fit
on TeXLive	pst-fit
keyword	graphics-supp (support for other packages or for drivers)
language(s)	no language specified
year	2024
last access	2026-04-13

4904 *pst-flags* – Draw flags of countries using PSTricksWeb page on CTAN <https://ctan.org/pkg/pst-flags>

name	PST-Flags
caption	Draw flags of countries using PSTricks
author	Manthanwar, Amit M.
copyright	Amit M. Manthanwar (2022-2023)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2023-01-09)
last changes	2023-01-09
year	2023
description	(no language specified) This package provides a number of macros for rendering flags of countries and their associated artefacts using PSTricks. Formatting of the resulting drawings is entirely controlled by TeX macros. A good working knowledge of LaTeX should be sufficient to design flags of sovereign countries and adapt them to create new designs. Features such as color or shape customisation and dynamic modifications are possible by cleverly adjusting the options supplied to the TeX macros, see the documentation for examples. This package requires expl3 , fp , xfp , xcolor , pstricks and pst-all .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-flags/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-flags/doc/pst-flags-doc.pdf
– local file	./9512187718-pst-flags-doc.pdf
contact	<i>repository</i> : https://github.com/manthanwar/PST-Flags
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-flags
on MikTeX	pst-flags
on TeXLive	pst-flags
keyword	pstricks (package using PSTricks for graphical output)
keyword	graphics (graphics (support packages))
language(s)	no language specified
last access	2026-04-12

4905 *pst-fourbarlinkage* – Draw articulated quadrilaterals

Web page on CTAN <https://ctan.org/pkg/pst-fourbarlinkage>

name	pst-fourbarlinkage
caption	Draw articulated quadrilaterals
author	Voß, Herbert
license	lppl = The LaTeX Project Public License (free)
version	0.01 (2025-12-19)
last changes	2025-12-19
year	2025
description	(no language specified) An Articulated Quadrilateral is a four-bar linkage mechanism (four rods connected by hinges) that changes shape as its joints move, creating complex, predictable motions used in machines like pedal cranks, lamps, and even for generating curves, functioning as a simple, one-degree-of-freedom system with fascinating, non-intuitive movements and applications in engineering.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-fourbarlinkage/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-fourbarlinkage/doc/pst-fourbarlinkage-doc.pdf
– local file	./4019620951-pst-fourbarlinkage-doc.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-fourbarlinkage
on MikTeX	pst-fourbarlinkage
on T _E XLive	pst-fourbarlinkage
keyword	graphics (graphics (support packages))
keyword	pstricks (package using PStricks for graphical output)
language(s)	no language specified
last access	2026-04-13

4906 *pst-fp* – Fixed-point arithmetic in PSTricks

Web page on CTAN <https://ctan.org/pkg/pst-fp>

name	pst-fp
caption	Fixed-point arithmetic in PSTricks
author	Voß, Herbert
license	lppl = The LaTeX Project Public License (free)
version	0.05 (2010-01-17)
last changes	2010-01-17
year	2010
description	(no language specified) The package, inspired by fp provides fixed-point arithmetic on values with maximum modulus 9999999999999999.9999999999999999 The package is distributed as part of the PSTricks base bundle.
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/base/generic/pst-fp.tex
keyword	arithmetic (perform and typeset arithmetic problems)
language(s)	no language specified
last access	2026-04-13

4907 *pst-fr3d* – Draw 3-dimensional framed boxes using PSTricks

Web page on CTAN <https://ctan.org/pkg/pst-fr3d>

name	pst-fr3d
caption	Draw 3-dimensional framed boxes using PSTricks
author	Girou, Denis
license	lppl = The LaTeX Project Public License (free)
version	1.10
description	(no language specified) A package using PSTricks to draw three dimensional framed boxes using a macro <code>\PstFrameBoxThreeD</code> . The macro is especially useful for drawing 3d-seeming buttons.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-fr3d/pst-fr3d.pdf

4908 *pst-fractal* – Draw fractal sets using PStricks

– local file	./7585620786-pst-fr3d.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-fr3d/README
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-fr3d
on MikTeX	pst-fr3d
on T _E XLive	pst-fr3d
keyword	boxing (creating boxes)
keyword	pstricks (package using PStricks for graphical output)
keyword	graphics-3d (graphics with 3-dimensional output)
language(s)	no language specified
year	without year
last access	2026-04-12

4908 *pst-fractal* – Draw fractal sets using PStricks

Web page on CTAN <https://ctan.org/pkg/pst-fractal>

name	pst-fractal
caption	Draw fractal sets using PStricks
author	Voß, Herbert
license	lppl = The LaTeX Project Public License (free)
version	0.12
description	(no language specified) The package uses PStricks to draw the Julia and Mandelbrot sets, the Sierpinski triangle, Koch flake, and Apollonius Circle as well as fractal trees (which need not be balanced) with a variety of different parameters (including varying numbers of iterations). The package uses the pst-xkey package, part of the xkeyval distribution.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-fractal/doc/pst-fractal-doc.pdf
– local file	./3605919407-pst-fractal-doc.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-fractal/README
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-fractal

on MikTeX	pst-fractal
on T _E XLive	pst-fractal
keyword	pstricks (package using PSTricks for graphical output)
keyword	graphics-use (graphics (typesetting actual pictures))
language(s)	no language specified
year	without year
last access	2026-04-13

4909 *pst-fun* – Draw “funny” objects with PSTricks

Web page on CTAN <https://ctan.org/pkg/pst-fun>

name	pst-fun
caption	Draw “funny” objects with PSTricks
author	Luque, Manuel
author	Voß, Herbert
license	lppl = The LaTeX Project Public License (free)
version	0.04
description	(no language specified) This is a PSTricks related package for drawing funny objects, like ant, bird, fish, kangaroo, ... Such objects may be useful for testing other PSTricks macros and/or packages. (Or they can be used for fun...)
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-fun/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-fun/pst-fun-doc.pdf
– local file	./6410070295-pst-fun-doc.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-fun
on MikTeX	pst-fun
on T _E XLive	pst-fun
keyword	frivolous (TeX code as a source of humour)
keyword	pstricks (package using PSTricks for graphical output)
language(s)	no language specified

year without year
last access 2026-04-13

4910 *pst-func* – **PSTricks** package for plotting mathematical functions

Web page on CTAN <https://ctan.org/pkg/pst-func>

name	pst-func
caption	PSTricks package for plotting mathematical functions
author	Voß, Herbert
license	lppl = The LaTeX Project Public License (free)
version	1.02a (2024-03-31)
last changes	2024-03-31
year	2024
description	(no language specified) The package is built for use with PSTricks . It provides macros for plotting and manipulating various mathematical functions: • polynomials and their derivatives $f(x)=a_n*x^n+a_{n-1}*x^{(n-1)}+...+a_0$ defined by the coefficients $a_0 a_1 a_2 ...$ and the derivative order; • the Fourier sum $f(x) = a_0/2+a_1\cos(\omega x)+...+b_1\sin(\omega x)+...$ defined by the coefficients $a_0 a_1 a_2 ... b_1 b_2 b_3 ...$; • the Bessel function defined by its order; • the Gauss function defined by <i>sigma</i> and <i>mu</i> ; • Bézier curves from order 1 (two control points) to order 9 (10 control points); • the superellipse function (the Lamé curve); • Chebyshev polynomials of the first and second kind; • the Thomae (or popcorn) function; • the Weierstrass function; • various integration-derived functions; • normal, binomial, poisson, gamma, chi-squared, student's t, F, beta, Cauchy and Weibull distribution functions and the Lorenz curve; • the zeroes of a function, or the intermediate point of two functions; • the Vasicek function for describing the evolution of interest rates; and • implicit functions.

4911 *pst-gantt* – Draw GANTT charts with PSTricks

The plots may be generated as volumes of rotation about the X-axis, as well.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-func/doc/pst-func-doc.pdf
– local file	<code>./9021338994-pst-func-doc.pdf</code>
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-func/README.md
home page	https://tug.org/PSTricks/main.cgi/
contact	<i>support</i> : https://tug.org/mailman/listinfo/pstricks
contact	<i>repository</i> : https://archiv.dante.de/~herbert/TeXnik/
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-func
on MikTeX	<code>pst-func</code>
on TeXLive	<code>pst-func</code>
keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>graphics-plotfn</code> (plot a representation of a function)
keyword	<code>pstricks</code> (package using PSTricks for graphical output)
keyword	<code>tagged-pdf-incompatible</code> (tagged PDF incompatible)
keyword	<code>graphics-use</code> (graphics (typesetting actual pictures))
language(s)	no language specified
last access	2026-04-13

4911 *pst-gantt* – Draw GANTT charts with PSTricks

Web page on CTAN <https://ctan.org/pkg/pst-gantt>

name	<code>pst-gantt</code>
caption	Draw GANTT charts with PSTricks
author	Voß, Herbert
author	Girou, Denis
license	lppl = The LaTeX Project Public License (free)
version	0.22a (2014-12-14)
last changes	2014-12-14
year	2014

4912 *pst-gears* – Drawing internal and external gears

description	(no language specified) The package uses PSTricks to draw GANTT charts, which are a kind of bar chart that displays a project schedule. The package requires the pstricks apparatus, of course.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-gantt/README
documentation	(no language specified) <i>Brief documentation, with examples</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-gantt/doc/pst-gantt-doc.pdf
– local file	<code>./6187600163-pst-gantt-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-gantt
on MikTeX	<code>pst-gantt</code>
on T _E XLive	<code>pst-gantt</code>
keyword	<code>gantt</code> (real-time scheduling Gantt charts)
keyword	<code>diagram</code> (diagrams)
keyword	<code>pstricks</code> (package using PSTricks for graphical output)
language(s)	no language specified
last access	2026-04-13

4912 *pst-gears* – Drawing internal and external gears

Web page on CTAN	https://ctan.org/pkg/pst-gears
name	<code>pst-gears</code>
caption	Drawing internal and external gears
author	Voß, Herbert
license	lppl = The LaTeX Project Public License (free)
version	0.61
description	(no language specified) The macro <code>\pstgears[options](x,y)</code> allows, among other things, the drawing of a gear consisting of two or more external gears whose profile is an involute arc.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-gears/doc/pst-gears-doc.pdf
– local file	<code>./9798868198-pst-gears-doc.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-gears/README.md
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-gears
on MikTeX	pst-gears
on T _E XLive	pst-gears
keyword	pstricks (package using PStricks for graphical output)
keyword	graphics (graphics (support packages))
language(s)	no language specified
year	without year
last access	2026-04-13

4913 *pst-geo* – Geographical Projections

Web page on CTAN <https://ctan.org/pkg/pst-geo>

name	pst-geo
caption	Geographical Projections
author	Matarazzo, Giuseppe
author	Voß, Herbert
author	Luque, Manuel
license	lppl = The LaTeX Project Public License (free)
version	0.09
description	(no language specified) The package offers a set of PSTricks related packages for various cartographic projections of the terrestrial sphere. The package <code>pst-map2d</code> provides conventional projections such as Mercator, Lambert, cylindrical, etc. The package <code>pst-map3d</code> treats representation in three dimensions of the terrestrial sphere. Packages <code>pst-map2dII</code> and <code>pst-map3dII</code> allow use of the CIA World DataBank II. Various parameters of the packages allow for choice of the level of the detail and the layouts possible (cities, borders, rivers etc). Substantial data files are provided, in an (internally) compressed format. Decompression happens on-the-fly as a document using the data is displayed, printed or converted to PDF format. A Perl script is provided for the user to do the decompression, if the need should arise.

documentation	(no language specified) <i>Documentation:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-geo/doc/pst-geo-doc.pdf
– local file	./5408606956-pst-geo-doc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-geo/README
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-geo
on MikTeX	pst-geo
on TeXLive	pst-geo
keyword	pstricks (package using PSTricks for graphical output)
keyword	cartography (map production and geographical data usage)
language(s)	no language specified
year	without year
last access	2026-04-13

4914 *pst-geometricks* – A PSTricks package to draw geometric tools

Web page on CTAN	https://ctan.org/pkg/pst-geometricks
name	pst-geometricks
caption	A PSTricks package to draw geometric tools
author	Söll, Thomas
author	Voß, Herbert
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.4 (2024-04-15)
last changes	2024-04-15
year	2024
description	(no language specified) This PSTricks package facilitates the drawing of protractors, rulers, compasses and pencils.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-geometricks/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-geometricks/doc/pst-geometricks-doc.pdf

4915 *pst-gr3d* – Three dimensional grids with PSTricks

– local file	<code>./1123601131-pst-geometricktools-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-geometricktools
on MikTeX	<code>pst-geometricktools</code>
on TeXLive	<code>pst-geometricktools</code>
keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>pstricks</code> (package using PSTricks for graphical output)
keyword	<code>graphics-use</code> (graphics (typesetting actual pictures))
language(s)	no language specified
last access	2026-04-13

4915 *pst-gr3d* – Three dimensional grids with PSTricks

Web page on CTAN	https://ctan.org/pkg/pst-gr3d
name	<code>pst-gr3d</code>
caption	Three dimensional grids with PSTricks
author	Voß, Herbert
author	Girou, Denis
license	lppl = The LaTeX Project Public License (free)
version	1.34
description	(no language specified) This PSTricks package provides a command <code>\PstGridThreeD</code> that will draw a three dimensional grid, offering a number of options for its appearance.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-gr3d/pst-gr3d.pdf
– local file	<code>./2350200425-pst-gr3d.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-gr3d/README
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-gr3d
on MikTeX	<code>pst-gr3d</code>
on TeXLive	<code>pst-gr3d</code>
keyword	<code>graphics-3d</code> (graphics with 3-dimensional output)

keyword	pstricks (package using PSTricks for graphical output)
keyword	typeset-grid (typeset, snapping lines of text to a grid)
language(s)	no language specified
year	without year
last access	2026-04-13

4916 *pst-grad* – Filling with colour gradients, using PSTricks

Web page on CTAN <https://ctan.org/pkg/pst-grad>

name	pst-grad
caption	Filling with colour gradients, using PSTricks
author	Van Zandt, Timothy
author	Voß, Herbert
copyright	Herbert Voß (2006)
license	lppl = The LaTeX Project Public License (free)
version	1.06
description	(no language specified) The package fills with colour gradients, using PSTricks . The RGB, CMYK and HSB models are supported. Other colour gradient mechanisms are to be found in package pst-slpe .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-grad/pst-grad-doc.pdf
– local file	./8481294103-pst-grad-doc.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-grad
on MikTeX	pst-grad
on T _E XLive	pst-grad
keyword	pstricks (package using PSTricks for graphical output)
keyword	colour (typesetting in colour)
keyword	tagged-pdf-incompatible (tagged PDF incompatible)
language(s)	no language specified
year	2006
last access	2026-04-13

4917 **pst-graphics** – A PSTricks-compatible *graphics* for use with Plain TeX

Web page on CTAN <https://ctan.org/pkg/pst-graphics>

name	pst-graphics
caption	A PSTricks-compatible <i>graphics</i> for use with Plain TeX
author	Voß, Herbert
license	lppl = The LaTeX Project Public License (free)
version	0.02
description	(no language specified) The package provides a version of graphics that avoids loading the <i>graphics</i> bundle's (original) keyval package, which clashes with pstricks ' use of xkeyval .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-graphics/README
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-graphics
on MikTeX	pst-graphics
on TeXLive	pst-graphics
keyword	graphics-incl (include external graphics)
language(s)	no language specified
year	without year
last access	2026-04-13

4918 **pst-hsb** – Curves with continuous colours

Web page on CTAN <https://ctan.org/pkg/pst-hsb>

name	pst-hsb
caption	Curves with continuous colours
author	Voß, Herbert
license	lppl = The LaTeX Project Public License (free)
version	0.03
description	(no language specified) This is a PSTricks -related package. It can plot lines and/or curves with continuous colours. Only colours defined in the <i>hsb</i> model are supported.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-hsb/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-hsb/doc/pst-hsb-doc.pdf
– local file	<code>./2072408522-pst-hsb-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-hsb
on MikTeX	<code>pst-hsb</code>
on TeXLive	<code>pst-hsb</code>
keyword	<code>pstricks</code> (package using PSTricks for graphical output)
keyword	<code>colour</code> (typesetting in colour)
language(s)	no language specified
year	without year
last access	2026-04-13

4919 *pst-infixplot* – Using PSTricks plotting capacities with infix expressions rather than RPN

Web page on CTAN	https://ctan.org/pkg/pst-infixplot
name	<code>pst-infixplot</code>
caption	Using PSTricks plotting capacities with infix expressions rather than RPN
author	Jorssen, Christophe
author	Charpentier, Jean-Côme
license	lppl = The LaTeX Project Public License (free)
version	0.11
description	(no language specified) Plotting functions with pst-plot is very powerful but sometimes difficult to learn since the syntax of <code>\psplot</code> and <code>\parametricplot</code> requires some PostScript knowledge. The <code>infix-RPN</code> and <code>pst-infixplot</code> styles simplify the usage of <code>pst-plot</code> for the beginner, providing macro commands that convert natural mathematical expressions to PostScript syntax.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-infixplot/README

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-infixplot/pst-infixplot.pdf
– local file	./5382397956-pst-infixplot.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-infixplot
on MikTeX	pst-infixplot
on TeXLive	pst-infixplot
keyword	graphics-plot (plot data)
keyword	pstricks (package using PStricks for graphical output)
language(s)	no language specified
year	without year
last access	2026-04-12

4920 *pst-intersect* – Compute intersections of arbitrary curves

Web page on CTAN <https://ctan.org/pkg/pst-intersect>

name	pst-intersect
caption	Compute intersections of arbitrary curves
author	Bersch, Christoph
copyright	Christoph Bersch (2014)
license	lppl = The LaTeX Project Public License (free)
version	0.4
description	(no language specified) The package computes the intersections between arbitrary PostScript paths or Bézier curves, using the Bézier clipping algorithm.
documentation	(German) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-intersect/pst-intersect-DE.pdf
– local file	./1576717585-pst-intersect-DE.pdf
documentation	(English) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-intersect/pst-intersect.pdf
– local file	./2560657791-pst-intersect.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-intersect/README

contact	repository: https://github.com/cbersch/pst-intersect
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-intersect
installation	https://ctan.org/tex-archive/install/graphics/pstricks/contrib/pst-intersect.tds.zip
on MikTeX	pst-intersect
on T _E XLive	pst-intersect
keyword	graphics-supp (support for other packages or for drivers)
keyword	pstricks (package using PStricks for graphical output)
language(s)	German; English
year	2014
last access	2026-04-12

4921 *pst-jtree* – Typeset complex trees for linguists

Web page on CTAN	https://ctan.org/pkg/pst-jtree
name	pst-Jtree
caption	Typeset complex trees for linguists
author	Frampton, John
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.6
description	(no language specified) jTree uses PStricks to enable linguists to typeset complex trees. The package requires use of PStricks (of course) and xkeyval packages. jTree is a development of, and replacement for, the jftree package, which is no longer available.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-jtree/pst-jtree-doc.pdf
– local file	./1913721578-pst-jtree-doc.pdf
documentation	<i>Package documentation, translated to German</i>: https://ctan.org/tex-archive/info/translations/pst-jtree/de/pst-jtree-doc_DE.pdf
– local file	./6983347019-pst-jtree-doc_DE.pdf

on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-jtree
on MikTeX	pst-jtree
on T _E XLive	pst-jtree
keyword	tree (mechanisms for drawing trees)
keyword	linguistic (support for linguistics)
keyword	pstricks (package using PStricks for graphical output)
language(s)	German
year	without year
last access	2026-04-12

4922 *pst-kepler* – Models for Johannes Kepler’s view of the world

Web page on CTAN	https://ctan.org/pkg/pst-kepler
name	pst-kepler
caption	Models for Johannes Kepler’s view of the world
author	Voß, Herbert
copyright	Herbert Voss (2026)
license	lppl = The LaTeX Project Public License (free)
version	0.01 (2026-01-01)
last changes	2026-01-01
year	2026
description	(no language specified) This package is dedicated to Jürgen Gilg (8.2.1966–6.5.2022). It defines macros which show Johannes Kepler’s view of the world.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-kepler/doc/pst-kepler-doc.pdf
– local file	./4241575447-pst-kepler-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-kepler/README.md
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-kepler
on MikTeX	pst-kepler

4923 *pst-knot* – *PSTricks* package for displaying knots

on T _E XLive	<code>pst-kepler</code>
keyword	<code>pstricks</code> (package using PStricks for graphical output)
keyword	astronomy (astronomy articles, astronomical charts)
language(s)	no language specified
last access	2026-04-13

4923 *pst-knot* – PSTricks package for displaying knots

Web page on CTAN <https://ctan.org/pkg/pst-knot>

name	<code>pst-knot</code>
caption	PSTricks package for displaying knots
author	Voß, Herbert
license	lppl = The LaTeX Project Public License (free)
version	0.2
description	(no language specified) The package can produce a fair range of knot shapes, with all the standard graphics controls one expects.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-knot/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-knot/pst-knot-doc.pdf
– local file	<code>./9977152739-pst-knot-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-knot
on MikT _E X	<code>pst-knot</code>
on T _E XLive	<code>pst-knot</code>
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
keyword	<code>pstricks</code> (package using PStricks for graphical output)
language(s)	no language specified
year	without year
last access	2026-04-13

4924 *pst-labo* – Draw objects for Chemistry laboratories

Web page on CTAN <https://ctan.org/pkg/pst-labo>

name	pst-labo
caption	Draw objects for Chemistry laboratories
author	Voß, Herbert
author	Girou, Denis
author	Jorssen, Christophe
author	Luque, Manuel
license	lppl = The LaTeX Project Public License (free)
version	2.07
description	(no language specified) Pst-labo is a PSTricks related package for drawing basic and complex chemical objects. The documentation of the package is illuminated with plenty of illustrations together with their source code, making it an easy read.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-labo/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-labo/doc/pst-labo-doc.pdf
– local file	./6458525409-pst-labo-doc.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-labo
on MikTeX	pst-labo
on T _E XLive	pst-labo
keyword	graphics-use (graphics (typesetting actual pictures))
keyword	chemistry (chemistry document support)
language(s)	no language specified
year	without year
last access	2026-04-13

4925 *pst-layout* – Page layout macros based on PSTricks packages

Web page on CTAN <https://ctan.org/pkg/pst-layout>

name	<code>pst-layout</code>
caption	Page layout macros based on PSTricks packages
author	Sharpe, Michael
copyright	Michael Sharpe (2011)
license	lppl = The LaTeX Project Public License (free)
version	.95
description	(no language specified) The package provides a means of creating elaborate (“pseudo-tabular”) layouts of material, typically to be overlaid on an included graphic. The package requires a recent version of the package pst-node and some other pstricks -related material.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-layout/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-layout/doc/latex/pst-layout/pst-layout-doc.pdf
– local file	<code>./8284212852-pst-layout-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-layout
on MikTeX	<code>pst-layout</code>
on TeXLive	<code>pst-layout</code>
keyword	layout (layout of objects on the page)
keyword	table (table typesetting)
keyword	pstricks (package using PSTricks for graphical output)
language(s)	no language specified
year	2011
last access	2026-04-12

4926 *pst-lens* – Lenses with PStricks

Web page on CTAN <https://ctan.org/pkg/pst-lens>

name	pst-lens
caption	Lenses with PStricks
author	Luque, Manuel
author	Voß, Herbert
author	Girou, Denis
license	lppl = The LaTeX Project Public License (free)
version	1.02
description	(no language specified) This PStricks package provides a really rather simple command <code>\PstLens</code> that will draw a lens. Command parameters provide a remarkable range of effects.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-lens/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-lens/pst-lens.pdf
– local file	./1465190974-pst-lens.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-lens
on MikTeX	pst-lens
on T _E XLive	pst-lens
keyword	optics (diagrams of optical systems)
keyword	pstricks (package using PStricks for graphical output)
language(s)	no language specified
year	without year
last access	2026-04-13

4927 pst-light3d – Three dimensional lighting effects (PSTricks)

Web page on CTAN <https://ctan.org/pkg/pst-light3d>

name	pst-light3d
caption	Three dimensional lighting effects (PSTricks)
author	Kleiweg, Peter
author	Girou, Denis
license	lppl = The LaTeX Project Public License (free)
version	0.12
description	(no language specified) A PSTricks package for three dimensional lighting effects on characters and PSTricks graphics, like lines, curves, plots, ...
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-light3d/pst-light3d-doc.pdf
– local file	./8972642565-pst-light3d-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-light3d/README
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-light3d
on MikTeX	pst-light3d
on T _E XLive	pst-light3d
keyword	graphics-use (graphics (typesetting actual pictures))
keyword	pstricks (package using PSTricks for graphical output)
keyword	graphics-3d (graphics with 3-dimensional output)
see also	see section 6810 on page 6146 : (xkeyval – Extension of the keyval package)
language(s)	no language specified
year	without year
last access	2026-04-12

4928 *pst-lsystem* – Create images based on a L-system

Web page on CTAN <https://ctan.org/pkg/pst-lsystem>

name	<code>pst-lsystem</code>
caption	Create images based on a L-system
author	Voß, Herbert
copyright	Herbert Voß (2018)
license	lppl = The LaTeX Project Public License (free)
version	0.02
description	(no language specified) <code>pst-lsystem</code> is a PSTricks based package for creating images based on a L-system. A L-system (Lindenmayer system) is a set of rules which can be used to model the morphology of a variety of organisms or fractals like the Kochflake or Hilbert curve.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-lsystem/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-lsystem/doc/pst-lsystem-doc.pdf
– local file	<code>./2290436295-pst-lsystem-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-lsystem
on MikTeX	<code>pst-lsystem</code>
on TeXLive	<code>pst-lsystem</code>
keyword	<code>graphics-use</code> (graphics (typesetting actual pictures))
keyword	<code>pstricks</code> (package using PSTricks for graphical output)
language(s)	no language specified
year	2018
last access	2026-04-13

4929 *pst-magneticfield* – Plotting a magnetic field with PSTricks

Web page on CTAN <https://ctan.org/pkg/pst-magneticfield>

name	pst-magneticfield
caption	Plotting a magnetic field with PSTricks
author	Voß, Herbert
author	Luque, Manuel
author	Gilg, Jürgen
license	lppl = The LaTeX Project Public License (free)
version	1.17a
description	(no language specified) pst-magneticfield is a PSTricks related package to draw the magnetic field lines of Helmholtz coils in a two or three dimensional view. There are several parameters to create a different output. For more information or some examples read the documentation of the package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-magneticfield/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-magneticfield/doc/pst-magneticfield-doc.pdf
– local file	./3496782753-pst-magneticfield-doc.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-magneticfield
on MikTeX	pst-magneticfield
on TeXLive	pst-magneticfield
keyword	pstricks (package using PSTricks for graphical output)
keyword	physics (support for typesetting physics documents)
language(s)	no language specified
year	without year
last access	2026-04-13

4930 *pst-marble* – A PSTricks package to draw marble-like patterns

Web page on CTAN <https://ctan.org/pkg/pst-marble>

name	pst-marble
caption	A PSTricks package to draw marble-like patterns
author	Luque, Manuel
author	Gilg, Jürgen
author	Jaffer, Aubrey
copyright	Aubrey Jaffer (2018-2019)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.6
description	(no language specified) This is a PSTricks package to draw marble-like patterns.
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-marble/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-marble/doc/pst-marble-doc.pdf
– local file	./2540700328-pst-marble-doc.pdf
documentation	(no language specified) <i>Changes</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-marble/CHANGES.md
documentation	(no language specified) <i>Package examples</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-marble/examples
documentation	(no language specified) <i>Commands</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-marble/doc/pst-marble-commands.pdf
– local file	./5699753484-pst-marble-commands.pdf
home page	http://people.csail.mit.edu/jaffer/Marbling/How-To
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-marble
on MikTeX	pst-marble
on T _E XLive	pst-marble
keyword	graphics-use (graphics (typesetting actual pictures))
keyword	pstricks (package using PSTricks for graphical output)

4931 *pst-massspring* – Create animations for two masses connected by a spring

keyword graphics (graphics (support packages))
 language(s) no language specified
 year 2019
 last access 2026-04-12

4931 *pst-massspring* – Create animations for two masses connected by a spring

Web page on CTAN <https://ctan.org/pkg/pst-massspring>

name *pst-massspring*
 caption Create animations for two masses connected by a spring
 author Voß, Herbert
 license lppl = The LaTeX Project Public License (free)
 version 0.01 (2025-12-18)
 last changes 2025-12-18
 year 2025
 description (no language specified) This package can create animations (gif or pdf) for two masses connected by a spring in a free fall.
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-massspring/README.md>
 documentation (no language specified) *Package documentation*:
<https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-massspring/doc/pst-massspring-doc.pdf>
 – local file ./1661739117-pst-massspring-doc.pdf
 on CTAN <https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-massspring>
 on MikTeX *pst-massspring*
 on T_EXLive *pst-massspring*
 keyword physics (support for typesetting physics documents)
 keyword graphics (graphics (support packages))
 keyword pstricks (package using PStricks for graphical output)
 language(s) no language specified
 last access 2026-04-13

4932 *pst-math* – Enhancement of PostScript math operators to use with PSTricksWeb page on CTAN <https://ctan.org/pkg/pst-math>

name	<code>pst-math</code>
caption	Enhancement of PostScript math operators to use with PSTricks
author	Jorssen, Christophe
author	Voß, Herbert
copyright	Herbert Voss (2023)
license	lppl = The LaTeX Project Public License (free)
version	0.67 (2023-07-03)
last changes	2023-07-03
year	2023
description	(no language specified) PostScript lacks a lot of basic operators such as <code>tan</code>, <code>acos</code>, <code>asin</code>, <code>cosh</code>, <code>sinh</code>, <code>tanh</code>, <code>acosh</code>, <code>asinh</code>, <code>atanh</code>, <code>exp</code> (with <code>e</code> base). Also (oddly) <code>cos</code> and <code>sin</code> use arguments in degrees. <code>Pst-math</code> provides all those operators in a header file <code>pst-math.pro</code> with wrappers <code>pst-math.sty</code> and <code>pst-math.tex</code>. In addition, <code>sinc</code>, <code>gauss</code>, <code>gammaln</code> and <code>bessel</code> are implemented (only partially for the latter). The package is designed essentially to work with <code>pst-plot</code> but can be used in whatever PS code (such as <code>PSTricks SpecialCoord</code> "!", which is useful for placing labels). The package also provides a routine <code>SIMPSON</code> for numerical integration and a solver of linear equation systems.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-math/doc/pst-math-doc.pdf
– local file	<code>./2169789233-pst-math-doc.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-math/README
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-math
on MikTeX	<code>pst-math</code>
on TeXLive	<code>pst-math</code>
keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>tagged-pdf-incompatible</code> (tagged PDF incompatible)

4933 *pst-mirror* – Images on a spherical mirror

keyword pstricks (package using PStricks for graphical output)
keyword calculation (perform calculations within TeX)
language(s) no language specified
last access 2026-04-13

4933 *pst-mirror* – Images on a spherical mirror

Web page on CTAN <https://ctan.org/pkg/pst-mirror>

name pst-mirror
caption Images on a spherical mirror
author Luque, Manuel
author Voß, Herbert
license lppl = The LaTeX Project Public License (free)
version 1.02a (2024-05-17)
last changes 2024-05-17
year 2024
description (no language specified) The package provides commands and supporting
PostScript material for drawing images as if reflected by a spherical mirror.
documentation (French) *Package documentation:*
[https://ctan.org/tex-archive/graphics/pstricks/contrib/
pst-mirror/doc/pst-mirror-doc.pdf](https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-mirror/doc/pst-mirror-doc.pdf)
– local file ./9480812338-pst-mirror-doc.pdf
documentation (no language specified) *Readme:* [https://ctan.org/tex-archive/
graphics/pstricks/contrib/pst-mirror/README](https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-mirror/README)
on CTAN [https://ctan.org/tex-archive/graphics/pstricks/contrib/
pst-mirror](https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-mirror)
on MikTeX pst-mirror
on TeXLive pst-mirror
keyword graphics-use (graphics (typesetting actual pictures))
keyword pstricks (package using PStricks for graphical output)
language(s) French
last access 2026-04-13

4934 *pst-moire* – A PStricks package to draw moiré patterns

Web page on CTAN <https://ctan.org/pkg/pst-moire>

name	pst-moire
caption	A PStricks package to draw moiré patterns
author	Luque, Manuel
author	Gilg, Jürgen
author	Sarlat, Jean-Michel
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.2
description	(no language specified) This is a PStricks package to draw moiré patterns.
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-moire/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-moire/doc/pst-moire-doc.pdf
– local file	./4549967308-pst-moire-doc.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-moire
on MikTeX	pst-moire
on T _E XLive	pst-moire
keyword	pstricks (package using PStricks for graphical output)
keyword	graphics-use (graphics (typesetting actual pictures))
language(s)	no language specified
year	without year
last access	2026-04-12

4935 *pst-node* – Nodes and node connections in PSTricks

Web page on CTAN <https://ctan.org/pkg/pst-node>

name	<code>pst-node</code>
caption	Nodes and node connections in PSTricks
author	Sharpe, Michael
author	Voß, Herbert
author	Van Zandt, Timothy
copyright	Herbert Voß (2009-2024)
license	lppl = The LaTeX Project Public License (free)
version	1.45
description	(no language specified) The package enables the user to connect information, and to place labels, without knowing (in advance) the actual positions of the items to be connected, or where the connecting line should go. The macros are useful for making graphs and trees, mathematical diagrams, linguistic syntax diagrams, and so on. The package contents were previously distributed as a part of the pstricks base distribution; the package serves as an extension to PSTricks .
documentation	(no language specified) <i>Package documentation (English)</i>: https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-node/doc/pst-node-doc.pdf
– local file	<code>./2992740518-pst-node-doc.pdf</code>
documentation	<i>psmatrix documentation (German)</i>: https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-node/doc/psmatrix-docDE.pdf
– local file	<code>./7931412500-psmatrix-docDE.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-node/README
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-node
on MikTeX	<code>pst-node</code>
on TeXLive	<code>pst-node</code>
keyword	<code>graphics-in-tex</code> (graphics produced by one of the *TeX engines)
keyword	<code>tagged-pdf-incompatible</code> (tagged PDF incompatible)
keyword	<code>linguistic</code> (support for linguistics)

language(s)	German
year	2024
last access	2026-04-13

4936 *pst-nutation* – Rotation, precession, nutation of the earth

Web page on CTAN <https://ctan.org/pkg/pst-nutation>

name	<code>pst-nutation</code>
caption	Rotation, precession, nutation of the earth
author	Voß, Herbert
license	lppl = The LaTeX Project Public License (free)
version	0.01
description	(no language specified) This package illustrates the concepts of rotation, precession, and nutation of the earth. <code>pst-nutation</code> defines the command <code>\psNutation[options]</code> to simulate the behaviour of the earth.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-nutation/doc/pst-nutation-doc.pdf
– local file	<code>./6902752043-pst-nutation-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-nutation/README.md
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-nutation
on MikTeX	<code>pst-nutation</code>
on TeXLive	<code>pst-nutation</code>
keyword	<code>pstricks</code> (package using PStricks for graphical output)
keyword	<code>graphics</code> (graphics (support packages))
keyword	<code>astronomy</code> (astronomy articles, astronomical charts)
language(s)	no language specified
year	without year
last access	2026-04-13

4937 *pst-ob3d* – Three dimensional objects using PSTricks

Web page on CTAN <https://ctan.org/pkg/pst-ob3d>

name	pst-ob3d
caption	Three dimensional objects using PSTricks
author	Girou, Denis
author	Voß, Herbert
license	lppl = The LaTeX Project Public License (free)
version	0.22 (2020-03-24)
last changes	2020-03-24
year	2020
description	(no language specified) The package uses PSTricks to provide basic three-dimensional objects. As yet, only cubes (which can be deformed to rectangular parallelipeds) and dies (which are only a special kind of cubes) are defined.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-ob3d/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-ob3d/pst-ob3d.pdf
– local file	./7417162159-pst-ob3d.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-ob3d
on MikTeX	pst-ob3d
on T _E XLive	pst-ob3d
keyword	graphics (graphics (support packages))
keyword	graphics-3d (graphics with 3-dimensional output)
keyword	pstricks (package using PSTricks for graphical output)
language(s)	no language specified
last access	2026-04-13

4938 *pst-ode* – Solving initial value problems for sets of Ordinary Differential EquationsWeb page on CTAN <https://ctan.org/pkg/pst-ode>

name	pst-ode
caption	Solving initial value problems for sets of Ordinary Differential Equations
author	Grahn, Alexander
copyright	Alexander Grahn (2012-2024)
license	lpl = The LaTeX Project Public License (free)
version	0.19 (2024-01-04)
last changes	2024-01-04
year	2024
description	(no language specified) The package defines <code>\pstODEsolve</code> for solving initial value problems for sets of Ordinary Differential Equations (ODE) using the Runge-Kutta-Fehlberg (RKF45) method with automatic step size adjustment. The result is stored as a PostScript object and may be plotted later using macros from other PSTricks packages, such as <code>\listplot</code> (pst-plot) and <code>\listplotThreeD</code> (pst-3dplot), or may be further processed by user-defined PostScript procedures. Optionally, the computed state vectors can be written as a table to a text file.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-ode/pst-ode-doc.pdf
– local file	<code>./7309476949-pst-ode-doc.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-ode/README.md
contact	<i>repository</i> : https://gitlab.com/agrahn/pst-ode
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-ode
installation	https://ctan.org/tex-archive/install/graphics/pstricks/contrib/pst-ode.tds.zip
on MikTeX	pst-ode
on T _E XLive	pst-ode
keyword	pstricks (package using PStricks for graphical output)
keyword	graphics-plot (plot data)
keyword	maths (support for typesetting mathematics)

language(s) no language specified
 last access 2026-04-12

4939 *pst-optexp* – Drawing optical experimental setups

Web page on CTAN <https://ctan.org/pkg/pst-optexp>

name	pst-optexp
caption	Drawing optical experimental setups
author	Bersch, Christoph
copyright	Christoph Bersch (2007-2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	6.1 (2022-02-06)
last changes	2022-02-06
year	2022
description	(no language specified) The package is a collection of optical components that facilitate easy sketching of optical experimental setups. The package uses PSTricks for its output. A wide range of free-ray and fibre components is provided, the alignment, positioning and labelling of which can be achieved in very simple and flexible ways. The components may be connected with fibers or beams, and realistic raytraced beam paths are also possible.
documentation	(no language specified) <i>Quick reference</i> (“<i>cheat-sheet</i>”): https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-optexp/pst-optexp-quickref.pdf
– local file	./8331657136-pst-optexp-quickref.pdf
documentation	<i>Package manual (German)</i>: https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-optexp/pst-optexp-DE.pdf
– local file	./8049897337-pst-optexp-DE.pdf
documentation	<i>Package manual (English)</i>: https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-optexp/pst-optexp.pdf
– local file	./1944984023-pst-optexp.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-optexp/README
contact	<i>repository</i>: https://github.com/cbersch/pst-optexp

on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-optexp
on MikTeX	pst-optexp
on T _E XLive	pst-optexp
keyword	pstricks (package using PStricks for graphical output)
keyword	diagram-lab (schematic details of laboratory work)
keyword	physics (support for typesetting physics documents)
keyword	optics (diagrams of optical systems)
language(s)	German; English
last access	2026-04-12

4940 *pst-optic* – Drawing optics diagrams

Web page on CTAN	https://ctan.org/pkg/pst-optic
name	pst-optic
caption	Drawing optics diagrams
author	Voß, Herbert
author	Luque, Manuel
license	lppl = The LaTeX Project Public License (free)
version	1.05 (2024-10-28)
last changes	2024-10-28
year	2024
description	(no language specified) A package for drawing both reflective and refractive optics diagrams. The package requires pstricks later than version 1.10.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-optic/README
documentation	(no language specified) <i>Package manual</i> :: https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-optic/doc/pst-optic-doc.pdf
– local file	./5207894372-pst-optic-doc.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-optic
on MikTeX	pst-optic

on T _E XLive	pst-optic
keyword	physics (support for typesetting physics documents)
keyword	optics (diagrams of optical systems)
keyword	pstricks (package using PStricks for graphical output)
keyword	diagram (diagrams)
language(s)	no language specified
last access	2026-04-13

4941 *pst-osci* – Oscgons with PStricks

Web page on CTAN <https://ctan.org/pkg/pst-osci>

name	pst-osci
caption	Oscgons with PStricks
author	Jorssen, Christophe
author	Luque, Manuel
license	lppl = The LaTeX Project Public License (free)
version	2.82b
description	(no language specified) This PStricks package enables you to produce oscilloscope "screen shots". Three channels can be used to represent the most common signals (damped or not): namely sinusoidal, rectangular, triangular, dog's tooth (left and right oriented). The third channel allows you to add, to subtract or to multiply the two other signals. Lissajous diagrams (XY-mode) can also be obtained.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-osci/doc/pst-osci-doc.pdf
– local file	./3381095360-pst-osci-doc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-osci/README
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-osci
on MikT _E X	pst-osci
on T _E XLive	pst-osci
keyword	pstricks (package using PStricks for graphical output)
keyword	graphics-use (graphics (typesetting actual pictures))

language(s)	no language specified
year	without year
last access	2026-04-12

4942 *pst-ovl* – Create and manage graphical overlays

Web page on CTAN <https://ctan.org/pkg/pst-ovl>

name	pst-ovl
caption	Create and manage graphical overlays
author	Voß, Herbert
author	Van Zandt, Timothy
copyright	Herbert Voß (2017,2020)
license	lppl = The LaTeX Project Public License (free)
version	0.07b
description	(no language specified) The package is useful when building an image from assorted material, as in the slides of a projected presentation. The package requires pstricks , and shares that package's restrictions on usage when generating PDF output.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-ovl/doc/pst-ovl-doc.pdf
– local file	./5892608818-pst-ovl-doc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-ovl/README
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-ovl
on MikTeX	pst-ovl
on T _E XLive	pst-ovl
keyword	tagged-pdf-incompatible (tagged PDF incompatible)
keyword	presentation (slides, beamers, handouts, etc.)
keyword	pstricks (package using PStricks for graphical output)
keyword	graphics-supp (support for other packages or for drivers)
language(s)	no language specified
year	2020

last access 2026-04-13

4943 *pst-pad* – Draw simple attachment systems with PStricks

Web page on CTAN <https://ctan.org/pkg/pst-pad>

name	pst-pad
caption	Draw simple attachment systems with PStricks
author	Drechsler, Patrick
license	lppl = The LaTeX Project Public License (free)
version	0.3b
description	(no language specified) The package collects a set of graphical elements based on PStricks that can be used to facilitate display of attachment systems such as two differently shaped surfaces with or without a fluid wedged in between. These macros ease the display of wet adhesion models and common friction systems such as boundary lubrication, elastohydrodynamic lubrication and hydrodynamic lubrication.
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-pad/pst-pad-doc.pdf
– local file	./4975720504-pst-pad-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-pad/README
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-pad/pst-pad-docDE.pdf
– local file	./5079650297-pst-pad-docDE.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-pad
on MikTeX	pst-pad
on TeXLive	pst-pad
keyword	pstricks (package using PStricks for graphical output)
keyword	graphics-use (graphics (typesetting actual pictures))
language(s)	German; English
year	without year
last access	2026-04-12

4944 *pst-pdf* – Make PDF versions of graphics by processing between runs

Web page on CTAN <https://ctan.org/pkg/pst-pdf>

name	pst-pdf
caption	Make PDF versions of graphics by processing between runs
author	Gäblein, Hubert
author	Niepraschk, Rolf
copyright	Rolf Niepraschk, Hubert Gäblein (2004-2008)
copyright	Rolf Niepraschk (2008-2020)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.2f
description	(no language specified) The package <i>pst-pdf</i> simplifies the use of graphics from PSTricks and other PostScript code in PDF documents. As in building a bibliography with BibTeX, additional external programmes are invoked. In this case they are used to create a PDF file (<code>\PDFcontainer</code>) that will contain all the graphics material. In the final document these contents will be inserted instead of the original PostScript code. The package works with <i>pstricks</i> and requires a recent version of the <i>preview</i> package.
documentation	<i>English documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/pst-pdf/pst-pdf.pdf
– local file	<code>./7555834749-pst-pdf.pdf</code>
documentation	(no language specified) <i>Examples of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/pst-pdf/pst-pdf-example.pdf
– local file	<code>./4568971805-pst-pdf-example.pdf</code>
documentation	<i>German documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/pst-pdf/pst-pdf-DE.pdf
– local file	<code>./6881260845-pst-pdf-DE.pdf</code>
documentation	(no language specified) <i>README file:</i> https://ctan.org/tex-archive/macros/latex/contrib/pst-pdf/README.md
home page	https://github.com/rolfn/pst-pdf
contact	<i>bugs:</i> https://github.com/rolfn/pst-pdf/issues
contact	<i>repository:</i> https://github.com/rolfn/pst-pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pst-pdf

on MikTeX	pst-pdf
on T _E XLive	pst-pdf
keyword	graphics-epspdf (converting graphics files from MetaPost output or (E)PS to embeddable PDF)
see also	see section 4578 on page 4143: (pdftricks – Support for PSTricks in pdfTeX)
language(s)	German; English
year	2020
last access	2025-02-07

4945 *pst-pdgr* – Draw medical pedigrees using PSTricks

Web page on CTAN	https://ctan.org/pkg/pst-pdgr
name	pst-pdgr
caption	Draw medical pedigrees using PSTricks
author	Akhmadeeva, Leila
author	Veytsman, Boris
copyright	Boris Veytsman, Leila Akhmadeeva (2006)
license	lppl = The LaTeX Project Public License (free)
version	0.4
description	(no language specified) The package provides a set of macros based on PSTricks to draw medical pedigrees according to the recommendations for standardized human pedigree nomenclature. The drawing commands place the symbols on a pspicture canvas. An interface for making trees is also provided. The package may be used both with LaTeX and PlainTeX. A separate Perl program for generating TeX files from spreadsheets is available.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pedigree/pst-pdgr/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pedigree/pst-pdgr/pst-pdgr.pdf
– local file	./8313254302-pst-pdgr.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pedigree/pst-pdgr
on MikTeX	pst-pdgr

on T _E XLive	pst-pdgr
keyword	humanities (support for studies in the humanities)
keyword	pstricks (package using PStricks for graphical output)
see also	see section 4583 on page 4148: (pedigree-perl – Generate TeX pedigree files from CSV files)
language(s)	no language specified
year	2006
last access	2026-04-12

4946 *pst-perspective* – Draw perspective views using PStricks

Web page on CTAN <https://ctan.org/pkg/pst-perspective>

name	pst-perspective
caption	Draw perspective views using PStricks
author	Söll, Thomas
copyright	Thomas Söll (2014)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.05 (2016-01-04)
last changes	2016-01-04
year	2016
description	(no language specified) The package provides the means to draw an orthogonal parallel projection with an arbitrarily chosen angle and a variable shortening factor.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-perspective/README
documentation	<i>Package documentation (German)</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-perspective/pst-perspective-doc.pdf
– local file	./4108259234-pst-perspective-doc.pdf
documentation	<i>Package documentation (English)</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-perspective/pst-perspective-docEN.pdf
– local file	./5800496639-pst-perspective-docEN.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-perspective

on MikTeX	pst-perspective
on T _E XLive	pst-perspective
keyword	graphics-3d (graphics with 3-dimensional output)
keyword	pstricks (package using PSTricks for graphical output)
language(s)	German; English
last access	2026-04-12

4947 *pst-platon* – Platonic solids in PSTricks

Web page on CTAN <https://ctan.org/pkg/pst-platon>

name	pst-platon
caption	Platonic solids in PSTricks
author	Voß, Herbert
author	Luque, Manuel
license	lppl = The LaTeX Project Public License (free)
version	0.01
description	(no language specified) The package adds to PSTricks the ability to draw 3-dimensional views of the five Platonic solids.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-platon/pst-platon-doc.pdf
– local file	./9555298425-pst-platon-doc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-platon/README
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-platon
on MikTeX	pst-platon
on T _E XLive	pst-platon
keyword	graphics-3d (graphics with 3-dimensional output)
keyword	maths (support for typesetting mathematics)
keyword	pstricks (package using PSTricks for graphical output)
language(s)	no language specified
year	without year

last access 2026-04-13

4948 *pst-plot* – Plot data using PSTricks

Web page on CTAN <https://ctan.org/pkg/pst-plot>

name	<i>pst-plot</i>
caption	Plot data using PSTricks
author	Voß, Herbert
author	Van Zandt, Timothy
copyright	Timothy Van Zandt (1993, 1994, 1999)
copyright	Herbert Voß (2009-2022)
license	lppl = The LaTeX Project Public License (free)
version	1.94
description	(no language specified) The package provides plotting of data (typically from external files), using PSTricks . Plots may be configured using a wide variety of parameters.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-plot/README
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-plot/doc/pst-plot-doc.pdf
– local file	<code>./6360427097-pst-plot-doc.pdf</code>
home page	https://www.tug.org/PSTricks/
contact	<i>support</i> : https://tug.org/mailman/listinfo/pstricks
contact	<i>repository</i> : https://archiv.dante.de/~herbert/TeXnik/
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-plot
on MikTeX	<i>pst-plot</i>
on TeXLive	<i>pst-plot</i>
keyword	<code>data-import</code> (importing data into documents)
keyword	<code>data-disp</code> (visualisation of data sets)
keyword	<code>tagged-pdf-incompatible</code> (tagged PDF incompatible)
keyword	<code>pstricks</code> (package using PSTricks for graphical output)
see also	see section 4623 on page 4186: (<code>pgfplots</code> – Create normal/logarithmic plots in two and three dimensions)

language(s) English
 year 2022
 last access 2026-04-13

4949 *pst-poker* – Drawing poker cards

Web page on CTAN <https://ctan.org/pkg/pst-poker>

name *pst-poker*
 caption Drawing poker cards
 author Voß, Herbert
 copyright Herbert Voß (2018-2025)
 license lgpl3 = GNU Lesser General Public License 3 (free)
 version 0.04a (2025-07-09)
 last changes 2025-07-09
 year 2025
 description (no language specified) This **PSTricks** related package can create poker cards in various manners.
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-poker/README>
 documentation (no language specified) *Package documentation*:
<https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-poker/doc/pst-poker-doc.pdf>
 – local file ./1359783986-pst-poker-doc.pdf
 on CTAN <https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-poker>
 on MikTeX *pst-poker*
 on T_EXLive *pst-poker*
 keyword *pstricks* (package using PStricks for graphical output)
 keyword games (process game diagrams, gamebooks, and other amusements)
 language(s) no language specified
 last access 2026-04-13

4950 *pst-poly* – Polygons with PSTricks

Web page on CTAN <https://ctan.org/pkg/pst-poly>

name	pst-poly
caption	Polygons with PSTricks
author	Voß, Herbert
author	Girou, Denis
license	lppl = The LaTeX Project Public License (free)
version	1.63 (2014-08-28)
last changes	2014-08-28
year	2014
description	(no language specified) This PSTricks package provides a really rather simple command <code>\PstPolygon</code> that will draw various regular and non-regular polygons (according to command parameters); various shortcuts to commonly-used polygons are provided, as well as a command <code>\pspolygonbox</code> that frames text with a polygon. The package uses the keyval package for argument decoding.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-poly/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-poly/doc/pst-poly-doc.pdf
– local file	<code>./4392484620-pst-poly-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-poly
on MikTeX	pst-poly
on T _E XLive	pst-poly
keyword	maths (support for typesetting mathematics)
keyword	pstricks (package using PSTricks for graphical output)
language(s)	no language specified
last access	2026-04-13

4951 *pst-pulley* – Plot pulleys, using PSTricks

Web page on CTAN <https://ctan.org/pkg/pst-pulley>

name	pst-pulley
caption	Plot pulleys, using PSTricks
author	Söll, Thomas
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.02 (2017-09-16)
last changes	2017-09-16
year	2017
description	(no language specified) The package enables the user to draw pulley systems with up to 6 pulleys. The pulley diagrams are labelled with the physical properties of the system. The package uses pstricks and requires several PSTricks-related packages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-pulley/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-pulley/pst-pulley-doc.pdf
– local file	./1135288885-pst-pulley-doc.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-pulley
on MikTeX	pst-pulley
on TeXLive	pst-pulley
keyword	graphics-use (graphics (typesetting actual pictures))
keyword	pstricks (package using PSTricks for graphical output)
keyword	diagram (diagrams)
keyword	physics (support for typesetting physics documents)
language(s)	no language specified
last access	2026-04-12

4952 *pst-qtrees* – Simple syntax for trees

Web page on CTAN <https://ctan.org/pkg/pst-qtrees>

name	<code>pst-qtrees</code>
caption	Simple syntax for trees
author	Chiang, David
author	Gildea, Daniel
copyright	David Chiang (2002)
license	gpl = GNU General Public License (free)
version	(2007-03-14)
last changes	2007-03-14
year	2007
description	(no language specified) The package provides a qtrees -like front end for PSTricks .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-qtrees/pst-qtrees-manual.pdf
– local file	<code>./9199348579-pst-qtrees-manual.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-qtrees
on MikTeX	<code>pst-qtrees</code>
on TeXLive	<code>pst-qtrees</code>
keyword	tree (mechanisms for drawing trees)
language(s)	no language specified
last access	2025-02-07

4953 *pst-rputover* – Place text over objects without obscuring background colors

Web page on CTAN <https://ctan.org/pkg/pst-rputover>

name	<code>pst-rputover</code>
caption	Place text over objects without obscuring background colors
author	Söll, Thomas
author	Osborne, Martin J.
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0
description	(no language specified) This is a PSTricks package which allows to place text over objects without obscuring background colors.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-rputover/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-rputover/pst-rputover-doc.pdf
– local file	<code>./7114043696-pst-rputover-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-rputover
on MikTeX	<code>pst-rputover</code>
on TeXLive	<code>pst-rputover</code>
keyword	<code>pstricks</code> (package using PSTricks for graphical output)
language(s)	no language specified
year	without year
last access	2026-04-12

4954 *pst-rubans* – Draw three-dimensional ribbons

Web page on CTAN <https://ctan.org/pkg/pst-rubans>

name	<code>pst-rubans</code>
caption	Draw three-dimensional ribbons
author	Luque, Manuel
author	Voß, Herbert
copyright	Herbert Voß (2004-2011)

license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) The package uses PStricks and pst-solides3d to draw three dimensional ribbons on a cylinder, torus, sphere, cone or paraboloid. The width of the ribbon, the number of turns, the colour of the outer and the inner surface of the ribbon may be set. In the case of circular and conical helices, one may also choose the number of ribbons.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-rubans/pst-rubans-doc.pdf
– local file	./5003884873-pst-rubans-doc.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-rubans
on MikTeX	pst-rubans
on TeXLive	pst-rubans
keyword	pstricks (package using PStricks for graphical output)
keyword	graphics (graphics (support packages))
language(s)	no language specified
year	2011
last access	2026-04-13

4955 *pst-shell* – Plotting sea shells

Web page on CTAN <https://ctan.org/pkg/pst-shell>

name	pst-shell
caption	Plotting sea shells
author	Luque, Manuel
author	Voß, Herbert
license	lppl = The LaTeX Project Public License (free)
version	0.03

description	(no language specified) <code>pst-shell</code> is a PSTricks related package to draw seashells in 3D view: Argonauta, Epiteonium, Lyria, Turritella, Tonna, Achatina, Oxystele, Conus, Ammonite, Codakia, Escalaria, Helcion, Natalina, Planorbis, and Nautilus, all with different parameters. <code>pst-shell</code> needs <code>pst-solides3d</code> and an up-to-date PSTricks, which should be part of your local TeX installation, otherwise get it from a CTAN server.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-shell/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-shell/pst-shell-doc.pdf
– local file	<code>./7308411274-pst-shell-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-shell
on MikTeX	<code>pst-shell</code>
on TeXLive	<code>pst-shell</code>
keyword	<code>colour</code> (typesetting in colour)
keyword	<code>pstricks</code> (package using PSTricks for graphical output)
keyword	<code>graphics-in-tex</code> (graphics produced by one of the *TeX engines)
keyword	<code>dvips-special</code> (use <code>dvips \special</code> commands)
keyword	<code>xetex</code> (XeTeX, material supporting it, and packages requiring it)
language(s)	no language specified
year	without year
last access	2026-04-13

4956 *pst-sigsys* – Support of signal processing-related disciplines

Web page on CTAN	https://ctan.org/pkg/pst-sigsys
name	<code>pst-sigsys</code>
caption	Support of signal processing-related disciplines
author	Delgosha, Farshid
copyright	Farshid Delgosha (2011)
license	lppl = The LaTeX Project Public License (free)
version	1.4

description	(no language specified) The package offers a collection of useful macros for disciplines related to signal processing. It defines macros for plotting a sequence of numbers, drawing the pole-zero diagram of a system, shading the region of convergence, creating an adder or a multiplier node, placing a framed node at a given coordinate, creating an up-sampler or a down-sampler node, drawing the block diagram of a system, drawing adaptive systems, sequentially connecting a list of nodes, and connecting a list of nodes using any node-connecting macro.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-sigsys/pst-sigsys-doc.pdf
– local file	./5525001552-pst-sigsys-doc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-sigsys/README
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-sigsys
on MikTeX	pst-sigsys
on TeXLive	pst-sigsys
keyword	engineering (typesetting associated with engineering of whatever sort)
keyword	physics (support for typesetting physics documents)
keyword	pstricks (package using PStricks for graphical output)
language(s)	no language specified
year	2011
last access	2026-04-12

4957 *pst-slpe* – Sophisticated colour gradients

Web page on CTAN <https://ctan.org/pkg/pst-slpe>

name	pst-slpe
caption	Sophisticated colour gradients
author	Voß, Herbert
author	Giese, Martin
copyright	Martin Giese, Herbert Voß (1998-2008)
license	lppl = The LaTeX Project Public License (free)
version	1.31

description	(no language specified) This PStricks package covers all the colour gradient functionality of <code>pst-grad</code> (part of the base PStricks distribution), and provides the following facilities: • it permits the user to specify an arbitrary number of colours, along with the points at which they are to be reached; • it converts between RGB and HSV behind the scenes; • it provides concentric and radial gradients; • it provides a command <code>\psBall</code> that generates bullets with a three-dimensional appearance; and • uses the <code>xkeyval</code> package for the extended key handling.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-slpe/pst-slpe.pdf
– local file	<code>./6154635116-pst-slpe.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-slpe/README
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-slpe
on MikTeX	<code>pst-slpe</code>
on TeXLive	<code>pst-slpe</code>
keyword	<code>colour</code> (typesetting in colour)
keyword	<code>pstricks</code> (package using PStricks for graphical output)
language(s)	no language specified
year	2008
last access	2026-04-13

4958 *pst-solarsystem* – Plot the solar system for a specific date

Web page on CTAN <https://ctan.org/pkg/pst-solarsystem>

name	<code>pst-solarsystem</code>
caption	Plot the solar system for a specific date
author	Voß, Herbert
author	Luque, Manuel
license	lppl = The LaTeX Project Public License (free)

4959 *pst-solides3d* – Draw perspective views of 3D solids

version	0.15 (2024-02-02)
last changes	2024-02-02
year	2024
description	(no language specified) The package uses pstricks to produce diagrams of the visible planets, projected on the plane of the ecliptic. It is not possible to represent all the planets in their real proportions, so only Mercury, Venus, Earth and Mars have their orbits in correct proportions and their relative sizes are observed. Saturn and Jupiter are in the right direction, but not in the correct size.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-solarsystem/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-solarsystem/doc/pst-solarsystem-doc.pdf
– local file	./6835722420-pst-solarsystem-doc.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-solarsystem
on MikTeX	pst-solarsystem
on T _E XLive	pst-solarsystem
keyword	pstricks (package using PStricks for graphical output)
keyword	astronomy (astronomy articles, astronomical charts)
language(s)	no language specified
last access	2026-04-13

4959 *pst-solides3d* – Draw perspective views of 3D solids

Web page on CTAN <https://ctan.org/pkg/pst-solides3d>

name	pst-solides3d
caption	Draw perspective views of 3D solids
author	Schmittbuhl, Arnaud
author	Vignault, Jean-Paul
author	Luque, Manuel
author	Voß, Herbert
copyright	Manuel Luque, Arnaud Schmittbuhl, Jean-Paul Vignault, Herbert Voß (2008-2023)

license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	4.35a (2023-11-04)
last changes	2023-11-04
year	2023
description	(no language specified) The package is designed to draw solids in 3d perspective. Features include: • create primitive solids; • create solids by including a list of its vertices and faces; • faces of solids and surfaces can be colored by choosing from a very large palette of colors; • draw parametric surfaces in algebraic and reverse polish notation; • create explicit and parameterized algebraic functions drawn in 2 or 3 dimensions; • project text onto a plane or onto the faces of a solid; • support for including external database files.
documentation	<i>Package documentation (English):</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-solides3d/doc/pst-solides3d-doc.pdf
– local file	./1317768969-pst-solides3d-doc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-solides3d/README
home page	https://tug.org/PSTricks/main.cgi/
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-solides3d
on MikTeX	pst-solides3d
on T _E XLive	pst-solides3d
keyword	graphics-3d (graphics with 3-dimensional output)
keyword	pstricks (package using PSTricks for graphical output)
language(s)	English
last access	2026-04-13

4960 *pst-soroban* – Draw a Soroban using PSTricks

Web page on CTAN <https://ctan.org/pkg/pst-soroban>

name	pst-soroban
caption	Draw a Soroban using PSTricks
author	Delmotte, Alain
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package uses PSTricks to draw a Japanese abacus, or soroban. The soroban is still used in Japan today.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-soroban/pst-soroban-doc.pdf
– local file	./8098224049-pst-soroban-doc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-soroban/README
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-soroban
on MikTeX	pst-soroban
on TeXLive	pst-soroban
keyword	diagram (diagrams)
keyword	pstricks (package using PSTricks for graphical output)
language(s)	no language specified
year	without year
last access	2026-04-12

4961 *pst-spectra* – Draw continuum, emission and absorption spectra with PSTricks

Web page on CTAN <https://ctan.org/pkg/pst-spectra>

name	pst-spectra
caption	Draw continuum, emission and absorption spectra with PSTricks
author	Schmittbuhl, Arnaud
copyright	Arnaud Schmittbuhl (2005, 2006)
license	lppl = The LaTeX Project Public License (free)

4962 *pst-spectrum* – Output of a color spectrum for different color models

version	0.91
description	(no language specified) The package is a PSTricks extension, based on a NASA lines database. It allows you to draw continuum, emission and absorption spectra. A Total of 16 880 visible lines from 99 elements can be displayed. The package requires the xkeyval package for decoding its arguments.
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-spectra/README
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-spectra/pst-spectra.pdf
– local file	<code>./2531413513-pst-spectra.pdf</code>
documentation	(English) <i>Package outline</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-spectra/pst-spectraEN.pdf
– local file	<code>./2509457667-pst-spectraEN.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-spectra
on T _E XLive	<code>pst-spectra</code>
keyword	<code>physics</code> (support for typesetting physics documents)
keyword	<code>pstricks</code> (package using PSTricks for graphical output)
language(s)	English; French
year	2006
last access	2026-04-12

4962 *pst-spectrum* – Output of a color spectrum for different color models

Web page on CTAN <https://ctan.org/pkg/pst-spectrum>

name	<code>pst-spectrum</code>
caption	Output of a color spectrum for different color models
author	Voß, Herbert
license	lppl = The LaTeX Project Public License (free)
version	1.0 (2026-04-13)
last changes	2026-04-13
year	2026

description	(no language specified) To represent the spectrum of light decomposition, we have several packages at our disposal with PSTricks : pst-spectra , xcolor , and pstricks-add . All use the same source code by Dan Bruton. This package provides an extended visible spectrum. However, it is possible to obtain the representation of the spectrum directly from the data of the »International Commission on Illumination« (CIE), and we have the choice between the data of (CIE 1931) and that of (CIE 1964}). Then we must choose a color space, sRGB, Adobe,etc.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-spectrum/doc/pst-spectrum-doc.pdf
– local file	<code>./8163157166-pst-spectrum-doc.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-spectrum/README
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-spectrum
keyword	physics (support for typesetting physics documents)
keyword	pstricks (package using PSTricks for graphical output)
language(s)	no language specified
last access	2026-04-14

4963 *pst-sphericaltrochoid* – Create animations of a spherical trochoid

Web page on CTAN <https://ctan.org/pkg/pst-sphericaltrochoid>

name	pst-sphericaltrochoid
caption	Create animations of a spherical trochoid
author	Voß, Herbert
license	lppl = The LaTeX Project Public License (free)
version	0.01 (2025-12-25)
last changes	2025-12-25
year	2025
description	(no language specified) This package simulates the generation of a spherical trochoid by a point on a circle rolling without sliding along the edge of another circle, but on the same sphere. (See https://demonstrations.wolfram.com/SphericalTrochoid/)

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-sphericaltrochoid/doc/pst-sphericaltrochoid-doc.pdf
– local file	./4331824501-pst-sphericaltrochoid-doc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-sphericaltrochoid/README.md
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-sphericaltrochoid
on MikTeX	pst-sphericaltrochoid
on TeXLive	pst-sphericaltrochoid
keyword	pstricks (package using PStricks for graphical output)
keyword	graphics (graphics (support packages))
language(s)	no language specified
last access	2026-04-13

4964 *pst-spinner* – Drawing a fidget spinner

Web page on CTAN	https://ctan.org/pkg/pst-spinner
name	pst-spinner
caption	Drawing a fidget spinner
author	Voß, Herbert
author	Luque, Manuel
copyright	Manuel Luque and Herbert Voß (2017)
license	lppl = The LaTeX Project Public License (free)
version	1.02
description	(no language specified) This package aims to propose a model of the fidget spinner gadget. It exists under different forms with 2, 3 poles and even more. We chose the most popular model: the triple Fidget Spinner. You can run the PStricks related documents with XeLaTeX.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-spinner/doc/pst-spinner-doc.pdf
– local file	./5013943146-pst-spinner-doc.pdf

4965 *pst-spirograph* – Drawing hypotrochoids as with a spirograph

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-spinner/README
home page	https://tug.org/PSTricks/
contact	<i>support</i> : https://tug.org/mailman/listinfo/pstricks
contact	<i>announce</i> : https://tug.org/PSTricks/
contact	<i>repository</i> : https://archiv.dante.de/~herbert/TeXnik/
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-spinner
on MikTeX	pst-spinner
on T _E XLive	pst-spinner
keyword	graphics (graphics (support packages))
keyword	pstricks (package using PSTricks for graphical output)
language(s)	no language specified
year	2017
last access	2026-04-13

4965 *pst-spirograph* – Drawing hypotrochoids as with a spirograph

Web page on CTAN	https://ctan.org/pkg/pst-spirograph
name	pst-spirograph
caption	Drawing hypotrochoids as with a spirograph
author	Voß, Herbert
author	Luque, Manuel
copyright	Manuel Luque and Herbert Voß (2026)
license	lppl = The LaTeX Project Public License (free)
version	0.52
description	(no language specified) The package simulates the action of a spirograph, which is a geometric drawing toy that produces mathematical roulette curves (technically known as hypotrochoids and epitrochoids).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-spirograph/doc/pst-spirograph-doc.pdf
– local file	./9528193446-pst-spirograph-doc.pdf

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-spirograph/README
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-spirograph
keyword	pstricks (package using PSTricks for graphical output)
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
keyword	graphics (graphics (support packages))
language(s)	no language specified
year	2026
last access	2026-04-13

4966 *pst-stru* – Civil engineering diagrams, using PSTricks

Web page on CTAN	https://ctan.org/pkg/pst-stru
name	pst-stru
caption	Civil engineering diagrams, using PSTricks
author	Matarazzo, Giuseppe
author	Luque, Manuel
author	Voß, Herbert
license	lpl = The LaTeX Project Public License (free)
version	0.13
description	(no language specified) This PSTricks -based package provides facilities to draw structural schemes in civil engineering analysis, for beams, portals, arches and piles.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-stru/doc/pst-stru-doc.pdf
– local file	./1480251268-pst-stru-doc.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-stru
on MikTeX	pst-stru
on T _E XLive	pst-stru
keyword	engineering (typesetting associated with engineering of whatever sort)
keyword	graphics-use (graphics (typesetting actual pictures))

language(s) no language specified
 year without year
 last access 2026-04-13

4967 *pst-support* – Assorted support files for use with PSTricks

Web page on CTAN <https://ctan.org/pkg/pst-support>

name *pst-support*
 caption Assorted support files for use with PSTricks
 author Voß, Herbert
 license lppl = The LaTeX Project Public License (free)
 version (2009-02-05)
 last changes 2009-02-05
 year 2009
 description (no language specified) An appropriate set of job options, together with process scripts for use with [TeXnicCenter](#) /
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/graphics/pstricks/pst-support/README>
 on CTAN <https://ctan.org/tex-archive/graphics/pstricks/pst-support>
 on T_EXLive *pst-support*
 keyword compilation (the document compilation process)
 language(s) no language specified
 last access 2026-04-13

4968 *pst-text* – Text and character manipulation in PSTricks

Web page on CTAN <https://ctan.org/pkg/pst-text>

name *pst-text*
 caption Text and character manipulation in PSTricks
 author Van Zandt, Timothy
 author Voß, Herbert
 license lppl = The LaTeX Project Public License (free)

4969 *pst-thick* – Drawing very thick lines and curves

version	1.02
description	(no language specified) Pst-text is a PSTricks based package for plotting text along a different path and manipulating characters. It includes the functionality of the old package pst-char.
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-text/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-text/doc/pst-text-doc.pdf
– local file	./4743105106-pst-text-doc.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-text
on MikTeX	pst-text
on T _E XLive	pst-text
keyword	graphics-subpic (generate parts of pictures)
keyword	tagged-pdf-incompatible (tagged PDF incompatible)
see also	see section 6048 on page 5466: (textpath – Setting text along a path with MetaPost)
language(s)	no language specified
year	without year
last access	2026-04-13

4969 *pst-thick* – Drawing very thick lines and curves

Web page on CTAN <https://ctan.org/pkg/pst-thick>

name	pst-thick
caption	Drawing very thick lines and curves
author	Luque, Manuel
author	Voß, Herbert
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package supports drawing of very thick lines and curves in PSTricks , with various fillings for the body of the lines.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-thick/README

documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-thick/pst-thick-doc.pdf
– local file	<code>./5655871799-pst-thick-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-thick
on MikTeX	<code>pst-thick</code>
on TeXLive	<code>pst-thick</code>
keyword	<code>graphics-subpic</code> (generate parts of pictures)
language(s)	French
year	without year
last access	2026-04-13

4970 *pst-tools* – *PSTricks* support functions

Web page on CTAN	https://ctan.org/pkg/pst-tools
name	<code>pst-tools</code>
caption	<i>PSTricks</i> support functions
author	Voß, Herbert
license	lppl = The LaTeX Project Public License (free)
version	0.12 (2021-09-23)
last changes	2021-09-23
year	2021
description	(no language specified) The package provides helper functions for other <i>PSTricks</i> related packages.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-tools/doc/pst-tools-doc.pdf
– local file	<code>./8370911937-pst-tools-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-tools/README
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-tools
on MikTeX	<code>pst-tools</code>
on TeXLive	<code>pst-tools</code>

keyword	graphics (graphics (support packages))
keyword	pstricks (package using PSTricks for graphical output)
language(s)	no language specified
last access	2026-04-13

4971 *pst-tree* – Trees, using PSTricks

Web page on CTAN <https://ctan.org/pkg/pst-tree>

name	pst-tree
caption	Trees, using PSTricks
author	Voß, Herbert
author	Van Zandt, Timothy
author	Girou, Denis
copyright	Herbert Voß (2004-2009)
license	lppl = The LaTeX Project Public License (free)
version	1.14
description	(no language specified) pst-tree is a pstricks package that defines a macro <code>\pstree</code> which offers a structured way of joining nodes created using pst-node in order to draw trees.
documentation	(English) <i>Package manual</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-tree/doc/pst-tree-doc.pdf
– local file	<code>./7006433102-pst-tree-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-tree
on MikTeX	pst-tree
on TeXLive	pst-tree
keyword	tree (mechanisms for drawing trees)
keyword	tagged-pdf-incompatible (tagged PDF incompatible)
keyword	linguistic (support for linguistics)
language(s)	English
year	2009
last access	2026-04-13

4972 *pst-turtle* – Commands for “turtle operations”

Web page on CTAN <https://ctan.org/pkg/pst-turtle>

name	<code>pst-turtle</code>
caption	Commands for “turtle operations”
author	Voß, Herbert
license	lppl = The LaTeX Project Public License (free)
version	0.02 (2019-10-02)
last changes	2019-10-02
year	2019
description	(no language specified) This is a PSTricks related package for creating “Turtle” graphics. It supports the commands <code>forward</code> , <code>back</code> , <code>left</code> , <code>right</code> , <code>penup</code> , and <code>pendown</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-turtle/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-turtle/doc/pst-turtle-doc.pdf
– local file	<code>./3388683312-pst-turtle-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-turtle
on MikTeX	<code>pst-turtle</code>
on TeXLive	<code>pst-turtle</code>
keyword	<code>pstricks</code> (package using PStricks for graphical output)
keyword	<code>graphics</code> (graphics (support packages))
language(s)	no language specified
last access	2026-04-13

4973 *pst-tvz* – Draw trees with more than one root node, using PSTricks

Web page on CTAN <https://ctan.org/pkg/pst-tvz>

name	pst-tvz
caption	Draw trees with more than one root node, using PSTricks
author	Voß, Herbert
author	Van Zandt, Timothy
copyright	Timothy Van Zandt (1993-2026)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.02 (2026-01-02)
last changes	2026-01-02
year	2026
description	(no language specified) The package uses PSTricks to draw trees with more than one root node. It is similar to pst-tree , though it uses a different placement algorithm.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-tvz/doc/pst-tvz-doc.pdf
– local file	./5867580515-pst-tvz-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-tvz/README
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-tvz
on MikTeX	pst-tvz
on TeXLive	pst-tvz
keyword	tree (mechanisms for drawing trees)
keyword	linguistic (support for linguistics)
language(s)	no language specified
last access	2026-04-13

4974 *pst-uml* – UML diagrams with PSTricks

Web page on CTAN <https://ctan.org/pkg/pst-uml>

name	pst-uml
caption	UML diagrams with PSTricks
author	Diamantini, Maurice
license	lppl = The LaTeX Project Public License (free)
version	0.83
description	(no language specified) This a PSTricks package that provides support for drawing moderately complex UML (Universal Modelling Language) diagrams. (The PDF documentation is written in French.)
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-uml/README
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-uml/pst-uml-doc.pdf
– local file	<code>./5946040810-pst-uml-doc.pdf</code>
documentation	(French) <i>Examples</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-uml/pst-uml-exemples.pdf
– local file	<code>./3208956466-pst-uml-exemples.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-uml
on MikTeX	pst-uml
on T _E XLive	pst-uml
keyword	pstricks (package using PSTricks for graphical output)
keyword	uml (support for Universal Modelling Language diagrams)
see also	see section 3922 on page 3547: (metauml – MetaPost library for typesetting UML diagrams)
language(s)	French
year	without year
last access	2026-04-12

4975 *pst-vectorian* – Printing ornaments

Web page on CTAN <https://ctan.org/pkg/pst-vectorian>

name	pst-vectorian
caption	Printing ornaments
author	Fradin, Patrick
copyright	Patrick Fradin (2010-2012)
license	lppl = The LaTeX Project Public License (free)
version	0.41
description	(no language specified) The package uses PSTricks to draw ornaments (a substantial repertoire of ornaments is provided).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-vectorian/README
documentation	<i>Package documentation (French)</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-vectorian/doc/psvectorian.pdf
– local file	./5497752477-psvectorian.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-vectorian
on MikTeX	pst-vectorian
on T _E XLive	pst-vectorian
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
language(s)	French
year	2012
last access	2025-02-07

4976 *pst-vehicle* – A PSTricks package for rolling vehicles on graphs of mathematical functions

Web page on CTAN <https://ctan.org/pkg/pst-vehicle>

name	pst-vehicle
caption	A PSTricks package for rolling vehicles on graphs of mathematical functions
author	Söll, Thomas
author	Voß, Herbert

license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3 (2021-12-29)
last changes	2021-12-29
year	2021
description	(no language specified) This package permits to represent vehicles rolling without slipping on mathematical curves. Different types of vehicles are proposed, the shape of the curve is to be defined by its equation " $y = f(x)$ " in algebraic notation.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-vehicle/doc/pst-vehicle-doc.pdf
– local file	./6692402264-pst-vehicle-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-vehicle/README.md
documentation	<i>Package documentation (French)</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-vehicle/doc/pst-vehicle-doc-fr.pdf
– local file	./2519504952-pst-vehicle-doc-fr.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-vehicle
on MikTeX	pst-vehicle
on T _E XLive	pst-vehicle
keyword	graphics-use (graphics (typesetting actual pictures))
keyword	pstricks (package using PStricks for graphical output)
keyword	maths (support for typesetting mathematics)
language(s)	French
last access	2026-04-13

4977 *pst-venn* – A PSTricks package for drawing Venn sets

Web page on CTAN <https://ctan.org/pkg/pst-venn>

name	pst-venn
caption	A PSTricks package for drawing Venn sets
author	Voß, Herbert
copyright	Herbert Voß (2018)
license	lppl = The LaTeX Project Public License (free)
version	0.01
description	(no language specified) This is a PSTricks related package for drawing Venn diagrams with three circles.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-venn/doc/pst-venn-doc.pdf
– local file	./3659844127-pst-venn-doc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-venn/README
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pst-venn
on MikTeX	pst-venn
on TeXLive	pst-venn
keyword	diagram-maths (diagrams used in mathematics)
keyword	pstricks (package using PSTricks for graphical output)
see also	see section 6583 on page 5949: (venn – Creating Venn diagrams with MetaPost)
see also	see section 6584 on page 5949: (venndiagram – Creating Venn diagrams with TikZ)
language(s)	no language specified
year	2018
last access	2026-04-13

4978 *pst-vowel* – Enable arrows showing diphthongs on vowel charts

Web page on CTAN <https://ctan.org/pkg/pst-vowel>

name	<code>pst-vowel</code>
caption	Enable arrows showing diphthongs on vowel charts
author	Munn, Alan
copyright	Alan Munn (2009)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package extends the vowel package (distributed as part of the tipa bundle) by allowing the user to draw arrows between vowels to show relationships such as diphthong membership. The package depends on use of pstricks .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pst-vowel/pst-vowel.pdf
– local file	<code>./2955559007-pst-vowel.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pst-vowel/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pst-vowel
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/pst-vowel.tds.zip
on MikTeX	<code>pst-vowel</code>
on TeXLive	<code>pst-vowel</code>
keyword	phonetic (support for phonetic notation)
language(s)	no language specified
year	2009
last access	2025-02-07

4979 *pst-vue3d* – Draw perspective views of three dimensional objects

Web page on CTAN <https://ctan.org/pkg/pst-vue3d>

name	pst-vue3d
caption	Draw perspective views of three dimensional objects
author	Luque, Manuel
author	Voß, Herbert
license	lppl = The LaTeX Project Public License (free)
version	1.24
description	(no language specified) With pst-vue3d three dimensional objects like cubes, spheres and others can be viewed from different points. The distribution includes a comprehensive set of examples of usage. This package is now obsolete and has been superseded by pst-solides3d .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/graphics/pstricks/contrib/pst-vue3d/pst-vue3d-doc.pdf
– local file	./1570895516-pst-vue3d-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/graphics/pstricks/contrib/pst-vue3d/README
on CTAN	https://ctan.org/tex-archive/obsolete/graphics/pstricks/contrib/pst-vue3d
on MikTeX	pst-vue3d
keyword	graphics-use (graphics (typesetting actual pictures))
keyword	graphics-3d (graphics with 3-dimensional output)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
year	without year
last access	2026-04-13

4980 *pst-xkey* – Key-value syntax for PSTricks packages

Web page on CTAN <https://ctan.org/pkg/pst-xkey>

name	<code>pst-xkey</code>
caption	Key-value syntax for PSTricks packages
author	Adriaens, Hendri
copyright	Hendri Adriaens (2004-2005)
license	lppl = The LaTeX Project Public License (free)
version	1.6
description	(no language specified) This package is an adaptation of the techniques of <code>xkeyval</code> to the needs of the family of packages associated with <code>pstricks</code>, so that those packages can safely, and with relative ease, use key-value syntax in their commands. The package is distributed as part of the <code>xkeyval</code> bundle.
documentation	(no language specified) <i>Xkeyval package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xkeyval/xkeyval.pdf
– local file	<code>./2392876860-xkeyval.pdf</code>
documentation	(no language specified) <i>Xkeyval README</i> : https://ctan.org/tex-archive/macros/latex/contrib/xkeyval/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xkeyval
on MikTeX	<code>xkeyval</code>
on TeXLive	<code>xkeyval</code>
keyword	<code>keyval</code> (key-value argument systems)
language(s)	no language specified
year	2005
last access	2025-02-07

4981 *pst2pdf* – A script to compile PSTricks documents via pdfTeX

Web page on CTAN <https://ctan.org/pkg/pst2pdf>

name	pst2pdf
caption	A script to compile PSTricks documents via pdfTeX
author	Voß, Herbert
author	González Luengo, Pablo
copyright	Herbert Voß and Pablo González (2011-2020)
license	gpl2 = GNU General Public License, version 2 (free)
version	0.20
description	(no language specified) The script extracts the preamble of the document and runs all <pre>\begin{postscript}...\end{postscript} \begin{pspicture}...\end{pspicture} and \pspicture...\endpspicture</pre> separately through LaTeX with the same preamble as the original document; thus it creates EPS, PNG and PDF files of these snippets. In a final pdfLaTeX run the script replaces the environments with <code>\includegraphics</code> to include the processed snippets. Detail documentation is acquired from the document itself via Perldoc.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/scripts/pst2pdf/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/scripts/pst2pdf/doc/pst2pdf-doc.pdf
– local file	./1141474693-pst2pdf-doc.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/scripts/pst2pdf
on MikTeX	pst2pdf
on TeXLive	pst2pdf
keyword	graphics-epspdf (converting graphics files from MetaPost output or (E)PS to embeddable PDF)
keyword	graphics (graphics (support packages))
language(s)	no language specified
year	2020

last access 2026-04-13

4982 *pstdoc* – A tool for PSTricks documentation

Web page on CTAN <https://ctan.org/pkg/pstdoc>

name	pstdoc
caption	A tool for PSTricks documentation
author	Sharpe, Michael
license	lppl = The LaTeX Project Public License (free)
version	(2011-06-24)
last changes	2011-06-24
year	2011
description	(no language specified) The bundle provides an SQLite database and a Python script that provides extensive help with PSTricks commands from a terminal window. For example <code>pstdoc \psarc</code> gives the syntax of <code>\psarc</code> and all associated keywords, with short definitions. The script is known to work on Mac, Windows, and Linux systems; it requires Python 2.5 or better. The database covers pstricks itself, pst-plot, pst-node, pst-text, pstricks-add, pst-3dplot and related packages.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/info/pstdoc/README
documentation	(no language specified) <i>Screenshot of use</i>: https://ctan.org/tex-archive/info/pstdoc/screenshot.png
on CTAN	https://ctan.org/tex-archive/info/pstdoc
keyword	documentation ('stand-alone' documentation)
keyword	pstricks (package using PSTricks for graphical output)
language(s)	no language specified
last access	2026-04-12

4983 *pstex* – Processor for including figures in LaTeXWeb page on CTAN <https://ctan.org/pkg/pstex>

name	<code>pstex</code>
caption	Processor for including figures in LaTeX
author	Hunt, Neil
copyright	Teleos Research, Inc (1989)
license	nosell = Do Not Sell Except by Arrangement (not free)
version	1.8
description	(no language specified) The bundle provides a package <code>postscri</code> whose macros write details of required figures to the <code>.aux</code> file; a separate processor then calculates precise details of the graphic inclusion.
on CTAN	https://ctan.org/tex-archive/graphics/pstex
keyword	<code>graphics-engn</code> (graphics generator whose output is good for use with TeX)
see also	see section 2609 on page 2362: (<code>graphicx</code> – Enhanced support for graphics)
language(s)	no language specified
year	1989
last access	2025-02-07

4984 *pstoedit* – Translate PostScript and PDF to other formatsWeb page on CTAN <https://ctan.org/pkg/pstoedit>

name	<code>pstoedit</code>
caption	Translate PostScript and PDF to other formats
author	Glunz, Dr. Wolfgang
license	gpl = GNU General Public License (free)
version	3.50
description	(no language specified) Translate PostScript and PDF to LaTeX picture format and MetaPost, as well as other formats including <code>tgif</code>, <code>FrameMaker mif</code>, <code>XFig's fig</code>, <code>pdf</code>, <code>gnuplot</code>, <code>MS-Windows wmf</code>, <code>CAD exchange format dxf</code>, <code>LightWave 3D lwo</code>, <code>RenderMan rib</code>, <code>Real3D rib</code>, <code>Java applet</code>, and <code>Idraw format</code>. Documentation is available via the package's home page. Pstoedit is distributed as source, and a Windows binary installer is also available.

home page	http://www.pstoedit.net/
on CTAN	https://ctan.org/tex-archive/support/pstoedit
keyword	graphics-prep (prepare graphics for use with *TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

4985 *pstool* – Support for psfrag within pdfLaTeX

Web page on CTAN <https://ctan.org/pkg/pstool>

name	pstool
caption	Support for psfrag within pdfLaTeX
author	Robertson, Will
author	Prime, Zebb
copyright	Zebb Prime (2008-2014)
copyright	Will Robertson (2008-2018)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.5e (2018-01-20)
last changes	2018-01-20
year	2018
description	(no language specified) The package works in the same sort of way as pst-pdf , but it also processes the PostScript graphics with psfrag to add labels within the graphic, before conversion. Thus the bundle replaces two steps of an ordinary workflow. (Naturally, the package requires that <code>\write 18</code> is enabled.) Pstool ensures that each version of each graphic is compiled once only (the graphic is (re-)compiled only if it has changed since the previous compilation of the document). This drastically speeds up the running of the package in the typical case (though the first run of any document is inevitably just as slow as with any similar package).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pstool/pstool.pdf
– local file	<code>./1938676592-pstool.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pstool/README.md
contact	<i>repository</i> : https://github.com/wspr/pstool

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pstool
on MikTeX	pstool
on T _E XLive	pstool
keyword	graphics-text (text within graphics (drawn or overlaid))
keyword	graphics-epspdf (converting graphics files from MetaPost output or (E)PS to embeddable PDF)
language(s)	no language specified
last access	2025-02-07

4986 *pstotext* – Extract ASCII from PostScript and PDF

Web page on CTAN	https://ctan.org/pkg/pstotext
name	pstotext
caption	Extract ASCII from PostScript and PDF
author	Birrell, Andrew
author	McJones, Paul
license	other-free = Free license not otherwise listed (free)
version	1.9
description	(no language specified) A Unix program that extracts ASCII text from PostScript and PDF (Acrobat) files. <i>pstotext</i> uses Ghostscript , but does a more careful job with kerned characters and nonstandard font encodings than Ghostscript's <i>ps2ascii</i> utility. <i>Pstotext</i> is no longer held on CTAN; documentation and downloads are available from its home page .
keyword	format-cvt (convert one format of file to another)
language(s)	no language specified
year	without year
last access	2025-02-07

4987 *pstrees* – Construct linguistics trees using a preprocessor

Web page on CTAN <https://ctan.org/pkg/pstrees>

name	<code>pstrees</code>
caption	Construct linguistics trees using a preprocessor
author	Sternefeld, Wolfgang
copyright	Wolfgang Sternefeld (1999)
license	lppl = The LaTeX Project Public License (free)
version	2
description	(no language specified) The preprocessor (written in C) prepares tree sources; the macros make use of Emma Pease's tree-dvips package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex209/contrib/trees/pstrees/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex209/contrib/trees/pstrees/trees.doc.pdf
– local file	<code>./6145386629-trees.doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/trees/pstrees
keyword	tree (mechanisms for drawing trees)
language(s)	no language specified
year	1999
last access	2025-02-07

4988 *pstricks-add* – A collection of add-ons and bugfixes for PSTricks

Web page on CTAN <https://ctan.org/pkg/pstricks-add>

name	<code>pstricks-add</code>
caption	A collection of add-ons and bugfixes for PSTricks
author	Voß, Herbert
author	Rodriguez, Dominique
license	lppl = The LaTeX Project Public License (free)
version	3.94

description	(no language specified) Collects together examples that have been posted to the PStricks mailing list, together with many additional features for the basic pstricks , pst-plot and pst-node , including: • bugfixes; • new options for the <code>pspicture</code> environment; • arrows; • braces as node connection/linestyle; • extended axes for plots (e.g., logarithm axes); • polar plots; • plotting tangent lines of curves or functions; • solving and printing differential equations; • box plots; • matrix plots; and • pie charts. The package makes use of PostScript routines provided by pst-math .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pstricks-add/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/pstricks-add/doc/pstricks-add-doc.pdf
– local file	<code>./9344454585-pstricks-add-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/pstricks-add
on MikTeX	<code>pstricks-add</code>
on TeXLive	<code>pstricks-add</code>
keyword	<code>graphics-in-tex</code> (graphics produced by one of the *TeX engines)
keyword	<code>pstricks</code> (package using PStricks for graphical output)
keyword	<code>tagged-pdf-incompatible</code> (tagged PDF incompatible)
language(s)	no language specified
year	without year
last access	2026-04-28

4989 pstricks-base – PostScript macros for TeX

Web page on CTAN <https://ctan.org/pkg/pstricks-base>

Alias	pstricks
name	pstricks-base
caption	PostScript macros for TeX
author	Girou, Denis
author	Voß, Herbert
author	Van Zandt, Timothy
copyright	Herbert Voß (2006-2025)
copyright	Timothy Van Zandt (1993, 1994, 2000)
copyright	Denis Girou (2000-2003)
copyright	Herbert Voß and Rolf Niepraschk (2004-2005)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.22a (2025-12-13)
last changes	2025-12-13
year	2025
description	(no language specified) PSTricks offers an extensive collection of macros for generating PostScript that is usable with most TeX macro formats, including Plain TeX, LaTeX, AMS-TeX, and AMS-LaTeX. Included are macros for colour, graphics, pie charts, rotation, trees and overlays. It has many special features, including a wide variety of graphics (picture drawing) macros, with a flexible interface and with colour support. There are macros for colouring or shading the cells of tables. The package pstricks-add contains bug-fixes and additions for PSTricks (among other things). PSTricks ordinarily uses PostScript <code>\special</code> commands, which are not supported by pdf(La)TeX. This limitation may be overcome by using either the pst-pdf or the pdftricks package, to generate a PDF inclusion from a PSTricks diagram. PSTricks macros can also generate PDF output when the document is processed XeTeX, without the need for other supporting packages.
documentation	(no language specified) <i>Latest news bulletin</i>: https://ctan.org/tex-archive/graphics/pstricks/base/doc/pst-news24.pdf
– local file	<code>./7132789334-pst-news24.pdf</code>

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/base/doc/pst-user.pdf
– local file	<code>./4955667419-pst-user.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/base/README
home page	https://tug.org/PSTricks/main.cgi/
contact	<i>support</i> : https://tug.org/mailman/listinfo/pstricks
contact	<i>repository</i> : https://archiv.dante.de/~herbert/TeXnik/
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/base
on MikTeX	<code>pstricks</code>
on TeXLive	<code>pstricks</code>
keyword	<code>pstricks</code> (package using PSTricks for graphical output)
keyword	<code>xetex</code> (XeTeX, material supporting it, and packages requiring it)
keyword	<code>graphics-in-tex</code> (graphics produced by one of the *TeX engines)
keyword	<code>colour</code> (typesetting in colour)
keyword	<code>dvips-special</code> (use <code>dvips \special</code> commands)
keyword	<code>tagged-pdf-incompatible</code> (tagged PDF incompatible)
see also	see section 4988 on page 4515: (<code>pstricks-add</code> – A collection of add-ons and bugfixes for PSTricks)
language(s)	no language specified
last access	2026-04-28

4990 *pstricks-calcnates* – Use of PSTricks in calculus lecture notes

Web page on CTAN <https://ctan.org/pkg/pstricks-calcnates>

name	<code>pstricks-calcnates</code>
caption	Use of PSTricks in calculus lecture notes
author	Quan, Le Phuong
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) The bundle shows the construction of PSTricks macros to draw Riemann sums of an integral and to draw the vector field of an ordinary differential equation. The results are illustrated in a fragment of lecture notes.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/pstricks_calcnodes/README
on CTAN	https://ctan.org/tex-archive/info/pstricks_calcnodes
on T _E XLive	pstricks_calcnodes
keyword	pstricks (package using PSTricks for graphical output)
keyword	documentation (‘stand-alone’ documentation)
language(s)	no language specified
year	without year
last access	2026-04-22

4991 *pstricks-examples* – *PSTricks examples*

Web page on CTAN	https://ctan.org/pkg/pstricks-examples
name	pstricks-examples
caption	PSTricks examples
author	Voß, Herbert
copyright	Herbert Voß (2008)
license	lppl = The LaTeX Project Public License (free)
version	(2010-10-06)
last changes	2010-10-06
year	2010
description	(no language specified) These are the examples from the 6th edition of the book ‘PSTricks — Grafik für TeX und LaTeX’.
documentation	<i>Readme (German)</i> : https://ctan.org/tex-archive/info/examples/PSTricks_6_de/README
on CTAN	https://ctan.org/tex-archive/info/examples/PSTricks_6_de
keyword	pstricks (package using PSTricks for graphical output)
keyword	book-ex (copies of examples from a published book)
language(s)	German
last access	2026-04-28

4992 *pstricks-examples-7* – PSTricks examples files of the 7th edition of the book PSTricks

Web page on CTAN <https://ctan.org/pkg/pstricks-examples-7>

name	<code>pstricks-examples-7</code>
caption	PSTricks examples files of the 7th edition of the book PSTricks
author	Voß, Herbert
copyright	Herbert Voß (2016)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.01
description	(no language specified) The package provides all of the example files of the book ‘PSTricks – Grafik mit PostScript für TeX und LaTeX’, 7th edition. The files are standalone documents and need one of the document classes included in the package.
documentation	<i>Readme (German)</i> : https://ctan.org/tex-archive/info/examples/PSTricks_7_de/README
on CTAN	https://ctan.org/tex-archive/info/examples/PSTricks_7_de
keyword	book-ex (copies of examples from a published book)
keyword	pstricks (package using PSTricks for graphical output)
language(s)	German
year	2016
last access	2026-04-28

4993 *pstricks-examples-en* – Examples from PSTricks book (English edition)

Web page on CTAN <https://ctan.org/pkg/pstricks-examples-en>

name	<code>pstricks-examples-en</code>
caption	Examples from PSTricks book (English edition)
author	Voß, Herbert
copyright	Herbert Voß (2011)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2011-10-14)
last changes	2011-10-14
year	2011

description	(no language specified) These are the examples from the book ‘PSTricks: Graphics and PostScript for TeX and LaTeX’.
on CTAN	https://ctan.org/tex-archive/info/examples/PSTricks_en
keyword	book-ex (copies of examples from a published book)
keyword	pstricks (package using PSTricks for graphical output)
see also	see section 4991 on page 4519: (pstricks-examples – PSTricks examples)
language(s)	no language specified
last access	2026-04-28

4994 pstring – Typeset sequences with justification pointers

Web page on CTAN	https://ctan.org/pkg/pstring
name	pstring
caption	Typeset sequences with justification pointers
author	Blum, William
copyright	William Blum (2008)
license	pd = Public Domain Software (free)
version	(2008-06-26)
last changes	2008-06-26
year	2008
description	(no language specified) This package lets you typeset justified sequences, also called pointing strings. It’s used for instance, in research papers about Game Semantics to represent sequence of game moves with their associated justification pointers. Depending on whether using LaTeX or pdfLaTeX, the package uses PSTricks and pst-node respectively pgf/TikZ.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pstring/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pstring/pstring-doc.pdf
– local file	./7640897842-pstring-doc.pdf
home page	http://william.famille-blum.org/software/latex/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pstring

on MikTeX	pstring
on T _E XLive	pstring
keyword	scientific-docs (support for writers of scientific documents)
language(s)	no language specified
last access	2025-02-07

4995 *psu-thesis* – Package for writing a thesis at Penn State University

Web page on CTAN <https://ctan.org/pkg/psu-thesis>

name	psu-thesis
caption	Package for writing a thesis at Penn State University
author	Floros, Matt
copyright	Matt Floros (2008)
license	lpl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) The package provides proper page formatting according to the Penn State thesis office guidelines (as of 2004) and automatically formats the front and back matter, title page, and more. A BibTeX style file is also included for the bibliography. However, the package is now deemed as out of date and no longer reflecting the University's current formatting guidance.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/psu-thesis/README
documentation	(no language specified) <i>Package manual</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/psu-thesis/manual.pdf
– local file	./2620157569-manual.pdf
documentation	(no language specified) <i>MS thesis layout demonstration</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/psu-thesis/mssample.pdf
– local file	./7768232834-mssample.pdf
documentation	(no language specified) <i>PhD thesis layout demonstration</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/psu-thesis/phdsample.pdf
– local file	./4281333008-phdsample.pdf

on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/psu-thesis
on MikTeX	psu-thesis
keyword	obsolete (package declared obsolete)
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
year	2008
last access	2025-02-07

4996 *psutils* – PostScript utilities

Web page on CTAN	https://ctan.org/pkg/psutils
name	psutils
caption	PostScript utilities
author	Duggan, Angus
license	other-free = Free license not otherwise listed (free)
version	p17
description	(no language specified) A bundle of utilities for manipulating PostScript documents, including page selection and rearrangement, resizing the page, arrangement into signatures for booklet printing, and page merging for n-up printing. Utilities include psbook, psselect, pstops, psnup, psresize, epsffit.
contact	repository: https://tug.org/svn/texlive/trunk/Build/source/texk/web2c/
on MikTeX	psutils
on T _E XLive	psutils
keyword	ps-manip (manipulate PostScript files)
see also	see section 4872 on page 4406: (pssplit – Select pages from PostScript files)
language(s)	no language specified
year	without year
last access	2025-02-07

4997 *ptex* – A TeX system for publishing in Japanese

Web page on CTAN <https://ctan.org/pkg/ptex>

Alias	<code>eptex</code>
name	<code>ptex</code>
caption	A TeX system for publishing in Japanese
author	Japanese TeX Development Community
copyright	ASCII MEDIA WORKS (2010)
copyright	Japanese TeX Development Community (null)
license	bsd3 = 3-clause BSD License (free)
description	(no language specified) pTeX adds features related to vertical writing, and deals with other problems in typesetting Japanese. A manual (in both Japanese and English) is distributed as package pTeX-manual .
contact	<i>support</i> : https://ml.texjp.org/mailman/listinfo/issue
contact	<i>bugs</i> : https://github.com/texjporg/tex-jp-build/
on T _E XLive	<code>ptex</code>
keyword	japanese (support for typesetting Japanese)
keyword	engine (TeX (or TeX-alike) typesetting engine)
language(s)	no language specified
year	2010
last access	2025-02-07

4998 *ptex-base* – Plain TeX format for pTeX and e-pTeX

Web page on CTAN <https://ctan.org/pkg/ptex-base>

name	<code>ptex-base</code>
caption	Plain TeX format for pTeX and e-pTeX
author	Japanese TeX Development Community
author	Maeda, Kazuki
copyright	ASCII MEDIA WORKS (2010)
copyright	Japanese TeX Development Community (2016-2021)
license	bsd3 = 3-clause BSD License (free)

version	(2021-05-31)
last changes	2021-05-31
year	2021
description	(no language specified) The bundle contains the plain TeX format for pTeX and e-pTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/jptex/generic/ptex-base/README.md
contact	<i>repository</i> : https://github.com/texjporg/ptex-base
on CTAN	https://ctan.org/tex-archive/macros/jptex/generic/ptex-base
on MikTeX	ptex-base
on TeXLive	ptex-base
keyword	format (macros to build a format)
keyword	japanese (support for typesetting Japanese)
language(s)	no language specified
last access	2025-02-07

4999 *ptex-fontmaps* – Font maps and configuration tools for Japanese/Chinese/Korean fonts with (u)ptex

Web page on CTAN <https://ctan.org/pkg/ptex-fontmaps>

name	ptex-fontmaps
caption	Font maps and configuration tools for Japanese/Chinese/Korean fonts with (u)ptex
author	Japanese TeX Development Community
license	gpl3 = GNU General Public License, version 3 (free)
license	pd = Public Domain Software (free)
version	20210625.0
description	(no language specified) This package provides font maps and setup tools for Japanese, Korean, Traditional Chinese, and Simplified Chinese. It is the successor of the jfontmaps package. The files in this package contain font maps for dvipdfmx to make various Japanese/Chinese/Korean fonts available for (u)ptex and related programs and formats.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/ptex-fontmaps/README
contact	<i>repository</i> : https://github.com/texjporg/ptex-fontmaps
on CTAN	https://ctan.org/tex-archive/fonts/ptex-fontmaps
on MikTeX	ptex-fontmaps
on T _E XLive	ptex-fontmaps
keyword	japanese (support for typesetting Japanese)
keyword	korean (support for typesetting Korean)
keyword	chinese (support for typesetting Chinese languages)
keyword	font-use (font selection, mapping, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

5000 *ptex-fonts* – Fonts for use with pTeX

Web page on CTAN <https://ctan.org/pkg/ptex-fonts>

name	ptex-fonts
caption	Fonts for use with pTeX
author	Japanese TeX Development Community
author	Maeda, Kazuki
copyright	ASCII MEDIA WORKS (2010)
copyright	Japanese TeX Development Community (2016-2022)
license	bsd3 = 3-clause BSD License (free)
version	(2022-09-10)
last changes	2022-09-10
year	2022
description	(no language specified) The bundle contains fonts for use with pTeX and the documents for the <code>makejvf</code> program. This is a redistribution derived from the ptex-texmf distribution by ASCII MEDIA WORKS .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/ptex-fonts/README.md

contact	repository: https://github.com/texjporg/ptex-fonts
on CTAN	https://ctan.org/tex-archive/fonts/ptex-fonts
installation	https://ctan.org/tex-archive/install/fonts/ptex-fonts.tds.zip
on MikTeX	ptex-fonts
on TeXLive	ptex-fonts
keyword	font-cjk (fonts for far eastern languages (Chinese, Japanese and Korean))
language(s)	no language specified
last access	2025-02-07

5001 ptex-manual – Japanese pTeX manual

Web page on CTAN <https://ctan.org/pkg/ptex-manual>

name	ptex-manual
caption	Japanese pTeX manual
author	Japanese TeX Development Community
copyright	Japanese TeX Development Community (2017-2024)
license	bsd3 = 3-clause BSD License (free)
version	(2024-06-15)
last changes	2024-06-15
year	2024
description	(no language specified) This package contains the Japanese pTeX manual. Feedback is welcome!
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/ptex-manual/README.md
documentation	(Japanese) <i>e-pTeX manual</i> : https://ctan.org/tex-archive/info/ptex-manual/eptexdoc.pdf
– local file	./8814513466-eptexdoc.pdf
documentation	(no language specified) <i>Guide to pTeX and friends (in English)</i> : https://ctan.org/tex-archive/info/ptex-manual/ptex-guide-en.pdf
– local file	./8449062348-ptex-guide-en.pdf
documentation	(Japanese) <i>pTeX manual</i> : https://ctan.org/tex-archive/info/ptex-manual/ptex-manual.pdf
– local file	./7421093623-ptex-manual.pdf

documentation	<i>Specification of the Japanese Font Metric format:</i> https://ctan.org/tex-archive/info/ptex-manual/jfm.pdf
– local file	./1513290195-jfm.pdf
contact	repository: https://github.com/texjporg/ptex-manual
on CTAN	https://ctan.org/tex-archive/info/ptex-manual
on MikTeX	ptex-manual
on T _E XLive	ptex-manual
keyword	japanese-doc (documentation in Japanese)
language(s)	Japanese
last access	2025-02-07

5002 *ptex-texmf* – Macro and other extensions for use with PTeX

Web page on CTAN	https://ctan.org/pkg/ptex-texmf
name	ptex-texmf
caption	Macro and other extensions for use with PTeX
author	Japanese TeX Development Community
copyright	Japanese TeX Development Community (2016-2020)
license	bsd3 = 3-clause BSD License (free)
description	(no language specified) This bundle has been split into four different packages: ptex-base , ptex-fonts , pbibtex-base , and platex .
keyword	japanese (support for typesetting Japanese)
see also	see section 4997 on page 4524 : (ptex – A TeX system for publishing in Japanese)
language(s)	no language specified
year	2020
last access	2025-02-07

5003 *ptex2pdf* – Convert Japanese TeX documents to PDF

Web page on CTAN <https://ctan.org/pkg/ptex2pdf>

name	ptex2pdf
caption	Convert Japanese TeX documents to PDF
author	Japanese TeX Development Community
copyright	Norbert Preining (2013-2020)
copyright	Japanese TeX Development Community (2016-2020)
copyright	Bob Tennent (2012)
license	gpl2 = GNU General Public License, version 2 (free)
version	20200520.0
description	(no language specified) The Lua script provides system-independent support of Japanese typesetting engines in TeXworks. As TeXworks typesetting setup does not allow for multistep processing, this script runs one of the ptex -based programs (ptex , uptex , eptex , platex , uplatex) followed by dvipdfmx .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/jptex/generic/ptex2pdf/README.md
home page	https://github.com/texjporg/ptex2pdf
contact	<i>bugs</i> : https://github.com/texjporg/ptex2pdf/issues
contact	<i>repository</i> : https://github.com/texjporg/ptex2pdf.git
on CTAN	https://ctan.org/tex-archive/macros/jptex/generic/ptex2pdf
on MikTeX	ptex2pdf
on TeXLive	ptex2pdf
keyword	compilation (the document compilation process)
keyword	japanese (support for typesetting Japanese)
language(s)	no language specified
year	2020
last access	2025-02-07

5004 *p*text – A ‘lipsum’ for Persian

Web page on CTAN <https://ctan.org/pkg/pertext>

name	pertext
caption	A ‘lipsum’ for Persian
author	Damanafshan, Vahid
copyright	Vahid Damanafshan (2012)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.1
description	(no language specified) The package provides lipsum -like facilities for the Persian language. The source of the filling text is the Persian epic “the Shanameh” (100 paragraphs are used.) The package needs to be run under XeLaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/pertext/README
documentation	<i>Package documentation (writtent in Persian)</i> : https://ctan.org/tex-archive/macros/xetex/latex/pertext/pertext.pdf
– local file	./8585708706-pertext.pdf
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/pertext
on MikTeX	pertext
on T _E XLive	pertext
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
keyword	macro-supp (support for development of (La)TeX macros)
keyword	dummy-gen (dummy text generator for tests and examples)
keyword	persian (support for typesetting Persian)
language(s)	Persian
year	2012
last access	2025-02-09

5005 *pthyphs* – Hyphenation Patterns for Portuguese

Web page on CTAN <https://ctan.org/pkg/pthyphs>

name	pthyphs
caption	Hyphenation Patterns for Portuguese
author	de Rezende, Pedro J.
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Hyphenation Patterns for Portuguese.
on CTAN	https://ctan.org/tex-archive/language/portuguese/pt8hyph.tex
keyword	portuguese (support for typesetting Portuguese)
keyword	hyphenation (macros or tables for hyphenation)
language(s)	no language specified
year	without year
last access	2025-02-07

5006 *ptlatexcommands* – LaTeX to commands in Portuguese

Web page on CTAN <https://ctan.org/pkg/ptlatexcommands>

name	ptlatexcommands
caption	LaTeX to commands in Portuguese
author	Pereira de Morais Junior, Geraldo
copyright	Geraldo Pereira de Morais Junior (2023)
license	mit = MIT License (free)
version	0.1
description	(no language specified) This package transforms common commands used in LaTeX to commands in Portuguese.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/ptlatexcommands/PTLaTeXCommands.pdf
– local file	<code>./6311194397-PTLaTeXCommands.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/ptlatexcommands/README.md
contact	<i>development:</i> https://github.com/geraldopmj/PTLaTeXCommands

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ptlatexcommands
on MikTeX	ptlatexcommands
on T _E XLive	ptlatexcommands
keyword	misc-support (miscellaneous support stuff)
keyword	portuguese (support for typesetting Portuguese)
language(s)	no language specified
year	2023
last access	2025-02-07

5007 *ptmsc* – Addon to the newtx package

Web page on CTAN <https://ctan.org/pkg/ptmsc>

name	ptmsc
caption	Addon to the newtx package
author	Sharpe, Michael
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1
description	(no language specified) This is an addon to the newtx package that allows the substitution of the commercial Adobe TimesSC fonts for the default upright small caps in <code>newtxtext</code> .
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/ptmsc/README
on CTAN	https://ctan.org/tex-archive/fonts/ptmsc
installation	https://ctan.org/tex-archive/install/fonts/ptmsc.tds.zip
on MikTeX	ptmsc
keyword	font (fonts themselves)
keyword	font-virtual (virtual font(s) using existing fonts)
see also	see section 4237 on page 3836: (<code>newtx</code> – Alternative uses of the TX fonts, with improved metrics)
language(s)	no language specified
year	without year
last access	2025-02-07

5008 *ptolemaicastronomy* – Diagrams of sphere models for variably strict conditionals (Lewis counterfactuals)

Web page on CTAN <https://ctan.org/pkg/ptolemaicastronomy>

name	ptolemaicastronomy
caption	Diagrams of sphere models for variably strict conditionals (Lewis counterfactuals)
author	Zach, Richard
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0
description	(no language specified) David K. Lewis (Counterfactuals, Blackwell 1973) introduced a sphere semantics for counterfactual conditionals. He jokingly referred to the diagrams depicting such sphere models as Ptolemaic astronomy, hence the name of this package. The macros provided in this package aid in the construction of sphere model diagrams in the style of Lewis. The macros all make use of TikZ.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/ptolemaicastronomy/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/ptolemaicastronomy/ptolemaicastronomy.pdf
– local file	./7320875836-ptolemaicastronomy.pdf
contact	<i>bugs</i> : https://github.com/rzach/ptolemaic-astronomy/issues
contact	<i>repository</i> : https://github.com/rzach/ptolemaic-astronomy
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/ptolemaicastronomy
on MikTeX	ptolemaicastronomy
on T _E XLive	ptolemaicastronomy
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	logic (typesetting logician’s discussions)
language(s)	no language specified
year	without year
last access	2025-02-07

5009 *ptptex* – Macros for 'Progress of Theoretical Physics'

Web page on CTAN <https://ctan.org/pkg/ptptex>

name	ptptex
caption	Macros for 'Progress of Theoretical Physics'
author	Tomonaga, Shin-Ichiro
author	Yukawa, Hideki
license	lppl = The LaTeX Project Public License (free)
version	0.91
description	(no language specified) The distribution contains the class (which offers an option file for preprints), and a template. The class requires the cite , overcite and wrapfig packages.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ptptex/manptp.pdf
– local file	./7743876578-manptp.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ptptex/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ptptex
on MikTeX	ptptex
on T _E XLive	ptptex
keyword	physics (support for typesetting physics documents)
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
year	without year
last access	2025-02-07

5010 ptsans – PT Sans font and LaTeX support

Web page on CTAN <https://ctan.org/pkg/ptsans>

name	ptsans
caption	PT Sans font and LaTeX support
author	Farar, Pavel
license	other-free = Free license not otherwise listed (free)
version	2.003
description	(no language specified) This package contains LaTeX support for the font PT Sans developed by ParaType for the project "public Types of the Russian Federation", and released under an open user license. The fonts are included in this distribution, in TrueType format and converted to Type 1 format (as kindly allowed by ParaType). The fonts provide coverage of the T2* and X2 encodings, and partial coverage of T1, OT1, TS1 and IL2 (sufficient for typesetting text in Czech and Slovak languages — the purpose of encoding IL2). This package is now obsolete; users should seek the paratype bundle in its place.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/obsolete/fonts/ptsans/doc/fonts/ptsans/ptsans.pdf
– local file	./7912360633-ptsans.pdf
documentation	(no language specified) <i>Font samples</i>: https://ctan.org/tex-archive/obsolete/fonts/ptsans/doc/fonts/ptsans/ptsans-sample.pdf
– local file	./4432713614-ptsans-sample.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/obsolete/fonts/ptsans/README
on CTAN	https://ctan.org/tex-archive/obsolete/fonts/ptsans
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-sans (sans-serif font)
keyword	obsolete (package declared obsolete)
keyword	font (fonts themselves)
see also	see section 5011 on page 4536 : (ptserif – PT Serif font and LaTeX support)
language(s)	no language specified
year	without year
last access	2025-02-07

5011 *ptserif* – PT Serif font and LaTeX support

Web page on CTAN <https://ctan.org/pkg/ptserif>

name *ptserif*

caption PT Serif font and LaTeX support

author Farar, Pavel

license other-free = Free license not otherwise listed (free)

version 1.000

description (no language specified) This package contains LaTeX support for the font PT Serif developed by ParaType for the project "Public Types of the Russian Federation", and released under an open user license.

The fonts are included in this distribution, in TrueType format and as converted Type 1 format (as kindly allowed by ParaType). The fonts provide coverage of the T2* and X2 encodings, and partial coverage of T1 OT1, TS1 and IL2 (sufficient for typesetting text in Czech and Slovak languages — the purpose of encoding IL2).

This package is now obsolete; users should seek the *paratype* bundle in its place.

documentation (no language specified) *Font samples*:
<https://ctan.org/tex-archive/obsolete/fonts/ptserif/doc/fonts/ptserif/ptserif-sample.pdf>

– local file ./3297357044-ptserif-sample.pdf

documentation (no language specified) *Package documentation*:
<https://ctan.org/tex-archive/obsolete/fonts/ptserif/doc/fonts/ptserif/ptserif.pdf>

– local file ./3802906364-ptserif.pdf

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/obsolete/fonts/ptserif/README>

on CTAN <https://ctan.org/tex-archive/obsolete/fonts/ptserif>

keyword font-serif (serif font)

keyword font-type1 (font available in Adobe Type 1 format)

keyword obsolete (package declared obsolete)

keyword font (fonts themselves)

see also see section 5010 on page 4535: (*ptsans* – PT Sans font and LaTeX support)

language(s) no language specified

year without year

last access 2025-02-07

5012 *punk* – Donald Knuth’s *punk* font

Web page on CTAN <https://ctan.org/pkg/punk>

name	punk
caption	Donald Knuth’s <i>punk</i> font
author	Knuth, Donald E.
author	Grover, Rohit
license	knuth = Knuth License (free)
description	(no language specified) A response to the assertion in a lecture that “typography tends to lag behind other stylistic changes by about 10 years”. Knuth felt it was (in 1988) time to design a replacement for his designs of the 1970s, and came up with this font! The fonts are distributed as Metafont source. The package offers LaTeX support by Rohit Grover, from an original by Sebastian Rahtz, which is slightly odd in claiming that the fonts are T1-encoded. A (possibly) more rational support package is to be found in punk-latex
documentation	(no language specified) <i>TUGboat</i> paper: https://tug.org/TUGboat/Articles/tb09-2/tb21knut.pdf
– local file	./1918055187-tb21knut.pdf
on CTAN	https://ctan.org/tex-archive/fonts/punk
on MikTeX	punk
on T _E XLive	punk
keyword	font-novelty (fonts designed more for fun than for actual use)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-02-11

5013 punk-latex – LaTeX support for punk fonts

Web page on CTAN <https://ctan.org/pkg/punk-latex>

name	Punk-LaTeX
caption	LaTeX support for punk fonts
author	Jørgensen, Palle
license	gpl = GNU General Public License (free)
version	1.1
description	(no language specified) The package and .fd file provide support for Knuth's punk fonts. That bundle also offers support within LaTeX; the present package is to be preferred.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/punk-latex/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/punk-latex/punk.pdf
– local file	./6552642488-punk.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/punk-latex
on MikTeX	punk-latex
on TeXLive	punk-latex
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year
last access	2025-02-07

5014 punknova – OpenType version of Knuth's Punk font

Web page on CTAN <https://ctan.org/pkg/punknova>

name	punknova
caption	OpenType version of Knuth's Punk font
author	Knuth, Donald E.
author	Hosny, Khaled
license	other-free = Free license not otherwise listed (free)
version	1.003

description	(no language specified) The font was generated from a MetaPost version of the sources of the ‘original’ punk font . Knuth’s original fonts generated different shapes at random. This isn’t actually possible in an OpenType font; rather, the font contains several variants of each glyph, and uses the OpenType <i>randomize</i> function to select a variant for each invocation.
documentation	(no language specified) <i>Text sample</i> : https://ctan.org/tex-archive/fonts/punknova/documentation/sample.pdf
– local file	<code>./2103340213-sample.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/punknova/README
on CTAN	https://ctan.org/tex-archive/fonts/punknova
on MikTeX	punknova
on TeXLive	punknova
keyword	font-novelty (fonts designed more for fun than for actual use)
keyword	font (fonts themselves)
keyword	font-otf (font in OpenType format)
language(s)	no language specified
year	without year
last access	2025-02-11

5015 *purifyeps* – Make EPS work with both LaTeX/dvips and pdfLaTeX

Web page on CTAN <https://ctan.org/pkg/purifyeps>

name	purifyeps
caption	Make EPS work with both LaTeX/dvips and pdfLaTeX
author	Pakin, Scott
copyright	Scott Pakin (2009)
license	lppl = The LaTeX Project Public License (free)
version	1.1

description	(no language specified) While pdfLaTeX has a number of nice features, its primary shortcoming relative to standard LaTeX+dvips is that it is unable to read ordinary Encapsulated PostScript (EPS) files, the most common graphics format in the LaTeX world. Purifyeps converts EPS files into a ‘purified’ form that can be read by both LaTeX+dvips and pdfLaTeX. The trick is that the standard LaTeX2e graphics packages can parse MetaPost-produced EPS directly. Hence, purifyeps need only convert an arbitrary EPS file into the same stylized format that MetaPost outputs.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/purifyeps/purifyeps.pdf
– local file	./2349306399-purifyeps.pdf
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/support/purifyeps/README
on CTAN	https://ctan.org/tex-archive/support/purifyeps
on T _E XLive	purifyeps
keyword	font-proc (process fonts for use with TeX (includes installation))
language(s)	no language specified
year	2009
last access	2025-02-07

5016 puyotikz – Quickly typeset board states of Puyo Puyo games

Web page on CTAN	https://ctan.org/pkg/puyotikz
name	PuyoTikZ
caption	Quickly typeset board states of Puyo Puyo games
author	Osborne, Alexander
copyright	amosborne (2020)
license	mit = MIT License (free)
version	1.0.1 (2020-12-28)
last changes	2020-12-28
year	2020
description	(no language specified) This LaTeX package permits to quickly typeset board states of Puyo Puyo games. It supports large and small boards with arbitrary shape, hidden rows, current and next puyos, labels and move planning markers. The package requires Python3 in support of scripts driven by PythonTeX .

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/puyotikz/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/puyotikz/puyotikz.pdf
– local file	./6448183676-puyotikz.pdf
contact	<i>repository</i> : https://github.com/amosborne/puyotikz
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/puyotikz
on MikTeX	puyotikz
on T _E XLive	puyotikz
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	graphics (graphics (support packages))
keyword	games (process game diagrams, gamebooks, and other amusements)
language(s)	no language specified
last access	2025-02-07

5017 pwebmac – Consolidated WEB macros for DVI and PDF output

Web page on CTAN <https://ctan.org/pkg/pwebmac>

name	pwebmac
caption	Consolidated WEB macros for DVI and PDF output
author	Scherer, Andreas
license	pd = Public Domain Software (free)
version	5.1 (2025-03-16)
last changes	2025-03-16
year	2025
description	(no language specified) The original WEB system by Donald Knuth has the macros <code>webmac.tex</code> that produce DVI output only; for historic reasons, it will never be modified (apart from catastrophic errors). Hàn Thế Thành has modified these macros in his <code>pdfwebmac.tex</code> for PDF output (only) with pdfTeX . Jonathan Kew's XeTeX has similar macros <code>xewebmac.tex</code> by Khaled Hosny that <i>modify</i> <code>webmac.tex</code> for PDF output; these macros can only be used with a specific "TeX engine" each.

The present `pwebmac` package integrates these three WEB macro files similar to `cwebmac.tex` in Silvio Levy’s and Don Knuth’s **CWEB** system, so `pwebmac.tex` can be used with ”plain TeX”, pdfTeX, and XeTeX alike.

Its initial application is the production of PDF files for all major WEB programs for ”TeX and friends” as distributed in **TeX Live** . For this purpose, the shell script `makeall` was whipped together; it provides various commandline options and works around several ”quirks” in the WEB sources.

WEB programmers who want to use `pwebmac.tex` instead of the default `webmac.tex` in their programs have to change the first line in the TeX file created by `weave` . From there, all depends on the ”TeX engine” you use.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/web/pwebmac/README.md
contact	<i>support</i> : https://lists.tug.org/tex-k
contact	<i>repository</i> : https://github.com/ascherer/web
on CTAN	https://ctan.org/tex-archive/web/pwebmac
on T _E XLive	<code>pwebmac</code>
keyword	<code>litprog</code> (literate programming)
language(s)	no language specified
last access	2025-03-27

5018 *pwt* – An outline of publishing with TeX

Web page on CTAN <https://ctan.org/pkg/pwt>

name	PWT
caption	An outline of publishing with TeX
author	van der Laan, Kees
license	nosell = Do Not Sell Except by Arrangement (not free)
description	(no language specified) This document, ”Publishing with TeX”, serves as a user manual for the BLUe format. Also included are a number of the author’s other articles and musings.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/laan/pwt/README
on CTAN	https://ctan.org/tex-archive/info/laan/pwt
keyword	<code>tut-plaintex</code> (tutorial material for Plain TeX)
language(s)	no language specified

year	without year
last access	2025-02-07

5019 pxbase – Tools for use with (u)pLaTeX

Web page on CTAN <https://ctan.org/pkg/pxbase>

name	pxbase
caption	Tools for use with (u)pLaTeX
author	Yato, Takayuki
copyright	Takayuki Yato (2008-2023)
license	mit = MIT License (free)
version	1.4 (2023-02-25)
last changes	2023-02-25
year	2023
description	(no language specified) The main purpose of this package is to provide auxiliary functions which are utilized by other packages created by the same author. It also provides a few user commands to assist in creating Japanese documents using (u)pLaTeX .
documentation	<i>Readme (Japanese)</i> : https://ctan.org/tex-archive/macros/jptex/latex/pxbase/README-ja.md
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/jptex/latex/pxbase/README.md
home page	https://github.com/zr-tex8r/PXbase
on CTAN	https://ctan.org/tex-archive/macros/jptex/latex/pxbase
on MikTeX	pxbase
on T _E XLive	pxbase
keyword	japanese (support for typesetting Japanese)
language(s)	Japanese
last access	2025-02-07

5020 pxchfon – Japanese font setup for pLaTeX and upLaTeX

Web page on CTAN <https://ctan.org/pkg/pxchfon>

name	pxchfon
caption	Japanese font setup for pLaTeX and upLaTeX
author	Yato, Takayuki
copyright	Takayuki YATO (2009-2023)
license	mit = MIT License (free)
version	2.2
description	(no language specified) This package enables users to declare in their document which physical fonts should be used for the standard Japanese (logical) fonts of pLaTeX and upLaTeX. Font setup is realized by changing the font mapping of dvipdfmx , and thus users can use any (monospaced) physical fonts they like, once they properly install this package, without creating helper files for each new font. This package also supports setup for the fonts used in the japanese-otf package. System requirements: • TeX format: LaTeX. • TeX engine: pTeX or upTeX . • DVIware: dvipdfmx . • Prerequisite packages: atbegshi .
documentation	(Japanese) <i>Readme</i> : https://ctan.org/tex-archive/macros/jptex/latex/pxchfon/README-ja.md
documentation	(Japanese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/jptex/latex/pxchfon/pxchfon.pdf
– local file	./5301328799-pxchfon.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/jptex/latex/pxchfon/README.md
contact	<i>repository</i> : https://github.com/zr-tex8r/PXchfon
on CTAN	https://ctan.org/tex-archive/macros/jptex/latex/pxchfon
on MikTeX	pxchfon
on TeXLive	pxchfon
keyword	japanese (support for typesetting Japanese)
keyword	font-supp (metrics, macro incantations and other font support)

language(s)	Japanese
year	2023
last access	2025-02-07

5021 *pxcjkcat* – LaTeX interface for the CJK category codes of upTeX

Web page on CTAN <https://ctan.org/pkg/pxcjkcat>

name	pxcjkcat
caption	LaTeX interface for the CJK category codes of upTeX
author	Yato, Takayuki
copyright	Takayuki YATO (2010-2022)
license	mit = MIT License (free)
version	1.4
description	(no language specified) The package provides management of the CJK category code ('kcatcode'> table of the upTeX extended TeX engine. Package options are available for tailored use in the cases of documents that are principally written in Japanese, or principally written in English or other Western languages.
documentation	(Japanese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/jptex/latex/pxcjkcat/pxcjkcat.pdf
– local file	./1838546614-pxcjkcat.pdf
documentation	<i>Readme (Japanese)</i> : https://ctan.org/tex-archive/macros/jptex/latex/pxcjkcat/README-ja.md
documentation	<i>Readme (English)</i> : https://ctan.org/tex-archive/macros/jptex/latex/pxcjkcat/README.md
on CTAN	https://ctan.org/tex-archive/macros/jptex/latex/pxcjkcat
on MikTeX	pxcjkcat
on TeXLive	pxcjkcat
keyword	multilingual (support for more than one (natural) language)
keyword	japanese (support for typesetting Japanese)
language(s)	English; Japanese
year	2022
last access	2025-02-07

5022 *pxfonts* – Palatino-like fonts in support of mathematics

Web page on CTAN <https://ctan.org/pkg/pxfonts>

name	<code>pxfonts</code>
caption	Palatino-like fonts in support of mathematics
author	Ryu, Young
license	gpl = GNU General Public License (free)
version	(2009-01-14)
last changes	2009-01-14
year	2009
description	(no language specified) Pxfonts supplies virtual text roman fonts using Adobe Palatino (or URWPalladioL) with some modified and additional text symbols in the OT1, T1, and TS1 encodings; maths alphabets using Palatino/Palladio; maths fonts providing all the symbols of the Computer Modern and AMS fonts, including all the Greek capital letters from CMR; and additional maths fonts of various other symbols. The set is complemented by a sans-serif set of text fonts, based on Helvetica/NimbusSanL, and a monospace set derived from the parallel TX font set. All the fonts are in Type 1 format (AFM and PFB files), and are supported by TeX metrics (VF and TFM files) and macros for use with LaTeX.
documentation	(no language specified) <i>Package documentation (Letter paper format)</i> : https://ctan.org/tex-archive/fonts/pxfonts/doc/pxfontsdoc.pdf
– local file	<code>./3092287707-pxfontsdoc.pdf</code>
documentation	(no language specified) <i>Package documentation (A4 paper format)</i> : https://ctan.org/tex-archive/fonts/pxfonts/doc/pxfontsdocA4.pdf
– local file	<code>./6212513453-pxfontsdocA4.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/pxfonts
on MikTeX	<code>pxfonts</code>
on TeXLive	<code>pxfonts</code>
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-symbol-maths</code> (collections of mathematical symbols)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-maths</code> (fonts for use in mathematics)

see also	see section 3817 on page 3451: (<code>mathpazo</code> – Fonts to typeset mathematics to match Palatino)
language(s)	no language specified
last access	2025-02-07

5023 *pxgreek*s – Shape selection for PX fonts Greek letters

Web page on CTAN <https://ctan.org/pkg/pxgreek>

name	<code>pxgreek</code> s
caption	Shape selection for PX fonts Greek letters
author	Burnol, Jean-François
copyright	Jean-François Burnol (2011)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The package allows LaTeX maths users of the PX fonts to select the shapes (italic or upright) for the Greek lowercase and uppercase letters. Once the shapes for lowercase and uppercase have been selected via a package option, the <code>\other</code> prefix (e.g., <code>\otheralpha</code>) allows using the alternate glyph (as in the <code>fourier</code> package). The <code>pxgreek</code> s package does not constrain the text font that may be used in the document.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pxgreek/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pxgreek/pxgreek.pdf
– local file	<code>./7146123113-pxgreek.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pxgreek
on MikTeX	<code>pxgreek</code> s
on T _E XLive	<code>pxgreek</code> s
keyword	<code>font-supp-maths</code> (metrics, macro incantations and other support for maths fonts)
language(s)	no language specified
year	2011
last access	2025-02-07

5024 pxjahyper – Hyperref support for pLaTeX

Web page on CTAN <https://ctan.org/pkg/pxjahyper>

name	pxjahyper
caption	Hyperref support for pLaTeX
author	Yato, Takayuki
copyright	Takayuki YATO (2012-2024)
license	mit = MIT License (free)
version	1.5 (2024-08-25)
last changes	2024-08-25
year	2024
description	(no language specified) This package adjusts the behavior of hyperref on (u)pLaTeX so that authors can properly create PDF documents that contain document information in Japanese.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/jptex/latex/pxjahyper/README.md
documentation	<i>Readme (Japanese)</i> : https://ctan.org/tex-archive/macros/jptex/latex/pxjahyper/README-ja.md
documentation	<i>Package documentation (Japanese)</i> : https://ctan.org/tex-archive/macros/jptex/latex/pxjahyper/pxjahyper.pdf
– local file	./4361368682-pxjahyper.pdf
contact	<i>repository</i> : https://github.com/zr-tex8r/PXjahyper
on CTAN	https://ctan.org/tex-archive/macros/jptex/latex/pxjahyper
on MikTeX	pxjahyper
on TeXLive	pxjahyper
keyword	japanese (support for typesetting Japanese)
keyword	hyper (support for hypertext)
language(s)	Japanese
last access	2025-02-07

5025 `pxjodel` – Help change metrics of fonts from `japanese-otf`Web page on CTAN <https://ctan.org/pkg/pxjodel>

name	<code>pxjodel</code>
caption	Help change metrics of fonts from <code>japanese-otf</code>
author	Yato, Takayuki
copyright	Takayuki YATO (aka. “ZR”) (2019-2020)
license	mit = MIT License (free)
version	0.3 (2020-05-04)
last changes	2020-05-04
year	2020
description	(no language specified) This package changes the setup of the <code>japanese-otf</code> package so that the TFM_s for direct input are all replaced by new ones with prefixed names; for example, <code>nmlminr-h</code> will be replaced by <code>foo-nmlminr-h</code>, where <code>foo</code> is a prefix specified by the user. This function will assist users who want to use the <code>japanese-otf</code> package together with tailored TFM_s of Japanese fonts. The “jodel” part of the package name stands for “japanese-otf deluxe”. Here “deluxe” is the name of <code>japanese-otf</code>’s option for employing multi-weight Japanese font families. This option is probably the most likely reason for using <code>japanese-otf</code>. So <code>pxjodel</code> is really about <code>japanese-otf</code>’s “deluxe” option, hence the name. It is not related to yodel singing, although some sense of word-play is intended.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/jptex/latex/pxjodel/pxjodel.pdf
– local file	<code>./6723650752-pxjodel.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/jptex/latex/pxjodel/README.md
contact	<i>repository</i> : https://github.com/zr-tex8r/PXjodel
on CTAN	https://ctan.org/tex-archive/macros/jptex/latex/pxjodel
on MikTeX	<code>pxjodel</code>
on T _E XLive	<code>pxjodel</code>
keyword	<code>font-mgmt</code> (management of fonts)
keyword	<code>font-cjk</code> (fonts for far eastern languages (Chinese, Japanese and Korean))
keyword	<code>font-use</code> (font selection, mapping, etc.)

keyword japanese (support for typesetting Japanese)
 keyword font-sel (font selection schemes)
 language(s) no language specified
 last access 2025-02-07

5026 pxpgfmark – e-pTeX driver for PGF inter-picture connections

Web page on CTAN <https://ctan.org/pkg/pxpgfmark>

name pxpgfmark
 caption e-pTeX driver for PGF inter-picture connections
 author Yato, Takayuki
 license mit = MIT License (free)
 version 0.2
 description (no language specified) The distributed drivers do not support the PGF feature of "inter-picture connections" under e-pTeX and dvipdfmx .
 The package uses existing features of dvipdfmx to fix this problem
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/graphics/pgf/contrib/pxpgfmark/README>
 on CTAN <https://ctan.org/tex-archive/graphics/pgf/contrib/pxpgfmark>
 on MikTeX pxpgfmark
 on T_EXLive pxpgfmark
 keyword graphics-driv ('driver' for output from graphics 'kernel' packages)
 language(s) no language specified
 year without year
 last access 2025-02-07

5027 `pxpic` – Draw pixel pictures

Web page on CTAN <https://ctan.org/pkg/pxpic>

name	<code>pxpic</code>
caption	Draw pixel pictures
author	Spratte, Jonathan P.
copyright	Jonathan P. Spratte (2021-2023)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.5 (2023-08-16)
last changes	2023-08-16
year	2023
description	(no language specified) With <code>pxpic</code> you draw pictures pixel by pixel. It was inspired by a lovely post by Paulo Cereda, among other things (most notably a beautiful duck) showcasing the use of characters from the Mario video games by Nintendo in LaTeX.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pxpic/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pxpic/pxpic.pdf
– local file	<code>./7666775927-pxpic.pdf</code>
contact	<i>repository:</i> https://github.com/Skillmon/ltx_pxpic
on CTAN	https://ctan.org/tex-archive/graphics/pxpic
on MikTeX	<code>pxpic</code>
on T _E XLive	<code>pxpic</code>
keyword	graphics (graphics (support packages))
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
language(s)	no language specified
last access	2025-02-07

5028 *pxrubrica* – Ruby annotations according to JIS X 4051

Web page on CTAN <https://ctan.org/pkg/pxrubrica>

name	pxrubrica
caption	Ruby annotations according to JIS X 4051
author	Yato, Takayuki
copyright	Takayuki Yato (2012-2023)
license	mit = MIT License (free)
version	1.3e (2023-03-01)
last changes	2023-03-01
year	2023
description	(no language specified) This package provides a function to add ruby annotations (furigana) that follow the style conventional in Japanese typography as described in the W3C technical note "Requirements for Japanese Text Layout" ([JLREQ]) and the JIS specification JIS X 4051. Starting with version 1.3, this package also provides a function to add kenten (emphasis marks) to Japanese text.
documentation	<i>Package documentation (Japanese):</i> https://ctan.org/tex-archive/macros/jptex/latex/pxrubrica/pxrubrica.pdf
– local file	<code>./5061071603-pxrubrica.pdf</code>
documentation	<i>(Japanese) Readme:</i> https://ctan.org/tex-archive/macros/jptex/latex/pxrubrica/README-ja.md
documentation	<i>(no language specified) Package documentation (English):</i> https://ctan.org/tex-archive/macros/jptex/latex/pxrubrica/pxrubrica-en.pdf
– local file	<code>./7589223858-pxrubrica-en.pdf</code>
documentation	<i>(no language specified) Readme:</i> https://ctan.org/tex-archive/macros/jptex/latex/pxrubrica/README.md
home page	https://github.com/zr-tex8r/PXrubrica
on CTAN	https://ctan.org/tex-archive/macros/jptex/latex/pxrubrica
on MikTeX	pxrubrica
on TeXLive	pxrubrica
keyword	std-conform (support conformance to standards)
keyword	japanese (support for typesetting Japanese)

language(s) Japanese
last access 2025-02-07

5029 *pxtatescale* – Patch to graphics driver for scaling in vertical direction of pTeX

Web page on CTAN <https://ctan.org/pkg/pxtatescale>

name *pxtatescale*
caption Patch to graphics driver for scaling in vertical direction of pTeX
author Yamashita, Hironobu
copyright Hironobu Yamashita (2017)
license mit = MIT License (free)
version 0.4
description (no language specified) Patch for graphics driver 'dvipdfmx' to support correct scaling in vertical direction of Japanese pTeX/upTeX.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/jptex/latex/pxtatescale/README>
on CTAN <https://ctan.org/tex-archive/macros/jptex/latex/pxtatescale>
on MikTeX *pxtatescale*
on T_EXLive *pxtatescale*
keyword graphics-driv ('driver' for output from graphics 'kernel' packages)
keyword japanese (support for typesetting Japanese)
language(s) no language specified
year 2017
last access 2025-02-07

5030 pmtxalfa – Virtual maths alphabets based on pxfonts and txfonts

Web page on CTAN <https://ctan.org/pkg/pmtxalfa>

name	pmtxalfa
caption	Virtual maths alphabets based on pxfonts and txfonts
author	Sharpe, Michael
license	lppl = The LaTeX Project Public License (free)
version	2 (2021-10-21)
last changes	2021-10-21
year	2021
description	(no language specified) The package provides virtual math alphabets based on pxfonts and txfonts , with LaTeX support files and adjusted metrics. The mathalpha package offers support for this collection.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/pmtxalfa/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/pmtxalfa/doc/fonts/pmtxalfa/pmtxalfa-doc.pdf
– local file	./3248447905-pmtxalfa-doc.pdf
on CTAN	https://ctan.org/tex-archive/fonts/pmtxalfa
on MikTeX	pmtxalfa
on T _E XLive	pmtxalfa
keyword	font (fonts themselves)
keyword	font-maths (fonts for use in mathematics)
keyword	font-virtual (virtual font(s) using existing fonts)
language(s)	no language specified
last access	2025-02-07

5031 pxufont – Emulate non-Unicode Japanese fonts using Unicode fonts

Web page on CTAN <https://ctan.org/pkg/pxufont>

name	pxufont
caption	Emulate non-Unicode Japanese fonts using Unicode fonts
author	Yato, Takayuki
copyright	Takayuki YATO (2017-2023)
license	mit = MIT License (free)
version	0.7 (2023-07-07)
last changes	2023-07-07
year	2023
description	(no language specified) The set of the Japanese logical fonts (JFMs) that are used as standard fonts in pTeX and upTeX contains both Unicode JFMs and non-Unicode JFMs. This bundle provides an alternative set of non-Unicode JFMs that are tied to the virtual fonts (VFs) that refer to the glyphs in the Unicode JFMs. Moreover it provides a LaTeX package that redefines the NFSS settings of the Japanese fonts of (u)pLaTeX so that the new set of non-Unicode JFMs will be employed. As a whole, this bundle allows users to dispense with the mapping setup on non-Unicode JFMs. Such a setup is useful in particular when users want to use OpenType fonts (such as Source Han Serif) that have a glyph encoding different from Adobe-Japan1, because mapping setups from non-Unicode JFMs to such physical fonts are difficult to prepare.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/jptex/latex/pxufont/README.md
contact	<i>repository</i> : https://github.com/zr-tex8r/PXufont
on CTAN	https://ctan.org/tex-archive/macros/jptex/latex/pxufont
on MikTeX	pxufont
on TeXLive	pxufont
keyword	japanese (support for typesetting Japanese)
keyword	font-cjk (fonts for far eastern languages (Chinese, Japanese and Korean))
keyword	font-use (font selection, mapping, etc.)
language(s)	no language specified
last access	2025-02-07

5032 pybib – Command line utilities to check, sort, merge BibTeX files

Web page on CTAN <https://ctan.org/pkg/pybib>

name	pybib
caption	Command line utilities to check, sort, merge BibTeX files
author	Corke, Peter
copyright	Peter Corke (2007)
license	nosell = Do Not Sell Except by Arrangement (not free)
description	(no language specified) Pybib provides a set of command line utilities (written in Python) to check, merge, sort, filter, and convert BibTeX files. Also include a tool to lookup references on Google scholar and insert the URL into the file. The package builds on the author's experience writing the earlier tkbibtex ; it is hoped that this code is more readily maintainable
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/biblio/bibtex/utis/pybib/README
home page	https://github.com/petercorke/pybib
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utis/pybib
keyword	bibtex-util (utilities for managing BibTeX files)
language(s)	no language specified
year	2007
last access	2025-02-07

5033 pybliographer – A tool for managing bibliographic databases

Web page on CTAN <https://ctan.org/pkg/pybliographer>

name	pybliographer
caption	A tool for managing bibliographic databases
author	Gobry, Frédéric
license	gpl = GNU General Public License (free)
version	0.6

5034 *pydocstrip* – Scripted version of LaTeX docstrip

description	(no language specified) Pybliographer currently supports BibTeX files for reading and writing, and can also read Ovid files (from ovid.com). Support for Refer is available. This bibliographical manager can be used for searching, editing, reformatting, etc. It provides a simple framework that provides easy to use python classes and functions, and therefore can be extended to any usage (generating HTML pages according to bibliographic searches, etc). As an example, a simple tool called pybcheck is provided with the package to check for the validity of BibTeX files. In addition to the scripting environment, a graphical GNOME interface is available, providing editing capabilities in addition to a nice hierarchical search mechanism.
home page	http://pybliographer.org
keyword	bibtex-util (utilities for managing BibTeX files)
language(s)	no language specified
year	without year
last access	2025-02-07

5034 *pydocstrip* – Scripted version of LaTeX docstrip

Web page on CTAN <https://ctan.org/pkg/pydocstrip>

name	pydocstrip
caption	Scripted version of LaTeX docstrip
author	Huynh, Ky-Anh
license	gpl = GNU General Public License (free)
description	(no language specified) Pydocstrip is a Python script that provides several facilities not available via the LaTeX standard <i>docstrip</i> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/pydocstrip/README
on CTAN	https://ctan.org/tex-archive/support/pydocstrip
keyword	doc-supp (macros and tools for preparing documentation)
language(s)	no language specified
year	without year
last access	2025-02-07

5035 *pygmentex* – Use Pygments to format code listings in documents

Web page on CTAN <https://ctan.org/pkg/pygmentex>

name	pygmentex
caption	Use Pygments to format code listings in documents
author	Malaquias, José Romildo
copyright	José Romildo Malaquias (2014-2026)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.12.1 (2026-03-19)
last changes	2026-03-19
year	2026
description	(no language specified) PygmenTeX is a Python-based LaTeX package that can be used for typesetting code listings in a LaTeX document using Pygments. Pygments is a generic syntax highlighter for general use in all kinds of software such as forum systems, wikis or other applications that need to prettify source code.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/pygmentex/manual/pygmentex-manual.pdf
– local file	<code>./1336424804-pygmentex-manual.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/pygmentex/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pygmentex
on MikTeX	pygmentex
on TeXLive	pygmentex
keyword	listing (computer code listing)
keyword	synt-ht (highlight syntax of computer code, etc.)
language(s)	no language specified
last access	2026-03-28

5036 pyjupyter – Lightweight environment for typesetting Python code

Web page on CTAN <https://ctan.org/pkg/pyjupyter>

name	pyjupyter
caption	Lightweight environment for typesetting Python code
author	Bright, Bara Ouyèt�
copyright	Bara Ouyèt� Bright (2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2.0 (2026-03-15)
last changes	2026-03-15
year	2026
description	(no language specified) The pyjupyter package provides a lightweight and elegant environment for typesetting Python code in LaTeX documents with a visual style inspired by Jupyter notebooks. It leverages the listings package for syntax highlighting and tcolorbox for structured, breakable frames. Key features include: • Full support for French accents and UTF-8 encoding. • Intelligent syntax highlighting for Python operators and keywords. • A dedicated numbered option for line numbering. • Seamless integration with TeXstudio via an included .cwl file for auto-completion. • Robust handling of Python comments (#) using an optional argument syntax. • Font selection. • Code size modification.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pyjupyter/pyjupyter.pdf
– local file	./2098239250-pyjupyter.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pyjupyter/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pyjupyter
on MikTeX	pyjupyter
on TeXLive	pyjupyter

keyword	<code>listing</code> (computer code listing)
see also	see section 5038 on page 4561: (<code>pynotebook</code> – <code>pynotebook</code> presents (raw, Markdown or Python) codes (and execution with LuaLaTeX) as in a Jupyter Notebook)
language(s)	no language specified
last access	2026-03-26

5037 *pyluatex* – Execute Python code on the fly in your LaTeX documents

Web page on CTAN <https://ctan.org/pkg/pyluatex>

name	PyLuaTeX
caption	Execute Python code on the fly in your LaTeX documents
author	Enderle, Tobias
copyright	Tobias Enderle (2021-2024)
license	mit = MIT License (free)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.6.3
description	(no language specified) PyLuaTeX allows you to execute Python code and to include the resulting output in your LaTeX documents in a <i>single compilation run</i>. LaTeX documents must be compiled with LuaLaTeX for this to work. PyLuaTeX runs a Python <i>InteractiveInterpreter</i> (actually several if you use different sessions) in the background for on-the-fly code execution. Python code from your LaTeX file is sent to the background interpreter through a TCP socket. This approach allows your Python code to be executed and the output to be integrated in your LaTeX file in a single compilation run. No additional processing steps are needed. No intermediate files have to be written. No placeholders have to be inserted.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/pyluatex/pyluatex.pdf
– local file	<code>./4693879921-pyluatex.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/pyluatex/README.md
contact	<i>bugs</i> : https://github.com/tndrle/PyLuaTeX/issues
contact	<i>repository</i> : https://github.com/tndrle/PyLuaTeX
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/pyluatex

on MikT _E X	pyluatex
on T _E XLive	pyluatex
keyword	callback (call external code and process the result)
keyword	expl3 (expl3(unknown))
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
year	2024
last access	2025-02-07

5038 *pynotebook* – *pynotebook presents (raw, Markdown or Python) codes (and execution with LuaLaTeX) as in a Jupyter Notebook*

Web page on CTAN <https://ctan.org/pkg/pynotebook>

name	pynotebook
caption	pynotebook presents (raw, Markdown or Python) codes (and execution with LuaLaTeX) as in a Jupyter Notebook
author	Pierquet, Cédric
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.4 (2025-06-21)
last changes	2025-06-21
year	2025
description	(no language specified) This package provides environments to (re)create a jupyter notebook with: • raw blocks • markdown blocks (with full LaTeX support) • code blocks (python) with execution thanks to piton and PyLuaTeX
documentation	(no language specified) <i>Examples of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/pynotebook/doc/pynotebook-examples-pitonpyluatex.pdf
– local file	./9087009470-pynotebook-examples-pitonpyluatex.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/pynotebook/README.md

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pynotebook/doc/pynotebook-doc.pdf
– local file	<code>./3092485661-pynotebook-doc.pdf</code>
home page	https://forge.apps.education.fr/pierquetcedric/packages-latex
contact	<i>repository</i> : https://forge.apps.education.fr/pierquetcedric/packages-latex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pynotebook
on MikTeX	pynotebook
on T _E XLive	pynotebook
keyword	listing (computer code listing)
keyword	callback (call external code and process the result)
keyword	boxing (creating boxes)
language(s)	no language specified
last access	2025-06-29

5039 *python* – Embed Python code in LaTeX

Web page on CTAN	https://ctan.org/pkg/python
name	python
caption	Embed Python code in LaTeX
author	Ehmsen, Martin R.
license	gpl = GNU General Public License (free)
version	0.22 (2021-08-03)
last changes	2021-08-03
year	2021
description	(no language specified) The package enables you to embed Python code in LaTeX, and insert the script's output in the document.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/python/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/python
on MikTeX	python

on T _E XLive	python
keyword	callback (call external code and process the result)
language(s)	no language specified
last access	2025-02-07

5040 *pythonhighlight* – Highlighting of Python code, based on the listings package

Web page on CTAN <https://ctan.org/pkg/pythonhighlight>

name	pythonhighlight
caption	Highlighting of Python code, based on the listings package
author	Verdier, Olivier
copyright	Olivier Verdier (2009-2024)
license	other-free = Free license not otherwise listed (free)
version	(2024-03-18)
last changes	2024-03-18
year	2024
description	(no language specified) Highlighting of Python code, based on the listings package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pythonhighlight/README.md
home page	https://github.com/olivierverdier/python-latex-highlighting
contact	<i>support</i> : https://github.com/olivierverdier/python-latex-highlighting/issues
contact	<i>bugs</i> : https://github.com/olivierverdier/python-latex-highlighting/issues
contact	<i>repository</i> : https://github.com/olivierverdier/python-latex-highlighting
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pythonhighlight
on MikT _E X	pythonhighlight
on T _E XLive	pythonhighlight
keyword	listing (computer code listing)

see also	see section 3470 on page 3137: (listings – Typeset source code listings using LaTeX)
language(s)	no language specified
last access	2025-02-07

5041 *pythonimmediate* – Library to run Python code

Web page on CTAN <https://ctan.org/pkg/pythonimmediate>

name	<code>pythonimmediate</code>
caption	Library to run Python code
author	user202729
copyright	user202729 (2022-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.5.0 (2024-01-18)
last changes	2024-01-18
year	2024
description	(no language specified) Just like PerlTeX or PyLuaTeX (and unlike PythonTeX or lt3luabridge), this only requires a single run, and variables are persistent throughout the run. Unlike PerlTeX or PyLuaTeX, there is no restriction on compiler or script required to run the code. There are also debugging functionalities: TeX errors result in Python traceback, and Python errors result in TeX traceback. Errors in code executed with the <code>pycode</code> environment give the correct traceback point to the Python line of code in the TeX file. For advanced users, this package allows the user to manipulate the TeX state directly from within Python, so you don't need to write a single line of TeX code. CAUTION: In addition to this LaTeX package you need the Python <code>pythonimmediate-tex</code> package, which can be obtained from https://pypi.org/project/pythonimmediate-tex/.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/pythonimmediate/pythonimmediate.pdf
– local file	<code>./3407620809-pythonimmediate.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pythonimmediate/README
contact	<i>repository</i> : https://github.com/user202729/pythonimmediate-tex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pythonimmediate
on MikTeX	pythonimmediate
on T _E XLive	pythonimmediate
keyword	callback (call external code and process the result)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

5042 *pythontex* – Run Python from within a document, typesetting the results

Web page on CTAN <https://ctan.org/pkg/pythontex>

name	pythontex
caption	Run Python from within a document, typesetting the results
author	Poore, Geoffrey
copyright	Geoffrey M. Poore (2012-2026)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
license	bsd3 = 3-clause BSD License (free)
version	0.19 (2026-02-15)
last changes	2026-02-15
year	2026
description	(no language specified) The package allows you to enter Python code within a LaTeX document, execute the code, and access its output in the original document. There is also support for Bash, JavaScript, Julia, Octave, Perl, R, Raku (Perl 6), Ruby, Rust, and SageMath. Code is only executed when it has been modified, or when it meets user-specified criteria. Code may be divided into user-defined sessions, which automatically run in parallel. Errors and warnings are synchronized with the LaTeX document, so that they refer to the document's line numbers. External dependencies can be tracked, so that code is re-executed when the data it depends on is modified. PythonTeX

also provides syntax highlighting for code in LaTeX documents via the Pygments syntax highlighter.

The package provides a `depythontex` utility. This creates a copy of the document in which all Python code has been replaced by its output. This is useful for journal submissions, sharing documents, and conversion to other formats.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/pythontex/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pythontex/pythontex.pdf
– local file	<code>./3865171315-pythontex.pdf</code>
documentation	(no language specified) <i>Gallery of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/pythontex/pythontex_gallery.pdf
– local file	<code>./5939426492-pythontex_gallery.pdf</code>
documentation	(no language specified) <i>Quick start documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/pythontex/pythontex_quickstart.pdf
– local file	<code>./9028579759-pythontex_quickstart.pdf</code>
contact	<i>repository</i> : https://github.com/gpoore/pythontex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/pythontex
on MikTeX	<code>pythontex</code>
on TeXLive	<code>pythontex</code>
keyword	<code>tagged-pdf-incompatible</code> (tagged PDF incompatible)
keyword	<code>callback</code> (call external code and process the result)
see also	see section 4591 on page 4156: (<code>perltex</code> – Define LaTeX macros in terms of Perl code)
language(s)	no language specified
last access	2026-03-26

5043 pzccal – Zapf Chancery as calligraphic math alphabet

Web page on CTAN <https://ctan.org/pkg/pzccal>

name	pzccal
caption	Zapf Chancery as calligraphic math alphabet
author	Milde, Günter
copyright	Günter Milde (2008, 2010)
license	lpl = The LaTeX Project Public License (free)
version	0.3
description	(no language specified) The package establishes the Zapf Chancery font (<code>pzcmit</code>) as script (calligraphic) math alphabet <code>\mathpzc</code> . It provides options to scale the font and to configure the alias command name. By default, the package overwrites the predefined math alphabet command <code>\mathcal</code> . The author has now declared the package obsolete, since he believes that the urwchancal package does the job better.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/pzccal/README
documentation	(no language specified) <i>Example of appearance</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/pzccal/pzccal-test.pdf
– local file	<code>./6749169178-pzccal-test.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/pzccal/pzccal.sty.html
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/pzccal
on MikTeX	pzccal
keyword	font-supp-maths (metrics, macro incantations and other support for maths fonts)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
year	2010
last access	2025-02-07

5044 *q-and-a* – Typesetting Q&A-style conversation made easier

Web page on CTAN <https://ctan.org/pkg/q-and-a>

name	Q-and-A
caption	Typesetting Q&A-style conversation made easier
author	XU, Jinwen
copyright	Jinwen XU (2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2023-12-19)
last changes	2023-12-19
year	2023
description	(no language specified) <i>Q-and-A</i> is a LaTeX document class for you to typeset Q&A-style conversation. It turns simple pure text Q&A dialog into a carefully designed document. Notably, it features two themes, <i>ChatGPT-light</i> and <i>ChatGPT-dark</i>, enabling you to format your Q&A dialog in a way that closely resembles the interface of ChatGPT.
documentation	(no language specified) <i>Example of use (theme “ChatGPT-light”)</i>: https://ctan.org/tex-archive/macros/latex/contrib/q-and-a/demo/theme-ChatGPT/Q-and-A-demo-ChatGPT-light.pdf
– local file	<code>./3104963443-Q-and-A-demo-ChatGPT-light.pdf</code>
documentation	<i>Example of use (Chinese)</i>: https://ctan.org/tex-archive/macros/latex/contrib/q-and-a/demo/lang-cn/Q-and-A-demo-cn.pdf
– local file	<code>./9540880172-Q-and-A-demo-cn.pdf</code>
documentation	<i>Example of use (French)</i>: https://ctan.org/tex-archive/macros/latex/contrib/q-and-a/demo/lang-fr/Q-and-A-demo-fr.pdf
– local file	<code>./9948398996-Q-and-A-demo-fr.pdf</code>
documentation	(no language specified) <i>Example of use (theme “ChatGPT-classical-light”)</i>: https://ctan.org/tex-archive/macros/latex/contrib/q-and-a/demo/theme-ChatGPT-classical/Q-and-A-demo-ChatGPT-classical-light.pdf
– local file	<code>./6560354564-Q-and-A-demo-ChatGPT-classical-light.pdf</code>
documentation	<i>Example of use (German)</i>: https://ctan.org/tex-archive/macros/latex/contrib/q-and-a/demo/lang-de/Q-and-A-demo-de.pdf
– local file	<code>./3229985379-Q-and-A-demo-de.pdf</code>

documentation	(no language specified) <i>Example of use (theme “ChatGPT-classical-dark”)</i> : https://ctan.org/tex-archive/macros/latex/contrib/q-and-a/demo/theme-ChatGPT-classical/Q-and-A-demo-ChatGPT-classical-dark.pdf
– local file	<code>./9931384186-Q-and-A-demo-ChatGPT-classical-dark.pdf</code>
documentation	<i>Example of use (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/q-and-a/demo/lang-en/Q-and-A-demo-en.pdf
– local file	<code>./2446698244-Q-and-A-demo-en.pdf</code>
documentation	(no language specified) <i>Example of use (mode “multiple questions/answers”)</i> : https://ctan.org/tex-archive/macros/latex/contrib/q-and-a/demo/mode-multiple/Q-and-A-demo-multiple.pdf
– local file	<code>./2280689169-Q-and-A-demo-multiple.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/q-and-a/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/q-and-a/doc/Q-and-A-doc.pdf
– local file	<code>./8678657471-Q-and-A-doc.pdf</code>
documentation	(no language specified) <i>Example of use (theme “ChatGPT-dark”)</i> : https://ctan.org/tex-archive/macros/latex/contrib/q-and-a/demo/theme-ChatGPT/Q-and-A-demo-ChatGPT-dark.pdf
– local file	<code>./9709684554-Q-and-A-demo-ChatGPT-dark.pdf</code>
contact	<i>repository</i> : https://github.com/Jinwen-XU/Q-and-A
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/q-and-a
on MikTeX	<code>q-and-a</code>
on TeXLive	<code>q-and-a</code>
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>multilingual</code> (support for more than one (natural) language)
keyword	<code>article-like</code> (LaTeX article classes and their developments)
language(s)	German; English; French; Chinese
last access	2025-02-07

5045 *qbibman* – Graphical frontend to BibToolWeb page on CTAN <https://ctan.org/pkg/qbibman>

name	qbibman
caption	Graphical frontend to BibTool
author	Goertz, Ralf
license	gpl = GNU General Public License (free)
version	1.1
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/qbibman/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/qbibman
keyword	bibtex-util (utilities for managing BibTeX files)
see also	see section 710 on page 655: (BibTool – A tool for manipulating BibTeX files)
language(s)	no language specified
year	without year
last access	2025-02-07

5046 *qcircuit* – Macros to generate quantum circuitsWeb page on CTAN <https://ctan.org/pkg/qcircuit>

name	qcircuit
caption	Macros to generate quantum circuits
author	Eastin, Bryan
author	Flammia, Steven
author	Scholten, Travis L.
license	gpl2 = GNU General Public License, version 2 (free)
version	2.6.0
description	(no language specified) The package supports those within the quantum information community who typeset quantum circuits, using <i>xy-pic</i> package, offering macros designed to help users generate circuits.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/qcircuit/qcircuit.pdf
– local file	./7705961104-qcircuit.pdf

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/qcircuit/README.md
contact	<i>repository</i> : https://github.com/CQuIC/qcircuit
on CTAN	https://ctan.org/tex-archive/graphics/qcircuit
on MikTeX	qcircuit
on TeXLive	qcircuit
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
keyword	diagram-circ (circuit diagrams)
language(s)	no language specified
year	without year
last access	2025-02-07

5047 *qcm* – A LaTeX2e class for making multiple choice questionnaires

Web page on CTAN <https://ctan.org/pkg/qcm>

name	QCM
caption	A LaTeX2e class for making multiple choice questionnaires
author	Verna, Didier
copyright	Didier Verna (2004)
license	lpl = The LaTeX Project Public License (free)
version	2.1
description	(no language specified) QCM is a package for making multiple choices questionnaires under LaTeX2e ("QCM" is the French acronym for this style of test). A special environment allows you to define questions and possible answers. You can specify which answers are correct and which are not. QCM not only formats the questions for you, but also generates a 'form' (a grid that your students will have to fill in), and a 'mask' (the same grid, only with correct answers properly checked in). You can then print the mask on a slide and correct the questionnaires more easily by superimposing the mask on top of students' forms. QCM can also typeset exam corrections automatically, and comes with support for AUC-TeX .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/qcm/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/qcm/qcm.pdf
– local file	<code>./3262774237-qcm.pdf</code>

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/qcm
on MikTeX	qcm
on T _E XLive	qcm
keyword	exam (exams, quizzes, etc.)
see also	see section 4130 on page 3737: (multiple-choice – LaTeX package for multiple-choice questions)
language(s)	no language specified
year	2004
last access	2025-02-07

5048 *qdtexvpl* – Quick and dirty virtual font creation

Web page on CTAN <https://ctan.org/pkg/qdtexvpl>

name	qdtexvpl
caption	Quick and dirty virtual font creation
author	Mattes, Eberhard
copyright	Eberhard Mattes (1992)
license	noinfo = noinfo
version	1.0
description	(no language specified) Qdtexvpl is a tool for quick and dirty creation of virtual fonts. You create a TeX file which contains the TeX code to be put into the virtual font, run TeX on the file, and feed the DVI file into qdtexvpl, which creates a VPL file. Finally, you use VPtoVF to create a TFM file and a VF file from the VPL file.
documentation	(no language specified) <i>Package outline</i> : https://ctan.org/tex-archive/fonts/utilities/qdtexvpl/qdtexvpl.txt
on CTAN	https://ctan.org/tex-archive/fonts/utilities/qdtexvpl
keyword	font-proc (process fonts for use with TeX (includes installation))
see also	see section 2317 on page 2097: (fontinst – Help with installing fonts for TeX and LaTeX)
language(s)	no language specified
year	1992
last access	2025-02-07

5049 qed – Produce an “end-of-proof” mark

Web page on CTAN <https://ctan.org/pkg/qed>

name	qed
caption	Produce an “end-of-proof” mark
author	Taylor, Paul
copyright	Paul Taylor (1993-1996)
license	nosell = Do Not Sell Except by Arrangement (not free)
version	(1996-06-24)
last changes	1996-06-24
year	1996
description	(no language specified) Produces ‘end proof’ (and similar) mathematical marks, even at the end of displayed mathematics.
on CTAN	https://ctan.org/tex-archive/macros/generic/proofs/taylor/QED.sty
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

5050 qfig – DOS graphics program

Web page on CTAN <https://ctan.org/pkg/qfig>

name	qfig
caption	DOS graphics program
author	Ofosu-Amaah, William
license	other-free = Free license not otherwise listed (free)
version	1.1
description	(no language specified) Qfig is a DOS graphics program to generate output for PicTeX and epic .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/qfig/qfig11a.txt
on CTAN	https://ctan.org/tex-archive/support/qfig
keyword	graphics-prep (prepare graphics for use with *TeX)

language(s)	no language specified
year	without year
last access	2025-02-07

5051 *qfonts* – PostScript (Adobe Type 1) fonts in QX layout

Web page on CTAN <https://ctan.org/pkg/qfonts>

name	<i>qfonts</i>
caption	PostScript (Adobe Type 1) fonts in QX layout
author	Jackowski, Bogusław
author	JNS team
author	Nowacki, Janusz Marian
author	Strzelczyk, Piotr
license	gpl = GNU General Public License (free)
version	1.07

description (no language specified) IMPORTANT NOTICE: This package is now considered obsolete. Please use the **TeX-Gyre** fonts instead!

A collection of Type 1 fonts based on the **URW++ fonts** distributed with Ghostscript. The fonts are encoded according to QX layout which facilitates multilingual and technical typesetting using TeX, preserving usability in Windows applications.

The fonts have been superseded by the by the following **TeX-Gyre** fonts:

- The Quasi-Bookman (qbk) fonts are now available as **TeX-Gyre Bonum** ;
- the Quasi-Chancery (qzc) fonts are now available as **TeX-Gyre Chorus** ;
- the Quasi-Courier (qcr) fonts are now available as **TeX-Gyre Cursor** ;
- the Quasi-Swiss and Quasi-Swiss-Condensed (qhv) fonts are now available as **TeX-Gyre Heros** ;
- the Quasi-Palatino (qpl) fonts are now available as **TeX-Gyre Pagella** ; and
- the Quasi-Times (qtm) fonts are now available as **TeX-Gyre Termes** .

documentation	<i>Readme (Polish):</i> https://ctan.org/tex-archive/obsolete/fonts/psfonts/polish/qfonts/00czytaj
---------------	---

documentation	<i>Readme (English):</i> https://ctan.org/tex-archive/obsolete/fonts/psfonts/polish/qfonts/00readme
---------------	--

5052 *qm* – Commands for bras and kets and the like

on CTAN	https://ctan.org/tex-archive/obsolete/fonts/psfonts/polish/qfonts
keyword	obsolete (package declared obsolete)
keyword	font (fonts themselves)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	English; Polish
year	without year
last access	2025-02-07

5052 *qm* – Commands for bras and kets and the like

Web page on CTAN <https://ctan.org/pkg/qm>

name	qm
caption	Commands for bras and kets and the like
author	Christlieb, Norbert
license	noinfo = noinfo
version	1.1
description	(no language specified) The commands (<code>\bra</code> and <code>\ket</code> , etc.) operate both in text and maths mode (the arguments are set as maths).
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/qm.sty
keyword	physics (support for typesetting physics documents)
see also	see section 831 on page 761: (braket – Dirac bra-ket and set notations)
language(s)	no language specified
year	without year
last access	2025-02-07

5053 *qms* – VMS tools for controlling QMS printersWeb page on CTAN <https://ctan.org/pkg/qms>

name	qms
caption	VMS tools for controlling QMS printers
license	noinfo = noinfo
version	(1990-10-02)
last changes	1990-10-02
year	1990
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/dviware/qms/aaread.me
on CTAN	https://ctan.org/tex-archive/dviware/qms
keyword	data-prep (prepare data for use within TeX)
language(s)	no language specified
last access	2025-02-07

5054 *qobitree* – LaTeX macros for typesetting treesWeb page on CTAN <https://ctan.org/pkg/qobitree>

name	qobitree
caption	LaTeX macros for typesetting trees
author	Siskind, Jeffrey
license	lppl = The LaTeX Project Public License (free)
version	(2008-11-29)
last changes	2008-11-29
year	2008
description	(no language specified) Provides commands <code>\branch</code> and <code>\leaf</code> for specifying the elements of the tree; you build up your tree with those commands, and then issue the <code>\tree</code> command to typeset the whole.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/qobitree/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/qobitree
on MikTeX	qobitree

on T _E XLive	qobitree
keyword	tree (mechanisms for drawing trees)
language(s)	no language specified
last access	2025-02-07

5055 qrbill – Create QR bills using LaTeX

Web page on CTAN <https://ctan.org/pkg/qrbill>

name	qrbill
caption	Create QR bills using LaTeX
author	Peischl, Marei
author	Antener, Alex
copyright	Marei Peischl (2020-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	bsd3 = 3-clause BSD License (free)
version	2.01 (2023-07-24)
last changes	2023-07-24
year	2023
description	(no language specified) This LaTeX package provides support for creating QR-bills for the new Swiss payment standards. This open source implementation is intended to offer a free option to support these regulations and can be adapted for international use. Packages loaded by qrbill are expl3 , fontspec (except if one is using a custom font setup), graphicx , scrbase , qrcode , iftex , l3keys2e , and numprint .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/qrbill/qrbill.pdf
– local file	<code>./1738646186-qrbill.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/qrbill/README.md
contact	<i>bugs</i> : https://github.com/peitex/qrbill/issues
contact	<i>repository</i> : https://github.com/peitex/qrbill
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/qrbill
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/qrbill.tds.zip

on MikTeX	qrbill
on T _E XLive	qrbill
keyword	expl3 (expl3(unknown))
keyword	qrcode (typeset quick response codes)
keyword	invoice (typesetting and calculating invoices)
keyword	swiss (typesetting as done in Switzerland)
language(s)	no language specified
last access	2025-02-07

5056 *qrcode* – Generate QR codes in LaTeX

Web page on CTAN <https://ctan.org/pkg/qrcode>

name	qrcode
caption	Generate QR codes in LaTeX
author	Hendrickson, Anders O. F.
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.51
description	(no language specified) The package generates QR (Quick Response) codes in LaTeX, without the need for PSTricks or any other graphical package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/qrcode/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/qrcode/qrcode.pdf
– local file	./6343708816-qrcode.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/qrcode
on MikTeX	qrcode
on T _E XLive	qrcode
keyword	qrcode (typeset quick response codes)
keyword	rule (produce rules within a document)
keyword	barcode (barcodes and other machine-readable tags)
see also	see section 4882 on page 4415: (pst-barcode – Print barcodes using PostScript)
language(s)	no language specified

year without year
last access 2025-02-07

5057 *qrcodetikz* – Prettier QR codes

Web page on CTAN <https://ctan.org/pkg/qrcodetikz>

name	qrcodetikz
caption	Prettier QR codes
author	Frasson, Miguel Vinícius Santini
copyright	Miguel V. S. Frasson (2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2025-05-28)
last changes	2025-05-28
year	2025
description	(no language specified) This package improves the display of QR codes provided by qrcode . The Quick Response (QR) codes provided by package qrcode show white borders on each square (from little to very prominent, depending on the pdf viewer). This is because the QR code is printed square by square, not the connected regions of squares as such, and pdf screen viewers show these undesired borders. This package overwrites the qrcode printing functions to fill connected regions of the QR code using TikZ , allowing prettier qrcodes on screen visualization, with possibility of customization.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/qrcodetikz/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/qrcodetikz/qrcodetikz.pdf
– local file	./6601978429-qrcodetikz.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/qrcodetikz
on T _E XLive	qrcodetikz
keyword	expl3 (expl3(unknown))
keyword	pgf-tikz (package uses PGF-TikZ)

keyword qrcode (typeset quick response codes)
 language(s) no language specified
 last access 2025-06-05

5058 qrcstamps – Create QR codes using stamps

Web page on CTAN <https://ctan.org/pkg/qrcstamps>

name qrcstamps

caption Create QR codes using stamps

author Story, Donald P.

copyright D. P. Story (2017-2018)

license lpl1.2 = The LaTeX Project Public License 1.2 (free)

version 1.0 (2018-06-02)

last changes 2018-06-02

year 2018

description (no language specified) This package enables the document author to create QR Codes, the QR Code Symbology are cast onto a dynamic stamp annotation.

Adobe Distiller or `ps2pdf` can be used as the PDF creator, but the full Acrobat application is needed to perform post-creation tasks. Once the document is created and saved, it can be viewed by any appropriate PDF viewer.

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/qrcstamps/README.md>

documentation (no language specified) *User manual*: <https://ctan.org/tex-archive/macros/latex/contrib/qrcstamps/doc/qrcstamps-man.pdf>

– local file ./9328753427-qrcstamps-man.pdf

documentation (no language specified) *Package code and documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/qrcstamps/doc/qrcstamps.pdf>

– local file ./2364310309-qrcstamps.pdf

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/qrcstamps>

on MikTeX qrcstamps

keyword qrcode (typeset quick response codes)

keyword adobe-distiller (convert PostScript to PDF using Adobe Distiller)

5059 *qsharp* – Syntax highlighting for the Q# language

keyword	pdf-feat (access PDF features)
keyword	letter (typesetting letters, envelopes, faxes, etc)
language(s)	no language specified
last access	2025-02-07

5059 *qsharp* – Syntax highlighting for the Q# language

Web page on CTAN <https://ctan.org/pkg/qsharp>

name	qsharp
caption	Syntax highlighting for the Q# language
author	Granade, Christopher
copyright	Microsoft (2018)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3.1901.1401
description	(no language specified) The package provides syntax highlighting for the Q# language, a domain-specific language for quantum programming.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/qsharp/README.md
contact	<i>bugs</i> : https://github.com/msr-quarc/qsharp.sty/issues
contact	<i>repository</i> : https://github.com/msr-quarc/qsharp.sty
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/qsharp
on MikTeX	qsharp
on T _E XLive	qsharp
keyword	synt-hlt (highlight syntax of computer code, etc.)
language(s)	no language specified
year	2018
last access	2025-02-07

5060 *qstest* – Bundle for unit tests and pattern matching

Web page on CTAN <https://ctan.org/pkg/qstest>

name	qstest
caption	Bundle for unit tests and pattern matching
author	Kastrup, David
copyright	QuinScape GmbH (2006, 2007)
license	lppl = The LaTeX Project Public License (free)
version	(2007-02-23)
last changes	2007-02-23
year	2007
description	(no language specified) This is the public release of the qstest bundle (written for DocScape Publisher) (C) 2006, 2007 QuinScape GmbH. The bundle contains the packages ‘makematch’ for matching patterns to targets (with a generalization in the form of pattern lists and keyword lists), and ‘qstest’ for performing unit tests, allowing the user to run a number of logged tests ensuring the consistency of values, properties and call sequences during execution of test code. Both packages make extensive use of in their package documentation, providing illustrated examples that are automatically verified to work as expected. Check the README file for details.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/qstest/README
documentation	(no language specified) <i>qstest Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/qstest/qstest.pdf
– local file	<code>./4758922438-qstest.pdf</code>
documentation	(no language specified) <i>makematch Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/qstest/makematch.pdf
– local file	<code>./2611785774-makematch.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/qstest
on MikTeX	qstest
on T _E XLive	qstest
keyword	debug-supp (support for package or document debugging)
language(s)	no language specified

last access 2025-02-07

5061 *qsymbols* – Maths symbol abbreviations

Web page on CTAN <https://ctan.org/pkg/qsymbols>

name	qsymbols
caption	Maths symbol abbreviations
author	Rose, Kristoffer H.
license	gpl = GNU General Public License (free)
description	(no language specified) Provides macros for defining systematic mnemonic abbreviations, starting with ' for math symbols and \" for arrows, using standard symbols as well as those from the amsfonts bundle and the stmaryrd package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/qsymbols/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/qsymbols/qsymbols.pdf
– local file	./7604000699-qsymbols.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/qsymbols
on MikTeX	qsymbols
on TeXLive	qsymbols
keyword	shortcut (shortcuts when typing)
language(s)	no language specified
year	without year
last access	2025-02-07

5062 *qtree* – Draw tree structures

Web page on CTAN <https://ctan.org/pkg/qtree>

name	qtree
caption	Draw tree structures
author	Siskind, Jeffrey
author	Dimitriadis, Alexis

copyright	Alexis Dimitriadis (2006)
license	lppl = The LaTeX Project Public License (free)
version	3.1b
description	(no language specified) The package offers support for drawing tree diagrams, and is especially suitable for linguistics use. It allows trees to be specified in a simple bracket notation, automatically calculates branch sizes, and supports both DVI/PostScript and PDF output by use of pict2e facilities. The package is a development of the existing qobitree package, offering a new front end.
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/qtree/qtreenotes.pdf
– local file	<code>./7006588499-qtreenotes.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/qtree/README
documentation	(English) <i>Use of tree-dvips with qtree</i> : https://ctan.org/tex-archive/macros/latex/contrib/qtree/qarrows.pdf
– local file	<code>./4498250376-qarrows.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/qtree
on MikTeX	<code>qtree</code>
on TeXLive	<code>qtree</code>
keyword	linguistic (support for linguistics)
keyword	tree (mechanisms for drawing trees)
see also	see section 6311 on page 5706 : (<code>tree-dvips</code> – Trees and other linguists' macros)
language(s)	English
year	2006
last access	2025-02-07

5063 qualitytype – The QualiType font collection

Web page on CTAN <https://ctan.org/pkg/qualitytype>

name	qualitytype
caption	The QualiType font collection
author	Miller, Daniel Benjamin
copyright	Qualitytype (1992)
license	gpl2+ = GNU General Public License, version 2 or newer (free)
license	ofl = The SIL Open Font License (free)
version	(2019-12-26)
last changes	2019-12-26
year	2019
description	(no language specified) These 45 fonts were created by QualiType. With the kind permisison of John Colletti, these fonts have been released as free and open-source.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/qualitytype/doc/qualitytype-doc.pdf
– local file	./5667455736-qualitytype-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/qualitytype/README
on CTAN	https://ctan.org/tex-archive/fonts/qualitytype
on MikTeX	qualitytype
on T _E XLive	qualitytype
keyword	font-sans (sans-serif font)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font-serif (serif font)
keyword	font-proportional (variable-spaced font)
keyword	font (fonts themselves)
keyword	font-otf (font in OpenType format)
keyword	font-collection (listing a set of related fonts)
keyword	font-novelty (fonts designed more for fun than for actual use)

language(s) no language specified
last access 2025-02-07

5064 *quantikz* – Draw quantum circuit diagrams

Web page on CTAN <https://ctan.org/pkg/quantikz>

name *quantikz*
caption Draw quantum circuit diagrams
author Kay, Alastair
license cc-by-4 = CC BY 4.0 (free)
version 1.0.1 (2023-05-24)
last changes 2023-05-24
year 2023
description (no language specified) The purpose of this package is to extend TikZ with the functionality for drawing quantum circuit diagrams.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/graphics/pgf/contrib/quantikz/README.md>
documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/graphics/pgf/contrib/quantikz/quantikz.pdf>
– local file ./6403475294-quantikz.pdf
on CTAN <https://ctan.org/tex-archive/graphics/pgf/contrib/quantikz>
on MikTeX *quantikz*
on T_EXLive *quantikz*
keyword diagram-circ (circuit diagrams)
keyword graphics (graphics (support packages))
keyword pgf-tikz (package uses PGF-TikZ)
see also see section 5046 on page 4570: (*qcircuit* – Macros to generate quantum circuits)
language(s) no language specified
last access 2025-02-07

5065 quantum-chemistry-bonn – Use consistent typesetting for quantum chemistry related softwareWeb page on CTAN <https://ctan.org/pkg/quantum-chemistry-bonn>

name	quantum-chemistry-bonn
caption	Use consistent typesetting for quantum chemistry related software
author	Selzer, Christian
copyright	Christian Selzer (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1 (2025-06-04)
last changes	2025-06-04
year	2025
description	(no language specified) This package gives access to several commands related to quantum chemistry. This includes consistent formatting of names of QC programs, as well as methods such as density functionals. Furthermore, units of energy are set, and easy-to-use commands are provided. Lastly, the corporate design colors of the University of Bonn are defined.
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/quantum-chemistry-bonn/doc/quantum-chemistry-bonn-example.pdf
– local file	./4167559974-quantum-chemistry-bonn-example.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/quantum-chemistry-bonn/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/quantum-chemistry-bonn/doc/quantum-chemistry-bonn-doc.pdf
– local file	./5155362101-quantum-chemistry-bonn-doc.pdf
contact	<i>bugs:</i> https://github.com/chselz/quantum-chemistry-bonn/issues
contact	<i>repository:</i> https://github.com/chselz/quantum-chemistry-bonn/
contact	<i>development:</i> https://github.com/chselz/quantum-chemistry-bonn/pulls
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/quantum-chemistry-bonn
on MikTeX	quantum-chemistry-bonn

on T _E XLive	quantum-chemistry-bonn
keyword	scientific-docs (support for writers of scientific documents)
keyword	expl3 (expl3(unknown))
keyword	chemistry (chemistry document support)
language(s)	no language specified
last access	2025-06-09

5066 *quantumarticle* – Document class for submissions to the Quantum journal

Web page on CTAN <https://ctan.org/pkg/quantumarticle>

name	quantumarticle
caption	Document class for submissions to the Quantum journal
author	Quantum — the open journal for quantum science
author	Meyer, Johannes Jakob
author	Gogolin, Christian
copyright	Verein zur Förderung des Open Access Publizierens in den Quantenwissenschaften (2016-2022)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	6.1
description	(no language specified) This package provides the preferred document class for papers to be submitted to "Quantum — the open journal of quantum science". It is based on the widely used article document class and designed to allow a seamless transition from documents typeset with the article, revtex4-1, and elsarticle document classes. As a service to authors, the document class comes with a predefined bibliography style <code>quantum.bst</code> that is optimized to be used with the <code>quantumarticle</code> document class. Additionally, the <code>quantumview</code> documentclass is provided, which can be used as a proxy to typeset the HTML-only editorial pieces in Quantum Views in a LaTeX editor. The <code>quantumarticle</code> document class also offers an option to remove the Quantum-related branding. In that way, users appreciating the esthetics of this document class can use it for their notes as well.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/quantumarticle/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/quantumarticle/quantumarticle.pdf

5067 *quantumcubemodel* – Representation of quantum states in the quantum cube model

– local file	<code>./9369153669-quantumarticle.pdf</code>
documentation	(no language specified) <i>Example of use (template)</i> : https://ctan.org/tex-archive/macros/latex/contrib/quantumarticle/quantum-template.pdf
– local file	<code>./9236337213-quantum-template.pdf</code>
home page	https://quantum-journal.org
contact	<i>bugs</i> : https://github.com/quantum-journal/quantum-journal/issues
contact	<i>repository</i> : https://github.com/quantum-journal/quantum-journal
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/quantumarticle
on MikTeX	<code>quantumarticle</code>
on TeXLive	<code>quantumarticle</code>
keyword	<code>journalpub</code> (typesetting journals, etc)
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>physics</code> (support for typesetting physics documents)
language(s)	no language specified
year	2022
last access	2025-02-07

5067 *quantumcubemodel* – Representation of quantum states in the quantum cube model

Web page on CTAN	https://ctan.org/pkg/quantumcubemodel
name	<code>quantumcubemodel</code>
caption	Representation of quantum states in the quantum cube model
author	Schacht, Cedric
copyright	Cedric Schacht (2025)
license	mit = MIT License (free)
version	0.2.0 (2025-12-09)
last changes	2025-12-09
year	2025

description	(no language specified) This package provides simple LaTeX commands to draw intuitive cube-based diagrams for quantum states of one, two, or three qubits. Inspired by Prof. B. Just's educational framework, it supports amplitude-phase notation, gate transition visualizations (Hadamard, Pauli, CNOT, Toffoli). The package is ideal for teaching and documenting small quantum circuits.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/quantumcubemodel/quantumcubemodel-doc.pdf
– local file	<code>./2088414993-quantumcubemodel-doc.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/quantumcubemodel/README.md
contact	<i>bugs:</i> https://github.com/CedricSchacht/quantumcubemodel/issues
contact	<i>repository:</i> https://github.com/cedricschacht/quantumcubemodel
contact	<i>development:</i> https://github.com/cedricschacht/quantumcubemodel
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/quantumcubemodel
on MikTeX	quantumcubemodel
on T _E XLive	quantumcubemodel
keyword	graphics (graphics (support packages))
keyword	comp-sci (typeset computer-science related material)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2026-01-18

5068 *quattrocento* – Quattrocento and Quattrocento Sans fonts with LaTeX supportWeb page on CTAN <https://ctan.org/pkg/quattrocento>

name	quattrocento
caption	Quattrocento and Quattrocento Sans fonts with LaTeX support
author	Tennent, Bob
license	lppl = The LaTeX Project Public License (free)

license	ofl = The SIL Open Font License (free)
version	(2022-09-13)
last changes	2022-09-13
year	2022
description	(no language specified) The package provides LaTeX, pdfLaTeX, XeLaTeX and LuaLaTeX support for the Quattrocento and Quattrocento Sans families of fonts, designed by Pablo Impallari; the fonts themselves are also provided, in both TrueType and Type1 format. Quattrocento is a classic typeface with wide and open letterforms, and great x-height, which makes it very legible for body text at small sizes. Tiny details that only show up at bigger sizes make it also great for display use. Quattrocento Sans is the perfect sans-serif companion for Quattrocento.
documentation	(no language specified) <i>Readme (the primary documentation)</i>: https://ctan.org/tex-archive/fonts/quattrocento/README
documentation	(no language specified) <i>Font samples</i>: https://ctan.org/tex-archive/fonts/quattrocento/doc/quattrocento-samples.pdf
– local file	<code>./6340679959-quattrocento-samples.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/quattrocento
installation	https://ctan.org/tex-archive/install/fonts/quattrocento.tds.zip
on MikTeX	<code>quattrocento</code>
on T _E XLive	<code>quattrocento</code>
keyword	<code>font-sans</code> (sans-serif font)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-t1enc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font-ttf</code> (font available in TrueType format)
keyword	<code>font</code> (fonts themselves)
language(s)	no language specified
last access	2025-02-10

5069 *query-astro* – Querying astronomical databases in LaTeX

Web page on CTAN <https://ctan.org/pkg/query-astro>

name	<code>query-astro</code>
caption	Querying astronomical databases in LaTeX
author	Dao, Valentin
copyright	Valentin Dao (2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.0
description	(no language specified) The <code>query-astro</code> package is an experimental package developed to allow users to query astronomical databases directly from LaTeX. The query is performed by sending ADQL (Astronomical Data Query Language) instructions to a Table Access Protocol (TAP) service, so enabled <code>\write18</code> is required. The result is then stored in a macro, which can be used in the document.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/query-astro/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/query-astro/query-astro.pdf
– local file	<code>./3586129314-query-astro.pdf</code>
contact	<i>repository</i> : https://github.com/TeXackers/query-astro/tree/main
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/query-astro
keyword	astronomy (astronomy articles, astronomical charts)
keyword	<code>data-import</code> (importing data into documents)
language(s)	no language specified
year	2026
last access	2026-04-21

5070 *quickderivs* – Typeset derivatives and differentials with minimal input

Web page on CTAN <https://ctan.org/pkg/quickderivs>

name	quickderivs
caption	Typeset derivatives and differentials with minimal input
author	Petersen, James
copyright	James Petersen (2026)
license	mit = MIT License (free)
version	0.1.1 (2026-03-25)
last changes	2026-03-25
year	2026
description	(no language specified) This is a small LaTeX package containing macros allowing one to typeset mathematical derivatives quickly, similar to esdiff .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/quickderivs/quickderivs-doc.pdf
– local file	./8985804768-quickderivs-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/quickderivs/README.md
home page	https://jamespetersen.ca/quickderivs/
contact	<i>announce</i> : https://github.com/ljtpetersen/quickderivs/releases
contact	<i>bugs</i> : https://github.com/ljtpetersen/quickderivs/issues
contact	<i>repository</i> : https://github.com/ljtpetersen/quickderivs
contact	<i>development</i> : https://github.com/ljtpetersen/quickderivs
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/quickderivs
on MikTeX	quickderivs
on T _E XLive	quickderivs
keyword	maths (support for typesetting mathematics)
see also	see section 1610 on page 1460 : (<code>diffcoeff</code> – Write differential coefficients easily and consistently)
language(s)	no language specified
last access	2026-04-02

5071 *quickreaction* – A simple and fast way to typeset chemical reactions

Web page on CTAN <https://ctan.org/pkg/quickreaction>

name	quickreaction
caption	A simple and fast way to typeset chemical reactions
author	Lambertini, Francesco
copyright	Francesco Lambertini (2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.02.01 (2023-04-17)
last changes	2023-04-17
year	2023
description	(no language specified) This package provides the <code>quickreaction</code> environment and the <code>\quickarrow</code> command to simplify the typesetting of chemical reactions. It is based on the TikZ matrix of nodes and aligns all the reactants and products at the center of the TikZ box in which they are contained.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/quickreaction/quickreaction.pdf
– local file	<code>./8435640901-quickreaction.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/quickreaction/README.txt
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/quickreaction
on MikTeX	quickreaction
on TeXLive	quickreaction
keyword	chemistry (chemistry document support)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-02-07

5072 quicktype – LaTeX package for quick typesettingWeb page on CTAN <https://ctan.org/pkg/quicktype>

name	quicktype
caption	LaTeX package for quick typesetting
author	Mifsud, Xandru
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1
description	(no language specified) Intended for the quick typesetting of basic documents using LaTeX using shortcuts to existing commands and specific commands for quick formatting and creation of tables and title pages with a graphic image.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/quicktype/Quicktype.pdf
– local file	./2263336741-Quicktype.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/quicktype/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/quicktype
on MikTeX	quicktype
on TeXLive	quicktype
keyword	shortcut (shortcuts when typing)
language(s)	no language specified
year	without year
last access	2025-02-07

5073 quiver – Draw commutative diagrams exported from <https://q.uiver.app>Web page on CTAN <https://ctan.org/pkg/quiver>

name	quiver
caption	Draw commutative diagrams exported from https://q.uiver.app
author	varkor
license	mit = MIT License (free)
version	1.5.5

description	(no language specified) quiver is a modern graphical editor for commutative and pasting diagrams, capable of rendering high-quality diagrams for screen viewing, and exporting to LaTeX. This LaTeX package is intended to be used in conjunction with the editor, and provides the packages and styles that are used by diagrams exported from the editor.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/quiver/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/quiver/quiver-doc.pdf
– local file	<code>./7845915113-quiver-doc.pdf</code>
home page	https://q.uiver.app/
contact	<i>announce</i> : https://x.com/q_uiver_app
contact	<i>bugs</i> : https://github.com/varkor/quiver/issues
contact	<i>repository</i> : https://github.com/varkor/quiver
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/quiver
on MikTeX	quiver
on T _E XLive	quiver
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	diagram-comm (commutative diagrams)
keyword	graphics (graphics (support packages))
language(s)	no language specified
year	without year
last access	2025-07-03

5074 *quiz2socrative* – Prepare questions for socrative quizzes

Web page on CTAN	https://ctan.org/pkg/quiz2socrative
name	quiz2socrative
caption	Prepare questions for socrative quizzes
author	Lella, Paolo
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2019-10-01)

5075 *quizztex* – Create quizzes like in TV shows

last changes	2019-10-01
year	2019
description	(no language specified) This is a LaTeX package for preparing multiple choice, true/false, and short answer questions. Its main purpose is to offer a tool to easily insert rather complicated mathematical material in socrative quizzes (see https://socrative.com). The package requires the following other LaTeX packages: calc , etoolbox , graphicx , ifthen , listofitems , moresize , TikZ , pgfmath , xcolor , and xparse .
documentation	(Italian) <i>Example (a single question)</i> : https://ctan.org/tex-archive/macros/latex/contrib/quiz2socrative/sample-quiz2socrative-socrativeQuiz+standalone.pdf
documentation	(Italian) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/quiz2socrative/quiz2socrative-IT.pdf
– local file	<code>./3669076683-quiz2socrative-IT.pdf</code>
documentation	(Italian) <i>Example (sample quiz)</i> : https://ctan.org/tex-archive/macros/latex/contrib/quiz2socrative/sample-quiz2socrative-pdfQuiz.pdf
– local file	<code>./2514561498-sample-quiz2socrative-pdfQuiz.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/quiz2socrative/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/quiz2socrative
on MikTeX	quiz2socrative
on T _E XLive	quiz2socrative
keyword	exam (exams, quizzes, etc.)
language(s)	Italian
last access	2025-09-11

5075 *quizztex* – Create quizzes like in TV shows

Web page on CTAN	https://ctan.org/pkg/quizztex
name	quizztex
caption	Create quizzes like in TV shows
author	Pierquet, Cédric

5076 *quotation* – Typeset an attributed quotation

license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.4 (2024-09-10)
last changes	2024-09-10
year	2024
description	(no language specified) This LaTeX package permits to create quizzes in the style of the TV shows « Qui veut gagner des millions ? » (“Who Wants to Be a Millionaire?”) or « Tout le monde veut prendre sa place ! ».
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/quizztex/doc/quizztex-doc-fr.pdf
– local file	./5483514758-quizztex-doc-fr.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/quizztex/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/quizztex
on MikTeX	quizztex
on TeXLive	quizztex
keyword	exam (exams, quizzes, etc.)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	French
last access	2025-05-27

5076 *quotation* – Typeset an attributed quotation

Web page on CTAN	https://ctan.org/pkg/quotation
name	quotation
caption	Typeset an attributed quotation
license	noinfo = noinfo
version	(1993-02-15)
last changes	1993-02-15
year	1993
description	(no language specified) <code>\quotation</code> takes two arguments, the quotation itself, and the attribution. The quotation is set as a page-wide <code>\align</code> , so placement of <code>\cr</code> commands may be useful for best appearance.

on CTAN	https://ctan.org/tex-archive/macros/generic/misc/quotation.tex
on MikTeX	genmisc
keyword	quotation (displayed text)
language(s)	no language specified
last access	2025-02-07

5077 *quotchap* – Decorative chapter headings

Web page on CTAN	https://ctan.org/pkg/quotchap
name	quotchap
caption	Decorative chapter headings
author	Tinnefeld, Karsten
author	Klever, Jan
copyright	Jan Klever (2011-2020)
copyright	Karsten Tinnefeld (1998-2010)
license	gpl2 = GNU General Public License, version 2 (free)
version	1.3 (2020-11-13)
last changes	2020-11-13
year	2020
description	(no language specified) A package for creating decorative chapter headings with quotations. Uses graphical and coloured output and by default needs the "Adobe standard font set" (as supported by psnfss).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/quotchap/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/quotchap/quotchap.pdf
– local file	./7502633114-quotchap.pdf
documentation	(no language specified) <i>Sample document (chapter headings only)</i> : https://ctan.org/tex-archive/macros/latex/contrib/quotchap/document.pdf
– local file	./4575600651-document.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/quotchap

5078 quote – Match pairs of double-quote characters

on MikT _E X	quotchap
on T _E XLive	quotchap
keyword	headings (chapter, section, etc., heading styles)
language(s)	no language specified
last access	2025-02-07

5078 quote – Match pairs of double-quote characters

Web page on CTAN <https://ctan.org/pkg/quote>

name	quote
caption	Match pairs of double-quote characters
author	Goatley, Hunter
license	noinfo = noinfo
version	(1991-08-14)
last changes	1991-08-14
year	1991
description	(no language specified) The package creates macros that match pairs of the ASCII double quote character to produce the left- and right-double quote ligatures that exist in standard-encoded TeX fonts.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/quote.sty
keyword	shortcut (shortcuts when typing)
see also	see section 1410 on page 1274: (csquotes – Context sensitive quotation facilities)
language(s)	no language specified
last access	2025-02-07

5079 *quotes* – Smart double quotes in LaTeX inputWeb page on CTAN <https://ctan.org/pkg/quotes>

name	quotes
caption	Smart double quotes in LaTeX input
author	Bosisio, Francesco
copyright	F. Bosisio (1997-2010)
license	lppl = The LaTeX Project Public License (free)
version	2.2
description	(no language specified) A package to automatically translate the character " (ASCII double quote) to " or " so that opening and closing quotes are produced in the correct sequence. The package is part of the bosisio collection.
documentation	(no language specified) <i>Package documentation (HTML)</i> : https://ctan.org/tex-archive/macros/latex/contrib/bosisio/quotes.html
documentation	(no language specified) <i>Package documentation (PDF)</i> : https://ctan.org/tex-archive/macros/latex/contrib/bosisio/quotes.pdf
– local file	./9266446296-quotes.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bosisio/quotes.dtx
keyword	shortcut (shortcuts when typing)
language(s)	no language specified
year	2010
last access	2025-02-07

5080 *quoting* – Consolidated environment for displayed textWeb page on CTAN <https://ctan.org/pkg/quoting>

name	quoting
caption	Consolidated environment for displayed text
author	Titz, Thomas
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1c (2014-01-28)
last changes	2014-01-28

year	2014
description	(no language specified) As an alternative to the LaTeX standard environments quotation and quote , the package provides a consolidated environment for displayed text. First-line indentation may be activated by adding a blank line before the quoting environment. A key-value interface (using kvoptions) allows the user to configure font properties and spacing and to control orphans within and after the environment.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/quoting/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/quoting/quoting.pdf
– local file	./9356682772-quoting.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/quoting
on MikTeX	quoting
on T _E XLive	quoting
keyword	quotation (displayed text)
language(s)	no language specified
last access	2025-02-07

5081 *quotmark* – Consistent quote marks

Web page on CTAN <https://ctan.org/pkg/quotmark>

name	quotmark
caption	Consistent quote marks
author	Talbot, Nicola
copyright	Nicola Talbot (2007)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package provides a means of ensuring consistent quote marks throughout your document. The style can be changed either via package option or command, and the package detects language selections (from the babel or ngerman packages), and uses the punctuation marks appropriate for the current language. The author now considers the package obsolete, and recommends use of csquotes in its place.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/quotmark/doc/quotmark.pdf
– local file	<code>./8547064652-quotmark.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/quotmark/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/quotmark
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/quotmark.tds.zip
on MikTeX	<code>quotmark</code>
on TeXLive	<code>quotmark</code>
keyword	<code>quotation</code> (displayed text)
language(s)	no language specified
year	2007
last access	2025-02-07

5082 *quran* – An easy way to typeset any part of The Holy Quran

Web page on CTAN <https://ctan.org/pkg/quran>

name	<code>quran</code>
caption	An easy way to typeset any part of The Holy Quran
author	Razavian, Seïied-Mohammad-Javad
copyright	Seïied-Mohammad-Javad Razavian (2015-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.3 (2024-09-07)
last changes	2024-09-07
year	2024
description	(no language specified) This package offers the user an easy way to typeset The Holy Quran. It has been inspired by the <code>lipsum</code> and <code>ptext</code> packages and provides several macros for typesetting the whole or any part of the Quran based on its popular division, including <code>surah</code>, <code>ayah</code>, <code>juz</code>, <code>hizb</code>, <code>quarter</code>, and <code>page</code>. Besides the Arabic original, translations to English, German, French, and Persian are provided, as well as an English transliteration.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/quran/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/quran/doc/quran-doc.pdf
– local file	<code>./9644163396-quran-doc.pdf</code>
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/quran/doc/quran-test.pdf
– local file	<code>./9596842592-quran-test.pdf</code>
contact	<i>bugs</i> : https://github.com/javadr/quran/issues
contact	<i>repository</i> : https://github.com/javadr/quran
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/quran
on MikTeX	quran
on T _E XLive	quran
keyword	arabic (documentation in and support for typesetting Arabic)
keyword	macro-supp (support for development of (La)TeX macros)
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
keyword	dummy-gen (dummy text generator for tests and examples)
see also	see section 3464 on page 3132: (lipsum – Easy access to the Lorem Ipsum and other dummy texts)
see also	see section 5088 on page 4610: (quran-ur – Urdu translations to the quran package)
see also	see section 5084 on page 4606: (quran-de – German translations to the quran package)
see also	see section 5083 on page 4605: (quran-bn – Bengali translations to the quran package)
see also	see section 5004 on page 4530: (ptext – A ‘lipsum’ for Persian)
language(s)	no language specified
last access	2025-02-09

5083 *quran-bn* – Bengali translations to the quran package

Web page on CTAN <https://ctan.org/pkg/quran-bn>

name	quran-bn
caption	Bengali translations to the quran package
author	Razavian, Seied-Mohammad-Javad
copyright	Seied-Mohammad-Javad Razavian (2021-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2 (2023-09-22)
last changes	2023-09-22
year	2023
description	(no language specified) The package is prepared for typesetting some Bengali translations of the Holy Quran. It adds two Bengali translations to the quran package.
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/unicodetex/latex/quran-bn/doc/quran-bn-test.pdf
– local file	./3904789041-quran-bn-test.pdf
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/unicodetex/latex/quran-bn/doc/quran-bn-doc.pdf
– local file	./4878606749-quran-bn-doc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/unicodetex/latex/quran-bn/README
contact	<i>bugs:</i> https://github.com/javadr/quran-bn/issues
contact	<i>repository:</i> https://github.com/javadr/quran-bn
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/quran-bn
on MikTeX	quran-bn
on T _E XLive	quran-bn
keyword	bengali (support for typesetting Bengali)
keyword	macro-supp (support for development of (La)TeX macros)
keyword	dummy-gen (dummy text generator for tests and examples)

see also	see section 5082 on page 4603: (<code>quran</code> – An easy way to typeset any part of The Holy Quran)
see also	see section 5004 on page 4530: (<code>ptext</code> – A ‘lipsum’ for Persian)
see also	see section 3464 on page 3132: (<code>lipsum</code> – Easy access to the Lorem Ipsum and other dummy texts)
language(s)	no language specified
last access	2025-02-07

5084 *quran-de* – German translations to the quran package

Web page on CTAN <https://ctan.org/pkg/quran-de>

name	<code>quran-de</code>
caption	German translations to the quran package
author	Razavian, Seiiid-Mohammad-Javad
copyright	Seiiid-Mohammad-Javad Razavian (2018-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.21 (2025-03-31)
last changes	2025-03-31
year	2025
description	(no language specified) The package is prepared for typesetting some German translations of the Holy Quran. It adds three more German translations to the quran package.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/unicodetex/latex/quran-de/doc/quran-de-doc.pdf
– local file	<code>./7192115789-quran-de-doc.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/unicodetex/latex/quran-de/README
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/unicodetex/latex/quran-de/doc/quran-de-test.pdf
– local file	<code>./5144908795-quran-de-test.pdf</code>
contact	<i>bugs:</i> https://github.com/javadr/quran-de/issues
contact	<i>repository:</i> https://github.com/javadr/quran-de

on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/quran-de
on MikTeX	quran-de
on T _E XLive	quran-de
keyword	macro-supp (support for development of (La)TeX macros)
keyword	german (support for typesetting German)
keyword	dummy-gen (dummy text generator for tests and examples)
see also	see section 5082 on page 4603: (quran – An easy way to typeset any part of The Holy Quran)
see also	see section 3464 on page 3132: (lipsum – Easy access to the Lorem Ipsum and other dummy texts)
see also	see section 5004 on page 4530: (ptext – A ‘lipsum’ for Persian)
language(s)	no language specified
last access	2025-09-11

5085 *quran-en* – English translation extension to the quran package

Web page on CTAN	https://ctan.org/pkg/quran-en
name	quran-en
caption	English translation extension to the quran package
author	Razavian, Seiiid-Mohammad-Javad
copyright	Seiiid-Mohammad-Javad Razavian (2023-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.11 (2025-03-31)
last changes	2025-03-31
year	2025
description	(no language specified) This package is designed for typesetting multiple English translations of the Holy Quran. It adds 15 additional English translations to the quran package.
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/unicodetex/latex/quran-en/doc/quran-en-test.pdf
– local file	./4472856976-quran-en-test.pdf

5086 *quran-es* – Spanish Translations for the quran package

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/quran-en/doc/quran-en-doc.pdf
– local file	<code>./3005782968-quran-en-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/quran-en/README
contact	<i>bugs</i> : https://github.com/javadr/quran-en/issues
contact	<i>repository</i> : https://github.com/javadr/quran-en
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/quran-en
on MikTeX	<code>quran-en</code>
on T _E XLive	<code>quran-en</code>
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
keyword	<code>dummy-gen</code> (dummy text generator for tests and examples)
language(s)	no language specified
last access	2025-09-11

5086 *quran-es* – Spanish Translations for the quran package

Web page on CTAN	https://ctan.org/pkg/quran-es
name	<code>quran-es</code>
caption	Spanish Translations for the quran package
author	Razavian, Seied-Mohammad-Javad
copyright	Seied-Mohammad-Javad Razavian (2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.11 (2025-03-31)
last changes	2025-03-31
year	2025
description	(no language specified) The package is designed for typesetting several Spanish translations of the Holy Quran. It extends the quran package by adding three additional Spanish translations.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/quran-es/doc/quran-es-doc.pdf

5087 *quran-id* – Indonesian translation extension to the quran package

– local file	<code>./5115097806-quran-es-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/quran-es/README
contact	<i>bugs</i> : https://github.com/javadr/quran-es/issues
contact	<i>repository</i> : https://github.com/javadr/quran-es
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/quran-es
on MikTeX	quran-es
on T _E XLive	quran-es
keyword	macro-supp (support for development of (La)TeX macros)
keyword	dummy-gen (dummy text generator for tests and examples)
keyword	spanish (support for typesetting Spanish)
language(s)	no language specified
last access	2025-09-11

5087 *quran-id* – Indonesian translation extension to the quran package

Web page on CTAN	https://ctan.org/pkg/quran-id
name	quran-id
caption	Indonesian translation extension to the quran package
author	Razavian, Seiied-Mohammad-Javad
copyright	Seiied-Mohammad-Javad Razavian (2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.11 (2025-03-31)
last changes	2025-03-31
year	2025
description	(no language specified) The package is prepared for typesetting some Indonesian translations of the Holy Quran. It adds two Indonesian translations to the quran package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/quran-id/doc/quran-id-doc.pdf
– local file	<code>./6595136335-quran-id-doc.pdf</code>

5088 *quran-ur* – Urdu translations to the quran package

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/quran-id/README
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/quran-id/doc/quran-id-test.pdf
– local file	<code>./7796078711-quran-id-test.pdf</code>
contact	<i>bugs</i> : https://github.com/javadr/quran-id/issues
contact	<i>repository</i> : https://github.com/javadr/quran-id
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/quran-id
on MikTeX	quran-id
on T _E XLive	quran-id
keyword	bahasa-indonesia+malaysia (support for typesetting Bahasa Indonesia/Malaysia)
keyword	dummy-gen (dummy text generator for tests and examples)
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-09-11

5088 *quran-ur* – Urdu translations to the quran package

Web page on CTAN	https://ctan.org/pkg/quran-ur
name	quran-ur
caption	Urdu translations to the quran package
author	Razavian, Seiied-Mohammad-Javad
copyright	Seiied-Mohammad-Javad Razavian (2019-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.22 (2023-09-18)
last changes	2023-09-18
year	2023
description	(no language specified) The package is prepared for typesetting some Urdu translations of the Holy Quran. It adds eight Urdu translations to the quran package.

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/unicodetex/latex/quran-ur/doc/quran-ur-doc.pdf
– local file	<code>./8083358786-quran-ur-doc.pdf</code>
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/unicodetex/latex/quran-ur/doc/quran-ur-test.pdf
– local file	<code>./4675179424-quran-ur-test.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/unicodetex/latex/quran-ur/README
contact	<i>bugs:</i> https://github.com/javadr/quran-ur/issues
contact	<i>repository:</i> https://github.com/javadr/quran-ur
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/quran-ur
on MikTeX	quran-ur
on TeXLive	quran-ur
keyword	macro-supp (support for development of (La)TeX macros)
keyword	urdu (support for typesetting Urdu)
keyword	dummy-gen (dummy text generator for tests and examples)
see also	see section 5082 on page 4603: (quran – An easy way to typeset any part of The Holy Quran)
see also	see section 5004 on page 4530: (ptext – A ‘lipsum’ for Persian)
see also	see section 3464 on page 3132: (lipsum – Easy access to the Lorem Ipsum and other dummy texts)
language(s)	no language specified
last access	2025-02-07

5089 *qworld* – Drawing string diagrams for monoidal categories and quantum theory in TeX

Web page on CTAN <https://ctan.org/pkg/qworld>

name	QWorld
caption	Drawing string diagrams for monoidal categories and quantum theory in TeX
author	Ryota, Niina
copyright	Niina Ryota (2025)

license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1.2
description	(no language specified) This LaTeX package has been designed for the typesetting of graphical languages grounded in monoidal category theory and its extensions. It provides a declarative, LaTeX-native interface for rendering string diagrams, eliminating the need for any external graphics software or manual image management. The package supports a wide spectrum of categorical structures frequently encountered in categorical quantum mechanics, algebraic structures, and diagrammatic reasoning, including but not limited to: • Monoidal and symmetric monoidal categories • Dual objects and pivotal / rigid categories • Dagger categories • Frobenius algebras and Hopf algebras • Braided, balanced, and ribbon categories Internally, QWorld builds upon the TikZ graphics framework, but introduces a domain-specific layer of abstraction that aligns diagram syntax closely with categorical semantics. This design facilitates accurate and transparent visual representations of morphisms, tensor products, and composition, thereby supporting both formal exposition and pedagogical use. QWorld is intended for researchers and educators working in categorical logic, quantum foundations, topological quantum field theory (TQFT), and related domains where graphical calculi constitute an essential mode of reasoning.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/qworld/README.md
documentation	<i>Package documentation (Japanese)</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/qworld/doc/qworld.pdf
– local file	./1827753545-qworld.pdf
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/qworld/doc/qworld_en.pdf
– local file	./8731711251-qworld_en.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/qworld
on MikTeX	qworld
on T _E XLive	qworld
keyword	physics (support for typesetting physics documents)

keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>graphics</code> (graphics (support packages))
keyword	<code>diagram</code> (diagrams)
keyword	<code>diagram-circ</code> (circuit diagrams)
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	Japanese
year	2025
last access	2025-08-01

5090 *qyxf-book* – Book Template for Qian Yuan Xue Fu

Web page on CTAN <https://ctan.org/pkg/qyxf-book>

name	<code>qyxf-book</code>
caption	Book Template for Qian Yuan Xue Fu
author	You, Jiarui
copyright	Qian Yuan Xue Fu (2020)
license	mit = MIT License (free)
version	3.1.0 (2020-09-11)
last changes	2020-09-11
year	2020
description	(no language specified) <code>qyxf-book</code> is a LaTeX document class (template) developed by Qian Yuan Xue Fu (QYXF), a student club of Xi'an Jiaotong University (XJTU). Up to now, this template has been applied to academic counselling material ("course helpers") written by members of QYXF, including • Solutions to University Physics: https://qyxf.site/latest/大物题解(上).pdf • Notes on Computing Methods: https://qyxf.site/latest/计算方法撷英-v1.1.pdf • Guide to Computer Programming: https://qyxf.site/latest/计算机设计程序指南.pdf

Features of the template:

- Minimalistic document style, as preferred for "course helpers".

- Several color schemes are offered, and it is easy to customize your own scheme.
- Simple interfaces for users to customize the style of preface, main part and so on.

Currently the template is only designed for *Chinese* typesetting.

documentation	(Chinese) <i>User manual / example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/qyxf-book/qyxf-book-doc.pdf
– local file	<code>./5468254056-qyxf-book-doc.pdf</code>
documentation	(no language specified) <i>Readme (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/qyxf-book/README.md
documentation	<i>Readme (Chinese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/qyxf-book/README.zh.md
contact	<i>bugs</i> : https://gitee.com/qyxf/qyxf-book/issues
contact	<i>repository</i> : https://gitee.com/qyxf/qyxf-book
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/qyxf-book
on MikTeX	<code>qyxf-book</code>
on TeXLive	<code>qyxf-book</code>
keyword	<code>chinese</code> (support for typesetting Chinese languages)
keyword	<code>book-pub</code> (preparing a book for publication)
keyword	<code>class</code> (alternative LaTeX class(es))
language(s)	Chinese
last access	2025-02-07

5091 *r-und-s* – Chemical hazard codes

Web page on CTAN <https://ctan.org/pkg/r-und-s>

name	<code>r_und_s</code>
caption	Chemical hazard codes
author	Nordenholz, Thiemo
copyright	Thiemo Nordenholz (1997-2005)
license	other-free = Free license not otherwise listed (free)
version	1.3i

5092 *r2bib* – Convert refer and EndNote files to BibTeX

description	(no language specified) The <i>r_und_s</i> package decodes the german ‘R- und S-Sätze’, which are numerically coded security advice for chemical substances into plain text. This is, e.g., used to compose security sheets or lab protocols and especially useful for students of chemistry. There are four packages, giving texts in German, English, French and Dutch.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/r_und_s/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/r_und_s
on MikTeX	<i>r_und_s</i>
on TeXLive	<i>r_und_s</i>
keyword	<i>safety-notice</i> (risk and safety (etc.) notices)
see also	see section 3952 on page 3574: (<i>mhchem</i> – Typeset chemical formulae/equations and H and P statements)
language(s)	no language specified
year	2005
last access	2025-02-07

5092 *r2bib* – Convert refer and EndNote files to BibTeX

Web page on CTAN <https://ctan.org/pkg/r2bib>

name	<i>r2bib</i>
caption	Convert refer and EndNote files to BibTeX
author	Mathar, Richard J
license	other-free = Free license not otherwise listed (free)
version	(2015-12-07)
last changes	2015-12-07
year	2015
description	(no language specified) <i>R2bib</i> and <i>EndNote2bib</i> read files (respectively in refer and EndNote format) and produces a BibTeX reference list on the standard output. Since refer files are inherently unstructured, <i>r2bib</i> only does a passable job (for example, it may need to invent a key for an entry, and it has to guess what BibTeX entry type to generate).

5093 *ragged* – Generic ragged left and ragged right options

EndNote tags may not always match those recognised by EndNote2bib; a further filter program EndNoteTag is provided

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/r2bib/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/r2bib
keyword	bibtex-gen (derive BibTeX data from resources other than BibTeX libraries)
see also	see section 1902 on page 1718: (EndNote2bib – Convert EndNote files to BibTeX)
language(s)	no language specified
last access	2025-02-07

5093 *ragged* – Generic ragged left and ragged right options

Web page on CTAN <https://ctan.org/pkg/ragged>

name	ragged
caption	Generic ragged left and ragged right options
author	Siebenmann, Laurent
license	noinfo = noinfo
version	(1996-03-30)
last changes	1996-03-30
year	1996
description	(no language specified) Provides any TeX format (including LaTeX) with ‘ragged left’ and ‘ragged centre’ formatting of paragraphs while maintaining full control of hyphenation and degree of raggedness.
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/ragged.sty
keyword	layout (layout of objects on the page)
see also	see section 5094 on page 4617: (ragged2e – Alternative versions of “ragged”-type commands)
see also	see section 5095 on page 4618: (raggedr – Set an entire document raggedright)
language(s)	no language specified
last access	2025-02-07

5094 *ragged2e* – Alternative versions of “ragged”-type commands

Web page on CTAN <https://ctan.org/pkg/ragged2e>

name	ragged2e
caption	Alternative versions of “ragged”-type commands
author	Peischl, Marei
author	Schröder, Martin
copyright	Martin Schröder (1996-2019)
copyright	Marei Peischl(peiTeX) (2021-2023)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.6 (2023-06-22)
last changes	2023-06-22
year	2023
description	(no language specified) The package defines new commands <code>\Centering</code> , <code>\RaggedLeft</code> , and <code>\RaggedRight</code> and new environments <code>Center</code> , <code>FlushLeft</code> , and <code>FlushRight</code> , which set ragged text and are easily configurable to allow hyphenation (the corresponding commands in LaTeX, all of whose names are lower-case, prevent hyphenation altogether).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ragged2e/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ragged2e/ragged2e.pdf
– local file	<code>./6122464611-ragged2e.pdf</code>
contact	<i>bugs</i> : https://gitlab.com/TeXhackse/ragged2e/-/issues
contact	<i>repository</i> : https://gitlab.com/TeXhackse/ragged2e
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ragged2e
on MikTeX	ragged2e
on TeXLive	ragged2e
keyword	parshape (non-standard paragraph shapes)
keyword	layout (layout of objects on the page)
see also	see section 2050 on page 1852: (<code>everyysel</code> – Provides hooks into <code>\selectfont</code>)
language(s)	no language specified
last access	2025-02-07

5095 *raggedr* – Set an entire document raggedrightWeb page on CTAN <https://ctan.org/pkg/raggedr>

name	raggedr
caption	Set an entire document raggedright
author	Kilfiger, James
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) This package has been incorporated into <i>ragged2e</i> .
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/misc/raggedr.sty
keyword	layout (layout of objects on the page)
keyword	obsolete (package declared obsolete)
see also	see section 5094 on page 4617: (<i>ragged2e</i> – Alternative versions of “ragged”-type commands)
language(s)	no language specified
year	without year
last access	2025-02-07

5096 *rail* – Syntax specification in EBNFWeb page on CTAN <https://ctan.org/pkg/rail>

name	rail
caption	Syntax specification in EBNF
author	Barthelmann, Klaus Georg
author	Rooijakkers, Luc
license	noinfo = noinfo
version	1.2
description	(no language specified) A C program and LaTeX package to draw syntax diagrams specified in EBNF.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/rail/rail.ps
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/rail/README
on CTAN	https://ctan.org/tex-archive/support/rail

keyword	syntax (syntax of computer science constructs)
keyword	diagram (diagrams)
see also	see section 5782 on page 5240: (<i>syngen</i> – A tool for generating syntax diagrams from BNF)
language(s)	no language specified
year	without year
last access	2025-02-07

5097 *rainbowbrackets* – Automatic coloring of nested parentheses

Web page on CTAN <https://ctan.org/pkg/rainbowbrackets>

name	rainbowbrackets
caption	Automatic coloring of nested parentheses
author	Koenig, Paul Eduard
copyright	Paul Eduard Koenig (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2.1 (2025-07-20)
last changes	2025-07-20
year	2025
description	(no language specified) The primary function of this package is to replicate a common feature found in many integrated development environments (IDEs), wherein matching parentheses at the same nesting level are assigned corresponding colors. This visual aid facilitates improved readability and cognitive parsing of complex expressions.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rainbowbrackets/rainbowbrackets_doc.pdf
– local file	./2085988700-rainbowbrackets_doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/rainbowbrackets/README.md
contact	<i>bugs</i> : https://github.com/fragoli/rainbowbrackets/issues
contact	<i>repository</i> : https://github.com/fragoli/rainbowbrackets
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rainbowbrackets
on MikTeX	rainbowbrackets

on T _E XLive	rainbowbrackets
keyword	paren-mgmt (match and otherwise manage parentheses)
language(s)	no language specified
last access	2025-07-31

5098 *rake4latex* – A rake-based tool to compile LaTeX projects

Web page on CTAN <https://ctan.org/pkg/rake4latex>

name	rake4latex
caption	A rake-based tool to compile LaTeX projects
author	Lickert, Knut
license	lppl = The LaTeX Project Public License (free)
version	0.1.3
description	(no language specified) The package provides a tool that compiles LaTeX-documents as often as needed, including makeindex and BibTeX calls. A simple interface to the rake4latex-gem (Ruby/Rake) is provided, and an exe-file for windows (the exe-file requires no Ruby or Rake). The gem itself is available at the RubyGems .
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/support/rake4latex/README
on CTAN	https://ctan.org/tex-archive/support/rake4latex
keyword	compilation (the document compilation process)
language(s)	no language specified
year	without year
last access	2025-02-07

5099 raleway – Use Raleway with TeX(-alike) systems

Web page on CTAN <https://ctan.org/pkg/raleway>

name	raleway
caption	Use Raleway with TeX(-alike) systems
author	Hofstra, Silke
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
license	ofl = The SIL Open Font License (free)
version	1.6
description	(no language specified) The package provides the Raleway family in an easy to use way. For XeLaTeX and LuaLaTeX users the original OpenType fonts are used. The entire font family is included.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/raleway/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/raleway/doc/raleway.pdf
– local file	./1726659765-raleway.pdf
contact	<i>bugs</i> : https://gitlab.com/slhx/latex/raleway/-/issues
contact	<i>repository</i> : https://gitlab.com/slhx/latex/raleway/
on CTAN	https://ctan.org/tex-archive/fonts/raleway
installation	https://ctan.org/tex-archive/install/fonts/raleway.tds.zip
on MikTeX	raleway
on TeXLive	raleway
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
keyword	font-otf (font in OpenType format)
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-sans (sans-serif font)
language(s)	no language specified
year	without year
last access	2025-04-22

5100 *ran_toks* – Randomise token strings

Web page on CTAN https://ctan.org/pkg/ran_toks

name	<code>ran_toks</code>
caption	Randomise token strings
author	Story, Donald P.
copyright	D. P. Story (1999-2021)
license	lpl1 = The LaTeX Project Public License 1 (free)
version	(2021-06-06)
last changes	2021-06-06
year	2021
description	(no language specified) The package provides means of randomising lists of tokens, or lists of chunks of tokens. Two mechanisms for defining chunks are provided: • the <code>\ranToks</code> command accepts an argument containing tokens to be randomised; and • the <code>\bRTVToks</code> / <code>\eRTVToks</code> commands delimit a collection of tokens for randomising; each group inside a <code>rtVw</code> constitutes one of these (typically larger) token sets.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ran_toks/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ran_toks/docs/rantoks_man.pdf
– local file	<code>./4905416834-rantoks_man.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ran_toks
on MikTeX	<code>ran_toks</code>
on T _E XLive	<code>ran_toks</code>
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

5101 randbild – Marginal pictures

Web page on CTAN <https://ctan.org/pkg/randbild>

name	randbild
caption	Marginal pictures
author	Ebermann, Paul
copyright	Paul Ebermann (2005-2006)
license	lppl = The LaTeX Project Public License (free)
version	0.2
description	(no language specified) Provides environments <code>randbild</code> to draw small marginal plots (using the packages <code>pstricks</code> and <code>pst-plot</code>), and <code>randbildbasis</code> (the same, only without the automatically drawn coordinate system).
documentation	(no language specified) <i>Readme (bilingual)</i> : https://ctan.org/tex-archive/macros/latex/contrib/randbild/README
documentation	(German) <i>Benutzerdoku</i> : https://ctan.org/tex-archive/macros/latex/contrib/randbild/randbild.pdf
– local file	<code>./3104845863-randbild.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/randbild
on MikTeX	randbild
on T _E XLive	randbild
keyword	graphics-use (graphics (typesetting actual pictures))
language(s)	German
year	2006
last access	2025-02-07

5102 *randexam* – Make an exam paper and its randomized variants

Web page on CTAN <https://ctan.org/pkg/randexam>

name	randexam
caption	Make an exam paper and its randomized variants
author	Lyu, Jianrui
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2024F (2024-07-09)
last changes	2024-07-09
year	2024
description	(no language specified) This class helps you make an exam paper and its randomized variants. It mainly focuses on making math exam papers, but you could use it to make other exam papers.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/randexam/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/randexam/randexam.pdf
– local file	./5310185230-randexam.pdf
home page	https://github.com/lvjrr/randexam/wiki
contact	<i>support</i> : https://github.com/lvjrr/randexam/discussions
contact	<i>announce</i> : https://github.com/lvjrr/randexam/wiki/ChangeLog
contact	<i>bugs</i> : https://github.com/lvjrr/randexam/issues
contact	<i>repository</i> : https://github.com/lvjrr/randexam
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/randexam
on MikTeX	randexam
on T _E XLive	randexam
keyword	exam (exams, quizzes, etc.)
see also	see section 2056 on page 1858 : (exam-randomizechoices – Randomize mc choices using the exam class)
see also	see section 3852 on page 3483 : (mcexam – Create randomized Multiple Choice questions)

see also	see section 2063 on page 1865: (examz – Randomized exams with multiple versions)
language(s)	no language specified
last access	2025-02-07

5103 `randintlist` – Creating random integer number lists, with repeating and sorting options

Web page on CTAN <https://ctan.org/pkg/randintlist>

name	<code>randintlist</code>
caption	Creating random integer number lists, with repeating and sorting options
author	Pierquet, Cédric
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.5 (2025-08-27)
last changes	2025-08-27
year	2025
description	(no language specified) This package (like <code>luarandom</code> , but without the obligation to use <code>LuaLaTeX</code>) provides some macros for creating random integer number lists between <code>a</code> and <code>b</code> . This list can have multiple numbers or not, and this list can be sorted or not.
documentation	(no language specified) <i>Package documentation (LaTeX3 version)</i> : https://ctan.org/tex-archive/macros/latex/contrib/randintlist/doc/randintlist-l3-doc.pdf
– local file	<code>./8445467078-randintlist-l3-doc.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/randintlist/doc/randintlist-doc.pdf
– local file	<code>./5922954503-randintlist-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/randintlist/README.md
contact	<i>bugs</i> : https://github.com/cpierquet/latex-packages/issues
contact	<i>repository</i> : https://github.com/cpierquet/latex-packages/tree/main/randintlist
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/randintlist

on MikTeX	randintlist
on T _E XLive	randintlist
keyword	random (generate and/or use pseudo-random numbers)
keyword	expl3 (expl3(unknown))
keyword	calculation (perform calculations within TeX)
language(s)	no language specified
last access	2025-08-31

5104 *random* – Generating “random” numbers in TeX

Web page on CTAN <https://ctan.org/pkg/random>

name	random
caption	Generating “random” numbers in TeX
author	Arseneau, Donald
license	pd = Public Domain Software (free)
version	0.2
description	(no language specified) Generates pseudo-random integers in the range 1 to 2^{31} . Macros are to provide random integers in a given range, or random dimensions which can be used to provide random ‘real’ numbers, are also available.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/random/random-doc.pdf
– local file	./5743979057-random-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/random/README.md
on CTAN	https://ctan.org/tex-archive/macros/generic/random
on MikTeX	genmisc
on T _E XLive	random
keyword	calculation (perform calculations within TeX)
keyword	random (generate and/or use pseudo-random numbers)
see also	see section 3364 on page 3034: (l _{cg} – Generate random integers)
language(s)	no language specified
year	without year

last access 2025-02-07

5105 *randomlist* – Deal with database, loop, and random in order to build personalized exercises

Web page on CTAN <https://ctan.org/pkg/randomlist>

name	<code>randomlist</code>
caption	Deal with database, loop, and random in order to build personalized exercises
author	Charpentier, Jean-Côme
author	Tellechea, Christian
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3
description	(no language specified) The main aim of this package is to work on lists, especially with random operations. The hidden aim is to build a personnal collection of exercises with different data for each pupil.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/randomlist/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/randomlist/randomlist.pdf
– local file	<code>./3365883775-randomlist.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/generic/randomlist
on MikTeX	<code>randomlist</code>
on TeXLive	<code>randomlist</code>
keyword	<code>list</code> (list: general)
keyword	<code>list-suppl</code> (list support)
language(s)	no language specified
year	without year
last access	2025-02-07

5106 randomwalk – Random walks using TikZ

Web page on CTAN <https://ctan.org/pkg/randomwalk>

name	randomwalk
caption	Random walks using TikZ
author	Le Floch, Bruno
copyright	Bruno Le Floch (2011-2018)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.6 (2018-12-28)
last changes	2018-12-28
year	2018
description	(no language specified) The randomwalk package provides a user command, <code>\RandomWalk</code>, to draw random walks with a given number of steps. Lengths and angles of the steps can be customized in various ways. The package uses lcg for its ‘random’ numbers and PGF/TikZ for its graphical output.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/randomwalk/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/randomwalk/randomwalk.pdf
– local file	<code>./7986610364-randomwalk.pdf</code>
contact	<i>repository</i> : https://github.com/blefloch/latex-randomwalk
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/randomwalk
on MikTeX	randomwalk
on TeXLive	randomwalk
keyword	calculation (perform calculations within TeX)
keyword	random (generate and/or use pseudo-random numbers)
keyword	expl3 (expl3(unknown))
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
language(s)	no language specified
last access	2025-02-07

5107 *randtext* – Randomise the order of characters in strings

Web page on CTAN <https://ctan.org/pkg/randtext>

name	randtext
caption	Randomise the order of characters in strings
author	Duan, Charles
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The package provides a single macro <code>\randomize{TEXT}</code> that typesets the characters of <code>TEXT</code> in random order, such that the resulting output appears correct, but most automated attempts to read the file will misunderstand it. This function allows one to include an email address in a TeX document and publish it online without fear of email address harvesters or spammers easily picking up the address.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/randtext/randtext-doc.pdf
– local file	<code>./2634018762-randtext-doc.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/randtext/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/randtext
on MikTeX	randtext
on TeXLive	randtext
keyword	security (document security measures)
language(s)	no language specified
year	without year
last access	2025-02-07

5108]

rangecite – Will turn a range of citations into something like [1..3]

Web page on CTAN <https://ctan.org/pkg/rangecite>

name	<code>rangecite</code>
caption	Will turn a range of citations into something like [1..3]
author	Dershowitz, Nachum
author	Reingold, Edward M.
license	pd = Public Domain Software (free)
version	(1990-04-12)
last changes	1990-04-12
year	1990
description	(no language specified) A ‘jiffy’ that converts a range of citations into something like [1-3].
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/rangecite.sty
keyword	<code>cite-supp</code> (citation support)
see also	see section 1090 on page 992: (<code>cite</code> – Improved citation handling in LaTeX)
language(s)	no language specified
last access	2025-02-07

5109 *rangen* – Generate random integers, rational and decimal numbers

Web page on CTAN <https://ctan.org/pkg/rangen>

name	<code>rangen</code>
caption	Generate random integers, rational and decimal numbers
author	Story, Donald P.
copyright	D. P. Story (1999-2002)
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.4
description	(no language specified) The package generates random integers, rational numbers, and decimal numbers. The package uses the <code>lcg</code> package to generate random integers, and then builds rational numbers and decimal numbers from the generated integers.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/rangen/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rangen/doc/rangen_man.pdf
– local file	./7726705429-rangen_man.pdf
home page	http://www.math.uakron.edu/~dpstory/rangen.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rangen
on MikTeX	rangen
keyword	calculation (perform calculations within TeX)
keyword	random (generate and/or use pseudo-random numbers)
language(s)	no language specified
year	2002
last access	2025-02-07

5110 rank-2-roots – Draw (mathematical) rank 2 root systems

Web page on CTAN	https://ctan.org/pkg/rank-2-roots
name	rank-2-roots
caption	Draw (mathematical) rank 2 root systems
author	McKay, Benjamin
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2 (2023-09-03)
last changes	2023-09-03
year	2023
description	(no language specified) This package concerns mathematical drawings arising in representation theory. The purpose of this package is to ease drawing of rank 2 root systems, with Weyl chambers, weight lattices, and parabolic subgroups. Required packages are tikz , etoolbox , expl3 , pgfkeys , pgfopts , xparse , and xstring .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/rank-2-roots/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/rank-2-roots/rank-2-roots.pdf

5111 *ransom* – A “very bad typewriter” font

– local file	<code>./9401463062-rank-2-roots.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/rank-2-roots
on MikTeX	<code>rank-2-roots</code>
on TeXLive	<code>rank-2-roots</code>
keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-02-07

5111 *ransom* – A “very bad typewriter” font

Web page on CTAN <https://ctan.org/pkg/ransom>

name	<code>ransom</code>
caption	A “very bad typewriter” font
author	Knuth, Donald E.
license	knuth = Knuth License (free)
version	(1992-09-02)
last changes	1992-09-02
year	1992
description	(no language specified) This font was developed for Metafont-for-SAIL, and the sources are no longer available (they wouldn’t help much even if we had them). It is (just about) possible to use the fonts — available solely as a fixed-size 300dpi copy — as they are.
documentation	(no language specified) <i>Sample of use (completely unthreatening)</i> : https://ctan.org/tex-archive/fonts/ransom/origin.ps
on CTAN	https://ctan.org/tex-archive/fonts/ransom
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-adhoc</code> (font distributed in an ad-hoc fashion)
keyword	<code>font-novelty</code> (fonts designed more for fun than for actual use)
language(s)	no language specified
last access	2025-02-11

5112 *ratex* – A package for German lawyers

Web page on CTAN <https://ctan.org/pkg/ratex>

name	ratex
caption	A package for German lawyers
author	Vosberg, Friedrich
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) RATeX is a newly developed bundle of packages and classes provided for German lawyers. Now in the early beginning it only contains rtklage, a class to make lawsuits.
documentation	(German) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/rtklage/README
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rtklage/rtklage.pdf
– local file	./5185709668-rtklage.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rtklage
on T _E XLive	rtklage
keyword	legal (typesetting legal documents or study material)
keyword	german (support for typesetting German)
language(s)	German
year	without year
last access	2025-02-07

5113 *ratexdb* – Database reports using LaTeX and Ruby

Web page on CTAN <https://ctan.org/pkg/ratexdb>

name	ratexdb
caption	Database reports using LaTeX and Ruby
author	Höns, Robin
copyright	Robin Höns (2007)
license	gpl = GNU General Public License (free)
version	0.13

description	(no language specified) This is a compatible rewrite of LaTeXDB (by Hans-Georg Eßer) in Ruby. It is a preprocessor which performs SQL queries on a database and creates LaTeX code for the resulting rows. Ratexdb implements a few improvements, e.g. regexp postprocessing, command-line options, some protection against SQL injection, replacement of LaTeX reserved characters. ratexdb is no longer being developed; it's replacement is nlatexdb .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/ratexdb/README
on CTAN	https://ctan.org/tex-archive/support/ratexdb
keyword	preprocessor (preprocesses source before using TeX)
keyword	db-access (access database for document contents)
see also	see section 3329 on page 3005: (LaTeXDB – Integrates LaTeX and SQL databases)
see also	see section 4267 on page 3866: (nlatexdb – Database reports using LaTeX and .Net (or Mono))
language(s)	no language specified
year	2007
last access	2025-02-07

5114 rawfonts – Low level font compatibility mode for LaTeX

Web page on CTAN <https://ctan.org/pkg/rawfonts>

name	rawfonts
caption	Low level font compatibility mode for LaTeX
author	Jeffrey, Alan
author	The LaTeX Project Team
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.01
description	(no language specified) A package to define the low-level font commands that existed in LaTeX 2.09, for the benefit of old documents (or packages) that used them. Since this is potentially an expensive operation (loading lots of fonts), the package allows you to chop and choose:

5115 *rawprint* – Print raw Russian text

```
\usepackage[only,tenrm,sevsf]{rawfonts}
```

will load just `\tenrm` and `\sevsf`. (This facility uses the `somedefs` package).

The package is part of the `latex-tools` bundle in the LaTeX `required` distribution.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/required/tools/rawfonts.pdf
– local file	<code>./4321269661-rawfonts.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/required/tools
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-tools.tds.zip
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year
last access	2025-02-07

5115 *rawprint* – Print raw Russian text

Web page on CTAN <https://ctan.org/pkg/rawprint>

name	<code>rawprint</code>
caption	Print raw Russian text
author	Veytsman, Boris
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) A package for "quick and dirty" printing of raw (i.e., non-TeX) Russian texts by persons who do not have Russian printer fonts (but have Cyrillic TeX). It makes various symbols "normal" letters and converts the "unisex" quote character <code>""</code> into Russian-style <code>«</code> and <code>»</code> quotes.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/koi8/readme
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/koi8
keyword	<code>enc-juggle</code> (conversion between encodings)
language(s)	no language specified
year	without year
last access	2025-02-07

5116 *rbt-mathnotes* – Rebecca Turner’s personal macros and styles for typesetting mathematics notes

Web page on CTAN <https://ctan.org/pkg/rbt-mathnotes>

name	<code>rbt-mathnotes</code>
caption	Rebecca Turner’s personal macros and styles for typesetting mathematics notes
author	Turner, Rebecca
copyright	Rebecca B. Turner (2021)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.2
description	(no language specified) Styles for typesetting mathematics notes. Includes document classes for typesetting homework assignments and ”formula cheat sheets” for exams. Several examples are included, along with rendered PDFs.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/rbt-mathnotes/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rbt-mathnotes/rbt-mathnotes.pdf
– local file	<code>./7899365547-rbt-mathnotes.pdf</code>
contact	<i>repository</i> : https://github.com/9999years/latex-mathnotes/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rbt-mathnotes
on MikTeX	<code>rbt-mathnotes</code>
on TeXLive	<code>rbt-mathnotes</code>
keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>misc-paper</code> (discussion/working paper (rather than journal paper))
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
language(s)	no language specified
year	2021
last access	2025-02-07

5117 *rccol* – Decimal-centered optionally rounded numbers in tabularWeb page on CTAN <https://ctan.org/pkg/rccol>

name	<code>rccol</code>
caption	Decimal-centered optionally rounded numbers in tabular
author	Guthöhrlein, Eckhart
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.2c
description	(no language specified) The <code>rccol</code> package provides decimal-centered numbers: corresponding digits and decimal separators aligned. Furthermore, rounding to the desired precision is possible. The package makes use of the <code>fltpoint</code> package (as well as the LaTeX required <code>array</code> package).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rccol/rccol.pdf
– local file	<code>./3396908656-rccol.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/rccol/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rccol
on MikTeX	<code>rccol</code>
on TeXLive	<code>rccol</code>
keyword	<code>table</code> (table typesetting)
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	no language specified
year	without year
last access	2025-02-07

5118 *r*cs – Use RCS (revision control system) tags in LaTeX documents

Web page on CTAN <https://ctan.org/pkg/rcs>

name	<i>r</i> cs
caption	Use RCS (revision control system) tags in LaTeX documents
author	Gilbey, Julian
author	Schrod, Joachim
license	gpl = GNU General Public License (free)
version	(2007-06-06)
last changes	2007-06-06
year	2007
description	(no language specified) The <i>r</i>cs package utilizes the inclusion of RCS supplied data in LaTeX documents. It's upward compatible to <i>*all*</i> <i>r</i>cs styles I know of. In particular, you can easily • access values of every RCS field in your document • put the checkin date on the titlepage • put RCS fields in a footline You can typeset revision logs. Not in verbatim – real LaTeX text! But you need a configurable RCS for that. Refer to the user manual for more detailed information. You can also configure the <i>r</i>cs package easily to do special things for any keyword. This bundle comes with a user manual, an internal interface description, full documentation of the implementation, style information for AUC-TeX, and test cases.
documentation	(no language specified) <i>Package internal interfaces</i> : https://ctan.org/tex-archive/macros/latex/contrib/rcs/rcs-conf.pdf
– local file	<code>./5568080948-rs-conf.pdf</code>
documentation	(no language specified) <i>User documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rcs/rcs-user.pdf
– local file	<code>./1280790181-rs-user.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/rcs/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rcs

on MikT _E X	r _{cs}
on T _E XLive	r _{cs}
keyword	version-control (version control details)
keyword	doc-mgmt (support for keeping track of document development)
see also	see section 5121 on page 4641: (r _{cs} info – Support for the revision control system)
language(s)	no language specified
last access	2025-02-07

5119 *r_{cs}-multi* – Typeset RCS version control in multiple-file documents

Web page on CTAN	https://ctan.org/pkg/rcs-multi
name	r _{cs} -multi
caption	Typeset RCS version control in multiple-file documents
author	Scharrer, Martin
copyright	Martin Scharrer (2009)
license	lppl = The LaTeX Project Public License (free)
version	0.1a
description	(no language specified) The package enables the user to typeset version control information provided by RCS keywords (e.g., \$ID: ... \$) in LaTeX documents that contain multiple TeX files. The package is based on the author's <i>svn-multi</i> package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/rcs-multi/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rcs-multi/rcs-multi.pdf
– local file	./6041602953-r _{cs} -multi.pdf
home page	https://github.com/MartinScharrer/rcs-multi
contact	<i>bugs</i> : https://github.com/MartinScharrer/rcs-multi/issues
contact	<i>repository</i> : https://github.com/MartinScharrer/rcs-multi.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rcs-multi
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/rcs-multi.tds.zip

on MikTeX	<code>r_{cs}-multi</code>
on TeXLive	<code>r_{cs}-multi</code>
keyword	<code>version-control</code> (version control details)
keyword	<code>doc-mgmt</code> (support for keeping track of document development)
see also	see section 5118 on page 4638: (<code>r_{cs}</code> – Use RCS (revision control system) tags in LaTeX documents)
see also	see section 5121 on page 4641: (<code>r_{cs}info</code> – Support for the revision control system)
language(s)	no language specified
year	2009
last access	2025-02-07

5120 *r_{cs}-pln* – RCS data in Plain TeX documents

Web page on CTAN <https://ctan.org/pkg/r_{cs}-pln>

name	<code>r_{cs}-pln</code>
caption	RCS data in Plain TeX documents
author	Rose, Kristoffer H.
license	<code>noinfo</code> = <code>noinfo</code>
version	(1992-08-27)
last changes	1992-08-27
year	1992
description	(no language specified) Provides commands <code>\RCSdate</code> and <code>\RCSrevision</code> which take \$ -delimited RCS entries; these set up commands <code>\thedata</code> and <code>\therevision</code> for use in the document. Also provides a <code>\Draft</code> command.
on CTAN	<a href="https://ctan.org/tex-archive/macros/plain/contrib/misc/r<sub>cs</sub>.tex">https://ctan.org/tex-archive/macros/plain/contrib/misc/r_{cs}.tex
keyword	<code>doc-mgmt</code> (support for keeping track of document development)
keyword	<code>version-control</code> (version control details)
language(s)	no language specified
last access	2025-02-07

5121 *rcsinfo* – Support for the revision control system

Web page on CTAN <https://ctan.org/pkg/rcsinfo>

name	rcsinfo
caption	Support for the revision control system
author	Vollmer, Jürgen
license	lppl = The LaTeX Project Public License (free)
version	1.11
description	(no language specified) A package to extract RCS (Revision Control System) information and use it in a LaTeX document. For users of LaTeX2HTML rcsinfo.perl is included.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rcsinfo/rcsinfo.pdf
– local file	./7091333483-rcsinfo.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/rcsinfo/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rcsinfo
on MikTeX	rcsinfo
on TeXLive	rcsinfo
keyword	version-control (version control details)
keyword	doc-mgmt (support for keeping track of document development)
see also	see section 5118 on page 4638 : (<code>r_{cs}</code> – Use RCS (revision control system) tags in LaTeX documents)
language(s)	no language specified
year	without year
last access	2025-02-07

5122 *readablecv* – A highly readable and good looking CV and letter class

Web page on CTAN <https://ctan.org/pkg/readablecv>

name	ReadableCV
caption	A highly readable and good looking CV and letter class
author	Stone, Philip
copyright	Philip Stone (2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	4.0
description	(no language specified) This class provides, what I have found, to be an extremely attractive and highly readable CV which will lead to your CV being read rather than disgraded.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/readablecv/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/readablecv/ReadableCV.pdf
– local file	./9860006115-ReadableCV.pdf
home page	https://www.typewithtex.com
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/readablecv
on MikTeX	readablecv
on T _E XLive	readablecv
keyword	cv (curriculum vitae/Resumé)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
year	2023
last access	2025-02-07

5123 readarray – Read, store and recall array-formatted dataWeb page on CTAN <https://ctan.org/pkg/readarray>

name	readarray
caption	Read, store and recall array-formatted data
author	Segletes, Steven B.
copyright	Steven B. Segletes (2013-2021)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.1 (2021-09-17)
last changes	2021-09-17
year	2021
description	(no language specified) The package allows the user to input formatted data into elements of a 2-D or 3-D array and to recall that data at will by individual cell number. The data can be but need not be numerical in nature. It can be, for example, formatted text. While the package can be used for any application where indexed data is called for, the package proves particularly useful when elements of multiple arrays must be recallable and dynamically combined at time of compilation, rather than in advance.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/readarray/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/readarray/readarray.pdf
– local file	./3384666181-readarray.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/readarray
on MikTeX	readarray
on T _E XLive	readarray
keyword	data-manip (manipulate data within TeX)
see also	see section 2494 on page 2256: (getargs – A flexible list-parsing macro with configurable parsing character)
language(s)	no language specified
last access	2025-02-07

5124 readprov – Provides `GetFileInfo` without the need to load the file

Web page on CTAN <https://ctan.org/pkg/readprov>

name	readprov
caption	Provides <code>GetFileInfo</code> without the need to load the file
author	Lück, Uwe
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.5
description	(no language specified) The package provides a <code>\GetFileInfo</code> command (as in the LaTeX standard <code>doc</code> package, but without the need to load the <code>doc</code> package). The package also provides new robust (expandable) variants of <code>\GetFileInfo</code>, even without loading the file itself (reading the file is stopped when the requisite information is found). So, for exaple, you can describe packages that are incompatible with each other or with packages that your document uses, or even report about class files (that are plainly not loadable). Files examined in this way also enter the output of <code>\listfiles</code>. The package is part of the <code>fileinfo</code> bundle.
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fileinfo/README.pdf
– local file	<code>./5862516172-README.pdf</code>
contact	<i>support</i> : http://www.webdesign-bu.de/uwe_lueck/contact.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fileinfo
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/fileinfo.tds.zip
on MikTeX	<code>fileinfo</code>
on TeXLive	<code>fileinfo</code>
keyword	<code>doc-mgmt</code> (support for keeping track of document development)
see also	see section 6933 on page 6259: (<code>zwgetfdate</code> – Get package or file date)
language(s)	no language specified
year	without year
last access	2025-02-07

5125 *realboxes* – Variants of common box-commands that read their content as real box and not as macro argument

Web page on CTAN <https://ctan.org/pkg/realboxes>

name	realboxes
caption	Variants of common box-commands that read their content as real box and not as macro argument
author	Scharrer, Martin
copyright	Martin Scharrer (2011)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2
description	(no language specified) The package uses the author's package collectbox to define variants of common box related macros which read the content as real box and not as macro argument. This enables the use of verbatim or other special material as part of this content. The provided macros have the same names as the original versions but start with an upper-case letter instead. The "long-form" macros, like <code>\Makebox</code>, can also be used as environments, but not the "short-form" macros, like <code>\Mbox</code>. However, normally the long form uses the short form anyway when no optional arguments are used.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/realboxes/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/realboxes/realboxes.pdf
– local file	<code>./7389211585-realboxes.pdf</code>
home page	https://github.com/MartinScharrer/realboxes
contact	<i>bugs</i> : https://github.com/MartinScharrer/realboxes/issues
contact	<i>repository</i> : https://github.com/MartinScharrer/realboxes.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/realboxes
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/realboxes.tds.zip
on MikTeX	realboxes
on T _E XLive	realboxes
keyword	boxing (creating boxes)
language(s)	no language specified

year 2011
last access 2025-02-07

5126 *realcalc* – Macros for real arithmetic calculations

Web page on CTAN <https://ctan.org/pkg/realcalc>

name *realcalc*
caption Macros for real arithmetic calculations
author Buchholz, Frank
copyright Frank Buchholz (1993)
license nosell = Do Not Sell Except by Arrangement (not free)
description (no language specified) There are known problems with this package; an alternative is *fp* (a LaTeX package, only).
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/generic/realcalc/readme>
on CTAN <https://ctan.org/tex-archive/macros/generic/realcalc>
keyword calculation (perform calculations within TeX)
keyword arithmetic (perform and typeset arithmetic problems)
language(s) no language specified
year 1993
last access 2025-02-07

5127 *realhats* – Put real hats on symbols instead of ^

Web page on CTAN <https://ctan.org/pkg/realhats>

name *realhats*
caption Put real hats on symbols instead of ^
author Townsend, Adam
author Scroggs, Matthew
copyright Matthew Scroggs, Adam Townsend (2019)
license mit = MIT License (free)
version 7.1 (2023-04-05)
last changes 2023-04-05

5128 *realscripts* – Access OpenType subscript and superscript glyphs

year	2023
description	(no language specified) This LaTeX package makes <code>\hat</code> put real hats on symbols. The package depends on amsmath , calc , graphicx , ifthen , lcg , and stackengine .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/realhats/realhats.pdf
– local file	<code>./3895025665-realhats.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/realhats/README.md
home page	http://www.realhats.xyz
contact	<i>bugs</i> : https://github.com/mscroggs/realhats/issues
contact	<i>repository</i> : https://github.com/mscroggs/realhats
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/realhats
on MikTeX	<code>realhats</code>
on TeXLive	<code>realhats</code>
keyword	<code>graphics-incl</code> (include external graphics)
keyword	<code>amusements</code> (jokes, distractions, tongue-in-cheek packages, and other entertainment material)
keyword	<code>graphics</code> (graphics (support packages))
language(s)	no language specified
last access	2025-02-07

5128 *realscripts* – Access OpenType subscript and superscript glyphs

Web page on CTAN	https://ctan.org/pkg/realscripts
name	<code>realscripts</code>
caption	Access OpenType subscript and superscript glyphs
author	Robertson, Will
copyright	Will Robertson (2010-2016)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.3d

5129 *realtranspose* – The “real” way to transpose a Matrix

description	(no language specified) This small package replaces <code>\textsuperscript</code> and <code>\textsubscript</code> commands by equivalent commands that use OpenType font features to access appropriate glyphs if possible. The package also patches LaTeX’s default footnote command to use this new <code>\textsuperscript</code> for footnote symbols. The package requires fontspec running on either XeLaTeX or LuaLaTeX. The package holds functions that were once parts of the xltxtra package, which now loads realscripts by default.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/realscripts/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/realscripts/realscripts.pdf
– local file	<code>./3773052490-realscripts.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/realscripts
installation	https://ctan.org/tex-archive/install/macros/unicodetex/latex/realscripts.tds.zip
on MikTeX	<code>realscripts</code>
on TeXLive	<code>realscripts</code>
keyword	<code>subsup-pos</code> (position sub- and superscripts (left and right sides))
keyword	<code>off</code> (use of opentype font features)
language(s)	no language specified
year	2016
last access	2025-02-07

5129 *realtranspose* – The “real” way to transpose a Matrix

Web page on CTAN <https://ctan.org/pkg/realtranspose>

name	<code>realtranspose</code>
caption	The “real” way to transpose a Matrix
author	Quentin, Lars
copyright	Lars Quentin, Matthew Scroggs, Adam Townsend (2020)
license	mit = MIT License (free)
version	1.1

description	(no language specified) With <code>realtranspose</code> you can notate the transposition of a matrix by rotating the symbols 90 degrees. This is a homage to the <code>realhats</code> package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/realtranspose/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/realtranspose/realtranspose.pdf
– local file	<code>./5657493556-realtranspose.pdf</code>
contact	<i>bugs</i> : https://github.com/lquenti/realtranspose/issues
contact	<i>repository</i> : https://github.com/lquenti/realtranspose
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/realtranspose
on MikTeX	<code>realtranspose</code>
on TeXLive	<code>realtranspose</code>
keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>amusements</code> (jokes, distractions, tongue-in-cheek packages, and other entertainment material)
language(s)	no language specified
year	2020
last access	2025-02-07

5130 `rebuttal` – Markup for structured journal and conference paper rebuttalsWeb page on CTAN <https://ctan.org/pkg/rebuttal>

name	<code>rebuttal</code>
caption	Markup for structured journal and conference paper rebuttals
author	Deitsch, Sergiu
copyright	Sergiu Deitsch (2018-2021, 2024)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1.1 (2024-11-14)
last changes	2024-11-14
year	2024

description	(no language specified) This package provides means for writing structured journal and conference paper rebuttals.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rebuttal/rebuttal.pdf
– local file	<code>./1887141738-rebuttal.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/rebuttal/README.md
contact	<i>repository</i> : https://github.com/sergiud/rebuttal
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rebuttal
on MikTeX	<code>rebuttal</code>
on T _E XLive	<code>rebuttal</code>
keyword	<code>misc-paper</code> (discussion/working paper (rather than journal paper))
keyword	<code>letter</code> (typesetting letters, envelopes, faxes, etc)
keyword	<code>struc-mkup</code> (structured markup)
keyword	<code>journalpub</code> (typesetting journals, etc)
language(s)	no language specified
last access	2025-02-07

5131 *rec-thy* – Commands to typeset recursion theory papers

Web page on CTAN <https://ctan.org/pkg/rec-thy>

name	<code>rec-thy</code>
caption	Commands to typeset recursion theory papers
author	Gerdes, Peter M.
copyright	Peter M. Gerdes (2010-2024)
license	pd = Public Domain Software (free)
version	4.0 (2024-03-29)
last changes	2024-03-29
year	2024

description	(no language specified) This package is designed to help mathematicians publishing papers in the area of recursion theory (aka Computability Theory) easily use standard notation. This includes easy commands to denote Turing reductions, Turing functionals, c.e. sets, stagewise computations, forcing and syntactic classes.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/rec-thy/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rec-thy/rec-thy.pdf
– local file	<code>./6251802393-rec-thy.pdf</code>
contact	<i>repository</i> : https://github.com/TruePath/Recursion-Theory-Latex-Package
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rec-thy
on MikTeX	<code>rec-thy</code>
on TeXLive	<code>rec-thy</code>
keyword	maths (support for typesetting mathematics)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

5132 *recipe* – A LaTeX class to typeset recipes

Web page on CTAN <https://ctan.org/pkg/recipe>

name	<code>recipe</code>
caption	A LaTeX class to typeset recipes
author	Loreti, Maurizio
license	pd = Public Domain Software (free)
version	0.9
description	(no language specified) The layout design is relatively straightforward (and traditional: see ‘sample output’ under ‘documentation’); the class uses the Bookman and the BrushScript-Italic fonts.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/recipe/README
documentation	<i>Sample of output (Italian)</i> : https://ctan.org/tex-archive/macros/latex/contrib/recipe/sample.pdf

5133 *recipebook* – Typeset 5.5” x 8” recipes for browsing or printing

– local file	<code>./8011858323-sample.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/recipe
on T _E XLive	recipe
keyword	cooking (typesetting cooking recipes, etc)
see also	see section 5134 on page 4653: (<i>recipecard</i> – Typeset recipes in note-card-sized boxes)
see also	see section 5133 on page 4652: (<i>recipebook</i> – Typeset 5.5” x 8” recipes for browsing or printing)
language(s)	Italian
year	without year
last access	2025-02-07

5133 *recipebook* – Typeset 5.5” x 8” recipes for browsing or printing

Web page on CTAN	https://ctan.org/pkg/recipebook
name	<i>recipebook</i>
caption	Typeset 5.5” x 8” recipes for browsing or printing
author	Granger, Brad
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2015-02-13)
last changes	2015-02-13
year	2015
description	(no language specified) This is a LaTeX2e class for typesetting recipes. It is designed for typesetting one or two recipes per page, with dimensions of 5.5” x 8.5”. The hyperlinked table of contents (ToC) and page numbers make browsing recipes convenient, and the pages can be joined together or printed two per sheet to normal letterpaper easily. The size was chosen to work in half-page 3-ring binder cover sheets.
documentation	(no language specified) <i>Example (2)</i> : https://ctan.org/tex-archive/macros/latex/contrib/recipebook/ShortSample.pdf
– local file	<code>./7538250622-ShortSample.pdf</code>
documentation	(no language specified) <i>Example (1)</i> : https://ctan.org/tex-archive/macros/latex/contrib/recipebook/LongSample.pdf

– local file	<code>./2564137538-LongSample.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/recipebook/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/recipebook
on MikTeX	recipebook
on TeXLive	recipebook
keyword	cooking (typesetting cooking recipes, etc)
keyword	class (alternative LaTeX class(es))
see also	see section 5132 on page 4651: (recipe – A LaTeX class to typeset recipes)
see also	see section 5134 on page 4653: (recipecard – Typeset recipes in note-card-sized boxes)
language(s)	no language specified
last access	2025-02-07

5134 recipecard – Typeset recipes in note-card-sized boxes

Web page on CTAN	https://ctan.org/pkg/recipecard
name	recipecard
caption	Typeset recipes in note-card-sized boxes
author	Reish, Ben
license	lppl = The LaTeX Project Public License (free)
version	2.0
description	(no language specified) The recipecard class typesets recipes into note card sized boxes that can then be cut out and pasted on to note cards. The recipe then looks elegant and fits in the box of recipes.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/recipecard/recipecard.pdf
– local file	<code>./3406211733-recipecard.pdf</code>
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/recipecard/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/recipecard
on MikTeX	recipecard

on T _E XLive	recipecard
keyword	cooking (typesetting cooking recipes, etc)
see also	see section 5132 on page 4651: (recipe – A LaTeX class to typeset recipes)
see also	see section 5133 on page 4652: (recipebook – Typeset 5.5" x 8" recipes for browsing or printing)
language(s)	no language specified
year	without year
last access	2025-02-07

5135 *recorder-fingering* – Package to display recorder fingering diagrams

Web page on CTAN <https://ctan.org/pkg/recorder-fingering>

name	recorder-fingering
caption	Package to display recorder fingering diagrams
author	Munn, Alan
copyright	Alan Munn (2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.4 (2025-02-02)
last changes	2025-02-02
year	2025
description	(no language specified) This package provides support for generating and displaying fingering diagrams for baroque fingering recorders and the tin whistle. Standard fingerings are provided for recorders in both C and F, and the tin whistle in D, along with methods to create and display alternate fingerings for trills, etc.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/recorder-fingering/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/recorder-fingering/recorder-fingering.pdf
– local file	./9819208942-recorder-fingering.pdf
contact	<i>bugs</i> : https://github.com/amunn/recorder-fingering/issues
contact	<i>repository</i> : https://github.com/amunn/recorder-fingering
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/recorder-fingering

on MikTeX	recorder-fingering
on TeXLive	recorder-fingering
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	expl3 (expl3(unknown))
keyword	music (typesetting music and related stuff)
keyword	diagram (diagrams)
language(s)	no language specified
last access	2025-02-07

5136 rectopma – Recycle top matter

Web page on CTAN <https://ctan.org/pkg/rectopma>

name	rectopma
caption	Recycle top matter
author	Benciolini, Battista
license	lppl = The LaTeX Project Public License (free)
version	(2024-04-04)
last changes	2024-04-04
year	2024
description	(no language specified) Saves the arguments of <code>\author</code> and <code>\title</code> for reference (after <code>\maketitle</code>) in a document. (<code>\maketitle</code> simply disposes of the information, in the standard classes and some others.)
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/rectopma/TestTitle.pdf
– local file	<code>./2597051330-TestTitle.pdf</code>
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/rectopma/rectopma.pdf
– local file	<code>./3230979074-rectopma.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/rectopma/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rectopma
on MikTeX	rectopma
on TeXLive	rectopma

5137 recycle – A font providing the "recyclable" logo

keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

5137 recycle – A font providing the "recyclable" logo

Web page on CTAN <https://ctan.org/pkg/recycle>

name	recycle
caption	A font providing the "recyclable" logo
author	Pakin, Scott
author	Green, Ian
copyright	Ian Green (1993)
license	gpl = GNU General Public License (free)
description	(no language specified) This single-character font is provided as Metafont source, and in Adobe Type 1 format. It is accompanied by a trivial LaTeX package to use the logo at various sizes.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/recycle/README
on CTAN	https://ctan.org/tex-archive/fonts/recycle
on MikTeX	recycle
on T _E XLive	recycle
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-specialist (fonts with specific small application areas)
keyword	font (fonts themselves)
language(s)	no language specified
year	1993
last access	2025-02-07

5138 *redefine* – Conditional macro, etc., definitions

Web page on CTAN <https://ctan.org/pkg/redefine>

name	redefine
caption	Conditional macro, etc., definitions
license	noinfo = noinfo
version	(1992-08-27)
last changes	1992-08-27
year	1992
description	(no language specified) Defines commands <code>\newdef</code> , <code>\newgdef</code> and <code>\newlet</code> that warn the user if a command is redefined using them (if operating under LaTeX, <code>\newcommand</code> is similarly modified). In addition <code>\newif</code> , <code>\newbox</code> , <code>\newcount</code> , <code>\newdimen</code> , <code>\newtoks</code> are modified to detect an error if a conditional or register name is reused.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/redefine.tex
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

5139 *redis* – A Hebrew font

Web page on CTAN <https://ctan.org/pkg/redis>

name	redis
caption	A Hebrew font
author	Goldberg, Jacques
license	noinfo = noinfo
version	(1991-12-05)
last changes	1991-12-05
year	1991
description	(no language specified) The font is in Metafont format; a version of it seems to appear in the HebTeX distribution.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/redis/readme.iv

on CTAN <https://ctan.org/tex-archive/fonts/redis>
 keyword font (fonts themselves)
 keyword font-mf (fonts distributed as Metafont source)
 keyword font-hebrew (font for Hebrew script)
 keyword hebrew (documentation in and support for typesetting Hebrew)
 language(s) no language specified
 last access 2025-02-07

5140 *redit* – Menu-based editor

Web page on CTAN <https://ctan.org/pkg/redit>

name REdit
 caption Menu-based editor
 author Rogalla, Michael
 license nocommercial = No Commercial Use (not free)
 version 2.10
 description (no language specified) REdit (written in Turbo Pascal for DOS) aims to simplify work with LaTeX with menus to insert commands. This should be convenient for beginners, in particular.
 documentation *Readme (German):*
<https://ctan.org/tex-archive/support/redit/README>
 on CTAN <https://ctan.org/tex-archive/support/redit>
 keyword editor (editor designed (or adapted) for use with (La)TeX)
 language(s) German
 year without year
 last access 2025-02-07

5141 refcheck – Check references (in figures, table, equations, etc)Web page on CTAN <https://ctan.org/pkg/refcheck>

name	refcheck
caption	Check references (in figures, table, equations, etc)
author	Motygin, Oleg V.
license	gpl = GNU General Public License (free)
version	1.9.2 (2025-06-20)
last changes	2025-06-20
year	2025
description	(no language specified) The package checks references in a document, looking for numbered but unlabelled equations, for labels which are not used in the text, for unused bibliography references. It can also display label names in text near corresponding numbers of equations and/or bibliography references.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/refcheck/README
documentation	(no language specified) <i>Package demo</i> : https://ctan.org/tex-archive/macros/latex/contrib/refcheck/refdemo.pdf
– local file	./8519320332-refdemo.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/refcheck
on MikTeX	refcheck
on TeXLive	refcheck
keyword	label-ref (label and reference systems)
keyword	debug-supp (support for package or document debugging)
language(s)	no language specified
last access	2025-07-06

5142 refcount – Counter operations with label references

Web page on CTAN <https://ctan.org/pkg/refcount>

name	refcount
caption	Counter operations with label references
author	Oberdiek, Heiko
copyright	Oberdiek Package Support Group (2016-2019)
copyright	Heiko Oberdiek (1998, 2000, 2006, 2008, 2010, 2011)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.6 (2019-12-15)
last changes	2019-12-15
year	2019
description	(no language specified) Provides commands <code>\setcounterref</code> and <code>\addtocounterref</code> which use the section (or whatever) number from the reference as the value to put into the counter, as in: <pre>... \label{sec:foo} ... \setcounterref{foonum}{sec:foo}</pre> Commands <code>\setcounterpageref</code> and <code>\addtocounterpageref</code> do the corresponding thing with the page reference of the label. No <code>.ins</code> file is distributed; process the <code>.dtx</code> with plain TeX to create one.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/refcount/refcount.pdf
– local file	<code>./7190023923-refcount.pdf</code>
contact	<i>bugs</i> : https://github.com/ho-tex/refcount/issues
contact	<i>repository</i> : https://github.com/ho-tex/refcount
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/refcount
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/refcount.tds.zip
on MikTeX	refcount
on TeXLive	refcount
keyword	label-ref (label and reference systems)
language(s)	no language specified

last access 2025-02-07

5143 *refenums* – Define named items and provide back-references with that nameWeb page on CTAN <https://ctan.org/pkg/refenums>

name	refenums
caption	Define named items and provide back-references with that name
author	Kopp, Oliver
copyright	Oliver Kopp, Tobias Binz (2013)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1.2
description	(no language specified) The package provides commands to define enumerable items with a number and a long name, which can be referenced later with the name or just the short form. For instance, "Milestone M1: Specification created" can be defined and later on be referenced with 'M1' or 'M1 ("Specification created")'. The text in the references is derived from the definition and also rendered as hyperlink to the definition.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/refenums/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/refenums/README.pdf
– local file	./1288388053-README.pdf
contact	<i>repository</i> : https://github.com/koppor/refenums
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/refenums
on MikTeX	refenums
on T _E XLive	refenums
keyword	label-ref (label and reference systems)
language(s)	no language specified
year	2013
last access	2025-02-07

5144 refer – Convert a BibTeX bibliography to refer format

Web page on CTAN <https://ctan.org/pkg/refer>

name	refer
caption	Convert a BibTeX bibliography to refer format
author	McHale, Ciaran
license	noinfo = noinfo
version	(1992-07-20)
last changes	1992-07-20
year	1992
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/refer.bst
on MikTeX	beebe
on T _E XLive	beebe
keyword	format-cvt (convert one format of file to another)
language(s)	no language specified
last access	2025-02-07

5145 refer-tools – Convert between refer format and BibTeX format

Web page on CTAN <https://ctan.org/pkg/refer-tools>

name	refer-tools
caption	Convert between refer format and BibTeX format
author	Roth, Frank
author	Jacobsen, Dana
author	Kautz, Henry
author	Mareschal, Pierre
author	Fastenrath, Ulrich
author	McHale, Ciaran
author	Palm, Hartmut
author	Fritzke, Bernd
license	noinfo = noinfo

version	0.9.4
description	(no language specified) Various tools, mostly packaged as Unix ‘shar’ archives: • <code>ref2bib</code> , an awk script for converting Refer format bibliographies to BibTeX format; • <code>refer2bibtex</code> , a Perl script for the same conversion; • <code>refer.bst</code> , a tool to convert a BibTeX database to Refer format, using BibTeX itself; • <code>tex2refer</code> , an awk-based script for the same conversion; • <code>refer-to-bibtex</code> , a GNU-emacs program to convert Refer format bibliographies to BibTeX format; • <code>tib-to-bibtex</code> , a C program to convert tib format bibliographies to BibTeX format.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/refer-tools
keyword	<code>biblio</code> (bibliography processor)
language(s)	no language specified
year	without year
last access	2025-02-07

5146 references – Bibliographic software supporting LaTeX/BibTeX

Web page on CTAN <https://ctan.org/pkg/references>

name	<code>references</code>
caption	Bibliographic software supporting LaTeX/BibTeX
author	Kiefel, Volker
copyright	Volker Kiefel (1995-2007)
license	gpl = GNU General Public License (free)
version	4.3d
description	(no language specified) The package comprises bibliographic software supporting preparation of scientific manuscripts, storage of bibliographic data of articles in periodicals, books and articles in books. The package supports the TeX/LaTeX/BibTeX setup as well as commercial word processors. Bibliographic data in the MEDLINE format may be imported. References may be retrieved by keywords, authors’ or editors’ names, date of publication, strings in the title of an article, in a book title or in journal names. Lists of references may be supplied in a (user-defined) formats.

documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/references/README
on CTAN	https://ctan.org/tex-archive/support/references
keyword	bibtex-gen (derive BibTeX data from resources other than BibTeX libraries)
keyword	bibtex-util (utilities for managing BibTeX files)
language(s)	no language specified
year	2007
last access	2025-02-07

5147 *reflectgraphics* – Techniques for reflecting graphics

Web page on CTAN	https://ctan.org/pkg/reflectgraphics
name	reflectgraphics
caption	Techniques for reflecting graphics
author	Reiche, Oliver
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2c (2015-07-07)
last changes	2015-07-07
year	2015
description	(no language specified) The package provides a macro for reflecting images, in a number of different ways, in pursuit of "more striking" graphics in a document.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/reflectgraphics/reflectgraphics.pdf
– local file	./2813824357-reflectgraphics.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/reflectgraphics/README
contact	<i>repository:</i> https://bitbucket.org/oreiche/reflectgraphics
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/reflectgraphics
on MikTeX	reflectgraphics
on T _E XLive	reflectgraphics
keyword	graphics-manip (manipulate graphics and/or related text)

language(s) no language specified
last access 2025-02-07

5148 refman – Format technical reference manuals

Web page on CTAN <https://ctan.org/pkg/refman>

name *refman*
caption Format technical reference manuals
author Partl, Hubert
author Kielhorn, Axel
copyright Axel Kielhorn (1994-2006)
license lppl = The LaTeX Project Public License (free)
version 2.0e
description (no language specified) Document classes (report- and article-style) for writing technical reference manuals. It offers a wide left margin for notes to the reader, like some of the manuals distributed by Adobe.
documentation (no language specified) *README*: <https://ctan.org/tex-archive/macros/latex/contrib/refman/refman.upl>
documentation (German) *Layout-Änderungen mit LaTeX*: https://ctan.org/tex-archive/macros/latex/contrib/refman/layout_d.pdf
– local file ./4498821608-layout_d.pdf
documentation (English) *Changing the layout with LaTeX*: https://ctan.org/tex-archive/macros/latex/contrib/refman/layout_e.pdf
– local file ./3495046826-layout_e.pdf
documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/refman/refman.pdf>
– local file ./1033970596-refman.pdf
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/refman>
on MikTeX *refman*
on T_EXLive *refman*
keyword class (alternative LaTeX class(es))
language(s) German; English
year 2006
last access 2025-02-07

5149 refreshpdf – Refresh PDF files "remotely"

Web page on CTAN <https://ctan.org/pkg/refreshpdf>

name	refreshpdf
caption	Refresh PDF files "remotely"
author	Gerhardt, Claus
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Refreshpdf is an applescript that will ensure the current copy of a PDF file is open in Acrobat reader; this may require that it instructs reader to close and re-open the file. Users of non-Macintosh X11-based systems may use the commands from the xpdfopen package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/refreshpdf/refreshpdf.pdf
– local file	./9091756538-refreshpdf.pdf
on CTAN	https://ctan.org/tex-archive/support/refreshpdf
keyword	pdf-view (view, or control viewing of, PDF)
language(s)	no language specified
year	without year
last access	2025-02-07

5150 refstyle – Advanced formatting of cross references

Web page on CTAN <https://ctan.org/pkg/refstyle>

name	refstyle
caption	Advanced formatting of cross references
author	Els, Daniel
copyright	Danie Els (2002-2024)
license	lppl = The LaTeX Project Public License (free)
version	0.6b

description	(no language specified) The package provides a consistent way of producing references throughout a project. Enough flexibility is provided to make local changes to a single reference. The user can configure their own setup. The package offers a direct interface to varioref (for use, for example, in large projects such as a series of books, or a multivolume thesis written as a series of documents), and name references from the nameref package may be incorporated with ease. For large projects such as a series of books or a multivolume thesis, written as freestanding documents, a facility is provided to interface to the xr package for external document references.
documentation	(no language specified) <i>Configuration manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/refstyle/refconfig.pdf
– local file	<code>./5484703475-refconfig.pdf</code>
documentation	(no language specified) <i>Users manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/refstyle/refstyle.pdf
– local file	<code>./5888278231-refstyle.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/refstyle
on MikTeX	<code>refstyle</code>
on TeXLive	<code>refstyle</code>
keyword	<code>label-ref</code> (label and reference systems)
language(s)	no language specified
year	2024
last access	2025-02-07

5151 *regcount* – Display the allocation status of the TeX registers

Web page on CTAN <https://ctan.org/pkg/regcount>

name	<code>regcount</code>
caption	Display the allocation status of the TeX registers
author	Drucbert, Jean-Pierre
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) Adds a macro <code>\rgcounts</code> which displays the allocation status of the TeX registers. The display is written into the <code>.log</code> file as it is a bit verbose. An automatic call to <code>\rgcounts</code> is done at <code>\begin{document}</code> and <code>\end{document}</code> .

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/regcount/regcount.pdf
– local file	<code>./8894922460-regcount.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/regcount/readme
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/regcount
on MikTeX	regcount
on TeXLive	regcount
keyword	debug-supp (support for package or document debugging)
language(s)	no language specified
year	without year
last access	2025-02-07

5152 *regexpatch* – High level patching of commands

Web page on CTAN	https://ctan.org/pkg/regexpatch
name	regexpatch
caption	High level patching of commands
author	Gregorio, Enrico
copyright	Enrico Gregorio (2012-2021)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2f
description	(no language specified) The package generalises the macro patching commands provided by P. Lehmann’s etoolbox . The difference between this package and its sibling xpatch is that this package sports a very powerful <code>\regexpatchcmd</code> based on the l3regex module of the LaTeX3 experimental packages.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/regexpatch/regexpatch.pdf
– local file	<code>./3577797030-regexpatch.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/regexpatch/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/regexpatch

on MikTeX	regexpatch
on T _E XLive	regexpatch
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	2021
last access	2025-02-07

5153 *register* – Typeset programmable elements in digital hardware (registers)

Web page on CTAN <https://ctan.org/pkg/register>

name	register
caption	Typeset programmable elements in digital hardware (registers)
author	Lovell, Matthew
copyright	Matthew B. Lovell (2001-2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.0 (2020-03-22)
last changes	2020-03-22
year	2020
description	(no language specified) This package is designed for typesetting the programmable elements in digital hardware, i.e., registers. Such registers typically have many fields and can be quite wide; they are thus a challenge to typeset in a consistent manner. Register is similar in some aspects to the bytefield and bitpattern packages. Anyone doing hardware documentation using LaTeX should examine those packages. Register requires version 2001/07/25 or newer of the float package. An example Perl module and script are provided, to convert the register specifications into structures suitable for, say, a pre-silicon test environment.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/register/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/register/register.pdf
– local file	./7019686465-register.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/register
on MikTeX	register

on T _E XLive	register
keyword	engineering (typesetting associated with engineering of whatever sort)
keyword	comp-sci (typeset computer-science related material)
keyword	comp-net (typeset computer network concepts)
language(s)	no language specified
last access	2025-02-07

5154 **register-transfer-level** – Easily generate high-quality, publication-ready RTL diagrams

Web page on CTAN <https://ctan.org/pkg/register-transfer-level>

name	register-transfer-level
caption	Easily generate high-quality, publication-ready RTL diagrams
author	Rumpel, Lukas
copyright	Lukas Rumpel (2026)
license	lpp1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0
description	(no language specified) Register-Transfer-Level is a TikZ -based package designed to easily generate high-quality, publication-ready Register Transfer Level (RTL) diagrams. It aims to simplify the tedious process of drawing digital hardware architectures by providing parametric components and smart routing capabilities.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/register-transfer-level/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/register-transfer-level/register-transfer-level.pdf
– local file	./4875787899-register-transfer-level.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/register-transfer-level
keyword	electronic (support of electronic design)
keyword	graphics (graphics (support packages))
keyword	diagram-circ (circuit diagrams)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified

year 2026
last access 2026-04-21

5155 *regstats* – Information about register use

Web page on CTAN <https://ctan.org/pkg/regstats>

name *regstats*
caption Information about register use
author Münch, Hans-Martin
copyright H.-Martin Münch (2011-2025)
license lpl1.3c = The LaTeX Project Public License 1.3c (free)
version 1.1b (2025-01-28)
last changes 2025-01-28
year 2025
description (no language specified) The package will report number of used registers (counter, dimen, skip, muskip, box, token, input, output, math families, languages, insertions), and will compare the number to the maximum available number of such registers.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/regstats/README>
documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/regstats/regstats.pdf>
– local file ./3873002285-regstats.pdf
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/regstats>
installation <https://ctan.org/tex-archive/install/macros/latex/contrib/regstats.tds.zip>
on MikTeX *regstats*
on TeXLive *regstats*
keyword debug-supp (support for package or document debugging)
see also see section 5151 on page 4667: (*regcount* – Display the allocation status of the TeX registers)
language(s) no language specified
last access 2025-02-07

5156 regulatory – Flexible drafting of legal documents, especially in DutchWeb page on CTAN <https://ctan.org/pkg/regulatory>

name	regulatory
caption	Flexible drafting of legal documents, especially in Dutch
author	Nijenhuis, Erik
copyright	Erik Nijenhuis (2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.0.4 (2024-09-04)
last changes	2024-09-04
year	2024
description	(no language specified) This package aims to simplify the writing process, especially for Dutch legal authors. It has also been implemented in English and can be expanded to include other languages. The package offers macros for typical legal structures and contains a referencing system.
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/regulatory/doc/regulatory-en.pdf
– local file	./1608956750-regulatory-en.pdf
documentation	<i>Package documentation (Dutch)</i> : https://ctan.org/tex-archive/macros/latex/contrib/regulatory/doc/regulatory-nl.pdf
– local file	./8012465561-regulatory-nl.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/regulatory/README.md
home page	https://xerdi.com/free-software#regulatory
contact	<i>repository</i> : https://github.com/Xerdi/regulatory
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/regulatory
on MikTeX	regulatory
on T _E XLive	regulatory
keyword	dutch (support for typesetting Dutch)
keyword	legal (typesetting legal documents or study material)
language(s)	Dutch
last access	2025-02-07

5157 *reledmac* – Typeset scholarly editions

Web page on CTAN	https://ctan.org/pkg/reledmac
name	reledmac
caption	Typeset scholarly editions
author	Rouquette, Maïeul
copyright	Maïeul Rouquette (2011-2026)
copyright	Peter R. Wilson (2003-2005)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.44.4 (2026-03-06)
last changes	2026-03-06
year	2026
description	(no language specified) A package for typesetting scholarly critical editions, replacing the established <i>ledmac</i> and <i>eledmac</i> packages. Ledmac itself was a LaTeX port of the plain TeX <i>EDMAC</i> macros. The package supports indexing by page and by line numbers, and simple tabular- and array-style environments. The package is distributed with the related <i>reledpar</i> package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/reledmac/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/reledmac/reledmac.pdf
– local file	./1404813029-reledmac.pdf
contact	<i>support</i> : http://geekographie.maieul.net/146
contact	<i>bugs</i> : https://github.com/maieul/ledmac/issues/
contact	<i>repository</i> : https://github.com/maieul/ledmac/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/reledmac
on MikTeX	reledmac
on T _E XLive	reledmac
keyword	tagged-pdf-incompatible (tagged PDF incompatible)
keyword	crit-ed (typeset scholarly editions of texts)
see also	see section 1831 on page 1653: (<i>ednotes</i> – Typeset scholarly editions)
see also	see section 3379 on page 3049: (<i>ledmac</i> – Typeset scholarly editions)

see also	see section 1858 on page 1678: (<i>eledmac</i> – Typeset scholarly editions)
see also	see section 4743 on page 4293: (<i>poemscol</i> – Typesetting Critical Editions of Poetry)
language(s)	no language specified
last access	2026-03-26

5158 *reledpar* – Typeset scholarly editions in parallel texts

Web page on CTAN <https://ctan.org/pkg/reledpar>

name	<i>reledpar</i>
caption	Typeset scholarly editions in parallel texts
author	Rouquette, Maïeul
copyright	Peter R. Wilson (2003-2005)
copyright	Maïeul Rouquette (2011-2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.25.10 (2025-05-13)
last changes	2025-05-13
year	2025
description	(no language specified) <i>Reledpar</i> is the replacement for the <i>ledpar</i> and the <i>eledpar</i> packages; it provides parallel-text typesetting (either in parallel columns, or on opposing pages), for the <i>reledmac</i> package. The package is available as part of the <i>reledmac</i> distribution.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/reledmac/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/reledmac/reledpar.pdf
– local file	<code>./1822957328-reledpar.pdf</code>
contact	<i>support</i> : http://geekographie.maieul.net/146
contact	<i>bugs</i> : https://github.com/maieul/ledmac/issues/
contact	<i>repository</i> : https://github.com/maieul/ledmac/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/reledmac
keyword	<code>parallel</code> (parallel columns)
keyword	<code>crit-ed</code> (typeset scholarly editions of texts)

see also	see section 1859 on page 1679: (<code>eledpar</code> – Typeset scholarly editions in parallel texts)
see also	see section 3380 on page 3050: (<code>ledpar</code> – Typeset scholarly editions in parallel texts)
language(s)	no language specified
last access	2025-05-20

5159 *relenc* – A “relaxed” font encoding

Web page on CTAN <https://ctan.org/pkg/relenc>

name	<code>relenc</code>
caption	A “relaxed” font encoding
author	Hellström, Lars
license	lppl1 = The LaTeX Project Public License 1 (free)
version	(1999-01-23)
last changes	1999-01-23
year	1999
description	(no language specified) LaTeX package providing a relaxed font encoding to make available to a font designer more slots for insertion of ligatures and accented characters.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/relenc/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/relenc
on MikTeX	<code>relenc</code>
on T _E XLive	<code>relenc</code>
keyword	<code>font-devel</code> (support for font development, testing and characterisation)
language(s)	no language specified
last access	2025-02-07

5160 relsize – Set the font size relative to the current font sizeWeb page on CTAN <https://ctan.org/pkg/relsize>

name	relsize
caption	Set the font size relative to the current font size
author	Swift, Matt
author	Arseneau, Donald
license	pd = Public Domain Software (free)
version	4.1
description	(no language specified) The basic command of the package is <code>\relsize</code> , whose argument is a number of <code>\magstep s</code> to change size; from this are defined commands <code>\larger</code> , <code>\smaller</code> , <code>\textlarger</code> , etc.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/relsize/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/relsize/relsize-doc.pdf
– local file	<code>./7460569801-relsize-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/relsize
on MikTeX	relsize
on TeXLive	relsize
keyword	macro-supp (support for development of (La)TeX macros)
keyword	font-sel (font selection schemes)
language(s)	no language specified
year	without year
last access	2025-02-07

5161 *removefr* – Remove from counter-reset lists

Web page on CTAN <https://ctan.org/pkg/removefr>

name	<code>removefr</code>
caption	Remove from counter-reset lists
author	Arseneau, Donald
license	noinfo = noinfo
version	(1994-07-30)
last changes	1994-07-30
year	1994
description	(no language specified) Defines an internal command <code>\@removefromreset</code> , which does the opposite of the (LaTeX internal) <code>\@addtoreset</code> . The package is one of a collection of fragments designed for use by package writers and others.
documentation	(no language specified) <i>Collection readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fragments/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fragments/removefr.tex
keyword	counter-mgmt (management of counters)
keyword	macro-supp (support for development of (La)TeX macros)
see also	see section 5162 on page 4677 : (<code>remreset</code> – Remove counters from reset list)
language(s)	no language specified
last access	2025-02-07

5162 *remreset* – Remove counters from reset list

Web page on CTAN <https://ctan.org/pkg/remreset>

name	<code>remreset</code>
caption	Remove counters from reset list
author	Carlisle, David
license	lppl = The LaTeX Project Public License (free)

5163 *renditions* – Multiple versions from the same content

description	(no language specified) <code>\@removefromreset</code> is a companion to the standard <code>\@addtoreset</code> command which allows counters to be removed from the reset list of a controlling counter. This package is now obsolete as its functionality has been incorporated into the LaTeX format, but it is still distributed as part of the carlisle bundle.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/carlisle/remreset.sty
keyword	obsolete (package declared obsolete)
keyword	counter-mgmt (management of counters)
keyword	macro-supp (support for development of (La)TeX macros)
see also	see section 5161 on page 4677: (<code>removefr</code> – Remove from counter-reset lists)
language(s)	no language specified
year	without year
last access	2025-02-07

5163 *renditions* – Multiple versions from the same content

Web page on CTAN	https://ctan.org/pkg/renditions
name	<i>renditions</i>
caption	Multiple versions from the same content
author	Story, Donald P.
copyright	D. P. Story (1999-2002)
license	lppl = The LaTeX Project Public License (free)
version	0.1
description	(no language specified) The package sets up ‘comment’ environments, called <i>renditions</i> ; each rendition is thought of as a version of the basic content of the document that includes it.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/renditions/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/renditions/renditions.pdf
– local file	<code>./1265804819-renditions.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/renditions

on MikTeX	renditions
keyword	cond-comp (conditional typesetting)
see also	see section 1237 on page 1124: (comment – Selectively include/exclude portions of text)
see also	see section 6603 on page 5966: (version – Conditionally include text)
see also	see section 6753 on page 6091: (xcomment – Allows selected environments to be included/excluded)
language(s)	no language specified
year	2002
last access	2025-02-07

5164 *reotex* – Draw Reo Channels and Circuits

Web page on CTAN <https://ctan.org/pkg/reotex>

name	reotex
caption	Draw Reo Channels and Circuits
author	Oliveira, Nuno
license	lppl = The LaTeX Project Public License (free)
version	1.1 (2014-08-13)
last changes	2014-08-13
year	2014
description	(no language specified) The package defines macros and other utilities to design Reo Circuits. The package requires PGF/TikZ support.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/reotex/reotex.pdf
– local file	./9308466171-reotex.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/reotex/README
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/reotex
on MikTeX	reotex
on T _E XLive	reotex
keyword	diagram (diagrams)
keyword	pgf-tikz (package uses PGF-TikZ)

language(s) no language specified
last access 2025-02-07

5165 **repeat** – Repeat execution of macros

Web page on CTAN <https://ctan.org/pkg/repeat>

name repeat
caption Repeat execution of macros
author Eijkhout, Victor
copyright Victor Eijkhout (1999-2006)
license lppl = The LaTeX Project Public License (free)
version 0.93a
description (no language specified) Repeat is a really general loop macro, which can be nested to arbitrary depth without any grouping or such.

Documentation appears as comments at the start of the package file.

on CTAN <https://ctan.org/tex-archive/macros/generic/eijkhout/repeat.tex>
on MikTeX eijkhout
on T_EXLive eijkhout
keyword macro-supp (support for development of (La)TeX macros)
language(s) no language specified
year 2006
last access 2025-02-07

5166 **repeatindex** – Repeat items in an index after a page or column break

Web page on CTAN <https://ctan.org/pkg/repeatindex>

name repeatindex
caption Repeat items in an index after a page or column break
author Harders, Harald
copyright Harald Harders (2001)
license lppl = The LaTeX Project Public License (free)
version 0.01

description	(no language specified) This Package repeats item of an index if a page or column break occurs within a list of subitems. This helps to find out to which main item a subitem belongs.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/repeatindex/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/repeatindex
on MikTeX	repeatindex
on TeXLive	repeatindex
keyword	index (index support)
language(s)	no language specified
year	2001
last access	2025-02-07

5167 *repere* – MetaPost macros for secondary school mathematics teachers

Web page on CTAN <https://ctan.org/pkg/repere>

name	repere
caption	MetaPost macros for secondary school mathematics teachers
author	Péault, Olivier
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	23.05.b
description	(no language specified) This package provides MetaPost macros for drawing secondary school mathematics figures in a coordinate system: • axis, grids • points, vectors • functions (curves, tangents, integrals, sequences) • statistic diagrams • plane geometry (polygons, circles) • arrays and game boards
documentation	<i>Package documentation (French)</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/repere/repere-doc.pdf
– local file	./2950606607-repere-doc.pdf

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/repere/README.md
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/repere
on MikTeX	repere
on T _E XLive	repere
keyword	teaching (support for teachers and teaching administrators)
keyword	graphics-mpost (graphics generated using MetaPost)
keyword	maths (support for typesetting mathematics)
language(s)	French
year	without year
last access	2025-02-07

5168 repltext – Control how text gets copied from a PDF file

Web page on CTAN <https://ctan.org/pkg/repltext>

name	repltext
caption	Control how text gets copied from a PDF file
author	Pakin, Scott
copyright	Scott Pakin (2014-2020)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1 (2020-09-25)
last changes	2020-09-25
year	2020
description	(no language specified) The repltext package exposes to LaTeX a relatively obscure PDF feature: replacement text. When replacement text is specified for a piece of text, it is the replacement text, not the typeset text that is copied and pasted.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/repltext/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/repltext/repltext.pdf
– local file	./7848242310-repltext.pdf

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/repltext
on MikTeX	repltext
on T _E XLive	repltext
keyword	pdf-feat (access PDF features)
language(s)	no language specified
last access	2025-02-07

5169 *report* – Typeset a multi-chapter report

Web page on CTAN <https://ctan.org/pkg/report>

name	report
caption	Typeset a multi-chapter report
author	The LaTeX Project Team
copyright	The LaTeX3 Project (1993-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.4n (2024-06-29)
last changes	2024-06-29
year	2024
description	(no language specified) The class provides typesetting rather similar to that of the book class , omitting some features relevant only when professional book-publishing is to be used.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/base/classes.pdf
– local file	./3901404437-classes.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/base
on MikTeX	ltxbase
on T _E XLive	latex
keyword	class (alternative LaTeX class(es))
keyword	report-like (regularly-formatted reports)
see also	see section 278 on page 256: (<i>article</i> – Default class for composing an article)
see also	see section 796 on page 730: (<i>book</i> – A class for typesetting books)

language(s) no language specified
last access 2025-02-07

5170 reptheorem – Repetition of theorem environments

Web page on CTAN <https://ctan.org/pkg/reptheorem>

name reptheorem
caption Repetition of theorem environments
author Straat, Jesse
copyright Jesse Straat (2024)
license lpl1.3c = The LaTeX Project Public License 1.3c (free)
version 1.3 (2024-10-07)
last changes 2024-10-07
year 2024
description (no language specified) When writing a large manuscript, it is sometimes beneficial to repeat a theorem (or lemma or...) at an earlier or later point for didactical purposes. However, **thmtools**'s built-in `restatable` only allows replicating theorems *after* they have been stated, and only in the same document.
This package solves the issue by making use of the `.aux` file, and also introduces its own file extension, `.thm`, to replicate theorems in other files.
documentation (no language specified) *Package documentation:*
<https://ctan.org/tex-archive/macros/latex/contrib/reptheorem/reptheorem-doc.pdf>
– local file `./9975245339-reptheorem-doc.pdf`
documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/macros/latex/contrib/reptheorem/README.md>
contact *repository:* <https://github.com/jessestraat/reptheorem>
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/reptheorem>
on MikTeX reptheorem
on T_EXLive reptheorem
keyword maths-theorem (typeset mathematical theorems)
language(s) no language specified
last access 2025-02-07

5171 required – Packages "required" of a LaTeX distribution

Web page on CTAN <https://ctan.org/pkg/required>

name required

caption Packages "required" of a LaTeX distribution

author Schmidt, Walter A.

author Rahtz, Sebastian

author The LaTeX Project Team

author Volovich, Vladimir

license lppl = The LaTeX Project Public License (free)

description (no language specified) These are packages that the LaTeX team have declared are 'required' of any LaTeX distribution—in the sense that any package writer is entitled to assume the presence of these packages in support of her package.

The set comprises:

- [AmsLaTeX](#) , mathematical support from the AMS;
- The [babel](#) package for multilingual typesetting;
- Standard LaTeX support for [using Cyrillic alphabet fonts](#) ;
- The standard LaTeX [graphics and colour packages](#) ;
- Basic support for using common Adobe Type 1 fonts with LaTeX—the "[psnfss](#)" ; and
- Basic "LaTeX [latex-tools](#) ".

For distribution details, see the individual packages' catalogue entries.

on CTAN <https://ctan.org/tex-archive/macros/latex/required>

keyword arch-tree (root directory of a (sub-)tree of the archive)

language(s) no language specified

year without year

last access 2025-02-07

5172 rerunfilecheck – Checksum based rerun checks on auxiliary files

Web page on CTAN <https://ctan.org/pkg/rerunfilecheck>

name	rerunfilecheck
caption	Checksum based rerun checks on auxiliary files
author	Oberdiek, Heiko
copyright	Oberdiek Package Support Group (2016-2025)
copyright	Heiko Oberdiek (2009-2011)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.11 (2025-06-21)
last changes	2025-06-21
year	2025
description	(no language specified) The package provides additional rerun warnings if some auxiliary files have changed. It is based on MD5 checksum provided by pdfTeX, LuaTeX, XeTeX.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/rerunfilecheck/rerunfilecheck.pdf
– local file	./5823726668-rerunfilecheck.pdf
contact	<i>bugs:</i> https://github.com/ho-tex/rerunfilecheck/issues
contact	<i>repository:</i> https://github.com/ho-tex/rerunfilecheck
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rerunfilecheck
on MikTeX	rerunfilecheck
on TeXLive	rerunfilecheck
keyword	compilation (the document compilation process)
language(s)	no language specified
last access	2025-06-29

5173 *res* – A *resumé* class

Web page on CTAN <https://ctan.org/pkg/res>

name	<code>res</code>
caption	A <i>resumé</i> class
author	DeCorte, Michael
author	Krishnamurthy, Venkat
copyright	Michael DeCorte (1988, 1989)
license	nosell = Do Not Sell Except by Arrangement (not free)
version	(2001-08-07)
last changes	2001-08-07
year	2001
description	(no language specified) An update, for current LaTeX, of a LaTeX 2.09 document style.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/resume/res.cls
keyword	<code>cv</code> (curriculum vitae/Resumé)
keyword	<code>class</code> (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-07

5174 *rescansync* – Re-scan tokens with *synctex* information

Web page on CTAN <https://ctan.org/pkg/rescansync>

name	<code>rescansync</code>
caption	Re-scan tokens with <i>synctex</i> information
author	user202729
copyright	user202729 (2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.0.0 (2022-07-09)
last changes	2022-07-09
year	2022

5175 *resizgather* – Automatically resize overly large equations

description	(no language specified) Allow users to execute saved code to typeset text while preserving SyncTeX information.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/rescansync/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rescansync/rescansync.pdf
– local file	<code>./9872379238-rescansync.pdf</code>
contact	<i>repository</i> : https://github.com/user202729/TeXlib
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rescansync
on MikTeX	rescansync
on TeXLive	rescansync
keyword	expl3 (expl3(unknown))
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

5175 *resizgather* – Automatically resize overly large equations

Web page on CTAN <https://ctan.org/pkg/resizgather>

name	resizgather
caption	Automatically resize overly large equations
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2009, 2010)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3 (2016-05-16)
last changes	2016-05-16
year	2016
description	(no language specified) Equations that are too large are resized to fit the available space. The environment ‘gather’ of package amsmath is supported. Also the environments ‘equation’ and ‘displaymath’ are redefined using ‘gather’ and its starred version. The package is part of the oberdiek bundle.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/resizegather.pdf
– local file	<code>./7087908825-resizegather.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/resizegather.dtx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/oberdiek.tds.zip
on MikTeX	oberdiek
on TeXLive	oberdiek
keyword	maths (support for typesetting mathematics)
see also	see section 175 on page 162: (amsmath – AMS mathematical facilities for LaTeX)
language(s)	no language specified
last access	2025-02-07

5176 *resmes* – Measure restriction symbol in LaTeX

Web page on CTAN	https://ctan.org/pkg/resmes
name	resmes
caption	Measure restriction symbol in LaTeX
author	De Donato, Paolo
copyright	Paolo (2022)
license	mit = MIT License (free)
version	1.0 (2022-12-27)
last changes	2022-12-27
year	2022
description	(no language specified) This package provides a simple macro <code>\resmes</code> that prints the measure restriction symbol.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/resmes/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/resmes/resmes.pdf
– local file	<code>./3275591350-resmes.pdf</code>

home page	https://github.com/Loara/resmes
contact	<i>support</i> : https://github.com/Loara/resmes/discussions
contact	<i>bugs</i> : https://github.com/Loara/resmes/issues
contact	<i>repository</i> : https://github.com/Loara/resmes.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/resmes
on MikTeX	resmes
on T _E XLive	resmes
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

5177 *resolsysteme* – Work on linear systems using *xint* or *pyluatex*

Web page on CTAN <https://ctan.org/pkg/resolsysteme>

name	ResolSysteme
caption	Work on linear systems using <i>xint</i> or <i>pyluatex</i>
author	Pierquet, Cédric
license	lpp1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.8 (2024-07-04)
last changes	2024-07-04
year	2024
description	(no language specified) This package provides some commands (in French) to perform calculations on small (2x2 or 3x3 or 4x4) linear systems, with <i>xint</i> or <i>pyluatex</i> : • <code>\DetMatrice</code> or <code>\DetMatricePY</code> to display the determinant of a matrix (with formatting options); • <code>\MatriceInverse</code> or <code>\MatriceInversePY</code> to display the invers of a matrix (with formatting options) ; • <code>\SolutionSysteme</code> or <code>\SolutionSystemePY</code> to display the solution of a linear system (with formatting options); • ...
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/resolsysteme/README.md

documentation	(French) <i>Example of use (with xint)</i> : https://ctan.org/tex-archive/macros/latex/contrib/resolsysteme/doc/ResolSysteme-exemples.pdf
– local file	./8959394348-ResolSysteme-exemples.pdf
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/resolsysteme/doc/ResolSysteme-doc.pdf
– local file	./4158430729-ResolSysteme-doc.pdf
documentation	(French) <i>Example of use (with pyluatex)</i> : https://ctan.org/tex-archive/macros/latex/contrib/resolsysteme/doc/ResolSysteme-exemples-pyluatex.pdf
– local file	./9178515837-ResolSysteme-exemples-pyluatex.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/resolsysteme
on MikTeX	resolsysteme
on T _E XLive	resolsysteme
keyword	use-luatex (package will use LuaTeX facilities if available)
keyword	maths (support for typesetting mathematics)
keyword	calculation (perform calculations within TeX)
keyword	matrix (typeset matrices)
language(s)	French
last access	2025-05-27

5178 *resphilosophica* – Typeset articles for the journal *Res Philosophica*

Web page on CTAN	https://ctan.org/pkg/resphilosophica
name	resphilosophica
caption	Typeset articles for the journal <i>Res Philosophica</i>
author	Veytsman, Boris
copyright	Boris Veytsman (2012-2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.39 (2025-09-30)
last changes	2025-09-30
year	2025

description	(no language specified) The bundle provides a class for typesetting articles for the journal Res Philosophica . This work was commissioned by the Saint Louis University .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/resphilosophica/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/resphilosophica/resphilosophica.pdf
– local file	./3598971415-resphilosophica.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/resphilosophica
on MikTeX	resphilosophica
on T _E XLive	resphilosophica
keyword	journalpub (typesetting journals, etc)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-10-09

5179 responsive – Responsive design methods for LaTeX

Web page on CTAN	https://ctan.org/pkg/responsive
name	responsive
caption	Responsive design methods for LaTeX
author	Hoftich, Michal
copyright	Michal Hoftich (2023-2024)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1a (2024-07-14)
last changes	2024-07-14
year	2024

description	(no language specified) Responsive design aims to display text and other design elements well on variety of outputs, including electronic devices or various paper sizes. It originated on the Web, using Cascading Style Sheets to change design elements. This package tries to achieve similar results with LaTeX. The main aim is to support the output of multiple editions of one document with readable font sizes regardless of the physical size of the produced PDF, from smartphones or e-ink readers to printed A4 pages.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/responsive/responsive-doc.pdf
– local file	<code>./2588931795-responsive-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/responsive/README
home page	https://github.com/michal-h21/responsive-latex
contact	<i>bugs</i> : https://github.com/michal-h21/responsive-latex/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/responsive
on MikTeX	responsive
on TeXLive	responsive
keyword	typesetting (support for variations of typographic style)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

5180 *rest-api* – Describing a rest api

Web page on CTAN	https://ctan.org/pkg/rest-api
name	<code>rest-api</code>
caption	Describing a rest api
author	Klein, Dennis
copyright	Dennis Klein (2020)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.4 (2020-12-04)

last changes	2020-12-04
year	2020
description	(no language specified) This LaTeX package provides macros to describe rest apis for documentation purposes. The endpoints can hold the following information: • method • description • path parameter • request body and content type • response body, content type and status code
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rest-api/rest-api.pdf
– local file	<code>./1975023503-rest-api.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/rest-api/README.md
contact	<i>repository</i> : https://github.com/MusApfel/latex-describe-rest-api
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rest-api
on MikTeX	<code>rest-api</code>
on TeXLive	<code>rest-api</code>
keyword	<code>program-doc</code> (support for programming documentation)
language(s)	no language specified
last access	2025-02-07

5181 `resumecls` – Typeset a resume both in English and Chinese

Web page on CTAN	https://ctan.org/pkg/resumecls
name	<code>resumecls</code>
caption	Typeset a resume both in English and Chinese
author	Hu, Xuan
copyright	huxuan (2012-2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)

version	0.4.1
description	(no language specified) A LaTeX document class to typeset a resume or CV both in English and Chinese with more ease and flexibility.
documentation	(no language specified) <i>Package listing</i> : https://ctan.org/tex-archive/macros/xetex/latex/resumecls/resumecls.pdf
– local file	./8316404871-resumecls.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/resumecls/README.md
home page	https://github.com/huxuan/resumecls
contact	<i>announce</i> : https://github.com/huxuan/resumecls/releases
contact	<i>bugs</i> : https://github.com/huxuan/resumecls/issues
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/resumecls
on MikTeX	resumecls
on TeXLive	resumecls
keyword	cv (curriculum vitae/Resumé)
keyword	chinese (support for typesetting Chinese languages)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
year	2020
last access	2025-02-07

5182 resumemac – Plain TeX macros for resumés

Web page on CTAN <https://ctan.org/pkg/resumemac>

name	resumemac
caption	Plain TeX macros for resumés
author	Hosek, Don
license	pd = Public Domain Software (free)
version	(1992-08-27)
last changes	1992-08-27
year	1992

description	(no language specified) A set of macros is provided, together with an file that offers an example of use.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/resumemac
on T _E XLive	resumemac
keyword	cv (curriculum vitae/Resumé)
keyword	plain-ext (extensions to Plain TeX for higher-level constructs)
language(s)	no language specified
last access	2025-02-09

5183 `retosmatematicos` – LaTeX template for the Telegram group “Retos Matemáticos”

Web page on CTAN	https://ctan.org/pkg/retosmatematicos
name	RetosMatematicos
caption	LaTeX template for the Telegram group “Retos Matemáticos”
author	Díaz Bordón, Henry
author	Muñoz, José Manuel Sánchez
copyright	Henry Díaz Bordón, José Manuel Sánchez Muñoz (2025)
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
version	1.1.1
description	(no language specified) This package provides the class <code>RetoMatematico.cls</code>, which is used to typeset the final solutions of the mathematical challenges published in the Telegram group Retos Matemáticos (by José Manuel Sánchez Muñoz). Among its features, the class sets the document size to letter paper, switches the font to Palatino Linotype (via the <code>mathpazo</code> package), and places information such as the group’s ISSN and link in the page margins. Further details and usage examples are available in the package documentation.
documentation	(Spanish) <i>Example of use (RetoMatematico class)</i>: https://ctan.org/tex-archive/macros/latex/contrib/retosmatematicos/retomatematico-ejemplo.pdf
– local file	<code>./7593657551-retomatematico-ejemplo.pdf</code>
documentation	(no language specified) <i>Example of use (RetoPSTricks class)</i>: https://ctan.org/tex-archive/macros/latex/contrib/retosmatematicos/retopstricks-ejemplo.pdf

5184 *returntogrid* – Semi-automatic grid typesetting

– local file	<code>./7333183498-retopstricks-ejemplo.pdf</code>
documentation	(no language specified) <i>Readme (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/retosmatematicos/README
documentation	<i>Readme (Spanish)</i> : https://ctan.org/tex-archive/macros/latex/contrib/retosmatematicos/README.espanol
documentation	(Spanish) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/retosmatematicos/retosmatematicos-documentacion.pdf
– local file	<code>./4232959904-retosmatematicos-documentacion.pdf</code>
home page	https://t.me/Retos_Matematicos
contact	<i>bugs</i> : https://github.com/h3nry-d1az/RetosMatematicos/issues
contact	<i>repository</i> : https://github.com/h3nry-d1az/RetosMatematicos
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/retosmatematicos
on MikTeX	retosmatematicos
on TeXLive	retosmatematicos
keyword	doc-templ (template to guide document development)
language(s)	Spanish
year	2025
last access	2025-09-30

5184 *returntogrid* – Semi-automatic grid typesetting

Web page on CTAN	https://ctan.org/pkg/returntogrid
name	returntogrid
caption	Semi-automatic grid typesetting
author	Fischer, Ulrike
copyright	Ulrike Fischer (2018)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2

description	(no language specified) <code>returntograd</code> offers a few commands to get something like an simple, semi-automatic grid typesetting. It does more or less what the existing <code>gridset</code> package does. The main differences to <code>gridset</code> are that <code>returntograd</code> works also with LuaLaTeX and that it has also a command to do some horizontal movements to get to "tab" positions.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/returntograd/returntograd.pdf
– local file	<code>./9264742527-returntograd.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/returntograd/README.md
home page	https://github.com/u-fischer/returntograd
contact	<i>support</i> : https://github.com/u-fischer/returntograd
contact	<i>bugs</i> : https://github.com/u-fischer/returntograd/issues
contact	<i>repository</i> : https://github.com/u-fischer/returntograd
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/returntograd
on MikTeX	<code>returntograd</code>
on TeXLive	<code>returntograd</code>
keyword	<code>typeset-grid</code> (typeset, snapping lines of text to a grid)
see also	see section 2642 on page 2392: (<code>gridset</code> – Grid, a.k.a. in-register, setting)
see also	see section 2639 on page 2389: (<code>grid</code> – Grid typesetting in LaTeX)
language(s)	no language specified
year	2018
last access	2025-02-07

5185 *reverbii* – Playing Reversi in TeX

Web page on CTAN	https://ctan.org/pkg/reverbii
name	<code>reverbii</code>
caption	Playing Reversi in TeX
author	Le Floch, Bruno
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2021-11-06)

last changes	2021-11-06
year	2021
description	(no language specified) Following the lead of xii.tex , this little (938 characters) program that plays Reversi. (The program incorporates some primitive AI.)
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/reverxii/reverxii.pdf
– local file	./7393012109-reverxii.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/reverxii/README.md
on CTAN	https://ctan.org/tex-archive/macros/generic/reverxii
on MikTeX	reverxii
on T _E XLive	reverxii
keyword	frivolous (TeX code as a source of humour)
keyword	games (process game diagrams, gamebooks, and other amusements)
language(s)	no language specified
last access	2025-02-07

5186 *revnum* – Reverse enumerate

Web page on CTAN <https://ctan.org/pkg/revnum>

name	revnum
caption	Reverse enumerate
author	Wilms, Jörn
copyright	Jörn Wilms (1996)
license	noinfo = noinfo
version	1.0
description	(no language specified) Provides a reverse-enumerate environment (<code>revnumerate</code>) in which items are numbered in reverse order.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/revnum/readme.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/revnum/revnum.pdf
– local file	./2564210829-revnum.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/revnum

keyword	<code>list-enum</code> (list: items enumerated)
keyword	<code>list</code> (list: general)
see also	see section 2004 on page 1807: (<code>etaremune</code> – Reverse-counting enumerate environment)
language(s)	no language specified
year	1996
last access	2025-02-07

5187 *revquantum* – Hacks to make writing quantum papers for *revtex4-1* less painful

Web page on CTAN <https://ctan.org/pkg/revquantum>

name	<code>revquantum</code>
caption	Hacks to make writing quantum papers for <i>revtex4-1</i> less painful
author	Granade, Christopher
copyright	Christopher Granade (2016, 2017)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.11 (2017-03-15)
last changes	2017-03-15
year	2017
description	(no language specified) This package provides a number of useful hacks to solve common annoyances with the <i>revtex4-1</i> package, and to define notation in common use within quantum information. In doing so, it imports and configures a number of commonly-available and used packages, and where reasonable, provides fallbacks. It also warns when users try to load packages which are known to be incompatible with <i>revtex4-1</i> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/revquantum/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/revquantum/revquantum.pdf
– local file	<code>./5310830214-revquantum.pdf</code>
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/revquantum/example.pdf
– local file	<code>./4738795665-example.pdf</code>

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/revquantum
on MikTeX	revquantum
on T _E XLive	revquantum
keyword	journalpub (typesetting journals, etc)
keyword	physics (support for typesetting physics documents)
language(s)	no language specified
last access	2025-02-07

5188 *revtex* – Styles for various Physics Journals

Web page on CTAN	https://ctan.org/pkg/revtex
name	revtex
caption	Styles for various Physics Journals
author	Mittelbach, Frank
author	Oleinik, Phelype
author	Doyle, Mark
author	Ogawa, Arthur
copyright	The American Physical Society (1999-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	4.2f
description	(no language specified) Includes styles for American Physical Society, American Institute of Physics, and Optical Society of America. The distribution consists of the RevTeX class itself, and several support packages.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/revtex/README
home page	https://journals.aps.org/revtex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/revtex
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/revtex.tds.zip
on MikTeX	revtex
on T _E XLive	revtex
keyword	physics (support for typesetting physics documents)

keyword	class (alternative LaTeX class(es))
keyword	journalpub (typesetting journals, etc)
see also	see section 5190 on page 4703: (<i>revtex4-1 – Styles for various Physics Journals</i>)
see also	see section 5189 on page 4702: (<i>revtex4-0 – Styles for various Physics Journals (old version)</i>)
language(s)	no language specified
year	2022
last access	2026-04-10

5189 *revtex4-0 – Styles for various Physics Journals (old version)*

Web page on CTAN	https://ctan.org/pkg/revtex4-0
name	revtex4-0
caption	Styles for various Physics Journals (old version)
author	Oleinik, Phelype
author	Mittelbach, Frank
author	Doyle, Mark
author	Ogawa, Arthur
copyright	The American Physical Society (2000,2020)
license	lppl = The LaTeX Project Public License (free)
version	4.0a
description	(no language specified) This is an old version of <i>revtex</i> , and is kept as a courtesy to users having difficulty with the incompatibility of that latest version.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/revtex4-0/README
home page	https://journals.aps.org/revtex
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/revtex4-0
keyword	physics (support for typesetting physics documents)
keyword	obsolete (package declared obsolete)
keyword	journalpub (typesetting journals, etc)

see also	see section 5190 on page 4703: (<i>revtex4-1</i> – Styles for various Physics Journals)
see also	see section 5188 on page 4701: (<i>revtex</i> – Styles for various Physics Journals)
language(s)	no language specified
year	2020
last access	2026-04-10

5190 *revtex4-1* – Styles for various Physics Journals

Web page on CTAN	https://ctan.org/pkg/revtex4-1
name	<i>revtex4-1</i>
caption	Styles for various Physics Journals
author	Mittelbach, Frank
author	Doyle, Mark
author	Oleinik, Phelype
author	Ogawa, Arthur
copyright	The American Physical Society (2009,2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	4.1s
description	(no language specified) This is an old version of <i>revtex</i> , and is kept as a courtesy to users having difficulty with the incompatibility of that latest version.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/revtex4-1/revtex4-1.pdf
– local file	<code>./2877241409-revtex4-1.pdf</code>
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/revtex4-1/README
home page	https://journals.aps.org/revtex
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/revtex4-1
on T _E XLive	<i>revtex4-1</i>
keyword	obsolete (package declared obsolete)
keyword	journalpub (typesetting journals, etc)

keyword	physics (support for typesetting physics documents)
see also	see section 5188 on page 4701: (<i>revtex</i> – Styles for various Physics Journals)
see also	see section 5189 on page 4702: (<i>revtex4-0</i> – Styles for various Physics Journals (old version))
language(s)	no language specified
year	2020
last access	2026-04-10

5191 *rfc2bib* – Generate BibTeX entries for IETF RFCs

Web page on CTAN <https://ctan.org/pkg/rfc2bib>

name	rfc2bib
caption	Generate BibTeX entries for IETF RFCs
author	Mortier, Richard
license	other-free = Free license not otherwise listed (free)
description	(no language specified) The script translates an RFC index file from the IETF to a BibTeX file. It is probably GNU gawk-specific. Please note that this package is now superceded by ietfbibs .
on CTAN	https://ctan.org/tex-archive/obsolete/biblio/bibtex/utils/misc/rfc2bib.awk
keyword	obsolete (package declared obsolete)
keyword	bibtex-gen (derive BibTeX data from resources other than BibTeX libraries)
language(s)	no language specified
year	without year
last access	2025-02-07

5192 *rfil* – Ruby font installer library

Web page on CTAN <https://ctan.org/pkg/rfil>

name	<code>rfil</code>
caption	Ruby font installer library
author	Gundlach, Patrick
license	gpl = GNU General Public License (free)
version	0.1
description	(no language specified) The Ruby font installer library (RFIL) is another attempt on font installation for TeX fonts. It consists of a set of example programs and several libraries for doing font related tasks, such as read/write tfm, afm, vf and enc files, creating font metrics, doing calculations and the like. The software is all written in Ruby.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/rfil/README
on CTAN	https://ctan.org/tex-archive/support/rfil
keyword	<code>font-proc</code> (process fonts for use with TeX (includes installation))
language(s)	no language specified
year	without year
last access	2025-02-07

5193 *rgb* – Tables of RGB colour parameters

Web page on CTAN <https://ctan.org/pkg/rgb>

name	RGB
caption	Tables of RGB colour parameters
author	Loreti, Maurizio
license	other-free = Free license not otherwise listed (free)
version	1.2
description	(no language specified) The Linux <code>rgb.txt</code> (distributed as part of X11 distributions) is mechanically converted to a LaTeX file, which has been compiled to make the distribution. For details of the procedure, and sources, see the package's home page.
on CTAN	https://ctan.org/tex-archive/info/colour/rgb
keyword	<code>colour</code> (typesetting in colour)

keyword	documentation (‘stand-alone’ documentation)
see also	see section 1068 on page 969: (<i>chroma</i> – Chroma: a reference book of LaTeX colours)
language(s)	no language specified
year	without year
last access	2025-02-07

5194 *rgltxdoc* – Common code for documentation of the author’s packages

Web page on CTAN <https://ctan.org/pkg/rgltxdoc>

name	rgltxdoc
caption	Common code for documentation of the author’s packages
author	Grewe, Richard
copyright	Richard Grewe (2018-2020)
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.3
description	(no language specified) This package combines several other packages and defines additional macros and environments for documenting LaTeX code. The package mainly serves the purpose of combining the preferences used in the author’s own package documentations. However, others can use the package as well. Compatibility between versions cannot be guaranteed, however.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/rgltxdoc/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rgltxdoc/rgltxdoc.pdf
– local file	./1206605275-rgltxdoc.pdf
contact	<i>bugs</i> : https://github.com/Ri-Ga/rgltxdoc/issues
contact	<i>repository</i> : https://github.com/Ri-Ga/rgltxdoc
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rgltxdoc
on MikTeX	rgltxdoc
on T _E XLive	rgltxdoc
keyword	doc-suppl (macros and tools for preparing documentation)
language(s)	no language specified

year 2020
last access 2025-02-07

5195 *ribbonproofs* – Drawing ribbon proofs

Web page on CTAN <https://ctan.org/pkg/ribbonproofs>

name	ribbonproofs
caption	Drawing ribbon proofs
author	Wickerson, John
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The package provides a way to draw "ribbon proofs" in LaTeX. A ribbon proof is a diagrammatic representation of a mathematical proof that a computer program meets its specification. These diagrams are more human-readable, more scalable, and more easily modified than the corresponding textual proofs.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ribbonproofs/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ribbonproofs/ribbonproofsmanual.pdf
– local file	./2746467278-ribbonproofsmanual.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ribbonproofs
on MikTeX	ribbonproofs
on T _E XLive	ribbonproofs
keyword	proof (typeset proofs and proof diagrams)
language(s)	no language specified
year	without year
last access	2025-02-07

5196 richtext – Create rich text strings

Web page on CTAN <https://ctan.org/pkg/richtext>

name	richtext
caption	Create rich text strings
author	Story, Donald P.
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	(2020-07-02)
last changes	2020-07-02
year	2020
description	(no language specified) The richtext package is used to create rich text strings that can, in turn, be inserted into the RV (and V) keys of text field. Currently, only the eforms package supports the RV key.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/richtext/docs/richtextman.pdf
– local file	./7185923015-richtextman.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/richtext/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/richtext
on MikTeX	richtext
keyword	form-fillin (design forms for information collection)
keyword	pdf-forms (create pdf form fields, use form fields as an integral part of the package)
keyword	pdf-feat (access PDF features)
language(s)	no language specified
last access	2025-02-07

5197 rigidnotation – Typeset vectors and matrices following the RIGID notationWeb page on CTAN <https://ctan.org/pkg/rigidnotation>

name	rigidnotation
caption	Typeset vectors and matrices following the RIGID notation
author	Nadeau, Philippe
copyright	Philippe Nadeau (2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.0 (2024-05-13)
last changes	2024-05-13
year	2024
description	(no language specified) This package provides LaTeX macros to easily and concisely typeset vectors and matrices in a flexible way such as to follow the RIGID notation convention. The package enables the user to define custom commands that can then be used in any math-mode environment to efficiently and rigorously typeset the notational elements commonly used in robotics research (and many other fields) for position vectors, rotation matrices, pose matrices, etc.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/rigidnotation/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rigidnotation/rigidnotation.pdf
– local file	./2567388763-rigidnotation.pdf
contact	<i>repository</i> : https://github.com/PhilNad/rigidnotation-latex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rigidnotation
on MikTeX	rigidnotation
on T _E XLive	rigidnotation
keyword	engineering (typesetting associated with engineering of whatever sort)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

5198 *rit-fonts* – Malayalam fonts by Rachana Institute of Typography (RIT)

Web page on CTAN <https://ctan.org/pkg/rit-fonts>

name	<code>rit-fonts</code>
caption	Malayalam fonts by Rachana Institute of Typography (RIT)
author	Radhakrishnan, C. V.
copyright	CV Radhakrishnan and Rachana Institute of Typography (2023)
license	ofl = The SIL Open Font License (free)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.9 (2023-06-12)
last changes	2023-06-12
year	2023
description	(no language specified) The RIT font collection provides versions of ten font families in Malayalam (the language spoken in the southern Indian state of Kerala) script in TrueType and WOFF2 formats. The fonts are:

- RIT Rachana
- RIT Panmana
- RIT MeeraNew
- RIT TN Joy
- RIT Karuna
- RIT Keralayeeam
- RIT Sundar
- RIT Uroob
- RIT Ezhuthu
- RIT Kutty

A LaTeX package `rit-fonts.sty` that will help users to make use of these Unicode-compliant fonts in LaTeX documents with XeTeX or LuaTeX is also provided.

documentation (no language specified) *Examples of use:* <https://ctan.org/tex-archive/fonts/rit-fonts/doc/font-example.pdf>

– local file `./6232906241-font-example.pdf`

documentation (no language specified) *Package documentation:* <https://ctan.org/tex-archive/fonts/rit-fonts/doc/rit-fonts-doc.pdf>

5199 *rjlparschap* – Support for use of `\parshape` in LaTeX

– local file	<code>./3618910958-rit-fonts-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/rit-fonts/README.md
home page	https://rachana.org.in
contact	<i>repository</i> : https://gitlab.com/rit-fonts/
on CTAN	https://ctan.org/tex-archive/fonts/rit-fonts
on MikTeX	<code>rit-fonts</code>
on TeXLive	<code>rit-fonts</code>
keyword	<code>font-indic</code> (fonts for languages of the Indian subcontinent)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-ttf</code> (font available in TrueType format)
language(s)	no language specified
last access	2025-02-07

5199 *rjlparschap* – Support for use of `\parshape` in LaTeX

Web page on CTAN	https://ctan.org/pkg/rjlparschap
name	<code>rjlparschap</code>
caption	Support for use of <code>\parshape</code> in LaTeX
author	Lee, Robert J
copyright	Robert J Lee (2004)
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.0
description	(no language specified) The package provides macros and environments that relieve the programmer of some of the difficulties of using <code>\parshape</code> in LaTeX macros. It does <i>not</i> actually calculate shapes in the way that the <i>shapepar</i> package does.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rjlparschap/rjlpshap.pdf
– local file	<code>./9405777634-rjlpshap.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/rjlparschap/README

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rjlparschap
on MikTeX	rjlparschap
on TeXLive	rjlparschap
keyword	micro-layout (paragraph shapes, margin adjustments, etc.)
language(s)	no language specified
year	2004
last access	2025-02-07

5200 *rlepsf* – Rewrite labels in EPS graphics

Web page on CTAN	https://ctan.org/pkg/rlepsf
name	rlepsf
caption	Rewrite labels in EPS graphics
author	Rourke, Colin
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) A macro package for use with epsf.tex which allows PostScript labels in an Encapsulated PostScript file to be replaced by TeX labels. The package provides commands <code>\relabel</code> (simply replace a PostScript string), <code>\adjustrelabel</code> (replace a PostScript string, with position adjustment), and <code>\extralabel</code> (add a label at given coordinates). You can, if you so choose, use the facilities of the labelfig package in place of using <code>\extralabel</code>.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/generic/rlepsf/rlepsdoc.ps
on CTAN	https://ctan.org/tex-archive/macros/generic/rlepsf
on MikTeX	rlepsf
on TeXLive	rlepsf
keyword	graphics (graphics (support packages))
see also	see section 4854 on page 4391: (<code>psfrag</code> – Replace strings in encapsulated PostScript figures)
language(s)	no language specified
year	without year
last access	2025-02-07

5201 *rmannot* – Create rich media annotations in a PDF fileWeb page on CTAN <https://ctan.org/pkg/rmannot>

name	rmannot
caption	Create rich media annotations in a PDF file
author	Story, Donald P.
copyright	D. P. Story (2008-2021)
license	lppl = The LaTeX Project Public License (free)
version	(2021-04-21)
last changes	2021-04-21
year	2021
description	(no language specified) The package is part of the AeB Pro family of packages. It creates rich media annotations, in which MOV, MP4, M4V, 3GP, 3G2, and MP3 files can be played. Rich media annotation is a feature of Acrobat/Adobe Reader version 9. Acrobat Pro and Distiller version 9.0 or later are required to build a document, and Adobe Reader 9.0 or later is needed to activate the annotation and play the media.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/rmannot/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rmannot/doc/rmannot_man.pdf
– local file	./6230742633-rmannot_man.pdf
home page	http://www.math.uakron.edu/~dpstory/rmannot.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rmannot
on MikTeX	rmannot
keyword	pdf-feat (access PDF features)
keyword	adobe-distiller (convert PostScript to PDF using Adobe Distiller)
keyword	pdf-forms (create pdf form fields, use form fields as an integral part of the package)
language(s)	no language specified
last access	2025-02-07

5202 *rmathbr* – Repeating of math operator at the broken line and the new line in inline equationsWeb page on CTAN <https://ctan.org/pkg/rmathbr>

name	<i>rmathbr</i>
caption	Repeating of math operator at the broken line and the new line in inline equations
author	Ryabov, Denis
copyright	Denis Ryabov (2008-2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1.1
description	(no language specified) Repeating of math operators at the broken line and the new line in inline equations is used in Cyrillic mathematical typography (Russian for example), but unfortunately LaTeX does not provide such an option. This package solves the problem by extending ideas described in M. I. Grinchuk "TeX and Russian Traditions of Typesetting", TUGboat 17(4) (1996) 385 and supports most of LaTeX mathematical packages. See the documentation for details.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/rmathbr/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rmathbr/rmathbr.pdf
– local file	<code>./8935272574-rmathbr.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rmathbr
on MikTeX	<i>rmathbr</i>
on TeXLive	<i>rmathbr</i>
keyword	<i>maths</i> (support for typesetting mathematics)
language(s)	no language specified
year	2020
last access	2025-02-07

5203 *rmligs* – Remove incorrect ligatures in German documentsWeb page on CTAN <https://ctan.org/pkg/rmligs>

name	rmligs
caption	Remove incorrect ligatures in German documents
author	Jacke, Björn
copyright	Björn Jacke (1999-2002)
license	gpl = GNU General Public License (free)
version	0.84
description	(no language specified) Ligatures, which are a pleasing feature of TeX's use of fonts, should not be placed in German words between the word stem and the rest of the word. The rmligs package is a perl script that takes input in ISO 8859-1 or -15, UTF-8 or LaTeX-style umlaut encodings ("a , "u , etc.), and inserts a break where an inappropriate ligature would appear. So, for example, 'Auflage' will be changed to 'Auf"llage', which typesets in a typographically correct fashion.
documentation	(German) <i>Package README</i>: https://ctan.org/tex-archive/support/rmligs/README
on CTAN	https://ctan.org/tex-archive/support/rmligs
keyword	inputenc (input encoding support for TeX engines)
language(s)	German
year	2002
last access	2025-02-07

5204 *rmpage* – A package to help change page layout parameters in LaTeXWeb page on CTAN <https://ctan.org/pkg/rmpage>

name	rmpage
caption	A package to help change page layout parameters in LaTeX
author	McDonnell, Rowland
copyright	R.J.M. McDonnell (1995-1997)
license	gpl = GNU General Public License (free)
version	0.92

5205 *rmthm* – Use a roman font for theorem statements

description	(no language specified) The package lets you change page layout parameters in small steps over a range of values using options. It can set <code>\textwidth</code> appropriately for the main font, and ensure that the text fits inside the printable area of a printer. An <code>rmpage</code> -formatted document can be typeset identically without <code>rmpage</code> after a single cut and paste operation. Local configuration can set defaults: for all documents; and by class, by printer, and by paper size. The <code>geometry</code> package is better if you want to set page layout parameters to particular measurements.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rmpage/rmpage-doc.pdf
– local file	<code>./5940105172-rmpage-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/rmpage/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rmpage
on MikTeX	<code>rmpage</code>
on TeXLive	<code>rmpage</code>
keyword	<code>geometry</code> (change geometry of page layout)
language(s)	no language specified
year	1997
last access	2025-02-07

5205 *rmthm* – Use a roman font for theorem statements

Web page on CTAN <https://ctan.org/pkg/rmthm>

name	<code>rmthm</code>
caption	Use a roman font for theorem statements
author	Verwer, Nico
license	<code>noinfo = noinfo</code>
version	(1991-06-14)
last changes	1991-06-14
year	1991
description	(no language specified) Modifies the <code>theorem</code> environment of LaTeX 2.09 to cause the statement of a theorem to appear in <code>\rm</code>. LaTeX 2e users should use a more general package (such as <code>nttheorem</code>) to support this requirement.

on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/rmthm.sty
keyword	maths-theorem (typeset mathematical theorems)
language(s)	no language specified
last access	2025-02-07

5206 *rnototex* – Convert from Runoff to LaTeX

Web page on CTAN	https://ctan.org/pkg/rnototex
name	<i>rnototex</i>
caption	Convert from Runoff to LaTeX
author	Vanroose, Peter
license	noinfo = noinfo
version	(1994-11-21)
last changes	1994-11-21
year	1994
description	(no language specified) A (Pascal) program to translate (Digital Standard) Runoff into LaTeX. VAX executables for VMS v6.1 are provided.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/rnototex/README
on CTAN	https://ctan.org/tex-archive/support/rnototex
keyword	foreign-import (import files in a non-TeX (or different TeX) format)
language(s)	no language specified
last access	2025-02-07

5207 *robot-man* – A fun demo of AcroTeX eDucation Bundle facilities

Web page on CTAN	https://ctan.org/pkg/robot-man
name	Robot Man
caption	A fun demo of AcroTeX eDucation Bundle facilities
author	Story, Donald P.
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Robot man is distributed as part of the AeB Pro bundle (just for fun); the source is attached to the PDF file.

documentation	(no language specified) <i>The demo</i> : https://ctan.org/tex-archive/macros/latex/contrib/aeb_pro/robot_man/robot_man.pdf
– local file	<code>./6021026876-robot_man.pdf</code>
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/aeb_pro/README
home page	http://www.math.uakron.edu/~dpstory/webeq.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/aeb_pro/robot_man
on MikTeX	<code>robot-man</code>
keyword	games (process game diagrams, gamebooks, and other amusements)
language(s)	no language specified
year	without year
last access	2025-02-07

5208 `robotarm` – TikZ powered LaTeX package to draw parameterized 2D robot arms

Web page on CTAN	https://ctan.org/pkg/robotarm
name	<code>robotarm</code>
caption	TikZ powered LaTeX package to draw parameterized 2D robot arms
author	Snippe, Max J.W.
copyright	M.J.W. Snippe (2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1
description	(no language specified) This LaTeX package uses TikZ to draw parameterized 2D robot arms, for example to be used in educational material.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/robotarm/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/robotarm/robotarm.pdf
– local file	<code>./9728002118-robotarm.pdf</code>
contact	<i>bugs</i> : https://github.com/max-sn/robotarm/issues
contact	<i>repository</i> : https://github.com/max-sn/robotarm
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/robotarm

5209 *roboto* – Support for the Roboto family of fonts

on MikTeX	robotarm
on T _E XLive	robotarm
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	graphics (graphics (support packages))
language(s)	no language specified
year	2021
last access	2025-02-07

5209 *roboto* – Support for the Roboto family of fonts

Web page on CTAN <https://ctan.org/pkg/roboto>

name	roboto
caption	Support for the Roboto family of fonts
author	Tennent, Bob
license	ofl = The SIL Open Font License (free)
license	lppl = The LaTeX Project Public License (free)
license	apache2 = Apache License, version 2.0 (free)
version	(2022-09-10)
last changes	2022-09-10
year	2022
description	(no language specified) This package provides LaTeX, pdfLaTeX, XeLaTeX and LuaLaTeX support for the Roboto Sans, Roboto Condensed, Roboto Mono, Roboto Slab and Roboto Serif families of fonts, designed by Christian Robertson and Greg Gazdowicz for Google.
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/roboto/doc/roboto-samples.pdf
– local file	./8087937994-roboto-samples.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/roboto/README
on CTAN	https://ctan.org/tex-archive/fonts/roboto
installation	https://ctan.org/tex-archive/install/fonts/roboto.tds.zip
on MikTeX	roboto
on T _E XLive	roboto

keyword	<code>font</code> (fonts themselves)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font-sans</code> (sans-serif font)
keyword	<code>font-multilingual</code> (font with adaptations to several languages)
keyword	<code>font-greek</code> (font for Greek (archaic, classical and modern))
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-tlenc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font-mono</code> (monospaced font)
language(s)	no language specified
last access	2025-02-10

5210 `robust-externalize` – Cache anything (TikZ, python, ...) in a robust, efficient and pure way

Web page on CTAN <https://ctan.org/pkg/robust-externalize>

name	<code>robust-externalize</code>
caption	Cache anything (TikZ, python, ...) in a robust, efficient and pure way
author	Colisson, Léo
license	mit = MIT License (free)
version	2.9
description	(no language specified) This package provides a LaTeX library to cache anything (TikZ, python, ...), in a robust, efficient and pure way. We also provide a template system with placeholders to provide configurable templates. For more information, see the documentation and the github repository .
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/robust-externalize/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/robust-externalize/robust-externalize.pdf

5211 `robustcommand` – Declare robust command, with `\newcommand` checks

– local file	<code>./1971908950-robust-externalize.pdf</code>
contact	<i>announce:</i> https://github.com/leo-colisson/robust-externalize/releases
contact	<i>bugs:</i> https://github.com/leo-colisson/robust-externalize/issues
contact	<i>repository:</i> https://github.com/leo-colisson/robust-externalize/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/robust-externalize
on MikTeX	<code>robust-externalize</code>
on TeXLive	<code>robust-externalize</code>
keyword	compilation (the document compilation process)
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
language(s)	no language specified
year	without year
last access	2025-02-07

5211 `robustcommand` – Declare robust command, with `\newcommand` checks

Web page on CTAN	https://ctan.org/pkg/robustcommand
name	<code>robustcommand</code>
caption	Declare robust command, with <code>\newcommand</code> checks
author	Ebermann, Paul
copyright	Paul Ebermann (2006)
license	lppl = The LaTeX Project Public License (free)
version	0.1
description	(no language specified) The package merely provides a variation of <code>\DeclareRobustCommand</code> , which checks for the existence of a command before declaring it robust.
documentation	(German) <i>Benutzerdoku:</i> https://ctan.org/tex-archive/macros/latex/contrib/robustcommand/robustcommand.pdf
– local file	<code>./3477429801-robustcommand.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/robustcommand/README

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/robustcommand
on MikTeX	robustcommand
on T _E XLive	robustcommand
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	German
year	2006
last access	2025-02-07

5212 robustindex – Create index with pagerefs

Web page on CTAN	https://ctan.org/pkg/robustindex
name	robustindex
caption	Create index with pagerefs
author	van der Kallen, Wilberd
copyright	Wilberd van der Kallen (2005, 2017, 2018)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	(2019-01-25)
last changes	2019-01-25
year	2019
description	(no language specified) Third parties often change the page numbers without rerunning makeindex. One would like to make the page numbers in the index entries more robust. This bundle provides <code>robustindex.sty</code> and <code>robustglossary.sty</code>, which use the <code>\pageref</code> mechanism to maintain correct page numbers.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/robustindex/robustmanual.pdf
– local file	<code>./4790795640-robustmanual.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/robustindex/README.md
documentation	(no language specified) <i>Example of use</i>: https://ctan.org/tex-archive/macros/latex/contrib/robustindex/robustsample.pdf
– local file	<code>./4528247932-robustsample.pdf</code>

home page	https://www.staff.science.uu.nl/~kalle101/stind.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/robustindex
on MikTeX	robustindex
on T _E XLive	robustindex
keyword	index (index support)
language(s)	no language specified
last access	2025-02-07

5213 *rojud* – A font with the images of the counties of Romania

Web page on CTAN <https://ctan.org/pkg/rojud>

name	rojud
caption	A font with the images of the counties of Romania
author	Bazon, Vlad
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) This package provides a Type 1 font with images of the 42 counties of Romania, constructed using a general method which is described in detail in the documentation. The package name is an abbreviation of "județele României" (= counties of Romania).
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/rojud/README.txt
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/rojud/doc/rojud.pdf
– local file	./4339962281-rojud.pdf
on CTAN	https://ctan.org/tex-archive/fonts/rojud
on MikTeX	rojud
on T _E XLive	rojud
keyword	font (fonts themselves)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-novelty (fonts designed more for fun than for actual use)
language(s)	no language specified

year	without year
last access	2025-02-07

5214 *romanbar* – Write roman number with "bars"

Web page on CTAN <https://ctan.org/pkg/romanbar>

name	<i>romanbar</i>
caption	Write roman number with "bars"
author	Münch, Hans-Martin
copyright	H.-Martin Münch (2011-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0g
description	(no language specified) ‘Bars’, in the present context, are lines above and below text that abut with the text. Barred roman numerals are sometimes found in publications. The package provides a function that prints barred roman numerals (converting arabic numerals if necessary). The package also provides a predicate <code>\ifnumeric</code>.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/romanbar/romanbar.pdf
– local file	<code>./5622436912-romanbar.pdf</code>
documentation	(no language specified) <i>Sample of usage</i> : https://ctan.org/tex-archive/macros/latex/contrib/romanbar/romanbar-example.pdf
– local file	<code>./8037310088-romanbar-example.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/romanbar/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/romanbar
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/romanbar.tds.zip
on MikTeX	<i>romanbar</i>
on T _E XLive	<i>romanbar</i>
keyword	<code>numbers</code> (formatting numbers, etc)
language(s)	no language specified

year 2025
last access 2025-02-07

5215 *romanbarpagenumber* – Typesetting roman page numbers

Web page on CTAN <https://ctan.org/pkg/romanbarpagenumber>

name *romanbarpagenumber*
caption Typesetting roman page numbers
author Schneider, Robin
copyright Robin Schneider (2015)
license lpl1.3 = The LaTeX Project Public License 1.3 (free)
version 1.0
description (no language specified) The package *romanbar* allows to typeset roman numbers with bars. This package allows you to use those roman numbers as page number.
documentation (no language specified) *Package documentation*:
<https://ctan.org/tex-archive/macros/latex/contrib/romanbarpagenumber/romanbarpagenumber.pdf>
– local file ./4235331928-romanbarpagenumber.pdf
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/romanbarpagenumber/README>
contact *repository*: <https://github.com/ypid/latex-packages/tree/master/romanbarpagenumber>
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/romanbarpagenumber>
on MikTeX *romanbarpagenumber*
on T_EXLive *romanbarpagenumber*
keyword *page-nos* (control sequence and typesetting of page numbers)
keyword *numbers* (formatting numbers, etc)
see also see section 5214 on page 4724: (*romanbar* – Write roman number with “bars”)
language(s) no language specified
year 2015
last access 2025-02-07

5216 romandeadf – Romande ADF fonts and LaTeX support

Web page on CTAN <https://ctan.org/pkg/romandeadf>

name	romandeadf
caption	Romande ADF fonts and LaTeX support
author	Rees, Clea F.
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	gpl2 = GNU General Public License, version 2 (free)
version	2.1
description	(no language specified) Romande ADF is a serif font family with oldstyle figures, designed as a substitute for Times, Tiffany or Caslon. The family currently includes upright, italic and small-caps shapes in each of regular and demi-bold weights and an italic script in regular. The support package renames the fonts according to the Karl Berry fontname scheme and defines four families. Two of these primarily provide access to the "standard" or default characters while the "alternate" families support alternate characters, additional ligatures and the long s. The included package files provide access to these features in LaTeX as explained in the documentation. The LaTeX support requires the nfssexst-cfr and the xkeyval packages.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/romandeadf/README.md
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/romandeadf/doc/romandeadf.pdf
– local file	<code>./6585511096-romandeadf.pdf</code>
home page	http://arkandis.tuxfamily.org/
contact	<i>repository</i> : https://codeberg.org/cfr/nfssexst
on CTAN	https://ctan.org/tex-archive/fonts/romandeadf
on MikTeX	romandeadf
on T _E XLive	romandeadf
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-02-07

5217 *romaniantex* – LaTeX support for Romanian

Web page on CTAN <https://ctan.org/pkg/romaniantex>

name	romaniantex
caption	LaTeX support for Romanian
author	Rezus, Adrian
copyright	Adrian Rezus (1994-1996)
license	lpl = The LaTeX Project Public License (free)
version	1.3R
description	(no language specified) A LaTeX2e package for typesetting Romanian in a plain TeX environment. For LaTeX use, the package has been superseded by the Romanian option of babel .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/romanian/RomanianTeX/readme.txt
on CTAN	https://ctan.org/tex-archive/language/romanian/RomanianTeX
keyword	plain-ext (extensions to Plain TeX for higher-level constructs)
keyword	romanian (support for typesetting Romanian)
language(s)	no language specified
year	1996
last access	2025-02-07

5218 *romanneg* – Roman page numbers negative

Web page on CTAN <https://ctan.org/pkg/romanneg>

name	romanneg
caption	Roman page numbers negative
author	Wolczko, Mario
license	pd = Public Domain Software (free)
description	(no language specified) Causes the page numbers in the DVI file (as defined by <code>\count0</code>) to be negative when roman pagenumbers is in effect.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/romanneg/romanneg.pdf
– local file	<code>./7883025549-romanneg.pdf</code>

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/romaneg
on MikTeX	romaneg
on T _E XLive	romaneg
keyword	page-nos (control sequence and typesetting of page numbers)
language(s)	no language specified
year	without year
last access	2025-02-07

5219 romannum – Generate roman numerals instead of arabic digits

Web page on CTAN	https://ctan.org/pkg/romannum
name	romannum
caption	Generate roman numerals instead of arabic digits
author	Wilson, Peter R.
author	Robertson, Will
copyright	Peter R. Wilson (1999-2004)
license	lppl = The LaTeX Project Public License (free)
version	1.0b
description	(no language specified) The romannum package changes LaTeX generated numbers to be printed with roman numerals instead of arabic digits. It requires the stdclsdv package. Users of the bookhands fonts may find this package useful.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/romannum/romannum.pdf
– local file	./6090296284-romannum.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/romannum/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/romannum
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/romannum.tds.zip
on MikTeX	romannum
on T _E XLive	romannum

keyword	numbers (formatting numbers, etc)
language(s)	no language specified
year	2004
last access	2025-02-07

5220 *rorlink* – Create ROR symbols which links to the given ROR-IDs

Web page on CTAN <https://ctan.org/pkg/rorlink>

name	rorlink
caption	Create ROR symbols which links to the given ROR-IDs
author	Lukas, Florian
copyright	Florian Lukas (2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1.0 (2023-06-23)
last changes	2023-06-23
year	2023
description	(no language specified) This package provides an easy to use command. It takes an URL of the Research Organization Registry (ROR) as argument and creates a ROR symbol which links to the given URL — very similar to the orcidlink package from which it is derived. The symbol itself always fits with the choosen font size.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/rorlink/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rorlink/rorlink.pdf
– local file	./8326960721-rorlink.pdf
contact	<i>bugs</i> : https://gitlab.com/lukeflo/rorlink-latex-package/-/issues
contact	<i>repository</i> : https://gitlab.com/lukeflo/rorlink-latex-package
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rorlink
on MikTeX	rorlink
on T _E XLive	rorlink
keyword	hyper (support for hypertext)

keyword graphics-symb (create symbols, rather than select from a font)
 language(s) no language specified
 last access 2025-02-07

5221 *rosario* – Using the free Rosario fonts with LaTeX

Web page on CTAN <https://ctan.org/pkg/rosario>

name *rosario*

caption Using the free Rosario fonts with LaTeX

author Esbati, Arash

copyright Omnibus-Type (2012-2019)

license lpl1.3c = The LaTeX Project Public License 1.3c (free)

version 2.1 (2019-07-19)

last changes 2019-07-19

year 2019

description (no language specified) The package provides the files required to use the Rosario fonts with LaTeX. Rosario is a set of four fonts provided by Héctor Gatti, Adobe Typekit & Omnibus-Type Team under the Open Font License (OFL), version 1.1. The fonts are copyright (c) 2012-2015, Omnibus-Type.

documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/fonts/rosario/README.md>

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/fonts/rosario/doc/Rosario.pdf>

– local file ./7060834618-Rosario.pdf

home page <https://www.omnibus-type.com/fonts/rosario/>

on CTAN <https://ctan.org/tex-archive/fonts/rosario>

on MikTeX *rosario*

on T_EXLive *rosario*

keyword font-sans (sans-serif font)

keyword font-otf (font in OpenType format)

keyword font-supp (metrics, macro incantations and other font support)

keyword font (fonts themselves)

keyword font-type1 (font available in Adobe Type 1 format)

language(s)	no language specified
last access	2025-02-07

5222 rotate – Rotate TeX boxes

Web page on CTAN <https://ctan.org/pkg/rotate>

name	rotate
caption	Rotate TeX boxes
license	noinfo = noinfo
version	(1992-08-27)
last changes	1992-08-27
year	1992
description	(no language specified) Plain TeX macros to rotate boxes, using <code>\special</code> commands appropriate for dvips . Users should note that the Plain TeX adaptation of the LaTeX graphics package provides this functionality, with more flexibility as to output capabilities.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/rotate.tex
keyword	box-manip (manipulating boxes)
keyword	rotation (rotate typeset objects on their page)
language(s)	no language specified
last access	2025-02-07

5223 rotate-textures – Box rotation macros for Textures

Web page on CTAN <https://ctan.org/pkg/rotate-textures>

name	rotate-textures
caption	Box rotation macros for Textures
author	Karney, Charles
license	noinfo = noinfo
version	(1989-12-22)
last changes	1989-12-22
year	1989

description	(no language specified) Provides rotation macros specific to the (commercial) Textures distribution. Modern users are perhaps better advised to use the (LaTeX) graphics package, or generic relatives, such as its Plain graphics adaptation.
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/rotate-textures.sty
on MikTeX	genmisc
keyword	box-manip (manipulating boxes)
language(s)	no language specified
last access	2025-02-07

5224 rotating – Rotation tools, including rotated full-page floats

Web page on CTAN <https://ctan.org/pkg/rotating>

name	rotating
caption	Rotation tools, including rotated full-page floats
author	The LaTeX Project Team
author	Fairbairns, Robin
author	Rahtz, Sebastian
copyright	Sebastian Rahtz and Leonor Barroca (1995-1999)
copyright	Robin Fairbairns (2001-2003, 2007-2009)
copyright	LaTeX3 Project (2016-2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.16d (2016-08-11)
last changes	2016-08-11
year	2016
description	(no language specified) A package built on the standard LaTeX graphics package to perform all the different sorts of rotation one might like, including complete figures and tables with their captions. If you want continuous text (i.e., more than one page) set in landscape mode, use the lscape package instead. The rotating packages only deals in rotated boxes (or floats, which are themselves boxes), and boxes always stay on one page.

5225 *rotchiffre* – Perform simple rotation cyphers

If you need to use the facilities of the **float** in the same document, load `rotating.sty` via **rotfloat**, which smooths the path between the rotating and float packages.

The package is now part of the **latex-graphics** bundle, which is one of the collections in the **LaTeX ‘required’** set of packages.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/required/graphics/rotating.pdf
– local file	<code>./6434465356-rotating.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/required/graphics
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-graphics.tds.zip
keyword	rotation (rotate typeset objects on their page)
keyword	float (typesetting floats)
see also	see section 2821 on page 2554: (<code>hvfloat</code> – Controlling captions, fullpage and doublepage floats)
language(s)	no language specified
last access	2025-02-07

5225 *rotchiffre* – Perform simple rotation cyphers

Web page on CTAN <https://ctan.org/pkg/rotchiffre>

name	<code>rotchiffre</code>
caption	Perform simple rotation cyphers
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2010)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2016-05-16)
last changes	2016-05-16
year	2016
description	(no language specified) The package defines a command <code>\EdefRot</code> that defines a macro (whose name is given as an argument) to the rotation of the given string. Available rotations are <code>ROT13</code> (for letters), <code>ROT5</code> (for digits), <code>ROT18</code> (for digits and letters together) and <code>ROT47</code> (for all ASCII characters). The package is part of the oberdiek bundle.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/rotchiffre.pdf
– local file	./6698801160-rotchiffre.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/rotchiffre.dtx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/oberdiek.tds.zip
on MikTeX	oberdiek
on TeXLive	oberdiek
keyword	obscurity (simple rotation or substitution ciphers)
language(s)	no language specified
last access	2025-02-07

5226 *rotfloat* – Rotate floats

Web page on CTAN	https://ctan.org/pkg/rotfloat
name	rotfloat
caption	Rotate floats
author	Sommerfeldt, Axel
copyright	Axel Sommerfeldt (1995-2004)
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) The float package provides commands to define new floats of various styles (plain, boxed, ruled, and userdefined ones); the rotating package provides new environments (sidewaysfigure and sidewaysstable) which are rotated by 90 or 270 degrees. But what about new rotated floats, e.g. a rotated ruled one? This package makes this possible; it builds a bridge between the two packages and extends the commands from the float package to define rotated versions of the new floats, too.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rotfloat/rotfloat.pdf
– local file	./5029268758-rotfloat.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rotfloat
on MikTeX	rotfloat

on T _E XLive	rotfloat
keyword	float (typesetting floats)
language(s)	no language specified
year	2004
last access	2025-02-07

5227 *rotpages* – Typeset sets of pages upside-down and backwards

Web page on CTAN <https://ctan.org/pkg/rotpages>

name	rotpages
caption	Typeset sets of pages upside-down and backwards
author	Callegari, Sergio
license	lppl = The LaTeX Project Public License (free)
version	3.0
description	(no language specified) The <i>rotpages</i> package allows you to format documents where small sets of pages are rotated by 180 degrees and rearranged, so that they can be read by turning the printed copy upside-down. It was developed for collecting exercises and solutions: using the package, you can print the exercise text normally and the solutions rotated.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rotpages/Documentation/rotpages-doc.pdf
– local file	./5438696277-rotpages-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/rotpages/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rotpages
on MikT _E X	rotpages
on T _E XLive	rotpages
keyword	layout (layout of objects on the page)
language(s)	no language specified
year	without year
last access	2025-02-07

5228 *rotunda* – Rotunda manuscript book-hand fontWeb page on CTAN <https://ctan.org/pkg/rotunda>

name	rotunda
caption	Rotunda manuscript book-hand font
author	Wilson, Peter R.
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The <i>rotunda</i> and <i>allrtd</i> packages provide Metafont fonts based on the Rotunda manuscript book-hand used between the 13th and 15th century AD. The font consists of lower- and uppercase letters, and digits, with some appropriate period punctuation marks. Both normal and bold versions are provided. This is one of a set of manuscript fonts . Access to the docmfp package is desirable but not essential.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/bookhands/rotunda/README
on CTAN	https://ctan.org/tex-archive/fonts/bookhands/rotunda
on MikTeX	rotunda
keyword	font-medieval (fonts for Medieval script)
keyword	font-bookhand (fonts of scripts used for manuscript books)
keyword	font-gothic (font for gothic or blackletter shapes)
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	no language specified
year	without year
last access	2025-02-07

5229 *rouequestions* – Draw a “question wheel” (*roue de questions*)Web page on CTAN <https://ctan.org/pkg/rouequestions>

name	RoueQuestions
caption	Draw a “question wheel” (<i>roue de questions</i>)
author	Vignal Danilet, Maryline
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.0.3 (2023-07-19)
last changes	2023-07-19
year	2023
description	(no language specified) This package helps to produce a game for students: It is a wheel displaying questions, with hidden answers inside.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/rouequestions/README.txt
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/rouequestions/doc/RoueQuestionsDoc.pdf
– local file	./9527037921-RoueQuestionsDoc.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/rouequestions
on MikTeX	rouequestions
on T _E XLive	rouequestions
keyword	exam (exams, quizzes, etc.)
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	exercise (exercises, problems for solution, etc.)
language(s)	French
last access	2025-02-07

5230 roundbox – Round boxes in LaTeX

Web page on CTAN <https://ctan.org/pkg/roundbox>

name	roundbox
caption	Round boxes in LaTeX
author	bidi-tex GitHub Organisation
author	Khalighi, Vafa
copyright	Persian TeX Group (2010-2013)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2
description	(no language specified) This package implements a command <code>\roundbox</code> that can be used, in LaTeX, for producing boxes, framed with rounded corners.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/roundbox/README
contact	<i>bugs</i> : https://github.com/bidi-tex/roundbox/issues
contact	<i>repository</i> : https://github.com/bidi-tex/roundbox
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/roundbox
on MikTeX	roundbox
on TeXLive	roundbox
keyword	boxing (creating boxes)
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
see also	see section 2117 on page 1917: (<code>fancybox</code> – Variants of <code>\fbox</code> and other games with boxes)
language(s)	no language specified
year	2013
last access	2025-02-07

5231 *roundrect* – MetaPost macros for highly configurable rounded rectangles (optionally with text)

Web page on CTAN <https://ctan.org/pkg/roundrect>

name	roundrect
caption	MetaPost macros for highly configurable rounded rectangles (optionally with text)
author	Goodman, Donald P.
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.2
description	(no language specified) The roundrect macros for MetaPost provide ways to produce rounded rectangles, which may or may not contain a title bar or text (the title bar may itself contain text). They are extremely configurable.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/roundrect/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive//graphics/metapost/contrib/macros/roundrect/roundrect.pdf
– local file	./8159031750-roundrect.pdf
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/roundrect
on MikTeX	roundrect
on T _E XLive	roundrect
keyword	graphics-mpost (graphics generated using MetaPost)
keyword	boxing (creating boxes)
language(s)	no language specified
year	without year
last access	2025-02-07

5232 *rpg-module* – Typesetting old-school Dungeons and Dragons modules

Web page on CTAN <https://ctan.org/pkg/rpg-module>

name	<code>rpg-module</code>
caption	Typesetting old-school Dungeons and Dragons modules
author	Davis, Michael C.
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2016-04-25)
last changes	2016-04-25
year	2016
description	(no language specified) This package provides a LaTeX class for authors of Role-Playing Game adventure modules for Dungeons and Dragons and similar games. The typesetting is reminiscent of the "old-school" modules published in the early 1980s and attempts to recapture the look and feel of those classic adventures. The package also includes the Basic Stats style, which contains stat blocks for every monster from the Moldvay/Cook/Marsh Basic/Expert version of the game.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/rpg-module/rpg-module.pdf
– local file	<code>./3523242346-rpg-module.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/rpg-module/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rpg-module
on MikTeX	<code>rpg-module</code>
keyword	<code>games</code> (process game diagrams, gamebooks, and other amusements)
keyword	<code>class</code> (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-07

5233 rpgicons – Icons for tabletop role-playing games

Web page on CTAN <https://ctan.org/pkg/rpgicons>

name	rpgicons
caption	Icons for tabletop role-playing games
author	Habicht, Jasper
copyright	Jasper Habicht (2024-2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.8.0 (2026-04-15)
last changes	2026-04-15
year	2026
description	(no language specified) This package provides a set of high-quality icons for use in notes for tabletop role-playing games. The icons are meant to be used in the body text, but they can also be used in other contexts such as graphics or diagrams. The package comes in two variants, one based on the l3draw package, and the other on PGF/TikZ.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/rpgicons/rpgicons-doc.pdf
– local file	./3420549305-rpgicons-doc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/rpgicons/README.md
contact	<i>bugs:</i> https://github.com/jasperhabicht/rpgicons/issues
contact	<i>repository:</i> https://github.com/jasperhabicht/rpgicons
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rpgicons
on MikTeX	rpgicons
on TeXLive	rpgicons
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	tagged-pdf (tagged PDF compatible)
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	graphics (graphics (support packages))
language(s)	no language specified

last access 2026-04-21

5234 **rplain** – Redefines the plain pagestyle

Web page on CTAN <https://ctan.org/pkg/rplain>

name	rplain
caption	Redefines the plain pagestyle
author	Sommerfeldt, Axel
license	lppl = The LaTeX Project Public License (free)
version	1.0b
description	(no language specified) The package redefines the LaTeX pagestyle <code>plain</code> so the page numbers appear on the lower corners. The package was superseded by the fancyhdr package and is no longer supported.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/obsolete/macros/latex/contrib/rplain/rplain.pdf
– local file	./9975089235-rplain.pdf
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/rplain
keyword	page-hf (page head- and foot-lines)
keyword	obsolete (package declared obsolete)
see also	see section 4465 on page 4041: (pageno – Page number-only page styles)
language(s)	no language specified
year	without year
last access	2026-03-26

5235 **rputover** – Place text over PSTricks objects without obscuring background colors

Web page on CTAN <https://ctan.org/pkg/rputover>

name	rputover
caption	Place text over PSTricks objects without obscuring background colors
author	Osborne, Martin J.
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2017-03-25)

last changes	2017-03-25
year	2017
description	(no language specified) You create a PSTricks figure with regions filled with various colors. You add some lines over the colors. Now you want to add some labels. You'd like these labels to cover the lines but not the background colors. This style provides a way of doing that. The package is now superseded by package pst-rputover by the same author and Thomas Söll
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/graphics/pstricks/contrib/rputover/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/graphics/pstricks/contrib/rputover/rputover.pdf
– local file	./2655904683-rputover.pdf
on CTAN	https://ctan.org/tex-archive/obsolete/graphics/pstricks/contrib/rputover
on MikTeX	rputover
keyword	obsolete (package declared obsolete)
keyword	pstricks (package using PSTricks for graphical output)
language(s)	no language specified
last access	2026-04-12

5236 *rrgtrees* – Linguistic tree diagrams for Role and Reference Grammar (RRG) with LaTeX

Web page on CTAN <https://ctan.org/pkg/rrgtrees>

name	RRGtrees
caption	Linguistic tree diagrams for Role and Reference Grammar (RRG) with LaTeX
author	Gardner, David
copyright	D. J. Gardner (2001-2004)
license	lppl = The LaTeX Project Public License (free)
version	1.1

description	(no language specified) A set of LaTeX macros that makes it easy to produce linguistic tree diagrams suitable for Role and Reference Grammar (RRG). This package allows the construction of trees with crossing lines, as is required by this theory for many languages. There is no known limit on number of tree nodes or levels. Requires the pst-node and pst-tree LaTeX packages.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rrgtrees/rrgtrees.pdf
– local file	<code>./6947902211-rrgtrees.pdf</code>
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/rrgtrees/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rrgtrees
on MikTeX	<code>rrgtrees</code>
on TeXLive	<code>rrgtrees</code>
keyword	<code>linguistic</code> (support for linguistics)
keyword	<code>tree</code> (mechanisms for drawing trees)
language(s)	no language specified
year	2004
last access	2025-02-07

5237 *rsc* – BibTeX style for use with RSC journals

Web page on CTAN <https://ctan.org/pkg/rsc>

name	<code>rsc</code>
caption	BibTeX style for use with RSC journals
author	Wright, Joseph
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.1f (2016-08-22)
last changes	2016-08-22
year	2016

description	(no language specified) The rsc package provides a BibTeX style in accordance with the requirements of the Royal Society of Chemistry. It was originally based on the file <code>pccp.bst</code> , but also implements a number of styles from the <code>achemso</code> package. The package is now a stub for the <code>chemstyle</code> package, which the author developed to unify the writing of articles with a chemistry content.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rsc/rsc.pdf
– local file	<code>./1650822919-rsc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/rsc/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rsc
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/rsc.tds.zip
on MikTeX	<code>rsc</code>
on T _E XLive	<code>rsc</code>
keyword	<code>chemistry</code> (chemistry document support)
keyword	<code>journalpub</code> (typesetting journals, etc)
language(s)	no language specified
last access	2025-02-07

5238 *rsfs* – Ralph Smith’s Formal Script font

Web page on CTAN <https://ctan.org/pkg/rsfs>

name	<code>rsfs</code>
caption	Ralph Smith’s Formal Script font
author	Smith, Ralph
author	Hoekwater, Taco
license	other-free = Free license not otherwise listed (free)
version	(1998-04-24)
last changes	1998-04-24
year	1998

description	(no language specified) The fonts provide uppercase ‘formal’ script letters for use as symbols in scientific and mathematical typesetting (in contrast to the informal script fonts such as that used for the ‘calligraphic’ symbols in the TeX maths symbol font). The fonts are provided as Metafont source, and as derived Adobe Type 1 format. LaTeX support, for using these fonts in mathematics, is available via one of the packages calrsfs and mathrsfs .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/rsfs/README
documentation	(no language specified) <i>Readme, type 1 version</i> : https://ctan.org/tex-archive/fonts/rsfs/type1/README
on CTAN	https://ctan.org/tex-archive/fonts/rsfs
on MikTeX	rsfs
on TeXLive	rsfs
keyword	font-calligraphic (calligraphic (or handwriting) fonts)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
see also	see section 5239 on page 4746 : (<i>rsfso</i> – A mathematical calligraphic font based on rsfs)
language(s)	no language specified
last access	2025-02-07

5239 *rsfso* – A mathematical calligraphic font based on rsfs

Web page on CTAN <https://ctan.org/pkg/rsfso>

name	rsfso
caption	A mathematical calligraphic font based on rsfs
author	Sharpe, Michael
license	lppl = The LaTeX Project Public License (free)
version	1.03 (2021-10-22)
last changes	2021-10-22
year	2021

description	(no language specified) The package provides virtual fonts and LaTeX support files for mathematical calligraphic fonts based on the rsfs Adobe Type 1 fonts (which must also be present for successful installation, with the slant substantially reduced. The output is quite similar to that from the Adobe Mathematical Pi script font.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/rsfso/doc/rsfso-doc.pdf
– local file	<code>./4404199368-rsfso-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/rsfso/README
on CTAN	https://ctan.org/tex-archive/fonts/rsfso
on MikTeX	<code>rsfso</code>
on TeXLive	<code>rsfso</code>
keyword	<code>font-supp-maths</code> (metrics, macro incantations and other support for maths fonts)
keyword	<code>font-virtual</code> (virtual font(s) using existing fonts)
keyword	<code>font-calligraphic</code> (calligraphic (or handwriting) fonts)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
see also	see section 3822 on page 3456 : (<code>mathrsfs</code> – Support for using RSFS fonts in maths)
see also	see section 912 on page 832 : (<code>calrsfs</code> – Copperplate calligraphic letters in LaTeX)
language(s)	no language specified
last access	2025-02-07

5240 *rst* – Drawing rhetorical structure analysis diagrams in LaTeX

Web page on CTAN <https://ctan.org/pkg/rst>

name	RST
caption	Drawing rhetorical structure analysis diagrams in LaTeX
author	Reitter, David
license	other-nonfree = License that prevents distribution (not free)
version	1.3

description	(no language specified) This package is of interest for people working in linguistics and language technology. Drawing rhetorical analyses is no fun when you need to change and update diagrams as you refine your work, or, more importantly, if a lot of analyses are to be drawn. Voila, there we go: This package enables us to typeset beautiful diagrams with no hassle. It is oriented towards the style of the diagrams shown in Mann&Thompson's Rhetorical Structure Theory and subsequent works. This package works perfectly with (LaTeX) and pdfLaTeX and does not require any special PostScript capabilities in the output side.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/rst/rst-package.pdf
– local file	./6050195350-rst-package.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/rst/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rst
keyword	linguistic (support for linguistics)
language(s)	no language specified
year	without year
last access	2025-02-07

5241 *rterface* – Access to R analysis from within a document

Web page on CTAN	https://ctan.org/pkg/rterface
name	rterface
caption	Access to R analysis from within a document
author	Bogue, Thomas
copyright	Thomas Bogue (2013)
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	(2013-04-19)
last changes	2013-04-19
year	2013
description	(no language specified) The package mediates interaction between LaTeX and R; it allows LaTeX to set R's parameters, and provides code to read R output.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/rterface/rterface.pdf

– local file	<code>./7656389658-rterface.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/rterface/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rterface
on MikTeX	<code>rterface</code>
on T _E XLive	<code>rterface</code>
keyword	<code>callback</code> (call external code and process the result)
keyword	<code>statistics</code> (typeset reports, diagrams, etc., of statistics)
language(s)	no language specified
last access	2025-02-07

5242 *rtf2latex2e* – Convert Rich Text Format (RTF) files to LaTeX2e

Web page on CTAN <https://ctan.org/pkg/rtf2latex2e>

name	<code>rtf2latex2e</code>
caption	Convert Rich Text Format (RTF) files to LaTeX2e
author	Sathyam, Ujwal
author	Prahl, Scott A.
copyright	Scott A. Prahl (2011)
license	gpl = GNU General Public License (free)
version	2.0.1
description	(no language specified) The package converts Rich Text Format (RTF) files to LaTeX2e, saving any image files it finds. Visual formatting, such as ruler positions, tabs, paragraph indentations, etc., is ignored. Users should expect the LaTeX output to need some manual editing; the result is <i>not</i> a reproduction of what you see on the WYSIWYG screen.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/rtf2latex2e/README
on CTAN	https://ctan.org/tex-archive/support/rtf2latex2e
keyword	<code>format-cvt</code> (convert one format of file to another)
language(s)	no language specified
year	2011
last access	2025-02-07

5243 rtf2tex – Convert RTF to TeX

Web page on CTAN <https://ctan.org/pkg/rtf2tex>

name	rtf2tex
caption	Convert RTF to TeX
author	Lupton, Robert
copyright	Robert Lupton (1991)
license	other-free = Free license not otherwise listed (free)
version	1.02
description	(no language specified) A translator that uses an existing RTF reader, to produce TeX source (not LaTeX).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/rtf2tex/README
documentation	(no language specified) <i>Manual page</i> : https://ctan.org/tex-archive/support/rtf2tex/rtf2TeX.pdf
– local file	./8280655748-rtf2TeX.pdf
on CTAN	https://ctan.org/tex-archive/support/rtf2tex
keyword	format-cvt (convert one format of file to another)
see also	see section 5242 on page 4749: (rtf2latex2e – Convert Rich Text Format (RTF) files to LaTeX2e)
language(s)	no language specified
year	1991
last access	2025-02-07

5244 rtkinenc – Input encoding with fallback procedures

Web page on CTAN <https://ctan.org/pkg/rtkinenc>

name	rtkinenc
caption	Input encoding with fallback procedures
author	Hellström, Lars
license	lppl = The LaTeX Project Public License (free)
version	1.0

description	(no language specified) The <code>rtkinenc</code> package is functionally similar to the standard LaTeX package <code>inputenc</code> : both set up active characters so that an input character outside the range of 7-bit visible ASCII is converted into one or more corresponding LaTeX commands. The main difference lies in that <code>rtkinenc</code> allows the user to specify a fallback procedure to use when the text command corresponding to some input character isn't available. Names of commands in <code>rtkinenc</code> have been selected so that it can read <code>inputenc</code> encoding definition files, and the aim is that <code>rtkinenc</code> should be backwards compatible with <code>inputenc</code>. <code>rtkinenc</code> is not a new version of <code>inputenc</code> though, nor is it part of standard LaTeX. For an example of how <code>rtkinenc</code> is used, the user may look at the <code>tcldoc</code> class.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/rtkinenc/rtkinenc-doc.pdf
– local file	<code>./4159954949-rtkinenc-doc.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/rtkinenc/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rtkinenc
on MikTeX	<code>rtkinenc</code>
on TeXLive	<code>rtkinenc</code>
keyword	<code>inputenc</code> (input encoding support for TeX engines)
language(s)	no language specified
year	without year
last access	2025-02-07

5245 *rtklage* – Make suit details for German courts

Web page on CTAN	https://ctan.org/pkg/rtklage
name	<code>rtklage</code>
caption	Make suit details for German courts
author	Vosberg, Friedrich
license	<code>noinfo = noinfo</code>
version	0.1
description	(no language specified) Provides support for lawsuits in German courts, based on <code>Koma script</code> classes.

5246 *rtsched* – Draw Real-Time scheduling (GANTT) charts

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/rtklage/README
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rtklage/rtklage.pdf
– local file	<code>./5185709668-rtklage.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rtklage
on MikTeX	<code>rtklage</code>
on T _E XLive	<code>rtklage</code>
keyword	german (support for typesetting German)
keyword	legal (typesetting legal documents or study material)
language(s)	German
year	without year
last access	2025-02-07

5246 *rtsched* – Draw Real-Time scheduling (GANTT) charts

Web page on CTAN	https://ctan.org/pkg/rtsched
name	<code>rtsched</code>
caption	Draw Real-Time scheduling (GANTT) charts
author	Lipari, Giuseppe
copyright	Giuseppe Lipari (2005)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package offers facilities for drawing GANTT charts (chronograms). Such charts may be used as real-time timing diagrams, often needed for preparing articles, lectures and presentations in Real-Time Scheduling research. The package relies on packages PSTricks and multido.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/rtsched/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rtsched/rtsched-doc.pdf
– local file	<code>./8474419133-rtsched-doc.pdf</code>

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rtsched
on MikTeX	rtsched
keyword	diagram (diagrams)
keyword	gantt (real-time scheduling Gantt charts)
see also	see section 1287 on page 1166: (context-gantt – GANTT module for ConTeXt)
see also	see section 4613 on page 4176: (pgfgantt – Draw Gantt charts with TikZ)
see also	see section 4911 on page 4443: (pst-gantt – Draw GANTT charts with PSTricks)
language(s)	no language specified
year	2005
last access	2025-02-07

5247 *rub-kunstgeschichte* – A class for the art history institute at Ruhr University Bochum

Web page on CTAN	https://ctan.org/pkg/rub-kunstgeschichte
name	rub-kunstgeschichte
caption	A class for the art history institute at Ruhr University Bochum
author	Schneyer, Joran
copyright	Joran Schneyer (2024-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.5.0 (2025-02-04)
last changes	2025-02-04
year	2025
description	(no language specified) This package provides a LaTeX class implementing the guidelines on scientific writing of the art history institute (Kunstgeschichtliches Institut) at Ruhr University Bochum.
documentation	(no language specified) <i>Example document</i> : https://ctan.org/tex-archive/macros/latex/contrib/rub-kunstgeschichte/rub-kunstgeschichte-example.pdf
– local file	./8315857211-rub-kunstgeschichte-example.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/rub-kunstgeschichte/README.md

documentation	(no language specified) <i>Source code of example document:</i> https://ctan.org/tex-archive/macros/latex/contrib/rub-kunstgeschichte/rub-kunstgeschichte-example.tex
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/rub-kunstgeschichte/rub-kunstgeschichte.pdf
– local file	./1837634419-rub-kunstgeschichte.pdf
contact	<i>repository:</i> https://github.com/rub-kgi/rub-kunstgeschichte-latex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rub-kunstgeschichte
on MikTeX	rub-kunstgeschichte
on TeXLive	rub-kunstgeschichte
keyword	std-conform (support conformance to standards)
keyword	class (alternative LaTeX class(es))
keyword	doc-templ (template to guide document development)
language(s)	no language specified
last access	2025-02-07

5248 *rubik* – Document Rubik cube configurations and rotation sequences

Web page on CTAN <https://ctan.org/pkg/rubik>

name	rubik
caption	Document Rubik cube configurations and rotation sequences
author	Nickalls, Dick
author	Syropoulos, Apostolos
copyright	RWD Nickalls and A Syropoulos (2014-2018)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	5.0
description	(no language specified) The bundle provides four packages: • <code>rubikcube</code> provides commands for typesetting Rubik cubes and their transformations, • <code>rubiktwocube</code> provides commands for typesetting Rubik twocubes and their transformations,

	• <code>rubikrotation</code> which can process a sequence of Rubik rotation moves, with the help of a Perl package executed via <code>\write18</code> (shell escape) commands, and • <code>rubikpatterns</code>, a collection of well known patterns and their associated rotation sequences.
documentation	(no language specified) <i>Rubikrotation package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/rubik/rubikrotation.pdf
– local file	<code>./5489913335-rubikrotation.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/rubik/README.txt
documentation	(no language specified) <i>Rubikpatterns package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/rubik/rubikpatterns.pdf
– local file	<code>./1932979254-rubikpatterns.pdf</code>
documentation	(no language specified) <i>List of Rubik patterns:</i> https://ctan.org/tex-archive/macros/latex/contrib/rubik/rubikpatternsLIST.pdf
– local file	<code>./9623460992-rubikpatternsLIST.pdf</code>
documentation	(no language specified) <i>Rubik examples:</i> https://ctan.org/tex-archive/macros/latex/contrib/rubik/rubikexamples.pdf
– local file	<code>./4343443262-rubikexamples.pdf</code>
documentation	(no language specified) <i>Rubikcube package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/rubik/rubikcube.pdf
– local file	<code>./7284174524-rubikcube.pdf</code>
documentation	(no language specified) <i>Rubiktwocube package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/rubik/rubiktwocube.pdf
– local file	<code>./4414983957-rubiktwocube.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rubik
on MikTeX	<code>rubik</code>
on TeXLive	<code>rubik</code>
keyword	<code>puzzle</code> (problems and puzzles, and their solutions)
language(s)	no language specified
year	2018
last access	2025-02-07

5249 rubikcube – Typeset Rubik cubes and move notation

Web page on CTAN <https://ctan.org/pkg/rubikcube>

name	rubikcube
caption	Typeset Rubik cubes and move notation
author	Nickalls, Dick
author	Syropoulos, Apostolos
copyright	RWD Nickalls and A Syropoulos (2014-2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	5.0
description	(no language specified) The package provides LaTeX commands and macros for typesetting Rubik cube (3x3x3) notation, configurations, and rotation sequences, using the TikZ graphic language. The package serves as part of the rubik bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rubik/rubikcube.pdf
– local file	<code>./7284174524-rubikcube.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/rubik/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rubik
on T _E XLive	rubik
keyword	puzzle (problems and puzzles, and their solutions)
see also	see section 5250 on page 4757 : (<code>rubikrotation</code> – Processes a sequence of Rubik rotations)
see also	see section 5248 on page 4754 : (<code>rubik</code> – Document Rubik cube configurations and rotation sequences)
see also	see section 5251 on page 4758 : (<code>rubiktwocube</code> – Typeset Rubik TwoCubes and move notation)
language(s)	no language specified
year	2018
last access	2025-02-07

5250 rubikrotation – Processes a sequence of Rubik rotations

Web page on CTAN <https://ctan.org/pkg/rubikrotation>

name	rubikrotation
caption	Processes a sequence of Rubik rotations
author	Syropoulos, Apostolos
author	Nickalls, Dick
copyright	RWD Nickalls and A Syropoulos (2014-2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	5.0
description	(no language specified) The package is part of the rubik bundle, serving as an extension of the rubikcube package, providing the <code>\RubikRotation</code> command to process a sequence of Rubik rotation moves on-the-fly (using the external Perl script <code>rubikrotation.pl</code>), and to return the new Rubik cube state.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/rubik/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rubik/rubikrotation.pdf
– local file	<code>./5489913335-rubikrotation.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rubik
on T _E XLive	rubik
keyword	puzzle (problems and puzzles, and their solutions)
see also	see section 5249 on page 4756 : (<code>rubikcube</code> – Typeset Rubik cubes and move notation)
see also	see section 5248 on page 4754 : (<code>rubik</code> – Document Rubik cube configurations and rotation sequences)
language(s)	no language specified
year	2018
last access	2025-02-07

5251 *rubiktwocube* – Typeset Rubik TwoCubes and move notation

Web page on CTAN <https://ctan.org/pkg/rubiktwocube>

name	rubiktwocube
caption	Typeset Rubik TwoCubes and move notation
author	Syropoulos, Apostolos
author	Nickalls, Dick
copyright	RWD Nickalls and A Syropoulos (2014-2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	5.0
description	(no language specified) The package provides LaTeX commands and macros for typesetting Rubik TwoCube (2x2x2) notation, configurations, and rotation sequences, using the TikZ graphic language. The package serves as part of the rubik bundle.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/rubik/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rubik/rubiktwocube.pdf
– local file	./4414983957-rubiktwocube.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rubik
on T _E XLive	rubik
keyword	puzzle (problems and puzzles, and their solutions)
see also	see section 5250 on page 4757: (<i>rubikrotation</i> – Processes a sequence of Rubik rotations)
see also	see section 5248 on page 4754: (<i>rubik</i> – Document Rubik cube configurations and rotation sequences)
see also	see section 5249 on page 4756: (<i>rubikcube</i> – Typeset Rubik cubes and move notation)
language(s)	no language specified
year	2018
last access	2025-02-07

5252 ruhyphen – Russian hyphenation

Web page on CTAN <https://ctan.org/pkg/ruhyphen>

name	ruhyphen
caption	Russian hyphenation
author	Volovich, Vladimir
license	lppl = The LaTeX Project Public License (free)
version	1.6
description	(no language specified) A collection of Russian hyphenation patterns supporting a number of Cyrillic font encodings, including T2, UCY (Omega Unicode Cyrillic), LCY, LWN (OT2), and koi8-r.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/hyphenation/ruhyphen/README
on CTAN	https://ctan.org/tex-archive/language/hyphenation/ruhyphen
on MikTeX	ruhyphen
on TeXLive	ruhyphen
keyword	hyphenation (macros or tables for hyphenation)
keyword	russian (support for typesetting Russian)
language(s)	no language specified
year	without year
last access	2025-02-07

5253 rule-d – Provide LaTeX3 commands for typesetting rules

Web page on CTAN <https://ctan.org/pkg/rule-d>

name	rule-d
caption	Provide LaTeX3 commands for typesetting rules
author	Kohm, Markus
copyright	Markus Kohm (2017-2021)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	23 (2021-06-17)
last changes	2021-06-17

year	2021
description	(no language specified) The package provides rule commands in a structure appropriate for use in LaTeX3 documents. The package is distributed as part of the GS1 distribution.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/gs1/rule-D.pdf
– local file	./7367651757-rule-D.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/gs1/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/gs1
on T _E XLive	gs1
keyword	rule (produce rules within a document)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

5254 ruled-tables – Plain TeX table macros, with ruled capability

Web page on CTAN <https://ctan.org/pkg/ruled-tables>

name	ruled-tables
caption	Plain TeX table macros, with ruled capability
author	Myers, Eric
license	noinfo = noinfo
version	(1992-08-27)
last changes	1992-08-27
year	1992
description	(no language specified) These are still further developments of the fabled Plain TeX ‘tables’ macros, but are substantially rewritten from the original.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/contrib/ruled-tables/README
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/ruled-tables
keyword	alignment (tables, tab structures, etc)
language(s)	no language specified

last access 2025-02-07

5255 **ruler** – A typographic ruler for TeX

Web page on CTAN <https://ctan.org/pkg/ruler>

name	ruler
caption	A typographic ruler for TeX
author	Eijkhout, Victor
copyright	Victor Eijkhout (1990-1999)
license	gpl = GNU General Public License (free)
version	1.1
description	(no language specified) The file processes to produce (real) rulers; the author suggests printing them on transparent plastic and trimming for use as a "real" ruler. The rule widths are 0.05mm, which can be challenging for (old) laser printers.
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/ruler.tex
on MikTeX	genmisc
on TeXLive	ruler
keyword	misc-support (miscellaneous support stuff)
see also	see section 4747 on page 4297: (pointruler – 12" Ruler containing Points and Inches)
language(s)	no language specified
year	1999
last access	2025-02-07

5256 **rulerbox** – Draw rulers around a box

Web page on CTAN <https://ctan.org/pkg/rulerbox>

name	rulerbox
caption	Draw rulers around a box
author	Yang, Yuchang
copyright	Yuchang Yang (2019)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)

5257 *rulercompass* – A TikZ library for straight-edge and compass diagrams

version	1.01 (2019-04-18)
last changes	2019-04-18
year	2019
description	(no language specified) This is a LaTeX package for drawing rulers around a box. This might be useful when showing the absolute size of something in electronic documents, or designating the relative scale in printed materials.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/rulerbox/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rulerbox/rulerbox.pdf
– local file	./1890605836-rulerbox.pdf
home page	https://github.com/Mikumikunisiteageru/rulerbox
contact	<i>support</i> : https://github.com/Mikumikunisiteageru/rulerbox/issues
contact	<i>bugs</i> : https://github.com/Mikumikunisiteageru/rulerbox/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rulerbox
on MikTeX	rulerbox
on TeXLive	rulerbox
keyword	misc-support (miscellaneous support stuff)
see also	see section 2175 on page 1971: (<code>fgruler</code> – Draw rulers on the foreground or in the text)
language(s)	no language specified
last access	2025-02-07

5257 *rulercompass* – A TikZ library for straight-edge and compass diagrams

Web page on CTAN	https://ctan.org/pkg/rulercompass
name	rulercompass
caption	A TikZ library for straight-edge and compass diagrams
author	Stacey, Andrew
copyright	Andrew Stacey (2013)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)

5258 `runcode` – Execute foreign source code and embed the result in the pdf ...

version	1 (2013-12-11)
last changes	2013-12-11
year	2013
description	(no language specified) The package defines some commands and styles to support drawing straight-edge and compass diagrams with TikZ.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/rulercompass/rulercompass_doc.pdf
– local file	<code>./7315221994-rulercompass_doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/rulercompass/README
documentation	(no language specified) <i>Code listing</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/rulercompass/rulercompass.pdf
– local file	<code>./6228340438-rulercompass.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/rulercompass
installation	https://ctan.org/tex-archive/install/graphics/pgf/contrib/rulercompass.tds.zip
on MikTeX	<code>rulercompass</code>
on TeXLive	<code>rulercompass</code>
keyword	<code>graphics-in-tex</code> (graphics produced by one of the *TeX engines)
language(s)	no language specified
last access	2025-02-07

5258 `runcode` – Execute foreign source code and embed the result in the pdf file

Web page on CTAN <https://ctan.org/pkg/runcode>

name	<code>runcode</code>
caption	Execute foreign source code and embed the result in the pdf file
author	Wang, HaiYing
author	Bar, Haim
copyright	Haim Bar and HaiYing Wang (2020-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.4

description	(no language specified) This LaTeX package executes programming source codes (including all command line tools) from within LaTeX and embeds the output in the resulting .pdf file. Many programming languages can be easily used and any command-line executable can be invoked when preparing the .pdf file from a .tex file. It is however recommended to use this package in server-mode together with the Python talk2stat package. Currently, this server-mode supports Julia, MatLab, Python, and R. More languages will be added. For more details and usage examples, refer to the package's github repository .
documentation	(no language specified) <i>Troubleshooting</i> : https://ctan.org/tex-archive/macros/latex/contrib/runcode/runcode_troubleshoot.pdf
– local file	./3138128547-runcode_troubleshoot.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/runcode/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/runcode/runcode.pdf
– local file	./6123276833-runcode.pdf
contact	<i>repository</i> : https://github.com/Ossifragus/runcode
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/runcode
on MikTeX	runcode
on T _E XLive	runcode
keyword	exec-foreign (execute ‘other types’ of language)
keyword	callback (call external code and process the result)
language(s)	no language specified
year	2025
last access	2025-02-07

5259 *rune* – Two rune fonts

Web page on CTAN <https://ctan.org/pkg/rune>

name	rune
caption	Two rune fonts
author	Grant, Jo
author	Lüddecke, Jobst-Hartmut

5260 *runic* – Fonts for Anglo-Saxon futhorc script

license	noinfo = noinfo
version	(1993-04-29)
last changes	1993-04-29
year	1993
description	(no language specified) This (seemingly very old) bundle contains two (apparently) working fonts, <i>rune</i> and <i>srune</i> (the latter has added Saxon runes); the fonts are distributed as Metafont source. There is no documentation available.
on CTAN	https://ctan.org/tex-archive/fonts/rune
keyword	font (fonts themselves)
keyword	font-rune (fonts for runic inscriptions)
keyword	font-mf (fonts distributed as Metafont source)
see also	see section 1087 on page 989: (<i>cirth</i> – Fonts for Cirth)
see also	see section 136 on page 125: (<i>allrunes</i> – Fonts and LaTeX package for almost all runes)
language(s)	no language specified
last access	2025-02-07

5260 *runic* – Fonts for Anglo-Saxon futhorc script

Web page on CTAN <https://ctan.org/pkg/runic>

name	runic
caption	Fonts for Anglo-Saxon futhorc script
author	Wilson, Peter R.
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) Fonts and macros for runic writing. The futhorcs script remained in use in England until just after printing was established. This is one of a series of <i>archaic</i> fonts.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/archaic/runic/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/archaic/runic/runic.pdf
– local file	./9900570151-runic.pdf

5261 *runtex* – Windows program to run TeX variant and various utils as need...

documentation	(no language specified) <i>Sample of Runic font</i> : https://ctan.org/tex-archive/fonts/archaic/runic/tryrunic.pdf
– local file	./7942959079-tryrunic.pdf
documentation	(no language specified) <i>Samples of entire archaic bundle</i> : https://ctan.org/tex-archive/fonts/archaic/asamples.pdf
– local file	./8592837549-asamples.pdf
on CTAN	https://ctan.org/tex-archive/fonts/archaic/runic
on MikTeX	archaic
on T _E XLive	archaic
keyword	font-rune (fonts for runic inscriptions)
keyword	font (fonts themselves)
keyword	font-archaic (fonts reproducing archaic scripts or inscriptions)
keyword	font-type1 (font available in Adobe Type 1 format)
see also	see section 2428 on page 2195: (futhark – Fonts for the Older Futhark script)
see also	see section 2430 on page 2197: (futhorc – Anglo-Friesic futhorc alphabet font)
see also	see section 136 on page 125: (allrunes – Fonts and LaTeX package for almost all runes)
language(s)	no language specified
year	without year
last access	2025-02-07

5261 *runtex* – Windows program to run TeX variant and various utils as needed

Web page on CTAN <https://ctan.org/pkg/runtex>

name	runtex
caption	Windows program to run TeX variant and various utils as needed
author	Becker, Bernd
license	pd = Public Domain Software (free)
version	0.1.0

description	(no language specified) A Win32 program(me) that tries to guess the number of times— if you neglected to tell it how often—[pdf][e][La]TeX should be executed and which other utilities—currently makeindex, xindy, MetaPost, Metafont, and BibTeX—if at all are run after the first TeX run. You can ask it to delete temporary files if nothing went wrong.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/runtex/README
on CTAN	https://ctan.org/tex-archive/support/runtex
keyword	compilation (the document compilation process)
language(s)	no language specified
year	without year
last access	2025-02-07

5262 *runtexfile* – Automate the process of compiling (La)TeX documents with index, bibliography, ...

Web page on CTAN <https://ctan.org/pkg/runtexfile>

name	runtexfile
caption	Automate the process of compiling (La)TeX documents with index, bibliography, ...
author	Voß, Herbert
copyright	Herbert Voß (2025)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.06 (2025-10-08)
last changes	2025-10-08
year	2025
description	(no language specified) This package provides a small script like latexmk to run a TeX or LaTeX document controlled from within the document itself. The commands have to be defined at the beginning of the document, e.g.: <pre> %! HV lualatex --shell-escape %! HV biber %! HV lualatex --shell-escape %! HV xindex %! HV xindex --config DIN2 -l DE -o test2.vwd %! HV xindex --config DIN2 -l DE -o test2.dbd %! HV lualatex --shell-escape %! HV lualatex --shell-escape </pre>

```
\documentclass[...]{...}
...
```

The script itself does not parse the log file.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/runtexfile/doc/runtexfile-doc.pdf
– local file	./9288087551-runtexfile-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/runtexfile/README.md
on CTAN	https://ctan.org/tex-archive/support/runtexfile
on MikTeX	runtexfile
on TeXLive	runtexfile
keyword	compilation (the document compilation process)
language(s)	no language specified
last access	2026-04-13

5263 *runtexshebang* – A Lua script running LaTeX document files with TeX-style shebang

Web page on CTAN <https://ctan.org/pkg/runtexshebang>

name	runtexshebang
caption	A Lua script running LaTeX document files with TeX-style shebang
author	Yamamoto, Munehiro
copyright	Munehiro Yamamoto (2021-2023)
license	mit = MIT License (free)
version	0.5 (2023-11-17)
last changes	2023-11-17
year	2023
description	(no language specified) In short, a TeX-style shebang (<code>%#!</code>) is a special kind of TeX comment that you include in your TeX/LaTeX document file to tell the operating system's shell how to run the file for the rest of the file:

5264 *ruscap* – A Metafont for rustic capitals

```
%#!lualatex foo.tex
\documentclass{article}
\begin{document}
Hello, {\LaTeX} World!

Happy {\TeX}ing.
\end{document}
```

If you are using a TeX-style shebang, it must appear on the line that matched 20 lines or less in your LaTeX document, and it has to start with a TeX comment symbol (%) followed by a hash sign (#) and an exclamation mark (!), colloquially known as the bang, hence the name shebang for TeX/LaTeX.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/runtexshebang/README.md
home page	https://github.com/munepi/runtexshebang
contact	<i>bugs</i> : https://github.com/munepi/runtexshebang/issues
contact	<i>repository</i> : https://github.com/munepi/runtexshebang.git
on CTAN	https://ctan.org/tex-archive/support/runtexshebang
on MikTeX	runtexshebang
on TeXLive	runtexshebang
keyword	compilation (the document compilation process)
language(s)	no language specified
last access	2025-02-07

5264 *ruscap* – A Metafont for rustic capitals

Web page on CTAN	https://ctan.org/pkg/ruscap
name	ruscap
caption	A Metafont for rustic capitals
author	Sannier, Victor
copyright	Victor Sannier (2024)
license	ofl = The SIL Open Font License (free)
version	1.0 (2024-04-28)
last changes	2024-04-28
year	2024

description	(no language specified) This package contains the source for ruscap: a font for rustic capitals — an ancient Roman calligraphic script — created with Metafont.
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/fonts/ruscap/quo-usque-tandem.pdf
– local file	./4713641040-quo-usque-tandem.pdf
documentation	(no language specified) <i>TUGboat article</i> : https://www.tug.org/TUGboat/tb44-2/tb137sannier-rustic.pdf
– local file	./9462684707-tb137sannier-rustic.pdf
documentation	(no language specified) <i>Slides from TUG 2023 presentation</i> : https://tug.org/tug2023/files/sa-12-sannier-rustic/sannier-rustic-slides.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/ruscap/README.md
on CTAN	https://ctan.org/tex-archive/fonts/ruscap
on MikTeX	ruscap
on TeXLive	ruscap
keyword	font-archaic (fonts reproducing archaic scripts or inscriptions)
keyword	font (fonts themselves)
keyword	font-calligraphic (calligraphic (or handwriting) fonts)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	no language specified
last access	2025-09-11

5265 russ – LaTeX in Russian, without babelWeb page on CTAN <https://ctan.org/pkg/russ>

name	russ
caption	LaTeX in Russian, without babel
author	Shashkov, Sergey
license	lppl = The LaTeX Project Public License (free)
version	(2012-01-26)
last changes	2012-01-26
year	2012

description	(no language specified) The package aims to facilitate Russian typesetting (based on input using MicroSoft Code Page 1251). Russian hyphenation is selected, and various mathematical commands are set up in Russian style. Furthermore all Cyrillic letters' catcodes are set to "letter", so that commands with Cyrillic letters in their names may be defined.
documentation	(Russian) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/russ/russ_doc.pdf
– local file	<code>./5982578315-russ_doc.pdf</code>
documentation	(Russian) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/russ/readme.RU.txt
documentation	(English) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/russ/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/russ
on MikTeX	<code>russ</code>
on TeXLive	<code>russ</code>
keyword	<code>russian</code> (support for typesetting Russian)
language(s)	English; Russian
last access	2025-02-07

5266 *russian-help* – LaTeX help in Russian

Web page on CTAN	https://ctan.org/pkg/russian-help
name	<code>russian-help</code>
caption	LaTeX help in Russian
author	Lubenets, Yuri
license	pd = Public Domain Software (free)
documentation	<i>Readme (Russian)</i> : https://ctan.org/tex-archive/info/win-help/latex/russian/readme.rus.txt
documentation	<i>Readme (English)</i> : https://ctan.org/tex-archive/info/win-help/latex/russian/readme.eng.txt
on CTAN	https://ctan.org/tex-archive/info/win-help/latex/russian
keyword	<code>russian-doc</code> (documentation in Russian)
language(s)	English; Russian
year	without year

last access 2025-02-07

5267 *rustic* – Roman Rustic manuscript book-hand font

Web page on CTAN <https://ctan.org/pkg/rustic>

name	<i>rustic</i>
caption	Roman Rustic manuscript book-hand font
author	Wilson, Peter R.
license	lpl = The LaTeX Project Public License (free)
description	(no language specified) The <i>rustic</i> and <i>allrust</i> packages provide Metafont fonts based on the Rustic manuscript book-hand used between the 1st and 6th century AD. The font consists of majuscules only, with some appropriate period punctuation marks. Both normal and bold versions are provided. This is one of a set of manuscript fonts . Access to the docmfp package is desirable but not essential.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/bookhands/rustic/README
on CTAN	https://ctan.org/tex-archive/fonts/bookhands/rustic
on MikTeX	<i>rustic</i>
keyword	font-bookhand (fonts of scripts used for manuscript books)
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	no language specified
year	without year
last access	2025-02-07

5268 *rutitlepage* – Radboud University Titlepage Package

Web page on CTAN <https://ctan.org/pkg/rutitlepage>

name	<i>rutitlepage</i>
caption	Radboud University Titlepage Package
author	Lubbers, Mart
copyright	Mart Lubbers (2017-2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)

version	3.0 (2022-02-21)
last changes	2022-02-21
year	2022
description	(no language specified) This is an unofficial LaTeX package to generate titlepages for the Radboud University, Nijmegen. It uses official vector logos from the university. This package requires the following other LaTeX packages: geometry , graphicx , ifpdf , keyval , iflang , and, optionnaly, babel-dutch .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rutitlepage/rutitlepage.pdf
– local file	./9729273816-rutitlepage.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/rutitlepage/README.md
contact	<i>bugs</i> : https://github.com/dopefishh/rutitlepage/issues
contact	<i>repository</i> : https://github.com/dopefishh/rutitlepage
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rutitlepage
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/rutitlepage.tds.zip
on MikTeX	rutitlepage
on T _E XLive	rutitlepage
keyword	titlepage (typesetting title pages for documents)
keyword	logo (symbols or drawings to specify an object, including icons)
language(s)	no language specified
last access	2025-02-07

5269 *rviewport* – Relative Viewport for Graphics Inclusion

Web page on CTAN	https://ctan.org/pkg/rviewport
name	<code>rviewport</code>
caption	Relative Viewport for Graphics Inclusion
author	Veytsman, Boris
license	lppl = The LaTeX Project Public License (free)

5270 `rvwrite` – Increase the number of available output streams in LaTeX

version	1.0
description	(no language specified) Package <code>graphicx</code> provides a useful keyword <code>viewport</code> which allows to show just a part of an image. However, one needs to put there the actual coordinates of the viewport window. Sometimes it is useful to have relative coordinates as fractions of natural size. For example, one may want to print a large image on a spread, putting a half on a verso page, and another half on the next recto page. For this one would need a viewport occupying exactly one half of the file's bounding box, whatever the actual width of the image may be. This package adds a new keyword <code>rviewport</code> to the <code>graphicx</code> package specifying Relative Viewport for graphics inclusion: a window defined by the given fractions of the natural width and height of the image.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/rviewport/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rviewport/rviewport.pdf
– local file	<code>./8622483210-rviewport.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rviewport
on MikTeX	<code>rviewport</code>
on TeXLive	<code>rviewport</code>
keyword	<code>graphics-incl</code> (include external graphics)
see also	see section 2609 on page 2362: (<code>graphicx</code> – Enhanced support for graphics)
language(s)	no language specified
year	without year
last access	2025-02-07

5270 `rvwrite` – Increase the number of available output streams in LaTeX

Web page on CTAN <https://ctan.org/pkg/rvwrite>

name	<code>rvwrite</code>
caption	Increase the number of available output streams in LaTeX
author	Radhakrishnan, C. V.
copyright	C. V. Radhakrishnan (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.2

description	(no language specified) The package addresses, for LaTeX documents, the severe limitation on the number of output streams that TeX provides. The package uses a single TeX output stream, and writes "marked-up" output to this stream. The user may then post-process the marked-up output file, using LaTeX, and the document's output appears as separate files, according to the calls made to the package. The output to be post-processed uses macros from the widely-available ProTeX package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rvwrite/rvwrite-doc.pdf
– local file	<code>./3840515304-rvwrite-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/rvwrite/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rvwrite
on MikTeX	<code>rvwrite</code>
on TeXLive	<code>rvwrite</code>
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
language(s)	no language specified
year	2010
last access	2025-02-07

5271 *rwth-ci* – LaTeX templates using CI of RWTH Aachen University

Web page on CTAN	https://ctan.org/pkg/rwth-ci
name	<code>rwth-ci</code>
caption	LaTeX templates using CI of RWTH Aachen University
author	Peischl, Marei
copyright	Marei Peischl (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2025-12-18)
last changes	2025-12-18
year	2025
description	(no language specified) The RWTH-CI-Bundle is the official LaTeX bundle of RWTH Aachen University to use their Corporate Identity within LaTeX.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rwth-ci/doc/rwth-ci.pdf
– local file	<code>./9424176231-rwth-ci.pdf</code>
documentation	(no language specified) <i>Example presentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/rwth-ci/doc/DEMO-RWTHBeamer.pdf
– local file	<code>./5306446160-DEMO-RWTHBeamer.pdf</code>
documentation	(no language specified) <i>Example announcement poster</i> : https://ctan.org/tex-archive/macros/latex/contrib/rwth-ci/doc/DEMO-RWTHSciPoster.pdf
documentation	(no language specified) <i>Example letter</i> : https://ctan.org/tex-archive/macros/latex/contrib/rwth-ci/doc/DEMO-RWTHLetter.pdf
– local file	<code>./9259804574-DEMO-RWTHLetter.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/rwth-ci/README.md
contact	<i>repository</i> : https://gitlab.git.nrw/rwth-it-center/rwth-latex-templates/rwth-ci.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/rwth-ci
keyword	letter (typesetting letters, envelopes, faxes, etc)
keyword	poster (typeset posters, etc.)
keyword	std-conform (support conformance to standards)
keyword	class (alternative LaTeX class(es))
keyword	presentation (slides, beamers, handouts, etc.)
keyword	doc-templ (template to guide document development)
see also	see section 1401 on page 1267: (csassignments – A wrapper for article with macros and customizations for computer science assignments)
language(s)	no language specified
last access	2025-12-20

5272 ryersonsgstheis – Ryerson School of Graduate Studies thesis template

Web page on CTAN	https://ctan.org/pkg/ryersonsgstheis
name	ryersonSGSTheis
caption	Ryerson School of Graduate Studies thesis template
author	Shoaib, Yasir
license	apache2 = Apache License, version 2.0 (free)
version	1.0.3 (2019-02-24)
last changes	2019-02-24
year	2019
description	(no language specified) This package provides a LaTeX class and template files for Ryerson School of Graduate Studies (SGS) theses.
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/ryersonsgstheis/rsgs-example.pdf
– local file	./2840773595-rsgs-example.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/ryersonsgstheis/README.md
contact	<i>bugs:</i> https://github.com/yshoaib/RyersonSgsThesisTemplateLatex/issues
contact	<i>repository:</i> https://github.com/yshoaib/RyersonSgsThesisTemplateLatex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ryersonsgstheis
on MikTeX	ryersonsgstheis
on T _E XLive	ryersonsgstheis
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	class (alternative LaTeX class(es))
see also	see section 5273 on page 4778: (ryethesis – Class for Ryerson University Graduate School requirements)
language(s)	no language specified
last access	2025-02-07

5273 *ryethesis* – Class for Ryerson University Graduate School requirements

Web page on CTAN	https://ctan.org/pkg/ryethesis
name	<code>ryethesis</code>
caption	Class for Ryerson University Graduate School requirements
author	Lassaline, Jason V.
copyright	J.V. Lassaline (2009)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.36 (2014-05-09)
last changes	2014-05-09
year	2014
description	(no language specified) The class offers support for formatting a thesis, dissertation or project according to Ryerson University's School of Graduate Studies thesis formatting regulations.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ryethesis/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ryethesis/ryethesis.pdf
– local file	<code>./7800225715-ryethesis.pdf</code>
documentation	(no language specified) <i>Example output</i> : https://ctan.org/tex-archive/macros/latex/contrib/ryethesis/ryesample.pdf
– local file	<code>./1700522039-ryesample.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ryethesis
on MikTeX	<code>ryethesis</code>
on T _E XLive	<code>ryethesis</code>
keyword	dissertation (typesetting dissertations, theses, etc.)
see also	see section 5272 on page 4777: (<code>ryersonSGSThesis</code> – Ryerson School of Graduate Studies thesis template)
language(s)	no language specified
last access	2025-02-07

5274 s2latex – A scribe to LaTeX converter

Web page on CTAN <https://ctan.org/pkg/s2latex>

name	s2latex
caption	A scribe to LaTeX converter
author	Jacobson, Van
author	James, Mark
copyright	Van Jacobson (1984)
license	nosell = Do Not Sell Except by Arrangement (not free)
version	(1985-02-04)
last changes	1985-02-04
year	1985
description	(no language specified) The program is written in C, and a Win32 port is provided. The patchfile s2latex.patch provides a port to ANSI C and cleans up the Makefile.
documentation	(no language specified) <i>Readme appendix</i> : https://ctan.org/tex-archive/support/s2latex/README.TOO
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/s2latex/README
on CTAN	https://ctan.org/tex-archive/support/s2latex
keyword	format-cvt (convert one format of file to another)
language(s)	no language specified
last access	2025-02-07

5275 sa-tikz – TikZ library to draw switching architectures

Web page on CTAN <https://ctan.org/pkg/sa-tikz>

name	sa-tikz
caption	TikZ library to draw switching architectures
author	Fiandrino, Claudio
copyright	Claudio Fiandrino (2012, 2014)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)

5276 *sacsymb* – “Sacred Symbols” prepared with TikZ

version	0.7a
description	(no language specified) The package provides a library that offers an easy way to draw switching architectures and to customize their aspect.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/sa-tikz/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/sa-tikz/doc/sa-tikz-doc.pdf
– local file	./4796564197-sa-tikz-doc.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/sa-tikz
on MikTeX	sa-tikz
on T _E XLive	sa-tikz
keyword	comp-net (typeset computer network concepts)
keyword	graphics-use (graphics (typesetting actual pictures))
language(s)	no language specified
year	2014
last access	2025-02-07

5276 *sacsymb* – “Sacred Symbols” prepared with TikZ

Web page on CTAN <https://ctan.org/pkg/sacsymb>

name	sacsymb
caption	“Sacred Symbols” prepared with TikZ
author	Nyaupane, Hari
license	lppl1 = The LaTeX Project Public License 1 (free)
version	(2023-02-06)
last changes	2023-02-06
year	2023
description	(no language specified) The author tells us: This is ”a package with symbols prepared with TikZ. These symbols are the variables used in the space of the collapse of the wave function of a quantum field associated with the micro-tubule while exploring an Orchestrated, objective reduction (Orch OR) theory of consciousness as applied to the three brains model of psychological experience.”

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/sacsymb/sacsymb-doc.pdf
– local file	<code>./2707036005-sacsymb-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/sacsymb/README.txt
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/sacsymb
on MikTeX	sacsymb
on TeXLive	sacsymb
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	graphics-symb (create symbols, rather than select from a font)
language(s)	no language specified
last access	2025-02-07

5277 *sae* – Typeset an SAE technical paper

Web page on CTAN <https://ctan.org/pkg/sae>

name	sae
caption	Typeset an SAE technical paper
author	Franke, Axel
copyright	Axel Franke (1999, 2000)
license	nosell = Do Not Sell Except by Arrangement (not free)
description	(no language specified) This class provides correct formatting according to the requirements of an SAE (Society of Automotive Engineers) Technical Paper. It should be useful for authors whose papers have a high mathematical content.
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/sae/example.pdf
– local file	<code>./3818793488-example.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sae/index.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sae
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
year	2000

last access 2025-02-07

5278 **saferef** – Safer references through strong typing of references

Web page on CTAN <https://ctan.org/pkg/saferef>

name	saferef
caption	Safer references through strong typing of references
author	Ashton, James
copyright	James Ashton (1997)
license	other-free = Free license not otherwise listed (free)
version	1.0
description	(no language specified) Provides a means of expressing ‘typed’ references (as it were) within a document. The package typedref offers an improvement of this package.
documentation	(no language specified) <i>Encouragement to switch packages:</i> https://ctan.org/tex-archive/macros/latex/contrib/saferef/README.typedref
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/saferef
keyword	label-ref (label and reference systems)
see also	see section 6386 on page 5771 : (typedref – Eliminate errors by enforcing the types of labels)
language(s)	no language specified
year	1997
last access	2025-02-07

5279 **sageep** – Format papers for the annual meeting of EEGS

Web page on CTAN <https://ctan.org/pkg/sageep>

name	sageep
caption	Format papers for the annual meeting of EEGS
author	Veytsman, Boris
copyright	Boris Veytsman (2008)
license	lpl = The LaTeX Project Public License (free)

version	1.0
description	(no language specified) The class provides formatting for papers for the annual meeting of the Environmental and Engineering Geophysical Society (EEGS) ("Application of Geophysics to Engineering and Environmental Problems", known as SAGEEP).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sageep/sageep.pdf
– local file	<code>./3801390022-sageep.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sageep/README
documentation	(no language specified) <i>Formatted sample</i> : https://ctan.org/tex-archive/macros/latex/contrib/sageep/sample.pdf
– local file	<code>./9316293813-sample.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sageep
on MikTeX	sageep
on T _E XLive	sageep
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
year	2008
last access	2025-02-07

5280 *sagetex* – Embed Sage code and plots into LaTeX

Web page on CTAN <https://ctan.org/pkg/sagetex>

name	SageTeX
caption	Embed Sage code and plots into LaTeX
author	Pasechnik, Dima
author	Drake, Dan
copyright	SageMath Developers (2016-2020)
copyright	Dan Drake (2008-2015)
license	gpl2+ = GNU General Public License, version 2 or newer (free)
version	3.6.1 (2022-08-21)
last changes	2022-08-21
year	2022

description	(no language specified) SageTeX allows you to embed code, the results of computations, plots, and graphics from the Sage mathematics software suite into LaTeX documents. It is similar in spirit to Literate Haskell and lhs2TeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sagetex/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sagetex/sagetex.pdf
– local file	<code>./3540856815-sagetex.pdf</code>
contact	<i>bugs</i> : https://github.com/sagemath/sagetex/issues
contact	<i>repository</i> : https://github.com/sagemath/sagetex
contact	<i>development</i> : https://github.com/sagemath/sagetex/graphs/contributors
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sagetex
on MikTeX	<code>sagetex</code>
keyword	<code>graphics-inline</code> (graphics inline for external processing)
keyword	<code>callback</code> (call external code and process the result)
keyword	<code>litprog</code> (literate programming)
language(s)	no language specified
last access	2025-02-07

5281 *sam2p* – Convert bitmap formats to compact PS/PDF

Web page on CTAN <https://ctan.org/pkg/sam2p>

name	<code>sam2p</code>
caption	Convert bitmap formats to compact PS/PDF
author	Szabó, Péter
license	gpl = GNU General Public License (free)
version	0.49.4

description	(no language specified) Sam2p is a UNIX command line utility written in ANSI C++ that converts many raster (bitmap) image formats into Adobe PostScript or PDF files and several other formats. The images are not vectorized. sam2p gives full control to the user to specify standards-compliance, compression, and bit depths. In some cases sam2p can compress an image 100 times smaller than the PostScript output of many other common image converters. Sam2p provides ZIP, RLE and LZW (de)compression filters even on output destined for PostScript Level 1 devices. The author provides a script bundle, a2ping , that uses sam2p as part of a generic format conversion mechanism.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/sam2p/README
contact	<i>bugs</i> : https://github.com/pts/sam2p/issues
contact	<i>repository</i> : https://github.com/pts/sam2p
on CTAN	https://ctan.org/tex-archive/graphics/sam2p
keyword	graphics-prep (prepare graphics for use with *TeX)
see also	see section 778 on page 714 : (bmeps – Converter from PNG/JPEG/Tgb81AIFF/NetPBM to EPS)
language(s)	no language specified
year	without year
last access	2025-02-07

5282 *samples* – Samples of Plain TeX coding

Web page on CTAN <https://ctan.org/pkg/samples>

name	<i>samples</i>
caption	Samples of Plain TeX coding
license	collection = collection
description	(no language specified) A collection of code samples that may prove useful.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/contrib/samples/README
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/samples
keyword	demo-code (code that serves as examples of TeX programming)
language(s)	no language specified
year	without year

last access 2025-02-11

5283 *sanhyph* – Sanskrit hyphenation patterns

Web page on CTAN <https://ctan.org/pkg/sanhyph>

name *sanhyph*

caption Sanskrit hyphenation patterns

author Codet, Yves

license lpl = The LaTeX Project Public License (free)

version 0.1

description (no language specified) These patterns define hyphenation of Unicode input of Sanskrit and Prakrit in Devanagari, Bengali, Kannada, Malayalam and Telugu scripts.
The patterns are structured for use with **XeTeX** .

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/xetex/hyphenation/sanhyph/README>

on CTAN <https://ctan.org/tex-archive/macros/xetex/hyphenation/sanhyph>

keyword *indic* (support for languages of the Indian subcontinent)

keyword *hyphenation* (macros or tables for hyphenation)

keyword *sanskrit* (support for typesetting Sanskrit)

keyword *bengali* (support for typesetting Bengali)

language(s) no language specified

year without year

last access 2025-02-07

5284 *sanitize-umlaut* – Sanitize umlauts for MakeIndex and pdfLaTeX

Web page on CTAN <https://ctan.org/pkg/sanitize-umlaut>

name *sanitize-umlaut*

caption Sanitize umlauts for MakeIndex and pdfLaTeX

author Sturm, Thomas F.

copyright Prof. Dr. Dr. Thomas F. Sturm (2016-2023)

license lpl1.3 = The LaTeX Project Public License 1.3 (free)

version	1.3.0 (2023-05-15)
last changes	2023-05-15
year	2023
description	(no language specified) This package sanitizes umlauts to be used directly in index entries for MakeIndex and friends with pdfLaTeX. This means that inside <code>\index</code> an umlaut can be used as "Ü or as Ü . In both cases, the letter is written as "Ü into the raw index file for correct processing with MakeIndex and pdfLaTeX.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/sanitize-umlaut/sanitize-umlaut.pdf
– local file	<code>./3517005288-sanitize-umlaut.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/sanitize-umlaut/README.md
contact	<i>repository</i> : https://github.com/T-F-S/sanitize-umlaut
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sanitize-umlaut
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/sanitize-umlaut.tds.zip
on MikTeX	<code>sanitize-umlaut</code>
on TeXLive	<code>sanitize-umlaut</code>
keyword	<code>index-proc</code> (process and/or generate index material)
keyword	<code>utf8-adapt</code> (adaptation of existing packages to UTF-8 input)
keyword	<code>enc-juggle</code> (conversion between encodings)
language(s)	no language specified
last access	2025-02-07

5285 *sankey* – Draw Sankey diagrams with TikZ

Web page on CTAN <https://ctan.org/pkg/sankey>

name	<code>sankey</code>
caption	Draw Sankey diagrams with TikZ
author	Gaborit, Paul
copyright	Paul Gaborit (2016-2025)

license	gpl = GNU General Public License (free)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.0.2
description	(no language specified) This package provides macros and an environment for creating Sankey diagrams, i.e. flow diagrams in which the width of the arrows is proportional to the flow rate.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/sankey/sankey.pdf
– local file	./6609721772-sankey.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/sankey/README
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/sankey
on MikTeX	sankey
on TeXLive	sankey
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	diagram (diagrams)
keyword	diagram-flow (flow (and similar) diagrams, including Nassi-Shneiderman)
keyword	graphics (graphics (support packages))
language(s)	no language specified
year	2025
last access	2025-02-07

5286 *sans* – Exchange Roman and Sans faces in a document

Web page on CTAN <https://ctan.org/pkg/sans>

name	sans
caption	Exchange Roman and Sans faces in a document
author	Knappen, Jörg
copyright	Jörg Knappen (1992, 1996, 1999)
license	gpl = GNU General Public License (free)
description	(no language specified) Set the document with Computer Modern Sans as its "Roman" font, and Roman as its "Sans" font.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jknappen/sans.sty

on MikTeX	jknappen
on T _E XLive	jknaptlx
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	1999
last access	2025-02-07

5287 *sanskrit* – Sanskrit support

Web page on CTAN <https://ctan.org/pkg/sanskrit>

name	sanskrit
caption	Sanskrit support
author	Wikner, Charles
author	Prasad, Sumukh
author	Haisman, Václav
license	lppl = The LaTeX Project Public License (free)
version	2.2.4-b
description	(no language specified) A font and pre-processor suitable for the production of documents written in Sanskrit. Type 1 versions of the fonts are available.
documentation	(no language specified) <i>Short introduction and Quick Start Guide</i> : https://ctan.org/tex-archive/language/sanskrit/introtoskt.pdf
– local file	./8597268565-introtoskt.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/sanskrit/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/language/sanskrit/sktdoc.pdf
– local file	./1591243374-sktdoc.pdf
contact	<i>bugs</i> : https://github.com/sumukhprasad/package-sanskrit/issues
contact	<i>repository</i> : https://github.com/sumukhprasad/package-sanskrit/
on CTAN	https://ctan.org/tex-archive/language/sanskrit
on MikTeX	sanskrit
on T _E XLive	sanskrit

keyword	sanskrit (support for typesetting Sanskrit)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
keyword	indic (support for languages of the Indian subcontinent)
see also	see section 1589 on page 1441: (devanagari – Typeset Devanagari)
language(s)	no language specified
year	without year
last access	2025-11-26

5288 *sanskrit-t1* – Type 1 version of ‘skt’ fonts for Sanskrit

Web page on CTAN <https://ctan.org/pkg/sanskrit-t1>

name	sanskrit-t1
caption	Type 1 version of ‘skt’ fonts for Sanskrit
author	Korop, Sergey
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The sanskrit-t1 font package provides Type 1 version of Charles Wikner’s <i>skt font series</i> for the Sanskrit language.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/ps-type1/sanskrit/sktdoc.pdf
– local file	./6695741456-sktdoc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/ps-type1/sanskrit/README
on CTAN	https://ctan.org/tex-archive/fonts/ps-type1/sanskrit
on MikTeX	sanskrit
on T _E XLive	sanskrit
keyword	font (fonts themselves)
keyword	sanskrit (support for typesetting Sanskrit)
keyword	indic (support for languages of the Indian subcontinent)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
year	without year
last access	2025-11-26

5289 sansmath – Maths in a sans font

Web page on CTAN <https://ctan.org/pkg/sansmath>

name	sansmath
caption	Maths in a sans font
author	Arseneau, Donald
license	pd = Public Domain Software (free)
version	1.1
description	(no language specified) The package defines a new math version <code>sans</code> , and a command <code>\sansmath</code> that behaves somewhat like <code>\boldmath</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sansmath/sansmath.pdf
– local file	<code>./3373477786-sansmath.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sansmath
on MikTeX	sansmath
on TeXLive	sansmath
keyword	font-supp-maths (metrics, macro incantations and other support for maths fonts)
see also	see section 5441 on page 4925: (<code>sfmath</code> – Sans-serif mathematics)
language(s)	no language specified
year	without year
last access	2025-02-07

5290 sansmathaccent – Correct placement of accents in sans-serif maths

Web page on CTAN <https://ctan.org/pkg/sansmathaccent>

name	sansmathaccent
caption	Correct placement of accents in sans-serif maths
author	Barton, Ariel
copyright	Ariel Barton (2012, 2013, 2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2020-01-31)

last changes	2020-01-31
year	2020
description	(no language specified) Sans serif maths (produced by the beamer class or the sfmath package) often has accents positioned incorrectly. This package fixes the positioning of such accents when the default font (<code>cmssi</code>) is used for sans serif maths. It will have no effect if used in a document that does not use the beamer class or the sfmath package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/sansmathaccent/sansmathaccent.pdf
– local file	<code>./7423402136-sansmathaccent.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/sansmathaccent/README
on CTAN	https://ctan.org/tex-archive/fonts/sansmathaccent
on MikTeX	<code>sansmathaccent</code>
on TeXLive	<code>sansmathaccent</code>
keyword	<code>font-cm</code> (font serving Computer Modern-style shapes)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-supp-maths</code> (metrics, macro incantations and other support for maths fonts)
keyword	<code>font-sans</code> (sans-serif font)
keyword	<code>font-virtual</code> (virtual font(s) using existing fonts)
language(s)	no language specified
last access	2025-02-07

5291 *sansmathfonts* – Extended Computer Modern sans serif fonts

Web page on CTAN	https://ctan.org/pkg/sansmathfonts
name	<code>sansmathfonts</code>
caption	Extended Computer Modern sans serif fonts
author	Barton, Ariel
copyright	Ariel Barton (2013-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2024-10-15)

last changes	2024-10-15
year	2024
description	(no language specified) Sans serif small caps and math fonts for use with Computer Modern.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/sansmathfonts/sansmathfonts.pdf
– local file	<code>./3570500472-sansmathfonts.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/sansmathfonts/README.txt
on CTAN	https://ctan.org/tex-archive/fonts/sansmathfonts
on MikTeX	<code>sansmathfonts</code>
on TeXLive	<code>sansmathfonts</code>
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-cm</code> (font serving Computer Modern-style shapes)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>font-maths</code> (fonts for use in mathematics)
keyword	<code>font-sans</code> (sans-serif font)
language(s)	no language specified
last access	2025-02-07

5292 *sapthesis* – Typeset theses for Sapienza-University, Rome

Web page on CTAN	https://ctan.org/pkg/sapthesis
name	<code>sapthesis</code>
caption	Typeset theses for Sapienza-University, Rome
author	Biccari, Francesco
copyright	Francesco Biccari (2008-2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	5.1 (2022-07-04)
last changes	2022-07-04

year	2022
description	(no language specified) The class will typeset Ph.D., Master, and Bachelor theses that adhere to the publishing guidelines of the Sapienza University of Rome.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sapthesis/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sapthesis/sapthesis-doc.pdf
– local file	./2427342507-sapthesis-doc.pdf
home page	http://biccari.altervista.org/c/informatica/latex/sapthesis.php
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sapthesis
on MikTeX	sapthesis
on TeXLive	sapthesis
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-07

5293 sarabian – Archaic South Arabian script font

Web page on CTAN <https://ctan.org/pkg/sarabian>

name	sarabian
caption	Archaic South Arabian script font
author	Stanier, Alan
author	Wilson, Peter R.
copyright	Peter R. Wilson (1999-2005)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The sarabian bundle provides PostScript Type 1 fonts for the South Arabian script which was in use for about 1000 years from roughly 600BC. The original glyphs were the work of Alan Stanier . This is one of a series of fonts reproducing ancient scripts.

5294 `sasnrdisplay` – Typeset SAS or R code or output

documentation	(no language specified) <i>Samples of entire archaic bundle</i> : https://ctan.org/tex-archive/fonts/archaic/asamples.pdf
– local file	<code>./8592837549-asamples.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/archaic/sarabian/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/archaic/sarabian/sarabian.pdf
– local file	<code>./9846399448-sarabian.pdf</code>
documentation	(no language specified) <i>Sample of South Arabian font</i> : https://ctan.org/tex-archive/fonts/archaic/sarabian/trysarabian.pdf
– local file	<code>./7254745478-trysarabian.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/archaic/sarabian
on MikTeX	<code>sarabian</code>
on TeXLive	<code>archaic</code>
keyword	<code>font-archaic</code> (fonts reproducing archaic scripts or inscriptions)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
language(s)	no language specified
year	2005
last access	2025-02-07

5294 `sasnrdisplay` – Typeset SAS or R code or output

Web page on CTAN <https://ctan.org/pkg/sasnrdisplay>

name	<code>SASnRdisplay</code>
caption	Typeset SAS or R code or output
author	Madsen, Lars
copyright	Lars Madsen (2011)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.95

description	(no language specified) The <code>SASnRdisplay</code> package serves as a front-end to listings , which permits statisticians and others to import source code and the results of their calculations or simulations into LaTeX projects. The package is also capable of overloading the Sweave User Manual and SASweave packages.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/sasnrdisplay/SASnRdisplay.pdf
– local file	<code>./6840874803-SASnRdisplay.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/sasnrdisplay/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sasnrdisplay
on MikTeX	<code>sasnrdisplay</code>
on TeXLive	<code>sasnrdisplay</code>
keyword	<code>statistics</code> (typeset reports, diagrams, etc., of statistics)
keyword	<code>listing</code> (computer code listing)
language(s)	no language specified
year	2011
last access	2025-02-07

5295 *sauerj* – A bundle of utilities by Jonathan Sauer

Web page on CTAN <https://ctan.org/pkg/sauerj>

name	<code>sauerj</code>
caption	A bundle of utilities by Jonathan Sauer
author	Sauer, Jonathan
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The bundle consists of: • a tool for collecting text for later re-use , • a tool for typesetting the "meta-information" within a text , • a tool for use in constructing macros with multiple optional parameters , • a package for multiple column parallel texts , • a tool for processing key-value structured lists , and

- **macros for typesetting a number as a German-language string** .

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sauerj/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sauerj
on MikTeX	sauerj
on T _E XLive	sauerj
keyword	collection (a collection of packages)
language(s)	no language specified
year	without year
last access	2025-02-07

5296 sauter – Wide range of design sizes for CM fonts

Web page on CTAN	https://ctan.org/pkg/sauter
name	sauter
caption	Wide range of design sizes for CM fonts
author	Sauter, John
author	Nijhof, Jeroen
license	gpl = GNU General Public License (free)
version	2.4
description	(no language specified) Extensions, originally to the CM fonts, providing a parameterization scheme to build Metafont fonts at true design sizes, for a large range of sizes. The scheme has now been extended to a range of other fonts, including the AMS fonts , bbm , bbold , rsfs and wasy fonts.
documentation	(no language specified) <i>Package description</i> : https://ctan.org/tex-archive/fonts/cm/sauter/doc/description
on CTAN	https://ctan.org/tex-archive/fonts/cm/sauter
on MikTeX	sauter
on T _E XLive	sauter
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
language(s)	no language specified

year without year
last access 2025-02-07

5297 sauterfonts – Use Sauter’s fonts in LaTeX

Web page on CTAN <https://ctan.org/pkg/sauterfonts>

name sauterfonts
caption Use Sauter’s fonts in LaTeX
author Barthelmann, Klaus Georg
license gpl = GNU General Public License (free)
description (no language specified) The package provides font definition files (plus a replacement for the package *exscale*) to access many of the fonts in *Sauter’s collection* . These fonts are available in all point sizes and look nicer for such ”intermediate” document sizes as 11pt.
Also included is the package *sbbm*, an alternative to access the *bbm* fonts.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/sauterfonts/README>
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/sauterfonts>
on MikTeX sauterfonts
on TeXLive sauterfonts
keyword font-supp (metrics, macro incantations and other font support)
language(s) no language specified
year without year
last access 2025-02-07

5298 saveenv – Save environment content verbatim

Web page on CTAN <https://ctan.org/pkg/saveenv>

name saveenv
caption Save environment content verbatim
author user202729
copyright user202729 (2022)
license lpl1.3c = The LaTeX Project Public License 1.3c (free)

5299 *savefnmark* – Save name of the footnote mark for reuse

version	0.0.1 (2022-12-23)
last changes	2022-12-23
year	2022
description	(no language specified) This package provides tools to create your own verbatim environments, and works for all values of <code>\endlinechar</code> .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/saveenv/saveenv.pdf
– local file	<code>./6270807153-saveenv.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/saveenv/README
contact	<i>repository</i> : https://github.com/user202729/TeXlib
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/saveenv
on MikTeX	saveenv
on T _E XLive	saveenv
keyword	verbatim (verbatim typesetting, etc.)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

5299 **savefnmark** – Save name of the footnote mark for reuse

Web page on CTAN <https://ctan.org/pkg/savefnmark>

name	savefnmark
caption	Save name of the footnote mark for reuse
author	Kuhlmann, Volker
copyright	Volker Kuhlmann (2000)
license	gpl = GNU General Public License (free)
version	1.0
description	(no language specified) Sometimes the same footnote applies to more than one location in a table. With this package the mark of a footnote can be saved into a name, and re-used subsequently without creating another footnote at the bottom.

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/savefnmark/savefnmark.pdf
– local file	<code>./5152615834-savefnmark.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/savefnmark
on MikTeX	savefnmark
on TeXLive	savefnmark
keyword	footnote (footnote support)
see also	see section 2238 on page 2025: (fixfoot – Multiple use of the same footnote text)
language(s)	no language specified
year	2000
last access	2025-02-07

5300 *savesym* – Redefine symbols where names conflict

Web page on CTAN <https://ctan.org/pkg/savesym>

name	savesym
caption	Redefine symbols where names conflict
author	Göbel, Jürgen
license	lppl = The LaTeX Project Public License (free)
version	1.2 (2013-09-02)
last changes	2013-09-02
year	2013
description	(no language specified) There are a number of symbols (e.g., <code>\Square</code>) that are defined by several packages. In order to typeset all the variants in a document, we have to give the glyph a unique name. To do that, we define <code>\savesymbol{XXX}</code> , which renames a symbol from <code>\XXX</code> to <code>\origXXX</code> , and <code>\restoresymbols{yyy}{XXX}</code> , which renames <code>\origXXX</code> back to <code>\XXX</code> and defines a new command, <code>\yyyXXX</code> , which corresponds to the most recently loaded version of <code>\XXX</code> .
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/savesym/savesym.sty
on MikTeX	savesym

on T _E XLive	savesym
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

5301 *savetrees* – Optimise the use of each page of a LaTeX document

Web page on CTAN <https://ctan.org/pkg/savetrees>

name	savetrees
caption	Optimise the use of each page of a LaTeX document
author	Pakin, Scott
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.4 (2016-04-14)
last changes	2016-04-14
year	2016
description	(no language specified) The goal of the <i>savetrees</i> package is to pack as much text as possible onto each page of a LaTeX document. Admittedly, this makes the document far less attractive. Nevertheless, <i>savetrees</i> is a simple way to save paper when printing draft copies of a document. It can also be useful when trying to meet a tight page-length requirement for a conference or journal submission. Most of the package options cover specific modifications to typesetting rules, but there are also options <code>subtle</code>, <code>moderate</code> and <code>extreme</code> options for the "broad brush" approach.
documentation	(no language specified) <i>Package showcase</i>: https://ctan.org/tex-archive/macros/latex/contrib/savetrees/st-sample2e.pdf
– local file	<code>./5725486774-st-sample2e.pdf</code>
documentation	(no language specified) <i>README</i>: https://ctan.org/tex-archive/macros/latex/contrib/savetrees/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/savetrees/savetrees.pdf
– local file	<code>./8802032851-savetrees.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/savetrees

installation	https://ctan.org/tex-archive/install/macros/latex/contrib/savetrees.tds.zip
on MikTeX	savetrees
on T _E XLive	savetrees
keyword	layout (layout of objects on the page)
language(s)	no language specified
last access	2025-02-07

5302 sblarticle – A LaTeX class for SBL style articles and papers

Web page on CTAN	https://ctan.org/pkg/sblarticle
name	sblarticle
caption	A LaTeX class for SBL style articles and papers
author	Purton, David
copyright	David Purton (2026)
license	l _{pp} 1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2026-04-04)
last changes	2026-04-04
year	2026
description	(no language specified) This package provides a LaTeX class for producing articles and papers conforming to the style required by the Society of Biblical Literature. It depends on sblfonts for language support and biblatex-sbl for referencing.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sblarticle/sblarticle.pdf
– local file	./6759089661-sblarticle.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sblarticle/README.md
home page	https://github.com/dcpurton/sbltex
contact	<i>bugs</i> : https://github.com/dcpurton/sbltex/issues
contact	<i>repository</i> : https://github.com/dcpurton/sbltex/tree/main/sblarticle
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sblarticle

on MikTeX	sblarticle
on T _E XLive	sblarticle
keyword	theology (typeset devotional texts and other material of interest to theologians)
language(s)	no language specified
last access	2026-04-14

5303 *sblbook* – A LaTeX class for SBL style print ready books

Web page on CTAN <https://ctan.org/pkg/sblbook>

name	sblbook
caption	A LaTeX class for SBL style print ready books
author	Purton, David
copyright	David Purton (2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2026-04-04)
last changes	2026-04-04
year	2026
description	(no language specified) sblbook provides a LaTeX class for producing print ready books conforming to the style required by the Society of Biblical Literature. It depends on sblfonts for language support, biblatex-sbl for referencing, sblidx for indexing and biblatex-sbl for Scripture references.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sblbook/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sblbook/sblbook.pdf
– local file	./4273851719-sblbook.pdf
home page	https://github.com/dcpurton/sbltex
contact	<i>bugs</i> : https://github.com/dcpurton/sbltex/issues
contact	<i>repository</i> : https://github.com/dcpurton/sbltex/tree/main/sblbook
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sblbook
on MikTeX	sblbook

on T _E XLive	sblbook
keyword	theology (typeset devotional texts and other material of interest to theologians)
language(s)	no language specified
last access	2026-04-14

5304 sblfonts – Font and language set up for SBL style documents

Web page on CTAN <https://ctan.org/pkg/sblfonts>

name	sblfonts
caption	Font and language set up for SBL style documents
author	Purton, David
copyright	David Purton (2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2026-04-04)
last changes	2026-04-04
year	2026
description	(no language specified) This package provides a LaTeX package for setting up font and language support for documents conforming to the requirements of the Society of Biblical Literature. Greek and Hebrew languages are supported using the SBL fonts. If these fonts are not available then fonts included with TeX Live are used.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sblfonts/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sblfonts/sblfonts.pdf
– local file	./9543260126-sblfonts.pdf
home page	https://github.com/dcpurton/sbltex
contact	<i>bugs</i> : https://github.com/dcpurton/sbltex/issues
contact	<i>repository</i> : https://github.com/dcpurton/sbltex/tree/main/sblfonts
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sblfonts
on MikT _E X	sblfonts
on T _E XLive	sblfonts

keyword	theology (typeset devotional texts and other material of interest to theologians)
language(s)	no language specified
last access	2026-04-14

5305 *sbldx* – A LaTeX package for SBL style indices

Web page on CTAN <https://ctan.org/pkg/sbldx>

name	sbldx
caption	A LaTeX package for SBL style indices
author	Purton, David
copyright	David Purton (2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2026-04-04)
last changes	2026-04-04
year	2026
description	(no language specified) This package provides a LaTeX package for creating indices in line with the requirements of the Society of Biblical Literature. Indices for ancient sources (via biblatex-sbl), modern authors (via biblatex-sbl) and subjects are supported. Number ranges are compressed and indexed items in notes are indicated using <code>n.</code> and <code>nn.</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sbldx/sbldx.pdf
– local file	<code>./7469713841-sbldx.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sbldx/README.md
home page	https://github.com/dcpurton/sbltex
contact	<i>bugs</i> : https://github.com/dcpurton/sbltex/issues
contact	<i>repository</i> : https://github.com/dcpurton/sbltex/tree/main/sbldx
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sbldx
on MikTeX	sbldx
on TeXLive	sbldx
keyword	index (index support)

keyword	theology (typeset devotional texts and other material of interest to theologians)
language(s)	no language specified
last access	2026-04-14

5306 *sblreport* – A LaTeX class for SBL style theses

Web page on CTAN	https://ctan.org/pkg/sblreport
name	sblreport
caption	A LaTeX class for SBL style theses
author	Purton, David
copyright	David Purton (2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2026-04-04)
last changes	2026-04-04
year	2026
description	(no language specified) This package provides a LaTeX class for producing theses conforming to the style required by the Society of Biblical Literature. It depends on sblfonts for language support and biblatex-sbl for referencing.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sblreport/sblreport.pdf
– local file	<code>./8887438729-sblreport.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sblreport/README.md
home page	https://github.com/dcpurton/sbltex
contact	<i>bugs</i> : https://github.com/dcpurton/sbltex/issues
contact	<i>repository</i> : https://github.com/dcpurton/sbltex/tree/main/sblreport
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sblreport
on MikTeX	sblreport
on T _E XLive	sblreport
keyword	theology (typeset devotional texts and other material of interest to theologians)

language(s) no language specified
last access 2026-04-14

5307 *sbtex* – A compact TeX distribution for MS-DOS

Web page on CTAN <https://ctan.org/pkg/sbtex>

name *sbtex*
caption A compact TeX distribution for MS-DOS
author Sullivan, Wayne
license noinfo = noinfo
version (1990-05-14)
last changes 1990-05-14
year 1990
description (no language specified) The distribution includes a small editor (*te*), but no auxiliary files.
on CTAN <https://ctan.org/tex-archive/systems/msdos/sbtex>
keyword distribution (components (or support) of TeX distribution)
language(s) no language specified
last access 2025-02-07

5308 *sc21* – Title page for the old ISO TC97/SC21 committee

Web page on CTAN <https://ctan.org/pkg/sc21>

name *sc21*
caption Title page for the old ISO TC97/SC21 committee
license noinfo = noinfo
version (1987-01-27)
last changes 1987-01-27
year 1987
description (no language specified) A variant of the standard LaTeX 2.09 titlepage package, designed for "N-numbered" papers for the committee. (The committee covered, at various times, standardisation of OSI architecture, OSI upper layers, distributed processing, databases and graphics.)

5309 *sc21-wg1* – Title page for the old ISO TC97/SC21/WG1 working group

on CTAN <https://ctan.org/tex-archive/macros/latex209/contrib/misc/sc21.sty>

keyword misc-paper (discussion/working paper (rather than journal paper))

language(s) no language specified

last access 2025-02-07

5309 *sc21-wg1* – Title page for the old ISO TC97/SC21/WG1 working group

Web page on CTAN <https://ctan.org/pkg/sc21-wg1>

name *sc21-wg1*

caption Title page for the old ISO TC97/SC21/WG1 working group

license noinfo = noinfo

version (1987-05-20)

last changes 1987-05-20

year 1987

description (no language specified) A variant of the standard LaTeX 2.09 titlepage package, designed for "N-numbered" papers for the group. (The group covered, at various times, standardisation of OSI architecture, developments of the OSI model and distributed processing.)

on CTAN <https://ctan.org/tex-archive/macros/latex209/contrib/misc/sc21-wg1.sty>

keyword misc-paper (discussion/working paper (rather than journal paper))

language(s) no language specified

last access 2025-02-07

5310 *scale* – Scale document by sqrt(2) or magstep(2)

Web page on CTAN <https://ctan.org/pkg/scale>

name *scale*

caption Scale document by sqrt(2) or magstep(2)

author Sandmann, Søren

copyright Søren Sandmann Pedersen (1999)

license gpl = GNU General Public License (free)

version 1.1.2

5311 `scalebar` – Create scalebars for maps, diagrams or photos

description	(no language specified) A package to scale a document by $\sqrt{2}$ (or by $\text{\magstep{2}}$). This is useful if you are preparing a document on, for example, A5 paper and want to print on A4 paper to achieve a better resolution.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/scale/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/scale
on MikTeX	scale
on T _E XLive	scale
keyword	geometry (change geometry of page layout)
language(s)	no language specified
year	1999
last access	2025-02-07

5311 `scalebar` – Create scalebars for maps, diagrams or photos

Web page on CTAN	https://ctan.org/pkg/scalebar
name	scalebar
caption	Create scalebars for maps, diagrams or photos
author	Lake, Michael
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) This is a small package to create scalebars for maps, diagrams or photos. It was designed for use with cave maps but can be used for anything from showing a scalebar in kilometres for topographic maps to a scalebar in micrometres for an electron microscope image.
documentation	(no language specified) <i>Package usage guide and examples</i> : https://ctan.org/tex-archive/macros/latex/contrib/scalebar/scalebar_examples.pdf
– local file	./5904766588-scalebar_examples.pdf
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/scalebar/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/scalebar
on MikTeX	scalebar
on T _E XLive	scalebar

keyword	misc-support (miscellaneous support stuff)
language(s)	no language specified
year	without year
last access	2025-02-07

5312 *scalefnt* – Rescale fonts to arbitrary sizes

Web page on CTAN <https://ctan.org/pkg/scalefnt>

name	scalefnt
caption	Rescale fonts to arbitrary sizes
author	Carlisle, David
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) <code>\scalefont{2}</code> selects the current font in twice the current size. <code>\scalefont{.75}</code> reduces the current font size by three quarters. Note that the effectiveness of such operations depends on the LaTeX font selection for that font; it will typically work well for ordinary Type 1 fonts, but Metafont fonts are usually set up to work only at a discrete set of sizes. The package is distributed as part of the carlisle bundle.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/carlisle/scalefnt.sty
on MikTeX	carlisle
on T _E XLive	carlisle
keyword	font-sel (font selection schemes)
language(s)	no language specified
year	without year
last access	2025-02-07

5313 *scalere1* – Constrained scaling and stretching of objects

Web page on CTAN <https://ctan.org/pkg/scalere1>

name	scalere1
caption	Constrained scaling and stretching of objects
author	Segletes, Steven B.
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.8 (2016-12-29)
last changes	2016-12-29
year	2016
description	(no language specified) The package provides four commands for vertically scaling and stretching objects. Its primary function is the ability to scale/stretch and shift one object to conform to the size of a specified second object. This feature can be useful in both equations and schematic diagrams. Additionally, the scaling and stretching commands offer constraints on maximum width and/or minimum aspect ratio, which are often used to preserve legibility or for the sake of general appearance.
documentation	(no language specified) <i>README</i> : https://ctan.org/tex-archive/macros/latex/contrib/scalere1/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/scalere1/scalere1.pdf
– local file	./1405951902-scalere1.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/scalere1
on MikTeX	scalere1
on TeXLive	scalere1
keyword	graphics-manip (manipulate graphics and/or related text)
language(s)	no language specified
last access	2025-02-07

5314 *scaletextbullet* – Resize the `\textbullet` without changing its vertical center

Web page on CTAN <https://ctan.org/pkg/scaletextbullet>

name	scaletextbullet
caption	Resize the <code>\textbullet</code> without changing its vertical center
author	Beery, Oliver
copyright	Oliver Beery (2024-2026)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.0.5 (2026-02-18)
last changes	2026-02-18
year	2026
description	(no language specified) This package enables the user to resize the <code>\textbullet</code> without moving its vertical center. This process is not fully automated — the user must use <code>\setttextbulletfactor</code> to set the <code>\textbullet</code> factor to the correct value to display the resized <code>\textbullet</code> at the correct height.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/scaletextbullet/scaletextbullet.pdf
– local file	./5756836088-scaletextbullet.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/scaletextbullet/README.txt
contact	<i>repository:</i> https://github.com/beeryoliver/scaletextbullet
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/scaletextbullet
on MikTeX	scaletextbullet
on T _E XLive	scaletextbullet
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
keyword	list-bull (list: items bulleted)
language(s)	no language specified
last access	2026-03-26

5315 *scanpages* – Support importing and embellishing scanned documents

Web page on CTAN <https://ctan.org/pkg/scanpages>

name	scanpages
caption	Support importing and embellishing scanned documents
author	Sharpe, Michael
copyright	Michael Sharpe (2014)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.05a (2016-12-02)
last changes	2016-12-02
year	2016
description	(no language specified) The bundle provides support for the process of creating documents based on pre-TeX-era material that is available as scanned pages, only.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/scanpages/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/scanpages/doc/scanpages-doc.pdf
– local file	./5886711234-scanpages-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/scanpages
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/scanpages.tds.zip
on MikTeX	scanpages
on T _E XLive	scanpages
keyword	misc-support (miscellaneous support stuff)
language(s)	no language specified
last access	2026-03-26

5316 *schedule* – Weekly schedules

Web page on CTAN <https://ctan.org/pkg/schedule>

name	<code>schedule</code>
caption	Weekly schedules
author	Alexander, Jason
author	Deneault, Ethan
copyright	Jason Alexander (1997-2001)
copyright	Ethan Deneault (2019)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.20 (2019-07-31)
last changes	2019-07-31
year	2019
description	(no language specified) Automatically format weekly schedules using LaTeX's picture environment. It requires the packages <code>calc</code> and <code>color</code> . Its main feature is the accuracy with which appointments are represented: boxes drawn to represent a particular appointment are accurate to the minute — i.e., a 31-minute appointment will have a box 1/30th longer than a 30-minute appointment. A number of features are included to allow the user to customize the output.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/schedule/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/schedule/schedule.pdf
– local file	<code>./4086835995-schedule.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/schedule
on MikTeX	<code>schedule</code>
on T _E XLive	<code>schedule</code>
keyword	<code>timetable</code> (schedules of operations, courses, etc.)
keyword	<code>planning</code> (construct diagrams, etc., for planning)
language(s)	no language specified
last access	2025-02-07

5317 *schedule209* – Typeset schedules

Web page on CTAN <https://ctan.org/pkg/schedule209>

name	<code>schedule209</code>
caption	Typeset schedules
author	Pfenning, Frank
license	<code>noinfo</code> = <code>noinfo</code>
version	(1989-12-22)
last changes	1989-12-22
year	1989
description	(no language specified) The package implements a document style which enables the user to construct diagrams showing the planned progress of projects, etc. This package seems unrelated to the schedule package written for use with LaTeX 2e. The two packages provide very similar facilities, but the present package's use of PostScript features (for shading schedule entry backgrounds) is entirely ad hoc.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/schedule.sty
keyword	planning (construct diagrams, etc., for planning)
keyword	<code>latex209</code> (package only known to work with LaTeX 2.09)
language(s)	no language specified
last access	2025-02-11

5318 *schemabloc* – Draw block diagrams, using TikZ

Web page on CTAN <https://ctan.org/pkg/schemabloc>

name	<code>schemabloc</code>
caption	Draw block diagrams, using TikZ
author	Papanicola, Robert
license	<code>lppl</code> = The LaTeX Project Public License (free)
version	1.9
description	(no language specified) The package provides a set of macros for constructing block diagrams, using TikZ . (The bloc package is an "English translation" of this package.)

documentation	<i>Package documentation (French):</i> https://ctan.org/tex-archive/graphics/pgf/contrib/schemabloc/schemabloc.pdf
– local file	<code>./5509539453-schemabloc.pdf</code>
documentation on CTAN	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/schemabloc/README.txt
on MikTeX	https://ctan.org/tex-archive/graphics/pgf/contrib/schemabloc
on T _E XLive	<code>schemabloc</code>
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>diagram-block</code> (block diagrams)
keyword	<code>graphics</code> (graphics (support packages))
see also	see section 773 on page 710: (<code>blox</code> – Draw block diagrams, using TikZ)
language(s)	French
year	without year
last access	2025-02-07

5319 *schemata* – Print topical diagrams

Web page on CTAN <https://ctan.org/pkg/schemata>

name	<code>schemata</code>
caption	Print topical diagrams
author	Schaum, Charles P.
copyright	Charles P. Schaum (2021)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.4 (2021-02-27)
last changes	2021-02-27
year	2021
description	(no language specified) The package facilitates the creation of "topical schemata", i.e. outlines that use braces (or facsimiles thereof) to illustrate the breakdown of concepts and categories in Scholastic thought from late medieval and early modern periods.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/generic/schemata/schemata.pdf

– local file	<code>./7043796455-schemata.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/schemata/README.md
on CTAN	https://ctan.org/tex-archive/macros/generic/schemata
on MikTeX	schemata
on T _E XLive	schemata
keyword	theology (typeset devotional texts and other material of interest to theologians)
keyword	macro-gen (macros that are independent of the (TeX) format in use)
keyword	philosophy (support for typesetting philosophy)
keyword	diagram (diagrams)
language(s)	no language specified
last access	2025-02-07

5320 *schemetex* – Typesetting Scheme programs with LaTeX

Web page on CTAN	https://ctan.org/pkg/schemetex
name	schemeTeX
caption	Typesetting Scheme programs with LaTeX
author	Ramsdell, John D
license	other-free = Free license not otherwise listed (free)
version	(1992-09-24)
last changes	1992-09-24
year	1992
description	(no language specified) A sort of literate programming mechanism for Scheme. Prettily formats documentation and comments, leaving the Scheme code unchanged.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/schemetex/readme
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/schemetex/st.pdf
– local file	<code>./4263295251-st.pdf</code>
on CTAN	https://ctan.org/tex-archive/support/schemetex
keyword	litprog (literate programming)

language(s)	no language specified
last access	2025-02-07

5321 *schemeweb* – Simple support for literate programming in Lisp

Web page on CTAN <https://ctan.org/pkg/schemeweb>

name	schemeweb
caption	Simple support for literate programming in Lisp
author	Ramsdell, John D
copyright	The MITRE Corporation (1994)
license	gpl = GNU General Public License (free)
version	2.1
description	(no language specified) SchemeWEB is a Unix filter that allows you to generate both Lisp and LaTeX code from one source file. The generated LaTeX code formats Lisp programs in typewriter font obeying the spacing in the source file. Comments may include arbitrary LaTeX commands. SchemeWEB was originally developed for the Scheme dialect of Lisp, but it can easily be used with most other dialects.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/web/schemeweb/README
on CTAN	https://ctan.org/tex-archive/web/schemeweb
keyword	litprog (literate programming)
language(s)	no language specified
year	1994
last access	2025-02-07

5322 *schola-otf* – Using the OpenType fonts TeX Gyre schola

Web page on CTAN <https://ctan.org/pkg/schola-otf>

name	schola-otf
caption	Using the OpenType fonts TeX Gyre schola
author	Voß, Herbert
copyright	Herbert Voss (2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)

version	0.01
description	(no language specified) This package can only be used with LuaLaTeX or XeLaTeX. It does the font setting for the OpenType font TeX Gyre Schola for text and math. The missing typefaces like bold math and slanted text are also defined
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/schola-otf/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/schola-otf/doc/schola-otf-doc.pdf
– local file	./2414741978-schola-otf-doc.pdf
on CTAN	https://ctan.org/tex-archive/fonts/schola-otf
on MikTeX	schola-otf
on TeXLive	schola-otf
keyword	font (fonts themselves)
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
keyword	font-otf (font in OpenType format)
keyword	luatex (LuaTeX and packages that require it)
keyword	font-maths (fonts for use in mathematics)
keyword	tagged-pdf (tagged PDF compatible)
language(s)	no language specified
year	2022
last access	2026-04-13

5323 *scholax* – Extension of TeXGyreSchola (New Century Schoolbook) with math support

Web page on CTAN <https://ctan.org/pkg/scholax>

name	ScholaX
caption	Extension of TeXGyreSchola (New Century Schoolbook) with math support
author	Sharpe, Michael
license	lppl = The LaTeX Project Public License (free)
version	1.033 (2022-01-31)
last changes	2022-01-31

year	2022
description	(no language specified) This package contains an extension of TeXGyreSchola with extensive superiors, inferior figures, upright punctuation glyphs added to the Italic face for a theorem font, plus slanted and bold slanted faces. Math support is provided by one of two options to newtxmath , one of which uses an adaptation of the fourier math Greek letters.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/scholax/doc/scholax-doc.pdf
– local file	<code>./7924133386-scholax-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/scholax/README
on CTAN	https://ctan.org/tex-archive/fonts/scholax
on MikTeX	<code>scholax</code>
on TeXLive	<code>scholax</code>
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-maths</code> (fonts for use in mathematics)
keyword	<code>font-t1enc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-serif</code> (serif font)
language(s)	no language specified
last access	2025-02-07

5324 schooldocs – Various layout styles for school documents

Web page on CTAN <https://ctan.org/pkg/schooldocs>

name	schooldocs
caption	Various layout styles for school documents
author	Missier, Antoine
copyright	Antoine Missier (2020-2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.6 (2025-01-15)
last changes	2025-01-15
year	2025
description	(no language specified) The aim of this package is to offer diverse layout styles for school-related documents. It serves well in creating exercise sheets, exams, course materials. The package sets the page geometry (dimensions of text and margins) and the title formatting. Various styles are available defining settings for headers, footers or alternative title formatting, providing many customizable features.
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/schooldocs/schooldocs-examples.pdf
– local file	<code>./9994756069-schooldocs-examples.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/schooldocs/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/schooldocs/schooldocs.pdf
– local file	<code>./9214478207-schooldocs.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/schooldocs
on MikTeX	schooldocs
on T _E XLive	schooldocs
keyword	exam (exams, quizzes, etc.)
keyword	exercise (exercises, problems for solution, etc.)
keyword	course-material (course material)
keyword	teaching (support for teachers and teaching administrators)

language(s) no language specified
 last access 2025-02-07

5325 *schule* – Support for teachers at German schools

Web page on CTAN <https://ctan.org/pkg/schule>

name	<code>schule</code>
caption	Support for teachers at German schools
author	Pieper, Johannes
author	Hilbig, André
author	Kuhaupt, Johannes
copyright	Johannes Pieper, André Hilbig, Johannes Kuhaupt, Daniel Spittank, Ludger Humbert, Adrian Salamon (2010-2014, 2018, 2020, 2021, 2023, 2026)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.11.0 (2026-01-30)
last changes	2026-01-30
year	2026
description	(no language specified) The ‘schule’ bundle was built to provide packages and commands that could be useful for documents in German schools. At the moment its main focus lies on documents for informatics as a school subject. An extension for physics is currently in progress. Extensions for other subjects are welcome. For the time being, the whole package splits up into individual packages for informatics (including syntax diagrams, Nassi–Shneiderman diagrams, sequence diagrams, object diagrams, and class diagrams) as well as classes for written exams (tests, quizzes, teaching observations, information sheets, worksheets, and answer keys).
documentation	<i>Readme (German):</i> https://ctan.org/tex-archive/macros/latex/contrib/schule/README
documentation	<i>Package documentation (German):</i> https://ctan.org/tex-archive/macros/latex/contrib/schule/doc/schule.pdf
– local file	<code>./5437470137-schule.pdf</code>
contact	<i>bugs:</i> https://gitlab.com/gi-fg-ibnw/schule/-/issues
contact	<i>repository:</i> https://gitlab.com/gi-fg-ibnw/schule
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/schule
on MikTeX	<code>schule</code>

on T _E XLive	<code>schule</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>teaching</code> (support for teachers and teaching administrators)
language(s)	German
last access	2026-03-26

5326 ***schulmathematik*** – Commands and document classes for German-speaking teachers of mathematics and physics

Web page on CTAN <https://ctan.org/pkg/schulmathematik>

name	<code>schulmathematik</code>
caption	Commands and document classes for German-speaking teachers of mathematics and physics
author	Wehr, Keno
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.7.1 (2025-06-28)
last changes	2025-06-28
year	2025
description	(no language specified) The <i>schulmathematik</i> bundle provides two LaTeX packages and six document classes for German-speaking teachers of mathematics and physics.
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/schulmathematik/schulmathematik.pdf
– local file	<code>./4602218083-schulmathematik.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/schulmathematik/README
contact	<i>bugs</i> : https://codeberg.org/wehr/schulmathematik/issues
contact	<i>repository</i> : https://codeberg.org/wehr/schulmathematik
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/schulmathematik
on MikT _E X	<code>schulmathematik</code>
on T _E XLive	<code>schulmathematik</code>
keyword	<code>physics</code> (support for typesetting physics documents)
keyword	<code>maths</code> (support for typesetting mathematics)

keyword teaching (support for teachers and teaching administrators)
 language(s) German
 last access 2026-03-26

5327 *schulschriften* – German “school scripts” from Suetterlin to the present day

Web page on CTAN <https://ctan.org/pkg/schulschriften>

name schulschriften
 caption German “school scripts” from Suetterlin to the present day
 author Entenmann, Walter
 license lppl = The LaTeX Project Public License (free)
 version 5
 description (German) Das Paket enthält im wesentlichen die Metafont-Quellfiles für die folgenden Schulausgangsschriften: Suetterlinschrift, Deutsche Normalschrift, Lateinische Ausgangsschrift, Schulausgangsschrift, Vereinfachte Ausgangsschrift. Damit ist es möglich, beliebige deutsche Texte in diesen Schreibschriften zu schreiben.
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/fonts/schulschriften/README>
 documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/fonts/schulschriften/doc/schulschriften.pdf>
 – local file ./5761356018-schulschriften.pdf
 on CTAN <https://ctan.org/tex-archive/fonts/schulschriften>
 on MikTeX schulschriften
 on T_EXLive schulschriften
 keyword font-mf (fonts distributed as Metafont source)
 keyword font (fonts themselves)
 keyword font-calligraphic (calligraphic (or handwriting) fonts)
 language(s) German
 year without year
 last access 2026-03-26

5328 schwalbe-chess – Typeset the German chess magazine “Die Schwalbe”

Web page on CTAN <https://ctan.org/pkg/schwalbe-chess>

name	schwalbe-chess
caption	Typeset the German chess magazine “Die Schwalbe”
author	Höning, Stefan
copyright	Stefan Höning (2012-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.13 (2025-01-21)
last changes	2025-01-21
year	2025
description	(no language specified) The package is based on chess-problem-diagrams , which in its turn has a dependency on the bartel-chess-fonts .
documentation	<i>Package documentation (German):</i> https://ctan.org/tex-archive/macros/latex/contrib/schwalbe-chess/schwalbe.pdf
– local file	./2513965912-schwalbe.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/schwalbe-chess/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/schwalbe-chess
on MikTeX	schwalbe-chess
on T _E XLive	schwalbe-chess
keyword	class (alternative LaTeX class(es))
keyword	journalpub (typesetting journals, etc)
keyword	games (process game diagrams, gamebooks, and other amusements)
language(s)	German
last access	2025-02-07

5329 *schwell* – Calligraphic font for typesetting handwriting in Schwell style

Web page on CTAN <https://ctan.org/pkg/schwell>

name	<i>schwell</i>
caption	Calligraphic font for typesetting handwriting in Schwell style
author	Ludewig, Berthold
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Calligraphic font for typesetting handwriting in a variation of the Sütterlin handwriting, invented by Ludwig Sütterlin, a German teacher and typographer.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/gothic/sueterlin/README
documentation	(no language specified) <i>Description and font samples</i> : https://ctan.org/tex-archive/fonts/gothic/sueterlin/suet.pdf
– local file	<code>./7698210693-suet.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/gothic/sueterlin
on T _E XLive	<i>gothic</i>
keyword	<i>font-calligraphic</i> (calligraphic (or handwriting) fonts)
keyword	<i>font</i> (fonts themselves)
keyword	<i>font-mf</i> (fonts distributed as Metafont source)
see also	see section 5746 on page 5208: (<i>sueterlin</i> – Calligraphic font for typesetting handwriting in Sütterlin style)
language(s)	no language specified
year	without year
last access	2025-02-07

5330 *scientific-thesis-cover* – Provides cover page and affirmation at the end of a thesis

Web page on CTAN <https://ctan.org/pkg/scientific-thesis-cover>

name	<i>scientific-thesis-cover</i>
caption	Provides cover page and affirmation at the end of a thesis
author	Kopp, Oliver
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)

version	4.0.2 (2018-06-03)
last changes	2018-06-03
year	2018
description	(no language specified) Institutions require a cover page and an affirmation at the end of a thesis. This package provides both.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/scientific-thesis-cover/README.md
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/scientific-thesis-cover/demo.pdf
– local file	./4985910548-demo.pdf
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/scientific-thesis-cover/scientific-thesis-cover.pdf
– local file	./6182988677-scientific-thesis-cover.pdf
home page	https://latextemplates.github.io/scientific-thesis-cover
contact	<i>bugs</i> : https://github.com/latextemplates/scientific-thesis-cover/issues
contact	<i>repository</i> : https://github.com/latextemplates/scientific-thesis-cover
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/scientific-thesis-cover
on MikTeX	scientific-thesis-cover
on T _E XLive	scientific-thesis-cover
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	scientific-docs (support for writers of scientific documents)
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
last access	2025-02-07

5331 scientificauthor – Visual LaTeX editor

Web page on CTAN <https://ctan.org/pkg/scientificauthor>

name	scientificauthor
caption	Visual LaTeX editor
author	Manhica, Danilo Stelio
license	shareware = Shareware: A fee is required (not free)
version	1.0
description	(no language specified) Scientific Author is a visual LaTeX editor for mathematicians, scientists and engineers, supporting industry standards like LaTeX 2e. It is a visual document editor, which exports LaTeX for rendering by tools such as MiKTeX. Scientific Author also supports editing of mathematical notation through tool palettes and templates. LaTeX symbols are also supported, including American Mathematical Society symbols. It also enables easy editing of tables, footnotes, and margin notes.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/scientificauthor/README
on CTAN	https://ctan.org/tex-archive/support/scientificauthor
keyword	editor (editor designed (or adapted) for use with (La)TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

5332 scientificpaper – Format a scientific paper for journal publication

Web page on CTAN <https://ctan.org/pkg/scientificpaper>

name	scientificpaper
caption	Format a scientific paper for journal publication
author	Aycock, Ryan
license	noinfo = noinfo
version	(2004-03-26)
last changes	2004-03-26
year	2004
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/scientificpaper/README

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/scientificpaper
on MikTeX	scientificpaper
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
last access	2025-02-07

5333 scientificviewer – MacKichan software viewer

Web page on CTAN	https://ctan.org/pkg/scientificviewer
name	scientificviewer
caption	MacKichan software viewer
author	Pearson, George
license	nosource = No Source Available (not free)
description	(no language specified) Scientific Viewer allows the user to read or print documents created with MacKichan Scientific Notebook, Scientific Word or Scientific Workplace; it may also be used to view many ‘native’ LaTeX documents. The viewer does not enable the user to manipulate the document in any way.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/win32/scientificviewer/readme.txt
on CTAN	https://ctan.org/tex-archive/systems/win32/scientificviewer
keyword	previewer (application for viewing a typeset document on screen)
language(s)	no language specified
year	without year
last access	2025-02-07

5334 scikgtex – Mark research contributions in scientific documents and embed them in PDF metadataWeb page on CTAN <https://ctan.org/pkg/scikgtex>

name	SciKGT _E X
caption	Mark research contributions in scientific documents and embed them in PDF metadata
author	Bless, Christof
copyright	Christof Bless (2022)
license	mit = MIT License (free)
version	2.2.0 (2023-04-03)
last changes	2023-04-03
year	2023
description	(no language specified) Scientific Knowledge Graph TeX (SciKgTeX) is a LuaLaTeX package which makes it possible to annotate specific research contributions in scientific documents. SciKGT _E X will enrich the document by adding the marked contributions to PDF metadata in a structured XMP format which can be picked up by search engines and knowledge graphs.
documentation	(no language specified) <i>Package documentation off-CTAN:</i> https://ctan.org/tex-archive/macros/luatex/latex/scikgtex/scikgtex.pdf
– local file	./7990197852-scikgtex.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/luatex/latex/scikgtex/README.md
contact	<i>bugs:</i> https://github.com/Christof93/SciKGTex/issues
contact	<i>repository:</i> https://github.com/Christof93/SciKGTex
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/scikgtex
on MikT _E X	scikgtex
on T _E XLive	scikgtex
keyword	metadata (process document metadata)
keyword	pdf-feat (access PDF features)
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
last access	2025-02-07

5335 sciposter – Make posters of ISO A3 size and largerWeb page on CTAN <https://ctan.org/pkg/sciposter>

name	sciposter
caption	Make posters of ISO A3 size and larger
author	Wilkinson, Michael
license	lppl = The LaTeX Project Public License (free)
version	1.18
description	(no language specified) This collection of files contains LaTeX packages for posters of ISO A3 size and larger (ISO A0 is the default size). American paper sizes and custom paper are supported. In particular, <code>sciposter.cls</code> defines a document class which allows cutting and pasting most of an article to a poster without any editing (save reducing the size) — see the manual. Sciposter does work for LaTeX, not just pdfLaTeX. However, <code>xdvi</code> produces strange results, though a recent version of <code>dvips</code> does create good ps-files from the dvi files. Also note that logos must either be put in the current working directory or in the directories of your LaTeX distribution. For some reason <code>graphicspath</code> settings are ignored.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sciposter/README
documentation	(no language specified) <i>Package manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/sciposter/scipostermanual.pdf
– local file	<code>./6891304039-scipostermanual.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sciposter
on MikTeX	sciposter
on T _E XLive	sciposter
keyword	poster (typeset posters, etc.)
see also	see section 1 on page 2: (<code>a0poster</code> – Support for designing posters on large paper)
language(s)	no language specified
year	without year
last access	2025-02-07

5336 sciwordconv – Use Scientific Word/WorkPlace files with another TeX

Web page on CTAN <https://ctan.org/pkg/sciwordconv>

name	SciWordConv
caption	Use Scientific Word/WorkPlace files with another TeX
author	Tuleuov, Berik I.
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) These macros allows you to combine the power of the graphical front-end of Scientific Word/Scientific WorkPlace (SW/SWP) with one's own favourite TeX compiler (for example, MiKTeX). Currently includes support for Russian language; other languages can be handled easily.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sciwordconv/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sciwordconv
on MikTeX	sciwordconv
keyword	foreign-import (import files in a non-TeX (or different TeX) format)
language(s)	no language specified
year	without year
last access	2025-02-07

5337 slang-prettifier – Prettyprinting SuperCollider source code

Web page on CTAN <https://ctan.org/pkg/slang-prettifier>

name	slang-prettifier
caption	Prettyprinting SuperCollider source code
author	Cretel, Julien
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1
description	(no language specified) Built on top of the listings package, the package allows effortless prettyprinting of SuperCollider source code in documents typeset with LaTeX & friends.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/slang-prettifier/slang-prettifier.pdf

– local file	<code>./4558261526-sclang-prettifier.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sclang-prettifier/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sclang-prettifier
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/sclang-prettifier.tds.zip
on MikTeX	<code>sclang-prettifier</code>
on T _E XLive	<code>sclang-prettifier</code>
keyword	<code>synt-hlt</code> (highlight syntax of computer code, etc.)
keyword	<code>listing</code> (computer code listing)
see also	see section 3470 on page 3137: (<code>listings</code> – Typeset source code listings using LaTeX)
language(s)	no language specified
year	without year
last access	2025-02-07

5338 *sclmac* – Typeset scripts with Plain TeX

Web page on CTAN <https://ctan.org/pkg/sclmac>

name	<code>sclmac</code>
caption	Typeset scripts with Plain TeX
author	Piaw, Na Choon
license	other-free = Free license not otherwise listed (free)
version	2.02
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/sclmac202.tex
keyword	<code>drama-script</code> (typeset scripts for plays, etc.)
language(s)	no language specified
year	without year
last access	2025-02-09

5339 scontents – Stores LaTeX contents in memory or files

Web page on CTAN <https://ctan.org/pkg/scontents>

name	scontents
caption	Stores LaTeX contents in memory or files
author	González Luengo, Pablo
copyright	Pablo González L. (2019-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.6 (2025-11-20)
last changes	2025-11-20
year	2025
description	(no language specified) This package stores valid LaTeX code in memory (sequences) using the <code>l3seq</code> module of <code>expl3</code> . The stored content (including verbatim) can be used as many times as desired in the document, additionally can be written to external files if desired.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/scontents/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/scontents/scontents.pdf
– local file	<code>./7824084324-scontents.pdf</code>
contact	<i>support</i> : https://github.com/pablgonz/scontents/issues
contact	<i>repository</i> : https://github.com/pablgonz/scontents
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/scontents
on MikTeX	scontents
on TeXLive	scontents
keyword	file-mgmt (TeX-related-file management)
language(s)	no language specified
last access	2025-11-29

5340 scorecard – Format a Baseball scorecard

Web page on CTAN <https://ctan.org/pkg/scorecard>

name	scorecard
caption	Format a Baseball scorecard
author	Wall, Matthew
copyright	Matthew Wall (1989)
license	nocommercial = No Commercial Use (not free)
version	1.1
description	(no language specified) Formats a scorecard with which to score a baseball game, with additional space to record information with which to submit a details to newspapers, league offices, etc. Also provides boxes for other summary statistics.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/scorecard.tex
keyword	file-card (typeset cards for business, filing, etc.)
language(s)	no language specified
year	1989
last access	2025-02-07

5341 scrabble – Commands for Scrabble boards

Web page on CTAN <https://ctan.org/pkg/scrabble>

name	Scrabble
caption	Commands for Scrabble boards
author	Pierquet, Cédric
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.9 (2025-07-17)
last changes	2025-07-17
year	2025
description	(no language specified) This package provides some commands (in English and in French) to work with a Scrabble Board : • <code>\ScrabbleBoard</code> and <code>\begin{EnvScrabble}</code> and <code>\ScrabblePutWord</code> for the English version,

5342 `scraddr` – Provide data from `scrlltr2`’s address files

	<code>\PlateauScrabble</code> and <code>\begin{EnvScrabble}</code> and <code>\ScrabblePlaceMot</code> for the French version.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/scrabble/README.md
documentation	<i>Package documentation (French)</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/scrabble/doc/Scrabble-doc-fr.pdf
– local file	<code>./8901648501-Scrabble-doc-fr.pdf</code>
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/scrabble/doc/Scrabble-doc-en.pdf
– local file	<code>./7891249230-Scrabble-doc-en.pdf</code>
contact	<i>bugs</i> : https://github.com/cpierquet/latex-packages/issues
contact	<i>repository</i> : https://github.com/cpierquet/latex-packages/tree/main/scrabble
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/scrabble
on MikTeX	<code>scrabble</code>
on TeXLive	<code>scrabble</code>
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>games</code> (process game diagrams, gamebooks, and other amusements)
language(s)	French
last access	2025-07-26

5342 `scraddr` – Provide data from `scrlltr2`’s address files

Web page on CTAN <https://ctan.org/pkg/scraddr>

name	<code>scraddr</code>
caption	Provide data from <code>scrlltr2</code> ’s address files
author	Kohm, Markus
copyright	Markus Kohm (2006-2022)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1d (2022-01-24)
last changes	2022-01-24

year	2022
description	(no language specified) The package is a part of the Koma-Script suite. The package uses adr-files to generate circular letters. The package provides commands to read the adr-files and to use the data of the address entries, not only with <code>scrlettr2</code> class and not only for circular letters.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-script/README.md
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-en.pdf
– local file	<code>./2064675180-scrguide-en.pdf</code>
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-de.pdf
– local file	<code>./9865824920-scrguide-de.pdf</code>
home page	https://komascript.de/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/koma-script
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/koma-script.tds.zip
on MikTeX	<code>koma-script</code>
on TeXLive	<code>koma-script</code>
keyword	<code>addr-list</code> (lists of addresses, for a personal directory (or the like))
keyword	<code>letter</code> (typesetting letters, envelopes, faxes, etc)
language(s)	German; English
last access	2025-02-07

5343 *scrambledenvs* – Create and print scrambled environments

Web page on CTAN	https://ctan.org/pkg/scrambledenvs
name	<code>scrambledenvs</code>
caption	Create and print scrambled environments
author	Chen, Dennis
copyright	Dennis Chen (2021)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1.0 (2021-09-26)

last changes	2021-09-26
year	2021
description	(no language specified) This package allows you to create and print scrambled environments for purposes such as randomized hint environments. You can mark a location with a series of hints, and then print the hints at the end in a pseudo-random order. The general structure follows: there is an outer environment which creates the label, an inner environment that creates the references, and a print command that prints out all of the hints. This generalizes beyond hints; one can create scrambled solutions as well, etc.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/scrambledenvs/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/scrambledenvs/scrambledenvs.pdf
– local file	./5147266627-scrambledenvs.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/scrambledenvs
on MikTeX	scrambledenvs
on TeXLive	scrambledenvs
keyword	notes (general notes (not including endnotes or footnotes))
keyword	random (generate and/or use pseudo-random numbers)
language(s)	no language specified
last access	2025-02-07

5344 *scrartcl* – KOMA-Script ‘article’ class

Web page on CTAN	https://ctan.org/pkg/scrartcl
Alias	scrarticle
name	scrartcl
caption	KOMA-Script ‘article’ class
author	Kohm, Markus
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.49 (2026-02-02)
last changes	2026-02-02

5345 *scratch* – Draw programs like “scratch”

year	2026
description	(no language specified) The class provides the ” article ”-like element of the koma-script collection. The document layout of the class is less ‘strident’ than that of article , and it offers much more flexibility than article via other elements of the koma-script collection.
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-en.pdf
– local file	<code>./2064675180-scrguide-en.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-script/README.md
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-de.pdf
– local file	<code>./9865824920-scrguide-de.pdf</code>
home page	https://komascript.de/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/koma-script
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/koma-script.tds.zip
on MikTeX	<code>koma-script</code>
on T _E XLive	<code>koma-script</code>
keyword	<code>tagged-pdf-incompatible</code> (tagged PDF incompatible)
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>article-like</code> (LaTeX article classes and their developments)
language(s)	German; English
last access	2026-04-02

5345 *scratch* – Draw programs like “scratch”

Web page on CTAN <https://ctan.org/pkg/scratch>

name	<code>scratch</code>
caption	Draw programs like “scratch”
author	Tellechea, Christian
copyright	Christian Tellechea (2017-2019)

license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.41
description	(no language specified) This package is now obsolete. From now on, scratch at scratch.mit.edu is now version3 with a new design. Please, use the “scratch3” package to draw blocks with the new design. This package permits to draw program charts in the style of the scratch project (scratch.mit.edu). It depends on the other LaTeX packages TikZ and simplekv .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/scratch/README
documentation	<i>Package documentation (French)</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/scratch/scratch-fr.pdf
– local file	./3988492300-scratch-fr.pdf
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/scratch
on MikTeX	scratch
on TeXLive	scratch
keyword	obsolete (package declared obsolete)
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	games (process game diagrams, gamebooks, and other amusements)
see also	see section 6160 on page 5571 : (<code>tikzcodeblocks</code> – Helps to draw codeblocks like scratch, NEPO and PXT in TikZ)
language(s)	French
year	2019
last access	2025-02-07

5346 scratch3 – Draw programs like “scratch”

Web page on CTAN <https://ctan.org/pkg/scratch3>

name	scratch3
caption	Draw programs like “scratch”
author	Tellechea, Christian
copyright	Christian Tellechea (2020-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)

5347 *scratchx* – Include Scratch programs in LaTeX documents

version	0.19
description	(no language specified) This package permits to draw program charts in the style of the scratch project (scratch.mit.edu). It depends on the other LaTeX packages TikZ and simplekv .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/scratch3/README
documentation	<i>Package documentation (French)</i> : https://ctan.org/tex-archive/macros/latex/contrib/scratch3/scratch3-fr.pdf
– local file	<code>./9304344666-scratch3-fr.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/scratch3
on MikTeX	<code>scratch3</code>
on TeXLive	<code>scratch3</code>
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
see also	see section 6160 on page 5571 : (<code>tikzcodeblocks</code> – Helps to draw codeblocks like scratch, NEPO and PXT in TikZ)
language(s)	French
year	2022
last access	2025-02-07

5347 *scratchx* – Include Scratch programs in LaTeX documents

Web page on CTAN	https://ctan.org/pkg/scratchx
name	<code>ScratchX</code>
caption	Include Scratch programs in LaTeX documents
author	Ralet, Thibault
copyright	Thibault Ralet (2016-2017)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1 (2017-07-27)
last changes	2017-07-27
year	2017

5348 *scrbase* – Provide basic features for KOMA-Script

description	(no language specified) This package can be used to include every kind of Scratch program in LaTeX documents. This may be particularly useful for Math Teachers and IT specialists. The package depends on the following other LaTeX packages: calc , fp , ifsym , multido , tikz , xargs , and xstring .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/scratchx/README.txt
documentation	<i>Package documentation (French)</i> : https://ctan.org/tex-archive/macros/latex/contrib/scratchx/Explications_ScratchX.pdf
– local file	<code>./9576034840-Explications_ScratchX.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/scratchx/Explanations_ScratchX.pdf
– local file	<code>./5754838775-Explanations_ScratchX.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/scratchx
on MikTeX	<code>scratchx</code>
on TeXLive	<code>scratchx</code>
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	French
last access	2025-02-07

5348 *scrbase* – Provide basic features for KOMA-Script

Web page on CTAN	https://ctan.org/pkg/scrbase
name	<code>scrbase</code>
caption	Provide basic features for KOMA-Script
author	Kohm, Markus
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.43 (2024-10-24)
last changes	2024-10-24
year	2024

description	(no language specified) The package is part of the KOMA-Script suite; it provides some basic functions used by KOMA-Script, that may also be useful to authors and users of other classes and packages. Most notably, the package provides conditionals and an extended ”key=value” handling mechanism that may be used for run-time options of classes and packages. Several packages of a family may share options and all the options of one family may be changed with a single command.
documentation	(German) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-de.pdf
– local file	<code>./9865824920-scrguide-de.pdf</code>
documentation	(English) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-en.pdf
– local file	<code>./2064675180-scrguide-en.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/koma-script/README.md
home page	https://komascript.de/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/koma-script
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/koma-script.tds.zip
on MikTeX	<code>koma-script</code>
on T _E XLive	<code>koma-script</code>
keyword	<code>keyval</code> (key-value argument systems)
keyword	<code>etex</code> (requires e-TeX)
see also	see section 3172 on page 2862: (<code>koma-script</code> – A bundle of versatile classes and packages)
language(s)	German; English
last access	2025-02-07

5349 *scrbook* – KOMA-Script ‘book’ class

Web page on CTAN <https://ctan.org/pkg/scrbook>

name	<code>scrbook</code>
caption	KOMA-Script ‘book’ class
author	Kohm, Markus

license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.49 (2026-02-02)
last changes	2026-02-02
year	2026
description	(no language specified) The class provides the ” book ”-like element of the koma-script collection. The document layout of the class is more ‘calm’ than that of book , and it offers much more flexibility than book via other elements of the koma-script collection.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-script/README.md
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-de.pdf
– local file	./9865824920-scrguide-de.pdf
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-en.pdf
– local file	./2064675180-scrguide-en.pdf
home page	https://komascript.de/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/koma-script
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/koma-script.tds.zip
on MikTeX	koma-script
on T _E XLive	koma-script
keyword	class (alternative LaTeX class(es))
keyword	book-pub (preparing a book for publication)
keyword	tagged-pdf-incompatible (tagged PDF incompatible)
language(s)	German; English
last access	2026-04-02

5350 *scrdate* – Calendar date operations

Web page on CTAN <https://ctan.org/pkg/scrdate>

name	scrdate
caption	Calendar date operations
author	Kohm, Markus
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.43 (2024-10-24)
last changes	2024-10-24
year	2024
description	(no language specified) The package provides several operations with calendar dates, such as to show the century or the decade of a year, calculate the day of the week of a given calendar date, show the current calendar date in ISO form. The package offers support for output in several languages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-script/README.md
documentation	<i>Package documentation (German)</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-de.pdf
– local file	<code>./9865824920-scrguide-de.pdf</code>
documentation	<i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-en.pdf
– local file	<code>./2064675180-scrguide-en.pdf</code>
home page	https://komascript.de/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/koma-script
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/koma-script.tds.zip
on MikTeX	koma-script
on TeXLive	koma-script
keyword	date-time (manipulate dates and/or times)
language(s)	German; English
last access	2025-02-07

5351 screen – Prepare a document for a simple previewer

Web page on CTAN <https://ctan.org/pkg/screen>

name	screen
caption	Prepare a document for a simple previewer
license	noinfo = noinfo
version	(1991-04-09)
last changes	1991-04-09
year	1991
description	(no language specified) A small package designed to set geometry to prepare a (LaTeX 2.09) document for viewing with something like crudetype .
on CTAN	https://ctan.org/tex-archive/dviware/screenview/vms/screen.sty
keyword	geometry (change geometry of page layout)
language(s)	no language specified
last access	2025-02-07

5352 screenplay – A class file to typeset screenplays

Web page on CTAN <https://ctan.org/pkg/screenplay>

name	screenplay
caption	A class file to typeset screenplays
author	Pate, John
copyright	John Pate (2006)
license	gpl = GNU General Public License (free)
version	1.6
description	(no language specified) The class implements the format recommended by the Academy of Motion Picture Arts and Sciences.
documentation	(no language specified) <i>Example script</i> : https://ctan.org/tex-archive/macros/latex/contrib/screenplay/test.pdf
– local file	./7140054215-test.pdf
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/screenplay/screenplay.pdf

5353 *screenplay-pkg* – Package version of the screenplay document class

– local file	<code>./8942799131-screenplay.pdf</code>
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/screenplay/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/screenplay
on MikTeX	screenplay
on T _E XLive	screenplay
keyword	class (alternative LaTeX class(es))
keyword	drama-script (typeset scripts for plays, etc.)
see also	see section 5353 on page 4847: (<i>screenplay-pkg</i> – Package version of the screenplay document class)
see also	see section 5360 on page 4853: (<i>ScriptTeX</i> – Macros for scripts and screenplays)
language(s)	no language specified
year	2006
last access	2025-02-07

5353 *screenplay-pkg* – Package version of the screenplay document class

Web page on CTAN <https://ctan.org/pkg/screenplay-pkg>

name	screenplay-pkg
caption	Package version of the screenplay document class
author	Munn, Alan
copyright	John Pate (2006)
copyright	Alan Munn (2015-2017)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2017-08-05)
last changes	2017-08-05
year	2017

description	(no language specified) This package implements the tools of the screenplay document class in the form of a package so that screenplay fragments can be included within another document class. For full documentation of the available commands, please consult the screenplay class documentation in addition to the included package documentation.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/screenplay-pkg/screenplay-pkg.pdf
– local file	./8186655513-screenplay-pkg.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/screenplay-pkg/README
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/screenplay-pkg/screenplay-pkg-example.pdf
– local file	./1085529569-screenplay-pkg-example.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/screenplay-pkg
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/screenplay-pkg.tds.zip
on MikTeX	screenplay-pkg
on T _E XLive	screenplay-pkg
keyword	drama-script (typeset scripts for plays, etc.)
see also	see section 5352 on page 4846: (screenplay – A class file to typeset screenplays)
language(s)	no language specified
last access	2025-02-07

5354 scrextend – Use of components of KOMA-Script by other packages

Web page on CTAN	https://ctan.org/pkg/scrextend
name	scrextend
caption	Use of components of KOMA-Script by other packages
author	Kohm, Markus
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.49 (2026-02-02)

5355 *scrhack* – Compatibility package to emulate the former KOMA-Script pack...

last changes	2026-02-02
year	2026
description	(no language specified) The package makes some features of the KOMA-Script classes available for other classes, e.g., for the standard classes.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-script/README.md
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-de.pdf
– local file	./9865824920-scrguide-de.pdf
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-en.pdf
– local file	./2064675180-scrguide-en.pdf
home page	https://komascript.de/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/koma-script
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/koma-script.tds.zip
on MikTeX	koma-script
on TeXLive	koma-script
keyword	class-ext (export features from a class for use elsewhere)
language(s)	German; English
last access	2026-04-02

5355 *scrhack* – Compatibility package to emulate the former KOMA-Script package *scrhack*

Web page on CTAN <https://ctan.org/pkg/scrhack>

name	scrhack
caption	Compatibility package to emulate the former KOMA-Script package scrhack
author	Kohm, Markus
copyright	Markus Kohm (2008-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.42 (2024-09-04)
last changes	2024-09-04

year	2024
description	(no language specified) Up to version 3.41, the scrhack package was part of KOMA-Script . It was originally intended to improve the compatibility of third-party packages with KOMA-Script. However, most of the so-called hacks also added additional functionality to the corresponding third-party package. On the other hand, it was sometimes urgent to react to a change in such a third-party package, which was difficult to do from within a large collection like KOMA-Script. Therefore, the scrhack part of KOMA-Script was split into several independent packages. And the scrhack spin-off was made to emulate the former KOMA-Script package of the same name.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/scrhack/scrhack.pdf
– local file	./9937364268-scrhack.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/scrhack/README.md
home page	https://github.com/komascript/third-party-enhancements
contact	<i>bugs</i> : https://github.com/komascript/third-party-enhancements/issues
contact	<i>repository</i> : https://github.com/komascript/third-party-enhancements/tree/main/scrhack
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/scrhack
on MikTeX	scrhack
on TeXLive	scrhack
keyword	bugfix (correct a problem, ahead of the “proper” fix)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

5356 scrindex – Make index package work with Koma-script classes

Web page on CTAN <https://ctan.org/pkg/scrindex>

name	scrindex
caption	Make index package work with Koma-script classes
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2008)

5357 *script* – Variant report and book styles

license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2 (2016-05-16)
last changes	2016-05-16
year	2016
description	(no language specified) This package redefines environment 'theindex' of package 'index', if a class from KOMA-Script is loaded. Also option 'idxtotoc' is supported. Index preambles can be given either by means of package 'index' or via the interface provided by KOMA-Script. The package is part of the oberdiek bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/scrindex.pdf
– local file	./9817032841-scrindex.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/scrindex.dtx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/oberdiek.tds.zip
on MikTeX	oberdiek
on T _E XLive	oberdiek
keyword	index (index support)
language(s)	no language specified
last access	2025-02-07

5357 *script* – Variant report and book styles

Web page on CTAN <https://ctan.org/pkg/script>

name	script
caption	Variant report and book styles
author	Neukam, Frank
author	Lichti, Roland
license	noinfo = noinfo
version	(1994-06-17)
last changes	1994-06-17
year	1994

description	(no language specified) A ”jiffy” conversion to LaTeX2e of some old document styles.
documentation	(German) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/script/script2e.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/script
on MikTeX	script
keyword	class (alternative LaTeX class(es))
language(s)	German
last access	2025-02-07

5358 *script-font* – Handwriting font

Web page on CTAN <https://ctan.org/pkg/script-font>

name	script-font
caption	Handwriting font
author	Vanroose, Peter
license	noinfo = noinfo
version	(1995-01-13)
last changes	1995-01-13
year	1995
description	(no language specified) A font that ”resembles the author’s handwriting”, distributed as Metafont source.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/script/README
on CTAN	https://ctan.org/tex-archive/fonts/script
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-calligraphic (calligraphic (or handwriting) fonts)
keyword	font (fonts themselves)
language(s)	no language specified
last access	2025-02-07

5359 scriptfonts – A summary of mathematical script fonts for LaTeX users

Web page on CTAN <https://ctan.org/pkg/scriptfonts>

name	scriptfonts
caption	A summary of mathematical script fonts for LaTeX users
author	Fairbairns, Robin
copyright	Robin Fairbairns (2000)
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) A development, with examples, of an answer in the UK TeX FAQ , showing the fonts generally available to the user of LaTeX. The source isn't readily compilable, but contains notes on how it should be compiled.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/symbols/math/README
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/symbols/math/scriptfonts.pdf
– local file	./4861147549-scriptfonts.pdf
on CTAN	https://ctan.org/tex-archive/info/symbols/math
keyword	faq (frequently asked questions, with answers)
language(s)	no language specified
year	2000
last access	2025-02-07

5360 scripttex – Macros for scripts and screenplays

Web page on CTAN <https://ctan.org/pkg/scripttex>

name	ScriptTeX
caption	Macros for scripts and screenplays
author	McCarthy, Adrian
copyright	Adrian McCarthy (1991-2002)
license	nocommercial = No Commercial Use (not free)
version	1.04
description	(no language specified) ScriptTeX provides Plain TeX macros to support both Screenplays and Stage Plays.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/macros/scripttex/stdoc.pdf
– local file	<code>./3183206971-stdoc.pdf</code>
on CTAN	https://ctan.org/tex-archive/obsolete/macros/scripttex
keyword	drama-script (typeset scripts for plays, etc.)
language(s)	no language specified
year	2002
last access	2025-02-07

5361 *scripture* – A LaTeX style for typesetting Bible quotations

Web page on CTAN	https://ctan.org/pkg/scripture
name	scripture
caption	A LaTeX style for typesetting Bible quotations
author	Purton, David
copyright	David Purton (2022-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.1 (2025-01-02)
last changes	2025-01-02
year	2025
description	(no language specified) The <code>scripture</code> package provides a set of macros for typesetting quotations from the Bible. It provides many features commonly seen in Bibles such as dropped text for chapter numbers, superscripts for verse numbers, indented lines for poetry sections, narrow sections and hanging paragraphs. A reference for the quotation can optionally be added.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/scripture/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/scripture/scripture.pdf
– local file	<code>./5530999602-scripture.pdf</code>
contact	<i>bugs</i> : https://github.com/dcpurton/scripture/issues
contact	<i>repository</i> : https://github.com/dcpurton/scripture
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/scripture

on MikTeX	scripture
on T _E XLive	scripture
keyword	expl3 (expl3(unknown))
keyword	theology (typeset devotional texts and other material of interest to theologians)
language(s)	no language specified
last access	2025-02-07

5362 *scrjrn1* – Typeset diaries or journals

Web page on CTAN <https://ctan.org/pkg/scrjrn1>

name	scrjrn1
caption	Typeset diaries or journals
author	Pinson, Raphaël
copyright	Raphaël Pinson (2012)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1
description	(no language specified) A class, based on scrbook , designed for typesetting diaries, journals or devotionals.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/scrjrn1/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/scrjrn1/scrjrn1.pdf
– local file	./8659760958-scrjrn1.pdf
documentation	(no language specified) <i>Example of use (with lipsum)</i> : https://ctan.org/tex-archive/macros/latex/contrib/scrjrn1/example.pdf
– local file	./9728084342-example.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/scrjrn1
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/scrjrn1.tds.zip
on MikTeX	scrjrn1
on T _E XLive	scrjrn1
keyword	journ-personal (personal journals, diaries, etc.)

keyword	class (alternative LaTeX class(es))
language(s)	no language specified
year	2012
last access	2025-02-07

5363 *scrjura* – Koma-Script support for lawyers, etc

Web page on CTAN <https://ctan.org/pkg/scrjura>

name	scrjura
caption	Koma-Script support for lawyers, etc
author	Kohm, Markus
copyright	Markus Kohm (2007-2022)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.43 (2024-10-24)
last changes	2024-10-24
year	2024
description	(no language specified) The package is part of the Koma-Script bundle. It provides environments for contracts, laws, acts or other legal puposes. It features support for automatic numbering of paragraphs, and semi-automatic numbering of sentences. Support is offered for both German and English texts.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-script/README.md
home page	https://komascript.de/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/koma-script
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/koma-script.tds.zip
on MikTeX	koma-script
on T _E XLive	koma-script
keyword	legal (typesetting legal documents or study material)
language(s)	no language specified
last access	2025-02-07

5364 *scrlayer* – Manage text ‘layers’ within Koma-Script

Web page on CTAN <https://ctan.org/pkg/scrlayer>

name	scrlayer
caption	Manage text ‘layers’ within Koma-Script
author	Kohm, Markus
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.43 (2024-10-24)
last changes	2024-10-24
year	2024
description	(no language specified) The package is part of the koma-script bundle , and provides control of ‘background’ and ‘foreground’ layers for a page style description.
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-en.pdf
– local file	./2064675180-scrguide-en.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-script/README.md
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-de.pdf
– local file	./9865824920-scrguide-de.pdf
home page	https://komascript.de/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/koma-script
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/koma-script.tds.zip
on MikTeX	koma-script
on T _E XLive	koma-script
keyword	page-hf (page head- and foot-lines)
language(s)	German; English
last access	2025-02-07

5365 *scrlayer-fancyhdr* – Combining package *fancyhdr* with KOMA-Script’s *scrlayer*Web page on CTAN <https://ctan.org/pkg/scrlayer-fancyhdr>

name	scrlayer-fancyhdr
caption	Combining package <i>fancyhdr</i> with KOMA-Script’s <i>scrlayer</i>
author	Kohm, Markus
copyright	Markus Kohm (2021-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3.1 (2025-01-08)
last changes	2025-01-08
year	2025
description	(no language specified) This LaTeX package uses KOMA-Script’s scrlayer to redefine the page styles of package fancyhdr . This allows the combination of features of fancyhdr with features of scrlayer . Before KOMA-Script v3.33 <i>scrlayer-fancyhdr</i> was part of KOMA-Script itself.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/scrlayer-fancyhdr/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/scrlayer-fancyhdr/scrlayer-fancyhdr.pdf
– local file	./7065986387-scrlayer-fancyhdr.pdf
home page	https://github.com/komascript/scrlayer-fancyhdr
contact	<i>announce</i> : https://github.com/komascript/scrlayer-fancyhdr/wiki
contact	<i>bugs</i> : https://github.com/komascript/scrlayer-fancyhdr/issues
contact	<i>repository</i> : https://github.com/komascript/scrlayer-fancyhdr.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/scrlayer-fancyhdr
on MikTeX	scrlayer-fancyhdr
on T _E XLive	scrlayer-fancyhdr
keyword	page-hf (page head- and foot-lines)
language(s)	no language specified

last access 2025-02-07

5366 *scrlayer-notecolumn* – Control note columns parallel to the main textWeb page on CTAN <https://ctan.org/pkg/scrlayer-notecolumn>

name	scrlayer-notecolumn
caption	Control note columns parallel to the main text
author	Kohm, Markus
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3.4032 (2023-04-17)
last changes	2023-04-17
year	2023
description	(no language specified) The package provides an end user interface to define and manage note columns, above scrlayer . The note columns provide similar facilities to those of the LaTeX <code>\marginpar</code> command, extending them to more than a single column. The package provides page breaks inside note columns, and synchronisation between the main text and note columns.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-script/README.md
documentation	(no language specified) <i>Package documentation (English)</i>: https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-en.pdf
– local file	./2064675180-scrguide-en.pdf
documentation	(no language specified) <i>Package documentation (German)</i>: https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-de.pdf
– local file	./9865824920-scrguide-de.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/koma-script
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/koma-script.tds.zip
on T _E XLive	koma-script
keyword	notes (general notes (not including endnotes or footnotes))
language(s)	no language specified

last access 2025-02-07

5367 *scrlayer-scrpage* – Define and manage page stylesWeb page on CTAN <https://ctan.org/pkg/scrlayer-scrpage>

name	scrlayer-scrpage
caption	Define and manage page styles
author	Kohm, Markus
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.43 (2024-10-24)
last changes	2024-10-24
year	2024
description	(no language specified) This package is the part of the Koma-Script bundle that provides an end user interface to scrlayer , allowing the user to define and manage page styles by controlling page headers and footers. The end user interface is compatible enough to that of the earlier scrpage2 package, so that users should easily be able to switch from the older package to the newer, more powerful, one.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-script/README.md
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-de.pdf
– local file	./9865824920-scrguide-de.pdf
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-en.pdf
– local file	./2064675180-scrguide-en.pdf
home page	https://komascript.de/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/koma-script
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/koma-script.tds.zip
on MikTeX	koma-script
on T _E XLive	koma-script
keyword	page-hf (page head- and foot-lines)
language(s)	German; English

last access 2025-02-07

5368 *scrletter* – Letter extention to KOMA-Script classes

Web page on CTAN <https://ctan.org/pkg/scrletter>

name	scrletter
caption	Letter extention to KOMA-Script classes
author	Kohm, Markus
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.43 (2024-10-24)
last changes	2024-10-24
year	2024
description	(no language specified) Used in conjunction with one of the Koma-Script (scrartcl , scrreprt , scrbook) or standard classes (article , report , book), this package provides the features of the letter class scrlltr2 . The package is part of the Koma-Script bundle.
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-en.pdf
– local file	./2064675180-scrguide-en.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-script/README.md
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-de.pdf
– local file	./9865824920-scrguide-de.pdf
home page	https://komascript.de/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/koma-script
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/koma-script.tds.zip
on MikTeX	koma-script
on T _E XLive	koma-script
keyword	letter (typesetting letters, envelopes, faxes, etc)
language(s)	German; English
last access	2025-02-07

5369 *scrfile* – Installation control for koma-script packages

Web page on CTAN <https://ctan.org/pkg/scrfile>

name	scrfile
caption	Installation control for koma-script packages
author	Kohm, Markus
copyright	Markus Kohm (2002-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.43 (2024-10-24)
last changes	2024-10-24
year	2024
description	(no language specified) The package provides hooks for the execution of commands before or after loading files, classes or packages. The package can also • execute commands after loading files, classes or packages, • prevent a package from being loaded, and • schedule the execution of commands before or after closing the <code>.aux</code> file at <code>\end{document}</code> The package is part of the Koma-Script bundle.
documentation	(no language specified) <i>Package documentation (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-en.pdf
– local file	<code>./2064675180-scrguide-en.pdf</code>
documentation	(no language specified) <i>Package documentation (German):</i> https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-de.pdf
– local file	<code>./6739521326-scrguide-de.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/koma-script/README.md
home page	https://komascript.de/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/koma-script
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/koma-script.tds.zip
on MikTeX	koma-script

on T _E XLive	koma-script
keyword	package-mgmt (support for managing packages within documents)
language(s)	no language specified
last access	2025-02-07

5370 *scr1ttr2* – KOMA-Script ‘letter’ class

Web page on CTAN <https://ctan.org/pkg/scr1ttr2>

name	scr1ttr2
caption	KOMA-Script ‘letter’ class
author	Kohm, Markus
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.49 (2026-02-02)
last changes	2026-02-02
year	2026
description	(no language specified) The class was designed ‘from scratch’ as a replacement for the standard LaTeX letter class. Its interface is (“basically”) a key-value mechanism, with a wide range of parameters that define the basic layout of the letter.
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-de.pdf
– local file	./9865824920-scrguide-de.pdf
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-en.pdf
– local file	./2064675180-scrguide-en.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-script/README.md
home page	https://komascript.de/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/koma-script
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/koma-script.tds.zip
on MikT _E X	koma-script
on T _E XLive	koma-script

keyword	class (alternative LaTeX class(es))
keyword	letter (typesetting letters, envelopes, faxes, etc)
language(s)	German; English
last access	2026-04-02

5371 *scr1ttr2copy* – A letter class option file for the automatic creation of copies

Web page on CTAN <https://ctan.org/pkg/scr1ttr2copy>

name	scr1ttr2copy
caption	A letter class option file for the automatic creation of copies
author	Niepraschk, Rolf
copyright	Rolf Niepraschk (2015-2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.3a
description	(no language specified) The file <code>copy.lco</code> provides the new class option "copy" for the KOMA-Script letter class scr1ttr2 . If the option "copy" is given, all pages of a specific letter are duplicated with background text marking as copies.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/scr1ttr2copy/README.md
documentation	(no language specified) <i>Example document</i> : https://ctan.org/tex-archive/macros/latex/contrib/scr1ttr2copy/letter-copy-test.pdf
– local file	<code>./9298969450-letter-copy-test.pdf</code>
home page	https://github.com/rolfn/scr1ttr2copy
contact	<i>bugs</i> : https://github.com/rolfn/scr1ttr2copy/issues
contact	<i>repository</i> : https://github.com/rolfn/scr1ttr2copy
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/scr1ttr2copy
on MikTeX	scr1ttr2copy
on T _E XLive	scr1ttr2copy
keyword	letter (typesetting letters, envelopes, faxes, etc)
language(s)	no language specified
year	2020

last access 2025-02-07

5372 *scrpage2* – Control of page headers and footers in LaTeX

Web page on CTAN <https://ctan.org/pkg/scrpage2>

name	scrpage2
caption	Control of page headers and footers in LaTeX
author	Kohm, Markus
copyright	Markus Kohm (1995-2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.30 (2020-02-27)
last changes	2020-02-27
year	2020
description	(no language specified) The package was designed to ease integration into documents using the Koma-Script suite. It incorporates a set of predefined, configurable page styles. As of 2015, the author considers this package as obsolete and recommends using its successor scrlayer-scrpage instead.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/obsolete/macros/latex/contrib/koma-script-obsolete/README
documentation	(no language specified) <i>Package documentation (English and German)</i>: https://ctan.org/tex-archive/obsolete/macros/latex/contrib/koma-script-obsolete/scrpage2-obsolete.pdf
– local file	./2554008464-scrpage2-obsolete.pdf
home page	https://komascript.de/
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/koma-script-obsolete
keyword	page-hf (page head- and foot-lines)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
last access	2025-02-07

5373 *scrreprt* – KOMA-Script ‘report’ class

Web page on CTAN <https://ctan.org/pkg/scrreprt>

Alias `scrreport`

name `scrreprt`

caption KOMA-Script ‘report’ class

author Kohm, Markus

license lpl1.3c = The LaTeX Project Public License 1.3c (free)

version 3.49 (2026-02-02)

last changes 2026-02-02

year 2026

description (no language specified) The class provides the ” **report** ”-like element of the **Koma-Script** collection.

The document layout of the class is more ‘calm’ than that of **report** , and it offers much more flexibility than **report** via other elements of the **Koma-Script** collection.

documentation (German) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-de.pdf>

– local file `./9865824920-scrguide-de.pdf`

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/koma-script/README.md>

documentation (English) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-en.pdf>

– local file `./2064675180-scrguide-en.pdf`

home page <https://komascript.de/>

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/koma-script>

installation <https://ctan.org/tex-archive/install/macros/latex/contrib/koma-script.tds.zip>

on MikTeX `koma-script`

on T_EXLive `koma-script`

keyword `class` (alternative LaTeX class(es))

keyword `report-like` (regularly-formatted reports)

keyword `tagged-pdf-incompatible` (tagged PDF incompatible)

language(s) German; English
last access 2026-04-02

5374 *scrtime* – Show the time of a LaTeX run

Web page on CTAN <https://ctan.org/pkg/scrtime>

name *scrtime*
caption Show the time of a LaTeX run
author Kohm, Markus
copyright Markus Kohm (1995-2022)
license lpl1.3c = The LaTeX Project Public License 1.3c (free)
version 3.43 (2024-10-24)
last changes 2024-10-24
year 2024
description (no language specified) The package provides time information for the current LaTeX run.
documentation (no language specified) *Package documentation (all of Koma-Script; English):*
<https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-en.pdf>
– local file ./2064675180-scrguide-en.pdf
documentation (no language specified) *Package documentation (all of Koma-Script; German):*
<https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-de.pdf>
– local file ./9865824920-scrguide-de.pdf
documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/macros/latex/contrib/koma-script/README.md>
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/koma-script>
installation <https://ctan.org/tex-archive/install/macros/latex/contrib/koma-script.tds.zip>
on MikTeX koma-script
on T_EXLive koma-script
keyword date-time (manipulate dates and/or times)
language(s) no language specified

last access 2025-02-07

5375 *scrwfile* – Use LaTeX .aux file in place of \newwrite filesWeb page on CTAN <https://ctan.org/pkg/scrwfile>

name	scrwfile
caption	Use LaTeX .aux file in place of \newwrite files
author	Kohm, Markus
copyright	Markus Kohm (2010-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.99
description	(no language specified) The package provides a means of sending all LaTeX \newwrite , table of contents, and other miscellaneous output via the LaTeX .aux file. The mechanism subverts the mechanism of \newwrite , and means there will never be a "No room for new \write " message.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/scrwfile/scrwfile.pdf
– local file	./8421031997-scrwfile.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/scrwfile/README.md
home page	https://github.com/komascript/scrwfile
contact	<i>repository</i> : https://github.com/komascript/scrwfile.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/scrwfile
on MikTeX	scrwfile
on T _E XLive	scrwfile
keyword	io-mgmt (manage TeX's limited i/o streams)
see also	see section 4070 on page 3683: (morewrites – Always room for a new write stream)
see also	see section 5270 on page 4774: (rvwrite – Increase the number of available output streams in LaTeX)
language(s)	no language specified
year	2023
last access	2025-02-07

5376 scsnowman – Snowman variants using TikZ

Web page on CTAN <https://ctan.org/pkg/scsnowman>

name	scsnowman
caption	Snowman variants using TikZ
author	Yamashita, Hironobu
copyright	Hironobu Yamashita (2015-2023)
license	bsd2 = Simplified BSD License (free)
version	1.3c (2023-02-23)
last changes	2023-02-23
year	2023
description	(no language specified) This LaTeX package provides a command <code>\scsnowman</code> which can display many variants of "snowman" ("yukidaruma" in Japanese). TikZ is required for drawing these snowmen.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/scsnowman/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/scsnowman/scsnowman.pdf
– local file	<code>./4249915880-scsnowman.pdf</code>
documentation	(Japanese) <i>Sample of use</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/scsnowman/scsnowman-sample.pdf
– local file	<code>./7523135397-scsnowman-sample.pdf</code>
contact	<i>repository</i> : https://github.com/aminophen/scsnowman
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/scsnowman
on MikTeX	scsnowman
on TeXLive	scsnowman
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	graphics (graphics (support packages))
keyword	amusements (jokes, distractions, tongue-in-cheek packages, and other entertainment material)
language(s)	Japanese
last access	2025-02-07

5377 *scyrillic* – A family of cyrillic fonts

Web page on CTAN <https://ctan.org/pkg/scyrillic>

name	scyrillic
caption	A family of cyrillic fonts
author	Samarin, Alexander
author	Glonti, Nana
license	noinfo = noinfo
version	(1992-06-05)
last changes	1992-06-05
year	1992
description	(no language specified) This family (distributed as Metafont source) provides a basic set of cyrillic glyphs, in an encoding that (apparently) only this family uses.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/cyrillic/scyrillic/README
on CTAN	https://ctan.org/tex-archive/fonts/cyrillic/scyrillic
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-cyrillic (fonts for Cyrillic and related scripts)
keyword	font (fonts themselves)
language(s)	no language specified
last access	2025-02-07

5378 *sdaps* – LaTeX support files for SDAPS

Web page on CTAN <https://ctan.org/pkg/sdaps>

name	sdaps
caption	LaTeX support files for SDAPS
author	Berg, Benjamin
copyright	Benjamin Berg (2019-2021)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.9.10

description	(no language specified) This bundle contains LaTeX classes and packages to create machine readable questionnaires. Metadata is generated for the whole document and it is possible to process created forms fully automatically using the SDAPS main program. Features include: • PDF Form generation • Advanced array like layouting – Can flow over multiple pages and repeats the header automatically – Optional document wide alignment of array environments – Has complex layout features like rotating the headers to save space – Ability to exchange rows and columns on the fly • Different question types: – Freeform text – Single/multiple choice questions – Range questions • Layouting questions in rows or columns • Possibility to pre-fill questionnaires from LaTeX
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sdaps/sdaps.html
documentation	(no language specified) <i>Documentation off-CTAN</i> : https://sdaps.org/class-doc/
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sdaps/README
home page	https://sdaps.org
contact	<i>repository</i> : https://github.com/sdaps/sdaps-class/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sdaps
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/sdaps.tds.zip
on MikTeX	sdaps
on TeXLive	sdaps
keyword	class (alternative LaTeX class(es))
keyword	exam (exams, quizzes, etc.)
keyword	table-long (typeset tables that may be too big for a page)

keyword	<code>package-devel</code> (support for package development)
keyword	<code>pdf-forms</code> (create pdf form fields, use form fields as an integral part of the package)
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
language(s)	no language specified
year	2021
last access	2025-02-07

5379 *sdrt* – Macros for Segmented Discourse Representation Theory

Web page on CTAN <https://ctan.org/pkg/sdrt>

name	<code>sdrt</code>
caption	Macros for Segmented Discourse Representation Theory
author	Robbers, Yuri
author	Isambert, Paul
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package provides macros to produce the ‘Box notation’ of SDRT (and DRT), to draw trees representing discourse relations, and finally to have an easy access to various mathematical symbols used in that theory, mostly with automatic mathematics mode, so they work the same in formulae and in text.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sdrt/sdrt-doc.pdf
– local file	<code>./6986554017-sdrt-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sdrt/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sdrt
on MikTeX	<code>sdrt</code>
on TeXLive	<code>sdrt</code>
keyword	<code>linguistic</code> (support for linguistics)
language(s)	no language specified
year	without year
last access	2025-02-07

5380 sduthesis – Thesis Template of Shandong University

Web page on CTAN	https://ctan.org/pkg/sduthesis
name	sduthesis
caption	Thesis Template of Shandong University
author	Huang, Liam
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2.1 (2016-05-28)
last changes	2016-05-28
year	2016
description	(no language specified) Thesis Template of Shandong University.
documentation	<i>Package documentation (Chinese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/sduthesis/sduthesis.pdf
– local file	./3825160067-sduthesis.pdf
documentation	(Chinese) <i>Package documentation (demo thesis)</i> : https://ctan.org/tex-archive/macros/latex/contrib/sduthesis/sduthesis-demo.pdf
– local file	./1127001978-sduthesis-demo.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sduthesis/README
contact	<i>repository</i> : https://github.com/Liam0205/sduthesis
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sduthesis
on MikTeX	sduthesis
on T _E XLive	sduthesis
keyword	class (alternative LaTeX class(es))
keyword	chinese (support for typesetting Chinese languages)
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	Chinese
last access	2025-02-07

5381 *se2thesis* – A Thesis Class for the Chair of Software Engineering II at the University of Passau, GermanyWeb page on CTAN <https://ctan.org/pkg/se2thesis>

name	<code>se2thesis</code>
caption	A Thesis Class for the Chair of Software Engineering II at the University of Passau, Germany
author	Lukasczyk, Stephan
copyright	Stephan Lukasczyk (2022-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	4.4.1
description	(no language specified) The <i>se2thesis</i> bundle provides a document class for writing a theses with the Chair of Software Engineering II at the University of Passau , Germany. The class is based on Markus Kohm's KOMA-Script classes and provides several additions and customizations to these classes. While the class provides some basic settings, mostly regrading the type area, fonts, and the title page, it still provides large degrees of freedom to its users. However, the package's documentation also provides recommendations regarding several aspects, for example, recommending BibLaTeX for bibliographies.
documentation	(no language specified) <i>Example document</i> : https://ctan.org/tex-archive/macros/latex/contrib/se2thesis/se2thesis-master-thesis-example.pdf
– local file	<code>./5890438142-se2thesis-master-thesis-example.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/se2thesis/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/se2thesis/se2thesis.pdf
– local file	<code>./3702494282-se2thesis.pdf</code>
contact	<i>bugs</i> : https://github.com/se2p/se2thesis/issues
contact	<i>repository</i> : https://github.com/se2p/se2thesis
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/se2thesis
on MikTeX	<code>se2thesis</code>
on TeXLive	<code>se2thesis</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>doc-templ</code> (template to guide document development)

keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
year	2024
last access	2026-04-15

5382 *seatingchart* – Generation of seating charts

Web page on CTAN <https://ctan.org/pkg/seatingchart>

name	seatingchart
caption	Generation of seating charts
author	Werner, Matthias
copyright	Matthias Werner (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.5.0 (2025-07-25)
last changes	2025-07-25
year	2025
description	(no language specified) This package enables the visualization of seating charts, whereby the seating layouts (i.e. the arrangement of seats in a room) and the seating scheme (i.e. the selection and labeling of occupied seats) can be controlled independently of each other. The package should be considered experimental and requires LuaLaTeX.
documentation	(no language specified) <i>Package documentation (English)</i>: https://ctan.org/tex-archive/macros/luatex/latex/seatingchart/seatingchart-doc-en.pdf
– local file	./5026358573-seatingchart-doc-en.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/luatex/latex/seatingchart/README.md
documentation	<i>Package documentation (German)</i>: https://ctan.org/tex-archive/macros/luatex/latex/seatingchart/seatingchart-doc-de.pdf
– local file	./5959041159-seatingchart-doc-de.pdf
documentation	(no language specified) <i>Example of use</i>: https://ctan.org/tex-archive/macros/luatex/latex/seatingchart/seatingchart-example.pdf
– local file	./5489129631-seatingchart-example.pdf
contact	<i>bugs</i> : https://github.com/tuc-osg/seatingchart/issues

contact	<i>repository:</i> https://github.com/tuc-osg/seatingchart
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/seatingchart
on T _E XLive	seatingchart
keyword	luatex (LuaTeX and packages that require it)
keyword	expl3 (expl3(unknown))
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	German
last access	2025-08-01

5383 *secdot* – Section numbers with trailing dots

Web page on CTAN <https://ctan.org/pkg/secdot>

name	secdot
caption	Section numbers with trailing dots
author	Fairbairns, Robin
author	Carlisle, David
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) Makes the numbers of <code>\section</code> commands come out with a trailing dot. Includes a command whereby the same can be made to happen with other sectioning commands.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/secdot/secdot.pdf
– local file	<code>./9606484966-secdot.pdf</code>
contact	<i>support:</i> https://github.com/rf-latex/secdot/issues
contact	<i>repository:</i> https://github.com/rf-latex/secdot
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/secdot
on MikT _E X	secdot
on T _E XLive	secdot
keyword	headings (chapter, section, etc., heading styles)
language(s)	no language specified
year	without year

last access 2025-02-07

5384 *seceqn* – Number theorems by section

Web page on CTAN <https://ctan.org/pkg/seceqn>

name	seceqn
caption	Number theorems by section
author	Leichter, Jerry
license	noinfo = noinfo
version	(1989-04-13)
last changes	1989-04-13
year	1989
description	(no language specified) The package formats equation numbers with a section number prefix, with the number itself reset for each section.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/seceqn.sty
keyword	label-ref (label and reference systems)
keyword	numbers (formatting numbers, etc)
language(s)	no language specified
last access	2025-02-07

5385 *secnum* – A macro to format section numbering intuitively

Web page on CTAN <https://ctan.org/pkg/secnum>

name	secnum
caption	A macro to format section numbering intuitively
author	Gau, Syu
copyright	Gau, Syu (2019-2022)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2022-01-30)
last changes	2022-01-30
year	2022

description	(no language specified) This package provides a macro <code>\setsecnum</code> to format section numbering intuitively. <code>\setsecnum{1.1.1}</code> will set the section numbering format to <code>arabic.arabic.arabic</code> and the depth to 3. The package uses LaTeX3.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/secnum/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/secnum/secnum.pdf
– local file	<code>./6301718046-secnum.pdf</code>
contact	<i>repository</i> : https://github.com/GauSyu/secnum
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/secnum
on MikTeX	<code>secnum</code>
on TeXLive	<code>secnum</code>
keyword	<code>expl3 (expl3(unknown))</code>
keyword	<code>headings (chapter, section, etc., heading styles)</code>
language(s)	no language specified
last access	2025-02-07

5386 *secret* – Put security classification marks in a document

Web page on CTAN	https://ctan.org/pkg/secret
name	<code>secret</code>
caption	Put security classification marks in a document
author	Duchier, Denys
license	<code>noinfo = noinfo</code>
version	(1989-11-24)
last changes	1989-11-24
year	1989

description	(no language specified) The package puts a mark in the margin at the start of each paragraph, and at the top of a page when a paragraph runs over onto a new page. The marks are programmed by commands <code>\unclassified</code> (mark ‘(U)’), <code>\confidential</code> (mark ‘(C)’), or <code>\secret</code> (mark ‘(S)’). The command <code>\nosecret</code> switches off marking.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/secret.sty
keyword	security (document security measures)
language(s)	no language specified
last access	2025-02-07

5387 *secretx* – Put security classification marks in a document

Web page on CTAN <https://ctan.org/pkg/secretx>

name	<code>secretx</code>
caption	Put security classification marks in a document
author	Prussing, Keith
copyright	Keith Prussing (2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.10.9 (2024-07-03)
last changes	2024-07-03
year	2024
description	(no language specified) This package provides a set of macros for marking paragraphs in a document with a leading string and modifying the header and the footer of each page. It includes environmentS for marking large sections of text and environments for boxing figures and tables. This is the spiritual successor to secret.sty but adds the feature of marking the header and the footer correctly.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/secretx/secretx.pdf
– local file	<code>./4579541259-secretx.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/secretx/README.md
home page	https://github.com/kprussing/secretx
contact	<i>support</i> : https://github.com/kprussing/secretx/issues

5388 *section* – Modifying section commands in LaTeX

contact	<i>bugs:</i> https://github.com/kprussing/secretx/issues
contact	<i>repository:</i> https://github.com/kprussing/secretx
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/secretx
on MikTeX	secretx
on T _E XLive	secretx
keyword	security (document security measures)
language(s)	no language specified
last access	2026-01-14

5388 *section* – Modifying section commands in LaTeX

Web page on CTAN	https://ctan.org/pkg/section
name	<i>section</i>
caption	Modifying section commands in LaTeX
author	Pretzel, Oliver
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The package implements a pretty extensive scheme to make more manageable the business of configuring LaTeX output.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/section/section-doc.pdf
– local file	./5935989497-section-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/section
on MikTeX	<i>section</i>
on T _E XLive	<i>section</i>
keyword	headings (chapter, section, etc., heading styles)
language(s)	no language specified
year	without year
last access	2025-02-07

5389 sectionbox – Create fancy boxed ((sub)sub)sections

Web page on CTAN <https://ctan.org/pkg/sectionbox>

name	sectionbox
caption	Create fancy boxed ((sub)sub)sections
author	Wilkinson, Michael
license	lppl = The LaTeX Project Public License (free)
version	1.01
description	(no language specified) Sectionbox is a LaTeX package for putting fancy colored boxes around sections, subsections, and subsubsections, especially for use in posters, etc. It was designed with the sciposter class in mind, and certainly works with that class and with derived classes.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/sectionbox/sectionboxmanual.pdf
– local file	./7443446883-sectionboxmanual.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/sectionbox/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sectionbox
on MikTeX	sectionbox
on T _E XLive	sectionbox
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

5390 sectionbreak – LaTeX support for section breaks

Web page on CTAN <https://ctan.org/pkg/sectionbreak>

name	sectionbreak
caption	LaTeX support for section breaks
author	Hoftich, Michal
copyright	Michal Hoftich (2017-2018)

license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1d (2019-03-11)
last changes	2019-03-11
year	2019
description	(no language specified) This package provides LaTeX support for section breaks, used mainly in fiction books to signal changes in a story, like changes in time, location, etc. It supports the asterism symbol, text content, or custom macros as the section break mark symbol.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/sectionbreak/sectionbreak-doc.pdf
– local file	<code>./7957255358-sectionbreak-doc.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/sectionbreak/README.md
contact	<i>bugs:</i> https://github.com/michal-h21/sectionbreak/issues
contact	<i>repository:</i> https://github.com/michal-h21/sectionbreak
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sectionbreak
on MikTeX	sectionbreak
on TeXLive	sectionbreak
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
keyword	headings (chapter, section, etc., heading styles)
language(s)	no language specified
last access	2025-02-07

5391 *sectsty* – Control sectional headers

Web page on CTAN <https://ctan.org/pkg/sectsty>

name	sectsty
caption	Control sectional headers
author	McDonnell, Rowland
license	lpl = The LaTeX Project Public License (free)
version	2.0.2

5392 *seealso* – Improve the performance of `\see` macros with `makeindex`

description	(no language specified) A LaTeX2e package to help change the style of any or all of LaTeX's sectional headers in the article, book, or report classes. Examples include the addition of rules above or below a section title.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/sectsty/sectsty.pdf
– local file	<code>./3517944172-sectsty.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sectsty
on MikTeX	<code>sectsty</code>
on TeXLive	<code>sectsty</code>
keyword	headings (chapter, section, etc., heading styles)
see also	see section 6211 on page 5619: (<code>titlesec</code> – Select alternative section titles)
language(s)	no language specified
year	without year
last access	2025-02-07

5392 *seealso* – Improve the performance of `\see` macros with `makeindex`

Web page on CTAN	https://ctan.org/pkg/seealso
name	<code>seealso</code>
caption	Improve the performance of <code>\see</code> macros with <code>makeindex</code>
author	Liu, Leo
copyright	Leo Liu (2014, 2017)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2 (2017-03-23)
last changes	2017-03-23
year	2017
description	(no language specified) The package amends the <code>\see</code> and <code>\seealso</code> macros that are used in building indexes with <code>makeindex</code> , to deal with repetitions, and to ensure page numbers are present in the actual index entries. on these indirecty
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/seealso/seealso.pdf
– local file	<code>./9723667095-seealso.pdf</code>

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/seealso
on MikTeX	seealso
on T _E XLive	seealso
keyword	index (index support)
language(s)	no language specified
last access	2025-02-07

5393 *sehyph* – Hyphenation patterns for Swedish

Web page on CTAN <https://ctan.org/pkg/sehyph>

name	sehyph
caption	Hyphenation patterns for Swedish
author	Rynning, Jan Michael
license	lppl = The LaTeX Project Public License (free)
version	1.0
on CTAN	https://ctan.org/tex-archive/language/hyphenation/sehyph.tex
keyword	hyphenation (macros or tables for hyphenation)
keyword	swedish (support for typesetting Swedish)
language(s)	no language specified
year	without year
last access	2025-02-07

5394 *selectp* – Select pages to be output

Web page on CTAN <https://ctan.org/pkg/selectp>

name	selectp
caption	Select pages to be output
author	Arseneau, Donald
license	pd = Public Domain Software (free)
version	1.0

5395 *selectpage* – Select pages to be output from a document

description	(no language specified) Defines a command <code>\outputonly</code> , whose argument is a list of pages to be output. With the command present (before <code>\begin{document}</code>), <i>only</i> those pages are output. This package was inspired by code published by Knuth in TUGboat 8(2) (July 1987).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/selectp/selectp-doc.pdf
– local file	<code>./7757522335-selectp-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/selectp
on MikTeX	<code>selectp</code>
on TeXLive	<code>selectp</code>
keyword	<code>page-control</code> (select pages to be output, etc.)
see also	see section 5395 on page 4885 : (<i>selectpage</i> – Select pages to be output from a document)
see also	see section 4469 on page 4044 : (<i>pagesel</i> – Select pages of a document for output)
language(s)	no language specified
year	without year
last access	2025-02-07

5395 *selectpage* – Select pages to be output from a document

Web page on CTAN <https://ctan.org/pkg/selectpage>

name	<code>selectpage</code>
caption	Select pages to be output from a document
author	Knuth, Donald E.
license	knuth = Knuth License (free)
version	(1987-07-02)
last changes	1987-07-02
year	1987
description	(no language specified) Requires a file of page numbers, which specifies the numbers of pages to print (in generated order). The code was published in TUGboat 8(2) (July 1987).

on CTAN	https://ctan.org/tex-archive/macros/generic/misc/selectpage.tex
on MikTeX	genmisc
keyword	page-control (select pages to be output, etc.)
see also	see section 5394 on page 4884: (<code>selectp</code> – Select pages to be output)
language(s)	no language specified
last access	2025-02-11

5396 selinput – Semi-automatic detection of input encoding

Web page on CTAN	https://ctan.org/pkg/selinput
name	selinput
caption	Semi-automatic detection of input encoding
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2007)
copyright	Oberdiek Package Support Group (2016-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.6 (2019-12-10)
last changes	2019-12-10
year	2019
description	(no language specified) This package selects the input encoding by specifying pairs of input characters and their glyph names.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/selinput/selinput.pdf
– local file	<code>./8895682863-selinput.pdf</code>
contact	<i>bugs</i> : https://github.com/ho-tex/selinput/issues
contact	<i>repository</i> : https://github.com/ho-tex/selinput
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/selinput
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/selinput.tds.zip
on MikTeX	selinput
on TeXLive	selinput

keyword	<code>inputenc</code> (input encoding support for TeX engines)
language(s)	no language specified
last access	2025-02-07

5397 *selsnolig* – Selectively disable typographic ligatures

Web page on CTAN <https://ctan.org/pkg/selsnolig>

name	<code>selsnolig</code>
caption	Selectively disable typographic ligatures
author	Loretan, Mico
copyright	Mico Loretan (2013-2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.302 (2015-10-26)
last changes	2015-10-26
year	2015
description	(no language specified) The package suppresses typographic ligatures selectively, i.e., based on predefined search patterns. The search patterns focus on ligatures deemed inappropriate because they span morpheme boundaries. For example, the word <code>shelfful</code>, which is mentioned in the TeXbook as a word for which the <code>ff</code> ligature might be inappropriate, is automatically typeset as <code>shelf\ful</code> rather than as <code>shelf{ff}ul</code>. For English and German language documents, the package provides extensive rules for the selective suppression of so-called "common" ligatures. These comprise the <code>ff</code>, <code>fi</code>, <code>fl</code>, <code>ffi</code>, and <code>ffl</code> ligatures as well as the <code>ft</code> and <code>fft</code> ligatures. Other f-ligatures, such as <code>fb</code>, <code>fh</code>, <code>fj</code> and <code>fk</code>, are suppressed globally, while exceptions are made for names and words of non-English/German origin, such as <code>Kafka</code> and <code>fjord</code>. For English language documents, the package further provides ligature suppression macros for a number of so-called "discretionary" or "rare" ligatures such as <code>ct</code>, <code>st</code>, and <code>sp</code>. The package requires use of a recent LuaLaTeX format (for example those from TeX Live 2012 or 2013, or MiKTeX 2.9).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/selsnolig/selsnolig.pdf
– local file	<code>./4614671846-selsnolig.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/selsnolig/README

contact	repository: https://github.com/micoloretan/selnolig
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/selnolig
on MikTeX	selnolig
on T _E XLive	selnolig
keyword	typesetting (support for variations of typographic style)
keyword	luatex (LuaTeX and packages that require it)
see also	see section 358 on page 326: (autotype – A LuaLaTeX package for automatic language-specific typography)
language(s)	no language specified
last access	2025-02-07

5398 *semantex* – Semantic, keyval-based mathematics

Web page on CTAN <https://ctan.org/pkg/semantex>

name	SemanTeX
caption	Semantic, keyval-based mathematics
author	Ørsted, Sebastian
copyright	Sebastian Ørsted (2020-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.525 (2023-01-23)
last changes	2023-01-23
year	2023
description	(no language specified) The SemaTeX package for LaTeX delivers a more semantic, systematized way of writing mathematics, compared to the classical math syntax in LaTeX. The system uses keyval syntax, and the user can define their own keys and customize the system down to the last detail. At the same time, care has been taken to make the syntax as simple, natural, practical, and lightweight as possible. Furthermore, the package has a companion package, called stripsemantex, which allows you to completely strip your documents of SemaTeX markup to prepare them e.g. for publication. The package is still in beta, but is considered feature-complete and more or less stable, so using it at this point should be safe. Still, suggestions, ideas, and bug reports are more than welcome!

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/semantex/semantex.pdf
– local file	./9678569026-semantex.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/semantex/README.md
contact	<i>repository</i> : https://github.com/sorsted/SemanTeX
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/semantex
on MikTeX	semantex
on T _E XLive	semantex
keyword	expl3 (expl3(unknown))
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

5399 semantic – Help for writing programming language semantics

Web page on CTAN	https://ctan.org/pkg/semantic
name	semantic
caption	Help for writing programming language semantics
author	Neergaard, Peter Møller
author	Glenstrup, Arne John
license	lppl = The LaTeX Project Public License (free)
version	2.0
description	(no language specified) Eases the typesetting of notation of semantics and compilers. Includes T-diagrams, various derivation symbols and inference trees.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/semantic/semantic.pdf
– local file	./1117867726-semantic.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/semantic
on MikTeX	semantic
on T _E XLive	semantic
keyword	comp-sci (typeset computer-science related material)

language(s)	no language specified
year	without year
last access	2025-02-07

5400 *semantic-markup* – Meaningful semantic markup in the spirit of the Text Encoding Initiative

Web page on CTAN <https://ctan.org/pkg/semantic-markup>

name	<i>semantic-markup</i>
------	------------------------

caption	Meaningful semantic markup in the spirit of the Text Encoding Initiative
---------	--

author	Cashner, Andrew A.
--------	--------------------

copyright	Andrew A. Cashner (2020)
-----------	--------------------------

license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
---------	--

version	(2020-01-29)
---------	--------------

last changes	2020-01-29
--------------	------------

year	2020
------	------

description	(no language specified) The package provides simple commands to allow authors (especially scholars in the humanities) to write with a focus on content rather than presentation. The commands are inspired by the XML elements of the Text Encoding Initiative. Commands like <code>\term</code> and <code>\foreign</code> are aliases for <code>\emph</code>. <code>\quoted</code> and <code>\soCalled</code> are aliases for quoting commands. These commands could be easily redefined for different formats.
-------------	--

The package also provides a footnote environment so that long footnotes can be more cleanly separated from the main text.

Because the author is a music scholar, the package also includes some macros for musical symbols and other basic notations for musical analysis.

documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/semantic-markup/semantic-markup.pdf
---------------	---

– local file	<code>./5600075583-semantic-markup.pdf</code>
--------------	---

documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/semantic-markup/README
---------------	---

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/semantic-markup
---------	---

on MikTeX	<i>semantic-markup</i>
-----------	------------------------

on T _E XLive	<i>semantic-markup</i>
-------------------------	------------------------

keyword	linguistic (support for linguistics)
keyword	humanities (support for studies in the humanities)
language(s)	no language specified
last access	2025-02-07

5401 *semaphor* – Semaphore alphabet font

Web page on CTAN <https://ctan.org/pkg/semaphor>

name	semaphor
caption	Semaphore alphabet font
author	Zýka, Vít
copyright	Vít Zýka (1998)
license	gpl = GNU General Public License (free)
description	(no language specified) These fonts represent semaphore in a highly schematic, but very clear, fashion. The fonts are provided as Metafont source, and in both OpenType and Adobe Type 1 formats.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/semaphor/README
documentation	(no language specified) <i>Listing of semaphor letters</i> : https://ctan.org/tex-archive/fonts/semaphor/doc/example.pdf
– local file	./6751499899-example.pdf
on CTAN	https://ctan.org/tex-archive/fonts/semaphor
installation	https://ctan.org/tex-archive/install/fonts/semaphor.tds.zip
on MikTeX	semaphor
on T _E XLive	semaphor
keyword	font-otf (font in OpenType format)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-specialist (fonts with specific small application areas)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
language(s)	no language specified
year	1998

last access 2025-02-07

5402 semesterplanner – Create beautiful semester timetables and moreWeb page on CTAN <https://ctan.org/pkg/semesterplanner>

name semesterplanner

caption Create beautiful semester timetables and more

author Schneider, Niklas

copyright Niklas Schneider (2020)

license lpl1.3 = The LaTeX Project Public License 1.3 (free)

version 1.0 (2020-11-02)

last changes 2020-11-02

year 2020

description (no language specified) This package defines several useful environments for a beautiful printable semester plan. It includes a timetable (which is using the [schedule](#) -Package) as well as appointments, deadlines, and exams.

The package requires [color](#) , [TikZ](#) , [schedule](#) , and [fontawesome](#) . Furthermore, documents need to be compiled with LuaLaTeX.

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/luatex/latex/semesterplanner/README.md>

documentation (no language specified) *Package documentation*:
<https://ctan.org/tex-archive/macros/luatex/latex/semesterplanner/semesterplanner.pdf>

– local file ./5379899544-semesterplanner.pdf

contact *bugs*: <https://github.com/nlschn/semesterplanner/issues>contact *repository*: <https://github.com/nlschn/semesterplanner>

on CTAN <https://ctan.org/tex-archive/macros/luatex/latex/semesterplanner>

on MikTeX semesterplanner

on TeXLive semesterplanner

keyword planning (construct diagrams, etc., for planning)

keyword luatex (LuaTeX and packages that require it)

keyword calendar (typeset calendars, diaries, planning charts, etc.)

language(s) no language specified

last access 2025-02-07

5403 semesterplannerlua – Draw timetables and other organizational matters useful for planning a semester

Web page on CTAN <https://ctan.org/pkg/semesterplannerlua>

name	semesterplannerLua
caption	Draw timetables and other organizational matters useful for planning a semester
author	Heindl, Lukas
copyright	Lukas Heindl (2024)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1.2
description	(no language specified) This LaTeX package provides commands to print timetables, lists of appointments and exams. Also it is possible to draw calendars of specified ranges (and mark dates which were previously listed). Drawing the timetable is based on TikZ, which makes it very flexible.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/semesterplannerlua/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/semesterplannerlua/semesterplannerlua.pdf
– local file	./5844977852-semesterplannerlua.pdf
contact	<i>support</i> : https://github.com/atticus-sullivan/semesterplannerLua/discussions/categories/q-a
contact	<i>announce</i> : https://github.com/atticus-sullivan/semesterplannerLua/issues/1
contact	<i>bugs</i> : https://github.com/atticus-sullivan/semesterplannerLua/issues
contact	<i>repository</i> : https://github.com/atticus-sullivan/semesterplannerLua/
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/semesterplannerlua
on MikTeX	semesterplannerlua
on T _E XLive	semesterplannerlua
keyword	planning (construct diagrams, etc., for planning)
keyword	luatex (LuaTeX and packages that require it)

keyword	calendar (typeset calendars, diaries, planning charts, etc.)
see also	see section 5402 on page 4892: (semesterplanner – Create beautiful semester timetables and more)
language(s)	no language specified
year	2024
last access	2025-02-07

5404 seminar – Make overhead slides

Web page on CTAN <https://ctan.org/pkg/seminar>

name	seminar
caption	Make overhead slides
author	Rahtz, Sebastian
author	Voß, Herbert
author	Girou, Denis
author	Van Zandt, Timothy
copyright	Timothy Van Zandt (1993, 1994)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.63a
description	(no language specified) A class that produces overhead slides (transparencies), with many facilities. The class requires availability of the fancybox package. Seminar is also the basis of other classes, such as prosper. In fact, seminar is not nowadays reckoned a good basis for a presentation — users are advised to use more recent classes such as powerdot or beamer, both of which are tuned to 21st-century presentation styles. Note that the seminar distribution relies on the xcomment package, which was once part of the bundle, but now has a separate existence.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/seminar/doc/seminar-doc.pdf
– local file	./8292300320-seminar-doc.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/seminar/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/seminar

on MikTeX	seminar
on T _E XLive	seminar
keyword	presentation (slides, beamers, handouts, etc.)
keyword	tagged-pdf-unsupported (tagged PDF unsupported)
see also	see section 2299 on page 2080: (foiltex – A LaTeX2e class for overhead transparencies)
see also	see section 5546 on page 5017: (slidenotes – Typeset slides accompanied by notes)
language(s)	no language specified
year	1994
last access	2026-04-13

5405 *semionese* – Put only special contents on left-hand pages in two sided layout

Web page on CTAN	https://ctan.org/pkg/semionese
name	semionese
caption	Put only special contents on left-hand pages in two sided layout
author	Hennig, Stephan
license	lppl = The LaTeX Project Public License (free)
version	0.41
description	(no language specified) This package supports the preparation of semi one sided documents. That is, two sided documents, where all text is output on right-hand pages—as in a one-sided documents—and only special contents are output on left-hand pages on user request, e.g., floating objects.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/semionese/semionese.pdf
– local file	./5183269096-semionese.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/semionese
on MikTeX	semionese
on T _E XLive	semionese
keyword	layout (layout of objects on the page)
language(s)	no language specified

year without year
last access 2025-02-07

5406 semproc – Seminar proceedings

Web page on CTAN <https://ctan.org/pkg/semproc>

name	semproc
caption	Seminar proceedings
author	Columbus, Tobias
copyright	Tobias Columbus (2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1
description	(no language specified) The package provides functionality for typesetting seminar proceedings based on KOMA-Script's <code>scrreprt</code> class and <code>etoc</code>. It offers an alternative to <code>\chapter</code> that typesets the speaker and if necessary the typist of the notes for the talk in question. Moreover, the class provides two types of table of contents. A global table of contents showing only the talks of the seminar and the respective speakers and a local table of contents for each talk showing the sections and subsections of the respective talk.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/semproc/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/semproc/semproc.pdf
– local file	<code>./2080890182-semproc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/semproc
on MikTeX	semproc
on TeXLive	semproc
keyword	semproc (typesetting seminar proceedings)
language(s)	no language specified
year	2015
last access	2025-02-07

5407 *semtex* – Deals with stripped *SemanTeX* documentsWeb page on CTAN <https://ctan.org/pkg/semtex>

name SemTeX

caption Deals with stripped *SemanTeX* documents

author Ørsted, Sebastian

copyright Sebastian Ørsted (2020)

license lpl1.3c = The LaTeX Project Public License 1.3c (free)

version 0.45 (2020-10-03)

last changes 2020-10-03

year 2020

description (no language specified) This package is a small LaTeX package that adds a collection of simple macros for parentheses and bullets. It exists for one purpose only: To be loaded by documents which were originally typeset using the package **SemanTeX**, but which have been stripped of *SemanTeX* markup using the package `stripsemanTeX` which is part of **SemanTeX**. Therefore, unless your document is one of those, simply **don't use this package**.

And even if your document is one of those, there is a good chance you will not have to load it after all. In most cases, you will be able to replace the macros it provides by macros from other packages.

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/semtex/README.md>

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/semtex/semtex.pdf>

– local file ./4315626534-semtex.pdf

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/semtex>

on MikTeX semtex

on T_EXLive semtex

keyword maths (support for typesetting mathematics)

keyword expl3 (expl3(unknown))

language(s) no language specified

last access 2025-02-07

5408 *semtrans* – Transliteration of semitic languages

Web page on CTAN <https://ctan.org/pkg/semtrans>

name	semtrans
caption	Transliteration of semitic languages
author	Knappen, Jörg
copyright	Jörg Knappen (1997)
license	gpl = GNU General Public License (free)
version	1.0
description	(no language specified) A small set of commands to assist in transliterating languages such as Arabic, Hebrew and the Ethiopian languages.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jknappen/semtrans.sty
on MikTeX	jknappen
on T _E XLive	jknapltx
keyword	linguistic (support for linguistics)
see also	see section 6197 on page 5606: (tipa – Fonts and macros for IPA phonetics characters)
language(s)	no language specified
year	1997
last access	2025-02-07

5409 *sentences* – Numbered lists for sentences

Web page on CTAN <https://ctan.org/pkg/sentences>

name	sentences
caption	Numbered lists for sentences
license	noinfo = noinfo
version	(1991-08-09)
last changes	1991-08-09
year	1991

description	(no language specified) The package defines sentences and subsentences list environments, whose entries may be referenced by number. The package requires the maybeload and redefine packages.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/sentences.tex
keyword	list-enum (list: items enumerated)
language(s)	no language specified
last access	2025-02-07

5410 *sepfootnotes* – Support footnotes and endnotes from separate files

Web page on CTAN <https://ctan.org/pkg/sepfootnotes>

name	sepfootnotes
caption	Support footnotes and endnotes from separate files
author	Lourenço de Lima, Eduardo C.
copyright	Eduardo C. Lourenço de Lima (2013-2024)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.3d (2024-07-05)
last changes	2024-07-05
year	2024
description	(no language specified) The package supports footnotes and endnotes from separate files. This is achieved with commands <code>\sepfootnotecontent</code> and <code>\sepfootnote</code> ; the former defines the content of a note, while the latter typesets that note.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sepfootnotes/sepfootnotes.pdf
– local file	<code>./5549395088-sepfootnotes.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sepfootnotes/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sepfootnotes
on MikTeX	sepfootnotes
on TeXLive	sepfootnotes
keyword	footnote (footnote support)

language(s) no language specified
last access 2025-02-07

5411 *sepnum* – Print numbers in a "friendly" format

Web page on CTAN <https://ctan.org/pkg/sepnum>

name *sepnum*
caption Print numbers in a "friendly" format
author Raichle, Bernd
copyright Bernd Raichle (1995, 1996, 2001)
license lpl = The LaTeX Project Public License (free)
version 2.0
description (no language specified) Provides a command to print a number with (potentially different) separators every three digits in the parts either side of the decimal point (the point itself is also configurable). The macro is fully expandable and not fragile (unless one of the separators is). There is also a command `\sepnumform`, that may be used when defining `\the<counter>` macros.
documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/sepnum/sepnum-doc.pdf>
– local file `./2745625744-sepnum-doc.pdf`
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/sepnum>
on MikTeX *sepnum*
on T_EXLive *sepnum*
keyword numbers (formatting numbers, etc)
see also see section 4336 on page 3926: (`numprint` – Print numbers with separators and exponent if necessary)
see also see section 1232 on page 1120: (`comma` – Formats a number by inserting commas)
language(s) no language specified
year 2001
last access 2025-02-07

5412 seqcalc – A package for declarative sequent-calculus proofsWeb page on CTAN <https://ctan.org/pkg/seqcalc>

name	seqcalc
caption	A package for declarative sequent-calculus proofs
author	Julian
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2026-01-31)
last changes	2026-01-31
year	2026
description	(no language specified) This package provides a structured wrapper around the bussproofs package. It provides a declarative interface for sequent calculus proofs, including rule declaration, rule application, formula normalization, shortcuts, and optional standard rule sets. The goal is to simplify the construction of proof trees while keeping the underlying bussproofs layout untouched.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/seqcalc/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/seqcalc/doc/seqcalc-doc.pdf
– local file	./9301774054-seqcalc-doc.pdf
contact	<i>bugs</i> : https://github.com/lambda phoenix/seqcalc/issues
contact	<i>repository</i> : https://github.com/lambda phoenix/seqcalc
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/seqcalc
on T _E XLive	seqcalc
keyword	proof (typeset proofs and proof diagrams)
language(s)	no language specified
last access	2026-02-12

5413 seqsplit – Split long sequences of characters in a neutral wayWeb page on CTAN <https://ctan.org/pkg/seqsplit>

name	seqsplit
caption	Split long sequences of characters in a neutral way
author	Veytsman, Boris
copyright	Boris Veytsman (2006)
license	lppl = The LaTeX Project Public License (free)
version	0.1
description	(no language specified) When one needs to type long sequences of letters (such as in base-sequences in genes) or of numbers (such as calculations of transcendental numbers), there's no obvious break points to be found. The package provides a command <code>\seqsplit</code>, which makes its argument splittable anywhere, and then leaves the TeX paragraph-maker to do the splitting. While the package may obviously be used to typeset DNA sequences, the user may consider the dnaseq as a rather more powerful alternative.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/seqsplit/seqsplit.pdf
– local file	<code>./8430521999-seqsplit.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/seqsplit
on MikTeX	seqsplit
on TeXLive	seqsplit
keyword	hyph-pseudo (splitting without benefit of hyphenation)
language(s)	no language specified
year	2006
last access	2025-02-07

5414 *serbian-apostrophe* – Commands for Serbian words with apostrophes

Web page on CTAN <https://ctan.org/pkg/serbian-apostrophe>

name	serbian-apostrophe
caption	Commands for Serbian words with apostrophes
author	Filipović, Zoran T.
copyright	Zoran Filipović (2011)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2011-08-30)
last changes	2011-08-30
year	2011
description	(no language specified) The package provides a collection of commands (whose names are Serbian words) whose expansion is the Serbian word with appropriate apostrophes.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/language/serbian/filipovic/serbian-apostrophe/serbian-apostrophe.pdf
– local file	./3514536993-serbian-apostrophe.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/language/serbian/filipovic/serbian-apostrophe/README
documentation	(no language specified) <i>List of word commands and their expansion:</i> https://ctan.org/tex-archive/language/serbian/filipovic/serbian-apostrophe/apostrophe-list.pdf
– local file	./5306048153-apostrophe-list.pdf
on CTAN	https://ctan.org/tex-archive/language/serbian/filipovic/serbian-apostrophe
on MikTeX	serbian-apostrophe
on T _E XLive	serbian-apostrophe
keyword	serbian (documentation in, and support for typesetting Serbian)
language(s)	no language specified
last access	2025-02-07

5415 *serbian-book* – Support for use of memoir in Serbian

Web page on CTAN <https://ctan.org/pkg/serbian-book>

name	serbian-book
caption	Support for use of memoir in Serbian
author	Filipović, Zoran T.
license	gpl = GNU General Public License (free)
version	(2011-06-09)
last changes	2011-06-09
year	2011
description	(no language specified) The package provides a number of commands for adjusting memoir output to Serbian style.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/srbook-mem/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/srbook-mem/SerbianBookMem.pdf
– local file	./6470035341-SerbianBookMem.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/srbook-mem
keyword	book-pub (preparing a book for publication)
keyword	serbian (documentation in, and support for typesetting Serbian)
language(s)	no language specified
last access	2025-02-07

5416 *serbian-date-lat* – Updated date typesetting for Serbian

Web page on CTAN <https://ctan.org/pkg/serbian-date-lat>

name	serbian-date-lat
caption	Updated date typesetting for Serbian
author	Filipović, Zoran T.
license	gpl2 = GNU General Public License, version 2 (free)
version	(2011-06-21)
last changes	2011-06-21

5417 *serbian-def-cyr* – Serbian cyrillic localization

year	2011
description	(no language specified) Babel defines dates for Serbian texts, in Latin script. The style it uses does not match current practices. The present package defines a <code>\date</code> command that solves the problem.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/language/serbian/filipovic/serbian-date-lat/SerbianDateLat.pdf
– local file	<code>./1763665402-SerbianDateLat.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/serbian/filipovic/serbian-date-lat/README
on CTAN	https://ctan.org/tex-archive/language/serbian/filipovic/serbian-date-lat
on MikTeX	<code>serbian-date-lat</code>
on TeXLive	<code>serbian-date-lat</code>
keyword	<code>serbian</code> (documentation in, and support for typesetting Serbian)
language(s)	no language specified
last access	2025-02-07

5417 *serbian-def-cyr* – Serbian cyrillic localization

Web page on CTAN <https://ctan.org/pkg/serbian-def-cyr>

name	<code>serbian-def-cyr</code>
caption	Serbian cyrillic localization
author	Filipović, Zoran T.
copyright	Zoran Filipović (2011)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2011-08-15)
last changes	2011-08-15
year	2011
description	(no language specified) This package provides abstract, chapter, title, date etc, for serbian language in cyrillic scripts in T2A encoding and cp1251 code pages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/serbian-def-cyr/README

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/serbian-def-cyr/usage.pdf
– local file	./7457886430-usage.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/serbian-def-cyr
on MikTeX	serbian-def-cyr
on TeXLive	serbian-def-cyr
keyword	serbian (documentation in, and support for typesetting Serbian)
language(s)	no language specified
last access	2025-02-07

5418 *serbian-lig* – Control ligatures in Serbian

Web page on CTAN	https://ctan.org/pkg/serbian-lig
name	serbian-lig
caption	Control ligatures in Serbian
author	Filipović, Zoran T.
copyright	Zoran Filipović (2011-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2019-12-10)
last changes	2019-12-10
year	2019
description	(no language specified) The package suppresses <code>fi</code> and <code>fl</code> (and other ligatures) in Serbian text written using Roman script.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/language/serbian/filipovic/serbian-lig/serbian-lig.pdf
– local file	./2565829433-serbian-lig.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/language/serbian/filipovic/serbian-lig/README.txt
on CTAN	https://ctan.org/tex-archive/language/serbian/filipovic/serbian-lig
on MikTeX	serbian-lig

on T _E XLive	serbian-lig
keyword	serbian (documentation in, and support for typesetting Serbian)
language(s)	no language specified
last access	2025-02-07

5419 *serbianpart* – Redefines \thepart to be used in Roman lettered Serbian

Web page on CTAN <https://ctan.org/pkg/serbianpart>

name	serbianpart
caption	Redefines \thepart to be used in Roman lettered Serbian
author	Filipović, Zoran T.
license	gpl = GNU General Public License (free)
version	(2010-07-15)
last changes	2010-07-15
year	2010
description	(no language specified) The package redefines \thepart , to produce "PART <alphabetical version of the number>", in Roman lettered Serbian.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/serbianpart/SerbianPart.pdf
– local file	./3323577686-SerbianPart.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/serbianpart/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/serbianpart
keyword	headings (chapter, section, etc., heading styles)
keyword	serbian (documentation in, and support for typesetting Serbian)
language(s)	no language specified
last access	2025-02-07

5420 *serial* – Generate serial letters

Web page on CTAN <https://ctan.org/pkg/serial>

name	serial
caption	Generate serial letters
author	Pedersen, Bjørn
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The serial package provides a wrapper to the KOMA Script letter class <code>scrlettr</code> for the generation of serial letters. It contains different interfaces to data base generated adress files. Additionally, a configuration file allows easy customization of the letterheads etc. Requires <code>scrlettr.cls</code> from KOMA-Script and the following are recommended: inputenc , textmerg , delimtxt .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/serial/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/serial
keyword	letter (typesetting letters, envelopes, faxes, etc)
language(s)	no language specified
year	without year
last access	2025-02-07

5421 *sesamanuel* – Class and package for sesamath books or paper

Web page on CTAN <https://ctan.org/pkg/sesamanuel>

name	sesamanuel
caption	Class and package for sesamath books or paper
author	Charpentier, Jean-Côme
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.6
description	(no language specified) The package contains a <code>sesamanuel</code> class which could be used to compose a student's classroom book with LaTeX, and also a <code>sesamanuelTIKZ</code> style to be used for TikZ pictures in the sesamath book.
documentation	(French) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sesamanuel/Lisez.moi

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sesmanuel/README
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sesmanuel/sesamath-doc-fr.pdf
– local file	<code>./8302699300-sesamath-doc-fr.pdf</code>
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sesmanuel/sesmanuel.pdf
– local file	<code>./3606973784-sesmanuel.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sesmanuel
on MikTeX	<code>sesmanuel</code>
on T _E XLive	<code>sesmanuel</code>
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	French
year	without year
last access	2025-02-07

5422 *sesstime* – Session and timing information in lecture notes

Web page on CTAN <https://ctan.org/pkg/sesstime>

name	<code>sesstime</code>
caption	Session and timing information in lecture notes
author	Beisert, Niklas
copyright	Niklas Beisert (2016-2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.12 (2019-01-17)
last changes	2019-01-17
year	2019
description	(no language specified) This LaTeX2e package makes it possible to add timing marks to lecture notes in order to help managing the time available for presenting a given section of the document. It also provides tools to record and estimate the progress throughout the course.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sesstime/sesstime.pdf

5423 *setdeck* – Typeset cards for Set

– local file	<code>./3116048006-sesstime.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sesstime/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sesstime
on MikTeX	sesstime
on TeXLive	sesstime
keyword	teaching (support for teachers and teaching administrators)
language(s)	no language specified
last access	2025-02-07

5423 *setdeck* – Typeset cards for Set

Web page on CTAN <https://ctan.org/pkg/setdeck>

name	setdeck
caption	Typeset cards for Set
author	Whieldon, Gwyneth
copyright	Gwyneth Whieldon (2012)
license	gpl3 = GNU General Public License, version 3 (free)
version	0.1
description	(no language specified) The package will typeset cards for use in a game of Set .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/setdeck/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/setdeck/setdeck.pdf
– local file	<code>./7496202080-setdeck.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/setdeck
on MikTeX	setdeck
on TeXLive	setdeck
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified

year 2012
last access 2025-02-07

5424 *setouterhbox* – Set hbox in outer horizontal mode

Web page on CTAN <https://ctan.org/pkg/setouterhbox>

name	setouterhbox
caption	Set hbox in outer horizontal mode
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2005-2007)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.8 (2016-05-16)
last changes	2016-05-16
year	2016
description	(no language specified) If math stuff is set in an <code>\hbox</code> , then TeX performs some optimization and omits the implicit penalties <code>\binoppenalty</code> and <code>\relpenalty</code> . This packages tries to put stuff into an <code>\hbox</code> without losing those penalties.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/setouterhbox.pdf
– local file	./1065164259-setouterhbox.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/setouterhbox.dtx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/oberdiek.tds.zip
on MikTeX	oberdiek
on TeXLive	oberdiek
keyword	boxing (creating boxes)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

5425 *set space* – Set space between lines

Web page on CTAN <https://ctan.org/pkg/setspace>

name	setspace
caption	Set space between lines
author	Harris, Erica
author	Fairbairns, Robin
author	Carlisle, David
author	Tobin, Geoffrey
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	6.7b
description	(no language specified) Provides support for setting the spacing between lines in a document. Package options include <code>singlespacing</code> , <code>onehalfspacing</code> , and <code>doublespacing</code> . Alternatively the spacing can be changed as required with the <code>\singlespacing</code> , <code>\onehalfspacing</code> , and <code>\doublespacing</code> commands. Other size spacings also available.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/setspace/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/setspace/setspace-doc.pdf
– local file	<code>./4623550041-setspace-doc.pdf</code>
contact	<i>support</i> : https://github.com/latex-package-repositories/setspace/issues
contact	<i>repository</i> : https://github.com/latex-package-repositories/setspace
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/setspace
on MikTeX	setspace
on TeXLive	setspace
keyword	line-space (leading between lines of text)
language(s)	no language specified
year	without year
last access	2025-02-07

5426 setspaceenhanced – An enhancement of the setspace package

Web page on CTAN <https://ctan.org/pkg/setspaceenhanced>

name	setspaceenhanced
caption	An enhancement of the setspace package
author	Kohm, Markus
copyright	Markus Kohm (2008-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.04 (2024-11-12)
last changes	2024-11-12
year	2024
description	(no language specified) This package adds support for all font sizes, even non-integer resp. non-pt sizes to package setspace . This not only improves compatibility with KOMA-Script but also corrects the stretch value of the usual font sizes.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/setspaceenhanced/setspaceenhanced.pdf
– local file	./1683539823-setspaceenhanced.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/setspaceenhanced/README.md
home page	https://github.com/komascript/third-party-enhancements
contact	<i>bugs:</i> https://github.com/komascript/third-party-enhancements/issues
contact	<i>repository:</i> https://github.com/komascript/third-party-enhancements/tree/main/setspaceenhanced
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/setspaceenhanced
on MikTeX	setspaceenhanced
on TeXLive	setspaceenhanced
keyword	expl3 (expl3(unknown))
keyword	line-space (leading between lines of text)
language(s)	no language specified
last access	2025-02-07

5427 setstrut – Automatic strut computation

Web page on CTAN <https://ctan.org/pkg/setstrut>

name	setstrut
caption	Automatic strut computation
author	von Bechtolsheim, Stephan
license	noinfo = noinfo
version	(1992-08-12)
last changes	1992-08-12
year	1992
description	(no language specified) Provides means of generating struts, "standard" or with extended height or depth.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/setstrut.tex
keyword	typesetting (support for variations of typographic style)
language(s)	no language specified
last access	2025-02-07

5428 settobox – Assigning dimensions of a box to a length register

Web page on CTAN <https://ctan.org/pkg/settobox>

name	settobox
caption	Assigning dimensions of a box to a length register
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2000, 2006-2008)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.5 (2016-05-16)
last changes	2016-05-16
year	2016
description	(no language specified) Commands to assist the reuse of boxes (set up by <code>\sbox</code> or by the <code>lrbox</code> environment); the <code>\settobox...</code> commands behave similarly to the <code>\settowidth</code> (etc.) commands. For example:

5429 `settosize` – Scale text to given width

```
\newsavebox{\mybox}
\newlength{\mylength}
\sbox{\mybox}{Hello World}
\settoboxwidth{\mylength}{\mybox}
```

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/settobox.pdf
– local file	<code>./3656824785-settobox.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/settobox.dtx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/oberdiek.tds.zip
on MikTeX	oberdiek
on TeXLive	oberdiek
keyword	boxing (creating boxes)
language(s)	no language specified
last access	2025-02-07

5429 `settosize` – Scale text to given width

Web page on CTAN <https://ctan.org/pkg/settosize>

name	<code>settosize</code>
caption	Scale text to given width
author	Taylor, Philip
license	<code>noinfo = noinfo</code>
version	(1993-02-04)
last changes	1993-02-04
year	1993
description	(no language specified) The package defines a command

```
\set <text> \in <font> \to <size>
```

that chooses the "best" magstep that will fit the given text into the width, and typesets the text accordingly.

on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/settosize.tex
---------	---

5430 *settosize-ltx* – Scale text to make it fit a given width

keyword	font-sel (font selection schemes)
language(s)	no language specified
last access	2025-02-07

5430 *settosize-ltx* – Scale text to make it fit a given width

Web page on CTAN <https://ctan.org/pkg/settosize-ltx>

name	settosize-ltx
caption	Scale text to make it fit a given width
author	Rahtz, Sebastian
license	noinfo = noinfo
version	(1993-02-18)
last changes	1993-02-18
year	1993
description	(no language specified) The command <code>\scaleto</code> decides on a scale for the current font such that the text will fit the given width. This package is an adaptation for LaTeX of the settosize package for plain TeX; it is now superseded by textfit , which is a development for current LaTeX.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/settosize.sty
keyword	latex209 (package only known to work with LaTeX 2.09)
keyword	font-sel (font selection schemes)
language(s)	no language specified
last access	2025-02-11

5431 *seu-ml-assign* – Southeast University Machine Learning Assignment template

Web page on CTAN <https://ctan.org/pkg/seu-ml-assign>

name	seu-ml-assign
caption	Southeast University Machine Learning Assignment template
author	van Jerry, Teddy
copyright	Teddy van Jerry (Wuqiong Zhao) (2022)
license	mit = MIT License (free)

version	1.1
description	(no language specified) This is a template for the Southeast University Machine Learning Assignment that can be easily adapted to other usages. This template features a colorful theme that makes it look elegant and attractive. You can also find the template available on Overleaf .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/seu-ml-assign/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/seu-ml-assign/seu-ml-assign-doc.pdf
– local file	./5944342223-seu-ml-assign-doc.pdf
home page	https://seu-ml-assign.github.io
contact	<i>bugs</i> : https://github.com/Teddy-van-Jerry/SEU-ML-Assign_LaTeX_Template/issues
contact	<i>repository</i> : https://github.com/Teddy-van-Jerry/SEU-ML-Assign_LaTeX_Template
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/seu-ml-assign
on MikTeX	seu-ml-assign
on TeXLive	seu-ml-assign
keyword	doc-templ (template to guide document development)
keyword	class (alternative LaTeX class(es))
keyword	exercise (exercises, problems for solution, etc.)
language(s)	no language specified
year	2022
last access	2025-02-07

5432 seuthesis – LaTeX template for theses at Southeastern University

Web page on CTAN <https://ctan.org/pkg/seuthesis>

name	seuthesis
caption	LaTeX template for theses at Southeastern University
author	Yuan, Xu
copyright	Xu Yuan (2007-2014)
license	gpl3 = GNU General Public License, version 3 (free)

version	2.1.2 (2012-04-19)
last changes	2012-04-19
year	2012
description	(no language specified) This template is for theses at Southeastern University, Nanjing, China.
documentation	<i>Package documentation (Chinese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/seuthesis/seuthesis.pdf
– local file	./7391606756-seuthesis.pdf
contact	<i>repository</i> : https://github.com/seucs/seuthesis
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/seuthesis
on MikTeX	seuthesis
on TeXLive	seuthesis
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	class (alternative LaTeX class(es))
see also	see section 5433 on page 4918: (<i>seuthesis</i> – LaTeX class for theses at Southeast University, Nanjing, China)
language(s)	Chinese
last access	2025-02-07

5433 *seuthesis* – LaTeX class for theses at Southeast University, Nanjing, China

Web page on CTAN <https://ctan.org/pkg/seuthesis>

name	seuthesis
caption	LaTeX class for theses at Southeast University, Nanjing, China
author	Fan, James
copyright	Xu Yuan (2007-2012)
copyright	James Fan (2016)
license	gpl3 = GNU General Public License, version 3 (free)
version	1.0.1 (2016-03-20)
last changes	2016-03-20
year	2016

5434 *sexam* – Package for typesetting arabic exam scripts

description	(no language specified) This project provides a LaTeX document class as well as a bibliography style file for typesetting theses at the Southeast University, Nanjing, China. It is based on the seuthesis package which, according to the author of <code>seuthesis</code> , is buggy and has not been maintained for some time.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/seuthesis/README
documentation	<i>Package documentation (Chinese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/seuthesis/seuthesis.pdf
– local file	<code>./7150997050-seuthesis.pdf</code>
contact	<i>repository</i> : https://github.com/zhimengfan1990/seuthesis
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/seuthesis
on MikTeX	<code>seuthesis</code>
on TeXLive	<code>seuthesis</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
see also	see section 5432 on page 4917: (<code>seuthesis</code> – LaTeX template for theses at Southeastern University)
language(s)	Chinese
last access	2025-02-07

5434 *sexam* – Package for typesetting arabic exam scripts

Web page on CTAN <https://ctan.org/pkg/sexam>

name	<code>sexam</code>
caption	Package for typesetting arabic exam scripts
author	Laouidji, Walid
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1
description	(no language specified) The package provides a modified version of the exam package made compatible with XeLaTeX/polyglossia to typesetting arabic exams.

documentation	(Arabic (Algeria)) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/xetex/latex/sexam/sexam_wexam_doc_ar.pdf
– local file	<code>./5042182751-sexam_wexam_doc_ar.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/sexam/README.txt
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/sexam
on MikTeX	sexam
on T _E XLive	sexam
keyword	exam (exams, quizzes, etc.)
keyword	class (alternative LaTeX class(es))
keyword	arabic (documentation in and support for typesetting Arabic)
see also	see section 2053 on page 1855: (exam – Package for typesetting exam scripts)
language(s)	Arabic (Algeria)
year	without year
last access	2025-02-07

5435 *sf298* – Standard form 298

Web page on CTAN <https://ctan.org/pkg/sf298>

name	sf298
caption	Standard form 298
author	Cochran, Steven Douglas
author	Rochford, Peter A.
copyright	Steven Douglas Cochran (2000, 2004)
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.3 (2016-07-07)
last changes	2016-07-07
year	2016
description	(no language specified) A LaTeX package for generating a completed standard form 298 (Rev. 8-98) as prescribed by ANSI Std. Z39.18 for report documentation as part of a document delivered, for instance, on a U.S. government contract.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sf298/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sf298/sf298.pdf
– local file	<code>./9582877003-sf298.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sf298
on MikTeX	<code>sf298</code>
on T _E XLive	<code>sf298</code>
keyword	<code>report-like</code> (regularly-formatted reports)
language(s)	no language specified
last access	2025-02-07

5436 *sfarticle* – A LaTeX 2.09 article style with an *sf* switch

Web page on CTAN	https://ctan.org/pkg/sfarticle
name	<code>sfarticle</code>
caption	A LaTeX 2.09 article style with an <i>sf</i> switch
author	Partl, Hubert
author	Simon, B.
license	<code>noinfo = noinfo</code>
version	(1989-12-28)
last changes	1989-12-28
year	1989
description	(no language specified) The package is a variant of standard <code>article</code> that has an <code>sf</code> option (for sans typesetting) and various of the ‘fixed names’ (such as ‘Contents’) defined in macros (and thus variable).
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/sfarticle
keyword	<code>latex209</code> (package only known to work with LaTeX 2.09)
keyword	<code>doc-style</code> (LaTeX 2.09 document style)
language(s)	no language specified
last access	2025-02-11

5437 *sfee* – A LaTeX class for the Smart Factory and Energy Efficiency magazine of the TecnológicoWeb page on CTAN <https://ctan.org/pkg/sfee>

name	SFEE
caption	A LaTeX class for the Smart Factory and Energy Efficiency magazine of the Tecnológico
author	de Anda Suárez, Juan
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0
description	(no language specified) The SFEE class belongs to the Smart Factory and Energy Efficiency magazine of the Tecnológico Nacional de México/ITS Purísima del Rincón. <code>SFEE.cls</code> was designed using the LaTeX document class standard. It is accompanied by <code>SFEE.bst</code> , which provides the necessary elements to generate the article citations.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sfee/README
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/sfee/SFEE_author.pdf
– local file	<code>./9722043715-SFEE_author.pdf</code>
home page	https://sfee.space/index.php/sfee_journal
contact	<i>repository</i> : https://github.com/juandeanda/Introduccion-a-la-computacion-cuantica.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sfee
on MikTeX	<code>sfee</code>
on T _E XLive	<code>sfee</code>
keyword	journalpub (typesetting journals, etc)
keyword	class (alternative LaTeX class(es))
keyword	doc-templ (template to guide document development)
language(s)	no language specified
year	without year
last access	2025-02-07

5438 sffms – Typesetting science fiction/fantasy manuscripts

Web page on CTAN <https://ctan.org/pkg/sffms>

name	sffms
caption	Typesetting science fiction/fantasy manuscripts
author	DeMarco, M.C.
copyright	M. C. DeMarco (2002-2003)
license	lppl = The LaTeX Project Public License (free)
version	2.0
description	(no language specified) The class is designed for typesetting science fiction and fantasy manuscripts. Sffms now includes several options for specific publishers as well as extensive documentation aimed at new LaTeX users.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sffms/sffms_manual.pdf
– local file	<code>./1242614820-sffms_manual.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sffms/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sffms
on MikTeX	sffms
on TeXLive	sffms
keyword	class (alternative LaTeX class(es))
keyword	publisher (prepare documents for a specific publisher)
language(s)	no language specified
year	2003
last access	2025-02-07

5439 sfg – Draw signal flow graphs

Web page on CTAN <https://ctan.org/pkg/sfg>

name	sfg
caption	Draw signal flow graphs
author	Schmid, Hanspeter
license	lppl = The LaTeX Project Public License (free)
version	0.91
description	(no language specified) Defines some commands to draw signal flow graphs as used by electrical and electronics engineers and graph theorists. Requires fp and pstricks packages (and a relatively fast machine).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sfg/sfg-doc.pdf
– local file	./6148678666-sfg-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sfg/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sfg
on MikTeX	sfg
on TeXLive	sfg
keyword	diagram (diagrams)
keyword	pstricks (package using PStricks for graphical output)
language(s)	no language specified
year	without year
last access	2026-04-12

5440 sfheaders – Sans headers

Web page on CTAN <https://ctan.org/pkg/sfheaders>

name	sfheaders
caption	Sans headers
author	Loreti, Maurizio
license	noinfo = noinfo
version	(1997-09-25)

last changes	1997-09-25
year	1997
description	(no language specified) Print part/chapter/section headers with the sans-serif font of the current family in the standard book/report/article document classes.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sfheaders/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sfheaders
keyword	page-hf (page head- and foot-lines)
language(s)	no language specified
last access	2025-02-07

5441 *sfmath* – Sans-serif mathematics

Web page on CTAN <https://ctan.org/pkg/sfmath>

name	<i>sfmath</i>
caption	Sans-serif mathematics
author	Dietrich, Olaf
license	lppl = The LaTeX Project Public License (free)
version	0.8
description	(no language specified) <i>sfmath</i> is a simple package for sans serif maths in documents. After including the package, all maths of the current document is displayed with sans serif fonts.
documentation	(no language specified) <i>Package documentation</i>: http://dtrx.de/od/tex/sfmath.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sfmath/sfmath.sty
on MikTeX	<i>sfmath</i>
on TeXLive	<i>sfmath</i>
keyword	font-maths (fonts for use in mathematics)
keyword	maths (support for typesetting mathematics)
see also	see section 5289 on page 4791: (<i>sansmath</i> – Maths in a sans font)
language(s)	no language specified

year without year
last access 2025-02-07

5442 *sfmtac* – A set of definitions for Unix system documentation

Web page on CTAN <https://ctan.org/pkg/sfmtac>

name *sfmtac*
caption A set of definitions for Unix system documentation
license noinfo = noinfo
version (1989-12-22)
last changes 1989-12-22
year 1989
description (no language specified) A set of macros defining fonts and the typesetting of names in those fonts.
on CTAN <https://ctan.org/tex-archive/macros/latex209/contrib/misc/sfmtac.sty>
keyword doc-suppl (macros and tools for preparing documentation)
keyword latex209 (package only known to work with LaTeX 2.09)
language(s) no language specified
last access 2025-02-11

5443 *sgame* – LaTeX style for typesetting strategic games

Web page on CTAN <https://ctan.org/pkg/sgame>

name *sgame*
caption LaTeX style for typesetting strategic games
author Osborne, Martin J.
license lppl = The LaTeX Project Public License (free)
version 2.15
description (no language specified) Formats strategic games. For a 2x2 game, for example, the input:

5444 `sgmlcmpt` – Support for LaTeX formulae as SGML PCDATA

```
\begin{game}{2}{2}
&$L$ &$M$\\
$T$ &$2, 2$ &$2, 0$\\
$B$ &$3, 0$ &$0, 9$
\end{game}
```

produces output with (a) boxes around the payoffs, (b) payoff columns of equal width, and (c) payoffs vertically centered within the boxes.

Note that the game environment will not work in the argument of another command.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sgame/sgame.pdf
– local file	<code>./1641582891-sgame.pdf</code>
home page	https://www.economics.utoronto.ca/osborne/latex/index.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sgame
on MikTeX	<code>sgame</code>
on T _E XLive	<code>sgame</code>
keyword	games (process game diagrams, gamebooks, and other amusements)
language(s)	no language specified
year	without year
last access	2025-02-07

5444 `sgmlcmpt` – Support for LaTeX formulae as SGML PCDATA

Web page on CTAN	https://ctan.org/pkg/sgmlcmpt
name	<code>sgmlcmpt</code>
caption	Support for LaTeX formulae as SGML PCDATA
author	Knappen, Jörg
copyright	Jörg Knappen (1999)
license	gpl = GNU General Public License (free)
description	(no language specified) Replacement control sequences for the characters <code>></code> , <code><</code> , and <code>&</code> (as column separator) and for the command <code>\&</code> . The replacements make it possible to enter LaTeX formulae as SGML PCDATA.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jknappen

5445 *shadbox* – *Shade the background of any box*

on MikT _E X	jknappen
on T _E XLive	jknapltx
keyword	misc-support (miscellaneous support stuff)
language(s)	no language specified
year	1999
last access	2025-02-07

5445 *shadbox* – Shade the background of any box

Web page on CTAN <https://ctan.org/pkg/shadbox>

name	shadbox
caption	Shade the background of any box
author	Glazkov, Dmitry A.
license	other-nonfree = License that prevents distribution (not free)
description	(no language specified) Two packages that shade the background of any box by device-independent techniques (based on pixel shading). The two packages implement alternative pixel positioning algorithms.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/shadbox
keyword	boxing (creating boxes)
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

5446 *shade* – Shade pieces of text

Web page on CTAN <https://ctan.org/pkg/shade>

name	shade
caption	Shade pieces of text
author	Schmitt, Peter
copyright	Peter Schmitt (1993, 2011)
license	lppl1 = The LaTeX Project Public License 1 (free)

5447 *shadebox* – Shade boxes using PostScript specials

version	1
description	(no language specified) The package provides a shaded backdrop to a box of text. It uses a Metafont font (provided) which generates to appropriate shading dependent on the resolution used in the Metafont printer parameters.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/shade/README
documentation	(English) <i>Description of the algorithm</i> :: https://ctan.org/tex-archive/macros/generic/shade/description.pdf
– local file	./8490196428-description.pdf
on CTAN	https://ctan.org/tex-archive/macros/generic/shade
on MikTeX	shade
on T _E XLive	shade
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
see also	see section 5447 on page 4929: (<i>shadebox</i> – Shade boxes using PostScript specials)
language(s)	English
year	2011
last access	2025-02-07

5447 *shadebox* – Shade boxes using PostScript specials

Web page on CTAN <https://ctan.org/pkg/shadebox>

name	shadebox
caption	Shade boxes using PostScript specials
author	Šegan, Danilo
author	Brewin, Leo Christopher
license	noinfo = noinfo
version	(2002-07-25)
last changes	2002-07-25
year	2002

description	(no language specified) The file as presented may be run to produce an example of the output that may be expected: text may be enclosed in rectangular or in rounded-corner (what LaTeX calls ‘oval’) boxes, and the background of the box is shaded. The technique of using PostScript specials (thus tying use to dvips-based production) contrasts with the specially-concocted fonts used by the <i>shade</i> package.
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/shadebox.tex
on MikTeX	genmisc
keyword	boxing (creating boxes)
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
language(s)	no language specified
last access	2025-02-07

5448 *shadethm* – Theorem environments that are shaded

Web page on CTAN <https://ctan.org/pkg/shadethm>

name	Shaded theorems
caption	Theorem environments that are shaded
author	Hefferon, Jim
copyright	Jim Hefferon (1999-2020)
license	lppl = The LaTeX Project Public License (free)
version	(2020-01-08)
last changes	2020-01-08
year	2020
description	(no language specified) Extends the <code>\newtheorem</code> command. If you say <code>\newshadetheorem{theorem}{Theorem}</code> in the preamble then your regular <code>\begin{theorem} .. \end{theorem}</code> will produce a theorem statement in a shaded box. It supports all the options of <code>\newtheorem</code>, including forms <code>\newshadetheorem{..}[..]{..}</code> and <code>\newshadetheorem{..}{..}[..]</code>. Environments declared using the package require their body to remain on one page; the <i>mdframed</i> package can frame and shade theorems, and <i>its</i> environments break at the end of a page; users are generally recommended, therefore, to use <i>mdframed</i>.

In the same spirit, the author told us in January 2020: "These materials are obsolete. There are a number of more recent, more powerful packages that have capabilities that greatly extend the simple ones here. A new project should use one of those. These files only continue to be available to help people who are working with an old project."

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/shadethm/shadethm-doc.pdf
– local file	<code>./4185948801-shadethm-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/shadethm/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/shadethm
on MikTeX	shadethm
on TeXLive	shadethm
keyword	maths-theorem (typeset mathematical theorems)
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
language(s)	no language specified
last access	2025-02-07

5449 *shading* – LaTeX package for putting text on a shaded background

Web page on CTAN	https://ctan.org/pkg/shading
name	shading
caption	LaTeX package for putting text on a shaded background
author	Mulder, Art
license	noinfo = noinfo
version	1.3
description	(no language specified) Works by specifying the background with PostScript <code>\special</code> commands, suitable for use with dvips
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/shading
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
language(s)	no language specified
year	without year

last access 2025-02-07

5450 *shadow* – Shadow boxes

Web page on CTAN <https://ctan.org/pkg/shadow>

name	shadow
caption	Shadow boxes
author	Orlandini, Mauro
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Defines a command <code>\shabox</code> (analogous to <code>\fbox</code>), and supporting mechanisms.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/shadow/shadow-doc.pdf
– local file	<code>./1309925405-shadow-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/shadow
on MikTeX	shadow
on TeXLive	shadow
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
see also	see section 2117 on page 1917: (<code>fancybox</code> – Variants of <code>\fbox</code> and other games with boxes)
language(s)	no language specified
year	without year
last access	2025-02-07

5451 *shadowtext* – Produce text with a shadow behind it

Web page on CTAN <https://ctan.org/pkg/shadowtext>

name	shadowtext
caption	Produce text with a shadow behind it
author	Zwols, Yori
copyright	Yori Zwols (2010-2012)
license	lppl = The LaTeX Project Public License (free)
version	0.3

5452 *shalom* – A simple Hebrew typesetting bundle

description	(no language specified) The package introduces a command <code>\shadowtext</code> , which adds a drop shadow to the text that is given as its argument. The colour and positioning of the shadow are customisable.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/shadowtext/shadowtext.pdf
– local file	<code>./8682749739-shadowtext.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/shadowtext/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/shadowtext
on MikTeX	<code>shadowtext</code>
on TeXLive	<code>shadowtext</code>
keyword	<code>decoration</code> (highlighting typeset material, fancy frames, watermarks, etc.)
language(s)	no language specified
year	2012
last access	2025-02-07

5452 *shalom* – A simple Hebrew typesetting bundle

Web page on CTAN <https://ctan.org/pkg/shalom>

name	<code>shalom</code>
caption	A simple Hebrew typesetting bundle
author	Böttcher, Stephan
license	<code>noinfo = noinfo</code>
description	(no language specified) A package intended for simple documents with some Hebrew (using some words, an address, a short abstract, without fussing around with TeX–Xet, hebrew screen fonts or keyboard encodings).
on MikTeX	<code>shalom</code>
keyword	<code>hebrew</code> (documentation in and support for typesetting Hebrew)
language(s)	no language specified
year	without year
last access	2025-02-07

5453 shapepar – A macro to typeset paragraphs in specific shapesWeb page on CTAN <https://ctan.org/pkg/shapepar>

name	shapepar
caption	A macro to typeset paragraphs in specific shapes
author	Arseneau, Donald
copyright	Donald Arseneau (1993, 2002, 2006)
license	other-free = Free license not otherwise listed (free)
version	2.2
description	(no language specified) <code>\shapepar</code> is a macro to typeset paragraphs in a specific shape. The size is adjusted automatically so that the entire shape is filled with text. There may not be displayed maths or ‘<code>\vadjust</code>’ material (no <code>\vspace</code>) in the argument of <code>\shapepar</code>. The macros work for both LaTeX and plain TeX. For LaTeX, specify <code>\usepackage{shapepar}</code>; for Plain, <code>\input shapepar.sty</code>. <code>\shapepar</code> works in terms of user-defined shapes, though the package does provide some predefined shapes: so you can form any paragraph into the form of a heart by putting <code>\heartpar{sometext...}</code> inside your document. The tedium of creating these polygon definitions may be alleviated by using the shapepatch extension to transfig which will convert xfig output to <code>\shapepar</code> polygon form.
documentation	(no language specified) <i>Package README</i>: https://ctan.org/tex-archive/macros/latex/contrib/shapepar/README.shapepar
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/shapepar/shapepar.pdf
– local file	<code>./8789403276-shapepar.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/shapepar
on MikTeX	shapepar
on TeXLive	shapepar
keyword	text-flow (flow text round an insertion in the paragraph)
keyword	parshape (non-standard paragraph shapes)
keyword	micro-layout (paragraph shapes, margin adjustments, etc.)
language(s)	no language specified
year	2006

last access 2025-02-07

5454 *shapepatch* – Transfig patch supporting shapepar

Web page on CTAN <https://ctan.org/pkg/shapepatch>

name	shapepatch
caption	Transfig patch supporting shapepar
author	Gollwitzer, Christian
license	bsd = BSD Style License (free)
version	1.1
description	(no language specified) ShapePatch is a patch against Transfig , which adds the capability to export XFig figures to shape definitions for shapepar . Shapepar itself will form a paragraph into a specified shape, and the size of the shape is automatically adjusted so that the given paragraph completely fills the shape. ShapePatch effort: one simply draws the required shape with XFig and then convert it to a shape definition for shapepar, either by calling fig2dev manually or by choosing "Export/Shape" in XFig (if you install the additional XFig patch).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/transfig-shapepatch/shapepatch.README
on CTAN	https://ctan.org/tex-archive/graphics/transfig-shapepatch/shape-patch.3.2.4-shape-1.1.tar.gz
keyword	macro-supp (support for development of (La)TeX macros)
keyword	micro-layout (paragraph shapes, margin adjustments, etc.)
language(s)	no language specified
year	without year
last access	2026-04-10

5455 *shapes* – Draw polygons, reentrant stars, and fractions in circles with MetaPost

Web page on CTAN <https://ctan.org/pkg/shapes>

name	shapes
caption	Draw polygons, reentrant stars, and fractions in circles with MetaPost
author	Goodman, Donald P.
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)

5456 *sharedline* – Typeset shared lines in dramatic verse

version	1.1 (2015-08-01)
last changes	2015-08-01
year	2015
description	(no language specified) The shapes set of macros allows drawing regular polygons; their corresponding reentrant stars in all their variations; and fractionally filled circles (useful for visually demonstrating the nature of fractions) in MetaPost.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/shapes/shapes.pdf
– local file	./6044989322-shapes.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/shapes/README
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/shapes
on MikTeX	shapes
on TeXLive	shapes
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

5456 *sharedline* – Typeset shared lines in dramatic verse

Web page on CTAN <https://ctan.org/pkg/sharedline>

name	sharedline
caption	Typeset shared lines in dramatic verse
author	Smullyan, Jacob
copyright	Jacob Smullyan (2025)
license	lpp1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2025-06-26)
last changes	2025-06-26
year	2025

5457 *shavian* – A Shavian spelling alphabet font

description	(no language specified) This package provides a robust and flexible solution for typesetting shared lines in dramatic verse, such as in the plays of Shakespeare. It allows a single line of verse to be split across multiple speakers while maintaining perfect horizontal alignment, creating the visual effect of a single, continuous line of iambic pentameter.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sharedline/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sharedline/sharedline.pdf
– local file	<code>./8175382604-sharedline.pdf</code>
contact	<i>repository</i> : https://github.com/saggingmeniscus/sharedline
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sharedline
on T _E XLive	sharedline
keyword	verse (typeset verse, etc.)
language(s)	no language specified
last access	2026-03-15

5457 *shavian* – A Shavian spelling alphabet font

Web page on CTAN	https://ctan.org/pkg/shavian
name	shavian
caption	A Shavian spelling alphabet font
author	Stanier, Alan
license	noinfo = noinfo
version	(1995-03-24)
last changes	1995-03-24
year	1995
description	(no language specified) G B Shaw was a seasoned proponent of English spelling reform, and after his death, the Shaw trust held a competition for a "rational" English alphabet. This font won.
on CTAN	https://ctan.org/tex-archive/fonts/shavian
keyword	font (fonts themselves)
keyword	font-invented (font for an 'invented' language or script)

keyword `font-mf` (fonts distributed as Metafont source)
 language(s) no language specified
 last access 2025-02-07

5458 *shdoc* – Float environment to document the shell commands of a terminal session

Web page on CTAN <https://ctan.org/pkg/shdoc>

name *shdoc*
 caption Float environment to document the shell commands of a terminal session
 author Laube, Simon Michael
 copyright Simon M. Laube (2015-2016)
 license lpl1.3 = The LaTeX Project Public License 1.3 (free)
 version 2.1b (2016-09-04)
 last changes 2016-09-04
 year 2016
 description (no language specified) The package provides a simple, though fancy float environment to document terminal sessions — like command executions or shell operations. The look and feel of the package output imitates the look of a shell prompt.
 documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/shdoc/shdoc.pdf>
 – local file `./8837023979-shdoc.pdf`
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/shdoc/README>
 on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/shdoc>
 on MikTeX *shdoc*
 on TeXLive *shdoc*
 keyword `synt-ht` (highlight syntax of computer code, etc.)
 keyword `listing` (computer code listing)
 keyword `float` (typesetting floats)
 language(s) no language specified
 last access 2025-02-07

5459 *shellesc* – Unified shell escape interface for LaTeX

Web page on CTAN <https://ctan.org/pkg/shellesc>

name	shellesc
caption	Unified shell escape interface for LaTeX
author	The LaTeX Project Team
copyright	The LaTeX3 project (2015-2023)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0d (2023-07-08)
last changes	2023-07-08
year	2023
description	(no language specified) This package provides a cross-engine interface, <code>\ShellEscape</code>, to running system commands, traditionally made available using <code>\write18</code>. It also makes <code>\write18</code> access system commands (via <code>Lua os.exec</code>) on new LuaTeX, where <code>\write18</code> does not have this feature by default. This package is part of the latex-tools bundle in the LaTeX required distribution.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/required/tools/shellesc.pdf
– local file	<code>./6883978191-shellesc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/required/tools
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-tools.tds.zip
on MikTeX	latex-tools
on TeXLive	tools
keyword	sys-supp (os-level support facilities for TeX)
language(s)	no language specified
last access	2025-02-07

5460 *shhyph1* – Serbo-Croatian hyphenation (Latin alphabet)

Web page on CTAN <https://ctan.org/pkg/shhyph1>

name	shhyph1
caption	Serbo-Croatian hyphenation (Latin alphabet)
author	Muhamedagić, Dejan
copyright	Dejan Muhamedagić (1990, 1998)
license	nocommercial = No Commercial Use (not free)
description	(no language specified) Serbo-Croatian may be written in either Cyrillic or Latin alphabets. These patterns deal with Latin-alphabet writing.
on CTAN	https://ctan.org/tex-archive/language/hyphenation/shhyph1.tex
keyword	hyphenation (macros or tables for hyphenation)
keyword	serbian (documentation in, and support for typesetting Serbian)
language(s)	no language specified
year	1998
last access	2025-02-07

5461 *shipunov* – A collection of LaTeX packages and classes

Web page on CTAN <https://ctan.org/pkg/shipunov>

name	shipunov
caption	A collection of LaTeX packages and classes
author	Shipunov, Alexey
copyright	Alexey Shipunov (2010-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2
description	(no language specified) The bundle collects packages and classes, along with one bibliography style and examples and scripts for converting TeX files. Many of the files in the collection are designed to support field biologists and/or Russian writers, while others have wider application. The collection includes: • add2 – Save trees. Quick way to fit as many as possible into one page. Good for handouts.

- **altverse** – Typesetting verses. Straightforward typesetting, using the **xtab** package to aid layout.
- **autolist** – More lists. A means to define various sorts of list.
- **biokey** – Flexible identification key tables in LaTeX. The package provides straightforward macros to typeset sets of biological identification keys. Layout is flexible, and the macros will be useful in other disciplines.
- **biolist** – List observed species. Pretty formatting of species lists of flora and fauna.
- **boldline** – Heavier lines in tables. The package provides commands replacing `\hline` and `\cline`, as well as a table preamble element that generates heavy lines.
- **cassete** (with one ‘t’) – Print labels for audio cassettes. This is a LaTeX2e class file (the only other cassette package on CTAN is **cassette** (with two ‘t’), written for Plain TeX).
- **classif2** – Biological classification tables. The package defines an environment `classif` that simplifies the process of typesetting classification tables.
- **dline** – Double line on the left of text.
- **drocaps** – Simple dropped capitals. The package offers simple macros for dropped capitals, in a couple of forms.
- **etiketka** – Class for typesetting business-card-sized information (including business cards).
- **flower** – Typesetting lists of flower formulas.
- **isyntax** – Interactively check LaTeX file syntax.
- **numerus** – Spell numbers in Russian words.
- **punct** – Within italicized text, punctuation is still straight, this is typographically more aesthetic.
- **qqru** – Universal quotation marks, for Russian and English. It is able also to convert uniform typewriter ”quotes” into left or right typographic quotes.
- **rusnat** – Bibliography style file, now deprecated.
- **sltables** – Simplified tables for LaTeX. These macros develop the concepts of the `stables`, which are designed to offer table macros whose use is ”as simple as one might hope”. Some would claim that LaTeX’s built-in table specifications are as simple as one might hope, but this package offers many short-cuts and optimization of the mechanisms of tables.
- **starfn** – Stars as footnote marks.
- **textfrac** – Simple slanted fractions.

5462 *shlatex* – *LaTeX* compilation script for Linux (written in Bash)

documentation	(English) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/shipunov/doc/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/shipunov
on MikTeX	shipunov
on T _E XLive	shipunov
keyword	collection (a collection of packages)
language(s)	English
year	2019
last access	2025-02-07

5462 *shlatex* – *LaTeX* compilation script for Linux (written in Bash)

Web page on CTAN <https://ctan.org/pkg/shlatex>

name	shlatex
caption	LaTeX compilation script for Linux (written in Bash)
author	Hilléreau, Mael
license	gpl = GNU General Public License (free)
version	1.2b
description	(no language specified) This script permits centralization of the many program calls necessary to completely compile a LaTeX document. In particular, the multiple calls of the LaTeX command necessary in order to create a table of contents, a bibliography or an index are carried out automatically. Are also managed the calls of the programs BibTeX and makeindex as well as the vizualisation of the resulting file (in DVI, PostScript or PDF format) by calling an external program. It is possible to stress characters in documents wich use the \input and \include commands to make references to some external files, and that in a transparent way by compiling only the main source file. Available in English and French languages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/shlatex/README
on CTAN	https://ctan.org/tex-archive/support/shlatex
keyword	compilation (the document compilation process)
language(s)	no language specified
year	without year
last access	2025-02-07

5463 shobhika – An OpenType Devanāgarī font designed for scholars

Web page on CTAN <https://ctan.org/pkg/shobhika>

name shobhika

caption An OpenType Devanāgarī font designed for scholars

author Kolachana, Aditya

license ofl = The SIL Open Font License (free)

version 1.05

description (no language specified) This package provides a free, open source, Unicode compliant, OpenType font with support for Devanāgarī, Latin, and Cyrillic scripts. It is available in two weights—regular and bold. The font is designed with over 1600 Devanāgarī glyphs, including support for over 1100 conjunct consonants, as well as vedic accents.

The Latin component of the font not only supports a wide range of characters required for Roman transliteration of Sanskrit, but also provides a subset of regularly used mathematical symbols for scholars working with scientific and technical documents.

The project has been launched under the auspices of the Science and Heritage Initiative (SandHI) at [IIT Bombay](#), and builds upon the following two fonts for its Devanāgarī and Latin components respectively: (i) [Yashomudra](#) by [Rājya Marāṭhī Vikās Saṁsthā](#), and (ii) [PT Serif](#) by [ParaType](#). We would like to thank both these organisations for releasing their fonts under the SIL Open Font Licence, which has enabled us to create Shobhika.

documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/fonts/shobhika/README.md>

documentation (no language specified) *Font samples*: <https://ctan.org/tex-archive/fonts/shobhika/sample/shobhika.pdf>

– local file ./8101073015-shobhika.pdf

contact *bugs*: <https://github.com/Sandhi-IITBombay/Shobhika/issues>

contact *repository*: <https://github.com/Sandhi-IITBombay/Shobhika>

on CTAN <https://ctan.org/tex-archive/fonts/shobhika>

on MikTeX shobhika

on T_EXLive shobhika

keyword font-indic (fonts for languages of the Indian subcontinent)

keyword font-otf (font in OpenType format)

keyword font (fonts themselves)

keyword	font-multilingual (font with adaptations to several languages)
keyword	font-cyrillic (fonts for Cyrillic and related scripts)
language(s)	no language specified
year	without year
last access	2025-02-07

5464 *short-math-guide* – Guide to using *amsmath* and related packages to typeset mathematical notation with LaTeX

Web page on CTAN <https://ctan.org/pkg/short-math-guide>

name	short-math-guide
caption	Guide to using <i>amsmath</i> and related packages to typeset mathematical notation with LaTeX
author	The American Mathematical Society
copyright	American Mathematical Society (1995-2017)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.0 (2017-12-22)
last changes	2017-12-22
year	2017
description	(no language specified) The Short Math Guide is intended to be a concise introduction to the use of the facilities provided by <i>amsmath</i> and various other LaTeX packages for typesetting mathematical notation. Originally created by Michael Downes of the American Mathematical Society based only on <i>amsmath</i>, it has been brought up to date with references to related packages and other useful information.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/info/short-math-guide/short-math-guide.pdf
– local file	./7520404301-short-math-guide.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/short-math-guide/README
on CTAN	https://ctan.org/tex-archive/info/short-math-guide
on MikTeX	short-math-guide
on TeXLive	short-math-guide
keyword	maths (support for typesetting mathematics)

keyword	documentation (‘stand-alone’ documentation)
keyword	maths-doc (documentation of typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

5465 `shortcuttool` – Enables shortcut file import to the input tool *Shortcut*

Web page on CTAN <https://ctan.org/pkg/shortcuttool>

name	<code>shortcuttool</code>
caption	Enables shortcut file import to the input tool <i>Shortcut</i>
author	Mehl, Albrecht
license	other-free = Free license not otherwise listed (free)
description	(no language specified) Typing LaTeX commands can be facilitated by the Windows input tool <i>Shortcut</i> . The creation of a shortcut base just with the input window of <i>Shortcut</i> is cumbersome. Here is a tool for the import of shortcut files in plain text, together with a shortcut file containing more than 140 shortcuts.
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/support/shortcuttool/README.txt
documentation	<i>Package documentation (English)</i> : https://ctan.org/tex-archive/support/shortcuttool/Shortcuten.pdf
– local file	<code>./4280003273-Shortcuten.pdf</code>
documentation	<i>Package documentation (German)</i> : https://ctan.org/tex-archive/support/shortcuttool/Shortcutde.pdf
– local file	<code>./1662287071-Shortcutde.pdf</code>
on CTAN	https://ctan.org/tex-archive/support/shortcuttool
keyword	<code>shortcut</code> (shortcuts when typing)
language(s)	German; English
year	without year
last access	2025-02-07

5466 shortlst – Compact lists by running several items per line

Web page on CTAN <https://ctan.org/pkg/shortlst>

name	shortlst
caption	Compact lists by running several items per line
author	Hansen, Mogens Lemvig
copyright	Mogens Lemvig Hansen (1998)
license	nosell = Do Not Sell Except by Arrangement (not free)
version	1.1
description	(no language specified) Provides four environments for typesetting lists of short items which may be laid out horizontally to save space.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/shortlst/shortlst.pdf
– local file	./8105675575-shortlst.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/shortlst
keyword	list-enum (list: items enumerated)
keyword	list-bull (list: items bulleted)
keyword	list (list: general)
see also	see section 4488 on page 4061: (paralist – Enumerate and itemize within paragraphs)
see also	see section 4110 on page 3719: (multenum – Multi-column enumerated lists)
language(s)	no language specified
year	1998
last access	2025-02-07

5467 shortmathj – Automatically shortify titles of mathematical journals

Web page on CTAN <https://ctan.org/pkg/shortmathj>

name	shortmathj
caption	Automatically shortify titles of mathematical journals
author	Avdeev, Nikolai
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.5.0 (2020-03-18)
last changes	2020-03-18
year	2020
description	(no language specified) This small dummy package just contains a simple list of full and short journal names aswritten in AMS standard: https://mathscinet.ams.org/msnhtml/serials.pdf
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/shortmathj/shortmathj-biblatex-mwe.pdf
– local file	<code>./2362028438-shortmathj-biblatex-mwe.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/shortmathj/README.md
contact	<i>bugs</i> : https://gitlab.com/Nickkolok/latex-shortmathj/-/issues
contact	<i>repository</i> : https://gitlab.com/Nickkolok/latex-shortmathj
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/shortmathj
on MikTeX	shortmathj
on TeXLive	shortmathj
keyword	biblatex (BibLaTeX bibliography support)
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
last access	2025-02-07

5468 shorttoc – Table of contents with different depths

Web page on CTAN <https://ctan.org/pkg/shorttoc>

name	shorttoc
caption	Table of contents with different depths
author	Drucbert, Jean-Pierre
license	lppl = The LaTeX Project Public License (free)
version	1.3
description	(no language specified) A package to create another table of contents with a different depth, useful in large documents where a detailed table of contents should be accompanied by a shorter one, giving only a general overview of the main topics in the document.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/shorttoc/shorttoc.pdf
– local file	./7936705229-shorttoc.pdf
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/shorttoc/00readme
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/shorttoc
on MikTeX	shorttoc
on TeXLive	shorttoc
keyword	toc-etc (deal with Tables of Contents, and of other such things)
language(s)	no language specified
year	without year
last access	2025-02-07

5469 shortvrb – Abbreviated verbatim commands

Web page on CTAN <https://ctan.org/pkg/shortvrb>

name	shortvrb
caption	Abbreviated verbatim commands
author	The LaTeX Project Team
copyright	The LaTeX3 Project et al. (1993-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)

5470 `show-pdf-tags` – Extract PDF tags from tagged PDF files

version	3.0q (2024-10-23)
last changes	2024-10-23
year	2024
description	(no language specified) The package defines a command <code>\MakeShortVerb</code> that makes a single character active, expanding to give the effect of a <code>\verb</code> command. Thus, after <code>\MakeShortVerb{\ }</code> , the text <code> stuff </code> has the same effect as <code>\verb stuff </code> . The package is part of the LaTeX distribution.
on CTAN	https://ctan.org/tex-archive/macros/latex/base
on MikTeX	ltxbase
on TeXLive	latex
keyword	verbatim (verbatim typesetting, etc.)
language(s)	no language specified
last access	2025-02-07

5470 `show-pdf-tags` – Extract PDF tags from tagged PDF files

Web page on CTAN <https://ctan.org/pkg/show-pdf-tags>

name	show-pdf-tags
caption	Extract PDF tags from tagged PDF files
author	Krüger, Marcel
copyright	The LaTeX Project (2024-2025)
license	mit = MIT License (free)
version	1.1
description	(no language specified) This package provides a tool to make the structure of tagged PDF files visible. It parses a PDF file and extracts most tagging related information to turn it into either a visual tree structure or an XML document representing the tags. The package is released together with a collection of schemas which can be used to check that the resulting XML structure follows specified rules.
documentation	(no language specified) <i>Description of the output format:</i> https://ctan.org/tex-archive/support/show-pdf-tags/show-pdf-tags_format.pdf
– local file	<code>./5159635897-show-pdf-tags_format.pdf</code>

5471 *show2e* – Variants of `\show` for LaTeX2e

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/show-pdf-tags/README.md
contact	<i>support</i> : https://github.com/latex3/pdf_structure/issues
contact	<i>repository</i> : https://github.com/latex3/pdf_structure
on CTAN	https://ctan.org/tex-archive/support/show-pdf-tags
on T _E XLive	show-pdf-tags
keyword	pdf-feat (access PDF features)
keyword	pdf-view (view, or control viewing of, PDF)
language(s)	no language specified
year	2025
last access	2025-06-12

5471 *show2e* – Variants of `\show` for LaTeX2e

Web page on CTAN	https://ctan.org/pkg/show2e
name	show2e
caption	Variants of <code>\show</code> for LaTeX2e
author	Pégourié-Gonnard, Manuel
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) This small package aims at making debugging (especially in an interactive way) easier, by providing <code>\show</code> variants suited to LaTeX2e commands (whether with optional arguments or robust) and environments. The variant commands also display the internal macros used by such commands, if any. The <code>\showcs</code> variant helps with macros with exotic names.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/show2e/README
documentation	<i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/show2e/show2e.pdf
– local file	<code>./8699069028-show2e.pdf</code>
documentation	<i>Package documentation (French)</i> : https://ctan.org/tex-archive/macros/latex/contrib/show2e/show2e-fr.pdf
– local file	<code>./7357256737-show2e-fr.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/show2e

5472 *showcharinbox* – Show characters inside a box

on MikTeX	show2e
on T _E XLive	show2e
keyword	debug-supp (support for package or document debugging)
language(s)	English; French
year	without year
last access	2025-02-07

5472 *showcharinbox* – Show characters inside a box

Web page on CTAN <https://ctan.org/pkg/showcharinbox>

name	showcharinbox
caption	Show characters inside a box
author	bidi-tex GitHub Organisation
author	Khalighi, Vafa
copyright	Persian TeX Group (2012)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1
description	(no language specified) The package typesets a character inside a box, showing where reference point is, and displaying width, height, and depth information of the character. The output is like that on page 63 of "The TeXBook" or page 101 of "The METAFONTbook". The package itself is motivated by Knuth's macros in the file <code>manmac.tex</code>. Users should note that using a small size for the character inside the box does not make any sense: use a large size.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/showcharinbox/showcharinbox.pdf
– local file	<code>./8785553919-showcharinbox.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/showcharinbox/README
contact	<i>bugs</i> : https://github.com/bidi-tex/showcharinbox/issues
contact	<i>repository</i> : https://github.com/bidi-tex/showcharinbox
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/showcharinbox

5473 *showdim* – Variants on printing dimensions

on MikTeX	showcharinbox
on T _E XLive	showcharinbox
keyword	font-devel (support for font development, testing and characterisation)
language(s)	no language specified
year	2012
last access	2025-02-07

5473 *showdim* – Variants on printing dimensions

Web page on CTAN <https://ctan.org/pkg/showdim>

name	showdim
caption	Variants on printing dimensions
author	Downes, Michael J.
copyright	Michael John Downes (1999)
copyright	TeX Users Group (2012)
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) A package for LaTeX providing a number of commands for printing the value of a TeX dimension. For example, <code>\tenthpt{\baselineskip}</code> yields the current value of <code>\baselineskip</code> rounded to the nearest tenth of a point.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/showdim/showdim.sty
on MikTeX	showdim
on T _E XLive	showdim
keyword	debug-supp (support for package or document debugging)
language(s)	no language specified
year	2012
last access	2025-02-07

5474 *showexpl* – Typesetting LaTeX source code

Web page on CTAN <https://ctan.org/pkg/showexpl>

name	showexpl
caption	Typesetting LaTeX source code
author	Niepraschk, Rolf
copyright	Rolf Niepraschk (2004-2021)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	0.3s
description	(no language specified) This package provides a way to typeset LaTeX source code and the related result in the same document.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/showexpl/doc/showexpl.pdf
– local file	./1265886197-showexpl.pdf
documentation	(no language specified) <i>README file</i> : https://ctan.org/tex-archive/macros/latex/contrib/showexpl/README.md
documentation	(no language specified) <i>Package example</i> : https://ctan.org/tex-archive/macros/latex/contrib/showexpl/doc/showexpl-test.pdf
– local file	./3776385257-showexpl-test.pdf
contact	<i>bugs</i> : https://github.com/rolfn/showexpl/issues
contact	<i>repository</i> : https://github.com/rolfn/showexpl
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/showexpl
on MikTeX	showexpl
on TeXLive	showexpl
keyword	listing (computer code listing)
keyword	macro-demo (print (La)TeX code verbatim alongside the rendered result)
language(s)	no language specified
year	2021
last access	2025-02-07

5475 *showframe* – Draw a page-layout diagram

Web page on CTAN <https://ctan.org/pkg/showframe>

name	showframe
caption	Draw a page-layout diagram
author	Niepraschk, Rolf
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1j (2020-10-14)
last changes	2020-10-14
year	2020
description	(no language specified) The package shows a (simple, uncluttered) diagram of the page layout; similar (but more complex-looking) diagrams may be obtained from the layouts and geometry packages. The package is available as part of the eso-pic distribution.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/eso-pic/showframe.sty
on MikTeX	eso-pic
on T _E XLive	eso-pic
keyword	layout (layout of objects on the page)
language(s)	no language specified
last access	2025-02-07

5476 *showhyphenation* – Marking of hyphenation points

Web page on CTAN <https://ctan.org/pkg/showhyphenation>

name	showhyphenation
caption	Marking of hyphenation points
author	Kelkel, Thomas
copyright	Thomas Kelkel (2022-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3 (2023-07-08)
last changes	2023-07-08
year	2023

description	(no language specified) The package shows the hyphenation points in the document by either inserting small triangles below the baseline or by typesetting explicit hyphens. The markers are correctly placed even within ligatures and their size adjusts to the font size. By option the markers can be placed behind or in front of the glyphs. The package requires LuaLaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/showhyphenation/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/showhyphenation/showhyphenation.pdf
– local file	<code>./8998760840-showhyphenation.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/showhyphenation
on MikTeX	<code>showhyphenation</code>
on TeXLive	<code>showhyphenation</code>
keyword	<code>hyphenation</code> (macros or tables for hyphenation)
keyword	<code>luatex</code> (LuaTeX and packages that require it)
keyword	<code>debug-supp</code> (support for package or document debugging)
language(s)	no language specified
last access	2025-02-07

5477 *showhyphens* – Show all possible hyphenations in LuaLaTeX

Web page on CTAN <https://ctan.org/pkg/showhyphens>

name	<code>showhyphens</code>
caption	Show all possible hyphenations in LuaLaTeX
author	Gundlach, Patrick
copyright	Patrick Gundlach (2011-2016)
license	mit = MIT License (free)
version	0.5c
description	(no language specified) With this package, LuaLaTeX will indicate all possible hyphenations in the printed output.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/luatex/latex/showhyphens/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/macros/luatex/latex/showhyphens/showhyphens-doc.pdf
– local file	<code>./4144268764-showhyphens-doc.pdf</code>
documentation	(no language specified) <i>Sample output</i> : https://ctan.org/tex-archive/obsolete/macros/luatex/latex/showhyphens/showhyphens-sample.pdf
– local file	<code>./6576560621-showhyphens-sample.pdf</code>
on CTAN	https://ctan.org/tex-archive/obsolete/macros/luatex/latex/showhyphens
on MikTeX	<code>showhyphens</code>
keyword	<code>hyphenation</code> (macros or tables for hyphenation)
keyword	<code>obsolete</code> (package declared obsolete)
keyword	<code>luatex</code> (LuaTeX and packages that require it)
see also	see section 5476 on page 4954: (<code>showhyphenation</code> – Marking of hyphenation points)
language(s)	no language specified
year	2016
last access	2025-02-07

5478 *showkerning* – Showing kerns in a document

Web page on CTAN <https://ctan.org/pkg/showkerning>

name	<code>showkerning</code>
caption	Showing kerns in a document
author	Kelkel, Thomas
copyright	Thomas Kelkel (2022-2023)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3 (2023-07-08)
last changes	2023-07-08
year	2023

description	(no language specified) The package displays all kerning values in the form of colored bars directly at the respective position in the document. Positive values are displayed in green, negative values in red. The width of the bars corresponds exactly to the respective kerning value. By option the bars can be placed behind or in front of the glyphs. The package requires LuaLaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/showkerning/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/showkerning/showkerning.pdf
– local file	./7799925805-showkerning.pdf
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/showkerning
on MikTeX	showkerning
on TeXLive	showkerning
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
last access	2025-02-07

5479 *showkeys* – Show label, ref, cite and bib keys

Web page on CTAN	https://ctan.org/pkg/showkeys
name	showkeys
caption	Show label, ref, cite and bib keys
author	Carlisle, David
copyright	LaTeX3 Project et al. (1993-2023)
copyright	David Carlisle, LaTeX3 Project (2006-2022)
copyright	David Carlisle (1992-1997)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.21 (2024-05-23)
last changes	2024-05-23
year	2024

description	(no language specified) The <code>showkeys</code> package modifies the <code>\label</code> , <code>\ref</code> , <code>\pageref</code> , <code>\cite</code> and <code>\bibitem</code> commands so that the ‘internal’ key is printed, without affecting the appearance of the rest of the text, so far as is possible (the keys typically appear in the margin). The package is part of the latex-tools bundle in the LaTeX required distribution.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/required/tools/showkeys.pdf
– local file	<code>./8139976188-showkeys.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/required/tools
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-tools.tds.zip
on MikTeX	<code>latex-tools</code>
on TeXLive	<code>tools</code>
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
keyword	<code>bibtex-supp</code> (BibTeX citation support)
keyword	<code>label-ref</code> (label and reference systems)
language(s)	no language specified
last access	2025-02-07

5480 `showlabels` – Show label commands in the margin

Web page on CTAN <https://ctan.org/pkg/showlabels>

name	<code>showlabels</code>
caption	Show label commands in the margin
author	Gray, Norman
copyright	Norman Gray (1999, 2001-2009, 2013-2022)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.9.2
description	(no language specified) This package helps you keep track of all the labels you define, by putting the name of new labels into the margin whenever the <code>\label</code> command is used. The package allows you to do the same thing for other commands. The only one for which this is obviously useful is the <code>\cite</code> command, but it’s easy to do it for others, such as the <code>\ref</code> or <code>\begin</code> commands.

5481 *showtags* – Print the tags of bibliography entries

documentation	(no language specified) <i>Package documentation (PDF)</i> : https://ctan.org/tex-archive/macros/latex/contrib/showlabels/showlabels.pdf
– local file	<code>./2241120002-showlabels.pdf</code>
documentation	(no language specified) <i>Package documentation (HTML)</i> : https://ctan.org/tex-archive/macros/latex/contrib/showlabels/showlabels.html
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/showlabels/README
home page	https://purl.org/nxg/dist/showlabels
contact	<i>bugs</i> : https://todo.sr.ht/~nxg/showlabels
contact	<i>repository</i> : https://heptapod.host/nxg/showlabels
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/showlabels
on MikTeX	showlabels
on T _E XLive	showlabels
keyword	macro-supp (support for development of (La)TeX macros)
keyword	label-ref (label and reference systems)
keyword	bibtex-supp (BibTeX citation support)
language(s)	no language specified
year	2022
last access	2025-02-07

5481 *showtags* – Print the tags of bibliography entries

Web page on CTAN <https://ctan.org/pkg/showtags>

name	showtags
caption	Print the tags of bibliography entries
author	Beebe, Nelson H. F.
license	pd = Public Domain Software (free)
version	1.05
description	(no language specified) Prints the tag right-aligned on each line of the bibliography.

5482 *shsulet* – A letter document style for use at SHSU

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/showtags/showtags-doc.pdf
– local file	<code>./3158602458-showtags-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/showtags
on MikTeX	showtags
on TeXLive	showtags
keyword	bibtex-supp (BibTeX citation support)
language(s)	no language specified
year	without year
last access	2025-02-07

5482 *shsulet* – A letter document style for use at SHSU

Web page on CTAN	https://ctan.org/pkg/shsulet
name	shsulet
caption	A letter document style for use at SHSU
author	Greenwade, George
copyright	George D. Greenwade (1989)
license	pd = Public Domain Software (free)
version	(1989-08-14)
last changes	1989-08-14
year	1989
description	(no language specified) An document style (based on article) to typeset letters in a form appropriate for use at Sam Houston State University.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/shsulet.sty
keyword	letter (typesetting letters, envelopes, faxes, etc)
language(s)	no language specified
last access	2025-02-07

5483 shtthesis – An unofficial LaTeX thesis template for ShanghaiTech UniversityWeb page on CTAN <https://ctan.org/pkg/shtthesis>

name	ShtThesis
caption	An unofficial LaTeX thesis template for ShanghaiTech University
author	Li, Rundong
copyright	Li Rundong (2021-2022)
license	gpl3 = GNU General Public License, version 3 (free)
version	0.3.3 (2022-03-03)
last changes	2022-03-03
year	2022
description	(no language specified) This package, forked from ucasthesis , is an <i>unofficial</i> LaTeX thesis template for ShanghaiTech University and satisfies all format requirements of the school. The user just needs to set <code>\documentclass{shtthesis}</code> and to set up mandatory information via <code>\shtsetup</code> , then his or her thesis document will be typeset properly.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/shtthesis/README.md
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/shtthesis/shtthesis-user-guide.pdf
– local file	<code>./3926931102-shtthesis-user-guide.pdf</code>
contact	<i>announce</i> : https://github.com/lirundong/shtthesis/releases
contact	<i>bugs</i> : https://github.com/lirundong/shtthesis/issues
contact	<i>repository</i> : https://github.com/lirundong/shtthesis
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/shtthesis
on MikTeX	shtthesis
on T _E XLive	shtthesis
keyword	class (alternative LaTeX class(es))
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	chinese (support for typesetting Chinese languages)
language(s)	Chinese
last access	2025-02-07

5484 shuffle – A symbol for the shuffle product

Web page on CTAN <https://ctan.org/pkg/shuffle>

name	shuffle
caption	A symbol for the shuffle product
author	Lejay, Antoine
author	Gilbey, Julian
license	pd = Public Domain Software (free)
version	1.0
description	(no language specified) The bundle provides a LaTeX package and a font (as Metafont source) for the shuffle product which is used in some part of mathematics and physics.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/shuffle/shuffle.pdf
– local file	./6922296480-shuffle.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/shuffle/README
on CTAN	https://ctan.org/tex-archive/fonts/shuffle
on MikTeX	shuffle
on TeXLive	shuffle
keyword	physics (support for typesetting physics documents)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	without year
last access	2025-02-07

5485 si – A comprehensive (SI) units packageWeb page on CTAN <https://ctan.org/pkg/si>

name	si
caption	A comprehensive (SI) units package
author	Wright, Joseph
license	lppl = The LaTeX Project Public License (free)
version	0.6a
description	(no language specified) This is a complete re-implementation of units support for LaTeX, building on the existing SIunits and sistyle packages. The package incorporates ideas from the unitsdef and numprint packages, and aims to provide a consistent and logical interface. This is an earlier version of the package now known as siunitx ; that package should be used for new applications.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/latex/exptl/si/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/macros/latex/exptl/si/si.pdf
– local file	./5963379457-si.pdf
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/exptl/si
keyword	obsolete (package declared obsolete)
keyword	units (uniform typesetting of units)
keyword	scientific-docs (support for writers of scientific documents)
language(s)	no language specified
year	without year
last access	2025-02-07

5486 *siam* – Styles for SIAM publications

Web page on CTAN <https://ctan.org/pkg/siam>

name	siam
caption	Styles for SIAM publications
author	Gray, Corey
author	Cipolone, Stephen
license	nosell = Do Not Sell Except by Arrangement (not free)
version	1.1
description	(no language specified) Packages for plain TeX and both LaTeX and old LaTeX 2.09, with instructions for submissions. The bundle includes usage templates for all three packages.
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/siam/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/siam
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
year	without year
last access	2025-02-07

5487 *side* – Rotated floats for LaTeX 2.09

Web page on CTAN <https://ctan.org/pkg/side>

name	side
caption	Rotated floats for LaTeX 2.09
author	Knight, Fred
author	Ryba, M. F.
license	noinfo = noinfo
version	(1991-12-03)
last changes	1991-12-03
year	1991

description	(no language specified) The package provides tools for creating floats with rotated (landscape) bodies, using the rotate package. The package is restricted to PostScript output. The package is superseded by the LaTeX 2e rotating package .
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/side.sty
keyword	latex209 (package only known to work with LaTeX 2.09)
keyword	rotation (rotate typeset objects on their page)
keyword	float (typesetting floats)
language(s)	no language specified
last access	2025-02-11

5488 sidecap – Typeset captions sideways

Web page on CTAN <https://ctan.org/pkg/sidecap>

name	sidecap
caption	Typeset captions sideways
author	Gäßlein, Hubert
author	Niepraschk, Rolf
copyright	Rolf Niepraschk and Hubert Gaesslein (1997-2016)
copyright	Rolf Niepraschk (2016-2023)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.7a (2023-01-24)
last changes	2023-01-24
year	2023
description	(no language specified) Defines environments called <code>SCfigure</code> and <code>SCtable</code> (analogous to <code>figure</code> and <code>table</code>) to typeset captions sideways. Options include <code>outercaption</code> , <code>innercaption</code> , <code>leftcaption</code> and <code>rightcaption</code> .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sidecap/sidecap.pdf
– local file	<code>./7092114458-sidecap.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sidecap/README.md
contact	<i>bugs</i> : https://github.com/rolfn/sidecap/issues

contact	repository: https://github.com/rolfn/sidecap
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sidecap
on MikTeX	sidecap
on TeXLive	sidecap
keyword	caption (typesetting captions)
keyword	rotation (rotate typeset objects on their page)
language(s)	no language specified
last access	2025-02-07

5489 sidenotes – Typeset notes containing rich content, in the margin

Web page on CTAN	https://ctan.org/pkg/sidenotes
name	sidenotes
caption	Typeset notes containing rich content, in the margin
author	Thomas, Andy
copyright	Andy Thomas (2011-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.20 (2024-09-12)
last changes	2024-09-12
year	2024
description	(no language specified) The package allows typesetting of texts with notes, figures, citations, captions and tables in the margin. This is common (for example) in science text books.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sidenotes/sidenotes.pdf
– local file	./4860043987-sidenotes.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sidenotes/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sidenotes
on MikTeX	sidenotes
on TeXLive	sidenotes
keyword	marginal (marginal notes, etc.)

see also	see section 2338 on page 2118: (<code>footmisc</code> – A range of footnote options)
language(s)	no language specified
last access	2025-02-07

5490 ***sidenotesplus* – Place referenced notes, alerts, figures and tables into the document margin**

Web page on CTAN <https://ctan.org/pkg/sidenotesplus>

name	<code>sidenotesplus</code>
caption	Place referenced notes, alerts, figures and tables into the document margin
author	Vrba, Anton
copyright	Anton Vrba (2022-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.05 (2025-02-18)
last changes	2025-02-18
year	2025
description	(no language specified) Sidenotesplus is a comprehensive package for placing labeled or referenced notes, temporary alerts, bibliography references, figures and tables into the margin. Marginals can be either floated or at fixed positions relative to the text. Twoside symmetry is preserved. For BibLaTeX users, macros for side references are provided. Three margin styles are provided. Two-page symmetric layouts either as (i) Ragged outer with note reverences in the margin separator or (ii) justified with last line ragged outer. And (iii) a classic look, justified with last line ragged right and note reference to the left of the note, but two-page symmetry is lost. The command <code>\sidenote</code> mimics the <code>\footnote</code> command and provides labelled (numbers, alphabetic, roman) references. However, un-numbered and custom symbols can also be specified. Temporary sidealerts are rendered only if the package option <code>alerton</code> is specified. Alerts are useful as to do reminders during document development. Furthermore, captions for figures and tables can also be placed into margin. Also, full width environments for figures, tables and text are provided. The text environment can be partially widened, suitable if that extra space for an equation is required.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sidenotesplus/README.txt

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/sidenotesplus/sidenotesplus.pdf
– local file	./8083497875-sidenotesplus.pdf
contact	<i>repository:</i> https://github.com/anton-vrba/sidenotesplus
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sidenotesplus
on MikTeX	sidenotesplus
on TeXLive	sidenotesplus
keyword	marginal (marginal notes, etc.)
language(s)	no language specified
last access	2025-02-25

5491 *sides* – A LaTeX class for typesetting stage plays

Web page on CTAN	https://ctan.org/pkg/sides
name	sides
caption	A LaTeX class for typesetting stage plays
author	Mui, Wing L
copyright	Wing L. Mui (2005)
license	gpl = GNU General Public License (free)
description	(no language specified) This is a LaTeX class for typesetting stage plays, based on the <i>plari</i> class written by Antti-Juhani Kaijanaho in 1998. It has been updated and several formatting changes have been made to it—most noticeably there are no longer orphans.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/sides/README
documentation	(no language specified) <i>A (distressing) sample play:</i> https://ctan.org/tex-archive/macros/latex/contrib/sides/sides-sample.pdf
– local file	./1388999946-sides-sample.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sides
on MikTeX	sides
on TeXLive	sides
keyword	drama-script (typeset scripts for plays, etc.)

see also	see section 1692 on page 1533: (dramatist – Typeset dramas, both in verse and in prose)
language(s)	no language specified
year	2005
last access	2025-02-07

5492 *siggraph* – *SIGGRAPH conference class*

Web page on CTAN <https://ctan.org/pkg/siggraph>

name	siggraph
caption	SIGGRAPH conference class
author	Kartch, Daniel
copyright	Daniel Kartch (1996)
license	other-nonfree = License that prevents distribution (not free)
version	1.1.1
description	(no language specified) Document class for formatting papers according to the specifications for submission to the annual ACM SIGGRAPH conference.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/siggraph/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/siggraph
keyword	journalpub (typesetting journals, etc)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
year	1996
last access	2025-02-07

5493 signchart – Create beautifully typeset sign charts

Web page on CTAN <https://ctan.org/pkg/signchart>

name	signchart
caption	Create beautifully typeset sign charts
author	Mottaz, Anthony
copyright	Anthony Mottaz (2016)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.01 (2016-02-12)
last changes	2016-02-12
year	2016
description	(no language specified) The package allows users to easily typeset beautiful looking sign charts directly into their (La)TeX document.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/signchart/signchart.pdf
– local file	<code>./4029944990-signchart.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/signchart/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/signchart
on MikTeX	signchart
on T _E XLive	signchart
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

5494 *sikumuna* – Lyx template for Hebrew article formatWeb page on CTAN <https://ctan.org/pkg/sikumuna>

name	Sikumuna
caption	Lyx template for Hebrew article format
author	Rutenberg, Guy
license	gpl = GNU General Public License (free)
version	1.1
description	(no language specified) The template applies to the article-hebrew form used in Sikumuna.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/lyx/sikumuna
keyword	hebrew (documentation in and support for typesetting Hebrew)
language(s)	no language specified
year	without year
last access	2025-02-07

5495 *silence* – Selective filtering of error messages and warningsWeb page on CTAN <https://ctan.org/pkg/silence>

name	silence
caption	Selective filtering of error messages and warnings
author	Isambert, Paul
author	Pock, Michael
license	lppl = The LaTeX Project Public License (free)
version	1.5b
description	(no language specified) The package allows the user to filter out unwanted warnings and error messages issued by LaTeX, packages and classes, so they won't pop out when there's nothing one can do about them. Filtering goes from the very broad ("avoid all messages by such and such") to the fine-grained ("avoid messages that begin with..."). Messages may be saved to an external file for later reference.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/silence/README

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/silence/silence-doc.pdf
– local file	./3267570090-silence-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/silence
on MikTeX	silence
on TeXLive	silence
keyword	compilation (the document compilation process)
language(s)	no language specified
year	without year
last access	2025-02-07

5496 *sillypage* – John Cleese’s Silly Walk as page numbering style

Web page on CTAN	https://ctan.org/pkg/sillypage
name	sillypage
caption	John Cleese’s Silly Walk as page numbering style
author	Cereda, Paulo Roberto Massa
copyright	Phelype Oleinik, Paulo Cereda, samcarter, and Ulrike Fischer (2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
version	1.7 (2023-07-23)
last changes	2023-07-23
year	2023
description	(no language specified) This simple LaTeX package provides John Cleese’s iconic silly walk routine as a page numbering style. Other counters, as well as integers, can be typeset in this ”silly” style, too.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sillypage/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sillypage/sillypage.pdf
– local file	./8230191599-sillypage.pdf

documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/sillypage/sillypage-example.pdf
– local file	<code>./8789734062-sillypage-example.pdf</code>
contact	<i>bugs:</i> https://github.com/cereda/sillypage/issues
contact	<i>repository:</i> https://github.com/cereda/sillypage
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sillypage
on MikTeX	sillypage
on T _E XLive	sillypage
keyword	page-nos (control sequence and typesetting of page numbers)
keyword	numbers (formatting numbers, etc)
keyword	amusements (jokes, distractions, tongue-in-cheek packages, and other entertainment material)
language(s)	no language specified
last access	2025-02-07

5497 *sim-os-menus* – Insert ‘terminal’ or ‘context menu’ or ‘viewers’ like in an OS

Web page on CTAN <https://ctan.org/pkg/sim-os-menus>

name	<code>sim-os-menus</code>
caption	Insert ‘terminal’ or ‘context menu’ or ‘viewers’ like in an OS
author	Pierquet, Cédric
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.6 (2025-05-05)
last changes	2025-05-05
year	2025
description	(no language specified) This is a package to present, like in an OS: • a <i>fake</i> terminal (with <code>tcolorbox</code>); • a <i>fake</i> context menu with sub-menus (with <code>TikZ</code>); • a <i>fake</i> viewer (with <code>tcolorbox</code>).

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sim-os-menus/doc/sim-os-menus-doc.pdf
– local file	<code>./4603770880-sim-os-menus-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sim-os-menus/README.md
home page	https://forge.apps.education.fr/pierquetcedric/packages-latex
contact	<i>repository</i> : https://forge.apps.education.fr/pierquetcedric/packages-latex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sim-os-menus
on MikTeX	<code>sim-os-menus</code>
on TeXLive	<code>sim-os-menus</code>
keyword	<code>presentation</code> (slides, beamers, handouts, etc.)
keyword	<code>boxing</code> (creating boxes)
keyword	<code>comp-sci</code> (typeset computer-science related material)
language(s)	no language specified
last access	2025-05-27

5498 *simple-resume-cv* – Template for a simple resume or curriculum vitae (CV), in XeLaTeX

Web page on CTAN	https://ctan.org/pkg/simple-resume-cv
name	<code>simple-resume-cv</code>
caption	Template for a simple resume or curriculum vitae (CV), in XeLaTeX
author	Scrivena, Zach
license	pd = Public Domain Software (free)
version	(2016-12-25)
last changes	2016-12-25
year	2016
description	(no language specified) Template for a simple resume or curriculum vitae (CV), in XeLaTeX. Simple template that can be further customized or extended, with numerous examples.

documentation	(no language specified) <i>Further Information:</i> https://github.com/zachscrivena/simple-resume-cv
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/xetex/latex/simple-resume-cv/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/xetex/latex/simple-resume-cv/CV.pdf
– local file	./9626064143-CV.pdf
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/simple-resume-cv
on MikTeX	simple-resume-cv
on TeXLive	simple-resume-cv
keyword	class (alternative LaTeX class(es))
keyword	cv (curriculum vitae/Resumé)
language(s)	no language specified
last access	2025-02-07

5499 *simple-thesis-dissertation* – Template for a simple thesis or dissertation (Ph.D. or master’s degree) or technical report, in XeLaTeX

Web page on CTAN	https://ctan.org/pkg/simple-thesis-dissertation
name	simple-thesis-dissertation
caption	Template for a simple thesis or dissertation (Ph.D. or master’s degree) or technical report, in XeLaTeX
author	Scrivena, Zach
license	pd = Public Domain Software (free)
version	(2016-12-25)
last changes	2016-12-25
year	2016
description	(no language specified) Template for a simple thesis or dissertation (Ph.D. or master’s degree) or technical report, in XeLaTeX. Simple template that can be further customized or extended, with numerous examples. Consistent style for figures, tables, mathematical theorems, definitions, lemmas, etc.
documentation	(no language specified) <i>Further Information:</i> https://github.com/zachscrivena/simple-thesis-dissertation

5500 *simplebnf* – A simple package to format Backus-Naur form (BNF)

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/xetex/latex/simple-thesis-dissertation/Thesis.pdf
– local file	<code>./1927609168-Thesis.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/simple-thesis-dissertation/README.md
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/simple-thesis-dissertation
on MikTeX	<code>simple-thesis-dissertation</code>
on TeXLive	<code>simple-thesis-dissertation</code>
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
keyword	<code>class</code> (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-07

5500 *simplebnf* – A simple package to format Backus-Naur form (BNF)

Web page on CTAN	https://ctan.org/pkg/simplebnf
name	<code>simplebnf</code>
caption	A simple package to format Backus-Naur form (BNF)
author	Lee, Jay
copyright	Jay Lee (2019-2023)
license	mit = MIT License (free)
version	1.0.0 (2023-11-25)
last changes	2023-11-25
year	2023
description	(no language specified) This package provides a simple way for typesetting grammars in Backus-Naur form (BNF). The included <code>bnf</code> environment parses BNF expressions (possibly annotated), so users can write readable BNF expressions in their documents. It features a flexible configuration system, allowing for the customization of the domain-specific language (DSL) used in typesetting the grammar. Additionally, the package comes with sensible defaults. The package requires <code>expl3</code> , <code>xparse</code> , <code>mathtools</code> , and <code>tabularray</code> .

5501 *simplecd* – Simple CD, DVD covers for printing

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/simplebnf/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/simplebnf/simplebnf-doc.pdf
– local file	<code>./6640988084-simplebnf-doc.pdf</code>
contact	<i>announce</i> : https://github.com/Zeta611/simplebnf/releases
contact	<i>bugs</i> : https://github.com/Zeta611/simplebnf/issues
contact	<i>repository</i> : https://github.com/Zeta611/simplebnf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/simplebnf
on MikTeX	<code>simplebnf</code>
on TeXLive	<code>simplebnf</code>
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>formal-spec</code> (typeset formal specification languages)
see also	see section 435 on page 399: (<code>backnaur</code> – Typeset Backus Naur Form definitions)
language(s)	no language specified
last access	2025-02-07

5501 *simplecd* – Simple CD, DVD covers for printing

Web page on CTAN <https://ctan.org/pkg/simplecd>

name	<code>simplecd</code>
caption	Simple CD, DVD covers for printing
author	Majoros, Dániel
copyright	Dániel Majoros (2010)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.4
description	(no language specified) The package provides printable cut-outs for various CD, DVD and other disc holders. The name of the package comes from its implementation and ease of use; it was designed just for text content, but since the text is placed in a <code>\parbox</code> in a <code>tabular</code> environment cell, a rather wide range of things may be placed.

5502 *simplecd* – A simple class for writing curricula vitae

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/simplecd/simplecd.pdf
– local file	./5290670748-simplecd.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/simplecd/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/simplecd
on MikTeX	simplecd
on TeXLive	simplecd
keyword	covers (typeset badges, covers or labels for things (or people))
see also	see section 970 on page 882: (cd – Typeset CD covers)
see also	see section 972 on page 884: (cdcover – Typeset CD covers)
language(s)	no language specified
year	2010
last access	2025-02-07

5502 *simplecv* – A simple class for writing curricula vitae

Web page on CTAN	https://ctan.org/pkg/simplecv
name	simplecv
caption	A simple class for writing curricula vitae
author	Lasgouttes, Jean-Marc
copyright	Jean-Marc Lasgouttes (2007)
license	lppl = The LaTeX Project Public License (free)
version	1.6a (2014-11-07)
last changes	2014-11-07
year	2014
description	(no language specified) A derivative of the <i>cv</i> class available to lyx users (renamed to avoid the existing cv package).
documentation	(no language specified) <i>Sample of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/simplecv/testcv.pdf
– local file	./8006623592-testcv.pdf
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/simplecv/simplecv.pdf

5503 *simpleicons* – Simple Icons for LaTeX

– local file	<code>./4587531437-simplecv.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/simplecv/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/simplecv
on MikTeX	<code>simplecv</code>
on T _E XLive	<code>simplecv</code>
keyword	<code>cv</code> (curriculum vitae/Resumé)
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>lyx</code> (adapted for use with lyx)
language(s)	no language specified
last access	2025-02-07

5503 *simpleicons* – Simple Icons for LaTeX

Web page on CTAN	https://ctan.org/pkg/simpleicons
name	<code>simpleicons</code>
caption	Simple Icons for LaTeX
author	Bose, Inesh
license	cc0 = CC0 1.0 (free)
version	14.5.0 (2025-02-07)
last changes	2025-02-07
year	2025
description	(no language specified) Similar to FontAwesome icons being provided on LaTeX by the fontawesome package, this package aims to do the same with Simple Icons. For reference, visit their website: https://simpleicons.org/ .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/simpleicons/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/simpleicons/doc/simpleicons.pdf
– local file	<code>./4671906838-simpleicons.pdf</code>
contact	<i>bugs</i> : https://github.com/ineshbose/simple-icons-latex/issues
contact	<i>repository</i> : https://github.com/ineshbose/simple-icons-latex

on CTAN	https://ctan.org/tex-archive/fonts/simpleicons
on MikTeX	simpleicons
on TeXLive	simpleicons
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-symbol (fonts that provide collections of symbols)
keyword	font-supp-symbol (metrics, macro incantations and other support for symbol fonts)
keyword	font (fonts themselves)
keyword	font-otf (font in OpenType format)
language(s)	no language specified
last access	2025-02-07

5504 simpleinvoice – Easy typesetting of invoices

Web page on CTAN	https://ctan.org/pkg/simpleinvoice
name	simpleinvoice
caption	Easy typesetting of invoices
author	Lohne, Mathias
license	gpl3 = GNU General Public License, version 3 (free)
version	(2017-11-03)
last changes	2017-11-03
year	2017
description	(no language specified) This package lets you easily typeset professional-looking invoices. The user specifies the content of the invoice by different <code>\setPROPERTY</code> commands, and an invoice is generated automatically with the <code>\makeinvoice</code> command.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/simpleinvoice/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/simpleinvoice/doc/simpleinvoice.pdf
– local file	./3924380119-simpleinvoice.pdf
contact	<i>repository</i> : https://github.com/mathialo/simpleinvoice/

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/simpleinvoice
on MikTeX	simpleinvoice
on T _E XLive	simpleinvoice
keyword	invoice (typesetting and calculating invoices)
language(s)	no language specified
last access	2025-02-07

5505 *simplekv* – A simple key/value system for TeX and LaTeX

Web page on CTAN	https://ctan.org/pkg/simplekv
name	simplekv
caption	A simple key/value system for TeX and LaTeX
author	Tellechea, Christian
copyright	Christian Tellechea (2017-2025)
license	l _{pl} 1.3c = The LaTeX Project Public License 1.3c (free)
version	0.32 (2025-06-15)
last changes	2025-06-15
year	2025
description	(no language specified) The package provides a simple key/value system for TeX and LaTeX.
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/simplekv/simplekv-fr.pdf
– local file	./9034116970-simplekv-fr.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/simplekv/README
on CTAN	https://ctan.org/tex-archive/macros/generic/simplekv
on MikTeX	simplekv
on T _E XLive	simplekv
keyword	keyval (key-value argument systems)
language(s)	French
last access	2025-06-19

5506 *simplenodes* – Simple nodes in four colors written in TikZ for LaTeX

Web page on CTAN <https://ctan.org/pkg/simplenodes>

name	simplenodes
caption	Simple nodes in four colors written in TikZ for LaTeX
author	Vergauwen, Bob
copyright	Bob Vergauwen (2022)
license	mit = MIT License (free)
version	(2022-03-31)
last changes	2022-03-31
year	2022
description	(no language specified) This is a LaTeX macro package for generating simple node-based flow graphs or diagrams built upon the TikZ package. The package provides two basic commands, one to generate a node and one to create links between nodes. The positioning of the nodes is not handled by the package itself but is preferably done in a tabular environment. In total, four simple node types are defined, loosely based on the nomenclature and color patterns of the popular Java script Bootstrap.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/simplenodes/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/simplenodes/simplenodes.pdf
– local file	./3057431586-simplenodes.pdf
contact	<i>repository</i> : https://github.com/user9856749/simplenodes
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/simplenodes
on MikTeX	simplenodes
on TeXLive	simplenodes
keyword	diagram-flow (flow (and similar) diagrams, including Nassi-Shneiderman)
keyword	diagram (diagrams)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-02-07

5507 simpleoptics – Drawing lenses and mirrors for optical diagrams

Web page on CTAN <https://ctan.org/pkg/simpleoptics>

name	simpleoptics
caption	Drawing lenses and mirrors for optical diagrams
author	Cawood, Justin
copyright	Justin Cawood (2019)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1.1
description	(no language specified) This package provides some of macros for drawing simple lenses and mirrors for use in optical diagrams.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/simpleoptics/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/simpleoptics/simpleoptics.pdf
– local file	./1275328474-simpleoptics.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/simpleoptics
on MikTeX	simpleoptics
on TeXLive	simpleoptics
keyword	optics (diagrams of optical systems)
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	physics (support for typesetting physics documents)
see also	see section 6141 on page 5552: (tikz-optics – A library for drawing optical setups with TikZ)
language(s)	no language specified
year	2019
last access	2025-02-07

5508 simpler-wick – Simpler Wick contractions

Web page on CTAN <https://ctan.org/pkg/simpler-wick>

name simpler-wick

caption Simpler Wick contractions

author Ellis, Joshua

copyright Joshua Ellis (2014-2015)

license lpl1.3 = The LaTeX Project Public License 1.3 (free)

version 1.0.0 (2015-12-11)

last changes 2015-12-11

year 2015

description (no language specified) In every quantum field theory course, there will be a chapter about Wick's theorem and how it can be used to convert a very large product of many creation and annihilation operators into something more tractable and normal ordered.

The contractions are denoted with a square bracket over the operators which are being contracted, which used to be rather annoying to typeset in LaTeX as the only other package available was [simplewick](#), which is rather unwieldy.

This package provides a simpler syntax for Wick contractions.

documentation (no language specified) *Package documentation:*
<https://ctan.org/tex-archive/macros/latex/contrib/simpler-wick/simpler-wick.pdf>

– local file ./3085042520-simpler-wick.pdf

documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/macros/latex/contrib/simpler-wick/README.md>

home page <https://jpellis.me/projects/simpler-wick>

contact *repository:* <https://github.com/JP-Ellis/simpler-wick>

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/simpler-wick>

on MikTeX simpler-wick

on TeXLive simpler-wick

keyword physics (support for typesetting physics documents)

see also see section [5511](#) on page [4987](#): ([simplewick](#) – Simple Wick contractions)

language(s) no language specified

last access 2025-02-07

5509 *simples-matrices* – Define matrices by given list of values

Web page on CTAN <https://ctan.org/pkg/simples-matrices>

name	<code>simples-matrices</code>
caption	Define matrices by given list of values
author	Henel, Yvon
copyright	Yvon Henel aka Le TeXnicien de surface (2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.1 (2022-07-03)
last changes	2022-07-03
year	2022
description	(no language specified) Macros to define and write matrices whose coefficients are given row by row in a list of values separated by commas.
documentation	(English) <i>User guide</i> : https://ctan.org/tex-archive/macros/latex/contrib/simples-matrices/simples-matrices-eng.pdf
– local file	<code>./6397799287-simples-matrices-eng.pdf</code>
documentation	(French) <i>User guide</i> : https://ctan.org/tex-archive/macros/latex/contrib/simples-matrices/simples-matrices-fra.pdf
– local file	<code>./3424925249-simples-matrices-fra.pdf</code>
documentation	(English) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/simples-matrices/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/simples-matrices/simples-matrices.pdf
– local file	<code>./6649877682-simples-matrices.pdf</code>
documentation	(French) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/simples-matrices/LISEZMOI.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/simples-matrices
on MikTeX	<code>simples-matrices</code>
on TeXLive	<code>simples-matrices</code>
keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>matrix</code> (typeset matrices)
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)

language(s) English; French
last access 2025-02-07

5510 **simplesystemtex** – An automated file & block management system for large-scale LaTeX

Web page on CTAN <https://ctan.org/pkg/simplesystemtex>

name SimpleSystemTeX
caption An automated file & block management system for large-scale LaTeX
author Zhou, KeXin
license lpl1.3c = The LaTeX Project Public License 1.3c (free)
version 1.0.0 (2026-03-24)
last changes 2026-03-24
year 2026
description (no language specified) This LaTeX3 package has been specifically designed for large-scale, integrated typesetting tasks such as books, theses, or extensive lecture notes.

The core design philosophy of this package is to maximize the separation of content and structure. It provides an automated file and block management system that frees content creators from constantly managing global document structure and stylistic details.

Key features include:

- Automated subfile management: Section files are automatically added to the TOC upon import.
- A flexible Block System for theorems, definitions, and proofs.
- Dynamic cross-referencing that generates and manages anchors automatically.
- Automated generation of block indexes (e.g., List of Theorems).
- Highly customizable styling via dynamic display arguments and conditional statements.

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/simplesystemtex/README.md>

documentation (no language specified) *Package documentation*:
<https://ctan.org/tex-archive/macros/latex/contrib/simplesystemtex/simplesystemtex.doc.pdf>

contact	<i>bugs:</i> https://github.com/JokerXin2025/SimpleSystemTeX/issues
contact	<i>repository:</i> https://github.com/JokerXin2025/SimpleSystemTeX
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/simplesystemtex
keyword	optimise (optimise part of a TeX system)
keyword	book-pub (preparing a book for publication)
language(s)	no language specified
last access	2026-03-25

5511 *simplewick* – Simple Wick contractions

Web page on CTAN	https://ctan.org/pkg/simplewick
name	simplewick
caption	Simple Wick contractions
author	Kolorenc, Jindrich
license	gpl = GNU General Public License (free)
version	1.2a
description	(no language specified) The package provides a simple means of drawing Wick contractions above and below expressions.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/simplewick/simplewick.pdf
– local file	./2219573136-simplewick.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/simplewick
on MikTeX	simplewick
on T _E XLive	simplewick
keyword	physics (support for typesetting physics documents)
see also	see section 5508 on page 4984: (simpler-wick – Simpler Wick contractions)
language(s)	no language specified
year	without year
last access	2025-02-07

5512 simplex – LaTeX macros for linguistics

Web page on CTAN <https://ctan.org/pkg/simplex>

name	simplex
caption	LaTeX macros for linguistics
author	Gorman, Kyle
copyright	Kyle Gorman (null)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) LaTeX macros for linguistics including environments for three types of numbered example and interlinear glosses.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/simplex/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/simplex/simplex.pdf
– local file	./6416283528-simplex.pdf
contact	<i>bugs</i> : https://github.com/kylebgorman/LingTeX/issues
contact	<i>repository</i> : https://github.com/kylebgorman/LingTeX/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/simplex
on T _E XLive	simplex
keyword	linguistic (support for linguistics)
language(s)	no language specified
year	without year
last access	2026-03-08

5513 *simplified-latex* – A Simplified Introduction to LaTeX

Web page on CTAN <https://ctan.org/pkg/simplified-latex>

name	simplified-latex
caption	A Simplified Introduction to LaTeX
author	Greenberg, Harvey
author	Luecking, Daniel H.
license	lpl = The LaTeX Project Public License (free)
version	(2010-11-29)
last changes	2010-11-29
year	2010
description	(no language specified) An accessible introduction for the beginner.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/simplified-latex/README
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/simplified-latex/simplified-intro.pdf
– local file	./4478906531-simplified-intro.pdf
on CTAN	https://ctan.org/tex-archive/info/simplified-latex
on T _E XLive	simplified-latex
keyword	tut-latex (tutorial material for LaTeX)
language(s)	no language specified
last access	2025-02-07

5514 *simplivre* – Write your books in a simple and clear way

Web page on CTAN <https://ctan.org/pkg/simplivre>

name	simplivre
caption	Write your books in a simple and clear way
author	XU, Jinwen
copyright	Jinwen XU (2021-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2024-03-01)
last changes	2024-03-01

year	2024
description	(no language specified) This package provides a LaTeX class for typesetting books with a simple and clear design. Currently, it has native support for Chinese (simplified and traditional), English, French, German, Italian, Japanese, Portuguese (European and Brazilian), Russian and Spanish typesetting. It compiles with either XeLaTeX or LuaLaTeX. This is part of the minimalist class series and depends on <code>minimalist.sty</code> from the minimalist package. The package name "simplivre" is taken from the French words "simple" and "livre" (= "book").
documentation	(no language specified) <i>Example of use (style "stream")</i>: https://ctan.org/tex-archive/macros/unicodetex/latex/simplivre/demo/simplivre-demo-style-stream.pdf
– local file	<code>./8057505859-simplivre-demo-style-stream.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/unicodetex/latex/simplivre/README.md
documentation	(no language specified) <i>Example of use (style "plain")</i>: https://ctan.org/tex-archive/macros/unicodetex/latex/simplivre/demo/simplivre-demo-style-plain.pdf
– local file	<code>./2073705976-simplivre-demo-style-plain.pdf</code>
documentation	(no language specified) <i>Example of use (style "flow")</i>: https://ctan.org/tex-archive/macros/unicodetex/latex/simplivre/demo/simplivre-demo-style-flow.pdf
– local file	<code>./9040514364-simplivre-demo-style-flow.pdf</code>
documentation	(no language specified) <i>Example of use (style "default")</i>: https://ctan.org/tex-archive/macros/unicodetex/latex/simplivre/demo/simplivre-demo-style-default.pdf
– local file	<code>./4112723806-simplivre-demo-style-default.pdf</code>
documentation	(no language specified) <i>Example of use (style "classical")</i>: https://ctan.org/tex-archive/macros/unicodetex/latex/simplivre/demo/simplivre-demo-style-classical.pdf
– local file	<code>./5523662853-simplivre-demo-style-classical.pdf</code>
documentation	(no language specified) <i>Example of use (style "ClassicThesis")</i>: https://ctan.org/tex-archive/macros/unicodetex/latex/simplivre/demo/simplivre-demo-style-classicthesis.pdf
– local file	<code>./1997939956-simplivre-demo-style-classicthesis.pdf</code>

contact	<i>repository:</i> https://github.com/Jinwen-XU/minimalist/tree/main/simplivre
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/simplivre
on MikTeX	simplivre
on T _E XLive	simplivre
keyword	expl3 (expl3(unknown))
keyword	book-pub (preparing a book for publication)
keyword	multilingual (support for more than one (natural) language)
keyword	class (alternative LaTeX class(es))
see also	see section 3989 on page 3607: (minimalist – Write your articles or books in a simple and clear way)
language(s)	no language specified
last access	2025-02-07

5515 *simpsons* – Metafont source for Simpsons characters

Web page on CTAN	https://ctan.org/pkg/simpsons
name	simpsons
caption	Metafont source for Simpsons characters
author	Chen, Raymond
license	noinfo = noinfo
version	(1994-08-21)
last changes	1994-08-21
year	1994
on CTAN	https://ctan.org/tex-archive/usergrps/uktug/baskervi/4_4
on MikTeX	simpsons
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
keyword	font-novelty (fonts designed more for fun than for actual use)
language(s)	no language specified
last access	2025-02-07

5516 *simurgh* – Typeset Parsi in LuaLaTeX

Web page on CTAN <https://ctan.org/pkg/simurgh>

name	simurgh
caption	Typeset Parsi in LuaLaTeX
author	bidi-tex GitHub Organisation
author	Khalighi, Vafa
copyright	Vafa Khalighi (2013)
license	gpl2 = GNU General Public License, version 2 (free)
version	0.01b (2013-09-22)
last changes	2013-09-22
year	2013
description	(no language specified) The package provides an automatic and unified interface for Parsi typesetting in LaTeX, using the LuaTeX engine. The project to produce this system is dedicated to Ferdowsi The Great.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/simurgh/doc/simurgh-doc.pdf
– local file	<code>./2392975496-simurgh-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/simurgh/README
contact	<i>bugs</i> : https://github.com/bidi-tex/simurgh/issues
contact	<i>repository</i> : https://github.com/bidi-tex/simurgh
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/simurgh
on MikTeX	simurgh
on TeXLive	simurgh
keyword	persian (support for typesetting Persian)
keyword	luatex (LuaTeX and packages that require it)
language(s)	no language specified
last access	2025-02-07

5517 *sines* – Calculate sin function values

Web page on CTAN <https://ctan.org/pkg/sines>

name	<i>sines</i>
caption	Calculate sin function values
author	Walker, Jim
license	noinfo = noinfo
version	(1991-10-06)
last changes	1991-10-06
year	1991
description	(no language specified) The file provides macros to calculate the sine of angles from -90 to +90 degrees.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/sines.tex
keyword	calculation (perform calculations within TeX)
see also	see section 6317 on page 5711: (<i>trig</i> – Simple trigonometric functions)
language(s)	no language specified
last access	2025-02-07

5518 *sinhala* – Support for the Sinhala language

Web page on CTAN <https://ctan.org/pkg/sinhala>

name	<i>sinhala</i>
caption	Support for the Sinhala language
author	Saparamadu, Vasantha
license	gpl = GNU General Public License (free)
version	2.1.1
description	(no language specified) A collection of Metafont fonts and macros, to support typesetting of Sinhala, in particular using the samanala transcription scheme.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/sinhala/README
on CTAN	https://ctan.org/tex-archive/language/sinhala
keyword	<i>indic</i> (support for languages of the Indian subcontinent)

5519 *sirlin* – Fonts and macros for typesetting Tibetan

language(s) no language specified
year without year
last access 2025-02-07

5519 *sirlin* – Fonts and macros for typesetting Tibetan

Web page on CTAN <https://ctan.org/pkg/sirlin>

name *sirlin*
caption Fonts and macros for typesetting Tibetan
author Sirlin, Sam
license other-free = Free license not otherwise listed (free)
version (1996-07-11)
last changes 1996-07-11
year 1996
description (no language specified) A set of files for typesetting the Tibetan language in TeX or LaTeX.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/language/tibetan/sirlin/README>
documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/language/tibetan/sirlin/tib/doc.ps>
on CTAN <https://ctan.org/tex-archive/language/tibetan/sirlin>
keyword tibetan (support for typesetting Tibetan)
language(s) no language specified
last access 2025-02-07

5520 *sistyle* – Package to typeset SI units, numbers and angles

Web page on CTAN <https://ctan.org/pkg/sistyle>

name *Sistyle*
caption Package to typeset SI units, numbers and angles
author Wright, Joseph
author Els, Daniel
copyright Danie Els (2004-2008)

5521 *sitem* – Save the optional argument of `\item`

license	lppl = The LaTeX Project Public License (free)
version	2.3a
description	(no language specified) This package typesets SI units, numbers and angles according to the ISO requirements. Care is taken with font setup and requirements, and language customisation is available. Note that this package is (in principle) superseded by siunitx ; <i>sistyle</i> has maintenance-only support, now.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sistyle/SIstyle-2.3a.pdf
– local file	<code>./1048302169-SIstyle-2.3a.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sistyle/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sistyle
on MikTeX	<i>sistyle</i>
on TeXLive	<i>sistyle</i>
keyword	typesetting (support for variations of typographic style)
keyword	scientific-docs (support for writers of scientific documents)
language(s)	no language specified
year	2008
last access	2025-02-07

5521 *sitem* – Save the optional argument of `\item`

Web page on CTAN <https://ctan.org/pkg/sitem>

name	<i>sitem</i>
caption	Save the optional argument of <code>\item</code>
author	Majkrzak, Piotr
copyright	Piotr Majkrzak (2011)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The package modifies <code>\item</code> commands to save the optional argument in a box.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sitem/sitem.pdf
– local file	./6715249145-sitem.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sitem
on MikTeX	sitem
on T _E XLive	sitem
keyword	list (list: general)
language(s)	no language specified
year	2011
last access	2025-02-07

5522 *siunits* – International System of Units

Web page on CTAN <https://ctan.org/pkg/siunits>

name	siunits
caption	International System of Units
author	Heldoorn, Marcel
author	Wright, Joseph
copyright	Joseph Wright (2007)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.36
description	(no language specified) Typeset physical units following the rules of the International System of Units (SI). The package requires amstext, for proper representation of some values. Note that the package is now superseded by siunitx; <i>siunits</i> has maintenance-only support, now.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/SIunits/SIunits.pdf
– local file	./97825411154-SIunits.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/SIunits/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/SIunits
on MikTeX	siunits

on T _E XLive	siunits
keyword	typesetting (support for variations of typographic style)
keyword	scientific-docs (support for writers of scientific documents)
see also	see section 5520 on page 4994: (SIstyle – Package to typeset SI units, numbers and angles)
language(s)	no language specified
year	2007
last access	2025-02-07

5523 *siunitx* – A comprehensive (SI) units package

Web page on CTAN <https://ctan.org/pkg/siunitx>

name	siunitx
caption	A comprehensive (SI) units package
author	Wright, Joseph
copyright	Joseph Wright (2008-2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.5.4 (2026-04-15)
last changes	2026-04-15
year	2026
description	(no language specified) Physical quantities have both numbers and units, and each physical quantity should be expressed as the product of a number and a unit. Typesetting physical quantities requires care to ensure that the combined mathematical meaning of the number-unit combination is clear. In particular, the SI units system lays down a consistent set of units with rules on how these are to be used. However, different countries and publishers have differing conventions on the exact appearance of numbers (and units). The <i>siunitx</i> package provides a set of tools for authors to typeset quantities in a consistent way. The package has an extended set of configuration options which make it possible to follow varying typographic conventions with the same input syntax. The package includes automated processing of numbers and units, and the ability to control tabular alignment of numbers.
documentation	(no language specified) <i>User manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/siunitx/siunitx.pdf
– local file	./1514351987-siunitx.pdf

documentation	(no language specified) <i>Code documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/siunitx/siunitx-code.pdf
– local file	<code>./7396171649-siunitx-code.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/siunitx/README.md
home page	https://www.texdev.net
contact	<i>bugs</i> : https://github.com/josephwright/siunitx/issues
contact	<i>repository</i> : https://github.com/josephwright/siunitx
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/siunitx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/siunitx.tds.zip
on MikTeX	siunitx
on TeXLive	siunitx
keyword	scientific-docs (support for writers of scientific documents)
keyword	tagged-pdf-partially (tagged PDF partially compatible)
keyword	units (uniform typesetting of units)
language(s)	no language specified
last access	2026-04-22

5524 *sjtutex* – *LaTeX* classes for Shanghai Jiao Tong University

Web page on CTAN	https://ctan.org/pkg/sjtutex
name	SJTUTeX
caption	LaTeX classes for Shanghai Jiao Tong University
author	Wu, Weijian
author	Li, Zilong
copyright	Zilong Li (2022-2024)
copyright	Weijian Wu (2018-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.1.5 (2024-11-06)
last changes	2024-11-06

year	2024
description	(no language specified) SJTUTeX aims to establish a simple and easy-to-use collection of document classes for Shanghai Jiao Tong University, including the thesis document class <code>sjtuthesis</code> , as well as the regular document classes <code>sjtuarticle</code> and <code>sjturement</code> .
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sjtutex/sjtutex.pdf
– local file	<code>./9873753246-sjtutex.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sjtutex/README.md
home page	https://sjtug.org/
contact	<i>announce</i> : https://github.com/sjtug/SJTUTeX/releases
contact	<i>bugs</i> : https://github.com/sjtug/SJTUTeX/issues
contact	<i>repository</i> : https://github.com/sjtug/SJTUTeX
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sjtutex
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/sjtutex.tds.zip
on MikTeX	<code>sjtutex</code>
on TeXLive	<code>sjtutex</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>article-like</code> (LaTeX article classes and their developments)
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
keyword	<code>chinese</code> (support for typesetting Chinese languages)
keyword	<code>report-like</code> (regularly-formatted reports)
language(s)	Chinese
last access	2025-02-07

5525 skak – Fonts and macros for typesetting chess games

Web page on CTAN <https://ctan.org/pkg/skak>

name	skak
caption	Fonts and macros for typesetting chess games
author	Hoffmann, Torben
license	lppl = The LaTeX Project Public License (free)
version	1.5.3
description	(no language specified) This package provides macros and fonts in Metafont format which can be used to typeset chess games using PGN, and to show diagrams of the current board in a document. The package builds on work by Piet Tutelaers — the main novelty is the use of PGN for input instead of the more cumbersome coordinate notation (<code>g1f3</code> becomes the more readable <code>Nf3</code> in PGN). An Adobe Type 1 implementation of skak’s fonts is available as package skaknew ; an alternative chess notational scheme is available in package texmate , and a general mechanism for selecting chess fonts is provided in chessfss .
contact	repository: https://github.com/lehoff/skak
on CTAN	https://ctan.org/tex-archive/fonts/chess/skak
installation	https://ctan.org/tex-archive/install/fonts/skak.tds.zip
on MikTeX	skak
on T _E XLive	skak
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	font-chess (fonts for typesetting chess problems and diagrams)
language(s)	no language specified
year	without year
last access	2025-02-07

5526 skaknew – The skak chess fonts redone in Adobe Type 1

Web page on CTAN <https://ctan.org/pkg/skaknew>

name	SkakNew
caption	The skak chess fonts redone in Adobe Type 1
author	Dirr, Ulrich
license	lppl = The LaTeX Project Public License (free)
version	(2009-02-13)
last changes	2009-02-13
year	2009
description	(no language specified) This package offers Adobe Type 1 versions of the fonts provided as Metafont source by the skak bundle.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/chess/skaknew/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/chess/skaknew/SkakNew.pdf
– local file	<code>./2958564672-SkakNew.pdf</code>
documentation	(no language specified) <i>Font tables</i> : https://ctan.org/tex-archive/fonts/chess/skaknew/fonttables.pdf
– local file	<code>./7419772564-fonttables.pdf</code>
home page	http://www.art-satz.de/portfolio/schriften.html
on CTAN	https://ctan.org/tex-archive/fonts/chess/skaknew
on MikTeX	skaknew
on T _E XLive	skaknew
keyword	font (fonts themselves)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-chess (fonts for typesetting chess problems and diagrams)
keyword	games (process game diagrams, gamebooks, and other amusements)
language(s)	no language specified
last access	2025-02-07

5527 *skb* – Tools for a repository of long-living documents

Web page on CTAN <https://ctan.org/pkg/skb>

name	skb
caption	Tools for a repository of long-living documents
author	van der Meer, Sven
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.52
description	(no language specified) The package provides macros that help to build a document repository for long living documents. It focuses on structure and re-use of text, code, figures etc. The basic concept is first to separate structure from content (i.e., text about a topic from the structure it is presented by) and then separating the content from the actual published document, thus enabling easy re-use of text blocks in different publications (i.e., text about a protocol in a short article about this protocol as well as in a book about many protocols); all without constantly copying or changing text. As a side effect, using the document classes provided, it hides a lot of LaTeX from someone who just wants to write articles and books.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/skb/README
documentation	(no language specified) <i>Implementation details</i> : https://ctan.org/tex-archive/macros/latex/contrib/skb/doc/skb.pdf
– local file	<code>./2715856831-skb.pdf</code>
documentation	(no language specified) <i>User guide</i> : https://ctan.org/tex-archive/macros/latex/contrib/skb/doc/user-guide.pdf
– local file	<code>./2281926356-user-guide.pdf</code>
contact	<i>repository</i> : http://sourceforge.net/projects/latex-skb
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/skb
on MikTeX	skb
on T _E XLive	skb
keyword	archival (creating archival copies, or copies for distribution)
language(s)	no language specified
year	without year
last access	2025-02-07

5528 skdoc – Documentation and extraction for packages and document classes

Web page on CTAN <https://ctan.org/pkg/skdoc>

name	skdoc
caption	Documentation and extraction for packages and document classes
author	Sigurdhsson, Simon
copyright	Simon Sigurdhsson (2012-2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.5e (2025-01-08)
last changes	2025-01-08
year	2025
description	(no language specified) The class provides the functionality and implementation of packages and document classes. It is loosely based on the ydoc and ltxdoc classes, but has a number of incompatible differences. The class defines a <code>MacroCode</code> environment which offers an alternative to the usual <code>docstrip</code> method of installing packages. It has the ability to generate both documentation and code in a single run of a single file.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/skdoc/skdoc.pdf
– local file	<code>./1754212864-skdoc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/skdoc/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/skdoc
on MikTeX	skdoc
on T _E XLive	skdoc
keyword	class (alternative LaTeX class(es))
keyword	expl3 (expl3(unknown))
keyword	doc-supp (macros and tools for preparing documentation)
language(s)	no language specified
last access	2025-02-07

5529 skeldoc – Placeholders for unfinished documents

Web page on CTAN <https://ctan.org/pkg/skeldoc>

name	skeldoc
caption	Placeholders for unfinished documents
author	Hetland, Magnus Lie
copyright	Magnus Lie Hetland (2020-2025)
license	mit = MIT License (free)
version	0.1.3 (2025-01-15)
last changes	2025-01-15
year	2025
description	(no language specified) This package lets you produce placeholder elements for documents under development, similar to the skeleton screens used while loading contents in many applications and websites. It also has a mechanism for attaching explanatory endnotes to these placeholders, or to anything else in your document. The same note mechanism can also be used with ordinary content, e.g., as a to-do mechanism.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/skeldoc/skeldoc.pdf
– local file	<code>./4869190920-skeldoc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/skeldoc/README.md
contact	<i>bugs</i> : https://github.com/mlhetland/skeldoc.sty/issues
contact	<i>repository</i> : https://github.com/mlhetland/skeldoc.sty
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/skeldoc
on MikTeX	skeldoc
on T _E XLive	skeldoc
keyword	dummy-gen (dummy text generator for tests and examples)
keyword	editorial (editor's marks, highlights, etc.)
keyword	rule (produce rules within a document)
keyword	expl3 (expl3(unknown))
keyword	notes (general notes (not including endnotes or footnotes))
language(s)	no language specified

last access 2025-02-07

5530 *sketch* – A 3d sketch language translator

Web page on CTAN <https://ctan.org/pkg/sketch>

name	sketch
caption	A 3d sketch language translator
author	Ressler, Eugene K.
license	gpl = GNU General Public License (free)
version	0.2
description	(no language specified) Sketch is a small, simple system for producing line drawings of two- or three-dimensional objects and scenes. It began as a way to make illustrations for a textbook after we could find no suitable tool for this purpose. Existing scene processors emphasized GUIs and/or photo-realism, neither of which was useful to us. We wanted to produce finely wrought, mathematically-based illustrations with no extraneous detail. The input language is reminiscent of PSTricks , so will be easy for current PSTricks users to learn; output is for use either by pstricks itself, or by pgf .
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/graphics/sketch/README
documentation	(no language specified) <i>Manual (PDF)</i>: https://ctan.org/tex-archive/graphics/sketch/Doc/sketch.pdf
– local file	<code>./1332132492-sketch.pdf</code>
documentation	(no language specified) <i>Manual (HTML format)</i>: https://ctan.org/tex-archive/graphics/sketch/Doc/sketch.html
home page	http://www.frontiernet.net/~eugene.ressler
on CTAN	https://ctan.org/tex-archive/graphics/sketch
keyword	graphics-import (convert a foreign graphics format for use with TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

5531 skeycommand – Create commands using parameters and keyval in parallel

Web page on CTAN <https://ctan.org/pkg/skeycommand>

name	skeycommand
caption	Create commands using parameters and keyval in parallel
author	Musa, Ahmed
copyright	Ahmed Musa (2010)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.4
description	(no language specified) The package provides tools for defining LaTeX commands and environments using combinations of parameters and keys. All the facilities of the ltxkeys and skeyval packages are available to the user of skeycommand.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/skeycommand/skeycommand-guide.pdf
– local file	./4868098951-skeycommand-guide.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/skeycommand/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/skeycommand
on MikTeX	skeycommand
on T _E XLive	skeycommand
keyword	keyval (key-value argument systems)
keyword	macro-supp (support for development of (La)TeX macros)
see also	see section 5532 on page 5007 : (skeyval – Key-value parsing combining features of xkeyval and pgfkeys)
language(s)	no language specified
year	2010
last access	2025-02-07

5532 *skeyval* – Key-value parsing combining features of *xkeyval* and *pgfkeys*

Web page on CTAN <https://ctan.org/pkg/skeyval>

name	skeyval
caption	Key-value parsing combining features of <i>xkeyval</i> and <i>pgfkeys</i>
author	Musa, Ahmed
copyright	Ahmed Musa (2010-2012)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3
description	(no language specified) The package integrates the features of <i>xkeyval</i> and of <i>pgfkeys</i> by introducing a new type of handlers. Style keys, links, changing key callbacks and values on the fly, and other features of <i>pgfkeys</i> are introduced in a new context.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/skeyval/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/skeyval
on MikTeX	skeyval
on TeXLive	skeyval
keyword	keyval (key-value argument systems)
see also	see section 5531 on page 5006: (<i>skeycommand</i> – Create commands using parameters and <i>keyval</i> in parallel)
language(s)	no language specified
year	2012
last access	2025-02-07

5533 *skillicons* – Integrate skill icons into your documents

Web page on CTAN <https://ctan.org/pkg/skillicons>

name	skillicons
caption	Integrate skill icons into your documents
author	Mnatsakanov, Anton
copyright	AnMnv (2024-2025)
license	mit = MIT License (free)

5534 *skills* – Create proficiency tests

version	2.0 (2025-01-11)
last changes	2025-01-11
year	2025
description	(no language specified) This LaTeX package has been designed to seamlessly integrate skill icons into your documents. With this package, you can easily enhance your documents by incorporating visually appealing skill indicators (languages, tools and frameworks), perfect for resumes, CVs, or any document requiring skill representation.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/skillicons/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/skillicons/skillicons.pdf
– local file	<code>./8022083521-skillicons.pdf</code>
contact	<i>repository</i> : https://github.com/AnMnv/latex-skill-icons
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/skillicons
on MikTeX	skillicons
keyword	logo (symbols or drawings to specify an object, including icons)
keyword	graphics (graphics (support packages))
language(s)	no language specified
last access	2025-02-07

5534 *skills* – Create proficiency tests

Web page on CTAN <https://ctan.org/pkg/skills>

name	<code>skills</code>
caption	Create proficiency tests
author	Giraud, Pierre-Amiel
copyright	Pierre-Amiel Giraud (2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0.0 (2020-10-21)
last changes	2020-10-21
year	2020

description	(no language specified) This package attempts to make it easy for even a LaTeX novice to prepare proficiency tests, especially in combination with the exam document class. Thus, almost all command names are very similar. After defining skills in the preamble or in an external file, they are declared using labels, and can optionally be set as global skills. A skills table is generated to summarize the evaluated competencies and to allow for writing down the resulting proficiency level. A user's guide attempts to explain all of the possibilities in a readable way, with many examples.
documentation	(no language specified) <i>User guide</i> : https://ctan.org/tex-archive/macros/latex/contrib/skills/skillsdoc.pdf
– local file	<code>./8165595652-skillsdoc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/skills/README.md
contact	<i>bugs</i> : https://framagit.org/pagiraud/skills/-/issues
contact	<i>repository</i> : https://framagit.org/pagiraud/skills
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/skills
on MikTeX	skills
on T _E XLive	skills
keyword	exam (exams, quizzes, etc.)
language(s)	no language specified
last access	2025-02-07

5535 *skmath* – Extensions to the maths command repertoire

Web page on CTAN <https://ctan.org/pkg/skmath>

name	skmath
caption	Extensions to the maths command repertoire
author	Sigurdhsson, Simon
copyright	Simon Sigurdhsson (2012-2019)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.5a (2019-10-15)
last changes	2019-10-15
year	2019

5536 *skrapport* – ‘Simple’ class for reports, etc

description	(no language specified) The package provides a selection of new maths commands and improved re-definitions of existing commands.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/skmath/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/skmath/skmath.pdf
– local file	<code>./2493674730-skmath.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/skmath
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/skmath.tds.zip
on MikTeX	<code>skmath</code>
on TeXLive	<code>skmath</code>
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

5536 *skrapport* – ‘Simple’ class for reports, etc

Web page on CTAN	https://ctan.org/pkg/skrappport
name	<code>skrapport</code>
caption	‘Simple’ class for reports, etc
author	Sigurdhsson, Simon
copyright	Simon Sigurdhsson (2012-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.12k (2019-10-15)
last changes	2019-10-15
year	2019
description	(no language specified) The class is intended for simple documents (e.g., reports handed in as coursework and the like). The class is small and straightforward; its design was inspired by that of the PracTeX journal style .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/skrappport/skrappport.pdf
– local file	<code>./5814188193-skrappport.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/skrapport/README
contact	<i>bugs</i> : https://github.com/urdh/skrapport/issues
contact	<i>repository</i> : https://github.com/urdh/skrapport
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/skrapport
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/skrapport.tds.zip
on MikTeX	skrapport
on T _E XLive	skrapport
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-07

5537 skull – A font to draw a skull

Web page on CTAN <https://ctan.org/pkg/skull>

name	skull
caption	A font to draw a skull
author	Grove, Henrik Christian
copyright	Henrik Christian Grove (2002)
license	gpl = GNU General Public License (free)
version	0.1
description	(no language specified) The font (defined in Metafont) defines a single character, a black solid skull. A package is supplied to make this character available as a symbol in maths mode.
on CTAN	https://ctan.org/tex-archive/fonts/skull
on MikTeX	skull
on T _E XLive	skull
keyword	font (fonts themselves)
keyword	font-novelty (fonts designed more for fun than for actual use)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	no language specified

year 2002
last access 2025-02-07

5538 *slantsc* – Access different-shaped small-caps fonts

Web page on CTAN <https://ctan.org/pkg/slantsc>

name *slantsc*
caption Access different-shaped small-caps fonts
author Harders, Harald
copyright Harald Harders (2003, 2012)
license lpl = The LaTeX Project Public License (free)
version 2.11
description (no language specified) This package enables the use of small capitals in different font shapes, e.g., slanted or bold slanted for all fonts that provide appropriate font shapes. (Note that a separate `.fd` file is needed to define font shapes such as ‘sctl’ or ‘scit’.)
documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/slantsc/slantsc.pdf>
– local file `./6019159831-slantsc.pdf`
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/slantsc/README>
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/slantsc>
on MikTeX *slantsc*
on TeXLive *slantsc*
keyword font-supp (metrics, macro incantations and other font support)
language(s) no language specified
year 2012
last access 2025-02-07

5539 slashbox – Both column and row headings in a tabular cell

Web page on CTAN <https://ctan.org/pkg/slashbox>

name	slashbox
caption	Both column and row headings in a tabular cell
author	Sato, Toru
author	Yasuoka, Koichi
license	noinfo = noinfo
version	(1993-05-27)
last changes	1993-05-27
year	1993
description	(no language specified) The package defines commands to produce tabular cells with diagonal lines in them, with text above and below the line to label the column and row that the cell is in.
documentation	(no language specified) <i>Examples of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/slashbox/slashbox.pdf
– local file	./2411891764-slashbox.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/slashbox
on MikTeX	slashbox
keyword	table (table typesetting)
see also	see section 1596 on page 1447: (diagbox – Table heads with diagonal lines)
language(s)	no language specified
last access	2025-02-07

5540 slashed – Put a slash through characters

Web page on CTAN <https://ctan.org/pkg/slashed>

name	slashed
caption	Put a slash through characters
author	Carlisle, David
copyright	David Carlisle (1987)
license	lppl = The LaTeX Project Public License (free)

5541 *slatex* – *LaTeX* support for writing Swedish

description	(no language specified) Useful for the Physicist's 'Feynman slashed character' notation. The package is distributed as part of the carlisle bundle.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/carlisle/slashed.sty
on MikTeX	carlisle
on T _E XLive	carlisle
keyword	physics (support for typesetting physics documents)
language(s)	no language specified
year	1987
last access	2025-02-07

5541 *slatex* – *LaTeX* support for writing Swedish

Web page on CTAN	https://ctan.org/pkg/slatex
name	slatex
caption	LaTeX support for writing Swedish
author	Mattison, Sven
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) LaTeX macros to deal with the national characters in 7-bit-encoded Swedish. The collection includes a program (l2sl) that will translate an existing LaTeX document into slatex format.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/swedish/slatex/readme
on CTAN	https://ctan.org/tex-archive/language/swedish/slatex
keyword	swedish (support for typesetting Swedish)
language(s)	no language specified
year	without year
last access	2025-02-07

5542 *slatex-scheme* – A pretty-printer for Scheme code in TeX documents

Web page on CTAN <https://ctan.org/pkg/slatex-scheme>

Alias	slatex-scheme
name	slatex-scheme
caption	A pretty-printer for Scheme code in TeX documents
author	Sitaram, Dorai
license	apache2 = Apache License, version 2.0 (free)
version	2.4z2a
description	(no language specified) SLaTeX is a Scheme program that allows you to write programs or program fragments ‘as is’ in your TeX or LaTeX source. It is particularly geared to the programming languages Scheme and other Lisp dialects, such as Common Lisp. The formatting of the code includes assigning appropriate fonts and colors to the various tokens in the code (keywords, variables, constants, data), at the same time retaining the proper indentation when going to the non-monospace (non-typewriter) fonts provided by TeX.
on CTAN	https://ctan.org/tex-archive/support/slatex
keyword	listing (computer code listing)
language(s)	no language specified
year	without year
last access	2025-02-07

5543 *slem* – Slanted emphasis in LaTeX 2.09

Web page on CTAN <https://ctan.org/pkg/slem>

name	slem
caption	Slanted emphasis in LaTeX 2.09
author	Furuta, Richard
license	noinfo = noinfo
version	(1986-10-22)
last changes	1986-10-22
year	1986
description	(no language specified) A jiffy package to cause <code>\em</code> in LaTeX 2.09 to use <code>\sl</code> in place of the standard <code>\it</code> . Note that the package will not work in LaTeX 2e.

on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/slem.sty
keyword	latex209 (package only known to work with LaTeX 2.09)
keyword	font-sel (font selection schemes)
see also	see section 5544 on page 5016: (<i>slemph</i> – Slanted emphasis in LaTeX)
language(s)	no language specified
last access	2025-02-11

5544 *slemph* – Slanted emphasis in LaTeX

Web page on CTAN <https://ctan.org/pkg/slemph>

name	slemph
caption	Slanted emphasis in LaTeX
author	Swift, Matt
license	gpl = GNU General Public License (free)
version	1.2
description	(no language specified) A LaTeX package defining commands <code>\itswitch</code> , <code>\slswitch</code> , <code>\textitswitch</code> , and <code>\textslswitch</code> , which switch between slanted or italic type and upright type. The commands may be used to represent emphasis with slanted type. The package is part of the frankenstein bundle of packages.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/slemph.pdf
– local file	<code>./7196168473-slemph.pdf</code>
documentation	(no language specified) <i>Bundle README</i> : https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/frankenstein
on MikTeX	frankenstein
on TeXLive	frankenstein
keyword	font-sel (font selection schemes)
language(s)	no language specified
year	without year
last access	2025-02-07

5545 *slhyph* – Slovenian hyphenation patternsWeb page on CTAN <https://ctan.org/pkg/slhyph>

name	<code>slhyph</code>
caption	Slovenian hyphenation patterns
author	Žlajpah, Leon
author	Vrečko, Matjaž
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The function of this package is encompassed in that of the hyph-utf8 package, for future applications.
on CTAN	https://ctan.org/tex-archive/language/slovenian/slhyph.tex
keyword	slovenian (support for typesetting, and documentation in Slovenian)
keyword	hyphenation (macros or tables for hyphenation)
language(s)	no language specified
year	without year
last access	2025-02-07

5546 *slidenotes* – Typeset slides accompanied by notesWeb page on CTAN <https://ctan.org/pkg/slidenotes>

name	<code>slidenotes</code>
caption	Typeset slides accompanied by notes
author	van der Meer, Hans
copyright	Hans van der Meer (1993-1996)
license	other-nonfree = License that prevents distribution (not free)
version	3.27
description	(no language specified) A class package for the easy production of a slide collection with annotations. Builds on the report style (or variants); document structure is based on chapters, with the slides themselves represented by sections.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/slidenotes/slidenotes.pdf

5547 *slides* – Class for creating slides

– local file	<code>./1981264100-slidenotes.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/slidenotes/slidenotes.readme
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/slidenotes
keyword	<code>doc-supp</code> (macros and tools for preparing documentation)
keyword	<code>presentation</code> (slides, beamers, handouts, etc.)
keyword	<code>class</code> (alternative LaTeX class(es))
see also	see section 2299 on page 2080: (<code>foiltex</code> – A LaTeX2e class for overhead transparencies)
see also	see section 5404 on page 4894: (<code>seminar</code> – Make overhead slides)
language(s)	no language specified
year	1996
last access	2025-02-07

5547 *slides* – Class for creating slides

Web page on CTAN	https://ctan.org/pkg/slides
name	<code>slides</code>
caption	Class for creating slides
author	Schöpf, Rainer
author	The LaTeX Project Team
author	Mittelbach, Frank
copyright	The LaTeX3 Project et al. (1993-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.4b (2022-05-18)
last changes	2022-05-18
year	2022

description	(no language specified) This is a standard LaTeX2e class for the production of overhead transparencies (foils), replacing the older SliTeX format. Can be used in conjunction with lscape and fancyhdr , for example. There are many better means of producing slides (and particularly beamer-based presentations) — see the presentation topic in the online catalogue. This package is part of the LaTeX distribution.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/base/slides.pdf
– local file	<code>./7868862412-slides.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/base
on MikTeX	<code>ltxbase</code>
on T _E XLive	<code>latex</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>presentation</code> (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2026-04-10

5548 *slideshow* – Generate slideshow with MetaPost

Web page on CTAN	https://ctan.org/pkg/slideshow
name	<code>slideshow</code>
caption	Generate slideshow with MetaPost
author	McPhee, Patrick T J
copyright	Patrick TJ McPhee (2001)
license	other-free = Free license not otherwise listed (free)
version	1.0
description	(no language specified) The package provides a means of creating presentations in MetaPost, without intervention from other utilities (except a distiller). Such an arrangement has its advantages (though there are disadvantages too).
documentation	(no language specified) <i>Presentation about package:</i> https://ctan.org/tex-archive/graphics/metapost/contrib/macros/slideshow/sshowintro.pdf
– local file	<code>./4357791833-sshowintro.pdf</code>

on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/slideshow
on MikTeX	slideshow
on T _E XLive	slideshow
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
year	2001
last access	2025-02-07

5549 *slixte* – A customizable class for creating slides

Web page on CTAN	https://ctan.org/pkg/slixte
name	slixte
caption	A customizable class for creating slides
author	Corsini, Benoît
copyright	Benoît Corsini (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2025-11-21)
last changes	2025-11-21
year	2025
description	(no language specified) This class creates customizable slides and is mostly powered by the beamer class and the tikz package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/slixte/slixte-doc.pdf
– local file	./5587324791-slixte-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/slixte/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/slixte
on MikTeX	slixte
on T _E XLive	slixte
keyword	presentation (slides, beamers, handouts, etc.)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified

last access 2025-11-30

5550 *shtables* – Simplified tables for LaTeX

Web page on CTAN <https://ctan.org/pkg/shtables>

name *shtables*

caption Simplified tables for LaTeX

author Shipunov, Alexey

license lpl1.3 = The LaTeX Project Public License 1.3 (free)

version 1.2

description (no language specified) These macros develop the concepts of the *stables*, which are designed to offer table macros whose use is "as simple as one might hope".

Some would claim that LaTeX's built-in table specifications are as simple as one might hope, but this package offers many short-cuts and optimisation of the mechanisms of tables.

The package is part of the *shipunov* bundle.

documentation (no language specified) *Package documentation:*
<https://ctan.org/tex-archive/macros/latex/contrib/shipunov/doc/shtables-doc-en.pdf>

– local file ./6350136959-shtables-doc-en.pdf

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/shipunov>

on MikTeX *shipunov*

keyword table (table typesetting)

language(s) no language specified

year without year

last access 2025-02-07

5551 *smallcap* – Promote small caps to a font family, so NFSS can deal with different shapes

Web page on CTAN <https://ctan.org/pkg/smallcap>

name	<code>smallcap</code>
caption	Promote small caps to a font family, so NFSS can deal with different shapes
author	Taupin, Daniel
license	noinfo = noinfo
version	(2008-09-09)
last changes	2008-09-09
year	2008
description	(no language specified) A set of files that uses the fonts available in version 1.3 of the DC fonts to provide support for all 4 shapes of small caps. SC becomes a family, rather than a shape (<code>\scshape</code> is replaced by <code>\scfamily</code>). Thus you can write <code>\textbf{\scfamily\slshape ...}</code> to get small caps bold slanted.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/smallcap/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/smallcap
on MikTeX	<code>smallcap</code>
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
last access	2025-02-07

5552 *smaller* – Choose an "adjacent" size in LaTeX

Web page on CTAN <https://ctan.org/pkg/smaller>

name	<code>smaller</code>
caption	Choose an "adjacent" size in LaTeX
author	Cosell, Bernie
author	Hosek, Don
license	noinfo = noinfo
version	(1990-05-01)

5553 `smalltableof` – Create listoffigures etc. in a single chapter

last changes	1990-05-01
year	1990
description	(no language specified) Defines two commands <code>\larger</code> and <code>\smaller</code> . Starting with text size <code>\small</code> , <code>\larger</code> will give you <code>\normalsize</code> and <code>\smaller</code> will give you <code>\footnotesize</code> —in each case, one step on the hierarchy of LaTeX sizes. This LaTeX 2.09 package is superseded by the more subtle <code>relsize</code> package for current LaTeX.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/smaller.sty
keyword	font-sel (font selection schemes)
keyword	latex209 (package only known to work with LaTeX 2.09)
language(s)	no language specified
last access	2025-02-11

5553 `smalltableof` – Create listoffigures etc. in a single chapter

Web page on CTAN <https://ctan.org/pkg/smalltableof>

name	<code>smalltableof</code>
caption	Create listoffigures etc. in a single chapter
author	Mathieu, Boretti
copyright	Mathieu Boretti (2003)
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The package allows you to create a list of figures and list of tables in a chapter named ‘List’ that contains separate sections for each list of figures, tables, etc.
documentation	<i>Package documentation (French):</i> https://ctan.org/tex-archive/macros/latex/contrib/smalltableof/smalltableof-doc-fr.pdf
– local file	<code>./9976501286-smalltableof-doc-fr.pdf</code>
documentation	<i>Readme (French):</i> https://ctan.org/tex-archive/macros/latex/contrib/smalltableof/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/smalltableof
on MikTeX	<code>smalltableof</code>

5554 *smalltalk* – Typeset Smalltalk program fragments

on T _E XLive	<code>smalltableof</code>
keyword	<code>toc-etc</code> (deal with Tables of Contents, and of other such things)
language(s)	French
year	2003
last access	2025-02-07

5554 `smalltalk` – Typeset Smalltalk program fragments

Web page on CTAN <https://ctan.org/pkg/smalltalk>

name	<code>smalltalk</code>
caption	Typeset Smalltalk program fragments
author	Wolczko, Mario
license	noinfo = noinfo
version	3
description	(no language specified) Defines an environment <code>smalltalk</code> for typesetting program code. The package was written for LaTeX 2.09, but it runs under current LaTeX.

on CTAN <https://ctan.org/tex-archive/macros/latex209/contrib/misc/smalltalk.sty>

keyword	<code>listing</code> (computer code listing)
language(s)	no language specified
year	without year
last access	2025-02-07

5555 `smart-eqn` – Automatic math symbol styling for LaTeX documents

Web page on CTAN <https://ctan.org/pkg/smart-eqn>

name	<code>smart-eqn</code>
caption	Automatic math symbol styling for LaTeX documents
author	Xiang, Ziyue
copyright	Ziyue “Alan” Xiang (2021)
license	lpp1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0

description	(no language specified) In LaTeX typesetting, one usually needs to use different variants of a math symbol to clarify the meanings. For example, in linear algebra literature, it is common to use boldfaced symbols to represent vectors, and normal symbols to represent scalars. However, applying these variants by typing <code>\mathbf</code> , <code>\mathrm</code> commands manually can be daunting. This package aims to provide an automatic and customizable approach for math symbol styling which eliminates the need to enter style commands repeatedly.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/smart-eqn/smart-eqn.pdf
– local file	<code>./4394277877-smart-eqn.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/smart-eqn/README.md
contact	<i>repository</i> : https://github.com/xziyue/smart-eqn
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/smart-eqn
on MikTeX	<code>smart-eqn</code>
on TeXLive	<code>smart-eqn</code>
keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
language(s)	no language specified
year	2021
last access	2025-02-07

5556 smartdiagram – Generate diagrams from lists

Web page on CTAN	https://ctan.org/pkg/smartdiagram
name	<code>smartdiagram</code>
caption	Generate diagrams from lists
author	Fiandrino, Claudio
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.3b
description	(no language specified) The package will create ‘smart’ diagrams from lists of items, for simple documents and for presentations.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/smartdiagram/README

5557 *smartmn* – Make hyphens print as minus signs where appropriate

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/smartdiagram/smartdiagram.pdf
– local file	./3907928613-smartdiagram.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/smartdiagram
on MikTeX	smartdiagram
on TeXLive	smartdiagram
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	diagram (diagrams)
language(s)	no language specified
year	without year
last access	2025-02-07

5557 *smartmn* – Make hyphens print as minus signs where appropriate

Web page on CTAN	https://ctan.org/pkg/smartmn
name	smartmn
caption	Make hyphens print as minus signs where appropriate
author	Knappen, Jörg
copyright	Jörg Knappen (1996-1999)
license	gpl = GNU General Public License (free)
description	(no language specified) This package activates the minus sign such that it guesses whether to print as a hyphen or as minus sign in text mode (which is one of the most common typographical errors in LaTeX texts).
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jknappen/smartmn.sty
on MikTeX	jknappen
on TeXLive	jknapltx
keyword	typesetting (support for variations of typographic style)
language(s)	no language specified
year	1999
last access	2025-02-07

5558 smartnotes – Visually anchored margin notes with connector lines and dynamic placementWeb page on CTAN <https://ctan.org/pkg/smartnotes>

name	smartnotes
caption	Visually anchored margin notes with connector lines and dynamic placement
author	Ranna, Abhishek
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1 (2026-04-05)
last changes	2026-04-05
year	2026
description	(no language specified) This package provides margin notes that automatically choose the left or right margin based on the note position, so connector lines remain as short and direct as possible. Its main focus is clear visual anchoring: notes can point precisely to the relevant place in a sentence while avoiding unnecessarily long cross-page margin lines. The package also supports forced side placement, basic overlap avoidance, selectable box shapes, and an easy global disable option for drafting.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/smartnotes/smartnotes-doc.pdf
– local file	./8127436305-smartnotes-doc.pdf
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/smartnotes/smartnotes-example.pdf
– local file	./4533464331-smartnotes-example.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/smartnotes/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/smartnotes
on MikTeX	smartnotes
on T _E XLive	smartnotes
keyword	marginal (marginal notes, etc.)
keyword	notes (general notes (not including endnotes or footnotes))
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified

last access 2026-04-15

5559 smartref – Extend LaTeX’s \ref capabilityWeb page on CTAN <https://ctan.org/pkg/smartref>

name smartref

caption Extend LaTeX’s \ref capability

author Bilotta, Giuseppe

license lpl = The LaTeX Project Public License (free)

version 1.9

description (no language specified) The package extends the LaTeX labelling system: whenever a label is set, the values of counters (selected by the user) are recorded, along with the label. The value of these counters can be recalled with a command similar to `\pageref`.

The package also adds commands `\s[name]ref` (for each counter `[name]` that the user has selected); these commands display something only if the value of the `[name]` counter is changed from when the label was set. Many commands are provided to serve as a macro programming environment for using the extended labels.

documentation (no language specified) *Readme and command details*: <https://ctan.org/tex-archive/macros/latex/contrib/smartref/README>

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/smartref/smartref-doc.pdf>

– local file `./4334352891-smartref-doc.pdf`

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/smartref>

on MikTeX smartref

on TeXLive smartref

keyword label-ref (label and reference systems)

keyword counter-mgmt (management of counters)

see also see section 6928 on page 6253: (`zref` – A new reference scheme for LaTeX)

language(s) no language specified

year without year

last access 2025-02-07

5560 smartunits – Converting between common metric and Imperial units

Web page on CTAN <https://ctan.org/pkg/smartunits>

name	smartunits
caption	Converting between common metric and Imperial units
author	Mathas, Andrew
copyright	Andrew Mathas (2016)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2 (2016-02-05)
last changes	2016-02-05
year	2016
description	(no language specified) This LaTeX package implements a <code>\SmartUnit</code> macro for converting between (some) metric and Imperial units. The package requires pgfkeys and siunitx .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/smartunits/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/smartunits/smartunits.pdf
– local file	<code>./1364817964-smartunits.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/smartunits
on MikTeX	smartunits
on T _E XLive	smartunits
keyword	<code>misc-conv</code> (miscellaneous conversions)
keyword	<code>units</code> (uniform typesetting of units)
language(s)	no language specified
last access	2025-02-07

5561 smflatex – Classes for Société mathématique de France publications

Web page on CTAN <https://ctan.org/pkg/smflatex>

name	smflatex
caption	Classes for Société mathématique de France publications
author	Chambert-Loir, Antoine
copyright	Société mathématique de France (1999-2021)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.6
description	(no language specified) The Société mathématique de France provides a set of classes, packages and BibTeX styles that are used in its publications. They are based on AMS classes (whose code is sometimes recopied) and mainly ‘upward-compatible’. Their main features are: quite different design; new environments for typesetting some information in two languages (altabstract, alttitle, altkeywords); if necessary, use of babel (option frenchb) and deactivation of some features of frenchb. Includes smfart.cls, smfbook.cls, smfplain.bst, smfalpha.bst, amongst others.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/smflatex/README
documentation	(French) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/smflatex/smf-fdoc.pdf
– local file	./6066477193-smf-fdoc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/smflatex/smf-edoc.pdf
– local file	./5168453275-smf-edoc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/smflatex
on MikTeX	smflatex
on T _E XLive	smflatex
keyword	french (support for typesetting French)
keyword	journalpub (typesetting journals, etc)
language(s)	French
year	2021
last access	2025-02-07

5562 smiletex – Create LaTeX documents and more from simple textsWeb page on CTAN <https://ctan.org/pkg/smiletex>

name	SmileTeX
caption	Create LaTeX documents and more from simple texts
author	Schüler, Christian
license	nosource = No Source Available (not free)
description	(no language specified) SmileTeX is a small compiler for win32 systems, which takes simple text files and creates LaTeX documents and furthermore PDF, DVI and HTML documents from them. It automatically calls all tools necessary to include nearly all types of images and Excel tables, it recognizes equations, hyperlinks, sections, lists, special characters, references, long comments, table of contents, colors, etc. Additionally, it comes with a WinEdt highlighting scheme and menus.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/smiletex/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/smiletex/SmileTeX_docu.pdf
– local file	./2362989939-SmileTeX_docu.pdf
on CTAN	https://ctan.org/tex-archive/support/smiletex
keyword	compilation (the document compilation process)
language(s)	no language specified
year	without year
last access	2025-02-07

5563 snapshot – List the external dependencies of a LaTeX documentWeb page on CTAN <https://ctan.org/pkg/snapshot>

name	snapshot
caption	List the external dependencies of a LaTeX document
author	Downes, Michael J.
author	The American Mathematical Society
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.14

description	(no language specified) The snapshot package helps the owner of a LaTeX document obtain a list of the external dependencies of the document, in a form that can be embedded at the top of the document. It provides a snapshot of the current processing context of the document, insofar as it can be determined from inside LaTeX. If a document contains such a dependency list, then it becomes possible to arrange that the document be processed always with the same versions of everything, in order to ensure the same output. This could be useful for someone wanting to keep a LaTeX document on hand and consistently reproduce an identical DVI file from it, on the fly; or for someone wanting to shield a document during the final stages of its production cycle from unexpected side effects of routine upgrades to the TeX system.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/snapshot/snapshot.pdf
– local file	<code>./5627982424-snapshot.pdf</code>
home page	https://www.ams.org/arc/resources/snapshot-about.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/snapshot
on MikTeX	snapshot
on TeXLive	snapshot
keyword	archival (creating archival copies, or copies for distribution)
keyword	file-mgmt (TeX-related-file management)
see also	see section 855 on page 780: (bundledoc – Bundle together all the files needed to build a LaTeX document)
language(s)	no language specified
year	without year
last access	2025-02-07

5564 *snaptodo* – A todo that snaps to the closer side

Web page on CTAN	https://ctan.org/pkg/snaptodo
name	snaptodo
caption	A todo that snaps to the closer side
author	Wang, Hsin-Po
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2024-03-16)
last changes	2024-03-16

5565 *sneaker* – Configurable Sneakers with TikZ

year	2024
description	(no language specified) This package is an alternative to todonotes , from which it differs in the following ways: • Depending on where you call <code>\snaptodo</code> , the note is put in the left or the right margin, whichever is closer. • The notes bump each other so they never overlap; the lines never overlap either. • Aesthetic and customizable style.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/snaptodo/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/snaptodo/snaptodo.pdf
– local file	<code>./1029184561-snaptodo.pdf</code>
contact	<i>bugs</i> : https://github.com/Symbol1/snaptodo/issues
contact	<i>repository</i> : https://github.com/Symbol1/snaptodo
contact	<i>development</i> : https://www.symbol.codes
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/snaptodo
on MikTeX	snaptodo
on TeXLive	snaptodo
keyword	notes (general notes (not including endnotes or footnotes))
keyword	editorial (editor’s marks, highlights, etc.)
language(s)	no language specified
last access	2025-02-07

5565 *sneaker* – Configurable Sneakers with TikZ

Web page on CTAN	https://ctan.org/pkg/sneaker
name	sneaker
caption	Configurable Sneakers with TikZ
author	Molt, Aaron
copyright	Aaron Molt (2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)

version	1.0 (2026-04-03)
last changes	2026-04-03
year	2026
description	(no language specified) The sneaker package provides a TikZ pic for drawing stylized sneakers in an isometric-like perspective. The illustration is highly configurable via a simple key-value interface, allowing users to customize colors, shoelaces, velcro straps, decorative patterns (like bolts or stars), stitching details, and even inline-skate wheels. It is ideal for presentations, feature model illustrations, or as a visual gimmick in LaTeX documents.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/sneaker/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/sneaker/sneaker-doc.pdf
– local file	<code>./4429200719-sneaker-doc.pdf</code>
contact	<i>bugs</i> : https://github.com/Aargon06/sneaker/issues
contact	<i>repository</i> : https://github.com/Aargon06/sneaker
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/sneaker
on MikTeX	sneaker
on TeXLive	sneaker
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
language(s)	no language specified
last access	2026-04-15

5566 snote – Shaped notes for MusicTeX

Web page on CTAN <https://ctan.org/pkg/snote>

name	snote
caption	Shaped notes for MusicTeX
author	Colburn, Jerome
license	noinfo = noinfo
version	1.01

description	(no language specified) Shaped note schemes have different-shaped note-heads for different position on the scale, or for a selection of positions. Snote implements two such schemes: a four-note scheme (<code>\fasola</code>) and the Funk seven-note system (<code>\doremi</code>).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/snote/snreadme.txt
on CTAN	https://ctan.org/tex-archive/support/snote
keyword	music (typesetting music and related stuff)
see also	see section 4136 on page 3743: (music _{tex} – Typesetting music with TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

5567 snotez – Typeset notes, in the margin

Web page on CTAN	https://ctan.org/pkg/snotez
name	snotez
caption	Typeset notes, in the margin
author	Niederberger, Clemens
copyright	Clemens Niederberger (2012-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.7 (2022-02-12)
last changes	2022-02-12
year	2022
description	(no language specified) The package provides a macro <code>\sidenote</code> , that places a note in the margin of the document, with its baseline aligned with the baseline in the body of the document. These sidenotes are numbered (both in the text, and on the notes themselves). The package loads the package etoolbox , pgfopts and marginnote .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/snotez/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/snotez/snotez-manual.pdf
– local file	<code>./9917938744-snotez-manual.pdf</code>

5568 *sober* – Makes appearance of standard styles more "sober"

contact	<i>bugs:</i> https://github.com/cgnieder/snotez/issues
contact	<i>repository:</i> https://github.com/cgnieder/snotez/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/snotez
on MikTeX	snotez
on T _E XLive	snotez
keyword	marginal (marginal notes, etc.)
see also	see section 5489 on page 4966: (<i>sidenotes</i> – Typeset notes containing rich content, in the margin)
language(s)	no language specified
last access	2025-02-07

5568 *sober* – Makes appearance of standard styles more "sober"

Web page on CTAN <https://ctan.org/pkg/sober>

name	sober
caption	Makes appearance of standard styles more "sober"
author	Poppelier, Nico
license	noinfo = noinfo
version	(1991-06-09)
last changes	1991-06-09
year	1991
description	(no language specified) The package makes headings less overbearing, and reduces the size of various skips (notably those around headings, and within and around lists). Similar effects are achieved, in a more satisfactory fashion, in some of the classes in the ntgclass collection.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/sober.sty
keyword	headings (chapter, section, etc., heading styles)
keyword	layout (layout of objects on the page)
language(s)	no language specified
last access	2025-02-07

5569 *sobolev* – Commands for dealing with Sobolev spaces (and relatives)

Web page on CTAN <https://ctan.org/pkg/sobolev>

name	sobolev
caption	Commands for dealing with Sobolev spaces (and relatives)
author	Bosisio, Francesco
copyright	Francesco Bosisio (1997-2010)
license	lppl = The LaTeX Project Public License (free)
version	2.3
description	(no language specified) Provides commands which are useful when dealing with Hilbert and Sobolev spaces (which occurs very often, for example, in numerical analysis). It also provides the <code>\Norm</code> , <code>\SemiNorm</code> , <code>\Scalar</code> and <code>\Crochet</code> commands which are also involved in the same context. The package is part of the bosisio collection.
documentation	(no language specified) <i>Package documentation (HTML)</i> : https://ctan.org/tex-archive/macros/latex/contrib/bosisio/sobolev.html
documentation	(no language specified) <i>Package documentation (PDF)</i> : https://ctan.org/tex-archive/macros/latex/contrib/bosisio/sobolev.pdf
– local file	./3216984282-sobolev.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bosisio
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	2010
last access	2025-02-07

5570 *softfonts* – Manage the “soft fonts” in a LaserWriter printer

Web page on CTAN <https://ctan.org/pkg/softfonts>

name	softfonts
caption	Manage the “soft fonts” in a LaserWriter printer
author	Small Planet Software
license	pd = Public Domain Software (free)

version	1.5
description	(no language specified) A collection of DOS utilities to convert between PK fonts and fonts for use in Hewlett-Packard LaserWriter printers.
on CTAN	https://ctan.org/tex-archive/fonts/softfonts
keyword	font-proc (process fonts for use with TeX (includes installation))
language(s)	no language specified
year	without year
last access	2025-02-07

5571 *softmaker-alteschwabacher* – LaTeX Support files for the SoftMaker Alte Schwabacher font

Web page on CTAN	https://ctan.org/pkg/softmaker-alteschwabacher
name	softmaker-alteschwabacher
caption	LaTeX Support files for the SoftMaker Alte Schwabacher font
author	Kleber, Josef
copyright	Josef Kleber (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) This package offers LaTeX support files for the Softmaker Alte Schwabacher font, offered (free) from SoftMaker in May 2009, but not included here. The package requires support files from the softmakerfreefont package, which also offers further information.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/alteschwabacher/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/alteschwabacher/doc/alteschwabacher.pdf
– local file	./8762312509-alteschwabacher.pdf
on CTAN	https://ctan.org/tex-archive/fonts/softmakerfreefont/alteschwabacher
installation	https://ctan.org/tex-archive/install/fonts/softmakerfreefont/alteschwabacher.tds.zip
keyword	font-absent (support is for a font not available on CTAN)

keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
language(s)	no language specified
year	2010
last access	2025-02-07

5572 *softmaker-artistic* – LaTeX Support files for the SoftMaker Artistic font

Web page on CTAN <https://ctan.org/pkg/softmaker-artistic>

name	softmaker-artistic
caption	LaTeX Support files for the SoftMaker Artistic font
author	Kleber, Josef
copyright	Josef Kleber (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.3
description	(no language specified) This package offers LaTeX support files for the Softmaker Artistic font (regular), offered (free) from SoftMaker in May 2010, but not included here. The package requires support files from the softmakerfreefont package, which also offers further information.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/artistic/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/artistic/doc/artistic.pdf
– local file	./3283133507-artistic.pdf
on CTAN	https://ctan.org/tex-archive/fonts/softmakerfreefont/artistic
installation	https://ctan.org/tex-archive/install/fonts/softmakerfreefont/artistic.tds.zip
keyword	font-absent (support is for a font not available on CTAN)
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
language(s)	no language specified
year	2010

last access 2025-02-07

5573 softmaker-baskervillanova – LaTeX Support files for the SoftMaker Baskerville Nova fonts

Web page on CTAN <https://ctan.org/pkg/softmaker-baskervillanova>

name	softmaker-baskervillanova
caption	LaTeX Support files for the SoftMaker Baskerville Nova fonts
author	Kleber, Josef
copyright	Josef Kleber (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.3
description	(no language specified) This package offers LaTeX support files for the Softmaker Baskerville Nova fonts (regular + bold + italic + bold italic), offered (free) from SoftMaker in February 2010, but not included here. The package requires support files from the softmakerfreefont package, which also offers further information.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/softmakerfreefont/baskervillanova/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/softmakerfreefont/baskervillanova/doc/baskervillanova.pdf
– local file	./1488792561-baskervillanova.pdf
on CTAN	https://ctan.org/tex-archive/fonts/softmakerfreefont/baskervillanova
installation	https://ctan.org/tex-archive/install/fonts/softmakerfreefont/baskervillanova.tds.zip
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
keyword	font-absent (support is for a font not available on CTAN)
language(s)	no language specified
year	2010
last access	2025-02-07

5574 softmaker-bonita – LaTeX Support files for SoftMaker Bonita

Web page on CTAN <https://ctan.org/pkg/softmaker-bonita>

name	softmaker-bonita
caption	LaTeX Support files for SoftMaker Bonita
author	Kleber, Josef
copyright	Josef Kleber (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) This package offers LaTeX support files for the Softmaker Bonita font (regular), offered (free) from SoftMaker in September 2010, but not included here. The package requires support files from the softmakerfreefont package, which also offers further information.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/bonita/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/bonita/doc/bonita.pdf
– local file	./9652568802-bonita.pdf
on CTAN	https://ctan.org/tex-archive/fonts/softmakerfreefont/bonita
installation	https://ctan.org/tex-archive/install/fonts/softmakerfreefont/bonita.tds.zip
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
keyword	font-absent (support is for a font not available on CTAN)
language(s)	no language specified
year	2010
last access	2025-02-07

5575 **softmaker-broadway** – LaTeX Support files for the SoftMaker Broadway fonts

Web page on CTAN <https://ctan.org/pkg/softmaker-broadway>

name	softmaker-broadway
caption	LaTeX Support files for the SoftMaker Broadway fonts
author	Kleber, Josef
copyright	Josef Kleber (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) This package offers LaTeX support files for the Softmaker Broadway fonts (regular + engraved), offered (free) from SoftMaker in October 2008, but not included here. The package requires support files from the softmakerfreefont package, which also offers further information.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/broadway/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/broadway/doc/broadway.pdf
– local file	./8554735060-broadway.pdf
on CTAN	https://ctan.org/tex-archive/fonts/softmakerfreefont/broadway
installation	https://ctan.org/tex-archive/install/fonts/softmakerfreefont/broadway.tds.zip
keyword	font-absent (support is for a font not available on CTAN)
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
language(s)	no language specified
year	2010
last access	2025-02-07

5576 softmaker-canossa – LaTeX Support files for the SoftMaker Canossa fonts

Web page on CTAN <https://ctan.org/pkg/softmaker-canossa>

name	softmaker-canossa
caption	LaTeX Support files for the SoftMaker Canossa fonts
author	Kleber, Josef
copyright	Josef Kleber (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) This package offers LaTeX support files for the Softmaker Canossa fonts (regular + bold + light), offered (free) from SoftMaker in April 2010, but not included here. The package requires support files from the softmakerfreefont package, which also offers further information.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/softmakerfreefont/canossa/doc/canossa.pdf
– local file	./2899817912-canossa.pdf
documentation on CTAN	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/softmakerfreefont/canossa/README
installation	https://ctan.org/tex-archive/install/fonts/softmakerfreefont/canossa.tds.zip
keyword	font-absent (support is for a font not available on CTAN)
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
language(s)	no language specified
year	2010
last access	2025-02-07

5577 softmaker-congress – LaTeX Support files for the SoftMaker Congress fonts

Web page on CTAN <https://ctan.org/pkg/softmaker-congress>

name	softmaker-congress
caption	LaTeX Support files for the SoftMaker Congress fonts
author	Kleber, Josef
copyright	Josef Kleber (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.3
description	(no language specified) This package offers LaTeX support files for the Softmaker Congress fonts (regular + bold + italic), offered (free) from SoftMaker in February 2010, but not included here. The package requires support files from the softmakerfreefont package, which also offers further information.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/congress/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/congress/doc/congress.pdf
– local file	./9726554483-congress.pdf
on CTAN	https://ctan.org/tex-archive/fonts/softmakerfreefont/congress
installation	https://ctan.org/tex-archive/install/fonts/softmakerfreefont/congress.tds.zip
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
keyword	font-absent (support is for a font not available on CTAN)
language(s)	no language specified
year	2010
last access	2025-02-07

5578 softmaker-delanocaps – LaTeX Support files for the SoftMaker Delano Caps font

Web page on CTAN <https://ctan.org/pkg/softmaker-delanocaps>

name	softmaker-delanocaps
caption	LaTeX Support files for the SoftMaker Delano Caps font
author	Kleber, Josef
copyright	Josef Kleber (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.3
description	(no language specified) This package offers LaTeX support files for the Softmaker Delano Caps, offered (free) from SoftMaker in October 2009, but not included here. The package requires support files from the softmakerfreefont package, which also offers further information.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/delanocaps/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/delanocaps/doc/delanocaps.pdf
– local file	./4096021601-delanocaps.pdf
on CTAN	https://ctan.org/tex-archive/fonts/softmakerfreefont/delanocaps
installation	https://ctan.org/tex-archive/install/fonts/softmakerfreefont/delanocaps.tds.zip
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
keyword	font-absent (support is for a font not available on CTAN)
language(s)	no language specified
year	2010
last access	2025-02-07

5579 softmaker-digital – LaTeX Support files for the SoftMaker Digital fonts

Web page on CTAN <https://ctan.org/pkg/softmaker-digital>

name	softmaker-digital
caption	LaTeX Support files for the SoftMaker Digital fonts
author	Kleber, Josef
copyright	Josef Kleber (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) This package offers LaTeX support files for the Softmaker Digital fonts (regular + bold + italic + bold italic), offered (free) from SoftMaker in February 2010, but not included here. The package requires support files from the softmakerfreefont package, which also offers further information.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/softmakerfreefont/digital/doc/digital.pdf
– local file	./5789757750-digital.pdf
documentation on CTAN	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/softmakerfreefont/digital/README
installation	https://ctan.org/tex-archive/install/fonts/softmakerfreefont/digital.tds.zip
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
keyword	font-absent (support is for a font not available on CTAN)
language(s)	no language specified
year	2010
last access	2025-02-07

5580 *softmaker-egyptiennestd* – LaTeX Support files for the SoftMaker EgyptienneStd fonts

Web page on CTAN <https://ctan.org/pkg/softmaker-egyptiennestd>

name	softmaker-egyptiennestd
caption	LaTeX Support files for the SoftMaker EgyptienneStd fonts
author	Kleber, Josef
copyright	Josef Kleber (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) This package offers LaTeX support files for the Softmaker EgyptienneStd fonts (light + bold + light italic + bold italic), offered (free) from SoftMaker in June 2008, but not included here. The package requires support files from the softmakerfreefont package, which also offers further information.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/egyptiennestd/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/egyptiennestd/doc/egyptiennestd.pdf
– local file	./4468527799-egyptiennestd.pdf
on CTAN	https://ctan.org/tex-archive/fonts/softmakerfreefont/egyptiennestd
installation	https://ctan.org/tex-archive/install/fonts/softmakerfreefont/egyptiennestd.tds.zip
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
keyword	font-absent (support is for a font not available on CTAN)
language(s)	no language specified
year	2010
last access	2025-02-07

5581 softmaker-flagstaff – LaTeX Support files for the SoftMaker Flagstaff font

Web page on CTAN <https://ctan.org/pkg/softmaker-flagstaff>

name	softmaker-flagstaff
caption	LaTeX Support files for the SoftMaker Flagstaff font
author	Kleber, Josef
copyright	Josef Kleber (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.3
description	(no language specified) This package offers LaTeX support files for the Softmaker Flagstaff font (regular), offered (free) from SoftMaker in August 2009, but not included here. The package requires support files from the softmakerfreefont package, which also offers further information.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/softmakerfreefont/flagstaff/doc/flagstaff.pdf
– local file	./3794365277-flagstaff.pdf
documentation on CTAN	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/softmakerfreefont/flagstaff/README
installation	https://ctan.org/tex-archive/install/fonts/softmakerfreefont/flagstaff.tds.zip
keyword	font-absent (support is for a font not available on CTAN)
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
language(s)	no language specified
year	2010
last access	2025-02-07

5582 softmaker-grenoble – LaTeX Support files for the SoftMaker Grenoble fonts

Web page on CTAN <https://ctan.org/pkg/softmaker-grenoble>

name	softmaker-grenoble
caption	LaTeX Support files for the SoftMaker Grenoble fonts
author	Kleber, Josef
copyright	Josef Kleber (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) This package offers LaTeX support files for the Softmaker Grenoble fonts (regular + bold + italic + bold italic), offered (free) from SoftMaker in April 2008, but not included here. The package requires support files from the softmakerfreefont package, which also offers further information.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/grenoble/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/grenoble/doc/grenoble.pdf
– local file	./7047297218-grenoble.pdf
on CTAN	https://ctan.org/tex-archive/fonts/softmakerfreefont/grenoble
installation	https://ctan.org/tex-archive/install/fonts/softmakerfreefont/grenoble.tds.zip
keyword	font-absent (support is for a font not available on CTAN)
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
language(s)	no language specified
year	2010
last access	2025-02-07

5583 softmaker-helium – LaTeX Support files for the SoftMaker Helium fonts

Web page on CTAN <https://ctan.org/pkg/softmaker-helium>

name	softmaker-helium
caption	LaTeX Support files for the SoftMaker Helium fonts
author	Kleber, Josef
copyright	Josef Kleber (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) This package offers LaTeX support files for the Softmaker Helium fonts (regular + bold), offered (free) from SoftMaker in June 2010, but not included here. The package requires support files from the softmakerfreefont package, which also offers further information.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/softmakerfreefont/helium/doc/helium.pdf
– local file	./9262165949-helium.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/softmakerfreefont/helium/README
on CTAN	https://ctan.org/tex-archive/fonts/softmakerfreefont/helium
installation	https://ctan.org/tex-archive/install/fonts/softmakerfreefont/helium.tds.zip
keyword	font-absent (support is for a font not available on CTAN)
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
language(s)	no language specified
year	2010
last access	2025-02-07

5584 softmaker-heliumtwo – LaTeX Support files for the SoftMaker Helium fonts

Web page on CTAN <https://ctan.org/pkg/softmaker-heliumtwo>

name	softmaker-heliumtwo
caption	LaTeX Support files for the SoftMaker Helium fonts
author	Kleber, Josef
copyright	Josef Kleber (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) This package offers LaTeX support files for the Softmaker Helium fonts (regular + bold + shadow), offered (free) from SoftMaker in November 2008, but not included here. The package requires support files from the softmakerfreefont package, which also offers further information.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/heliumtwo/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/heliumtwo/doc/heliumtwo.pdf
– local file	./7903397231-heliumtwo.pdf
on CTAN	https://ctan.org/tex-archive/fonts/softmakerfreefont/heliumtwo
installation	https://ctan.org/tex-archive/install/fonts/softmakerfreefont/heliumtwo.tds.zip
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
keyword	font-absent (support is for a font not available on CTAN)
language(s)	no language specified
year	2010
last access	2025-02-07

5585 softmaker-henderson – LaTeX Support files for the SoftMaker Henderson font

Web page on CTAN <https://ctan.org/pkg/softmaker-henderson>

name	softmaker-henderson
caption	LaTeX Support files for the SoftMaker Henderson font
author	Kleber, Josef
copyright	Josef Kleber (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.3
description	(no language specified) This package offers LaTeX support files for the Softmaker Henderson font (regular), offered (free) from SoftMaker in July 2009, but not included here. The package requires support files from the softmakerfreefont package, which also offers further information.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/henderson/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/henderson/doc/henderson.pdf
– local file	./4274697543-henderson.pdf
on CTAN	https://ctan.org/tex-archive/fonts/softmakerfreefont/henderson
installation	https://ctan.org/tex-archive/install/fonts/softmakerfreefont/henderson.tds.zip
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
keyword	font-absent (support is for a font not available on CTAN)
language(s)	no language specified
year	2010
last access	2025-02-07

5586 **softmaker-iceberg** – LaTeX Support files for the SoftMaker Iceberg font

Web page on CTAN <https://ctan.org/pkg/softmaker-iceberg>

name	softmaker-iceberg
caption	LaTeX Support files for the SoftMaker Iceberg font
author	Kleber, Josef
copyright	Josef Kleber (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.3
description	(no language specified) This package offers LaTeX support files for the Softmaker Iceberg font (regular + bold), offered (free) from SoftMaker in September 2009, but not included here. The package requires support files from the softmakerfreefont package, which also offers further information.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/softmakerfreefont/iceberg/doc/iceberg.pdf
– local file	./8584442941-iceberg.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/softmakerfreefont/iceberg/README
on CTAN	https://ctan.org/tex-archive/fonts/softmakerfreefont/iceberg
installation	https://ctan.org/tex-archive/install/fonts/softmakerfreefont/iceberg.tds.zip
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
keyword	font-absent (support is for a font not available on CTAN)
language(s)	no language specified
year	2010
last access	2025-02-07

5587 *softmaker-inverserif* – LaTeX Support files for the SoftMaker Inverserif font

Web page on CTAN <https://ctan.org/pkg/softmaker-inverserif>

name	softmaker-inverserif
caption	LaTeX Support files for the SoftMaker Inverserif font
author	Kleber, Josef
copyright	Josef Kleber (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) This package offers LaTeX support files for the Softmaker Inverserif font, offered (free) from SoftMaker in July 2008, but not included here. The package requires support files from the softmakerfreefont package, which also offers further information.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/softmakerfreefont/inverserif/doc/inverserif.pdf
– local file	./3842350244-inverserif.pdf
documentation on CTAN	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/softmakerfreefont/inverserif/README
installation	https://ctan.org/tex-archive/install/fonts/softmakerfreefont/inverserif.tds.zip
keyword	font-absent (support is for a font not available on CTAN)
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
language(s)	no language specified
year	2010
last access	2025-02-07

5588 *softmaker-jugendstil* – LaTeX Support files for the SoftMaker Jugendstil font

Web page on CTAN <https://ctan.org/pkg/softmaker-jugendstil>

name	softmaker-jugendstil
caption	LaTeX Support files for the SoftMaker Jugendstil font
author	Kleber, Josef
copyright	Josef Kleber (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.3
description	(no language specified) This package offers LaTeX support files for the Softmaker Jugendstil font (regular), offered (free) from SoftMaker in January 2010, but not included here. The package requires support files from the softmakerfreefont package, which also offers further information.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/jugendstil/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/jugendstil/doc/jugendstil.pdf
– local file	./8563097473-jugendstil.pdf
on CTAN	https://ctan.org/tex-archive/fonts/softmakerfreefont/jugendstil
installation	https://ctan.org/tex-archive/install/fonts/softmakerfreefont/jugendstil.tds.zip
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
keyword	font-absent (support is for a font not available on CTAN)
language(s)	no language specified
year	2010
last access	2025-02-07

5589 softmaker-marseille – LaTeX Support files for the SoftMaker Marseille fonts

Web page on CTAN <https://ctan.org/pkg/softmaker-marseille>

name	softmaker-marseille
caption	LaTeX Support files for the SoftMaker Marseille fonts
author	Kleber, Josef
copyright	Josef Kleber (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) This package offers LaTeX support files for the Softmaker Marseille fonts (regular + bold + italic + bold italic), offered (free) from SoftMaker in September 2008, but not included here. The package requires support files from the softmakerfreefont package, which also offers further information.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/marseille/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/marseille/doc/marseille.pdf
– local file	./5337764265-marseille.pdf
on CTAN	https://ctan.org/tex-archive/fonts/softmakerfreefont/marseille
installation	https://ctan.org/tex-archive/install/fonts/softmakerfreefont/marseille.tds.zip
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
keyword	font-absent (support is for a font not available on CTAN)
language(s)	no language specified
year	2010
last access	2025-02-07

5590 softmaker-moab – LaTeX Support files for the SoftMaker Moab font

Web page on CTAN <https://ctan.org/pkg/softmaker-moab>

name	softmaker-moab
caption	LaTeX Support files for the SoftMaker Moab font
author	Kleber, Josef
copyright	Josef Kleber (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) This package offers LaTeX support files for the Softmaker Moab fonts (regular), offered (free) from SoftMaker in April 2009, but not included here. The package requires support files from the softmakerfreefont package, which also offers further information.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/moab/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/moab/doc/moab.pdf
– local file	./2918845176-moab.pdf
on CTAN	https://ctan.org/tex-archive/fonts/softmakerfreefont/moab
installation	https://ctan.org/tex-archive/install/fonts/softmakerfreefont/moab.tds.zip
keyword	font-absent (support is for a font not available on CTAN)
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
language(s)	no language specified
year	2010
last access	2025-02-09

5591 **softmaker-nevada** – LaTeX Support files for the SoftMaker Nevada fonts

Web page on CTAN <https://ctan.org/pkg/softmaker-nevada>

name	softmaker-nevada
caption	LaTeX Support files for the SoftMaker Nevada fonts
author	Kleber, Josef
copyright	Josef Kleber (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) This package offers LaTeX support files for the Softmaker Nevada fonts (regular + bold), offered (free) from SoftMaker in February 2008, but not included here. The package requires support files from the softmakerfreefont package, which also offers further information.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/softmakerfreefont/nevada/doc/nevada.pdf
– local file	./4480181584-nevada.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/softmakerfreefont/nevada/README
on CTAN	https://ctan.org/tex-archive/fonts/softmakerfreefont/nevada
installation	https://ctan.org/tex-archive/install/fonts/softmakerfreefont/nevada.tds.zip
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
keyword	font-absent (support is for a font not available on CTAN)
language(s)	no language specified
year	2010
last access	2025-02-07

5592 softmaker-newcastle – LaTeX Support files for the SoftMaker Newcastle fonts

Web page on CTAN <https://ctan.org/pkg/softmaker-newcastle>

name	softmaker-newcastle
caption	LaTeX Support files for the SoftMaker Newcastle fonts
author	Kleber, Josef
copyright	Josef Kleber (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) This package offers LaTeX support files for the Softmaker Newcastle fonts (regular + demibold + bold), offered (free) from SoftMaker in January 2008, but not included here. The package requires support files from the softmakerfreefont package, which also offers further information.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/newcastle/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/newcastle/doc/newcastle.pdf
– local file	./9844228208-newcastle.pdf
on CTAN	https://ctan.org/tex-archive/fonts/softmakerfreefont/newcastle
installation	https://ctan.org/tex-archive/install/fonts/softmakerfreefont/newcastle.tds.zip
keyword	font-absent (support is for a font not available on CTAN)
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
language(s)	no language specified
year	2010
last access	2025-02-07

5593 softmaker-oldblackletter – LaTeX Support files for the SoftMaker Old Blackletter font

Web page on CTAN <https://ctan.org/pkg/softmaker-oldblackletter>

name	softmaker-oldblackletter
caption	LaTeX Support files for the SoftMaker Old Blackletter font
author	Kleber, Josef
copyright	Josef Kleber (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.3
description	(no language specified) This package offers LaTeX support files for the Softmaker Old Blackletter font, offered (free) from SoftMaker in December 2009, but not included here. The package requires support files from the softmakerfreefont package, which also offers further information.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/oldblackletter/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/oldblackletter/doc/oldblackletter.pdf
– local file	./8257301445-oldblackletter.pdf
on CTAN	https://ctan.org/tex-archive/fonts/softmakerfreefont/oldblackletter
installation	https://ctan.org/tex-archive/install/fonts/softmakerfreefont/oldblackletter.tds.zip
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
keyword	font-absent (support is for a font not available on CTAN)
language(s)	no language specified
year	2010
last access	2025-02-07

5594 softmaker-quadrat – LaTeX Support files for the SoftMaker Quadrat fonts

Web page on CTAN <https://ctan.org/pkg/softmaker-quadrat>

name	softmaker-quadrat
caption	LaTeX Support files for the SoftMaker Quadrat fonts
author	Kleber, Josef
copyright	Josef Kleber (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) This package offers LaTeX support files for the Softmaker Quadrat fonts (regular + bold + italic + bold italic), offered (free) from SoftMaker in December 2008, but not included here. The package requires support files from the softmakerfreefont package, which also offers further information.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/softmakerfreefont/quadrat/doc/quadrat.pdf
– local file	./2553240334-quadrat.pdf
documentation on CTAN	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/softmakerfreefont/quadrat/README
installation	https://ctan.org/tex-archive/install/fonts/softmakerfreefont/quadrat.tds.zip
keyword	font-absent (support is for a font not available on CTAN)
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
language(s)	no language specified
year	2010
last access	2025-02-07

5595 **softmaker-stonehand** – LaTeX Support files for the SoftMaker Stone Handwriting font

Web page on CTAN <https://ctan.org/pkg/softmaker-stonehand>

name	softmaker-stonehand
caption	LaTeX Support files for the SoftMaker Stone Handwriting font
author	Kleber, Josef
copyright	Josef Kleber (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.3
description	(no language specified) This package offers LaTeX support files for the Softmaker Stone Handwriting font (regular), offered (free) from SoftMaker in June 2009, but not included here. The package requires support files from the softmakerfreefont package, which also offers further information.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/stonehand/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/stonehand/doc/stonehand.pdf
– local file	./5504195491-stonehand.pdf
on CTAN	https://ctan.org/tex-archive/fonts/softmakerfreefont/stonehand
installation	https://ctan.org/tex-archive/install/fonts/softmakerfreefont/stonehand.tds.zip
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
keyword	font-absent (support is for a font not available on CTAN)
language(s)	no language specified
year	2010
last access	2025-02-07

5596 softmaker-sunset – LaTeX Support files for the SoftMaker Sunset fonts

Web page on CTAN <https://ctan.org/pkg/softmaker-sunset>

name	softmaker-sunset
caption	LaTeX Support files for the SoftMaker Sunset fonts
author	Kleber, Josef
copyright	Josef Kleber (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) This package offers LaTeX support files for the Softmaker Sunset fonts (regular + bold), offered (free) from SoftMaker in March 2010, but not included here. The package requires support files from the softmakerfreefont package, which also offers further information.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/softmakerfreefont/sunset/doc/sunset.pdf
– local file	./9910637471-sunset.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/softmakerfreefont/sunset/README
on CTAN	https://ctan.org/tex-archive/fonts/softmakerfreefont/sunset
installation	https://ctan.org/tex-archive/install/fonts/softmakerfreefont/sunset.tds.zip
keyword	font-absent (support is for a font not available on CTAN)
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
language(s)	no language specified
year	2010
last access	2025-02-07

5597 *softmaker-tampa* – LaTeX Support files for the SoftMaker Congress fonts

Web page on CTAN <https://ctan.org/pkg/softmaker-tampa>

name	softmaker-tampa
caption	LaTeX Support files for the SoftMaker Congress fonts
author	Kleber, Josef
copyright	Josef Kleber (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) This package offers LaTeX support files for the Softmaker Tampa font (regular), offered (free) from SoftMaker in February 2009, but not included here. The package requires support files from the softmakerfreefont package, which also offers further information.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/tampa/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/tampa/doc/tampa.pdf
– local file	<code>./1261177712-tampa.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/softmakerfreefont/tampa
installation	https://ctan.org/tex-archive/install/fonts/softmakerfreefont/tampa.tds.zip
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
language(s)	no language specified
year	2010
last access	2025-02-07

5598 *softmaker-vagrounded* – LaTeX Support files for the SoftMaker VAGRounded font

Web page on CTAN <https://ctan.org/pkg/softmaker-vagrounded>

name	softmaker-vagrounded
caption	LaTeX Support files for the SoftMaker VAGRounded font
author	Kleber, Josef
copyright	Josef Kleber (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) This package offers LaTeX support files for the Softmaker VAGRounded font (regular), offered (free) from SoftMaker in August 2010, but not included here. The package requires support files from the softmakerfreefont package, which also offers further information.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/vagrounded/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/vagrounded/doc/vagrounded.pdf
– local file	./8822016899-vagrounded.pdf
on CTAN	https://ctan.org/tex-archive/fonts/softmakerfreefont/vagrounded
installation	https://ctan.org/tex-archive/install/fonts/softmakerfreefont/vagrounded.tds.zip
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
keyword	font-absent (support is for a font not available on CTAN)
language(s)	no language specified
year	2010
last access	2025-02-07

5599 softmaker-velo – LaTeX Support files for the SoftMaker Velo font

Web page on CTAN <https://ctan.org/pkg/softmaker-velo>

name	softmaker-velo
caption	LaTeX Support files for the SoftMaker Velo font
author	Kleber, Josef
copyright	Josef Kleber (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) This package offers LaTeX support files for the Softmaker Velo font, offered (free) from SoftMaker in March 2008, but not included here. The package requires support files from the softmakerfreefont package, which also offers further information.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/velo/doc/velo.pdf
– local file	./9411348750-velo.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/velo/README
on CTAN	https://ctan.org/tex-archive/fonts/softmakerfreefont/velo
installation	https://ctan.org/tex-archive/install/fonts/softmakerfreefont/velo.tds.zip
keyword	font-absent (support is for a font not available on CTAN)
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
language(s)	no language specified
year	2010
last access	2025-02-07

5600 softmaker-veracruz – LaTeX Support files for the SoftMaker Veracruz fonts

Web page on CTAN <https://ctan.org/pkg/softmaker-veracruz>

name	softmaker-veracruz
caption	LaTeX Support files for the SoftMaker Veracruz fonts
author	Kleber, Josef
copyright	Josef Kleber (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) This package offers LaTeX support files for the Softmaker Veracruz fonts (regular + bold + italic + bold italic), offered (free) from SoftMaker in May 2008, but not included here. The package requires support files from the softmakerfreefont package, which also offers further information.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/softmakerfreefont/veracruz/doc/veracruz.pdf
– local file	./2975709234-veracruz.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/softmakerfreefont/veracruz/README
on CTAN	https://ctan.org/tex-archive/fonts/softmakerfreefont/veracruz
installation	https://ctan.org/tex-archive/install/fonts/softmakerfreefont/veracruz.tds.zip
keyword	font-absent (support is for a font not available on CTAN)
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
language(s)	no language specified
year	2010
last access	2025-02-07

5601 softmakerfreefont – Support files for SoftMaker free fonts

Web page on CTAN <https://ctan.org/pkg/softmakerfreefont>

Alias `softmaker-freefont`

name `softmakerfreefont`

caption Support files for SoftMaker free fonts

author Kleber, Josef

copyright Josef Kleber (2010)

license lppl = The LaTeX Project Public License (free)

version 1.1

description (no language specified) In June 2009 **SoftMaker** offered a handwriting font for free download: The Softmaker Stone Handwriting. As handwriting fonts are a quite limited resource in the LaTeX world, the author decided to create support files for the font. Since then, the author has added support files for the fonts Alte Schwabacher, Artistic (regular), Baskerville-Nova (regular + bold + italic + bold italic), Bonita (regular), Broadway (regular + engraved), Canossa (regular + bold + light), Congress (regular + bold + italic), Delano-Caps, Digital (regular + bold + italic + bold italic), EgyptienneStd (light + bold + light italic + bold italic), Flagstaff (regular), Grenoble (regular + bold + italic + bold italic), Helium (regular + bold), Heliumtwo (regular + bold + shadow), Henderson (regular), Iceberg (regular + bold), Inverserif (regular), Jugendstil (regular), Marseille (regular + bold + italic + bold italic), Moab (regular), Nevada (regular + bold), Newcastle (regular + demibold + bold), Old Blackletter, Quadrat (regular + bold + italic + bold italic), Stone Handwriting, Sunset (regular + bold), Tampa (regular), VAGRounded (regular), Velo (regular), Veracruz (regular + bold + italic + bold italic).

This is the base package for all other softmakerfreefont packages, namely:

- **Alte Schwabacher**
- **Artistic**
- **Baskerville-Nova**
- **Bonita**
- **Broadway**
- **Canossa**
- **Congress**
- **Delano Caps**
- **Digital**

- [EgyptienneStd](#)
- [Flagstaff](#)
- [Grenoble](#)
- [Helium](#)
- [Heliumtwo](#)
- [Henderson](#)
- [Iceberg](#)
- [/pkg/softmaker-inverserif](#)
- [Jugendstil](#)
- [Marseille](#)
- [Moab](#)
- [Nevada](#)
- [Newcastle](#)
- [Old Blackletter](#)
- [Quadrat](#)
- [Stone Handwriting](#)
- [Sunset](#) , and
- [Tampa](#)
- [VAGrounded](#)
- [Velo](#)
- [Veracruz](#) .

These packages do not include the fonts themselves.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/softmakerfreefont/softmakerfreefont/README
on CTAN	https://ctan.org/tex-archive/fonts/softmakerfreefont/softmakerfreefont
installation	https://ctan.org/tex-archive/install/fonts/softmakerfreefont/softmakerfreefont.tds.zip
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
language(s)	no language specified
year	2010

last access 2025-02-07

5602 *somedefs* – Save loading all of another package

Web page on CTAN <https://ctan.org/pkg/somedefs>

name	<i>somedefs</i>
caption	Save loading all of another package
author	Jeffrey, Alan
author	The LaTeX Project Team
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.03 (1994-06-01)
last changes	1994-06-01
year	1994
description	(no language specified) A programmer's toolkit package for use by package writers supporting the provision of options which switch definitions contained in a package on and off through package options. It thus does not require all of the package to be loaded into memory. The package is part of the latex-tools bundle in the LaTeX required distribution.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/required/tools/somedefs.pdf
– local file	<code>./6935126998-somedefs.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/required/tools
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-tools.tds.zip
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

5603 songbook – Package for typesetting song lyrics and chord booksWeb page on CTAN <https://ctan.org/pkg/songbook>

name	songbook
caption	Package for typesetting song lyrics and chord books
author	Rath, Christopher
license	lgpl2.1 = GNU Lesser General Public License 2.1 (free)
version	4.5
description	(no language specified) The package provides an all purpose songbook style. Three types of output may be created from a single input file: "words and chords" books for the musicians to play from, "words only" songbooks for the congregation to sing from, and overhead transparency masters for congregational use. The package will also print a table of contents, an index sorted by title and first line, and an index sorted by key, or by artist/composer. The package attempts to handle songs in multiple keys, as well as songs in multiple languages.
documentation	(no language specified) <i>Outline of distribution supplements:</i> https://ctan.org/tex-archive/macros/latex/contrib/songbook/contrib/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/songbook/songbook.pdf
– local file	./5707396393-songbook.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/songbook/README
home page	http://rath.ca/Misc/Songbook/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/songbook
on MikTeX	songbook
on T _E XLive	songbook
keyword	music (typesetting music and related stuff)
keyword	chords (chord notations, as for song books)
language(s)	no language specified
year	without year
last access	2025-02-07

5604 *songproj* – Generate Beamer slideshows with song lyrics

Web page on CTAN <https://ctan.org/pkg/songproj>

name	songproj
caption	Generate Beamer slideshows with song lyrics
author	Ortolo, Tanguy
copyright	Tanguy Ortolo (2022)
license	bsd3 = 3-clause BSD License (free)
version	1.2.0 (2023-03-29)
last changes	2023-03-29
year	2023
description	(no language specified) This package, together with the Beamer class, is used to generate slideshows with song lyrics. This is typically used in religious services in churches equipped with a projector, for which this package has been written, but it can be useful for any type of singing assembly. It provides environments to describe a song in a natural way, and formatting it into slides with overlays. The package comes with an additional Python script that can be used to convert plain-text song lyrics to the expected LaTeX markup.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/songproj/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/songproj/songproj.pdf
– local file	./7249061165-songproj.pdf
contact	<i>repository</i> : https://git.ortolo.eu/songproj.git/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/songproj
on MikTeX	songproj
on T _E XLive	songproj
keyword	verse (typeset verse, etc.)
keyword	presentation (slides, beamers, handouts, etc.)
keyword	music (typesetting music and related stuff)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

5605 *songs* – Produce song books for church or fellowship

Web page on CTAN <https://ctan.org/pkg/songs>

name	songs
caption	Produce song books for church or fellowship
author	Hamlen, Kevin W.
copyright	Kevin W. Hamlen (2009-2018)
license	gpl2 = GNU General Public License, version 2 (free)
version	3.1 (2018-09-12)
last changes	2018-09-12
year	2018
description	(no language specified) The package provides a means of producing beautiful song books for church or fellowship. It offers: • a very easy chord-entry syntax; • multiple modes (words-only; words+chords; slides; handouts); • measure bars; • guitar tablatures; • automatic transposition; • scripture quotations; • multiple indexes (sorted by title, author, important lyrics, or scripture references); and • projector-style output generation, for interactive use. A set of example documents is provided.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/songs/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/songs/songs.pdf
– local file	./7217092051-songs.pdf
home page	http://songs.sourceforge.net
contact	<i>repository</i> : https://sourceforge.net/projects/songs
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/songs
on MikTeX	songs
on T _E XLive	songs

5606 sorhyph – Upper Sorbian hyphenation patterns

keyword	chords (chord notations, as for song books)
keyword	music (typesetting music and related stuff)
see also	see section 5603 on page 5071: (songbook – Package for typesetting song lyrics and chord books)
language(s)	no language specified
last access	2025-02-07

5606 sorhyph – Upper Sorbian hyphenation patterns

Web page on CTAN <https://ctan.org/pkg/sorhyph>

name	sorhyph
caption	Upper Sorbian hyphenation patterns
author	Werner, Eduard
license	nocommercial = No Commercial Use (not free)
version	(1997-03-22)
last changes	1997-03-22
year	1997
description	(no language specified) The package is superseded by the Upper Sorbian patterns available in the hyph-utf8 bundle.
on CTAN	https://ctan.org/tex-archive/language/hyphenation/sorhyph.tex
keyword	hyphenation (macros or tables for hyphenation)
keyword	other-lang (support for a language whose support is not otherwise catalogued)
language(s)	no language specified
last access	2025-02-07

5607 *sort-by-letters* – Bibliography styles for alphabetic sorting

Web page on CTAN <https://ctan.org/pkg/sort-by-letters>

name	sort-by-letters
caption	Bibliography styles for alphabetic sorting
author	van Oudenhove, Thomas
copyright	Thomas van Oudenhove (2006)
license	other-free = Free license not otherwise listed (free)
description	(no language specified) This bundle contains several bibliography styles for separating a document's references by the first letter of the first author/editor in the bibliography entry. The styles are adapted from standard ones or from natbib ones.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/sort-by-letters/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/sort-by-letters
on MikTeX	sort-by-letters
on T _E XLive	sort-by-letters
keyword	bibtex-sty (bibtex-sty(unknown))
see also	see section 144 on page 132: (alphabib – Add alphabetical headers into citations)
language(s)	no language specified
year	2006
last access	2025-02-07

5608 *soton* – University of Southampton-compliant slides

Web page on CTAN <https://ctan.org/pkg/soton>

name	soton
caption	University of Southampton-compliant slides
author	Blanco, Max
license	lppl = The LaTeX Project Public License (free)
version	0.1

5609 *soul* – Hyphenation for letterspacing, underlining, and more

description	(no language specified) The bundle contains two packages: <code>soton-palette</code> which defines colour-ways, and <code>soton-beamer</code> , which uses the colours to produce compliant presentations.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/soton/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/soton
on MikTeX	<code>soton</code>
on T _E XLive	<code>soton</code>
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

5609 *soul* – Hyphenation for letterspacing, underlining, and more

Web page on CTAN	https://ctan.org/pkg/soul
Alias	<code>soulutf8</code>
name	<code>soul</code>
caption	Hyphenation for letterspacing, underlining, and more
author	Oberdiek, Heiko
copyright	Oberdiek Package Support Group (2016-2026)
copyright	Heiko Oberdiek (2007)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.2 (2026-03-06)
last changes	2026-03-06
year	2026
description	(no language specified) The package provides hyphenable spacing out (letterspacing), underlining, striking out, etc., using the TeX hyphenation algorithm to find the proper hyphens automatically. It also provides a mechanism that can be used to implement similar tasks, that have to treat text syllable by syllable. This is shown in two examples. This version is a merge of the original <code>soul</code> package from Melchior Franz and the <code>soulutf8</code> package from Heiko Oberdiek and supports also UTF8.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/soul/soul.pdf

5610 *soulpos* – A fancy means of underlining

– local file	<code>./6308667599-soul.pdf</code>
documentation	(no language specified) <i>Package documentation (Old soul package)</i> : https://ctan.org/tex-archive/macros/generic/soul/soul-ori.pdf
– local file	<code>./9356240149-soul-ori.pdf</code>
contact	<i>bugs</i> : https://github.com/ho-tex/soul/issues
contact	<i>repository</i> : https://github.com/ho-tex/soul
on CTAN	https://ctan.org/tex-archive/macros/generic/soul
on MikTeX	soul
on T _E XLive	soul
keyword	tagged-pdf-incompatible (tagged PDF incompatible)
keyword	letterspace (change space between characters)
keyword	underline (underlining/overlining text (including other decorations))
language(s)	no language specified
last access	2026-03-26

5610 *soulpos* – A fancy means of underlining

Web page on CTAN	https://ctan.org/pkg/soulpos
name	soulpos
caption	A fancy means of underlining
author	Bezos López, Javier
copyright	Javier Bezos (2012-2021)
license	mit = MIT License (free)
version	1.2
description	(no language specified) The package combines the use of soul with the <code>savepos</code> mechanism of current pdfTeX so that the user can create (almost) arbitrary underlining and similar ”decorations”, including rules, leaders and even pictures (pgf , pstricks , etc.). Unlike soul underlines, which are built by repeating small elements, here each chunk of text to be underlined is a single element.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/soulpos/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/soulpos/soulpos.pdf

5611 soup – Generate alphabet soup puzzles

– local file	./9320243130-soulpos.pdf
home page	http://www.texnia.com/
contact	repository: https://github.com/jbezoz
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/soulpos
on MikTeX	soulpos
on T _E XLive	soulpos
keyword	letterspace (change space between characters)
keyword	tagged-pdf-incompatible (tagged PDF incompatible)
keyword	underline (underlining/overlining text (including other decorations))
language(s)	no language specified
year	2021
last access	2026-03-12

5611 soup – Generate alphabet soup puzzles

Web page on CTAN <https://ctan.org/pkg/soup>

name	soup
caption	Generate alphabet soup puzzles
author	Simers, Thomas
copyright	Thomas Simers (2017)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0.2 (2019-04-05)
last changes	2019-04-05
year	2019
description	(no language specified) Generate alphabet soup puzzles (aka word search puzzles), and variations using numbers or other symbols. Provides macros to generate an alphabet soup style puzzle (also known as word search puzzles or "find-the-word" puzzles). Allow creating numbersoup and soups with custom symbol sets.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/soup/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/soup/soup.pdf

– local file	<code>./5493668595-soup.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/soup
on MikTeX	soup
on TeXLive	soup
keyword	puzzle (problems and puzzles, and their solutions)
keyword	cwpuzzle (crossword puzzle)
keyword	games (process game diagrams, gamebooks, and other amusements)
language(s)	no language specified
last access	2025-02-07

5612 *source2e* – LaTeX2e kernel documentation for the entire system as one document

Web page on CTAN	https://ctan.org/pkg/source2e
name	source2e
caption	LaTeX2e kernel documentation for the entire system as one document
author	The LaTeX Project Team
copyright	The LaTeX3 Project (1993-2014)
license	lppl = The LaTeX Project Public License (free)
version	(2009-09-24)
last changes	2009-09-24
year	2009
description	(no language specified) The LaTeX system is provided as a large number of separate modules. The interested user may process each module separately, to produce formatted documentation. Formatted documentation of the entire system, however, is a more substantial undertaking; <code>source2e.tex</code> provides what the user needs to produce a complete listing of the LaTeX kernel. It not only includes the relevant modules in the ‘correct’ order, but it also guides the user through the rather complex compilation process (by writing messages to the terminal and log). The document also includes a command index. A formatted copy of <code>source2e</code> is provided in the latex-tds bundle; the file itself is part of the LaTeX base distribution.
documentation	(no language specified) <i>The document itself (PDF)</i>: https://ctan.org/tex-archive/macros/latex/base/source2e.pdf
– local file	<code>./9863350500-source2e.pdf</code>

home page	http://www.latex-project.org/
on MikTeX	ltxbase
on T _E XLive	latex
keyword	latex-doc (latex-doc(unknown))
language(s)	no language specified
last access	2025-02-11

5613 sourcecodepro – Use SourceCodePro with TeX(-alike) systems

Web page on CTAN <https://ctan.org/pkg/sourcecodepro>

name	sourcecodepro
caption	Use SourceCodePro with TeX(-alike) systems
author	Hofstra, Silke
license	lpl = The LaTeX Project Public License (free)
license	ofl = The SIL Open Font License (free)
version	2.7
description	(no language specified) The font is an open-source Monospaced development from Adobe. The package provides fonts (in both Adobe Type 1 and OpenType formats) and macros supporting their use in LaTeX (Type 1) and XeLaTeX/LuaLaTeX (OTF).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/sourcecodepro/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/sourcecodepro/doc/sourcecodepro.pdf
– local file	./7426749148-sourcecodepro.pdf
on CTAN	https://ctan.org/tex-archive/fonts/sourcecodepro
installation	https://ctan.org/tex-archive/install/fonts/sourcecodepro.tds.zip
on MikTeX	sourcecodepro
on T _E XLive	sourcecodepro
keyword	font-otf (font in OpenType format)
keyword	font-t1enc (font providing LaTeX T1 encoding support)
keyword	font-sans (sans-serif font)
keyword	font-mono (monospaced font)

keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-02-07

5614 *sourcesans* – Use Source Sans with TeX(-alike) systems

Web page on CTAN <https://ctan.org/pkg/sourcesans>

Alias	SourceSansPro
name	SourceSans
caption	Use Source Sans with TeX(-alike) systems
author	Hofstra, Silke
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
license	ofl = The SIL Open Font License (free)
version	3.0
description	(no language specified) This package provides Source Sans for LaTeX. It includes both Type1 and OpenType fonts and selects the latter when using XeLaTeX or LuaLaTeX. This package used to be called "sourcesanspro" and contains an alias package for backwards compatibility.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/sourcesans/doc/sourcesans.pdf
– local file	./2411661981-sourcesans.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/sourcesans/README.md
contact	<i>announce</i>: https://gitlab.com/slhx/latex/sourcesans/-/releases
contact	<i>bugs</i> : https://gitlab.com/slhx/latex/sourcesans/-/issues
contact	<i>repository</i> : https://gitlab.com/slhx/latex/sourcesans
on CTAN	https://ctan.org/tex-archive/fonts/sourcesans
installation	https://ctan.org/tex-archive/install/fonts/sourcesans.tds.zip
on T _E XLive	sourcesans

keyword	font (fonts themselves)
keyword	font-suppl (metrics, macro incantations and other font support)
keyword	font-sans (sans-serif font)
keyword	font-tlenc (font providing LaTeX T1 encoding support)
keyword	tagged-pdf (tagged PDF compatible)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-proportional (variable-spaced font)
keyword	font-otf (font in OpenType format)
language(s)	no language specified
year	without year
last access	2026-03-08

5615 sourceserif – Use Source Serif with TeX(-alike) systems

Web page on CTAN <https://ctan.org/pkg/sourceserif>

Alias	SourceSerifPro
name	SourceSerif
caption	Use Source Serif with TeX(-alike) systems
author	Hofstra, Silke
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
license	ofl = The SIL Open Font License (free)
version	2.0
description	(no language specified) This package provides Source Serif for LaTeX. It includes both Type1 and OpenType fonts and selects the latter when using XeLaTeX or LuaLaTeX. This package used to be called "sourceserifpro" and contains an alias package for backwards compatibility.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/sourceserif/README.md
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/sourceserif/doc/sourceserif.pdf
– local file	./7444684193-sourceserif.pdf
contact	<i>announce</i>: https://gitlab.com/slhx/latex/sourceserif/-/releases

5616 *southarabian* – A font for an archaic South Arabia script

contact	<i>bugs:</i> https://gitlab.com/slhx/latex/sourceserif/-/issues
contact	<i>repository:</i> https://gitlab.com/slhx/latex/sourceserif
on CTAN	https://ctan.org/tex-archive/fonts/sourceserif
installation	https://ctan.org/tex-archive/install/fonts/sourceserif.tds.zip
on T _E XLive	sourceserif
keyword	font (fonts themselves)
keyword	tagged-pdf (tagged PDF compatible)
keyword	font-otf (font in OpenType format)
keyword	font-t1enc (font providing LaTeX T1 encoding support)
keyword	font-serif (serif font)
keyword	font-proportional (variable-spaced font)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
year	without year
last access	2026-03-08

5616 *southarabian* – A font for an archaic South Arabia script

Web page on CTAN <https://ctan.org/pkg/southarabian>

name	SouthArabian
caption	A font for an archaic South Arabia script
author	Stanier, Alan
license	noinfo = noinfo
version	(1994-08-04)
last changes	1994-08-04
year	1994
description	(no language specified) The script was used for several languages in Southern Arabia in the second millenium BCE. The font is distributed as Metafont source; it works very poorly in modern environments, but a "tidied" Adobe Type 1 format version is available in the sarabian bundle.
on CTAN	https://ctan.org/tex-archive/fonts/southarabian

keyword	<code>font-archaic</code> (fonts reproducing archaic scripts or inscriptions)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
language(s)	no language specified
last access	2025-02-07

5617 *soyombo* – Fonts and a macro for Soyombo under LaTeX

Web page on CTAN <https://ctan.org/pkg/soyombo>

name	<code>soyombo</code>
caption	Fonts and a macro for Soyombo under LaTeX
author	Corff, Oliver
copyright	Oliver Corff (1996)
license	noinfo = noinfo
version	0.9
description	(no language specified) The package provides the Soyombo script and the Soyombo symbol for LaTeX users. The script and the symbol were both developed in 1686 by the Mongolian monk and scholar Zanabazar. Soyombo script is modelled after Lantsa-Devanagari, and it combines the phonemic repertoire of Mongolian, Sanskrit, and Tibetan. While the script is now little used, the symbol appears very widely (including the national flag).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/language/mongolian/soyombo/soyo4tex.pdf
– local file	<code>./5517166123-soyo4tex.pdf</code>
on CTAN	https://ctan.org/tex-archive/language/mongolian/soyombo
keyword	<code>mongolian</code> (support for typesetting Mongolian)
language(s)	no language specified
year	1996
last access	2025-02-07

5618 spacekern – Kerning between words and against space

Web page on CTAN <https://ctan.org/pkg/spacekern>

name	spacekern
caption	Kerning between words and against space
author	Kelkel, Thomas
copyright	Thomas Kelkel (2022-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3 (2023-07-08)
last changes	2023-07-08
year	2023
description	(no language specified) This package provides two shorthands for typesetting breaking and non-breaking small spaces, where both hyphenation and kerning against space are correctly applied. Additionally, interword kerning can be applied.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/spacekern/spacekern.pdf
– local file	./7960892606-spacekern.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/spacekern/README.md
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/spacekern
on MikTeX	spacekern
on TeXLive	spacekern
keyword	letterspace (change space between characters)
language(s)	no language specified
last access	2025-02-07

5619 spacingtricks – Addressing various spacing issues

Web page on CTAN <https://ctan.org/pkg/spacingtricks>

name	spacingtricks
caption	Addressing various spacing issues
author	Missier, Antoine
copyright	Antoine Missier (2019-2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.8 (2023-12-06)
last changes	2023-12-06
year	2023
description	(no language specified) This package provides macros for addressing various spacing issues, including: • centering a single line • creating a variable strut • indenting a block • typesetting a compact list • placing two boxes side by side with vertical adjustment
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/spacingtricks/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/spacingtricks/spacingtricks.pdf
– local file	./7279999843-spacingtricks.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/spacingtricks
on MikTeX	spacingtricks
on TeXLive	spacingtricks
keyword	list (list: general)
keyword	typesetting (support for variations of typographic style)
keyword	abbrev (macros for defining abbreviations in documents)
keyword	footnote (footnote support)
keyword	layout (layout of objects on the page)

language(s) no language specified
last access 2025-02-07

5620 *spain* – Bibliography style for Spanish documents

Web page on CTAN <https://ctan.org/pkg/spain>

name *spain*
caption Bibliography style for Spanish documents
author Fernandez, Jose Ra Portillo
license lppl = The LaTeX Project Public License (free)
description (no language specified) This style makes a bibliography that follows the traditional style in Spain, as shown in the ‘Diccionario de ortografía técnica’ of J. Martínez de Sousa (1999).
The style was created using [makebst](#), and the `.dbj` file from that process is available in the distribution.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/biblio/bibtex/contrib/spain/README>
on CTAN <https://ctan.org/tex-archive/biblio/bibtex/contrib/spain>
on MikTeX *spain*
keyword `bibtex-sty` (`bibtex-sty(unknown)`)
language(s) no language specified
year without year
last access 2025-02-07

5621 *spalign* – Typeset matrices and arrays with spaces and semicolons as delimiters

Web page on CTAN <https://ctan.org/pkg/spalign>

name *spalign*
caption Typeset matrices and arrays with spaces and semicolons as delimiters
author Rabinoff, Joseph
copyright Joseph Rabinoff (2016)
license lppl1.3 = The LaTeX Project Public License 1.3 (free)
version (2016-10-05)
last changes 2016-10-05

year	2016
description	(no language specified) Typeset matrices and arrays with spaces and semicolons as delimiters. The purpose of this package is to decrease the number of keystrokes needed to typeset small amounts of aligned material (matrices, arrays, etc.). It provides a facility for typing alignment environments and macros with spaces as the alignment delimiter and semicolons (by default) as the end-of-row indicator. For instance, typeset a matrix using <code>\spalignmat{1 12 -3; 24 -2 2; 0 0 1}</code>, or a vector using <code>\spalignvector{22 \frac{1}{2} -14}</code>. This package also contains utility macros for typesetting augmented matrices, vectors, arrays, systems of equations, and more, and is easily extendable to other situations that use alignments. People who have to typeset a large number of matrices (like linear algebra teachers) should find this package to be a real time saver.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/spalign/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/spalign/spalign.pdf
– local file	<code>./5638252674-spalign.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/spalign
on MikTeX	<code>spalign</code>
on T _E XLive	<code>spalign</code>
keyword	<code>matrix</code> (typeset matrices)
keyword	<code>maths-theorem</code> (typeset mathematical theorems)
keyword	<code>maths-syseqn</code> (systems of equations)
keyword	<code>typeset-grid</code> (typeset, snapping lines of text to a grid)
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

5622 *spanish-mx* – Typeset Spanish as in Mexico

Web page on CTAN <https://ctan.org/pkg/spanish-mx>

name	spanish-mx
caption	Typeset Spanish as in Mexico
author	Rivera, Luis
copyright	J. Luis Rivera N. (2008)
license	lppl = The LaTeX Project Public License (free)
version	1.1a
description	(no language specified) The bundle provides files to support typesetting of texts in Spanish according to Mexican current practices, using babel. The files merge earlier work on a <code>mexican.ldf</code>, or may be used to define a configuration that will typeset all documents (that request babel's <code>spanish</code> option) to use the Mexican language facilities. (Note that this facility is only available with version $\geq 4.2b$ releases of the Spanish option.) However, according to the author, the purpose of this package is nowadays better served by the babel package with option <code>spanish.mexico</code>.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/obsolete/language/spanish/babel-contrib/spanish-mx/README
on CTAN	https://ctan.org/tex-archive/obsolete/language/spanish/babel-contrib/spanish-mx
keyword	obsolete (package declared obsolete)
keyword	multilingual-addon (extra language 'drivers' for existing multilingual packages)
keyword	spanish (support for typesetting Spanish)
language(s)	no language specified
year	2008
last access	2025-02-07

5623 *spark-otf* – Support OpenType Spark fonts

Web page on CTAN <https://ctan.org/pkg/spark-otf>

name	<code>spark-otf</code>
caption	Support OpenType Spark fonts
author	Voß, Herbert
copyright	Herbert Voß (2017, 2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
license	ofl = The SIL Open Font License (free)
version	0.05a
description	(no language specified) The package supports the free fonts from "After the Flood" which are available from AtF Spark . The following fonts are supported: • Spark — Bar — Medium • Spark — Bar — Narrow • Spark — Bar — Thin • Spark — Dot-line — Medium • Spark — Dot — Medium • Spark — Dot — Small
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/spark-otf/doc/spark-otf-doc.pdf
– local file	<code>./4356001959-spark-otf-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/spark-otf/README.md
on CTAN	https://ctan.org/tex-archive/fonts/spark-otf
on MikTeX	<code>spark-otf</code>
on T _E XLive	<code>spark-otf</code>
keyword	<code>font-symbol</code> (fonts that provide collections of symbols)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-absent</code> (support is for a font not available on CTAN)
keyword	<code>font-use</code> (font selection, mapping, etc.)
keyword	<code>tagged-pdf-partially</code> (tagged PDF partially compatible)

language(s)	no language specified
year	2022
last access	2026-04-13

5624 *sparklines* – Drawing sparklines: intense, simple, wordlike graphics

Web page on CTAN <https://ctan.org/pkg/sparklines>

name	sparklines
caption	Drawing sparklines: intense, simple, wordlike graphics
author	Löffler, Andreas
author	van Miltenburg, Emil
author	Luecking, Daniel H.
license	lppl = The LaTeX Project Public License (free)
version	1.7
description	(no language specified) Sparklines are intense, simple, wordlike graphics (so named by Edward Tufte). In lieu of a more detailed introduction, Professor Tufte's site has an early release of a chapter on sparklines. A PHP implementation may be found at SourceForge . A sparkline can be added using the sparkline environment. Also, you can add sparkling rectangles for the median and special sparkling dots in red or blue. The package requires pdfLaTeX; sparklines cannot appear in a dvi file. The sparklines package uses pgf , and does not work with pictex .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/sparklines/sparklines.pdf
– local file	./6455748179-sparklines.pdf
on CTAN	https://ctan.org/tex-archive/graphics/sparklines
on MikTeX	sparklines
on TeXLive	sparklines
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
language(s)	no language specified
year	without year
last access	2025-02-07

5625 *spath3* – Manipulate “soft paths” in PGF

Web page on CTAN <https://ctan.org/pkg/spath3>

name	<code>spath3</code>
caption	Manipulate “soft paths” in PGF
author	Stacey, Andrew
copyright	Andrew Stacey (2011-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.8 (2024-05-31)
last changes	2024-05-31
year	2024
description	(no language specified) The <code>spath3</code> library provides methods for manipulating the “soft paths” of TikZ/PGF. Packaged with it are two TikZ libraries that make use of the methods provided. These are libraries for drawing calligraphic paths and for drawing knot diagrams.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/spath3/spath3_code.pdf
– local file	<code>./6661594038-spath3_code.pdf</code>
documentation	(no language specified) <i>Use for knot (and similar) diagrams</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/spath3/knots.pdf
– local file	<code>./9551645793-knots.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/spath3/README.txt
documentation	(no language specified) <i>Use for calligraphy</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/spath3/calligraphy.pdf
– local file	<code>./3338265251-calligraphy.pdf</code>
contact	<i>bugs</i> : https://github.com/loopspace/spath3/issues
contact	<i>repository</i> : https://github.com/loopspace/spath3
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/spath3
on MikTeX	<code>spath3</code>
on TeXLive	<code>spath3</code>
keyword	<code>graphics-curve</code> (draw (parametric) curves)
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)

keyword `pgf-tikz` (package uses PGF-TikZ)
 language(s) no language specified
 last access 2025-02-07

5626 *spbmark* – Customize superscripts and subscripts

Web page on CTAN <https://ctan.org/pkg/spbmark>

name `spbmark`
 caption Customize superscripts and subscripts
 author Yi, Qu
 copyright Qu Yi (2021-2024)
 license cc-by-4 = CC BY 4.0 (free)
 version 1.46w (2024-12-08)
 last changes 2024-12-08
 year 2024
 description (no language specified) This package provides three commands `\super`, `\sub` and `\supersub` to improve the layout of superscripts and subscripts which can be adjusted with respect to relative position and format, and can be used in text and math mode.
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/spbmark/README.md>
 documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/spbmark/spbmark.pdf>
 – local file `./9622637425-spbmark.pdf`
 contact *repository*: <https://github.com/texno3/spbmark>
 on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/spbmark>
 on MikTeX `spbmark`
 on T_EXLive `spbmark`
 keyword `subsup-pos` (position sub- and superscripts (left and right sides))
 keyword `expl3` (`expl3(unknown)`)
 language(s) no language specified
 last access 2025-02-07

5627 spectral – Spectral fonts with LaTeX support

Web page on CTAN <https://ctan.org/pkg/spectral>

name	spectral
caption	Spectral fonts with LaTeX support
author	Tennent, Bob
license	ofl = The SIL Open Font License (free)
license	lppl = The LaTeX Project Public License (free)
version	(2022-09-27)
last changes	2022-09-27
year	2022
description	(no language specified) This package provides LaTeX, pdfLaTeX, XeLaTeX and LuaLaTeX support for the Spectral family of fonts, designed by Jean-Baptiste Levé at the Production Type digital type design agency. Spectral is a new and versatile serif face available in seven weights of roman and italic, with small caps.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/spectral/README
documentation	(no language specified) <i>Font samples:</i> https://ctan.org/tex-archive/fonts/spectral/doc/spectral-samples.pdf
– local file	<code>./7876934918-spectral-samples.pdf</code>
contact	<i>development:</i> https://github.com/productiontype/Spectral
on CTAN	https://ctan.org/tex-archive/fonts/spectral
installation	https://ctan.org/tex-archive/install/fonts/spectral.tds.zip
on MikTeX	spectral
on TeXLive	spectral
keyword	font (fonts themselves)
keyword	font-serif (serif font)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-proportional (variable-spaced font)
keyword	font-ttf (font available in TrueType format)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-t1enc (font providing LaTeX T1 encoding support)

keyword	font-body (font designed for use as body font for Latin-based script documents)
language(s)	no language specified
last access	2025-02-07

5628 spectralsequences – Print spectral sequence diagrams using PGF/TikZ

Web page on CTAN <https://ctan.org/pkg/spectralsequences>

name	spectralsequences
caption	Print spectral sequence diagrams using PGF/TikZ
author	Chatham, Hood
license	lppl = The LaTeX Project Public License (free)
version	1.3.3 (2023-01-28)
last changes	2023-01-28
year	2023
description	(no language specified) The package is a specialized tool built on top of PGF/TikZ for drawing spectral sequences. It provides a powerful, concise syntax for specifying the data of a spectral sequence, and then allows the user to print various pages of spectral sequences, automatically choosing which subset of the classes, differentials, and structure lines to display on each page. It also handles most of the details of the layout. At the same time, it is extremely flexible. <code>spectralsequences</code> is closely integrated with TikZ to ensure that users can take advantage of as much as possible of its expressive power. It is possible to turn off most of the automated layout features and draw replacements using TikZ commands. The package also provides a carefully designed error reporting system intended to ensure that it is as clear as possible what is going wrong.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/spectralsequences/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/spectralsequences/manual/spectralsequencesmanual.pdf
– local file	<code>./7586581340-spectralsequencesmanual.pdf</code>
contact	<i>repository</i> : https://github.com/SpectralSequences/latex
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/spectralsequences
on MikTeX	spectralsequences

on T _E XLive	spectralsequences
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-02-07

5629 *spelatex* – Create PDF documents with hyperlinks to audiofragments

Web page on CTAN <https://ctan.org/pkg/spelatex>

name	SpeLaTeX
caption	Create PDF documents with hyperlinks to audiofragments
author	Daems, Walter
copyright	Walter Daems and Paul Levrie (2024-2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.95 (2025-01-31)
last changes	2025-01-31
year	2025
description	(no language specified) This package equips the PDF that is generated with LaTeX with hyperlinks to audio files that contain the spoken equivalent of the original text, equations, figures and tables. The audio files can be automatically generated using a Perl-script called <code>spel-wizard.pl</code> (part of the <code>SpeL: :Wizard</code> module available on CPAN). This script interfaces with locally installed text-to-speech software or with online available (paying) cloud services to generate the audio files. To this end, the LaTeX chunks of your text are parsed and translated to "natural language". SpeLaTeX is babel-enabled such that your text is read with the correct pronunciation corresponding to your language. So far, it provides the languages English and Dutch, but it will be extended in the future. You can package your PDF together with the audio-files (in your favorite archive format) and make it available to your users, such that the only requirements to read your text and listen to the audio are a suited PDF reader and media player. For the text-to-speech conversion, one can use free options (festival, balabolka, ...) or paying services (e.g. AWS polly).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/spelatex/README

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/spelatex/spelatex.pdf
– local file	./9269323380-spelatex.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/spelatex
on MikTeX	spelatex
on T _E XLive	spelatex
keyword	multimedia (support for multimedia in documents)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

5630 *spelling* – Support for spell-checking of LuaTeX documents

Web page on CTAN <https://ctan.org/pkg/spelling>

name	spelling
caption	Support for spell-checking of LuaTeX documents
author	Hennig, Stephan
copyright	Stephan Hennig (2012)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.41
description	(no language specified) The package aids spell-checking of TeX documents compiled with the LuaTeX engine. It can give visual feedback in PDF output similar to WYSIWYG word processors. The package relies on an external spell-checker application to check spelling of a text file and to output a list of bad spellings. The package should work with most spell-checkers, even dumb, TeX-unaware ones.
documentation	(no language specified) <i>Record of changes</i> : https://ctan.org/tex-archive/macros/luatex/generic/spelling/CHANGES
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/generic/spelling/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/generic/spelling/spelling-doc.pdf

5631 sphack – Patch LaTeX kernel spacing macros

– local file	<code>./2727523146-spelling-doc.pdf</code>
contact	bugs: https://github.com/sh2d/spelling/issues
contact	repository: https://github.com/sh2d/spelling
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/spelling
on MikTeX	spelling
on T _E XLive	spelling
keyword	luatex (LuaTeX and packages that require it)
keyword	spell (TeX-aware spelling checker)
language(s)	no language specified
year	2012
last access	2025-02-07

5631 sphack – Patch LaTeX kernel spacing macros

Web page on CTAN <https://ctan.org/pkg/sphack>

name	sphack
caption	Patch LaTeX kernel spacing macros
author	Pretzel, Oliver
license	other-free = Free license not otherwise listed (free)
description	(no language specified) Change the kernel internal <code>\@bsphack / \@esphack</code> so that it is also invisible in vertical mode.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sphack/sphack-doc.pdf
– local file	<code>./6097927095-sphack-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sphack
on MikTeX	sphack
on T _E XLive	sphack
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	without year
last access	2025-02-07

5632 sphdthesis – LaTeX template for writing PhD Thesis

Web page on CTAN <https://ctan.org/pkg/sphdthesis>

name	sphdthesis
caption	LaTeX template for writing PhD Thesis
author	Garg, Saurabh
license	pd = Public Domain Software (free)
version	1.0
description	(no language specified) The package provides a LaTeX document class for writing a PhD thesis. The author developed it while writing his PhD thesis in School of Computing (SoC), National University of Singapore (NUS). By default, the class adheres to the NUS Guidelines on Format of Research Thesis Submitted For Examination. However, the class for conformation to a different guideline should not be difficult.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/sphdthesis/SPhdThesis.pdf
– local file	./9594728980-SPhdThesis.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/sphdthesis/README
contact	<i>repository:</i> https://github.com/saurabhg17/SPhdThesis/archive/master.zip
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sphdthesis
on MikTeX	sphdthesis
on T _E XLive	sphdthesis
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

5633 sphyphb – Experimental Spanish hyphenation patterns

Web page on CTAN <https://ctan.org/pkg/sphyphb>

name	sphyphb
caption	Experimental Spanish hyphenation patterns
author	Medina, Rodrigo
license	lppl = The LaTeX Project Public License (free)
version	2.04
description	(no language specified) These hyphenation patterns for Spanish, follow RAE 1999. Only phonetic rules are used, but it is believed that it gives the right hyphenation of all Spanish words. Nevertheless, extensive testing is still needed.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/spanish/sphyphb/README
on CTAN	https://ctan.org/tex-archive/language/spanish/sphyphb
keyword	hyphenation (macros or tables for hyphenation)
keyword	spanish (support for typesetting Spanish)
language(s)	no language specified
year	without year
last access	2025-02-07

5634 spiderweb – A tool for building WEB systems

Web page on CTAN <https://ctan.org/pkg/spiderweb>

name	spiderweb
caption	A tool for building WEB systems
author	Ramsey, Norman
copyright	Norman Ramsey (1989-1992)
license	other-free = Free license not otherwise listed (free)

description	(no language specified) Spidery WEB is built around the tool Spider, that reads a description of a programming language, and writes source code for a Weave and a Tangle which support that language. The base sources derive from CWEB , so that the resulting programs inherit some properties of that system (e.g., the ability to read multiple files). Spider itself is written in Awk, and the Weave and Tangle output is in C. Spidery WEB is no longer supported: its author used lessons learned from the development to produce the still more compact noweb system.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/web/spiderweb/README
documentation	(no language specified) <i>Installation details</i> : https://ctan.org/tex-archive/web/spiderweb/src/README
on CTAN	https://ctan.org/tex-archive/web/spiderweb
keyword	litprog (literate programming)
language(s)	no language specified
year	1992
last access	2025-02-07

5635 *spie* – Support for formatting SPIE Proceedings manuscripts

Web page on CTAN	https://ctan.org/pkg/spie
name	<i>spie</i>
caption	Support for formatting SPIE Proceedings manuscripts
author	SPIE Support
author	Hanson, Kenneth M
license	lppl = The LaTeX Project Public License (free)
version	3.25
description	(no language specified) A class and a BibTeX style are provided.
documentation	(no language specified) <i>Template and guidelines for authors</i> : https://ctan.org/tex-archive/macros/latex/contrib/spie/article.pdf
– local file	<code>./5264082977-article.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/spie/README
home page	http://public.lanl.gov/kmh/spie/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/spie

on MikT _E X	spie
on T _E XLive	spie
keyword	confproc (typesetting conference proceedings)
language(s)	no language specified
year	without year
last access	2025-02-07

5636 *spim-phdthesisthemes* – Classes, styles and configuration files for writing PhD dissertations

Web page on CTAN <https://ctan.org/pkg/spim-phdthesisthemes>

name	spim-phdthesisthemes
caption	Classes, styles and configuration files for writing PhD dissertations
author	Galland, Stéphane
copyright	Stéphane Galland (2012-2026)
license	other-nonfree = License that prevents distribution (not free)
license	lgpl3 = GNU Lesser General Public License 3 (free)
version	20260420
description	(no language specified) LaTeX classes, packages and configuration files for typesetting a PhD dissertation following the SPIM doctoral school template and recommandations.

Built on top of the powerful [UPmethodology](#) suite, it provides a professional, ready-to-use structure with advanced formatting macros.

These classes packages and configuration files could be easily extended and adapted to the style for your own institution.

spim-phdthesisthemes is part of the larger project [TeX-templates](#) .

Note on Licensing

The package contains two distinct types of material:

1. LaTeX source code (all files that are under the `src/` directory and any documentation source files).
2. University and institutions logo images (all files under the `logos/` directory).

The LaTeX source code is free software: you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version. A copy of the GNU Lesser General Public License (LGPLv3) is provided in the file 'LICENSE.LGPLv3'.

The logo files are not licensed under the LGPLv3. They are the property of their respective university or institution and are included with permission for redistribution only as part of this complete package. They may NOT be modified, altered, or extracted and used separately without explicit written permission from the owning university or institution. The exact terms governing the logos are set forth in the file `logos/LICENSE.logos`. By redistributing this package, you agree to abide by those terms.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/spim-phdthesisthemes/README
home page	https://www.arakhne.org/latex/tex-templates
contact	<i>bugs</i> : https://github.com/gallandarakhneorg/tex-templates/issues
contact	<i>repository</i> : https://github.com/gallandarakhneorg/tex-templates
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/spim-phdthesisthemes
keyword	<code>std-conform</code> (support conformance to standards)
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>doc-templ</code> (template to guide document development)
keyword	<code>report-like</code> (regularly-formatted reports)
language(s)	no language specified
year	2026
last access	2026-04-21

5637 *spix* – Yet another TeX compilation tool: simple, human readable, no option, no magic

Web page on CTAN <https://ctan.org/pkg/spix>

name	<code>SpiX</code>
caption	Yet another TeX compilation tool: simple, human readable, no option, no magic
author	Paternault, Louis
copyright	Louis Paternault (2020-2022)

license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	1.3.0 (2022-11-18)
last changes	2022-11-18
year	2022
description	(no language specified) SpiX offers a way to store information about the compilation process for a <code>tex</code> file inside the <code>tex</code> file itself. Just write the commands as comments in the <code>tex</code> files, and SpiX will extract and run those commands. Everything is stored in the <code>tex</code> file (so that you are not missing some piece of information that is located somewhere else), in a human-readable format (no need to know SpiX to understand it).
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/support/spix/README.md
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/support/spix/spix.pdf
– local file	<code>./7369279017-spix.pdf</code>
home page	https://framagit.org/spalax/spix
contact	<i>support</i> : https://framagit.org/spalax/spix/issues
contact	<i>bugs</i> : https://framagit.org/spalax/spix/issues
contact	<i>repository</i> : https://framagit.org/spalax/spix
on CTAN	https://ctan.org/tex-archive/support/spix
on MikTeX	<code>spix</code>
on TeXLive	<code>spix</code>
keyword	compilation (the document compilation process)
language(s)	no language specified
last access	2025-02-07

5638 splentinex – Splentinex fonts

Web page on CTAN <https://ctan.org/pkg/splentinex>

name	splentinex
caption	Splentinex fonts
author	Miller, Daniel Benjamin
copyright	Daniel Benjamin Miller (2025)
license	ofl = The SIL Open Font License (free)
version	1.0 (2025-11-11)
last changes	2025-11-11
year	2025
description	(no language specified) This is a serif font family designed for body text. This typeface design was originally crated by Frank Pierpont and Fritz Stelzer in 1913 and released by Monotype as <i>Plantin</i> . In 2025, Ben Byram-Wigfield created <i>Splentino</i> , a new digitization of the <i>Plantin</i> design, for inclusion with the music software Dorico. <i>Splentinex</i> is a modified repackaging of <i>Splentino</i> .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/splentinex/doc/splentinex-doc.pdf
– local file	./2837450859-splentinex-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/splentinex/README
home page	https://github.com/dbenjaminmiller/splentinex
contact	<i>bugs</i> : https://github.com/dbenjaminmiller/splentinex/issues
on CTAN	https://ctan.org/tex-archive/fonts/splentinex
on T _E XLive	splentinex
keyword	font (fonts themselves)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-serif (serif font)
keyword	font-body (font designed for use as body font for Latin-based script documents)
see also	see section 756 on page 696: (<i>bitstrea</i> – Support for use of Bitstream fonts)
language(s)	no language specified
last access	2025-11-23

5639 *splines* – MetaPost macros for drawing cubic spline interpolants

Web page on CTAN <https://ctan.org/pkg/splines>

name	splines
caption	MetaPost macros for drawing cubic spline interpolants
author	Luecking, Daniel H.
copyright	Daniel H. Luecking (2002-2005)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2
description	(no language specified) This is a small package of macros for creating cubic spline interpolants in MetaPost or Metafont. Given a list of points the macros can produce a closed or a relaxed spline joining them. Given a list of function values y_j at x_j , the result would define the graph of a cubic spline interpolating function $y=f(x)$, which is either periodic or relaxed.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/splines/splines.pdf
– local file	./4226659629-splines.pdf
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/splines/README
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/splines
on MikTeX	splines
on T _E XLive	splines
keyword	graphics-mpost (graphics generated using MetaPost)
language(s)	no language specified
year	2005
last access	2025-02-07

5640 *splint* – Write LALR(1) parsers in TeX using bison and flexWeb page on CTAN <https://ctan.org/pkg/splint>

name	splint
caption	Write LALR(1) parsers in TeX using bison and flex
author	Shibakov, Alexander
copyright	Alexander Shibakov (2012-2024)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	1.3.0 (2024-01-30)
last changes	2024-01-30
year	2024
description	(no language specified) The bundle provides the means of building parsers and scanners in TeX. <code>Bison</code> and <code>Flex</code> are used to create the tables that drive the automata programmed as TeX macros.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/splint/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/splint/doc/splint.pdf
– local file	./1910539831-splint.pdf
on CTAN	https://ctan.org/tex-archive/support/splint
keyword	parser (parser application)
language(s)	no language specified
last access	2025-02-07

5641 *split* – Box two chunks of text side-by sideWeb page on CTAN <https://ctan.org/pkg/split>

name	split
caption	Box two chunks of text side-by side
author	Skinner, Eric
license	noinfo = noinfo
version	(1992-08-27)
last changes	1992-08-27

year	1992
description	(no language specified) The widths of the boxes are set by the user. The operation is reminiscent of the sort of thing the LaTeX package parallel does.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/split.tex
keyword	boxing (creating boxes)
language(s)	no language specified
last access	2025-02-07

5642 splitbib – Split and reorder your bibliography

Web page on CTAN	https://ctan.org/pkg/splitbib
name	splitbib
caption	Split and reorder your bibliography
author	Markey, Nicolas
license	lppl = The LaTeX Project Public License (free)
version	1.17
description	(no language specified) This package enables you to split a bibliography into several categories and subcategories. It does not depend on BibTeX: any bibliography may be split and reordered.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/splitbib/splitbib.pdf
– local file	./8388172343-splitbib.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/splitbib/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/splitbib
on MikTeX	splitbib
on T _E XLive	splitbib
keyword	cite-supp (citation support)
language(s)	no language specified
year	without year
last access	2025-02-07

5643 *splitindex* – Unlimited number of indexes

Web page on CTAN <https://ctan.org/pkg/splitindex>

name	<code>splitindex</code>
caption	Unlimited number of indexes
author	Kohm, Markus
copyright	Markus Kohm (2002-2013)
license	lppl = The LaTeX Project Public License (free)
version	1.2c
description	(no language specified) SplitIndex consists of a LaTeX package, <code>splitidx</code> , and a small program, <code>splitindex</code> . The package may be used to produce one index or several indexes. Without <code>splitindex</code> (for example, using the <code>index</code> package), the number of indexes is limited by the number of TeX's output streams. But using the program you may use even more than 16 indexes: <code>splitidx</code> outputs only a single file <code>\jobname.idx</code> and the program splits that file into several raw index files and calls your favorite index processor for each of the files.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/splitindex/splitidx.pdf
– local file	<code>./7800238010-splitidx.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/splitindex/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/splitindex
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/splitindex.tds.zip
on MikTeX	<code>splitindex</code>
on TeXLive	<code>splitindex</code>
keyword	<code>index</code> (index support)
keyword	<code>index-multi</code> (multiple indexes in a document)
language(s)	no language specified
year	2013
last access	2025-02-07

5644 spot – Spotlight highlighting for Beamer

Web page on CTAN <https://ctan.org/pkg/spot>

name	spot
caption	Spotlight highlighting for Beamer
author	Hendrickson, Anders O. F.
copyright	Anders O.F. Hendrickson (2010)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1
description	(no language specified) The package allows dramatic highlighting of words and phrases by painting shapes around them. It is chiefly intended for use in Beamer presentations, but it can be used in other document classes as well.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/spot/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/spot/spot.pdf
– local file	./4277398004-spot.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/spot
on MikTeX	spot
on T _E XLive	spot
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
year	2010
last access	2025-02-07

5645 spotcolor – Spot colours for pdfLaTeX

Web page on CTAN <https://ctan.org/pkg/spotcolor>

name	spotcolor
caption	Spot colours for pdfLaTeX
author	Elstner, Jens
copyright	Jens Elstner (2006)
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) This package provides procedures for using spot colours in LaTeX documents and the generated pdf files. Predefined templates for PANTONE and HKS colour spaces are included but new ones can easily be defined.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/spotcolor/readme.pdf
– local file	./8949475702-readme.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/spotcolor/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/spotcolor
on MikTeX	spotcolor
on T _E XLive	spotcolor
keyword	colour (typesetting in colour)
language(s)	no language specified
year	2006
last access	2025-02-07

5646 spotxcolor – Modern spot color support for the xcolor package

Web page on CTAN <https://ctan.org/pkg/spotxcolor>

name	spotxcolor
caption	Modern spot color support for the xcolor package
author	Yamamoto, Munehiro
copyright	Munehiro Yamamoto (2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.7 (2026-03-29)
last changes	2026-03-29
year	2026
description	(no language specified) This package provides robust spot color (e.g., DIC, PANTONE) support for the xcolor package across all major TeX engines. It resolves structural PDF issues found in the legacy spotcolor package and provides an explicit fallback mechanism for dvipdfmx (which is not fully supported by the colorspace package). Supported major drivers: pdf_{tex}, lua_{tex}, dvipdf_{mx} (including pt_{tex} / up_{tex}), xet_{ex}.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/spotxcolor/spotxcolor.pdf
– local file	./6057498566-spotxcolor.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/spotxcolor/README.md
documentation	(no language specified) <i>Technical note:</i> https://ctan.org/tex-archive/macros/latex/contrib/spotxcolor/spotxcolor-technote.pdf
– local file	./8860567148-spotxcolor-technote.pdf
contact	<i>bugs:</i> https://github.com/munepi/spotxcolor/issues
contact	<i>repository:</i> https://github.com/munepi/spotxcolor
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/spotxcolor
on MikTeX	spotxcolor
on T _E XLive	spotxcolor
keyword	colour (typesetting in colour)

see also	see section 5645 on page 5111: (<code>spotcolor</code> – Spot colours for pdfLaTeX)
see also	see section 1218 on page 1107: (<code>colorspace</code> – Provides PDF color spaces)
language(s)	no language specified
last access	2026-04-05

5647 *spreadtab* – Spreadsheet features for LaTeX tabular environments

Web page on CTAN <https://ctan.org/pkg/spreadtab>

name	<code>spreadtab</code>
caption	Spreadsheet features for LaTeX tabular environments
author	Tellechea, Christian
copyright	Christian Tellechea (2009-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.61 (2025-03-14)
last changes	2025-03-14
year	2025
description	(no language specified) The package allows the user to construct tables in a manner similar to a spreadsheet. The cells of a table have row and column indices and these can be used in formulas to generate values in other cells.
documentation	<i>Package documentation (French):</i> https://ctan.org/tex-archive/macros/latex/contrib/spreadtab/spreadtab-fr.pdf
– local file	<code>./6156286849-spreadtab-fr.pdf</code>
documentation	<i>Package documentation (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/spreadtab/spreadtab-en.pdf
– local file	<code>./4214348064-spreadtab-en.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/spreadtab/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/spreadtab
on MikTeX	<code>spreadtab</code>
on T _E XLive	<code>spreadtab</code>
keyword	<code>table</code> (table typesetting)
language(s)	English; French
last access	2025-03-24

5648 *springer* – Macros for Springer journalsWeb page on CTAN <https://ctan.org/pkg/springer>

name	springer
caption	Macros for Springer journals
author	Springer Verlag
copyright	Springer Verlag Heidelberg (1997)
license	noinfo = noinfo
version	1.8
description	(no language specified) The macros are arranged as a kernel and a bunch of sub-files for each journal covered.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/springer/svjour/readme.1st
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/springer/svjour/kernel/usrguide.pdf
– local file	./9346958166-usrguide.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/springer/svjour
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
year	1997
last access	2025-02-07

5649 *sprite* – Macros to typeset simple bitmaps with LaTeXWeb page on CTAN <https://ctan.org/pkg/sprite>

name	sprite
caption	Macros to typeset simple bitmaps with LaTeX
author	Costabel, Martin
license	noinfo = noinfo
version	(1994-08-23)
last changes	1994-08-23
year	1994

description	(no language specified) The ‘sprite’ format the package sets is very simple, and may be viewed in a fixed-width font rather readily. The package provides the means of typesetting these sprites at arbitrary sizes; in principal, one might use them to substitute for characters one needed, but the author notes that their use is rather TeX-memory-intensive so that their use as a font substitute is hardly likely to be tenable.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sprite
on MikTeX	sprite
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
language(s)	no language specified
last access	2025-02-07

5650 *spverbatim* – Allow line breaks within `\verb` and `verbatim` output

Web page on CTAN	https://ctan.org/pkg/spverbatim
name	spverbatim
caption	Allow line breaks within <code>\verb</code> and <code>verbatim</code> output
author	Pakin, Scott
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) LaTeX’s <code>\verb</code> macro treats its argument as an unbreakable unit of text. This can lead to poor typesetting, especially when the argument is long. The <i>spverbatim</i> package provides an <code>\spverb</code> macro that is analogous to <code>\verb</code> and an <i>spverbatim</i> environment that is analogous to <code>verbatim</code> with the difference being that <code>\spverb</code> and <i>spverbatim</i> allow LaTeX to break lines at space characters.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/spverbatim/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/spverbatim/spverbatim.pdf
– local file	./3719446618-spverbatim.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/spverbatim
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/spverbatim.tds.zip

on MikTeX	spverbatim
on TeXLive	spverbatim
keyword	verbatim (verbatim typesetting, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

5651 *sqltex* – An SQL Preprocessor for LaTeX

Web page on CTAN <https://ctan.org/pkg/sqltex>

name	SQLTeX
caption	An SQL Preprocessor for LaTeX
author	van Eijk, Oscar
copyright	Oscar van Eijk (2001-2024)
license	lppl = The LaTeX Project Public License (free)
version	3.0 (2024-09-20)
last changes	2024-09-20
year	2024
description	(no language specified) SQLTeX is a preprocessor that enables the use of SQL statements in LaTeX. The SQLTeX perl script reads an input file containing the LaTeX source with SQL commands, and writes a LaTeX file in which the SQL commands have been replaced by the values from their execution. It is possible to select a field for substitution in your LaTeX document, or to be used as input in another SQL command. (When an SQL command returns multiple fields and/or rows, the values can only be used within the document.) The default is to use MySQL databases, but Pg, Sybase, Oracle, Ingres, mSQL and PostgreSQL are also supported.
documentation	(no language specified) <i>Package README</i>: https://ctan.org/tex-archive/support/sqltex/README.md
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/support/sqltex/doc/SQLTeX.pdf
– local file	./1782868716-SQLTeX.pdf
contact	<i>repository</i> : https://github.com/oveas/sqltex
on CTAN	https://ctan.org/tex-archive/support/sqltex
on MikTeX	sqltex

on T _E XLive	sqltex
keyword	db-access (access database for document contents)
language(s)	no language specified
last access	2025-02-07

5652 *sqr caps* – Square Capitals manuscript book-hand font

Web page on CTAN <https://ctan.org/pkg/sqr caps>

name	sqr caps
caption	Square Capitals manuscript book-hand font
author	Wilson, Peter R.
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) The <i>sqr caps</i> and <i>allsqr caps</i> packages provide fonts based on the Square Capitals manuscript book-hand used from the 1st century AD. The font is provided both as Metafont source, and in Adobe Type 1 format. The font consists of capital letters and digits, with some appropriate period punctuation marks. Both normal and bold versions are provided. This is one of a set of manuscript fonts . Access to the docmfp package is desirable but not essential.
documentation	(no language specified) <i>Font demo</i> : https://ctan.org/tex-archive/fonts/bookhands/sqr caps/trysqr caps.pdf
– local file	./7267740013-trysqr caps.pdf
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/bookhands/sqr caps/sqr caps.pdf
– local file	./4523751486-sqr caps.pdf
documentation	(no language specified) <i>Font demo</i> : https://ctan.org/tex-archive/fonts/bookhands/sqr caps/allsqr caps.pdf
– local file	./7867203264-allsqr caps.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/bookhands/sqr caps/README
on CTAN	https://ctan.org/tex-archive/fonts/bookhands/sqr caps
on MikT _E X	sqr caps
on T _E XLive	bookhands
keyword	font (fonts themselves)

keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-bookhand (fonts of scripts used for manuscript books)
language(s)	no language specified
year	without year
last access	2025-02-07

5653 *sr-half-compound* – Hyphenation of Serbian half-compound words in cyrillic scripts

Web page on CTAN <https://ctan.org/pkg/sr-half-compound>

name	sr-half-compound
caption	Hyphenation of Serbian half-compound words in cyrillic scripts
author	Filipović, Zoran T.
license	lpl = The LaTeX Project Public License (free)
version	(2014-09-19)
last changes	2014-09-19
year	2014
description	(no language specified) This package tries to provide help with the hyphenation of Serbian half-compound words in cyrillic scripts. It operates with word lists and needs cp1251 input encoding.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/language/serbian/filipovic/sr-half-compound/sr-half-compound.pdf
– local file	./6939452114-sr-half-compound.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/language/serbian/filipovic/sr-half-compound/README
documentation	(no language specified) <i>List of word commands and their expansion:</i> https://ctan.org/tex-archive/language/serbian/filipovic/sr-half-compound/sr-half-compound-list.pdf
– local file	./6246580576-sr-half-compound-list.pdf
on CTAN	https://ctan.org/tex-archive/language/serbian/filipovic/sr-half-compound
on MikTeX	sr-half-compound
keyword	serbian (documentation in, and support for typesetting Serbian)

language(s) no language specified
 last access 2025-02-07

5654 *sr-hyphen-spec* – Hyphenation of special cases in Serbian

Web page on CTAN <https://ctan.org/pkg/sr-hyphen-spec>

name *sr-hyphen-spec*
 caption Hyphenation of special cases in Serbian
 author Filipović, Zoran T.
 copyright Zoran Filipović (2011)
 license lpl1.3 = The LaTeX Project Public License 1.3 (free)
 version (2011-07-23)
 last changes 2011-07-23
 year 2011
 description (no language specified) The package comes in two forms, one for Latin script and one for Cyrillic script.
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/language/serbian/filipovic/sr-hyphen-spec/README>
 documentation (no language specified) *Word list (Cyrillic)*:
https://ctan.org/tex-archive/language/serbian/filipovic/sr-hyphen-spec/Cyrillic_List_Words.pdf
 – local file ./1894565751-Cyrillic_List_Words.pdf
 documentation (no language specified) *Word list (Latin)*:
https://ctan.org/tex-archive/language/serbian/filipovic/sr-hyphen-spec/Latin_List_Words.pdf
 – local file ./1676124456-Latin_List_Words.pdf
 on CTAN <https://ctan.org/tex-archive/language/serbian/filipovic/sr-hyphen-spec>
 on MikTeX *sr-hyphen-spec*
 keyword serbian (documentation in, and support for typesetting Serbian)
 keyword hyphenation (macros or tables for hyphenation)
 language(s) no language specified
 last access 2025-02-07

5655 *sr-vorl* – Class for Springer books

Web page on CTAN <https://ctan.org/pkg/sr-vorl>

name	sr-vorl
caption	Class for Springer books
author	Dabelow, Jonas L.
copyright	Jonas L. Dabelow (2013-2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2 (2021-05-24)
last changes	2021-05-24
year	2021
description	(no language specified) This package provides a LaTeX class and templates for books to be published at Springer Gabler Research, Springer Vieweg Research, Springer Spektrum Research, Springer VS Research, or Springer VS Forschung. It may be used to produce monographs in different formats and "several-authors-books" fitting the conditions of the aforementioned publishers.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/springer/sr-vorl/sr-vorl.pdf
– local file	./1570645243-sr-vorl.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/springer/sr-vorl/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/springer/sr-vorl
on MikTeX	sr-vorl
on T _E XLive	sr-vorl
keyword	class (alternative LaTeX class(es))
keyword	doc-templ (template to guide document development)
keyword	book-pub (preparing a book for publication)
language(s)	no language specified
last access	2025-02-07

5656 *srbtiks* – Font STIX2 for Serbian and Macedonian

Web page on CTAN <https://ctan.org/pkg/srbtiks>

name	<code>srbtiks</code>
caption	Font STIX2 for Serbian and Macedonian
author	Stefanović, Uroš
license	ofl = The SIL Open Font License (free)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2022-05-15)
last changes	2022-05-15
year	2022
description	(no language specified) The <code>srbtiks</code> package is the extension of the <code>stix2-type1</code> package that enables usage of the STIX2 font in LaTeX for the Serbian and Macedonian languages (therefore, it is required to have the <code>stix2-type1</code> package installed).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/srbtiks/doc/srbtiks.pdf
– local file	<code>./1215999457-srbtiks.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/srbtiks/README.md
on CTAN	https://ctan.org/tex-archive/fonts/srbtiks
on MikTeX	<code>srbtiks</code>
on T _E XLive	<code>srbtiks</code>
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-cyrillic</code> (fonts for Cyrillic and related scripts)
keyword	<code>font-serif</code> (serif font)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
see also	see section 5701 on page 5165: (<code>stix2-type1</code> – Type1 versions of the STIX Two OpenType fonts)
language(s)	no language specified
last access	2025-02-07

5657 srcltx – Jump between DVI and TeX filesWeb page on CTAN <https://ctan.org/pkg/srcltx>

name	srcltx
caption	Jump between DVI and TeX files
author	Ulrich, Stefan
license	pd = Public Domain Software (free)
version	1.6
description	(no language specified) Provides a <code>\special</code> insertion into generated .dvi files allowing one to jump from the .dvi file to the .tex source and back again (given a .dvi viewer that supports this, such as Yap or xdvi version 22.38 or later). This was originally written by Aleksander Simonic, the author of the WinEdt shell.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/srcltx/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/srcltx/srcltx.pdf
– local file	./1332978830-srcltx.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/srcltx
on MikTeX	srcltx
on TeXLive	srcltx
keyword	debug-supp (support for package or document debugging)
language(s)	no language specified
year	without year
last access	2025-02-07

5658 srcdact – A tool for redacting sourcesWeb page on CTAN <https://ctan.org/pkg/srcdact>

name	srcdact
caption	A tool for redacting sources
author	Veytsman, Boris
copyright	Boris Veytsman (2015)
license	gpl2 = GNU General Public License, version 2 (free)
version	1.0

description	(no language specified) This package provides a tool to keep a master source, consisting of different "chunks" intended for different audiences. The tool allows to extract the versions intended for different audiences and to incorporate the changes made in any of these versions into the master document. This work was commissioned by the Consumer Financial Protection Bureau, United States Treasury.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/srcredact/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/support/srcredact/srcredact.pdf
– local file	<code>./2257434293-srcredact.pdf</code>
on CTAN	https://ctan.org/tex-archive/support/srcredact
on MikTeX	<code>srcredact</code>
on TeXLive	<code>srcredact</code>
keyword	<code>cond-comp</code> (conditional typesetting)
language(s)	no language specified
year	2015
last access	2025-02-07

5659 *srdp-mathematik* – Typeset Austrian SRDP in mathematics

Web page on CTAN	https://ctan.org/pkg/srdp-mathematik
name	<code>srdp-mathematik</code>
caption	Typeset Austrian SRDP in mathematics
author	Weberndorfer, Christoph
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.13.1 (2024-11-24)
last changes	2024-11-24
year	2024
description	(no language specified) This package provides basic commands for the defined formats of the Austrian sRDP (Standardisierte Reife- und Diplomprüfung) in mathematics. Furthermore, it includes ways to implement answers in the <code>tex</code> file which can optionally be displayed in the <code>pdf</code> file, and it offers a way to vary the answers in order to create different groups (e. g. for tests) easily.

documentation	(German (Austria)) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/srdp-mathematik/srdp-mathematik.pdf
– local file	<code>./3625044048-srdp-mathematik.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/srdp-mathematik/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/srdp-mathematik
on MikTeX	<code>srdp-mathematik</code>
on TeXLive	<code>srdp-mathematik</code>
keyword	<code>exam</code> (exams, quizzes, etc.)
keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>std-conform</code> (support conformance to standards)
language(s)	German (Austria)
last access	2025-02-07

5660 *srhyphc* – Hyphenation patterns for Serbian Cyrillic

Web page on CTAN	https://ctan.org/pkg/srhyphc
name	<code>srhyphc</code>
caption	Hyphenation patterns for Serbian Cyrillic
author	Jelenak, Aleksandar
license	gpl = GNU General Public License (free)
version	1.0a
description	(no language specified) The patterns are written using ISO 8859-5, but are targeted at the standard LaTeX T2A encoding.
on CTAN	https://ctan.org/tex-archive/language/hyphenation/srhyphc.tex
on TeXLive	<code>hyphen-serbian</code>
keyword	<code>serbian</code> (documentation in, and support for typesetting Serbian)
keyword	<code>hyphenation</code> (macros or tables for hyphenation)
see also	see section 5460 on page 4940: (<code>shhyph1</code> – Serbo-Croatian hyphenation (Latin alphabet))
language(s)	no language specified

year	without year
last access	2025-02-07

5661 *srune* – Saxon rune font

Web page on CTAN <https://ctan.org/pkg/srune>

name	<i>srune</i>
caption	Saxon rune font
author	Lüddecke, Jobst-Hartmut
license	noinfo = noinfo
version	(1993-07-23)
last changes	1993-07-23
year	1993
description	(no language specified) This Metafont font is designed from historic sources, and has ligatures to facilitate the ”-based shorthands common in German (La)TeX packages.
on CTAN	https://ctan.org/tex-archive/fonts/srune
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-rune</code> (fonts for runic inscriptions)
see also	see section 136 on page 125: (<code>allrunes</code> – Fonts and LaTeX package for almost all runes)
see also	see section 2428 on page 2195: (<code>futhark</code> – Fonts for the Older Futhark script)
language(s)	no language specified
last access	2025-02-07

5662 sseq – Typesetting spectral sequence chartsWeb page on CTAN <https://ctan.org/pkg/sseq>

name	sseq
caption	Typesetting spectral sequence charts
author	Bauer, Tilman
license	lppl = The LaTeX Project Public License (free)
version	2.01
description	(no language specified) The package provides commands to draw spectral sequence diagrams, providing facilities for clipping and arranging multiple symbols so that they do not overlap. The package is built using pgf , and shares that systems large demands for TeX system memory. Its geometric commands are based on a turtle graphics model, and control structures such as loops and conditionals are available.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/sseq/sseq.pdf
– local file	./6078757469-sseq.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sseq
on MikTeX	sseq
on TeXLive	sseq
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	without year
last access	2025-02-07

5663 sshdbk10 – Sans headers in book styleWeb page on CTAN <https://ctan.org/pkg/sshdbk10>

name	sshdbk10
caption	Sans headers in book style
license	noinfo = noinfo
version	(1991-08-08)
last changes	1991-08-08
year	1991

description	(no language specified) The package offers patches for LaTeX 2.09's part/chapter/... headers, to set their text in a Sans font, and to reduce their size.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/sshdbk10.sty
keyword	headings (chapter, section, etc., heading styles)
language(s)	no language specified
last access	2025-02-07

5664 *sshrc-insight* – A LaTeX class for SSHRC Insight Grant proposals

Web page on CTAN <https://ctan.org/pkg/sshrc-insight>

name	sshrc-insight
caption	A LaTeX class for SSHRC Insight Grant proposals
author	Miller, Tristan
copyright	Tristan Miller (2024)
copyright	Steven B. Segletes (2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2024.1.0 (2024-10-21)
last changes	2024-10-21
year	2024
description	(no language specified) The <i>sshrc-insight</i> LaTeX class facilitates the preparation of funding proposals for the Insight Grants program of Canada's Social Sciences and Humanities Research Council (SSHRC). It has the following key features: • Formats the proposal according to the SSHRC's specifications. • Allows parts of the proposal to be compiled into separate PDFs to attach to the appropriate places in the online application form. • Alternatively, allows the proposal to be compiled into a single PDF in order to facilitate the writing and pre-submission reviewing process. • Ensures that citation numbering remains consistent regardless whether the proposal is compiled as separate PDFs or a single PDF. • Provides character counts for long-answer form fields. • Supports preparation of proposals in either English or French. • Compatible with pdfLaTeX, XeLaTeX, and LuaLaTeX.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sshrc-insight/README.md
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/sshrc-insight/insight_proposal.pdf
– local file	<code>./8224546127-insight_proposal.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sshrc-insight/sshrc-insight.pdf
– local file	<code>./3941875462-sshrc-insight.pdf</code>
home page	https://logological.org/sshrc-insight
contact	<i>bugs</i> : https://github.com/logological/sshrc-insight/issues
contact	<i>repository</i> : https://github.com/logological/sshrc-insight
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sshrc-insight
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/sshrc-insight.tds.zip
on MikTeX	sshrc-insight
on TeXLive	sshrc-insight
keyword	proposal (typeset proposals to funding bodies, etc)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-07

5665 *sshrc-insight* – Slides with headers and footers

Web page on CTAN <https://ctan.org/pkg/sshrc-insight>

name	sshrc-insight
caption	Slides with headers and footers
author	Salimi, behzad
copyright	Behzad Salimi (2013)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2010-08-22)
last changes	2010-08-22

year	2010
description	(no language specified) The class provides a variant of the LaTeX standard <i>slides</i> class, in which the user may add headers and footers to the slide.
documentation	(no language specified) <i>Sample (landscape) slides</i> : https://ctan.org/tex-archive/macros/latex/contrib/sslides/land-sample-slide.pdf
– local file	<code>./4231531021-land-sample-slide.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sslides
on MikTeX	<code>sslides</code>
on TeXLive	<code>sslides</code>
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2025-02-07

5666 *ssquote* – Use the *cmssq* fonts

Web page on CTAN	https://ctan.org/pkg/ssquote
name	<code>ssquote</code>
caption	Use the <i>cmssq</i> fonts
author	Goossens, Michel
author	Vieth, Ulrik
copyright	Ulrik Vieth (1994)
license	other-free = Free license not otherwise listed (free)
version	1.3
description	(no language specified) LaTeX package and font definition file to access the ‘ <i>cmssq</i> ’ fonts, i.e. Computer Modern Sans Serif Quotation Style. The LaTeX package also defines a <code>chapterquotes</code> environment as an example application.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ssquote/ssquote.readme
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ssquote
on MikTeX	<code>ssquote</code>
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)

language(s)	no language specified
year	1994
last access	2025-02-07

5667 *stables* – Simplified Plain TeX tables

Web page on CTAN <https://ctan.org/pkg/stables>

name	stables
caption	Simplified Plain TeX tables
author	Nilsson, Robert
license	noinfo = noinfo
version	1.0
description	(no language specified) Macros to write tables as simply as one might hope—no preamble or anything, just set off in the and write the table.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/plain/contrib/stables/stables_doc.pdf
– local file	./9098377312-stables_doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/stables
keyword	table (table typesetting)
language(s)	no language specified
year	without year
last access	2025-02-07

5668 *stabular* – Multipage tabular

Web page on CTAN <https://ctan.org/pkg/stabular>

name	stabular
caption	Multipage tabular
author	Tolušis, Sigitas
copyright	Sigitas Tolušis (1998-2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.1 (2021-10-04)

last changes	2021-10-04
year	2021
description	(no language specified) The <i>stabular</i> package implements a relatively simple trick to achieve multi-page tables. The package is part of the sttools bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sttools/stabular.pdf
– local file	<code>./9789915679-stabular.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sttools
keyword	table (table typesetting)
keyword	table-long (typeset tables that may be too big for a page)
see also	see section 5752 on page 5213 : (<i>supertabular</i> – A multi-page tables package)
see also	see section 6850 on page 6183 : (<i>xtab</i> – Break tables across pages)
see also	see section 3524 on page 3187 : (<i>longtable</i> – Allow tables to flow over page boundaries)
language(s)	no language specified
last access	2025-02-07

5669 stack – Tools to define and use stacks

Web page on CTAN <https://ctan.org/pkg/stack>

name	stack
caption	Tools to define and use stacks
author	Bayart, Benjamin
license	lppl = The LaTeX Project Public License (free)
version	1.00
description	(no language specified) The package provides a small set of commands to implement stacks independently of TeX’s own stack. As an example of how the stacks might be used, the documentation offers a small “ <i>reinput</i> ” package that implements the backbone of the import package.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/stack
on MikTeX	stack

on T _E XLive	stack
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	without year
last access	2025-02-07

5670 *stackengine* – Highly customised stacking of objects, insets, baseline changes, etc

Web page on CTAN <https://ctan.org/pkg/stackengine>

name	stackengine
caption	Highly customised stacking of objects, insets, baseline changes, etc
author	Segletes, Steven B.
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	4.11 (2021-07-22)
last changes	2021-07-22
year	2021
description	(no language specified) The package provides a versatile way to stack objects vertically in a variety of customizable ways. A number of useful macros are provided, all of which make use of the stackengine core.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/stackengine/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/stackengine/stackengine.pdf
– local file	./2505518759-stackengine.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/stackengine
on MikT _E X	stackengine
on T _E XLive	stackengine
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

5671 `stackrel` – Enhancement to the `\stackrel` command

Web page on CTAN <https://ctan.org/pkg/stackrel>

name	<code>stackrel</code>
caption	Enhancement to the <code>\stackrel</code> command
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2006, 2007)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3 (2016-05-16)
last changes	2016-05-16
year	2016
description	(no language specified) This package adds an optional argument to <code>\stackrel</code> for putting something below the relational symbol and defines <code>\stackbin</code> for binary symbols. The package is part of the oberdiek bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/stackrel.pdf
– local file	<code>./1078929977-stackrel.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/stackrel.dtx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/oberdiek.tds.zip
on MikTeX	oberdiek
on TeXLive	oberdiek
keyword	maths-symbol (construction or application of mathematical symbols)
language(s)	no language specified
last access	2025-02-07

5672 stage – A LaTeX class for stage plays

Web page on CTAN <https://ctan.org/pkg/stage>

name	stage
caption	A LaTeX class for stage plays
author	Thomas, Reuben
author	Jahrling, Robert
copyright	Reuben Thomas (2017-2022)
copyright	Robert Jahrling (2005)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.03
description	(no language specified) Stage.cls is a LaTeX class for creating plays of any length in a standard manuscript format for production and submission.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/stage/stage-documentation.pdf
– local file	./1546758233-stage-documentation.pdf
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/stage/README
home page	https://github.com/rrthomas/stage
contact	<i>bugs</i> : https://github.com/rrthomas/stage/issues
contact	<i>repository</i> : https://github.com/rrthomas/stage
contact	<i>development</i> : https://github.com/rrthomas/stage
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/stage
on MikTeX	stage
on T _E XLive	stage
keyword	drama-script (typeset scripts for plays, etc.)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
year	2022
last access	2025-02-07

5673 stampinclude – Inclusion based on .aux file date stamps

Web page on CTAN <https://ctan.org/pkg/stampinclude>

name	stampinclude
caption	Inclusion based on .aux file date stamps
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2008)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2016-05-16)
last changes	2016-05-16
year	2016
description	(no language specified) This package replaces <code>\includeonly</code> and selects the files for <code>\include</code> by inspecting the timestamp of the <code>.aux</code> file. The file is selected for inclusion if the <code>.aux</code> file does not yet exist or is older than the corresponding <code>.tex</code> file. The package is part of the oberdiek bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/stampinclude.pdf
– local file	<code>./7798339973-stampinclude.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/stampinclude.dtx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/oberdiek.tds.zip
on MikTeX	oberdiek
on TeXLive	oberdiek
keyword	file-mgmt (TeX-related-file management)
language(s)	no language specified
last access	2025-02-07

5674 standalone – Compile TeX pictures stand-alone or as part of a document

Web page on CTAN <https://ctan.org/pkg/standalone>

name	standalone
caption	Compile TeX pictures stand-alone or as part of a document
author	Scharrer, Martin
copyright	Martin Scharrer (2010-2025)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.5a (2025-02-22)
last changes	2025-02-22
year	2025
description	(no language specified) A class and package is provided which allows TeX pictures or other TeX code to be compiled standalone or as part of a main document. Special support for pictures with beamer overlays is also provided. The package is used in the main document and skips extra preambles in sub-files. The class may be used to simplify the preamble in sub-files. By default the preview package is used to display the typeset code without margins. The behaviour in standalone mode may adjusted using a configuration file <code>standalone.cfg</code> to redefine the <code>standalone</code> environment.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/standalone/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/standalone/standalone.pdf
– local file	<code>./3097304868-standalone.pdf</code>
contact	<i>bugs</i> : https://github.com/MartinScharrer/standalone/issues
contact	<i>repository</i> : https://github.com/MartinScharrer/standalone
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/standalone
on MikTeX	standalone
on TeXLive	standalone
keyword	class (alternative LaTeX class(es))
keyword	subdocs (include complete documents in other documents)
see also	see section 4223 on page 3822 : (<code>newclude</code> – Reimplemented <code>\include</code> system for LaTeX)

see also	see section 2933 on page 2652: (<code>includex</code> – Extended <code>\include</code>)
see also	see section 1226 on page 1114: (<code>combine</code> – Bundle individual documents into a single document)
see also	see section 1649 on page 1495: (<code>docmute</code> – Input files ignoring LaTeX preamble, etc)
language(s)	no language specified
last access	2025-02-28

5675 *standardsectioning* – Define sectioning commands identical to the standard classes

Web page on CTAN <https://ctan.org/pkg/standardsectioning>

name	<code>standardsectioning</code>
caption	Define sectioning commands identical to the standard classes
author	Kohm, Markus
copyright	Markus Kohm (2008-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.10 (2025-09-11)
last changes	2025-09-11
year	2025
description	(no language specified) The package implements the sectioning commands fully compatible with the standard classes. This is intended, e.g., to make the KOMA-Script classes work with packages like <code>titlesec</code> , which depend on the implementation of these commands.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/standardsectioning/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/standardsectioning/standardsectioning.pdf
– local file	<code>./3614731829-standardsectioning.pdf</code>
home page	https://github.com/komascript/third-party-enhancements
contact	<i>repository</i> : https://github.com/komascript/third-party-enhancements/tree/main/standardsectioning
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/standardsectioning

on MikTeX	standardsectioning
on TeXLive	standardsectioning
keyword	headings (chapter, section, etc., heading styles)
language(s)	no language specified
last access	2025-10-05

5676 *stanli* – TikZ Library for Structural Analysis

Web page on CTAN <https://ctan.org/pkg/stanli>

name	stanli
caption	TikZ Library for Structural Analysis
author	Hackl, Jürgen
copyright	Jürgen Hackl (2011-2016)
license	gpl = GNU General Public License (free)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.0 (2016-12-21)
last changes	2016-12-21
year	2016
description	(no language specified) <i>stanli</i> is a SStructural ANalysis LIBrary based on PGF/TikZ. Creating new assignments and tests, at university, is usually a very time-consuming task, especially when this includes drawing graphics. In the field of structural engineering, those small structures are a key part for teaching. This package permits to create such 2D and 3D structures in a very fast and simple way.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/stanli/stanli.pdf
– local file	./4252055093-stanli.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/stanli/README.md
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/stanli
on MikTeX	stanli
on TeXLive	stanli
keyword	engineering (typesetting associated with engineering of whatever sort)

keyword `pgf-tikz` (package uses PGF-TikZ)
 language(s) no language specified
 last access 2025-02-07

5677 *starfont* – The StarFont Sans astrological font

Web page on CTAN <https://ctan.org/pkg/starfont>

name `starfont`

caption The StarFont Sans astrological font

author Skala, Matthew

license `pd` = Public Domain Software (free)

version 1.2

description (no language specified) The package contains StarFontSans and StarFontSerif, two public-domain astrological fonts designed by Anthony I.P. Owen, and the appropriate macros to use them with TeX and LaTeX.

The fonts are supplied both in the original TrueType Format and in Adobe Type 1 format.

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/fonts/ps-type1/starfont/starfont.pdf>

– local file `./6214136445-starfont.pdf`

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/fonts/ps-type1/starfont/README>

on CTAN <https://ctan.org/tex-archive/fonts/ps-type1/starfont>

on MikTeX `starfont`

on T_EXLive `starfont`

keyword `font` (fonts themselves)

keyword `font-ttf` (font available in TrueType format)

keyword `font-specialist` (fonts with specific small application areas)

keyword `astrology` (fonts and typesetting for astrologers)

language(s) no language specified

year without year

last access 2025-02-07

5678 *starray* – A structured array (of properties) based on *expl3*Web page on CTAN <https://ctan.org/pkg/starray>

name	starray
caption	A structured array (of properties) based on <i>expl3</i>
author	Frigeri, Alceu
copyright	Alceu Frigeri (2023-2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	agpl3 = GNU Affero General Public License, version 3 (free)
version	2.1 (2026-02-24)
last changes	2026-02-24
year	2026
description	(no language specified) This package implements vector-like 'structures', like in 'C' and other programming languages. So it is possible to store information in a systematic and regular way. The provided 'functions' are similar to the ones provided for property (or sequence, or token) lists. The package is based on expl3 and aimed at package authors, not end users. The name "starray" is an abbreviation for "structured arrays".
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/starray/doc/starray.pdf
– local file	./6497929478-starray.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/starray/README.md
contact	<i>bugs</i> : https://github.com/alceu-frigeri/starray/issues
contact	<i>repository</i> : https://github.com/alceu-frigeri/starray
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/starray
on MikTeX	starray
on TeXLive	starray
keyword	package-devel (support for package development)
language(s)	no language specified
last access	2026-03-26

5679 startex – An XML-inspired format for student use

Web page on CTAN <https://ctan.org/pkg/startex>

name	startex
caption	An XML-inspired format for student use
author	Langmyhr, Dag
license	pd = Public Domain Software (free)
version	1.04
description	(no language specified) A TeX format designed to help students write short reports and essays. It provides the user with a suitable set of commands for such a task. It is also more robust than plain TeX and LaTeX.
documentation	(no language specified) <i>Documented source code</i> : https://ctan.org/tex-archive/macros/plain/formats/startex/startex.pdf
– local file	./7048677571-startex.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/formats/startex/README
documentation	(no language specified) <i>Beginner's guide</i> : https://ctan.org/tex-archive/macros/plain/formats/startex/guide.pdf
– local file	./3046331120-guide.pdf
documentation	(no language specified) <i>TUG'96 paper</i> : https://ctan.org/tex-archive/macros/plain/formats/startex/ideas.pdf
– local file	./3642248345-ideas.pdf
on CTAN	https://ctan.org/tex-archive/macros/plain/formats/startex
on MikTeX	startex
on TeXLive	startex
keyword	format (macros to build a format)
language(s)	no language specified
year	without year
last access	2026-03-26

5680 *statementsp* – Theorem and proposition boxes with preview and recall functionsWeb page on CTAN <https://ctan.org/pkg/statementsp>

name	<code>statementsp</code>
caption	Theorem and proposition boxes with preview and recall functions
author	Ikeda, Rirai
copyright	Rirai Ikeda (2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0
description	(no language specified) This package provides a convenient way to create customizable theorem and proposition boxes using <code>tcolorbox</code> . Its most distinctive feature is the automatic Preview and Recall mechanism. By using a single command (<code>\refcallsp</code>), you can display a statement box anywhere in your document. The package automatically determines its position relative to the main definition: if placed before, it generates a "Preview" box; if placed after, it generates a "Recall" box. Both automatically include hyperlinks jumping directly to the main definition.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/statementsp/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/statementsp/statementsp.pdf
– local file	<code>./5396014290-statementsp.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/statementsp
on T _E XLive	<code>statementsp</code>
keyword	<code>maths-theorem</code> (typeset mathematical theorems)
language(s)	no language specified
year	2026
last access	2026-04-09

5681 statex – Statistics style

Web page on CTAN <https://ctan.org/pkg/statex>

name	statex
caption	Statistics style
author	Sparapani, Rodney
copyright	Rodney A Sparapani (2002-2004)
license	lppl = The LaTeX Project Public License (free)
version	1.6
description	(no language specified) A package defining many macros for items of significance in statistical presentations. An updated, but incompatible, version of the package is available: statex2 .
documentation	(no language specified) <i>Package documentation (by example)</i> : https://ctan.org/tex-archive/macros/latex/contrib/statex/statex-example.pdf
– local file	<code>./9439250351-statex-example.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/statex
on MikTeX	statex
on T _E XLive	statex
keyword	statistics (typeset reports, diagrams, etc., of statistics)
language(s)	no language specified
year	2004
last access	2025-02-07

5682 statex2 – Statistics style

Web page on CTAN <https://ctan.org/pkg/statex2>

name	statex2
caption	Statistics style
author	Sparapani, Rodney
copyright	Rodney A Sparapani (2008)
license	lppl = The LaTeX Project Public License (free)
version	2.1

description	(no language specified) The package defines many macros for items of significance in statistical presentations. It represents a syntax-incompatible upgrade of statex .
documentation	(no language specified) <i>Package documentation (by example)</i> : https://ctan.org/tex-archive/macros/latex/contrib/statex2/statex2-example.pdf
– local file	<code>./3987680816-statex2-example.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/statex2
on MikTeX	statex2
on T _E XLive	statex2
keyword	<i>statistics</i> (typeset reports, diagrams, etc., of statistics)
language(s)	no language specified
year	2008
last access	2025-02-07

5683 *statistics* – Compute and typeset statistics tables and graphics

Web page on CTAN <https://ctan.org/pkg/statistics>

name	<i>statistics</i>
caption	Compute and typeset statistics tables and graphics
author	Rivaud, Julien
copyright	RIVAUD Julien (2014-2019)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	2.2 (2019-09-29)
last changes	2019-09-29
year	2019
description	(no language specified) The 'statistics' package can compute and typeset statistics like frequency tables, cumulative distribution functions (increasing or decreasing, in frequency or absolute count domain), from the counts of individual values, or ranges, or even the raw value list with repetitions. It can also compute and draw a bar diagram in case of individual values, or, when the data repartition is known from ranges, an histogram or the continuous cumulative distribution function.

You can ask 'statistics' to display no result, selective results or all of them. Similarly 'statistics' can draw only some parts of the graphs. Every part of the generated tables or graphics is customizable.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/statistics/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/statistics/statistics.pdf
– local file	./3088213678-statistics.pdf
home page	https://gitlab.com/frnchfrgg-latex/statistics
contact	<i>support</i> : https://gitlab.com/frnchfrgg-latex/statistics/-/issues
contact	<i>bugs</i> : https://gitlab.com/frnchfrgg-latex/statistics/-/issues
contact	<i>repository</i> : https://gitlab.com/frnchfrgg-latex/statistics
contact	<i>development</i> : https://gitlab.com/frnchfrgg-latex/statistics
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/statistics
on MikTeX	statistics
on T _E XLive	statistics
keyword	maths (support for typesetting mathematics)
keyword	statistics (typeset reports, diagrams, etc., of statistics)
language(s)	no language specified
last access	2025-02-07

5684 *statistik* – Store statistics of a document

Web page on CTAN	https://ctan.org/pkg/statistik
name	statistik
caption	Store statistics of a document
author	Niedermair, Michael
copyright	Michael Niedermair (2003)
license	gpl = GNU General Public License (free)
version	0.03

description	(no language specified) The package counts the numbers of pages per chapter, and stores the results in a separate file; the format of the file is selectable.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/statistik/statistik.pdf
– local file	<code>./4120895703-statistik.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/statistik
on MikTeX	<code>statistik</code>
on TeXLive	<code>statistik</code>
keyword	<code>doc-mgmt</code> (support for keeping track of document development)
language(s)	no language specified
year	2003
last access	2025-02-07

5685 *statmath* – A LaTeX package for simple use of statistical notation

Web page on CTAN <https://ctan.org/pkg/statmath>

name	<code>statmath</code>
caption	A LaTeX package for simple use of statistical notation
author	Ankargren, Sebastian
copyright	Sebastian Ankargren (2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1
description	(no language specified) The package offers anumber of notational conventions to be used in applied and theoretical papers in statistics which are currently lacking in the popular <code>amsmath</code> package. The seasoned LaTeX user will see that the provided commands are simple, almost trivial, but will hopefully offer less cluttered preambles as well as a welcome help for novice users.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/statmath/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/statmath/statmath.pdf
– local file	<code>./1524206639-statmath.pdf</code>
home page	https://github.com/ankargren/statmath
contact	<i>bugs</i> : https://github.com/ankargren/statmath/issues

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/statmath
on MikTeX	statmath
on T _E XLive	statmath
keyword	statistics (typeset reports, diagrams, etc., of statistics)
language(s)	no language specified
year	2018
last access	2025-02-07

5686 statrep – Displays SAS code and results of running the code

Web page on CTAN	https://ctan.org/pkg/statrep
name	statrep
caption	Displays SAS code and results of running the code
author	Arnold, Tim
license	l _{pl} 1.3 = The LaTeX Project Public License 1.3 (free)
version	1.07 (2015-09-15)
last changes	2015-09-15
year	2015
description	(no language specified) The package provides two environments and two tags that work together to display your SAS code and results and to generate the SAS program that produces those results. The two environments (Datastep and Sascode) display SAS code. The two tags (Listing and Graphic) display SAS output.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/statrep/doc/statrep.pdf
– local file	./1144938192-statrep.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/statrep/README
documentation	(no language specified) <i>User's Guide</i> : https://ctan.org/tex-archive/macros/latex/contrib/statrep/doc/statrepmanual.pdf
– local file	./1163927356-statrepmanual.pdf
home page	http://support.sas.com/StatRepPackage
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/statrep

on MikTeX	statrep
keyword	statistics (typeset reports, diagrams, etc., of statistics)
language(s)	no language specified
last access	2025-02-07

5687 *staves* – Typeset Icelandic staves and runic letters

Web page on CTAN <https://ctan.org/pkg/staves>

name	staves
caption	Typeset Icelandic staves and runic letters
author	Syropoulos, Apostolos
copyright	Apostolos Syropoulos (2006)
license	lppl = The LaTeX Project Public License (free)
version	(2006-11-07)
last changes	2006-11-07
year	2006
description	(no language specified) This package contains all the necessary tools to typeset the "magical" Icelandic staves plus the runic letters used in Iceland. Included are a font in Adobe Type 1 format and LaTeX support.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/language/staves/doc/staves.pdf
– local file	./3855469953-staves.pdf
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/language/staves/README
documentation	(no language specified) <i>List of symbols</i> : https://ctan.org/tex-archive/language/staves/doc/symbols.pdf
– local file	./8834203308-symbols.pdf
on CTAN	https://ctan.org/tex-archive/language/staves
on MikTeX	staves
on T _E XLive	staves
keyword	font (fonts themselves)
keyword	icelandic (support for typesetting the Icelandic language)
keyword	font-rune (fonts for runic inscriptions)

keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
last access	2025-02-07

5688 *stdclsdv* – Provide sectioning information for package writers

Web page on CTAN	https://ctan.org/pkg/stdclsdv
name	stdclsdv
caption	Provide sectioning information for package writers
author	Wilson, Peter R.
author	Robertson, Will
copyright	Peter R. Wilson (1999)
license	lppl = The LaTeX Project Public License (free)
version	1.1a
description	(no language specified) The stdclsdv package is designed for package writers who need to know what sectioning divisions are provided by the document's class. It also provides a version of \CheckCommand that sets a flag rather than printing a warning.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/stdclsdv/stdclsdv.pdf
– local file	./2061009503-stdclsdv.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/stdclsdv/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/stdclsdv
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/stdclsdv.tds.zip
on MikTeX	stdclsdv
on T _E XLive	stdclsdv
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	1999
last access	2025-02-07

5689 *stdpage* – Standard pages with n lines of at most m characters each

Web page on CTAN <https://ctan.org/pkg/stdpage>

name	<code>stdpage</code>
caption	Standard pages with n lines of at most m characters each
author	Verweyen, Georg Michael
copyright	Georg Michael Verweyen (2004-2005)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	0.6
description	(no language specified) For translations, proofreading, journal contributions etc. standard pages are used. Those standard pages consist of a fixed number of lines and characters per line. This package produces pages with n lines of at most m characters each. For instance the German "Normseite": 60 lines of 30 characters each.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/stdpage/stdpage.pdf
– local file	<code>./1049828477-stdpage.pdf</code>
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/stdpage/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/stdpage
on MikTeX	<code>stdpage</code>
on T _E XLive	<code>stdpage</code>
keyword	<code>geometry</code> (change geometry of page layout)
language(s)	no language specified
year	2005
last access	2025-02-07

5690 *stealcaps* – “Steal” small capitals

Web page on CTAN <https://ctan.org/pkg/stealcaps>

name *stealcaps*

caption “Steal” small capitals

author Giannotti, Ruben

copyright Ruben Giannotti (2018-2022)

license lpl1.3c = The LaTeX Project Public License 1.3c (free)

version 1.1 (2022-11-07)

last changes 2022-11-07

year 2022

description (no language specified) This little package is mainly meant to be used when there is a (TrueType or OpenType) font that does not provide real small capitals. As a workaround, this package helps to borrow, or “steal”, the small capitals from another font. This might also be useful in the rare case that someone does not like the present small capitals, and wants to change them, or likes those from another font better.

To achieve the borrowing, one only needs to load the package and specify the name of the target font via the `from` option.

Package dependencies: *pgfplots* , *iftex* , *fontspec* .

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/stealcaps/stealcaps.pdf>

– local file `./1244586470-stealcaps.pdf`

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/stealcaps/README.md>

documentation (no language specified) *Example of use*:
<https://ctan.org/tex-archive/macros/latex/contrib/stealcaps/testfile/stealcaps-test.pdf>

– local file `./4937286095-stealcaps-test.pdf`

contact *support*:
<https://github.com/giannotr/stealcaps/discussions/1>

contact *announce*:
<https://github.com/giannotr/stealcaps/discussions/2>

contact *bugs*: <https://github.com/giannotr/stealcaps/issues>

contact *repository*: <https://github.com/giannotr/stealcaps.git>

contact *development*: <https://github.com/giannotr/stealcaps/pulls>

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/stealcaps
on MikTeX	stealcaps
on T _E XLive	stealcaps
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-use (font selection, mapping, etc.)
language(s)	no language specified
last access	2025-02-07

5691 *steinmetz* – Print Steinmetz notation

Web page on CTAN	https://ctan.org/pkg/steinmetz
name	steinmetz
caption	Print Steinmetz notation
author	Gregorio, Enrico
copyright	Enrico Gregorio (2009)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The <i>steinmetz</i> package provides a command for typesetting complex numbers in the Steinmetz notation used in electrotechnics as: <modulus>;<argument or phase inside an angle symbol> The package makes use of pict2e .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/steinmetz/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/steinmetz/steinmetz.pdf
– local file	./2360613127-steinmetz.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/steinmetz
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/steinmetz.tds.zip
on MikTeX	steinmetz
on T _E XLive	steinmetz

keyword	engineering (typesetting associated with engineering of whatever sort)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	2009
last access	2025-02-07

5692 *stellenbosch* – Stellenbosch thesis bundle (legacy version)

Web page on CTAN <https://ctan.org/pkg/stellenbosch>

name	stellenbosch
caption	Stellenbosch thesis bundle (legacy version)
author	Els, Daniel
copyright	Danie Els (2003-2015)
license	lpl = The LaTeX Project Public License (free)
version	1.1a
description	(no language specified) Note: This bundle should only be used for typesetting legacy documents. For new documents, its successor stellenbosch-2 is available. The <i>usthesis</i> class/style files are provided to typeset reports, theses and dissertations that conform to the requirements of the Engineering Faculty of the University of Stellenbosch. The class file <code>usthesis.cls</code> is based on the standard LaTeX book class, while <code>usthesis.sty</code> is a style file to be loaded on top of the very powerful memoir class. Both options give identical output, but the benefit of the using <i>memoir</i> is that it has many additional command and environments for formatting and processing of a document. <i>Ustthesis</i> is primarily concerned with the formatting of the front matter such as the title page, abstract, etc. and a decent page layout on A4 paper. It also works together with the <i>babel</i> package to provide language options to typeset documents in Afrikaans or in English. Additional packages are provided for bibliographic matter, note title pages, lists of symbols, as well as various graphic files for logos.
documentation	(English) <i>USnomencl package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/stellenbosch/doc/USnomencl-1.1.pdf
– local file	<code>./8200474370-USnomencl-1.1.pdf</code>

documentation	(English) <i>Class/package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/stellenbosch/doc/USthesis-5.0.pdf
– local file	./5256759604-USthesis-5.0.pdf
documentation	(English) <i>UStitle package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/stellenbosch/doc/UStitle-1.0.pdf
– local file	./6348504652-UStitle-1.0.pdf
documentation	(English) <i>USbib package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/stellenbosch/doc/USbib-1.0.pdf
– local file	./7936638844-USbib-1.0.pdf
documentation	(English) <i>Bundle README:</i> https://ctan.org/tex-archive/macros/latex/contrib/stellenbosch/README
documentation	(English) <i>USsummary package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/stellenbosch/doc/USsummary-1.0a.pdf
– local file	./5635734196-USsummary-1.0a.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/stellenbosch
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/stellenbosch.tds.zip
on MikTeX	stellenbosch
on T _E XLive	stellenbosch
keyword	dissertation (typesetting dissertations, theses, etc.)
see also	see section 5693 on page 5155: (stellenbosch-2 – Stellenbosch University thesis bundle)
language(s)	English
year	2015
last access	2025-02-07

5693 stellenbosch-2 – Stellenbosch University thesis bundle

Web page on CTAN <https://ctan.org/pkg/stellenbosch-2>

name	stellenbosch-2
caption	Stellenbosch University thesis bundle
author	Els, Daniel
copyright	Stellenbosch University (2023)
license	cc-by-4 = CC BY 4.0 (free)
version	2.0 (2023-09-01)
last changes	2023-09-01
year	2023
description	(no language specified) Typesetting dissertations, theses and reports as well as presentations of Stellenbosch University, South Africa. Note: The previous version, stellenbosch , is still available for legacy documents.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/stellenbosch-2/README
documentation	(no language specified) <i>stb-bib package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/stellenbosch-2/doc/stb-bib.pdf
– local file	./7112812398-stb-bib.pdf
documentation	(no language specified) <i>stb-thesis class documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/stellenbosch-2/doc/stb-thesis.pdf
– local file	./2328294927-stb-thesis.pdf
documentation	(no language specified) <i>stb-titlepage package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/stellenbosch-2/doc/stb-titlepage.pdf
– local file	./3205564523-stb-titlepage.pdf
documentation	(no language specified) <i>stb-beamer package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/stellenbosch-2/doc/stb-beamer.pdf
– local file	./1955169388-stb-beamer.pdf
documentation	(no language specified) <i>Bundle documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/stellenbosch-2/doc/stellenbosch-2.pdf

5694 *step* – A free Times-like font

– local file	<code>./9950354672-stellenbosch-2.pdf</code>
documentation	(no language specified) <i>stb-nomencl package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/stellenbosch-2/doc/stb-nomencl.pdf
– local file	<code>./3798789830-stb-nomencl.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/stellenbosch-2
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/stellenbosch-2.tds.zip
on MikTeX	<code>stellenbosch-2</code>
on TeXLive	<code>stellenbosch-2</code>
keyword	dissertation (typesetting dissertations, theses, etc.)
see also	see section 5692 on page 5153: (<code>stellenbosch</code> – Stellenbosch thesis bundle (legacy version))
language(s)	no language specified
last access	2025-02-07

5694 *step* – A free Times-like font

Web page on CTAN <https://ctan.org/pkg/step>

name	<code>step</code>
caption	A free Times-like font
author	Miller, Daniel Benjamin
license	ofl = The SIL Open Font License (free)
version	2.0.5 (2021-01-02)
last changes	2021-01-02
year	2021
description	(no language specified) The STEP fonts are a free Times-like (i.e., Times replacement) font family, implementing a design first created for The Times of London in 1932. These fonts are meant to be compatible in design with Adobe’s digitization of Linotype Times, commonly used in publishing. The fonts were forked from XITS /STIX and Type 1 support is provided for legacy TeX engines.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/step/doc/step-fonts.pdf

– local file	<code>./7582095473-step-fonts.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/step/README
contact	<i>bugs</i> : https://github.com/dbenjaminmiller/step/issues
contact	<i>repository</i> : https://github.com/dbenjaminmiller/step
on CTAN	https://ctan.org/tex-archive/fonts/step
on MikTeX	<code>step</code>
on TeXLive	<code>step</code>
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-cyrillic</code> (fonts for Cyrillic and related scripts)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-t1enc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-greek</code> (font for Greek (archaic, classical and modern))
keyword	<code>font-multilingual</code> (font with adaptations to several languages)
keyword	<code>font-proportional</code> (variable-spaced font)
see also	see section 6807 on page 6143: (<code>xits</code> – A Scientific Times-like font with support for mathematical typesetting)
language(s)	no language specified
last access	2025-02-07

5695 stepgreek – A free Times/Elsevier-style Greek fontWeb page on CTAN <https://ctan.org/pkg/stepgreek>

name	stepgreek
caption	A free Times/Elsevier-style Greek font
author	Miller, Daniel Benjamin
license	ofl = The SIL Open Font License (free)
version	3.0b1 (2020-12-05)
last changes	2020-12-05
year	2020
description	(no language specified) This is a beta version of the STEP Greek font. Only a regular face is available at present, though there are plans to add italic, bold and bold italic in the future. The font only supports LGR in TeX and is meant to serve as a Greek complement to a Times-like font such as STEP . The font supports polytonic Greek.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/stepgreek/README
on CTAN	https://ctan.org/tex-archive/fonts/stepgreek
on MikTeX	stepgreek
on TeXLive	stepgreek
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font (fonts themselves)
keyword	font-greek (font for Greek (archaic, classical and modern))
language(s)	no language specified
last access	2025-02-07

5696 stex – An infrastructure for semantic preloading of LaTeX documents

Web page on CTAN <https://ctan.org/pkg/stex>

name	sTeX
caption	An infrastructure for semantic preloading of LaTeX documents
author	Kohlhase, Michael
author	Müller, Dennis
copyright	Michael Kohlhase (2009-2022)
license	lppl = The LaTeX Project Public License (free)
version	3.4.0 (2023-10-13)
last changes	2023-10-13
year	2023
description	(no language specified) The sTeX package collection is a version of TeX/LaTeX that allows to markup TeX/LaTeX documents semantically without leaving the document format, essentially turning it into a document format for mathematical knowledge management (MKM).
documentation	(no language specified) <i>User manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/stex/doc/stex-manual.pdf
– local file	<code>./3102851633-stex-manual.pdf</code>
documentation	(no language specified) <i>Tutorial</i> : https://ctan.org/tex-archive/macros/latex/contrib/stex/doc/stex-tutorial.pdf
– local file	<code>./2491159452-stex-tutorial.pdf</code>
documentation	(no language specified) <i>Complete package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/stex/doc/stex-doc.pdf
– local file	<code>./8229865485-stex-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/stex/README.md
contact	<i>announce</i> : https://lists.informatik.uni-erlangen.de/mailman/listinfo/stex
contact	<i>bugs</i> : https://github.com/slatex/sTeX/issues
contact	<i>repository</i> : https://github.com/slatex/sTeX
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/stex
on MikTeX	stex

on T _E XLive	stex
keyword	struc-mkup (structured markup)
keyword	expl3 (expl3(unknown))
keyword	format (macros to build a format)
language(s)	no language specified
last access	2025-02-07

5697 stfloats – Commands to control the presentation of floats

Web page on CTAN <https://ctan.org/pkg/stfloats>

name	stfloats
caption	Commands to control the presentation of floats
author	Tolušis, Sigitas
copyright	Sigitas Tolušis (1997-2021)
license	lppl = The LaTeX Project Public License (free)
version	3.3 (2017-03-27)
last changes	2017-03-27
year	2017
description	(no language specified) The stfloats package provides: • commands to control <code>\baselineskip</code>, that actually permit stretch and shrink, allowing a different value for use within floats; • commands to control whether footnotes will appear above (as standard) or below a bottom float; • a command that declares that double floats should be placed at the bottom (rather than the top) of a page. The package is part of the sttools bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sttools/stfloats.pdf
– local file	./9542516899-stfloats.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sttools
keyword	footnote (footnote support)
keyword	float (typesetting floats)

language(s) no language specified
last access 2025-02-07

5698 *stickstoo* – A reworking of STIX2

Web page on CTAN <https://ctan.org/pkg/stickstoo>

name SticksToo
caption A reworking of STIX2
author Sharpe, Michael
copyright Michael Sharpe (2018)
license lpl1.3 = The LaTeX Project Public License 1.3 (free)
license ofl = The SIL Open Font License (free)
version 1.036 (2024-09-22)
last changes 2024-09-22
year 2024
description (no language specified) SticksToo is a reworking of the STIX2 fonts with support files focussing on enhancements of support for LaTeX users wishing to be able to access more of its features. A companion addition to the [newtxmath](#) package (version 1.55) provides a matching math package using STIX2 letters (Roman and Greek) with [newtxmath](#) symbols.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/fonts/stickstoo/README>
documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/fonts/stickstoo/doc/stickstoo-doc.pdf>
– local file ./2313868135-stickstoo-doc.pdf
on CTAN <https://ctan.org/tex-archive/fonts/stickstoo>
on MikTeX stickstoo
on T_EXLive stickstoo
keyword font-proportional (variable-spaced font)
keyword font-serif (serif font)
keyword font-maths (fonts for use in mathematics)
keyword font-supp (metrics, macro incantations and other font support)
keyword font-type1 (font available in Adobe Type 1 format)

keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-t1enc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font</code> (fonts themselves)
language(s)	no language specified
last access	2025-02-07

5699 *stix* – OpenType Unicode maths fonts

Web page on CTAN <https://ctan.org/pkg/stix>

name	<code>stix</code>
caption	OpenType Unicode maths fonts
author	Robertson, Will
author	Hosny, Khaled
author	Jones, David M.
author	Doyle, Mark
author	The STI Pub Companies
copyright	STI Pub Companies (2001-2013, 2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
license	ofl = The SIL Open Font License (free)
version	1.1.3 (2018-04-17)
last changes	2018-04-17
year	2018
description	(no language specified) The STIX fonts are a suite of unicode OpenType fonts containing a complete set of mathematical glyphs. As of April 2018 this package is considered obsolete. See stix2-otf and stix2-type1 instead.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/stix/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/stix/doc/stix.pdf
– local file	<code>./4609550443-stix.pdf</code>
home page	http://www.stixfonts.org/

5700 *stix2-otf* – OpenType Unicode text and maths fonts

on CTAN	https://ctan.org/tex-archive/fonts/stix
on MikTeX	<code>stix</code>
on TeXLive	<code>stix</code>
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-symbol-maths</code> (collections of mathematical symbols)
keyword	<code>font-bbd</code> (doublestroke (blackboard bold) fonts)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-maths</code> (fonts for use in mathematics)
see also	see section 6807 on page 6143: (<code>xits</code> – A Scientific Times-like font with support for mathematical typesetting)
see also	see section 5701 on page 5165: (<code>stix2-type1</code> – Type1 versions of the STIX Two OpenType fonts)
see also	see section 5700 on page 5163: (<code>stix2-otf</code> – OpenType Unicode text and maths fonts)
language(s)	no language specified
last access	2025-02-07

5700 *stix2-otf* – OpenType Unicode text and maths fonts

Web page on CTAN <https://ctan.org/pkg/stix2-otf>

name	<code>stix2-otf</code>
caption	OpenType Unicode text and maths fonts
author	Jones, David M.
author	The STI Pub Companies
copyright	STI Pub Companies (2001-2021)
license	ofl = The SIL Open Font License (free)
version	2.12 (2021-03-26)
last changes	2021-03-26
year	2021

description	(no language specified) The Scientific and Technical Information eXchange (STIX) fonts are intended to satisfy the demanding needs of authors, publishers, printers, and others working in the scientific, medical, and technical fields. They combine a comprehensive Unicode-based collection of mathematical symbols and alphabets with a set of text faces suitable for professional publishing. The fonts are available royalty-free under the SIL Open Font License.
documentation	(no language specified) <i>Unicode Charts for STIX Two Text Regular</i>: https://ctan.org/tex-archive/fonts/stix2-otf/STIXTwoText-Regular.pdf
– local file	<code>./3612928294-STIXTwoText-Regular.pdf</code>
documentation	(no language specified) <i>Unicode Charts for STIX Two Math Regular</i>: https://ctan.org/tex-archive/fonts/stix2-otf/STIXTwoMath-Regular.pdf
– local file	<code>./1359047334-STIXTwoMath-Regular.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/stix2-otf/README.md
home page	http://www.stixfonts.org/
contact	<i>bugs</i> : https://github.com/stipub/stixfonts/issues
contact	<i>repository</i> : https://github.com/stipub/stixfonts
on CTAN	https://ctan.org/tex-archive/fonts/stix2-otf
on MikTeX	<code>stix2-otf</code>
on TeXLive	<code>stix2-otf</code>
keyword	<code>font-collection</code> (listing a set of related fonts)
keyword	<code>font-nonroman</code> (fonts for “other” non-Roman scripts)
keyword	<code>font-symbol</code> (fonts that provide collections of symbols)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-maths</code> (fonts for use in mathematics)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-symbol-maths</code> (collections of mathematical symbols)
keyword	<code>font</code> (fonts themselves)
see also	see section 5698 on page 5161: (<i>SticksToo</i> – A reworking of STIX2)
language(s)	no language specified

last access 2025-02-07

5701 *stix2-type1* – Type1 versions of the STIX Two OpenType fontsWeb page on CTAN <https://ctan.org/pkg/stix2-type1>

name	stix2-type1
caption	Type1 versions of the STIX Two OpenType fonts
author	The STI Pub Companies
author	Jones, David M.
copyright	STI Pub Companies (2001-2018, 2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
license	ofl = The SIL Open Font License (free)
version	2.0.2
description	(no language specified) The stix2 package provides minimal support for using the STIX Two fonts with versions of TeX that are limited to TFM files, Type 1 PostScript fonts, and 8-bit font encodings. Version 2.0.0 of the STIX fonts are being released in this format in hopes of easing the transition from legacy TeX engines to modern fully Unicode-compatible systems. The Type 1 versions are merely a repackaging of the original OpenType versions and should not be viewed as independent entities. Some glyphs that are traditionally available in TeX math fonts are not yet available in the STIX Two OpenType fonts. In such cases, we have chosen to omit them from the stix2 package rather than create incompatibilities between the OpenType and Type 1 versions. In addition, while development of the OpenType versions is ongoing, no further updates are planned to the Type 1 versions of the fonts.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/stix2-type1/README.md
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/stix2-type1/stix2.pdf
– local file	./4306224541-stix2.pdf
home page	http://www.stixfonts.org/
contact	<i>bugs</i> : https://github.com/stipub/stixfonts/issues
contact	<i>development</i> : https://github.com/stipub/stixfonts
on CTAN	https://ctan.org/tex-archive/fonts/stix2-type1
on MikTeX	stix2-type1

on T _E XLive	<code>stix2-type1</code>
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-maths</code> (fonts for use in mathematics)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-collection</code> (listing a set of related fonts)
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-supp-maths</code> (metrics, macro incantations and other support for maths fonts)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-symbol</code> (fonts that provide collections of symbols)
keyword	<code>font-bbd</code> (doublestroke (blackboard bold) fonts)
keyword	<code>font-nonroman</code> (fonts for “other” non-Roman scripts)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-supp-symbol</code> (metrics, macro incantations and other support for symbol fonts)
keyword	<code>font-symbol-maths</code> (collections of mathematical symbols)
see also	see section 5698 on page 5161: (<code>SticksToo</code> – A reworking of STIX2)
language(s)	no language specified
year	2021
last access	2025-02-07

5702 *stmaryrd* – St Mary Road symbols for theoretical computer science

Web page on CTAN <https://ctan.org/pkg/stmaryrd>

name	<code>stmaryrd</code>
caption	St Mary Road symbols for theoretical computer science
author	Hoekwater, Taco
author	Gibbons, Jeremy
author	Jeffrey, Alan
license	lppl = The LaTeX Project Public License (free)

5703 *stocksize* – A flexible and easy interface to paper (stock) dimensions

description	(no language specified) The fonts were originally distributed as Metafont sources only, but Adobe Type 1 versions are also now available. Macro support is provided for use under LaTeX; the package supports the "only" option (provided by the somedefs package) to restrict what is loaded, for those who don't need the whole font.
documentation	(no language specified) <i>Type 1 distribution README</i> :: https://ctan.org/tex-archive/fonts/stmaryrd/ps-type1/hoekwater/README
documentation	(no language specified) <i>Original README</i> :: https://ctan.org/tex-archive/fonts/stmaryrd/README
documentation	(no language specified) <i>Package and font documentation</i> : https://ctan.org/tex-archive/fonts/stmaryrd/stmaryrd.pdf
– local file	<code>./3833861841-stmaryrd.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/stmaryrd
on MikTeX	<code>stmaryrd</code>
on T _E XLive	<code>stmaryrd</code>
keyword	<code>font-symbol-maths</code> (collections of mathematical symbols)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font</code> (fonts themselves)
keyword	<code>comp-theory</code> (typeset theoretical computer science material)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
language(s)	no language specified
year	without year
last access	2025-02-07

5703 *stocksize* – A flexible and easy interface to paper (stock) dimensions

Web page on CTAN	https://ctan.org/pkg/stocksize
name	<code>stocksize</code>
caption	A flexible and easy interface to paper (stock) dimensions
author	Lourenço, João M.
copyright	João Lourenço (2024-2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.0.1 (2026-01-01)
last changes	2026-01-01

5704 *stoneipa* – Support for the Stone Sans Phonetic font

year	2026
description	(no language specified) The package geometry is excellent for customizing the page layout. However, using the <code>\newgeometry</code> command to change the page size in the middle of the document only affects the typing area and does not affect the real paper (stock) size. This package circumvents this situation by resizing the paper (stock) size to the new page layout.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/stocksize/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/stocksize/stocksize-doc.pdf
– local file	<code>./2562967162-stocksize-doc.pdf</code>
contact	<i>support</i> : https://github.com/joaomlourengo/stocksize/discussions
contact	<i>bugs</i> : https://github.com/joaomlourengo/stocksize/issues
contact	<i>repository</i> : https://github.com/joaomlourengo/stocksize
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/stocksize
on MikTeX	stocksize
on TeXLive	stocksize
keyword	geometry (change geometry of page layout)
language(s)	no language specified
last access	2026-03-26

5704 *stoneipa* – Support for the Stone Sans Phonetic font

Web page on CTAN	https://ctan.org/pkg/stoneipa
name	stoneipa
caption	Support for the Stone Sans Phonetic font
author	Velleman, Leah
copyright	Leah Velleman (2018)
license	lppl = The LaTeX Project Public License (free)
version	(2018-07-07)
last changes	2018-07-07
year	2018

description	(no language specified) Font setup for Stone Sans and Stone Sans Phonetic, allowing these beautiful pre-Unicode commercial fonts to be treated as if they were a single Unicode font with good support for the International Phonetic Alphabet. This package does not contain the fonts themselves, which may be purchased from Adobe.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/stoneipa/stoneipa.pdf
– local file	<code>./6987577937-stoneipa.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/stoneipa/README.txt
on CTAN	https://ctan.org/tex-archive/fonts/stoneipa
on MikTeX	stoneipa
keyword	font-absent (support is for a font not available on CTAN)
keyword	phonetic (support for phonetic notation)
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
language(s)	no language specified
last access	2025-02-07

5705 *storebox* – Storing information for reuse

Web page on CTAN	https://ctan.org/pkg/storebox
name	storebox
caption	Storing information for reuse
author	Scharrer, Martin
copyright	Martin Scharrer (2011)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3a
description	(no language specified) The package provides "store boxes" whose user interface matches that of normal LaTeX "save boxes", except that the content of a store box appears at most once in the output PDF file, however often it is used. The present version of the package supports pdfLaTeX and LuaLaTeX; when DVI is output, store boxes behave the same as save boxes.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/storebox/storebox.pdf

5706 *storecmd* – Store the name of a defined command in a container

– local file	<code>./6885007562-storebox.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/storebox/README
home page	https://github.com/MartinScharrer/storebox
contact	<i>bugs</i> : https://github.com/MartinScharrer/storebox/issues
contact	<i>repository</i> : https://github.com/MartinScharrer/storebox.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/storebox
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/storebox.tds.zip
on MikTeX	storebox
on T _E XLive	storebox
keyword	macro-supp (support for development of (La)TeX macros)
keyword	pdf-feat (access PDF features)
language(s)	no language specified
year	2011
last access	2025-02-07

5706 *storecmd* – Store the name of a defined command in a container

Web page on CTAN	https://ctan.org/pkg/storecmd
name	storecmd
caption	Store the name of a defined command in a container
author	Musa, Ahmed
copyright	Ahmed Musa (2011)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.0.2
description	(no language specified) The package provides macros for command definition that save the name of the command being defined in a file or a macro container. The list could be useful for spelling exceptions in text editors that do not support TeX syntax.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/storecmd/README

5707 *strands* – Draw objects constructed from strands

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/storecmd/storecmd-guide.pdf
– local file	<code>./8805091652-storecmd-guide.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/storecmd
on MikTeX	storecmd
on TeXLive	storecmd
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	2011
last access	2025-02-07

5707 *strands* – Draw objects constructed from strands

Web page on CTAN	https://ctan.org/pkg/strands
name	strands
caption	Draw objects constructed from strands
author	Arcis, Diego
copyright	Diego Arcis (2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2021-07-11)
last changes	2021-07-11
year	2021
description	(no language specified) This package permits to draw objects constructed from strands, like set partitions, permutations, braids, etc. It depends on forarray , ifthen , TikZ , xfp , xstring , and xkeyval .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/strands/strands.pdf
– local file	<code>./5725538452-strands.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/strands/README.md
contact	<i>repository</i> : https://github.com/arcisd/Strands-Package

on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/strands
on MikTeX	strands
on T _E XLive	strands
keyword	graphics (graphics (support packages))
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-02-07

5708 *streetex* – Structural organic chemistry

Web page on CTAN	https://ctan.org/pkg/streetex
name	streetex
caption	Structural organic chemistry
author	Strokov, Igor
license	other-nonfree = License that prevents distribution (not free)
version	(1998-03-16)
last changes	1998-03-16
year	1998
description	(no language specified) The package performs depth-in traversal of a structure using descriptions of bonds and vertex labels. Additional features include input of mass spectra and simple flow charts. The package uses emtex \special commands for line drawing (though the cataloguer managed to compile the documentation using his distribution of dvips, which includes support for those extensions).
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/streetex/stree_en.pdf
– local file	./8884116914-stree_en.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/streetex
keyword	chemistry (chemistry document support)
see also	see section 6865 on page 6195 : (xymtex – Typesetting chemical structures)
language(s)	no language specified
last access	2025-02-07

5709 *stretchy* – Macros for creating stretchy TeX symbols

Web page on CTAN <https://ctan.org/pkg/stretchy>

name	stretchy
caption	Macros for creating stretchy TeX symbols
author	Slurp
license	mit = MIT License (free)
version	0.1
description	(no language specified) This package helps to create "stretchy" math symbols. It provides various ready-made stretchy symbols, as well as auxiliary macros for creating them. The package has no dependencies and supports both pdfTeX and LuaTeX.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/generic/stretchy/Documentation/stretchy-docs.pdf
– local file	./9215585238-stretchy-docs.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/generic/stretchy/README.md
on CTAN	https://ctan.org/tex-archive/macros/generic/stretchy
on MikTeX	stretchy
on TeXLive	stretchy
keyword	macro-gen (macros that are independent of the (TeX) format in use)
keyword	text-symbol (symbols for use in text)
keyword	maths-symbol (construction or application of mathematical symbols)
language(s)	no language specified
year	without year
last access	2025-05-13

5710 stricttex – Strictly balanced brackets and numbers in command names

Web page on CTAN <https://ctan.org/pkg/stricttex>

name	stricttex
caption	Strictly balanced brackets and numbers in command names
author	Ørsted, Sebastian
copyright	Sebastian Ørsted (2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2beta
description	(no language specified) This is a small, LuaLaTeX-only package providing you with three, sometimes useful features: • It allows you to make brackets <code>[. . .]</code> "strict", meaning that each <code>[</code> must be balanced by a <code>]</code>. • It allows you to use numbers in command names, so that you can do stuff like <code>\newcommand\pi12{\pi_{12}}</code>. • It allows you to use numbers <i>and</i> primes in command names, so that you can do stuff like <code>\newcommand\pi'12{\pi'_{12}}</code>.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/stricttex/stricttex.pdf
– local file	<code>./8025416446-stricttex.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/stricttex/README.md
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/stricttex
on MikTeX	stricttex
on TeXLive	stricttex
keyword	luatex (LuaTeX and packages that require it)
keyword	typeset-tool (tools supporting or evaluating typesetting,)
language(s)	no language specified
year	2020
last access	2025-02-07

5711 string-diagrams – Create string diagrams with LaTeX and TikZ

Web page on CTAN <https://ctan.org/pkg/string-diagrams>

name	string-diagrams
caption	Create string diagrams with LaTeX and TikZ
author	Brasolin, Paolo
copyright	Paolo Brasolin (2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2.1 (2023-06-13)
last changes	2023-06-13
year	2023
description	(no language specified) This LaTeX package has been designed for effortless and aesthetically pleasing creation of string diagrams.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/string-diagrams/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/string-diagrams/string-diagrams.pdf
– local file	./7926099802-string-diagrams.pdf
contact	<i>bugs</i> : https://github.com/paolobrasolin/string-diagrams/issues
contact	<i>repository</i> : https://github.com/paolobrasolin/string-diagrams
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/string-diagrams
on MikTeX	string-diagrams
on TeXLive	string-diagrams
keyword	maths (support for typesetting mathematics)
keyword	graphics (graphics (support packages))
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	diagram (diagrams)
language(s)	no language specified
last access	2025-02-07

5712 *stringenc* – Converting a string between different encodings

Web page on CTAN <https://ctan.org/pkg/stringenc>

name	stringenc
caption	Converting a string between different encodings
author	Oberdiek, Heiko
copyright	Oberdiek Package Support Group (2016-2019)
copyright	Heiko Oberdiek (2007-2011)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.12 (2019-11-29)
last changes	2019-11-29
year	2019
description	(no language specified) This package provides <code>\StringEncodingConvert</code> for converting a string between different encodings. Both LaTeX and plain-TeX are supported.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/stringenc/stringenc.pdf
– local file	<code>./8016223821-stringenc.pdf</code>
contact	<i>bugs</i> : https://github.com/ho-tex/stringenc/issues
contact	<i>repository</i> : https://github.com/ho-tex/stringenc
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/stringenc
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/stringenc.tds.zip
on MikTeX	stringenc
on T _E XLive	stringenc
keyword	enc-juggle (conversion between encodings)
language(s)	no language specified
last access	2025-02-07

5713 stringstrings – String manipulation for cosmetic and programming applicationWeb page on CTAN <https://ctan.org/pkg/stringstrings>

name	stringstrings
caption	String manipulation for cosmetic and programming application
author	Segletes, Steven B.
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.24
description	(no language specified) The package provides a large and sundry set of macros for the manipulation of strings. The macros are developed not merely for cosmetic application (such as changing the case of letters and string substitution), but also for programming applications such as character look-ahead, argument parsing, conditional tests on various string conditions, etc. The macros were designed all to be expandable (note that things such as <code>\uppercase</code> and <code>\lowercase</code> are not expandable), so that the macros may be strung together sequentially and nested (after a fashion) to achieve rather complex manipulations.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/stringstrings/stringstrings.pdf
– local file	./2510036748-stringstrings.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/stringstrings/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/stringstrings
on MikTeX	stringstrings
on TeXLive	stringstrings
keyword	text-manip (manipulate strings (typically in token lists))
see also	see section 2494 on page 2256: (<code>getargs</code> – A flexible list-parsing macro with configurable parsing character)
language(s)	no language specified
year	without year
last access	2025-02-07

5714 structmech – A TikZ command set for structural mechanics drawings

Web page on CTAN <https://ctan.org/pkg/structmech>

name	structmech
caption	A TikZ command set for structural mechanics drawings
author	Chang, Theodore
copyright	Theodore Chang (2018-2023)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	1.2
description	(no language specified) This package provides a collection of TikZ commands that allow users to draw basic elements in material/structural mechanics. It is thus possible to draw member forces, nodal forces/displacements, various boundary conditions, internal force distributions, etc.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/structmech/structmech.pdf
– local file	./4390522433-structmech.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/structmech/README.md
home page	https://github.com/TLCFEM/structmech
contact	<i>bugs:</i> https://github.com/TLCFEM/structmech/issues
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/structmech
on MikTeX	structmech
on TeXLive	structmech
keyword	physics (support for typesetting physics documents)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
year	2023
last access	2025-02-07

5715 **structuredlog** – Report files opened and closed in the log, including nesting level

Web page on CTAN <https://ctan.org/pkg/structuredlog>

name	structuredlog
caption	Report files opened and closed in the log, including nesting level
author	The LaTeX Project Team
copyright	The LaTeX project (2020-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0o (2024-03-13)
last changes	2024-03-13
year	2024
description	(no language specified) This package adds lines to the <code>.log</code> when a file is opened and closed for reading, keeping track of nesting level as well. It also provides macros for the current file name and file path, both as requested and actually used (<code>\CurrentFile</code> , <code>CurrentFilePath</code> vs. <code>\CurrentFileUsed</code> , <code>\CurrentFilePathUsed</code>). These may differ. The package is part of the LaTeX distribution; it's an application of the <code>ltfilehook</code> capabilities.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/base/ltfilehook-doc.pdf
– local file	<code>./9980412059-ltfilehook-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/base
on MikTeX	<code>ltxbase</code>
on T _E XLive	<code>latex</code>
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
see also	see section 3259 on page 2942 : (<code>latex</code> – A TeX macro package that defines LaTeX)
language(s)	no language specified
last access	2025-02-07

5716 *struktex* – Draw Nassi-Shneiderman charts

Web page on CTAN <https://ctan.org/pkg/struktex>

name	struktex
caption	Draw Nassi-Shneiderman charts
author	Hoffmann, Jobst
copyright	Jobst Hoffmann (1995-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.0a
description	(no language specified) Even in the age of OOP one must develop algorithms. Nassi-Shneiderman charts are a well known tool to describe an algorithm in a graphical way. The package offers some macros for generating those charts in a LaTeX document. The package provides the most important elements of a Nassi-Shneiderman charts, including processing blocks, loops, mapping conventions for alternatives, etc. The charts are drawn using the picture environment (using pict2e for preference).
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/struktex/struktex.de.pdf
– local file	<code>./3454024953-struktex.de.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/struktex/README.md
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/struktex/struktex.en.pdf
– local file	<code>./3746741083-struktex.en.pdf</code>
documentation	(German) <i>LIESMICH file</i> : https://ctan.org/tex-archive/macros/latex/contrib/struktex/LIESMICH.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/struktex
on MikTeX	struktex
on T _E XLive	struktex
keyword	diagram-flow (flow (and similar) diagrams, including Nassi-Shneiderman)
see also	see section 4663 on page 4224 : (pict2e – New implementation of picture commands)
language(s)	German; English
year	2025

last access 2025-06-25

5717 *sttools* – Various macros

Web page on CTAN <https://ctan.org/pkg/sttools>

name	sttools
caption	Various macros
author	Tolušis, Sigitas
author	Statulevičius, Vytas
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.4 (2025-10-13)
last changes	2025-10-13
year	2025
description	(no language specified) A collection of tools and macros, providing: • miscellaneous float control , • page styles for floats , • multipage tabulars , • even columns at end of twocolumn region , • switching between one- and two-column anywhere ,
documentation	(no language specified) <i>Overview of the bundle</i> : https://ctan.org/tex-archive/macros/latex/contrib/sttools/sttools.pdf
– local file	./6058285411-sttools.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sttools/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sttools
on MikTeX	sttools
on TeXLive	sttools
keyword	collection (a collection of packages)
language(s)	no language specified
last access	2025-10-24

5718 stubs – Create tear-off stubs at the bottom of a page

Web page on CTAN <https://ctan.org/pkg/stubs>

name	stubs
caption	Create tear-off stubs at the bottom of a page
author	Stuhrmann, Norbert
license	gpl = GNU General Public License (free)
version	0.1.1
description	(no language specified) The <code>\stubs</code> command creates as many repetitions as possible of its argument, at the bottom of the page; these stubs may be used (for example) for contact information.
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/stubs/stubs_ex.pdf
– local file	./3120754887-stubs_ex.pdf
documentation	(no language specified) <i>Manual:</i> https://ctan.org/tex-archive/macros/latex/contrib/stubs/stubs.pdf
– local file	./5206386300-stubs.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/stubs
on MikTeX	stubs
on TeXLive	stubs
keyword	advert (small advertisements, fly sheets, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

5719 studenthandouts – Management and styling of student handout projects

Web page on CTAN <https://ctan.org/pkg/studenthandouts>

name	Student Handouts
caption	Management and styling of student handout projects
author	Fennell, James
copyright	James Fennell (2017)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)

version	1.0 (2017-03-15)
last changes	2017-03-15
year	2017
description	(no language specified) This package can be used to generate a single master document that contains a set of individual student handouts. The package has two main functions. First, it provides a simple framework for organizing handout source code, and supplies a set of import management tools for selectively importing a subset of the handouts into the master document. Selective import is convenient when compilation of all of the handouts is unnecessary, for example when working on a new handout. As a secondary feature, the package defines a basic visual style for handouts. This style can be easily changed.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/studenthandouts/studenthandouts-doc.pdf
– local file	<code>./7663708544-studenthandouts-doc.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/studenthandouts/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/studenthandouts
on MikTeX	studenthandouts
on TeXLive	studenthandouts
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2025-02-07

5720 *studies-lm* – An interactive LaTeX course for students

Web page on CTAN <https://ctan.org/pkg/studies-lm>

name	studies-lm
caption	An interactive LaTeX course for students
author	Römer, Christine
license	nosource = No Source Available (not free)
version	(2017-04-15)

5721 sty2dtx – Create a .dtx file from a .sty file

last changes	2017-04-15
year	2017
description	(no language specified) The package contains interactive teaching material for students (in German).
documentation	<i>The document itself (German):</i> https://ctan.org/tex-archive/info/german/studies-lm/LM-2017a.pdf
– local file	<code>./4512038316-LM-2017a.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/info/german/studies-lm/README.txt
on CTAN	https://ctan.org/tex-archive/info/german/studies-lm
on MikTeX	<code>studies-lm</code>
keyword	<code>course-material</code> (course material)
keyword	<code>tut-latex</code> (tutorial material for LaTeX)
language(s)	German
last access	2025-02-07

5721 sty2dtx – Create a .dtx file from a .sty file

Web page on CTAN <https://ctan.org/pkg/sty2dtx>

name	<code>sty2dtx</code>
caption	Create a .dtx file from a .sty file
author	Scharrer, Martin
copyright	Martin Scharrer (2010-2022)
license	gpl3 = GNU General Public License, version 3 (free)
version	2.4 (2022-10-18)
last changes	2022-10-18
year	2022
description	(no language specified) The package provides a Perl script that converts a .sty file (LaTeX package) to .dtx format (documented LaTeX source), by surrounding macro definitions with <code>macro</code> and <code>macrocode</code> environments. The macro name is automatically inserted as an argument to the <code>macro</code> environment. Code lines outside macro definitions are wrapped only in <code>macrocode</code> environments. Empty lines are removed.

The script should not be thought to be fool proof and 100% accurate but rather as a good start to the business of making a `.dtx` file from an undocumented style file.

Full `.dtx` files are generated. A template based on the skeleton file from [dtxtut](https://ctan.org/tex-archive/support/dtxtut) is used. User level macros are added automatically to the "Usage" section of the `.dtx` file. A corresponding `.ins` file can be generated as well.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/sty2dtx/README.txt
home page	https://github.com/MartinScharrer/sty2dtx
contact	<i>bugs</i> : https://github.com/MartinScharrer/sty2dtx/issues
contact	<i>repository</i> : https://github.com/MartinScharrer/sty2dtx.git
on CTAN	https://ctan.org/tex-archive/support/sty2dtx
on MikTeX	sty2dtx
on TeXLive	sty2dtx
keyword	package-devel (support for package development)
see also	see section 3739 on page 3383: (<code>makedtx</code> – Perl script to help generate dtx and ins files)
language(s)	no language specified
last access	2025-02-07

5722 *style-showcase* – Make a web page to compare styles

Web page on CTAN <https://ctan.org/pkg/style-showcase>

name	style-showcase
caption	Make a web page to compare styles
author	Hefferon, Jim
license	pd = Public Domain Software (free)
version	1.0.0
description	(no language specified) The bundle supports the preparation of web pages that allow users to compare a number of article styles.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/style_showcase/README
on CTAN	https://ctan.org/tex-archive/support/style_showcase
keyword	misc-support (miscellaneous support stuff)

language(s)	no language specified
year	without year
last access	2025-02-07

5723 styledcmd – Handling multiple versions of user-defined macros

Web page on CTAN	https://ctan.org/pkg/styledcmd
name	styledcmd
caption	Handling multiple versions of user-defined macros
author	De Donato, Paolo
copyright	Paolo De Donato (2021-2024)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	2.0.1 (2024-03-07)
last changes	2024-03-07
year	2024
description	(no language specified) This package allows creating and maintaining different versions of the same command, in order to choose the best option for every document. This includes expandable and protected commands.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/styledcmd/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/styledcmd/styledcmd.pdf
– local file	./1952681044-styledcmd.pdf
home page	https://github.com/Loara/styledcmd
contact	<i>support</i> : https://github.com/Loara/styledcmd/discussions
contact	<i>announce</i> : https://github.com/Loara/styledcmd/discussions/categories/announcements
contact	<i>bugs</i> : https://github.com/Loara/styledcmd/issues
contact	<i>repository</i> : https://github.com/Loara/styledcmd.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/styledcmd
on MikTeX	styledcmd
on TeXLive	styledcmd
keyword	expl3 (expl3(unknown))

keyword	macro-def (alternative ways of defining macros)
language(s)	no language specified
last access	2025-02-07

5724 *styleitems* – Independent auto-numbered list labels drawn with TikZ

Web page on CTAN <https://ctan.org/pkg/styleitems>

name	styleitems
caption	Independent auto-numbered list labels drawn with TikZ
author	Hameed, Faris
copyright	Faris Hameed (null)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0
description	(no language specified) The package provides a fully self-contained auto-numbering system for decorative list labels based on TikZ. Unlike packages such as <code>enumitem</code>, each label is rendered as a live TikZ node, allowing full control over shape, colour, stroke, and numbering style. Each list instance maintains its own counter using an internal stack mechanism, ensuring that nested lists at any depth remain independent and never interfere with their parent counters. Available label shapes (16 total): Circle, Square, Rectangle, Diamond, Triangle, Pentagon, Hexagon, Octagon, Star (5-point), Star (12-point), Ellipse Callout (left/right), Cloud Callout (left/right), and four arrow directions (right, left, up, down). Every shape is available in two modes: vertical and inline. Numbering styles (8): arabic, indic (Arabic-Indic digits), alph, Alph, roman, Roman, aralph (Hijai order), aralphabjad (Abjad order). All environments accept optional arguments for colour, numbering style, text rotation, and text scale. The package fully supports bidirectional (Arabic/RTL) documents alongside standard LTR typesetting.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/styleitems/styleitems-doc.pdf
– local file	<code>./7961370817-styleitems-doc.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/styleitems/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/styleitems

on T _E XLive	styleitems
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
keyword	list (list: general)
language(s)	no language specified
year	without year
last access	2026-03-26

5725 *suanpan* – *MetaPost macros for drawing Chinese and Japanese abaci*

Web page on CTAN <https://ctan.org/pkg/suanpan>

name	suanpan
caption	MetaPost macros for drawing Chinese and Japanese abaci
author	Roegel, Denis B.
copyright	D. Roegel (2008)
license	lppl = The LaTeX Project Public License (free)
version	(2009-08-10)
last changes	2009-08-10
year	2009
description	(no language specified) These macros are described in Denis Roegel: MetaPost macros for drawing Chinese and Japanese abaci, TUGboat (volume 30, number 1, 2009, pages 74-79)
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/suanpan/README
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/suanpan
on MikT _E X	suanpan
on T _E XLive	suanpan
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	mp-use (use, and support for use, of MetaPost)
language(s)	no language specified
last access	2025-02-07

5726 *suanpan-13* – Traditional Chinese 7-bids suanpan (abacus) package based on l3drawWeb page on CTAN <https://ctan.org/pkg/suanpan-13>

name	suanpan-13
caption	Traditional Chinese 7-bids suanpan (abacus) package based on l3draw
author	Geng, Nan
copyright	Nan Geng (2020-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2.4 (2024-10-13)
last changes	2024-10-13
year	2024
description	(no language specified) This traditional Chinese 7-bids abacus drawing package utilizes <code>l3draw</code> and is developed with expl3. It can effectively manage both upper and lower bids, while also considering bottom bid, top bid, and hanging bid. The package offers a unique environment for drawing abacuses, denoted as <code>suanpan</code>. Within this environment, 7 specialized macros are available for the creation of abacuses. The <code>\rod</code> macro is used to lay out a single rod, while the <code>\rod*</code> macro draws a counting point on this rod's beam. The <code>\rods</code> macro is capable of laying out a set of rods. The <code>\bid</code> macro colors the specified bid. The <code>\bids</code> macro colors all inner bids that are near the beam, while the <code>\bids*</code> macro colors all outer bids that are far from the beam. Lastly, the <code>\lrframe</code> macro is used to lay out the left and right frames of an abacus. At the same time, the package offers customization options for abacus, including line width, draw color, fill color, bid space, rod space, etc. These can be configured through package options, <code>suanpan</code> environment options, or the <code>\suanpanset</code> macro.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/suanpan-13/README.md
documentation	(Chinese + English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/suanpan-13/suanpan-13.pdf
– local file	<code>./2703872017-suanpan-13.pdf</code>
contact	<i>bugs</i> : https://gitee.com/nwafu_nan/suan-pan/issues
contact	<i>repository</i> : https://gitee.com/nwafu_nan/suan-pan
contact	<i>development</i> : https://gitee.com/nwafu_nan/suan-pan/pulls

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/suanpan-13
on MikTeX	suanpan-13
on TeXLive	suanpan-13
keyword	diagram (diagrams)
keyword	expl3 (expl3(unknown))
language(s)	Chinese + English
last access	2025-02-07

5727 subcaption – Support for sub-captions

Web page on CTAN	https://ctan.org/pkg/subcaption
name	subcaption
caption	Support for sub-captions
author	Sommerfeldt, Axel
copyright	Axel Sommerfeldt (2007-2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.6 (2023-08-13)
last changes	2023-08-13
year	2023
description	(no language specified) The package provides a means of using facilities analogous to those of the caption package, when writing captions for subfigures and the like. The package is distributed with caption .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/caption/subcaption.pdf
– local file	./7688516386-subcaption.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/caption
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/caption.tds.zip
on MikTeX	caption
on TeXLive	caption
keyword	caption (typesetting captions)

language(s)	no language specified
last access	2025-02-07

5728 subdepth – Unify maths subscript height

Web page on CTAN <https://ctan.org/pkg/subdepth>

name	subdepth
caption	Unify maths subscript height
author	Robertson, Will
copyright	Will Robertson (2007)
license	lppl = The LaTeX Project Public License (free)
version	0.1
description	(no language specified) This package is based on code (posted long ago to comp.text.tex by Donald Arseneau) to equalise the height of subscripts in maths. The default behaviour is to place subscripts slightly lower when there is a superscript as well, but this can look odd in some situations.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/subdepth/subdepth.pdf
– local file	./8440471222-subdepth.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/subdepth/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/subdepth
on MikTeX	subdepth
on TeXLive	subdepth
keyword	subsup-pos (position sub- and superscripts (left and right sides))
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	2007
last access	2025-02-07

5729 subdocs – Multifile documents

Web page on CTAN <https://ctan.org/pkg/subdocs>

name	subdocs
caption	Multifile documents
author	Bezos López, Javier
copyright	Javier Bezos (2009-2019)
license	mit = MIT License (free)
version	0.1
description	(no language specified) This is an experimental package aiming to provide a different approach for multidocument works (mainly, books with a document per chapter). Unlike the <code>\include</code> mechanism, every subdocument is a complete normal LaTeX document and may be typeset separately. What the package does is sharing the <code>.aux</code> files. The present release is an alpha version, and no attempt has yet been made to allow it to work with, say, hyperref.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/subdocs/README.md
home page	http://www.texnia.com/
contact	<i>repository</i> : https://github.com/jbezos
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/subdocs
on MikTeX	subdocs
on TeXLive	subdocs
keyword	subdocs (include complete documents in other documents)
see also	see section 2933 on page 2652 : (<code>includex</code> – Extended <code>\include</code>)
see also	see section 4223 on page 3822 : (<code>newclude</code> – Reimplemented <code>\include</code> system for LaTeX)
see also	see section 1226 on page 1114 : (<code>combine</code> – Bundle individual documents into a single document)
language(s)	no language specified
year	2019
last access	2025-02-07

5730 *subeqn* – Package for subequation numbering

Web page on CTAN <https://ctan.org/pkg/subeqn>

name	subeqn
caption	Package for subequation numbering
author	Arseneau, Donald
author	Braams, Johannes L.
copyright	Johannes L. Braams (1999-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.0c
description	(no language specified) Sometimes it is necessary to be able to refer to subexpressions of an equation. In order to do that these subexpressions should be numbered. In standard LaTeX there is no provision for this. To solve this problem Stephen Gildea once wrote <code>subeqn.sty</code> for LaTeX 2.09 ; Donald Arseneau rewrote the macros and Johannes Braams made them available for LaTeX2e . Note that this package is not compatible with the package subeqnarray (written by Johannes Braams), but it can be used together with the LaTeX class options <code>leqno</code> and <code>fleqn</code> .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/subeqn/subeqn.pdf
– local file	<code>./2960340361-subeqn.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/subeqn/README
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/subeqn/subeqn-sample.pdf
– local file	<code>./5815143224-subeqn-sample.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/subeqn
on MikTeX	subeqn
on T _E XLive	subeqn
keyword	maths (support for typesetting mathematics)
see also	see section 5731 on page 5194: (<code>subeqnarray</code> – Equation array with sub numbering)
language(s)	no language specified
year	2024

last access 2025-02-07

5731 *subeqnarray* – Equation array with sub numbering

Web page on CTAN <https://ctan.org/pkg/subeqnarray>

name	subeqnarray
caption	Equation array with sub numbering
author	Braams, Johannes L.
copyright	Johannes L. Braams (1998-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.1e (2024-07-20)
last changes	2024-07-20
year	2024
description	(no language specified) This package defines the <code>subeqnarray</code> and <code>subeqnarray*</code> environments, which behave like the corresponding <code>eqnarray</code> and <code>eqnarray*</code> environments, except that the individual lines are numbered like 1a, 1b, 1c, etc. To refer to these numbers an extra label command <code>\slabel</code> is provided. Users are urged to consider the alignment capabilities of the amsmath bundle, which produce better results than <code>eqnarray</code>-related macros.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/subeqnarray/subeqnarray.pdf
– local file	<code>./9672347053-subeqnarray.pdf</code>
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/subeqnarray/subeqnarray-sample.pdf
– local file	<code>./6374466535-subeqnarray-sample.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/subeqnarray/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/subeqnarray
on MikTeX	subeqnarray
on TeXLive	subeqnarray
keyword	maths-syseqn (systems of equations)

see also	see section 5730 on page 5193: (<code>subeqn</code> – Package for subequation numbering)
language(s)	no language specified
last access	2025-02-07

5732 *subfig* – Figures broken into subfigures

Web page on CTAN <https://ctan.org/pkg/subfig>

name	<code>subfig</code>
caption	Figures broken into subfigures
author	Cochran, Steven Douglas
author	bidi-tex GitHub Organisation
author	Khalighi, Vafa
copyright	Steven Douglas Cochran (2003-2005)
license	lppl = The LaTeX Project Public License (free)
version	1.3
description	(no language specified) The package provides support for the manipulation and reference of small or ‘sub’ figures and tables within a single figure or table environment. It is convenient to use this package when your subfigures are to be separately captioned, referenced, or are to be included in the List-of-Figures. A new <code>\subfigure</code> command is introduced which can be used inside a figure environment for each subfigure. An optional first argument is used as the caption for that subfigure. This package supersedes the subfigure package (which is no longer maintained). The name was changed since the package is not completely backward compatible with the older package. The major advantage of the new package is that the user interface is keyword/value driven and easier to use. To ease the transition from the subfigure package, the distribution includes a configuration file (<code>subfig.cfg</code>) which nearly emulates the subfigure package. The functionality of the package is provided by the (more recent still) subcaption package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/subfig/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/subfig/subfig.pdf
– local file	<code>./1475075627-subfig.pdf</code>
contact	<i>bugs</i> : https://github.com/bidi-tex/subfig/issues

contact	repository: https://github.com/bidi-tex/subfig
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/subfig
on MikTeX	subfig
on T _E XLive	subfig
keyword	caption (typesetting captions)
keyword	subfloat (internal structure within a float)
see also	see section 5736 on page 5199: (subfloat – Sub-numbering for figures and tables)
language(s)	no language specified
year	2005
last access	2025-02-07

5733 subfigmat – Automates layout when using the subfigure package

Web page on CTAN	https://ctan.org/pkg/subfigmat
name	subfigmat
caption	Automates layout when using the subfigure package
author	Kleb, Bil
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) Defines an array/matrix-type environment that is used with the subfigure package to automate the placement of subfigures (or tables or text). The subfigures are placed left-to-right, top-to-bottom.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/subfigmat/subfigmat-doc.pdf
– local file	./7343546275-subfigmat-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/subfigmat
on MikTeX	subfigmat
on T _E XLive	subfigmat
keyword	float (typesetting floats)
keyword	matrix (typeset matrices)
language(s)	no language specified

year	without year
last access	2025-02-07

5734 subfigure – Deprecated: Figures divided into subfigures

Web page on CTAN <https://ctan.org/pkg/subfigure>

name	subfigure
caption	Deprecated: Figures divided into subfigures
author	Cochran, Steven Douglas
license	lppl = The LaTeX Project Public License (free)
version	2.1.5
description	(no language specified) Provides support for the manipulation and reference of small or ‘sub’ figures and tables within a single figure or table environment. It is convenient to use this package when your subfigures are to be separately captioned, referenced, or are to be included in the List-of-Figures. A new <code>\subfigure</code> command is introduced which can be used inside a figure environment for each subfigure. An optional first argument is used as the caption for that subfigure. The package is now considered obsolete: it was superseded by subfig, but users may find the more recent subcaption package more satisfactory.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/obsolete/macros/latex/contrib/subfigure/subfigure.pdf
– local file	<code>./4887511331-subfigure.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/obsolete/macros/latex/contrib/subfigure/README
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/subfigure
on MikTeX	subfigure
on T _E XLive	subfigure
keyword	obsolete (package declared obsolete)
keyword	subfloat (internal structure within a float)
keyword	caption (typesetting captions)
see also	see section 5736 on page 5199 : (<code>subfloat</code> – Sub-numbering for figures and tables)
language(s)	no language specified

year without year
last access 2025-02-07

5735 *subfiles* – Individual typesetting of subfiles of a “main” document

Web page on CTAN <https://ctan.org/pkg/subfiles>

name	<code>subfiles</code>
caption	Individual typesetting of subfiles of a “main” document
author	Salzer, Gernot
author	Garcia-De Castro, Federico
copyright	Federico Garcia (2002, 2012)
copyright	Gernot Salzer (2018-2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.2 (2020-11-14)
last changes	2020-11-14
year	2020
description	(no language specified) Using this package the user can handle multi-file projects more comfortably, making it possible to both process the subsidiary files by themselves and to process the main file that includes them, without making any changes to either.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/subfiles/subfiles.pdf
– local file	<code>./2964981480-subfiles.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/subfiles/README
contact	<i>support</i> : https://tex.stackexchange.com/
contact	<i>bugs</i> : https://github.com/gsalzer/subfiles/issues
contact	<i>repository</i> : https://github.com/gsalzer/subfiles
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/subfiles
on MikTeX	<code>subfiles</code>
on T _E XLive	<code>subfiles</code>
keyword	<code>subdocs</code> (include complete documents in other documents)
keyword	<code>class</code> (alternative LaTeX class(es))

see also	see section 1226 on page 1114: (<code>combine</code> – Bundle individual documents into a single document)
see also	see section 5674 on page 5136: (<code>standalone</code> – Compile TeX pictures stand-alone or as part of a document)
language(s)	no language specified
last access	2025-02-07

5736 subfloat – Sub-numbering for figures and tables

Web page on CTAN <https://ctan.org/pkg/subfloat>

name	subfloat
caption	Sub-numbering for figures and tables
author	Harders, Harald
license	lppl = The LaTeX Project Public License (free)
version	2.14
description	(no language specified) This package enables sub-numbering of floats (figures and tables) similar to the <code>subequations</code> -environment of the <code>amsmath</code> package. The subfloat package is not to be confused with the <code>subfig</code> package which generates sub-figures within one normal figure, and manages their placement; subfloat only affects captions and numbering.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/subfloat/subfloat.pdf
– local file	<code>./2442844171-subfloat.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/subfloat/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/subfloat
on MikTeX	subfloat
on TeXLive	subfloat
keyword	subfloat (internal structure within a float)
language(s)	no language specified
year	without year
last access	2025-02-07

5737 sublabel – Sub-number counters

Web page on CTAN <https://ctan.org/pkg/sublabel>

name	sublabel
caption	Sub-number counters
author	Daly, Patrick W.
license	lppl = The LaTeX Project Public License (free)
version	4.5
description	(no language specified) The macros in this package allow all counters to be subnumbered, as for example 4a, 4b, 4c, simply by bracketting the objects to be so numbered with appropriate on/off commands. They will work with any user-defined counters too. The package is part of the preprint bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/preprint/sublabel.pdf
– local file	./1137089045-sublabel.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/preprint
keyword	label-ref (label and reference systems)
keyword	counter-mgmt (management of counters)
language(s)	no language specified
year	without year
last access	2025-02-07

5738 subscript – Provides the \textsubscript command

Web page on CTAN <https://ctan.org/pkg/subscript>

name	subscript
caption	Provides the \textsubscript command
author	Carlisle, David
author	Fairbairns, Robin
license	lppl = The LaTeX Project Public License (free)

description	(no language specified) Provides a command <code>\textsubscript</code> , which is the counterpart to LaTeX's <code>\textsuperscript</code> command. From 2006 on this command was made available by the fixltx2e package distributed with LaTeX itself, and starting with the LaTeX 2015 releases it became part of the LaTeX kernel. Thus, these days this code is only necessary if you run on a <i>very</i> old LaTeX distribution and want to make use of this command. Subscript is one of a series of fragments designed for use by package writers and others.
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/fragments/README
contact	<i>support</i> : https://github.com/rf-latex/fragments/issues
contact	<i>repository</i> : https://github.com/rf-latex/fragments
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/fragments
keyword	typesetting (support for variations of typographic style)
language(s)	no language specified
year	without year
last access	2025-02-07

5739 substances – A database of chemicals

Web page on CTAN <https://ctan.org/pkg/substances>

name	substances
caption	A database of chemicals
author	Niederberger, Clemens
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2a (2016-01-07)
last changes	2016-01-07
year	2016
description	(no language specified) The package provides the means to create a database-like file that contains data of various chemicals. These data may be retrieved in the document; an index of the chemicals mentioned in the document can be created..
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/substances/README

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/substances/substances_en.pdf
– local file	./3165567452-substances_en.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/substances
on MikTeX	substances
on TeXLive	substances
keyword	expl3 (expl3(unknown))
keyword	chemistry (chemistry document support)
language(s)	no language specified
last access	2025-02-07

5740 *substitutefont* – Obsolete package to combine font families for different font encodings

Web page on CTAN <https://ctan.org/pkg/substitutefont>

name	substitutefont
caption	Obsolete package to combine font families for different font encodings
author	Milde, Günter
copyright	Günter Milde (2010-2023)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1.7
description	(no language specified) This package used to facilitate the task of setting up a font family as a substitute for another one in a specified font encoding . It has been <i>obsoleted</i> by the NFSS command <code>\DeclareFontFamilySubstitution</code> added to the LaTeX kernel in its 2020-02 release (cf. ltnews31). Existing documents can be updated by removing <code>\usepackage{substitutefont}</code> and replacing all instances of <code>\substitutefont</code> with <code>\DeclareFontFamilySubstitution</code> .
documentation	(no language specified) <i>Package documentation (HTML)</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/substitutefont/substitutefont-doc.html
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/substitutefont/README.md

on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/substitutefont
on MikTeX	substitutefont
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	2023
last access	2025-02-07

5741 *substr* – Deal with substrings in strings

Web page on CTAN <https://ctan.org/pkg/substr>

name	<i>substr</i>
caption	Deal with substrings in strings
author	Harders, Harald
copyright	Harald Harders (2000, 2005, 2009)
license	lppl1 = The LaTeX Project Public License 1 (free)
version	1.2
description	(no language specified) The package provides commands to deal with substrings of strings. Macros are provided to: • determine if one string is a substring of another, • return the parts of a string before or after a substring, and • count the number of occurrences of a substring.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/substr/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/substr
on MikTeX	<i>substr</i>
on TeXLive	<i>substr</i>
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	2009
last access	2025-02-07

5742 subsupscripts – A range of sub- and superscript commands

Web page on CTAN <https://ctan.org/pkg/subsupscripts>

name	subsupscripts
caption	A range of sub- and superscript commands
author	Bresciani, Riccardo
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package provides a comprehensive and flexible set of commands for combinations of left and right sub- and superscripts.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/subsupscripts/SubSupScripts.pdf
– local file	./7110389855-SubSupScripts.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/subsupscripts/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/subsupscripts
on MikTeX	subsupscripts
on TeXLive	subsupscripts
keyword	subsup-pos (position sub- and superscripts (left and right sides))
keyword	physics (support for typesetting physics documents)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	without year
last access	2025-02-07

5743 subtext – Easy text-style subscripts in math mode

Web page on CTAN <https://ctan.org/pkg/subtext>

name	subtext
caption	Easy text-style subscripts in math mode
author	Jørgensen, Palle
copyright	Palle Jørgensen (2019)
license	gpl3 = GNU General Public License, version 3 (free)
version	1.1 (2019-05-30)
last changes	2019-05-30
year	2019
description	(no language specified) This LaTeX package gives easy access to text-style subscripts in math mode by providing an optional argument to <code>_</code> . This is implemented by using the <code>\text{}</code> command from the amstext package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/subtext/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/subtext/subtext.pdf
– local file	<code>./2407284139-subtext.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/subtext
on MikTeX	subtext
on TeXLive	subtext
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

5744 *sudoku* – Create sudoku grids

Web page on CTAN <https://ctan.org/pkg/sudoku>

name	sudoku
caption	Create sudoku grids
author	Abraham, Paul
copyright	Paul Abraham (2005)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The sudoku package provides an environment for typesetting sudoku grids. A sudoku puzzle is a 9x9 grid where some of the squares in the grid contain numbers. The rules are simple: every column can only contain the digits 1 to 9, every row can only contain the digits 1 to 9 and every 3x3 box can only contain the digits 1 to 9. More information, including help and example puzzles, can be found at sudoku.org.uk. This site also has blank sudoku grids (or worksheets), but you will not need to print them from there if you have this package installed.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sudoku/sudoku.pdf
– local file	./2968401460-sudoku.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sudoku/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sudoku
on MikTeX	sudoku
on TeXLive	sudoku
keyword	games (process game diagrams, gamebooks, and other amusements)
language(s)	no language specified
year	2005
last access	2025-02-07

5745 *sudokubundle* – A set of sudoku-related packages

Web page on CTAN <https://ctan.org/pkg/sudokubundle>

name	sudokubundle
caption	A set of sudoku-related packages
author	Wilson, Peter R.
copyright	Peter R. Wilson (2006)
license	lppl = The LaTeX Project Public License (free)
version	1.0a
description	(no language specified) The bundle provides three packages: • <code>printsudoku</code>, which provides a command <code>\sudoku</code> whose argument is the name of a file containing a puzzle specification; • <code>solvesudoku</code>, which attempts to find a solution to the puzzle in the file named in the argument; and • <code>createsudoku</code>, which uses the random package to generate a puzzle according to a bunch of parameters that the user sets via macros. The bundle comes with a set of ready-prepared puzzle files.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sudokubundle/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sudokubundle/sudokubundle.pdf
– local file	<code>./3867988506-sudokubundle.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sudokubundle
on MikTeX	sudokubundle
on T _E XLive	sudokubundle
keyword	games (process game diagrams, gamebooks, and other amusements)
see also	see section 5744 on page 5206: (<code>sudoku</code> – Create sudoku grids)
language(s)	no language specified
year	2006
last access	2025-02-07

5746 sueterlin – Calligraphic font for typesetting handwriting in Sütterlin style

Web page on CTAN <https://ctan.org/pkg/sueterlin>

name	sueterlin
caption	Calligraphic font for typesetting handwriting in Sütterlin style
author	Ludewig, Berthold
license	pd = Public Domain Software (free)
version	(1992-06-25)
last changes	1992-06-25
year	1992
description	(no language specified) Calligraphic font for typesetting handwriting in Sütterlin (characters which were used for writing in German-speaking countries in the first half of the 20th century, introduced at Prussian schools in 1915). The font is named after Ludwig Sütterlin, a German teacher and typographer.
documentation	(no language specified) <i>Description and font samples</i> : https://ctan.org/tex-archive/fonts/gothic/sueterlin/suet.pdf
– local file	./7698210693-suet.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/gothic/sueterlin/README
on CTAN	https://ctan.org/tex-archive/fonts/gothic/sueterlin
on MikTeX	sueterlin
on T _E XLive	gothic
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-calligraphic (calligraphic (or handwriting) fonts)
see also	see section 5329 on page 4826: (schwell – Calligraphic font for typesetting handwriting in Schwell style)
language(s)	no language specified
last access	2025-02-07

5747 suffix – Define commands with suffixes

Web page on CTAN <https://ctan.org/pkg/suffix>

name	suffix
caption	Define commands with suffixes
author	Kastrup, David
license	gpl = GNU General Public License (free)
version	1.5
description	(no language specified) The <code>\WithSuffix</code> command enables you to define and maintain command variants like <code>\macro*</code> and even <code>\macro\</code> ; the package requires eTeX version 2.
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/bigfoot/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/bigfoot/suffix.pdf
– local file	./6270594968-suffix.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/bigfoot
on MikTeX	bigfoot
on TeXLive	bigfoot
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	without year
last access	2025-02-07

5748 suftesi – A document class for typesetting theses, books and articles

Web page on CTAN <https://ctan.org/pkg/suftesi>

name	suftesi
caption	A document class for typesetting theses, books and articles
author	Valbusa, Ivan
copyright	Ivan Valbusa (2009-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.2.6

description	(no language specified) The class can be used to typeset any kind of book (originally designed for use in the humanities).
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/suftesi/suftesi.pdf
– local file	<code>./2443194144-suftesi.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/suftesi/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/suftesi
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/suftesi.tds.zip
on MikTeX	<code>suftesi</code>
on TeXLive	<code>suftesi</code>
keyword	<code>book-pub</code> (preparing a book for publication)
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
language(s)	English
year	2024
last access	2025-02-07

5749 *sugconf* – SAS(R) user group conference proceedings document class

Web page on CTAN <https://ctan.org/pkg/sugconf>

name	<code>sugconf</code>
caption	SAS(R) user group conference proceedings document class
author	Fehd, Ronald J.
copyright	Ronald J. Fehd (2006, 2021)
license	lppl = The LaTeX Project Public License (free)
version	(2021-04-02)
last changes	2021-04-02
year	2021
description	(no language specified) The class may be used to typeset articles to be published in the proceedings of SAS(R) User group conferences and workshops. The layout produced by the class is based on that published by SAS Institute (2021).

5750 *sunpath* – Draw sun path charts

documentation	(no language specified) <i>Example of use (1):</i> https://ctan.org/tex-archive/macros/latex/contrib/conferences/sugconf/sugconf-skeleton.pdf
– local file	<code>./1476569545-sugconf-skeleton.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/conferences/sugconf/README
documentation	(no language specified) <i>Example of use (2):</i> https://ctan.org/tex-archive/macros/latex/contrib/conferences/sugconf/sugconf-template.pdf
– local file	<code>./6189798067-sugconf-template.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/conferences/sugconf
on MikTeX	<code>sugconf</code>
on TeXLive	<code>sugconf</code>
keyword	<code>journalpub</code> (typesetting journals, etc)
keyword	<code>doc-templ</code> (template to guide document development)
keyword	<code>std-conform</code> (support conformance to standards)
keyword	<code>class</code> (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-07

5750 *sunpath* – Draw sun path charts

Web page on CTAN <https://ctan.org/pkg/sunpath>

name	<code>sunpath</code>
caption	Draw sun path charts
author	Bùi, Hồng-Phúc
copyright	Hồng-Phúc Bùi (2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.5 (2024-10-20)
last changes	2024-10-20
year	2024
description	(no language specified) This package can help to draw sun path charts using a polar coordinate system.

5751 *superiors* – Attach superior figures to a font family

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/sunpath/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/sunpath/sunpath.pdf
– local file	<code>./8817915138-sunpath.pdf</code>
contact	<i>support</i> : https://github.com/hpb-htw/sunpath/issues
contact	<i>repository</i> : https://github.com/hpb-htw/sunpath.git
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/sunpath
on MikTeX	<code>sunpath</code>
on TeXLive	<code>sunpath</code>
keyword	<code>graphics</code> (<code>graphics</code> (support packages))
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>astronomy</code> (astronomy articles, astronomical charts)
keyword	<code>physics</code> (support for typesetting physics documents)
language(s)	no language specified
last access	2025-02-07

5751 *superiors* – Attach superior figures to a font family

Web page on CTAN	https://ctan.org/pkg/superiors
name	<code>superiors</code>
caption	Attach superior figures to a font family
author	Sharpe, Michael
license	lppl = The LaTeX Project Public License (free)
version	2.0
description	(no language specified) The package allows the attachment of an arbitrary superior figures font to a font family that lacks one. (Superior figures are commonly used as footnote markers.)
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/superiors/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/superiors/doc/superiors-doc.pdf

5752 *supertabular* – A multi-page tables package

– local file	<code>./9975680941-superiors-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/superiors
on MikTeX	superiors
on TeXLive	superiors
keyword	font-use (font selection, mapping, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

5752 *supertabular* – A multi-page tables package

Web page on CTAN	https://ctan.org/pkg/supertabular
name	supertabular
caption	A multi-page tables package
author	Braams, Johannes L.
copyright	Theo Jurriens (1988)
copyright	Johannes Braams (1990-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	4.2c (2024-07-20)
last changes	2024-07-20
year	2024
description	(no language specified) The package was a predecessor of longtable ; the newer package (designed on quite different principles) is easier to use and more flexible, in many cases, but supertabular retains its usefulness in a few situations where longtable has problems.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/supertabular/supertabular.pdf
– local file	<code>./1164294309-supertabular.pdf</code>
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/supertabular/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/supertabular

5753 *suppose* – Abbreviate the word “Suppose”

on MikTeX	supertabular
on T _E XLive	supertabular
keyword	table (table typesetting)
keyword	table-long (typeset tables that may be too big for a page)
see also	see section 6850 on page 6183: (x _{tab} – Break tables across pages)
language(s)	no language specified
last access	2026-01-10

5753 *suppose* – Abbreviate the word “Suppose”

Web page on CTAN <https://ctan.org/pkg/suppose>

name	suppose
caption	Abbreviate the word “Suppose”
author	Lounsbury, Andrew
copyright	A. W. Lounsbury (2021)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2.2 (2021-05-20)
last changes	2021-05-20
year	2021
description	(no language specified) This package provides commands for abbreviating the word “Suppose” in six fonts and with other variations. The author recommends only using these commands when the immediately succeeding strings are mathematical in nature. He does not recommend using them in formal work. The package requires amsmath , amsfonts , and graphicx .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/suppose/suppose-doc.pdf
– local file	<code>./7624743831-suppose-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/suppose/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/suppose
on MikTeX	suppose
on T _E XLive	suppose

5754 *susy* – Macros for SuperSymmetry-related work

keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>abbrev</code> (macros for defining abbreviations in documents)
language(s)	no language specified
last access	2025-02-07

5754 *susy* – Macros for SuperSymmetry-related work

Web page on CTAN <https://ctan.org/pkg/susy>

name	<code>susy</code>
caption	Macros for SuperSymmetry-related work
author	Turlay, Emmanuel
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The package provides abbreviations of longer expressions.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/susy/susy.pdf
– local file	<code>./5650516946-susy.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/susy
on MikTeX	<code>susy</code>
on TeXLive	<code>susy</code>
keyword	<code>physics</code> (support for typesetting physics documents)
keyword	<code>shortcut</code> (shortcuts when typing)
language(s)	no language specified
year	without year
last access	2025-02-07

5755 *suthesis* – Typeset a Stanford University thesis

Web page on CTAN <https://ctan.org/pkg/suthesis>

name	suthesis
caption	Typeset a Stanford University thesis
author	Pallas, Joseph
license	noinfo = noinfo
version	(1988-09-13)
last changes	1988-09-13
year	1988
description	(no language specified) This is a LaTeX 2.09 document style option (for report style), but looks as if it might work with current LaTeX. The package source contains usage instructions.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/suthesis.sty
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
last access	2025-02-07

5756 *sverb* – A set of verbatim text manipulations

Web page on CTAN <https://ctan.org/pkg/sverb>

name	sverb
caption	A set of verbatim text manipulations
author	Wooding, Mark
copyright	Mark Wooding (1996)
license	gpl = GNU General Public License (free)
version	1.3
description	(no language specified) The sverb package reimplements much of the verbatim and moreverb packages in a way that is arguably more efficient. The package is part of the mdwtools bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/mdwtools/sverb.pdf

5757 *svg* – Include and extract SVG pictures in LaTeX documents

– local file	<code>./3653350299-sverb.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mdwtools/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mdwtools
on MikTeX	mdwtools
on T _E XLive	mdwtools
keyword	verbatim (verbatim typesetting, etc.)
keyword	macro-demo (print (La)TeX code verbatim alongside the rendered result)
language(s)	no language specified
year	1996
last access	2025-02-07

5757 *svg* – Include and extract SVG pictures in LaTeX documents

Web page on CTAN <https://ctan.org/pkg/svg>

name	svg
caption	Include and extract SVG pictures in LaTeX documents
author	Ilten, Philip
author	Hanisch, Falk
copyright	Falk Hanisch (2017-2020)
copyright	Philip Ilten (2012-2016)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.02k (2020-11-26)
last changes	2020-11-26
year	2020
description	(no language specified) This bundle contains the two packages <code>svg</code> and <code>svg-extract</code>. The <code>svg</code> package is intended for the automated integration of SVG graphics into LaTeX documents. Therefore the capabilities provided by <code>Inkscape</code> — or more precisely its command line tool — are used to export the text within an SVG graphic to a separate file, which is then rendered by LaTeX. For this purpose the two commands <code>\includesvg</code> and <code>\includeinkscape</code> are provided which are very similar to the <code>\includegraphics</code> command of the <code>graphicx</code> package.

In addition, the package `svg-extract` allows the extraction of these graphics into independent files in different graphic formats, exactly as it is rendered within the LaTeX document, using either `ImageMagick` or `Ghostscript`.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/svg/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/svg/doc/svg.pdf
– local file	<code>./3465768938-svg.pdf</code>
contact	<i>bugs</i> : https://github.com/mrpiggi/svg/issues
contact	<i>repository</i> : https://github.com/mrpiggi/svg
on CTAN	https://ctan.org/tex-archive/graphics/svg
on MikTeX	<code>svg</code>
on TeXLive	<code>svg</code>
keyword	<code>graphics</code> (<code>graphics</code> (support packages))
keyword	<code>graphics-import</code> (convert a foreign graphics format for use with TeX)
keyword	<code>graphics-incl</code> (include external graphics)
see also	see section 5759 on page 5220: (<code>svg-inkscape</code> – How to include an SVG image in LaTeX using Inkscape)
language(s)	no language specified
last access	2025-02-07

5758 `svg-animate` – Generate animated SVG diagrams with TikZ

Web page on CTAN	https://ctan.org/pkg/svg-animate
name	<code>svg-animate</code>
caption	Generate animated SVG diagrams with TikZ
author	Gross, Sébastien
copyright	Sébastien Gross (2026)
license	agpl3 = GNU Affero General Public License, version 3 (free)
version	1.0 (2026-03-16)
last changes	2026-03-16
year	2026

description	(no language specified) This package provides step-by-step animations for TikZ diagrams in SVG format. The resulting animations run natively in web browsers and do not require JavaScript or plugins. From a single source file, both an animated SVG and a static PDF can be generated. In the PDF output, steps may be stacked or collapsed into a single frame. The animation model is based on discrete <i>steps</i>. A TikZ picture is enclosed in <code>\begin{animate}</code>, material to be shown at a given step is marked with <code>\reveal{...}</code>, and <code>\animstep</code> is used to advance to the next step. Additional features include per-step durations, visibility over multiple steps or step ranges, blinking elements, one-shot or looping playback, and a <code>\noanimate</code> fallback for PDF output. In SVG output, visibility changes are implemented by means of SMIL animations with instantaneous opacity transitions.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/svg-animate/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/svg-animate/svg-animate.pdf
– local file	<code>./4718561878-svg-animate.pdf</code>
home page	https://github.com/renard/svg-animate
contact	<i>bugs:</i> https://github.com/renard/svg-animate/issues
contact	<i>repository:</i> https://github.com/renard/svg-animate
contact	<i>development:</i> https://github.com/renard/svg-animate/pulls
on CTAN	https://ctan.org/tex-archive/graphics/svg-animate
on T _E XLive	<code>svg-animate</code>
keyword	<code>graphics-motion</code> (motion graphics)
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
language(s)	no language specified
last access	2026-03-26

5759 *svg-inkscape* – How to include an SVG image in LaTeX using Inkscape

Web page on CTAN <https://ctan.org/pkg/svg-inkscape>

name	svg-inkscape
caption	How to include an SVG image in LaTeX using Inkscape
author	Engelen, Johan B. C.
copyright	J.B.C. Engelen (2010)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2013-11-21)
last changes	2013-11-21
year	2013
description	(no language specified) The document demonstrates the use of SVG images in LaTeX documents. Using the "PDF+LaTeX output" option of Inkscape, it is possible to include SVG in documents, in which LaTeX typesets the text. This results in uniform text style throughout the document, including text in images; moreover, LaTeX commands may be used in the image's text, providing such things as mathematics and references. The document also describes how to automate the conversion from SVG to PDF+LaTeX using Inkscape.
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/svg-inkscape/InkscapePDFLaTeX.pdf
– local file	./5946816351-InkscapePDFLaTeX.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/svg-inkscape/README
on CTAN	https://ctan.org/tex-archive/info/svg-inkscape
on T _E XLive	svg-inkscape
keyword	graphics-prep (prepare graphics for use with *TeX)
see also	see section 5757 on page 5217: (svg – Include and extract SVG pictures in LaTeX documents)
language(s)	no language specified
last access	2025-02-07

5760 *svgcolor* – Define SVG named colours

Web page on CTAN <https://ctan.org/pkg/svgcolor>

name	svgcolor
caption	Define SVG named colours
author	Caprio, Mark
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package defines the W3C Scalable Vector Graphics (SVG) colour names for use with both the color and PSTricks packages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/svgcolor/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/svgcolor
on MikTeX	svgcolor
on T _E XLive	svgcolor
keyword	colour (typesetting in colour)
language(s)	no language specified
year	without year
last access	2025-02-07

5761 *svn* – Typeset Subversion keywords

Web page on CTAN <https://ctan.org/pkg/svn>

name	svn
caption	Typeset Subversion keywords
author	Lewis, Richard
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	43
description	(no language specified) The svn package lets you typeset (in LaTeX) the value of Subversion keywords. It is approximately an equivalent to the r_{cs} package, but for Subversion rather than CVS. Details of Subversion (a replacement for CVS) is available from the project's home site .

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/svn/svn.pdf
– local file	<code>./6016225834-svn.pdf</code>
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/svn/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/svn
on MikTeX	svn
on TeXLive	svn
keyword	version-control (version control details)
keyword	doc-mgmt (support for keeping track of document development)
see also	see section 5764 on page 5225: (<code>svninfo</code> – Typeset Subversion keywords)
see also	see section 5762 on page 5222: (<code>svn-multi</code> – Subversion keywords in multi-file LaTeX documents)
language(s)	no language specified
year	without year
last access	2025-02-07

5762 `svn-multi` – Subversion keywords in multi-file LaTeX documents

Web page on CTAN <https://ctan.org/pkg/svn-multi>

name	<code>svn-multi</code>
caption	Subversion keywords in multi-file LaTeX documents
author	Scharrer, Martin
copyright	Martin Scharrer (2006-2009)
license	lppl = The LaTeX Project Public License (free)
version	2.4d
description	(no language specified) This package lets you typeset keywords of the version control system Subversion inside your LaTeX files anywhere you like. Unlike the otherwise similar package <code>svn</code> the use of multiple files for one LaTeX document is well supported. The package uses the author’s <code>filehook</code> and <code>currfile</code> packages. The package interacts with an external Perl script, to retrieve information necessary for the required output.

documentation	(no language specified) <i>PracTeX Journal</i> paper: http://www.tug.org/pracjourn/2007-3/scharrer/
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/svn-multi/svn-multi.pdf
– local file	<code>./1740036426-svn-multi.pdf</code>
documentation	(no language specified) <i>Perl script documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/svn-multi/svn-multi-pl.pdf
– local file	<code>./4945898786-svn-multi-pl.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/svn-multi/README
home page	https://github.com/MartinScharrer/svn-multi
contact	<i>bugs</i> : https://github.com/MartinScharrer/svn-multi/issues
contact	<i>repository</i> : https://github.com/MartinScharrer/svn-multi.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/svn-multi
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/svn-multi.tds.zip
on MikTeX	<code>svn-multi</code>
on T _E XLive	<code>svn-multi</code>
keyword	<code>doc-mgmt</code> (support for keeping track of document development)
keyword	<code>version-control</code> (version control details)
see also	see section 5761 on page 5221: (<code>svn</code> – Typeset Subversion keywords)
see also	see section 5764 on page 5225: (<code>svninfo</code> – Typeset Subversion keywords)
language(s)	no language specified
year	2009
last access	2025-02-07

5763 *svn-prov* – Subversion variants of `\Provides...` macros

Web page on CTAN <https://ctan.org/pkg/svn-prov>

name	svn-prov
caption	Subversion variants of <code>\Provides...</code> macros
author	Scharrer, Martin
copyright	Martin Scharrer (2009)
license	lppl = The LaTeX Project Public License (free)
version	3.1862
description	(no language specified) The package introduces Subversion variants of the standard LaTeX macros <code>\ProvidesPackage</code> , <code>\ProvidesClass</code> and <code>\ProvidesFile</code> where the file name and date is extracted from Subversion Id keywords. The file name may also be given explicitly as an optional argument.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/svn-prov/svn-prov.pdf
– local file	<code>./6840848259-svn-prov.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/svn-prov/README
home page	https://github.com/MartinScharrer/svn-prov
contact	<i>bugs</i> : https://github.com/MartinScharrer/svn-prov/issues
contact	<i>repository</i> : https://github.com/MartinScharrer/svn-prov.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/svn-prov
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/svn-prov.tds.zip
on MikTeX	svn-prov
on TeXLive	svn-prov
keyword	version-control (version control details)
keyword	doc-mgmt (support for keeping track of document development)
language(s)	no language specified
year	2009
last access	2025-02-07

5764 *svninfo* – Typeset Subversion keywords

Web page on CTAN <https://ctan.org/pkg/svninfo>

name	svninfo
caption	Typeset Subversion keywords
author	Brucker, Achim D.
copyright	Achim D. Brucker (2003-2010)
license	lpl1 = The LaTeX Project Public License 1 (free)
version	0.7.4
description	(no language specified) A package for incorporating the values of Subversion keywords into typeset documents. Information about Subversion (a replacement for CVS) is available from the project's home site .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/svninfo/svninfo.pdf
– local file	./2298090822-svninfo.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/svninfo/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/svninfo
on MikTeX	svninfo
on T _E XLive	svninfo
keyword	version-control (version control details)
keyword	doc-mgmt (support for keeping track of document development)
see also	see section 5763 on page 5224 : (<code>svn-prov</code> – Subversion variants of <code>\Provides...</code> macros)
see also	see section 5761 on page 5221 : (<code>svn</code> – Typeset Subversion keywords)
see also	see section 5762 on page 5222 : (<code>svn-multi</code> – Subversion keywords in multi-file LaTeX documents)
language(s)	no language specified
year	2010
last access	2025-02-07

5765 *svrsymbols* – A font with symbols for use in physics texts

Web page on CTAN <https://ctan.org/pkg/svrsymbols>

name	<code>svrsymbols</code>
caption	A font with symbols for use in physics texts
author	Syropoulos, Apostolos
copyright	Pablo Garcia Risueno, Apostolos Syropoulos, and Natalia Verges (2015-2019)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.0b (2019-02-12)
last changes	2019-02-12
year	2019
description	(no language specified) The <code>svrsymbols</code> package is a LaTeX interface to the SVRsymbols font. The glyphs of this font are ideograms that have been designed for use in physics texts. Some symbols are standard and some are entirely new.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/svrsymbols/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/svrsymbols/svrsymbols.pdf
– local file	<code>./4745230279-svrsymbols.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/svrsymbols
on MikTeX	<code>svrsymbols</code>
on T _E XLive	<code>svrsymbols</code>
keyword	<code>physics</code> (support for typesetting physics documents)
keyword	<code>font-symbol-maths</code> (collections of mathematical symbols)
keyword	<code>font-maths</code> (fonts for use in mathematics)
keyword	<code>font</code> (fonts themselves)
language(s)	no language specified
last access	2025-02-07

5766 *swebib* – Swedish bibliography styles

Web page on CTAN <https://ctan.org/pkg/swebib>

name	swebib
caption	Swedish bibliography styles
author	Engbretsen, Lars
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
description	(no language specified) The bundle contains Swedish versions of the standard bibliography styles, and of the style plainnat. The styles should be functionally equivalent to the corresponding original styles, apart from the Swedish translations. The styles do not implement Swedish collation.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/swebib/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/swebib
on MikTeX	swebib
on TeXLive	swebib
keyword	swedish (support for typesetting Swedish)
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
year	without year
last access	2025-02-07

5767 *swetex* – Plain TeX support for writing Swedish

Web page on CTAN <https://ctan.org/pkg/swetex>

name	swetex
caption	Plain TeX support for writing Swedish
author	Engdahl, Erik
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Subverts several characters for Swedish non-ascii letters, and uses <> for delimiters.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/swedish/swetex/readme

on CTAN	https://ctan.org/tex-archive/language/swedish/swetex
keyword	swedish (support for typesetting Swedish)
language(s)	no language specified
year	without year
last access	2025-02-07

5768 *swfigure* – Insert large images that do not fit into a single page

Web page on CTAN	https://ctan.org/pkg/swfigure
name	swfigure
caption	Insert large images that do not fit into a single page
author	Beccari, Claudio
copyright	Claudio Beccari (2020-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.9.20 (2022-04-24)
last changes	2022-04-24
year	2022
description	(no language specified) Five different display modes are defined in order to place in a document large figures that do not fit into a single page. A single user macro is defined to handle all five display modes.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/swfigure/swfigure.pdf
– local file	./1642650593-swfigure.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/swfigure/README.txt
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/swfigure/swfigure-examples.pdf
– local file	./1859152158-swfigure-examples.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/swfigure
on MikTeX	swfigure
on T _E XLive	swfigure
keyword	graphics-incl (include external graphics)

language(s) no language specified
 last access 2025-02-07

5769 swiftextex – Edit doc.sty and normal LaTeX files with GNU Emacs

Web page on CTAN <https://ctan.org/pkg/swiftextex>

name swiftextex
 caption Edit doc.sty and normal LaTeX files with GNU Emacs
 author Swift, Matt
 license gpl = GNU General Public License (free)
 version 1.35
 description (no language specified) DocTeX mode is for editing buffers containing self-documenting LaTeX code that uses the **doc** package, including the **ltxdoc** document class. DocTeX mode was designed to be significantly more useful than the alternatives provided by standard Emacs and **AUC TeX** (AUC TeX has since caught up in this regard). SwiftTeX mode is for editing buffers containing normal LaTeX files and provides an alternative to the LaTeX modes in the standard Emacs distribution and in **AUC TeX**.
 documentation (no language specified) *Package documentation:* <https://ctan.org/tex-archive/support/emacs-modes/swiftextex/swiftextex-doc.txt>
 on CTAN <https://ctan.org/tex-archive/support/emacs-modes/swiftextex>
 keyword editor-extn (plug-ins for editors, for better (La)TeX and Meta* support)
 language(s) no language specified
 year without year
 last access 2025-02-07

5770 swimgraf – Graphical/textual representations of swimming performances

Web page on CTAN <https://ctan.org/pkg/swimgraf>

name Swimgraf
 caption Graphical/textual representations of swimming performances
 author Osborne, Martin J.
 license lppl = The LaTeX Project Public License (free)
 version (2002-05-30)
 last changes 2002-05-30

5771 *swimch* – A constant time/expandable switch/case

year	2002
description	(no language specified) The package provides two macros that produce representations of a swimmer's performances. The user records data in a text file and specifies as arguments of the macros the date range of interest. The macros extract the relevant information from the file and process it: <code>\swimgraph</code> produces a graph of the times in a single swimming event (specified as an argument), plotting long course and short course times in separate lines. Records and qualifying times, stored in text files, may optionally be included on the graph. <code>\swimtext</code> produces a written record of the times in all events. Files of current world and Canadian records are included. The package requires the PSTricks and keyval packages. For attractive output it also requires a colour output device.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/swimgraf/swimgraf.pdf
– local file	<code>./3094298529-swimgraf.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/swimgraf/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/swimgraf
on MikTeX	<code>swimgraf</code>
on TeXLive	<code>swimgraf</code>
keyword	<code>data-disp</code> (visualisation of data sets)
language(s)	no language specified
last access	2025-02-07

5771 *switch* – A constant time/expandable switch/case

Web page on CTAN <https://ctan.org/pkg/switch>

name	<code>switch</code>
caption	A constant time/expandable switch/case
author	Frigeri, Alceu
copyright	Alceu Frigeri (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	gpl = GNU General Public License (free)
version	1.1a (2025-05-19)

5772 `switcheml` – *Obfuscate email addresses (now obsolete)*

last changes	2025-05-19
year	2025
description	(no language specified) This package defines two commands (and aliases) aimed at implementing a constant time switch/case alike command.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/switch/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/switch/doc/switch.pdf
– local file	./8226309948-switch.pdf
contact	<i>announce</i> : https://github.com/alceu-frigeri/switch/releases
contact	<i>bugs</i> : https://github.com/alceu-frigeri/switch/issues
contact	<i>repository</i> : https://github.com/alceu-frigeri/switch
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/switch
on T _E XLive	switch
keyword	macro-supp (support for development of (La)TeX macros)
keyword	expl3 (expl3(unknown))
keyword	cond-comp (conditional typesetting)
language(s)	no language specified
last access	2025-05-23

5772 `switcheml` – Obfuscate email addresses (now obsolete)

Web page on CTAN <https://ctan.org/pkg/switcheml>

name	switcheml
caption	Obfuscate email addresses (now obsolete)
author	Duan, Charles
license	noinfo = noinfo
version	(2004-02-10)
last changes	2004-02-10
year	2004

description	(no language specified) The package (roughly) parses an email address, and writes it out as a series of boxes in a jumbled order, but with positioning commands to make the result print correctly. This performance will confuse address-harvesters that look inside your PostScript or PDF files on the web. This package is considered obsolete; its facilities are now provided by the randtext package.
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/switchcheml
on MikTeX	switchcheml
keyword	security (document security measures)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
last access	2025-05-23

5773 *swrule* – Lines thicker in the middle than at the ends

Web page on CTAN	https://ctan.org/pkg/swrule
name	swrule
caption	Lines thicker in the middle than at the ends
author	Dussa, Tobias
copyright	Tobias G. Dussa (2001)
license	other-free = Free license not otherwise listed (free)
version	(2001-10-09)
last changes	2001-10-09
year	2001
description	(no language specified) Defines commands that create rules split into a (specified) number of pieces, whose size varies to produce the effect of a rule that swells in its centre.
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/swrule.sty
on MikTeX	swrule
on T _E XLive	swrule
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
language(s)	no language specified

last access 2025-02-07

5774 *swungdash* – Typeset a swung dash in LaTeX

Web page on CTAN	https://ctan.org/pkg/swungdash
name	swungdash
caption	Typeset a swung dash in LaTeX
author	Granet, Elijah Z
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.0
description	(no language specified) The swung dash (U+2053) is a useful character traditionally used in typesetting dictionaries, but not supported by most typefaces. This package provides one simple command to typeset a swung dash in XeLaTeX and LuaLaTeX, by applying transformations to the given font's glyph for a tilde.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/unicodetex/latex/swungdash/swungdash-documentation.pdf
– local file	<code>./1539328995-swungdash-documentation.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/unicodetex/latex/swungdash/README
home page	https://github.com/ezgranet/swungdash
contact	<i>support:</i> https://github.com/ezgranet/swungdash
contact	<i>announce:</i> https://github.com/ezgranet/swungdash
contact	<i>bugs:</i> https://github.com/ezgranet/swungdash
contact	<i>repository:</i> https://github.com/ezgranet/swungdash
contact	<i>development:</i> https://github.com/ezgranet/swungdash
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/swungdash
on MikTeX	swungdash
on TeXLive	swungdash
keyword	typesetting (support for variations of typographic style)
language(s)	no language specified
year	without year

last access 2025-02-07

5775 *syllogism* – Typeset syllogisms in LaTeX

Web page on CTAN <https://ctan.org/pkg/syllogism>

name	syllogism
caption	Typeset syllogisms in LaTeX
author	Vaughan, Nicolas
copyright	Nicolas Vaughan (2008)
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) The package provides a simple, configurable, way for neatly typesetting syllogisms and syllogistic-like arguments, composed of two premises and a conclusion.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/syllogism/syllogism.pdf
– local file	./7374257353-syllogism.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/syllogism/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/syllogism
on MikTeX	syllogism
on TeXLive	syllogism
keyword	logic (typesetting logician’s discussions)
language(s)	no language specified
year	2008
last access	2025-02-07

5776 symbats3 – Macros to use the Symbats3 dingbats fonts

Web page on CTAN <https://ctan.org/pkg/symbats3>

name	symbats3
caption	Macros to use the Symbats3 dingbats fonts
author	Flynn, Peter
copyright	Peter Flynn and Silmaril Consultants (2021-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2022-06-25)
last changes	2022-06-25
year	2022
description	(no language specified) This package makes available for LaTeX the glyphs in Feðrag's OpenType Symbats3 neopagan dingbats fonts .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/symbats3/symbats3.pdf
– local file	./9310652599-symbats3.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/symbats3/README.md
home page	http://latex.silmaril.ie/packages/symbats3
on CTAN	https://ctan.org/tex-archive/fonts/symbats3
on MikTeX	symbats3
on T _E XLive	symbats3
keyword	font-supp-symbol (metrics, macro incantations and other support for symbol fonts)
keyword	font-symbol (fonts that provide collections of symbols)
keyword	font-absent (support is for a font not available on CTAN)
language(s)	no language specified
last access	2025-02-07

5777 **symbolindex** – **Generate a list of symbols with different subgroups**

Web page on CTAN <https://ctan.org/pkg/symbolindex>

name	symbolindex
caption	Generate a list of symbols with different subgroups
author	Holzmann, Frédéric
license	gpl = GNU General Public License (free)
description	(no language specified) This extension can be used regardless of the platform. It defines a new command <code>\addsymbol[group]{symbol}{description}</code> and the list of the symbols sorted by groups and symbols can be shown with <code>\listofsymbols</code> The program <code>makesym</code> (source, and DOS executable provided), is used to process symbol details, for subsequent typesetting runs. The index is generated with a <code>\listofsymbols</code> command.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/symbolindex/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/symbolindex
keyword	symbol-supp (manage symbols in a document)
language(s)	no language specified
year	without year
last access	2025-02-07

5778 **sympycalc** – **Work with SymPy and PyLuaTeX**

Web page on CTAN <https://ctan.org/pkg/sympycalc>

name	SympyCalc
caption	Work with SymPy and PyLuaTeX
author	Pierquet, Cédric
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.1 (2023-05-08)
last changes	2023-05-08

5779 *sympytex* – Include symbolic computation (using sympy) in documents

year	2023
description	(no language specified) This package provides some commands (mostly for French users) to perform <i>SymPy</i> commands and format the result with some adjustments in formatting: • <code>\sympycalc</code> to perform a generic SymPy command; • <code>\sympyfact</code> or <code>\sympydev</code> to factor or expand; • <code>\sympyderiv</code>, <code>\sympyprim</code> or <code>\sympyintegr</code> to derive or integrate ; • <code>\sympyreso</code> to resolve equations • ...
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/sympycalc/README.md
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/sympycalc/doc/SympyCalc-doc.pdf
– local file	<code>./2075546879-SympyCalc-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/sympycalc
on MikTeX	<code>sympycalc</code>
on TeXLive	<code>sympycalc</code>
keyword	<code>callback</code> (call external code and process the result)
keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>luatex</code> (LuaTeX and packages that require it)
language(s)	French
last access	2025-05-27

5779 *sympytex* – Include symbolic computation (using sympy) in documents

Web page on CTAN <https://ctan.org/pkg/sympytex>

name	<code>sympytex</code>
caption	Include symbolic computation (using sympy) in documents
author	Molteno, Tim
copyright	Tim Molteno (2009-2014)
license	gpl2 = GNU General Public License, version 2 (free)
version	0.3

description	(no language specified) The bundle supports inclusion of symbolic-python (sympy) expressions, as well as graphical output from the sympy plotting module (or from matplotlib).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sympytexpackage/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sympytexpackage/sympytexpackage.pdf
– local file	<code>./5923348466-sympytexpackage.pdf</code>
contact	<i>bugs</i> : https://github.com/tmolteno/SympyTeX/issues
contact	<i>repository</i> : https://github.com/tmolteno/SympyTeX
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sympytexpackage
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/sympytexpackage.tds.zip
keyword	callback (call external code and process the result)
language(s)	no language specified
year	2014
last access	2025-02-07

5780 *synapsen* – Reference management tool for BibTeX

Web page on CTAN <https://ctan.org/pkg/synapsen>

name	Synapsen
caption	Reference management tool for BibTeX
author	Krajewski, Markus
copyright	Markus Krajewski (2007)
license	shareware = Shareware: A fee is required (not free)
version	3.0
description	(no language specified) Synapsen is a hypertextual card index or reference organizer, especially designed for BibTeX, and offering support for the requirements of BibLaTeX . The Software is written in JAVA, and runs on all major operating systems (Windows, Mac OS X, Linux, Unix).

The software features automatic or individual connections between cards; direct search and download from public bibliographic sources; fully compliant BibTeX output for LaTeX; support for word processors via RTF output; Unicode support; support for SQL database to secure future accessibility of data.

documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/Synapsen/README
documentation	(English) <i>Package manual</i> : http://www.verzetteln.de/synapsen/_docs/SynManual.pdf
– local file	<code>./5953898605-SynManual.pdf</code>
documentation	(German) <i>Paket FAQ</i> : http://www.verzetteln.de/synapsen/de/ogf/
documentation	(German) <i>Paket Handbuch</i> : http://www.verzetteln.de/synapsen/_docs/SynHandbuch.pdf
– local file	<code>./6919646719-SynHandbuch.pdf</code>
documentation	(English) <i>Package FAQ</i> : http://www.verzetteln.de/synapsen/faq/
home page	http://www.verzetteln.de/synapsen/
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/Synapsen
keyword	<code>bibtex-util</code> (utilities for managing BibTeX files)
language(s)	German; English
year	2007
last access	2025-02-07

5781 *synctex-parser* – SyncTeX output file parser

Web page on CTAN <https://ctan.org/pkg/synctex-parser>

name	<code>synctex-parser</code>
caption	SyncTeX output file parser
author	Laurens, Jérôme
copyright	Jérôme Laurens (2008-2017)
license	other-free = Free license not otherwise listed (free)
version	1.21 (2017-10-15)
last changes	2017-10-15
year	2017

description	(no language specified) These are the sources (in C) of a parser module for SyncTeX output.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/synctex-parser/README.md
home page	https://github.com/jlaurens/synctex/
on CTAN	https://ctan.org/tex-archive/support/synctex-parser
keyword	debug-supp (support for package or document debugging)
language(s)	no language specified
last access	2025-02-07

5782 *syngen* – A tool for generating syntax diagrams from BNF

Web page on CTAN <https://ctan.org/pkg/syngen>

name	syngen
caption	A tool for generating syntax diagrams from BNF
author	Klöcker, Jens
license	gpl = GNU General Public License (free)
version	0.4
description	(no language specified) A tool for generating syntax diagrams from BNF. The diagrams use the LaTeX picture mode and can be included in any LaTeX2e document.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/syngen/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/syngen/doc/manual.ps
on CTAN	https://ctan.org/tex-archive/support/syngen
keyword	diagram (diagrams)
keyword	syntax (syntax of computer science constructs)
language(s)	no language specified
year	without year
last access	2025-02-07

5783 *synproof* – Easy drawing of syntactic proofsWeb page on CTAN <https://ctan.org/pkg/synproof>

name	synproof
caption	Easy drawing of syntactic proofs
author	Isambert, Paul
author	Robbers, Yuri
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package provides a set of macros based on PSTricks that will enable you to draw syntactic proofs easily (inspired by the Gamut books). Very few commands are needed, however fine tuning of the various parameters (dimensions) can still be achieved through "key=value" pairs.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/synproof/synproof-doc.pdf
– local file	./3516301788-synproof-doc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/synproof/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/synproof
on MikTeX	synproof
on T _E XLive	synproof
keyword	logic (typesetting logician's discussions)
keyword	linguistic (support for linguistics)
language(s)	no language specified
year	without year
last access	2025-02-07

5784 *syntax-mdw* – Typeset syntax descriptions

Web page on CTAN <https://ctan.org/pkg/syntax-mdw>

name	<code>syntax-mdw</code>
caption	Typeset syntax descriptions
author	Wooding, Mark
copyright	Mark Wooding (1996)
license	gpl = GNU General Public License (free)
version	1.07
description	(no language specified) The package implements a simple, clear, graphical description of simple syntaxes. The package is part of the mdwtools bundle.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/mdwtools/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/mdwtools/syntax.pdf
– local file	<code>./9219476424-syntax.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/mdwtools
on MikTeX	<code>mdwtools</code>
on T _E XLive	<code>mdwtools</code>
keyword	diagram (diagrams)
keyword	syntax (syntax of computer science constructs)
see also	see section 5785 on page 5243 : (<code>syntax2</code> – Creation of syntax diagrams)
language(s)	no language specified
year	1996
last access	2025-02-07

5785 *syntax2* – Creation of syntax diagrams

Web page on CTAN <https://ctan.org/pkg/syntax2>

name	<code>syntax2</code>
caption	Creation of syntax diagrams
author	Worsch, Bernd
license	gpl = GNU General Public License (free)
description	(no language specified) Create syntax diagrams using special environments and commands to represent the diagram structure.
documentation	(German) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/syntax/README
documentation	(German) <i>Introduction to the package</i> : https://ctan.org/tex-archive/macros/latex/contrib/syntax/syntaxintro.pdf
– local file	<code>./9614316770-syntaxintro.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/syntax
on MikTeX	<code>syntax2</code>
on TeXLive	<code>syntax</code>
keyword	diagram (diagrams)
keyword	syntax (syntax of computer science constructs)
see also	see section 5784 on page 5242: (<code>syntax-mdw</code> – Typeset syntax descriptions)
language(s)	German
year	without year
last access	2025-02-07

5786 *syntaxdi* – Create “railroad” syntax diagrams

Web page on CTAN <https://ctan.org/pkg/syntaxdi>

name	<code>syntaxdi</code>
caption	Create “railroad” syntax diagrams
author	Hilbig, André
author	Kuhaupt, Johannes
author	Pieper, Johannes

5787 *synthslant* – Synthetically slant text

copyright	Johannes Pieper, André Hilbig, Johannes Kuhaupt, Daniel Spittank, Ludger Humbert, Adrian Salamon (2010-2014, 2018, 2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.8.2 (2020-10-16)
last changes	2020-10-16
year	2020
description	(no language specified) This package provides TikZ styles for creating special syntax diagrams known as "railroad" diagrams. The package was originally distributed as part of the schule bundle.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/syntaxdi/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/syntaxdi/doc/syntaxdi.pdf
– local file	./7487054195-syntaxdi.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/syntaxdi
on MikTeX	syntaxdi
on TeXLive	syntaxdi
keyword	graphics (graphics (support packages))
keyword	diagram (diagrams)
keyword	diagram-flow (flow (and similar) diagrams, including Nassi-Shneiderman)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-02-07

5787 *synthslant* – Synthetically slant text

Web page on CTAN	https://ctan.org/pkg/synthslant
name	synthslant
caption	Synthetically slant text
author	Spiel, Chris
copyright	Ch. L. Spiel (2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)

5788 *syntonly* – Run a document through LaTeX for syntax checking

version	0.2 (2025-10-26)
last changes	2025-10-26
year	2025
description	(no language specified) This package allows to slant (“shear”) short pieces of text to the left or to the right by an arbitrary angle, thus creating for example “fake italics” or upright italics. Several back-ends that do the actual shearing are supported, though currently the pdfLaTeX back-end works best concerning output quality and processing speed.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/synthslant/docs/synthslant.pdf
– local file	<code>./4875275614-synthslant.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/synthslant/README.md
home page	https://github.com/cspiel/synthslant
contact	<i>bugs:</i> https://github.com/cspiel/synthslant/issues
contact	<i>repository:</i> https://github.com/cspiel/synthslant.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/synthslant
on MikTeX	synthslant
on TeXLive	synthslant
keyword	font-suppl (metrics, macro incantations and other font support)
keyword	font-use (font selection, mapping, etc.)
language(s)	no language specified
last access	2025-11-02

5788 syntonly – Run a document through LaTeX for syntax checking

Web page on CTAN <https://ctan.org/pkg/syntonly>

name	syntonly
caption	Run a document through LaTeX for syntax checking
author	Mittelbach, Frank
author	The LaTeX Project Team

5789 *syntrace* – Labels for tracing in a syntax tree

author	Schöpf, Rainer
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.1e (2024-02-08)
last changes	2024-02-08
year	2024
description	(no language specified) The package provides a command <code>\syntaxonly</code> that suppresses output from a LaTeX run. (The purpose, of course, is to check the syntax of a LaTeX file without the overhead of generating output. The file is part of the LaTeX distribution.
on CTAN	https://ctan.org/tex-archive/macros/latex/base
on MikTeX	ltxbase
on TeXLive	latex
keyword	tagged-pdf (tagged PDF compatible)
keyword	debug-supp (support for package or document debugging)
language(s)	no language specified
last access	2026-04-10

5789 *syntrace* – Labels for tracing in a syntax tree

Web page on CTAN	https://ctan.org/pkg/syntrace
name	<i>syntrace</i>
caption	Labels for tracing in a syntax tree
author	Mathieu, Boretti
copyright	Mathieu Boretti (2006)
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) This package adds support for traces in trees created using either the syntree or the qtree package. The package provides two commands (<code>\traceLabel</code> and <code>\traceReference</code>) to set and use a trace.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/syntrace/syntrace.pdf
– local file	<code>./7803103490-syntrace.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/syntrace

on MikTeX	syntrace
on T _E XLive	syntrace
keyword	tree (mechanisms for drawing trees)
language(s)	no language specified
year	2006
last access	2025-02-07

5790 synttree – Typeset syntactic trees

Web page on CTAN <https://ctan.org/pkg/synttree>

name	synttree
caption	Typeset syntactic trees
author	van Zijlen, Matijs
copyright	Matijs van Zijlen (1998, 2001, 2004-2006)
license	lppl = The LaTeX Project Public License (free)
version	1.4.2
description	(no language specified) A package to typeset syntactic trees such as those used in Chomsky's Generative grammar, based on a description of the structure of the tree.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/synttree/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/synttree/synttree.pdf
– local file	./3895095754-synttree.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/synttree
on MikTeX	synttree
on T _E XLive	synttree
keyword	tree (mechanisms for drawing trees)
keyword	linguistic (support for linguistics)
language(s)	no language specified
year	2006
last access	2025-02-07

5791 **syriac** – A font for Syriac written in Estrangelo

Web page on CTAN <https://ctan.org/pkg/syriac>

name	syriac
caption	A font for Syriac written in Estrangelo
author	Stanier, Alan
license	noinfo = noinfo
version	(1994-06-17)
last changes	1994-06-17
year	1994
description	(no language specified) The font is specified in a single Metafont file.
on CTAN	https://ctan.org/tex-archive/fonts/syriac
keyword	font (fonts themselves)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-archaic (fonts reproducing archaic scripts or inscriptions)
keyword	font-mf (fonts distributed as Metafont source)
see also	see section 248 on page 228: (aramaic – Fonts for Aramaic script)
see also	see section 249 on page 229: (aramaic-serto – Fonts and LaTeX for Syriac written in Serto)
language(s)	no language specified
last access	2025-02-09

5792 **systcontrolletters** – Support for Systems and Control Letters

Web page on CTAN <https://ctan.org/pkg/systcontrolletters>

name	systcontrolletters
caption	Support for Systems and Control Letters
author	Truöl, Werner
author	Balemi, Silvano
license	noinfo = noinfo
version	1.1
description	(no language specified) A LaTeX 2.09 document style for preparing papers for the journal.

on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/systcontrolletters
keyword	latex209 (package only known to work with LaTeX 2.09)
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
year	without year
last access	2025-02-11

5793 *systeme* – Format systems of equations

Web page on CTAN <https://ctan.org/pkg/systeme>

name	systeme
caption	Format systems of equations
author	Tellechea, Christian
copyright	Christian Tellechea (2011-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.51 (2025-12-19)
last changes	2025-12-19
year	2025
description	(English) The package allows you to enter systems of equations or inequalities in an intuitive way, and produces typeset output where the terms and signs are aligned vertically. The package works with plain TeX or LaTeX, but e-TeX is required.
description	(French) Cette petite extension permet de saisir des systèmes d'équations ou inéquations de façon intuitive, et produit un affichage où les termes et les signes sont alignés verticalement.
documentation	<i>Package documentation (French):</i> https://ctan.org/tex-archive/macros/generic/systeme/systeme_doc_fr.pdf
– local file	./2130003079-systeme_doc_fr.pdf
on CTAN	https://ctan.org/tex-archive/macros/generic/systeme
on MikTeX	systeme
on TeXLive	systeme
keyword	maths-syseqn (systems of equations)
keyword	maths (support for typesetting mathematics)

keyword `simplified` (simplified markup)
 language(s) English; French
 last access 2025-12-30

5794 *sysuthesis* – LaTeX thesis template for Sun Yat-sen University

Web page on CTAN <https://ctan.org/pkg/sysuthesis>

name `sysuthesis`

caption LaTeX thesis template for Sun Yat-sen University

author Tan, Renier

copyright Renier Tan (2024-2026)

license lpl1.3c = The LaTeX Project Public License 1.3c (free)

version 1.0.0 (2026-02-06)

last changes 2026-02-06

year 2026

description (no language specified) This class is intended for typesetting Sun Yat-sen University dissertations with LaTeX, providing support for bachelor, master, doctoral thesis. Compilation of this class requires either the XeLaTeX or the LuaLaTeX engine.

documentation (Chinese) *Package documentation*: <https://ctan.org/tex-archive/macros/unicodetex/latex/sysuthesis/sysuthesis.pdf>

– local file `./5982161718-sysuthesis.pdf`

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/unicodetex/latex/sysuthesis/README.md>

contact *announce*: <https://github.com/irenier/sysuthesis/releases>

contact *bugs*: <https://github.com/irenier/sysuthesis/issues>

contact *repository*: <https://github.com/irenier/sysuthesis>

on CTAN <https://ctan.org/tex-archive/macros/unicodetex/latex/sysuthesis>

on MikTeX `sysuthesis`

on T_EXLive `sysuthesis`

keyword dissertation (typesetting dissertations, theses, etc.)

keyword `doc-templ` (template to guide document development)

keyword `chinese` (support for typesetting Chinese languages)

keyword `class` (alternative LaTeX class(es))
 language(s) Chinese
 last access 2026-03-26

5795 *t-angles* – Draw tangles, trees, Hopf algebra operations and other pictures

Web page on CTAN <https://ctan.org/pkg/t-angles>

name `t-angles`
 caption Draw tangles, trees, Hopf algebra operations and other pictures
 author Lyubashenko, Volodymyr
 author Bespalov, Yurii
 copyright Yu. Bespalov, V. Lyubashenko (2006)
 license gpl = GNU General Public License (free)
 description (no language specified) A LaTeX2e package for drawing tangles, trees, Hopf algebra operations and other pictures. It is based on emTeX or TPIC \special s. Therefore, it can be used with the most popular drivers, including emTeX drivers, dviwin, xdvi and dvips, and (using some code from ConTeXt) it may also be used with pdfLaTeX.
 documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/t-angles/t-manual.pdf>
 – local file `./8127248195-t-manual.pdf`
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/t-angles/README>
 on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/t-angles>
 on MikTeX `t-angles`
 on T_EXLive `t-angles`
 keyword `graphics-in-tex` (graphics produced by one of the *TeX engines)
 keyword `maths` (support for typesetting mathematics)
 language(s) no language specified
 year 2006
 last access 2025-02-07

5796 t1-fraktur – A pair of fraktur font families in T1 encodingWeb page on CTAN <https://ctan.org/pkg/t1-fraktur>

name	t1-fraktur
caption	A pair of fraktur font families in T1 encoding
author	Taupin, Daniel
author	Kurz, Vladislav
license	noinfo = noinfo
version	(2002-11-07)
last changes	2002-11-07
year	2002
description	(no language specified) These fonts were (it seems) originally developed for use with Czech and other Eastern European languages, and then extended for more general use. They don't, in fact, cover the entire T1 encoding, but they come pretty close. The fonts are distributed as Metafont source. Both font families come in both upright and "slanted" shape, and in both medium and bold weight (an interesting choice, given that the "medium" is already pretty heavy).
documentation	(no language specified) <i>Font sample</i>: https://ctan.org/tex-archive/fonts/t1-fraktur/testfrak.pdf
– local file	./7566151650-testfrak.pdf
on CTAN	https://ctan.org/tex-archive/fonts/t1-fraktur
on MikTeX	t1-fraktur
keyword	font-gothic (font for gothic or blackletter shapes)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
see also	see section 762 on page 701: (blacklettert1 – T1-encoded versions of Haralambous old German fonts)
language(s)	no language specified
last access	2025-02-07

5797 **t1enc** – Standard package for activating ec fonts

Web page on CTAN <https://ctan.org/pkg/t1enc>

name	t1enc
caption	Standard package for activating ec fonts
author	The LaTeX Project Team
license	lppl = The LaTeX Project Public License (free)
version	(1994-06-01)
last changes	1994-06-01
year	1994
description	(no language specified) Obsolete package for activating T1 font encoding. The replacement fontenc package with (optional) argument T1 does this task more satisfactorily.
on MikTeX	ltxbase
on TeXLive	latex
keyword	inputenc (input encoding support for TeX engines)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
last access	2025-02-07

5798 **t1infos** – Utilities for PostScript fonts

Web page on CTAN <https://ctan.org/pkg/t1infos>

name	t1infos
caption	Utilities for PostScript fonts
author	Baruchel, Thomas
license	bsd = BSD Style License (free)
version	1.0

description	(no language specified) There are here two little programs written in C (using <code>t1lib</code>) for scanning Type 1 fonts, and doing: – compute the ‘black area’ of each glyph, with how much percent of the square containing the glyph is black, and – checking if the ‘extremas’ (see Adobe Type 1 specifications) of the outline are correct, and tell which one are missing. There is also here a PostScript dictionary containing three algorithms for automatic kerning (the kerning is computed ‘on the fly’ instead of being pre-computed by external software like TeX, groff or lout; very useful for some PostScript hacking). Two of these algorithms are quite classical; the third is original and is PostScript-optimized. The PostScript file in the distribution contains both demonstration code and the dictionary itself.
documentation	(no language specified) <i>README file</i> : https://ctan.org/tex-archive/fonts/utilities/t1infos/README
on CTAN	https://ctan.org/tex-archive/fonts/utilities/t1infos
keyword	<code>ps-manip</code> (manipulate PostScript files)
language(s)	no language specified
year	without year
last access	2026-04-10

5799 *t1subset* – A C++ library for subsetting PostScript Type 1 fonts

Web page on CTAN <https://ctan.org/pkg/t1subset>

name	T1Subset
caption	A C++ library for subsetting PostScript Type 1 fonts
author	Frane Jr, Peter
copyright	Peter Frane Jr. (2020)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	1.0
description	(no language specified) T1Subset creates a subset of a PostScript Type 1 font. It is a header-only library as the complete functionalities are done in the header. Note that only the unused glyphs are removed; subsetting of subroutines is not currently supported, although this may change in a future version. In addition, only the following built-in encodings are currently supported: StandardEncoding, WinAnsiEncoding, and MacRomanEncoding. Other encodings may be supported in a future version.

5800 `t1tools` – Facilities for handling Adobe Type 1 fonts

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/utilities/t1subset/README
on CTAN	https://ctan.org/tex-archive/fonts/utilities/t1subset
keyword	<code>font-util</code> (manipulate or examine fonts)
keyword	<code>font-devel</code> (support for font development, testing and characterisation)
keyword	<code>font-proc</code> (process fonts for use with TeX (includes installation))
language(s)	no language specified
year	2020
last access	2025-02-07

5800 `t1tools` – Facilities for handling Adobe Type 1 fonts

Web page on CTAN <https://ctan.org/pkg/t1tools>

name	<code>t1tools</code>
caption	Facilities for handling Adobe Type 1 fonts
author	Wolff, Thomas
license	<code>noinfo = noinfo</code>
version	(1993-08-27)
last changes	1993-08-27
year	1993
description	(no language specified) This bundle contains several utilities for tasks such as making AFM files from the Type 1 fonts themselves, converting AFM files to PFM files, viewing Type 1 fonts, etc. The utilities are said to run both under MS-DOS and under Unix.
documentation	(no language specified) <i>Notes on the tools</i> : https://ctan.org/tex-archive/fonts/utilities/t1tools/readme
on CTAN	https://ctan.org/tex-archive/fonts/utilities/t1tools
keyword	<code>ps-manip</code> (manipulate PostScript files)
language(s)	no language specified
last access	2025-02-07

5801 t1utils – Simple Type 1 font manipulation programs

Web page on CTAN <https://ctan.org/pkg/t1utils>

name	t1utils
caption	Simple Type 1 font manipulation programs
author	Hetherington, Lee
author	Kohler, Eddie
license	pd = Public Domain Software (free)
description	(no language specified) A collection of simple programs for manipulating Adobe Type 1 fonts, comprising: – <i>t1ascii</i>: convert PFB (binary) to PFA (ascii) fonts; – <i>t1binary</i>: convert PFA to PFB fonts; – <i>t1disasm</i>: convert PFA or PFB fonts to human-readable and -editable format; – <i>t1asm</i>: reassemble such editable formats to a font; – <i>t1unmac</i>: extract font resources from a Macintosh font file; and – <i>t1mac</i>: generate a Macintosh font from a Type 1 font.
documentation	(no language specified) <i>T1ascii</i> documentation: http://www.lcdf.org/~eddielwo/type/t1ascii.1.html
documentation	(no language specified) <i>T1asm</i> documentation: http://www.lcdf.org/~eddielwo/type/t1asm.1.html
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/utilities/t1utils/README
documentation	(no language specified) <i>T1binary</i> documentation: http://www.lcdf.org/~eddielwo/type/t1binary.1.html
documentation	(no language specified) <i>T1mac</i> documentation: http://www.lcdf.org/~eddielwo/type/t1mac.1.html
documentation	(no language specified) <i>T1disasm</i> documentation: http://www.lcdf.org/~eddielwo/type/t1disasm.1.html
documentation	(no language specified) <i>T1unmac</i> documentation: http://www.lcdf.org/~eddielwo/type/t1unmac.1.html
home page	http://www.lcdf.org/~eddielwo/type/#t1utils
on CTAN	https://ctan.org/tex-archive/fonts/utilities/t1utils
on MikTeX	miktex-fonts-bin-2.9
on T _E XLive	t1utils
keyword	ps-manip (manipulate PostScript files)
language(s)	no language specified

year without year
last access 2025-02-07

5802 t2 – Support for using T2 encoding

Web page on CTAN <https://ctan.org/pkg/t2>

name	t2
caption	Support for using T2 encoding
author	Lemberg, Werner
author	Volovich, Vladimir
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The T2 bundle provides a variety of separate support functions for using Cyrillic characters in LaTeX: • the <code>mathtext</code> package, for using Cyrillic letters ‘transparently’ in formulae; • the <code>citehack</code> package, for using Cyrillic (or indeed any non-ascii) characters in citation keys; • support for Cyrillic in BibTeX; • support for Cyrillic in Makeindex; and • various items of font support.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/t2/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/t2
on MikTeX	t2
on T _E XLive	t2
keyword	fontenc (support for font encodings)
keyword	cyrillic (support languages written using Cyrillic alphabets)
language(s)	no language specified
year	without year
last access	2025-02-07

5803 *tab4tex* – Preprocessor for LaTeX tabular environments

Web page on CTAN <https://ctan.org/pkg/tab4tex>

name	tab4tex
caption	Preprocessor for LaTeX tabular environments
author	Milanese, Guido
copyright	Guido Milanese (2007)
license	gpl = GNU General Public License (free)
version	0.1
description	(no language specified) Tab4tex is a SNOBOL program that transforms a text file with very simple tagging into a LaTeX table using the tabular environment. The tags support several kinds of alignments, horizontal and vertical bars, and some basic text formatting (italics, bold, small caps).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/tab4tex/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/tab4tex/docs/tab4tex.pdf
– local file	./3474935984-tab4tex.pdf
on CTAN	https://ctan.org/tex-archive/support/tab4tex
keyword	table (table typesetting)
keyword	foreign-import (import files in a non-TeX (or different TeX) format)
language(s)	no language specified
year	2007
last access	2025-02-07

5804 *tabbing* – Tabbing with accented letters

Web page on CTAN <https://ctan.org/pkg/tabbing>

name	tabbing
caption	Tabbing with accented letters
author	Drucbert, Jean-Pierre
copyright	Jean-Pierre F. Drucbert (1996-1999)
license	lpl1 = The LaTeX Project Public License 1 (free)

5805 *tabbingbox* – Save a tabbing environment in a box

description	(no language specified) By default, some of the tabbing environment's commands clash with default accent commands; LaTeX provides the odd commands <code>\a'</code> , etc., to deal with the clash. The package offers a variant of the tabbing environment which does not create this difficulty, so that users need not learn two sets of accent commands.
documentation	<i>Package documentation (French)</i> : https://ctan.org/tex-archive/info/translations/Tabbing/fr/f-Tabbing.pdf
– local file	<code>./4311047527-f-Tabbing.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/Tabbing/README
documentation	<i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/Tabbing/Tabbing.pdf
– local file	<code>./5083381515-Tabbing.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/Tabbing
on MikTeX	<code>tabbing</code>
on TeXLive	<code>tabbing</code>
keyword	macro-supp (support for development of (La)TeX macros)
keyword	alignment (tables, tab structures, etc)
language(s)	English; French
year	1999
last access	2025-02-07

5805 *tabbingbox* – Save a tabbing environment in a box

Web page on CTAN <https://ctan.org/pkg/tabbingbox>

name	<code>tabbingbox</code>
caption	Save a tabbing environment in a box
license	<code>noinfo = noinfo</code>
version	(1991-08-09)
last changes	1991-08-09
year	1991

description	(no language specified) Defines an environment <code>tabbingbox</code> , which puts <code>tabbing</code> environment commands in a box. This is one way of getting a bunch of lines into a box, where the width of the box is that of the widest line. The macros use the <code>maybeload</code> and <code>redefine</code> macro bundles.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/tabbingbox.tex
keyword	boxing (creating boxes)
keyword	alignment (tables, tab structures, etc)
see also	see section 4528 on page 4096: (<code>pbox</code> – A variable-width <code>\parbox</code> command)
see also	see section 6575 on page 5942: (<code>varwidth</code> – A variable-width minipage)
language(s)	no language specified
last access	2025-02-07

5806 *tabfigures* – Maintain vertical alignment of figures

Web page on CTAN	https://ctan.org/pkg/tabfigures
name	<code>tabfigures</code>
caption	Maintain vertical alignment of figures
author	Ummels, Michael
copyright	Michael Ummels (2011)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1
description	(no language specified) Knuth designed his original fonts with tabular figures (figures whose width is uniform); this makes some layout problems rather simple. In more recent times, fonts (such as Minion Pro), which offer proportionally spaced figures, are increasingly being used. The package provides mechanisms whereby such proportional figures may still be aligned in tabular style (for example, in the table of contents).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tabfigures/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tabfigures/tabfigures.pdf
– local file	<code>./2740445278-tabfigures.pdf</code>

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tabfigures
on MikTeX	tabfigures
on TeXLive	tabfigures
keyword	font-use (font selection, mapping, etc.)
keyword	typesetting (support for variations of typographic style)
language(s)	no language specified
year	2011
last access	2025-02-07

5807 `table-fct` – Draw a variations table of functions and a convexity table of its graph

Web page on CTAN	https://ctan.org/pkg/table-fct
name	<code>table-fct</code>
caption	Draw a variations table of functions and a convexity table of its graph
author	Lakhdar, Sidi Mohamed
copyright	Sidi Mohamed LAKHDAR (2016)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1
description	(no language specified) Draw a variations table of functions and a convexity table of its graph This version offers two environnements, to draw variations table of a function and a convexity table of its graph.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/table-fct/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/table-fct/table-fct-doc.pdf
– local file	<code>./4571990053-table-fct-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/table-fct
on MikTeX	<code>table-fct</code>
on TeXLive	<code>table-fct</code>
keyword	graphics (graphics (support packages))
language(s)	no language specified

year 2016
last access 2025-02-07

5808 *tableauvariations* – Variation tables in MetaPost

Web page on CTAN <https://ctan.org/pkg/tableauvariations>

name `tableauVariations`
caption Variation tables in MetaPost
author Mazoit, Frédéric
copyright Frédéric Mazoit (2005)
license gpl = GNU General Public License (free)
description (no language specified) Utility macros for creating tables of signs and of variations. The LaTeX package **tablor** provides an interface to this package.
documentation *Draft package documentation (French):*
https://ctan.org/tex-archive/graphics/metapost/contrib/macros/tableauvariations/doc_fr.pdf
– local file `./5186843882-doc_fr.pdf`
on CTAN <https://ctan.org/tex-archive/graphics/metapost/contrib/macros/tableauvariations>
on MikTeX `tableauvariations`
keyword `maths-tabvar` (mathematical tables of signs and variations)
see also see section **5816** on page **5269**: (`tablor` – Create tables of signs and of variations)
see also see section **5836** on page **5287**: (`tabvar` – Typesetting tables showing variations of functions)
see also see section **6231** on page **5637**: (`tkz-tab` – Tables of signs and variations using PGF/TikZ)
see also see section **5809** on page **5263**: (`tableaux` – Construct tables of signs and variations)
language(s) French
year 2005
last access 2025-02-07

5809 tableaux – Construct tables of signs and variations

Web page on CTAN <https://ctan.org/pkg/tableaux>

name	tableaux
caption	Construct tables of signs and variations
author	Kisselhoff, Nicolas
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The package uses PSTricks; the user may define the width of the table, the number of lines and the height of each line. Placement of labels within the boxes may be absolute, or as a percentage of the width; various other controls are available.
documentation	<i>Package documentation (French):</i> https://ctan.org/tex-archive/macros/latex/contrib/tableaux/tableau.pdf
– local file	<code>./1772786131-tableau.pdf</code>
documentation	<i>Further examples (comments in French):</i> https://ctan.org/tex-archive/macros/latex/contrib/tableaux/exemples.pdf
– local file	<code>./4828342860-exemples.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tableaux
on T _E XLive	tableaux
keyword	maths-tabvar (mathematical tables of signs and variations)
see also	see section 6231 on page 5637: (tkz-tab – Tables of signs and variations using PGF/TikZ)
see also	see section 5816 on page 5269: (tablor – Create tables of signs and of variations)
see also	see section 5808 on page 5262: (tableauVariations – Variation tables in MetaPost)
see also	see section 5836 on page 5287: (tabvar – Typesetting tables showing variations of functions)
language(s)	French
year	without year
last access	2025-02-07

5810 *tablefootnote* – Permit footnotes in tables

Web page on CTAN <https://ctan.org/pkg/tablefootnote>

name	tablefootnote
caption	Permit footnotes in tables
author	Münch, Hans-Martin
copyright	H.-Martin Münch (2011-2014)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1c (2014-01-20)
last changes	2014-01-20
year	2014
description	(no language specified) The package provides the command <code>\tablefootnote</code> to be used in a <code>table</code> or <code>sidewaystable</code> environment, where <code>\footnote</code> will not work (and when using <code>\footnotemark</code> and <code>\footnotetext</code> , and adjusting the counter as necessary, is too much work).
documentation	(no language specified) <i>Demonstration and outline of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/tablefootnote/tablefootnote-example.pdf
– local file	<code>./2162395275-tablefootnote-example.pdf</code>
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/tablefootnote/tablefootnote.pdf
– local file	<code>./1582389401-tablefootnote.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/tablefootnote/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tablefootnote
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/tablefootnote.tds.zip
on MikTeX	tablefootnote
on T _E XLive	tablefootnote
keyword	footnote (footnote support)
keyword	table (table typesetting)
language(s)	no language specified
last access	2025-02-07

5811 *tableof* – Tagging tables of contents

Web page on CTAN <https://ctan.org/pkg/tableof>

name	tableof
caption	Tagging tables of contents
author	Burnol, Jean-François
copyright	Jean-François Burnol (2012, 2013, 2015, 2018, 2021, 2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.4d (2024-09-17)
last changes	2024-09-17
year	2024
description	(no language specified) The package provides the commands to flag chapters or sections (or anything else destined to become a TOC line). The command <code>\nexttocwithtags{req1, req2, ...}{excl1, excl2, ...}</code> specifies which tags are to be required and which ones are to be excluded by the next <code>\tableofcontents</code> (or equivalent) command. In a document that uses a class where <code>\tableofcontents</code> may only be used once, the command <code>\tableoftaggedcontents{req1, req2, ...}{excl1, excl2, ...}</code> may be used to provide several tables.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tableof/tableof.pdf
– local file	<code>./3567217687-tableof.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tableof/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tableof
on MikTeX	tableof
on TeXLive	tableof
keyword	toc-etc (deal with Tables of Contents, and of other such things)
language(s)	no language specified
last access	2025-02-07

5812 *tablericons* – Use *tablerIcons* through LaTeX commandsWeb page on CTAN <https://ctan.org/pkg/tablericons>

name	tablerIcons
caption	Use <i>tablerIcons</i> through LaTeX commands
author	Pierquet, Cédric
license	mit = MIT License (free)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.3 (2026-04-17)
last changes	2026-04-17
year	2026
description	(no language specified) This package provides commands like twemojis which allow to use tablerIcons through LaTeX commands. This relies on images (PDF from SVG), so no fancy unicode-font stuff is needed and it <i>should</i> work on every installation.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tablericons/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tablericons/doc/tablericons-doc.pdf
– local file	<code>./7782955389-tablericons-doc.pdf</code>
contact	<i>bugs</i> : https://github.com/cpierquet/latex-packages/issues
contact	<i>repository</i> : https://github.com/cpierquet/latex-packages/tree/main/tablericons
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tablericons
on MikTeX	tablericons
on T _E XLive	tablericons
keyword	graphics (graphics (support packages))
keyword	text-symbol (symbols for use in text)
language(s)	no language specified
last access	2026-04-25

5813 `tables` – Tables without the need for a preambleWeb page on CTAN <https://ctan.org/pkg/tables>

name	tables
caption	Tables without the need for a preamble
author	Taylor, Bob
author	Cowan, Ray F.
license	noinfo = noinfo
version	(1987-03-20)
last changes	1987-03-20
year	1987
description	(no language specified) The original of this package was written for Plain TeX, and seems to have been lost. This version works for LaTeX 2.09, but not (apparently) for current LaTeX; it seems odd to have converted it for LaTeX, since LaTeX's tables model seems to cover most of what the package does (albeit rather differently).
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex209/contrib/tables/tables-doc.pdf
– local file	./4089959890-tables-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/tables
keyword	table (table typesetting)
language(s)	no language specified
last access	2025-02-07

5814 `tablestyles` – Styles for tables with new commandsWeb page on CTAN <https://ctan.org/pkg/tablestyles>

name	tablestyles
caption	Styles for tables with new commands
author	Pospiech, Matthias
copyright	Matthias Pospiech (2014)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)

5815 *tablists* – Tabulated lists of short items

version	0.1 (2014-06-27)
last changes	2014-06-27
year	2014
description	(no language specified) This package tries to introduce a separation of text and style in tables by defining reusable table commands and a simple interface to define a style for a table. Furthermore the package defines commonly used column styles and a bugfix command for lists in tables. However, the author told us in March 2023: "I wrote [this package] about ten years ago, [...] since at that time no package with layout options for tabulars was available. [...] However since nowadays much better packages are available that do the same job, but are much more professional in code base, usability and results, I want to remove my package from CTAN."
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/tablestyles/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/tablestyles/tablestyles.pdf
– local file	<code>./9422548486-tablestyles.pdf</code>
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/tablestyles
on MikTeX	<code>tablestyles</code>
keyword	<code>table</code> (table typesetting)
keyword	<code>obsolete</code> (package declared obsolete)
language(s)	no language specified
last access	2025-02-07

5815 *tablists* – Tabulated lists of short items

Web page on CTAN	https://ctan.org/pkg/tablists
name	<code>tablists</code>
caption	Tabulated lists of short items
author	Lapko, Olga
license	lppl = The LaTeX Project Public License (free)
version	0.0e

5816 `tablor` – Create tables of signs and of variations

description	(no language specified) This package offers environments and commands for one-level and two-level lists of short items (e.g., exercises in textbooks). The environments support optional arguments of item numbering similar to the <code>enumerate</code> or <code>paralist</code> packages.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tablists/tablists.pdf
– local file	<code>./7025332422-tablists.pdf</code>
documentation	(no language specified) <i>README file</i> : https://ctan.org/tex-archive/macros/latex/contrib/tablists/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tablists
on MikTeX	<code>tablists</code>
on TeXLive	<code>tablists</code>
keyword	<code>list-enum</code> (list: items enumerated)
language(s)	no language specified
year	without year
last access	2025-02-07

5816 `tablor` – Create tables of signs and of variations

Web page on CTAN <https://ctan.org/pkg/tablor>

name	<code>tablor</code>
caption	Create tables of signs and of variations
author	Connan, Guillaume
copyright	Guillaume Connan (2008)
license	lppl = The LaTeX Project Public License (free)
version	4.07-g
description	(no language specified) The package allows the user to use the computer algebra system <code>XCAS</code> to generate tables of signs and of variations (the actual plotting of the tables uses the MetaPost macro package <code>tableauVariations</code>). Tables with forbidden regions may be developed using the package. A configuration file permits some configuration of the language to be used in the diagrams. The <code>tablor</code> package requires that shell escape be enabled.

5817 `tabls` – Better vertical spacing in tables and arrays

documentation	<i>Package documentation (French):</i> https://ctan.org/tex-archive/macros/latex/contrib/tablor/tablor.pdf
– local file	<code>./6210657443-tablor.pdf</code>
documentation	<i>Readme (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/tablor/README
documentation	<i>Readme (French):</i> https://ctan.org/tex-archive/macros/latex/contrib/tablor/README-fr.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tablor
on MikTeX	<code>tablor</code>
on T _E XLive	<code>tablor</code>
keyword	<code>maths-tabvar</code> (mathematical tables of signs and variations)
see also	see section 5809 on page 5263: (<code>tableaux</code> – Construct tables of signs and variations)
see also	see section 6231 on page 5637: (<code>tkz-tab</code> – Tables of signs and variations using PGF/TikZ)
see also	see section 5836 on page 5287: (<code>tabvar</code> – Typesetting tables showing variations of functions)
see also	see section 5808 on page 5262: (<code>tableauVariations</code> – Variation tables in MetaPost)
language(s)	English; French
year	2008
last access	2025-02-07

5817 `tabls` – Better vertical spacing in tables and arrays

Web page on CTAN <https://ctan.org/pkg/tabls>

name	<code>tabls</code>
caption	Better vertical spacing in tables and arrays
author	Arseneau, Donald
copyright	Donald Arseneau (1989-1996)
license	other-free = Free license not otherwise listed (free)
version	3.5

description	(no language specified) Modifies LaTeX’s array and tabular environments to keep text from touching other text or hlines above or below. Several new parameters are defined and some standard macros are re-defined. The package slows down compilation of tables, since each entry is boxed twice.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tbls/tbls.pdf
– local file	<code>./5867771528-tbls.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tbls
on MikTeX	<code>tbls</code>
on TeXLive	<code>tbls</code>
keyword	<code>table</code> (table typesetting)
see also	see section 978 on page 889: (<code>cellspace</code> – Ensure minimal spacing of table cells)
language(s)	no language specified
year	1996
last access	2025-02-07

5818 `tblvar` – Typesetting pretty tables of signs and variations according to French usage

Web page on CTAN <https://ctan.org/pkg/tblvar>

name	<code>tblvar</code>
caption	Typesetting pretty tables of signs and variations according to French usage
author	Missier, Antoine
copyright	Antoine Missier (2018-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.1 (2024-08-09)
last changes	2024-08-09
year	2024
description	(no language specified) This is a complete and easy-to-use package for typesetting pretty tables of signs and variations according to French usage. • The syntax is similar to that of the <code>array</code> environment and uses intuitive position commands. • Arrows are automatically drawn (with <code>PSTricks</code> or <code>TikZ</code>).

- Macros are provided for drawing double bars, single bars crossing zero values, intervals where the function is not defined, or for placing special values.
- Many features of variations tables can be customized.

documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tablvar/tablvar.pdf
– local file	<code>./2596722725-tablvar.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tablvar/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tablvar
on MikTeX	<code>tablvar</code>
on TeXLive	<code>tablvar</code>
keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>maths-tabvar</code> (mathematical tables of signs and variations)
keyword	<code>french</code> (support for typesetting French)
language(s)	French
last access	2025-02-07

5819 *tabriz-thesis* – A template for the University of Tabriz

Web page on CTAN	https://ctan.org/pkg/tabriz-thesis
name	<code>tabriz-thesis</code>
caption	A template for the University of Tabriz
author	Damanafshan, Vahid
copyright	Vahid Damanafshan (2011-2013)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1
description	(no language specified) The package offers a document class for typesetting theses and dissertations at the University of Tabriz. The class requires use of XeLaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/tabriz-thesis/README
documentation	(Persian) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/xetex/latex/tabriz-thesis/tabriz-thesis.pdf

– local file	<code>./7925583661-tabriz-thesis.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/tabriz-thesis
on MikTeX	<code>tabriz-thesis</code>
on TeXLive	<code>tabriz-thesis</code>
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
keyword	<code>persian</code> (support for typesetting Persian)
keyword	<code>xetex</code> (XeTeX, material supporting it, and packages requiring it)
keyword	<code>class</code> (alternative LaTeX class(es))
language(s)	Persian
year	2013
last access	2025-02-09

5820 *tabsatz* – How to use tables in LaTeX

Web page on CTAN <https://ctan.org/pkg/tabsatz>

name	<code>tabsatz</code>
caption	How to use tables in LaTeX
author	Reichert, Axel
license	<code>noinfo = noinfo</code>
version	(1999-02-25)
last changes	1999-02-25
year	1999
description	(no language specified) A tutorial on typesetting tables with some examples (in German).
documentation	(German) <i>The document itself</i> : https://ctan.org/tex-archive/info/german/tabsatz/tabsatz.pdf
– local file	<code>./8161457958-tabsatz.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/german/tabsatz
keyword	<code>german-doc</code> (documentation in German)
language(s)	German
last access	2025-02-07

5821 *tabstackengine* – “Tabbing” front-end to *stackengine*

Web page on CTAN <https://ctan.org/pkg/tabstackengine>

name	tabstackengine
caption	“Tabbing” front-end to <i>stackengine</i>
author	Segletes, Steven B.
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.10 (2018-03-05)
last changes	2018-03-05
year	2018
description	(no language specified) The package provides a front end to the <i>stackengine</i> package, to allow tabbed stacking. In most cases, an existing stackengine command may be prepended with the word “tabbed”, “align” or “tabular” to create a new tabbed version of a stacking macro. In addition, hooks in the package’s parser that tabbed strings of data may be parsed, extracted, and reconstituted (not requiring use of any stacking constructions).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tabstackengine/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tabstackengine/tabstackengine.pdf
– local file	./2695151039-tabstackengine.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tabstackengine
on MikTeX	tabstackengine
on T _E XLive	tabstackengine
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

5822 *tabto-generic* – “Tab” to a measured position in the line

Web page on CTAN <https://ctan.org/pkg/tabto-generic>

name	<code>tabto-generic</code>
caption	“Tab” to a measured position in the line
author	Arseneau, Donald
license	pd = Public Domain Software (free)
version	(2009-09-12)
last changes	2009-09-12
year	2009
description	(no language specified) <code>\tabto{<length>}</code> moves the typesetting position to <code><length></code> from the left margin of the paragraph. If the typesetting position is already further along, <code>\tabto</code> starts a new line.
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/tabto.tex
on MikTeX	<code>genmisc</code>
on T _E XLive	<code>tabto-generic</code>
keyword	layout (layout of objects on the page)
see also	see section 5823 on page 5275: (<i>tabto-ltx</i> – “Tab” to a measured position in the line)
language(s)	no language specified
last access	2025-02-07

5823 *tabto-ltx* – “Tab” to a measured position in the line

Web page on CTAN <https://ctan.org/pkg/tabto-ltx>

Alias	<code>tabto</code>
name	<code>tabto-ltx</code>
caption	“Tab” to a measured position in the line
author	Arseneau, Donald
copyright	Donald Arseneau (2006,2009,2012,2013,2018)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.4

description	(no language specified) <code>\tabto{<length>}</code> moves the typesetting position to <code><length></code> from the left margin of the paragraph. If the typesetting position is already further along, <code>\tabto</code> starts a new line; the command <code>\tabto*</code> will move position backwards if necessary, so that previous text may be overwritten. The command <code>\TabPositions</code> may be used to define a set of tabbing positions, after which the command <code>\tab</code> advances typesetting position to the next defined ‘tab stop’.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tabto/tabto-doc.pdf
– local file	<code>./2625438713-tabto-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tabto
on MikTeX	<code>tabto-ltx</code>
on T _E XLive	<code>tabto-ltx</code>
keyword	layout (layout of objects on the page)
see also	see section 5822 on page 5275: (<code>tabto-generic</code> – “Tab” to a measured position in the line)
language(s)	no language specified
year	2018
last access	2025-02-07

5824 *tabu* – Flexible LaTeX tabulars

Web page on CTAN <https://ctan.org/pkg/tabu>

name	<code>tabu</code>
caption	Flexible LaTeX tabulars
author	Chervet, Florent
copyright	Florent Chervet (2010)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.9 (2019-01-11)
last changes	2019-01-11
year	2019

description	(no language specified) The package provides an environment, <code>tabu</code>, which will make any sort of tabular (that doesn't need to split across pages), and an environment <code>longtabu</code> which provides the facilities of <code>tabu</code> in a modified <code>longtable</code> environment. (Note that this latter offers an enhancement of <code>ltxtable</code>.) The package requires the <code>array</code> package, and needs e-TeX to run (since <code>array.sty</code> is present in every conforming distribution of LaTeX, and since every publicly available LaTeX format is built using e-TeX, the requirements are provided by default on any reasonable system). The package also requires <code>xcolor</code> for coloured rules in tables, and <code>colortbl</code> for coloured cells. The <code>longtabu</code> environment further requires that <code>longtable</code> be loaded. The package itself does not load any of these packages for the user. The <code>tabu</code> environment may be used in place of <code>tabular</code>, <code>tabular*</code> and <code>tabularx</code> environments, as well as the <code>array</code> environment in maths mode. It overloads <code>tabularx</code>'s X-column specification, allowing a width specification, alignment (<code>l</code>, <code>r</code>, <code>c</code> and <code>j</code>) and column type indication (<code>p</code>, <code>m</code> and <code>b</code>). <code>\begin{tabu}</code> to <code><dimen></code> specifies a target width, and <code>\begin{tabu}</code> spread <code><dimen></code> enlarges the environment's "natural" width.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tabu/tabu.pdf
– local file	<code>./3475260523-tabu.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tabu/README.md
contact	<i>repository</i> : https://github.com/tabu-issues-for-future-maintainer/tabu
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tabu
on MikTeX	<code>tabu</code>
on T _E XLive	<code>tabu</code>
keyword	<code>table-long</code> (typeset tables that may be too big for a page)
keyword	<code>table</code> (table typesetting)
language(s)	no language specified
last access	2025-02-07

5825 `tabular2` – Table typesetting with expl3 syntax

Web page on CTAN <https://ctan.org/pkg/tabular2>

name	tabular2
caption	Table typesetting with expl3 syntax
author	Ms_yam
copyright	Ms_yam (2023-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.4 (2026-03-16)
last changes	2026-03-16
year	2026
description	(no language specified) This package offers an experimental solution for table typesetting. It features a completely new set of input and output interfaces for tables, which diversifies the methods of input and output and enhances readability. At the code level, it is written using the expl3 syntax, completely eliminating any reliance on traditional low-level table commands.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tabular2/README.md
documentation	(Chinese) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/tabular2/tabular2-sample.pdf
– local file	./1492678674-tabular2-sample.pdf
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tabular2/tabular2.pdf
– local file	./1545810202-tabular2.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tabular2
on T _E XLive	tabular2
keyword	table (table typesetting)
language(s)	Chinese
last access	2026-03-26

5826 *tabularborder* – Remove excess space at left and right of tabular

Web page on CTAN <https://ctan.org/pkg/tabularborder>

name	tabularborder
caption	Remove excess space at left and right of tabular
author	Fink, Johannes K.
copyright	Johannes Fink (2010)
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.0a
description	(no language specified) The tabular environment is changed so that the outer <code>\tabcolsep</code> s are compensated and a <code>\hline</code> has the same length as the text. No <code>@{}</code> is needed.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/tabularborder/tabularborder.pdf
– local file	./8380915405-tabularborder.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tabularborder
on MikTeX	tabularborder
on TeXLive	tabularborder
keyword	table (table typesetting)
language(s)	no language specified
year	2010
last access	2025-02-07

5827 *tabularcalc* – Calculate formulas in a tabular environment

Web page on CTAN <https://ctan.org/pkg/tabularcalc>

name	tabularcalc
caption	Calculate formulas in a tabular environment
author	Tellechea, Christian
license	lppl = The LaTeX Project Public License (free)
version	0.2

description	(no language specified) Given a list of numbers and one (or more) formulas, the package offers an easy syntax to build a table of values, i.e., a tabular in which the first row contains the list of numbers, and the other rows contain the calculated values of the formulas for each number of the list. The table may be built either horizontally or vertically and is fully customizable.
documentation	<i>Package documentation (French)</i> : https://ctan.org/tex-archive/macros/latex/contrib/tabularcalc/tabularcalc_doc_fr.pdf
– local file	<code>./7541481092-tabularcalc_doc_fr.pdf</code>
documentation	<i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/tabularcalc/tabularcalc_doc_en.pdf
– local file	<code>./7410043015-tabularcalc_doc_en.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tabularcalc/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tabularcalc
on MikTeX	<code>tabularcalc</code>
on TeXLive	<code>tabularcalc</code>
keyword	<code>table</code> (table typesetting)
language(s)	English; French
year	without year
last access	2025-02-07

5828 *tabularew* – A variation on the tabular environment

Web page on CTAN <https://ctan.org/pkg/tabularew>

name	<code>tabularew</code>
caption	A variation on the tabular environment
author	Saba, Diego
copyright	Diego Saba (2009)
license	lppl = The LaTeX Project Public License (free)
version	0.1
description	(no language specified) The package offers a modification of the tabular environment, which deals with the problem of column heads that are significantly wider than the body of the column.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tabularew/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tabularew/tabularew.pdf
– local file	./6083420208-tabularew.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tabularew
on MikTeX	tabularew
on TeXLive	tabularew
keyword	table (table typesetting)
language(s)	no language specified
year	2009
last access	2025-02-07

5829 tabularht – Tabular environments with height specified

Web page on CTAN <https://ctan.org/pkg/tabularht>

name	tabularht
caption	Tabular environments with height specified
author	Oberdiek, Heiko
copyright	Oberdiek Package Support Group (2016-2019)
copyright	Heiko Oberdiek (2005-2007)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.7 (2019-12-29)
last changes	2019-12-29
year	2019
description	(no language specified) The tabularht package defines some environments that add a height specification to tabular and array environments. The default set of new environments take a value for their height in the first argument: defined environments are: <code>tabularht</code>, <code>tabularht*</code> and <code>arrayht</code>. If package tabularx is also loaded, the package also defines environments <code>tabularxht</code> and <code>tabularxht*</code>. The places where stretching is to happen are signalled by <code>\noalign{\vfill}</code> immediately after the <code>\\</code> that ends a row of the table or array.

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/tabularht.pdf
– local file	./8000958519-tabularht.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/tabularht.dtx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/oberdiek.tds.zip
on MikTeX	oberdiek
on T _E XLive	oberdiek
keyword	table (table typesetting)
language(s)	no language specified
last access	2025-02-07

5830 *tabularkv* – Tabular environments with key-value interface

Web page on CTAN	https://ctan.org/pkg/tabularkv
name	tabularkv
caption	Tabular environments with key-value interface
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2005, 2006)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2 (2016-05-16)
last changes	2016-05-16
year	2016
description	(no language specified) The <i>tabularkv</i> package creates an environment <code>tabularkv</code> , whose arguments are specified in key-value form. The arguments chosen determine which other type of tabular is to be used (whether standard LaTeX ones, or environments from the <i>tabularx</i> or the <i>tabularht</i> package).
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/tabularkv.pdf
– local file	./8443868706-tabularkv.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/tabularkv.dtx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/oberdiek.tds.zip

on MikTeX	oberdiek
on TeXLive	oberdiek
keyword	table (table typesetting)
language(s)	no language specified
last access	2025-02-07

5831 *tabularray* – Typeset tabulars and arrays with LaTeX3

Web page on CTAN <https://ctan.org/pkg/tabularray>

name	tabularray
caption	Typeset tabulars and arrays with LaTeX3
author	Lyu, Jianrui
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2025C (2025-11-27)
last changes	2025-11-27
year	2025
description	(no language specified) LaTeX tables are implemented using TeX commands such as <code>\halign</code>, <code>\noalign</code>, <code>\span</code>, and <code>\omit</code>. In order to implement new features, many macro packages have modified the inner table commands inside LaTeX. This makes package code complicated, difficult to maintain, and often conflicts with each other. At present, the LaTeX3 programming layer is basically mature. This <i>tabularray</i> package will discard the old <code>\halign</code> commands and directly use LaTeX3 functions to parse the table, and then typeset the entire table. Under the premise of being compatible with the basic syntax of LaTeX2 tables, this macro package will completely separate the content and style of the table, and the style of the table can be completely set in keyval way.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/tabularray/tabularray.pdf
– local file	<code>./9371288773-tabularray.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/tabularray/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tabularray
on MikTeX	tabularray

on T _E XLive	<code>tabularray</code>
keyword	<code>table</code> (table typesetting)
keyword	<code>table-long</code> (typeset tables that may be too big for a page)
language(s)	no language specified
last access	2025-12-06

5832 *tabularray-abnt* – An ABNT (Brazilian standard) theme for *tabularray*

Web page on CTAN <https://ctan.org/pkg/tabularray-abnt>

name	<code>tabularray-abnt</code>
caption	An ABNT (Brazilian standard) theme for <i>tabularray</i>
author	Massago, Sadao
copyright	Sadao Massago (2025)
license	l ^{pl} 1.3c = The LaTeX Project Public License 1.3c (free)
version	(2025-08-08)
last changes	2025-08-08
year	2025
description	(no language specified) This is the <code>abnt</code> Brazilian standard style for <i>tabularray</i>. It provides the themes <code>abnt</code> (for tables with numerical data) and <code>quadro</code> (for tables with text information). Additional environments <code>abnttblr</code>, <code>tallabnttblr</code>, and <code>longabnttblr</code> are wrappers to <code>tblr</code>, <code>talltblr</code>, and <code>longtblr</code> that apply the <code>abnt</code> theme automatically and permit to set the table font using <code>\SetAbntTblrFont{}</code> provided here.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tabularray-abnt/README.md
documentation	(Portuguese (Brazilia)) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tabularray-abnt/tabularray-abnt-pt-br.pdf
– local file	<code>./4113961645-tabularray-abnt-pt-br.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tabularray-abnt
on MikT _E X	<code>tabularray-abnt</code>
on T _E XLive	<code>tabularray-abnt</code>
keyword	<code>table</code> (table typesetting)

keyword	portuguese-br (support for typesetting Brazilian Portuguese)
keyword	std-conform (support conformance to standards)
language(s)	Portuguese (Brazilia)
last access	2025-12-06

5833 *tabulars-e* – Examples from the book “Typesetting tables with LaTeX”

Web page on CTAN <https://ctan.org/pkg/tabulars-e>

name	tabulars-e
caption	Examples from the book “Typesetting tables with LaTeX”
author	Voß, Herbert
copyright	Herbert Voß (2010)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The bundle presents the examples of the book “Typesetting tables with LaTeX” (ISBN 978-1-906860-25-7), as standalone documents.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/examples/tabulars-e/README
on CTAN	https://ctan.org/tex-archive/info/examples/tabulars-e
keyword	book-ex (copies of examples from a published book)
language(s)	no language specified
year	2010
last access	2026-04-13

5834 *tabularx* – Tabulars with adjustable-width columns

Web page on CTAN <https://ctan.org/pkg/tabularx>

name	tabularx
caption	Tabulars with adjustable-width columns
author	The LaTeX Project Team
author	Carlisle, David
copyright	The LaTeX Project (1993-2023)

copyright	David Carlisle (1991-2017)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.12a (2023-12-11)
last changes	2023-12-11
year	2023
description	(no language specified) The package defines an environment <code>tabularx</code>, an extension of <code>tabular</code> which has an additional column designator, <code>x</code>, which creates a paragraph-like column whose width automatically expands so that the declared width of the environment is filled. (Two <code>x</code> columns together share out the available space between them, and so on.) The package is part of the latex-tools bundle in the LaTeX required distribution.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/required/tools/tabularx.pdf
– local file	<code>./4999011491-tabularx.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/required/tools
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-tools.tds.zip
on MikTeX	<code>latex-tools</code>
on TeXLive	<code>tools</code>
keyword	<code>table</code> (table typesetting)
see also	see section 5835 on page 5286 : (<i>tabulary</i> – Tabular with variable width columns balanced)
language(s)	no language specified
last access	2025-02-07

5835 *tabulary* – Tabular with variable width columns balanced

Web page on CTAN <https://ctan.org/pkg/tabulary>

name	<code>tabulary</code>
caption	Tabular with variable width columns balanced
author	Carlisle, David
copyright	David Carlisle (1995, 1996, 2003, 2008, 2024)
license	lppl = The LaTeX Project Public License (free)

version	0.11 (2024-06-04)
last changes	2024-06-04
year	2024
description	(no language specified) The package defines a <code>tabular*</code> -like environment, <code>tabulary</code> , taking a ‘total width’ argument as well as the column specifications. The environment uses column types <code>L</code> , <code>C</code> , <code>R</code> and <code>J</code> for variable width columns (<code>\raggedright</code> , <code>\centering</code> , <code>\raggedleft</code> , and normally justified). In contrast to <code>tabularx</code> ’s <code>X</code> columns, the width of each column is weighted according to the natural width of the widest cell in the column.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tabulary/tabulary.pdf
– local file	<code>./7530703762-tabulary.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tabulary/README.txt
contact	<i>bugs</i> : https://github.com/davidcarlisle/dpctex/issues
contact	<i>repository</i> : https://github.com/davidcarlisle/dpctex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tabulary
on MikTeX	<code>tabulary</code>
on TeXLive	<code>tabulary</code>
keyword	<code>table</code> (table typesetting)
language(s)	no language specified
last access	2025-02-07

5836 *tabvar* – Typesetting tables showing variations of functions

Web page on CTAN <https://ctan.org/pkg/tabvar>

name	<code>tabvar</code>
caption	Typesetting tables showing variations of functions
author	Flipo, Daniel
copyright	Daniel Flipo (2003-2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.8
description	(no language specified) This LaTeX package is meant to ease the typesetting of tables showing variations of functions as they are used in France.

5837 `tabverb` – Verbatim text respecting TAB characters

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tabvar/README
documentation	<i>Package documentation (French)</i> : https://ctan.org/tex-archive/macros/latex/contrib/tabvar/doc/tabvar.pdf
– local file	<code>./3911987424-tabvar.pdf</code>
documentation	(no language specified) <i>Package demo</i> : https://ctan.org/tex-archive/macros/latex/contrib/tabvar/doc/demo.pdf
– local file	<code>./5926424621-demo.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tabvar
on MikTeX	<code>tabvar</code>
on T _E XLive	<code>tabvar</code>
keyword	<code>maths-tabvar</code> (mathematical tables of signs and variations)
see also	see section 5808 on page 5262: (<code>tableauVariations</code> – Variation tables in MetaPost)
see also	see section 5809 on page 5263: (<code>tableaux</code> – Construct tables of signs and variations)
see also	see section 5816 on page 5269: (<code>tablor</code> – Create tables of signs and of variations)
see also	see section 6231 on page 5637: (<code>tkz-tab</code> – Tables of signs and variations using PGF/TikZ)
language(s)	French
year	2022
last access	2025-02-07

5837 `tabverb` – Verbatim text respecting TAB characters

Web page on CTAN <https://ctan.org/pkg/tabverb>

name	<code>tabverb</code>
caption	Verbatim text respecting TAB characters
author	Fine, Michael
license	<code>noinfo = noinfo</code>
version	(1987-09-29)
last changes	1987-09-29
year	1987

description	(no language specified) The (LaTeX 2.09) package provides a version of the <code>verbatim</code> environment that respects <code>TAB</code> and <code>FF</code> (control-L) characters; the space between tab-stops is programmable. A <code>\inputverbatim</code> command is also available. Note that the facilities of this package (apart from <code>FF</code> support) are provided by the LaTeX 2e package <code>moreverb</code> .
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/tabverb.sty
keyword	<code>verbatim</code> (verbatim typesetting, etc.)
language(s)	no language specified
last access	2025-02-07

5838 *tagging* – Document configuration with tags

Web page on CTAN <https://ctan.org/pkg/tagging>

name	<code>tagging</code>
caption	Document configuration with tags
author	Longborough, Brent
author	The LaTeX Project Team
copyright	Brent Longborough (2011, 2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1.0.1 (2019-09-09)
last changes	2019-09-09
year	2019
description	(no language specified) The package allows the user to generate multiple documents from a single source, by marking pieces of the document with tags and specifying which marked pieces to include or exclude.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tagging/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tagging/tagging.pdf
– local file	<code>./4567016600-tagging.pdf</code>
contact	<i>bugs</i> : https://github.com/Hightor/tagging/issues
contact	<i>repository</i> : https://github.com/Hightor/tagging

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tagging
on MikTeX	tagging
on T _E XLive	tagging
keyword	cond-comp (conditional typesetting)
language(s)	no language specified
last access	2025-02-07

5839 tagpair – Word-by-word glosses, translations, and bibliographic attributions

Web page on CTAN <https://ctan.org/pkg/tagpair>

name	tagpair
caption	Word-by-word glosses, translations, and bibliographic attributions
author	Nolda, Andreas
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2016-02-03)
last changes	2016-02-03
year	2016
description	(no language specified) This package provides environments and commands for pairing lines, bottom lines, and tagged lines, intended to be used in particular for word-by-word glosses, translations, and bibliographic attributions, respectively. This LaTeX package is inspired by Marcel R. van der Goot's classic Plain TeX macros in gloss.tex .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tagpair/tagpair.pdf
– local file	./6009408507-tagpair.pdf
documentation	(no language specified) <i>Sample of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/tagpair/sample.pdf
– local file	./7590107191-sample.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tagpair/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tagpair
on MikTeX	tagpair

on T _E XLive	tagpair
keyword	text-layout (layout of text within paragraphs)
language(s)	no language specified
last access	2025-02-07

5840 tagpdf – Code for PDF tagging using pdfLaTeX and LuaLaTeX

Web page on CTAN <https://ctan.org/pkg/tagpdf>

name	tagpdf
caption	Code for PDF tagging using pdfLaTeX and LuaLaTeX
author	The LaTeX Project Team
author	Fischer, Ulrike
copyright	Ulrike Fischer (2019-2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0b (2026-04-24)
last changes	2026-04-24
year	2026
description	(no language specified) The package contains the core code for tagging and accessibility used by the LaTeX kernel in the Tagged PDF project. See https://github.com/latex3/tagging-project for more information.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tagpdf/tagpdf.pdf
– local file	./7461156598-tagpdf.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tagpdf/README.md
contact	<i>support</i> : https://github.com/latex3/tagpdf/issues
contact	<i>repository</i> : https://github.com/latex3/tagpdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tagpdf
on MikT _E X	tagpdf
on T _E XLive	tagpdf
keyword	accessible (accessibility support)
language(s)	no language specified
last access	2026-04-29

5841 *talk* – A LaTeX class for presentations

Web page on CTAN <https://ctan.org/pkg/talk>

name *talk*

caption A LaTeX class for presentations

author Wiebusch, Martin

license lpl = The LaTeX Project Public License (free)

version 2.0

description (no language specified) The *talk* document class allows you to create slides for screen presentations or printing on transparencies. It also allows you to print personal notes for your talk. You can create overlays and display structure information (current section / subsection, table of contents) on your slides. The main feature that distinguishes *talk* from other presentation classes like *beamer* or *prosper* is that it allows the user to define an arbitrary number of slide styles and switch between these styles from slide to slide. This way the slide layout can be adapted to the slide content. For example, the title or contents page of a talk can be given a slightly different layout than the other slides.

The *talk* class makes no restrictions on the slide design whatsoever. The entire look and feel of the presentation can be defined by the user. The style definitions should be put in a separate sty file. Currently the package comes with two sets of pre-defined slide styles (*talk-simple.sty* and *talk-sidebars.sty*). Contributions from people who are artistically more gifted than the author are more than welcome!

documentation (no language specified) *Example of use (2)*: <https://ctan.org/tex-archive/macros/latex/contrib/talk/sidebars-example.pdf>

– local file *./6171908168-sidebars-example.pdf*

documentation (no language specified) *Example of use (1)*: <https://ctan.org/tex-archive/macros/latex/contrib/talk/simple-example.pdf>

– local file *./5307363500-simple-example.pdf*

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/talk/README>

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/talk/talkdoc.pdf>

– local file *./7027665662-talkdoc.pdf*

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/talk>

on MikTeX *talk*

on T_EXLive *talk*

5842 *talos* – A Greek cult font from the eighties

keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>presentation</code> (slides, beamers, handouts, etc.)
see also	see section 5404 on page 4894: (<code>seminar</code> – Make overhead slides)
see also	see section 2299 on page 2080: (<code>foiltex</code> – A LaTeX2e class for overhead transparencies)
language(s)	no language specified
year	without year
last access	2026-03-26

5842 *talos* – A Greek cult font from the eighties

Web page on CTAN <https://ctan.org/pkg/talos>

name	<code>talos</code>
caption	A Greek cult font from the eighties
author	Tsolomitis, Antonis
license	gfl = The GUST Font License (GFL) (free)
version	1.0 (2022-01-31)
last changes	2022-01-31
year	2022
description	(no language specified) A cult Greek font from the eighties, used at the University of Crete, Greece. It belonged to the first TeX installation in a Greek University and most probably the first TeX installation that supported the Greek language.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/greek/talos/talos-doc.pdf
– local file	<code>./8367091791-talos-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/greek/talos/README
on CTAN	https://ctan.org/tex-archive/fonts/greek/talos
on MikTeX	<code>talos</code>
on T _E XLive	<code>talos</code>
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font</code> (fonts themselves)

keyword font-greek (font for Greek (archaic, classical and modern))
 language(s) no language specified
 last access 2026-03-26

5843 *tamefloats* – Experimentally use `\holdinginserts` with LaTeX floats

Web page on CTAN <https://ctan.org/pkg/tamefloats>

name tamefloats
 caption Experimentally use `\holdinginserts` with LaTeX floats
 author Lück, Uwe
 copyright Uwe Lück (2005)
 license lpl1.3 = The LaTeX Project Public License 1.3 (free)
 version 0.42
 description (no language specified) LaTeX's figures, tables, and `\marginpar s` are dangerous for footnotes (and probably also `\enlargethispage`). Here is a proposal (a 'patch' package) to help, by using `\holdinginserts` in a simple way. It replaces the original problem with a new one — it is an experiment to find out whether the new problem is less bad (or it is just a contribution to the discussion, maybe just a summary of previous work). The files provide further information.
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/tamefloats/README.txt>
 contact *support*: http://www.webdesign-bu.de/uwe_lueck/contact.html
 on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/tamefloats>
 on MikTeX tamefloats
 on T_EXLive tamefloats
 keyword float (typesetting floats)
 keyword experimental (offer of a facility that may never make its way to production use)
 language(s) no language specified
 year 2005
 last access 2025-02-07

5844 *tamethebeast* – A manual about bibliographies and especially BibTeX

Web page on CTAN <https://ctan.org/pkg/tamethebeast>

name	TameTheBeast
caption	A manual about bibliographies and especially BibTeX
author	Markey, Nicolas
copyright	Nicolas Markey (2003-2005)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.4
description	(no language specified) An (as-complete-as-possible) manual about bibliographies in LaTeX, and thus mainly about BibTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/bibtex/tamethebeast/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/info/bibtex/tamethebeast/ttb_en.pdf
– local file	./3988437322-ttb_en.pdf
on CTAN	https://ctan.org/tex-archive/info/bibtex/tamethebeast
on T _E XLive	tamethebeast
keyword	bibtex-doc (documentation of BibTeX, etc., on their own)
language(s)	no language specified
year	2005
last access	2025-02-07

5845 *tamil-omega* – Tamil support for Omega/Aleph

Web page on CTAN <https://ctan.org/pkg/tamil-omega>

name	tamil-omega
caption	Tamil support for Omega/Aleph
author	Alex, A. J.
copyright	Alex AJ (2003, 2007)
license	lpl = The LaTeX Project Public License (free)
version	(2007-12-20)
last changes	2007-12-20

5846 *tangle* – Generate compilable source from web

year	2007
description	(no language specified) Omega for Tamil is a package for typesetting Tamil using Omega; it is also compatible with Aleph. The package includes only one font family, Washington Tamil by Thomas Ridgeway et.al. The package also includes supporting files for using the Tamil fonts from ‘ISM Publisher’ by C-DAC India.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/omega/latex/contrib/tamil-omega/doc/tamil-omega-1.0.2.pdf
– local file	./4409389858-tamil-omega-1.0.2.pdf
documentation on CTAN	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/omega/latex/contrib/tamil-omega/README https://ctan.org/tex-archive/macros/omega/latex/contrib/tamil-omega
keyword	font-indic (fonts for languages of the Indian subcontinent)
keyword	indic (support for languages of the Indian subcontinent)
keyword	font (fonts themselves)
keyword	omega (Omega and packages that use it)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
last access	2025-02-07

5846 *tangle* – Generate compilable source from web

Web page on CTAN	https://ctan.org/pkg/tangle
name	tangle
caption	Generate compilable source from web
author	Knuth, Donald E.
license	knuth = Knuth License (free)
version	4.6
description	(no language specified) This is the component of Knuth’s <i>literate programming system</i> that produces a compilable source from the web representation of a program.

documentation	(no language specified) <i>Web system user manual</i> : https://ctan.org/tex-archive/info/knuth/webman.pdf
– local file	./3886256198-webman.pdf
on CTAN	https://ctan.org/tex-archive/systems/knuth/dist/web/tangle.web
on MikTeX	miktex-web-bin-2.9
on T _E XLive	web
keyword	litprog-tools (litprog-tools(unknown))
language(s)	no language specified
year	without year
last access	2025-02-11

5847 *tango* – A LaTeX document class for math teachers

Web page on CTAN	https://ctan.org/pkg/tango
name	tango
caption	A LaTeX document class for math teachers
author	Bovani, Michel
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.8.0
description	(no language specified) Tango is a LaTeX document class for use by mathematics teachers. It requires LuaLaTeX, some LaTeX packages (see the complete documentation for details), and a recent version of LaTeX.
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/tango/doc/tango-en.pdf
– local file	./3679839021-tango-en.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/tango/README
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/tango/doc/tango-fr.pdf
– local file	./2462881795-tango-fr.pdf
home page	https://tango.mathrionchka.net
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/tango
on MikTeX	tango

on T _E XLive	tango
keyword	teaching (support for teachers and teaching administrators)
keyword	class (alternative LaTeX class(es))
keyword	maths (support for typesetting mathematics)
language(s)	English; French
year	without year
last access	2025-02-07

5848 tango-weevil – A simple Web system

Web page on CTAN <https://ctan.org/pkg/tango-weevil>

name	tango-weevil
caption	A simple Web system
author	Minyard, Corey
copyright	Corey Minyard (1995)
license	gpl = GNU General Public License (free)
version	1.0
description	(no language specified) A simple web system (with both tangle and weave capabilities), on the lines of noweb . The system's selling points are that it's written in standard C, which tends to make porting easier, and that it supports inter-file cross references.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/web/tango-weevil/README
on CTAN	https://ctan.org/tex-archive/web/tango-weevil
keyword	litprog-tools (litprog-tools(unknown))
language(s)	no language specified
year	1995
last access	2025-02-07

5849 tangocolors – Use colors from the Tango color paletteWeb page on CTAN <https://ctan.org/pkg/tangocolors>

name	tangocolors
caption	Use colors from the Tango color palette
author	Preuße, Hilmar
copyright	Daniel G. Siegel (2009)
copyright	Hilmar Preuße (2023)
license	gpl = GNU General Public License (free)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.3 (2023-03-30)
last changes	2023-03-30
year	2023
description	(no language specified) The Tango color palette defines some color names and their RGB codes. This LaTeX macro package implements these color names, so one can easily access these colors by their names. The package relies on the xcolor package, so please refer to the documentation to that package to learn how to access the defined colors.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tangocolors/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tangocolors/tangocolors.pdf
– local file	./8164658283-tangocolors.pdf
home page	https://github.com/dgsiegel/latex-tangocolors
contact	<i>bugs</i> : https://github.com/dgsiegel/latex-tangocolors/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tangocolors
on MikTeX	tangocolors
on T _E XLive	tangocolors
keyword	colour (typesetting in colour)
language(s)	no language specified
last access	2025-02-07

5850 tangramtikz – Tangram puzzles, with TikZ

Web page on CTAN <https://ctan.org/pkg/tangramtikz>

name	TangramTikZ
caption	Tangram puzzles, with TikZ
author	Pierquet, Cédric
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2.2 (2025-05-05)
last changes	2025-05-05
year	2025
description	(no language specified) This package provides some commands (with English and French keys) to work with tangram puzzles: • <code>\begin{EnvTangramTikz}</code> and <code>\PieceTangram</code> to position a piece, • <code>\TangramTikz</code> to display a predefined Tangram.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tangramtikz/README.md
documentation	<i>Package documentation (French)</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tangramtikz/doc/TangramTikz-doc-fr.pdf
– local file	./9177530009-TangramTikz-doc-fr.pdf
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tangramtikz/doc/TangramTikz-doc-en.pdf
– local file	./3718926270-TangramTikz-doc-en.pdf
home page	https://forge.apps.education.fr/pierquetcedric/packages-latex
contact	<i>repository</i> : https://forge.apps.education.fr/pierquetcedric/packages-latex
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tangramtikz
on MikTeX	tangramtikz
on TeXLive	tangramtikz
keyword	puzzle (problems and puzzles, and their solutions)
keyword	games (process game diagrams, gamebooks, and other amusements)

keyword pgf-tikz (package uses PGF-TikZ)
 language(s) French
 last access 2025-05-27

5851 *tap* – TeX macros for typesetting complex tables

Web page on CTAN <https://ctan.org/pkg/tap>

name tap
 caption TeX macros for typesetting complex tables
 author Strzelczyk, Piotr
 author Pianowski, Piotr
 author Jackowski, Bogusław
 license pd = Public Domain Software (free)
 version 0.77
 description (no language specified) The package offers a simple notation for pretty complex tables (to Michael J. Ferguson's credit). With PostScript, the package allows shaded/coloured tables, diagonal rules, etc. The package is supposed to work with both Plain and LaTeX. An AWK converter from ASCII semigraphic tables to TAP notation is included.
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/generic/tables/0README.TAP>
 on CTAN <https://ctan.org/tex-archive/macros/generic/tables/tap077.zip>
 on MikTeX tap
 on T_EXLive tap
 keyword table (table typesetting)
 language(s) no language specified
 year without year
 last access 2025-02-07

5852 *tape* – Generate cassette labels from a simple database

Web page on CTAN <https://ctan.org/pkg/tape>

name	<i>tape</i>
caption	Generate cassette labels from a simple database
author	Podar, Sunil
license	other-free = Free license not otherwise listed (free)
version	(1986-06-20)
last changes	1986-06-20
year	1986
description	(no language specified) This LaTeX 2.09 package expects a database which lists cassette details (including track details) in a TeX-based format. The package <i>megatape</i> extends this one.
documentation	(no language specified) <i>Package README (of sorts)</i> : https://ctan.org/tex-archive/macros/latex209/contrib/tape/tape.readme
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/tape
keyword	<i>covers</i> (typeset badges, covers or labels for things (or people))
see also	see section 3851 on page 3482: (<i>mceinleger</i> – Creating covers for music cassettes)
language(s)	no language specified
last access	2025-02-07

5853 *tapir* – A simple geometrical font

Web page on CTAN <https://ctan.org/pkg/tapir>

name	<i>tapir</i>
caption	A simple geometrical font
author	Mitek
license	gpl = GNU General Public License (free)
version	0.2

description	(no language specified) Tapír is a simple geometrical font mostly created of line and circular segments with constant thickness. The font is available as Metafont source and in Adobe Type 1 format. The character set contains all characters in the range 0–127 (as in cmr10), accented characters used in the Czech, Slovak and Polish languages.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/tapir/readme.pdf
– local file	<code>./8654432235-readme.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/tapir/readme
home page	http://mitek.webpark.cz/
on CTAN	https://ctan.org/tex-archive/fonts/tapir
on MikTeX	<code>tapir</code>
on T _E XLive	<code>tapir</code>
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>polish</code> (support for typesetting Polish)
keyword	<code>slovak</code> (support for typesetting, and documentation in Slovak)
keyword	<code>czech</code> (support for typesetting Czech)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font</code> (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-02-07

5854 *tasks* – Horizontally columned lists

Web page on CTAN	https://ctan.org/pkg/tasks
name	<code>tasks</code>
caption	Horizontally columned lists
author	Niederberger, Clemens
copyright	Clemens Niederberger (2013-2022)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.4a (2022-01-08)

5855 *taylor* – Macros for category-theoretic diagrams

last changes	2022-01-08
year	2022
description	(no language specified) The reason for the creation of the <code>tasks</code> environment was an unwritten agreement in German maths textbooks (especially (junior) high school textbooks) to organize exercises in columns counting horizontally rather than vertically. This is what the <code>tasks</code> package helps to achieve.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tasks/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tasks/tasks-manual.pdf
– local file	<code>./4879600314-tasks-manual.pdf</code>
contact	<i>bugs</i> : https://github.com/cgnieder/tasks/issues/
contact	<i>repository</i> : https://github.com/cgnieder/tasks/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tasks
on MikTeX	<code>tasks</code>
on TeXLive	<code>tasks</code>
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>list</code> (<code>list: general</code>)
keyword	<code>list-enum</code> (<code>list: items enumerated</code>)
language(s)	no language specified
last access	2025-02-07

5855 *taylor* – Macros for category-theoretic diagrams

Web page on CTAN <https://ctan.org/pkg/taylor>

name	<code>taylor</code>
caption	Macros for category-theoretic diagrams
author	Taylor, Paul
license	nocommercial = No Commercial Use (not free)
version	3.93
description	(no language specified) A carefully-designed and consistent set of macros, that work equally in Plain TeX and LaTeX, using fonts included in all modern distributions by default.

5856 *tbe* – Extracts from "TeX by Example"

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/diagrams/taylor/manual.pdf
– local file	<code>./7206622140-manual.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/generic/diagrams/taylor
keyword	<code>diagram-comm</code> (commutative diagrams)
language(s)	no language specified
year	without year
last access	2025-02-07

5856 *tbe* – Extracts from "TeX by Example"

Web page on CTAN	https://ctan.org/pkg/tbe
name	<code>tbe</code>
caption	Extracts from "TeX by Example"
author	Borde, Arvind
copyright	Academic Press (1992)
license	nosell = Do Not Sell Except by Arrangement (not free)
version	1.0
description	(no language specified) Some macros (<code>tbemacros.tex</code>) and their usage (<code>tbesamples.tex</code>) from the book.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/tbe
keyword	<code>book-ex</code> (copies of examples from a published book)
language(s)	no language specified
year	1992
last access	2025-02-07

5857 *tblr-extras* – Extra libraries for tabularray for caption and babel compatibilityWeb page on CTAN <https://ctan.org/pkg/tblr-extras>

name	tblr-extras
caption	Extra libraries for tabularray for caption and babel compatibility
author	Merino, Manuel
copyright	Manuel E. Merino (2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3
description	(no language specified) The tabularray package offers a modern and nice way to typeset tables, keeping contents and style separated. The <i>tblr-extras</i> package implements extra libraries to use the caption package alongside <i>tabularray</i>, and translated strings for continuation text in <i>tabularray</i> headers: • caption library: Use the caption package captions with <i>tabularray</i> environments (<i>talltblr</i> and <i>longtblr</i>), • babel library: Translated "continued" text for babel languages (spanish, french, ngerman).
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/tblr-extras/tblr-extras-doc-EN.pdf
– local file	./9368837667-tblr-extras-doc-EN.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/tblr-extras/README.md
contact	<i>bugs</i> : https://github.com/mmerino25/tblr-extras/issues
contact	<i>repository</i> : https://github.com/mmerino25/tblr-extras
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tblr-extras
on MikTeX	tblr-extras
on T _E XLive	tblr-extras
keyword	expl3 (expl3(unknown))
keyword	table (table typesetting)
keyword	table-long (typeset tables that may be too big for a page)
language(s)	no language specified

year 2024
last access 2025-02-07

5858 *tccompat* – Provide compatibility names for *textcomp.sty*

Web page on CTAN <https://ctan.org/pkg/tccompat>

name *tccompat*
caption Provide compatibility names for *textcomp.sty*
author Knappen, Jörg
license gpl = GNU General Public License (free)
version 1.2
description (no language specified) When TS1 (text symbol) support was integrated into the LaTeX kernel, some of the encoding-dependent names used in older versions of the *textcomp* package were changed. This package re-declares those names for compatibility use in old documents.
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/jknappen/tccompat.sty>
on MikTeX jknappen
on TeXLive jknaptlx
keyword font-supp (metrics, macro incantations and other font support)
language(s) no language specified
year without year
last access 2025-02-07

5859 *tclldoc* – Doc/docstrip for tcl

Web page on CTAN <https://ctan.org/pkg/tclldoc>

name *tclldoc*
caption Doc/docstrip for tcl
author Hellström, Lars
license lppl = The LaTeX Project Public License (free)
version 2.40

description	(no language specified) The tclldoc package and class simplify the application of the doc / docstrip style of literate programming with Dr. John Ousterhout's Tool Command Language (Tcl, pronounced "tickle", a.k.a. The Cool Language). The tclldoc package is a bit like the doc package is for LaTeX, whereas the tclldoc class more parallels the ltxdoc class.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tclldoc/tclldoc.pdf
– local file	./2578275240-tclldoc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tclldoc/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tclldoc
on MikTeX	tclldoc
on T _E XLive	tclldoc
keyword	class (alternative LaTeX class(es))
keyword	listing (computer code listing)
keyword	doc-supp (macros and tools for preparing documentation)
language(s)	no language specified
year	without year
last access	2025-02-07

5860 tcltexed – LaTeX editor written in TCL

Web page on CTAN <https://ctan.org/pkg/tcltexed>

name	tcltexed
caption	LaTeX editor written in TCL
author	Strauß, Martin
license	gpl = GNU General Public License (free)
version	(2006-11-02)
last changes	2006-11-02
year	2006
description	(no language specified) TclTeXEd is an editor written in the scripting language Tcl/Tk and is highly specialized for writing LaTeX documents. The editor works both on Unix and Windows systems if a Tcl/Tk interpreter (>8.0) is installed.

on CTAN <https://ctan.org/tex-archive/support/tcltexed>
 keyword editor (editor designed (or adapted) for use with (La)TeX)
 language(s) no language specified
 last access 2025-02-07

5861 *tcobrowser* – Local browsing of the Catalogue on Mac OS X

Web page on CTAN <https://ctan.org/pkg/tcobrowser>

name *tcobrowser*
 caption Local browsing of the Catalogue on Mac OS X
 author Maxwell, Adam R.
 license bsd = BSD Style License (free)
 description (no language specified) TCOBrowser is a Cocoa viewer application dedicated to the TeX Catalogue Online, using the XML version of the catalogue. It was written to provide an easy way for Mac OS X users to access documentation and information about TeX and TeX-related packages available through CTAN, as well as some of the documentation on their local system.
 contact repository: <http://tcobrowser.sourceforge.net/>
 keyword ctan (support for work with the CTAN archive)
 language(s) no language specified
 year without year
 last access 2026-04-10

5862 *tcolorbox* – Coloured boxes, for LaTeX examples and theorems, etc

Web page on CTAN <https://ctan.org/pkg/tcolorbox>

name *tcolorbox*
 caption Coloured boxes, for LaTeX examples and theorems, etc
 author Sturm, Thomas F.
 copyright Prof. Dr. Dr. Thomas F. Sturm (2006-2025)
 license lpl1.3 = The LaTeX Project Public License 1.3 (free)
 version 6.8.0 (2025-09-09)
 last changes 2025-09-09
 year 2025

description	(no language specified) This package provides an environment for coloured and framed text boxes with a heading line. Optionally, such a box may be split in an upper and a lower part; thus the package may be used for the setting of LaTeX examples where one part of the box displays the source code and the other part shows the output. Another common use case is the setting of theorems. The package supports saving and reuse of source code and text parts. The package depends on the <code>pgf</code>, <code>verbatim</code>, <code>environ</code>, and <code>etoolbox</code> packages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tcolorbox/README.md
documentation	(no language specified) <i>Tutorial: Poster creation with tcolorbox</i> : https://ctan.org/tex-archive/macros/latex/contrib/tcolorbox/tcolorbox-tutorial-poster.pdf
– local file	<code>./7287768796-tcolorbox-tutorial-poster.pdf</code>
documentation	(no language specified) <i>Examples of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/tcolorbox/tcolorbox-example.pdf
– local file	<code>./9690433422-tcolorbox-example.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tcolorbox/tcolorbox.pdf
– local file	<code>./4680360501-tcolorbox.pdf</code>
contact	<i>bugs</i> : https://github.com/T-F-S/tcolorbox/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tcolorbox
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/tcolorbox.tds.zip
on MikTeX	<code>tcolorbox</code>
on TeXLive	<code>tcolorbox</code>
keyword	<code>boxing</code> (creating boxes)
keyword	<code>box-breaking</code> (breaking boxes over a page boundary, etc)
keyword	<code>listing</code> (computer code listing)
keyword	<code>macro-demo</code> (print (La)TeX code verbatim alongside the rendered result)
keyword	<code>colour</code> (typesetting in colour)
keyword	<code>verbatim</code> (verbatim typesetting, etc.)
language(s)	no language specified
last access	2025-12-07

5863 *t_{cvn}* – Vietnamese Windows support

Web page on CTAN <https://ctan.org/pkg/tcvn>

name	t _{cvn}
caption	Vietnamese Windows support
author	Quy, Nguyen-Dai
license	noinfo = noinfo
version	(1999-01-05)
last changes	1999-01-05
year	1999
description	(no language specified) A package for Vietnamese TCVN encoding which is widely used in MS-Windows applications. The package is distributed as part of the ‘ <i>vietnet</i> ’ bundle.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/vietnamese/vietnet/tcvn/readme-en.txt
on CTAN	https://ctan.org/tex-archive/language/vietnamese/vietnet/tcvn
keyword	inputenc (input encoding support for TeX engines)
language(s)	no language specified
last access	2025-02-07

5864 *tdclock* – A ticking digital clock package for PDF output

Web page on CTAN <https://ctan.org/pkg/tdclock>

name	tdclock
caption	A ticking digital clock package for PDF output
author	Randez, Luis
license	gpl2 = GNU General Public License, version 2 (free)
version	2.5
description	(no language specified) A ticking digital clock package to be used in Pdf-LaTeX documents, for example in presentations.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tdclock/tdclock-doc.pdf
– local file	./3865843708-tdclock-doc.pdf

documentation	(no language specified) <i>Example Usage:</i> https://ctan.org/tex-archive/macros/latex/contrib/tdclock/tdclock-beamer-example.pdf
– local file	./3102555418-tdclock-beamer-example.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/tdclock/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tdclock
on MikTeX	tdclock
on TeXLive	tdclock
keyword	date-time (manipulate dates and/or times)
see also	see section 187 on page 174: (analogclock – An analog ticking clock package for PDF output)
language(s)	no language specified
year	without year
last access	2025-02-07

5865 tds – The TeX Directory Structure standard

Web page on CTAN	https://ctan.org/pkg/tds
name	tds
caption	The TeX Directory Structure standard
author	TUG TWG-TDS
copyright	TeX Users Group (1994-1999, 2003, 2004)
license	other-free = Free license not otherwise listed (free)
version	1.1
description	(no language specified) Defines a structure for placement of TeX-related files on an hierarchical file system, in a way that is well-defined, and is readily implementable.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/info/tds/README
documentation	(no language specified) <i>The standard specification:</i> https://ctan.org/tex-archive/info/tds/tds.pdf
– local file	./8248270975-tds.pdf

documentation	(no language specified) <i>The standard, converted to HTML:</i> https://ctan.org/tex-archive/info/tds/tds.html
home page	https://tug.org/tds/
on CTAN	https://ctan.org/tex-archive/info/tds
on MikTeX	tds
on TeXLive	tds
keyword	std-spec (standards, or other normative documents, about TeX and friends)
language(s)	no language specified
year	2004
last access	2025-02-07

5866 `tdsfrmath` – Macros for French teachers of mathematics

Web page on CTAN	https://ctan.org/pkg/tdsfrmath
name	tdsfrmath
caption	Macros for French teachers of mathematics
author	Henel, Yvon
copyright	Yvon Henel (2008)
license	lppl = The LaTeX Project Public License (free)
version	1.3
description	(no language specified) A collection of macros for French maths teachers in collèges and lycées (and perhaps elsewhere). It is hoped that the package will facilitate the everyday use of LaTeX by mathematics teachers.
documentation	(French) <i>Lisez-moi</i> : https://ctan.org/tex-archive/macros/latex/contrib/tdsfrmath/LISEZMOI
documentation	(English) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tdsfrmath/README
documentation	<i>Package documentation (French)</i> : https://ctan.org/tex-archive/macros/latex/contrib/tdsfrmath/tdsfrmath.pdf
– local file	./6994444744-tdsfrmath.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tdsfrmath
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/tdsfrmath.tds.zip

on MikTeX	tdsfrmath
on T _E XLive	tdsfrmath
keyword	maths (support for typesetting mathematics)
language(s)	English; French
year	2008
last access	2025-02-07

5867 *techexplorer* – Browser plugin for viewing TeX and LaTeX sources

Web page on CTAN <https://ctan.org/pkg/techexplorer>

name	techexplorer
caption	Browser plugin for viewing TeX and LaTeX sources
author	IBM Corporation
license	other-nonfree = License that prevents distribution (not free)
version	2.0
description	(no language specified) The techexplorer hypermedia browser is a cross-platform, cross-browser plug-in for delivering high volume or advanced mathematics over the web. With techexplorer you can publish sophisticated mathematics and scientific content to the web using TeX or LaTeX.
keyword	cgi-latex (support for LaTeX(-alike) on the web, or feeding into other applications)
language(s)	no language specified
year	without year
last access	2025-02-07

5868 *technica* – Typesetting for the humanities

Web page on CTAN <https://ctan.org/pkg/technica>

name	Technica
caption	Typesetting for the humanities
author	Boggio-Togna, Gianfranco
copyright	Gianfranco Boggio-Togna (2006)
license	nocommercial = No Commercial Use (not free)
version	0.99

description	(no language specified) A suite of LaTeX packages for typesetting literary texts.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/technica/Technica.pdf
– local file	./3784412209-Technica.pdf
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/technica/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/technica
keyword	humanities (support for studies in the humanities)
language(s)	no language specified
year	2006
last access	2025-02-07

5869 *technics* – A package to format technical documents

Web page on CTAN	https://ctan.org/pkg/technics
name	technics
caption	A package to format technical documents
author	Nilsson, Joachim
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package provides a very simple LaTeX document template, in the hope that this use of LaTeX will become attractive to typical word processor users. (Presentation is as if it were a class; users are expected to start from a template document.)
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/technics/technics.pdf
– local file	./4213723965-technics.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/technics
on MikTeX	technics
on T _E XLive	technics
keyword	doc-templ (template to guide document development)
language(s)	no language specified

year without year
last access 2025-02-07

5870 *technion-thesis-template* – Template for theses on the Technion graduate school

Web page on CTAN <https://ctan.org/pkg/technion-thesis-template>

name *technion-thesis-template*
caption Template for theses on the Technion graduate school
author Shuval, Boaz
copyright Boaz Shuval (2019)
license cc-by-4 = CC BY 4.0 (free)
version 1.0
description (no language specified) This is a template for writing a thesis according to the Technion specifications.
documentation (no language specified) *Example of use:*
<https://ctan.org/tex-archive/macros/xetex/latex/technion-thesis-template/Example/main.pdf>
– local file ./9727878863-main.pdf
documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/macros/xetex/latex/technion-thesis-template/README.md>
on CTAN <https://ctan.org/tex-archive/macros/xetex/latex/technion-thesis-template>
on MikTeX *technion-thesis-template*
on T_EXLive *technion-thesis-template*
keyword dissertation (typesetting dissertations, theses, etc.)
keyword class (alternative LaTeX class(es))
language(s) no language specified
year 2019
last access 2025-02-07

5871 *techreport* – Generate Technical Reports using USC thesis style

Web page on CTAN <https://ctan.org/pkg/techreport>

name	techreport
caption	Generate Technical Reports using USC thesis style
author	Cochran, Steven Douglas
license	noinfo = noinfo
version	1.7
description	(no language specified) The package acts as a style option for the USC Thesis style , allowing the user to typeset technical reports.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/techreport.sty
keyword	report-like (regularly-formatted reports)
language(s)	no language specified
year	without year
last access	2025-02-07

5872 *ted* – A (primitive) token list editor

Web page on CTAN <https://ctan.org/pkg/ted>

name	ted
caption	A (primitive) token list editor
author	Pégourié-Gonnard, Manuel
license	lppl = The LaTeX Project Public License (free)
version	1.06
description	(no language specified) Just like sed is a stream editor, ted is a token list editor. Actually, it is not as powerfull as sed, but its main feature is that it really works with tokens, not only characters. The ted package provides two user macros: <code>\Substitute</code> and <code>\ShowTokens</code> . The first is maybe the most useful: it performs substitutions in token lists (even inside braces). The second displays each token of the list (one per line) with its catcode (in the list, not just the current one), and can be useful for debugging or for TeX learners. Ted is designed to work well even if strange tokens (that is, unusual {charcode, catcode} pairs or tokens with a confusing meaning) occur in the list.

documentation	<i>Package documentation (French)</i> : https://ctan.org/tex-archive/macros/latex/contrib/ted/ted-fr.pdf
– local file	<code>./2789129398-ted-fr.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ted/README
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/ted/ted.pdf
– local file	<code>./8317254744-ted.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ted
on MikTeX	<code>ted</code>
on TeXLive	<code>ted</code>
keyword	<code>debug-supp</code> (support for package or document debugging)
see also	see section 4512 on page 4083: (<code>patch</code> – Patch loaded packages, etc)
language(s)	French
year	without year
last access	2025-02-07

5873 *teencontrex* – Help for users of TeX and LaTeX

Web page on CTAN <https://ctan.org/pkg/teencontrex>

name	<code>TeEncontreX</code>
caption	Help for users of TeX and LaTeX
author	Algaba, Manuel Gutierrez
license	gpl = GNU General Public License (free)
description	(no language specified) The package is output from a large project that aims to collect people’s postings, web pages and the like, to optimise searches and to answer questions efficiently.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/spanish/TeEncontreX/README.TeEncontreX
on CTAN	https://ctan.org/tex-archive/info/spanish/TeEncontreX
keyword	<code>faq</code> (frequently asked questions, with answers)
language(s)	no language specified
year	without year
last access	2025-02-07

5874 *telprint* – Format German phone numbersWeb page on CTAN <https://ctan.org/pkg/telprint>

name	telprint
caption	Format German phone numbers
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (1996, 1997, 2004-2008)
copyright	Oberdiek Package Support Group (2016-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.12 (2024-07-26)
last changes	2024-07-26
year	2024
description	(no language specified) The package provides a command <code>\telprint</code> for formatting German telephone numbers.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/telprint/telprint.pdf
– local file	<code>./2935049285-telprint.pdf</code>
contact	<i>bugs</i> : https://github.com/ho-tex/telprint/issues
contact	<i>repository</i> : https://github.com/ho-tex/telprint
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/telprint
on MikTeX	telprint
on TeXLive	telprint
keyword	numbers (formatting numbers, etc)
language(s)	no language specified
last access	2025-02-07

5875 *telugu* – (La)TeX Support for writing the Telugu Language

Web page on CTAN <https://ctan.org/pkg/telugu>

name	telugu
caption	(La)TeX Support for writing the Telugu Language
author	Mukkavilli, Lakshman Kumar
copyright	Lakshman Kumar Mukkavilli (1991)
license	other-free = Free license not otherwise listed (free)
description	(no language specified) TeluguTeX is (La)TeX Support for writing the Telugu Language, comprising Metafont fonts and macros.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/telugu/README
on CTAN	https://ctan.org/tex-archive/language/telugu
keyword	font-indic (fonts for languages of the Indian subcontinent)
keyword	indic (support for languages of the Indian subcontinent)
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	no language specified
year	1991
last access	2025-02-07

5876 *templates-fenn* – Templates for TeX usage

Web page on CTAN <https://ctan.org/pkg/templates-fenn>

name	templates-fenn
caption	Templates for TeX usage
author	Fenn, Jürgen
license	lppl = The LaTeX Project Public License (free)
version	(2009-08-26)
last changes	2009-08-26
year	2009

description	(no language specified) A set of templates for using LaTeX packages that the author uses, comprising: – scrlltr2.tex: a letter, written with scrlltr2.cls from the KOMA-Script bundle ; – dinbrief.tex: a letter according to the German (DIN) standards, written with dinbrief.cls ; – kbrief.tex: a brief memo (‘Kurzbrief’) to accompany enclosures, as used in German offices, again based on dinbrief ; – vermerk.tex: a general form for taking down notes on events in the office; and – diabetes.tex: a diary for the basis-bolus insulin therapy of diabetes mellitus, using scrartcl.cls from the KOMA-Script bundle .
documentation	<i>Package documentation (English):</i> https://ctan.org/tex-archive/info/templates/fenn/templates-fenn-en.txt
documentation	<i>Package documentation (German):</i> https://ctan.org/tex-archive/info/templates/fenn/templates-fenn-de.txt
home page	http://www.juergenfenn.de/tex.html
on CTAN	https://ctan.org/tex-archive/info/templates/fenn
on T _E XLive	templates-fenn
keyword	doc-templ (template to guide document development)
language(s)	German; English
last access	2025-02-07

5877 *templates-sommer* – Templates for TeX usage

Web page on CTAN <https://ctan.org/pkg/templates-sommer>

name	templates-sommer
caption	Templates for TeX usage
author	Sommer, Jörg
license	lppl = The LaTeX Project Public License (free)
version	(2007-06-08)
last changes	2007-06-08
year	2007
description	(no language specified) A set of templates for using LaTeX packages that the author uses, comprising: – Hausarbeit.tex: for students of the Lehrstuhl Volkskunde an der Friedrich-Schiller-Universität Jena; – Psycho-Dipl.tex: for diploma theses in psychology.

documentation	(German) <i>README</i> : https://ctan.org/tex-archive/info/templates/sommer/README.de
on CTAN	https://ctan.org/tex-archive/info/templates/sommer
on T _E XLive	templates-sommer
keyword	doc-templ (template to guide document development)
language(s)	German
last access	2025-02-07

5878 *templatetools* – Commands useful in LaTeX templates

Web page on CTAN <https://ctan.org/pkg/templatetools>

name	templatetools
caption	Commands useful in LaTeX templates
author	Pospiech, Matthias
copyright	Matthias Pospiech (2014-2023)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2
description	(no language specified) The package provides a collection of tools, which are helpful for the creation of a LaTeX template if conditional paths for code execution are required. All the commands work both in the preamble and in the document.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/templatetools/templatetools.pdf
– local file	./4155982557-templatetools.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/templatetools/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/templatetools
on MikT _E X	templatetools
on T _E XLive	templatetools
keyword	doc-templ (template to guide document development)
language(s)	no language specified
year	2023

last access 2025-02-07

5879 *tempora* – Greek and Cyrillic to accompany TimesWeb page on CTAN <https://ctan.org/pkg/tempora>

name	tempora
caption	Greek and Cyrillic to accompany Times
author	Sharpe, Michael
copyright	Michael Sharpe (2015-2016)
license	gpl2 = GNU General Public License, version 2 (free)
version	1.05 (2016-02-02)
last changes	2016-02-02
year	2016
description	(no language specified) This package, derived from TemporaLGCUni by Alexej Kryukov, is meant as a companion to Times text font packages, providing Greek and Cyrillic in matching weights and styles. OpenType and Type1 fonts are provided, with LaTeX support files giving essentially complete LGR coverage of monotonic, polytonic and ancient Greek, and almost full T2A coverage of Cyrillic.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/tempora/doc/tempora-doc.pdf
– local file	<code>./4724895322-tempora-doc.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/tempora/README
on CTAN	https://ctan.org/tex-archive/fonts/tempora
installation	https://ctan.org/tex-archive/install/fonts/tempora.tds.zip
on MikTeX	tempora
on T _E XLive	tempora
keyword	font-otf (font in OpenType format)
keyword	font-cyrillic (fonts for Cyrillic and related scripts)
keyword	font-serif (serif font)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-greek (font for Greek (archaic, classical and modern))

keyword	font (fonts themselves)
see also	see section 4237 on page 3836: (newtx – Alternative uses of the TX fonts, with improved metrics)
see also	see section 6374 on page 5760: (txfonts – Times-like fonts in support of mathematics)
language(s)	no language specified
last access	2025-02-07

5880 *temporal-logic* – Symbols for Temporal Logics

Web page on CTAN <https://ctan.org/pkg/temporal-logic>

name	temporal-logic
caption	Symbols for Temporal Logics
author	Schmid, Dominik
copyright	Dominik Schmid and Till Schallau (2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2024-10-17)
last changes	2024-10-17
year	2024
description	(no language specified) This package defines functions for rendering temporal operators defined in <i>Linear Temporal Logic</i> (LTL), <i>Metric Temporal Logic</i> (MTL), <i>Metric First-order Temporal Logic</i> (MFOTL), and the <i>Counting Metric First-order Temporal Binding Logic</i> (CMFTBL). The package defines various functions with variants in order to include or omit optional parameters of the operators like the optional interval.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/temporal-logic/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/temporal-logic/temporal-logic-doc.pdf
– local file	./8704839248-temporal-logic-doc.pdf
contact	<i>bugs</i> : https://github.com/tudo-aqua/temporal-logic-latex-package/issues
contact	<i>repository</i> : https://github.com/tudo-aqua/temporal-logic-latex-package/

5881 *tengtex* – Typesetting in Tolkien’s Tengwar script

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/temporal-logic
on MikTeX	temporal-logic
on T _E XLive	temporal-logic
keyword	expl3 (expl3(unknown))
keyword	symbol-suppl (manage symbols in a document)
keyword	text-symbol (symbols for use in text)
keyword	logic (typesetting logician’s discussions)
language(s)	no language specified
last access	2025-02-07

5881 *tengtex* – Typesetting in Tolkien’s Tengwar script

Web page on CTAN <https://ctan.org/pkg/tengtex>

name	tengtex
caption	Typesetting in Tolkien’s Tengwar script
author	Derzhanski, Ivan A
license	other-free = Free license not otherwise listed (free)
version	1.00
description	(no language specified) Typesets Eldarin language texts in Fëanorian Tengwar, using either the teng10 or the tengwar fonts. Versions of the macros for both LaTeX (2.09) and Plain TeX are provided.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/tengtex
keyword	lang-invented (support for typesetting invented language(s))
language(s)	no language specified
year	without year
last access	2025-02-07

5882 *tengwar* – Font to set Tolkien’s Tengwar script

Web page on CTAN <https://ctan.org/pkg/tengwar>

name	tengwar
caption	Font to set Tolkien’s Tengwar script
author	Urban, Michael
copyright	Michael Urban (1988, 1994)
license	nosell = Do Not Sell Except by Arrangement (not free)
description	(no language specified) Font for typesetting Tolkien Tengwar script, written in Metafont. The tengtex macros support the use of this font.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/tengwar/READ-ME
on CTAN	https://ctan.org/tex-archive/fonts/tengwar
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-invented (font for an ‘invented’ language or script)
see also	see section 1875 on page 1694: (<i>elvish</i> – Fonts for typesetting Tolkien Elvish scripts)
see also	see section 5883 on page 5326: (<i>TengwarScript</i> – LaTeX support for using Tengwar fonts)
language(s)	no language specified
year	1994
last access	2025-02-07

5883 *tengwarscript* – LaTeX support for using Tengwar fonts

Web page on CTAN <https://ctan.org/pkg/tengwarscript>

name	TengwarScript
caption	LaTeX support for using Tengwar fonts
author	Fernández Galván, Ignacio
copyright	Ignacio Fernández Galván (2007)
license	lppl = The LaTeX Project Public License (free)
version	1.3.1

description	(no language specified) The package provides "mid-level" access to tengwar fonts, providing good quality output. Each tengwar sign is represented by a command, which will place the sign nicely in relation to previous signs. A transcription package is available from the package's home page: writing all those tengwar commands would quickly become untenable. The package supports the use of a wide variety of tengwar fonts that are available from the net; metric and map files are provided for all the supported fonts.
documentation	(no language specified) <i>Font sampler</i> : https://ctan.org/tex-archive/macros/latex/contrib/tengwarscript/tengfonts.pdf
– local file	<code>./1541968699-tengfonts.pdf</code>
documentation	(no language specified) <i>Crib sheet and tests</i> : https://ctan.org/tex-archive/macros/latex/contrib/tengwarscript/tengtest.pdf
– local file	<code>./3684626538-tengtest.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tengwarscript/README
documentation	(no language specified) <i>Package manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/tengwarscript/tengwarscript.pdf
– local file	<code>./8197284023-tengwarscript.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tengwarscript
on MikTeX	tengwarscript
on T _E XLive	tengwarscript
keyword	font-invented (font for an 'invented' language or script)
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	2007
last access	2025-02-07

5884 *tensind* – Typeset tensors

Web page on CTAN <https://ctan.org/pkg/tensind>

name	tensind
caption	Typeset tensors
author	Bezos López, Javier
copyright	Javier Bezos (1998-2019)
license	mit = MIT License (free)
version	1.1
description	(no language specified) Typesets tensors with dots filling gaps and fine tuning of index placement.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tensind/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tensind/tensind.pdf
– local file	./9504485878-tensind.pdf
home page	http://www.texnia.com/
contact	<i>repository</i> : https://github.com/jbezoz
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tensind
on MikTeX	tensind
on T _E XLive	tensind
keyword	subsup-pos (position sub- and superscripts (left and right sides))
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	2019
last access	2025-02-07

5885 *tensor* – Typeset tensors

Web page on CTAN <https://ctan.org/pkg/tensor>

name	tensor
caption	Typeset tensors
author	Piff, Mike
author	Ratcliffe, Philip G.
license	lppl = The LaTeX Project Public License (free)
version	2.2
description	(no language specified) A package which allows the user to set tensor-style super- and subscripts with offsets between successive indices. It supports the typesetting of tensors with mixed upper and lower indices with spacing, also typset preposed indices. This is a complete revision and extension of the original ‘tensor’ package by Mike Piff.
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/tensor/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tensor/tensor-doc.pdf
– local file	./5856150670-tensor-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tensor
on MikTeX	tensor
on T _E XLive	tensor
keyword	maths (support for typesetting mathematics)
keyword	subsup-pos (position sub- and superscripts (left and right sides))
see also	see section 5884 on page 5328: (tensind – Typeset tensors)
language(s)	no language specified
year	without year
last access	2025-02-07

5886 *tensormatrix* – Matrix representations of tensors

Web page on CTAN <https://ctan.org/pkg/tensormatrix>

name	tensormatrix
caption	Matrix representations of tensors
author	Halvorsen, Einar
copyright	Einar Halvorsen (2016, 2023, 2025)
license	gpl3 = GNU General Public License, version 3 (free)
version	1.0.0 (2025-08-08)
last changes	2025-08-08
year	2025
description	(no language specified) This LaTeX package defines an environment <code>tmat</code> for visualizing the structure of matrix representations of tensors. It requires the TikZ package.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tensormatrix/tensormatrix.pdf
– local file	./8925664220-tensormatrix.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tensormatrix/README.md
contact	<i>repository:</i> https://github.com/einhalv/tensormatrix
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tensormatrix
on T _E XLive	tensormatrix
keyword	maths (support for typesetting mathematics)
keyword	matrix (typeset matrices)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-08-30

5887 termcal – Print a class calendar

Web page on CTAN <https://ctan.org/pkg/termcal>

name	termcal
caption	Print a class calendar
author	Mitchell, Bill
license	lpl1 = The LaTeX Project Public License 1 (free)
version	1.8
description	(no language specified) This package is intended to print a term calendar for use in planning a class. It has a flexible mechanism for specifying which days of the week are to be included and for inserting text either regularly on the same day each week, or on selected days, or for a series of consecutive days. It also has a flexible mechanism for specifying class and nonclass days. Text may be inserted into consecutive days so that it automatically flows around nonclass days.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/termcal/termcal.pdf
– local file	./9018073259-termcal.pdf
documentation on CTAN	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/termcal/README
on MikTeX	https://ctan.org/tex-archive/macros/latex/contrib/termcal
on T _E XLive	termcal
keyword	calendar (typeset calendars, diaries, planning charts, etc.)
see also	see section 3115 on page 2811: (kalender – Create a calendar, in German)
see also	see section 904 on page 826: (calendar – A package for calendars and timetables)
see also	see section 4718 on page 4272: (plcalendar – Plain macros for making nice calendars)
language(s)	no language specified
year	without year
last access	2025-02-07

5888 *termcal-de* – German localization for *termcal*

Web page on CTAN <https://ctan.org/pkg/termcal-de>

name	<code>termcal-de</code>
caption	German localization for <i>termcal</i>
author	Friedl, Sebastian
copyright	Sebastian Friedl (2017-2018)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.0 (2018-03-23)
last changes	2018-03-23
year	2018
description	(no language specified) This package provides a German localization to the termcal package written by Bill Mitchell, which is intended to print a term calendar for use in planning a class. <code>termcal-de</code> depends on the following other packages: termcal , pgfkeys , pgfplots , datetime2 , and datetime2-german .
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/termcal-de/termcal-de-doc.pdf
– local file	<code>./1871653176-termcal-de-doc.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/termcal-de/README.md
contact	<i>bugs</i> : https://github.com/SFr682k/termcal-de/issues
contact	<i>repository</i> : https://github.com/SFr682k/termcal-de
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/termcal-de
on MikTeX	<code>termcal-de</code>
on T _E XLive	<code>termcal-de</code>
keyword	calendar (typeset calendars, diaries, planning charts, etc.)
keyword	german (support for typesetting German)
language(s)	no language specified
last access	2025-02-07

5889 *termes-otf* – Using the OpenType fonts TeX Gyre Termes

Web page on CTAN <https://ctan.org/pkg/termes-otf>

name	<code>termes-otf</code>
caption	Using the OpenType fonts TeX Gyre Termes
author	Voß, Herbert
copyright	Herbert Voss (2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.02
description	(no language specified) This package provides the OpenType version of the TeX Gyre Termes font, including text and math fonts. The package needs LuaLaTeX or XeLaTeX. The missing typefaces like bold math and slanted text are also defined.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/termes-otf/doc/termes-otf-doc.pdf
– local file	<code>./6453427156-termes-otf-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/termes-otf/README.md
on CTAN	https://ctan.org/tex-archive/fonts/termes-otf
on MikTeX	<code>termes-otf</code>
on T _E XLive	<code>termes-otf</code>
keyword	<code>xetex</code> (XeTeX, material supporting it, and packages requiring it)
keyword	<code>font-maths</code> (fonts for use in mathematics)
keyword	<code>luatex</code> (LuaTeX and packages that require it)
keyword	<code>tagged-pdf</code> (tagged PDF compatible)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-otf</code> (font in OpenType format)
language(s)	no language specified
year	2022
last access	2026-04-13

5890 `terminalcode` – Terminal-style code display with ANSI colors, UTF-8 box-drawing, and dark/light themes

Web page on CTAN <https://ctan.org/pkg/terminalcode>

name	<code>terminalcode</code>
caption	Terminal-style code display with ANSI colors, UTF-8 box-drawing, and dark/light themes
author	Zeng, Qirui
copyright	LoveElysia1314 (2025)
license	mit = MIT License (free)
version	0.9.0 (2025-11-02)
last changes	2025-11-02
year	2025
description	(no language specified) The <code>terminalcode</code> package provides authentic terminal-style code display environments for LaTeX documents. It features UTF-8 box-drawing characters, comprehensive ANSI 16-color support with dynamic dark and light themes, and seamless integration with external code files. Requires LuaLaTeX or XeLaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/terminalcode/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/terminalcode/terminalcode-doc.pdf
– local file	<code>./1570843542-terminalcode-doc.pdf</code>
contact	<i>bugs</i> : https://github.com/LoveElysia1314/terminalcode-sty/issues
contact	<i>repository</i> : https://github.com/LoveElysia1314/terminalcode-sty
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/terminalcode
on MikTeX	<code>terminalcode</code>
on TeXLive	<code>terminalcode</code>
keyword	<code>verbatim</code> (verbatim typesetting, etc.)
keyword	<code>decoration</code> (highlighting typeset material, fancy frames, watermarks, etc.)
language(s)	no language specified
last access	2025-11-12

5891 *termlist* – Label any kind of term with a continuous counterWeb page on CTAN <https://ctan.org/pkg/termlist>

name	termlist
caption	Label any kind of term with a continuous counter
author	Rellermeyer, Bernd
copyright	Bernd Rellermeyer (2008, 2010)
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) The termlist package provides environments to indent and label any kind of terms with a continuous number. Candidate terms may appear inside an equation or eqnarray environment.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/termlist/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/termlist/termlist.pdf
– local file	./2482019740-termlist.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/termlist
on MikTeX	termlist
on T _E XLive	termlist
keyword	label-ref (label and reference systems)
language(s)	no language specified
year	2010
last access	2025-02-07

5892 *termmenu* – The package provides support for terminal-based menus using expl3Web page on CTAN <https://ctan.org/pkg/termmenu>

name	termmenu
caption	The package provides support for terminal-based menus using expl3
author	Allred, Sean
copyright	Sean Allred (2015)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)

version	(2015-05-25)
last changes	2015-05-25
year	2015
description	(no language specified) When writing programs, it's often required to present the user with a list of options/actions. The user is then expected to select one of these options for the program to process. termmenu provides this mechanism for TeX. It requires only <code>expl3</code> support, thus the <code>l3kernel</code> and <code>l3packages</code> are both required.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/termmenu/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/termmenu/termmenu.pdf
– local file	<code>./1786428465-termmenu.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/generic/termmenu
on MikTeX	termmenu
on TeXLive	termmenu
keyword	comp-mgmt (control TeX's behaviour during compilation)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

5893 termsim – Simulate Win10, Ubuntu, and Mac terminalsWeb page on CTAN <https://ctan.org/pkg/termsim>

name	termsim
caption	Simulate Win10, Ubuntu, and Mac terminals
author	Geng, Nan
copyright	Nan Geng (2020-2021)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1.1 (2021-12-26)
last changes	2021-12-26
year	2021

description	(no language specified) This LaTeX3 package provides environments <code>terminal</code> and <code>terminal*</code> , and macros <code>\termfile</code> and <code>\termfile*</code> to simulate Win10, Ubuntu and Mac terminals. It is based on <code>tcolorbox</code> , <code>minted</code> and <code>listings</code> .
documentation	<i>Package documentation (Chinese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/termsim/termsim.pdf
– local file	<code>./1027555132-termsim.pdf</code>
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/termsim/termsim-doc-en.pdf
– local file	<code>./8854448216-termsim-doc-en.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/termsim/README.md
contact	<i>bugs</i> : https://github.com/registor/termsim/issues
contact	<i>repository</i> : https://github.com/registor/termsim
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/termsim
on MikTeX	<code>termsim</code>
on TeXLive	<code>termsim</code>
keyword	<code>listing</code> (computer code listing)
keyword	<code>boxing</code> (creating boxes)
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>comp-sci</code> (typeset computer-science related material)
language(s)	Chinese
last access	2025-02-07

5894 *tesla* – A special-purpose language for knowledge base rules

Web page on CTAN <https://ctan.org/pkg/tesla>

name	<code>tesla</code>
caption	A special-purpose language for knowledge base rules
author	Harris, Gail E.
author	Baragar, Henry
license	<code>noinfo = noinfo</code>

5895 *testeq* – An equality test for use in MetaPost

version	(1994-07-30)
last changes	1994-07-30
year	1994
description	(no language specified) This package provides the means of documenting a knowledge base, using a special-purpose language implemented within LaTeX.
documentation	(no language specified) <i>TUG '94 paper</i> : https://tug.org/TUGboat/tb15-3/tb44baragar.pdf
– local file	./3457249481-tb44baragar.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/tesla
keyword	data-import (importing data into documents)
language(s)	no language specified
last access	2025-02-07

5895 *testeq* – An equality test for use in MetaPost

Web page on CTAN <https://ctan.org/pkg/testeq>

name	testeq
caption	An equality test for use in MetaPost
author	Vieth, Ulrik
license	noinfo = noinfo
version	1.05
description	(no language specified) This file provides a general equality test macro for objects of any type based on code from Appendix D of The Metafont book, but adapted for MetaPost. Unfortunately it is no longer fully general, because MetaPost lacks the bitmap-oriented operations like cull and totalweight, which are needed when testing for the equality of two pictures. A particular useful feature of this package is the patheq macro to test for equality of two paths. This might prove handy when processing data files with the MetaPost graph package, that contain data for an unknown number of paths separated by blank lines. In that case one might use patheq to check whether the last path read is actually the same as the first one, having started over from the beginning.
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/misc/testeq.mp
keyword	mp-supp (support tools and macros for MetaPost programming)

language(s)	no language specified
year	without year
last access	2025-02-07

5896 testflow – A tool to validate PS/PDF output from LaTeX

Web page on CTAN <https://ctan.org/pkg/testflow>

name	testflow
caption	A tool to validate PS/PDF output from LaTeX
author	Shell, Michael
copyright	Michael Shell and The LaTeX Project (2002-2007)
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) The package provides a diagnostic suite which is designed to test a LaTeX ‘print work flow’, and provides diagnostic information to enable the user to correct and/or upgrade his/her system in order to produce correct printed output. The package is distributed as part of the IEEEtran distribution.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/IEEEtran/testflow/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/IEEEtran/testflow/testflow_doc.pdf
– local file	./9704565198-testflow_doc.pdf
home page	http://www.michaelshell.org/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/IEEEtran/testflow
on T _E XLive	ieeetran
keyword	debug-supp (support for package or document debugging)
language(s)	no language specified
year	2007
last access	2025-02-07

5897 testfont – A testbed for font evaluationWeb page on CTAN <https://ctan.org/pkg/testfont>

name	testfont
caption	A testbed for font evaluation
author	Knuth, Donald E.
license	knuth = Knuth License (free)
description	(no language specified) This file (part of the Plain TeX distribution) allows the user to select fonts and to perform a number of evaluation tests, from simple font tables through to elaborate pattern samples.
on CTAN	https://ctan.org/tex-archive/macros/plain/base/testfont.tex
keyword	font-devel (support for font development, testing and characterisation)
see also	see section 2311 on page 2092: (fonttbl – A font sampler)
see also	see section 2314 on page 2095: (fontchart – A font sampler)
language(s)	no language specified
year	without year
last access	2025-02-11

5898 testhyphens – Testing hyphenation patternsWeb page on CTAN <https://ctan.org/pkg/testhyphens>

name	testhyphens
caption	Testing hyphenation patterns
author	Beccari, Claudio
copyright	Claudio Beccari (2014-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2025-01-16)
last changes	2025-01-16
year	2025

description	(no language specified) The package may be used for testing hyphenation patterns or for controlling that specific words are hyphenated as expected. This package implements some old TUGboat code to adapt it to LaTeX with some enhancements. It differs from <code>\showhyphens</code> , because it typesets its output on the document's output file. It also works with <code>xelatex</code> , where <code>\showhyphens</code> requires a workaround.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/testhyphens/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/testhyphens/testhyphens.pdf
– local file	<code>./4602756893-testhyphens.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/testhyphens
on MikTeX	<code>testhyphens</code>
on TeXLive	<code>testhyphens</code>
keyword	<code>hyphenation</code> (macros or tables for hyphenation)
language(s)	no language specified
last access	2025-02-07

5899 *testidx* – Dummy text for testing index styles and indexing applications

Web page on CTAN <https://ctan.org/pkg/testidx>

name	<code>testidx</code>
caption	Dummy text for testing index styles and indexing applications
author	Talbot, Nicola
copyright	Nicola Talbot (2016-2019)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2 (2019-09-29)
last changes	2019-09-29
year	2019

description	(no language specified) This is a LaTeX package that provides a command to produce dummy text interspersed with <code>\index</code> commands to test an index style or indexing application. The dummy text is mostly in English, but includes extended Latin characters provided either through LaTeX accent commands or directly with UTF-8 characters, depending on the setup, to allow for testing extended Latin alphabets. The supplementary package <code>testidx-glossaries.sty</code> uses the indexing interface provided by the glossaries package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/testidx/README
documentation	(no language specified) <i>User manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/testidx/testidx-manual.pdf
– local file	<code>./1097263633-testidx-manual.pdf</code>
documentation	(no language specified) <i>Code documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/testidx/testidx-code.pdf
– local file	<code>./7906014752-testidx-code.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/testidx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/testidx.tds.zip
on MikTeX	<code>testidx</code>
on T _E XLive	<code>testidx</code>
keyword	index (index support)
keyword	dummy-gen (dummy text generator for tests and examples)
see also	see section 764 on page 702 : (<code>blindtext</code> – Producing ‘blind’ text for testing)
language(s)	no language specified
last access	2025-02-07

5900 *testmath* – Examples of the AMS-LaTeX package

Web page on CTAN	https://ctan.org/pkg/testmath
name	<code>testmath</code>
caption	Examples of the AMS-LaTeX package
author	The American Mathematical Society
copyright	American Mathematical Society (1995, 1999)

5901 *tetex* – Obsolete TeX distribution for Unix/Linux

copyright	LaTeX Project (2023)
license	lppl = The LaTeX Project Public License (free)
version	2.0a (2023-08-24)
last changes	2023-08-24
year	2023
description	(no language specified) This is a sample file containing extensive examples of mathematical constructs supported by the amsmath package. This file is part of amslatex .
documentation	(no language specified) <i>The compiled document:</i> https://ctan.org/tex-archive/macros/latex/required/amsmath/testmath.pdf
– local file	<code>./5078667046-testmath.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/required/amsmath
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-amsmath.tds.zip
keyword	use-sample (sample of use of macro collections, etc.)
language(s)	no language specified
last access	2025-02-07

5901 *tetex* – Obsolete TeX distribution for Unix/Linux

Web page on CTAN <https://ctan.org/pkg/tetex>

name	<code>tetex</code>
caption	Obsolete TeX distribution for Unix/Linux
author	Esser, Thomas
license	other-free = Free license not otherwise listed (free)
version	3.0
description	(no language specified) teTeX was a comprehensive distribution of TeX, LaTeX and family, designed for ease of compilation, installation and customisation. In 2006, Thomas Esser announced he would no longer be able to support, or to produce new versions of, teTeX. With the appearance of TeX live 2007 (whose Unix-system TeX support originally derived from teTeX), no-one should be using teTeX at all, in new applications.

One of the "schemes" available when installing TeX live provides a configuration very close to that of the old teTeX, but using modern versions of programs and packages.

home page	https://tug.org/teTeX/
on CTAN	https://ctan.org/tex-archive/obsolete/systems/unix/teTeX
on MikTeX	tetex
keyword	distribution (components (or support) of TeX distribution)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
year	without year
last access	2025-02-07

5902 *tetragonos* – Four-Corner codes of Chinese characters

Web page on CTAN	https://ctan.org/pkg/tetragonos
name	tetragonos
caption	Four-Corner codes of Chinese characters
author	Yang, Yuchang
copyright	Yuchang Yang (2019)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1 (2019-01-15)
last changes	2019-01-15
year	2019
description	(no language specified) This is a XeLaTeX package for mapping Chinese characters to their codes in the Four-Corner Method.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/tetragonos/README.md
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/xetex/latex/tetragonos/tetragonos.pdf
– local file	./6250178332-tetragonos.pdf
home page	https://github.com/Mikumikunisiteageru/tetragonos
contact	<i>bugs</i> : https://github.com/Mikumikunisiteageru/tetragonos/issues

on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/tetragonos
on T _E XLive	tetragonos
keyword	chinese (support for typesetting Chinese languages)
language(s)	Chinese
last access	2025-02-07

5903 *teubner* – Philological typesetting of classical Greek

Web page on CTAN <https://ctan.org/pkg/teubner>

name	teubner
caption	Philological typesetting of classical Greek
author	Beccari, Claudio
copyright	Claudio Beccari (2001-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	5.8.3 (2023-08-25)
last changes	2023-08-25
year	2023
description	(no language specified) An extension to babel greek option for typesetting classical Greek with a philological approach. The package works with the author's greek fonts using the 'Lispiakos' font shape derived from that of the fonts used in printers' shops in Lissia. The package name honours the publisher B.G. Teubner Verlagsgesellschaft whose Greek text publications are of high quality.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/teubner/teubner.pdf
– local file	<code>./5658956459-teubner.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/teubner/README
documentation	(no language specified) <i>User manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/teubner/teubner-doc.pdf
– local file	<code>./4508978566-teubner-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/teubner
on MikT _E X	teubner

on T _E XLive	teubner
keyword	greek (support for typesetting Greek)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
language(s)	no language specified
last access	2025-02-07

5904 *tex* – A sophisticated typesetting engine

Web page on CTAN <https://ctan.org/pkg/tex>

name	TeX
caption	A sophisticated typesetting engine
author	Knuth, Donald E.
copyright	D. E. Knuth (null)
license	knuth = Knuth License (free)
version	3.141592653 (2021-02-05)
last changes	2021-02-05
year	2021
description	(no language specified) TeX is a typesetting system that incorporates a macro processor. A TeX source document specifies or incorporates a number of macro definitions that instruct the TeX engine how to typeset the document. The TeX engine also uses font metrics generated by Metafont , or by any of several other mechanisms that incorporate fonts from other sources into an environment suitable for TeX. TeX has been, and continues, a basis and an inspiration for several other programs, including e-TeX and PDFTeX . The distribution includes the source of Knuth’s <i>TeX book</i> ; this source is there to read, as an example of writing TeX — it should not be processed without Knuth’s direct permission.
contact	<i>support:</i> https://lists.tug.org/tex-k
contact	<i>bugs:</i> https://lists.tug.org/tex-k
contact	<i>repository:</i> https://tug.org/svn/texlive/trunk/Build/source/texk/web2c/
on CTAN	https://ctan.org/tex-archive/systems/knuth/dist/tex
on MikT _E X	miktex-tex-bin-2.9

on T _E XLive	tex
keyword	engine (TeX (or TeX-alike) typesetting engine)
language(s)	no language specified
last access	2025-02-11

5905 *tex-xet* – Bidirectional extension of TeX

Web page on CTAN <https://ctan.org/pkg/tex--xet>

name	tex-xet
caption	Bidirectional extension of TeX
author	MacKay, Pierre A.
author	Breitenlohner, Peter
author	Knuth, Donald E.
license	gpl = GNU General Public License (free)
version	3.141
description	(no language specified) This is a bundle of extensions to TeX to provide bidirectional typesetting; it is expressed as a web change file. Note that the TeX–XeT code has been incorporated into e-TeX extensions, so that engines incorporating the code directly are rarely found nowadays. Indeed, Knuth himself no longer distributes TeX–XeT, so it is to be considered obsolete.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/obsolete/systems/knuth/tex--xet/tex--xet.doc
on CTAN	https://ctan.org/tex-archive/obsolete/systems/knuth/tex--xet
keyword	obsolete (package declared obsolete)
keyword	engine (TeX (or TeX-alike) typesetting engine)
language(s)	no language specified
year	without year
last access	2025-02-11

5906 *tex-converter* – Windows front-end to various LaTeX to HTML converters

Web page on CTAN <https://ctan.org/pkg/tex-converter>

Alias	TeX Converter
name	TeX Converter
caption	Windows front-end to various LaTeX to HTML converters
author	Mayer, Steve
copyright	Steve Mayer (1999)
license	other-free = Free license not otherwise listed (free)
version	2.6
description	(no language specified) TeX Converter is a Windows front-end to 4 programs that convert TeX to HTML — HeVeA, TtH, TeX4ht and LaTeX2HTML. These programs run in DOS and require complicated command lines. The purpose of TeX Converter is to make these programs easy to run.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/tex-converter/README
on CTAN	https://ctan.org/tex-archive/support/tex-converter
keyword	cvt-html (generate HTML from TeX-ish sources)
language(s)	no language specified
year	1999
last access	2025-02-07

5907 *tex-ewd* – Macros to typeset calculational proofs and programs in Dijkstra's style

Web page on CTAN <https://ctan.org/pkg/tex-ewd>

name	tex-ewd
caption	Macros to typeset calculational proofs and programs in Dijkstra's style
author	Helbig, Wolfgang
copyright	Wolfgang Helbig (2008)
license	bsd = BSD Style License (free)
version	(2008-11-10)
last changes	2008-11-10
year	2008

description	(no language specified) Edsger W. Dijkstra and others suggest a unique style to present mathematical proofs and to construct programs. This package provides macros that support calculational proofs and Dijkstra’s ”guarded command language”.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/tex-ewd/README
on CTAN	https://ctan.org/tex-archive/macros/generic/tex-ewd
on MikTeX	tex-ewd
on T _E XLive	tex-ewd
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2026-04-10

5908 *tex-extensions* – Proposals for extensions to TeX

Web page on CTAN <https://ctan.org/pkg/tex-extensions>

name	tex-extensions
caption	Proposals for extensions to TeX
author	Clasen, Matthias
license	noinfo = noinfo
version	(2003-02-07)
last changes	2003-02-07
year	2003
description	(no language specified) A bundle of proposals for extensions to TeX, implemented as change files to web2c v7.2. The extensions cover: • replacing floating point by integer arithmetic, in glue calculations; • introducing hyphenation classes (with a corresponding change to <code>patgen</code>); • implementing demerits for more than 2 consecutive hyphens; • providing ‘nestable’ and ‘under’ math accents; a primitive to switch to ‘cramped’ styles; provides generalised radicals with a left- and right-delimiter; implementation work for using the hz algorithm; • marginal tokens for hanging punctuation and hyphens.

Several files offering examples of use are also provided.

documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/systems/tex-extensions/clasen/README>

on CTAN <https://ctan.org/tex-archive/systems/tex-extensions/clasen>

keyword engine (TeX (or TeX-alike) typesetting engine)

language(s) no language specified

last access 2025-02-07

5909 `tex-font-errors-cheatsheet` – Cheat sheet outlining the most common TeX font errors

Web page on CTAN <https://ctan.org/pkg/tex-font-errors-cheatsheet>

name `tex-font-errors-cheatsheet`

caption Cheat sheet outlining the most common TeX font errors

author Schlömer, Nico

copyright Nico Schlömer (2009, 2010)

license lpl = The LaTeX Project Public License (free)

version 0.1

description (no language specified) This is a compact three-pages document highlighting the TeX flow of integrating fonts, and explains how some of the most common font-related error messages occur. Also, hints are given on how to address those.

documentation (no language specified) *Package documentation:* <https://ctan.org/tex-archive/info/tex-font-errors-cheatsheet/tex-font-cheatsheet.pdf>

– local file `./4996690709-tex-font-cheatsheet.pdf`

documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/info/tex-font-errors-cheatsheet/README>

home page <https://github.com/nschloe/tex-font-errors-cheatsheet>

on CTAN <https://ctan.org/tex-archive/info/tex-font-errors-cheatsheet>

on T_EXLive `tex-font-errors-cheatsheet`

keyword `tut-cheat` (tutorial “cheat-sheet”)

language(s) no language specified

year 2010

last access 2025-02-07

5910 *tex-fpc* – A collection of change files for a TeX system based on Free Pascal

Web page on CTAN <https://ctan.org/pkg/tex-fpc>

name	TeX-FPC
caption	A collection of change files for a TeX system based on Free Pascal
author	Helbig, Wolfgang
license	bsd2 = Simplified BSD License (free)
version	4th ed.
description	(no language specified) This is the followup to TeX-GPC , which is based on the GNU Pascal Compiler. GPC is not installable any more, so I switched to FPC, not because it is the best but because it is the only pascal compiler nowadays.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/unix/tex-fpc/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/systems/unix/tex-fpc/tex-fpc.pdf
– local file	./7786195009-tex-fpc.pdf
on CTAN	https://ctan.org/tex-archive/systems/unix/tex-fpc
keyword	engine (TeX (or TeX-alike) typesetting engine)
keyword	distribution (components (or support) of TeX distribution)
see also	see section 3162 on page 2854 : (knuth-base – The current state of Knuth’s contributions)
see also	see section 5911 on page 5352 : (TeX-GPC – A collection of change files for a TeX system based on GNU Pascal)
language(s)	no language specified
year	without year
last access	2025-02-07

5911 *tex-gpc* – A collection of change files for a TeX system based on GNU Pascal

Web page on CTAN <https://ctan.org/pkg/tex-gpc>

name	TeX-GPC
caption	A collection of change files for a TeX system based on GNU Pascal
author	Helbig, Wolfgang
license	noinfo = noinfo
version	3rd edition
description	(no language specified) This package contains change files for Donald E. Knuth's suite of TeX related programs. The change files (<code>.ch</code>) are to be applied to Knuth's master files (<code>.web</code>) in the version from January 2014. You can use them to build 'TeX-GPC', i.e., a TeX system based on the GNU Pascal Compiler version 2.1. TeX-GPC runs in a Unix environment, including Mac OS X 10.2. This package has been succeeded by TeX-FPC , which is based on the Free Pascal Compiler.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/systems/unix/tex-gpc/tex.pdf
– local file	<code>./3030838494-tex.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/systems/unix/tex-gpc/README
on CTAN	https://ctan.org/tex-archive/systems/unix/tex-gpc
keyword	engine (TeX (or TeX-alike) typesetting engine)
keyword	distribution (components (or support) of TeX distribution)
see also	see section 5910 on page 5351 : (TeX-FPC – A collection of change files for a TeX system based on Free Pascal)
see also	see section 3162 on page 2854 : (<code>knuth-base</code> – The current state of Knuth's contributions)
language(s)	no language specified
year	without year
last access	2025-02-07

5912 *tex-gyre* – TeX Fonts extending freely available URW fonts

Web page on CTAN <https://ctan.org/pkg/tex-gyre>

name *tex-gyre*

caption TeX Fonts extending freely available URW fonts

author Jackowski, Bogusław

author Nowacki, Janusz Marian

license gfl = The GUST Font License (GFL) (free)

version 2.501

description (no language specified) The TeX-GYRE bundle consists of six font families:

TeX Gyre Adventor is based on the URW Gothic L family of fonts (which is derived from ITC Avant Garde Gothic, designed by Herb Lubalin and Tom Carnase).

TeX Gyre Bonum is based on the URW Bookman L family (from Bookman Old Style, designed by Alexander Phemister).

TeX Gyre Chorus is based on URW Chancery L Medium Italic (from ITC Zapf Chancery, designed by Hermann Zapf in 1979).

TeX-Gyre Cursor is based on URW Nimbus Mono L (based on Courier, designed by Howard G. Kettler in 1955, for IBM).

TeX Gyre Heros is based on URW Nimbus Sans L (from Helvetica, prepared by Max Miedinger, with Eduard Hoffmann in 1957).

TeX Gyre Pagella is based on URW Palladio L (from Palatino, designed by Hermann Zapf in the 1940s).

TeX Gyre Schola is based on the URW Century Schoolbook L family (from Century Schoolbook, designed by Morris Fuller Benton for the American Type Founders).

TeX Gyre Termes is based on the URW Nimbus Roman No9 L family of fonts (from Times New Roman, designed by Stanley Morison together with Starling Burgess and Victor Lardent and first offered by Monotype).

The constituent standard faces of each family have been greatly extended (though Chorus omits Greek support and has no small-caps family). Each family is available in Adobe Type 1 and Open Type formats, and LaTeX support (for use with a variety of encodings) is provided. Vietnamese characters were added by Han The Thanh.

There are companion maths fonts for several of these designs, listed in the **TeX Gyre Math** package.

documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/tex-gyre/README.txt
home page	https://www.gust.org.pl/projects/e-foundry/tex-gyre
on CTAN	https://ctan.org/tex-archive/fonts/tex-gyre
installation	https://ctan.org/tex-archive/install/fonts/tex-gyre.tds.zip
on MikTeX	tex-gyre
on T _E XLive	tex-gyre
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
keyword	font-collection (listing a set of related fonts)
keyword	font-otf (font in OpenType format)
keyword	font-serif (serif font)
keyword	font-proportional (variable-spaced font)
keyword	font-sans (sans-serif font)
language(s)	no language specified
year	without year
last access	2025-02-07

5913 **tex-gyre-adventor** – A font family that extends URW Gothic L

Web page on CTAN	https://ctan.org/pkg/tex-gyre-adventor
name	tex-gyre-adventor
caption	A font family that extends URW Gothic L
author	Jackowski, Bogusław
author	Nowacki, Janusz Marian
license	gfl = The GUST Font License (GFL) (free)
version	2.501

description	(no language specified) The TeX Gyre Adventor family of sans serif fonts is based on the URW Gothic L family. The original font, ITC Avant Garde Gothic, was designed by Herb Lubalin and Tom Carnase in 1970; the URW font is commonly used as a substitute for the ITC original. The standard faces of Adventor have been greatly extended. The family is available both in Adobe Type 1 and in OpenType formats, and LaTeX support (for use with a variety of encodings) is provided. Vietnamese characters were added by Han The Thanh. TeX Gyre Adventor is distributed as part of the TeX Gyre collection
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/tex-gyre/doc/README-TeX-Gyre-Adventor.txt
documentation	(no language specified) <i>Technical documentation of the family:</i> https://ctan.org/tex-archive/fonts/tex-gyre/doc/qag-info.pdf
– local file	<code>./8908755165-qag-info.pdf</code>
home page	https://www.gust.org.pl/projects/e-foundry/tex-gyre/adventor
on CTAN	https://ctan.org/tex-archive/fonts/tex-gyre
installation	https://ctan.org/tex-archive/install/fonts/tex-gyre.tds.zip
on MikTeX	<code>tex-gyre</code>
on T _E XLive	<code>tex-gyre</code>
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>cyrillic</code> (support languages written using Cyrillic alphabets)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>greek</code> (support for typesetting Greek)
language(s)	no language specified
year	without year
last access	2025-02-07

5914 tex-gyre-bonum – A font family that extends URW Bookman L

Web page on CTAN <https://ctan.org/pkg/tex-gyre-bonum>

name	tex-gyre-bonum
caption	A font family that extends URW Bookman L
author	Jackowski, Bogusław
author	Nowacki, Janusz Marian
license	gfl = The GUST Font License (GFL) (free)
version	2.004
description	(no language specified) The TeX Gyre Bonum family of serif fonts is based on the URW Bookman L family. The original font, Bookman (or Bookman Old Style), was designed by Alexander Phemister in 1860. The standard faces of Bonum have been greatly extended. The family is available both in Adobe Type 1 and in OpenType formats, and LaTeX support (for use with a variety of encodings) is provided. Vietnamese characters were added by Han The Thanh. TeX Gyre Bonum is distributed as part of the TeX Gyre collection
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/tex-gyre/doc/README-TeX-Gyre-Bonum.txt
documentation	(no language specified) <i>Technical documentation of the family</i> : https://ctan.org/tex-archive/fonts/tex-gyre/doc/qbk-info.pdf
– local file	./9864787199-qbk-info.pdf
home page	https://www.gust.org.pl/projects/e-foundry/tex-gyre/bonum
on CTAN	https://ctan.org/tex-archive/fonts/tex-gyre
installation	https://ctan.org/tex-archive/install/fonts/tex-gyre.tds.zip
on MikTeX	tex-gyre
on T _E XLive	tex-gyre
keyword	font-otf (font in OpenType format)
keyword	font (fonts themselves)
keyword	cyrillic (support languages written using Cyrillic alphabets)
keyword	greek (support for typesetting Greek)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified

year without year
last access 2025-02-07

5915 *tex-gyre-chorus* – A font that extends URW Chancery L

Web page on CTAN <https://ctan.org/pkg/tex-gyre-chorus>

name *tex-gyre-chorus*

caption A font that extends URW Chancery L

author Jackowski, Bogusław

author Nowacki, Janusz Marian

license gfl = The GUST Font License (GFL) (free)

version 2.003

description (no language specified) The TeX Gyre Chorus font is based on the URW Chancery L Medium Italic. The original font, ITC Zapf Chancery, was designed in 1979 by Hermann Zapf who was inspired by handwritten letterforms of the Italian Renaissance.

Chorus has been greatly extended. Unlike the rest of the TeX Gyre bundle, there are no Greek glyphs, and there are no small caps. The font is available both in Adobe Type 1 and in OpenType formats, and LaTeX support (for use with a variety of encodings) is provided. Vietnamese characters were added by Han The Thanh.

TeX Gyre Chorus is distributed as part of the [TeX Gyre collection](#).

documentation (no language specified) *Technical documentation of the family*: <https://ctan.org/tex-archive/fonts/tex-gyre/doc/qzc-info.pdf>

– local file ./9609087217-qzc-info.pdf

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/fonts/tex-gyre/doc/README-TeX-Gyre-Chorus.txt>

home page <https://www.gust.org.pl/projects/e-foundry/tex-gyre/chorus>

on CTAN <https://ctan.org/tex-archive/fonts/tex-gyre>

installation <https://ctan.org/tex-archive/install/fonts/tex-gyre.tds.zip>

on MikTeX *tex-gyre*

on TeXLive *tex-gyre*

keyword font-otf (font in OpenType format)

keyword	font-calligraphic (calligraphic (or handwriting) fonts)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-02-07

5916 *tex-gyre-cursor* – A font that extends URW Nimbus Mono L

Web page on CTAN <https://ctan.org/pkg/tex-gyre-cursor>

name	tex-gyre-cursor
caption	A font that extends URW Nimbus Mono L
author	Nowacki, Janusz Marian
author	Jackowski, Bogusław
license	gfl = The GUST Font License (GFL) (free)
version	2.004
description	(no language specified) The TeX Gyre Cursor font is based on the URW Nimbus Mono L. The original font, IBM Courier, was designed in 1955 by Howard G. "Bud" Kettler. Cursor has been greatly extended. The font is available both in Adobe Type 1 and in OpenType formats, and LaTeX support (for use with a variety of encodings) is provided. Vietnamese characters were added by Han The Thanh. TeX Gyre Cursor is distributed as part of the TeX Gyre collection.
documentation	(no language specified) <i>Technical documentation of the family</i> : https://ctan.org/tex-archive/fonts/tex-gyre/doc/qcr-info.pdf
– local file	./4134683896-qcr-info.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/tex-gyre/doc/README-TeX-Gyre-Cursor.txt
home page	https://www.gust.org.pl/projects/e-foundry/tex-gyre/cursor
on CTAN	https://ctan.org/tex-archive/fonts/tex-gyre
installation	https://ctan.org/tex-archive/install/fonts/tex-gyre.tds.zip
on MikTeX	tex-gyre

on T _E XLive	tex-gyre
keyword	font (fonts themselves)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-otf (font in OpenType format)
keyword	greek (support for typesetting Greek)
keyword	font-mono (monospaced font)
language(s)	no language specified
year	without year
last access	2025-02-07

5917 *tex-gyre-heros* – A font family that extends URW Nimbus Sans L

Web page on CTAN <https://ctan.org/pkg/tex-gyre-heros>

name	tex-gyre-heros
caption	A font family that extends URW Nimbus Sans L
author	Nowacki, Janusz Marian
author	Jackowski, Bogusław
license	gfl = The GUST Font License (GFL) (free)
version	2.004
description	(no language specified) The TeX Gyre Heros family of sans-serif fonts is based on URW Nimbus Sans L. The original font, Helvetica, was prepared by Max Miedinger (with Eduard Hoffmann) in 1957 at the Haas type foundry. TeX Gyre Heros may be used as a substitute for Adobe Helvetica in documents. The standard faces of Heros have been greatly extended. The family is available both in Adobe Type 1 and in OpenType formats, and LaTeX support (for use with a variety of encodings) is provided. Vietnamese characters were added by Han The Thanh. TeX Gyre Heros is distributed as part of the TeX Gyre collection .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/tex-gyre/doc/README-TeX-Gyre-Heros.txt
documentation	(no language specified) <i>Technical documentation of the family</i> : https://ctan.org/tex-archive/fonts/tex-gyre/doc/qhv-info.pdf
– local file	./5829018594-qhv-info.pdf
home page	https://www.gust.org.pl/projects/e-foundry/tex-gyre/heros

on CTAN	https://ctan.org/tex-archive/fonts/tex-gyre
installation	https://ctan.org/tex-archive/install/fonts/tex-gyre.tds.zip
on MikTeX	tex-gyre
on TeXLive	tex-gyre
keyword	font (fonts themselves)
keyword	font-sans (sans-serif font)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
year	without year
last access	2025-02-07

5918 tex-gyre-math – Maths fonts to match tex-gyre text fonts

Web page on CTAN <https://ctan.org/pkg/tex-gyre-math>

name	tex-gyre-math
caption	Maths fonts to match tex-gyre text fonts
author	Jackowski, Bogusław
author	Pianowski, Piotr
author	Strzelczyk, Piotr
copyright	B. Jackowski, P. Strzelczyk and P. Pianowski (2012-2016)
license	gfl = The GUST Font License (GFL) (free)
version	(2016-05-19)
last changes	2016-05-19
year	2016
description	(no language specified) TeX-Gyre-Math is a collection of maths fonts to match the text fonts of the TeX-Gyre collection. The collection is available in OpenType format, only; fonts conform to the developing standards for OpenType maths fonts. TeX-Gyre-Math-Bonum (to match TeX-Gyre-Bonum), TeX-Gyre-Math-Pagella (to match TeX-Gyre-Pagella), TeX-Gyre-Math-Schola (to match TeX-Gyre-Schola) and TeX-Gyre-Math-Termes (to match TeX-Gyre-Termes) fonts are provided.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/tex-gyre-math/README
on CTAN	https://ctan.org/tex-archive/fonts/tex-gyre-math
on MikTeX	tex-gyre-math
on T _E XLive	tex-gyre-math
keyword	font-maths (fonts for use in mathematics)
keyword	font-otf (font in OpenType format)
keyword	font (fonts themselves)
keyword	font-collection (listing a set of related fonts)
language(s)	no language specified
last access	2025-02-07

5919 *tex-gyre-math-bonum* – Maths fonts to match TeX Gyre Bonum

Web page on CTAN <https://ctan.org/pkg/tex-gyre-math-bonum>

name	tex-gyre-math-bonum
caption	Maths fonts to match TeX Gyre Bonum
author	Jackowski, Bogusław
author	Pianowski, Piotr
author	Strzelczyk, Piotr
copyright	B. Jackowski, P. Strzelczyk and P. Pianowski (2014)
license	gfl = The GUST Font License (GFL) (free)
version	1.005 (2014-09-05)
last changes	2014-09-05
year	2014
description	(no language specified) The font provides maths support for users of the tex-gyre-bonum fonts, which were themselves modelled on ‘URW Bookman L’. The font is available in OpenType format, only; the fonts conform to the developing standards for OpenType maths fonts. For use with LuaLaTeX or XeLaTeX, support is available from the unicode-math package. The fonts are part of the TeX-Gyre-Math collection of fonts.

documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/tex-gyre-math/doc/README-TeX-Gyre-Bonum-Math.txt
on CTAN	https://ctan.org/tex-archive/fonts/tex-gyre-math
keyword	font (fonts themselves)
keyword	font-maths (fonts for use in mathematics)
keyword	font-otf (font in OpenType format)
language(s)	no language specified
last access	2025-02-07

5920 *tex-gyre-math-dejavu* – Maths fonts to match TeX Gyre Dejavu

Web page on CTAN	https://ctan.org/pkg/tex-gyre-math-dejavu
name	tex-gyre-math-dejavu
caption	Maths fonts to match TeX Gyre Dejavu
author	Jackowski, Bogusław
author	Strzelczyk, Piotr
author	Pianowski, Piotr
copyright	B. Jackowski, P. Strzelczyk and P. Pianowski (2016)
license	gfl = The GUST Font License (GFL) (free)
version	1.106 (2016-05-19)
last changes	2016-05-19
year	2016
description	(no language specified) The font provides maths support for use of the DejaVu fonts. The font is available in OpenType format, only; the fonts conform to the developing standards for OpenType maths fonts. The fonts are part of the TeX-Gyre-Math collection of fonts.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/tex-gyre-math/./doc/README-TeX-Gyre-DejaVu-Math.txt
on CTAN	https://ctan.org/tex-archive/fonts/tex-gyre-math
keyword	font (fonts themselves)
keyword	font-otf (font in OpenType format)

keyword font-maths (fonts for use in mathematics)
 language(s) no language specified
 last access 2025-02-07

5921 *tex-gyre-math-pagella* – Maths fonts to match the *tex-gyre-pagella* text font

Web page on CTAN <https://ctan.org/pkg/tex-gyre-math-pagella>

name tex-gyre-math-pagella

caption Maths fonts to match the *tex-gyre-pagella* text font

author Strzelczyk, Piotr

author Pianowski, Piotr

author Jackowski, Bogusław

copyright B. Jackowski, P. Strzelczyk and P. Pianowski (2012-2014)

license gfl = The GUST Font License (GFL) (free)

version 1.632

description (no language specified) The font provides maths support for users of the *tex-gyre-pagella* fonts.

The fonts are available in OpenType format, only; the fonts conform to the developing standards for OpenType maths fonts.

For use with LuaLaTeX or XeLaTeX, support is available from the *unicode-math* package.

The fonts are part of the *TeX-Gyre-Math* collection of fonts.

documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/fonts/tex-gyre-math/doc/README-TeX-Gyre-Pagella-Math.txt>

on CTAN <https://ctan.org/tex-archive/fonts/tex-gyre-math>

on MikTeX tex-gyre-math

on T_EXLive tex-gyre-math

keyword font (fonts themselves)

keyword font-otf (font in OpenType format)

keyword font-maths (fonts for use in mathematics)

language(s) no language specified

year 2014

last access 2025-02-07

5922 tex-gyre-math-schola – Maths fonts to match TeX Gyre ScholaWeb page on CTAN <https://ctan.org/pkg/tex-gyre-math-schola>

name	tex-gyre-math-schola
caption	Maths fonts to match TeX Gyre Schola
author	Jackowski, Bogusław
author	Pianowski, Piotr
author	Strzelczyk, Piotr
copyright	B. Jackowski, P. Strzelczyk and P. Pianowski (2014)
license	gfl = The GUST Font License (GFL) (free)
version	1.533 (2014-09-05)
last changes	2014-09-05
year	2014
description	(no language specified) The font provides maths support for users of the tex-gyre-schola fonts, which were themselves modelled on ‘URW Century Schoolbook L’. The font is available in OpenType format, only; the fonts conform to the developing standards for OpenType maths fonts. For use with LuaLaTeX or XeLaTeX, support is available from the unicode-math package. The fonts are part of the TeX-Gyre-Math collection of fonts.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/tex-gyre-math/doc/README-TeX-Gyre-Schola-Math.txt
on CTAN	https://ctan.org/tex-archive/fonts/tex-gyre-math
keyword	font-otf (font in OpenType format)
keyword	font (fonts themselves)
keyword	font-maths (fonts for use in mathematics)
language(s)	no language specified
last access	2025-02-07

5923 tex-gyre-math-terms – Maths fonts to match TeX Gyre Terms

Web page on CTAN <https://ctan.org/pkg/tex-gyre-math-terms>

name	tex-gyre-math-terms
caption	Maths fonts to match TeX Gyre Terms
author	Jackowski, Bogusław
author	Pianowski, Piotr
author	Strzelczyk, Piotr
copyright	B. Jackowski, P. Strzelczyk and P. Pianowski (2012-2014)
license	gfl = The GUST Font License (GFL) (free)
version	1.543 (2014-09-05)
last changes	2014-09-05
year	2014
description	(no language specified) The font provides maths support for users of the tex-gyre-terms fonts. The font is available in OpenType format, only; the fonts conform to the developing standards for OpenType maths fonts. For use with LuaLaTeX or XeLaTeX, support is available from the unicode-math package. The fonts are part of the TeX-Gyre-Math collection of fonts.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/tex-gyre-math/doc/README-TeX-Gyre-Termes-Math.txt
on CTAN	https://ctan.org/tex-archive/fonts/tex-gyre-math
on MikTeX	tex-gyre-math
on TeXLive	tex-gyre-math
keyword	font (fonts themselves)
keyword	font-otf (font in OpenType format)
keyword	font-maths (fonts for use in mathematics)
language(s)	no language specified
last access	2025-02-07

5924 tex-gyre-pagella – A font family that extends URW Palladio L

Web page on CTAN <https://ctan.org/pkg/tex-gyre-pagella>

name	tex-gyre-pagella
caption	A font family that extends URW Palladio L
author	Nowacki, Janusz Marian
author	Jackowski, Bogusław
license	gfl = The GUST Font License (GFL) (free)
version	2.501
description	(no language specified) The TeX Gyre Pagella family of serif fonts is based on URW Palladio L. The original font, Palatino, was designed by Hermann Zapf in the 1940s for the Stempel type foundry. The standard faces of Pagella have been greatly extended. The family is available both in Adobe Type 1 and in OpenType formats, and LaTeX support (for use with a variety of encodings) is provided. Vietnamese characters were added by Han The Thanh. TeX Gyre Pagella is distributed as part of the TeX Gyre collection.
documentation	(no language specified) <i>Technical documentation of the family</i> : https://ctan.org/tex-archive/fonts/tex-gyre/doc/qpl-info.pdf
– local file	./6392109386-qpl-info.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/tex-gyre/doc/README-TeX-Gyre-Pagella.txt
home page	https://www.gust.org.pl/projects/e-foundry/tex-gyre/pagella
on CTAN	https://ctan.org/tex-archive/fonts/tex-gyre
installation	https://ctan.org/tex-archive/install/fonts/tex-gyre.tds.zip
on MikTeX	tex-gyre
on T _E XLive	tex-gyre
keyword	font-otf (font in OpenType format)
keyword	font (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-02-07

5925 tex-gyre-schola – A font that extends URW Century Schoolbook L

Web page on CTAN <https://ctan.org/pkg/tex-gyre-schola>

name	tex-gyre-schola
caption	A font that extends URW Century Schoolbook L
author	Jackowski, Bogusław
author	Nowacki, Janusz Marian
license	gfl = The GUST Font License (GFL) (free)
version	2.005
description	(no language specified) TeX Gyre Schola is based on the URW Century Schoolbook L family (from Century Schoolbook, designed by Morris Fuller Benton). Schola serves as a replacement for the standard New Century Schoolbook font. The standard faces have been greatly extended. The family is available both in Adobe Type 1 and in OpenType formats, and LaTeX support (for use with a variety of encodings) is provided. Vietnamese characters were added by Han The Thanh. TeX Gyre Schola is distributed as part of the TeX Gyre collection .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/tex-gyre/doc/README-TeX-Gyre-Schola.txt
documentation	(no language specified) <i>Technical documentation</i> : https://ctan.org/tex-archive/fonts/tex-gyre/doc/qcs-info.pdf
– local file	./3527411233-qcs-info.pdf
home page	https://www.gust.org.pl/projects/e-foundry/tex-gyre/schola
on CTAN	https://ctan.org/tex-archive/fonts/tex-gyre
installation	https://ctan.org/tex-archive/install/fonts/tex-gyre.tds.zip
on MikTeX	tex-gyre
on T _E XLive	tex-gyre
keyword	font (fonts themselves)
keyword	font-otf (font in OpenType format)
see also	see section 6528 on page 5901 : (URW-base35 – URW ‘Base 35’ font pack for LaTeX)
language(s)	no language specified

year without year
last access 2025-02-07

5926 *tex-gyre-terms* – A font family that extends URW Nimbus Roman

Web page on CTAN <https://ctan.org/pkg/tex-gyre-terms>

name *tex-gyre-terms*

caption A font family that extends URW Nimbus Roman

author Jackowski, Bogusław

author Nowacki, Janusz Marian

license gfl = The GUST Font License (GFL) (free)

version 2.004

description (no language specified) TeX Gyre Terms is based on the URW Nimbus Roman No9 L family (designed by Stanley Morison together with Starling Burgess and Victor Lardent). Terms serves as a replacement for the standard Times Roman font.

The standard faces have been greatly extended. The family is available both in Adobe Type 1 and in OpenType formats, and LaTeX support (for use with a variety of encodings) is provided. Vietnamese characters were added by Han The Thanh.

TeX Gyre Terms is distributed as part of the [TeX Gyre collection](#).

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/fonts/tex-gyre/doc/README-TeX-Gyre-Terms.txt>

documentation (no language specified) *Technical documentation*: <https://ctan.org/tex-archive/fonts/tex-gyre/doc/qtm-info.pdf>

– local file ./8351254742-qtm-info.pdf

home page <https://www.gust.org.pl/projects/e-foundry/tex-gyre/terms>

on CTAN <https://ctan.org/tex-archive/fonts/tex-gyre>

installation <https://ctan.org/tex-archive/install/fonts/tex-gyre.tds.zip>

on MikTeX *tex-gyre*

on T_EXLive *tex-gyre*

keyword font-type1 (font available in Adobe Type 1 format)

keyword font (fonts themselves)

keyword	<code>font-otf</code> (font in OpenType format)
see also	see section 6528 on page 5901: (URW-base35 – URW ‘Base 35’ font pack for LaTeX)
see also	see section 5923 on page 5365: (<code>tex-gyre-math-terms</code> – Maths fonts to match TeX Gyre Terms)
language(s)	no language specified
year	without year
last access	2025-02-07

5927 *tex-implementors* – Entries from the *tex-implementors* mailing list

Web page on CTAN <https://ctan.org/pkg/tex-implementors>

name	<code>tex-implementors</code>
caption	Entries from the <i>tex-implementors</i> mailing list
author	Beeton, Barbara
author	Berry, Karl
license	other-nonfree = License that prevents distribution (not free)
version	(2021-05-26)
last changes	2021-05-26
year	2021
description	(no language specified) The directory holds files containing messages and other information that was distributed via the <i>tex-implementors</i> mailing list.
home page	https://tug.org/texmfbug
on CTAN	https://ctan.org/tex-archive/info/digests/tex-implementors
keyword	<code>mail-list</code> (digests, etc., of mailing lists)
language(s)	no language specified
last access	2025-02-07

5928 tex-in-practice – Macro examples from “TeX in Practice”

Web page on CTAN <https://ctan.org/pkg/tex-in-practice>

name	tex-in-practic
caption	Macro examples from “TeX in Practice”
author	von Bechtolsheim, Stephan
copyright	Springer-Verlag New York (1993)
license	nosell = Do Not Sell Except by Arrangement (not free)
version	1.0
description	(no language specified) A collection of files which are machine-readable copies of the examples in all four volumes of the book. An index to the series is also provided. The four volumes of TeX in Practice are published by Springer Verlag, ISBN 3-540-97296-X.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/examples/tex-in-practice/readme
on CTAN	https://ctan.org/tex-archive/info/examples/tex-in-practice
keyword	book-ex (copies of examples from a published book)
language(s)	no language specified
year	1993
last access	2025-02-07

5929 tex-ini-files – Model TeX format creation files

Web page on CTAN <https://ctan.org/pkg/tex-ini-files>

name	tex-ini-files
caption	Model TeX format creation files
author	Wright, Joseph
author	The LaTeX Project Team
license	pd = Public Domain Software (free)
version	(2025-02-09)
last changes	2025-02-09
year	2025

description	(no language specified) This bundle provides a collection of model <code>.ini</code> files for creating TeX formats. These files are commonly used to introduce distribution-dependent variations in formats. They are also used to allow existing format source files to be used with newer engines, for example to adapt the plain e-TeX source file to work with XeTeX and LuaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/tex-ini-files/README.md
on CTAN	https://ctan.org/tex-archive/macros/generic/tex-ini-files
installation	https://ctan.org/tex-archive/install/macros/generic/tex-ini-files.tds.zip
on MikTeX	tex-ini-files
on TeXLive	tex-ini-files
keyword	latex3 (work done for the project to upgrade LaTeX)
language(s)	no language specified
last access	2025-02-12

5930 *tex-it* – Controller for TeX processing

Web page on CTAN	https://ctan.org/pkg/tex-it
Alias	tex-it
name	tex-it
caption	Controller for TeX processing
author	Walsh, Norman
license	gpl = GNU General Public License (free)
description	(no language specified) <code>texit.pl</code> is a perl script for running TeX. It examines the log file of the TeX run and determines whether TeX needs to be run again; it runs BibTeX if necessary, and can be told to run Makeindex. Its "end-document" action may be selected from a menu, and includes a "tidy up" to delete all those scribble files.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/tex-it/README
on CTAN	https://ctan.org/tex-archive/support/tex-it
keyword	compilation (the document compilation process)

5931 *tex-kurs* – A LaTeX (2.09) course in German

see also	see section 3339 on page 3013: (l ^a t _e xmk – Fully automated LaTeX document generation)
language(s)	no language specified
year	without year
last access	2025-02-07

5931 *tex-kurs* – A LaTeX (2.09) course in German

Web page on CTAN <https://ctan.org/pkg/tex-kurs>

name	tex-kurs
caption	A LaTeX (2.09) course in German
author	Rupprecht, Rainer
license	noinfo = noinfo
version	(1991-07-29)
last changes	1991-07-29
year	1991
description	(no language specified) Course material for a LaTeX 2.09 course (including foils for presentation).
on CTAN	https://ctan.org/tex-archive/info/german/tex-kurs
keyword	course-material (course material)
language(s)	no language specified
last access	2025-02-07

5932 *tex-label* – Place a classification on each page of a document

Web page on CTAN <https://ctan.org/pkg/tex-label>

name	tex-label
caption	Place a classification on each page of a document
author	Komarath, Balagopal
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2009-12-08)
last changes	2009-12-08
year	2009

description	(no language specified) Enables the user to place a ‘classification’ label on each page, at the bottom to the right of the page number
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tex-label/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tex-label/tex-label-doc.pdf
– local file	<code>./5735061887-tex-label-doc.pdf</code>
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/tex-label/tex-label-demo.pdf
– local file	<code>./2130784153-tex-label-demo.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tex-label
on MikTeX	<code>tex-label</code>
on TeXLive	<code>tex-label</code>
keyword	security (document security measures)
language(s)	no language specified
last access	2025-02-07

5933 *tex-locale* – Localisation support for TeX and LaTeX documents

Web page on CTAN <https://ctan.org/pkg/tex-locale>

name	<code>tex-locale</code>
caption	Localisation support for TeX and LaTeX documents
author	Talbot, Nicola
copyright	Nicola Talbot (2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2018-08-26)
last changes	2018-08-26
year	2018

description	(no language specified) This package uses both tracklang and texosquery to look up the locale information from the operating system and provide commands that can access locale-dependent information, such as the currency symbol and decimal separator. The file <code>tex-locale.tex</code> provides generic TeX code. The LaTeX package <code>tex-locale.sty</code> can additionally load babel or polyglossia with the locale's language setting, as well as various other packages such as fontspec (XeLaTeX/LuaLaTeX) or fontenc + inputenc (pdfLaTeX).
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/generic/tex-locale/tex-locale.pdf
– local file	<code>./8105124803-tex-locale.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/generic/tex-locale/README
on CTAN	https://ctan.org/tex-archive/macros/generic/tex-locale
installation	https://ctan.org/tex-archive/install/macros/generic/tex-locale.tds.zip
on MikTeX	<code>tex-locale</code>
on TeXLive	<code>tex-locale</code>
keyword	<code>env-query</code> (examine the TeX programming environment)
keyword	<code>sys-supp</code> (os-level support facilities for TeX)
language(s)	no language specified
last access	2025-02-07

5934 *tex-mag* – An on-line TeX magazine

Web page on CTAN <https://ctan.org/pkg/tex-mag>

name	TeX-mag
caption	An on-line TeX magazine
author	Hosek, Don
license	digest = digest
version	(1992-09-27)
last changes	1992-09-27
year	1992

description	(no language specified) The TeX-mag distribution (which started in 1987) gave us articles on (La)TeX programming and use. It ran to five volumes (after which the editor switched his attention to publishing a Paper magazine "Serif").
on CTAN	https://ctan.org/tex-archive/info/digests/tex-mag
keyword	journ-src (sources and/or old copies of journals)
language(s)	no language specified
last access	2025-02-07

5935 *tex-math* – Maths mode documentation for OS/2 users

Web page on CTAN <https://ctan.org/pkg/tex-math>

name	tex-math
caption	Maths mode documentation for OS/2 users
author	Hahn, Marco
license	noinfo = noinfo
version	(1996-07-01)
last changes	1996-07-01
year	1996
description	(no language specified) A summary of TeX-commands used to create mathematical formulae (and certain other special characters). It can be viewed on any machine that runs OS/2.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/os2/doc/TeX-Math/Read.Me
on CTAN	https://ctan.org/tex-archive/systems/os2/doc/TeX-Math
keyword	documentation ('stand-alone' documentation)
language(s)	no language specified
last access	2025-02-07

5936 tex-nutshell – A short document about TeX principlesWeb page on CTAN <https://ctan.org/pkg/tex-nutshell>

name	TeX-nutshell
caption	A short document about TeX principles
author	Olšák, Petr
license	pd = Public Domain Software (free)
version	0.10 (2024-03-03)
last changes	2024-03-03
year	2024
description	(no language specified) This document is meant for users who are looking for information about the <i>basics</i> of TeX. Its main goal is its brevity. The pure TeX features are described, no features provided by macro extensions. Only the last section gives a summary of plain TeX macros.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/info/tex-nutshell/README
documentation	(no language specified) <i>The document itself</i>: https://ctan.org/tex-archive/info/tex-nutshell/tex-nutshell.pdf
– local file	./8736896378-tex-nutshell.pdf
on CTAN	https://ctan.org/tex-archive/info/tex-nutshell
on MikTeX	tex-nutshell
on T _E XLive	tex-nutshell
keyword	tut-plaintex (tutorial material for Plain TeX)
keyword	documentation (‘stand-alone’ documentation)
language(s)	no language specified
last access	2025-02-07

5937 *tex-overview* – An overview of the development of TeX

Web page on CTAN <https://ctan.org/pkg/tex-overview>

name	tex-overview
caption	An overview of the development of TeX
author	Trautmann, Arno L
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2
description	(no language specified) The document gives a short overview of TeX and its children, as well as the macro packages LaTeX and ConTeXt.
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/tex-overview/tex-overview.pdf
– local file	./2296165130-tex-overview.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/tex-overview/README.md
on CTAN	https://ctan.org/tex-archive/info/tex-overview
on MikTeX	tex-overview
on T _E XLive	tex-overview
keyword	documentation (‘stand-alone’ documentation)
language(s)	no language specified
year	without year
last access	2025-02-07

5938 *tex-ps* – TeX to PostScript generic macros and add-ons

Web page on CTAN <https://ctan.org/pkg/tex-ps>

name	tex-ps
caption	TeX to PostScript generic macros and add-ons
author	BOP
author	Nowacki, Janusz Marian
license	pd = Public Domain Software (free)
description	(no language specified) TeX to PostScript generic macros and add-ons: transformations of EPS files, prepress preparation, color separation, mirror, etc.

on CTAN	https://ctan.org/tex-archive/macros/generic/TeX-PS
on MikTeX	tex-ps
on T _E XLive	tex-ps
keyword	ps-manip (manipulate PostScript files)
see also	see section 4000 on page 3619: (mirr – PostScript mirror header (for dvips))
see also	see section 6290 on page 5689: (trans – A simple TeX macro package for PostScript transformations)
see also	see section 1951 on page 1761: (epsfx – A TeX macro package for including EPS graphics)
see also	see section 4750 on page 4300: (poligraf – A TeX macro package for prepress)
see also	see section 1176 on page 1068: (cmyk-hax – A TeX macro package for colour manipulation (using PostScript))
language(s)	no language specified
year	without year
last access	2025-02-07

5939 tex-references – References for TeX and Friends

Web page on CTAN <https://ctan.org/pkg/tex-references>

name	tex-references
caption	References for TeX and Friends
author	Wiedmann, Michael
license	other-free = Free license not otherwise listed (free)
version	0.4.8 (2012-02-03)
last changes	2012-02-03
year	2012
description	(no language specified) This is an ongoing project with the aim of providing a help file for LaTeX (and its friends like ConTeXt, MetaPost, Metafont, etc.) using a state-of-the-art source format, aka DocBook/XML.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/tex-references/README
documentation	(no language specified) <i>The references themselves</i> : https://ctan.org/tex-archive/info/tex-references/tex-refs.html

on CTAN	https://ctan.org/tex-archive/info/tex-references
on MikTeX	tex-references
on T _E XLive	tex-refs
keyword	documentation (‘stand-alone’ documentation)
language(s)	no language specified
last access	2025-02-07

5940 tex-virtual-academy-pl – TeX usage web pages, in Polish

Web page on CTAN	https://ctan.org/pkg/tex-virtual-academy-pl
name	tex-virtual-academy-pl
caption	TeX usage web pages, in Polish
author	Wawrykiewicz, Staszek
author	Przechlewski, Tomasz
copyright	Włodzimierz Macewicz, Staszek Wawrykiewicz, Tomasz Przechlewski et al. (2014)
license	fdl = Free Documentation License (free)
version	(2014-05-14)
last changes	2014-05-14
year	2014
description	(no language specified) TeX Virtual Academy is a bundle of Polish documentation in HTML format about TeX and Co. It contains information for beginners, LaTeX packages, descriptions, etc.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/tex-virtual-academy-pl/README
home page	https://www.gust.org.pl/projects/wirtualna-akademia-texowa
on CTAN	https://ctan.org/tex-archive/info/tex-virtual-academy-pl
on T _E XLive	tex-virtual-academy-pl
keyword	documentation (‘stand-alone’ documentation)
keyword	polish-doc (documentation in Polish)
language(s)	no language specified
last access	2025-02-07

5941 *tex-vpat* – TeX Accessibility Conformance Report

Web page on CTAN	https://ctan.org/pkg/tex-vpat
name	tex-vpat
caption	TeX Accessibility Conformance Report
author	Veytsman, Boris
copyright	TeX Users Group (2021-2023)
license	cc-by-3 = CC BY 3.0 (free)
version	2.4
description	(no language specified) TeX Accessibility Conformance Report based on ITI VPAT(R) guidelines. Currently it covers TeX Live. Other distributions can be added if needed.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/tex-vpat/README.md
documentation	(no language specified) <i>The document itself (HTML)</i> : https://ctan.org/tex-archive/info/tex-vpat/texlive-vpat.html
documentation	(no language specified) <i>The document itself (PDF)</i> : https://ctan.org/tex-archive/info/tex-vpat/texlive-vpat.pdf
– local file	<code>./2393954125-texlive-vpat.pdf</code>
contact	<i>bugs</i> : https://github.com/TeXUsersGroup/TeX-VPAT/issues
contact	<i>repository</i> : https://github.com/TeXUsersGroup/TeX-VPAT
contact	<i>development</i> : https://github.com/TeXUsersGroup/TeX-VPAT/pulls
on CTAN	https://ctan.org/tex-archive/info/tex-vpat
on T _E XLive	tex-vpat
keyword	std-spec (standards, or other normative documents, about TeX and friends)
keyword	std-conform (support conformance to standards)
language(s)	no language specified
year	2023
last access	2025-02-07

5942 *tex2bib* – Extract a BibTeX database from a document source

Web page on CTAN <https://ctan.org/pkg/tex2bib>

name	tex2bib
caption	Extract a BibTeX database from a document source
author	Friendly, Michael
license	bsd = BSD Style License (free)
description	(no language specified) Tex2bib is a Perl script that extracts bibliographic data from a document whose author wrote out the <code>\bibitem</code> entries. The entire document is scanned for <code>\bibitem</code> entries, ending when <code>\end{thebibliography}</code> is encountered.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/tex2bib/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/tex2bib
keyword	bibtex-gen (derive BibTeX data from resources other than BibTeX libraries)
language(s)	no language specified
year	without year
last access	2026-04-10

5943 *tex2ltx* – AMS-TeX to AMS-LaTeX converter

Web page on CTAN <https://ctan.org/pkg/tex2ltx>

name	tex2ltx
caption	AMS-TeX to AMS-LaTeX converter
author	Fortuny, Pedro
license	gpl = GNU General Public License (free)
description	(no language specified) TeX2ltx is useful for converting plain TeX (AMS) files into AMS-LaTeX and to convert plain AMS-TeX bibliographic references into BibTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/tex2ltx/tex2lat.txt
on CTAN	https://ctan.org/tex-archive/support/tex2ltx
keyword	misc-conv (miscellaneous conversions)
language(s)	no language specified

5944 *tex2mail* – Converts TeX to mailable "ASCII art"

year without year
last access 2025-02-07

5944 *tex2mail* – Converts TeX to mailable "ASCII art"

Web page on CTAN <https://ctan.org/pkg/tex2mail>

name *tex2mail*
caption Converts TeX to mailable "ASCII art"
author Zakharevich, Ilya
license noinfo = noinfo
version (2001-12-21)
last changes 2001-12-21
year 2001
description (no language specified) Tex2mail is a perl script to convert TeX files into plain text files: various mathematical symbols (sums, products, integrals, sub/superscripts, fractions, square roots, ...) are replaced by "ascii art" that spreads over multiple lines if necessary. This is helpful for people who can't read TeX fluently.
documentation (no language specified) *Readme:*
<https://ctan.org/tex-archive/support/tex2mail/README>
on CTAN <https://ctan.org/tex-archive/support/tex2mail>
keyword *cvt-other* (convert TeX-ish sources to some other markup (than HTML))
language(s) no language specified
last access 2025-02-07

5945 *tex2page* – Produce HTML from TeX/LaTeX

Web page on CTAN <https://ctan.org/pkg/tex2page>

name *tex2page*
caption Produce HTML from TeX/LaTeX
author Sitaram, Dorai
license gpl = GNU General Public License (free)
version (2020-01-31)
last changes 2020-01-31

year	2020
description	(no language specified) TeX2page makes Web pages from TeX manuscripts. It reads an input document that is marked up in a TeX format (viz, plain TeX, LaTeX, Texinfo), and produces an output document with the functionally equivalent HTML markup. TeX2page uses the same input file syntax, calling conventions, and error-recovery mechanisms as TeX, and thus demands no additional expertise of a user already familiar with TeX. TeX2page runs on modern instances of Scheme (e.g., mzscheme, where it is included as part of the install package on Debian GNU/Linux) and Common Lisp. The package does not appear on CTAN.
documentation	(no language specified) <i>Package documentation:</i> https://ds26gte.github.io/tex2page/index.html
home page	https://github.com/ds26gte/tex2page
keyword	cvt-html (generate HTML from TeX-ish sources)
language(s)	no language specified
last access	2025-02-07

5946 *tex2rtf* – TeX translator, output formats include RTF

Web page on CTAN	https://ctan.org/pkg/tex2rtf
name	tex2rtf
caption	TeX translator, output formats include RTF
author	Smart, Julian
license	other-free = Free license not otherwise listed (free)
description	(no language specified) Translates LaTeX text into RTF (Rich Text Format used by Microsoft Word), into MS-Windows Help RTF, into HTML or into wxHelp. Implemented using the free C++ class library wxWindows.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/tex2rtf/readme.txt
on CTAN	https://ctan.org/tex-archive/support/tex2rtf
keyword	cvt-other (convert TeX-ish sources to some other markup (than HTML))
see also	see section 3313 on page 2992: (<i>latex2rtf</i> – Convert LaTeX into Rich Text Format)
language(s)	no language specified
year	without year
last access	2025-02-07

5947 *tex2tok* – Convert a TeX source file into tokensWeb page on CTAN <https://ctan.org/pkg/tex2tok>

name	<code>tex2tok</code>
caption	Convert a TeX source file into tokens
author	Fine, Jonathan
copyright	Jonathan Fine (2005)
license	gpl = GNU General Public License (free)
version	1.1
description	(no language specified) The command: <code>\$ tex '&tex2tok' '\LEX{story}'</code> will create a file <code>story.tok</code> , which will contain one line for each token.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/tex2tok/README
on CTAN	https://ctan.org/tex-archive/support/tex2tok
keyword	debug-supp (support for package or document debugging)
language(s)	no language specified
year	2005
last access	2025-02-07

5948 *tex2word* – Convert TeX/LaTeX to MSWordWeb page on CTAN <https://ctan.org/pkg/tex2word>

name	<code>tex2word</code>
caption	Convert TeX/LaTeX to MSWord
author	Chikrii, Kirill A
license	other-nonfree = License that prevents distribution (not free)
version	2.0
description	(no language specified) TeX2Word enables Microsoft Word to open documents in TeX format (this includes any TeX-based formats like LaTeX, etc.). TeX2Word is based on Chikrii Softlab pseudoTeX technology, virtually any existing (La)TeX package can be supported by TeX2Word.
home page	http://www.tex2word.com

keyword	cvt-other (convert TeX-ish sources to some other markup (than HTML))
see also	see section 6714 on page 6057: (<i>word2tex</i> – Convert TeX/MSWord to LaTeX)
language(s)	no language specified
year	without year
last access	2025-02-07

5949 *tex4ebook* – Converter from LaTeX to ebook formats

Web page on CTAN <https://ctan.org/pkg/tex4ebook>

name	tex4ebook
caption	Converter from LaTeX to ebook formats
author	Hoftich, Michal
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.4d (2026-02-24)
last changes	2026-02-24
year	2026
description	(no language specified) This is a bundle of Lua scripts and LaTeX packages for conversion of LaTeX files to ebook formats such as epub, mobi and epub3. <i>tex4ht</i> is used as the conversion engine.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/tex4ebook/tex4ebook-doc.pdf
– local file	<code>./8525440451-tex4ebook-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/tex4ebook/README
contact	<i>bugs</i> : https://github.com/michal-h21/tex4ebook/issues
contact	<i>repository</i> : https://github.com/michal-h21/tex4ebook
on CTAN	https://ctan.org/tex-archive/support/tex4ebook
on MikTeX	tex4ebook
on TeXLive	tex4ebook
keyword	ebook (support for preparing e-books)
keyword	tagged-pdf-incompatible (tagged PDF incompatible)
see also	see section 5950 on page 5386: (<i>TeX4ht</i> – Convert (La)TeX to HTML/XML)

see also see section 3730 on page 3374: (make4ht – A build system for tex4ht)

language(s) no language specified

last access 2026-03-03

5950 *tex4ht* – Convert (La)TeX to HTML/XML

Web page on CTAN <https://ctan.org/pkg/tex4ht>

name TeX4ht

caption Convert (La)TeX to HTML/XML

author The TeX4ht Team

author Gurari, Eitan M.

license lpl = The LaTeX Project Public License (free)

description (no language specified) A converter from TeX and LaTeX to SGML-based formats such as (X)HTML, MathML, OpenDocument, and Docbook, providing a configurable (La)TeX-based authoring system for hypertext.

TeX4ht does not independently parse (La)TeX source (so it avoids the difficulties encountered by many other converters, arising from the irregularity of (La)TeX syntax). Instead, TeX4ht uses (La)TeX itself (with myriad macro modifications) to produce a helper DVI file that it can then process. This technique allows TeX4ht to approach the robustness characteristic of restricted-syntax systems such as [gellmu](#).

Full releases of TeX4ht are no longer made, both because it is technically difficult to do so and because their utility is questionable. Nevertheless, TeX4ht is actively maintained. So, current source files are held on CTAN, and updated from the development repository frequently. Creating the myriad derived files from them is nontrivial, and generally done with the Makefile in development, from which the TeX4ht package in TeX Live is updated.

documentation (no language specified) *More recent paper including customization:*
<https://tug.org/TUGboat/tb40-1/tb124hoftich-make4ht.pdf>

– local file ./4260441963-tb124hoftich-make4ht.pdf

documentation (no language specified) *Readme:*
<https://ctan.org/tex-archive/support/TeX4ht/README>

documentation (no language specified) *Package documentation:*
<https://tug.org/applications/tex4ht/mn.html>

documentation (no language specified) *Original introductory paper:*
<https://tug.org/TUGboat/tb25-1/gurari.pdf>

– local file ./8547713965-gurari.pdf

home page	https://tug.org/tex4ht
contact	<i>support:</i> https://lists.tug.org/tex4ht
contact	<i>bugs:</i> https://puszcza.gnu.org.ua/bugs/?group=tex4ht
contact	<i>repository:</i> https://puszcza.gnu.org.ua/projects/tex4ht/
on CTAN	https://ctan.org/tex-archive/support/TeX4ht
on MikTeX	tex4ht
on T _E XLive	tex4ht
keyword	cvt-html (generate HTML from TeX-ish sources)
see also	see section 3730 on page 3374: (make4ht – A build system for tex4ht)
see also	see section 5949 on page 5385: (tex4ebook – Converter from LaTeX to ebook formats)
language(s)	no language specified
year	without year
last access	2025-02-07

5951 *texaccents* – Convert composite accented characters to Unicode

Web page on CTAN	https://ctan.org/pkg/texaccents
name	texaccents
caption	Convert composite accented characters to Unicode
author	Milanese, Guido
copyright	Guido Milanese (2022)
license	mit = MIT License (free)
version	1.0.1
description	(no language specified) This small utility, written in SNOBOL, converts the composition of special characters to Unicode, e. g. $\backslash" \{a\} \rightarrow \ddot{a}$, $\backslash k \{a\} \rightarrow \mathfrak{a}$, ...
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/texaccents/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/support/texaccents/texaccents.pdf
– local file	./9323157235-texaccents.pdf
on CTAN	https://ctan.org/tex-archive/support/texaccents

on T _E XLive	texaccents
keyword	inputenc (input encoding support for TeX engines)
language(s)	no language specified
year	2022
last access	2025-02-07

5952 *texapi* – Macros to write format-independent packages

Web page on CTAN <https://ctan.org/pkg/texapi>

name	texapi
caption	Macros to write format-independent packages
author	Isambert, Paul
author	Robbers, Yuri
license	lpl = The LaTeX Project Public License (free)
version	1.04
description	(no language specified) Texapi provides utility macros to write format-independent (and -aware) packages. It is similar in spirit to the etoolbox, except that it isn't tied to LaTeX. Tools include: engine and format detection, expansion control, command definition and manipulation, various testing macros, string operations, and highly customizable while and for loops. The package requires e-TeX (and, should you want to compile its documentation, the pitem package is also needed).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/texapi/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/texapi/texapi-doc.pdf
– local file	./4833856081-texapi-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/generic/texapi
on MikT _E X	texapi
on T _E XLive	texapi
keyword	macro-supp (support for development of (La)TeX macros)
keyword	etex (requires e-TeX)
language(s)	no language specified

year without year
last access 2025-02-07

5953 *texas* – 32-bit TeX 3.14 compiled for MS-DOS 386/486 computers

Web page on CTAN <https://ctan.org/pkg/texas>

name *texas*
caption 32-bit TeX 3.14 compiled for MS-DOS 386/486 computers
author Chan, Shih-Ping
license noinfo = noinfo
description (no language specified) TEXAS is a 32-bit protected mode version of big TeX 3.14 compiled for MS-DOS 386/486 computers. It uses a royalty-free distribution version of Rational Systems Inc. DOS Extender which is XMS, VCPI, and DPMI compatible. TEXAS.ZIP is an executable distribution only.
The distribution is now obsolete.
on CTAN <https://ctan.org/tex-archive/obsolete/systems/msdos/texas.zip>
keyword obsolete (package declared obsolete)
keyword distribution (components (or support) of TeX distribution)
language(s) no language specified
year without year
last access 2025-02-07

5954 *texblend* – Compile segments of LaTeX documents

Web page on CTAN <https://ctan.org/pkg/texblend>

name TeXBlend
caption Compile segments of LaTeX documents
author Hoftich, Michal
copyright Michal Hoftich (2023)
license lppl1.3 = The LaTeX Project Public License 1.3 (free)
version 0.1 (2023-11-24)
last changes 2023-11-24
year 2023

description	(no language specified) This tool compiles individual files that are included as parts of larger documents. It utilizes the preamble of the main document but disregards all other included files. The main purpose is to allow fast compilation of particular chapters or sections, eliminating the need to recompile the entire document. This facilitates an efficient way to check for formatting or syntax errors in the particular part of the document being worked on.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/texblend/texblend-doc.pdf
– local file	<code>./9549047012-texblend-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/texblend/README
home page	https://www.kodymirus.cz/texblend/
contact	<i>bugs</i> : https://github.com/michal-h21/texblend
on CTAN	https://ctan.org/tex-archive/support/texblend
on MikTeX	texblend
on TeXLive	texblend
keyword	compilation (the document compilation process)
keyword	cond-comp (conditional typesetting)
keyword	comp-mgmt (control TeX's behaviour during compilation)
keyword	use-lua (package requires availability of lua)
language(s)	no language specified
last access	2025-02-07

5955 *texbook* – The source of The TeXbook

Web page on CTAN	https://ctan.org/pkg/texbook
name	texbook
caption	The source of The TeXbook
author	Knuth, Donald E.
copyright	American Mathematical Society (1984)
license	other-nonfree = License that prevents distribution (not free)
version	(2021-02-05)
last changes	2021-02-05

year	2021
description	(no language specified) This file provides the source of The TeXbook, which is provided as an example of the business of writing a book in TeX. The source has ‘protection’ against use to produce a document: such use is only allowed with the permission of the Copyright holder and of the publisher (Addison-Wesley).
on CTAN	https://ctan.org/tex-archive/systems/knuth/dist/tex/texbook.tex
keyword	book-src (source of a published book)
language(s)	no language specified
last access	2025-02-11

5956 *texbuch* – “The little TeXBook”

Web page on CTAN	https://ctan.org/pkg/texbuch
name	texbuch
caption	“The little TeXBook”
author	Cremer, Fritz
license	noinfo = noinfo
version	(1993-12-08)
last changes	1993-12-08
year	1993
description	(no language specified) A summary in German of D. Knuth’s TeXBook.
documentation	(German) <i>The document itself</i> : https://ctan.org/tex-archive/info/german/texbuch/texbuch.pdf
– local file	./7766825255-texbuch.pdf
documentation	(German) <i>Readme</i> : https://ctan.org/tex-archive/info/german/texbuch/readme
on CTAN	https://ctan.org/tex-archive/info/german/texbuch
keyword	book-src (source of a published book)
language(s)	German
last access	2025-02-07

5957 *texbytopic* – Freed version of the book TeX by Topic

Web page on CTAN <https://ctan.org/pkg/texbytopic>

name	TeXbyTopic
caption	Freed version of the book TeX by Topic
author	Eijkhout, Victor
copyright	Victor Eijkhout (1991-2007)
license	fdl = Free Documentation License (free)
version	(2007-10-02)
last changes	2007-10-02
year	2007
description	(no language specified) An invaluable book, originally published by Addison-Wesley (who have released their copyright — their version of the book went out of print in the 1990s). The book describes itself as "a TeXnician's reference", and covers the way TeX (the engine) works in as much detail as most ordinary TeX programmers will ever need to know. A printed copy of the book, slightly updated, may be had (for a modest price) from DANTE. The original edition is available from Lulu. See the package home page for details.
documentation	(no language specified) <i>The book itself</i> : https://ctan.org/tex-archive/info/texbytopic/TeXbyTopic.pdf
– local file	<code>./2139587390-TeXbyTopic.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/texbytopic/README
home page	https://www.eijkhout.net/tex/tex-by-topic.html
on CTAN	https://ctan.org/tex-archive/info/texbytopic
on T _E XLive	texbytopic
keyword	book-src (source of a published book)
keyword	tut-plaintex (tutorial material for Plain TeX)
keyword	ref-latex (LaTeX reference documents)
language(s)	no language specified
last access	2025-02-07

5958 *texcad32* – Win32 drawing package for mathematical diagramsWeb page on CTAN <https://ctan.org/pkg/texcad32>

name	texcad32
caption	Win32 drawing package for mathematical diagrams
license	lppl = The LaTeX Project Public License (free)
version	4.4.1.6
description	(no language specified) Texcad32 is one of a number of clones/developments of the DOS program Texcad. Texcad32 can output either to a file of emTeX special commands, or to PostScript.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/texcad32/Readme.txt
on CTAN	https://ctan.org/tex-archive/graphics/texcad32
keyword	graphics-prep (prepare graphics for use with *TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

5959 *texchord* – Typeset guitar-chord diagramsWeb page on CTAN <https://ctan.org/pkg/texchord>

name	texchord
caption	Typeset guitar-chord diagrams
author	Hoffman, Joel M.
copyright	Joel M. Hoffman (1993)
license	nocommercial = No Commercial Use (not free)
version	0.8
description	(no language specified) The <i>texchord</i> package defines a series of macros for guitar chords; the macro names are structured in such a way that the user can generate a macro name by remembering a rather small set of rules. The user may generate new patterns by developing examples given in the file.
on CTAN	https://ctan.org/tex-archive/macros/generic/texchord
keyword	music (typesetting music and related stuff)
language(s)	no language specified

year 1993
last access 2025-02-07

5960 *texcount* – Count words in a LaTeX document

Web page on CTAN <https://ctan.org/pkg/texcount>

name TeXcount
caption Count words in a LaTeX document
author Rødland, Einar Andreas
copyright Einar Andreas Rødland (2008-2018)
license lpl = The LaTeX Project Public License (free)
version 3.1.1 (2018-10-28)
last changes 2018-10-28
year 2018
description (no language specified) TeXcount is a Perl script that counts words in the text of LaTeX files. It has rules for handling most of the common macros, and can provide colour-coded output showing which parts of the text have been counted.
The package script is available as a Web service via its [home page](#) .
documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/support/texcount/README.md>
documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/support/texcount/doc/TeXcount.pdf>
– local file ./9058139167-TeXcount.pdf
documentation (no language specified) *Quick reference*: <https://ctan.org/tex-archive/support/texcount/doc/QuickReference.pdf>
– local file ./2829086653-QuickReference.pdf
home page <http://app.uio.no/ifi/texcount/>
contact *announce*: <http://app.uio.no/ifi/texcount/news.php>
on CTAN <https://ctan.org/tex-archive/support/texcount>
on MikTeX texcount
on T_EXLive texcount
keyword word-count (count the ‘words’ in a document)
see also see section 6717 on page 6059: (wordcount – Estimate the number of words in a LaTeX document)

see also	see section 3327 on page 3004: (<code>latexcount</code> – Perl script to count words of LaTeX documents)
language(s)	no language specified
last access	2025-02-07

5961 *texdate* – Date printing, formatting, and manipulation in TeX

Web page on CTAN <https://ctan.org/pkg/texdate>

name	<code>texdate</code>
caption	Date printing, formatting, and manipulation in TeX
author	Goodman, Donald P.
copyright	Donald P. Goodman (2018)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.0 (2018-12-08)
last changes	2018-12-08
year	2018
description	(no language specified) TeX and LaTeX provide few facilities for dates by default, though many packages have filled this gap. This package fills it, as well, with a pure TeX-primitive implementation. It can print dates, advance them by numbers of days, weeks, or months, determine the weekday automatically (with an algorithm cribbed from the <code>dayofweek.tex</code> file written by Martin Minow), and print them in (mostly) arbitrary format. It can also print calendars (monthly and yearly) automatically, and can be easily localized for non-English languages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/texdate/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/texdate/texdate.pdf
– local file	<code>./8024533436-texdate.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/generic/texdate
on MikTeX	<code>texdate</code>
on T _E XLive	<code>texdate</code>
keyword	<code>date-time</code> (manipulate dates and/or times)
language(s)	no language specified
last access	2025-02-07

5962 *texdef* – Display the definitions of TeX commandsWeb page on CTAN <https://ctan.org/pkg/texdef>

name	texdef
caption	Display the definitions of TeX commands
author	Scharrer, Martin
copyright	Martin Scharrer (2011-2025)
license	gpl3 = GNU General Public License, version 3 (free)
version	1.10 (2025-02-17)
last changes	2025-02-17
year	2025
description	(no language specified) This (Perl) script displays the definitions of (La)TeX command sequences/macros. Various options allow the selection of the used class as well as package files and other factors that may influence the definition (before/after the preamble, inside an environment, ...). The script creates a temporary TeX file which is then compiled using (La)TeX to find the ‘<code>\meaning</code>’ of the command sequence. The result is formatted and presented to the user. Length or number command sequences (dimensions, <code>\char...</code>, count registers, ...) are recognized and the contained value is also shown (using <code>\the</code>). Special definitions like protected macros are also recognized and the underlying macros are shown as well. The script will show plain TeX definitions by default. LaTeX and ConTeXt are supported, including flavours (pdf(La)TeX, Lua(La)TeX, Xe(La)TeX, ...). The flavour can be selected using a command line option, or via the script name: <code>latexdef</code> will use LaTeX as default, etc.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/support/texdef/texdef.pdf
– local file	<code>./4322014290-texdef.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/support/texdef/README.txt
home page	https://github.com/MartinScharrer/texdef
contact	<i>bugs</i> : https://github.com/MartinScharrer/texdef/issues
contact	<i>repository</i> : https://github.com/MartinScharrer/texdef.git
on CTAN	https://ctan.org/tex-archive/support/texdef
on MikTeX	texdef
on TeXLive	texdef

5963 *texdepend* – Find dependencies in a LaTeX file

keyword debug-supp (support for package or document debugging)
language(s) no language specified
last access 2025-02-24

5963 *texdepend* – Find dependencies in a LaTeX file

Web page on CTAN <https://ctan.org/pkg/texdepend>

name texdepend
caption Find dependencies in a LaTeX file
author Friendly, Michael
license lppl = The LaTeX Project Public License (free)
version 0.92
description (no language specified) A Perl script for finding dependencies in a LaTeX file. The script reads a .tex file, and (recursively) all \input{} and \include{} files referenced therein to build dependencies from the source files scanned, packages (as in \usepackage{}), and figures (loaded using \includegraphics{}).
documentation (no language specified) *Readme:*
<https://ctan.org/tex-archive/support/texdepend/README>
on CTAN <https://ctan.org/tex-archive/support/texdepend>
keyword doc-mgmt (support for keeping track of document development)
keyword archival (creating archival copies, or copies for distribution)
language(s) no language specified
year without year
last access 2025-02-07

5964 *texdeps* – Find the dependencies of a (La)TeX file

Web page on CTAN <https://ctan.org/pkg/texdeps>

name texdeps
caption Find the dependencies of a (La)TeX file
author Cozens, Simon
license lppl = The LaTeX Project Public License (free)

5965 *texdiff* – Compare documents and produce tagged merge

description	(no language specified) TeXdeps is a tool to help you determine all the dependencies of a TeX or LaTeX input file. It optionally uses <code>kpsewhich</code> to find files. Use it to create Makefiles or easily package up your project: <code>tar czf project.tar.gz 'texdeps project.tex'</code>
on CTAN	https://ctan.org/tex-archive/support/texdeps
keyword	archival (creating archival copies, or copies for distribution)
keyword	doc-mgmt (support for keeping track of document development)
language(s)	no language specified
year	without year
last access	2025-02-07

5965 *texdiff* – Compare documents and produce tagged merge

Web page on CTAN <https://ctan.org/pkg/texdiff>

name	<code>texdiff</code>
caption	Compare documents and produce tagged merge
author	Doll, Mark
author	Günay, Cengiz
copyright	Mark Doll and Cengiz Günay (2006-2009)
license	artistic = Perl Artistic License (not free)
version	0.4
description	(no language specified) Two files are compared and a new TeX file is output. When the output file is processed with (La)TeX it marks new changes with blue and old text with red with a strike-through line. Furthermore, passages with changes are marked at the margin with grey bars by the LaTeX changebar package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/texdiff/README
home page	http://www.markdoll.de/texdiff/
on CTAN	https://ctan.org/tex-archive/support/texdiff
on MikTeX	<code>texdiff</code>
on T _E XLive	<code>texdiff</code>

keyword	editorial (editor’s marks, highlights, etc.)
see also	see section 3591 on page 3243: (<code>ltxdiff</code> – A Win32 program that compares tokens in two .tex files)
language(s)	no language specified
year	2009
last access	2025-02-07

5966 *texdimens* – Conversion of TeX dimensions to decimals

Web page on CTAN <https://ctan.org/pkg/texdimens>

name	texdimens
caption	Conversion of TeX dimensions to decimals
author	Burnol, Jean-François
copyright	Jean-François Burnol (2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1 (2021-11-17)
last changes	2021-11-17
year	2021
description	(no language specified) Utilities and documentation related to TeX dimensional units, usable both with Plain (<code>\input texdimens</code>) and with LaTeX (<code>\usepackage{texdimens}</code>).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/texdimens/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/texdimens/texdimens.pdf
– local file	<code>./2239946315-texdimens.pdf</code>
contact	<i>bugs</i> : https://github.com/jfbu/texdimens/issues
contact	<i>repository</i> : https://github.com/jfbu/texdimens
on CTAN	https://ctan.org/tex-archive/macros/generic/texdimens
on MikTeX	texdimens
on TeXLive	texdimens
keyword	units (uniform typesetting of units)
keyword	etex (requires e-TeX)

language(s) no language specified
last access 2025-02-07

5967 *texdirflatten* – Collect files related to a LaTeX job in a single directory

Web page on CTAN <https://ctan.org/pkg/texdirflatten>

name *texdirflatten*
caption Collect files related to a LaTeX job in a single directory
author Günay, Cengiz
copyright Cengiz Gunay (2003-2017)
license artistic = Perl Artistic License (not free)
version 1.3
description (no language specified) The Perl script parses a LaTeX file recursively, scanning all child files, and collects details of any included and other data files. These component files, are then all put into a single directory (thus "flattening" the document's directory tree).
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/support/texdirflatten/README>
home page <https://github.com/cengique/texdirflatten>
contact *support*: <https://github.com/cengique/texdirflatten>
contact *announce*: <https://github.com/cengique/texdirflatten>
contact *bugs*: <https://github.com/cengique/texdirflatten/issues>
contact *repository*: <https://github.com/cengique/texdirflatten>
contact *development*: <https://github.com/cengique/texdirflatten>
on CTAN <https://ctan.org/tex-archive/support/texdirflatten>
on MikTeX *texdirflatten*
on T_EXLive *texdirflatten*
keyword file-mgmt (TeX-related-file management)
keyword archival (creating archival copies, or copies for distribution)
language(s) no language specified
year 2017
last access 2025-02-07

5968 *texdoc* – Documentation access for TeX LiveWeb page on CTAN <https://ctan.org/pkg/texdoc>

name	texdoc
caption	Documentation access for TeX Live
author	The TeX Live Team
author	Asakura, Takuto
author	Pégourié-Gonnard, Manuel
author	Esser, Thomas
copyright	Manuel Pégourié-Gonnard, Takuto Asakura, the TeX Live Team (2008-2025)
license	gpl = GNU General Public License (free)
version	4.1.1 (2025-02-11)
last changes	2025-02-11
year	2025
description	(no language specified) <i>texdoc</i> is a Lua script providing easy access to the documentation in TeX Live: PDF, DVI, plain text files, and more. Viewing and other configuration can be extensively customized. It is distributed with TeX Live ; MiKTeX provides a program by the same name to do the same job, but its implementation is unrelated.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/texdoc/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/texdoc/doc/texdoc.pdf
– local file	./8670164422-texdoc.pdf
home page	https://tug.org/texdoc/
contact	<i>support</i> : https://lists.tug.org/texdoc
contact	<i>bugs</i> : https://github.com/TeX-Live/texdoc/issues
contact	<i>repository</i> : https://github.com/TeX-Live/texdoc
on CTAN	https://ctan.org/tex-archive/support/texdoc
on MikTeX	miktex-mthelp-bin-2.9
on TeXLive	texdoc
keyword	view-doc (application for viewing documentation)
see also	see section 5969 on page 5402: (<i>texdoctk</i> – Easy access to package documentation)

language(s) no language specified
last access 2025-02-17

5969 *texdoctk* – Easy access to package documentation

Web page on CTAN <https://ctan.org/pkg/texdoctk>

name *texdoctk*
caption Easy access to package documentation
author Ruedas, Thomas
author Harcombe, Keiran
copyright Thomas Ruedas (2000-2004)
license gpl = GNU General Public License (free)
version 0.6.0
description (no language specified) A Perl/Tk-based GUI for easy access to package documentation for TeX on Unix platforms; the databases it uses are based on the texmf/doc subtrees of **teTeX**, but database files for local configurations with modified/extended directories can be derived from them. Note that *texdoctk* is not a viewer itself, but an interface for finding documentation files and opening them with the appropriate viewer; so it relies on appropriate programs to be installed on the system. However, the choice of these programs can be configured by the sysadmin or user.

Now only distributed as part of **TeX Live**, which includes a Windows executable.

on **TeXLive** *texdoc*
keyword *view-doc* (application for viewing documentation)
see also see section 5968 on page 5401: (*texdoc* – Documentation access for TeX Live)
language(s) no language specified
year 2004
last access 2025-02-17

5970 *texdraw* – Graphical macros, using embedded PostScript

Web page on CTAN <https://ctan.org/pkg/texdraw>

name	texdraw
caption	Graphical macros, using embedded PostScript
author	Kabal, Peter
copyright	Peter Kabal (1991-2019)
license	cc-by-4 = CC BY 4.0 (free)
version	v2r3 (2019-04-18)
last changes	2019-04-18
year	2019
description	(no language specified) TeXdraw is a set of macro definitions for TeX, which allow the user to produce PostScript drawings from within TeX and LaTeX. TeXdraw has been designed to be extensible. Drawing ‘segments’ are relocatable, self-contained units. Using a combination of TeX’s grouping mechanism and the gsave/grestore mechanism in PostScript, drawing segments allow for local changes to the scaling and line parameters. Using TeX’s macro definition capability, new drawing commands can be constructed from drawing segments.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/texdraw/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/texdraw/manual/texdraw.pdf
– local file	./7004439785-texdraw.pdf
on CTAN	https://ctan.org/tex-archive/graphics/texdraw
on MikTeX	texdraw
on TeXLive	texdraw
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
language(s)	no language specified
last access	2025-02-07

5971 *texed* – A TeX shell for OS/2

Web page on CTAN <https://ctan.org/pkg/texed>

name	texed
caption	A TeX shell for OS/2
author	Stippich, Frank
license	shareware = Shareware: A fee is required (not free)
version	1.50
description	(no language specified) A TeX shell for OS/2, FSS-TeXEdit provides an easy interface for LaTeX2e, dvips , Ghostsript and ispell .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/os2/texed/ReadMe.txt
on CTAN	https://ctan.org/tex-archive/systems/os2/texed
keyword	ide (integrated development environments)
language(s)	no language specified
year	without year
last access	2025-02-07

5972 *texemplar* – A class for the journal of CervanTeX

Web page on CTAN <https://ctan.org/pkg/texemplar>

name	texemplar
caption	A class for the journal of CervanTeX
author	Bezos López, Javier
copyright	Javier Bezos (1999)
license	lppl = The LaTeX Project Public License (free)
version	0.1
description	(no language specified) CervanTeX is the Spanish TeX User's Group.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/TeXemplar/readme
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/TeXemplar
keyword	journalpub (typesetting journals, etc)

keyword `class` (alternative LaTeX class(es))
 language(s) no language specified
 year 1999
 last access 2025-02-07

5973 *texfaq* – A compilation of Frequently Asked Questions with answers

Web page on CTAN <https://ctan.org/pkg/texfaq>

Alias `texfaq`
 name `texfaq`
 caption A compilation of Frequently Asked Questions with answers
 author Fairbairns, Robin
 license pd = Public Domain Software (free)
 version 3.28
 description (no language specified) The FAQ that has in the past been published in the UK TeX Users Group journal Baskerville. This is the last version released on CTAN in 2014.
 The actual TeX FAQ can be found on <https://www.texfaq.org> .
 Some [historical archives](#) are also available.
 documentation (no language specified) *FAQ formatted for A4 paper*: <https://ctan.org/tex-archive/obsolete/help/texfaq/newfaq.pdf>
 – local file `./3789476961-newfaq.pdf`
 documentation (no language specified) *FAQ formatted for letter paper*: <https://ctan.org/tex-archive/obsolete/help/texfaq/letterfaq.pdf>
 – local file `./9270479707-letterfaq.pdf`
 documentation (no language specified) *Package Readme*: <https://ctan.org/tex-archive/obsolete/help/texfaq/README>
 on MikTeX `uk-tex-faq`
 keyword `faq` (frequently asked questions, with answers)
 keyword `obsolete` (package declared obsolete)
 keyword `documentation` (‘stand-alone’ documentation)
 language(s) no language specified
 year without year

last access 2025-02-07

5974 *texfilt* – A (La)TeX log filter

Web page on CTAN <https://ctan.org/pkg/texfilt>

name *texfilt*
caption A (La)TeX log filter
author Baker, Edward
license noinfo = noinfo
version (1994-03-14)
last changes 1994-03-14
year 1994
description (no language specified) Works under DOS, OS/2 and Linux. Code written in *noweb*, so documented source available.
documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/support/texfilt/readme>
on CTAN <https://ctan.org/tex-archive/support/texfilt>
keyword log-manip (analyse or otherwise manipulate logs)
language(s) no language specified
last access 2025-02-07

5975 *texfindpkg* – Query or install TeX packages and their dependencies

Web page on CTAN <https://ctan.org/pkg/texfindpkg>

Alias *findpkg*
name TeXFindPkg
caption Query or install TeX packages and their dependencies
author Lyu, Jianrui
copyright Jianrui Lyu (2023-2024)
license gpl3 = GNU General Public License, version 3 (free)
version 2024A (2024-11-22)
last changes 2024-11-22
year 2024

5976 *texfot* – Filter clutter from the output of a TeX run

description	(no language specified) This package makes it easy to query or install TeX packages and their dependencies by file names, command names or environment names. TeXFindPkg supports both TeX Live and MiKTeX distributions. At present it focuses mainly on LaTeX packages, but may be extended to ConTeXt packages if anyone would like to contribute.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/texfindpkg/README.md
home page	https://github.com/lvjr/texfindpkg/wiki
contact	<i>support</i> : https://github.com/lvjr/texfindpkg/discussions
contact	<i>announce</i> : https://github.com/lvjr/texfindpkg/wiki/ChangeLog
contact	<i>bugs</i> : https://github.com/lvjr/texfindpkg/issues
contact	<i>repository</i> : https://github.com/lvjr/texfindpkg
on CTAN	https://ctan.org/tex-archive/support/texfindpkg
on MikTeX	texfindpkg
on TeXLive	texfindpkg
keyword	use-lua (package requires availability of lua)
language(s)	no language specified
last access	2025-02-07

5976 *texfot* – Filter clutter from the output of a TeX run

Web page on CTAN <https://ctan.org/pkg/texfot>

name	texfot
caption	Filter clutter from the output of a TeX run
author	Berry, Karl
license	pd = Public Domain Software (free)
version	1.54 (2026-01-05)
last changes	2026-01-05
year	2026
description	(no language specified) The package provides a small Perl script to filter the online output from a TeX run, attempting to show only those messages which probably deserve some change in the source. The TeX invocation itself need not change.

5977 *texgit* – Download, access, and potentially execute files from git

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/texfot/texfot.pdf
– local file	./4482352046-texfot.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/texfot/README
on CTAN	https://ctan.org/tex-archive/support/texfot
on MikTeX	texfot
on T _E XLive	texfot
keyword	comp-mgmt (control TeX’s behaviour during compilation)
keyword	log-manip (analyse or otherwise manipulate logs)
language(s)	no language specified
last access	2026-01-15

5977 *texgit* – Download, access, and potentially execute files from git

Web page on CTAN <https://ctan.org/pkg/texgit>

name	texgit
caption	Download, access, and potentially execute files from git
author	Weise, Thomas
copyright	Thomas Weise (2023-2025)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.9.6 (2025-06-20)
last changes	2025-06-20
year	2025
description	(no language specified) This package allows you to do the following things: • download files from a <code>git</code> repository and access them from LaTeX, • apply some post-processor to the downloaded files (e.g., strip comments and type hints from Python code) and access the post-processed files instead, • execute scripts or programs — either locally or downloaded from <code>git</code> repositories — and fetch their output into local files accessible from LaTeX,

- create local paths accessible from LaTeX which can be passed as arguments to the scripts or programs that are executed, e.g., as argument to a Python script that creates and stores a "matplotlib" plot under the path that it received as argument, allowing you to programmatically create figures and include them in LaTeX documents.

The package works a bit like **BibTeX** : Let's say your document is named `document.tex` . During the first `pdflatex` run, executed as `pdflatex document` , all the requests mentioned above, say, to download files from git repositories, are stored in the `aux` file. The paths corresponding to the requests point to an empty file at this stage. Then you would apply the `texgit` post-processor by calling `python3 -m texgit.run document` . This Python program executes all the requests and caches their results locally. During the second run of `pdflatex document` , the paths corresponding to the requests then point to the actual downloaded or generated files. All downloaded or generated files will be locally cached in a folder named `__git__` in your document's directory. You can delete this folder to refresh the files.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/texgit/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/texgit/texgit-doc.pdf
– local file	<code>./7026600620-texgit-doc.pdf</code>
contact	<i>bugs</i> : https://github.com/thomasWeise/texgit_tex/issues
contact	<i>repository</i> : https://github.com/thomasWeise/texgit_tex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/texgit
keyword	<code>data-import</code> (importing data into documents)
language(s)	no language specified
last access	2025-06-25

5978 *texhax* – Digests of a general TeX mailing list

Web page on CTAN	https://ctan.org/pkg/texhax
name	TeXhax
caption	Digests of a general TeX mailing list
license	pd = Public Domain Software (free)

5979 *texi2dvi-latest* – *Process Texinfo or (La)TeX source to DVI*

description	(no language specified) The TeXhax mailing list (originally available as a digest, only), is the longest-established general TeX forum. Nowadays, it is run from TUG's home site, and is available as a regular mailing list as well as a digest. CTAN holds copies of the old digest list from 1986–2003.
home page	https://tug.org/mailman/listinfo/texhax
on CTAN	https://ctan.org/tex-archive/info/digests/texhax
keyword	mail-list (digests, etc., of mailing lists)
see also	see section 6434 on page 5815: (UK-TeX – The UK TeX digest)
language(s)	no language specified
year	without year
last access	2025-02-07

5979 *texi2dvi-latest* – Process Texinfo or (La)TeX source to DVI

Web page on CTAN	https://ctan.org/pkg/texi2dvi-latest
name	<i>texi2dvi-latest</i>
caption	Process Texinfo or (La)TeX source to DVI
author	Friedman, Noah
copyright	Free Software Foundation, Inc. (1992-2014)
license	gpl3 = GNU General Public License, version 3 (free)
version	(2014-01-01)
last changes	2014-01-01
year	2014
description	(no language specified) A shell script that runs each Texinfo or (La)TeX file in through TeX in turn, until all cross-references are resolved, building all indexes.
on CTAN	https://ctan.org/tex-archive/macros/texinfo/latest
keyword	compilation (the document compilation process)
language(s)	no language specified
last access	2025-02-07

5980 *texi2html* – Converts TeXinfo to HTML

Web page on CTAN <https://ctan.org/pkg/texi2html>

name	texi2html
caption	Converts TeXinfo to HTML
author	Dumas, Patrice
author	Price, Derek
author	Cons, Lionel
author	Berry, Karl
license	gpl = GNU General Public License (free)
version	1.76
description	(no language specified) The basic purpose of <i>texi2html</i> is to convert Texinfo documents into HTML, and other formats. Configuration files written in Perl provide a fine degree of control over the final output, allowing most every aspect of the final output to be specified.
home page	http://www.nongnu.org/texi2html/
on CTAN	https://ctan.org/tex-archive/support/texi2html
keyword	cvt-html (generate HTML from TeX-ish sources)
see also	see section 5986 on page 5414: (<i>texinfo</i> – Texinfo documentation system)
language(s)	no language specified
year	without year
last access	2025-02-07

5981 *texi2roff* – Translate texinfo to troff

Web page on CTAN <https://ctan.org/pkg/texi2roff>

name	texi2roff
caption	Translate texinfo to troff
author	Erlebacher, Beverly
license	other-free = Free license not otherwise listed (free)
version	2.0
description	(no language specified) <i>Texi2roff</i> translates texinfo documents to <i>nroff</i> / <i>troff</i> (it does <i>not</i> deal with Plain TeX or LaTeX sources). While the conversion is not complete, it provides a solid basis for translating most texinfo documentation.

5982 *texi2www* – Converts texinfo to display on the Web

on CTAN	https://ctan.org/tex-archive/support/texi2roff
keyword	cvt-other (convert TeX-ish sources to some other markup (than HTML))
language(s)	no language specified
year	without year
last access	2025-02-07

5982 *texi2www* – Converts texinfo to display on the Web

Web page on CTAN <https://ctan.org/pkg/texi2www>

name	texi2www
caption	Converts texinfo to display on the Web
author	Singletary, Tim
copyright	Tim Singletary (1994, 1995, 1996, 1997)
license	gpl = GNU General Public License (free)
description	(no language specified) The package is a single Perl script, available from its home page.
keyword	cvt-html (generate HTML from TeX-ish sources)
see also	see section 5986 on page 5414: (texinfo – Texinfo documentation system)
see also	see section 5980 on page 5411: (texi2html – Converts TeXinfo to HTML)
language(s)	no language specified
year	1997
last access	2025-02-07

5983 *texilikechaps* – Format chapters with a texi-like format

Web page on CTAN <https://ctan.org/pkg/texilikechaps>

name	texilikechaps
caption	Format chapters with a texi-like format
author	Rivera, Luis
license	lppl = The LaTeX Project Public License (free)
version	1.0a

description	(no language specified) The package enables the user to reduce the size of the rather large chapter headings in standard classes into a texi-like smaller format. Details of the format may be controlled with internal commands.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/misc/texilikechaps.sty
on MikTeX	ltxmisc
on T _E XLive	texilikechaps
keyword	headings (chapter, section, etc., heading styles)
language(s)	no language specified
year	without year
last access	2025-02-07

5984 *texilikecover* – A cover-page package, like TeXinfo

Web page on CTAN <https://ctan.org/pkg/texilikecover>

name	texi-like cover
caption	A cover-page package, like TeXinfo
author	Simões, Alberto Manuel Brandão
copyright	Alberto Simões (2007)
license	lppl = The LaTeX Project Public License (free)
version	0.1
description	(no language specified) The package creates document cover pages, like those that TeXinfo produces.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/misc/texilikecover.sty
on MikTeX	ltxmisc
on T _E XLive	texilikecover
keyword	covers (typeset badges, covers or labels for things (or people))
language(s)	no language specified
year	2007
last access	2025-02-07

5985 *texindex* – Simple indexing using standard Unix commands

Web page on CTAN <https://ctan.org/pkg/texindex>

name	texindex
caption	Simple indexing using standard Unix commands
license	noinfo = noinfo
version	(1991-07-08)
last changes	1991-07-08
year	1991
description	(no language specified) Starting from LaTeX <code>\index</code> commands, and <code>makeidx.sty</code> from the LaTeX distribution, this set of simple scripts (using <code>sed</code>, <code>sort</code>, <code>awk</code> and <code>uniq</code>) generates an index file to be used in a <code>\printindex</code> command. This utility is not to be confused with the compiled program of the same name, which is part of the <i>texinfo</i> distribution.
documentation	(German) <i>Manual page</i>:: https://ctan.org/tex-archive/indexing/texindex/texindex.pdf
– local file	<code>./3162867914-texindex.pdf</code>
on CTAN	https://ctan.org/tex-archive/indexing/texindex
keyword	index (index support)
language(s)	German
last access	2025-02-07

5986 *texinfo* – Texinfo documentation system

Web page on CTAN <https://ctan.org/pkg/texinfo>

name	texinfo
caption	Texinfo documentation system
author	Free Software Foundation
copyright	Free Software Foundation, Inc. (1985-2021)
license	gpl = GNU General Public License (free)
version	6.8

description	(no language specified) Texinfo is the preferred format for documentation in the GNU project; the format may be used to produce online or printed output from a single source. The Texinfo macros may be used to produce printable output using TeX; other programs in the distribution offer online interactive use (with hypertext linkages in some cases). The latest release of the texinfo.tex macros and texi2dvi script may be found in the texinfo-latest package, which are usually newer than the last full release.
documentation	(no language specified) <i>Manual, as Web pages</i> : https://www.gnu.org/software/texinfo/manual/texinfo/html_node/index.html
documentation	(no language specified) <i>Manual, in PDF</i> : https://www.gnu.org/software/texinfo/manual/texinfo/texinfo.pdf
– local file	./4351728420-texinfo.pdf
home page	https://www.gnu.org/software/texinfo/
on CTAN	https://ctan.org/tex-archive/macros/texinfo/texinfo
on MikTeX	texinfo
on TeXLive	texinfo
keyword	doc-supp (macros and tools for preparing documentation)
keyword	format (macros to build a format)
language(s)	no language specified
year	2021
last access	2025-02-07

5987 *texinfo-hu* – Texinfo package for Hungarian language

Web page on CTAN <https://ctan.org/pkg/texinfo-hu>

name	texinfo-hu
caption	Texinfo package for Hungarian language
author	Vozárik, Lajos
license	gpl = GNU General Public License (free)
version	1.01 (2007-06-11)
last changes	2007-06-11
year	2007

description	(no language specified) This package redefines texinfo macros for Hungarian language.
documentation	(Hungarian) <i>Package documentation:</i> https://ctan.org/tex-archive/obsolete/macros/texinfo/contrib/texinfo-hu/texinfo/new/txi_hu.pdf
– local file	./1685762582-txi_hu.pdf
on CTAN	https://ctan.org/tex-archive/obsolete/macros/texinfo/contrib/texinfo-hu
keyword	format (macros to build a format)
keyword	doc-supp (macros and tools for preparing documentation)
language(s)	Hungarian
last access	2025-06-29

5988 *texinfo-latest* – Current version of *texinfo.tex*, *texi2dvi*, *texi2pdf*

Web page on CTAN	https://ctan.org/pkg/texinfo-latest
name	texinfo-latest
caption	Current version of <i>texinfo.tex</i> , <i>texi2dvi</i> , <i>texi2pdf</i>
author	Free Software Foundation
copyright	Free Software Foundation, Inc. (null)
license	gpl = GNU General Public License (free)
description	(no language specified) The bundle offers the latest official releases of the <i>texinfo.tex</i> macro file and <i>texi2dvi</i> <i>texi2pdf</i> scripts, as posted on ftp.gnu.org . These files are often updated between full releases of the full Texinfo package. See the full package for documentation.
home page	https://savannah.gnu.org/projects/texinfo
on CTAN	https://ctan.org/tex-archive/macros/texinfo/latest
on MikTeX	texinfo
on T _E XLive	texinfo
keyword	doc-supp (macros and tools for preparing documentation)
keyword	format (macros to build a format)
language(s)	no language specified
year	without year
last access	2025-09-11

5989 texlab – LaTeX Language Server

Web page on CTAN <https://ctan.org/pkg/texlab>

name	TeXLab
caption	LaTeX Language Server
author	Förster, Patrick
author	Förster, Eric
license	gpl3 = GNU General Public License, version 3 (free)
version	5.22.1
description	(no language specified) This package provides a cross-platform implementation of the Language Server Protocol providing rich cross-editing support for the LaTeX typesetting system. It aims to produce high quality code completion results by indexing your used packages as you type. The server may be used with any editor that implements the Language Server Protocol.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/support/texlab/texlab.pdf
– local file	./6328561894-texlab.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/texlab/README.md
contact	<i>bugs:</i> https://github.com/latex-lsp/texlab/issues
contact	<i>repository:</i> https://github.com/latex-lsp/texlab
on CTAN	https://ctan.org/tex-archive/support/texlab
keyword	editor-extn (plug-ins for editors, for better (La)TeX and Meta* support)
language(s)	no language specified
year	without year
last access	2025-02-09

5990 *texline* – A TeX-based magazine

Web page on CTAN <https://ctan.org/pkg/texline>

name	TeXline
caption	A TeX-based magazine
author	Clark, Malcolm
license	digest = digest
version	(1992-09-27)
last changes	1992-09-27
year	1992
description	(no language specified) TeXline was a magazine for TeX users, produced in Plain TeX and distributed free of charge. The material available on CTAN covers volumes 5–14.
on CTAN	https://ctan.org/tex-archive/info/digests/texline
keyword	mail-list (digests, etc., of mailing lists)
language(s)	no language specified
last access	2025-02-07

5991 *texlipse* – LaTeX plugin for Eclipse

Web page on CTAN <https://ctan.org/pkg/texlipse>

name	texlipse
caption	LaTeX plugin for Eclipse
author	von Loesch, Boris
author	Pirinen, Antti
author	Ojala, Oskar
author	Hupponen, Taavi
author	Laitinen, Jani
author	Karlsson, Kimmo
author	Seuranen, Esa
author	Takkinen, Laura
license	other-free = Free license not otherwise listed (free)
version	1.5.0

description	(no language specified) The TeXlipse plugin for the Eclipse IDE provides support for LaTeX projects. It is primarily aimed at users who already know the basics about LaTeX, but new users will surely find it useful despite the steeper learning curve.
documentation	(no language specified) <i>Package manual</i> : http://texlipse.sourceforge.net/manual/
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/texlipse/README
contact	<i>repository</i> : http://texlipse.sourceforge.net
on CTAN	https://ctan.org/tex-archive/support/texlipse
keyword	editor-extn (plug-ins for editors, for better (La)TeX and Meta* support)
keyword	ide (integrated development environments)
language(s)	no language specified
year	without year
last access	2025-02-07

5992 *texlist* – Typeset program listings

Web page on CTAN <https://ctan.org/pkg/texlist>

name	texlist
caption	Typeset program listings
author	Forkosh, John
copyright	John Forkosh Associates, Inc (1999)
license	gpl = GNU General Public License (free)
version	(1999-01-30)
last changes	1999-01-30
year	1999
description	(no language specified) Texlist is a C program that produces LaTeX-typesettable listing of other C programs. The program acts as a filter, taking filenames on <code>stdin</code> and generating LaTeX2e output on <code>stdout</code> ; it is normally expected that the output will be redirected to a file. The output is a stand-alone LaTeX document; there is no provision made for including it in other LaTeX documents.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/texlist/README

on CTAN	https://ctan.org/tex-archive/support/texlist
keyword	listing (computer code listing)
language(s)	no language specified
last access	2025-02-07

5993 *texlive* – A comprehensive distribution of TeX and friends

Web page on CTAN <https://ctan.org/pkg/texlive>

name	texlive
caption	A comprehensive distribution of TeX and friends
author	The TeX Live Team
license	other-free = Free license not otherwise listed (free)
version	2024
description	(no language specified) A comprehensive TeX system that you can install on your hard disk. It includes support for most Unix system architectures, including GNU/Linux and MacOS, and for Windows. The MacTeX distribution is an unchanged TeX Live plus some Mac-specific software, but is distributed in a separate archive. The TeX, PDF(e)TeX, XeTeX, LuaTeX, and other engines are provided in the distribution, with several different running formats each; a wide range of support programs and macro packages is also included. Beware: the download from CTAN is large (several GB); it comes in the form of an ISO image, and is available from CTAN mirrors through the 'Sources' link below. Other ways to acquire TeX Live include network installation, tarballs, and mirroring.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/texlive/Images/README.md
home page	https://tug.org/texlive/
contact	<i>support</i> : https://tug.org/texlive/lists.html
contact	<i>bugs</i> : https://lists.tug.org/tex-live
contact	<i>repository</i> : https://tug.org/texlive/svn/
on CTAN	https://ctan.org/tex-archive/systems/texlive/Images
keyword	distribution (components (or support) of TeX distribution)

5994 *texlive-dummy-enterprise-linux – Dummy TeX Live RPM for use with RHEL 6 and derived distribut...*

see also	see section 6001 on page 5426: (TeX Live source tree – Sources of the TeX Live distribution)
language(s)	no language specified
year	without year
last access	2025-02-07

5994 texlive-dummy-enterprise-linux – Dummy TeX Live RPM for use with RHEL 6 and derived distributions

Web page on CTAN <https://ctan.org/pkg/texlive-dummy-enterprise-linux>

name	texlive-dummy-enterprise-linux
caption	Dummy TeX Live RPM for use with RHEL 6 and derived distributions
author	Tennent, Bob
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2014-09-07)
last changes	2014-09-07
year	2014
description	(no language specified) The package provides nothing significant, other than claiming to satisfy the Linux package requirements relating to TeX Live, so that the Linux installation does not automatically haul in TeX Live. After installation with this package present, the user can install her/his own copy of TeX Live, and take advantage of TeX Live's own update mechanism.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/texlive/texlive-dummy/EnterpriseLinux-6/README
on CTAN	https://ctan.org/tex-archive/support/texlive/texlive-dummy/EnterpriseLinux-6
keyword	install-mgmt (support for (La)TeX installations)
language(s)	no language specified
last access	2025-02-07

5995 texlive-dummy-enterprise-linux-6 – Dummy TeX Live RPM for use with RHEL 6 and derived distributions

Web page on CTAN <https://ctan.org/pkg/texlive-dummy-enterprise-linux-6>

name	texlive-dummy-enterprise-linux-6
caption	Dummy TeX Live RPM for use with RHEL 6 and derived distributions
author	Tennent, Bob
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2014-09-07)
last changes	2014-09-07
year	2014
description	(no language specified) The package provides nothing significant, other than claiming to satisfy the Linux package requirements relating to TeX Live, so that the Linux installation does not automatically haul in TeX Live. After installation with this package present, the user can install her/his own copy of TeX Live, and take advantage of TeX Live's own update mechanism.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/texlive/texlive-dummy/EnterpriseLinux-6/README
on CTAN	https://ctan.org/tex-archive/support/texlive/texlive-dummy/EnterpriseLinux-6
keyword	install-mgmt (support for (La)TeX installations)
language(s)	no language specified
last access	2025-02-07

5996 texlive-dummy-enterprise-linux-7 – Dummy TeX Live RPM for use with RHEL 7 and derived distributions

Web page on CTAN <https://ctan.org/pkg/texlive-dummy-enterprise-linux-7>

name	texlive-dummy-enterprise-linux-7
caption	Dummy TeX Live RPM for use with RHEL 7 and derived distributions
author	Tennent, Bob
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2014-10-16)
last changes	2014-10-16

year	2014
description	(no language specified) The package provides nothing significant, other than claiming to satisfy the Linux package requirements relating to TeX Live, so that the Linux installation does not automatically haul in TeX Live. After installation with this package present, the user can install her/his own copy of TeX Live, and take advantage of TeX Live's own update mechanism.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/texlive/texlive-dummy/EnterpriseLinux-7/README
on CTAN	https://ctan.org/tex-archive/support/texlive/texlive-dummy/EnterpriseLinux-7
keyword	install-mgmt (support for (La)TeX installations)
language(s)	no language specified
last access	2025-02-07

5997 **texlive-dummy-enterprise-linux-8 – Dummy TeX Live RPM for use with RHEL 8 and derived distributions**

Web page on CTAN <https://ctan.org/pkg/texlive-dummy-enterprise-linux-8>

name	texlive-dummy-enterprise-linux-8
caption	Dummy TeX Live RPM for use with RHEL 8 and derived distributions
author	Tennent, Bob
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2020-02-15)
last changes	2020-02-15
year	2020
description	(no language specified) This package contains a "dummy" rpm which is intended to satisfy any dependencies on TeX Live resources, allowing packages like latex2html, lyx, etc. to be installed without using <code>-nodeps</code> and without triggering re-installation of texlive rpms. All native texlive packages will be removed when the <code>texlive-dummy</code> package is installed. It is the responsibility of the user to ensure that any necessary resources normally provided by native packages have in fact been installed. A recent TeX Live distribution should suffice. If necessary, packages can be installed directly from CTAN into a local or personal texmf tree.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/texlive/texlive-dummy/EnterpriseLinux-8/README

5998 *texlive-dummy-fedora* – *Dummy TeX Live RPM for use with Fedora and similar distribut...*

on CTAN	https://ctan.org/tex-archive/support/texlive/texlive-dummy/EnterpriseLinux-8
keyword	install-mgmt (support for (La)TeX installations)
language(s)	no language specified
last access	2025-02-07

5998 *texlive-dummy-fedora* – Dummy TeX Live RPM for use with Fedora and similar distributions

Web page on CTAN <https://ctan.org/pkg/texlive-dummy-fedora>

name	texlive-dummy-fedora
caption	Dummy TeX Live RPM for use with Fedora and similar distributions
author	Seliger, Hendrik G
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2022-07-17)
last changes	2022-07-17
year	2022
description	(no language specified) This package contains a "dummy" rpm which is intended to satisfy any dependencies on TeX Live resources, allowing packages like <code>latex2html</code>, <code>lyx</code>, etc. to be installed without using <code>--nodeps</code> and without triggering re-installation of <code>texlive</code> rpms. All native <code>texlive</code> packages will be removed when the <code>texlive-dummy</code> package is installed. It is the responsibility of the user to ensure that any necessary resources normally provided by native packages have in fact been installed. A recent TeX Live distribution should suffice. If necessary, packages can be installed directly from CTAN into a local or personal <code>texmf</code> tree.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/texlive/texlive-dummy/Fedora/README
on CTAN	https://ctan.org/tex-archive/support/texlive/texlive-dummy/Fedora
keyword	install-mgmt (support for (La)TeX installations)
language(s)	no language specified
last access	2025-02-07

5999 texlive-dummy-opensuse – Dummy TeX Live RPM for use with Open SUSE

Web page on CTAN <https://ctan.org/pkg/texlive-dummy-opensuse>

name	texlive-dummy-opensuse
caption	Dummy TeX Live RPM for use with Open SUSE
author	Niepraschk, Rolf
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2024.9999-2 (2024-11-14)
last changes	2024-11-14
year	2024
description	(no language specified) The package solves a problem relating to use of TeX Live under a Linux distribution: Linux distributions typically require LaTeX by default, but only distribute a rather out-of-date version. So, by default, the user who wants to use current TeX Live has to undertake "dirty tricks" to override the default Linux TeX. The solution is to declare that LaTeX is already installed; a later installation of TeX Live will therefore have no problem running on the system. The present package solves the problem for openSUSE Linux distributions.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/texlive/texlive-dummy/opensUSE/README.md
contact	<i>bugs</i>: https://github.com/rolfn/texlive-dummy-opensuse/issues
contact	<i>repository</i> : https://github.com/rolfn/texlive-dummy-opensuse
on CTAN	https://ctan.org/tex-archive/support/texlive/texlive-dummy/opensUSE
keyword	install-mgmt (support for (La)TeX installations)
language(s)	no language specified
last access	2025-02-07

6000 *texlive-repo* – A mirror of the TeX Live repository

Web page on CTAN <https://ctan.org/pkg/texlive-repo>

name	texlive-repo
caption	A mirror of the TeX Live repository
author	The TeX Live Team
license	other-free = Free license not otherwise listed (free)
version	2016
description	(no language specified) This mirror of the repository provides a distributed resource for the TeX Live installer, since it is replicated over every CTAN mirror. The TeX Live installer, together with the TeX Live manager, allows users to install, update, and generally maintain the TeX Live installation on their machines.
documentation	(no language specified) <i>Manager documentation:</i> https://tug.org/texlive/doc/tlmgr.html
documentation	(no language specified) <i>Installer documentation:</i> https://tug.org/texlive/doc/install-tl.html
home page	https://tug.org/texlive/
on CTAN	https://ctan.org/tex-archive/systems/texlive/tlnet
keyword	distribution (components (or support) of TeX distribution)
language(s)	no language specified
year	without year
last access	2025-02-07

6001 *texlive-source* – Sources of the TeX Live distribution

Web page on CTAN <https://ctan.org/pkg/texlive-source>

name	TeX Live source tree
caption	Sources of the TeX Live distribution
author	The TeX Live Team
license	other-free = Free license not otherwise listed (free)

6002 *texliveonfly* – On-the-fly download of missing TeX live packages

description	(no language specified) The sources used for building the binaries in the TeX Live collection , as xz -compressed tar images. This is the (approximately) annual snapshot of TeX Live sources. Developers should peruse the TeX Live information for details of the source repository.
documentation	(no language specified) <i>TeX Live source information</i> : https://tug.org/texlive/svn/
home page	https://tug.org/texlive/
contact	<i>repository</i> : https://tug.org/svn/texlive/trunk/Build/
on CTAN	https://ctan.org/tex-archive/systems/texlive/Source
keyword	distribution (components (or support) of TeX distribution)
language(s)	no language specified
year	without year
last access	2025-02-07

6002 *texliveonfly* – On-the-fly download of missing TeX live packages

Web page on CTAN <https://ctan.org/pkg/texliveonfly>

name	texliveonfly
caption	On-the-fly download of missing TeX live packages
author	Naranong, Saitulaa
copyright	Saitulaa Naranong (2011)
license	gpl3 = GNU General Public License, version 3 (free)
version	(2011-10-02)
last changes	2011-10-02
year	2011
description	(no language specified) The package provides a script that performs ‘on the fly’ downloads of missing packages, while a document is being compiled. (This feature is already available in the MikTeX distribution for Windows machines.) To use the script, replace your (LaTeX) compilation command with <code>texliveonfly.py file.tex</code> (default options are <code>-engine=pdflatex</code> and <code>-arguments="-synctex=1 -interaction=nonstopmode"</code> , which may all be changed). The script is designed to work on Linux distributions.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/texliveonfly/README

on CTAN	https://ctan.org/tex-archive/support/texliveonfly
on T _E XLive	texliveonfly
keyword	install-mgmt (support for (La)TeX installations)
language(s)	no language specified
last access	2025-02-07

6003 `texlog-extract` – Extract errors and warnings from TeX logs

Web page on CTAN	https://ctan.org/pkg/texlog-extract
Alias	texlog-extract
name	texlog-extract
caption	Extract errors and warnings from TeX logs
author	Dekker, Wybo H.
copyright	Wybo Dekker (2009-2015)
license	gpl = GNU General Public License (free)
version	3.04
description	(no language specified) <code>texlog_extract</code> is a Ruby script. It examines a TeX log file, keeping track of the files in which errors and warnings occur and, for each file, reports warnings, the first error (if any), and the error's line number. The output may be presented in ASCII, ANSI-colored ASCII or HTML.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/texlog_extract/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/texlog_extract/texlog_extract.pdf
– local file	./1747655794-texlog_extract.pdf
on CTAN	https://ctan.org/tex-archive/support/texlog_extract
keyword	log-manip (analyse or otherwise manipulate logs)
keyword	debug-supp (support for package or document debugging)
language(s)	no language specified
year	2015
last access	2025-02-07

6004 texloganalyser – Analyse TeX logs

Web page on CTAN <https://ctan.org/pkg/texloganalyser>

name	texloganalyser
caption	Analyse TeX logs
author	van Oudenhove, Thomas
copyright	Thomas van Oudenhove (2006-2020)
license	bsd = BSD Style License (free)
version	0.11
description	(no language specified) This perl script allows the user to extract (and display) elements of the log file.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/texloganalyser/README
on CTAN	https://ctan.org/tex-archive/support/texloganalyser
on MikTeX	texloganalyser
on TeXLive	texloganalyser
keyword	log-manip (analyse or otherwise manipulate logs)
language(s)	no language specified
year	2020
last access	2026-04-10

6005 texlogfilter – Filter LaTeX engines output or log file

Web page on CTAN <https://ctan.org/pkg/texlogfilter>

name	texlogfilter
caption	Filter LaTeX engines output or log file
author	Labbé, Julien
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.4
description	(no language specified) texlogfilter is a Perl script designed to filter LaTeX engines output or log file (LaTeX, pdfLaTeX, LuaLaTeX or XeLaTeX). It reduces the LaTeX output or log to keep only warnings and errors. The result is colorised. Options allow to mask specific warnings, such as box or references/citations warnings. It's also possible to add custom filter patterns.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/texlogfilter/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/texlogfilter/texlogfilter.html
home page	https://gricad-gitlab.univ-grenoble-alpes.fr/labbeju/latex-packages/
on CTAN	https://ctan.org/tex-archive/support/texlogfilter
on MikTeX	texlogfilter
on T _E XLive	texlogfilter
keyword	log-manip (analyse or otherwise manipulate logs)
language(s)	no language specified
year	without year
last access	2025-02-07

6006 *texlogos* – Ready-to-use LaTeX logos

Web page on CTAN	https://ctan.org/pkg/texlogos
name	texlogos
caption	Ready-to-use LaTeX logos
author	Ruzyczka, Jacek
license	lppl = The LaTeX Project Public License (free)
version	1.3.1
description	(no language specified) TeXlogos defines an assortment of frequently used logos not contained in base LaTeX itself. The Metafont, MetapostAMS, BibTeX and SliTeX logos are defined, as long as you have the appropriate CM/Logo/AMS fonts. Currency symbols Euro, Cent, Yen, Won and Naira are defined so as not to need TS1-encoded fonts. Also defined are the C++ logo, with the ‘+’ signs properly positioned, and the logo of the Vienna University Business Administration Center (BWZ).
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/texlogos/texlogos.sty
on MikTeX	texlogos
on T _E XLive	texlogos
keyword	logo (symbols or drawings to specify an object, including icons)

see also	see section 2787 on page 2524: (<code>hologo</code> – A collection of logos with bookmark support)
language(s)	no language specified
year	without year
last access	2025-02-07

6007 *texlogsieve* – Filter and summarize LaTeX log files

Web page on CTAN <https://ctan.org/pkg/texlogsieve>

name	<code>texlogsieve</code>
caption	Filter and summarize LaTeX log files
author	Lago, Nelson
copyright	Nelson Lago (2021-2025)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	1.6.0 (2025-03-11)
last changes	2025-03-11
year	2025
description	(no language specified) <i>texlogsieve</i> reads a LaTeX log file (or the standard input if no file is specified), filters out less relevant messages, and displays a summary report. It is a texlua script, similar in spirit to tools such as texfot , texloganalyser , rubber-info , textlog-extract , texlogparser , texlogfilter , pulp , and others. Highlights: • Two reports: the most important messages from the log file followed by a summary of repeated messages, undefined references etc.; • The program goes to great lengths to correctly handle TeX line wrapping and does a much better job at that than existing tools; • Multiline messages are treated as a single entity; • Several options to control which messages should be filtered out; • No messages are accidentally removed; • The summary report is currently simple, but useful.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/texlogsieve/texlogsieve.pdf
– local file	<code>./4893643975-texlogsieve.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/texlogsieve/README.md
contact	<i>repository</i> : https://gitlab.com/lago/texlogsieve
on CTAN	https://ctan.org/tex-archive/support/texlogsieve
on MikTeX	texlogsieve
on T _E XLive	texlogsieve
keyword	use-lua (package requires availability of lua)
keyword	comp-mgmt (control TeX's behaviour during compilation)
keyword	log-manip (analyse or otherwise manipulate logs)
language(s)	no language specified
last access	2025-03-18

6008 *texmacs* – Structured text editor for TeX

Web page on CTAN <https://ctan.org/pkg/texmacs>

name	TeXmacs
caption	Structured text editor for TeX
author	van der Hoeven, Joris
license	gpl = GNU General Public License (free)
version	1.0.7.20
description	(no language specified) TeXmacs is a "structured text editor" with special support for mathematical expressions. The typesetting quality of the produced documents is intended to be as high as possible, i.e., comparable to the quality of documents produced with TeX; The user interface aims to be as natural and powerful as possible. In particular, the text you see on the screen corresponds exactly to what you get after printing. TeXmacs comes with a typed lisp extension language. Like emacs, this allows you for instance to redefine keyboard and menu actions. TeXmacs can also be used as an interface for computer algebra systems. In particular, automatically generated mathematical formulas are typeset in a satisfactory way. It is possible to generate LaTeX and PostScript output from TeXmacs. After compilation, the LaTeX output will resemble the PostScript output, although we guarantee no complete compatibility between TeXmacs and TeX. It is also possible to import "well written" LaTeX documents. The present release includes an interface with Ghostscript, which enables you to include PostScript (and some other formats) of images.
home page	http://www.texmacs.org/

6009 *texmalli* – A quick Finnish introduction to using LaTeX

on CTAN <https://ctan.org/tex-archive/support/TeXmacs>
keyword *ide* (integrated development environments)
language(s) no language specified
year without year
last access 2025-02-07

6009 *texmalli* – A quick Finnish introduction to using LaTeX

Web page on CTAN <https://ctan.org/pkg/texmalli>
name *texmalli*
caption A quick Finnish introduction to using LaTeX
author Kaijanaho, Antti-Juhani
license *pd* = Public Domain Software (free)
version 2.0
documentation *Package README (Finnish)*: <https://ctan.org/tex-archive/info/finnish/texmalli/README>
on CTAN <https://ctan.org/tex-archive/info/finnish/texmalli>
keyword *finnish-doc* (documentation written in Finnish)
language(s) Finnish
year without year
last access 2025-02-07

6010 *texmate* – Comprehensive chess annotation in LaTeX

Web page on CTAN <https://ctan.org/pkg/texmate>
name *TeXmate*
caption Comprehensive chess annotation in LaTeX
author Garcia-De Castro, Federico
copyright Federico Garcia (2005, 2006)
license *lppl* = The LaTeX Project Public License (free)
version 2

description	(no language specified) TeXmate formats chess games from very simple ascii input. The clean "1. e4 e5; 2. Nf3 Nc6; 3. Bb5 a6" will produce the same results as the sloppier "1 e4 e5; Nf3 Nc6 3.. Bb5 a6". The resulting format is fully customizable. There are 4 levels of commentary: 1 is the main game, 2-3 are commentaries. Each has its fonts, punctuation marks, etc., and these are also customizable. The package includes a tool for the creation of diagrams. The package works in conjunction with <i>skak</i> to produce diagrams of the current position automatically. For chess fonts, the package uses the <i>chessfss</i> system.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/texmate/texmate2manual.pdf
– local file	<code>./7780709776-texmate2manual.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/texmate
on MikTeX	<code>texmate</code>
on TeXLive	<code>texmate</code>
keyword	games (process game diagrams, gamebooks, and other amusements)
language(s)	no language specified
year	2006
last access	2025-02-07

6011 *texments* – Using the Pygments highlighter in LaTeX

Web page on CTAN	https://ctan.org/pkg/texments
name	<code>texments</code>
caption	Using the Pygments highlighter in LaTeX
author	Kubica, Marek
copyright	Marek Kubica (2008)
license	lppl = The LaTeX Project Public License (free)
version	0.2.0
description	(no language specified) A package which allows to use the Pygments highlighter inside LaTeX documents. <i>Pygments</i> supports syntax colouring of over 50 types of files, and ships with multiple colour schemes.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/texments/texments.pdf

– local file	<code>./9136544484-texments.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/texments/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/texments
on MikTeX	<code>texments</code>
on T _E XLive	<code>texments</code>
keyword	<code>listing</code> (computer code listing)
see also	see section 3996 on page 3614: (<code>minted</code> – Highlighted source code for LaTeX)
see also	see section 6595 on page 5959: (<code>verbments</code> – Syntax highlighting of source code in LaTeX documents)
language(s)	no language specified
year	2008
last access	2025-02-07

6012 *texmuse* – Music typesetting system using TeX and Metafont

Web page on CTAN	https://ctan.org/pkg/texmuse
name	TeXmuse
caption	Music typesetting system using TeX and Metafont
author	Garcia-De Castro, Federico
license	l _{pl} = The LaTeX Project Public License (free)
description	(no language specified) This is the first release of TeXmuse, which can typeset Bach’s inventions and similar music. This is an interim release: the program remains strictly limited, and is distributed as a proselytising effort. The system was described in TUGboat 24(2).
documentation	(no language specified) <i>Running TeXmuse</i> : https://ctan.org/tex-archive/obsolete/macros/texmuse/Doc/pdf/running.pdf
– local file	<code>./2859238167-running.pdf</code>
documentation	(no language specified) <i>TeXmuse’s main loop</i> : https://ctan.org/tex-archive/obsolete/macros/texmuse/Doc/pdf/mainloop.pdf
– local file	<code>./2631539379-mainloop.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/texmuse/README

on CTAN	https://ctan.org/tex-archive/obsolete/macros/texmuse
keyword	<code>music</code> (typesetting music and related stuff)
see also	see section 4139 on page 3745: (<code>MuSiXTeX</code> – Sophisticated music typesetting)
language(s)	no language specified
year	without year
last access	2025-02-07

6013 *texnegar* – Kashida justification in XeLaTeX and LuaLaTeX

Web page on CTAN <https://ctan.org/pkg/texnegar>

name	<code>texnegar</code>
caption	Kashida justification in XeLaTeX and LuaLaTeX
author	Movahhedian, Hossein
copyright	Hossein Movahhedian (2020-2021)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1e (2021-02-09)
last changes	2021-02-09
year	2021
description	(no language specified) In some cursive scripts such as Persian or Arabic, kashida is used to create justification. In this type of justification characters are elongated rather than expanding spaces between words. The kashida justification in <code>xepersian</code> has many bugs. Also it has problems with some fonts. The <code>xepersian-hm</code> package was the first attempt to fix these bugs in <code>xepersian</code>, which uses the <code>XeTeX</code> engine. This package extends the kashida justification to be used with the <code>LuaTeX</code> engine, too. Explanation of the package name: <i>Negar</i>, in Persian, is the present stem of <i>negaashtan</i> meaning to design, to paint, to write; and as a noun it means "sweetheart, idol, beloved, figuratively referring to a beautiful woman, pattern, painting, and artistic design".
documentation	(no language specified) <i>User documentation</i>: https://ctan.org/tex-archive/macros/unicodetex/latex/texnegar/texnegar-doc.pdf
– local file	<code>./1674367850-texnegar-doc.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/texnegar/README.txt
documentation	(no language specified) <i>Source code documentation</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/texnegar/texnegar.pdf
– local file	./6166543419-texnegar.pdf
home page	https://dma8hm1334.bitbucket.io
contact	<i>bugs</i> : https://bitbucket.org/dma8hm1334/texnegar/issues
contact	<i>repository</i> : https://bitbucket.org/dma8hm1334/texnegar
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/texnegar
installation	https://ctan.org/tex-archive/install/macros/unicodetex/latex/texnegar.tds.zip
on MikTeX	texnegar
on T _E XLive	texnegar
keyword	expl3 (expl3(unknown))
keyword	persian (support for typesetting Persian)
keyword	arabic (documentation in and support for typesetting Arabic)
language(s)	no language specified
last access	2025-02-07

6014 *texniccenter* – An IDE for LaTeX on MSWindows

Web page on CTAN	https://ctan.org/pkg/texniccenter
name	TeXnicCenter
caption	An IDE for LaTeX on MSWindows
author	Wiegand, Sven
license	gpl = GNU General Public License (free)
description	(no language specified) TeXnicCenter is an integrated development environment (IDE) for developing LaTeX documents on MS Windows (Windows 9x/ME, NT/2000/XP/Vista/7). Features include: • Project orientated integrated development environment for LaTeX documents; • Definition of unlimited ‘output types’ (i.e. DVI, PostScript, PDF);

- Fully customizable editor;
- Structure View that shows the structure of the whole LaTeX document, even if it is split into several files using `\input` or `\include`;
- Simple insertion of LaTeX constructs by menu or toolbar;
- Compilation of the project in the IDE: simple jumping to errors, warnings and bad boxes;
- Support for document templates;
- Fully customizable menu and toolbars in modern look and feel;
- Support for English and German languages.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/win32/TeXnicCenter/README
on CTAN	https://ctan.org/tex-archive/systems/win32/TeXnicCenter
keyword	ide (integrated development environments)
see also	see section 6699 on page 6045: (winshell – A MS-Windows32 user interface for TeX)
see also	see section 6695 on page 6042: (WinEdt – MS-Windows shell and editor for TeX)
see also	see section 3966 on page 3586: (miktex – A free TeX distribution for MS-Windows)
language(s)	no language specified
year	without year
last access	2025-02-07

6015 *texonly* – A sample document in Plain TeX

Web page on CTAN <https://ctan.org/pkg/texonly>

name	texonly
caption	A sample document in Plain TeX
author	Borck-Elsner, Matthias
copyright	Matthias Borck-Elsner (2019)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2
description	(no language specified) A file written with TeX, not using any packages or sty-files, to be compiled with TeX or pdfTeX only, <i>not</i> with LaTeX et al.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/texonly/README.md
documentation	(German (Germany)) <i>Package documentation</i> : https://ctan.org/tex-archive/info/texonly/texonly2.pdf
– local file	./9261293181-texonly2.pdf
on CTAN	https://ctan.org/tex-archive/info/texonly
on T _E XLive	texonly
keyword	tut-plaintex (tutorial material for Plain TeX)
see also	see section 2480 on page 2243: (<i>gentle</i> – A Gentle Introduction to TeX)
language(s)	German (Germany)
year	2019
last access	2025-02-07

6016 *texosquery* – Cross-platform Java application to query OS information

Web page on CTAN	https://ctan.org/pkg/texosquery
name	texosquery
caption	Cross-platform Java application to query OS information
author	Talbot, Nicola
copyright	Nicola Talbot (2016-2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.7 (2020-02-04)
last changes	2020-02-04
year	2020
description	(no language specified) This package provides a cross-platform Java application to query OS information designed for use in TeX’s shell escape mechanism. The application can query the following: • locale and codeset • current working directory • user home directory • temporary directory • OS name, arch and version

- Current date and time in PDF format (for TeX formats that don't provide `\pdfcreationdate`)
- Date-time stamp of a file in PDF format (for TeX formats that don't provide `\pdffilemoddate`)
- Size of a file in bytes (for TeX formats that don't provide `\pdffilesize`)
- Contents of a directory (captured as a list)
- Directory contents filtered by regular expression (captured as a list)
- URI of a file
- Canonical path of a file

All paths use a forward slash as directory divider so results can be used, for example, in commands like `\includegraphics`.

There are files provided for easy access in TeX documents:

- `texosquery.tex`: generic TeX code
- `texosquery.sty`: LaTeX package

This provides commands to run `texosquery` using TeX's shell escape mechanism and capture the result in a control sequence. The category code of most of TeX's default special characters (and some other potentially problematic characters) is temporarily changed to 12 while reading the result.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/texosquery/texosquery.pdf
– local file	<code>./9247405691-texosquery.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/texosquery/README.md
contact	<i>repository</i> : https://github.com/nlct/texosquery
on CTAN	https://ctan.org/tex-archive/support/texosquery
on MikTeX	<code>texosquery</code>
on T _E XLive	<code>texosquery</code>
keyword	<code>sys-supp</code> (os-level support facilities for TeX)
language(s)	no language specified
last access	2025-02-07

6017 *texpack* – Create documented LaTeX classes, packages and docs in a Unix environment

Web page on CTAN <https://ctan.org/pkg/texpack>

name	texpack
caption	Create documented LaTeX classes, packages and docs in a Unix environment
author	Lulli, Paolo
license	gpl = GNU General Public License (free)
description	(no language specified) Texpack is a little bundle of scripts to create documented LaTeX style, class files and docs. Texpack provides useful scripts for the automated creation of the skeleton required by *.dtx documented TeX files. It is useful both for creating packages (*.sty) and new classes (*.cls). Texpack also provides a command to automate the creation of commonly needed LaTeX skeleton files. This feature is mostly useful for the Italian author, but also provides the fast creation of a conditional preamble for handling dvi / pdf compilation.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/texpack/README
on CTAN	https://ctan.org/tex-archive/support/texpack
keyword	package-devel (support for package development)
language(s)	no language specified
year	without year
last access	2025-02-07

6018 *texperf* – A WordPerfect to LaTeX translator

Web page on CTAN <https://ctan.org/pkg/texperf>

name	texperf
caption	A WordPerfect to LaTeX translator
author	Forkosh, John
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) TeXPerfect was written to interpret files formatted by WordPerfect 5.1 for DOS; <i>wpllatex</i> is probably a better bet for current WordPerfect.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/texperf/00README

on CTAN	https://ctan.org/tex-archive/support/texperf
keyword	foreign-import (import files in a non-TeX (or different TeX) format)
see also	see section 6725 on page 6066: (WP2LaTeX – Convert WordPerfect documents to LaTeX)
see also	see section 953 on page 867: (catdoc – Text extractor for word files)
language(s)	no language specified
year	without year
last access	2025-02-07

6019 *texpict* – Create drawings for LaTeX

Web page on CTAN	https://ctan.org/pkg/texpict
name	texpict
caption	Create drawings for LaTeX
author	Ribo, Ramon
license	other-free = Free license not otherwise listed (free)
version	1.2
description	(no language specified) A graphical program developed with Tcl-Tk (it must be installed on the system) for the creation of drawings for inclusion in LaTeX file as picture environments.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/texpict/README
on CTAN	https://ctan.org/tex-archive/graphics/texpict
keyword	graphics-prep (prepare graphics for use with *TeX)
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
language(s)	no language specified
year	without year
last access	2025-02-07

6020 *texpictex* – Use *tpic* special commands in *PiCTeX*Web page on CTAN <https://ctan.org/pkg/texpictex>

name	texpictex
caption	Use <i>tpic</i> special commands in <i>PiCTeX</i>
author	Grunwald, Dirk
license	noinfo = noinfo
version	(1992-08-27)
last changes	1992-08-27
year	1992
description	(no language specified) Macros to override straight-line drawing routines in <i>PiCTeX</i> ; also provides clipping to the picture bounding box.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/texpictex.tex
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
language(s)	no language specified
last access	2025-02-07

6021 *texplate* – A tool for creating document structures based on templatesWeb page on CTAN <https://ctan.org/pkg/texplate>

name	texplate
caption	A tool for creating document structures based on templates
author	Cereda, Paulo Roberto Massa
copyright	Island of TeX (2021)
license	bsd3 = 3-clause BSD License (free)
version	1.0.6
description	(no language specified) TeXplate is a tool for creating document structures based on templates. The application name is a word play on <i>TeX</i> and <i>template</i> , so the purpose seems quite obvious: we want to provide an easy and straightforward framework for reducing the typical code boilerplate when writing TeX documents. Also note that one can easily extrapolate the use beyond articles and theses: the application is powerful enough to generate <i>any</i> text-based structure, given that a corresponding template exists.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/texplate/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/texplate/doc/texplate-manual.pdf
– local file	<code>./7340650229-texplate-manual.pdf</code>
contact	<i>bugs</i> : https://gitlab.com/islandoftex/texplate/-/issues
contact	<i>repository</i> : https://gitlab.com/islandoftex/texplate
on CTAN	https://ctan.org/tex-archive/support/texplate
installation	https://ctan.org/tex-archive/install/support/texplate.tds.zip
on MikTeX	<code>texplate</code>
on TeXLive	<code>texplate</code>
keyword	<code>doc-templ</code> (template to guide document development)
keyword	<code>gentex</code> (generate (La)TeX from other sorts of sources)
keyword	<code>doc-gen</code> (generate a document by collating other text)
language(s)	no language specified
year	2021
last access	2025-02-07

6022 `texpower` – Create dynamic online presentations with LaTeX

Web page on CTAN <https://ctan.org/pkg/texpower>

name	<code>texpower</code>
caption	Create dynamic online presentations with LaTeX
author	Lehmke, Stephan
author	Nordhaug, Hans Fredrik
license	gpl = GNU General Public License (free)
version	0.2

description	(no language specified) TeXPower is a bundle of packages intended to provide an all-inclusive environment for designing pdf screen presentations to be viewed in full-screen mode, especially for projecting 'online' with a video beamer. For some of its core functions, it uses code derived from ppower4 packages. It is, however, not a complete environment in itself: it relies on an existing class for preparing slides (such as foiltex or seminar) or another package such as pdfslide .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/texpower/README
documentation	(no language specified) <i>Manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/texpower/manual.pdf
– local file	<code>./7399783057-manual.pdf</code>
documentation	(no language specified) <i>Package demo</i> : http://texpower.sourceforge.net/doc/fulldemo.pdf
– local file	<code>./3614134836-fulldemo.pdf</code>
contact	<i>repository</i> : http://texpower.sourceforge.net/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/texpower
on MikTeX	<code>texpower</code>
on T _E XLive	<code>texpower</code>
keyword	<code>presentation</code> (slides, beamers, handouts, etc.)
see also	see section 492 on page 447 : (<code>beamer</code> – A LaTeX class for producing presentations and slides)
see also	see section 4827 on page 4370 : (<code>prosper</code> – LaTeX class for high quality slides)
language(s)	no language specified
year	without year
last access	2025-02-07

6023 *texproject* – A package for project management

Web page on CTAN	https://ctan.org/pkg/texproject
name	<code>TeXProject</code>
caption	A package for project management
author	Gurari, Eitan M.

author	Bressan, Stéphane
license	lppl = The LaTeX Project Public License (free)
version	(2001-02-14)
last changes	2001-02-14
year	2001
description	(no language specified) TeXProject is a (La)TeX tool for managing project manuals. TeXProject offers: • a declarative description language for your projects in terms of subprojects, tasks and milestones; • a programmable formatted output of project components such as dates, manpower, descriptions or dependencies; and • an extendible graphical output of pert, schedule, tree and effort charts for visualizing the project data.
on CTAN	https://ctan.org/tex-archive/graphics/dratex/TeXProject.sty
on MikTeX	dratex
keyword	project-mgmt (TeX-related project management)
language(s)	no language specified
last access	2025-02-07

6024 **texproposal** – A proposal prototype for LaTeX promotion in Chinese universities

Web page on CTAN <https://ctan.org/pkg/texproposal>

name	TeXProposal
caption	A proposal prototype for LaTeX promotion in Chinese universities
author	Zhennan, Li
copyright	Zhennan Li (2016, 2017)
license	other-free = Free license not otherwise listed (free)
version	1.4 (2017-02-04)
last changes	2017-02-04
year	2017

description	(no language specified) This package contains the original source code and necessary attachment of the document "Proposal for Offering TeX Courses and Relevant Resources in Chongqing University". This proposal could be helpful if one is considering to suggest his/her university or company to use TeX (or LaTeX, or XeLaTeX) as a typesetting system, especially for Chinese universities and companies. The present proposal mainly explains the importance and necessity of introducing TeX, a typesetting system often used in academic writing, to students and teachers. This proposal starts from a brief introduction of TeX, then steps further into its fascinating application to academic writing and dissertation formatting. Finally, a set of possible implementation strategies with regard to the proper introduction of TeX and relevant resources to our university, is proposed.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/info/texproposal/README.md
documentation	(Chinese) <i>The document itself</i>: https://ctan.org/tex-archive/info/texproposal/texproposal.pdf
– local file	<code>./5337978490-texproposal.pdf</code>
contact	<i>repository</i> : https://github.com/CQUtug/TeXProposal
on CTAN	https://ctan.org/tex-archive/info/texproposal
on MikTeX	<code>texproposal</code>
on T _E XLive	<code>texproposal</code>
keyword	<code>chinese-doc</code> (documentation in Chinese languages)
language(s)	Chinese
last access	2025-02-07

6025 *texref* – Find cross-references in a LaTeX file

Web page on CTAN	https://ctan.org/pkg/texref
name	<code>texref</code>
caption	Find cross-references in a LaTeX file
author	Friendly, Michael
license	lppl = The LaTeX Project Public License (free)

description	(no language specified) Texref reads a <code>.tex</code> file, and (recursively) all <code>\input{}</code> and <code>\include{}</code> files referenced therein, collecting the names of all <code>\label s</code> , <code>\ref s</code> and <code>\pageref s</code> as it goes. It then prints the list of labels together with information about where those labels are referenced in the <code>.tex</code> file.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/texref/README
on CTAN	https://ctan.org/tex-archive/support/texref
keyword	debug-supp (support for package or document debugging)
keyword	label-ref (label and reference systems)
language(s)	no language specified
year	without year
last access	2025-02-07

6026 *texrocks* – A minimal (La)TeX distribution

Web page on CTAN <https://ctan.org/pkg/texrocks>

name	TeXRocks
caption	A minimal (La)TeX distribution
author	Wu, Zhenyu
license	gpl3 = GNU General Public License, version 3 (free)
version	0.3.6
description	(no language specified) TeXRocks is a minimal (La)TeX distribution powered by Luarocks/Lux and LuaTeX. It has the following features: • virtual environment: all TeX packages are installed to <code>.lux/5.3/XXXXX-package_name@version/</code>, like nodejs's <code>node_modules/</code> and python's <code>.venv/</code>. After development of PDF, you can delete it safely, and it will not affect your next development of PDF. • minimal: we only install required packages • package version control: when you declare <code>latex-base == "2025.06.01-1"</code>, it will install exactly latex-base and no other versions! Pin the version like nodejs's <code>package.json</code> and python's <code>requirements.txt</code> • package installation in parallel: install many packages at the same time • a server to host compiled TeX packages: TeXRocks • use lua to develop TeX packages: texmf

	We also provide some related TeX tools, like kpsewhich and texdef written in lua. See official website TeXRocks
documentation	(no language specified) <i>TeXRocks, a minimal (La)TeX distribution</i> : https://texrocks.readthedocs.io/en/latest/
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/texrocks/README.md
home page	https://texrocks.readthedocs.io/
contact	<i>support</i> : https://github.com/ustctug/texrocks/discussions
contact	<i>repository</i> : https://github.com/ustctug/texrocks
contact	<i>development</i> : https://github.com/ustctug/texrocks/pulls
on CTAN	https://ctan.org/tex-archive/systems/texrocks
keyword	distribution (components (or support) of TeX distribution)
language(s)	no language specified
year	without year
last access	2025-08-30

6027 *texshade* – Package for setting nucleotide and peptide alignments

Web page on CTAN <https://ctan.org/pkg/texshade>

name	texshade
caption	Package for setting nucleotide and peptide alignments
author	Beitz, Eric
copyright	Eric Beitz (1999-2025)
license	gpl2 = GNU General Public License, version 2 (free)
version	1.29 (2025-10-16)
last changes	2025-10-16
year	2025
description	(no language specified) TeXshade is alignment shading software completely written in TeX/LaTeX; it can process multiple sequence alignments in the .MSF and the .ALN file formats. In addition to common shading algorithms, it provides special shading modes showing functional aspects, e.g. charge or hydropathy, and a wide range of commands for handling shading colours, text styles, labels, legends; it even allows the user to define completely new shading modes. TeXshade combines highest flexibility with TeX output quality — all in a bundle that does not demand excessive development time of the user.

documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/texshade/texshade.pdf
– local file	./1109184916-texshade.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/texshade/README
home page	https://www.pharmazie.uni-kiel.de/en/pharmceitica/prof-dr-eric-beitz/biotex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/texshade
on MikTeX	texshade
on TeXLive	texshade
keyword	chemistry (chemistry document support)
keyword	molbio (support for typesetting molecular biology)
language(s)	English
last access	2025-10-27

6028 *texshell* – X-Window Shell for TeX

Web page on CTAN	https://ctan.org/pkg/texshell
name	TeXshell
caption	X-Window Shell for TeX
author	Mittelbach, Marc
license	gpl = GNU General Public License (free)
version	2.8
description	(no language specified) TeXshell is an X-window shell for TeX on Sun workstations (OpenLook). It needs the OLIT toolkit.
on CTAN	https://ctan.org/tex-archive/obsolete/support/TeXshell
keyword	obsolete (package declared obsolete)
keyword	ide (integrated development environments)
language(s)	no language specified
year	without year
last access	2026-04-10

6029 *texshell32* – A free TeXShell for MS-Windows 95 and NT

Web page on CTAN <https://ctan.org/pkg/texshell32>

name	texshell32
caption	A free TeXShell for MS-Windows 95 and NT
author	Struve, Dirk
license	gpl = GNU General Public License (free)
version	0.71
description	(no language specified) Features include: • All files kept in own directory (no extra DLLs that mess up your system directory); • Syntax highlighting for TeX commands; • External programs freely definable; • Support for <i>dviwin</i>’s line specials; • Predefined templates and dialogs that assist you in editing text or create new documents; • User defined templates that can even embrace an existing text; • Dialog for inserting images (works with <i>dviwin</i> only); • Images can be opened directly from the texshell. Furthermore, the system is a small one.
documentation	(no language specified) <i>Package details:</i> https://ctan.org/tex-archive/systems/win32/texshell32/WinTeXShell32.txt
on CTAN	https://ctan.org/tex-archive/systems/win32/texshell32
keyword	ide (integrated development environments)
see also	see section 6699 on page 6045: (<i>winshell</i> – A MS-Windows32 user interface for TeX)
see also	see section 6695 on page 6042: (<i>WinEdt</i> – MS-Windows shell and editor for TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

6030 *texshop* – TeX front end for use on MacOS X

Web page on CTAN <https://ctan.org/pkg/texshop>

name	texshop
caption	TeX front end for use on MacOS X
author	Koch, Dick
license	gpl2 = GNU General Public License, version 2 (free)
version	5.49 (2025-01-28)
last changes	2025-01-28
year	2025
description	(no language specified) TeXShop is a TeX previewer for Mac OS X, written in Cocoa. TeXShop uses <code>pdftex</code> and <code>pdflatex</code> in its default configuration, to conform with Mac OS X's predilection for PDF.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/texshop/README.txt
home page	https://pages.uoregon.edu/koch/texshop/texshop.html
on CTAN	https://ctan.org/tex-archive/support/texshop
keyword	ide (integrated development environments)
language(s)	no language specified
last access	2025-02-07

6031 *texsis* – Plain TeX macros for Physicists

Web page on CTAN <https://ctan.org/pkg/texsis>

name	TeXsis
caption	Plain TeX macros for Physicists
author	Myers, Eric
author	Paige, Frank
license	lppl = The LaTeX Project Public License (free)
version	2.18

description	(no language specified) TeXsis is a TeX macro package which provides useful features for typesetting research papers and related documents. For example, it includes support specifically for: Automatic numbering of equations, figures, tables and references; Simplified control of type sizes, line spacing, footnotes, running headlines and footlines, and tables of contents, figures and tables; Specialized document formats for research papers, preprints and "e-prints", conference proceedings, theses, books, referee reports, letters, and memoranda; Simplified means of constructing an index for a book or thesis; Easy to use double column formatting; Specialized environments for lists, theorems and proofs, centered or non-justified text, and listing computer code; Specialized macros for easily constructing ruled tables. TeXsis was originally developed for physicists, but others may also find it useful. It is completely compatible with Plain TeX.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/plain/formats/texsis/Manual.pdf
– local file	./8690772218-Manual.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/formats/texsis/README
on CTAN	https://ctan.org/tex-archive/macros/plain/formats/texsis
on T _E XLive	texsis
keyword	physics (support for typesetting physics documents)
keyword	format (macros to build a format)
language(s)	no language specified
year	without year
last access	2025-02-07

6032 *texsketch* – A drawing package for OS/2

Web page on CTAN	https://ctan.org/pkg/texsketch
name	texsketch
caption	A drawing package for OS/2
author	Bahnes, Tim
license	other-nonfree = License that prevents distribution (not free)
version	1.03
description	(no language specified) Draws using the LaTeX picture mode.
on CTAN	https://ctan.org/tex-archive/graphics/texsketch

keyword	graphics-engn (graphics generator whose output is good for use with TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

6033 *texspell* – A LaTeX spelling checker

Web page on CTAN <https://ctan.org/pkg/texspell>

name	texspell
caption	A LaTeX spelling checker
author	Eckl, Martin
license	gpl = GNU General Public License (free)
description	(no language specified) Texspell is a spelling checker for German and English. Binaries are distributed for DOS (the English version needs a 386 or better), and the sources are also available.
on CTAN	https://ctan.org/tex-archive/support/texspell
keyword	spell (TeX-aware spelling checker)
language(s)	no language specified
year	without year
last access	2025-02-07

6034 *texsurgery* – A LaTeX companion to the “texsurgery” python project

Web page on CTAN <https://ctan.org/pkg/texsurgery>

name	texsurgery
caption	A LaTeX companion to the “texsurgery” python project
author	Angulo, Pablo
license	bsd3 = 3-clause BSD License (free)
version	0.6.0 (2021-07-09)
last changes	2021-07-09
year	2021

description	(no language specified) This LaTeX library is a companion to the texsurgery python project . It will make sure that "pdflatex document.tex" will work, with reasonable defaults, for a document that is intended to work with <code>texsurgery</code> , and also has other uses, always in tandem with the <code>texsurgery pypi</code> package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/texsurgery/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/texsurgery/texsurgery.pdf
– local file	<code>./2149343708-texsurgery.pdf</code>
contact	<i>announce</i> : https://framagit.org/pang/texsurgery/-/releases
contact	<i>bugs</i> : https://framagit.org/pang/texsurgery/-/issues
contact	<i>repository</i> : https://framagit.org/pang/texsurgery
contact	<i>development</i> : https://framagit.org/pang/texsurgery/-/project_members
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/texsurgery
on MikTeX	<code>texsurgery</code>
on TeXLive	<code>texsurgery</code>
keyword	<code>preprocessor</code> (preprocesses source before using TeX)
keyword	<code>callback</code> (call external code and process the result)
keyword	<code>graphics-inline</code> (graphics inline for external processing)
language(s)	no language specified
last access	2025-02-07

6035 `text1` – TeX format from Washington State University

Web page on CTAN <https://ctan.org/pkg/text1>

name	TeX T1
caption	TeX format from Washington State University
author	Guenther, Dean
copyright	Washington State University (1987)
license	nocommercial = No Commercial Use (not free)
version	(1994-11-30)

last changes	1994-11-30
year	1994
on CTAN	https://ctan.org/tex-archive/obsolete/macros/text1
keyword	format (macros to build a format)
language(s)	no language specified
last access	2025-02-07

6036 *text2bib* – A PHP script to convert references to BibTeX

Web page on CTAN	https://ctan.org/pkg/text2bib
name	text2bib
caption	A PHP script to convert references to BibTeX
author	Osborne, Martin J.
copyright	Fabian Qifei Bai and Martin J. Osborne (2007)
license	gpl2 = GNU General Public License, version 2 (free)
description	(no language specified) Text2bib is a PHP script for converting references to BibTeX format. (It is currently implemented at the package home page.)
home page	https://text2bib.org/
contact	<i>bugs:</i> https://github.com/osbornemj/text2bib/issues
contact	<i>repository:</i> https://github.com/osbornemj/text2bib
keyword	misc-conv (miscellaneous conversions)
language(s)	no language specified
year	2007
last access	2025-02-07

6037 *textarea* – Control the text area dynamicallyWeb page on CTAN <https://ctan.org/pkg/textarea>

name	textarea
caption	Control the text area dynamically
author	Rozhenko, Alexander I.
copyright	Alexander I. Rozhenko (2005)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package allows the user to expand the text area onto the footer, header, and margin. The change may be temporary (a single page's dimensions are changed) or global. The package is part of the ncctools bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/ncctools/doc/textarea.pdf
– local file	./5887677055-textarea.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ncctools
keyword	geometry (change geometry of page layout)
language(s)	no language specified
year	2005
last access	2025-02-07

6038 *textcase* – Case conversion ignoring mathematics, etcWeb page on CTAN <https://ctan.org/pkg/textcase>

name	textcase
caption	Case conversion ignoring mathematics, etc
author	Carlisle, David
copyright	David Carlisle (1997, 1998, 2019, 2022, 2023, 2025)
license	lppl = The LaTeX Project Public License (free)
version	1.05 (2025-02-16)
last changes	2025-02-16

year	2025
description	(no language specified) The <code>textcase</code> package offers commands <code>\MakeTextUppercase</code> and <code>\MakeTextLowercase</code> which are similar to the standard <code>\MakeUppercase</code> and <code>\MakeLowercase</code>, but they do not change the case of any sections of mathematics, or the arguments of <code>\cite</code>, <code>\label</code> and <code>\ref</code> commands within the argument. A further command <code>\NoCaseChange</code> does nothing but suppress case change within its argument, so to force uppercase of a section including an environment, one might say: <pre>\MakeTextUppercase{... \NoCaseChange{\begin{foo}} ... \NoCaseChange{\end{foo}} ...}</pre> In current LaTeX this package is obsolete. You can use the standard <code>\MakeUppercase</code> and <code>\MakeLowercase</code>, but it defines legacy names <code>\MakeTextUppercase</code> and <code>\MakeTextLowercase</code>.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/textcase/textcase.pdf
– local file	<code>./2790357279-textcase.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/textcase/README
contact	<i>bugs</i> : https://github.com/davidcarlisle/dpctex/issues
contact	<i>repository</i> : https://github.com/davidcarlisle/dpctex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/textcase
on MikTeX	<code>textcase</code>
on TeXLive	<code>textcase</code>
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-23

6039 *textcomp* – LaTeX support for the Text Companion fonts

Web page on CTAN	https://ctan.org/pkg/textcomp
name	<code>textcomp</code>
caption	LaTeX support for the Text Companion fonts
author	Rahtz, Sebastian
license	lppl = The LaTeX Project Public License (free)

description	(no language specified) The package supports the Text Companion fonts, which provide many text symbols (such as baht, bullet, copyright, musicalnote, onequarter, section, and yen), in the TS1 encoding. Note that the package has been adopted as part of the LaTeX distribution ; the reference here is to the original package, which is now little used (if at all).
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/obsolete/fonts/psfonts/ts1/README
on CTAN	https://ctan.org/tex-archive/obsolete/fonts/psfonts/ts1
keyword	text-symbol (symbols for use in text)
keyword	fontenc (support for font encodings)
language(s)	no language specified
year	without year
last access	2025-02-07

6040 *textcsc* – Simple commands for caps-to-small-caps text

Web page on CTAN <https://ctan.org/pkg/textcsc>

name	textcsc
caption	Simple commands for caps-to-small-caps text
author	Granet, Elijah Z
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
license	cc-by-sa-3 = CC BY-SA 3.0 (free)
version	1.2.0
description	(no language specified) This package provides a simple command (<code>\textcsc</code> and <code>\cscshape</code>) for caps-to-small-caps text, to allow for small caps acronyms to be presented as uppercase in text (useful for things like copying and pasting from a PDF).
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/unicodetex/latex/textcsc/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/unicodetex/latex/textcsc/textcsc-documentation.pdf
– local file	<code>./6637434774-textcsc-documentation.pdf</code>
home page	https://github.com/ezgranet/textcsc

on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/textcsc
on MikTeX	textcsc
on T _E XLive	textcsc
keyword	typesetting (support for variations of typographic style)
keyword	unicode (Unicode, material supporting it, and packages requiring it)
language(s)	no language specified
year	without year
last access	2025-02-07

6041 *textfit* – Fit text to a desired size

Web page on CTAN <https://ctan.org/pkg/textfit>

name	textfit
caption	Fit text to a desired size
author	Rahtz, Sebastian
author	Taylor, Philip
copyright	Sebastian Rahtz and Phil Taylor (1994)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	5
description	(no language specified) Package to fit text to a given width or height by scaling the font. For example: <code>\scaletowidth{3in}{This}</code> . (The job is done by calculating a <code>magstep</code> and applying it to the current font; thus "This" will be very tall, as well as very wide; to scale in just one dimension, use the facilities of the graphicx package.)
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/textfit/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/textfit
on MikTeX	textfit
on T _E XLive	textfit
keyword	fit-to-size (set up things to fit in a given space)
language(s)	no language specified
year	1994

last access 2025-02-07

6042 *textglos* – Typeset and index linguistic gloss abbreviations

Web page on CTAN <https://ctan.org/pkg/textglos>

name	textglos
caption	Typeset and index linguistic gloss abbreviations
author	Weber, Natalie
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The package provides a set of macros for in-line linguistic examples (as opposed to interlinear glossing, set apart from the main text). It prevents hyphenated examples from breaking across lines and consistently formats phonemic examples, orthographic examples, and more.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/textglos/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/textglos/textglos.pdf
– local file	./6695003778-textglos.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/textglos
on MikTeX	textglos
on T _E XLive	textglos
keyword	linguistic (support for linguistics)
language(s)	no language specified
year	without year
last access	2025-02-07

6043 textgreek – Upright greek letters in text

Web page on CTAN <https://ctan.org/pkg/textgreek>

name	textgreek
caption	Upright greek letters in text
author	Michlmayr, Leonard
copyright	Leonard Michlmayr (2010, 2011)
license	lpl = The LaTeX Project Public License (free)
version	0.7
description	(no language specified) Use upright greek letters as text symbols, e.g. <code>\textbeta</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/textgreek/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/textgreek/textgreek.pdf
– local file	<code>./3367235144-textgreek.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/textgreek
on MikTeX	textgreek
on TeXLive	textgreek
keyword	text-symbol (symbols for use in text)
language(s)	no language specified
year	2011
last access	2025-02-07

6044 textmerg – Merge text in TeX and LaTeX

Web page on CTAN <https://ctan.org/pkg/textmerg>

name	textmerg
caption	Merge text in TeX and LaTeX
author	Carlisle, David
author	Fairbairns, Robin
author	Piff, Mike

copyright	Mike Piff (1992, 1994)
license	pd = Public Domain Software (free)
version	2.01
description	(no language specified) Repetetively produce documents from a fixed part and a variable part. Such an operation is commonly used as "mail merge" to produce mail shots.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/textmerg/textmerg.pdf
– local file	./8673886996-textmerg.pdf
contact	<i>support</i> : https://github.com/rf-latex/textmerg/issues
contact	<i>repository</i> : https://github.com/rf-latex/textmerg
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/textmerg
on MikTeX	textmerg
on T _E XLive	textmerg
keyword	doc-gen (generate a document by collating other text)
language(s)	no language specified
year	1994
last access	2025-02-07

6045 *textool* – A SunOS DVI viewer

Web page on CTAN <https://ctan.org/pkg/textool>

name	textool
caption	A SunOS DVI viewer
author	Ilieve, Ilieve
license	noinfo = noinfo
version	(1990-10-02)
last changes	1990-10-02
year	1990
description	(no language specified) Display a DVI file in a SunView window; works with both PXL and PK fonts. (The program is a development of dvisun .)
documentation	(no language specified) <i>Package man page</i> : https://ctan.org/tex-archive/dviware/textool/textool.pdf

– local file	<code>./3141731319-texttool.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/dviware/texttool/README
on CTAN	https://ctan.org/tex-archive/dviware/texttool
keyword	<code>dvi-prev</code> (preview DVI files)
language(s)	no language specified
last access	2025-02-07

6046 `texttoolspro` – Tools for documentation written in LaTeX

Web page on CTAN <https://ctan.org/pkg/texttoolspro>

name	<code>texttoolspro</code>
caption	Tools for documentation written in LaTeX
author	Algaba, Manuel Gutierrez
license	other-free = Free license not otherwise listed (free)
version	1.1
description	(no language specified) A small set of utilities for doing documentation in LaTeX intended mainly for programmers. Includes: <code>boxerer.py</code> for creating structured boxes, one inside another so the structure of data and functions can be easily shown; <code>sectioner.py</code> , a front-end filter of LaTeX-modified code, so you can write sections in a relative way; and <code>iarticle.cls</code> , a LaTeX class that allows up to 14 levels of nesting, needed for doing documentation.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/texttoolspro/README.texttoolspro
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/support/texttoolspro/texttoolspro.pdf
– local file	<code>./7613366318-texttoolspro.pdf</code>
on CTAN	https://ctan.org/tex-archive/support/texttoolspro
keyword	<code>doc-supp</code> (macros and tools for preparing documentation)
language(s)	no language specified
year	without year
last access	2025-02-07

6047 *textopo* – Annotated membrane protein topology plots

Web page on CTAN <https://ctan.org/pkg/textopo>

name	textopo
caption	Annotated membrane protein topology plots
author	Beitz, Eric
copyright	Eric Beitz (2000-2005)
license	gpl = GNU General Public License (free)
version	1.5
description	(no language specified) A LaTeX package for setting shaded and annotated membrane protein topology plots and helical wheels.
documentation	(no language specified) <i>Notes on the distribution</i> : https://ctan.org/tex-archive/macros/latex/contrib/textopo/textopo.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/textopo/textopo.pdf
– local file	./6850251768-textopo.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/textopo
on MikTeX	textopo
on T _E XLive	textopo
keyword	molbio (support for typesetting molecular biology)
keyword	chemistry (chemistry document support)
language(s)	no language specified
year	2005
last access	2025-02-07

6048 *textpath* – Setting text along a path with MetaPost

Web page on CTAN <https://ctan.org/pkg/textpath>

name	textpath
caption	Setting text along a path with MetaPost
author	Hennig, Stephan
license	lppl = The LaTeX Project Public License (free)
version	1.6
description	(no language specified) This MetaPost package provides macros to typeset text along a free path with the help of LaTeX, thereby preserving kerning and allowing for 8-bit input (accented characters).
documentation	(no language specified) <i>README file</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/textpath/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/textpath/textpath.pdf
– local file	./9870631138-textpath.pdf
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/textpath
on MikTeX	textpath
on T _E XLive	textpath
keyword	graphics-text (text within graphics (drawn or overlaid))
see also	see section 4968 on page 4497: (pst-text – Text and character manipulation in PSTricks)
language(s)	no language specified
year	without year
last access	2025-02-07

6049 textpos – Place boxes at arbitrary positions on the LaTeX pageWeb page on CTAN <https://ctan.org/pkg/textpos>

name	textpos
caption	Place boxes at arbitrary positions on the LaTeX page
author	Gray, Norman
copyright	Norman Gray (1999-2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.10.1
description	(no language specified) A package to facilitate placement of boxes at absolute positions on the LaTeX page. There are several reasons why this might be useful, an important one being to help the creation of large-format conference posters.
documentation	(no language specified) <i>Package documentation (PDF)</i> : https://ctan.org/tex-archive/macros/latex/contrib/textpos/textpos.pdf
– local file	./9913385572-textpos.pdf
documentation	(no language specified) <i>Demo file: textpos with eso-pic</i> : https://ctan.org/tex-archive/macros/latex/contrib/textpos/niepraschk-eso-pic.pdf
– local file	./1811347200-niepraschk-eso-pic.pdf
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/textpos/README
documentation	(no language specified) <i>Version history, etc. (HTML)</i> : https://ctan.org/tex-archive/macros/latex/contrib/textpos/textpos.html
home page	https://purl.org/nxg/dist/textpos
contact	<i>repository</i> : https://heptapod.host/nxg/textpos
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/textpos
on MikTeX	textpos
on TeXLive	textpos
keyword	layout (layout of objects on the page)
language(s)	no language specified
year	2020
last access	2025-02-07

6050 `textualcomma` – Use the textual comma character as decimal separator in math mode

Web page on CTAN <https://ctan.org/pkg/textualcomma>

name	<code>textualcomma</code>
caption	Use the textual comma character as decimal separator in math mode
author	Friedl, Sebastian
copyright	Sebastian Friedl (2017-2018)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1 (2018-08-23)
last changes	2018-08-23
year	2018
description	(no language specified) The package is based on the <code>icomma</code> package, and intended as a solution for situations where the text comma character discerns from the math comma character, e. g. when fonts without math support are involved. Escaping to text mode every time a comma is used in math mode may slow down the compilation process.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/textualcomma/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/textualcomma/textualcomma-doc.pdf
– local file	<code>./3441112822-textualcomma-doc.pdf</code>
contact	<i>bugs</i> : https://gitlab.com/SFr682k/textualcomma/-/issues
contact	<i>repository</i> : https://gitlab.com/SFr682k/textualcomma
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/textualcomma
on MikTeX	<code>textualcomma</code>
on TeXLive	<code>textualcomma</code>
keyword	typesetting (support for variations of typographic style)
keyword	maths (support for typesetting mathematics)
see also	see section 2870 on page 2597: (<code>icomma</code> – Intelligent commas for decimal numbers)
language(s)	no language specified

last access 2025-02-07

6051 *textures-metrics* – Adobe font metrics, converted for use with Textures

Web page on CTAN <https://ctan.org/pkg/textures-metrics>

name	textures-metrics
caption	Adobe font metrics, converted for use with Textures
author	Kahn, Constantin
license	noinfo = noinfo
version	(1995-08-20)
last changes	1995-08-20
year	1995
description	(no language specified) A small collection of metrics from CTAN, converted and packed for Textures system use. Textures version 1.7.5 (at least) is recommended for using these metrics.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/psfonts/textures/README
on CTAN	https://ctan.org/tex-archive/fonts/psfonts/textures
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
last access	2025-02-07

6052 *texvc* – Use MediaWiki LaTeX commands

Web page on CTAN <https://ctan.org/pkg/texvc>

name	texvc
caption	Use MediaWiki LaTeX commands
author	Schubotz, Moritz
copyright	Moritz Schubotz (2015-2025)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3 (2025-11-15)
last changes	2025-11-15
year	2025

description	(no language specified) User MediaWiki LaTeX commands to copy and past formulae from MediaWiki to LaTeX documents.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/texvc/texvc.pdf
– local file	./9233997830-texvc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/texvc/README.md
contact	<i>repository</i> : https://github.com/MaRDI4NFDI/texvc-ctan
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/texvc
on MikTeX	texvc
on T _E XLive	texvc
keyword	foreign-import (import files in a non-TeX (or different TeX) format)
language(s)	no language specified
last access	2025-11-26

6053 *texware* – Utility programs for use with TeX

Web page on CTAN <https://ctan.org/pkg/texware>

name	texware
caption	Utility programs for use with TeX
author	Knuth, Donald E.
license	pd = Public Domain Software (free)
version	(2021-02-05)
last changes	2021-02-05
year	2021
description	(no language specified) Basic utility programs, comprising: • dvitype, which converts a TeX output (DVI) file to a plain text file (see also the DVI Text Language suite); • pooltype, which converts a TeX-suite program's "pool" (string) file into human-readable form; and • tftopl and pltotf, which convert TeX Font Metric (TFM) file to human readable Property List (PL) files and vice versa.
contact	<i>support</i> : https://lists.tug.org/tex-k

6054 *t fmpk* – A viewer for tfm and pk font files

contact *bugs:* <https://lists.tug.org/tex-k>
contact *repository:* <https://tug.org/svn/texlive/trunk/Build/source/texk/web2c/>
on CTAN <https://ctan.org/tex-archive/systems/knuth/dist/texware>
on MikTeX `miktex-texware-bin-2.9`
on T_EXLive `texware`
keyword `debug-supp` (support for package or document debugging)
language(s) no language specified
last access 2025-02-11

6054 *t fmpk* – A viewer for tfm and pk font files

Web page on CTAN <https://ctan.org/pkg/tfmpk>

name `t fmpk`
caption A viewer for tfm and pk font files
author Medini, Yotam
license `gpl` = GNU General Public License (free)
version 0.72
description (no language specified) The viewer provides views of a font as a whole, of individual characters, and of metrics and other details of a font.
documentation (no language specified) *Package documentation:*
<http://www.medini.org/software/tfmpk/tfmpk.html>
on CTAN <https://ctan.org/tex-archive/fonts/utilities/tfmpk>
keyword `font-devel` (support for font development, testing and characterisation)
language(s) no language specified
year without year
last access 2025-02-07

6055 *tfmpktest* – Check and correct checksums of TFM and PK filesWeb page on CTAN <https://ctan.org/pkg/tfmpktest>

name	TFMPKtest
caption	Check and correct checksums of TFM and PK files
author	Larchey, Dominique
author	Roegel, Denis B.
author	Rossi, Christian
license	lppl = The LaTeX Project Public License (free)
version	0.1
description	(no language specified) TFMPKtest checks font checksums. It can delete a PK font whose checksum does not match that of the corresponding TFM, then regenerate using <code>mktexpk</code> ; similarly it can delete and recreate TFM files.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/utilities/tfmpktest/README
on CTAN	https://ctan.org/tex-archive/fonts/utilities/tfmpktest
keyword	font-devel (support for font development, testing and characterisation)
language(s)	no language specified
year	without year
last access	2025-02-07

6056 *tfrupee* – A font offering the new (Indian) Rupee symbolWeb page on CTAN <https://ctan.org/pkg/tfrupee>

name	tfrupee
caption	A font offering the new (Indian) Rupee symbol
author	Jørgensen, Palle
license	gpl3 = GNU General Public License, version 3 (free)
version	1.02
description	(no language specified) The package provides LaTeX support for the (Indian) Rupee symbol font, created by TechFat . The original font has been converted to Adobe Type 1 format, and simple LaTeX support written for its use.

6057 *tgothic* – Gothic Textura Quadrata manuscript book-hand font

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/tfrupee/doc/fonts/tfrupee/tfrupee.pdf
– local file	./6657246651-tfrupee.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/tfrupee/README
on CTAN	https://ctan.org/tex-archive/fonts/tfrupee
on MikTeX	tfrupee
on T _E XLive	tfrupee
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
keyword	font-specialist (fonts with specific small application areas)
language(s)	no language specified
year	without year
last access	2025-02-07

6057 *tgothic* – Gothic Textura Quadrata manuscript book-hand font

Web page on CTAN <https://ctan.org/pkg/tgothic>

name	tgothic
caption	Gothic Textura Quadrata manuscript book-hand font
author	Wilson, Peter R.
copyright	Peter R. Wilson (1999)
license	lppl = The LaTeX Project Public License (free)
version	(2018-01-25)
last changes	2018-01-25
year	2018
description	(no language specified) The tgothic and alltgoth packages provide Metafont fonts based on the Gothic Textura Quadrata manuscript book-hand used between the 13th and 15th century AD. The font consists of minuscules and digits, with some appropriate period punctuation marks. Both normal and bold versions are provided. This is one of a set of manuscript fonts . Access to the docmfp package is desirable but not essential.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/bookhands/tgothic/README
on CTAN	https://ctan.org/tex-archive/fonts/bookhands/tgothic
on MikTeX	tgothic
on T _E XLive	bookhands
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-gothic (font for gothic or blackletter shapes)
keyword	font (fonts themselves)
keyword	font-medieval (fonts for Medieval script)
keyword	font-bookhand (fonts of scripts used for manuscript books)
language(s)	no language specified
last access	2025-02-07

6058 tgrind – Produce beautiful program listings using plain TeX

Web page on CTAN <https://ctan.org/pkg/tgrind>

name	tgrind
caption	Produce beautiful program listings using plain TeX
author	Jacobson, Van
license	nosell = Do Not Sell Except by Arrangement (not free)
description	(no language specified) This is a pretty printer similar to 4bsd's "vgrind" except it uses TeX instead of troff.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/tgrind/README
on CTAN	https://ctan.org/tex-archive/support/tgrind
keyword	listing (computer code listing)
see also	see section 3413 on page 3079: (lgrind – Produce beautiful listings of source code with LaTeX)
see also	see section 3470 on page 3137: (listings – Typeset source code listings using LaTeX)
language(s)	no language specified
year	without year
last access	2025-02-07

6059 *tgrind209* – Support *tgrind* in LaTeX 2.09Web page on CTAN <https://ctan.org/pkg/tgrind209>

name	tgrind209
caption	Support tgrind in LaTeX 2.09
license	noinfo = noinfo
version	(1989-12-22)
last changes	1989-12-22
year	1989
description	(no language specified) A development of the file <code>tgrindmac.tex</code> (in the tgrind distribution), for use with LaTeX 2.09.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/tgrind.sty
keyword	listing (computer code listing)
see also	see section 3413 on page 3079: (<i>lgrind</i> – Produce beautiful listings of source code with LaTeX)
language(s)	no language specified
last access	2025-02-07

6060 *thai-rmit* – A font for Thai scriptWeb page on CTAN <https://ctan.org/pkg/thai-rmit>

name	thai-rmit
caption	A font for Thai script
author	Kent, Alan
license	noinfo = noinfo
version	(1991-01-16)
last changes	1991-01-16
year	1991
description	(no language specified) Metafont programs for a Thai font in several weights.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/thai/rmit/00readme.txt
on CTAN	https://ctan.org/tex-archive/fonts/thai/rmit

6061 *thai-usl* – A font for Thai script

keyword	<code>font-thai</code> (font for typesetting Thai script)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
see also	see section 6061 on page 5476: (<i>thai-usl</i> – A font for Thai script)
language(s)	no language specified
last access	2025-02-07

6061 *thai-usl* – A font for Thai script

Web page on CTAN <https://ctan.org/pkg/thai-usl>

name	<code>thai-usl</code>
caption	A font for Thai script
author	Kent, Alan
license	noinfo = noinfo
version	(1992-09-27)
last changes	1992-09-27
year	1992
description	(no language specified) Metafont source for a Thai font (64 glyphs only).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/thai/usl/00README.TXT
on CTAN	https://ctan.org/tex-archive/fonts/thai/usl
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-thai</code> (font for typesetting Thai script)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
see also	see section 6060 on page 5475: (<i>thai-rmit</i> – A font for Thai script)
language(s)	no language specified
last access	2025-02-07

6062 *thaienum* – Thai labels in enumerate environments

Web page on CTAN <https://ctan.org/pkg/thaienum>

name	thaienum
caption	Thai labels in enumerate environments
author	Janthong, Abhabongse
copyright	Abhabongse Janthong (2017)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2 (2017-04-30)
last changes	2017-04-30
year	2017
description	(no language specified) This LaTeX package provides a command to use Thai numerals or characters as labels in <code>enumerate</code> environments. Once the package is loaded with <code>\usepackage{thaienum}</code> you can use labels such as <code>\thainum*</code> or <code>\thaimultialph*</code> in conjunction with the package enumitem. Concrete examples are given in the documentation.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/thaienum/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/thaienum/thaienum.pdf
– local file	./4887476079-thaienum.pdf
contact	<i>bugs</i> : https://github.com/abhabongse/latex-thaienum/issues
contact	<i>repository</i> : https://github.com/abhabongse/latex-thaienum/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/thaienum
on MikTeX	thaienum
on TeXLive	thaienum
keyword	thai (support for typesetting, and documentation in Thai)
keyword	list-enum (list: items enumerated)
keyword	numbers (formatting numbers, etc)
language(s)	no language specified
last access	2025-02-07

6063 thailatex – Typeset Thai texts with standard LaTeX classes

Web page on CTAN <https://ctan.org/pkg/thailatex>

name	ThaiLaTeX
caption	Typeset Thai texts with standard LaTeX classes
author	Karoonboonyanan, Theppitak
license	lppl = The LaTeX Project Public License (free)
version	0.5.1
description	(no language specified) ThaiLaTeX enables typesetting Thai with standard LaTeX document classes. However, it has been obsolete ever since its materials were included in their corresponding upstream sources: the Babel language definition has been included in the babel-thai package, the hyphenation patterns have been included in hyph-utf8 .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/language/thai/thailatex/README
home page	http://linux.thai.net/projects/thailatex
on CTAN	https://ctan.org/tex-archive/obsolete/language/thai/thailatex
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
keyword	obsolete (package declared obsolete)
keyword	thai (support for typesetting, and documentation in Thai)
language(s)	no language specified
year	without year
last access	2025-02-07

6064 thaispec – Thai Language Typesetting in XeLaTeX

Web page on CTAN <https://ctan.org/pkg/thaispec>

name	thaispec
caption	Thai Language Typesetting in XeLaTeX
author	Promkam, Ratthaprom
copyright	Ratthaprom Promkam (2018-2021)

license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2021.03.01
description	(no language specified) This package allows you to input Thai characters directly to LaTeX documents and choose any (system wide) Thai fonts for typesetting in XeLaTeX. It also tries to appropriately justify paragraphs with no more external tools. Required packages are fontspec , ucharclasses , polyglossia , setspace , kvoptions , xstring , and xpatch .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/thai/thaispec/README.md
documentation	<i>Package documentation (Thai)</i> : https://ctan.org/tex-archive/language/thai/thaispec/thaispec.pdf
– local file	./9446513702-thaispec.pdf
home page	https://github.com/epsilonxe/LaTeX/tree/master/package/thaispec
on CTAN	https://ctan.org/tex-archive/language/thai/thaispec
on MikTeX	thaispec
on T _E XLive	thaispec
keyword	thai (support for typesetting, and documentation in Thai)
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
language(s)	Thai
year	2021
last access	2025-02-09

6065 *thalie* – Typeset drama plays

Web page on CTAN	https://ctan.org/pkg/thalie
name	thalie
caption	Typeset drama plays
author	Paternault, Louis
copyright	Louis Paternault (2010-2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.13a (2022-12-11)
last changes	2022-12-11

year	2022
description	(no language specified) The package provides tools to typeset drama plays. It defines commands to introduce characters' lines, to render stage directions, to divide a play into acts and scenes and to build the <i>dramatis personae</i> automatically.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/thalie/thalie.pdf
– local file	<code>./7073811413-thalie.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/thalie/README.md
contact	<i>bugs</i> : https://framagit.org/spalax/thalie/issues
contact	<i>repository</i> : https://framagit.org/spalax/thalie
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/thalie
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/thalie.tds.zip
on MikTeX	thalie
on TeXLive	thalie
keyword	drama-script (typeset scripts for plays, etc.)
see also	see section 1692 on page 1533: (dramatist – Typeset dramas, both in verse and in prose)
see also	see section 1691 on page 1532: (drama – Production-style stage script in LaTeX)
see also	see section 4714 on page 4268: (play – Typeset drama using LaTeX)
language(s)	no language specified
last access	2025-02-07

6066 theanodidot – TheanoDidot fonts with LaTeX support

Web page on CTAN <https://ctan.org/pkg/theanodidot>

name	theanodidot
caption	TheanoDidot fonts with LaTeX support
author	Tennent, Bob
license	lppl = The LaTeX Project Public License (free)
license	ofl = The SIL Open Font License (free)

version	(2022-09-26)
last changes	2022-09-26
year	2022
description	(no language specified) This package provides the TheanoDidot font designed by Alexey Kryukov, in both TrueType and Type1 formats, with support for both traditional and modern LaTeX processors. An artificially-emboldened variant has been provided but there are no italic variants. The package is named after Theano, a famous Ancient Greek woman philosopher, who was first a student of Pythagoras, and supposedly became his wife. The Didot family were active as designers for about 100 years in the 18th and 19th centuries. They were printers, publishers, typeface designers, inventors and intellectuals. Around 1800 the Didot family owned the most important print shop and font foundry in France. Pierre Didot, the printer, published a document with the typefaces of his brother, Firmin Didot, the typeface designer. The strong clear forms of this alphabet display objective, rational characteristics and are representative of the time and philosophy of the Enlightenment.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/theanodidot/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/theanodidot/doc/theanodidot-samples.pdf
– local file	<code>./1450015944-theanodidot-samples.pdf</code>
contact	<i>development:</i> https://github.com/akryukov/theano
on CTAN	https://ctan.org/tex-archive/fonts/theanodidot
installation	https://ctan.org/tex-archive/install/fonts/theanodidot.tds.zip
on MikTeX	theanodidot
on T _E XLive	theanodidot
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font (fonts themselves)
keyword	font-greek (font for Greek (archaic, classical and modern))
keyword	font-t1enc (font providing LaTeX T1 encoding support)
keyword	font-proportional (variable-spaced font)
keyword	font-supp (metrics, macro incantations and other font support)

keyword	font-multilingual (font with adaptations to several languages)
keyword	font-ttf (font available in TrueType format)
keyword	font-serif (serif font)
language(s)	no language specified
last access	2025-02-10

6067 *theanomodern* – Theano Modern fonts with LaTeX support

Web page on CTAN <https://ctan.org/pkg/theanomodern>

name	theanomodern
caption	Theano Modern fonts with LaTeX support
author	Tennent, Bob
license	ofl = The SIL Open Font License (free)
license	lppl = The LaTeX Project Public License (free)
version	(2022-09-26)
last changes	2022-09-26
year	2022
description	(no language specified) This package provides the TheanoModern font designed by Alexey Kryukov, in both TrueType and Type1 formats, with support for both traditional and modern LaTeX processors. An artificially-emboldened variant has been provided but there are no italic variants. The package is named after Theano, a famous Ancient Greek woman philosopher, who was first a student of Pythagoras, and supposedly became his wife.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/theanomodern/README
documentation	(no language specified) <i>Font samples</i>: https://ctan.org/tex-archive/fonts/theanomodern/doc/theanomodern-samples.pdf
– local file	<code>./7273718878-theanomodern-samples.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/theanomodern
installation	https://ctan.org/tex-archive/install/fonts/theanomodern.tds.zip
on MikTeX	theanomodern
on T _E XLive	theanomodern

keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-ttf</code> (font available in TrueType format)
keyword	<code>font-t1enc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font-greek</code> (font for Greek (archaic, classical and modern))
keyword	<code>font-multilingual</code> (font with adaptations to several languages)
keyword	<code>font-serif</code> (serif font)
keyword	<code>font</code> (fonts themselves)
language(s)	no language specified
last access	2025-02-10

6068 *theanooldstyle* – Theano OldStyle fonts with LaTeX support

Web page on CTAN <https://ctan.org/pkg/theanooldstyle>

name	<code>theanooldstyle</code>
caption	Theano OldStyle fonts with LaTeX support
author	Tennent, Bob
license	lppl = The LaTeX Project Public License (free)
license	ofl = The SIL Open Font License (free)
version	(2022-09-26)
last changes	2022-09-26
year	2022
description	(no language specified) This package provides the Theano OldStyle font designed by Alexey Kryukov, in both TrueType and Type1 formats, with support for both traditional and modern LaTeX processors. An artificially-emboldened variant has been provided but there are no italic variants. The package is named after Theano, a famous Ancient Greek woman philosopher, who was first a student of Pythagoras, and supposedly became his wife.

documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/theanooldstyle/doc/theanooldstyle-samples.pdf
– local file	<code>./9620088975-theanooldstyle-samples.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/theanooldstyle/README
on CTAN	https://ctan.org/tex-archive/fonts/theanooldstyle
installation	https://ctan.org/tex-archive/install/fonts/theanooldstyle.tds.zip
on MikTeX	<code>theanooldstyle</code>
on T _E XLive	<code>theanooldstyle</code>
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-multilingual</code> (font with adaptations to several languages)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-greek</code> (font for Greek (archaic, classical and modern))
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-ttf</code> (font available in TrueType format)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-t1enc</code> (font providing LaTeX T1 encoding support)
language(s)	no language specified
last access	2025-02-10

6069 *theapa* – APA (American Psychology Association) Reference Citation for LaTeX

Web page on CTAN <https://ctan.org/pkg/theapa>

name	<code>theapa</code>
caption	APA (American Psychology Association) Reference Citation for LaTeX
author	Ryu, Young
copyright	Young U. Ryu (1991, 1992)
license	<code>noinfo = noinfo</code>
version	2.5.1

6070 *theatre* – A sophisticated package for typesetting stage plays

description	(no language specified) Certainly related to the same author's newapa citation package, but the actual relationship isn't entirely clear.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/theapa
keyword	psychology (support for typesetting texts relating to psychology)
keyword	journalpub (typesetting journals, etc)
keyword	apa (typesetting according to the rules of the American Psychological Association)
language(s)	no language specified
year	1992
last access	2025-02-07

6070 *theatre* – A sophisticated package for typesetting stage plays

Web page on CTAN	https://ctan.org/pkg/theatre
name	theatre
caption	A sophisticated package for typesetting stage plays
author	Hinque, Christian
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	0.1
description	(no language specified) This package enables the user to typeset stage plays in a way that permits to create highly customized printouts for each actor.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/theatre/README
documentation	(no language specified) <i>Package documentation (French and English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/theatre/doc/Help_Theatre.pdf
– local file	./2186959968-Help_Theatre.pdf
home page	https://christian.hinque.fr/wp/latex/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/theatre
on MikTeX	theatre
on TeXLive	theatre
keyword	drama-script (typeset scripts for plays, etc.)

language(s)	no language specified
year	without year
last access	2025-02-07

6071 *thematicpuzzle* – Horizontal banners in a puzzle style

Web page on CTAN <https://ctan.org/pkg/thematicpuzzle>

name	thematicpuzzle
caption	Horizontal banners in a puzzle style
author	Pierquet, Cédric
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.2 (2025-05-05)
last changes	2025-05-05
year	2025
description	(no language specified) With this package it is possible to create a horizontal banner in the form of a puzzle. There are some predefined themes.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/thematicpuzzle/README.md
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/thematicpuzzle/doc/thematicpuzzle-doc-fr.pdf
– local file	./8659669460-thematicpuzzle-doc-fr.pdf
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/thematicpuzzle/doc/thematicpuzzle-doc-en.pdf
– local file	./2355771829-thematicpuzzle-doc-en.pdf
contact	<i>repository</i> : https://forge.apps.education.fr/pierquetcedric/packages-latex
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/thematicpuzzle
on MikTeX	thematicpuzzle
on T _E XLive	thematicpuzzle
keyword	symbol-suppl (manage symbols in a document)
language(s)	English; French

last access 2025-05-27

6072 *theorem* – Manipulate theorem environmentsWeb page on CTAN <https://ctan.org/pkg/theorem>

name	theorem
caption	Manipulate theorem environments
author	The LaTeX Project Team
author	Mittelbach, Frank
copyright	Frank Mittelbach (1989-1995)
copyright	The LaTeX3 Project et al. (1993-2023)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.2c (2024-08-06)
last changes	2024-08-06
year	2024
description	(no language specified) Enhancements to LaTeX's theorem environments, giving more choice in theorem layout. This package is no longer recommended by its author; he suggests users should use the AMS LaTeX amsthm package instead; another widely-used alternative is ntheorem . The package is part of the latex-tools bundle in the LaTeX required distribution.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/required/tools/theorem.pdf
– local file	./7955013716-theorem.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/required/tools
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-tools.tds.zip
on MikTeX	latex-tools
on T _E XLive	tools
keyword	maths-theorem (typeset mathematical theorems)
keyword	tagged-pdf-incompatible (tagged PDF incompatible)
see also	see section 4317 on page 3909 : (ntheorem – Enhanced theorem environment)
language(s)	no language specified
last access	2026-04-10

6073 theoremref – References with automatic theorem names

Web page on CTAN <https://ctan.org/pkg/theoremref>

name	theoremref
caption	References with automatic theorem names
author	Jeřábek, Emil
copyright	Emil Jeřábek (2008, 2013)
license	gpl2 = GNU General Public License, version 2 (free)
license	lppl = The LaTeX Project Public License (free)
version	(2013-05-22)
last changes	2013-05-22
year	2013
description	(no language specified) The theoremref package provides variants of the <code>\label</code> and <code>\ref</code> commands for theorem-like environments, capable of automatically typesetting references including the theorem name (apart from the theorem number). The scheme is particularly valuable if the author decides to change a lemma to a proposition or a theorem (or whatever).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/theoremref/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/theoremref/theoremref-doc.pdf
– local file	./4652906340-theoremref-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/theoremref
on MikTeX	theoremref
on T _E XLive	theoremref
keyword	label-ref (label and reference systems)
keyword	maths-theorem (typeset mathematical theorems)
language(s)	no language specified
last access	2025-02-07

6074 thepdfnumber – Print PDF numbers with minimal digitsWeb page on CTAN <https://ctan.org/pkg/thepdfnumber>

name	thepdfnumber
caption	Print PDF numbers with minimal digits
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2011)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2016-05-16)
last changes	2016-05-16
year	2016
description	(no language specified) The package provides a command (<code>\thepdfnumber</code>) that converts its argument to a "canonical" form. Conversion strips all leading and trailing zeros (but leaves a leading zero if $0 < arg < 1$); it also strips + signs, and removes pairs of – signs. The package is part of the oberdiek bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/thepdfnumber.pdf
– local file	<code>./3495738479-thepdfnumber.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/thepdfnumber.dtx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/oberdiek.tds.zip
on MikTeX	oberdiek
on TeXLive	oberdiek
keyword	calculation (perform calculations within TeX)
language(s)	no language specified
last access	2025-02-07

6075 thermodynamics – Macros for multicomponent thermodynamics documentsWeb page on CTAN <https://ctan.org/pkg/thermodynamics>

name	thermodynamics
caption	Macros for multicomponent thermodynamics documents
author	Hammond, Karl D.
copyright	Karl D. Hammond (2022-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.04 (2026-03-22)
last changes	2026-03-22
year	2026
description	(no language specified) This package makes typesetting quantities found in thermodynamics texts relatively simple. The commands are flexible and intended to be relatively intuitive. It handles several sets of notation for total, specific, and molar quantities; allows changes between symbols (e.g., A vs. F for Helmholtz free energy); and greatly simplifies the typesetting of symbols and partial derivatives commonly encountered in mixture thermodynamics. Changes of one's notes from one textbook to another can be achieved relatively easily by changing package options. The package offers a collection of macros and environments which are intended to make typesetting thermodynamics documents faster, more convenient, and more reliable. Macros include symbols for extensive, molar, specific, and partial molar properties; excess and residual (departure) properties; partial derivatives; heat capacities, compressibilities, and expansivities; saturation, mixture, and pure-component properties; Henry's Law parameters and activity coefficients; changes on mixing, fusion, reaction, sublimation, and vaporization; and sets of all moles/mole fractions/masses/etc. being held constant in derivatives. Conversion of notes between textbooks is trivial for textbooks supported by the package, and more general changes in notation are also possible through package options.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/thermodynamics/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/thermodynamics/thermodynamics.pdf
– local file	./5456606241-thermodynamics.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/thermodynamics
on MikTeX	thermodynamics

6076 *these* – Bibliography style for French theses

on T _E XLive	thermodynamics
keyword	chemistry (chemistry document support)
keyword	physics (support for typesetting physics documents)
language(s)	no language specified
last access	2026-03-30

6076 *these* – Bibliography style for French theses

Web page on CTAN <https://ctan.org/pkg/these>

name	these
caption	Bibliography style for French theses
author	Herrb, Mathieu
license	other-free = Free license not otherwise listed (free)
version	(1993-11-25)
last changes	1993-11-25
year	1993
description	(no language specified) The style is derived from the standard <code>alpha.bst</code> , with keywords translated and styles converted to French conventions.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/these.bst
keyword	bibtex-sty (bibtex-sty(unknown))
keyword	french (support for typesetting French)
language(s)	no language specified
last access	2025-02-07

6077 *thesis* – Typeset thesis

Web page on CTAN <https://ctan.org/pkg/thesis>

name	thesis
caption	Typeset thesis
author	Matiaske, Wenzel
copyright	Wenzel Matiaske (1991, 1996)
license	gpl = GNU General Public License (free)
version	1f
description	(no language specified) Two classes (thesis and thema) developed from the report class for a more European and a more flexible look. The thesis class supports options like noindent, noitemization, headline, nocenter, crosshair, and chapterbib; thema adds facilities such as separately credited authors for each chapter.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/thesis/thesis.pdf
– local file	./6734601728-thesis.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/thesis
on MikTeX	thesis
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
year	1996
last access	2025-02-07

6078 *thesis-ekf* – Thesis class for Eszterházy Károly Catholic University

Web page on CTAN <https://ctan.org/pkg/thesis-ekf>

name	thesis-ekf
caption	Thesis class for Eszterházy Károly Catholic University
author	Tómacs, Tibor
copyright	Tibor Tómacs (2014-2024)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	4.5 (2024-04-18)
last changes	2024-04-18

year	2024
description	(no language specified) This is a class file for theses and dissertations at the Eszterházy Károly Catholic University (Eger, Hungary). The documentation is in Hungarian.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/thesis-ekf/README
documentation	(Hungarian) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/thesis-ekf/thesis-ekf.pdf
– local file	./8825268877-thesis-ekf.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/thesis-ekf
on MikTeX	thesis-ekf
on T _E XLive	thesis-ekf
keyword	hungarian (support for typesetting Hungarian)
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	class (alternative LaTeX class(es))
language(s)	Hungarian
last access	2025-02-07

6079 *thesis-gwu* – Thesis class for George Washington University School of Engineering and Applied Science

Web page on CTAN <https://ctan.org/pkg/thesis-gwu>

name	thesis-gwu
caption	Thesis class for George Washington University School of Engineering and Applied Science
author	Kulumani, Shankar
copyright	Shankar Kulumani (2018-2020)
license	gpl3 = GNU General Public License, version 3 (free)
version	1.7.0

description	(no language specified) This class is an attempt to create a standard format for GWU SEAS dissertations/theses. It automatically handles many of the complicated formatting requirements and includes many useful packages. An example thesis is provided serving as a user guide and a demonstration of the thesis.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/thesis-gwu/README.md
documentation	(no language specified) <i>Example thesis and user guide</i> : https://ctan.org/tex-archive/macros/latex/contrib/thesis-gwu/thesis-sample.pdf
– local file	<code>./3888483166-thesis-sample.pdf</code>
home page	https://github.com/skulumani/thesis-gwu
contact	<i>bugs</i> : https://github.com/skulumani/thesis-gwu/issues
contact	<i>repository</i> : https://github.com/skulumani/thesis-gwu
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/thesis-gwu
on MikTeX	thesis-gwu
on T _E XLive	thesis-gwu
keyword	class (alternative LaTeX class(es))
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
year	2020
last access	2025-02-07

6080 *thesis-qom* – Thesis style of the University of Qom, Iran

Web page on CTAN	https://ctan.org/pkg/thesis-qom
name	thesis-qom
caption	Thesis style of the University of Qom, Iran
author	Razavian, Seied-Mohammad-Javad
copyright	Seied-Mohammad-Javad Razavian (2017-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.5 (2022-06-09)

last changes	2022-06-09
year	2022
description	(no language specified) This package provides a class file for writing theses and dissertations according to the University of Qom Graduate Schools's guidelines for the electronic submission of master theses and PhD dissertations. The class should meet all the current requirements and is updated whenever the university guidelines change. The class needs XeLaTeX in conjunction with the following fonts: XB Niloofar, IranNastaliq, IRLotus, XB Zar, XB Titre, and Yas.
documentation	(Farsi (Iran)) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/xetex/latex/thesis-qom/doc/thesis-qom.pdf
– local file	./9424116081-thesis-qom.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/xetex/latex/thesis-qom/README
contact	<i>bugs:</i> https://github.com/javadr/thesis-qom/issues
contact	<i>repository:</i> https://github.com/javadr/thesis-qom
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/thesis-qom
on MikTeX	thesis-qom
on T _E XLive	thesis-qom
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	class (alternative LaTeX class(es))
language(s)	Farsi (Iran)
last access	2025-02-09

6081 *thesis-titlepage-fhac* – Little style to create a standard titlepage for diploma thesis

Web page on CTAN	https://ctan.org/pkg/thesis-titlepage-fhac
name	thesis-titlepage-fhac
caption	Little style to create a standard titlepage for diploma thesis
author	Lamers, Jürgen A.
license	lppl = The LaTeX Project Public License (free)

6082 `thinsp` – A stretchable `\thinspace` for LaTeX

version	0.1
description	(no language specified) Yet another thesis titlepage style: support of Fachhochschule Aachen (Standort Juelich)
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/thesis-titlepage-fhAC/fhACtitlepage.pdf
– local file	<code>./5329063418-fhACtitlepage.pdf</code>
documentation	(no language specified) <i>README file</i> : https://ctan.org/tex-archive/macros/latex/contrib/thesis-titlepage-fhAC/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/thesis-titlepage-fhAC
on MikTeX	<code>thesis-titlepage-fhac</code>
on TeXLive	<code>thesis-titlepage-fhac</code>
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
year	without year
last access	2025-02-09

6082 `thinsp` – A stretchable `\thinspace` for LaTeX

Web page on CTAN	https://ctan.org/pkg/thinsp
name	<code>thinsp</code>
caption	A stretchable <code>\thinspace</code> for LaTeX
author	Jørgensen, Palle
license	gpl = GNU General Public License (free)
version	0.2 (2016-10-02)
last changes	2016-10-02
year	2016
description	(no language specified) The package redefines <code>\thinspace</code> to have a stretch component.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/thinsp/thinsp.pdf
– local file	<code>./2788798960-thinsp.pdf</code>

6083 *thirteen* – *Print dates of Friday 13th days*

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/thinsp/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/thinsp
on MikTeX	thinsp
on T _E XLive	thinsp
keyword	typesetting (support for variations of typographic style)
language(s)	no language specified
last access	2025-02-07

6083 *thirteen* – Print dates of Friday 13th days

Web page on CTAN	https://ctan.org/pkg/thirteen
name	thirteen
caption	Print dates of Friday 13th days
license	noinfo = noinfo
version	(1994-04-20)
last changes	1994-04-20
year	1994
description	(no language specified) The (plain TeX) file prints the dates of Friday 13th days, from 1991–2003. (This was an exercise for beginner programmers in the 1960s...)
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/thirteen.tex
keyword	games (process game diagrams, gamebooks, and other amusements)
language(s)	no language specified
last access	2025-02-07

6084 *thmbox* – Decorate theorem statements

Web page on CTAN <https://ctan.org/pkg/thmbox>

name	<code>thmbox</code>
caption	Decorate theorem statements
author	Beffara, Emmanuel
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The package defines an environment <code>thmbox</code> that presents theorems, definitions and similar objects in boxes decorated with frames and various aesthetic features. The standard macro <code>\newtheorem</code> may be redefined to use the environment.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/thmbox/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/thmbox/thmbox.pdf
– local file	<code>./5445412792-thmbox.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/thmbox
on MikTeX	<code>thmbox</code>
on T _E XLive	<code>thmbox</code>
keyword	<code>maths-theorem</code> (typeset mathematical theorems)
keyword	<code>decoration</code> (highlighting typeset material, fancy frames, watermarks, etc.)
see also	see section 5448 on page 4930 : (Shaded theorems – Theorem environments that are shaded)
language(s)	no language specified
year	without year
last access	2025-02-07

6085 *thmlist* – A LaTeX package for adding theorem environments quicklyWeb page on CTAN <https://ctan.org/pkg/thmlist>

name	thmlist
caption	A LaTeX package for adding theorem environments quickly
author	Xia, Mingyu
copyright	Mingyu Hsia (2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1b (2024-03-26)
last changes	2024-03-26
year	2024
description	(no language specified) This package provides a simple way for adding theorem environments quickly. Welcome to feedback bugs or ideas via email to xiamyphys@gmail.com . The package has been superseded by whatsnote .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/thmlist/doc/thmlist.pdf
– local file	<code>./2777480283-thmlist.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/thmlist/README.md
contact	<i>support</i> : https://qm.qq.com/q/RGFmHwBecC
contact	<i>announce</i> : https://t.me/hsiastexcafe
contact	<i>bugs</i> : https://github.com/xiamyphys/thmlist/issues
contact	<i>repository</i> : https://github.com/xiamyphys/thmlist
contact	<i>development</i> : https://github.com/xiamyphys
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/thmlist
on MikTeX	thmlist
keyword	obsolete (package declared obsolete)
keyword	maths (support for typesetting mathematics)
keyword	maths-theorem (typeset mathematical theorems)
language(s)	no language specified
last access	2025-02-07

6086 `thmtools` – Extensions to theorem environmentsWeb page on CTAN <https://ctan.org/pkg/thmtools>

name	<code>thmtools</code>
caption	Extensions to theorem environments
author	Chou, Yukai
author	Schwarz, Ulrich M.
copyright	Ulrich M. Schwarz (2008-2014)
copyright	Yukai Chou (2020-2023)
copyright	Frank Mittelbach (2019)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	76 (2023-05-04)
last changes	2023-05-04
year	2023
description	(no language specified) The bundle provides several packages for commonly-needed support for typesetting theorems. The packages should work with kernel theorems (theorems ‘out of the box’ with LaTeX), and the <code>theorem</code> and <code>amsthm</code> packages. Features of the bundle include: • a key-value interface to <code>\newtheorem</code>; • a <code>\listoftheorems</code> command; • <code>hyperref</code> and <code>autoref</code> compatibility; • a mechanism for restating entire theorems in a single macro call.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/thmtools/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/thmtools/doc/thmtools-manual.pdf
– local file	<code>./3909701832-thmtools-manual.pdf</code>
contact	<i>bugs</i> : https://github.com/muzimuzhi/thmtools/issues
contact	<i>repository</i> : https://github.com/muzimuzhi/thmtools
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/thmtools
on MikTeX	<code>thmtools</code>

on T _E XLive	thmtools
keyword	maths-theorem (typeset mathematical theorems)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

6087 *thorshammer* – Assessment based on AcroTeX quizzes

Web page on CTAN <https://ctan.org/pkg/thorshammer>

name	thorshammer
caption	Assessment based on AcroTeX quizzes
author	Story, Donald P.
copyright	D. P. Story (2020-2021)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	(2021-06-24)
last changes	2021-06-24
year	2021
description	(no language specified) This package implements an idea by Thorsten G. for assessment using PDF quizzes produced by the exerquiz package. Thorsten not only wanted to pose multiple choice, multiple selection, and fill-in type questions, but also wanted to ask extended response questions that would be manually evaluated. Once the quiz is graded, the instructor may optionally pass the quizzes through an Acrobat action sequence to extract the student's name and grade from the quizzes. The extracted information is saved to a tab-delimited TXT file. The instructor can later merge this file into a larger spreadsheet. WARNING: Adobe Acrobat DC or Adobe Acrobat XI is required for post PDF-creation. Any PDF-creator application is supported.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/thorshammer/README.md
documentation	(no language specified) <i>User manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/thorshammer/docs/thors-the-man.pdf
– local file	./3142640776-thors-the-man.pdf
documentation	(no language specified) <i>Code documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/thorshammer/docs/thorshammer.pdf

6088 *threadcol* – Organize document columns into PDF “article thread”

– local file	<code>./1003536342-thorshammer.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/thorshammer
on MikTeX	thorshammer
keyword	exam (exams, quizzes, etc.)
keyword	pdf-feat (access PDF features)
language(s)	no language specified
last access	2025-02-07

6088 *threadcol* – Organize document columns into PDF “article thread”

Web page on CTAN	https://ctan.org/pkg/threadcol
name	threadcol
caption	Organize document columns into PDF “article thread”
author	Pakin, Scott
copyright	Scott Pakin (2013)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The package combines a document’s columns into a PDF “article thread”. PDF readers that support this mechanism (probably Adobe Acrobat/Reader only) can be instructed to scroll automatically from column to column, which facilitates on-screen reading of two-column documents. Even for single-column documents, threadcol supports the creation of multiple article threads, which help organize discontinuous but logically related regions of text into a form that the user can scroll through as if its contents were contiguous.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/threadcol/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/threadcol/threadcol.pdf
– local file	<code>./5722206357-threadcol.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/threadcol
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/threadcol.tds.zip

on MikTeX	threadcol
on T _E XLive	threadcol
keyword	pdf-feat (access PDF features)
language(s)	no language specified
year	2013
last access	2025-02-07

6089 *threecol* – Three-column newsletter output

Web page on CTAN <https://ctan.org/pkg/threecol>

name	threecol
caption	Three-column newsletter output
license	noinfo = noinfo
version	(1992-08-27)
last changes	1992-08-27
year	1992
description	(no language specified) The code, developed from an example in the TeXbook, provides a simple three-column output routine for Plain TeX.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/threecol.tex
keyword	multicol (more than one column on the page)
see also	see section 4118 on page 3726: (multicol – Intermix single and multiple columns)
language(s)	no language specified
last access	2025-02-07

6090 *threecolumn* – *LaTeX* output in three columns

Web page on CTAN <https://ctan.org/pkg/threecolumn>

name	threecolumn
caption	<i>LaTeX</i> output in three columns
author	Greenwade, George
copyright	George D. Greenwade (1989)
license	nosell = Do Not Sell Except by Arrangement (not free)
version	(1989-05-23)
last changes	1989-05-23
year	1989
description	(no language specified) An extension to the <i>LaTeX</i> 2.09 output routine that allows three (equal width) column output. Three-column output does not permit multi-column floats, and there are problems switching from three- to one- or two-column setting. (Users should be aware that the package may not work with a current <i>LaTeX</i> kernel.)
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/threecolumn.sty
keyword	multicol (more than one column on the page)
keyword	latex209 (package only known to work with <i>LaTeX</i> 2.09)
see also	see section 4118 on page 3726: (multicol – Intermix single and multiple columns)
language(s)	no language specified
last access	2025-02-11

6091 *threddie* – Create images of dice with one, two, or three faces showing, using MetaPost

Web page on CTAN <https://ctan.org/pkg/threddie>

name	threddie
caption	Create images of dice with one, two, or three faces showing, using MetaPost
author	Luecking, Daniel H.
license	lpl = The <i>LaTeX</i> Project Public License (free)
version	1.0

description	(no language specified) The package provides MetaPost code to create all possible symmetrical views (up to rotation) of a right-handed die. Configuration is possible by editing the source code, following the guidance in the documentation.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/metapost/contrib/macros/threddie/threddie-doc.pdf
– local file	<code>./2360230825-threddie-doc.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/metapost/contrib/macros/threddie/README
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/threddie
on T _E XLive	threddie
keyword	graphics-use (graphics (typesetting actual pictures))
see also	see section 1604 on page 1454: (dice – A font for die faces)
see also	see section 1945 on page 1756: (epsdice – A scalable dice “font”)
language(s)	no language specified
year	without year
last access	2025-02-07

6092 threedldf – Three-dimensional drawing with MetaPost output

Web page on CTAN	https://ctan.org/pkg/threedldf
name	3DLDF
caption	Three-dimensional drawing with MetaPost output
author	Finston, Laurence
copyright	Laurence D. Finston (2003-2024)
license	gpl = GNU General Public License (free)
version	3.0
description	(no language specified) GNU 3DLDF is a software package for three-dimensional drawing with MetaPost and Metafont output. The program 3dlfd implements an interactive language similar to the Metafont and MetaPost languages.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/3DLDF/3DLDF.pdf

6093 `threeparttable` – Tables with captions and notes all the same width

– local file	<code>./5296467859-3DLDF.pdf</code>
documentation	(no language specified) <i>Cweb listing of code:</i> https://ctan.org/tex-archive/graphics/3DLDF/3DLDFprg.pdf
– local file	<code>./3694609449-3DLDFprg.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/3DLDF/README
home page	http://www.gnu.org/software/3dldf/
on CTAN	https://ctan.org/tex-archive/graphics/3DLDF
keyword	graphics-prep (prepare graphics for use with *TeX)
language(s)	no language specified
year	2024
last access	2025-02-07

6093 `threeparttable` – Tables with captions and notes all the same width

Web page on CTAN	https://ctan.org/pkg/threeparttable
name	<code>threeparttable</code>
caption	Tables with captions and notes all the same width
author	Arseneau, Donald
license	other-free = Free license not otherwise listed (free)
version	(2003-06-13)
last changes	2003-06-13
year	2003
description	(no language specified) Provides a scheme for tables that have a structured note section, after the caption. This scheme provides an answer to the old problem of putting footnotes in tables — by making footnotes entirely unnecessary. Note that a <code>threeparttable</code> is not a float of itself; but you can place it in a <code>table</code> or a <code>table*</code> environment, if necessary.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/threeparttable/threeparttable.pdf
– local file	<code>./5609373159-threeparttable.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/threeparttable
on MikTeX	<code>threeparttable</code>

on T _E XLive	threeparttable
keyword	table (table typesetting)
keyword	notes (general notes (not including endnotes or footnotes))
language(s)	no language specified
last access	2025-02-07

6094 *threeparttablex* – Notes in longtables

Web page on CTAN <https://ctan.org/pkg/threeparttablex>

name	threeparttablex
caption	Notes in longtables
author	Madsen, Lars
license	lppl = The LaTeX Project Public License (free)
version	0.3
description	(no language specified) The package provides the functionality of the threeparttable package to tables created using the longtable package.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/threeparttablex/threeparttablex.pdf
– local file	./3493754644-threeparttablex.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/threeparttablex/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/threeparttablex
on MikT _E X	threeparttablex
on T _E XLive	threeparttablex
keyword	notes (general notes (not including endnotes or footnotes))
keyword	table (table typesetting)
language(s)	no language specified
year	without year
last access	2025-02-07

6095 *thrmappendix* – Theorems, lemmas, etc., in appendix

Web page on CTAN <https://ctan.org/pkg/thrmappendix>

name	thrmappendix
caption	Theorems, lemmas, etc., in appendix
author	Klemens, Ben
copyright	Ben Klemens (2003)
license	gpl2 = GNU General Public License, version 2 (free)
description	(no language specified) An implementation of theorems, lemmas, etc., that permits them to be repeated, with their proofs, in an appendix.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/misc/thrmappendix.sty
on MikTeX	ltxmisc
on TeXLive	ltxmisc
keyword	maths-theorem (typeset mathematical theorems)
keyword	defer-stuff (saving things for later use)
keyword	appendix (typesetting and using appendices)
language(s)	no language specified
year	2003
last access	2025-02-07

6096 *thsmc* – Metrics and LaTeX support for Sans Mono Condensed Font

Web page on CTAN <https://ctan.org/pkg/thsmc>

name	thsmc
caption	Metrics and LaTeX support for Sans Mono Condensed Font
author	Veytsman, Boris
license	bsd = BSD Style License (free)
version	1.0d
description	(no language specified) This package provides metric files and LaTeX support for The Sans Mono Condensed Family designed by Lucas de Groot, 1996. It has everything you need to typeset in this font - except the font itself, of course.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/psfonts/fontfabrik/thsmc/README

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/psfonts/fontfabrik/thsmc/thsmc.pdf
– local file	./6113127662-thsmc.pdf
documentation	(no language specified) <i>Sans mono condensed light sample</i> : https://ctan.org/tex-archive/fonts/psfonts/fontfabrik/thsmc/tssample.pdf
– local file	./6557397797-tssample.pdf
on CTAN	https://ctan.org/tex-archive/fonts/psfonts/fontfabrik/thsmc
installation	https://ctan.org/tex-archive/install/fonts/psfonts/fontfabrik/thsmc.tds.zip
on MikTeX	thsmc
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year
last access	2026-04-10

6097 *thuaslogos* – Logos for The Hague University of Applied Sciences (THUAS)

Web page on CTAN	https://ctan.org/pkg/thuaslogos
name	thuaslogos
caption	Logos for The Hague University of Applied Sciences (THUAS)
author	op den Brouw, Jesse
copyright	Jesse E. J. op den Brouw (2019)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2 (2019-06-07)
last changes	2019-06-07
year	2019
description	(no language specified) This package contains some logos of The Hague University of Applied Sciences (THUAS). These Logos are available in English and in Dutch. They are rendered via PGF.
documentation	<i>Package documentation (Dutch)</i> : https://ctan.org/tex-archive/macros/latex/contrib/thuaslogos/thuaslogos-doc-dutch.pdf
– local file	./4057870628-thuaslogos-doc-dutch.pdf

documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/thuaslogos/thuaslogos-doc-english.pdf
– local file	<code>./5282144132-thuaslogos-doc-english.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/thuaslogos/README
contact	<i>repository</i> : https://bitbucket.org/jesseopdenbrouw/thuaslogos
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/thuaslogos
on MikTeX	thuaslogos
on TeXLive	thuaslogos
keyword	logo (symbols or drawings to specify an object, including icons)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	Dutch
last access	2025-02-07

6098 *thubeamer* – A beamer theme for Tsinghua University

Web page on CTAN	https://ctan.org/pkg/thubeamer
name	thubeamer
caption	A beamer theme for Tsinghua University
author	Yang, Jingxuan
copyright	Jingxuan Yang (2019-2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1.0 (2021-11-15)
last changes	2021-11-15
year	2021
description	(no language specified) This package provides a beamer theme designed for Tsinghua University.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/thubeamer/README.md

documentation	(Chinese) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/thubeamer/thubeamer.pdf
– local file	./4979514418-thubeamer.pdf
documentation	<i>Example of use (Chinese):</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/thubeamer/thubeamer-example.pdf
– local file	./7258835218-thubeamer-example.pdf
documentation	(no language specified) <i>Example of use (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/thubeamer/thubeamer-example-en.pdf
– local file	./1993833299-thubeamer-example-en.pdf
contact	<i>announce:</i> https://github.com/YangLaTeX/thubeamer/releases
contact	<i>bugs:</i> https://github.com/YangLaTeX/thubeamer/issues
contact	<i>repository:</i> https://github.com/YangLaTeX/thubeamer
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/beamer-contrib/themes/thubeamer
on MikTeX	thubeamer
on T _E XLive	thubeamer
keyword	presentation (slides, beamers, handouts, etc.)
keyword	chinese (support for typesetting Chinese languages)
language(s)	Chinese
last access	2025-02-07

6099 thucoursework – Coursework template for Tsinghua University

Web page on CTAN	https://ctan.org/pkg/thucoursework
name	thucoursework
caption	Coursework template for Tsinghua University
author	Zhao, Feng
copyright	zhaofeng-shu33 (2018-2020)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.6

description	(no language specified) A LaTeX package for students of Tsinghua University to write coursework more efficiently. It can also be used by students from other universities. Note that the package itself does not import the ctex package; to use it with Chinese writing, see example file <code>ithw.tex</code> for details.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/thucoursework/README.md
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/thucoursework/thucoursework.pdf
– local file	<code>./7617932810-thucoursework.pdf</code>
documentation	<i>Example of use (Chinese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/thucoursework/ithw.pdf
– local file	<code>./7065937005-ithw.pdf</code>
documentation	(no language specified) <i>Example of use (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/thucoursework/iihw.pdf
– local file	<code>./6379509733-iihw.pdf</code>
contact	<i>bugs</i> : https://github.com/zhaofeng-shu33/THU-coursework-template/issues
contact	<i>repository</i> : https://github.com/zhaofeng-shu33/THU-coursework-template
contact	<i>development</i> : https://github.com/zhaofeng-shu33
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/thucoursework
on MikTeX	<code>thucoursework</code>
on T _E XLive	<code>thucoursework</code>
keyword	<code>doc-templ</code> (template to guide document development)
keyword	<code>chinese</code> (support for typesetting Chinese languages)
language(s)	Chinese
year	2020
last access	2025-02-07

6100 *thumb* – Thumb marks in documents

Web page on CTAN <https://ctan.org/pkg/thumb>

name	thumb
caption	Thumb marks in documents
author	Holm Christensen, Christian
license	gpl = GNU General Public License (free)
version	1.0
description	(no language specified) Place thumb marks in books, manuals and reference maunals.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/thumb/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/thumb/thumb.pdf
– local file	./3290803925-thumb.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/thumb
on MikTeX	thumb
on T _E XLive	thumb
keyword	layout-page (page trim marks and decorations)
see also	see section 2121 on page 1920: (<i>fancyhdr</i> – Extensive control of page headers and footers in LaTeX2e)
language(s)	no language specified
year	without year
last access	2025-02-07

6101 *thumbpdf* – Thumbnails for pdfTeX and dvips/ps2pdf

Web page on CTAN <https://ctan.org/pkg/thumbpdf>

name	thumbpdf
caption	Thumbnails for pdfTeX and dvips/ps2pdf
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (1999-2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)

version	3.17 (2018-09-07)
last changes	2018-09-07
year	2018
description	(no language specified) A Perl script that provides support for thumbnails in pdfTeX and dvips /ps2pdf. The script uses ghostscript to generate the thumbnails which get represented in a TeX readable file that is read by the package <code>thumbpdf.sty</code> to automatically include the thumbnails. This arrangement works with both plain TeX and LaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/thumbpdf/README.md
contact	<i>bugs</i> : https://github.com/ho-tex/thumbpdf/issues
contact	<i>repository</i> : https://github.com/ho-tex/thumbpdf
on CTAN	https://ctan.org/tex-archive/support/thumbpdf
installation	https://ctan.org/tex-archive/install/support/thumbpdf.tds.zip
on MikTeX	thumbpdf
on TeXLive	thumbpdf
keyword	pdf-feat (access PDF features)
language(s)	no language specified
last access	2025-02-07

6102 thumbs – Create thumb indexes

Web page on CTAN <https://ctan.org/pkg/thumbs>

name	thumbs
caption	Create thumb indexes
author	Münch, Hans-Martin
copyright	H.-Martin Münch (2010-2026)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1d (2026-01-18)
last changes	2026-01-18
year	2026

description	(no language specified) The package puts running, customizable thumb marks in the outer margin, moving downward as the chapter number (or whatever shall be marked by the thumb marks) increases. Additionally an overview page/table of thumb marks can be added automatically, which gives the names of the thumb objects, the page where the object/thumb mark first appears, and the thumb mark itself at its correct position. The thumb marks are useful for large documents (such as reference guides, anthologies, etc.), where a quick and easy way to find (for example) a chapter is needed.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/thumbs/thumbs.pdf
– local file	<code>./7110183350-thumbs.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/thumbs/README
documentation	(no language specified) <i>Package examples:</i> https://ctan.org/tex-archive/macros/latex/contrib/thumbs/thumbs-example.pdf
– local file	<code>./3887198292-thumbs-example.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/thumbs
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/thumbs.tds.zip
on MikTeX	<code>thumbs</code>
on TeXLive	<code>thumbs</code>
keyword	<code>layout-page</code> (page trim marks and decorations)
keyword	<code>tagged-pdf-partially</code> (tagged PDF partially compatible)
language(s)	no language specified
last access	2026-03-26

6103 *thumby* – Create thumb indexes for printed books

Web page on CTAN	https://ctan.org/pkg/thumby
name	<code>thumby</code>
caption	Create thumb indexes for printed books
author	Goldgaber, Sergey
copyright	Sergey Goldgaber (2010)
license	gpl3 = GNU General Public License, version 3 (free)
version	0.1

description	(no language specified) The package can generate thumb indexes for your document. It features printing thumb indexes on one- or two-sided pages, along with background- and foreground-color selection and full LaTeX styling of the chapter numbers in the thumb indexes. The height of each thumb index is automatically chosen based on the number of chapters in your document, while the width is chosen by the user. The package is designed to work with the memoir class, and also requires PerlTeX and tikz /
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/thumby/thumby.pdf
– local file	<code>./8987157535-thumby.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/thumby/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/thumby
on MikTeX	thumby
on T _E XLive	thumby
keyword	layout-page (page trim marks and decorations)
language(s)	no language specified
year	2010
last access	2025-02-07

6104 thuthesis – Thesis template for Tsinghua University

Web page on CTAN	https://ctan.org/pkg/thuthesis
name	thuthesis
caption	Thesis template for Tsinghua University
author	Xue, Ruini
author	Tsinghua University TUNA Association
copyright	Tsinghua University TUNA Association (2005-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	7.5.1 (2024-05-20)
last changes	2024-05-20
year	2024

description	(no language specified) This package establishes a simple and easy-to-use LaTeX template for Tsinghua dissertations, including general undergraduate research papers, masters theses, doctoral dissertations, and postdoctoral reports.
documentation	(no language specified) <i>Readme (Chinese & English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/thuthesis/README.md
documentation	<i>Package documentation (Chinese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/thuthesis/thuthesis.pdf
– local file	<code>./7269947487-thuthesis.pdf</code>
documentation	<i>Example of use (Chinese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/thuthesis/thuthesis-example.pdf
– local file	<code>./7519983170-thuthesis-example.pdf</code>
contact	<i>announce</i> : https://github.com/tuna/thuthesis/releases
contact	<i>bugs</i> : https://github.com/tuna/thuthesis/issues
contact	<i>repository</i> : https://github.com/tuna/thuthesis
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/thuthesis
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/thuthesis.tds.zip
on MikTeX	<code>thuthesis</code>
on T _E XLive	<code>thuthesis</code>
keyword	<code>chinese</code> (support for typesetting Chinese languages)
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>std-conform</code> (support conformance to standards)
keyword	<code>doc-templ</code> (template to guide document development)
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
language(s)	Chinese
last access	2024-06-01

6105 *tib* – A bibliographic preprocessor

Web page on CTAN <https://ctan.org/pkg/tib>

name	<code>tib</code>
caption	A bibliographic preprocessor
author	Kolb, Hans-Peter
author	Alexander, James
author	Kremer, Sebastian
license	noinfo = noinfo
version	(1989-12-11)
last changes	1989-12-11
year	1989
description	(no language specified) Tib is a collection of four programs for making citations and reference lists in TeX documents. The main program, Tib, operates on a TeX file with incomplete or keyed citations, looks up the reference in a database, makes the complete citation and on command, makes a list of the references. The citations in the source document are enclosed in (non-TeX) escape characters which Tib recognizes. The output of Tib is another TeX file with complete citations and reference list formatted with a number of TeX control sequences and with definitions for these control sequences, ready to be processed by Plain TeX, LaTeX, or whatever.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/tib/README.1st
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/biblio/tib/tibdoc.pdf
– local file	<code>./2005295220-tibdoc.pdf</code>
on CTAN	https://ctan.org/tex-archive/biblio/tib
keyword	<code>biblio</code> (bibliography processor)
language(s)	no language specified
last access	2025-02-07

6106 *tibetan* – An early LaTeX Tibetan package

Web page on CTAN <https://ctan.org/pkg/tibetan>

name	tibetan
caption	An early LaTeX Tibetan package
author	Knight, Robert
author	Schwartz, Ronald
author	Wujastyk, Dominik
license	gpl = GNU General Public License (free)
description	(no language specified) Provides a preprocessor (tfilt) and examples of using two Tibetan fonts. The fonts themselves are only provided as TFM and 300dpi PK files.
documentation	(no language specified) <i>Usage details:</i> https://ctan.org/tex-archive/language/tibetan/original/doc/instruct.ps
on CTAN	https://ctan.org/tex-archive/language/tibetan/original
keyword	tibetan (support for typesetting Tibetan)
language(s)	no language specified
year	without year
last access	2025-02-07

6107 *ticket* – Make labels, visiting-cards, pins with LaTeX

Web page on CTAN <https://ctan.org/pkg/ticket>

name	ticket
caption	Make labels, visiting-cards, pins with LaTeX
author	Emmel, Thomas
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.4d
description	(no language specified) Provides an easy to handle interface to produce visiting cards, labels for your files, stickers, pins and other stuff for your office, conferences etc. All you need is a definition of your ‘ticket’ included in a ticket definition file and the two commands <code>\ticketdefault</code> and <code>\ticket</code> .
documentation	(no language specified) <i>Package Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/ticket/README.txt

documentation	(no language specified) <i>Package manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/ticket/doc/manual.pdf
– local file	./1481202514-manual.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ticket
on MikTeX	ticket
on TeXLive	ticket
keyword	labels (typeset sets of labels (for cutting out, etc.))
language(s)	no language specified
year	without year
last access	2025-02-07

6108 ticollege – Graphical representation of keys on a standard scientific calculator

Web page on CTAN	https://ctan.org/pkg/ticollege
name	ticollege
caption	Graphical representation of keys on a standard scientific calculator
author	De Sousa, Philippe
license	lppl = The LaTeX Project Public License (free)
version	1.0 (2015-02-15)
last changes	2015-02-15
year	2015
description	(no language specified) This package provides commands to draw scientific calculator keys with the help of TikZ. It also provides commands to draw the content of screens and of menu items.
documentation	(French) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/ticollege/README
documentation	<i>Package documentation (French)</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/ticollege/doc/ticollege-doc.pdf
– local file	./8129198090-ticollege-doc.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/ticollege
on MikTeX	ticollege
on TeXLive	ticollege
keyword	pgf-tikz (package uses PGF-TikZ)

keyword doc-supp (macros and tools for preparing documentation)
 language(s) French
 last access 2025-02-07

6109 *tictactoe* – Drawing tic-tac-toe or Nought and Crosses games

Web page on CTAN <https://ctan.org/pkg/tictactoe>
 name tictactoe
 caption Drawing tic-tac-toe or Nought and Crosses games
 author Rowlett, Peter
 copyright Peter Rowlett (2025)
 license cc-by-sa-4 = CC BY-SA 4.0 (free)
 version 1.0 (2025-06-20)
 last changes 2025-06-20
 year 2025
 description (no language specified) This package which provides commands for drawing grids for the game known variously as tic-tac-toe (and variants), Noughts and Crosses, Naughts and Crosses, Xs and Os, and so on.
 documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/graphics/pgf/contrib/tictactoe/tictactoe.pdf>
 – local file ./1761224041-tictactoe.pdf
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/graphics/pgf/contrib/tictactoe/README.md>
 home page <https://github.com/prowlett/tictactoe>
 contact *bugs*: <https://github.com/prowlett/tictactoe/issues>
 on CTAN <https://ctan.org/tex-archive/graphics/pgf/contrib/tictactoe>
 on T_EXLive tictactoe
 keyword games (process game diagrams, gamebooks, and other amusements)
 language(s) no language specified
 last access 2025-06-25

6110 tidyres – Create formal resumes easilyWeb page on CTAN <https://ctan.org/pkg/tidyres>

name	tidyres
caption	Create formal resumes easily
author	Liang, Yifan
license	cc-by-4 = CC BY 4.0 (free)
version	2.0.0 (2023-07-27)
last changes	2023-07-27
year	2023
description	(no language specified) This LaTeX package aims to provide users with a simple interface to create multi-column formal resumes.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tidyres/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tidyres/tidyres-doc.pdf
– local file	./5315069493-tidyres-doc.pdf
contact	<i>repository</i> : https://github.com/futurelyf/tidyres
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tidyres
on MikTeX	tidyres
on T _E XLive	tidyres
keyword	cv (curriculum vitae/Resumé)
language(s)	no language specified
last access	2025-02-07

6111 tie – Allow multiple web change files

Web page on CTAN <https://ctan.org/pkg/tie>

name	tie
caption	Allow multiple web change files
author	Guntermann, Klaus
license	other-free = Free license not otherwise listed (free)
version	2.4
description	(no language specified) Tie was originally developed to allow web programmers to apply more than one change file to their source. The program may also be used to create a new version of a <code>.web</code> file that incorporates existing changes.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/web/tie/tie.README
on CTAN	https://ctan.org/tex-archive/web/tie
on MikTeX	miktex-web-bin-2.9
on T _E XLive	tie
keyword	litprog-tools (litprog-tools(unknown))
language(s)	no language specified
year	without year
last access	2025-02-07

6112 tiet-question-paper – A LaTeX question paper class for the TIET

Web page on CTAN <https://ctan.org/pkg/tiet-question-paper>

name	tiet-question-paper
caption	A LaTeX question paper class for the TIET
author	Venkataramaiyer, Raghav B.
copyright	B.V. Raghav (2024)
license	mit = MIT License (free)
version	(2024-06-22)
last changes	2024-06-22
year	2024

6113 *tif2eps* – A PostScript program for converting TIFF files to EPS

description	(no language specified) This package provides a LaTeX document class <code>tiet-question-paper.cls</code> in order to create question papers for the Thapar Institute of Engineering and Technologie (TIET) . Although created for the TIET, the module is easily adaptable to any organisation.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tiet-question-paper/README.md
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/tiet-question-paper/tiet-question-paper-sample.pdf
– local file	<code>./8702120273-tiet-question-paper-sample.pdf</code>
contact	<i>bugs</i> : https://github.com/bvraghav/qptiet_latex-class/issues
contact	<i>repository</i> : https://github.com/bvraghav/qptiet_latex-class
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tiet-question-paper
on MikTeX	<code>tiet-question-paper</code>
on TeXLive	<code>tiet-question-paper</code>
keyword	<code>exam</code> (exams, quizzes, etc.)
keyword	<code>class</code> (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-07

6113 *tif2eps* – A PostScript program for converting TIFF files to EPS

Web page on CTAN <https://ctan.org/pkg/tif2eps>

name	<code>tif2eps</code>
caption	A PostScript program for converting TIFF files to EPS
author	Jackowski, Bogusław
author	Strzelczyk, Piotr
author	Pianowski, Piotr
license	gpl = GNU General Public License (free)
version	0.79

description	(no language specified) TIF2EPS is a PostScript program for the conversion of TIFF files (ver. 6.0) to EPS ones. Compression (LZW, CCITT Fax, RLE, Flate, DCT) and ASCII85 encoding is available. The package may be used for generating colour- separated EPSes, 'EPS thumbnails,' and, moreover, little header EPSes, containing only a pointer to a source TIFF file. Employing Ghostscript guarantees portability and efficient processing.
documentation	(no language specified) <i>Readme (English)</i> : https://ctan.org/tex-archive/support/pstools/tif2eps/readme.eng
documentation	<i>Readme (Polish)</i> : https://ctan.org/tex-archive/support/pstools/tif2eps/readme.pol
on CTAN	https://ctan.org/tex-archive/support/pstools/tif2eps
keyword	graphics-prep (prepare graphics for use with *TeX)
language(s)	Polish
year	without year
last access	2025-02-07

6114 *tiff* – The tiff graphics package

Web page on CTAN <https://ctan.org/pkg/tiff>

name	tiff
caption	The tiff graphics package
author	Leffler, Sam
copyright	Sam Leffler (1988-1996)
license	other-free = Free license not otherwise listed (free)
version	3.4
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/tiff/README
home page	http://www.libtiff.org/
on CTAN	https://ctan.org/tex-archive/graphics/tiff
keyword	graphics-use (graphics (typesetting actual pictures))
language(s)	no language specified
year	1996
last access	2025-02-07

6115 *tikz-3dplot* – Coordinate transformation styles for 3d plotting in TikZ

Web page on CTAN <https://ctan.org/pkg/tikz-3dplot>

name	<code>tikz-3dplot</code>
caption	Coordinate transformation styles for 3d plotting in TikZ
author	Hein, Jeffrey
copyright	Jeffrey D. Hein (2010)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2012-01-11)
last changes	2012-01-11
year	2012
description	(no language specified) The package provides straightforward ways to define three-dimensional coordinate frames through which to plot in TikZ. The user can specify the orientation of the main coordinate frame, and use standard TikZ commands and coordinates to render their tikzfigure. A secondary coordinate frame is provided to allow rotations and translations with respect to the main coordinate frame. In addition, the package can also handle plotting user-specified functions in spherical polar coordinates, where both the radius and fill color can be expressed as parametric functions of polar angles.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-3dplot/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-3dplot/tikz-3dplot_documentation.pdf
– local file	<code>./7473531546-tikz-3dplot_documentation.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-3dplot
on MikTeX	<code>tikz-3dplot</code>
on T _E XLive	<code>tikz-3dplot</code>
keyword	<code>graphics-use</code> (graphics (typesetting actual pictures))
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>graphics-3d</code> (graphics with 3-dimensional output)
language(s)	no language specified
last access	2025-02-07

6116 *tikz-among-us* – Create some AmongUs characters in TikZ environments

Web page on CTAN <https://ctan.org/pkg/tikz-among-us>

name	<code>tikz-among-us</code>
caption	Create some AmongUs characters in TikZ environments
author	Zucatelli, Fernando H. G.
copyright	FHZ (2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2.0 (2021-10-27)
last changes	2021-10-27
year	2021
description	(no language specified) This package recreates some AmongUs characters in TikZ environments. Some interesting uses alongside other packages are also supported.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-among-us/doc/tikz-among-us.pdf
– local file	<code>./7315119740-tikz-among-us.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-among-us/README.md
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-among-us
on MikTeX	<code>tikz-among-us</code>
on T _E XLive	<code>tikz-among-us</code>
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>graphics</code> (graphics (support packages))
keyword	<code>games</code> (process game diagrams, gamebooks, and other amusements)
keyword	<code>amusements</code> (jokes, distractions, tongue-in-cheek packages, and other entertainment material)
language(s)	no language specified
last access	2025-02-07

6117 *tikz-bagua* – Draw Bagua symbols in Yijing

Web page on CTAN <https://ctan.org/pkg/tikz-bagua>

name	TikZ-Bagua
caption	Draw Bagua symbols in Yijing
author	WANG, Xu
copyright	WANG Xu (2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.01
description	(no language specified) This package provides commands for drawing symbols in Yijing (I Ching) or Zhouyi using TikZ . There is no need for extra special fonts for showing these symbols. The package relies on TikZ , bitset , xintexpr , xparse , and xstring .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-bagua/README.md
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-bagua/tikz-bagua.pdf
– local file	./1543024783-tikz-bagua.pdf
home page	https://github.com/duplli/tikz-bagua
contact	<i>repository</i> : https://github.com/duplli/tikz-bagua
contact	<i>development</i> : https://github.com/duplli
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-bagua
on MikTeX	tikz-bagua
on T _E XLive	tikz-bagua
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	numbers (formatting numbers, etc)
language(s)	Chinese
year	2021
last access	2025-02-07

6118 **tikz-bayesnet** – Draw Bayesian networks, graphical models and directed factor graphs

Web page on CTAN <https://ctan.org/pkg/tikz-bayesnet>

name	tikz-bayesnet
caption	Draw Bayesian networks, graphical models and directed factor graphs
author	Luttinen, Jaakko
copyright	Jaakko Luttinen (2012)
copyright	Laura Dietz (2010)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1
description	(no language specified) The package provides a library supporting the display of Bayesian networks, graphical models and (directed) factor graphs in LaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-bayesnet/README
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-bayesnet
on MikTeX	tikz-bayesnet
on T _E XLive	tikz-bayesnet
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	statistics (typeset reports, diagrams, etc., of statistics)
language(s)	no language specified
year	2012
last access	2025-02-07

6119 **tikz-bbox** – Precise determination of bounding boxes in TikZ

Web page on CTAN <https://ctan.org/pkg/tikz-bbox>

name	tikz-bbox
caption	Precise determination of bounding boxes in TikZ
author	marmotghost
copyright	marmotghost (2021)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)

6120 *tikz-bpmn* – A TikZ library for creating BPMN models

version	0.1
description	(no language specified) The built-in determination of the bounding box in TikZ is not entirely accurate. This is because, for Bezier curves, it is the smallest box that contains all control points, which is in general larger than the box that just contains the curve. This library determines the exact bounding box of the curve.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-bbox/pgfmanual4bbox.pdf
– local file	./4925931482-pgfmanual4bbox.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-bbox/README.txt
contact	<i>repository:</i> https://github.com/marmotghost/tikz-bbox
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-bbox
on MikTeX	tikz-bbox
on TeXLive	tikz-bbox
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	graphics (graphics (support packages))
language(s)	no language specified
year	2021
last access	2025-02-07

6120 *tikz-bpmn* – A TikZ library for creating BPMN models

Web page on CTAN	https://ctan.org/pkg/tikz-bpmn
name	tikz-bpmn
caption	A TikZ library for creating BPMN models
author	Leemans, Sander J.J.
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2025-01-07)
last changes	2025-01-07
year	2025

6121 `tikz-cd` – Create commutative diagrams with TikZ

description	(no language specified) This package provides primitives for drawing Business Process Modelling and Notation (BPMN) models. It includes tasks, subprocesses, events, task markers and gateways. The symbols aim to follow the BPMN standard as closely as possible. Please refer to the documentation for further information.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-bpmn/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-bpmn/tikz-bpmn-doc.pdf
– local file	<code>./3911391111-tikz-bpmn-doc.pdf</code>
home page	https://leemans.ch/latex/
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-bpmn
on MikTeX	<code>tikz-bpmn</code>
on TeXLive	<code>tikz-bpmn</code>
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-02-07

6121 `tikz-cd` – Create commutative diagrams with TikZ

Web page on CTAN	https://ctan.org/pkg/tikz-cd
name	<code>tikz-cd</code>
caption	Create commutative diagrams with TikZ
author	Stoffel, Augusto
copyright	Augusto Stoffel (2011, 2012, 2014, 2018, 2021)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2021-05-04)
last changes	2021-05-04
year	2021

description	(no language specified) The general-purpose drawing package TiKZ can be used to typeset commutative diagrams and other kinds of mathematical pictures, generating high-quality results. The purpose of this package is to make the process of creation of such diagrams easier by providing a convenient set of macros and reasonable default settings. This package also includes an arrow tip library that match closely the arrows present in the Computer Modern typeface.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-cd/tikz-cd-doc.pdf
– local file	./9877517611-tikz-cd-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-cd/README.md
contact	<i>repository</i> : https://github.com/astoff/tikz-cd/
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-cd
on MikTeX	tikz-cd
on T _E XLive	tikz-cd
keyword	diagram-comm (commutative diagrams)
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
keyword	graphics (graphics (support packages))
language(s)	no language specified
last access	2025-02-07

6122 *tikz-cookingsymbols* – Draw cooking symbols

Web page on CTAN <https://ctan.org/pkg/tikz-cookingsymbols>

name	tikz-cookingsymbols
caption	Draw cooking symbols
author	Matischok, Fabian
copyright	Fabian Matischok (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0

6123 *tikz-decofonts* – Simple decoration fonts, made with TikZ, for short texts

description	(no language specified) The package uses TikZ for drawing cooking symbols like top heat, airfryer and so on. The commands are provided in english and german. The size of the symbol is based on the font size and grabbed with <code>\settoheight</code> and <code>\settodepth</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-cookingsymbols/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-cookingsymbols/tikz-cookingsymbols-doc.pdf
– local file	<code>./3843811292-tikz-cookingsymbols-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-cookingsymbols
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>cooking</code> (typesetting cooking recipes, etc)
see also	see section 1326 on page 1199: (<code>cookingsymbols</code> – Symbols for recipes)
language(s)	no language specified
year	2025
last access	2025-02-23

6123 *tikz-decofonts* – Simple decoration fonts, made with TikZ, for short texts

Web page on CTAN <https://ctan.org/pkg/tikz-decofonts>

name	<code>tikz-decofonts</code>
caption	Simple decoration fonts, made with TikZ, for short texts
author	Pierquet, Cédric
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.3 (2025-03-28)
last changes	2025-03-28
year	2025
description	(no language specified) Some simple ”decoration” fonts made with TikZ, for short texts: • paint brush; • ink brush;

	• pixelart brush; • bicolor texts; • bicolor texts; • ‘surround’ or ‘underline’ effect.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-decofonts/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-decofonts/doc/tikz-decofonts-doc.pdf
– local file	./2192836847-tikz-decofonts-doc.pdf
contact	<i>repository</i> : https://forge.apps.education.fr/pierquetcedric/packages-latex
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-decofonts
on MikTeX	tikz-decofonts
on TeXLive	tikz-decofonts
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	amusements (jokes, distractions, tongue-in-cheek packages, and other entertainment material)
keyword	graphics (graphics (support packages))
keyword	font-decor (decorative or initial fonts)
language(s)	no language specified
last access	2025-05-27

6124 *tikz-dependency* – A library for drawing dependency graphs

Web page on CTAN <https://ctan.org/pkg/tikz-dependency>

name	tikz-dependency
caption	A library for drawing dependency graphs
author	Pighin, Daniele
license	gpl2 = GNU General Public License, version 2 (free)
license	lppl = The LaTeX Project Public License (free)
version	1.2

description	(no language specified) The package provides a library that draws together existing TikZ facilities to make a comfortable environment for drawing dependency graphs. Basic facilities of the package include a lot of styling facilities, to let you personalize the look and feel of the graphs.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-dependency/tikz-dependency-doc.pdf
– local file	<code>./4245246832-tikz-dependency-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-dependency
on MikTeX	<code>tikz-dependency</code>
on TeXLive	<code>tikz-dependency</code>
keyword	<code>linguistic</code> (support for linguistics)
keyword	<code>tree</code> (mechanisms for drawing trees)
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
language(s)	no language specified
year	without year
last access	2025-02-07

6125 *tikz-dimline* – Technical dimension lines using PGF/TikZ

Web page on CTAN <https://ctan.org/pkg/tikz-dimline>

name	<code>tikz-dimline</code>
caption	Technical dimension lines using PGF/TikZ
author	Gross, Sébastien
copyright	Sébastien Gross (2013)
license	other-free = Free license not otherwise listed (free)
version	1.0 (2013-03-13)
last changes	2013-03-13
year	2013
description	(no language specified) <code>tikz-dimline</code> helps drawing technical dimension lines in TikZ picture environments. Its usage is similar to some contributions posted on stackexchange .

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-dimline/tikz-dimline-doc.pdf
– local file	<code>./3627305926-tikz-dimline-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-dimline/README
contact	<i>repository</i> : https://github.com/renard/tikz-dimline
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-dimline
on MikTeX	<code>tikz-dimline</code>
on TeXLive	<code>tikz-dimline</code>
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-02-07

6126 *tikz-ext* – A collection of libraries for PGF/TikZ

Web page on CTAN	https://ctan.org/pkg/tikz-ext
name	<code>tikz-ext</code>
caption	A collection of libraries for PGF/TikZ
author	Qrrbrbirlbel
copyright	Qrrbrbirlbel (2022-2023)
license	lppl = The LaTeX Project Public License (free)
license	fdl = Free Documentation License (free)
version	0.5.1
description	(no language specified) This is a collection of libraries for PGF/TikZ. Currently these are <code>transformations.mirror</code> , <code>paths.arcto</code> , <code>paths.ortho</code> , <code>paths.timer</code> , <code>patterns.images</code> , <code>topaths.archthrough</code> and <code>misc</code> . Most of these libraries were developed in response to questions on TeX.stackexchange.com .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-ext/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-ext/doc/tikz-ext-manual.pdf

6127 *tikz-feynhand* – Feynman diagrams with TikZ

– local file	<code>./6847706129-tikz-ext-manual.pdf</code>
home page	https://github.com/Qrrbrbirlbel/tikz-extensions
contact	<i>bugs:</i> https://github.com/Qrrbrbirlbel/tikz-extensions/issues
contact	<i>repository:</i> https://github.com/Qrrbrbirlbel/tikz-extensions
contact	<i>development:</i> https://github.com/Qrrbrbirlbel/tikz-extensions
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-ext
on MikTeX	<code>tikz-ext</code>
on TeXLive	<code>tikz-ext</code>
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
language(s)	no language specified
year	2023
last access	2025-02-07

6127 *tikz-feynhand* – Feynman diagrams with TikZ

Web page on CTAN <https://ctan.org/pkg/tikz-feynhand>

name	TikZ-FeynHand
caption	Feynman diagrams with TikZ
author	Dohse, Max
copyright	Max Dohse (2019)
copyright	Joshua Ellis (2016)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	1.1.0 (2019-08-19)
last changes	2019-08-19
year	2019

description	(no language specified) This package lets you draw Feynman diagrams using TikZ. It is a low-end modification of the TikZ-Feynman package, one of whose principal advantages is the automatic generation of diagrams, for which it needs LuaTeX. TikZ-FeynHand only provides the manual mode and hence runs in LaTeX without any reference to LuaTeX. In addition it provides some new styles for vertices and propagators, alternative shorter keywords in addition to TikZ-Feynman's longer ones, some shortcut commands for quickly customizing the diagrams' look, and the new feature of putting one propagator "on top" of another. It also includes a quick user guide for getting started, with many examples and a 5-minute introduction to TikZ.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-feynhand/tikz-feynhand.userguide.pdf
– local file	<code>./5063118405-tikz-feynhand.userguide.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-feynhand/README.md
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-feynhand
on MikTeX	<code>tikz-feynhand</code>
on TeXLive	<code>tikz-feynhand</code>
keyword	<code>physics</code> (support for typesetting physics documents)
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
see also	see section 6128 on page 5538: (<i>tikz-feynman</i> – Feynman diagrams with TikZ)
language(s)	no language specified
last access	2025-02-07

6128 *tikz-feynman* – Feynman diagrams with TikZ

Web page on CTAN	https://ctan.org/pkg/tikz-feynman
name	<code>tikz-feynman</code>
caption	Feynman diagrams with TikZ
author	Ellis, Joshua
copyright	Joshua Ellis (2015-2016)

license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1.0 (2016-02-05)
last changes	2016-02-05
year	2016
description	(no language specified) This is a LaTeX package allowing Feynman diagrams to be easily generated within LaTeX with minimal user instructions and without the need of external programs. It builds upon the TikZ package and leverages the graph placement algorithms from TikZ in order to automate the placement of many vertices. <code>tikz-feynman</code> allows fine-tuned placement of vertices so that even complex diagrams can still be generated with ease.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-feynman/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-feynman/tikz-feynman.pdf
– local file	<code>./5410808457-tikz-feynman.pdf</code>
home page	http://www.jpellis.me/projects/tikz-feynman
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-feynman
on MikTeX	<code>tikz-feynman</code>
on TeXLive	<code>tikz-feynman</code>
keyword	<code>use-luatex</code> (package will use LuaTeX facilities if available)
keyword	<code>physics</code> (support for typesetting physics documents)
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
see also	see section 6127 on page 5537: (TikZ-FeynHand – Feynman diagrams with TikZ)
language(s)	no language specified
last access	2025-02-07

6129 *tikz-imagelabels* – Put labels on images using TikZ

Web page on CTAN <https://ctan.org/pkg/tikz-imagelabels>

name	tikz-imagelabels
caption	Put labels on images using TikZ
author	Plüss, Tobias
copyright	Tobias Plüss (2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2 (2019-06-27)
last changes	2019-06-27
year	2019
description	(no language specified) This package allows to add label texts to an existing image with the aid of TikZ . This may be used to label certain features in an image.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-imagelabels/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-imagelabels/tikz-imagelabels.pdf
– local file	./1344537662-tikz-imagelabels.pdf
contact	<i>bugs</i> : https://github.com/tcpluess/tikz-imagelabels/issues
contact	<i>repository</i> : https://github.com/tcpluess/tikz-imagelabels
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-imagelabels
on MikTeX	tikz-imagelabels
on TeXLive	tikz-imagelabels
keyword	graphics (graphics (support packages))
keyword	graphics-text (text within graphics (drawn or overlaid))
keyword	graphics-incl (include external graphics)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-02-07

6130 *tikz-inet* – Draw interaction nets with TikZ

Web page on CTAN <https://ctan.org/pkg/tikz-inet>

name	<code>tikz-inet</code>
caption	Draw interaction nets with TikZ
author	de Falco, Marc
license	lppl = The LaTeX Project Public License (free)
version	0.1
description	(no language specified) The package extends TikZ with macros to draw interaction nets.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-inet/tikz-inet-doc.pdf
– local file	<code>./7977095784-tikz-inet-doc.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-inet/README
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-inet
on MikTeX	<code>tikz-inet</code>
on TeXLive	<code>tikz-inet</code>
keyword	<code>logic</code> (typesetting logician’s discussions)
language(s)	no language specified
year	without year
last access	2025-02-07

6131 *tikz-kalender* – A LaTeX based calendar using TikZ

Web page on CTAN <https://ctan.org/pkg/tikz-kalender>

name	<code>tikz-kalender</code>
caption	A LaTeX based calendar using TikZ
author	Niepraschk, Rolf
copyright	Rolf Niepraschk (2017-2019)
license	cc-by-sa-1 = CC BY-SA 1.0 (free)
version	0.4f

description	(no language specified) For usage see the example files <code>tikz-kalender-example1.tex</code> , <code>tikz-kalender-example2.tex</code> , and <code>*.events</code> . The Code is inspired by this document and is subject to the »Creative Commons attribution license (CC-BY-SA)«.
	The class <code>tikz-kalender</code> requires the package TikZ and the TikZ libraries <code>calc</code> and <code>calendar</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-kalender/README.md
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-kalender/doc/tikz-kalender-example1.pdf
– local file	<code>./9368407270-tikz-kalender-example1.pdf</code>
contact	<i>bugs</i> : https://github.com/rolfn/kalenderRN/issues
contact	<i>repository</i> : https://github.com/rolfn/kalenderRN
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-kalender
on MikTeX	<code>tikz-kalender</code>
on TeXLive	<code>tikz-kalender</code>
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>calendar</code> (typeset calendars, diaries, planning charts, etc.)
see also	see section 904 on page 826 : (<code>calendar</code> – A package for calendars and timetables)
language(s)	no language specified
year	2019
last access	2025-02-07

6132 *tikz-karnaugh* – Typeset Karnaugh maps using TikZ

Web page on CTAN <https://ctan.org/pkg/tikz-karnaugh>

name	<code>tikz-karnaugh</code>
caption	Typeset Karnaugh maps using TikZ
author	Laus, Luís Paulo
copyright	Luis Paulo Laus (2017-2022)
license	lpl1 = The LaTeX Project Public License 1 (free)

version	1.5 (2022-02-15)
last changes	2022-02-15
year	2022
description	(no language specified) The <code>tikz-karnaugh</code> package is a LaTeX package used to draw Karnaugh maps. It uses TikZ to produce high quality graph from 1 to 12 variables, but this upper limit depends on the TeX memory usage and can be different for you. It is very good for presentation since TikZ allows for a better control over the final appearance of the map. You can control colour, styles and distances. It can be considered as an upgrade and extension of Andreas W. Wieland's <code>karnaugh</code> package towards TikZ supporting. Upgrade because uses TikZ for more option on typesetting and overall higher quality. Extension because it also supports American style and inputting the values as they would appear in the map or in the truth table. Complex maps with solution (implicants) pointed out can be generated with external java software (see documentation for details). It supports both American and traditional (simplified labels) styles and from version 1.3 on American style is natively supported, therefore, no more addition work is required to typeset Gray coded labels, variable names etc. From version 1.4, two new macros allow typesetting a map much more similarly as it should appear. Original order, as the values appear in the truth table, still being supported.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-karnaugh/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-karnaugh/doc/tikz-karnaugh-doc.pdf
– local file	<code>./1682943037-tikz-karnaugh-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-karnaugh
on MikTeX	<code>tikz-karnaugh</code>
on TeXLive	<code>tikz-karnaugh</code>
keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>engineering</code> (typesetting associated with engineering of whatever sort)
see also	see section 3121 on page 2817: (<code>karnaugh-map</code> – LaTeX package for drawing karnaugh maps with up to 6 variables)
see also	see section 3122 on page 2818: (<code>karnaughmap</code> – Typeset Karnaugh maps)
see also	see section 3120 on page 2816: (<code>karnaugh</code> – Typeset Karnaugh-Veitch-maps)

language(s) no language specified
last access 2025-02-07

6133 *tikz-ladder* – Draw ladder diagrams using TikZ

Web page on CTAN <https://ctan.org/pkg/tikz-ladder>

name	tikz-ladder
caption	Draw ladder diagrams using TikZ
author	Laus, Luís Paulo
copyright	Luis Paulo Laus (2018)
license	lpl1 = The LaTeX Project Public License 1 (free)
version	1.3 (2022-04-10)
last changes	2022-04-10
year	2022
description	(no language specified) The <code>tikz-ladder</code> package contains a collection of symbols for typesetting ladder diagrams (PLC program) in agreement with the international standard IEC-61131-3/2013. It includes blocks (for representing functions and function blocks) besides contacts and coils. It extends the circuit library of TikZ and allows you to draw a ladder diagram in the same way as you would draw any other circuit.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-ladder/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-ladder/doc/tikz-ladder-doc.pdf
– local file	./3640639676-tikz-ladder-doc.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-ladder
on MikTeX	tikz-ladder
on TeXLive	tikz-ladder
keyword	diagram (diagrams)
keyword	engineering (typesetting associated with engineering of whatever sort)
keyword	diagram-circ (circuit diagrams)
keyword	pgf-tikz (package uses PGF-TikZ)

see also	see section 3237 on page 2924: (<code>ladder</code> – Draw simple ladder diagrams using TikZ)
language(s)	no language specified
last access	2025-02-07

6134 *tikz-lake-fig* – Schematic diagrams of lakes

Web page on CTAN <https://ctan.org/pkg/tikz-lake-fig>

name	<code>tikz-lake-fig</code>
caption	Schematic diagrams of lakes
author	Stachelek, Joseph
copyright	Joseph Stachelek (2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) This package contains a collection of schematic diagrams of lakes for use in LaTeX documents. Diagrams include representations of material budgets, fluxes, and connectivity arrangements.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-lake-fig/tikz-lake-fig-doc.pdf
– local file	<code>./6013078904-tikz-lake-fig-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-lake-fig/README.md
contact	<i>support</i> : https://github.com/jsta/tikz-lake-fig/issues
contact	<i>repository</i> : https://github.com/jsta/tikz-lake-fig
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-lake-fig
on MikTeX	<code>tikz-lake-fig</code>
on T _E XLive	<code>tikz-lake-fig</code>
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
language(s)	no language specified
year	2020
last access	2025-02-07

6135 *tikz-layers* – TikZ provides graphical layers on TikZ: "behind", "above" and "glass"

Web page on CTAN <https://ctan.org/pkg/tikz-layers>

name	tikz-layers
caption	TikZ provides graphical layers on TikZ: "behind", "above" and "glass"
author	Moutinho, Rui
copyright	Rui Moutinho (2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.9
description	(no language specified) TikZ-layers is a tiny package that provides, along side "background", typical graphical layers on TikZ: "behind", "above" and "glass". The layers may be selected with one of the styles "on behind layer", "on above layer", "on glass layer" as an option to a {scope} environment.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-layers/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-layers/tikz-layers-doc.pdf
– local file	./6114500252-tikz-layers-doc.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-layers
on MikTeX	tikz-layers
on TeXLive	tikz-layers
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	graphics (graphics (support packages))
language(s)	no language specified
year	2018
last access	2025-02-07

6136 *tikz-mirror-lens* – Spherical mirrors and lenses in TikZ

Web page on CTAN <https://ctan.org/pkg/tikz-mirror-lens>

name	tikz-mirror-lens
caption	Spherical mirrors and lenses in TikZ
author	Zucatelli, Fernando H. G.
copyright	FHZ (2022-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.2 (2023-01-08)
last changes	2023-01-08
year	2023
description	(no language specified) This package allows the automatic drawing of the image of objects in spherical mirrors and lenses from the data of the focus, from the position and height of the object. It calculates the position and height of the image, and also displays the notable rays.
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-mirror-lens/doc/tikz-mirror-lens.pdf
– local file	./5087278628-tikz-mirror-lens.pdf
documentation	(Portuguese (Brazilia)) <i>Package documentation (Portuguese)</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-mirror-lens/doc/tikz-mirror-lens-PT.pdf
– local file	./7458970937-tikz-mirror-lens-PT.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-mirror-lens/README.md
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-mirror-lens
on MikTeX	tikz-mirror-lens
on TeXLive	tikz-mirror-lens
keyword	diagram (diagrams)
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	optics (diagrams of optical systems)
keyword	physics (support for typesetting physics documents)
language(s)	Portuguese (Brazilia)
last access	2025-02-07

6137 *tikz-nef* – Create diagrams for neural networks constructed with the methods of the Neural Engineering Framework (NEF)

Web page on CTAN <https://ctan.org/pkg/tikz-nef>

name	<code>tikz-nef</code>
caption	Create diagrams for neural networks constructed with the methods of the Neural Engineering Framework (NEF)
author	Gosmann, Jan
copyright	Jan Gosmann (2017)
license	mit = MIT License (free)
version	0.1
description	(no language specified) The <code>nef</code> TikZ library provides predefined styles and shapes to create diagrams for neural networks constructed with the methods of the Neural Engineering Framework (NEF). The following styles are supported: • <code>ea</code>: ensemble array • <code>ens</code>: ensemble • <code>ext</code>: external input or output • <code>inhibt</code>: inhibitory connection • <code>net</code>: network • <code>pnode</code>: pass-through node • <code>rect</code>: rectification ensemble • <code>recurrent</code>: recurrent connection
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-nef/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-nef/tikz-nef-doc.pdf
– local file	<code>./2550378590-tikz-nef-doc.pdf</code>
home page	https://github.com/jgosmann/tikz-nef
contact	<i>bugs</i> : https://github.com/jgosmann/tikz-nef/issues
contact	<i>repository</i> : https://github.com/jgosmann/tikz-nef
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-nef

on MikTeX	tikz-nef
on T _E XLive	tikz-nef
keyword	diagram (diagrams)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
year	2017
last access	2025-02-07

6138 *tikz-network* – Draw networks with TikZ

Web page on CTAN <https://ctan.org/pkg/tikz-network>

name	tikz-network
caption	Draw networks with TikZ
author	Hackl, Jürgen
copyright	Jürgen Hackl (2018-2019)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	1.1 (2019-08-15)
last changes	2019-08-15
year	2019
description	(no language specified) This package allows the creation of images of complex networks that are seamlessly integrated into the underlying LaTeX files. The package requires datatool , etex , graphicx , tikz , trimspaces , xifthen , and xkeyval .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-network/tikz-network.pdf
– local file	./9616441190-tikz-network.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-network/README.md
contact	<i>bugs:</i> https://github.com/hackl/tikz-network/issues
contact	<i>repository:</i> https://github.com/hackl/tikz-network
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-network
on MikTeX	tikz-network

on T _E XLive	<code>tikz-network</code>
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>graphics</code> (<code>graphics</code> (support packages))
keyword	<code>diagram</code> (<code>diagrams</code>)
language(s)	no language specified
last access	2025-02-07

6139 *tikz-nfold* – Triple, quadruple, and n-fold paths with TikZ

Web page on CTAN <https://ctan.org/pkg/tikz-nfold>

name	<code>tikz-nfold</code>
caption	Triple, quadruple, and n-fold paths with TikZ
author	Schulz, Jonathan
copyright	Jonathan Schulz (2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.0
description	(no language specified) This library adds higher-order paths to TikZ and also fixes some graphical issues with TikZ' <code>double</code> paths, used e.g. in arrows with an <code>Implies</code> tip. It is also compatible with tikz-cd , adding support for triple and higher arrows. Macros to offset arbitrary paths are included as well.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-nfold/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-nfold/tikz-nfold-doc.pdf
– local file	<code>./7327936974-tikz-nfold-doc.pdf</code>
contact	<i>bugs</i> : https://github.com/jonschz/tikz-nfold/issues
contact	<i>repository</i> : https://github.com/jonschz/tikz-nfold
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-nfold
on MikT _E X	<code>tikz-nfold</code>
on T _E XLive	<code>tikz-nfold</code>
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>graphics</code> (<code>graphics</code> (support packages))

language(s)	no language specified
year	2023
last access	2025-02-07

6140 *tikz-opm* – Typeset OPM diagrams

Web page on CTAN <https://ctan.org/pkg/tikz-opm>

name	tikz-opm
caption	Typeset OPM diagrams
author	Hoffmann, Torben
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1.1 (2014-01-23)
last changes	2014-01-23
year	2014
description	(no language specified) Typeset OPM (Object-Process Methodology) diagrams using LaTeX and PGF/TikZ.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-opm/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-opm/tikz-opm.pdf
– local file	./8468944443-tikz-opm.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-opm
installation	https://ctan.org/tex-archive/install/graphics/pgf/contrib/tikz-opm.tds.zip
on MikTeX	tikz-opm
on TeXLive	tikz-opm
keyword	diagram (diagrams)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-02-07

6141 *tikz-optics* – A library for drawing optical setups with TikZ

Web page on CTAN <https://ctan.org/pkg/tikz-optics>

name	tikz-optics
caption	A library for drawing optical setups with TikZ
author	Fruchart, Michel
copyright	Michel Fruchart (2013-2016)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2.3
description	(no language specified) This package provides a new TikZ library designed to easily draw optical setups with TikZ. It provides shapes for lens, mirror, etc. The geometrically (in)correct computation of light rays through the setup is left to the user.
documentation	<i>Package documentation (French):</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-optics/tikz-optics.pdf
– local file	<code>./7557437749-tikz-optics.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-optics/README
contact	<i>repository:</i> https://github.com/fruchart/tikz-optics
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-optics
on MikTeX	tikz-optics
on TeXLive	tikz-optics
keyword	optics (diagrams of optical systems)
keyword	physics (support for typesetting physics documents)
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	French
year	2016
last access	2025-02-07

6142 *tikz-osci* – Produce oscilloscope “screen shots”

Web page on CTAN	https://ctan.org/pkg/tikz-osci
name	<code>tikz-osci</code>
caption	Produce oscilloscope “screen shots”
author	Giauffret, Thibault
copyright	Thibault Giauffret (2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.4.0 (2023-10-24)
last changes	2023-10-24
year	2023
description	(no language specified) This package enables you to produce oscilloscope “screen shots”.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-osci/doc/tikz-osci-doc.pdf
– local file	<code>./3737040998-tikz-osci-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-osci/README.md
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-osci/doc/tikz-osci-example.pdf
– local file	<code>./8200302858-tikz-osci-example.pdf</code>
home page	https://www.ensciences.fr/read.php?article=1220
contact	<i>bugs</i> : https://framagit.org/ThibGiauffret/latex_packages/-/issues
contact	<i>repository</i> : https://framagit.org/ThibGiauffret/latex_packages/-/tree/master/tikz-osci
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-osci
on MikTeX	<code>tikz-osci</code>
on TeXLive	<code>tikz-osci</code>
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>graphics-use</code> (graphics (typesetting actual pictures))
keyword	<code>physics</code> (support for typesetting physics documents)

see also see section 4941 on page 4472: (*pst-osci* – Oscgons with PSTricks)
 language(s) no language specified
 last access 2025-02-07

6143 *tikz-page* – Small macro to help building nice and complex layout materials

Web page on CTAN <https://ctan.org/pkg/tikz-page>

name *tikz-page*

caption Small macro to help building nice and complex layout materials

author Gross, Sébastien

copyright Sébastien Gross (2016)

license lpl1.3 = The LaTeX Project Public License 1.3 (free)

version 1.0

description (no language specified) The package provides a small macro to help building nice and complex layout materials.

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-page/README.md>

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-page/tikz-page.pdf>

– local file *./6433888738-tikz-page.pdf*

contact *repository*: <https://github.com/renard/tikz-page/>

on CTAN <https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-page>

on MikTeX *tikz-page*

on T_EXLive *tikz-page*

keyword *pgf-tikz* (package uses PGF-TikZ)

language(s) no language specified

year 2016

last access 2025-02-07

6144 *tikz-palattice* – Draw particle accelerator lattices with TikZ

Web page on CTAN <https://ctan.org/pkg/tikz-palattice>

name	tikz-palattice
caption	Draw particle accelerator lattices with TikZ
author	Schmidt, Jan
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.3 (2017-03-09)
last changes	2017-03-09
year	2017
description	(no language specified) This package allows for drawing a map of a particle accelerator just by giving a list of elements — similar to lattice files for simulation software. The package includes 12 common element types like dipoles, quadrupoles, cavities, or screens, as well as automatic labels with element names, a legend, a rule, and an environment to fade out parts of the accelerator. The coordinate of any element can be saved and used for custom TikZ drawings or annotations. Thereby, lattices can be connected to draw injection/extraction or even a complete accelerator facility.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-palattice/tikz-palattice_documentation.pdf
– local file	./4829044451-tikz-palattice_documentation.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-palattice/README
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-palattice
on MikTeX	tikz-palattice
on T _E XLive	tikz-palattice
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-02-07

6145 *tikz-planets* – Illustrate celestial mechanics and the solar system

Web page on CTAN <https://ctan.org/pkg/tikz-planets>

name	TikZ-planets
caption	Illustrate celestial mechanics and the solar system
author	Santos, Isabelle M.
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
version	1.0.2 (2020-04-19)
last changes	2020-04-19
year	2020
description	(no language specified) This TikZ-package makes it easy to illustrate celestial mechanics and the solar system. You can use it to draw sketches of the eclipses, the phases of the Moon, etc. The package requires the standard packages TikZ , xcolor , xstring , and pgfkeys .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-planets/planets-doc.pdf
– local file	<code>./8210750857-planets-doc.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-planets/README.md
contact	<i>bugs:</i> https://framagit.org/Moutmout/tikz-planets/-/issues/
contact	<i>repository:</i> https://framagit.org/Moutmout/tikz-planets
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-planets
on MikTeX	<code>tikz-planets</code>
on T _E XLive	<code>tikz-planets</code>
keyword	astronomy (astronomy articles, astronomical charts)
keyword	graphics (graphics (support packages))
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-02-07

6146 *tikz-qtree* – Use existing *qtree* syntax for trees in TikZ

Web page on CTAN <https://ctan.org/pkg/tikz-qtree>

name	<code>tikz-qtree</code>
caption	Use existing <i>qtree</i> syntax for trees in TikZ
author	Chiang, David
copyright	David Chiang (2002, 2009)
license	gpl = GNU General Public License (free)
version	1.2
description	(no language specified) The package provides a macro for drawing trees with TikZ using the easy syntax of Alexis Dimitriadis' Qtree . It improves on TikZ's standard tree-drawing facility by laying out tree nodes without collisions; it improves on <i>Qtree</i> by adding lots of features from TikZ (for example, edge labels, arrows between nodes); and it improves on pst-qtree in being usable with pdfTeX and XeTeX.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-qtree/tikz-qtree-manual.pdf
– local file	<code>./9993884558-tikz-qtree-manual.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-qtree/README
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-qtree
on MikTeX	<code>tikz-qtree</code>
on T _E XLive	<code>tikz-qtree</code>
keyword	<code>tree</code> (mechanisms for drawing trees)
language(s)	no language specified
year	2009
last access	2025-02-07

6147 *tikz-relay* – TikZ library for typesetting electrical diagrams

Web page on CTAN <https://ctan.org/pkg/tikz-relay>

name	<code>tikz-relay</code>
caption	TikZ library for typesetting electrical diagrams
author	Laus, Luís Paulo
copyright	Luis Paulo Laus (2018-2022)
license	lpl1 = The LaTeX Project Public License 1 (free)
version	1.3 (2022-08-07)
last changes	2022-08-07
year	2022
description	(no language specified) This package contains a collection of symbols for typesetting electrical wiring diagrams for relay control systems. The symbols are meant to be in agreement with the international standard IEC-60617 which has been adopted worldwide, with perhaps the exception of the USA. It extends and modifies, when needed, the TikZ-library <code>circuits.ee.IEC</code> . A few non-standard symbols are also included mainly to be used in presentations, particularly with the beamer package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-relay/README.txt
documentation	(no language specified) <i>Further documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-relay/doc/BeamerAnimation.pdf
– local file	<code>./7869702181-BeamerAnimation.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-relay/doc/tikz-relay-doc.pdf
– local file	<code>./3301003411-tikz-relay-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-relay
on MikTeX	<code>tikz-relay</code>
on TeXLive	<code>tikz-relay</code>
keyword	<code>diagram-circ</code> (circuit diagrams)
keyword	<code>engineering</code> (typesetting associated with engineering of whatever sort)
keyword	<code>physics</code> (support for typesetting physics documents)
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)

keyword diagram (diagrams)
 language(s) no language specified
 last access 2025-02-07

6148 *tikz-sfc* – Symbols collection for typesetting Sequential Function Chart (SFC) diagrams (PLC programs)

Web page on CTAN <https://ctan.org/pkg/tikz-sfc>

name *tikz-sfc*
 caption Symbols collection for typesetting Sequential Function Chart (SFC) diagrams (PLC programs)
 author Laus, Luís Paulo
 copyright Luis Paulo Laus (2018)
 license lpl1 = The LaTeX Project Public License 1 (free)
 version 1.0.1 (2018-12-15)
 last changes 2018-12-15
 year 2018
 description (no language specified) This package contains a collection of symbols for typesetting Sequential Function Chart (SFC) diagrams in agreement with the international standard IEC-61131-3/2013. It includes steps (normal and initial), transitions, actions and actions qualifiers (with and without time duration). It extends the circuit library of TikZ and allows you to draw an SFC diagram in same way you would draw any other circuit.
 documentation (no language specified) *Package documentation:*
<https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-sfc/doc/tikz-sfc-doc.pdf>
 – local file ./9693652590-tikz-sfc-doc.pdf
 documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-sfc/README.txt>
 on CTAN <https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-sfc>
 on MikTeX *tikz-sfc*
 on T_EXLive *tikz-sfc*
 keyword diagram (diagrams)
 keyword diagram-flow (flow (and similar) diagrams, including Nassi-Shneiderman)

keyword	engineering (typesetting associated with engineering of whatever sort)
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	diagram-circ (circuit diagrams)
see also	see section 2594 on page 2348: (grafcet – Draw Grafcet/SFC with TikZ)
language(s)	no language specified
last access	2025-02-07

6149 tikz-shields – Badges as in shields.io, but in LaTeX

Web page on CTAN <https://ctan.org/pkg/tikz-shields>

name	tikz-shields
caption	Badges as in shields.io, but in LaTeX
author	Saigre, Thomas
copyright	thomas-saigre (null)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	0.1
description	(no language specified) A small package that allows to include in a LaTeX document shields badges, as in shields.io . Various styles of badges and other features are available, including clickable links, logos, and color customization options.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-shields/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-shields/tikz-shields-doc.pdf
– local file	./5298585027-tikz-shields-doc.pdf
contact	<i>bugs</i> : https://github.com/thomas-saigre/tikz-shields/issues
contact	<i>repository</i> : https://github.com/thomas-saigre/tikz-shields
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-shields
keyword	graphics (graphics (support packages))
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified

year without year
last access 2025-07-31

6150 *tikz-swigs* – Horizontally and vertically split elliptical nodes

Web page on CTAN <https://ctan.org/pkg/tikz-swigs>

name *tikz-swigs*
caption Horizontally and vertically split elliptical nodes
author Richardson, Thomas S.
copyright Thomas S. Richardson (2018)
license lpl1.3c = The LaTeX Project Public License 1.3c (free)
license gpl = GNU General Public License (free)
version (2021-07-09)
last changes 2021-07-09
year 2021
description (no language specified) This package provides horizontally and vertically split elliptical (pairs of) nodes in TikZ.

The package name derives from the fact that split ellipses of this type are used to represent Single-World Intervention Graph (SWIG) models which are used in counterfactual causal inference.

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-swigs/README.md>
documentation (no language specified) *Package documentation*:
<https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-swigs/tikz-swigs.pdf>
– local file ./4928122440-tikz-swigs.pdf
on CTAN <https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-swigs>
on MikTeX *tikz-swigs*
on T_EXLive *tikz-swigs*
keyword pgf-tikz (package uses PGF-TikZ)
language(s) no language specified
last access 2025-02-07

6151 *tikz-timing* – Easy generation of timing diagrams as TikZ pictures

Web page on CTAN <https://ctan.org/pkg/tikz-timing>

name	<code>tikz-timing</code>
caption	Easy generation of timing diagrams as TikZ pictures
author	Scharrer, Martin
copyright	Martin Scharrer (2009-2017)
license	lppl = The LaTeX Project Public License (free)
version	0.7f (2017-12-20)
last changes	2017-12-20
year	2017
description	(no language specified) This package provides macros and an environment to generate timing diagrams (digital waveforms) without much effort. The TikZ package is used to produce the graphics. The diagrams may be inserted into text (paragraphs, <code>\hbox</code> , etc.) and into <code>tikzpictures</code> . A tabular-like environment is provided to produce larger timing diagrams.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-timing/tikz-timing.pdf
– local file	<code>./9494957015-tikz-timing.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-timing/README
home page	https://github.com/MartinScharrer/tikz-timing
contact	<i>bugs:</i> https://github.com/MartinScharrer/tikz-timing/issues
contact	<i>repository:</i> https://github.com/MartinScharrer/tikz-timing.git
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-timing
installation	https://ctan.org/tex-archive/install/graphics/pgf/contrib/tikz-timing.tds.zip
on MikTeX	<code>tikz-timing</code>
on TeXLive	<code>tikz-timing</code>
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	electronic (support of electronic design)

keyword	diagram-tmg (timing diagrams)
see also	see section 6193 on page 5603: (timing – Fonts and macro package for drawing timing diagrams)
language(s)	no language specified
last access	2025-02-07

6152 *tikz-trackschematic* – A TikZ library for creating track diagrams in railways

Web page on CTAN <https://ctan.org/pkg/tikz-trackschematic>

name	tikz-trackschematic
caption	A TikZ library for creating track diagrams in railways
author	Scheidt, Martin
copyright	Martin Scheidt (2018-2022)
license	isc = ISC License (free)
version	0.7.1 (2022-06-02)
last changes	2022-06-02
year	2022
description	(no language specified) This TikZ library is a toolbox of symbols geared primarily towards creating track schematic for either research or educational purposes. It provides a TikZ frontend to some of the symbols which may be needed to describe situations and layouts in railway operation. The library is divided into sublibraries: <code>topology</code>, <code>trafficcontrol</code>, <code>vehicles</code>, <code>constructions</code>, <code>electrics</code>, <code>symbolology</code>, and <code>measures</code>.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-trackschematic/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-trackschematic/tikz-trackschematic.pdf
– local file	<code>./3977607685-tikz-trackschematic.pdf</code>
home page	https://www.railtoolkit.org/projects/tikz-trackschematic/
contact	<i>repository</i>: https://github.com/railtoolkit/tikz-trackschematic
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-trackschematic

on MikTeX	<code>tikz-trackschematic</code>
on T _E XLive	<code>tikz-trackschematic</code>
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>graphics</code> (<code>graphics</code> (support packages))
keyword	<code>diagram</code> (<code>diagrams</code>)
language(s)	no language specified
last access	2025-02-07

6153 *tikz-triminos* – Create triminos, made with TikZ

Web page on CTAN <https://ctan.org/pkg/tikz-triminos>

name	<code>tikz-triminos</code>
caption	Create triminos, made with TikZ
author	Pierquet, Cédric
license	l _{pp} 1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.0 (2025-01-20)
last changes	2025-01-20
year	2025
description	(no language specified) Create (1 or 9 or 12) TriMinos with some customizations: • size, font, logo, colors; • automatic texts adjustment; • full version, or joker usage. Inspiration from Paul Matthies
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-triminos/doc/tikz-triminos-doc.pdf
– local file	<code>./5284659220-tikz-triminos-doc.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-triminos/README.md
home page	https://forge.apps.education.fr/pierquetcedric/packages-latex

contact	<i>repository:</i> https://forge.apps.education.fr/pierquetcedric/packages-latex
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-triminos
on MikTeX	tikz-triminos
on TeXLive	tikz-triminos
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	amusements (jokes, distractions, tongue-in-cheek packages, and other entertainment material)
language(s)	no language specified
last access	2025-05-27

6154 *tikz-truchet* – Draw Truchet tiles

Web page on CTAN <https://ctan.org/pkg/tikz-truchet>

name	tikz-truchet
caption	Draw Truchet tiles
author	Scroggs, Matthew
copyright	Matthew Scroggs (2019)
license	mit = MIT License (free)
version	(2019-02-12)
last changes	2019-02-12
year	2019
description	(no language specified) This is a package for LaTeX that draws Truchet tiles, as used in Colin Beveridge’s article Too good to be Truchet in issue 08 of Chalkdust.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-truchet/tikz-truchet.pdf
– local file	./7749218955-tikz-truchet.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-truchet/README.md
home page	https://github.com/mscroggs/truchet

contact	<i>bugs</i> : https://github.com/mscroggs/truchet/issues
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz-truchet
on MikTeX	<code>tikz-truchet</code>
on TeXLive	<code>tikz-truchet</code>
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
see also	see section 6323 on page 5716: (<code>truchet</code> – Truchet tiling in MetaPost)
language(s)	no language specified
last access	2025-02-07

6155 `tikz2d-fr` – Work with some 2D TikZ commands (French)

Web page on CTAN	https://ctan.org/pkg/tikz2d-fr
name	<code>tikz2d-fr</code>
caption	Work with some 2D TikZ commands (French)
author	Pierquet, Cédric
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.1 (2023-05-28)
last changes	2023-05-28
year	2023
description	(no language specified) This is a small package to work with some (<i>French</i>) 2D commands for <i>Ti k Z</i> : • ”freehand style” <code>mainlevee</code> • define and mark points <code>\DefinirPoints</code>, <code>\MarquerPoints</code> • draw colored segments <code>\TracerSegments</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz2d-fr/doc/tikz2d-fr-doc.pdf
– local file	<code>./8954876217-tikz2d-fr-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz2d-fr/README.md
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz2d-fr

on MikTeX	tikz2d-fr
on T _E XLive	tikz2d-fr
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-05-27

6156 *tikz3d-fr* – Work with some 3D figures

Web page on CTAN <https://ctan.org/pkg/tikz3d-fr>

name	tikz3d-fr
caption	Work with some 3D figures
author	Pierquet, Cédric
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.5 (2025-05-22)
last changes	2025-05-22
year	2025
description	(no language specified) This is a package for working with some 3D figures.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz3d-fr/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikz3d-fr/doc/tikz3d-fr-doc.pdf
– local file	./2928799126-tikz3d-fr-doc.pdf
home page	https://forge.apps.education.fr/pierquetcedric/packages-latex
contact	<i>bugs</i> : https://forge.apps.education.fr/pierquetcedric/packages-latex
contact	<i>repository</i> : https://forge.apps.education.fr/pierquetcedric/packages-latex
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikz3d-fr
on MikTeX	tikz3d-fr
on T _E XLive	tikz3d-fr
keyword	graphics-3d (graphics with 3-dimensional output)

keyword	pgf-tikz (package uses PGF-TikZ)
see also	see section 4959 on page 4489: (pst-solides3d – Draw perspective views of 3D solids)
language(s)	no language specified
last access	2025-05-27

6157 tikzbrickfigurines – Draw brick figurines with TikZ

Web page on CTAN <https://ctan.org/pkg/tikzbrickfigurines>

name	tikzbrickfigurines
caption	Draw brick figurines with TikZ
author	Pierquet, Cédric
copyright	Cédric Pierquet (null)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.1 (2025-08-18)
last changes	2025-08-18
year	2025
description	(no language specified) A small LaTeX package to draw (2D) brick-figurines with TikZ . The user can modify colors and/or elements.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikzbrickfigurines/doc/tikzbrickfigurines-doc.pdf
– local file	./1033809779-tikzbrickfigurines-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikzbrickfigurines/README.md
contact	<i>bugs</i> : https://github.com/cpierquet/latex-packages/issues
contact	<i>repository</i> : https://github.com/cpierquet/latex-packages/tree/main/tikzbrickfigurines
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikzbrickfigurines
on T _E XLive	tikzbrickfigurines
keyword	graphics (graphics (support packages))
keyword	pgf-tikz (package uses PGF-TikZ)

keyword	amusements (jokes, distractions, tongue-in-cheek packages, and other entertainment material)
language(s)	no language specified
last access	2025-08-30

6158 *tikzbricks* – Drawing bricks with TikZ

Web page on CTAN	https://ctan.org/pkg/tikzbricks
name	TikZbricks
caption	Drawing bricks with TikZ
author	samcarter
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.6 (2024-12-16)
last changes	2024-12-16
year	2024
description	(no language specified) A small LaTeX package to draw bricks with TikZ. The user can modify color, shape, and viewpoint.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tikzbricks/tikzbricks-doc.pdf
– local file	./4705787316-tikzbricks-doc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tikzbricks/README.md
contact	<i>support:</i> https://github.com/samcarter/tikzbricks/issues
contact	<i>repository:</i> https://github.com/samcarter/tikzbricks
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikzbricks
on MikTeX	tikzbricks
on T _E XLive	tikzbricks
keyword	amusements (jokes, distractions, tongue-in-cheek packages, and other entertainment material)
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	graphics (graphics (support packages))

see also	see section 6166 on page 5577 : (<code>TikZlings</code> – A collection of cute little animals and similar creatures)
see also	see section 6162 on page 5573 : (<code>TikZducks</code> – A little fun package for using rubber ducks in TikZ)
see also	see section 6168 on page 5580 : (<code>TikZmarmots</code> – Drawing little marmots in TikZ)
language(s)	no language specified
last access	2025-02-07

6159 *tikzcalendarnotes* – Highlighting, marking and annotating dates in a TikZ calendar

Web page on CTAN <https://ctan.org/pkg/tikzcalendarnotes>

name	<code>tikzcalendarnotes</code>
caption	Highlighting, marking and annotating dates in a TikZ calendar
author	Frigeri, Alceu
copyright	Alceu Frigeri (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	1.2 (2025-11-06)
last changes	2025-11-06
year	2025
description	(no language specified) This package offers a "calendar arrangement" (atop of the TikZ calendar library) and provides a set of commands to highlight, mark, and annotate dates in a calendar.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikzcalendarnotes/doc/tikzcalendarnotes.pdf
– local file	<code>./8474281705-tikzcalendarnotes.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikzcalendarnotes/README.md
home page	https://github.com/alceu-frigeri/tikzcalendarnotes
contact	<i>bugs</i> : https://github.com/alceu-frigeri/tikzcalendarnotes/issues
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikzcalendarnotes

on MikTeX	tikzcalendarnotes
on T _E XLive	tikzcalendarnotes
keyword	calendar (typeset calendars, diaries, planning charts, etc.)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-11-12

6160 *tikzcodeblocks* – *Helps to draw codeblocks like scratch, NEPO and PXT in TikZ*

Web page on CTAN <https://ctan.org/pkg/tikzcodeblocks>

name	tikzcodeblocks
caption	Helps to draw codeblocks like scratch, NEPO and PXT in TikZ
author	Salamon, Adrian
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.13 (2020-04-06)
last changes	2020-04-06
year	2020
description	(no language specified) <i>tikzcodeblocks</i> is a LaTeX package for typesetting blockwise graphic programming languages like scratch, nepo or pxt.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikzcodeblocks/README.md
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikzcodeblocks/tikzcodeblocks-documentation.pdf
– local file	./4611605969-tikzcodeblocks-documentation.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikzcodeblocks
on MikTeX	tikzcodeblocks
on T _E XLive	tikzcodeblocks
keyword	pgf-tikz (package uses PGF-TikZ)
see also	see section 5345 on page 4839 : (<i>scratch</i> – Draw programs like “scratch”)
language(s)	German
last access	2025-02-07

6161 tikzdotncross – Marking coordinates and crossing paths

Web page on CTAN <https://ctan.org/pkg/tikzdotncross>

name	tikzdotncross
caption	Marking coordinates and crossing paths
author	Frigeri, Alceu
copyright	Alceu Frigeri (2024-2025)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3 (2025-10-29)
last changes	2025-10-29
year	2025
description	(no language specified) This package offers a few alternative ways for declaring and marking coordinates and drawing a line with "jumps" over an already existent path, which is quite a common issue when drawing, for instance, electronic circuits (like with CircuiTikZ).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikzdotncross/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikzdotncross/doc/tikzdotncross.pdf
– local file	./3734864317-tikzdotncross.pdf
contact	<i>bugs</i> : https://github.com/alceu-frigeri/tikzdotncross/issues
contact	<i>repository</i> : https://github.com/alceu-frigeri/tikzdotncross
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikzdotncross
on MikTeX	tikzdotncross
on TeXLive	tikzdotncross
keyword	expl3 (expl3(unknown))
keyword	diagram-circ (circuit diagrams)
keyword	graphics (graphics (support packages))
keyword	electronic (support of electronic design)
keyword	pgf-tikz (package uses PGF-TikZ)

language(s) no language specified
last access 2025-11-06

6162 *tikzducks* – A little fun package for using rubber ducks in TikZ

Web page on CTAN <https://ctan.org/pkg/tikzducks>

name	TikZducks
caption	A little fun package for using rubber ducks in TikZ
author	samcarter
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.2 (2025-12-11)
last changes	2025-12-11
year	2025
description	(no language specified) The package is a LaTeX package for ducks to be used in TikZ pictures. This project is a continuation of an answer at StackExchange How we can draw a duck?
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikzducks/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikzducks/tikzducks-doc.pdf
– local file	./7727677607-tikzducks-doc.pdf
contact	<i>support</i> : https://github.com/samcarter/tikzducks/issues
contact	<i>repository</i> : https://github.com/samcarter/tikzducks
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikzducks
on MikTeX	tikzducks
on T _E XLive	tikzducks
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	graphics (graphics (support packages))
keyword	amusements (jokes, distractions, tongue-in-cheek packages, and other entertainment material)
see also	see section 6166 on page 5577: (TikZlings – A collection of cute little animals and similar creatures)

see also	see section 6168 on page 5580: (TikZmarmots – Drawing little marmots in TikZ)
language(s)	no language specified
last access	2025-12-22

6163 *tikzfill* – TikZ libraries for filling with images and patterns

Web page on CTAN <https://ctan.org/pkg/tikzfill>

name	<code>tikzfill</code>
caption	TikZ libraries for filling with images and patterns
author	Sturm, Thomas F.
copyright	Prof. Dr. Dr. Thomas F. Sturm (2022-2026)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2.0 (2026-04-23)
last changes	2026-04-23
year	2026
description	(no language specified) This is a collection of TikZ libraries which add further options to fill TikZ paths with images and patterns. The libraries comprise fillings with images from files and from TikZ pictures. Also, patterns of hexagons and of rhombi are provided.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikzfill/tikzfill.pdf
– local file	<code>./2365650309-tikzfill.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikzfill/README.md
home page	https://github.com/T-F-S/tikzfill
contact	<i>bugs</i> : https://github.com/T-F-S/tikzfill/issues
contact	<i>repository</i> : https://github.com/T-F-S/tikzfill.git
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikzfill
installation	https://ctan.org/tex-archive/install/graphics/pgf/contrib/tikzfill.tds.zip
on MikTeX	<code>tikzfill</code>
on T _E XLive	<code>tikzfill</code>

keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
language(s)	no language specified
last access	2026-04-29

6164 `tikzfxgraph` – Plotting functions in a simplified way

Web page on CTAN	https://ctan.org/pkg/tikzfxgraph
name	<code>tikzfxgraph</code>
caption	Plotting functions in a simplified way
author	Frigeri, Alceu
copyright	Alceu Frigeri (2025)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1 (2025-11-15)
last changes	2025-11-15
year	2025
description	(no language specified) This package is mostly a wrap around <code>pgfplots</code> and <code>Gnuplot</code> , hiding most of their inherent complexity.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikzfxgraph/doc/tikzfxgraph.pdf
– local file	<code>./4456631674-tikzfxgraph.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikzfxgraph/README.md
home page	https://github.com/alceu-frigeri/tikzfxgraph
contact	<i>support</i> : https://github.com/alceu-frigeri/tikzfxgraph/issues
contact	<i>announce</i> : https://github.com/alceu-frigeri/tikzfxgraph/releases
contact	<i>bugs</i> : https://github.com/alceu-frigeri/tikzfxgraph/issues
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikzfxgraph
on MikTeX	<code>tikzfxgraph</code>
on TeXLive	<code>tikzfxgraph</code>

keyword pgf-tikz (package uses PGF-TikZ)
 keyword graphics-plot (plot data)
 language(s) no language specified
 last access 2025-11-26

6165 *tikzinclude* – Import TikZ images from collections

Web page on CTAN <https://ctan.org/pkg/tikzinclude>

name tikzinclude
 caption Import TikZ images from collections
 author Schwenk, Ferdinand
 author Berg, Benjamin
 copyright Ferdinand Schwenk, Benjamin Berg (2012)
 license lpl1.3 = The LaTeX Project Public License 1.3 (free)
 version 1.0
 description (no language specified) The package addresses the problem of importing only one TikZ-image from a file holding multiple images.
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/graphics/pgf/contrib/tikzinclude/README>
 documentation (no language specified) *Package documentation*:
<https://ctan.org/tex-archive/graphics/pgf/contrib/tikzinclude/tikzinclude.pdf>
 – local file ./6524078560-tikzinclude.pdf
 on CTAN <https://ctan.org/tex-archive/graphics/pgf/contrib/tikzinclude>
 on MikTeX tikzinclude
 on T_EXLive tikzinclude
 keyword graphics-supp (support for other packages or for drivers)
 language(s) no language specified
 year 2012
 last access 2025-02-07

6166 *tikzlings* – A collection of cute little animals and similar creatures

Web page on CTAN <https://ctan.org/pkg/tikzlings>

name	TikZlings
caption	A collection of cute little animals and similar creatures
author	samcarter
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.5 (2025-12-11)
last changes	2025-12-11
year	2025
description	(no language specified) A collection of LaTeX packages for drawing cute little animals and similar creatures using TikZ .

Currently, the following TikZlings are included:

- anteater
- ape
- bat
- bear
- bee
- bug
- cat
- chicken
- coati
- dog
- elephant
- hippo
- koala
- marmot
- meerkat
- mole
- mouse
- owl
- panda

- penguin
- pig
- rhino
- sheep
- sloth
- snowman
- squirrel
- turkey
- wolf

These little drawings can be customized in many ways.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikzlings/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikzlings/tikzlings-doc.pdf
– local file	<code>./4100735602-tikzlings-doc.pdf</code>
contact	<i>support</i> : https://github.com/samcarter/tikzlings/issues
contact	<i>repository</i> : https://github.com/samcarter/tikzlings
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikzlings
on MikTeX	<code>tikzlings</code>
on T _E XLive	<code>tikzlings</code>
keyword	<code>graphics</code> (<code>graphics</code> (support packages))
keyword	<code>amusements</code> (jokes, distractions, tongue-in-cheek packages, and other entertainment material)
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
see also	see section 6168 on page 5580: (<code>TikZmarmots</code> – Drawing little marmots in TikZ)
see also	see section 6162 on page 5573: (<code>TikZducks</code> – A little fun package for using rubber ducks in TikZ)
language(s)	no language specified
last access	2025-12-22

6167 *tikzmark* – Use TikZ’s method of remembering a position on a page

Web page on CTAN <https://ctan.org/pkg/tikzmark>

name	tikzmark
caption	Use TikZ’s method of remembering a position on a page
author	Stacey, Andrew
copyright	Andrew Stacey (2011-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.15 (2022-08-24)
last changes	2022-08-24
year	2022
description	(no language specified) The tikzmark package defines a command to “remember” a position on a page for later (or earlier) use, primarily (but not exclusively) with TikZ.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikzmark/tikzmark.pdf
– local file	./2043737467-tikzmark.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikzmark/README
home page	https://github.com/loopspace/tikzmark
contact	<i>bugs</i> : https://github.com/loopspace/tikzmark/issues
contact	<i>repository</i> : https://github.com/loopspace/tikzmark
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikzmark
on MikTeX	tikzmark
on TeXLive	tikzmark
keyword	graphics-supp (support for other packages or for drivers)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-02-07

6168 *tikzmarmots* – Drawing little marmots in TikZ

Web page on CTAN <https://ctan.org/pkg/tikzmarmots>

name	TikZmarmots
caption	Drawing little marmots in TikZ
author	samcarter
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.2 (2024-12-11)
last changes	2024-12-11
year	2024
description	(no language specified) This is a LaTeX package for marmots to be used in TikZ pictures. These little figures are constructed in such a way that they may even "borrow" some accessories and other attributes from the TikZlings package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikzmarmots/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikzmarmots/tikzmarmots-doc.pdf
– local file	./2523603169-tikzmarmots-doc.pdf
contact	<i>support</i> : https://github.com/samcarter/tikzmarmots/issues
contact	<i>repository</i> : https://github.com/samcarter/tikzmarmots
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikzmarmots
on MikTeX	tikzmarmots
on TeXLive	tikzmarmots
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	graphics (graphics (support packages))
keyword	expl3 (expl3(unknown))
keyword	amusements (jokes, distractions, tongue-in-cheek packages, and other entertainment material)
see also	see section 6162 on page 5573 : (TikZducks – A little fun package for using rubber ducks in TikZ)
see also	see section 6166 on page 5577 : (TikZlings – A collection of cute little animals and similar creatures)

language(s) no language specified
last access 2025-02-07

6169 *tikzorbital* – Atomic and molecular orbitals using TikZ

Web page on CTAN <https://ctan.org/pkg/tikzorbital>

name *tikzorbital*
caption Atomic and molecular orbitals using TikZ
author Salvato-Vallverdu, Germain
license lppl = The LaTeX Project Public License (free)
version (2015-03-05)
last changes 2015-03-05
year 2015
description (no language specified) Atomic s, p and d orbitals may be drawn, as well as molecular orbital diagrams.
documentation (no language specified) *Package documentation:*
<https://ctan.org/tex-archive/graphics/pgf/contrib/tikzorbital/tikzorbital.pdf>
– local file ./6870293165-tikzorbital.pdf
on CTAN <https://ctan.org/tex-archive/graphics/pgf/contrib/tikzorbital>
on MikTeX *tikzorbital*
on T_EXLive *tikzorbital*
keyword chemistry (chemistry document support)
keyword diagram (diagrams)
see also see section 4045 on page 3658: (*modiagram* – Drawing molecular orbital diagrams)
language(s) no language specified
last access 2025-02-07

6170 *tikzpackages* – Display network packets

Web page on CTAN <https://ctan.org/pkg/tikzpackages>

name	tikzpackages
caption	Display network packets
author	Paciorek, Robert
copyright	Robert Paciorek (2020)
license	mit = MIT License (free)
version	1.0
description	(no language specified) This package allows you to easily display network packets graphically.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikzpackages/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikzpackages/tikzPackages.pdf
– local file	./1260113378-tikzPackages.pdf
contact	<i>bugs</i> : https://bitbucket.org/OpCode-eu-org/latex-libraries/issues
contact	<i>repository</i> : https://bitbucket.org/OpCode-eu-org/LaTeX-libraries/
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikzpackages
on MikTeX	tikzpackages
on TeXLive	tikzpackages
keyword	comp-net (typeset computer network concepts)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
year	2020
last access	2025-02-07

6171 tikzpagenodes – A single TikZ node for the whole pageWeb page on CTAN <https://ctan.org/pkg/tikzpagenodes>

name	tikzpagenodes
caption	A single TikZ node for the whole page
author	Scharrer, Martin
copyright	Martin Scharrer (2011)
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) The package provides special PGF/TikZ nodes for the text, marginpar, footer and header area of the current page. They are inspired by the ‘current page’ node defined by PGF/TikZ itself.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tikzpagenodes/tikzpagenodes.pdf
– local file	./8055124576-tikzpagenodes.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tikzpagenodes/README
home page	https://github.com/MartinScharrer/tikzpagenodes
contact	<i>bugs:</i> https://github.com/MartinScharrer/tikzpagenodes/issues
contact	<i>repository:</i> https://github.com/MartinScharrer/tikzpagenodes.git
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikzpagenodes
installation	https://ctan.org/tex-archive/install/graphics/pgf/contrib/tikzpagenodes.tds.zip
on MikTeX	tikzpagenodes
on TeXLive	tikzpagenodes
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	graphics (graphics (support packages))
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	2011
last access	2025-02-07

6172 *tikzpeople* – Draw people-shaped nodes in TikZ

Web page on CTAN <https://ctan.org/pkg/tikzpeople>

name	tikzpeople
caption	Draw people-shaped nodes in TikZ
author	Fleischhacker, Nils
copyright	Nils Fleischhacker (2016)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.4 (2017-04-22)
last changes	2017-04-22
year	2017
description	(no language specified) This package provides people-shaped nodes in the style of Microsoft Visio clip art, to be used with TikZ. The available, highly customizable, node shapes are: <code>alice</code>, <code>bob</code>, <code>bride</code>, <code>builder</code>, <code>businessman</code>, <code>charlie</code>, <code>chef</code>, <code>conductor</code>, <code>cowboy</code>, <code>criminal</code>, <code>dave</code>, <code>devil</code>, <code>duck</code>, <code>graduate</code>, <code>groom</code>, <code>guard</code>, <code>jester</code>, <code>judge</code>, <code>maininblack</code>, <code>mexican</code>, <code>nun</code>, <code>nurse</code>, <code>physician</code>, <code>pilot</code>, <code>police</code>, <code>priest</code>, <code>sailor</code>, <code>santa</code>, <code>surgeon</code>.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/graphics/pgf/contrib/tikzpeople/tikzpeople.pdf
– local file	./5621608253-tikzpeople.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/graphics/pgf/contrib/tikzpeople/README.md
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikzpeople
installation	https://ctan.org/tex-archive/install/graphics/pgf/contrib/tikzpeople.tds.zip
on MikTeX	tikzpeople
on TeXLive	tikzpeople
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	amusements (jokes, distractions, tongue-in-cheek packages, and other entertainment material)
language(s)	no language specified
last access	2025-02-07

6173 *tikzpfeile* – Draw arrows using PGF/TikZ

Web page on CTAN <https://ctan.org/pkg/tikzpfeile>

name	tikzpfeile
caption	Draw arrows using PGF/TikZ
author	Zachhuber, Jonathan
author	Fütterer, Michael
copyright	Jonathan Zachhuber, Michael Fütterer (2011-2012)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) In a document with a lot of diagrams created with PGF/TikZ, there is a possibility of the reader being distracted by different sorts of arrowheads in the diagrams and in the text (as, e.g., in <code>\rightarrow</code>). The package defines macros to create all arrows using PGF/TikZ, so as to avoid the problem.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tikzpfeile/tikzpfeile.pdf
– local file	./1469625578-tikzpfeile.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tikzpfeile/README
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikzpfeile
on MikTeX	tikzpfeile
on T _E XLive	tikzpfeile
keyword	graphics-symb (create symbols, rather than select from a font)
language(s)	no language specified
year	2012
last access	2025-02-07

6174 *tikzpingus* – Penguins with TikZ

Web page on CTAN <https://ctan.org/pkg/tikzpingus>

name	TikZpingus
caption	Penguins with TikZ
author	Sihler, Florian
copyright	Florian Sihler (2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.4 (2026-02-27)
last changes	2026-02-27
year	2026
description	(no language specified) <i>tikzpingus</i> is a package similar to TikZducks but with penguins and a vast set of gadgets and extras (capable of changing the wing-positions, body-types, and more).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikzpingus/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikzpingus/tikzpingus-doc.pdf
– local file	./3932226230-tikzpingus-doc.pdf
contact	<i>announce</i> : https://github.com/EagleoutIce/tikzpingus/releases
contact	<i>bugs</i> : https://github.com/EagleoutIce/tikzpingus/issues
contact	<i>repository</i> : https://github.com/EagleoutIce/tikzpingus
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikzpingus
on MikTeX	tikzpingus
on T _E XLive	tikzpingus
keyword	amusements (jokes, distractions, tongue-in-cheek packages, and other entertainment material)
keyword	graphics (graphics (support packages))
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2026-03-26

6175 *tikzposter* – Create scientific posters using TikZ

Web page on CTAN <https://ctan.org/pkg/tikzposter>

name	tikzposter
caption	Create scientific posters using TikZ
author	Botoeva, Elena
author	Richter, Pascal
author	Barnard, Richard
author	Surmann, Dirk
copyright	Pascal Richter, Elena Botoeva, Richard Barnard and Dirk Surmann (2014)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	2.0
description	(no language specified) A document class provides a simple way of using TikZ for generating posters. Several formatting options are available, and spacing and layout of the poster is to a large extent automated.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikzposter/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikzposter/tikzposter.pdf
– local file	./5132945056-tikzposter.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikzposter
on MikTeX	tikzposter
on T _E XLive	tikzposter
keyword	poster (typeset posters, etc.)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
year	2014
last access	2025-02-07

6176 *tikzquads* – A few shapes designed to be used with CircuiTikZWeb page on CTAN <https://ctan.org/pkg/tikzquads>

name	tikzquads
caption	A few shapes designed to be used with CircuiTikZ
author	Frigeri, Alceu
copyright	Alceu Frigeri (2024-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	other-free = Free license not otherwise listed (free)
version	1.2 (2025-03-08)
last changes	2025-03-08
year	2025
description	(no language specified) This package defines a few extra shapes, Quadripoles and single port, which can be used ‘standalone’, but are mainly meant to be used with CircuiTikZ .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tikzquads/doc/tikzquads.pdf
– local file	./9830194529-tikzquads.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tikzquads/README.md
contact	<i>bugs:</i> https://github.com/alceu-frigeri/tikzquads/issues
contact	<i>repository:</i> https://github.com/alceu-frigeri/tikzquads
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikzquads
on MikTeX	tikzquads
on T _E XLive	tikzquads
keyword	graphics (graphics (support packages))
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	diagram-circ (circuit diagrams)
keyword	electronic (support of electronic design)
language(s)	no language specified
last access	2025-03-14

6177 *tikzquests* – A parametric questions’ repositories framework

Web page on CTAN <https://ctan.org/pkg/tikzquests>

name	tikzquests
caption	A parametric questions’ repositories framework
author	Frigeri, Alceu
copyright	Alceu Frigeri (2023-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	2.2a (2025-11-02)
last changes	2025-11-02
year	2025
description	(no language specified) This is a framework for building parametric questions’ repositories, which can be further used to construct parametric questions for exams. Unlike other packages of the kind this does not try to enforce any pre-defined presentation format, focusing only on how to set a repository of questions and use them.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/tikzquests/doc/tikzquests.pdf
– local file	./4862834013-tikzquests.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/tikzquests/README.md
contact	<i>bugs:</i> https://github.com/alceu-frigeri/tikzquests/issues
contact	<i>repository:</i> https://github.com/alceu-frigeri/tikzquests
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tikzquests
on MikTeX	tikzquests
on T _E XLive	tikzquests
keyword	keyval (key-value argument systems)
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	expl3 (expl3(unknown))
keyword	exam (exams, quizzes, etc.)
language(s)	no language specified

last access 2025-11-10

6178 *tikzscale* – Resize pictures while respecting text size

Web page on CTAN <https://ctan.org/pkg/tikzscale>

name	tikzscale
caption	Resize pictures while respecting text size
author	Häcker, Patrick
copyright	Patrick Häcker (2012)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2.6
description	(no language specified) The package extends the <code>\includegraphics</code> command to support tikzpictures. It allows scaling of TikZ images and PGFPlots to a given width or height without changing the text size.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikzscale/tikzscale.pdf
– local file	./8191734126-tikzscale.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikzscale/README
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikzscale
installation	https://ctan.org/tex-archive/install/graphics/pgf/contrib/tikzscale.tds.zip
on MikTeX	tikzscale
on TeXLive	tikzscale
keyword	graphics-supp (support for other packages or for drivers)
language(s)	no language specified
year	2012
last access	2025-02-07

6179 *tikzsymbols* – Some symbols created using TikZ

Web page on CTAN <https://ctan.org/pkg/tikzsymbols>

name	tikzsymbols
caption	Some symbols created using TikZ
author	Vitecek, Ben
copyright	Ben Vitecek (2013-2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	4.12a
description	(no language specified) The package provides various emoticons, cooking symbols and trees.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikzsymbols/tikzsymbols.pdf
– local file	./7829352098-tikzsymbols.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tikzsymbols/README.md
contact	<i>repository</i> : https://github.com/Vidabe/tikzsymbols
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikzsymbols
on MikTeX	tikzsymbols
on T _E XLive	tikzsymbols
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	graphics-symb (create symbols, rather than select from a font)
language(s)	no language specified
year	2021
last access	2025-02-07

6180 `tikztosvg` – A utility for rendering TikZ diagrams to SVG

Web page on CTAN <https://ctan.org/pkg/tikztosvg>

name	<code>tikztosvg</code>
caption	A utility for rendering TikZ diagrams to SVG
author	pablo
copyright	Pablo (2021)
license	gpl3 = GNU General Public License, version 3 (free)
version	0.3.0
description	(no language specified) This package provides a shell script that calls XeTeX and pdf2svg to convert TikZ environments to SVG files.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/tikztosvg/README.md
documentation	(no language specified) <i>Manual page (PDF)</i> : https://ctan.org/tex-archive/support/tikztosvg/tikztosvg.pdf
– local file	<code>./6334681796-tikztosvg.pdf</code>
home page	https://git.sr.ht/~pablo-pie/tikztosvg
contact	<i>support</i> : https://todo.sr.ht/~pablo-pie/tikztosvg
contact	<i>announce</i> : https://lists.sr.ht/~pablo-pie/tikztosvg
contact	<i>bugs</i> : https://lists.sr.ht/~pablo-pie/tikztosvg
contact	<i>repository</i> : https://git.sr.ht/~pablo-pie/tikztosvg
contact	<i>development</i> : https://lists.sr.ht/~pablo-pie/tikztosvg
on CTAN	https://ctan.org/tex-archive/support/tikztosvg
on MikTeX	<code>tikztosvg</code>
on TeXLive	<code>tikztosvg</code>
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>graphics</code> (<code>graphics</code> (support packages))
keyword	<code>cvt-other</code> (convert TeX-ish sources to some other markup (than HTML))
language(s)	no language specified
year	2021
last access	2025-02-07

6181 *tikzviolinplots* – Draws violin plots from data

Web page on CTAN <https://ctan.org/pkg/tikzviolinplots>

name	tikzviolinplots
caption	Draws violin plots from data
author	Callil-Soares, Pedro
copyright	Pedro Callil-Soares (2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.7.2
description	(no language specified) This package enables the user to draw violin plots, calculating the kernel density estimation from the data and plotting the resulting curve inside a <code>tikzpicture</code> environment. It supports different kernels, and allows the user to either set the bandwidth value for each plot or use a default value.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/graphics/pgf/contrib/tikzviolinplots/tikzviolinplots.pdf
– local file	./3775854105-tikzviolinplots.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/graphics/pgf/contrib/tikzviolinplots/README.md
contact	<i>repository</i> : https://github.com/pedro-callil/tikzviolinplots
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tikzviolinplots
on MikTeX	tikzviolinplots
on TeXLive	tikzviolinplots
keyword	graphics-plot (plot data)
keyword	statistics (typeset reports, diagrams, etc., of statistics)
keyword	graphics (graphics (support packages))
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
year	2023
last access	2025-02-07

6182 *tile-graphic* – Create tiles of a graphical file

Web page on CTAN <https://ctan.org/pkg/tile-graphic>

name	tile-graphic
caption	Create tiles of a graphical file
author	Story, Donald P.
copyright	D. P. Story (2020)
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	(2020-05-27)
last changes	2020-05-27
year	2020
description	(no language specified) This package breaks a given graphical file into n rows and m columns of subgraphics, which are called tiles. The tiles can be written separately to individual PDF files, or packaged into a single PDF file.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/tile-graphic/docs/tile-graphic.pdf
– local file	./3806914508-tile-graphic.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/tile-graphic/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tile-graphic
on MikTeX	tile-graphic
on TeXLive	tile-graphic
keyword	graphics-subpic (generate parts of pictures)
language(s)	no language specified
last access	2025-02-07

6183 *tilings* – A TikZ library for drawing tiles and tilings

Web page on CTAN <https://ctan.org/pkg/tilings>

name	<code>tilings</code>
caption	A TikZ library for drawing tiles and tilings
author	Stacey, Andrew
copyright	Andrew Stacey (2014-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.0
description	(no language specified) This package provides a TikZ library for working with tiles, tilings, and tessellations. Using it, one can define tiles, place tiles, deform tiles, and — in some cases — apply replacement rules to generate tessellations. It has pre-defined tiles for most of the Penrose tile sets and the aperiodical polykite tiles. This is a replacement for the penrose package, renamed as it now deals with more extensive tiles than just the Penrose tile sets.
documentation	(no language specified) <i>Code documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tilings/tilings_code.pdf
– local file	<code>./9509423295-tilings_code.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tilings/README
documentation	(no language specified) <i>User documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tilings/tilings.pdf
– local file	<code>./3574893710-tilings.pdf</code>
contact	<i>bugs:</i> https://github.com/loopspace/tilings/issues
contact	<i>repository:</i> https://github.com/loopspace/tilings
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tilings
on MikTeX	<code>tilings</code>
on T _E XLive	<code>tilings</code>
keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
language(s)	no language specified

year 2023
last access 2025-02-07

6184 *timbreicmc* – Typeset documents with ICMC/USP watermarks

Web page on CTAN <https://ctan.org/pkg/timbreicmc>

name *timbreicmc*
caption Typeset documents with ICMC/USP watermarks
author Frasson, Miguel Vinícius Santini
copyright Miguel V. S. Frasson (2017-2019)
license lpl1.3c = The LaTeX Project Public License 1.3c (free)
version 2.0
description (no language specified) With this package you can typeset documents with ICMC/USP São Carlos watermarks.

ICMC is acronym for "Instituto de Ciências Matemáticas e de Computação" of the "Universidade de São Paulo" (USP), in the city of São Carlos-SP, Brazil.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/timbreicmc/README.md>
documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/timbreicmc/timbreicmc.pdf>
– local file ./4553004787-timbreicmc.pdf
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/timbreicmc>
on MikTeX *timbreicmc*
on T_EXLive *timbreicmc*
keyword watermark (separate printing, under (or over) the page as a whole)
see also see section 6667 on page 6020: (watermark – Draw “watermarks” on the output page)
language(s) no language specified
year 2019
last access 2025-02-07

6185 *time* – Defines a macro `\now` to print the current time

Web page on CTAN <https://ctan.org/pkg/time>

name	<code>time</code>
caption	Defines a macro <code>\now</code> to print the current time
author	Fairbairns, Robin
author	Piff, Mike
author	Carlisle, David
copyright	Mike Piff (1995)
license	pd = Public Domain Software (free)
version	1.0a
description	(no language specified) Defines a macro <code>\now</code> to print the current time, in a 12-hour clock format. The package is part of the piff bundle.
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/piff/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/piff/time-doc.pdf
– local file	<code>./4346146952-time-doc.pdf</code>
contact	<i>support</i> : https://github.com/rf-latex/piff/issues
contact	<i>repository</i> : https://github.com/rf-latex/piff
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/piff/time.sty
on MikTeX	<code>piff</code>
on TeXLive	<code>piff</code>
keyword	<code>date-time</code> (manipulate dates and/or times)
language(s)	no language specified
year	1995
last access	2025-02-07

6186 *time-gen* – Print the time (12-hour clock)

Web page on CTAN <https://ctan.org/pkg/time-gen>

name	time-gen
caption	Print the time (12-hour clock)
author	Sen, Sunando
license	noinfo = noinfo
version	(1992-01-06)
last changes	1992-01-06
year	1992
description	(no language specified) A generic version of the functionality; uses registers without allocating them — a sin of which the LaTeX-based time.sty is not guilty.
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/time.sty
on MikTeX	genmisc
keyword	date-time (manipulate dates and/or times)
see also	see section 1541 on page 1400 : (daytime – Print time of day)
language(s)	no language specified
last access	2025-02-07

6187 *timechart* – A package for drawing chronological charts

Web page on CTAN <https://ctan.org/pkg/timechart>

name	timechart
caption	A package for drawing chronological charts
author	Cain, Alan J.
copyright	Alan J. Cain (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.56.1 (2025-10-17)
last changes	2025-10-17
year	2025

description	(no language specified) This package provides for the easy creation of chronological charts which show visually the relative historical positions of people and events. Each event or period can be specified by a single line of LaTeX code comprising (possibly uncertain) start and finish dates and a label, and the package takes care of indicating the uncertainties and whether intervals extend beyond the specified bounds of the chart.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/timechart/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/timechart/timechart-doc.pdf
– local file	./9179301024-timechart-doc.pdf
contact	<i>bugs</i> : https://codeberg.org/ajcain/timechart/issues
contact	<i>repository</i> : https://codeberg.org/ajcain/timechart
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/timechart
on MikTeX	timechart
on TeXLive	timechart
keyword	diagram-tmg (timing diagrams)
keyword	expl3 (expl3(unknown))
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	genchart (drawing bar- or pie-charts)
language(s)	no language specified
last access	2025-10-27

6188 *timeline* – Typeset time-lines, for planning, etc

Web page on CTAN	https://ctan.org/pkg/timeline
name	timeline
caption	Typeset time-lines, for planning, etc
license	noinfo = noinfo
version	(1991-08-09)
last changes	1991-08-09
year	1991

description	(no language specified) Defines a <code>timeline</code> environment, in which one places a bunch of <code>\item s</code> . A small sample of use is provided.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/timeline
keyword	calendar (typeset calendars, diaries, planning charts, etc.)
language(s)	no language specified
last access	2025-02-07

6189 *timeop* – Calculates and displays arithmetic operations with durations

Web page on CTAN <https://ctan.org/pkg/timeop>

name	<code>timeop</code>
caption	Calculates and displays arithmetic operations with durations
author	Pierquet, Cédric
copyright	Cédric Pierquet (2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.1 (2025-05-05)
last changes	2025-05-05
year	2025
description	(no language specified) This package can be used to add and subtract time information.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/timeop/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/timeop/doc/timeop-doc.pdf
– local file	<code>./5431889192-timeop-doc.pdf</code>
contact	<i>repository</i> : https://forge.apps.education.fr/pierquetcedric/packages-latex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/timeop
on MikTeX	<code>timeop</code>
on T _E XLive	<code>timeop</code>
keyword	date-time (manipulate dates and/or times)
keyword	arithmetic (perform and typeset arithmetic problems)

language(s) no language specified
last access 2025-05-27

6190 *times* – Select Adobe Times Roman (or equivalent) as default font

Web page on CTAN <https://ctan.org/pkg/times>

p name times
caption Select Adobe Times Roman (or equivalent) as default font
author Rahtz, Sebastian
license lppl = The LaTeX Project Public License (free)
description (no language specified) The package is now obsolete, replaced by the [mathptmx](#) package, which supports Times Roman text and (mostly) matching mathematics.

The package remains available, for compatibility; both it and mathptmx are part of [psnfss](#) .

The font itself is part of Adobe’s ”basic” set, and is typically only available to users as part of their printer firmware.

on MikTeX psnfss
on TeXLive psnfss
keyword obsolete (package declared obsolete)
keyword font-suppl (metrics, macro incantations and other font support)
keyword font-absent (support is for a font not available on CTAN)
see also see section [4237](#) on page [3836](#): (newtx – Alternative uses of the TX fonts, with improved metrics)

see also see section [6374](#) on page [5760](#): (txfonts – Times-like fonts in support of mathematics)

language(s) no language specified
year without year
last access 2025-02-07

6191 *timetab* – Typeset timetables

Web page on CTAN <https://ctan.org/pkg/timetab>

name	<code>timetab</code>
caption	Typeset timetables
author	Oetiker, Tobias
license	noinfo = noinfo
version	0.1
description	(no language specified) Defines an environment <code>timetab</code> that prints a table, in the way one might when doing the job by hand. (The basic entry is <code>\Lek</code> , from German Lektur.)
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/timetab.sty
keyword	timetable (schedules of operations, courses, etc.)
see also	see section 904 on page 826: (<code>calendar</code> – A package for calendars and timetables)
language(s)	no language specified
year	without year
last access	2025-02-09

6192 *timetable* – Generate timetables

Web page on CTAN <https://ctan.org/pkg/timetable>

name	<code>timetable</code>
caption	Generate timetables
author	Verunek, Jiří
license	lppl = The LaTeX Project Public License (free)
version	(2001-11-04)
last changes	2001-11-04
year	2001
description	(no language specified) A highly-configurable package, with nice output and simple input. The macros use a radix sort mechanism so that the order of input is not critical.

on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/timetable
on MikTeX	timetable
on T _E XLive	timetable
keyword	timetable (schedules of operations, courses, etc.)
language(s)	no language specified
last access	2025-02-07

6193 *timing* – Fonts and macro package for drawing timing diagrams

Web page on CTAN <https://ctan.org/pkg/timing>

name	timing
caption	Fonts and macro package for drawing timing diagrams
author	May, Ludwig
author	Leilich, Jens
license	noinfo = noinfo
version	(1991-12-10)
last changes	1991-12-10
year	1991
description	(no language specified) The fonts are distributed as Metafont source.
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/timing/timing.pdf
– local file	./3838835051-timing.pdf
documentation	(German) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/timing/read.me
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/timing
on MikTeX	timing
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
keyword	diagram-tmg (timing diagrams)
language(s)	German
last access	2025-02-07

6194 timing-diagrams – Draw timing diagrams

Web page on CTAN <https://ctan.org/pkg/timing-diagrams>

name	timing-diagrams
caption	Draw timing diagrams
author	Moy, Matthieu
copyright	Matthieu Moy (2013)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2013-08-21)
last changes	2013-08-21
year	2013
description	(no language specified) The package provides commands to draw and annotate various kinds of timing diagrams, using Tikz . Documentation is sparse, but the source and the examples file should be of some use.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/timing-diagrams/README
documentation	(no language specified) <i>Examples of use</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/timing-diagrams/diagrams-examples.pdf
– local file	./6994953786-diagrams-examples.pdf
contact	<i>repository</i> : https://gitlab.com/tikz-goodies/tikz-goodies
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/timing-diagrams
on MikTeX	timing-diagrams
on TeXLive	timing-diagrams
keyword	diagram-tmg (timing diagrams)
see also	see section 6193 on page 5603 : (timing – Fonts and macro package for drawing timing diagrams)
see also	see section 6151 on page 5562 : (tikz-timing – Easy generation of timing diagrams as TikZ pictures)
language(s)	no language specified
last access	2025-02-07

6195 *tin*os – Tinos fonts with LaTeX support

Web page on CTAN <https://ctan.org/pkg/tinos>

name	<code>tin</code> os
caption	Tinos fonts with LaTeX support
author	Tennent, Bob
author	Matteson, Steve
license	lppl = The LaTeX Project Public License (free)
license	apache2 = Apache License, version 2.0 (free)
version	(2022-09-24)
last changes	2022-09-24
year	2022
description	(no language specified) Tinos, designed by Steve Matteson, is an innovative, refreshing serif design that is metrically compatible with Times New Roman.
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/tinos/doc/tinos-samples.pdf
– local file	<code>./2596780003-tinos-samples.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/tinos/README
on CTAN	https://ctan.org/tex-archive/fonts/tinos
installation	https://ctan.org/tex-archive/install/fonts/tinos.tds.zip
on MikTeX	<code>tin</code> os
on T _E XLive	<code>tin</code> os
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-t1enc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-virtual</code> (virtual font(s) using existing fonts)

see also	see section 258 on page 238: (<i>arimo</i> – Arimo sans serif fonts with LaTeX support)
language(s)	no language specified
last access	2025-02-07

6196 *tinyc2l* – Pretty print C/C++/Java source code using LaTeX

Web page on CTAN <https://ctan.org/pkg/tinyc2l>

name	<i>tinyc2l</i>
caption	Pretty print C/C++/Java source code using LaTeX
author	Plugge, Michael
license	gpl = GNU General Public License (free)
version	1.4.0
description	(no language specified) <i>Tiny_c2l</i> is a small converter for pretty printing C/C++/Java source code using LaTeX. The converter has a large range of features, and is generated from the author's converter generator code (the distribution also includes a converter that recognises no language features, and merely performs the text positioning part of the job that <i>tiny_c2l</i> does).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/tiny_c2l/README
on CTAN	https://ctan.org/tex-archive/support/tiny_c2l
keyword	<i>listing</i> (computer code listing)
language(s)	no language specified
year	without year
last access	2025-02-07

6197 *tipa* – Fonts and macros for IPA phonetics characters

Web page on CTAN <https://ctan.org/pkg/tipa>

name	<i>tipa</i>
caption	Fonts and macros for IPA phonetics characters
author	Rei, Fukui
copyright	Fukui Rei (2002)
license	lpl = The LaTeX Project Public License (free)

version	1.3
description	(no language specified) These fonts are considered the ‘ultimate answer’ to IPA typesetting. The encoding of these 8-bit fonts has been registered as LaTeX standard encoding T3, and the set of addendum symbols as encoding TS3. ‘Times-like’ Adobe Type 1 versions are provided for both the T3 and the TS3 fonts.
documentation	<i>Package manual (English)</i> : https://ctan.org/tex-archive/fonts/tipa/tipa/doc/tipaman.pdf
– local file	<code>./1789384376-tipaman.pdf</code>
documentation	<i>Package manual (German translation)</i> : https://ctan.org/tex-archive/info/translations/tipa/de/tipaman-de.pdf
– local file	<code>./5149050153-tipaman-de.pdf</code>
documentation	(no language specified) <i>Discussion of the design of the fonts</i> : https://ctan.org/tex-archive/fonts/tipa/tipaface.pdf
– local file	<code>./5239720541-tipaface.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/tipa/00README
on CTAN	https://ctan.org/tex-archive/fonts/tipa/tipa
on MikTeX	<code>tipa</code>
on T _E XLive	<code>tipa</code>
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>font-specialist</code> (fonts with specific small application areas)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font</code> (fonts themselves)
keyword	<code>phonetic</code> (support for phonetic notation)
see also	see section 6735 on page 6075: (<code>wsuipa2tipa</code> – Translate <code>wsuipa</code> font commands into <code>tipa</code> font commands)
language(s)	German; English
year	2002
last access	2025-02-07

6198 *tipa-de* – German translation of *tipa* documentationWeb page on CTAN <https://ctan.org/pkg/tipa-de>

name	<code>tipa-de</code>
caption	German translation of <i>tipa</i> documentation
author	Leistner, Carolin
license	lppl = The LaTeX Project Public License (free)
version	1.3
description	(no language specified) This is a translation of Fukui Rei's <code>tipaman</code> from the <i>tipa</i> bundle.
documentation	(German) <i>The document itself</i> : https://ctan.org/tex-archive/info/translations/tipa/de/tipaman-de.pdf
– local file	<code>./5149050153-tipaman-de.pdf</code>
documentation	(German) <i>Readme</i> : https://ctan.org/tex-archive/info/translations/tipa/de/LIESMICH
on CTAN	https://ctan.org/tex-archive/info/translations/tipa/de
on T _E XLive	<code>tipa-de</code>
keyword	translation (translation of material from the archive, to another language)
keyword	german-doc (documentation in German)
keyword	font-doc (documentation about choosing installing and using fonts)
language(s)	German
year	without year
last access	2025-02-07

6199 *tipauni* – Producing Unicode characters with TIPA commandsWeb page on CTAN <https://ctan.org/pkg/tipauni>

name	<code>tipauni</code>
caption	Producing Unicode characters with TIPA commands
author	निरंजन
copyright	निरंजन (2021-2023)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
license	fdl = Free Documentation License (free)

version	0.7a (2023-02-13)
last changes	2023-02-13
year	2023
description	(no language specified) Package TIPA uses the T3 encoding for producing IPA characters. The package is widely used in the field of linguistics, but because of the old encoding, the output documents are less productive than Unicode-based documents. This package redefines most of the TIPA -commands for outputting Unicode characters. Users can now use their beloved TIPA shortcuts with the benefits of Unicode, i.e. searchability, copy-pasting, changing the font and many more. As this package needs the fontspec package for loading an IPA font, it needs to be compiled with XeLaTeX or LuaLaTeX. This package can also be viewed as an ASCII-based input method for producing IPA characters in Unicode. It needs the New Computer Modern font for printing IPA characters.
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/unicodetex/latex/tipauni/tipauni-example.pdf
– local file	<code>./8004731511-tipauni-example.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/unicodetex/latex/tipauni/README.txt
documentation	(no language specified) <i>Sample file:</i> https://ctan.org/tex-archive/macros/unicodetex/latex/tipauni/tipauni-commands.pdf
– local file	<code>./7929893208-tipauni-commands.pdf</code>
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/unicodetex/latex/tipauni/tipauni.pdf
– local file	<code>./7059882440-tipauni.pdf</code>
home page	https://puszcza.gnu.org.ua/projects/tipauni
contact	<i>support:</i> mailto:tipauni-help@gnu.org.ua
contact	<i>bugs:</i> https://puszcza.gnu.org.ua/bugs/?group=tipauni
contact	<i>repository:</i> https://git.gnu.org.ua/tipauni.git
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/tipauni
on MikTeX	<code>tipauni</code>
on TeXLive	<code>tipauni</code>
keyword	linguistic (support for linguistics)

6200 *tipfr* – Produces calculator’s keys with the help of TikZ

keyword	unicode (Unicode, material supporting it, and packages requiring it)
keyword	phonetic (support for phonetic notation)
language(s)	no language specified
last access	2025-02-07

6200 *tipfr* – Produces calculator’s keys with the help of TikZ

Web page on CTAN <https://ctan.org/pkg/tipfr>

name	<i>tipfr</i>
caption	Produces calculator’s keys with the help of TikZ
author	De Sousa, Philippe
license	lppl = The LaTeX Project Public License (free)
version	1.5 (2015-01-05)
last changes	2015-01-05
year	2015
description	(no language specified) The package provides commands to draw calculator keys with the help of TikZ. It also provides commands to draw the content of screens and of menu items.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tipfr/README
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tipfr/doc/tipfr-doc.pdf
– local file	<code>./8020892766-tipfr-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tipfr
on MikTeX	<i>tipfr</i>
on T _E XLive	<i>tipfr</i>
keyword	<i>pgf-tikz</i> (package uses PGF-TikZ)
language(s)	French
last access	2025-02-07

6201 *tipos* – Description of fonts for TeX, in Spanish

Web page on CTAN <https://ctan.org/pkg/tipos>

name	<code>tipos</code>
caption	Description of fonts for TeX, in Spanish
author	Bezos López, Javier
license	nosource = No Source Available (not free)
description	(no language specified) The document <code>tipos.pdf</code> describes (in Spanish) the large amount of types of files for fonts (‘tipo’ means ‘font’ in Spanish). <code>Tipos.pdf</code> has been translated to German by Thomas Ruedas.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/info/spanish/tipos/00readme
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/obsolete/info/spanish/tipos/tipos.pdf
– local file	<code>./4762750306-tipos.pdf</code>
on CTAN	https://ctan.org/tex-archive/obsolete/info/spanish/tipos
keyword	<code>spanish-doc</code> (documentation in Spanish)
keyword	<code>obsolete</code> (package declared obsolete)
language(s)	no language specified
year	without year
last access	2025-02-07

6202 *tiscreen* – Mimic the screen of older Texas Instruments calculators

Web page on CTAN <https://ctan.org/pkg/tiscreen>

name	<code>tiscreen</code>
caption	Mimic the screen of older Texas Instruments calculators
author	Ibrahim, Mustafa
copyright	Mustafa Ibrahim (2021)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2021-12-31)
last changes	2021-12-31
year	2021

6203 *titlecaps* – Setting rich-text input into Titling Caps

description	(no language specified) This package mimics the screen of older Texas Instruments dot matrix display calculators, specifically the TI-82 STATS. It relies on the lcd and xcolor packages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tiscreen/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tiscreen/doc/tiscreen-doc.pdf
– local file	<code>./1310354809-tiscreen-doc.pdf</code>
contact	<i>bugs</i> : https://github.com/T3SQ8/tiscreen/issues
contact	<i>repository</i> : https://github.com/T3SQ8/tiscreen
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tiscreen
on MikTeX	tiscreen
on T _E XLive	tiscreen
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
keyword	graphics (graphics (support packages))
language(s)	no language specified
last access	2025-02-07

6203 *titlecaps* – Setting rich-text input into Titling Caps

Web page on CTAN	https://ctan.org/pkg/titlecaps
name	titlecaps
caption	Setting rich-text input into Titling Caps
author	Segletes, Steven B.
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3 (2022-04-12)
last changes	2022-04-12
year	2022

description	(no language specified) The package is intended for setting rich text into titling capitals (in which the first character of words are capitalized). It automatically accounts for diacritical marks (like umlauts), national symbols (like "ae"), punctuation, and font changing commands that alter the appearance or size of the text. It allows a list of predesignated words to be protected as lower-cased, and also allows for titling exceptions of various sorts.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/titlecaps/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/titlecaps/titlecaps.pdf
– local file	<code>./5449493595-titlecaps.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/titlecaps
on MikTeX	<code>titlecaps</code>
on TeXLive	<code>titlecaps</code>
keyword	<code>typesetting</code> (support for variations of typographic style)
language(s)	no language specified
last access	2025-02-07

6204 `titlefoot` – Add special material to footer of title page

Web page on CTAN <https://ctan.org/pkg/titlefoot>

name	<code>titlefoot</code>
caption	Add special material to footer of title page
author	Presnell, Brett
copyright	Brett Presnell (1999)
license	lppl = The LaTeX Project Public License (free)
version	(1999-03-02)
last changes	1999-03-02
year	1999
description	(no language specified) Provides the capability of adding keywords (with a <code>\keywords</code> command), a running title (<code>\runningtitle</code>), AMS subject classifications (<code>\amssubj</code>), and an ‘author’s footnote’ as footnotes to the title or first page of a document. Works with any class for which the <code>\thanks</code> macro works (e.g., <code>article</code>).

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/titlefoot
on MikTeX	titlefoot
on TeXLive	titlefoot
keyword	titlepage (typesetting title pages for documents)
keyword	page-hf (page head- and foot-lines)
language(s)	no language specified
last access	2025-02-07

6205 *titlepage-uni-dortmund* – Titlepage for University of Dortmund (Germany)

Web page on CTAN	https://ctan.org/pkg/titlepage-uni-dortmund
name	titlepage-uni-dortmund
caption	Titlepage for University of Dortmund (Germany)
author	Sebastiani, Gerd
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) This package introduces a titlepage layout to be used at the University of Dortmund (UDO). The implementation involves a usual LaTeX-document in addition to the general setup of the package. Please note that this is the first version of the UDO title, thus errors unknown to the developer may occur.
documentation	(no language specified) <i>Main documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/titlepage-uni-dortmund/UDOtitle-How2.pdf
– local file	./3773294965-UDOtitle-How2.pdf
documentation	(no language specified) <i>README file:</i> https://ctan.org/tex-archive/macros/latex/contrib/titlepage-uni-dortmund/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/titlepage-uni-dortmund
on MikTeX	titlepage-uni-dortmund
keyword	titlepage (typesetting title pages for documents)
language(s)	no language specified
year	without year
last access	2025-02-07

6206 *titlepages* – Sample titlepages, and how to code them

Web page on CTAN <https://ctan.org/pkg/titlepages>

name	titlepages
caption	Sample titlepages, and how to code them
author	Wilson, Peter R.
copyright	Peter R. Wilson (2007, 2009, 2010)
license	lppl = The LaTeX Project Public License (free)
version	(2010-07-14)
last changes	2010-07-14
year	2010
description	(no language specified) The document provides examples of over two dozen title page designs based on a range of published books and theses, together with the LaTeX code used to create them.
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/latex-samples/TitlePages/titlepages.pdf
– local file	./9567517441-titlepages.pdf
on CTAN	https://ctan.org/tex-archive/info/latex-samples/TitlePages
on T _E XLive	titlepages
keyword	titlepage (typesetting title pages for documents)
keyword	use-sample (sample of use of macro collections, etc.)
language(s)	no language specified
last access	2025-02-07

6207 *titlepic* – Add picture to title page of a document

Web page on CTAN <https://ctan.org/pkg/titlepic>

name	titlepic
caption	Add picture to title page of a document
author	ten Cate, Thomas
license	pd = Public Domain Software (free)
version	1.2

description	(no language specified) The package allows you to place a picture on the title page (cover page) of a LaTeX document. Example of usage: • <code>\usepackage[cc]{titlepic}</code> • <code>\usepackage{graphicx}</code> • <code>\titlepic{\includegraphics[width=\textwidth]{picture.png}}</code> The package currently only works with the document classes article, report and book.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/titlepic/titlepic-manual.pdf
– local file	<code>./3224325499-titlepic-manual.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/titlepic/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/titlepic
on MikTeX	<code>titlepic</code>
on TeXLive	<code>titlepic</code>
keyword	<code>graphics-use</code> (graphics (typesetting actual pictures))
keyword	<code>titlepage</code> (typesetting title pages for documents)
language(s)	no language specified
year	without year
last access	2025-02-07

6208 *titleps* – Page style control

Web page on CTAN	https://ctan.org/pkg/titleps
name	<code>titleps</code>
caption	Page style control
author	Bezos López, Javier
copyright	Javier Bezos (1998-2025)
license	mit = MIT License (free)
version	2.17 (2026-01-04)

6209 `titleref` – A “`\titleref`” command to cross-reference section titles

last changes	2026-01-04
year	2026
description	(no language specified) The package provides page styles with a simple one-stage mechanism, including top marks; access to top-, first- and botmarks in a single header/footer; headers/footers for specific floats; multiple sets of marks (with e-TeX), and more. The package is part of the titlesec distribution.
documentation	(no language specified) <i>Titleps for fancyhdr users</i> : https://www.texnia.com/titleps_fancyhdr.html
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/titlesec/titleps.pdf
– local file	<code>./4958221825-titleps.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/titlesec/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/titlesec
on MikTeX	<code>titlesec</code>
on T _E XLive	<code>titlesec</code>
keyword	<code>page-hf</code> (page head- and foot-lines)
see also	see section 2121 on page 1920 : (<code>fancyhdr</code> – Extensive control of page headers and footers in LaTeX2e)
language(s)	no language specified
last access	2025-02-07

6209 `titleref` – A “`\titleref`” command to cross-reference section titles

Web page on CTAN <https://ctan.org/pkg/titleref>

name	<code>titleref</code>
caption	A “ <code>\titleref</code> ” command to cross-reference section titles
author	Arseneau, Donald
license	pd = Public Domain Software (free)
version	3.1

6210 *titles* – Titles of books, articles, etc. in LaTeX

description	(no language specified) Defines a command <code>\titleref</code> that allows you to cross-reference section (and chapter, etc) titles and captions just like <code>\ref</code> and <code>\pageref</code> . The package does not interwork with hyperref ; if you need hypertext capabilities, use nameref instead.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/titleref/titleref.pdf
– local file	<code>./9511902346-titleref.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/titleref
on MikTeX	<code>titleref</code>
on TeXLive	<code>titleref</code>
keyword	<code>label-ref</code> (label and reference systems)
see also	see section 4172 on page 3775 : (<code>nameref</code> – Make reference to section names, etc)
language(s)	no language specified
year	without year
last access	2025-02-07

6210 *titles* – Titles of books, articles, etc. in LaTeX

Web page on CTAN <https://ctan.org/pkg/titles>

name	<code>titles</code>
caption	Titles of books, articles, etc. in LaTeX
author	Swift, Matt
license	gpl = GNU General Public License (free)
version	1.2
description	(no language specified) A LaTeX package defining macros that typeset the titles of books, journals, etc. and handle following spacing and punctuation intelligently, based on context. Useful for bibliographic databases and any document. Also includes other markup like <code>\word</code> , <code>\defn</code> , <code>\phrase</code> , etc.
documentation	(no language specified) <i>Bundle README</i> : https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/frankenstein/titles.pdf
– local file	<code>./6973259765-titles.pdf</code>

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/frankenstein
on MikTeX	frankenstein
on TeXLive	frankenstein
keyword	typesetting (support for variations of typographic style)
language(s)	no language specified
year	without year
last access	2025-02-11

6211 *titlesec* – Select alternative section titles

Web page on CTAN	https://ctan.org/pkg/titlesec
name	titlesec
caption	Select alternative section titles
author	Bezos López, Javier
copyright	Javier Bezos (1998-2025)
license	mit = MIT License (free)
version	2.17 (2025-01-04)
last changes	2025-01-04
year	2025
description	(no language specified) A package providing an interface to sectioning commands for selection from various title styles. E.g., marginal titles and to change the font of all headings with a single command, also providing simple one-step page styles. Also includes a package to change the page styles when there are floats in a page. You may assign headers/footers to individual floats, too.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/titlesec/titlesec.pdf
– local file	./3655974577-titlesec.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/titlesec/README.md
contact	<i>bugs</i> : https://github.com/jbezostitlesec/issues
contact	<i>repository</i> : https://github.com/jbezostitlesec
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/titlesec

on MikTeX	<code>titlesec</code>
on TeXLive	<code>titlesec</code>
keyword	<code>page-hf</code> (page head- and foot-lines)
keyword	<code>headings</code> (chapter, section, etc., heading styles)
see also	see section 6208 on page 5616: (<code>titleps</code> – Page style control)
see also	see section 6212 on page 5620: (<code>titletoc</code> – Alternative headings for <code>toc/lof/lot</code>)
see also	see section 5391 on page 4882: (<code>sectsty</code> – Control sectional headers)
see also	see section 2121 on page 1920: (<code>fancyhdr</code> – Extensive control of page headers and footers in LaTeX2e)
see also	see section 6252 on page 5654: (<code>tocloft</code> – Control table of contents, figures, etc)
language(s)	no language specified
last access	2025-02-07

6212 `titletoc` – Alternative headings for `toc/lof/lot`

Web page on CTAN <https://ctan.org/pkg/titletoc>

name	<code>titletoc</code>
caption	Alternative headings for <code>toc/lof/lot</code>
author	Bezos López, Javier
copyright	Javier Bezos (1998-2025)
license	mit = MIT License (free)
version	2.17 (2025-01-04)
last changes	2025-01-04
year	2025
description	(no language specified) A companion for <code>titlesec</code> handling <code>toc/lof/lot</code> entries.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/titlesec/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/titlesec/titlesec.pdf
– local file	<code>./3655974577-titlesec.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/titlesec

6213 *titling* – Control over the typesetting of the `\maketitle` command

on MikTeX	titlesec
on T _E XLive	titlesec
keyword	toc-etc (deal with Tables of Contents, and of other such things)
see also	see section 6211 on page 5619: (titlesec – Select alternative section titles)
language(s)	no language specified
last access	2025-02-07

6213 **titling** – Control over the typesetting of the `\maketitle` command

Web page on CTAN <https://ctan.org/pkg/titling>

name	titling
caption	Control over the typesetting of the <code>\maketitle</code> command
author	Wilson, Peter R.
author	Robertson, Will
copyright	Peter R. Wilson (2000-2004)
license	lppl = The LaTeX Project Public License (free)
version	2.1d
description	(no language specified) The titling package provides control over the typesetting of the <code>\maketitle</code> command and <code>\thanks</code> commands, and makes the <code>\title</code> , <code>\author</code> and <code>\date</code> information permanently available. Multiple titles are allowed in a single document. New titling elements can be added and a titlepage title can be centered on a physical page.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/titling/titling.pdf
– local file	./3815532035-titling.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/titling/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/titling
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/titling.tds.zip
on MikTeX	titling
on T _E XLive	titling
keyword	titlepage (typesetting title pages for documents)

language(s)	no language specified
year	2004
last access	2025-02-07

6214 *tkbibtex* – A portable editor and browser for BibTeX files

Web page on CTAN <https://ctan.org/pkg/tkbibtex>

name	tkbibtex
caption	A portable editor and browser for BibTeX files
author	Corke, Peter
license	gpl = GNU General Public License (free)
version	(2008-07-08)
last changes	2008-07-08
year	2008
description	(no language specified) Supports browsing, editing, searching, and annotations, in both GUI and command-line usage. For command-line usage, the author's more recent pybib package is preferable.
home page	https://github.com/petercorke/tkbibtex
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/tkbibtex
keyword	bibtex-util (utilities for managing BibTeX files)
language(s)	no language specified
last access	2025-02-07

6215 *tkdvi* – DVI previewer built with the Tcl/Tk toolkit

Web page on CTAN <https://ctan.org/pkg/tkdvi>

name	tkdvi
caption	DVI previewer built with the Tcl/Tk toolkit
author	Lingnau, Anselm
license	other-free = Free license not otherwise listed (free)
version	0.4

description	(no language specified) The previewer is built around a Tk extension <code>dvi</code> , and supports multiple windows displaying multiple pages from multiple DVI files simultaneously.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/dviware/tkdvi/README
on CTAN	https://ctan.org/tex-archive/obsolete/dviware/tkdvi
keyword	<code>dvi-prev</code> (preview DVI files)
see also	see section 6759 on page 6098: (<code>xdvi</code> – A DVI previewer for the X Window System)
language(s)	no language specified
year	without year
last access	2025-02-07

6216 *tkhyph* – Hyphenation patterns for Turkish

Web page on CTAN	https://ctan.org/pkg/tkhyph
name	<code>tkhyph</code>
caption	Hyphenation patterns for Turkish
author	MacKay, Pierre A.
license	other-free = Free license not otherwise listed (free)
version	(2011-02-22)
last changes	2011-02-22
year	2011
description	(no language specified) These patterns were developed for the Ottoman Texts Project. Note that hyphenation for modern Turkish texts is supported by the hyph-utf8 bundle.
on CTAN	https://ctan.org/tex-archive/language/hyphenation/tkhyph.tex
on T _E XLive	<code>hyphen-turkish</code>
keyword	<code>hyphenation</code> (macros or tables for hyphenation)
keyword	<code>turkish</code> (documentation in, and support for typesetting Turkish)
language(s)	no language specified
last access	2025-02-07

6217 *tktexcad* – Generate LaTeX picture environments

Web page on CTAN <https://ctan.org/pkg/tktexcad>

name	tktexcad
caption	Generate LaTeX picture environments
author	Straube, Hilmar
copyright	Hilmar Straube (2001)
license	gpl = GNU General Public License (free)
description	(no language specified) Tktexcad is at base a Python script, which uses the Tkinter extension. The script knows about the limitations of the picture environment, and only uses picture commands (apart from loading external graphics using graphicx). There is provision for saving and reloading pictures and picture parts, but the only available export is LaTeX code.
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/graphics/tktexcad/doc/tkTeXCADen.txt
documentation	<i>Package documentation (German)</i> : https://ctan.org/tex-archive/graphics/tktexcad/doc/tkTeXCAD.txt
on CTAN	https://ctan.org/tex-archive/graphics/tktexcad
keyword	graphics-prep (prepare graphics for use with *TeX)
see also	see section 5958 on page 5393 : (<i>texcad32</i> – Win32 drawing package for mathematical diagrams)
see also	see section 6854 on page 6186 : (<i>xtexcad</i> – Simple drawing program for LaTeX use)
language(s)	German
year	2001
last access	2025-02-07

6218 *tkz-base* – Tools for drawing with a cartesian coordinate system

Web page on CTAN <https://ctan.org/pkg/tkz-base>

name	tkz-base
caption	Tools for drawing with a cartesian coordinate system
author	Matthes, Alain
copyright	Alain Matthes (2024)

license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	4.21c
description	(no language specified) The bundle is a set of packages, designed to give mathematics teachers (and students) easy access to programming of drawings with TikZ .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tkz/tkz-base/README.md
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tkz/tkz-base/doc/tkz-base.pdf
– local file	./7274956648-tkz-base.pdf
home page	http://altermundus.fr
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tkz/tkz-base
on MikTeX	tkz-base
on TeXLive	tkz-base
keyword	pgf-tikz (package uses PGF-TikZ)
see also	see section 4602 on page 4165: (pgf – Create PostScript and PDF graphics in TeX)
language(s)	French
year	2024
last access	2025-02-07

6219 tkz-berge – Macros for drawing graphs of graph theory

Web page on CTAN	https://ctan.org/pkg/tkz-berge
name	tkz-berge
caption	Macros for drawing graphs of graph theory
author	Matthes, Alain
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.0
description	(no language specified) The package provides a collection of useful macros for drawing classic graphs of graph theory, or to make other graphs. This package has been taken temporarily out of circulation to give the author time to investigate some problems.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tkz/tkz-berge/doc/tkz-berge-screen.pdf
– local file	<code>./8809644445-tkz-berge-screen.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tkz/tkz-berge/README.md
home page	http://altermundus.fr
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tkz/tkz-berge
on MikTeX	<code>tkz-berge</code>
on T _E XLive	<code>tkz-berge</code>
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>maths</code> (support for typesetting mathematics)
see also	see section 6225 on page 5631: (<code>tkz-graph</code> – Draw graph-theory graphs)
language(s)	no language specified
year	without year
last access	2025-02-07

6220 `tkz-bernoulli` – Draw Bernoulli trees with TikZ

Web page on CTAN	https://ctan.org/pkg/tkz-bernoulli
name	<code>tkz-bernoulli</code>
caption	Draw Bernoulli trees with TikZ
author	Pierquet, Cédric
copyright	Cédric Pierquet (2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.3 (2023-11-05)
last changes	2023-11-05
year	2023
description	(no language specified) This is a package for representing Bernoulli trees with PGF/TikZ.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tkz-bernoulli/doc/tkz-bernoulli-doc.pdf

– local file	<code>./4972879825-tkz-bernoulli-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tkz-bernoulli/README.md
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tkz-bernoulli
on MikTeX	<code>tkz-bernoulli</code>
on T _E XLive	<code>tkz-bernoulli</code>
keyword	<code>tree</code> (mechanisms for drawing trees)
language(s)	no language specified
last access	2025-05-27

6221 *tkz-doc* – Documentation macros for the TKZ series of packages

Web page on CTAN	https://ctan.org/pkg/tkz-doc
name	<code>tkz-doc</code>
caption	Documentation macros for the TKZ series of packages
author	Matthes, Alain
copyright	Alain Matthes (2009-2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.45c
description	(no language specified) This bundle offers a documentation class (<code>tkz-doc</code>) and a package (<code>tkzexample</code>). These files are used in the documentation of the author’s packages tkz-base , tkz-euclide , tkz-fct , tkz-linknodes , and tkz-tab .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tkz-doc/README.md
home page	http://altermundus.fr
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tkz-doc
on MikTeX	<code>tkz-doc</code>
on T _E XLive	<code>tkz-doc</code>
keyword	<code>doc-suppl</code> (macros and tools for preparing documentation)
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>macro-demo</code> (print (La)TeX code verbatim alongside the rendered result)

language(s) no language specified
year 2022
last access 2025-02-07

6222 *tkz-elements* – A Lua library for drawing Euclidean geometry with TikZ or tkz-euclide

Web page on CTAN <https://ctan.org/pkg/tkz-elements>

name *tkz-elements*
caption A Lua library for drawing Euclidean geometry with TikZ or tkz-euclide
author Matthes, Alain
copyright Alain Matthes (2024-2025)
license lpl1.3 = The LaTeX Project Public License 1.3 (free)
version 3.10c
description (no language specified) This package provides a library written in Lua, allowing to make all the necessary calculations to define the objects of a Euclidean geometry figure. You need to compile with LuaLaTeX. The definitions and calculations are only done with Lua.
The main possibility of programming proposed is oriented "object programming" with object classes like point, line, triangle, circle and ellipse. For the moment, once the calculations are done, it is *tkz-euclide* or *TikZ* which allows the drawings.
documentation (no language specified) *Package documentation*:
<https://ctan.org/tex-archive/macros/latex/contrib/tkz/tkz-elements/doc/tkz-elements.pdf>
– local file ./1715735276-tkz-elements.pdf
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/tkz/tkz-elements/README.md>
home page <https://altermundus.fr>
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/tkz/tkz-elements>
on MikTeX *tkz-elements*
on T_EXLive *tkz-elements*
keyword calculation (perform calculations within TeX)
keyword luatex (LuaTeX and packages that require it)

keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	2025
last access	2025-02-07

6223 *tkz-euclide* – Tools for drawing Euclidean geometry

Web page on CTAN <https://ctan.org/pkg/tkz-euclide>

name	tkz-euclide
caption	Tools for drawing Euclidean geometry
author	Matthes, Alain
copyright	Alain Matthes (2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	5.10c
description	(no language specified) The tkz-euclide package is a set of files designed to give math teachers and students easy access to the programming of Euclidean geometry with TikZ .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tkz/tkz-euclide/doc/tkz-euclide.pdf
– local file	./4691979074-tkz-euclide.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tkz/tkz-euclide/README.md
home page	https://altermundus.fr
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tkz/tkz-euclide
on MikTeX	tkz-euclide
on T _E XLive	tkz-euclide
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	maths (support for typesetting mathematics)
keyword	graphics-use (graphics (typesetting actual pictures))
keyword	use-luatex (package will use LuaTeX facilities if available)
see also	see section 4898 on page 4431: (pst-eucl – Euclidean geometry with PSTricks)

see also	see section 2026 on page 1829: (eukleides – A geometry drawing system)
language(s)	no language specified
year	2024
last access	2025-02-07

6224 *tkz-fct* – Tools for drawing graphs of functions

Web page on CTAN <https://ctan.org/pkg/tkz-fct>

name	tkz-fct
caption	Tools for drawing graphs of functions
author	Matthes, Alain
copyright	Alain Matthes (2022)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.7c
description	(no language specified) The tkz-fct package is designed to give math teachers (and students) easy access to programming graphs of functions with TikZ and gnuplot .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tkz/tkz-fct/README.md
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tkz/tkz-fct/doc/tkz-fct.pdf
– local file	./1850167147-tkz-fct.pdf
home page	http://altermundus.fr
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tkz/tkz-fct
on MikTeX	tkz-fct
on TeXLive	tkz-fct
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	graphics-plot (plot data)
keyword	graphics (graphics (support packages))
see also	see section 4602 on page 4165: (pgf – Create PostScript and PDF graphics in TeX)
language(s)	French
year	2022

last access 2025-02-07

6225 *tkz-graph* – Draw graph-theory graphs

Web page on CTAN <https://ctan.org/pkg/tkz-graph>

name	tkz-graph
caption	Draw graph-theory graphs
author	Matthes, Alain
copyright	Alain Matthes (2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.0 (2021-01-20)
last changes	2021-01-20
year	2021
description	(no language specified) The package is designed to create graph diagrams as simply as possible, using TikZ .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/tkz/tkz-graph/doc/tkz-graph-screen.pdf
– local file	./8037137236-tkz-graph-screen.pdf
documentation	<i>Readme (French):</i> https://ctan.org/tex-archive/macros/latex/contrib/tkz/tkz-graph/README.md
home page	http://altermundus.fr
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tkz/tkz-graph
on MikTeX	tkz-graph
on T _E XLive	tkz-graph
keyword	maths (support for typesetting mathematics)
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	graphics (graphics (support packages))
see also	see section 6219 on page 5625: (tkz-berge – Macros for drawing graphs of graph theory)
language(s)	French
last access	2025-02-07

6226 tkz-grapheur – A LaTeX package with tools for graph plotting (and TikZ)

Web page on CTAN <https://ctan.org/pkg/tkz-grapheur>

name	tkz-grapheur
caption	A LaTeX package with tools for graph plotting (and TikZ)
author	Pierquet, Cédric
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2.3 (2025-05-18)
last changes	2025-05-18
year	2025
description	(no language specified) This package provides some commands to help French mathematics teachers for 15-18 years olds, with graphs of functions: • define and draw functions and interpolations curves • work with integrals, tangents, intersersections • get coordinates of points • ... The syntax is rather explicit, like <code>\DefinirCourbe</code> , <code>\RecupererCoordonnees</code> , <code>\TrouverIntersections</code> , etc.
documentation	<i>Example of use (English):</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tkz-grapheur/doc/tkz-grapheur-examples-integrals.pdf
– local file	<code>./3816145710-tkz-grapheur-examples-integrals.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tkz-grapheur/README.md
documentation	<i>Package documentation (French):</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tkz-grapheur/doc/tkz-grapheur-doc-fr.pdf
– local file	<code>./7076036760-tkz-grapheur-doc-fr.pdf</code>
documentation	<i>Example of use (French):</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tkz-grapheur/doc/tkz-grapheur-exemples-integrales.pdf
– local file	<code>./2573682480-tkz-grapheur-exemples-integrales.pdf</code>
documentation	<i>Package documentation (English):</i> https://ctan.org/tex-archive/graphics/pgf/contrib/tkz-grapheur/doc/tkz-grapheur-doc-en.pdf

6227 `tkz-interval` – Interval brackets made with TikZ

– local file	<code>./5822638502-tkz-grapheur-doc-en.pdf</code>
contact	repository: https://forge.apps.education.fr/pierquetcedric/package-latex-tkz-grapheur
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tkz-grapheur
on MikTeX	<code>tkz-grapheur</code>
on TeXLive	<code>tkz-grapheur</code>
keyword	<code>graphics</code> (<code>graphics</code> (support packages))
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>graphics-plotfn</code> (plot a representation of a function)
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	English; French
last access	2025-05-27

6227 `tkz-interval` – Interval brackets made with TikZ

Web page on CTAN <https://ctan.org/pkg/tkz-interval>

name	<code>tkz-interval</code>
caption	Interval brackets made with TikZ
author	Pierquet, Cédric
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1a (2025-10-12)
last changes	2025-10-12
year	2025
description	(no language specified) The idea is to provide a command for representing intervals with brackets created using <code>TikZ</code> , with automatic size management and customization of thickness and depth, for examples. It is also possible to specify surrounding spaces, and optional overlap for open brackets.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tkz-interval/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tkz-interval/doc/tkz-interval-doc.pdf
– local file	<code>./5559382497-tkz-interval-doc.pdf</code>

contact	<i>bugs:</i> https://github.com/cpierquet/latex-packages/issues
contact	<i>repository:</i> https://github.com/cpierquet/latex-packages/tree/main/tkz-interval
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tkz-interval
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	maths (support for typesetting mathematics)
keyword	expl3 (expl3(unknown))
keyword	paren-mgmt (match and otherwise manage parentheses)
language(s)	no language specified
last access	2025-10-13

6228 *tkz-kiviat* – Draw Kiviat graphs

Web page on CTAN	https://ctan.org/pkg/tkz-kiviat
name	tkz-kiviat
caption	Draw Kiviat graphs
author	Matthes, Alain
copyright	Alain Matthes (2011)
license	lpl = The LaTeX Project Public License (free)
version	0.1b
description	(no language specified) The package allows the user to draw Kiviat Graphs directly, or with data from an external file. The drawing is done with the help of pgfplots . This package has been taken temporarily out of circulation to give the author time to investigate some problems.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/obsolete/macros/latex/contrib/tkz/tkz-kiviat/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/obsolete/macros/latex/contrib/tkz/tkz-kiviat/doc/TKZdoc-kiviat-main.pdf
– local file	./3980383745-TKZdoc-kiviat-main.pdf
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/tkz/tkz-kiviat
on MikTeX	tkz-kiviat

keyword graphics-plot (plot data)
 language(s) no language specified
 year 2011
 last access 2025-02-07

6229 tkz-linknodes – Link nodes in mathematical environments

Web page on CTAN <https://ctan.org/pkg/tkz-linknodes>

name tkz-linknodes
 caption Link nodes in mathematical environments
 author Matthes, Alain
 copyright Alain Matthes (2009)
 license lppl = The LaTeX Project Public License (free)
 version 1.1d
 description (no language specified) The package arose from a requirement to link the elements of an **amsmath** align or aligned environment. The package makes use of **PGF/TikZ** .
 The package documentation relies on the facilities of the **tkz-doc** bundle
 This package has been taken temporarily out of circulation to give the author time to investigate some problems.
 documentation (English) *Readme*: <https://ctan.org/tex-archive/obsolete/macros/latex/contrib/tkz/tkz-linknodes/README>
 documentation (English) *Package documentation*:
<https://ctan.org/tex-archive/obsolete/macros/latex/contrib/tkz/tkz-linknodes/doc/tkz-linknodes-screen.pdf>
 – local file ./8516360665-tkz-linknodes-screen.pdf
 on CTAN <https://ctan.org/tex-archive/obsolete/macros/latex/contrib/tkz/tkz-linknodes>
 on MikTeX tkz-linknodes
 keyword graphics-use (graphics (typesetting actual pictures))
 keyword pgf-tikz (package uses PGF-TikZ)
 language(s) English
 year 2009
 last access 2025-02-07

6230 `tkz-orm` – Create Object-Role Model (ORM) diagrams

Web page on CTAN <https://ctan.org/pkg/tkz-orm>

name	<code>tkz-orm</code>
caption	Create Object-Role Model (ORM) diagrams
author	Staps, Camil
author	Voß, Jakob
copyright	Jakob Voß, Camil Staps (2009-2016)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
license	gpl2 = GNU General Public License, version 2 (free)
version	0.1.4 (2016-01-15)
last changes	2016-01-15
year	2016
description	(no language specified) The package provides styles for drawing Object-Role Model (ORM) diagrams in TeX based on the PGF and TikZ picture environment.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tkz-orm/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tkz-orm/tkz-orm.pdf
– local file	<code>./8569210080-tkz-orm.pdf</code>
contact	<i>bugs</i> : https://github.com/nichtich/tkz-orm/issues
contact	<i>repository</i> : https://github.com/nichtich/tkz-orm
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tkz-orm
on MikTeX	<code>tkz-orm</code>
on TeXLive	<code>tkz-orm</code>
keyword	diagram (diagrams)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2026-04-13

6231 tkz-tab – Tables of signs and variations using PGF/TikZ

Web page on CTAN <https://ctan.org/pkg/tkz-tab>

name	tkz-tab
caption	Tables of signs and variations using PGF/TikZ
author	Matthes, Alain
copyright	Alain Matthes (2009-2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.12c (2020-04-29)
last changes	2020-04-29
year	2020
description	(no language specified) The package provides comprehensive facilities for preparing lists of signs and variations, using PGF . The package documentation requires the tkz-doc bundle. This package has been taken temporarily out of circulation to give the author time to investigate some problems.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tkz/tkz-tab/README.md
documentation	<i>Package documentation (French)</i> : https://ctan.org/tex-archive/macros/latex/contrib/tkz/tkz-tab/doc/TKZdoc-tab.pdf
– local file	./1349448805-TKZdoc-tab.pdf
home page	http://altermundus.fr
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tkz/tkz-tab
on MikTeX	tkz-tab
on TeXLive	tkz-tab
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	maths (support for typesetting mathematics)
keyword	maths-tabvar (mathematical tables of signs and variations)
keyword	graphics (graphics (support packages))
see also	see section 5836 on page 5287 : (<i>tabvar</i> – Typesetting tables showing variations of functions)
see also	see section 5809 on page 5263 : (<i>tableaux</i> – Construct tables of signs and variations)

see also	see section 5816 on page 5269: (<i>tablor</i> – Create tables of signs and of variations)
see also	see section 5808 on page 5262: (<i>tableauVariations</i> – Variation tables in MetaPost)
language(s)	French
last access	2025-02-09

6232 *tkzexample* – Package for the documentation of all tkz-* packages

Web page on CTAN	https://ctan.org/pkg/tkzexample
name	<i>tkzexample</i>
caption	Package for the documentation of all tkz-* packages
author	Matthes, Alain
copyright	Alain Matthes (2022)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.45c
description	(no language specified) This package is needed to compile the documentation of all tkz-* packages (like <i>tkz-euclide</i>).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tkz/tkzexample/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tkz/tkzexample
on T _E XLive	<i>tkzexample</i>
keyword	macro-demo (print (La)TeX code verbatim alongside the rendered result)
keyword	doc-suppl (macros and tools for preparing documentation)
see also	see section 6221 on page 5627: (<i>tkz-doc</i> – Documentation macros for the TKZ series of packages)
language(s)	no language specified
year	2022
last access	2025-02-07

6233 tlaunch – A Windows GUI to run a networked TeX Live as if installed locallyWeb page on CTAN <https://ctan.org/pkg/tlaunch>

name	tlaunch
caption	A Windows GUI to run a networked TeX Live as if installed locally
author	Kroonenberg, Siep
copyright	Siep Kroonenberg (2017)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	0.5.3 (2017-06-29)
last changes	2017-06-29
year	2017
description	(no language specified) TLaunch, or the TeX Live launcher, is a Windows GUI to run a shared or networked TeX Live. It takes care of all the configuration which would be done otherwise by a local installer. The interface and file associations are configured via an ini file, which can be edited to give access to additional TeX-related software. The author told us in March 2023: "Please move tlaunch to obsolete. It is TeX Live-specific, and already part of the wintools package. Therefore a CTAN package is not terribly useful."
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/support/tlaunch/tlaunch.pdf
– local file	./3745942642-tlaunch.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/support/tlaunch/README
on CTAN	https://ctan.org/tex-archive/obsolete/support/tlaunch
keyword	sys-supp (os-level support facilities for TeX)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
last access	2025-02-07

6234 `tlc-article` – A LaTeX document class for formal documents

Web page on CTAN <https://ctan.org/pkg/tlc-article>

name	<code>tlc-article</code>
caption	A LaTeX document class for formal documents
author	Howard, Gary A.
copyright	Gary Allan Howard (2018)
license	bsd3 = 3-clause BSD License (free)
version	1.0.17 (2019-06-20)
last changes	2019-06-20
year	2019
description	(no language specified) The package provides a LaTeX document class that orchestrates a logical arrangement for document header, footer, author, abstract, table of contents, and margins. It standardizes a document layout intended for formal documents. The <code>tlc_article</code> GitHub repository uses a SCRUM framework adapted to standard GitHub tooling. <code>tlc_article</code> is integrated with Travis-ci.org for continuous integration and AllanConsulting.slack.com for centralized notification.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/tlc-article/doc/tlc-article.pdf
– local file	<code>./7971910325-tlc-article.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/tlc-article/README.md
home page	https://github.com/Traap/tlc-article
contact	<i>bugs:</i> https://github.com/Traap/tlc-article/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tlc-article
on MikTeX	<code>tlc-article</code>
on T _E XLive	<code>tlc-article</code>
keyword	article-like (LaTeX article classes and their developments)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-07

6235 *tlc2-errata* – Errata list for The LaTeX Companion, Second EditionWeb page on CTAN <https://ctan.org/pkg/tlc2-errata>

name	tlc2-errata
caption	Errata list for The LaTeX Companion, Second Edition
author	Goossens, Michel
author	Mittelbach, Frank
license	lppl = The LaTeX Project Public License (free)
version	(2014-09-30)
last changes	2014-09-30
year	2014
description	(no language specified) Errata list for The LaTeX Companion, Second Edition (4. printing).
documentation	(no language specified) <i>Errata list for The LaTeX Companion, Second Edition</i> : https://ctan.org/tex-archive/macros/latex/base/tlc2.pdf
– local file	./6879811215-tlc2.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/base
keyword	doc-errata (lists of errata in published books)
language(s)	no language specified
last access	2026-04-10

6236 *tlc2-examples* – Examples from “The LaTeX Companion”, second editionWeb page on CTAN <https://ctan.org/pkg/tlc2-examples>

name	tlc2-examples
caption	Examples from “The LaTeX Companion”, second edition
author	Mittelbach, Frank
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The source of the examples printed in the book, together with necessary supporting files. The book was published by Addison-Wesley, 2004, ISBN 0-201-36299-6.
on CTAN	https://ctan.org/tex-archive/info/examples/tlc2
on T _E XLive	tlc2

keyword book-ex (copies of examples from a published book)
 language(s) no language specified
 year without year
 last access 2026-04-10

6237 *tlc3-examples* – All examples from “The LaTeX Companion”, third edition

Web page on CTAN <https://ctan.org/pkg/tlc3-examples>

name *tlc3-examples*
 caption All examples from “The LaTeX Companion”, third edition
 author Mittelbach, Frank
 license lpl1.3c = The LaTeX Project Public License 1.3c (free)
 description (no language specified) The PDFs (as used with spotcolor and trimming) and sources for all examples from the third edition (Parts I+II), together with necessary supporting files. The edition is published by Addison-Wesley, 2023, ISBN-13: 978-0-13-816648-9, ISBN-10: 0-13-816648-X (bundle of Part I & II).
 contact *bugs:* <https://github.com/FrankMittelbach/tlc3-examples/issues>
 contact *repository:* <https://github.com/FrankMittelbach/tlc3-examples>
 on CTAN <https://ctan.org/tex-archive/info/examples/tlc3>
 on T_EXLive *tlc3-examples*
 keyword book-ex (copies of examples from a published book)
 language(s) no language specified
 year without year
 last access 2026-04-10

6238 `tlcockpit` – A GUI frontend to TeX Live Manager (`tlmgr`)

Web page on CTAN <https://ctan.org/pkg/tlcockpit>

name	TLCockpit
caption	A GUI frontend to TeX Live Manager (<code>tlmgr</code>)
author	Preining, Norbert
copyright	Norbert Preining (2017-2020)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	1.2
description	(no language specified) This package aims at being a GUI for <code>tlmgr</code> , the TeX Live Manager, with a modern look and feel. We take inspiration from the excellent TeX Live Utility for MacOS.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/tlcockpit/README.md
contact	<i>bugs</i> : https://github.com/TeX-Live/tlcockpit/issues
contact	<i>repository</i> : https://github.com/TeX-Live/tlcockpit
on CTAN	https://ctan.org/tex-archive/support/tlcockpit
on T _E XLive	<code>tlcockpit</code>
keyword	<code>install-mgmt</code> (support for (La)TeX installations)
language(s)	no language specified
year	2020
last access	2025-02-07

6239 `tlg2latex` – Prepare LaTeX from the Thesaurus Linguae Graecae

Web page on CTAN <https://ctan.org/pkg/tlg2latex>

name	<code>tlg2latex</code>
caption	Prepare LaTeX from the Thesaurus Linguae Graecae
author	Rouquette, Maïeul
license	gpl3 = GNU General Public License, version 3 (free)
version	2.6.0
description	(no language specified)

documentation	<i>Package documentation (French):</i> http://geekographie.maieul.net/117
documentation	<i>Readme (French):</i> https://ctan.org/tex-archive/support/tlg2latex/README.pdf
– local file	<code>./1957663381-README.pdf</code>
on CTAN	https://ctan.org/tex-archive/support/tlg2latex
keyword	<code>foreign-import</code> (import files in a non-TeX (or different TeX) format)
keyword	<code>greek</code> (support for typesetting Greek)
keyword	<code>humanities</code> (support for studies in the humanities)
language(s)	French
year	without year
last access	2025-02-07

6240 *tlmgr-intro-zh-cn* – A short tutorial on using *tlmgr* in Chinese

Web page on CTAN	https://ctan.org/pkg/tlmgr-intro-zh-cn
name	<code>tlmgr-intro-zh-cn</code>
caption	A short tutorial on using <i>tlmgr</i> in Chinese
author	Sun, Zhonghao
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	(2021-05-06)
last changes	2021-05-06
year	2021
description	(no language specified) This is a Chinese translation of the <code>tlmgr</code> documentation. It introduces some of the common usage of the TeX Live Manager. The original can be found in the tlmgrbasics package.
documentation	(Chinese) <i>Readme</i> : https://ctan.org/tex-archive/info/tlmgr-intro-zh-cn/README.md
documentation	(Chinese) <i>The document itself</i> : https://ctan.org/tex-archive/info/tlmgr-intro-zh-cn/tlmgr-intro-zh-cn.pdf
– local file	<code>./6414491022-tlmgr-intro-zh-cn.pdf</code>
contact	<i>bugs</i> : https://github.com/syvshc/tlmgr-intro-zh-cn/issues
contact	<i>repository</i> : https://github.com/syvshc/tlmgr-intro-zh-cn

on CTAN	https://ctan.org/tex-archive/info/tlmgr-intro-zh-cn
on T _E XLive	tlmgr-intro-zh-cn
keyword	chinese-doc (documentation in Chinese languages)
language(s)	Chinese
last access	2025-02-07

6241 *tlmgrbasics* – A simplified documentation for *tlmgr*

Web page on CTAN	https://ctan.org/pkg/tlmgrbasics
name	tlmgrBasics
caption	A simplified documentation for <i>tlmgr</i>
author	Tennent, Bob
license	gpl2+ = GNU General Public License, version 2 or newer (free)
version	(2024-02-26)
last changes	2024-02-26
year	2024
description	(no language specified) This package provides simplified documentation for <i>tlmgr</i> , the T_EX Live Manager. It describes the most commonly-used actions and options in a convenient format.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/tlmgrbasics/README
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/tlmgrbasics/doc/tlmgr.pdf
– local file	./8841524387-tlmgr.pdf
on CTAN	https://ctan.org/tex-archive/info/tlmgrbasics
on T _E XLive	tlmgrbasics
keyword	install-mgmt (support for (La)TeX installations)
keyword	documentation (‘stand-alone’ documentation)
language(s)	no language specified
last access	2025-02-07

6242 `tmmath` – Support for using the Micropress TM-Math fonts

Web page on CTAN <https://ctan.org/pkg/tmmath>

name	<code>tmmath</code>
caption	Support for using the Micropress TM-Math fonts
author	Schmidt, Walter A.
author	Harcombe, Keiran
license	lppl = The LaTeX Project Public License (free)
version	2.4
description	(no language specified) Support for typesetting math in a style that suits the Adobe Times text fonts. Commercial (Adobe type 1) versions of the HV-Math fonts are available from Micropress; free bitmap versions of the fonts from the Micropress fonts directories.
documentation	(no language specified) <i>Package outline:</i> https://ctan.org/tex-archive/macros/latex/contrib/psnfssx/tmmath/tmmaths.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/psnfssx/tmmath
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
see also	see section 2824 on page 2557 : (<code>hvmath</code> – Support for using the Micropress HV-Math fonts (Helvetica Maths))
see also	see section 6243 on page 5646 : (<code>tmmath-fonts</code> – Bitmap versions of the Micropress TM-Math fonts (Times Maths))
language(s)	no language specified
year	without year
last access	2025-02-07

6243 `tmmath-fonts` – Bitmap versions of the Micropress TM-Math fonts (Times Maths)

Web page on CTAN <https://ctan.org/pkg/tmmath-fonts>

name	<code>tmmath-fonts</code>
caption	Bitmap versions of the Micropress TM-Math fonts (Times Maths)
author	MicroPress
license	nocommercial = No Commercial Use (not free)
version	1.2

description	(no language specified) This is the ‘public’ part of the TM-Math font distribution: metrics, and a set of bitmap files (in .pk format). Actually to use the fonts, you are advised to use the macros by Walter Schmidt.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/micropress/tmmath/tmmath.txt
on CTAN	https://ctan.org/tex-archive/fonts/micropress/tmmath
keyword	font (fonts themselves)
keyword	font-maths (fonts for use in mathematics)
see also	see section 4237 on page 3836: (newtx – Alternative uses of the TX fonts, with improved metrics)
see also	see section 5923 on page 5365: (tex-gyre-math-terms – Maths fonts to match TeX Gyre Terms)
language(s)	no language specified
year	without year
last access	2025-02-07

6244 *tmview* – A DVI previewer for SVGA displays

Web page on CTAN <https://ctan.org/pkg/tmview>

name	tmview
caption	A DVI previewer for SVGA displays
author	Moor, Thomas
license	pd = Public Domain Software (free)
version	01.03
description	(no language specified) An SVGA-lib based DVI-previewer offering xdvi -like anti-aliasing, text-string searching, arbitrary-zooming, bookmarks, some hypertext features, and rendering of eps-graphics by invoking Ghostscript . It supports The GNU/Linux framebuffer device and double-page viewing.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/dviware/tmview/README
on CTAN	https://ctan.org/tex-archive/dviware/tmview
keyword	dvi-prev (preview DVI files)
language(s)	no language specified
year	without year
last access	2025-02-07

6245 to-be-determined – Highlight text passages that need further workWeb page on CTAN <https://ctan.org/pkg/to-be-determined>

name	to-be-determined
caption	Highlight text passages that need further work
author	Bugayenko, Yegor
copyright	Yegor Bugayenko (2021-2024)
license	mit = MIT License (free)
version	0.3.2 (2024-10-11)
last changes	2024-10-11
year	2024
description	(no language specified) This package provides a single command <code>\tbd</code> which highlights the pieces of text that need to be rewritten later. You can hide them all with a single package option <code>hide</code> , or just make them disappear entirely with the option <code>off</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/to-be-determined/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/to-be-determined/to-be-determined.pdf
– local file	<code>./9493644410-to-be-determined.pdf</code>
contact	<i>repository</i> : https://github.com/yegor256/to-be-determined
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/to-be-determined
on MikTeX	to-be-determined
on TeXLive	to-be-determined
keyword	cond-comp (conditional typesetting)
keyword	editorial (editor's marks, highlights, etc.)
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
language(s)	no language specified
last access	2025-02-07

6246 *toc* – Table of contents macros for Plain TeX

Web page on CTAN <https://ctan.org/pkg/toc>

name	<code>toc</code>
caption	Table of contents macros for Plain TeX
license	<code>noinfo = noinfo</code>
version	(1989-11-23)
last changes	1989-11-23
year	1989
description	(no language specified) A set of macros created for use in writing the table of contents for a document.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/samples/toc.tex
keyword	<code>toc-etc</code> (deal with Tables of Contents, and of other such things)
keyword	<code>plain-ext</code> (extensions to Plain TeX for higher-level constructs)
language(s)	no language specified
last access	2025-02-07

6247 *toc-zar* – Plain TeX table of contents macros

Web page on CTAN <https://ctan.org/pkg/toc-zar>

name	<code>toc-zar</code>
caption	Plain TeX table of contents macros
author	Zirin, Dan
copyright	Zar Limited (1987)
license	<code>noinfo = noinfo</code>
version	(1987-03-01)
last changes	1987-03-01
year	1987
description	(no language specified) Stores table of contents information in a <code>\vbox</code> , and ships pages out of that as it fills up (producing pages with no page number).
documentation	(no language specified) <i>TeX-mag</i> issue discussing the package: https://ctan.org/tex-archive/info/digests/tex-mag/v1.n2

on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/toc.tex
keyword	plain-ext (extensions to Plain TeX for higher-level constructs)
keyword	toc-etc (deal with Tables of Contents, and of other such things)
see also	see section 6246 on page 5649: (toc – Table of contents macros for Plain TeX)
language(s)	no language specified
last access	2025-02-07

6248 tocbasic – Management of tables/lists of contents (and the like)

Web page on CTAN	https://ctan.org/pkg/tocbasic
name	tocbasic
caption	Management of tables/lists of contents (and the like)
author	Kohm, Markus
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.43 (2024-10-24)
last changes	2024-10-24
year	2024
description	(no language specified) The package provides means to create specialised “ <i>table of contents</i> ”-like lists of features of a document. The package is distributed as part of the KOMA-Script bundle of packages and classes.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-script/README.md
documentation	<i>German documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-de.pdf
– local file	./9865824920-scrguide-de.pdf
documentation	<i>English documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-en.pdf
– local file	./2064675180-scrguide-en.pdf
home page	https://komascript.de/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/koma-script

installation	https://ctan.org/tex-archive/install/macros/latex/contrib/koma-script.tds.zip
on MikTeX	koma-script
on T _E XLive	koma-script
keyword	toc-etc (deal with Tables of Contents, and of other such things)
see also	see section 6252 on page 5654: (tocloft – Control table of contents, figures, etc)
see also	see section 2015 on page 1817: (etoc – Completely customisable TOCs)
see also	see section 4132 on page 3739: (multitoc – Set table of contents in multiple columns)
language(s)	German; English
last access	2025-02-07

6249 *tocbibind* – Add bibliography/index/contents to Table of Contents

Web page on CTAN	https://ctan.org/pkg/tocbibind
name	tocbibind
caption	Add bibliography/index/contents to Table of Contents
author	Wilson, Peter R.
author	Robertson, Will
copyright	Peter R. Wilson (1998-2004)
license	lppl = The LaTeX Project Public License (free)
version	1.5k
description	(no language specified) Automatically adds the bibliography and/or the index and/or the contents, etc., to the Table of Contents listing.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tocbibind/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tocbibind/tocbibind.pdf
– local file	./7316956610-tocbibind.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tocbibind
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/tocbibind.tds.zip

6250 *tocdata* – Adds names to chapters, sections, figures in the TOC and LOF...

on MikT _E X	tocbibind
on T _E XLive	tocbibind
keyword	toc-etc (deal with Tables of Contents, and of other such things)
language(s)	no language specified
year	2004
last access	2025-02-07

6250 *tocdata* – Adds names to chapters, sections, figures in the TOC and LOF

Web page on CTAN <https://ctan.org/pkg/tocdata>

name	tocdata
caption	Adds names to chapters, sections, figures in the TOC and LOF
author	Dunn, Brian
copyright	Brian Dunn (2016-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.07 (2024-01-20)
last changes	2024-01-20
year	2024
description	(no language specified) The <i>tocdata</i> package may be used to add a small amount of data to an entry in the table of contents or list of figures, between the section or caption name and the page number. The typical use would be to add the name of an author or artist of a chapter or section, such as in an anthology or a collection of papers. Additionally, user-level macros are provided which add the author's name to a chapter or section, along with an optional prefix and/or suffix, and add to a figure the artist's name, prefix, and suffix, plus optional additional text. Author and artist names are also added to the index. Additional user-level macros control formatting. <i>tocdata</i> works with the TOC/LOF formatting of the default LaTeX classes, memoir, koma-script, and with titletoc, tocloft, tocbasic, and toctyle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tocdata/tocdata.pdf
– local file	./9356122951-tocdata.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tocdata/README.txt

contact	<i>bugs:</i> https://github.com/bdte/tocdata
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tocdata
on MikTeX	tocdata
on TeXLive	tocdata
keyword	toc-etc (deal with Tables of Contents, and of other such things)
language(s)	no language specified
last access	2025-02-07

6251 *tocenter* – Centring (and other) Page Layout

Web page on CTAN	https://ctan.org/pkg/tocenter
name	tocenter
caption	Centring (and other) Page Layout
author	Rozhenko, Alexander I.
copyright	Alexander I. Rozhenko (2002-2004)
license	lpl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) Defines <code>\ToCenter</code> that calculates margins such that the text body (plus, optionally headers, footers and marginal texts) are centred on the page. Other commands with similar interfaces are also defined. The package is part of the NCC tools bundle.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/ncctools/doc/tocenter.pdf
– local file	./8206002336-tocenter.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ncctools
on MikTeX	ncctools
on TeXLive	ncctools
keyword	geometry (change geometry of page layout)
language(s)	no language specified
year	2004
last access	2025-02-07

6252 *tocloft* – Control table of contents, figures, etcWeb page on CTAN <https://ctan.org/pkg/tocloft>

name	<code>tocloft</code>
caption	Control table of contents, figures, etc
author	Wilson, Peter R.
author	Robertson, Will
copyright	Will Robertson (2009-2017)
copyright	Peter R. Wilson (1998-2003)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.3j
description	(no language specified) Provides control over the typography of the Table of Contents, List of Figures and List of Tables, and the ability to create new ‘List of ...’. The ToC <code>\parskip</code> may be changed.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tocloft/tocloft.pdf
– local file	<code>./8309175986-tocloft.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tocloft/README
contact	<i>bugs</i> : https://github.com/wspr/herries-press/issues
contact	<i>repository</i> : https://github.com/wspr/herries-press/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tocloft
on MikTeX	<code>tocloft</code>
on T _E XLive	<code>tocloft</code>
keyword	<code>toc-etc</code> (deal with Tables of Contents, and of other such things)
see also	see section 6248 on page 5650: (<code>tocbasic</code> – Management of tables/lists of contents (and the like))
language(s)	no language specified
year	2017
last access	2025-02-07

6253 *tocstyle* – Define style of Table of contents (etc) files

Web page on CTAN <https://ctan.org/pkg/tocstyle>

name	<code>tocstyle</code>
caption	Define style of Table of contents (etc) files
author	Kohm, Markus
copyright	Markus Kohm (2007-2020)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2k-alpha (2020-06-06)
last changes	2020-06-06
year	2020
description	(no language specified) The package permits the user to define the style of the Table of Contents table for a document, as well as the style of tables of floats, etc. The package has been withdrawn from the koma-script bundle in Juli 2020 and is now considered obsolete. tocbasic and scrwfile should be used instead.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/obsolete/macros/latex/contrib/koma-script-obsolete/tocstyle-obsolete.pdf
– local file	<code>./1119872468-tocstyle-obsolete.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/obsolete/macros/latex/contrib/koma-script-obsolete/README
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/koma-script-obsolete
keyword	obsolete (package declared obsolete)
keyword	toc-etc (deal with Tables of Contents, and of other such things)
language(s)	no language specified
last access	2025-02-07

6254 tocvsec2 – Section numbering and table of contents control

Web page on CTAN <https://ctan.org/pkg/tocvsec2>

name	tocvsec2
caption	Section numbering and table of contents control
author	Wilson, Peter R.
author	Robertson, Will
copyright	Peter R. Wilson (1999-2004)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3a
description	(no language specified) Provides control over section numbering (without recourse to starred sectional commands) and/or the entries in the Table of Contents on a section by section basis.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tocvsec2/tocvsec2.pdf
– local file	./9127452349-tocvsec2.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tocvsec2/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tocvsec2
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/tocvsec2.tds.zip
on MikTeX	tocvsec2
on TeXLive	tocvsec2
keyword	toc-etc (deal with Tables of Contents, and of other such things)
keyword	headings (chapter, section, etc., heading styles)
language(s)	no language specified
year	2004
last access	2025-02-07

6255 `todo` – Make a to-do list for a document

Web page on CTAN <https://ctan.org/pkg/todo>

name	<code>todo</code>
caption	Make a to-do list for a document
author	Garcia-De Castro, Federico
copyright	Federico Garcia (2002)
license	lppl1 = The LaTeX Project Public License 1 (free)
version	2.142
description	(no language specified) The package allows you to insert "to do" marks in your document, to make lists of such items, and to cross-reference to them.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/todo/todo.pdf
– local file	<code>./6396876004-todo.pdf</code>
documentation	(no language specified) <i>Sample of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/todo/todo-spl.pdf
– local file	<code>./5505098609-todo-spl.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/todo
on MikTeX	<code>todo</code>
on T _E XLive	<code>todo</code>
keyword	<code>notes</code> (general notes (not including endnotes or footnotes))
keyword	<code>editorial</code> (editor's marks, highlights, etc.)
language(s)	no language specified
year	2002
last access	2025-02-07

6256 todonotes – Marking things to do in a LaTeX document

Web page on CTAN <https://ctan.org/pkg/todonotes>

name	todonotes
caption	Marking things to do in a LaTeX document
author	Midtiby, Henrik Skov
copyright	Henrik Skov Midtiby (2008, 2018, 2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1.7 (2024-01-05)
last changes	2024-01-05
year	2024
description	(no language specified) The package lets the user mark things to do later, in a simple and visually appealing way. The package takes several options to enable customization/finetuning of the visual appearance.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/todonotes/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/todonotes/todonotes.pdf
– local file	./5385485900-todonotes.pdf
contact	<i>bugs</i> : https://github.com/henrikmidtiby/todonotes/issues
contact	<i>repository</i> : https://github.com/henrikmidtiby/todonotes
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/todonotes
on MikTeX	todonotes
on T _E XLive	todonotes
keyword	notes (general notes (not including endnotes or footnotes))
keyword	editorial (editor’s marks, highlights, etc.)
keyword	pgf-tikz (package uses PGF-TikZ)
see also	see section 6255 on page 5657: (todo – Make a to-do list for a document)
language(s)	no language specified
last access	2025-02-07

6257 *toil* – An installer of PostScript fonts for TeX

Web page on CTAN <https://ctan.org/pkg/toil>

name	toil
caption	An installer of PostScript fonts for TeX
author	Jackowski, Bogusław
author	Pianowski, Piotr
author	Strzelczyk, Piotr
license	pd = Public Domain Software (free)
version	1.07
description	(no language specified) A flexible, AWK+Metafont-based Type One Install utility which facilitates installation of Adobe Type 1 fonts for (plain) TeX; an alternative for afm2tfm; starting from version 1.04, includes an option that enables neutralizing sidebars (via implicit kerning mechanism). The package is only available for use under MS-DOS.
on CTAN	https://ctan.org/tex-archive/fonts/utilities/tlinstall/toil
keyword	font-proc (process fonts for use with TeX (includes installation))
language(s)	no language specified
year	without year
last access	2025-02-07

6258 *tokcycle* – Build tools to process tokens from an input stream

Web page on CTAN <https://ctan.org/pkg/tokcycle>

name	tokcycle
caption	Build tools to process tokens from an input stream
author	Segletes, Steven B.
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.42 (2021-08-25)
last changes	2021-08-25
year	2021

description	(no language specified) The tokcycle package helps one to build tools to process tokens from an input stream. If a macro to process an arbitrary single token can be built, then tokcycle can provide a wrapper for cycling through an input stream (including macros, spaces, and groups) on a token-by-token basis, using the provided macro on each successive character. tokcycle characterizes each successive token in the input stream as a Character, a Group, a Macro, or a Space. Each of these token categories are processed with a unique directive, to bring about the desired effect of the token cycle. If condition flags are provided to identify active, implicit, and catcode-6 tokens as they are digested. The package provides a number of options for handling groups.
documentation	(no language specified) <i>Examples of use:</i> https://ctan.org/tex-archive/macros/generic/tokcycle/tokcycle-examples.pdf
– local file	<code>./4943947920-tokcycle-examples.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/generic/tokcycle/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/generic/tokcycle/tokcycle-doc.pdf
– local file	<code>./7458632865-tokcycle-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/generic/tokcycle
on MikTeX	tokcycle
on T _E XLive	tokcycle
keyword	misc-support (miscellaneous support stuff)
keyword	parser (parser application)
keyword	macro-iterate (repeat TeX material)
keyword	macro-supp (support for development of (La)TeX macros)
keyword	macro-gen (macros that are independent of the (TeX) format in use)
language(s)	no language specified
last access	2025-02-07

6259 tokenizer – A tokenizer

Web page on CTAN <https://ctan.org/pkg/tokenizer>

name	tokenizer
caption	A tokenizer
author	Herpers, Sascha
license	lppl = The LaTeX Project Public License (free)
version	1.1.0
description	(no language specified) A tokenizer for LaTeX. <code>\GetTokens{Target1}{Target2}{Source}</code> splits source into two tokens at the first encounter of a comma. The first token is saved in a newly created command with the name passed as <code><Target1></code> and the second token likewise. A package option ‘trim’ causes leading and trailing space to be removed from each token; with this option, the <code>\TrimSpaces</code> command is defined, which removes leading and trailing spaces from its argument.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/tokenizer/tokenizer.pdf
– local file	<code>./6895417407-tokenizer.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tokenizer
on MikTeX	tokenizer
on TeXLive	tokenizer
keyword	data-import (importing data into documents)
keyword	data-disp (visualisation of data sets)
keyword	csv-support (read, process and convert CSV data)
see also	see section 1420 on page 1284: (<code>csvtools</code> – Reading data from CSV files)
language(s)	no language specified
year	without year
last access	2025-02-07

6260 tokglobalstack – Dedicated global stacks implementations

Web page on CTAN <https://ctan.org/pkg/tokglobalstack>

name	tokglobalstack
caption	Dedicated global stacks implementations
author	Frigeri, Alceu
copyright	Alceu Frigeri (2026)
license	agpl3 = GNU Affero General Public License, version 3 (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2026-02-18)
last changes	2026-02-18
year	2026
description	(no language specified) Global stack(s) of tokens implemented as variables or commands.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tokglobalstack/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tokglobalstack/doc/tokglobalstack.pdf
– local file	./5619029607-tokglobalstack.pdf
contact	<i>bugs</i> : https://github.com/alceu-frigeri/tokglobalstack/issues
contact	<i>repository</i> : https://github.com/alceu-frigeri/tokglobalstack
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tokglobalstack
on MikTeX	tokglobalstack
on TeXLive	tokglobalstack
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2026-03-26

6261 tokgroupmark – Restoring tokens after closing multiple groups

Web page on CTAN <https://ctan.org/pkg/tokgroupmark>

name	tokgroupmark
caption	Restoring tokens after closing multiple groups
author	Frigeri, Alceu
copyright	Alceu Frigeri (2026)
license	agpl3 = GNU Affero General Public License, version 3 (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2026-02-18)
last changes	2026-02-18
year	2026
description	(no language specified) This package aims to solve the problem of how certain tokens can be preserved beyond a variable number of nested groups.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/tokgroupmark/doc/tokgroupmark.pdf
– local file	./9052210954-tokgroupmark.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/tokgroupmark/README.md
contact	<i>bugs:</i> https://github.com/alceu-frigeri/tokgroupmark/issues
contact	<i>repository:</i> https://github.com/alceu-frigeri/tokgroupmark
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tokgroupmark
on T _E XLive	tokgroupmark
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2026-03-26

6262 tokmap – Iterate over a token list expandably, without dropping spaces or braced groupsWeb page on CTAN <https://ctan.org/pkg/tokmap>

name	tokmap
caption	Iterate over a token list expandably, without dropping spaces or braced groups
author	plante
copyright	plante (2025)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0
description	(no language specified) Usage: <code>\tokmap <command> { <tokens> }</code> applies <code>command</code> over the token list <code>tokens</code>. Space tokens, left and right braces are replaced with the marker tokens <code>\tokmap@space</code>, <code>\tokmap@bgroup</code>, and <code>\tokmap@egroup</code> respectively (which are <code>\ifx</code>-equal to themselves exclusively). For convenience, <code>command</code> may contain multiple tokens. It is assumed that <code>{</code> and <code>}</code> are the only characters with category codes 1 (beginning of group) and 2 (end of group) respectively. Expandable. This package may be used in LaTeX by <code>\usepackage{tokmap}</code>, or in plain TeX and other formats by <code>\input{tokmap}</code>. See the visualtoks package for an example application.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/generic/tokmap/README.md
contact	<i>repository</i> : https://github.com/plante3/tokmap
on CTAN	https://ctan.org/tex-archive/macros/generic/tokmap
on MikTeX	tokmap
on TeXLive	tokmap
keyword	macro-iterate (repeat TeX material)
keyword	macro-gen (macros that are independent of the (TeX) format in use)
language(s)	no language specified
year	2025
last access	2025-06-29

6263 tokstools – Tools for manipulating tokens

Web page on CTAN <https://ctan.org/pkg/tokstools>

name tokstools

caption Tools for manipulating tokens

author Tellechea, Christian

copyright Christian Tellechea (2026)

license lpl1.3c = The LaTeX Project Public License 1.3c (free)

version 0.2

description (no language specified) This package is still in the experimental stage. Therefore, its behavior is not guaranteed to match the description in the manual, and bugs of varying severity may occur.

Additionally, some features, as well as their syntax, may be subject to change.

It requires any modern engine that supports etex primitives and can therefore be used with either TeX or LaTeX.

The tokstools package provides tools for manipulating tokens and implements "PEG"-style grammars in TeX. Predefined elementary patterns can be combined to form grammars that search for matches within tokens.

Two categories of macros are provided:

- those operating on individual tokens (`\toksdo`, `\tokscount`, and `\printtoks`);
- those operating on tokens that have matched a grammar (`\ifpegmatch`, `\pegcount`, and `\pegreplace`)

documentation (English) *Package documentation*: <https://ctan.org/tex-archive/macros/generic/tokstools/tokstools-en.pdf>

– local file ./2183613599-tokstools-en.pdf

documentation (French) *Package documentation*: <https://ctan.org/tex-archive/macros/generic/tokstools/tokstools-fr.pdf>

– local file ./9011124705-tokstools-fr.pdf

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/generic/tokstools/README.md>

on CTAN <https://ctan.org/tex-archive/macros/generic/tokstools>

on MikTeX tokstools

on TeXLive tokstools

keyword parser (parser application)

language(s)	English; French
year	2026
last access	2026-04-25

6264 *tolkienfonts* – Use TTF “Tolkien” fonts from the WWW with pdfTeX

Web page on CTAN <https://ctan.org/pkg/tolkienfonts>

name	tolkienfonts
caption	Use TTF “Tolkien” fonts from the WWW with pdfTeX
author	Barton, Ariel
license	lppl = The LaTeX Project Public License (free)
version	2.0
description	(no language specified) The virtual fonts in this package allow the user to easily write English, Quenya and Sindarin in several modes with J.R.R. Tolkien’s tengwar, cirth, sarati and valmaric scripts, using freely available TrueType fonts found on the internet. Support is at very nearly the highest possible level; the point of this package was to avoid bizarre spellings or lots of special commands. Fonts supported are Tengwar Annatar, Cirth Erebor, Sarati and Valmaric Eldamar, and (with a little more work) Tengwar Parmaite, Eldamar, Noldor, Quenya and Sindarin.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/tolkienfonts/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/tolkienfonts/tolkienfontsdoc.pdf
– local file	./1200211289-tolkienfontsdoc.pdf
on CTAN	https://ctan.org/tex-archive/fonts/tolkienfonts
on MikTeX	tolkienfonts
keyword	font-absent (support is for a font not available on CTAN)
keyword	font-invented (font for an ‘invented’ language or script)
keyword	font-supp (metrics, macro incantations and other font support)
see also	see section 5883 on page 5326: (TengwarScript – LaTeX support for using Tengwar fonts)
language(s)	no language specified
year	without year

last access 2025-02-07

6265 *tonevalue* – Tool for linguists and phoneticians to visualize tone value patterns

Web page on CTAN <https://ctan.org/pkg/tonevalue>

name	tonevalue
caption	Tool for linguists and phoneticians to visualize tone value patterns
author	Chen, Yuanhao
copyright	Yuanhao (Nyoeghau) Chen (2021)
license	apache2 = Apache License, version 2.0 (free)
version	1.0
description	(no language specified) This package provides a TikZ-based solution to typeset visualisations of tone values. Currently, unt's model is implemented. Support for more models is planned.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tonevalue/tonevalue.pdf
– local file	./3575208361-tonevalue.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tonevalue/README
home page	https://github.com/edward-martyr/tonevalue
contact	<i>bugs</i> : https://github.com/edward-martyr/tonevalue/issues
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tonevalue
on MikTeX	tonevalue
on T _E XLive	tonevalue
keyword	phonetic (support for phonetic notation)
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	linguistic (support for linguistics)
language(s)	no language specified
year	2021
last access	2025-02-07

6266 toolbox – Tool macros

Web page on CTAN <https://ctan.org/pkg/toolbox>

name	toolbox
caption	Tool macros
author	Väth, Martin
copyright	Martin Väth (2001-2004)
license	lpl = The LaTeX Project Public License (free)
version	5.1
description	(no language specified) A package for (La)TeX which provides some macros which are convenient for writing indexes, glossaries, or other macros. It contains macros which support: implicit macros; fancy optional arguments; loops over tokenlists and itemlists; searching and splitting; controlled expansion; redefinition of macros; and concatenated macro names; macros for text replacement.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/toolbox/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/toolbox
on MikTeX	toolbox
on TeXLive	toolbox
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	2004
last access	2025-02-07

6267 topcapt – Place captions above figures or tables

Web page on CTAN <https://ctan.org/pkg/topcapt>

name	topcapt
caption	Place captions above figures or tables
author	Fairbairns, Robin
author	Carlisle, David
license	lpl = The LaTeX Project Public License (free)

6268 *topfloat* – Move floats to the top of the page

version	1.2
description	(no language specified) Defines a command <code>\topcaption</code> which does the same as <code>\caption</code> , except that it places itself correctly when put above the figure/table that it's a caption of.
contact	<i>support</i> : https://github.com/rf-latex/topcapt/issues
contact	<i>repository</i> : https://github.com/rf-latex/topcapt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/misc/topcapt.sty
on MikTeX	ltxmisc
on T _E XLive	ltxmisc
keyword	caption (typesetting captions)
see also	see section 925 on page 843: (caption – Customising captions in floating environments)
language(s)	no language specified
year	without year
last access	2025-02-07

6268 *topfloat* – Move floats to the top of the page

Web page on CTAN <https://ctan.org/pkg/topfloat>

name	topfloat
caption	Move floats to the top of the page
author	Macchia, Angelo
license	gpl = GNU General Public License (free)
documentation	(Italian) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/topfloat/topfloat.pdf
– local file	./6819919924-topfloat.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/topfloat
on MikTeX	topfloat
on T _E XLive	topfloat
keyword	float (typesetting floats)
language(s)	Italian
year	without year

last access 2025-02-07

6269 *topiclongtable* – Extend *longtable* with cells that merge hierarchicallyWeb page on CTAN <https://ctan.org/pkg/topiclongtable>

name	topiclongtable
caption	Extend longtable with cells that merge hierarchically
author	Brasolin, Paolo
copyright	Paolo Brasolin (2017-2020)
license	mit = MIT License (free)
version	1.3.2 (2020-04-12)
last changes	2020-04-12
year	2020
description	(no language specified) This LaTeX package extends longtable implementing cells that: • merge with the one above if it has the same content, • do not merge with the one above unless the ones on the left are merged, • are well behaved with respect to longtable chunking on page breaks, • and automatically draw the correct separation lines. The typical use case is a table spanning multiple pages that contains a list of hierarchically organized topics (hence the package name). The package depends on array , expl3 , longtable , multirow , xparse , and zref-abspage .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/topiclongtable/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/topiclongtable/topiclongtable-doc.pdf
– local file	./1674645235-topiclongtable-doc.pdf
contact	<i>bugs</i> : https://github.com/paolobrasolin/topiclongtable/issues
contact	<i>repository</i> : https://github.com/paolobrasolin/topiclongtable
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/topiclongtable

on MikTeX	<code>topiclongtable</code>
on T _E XLive	<code>topiclongtable</code>
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>table-long</code> (typeset tables that may be too big for a page)
keyword	<code>table</code> (table typesetting)
language(s)	no language specified
last access	2025-02-07

6270 `topletter` – Letter class for the Politecnico di Torino

Web page on CTAN <https://ctan.org/pkg/topletter>

name	<code>TOPletter</code>
caption	Letter class for the Politecnico di Torino
author	Torchiano, Marco
copyright	Marco Torchiano (2015)
license	<code>apache2</code> = Apache License, version 2.0 (free)
version	0.3.0 (2018-07-10)
last changes	2018-07-10
year	2018
description	(no language specified) This package provides a LaTeX class for typesetting letters conforming to the official Corporate Image guidelines for the Politecnico di Torino . The class can be used for letters written in Italian and in English.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/topletter/TOPletter.pdf
– local file	<code>./5690150603-TOPletter.pdf</code>
documentation	(no language specified) <i>Example of use (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/topletter/ExampleLetter.pdf
– local file	<code>./5608989202-ExampleLetter.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/topletter/README.md
documentation	<i>Example of use (Italian)</i> : https://ctan.org/tex-archive/macros/latex/contrib/topletter/EsempioLettera.pdf
– local file	<code>./3319306752-EsempioLettera.pdf</code>

6271 `topsection` – An un-numbered top level section

contact	<i>bugs</i> : https://github.com/mtorchiano/TOPLetter/issues
contact	<i>repository</i> : https://github.com/mtorchiano/TOPLetter
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/topletter
on MikTeX	topletter
on TeXLive	topletter
keyword	letter (typesetting letters, envelopes, faxes, etc)
keyword	class (alternative LaTeX class(es))
keyword	italian (support for typesetting Italian)
language(s)	Italian
last access	2025-02-07

6271 `topsection` – An un-numbered top level section

Web page on CTAN	https://ctan.org/pkg/topsection
name	<code>topsection</code>
caption	An un-numbered top level section
author	Rozhenko, Alexander I.
copyright	Alexander I. Rozhenko (2005)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package implements a command <code>\topsection</code>, which creates an un-numbered section at the top level (chapter in book- or report-like classes, section in article-like classes). The section is used when the table of contents, index, etc., are prepared, so that documents can in some sense be class independent. In collaboration with the <code>nccsect</code> package, the details of the <code>\topsection</code> may be written to the <code>.aux</code> file, and hence to the table of contents. The package is part of the NCC tools bundle.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/ncctools/doc/topsection.pdf
– local file	<code>./7076002071-topsection.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ncctools

on MikTeX	ncctools
on T _E XLive	ncctools
keyword	headings (chapter, section, etc., heading styles)
language(s)	no language specified
year	2005
last access	2025-02-07

6272 toptesi – Bundle for typesetting multilanguage theses

Web page on CTAN <https://ctan.org/pkg/toptesi>

name	TOPTesi
caption	Bundle for typesetting multilanguage theses
author	Beccari, Claudio
copyright	Claudio Beccari (2005-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	6.4.07
description	(no language specified) This bundle contains everything needed for typesetting a bachelor, master, or PhD thesis in Italian (or in any other language supported by LaTeX: the bundle is constructed to support multilingual use). The infix strings may be selected and specified at will by means of a configuration file, so as to customize the layout of the front page to the requirements of a specific university. Thanks to its language management, the bundle is suited for multilanguage theses that are becoming more and more frequent thanks to the double degree programs of the European Community Socrates programs. Toptesi is designed to save the PDF version of a thesis in PDF/A-1b compliant mode and with all the necessary metadata.
documentation	(English) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/toptesi/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/toptesi/toptesi.pdf
– local file	./9931894300-toptesi.pdf
documentation	<i>Class documentation (Italian)</i> : https://ctan.org/tex-archive/macros/latex/contrib/toptesi/toptesi-it.pdf
– local file	./3017129323-toptesi-it.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/toptesi

on MikTeX	toptesi
on T _E XLive	toptesi
keyword	class (alternative LaTeX class(es))
keyword	multilingual (support for more than one (natural) language)
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	English; Italian
year	2025
last access	2025-02-07

6273 totalcount – Commands for typesetting total values of counters

Web page on CTAN <https://ctan.org/pkg/totalcount>

name	totalcount
caption	Commands for typesetting total values of counters
author	Sommerfeldt, Axel
copyright	Axel Sommerfeldt (2010-2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0a
description	(no language specified) This LaTeX package offers commands for typesetting total values of counters.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/totalcount/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/totalcount/totalcount.pdf
– local file	./1011808516-totalcount.pdf
contact	<i>bugs</i> : https://gitlab.com/axelsommerfeldt/totalcount/-/issues
contact	<i>repository</i> : https://gitlab.com/axelsommerfeldt/totalcount
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/totalcount
on MikTeX	totalcount
on T _E XLive	totalcount
keyword	counter-mgmt (management of counters)

language(s) no language specified
year 2018
last access 2025-02-07

6274 *totcount* – Find the last value of a counter

Web page on CTAN <https://ctan.org/pkg/totcount>

name *totcount*

caption Find the last value of a counter

author Koutavas, Vasileios

license lpl = The LaTeX Project Public License (free)

version 1.2

description (no language specified) The package records the value that was last set, for any counter of interest; since most such counters are simply incremented when they are changed, the recorded value will usually be the maximum value.

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/totcount/totcount.pdf>

– local file `./4573955987-totcount.pdf`

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/totcount/README>

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/totcount>

on MikTeX *totcount*

on TeXLive *totcount*

keyword macro-supp (support for development of (La)TeX macros)

keyword counter-mgmt (management of counters)

see also see section 3256 on page 2940: (`lastpage` – Reference last page for Page N of M type footers)

see also see section 6275 on page 5676: (`totpages` – Count pages in a document, and report last page number)

language(s) no language specified

year without year

last access 2025-02-07

6275 *totpages* – Count pages in a document, and report last page number

Web page on CTAN <https://ctan.org/pkg/totpages>

name	<i>totpages</i>
caption	Count pages in a document, and report last page number
author	Müller, Wilhelm
copyright	Wilhelm Müller (1999-2005)
license	lppl = The LaTeX Project Public License (free)
version	2.00
description	(no language specified) The package counts the actual pages in the document (as opposed to reporting the number of the last page, as does lastpage). The counter itself may be shipped out to the DVI file. The package uses the everyshi package for its task.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/totpages/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/totpages/totpages.pdf
– local file	<code>./1486861877-totpages.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/totpages
on MikTeX	<i>totpages</i>
on T _E XLive	<i>totpages</i>
keyword	<code>typesetting</code> (support for variations of typographic style)
keyword	<code>label-ref</code> (label and reference systems)
see also	see section 1354 on page 1224 : (<code>count1to</code> – Make use of <code>count1</code> to <code>count9</code>)
language(s)	no language specified
year	2005
last access	2025-02-07

6276 tpcmfont – Computer modern fonts in "true point sizes"Web page on CTAN <https://ctan.org/pkg/tpcmfont>

name	tpcmfont
caption	Computer modern fonts in "true point sizes"
author	Knuuttila, Timo
license	other-nonfree = License that prevents distribution (not free)
version	1.1
description	(no language specified) Font Definition files for "True Point Computer Modern" (and actually, for Computer Concrete) in T1 encoding). For example, cmr11 is declared as cmr11, not as cmr10 at 10.95pt.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tpcmfont/readme.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tpcmfont
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year
last access	2025-02-07

6277 tpic2pdfTeX – Use tpic commands in pdfTeXWeb page on CTAN <https://ctan.org/pkg/tpic2pdfTeX>

name	tpic2pdfTeX
caption	Use tpic commands in pdfTeX
author	The TeX Live Team
author	Henkel, Hartmut
license	gpl = GNU General Public License (free)
description	(no language specified) The AWK script converts pic language, embedded inline (delimited by .PS and .PE markers), to \pdfliteral commands.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/tpic2pdfTeX/README
on CTAN	https://ctan.org/tex-archive/graphics/tpic2pdfTeX
on MikTeX	tpic2pdfTeX

on T _E XLive	tpic2pdf _{tex}
keyword	graphics-prep (prepare graphics for use with *T _E X)
language(s)	no language specified
year	without year
last access	2025-02-07

6278 *tpslifonts* – A LaTeX package for configuring presentation fonts

Web page on CTAN <https://ctan.org/pkg/tpslifonts>

name	tpslifonts
caption	A LaTeX package for configuring presentation fonts
author	Lehmke, Stephan
license	gpl = GNU General Public License (free)
version	0.6
description	(no language specified) This package aims to improve of font readability in presentations, especially with maths. The standard cm maths fonts at large design sizes are difficult to read from far away, especially at low resolutions and low contrast color choice. Using this package leads to much better overall readability of some font combinations. The package offers a couple of ‘harmonising’ combinations of text and maths fonts from the (distant) relatives of computer modern fonts, with a couple of extras for optimising readability. Text fonts from computer modern roman, computer modern sans serif, SliT_EX computer modern sans serif, computer modern bright, or concrete roman are available, in addition to maths fonts from computer modern maths, computer modern bright maths, or Euler fonts. The package is part of the T_EXPower bundle.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/txpower/tpslifonts
on MikT _E X	tpslifonts
on T _E XLive	tpslifonts
keyword	presentation (slides, beamers, handouts, etc.)
keyword	font-use (font selection, mapping, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

6279 tpx – A drawing tool for WindowsWeb page on CTAN <https://ctan.org/pkg/tpx>

name TpX

caption A drawing tool for Windows

author Tsyplakov, Alexander

license gpl = GNU General Public License (free)

version 1.5

description (no language specified) TpX is a lightweight, easy-to-use graphical editor for Windows platform for creating drawings and including them into TeX files in publication-ready form. It can also be used as a stand-alone editor for vector graphics.

The output is a file (with extension .TpX) containing the drawing as TeX code or as an `\includegraphics` link to an external file created by the program. The user can choose between several output formats. TpX saves its own data in TeX file comments so that the drawing can be loaded into TpX and edited again. This internal TpX format is based on XML and can easily be understood and edited.

TpX can import EMF/WMF pictures created by other Windows applications, including many applications producing scientific graphs. In most cases the result is nice, though sometimes the imported picture needs some manual editing. So TpX can be used as an EMF-to-any converter.

documentation (no language specified) *Package documentation:*
<https://ctan.org/tex-archive/graphics/tpx/Readme.txt>

documentation (no language specified) *Readme:*
<https://ctan.org/tex-archive/graphics/tpx/README>

contact repository: <http://tpx.sourceforge.net/>

on CTAN <https://ctan.org/tex-archive/graphics/tpx>

keyword graphics-prep (prepare graphics for use with *TeX)

language(s) no language specified

year without year

last access 2025-02-07

6280 *tqft* – Drawing TQFT diagrams with TikZ/PGF

Web page on CTAN <https://ctan.org/pkg/tqft>

name	tqft
caption	Drawing TQFT diagrams with TikZ/PGF
author	Stacey, Andrew
copyright	Andrew Stacey (2011-2024)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.3
description	(no language specified) The package defines some node shapes useful for drawing TQFT diagrams with TikZ/PGF . That is, it defines highly customisable shapes that look like cobordisms between circles, such as those used in TQFT and other mathematical diagrams.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tqft/tqft.pdf
– local file	./8088946663-tqft.pdf
documentation	(no language specified) <i>Annotated code</i> : https://ctan.org/tex-archive/macros/latex/contrib/tqft/tqft_code.pdf
– local file	./8647094992-tqft_code.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tqft/README.txt
home page	https://github.com/loopspace/TQFT
contact	<i>repository</i> : https://github.com/loopspace/TQFT
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tqft
on MikTeX	tqft
on TeXLive	tqft
keyword	graphics-use (graphics (typesetting actual pictures))
keyword	diagram (diagrams)
language(s)	no language specified
year	2024
last access	2025-02-07

6281 tr2latex – Translate troff source to LaTeX

Web page on CTAN <https://ctan.org/pkg/tr2latex>

name	tr2latex
caption	Translate troff source to LaTeX
author	Jagdman, Dirk
author	Al-Yahya, Kamal
author	Engel, Christian
copyright	Christian Engel (1991, 1992)
copyright	Kamal Al-Yahya (1986, 1987)
copyright	Dirk Jagdman (2008-2018)
license	nosell = Do Not Sell Except by Arrangement (not free)
version	2.6
description	(no language specified) A development of Al-Yahya's original troff-to-LaTeX. The translator recognises most <code>-ms</code> and <code>-man</code> macros, plus some <code>eqn</code> and <code>tbl</code> preprocessor commands; output is in LaTeX 2.09 format.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/tr2latex/README
on CTAN	https://ctan.org/tex-archive/support/tr2latex
keyword	foreign-import (import files in a non-TeX (or different TeX) format)
language(s)	no language specified
year	2018
last access	2025-02-07

6282 trace – Make sensible use of TeX tracing in LaTeX

Web page on CTAN <https://ctan.org/pkg/trace>

name	trace
caption	Make sensible use of TeX tracing in LaTeX
author	The LaTeX Project Team
author	Mittelbach, Frank
copyright	The LaTeX Project (1993-2023)
copyright	Frank Mittelbach (1999-2019)

license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1f (2021-04-18)
last changes	2021-04-18
year	2021
description	(no language specified) The package provides the means to suppress excessive (and usually unnecessary) tracing inside some particularly verbose parts of LaTeX (such as the font selection routines, or the calc package’s parsing of expressions). The package therefore redefines a number of key commands to turn off tracing while they execute (those the author finds most annoying and noisy). Since it potentially modifies the content of other packages, the package should be loaded last in a document’s preamble. The package is part of the latex-tools bundle in the LaTeX required distribution.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/required/tools/trace.pdf
– local file	<code>./1410414277-trace.pdf</code>
documentation	(no language specified) <i>TUGboat paper</i> : https://tug.org/TUGboat/Articles/tb22-1-2/tb70mitt.pdf
– local file	<code>./1986214086-tb70mitt.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/required/tools
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-tools.tds.zip
on MikTeX	latex-tools
on TeXLive	tools
keyword	tagged-pdf (tagged PDF compatible)
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2026-04-10

6283 tracking – Adjust tracking of strings

Web page on CTAN <https://ctan.org/pkg/tracking>

name	tracking
caption	Adjust tracking of strings
author	Glazkov, Dmitry A.
license	other-nonfree = License that prevents distribution (not free)
description	(no language specified) Automatically adjust spaces between symbols in words or phrases to fit them into a specified length. Any chain of symbols (including spaces) in the current font may be treated. Commands <code>\track{<length>}{<string>}</code> (add space <code><length></code> , which may be <code><0</code>, after each symbol of <code><string></code>), <code>\fittrack{<length>}{<string>}</code> (make <code><string></code> fit into width <code><length></code> , which may be smaller than the original width) and <code>\ratiotrack{<ratio>}{<string>}</code> (as <code>\fittrack</code> , with <code><length></code> replaced by <code><ratio></code> of the natural length of <code><string></code>).
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tracking/tracking.sty
keyword	letterspace (change space between characters)
see also	see section 6041 on page 5460 : (<code>textfit</code> – Fit text to a desired size)
see also	see section 5609 on page 5076 : (<code>soul</code> – Hyphenation for letterspacing, underlining, and more)
see also	see section 3395 on page 3064 : (<code>letterspacing</code> – Letter spacing)
language(s)	no language specified
year	without year
last access	2025-02-07

6284 tracklang – Language and dialect tracker

Web page on CTAN <https://ctan.org/pkg/tracklang>

name	tracklang
caption	Language and dialect tracker
author	Talbot, Nicola
copyright	Nicola Talbot (2014-2022)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)

version	1.6.1 (2022-12-13)
last changes	2022-12-13
year	2022
description	(no language specified) The tracklang package is provided for package developers who want a simple interface to find out which languages the user has requested through packages such as babel or polyglossia . This package does not provide any translations! Its purpose is simply to track which languages have been requested by the user. Generic TeX code is in <code>tracklang.tex</code> for non-LaTeX users.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/generic/tracklang/README
documentation	(no language specified) <i>Documented Code</i>: https://ctan.org/tex-archive/macros/generic/tracklang/tracklang-code.pdf
– local file	<code>./8212676047-tracklang-code.pdf</code>
documentation	(no language specified) <i>User manual (HTML)</i>: https://ctan.org/tex-archive/macros/generic/tracklang/tracklang-manual.html
documentation	(no language specified) <i>User manual (PDF)</i>: https://ctan.org/tex-archive/macros/generic/tracklang/tracklang-manual.pdf
– local file	<code>./7616423597-tracklang-manual.pdf</code>
contact	<i>support</i> : https://www.dickimaw-books.com/faq.php?action=view&category=tracklang
contact	<i>bugs</i> : https://www.dickimaw-books.com/bugtracker.php?search_category=tracklang
on CTAN	https://ctan.org/tex-archive/macros/generic/tracklang
installation	https://ctan.org/tex-archive/install/macros/generic/tracklang.tds.zip
on MikTeX	<code>tracklang</code>
on TeXLive	<code>tracklang</code>
keyword	<code>class-supp</code> (support for class (and package) development)
keyword	<code>package-devel</code> (support for package development)
keyword	<code>multilingual</code> (support for more than one (natural) language)
language(s)	no language specified
last access	2024-04-19

6285 `trademarks` – A collection of trademarks and the like

Web page on CTAN <https://ctan.org/pkg/trademarks>

name	<code>trademarks</code>
caption	A collection of trademarks and the like
license	<code>noinfo = noinfo</code>
version	(1989-12-22)
last changes	1989-12-22
year	1989
description	(no language specified) A collection of macros for common names of organisations and of products, typeset in such a way as to match their common representation.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/trademarks.sty
keyword	<code>bus-study</code> (typeset material for Business Studies)
language(s)	no language specified
last access	2025-02-07

6286 `traffic-light-protocol` – Show TLP (Traffic Light Procotol) tags

Web page on CTAN <https://ctan.org/pkg/traffic-light-protocol>

name	<code>traffic-light-protocol</code>
caption	Show TLP (Traffic Light Procotol) tags
author	Starke, Jan
copyright	BDO Cyber Security (2025)
license	<code>apache2</code> = Apache License, version 2.0 (free)
version	0.2 (2025-04-08)
last changes	2025-04-08
year	2025
description	(no language specified) This LaTeX package provides a command <code>\tlp</code> to display TLP (Traffic Light Protocol) labels. It currently relies on <code>xcolor</code> and LaTeX3.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/traffic-light-protocol/traffic-light-protocol.pdf
– local file	./7997727464-traffic-light-protocol.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/traffic-light-protocol/README.md
contact	<i>repository</i> : https://github.com/janstarke/traffic-light-protocol
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/traffic-light-protocol
keyword	colour (typesetting in colour)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-04-09

6287 *trajan* – Fonts from the Trajan column in Rome

Web page on CTAN <https://ctan.org/pkg/trajan>

name	trajan
caption	Fonts from the Trajan column in Rome
author	Wilson, Peter R.
copyright	Peter R. Wilson (1999-2005)
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) Provides fonts (both as Metafont source and in Adobe Type 1 format) based on the capitals carved on the Trajan column in Rome in 114 AD, together with macros to access the fonts. Many typographers think these rank first among the Roman’s artistic legacy. The font is uppercase letters together with some punctuation and alphabetics; no lowercase or digits.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/trajan/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/trajan/trajan.pdf
– local file	./8493744389-trajan.pdf

documentation	(no language specified) <i>Font sample</i> : https://ctan.org/tex-archive/fonts/trajan/trytrajan.pdf
– local file	<code>./4776611999-trytrajan.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/trajan
on MikTeX	trajan
on T _E XLive	trajan
keyword	font (fonts themselves)
keyword	font-archaic (fonts reproducing archaic scripts or inscriptions)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	no language specified
year	2005
last access	2025-02-07

6288 *tram* – Typeset tram boxes in LaTeX

Web page on CTAN	https://ctan.org/pkg/tram
name	tram
caption	Typeset tram boxes in LaTeX
author	Khalighi, Vafa
author	bidi-tex GitHub Organisation
copyright	Persian TeX Group (2011-2013)
license	lppl = The LaTeX Project Public License (free)
version	0.2
description	(no language specified) Tram boxes are highlighted with patterns of dots; the package defines an environment <code>tram</code> that typesets its content into a tram box. The pattern used may be selected in an optional argument to the environment.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tram/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tram/tram-doc.pdf
– local file	<code>./5919631437-tram-doc.pdf</code>
contact	<i>bugs</i> : https://github.com/bidi-tex/tram/issues

contact	repository: https://github.com/bidi-tex/tram
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tram
on MikTeX	tram
on T _E XLive	tram
keyword	editorial (editor's marks, highlights, etc.)
keyword	boxing (creating boxes)
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
language(s)	no language specified
year	2013
last access	2025-02-07

6289 *tramlines* – A package for creating tramlines (lines above and below a title used by lawyers in the UK)

Web page on CTAN	https://ctan.org/pkg/tramlines
name	tramlines
caption	A package for creating tramlines (lines above and below a title used by lawyers in the UK)
author	Granet, Elijah Z
license	cc-by-sa-3 = CC BY-SA 3.0 (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1.1
description	(no language specified) This package automatically creates tramlines (lines above and below a title used by lawyers in the UK and the Commonwealth).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tramlines/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tramlines/tramlines-documentation.pdf
– local file	./7010479754-tramlines-documentation.pdf
home page	https://github.com/ezgranet/tramlines
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tramlines
on MikTeX	tramlines

on T _E XLive	tramlines
keyword	legal (typesetting legal documents or study material)
keyword	headings (chapter, section, etc., heading styles)
language(s)	no language specified
year	without year
last access	2025-02-07

6290 *trans* – A simple TeX macro package for PostScript transformations

Web page on CTAN <https://ctan.org/pkg/trans>

name	trans
caption	A simple TeX macro package for PostScript transformations
author	BOP
license	pd = Public Domain Software (free)
version	0.55
description	(no language specified) Macros for easy transformations of PostScript objects, scaling, rotation, etc.
on CTAN	https://ctan.org/tex-archive/macros/generic/TeX-PS/trans.tex
on MikT _E X	tex-ps
on T _E XLive	tex-ps
keyword	obsolete (package declared obsolete)
keyword	graphics-supp (support for other packages or for drivers)
see also	see section 4536 on page 4103: (pdf-trans – A set of macros for various transformations of TeX boxes)
language(s)	no language specified
year	without year
last access	2025-02-07

6291 **transfig** – Transform xfig pictures into many other formats

Web page on CTAN <https://ctan.org/pkg/transfig>

name	transfig
caption	Transform xfig pictures into many other formats
author	Smith, Brian
license	bsd = BSD Style License (free)
version	3.2.4
description	(no language specified) Translates figures generated by xfig to a large variety of formats.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/transfig/README
on CTAN	https://ctan.org/tex-archive/graphics/transfig
keyword	format-cvt (convert one format of file to another)
keyword	graphics-prep (prepare graphics for use with *TeX)
see also	see section 5454 on page 4935 : (shapepatch – Transfig patch supporting shapepar)
language(s)	no language specified
year	without year
last access	2026-04-10

6292 **translation-array-fr** – French translation of the documentation of array

Web page on CTAN <https://ctan.org/pkg/translation-array-fr>

name	translation-array-fr
caption	French translation of the documentation of array
author	Drucbert, Jean-Pierre
license	lppl = The LaTeX Project Public License (free)
version	(2000-01-21)
last changes	2000-01-21
year	2000
description	(no language specified) A French translation of the documentation of array .

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/translations/array/fr/README
documentation	(no language specified) <i>The translation</i> : https://ctan.org/tex-archive/info/translations/array/fr/f-array.pdf
– local file	<code>./7491860346-f-array.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/translations/array/fr
on T _E XLive	<code>translation-array-fr</code>
keyword	<code>matrix</code> (typeset matrices)
keyword	<code>table</code> (table typesetting)
keyword	<code>translation</code> (translation of material from the archive, to another language)
keyword	<code>french-doc</code> (documentation in French)
language(s)	no language specified
last access	2025-02-07

6293 *translation-arsclassica-de* – German version of *arsclassica*

Web page on CTAN	https://ctan.org/pkg/translation-arsclassica-de
name	<code>translation-arsclassica-de</code>
caption	German version of <i>arsclassica</i>
author	Gessinger, Ilona
author	Römer, Christine
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) This is a "translation" of the <i>arsclassica</i> documentation.
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/info/translations/arsclassica/de/ArsClassica-de.pdf
– local file	<code>./2649955527-ArsClassica-de.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/translations/arsclassica/de
on T _E XLive	<code>translation-arsclassica-de</code>
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
keyword	<code>german-doc</code> (documentation in German)
keyword	<code>translation</code> (translation of material from the archive, to another language)
language(s)	German

year without year
last access 2025-02-07

6294 translation-biblatex-de – German translation of the User Guide for BibLaTeX

Web page on CTAN <https://ctan.org/pkg/translation-biblatex-de>

name translation-biblatex-de
caption German translation of the User Guide for BibLaTeX
author Römer, Christine
license lppl = The LaTeX Project Public License (free)
version 3.15b (2021-05-28)
last changes 2021-05-28
year 2021
description (no language specified) A German translation of the User Guide for **BibLaTeX**.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/info/translations/biblatex/de/README>
documentation (no language specified) *The translation*:
<https://ctan.org/tex-archive/info/translations/biblatex/de/biblatex-de-Benutzerhandbuch.pdf>
– local file ./2197233307-biblatex-de-Benutzerhandbuch.pdf
home page <https://github.com/plk/biblatex>
contact *announce*: <https://github.com/plk/biblatex/wiki>
contact *bugs*: <https://github.com/plk/biblatex/issues>
contact *repository*: <https://github.com/plk/biblatex.git>
on CTAN <https://ctan.org/tex-archive/info/translations/biblatex/de>
on T_EXLive translation-biblatex-de
keyword documentation (‘stand-alone’ documentation)
keyword biblatex (BibLaTeX bibliography support)
keyword german-doc (documentation in German)
language(s) no language specified
last access 2025-02-07

6295 *translation-booktabs-fr* – French translation of the documentation of booktabs

Web page on CTAN <https://ctan.org/pkg/translation-booktabs-fr>

name	translation-booktabs-fr
caption	French translation of the documentation of booktabs
author	Drucbert, Jean-Pierre
license	lppl = The LaTeX Project Public License (free)
version	(1995-11-06)
last changes	1995-11-06
year	1995
description	(no language specified) A french translation of the documentation of booktabs .
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/info/translations/booktabs/fr/f-booktabs.pdf
– local file	./4806114065-f-booktabs.pdf
documentation	(French) <i>Readme</i> : https://ctan.org/tex-archive/info/translations/booktabs/fr/README
on CTAN	https://ctan.org/tex-archive/info/translations/booktabs/fr
keyword	french-doc (documentation in French)
keyword	table (table typesetting)
keyword	typesetting (support for variations of typographic style)
language(s)	French
last access	2025-02-07

6296 *translation-chemsym-de* – German version of chemsym

Web page on CTAN <https://ctan.org/pkg/translation-chemsym-de>

name	translation-chemsym-de
caption	German version of chemsym
author	Römer, Christine
author	Heuke, Sandro
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) This is a "translation" of the chemsym documentation.

documentation	(German) <i>The document itself</i> : https://ctan.org/tex-archive/info/translations/chemsym/de/chemsym-de.pdf
– local file	<code>./6860721024-chemsym-de.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/translations/chemsym/de
on T _E XLive	<code>translation-chemsym-de</code>
keyword	<code>chemistry</code> (chemistry document support)
keyword	<code>translation</code> (translation of material from the archive, to another language)
keyword	<code>german-doc</code> (documentation in German)
language(s)	German
year	without year
last access	2025-02-07

6297 *translation-dcolumn-fr* – French translation of the documentation of *dcolumn*

Web page on CTAN	https://ctan.org/pkg/translation-dcolumn-fr
name	<code>translation-dcolumn-fr</code>
caption	French translation of the documentation of <i>dcolumn</i>
author	Drucbert, Jean-Pierre
license	lpl = The LaTeX Project Public License (free)
version	(2000-01-20)
last changes	2000-01-20
year	2000
description	(no language specified) A French translation of the documentation of <i>dcolumn</i> .
documentation	(no language specified) <i>The translation</i> : https://ctan.org/tex-archive/info/translations/dcolumn/fr/f-dcolumn.pdf
– local file	<code>./6496898527-f-dcolumn.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/translations/dcolumn/fr/README
on CTAN	https://ctan.org/tex-archive/info/translations/dcolumn/fr
on T _E XLive	<code>translation-dcolumn-fr</code>
keyword	<code>french-doc</code> (documentation in French)

keyword	documentation ('stand-alone' documentation)
keyword	table (table typesetting)
keyword	typesetting (support for variations of typographic style)
language(s)	no language specified
last access	2025-02-07

6298 translation-ecv-de – Ecv documentation, in German

Web page on CTAN <https://ctan.org/pkg/translation-ecv-de>

name	translation-ecv-de
caption	Ecv documentation, in German
author	Römer, Christine
author	Vogel, Katrin
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) This is a "translation" of the ecv documentation.
documentation	(German) <i>Package documentation:</i> https://ctan.org/tex-archive/info/translations/ecv/de/ecvde.dtx.pdf
– local file	./3748286020-ecvde.dtx.pdf
on CTAN	https://ctan.org/tex-archive/info/translations/ecv/de
on T _E XLive	translation-ecv-de
keyword	translation (translation of material from the archive, to another language)
keyword	cv (curriculum vitae/Resumé)
keyword	german-doc (documentation in German)
language(s)	German
year	without year
last access	2025-02-07

6299 *translation-enumitem-de* – Enumitem documentation, in German

Web page on CTAN	https://ctan.org/pkg/translation-enumitem-de
name	translation-enumitem-de
caption	Enumitem documentation, in German
author	Ludwig, Matthias
author	Römer, Christine
license	lppl = The LaTeX Project Public License (free)
version	(2011-10-03)
last changes	2011-10-03
year	2011
description	(no language specified) This is a translation of the manual for enumitem .
documentation	(German) <i>The translation itself</i> : https://ctan.org/tex-archive/info/translations/enumitem/de/enumitem-de.pdf
– local file	./4812642430-enumitem-de.pdf
on CTAN	https://ctan.org/tex-archive/info/translations/enumitem/de
on T _E XLive	translation-enumitem-de
keyword	list (list: general)
keyword	translation (translation of material from the archive, to another language)
keyword	german-doc (documentation in German)
language(s)	German
last access	2025-02-07

6300 *translation-europecv-de* – German version of europecv

Web page on CTAN	https://ctan.org/pkg/translation-europecv-de
name	translation-europecv-de
caption	German version of europecv
author	Römer, Christine
author	Fischer, Susanne
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) This is a "translation" of the europecv documentation.

documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/info/translations/europecv/de/europecv-de.pdf
– local file	<code>./8343252997-europecv-de.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/translations/europecv/de
on T _E XLive	<code>translation-europecv-de</code>
keyword	<code>translation</code> (translation of material from the archive, to another language)
keyword	<code>cv</code> (curriculum vitae/Resumé)
keyword	<code>german-doc</code> (documentation in German)
language(s)	German
year	without year
last access	2025-02-07

6301 *translation-filecontents-de* – German version of *filecontents*

Web page on CTAN	https://ctan.org/pkg/translation-filecontents-de
name	<code>translation-filecontents-de</code>
caption	German version of <i>filecontents</i>
author	Berndt, Ronny
author	Römer, Christine
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) This is a "translation" of the <i>filecontents</i> documentation.
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/info/translations/filecontents/de/filecontents-de.pdf
– local file	<code>./1278622539-filecontents-de.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/translations/filecontents/de
on T _E XLive	<code>translation-filecontents-de</code>
keyword	<code>german-doc</code> (documentation in German)
keyword	<code>file-mgmt</code> (TeX-related-file management)
keyword	<code>translation</code> (translation of material from the archive, to another language)
language(s)	German
year	without year

last access 2025-02-07

6302 translation-footmisc-de – A German translation of the documentation of footmisc

Web page on CTAN <https://ctan.org/pkg/translation-footmisc-de>

name	translation-footmisc-de
caption	A German translation of the documentation of footmisc
author	Römer, Christine
license	lppl = The LaTeX Project Public License (free)
version	1
description	(no language specified) A German translation of the documentation of footmisc . .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/translations/footmisc/de/README
documentation	(no language specified) <i>The translation itself</i> : https://ctan.org/tex-archive/info/translations/footmisc/de/footmiscDE.pdf
– local file	./2589877011-footmiscDE.pdf
on CTAN	https://ctan.org/tex-archive/info/translations/footmisc/de
keyword	footnote (footnote support)
keyword	german-doc (documentation in German)
keyword	translation (translation of material from the archive, to another language)
language(s)	no language specified
year	without year
last access	2025-02-07

6303 translation-moreverb-de – German version of moreverb

Web page on CTAN	https://ctan.org/pkg/translation-moreverb-de
name	translation-moreverb-de
caption	German version of moreverb
author	Biniok, Matthias
author	Römer, Christine
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) This is a "translation" of the <i>moreverb</i> documentation.
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/info/translations/moreverb/de/moreverb-de.dtx.pdf
– local file	./5409198244-moreverb-de.dtx.pdf
on CTAN	https://ctan.org/tex-archive/info/translations/moreverb/de
on T _E XLive	translation-moreverb-de
keyword	verbatim (verbatim typesetting, etc.)
keyword	translation (translation of material from the archive, to another language)
keyword	german-doc (documentation in German)
language(s)	German
year	without year
last access	2025-02-07

6304 translation-natbib-fr – French translation of the documentation of natbib

Web page on CTAN	https://ctan.org/pkg/translation-natbib-fr
name	translation-natbib-fr
caption	French translation of the documentation of natbib
author	Daly, Patrick W.
author	Drucbert, Jean-Pierre
license	lppl = The LaTeX Project Public License (free)
version	(2001-10-31)
last changes	2001-10-31
year	2001

description	(no language specified) A French translation of the documentation of natbib .
documentation	(no language specified) <i>Translated documentation</i> : https://ctan.org/tex-archive/info/translations/natbib/fr/f-natbib.pdf
– local file	<code>./8105222031-f-natbib.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/translations/natbib/fr
on T _E XLive	<code>translation-natbib-fr</code>
keyword	<code>french-doc</code> (documentation in French)
keyword	<code>translation</code> (translation of material from the archive, to another language)
keyword	<code>bibtex-supp</code> (BibTeX citation support)
language(s)	no language specified
last access	2025-02-07

6305 *translation-pst-jtree-de* – A German translation of the documentation of *pst-jtree*

Web page on CTAN	https://ctan.org/pkg/translation-pst-jtree-de
name	<code>translation-pst-jtree-de</code>
caption	A German translation of the documentation of <i>pst-jtree</i>
author	Römer, Christine
license	lpl = The LaTeX Project Public License (free)
version	1
description	(no language specified) The package provides a German translation of the documentation of pst-jtree
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/translations/pst-jtree/de/README
documentation	(no language specified) <i>The translation itself</i> : https://ctan.org/tex-archive/info/translations/pst-jtree/de/pst-jtree-doc_DE.pdf
– local file	<code>./6983347019-pst-jtree-doc_DE.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/translations/pst-jtree/de
keyword	<code>tree</code> (mechanisms for drawing trees)
keyword	<code>translation</code> (translation of material from the archive, to another language)
keyword	<code>german-doc</code> (documentation in German)

language(s)	no language specified
year	without year
last access	2025-02-07

6306 *translation-tabbings-fr* – French translation of the documentation of *Tabbing*

Web page on CTAN	https://ctan.org/pkg/translation-tabbings-fr
name	translation-tabbings-fr
caption	French translation of the documentation of <i>Tabbing</i>
author	Drucbert, Jean-Pierre
copyright	Jean-Pierre F. Drucbert (1996-1998)
license	lpl1 = The LaTeX Project Public License 1 (free)
version	(1997-12-18)
last changes	1997-12-18
year	1997
description	(no language specified) A translation to French (by the author) of the documentation of the <i>Tabbing</i> package.
documentation	(French) <i>The document itself</i> : https://ctan.org/tex-archive/info/translations/Tabbing/fr/f-Tabbing.pdf
– local file	./4311047527-f-Tabbing.pdf
on CTAN	https://ctan.org/tex-archive/info/translations/Tabbing/fr
on T _E XLive	translation-tabbings-fr
keyword	translation (translation of material from the archive, to another language)
keyword	french-doc (documentation in French)
language(s)	French
last access	2025-02-07

6307 translations – Internationalisation of LaTeX2e packages

Web page on CTAN <https://ctan.org/pkg/translations>

name	translations
caption	Internationalisation of LaTeX2e packages
author	Niederberger, Clemens
copyright	Clemens Niederberger (2012-2022)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.12 (2022-02-05)
last changes	2022-02-05
year	2022
description	(no language specified) This package (once part of the exsheets package), provides a framework for providing multilingual features to a LaTeX package. The package has its own basic dictionaries for English, Brazilian, Catalan, Dutch, French, German and Spanish; it aims to use translation material for English, Dutch, French, German, Italian, Spanish, Catalan, Turkish, Croatian, Hungarian, Danish and Portuguese from babel or polyglossia if either is in use in the document. (Additional languages from the multilingual packages may be possible: ask the author.)
documentation	<i>Package documentation (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/translations/translations-manual.pdf
– local file	<code>./3531444242-translations-manual.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/translations/README
contact	<i>bugs:</i> https://github.com/cgnieder/translations/issues
contact	<i>repository:</i> https://github.com/cgnieder/translations/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/translations
on MikTeX	translations
on T _E XLive	translations
keyword	multilingual (support for more than one (natural) language)
keyword	package-supp (support for other packages)
see also	see section 6308 on page 5703 : (<code>translator</code> – Easy translation of strings in LaTeX)

language(s) English
last access 2025-02-07

6308 *translator* – Easy translation of strings in LaTeX

Web page on CTAN <https://ctan.org/pkg/translator>

name	translator
caption	Easy translation of strings in LaTeX
author	Wright, Joseph
copyright	Vedran Miletic (2010)
copyright	Vedran Miletic, Joseph Wright (2012, 2015)
copyright	Joseph Wright (2017-2021)
copyright	Till Tantau (2007)
license	gpl = GNU General Public License (free)
license	lppl = The LaTeX Project Public License (free)
version	1.12d (2021-05-31)
last changes	2021-05-31
year	2021
description	(no language specified) This LaTeX package provides a flexible mechanism for translating individual words into different languages. For example, it can be used to translate a word like "figure" into, say, the German word "Abbildung". Such a translation mechanism is useful when the author of some package would like to localize the package such that texts are correctly translated into the language preferred by the user. This package is not intended to be used to automatically translate more than a few words.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/translator/translator.pdf
– local file	./7178589941-translator.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/translator/README.md
contact	<i>bugs:</i> https://github.com/josephwright/translator/issues
contact	<i>repository:</i> https://github.com/josephwright/translator

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/translator
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/translator.tds.zip
on MikTeX	translator
on T _E XLive	translator
keyword	package-supp (support for other packages)
keyword	multilingual (support for more than one (natural) language)
see also	see section 6307 on page 5702: (translations – Internationalisation of LaTeX2e packages)
language(s)	no language specified
last access	2025-02-07

6309 transparent – Using a color stack for transparency with pdfTeX

Web page on CTAN <https://ctan.org/pkg/transparent>

name	transparent
caption	Using a color stack for transparency with pdfTeX
author	Oberdiek, Heiko
copyright	Oberdiek Package Support Group (2016-2025)
copyright	Heiko Oberdiek (2007)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.6 (2025-06-23)
last changes	2025-06-23
year	2025
description	(no language specified) pdfTeX and LuaTeX support several color stacks. This package shows how a separate color stack can be used for transparency, a property besides color that works across page breaks. If the PDF management is used it can also be used with other engines, but without support for page breaks.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/transparent/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/transparent/transparent.pdf

6310 *transparent-io* – Show for approval the filenames used in `\input`, `\openin`, or ...

– local file	<code>./4124258167-transparent.pdf</code>
contact	bugs: https://github.com/ho-tex/transparent/issues
contact	repository: https://github.com/ho-tex/transparent
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/transparent
on MikTeX	transparent
on TeXLive	transparent
keyword	typesetting (support for variations of typographic style)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-06-29

6310 *transparent-io* – Show for approval the filenames used in `\input`, `\openin`, or `\openout`

Web page on CTAN <https://ctan.org/pkg/transparent-io>

name	Transparent-IO
caption	Show for approval the filenames used in <code>\input</code> , <code>\openin</code> , or <code>\openout</code>
author	Wermuth, Udo
copyright	Udo Wermuth (2022)
license	gpl3 = GNU General Public License, version 3 (free)
version	(2022-04-30)
last changes	2022-04-30
year	2022
description	(no language specified) This package provides macros to make the file I/O in plain TeX more transparent. That is, every <code>\input</code>, <code>\openin</code>, and <code>\openout</code> operation by TeX is presented to the user who must check carefully if the file name of the source is acceptable. The user must sometimes enter additional text and has to specify the file name that the TeX operation should use. The macros require a complex installation procedure; the package contains <code>sed</code> and <code>bash</code> scripts to do this on a UNIX-like operating system. Every installation is different from any other as password-protected macro names and private messages have to be chosen by the installer. Therefore, the files in the package cannot be used directly. The files carry the extension <code>.org</code>, and only after the user has performed an individual customization for a private installation the

changed files are renamed and have the extension `.tex`. For details see the manual.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/contrib/transparent-io/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/plain/contrib/transparent-io/Transparent-IO-doc.pdf
– local file	<code>./7233650778-Transparent-IO-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/transparent-io
on T _E XLive	<code>transparent-io</code>
keyword	<code>security</code> (document security measures)
language(s)	no language specified
last access	2025-06-29

6311 *tree-dvips* – Trees and other linguists' macros

Web page on CTAN <https://ctan.org/pkg/tree-dvips>

name	<code>tree-dvips</code>
caption	Trees and other linguists' macros
author	Pease, Emma
license	lppl1 = The LaTeX Project Public License 1 (free)
version	<code>.91</code>
description	(no language specified) The package defines a mechanism for specifying connected trees that uses a tabular environment to generate node positions. The package uses PostScript code, loaded by <code>dvips</code>, so output can only be generated by use of <code>dvips</code>. The package <code>lingmacros.sty</code> defines a few macros for linguists: <code>\enumsentence</code> for enumerating sentence examples, simple tabular-based non-connected tree macros, and gloss macros.
documentation	(no language specified) <i>Manual for tree-dvips</i>: https://ctan.org/tex-archive/macros/latex209/contrib/trees/tree-dvips/tree-manual.pdf
– local file	<code>./9959043056-tree-manual.pdf</code>

documentation	(no language specified) <i>Manual for lingmacros</i> : https://ctan.org/tex-archive/macros/latex209/contrib/trees/tree-dvips/lingmacros-manual.pdf
– local file	./7885182186-lingmacros-manual.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex209/contrib/trees/tree-dvips/README
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/trees/tree-dvips
on MikTeX	tree-dvips
on TeXLive	tree-dvips
keyword	tree (mechanisms for drawing trees)
language(s)	no language specified
year	without year
last access	2025-02-07

6312 *treedef* – Macros to typeset trees in Plain TeX

Web page on CTAN	https://ctan.org/pkg/treedef
name	treedef
caption	Macros to typeset trees in Plain TeX
author	Eppstein, David
license	noinfo = noinfo
version	(1992-08-27)
last changes	1992-08-27
year	1992
description	(no language specified) Macros that were (or seem to have been) the first higher-level means of representing tables in Plain TeX.
documentation	(no language specified) <i>TUGboat paper describing the package</i> : https://tug.org/TUGboat/Articles/tb06-1/tb11deppstein.pdf
– local file	./9959980101-tb11deppstein.pdf
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/treedef
keyword	tree (mechanisms for drawing trees)
language(s)	no language specified

last access 2025-02-07

6313 *treesvr* – Tree macros

Web page on CTAN <https://ctan.org/pkg/treesvr>

name	treesvr
caption	Tree macros
author	Vanroose, Peter
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	(1995-03-28)
last changes	1995-03-28
year	1995
description	(no language specified) The package lets you draw binary or ternary trees of any size.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/treesvr/treedoc.pdf
– local file	./3480162782-treedoc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/treesvr
on MikTeX	treesvr
on TeXLive	treesvr
keyword	tree (mechanisms for drawing trees)
language(s)	no language specified
last access	2025-02-07

6314 *treetex-ltx209* – Draw horizontally- or vertically-oriented trees

Web page on CTAN <https://ctan.org/pkg/treetex-ltx209>

name	treetex-ltx209
caption	Draw horizontally- or vertically-oriented trees
author	Bloesch, Anthony
copyright	Anthony Bloesch (1993)
license	other-free = Free license not otherwise listed (free)

version	(1994-10-14)
last changes	1994-10-14
year	1994
description	(no language specified) Allows the automatic layout of n-ary trees with arbitrary node sizes in LaTeX, using an external C program to do much of the hard work.
documentation	(no language specified) <i>Package README and documentation:</i> https://ctan.org/tex-archive/macros/latex209/contrib/trees/tree_tex/README
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/trees/tree_tex
keyword	tree (mechanisms for drawing trees)
language(s)	no language specified
last access	2025-02-07

6315 *treetex-plain* – Draw trees

Web page on CTAN <https://ctan.org/pkg/treetex-plain>

name	treetex-plain
caption	Draw trees
author	Wood, Derick
author	Brueggemann-Klein, Anne
license	pd = Public Domain Software (free)
version	(1989-11-23)
last changes	1989-11-23
year	1989
description	(no language specified) Macros to draw trees, within TeX (or LaTeX). The algorithm used is discussed in an accompanying paper (written using LaTeX 2.09).
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/plain/contrib/treetex/readme
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/treetex
on MikTeX	treetex-plain
on T _E XLive	treetex

keyword tree (mechanisms for drawing trees)
 language(s) no language specified
 last access 2025-02-07

6316 trfsigns – Typeset transform signs

Web page on CTAN <https://ctan.org/pkg/trfsigns>
 name trfsigns
 caption Typeset transform signs
 author Rascher, Kai
 copyright Kai Rascher (1999)
 license gpl = GNU General Public License (free)
 version 1.01
 description (no language specified) A package for typesetting various transformation signs for Laplace transforms, Fourier transforms and others.
 documentation (German) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/trfsigns/trfsigns.pdf>
 – local file ./1527250860-trfsigns.pdf
 documentation (no language specified) *Package Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/trfsigns/README>
 on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/trfsigns>
 on MikTeX trfsigns
 on T_EXLive trfsigns
 keyword maths-symbol (construction or application of mathematical symbols)
 language(s) German
 year 1999
 last access 2025-02-07

6317 *trig* – Simple trigonometric functions

Web page on CTAN <https://ctan.org/pkg/trig>

name	<code>trig</code>
caption	Simple trigonometric functions
author	Carlisle, David
author	The LaTeX Project Team
copyright	David Carlisle, LaTeX3 Project (2000-2021)
copyright	David Carlisle (1993-1997, 1999)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.11 (2023-12-02)
last changes	2023-12-02
year	2023
description	(no language specified) Provides the trigonometric functions <code>sin</code>, <code>cos</code> and <code>tan</code>, for use in the graphics and graphicx packages. Before any trigonometric value is used, it must be pre-calculated, so a usage sequence might be <code>\CalculateSin{22.5} ... \UseSin{22.5}</code>; the argument may also be a LaTeX count, as in <code>\UseTan{\value{mycounter}}</code>, or a count register, as in <code>\CalculateCos{\count@}</code>. The package is part of the latex-graphics bundle, which is one of the collections in the LaTeX ‘required’ set of packages.
on CTAN	https://ctan.org/tex-archive/macros/latex/required/graphics
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-graphics.tds.zip
on MikTeX	<code>graphics</code>
on TeXLive	<code>graphics</code>
keyword	calculation (perform calculations within TeX)
language(s)	no language specified
last access	2025-02-07

6318 *trigonometry* – Demonstration code for cos and sin in TeX macros

Web page on CTAN <https://ctan.org/pkg/trigonometry>

name	<code>trigonometry</code>
caption	Demonstration code for cos and sin in TeX macros
author	Taylor, Philip
license	knuth = Knuth License (free)
version	(1991-10-06)
last changes	1991-10-06
year	1991
description	(no language specified) A document that both provides macros that are usable elsewhere, and demonstrates the macros. The code uses the "classical" analytical expansion of <code>sin</code> and <code>cos</code> (the more recent <code>trig</code> uses a "numerical analyst's" expansion).
on CTAN	https://ctan.org/tex-archive/macros/generic/trigonometry
on MikTeX	<code>trigonometry</code>
on TeXLive	<code>trigonometry</code>
keyword	calculation (perform calculations within TeX)
language(s)	no language specified
last access	2025-02-07

6319 *trimspaces* – Trim spaces around an argument or within a macro

Web page on CTAN <https://ctan.org/pkg/trimspaces>

name	<code>trimspaces</code>
caption	Trim spaces around an argument or within a macro
author	Robertson, Will
copyright	Will Robertson (2009)
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) A very short package that allows you to expandably remove spaces around a token list (commands are provided to remove spaces before, spaces after, or both); or to remove surrounding spaces within a macro definition, or to define space-stripped macros.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/trimspaces/trimspaces.pdf
– local file	<code>./6170290303-trimspaces.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/trimspaces/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/trimspaces
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/trimspaces.tds.zip
on MikTeX	trimspaces
on TeXLive	trimspaces
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	2009
last access	2025-02-07

6320 *trivfloat* – Quick float definitions in LaTeX

Web page on CTAN	https://ctan.org/pkg/trivfloat
name	trivfloat
caption	Quick float definitions in LaTeX
author	Wright, Joseph
copyright	Joseph Wright (2007)
license	lppl = The LaTeX Project Public License (free)
version	1.3b
description	(no language specified) The trivfloat package provides a quick method for defining new float types in LaTeX. A single command sets up a new float in the same style as the LaTeX kernel figure and table float types. The package works with memoir as well as the standard classes.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/trivfloat/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/trivfloat/trivfloat.pdf
– local file	<code>./9379317189-trivfloat.pdf</code>

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/trivfloat
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/trivfloat.tds.zip
on MikTeX	trivfloat
on T _E XLive	trivfloat
keyword	float (typesetting floats)
language(s)	no language specified
year	2007
last access	2025-02-07

6321 `trivialpursuit` – Insert Trivial Pursuit board game

Web page on CTAN	https://ctan.org/pkg/trivialpursuit
name	TrivialPursuit
caption	Insert Trivial Pursuit board game
author	Pierquet, Cédric
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.7 (2025-08-25)
last changes	2025-08-25
year	2025
description	(no language specified) This is a package to display a Trivial Pursuit board game, with customization.
documentation	(no language specified) <i>Package documentation (English):</i> https://ctan.org/tex-archive/graphics/pgf/contrib/trivialpursuit/doc/TrivialPursuit-doc-en.pdf
– local file	./8756761019-TrivialPursuit-doc-en.pdf
documentation	<i>Package documentation (French):</i> https://ctan.org/tex-archive/graphics/pgf/contrib/trivialpursuit/doc/TrivialPursuit-doc-fr.pdf
– local file	./9080359669-TrivialPursuit-doc-fr.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/trivialpursuit/README.md
contact	<i>bugs:</i> https://github.com/cpierquet/latex-packages/issues

contact	<i>repository:</i> https://github.com/cpierquet/latex-packages/tree/main/trivialpursuit
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/trivialpursuit
on MikTeX	trivialpursuit
on T _E XLive	trivialpursuit
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	graphics (graphics (support packages))
language(s)	French
last access	2025-08-31

6322 trsym – Symbols for transformations

Web page on CTAN <https://ctan.org/pkg/trsym>

name	trsym
caption	Symbols for transformations
author	Holfert, Jan
copyright	Jan Holfert (2000)
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.0
description	(no language specified) The bundle provides Metafont source for a small font used for (e.g.) Laplace transformations, together with a LaTeX .fd file and a package providing commands for the symbols' use in mathematics.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/trsym/trsym.pdf
– local file	./6974337393-trsym.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/trsym/README
on CTAN	https://ctan.org/tex-archive/fonts/trsym
on MikTeX	trsym
on T _E XLive	trsym
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)

keyword	font-symbol (fonts that provide collections of symbols)
language(s)	no language specified
year	2000
last access	2025-02-07

6323 truchet – Truchet tiling in MetaPost

Web page on CTAN <https://ctan.org/pkg/truchet>

name	truchet
caption	Truchet tiling in MetaPost
author	Roegel, Denis B.
license	noinfo = noinfo
version	(1995-07-20)
last changes	1995-07-20
year	1995
description	(no language specified) These macros were the author's response to a challenge at the 1995 GUTenberg congress; other solutions appeared in "Les Cahiers Gutenberg".
documentation	<i>English README:</i> https://ctan.org/tex-archive/graphics/metapost/contrib/macros/truchet/README
documentation	<i>French README:</i> https://ctan.org/tex-archive/graphics/metapost/contrib/macros/truchet/README.french
documentation	(French) <i>Outline of problem solution:</i> https://ctan.org/tex-archive/graphics/metapost/contrib/macros/truchet/readme.pdf
– local file	./8229720443-readme.pdf
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/truchet
keyword	puzzle (problems and puzzles, and their solutions)
language(s)	English; French
last access	2025-02-07

6324 truecols – Colour facilities for SliTeX

Web page on CTAN <https://ctan.org/pkg/truecols>

name	truecols
caption	Colour facilities for SliTeX
author	Love, David
copyright	D. Love (1991)
license	gpl = GNU General Public License (free)
version	1.2
description	(no language specified) The package offers a means of creating SliTeX slides on a colour printer (SliTeX itself only offers an overlay mechanism for providing colour.) The package is distributed as a LaTeX 2.09 .doc file (an early form of the .dtx mechanism). Such files are supposed to be runnable without benefit of the precursor docstrip mechanism.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/truecols.doc
keyword	colour (typesetting in colour)
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
year	1991
last access	2025-02-07

6325 truetypemetrics – Metrics for some TrueType font families

Web page on CTAN <https://ctan.org/pkg/truetypemetrics>

name	truetypemetrics
caption	Metrics for some TrueType font families
author	Penninga, Marc
license	lppl = The LaTeX Project Public License (free)

description	(no language specified) This package contains metrics for three TrueType font families: Linotype Palatino, Linotype Frutiger and Monotype Berling. Palatino comes with Microsoft Windows 2000 and XP, the others with Microsoft's free e-book reader. The complete (fontinst) sources for these metrics are included in the directory <code>examples/</code> of the fonttools package.
documentation	(no language specified) <i>Readme (Berling)</i> : https://ctan.org/tex-archive/fonts/truetypemetrics/berling/README
documentation	(no language specified) <i>Readme (Frutiger)</i> : https://ctan.org/tex-archive/fonts/truetypemetrics/frutiger/README
documentation	(no language specified) <i>Readme (Palatino)</i> : https://ctan.org/tex-archive/fonts/truetypemetrics/palatinox/README
on CTAN	https://ctan.org/tex-archive/fonts/truetypemetrics
keyword	font-absent (support is for a font not available on CTAN)
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year
last access	2025-02-07

6326 truetypetotype42 – Generate a Type 42 font from a TrueType font

Web page on CTAN	https://ctan.org/pkg/truetypetotype42
name	TrueTypeToType42
caption	Generate a Type 42 font from a TrueType font
author	Barton, Thomas H.
license	noinfo = noinfo
version	(2002-04-30)
last changes	2002-04-30
year	2002
description	(no language specified) The package provides a PostScript program, to run under ghostscript , that will read a TrueType font and produce an Adobe Type 42 (PFA) font as output.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/utilities/TrueTypeToType42/ReadMe.html

6327 *truncate* – *Truncate text to a specified width*

on CTAN	https://ctan.org/tex-archive/fonts/utilities/TrueTypeToType42
keyword	font-proc (process fonts for use with TeX (includes installation))
language(s)	no language specified
last access	2025-02-07

6327 *truncate* – Truncate text to a specified width

Web page on CTAN <https://ctan.org/pkg/truncate>

name	truncate
caption	Truncate text to a specified width
author	Arseneau, Donald
license	pd = Public Domain Software (free)
version	3.6
description	(no language specified) The package will by default break at word boundaries, but package options are offered to permit breaks within words.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/truncate/truncate.pdf
– local file	./8714411191-truncate.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/truncate
on MikTeX	truncate
on TeXLive	truncate
keyword	layout (layout of objects on the page)
language(s)	no language specified
year	without year
last access	2025-02-07

6328 *truthtable* – Automatically generate truth tables for given variables and statements

Web page on CTAN <https://ctan.org/pkg/truthtable>

name	<code>truthtable</code>
caption	Automatically generate truth tables for given variables and statements
author	Flück, Dominic
copyright	Dominic Flück (2021-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.0 (2023-09-16)
last changes	2023-09-16
year	2023
description	(no language specified) This LuaLaTeX package permits to automatically generate truth tables given a table header. It supports a number of logical operations which can be combined as needed. It is built upon the luacode package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/truthtable/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/truthtable/truthtable.pdf
– local file	<code>./8447821564-truthtable.pdf</code>
contact	<i>bugs</i> : https://github.com/K-Trout/truthtable/issues
contact	<i>repository</i> : https://github.com/K-Trout/truthtable
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/truthtable
on MikTeX	<code>truthtable</code>
on TeXLive	<code>truthtable</code>
keyword	<code>logic</code> (typesetting logician's discussions)
keyword	<code>luatex</code> (LuaTeX and packages that require it)
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

6329 try – Automation of TeX/LaTeX compilationWeb page on CTAN <https://ctan.org/pkg/try>

name	TrY
caption	Automation of TeX/LaTeX compilation
author	Tex, Ajabu
copyright	Ajabu Tex (2013-2014)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	4.0
description	(no language specified) The package offers a script that automates the compilation of TeX/LaTeX documents. TrY reads commands from the comment lines of the document and executes them automatically. TrY may be compared to arara , but is simpler. TrY has been written for Linux and works on Linux.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/try/try-doc.pdf
– local file	<code>./8407963681-try-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/try/README
on CTAN	https://ctan.org/tex-archive/support/try
keyword	compilation (the document compilation process)
language(s)	no language specified
year	2014
last access	2025-02-07

6330 tsconfig – Setup support for TeXshellWeb page on CTAN <https://ctan.org/pkg/tsconfig>

name	tsconfig
caption	Setup support for TeXshell
author	Nitschke, Dirk
license	nocommercial = No Commercial Use (not free)
version	(1996-11-25)
last changes	1996-11-25

year	1996
description	(no language specified) The <code>tsconfig</code> program tries to make the configuration of the TeXshell by J. Schlegelmilch easier, especially if you have a lot of computers with different processors.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/win32/tsconfig/readme
on CTAN	https://ctan.org/tex-archive/systems/win32/tsconfig
keyword	<code>ide</code> (integrated development environments)
see also	see section 6029 on page 5451: (<code>texshell32</code> – A free TeXShell for MS-Windows 95 and NT)
language(s)	no language specified
last access	2025-02-07

6331 *tsemlines* – Support for the ancient `\emline` macro

Web page on CTAN	https://ctan.org/pkg/tsemlines
name	<code>tsemlines</code>
caption	Support for the ancient <code>\emline</code> macro
author	Schlemmer, Tobias
license	pd = Public Domain Software (free)
version	1.0
description	(no language specified) Occasional Documents appear, that use graphics generated by <code>texcad</code> from the emtex distribution. These documents often use the <code>\emline</code> macro, which produced lines at an arbitrary orientation. The present package emulates the macro, using TikZ.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tsemlines
on T _E XLive	<code>tsemlines</code>
keyword	<code>graphics-prep</code> (prepare graphics for use with *TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

6332 *tsipa* – Macros and fonts to produce IPA typesetting

Web page on CTAN <https://ctan.org/pkg/tsipa>

name	<i>tsipa</i>
caption	Macros and fonts to produce IPA typesetting
author	Shun, Shirakawa
author	Rei, Fukui
author	Hajime, Kobayashi
copyright	Kobayashi Hajime, Fukui Rei and Shirakawa Shun (1992)
license	noinfo = noinfo
version	1.0
description	(no language specified) The <i>tsipa</i> set has been superseded by <i>tipa</i> ; see the documentation of that package for an outline of the shortcomings of <i>tsipa</i> , that <i>tipa</i> overcomes.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/tsipa/readme
on CTAN	https://ctan.org/tex-archive/fonts/tsipa
keyword	phonetic (support for phonetic notation)
language(s)	no language specified
year	1992
last access	2025-02-07

6333 *tsvtemplate* – Apply a template to a tsv file

Web page on CTAN <https://ctan.org/pkg/tsvtemplate>

name	<i>tsvtemplate</i>
caption	Apply a template to a tsv file
author	Renkema, Esger
copyright	Esger Renkema (2022)
license	other-free = Free license not otherwise listed (free)
version	2022/1.0

description	(no language specified) This is a simple tsv (tab-separated values) reader for LuaLaTeX and plain LuaTeX. It also supports (non-quoted) comma-separated values, or indeed values separated by any character.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/luatex/generic/tsvtemplate/tsvtemplate.pdf
– local file	<code>./4745542170-tsvtemplate.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/luatex/generic/tsvtemplate/README
contact	<i>repository:</i> https://gitlab.com/renkema/tsvtemplate
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/tsvtemplate
on MikTeX	<code>tsvtemplate</code>
on TeXLive	<code>tsvtemplate</code>
keyword	<code>lua-supp</code> (support for using Lua code)
keyword	<code>luatex</code> (LuaTeX and packages that require it)
language(s)	no language specified
year	2022
last access	2025-02-07

6334 `tt2001` – Type 1 EC fonts generated by TeXtrace

Web page on CTAN <https://ctan.org/pkg/tt2001>

name	<code>tt2001</code>
caption	Type 1 EC fonts generated by TeXtrace
author	Szabó, Péter
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) A TeX font package offering Computer Modern (EC fonts) in Adobe Type 1 format, using T1 and TS1 encoding. It contains Type 1 fonts converted from Metafont fonts and provides all of the EC and TC fonts. The glyph CharStrings are not optimized for size, and there are even some minor visual distortions from the original. For an alternative, see the cm-super package, which covers the EC/TC family as well as other fonts.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/ps-type1/tt2001/README
on CTAN	https://ctan.org/tex-archive/fonts/ps-type1/tt2001
keyword	font-t1enc (font providing LaTeX T1 encoding support)
keyword	font-mono (monospaced font)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-cm (font serving Computer Modern-style shapes)
keyword	font (fonts themselves)
keyword	font-proportional (variable-spaced font)
language(s)	no language specified
year	without year
last access	2025-02-07

6335 ttf-howto – Using TrueType fonts with TeX systems

Web page on CTAN <https://ctan.org/pkg/ttf-howto>

name	ttf-howto
caption	Using TrueType fonts with TeX systems
author	Harders, Harald
license	noinfo = noinfo
version	(2003-10-31)
last changes	2003-10-31
year	2003
description	(no language specified) The document describes how to use TrueType fonts by converting them to Adobe Type 1 format. The instructions seem to be couched in terms of use with MikTeX, but they should act as a guide for use with other systems where the fonts can be made available. It also describes how to use automatically generated slanted and small capitals versions of the fonts.
documentation	(no language specified) <i>The document itself (PDF)</i> : https://ctan.org/tex-archive/info/TrueType/ttf-tetex.pdf
– local file	./9875949800-ttf-tetex.pdf
documentation	(no language specified) <i>The document itself (HTML)</i> : https://ctan.org/tex-archive/info/TrueType/ttf-tetex.html
on CTAN	https://ctan.org/tex-archive/info/TrueType

keyword *font-doc* (documentation about choosing installing and using fonts)
 language(s) no language specified
 last access 2025-02-07

6336 *ttf2mf* – Convert True Type fonts to Metafont

Web page on CTAN <https://ctan.org/pkg/ttf2mf>

name *ttf2mf*
 caption Convert True Type fonts to Metafont
 author Motygin, Oleg V.
 license nocommercial = No Commercial Use (not free)
 description (no language specified) A MS-Windows program which converts installed True Type fonts to Metafont format, using Windows API calls.
 documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/fonts/utilities/ttf2mf/readme>
 documentation (no language specified) *Further notes*: <https://ctan.org/tex-archive/fonts/utilities/ttf2mf/notes.txt>
 on CTAN <https://ctan.org/tex-archive/fonts/utilities/ttf2mf>
 keyword *font-proc* (process fonts for use with TeX (includes installation))
 see also see section 6340 on page 5729: (*ttftogf* – Convert True Type fonts to GF format)
 see also see section 6338 on page 5727: (*ttf2pt1* – Convert TrueType fonts to Adobe Type 1 format)
 language(s) no language specified
 year without year
 last access 2025-02-07

6337 *ttf2pfb* – Make an Adobe Type 1 version of a TrueType font

Web page on CTAN <https://ctan.org/pkg/ttf2pfb>

name	ttf2pfb
caption	Make an Adobe Type 1 version of a TrueType font
author	Lemberg, Werner
license	nosource = No Source Available (not free)
version	(1998-12-17)
last changes	1998-12-17
year	1998
description	(no language specified) Ttf2pfb translates the format of a TrueType font into an Adobe Type 1 font, using the facilities of the freetype library. The package is distributed as a DOS/OS/2 executable.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/utilities/ttf2pfb/README.ttf2pfb
on CTAN	https://ctan.org/tex-archive/fonts/utilities/ttf2pfb
keyword	font-proc (process fonts for use with TeX (includes installation))
see also	see section 6338 on page 5727 : (<i>ttf2pt1</i> – Convert TrueType fonts to Adobe Type 1 format)
language(s)	no language specified
last access	2025-02-07

6338 *ttf2pt1* – Convert TrueType fonts to Adobe Type 1 format

Web page on CTAN <https://ctan.org/pkg/ttf2pt1>

name	ttf2pt1
caption	Convert TrueType fonts to Adobe Type 1 format
author	Henlich, Thomas
author	Weeks, Andrew
author	Siegert, Frank M.
copyright	Andrew Weeks, Frank M. Siegert, Thomas Henlich and others (1997-2000)
license	other-free = Free license not otherwise listed (free)

description	(no language specified) Converts True Type fonts into PS Type 1 fonts: creates hinting information and AFM files (preserving kerning information); supports a wide range of font encodings; supports Asian fonts.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/utilities/ttf2pt1/README.html
on CTAN	https://ctan.org/tex-archive/fonts/utilities/ttf2pt1
keyword	font-proc (process fonts for use with TeX (includes installation))
see also	see section 6337 on page 5727: (<i>ttf2pfb</i> – Make an Adobe Type 1 version of a TrueType font)
language(s)	no language specified
year	2000
last access	2025-02-07

6339 ttf2tex – Use TrueType fonts with teTeX

Web page on CTAN <https://ctan.org/pkg/ttf2tex>

name	ttf2tex
caption	Use TrueType fonts with teTeX
author	Lehman, Philipp
copyright	Philipp Lehman (2000-2002, 2004)
license	gpl = GNU General Public License (free)
version	0.7
description	(no language specified) This script for the Bash shell was designed to create all files necessary to use TrueType fonts with teTeX from a set of TTF files. It sorted them, build the map files required by ttf2pk and pdfTeX, and optionally install them. The package was designed for UNIX/Linux systems running teTeX. The package is no longer supported by anyone.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/support/ttf2tex/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/support/ttf2tex/ttf2tex.pdf
– local file	./7813105198-ttf2tex.pdf
on CTAN	https://ctan.org/tex-archive/obsolete/support/ttf2tex
keyword	font-supp (metrics, macro incantations and other font support)

6340 *ttftogf* – Convert True Type fonts to GF format

language(s)	no language specified
year	2004
last access	2025-02-07

6340 *ttftogf* – Convert True Type fonts to GF format

Web page on CTAN <https://ctan.org/pkg/ttftogf>

name	ttftogf
caption	Convert True Type fonts to GF format
author	Vasil'ev, Konstantin
license	other-nonfree = License that prevents distribution (not free)
description	(no language specified) This is a demo version of a 16-bit Windows application.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/ttftogf/README
on CTAN	https://ctan.org/tex-archive/support/ttftogf
keyword	font-proc (process fonts for use with TeX (includes installation))
language(s)	no language specified
year	without year
last access	2025-02-07

6341 *tth* – A TeX to HTML translator

Web page on CTAN <https://ctan.org/pkg/tth>

name	tth
caption	A TeX to HTML translator
author	Hutchinson, Ian
license	other-free = Free license not otherwise listed (free)
version	3.85
description	(no language specified) Both C source code and compiled executables for Windows and Linux are provided.
on CTAN	https://ctan.org/tex-archive/support/tth/dist
keyword	cvt-html (generate HTML from TeX-ish sources)

see also	see section 3309 on page 2988: (<code>latex2html</code> – Convert LaTeX into HTML documents)
language(s)	no language specified
year	without year
last access	2025-02-07

6342 *ttn* – TeX and TUG news archive

Web page on CTAN <https://ctan.org/pkg/ttn>

name	<i>ttn</i>
caption	TeX and TUG news archive
author	Thiele, Christina
license	digest = digest
version	(1995-06-06)
last changes	1995-06-06
year	1995
description	(no language specified) TeX and TUG news was a printed bulletin of information about TUG and TeX doings in general. This digest provides sources for the copies that were published (volumes 1–3).
documentation	(no language specified) <i>Summary of publications mentioned:</i> https://ctan.org/tex-archive/info/digests/ttn/ttnpubs.pdf
– local file	<code>./6648762258-ttnpubs.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/digests/ttn
keyword	<code>journ-src</code> (sources and/or old copies of journals)
language(s)	no language specified
last access	2025-02-07

6343 `ttt` – A Tibetan Transcript Transliterator for LaTeX

Web page on CTAN <https://ctan.org/pkg/ttt>

name	<code>ttt</code>
caption	A Tibetan Transcript Transliterator for LaTeX
author	Steiner, Beat
copyright	Beat Steiner (1996, 1997)
license	gpl = GNU General Public License (free)
version	0.1
description	(no language specified) The transcriptions work with Sirlin's fonts and macros , but the transcriber manages better support (particularly of ligatures) than other approaches to Tibetan.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/language/tibetan/steiner/tttintro.ps
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/tibetan/steiner/readme
on CTAN	https://ctan.org/tex-archive/language/tibetan/steiner
keyword	<code>tibetan</code> (support for typesetting Tibetan)
language(s)	no language specified
year	1997
last access	2025-02-07

6344 `tucv` – Support for typesetting a CV or résumé

Web page on CTAN <https://ctan.org/pkg/tucv>

name	<code>tucv</code>
caption	Support for typesetting a CV or résumé
author	Louthan, George
copyright	George R. Louthan IV (2009-2010)
license	other-free = Free license not otherwise listed (free)
version	1.0

description	(no language specified) The package provides commands for typesetting a CV or résumé. It provides commands for general-purpose headings, entries, and item/description pairs, as well as more specific commands for formatting sections, with explicit inclusion of school, degree, employer, job, conference, and publications entries. It tends to produce a somewhat long and quite detailed document but may also be suitable to support a shorter résumé. The package relies on a ‘sufficiently recent’ copy of the l3kernel and l3packages bundles.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tucv/tucv.pdf
– local file	<code>./4206367179-tucv.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tucv/README
documentation	(no language specified) <i>Package sampler</i> : https://ctan.org/tex-archive/macros/latex/contrib/tucv/tucv_ex.pdf
– local file	<code>./1594122747-tucv_ex.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tucv
on MikTeX	<code>tucv</code>
on TeXLive	<code>tucv</code>
keyword	<code>cv</code> (curriculum vitae/Resumé)
language(s)	no language specified
year	2010
last access	2025-02-07

6345 *tuda-ci* – LaTeX templates of Technische Universität Darmstadt

Web page on CTAN	https://ctan.org/pkg/tuda-ci
name	<code>tuda-ci</code>
caption	LaTeX templates of Technische Universität Darmstadt
author	Peischl, Marei
copyright	Marei Peischl (2018-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	4.00 (2025-01-26)
last changes	2025-01-26

year	2025
description	(no language specified) The TUDa-CI-Bundle provides a possibility to use the Corporate Design of TU Darmstadt in LaTeX. It contains documentclasses as well as some helper packages and config files together with some templates for user documentation, which currently are only available in German.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tuda-ci/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tuda-ci/doc/tuda-ci.pdf
– local file	<code>./3346349995-tuda-ci.pdf</code>
documentation	(no language specified) <i>Example presentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/tuda-ci/doc/DEMO-TUDaBeamer.pdf
– local file	<code>./2399015279-DEMO-TUDaBeamer.pdf</code>
documentation	(no language specified) <i>Example scientific poster</i>: https://ctan.org/tex-archive/macros/latex/contrib/tuda-ci/doc/DEMO-TUDaSciPoster.pdf
– local file	<code>./4299412710-DEMO-TUDaSciPoster.pdf</code>
documentation	(no language specified) <i>Example PhD thesis</i>: https://ctan.org/tex-archive/macros/latex/contrib/tuda-ci/doc/DEMO-TUDaPhD.pdf
– local file	<code>./2037603808-DEMO-TUDaPhD.pdf</code>
documentation	(no language specified) <i>Example announcement poster</i>: https://ctan.org/tex-archive/macros/latex/contrib/tuda-ci/doc/DEMO-TUDaPoster.pdf
– local file	<code>./8282928815-DEMO-TUDaPoster.pdf</code>
documentation	(no language specified) <i>Example bachelor's thesis</i>: https://ctan.org/tex-archive/macros/latex/contrib/tuda-ci/doc/DEMO-TUDaThesis.pdf
– local file	<code>./3835134641-DEMO-TUDaThesis.pdf</code>
documentation	(no language specified) <i>Example letter</i>: https://ctan.org/tex-archive/macros/latex/contrib/tuda-ci/doc/DEMO-TUDaLetter.pdf
– local file	<code>./8021895290-DEMO-TUDaLetter.pdf</code>
home page	https://www.ce.tu-darmstadt.de/ce/latex_tuda/index.de.jsp

contact	<i>bugs:</i> https://github.com/tudace/tuda_latex_templates/issues
contact	<i>repository:</i> https://github.com/tudace/tuda_latex_templates
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tuda-ci
on MikTeX	tuda-ci
on T _E XLive	tuda-ci
keyword	class (alternative LaTeX class(es))
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	std-conform (support conformance to standards)
keyword	letter (typesetting letters, envelopes, faxes, etc)
keyword	presentation (slides, beamers, handouts, etc.)
keyword	poster (typeset posters, etc.)
keyword	doc-templ (template to guide document development)
see also	see section 2897 on page 2619: (ifmslide – Presentation slides for screen and printouts)
language(s)	no language specified
last access	2025-02-07

6346 *tudscr* – Corporate Design of Technische Universität Dresden

Web page on CTAN <https://ctan.org/pkg/tudscr>

name	tudscr
caption	Corporate Design of Technische Universität Dresden
author	Hanisch, Falk
copyright	Falk Hanisch (2012-2022)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.06o (2022-08-09)
last changes	2022-08-09
year	2022

description	(no language specified) The TUD-Script bundle provides both classes and packages in order to create LaTeX documents in the corporate design of the Technische Universität Dresden. It bases on the KOMA-Script bundle, which must necessarily be present. For questions, problems and comments, please refer to either the LaTeX forum of the Dresden University of Technology or the GitHub "tudscr" repository. The bundle offers: • the three document classes <code>tudscrartcl</code>, <code>tudscrreprt</code>, and <code>tudscrbook</code> which serve as wrapper classes for <code>scrartcl</code>, <code>scrreprt</code>, and <code>scrbook</code>, • the class <code>tudscrposter</code> for creating posters, • the package <code>tudscrsupervisor</code> providing environments and macros to create tasks, evaluations and notices for scientific theses, • the package <code>tudscrfonts</code>, which makes the corporate design fonts of the Technische Universität Dresden available for LaTeX standard classes and KOMA-Script classes, • the package <code>fix-tudscrfonts</code>, which provides the same fonts to additional corporate design classes not related to TUD-Script, • the package <code>tudscrcomp</code>, which simplifies the switch to TUD-Script from external corporate design classes, • the package <code>mathswap</code> for swapping math delimiters within numbers (similar to <code>ionumbers</code>), • the package <code>twocolfix</code> for fixing the positioning bug of headings in twocolumn layout, and • a comprehensive user documentation as well as several tutorials.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tudscr/README.md
documentation	(German) <i>Documented source code</i> : https://ctan.org/tex-archive/macros/latex/contrib/tudscr/doc/tudscrsource.pdf
– local file	<code>./8052666102-tudscrsource.pdf</code>
documentation	(German) <i>User manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/tudscr/doc/tudscr.pdf
– local file	<code>./3902111687-tudscr.pdf</code>
contact	<i>support</i>: https://latex.wcms-file3.tu-dresden.de/phpBB3/index.php
contact	<i>bugs</i> : https://github.com/tud-cd/tudscr/issues
contact	<i>repository</i> : https://github.com/tud-cd/tudscr

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tudscr
on MikTeX	tudscr
on TeXLive	tudscr
keyword	std-conform (support conformance to standards)
keyword	class (alternative LaTeX class(es))
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	German
last access	2025-02-07

6347 *tufte-latex* – Document classes inspired by the work of Edward Tufte

Web page on CTAN	https://ctan.org/pkg/tufte-latex
name	tufte-latex
caption	Document classes inspired by the work of Edward Tufte
author	Godby, Kevin
copyright	Bil Kleb, Bill Wood and Kevin Godby (2007-2015)
license	apache2 = Apache License, version 2.0 (free)
version	3.5.2
description	(no language specified) Provided are two classes inspired, respectively, by handouts and books created by Edward Tufte.
documentation	(no language specified) <i>Sample handout</i> : https://ctan.org/tex-archive/macros/latex/contrib/tufte-latex/sample-handout.pdf
– local file	./1008982281-sample-handout.pdf
documentation	(no language specified) <i>Sample book</i> : https://ctan.org/tex-archive/macros/latex/contrib/tufte-latex/sample-book.pdf
– local file	./3015110323-sample-book.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tufte-latex/README
contact	<i>repository</i> : https://tufte-latex.github.io/tufte-latex/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tufte-latex
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/tufte-latex.tds.zip

on MikTeX	tufte-latex
on T _E XLive	tufte-latex
keyword	class (alternative LaTeX class(es))
keyword	book-pub (preparing a book for publication)
language(s)	no language specified
year	2015
last access	2025-02-07

6348 *tugboat* – LaTeX macros for TUGboat articles

Web page on CTAN <https://ctan.org/pkg/tugboat>

Alias	ltugboat
name	tugboat
caption	LaTeX macros for TUGboat articles
author	Fairbairns, Robin
author	Berry, Karl
copyright	TeX Users Group (1994-2026)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.36 (2026-01-14)
last changes	2026-01-14
year	2026
description	(no language specified) Provides <code>ltugboat.cls</code> for both regular and proceedings issues of the TUGboat journal. Also provides a BibTeX style, <code>tugboat.bst</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tugboat/README
documentation	(no language specified) <i>Program documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tugboat/tugboat-code.pdf
– local file	<code>./2617072380-tugboat-code.pdf</code>
documentation	(no language specified) <i>Article template</i> : https://tug.org/TUGboat/sampleart.ltx
documentation	(no language specified) <i>Instructions for authors</i> : https://ctan.org/tex-archive/macros/latex/contrib/tugboat/ltubguid.pdf

6349 *tugboat-plain* – Plain TeX macros for TUGboat

– local file	<code>./3942922534-ltubguid.pdf</code>
home page	https://tug.org/TUGboat
contact	repository: https://github.com/TeXUsersGroup/tugboat
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tugboat
on MikTeX	tugboat
on TeXLive	tugboat
keyword	tagged-pdf-partially (tagged PDF partially compatible)
keyword	class (alternative LaTeX class(es))
keyword	journalpub (typesetting journals, etc)
see also	see section 6349 on page 5738: (tugboat-plain – Plain TeX macros for TUGboat)
language(s)	no language specified
last access	2026-03-26

6349 *tugboat-plain* – Plain TeX macros for TUGboat

Web page on CTAN <https://ctan.org/pkg/tugboat-plain>

name	tugboat-plain
caption	Plain TeX macros for TUGboat
author	Berry, Karl
author	Beeton, Barbara
copyright	TeX Users Group (1993,1999,2003,2006,2011-2025)
license	other-free = Free license not otherwise listed (free)
version	1.32 (2025-06-16)
last changes	2025-06-16
year	2025
description	(no language specified) The macros defined in this directory (in files <code>tugboat.sty</code> and <code>tugboat.cmn</code>) are used in papers written in Plain TeX for publication in TUGboat.
documentation	(no language specified) <i>TUGboat Authors' Guide</i> : https://ctan.org/tex-archive/macros/plain/contrib/tugboat/tubguide.pdf
– local file	<code>./9933909534-tubguide.pdf</code>

home page	https://tug.org/TUGboat
contact	repository: https://github.com/TeXUsersGroup/tugboat
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/tugboat
on MikTeX	tugboat-plain
on T _E XLive	tugboat-plain
keyword	journalpub (typesetting journals, etc)
see also	see section 6348 on page 5737: (tugboat – LaTeX macros for TUGboat articles)
language(s)	no language specified
last access	2026-01-21

6350 *tugboat-toc* – An accumulation of TUGboat tables of contents

Web page on CTAN	https://ctan.org/pkg/tugboat-toc
name	tugboat-toc
caption	An accumulation of TUGboat tables of contents
author	Beeton, Barbara
copyright	TeX Users Group (1993-2016)
license	other-free = Free license not otherwise listed (free)
version	(2016-11-21)
last changes	2016-11-21
year	2016
description	(no language specified) Includes driver files (<code>tbcv*.tex</code>) and the macros for formatting them. Requires plain TeX TUGboat macros . The collection runs from volume 1 (1980) to volume 37 (2016).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/digests/tugboat/t-of-c/README.txt
home page	https://tug.org/TUGboat/
on CTAN	https://ctan.org/tex-archive/info/digests/tugboat/t-of-c
keyword	journal-digest (digests/partial information about journals)
language(s)	no language specified
last access	2026-01-21

6351 *tui* – Thesis style for the University of the Andes, Colombia

Web page on CTAN <https://ctan.org/pkg/tui>

name	<i>tui</i>
caption	Thesis style for the University of the Andes, Colombia
author	Vaughan, Nicolas
license	lppl = The LaTeX Project Public License (free)
version	1.9
description	(English) Doctoral Dissertations from the Faculty of Engineering at the Universidad de los Andes, Bogota, Colombia. The class is implemented as an extension of the <i>memoir</i> class.
description	(Spanish) Clase de Tesis doctorales para ingeniería, Universidad de los Andes, Bogotá.
documentation	<i>Package documentation (Spanish)</i> : https://ctan.org/tex-archive/macros/latex/contrib/tui/doc/TUIdoc.pdf
– local file	<code>./4266856337-TUIdoc.pdf</code>
documentation	(English) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tui/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tui
on MikTeX	<i>tui</i>
on TeXLive	<i>tui</i>
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	class (alternative LaTeX class(es))
language(s)	English; Spanish
year	without year
last access	2025-02-07

6352 tuple – Expandable operations for tuples of numbersWeb page on CTAN <https://ctan.org/pkg/tuple>

name	tuple
caption	Expandable operations for tuples of numbers
author	Tellechea, Christian
copyright	Christian Tellechea (2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2 (2024-12-20)
last changes	2024-12-20
year	2024
description	(no language specified) This package provides <i>expandable</i> operations for tuples of numbers: • len, sum, min, max, mean, med, quantile, standard deviation, get item, position of item • sort, add or set(*) items, filter, operations, composition(*), split(*), formatting and display

All with a concise syntax that is easy and intuitive to use :

`object.method1.method2...`

(*): unexpandable method

Cette extension met à disposition des opérations *développables* pour les tuples de nombres :

- len, sum, min, max, mean, med, quantile, écart type, get item, position d'un élément
- tri, ajout ou modification(*) d'éléments, filtre, opérations, composition(*), coupure(*), formattage et affichage

Le tout avec une syntaxe concise et d'un usage facile et intuitif :

`object.methode1.methode2...`

(*) : méthode non développable

documentation *Package documentation (French)*: <https://ctan.org/tex-archive/macros/generic/tuple/tuple-doc-fr.pdf>

– local file	<code>./5994235779-tuple-doc-fr.pdf</code>
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/generic/tuple/tuple-doc-en.pdf
– local file	<code>./1506918022-tuple-doc-en.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/tuple/README
on CTAN	https://ctan.org/tex-archive/macros/generic/tuple
on MikTeX	<code>tuple</code>
on TeXLive	<code>tuple</code>
keyword	<code>macro-gen</code> (macros that are independent of the (TeX) format in use)
keyword	<code>numbers</code> (formatting numbers, etc)
keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>calculation</code> (perform calculations within TeX)
language(s)	French
last access	2025-02-07

6353 *turabian* – Create Turabian-formatted material using LaTeX

Web page on CTAN	https://ctan.org/pkg/turabian
name	<code>turabian</code>
caption	Create Turabian-formatted material using LaTeX
author	Surber, Wesley
license	lpl = The LaTeX Project Public License (free)
version	0.1.0 (2015-02-16)
last changes	2015-02-16
year	2015
description	(no language specified) The bundle provides a class file and a template for creating Turabian-formatted projects. The class file supports citation formatting conforming to the Turabian 8th Edition style guide.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/turabian/userguide.txt
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/turabian/README

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/turabian
on MikTeX	turabian
on T _E XLive	turabian
keyword	gen-paper (paper (simply) for communication, not necessarily for publication)
keyword	class (alternative LaTeX class(es))
see also	see section 6354 on page 5743: (turabian-formatting – Formatting based on Turabian’s Manual)
language(s)	no language specified
last access	2025-02-07

6354 turabian-formatting – Formatting based on Turabian’s Manual

Web page on CTAN	https://ctan.org/pkg/turabian-formatting
name	turabian-formatting
caption	Formatting based on Turabian’s Manual
author	Abdool, Omar
copyright	Omar Abdool (2013-2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2021-03-20)
last changes	2021-03-20
year	2021
description	(no language specified) The turabian-formatting package provides Chicago-style formatting based on Kate L. Turabian’s ”A Manual for Writers of Research Papers, Theses, and Dissertations: Chicago Style for Students and Researchers” (9th edition).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/turabian-formatting/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/turabian-formatting/turabian-formatting-doc.pdf
– local file	./6175870790-turabian-formatting-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/turabian-formatting

on MikTeX	turabian-formatting
on T _E XLive	turabian-formatting
keyword	class (alternative LaTeX class(es))
keyword	dissertation (typesetting dissertations, theses, etc.)
see also	see section 632 on page 581: (biblatex-chicago – Chicago style files for BibLaTeX)
see also	see section 6353 on page 5742: (turabian – Create Turabian-formatted material using LaTeX)
language(s)	no language specified
last access	2025-02-07

6355 *turkish* – LaTeX Support for Typesetting Turkish

Web page on CTAN <https://ctan.org/pkg/turkish>

name	turkish
caption	LaTeX Support for Typesetting Turkish
author	MacKay, Pierre A.
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Fonts and macros for Ottoman Turkish and Modern Turkish in Roman letter transcription.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/turkish/README
on CTAN	https://ctan.org/tex-archive/language/turkish
keyword	turkish (documentation in, and support for typesetting Turkish)
language(s)	no language specified
year	without year
last access	2025-02-07

6356 *turkishintro* – An introduction to LaTeX, in Turkish

Web page on CTAN <https://ctan.org/pkg/turkishintro>

name	turkishintro
caption	An introduction to LaTeX, in Turkish
author	Rakhimov, Abdugafur
license	nosource = No Source Available (not free)
version	(2009-04-16)
last changes	2009-04-16
year	2009
description	(no language specified) The present release comprises only volume 1.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/turkishintro/README
documentation	(Turkish) <i>The document itself</i> : https://ctan.org/tex-archive/info/turkishintro/LATEX_Turkish_Volume_1.pdf
– local file	./1746665145-LATEX_Turkish_Volume_1.pdf
on CTAN	https://ctan.org/tex-archive/info/turkishintro
keyword	turkish (documentation in, and support for typesetting Turkish)
language(s)	Turkish
last access	2025-02-07

6357 *turkmen* – Babel support for Turkmen

Web page on CTAN <https://ctan.org/pkg/turkmen>

name	turkmen
caption	Babel support for Turkmen
author	Annagurban, Nazar
license	lppl = The LaTeX Project Public License (free)
version	0.2
description	(no language specified) The package provides support for Turkmen in babel , but integration with babel is not available.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/turkmen/README

6358 *turnstile* – Typeset the (logic) turnstile notation

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/language/turkmen/turkmen.pdf
– local file	<code>./8083739070-turkmen.pdf</code>
on CTAN	https://ctan.org/tex-archive/language/turkmen
on MikTeX	turkmen
on TeXLive	turkmen
keyword	turkmen (documentation in, and support for typesetting Turkmen)
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
language(s)	no language specified
year	without year
last access	2025-02-07

6358 *turnstile* – Typeset the (logic) turnstile notation

Web page on CTAN	https://ctan.org/pkg/turnstile
name	turnstile
caption	Typeset the (logic) turnstile notation
author	Buchsbaum, Arthur
author	Reinaldo, Francisco
copyright	Arthur Buchsbaum and Francisco Reinaldo (2007)
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) Among other uses, the turnstile sign is used by logicians for denoting a consequence relation, related to a given logic, between a collection of formulas and a derived formula.
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/turnstile/turnstile-en/turnstile-en.pdf
– local file	<code>./9037904821-tturnstile-en.pdf</code>
documentation	<i>Package documentation (Portuguese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/turnstile/turnstile-pt/turnstile-pt.pdf
– local file	<code>./8259545722-tturnstile-pt.pdf</code>

6359 *turnthepage* – Provide “turn page” instructions

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/turnstile/README
documentation	<i>Article about the package (Portuguese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/turnstile/turnstile-pt/turnstile_artigo.pdf
– local file	./3600085792–turnstile_artigo.pdf
documentation	(no language specified) <i>Article about the package (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/turnstile/turnstile-en/turnstile_article.pdf
– local file	./1973994367–turnstile_article.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/turnstile
on MikTeX	turnstile
on TeXLive	turnstile
keyword	maths–symbol (construction or application of mathematical symbols)
keyword	logic (typesetting logician’s discussions)
language(s)	Portuguese
year	2007
last access	2025-02-07

6359 *turnthepage* – Provide “turn page” instructions

Web page on CTAN <https://ctan.org/pkg/turnthepage>

name	turnthepage
caption	Provide “turn page” instructions
author	Münch, Hans-Martin
author	Merciadri, Luca
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.0a (2024-11-15)
last changes	2024-11-15
year	2024
description	(no language specified) The package prints a ‘turn’ instruction at the bottom of odd-numbered pages (except the last). This is a common convention for examination papers and the like.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/turnthepage/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/turnthepage/turnthepage.pdf
– local file	<code>./2762739507-turnthepage.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/turnthepage
on MikTeX	turnthepage
on T _E XLive	turnthepage
keyword	exam (exams, quizzes, etc.)
keyword	layout (layout of objects on the page)
language(s)	no language specified
last access	2025-02-07

6360 *tutodoc* – Typeset tutorial-like documentations

Web page on CTAN	https://ctan.org/pkg/tutodoc
name	tutodoc
caption	Typeset tutorial-like documentations
author	Bal, Christophe
copyright	Christophe Bal (2023-2024)
license	gpl3 = GNU General Public License, version 3 (free)
version	1.7.1 (2024-12-18)
last changes	2024-12-18
year	2024
description	(no language specified) This package provides some macros to write documentation of LaTeX packages in a tutorial style.
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tutodoc/doc/tutodoc-en.pdf
– local file	<code>./7123879482-tutodoc-en.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tutodoc/README.md

documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tutodoc/doc/tutodoc-fr.pdf
– local file	<code>./4628522488-tutodoc-fr.pdf</code>
contact	<i>repository</i> : https://github.com/bc-tools/for-latex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tutodoc
on MikTeX	<code>tutodoc</code>
on TeXLive	<code>tutodoc</code>
keyword	<code>doc-tool</code> (document development tools)
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
language(s)	English; French
last access	2025-02-07

6361 *tuzuk* – Turkish bylaws and regulations document class

Web page on CTAN <https://ctan.org/pkg/tuzuk>

name	<code>tuzuk</code>
caption	Turkish bylaws and regulations document class
author	Oğuz, Özcan
copyright	Özcan Oğuz (2021-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.0 (2024-03-13)
last changes	2024-03-13
year	2024
description	(no language specified) The <code>tuzuk</code> class provides a standardized format for writing bylaws and regulations in Turkish-governmental style. It includes features for creating numbered articles, subsections, and signature areas commonly found in legal documents.

Features:

- Easy creation of numbered articles with the `\madde` command,
- Section titles with `\bolumadi`,
- Automatic lettered lists with the `fikra` environment,
- Built-in signature area formatting with `\imzalar`,

- Full Turkish language support.

Built originally for creating the regulation for Özgür Yazılım Derneği (The Free Software Association in Turkey), <https://oyd.org.tr/>.

Explanation of the package name: "tüzük" in Turkish means "regulations", as a document. For example, GDPR, which stands for "General Data Protection Regulation", translates as "Genel Veri Koruma Tüzüğü". In Turkish law, the non-profit associations have a "tüzük" as their constitution-like governing document.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/tuzuk/README.md
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/tuzuk/oyd_tuzuk_2023.pdf
– local file	<code>./2388787513-oyd_tuzuk_2023.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/tuzuk/tuzuk-doc.pdf
– local file	<code>./2241835105-tuzuk-doc.pdf</code>
contact	<i>bugs</i> : https://github.com/ooguz/latex-tuzuk/issues
contact	<i>repository</i> : https://github.com/ooguz/latex-tuzuk
contact	<i>development</i> : https://github.com/ooguz/latex-tuzuk/pulls
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/tuzuk
on T _E XLive	tuzuk
keyword	legal (typesetting legal documents or study material)
keyword	class (alternative LaTeX class(es))
keyword	turkish (documentation in, and support for typesetting Turkish)
language(s)	no language specified
last access	2025-03-21

6362 *tvS* – TeX Versioning System

Web page on CTAN <https://ctan.org/pkg/tvs>

name	TVS
caption	TeX Versioning System
author	Antos, David
license	gpl = GNU General Public License (free)
version	1.28
description	(no language specified) A Perl script to collect all files which are needed to re-typeset TeX documents. It does it by parsing TeX logs. TVS is able to handle filenames intelligently.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/support/TVS/index.html
on CTAN	https://ctan.org/tex-archive/support/TVS
keyword	bundle (pack files up for distribution or archiving)
language(s)	no language specified
year	without year
last access	2025-02-07

6363 *twcal* – Calligraphic font for typesetting handwriting

Web page on CTAN <https://ctan.org/pkg/twcal>

name	twcal
caption	Calligraphic font for typesetting handwriting
author	Weinmann, Thomas
copyright	Thomas Weinmann (1991)
license	nocommercial = No Commercial Use (not free)
version	1.1
description	(no language specified) A calligraphic font, designed in Metafont, which may be used for typesetting what Germans call the "vereinfachte Ausgangsschrift". Macros (originally intended for use with LaTeX 2.09) are available.
on CTAN	https://ctan.org/tex-archive/fonts/twcal
keyword	font (fonts themselves)
keyword	font-calligraphic (calligraphic (or handwriting) fonts)

keyword	font-mf (fonts distributed as Metafont source)
see also	see section 328 on page 301: (<i>augie</i> – Calligraphic font for typesetting handwriting)
language(s)	no language specified
year	1991
last access	2025-02-07

6364 *tweb* – A web system for TeX macro sources

Web page on CTAN <https://ctan.org/pkg/tweb>

name	tweb
caption	A web system for TeX macro sources
author	Bzyl, Włodek
license	noinfo = noinfo
version	(1995-05-18)
last changes	1995-05-18
year	1995
description	(no language specified) Tweb uses <i>noweb</i> to provide a better means of printing TeX macro sources.
documentation	(no language specified) <i>Paper about the system</i> : https://ctan.org/tex-archive/web/tweb/tug95/doc/paper.pdf
– local file	./3489941085-paper.pdf
documentation	(no language specified) <i>Tweb source, processed</i> : https://ctan.org/tex-archive/web/tweb/tug95/doc/tweb.pdf
– local file	./8105703373-tweb.pdf
documentation	(no language specified) <i>Plain.tex, processed</i> : https://ctan.org/tex-archive/web/tweb/tug95/doc/plain.pdf
– local file	./9868749182-plain.pdf
documentation	(no language specified) <i>Slides from TUG95 presentation</i> : https://ctan.org/tex-archive/web/tweb/tug95/doc/slides.pdf
– local file	./8338667711-slides.pdf
on CTAN	https://ctan.org/tex-archive/web/tweb
keyword	litprog (literate programming)
language(s)	no language specified

last access 2025-02-07

6365 *twemoji-colr* – Twemoji font in COLR/CPAL layered format

Web page on CTAN <https://ctan.org/pkg/twemoji-colr>

name	twemoji-colr
caption	Twemoji font in COLR/CPAL layered format
author	Zeng, Xiangdong
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
license	apache2 = Apache License, version 2.0 (free)
version	0.7.0 (2022-10-28)
last changes	2022-10-28
year	2022
description	(no language specified) This is a COLR/CPAL-based color OpenType font from the Twemoji collection of emoji images.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/twemoji-colr/README.md
contact	<i>bugs</i> : https://github.com/mozilla/twemoji-colr/issues
contact	<i>repository</i> : https://github.com/mozilla/twemoji-colr
on CTAN	https://ctan.org/tex-archive/fonts/twemoji-colr
on MikTeX	twemoji-colr
on T _E XLive	twemoji-colr
keyword	font (fonts themselves)
keyword	font-symbol (fonts that provide collections of symbols)
keyword	font-ttf (font available in TrueType format)
language(s)	no language specified
last access	2025-02-07

6366 twemojis – Use Twitter’s open source emojis through LaTeX commandsWeb page on CTAN <https://ctan.org/pkg/twemojis>

name	twemojis
caption	Use Twitter’s open source emojis through LaTeX commands
author	Rossel, Jost
copyright	Jost Rossel (2021-2022)
copyright	Twitter, Inc and other contributors (2019)
license	cc-by-4 = CC BY 4.0 (free)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.3.1 (twemoji v14.0.1) (2022-03-30)
last changes	2022-03-30
year	2022
description	(no language specified) This package provides a simple wrapper which allows to use Twitter’s open source emojis through LaTeX commands. This relies on images, so no fancy unicode-font stuff is needed and it <i>should</i> work on every installation.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/twemojis/twemojis.pdf
– local file	./6665805591-twemojis.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/twemojis/README.md
contact	<i>bugs</i> : https://gitlab.com/rossel.jost/latex-twemojis/-/issues
contact	<i>repository</i> : https://gitlab.com/rossel.jost/latex-twemojis
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/twemojis
on MikTeX	twemojis
on TeXLive	twemojis
keyword	text-symbol (symbols for use in text)
keyword	graphics (graphics (support packages))
language(s)	no language specified
last access	2025-02-07

6367 twocolumns – Knuth’s two-column output macros

Web page on CTAN <https://ctan.org/pkg/twocolumns>

name	twocolumns
caption	Knuth’s two-column output macros
author	Knuth, Donald E.
license	knuth = Knuth License (free)
description	(no language specified) These are transcribed (by an unknown hand) from chapter 23 of the TeXbook.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/2columns.mac
keyword	plain-ext (extensions to Plain TeX for higher-level constructs)
keyword	multicol (more than one column on the page)
see also	see section 1671 on page 1514: (doublecol – Double-column page macros for Plain TeX)
language(s)	no language specified
year	without year
last access	2025-02-11

6368 twoinone – Print two pages on a single page

Web page on CTAN <https://ctan.org/pkg/twoinone>

name	2in1
caption	Print two pages on a single page
author	Saxena, Sanjeev
license	pd = Public Domain Software (free)
version	(2001-07-23)
last changes	2001-07-23
year	2001
description	(no language specified) The package is for printing two pages on a single (landscape) A4 page. Page numbers appear on the included pages, and not on the landscape ‘container’ page.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/twoinone/twoinone.pdf

6369 *twoopt* – Definitions with two optional arguments

– local file	<code>./8559970911-twoinone.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/twoinone
on MikTeX	twoinone
on TeXLive	twoinone
keyword	plain-ext (extensions to Plain TeX for higher-level constructs)
keyword	compact-print (compact output, typically multiple pages/sheet)
see also	see section 6372 on page 5758: (twoup1tx – Print two virtual pages on each physical page)
language(s)	no language specified
last access	2025-02-07

6369 *twoopt* – Definitions with two optional arguments

Web page on CTAN	https://ctan.org/pkg/twoopt
name	twoopt
caption	Definitions with two optional arguments
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (1999, 2006, 2008)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.6 (2016-05-16)
last changes	2016-05-16
year	2016
description	(no language specified) Variants of <code>\newcommand</code> , <code>\renewcommand</code> and <code>\providecommand</code> are provided. The package is part of the oberdiek bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/twoopt.pdf
– local file	<code>./2542872878-twoopt.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/oberdiek/twoopt.dtx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/oberdiek.tds.zip
on MikTeX	oberdiek

on T_EXLive oberdiek
 keyword macro-supp (support for development of (La)TeX macros)
 language(s) no language specified
 last access 2025-02-07

6370 *twoside* – Two-side typesetting in Plain TeX

Web page on CTAN <https://ctan.org/pkg/twoside>

name twoside
 caption Two-side typesetting in Plain TeX
 license noinfo = noinfo
 version (1992-08-27)
 last changes 1992-08-27
 year 1992
 description (no language specified) Defines macros that produce output destined for two-sided printing, with a gutter margin as specified by the user. A running head may also be specified.

on CTAN <https://ctan.org/tex-archive/macros/plain/contrib/misc/2side.tex>
 keyword plain-ext (extensions to Plain TeX for higher-level constructs)
 keyword geometry (change geometry of page layout)
 language(s) no language specified
 last access 2025-02-07

6371 *twoup-gen* – Macros to print two-up

Web page on CTAN <https://ctan.org/pkg/twoup-gen>

name twoup-gen
 caption Macros to print two-up
 author Van Zandt, Timothy
 author Voß, Herbert
 copyright Timothy Van Zandt (1992, 2010)
 copyright Herbert Voss (2010-2020)

6372 `twoup!tx` – Print two virtual pages on each physical page

license	lppl = The LaTeX Project Public License (free)
version	1.3a (2020-05-09)
last changes	2020-05-09
year	2020
description	(no language specified) The 2up package offers considerable flexibility as to paper size and layout, and produces a standard dvi file without involving additional dvi or PostScript filters.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/2up/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/2up/doc/2up-doc.pdf
– local file	<code>./3157749751-2up-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/generic/2up
on MikTeX	<code>twoup-gen</code>
keyword	layout (layout of objects on the page)
see also	see section 6372 on page 5758: (<code>twoup!tx</code> – Print two virtual pages on each physical page)
language(s)	no language specified
last access	2026-04-13

6372 `twoup!tx` – Print two virtual pages on each physical page

Web page on CTAN <https://ctan.org/pkg/twoup!tx>

name	<code>twoup!tx</code>
caption	Print two virtual pages on each physical page
author	Hansen, Mogens Lemvig
copyright	Mogens Lemvig Hansen (2005-2007)
license	lppl = The LaTeX Project Public License (free)
version	1.3
description	(no language specified) MiKTeX and many other TeX implementations include tools for massaging PostScript into booklet and two-up printing — that is, printing two logical pages side by side on one side of one sheet of paper. However, some LaTeX preliminaries are necessary to use those tools. The <code>twoup</code> package provides such preliminaries and gives advice on how to use the PostScript tools.

6373 *twoxtwogame* – Visualize 2×2 normal-form games

documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/twoup/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/twoup/twoup.pdf
– local file	./3206277925-twoup.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/twoup
on MikTeX	twoup
on T _E XLive	twoup
keyword	compact-print (compact output, typically multiple pages/sheet)
see also	see section 6368 on page 5755: (2in1 – Print two pages on a single page)
language(s)	no language specified
year	2007
last access	2025-02-07

6373 *twoxtwogame* – Visualize 2×2 normal-form games

Web page on CTAN <https://ctan.org/pkg/twoxtwogame>

name	twoxtwogame
caption	Visualize 2×2 normal-form games
author	Technologies, Deepmind
author	Marris, Luke
copyright	DeepMind Technologies Limited (2024)
license	apache2 = Apache License, version 2.0 (free)
license	cc-by-4 = CC BY 4.0 (free)
version	0.2 (2024-03-05)
last changes	2024-03-05
year	2024
description	(no language specified) This is a package for the visualization of 2×2 normal form games. The package is based on PGF/TikZ and produces beautiful vector graphics that are intended for use in scientific publications. The commands include the creation of graphical representations of 2×2 games, the visualization of equilibria in 2×2 games and game embeddings for 2×2 games.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/twoxtwogame/README.md

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/twoxtwogame/twoxtwogame_doc.pdf
– local file	./5242255586-twoxtwogame_doc.pdf
contact	<i>repository:</i> https://github.com/google-deepmind/twoxtwogame/
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/twoxtwogame
on MikTeX	twoxtwogame
on TeXLive	twoxtwogame
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	maths (support for typesetting mathematics)
keyword	games (process game diagrams, gamebooks, and other amusements)
language(s)	no language specified
last access	2025-02-07

6374 txfonts – Times-like fonts in support of mathematics

Web page on CTAN <https://ctan.org/pkg/txfonts>

name	txfonts
caption	Times-like fonts in support of mathematics
author	Ryu, Young
license	gpl = GNU General Public License (free)
version	(2009-01-14)
last changes	2009-01-14
year	2009
description	(no language specified) Txfonts supplies virtual text roman fonts using Adobe Times (or URW NimbusRomNo9L) with some modified and additional text symbols in the OT1, T1, and TS1 encodings; maths alphabets using Times/URW Nimbus; maths fonts providing all the symbols of the Computer Modern and AMS fonts, including all the Greek capital letters from CMR; and additional maths fonts of various other symbols. The set is complemented by a sans-serif set of text fonts, based on Helvetica/NimbusSanL, and a monospace set. All the fonts are in Type 1 format (AFM and PFB files), and are supported by TeX metrics (VF and TFM files) and macros for use with LaTeX.

documentation	(no language specified) <i>Package documentation (Letter)</i> : https://ctan.org/tex-archive/fonts/txfonts/doc/txfontsdoc.pdf
– local file	<code>./5611384343-txfontsdoc.pdf</code>
documentation	(no language specified) <i>Package documentation (A4)</i> : https://ctan.org/tex-archive/fonts/txfonts/doc/txfontsdocA4.pdf
– local file	<code>./8118964368-txfontsdocA4.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/txfonts
on MikTeX	<code>txfonts</code>
on T _E XLive	<code>txfonts</code>
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-maths</code> (fonts for use in mathematics)
see also	see section 4237 on page 3836: (<code>newtx</code> – Alternative uses of the TX fonts, with improved metrics)
language(s)	no language specified
last access	2025-02-07

6375 txfontsb – Extensions to txfonts, using GNU Freefont

Web page on CTAN <https://ctan.org/pkg/txfontsb>

name	<code>txfontsb</code>
caption	Extensions to txfonts, using GNU Freefont
author	Tsolomitis, Antonis
copyright	Antonis Tsolomitis (2009-2019)
license	gpl = GNU General Public License (free)
license	lppl1 = The LaTeX Project Public License 1 (free)
version	1.1.1
description	(no language specified) A set of fonts that extend the txfonts bundle with small caps and old style numbers, together with Greek support. The extensions are made with modifications of the GNU Freefont .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/txfontsb/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/txfontsb/doc/txfontsb.pdf

– local file	<code>./7613030714-txfontsb.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/txfontsb
on MikTeX	<code>txfontsb</code>
on T _E XLive	<code>txfontsb</code>
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-maths</code> (fonts for use in mathematics)
keyword	<code>font-greek</code> (font for Greek (archaic, classical and modern))
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
see also	see section 4237 on page 3836: (<code>newtx</code> – Alternative uses of the TX fonts, with improved metrics)
language(s)	no language specified
year	2019
last access	2025-02-07

6376 txgreeks – Shape selection for TX fonts Greek letters

Web page on CTAN	https://ctan.org/pkg/txgreek
name	<code>txgreek</code> s
caption	Shape selection for TX fonts Greek letters
author	Burnol, Jean-François
copyright	Jean-François Burnol (2011)
license	l _{pl} 1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The package allows LaTeX users who use the TX fonts to select the shapes (italic or upright) for the Greek lowercase and uppercase letters. Once the shapes for lowercase and uppercase have been selected via a package option, the <code>\other</code> prefix (e.g., <code>\otheralpha</code>) allows using the alternate glyph (as in the <code>fourier</code> package). The <code>txgreek</code> s package does not constrain the text font that may be used in the document.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/txgreek/txgreek.pdf
– local file	<code>./4368835460-txgreek.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/txgreek/README

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/txgreek
on MikTeX	txgreek
on T _E XLive	txgreek
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	2011
last access	2025-02-07

6377 *txp* – Draw text along a path

Web page on CTAN	https://ctan.org/pkg/txp
name	txp
caption	Draw text along a path
author	Muelas, Santiago
license	other-free = Free license not otherwise listed (free)
description	(no language specified) The txp package provides a general-purpose MetaPost macro to draw arbitrary text along a given path.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/txp/DOCUMENT.pdf
– local file	./6355131740-DOCUMENT.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/txp/README.txt
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/txp
keyword	graphics-text (text within graphics (drawn or overlaid))
language(s)	no language specified
year	without year
last access	2025-02-07

6378 `txt` – Output documents via terminals, line printers, etcWeb page on CTAN <https://ctan.org/pkg/txt>

name	<code>txt</code>
caption	Output documents via terminals, line printers, etc
author	Droms, Ralph
license	noinfo = noinfo
version	(1992-09-30)
last changes	1992-09-30
year	1992
description	(no language specified) The package provides the means to prepare a DVI file for approximately laid-out monospace font text output. This output could then be converted to text using (for example) <code>dvi2tty</code> and then submitted to a line printer. The package is incomplete (it relies on a font ‘doc’ which it refers to as a ‘pseudo-font’ but nowhere explains where it comes from). Furthermore, it was written for obsolete LaTeX 2.09 (though it runs, modulo the absence of the font) under current LaTeX.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/support/txt/README
on CTAN	https://ctan.org/tex-archive/support/txt
keyword	<code>dvi-text</code> (DVI output to plain text)
language(s)	no language specified
last access	2025-02-07

6379 `txt2latex` – Convert text by fixing special chars and quote marksWeb page on CTAN <https://ctan.org/pkg/txt2latex>

name	<code>txt2latex</code>
caption	Convert text by fixing special chars and quote marks
author	Miller, Tristan
license	pd = Public Domain Software (free)

description	(no language specified) This is a small Perl script intended to facilitate batch conversion of largely unformatted ASCII text for use with LaTeX. In contrast to <code>txt2tex</code> , it does not assume the document has any underlying structure. Its sole purpose is to escape special LaTeX characters and to fix single and double quotation marks.
on CTAN	https://ctan.org/tex-archive/support/txt2latex
keyword	<code>foreign-import</code> (import files in a non-TeX (or different TeX) format)
see also	see section 1789 on page 1616: (<code>easyLaTeX</code> – Faster and simpler writing of LaTeX documents)
see also	see section 6380 on page 5765: (<code>txt2tex</code> – Add LaTeX markup to plain text)
language(s)	no language specified
year	without year
last access	2025-02-07

6380 `txt2tex` – Add LaTeX markup to plain text

Web page on CTAN	https://ctan.org/pkg/txt2tex
name	<code>txt2tex</code>
caption	Add LaTeX markup to plain text
author	Jansons, Kalvis M.
copyright	Kalvis M. Jansons (1998-2008)
license	gpl = GNU General Public License (free)
version	4.0
description	(no language specified) Converts plain text into something with a little LaTeX formatting.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/txt2tex/README
on CTAN	https://ctan.org/tex-archive/support/txt2tex
keyword	<code>foreign-import</code> (import files in a non-TeX (or different TeX) format)
see also	see section 1789 on page 1616: (<code>easyLaTeX</code> – Faster and simpler writing of LaTeX documents)
see also	see section 6379 on page 5764: (<code>txt2latex</code> – Convert text by fixing special chars and quote marks)
language(s)	no language specified
year	2008

last access 2025-02-07

6381 *txuprcal* – Upright calligraphic font based on TX calligraphic

Web page on CTAN <https://ctan.org/pkg/txuprcal>

name	TXUprCal
caption	Upright calligraphic font based on TX calligraphic
author	Sharpe, Michael
copyright	Michael Sharpe (2017)
license	gpl3 = GNU General Public License, version 3 (free)
version	1.00 (2017-02-22)
last changes	2017-02-22
year	2017
description	(no language specified) This small package provides a means of loading as <code>\mathcal</code> an uprighted version of the calligraphic fonts from the TX font package. A scaled option to provided to allow arbitrary scaling.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/txuprcal/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/txuprcal/doc/txuprcal-doc.pdf
– local file	./9068304821-txuprcal-doc.pdf
on CTAN	https://ctan.org/tex-archive/fonts/txuprcal
on MikTeX	txuprcal
on T _E XLive	txuprcal
keyword	font-maths (fonts for use in mathematics)
keyword	font-type1 (font available in Adobe Type 1 format)
see also	see section 6374 on page 5760: (txfonts – Times-like fonts in support of mathematics)
language(s)	no language specified
last access	2025-02-07

6382 type1cm – Arbitrary size font selection in LaTeX

Web page on CTAN <https://ctan.org/pkg/type1cm>

name	type1cm
caption	Arbitrary size font selection in LaTeX
author	Carlisle, David
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) LaTeX, by default, restricts the sizes at which you can use its default computer modern fonts, to a fixed set of discrete sizes (effectively, a set specified by Knuth). The type1cm package removes this restriction; this is particularly useful when using scalable versions of the cm fonts (Bakoma, or the versions from BSR/Y&Y, or True Type versions from Kinch, PCTeX, etc.). In fact, since modern distributions will automatically generate any bitmap font you might need, type1cm has wider application than just those using scaleable versions of the fonts. Note that the LaTeX distribution now contains a package fix-cm, which performs the task of type1cm, as well as doing the same job for T1- and TS1-encoded ec fonts.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/type1cm/type1cm-doc.pdf
– local file	<code>./4892635328-type1cm-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/type1cm
on MikTeX	type1cm
on TeXLive	type1cm
keyword	font-suppl (metrics, macro incantations and other font support)
see also	see section 2233 on page 2021: (fix-cm – Permit Computer Modern fonts at arbitrary sizes)
see also	see section 6383 on page 5768: (type1ec – Permit EC, TC and LH fonts at arbitrary sizes)
language(s)	no language specified
year	without year
last access	2025-02-07

6383 type1ec – Permit EC, TC and LH fonts at arbitrary sizes

Web page on CTAN <https://ctan.org/pkg/type1ec>

name	type1ec
caption	Permit EC, TC and LH fonts at arbitrary sizes
author	Volovich, Vladimir
copyright	Vladimir Volovich (2002)
license	noinfo = noinfo
version	1.1
description	(no language specified) Generates LaTeX font sizing instructions that allow any size to be scaled. This package is part of the cm-super distribution.
on CTAN	https://ctan.org/tex-archive/fonts/ps-type1/cm-super/type1ec.sty
on MikTeX	cm-super
on T _E XLive	cm-super
keyword	font-supp (metrics, macro incantations and other font support)
see also	see section 2233 on page 2021 : (<code>fix-cm</code> – Permit Computer Modern fonts at arbitrary sizes)
see also	see section 6382 on page 5767 : (<code>type1cm</code> – Arbitrary size font selection in LaTeX)
language(s)	no language specified
year	2002
last access	2025-02-07

6384 typearea – Set page margins

Web page on CTAN <https://ctan.org/pkg/typearea>

name	typearea
caption	Set page margins
author	Neukam, Frank
author	Kohm, Markus
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)

version	3.43 (2024-10-24)
last changes	2024-10-24
year	2024
description	(no language specified) Typearea is a part of the koma-script bundle, and is well integrated with the requirements of classes in the bundle, but it is also convenient for use as a package in its own right.
documentation	<i>German documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-de.pdf
– local file	<code>./9865824920-scrguide-de.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/koma-script/README.md
documentation	<i>English documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/koma-script/doc/scrguide-en.pdf
– local file	<code>./2064675180-scrguide-en.pdf</code>
home page	https://komascript.de/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/koma-script
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/koma-script.tds.zip
on MikTeX	koma-script
on T _E XLive	koma-script
keyword	geometry (change geometry of page layout)
see also	see section 2482 on page 2245: (geometry – Flexible and complete interface to document dimensions)
see also	see section 6629 on page 5987: (vmargin – Set various page dimensions)
language(s)	German; English
last access	2025-02-07

6385 typed-checklist – Typesetting tasks, goals, milestones, artifacts, and more in LaTeX

Web page on CTAN <https://ctan.org/pkg/typed-checklist>

name	typed-checklist
caption	Typesetting tasks, goals, milestones, artifacts, and more in LaTeX
author	Grewe, Richard
copyright	Richard Grewe (2013-2022)
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	2.1 (2022-05-28)
last changes	2022-05-28
year	2022
description	(no language specified) The main goal of this package is to provide means for typesetting checklists in a way that stipulates users to explicitly distinguish checklists for goals, for tasks, for artifacts, and for milestones — i.e., the <i>type</i> of checklist entries. The intention behind this is that a user of the package is coerced to think about what kind of entries he/she adds to the checklist. This shall yield a clearer result and, in the long run, help with training to distinguish entries of different types.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/typed-checklist/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/typed-checklist/typed-checklist.pdf
– local file	./2089347981-typed-checklist.pdf
contact	<i>repository</i> : https://github.com/Ri-Ga/typed-checklist
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/typed-checklist
on MikTeX	typed-checklist
on TeXLive	typed-checklist
keyword	list (list: general)
language(s)	no language specified
last access	2025-02-07

6386 typedref – Eliminate errors by enforcing the types of labels

Web page on CTAN <https://ctan.org/pkg/typedref>

name	typedref
caption	Eliminate errors by enforcing the types of labels
author	Seidman, Gregory
author	Ashton, James
copyright	Gregory Seidman (2001-2013)
license	other-nonfree = License that prevents distribution (not free)
version	1.1
description	(no language specified) The package is provided to help users avoid cross-reference errors; it replaces <code>\ref</code> with <code>\figureref</code> , <code>\sectionref</code> , <code>\eqref</code> , etc., so that you're forced to specify the kind of label you're referencing. Each reference command also generates appropriate text automatically, so that instead of typing <code>Figure~\ref{figure:key}</code> , all you need is <code>\figureref{figure:key}</code> . The <code>\label</code> command is redefined to record the type with the label defined, so that each type of label has its own namespace.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/typedref/typedref.pdf
– local file	<code>./3150864754-typedref.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/typedref
on MikTeX	typedref
keyword	label-ref (label and reference systems)
see also	see section 4793 on page 4338 : (<code>prettyref</code> – Make label references “self-identify”)
see also	see section 5278 on page 4782 : (<code>saferef</code> – Safer references through strong typing of references)
language(s)	no language specified
year	2013
last access	2025-02-07

6387 typeface – Select a balanced set of fontsWeb page on CTAN <https://ctan.org/pkg/typeface>

name	typeface
caption	Select a balanced set of fonts
author	Jones, Geoffrey
copyright	Geoffrey Jones (2012)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1
description	(no language specified) The package provides the means of establishing a consistent set of fonts for use in a LaTeX document. It allows mixing and matching the Type 1 font sets available on the archive (and it may be extended, via its configuration file, to support other fonts). Font-set definition takes the form of a set of options that are read when the package is loaded: for each typographic category (main body font, sans-serif font, monospace font, mathematics fonts, text figures, and so on), a font or a transformation is given in those options. The approach enables the user to remember their own configurations (as a single command) and to borrow configurations that other users have developed. The present release is designated "for review".
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/typeface/README
documentation	(no language specified) <i>Properties of fonts that are available</i> : https://ctan.org/tex-archive/macros/latex/contrib/typeface/typeface-all-rm.pdf
– local file	./3220413583-typeface-all-rm.pdf
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/typeface/typeface.pdf
– local file	./9974649198-typeface.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/typeface
on MikTeX	typeface
on TeXLive	typeface
keyword	font-sel (font selection schemes)
language(s)	no language specified
year	2012

last access 2025-02-07

6388 `typehtml` – Typeset HTML directly from LaTeX

Web page on CTAN <https://ctan.org/pkg/typehtml>

name	<code>typehtml</code>
caption	Typeset HTML directly from LaTeX
author	Carlisle, David
license	lpl = The LaTeX Project Public License (free)
description	(no language specified) Can handle almost all of HTML2, and most of the math fragment of the draft HTML3.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/typehtml/typehtml.pdf
– local file	<code>./7261131918-typehtml.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/typehtml/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/typehtml
on MikTeX	<code>typehtml</code>
on TeXLive	<code>typehtml</code>
keyword	<code>foreign-import</code> (import files in a non-TeX (or different TeX) format)
language(s)	no language specified
year	without year
last access	2025-02-07

6389 `typeoutfileinfo` – Display class/package/file information

Web page on CTAN <https://ctan.org/pkg/typeoutfileinfo>

name	<code>typeoutfileinfo</code>
caption	Display class/package/file information
author	Lück, Uwe
copyright	Uwe Lück (2012)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.32 (2023-06-30)

last changes	2023-06-30
year	2023
description	(no language specified) The package provides a minimalist shell script, for Unix systems, that displays the information content in a <code>\ProvidesFile</code> , <code>\ProvidesPackage</code> or <code>\ProvidesClass</code> command in a LaTeX source file. The package requires that the readprov package is available.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/typeoutfileinfo/README
on CTAN	https://ctan.org/tex-archive/support/typeoutfileinfo
on MikTeX	typeoutfileinfo
on TeXLive	typeoutfileinfo
keyword	file-mgmt (TeX-related-file management)
language(s)	no language specified
last access	2025-02-07

6390 typespec – Create font samplers

Web page on CTAN	https://ctan.org/pkg/typespec
name	typespec
caption	Create font samplers
author	Moye, Stephen
license	noinfo = noinfo
version	(1998-05-02)
last changes	1998-05-02
year	1998
description	(no language specified) Creates a type specimen page with useful information about the typeface.
documentation	(no language specified) <i>Package outline and some samplers</i> : https://ctan.org/tex-archive/macros/plain/contrib/TypeSpec/TypeSpec.pdf
– local file	<code>./8085002840-TypeSpec.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/TypeSpec
on MikTeX	typespec

keyword	font-sample (samples of font usage)
language(s)	no language specified
last access	2025-02-07

6391 *typewriter* – Typeset with a randomly variable monospace font

Web page on CTAN	https://ctan.org/pkg/typewriter
name	typewriter
caption	Typeset with a randomly variable monospace font
author	Carlisle, David
copyright	David Carlisle (2016-2025)
license	lppl = The LaTeX Project Public License (free)
version	1.3
description	(no language specified) The <i>typewriter</i> package uses the OpenType Computer Modern Unicode Typewriter font , together with a LuaTeX virtual font setup that introduces random variability in grey level and angle of each character. It was originally an answer to a question on stackexchange .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/typewriter/typewriter-guide.pdf
– local file	./8216828576-typewriter-guide.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/typewriter/README.md
home page	https://github.com/davidcarlisle/dpctex/
contact	<i>support</i> : https://github.com/davidcarlisle/dpctex/issues
contact	<i>bugs</i> : https://github.com/davidcarlisle/dpctex/issues
contact	<i>repository</i> : https://github.com/davidcarlisle/dpctex/
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/typewriter
on MikTeX	typewriter
on T _E XLive	typewriter
keyword	typesetting (support for variations of typographic style)
see also	see section 3768 on page 3406: (Manuscript – Emulate look of a document typed on a typewriter)

see also	see section 5111 on page 4632: (<code>ransom</code> – A “very bad typewriter” font)
language(s)	no language specified
year	2025
last access	2025-02-14

6392 typicons – Font containing a set of web-related icons

Web page on CTAN <https://ctan.org/pkg/typicons>

name	typicons
caption	Font containing a set of web-related icons
author	Vigil, Arthur
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.0.7 (2015-05-20)
last changes	2015-05-20
year	2015
description	(no language specified) This package grants access to 336 web-related icons provided by the included “Typicons” free font, designed by Stephen Hutchings and released under the SIL Open Font License . See http://www.typicons.com for more details about the font itself. This package requires the fontspec package and either the Xe(La)TeX or Lua(La)TeX engine to load the included ttf font. Once the package is loaded, icons can be accessed through the general <code>\ticon</code> command, which takes as argument the name of the desired icon, or through direct commands specific to each icon. The full list of icon designs, names and direct commands is showcased in the manual.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/typicons/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/typicons/typicons.pdf
– local file	<code>./9106178420-typicons.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/typicons
on MikTeX	typicons
on TeXLive	typicons
keyword	<code>font-ttf</code> (font available in TrueType format)

keyword	<code>font-supp-symbol</code> (metrics, macro incantations and other support for symbol fonts)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-symbol</code> (fonts that provide collections of symbols)
language(s)	no language specified
last access	2025-02-07

6393 *typoaid* – Macros for font diagnostics

Web page on CTAN <https://ctan.org/pkg/typoaid>

name	<code>typoaid</code>
caption	Macros for font diagnostics
author	Ratti, Daniele
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.4.7 (2017-05-07)
last changes	2017-05-07
year	2017
description	(no language specified) This package provides macros for measuring alphabet lengths (i.e. the length occupied by the characters "abcd...xyz"), em-widths and ex-heights, which may help in making typesetting decisions. The package is compatible with pdfLaTeX, LuaLaTeX, and XeLaTeX, and will accept font family switches defined via the fontspec package. The plan is that future versions shall be able to provide even more diagnostic tools, and some LuaTeX-specific special commands, too. The package relies on the following other LaTeX packages: expl3 , array , booktabs , and siunitx .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/typoaid/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/typoaid/typoaid.pdf
– local file	<code>./7195581499-typoaid.pdf</code>
contact	<i>repository</i> : https://github.com/ilFuria/typoaid
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/typoaid
on MikTeX	<code>typoaid</code>

on T _E XLive	typoaid
keyword	typeset-tool (tools supporting or evaluating typesetting,)
keyword	font-devel (support for font development, testing and characterisation)
language(s)	no language specified
last access	2025-02-07

6394 *typog* – Typographic fine-tuning and micro-typographic enhancements

Web page on CTAN <https://ctan.org/pkg/typog>

name	typog
caption	Typographic fine-tuning and micro-typographic enhancements
author	Spiel, Chris
copyright	Ch. L. Spiel (2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.5 (2025-10-27)
last changes	2025-10-27
year	2025
description	(no language specified) This package provides macros for micro-typographic enhancements. It covers a variety of topics: • Precise hyphenation control • Disable/break ligatures • Manual italic correction • Extra kerning for slash and hyphen • Raising selected characters (e.g. hyphen, en-dash, and em-dash) • Aligning of the last line of a paragraph • Filling of the last line of a paragraph • Word spacing control • Microtype front-end • Slightly sloppy paragraphs • Vertically partially-tied paragraphs • Breakable displayed equations • Setspace front-end

- Smooth ragged-right paragraphs

Moreover, typog provides an environment to flag interesting parts of the information deluge typically accumulating in a LaTeX log-file and an associated tool, `typog-grep`, that selectively retrieves these parts.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/typog/docs/typog.pdf
– local file	<code>./7139866950-typog.pdf</code>
documentation	(no language specified) <i>Man page for typog-grep</i> : https://ctan.org/tex-archive/macros/latex/contrib/typog/docs/typog-grep.1.pdf
– local file	<code>./1199017860-typog-grep.1.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/typog/README.md
documentation	(no language specified) <i>Examples of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/typog/docs/typog-example.pdf
– local file	<code>./1056726219-typog-example.pdf</code>
contact	<i>bugs</i> : https://github.com/cspiel/typog/issues
contact	<i>repository</i> : https://github.com/cspiel/typog
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/typog
on MikTeX	<code>typog</code>
on TeXLive	<code>typog</code>
keyword	<code>letterspace</code> (change space between characters)
keyword	<code>micro-layout</code> (paragraph shapes, margin adjustments, etc.)
language(s)	no language specified
last access	2025-11-02

6395 *typografie* – A tutorial on typography

Web page on CTAN	https://ctan.org/pkg/typografie
name	<code>typografie</code>
caption	A tutorial on typography
author	Reichert, Axel
license	nosource = No Source Available (not free)

version	(1999-03-03)
last changes	1999-03-03
year	1999
description	(no language specified) The script of a tutorial held at the 1999 DANTE meeting by Axel Reichert on how to create a new documentclass in LaTeX with some examples (in German).
documentation	(German) <i>Readme</i> : https://ctan.org/tex-archive/info/german/typografie/README
documentation	(German) <i>The document itself</i> : https://ctan.org/tex-archive/info/german/typografie/typografie.ps
on CTAN	https://ctan.org/tex-archive/info/german/typografie
keyword	german-doc (documentation in German)
language(s)	German
last access	2025-11-02

6396 typogrid – Print a typographic grid

Web page on CTAN <https://ctan.org/pkg/typogrid>

name	typogrid
caption	Print a typographic grid
author	Harders, Harald
copyright	Harald Harders (2003)
license	lppl = The LaTeX Project Public License (free)
version	0.21
description	(no language specified) Draws a grid on every page of the document; the grid divides the page into columns, and may be used for fixing measurements of layout.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/typogrid/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/typogrid/typogrid.pdf
– local file	./3823257761-typogrid.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/typogrid
on MikTeX	typogrid

on T _E XLive	typogrid
keyword	layout-show (display details of page layout)
language(s)	no language specified
year	2003
last access	2025-11-02

6397 *typstfun* – List of equivalent Typst function names of LaTeX commands

Web page on CTAN <https://ctan.org/pkg/typstfun>

name	typstfun
caption	List of equivalent Typst function names of LaTeX commands
author	Lyu, Jianrui
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2024A (2024-02-20)
last changes	2024-02-20
year	2024
description	(no language specified) This documentation lists equivalent Typst function names of LaTeX commands. Only math symbols provided by the LaTeX format or the amsmath bundle are included.
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/typstfun/typstfun.pdf
– local file	./7933625647-typstfun.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/typstfun/README.txt
contact	<i>repository</i> : https://github.com/lvjrr/typstfun
on CTAN	https://ctan.org/tex-archive/info/typstfun
on MikT _E X	typstfun
on T _E XLive	typstfun
keyword	maths-doc (documentation of typesetting mathematics)
keyword	documentation (‘stand-alone’ documentation)
language(s)	no language specified
last access	2025-02-07

6398 *tzplot* – Plot graphs with TikZ abbreviations

Web page on CTAN <https://ctan.org/pkg/tzplot>

name	tzplot
caption	Plot graphs with TikZ abbreviations
author	Cho, In-Sung
copyright	In-Sung Cho (2017-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.2 (2025-12-25)
last changes	2025-12-25
year	2025
description	(no language specified) This is a LaTeX package that provides TikZ -based macros to make it easy to draw graphs. The macros provided in this package are just abbreviations for TikZ codes, which can be complicated; but using the package will hopefully make drawing easier, especially when drawing repeatedly. The macros were chosen and developed with an emphasis on drawing graphs in economics. The package depends on TikZ , xparse , and expl3 .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tzplot/tzplot-doc.pdf
– local file	./3981370544-tzplot-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/tzplot/README.txt
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/tzplot
on MikTeX	tzplot
on TeXLive	tzplot
keyword	graphics-plotfn (plot a representation of a function)
keyword	graphics (graphics (support packages))
keyword	maths (support for typesetting mathematics)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2026-01-03

6399 `u8tex` – Input Unicode characters in TeX notation, in emacsWeb page on CTAN <https://ctan.org/pkg/u8tex>

name	<code>u8tex</code>
caption	Input Unicode characters in TeX notation, in emacs
author	Pokrovsky, Sergei
license	gpl = GNU General Public License (free)
description	(no language specified) A file to provide an alternative, TeX-style, input method for UTF-8 characters in Otfried Cheong's extension of Mule-UCS.
on CTAN	https://ctan.org/tex-archive/support/emacs-modes/u8tex.el
keyword	<code>editor-extn</code> (plug-ins for editors, for better (La)TeX and Meta* support)
language(s)	no language specified
year	without year
last access	2025-02-07

6400 `uaclases` – University of Arizona thesis and dissertation formatWeb page on CTAN <https://ctan.org/pkg/uaclases>

name	<code>uaclases</code>
caption	University of Arizona thesis and dissertation format
author	Oliver, Marcel
license	pd = Public Domain Software (free)
version	(2009-01-05)
last changes	2009-01-05
year	2009
description	(no language specified) This package provides a LaTeX2e document class named 'ua-thesis' for typesetting theses and dissertations in the official format required by the University of Arizona. Moreover, there is a fully compatible alternative document class 'my-thesis' for private 'nice' copies of the dissertation, and the respective title pages are available as separate packages to work with any document class.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/uaclases/README

documentation	(no language specified) <i>my-thesis example</i> : https://ctan.org/tex-archive/macros/latex/contrib/uaclasses/my-example.pdf
– local file	<code>./8778910160-my-example.pdf</code>
documentation	(no language specified) <i>ua-thesis example</i> : https://ctan.org/tex-archive/macros/latex/contrib/uaclasses/ua-example.pdf
– local file	<code>./4141715310-ua-example.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/uaclasses
on MikTeX	uaclasses
on TeXLive	uaclasses
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
last access	2025-02-07

6401 *uafthesis* – Document class for theses at University of Alaska Fairbanks

Web page on CTAN	https://ctan.org/pkg/uafthesis
name	<code>uafthesis</code>
caption	Document class for theses at University of Alaska Fairbanks
author	Holbrook, Joshua
license	lppl = The LaTeX Project Public License (free)
version	12.12
description	(no language specified) This is an "unofficial" official class.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/uafthesis/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/uafthesis
on MikTeX	<code>uafthesis</code>
on TeXLive	<code>uafthesis</code>
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
year	without year

last access 2025-02-07

6402 ualberta – A LaTeX template for the University of Alberta

Web page on CTAN <https://ctan.org/pkg/ualberta>

name	uAlberta
caption	A LaTeX template for the University of Alberta
author	Aldrich, Daniel R.
copyright	Daniel Aldrich (2024)
license	mit = MIT License (free)
version	2.0.0 (2024-08-20)
last changes	2024-08-20
year	2024
description	(no language specified) This package provides a comprehensive template designed to meet the formatting requirements of the University of Alberta (https://www.ualberta.ca/en/graduate-studies/resources/graduate-students/thesis-preparation-requirements-deadlines/index.html) for MSc and PhD theses. It provides a structured and customizable framework that ensures compliance with university guidelines while allowing flexibility in document formatting.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/ualberta/ualberta.pdf
– local file	./9783320531-ualberta.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/ualberta/README.md
home page	https://ualberta-thesis.daniel-aldrich.ca/
contact	<i>support:</i> https://discord.gg/dMgFcDYHEV
contact	<i>bugs:</i> https://github.com/draldric/uAlberta-Thesis-LaTeX-Template/issues
contact	<i>repository:</i> https://github.com/draldric/uAlberta-Thesis-LaTeX-Template
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ualberta
on T _E XLive	ualberta
keyword	dissertation (typesetting dissertations, theses, etc.)

keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>doc-templ</code> (template to guide document development)
language(s)	no language specified
last access	2025-02-14

6403 *uantwerpendocs* – Course texts, master theses, and exams in University of Antwerp style

Web page on CTAN <https://ctan.org/pkg/uantwerpendocs>

name	<code>uantwerpendocs</code>
caption	Course texts, master theses, and exams in University of Antwerp style
author	Daems, Walter
copyright	Walter Daems (2013-2026)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	4.12 (2026-04-06)
last changes	2026-04-06
year	2026
description	(no language specified) These class files implement the house style of the University of Antwerp. This package originated from the Faculty of Applied Engineering. Using these class files will make it easy for you to make and keep your documents compliant to this version and future versions of the house style of the University of Antwerp. This includes classes for course texts, master theses, phd theses, exams, reports and a beamer theme for slides.
documentation	(no language specified) <i>Example exam (monolingual):</i> https://ctan.org/tex-archive/macros/latex/contrib/uantwerpendocs/uantwerpenexam-example1.pdf
– local file	<code>./5621991065-uantwerpenexam-example1.pdf</code>
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/uantwerpendocs/uantwerpendocs.pdf
– local file	<code>./7151486560-uantwerpendocs.pdf</code>
documentation	(no language specified) <i>Example course text:</i> https://ctan.org/tex-archive/macros/latex/contrib/uantwerpendocs/uantwercoursetext-example.pdf
– local file	<code>./8443815349-uantwercoursetext-example.pdf</code>

documentation	(no language specified) <i>Example exam (bilingual)</i> : https://ctan.org/tex-archive/macros/latex/contrib/uantwerpendocs/uantwerpenexam-example2.pdf
– local file	<code>./6070663419-uantwerpenexam-example2.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/uantwerpendocs/README.md
documentation	(no language specified) <i>Example bachelor/master thesis</i> : https://ctan.org/tex-archive/macros/latex/contrib/uantwerpendocs/uantwerpenbamathesis-example.pdf
– local file	<code>./9095939219-uantwerpenbamathesis-example.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/uantwerpendocs
on MikTeX	<code>uantwerpendocs</code>
on TeXLive	<code>uantwerpendocs</code>
keyword	<code>exam</code> (exams, quizzes, etc.)
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
keyword	<code>std-conform</code> (support conformance to standards)
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>letter</code> (typesetting letters, envelopes, faxes, etc)
keyword	<code>essay</code> (course work essays, assignments, etc.)
language(s)	no language specified
last access	2026-04-16

6404 `uassign` – Environments and options for typesetting university assignments

Web page on CTAN <https://ctan.org/pkg/uassign>

name	<code>uassign</code>
caption	Environments and options for typesetting university assignments
author	Esau, Nathan
copyright	Nathan Esau (2015)
license	lppl = The LaTeX Project Public License (free)
version	1.01 (2015-09-23)
last changes	2015-09-23
year	2015

description	(no language specified) The purpose of this package is to provide simple question and solution style environments for typesetting university assignments.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/uassign/uassign.pdf
– local file	./4200146832-uassign.pdf
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/uassign/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/uassign
on MikTeX	uassign
on TeXLive	uassign
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-02-07

6405 *ucalgmthesis* – LaTeX thesis class for University of Calgary Faculty of Graduate Studies

Web page on CTAN <https://ctan.org/pkg/ucalgmthesis>

name	ucalgmthesis
caption	LaTeX thesis class for University of Calgary Faculty of Graduate Studies
author	Zach, Richard
copyright	Richard Zach (2019)
license	mit = MIT License (free)
version	(2023-03-18)
last changes	2023-03-18
year	2023
description	(no language specified) <code>ucalgmthesis.cls</code> is a LaTeX class file that produces documents according to the thesis guidelines of the University of Calgary Faculty of Graduate Studies . It uses the memoir class, which provides very powerful and flexible mechanisms for book design and layout. All <code>memoir</code> commands for changing chapter and section headings, page layout, fancy foot- and endnotes, typesetting poems, etc., can be used. (Memoir is meant as a replacement for the standard LaTeX classes, so all standard LaTeX commands such as <code>\chapter</code> , <code>\section</code> , etc., still work.) Likewise, any of <code>memoir</code> ’s class options can be

	passed as options to <code>ucalgmthesis</code> , in particular <code>12pt</code> to select 12 point type (11 point is the default).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ucalgmthesis/README.md
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/ucalgmthesis/sample-thesis.pdf
– local file	<code>./7469253728-sample-thesis.pdf</code>
contact	<i>bugs</i> : https://github.com/rzach/ucalgmthesis/issues
contact	<i>repository</i> : https://github.com/rzach/ucalgmthesis
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ucalgmthesis
on MikTeX	<code>ucalgmthesis</code>
on TeXLive	<code>ucalgmthesis</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>doc-templ</code> (template to guide document development)
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
language(s)	no language specified
last access	2025-02-07

6406 *ucbthesis* – Thesis and dissertation class supporting UCB requirements

Web page on CTAN	https://ctan.org/pkg/ucbthesis
name	<code>ucbthesis</code>
caption	Thesis and dissertation class supporting UCB requirements
author	Gildea, Daniel
author	Vojta, Paul
copyright	Daniel Gildea, Ethan Munson, Paul Vojta (1988-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.6
description	(no language specified) The class provides the necessary framework for electronic submission of Masters theses and Ph.D. dissertations at the University of California, Berkeley. It is based on the <code>memoir</code> class.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ucbthesis/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ucbthesis/ucbthesis.pdf
– local file	<code>./8873434608-ucbthesis.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ucbthesis
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/ucbthesis.tds.zip
on MikTeX	<code>ucbthesis</code>
on T _E XLive	<code>ucbthesis</code>
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
year	2019
last access	2025-02-07

6407 ucdavisthesis – A thesis/dissertation class for University of California at Davis

Web page on CTAN	https://ctan.org/pkg/ucdavisthesis
name	<code>ucdavisthesis</code>
caption	A thesis/dissertation class for University of California at Davis
author	Scott, Ryan
copyright	Ryan Scott (2007-2010, 2013, 2016)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.3 (2016-04-23)
last changes	2016-04-23
year	2016
description	(no language specified) The ucdavisthesis class is a LaTeX class that allows you to create a dissertation or thesis conforming to UC Davis formatting requirements as of April 2016.
documentation	(no language specified) <i>Example of output</i> : https://ctan.org/tex-archive/macros/latex/contrib/ucdavisthesis/example/ucdavisthesis_example_main.pdf
– local file	<code>./5956258450-ucdavisthesis_example_main.pdf</code>

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ucdavisthesis/ucdavisthesis.pdf
– local file	./4032006248-ucdavisthesis.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ucdavisthesis/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ucdavisthesis
on MikTeX	ucdavisthesis
on TeXLive	ucdavisthesis
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
last access	2025-02-07

6408 *ucharcat* – Implementation of the (new in 2015) XeTeX \Ucharcat command in lua, for LuaTeX

Web page on CTAN	https://ctan.org/pkg/ucharcat
name	ucharcat
caption	Implementation of the (new in 2015) XeTeX \Ucharcat command in lua, for LuaTeX
author	Carlisle, David
copyright	David Carlisle (2015)
license	lpl = The LaTeX Project Public License (free)
version	0.03
description	(no language specified) The package implements the \Ucharcat command for LuaLaTeX. \Ucharcat is a new primitive in XeTeX, an extension of the existing \Uchar command, that allows the specification of the catcode as well as character code of the character token being constructed.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ucharcat/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ucharcat/ucharcat.pdf
– local file	./6993767853-ucharcat.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ucharcat

on MikTeX	<code>ucharcat</code>
on T _E XLive	<code>ucharcat</code>
keyword	<code>luatex</code> (LuaTeX and packages that require it)
keyword	<code>lua-supp</code> (support for using Lua code)
language(s)	no language specified
year	2015
last access	2025-02-07

6409 `ucharclasses` – Font actions in XeTeX according to what is being processed

Web page on CTAN <https://ctan.org/pkg/ucharclasses>

name	<code>ucharclasses</code>
caption	Font actions in XeTeX according to what is being processed
author	Kamermans, Mike
license	pd = Public Domain Software (free)
version	2.6
description	(no language specified) The package takes care of switching fonts when you switch from one Unicode block to another in the text of a document. This way, you can write a document with no explicit font selection, but a series of rules of the form "when entering block ..., switch font to use ...".
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/ucharclasses/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/xetex/latex/ucharclasses/ucharclasses.pdf
– local file	<code>./6340911969-ucharclasses.pdf</code>
home page	https://github.com/Pomax/ucharclasses
contact	<i>support</i> : https://github.com/Pomax/ucharclasses/issues
contact	<i>bugs</i> : https://github.com/Pomax/ucharclasses/issues
contact	<i>repository</i> : https://github.com/Pomax/ucharclasses
contact	<i>development</i> : https://github.com/Pomax/ucharclasses
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/ucharclasses
on MikTeX	<code>ucharclasses</code>

on T _E XLive	ucharclasses
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year
last access	2025-02-09

6410 *ucph-revy* – Musical script formatting

Web page on CTAN	https://ctan.org/pkg/ucph-revy
name	ucph-revy
caption	Musical script formatting
author	Levin Hansen, Kristoffer
copyright	Kristoffer Levin Hansen (2023-2024)
copyright	Arne John Glenstrup (1995)
copyright	Uffe Friis Lichtenberg (2000)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1.0
description	(no language specified) This package provides a class for typesetting scripts containing both lyrics and prose, in the style used by the student revues (revy) at the Faculties of Science at the University of Copenhagen (uchp).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ucph-revy/README.md
documentation	<i>User manual (Danish)</i> : https://ctan.org/tex-archive/macros/latex/contrib/ucph-revy/ucph-revy-da-man.pdf
– local file	./5151711313-ucph-revy-da-man.pdf
documentation	(no language specified) <i>Full package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/ucph-revy/ucph-revy-en-doc.pdf
– local file	./5877657402-ucph-revy-en-doc.pdf
documentation	<i>Full package documentation (Danish)</i> : https://ctan.org/tex-archive/macros/latex/contrib/ucph-revy/ucph-revy-da-doc.pdf
– local file	./8276119665-ucph-revy-da-doc.pdf

documentation	(no language specified) <i>User manual (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/ucph-revy/ucph-revy-en-man.pdf
– local file	<code>./9543383993-ucph-revy-en-man.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ucph-revy
on MikTeX	<code>ucph-revy</code>
on TeXLive	<code>ucph-revy</code>
keyword	<code>drama-script</code> (typeset scripts for plays, etc.)
language(s)	Danish
year	2024
last access	2025-02-07

6411 `ucs` – Extended UTF-8 input encoding support for LaTeX

Web page on CTAN <https://ctan.org/pkg/ucs>

name	<code>ucs</code>
caption	Extended UTF-8 input encoding support for LaTeX
author	Jeltsch, Wolfgang
author	Carlisle, David
author	Unruh, Dominique
copyright	Dominique Unruh (2000-2001)
copyright	Wolfgang Jeltsch (2011-2013)
copyright	David Carlisle (2022)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.4 (2023-11-09)
last changes	2023-11-09
year	2023

description	(no language specified) The bundle provides the <code>ucs</code> package, and <code>utf8x.def</code>, together with a large number of support files. The <code>utf8x.def</code> definition file for use with inputenc covers a wider range of Unicode characters than does <code>utf8.def</code> in the LaTeX distribution. The package provides facilities for efficient use of its large sets of Unicode characters. Glyph production may be controlled by various options, which permits use of non-ASCII characters when coding mathematical formulae. Note that the bundle previously had an alias ”<code>unicode</code>”; that alias has now been withdrawn, and no package of that name now exists.
documentation	(no language specified) <i>Frequently Asked Questions</i> : https://ctan.org/tex-archive/macros/latex/contrib/ucs/FAQ.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ucs/ucs.pdf
– local file	<code>./2443280576-ucs.pdf</code>
documentation	(no language specified) <i>Installation details</i> : https://ctan.org/tex-archive/macros/latex/contrib/ucs/INSTALL.txt
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ucs/README.txt
contact	<i>bugs</i>: https://github.com/LaTeX-Package-Repositories/ucs/issues
contact	<i>repository</i>: https://github.com/LaTeX-Package-Repositories/ucs
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ucs
on MikTeX	<code>ucs</code>
on TeXLive	<code>ucs</code>
keyword	<code>inputenc</code> (input encoding support for TeX engines)
keyword	<code>unicode</code> (Unicode, material supporting it, and packages requiring it)
language(s)	no language specified
last access	2025-02-07

6412 *ucsmonograph* – Typesetting academic documents from the University of Caxias do Sul

Web page on CTAN <https://ctan.org/pkg/ucsmonograph>

name	ucsmonograph
caption	Typesetting academic documents from the University of Caxias do Sul
author	Baron, Henrique
copyright	Henrique Baron (2018-2019)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3.0
description	(no language specified) This is a LaTeX class for typesetting academic documents according to the ABNT (Brazilian Technical Standards Association) standards and the UCS (University of Caxias do Sul) specifications.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ucsmonograph/README.md
documentation	(Portuguese (Brazilia)) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ucsmonograph/ucsmonograph.pdf
– local file	./9320972406-ucsmonograph.pdf
contact	<i>support</i> : https://tex.stackexchange.com/users/153467/henrique-baron
contact	<i>bugs</i> : https://github.com/HenriqueBaron/ucsmonograph/issues
contact	<i>repository</i> : https://github.com/HenriqueBaron/ucsmonograph
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ucsmonograph
on MikTeX	ucsmonograph
on T _E XLive	ucsmonograph
keyword	portuguese-br (support for typesetting Brazilian Portuguese)
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	class (alternative LaTeX class(es))
see also	see section 16 on page 15: (abntex2 – Typeset technical and scientific Brazilian documents based on ABNT rules)
language(s)	Portuguese (Brazilia)
year	2019

last access 2025-02-07

6413 **ucthesis** – University of California thesis format

Web page on CTAN <https://ctan.org/pkg/ucthesis>

name	ucthesis
caption	University of California thesis format
author	Gildea, Daniel
copyright	Daniel Gildea, BBF, Ethan Munson (1988-2004)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.2
description	(no language specified) A modified version of the standard LaTeX report style that is accepted for use with University of California PhD dissertations and Masters theses. A sample dissertation source and bibliography are provided.
documentation	(no language specified) <i>Readme and basic documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/ucthesis/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ucthesis
on MikTeX	ucthesis
on TeXLive	ucthesis
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
year	2004
last access	2025-02-07

6414 **ucthesis209** – LaTeX 2.09 document style for UC Theses

Web page on CTAN <https://ctan.org/pkg/ucthesis209>

name	ucthesis209
caption	LaTeX 2.09 document style for UC Theses
author	Munson, Ethan V.
license	noinfo = noinfo
version	2.7

description	(no language specified) An obsolescent LaTeX 2.09 predecessor of the current University of California thesis class ; the latest version of the package seems to have been released as the current one was being developed.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex209/contrib/ucthesis/ucthesis.readme
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/ucthesis
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

6415 `udepcolor` – University of Piura (UDEP) institutional and corporate colors for digital and electronic media

Web page on CTAN <https://ctan.org/pkg/udepcolor>

name	<code>udepcolor</code>
caption	University of Piura (UDEP) institutional and corporate colors for digital and electronic media
author	Merino, Manuel
copyright	Manuel E. Merino (2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2024-02-04)
last changes	2024-02-04
year	2024
description	(no language specified) This package defines University of Piura (UDEP) institutional and corporate colors for digital and electronic media according to brand and style guidelines published by UDEP DIRCOM. The colors have been selected and implemented using the xcolor package and following the brand and visual identity guidelines of the University of Piura.
documentation	(no language specified) <i>Package documentation (English)</i>: https://ctan.org/tex-archive/macros/latex/contrib/udepcolor/udepcolor-doc-EN.pdf
– local file	<code>./1731909441-udepcolor-doc-EN.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/udepcolor/README.md

documentation	(Spanish (Peru)) <i>Package documentation (Spanish):</i> https://ctan.org/tex-archive/macros/latex/contrib/udepcolor/udepcolor-doc-ES.pdf
– local file	./5297093065-udepcolor-doc-ES.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/udepcolor
on MikTeX	udepcolor
on T _E XLive	udepcolor
keyword	colour (typesetting in colour)
language(s)	Spanish (Peru)
last access	2025-02-07

6416 *udes-genie-these* – A thesis class file for the Faculté de génie at the Université de Sherbrooke

Web page on CTAN	https://ctan.org/pkg/udes-genie-these
name	udes-genie-these
caption	A thesis class file for the Faculté de génie at the Université de Sherbrooke
author	Brunet, Charles-Antoine
copyright	Charles-Antoine Brunet (2017-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.1.0
description	(no language specified) The udes-genie-these class can be used for Ph.D. theses, master's theses and project definitions at the Faculté de génie of the Université de Sherbrooke (Québec, Canada). The class file is coherent with the latest version of the <i>Protocole de rédaction aux études supérieures</i> which is available on the faculté's intranet. The class file documentation is in French, the language of the typical user at the Université de Sherbrooke. An example of use is also distributed with the documentation.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/udes-genie-these/README.md
documentation	(French (Canada)) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/udes-genie-these/udes-genie-these.pdf
– local file	./8147499814-udes-genie-these.pdf

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/udes-genie-these
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/udes-genie-these.tds.zip
on MikTeX	udes-genie-these
on T _E XLive	udes-genie-these
keyword	class (alternative LaTeX class(es))
keyword	french (support for typesetting French)
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	French (Canada)
year	2023
last access	2025-02-07

6417 udesoftec – Thesis class for the University of Duisburg-Essen

Web page on CTAN	https://ctan.org/pkg/udesoftec
name	udesoftec
caption	Thesis class for the University of Duisburg-Essen
author	Schuler, J. Peter M.
copyright	J. Peter M. Schuler (2013-2015)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.7.1
description	(no language specified) The class is designed for typesetting theses in the Research Group for Business Informatics and Software Engineering. (The class may also serve as a template for such theses.) The class is designed for use with pdfLaTeX; input in UTF-8 encoding is assumed.
documentation	<i>Package documentation (German):</i> https://ctan.org/tex-archive/macros/latex/contrib/udesoftec/udesoftec-doc.pdf
– local file	<code>./5100234765-udesoftec-doc.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/udesoftec/README
contact	<i>bugs:</i> https://github.com/jpmschuler/SOFTEC-Templates/issues

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/udesoftec
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/udesoftec.tds.zip
on MikTeX	udesoftec
on T _E XLive	udesoftec
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	class (alternative LaTeX class(es))
keyword	bus-study (typeset material for Business Studies)
language(s)	German
year	2015
last access	2025-02-07

6418 *udiss* – A LaTeX bundle for typesetting dissertations

Web page on CTAN	https://ctan.org/pkg/udiss
name	udiss
caption	A LaTeX bundle for typesetting dissertations
author	निरंजन
author	Radhakrishnan, C. V.
author	The Indian TeX Users Group
copyright	TUGIndia (2024)
license	fdl = Free Documentation License (free)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	0.1 (2024-10-01)
last changes	2024-10-01
year	2024
description	(no language specified) The <i>udiss</i> bundle is a LaTeX-class-file developed to assist students in typesetting their university dissertations. It is a collection of multiple support files. Universities often have strict requirements regarding the formatting of the dissertations/theses submitted to them. This bundle pre-supplies a generic style (university-agnostic) for creating dissertations. It also supports custom layouts required for different universities.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/udiss/udiss.pdf
– local file	./1391565857-udiss.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/udiss/README.txt
home page	https://puszcza.gnu.org.ua/projects/udiss/
contact	<i>bugs</i> : https://puszcza.gnu.org.ua/bugs/?group=udiss
contact	<i>repository</i> : https://puszcza.gnu.org.ua/projects/udiss/
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/udiss
on MikTeX	udiss
on T _E XLive	udiss
keyword	class (alternative LaTeX class(es))
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
last access	2025-09-11

6419 uebungsblatt – A LaTeX class for writing exercise sheets

Web page on CTAN <https://ctan.org/pkg/uebungsblatt>

name	uebungsblatt
caption	A LaTeX class for writing exercise sheets
author	Akkerman, Igor
copyright	Igor Akkerman (2004-2006)
license	lppl = The LaTeX Project Public License (free)
version	1.5.0
description	(no language specified) This package implements a LaTeX class for writing exercise sheets for a lecture. Features: – quick typesetting of exercise sheets or their revisions, – simple user friendly commands, – elegant page formatting, – automatic numbering of exercises and sub-exercises, – the number of the exercise sheet is extracted automatically from the file name,

	– static information about the lectures and the authors needs to be provided at one point only.
documentation	(German) <i>README</i> : https://ctan.org/tex-archive/macros/latex/contrib/uebungsblatt/README
documentation	<i>Package documentation (German)</i> : https://ctan.org/tex-archive/macros/latex/contrib/uebungsblatt/Dokumentation/uebungsblatt-doc.pdf
– local file	<code>./3204424858-uebungsblatt-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/uebungsblatt
on MikTeX	<code>uebungsblatt</code>
on TeXLive	<code>uebungsblatt</code>
keyword	exercise (exercises, problems for solution, etc.)
language(s)	German
year	2006
last access	2025-02-07

6420 `uestcthesis` – Thesis class for UESTC

Web page on CTAN	https://ctan.org/pkg/uestcthesis
name	<code>uestcthesis</code>
caption	Thesis class for UESTC
author	Fujun, Shi
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1.0
description	(no language specified) The class is for typesetting a thesis at the University of Electronic Science and Technology of China.
documentation	(no language specified) <i>Readme (in English and Chinese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/uestcthesis/README
documentation	<i>Package documentation (Chinese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/uestcthesis/doc/uestcthesis-doc.pdf
– local file	<code>./8376329289-uestcthesis-doc.pdf</code>
contact	<i>repository</i> : https://github.com/shifujun/UESTCthesis
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/uestcthesis

on MikT _E X	uestctthesis
on T _E XLive	uestctthesis
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	chinese (support for typesetting Chinese languages)
language(s)	Chinese
year	without year
last access	2025-02-07

6421 *ufrgscca* – A bundle for undergraduate students final work/report (tcc) at UFRGS/EE

Web page on CTAN <https://ctan.org/pkg/ufrgscca>

name	ufrgscca
caption	A bundle for undergraduate students final work/report (tcc) at UFRGS/EE
author	Frigeri, Alceu
copyright	Alceu Frigeri (2022-2025)
license	gpl = GNU General Public License (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.13 (2025-10-28)
last changes	2025-10-28
year	2025
description	(no language specified) This bundle is aimed at producing undergraduate students' final work/report at UFRGS/EE (Engineering School at the Federal University of Rio Grande do Sul), closely following ABNT rules (Brazilian Association for Technical Norms). It is composed of a main class, <i>ufrgscca</i> , and a set of auxiliary packages, some of which can be used independently.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ufrgscca/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ufrgscca/doc/ufrgscca.pdf
– local file	./8026471162-ufrgscca.pdf
contact	<i>bugs</i> : https://github.com/alceu-frigeri/ufrgscca/issues
contact	<i>repository</i> : https://github.com/alceu-frigeri/ufrgscca

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ufrgscca
on MikTeX	ufrgscca
on T _E XLive	ufrgscca
keyword	portuguese-br (support for typesetting Brazilian Portuguese)
keyword	std-conform (support conformance to standards)
keyword	expl3 (expl3(unknown))
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
last access	2025-11-03

6422 *ugarite* – Fonts for Ugaritic cuneiform script

Web page on CTAN	https://ctan.org/pkg/ugarite
name	ugarite
caption	Fonts for Ugaritic cuneiform script
author	Wilson, Peter R.
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) Fonts (both as Metafont source and in Adobe Type 1 format) and macros for Ugaritic cuneiform writing. This script was in use about 1300 BCE. This is one of a series of archaic fonts.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/archaic/ugarite/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/archaic/ugarite/ugarite.pdf
– local file	./4419059630-ugarite.pdf
documentation	(no language specified) <i>Sample of Ugaritic font</i> : https://ctan.org/tex-archive/fonts/archaic/ugarite/tryugarite.pdf
– local file	./7189481596-tryugarite.pdf
documentation	(no language specified) <i>Samples of entire archaic bundle</i> : https://ctan.org/tex-archive/fonts/archaic/asamples.pdf
– local file	./8592837549-asamples.pdf

on CTAN	https://ctan.org/tex-archive/fonts/archaic/ugarite
on MikTeX	archaic
on T _E XLive	archaic
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
keyword	font-archaic (fonts reproducing archaic scripts or inscriptions)
keyword	font-mf (fonts distributed as Metafont source)
see also	see section 6423 on page 5806: (<i>ugaritic</i> – A font for Ugaritic)
language(s)	no language specified
year	without year
last access	2025-02-07

6423 *ugaritic* – A font for Ugaritic

Web page on CTAN	https://ctan.org/pkg/ugaritic
name	ugaritic
caption	A font for Ugaritic
author	Stanier, Alan
license	noinfo = noinfo
version	(1994-08-22)
last changes	1994-08-22
year	1994
description	(no language specified) This is a Metafont source to generate Ugaritic script, which is a cuneiform alphabet.
on CTAN	https://ctan.org/tex-archive/fonts/ugaritic
keyword	font (fonts themselves)
keyword	font-archaic (fonts reproducing archaic scripts or inscriptions)
keyword	font-mf (fonts distributed as Metafont source)
see also	see section 6422 on page 5805: (<i>ugarite</i> – Fonts for Ugaritic cuneiform script)
language(s)	no language specified
last access	2025-02-07

6424 *uhc* – Fonts for the Korean language

Web page on CTAN <https://ctan.org/pkg/uhc>

name	uhc
caption	Fonts for the Korean language
author	Un, Koaunghi
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Support for Korean documents written in Korean standard KSC codes for LaTeX2e.
on CTAN	https://ctan.org/tex-archive/fonts/korean/HLaTeX
on MikTeX	uhc
on T _E XLive	uhc
keyword	font-supp (metrics, macro incantations and other font support)
keyword	korean (support for typesetting Korean)
see also	see section 2778 on page 2517: (h _l at _e x – Support for the Korean language)
language(s)	no language specified
year	without year
last access	2025-02-07

6425 *uhassignment* – A document class for typesetting homework assignments

Web page on CTAN <https://ctan.org/pkg/uhassignment>

name	uhassignment
caption	A document class for typesetting homework assignments
author	Wittenburg, Kim
copyright	Kim Wittenburg (2017)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0
description	(no language specified) This document class was created for typesetting solutions to homework assignments at the university of Hamburg (Universität Hamburg).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/uhassignment/README.md

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/uhrzeit/uhrzeit-doc.pdf
– local file	<code>./1829349522-uhrzeit-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/uhrzeit
on MikTeX	uhrzeit
on TeXLive	uhrzeit
keyword	essay (course work essays, assignments, etc.)
language(s)	no language specified
year	2017
last access	2025-02-07

6426 *uhrzeit* – Time printing, in German

Web page on CTAN	https://ctan.org/pkg/uhrzeit
name	uhrzeit
caption	Time printing, in German
author	Meltzer, Olaf
copyright	Olaf Meltzer (2016)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2c (2016-02-01)
last changes	2016-02-01
year	2016
description	(no language specified) The primary goal of this package is to facilitate formats and ranges of times as formerly used in Germany. A variety of printing formats are available.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/uhrzeit/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/uhrzeit/uhrzeit-doc.pdf
– local file	<code>./4462259244-uhrzeit-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/uhrzeit

on MikT _E X	uhrzeit
on T _E XLive	uhrzeit
keyword	german (support for typesetting German)
keyword	date-time (manipulate dates and/or times)
language(s)	no language specified
last access	2025-02-07

6427 *uhthesis* – University of Houston thesis document style

Web page on CTAN	https://ctan.org/pkg/uhthesis
name	uhthesis
caption	University of Houston thesis document style
author	Georgakopoulos, Dimitrios
license	noinfo = noinfo
version	(1990-08-31)
last changes	1990-08-31
year	1990
description	(no language specified) The LaTeX 2.09 style is said to be for University of Houston PhD and MS theses; it is derived from the standard report style.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/uhthesis.sty
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
last access	2025-02-07

6428 `uiucborder` – Class for UIUC thesis red-bordered forms

Web page on CTAN <https://ctan.org/pkg/uiucborder>

name	<code>uiucborder</code>
caption	Class for UIUC thesis red-bordered forms
author	Pakin, Scott
copyright	Scott Pakin (2000)
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.00
description	(no language specified) The class offers a means of filling out the "red-bordered form" that gets signed by the department head, your advisor, and — for doctoral dissertations — your thesis committee members.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/uiucborder/uiucborder.pdf
– local file	<code>./7045331514-uiucborder.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/uiucborder
on MikTeX	<code>uiucborder</code>
on TeXLive	<code>uiucborder</code>
keyword	dissertation (typesetting dissertations, theses, etc.)
see also	see section 6429 on page 5810: (<code>uiucthesis</code> – UIUC thesis class)
language(s)	no language specified
year	2000
last access	2025-02-07

6429 `uiucthesis` – UIUC thesis class

Web page on CTAN <https://ctan.org/pkg/uiucthesis>

name	<code>uiucthesis</code>
caption	UIUC thesis class
author	Hull, David
author	Czoschke, Peter
license	lppl = The LaTeX Project Public License (free)

6430 `ukbill` – A class for typesetting UK legislation

version	2.25
description	(no language specified) The class produces a document that conforms to the format described in the University's <i>Handbook for Graduate Students Preparing to Deposit</i> .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/uiucthesis/uiucthesis.pdf
– local file	<code>./7199725680-uiucthesis.pdf</code>
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/uiucthesis/thesis-ex.pdf
– local file	<code>./5657931409-thesis-ex.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/uiucthesis/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/uiucthesis
on MikTeX	<code>uiucthesis</code>
on TeXLive	<code>uiucthesis</code>
keyword	dissertation (typesetting dissertations, theses, etc.)
see also	see section 6428 on page 5810: (<code>uiucborder</code> – Class for UIUC thesis red-bordered forms)
language(s)	no language specified
year	without year
last access	2025-02-07

6430 `ukbill` – A class for typesetting UK legislation

Web page on CTAN <https://ctan.org/pkg/ukbill>

name	<code>ukbill</code>
caption	A class for typesetting UK legislation
author	Granet, Elijah Z
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2.1

6431 `ukdate` – Typeset date in a UK-ish form

description	(no language specified) This package provides formatting to easily typeset draft UK legislation. The libre font Palatine Parliamentary is required to use this package.
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/ukbill/immigration-bill.pdf
– local file	<code>./2418749508-immigration-bill.pdf</code>
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/ukbill/ukbill-documentation.pdf
– local file	<code>./2863779298-ukbill-documentation.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/ukbill/README
home page	https://github.com/ezgranet/ukbill
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ukbill
on MikTeX	<code>ukbill</code>
on TeXLive	<code>ukbill</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>legal</code> (typesetting legal documents or study material)
keyword	<code>doc-templ</code> (template to guide document development)
language(s)	no language specified
year	without year
last access	2025-02-07

6431 `ukdate` – Typeset date in a UK-ish form

Web page on CTAN <https://ctan.org/pkg/ukdate>

name	<code>ukdate</code>
caption	Typeset date in a UK-ish form
author	Clark, Adrian
license	<code>noinfo</code> = <code>noinfo</code>
version	1.0

description	(no language specified) Prints dates in a traditional English way: "<day-of-week> <ordinal-day-of-month> <month> <year>", so for example "Thursday 2nd February 2006". The ordinal letters ("nd" in the example) are underlined and raised. Note that Babel British style also has an English date style, which has no day name, and which doesn't raise or underline the ordinal letters.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/ukdate.sty
keyword	date-time (manipulate dates and/or times)
language(s)	no language specified
year	without year
last access	2025-02-07

6432 ukhyph – Hyphenation patterns for British English

Web page on CTAN	https://ctan.org/pkg/ukhyph
name	ukhyph
caption	Hyphenation patterns for British English
author	Wujastyk, Dominik
author	Taylor, Philip
license	knuth = Knuth License (free)
version	2.0
description	(no language specified) These patterns were derived from a word-division list generously provided by the Oxford University Press (for the purpose of generating these patterns, only). 'British English' hyphenation differs from the default patterns provided with TeX, in that they are etymologically based; American patterns tend to be more pragmatically derived. Version 2 has added a short list of hyphenation exceptions.
on CTAN	https://ctan.org/tex-archive/language/hyphenation/ukhyphen.tex
keyword	english (typesetting specific to English)
keyword	hyphenation (macros or tables for hyphenation)
language(s)	no language specified
year	without year
last access	2025-02-07

6433 ukrhyph – Hyphenation Patterns for Ukrainian

Web page on CTAN <https://ctan.org/pkg/ukrhyph>

name	ukrhyph
caption	Hyphenation Patterns for Ukrainian
author	Polyakov, Maksym
author	Vulis, Dimitri
author	Shvaika, Andrij
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) A range of patterns, depending on the encoding of the output font (including the standard T2A, so one can use the patterns with free fonts).
documentation	(Ukrainian) <i>Old hyphenation rules</i> : https://ctan.org/tex-archive/language/hyphenation/ukrhyph/rules60.pdf
– local file	./5028218927-rules60.pdf
documentation	(Ukrainian) <i>Old hyphenation rules with phonetics</i> : https://ctan.org/tex-archive/language/hyphenation/ukrhyph/rules_ph.pdf
– local file	./2355250754-rules_ph.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/hyphenation/ukrhyph/README
documentation	(Ukrainian) <i>New hyphenation rules</i> : https://ctan.org/tex-archive/language/hyphenation/ukrhyph/rules90.pdf
– local file	./1756721758-rules90.pdf
on CTAN	https://ctan.org/tex-archive/language/hyphenation/ukrhyph
on MikTeX	ukrhyph
on T _E XLive	ukrhyph
keyword	ukrainian (documentation in, and support for typesetting Ukrainian)
keyword	hyphenation (macros or tables for hyphenation)
language(s)	Ukrainian
year	without year
last access	2025-02-07

6434 *uktex* – The UK TeX digest

Web page on CTAN <https://ctan.org/pkg/uktex>

name	UK-TeX
caption	The UK TeX digest
license	pd = Public Domain Software (free)
description	(no language specified) The UK TeX digest started (at a time when TeXhax was also available), at least partly justified by the oddities of internet access in the UK. The organisation of the digest was odd: a team of enthusiasts tried to provide answers to questions before the digest was published, so that readers would encounter a problem closely followed by a solution in the same issue. Eventually, the UK TeX digest was merged with the TeXhax digest, and the merged list was run in the UK for a time, but without the distinctive experts group. The archives are arranged by year, and run from 1987 to 1994.
on CTAN	https://ctan.org/tex-archive/info/digests/uktex
keyword	mail-list (digests, etc., of mailing lists)
language(s)	no language specified
year	without year
last access	2025-02-07

6435 *uktug-bask* – Old copies and sources of Baskerville

Web page on CTAN <https://ctan.org/pkg/uktug-bask>

name	uktug-bask
caption	Old copies and sources of Baskerville
author	UK TeX Users Group
license	noinfo = noinfo
version	(2002-02-26)
last changes	2002-02-26
year	2002
description	(no language specified) The source and PDF files of the UK TUG journal <i>Baskerville</i>, from volume 3 to volume 8.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/usergrps/uktug/baskervi/README

home page	http://uk.tug.org
on CTAN	https://ctan.org/tex-archive/usergrps/uktug/baskervi
keyword	<code>journal-src</code> (sources and/or old copies of journals)
language(s)	no language specified
last access	2025-02-07

6436 `ulem` – Package for underlining

Web page on CTAN <https://ctan.org/pkg/ulem>

name	<code>ulem</code>
caption	Package for underlining
author	Arseneau, Donald
copyright	Donald Arseneau (1989-2019)
license	other-free = Free license not otherwise listed (free)
version	(2019-11-18)
last changes	2019-11-18
year	2019
description	(no language specified) The package provides an <code>\ul</code> (underline) command which will break over line ends; this technique may be used to replace <code>\em</code> (both in that form and as the <code>\emph</code> command), so as to make output look as if it comes from a typewriter. The package also offers double and wavy underlining, and striking out (line through words) and crossing out (/// over words). The package works with both Plain TeX and LaTeX.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ulem/ulem.pdf
– local file	<code>./8918316315-ulem.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ulem/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ulem
on MikTeX	<code>ulem</code>
on TeXLive	<code>ulem</code>
keyword	<code>underline</code> (underlining/overlining text (including other decorations))
keyword	<code>emphasis</code> (emphasising text)

see also	see section 5609 on page 5076 : (<code>soul</code> – Hyphenation for letterspacing, underlining, and more)
language(s)	no language specified
last access	2025-02-07

6437 `ullrcorners` – Draw corners on the upper left and lower right sides of a word

Web page on CTAN <https://ctan.org/pkg/ullrcorners>

name	<code>ullrcorners</code>
caption	Draw corners on the upper left and lower right sides of a word
author	Goulet, Vincent
copyright	Vincent Goulet (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2025-05-16)
last changes	2025-05-16
year	2025
description	(no language specified) The package provides a command to surround a word or a sequence or words by small corners on the upper left and lower right sides. The typographical convention is inspired by <i>Mastering Regular Expressions</i> , by Jeffrey E. F. Friedl (O'Reilly Media, 2006), where it is used to delimit regular expressions.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ullrcorners/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ullrcorners/ullrcorners.pdf
– local file	<code>./7968670438-ullrcorners.pdf</code>
contact	<i>announce</i> : https://gitlab.com/vigou3/ullrcorners/-/releases
contact	<i>bugs</i> : https://gitlab.com/vigou3/ullrcorners/-/issues
contact	<i>repository</i> : https://gitlab.com/vigou3/ullrcorners
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ullrcorners
on MikTeX	<code>ullrcorners</code>
on TeXLive	<code>ullrcorners</code>

keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
keyword	emphasis (emphasising text)
language(s)	no language specified
last access	2025-06-02

6438 *ulqda* – Support of Qualitative Data Analysis

Web page on CTAN <https://ctan.org/pkg/ulqda>

name	ulqda
caption	Support of Qualitative Data Analysis
author	Griffin, Ivan
copyright	Ivan Griffin (2009)
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) The package is for use in Qualitative Data Analysis research. It supports the integration of Qualitative Data Analysis (QDA) research tasks, specifically for Grounded Theory, into the LaTeX work flow. It assists in the analysis of textual data such as interview transcripts and field notes by providing the LaTeX user with macros which are used to markup textual information — for example, in-depth interviews.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/ulqda/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/ulqda/ulqda.pdf
– local file	./3165068268-ulqda.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ulqda
on MikTeX	ulqda
on T _E XLive	ulqda
keyword	humanities (support for studies in the humanities)
language(s)	no language specified
year	2009
last access	2025-02-07

6439 *ulsy* – Extra mathematical characters

Web page on CTAN <https://ctan.org/pkg/ulsy>

name	<i>ulsy</i>
caption	Extra mathematical characters
author	Goldschmitt, Ulrich
copyright	Ulrich Goldschmitt (1995)
license	noinfo = noinfo
version	1.0
description	(no language specified) Metafont source for the font, and LaTeX support. The font contains a contradiction symbol at various sizes, and an odplus symbol. An autotraced outline version of the fonts is available in ulsy-ps .
documentation	(German) <i>Readme</i> : https://ctan.org/tex-archive/fonts/ulsy/README
on CTAN	https://ctan.org/tex-archive/fonts/ulsy
on MikTeX	<i>ulsy</i>
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-symbol-maths (collections of mathematical symbols)
language(s)	German
year	1995
last access	2025-02-07

6440 *ulsy-ps* – Extra mathematical characters in Adobe Type 1 format

Web page on CTAN <https://ctan.org/pkg/ulsy-ps>

name	<i>ulsy-ps</i>
caption	Extra mathematical characters in Adobe Type 1 format
author	Goldschmitt, Ulrich
author	Henel, Yvon
license	noinfo = noinfo
version	(2004-02-25)
last changes	2004-02-25

year	2004
description	(no language specified) These are autotraced versions of the ulsy fonts.
documentation	(English) <i>Readme</i> : https://ctan.org/tex-archive/fonts/ps-type1/ulsy/README
documentation	(French) <i>Lisez moi</i> : https://ctan.org/tex-archive/fonts/ps-type1/ulsy/LISEZMOI
on CTAN	https://ctan.org/tex-archive/fonts/ps-type1/ulsy
on MikTeX	ulsy
keyword	font (fonts themselves)
keyword	font-symbol-maths (collections of mathematical symbols)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	English; French
last access	2025-02-07

6441 *ulthese* – Thesis class and templates for Université Laval

Web page on CTAN <https://ctan.org/pkg/ulthese>

name	ulthese
caption	Thesis class and templates for Université Laval
author	Lasou, Pierre
author	Goulet, Vincent
copyright	Université Laval (2012-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	7.0 (2025-12-12)
last changes	2025-12-12
year	2025
description	(no language specified) The package provides a class based on memoir to prepare theses and memoirs compliant with the presentation rules set forth by the Faculty of Graduate Studies of Université Laval, Québec, Canada. The class also comes with an extensive set of templates for the various types of theses and memoirs offered at Laval. Please note that the documentation for the class and the comments in the templates are all written in French, the language of the target audience.
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ulthese/ulthese.pdf

6442 *ultratex* – An emacs TeX mode with "lightning completion"

– local file	<code>./1364080877-ulthese.pdf</code>
documentation	<i>Readme (in French)</i> : https://ctan.org/tex-archive/macros/latex/contrib/ulthese/README.md
documentation	(no language specified) <i>Complete set of templates</i> : https://ctan.org/tex-archive/macros/latex/contrib/ulthese/ulthese-gabarits.zip
home page	https://vigou3.gitlab.io/ulthese/
contact	<i>announce</i> : https://gitlab.com/vigou3/ulthese/-/releases
contact	<i>bugs</i> : https://gitlab.com/vigou3/ulthese/-/issues
contact	<i>repository</i> : https://gitlab.com/vigou3/ulthese
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ulthese
on MikTeX	ulthese
on TeXLive	ulthese
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	french (support for typesetting French)
keyword	class (alternative LaTeX class(es))
see also	see section 3883 on page 3510: (<i>memoir</i> – Typeset fiction, non-fiction and mathematical books)
see also	see section 369 on page 337: (<i>babel</i> – Multilingual support for LaTeX, LuaLaTeX, XeLaTeX, and Plain TeX)
language(s)	French
last access	2025-12-23

6442 *ultratex* – An emacs TeX mode with "lightning completion"

Web page on CTAN	https://ctan.org/pkg/ultratex
name	Ultra-TeX
caption	An emacs TeX mode with "lightning completion"
author	Palmieri, John H.
license	gpl = GNU General Public License (free)
description	(no language specified) Ultra-TeX is an Emacs mode, a distant relation of <i>AUC-TeX</i> , with several enhancements (relative to the version it started from) and with a "lightning completion" mode that doesn't wait for a request for completion (the request is typically expressed by pressing the tab key).

documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/ultrateX/README
on CTAN	https://ctan.org/tex-archive/support/ultrateX
keyword	editor-extn (plug-ins for editors, for better (La)TeX and Meta* support)
language(s)	no language specified
year	without year
last access	2025-02-07

6443 `umbclegislation` – A LaTeX class for building legislation files for UMBC Student Government Association Bills

Web page on CTAN <https://ctan.org/pkg/umbclegislation>

name	<code>umbclegislation</code>
caption	A LaTeX class for building legislation files for UMBC Student Government Association Bills
author	DasSarma, Lin
copyright	Lin DasSarma (2016)
license	gpl3 = GNU General Public License, version 3 (free)
version	2016-6-8
description	(no language specified) LaTeX class for building legislation files for UMBC Student Government Association Bills. Requires <code>pdflatex</code> and the <code>mdframed</code> <code>enumitem</code> , <code>lineno</code> , and <code>xifthen</code> packages.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/umbclegislation/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/umbclegislation
on MikTeX	<code>umbclegislation</code>
on TeXLive	<code>umbclegislation</code>
keyword	legal (typesetting legal documents or study material)
language(s)	no language specified
year	2016
last access	2025-02-07

6444 *umich-thesis* – University of Michigan Thesis LaTeX class

Web page on CTAN <https://ctan.org/pkg/umich-thesis>

name	<code>umich-thesis</code>
caption	University of Michigan Thesis LaTeX class
author	Kleb, Bil
copyright	Bil Kleb (1997, 2004)
license	lppl = The LaTeX Project Public License (free)
version	1.20
description	(no language specified) A LaTeX2e class to create a University of Michigan dissertation according to the Rackham dissertation handbook.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/umich-thesis/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/umich-thesis
on T _E XLive	<code>umich-thesis</code>
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
year	2004
last access	2025-02-07

6445 *uml* – UML diagrams in LaTeX

Web page on CTAN <https://ctan.org/pkg/uml>

name	<code>UML</code>
caption	UML diagrams in LaTeX
author	Gjelstad, Ellef
copyright	Ellef Fange Gjelstad (2006)
license	lppl = The LaTeX Project Public License (free)
version	0.11
description	(no language specified) A PSTricks related package for writing UML (Unified Modelling Language) diagrams in LaTeX. Currently, it implements a subset of class diagrams, and some extra constructs as well. The package cannot be used together with pst-uml .

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/uml/uml.pdf
– local file	<code>./8208648218-uml.pdf</code>
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/uml/README
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/uml
on MikTeX	<code>uml</code>
on TeXLive	<code>uml</code>
keyword	<code>uml</code> (support for Universal Modelling Language diagrams)
keyword	<code>pstricks</code> (package using PSTricks for graphical output)
see also	see section 4974 on page 4503: (<code>pst-uml</code> – UML diagrams with PSTricks)
language(s)	no language specified
year	2006
last access	2026-04-12

6446 `umlaute` – German input encodings in LaTeX

Web page on CTAN <https://ctan.org/pkg/umlaute>

name	<code>umlaute</code>
caption	German input encodings in LaTeX
author	Sommerfeldt, Axel
copyright	Harald Axel Sommerfeldt (1994, 1995, 2006)
license	lppl = The LaTeX Project Public License (free)
version	2.1
description	(no language specified) An early package for using alternate input encodings. The author considers the package mostly obsolete, since most of its functions are taken by the <code>inputenc</code> package; however, <code>inputenc</code> doesn't support the <code>roman8</code> and <code>atari</code> encodings, so <code>umlaute</code> remains the sole source of that support.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/umlaute/umlaute.pdf
– local file	<code>./6613273006-umlaute.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/umlaute

6447 *umoline* – Underline text allowing line breaking

on MikTeX	umlaute
on T _E XLive	umlaute
keyword	inputenc (input encoding support for TeX engines)
language(s)	no language specified
year	2006
last access	2025-02-07

6447 *umoline* – Underline text allowing line breaking

Web page on CTAN <https://ctan.org/pkg/umoline>

name	umoline
caption	Underline text allowing line breaking
author	Nakashima, Hiroshi
copyright	Hiroshi Nakashima (1999, 2000)
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Provides commands <code>\Underline</code> , <code>\Midline</code> and <code>\Overline</code> for underlining, striking out, and overlining their text arguments.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/umoline/umoline.pdf
– local file	<code>./8142477643-umoline.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/umoline/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/umoline
on MikTeX	umoline
on T _E XLive	umoline
keyword	underline (underlining/overlining text (including other decorations))
language(s)	no language specified
year	2000
last access	2025-02-07

6448 umrand – Package for fancy box frames

Web page on CTAN <https://ctan.org/pkg/umrand>

name	umrand
caption	Package for fancy box frames
author	Hörstmeier, Andreas
author	Schrell, Andreas
license	other-nonfree = License that prevents distribution (not free)
version	1.2
description	(no language specified) The package includes both Metafont sources of the fonts and support macros. An Adobe Type 1 version of the fonts is available in the niceframe fonts bundle.
documentation	(English) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/umrand/umrand12.readme_e
documentation	(German) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/umrand/umrand12.readme_g
documentation	(German) <i>Readme for update</i> : https://ctan.org/tex-archive/macros/generic/umrand/umrand_up1.readme
on CTAN	https://ctan.org/tex-archive/macros/generic/umrand
keyword	decoration (highlighting typeset material, fancy frames, watermarks, etc.)
see also	see section 4250 on page 3848 : (niceframe – Support for fancy frames)
language(s)	German; English
year	without year
last access	2025-02-07

6449 umthesis – Dissertations at the University of Michigan

Web page on CTAN <https://ctan.org/pkg/umthesis>

name	umthesis
caption	Dissertations at the University of Michigan
author	Felty, Robert
license	lppl = The LaTeX Project Public License (free)
version	0.2

description	(no language specified) The class loads book class, and makes minimal changes to it; its coding aims to be as robust as possible, and as a result it has few conflicts with potential add-on packages.
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/umthesis/example.pdf
– local file	<code>./3107962156-example.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/umthesis/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/umthesis
on MikTeX	umthesis
on T _E XLive	umthesis
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

6450 *umtypewriter* – Fonts to typeset with the *xgreek* package

Web page on CTAN <https://ctan.org/pkg/umtypewriter>

name	umtypewriter
caption	Fonts to typeset with the <i>xgreek</i> package
author	Syropoulos, Apostolos
copyright	Apostolos Syropoulos (2008-2009)
license	ofl = The SIL Open Font License (free)
version	1.1
description	(no language specified) The UMTypewriter font family is a monospaced font family that was built from glyphs from the CB Greek fonts, the CyrTUG Cyrillic alphabet fonts ("LH"), and the standard Computer Modern font family. It contains four OpenType fonts which are required for use of the <i>xgreek</i> package for XeLaTeX.
on CTAN	https://ctan.org/tex-archive/fonts/umtypewriter
on MikTeX	umtypewriter
on T _E XLive	umtypewriter

keyword	<code>font-mono</code> (monospaced font)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-greek</code> (font for Greek (archaic, classical and modern))
keyword	<code>font-cyrillic</code> (fonts for Cyrillic and related scripts)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-cm</code> (font serving Computer Modern-style shapes)
language(s)	no language specified
year	2009
last access	2025-02-07

6451 `unam-thesis` – Create documents according to the UNAM guidelines

Web page on CTAN	https://ctan.org/pkg/unam-thesis
name	<code>unam-thesis</code>
caption	Create documents according to the UNAM guidelines
author	Camacho Bolaños, Juan Alberto
copyright	Juan Alberto Camacho Bolaños (2019)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	0.5
description	(no language specified) This is a class for creating dissertation documents according to the National Autonomous University of Mexico (UNAM) guidelines.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/unam-thesis/README.md
home page	https://github.com/camachojua/unam
contact	<i>bugs</i> : https://github.com/camachojua/unam/issues
contact	<i>repository</i> : https://github.com/camachojua/unam.git
contact	<i>development</i> : https://github.com/camachojua/unam/pulls
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/unam-thesis
on MikTeX	<code>unam-thesis</code>
on T _E XLive	<code>unam-thesis</code>
keyword	dissertation (typesetting dissertations, theses, etc.)

keyword	<code>class</code> (alternative LaTeX class(es))
see also	see section 6453 on page 5830: (<code>unamthesis</code> – Style for Universidad Nacional Autonoma de Mexico theses)
see also	see section 6452 on page 5829: (<code>unamth-template</code> – UNAM Thesis LaTeX Template)
language(s)	no language specified
year	2019
last access	2025-02-07

6452 `unamth-template` – UNAM Thesis LaTeX Template

Web page on CTAN <https://ctan.org/pkg/unamth-template>

name	<code>unamth-template</code>
caption	UNAM Thesis LaTeX Template
author	Velázquez, Jesús
license	gpl3 = GNU General Public License, version 3 (free)
version	2.0
description	(no language specified) The bundle provides a template for UNAM's College of Engineering Theses. The work is based on Harish Bhanderi's PhD/MPhil template, and the University of Cambridge Engineering Department template .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/unamth-template/README.md
documentation	(Spanish) <i>Filled out sample (Mexican Spanis)</i> : https://ctan.org/tex-archive/macros/latex/contrib/unamth-template/tesis.pdf
– local file	<code>./2393958676-tesis.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/unamth-template
on T _E XLive	<code>unamth-template</code>
keyword	<code>doc-templ</code> (template to guide document development)
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
language(s)	Spanish
year	without year

last access 2025-02-07

6453 *unamthesis* – Style for Universidad Nacional Autonoma de Mexico theses

Web page on CTAN <https://ctan.org/pkg/unamthesis>

name	unamthesis
caption	Style for Universidad Nacional Autonoma de Mexico theses
author	Freyre-Gonzalez, Julio A.
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.1
description	(no language specified) The package provides a customisable format to typeset Theses according to the Universidad Nacional Autonoma de Mexico guidelines. Support for use in Scientific Workplace (SWP) 3.x is also provided. The bundle also includes an appropriate bibliographic style which enables the use of author-year schemes using the natbib package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/unamthesis/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/unamthesis/UNAMThesis.pdf
– local file	./7298336923-UNAMThesis.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/unamthesis
on MikTeX	unamthesis
on TeXLive	unamthesis
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

6454 unbtex – A class for theses at University of Brasilia (UnB)

Web page on CTAN <https://ctan.org/pkg/unbtex>

name	UnBT _E X
caption	A class for theses at University of Brasilia (UnB)
author	Ferreira, Henrique Cezar
copyright	Henrique C. Ferreira (2021-2025)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.5.4 (2025-01-10)
last changes	2025-01-10
year	2025
description	(no language specified) This package provides a class based on abnT_EX and compatible with pdf_lat_ex and BibT_EX_r to prepare bachelor, master, and doctoral theses for the University of Brasilia (UnB), Brazil. The class also comes with a template for the various types of theses for undergraduate and graduate programs at UnB. The documentation for the class and the comments in the templates are all written in Portuguese, the language of the target audience.
documentation	(Portuguese (Brazilia)) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/unbtex/unbtex-example.pdf
– local file	<code>./3020143887-unbtex-example.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/unbtex/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/unbtex
on MikT _E X	unbtex
on T _E XLive	unbtex
keyword	portuguese-br (support for typesetting Brazilian Portuguese)
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	doc-templ (template to guide document development)
keyword	class (alternative LaTeX class(es))
language(s)	Portuguese (Brazilia)
last access	2025-02-07

6455 uncial – Uncial manuscript book-hand font

Web page on CTAN <https://ctan.org/pkg/uncial>

name	uncial
caption	Uncial manuscript book-hand font
author	Wilson, Peter R.
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The uncial and alluncl packages provide Metafont fonts based on the Uncial manuscript book-hand used between the 3rd and 6th century AD. The font consists of minuscules and digits, with some appropriate period punctuation marks. Both normal and bold versions are provided. This is one of a set of manuscript fonts . Access to the docmfp package is desirable but not essential.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/bookhands/uncial/README
on CTAN	https://ctan.org/tex-archive/fonts/bookhands/uncial
on MikTeX	uncial
on T _E XLive	bookhands
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-bookhand (fonts of scripts used for manuscript books)
keyword	font (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-02-07

6456 undar-digitacion – Musical fingering diagrams of Pinkullo Huanuqueño, Flute (Recorder), Quena and Saxophone

Web page on CTAN <https://ctan.org/pkg/undar-digitacion>

name	undar-digitacion
caption	Musical fingering diagrams of Pinkullo Huanuqueño, Flute (Recorder), Quena and Saxophone
author	Bravo Vecorena, Aland
copyright	Aland Bravo Vecorena, Fredy Romulo Marcellini Morales, Roberto Carlos Cardenas Viviano, Felix Hipolito Echevarria Ramirez (2024)

license	cc-by-sa-4 = CC BY-SA 4.0 (free)
version	0.0 (2024-01-26)
last changes	2024-01-26
year	2024
description	(no language specified) The package provides tools for generating: • Pinkullo Huanuqueño • Flute • Quena • Saxophone The result will often be a PDF (or set of PDFs) that contain everything one will need for musical fingering diagrams of the Pinkullo Huanuqueño, Flute, Quena and Saxophone. The package uses TikZ for most things and MusixTeX for music symbols.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/undar-digitacion/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/undar-digitacion/undar-digitacion-doc.pdf
– local file	./2033078651-undar-digitacion-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/undar-digitacion
on T _E XLive	undar-digitacion
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	music (typesetting music and related stuff)
language(s)	no language specified
last access	2025-02-07

6457 *undergradmath* – LaTeX Math for Undergraduates cheat sheet

Web page on CTAN <https://ctan.org/pkg/undergradmath>

name	undergradmath
caption	LaTeX Math for Undergraduates cheat sheet
author	Hefferon, Jim
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
version	(2020-12-30)
last changes	2020-12-30
year	2020
description	(no language specified) This is a cheat sheet for writing mathematics with LaTeX. It is aimed at US undergraduates.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/undergradmath/README
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/undergradmath/undergradmath.pdf
– local file	./5418906894-undergradmath.pdf
contact	<i>repository</i> : https://gitlab.com/jim.hefferon/undergradmath
on CTAN	https://ctan.org/tex-archive/info/undergradmath
on MikTeX	undergradmath
on T _E XLive	undergradmath
keyword	maths (support for typesetting mathematics)
keyword	maths-doc (documentation of typesetting mathematics)
keyword	maths-symbol (construction or application of mathematical symbols)
keyword	tut-cheat (tutorial “cheat-sheet”)
language(s)	no language specified
last access	2025-02-07

6458 underlin – Underlined running heads

Web page on CTAN <https://ctan.org/pkg/underlin>

name	underlin
caption	Underlined running heads
author	Schöpf, Rainer
copyright	Rainer Schöpf (1987-1997)
license	lppl = The LaTeX Project Public License (free)
version	1.01
description	(no language specified) Defines two pagestyles that provide underlined page heads in LaTeX.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/underlin/underlin.pdf
– local file	./4167217012-underlin.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/underlin
on MikTeX	underlin
on T _E XLive	underlin
keyword	page-hf (page head- and foot-lines)
keyword	underline (underlining/overlining text (including other decorations))
language(s)	no language specified
year	1997
last access	2025-02-07

6459 underlin-generic – Multi-word underlining

Web page on CTAN <https://ctan.org/pkg/underlin-generic>

name	underlin-generic
caption	Multi-word underlining
author	Gildea, Stephen
version	(1995-03-21)
last changes	1995-03-21
year	1995

description	(no language specified) Provides a simple command <code>\textul</code> that will underline a multi-word argument, allowing line breaks between words. The ulem package also provides this function (among others) in genericcontext; soul does the job, but is a LaTeX-only package.
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/underlin.tex
on MikTeX	genmisc
keyword	underline (underlining/overlining text (including other decorations))
language(s)	no language specified
last access	2026-04-25

6460 underoverlap – Position decorations over and under expressions

Web page on CTAN	https://ctan.org/pkg/underoverlap
name	underoverlap
caption	Position decorations over and under expressions
author	Helvensteijn, Michiel
copyright	Michiel Helvensteijn (2013)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.0.1-r1
description	(no language specified) The package overcomes TeX's inherent limitations in commands that place decorations (such as braces) at arbitrary positions over and under expressions, overlapping as necessary.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/underoverlap/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/underoverlap/underoverlap.pdf
– local file	./1258352135-underoverlap.pdf
contact	<i>repository</i> : https://github.com/mhelvens/latex-underoverlap
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/underoverlap
on MikTeX	underoverlap
on TeXLive	underoverlap
keyword	maths (support for typesetting mathematics)

language(s) no language specified
 year 2013
 last access 2025-02-07

6461 *underscore* – Control the behaviour of “_” in text

Web page on CTAN <https://ctan.org/pkg/underscore>

name *underscore*
 caption Control the behaviour of “_” in text
 author Arseneau, Donald
 copyright Donald Arseneau (1998, 2001, 2005, 2006)
 license lpl = The LaTeX Project Public License (free)
 version (2006-09-13)
 last changes 2006-09-13
 year 2006
 description (no language specified) With the package, `\_` in text mode (i.e., `\textunderscore`) prints an underscore so that hyphenation of words either side of it is not affected; a package option controls whether an actual hyphenation point appears after the underscore, or merely a break point.
 The package also arranges that, while in text, ‘_’ itself behaves as `\textunderscore` (the behaviour of `_` in maths mode is not affected).
 documentation (no language specified) *Package documentation:*
<https://ctan.org/tex-archive/macros/latex/contrib/underscore/underscore.pdf>
 – local file `./8570120024-underscore.pdf`
 on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/underscore>
 on MikTeX *underscore*
 on T_EXLive *underscore*
 keyword typesetting (support for variations of typographic style)
 language(s) no language specified
 last access 2025-02-07

6462 *undertilde* – Typeset a tilde under one (or many) maths symbols

Web page on CTAN <https://ctan.org/pkg/undertilde>

name	undertilde
caption	Typeset a tilde under one (or many) maths symbols
author	Bayart, Benjamin
license	noinfo = noinfo
version	1.0
description	(no language specified) The implementation is probably less than totally robust, though undoubtedly better than that in the generic undertilde macros also available on CTAN.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/undertilde/undertilde.pdf
– local file	./8610826565-undertilde.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/undertilde
on MikTeX	undertilde
keyword	maths (support for typesetting mathematics)
see also	see section 30 on page 29: (accents – Multiple mathematical accents)
language(s)	no language specified
year	without year
last access	2025-02-07

6463 *undertilde-gen* – A simple macro for placing a tilde under a character

Web page on CTAN <https://ctan.org/pkg/undertilde-gen>

name	undertilde-gen
caption	A simple macro for placing a tilde under a character
license	noinfo = noinfo
version	(1993-02-15)
last changes	1993-02-15
year	1993

description	(no language specified) The code creates a <code>\mathord</code> at standard size (no attempt to adjust for different contexts in a mathematical expression). Benjamin Bayart’s undertilde (for all its faults) does the job better—the general user could easily remove the LaTeX mechanisms from the file.
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/undertilde.tex
on MikTeX	genmisc
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-07

6464 `undolabl` – Override existing labels

Web page on CTAN	https://ctan.org/pkg/undolabl
name	<code>undolabl</code>
caption	Override existing labels
author	Münch, Hans-Martin
copyright	H.-Martin Münch (2010-2025)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0o (2025-01-28)
last changes	2025-01-28
year	2025
description	(no language specified) The package allows the user to override existing labels (for example, those generated automatically).
documentation	(no language specified) <i>Package examples</i> : https://ctan.org/tex-archive/macros/latex/contrib/undolabl/undolabl-example.pdf
– local file	<code>./3756741639-undolabl-example.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/undolabl/undolabl.pdf
– local file	<code>./6481861121-undolabl.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/undolabl/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/undolabl

installation	https://ctan.org/tex-archive/install/macros/latex/contrib/undolabl.tds.zip
on MikTeX	undolabl
on T _E XLive	undolabl
keyword	label-ref (label and reference systems)
language(s)	no language specified
last access	2025-02-07

6465 undump – Make a new executable with format loaded

Web page on CTAN <https://ctan.org/pkg/undump>

name	undump
caption	Make a new executable with format loaded
author	Thomas, Spencer W.
license	noinfo = noinfo
version	(1980-07-02)
last changes	1980-07-02
year	1980
description	(no language specified) Undump implements the pre-web2c mechanism for generating a new executable from an existing executable and a core dump. The output executable contains all the memory allocated by the run of the executable (up to its crash), and starts at main(). Different Unix styles (of the time) each had their own undump routine.
on CTAN	https://ctan.org/tex-archive/obsolete/support/undump
keyword	obsolete (package declared obsolete)
keyword	engine (TeX (or TeX-alike) typesetting engine)
language(s)	no language specified
last access	2025-02-07

6466 unfinished – Mark unfinished parts of a documentWeb page on CTAN <https://ctan.org/pkg/unfinished>

name	unfinished
caption	Mark unfinished parts of a document
license	noinfo = noinfo
version	(1991-08-09)
last changes	1991-08-09
year	1991
description	(no language specified) The package provides an <code>unfinished</code> environment convenient for marking unfinished sections of a document. The environment complains if it thinks the document is not marked as a draft (in the sense of having <code>\overfullrule</code> non-zero).
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/unfinished.tex
keyword	editorial (editor's marks, highlights, etc.)
language(s)	no language specified
last access	2025-02-07

6467 unfonts-core – TrueType version of Un-fontsWeb page on CTAN <https://ctan.org/pkg/unfonts-core>

name	unfonts-core
caption	TrueType version of Un-fonts
author	Un, Koaunghi
license	gpl2 = GNU General Public License, version 2 (free)
version	(2018-12-19)
last changes	2018-12-19
year	2018
description	(no language specified) The Un-fonts come from the HLaTeX as type1 fonts in 1998 by Koaunghi Un, he made type1 fonts to use with Korean TeX (HLaTeX) in the late 1990's and released it under the GPL license. They were converted to TrueType with the FontForge (PfaEdit) by Won-kyu Park in 2003. Core families (9 fonts):

- UnBatang, UnBatangBold: serif
- UnDotum, UnDotumBold: sans-serif
- UnGraphic, UnGraphicBold: sans-serif style
- UnPilgi, UnPilgiBold: script
- UnGungseo: cursive, brush-stroke

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/unfonts-core/README.md
on CTAN	https://ctan.org/tex-archive/fonts/unfonts-core
on MikTeX	unfonts-core
on T _E XLive	unfonts-core
keyword	korean (support for typesetting Korean)
keyword	font-ttf (font available in TrueType format)
see also	see section 6468 on page 5842: (unfonts-extra – TrueType version of Un-fonts)
language(s)	no language specified
last access	2025-02-07

6468 *unfonts-extra* – TrueType version of Un-fonts

Web page on CTAN <https://ctan.org/pkg/unfonts-extra>

name	unfonts-extra
caption	TrueType version of Un-fonts
author	Un, Koaunghi
license	gpl2 = GNU General Public License, version 2 (free)
version	(2017-06-04)
last changes	2017-06-04
year	2017
description	(no language specified) The Un-fonts come from the HLaTeX as type1 fonts in 1998 by Koaunghi Un, he made type1 fonts to use with Korean TeX (HLaTeX) in the late 1990's and released it under the GPL license. They were converted to TrueType with the FontForge (PfaEdit) by Won-kyu Park in 2003. Extra families (10 fonts):

	• UnPen, UnPenheulim: script • UnTaza: typewriter style • UnBom: decorative • UnShinmun • UnYetgul: old Korean printing style • UnJamoSora, UnJamoNovel, UnJamoDotum, UnJamoBatang
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/unfonts-extra/README.md
on CTAN	https://ctan.org/tex-archive/fonts/unfonts-extra
on MikTeX	unfonts-extra
on T _E XLive	unfonts-extra
keyword	korean (support for typesetting Korean)
keyword	font-ttf (font available in TrueType format)
see also	see section 6467 on page 5841: (unfonts-core – TrueType version of Un-fonts)
language(s)	no language specified
last access	2025-02-07

6469 `uni-titlepage` – Universal titlepages with configuration options and predefined styles

Web page on CTAN <https://ctan.org/pkg/uni-titlepage>

name	uni-titlepage
caption	Universal titlepages with configuration options and predefined styles
author	Kohm, Markus
copyright	Markus Kohm (2009-2022)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2 (2023-11-20)
last changes	2023-11-20
year	2023

description	(no language specified) Creation of title pages is something most authors should not have to do. But reality is not perfect, so a lot of authors have to do it. This package not only provides several pages for the title instead of only one — at least five are typical for a thesis! —, it also provides a bunch of predefined titlepage styles with several standard elements, and optionally additional elements.
documentation	(no language specified) <i>Example of use (style JT-Geschichte)</i> : https://ctan.org/tex-archive/macros/latex/contrib/uni-titlepage/titlepage-JT-Geschichte.pdf
– local file	./5304753831-titlepage-JT-Geschichte.pdf
documentation	(no language specified) <i>Example of use (style DHBW)</i> : https://ctan.org/tex-archive/macros/latex/contrib/uni-titlepage/titlepage-DHBW.pdf
– local file	./2021749420-titlepage-DHBW.pdf
documentation	(no language specified) <i>Example of use (style JT-Typography)</i> : https://ctan.org/tex-archive/macros/latex/contrib/uni-titlepage/titlepage-JT-Typography.pdf
– local file	./1926394039-titlepage-JT-Typography.pdf
documentation	(no language specified) <i>Example of use (style TU-HH)</i> : https://ctan.org/tex-archive/macros/latex/contrib/uni-titlepage/titlepage-TU-HH.pdf
– local file	./6585620339-titlepage-TU-HH.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/uni-titlepage/README.md
documentation	(no language specified) <i>Example of use (style Spacer)</i> : https://ctan.org/tex-archive/macros/latex/contrib/uni-titlepage/titlepage-Spacer.pdf
– local file	./3165552266-titlepage-Spacer.pdf
documentation	(no language specified) <i>Example of use (style KOMAScript)</i> : https://ctan.org/tex-archive/macros/latex/contrib/uni-titlepage/titlepage-KOMAScript.pdf
– local file	./9475224293-titlepage-KOMAScript.pdf
documentation	(no language specified) <i>Example of use (style Markus-2)</i> : https://ctan.org/tex-archive/macros/latex/contrib/uni-titlepage/titlepage-Markus-2.pdf
– local file	./8916050639-titlepage-Markus-2.pdf

documentation	(no language specified) <i>Example of use (style KIT):</i> https://ctan.org/tex-archive/macros/latex/contrib/uni-titlepage/titlepage-KIT.pdf
– local file	<code>./5741248556-titlepage-KIT.pdf</code>
documentation	(no language specified) <i>Example of use (style WWUM):</i> https://ctan.org/tex-archive/macros/latex/contrib/uni-titlepage/titlepage-WWUM.pdf
– local file	<code>./2538650362-titlepage-WWUM.pdf</code>
documentation	(no language specified) <i>Example of use (style JT-Aufsaetze):</i> https://ctan.org/tex-archive/macros/latex/contrib/uni-titlepage/titlepage-JT-Aufsaetze.pdf
– local file	<code>./4559992879-titlepage-JT-Aufsaetze.pdf</code>
documentation	(no language specified) <i>Example of use (style Markus-1):</i> https://ctan.org/tex-archive/macros/latex/contrib/uni-titlepage/titlepage-Markus-1.pdf
– local file	<code>./3387013156-titlepage-Markus-1.pdf</code>
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/uni-titlepage/uni-titlepage.pdf
– local file	<code>./9234630768-uni-titlepage.pdf</code>
documentation	(no language specified) <i>Example of use (style TU-DD):</i> https://ctan.org/tex-archive/macros/latex/contrib/uni-titlepage/titlepage-TU-DD.pdf
– local file	<code>./4086063559-titlepage-TU-DD.pdf</code>
home page	https://github.com/komascript/uni-titlepage
contact	<i>repository:</i> https://github.com/komascript/uni-titlepage.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/uni-titlepage
on MikTeX	<code>uni-titlepage</code>
on T _E XLive	<code>uni-titlepage</code>
keyword	<code>titlepage</code> (typesetting title pages for documents)
language(s)	no language specified
last access	2025-02-07

6470 `uni-wtal-ger` – Citation style for literary studies at the University of Wuppertal

Web page on CTAN <https://ctan.org/pkg/uni-wtal-ger>

name	<code>uni-wtal-ger</code>
caption	Citation style for literary studies at the University of Wuppertal
author	Dahlmann, Carsten Ace
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2 (2013-08-30)
last changes	2013-08-30
year	2013
description	(no language specified) The package defines a BibLaTeX citation style based on the author-title style of <code>biblatex-dw</code> . The citations are optimised for literary studies in faculty of humanities at the Bergische Universität Wuppertal.
documentation	(German) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/uni-wtal-ger/LIESMICH
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/uni-wtal-ger/germanistik.pdf
– local file	<code>./6965750491-germanistik.pdf</code>
documentation	(English) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/uni-wtal-ger/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/uni-wtal-ger
on MikTeX	<code>uni-wtal-ger</code>
on T _E XLive	<code>uni-wtal-ger</code>
keyword	humanities (support for studies in the humanities)
keyword	<code>biblatex</code> (BibLaTeX bibliography support)
language(s)	German; English
last access	2025-02-07

6471 uni-wtal-lin – Citation style for linguistic studies at the University of Wuppertal

Web page on CTAN <https://ctan.org/pkg/uni-wtal-lin>

name	uni-wtal-lin
caption	Citation style for linguistic studies at the University of Wuppertal
author	Dahlmann, Carsten Ace
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2
description	(no language specified) The package defines a BibLaTeX citation style based on the standard author-year style. The citations are optimised for linguistic studies at the Institute of Linguistics at the Bergische Universität Wuppertal.
documentation	(German) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/uni-wtal-lin/LIESMICH
documentation	(English) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/uni-wtal-lin/README
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/uni-wtal-lin/uni-wtal-lin.pdf
– local file	./5798522310-uni-wtal-lin.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/uni-wtal-lin
on MikTeX	uni-wtal-lin
on T _E XLive	uni-wtal-lin
keyword	humanities (support for studies in the humanities)
keyword	biblatex (BibLaTeX bibliography support)
keyword	linguistic (support for linguistics)
language(s)	German; English
year	without year
last access	2025-02-07

6472 *unibidi-lua* – Unicode bidi algorithm implementation for various LuaTeX formats

Web page on CTAN <https://ctan.org/pkg/unibidi-lua>

name	unibidi-lua
caption	Unicode bidi algorithm implementation for various LuaTeX formats
author	Fogiel, Udi
license	gpl2 = GNU General Public License, version 2 (free)
version	0.1 (2025-01-19)
last changes	2025-01-19
year	2025
description	(no language specified) The package adopts the unicode bidi algorithm implementation provided in ConTeXt, and adapts it to be used in OpTeX, LaTeX and Plain TeX . It works under LuaTeX only.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/luatex/generic/unibidi-lua/unibidi-lua-doc.pdf
– local file	./8916890011-unibidi-lua-doc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/luatex/generic/unibidi-lua/README.md
contact	<i>support:</i> https://github.com/Udi-Fogiel/unibidi-lua/discussions
contact	<i>bugs:</i> https://github.com/Udi-Fogiel/unibidi-lua/issues
contact	<i>repository:</i> https://github.com/Udi-Fogiel/unibidi-lua
on CTAN	https://ctan.org/tex-archive/macros/luatex/generic/unibidi-lua
on MikTeX	unibidi-lua
on TeXLive	unibidi-lua
keyword	luatex (LuaTeX and packages that require it)
keyword	bidi (support bidirectional typesetting)
keyword	unicode (Unicode, material supporting it, and packages requiring it)
language(s)	no language specified
last access	2025-02-07

6473 *unicode* – Extended UTF-8 input encoding for LaTeX

Web page on CTAN <https://ctan.org/pkg/unicode>

name	<code>unicode</code>
caption	Extended UTF-8 input encoding for LaTeX
author	Jeltsch, Wolfgang
author	Unruh, Dominique
license	lppl = The LaTeX Project Public License (free)
version	(2004-10-17)
last changes	2004-10-17
year	2004
description	(no language specified) This bundle has been renamed to ucs , to which users should switch (note that the package name has not changed, merely that of the enclosing bundle).
keyword	<code>inputenc</code> (input encoding support for TeX engines)
keyword	<code>unicode</code> (Unicode, material supporting it, and packages requiring it)
language(s)	no language specified
last access	2025-02-07

6474 *unicode-alphabets* – Macros for using characters from Unicode’s Private Use Area

Web page on CTAN <https://ctan.org/pkg/unicode-alphabets>

name	<code>unicode-alphabets</code>
caption	Macros for using characters from Unicode’s Private Use Area
author	Eriksen, Mikkel Eide
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
version	(2023-02-27)
last changes	2023-02-27
year	2023

description	(no language specified) While Unicode supports the vast majority of use cases, there are certain specialized niches which require characters and glyphs not (yet) represented in the standard. Thus the Private Use Area (PUA) at code points E000–F8FF, which enables third parties to define arbitrary character sets. This package allows configuring a number of macros for using various PUA character sets in LaTeX (AGL, CYFI, MUFI, SIL, TITUS, UCSUR, UNZ), to enable transcription and display of medieval and other documents.
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/unicode-alphabets/docs/specimen.pdf
– local file	<code>./7954085788-specimen.pdf</code>
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/unicode-alphabets/docs/unicode-alphabets.pdf
– local file	<code>./8052807099-unicode-alphabets.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/unicode-alphabets/README.md
contact	<i>bugs:</i> https://github.com/mikkelee/latex-pua/issues
contact	<i>repository:</i> https://github.com/mikkelee/latex-pua
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/unicode-alphabets
on MikTeX	<code>unicode-alphabets</code>
on TeXLive	<code>unicode-alphabets</code>
keyword	unicode (Unicode, material supporting it, and packages requiring it)
language(s)	no language specified
last access	2025-02-07

6475 `unicode-bidi` – Experimental unicode bidi package for XeTeX

Web page on CTAN <https://ctan.org/pkg/unicode-bidi>

name	<code>unicode-bidi</code>
caption	Experimental unicode bidi package for XeTeX
author	bidi-tex GitHub Organisation
author	Khalighi, Vafa
copyright	Vafa Khalighi (2016)

license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.01
description	(no language specified) The experimental unicode-bidi package allows to mix non-RTL script with RTL script without any markup.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/unicode-bidi/README.md
contact	<i>bugs</i> : https://github.com/bidi-tex/unicode-bidi/issues
contact	<i>repository</i> : https://github.com/bidi-tex/unicode-bidi
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/unicode-bidi
on T _E XLive	unicode-bidi
keyword	bidi (support bidirectional typesetting)
see also	see section 721 on page 665: (bidi – Bidirectional typesetting in plain TeX and LaTeX, using XeTeX or LuaTeX)
language(s)	no language specified
year	2016
last access	2025-02-07

6476 *unicode-data* – Unicode data and loaders for TeX

Web page on CTAN <https://ctan.org/pkg/unicode-data>

name	unicode-data
caption	Unicode data and loaders for TeX
author	The LaTeX Project Team
author	Wright, Joseph
copyright	The LaTeX3 Project (2015-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.18 (2025-01-07)
last changes	2025-01-07
year	2025

description	(no language specified) This bundle provides generic access to Unicode Consortium data for TeX use. It contains a set of text files provided by the Unicode Consortium which are currently all from Unicode 8.0.0, with the exception of <code>MathClass.txt</code> which is not currently part of the Unicode Character Database. Accompanying these source data are generic TeX loader files allowing this data to be used as part of TeX runs, in particular in building format files. Currently there are two loader files: one for general character set up and one for initialising XeTeX character classes as has been carried out to date by <code>unicode-letters.tex</code>. The source data are distributed in accordance with the license stipulated by the Unicode Consortium. The bundle as a whole is co-ordinated by the LaTeX3 Project as a general resource for TeX users.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/unicode-data/README.md
contact	<i>repository</i> : https://github.com/latex3/unicode-data
on CTAN	https://ctan.org/tex-archive/macros/generic/unicode-data
installation	https://ctan.org/tex-archive/install/macros/generic/unicode-data.tds.zip
on MikTeX	<code>unicode-data</code>
on TeXLive	<code>unicode-data</code>
keyword	<code>unicode</code> (Unicode, material supporting it, and packages requiring it)
keyword	<code>latex3</code> (work done for the project to upgrade LaTeX)
language(s)	no language specified
last access	2025-02-12

6477 `unicode-math` – Unicode mathematics support for XeTeX and LuaTeX

Web page on CTAN <https://ctan.org/pkg/unicode-math>

name	<code>unicode-math</code>
caption	Unicode mathematics support for XeTeX and LuaTeX
author	Robertson, Will
author	Hosny, Khaled
copyright	Khaled Hosny (2012-2015)
copyright	Philipp Stephani (2010-2017)
copyright	Will Robertson (2006-2019)

copyright	Joseph Wright (2011-2017)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.8r (2023-08-13)
last changes	2023-08-13
year	2023
description	(no language specified) This package provides a comprehensive implementation of unicode maths for XeLaTeX and LuaLaTeX. Unicode maths requires an OpenType mathematics font, of which there are now a number available via CTAN. While backwards compatibility is strived for, there are some differences between the legacy mathematical definitions in LaTeX and <code>amsmath</code>, and the Unicode mathematics definitions. Care should be taken when transitioning from a legacy workflow to a Unicode-based one.
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/unicodetex/latex/unicode-math/unimath-example.pdf
– local file	<code>./4255805458-unimath-example.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/unicodetex/latex/unicode-math/README.md
documentation	(no language specified) <i>Package documentation (for the user):</i> https://ctan.org/tex-archive/macros/unicodetex/latex/unicode-math/unicode-math.pdf
– local file	<code>./7687951878-unicode-math.pdf</code>
documentation	(no language specified) <i>Documentation of the source code:</i> https://ctan.org/tex-archive/macros/unicodetex/latex/unicode-math/unicode-math-code.pdf
– local file	<code>./9849562685-unicode-math-code.pdf</code>
documentation	(no language specified) <i>List of symbols defined by the package:</i> https://ctan.org/tex-archive/macros/unicodetex/latex/unicode-math/unimath-symbols.pdf
– local file	<code>./3684965067-unimath-symbols.pdf</code>
contact	<i>repository:</i> https://github.com/wspr/unicode-math/
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/unicode-math
installation	https://ctan.org/tex-archive/install/macros/unicodetex/latex/unicode-math.tds.zip
on MikTeX	<code>unicode-math</code>

on T _E XLive	<code>unicode-math</code>
keyword	<code>xetex</code> (XeTeX, material supporting it, and packages requiring it)
keyword	<code>unicode</code> (Unicode, material supporting it, and packages requiring it)
keyword	<code>font-use</code> (font selection, mapping, etc.)
keyword	<code>luatex</code> (LuaTeX and packages that require it)
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-09

6478 `unicode-math-input` – Allow entering Unicode symbols in math formulas

Web page on CTAN <https://ctan.org/pkg/unicode-math-input>

name	<code>unicode-math-input</code>
caption	Allow entering Unicode symbols in math formulas
author	user202729
copyright	user202729 (2022-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.1 (2024-01-25)
last changes	2024-01-25
year	2024
description	(no language specified) This package allows entering Unicode symbols in math formulas. Unlike the <code>unicode-math</code> package, this does not change the math output encoding.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/unicode-math-input/unicode-math-input.pdf
– local file	<code>./7960948153-unicode-math-input.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/unicode-math-input/README
contact	<i>repository:</i> https://github.com/user202729/TeXlib
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/unicode-math-input
on MikT _E X	<code>unicode-math-input</code>
on T _E XLive	<code>unicode-math-input</code>

keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>expl3</code> (<code>expl3</code> (unknown))
keyword	<code>unicode</code> (Unicode, material supporting it, and packages requiring it)
language(s)	no language specified
last access	2025-02-07

6479 `unicodfonttable` – A Unicode font table generator

Web page on CTAN <https://ctan.org/pkg/unicodfonttable>

name	<code>unicodfonttable</code>
caption	A Unicode font table generator
author	Mittelbach, Frank
copyright	Frank Mittelbach (2019-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0k (2025-07-11)
last changes	2025-07-11
year	2025
description	(no language specified) This package produces font tables for unicode fonts as well as for 8bit fonts. The table layout can be adjusted in various ways including restricting the range of output to show only a portion of a specific font. To quickly produce a one-off table there is a stand-alone version <code>unicodfont.tex</code> that asks you a few questions and then generates the table — somewhat similar to <code>nfssfont.tex</code> for 8-bit fonts.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/unicodfonttable/unicodfonttable-doc.pdf
– local file	<code>./4061755004-unicodfonttable-doc.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/unicodfonttable/README.md
contact	<i>repository:</i> https://github.com/frankmittelbach/fmitex-unicodfonttable
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/unicodfonttable
on MikTeX	<code>unicodfonttable</code>
on T _E XLive	<code>unicodfonttable</code>

6480 *unifith* – Typeset theses for University of Florence (Italy)

keyword	font (fonts themselves)
keyword	unicode (Unicode, material supporting it, and packages requiring it)
keyword	tagged-pdf-incompatible (tagged PDF incompatible)
language(s)	no language specified
last access	2026-04-10

6480 *unifith* – Typeset theses for University of Florence (Italy)

Web page on CTAN <https://ctan.org/pkg/unifith>

name	UniFiTh
caption	Typeset theses for University of Florence (Italy)
author	Biccari, Francesco
copyright	Francesco Biccari (2019-2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.6
description	(no language specified) The package provides a class to typeset Ph.D., Master, and Bachelor theses that adhere to the publishing guidelines of the University of Florence (Italy).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/unifith/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/unifith/unifith-doc.pdf
– local file	./2496709396-unifith-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/unifith
on MikTeX	unifith
on TeXLive	unifith
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
year	2021
last access	2025-02-07

6481 *unifront* – Give notes a unique front page for every chapter and section

Web page on CTAN <https://ctan.org/pkg/unifront>

name	unifront
caption	Give notes a unique front page for every chapter and section
author	Wei, Weifan
copyright	Weifan Wei (2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2023-05-07)
last changes	2023-05-07
year	2023
description	(no language specified) This package can help you format your notes easily and give them a unique front page for every chapter and section. It calculates your progress and then displays the progress bar under the title. It also displays a partial table of contents under every progress bar and only shows the subdirectories of the current part. To generate this, you can simply enter your current completed titles with a command that accepts Variable Arguments. Still, that also helps you review your notes. You can also customise the colour of the bar.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/unifront/unifront-manual.pdf
– local file	<code>./5329962563-unifront-manual.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/unifront/README.txt
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/unifront/unifront-example.pdf
– local file	<code>./9818049036-unifront-example.pdf</code>
contact	<i>support:</i> https://github.com/weifanw/unifront/wiki
contact	<i>announce:</i> https://github.com/weifanw/unifront/wiki
contact	<i>bugs:</i> https://github.com/weifanw/unifront/issues
contact	<i>repository:</i> https://github.com/weifanw/unifront
contact	<i>development:</i> https://github.com/weifanw/unifront/pulls

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/unifront
on MikTeX	unifront
on T _E XLive	unifront
keyword	toc-etc (deal with Tables of Contents, and of other such things)
keyword	notes (general notes (not including endnotes or footnotes))
language(s)	no language specified
last access	2025-02-07

6482 unigrazpub – LaTeX templates for University of Graz Library Publishing Services

Web page on CTAN	https://ctan.org/pkg/unigrazpub
name	unigrazpub
caption	LaTeX templates for University of Graz Library Publishing Services
author	Peischl, Marei
copyright	Marei Peischl (2022)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.00
description	(no language specified) This package provides a LaTeX class matching the preparation guidelines of the Library Publishing Services of University of Graz. The bundle also includes a comprehensive set of example files for books and collections.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/unigrazpub/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/unigrazpub/unigrazpub.pdf
– local file	./3541946734-unigrazpub.pdf
documentation	(no language specified) <i>Example of use (1)</i> : https://ctan.org/tex-archive/macros/latex/contrib/unigrazpub/DEMO-monografie.pdf
– local file	./2828696412-DEMO-monografie.pdf
documentation	(no language specified) <i>Example of use (2)</i> : https://ctan.org/tex-archive/macros/latex/contrib/unigrazpub/DEMO-sammelband.pdf

6483 *unimath-plain-xetex* – OpenType math support in (plain) XeTeX

– local file	<code>./4660376464-DEMO-sammelband.pdf</code>
contact	<i>bugs:</i> https://github.com/peiTeX/unigrazpub/issues
contact	<i>repository:</i> https://github.com/peiTeX/unigrazpub
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/unigrazpub
on MikTeX	unigrazpub
on T _E XLive	unigrazpub
keyword	<code>doc-templ</code> (template to guide document development)
keyword	<code>book-pub</code> (preparing a book for publication)
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>std-conform</code> (support conformance to standards)
language(s)	no language specified
year	2022
last access	2025-02-07

6483 *unimath-plain-xetex* – OpenType math support in (plain) XeTeX

Web page on CTAN	https://ctan.org/pkg/unimath-plain-xetex
name	<code>unimath-plain-xetex</code>
caption	OpenType math support in (plain) XeTeX
author	Zhang, Tingxuan
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.2c (2024-10-08)
last changes	2024-10-08
year	2024
description	(no language specified) This package provides OpenType math font support in plain TeX format. It only works with the XeTeX engine.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/xetex/plain/unimath-plain-xetex/doc/unimath-plain-xetex-doc.pdf
– local file	<code>./5194342634-unimath-plain-xetex-doc.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/plain/unimath-plain-xetex/README.md
home page	https://github.com/AlphaZTX/unimath-plain-xetex
contact	<i>support</i> : https://github.com/AlphaZTX/unimath-plain-xetex/issues
contact	<i>bugs</i> : https://github.com/AlphaZTX/unimath-plain-xetex/issues
contact	<i>repository</i> : https://github.com/AlphaZTX/unimath-plain-xetex
contact	<i>development</i> : https://github.com/AlphaZTX
on CTAN	https://ctan.org/tex-archive/macros/xetex/plain/unimath-plain-xetex
on MikTeX	<code>unimath-plain-xetex</code>
on TeXLive	<code>unimath-plain-xetex</code>
keyword	<code>xetex</code> (XeTeX, material supporting it, and packages requiring it)
keyword	<code>unicode</code> (Unicode, material supporting it, and packages requiring it)
keyword	<code>plain-ext</code> (extensions to Plain TeX for higher-level constructs)
keyword	<code>font-supp-maths</code> (metrics, macro incantations and other support for maths fonts)
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-09

6484 `uninormalize` – Unicode normalization support

Web page on CTAN <https://ctan.org/pkg/uninormalize>

name	<code>uninormalize</code>
caption	Unicode normalization support
author	Hoftich, Michal
copyright	Michal Hoftich (2020)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1
description	(no language specified) This package provides Unicode normalization (useful for composed characters) for LuaLaTeX.

6485 `uniquecounter` – Provides unlimited unique counter

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/uninormalize/uninormalize-doc.pdf
– local file	<code>./7485098231-uninormalize-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/uninormalize/README.md
home page	https://github.com/michal-h21/uninormalize
contact	<i>bugs</i> : https://github.com/michal-h21/uninormalize/issues
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/uninormalize
on MikTeX	<code>uninormalize</code>
on T _E XLive	<code>uninormalize</code>
keyword	unicode (Unicode, material supporting it, and packages requiring it)
language(s)	no language specified
year	2020
last access	2025-02-07

6485 `uniquecounter` – Provides unlimited unique counter

Web page on CTAN <https://ctan.org/pkg/uniquecounter>

name	<code>uniquecounter</code>
caption	Provides unlimited unique counter
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2009, 2011)
copyright	Oberdiek Package Support Group (2016-2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.4 (2019-12-15)
last changes	2019-12-15
year	2019
description	(no language specified) This package provides a kind of counter that provides unique number values. Several counters can be created with different names. The numeric values are not limited.

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/uniquecounter/uniquecounter.pdf
– local file	./6607117897-uniquecounter.pdf
contact	<i>bugs:</i> https://github.com/ho-tex/uniquecounter/issues
contact	<i>repository:</i> https://github.com/ho-tex/uniquecounter
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/uniquecounter
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/uniquecounter.tds.zip
on MikTeX	uniquecounter
on TeXLive	uniquecounter
keyword	numbers (formatting numbers, etc)
language(s)	no language specified
last access	2025-02-07

6486 unisc – Unicode small caps with Lua/XeLaTeX

Web page on CTAN	https://ctan.org/pkg/unisc
name	unisc
caption	Unicode small caps with Lua/XeLaTeX
author	निरंजन
copyright	निरंजन (2022)
license	fdl = Free Documentation License (free)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	0.2 (2022-04-29)
last changes	2022-04-29
year	2022
description	(no language specified) LaTeX produces small caps with <code>\textsc{text}</code> or <code>\scshape text</code> . Neither of these commands produce small caps in Unicode. If the output text is copied and pasted somewhere it shows the same characters as used in the input. This package aims to internally convert all the characters provided to the commands mentioned above. It assumes that the file using this package is compiled with Lua/XeLaTeX and a good Unicode font which has the small caps characters, e.g., Charis SIL .

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/unisc/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/unisc/unisc.pdf
– local file	<code>./1138456939-unisc.pdf</code>
contact	<i>support</i> : mailto:unisc-help@gnu.org.ua
contact	<i>bugs</i> : https://puszcza.gnu.org.ua/bugs/?group=unisc
contact	<i>repository</i> : https://git.gnu.org.ua/unisc.git
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/unisc
on MikTeX	unisc
on TeXLive	unisc
keyword	unicode (Unicode, material supporting it, and packages requiring it)
language(s)	no language specified
last access	2025-02-07

6487 unisugar – Define syntactic sugar for Unicode LaTeX

Web page on CTAN	https://ctan.org/pkg/unisugar
name	unisugar
caption	Define syntactic sugar for Unicode LaTeX
author	Gil, Yossi
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.92
description	(no language specified) The package allows the user to define shorthand aliases for single Unicode characters, and also provides support for such aliases in RTL-text. The package requires an TeX-alike system that uses Unicode input in a native way: current examples are XeTeX and LuaTeX.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/xetex/latex/unisugar/unisugar.pdf
– local file	<code>./2243356327-unisugar.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/unisugar
on MikTeX	unisugar

on T _E XLive	unisugar
keyword	shortcut (shortcuts when typing)
language(s)	no language specified
year	without year
last access	2025-02-07

6488 `unitconv` – Convert a length into one with another unit

Web page on CTAN <https://ctan.org/pkg/unitconv>

name	unitconv
caption	Convert a length into one with another unit
author	Voß, Herbert
copyright	Herbert Voss (2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.01 (2020-05-07)
last changes	2020-05-07
year	2020
description	(no language specified) This package defines two macros to convert a value with unit into one with another unit. Supported are all TeX-related units, and also km and m. The output can be in scientific notation for large values. The package only works with LuaLaTeX !
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/unitconv/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/unitconv/doc/unitconv-doc.pdf
– local file	./5827642590-unitconv-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/unitconv
on MikT _E X	unitconv
on T _E XLive	unitconv
keyword	luatex (LuaTeX and packages that require it)
keyword	units (uniform typesetting of units)
keyword	misc-conv (miscellaneous conversions)

see also	see section 3385 on page 3055: (<code>lengthconvert</code> – Express lengths in arbitrary units)
language(s)	no language specified
last access	2026-04-13

6489 *unitipa* – TIPA typefaces with Unicode characters as input

Web page on CTAN <https://ctan.org/pkg/unitipa>

name	<code>unitipa</code>
caption	TIPA typefaces with Unicode characters as input
author	निरंजन
copyright	निरंजन (2021)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
license	fdl = Free Documentation License (free)
version	0.4 (2021-10-20)
last changes	2021-10-20
year	2021
description	(no language specified) A(n obsolete) package which used to provide a LuaLaTeX based code for converting Unicode IPA input to T3 encoded TIPA typefaces, but it is recommended to use CMU with Xe/LuaLaTeX instead for a better output.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/luatex/latex/unitipa/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/obsolete/macros/luatex/latex/unitipa/unitipa.pdf
– local file	<code>./7699205916-unitipa.pdf</code>
contact	<i>repository</i> : https://gitlab.com/niruvvt/unitipa
on CTAN	https://ctan.org/tex-archive/obsolete/macros/luatex/latex/unitipa
on MikTeX	<code>unitipa</code>
keyword	linguistic (support for linguistics)
keyword	unicode (Unicode, material supporting it, and packages requiring it)
keyword	obsolete (package declared obsolete)

keyword `luatex` (LuaTeX and packages that require it)
 keyword `phonetic` (support for phonetic notation)
 language(s) no language specified
 last access 2025-02-07

6490 *unitn-bimrep* – A bimonthly report class for the PhD School of Materials, Mechatronics and System Engineering

Web page on CTAN <https://ctan.org/pkg/unitn-bimrep>

name `unitn-bimrep`
 caption A bimonthly report class for the PhD School of Materials, Mechatronics and System Engineering
 author Ragni, Matteo
 copyright Matteo Ragni (2017)
 license mit = MIT License (free)
 version (2017-10-22)
 last changes 2017-10-22
 year 2017
 description (no language specified) This package allows to rapidly write the bimonthly report for The Ph.D. School in Materials, Mechatronics and System Engineering. It allows to define the research activities, the participation to school and congress, and the publication performed by a student.
 documentation (no language specified) *Package documentation:* <https://ctan.org/tex-archive/macros/latex/contrib/unitn-bimrep/README.pdf>
 – local file ./8752116940-README.pdf
 documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/macros/latex/contrib/unitn-bimrep/README.md>
 documentation (no language specified) *Example of use:* <https://ctan.org/tex-archive/macros/latex/contrib/unitn-bimrep/examples/example.pdf>
 – local file ./6801116694-example.pdf
 home page <https://github.com/MatteoRagni/unitn-bimrep>
 contact *announce:* <https://github.com/MatteoRagni/unitn-bimrep>
 contact *bugs:* <https://github.com/MatteoRagni/unitn-bimrep/issues>
 contact *repository:* <https://github.com/MatteoRagni/unitn-bimrep.git>

contact	<i>development:</i> https://github.com/MatteoRagni/unitn-bimrep
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/unitn-bimrep
on MikTeX	unitn-bimrep
on TeXLive	unitn-bimrep
keyword	report-like (regularly-formatted reports)
language(s)	no language specified
last access	2025-02-07

6491 units – Typeset units

Web page on CTAN	https://ctan.org/pkg/units
name	units
caption	Typeset units
author	Reichert, Axel
copyright	Axel Reichert (1998)
license	gpl = GNU General Public License (free)
version	0.9b
description	(no language specified) The package is provided as a bundle with the nicefrac package for typing fractions. Units uses nicefrac in typesetting physical units in a standard-looking sort of way.
documentation	(no language specified) <i>Package README:</i> https://ctan.org/tex-archive/macros/latex/contrib/units/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/units/units.pdf
– local file	./1100096411-units.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/units
on MikTeX	units
on TeXLive	units
keyword	scientific-docs (support for writers of scientific documents)
keyword	units (uniform typesetting of units)
see also	see section 5523 on page 4997 : (siunitx – A comprehensive (SI) units package)

language(s)	no language specified
year	1998
last access	2025-02-07

6492 unitsdef – Typesetting units in LaTeX

Web page on CTAN <https://ctan.org/pkg/unitsdef>

name	unitsdef
caption	Typesetting units in LaTeX
author	Happel, Patrick
license	lppl = The LaTeX Project Public License (free)
version	0.2
description	(no language specified) Many packages for typesetting units have been written for use in LaTeX2e. Some define macros to typeset a lot of units but do not suit to the actual font settings, some make the characters needed available but do not predefine any unit. This package tries to comply with both requirements. It predefines common units, defines an easy to use interface to define new units and changes the output concerning to the surrounding font settings.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/unitsdef/README.1st
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/unitsdef/unitsdef.pdf
– local file	./8370012706-unitsdef.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/unitsdef
on MikTeX	unitsdef
on T _E XLive	unitsdef
keyword	units (uniform typesetting of units)
keyword	scientific-docs (support for writers of scientific documents)
see also	see section 5520 on page 4994: (SIstyle – Package to typeset SI units, numbers and angles)
see also	see section 6491 on page 5867: (units – Typeset units)
see also	see section 5522 on page 4996: (siunits – International System of Units)
language(s)	no language specified
year	without year

last access 2025-02-07

6493 *universa* – Herbert Bayer’s ‘universal’ font

Web page on CTAN <https://ctan.org/pkg/universa>

name	universa
caption	Herbert Bayer’s ‘universal’ font
author	Holm Christensen, Christian
copyright	Christian Holm (1998)
license	gpl = GNU General Public License (free)
version	2.1 (2018-08-26)
last changes	2018-08-26
year	2018
description	(no language specified) An implementation of the “universal” font by Herbert Bayer of the Bauhaus school. The Metafont sources of the fonts, and their LaTeX support, are all supplied in a LaTeX documented source (<code>.dtx</code>) file.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/universa/README.md
documentation	(no language specified) <i>Package documentation (without Metafont sources):</i> https://ctan.org/tex-archive/fonts/universa/universa.pdf
– local file	<code>./2749651249-universa.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/universa
on MikTeX	universa
on T _E XLive	universa
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-proportional (variable-spaced font)
keyword	font-sans (sans-serif font)
language(s)	no language specified
last access	2025-02-07

6494 universalis – Universalis font, with support

Web page on CTAN <https://ctan.org/pkg/universalis>

name	universalis
caption	Universalis font, with support
author	Tennent, Bob
license	gpl2+ = GNU General Public License, version 2 or newer (free)
license	lppl = The LaTeX Project Public License (free)
version	(2022-09-25)
last changes	2022-09-25
year	2022
description	(no language specified) This package provides LaTeX, pdfLaTeX, XeLaTeX and LuaLaTeX support for the UniversalisADFStd family of fonts, designed by Hirwin Harendal. The font is suitable as an alternative to fonts such as Adrian Frutiger's Univers and Frutiger.
documentation	(no language specified) <i>Font samples</i> : https://ctan.org/tex-archive/fonts/universalis/doc/universalis-samples.pdf
– local file	./8009608760-universalis-samples.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/universalis/README
on CTAN	https://ctan.org/tex-archive/fonts/universalis
installation	https://ctan.org/tex-archive/install/fonts/universalis.tds.zip
on MikTeX	universalis
on T _E XLive	universalis
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font (fonts themselves)
keyword	font-sans (sans-serif font)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-proportional (variable-spaced font)
keyword	font-t1enc (font providing LaTeX T1 encoding support)
keyword	font-otf (font in OpenType format)
keyword	font-type1 (font available in Adobe Type 1 format)

language(s) no language specified
last access 2025-02-07

6495 *univie-ling* – Papers, theses and research proposals in (Applied) Linguistics at Vienna University

Web page on CTAN <https://ctan.org/pkg/univie-ling>

name *univie-ling*

caption Papers, theses and research proposals in (Applied) Linguistics at Vienna University

author Spitzmüller, Jürgen

license lpl1.3 = The LaTeX Project Public License 1.3 (free)

version 2.9 (2024-09-28)

last changes 2024-09-28

year 2024

description (no language specified) This bundle provides LaTeX2e classes, BibLaTeX files, and templates suitable for student papers, PhD research proposals (Exposés), and theses in (Applied) Linguistics at the University of Vienna.

The classes implement some standards for these types of text, such as suitable title pages. They are particularly suited for the field of (Applied) Linguistics and pre-load some packages that are considered useful in this context.

The classes can also be used for General and Historical Linguistics as well as for other fields of study at Vienna University. In this case, however, some settings may have to be adjusted.

documentation (no language specified) *Package documentation* (“Wiener Linguistische Gazette”): <https://ctan.org/tex-archive/macros/latex/contrib/univie-ling/doc/univie-ling-wlg.pdf>

– local file ./1867565433-univie-ling-wlg.pdf

documentation (no language specified) *Package documentation (overview)*: <https://ctan.org/tex-archive/macros/latex/contrib/univie-ling/doc/univie-ling.pdf>

– local file ./4479260218-univie-ling.pdf

documentation (no language specified) *Package documentation (thesis class)*: <https://ctan.org/tex-archive/macros/latex/contrib/univie-ling/doc/univie-ling-thesis.pdf>

– local file ./7978985425-univie-ling-thesis.pdf

documentation	(no language specified) <i>Package documentation (paper class)</i> : https://ctan.org/tex-archive/macros/latex/contrib/univie-ling/doc/univie-ling-paper.pdf
– local file	./8410284918-univie-ling-paper.pdf
documentation	(no language specified) <i>Package documentation (exposé class)</i> : https://ctan.org/tex-archive/macros/latex/contrib/univie-ling/doc/univie-ling-expose.pdf
– local file	./4179455609-univie-ling-expose.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/univie-ling/README
contact	<i>bugs</i> : https://github.com/jspitz/univie-ling/issues
contact	<i>repository</i> : https://github.com/jspitz/univie-ling
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/univie-ling
on MikTeX	univie-ling
on T _E XLive	univie-ling
keyword	misc-paper (discussion/working paper (rather than journal paper))
keyword	linguistic (support for linguistics)
keyword	article-like (LaTeX article classes and their developments)
keyword	std-conform (support conformance to standards)
keyword	class (alternative LaTeX class(es))
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
last access	2025-02-07

6496 *unixman* – Typeset to look like Unix man output

Web page on CTAN	https://ctan.org/pkg/unixman
name	unixman
caption	Typeset to look like Unix man output
author	Barton-Davis, Paul
license	noinfo = noinfo
version	1.2

description	(no language specified) A LaTeX 2.09 document style with commands suited to Unix ‘man’ output.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex209/contrib/unixman/unixman.pdf
– local file	<code>./2792683803-unixman.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/unixman
keyword	<code>doc-tool</code> (document development tools)
see also	see section 3765 on page 3404: (manpage – Man pages in LaTeX)
language(s)	no language specified
year	without year
last access	2025-02-07

6497 *unizgklasa* – A LaTeX class for theses at the Faculty Of Graphic Arts in Zagreb

Web page on CTAN <https://ctan.org/pkg/unizgklasa>

name	<i>unizgklasa</i>
caption	A LaTeX class for theses at the Faculty Of Graphic Arts in Zagreb
author	Milin, Matea
copyright	Matea Milin (2019)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2019-04-03)
last changes	2019-04-03
year	2019
description	(no language specified) This class is intended for generating graduate and final theses according to the instructions of the Faculty of Graphic Arts, University of Zagreb. It does not necessarily correspond to the requirements of each component of the University, but is designed as an idea for linking and uniformizing the look of all graduate papers. Anyone who likes it is welcome to use it.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/unizgklasa/README.md
documentation	<i>Example of use (Croatian and English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/unizgklasa/example.pdf
– local file	<code>./6113312835-example.pdf</code>

6498 `unouter` – Suppress `\outer` flags in Plain TeX

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/unizgklasa
on MikTeX	unizgklasa
on T _E XLive	unizgklasa
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	class (alternative LaTeX class(es))
keyword	croatian (support for typesetting Croatian)
language(s)	Croatian
last access	2025-02-07

6498 `unouter` – Suppress `\outer` flags in Plain TeX

Web page on CTAN <https://ctan.org/pkg/unouter>

name	<code>unouter</code>
caption	Suppress <code>\outer</code> flags in Plain TeX
author	McManus, Éamonn
license	other-free = Free license not otherwise listed (free)
version	(1988-11-30)
last changes	1988-11-30
year	1988
description	(no language specified) The package suppresses all the <code>\outer</code> flags on macros in Plain TeX; it also suppresses the <code>\outer</code> command.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/unouter.tex
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

6499 unpacked – Unpacked copy of the LaTeX sourcesWeb page on CTAN <https://ctan.org/pkg/unpacked>

name	unpacked
caption	Unpacked copy of the LaTeX sources
author	Mittelbach, Frank
author	The LaTeX Project Team
author	Lamport, Leslie
copyright	The LaTeX3 Project (1993-2014)
license	lppl = The LaTeX Project Public License (free)
version	(2014-10-12)
last changes	2014-10-12
year	2014
description	(no language specified) This package used to provide the source of LaTeX in its form immediately prior to compilation into a format. When LaTeX2e first appeared, this was a significant support to users (since unpacking used on some machines to take a very long time). However, the world has moved on since then, most users obtain their LaTeX sources and formats via the distributions, and whoever is still interested in these files can easily obtain them by unpacking latex-base.tds.zip .
home page	http://www.latex-project.org/
keyword	format (macros to build a format)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
last access	2026-04-10

6500 unravel – Watching TeX digest tokensWeb page on CTAN <https://ctan.org/pkg/unravel>

name	unravel
caption	Watching TeX digest tokens
author	Le Floch, Bruno
copyright	Bruno Le Floch (2013, 2015, 2018-2019, 2021, 2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)

version	0.3c (2024-01-05)
last changes	2024-01-05
year	2024
description	(no language specified) The aim of this LaTeX package is to help debug complicated macros. This is done by letting the user step through the execution of some TeX code, going through the details of nested expansions, performing assignments, as well as some simple typesetting commands. To use this package, one should normally run TeX in a terminal. The unravel package requires up-to-date versions of the l3kernel , l3packages and l3experimental bundles.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/unravel/unravel.pdf
– local file	<code>./4518613738-unravel.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/unravel/README.md
contact	<i>repository</i> : https://github.com/blefloch/latex-unravel
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/unravel
on MikTeX	unravel
on TeXLive	unravel
keyword	debug-supp (support for package or document debugging)
keyword	macro-supp (support for development of (La)TeX macros)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

6501 `unswcover` – Typeset a dissertation cover page following UNSW guidelines

Web page on CTAN	https://ctan.org/pkg/unswcover
name	<code>unswcover</code>
caption	Typeset a dissertation cover page following UNSW guidelines
author	Mehani, Olivier
copyright	Olivier Mehani and previous contributors (2013)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)

version	1.0
description	(no language specified) The package an UNSW cover sheet following the 2011 GRS guidelines. It may also (optionally) provide other required sheets such as Originality, Copyright and Authenticity statements.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/unswcover/README
documentation	(no language specified) <i>Example document</i> : https://ctan.org/tex-archive/macros/latex/contrib/unswcover/thesis.pdf
– local file	./3922803530-thesis.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/unswcover
on MikTeX	unswcover
on TeXLive	unswcover
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
year	2013
last access	2025-02-07

6502 *unswthesis* – UNSW theses

Web page on CTAN	https://ctan.org/pkg/unswthesis
name	unswthesis
caption	UNSW theses
author	Zaitseff, John
license	noinfo = noinfo
version	1.6a
description	(no language specified) The directory contains a bundle of things related to UNSW Theses; the author's own thesis was prepared using the class.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/unswthesis/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/unswthesis
keyword	dissertation (typesetting dissertations, theses, etc.)

6503 *untex* – Strip (La)TeX commands from source file

language(s)	no language specified
year	without year
last access	2025-02-07

6503 *untex* – Strip (La)TeX commands from source file

Web page on CTAN <https://ctan.org/pkg/untex>

name	untex
caption	Strip (La)TeX commands from source file
author	Endisch, Denis
author	Staats, Michale
license	gpl = GNU General Public License (free)
version	1.2
description	(no language specified) The program will remove "some LaTeX commands" from a file (it will optionally try to strip out all mathematics, too). It also has an option to honour <code>\input</code> and <code>\include</code> commands in the file. The program is distributed as C source in a <code>.tar.gz</code> file.
on CTAN	https://ctan.org/tex-archive/support/untex
keyword	plain-text (derive plain text from a TeX document)
see also	see section 1586 on page 1439: (<i>detex</i> – Strip TeX from a source file)
language(s)	no language specified
year	without year
last access	2025-02-07

6504 *uol-physics-report* – A LaTeX document class for writing lab reports

Web page on CTAN <https://ctan.org/pkg/uol-physics-report>

name	uol-physics-report
caption	A LaTeX document class for writing lab reports
author	Suchard, Jan Eike
copyright	Jan Eike Suchard (2022-2023)
license	lpp1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1 (2023-02-01)

last changes	2023-02-01
year	2023
description	(no language specified) The package provides physics students at the University of Oldenburg with a prepared document class for writing laboratory reports for the laboratory courses conducted by the Institute of Physics. The document class consists of predefined margins and heading formats. Furthermore, it presets the headers of the pages and excludes the titlepage and table of contents from the page numbering.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/uol-physics-report/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/uol-physics-report/uol-physics-report.pdf
– local file	./4245670084-uol-physics-report.pdf
contact	<i>bugs</i> : https://github.com/captainsuchard/uol-physics-report/issues
contact	<i>repository</i> : https://github.com/captainsuchard/uol-physics-report
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/uol-physics-report
on MikTeX	uol-physics-report
on T _E XLive	uol-physics-report
keyword	report-like (regularly-formatted reports)
keyword	class (alternative LaTeX class(es))
keyword	physics (support for typesetting physics documents)
language(s)	no language specified
last access	2025-02-07

6505 *uothesis* – Class for dissertations and theses at the University of OregonWeb page on CTAN <https://ctan.org/pkg/uothesis>

name	uothesis
caption	Class for dissertations and theses at the University of Oregon
author	Anderson, Michael
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)

version	2.5.6
description	(no language specified) The class generates documents that are suitable for submission to the Graduate School and conform with the style requirements for dissertations and theses as laid out in the Fall 2010 UO graduate school student manual.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/uowthesis/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/uowthesis/uowthesis.pdf
– local file	./2131317928-uowthesis.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/uowthesis
on MikTeX	uowthesis
on TeXLive	uowthesis
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

6506 `uowthesis` – Document class for dissertations at the University of Wollongong

Web page on CTAN	https://ctan.org/pkg/uowthesis
name	uowthesis
caption	Document class for dissertations at the University of Wollongong
author	Ye, Lei
copyright	Lei Ye (2006)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0a
description	(no language specified) A document class for higher degree research theses in compliance with the specifications of University of Wollongong (UoW) theses in the "Guidelines for Preparation and Submission of Higher Degree Research Theses" (March 2006), by the Research Student Centre, Research & Innovation Division, UoW.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/uowthesis/README

documentation	(no language specified) <i>Demonstration document</i> : https://ctan.org/tex-archive/macros/latex/contrib/uowthesis/mythesis.pdf
– local file	<code>./7258413448-mythesis.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/uowthesis
on MikTeX	<code>uowthesis</code>
on T _E XLive	<code>uowthesis</code>
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
language(s)	no language specified
year	2006
last access	2025-02-07

6507 `uowthesistitlepage` – Title page for dissertations at the University of Wollongong

Web page on CTAN	https://ctan.org/pkg/uowthesistitlepage
name	<code>uowthesistitlepage</code>
caption	Title page for dissertations at the University of Wollongong
author	Griffiths, Thomas M
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.0.1
description	(no language specified) The package redefines <code>\maketitle</code> to generate a title page for a University of Wollongong thesis, in accordance with the UoW branding guidelines. The package should be used with the <code>book</code> class to typeset a thesis. The package also defines a <code>\declaration</code> command that typesets the declaration that this thesis is your own work, etc., which is required in the front of each PhD Thesis.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/uowthesistitlepage/uowthesistitlepage_doc.pdf
– local file	<code>./4658796069-uowthesistitlepage_doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/uowthesistitlepage/README.md

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/uowthesistitlepage
on MikTeX	uowthesistitlepage
on T _E XLive	uowthesistitlepage
keyword	dissertation (typesetting dissertations, theses, etc.)
see also	see section 6506 on page 5880: (<i>uowthesis</i> – Document class for dissertations at the University of Wollongong)
language(s)	no language specified
year	without year
last access	2025-02-07

6508 *upca* – Print UPC-A barcodes

Web page on CTAN <https://ctan.org/pkg/upca>

name	upca
caption	Print UPC-A barcodes
author	Mrkus, Jiří
license	lppl = The LaTeX Project Public License (free)
version	(2011-05-17)
last changes	2011-05-17
year	2011
description	(no language specified) The package defines a single macro <code>\upca</code> , to print UPC-A barcodes.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/upca/README
on CTAN	https://ctan.org/tex-archive/macros/generic/upca
on MikTeX	upca
on T _E XLive	upca
keyword	barcode (barcodes and other machine-readable tags)
language(s)	no language specified
last access	2025-02-07

6509 updatemarks – Extract and update marks from boxes

Web page on CTAN <https://ctan.org/pkg/updatemarks>

name	updatemarks
caption	Extract and update marks from boxes
author	Longaster
copyright	Wenjian Chern (2023-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.4a (2025-05-09)
last changes	2025-05-09
year	2025
description	(no language specified) This package can help you update marks if you put your title in boxes. You can use <code>\usepackage[minipage,multicol,tcolorbox]{updatemarks}</code> in the preamble of your document so that marks in these environments can be found by LaTeX. You can use <code>\ExtractMarks</code> or <code>\ExtractSplitMarks</code> to save marks, and <code>\UpdateMarks</code> to reinsert them.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/updatemarks/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/updatemarks/doc/updatemarks.pdf
– local file	<code>./9699339936-updatemarks.pdf</code>
contact	<i>bugs</i> : https://github.com/Sophanatprime/updatemarks/issues
contact	<i>repository</i> : https://github.com/Sophanatprime/updatemarks
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/updatemarks
on MikTeX	updatemarks
on TeXLive	updatemarks
keyword	expl3 (expl3(unknown))
keyword	page-hf (page head- and foot-lines)
language(s)	no language specified
last access	2025-05-17

6510 upgreek – Upright Greek letters

Web page on CTAN <https://ctan.org/pkg/upgreek>

name	upgreek
caption	Upright Greek letters
author	Harcombe, Keiran
author	Schmidt, Walter A.
copyright	Walter Schmidt (2001-2003)
license	lppl = The LaTeX Project Public License (free)
version	2.0
description	(no language specified) A package to provide the upright Greek letters from the Euler or Adobe Symbol fonts as additional math symbols (<code>\upalpha</code> , <code>\upbeta</code> , etc.), with proper spacing and scaling in super- and subscripts. This package is part of the was bundle.
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/was/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/was/upgreek.pdf
– local file	<code>./7760235889-upgreek.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/was
on MikTeX	was
on TeXLive	was
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	2003
last access	2025-02-07

6511 uplatex – pLaTeX2e and miscellaneous macros for upTeX

Web page on CTAN <https://ctan.org/pkg/uplatex>

name	uplatex
caption	pLaTeX2e and miscellaneous macros for upTeX
author	Maeda, Kazuki
author	Japanese TeX Development Community
copyright	ASCII MEDIA WORKS (2010)
copyright	Takuji Tanaka (2016)
copyright	Japanese TeX Development Community (2016-2021)
license	bsd3 = 3-clause BSD License (free)
version	(2021-05-31)
last changes	2021-05-31
year	2021
description	(no language specified) The bundle provides pLaTeX2e macros for upTeX by Takuji Tanaka . This is a community edition syncing with platex . The bundle depends on platex .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/jptex/latex/uplatex/README.md
documentation	(Japanese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/jptex/latex/uplatex/uplatex.pdf
– local file	<code>./5733388227-uplatex.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/jptex/latex/uplatex/uplatex-en.pdf
– local file	<code>./7949576152-uplatex-en.pdf</code>
contact	<i>repository</i> : https://github.com/texjporg/uplatex
on CTAN	https://ctan.org/tex-archive/macros/jptex/latex/uplatex
installation	https://ctan.org/tex-archive/install/macros/jptex/latex/uplatex.tds.zip
on MikTeX	uplatex
on T _E XLive	uplatex
keyword	japanese (support for typesetting Japanese)

keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>format</code> (macros to build a format)
language(s)	Japanese
last access	2025-02-07

6512 *upmendex* – Multilingual index processor

Web page on CTAN <https://ctan.org/pkg/upmendex>

name	<code>upmendex</code>
caption	Multilingual index processor
author	Tanaka, Takuji
copyright	ASCII MEDIA WORKS (2009)
copyright	TANAKA Takuji (2015-2026)
copyright	ASCII Corporation (1995)
license	bsd3 = 3-clause BSD License (free)
version	1.22 (2026-02-15)
last changes	2026-02-15
year	2026
description	(no language specified) The package is a multilingual index processor with the following features: • Mostly compatible with <code>makeindex</code> and upper compatible with <code>mendex</code>. • Supports UTF-8 and works with <code>upLaTeX</code>, <code>XeLaTeX</code> and <code>LuaLaTeX</code>. • Supports Latin (including non-English), Greek, Cyrillic, Korean Hangul and Chinese Han (Hanzi ideographs) scripts, as well as Japanese Kana. • Supports four kinds of sort orders (Pinyin, Radical-Stroke, Stroke and Zhuyin) for Chinese Han scripts (Hanzi ideographs). • Support Brahmic (Bengali, Devanagari, Gurmukhi, Gujarati, Kannada, Lao, Malayalam, Oriya, Sinhala, Tamil, Telugu, Thai), Arabic and Hebrew scripts (experimental). • Applies International Components for Unicode (ICU) for sorting process.
documentation	<i>Manual page (Japanese, text format):</i> https://ctan.org/tex-archive/indexing/upmendex/doc/upmendex.ja.txt
documentation	(no language specified) <i>Manual page (English, PDF):</i> https://ctan.org/tex-archive/indexing/upmendex/man/upmendex.man1.pdf

6513 *upmethodology* – Writing specifications such as for UP-based methodologies

– local file	<code>./1973045323-upmendex.man1.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/indexing/upmendex/README.md
documentation	(no language specified) <i>Presentation</i> : https://ctan.org/tex-archive/indexing/upmendex/doc/upmendex-slide-ctan.pdf
– local file	<code>./5180758672-upmendex-slide-ctan.pdf</code>
contact	<i>repository</i> : https://github.com/t-tk/upmendex-package
on CTAN	https://ctan.org/tex-archive/indexing/upmendex
on T _E XLive	upmendex
keyword	multilingual (support for more than one (natural) language)
keyword	index (index support)
language(s)	Japanese
last access	2026-03-26

6513 *upmethodology* – Writing specifications such as for UP-based methodologies

Web page on CTAN	https://ctan.org/pkg/upmethodology
name	UPmethodology
caption	Writing specifications such as for UP-based methodologies
author	Galland, Stéphane
copyright	Stéphane GALLAND (2006-2026)
license	lgpl3 = GNU Lesser General Public License 3 (free)
version	20260406
description	(no language specified) The bundle allows the user to create Unified Process methodology (UP or RUP) based documents. The style provides document versioning, document history, document authors, document validators, specification description, task management, and several helping macros.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/upmethodology/doc/upmethodology-doc.pdf
– local file	<code>./6592020596-upmethodology-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/upmethodology/README
home page	https://www.arakhne.org/tex-upmethodology

contact	<i>bugs:</i> https://github.com/gallandarakhneorg/tex-upmethodology/issues
contact	<i>repository:</i> https://github.com/gallandarakhneorg/tex-upmethodology
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/upmethodology
on MikTeX	upmethodology
on T _E XLive	upmethodology
keyword	doc-mgmt (support for keeping track of document development)
language(s)	no language specified
year	2026
last access	2026-04-17

6514 `uppunctlm` – Always keep upright shape for some punctuation marks and Arabic numerals

Web page on CTAN <https://ctan.org/pkg/uppunctlm>

name	<code>uppunctlm</code>
caption	Always keep upright shape for some punctuation marks and Arabic numerals
author	Kieda, Yuwsuke
license	gfsf = The GUST Font Source License (GFSF) (free)
version	0.1
description	(no language specified) The package provides a mechanism to keep punctuation always in upright shape even if italic was specified. It is directed to Latin Modern fonts, and provides <code>.tfm</code>, <code>.vf</code>, <code>.fd</code>, and <code>.sty</code> files. Here a list of punctuation characters always presented in upright shapes: comma, period, semicolon, colon, parentheses, square brackets, and Arabic numerals.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/uppunctlm/doc/always_upright_punctuation_marks.pdf
– local file	<code>./1856988628-always_upright_punctuation_marks.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/uppunctlm/README.md
on CTAN	https://ctan.org/tex-archive/fonts/uppunctlm

6515 upquote – Show “realistic” quotes in verbatim

on MikTeX	uppunctlm
on T _E XLive	uppunctlm
keyword	font (fonts themselves)
keyword	font-virtual (virtual font(s) using existing fonts)
language(s)	no language specified
year	without year
last access	2025-02-07

6515 upquote – Show “realistic” quotes in verbatim

Web page on CTAN <https://ctan.org/pkg/upquote>

name	upquote
caption	Show “realistic” quotes in verbatim
author	Covington, Michael
author	Mittelbach, Frank
author	Kuhn, Markus
copyright	Michael A. Covington, Frank Mittelbach (2003)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.3
description	(no language specified) Typewriter-style fonts are best for program listings, but Computer Modern Typewriter prints ‘ and ’ as bent opening and closing single quotes. Other fonts, and most programming languages, print ‘ as a grave accent and ’ upright; ’ is used both to open and to close quoted strings. The package switches the typewriter font to Computer Modern Typewriter in OT1 encoding, and modifies the behaviour of <code>verbatim</code>, <code>verbatim*</code>, <code>\verb</code>, and <code>\verb*</code> to print in the “ ’ and ’ way”. It does this regardless of other fonts or encodings in use, so long as the package is loaded after the other fonts were. The package does not affect <code>\tt</code>, <code>\texttt</code>, etc.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/upquote/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/upquote/upquote.pdf
– local file	./3863891164-upquote.pdf

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/upquote
on MikTeX	upquote
on T _E XLive	upquote
keyword	tagged-pdf (tagged PDF compatible)
keyword	verbatim (verbatim typesetting, etc.)
language(s)	no language specified
year	2003
last access	2026-04-10

6516 upref – Ensure references are upright

Web page on CTAN <https://ctan.org/pkg/upref>

name	upref
caption	Ensure references are upright
author	The American Mathematical Society
copyright	American Mathematical Society (1996, 2010)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.04 (2007-03-14)
last changes	2007-03-14
year	2007
description	(no language specified) The upref package redefines the LaTeX <code>\ref</code> command to ensure the numbers are upright, even in an italic or oblique environment. The package is distributed as part of the AMS classes distribution.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/required/amscls/doc/upref.pdf
– local file	<code>./8221450946-upref.pdf</code>
home page	http://www.ams.org/tex/amslatex.html
on CTAN	https://ctan.org/tex-archive/macros/latex/required/amscls
installation	https://ctan.org/tex-archive/install/macros/latex/required/amscls.tds.zip
on MikTeX	amscls

on T _E XLive	amscs
keyword	label-ref (label and reference systems)
language(s)	no language specified
last access	2025-02-07

6517 *uptex* – Unicode version of pTeX

Web page on CTAN <https://ctan.org/pkg/uptex>

Alias	euptex
name	uptex
caption	Unicode version of pTeX
author	Tanaka, Takuji
license	other-free = Free license not otherwise listed (free)
description	(no language specified) upTeX is an extension of pTeX, using UTF-8 input and producing UTF-8 output. It was originally designed to improve support for Japanese, but is also useful for documents in Chinese and Korean. It can process Chinese simplified, Chinese traditional, Japanese, and Korean simultaneously, and can also process original LaTeX with <code>\inputenc{utf8}</code> and Babel (Latin/Cyrillic/Greek etc.) by switching its <code>\kcatcode</code> tables.
home page	http://www.t-lab.opal.ne.jp/tex/uptex_en.html
contact	<i>support</i> : https://lists.tug.org/tex-k
contact	<i>bugs</i> : https://lists.tug.org/tex-k
contact	<i>repository</i> : https://tug.org/svn/texlive/trunk/Build/source/texk/web2c/uptexdir
on T _E XLive	uptex
keyword	chinese (support for typesetting Chinese languages)
keyword	korean (support for typesetting Korean)
keyword	multilingual (support for more than one (natural) language)
keyword	japanese (support for typesetting Japanese)
keyword	engine (TeX (or TeX-alike) typesetting engine)
language(s)	no language specified
year	without year
last access	2025-02-07

6518 *uptex-base* – Plain TeX formats and documents for upTeX

Web page on CTAN <https://ctan.org/pkg/uptex-base>

name	uptex-base
caption	Plain TeX formats and documents for upTeX
author	Maeda, Kazuki
author	Japanese TeX Development Community
author	Tanaka, Takuji
copyright	Japanese TeX Development Community (2016-2025)
copyright	Takuji Tanaka (2016-2025)
copyright	ASCII MEDIA WORKS (2010)
license	bsd3 = 3-clause BSD License (free)
version	(2025-01-03)
last changes	2025-01-03
year	2025
description	(no language specified) The bundle contains plain TeX format files and documents for upTeX and e-upTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/jptex/generic/uptex-base/README.md
contact	<i>repository</i> : https://github.com/texjporg/uptex-base
on CTAN	https://ctan.org/tex-archive/macros/jptex/generic/uptex-base
on MikTeX	uptex-base
on TeXLive	uptex-base
keyword	format (macros to build a format)
keyword	japanese (support for typesetting Japanese)
language(s)	no language specified
last access	2025-02-07

6519 *uptex-fonts* – Fonts for use with upTeX

Web page on CTAN <https://ctan.org/pkg/uptex-fonts>

name	uptex-fonts
caption	Fonts for use with upTeX
author	Tanaka, Takuji
author	Maeda, Kazuki
author	Japanese TeX Development Community
copyright	Japanese TeX Development Community (2016-2023)
copyright	ASCII MEDIA WORKS (2010)
copyright	Takuji Tanaka (2016-2023)
license	bsd3 = 3-clause BSD License (free)
version	(2023-09-16)
last changes	2023-09-16
year	2023
description	(no language specified) The bundle contains fonts (TFM and VF) for use with upTeX. This is a redistribution derived from the upTeX distribution by Takuji Tanaka.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/uptex-fonts/README.md
contact	<i>repository</i> : https://github.com/texjporg/uptex-fonts
on CTAN	https://ctan.org/tex-archive/fonts/uptex-fonts
installation	https://ctan.org/tex-archive/install/fonts/uptex-fonts.tds.zip
on MikTeX	uptex-fonts
on T _E XLive	uptex-fonts
keyword	font-cjk (fonts for far eastern languages (Chinese, Japanese and Korean))
language(s)	no language specified
last access	2025-02-07

6520 upzhkinsoku – Supplementary Chinese kinsoku for Unicode *pTeX

Web page on CTAN <https://ctan.org/pkg/upzhkinsoku>

name	upzhkinsoku
caption	Supplementary Chinese kinsoku for Unicode *pTeX
author	Zhang, Yue
copyright	Yue ZHANG (2017-2018)
license	knuth = Knuth License (free)
version	0.5 (2018-04-07)
last changes	2018-04-07
year	2018
description	(no language specified) This package provides supplementary Chinese kinsoku (line breaking rules etc.) settings for Unicode (e-)upTeX (when using Unicode as its internal encoding), and ApTeX. Both LaTeX and plain TeX are supported.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/generic/upzhkinsoku/upzhkinsoku-doc.pdf
– local file	./5259992830-upzhkinsoku-doc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/generic/upzhkinsoku/README
contact	<i>repository:</i> https://github.com/Man-Ting-Fang/upzhkinsoku
on CTAN	https://ctan.org/tex-archive/macros/generic/upzhkinsoku
on MikTeX	upzhkinsoku
on T _E XLive	upzhkinsoku
keyword	chinese (support for typesetting Chinese languages)
language(s)	no language specified
last access	2025-02-07

6521 `urcls` – Beamer and `scrlltr2` classes and styles for the University of Regensburg

Web page on CTAN <https://ctan.org/pkg/urcls>

name	<code>urcls</code>
caption	Beamer and <code>scrlltr2</code> classes and styles for the University of Regensburg
author	Peischl, Marei
copyright	Marei Peischl (2014-2019)
license	lppl = The LaTeX Project Public License (free)
version	2.1 (2019-01-31)
last changes	2019-01-31
year	2019
description	(no language specified) The bundle provides a beamer -derived class and a theme style file for the corporate design of the University of Regensburg. It also contains a scrlltr2 -derived class for letters using the corporate design of the UR. Users may use the class itself (URbeamer) or use the theme in the usual way with <code>\usetheme{UR}</code> . Examples of using both letters and presentations are provided as <code>.tex</code> and <code>.pdf</code> -files.
documentation	(no language specified) <i>Example of usage (presentation)</i>: https://ctan.org/tex-archive/macros/latex/contrib/urcls/example/URbeamer-DEMO.pdf
– local file	<code>./1658052803-URbeamer-DEMO.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/urcls/README.md
documentation	(no language specified) <i>Example of usage (letter)</i>: https://ctan.org/tex-archive/macros/latex/contrib/urcls/example/URletter-DEMO.pdf
– local file	<code>./5041203735-URletter-DEMO.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/urcls
on MikTeX	<code>urcls</code>
on T _E XLive	<code>urcls</code>
keyword	presentation (slides, beamers, handouts, etc.)
keyword	class (alternative LaTeX class(es))
keyword	letter (typesetting letters, envelopes, faxes, etc)
language(s)	no language specified

last access 2025-02-07

6522 `uri` – Hyperlinks for a wide range of URIs

Web page on CTAN <https://ctan.org/pkg/uri>

name	<code>uri</code>
caption	Hyperlinks for a wide range of URIs
author	Münch, Hans-Martin
copyright	H.-Martin Münch (2011-2018)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.0b (2018-09-06)
last changes	2018-09-06
year	2018
description	(no language specified) The package provides automatic hyperlinks for URIs of type arXiv, ASIN, DOI, HDL, NBN, OCLC, OID, PubMed, TINY, TINY with preview, and WebCite and provides commands <code>\citeurl</code> , <code>\mailto</code> , <code>\ukoeln</code> , and <code>\uref</code> .
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/uri/uri-example.pdf
– local file	<code>./4879616825-uri-example.pdf</code>
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/uri/uri.pdf
– local file	<code>./1098675546-uri.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/uri/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/uri
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/uri.tds.zip
on MikTeX	<code>uri</code>
on TeXLive	<code>uri</code>
keyword	<code>hyper</code> (support for hypertext)
see also	see section 2842 on page 2572: (<code>hyperref</code> – Extensive support for hypertext in LaTeX)
see also	see section 6523 on page 5897: (<code>url</code> – Verbatim with URL-sensitive line breaks)

see also	see section 1659 on page 1504: (<code>doi</code> pubmed – Special commands for use in bibliographies)
language(s)	no language specified
last access	2025-02-07

6523 `url` – Verbatim with URL-sensitive line breaks

Web page on CTAN <https://ctan.org/pkg/url>

name	<code>url</code>
caption	Verbatim with URL-sensitive line breaks
author	Arseneau, Donald
license	lppl = The LaTeX Project Public License (free)
version	3.4 (2013-09-16)
last changes	2013-09-16
year	2013
description	(no language specified) The command <code>\url</code> is a form of verbatim command that allows linebreaks at certain characters or combinations of characters, accepts reconfiguration, and can usually be used in the argument to another command. (The <code>\urldef</code> command provides robust commands that serve in cases when <code>\url</code> doesn't work in an argument.) The command is intended for email addresses, hypertext links, directories/paths, etc., which normally have no spaces, so by default the package ignores spaces in its argument. However, a package option "allows spaces", which is useful for operating systems where spaces are a common part of file names.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/url/url.pdf
– local file	<code>./2734823452-url.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/url
on MikTeX	<code>url</code>
on T _E XLive	<code>url</code>
keyword	<code>verbatim</code> (verbatim typesetting, etc.)
see also	see section 4516 on page 4087: (<code>path</code> – Typeset paths, making them breakable)
language(s)	no language specified
last access	2025-02-07

6524 urlbst – Web support for BibTeXWeb page on CTAN <https://ctan.org/pkg/urlbst>

name	urlbst
caption	Web support for BibTeX
author	Gray, Norman
copyright	Norman Gray (2002-2023)
license	gpl2 = GNU General Public License, version 2 (free)
license	lppl = The LaTeX Project Public License (free)
version	0.9.1 (2023-01-30)
last changes	2023-01-30
year	2023
description	(no language specified) Supports a new BibTeX ‘webpage’ entry type and ‘url’, ‘lastchecked’, and ‘eprint’ and ‘DOI’ fields. The Perl script urlbst can be used to add this support to an arbitrary .bst file which has a reasonably conventional structure. The result is meant to be robust rather than pretty.
documentation	(no language specified) <i>Package documentation (PDF format):</i> https://ctan.org/tex-archive/biblio/bibtex/contrib/urlbst/urlbst.pdf
– local file	./9325244041-urlbst.pdf
documentation	(no language specified) <i>Package documentation (HTML format):</i> https://ctan.org/tex-archive/biblio/bibtex/contrib/urlbst/urlbst.html
documentation	(no language specified) <i>Package Readme:</i> https://ctan.org/tex-archive/biblio/bibtex/contrib/urlbst/README
home page	https://purl.org/nxg/dist/urlbst
contact	<i>repository:</i> https://heptapod.host/nxg/urlbst
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/urlbst
on MikTeX	urlbst
on T _E XLive	urlbst
keyword	bibtex-sty (bibtex-sty(unknown))
language(s)	no language specified
last access	2025-02-07

6525 *urw* – URW free font support

Web page on CTAN <https://ctan.org/pkg/urw>

name	<i>urw</i>
caption	URW free font support
author	URW GmbH
license	collection = collection
description	(no language specified) Fonts, font metrics, and macro support in LaTeX2e, for available URW fonts. Fonts provided are: – <i>URW Antiqua</i> ; – <i>URW Arial</i> ; – <i>URW "base 35" collection</i> ; – <i>URW Classico</i> ; – <i>URW Garamond</i> ; – <i>URW Grotesq</i> ; and – <i>URW Letter Gothic</i> .
on CTAN	https://ctan.org/tex-archive/fonts/urw
keyword	collection (a collection of packages)
language(s)	no language specified
year	without year
last access	2025-02-11

6526 *urw-antiqua* – URW Antiqua condensed font, for use with TeX

Web page on CTAN <https://ctan.org/pkg/urw-antiqua>

name	<i>urw-antiqua</i>
caption	URW Antiqua condensed font, for use with TeX
author	Schmidt, Walter A.
author	Harcombe, Keiran
author	URW GmbH
copyright	URW GmbH, Hamburg, Germany (1992)
license	gpl = GNU General Public License (free)
version	001.003

6527 `urw-arial` – URW Arial font pack for use with LaTeX

description	(no language specified) The package contains a copy of the Type 1 font "URW Antiqua 2051 Regular Condensed" released under the GPL by URW, with supporting files for use with (La)TeX.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/urw/antiqua/doc/antiqua.txt
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/urw/antiqua/README
on CTAN	https://ctan.org/tex-archive/fonts/urw/antiqua
installation	https://ctan.org/tex-archive/install/fonts/urw/antiqua.tds.zip
on MikTeX	antiqua
on TeXLive	antiqua
keyword	font-serif (serif font)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
language(s)	no language specified
year	1992
last access	2025-02-07

6527 `urw-arial` – URW Arial font pack for use with LaTeX

Web page on CTAN	https://ctan.org/pkg/urw-arial
name	<code>urw-arial</code>
caption	URW Arial font pack for use with LaTeX
author	Schmidt, Walter A.
author	URW GmbH
author	Harcombe, Keiran
copyright	(URW)++ Design & Development (2000)
license	nocommercial = No Commercial Use (not free)
version	(2006-03-21)
last changes	2006-03-21
year	2006

description	(no language specified) The bundle provides Type 1 fonts providing the family “URW A030 (Arial)” released under the AFPL by URW, with supporting files for use with (La)TeX.
documentation	(no language specified) <i>Font sample and documentation</i> : https://ctan.org/tex-archive/fonts/urw/arial/doc/urw-arial.pdf
– local file	<code>./4401662478-urw-arial.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/urw/arial/README
documentation	(no language specified) <i>Details and usage</i> : https://ctan.org/tex-archive/fonts/urw/arial/doc/arial.txt
on CTAN	https://ctan.org/tex-archive/fonts/urw/arial
installation	https://ctan.org/tex-archive/install/fonts/urw/arial.tds.zip
keyword	<code>font-sans</code> (sans-serif font)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font</code> (fonts themselves)
language(s)	no language specified
last access	2024-05-26

6528 `urw-base35` – URW ‘Base 35’ font pack for LaTeX

Web page on CTAN <https://ctan.org/pkg/urw-base35>

name	<code>URW-base35</code>
caption	URW ‘Base 35’ font pack for LaTeX
author	URW GmbH
author	Schmidt, Walter A.
author	Peterlin, Primož
license	gpl = GNU General Public License (free)
description	(no language specified) A set of fonts for use as “drop-in” replacements for Adobe’s basic set, comprising: • Century Schoolbook (substituting for Adobe’s New Century Schoolbook); • Dingbats (substituting for Adobe’s Zapf Dingbats); • Nimbus Mono L (substituting for Adobe’s Courier); • Nimbus Roman No9 L (substituting for Adobe’s Times);

6529 *urw-garamond* – URW Garamond No8 Adobe Type 1 fonts

- Nimbus Sans L (substituting for Adobe’s Helvetica);
- Standard Symbols L (substituting for Adobe’s Symbol);
- URW Bookman;
- URW Chancery L Medium Italic (substituting for Adobe’s Zapf Chancery);
- URW Gothic L Book (substituting for Adobe’s Avant Garde); and
- URW Palladio L (substituting for Adobe’s Palatino).

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/urw/base35/README.base35
on CTAN	https://ctan.org/tex-archive/fonts/urw/base35
on MikTeX	urw-base35
keyword	font (fonts themselves)
keyword	font-collection (listing a set of related fonts)
keyword	font-type1 (font available in Adobe Type 1 format)
see also	see section 5912 on page 5353: (tex-gyre – TeX Fonts extending freely available URW fonts)
language(s)	no language specified
year	without year
last access	2025-02-07

6529 *urw-garamond* – URW Garamond No8 Adobe Type 1 fonts

Web page on CTAN <https://ctan.org/pkg/urw-garamond>

name	urw-garamond
caption	URW Garamond No8 Adobe Type 1 fonts
author	Harcombe, Keiran
author	Schmidt, Walter A.
license	nocommercial = No Commercial Use (not free)

description	(no language specified) This bundle provides a set of Adobe Type-1 fonts which URW has made available at no cost under the Aladdin Free Public License: GaramondNo8 Regular, Medium, Italic, and Medium Italic. Accompanying mathematics fonts are available from the MathDesign project . The original distribution site of the font files is http://www.artifex.com/downloads/ . The fonts are accompanied by the TeX font metrics, virtual fonts, font definition and font mapping files to use them with the LaTeX typesetting system on Windows or Unix-like platforms.
documentation	(no language specified) <i>Font sample and LaTeX usage details</i> : https://ctan.org/tex-archive/fonts/urw/garamond/urw-garamond.pdf
– local file	<code>./8653723262-urw-garamond.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/urw/garamond/README.garamond
on CTAN	https://ctan.org/tex-archive/fonts/urw/garamond
keyword	<code>font-serif</code> (serif font)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
language(s)	no language specified
year	without year
last access	2025-02-07

6530 *urw-grotesq* – URW Grotesq font pack for LaTeX

Web page on CTAN	https://ctan.org/pkg/urw-grotesq
name	URW-Grotesq
caption	URW Grotesq font pack for LaTeX
author	Schmidt, Walter A.
author	Harcombe, Keiran
author	URW GmbH
copyright	URW GmbH, Hamburg, Germany (1992)
license	gpl = GNU General Public License (free)
description	(no language specified) The directory contains a copy of the Type 1 font "URW Grotesq 2031 Bold" released under the GPL by URW, with supporting files for use with (La)TeX.

6531 `urwchanca1` – Use URW’s clone of Zapf Chancery as a maths alphabet

documentation	(no language specified) <i>Copyright and licence statement:</i> https://ctan.org/tex-archive/fonts/urw/grotesq/readme.grotesq
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/urw/grotesq/ugq.txt
on CTAN	https://ctan.org/tex-archive/fonts/urw/grotesq
on MikTeX	grotesq
on T _E XLive	grotesq
keyword	font (fonts themselves)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-sans (sans-serif font)
language(s)	no language specified
year	1992
last access	2025-02-07

6531 `urwchanca1` – Use URW’s clone of Zapf Chancery as a maths alphabet

Web page on CTAN <https://ctan.org/pkg/urwchanca1>

name	<code>urwchanca1</code>
caption	Use URW’s clone of Zapf Chancery as a maths alphabet
author	Sharpe, Michael
license	lppl = The LaTeX Project Public License (free)
version	1
description	(no language specified) The package allows (the URW clone of) Zapf Chancery to function as a maths alphabet, the target of <code>\mathcal</code> or <code>\mathscr</code>, with accents appearing where they should, and other spacing parameters set to reasonable (not very tight) values. The font itself may be found in the URW basic fonts collection. This package supersedes the pzccal package.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/urwchanca1/doc/fonts/urwchanca1/urwchanca1-doc.pdf
– local file	<code>./2841222426-urwchanca1-doc.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/urwchanca1/README

on CTAN	https://ctan.org/tex-archive/fonts/urwchancal
on MikTeX	urwchancal
on TeXLive	urwchancal
keyword	font-supp-maths (metrics, macro incantations and other support for maths fonts)
language(s)	no language specified
year	without year
last access	2025-02-07

6532 *urwvf* – Support for use of free URW fonts

Web page on CTAN	https://ctan.org/pkg/urwvf
name	urwvf
caption	Support for use of free URW fonts
author	Wierzbicki, Tomasz
license	gpl = GNU General Public License (free)
description	(no language specified) A collection of virtual fonts and other metrics and support files generated with fontinst 1.6, that offer access to the fonts which URW has made available under the GNU License: Antiqua, Grotesk, Nimbus and Nimbus Sans in OT1, T1, 8r and OT4 encodings, for use with LaTeX2e. The Type 1 fonts themselves are separately available: urw .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/psfonts/urwvf/README
on CTAN	https://ctan.org/tex-archive/fonts/psfonts/urwvf
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year
last access	2025-02-07

6533 uscthesis – USC thesis style for LaTeX 2.09

Web page on CTAN <https://ctan.org/pkg/uscthesis>

name	uscthesis
caption	USC thesis style for LaTeX 2.09
author	Cochran, Steven Douglas
license	noinfo = noinfo
version	2.3
description	(no language specified) This is a document style for typesetting Theses or Dissertations in accordance with the University of Southern California Regulations for Format and Presentation of Theses and Disertations. It provides some alternative "bells and whistles" such as support for multi-volume documents. The style includes some hooks to enable it to be used in other institutions than USC.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/uscthesis.sty
keyword	dissertation (typesetting dissertations, theses, etc.)
see also	see section 5871 on page 5317: (techreport – Generate Technical Reports using USC thesis style)
language(s)	no language specified
year	without year
last access	2025-02-07

6534 usebib – A simple bibliography processor

Web page on CTAN <https://ctan.org/pkg/usebib>

name	usebib
caption	A simple bibliography processor
author	Gregorio, Enrico
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0a

6535 `useclass` – Load classes as packages

description	(no language specified) The package is described by its author as "a poor person's replacement for the more powerful methods provided by BibLaTeX to access data from a .bib file". Its principle commands are <code>\bibinput</code> (which specifies a database to use) and <code>\usebibdata</code> (which typesets a single field from a specified entry in that database).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/usebib/usebib.pdf
– local file	<code>./1534721883-usebib.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/usebib/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/usebib
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/usebib.tds.zip
on MikTeX	<code>usebib</code>
on TeXLive	<code>usebib</code>
keyword	<code>biblio</code> (bibliography processor)
language(s)	no language specified
year	without year
last access	2025-02-07

6535 `useclass` – Load classes as packages

Web page on CTAN <https://ctan.org/pkg/useclass>

name	<code>useclass</code>
caption	Load classes as packages
author	HUANG, Yuxi
copyright	HUANG Yuxi (2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1 (2024-10-03)
last changes	2024-10-03
year	2024

description	(no language specified) This package enables the usage of classes as packages. It was originally designed for the <code>l3doc</code> class, which is employed for documenting LaTeX code with numerous useful features. However, employing the <code>l3doc</code> class as a package is not convenient when using the developing class as the style for the document. Therefore, this package provides a simple interface for utilizing classes as packages.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/useclass/useclass.pdf
– local file	<code>./4972853022-useclass.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/useclass/README.md
contact	<i>bugs</i> : https://github.com/huangyxi/useclass/issues
contact	<i>repository</i> : https://github.com/huangyxi/useclass
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/useclass
on MikTeX	<code>useclass</code>
on T _E XLive	<code>useclass</code>
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>doc-supp</code> (macros and tools for preparing documentation)
language(s)	no language specified
last access	2025-02-07

6536 *usenix* – Style option to do Usenix conference proceedings

Web page on CTAN	https://ctan.org/pkg/usenix
name	<code>usenix</code>
caption	Style option to do Usenix conference proceedings
author	Steiner, Dave
copyright	David K. Steiner (1989)
license	nosell = Do Not Sell Except by Arrangement (not free)
version	(1989-06-01)
last changes	1989-06-01
year	1989

description	(no language specified) This is an <code>article.sty</code> option, conforming to rules derived from "Instructions for Usenix Authors and Speakers". Unfortunately the package author considered some of the details unclear, and was unable to clear up the problems for lack of communication with Usenix admin.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/usenix.sty
keyword	confproc (typesetting conference proceedings)
language(s)	no language specified
last access	2025-02-07

6537 *user-persona* – Typesetting User Persona sheets for UX and HCI (Human-Computer Interaction)

Web page on CTAN <https://ctan.org/pkg/user-persona>

name	<i>user-persona</i>
caption	Typesetting User Persona sheets for UX and HCI (Human-Computer Interaction)
author	Tam, Claire
copyright	fractuscontext (2026)
copyright	Claire Tam (2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.0
description	(no language specified) This package provides a structured environment and command set for typesetting professional user persona sheets in LaTeX. A user persona is a research-grounded representation of a target user group, synthesizing observed behaviours, goals, and frustrations into a humanized archetype (Cooper, 1999). The package is intended for User Experience (UX) researchers, Human-Computer Interaction (HCI) practitioners, and product designers who maintain documentation within a LaTeX workflow. The central <code>persona</code> environment produces a two-column layout comprising a portrait image, an identity table, a pull-quote, and a set of colour-coded content cards. Cards may be placed in the left column, right column, or as a full-width span below both columns. Predefined semantic colours are supplied for common persona sections (Goals, Behaviours, Pain Points, Context). Inline pill labels and icon badges are supported via <code>\personapill</code> and <code>\personabrand</code> (using <code>fontawesome5</code>).

documentation	(no language specified) <i>Example of use (1):</i> https://ctan.org/tex-archive/macros/latex/contrib/user-persona/user-persona-example.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/user-persona/README.md
documentation	(no language specified) <i>Example of use (2):</i> https://ctan.org/tex-archive/macros/latex/contrib/user-persona/user-persona-detailed.pdf
– local file	<code>./6685316907-user-persona-detailed.pdf</code>
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/user-persona/user-persona.pdf
contact	<i>bugs:</i> https://github.com/fractuscontext/user-persona/issues/
contact	<i>repository:</i> https://github.com/fractuscontext/user-persona/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/user-persona
keyword	<code>project-mgmt</code> (TeX-related project management)
keyword	<code>graphics-use</code> (graphics (typesetting actual pictures))
keyword	<code>layout</code> (layout of objects on the page)
keyword	<code>doc-templ</code> (template to guide document development)
language(s)	no language specified
year	2026
last access	2026-04-24

6538 `ushort` – Shorter (and longer) underlines and underbars

Web page on CTAN	https://ctan.org/pkg/ushort
name	<code>ushort</code>
caption	Shorter (and longer) underlines and underbars
author	Väth, Martin
copyright	Martin Väth (2001-2002)
license	lppl = The LaTeX Project Public License (free)
version	2.2

description	(no language specified) Some engineers need underlined or twice underlined variables for which the usual <code>\underline</code> is too long. This package provides a generic command for creating underlines of various sizes and types.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ushort/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ushort/ushort.pdf
– local file	<code>./9868333837-ushort.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ushort
on MikTeX	<code>ushort</code>
on T _E XLive	<code>ushort</code>
keyword	<code>underline</code> (underlining/overlining text (including other decorations))
language(s)	no language specified
year	2002
last access	2025-02-07

6539 *ushyph* – US hyphenation patterns

Web page on CTAN	https://ctan.org/pkg/ushyph
name	<code>ushyph</code>
caption	US hyphenation patterns
author	Kuiken, Gerard
license	other-free = Free license not otherwise listed (free)
description	(no language specified) Knuth’s hyphenation patterns for English in American orthography (his <code>hyphen.tex</code>) appear here as <code>ushyph1.tex</code>; these patterns will be installed for the default language in any conventional TeX distribution. In 1990, extended patterns for hyphenation of US English were published (TUGboat 11(1)). They appear here as <code>ushyphen.tex</code> (the basic set) and <code>ushyphmax.tex</code> (a set that is believed to find all admissable hyphenation points).
on CTAN	https://ctan.org/tex-archive/language/hyphenation/ushyph
keyword	<code>hyphenation</code> (macros or tables for hyphenation)
language(s)	no language specified
year	without year
last access	2025-02-07

6540 uspace – Giving meaning to various Unicode space characters

Web page on CTAN <https://ctan.org/pkg/uspace>

name	uspace
caption	Giving meaning to various Unicode space characters
author	Haisman, Václav
copyright	Václav Haisman (2016-2022)
license	mit = MIT License (free)
version	0.05 (2022-04-24)
last changes	2022-04-24
year	2022
description	(no language specified) LaTeX package that gives meaning to various Unicode space characters.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/uspace/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/uspace/uspace.pdf
– local file	./6948631397-uspace.pdf
documentation	(no language specified) <i>Source on GitHub</i> : https://github.com/wilx/project-uspace
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/uspace
on MikTeX	uspace
on TeXLive	uspace
keyword	unicode (Unicode, material supporting it, and packages requiring it)
keyword	enc-juggle (conversion between encodings)
keyword	inputenc (input encoding support for TeX engines)
keyword	hyphenation (macros or tables for hyphenation)
language(s)	no language specified
last access	2025-02-07

6541 uspatent – U.S. Patent Application Tools for LaTeX and LyX

Web page on CTAN <https://ctan.org/pkg/uspatent>

name	uspatent
caption	U.S. Patent Application Tools for LaTeX and LyX
author	Pupalaikis, Peter J.
copyright	Peter J. Pupalaikis (2012)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The package provides a class and other tools for developing a beautifully formatted, consistent U.S. Patent Application using LaTeX and/or LyX.
documentation	(no language specified) <i>Package description</i> : https://ctan.org/tex-archive/macros/latex/contrib/uspatent/doc/PatentApplicationGuide.pdf
– local file	./7343103260-PatentApplicationGuide.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/uspatent/README
documentation	(no language specified) <i>Package ‘dummy’ sample</i> : https://ctan.org/tex-archive/macros/latex/contrib/uspatent/tex/PatentApplication.pdf
– local file	./9702621964-PatentApplication.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/uspatent
on MikTeX	uspatent
on T _E XLive	uspatent
keyword	legal (typesetting legal documents or study material)
keyword	class (alternative LaTeX class(es))
keyword	patent (prepare a patent application)
language(s)	no language specified
year	2012
last access	2025-02-07

6542 *usrguide* – User-mode documentation for LaTeX

Web page on CTAN <https://ctan.org/pkg/usrguide>

name	usrguide
caption	User-mode documentation for LaTeX
author	The LaTeX Project Team
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Documentation of user commands (other than font-handling commands) that differ in latex 2e from what appeared in the now obsolete latex 2.09 . Part of a set of documentation that also covers font-handling , class and package writing , typesetting Cyrillic , LaTeX font encodings , configuration options and modification of latex .
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/macros/latex/base/usrguide.pdf
– local file	./3850173027-usrguide.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/base
on MikTeX	ltxbase
on T _E XLive	latex
keyword	latex-doc (latex-doc(unknown))
language(s)	no language specified
year	without year
last access	2025-02-11

6543 *ut-backref* – Modified backref

Web page on CTAN <https://ctan.org/pkg/ut-backref>

name	ut-backref
caption	Modified backref
author	Utcke, Sven
license	noinfo = noinfo
version	1.2
description	(no language specified) A patched version of backref which adds a list of where the reference was cited, to each bibliography entry.

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/misc/ut-backref.sty
keyword	label-ref (label and reference systems)
language(s)	no language specified
year	without year
last access	2025-02-07

6544 *ut-thesis* – University of Toronto thesis style

Web page on CTAN	https://ctan.org/pkg/ut-thesis
name	ut-thesis
caption	University of Toronto thesis style
author	Knight, Jesse
author	Pitt, François
copyright	Jesse Knight (2020-2024)
copyright	François Pitt (1998-2013)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.1.8 (2024-07-26)
last changes	2024-07-26
year	2024
description	(no language specified) This LaTeX document class implements the formatting requirements of the University of Toronto School of Graduate Studies (SGS), as of Fall 2020 (https://www.sgs.utoronto.ca/academic-progress/program-completion/formatting). For example usage, see the GitHub repository .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ut-thesis/ut-thesis.pdf
– local file	./3985935554-ut-thesis.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ut-thesis/README
contact	<i>bugs</i> : https://github.com/jessexknight/ut-thesis/issues
contact	<i>repository</i> : https://github.com/jessexknight/ut-thesis
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ut-thesis

on MikTeX	ut-thesis
on T _E XLive	ut-thesis
keyword	std-conform (support conformance to standards)
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	class (alternative LaTeX class(es))
see also	see section 6553 on page 5924: (utorontothesis – A thesis class definition for University of Toronto)
language(s)	no language specified
last access	2025-02-07

6545 *utbmciad-report* – A class and configuration file for writing high quality scientific or technical reports

Web page on CTAN <https://ctan.org/pkg/utbmciad-report>

name	utbmciad-report
caption	A class and configuration file for writing high quality scientific or technical reports
author	Galland, Stéphane
copyright	Stéphane Galland (2013-2026)
license	other-nonfree = License that prevents distribution (not free)
license	lgpl3 = GNU Lesser General Public License 3 (free)
version	20260420
description	(no language specified) LaTeX class and configuration file for typesetting a scientific or technical report following the template and guidelines from the "Connaissance et Intelligence Artificielle Distribuées" (CIAD UR 7533) research laboratory of the Université de Technologie Belfort Montbéliard in France. Built on top of the powerful UPmethodology suite, it provides a professional, ready-to-use structure with advanced formatting macros. This class and configuration file could be easily extended and adapted to the style of your own institution. utbmciad-report is part of the larger project TeX-templates .

Note on Licensing

The package contains two distinct types of material:

1. LaTeX source code (all files that are under the `src/` directory and any documentation source files).

2. University and institutions logo images (all files under the `logos/` directory).

The LaTeX source code is free software: you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version. A copy of the GNU Lesser General Public License (LGPLv3) is provided in the file 'LICENSE.LGPLv3'.

The logo files are not licensed under the LGPLv3. They are the property of their respective university or institution and are included with permission for redistribution only as part of this complete package. They may NOT be modified, altered, or extracted and used separately without explicit written permission from the owning university or institution. The exact terms governing the logos are set forth in the file `logos/LICENSE.logos`. By redistributing this package, you agree to abide by those terms.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/utbmciad-report/src/utbmciadreport-doc.pdf
– local file	<code>./1584536982-utbmciadreport-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/utbmciad-report/README
home page	https://www.arakhne.org/latex/tex-templates
contact	<i>bugs</i> : https://github.com/gallandarakhneorg/tex-templates/issues
contact	<i>repository</i> : https://github.com/gallandarakhneorg/tex-templates
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/utbmciad-report
keyword	<code>doc-templ</code> (template to guide document development)
keyword	<code>std-conform</code> (support conformance to standards)
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>report-like</code> (regularly-formatted reports)
language(s)	no language specified
year	2026
last access	2026-04-20

6546 *utexasthesis* – University of Texas at Austin graduate thesis style

Web page on CTAN	https://ctan.org/pkg/utexasthesis
name	<code>utexasthesis</code>
caption	University of Texas at Austin graduate thesis style
author	Brown, Christopher
license	cc0 = CC0 1.0 (free)
version	1.0
description	(no language specified) This class file complies with the Digital Submission Requirement for Masters and Ph.D. thesis submissions of the University of Texas at Austin.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/utexasthesis/README.md
home page	https://github.com/linguistics/utexas-latex
contact	<i>bugs</i> : https://github.com/linguistics/utexas-latex/issues
contact	<i>repository</i> : https://github.com/linguistics/utexas-latex.git
contact	<i>development</i> : https://github.com/linguistics/utexas-latex/pulls
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/utexasthesis
on MikTeX	<code>utexasthesis</code>
on T _E XLive	<code>utexasthesis</code>
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
see also	see section 6554 on page 5924: (<code>utthesis</code> – Thesis package for the University of Texas at Austin)
language(s)	no language specified
year	without year
last access	2025-02-07

6547 *utf2any* – Converting Uncoded text to LaTeX, HTML, etcWeb page on CTAN <https://ctan.org/pkg/utf2any>

name	<code>utf2any</code>
caption	Converting Uncoded text to LaTeX, HTML, etc
author	Kleiweg, Peter
copyright	Peter Kleiweg (2000)
license	gpl = GNU General Public License (free)
description	(no language specified) Utf2any translates a file encoded in UTF-7 or UTF-8 (Unicode) into any 7- or 8-bit text format. Currently, mapping tables are supplied for LaTeX, HTML, ISO 8859-1, ISO 8859-15 and RFC 1345. These tables don't provide a complete mapping, but they can be easily extended to personal needs.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/utf2any/README
on CTAN	https://ctan.org/tex-archive/support/utf2any
keyword	enc-juggle (conversion between encodings)
language(s)	no language specified
year	2000
last access	2025-02-07

6548 *utf8add* – Additional support for UTF-8 encoded LaTeX inputWeb page on CTAN <https://ctan.org/pkg/utf8add>

name	<code>utf8add</code>
caption	Additional support for UTF-8 encoded LaTeX input
author	Jørgensen, Palle
copyright	Palle Jørgensen (2020-2021)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	(2021-11-16)
last changes	2021-11-16
year	2021

description	(no language specified) This bundle contains the LaTeX packages <code>utf8add.sty</code> and <code>utf8hax.sty</code> . The <code>utf8add</code> package provides additional support for the use of UTF-8 encoded input. This is intended for making LaTeX input more readable. The <code>utf8hax</code> package is using UTF-8 characters for easier access to math in LaTeX, however making the LaTeX input less readable.
documentation	(no language specified) <i>Utf8add package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/utf8add/utf8add.pdf
– local file	<code>./2314217302-utf8add.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/utf8add/README
documentation	(no language specified) <i>Utf8hax package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/utf8add/utf8hax.pdf
– local file	<code>./9047666972-utf8hax.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/utf8add
on MikTeX	<code>utf8add</code>
on T _E XLive	<code>utf8add</code>
keyword	<code>inputenc</code> (input encoding support for TeX engines)
language(s)	no language specified
last access	2025-02-07

6549 *utf8mex* – Tools to produce formats that read Polish language input

Web page on CTAN <https://ctan.org/pkg/utf8mex>

name	<code>utf8mex</code>
caption	Tools to produce formats that read Polish language input
author	Wawrykiewicz, Staszek
author	Bzyl, Włodek
license	pd = Public Domain Software (free)
version	(2004-06-01)
last changes	2004-06-01
year	2004

6550 *utfsym* – Provides various Unicode symbols

description	(no language specified) The bundle provides files for building formats to read input in Polish encodings.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/polish/utf8mex/README
on CTAN	https://ctan.org/tex-archive/language/polish/utf8mex
on MikTeX	utf8mex
on T _E XLive	utf8mex
keyword	format (macros to build a format)
language(s)	no language specified
last access	2025-02-07

6550 *utfsym* – Provides various Unicode symbols

Web page on CTAN <https://ctan.org/pkg/utfsym>

name	utfsym
caption	Provides various Unicode symbols
author	Spittank, Daniel
copyright	Daniel Spittank, Johannes Pieper (2010, 2011, 2012, 2013, 2014, 2020, 2022)
license	cc0 = CC0 1.0 (free)
version	0.9.0 (2022-04-17)
last changes	2022-04-17
year	2022
description	(no language specified) This package provides various symbols from the Unicode in order to be able to use them originally in a school setting such as on worksheets.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/utfsym/README
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/utfsym/doc/utfsym.pdf
– local file	./4256753710-utfsym.pdf
contact	<i>bugs</i> : https://gitlab.com/gi-fg-ibnw/utfsym/-/issues
contact	<i>repository</i> : https://gitlab.com/gi-fg-ibnw/utfsym
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/utfsym
on MikTeX	utfsym

on T _E XLive	utfsym
keyword	symbol-suppl (manage symbols in a document)
keyword	pgf-tikz (package uses PGF-TikZ)
see also	see section 5325 on page 4822: (schule – Support for teachers at German schools)
language(s)	German
last access	2025-02-07

6551 *util-half* – A half-tone font

Web page on CTAN <https://ctan.org/pkg/util-half>

name	util-half
caption	A half-tone font
license	noinfo = noinfo
version	(1986-01-17)
last changes	1986-01-17
year	1986
description	(no language specified) A simple font for drawing in half-tone; the font is distributed as Metafont source.
on CTAN	https://ctan.org/tex-archive/fonts/cm/utilityfonts/half
on MikT _E X	util-half
keyword	font (fonts themselves)
keyword	font-specialist (fonts with specific small application areas)
keyword	font-mf (fonts distributed as Metafont source)
see also	see section 2681 on page 2427: (halftone – Knuth’s halftone font and its uses)
language(s)	no language specified
last access	2025-02-07

6552 utopia – Adobe Utopia fonts

Web page on CTAN <https://ctan.org/pkg/utopia>

name	utopia
caption	Adobe Utopia fonts
author	Adobe Systems Incorporated
copyright	Adobe Systems Incorporated (1989, 1991)
license	other-free = Free license not otherwise listed (free)
version	(2006-11-17)
last changes	2006-11-17
year	2006
description	(no language specified) The Adobe Standard Encoding set (upright and italic shapes, medium and bold weights) of the Utopia font family, which Adobe donated to the X Consortium. Macro support, and maths fonts that match the Utopia family, are provided by the Fourier and the Mathdesign font packages.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/utopia/README
on CTAN	https://ctan.org/tex-archive/fonts/utopia
on MikTeX	utopia
on T _E XLive	utopia
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font (fonts themselves)
language(s)	no language specified
last access	2025-02-07

6553 utorontothesis – A thesis class definition for University of Toronto

Web page on CTAN <https://ctan.org/pkg/utorontothesis>

name	utorontothesis
caption	A thesis class definition for University of Toronto
author	Bernecky, Robert
license	noinfo = noinfo
version	(1997-07-15)
last changes	1997-07-15
year	1997
description	(no language specified) Probably superseded by ut-thesis .
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/utorontothesis
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
last access	2025-02-07

6554 utthesis – Thesis package for the University of Texas at Austin

Web page on CTAN <https://ctan.org/pkg/utthesis>

name	utthesis
caption	Thesis package for the University of Texas at Austin
author	Das, Dinesh
copyright	Dinesh Das (1995)
license	other-free = Free license not otherwise listed (free)
version	2.0
description	(no language specified) LaTeX package for preparation of a thesis that meets the requirements of the Graduate School of the University of TeXas at Austin; to be used with report class at 11pt.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/utthesis
on MikTeX	utthesis
keyword	dissertation (typesetting dissertations, theses, etc.)

language(s) no language specified
 year 1995
 last access 2025-02-07

6555 `uvaletter` – Unofficial letterhead template for the University of Amsterdam

Web page on CTAN <https://ctan.org/pkg/uvaletter>

name `uvaletter`

caption Unofficial letterhead template for the University of Amsterdam

author Piazzai, Michele

copyright Michele Piazzai (2022)

license mit = MIT License (free)

version 1.1.1 (2023-03-30)

last changes 2023-03-30

year 2023

description (no language specified) This is an unofficial LaTeX package that provides a letterhead template for the University of Amsterdam. The design mimics the official Word template of the University and complies with the University's house style.

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/uvaletter/README.md>

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/uvaletter/demo/uvaletter-demo.pdf>

– local file `./9512212343-uvaletter-demo.pdf`

contact *bugs*: <https://github.com/piazzai/uvaletter/issues>

contact *repository*: <https://github.com/piazzai/uvaletter>

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/uvaletter>

on MikTeX `uvaletter`

on T_EXLive `uvaletter`

keyword titlepage (typesetting title pages for documents)

keyword headings (chapter, section, etc., heading styles)

language(s) no language specified

last access 2025-02-07

6556 uvlhighlight – Syntax Highlighting for Universal Variability LanguageWeb page on CTAN <https://ctan.org/pkg/uvlhighlight>

name	uvlhighlight
caption	Syntax Highlighting for Universal Variability Language
author	Horcas, José Miguel
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3 (2026-04-13)
last changes	2026-04-13
year	2026
description	(no language specified) This package provides syntax highlighting for the Universal Variability Language (UVL) in LaTeX. It is based on the listings package and supports all UVL keywords. The package includes multiple visual themes (default, Flamapy, UVLS dark mode, and black & white) and provides inline commands for semantic highlighting. It also supports user-defined features' attributes and the inclusion of external <code>.uvl</code> files.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/uvlhighlight/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/uvlhighlight/uvlhighlight-doc.pdf
– local file	<code>./8270544380-uvlhighlight-doc.pdf</code>
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/uvlhighlight/uvlhighlight-example.pdf
– local file	<code>./7281930122-uvlhighlight-example.pdf</code>
contact	<i>repository</i> : https://github.com/jmhorcas/uvlhighlight
contact	<i>development</i> : https://jmhorcas.github.io/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/uvlhighlight
on T _E XLive	uvlhighlight
keyword	synt-hlt (highlight syntax of computer code, etc.)

language(s) no language specified
last access 2026-04-20

6557 *uwa-colours* – The colour palette of The University of Western Australia

Web page on CTAN <https://ctan.org/pkg/uwa-colours>

name *uwa-colours*
caption The colour palette of The University of Western Australia
author Di Pietro, Anthony
copyright Anthony Di Pietro (2019, 2021)
license lpl1.3 = The LaTeX Project Public License 1.3 (free)
version 1.0.0 (2019-08-31)
last changes 2019-08-31
year 2019
description (no language specified) This package uses the **xcolor** package to define macros for the colour palette of The University of Western Australia.
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/uwa-colours/README>
documentation (no language specified) *Package documentation*:
<https://ctan.org/tex-archive/macros/latex/contrib/uwa-colours/uwa-colours.pdf>
– local file ./6482883976-uwa-colours.pdf
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/uwa-colours>
on MikTeX *uwa-colours*
on T_EXLive *uwa-colours*
keyword colour (typesetting in colour)
language(s) no language specified
last access 2025-02-07

6558 *uwa-letterhead* – The letterhead of the University of Western Australia

Web page on CTAN <https://ctan.org/pkg/uwa-letterhead>

name	uwa-letterhead
caption	The letterhead of the University of Western Australia
author	Di Pietro, Anthony
copyright	Anthony Di Pietro (2019, 2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0.1 (2021-09-13)
last changes	2021-09-13
year	2021
description	(no language specified) This package generates the letterhead of the University of Western Australia. It requires the UWA logo in PDF format, which is available in SVG format at https://static-listing.weboffice.uwa.edu.au/visualid/core-rebrand/img/uwacrest/ , and uses the Arial and UWA Slab fonts by default. The package works with XeLaTeX and LuaLaTeX.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/unicodetex/latex/uwa-letterhead/uwa-letterhead.pdf
– local file	./5765159267-uwa-letterhead.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/unicodetex/latex/uwa-letterhead/README
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/uwa-letterhead
on MikTeX	uwa-letterhead
on TeXLive	uwa-letterhead
keyword	letter (typesetting letters, envelopes, faxes, etc)
keyword	page-hf (page head- and foot-lines)
keyword	std-conform (support conformance to standards)
language(s)	no language specified
last access	2025-02-07

6559 *uwa-pcf* – A Participant Consent Form (PCF) for a human research protocol at the University of Western Australia

Web page on CTAN <https://ctan.org/pkg/uwa-pcf>

name	<code>uwa-pcf</code>
caption	A Participant Consent Form (PCF) for a human research protocol at the University of Western Australia
author	Di Pietro, Anthony
copyright	Anthony Di Pietro (2019, 2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0.1 (2021-09-28)
last changes	2021-09-28
year	2021
description	(no language specified) This LaTeX class generates a Participant Consent Form (PCF) for a human research protocol at the University of Western Australia. It requires the UWA logo in PDF format, which is available in SVG format at https://static-listing.weboffice.uwa.edu.au/visualid/core-rebrand/img/uwacrest/ , and uses the Arial and UWA Slab fonts by default. The class works with XeLaTeX and LuaLaTeX. It depends on the uwa-letterhead package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/uwa-pcf/uwa-pcf.pdf
– local file	<code>./2437775002-uwa-pcf.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/uwa-pcf/README
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/uwa-pcf
on T _E XLive	<code>uwa-pcf</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>std-conform</code> (support conformance to standards)
language(s)	no language specified
last access	2025-02-07

6560 *uwa-pif* – A Participant Information Form (PIF) for a human research protocol at the University of Western Australia

Web page on CTAN <https://ctan.org/pkg/uwa-pif>

name	<code>uwa-pif</code>
caption	A Participant Information Form (PIF) for a human research protocol at the University of Western Australia
author	Di Pietro, Anthony
copyright	Anthony Di Pietro (2019, 2021)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0.1 (2021-09-28)
last changes	2021-09-28
year	2021
description	(no language specified) This package generates a Participant Information Form (PIF) for a human research protocol at the University of Western Australia. It requires the UWA logo in PDF format, which is available in SVG format at https://static-listing.weboffice.uwa.edu.au/visualid/core-rebrand/img/uwacrest/ , and uses the Calibri fonts by default. The class works with XeLaTeX and LuaLaTeX. It depends on the <i>uwa-letterhead</i> package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/uwa-pif/uwa-pif.pdf
– local file	<code>./3644440192-uwa-pif.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/uwa-pif/README
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/uwa-pif
on T _E XLive	<code>uwa-pif</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>std-conform</code> (support conformance to standards)
language(s)	no language specified
last access	2025-02-07

6561 uwmslide – Slides with a simple Power Point like appearanceWeb page on CTAN <https://ctan.org/pkg/uwmslide>

name	uwmslide
caption	Slides with a simple Power Point like appearance
author	Benedict, Eric
copyright	Eric Benedict (2000, 2002)
license	artistic = Perl Artistic License (not free)
version	(2000-09-26)
last changes	2000-09-26
year	2000
description	(no language specified) A slide format which produces slides with a simple Power Point like appearance. Several useful features include: use of standard titlepage to produce title slide; several slide environments including plain (page with a title), double slide (two column page with slide title), item slide (item list with title), left item slide, and right item slide. Logos are placed in the upper left corner of each slide if the logo file logo.eps is present. Preconfigured in landscape mode by default and uses Times Roman by default (originally, it was claimed, for simple conversion to PDF format).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/uwmslide/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/uwmslide
on MikTeX	uwmslide
on TeXLive	uwmslide
keyword	presentation (slides, beamers, handouts, etc.)
language(s)	no language specified
last access	2025-02-07

6562 *uwthesis* – University of Washington thesis classWeb page on CTAN <https://ctan.org/pkg/uwthesis>

name	uwthesis
caption	University of Washington thesis class
author	Fox, Jim
license	apache2 = Apache License, version 2.0 (free)
version	6.13
documentation	(no language specified) <i>Package documentation/example of use:</i> https://ctan.org/tex-archive/macros/latex/contrib/uwthesis/uwthesis.pdf
– local file	./3452839259-uwthesis.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/uwthesis/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/uwthesis
on MikTeX	uwthesis
on T _E XLive	uwthesis
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

6563 *uwthesis209* – LaTeX 2.09 style for University of Washington thesesWeb page on CTAN <https://ctan.org/pkg/uwthesis209>

name	uwthesis209
caption	LaTeX 2.09 style for University of Washington theses
author	Fox, Jim
license	noinfo = noinfo
version	1.5
description	(no language specified) The bundle provides a LaTeX 2.09 document style for theses presented at the University of Washington.

on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/uw-thesis
keyword	dissertation (typesetting dissertations, theses, etc.)
see also	see section 6562 on page 5932: (<code>uwthesis</code> – University of Washington thesis class)
language(s)	no language specified
year	without year
last access	2025-02-07

6564 *va* – Handwriting fonts

Web page on CTAN <https://ctan.org/pkg/va>

name	<code>va</code>
caption	Handwriting fonts
author	Ludewig, Berthold
license	<code>noinfo</code> = <code>noinfo</code>
version	(1996-03-10)
last changes	1996-03-10
year	1996
description	(no language specified) Two fonts, <code>va14</code> and <code>vacall4</code> , provided as Metafont source. The distribution includes a LaTeX <code>.fd</code> file, and full macro support for use with LaTeX is available in the fundus bundle.
on CTAN	https://ctan.org/tex-archive/fonts/va
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>font-calligraphic</code> (calligraphic (or handwriting) fonts)
keyword	<code>font</code> (fonts themselves)
language(s)	no language specified
last access	2025-02-07

6565 vak – BibTeX style for Russian Theses, books, etcWeb page on CTAN <https://ctan.org/pkg/vak>

name	vak
caption	BibTeX style for Russian Theses, books, etc
author	Melnikov, Vitaly G.
license	lppl = The LaTeX Project Public License (free)
version	(2011-07-04)
last changes	2011-07-04
year	2011
description	(no language specified) The file can be used to format the bibliographies of PhD theses, books etc., according to the latest Russian standards: GOST 7.82 – 2001 and GOST 7.1 – 2003. It introduces the minimum number of new entries and styles to cover all frequently used situations. The style file provides an easy way to perform a semiautomatic, or a completely manual sort of the list of the references. Processing bibliographies produced by the style requires a 8-bit BibTeX system .
documentation	(English) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/vak/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/vak
on T _E XLive	vak
keyword	dissertation (typesetting dissertations, theses, etc.)
language(s)	English
last access	2025-02-07

6566 vancouver – Bibliographic style file for Biomedical JournalsWeb page on CTAN <https://ctan.org/pkg/vancouver>

name	Vancouver
caption	Bibliographic style file for Biomedical Journals
author	van der Beek, Folkert
copyright	Folkert van der Beek (2004)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)

version	1.0
description	(no language specified) This BibTeX style file is generated with the docstrip utility and modified manually to meet the <i>Uniform Requirements for Manuscripts Submitted to Biomedical Journals</i> as published in N Engl J Med 1997;336:309-315 (also known as the Vancouver style). The complete set of requirements may be viewed on the ICMJE web site.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/vancouver/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/vancouver/vancouver.pdf
– local file	<code>./9121127166-vancouver.pdf</code>
contact	<i>repository</i> : https://gitlab.com/fvdbeek/vancouver.bst
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/vancouver
on MikTeX	vancouver
on T _E XLive	vancouver
keyword	bibtex-sty (bibtex-sty(unknown))
keyword	journalpub (typesetting journals, etc)
keyword	biomedical (support for documents in biomedical research)
language(s)	no language specified
year	2004
last access	2025-02-20

6567 *variablelm* – Font definitions for the variable Latin Modern fonts

Web page on CTAN <https://ctan.org/pkg/variablelm>

name	variablelm
caption	Font definitions for the variable Latin Modern fonts
author	Kieda, Yuwsuke
license	gfl = The GUST Font License (GFL) (free)
version	1.2 (2021-05-16)
last changes	2021-05-16
year	2021

6568 variations – Typeset tables of variations of functions

description	(no language specified) This package provides a mechanism for scaling a typeface. It is directed at the Latin Modern fonts and provides the font definitions and the corresponding style file. This mechanism is useful in mixed text compositions, for example Japanese–Latin.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/variablelm/doc/control_scaling_lm_fonts.pdf
– local file	<code>./6935020810-control_scaling_lm_fonts.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/variablelm/README.md
contact	<i>repository</i> : https://github.com/yuw/texmf-variablelm
on CTAN	https://ctan.org/tex-archive/fonts/variablelm
on MikTeX	variablelm
on TeXLive	variablelm
keyword	font-tlenc (font providing LaTeX T1 encoding support)
keyword	font-cm (font serving Computer Modern-style shapes)
keyword	font-virtual (virtual font(s) using existing fonts)
see also	see section 3494 on page 3159: (lm – Latin modern fonts in outline formats)
language(s)	no language specified
last access	2025-02-07

6568 variations – Typeset tables of variations of functions

Web page on CTAN	https://ctan.org/pkg/variations
name	variations
caption	Typeset tables of variations of functions
author	Obrecht, Christian
copyright	Christian Obrecht (2005-2006)
license	gpl = GNU General Public License (free)
version	0.3
description	(no language specified) The package provides macros for typesetting tables showing variations of functions according to French usage. These macros may be used by both LaTeX and plain TeX users.
documentation	(French) <i>Package ALIRE</i> : https://ctan.org/tex-archive/macros/generic/variations/ALIRE

6569 *varindent* – Make paragraph indentation match the length of the line above...

documentation	(English) <i>Package README</i> : https://ctan.org/tex-archive/macros/generic/variations/README
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/variations/docvariations.pdf
– local file	<code>./8925222083-docvariations.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/generic/variations
on MikTeX	<code>variations</code>
on T _E XLive	<code>variations</code>
keyword	<code>maths-tabvar</code> (mathematical tables of signs and variations)
language(s)	English; French
year	2006
last access	2025-02-07

6569 *varindent* – Make paragraph indentation match the length of the line above

Web page on CTAN	https://ctan.org/pkg/varindent
name	<code>varindent</code>
caption	Make paragraph indentation match the length of the line above
author	Arseneau, Donald
license	<code>noinfo = noinfo</code>
version	(1992-08-27)
last changes	1992-08-27
year	1992
description	(no language specified) The package will cause paragraphs to indent to the same position as the end of the last line of the previous paragraph, unless the resulting position would take you to within <code>2\parindent</code> of the end of the line.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/varindent.tex
keyword	<code>micro-layout</code> (paragraph shapes, margin adjustments, etc.)
language(s)	no language specified
last access	2025-02-07

6570 *varindex* – Luxury frontend to the \index command

Web page on CTAN <https://ctan.org/pkg/varindex>

name	<code>varindex</code>
caption	Luxury frontend to the <code>\index</code> command
author	Väth, Martin
copyright	Martin Väth (2001-2002)
license	lppl = The LaTeX Project Public License (free)
version	2.3
description	(no language specified) Provides a convenient front-end for the <code>\index</code> command. For example, with it you can generate multiple index entries in almost any form by a single command. The package is highly customizable, and works with all versions of LaTeX and probably most other TeX formats.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/varindex/varindex.pdf
– local file	<code>./8486094497-varindex.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/varindex/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/varindex
on MikTeX	<code>varindex</code>
on TeXLive	<code>varindex</code>
keyword	<code>index</code> (index support)
language(s)	no language specified
year	2002
last access	2025-02-07

6571 varioref – Intelligent page references

Web page on CTAN <https://ctan.org/pkg/varioref>

name	varioref
caption	Intelligent page references
author	Mittelbach, Frank
copyright	Frank Mittelbach (1992-2020)
copyright	The LaTeX3 Project et al. (1993-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.6g (2025-01-14)
last changes	2025-01-14
year	2025
description	(no language specified) The package introduces commands <code>\vref</code> and <code>\vpageref</code>. The <code>\vref</code> command refers to labels in the same way as does <code>\ref</code>, but if the thing referred to is on a different page, the result will be decorated with "on the facing page" or "on page &lt;n&gt;", and so on, as appropriate. The <code>\vpageref</code> command similarly decorates a page number; there are also commands <code>\vrefrange</code> and <code>\vpagerefrange</code> for ranges of labels. The package is language-sensitive, and has definitions for its 'decorative' words in several languages. The package is part of the latex-tools bundle in the LaTeX required distribution.
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/macros/latex/required/tools/varioref.pdf
– local file	<code>./3045205370-varioref.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/required/tools
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-tools.tds.zip
on MikTeX	latex-tools
on T _E XLive	tools
keyword	typesetting (support for variations of typographic style)
keyword	tagged-pdf (tagged PDF compatible)
keyword	label-ref (label and reference systems)
language(s)	no language specified

last access 2026-04-10

6572 *varisize* – Change font size in Plain TeX

Web page on CTAN <https://ctan.org/pkg/varisize>

name	<code>varisize</code>
caption	Change font size in Plain TeX
author	Hosek, Don
license	pd = Public Domain Software (free)
version	(1992-08-27)
last changes	1992-08-27
year	1992
description	(no language specified) A series of files, each of which defines a size-change macro. Note that <code>10point.tex</code> is by convention called by one of the other files, so that there's always a "way back".
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/varisize
on T _E XLive	<code>varisize</code>
keyword	<code>font-sel</code> (font selection schemes)
see also	see section 4725 on page 4278: (<code>plnfss</code> – Font selection for Plain TeX)
see also	see section 2304 on page 2085: (<code>font_selection</code> – Font selection for plain TeX)
see also	see section 4367 on page 3954: (<code>ofs</code> – Macros for managing large font collections)
language(s)	no language specified
last access	2025-02-07

6573 *varsects* – A simple package for controlling headings

Web page on CTAN <https://ctan.org/pkg/varsects>

name	<code>varsects</code>
caption	A simple package for controlling headings
author	Taupin, Daniel
license	noinfo = noinfo
version	(1998-11-28)
last changes	1998-11-28
year	1998
description	(no language specified) Redefines chapter, section, etc., headings using redefinable macros.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/taupin/varsects.sty
keyword	headings (chapter, section, etc., heading styles)
see also	see section 5391 on page 4882: (<code>sectsty</code> – Control sectional headers)
see also	see section 6211 on page 5619: (<code>titlesec</code> – Select alternative section titles)
language(s)	no language specified
last access	2025-02-07

6574 *varsfromjobname* – Extract variables from the name of the LaTeX file

Web page on CTAN <https://ctan.org/pkg/varsfromjobname>

name	<code>varsfromjobname</code>
caption	Extract variables from the name of the LaTeX file
author	Ziegenhagen, Uwe
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) The package allows the user to extract information from the job name, provided that the name has been structured appropriately: the package expects the file name to consist of a set of words separated by hyphens.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/varsfromjobname/varsfromjobname.pdf

6575 `varwidth` – A variable-width minipage

– local file	<code>./8675491053-varsfromjobname.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/varsfromjobname/README.md
home page	https://github.com/UweZiegenhagen/VarsFromJobname
contact	<i>repository</i> : https://github.com/UweZiegenhagen/VarsFromJobname
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/varsfromjobname
on MikTeX	<code>varsfromjobname</code>
on TeXLive	<code>varsfromjobname</code>
keyword	doc-mgmt (support for keeping track of document development)
language(s)	no language specified
year	without year
last access	2025-02-07

6575 `varwidth` – A variable-width minipage

Web page on CTAN <https://ctan.org/pkg/varwidth>

name	<code>varwidth</code>
caption	A variable-width minipage
author	Arseneau, Donald
copyright	Donald Arseneau (2003-2004, 2009)
license	lppl = The LaTeX Project Public License (free)
version	0.92
description	(no language specified) The <code>varwidth</code> environment is superficially similar to <code>minipage</code> , but the specified width is just a maximum value — the box may get a narrower “natural” width.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/varwidth/varwidth-doc.pdf
– local file	<code>./7268020592-varwidth-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/varwidth
on MikTeX	<code>varwidth</code>

on T _E XLive	varwidth
keyword	boxing (creating boxes)
keyword	fit-to-size (set up things to fit in a given space)
see also	see section 4528 on page 4096: (pbox – A variable-width \parbox command)
see also	see section 5805 on page 5259: (tabbingbox – Save a tabbing environment in a box)
language(s)	no language specified
year	2009
last access	2025-02-07

6576 *vaucanson-g* – PSTricks macros for drawing automata

Web page on CTAN <https://ctan.org/pkg/vaucanson-g>

name	vaucanson-g
caption	PSTricks macros for drawing automata
author	Lombardy, Sylvain
author	Sakarovitch, Jacques
copyright	Sylvain Lombardy and Jacques Sakarovitch (2002-2008)
license	lppl = The LaTeX Project Public License (free)
version	0.4
description	(no language specified) VauCanSon-G is a package that enables the user to draw automata within texts written using LaTeX. The package macros make use of commands of PSTricks .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/vaucanson-g/VManual.pdf
– local file	./7204277771-VManual.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/vaucanson-g/README
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/vaucanson-g
on MikT _E X	vaucanson-g
on T _E XLive	vaucanson-g
keyword	automata (finite-state machines, automata, labelled graphs, etc.)

keyword graphics-use (graphics (typesetting actual pictures))
 language(s) no language specified
 year 2008
 last access 2025-02-07

6577 `vc` – The vc (version control) bundle

Web page on CTAN <https://ctan.org/pkg/vc>

name `vc`
 caption The vc (version control) bundle
 author Hennig, Stephan
 author Hieber, Roland
 license pd = Public Domain Software (free)
 version 0.6
 description (no language specified) This is a script based approach to version control for TeX documents. It works more reliably than do keyword-substitution-based approaches, since it tracks more than just .tex files; it can work on *all* files in a working copy.
 The vc bundle macros work with LaTeX and plain TeX. Currently, Bazaar-, Git- and Subversion-based repositories are supported; scripts are provided for use with both Unix and Windows.
 documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/support/vc/README>
 documentation (no language specified) *Bundle manual*:
<https://ctan.org/tex-archive/support/vc/vc-manual.pdf>
 – local file ./7301515626-vc-manual.pdf
 on CTAN <https://ctan.org/tex-archive/support/vc>
 keyword version-control (version control details)
 language(s) no language specified
 year without year
 last access 2025-02-07

6578 vcell – Vertical alignment of content inside table cellsWeb page on CTAN <https://ctan.org/pkg/vcell>

name	vcell
caption	Vertical alignment of content inside table cells
author	Dionne, Xavier
copyright	Xavier Dionne (2020-2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.2
description	(no language specified) This package offers low-level macros to build rows with vertically-aligned cells (top, middle or bottom) and calculate the height of a row. These cells can have variable or fixed height and can be paragraph-cells or inline-cells. Different vertical alignments can be used in the same row.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/vcell/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/vcell/vcell.pdf
– local file	./2783120796-vcell.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/vcell
on MikTeX	vcell
on T _E XLive	vcell
keyword	table (table typesetting)
language(s)	no language specified
year	2021
last access	2025-02-07

6579 vdm – Typesetting VDM schemasWeb page on CTAN <https://ctan.org/pkg/vdm>

name	vdm
caption	Typesetting VDM schemas
author	Wolczko, Mario
license	noinfo = noinfo
version	4.00

6580 `vdmlisting` – Typesetting VDM in ASCII syntax

description	(no language specified) The package conforms to the BSI concrete syntax for VDM, and enables the user to concentrate on VDM specifications rather than typesetting format. Note that it does not cover the whole of BSI VDM.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/vdm/vdm.pdf
– local file	<code>./6632666445-vdm.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/vdm
on MikTeX	<code>vdm</code>
keyword	<code>formal-spec</code> (typeset formal specification languages)
language(s)	no language specified
year	without year
last access	2025-02-07

6580 `vdmlisting` – Typesetting VDM in ASCII syntax

Web page on CTAN	https://ctan.org/pkg/vdmlisting
name	<code>vdmlisting</code>
caption	Typesetting VDM in ASCII syntax
author	Lausdahl, Kenneth
copyright	Kenneth Lausdahl (2012-2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1
description	(no language specified) The package is an extension for the <code>listings</code> package that provides a source code printer for LaTeX. This package defines new language definitions and listing environments for the three language dialects of the Vienna Development Method: VDM-SL, VDM-PP and VDM-RT. If one wants to typeset VDM with a mathematical syntax instead of the ASCII syntax used here one should use the <code>vdm</code> package instead
documentation	(no language specified) <i>Package Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/vdmlisting/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/vdmlisting/vdmlisting.pdf
– local file	<code>./6228151399-vdmlisting.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/vdmlisting

on MikTeX	vdmlisting
on T _E XLive	vdmlisting
keyword	formal-spec (typeset formal specification languages)
keyword	listing (computer code listing)
see also	see section 3468 on page 3135: (listing – Produce formatted program listings)
see also	see section 6579 on page 5945: (vdm – Typesetting VDM schemas)
language(s)	no language specified
year	2020
last access	2025-02-07

6581 *vector* – LaTeX macros for vectors

Web page on CTAN <https://ctan.org/pkg/vector>

name	vector
caption	LaTeX macros for vectors
author	Efford, Nick
license	noinfo = noinfo
version	1.0
description	(no language specified) Macros for convenient representation of vectors in LaTeX, both symbolically and as implicit or explicit rows/columns of elements.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/vector/vector.pdf
– local file	./8198230043-vector.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/vector/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/vector
on MikTeX	vector
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
year	without year
last access	2025-02-07

6582 `vectorlogos` – Vectorial logos (GeoGebra, Emacs, Scratch, ...) with ‘inline’ support

Web page on CTAN <https://ctan.org/pkg/vectorlogos>

name	<code>vectorlogos</code>
caption	Vectorial logos (GeoGebra, Emacs, Scratch, ...) with ‘inline’ support
author	Pierquet, Cédric
license	gpl2 = GNU General Public License, version 2 (free)
license	cc-by-3 = CC BY 3.0 (free)
license	other-free = Free license not otherwise listed (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	cc-by-4 = CC BY 4.0 (free)
version	0.1.3 (2024-03-30)
last changes	2024-03-30
year	2024
description	(no language specified) With this package you can insert vectorial logos of some ‘classic’ software. The format of the logos is pdf. The package provides macros to insert them inline, with automatic height and alignment.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/vectorlogos/doc/vectorlogos-doc.pdf
– local file	<code>./5286658492-vectorlogos-doc.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/vectorlogos/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/vectorlogos
on MikTeX	<code>vectorlogos</code>
on T _E XLive	<code>vectorlogos</code>
keyword	logo (symbols or drawings to specify an object, including icons)
language(s)	no language specified
last access	2025-05-27

6583 *venn* – Creating Venn diagrams with MetaPost

Web page on CTAN <https://ctan.org/pkg/venn>

name	venn
caption	Creating Venn diagrams with MetaPost
author	Hefferon, Jim
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) MetaPost macros for venn diagrams.
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/venn
on MikTeX	venn
on T _E XLive	venn
keyword	diagram-maths (diagrams used in mathematics)
see also	see section 6584 on page 5949: (venndiagram – Creating Venn diagrams with TikZ)
language(s)	no language specified
year	without year
last access	2025-02-07

6584 *venndiagram* – Creating Venn diagrams with TikZ

Web page on CTAN <https://ctan.org/pkg/venndiagram>

name	venndiagram
caption	Creating Venn diagrams with TikZ
author	Talbot, Nicola
copyright	Nicola Talbot (2012-2018)
license	lppl = The LaTeX Project Public License (free)
version	1.2 (2018-06-07)
last changes	2018-06-07
year	2018
description	(no language specified) The package assists generation of simple two- and three-set Venn diagrams for lectures or assignment sheets. The package requires the TikZ package.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/venndiagram/venndiagram.pdf
– local file	<code>./9954682190-venndiagram.pdf</code>
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/venndiagram/samples/venn-sample.pdf
– local file	<code>./1766070186-venn-sample.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/venndiagram/README
home page	http://www.dickimaw-books.com/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/venndiagram
on MikTeX	venndiagram
on T _E XLive	venndiagram
keyword	diagram-maths (diagrams used in mathematics)
keyword	pgf-tikz (package uses PGF-TikZ)
see also	see section 6583 on page 5949: (venn – Creating Venn diagrams with MetaPost)
language(s)	no language specified
last access	2025-02-07

6585 *venturisadf* – Venturis ADF fonts collection

Web page on CTAN	https://ctan.org/pkg/venturisadf
name	venturisADF
caption	Venturis ADF fonts collection
author	Rees, Clea F.
author	Harendal, Hirwen
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
license	other-free = Free license not otherwise listed (free)
version	2.0

description	(no language specified) Serif and sans serif complete text font families, in both Adobe Type 1 and OpenType formats for publication. The family is based on Utopia family, and has been modified and developed by the Arkandis Digital foundry. Support for using the fonts, in LaTeX, is also provided (and makes use of the <code>nfssex</code> - <code>cfr</code> package).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/venturisadf/README.md
documentation	(no language specified) <i>Documentation: installation and use</i> : https://ctan.org/tex-archive/fonts/venturisadf/doc/venturisadf.pdf
– local file	<code>./6721587395-venturisadf.pdf</code>
home page	http://arkandis.tuxfamily.org/tugfonts.htm
contact	<i>repository</i> : https://codeberg.org/cfr/nfssex
on CTAN	https://ctan.org/tex-archive/fonts/venturisadf
on MikTeX	<code>venturisadf</code>
on TeXLive	<code>venturisadf</code>
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-otf</code> (font in OpenType format)
language(s)	no language specified
year	without year
last access	2025-02-07

6586 *verbasef* – VERBatim Automatic Splitting of External Files

Web page on CTAN	https://ctan.org/pkg/verbasef
name	<code>verbasef</code>
caption	VERBatim Automatic Splitting of External Files
author	Thompson, Paul A.
license	<code>gpl</code> = GNU General Public License (free)
version	1.1

description	(no language specified) The package allows you to input (subsections of a) file, print them in <code>verbatim</code> mode, while automatically breaking up the input lines into pieces of a given length, which are output as figures. These figures are posted using the <code>[H]</code> specification, which forces LaTeX to place the figure at the spot of invocation, rather than floating the figures to the top of the next page. The package requires the <code>verbatim</code> , <code>here</code> and <code>vrbxin</code> packages.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/verbatim/verbatim-doc.pdf
– local file	<code>./8926762290-verbatim-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/verbatim
on MikTeX	<code>verbatim</code>
on TeXLive	<code>verbatim</code>
keyword	<code>verbatim</code> (verbatim typesetting, etc.)
keyword	<code>listing</code> (computer code listing)
language(s)	no language specified
year	without year
last access	2025-02-07

6587 *verbatim* – Reimplementation of and extensions to LaTeX *verbatim*

Web page on CTAN	https://ctan.org/pkg/verbatim
name	<code>verbatim</code>
caption	Reimplementation of and extensions to LaTeX <i>verbatim</i>
author	Schöpf, Rainer
author	The LaTeX Project Team
copyright	The LaTeX3 Project (1993-2023)
copyright	Rainer Schöpf (1989-2003)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.5x (2024-01-22)
last changes	2024-01-22
year	2024

description	(no language specified) The <code>verbatim</code> package reimplements the LaTeX <code>verbatim</code> and <code>verbatim*</code> environments. The package also provides a <code>comment</code> environment (that skips everything between <code>\begin{comment}</code> and <code>\end{comment}</code>), and a command <code>\verbatiminput</code> for typesetting the contents of a file, verbatim. The package is part of the latex-tools bundle in the LaTeX required distribution.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/required/tools/verbatim.pdf
– local file	<code>./9371259704-verbatim.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/required/tools
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-tools.tds.zip
on MikTeX	<code>latex-tools</code>
on T _E XLive	<code>tools</code>
keyword	<code>verbatim</code> (verbatim typesetting, etc.)
see also	see section 4069 on page 3682 : (<code>moreverb</code> – Extended verbatim)
see also	see section 137 on page 126 : (<code>alltt</code> – Everything in tt font, but obey commands and line endings)
see also	see section 2134 on page 1931 : (<code>fancyvrb</code> – Sophisticated verbatim text)
language(s)	no language specified
last access	2025-02-07

6588 verbatim-gen – Generic macros for setting text verbatim

Web page on CTAN <https://ctan.org/pkg/verbatim-gen>

name	<code>verbatim-gen</code>
caption	Generic macros for setting text verbatim
author	Taylor, Philip
license	<code>noinfo = noinfo</code>
version	(1993-11-12)
last changes	1993-11-12
year	1993

description	(no language specified) Defines a verbatim ‘environment’ — one types <code>\verbatim<text>\mitabrev</code> . “Short-form” versions used as <code> <text> </code> or <code>Ý<text>Ý</code> are provided for small chunks of text.
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/verbatim.tex
on MikTeX	genmisc
keyword	verbatim (verbatim typesetting, etc.)
language(s)	no language specified
last access	2025-02-07

6589 *verbatim-pln* – Define new verbatim “environments” in Plain TeX

Web page on CTAN	https://ctan.org/pkg/verbatim-pln
name	verbatim-pln
caption	Define new verbatim “environments” in Plain TeX
license	noinfo = noinfo
version	(1992-08-27)
last changes	1992-08-27
year	1992
description	(no language specified) Defines a command <code>\newverbatimenvironment</code> that allows the user to create their own verbatim commands. The macros use the maybeload and redefine macro bundles.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/verbatim.tex
keyword	verbatim (verbatim typesetting, etc.)
see also	see section 6597 on page 5960 : (<i>verbtim2</i> – Verbatim listings in Plain TeX)
see also	see section 6590 on page 5955 : (<i>verbatim-tub</i> – Plain TeX macros for verbatim)
language(s)	no language specified
last access	2025-02-07

6590 verbatim-tub – Plain TeX macros for verbatim

Web page on CTAN <https://ctan.org/pkg/verbatim-tub>

name	verbatim-tub
caption	Plain TeX macros for verbatim
author	Beeton, Barbara
license	noinfo = noinfo
version	(1992-08-27)
last changes	1992-08-27
year	1992
description	(no language specified) This an extract from the Plain TeX macros for TUGboat production.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/verbatim.mac
keyword	verbatim (verbatim typesetting, etc.)
see also	see section 6589 on page 5954: (verbatim-pln – Define new verbatim “environments” in Plain TeX)
see also	see section 6597 on page 5960: (verbtim2 – Verbatim listings in Plain TeX)
language(s)	no language specified
last access	2025-02-07

6591 verbatimbox – Deposit verbatim text in a box

Web page on CTAN <https://ctan.org/pkg/verbatimbox>

name	verbatimbox
caption	Deposit verbatim text in a box
author	Segletes, Steven B.
license	lppl = The LaTeX Project Public License (free)
version	3.2 (2023-08-08)
last changes	2023-08-08
year	2023

description	(no language specified) The package provides a <code>verbbox</code> environment (which uses techniques similar to those of the <code>boxedverbatim</code> environment of the <code>moreverb</code> package) to place its contents into a globally available box, or into a box specified by the user. The global box may then be used in a variety of situations (for example, providing a replica of the <code>boxedverbatim</code> environment itself). A valuable use is in places where the standard <code>verbatim</code> environment (which is based on <code>atrivlist</code>) may not appear. The package makes use of the <code>verbatim</code> package (which is a required part of any LaTeX distribution).
documentation	(no language specified) <i>package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/verbatimbox/verbatimbox.pdf
– local file	<code>./9742400343-verbatimbox.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/verbatimbox/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/verbatimbox
on MikTeX	<code>verbatimbox</code>
on TeXLive	<code>verbatimbox</code>
keyword	<code>verbatim</code> (verbatim typesetting, etc.)
keyword	<code>boxing</code> (creating boxes)
see also	see section 2134 on page 1931: (<code>fancyvrb</code> – Sophisticated verbatim text)
language(s)	no language specified
last access	2025-02-07

6592 *verbatimcopy* – Make copies of text documents from within LaTeX

Web page on CTAN	https://ctan.org/pkg/verbatimcopy
name	<code>verbatimcopy</code>
caption	Make copies of text documents from within LaTeX
author	Diez, Ulrich
author	Madsen, Lars
license	lppl = The LaTeX Project Public License (free)
version	0.06

description	(no language specified) This package provides <code>\VerbatimCopy{in}{out}</code> that will enable LaTeX to take a verbatim copy of one text file, and save it under another name. The package provides a means to specify the output directory to be used, but does no checking and may therefore overwrite an important file if used injudiciously.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/verbatimcopy/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/verbatimcopy/verbatimcopy.pdf
– local file	<code>./2461648070-verbatimcopy.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/verbatimcopy
on MikTeX	<code>verbatimcopy</code>
on TeXLive	<code>verbatimcopy</code>
keyword	<code>verbatim</code> (verbatim typesetting, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

6593 *verbdef* – Define commands which expand to verbatim text

Web page on CTAN <https://ctan.org/pkg/verbdef>

name	<code>verbdef</code>
caption	Define commands which expand to verbatim text
author	Carlisle, David
author	Fairbairns, Robin
license	lppl = The LaTeX Project Public License (free)
version	0.2
description	(no language specified) The package defines a single command <code>\verbdef</code> (which has a *-form, like <code>\verb</code>). <code>\verbdef</code> will define a robust command whose body expands to verbatim text. By using commands defined by <code>\verbdef</code> , one can put verbatim text into the arguments of commands; since the defined command is robust, it doesn't matter if the argument is moving. (Full details of syntax and caveats about use are in comments in the file itself.)

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/verbdef/verbdef.pdf
– local file	<code>./4064105596-verbdef.pdf</code>
contact	<i>support</i> : https://github.com/rf-latex/verbdef/issues
contact	<i>repository</i> : https://github.com/rf-latex/verbdef
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/verbdef
on MikTeX	<code>verbdef</code>
on TeXLive	<code>verbdef</code>
keyword	<code>verbatim</code> (<code>verbatim</code> typesetting, etc.)
see also	see section 4242 on page 3841: (<code>newverbs</code> – Define new versions of <code>\verb</code> , including short verb versions)
language(s)	no language specified
year	without year
last access	2025-02-07

6594 `verbinp` – “8-bit” `verbatim`

Web page on CTAN <https://ctan.org/pkg/verbinp>

name	<code>verbinp</code>
caption	“8-bit” <code>verbatim</code>
author	Perske, Rainer
copyright	Rainer Perske (1993)
license	<code>noinfo</code> = <code>noinfo</code>
version	(1993-08-23)
last changes	1993-08-23
year	1993
description	(no language specified) In the days before the advent of LaTeX 2e, and of the <code>inputenc</code> package, this package enabled the use of ISO 8859-1 coded <code>verbatim</code> input through a <code>\verbinp</code> command.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/verbinp.sty
keyword	<code>verbatim</code> (<code>verbatim</code> typesetting, etc.)
language(s)	no language specified

last access 2025-02-07

6595 `verbments` – Syntax highlighting of source code in LaTeX documents

Web page on CTAN <https://ctan.org/pkg/verbments>

name	<code>verbments</code>
caption	Syntax highlighting of source code in LaTeX documents
author	Zivković, Dejan
copyright	Dejan Zivković (2011)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.2
description	(no language specified) The package provides an environment for syntax highlighting source code in LaTeX documents. The highlighted source code output is formatted via powerful Pygments library of the Python language.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/verbments/verbments.pdf
– local file	<code>./9352127054-verbments.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/verbments/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/verbments
on MikTeX	<code>verbments</code>
on TeXLive	<code>verbments</code>
keyword	<code>listing</code> (computer code listing)
see also	see section 3996 on page 3614: (<code>minted</code> – Highlighted source code for LaTeX)
see also	see section 6011 on page 5434: (<code>texments</code> – Using the Pygments highlighter in LaTeX)
language(s)	no language specified
year	2011
last access	2025-02-07

6596 *verbatim* – Verbatim, interpreting non-ascii text

Web page on CTAN <https://ctan.org/pkg/verbatim>

name	<code>verbatim</code>
caption	Verbatim, interpreting non-ascii text
author	Perske, Rainer
copyright	Rainer Perske (1993)
license	gpl = GNU General Public License (free)
version	(1993-09-17)
last changes	1993-09-17
year	1993
description	(no language specified) The package provides common verbatim facilities (inline text and text input from a file), and is set up to interpret other than plain ASCII text (specifically ISO 8859-1 and Microsoft code pages 437 and 850); nothing more than the <code>cmtt</code> font family is needed.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/verbatim
keyword	<code>inputenc</code> (input encoding support for TeX engines)
keyword	<code>verbatim</code> (verbatim typesetting, etc.)
see also	see section 6587 on page 5952: (<code>verbatim</code> – Reimplementation of and extensions to LaTeX verbatim)
language(s)	no language specified
last access	2025-02-07

6597 *verbtim2* – Verbatim listings in Plain TeX

Web page on CTAN <https://ctan.org/pkg/verbtim2>

name	<code>verbtim2</code>
caption	Verbatim listings in Plain TeX
author	Morgan, Tim
license	noinfo = noinfo
version	(1992-08-27)
last changes	1992-08-27
year	1992

description	(no language specified) Verbatim macros, including verbatim file input and verbatim with numbered lines.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/verbtim2.tex
keyword	<code>verbatim</code> (verbatim typesetting, etc.)
see also	see section 6589 on page 5954: (<code>verbatim-pln</code> – Define new verbatim “environments” in Plain TeX)
see also	see section 6590 on page 5955: (<code>verbatim-tub</code> – Plain TeX macros for verbatim)
language(s)	no language specified
last access	2025-02-07

6598 *verdana* – Macros and metrics for using Verdana with LaTeX

Web page on CTAN <https://ctan.org/pkg/verdana>

name	<code>verdana</code>
caption	Macros and metrics for using Verdana with LaTeX
author	Daems, Walter
copyright	Walter Daems (2011-2016)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2b (2016-01-08)
last changes	2016-01-08
year	2016
description	(no language specified) The package provides a T1-encoded wrapper for using the Verdana (sans-serif) font with pdfLaTeX. The TrueType files are <i>not</i> part of the package; if they are not provided with your operating system, you may download them (address in the documentation). Not all distributions of the fonts offer the f-ligatures (fi, ff and fl) common in TeX-related fonts; the package has an option to avoid usage of such ligatures.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/verdana/verdana.pdf
– local file	<code>./6701964840-verdana.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/verdana/README
on CTAN	https://ctan.org/tex-archive/fonts/verdana

installation	https://ctan.org/tex-archive/install/fonts/verdana.tds.zip
on MikTeX	verdana
keyword	font-absent (support is for a font not available on CTAN)
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
last access	2025-02-07

6599 *verifica* – *Typeset (Italian high school) exercises*

Web page on CTAN	https://ctan.org/pkg/verifica
name	verifica
caption	Typeset (Italian high school) exercises
author	Dossena, Riccardo
copyright	Riccardo Dossena (2020-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.0 (2025-07-04)
last changes	2025-07-04
year	2025
description	(no language specified) This class provides various environments and commands to produce the typical exercises contained in a test. It is mainly intended for Italian high school teachers, as the style is probably more in line with Italian high school tests.
documentation	(Italian) <i>Example of use (1)</i> : https://ctan.org/tex-archive/macros/latex/contrib/verifica/example1.pdf
– local file	./2951419382-example1.pdf
documentation	(Italian) <i>Example of use (4)</i> : https://ctan.org/tex-archive/macros/latex/contrib/verifica/example4.pdf
– local file	./4391809043-example4.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/verifica/README
documentation	(Italian) <i>Example of use (5)</i> : https://ctan.org/tex-archive/macros/latex/contrib/verifica/example5.pdf
– local file	./6740727251-example5.pdf

documentation	(Italian) <i>Example of use (2)</i> : https://ctan.org/tex-archive/macros/latex/contrib/verifica/example2.pdf
– local file	./1103932821-example2.pdf
documentation	(Italian) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/verifica/verifica.pdf
– local file	./5142153930-verifica.pdf
documentation	(Italian) <i>Example of use (3)</i> : https://ctan.org/tex-archive/macros/latex/contrib/verifica/example3.pdf
– local file	./2091081340-example3.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/verifica
on MikTeX	verifica
on TeXLive	verifica
keyword	exam (exams, quizzes, etc.)
keyword	class (alternative LaTeX class(es))
keyword	exercise (exercises, problems for solution, etc.)
language(s)	Italian
last access	2025-07-09

6600 *verifiche* – A LaTeX package to typeset (Italian) high school tests

Web page on CTAN	https://ctan.org/pkg/verifiche
name	verifiche
caption	A LaTeX package to typeset (Italian) high school tests
author	Raccanello, Francesco
copyright	Francesco Raccanello (2020-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	8.0 (2024-11-27)
last changes	2024-11-27
year	2024
description	(no language specified) The purpose of this package is to manage the exercises for a test, their points, levels of difficulty, and solutions. Some typical formats of exercises are already implemented: • Plain exercise

6601 *verifycommand* – Verifies definitions are unchanged, such as before patching

	• "Complete the Text" • "True or false" • Closed questions • Open questions • "Find the error"
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/verifiche/README.md
documentation	(Italian) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/verifiche/verifiche.pdf
– local file	./9121009141-verifiche.pdf
documentation	(Italian) <i>Example of use</i> : https://ctan.org/tex-archive/macros/latex/contrib/verifiche/verifiche-example.pdf
– local file	./7333160283-verifiche-example.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/verifiche
on MikTeX	verifiche
on T _E XLive	verifiche
keyword	exam (exams, quizzes, etc.)
keyword	exercise (exercises, problems for solution, etc.)
language(s)	Italian
last access	2025-02-07

6601 *verifycommand* – Verifies definitions are unchanged, such as before patching

Web page on CTAN <https://ctan.org/pkg/verifycommand>

name	verifycommand
caption	Verifies definitions are unchanged, such as before patching
author	Dunn, Brian
copyright	Brian Dunn (2024-2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.11 (2025-03-07)
last changes	2025-03-07
year	2025

description	(no language specified) This package is intended for package authors who patch code from other packages. To improve reliability, the <code>verifycommand</code> package provides a way to verify that macros or environments have not changed. This allows a package author to check before patching a definition. If a definition is not as expected, a warning is issued. At the end of the compile, a list of all changed definitions is displayed.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/verifycommand/verifycommand.pdf
– local file	<code>./7122016925-verifycommand.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/verifycommand/README.txt
contact	<i>bugs:</i> https://github.com/bdte/verifycommand
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/verifycommand
on MikTeX	<code>verifycommand</code>
on TeXLive	<code>verifycommand</code>
keyword	<code>package-devel</code> (support for package development)
language(s)	no language specified
last access	2025-03-13

6602 *verse* – Aids for typesetting simple verseWeb page on CTAN <https://ctan.org/pkg/verse>

name	<code>verse</code>
caption	Aids for typesetting simple verse
author	Robertson, Will
author	Wilson, Peter R.
license	lppl = The LaTeX Project Public License (free)
version	2.4c
description	(no language specified) The package documentation discusses approaches to the problem; the package is strong on layout, from simple alternate-line indentation to the Mouse’s tale from Alice in Wonderland.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/verse/README

6603 *version* – Conditionally include text

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/verse/verse.pdf
– local file	./8423452714-verse.pdf
contact	<i>repository:</i> https://github.com/wspr/herries-press/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/verse
on MikTeX	verse
on T _E XLive	verse
keyword	verse (typeset verse, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

6603 *version* – Conditionally include text

Web page on CTAN	https://ctan.org/pkg/version
name	version
caption	Conditionally include text
author	Arseneau, Donald
author	Bellantoni, Stephen
license	other-free = Free license not otherwise listed (free)
version	2.0
description	(no language specified) Defines macros <code>\includeversion{NAME}</code> and <code>\excludeversion{NAME}</code>, each of which defines an environment NAME whose text is to be included or excluded from compilation. Although the command syntax is very similar to that of comment, <code>comment.sty</code> is to be preferred to <code>version.sty</code> for documents where significant chunks of text may be excluded.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/version/version-doc.pdf
– local file	./8647701575-version-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/version
on MikTeX	ltxmisc
on T _E XLive	version

keyword	cond-comp (conditional typesetting)
see also	see section 6587 on page 5952: (verbatim – Reimplementation of and extensions to LaTeX verbatim)
see also	see section 6604 on page 5967: (versions – Optionally omit pieces of text)
see also	see section 4405 on page 3991: (optional – Facilitate optional printing of parts of a document)
see also	see section 1237 on page 1124: (comment – Selectively include/exclude portions of text)
language(s)	no language specified
year	without year
last access	2025-02-07

6604 *versions* – Optionally omit pieces of text

Web page on CTAN <https://ctan.org/pkg/versions>

name	versions
caption	Optionally omit pieces of text
author	Lück, Uwe
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.55
description	(no language specified) Stephan Bellantoni’s <i>version</i> has provided preamble commands for selecting environments to be included/excluded. This package does the same, but corrects, improves, and extends it in both implementation and function.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/versions/versions-doc.pdf
– local file	./9187073431-versions-doc.pdf
contact	<i>support</i> : http://www.webdesign-bu.de/uwe_lueck/contact.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/versions
on MikTeX	versions
on TeXLive	versions
keyword	cond-comp (conditional typesetting)
see also	see section 6603 on page 5966: (version – Conditionally include text)

see also	see section 1237 on page 1124: (comment – Selectively include/exclude portions of text)
see also	see section 6587 on page 5952: (verbatim – Reimplementation of and extensions to LaTeX verbatim)
see also	see section 4405 on page 3991: (optional – Facilitate optional printing of parts of a document)
language(s)	no language specified
year	without year
last access	2025-02-07

6605 *versionotes* – Display brief notes on verso pages

Web page on CTAN <https://ctan.org/pkg/versionotes>

name	versionotes
caption	Display brief notes on verso pages
author	Gray, Norman
copyright	Norman Gray (2014, 2015, 2019, 2023)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.5 (2023-12-31)
last changes	2023-12-31
year	2023
description	(no language specified) This package allows you to place notes on the verso pages of an otherwise single-sided document. If, in the run of text, you include a call to the macro <code>\versionote{This is a remark}</code> , then that text will be placed on the opposite (ie, ‘verso’) page, lined up with the macro call.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/versionotes/README.md
documentation	(no language specified) <i>Example of usage</i> : https://ctan.org/tex-archive/macros/latex/contrib/versionotes/sample.pdf
– local file	<code>./2750440397-sample.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/versionotes/versionotes.pdf
– local file	<code>./7167354477-versionotes.pdf</code>

home page	https://nxg.me.uk/dist/versonotes/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/versonotes
on MikTeX	versonotes
on T _E XLive	versonotes
keyword	notes (general notes (not including endnotes or footnotes))
language(s)	no language specified
last access	2025-02-07

6606 *vertbars* – Mark vertical rules in margin of text

Web page on CTAN	https://ctan.org/pkg/vertbars
name	vertbars
caption	Mark vertical rules in margin of text
author	Robertson, Will
author	Wilson, Peter R.
copyright	Will Robertson (2010-2018)
copyright	Peter R Wilson (2000)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0c (2018-12-16)
last changes	2018-12-16
year	2018
description	(no language specified) This package is an extension to lineno , replacing that package's line numbers with bars to the left or right of the text.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/vertbars/vertbars.pdf
– local file	./1958810138-vertbars.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/vertbars/README.md
contact	<i>repository</i> : https://github.com/wspr/herries-press/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/vertbars
on MikTeX	vertbars

on T _E XLive	vertbars
keyword	editorial (editor’s marks, highlights, etc.)
see also	see section 992 on page 901: (changebar – Generate changebars in LaTeX documents)
language(s)	no language specified
last access	2025-02-07

6607 *vertex* – Styles for economics working papers and journals

Web page on CTAN <https://ctan.org/pkg/vertex>

name	vertex
caption	Styles for economics working papers and journals
author	Varian, Hal
license	noinfo = noinfo
version	(1991-05-23)
last changes	1991-05-23
year	1991
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/contrib/vertex/READ.ME
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/plain/contrib/vertex/vertex.pdf
– local file	./9276790646-vertex.pdf
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/vertex
keyword	gen-paper (paper (simply) for communication, not necessarily for publication)
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
last access	2025-02-07

6608 *vexillology* – Vexillogical symbols

Web page on CTAN <https://ctan.org/pkg/vexillology>

name	vexillology
caption	Vexillogical symbols
author	Hammond, Karl D.
copyright	Karl D. Hammond (2026)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0.0 (2026-01-15)
last changes	2026-01-15
year	2026
description	(no language specified) This package implements symbols used by vexillologists (people who study flags) to indicate certain aspects of flags, such as where they are used, who uses them, and what they look like. The package uses Ti k Z to draw the symbols, whose heights scale with the font size.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/vexillology/vexillology.pdf
– local file	./9282627589-vexillology.pdf
documentation on CTAN	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/vexillology/README.md
on MikTeX	https://ctan.org/tex-archive/graphics/pgf/contrib/vexillology
on T _E XLive	vexillology
keyword	graphics-symb (create symbols, rather than select from a font)
keyword	graphics (graphics (support packages))
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	text-symbol (symbols for use in text)
language(s)	no language specified
last access	2026-03-26

6609 *vf-howto* – Tutorial on creating virtual fonts

Web page on CTAN <https://ctan.org/pkg/vf-howto>

name	<code>vf-howto</code>
caption	Tutorial on creating virtual fonts
author	Schmitz, Thomas A.
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) This file gives a brief step-by-step tutorial on how virtual fonts can be created and used.
on CTAN	https://ctan.org/tex-archive/info/virtualfontshowto
keyword	<code>font-doc</code> (documentation about choosing installing and using fonts)
see also	see section 6610 on page 5972: (<i>vf-knuth</i> – Knuth on virtual fonts)
language(s)	no language specified
year	without year
last access	2026-03-26

6610 *vf-knuth* – Knuth on virtual fonts

Web page on CTAN <https://ctan.org/pkg/vf-knuth>

name	<code>vf-knuth</code>
caption	Knuth on virtual fonts
author	Knuth, Donald E.
license	knuth = Knuth License (free)
version	(1990-01-08)
last changes	1990-01-08
year	1990
description	(no language specified) This file contains the text of Knuth’s first article on virtual fonts.
documentation	(no language specified) <i>The article itself, scanned from TUGboat:</i> https://tug.org/TUGboat/Articles/tb11-1/tb27knut.pdf
– local file	<code>./1315422211-tb27knut.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/knuth/virtual-fonts
keyword	<code>font-doc</code> (documentation about choosing installing and using fonts)

language(s) no language specified
last access 2026-03-26

6611 *vfcomb* – VF author support

Web page on CTAN <https://ctan.org/pkg/vfcomb>

name *vfcomb*
caption VF author support
author Berdnikov, Alexander
license noinfo = noinfo
version (1996-10-11)
last changes 1996-10-11
year 1996
description (no language specified) A system to support the writers of virtual fonts; this is written in Turbo Pascal, and sources are included.
documentation (no language specified) *Package documentation:* <https://ctan.org/tex-archive/systems/msdos/utilities/vfcomb/vfc-eng.pdf>
– local file ./9953742020-vfc-eng.pdf
on CTAN <https://ctan.org/tex-archive/systems/msdos/utilities/vfcomb>
keyword font-proc (process fonts for use with TeX (includes installation))
language(s) no language specified
last access 2026-03-26

6612 *vfinst* – Virtual font installation support

Web page on CTAN <https://ctan.org/pkg/vfinst>

name *vfinst*
caption Virtual font installation support
author Hoenig, Alan
license gpl = GNU General Public License (free)
version 0.8

description	(no language specified) A set of scripts and Perl files which aim to make the installation of families of PostScript fonts and creation of necessary virtual fonts and outline fonts ‘virtually’ automatic. The scripts use fontinst .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/utilities/vfinst/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/utilities/vfinst/vfinst.pdf
– local file	<code>./6867071249-vfinst.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/utilities/vfinst
keyword	<code>font-proc</code> (process fonts for use with TeX (includes installation))
language(s)	no language specified
year	without year
last access	2026-03-26

6613 *vfware* – Tools for virtual font metrics

Web page on CTAN <https://ctan.org/pkg/vfware>

Alias	<code>vftovp</code>
Alias	<code>vptovf</code>
name	<code>vfware</code>
caption	Tools for virtual font metrics
author	Knuth, Donald E.
license	knuth = Knuth License (free)
version	(2021-02-05)
last changes	2021-02-05
year	2021
description	(no language specified) Virtual font metrics are usually created in a textual form, the Virtual Property List, but programs that use them need to use binary files (the Virtual Font and the TeX Font Metric). The present two programs translate between the two forms: – <code>vptovf</code> takes a VPL file and generates a VF file and a TFM file; – <code>vftovp</code> takes a VF file and a TFM file and generates a VPL file. The programs are to be found in every distribution of TeX.
contact	<i>support</i> : https://lists.tug.org/tex-k
contact	<i>bugs</i> : https://lists.tug.org/tex-k

6614 *vgrid* – Overlay a grid on the printed page

contact	<i>repository:</i> https://tug.org/svn/texlive/trunk/Build/source/texk/web2c/
on CTAN	https://ctan.org/tex-archive/systems/knuth/dist/etc
on T _E XLive	fontware
keyword	debug-supp (support for package or document debugging)
keyword	collection (a collection of packages)
keyword	font-util (manipulate or examine fonts)
language(s)	no language specified
last access	2026-03-26

6614 *vgrid* – Overlay a grid on the printed page

Web page on CTAN <https://ctan.org/pkg/vgrid>

name	vgrid
caption	Overlay a grid on the printed page
author	Lawrence, Scott
copyright	Scott Lawrence (2013)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1
description	(no language specified) The package overlays a grid (whose spacing is <code>\baselineskip</code> , which offers guidelines for considering the "rhythm" of the document on the page.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/vgrid/vgrid.pdf
– local file	./6927974855-vgrid.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/vgrid
on MikT _E X	vgrid
on T _E XLive	vgrid
keyword	layout-supp (provide marks to assist in layout design)
language(s)	no language specified
year	2013
last access	2025-02-07

6615 vhistory – Support for creating a change logWeb page on CTAN <https://ctan.org/pkg/vhistory>

name	vhistory
caption	Support for creating a change log
author	Wertenuer, Jochen
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.8.0
description	(no language specified) Vhistory simplifies the creation of a history of versions of a document. You can easily extract information like the current version of a list of authors from that history. It helps you to get consistent documents. The package sets, which is used by vhistory, allows you to use sets containing text. You can use the usual operations to create the union of sets or the intersection of sets etc.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/vhistory/README.md
documentation	(no language specified) <i>Short example</i> : https://ctan.org/tex-archive/macros/latex/contrib/vhistory/doc/vh_set_example.pdf
– local file	./6802725461-vh_set_example.pdf
documentation	<i>Package documentation (German)</i> : https://ctan.org/tex-archive/macros/latex/contrib/vhistory/doc/vh_sets_de.pdf
– local file	./9016298722-vh_sets_de.pdf
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/vhistory/doc/vh_sets_en.pdf
– local file	./3219377980-vh_sets_en.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/vhistory
on MikTeX	vhistory
on T _E XLive	vhistory
keyword	version-control (version control details)
language(s)	German
year	without year
last access	2025-02-07

6616 vicentino – Vicentino fonts

Web page on CTAN <https://ctan.org/pkg/vicentino>

name	vicentino
caption	Vicentino fonts
author	Kraml, Willibald
author	Kilfiger, James
license	nocommercial = No Commercial Use (not free)
description	(no language specified) A set of cursive fonts, written in Metafont for OT1 encoding only. Various font shapes are provided, in both medium and bold series, and there are swash fonts as well. LaTeX macros for using the fonts are provided (subdirectory kilfiger).
documentation	(no language specified) <i>General overview</i> : https://ctan.org/tex-archive/fonts/vicentino/kilfiger/readme
documentation	(no language specified) <i>Copyright notice: fonts</i> : https://ctan.org/tex-archive/fonts/vicentino/kraml/read.me
documentation	(no language specified) <i>Details of the font files</i> : https://ctan.org/tex-archive/fonts/vicentino/kraml/readme.2
on CTAN	https://ctan.org/tex-archive/fonts/vicentino
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-calligraphic (calligraphic (or handwriting) fonts)
language(s)	no language specified
year	without year
last access	2025-02-07

6617 vietnet – Preprocessor and macros for Vietnamese

Web page on CTAN <https://ctan.org/pkg/vietnet>

name	vietnet
caption	Preprocessor and macros for Vietnamese
author	Tran, Tony
license	noinfo = noinfo
version	(1992-09-27)

last changes	1992-09-27
year	1992
description	(no language specified) VNTeX is a preprocessor (written in C) that translates Vietnamese text, written according to a specific set of rules, into TeX. VNTeX takes an <code>.vnt</code> file and creates a corresponding <code>.tex</code> file, together with a file of supporting macros.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/vietnamese/vietnet/readme.2
on CTAN	https://ctan.org/tex-archive/language/vietnamese/vietnet
keyword	vietnamese (support for typesetting of Vietnamese)
keyword	foreign-import (import files in a non-TeX (or different TeX) format)
language(s)	no language specified
last access	2025-02-07

6618 viiptart – 7pt-article class

Web page on CTAN <https://ctan.org/pkg/viiptart>

name	viiptart
caption	7pt-article class
author	Zadka, Moshe
license	other-free = Free license not otherwise listed (free)
version	0.1
description	(no language specified) An article-like document class whose <code>\normalsize</code> is 7pt rather than 10pt.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/viiptart
keyword	article-like (LaTeX article classes and their developments)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
year	without year
last access	2025-02-07

6619 **viking** – Scandinavian runic alphabet as used by the Vikings

Web page on CTAN <https://ctan.org/pkg/viking>

name	viking
caption	Scandinavian runic alphabet as used by the Vikings
author	Zimmermann, Uwe
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The package viking contains the two 16 letter runic alphabets as used by the vikings in Scandinavia.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/archaic/viking/README
on CTAN	https://ctan.org/tex-archive/fonts/archaic/viking
on MikTeX	archaic
on T _E XLive	archaic
keyword	font-rune (fonts for runic inscriptions)
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	no language specified
year	without year
last access	2025-02-07

6620 **vispeech** – Using Bell's Visible Speech alphabet

Web page on CTAN <https://ctan.org/pkg/vispeech>

name	vispeech
caption	Using Bell's Visible Speech alphabet
author	Shoulson, Mark
license	noinfo = noinfo
version	(1994-03-14)
last changes	1994-03-14
year	1994

description	(no language specified) The Visible Speech is a phonetic alphabet invented by Alexander Melville Bell (father of Alexander Graham Bell). Bell was a teacher of the deaf, and this alphabet was intended as an aid to teaching the deaf how to pronounce words, by reducing sounds to a supposedly unambiguous representation. The bundle contains fonts (as Metafont source), macros for their use, and some descriptive documents (as Plain TeX).
on CTAN	https://ctan.org/tex-archive/language/vispeech
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-specialist (fonts with specific small application areas)
language(s)	no language specified
last access	2025-02-07

6621 visualfaq – A Visual LaTeX FAQ

Web page on CTAN	https://ctan.org/pkg/visualfaq
name	visualFAQ
caption	A Visual LaTeX FAQ
author	Pakin, Scott
copyright	Scott Pakin (2006-2021)
license	lppl = The LaTeX Project Public License (free)
version	(2021-08-08)
last changes	2021-08-08
year	2021
description	(no language specified) Having trouble finding the answer to a LaTeX question? The Visual LaTeX FAQ is an innovative new search interface that presents over a hundred typeset samples of frequently requested document formatting. Simply click on a hyperlinked piece of text and the Visual LaTeX FAQ will send your Web browser to the appropriate page in the TeX FAQ .
documentation	(no language specified) <i>Dealing with visual FAQ problems::</i> https://ctan.org/tex-archive/info/visualfaq/troubleshoot-vlf.pdf
– local file	./4993772631-troubleshoot-vlf.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/info/visualfaq/README

documentation	(no language specified) <i>The visual FAQ itself</i> : https://ctan.org/tex-archive/info/visualfaq/visualFAQ.pdf
– local file	<code>./6749661363-visualFAQ.pdf</code>
contact	<i>repository</i> : https://github.com/spakin/visualFAQ
on CTAN	https://ctan.org/tex-archive/info/visualfaq
on MikTeX	<code>visualfaq</code>
on T _E XLive	<code>visualfaq</code>
keyword	<code>faq</code> (frequently asked questions, with answers)
language(s)	no language specified
last access	2025-02-07

6622 *visualfaq-fr* – FAQ LaTeX visuelle francophone

Web page on CTAN <https://ctan.org/pkg/visualfaq-fr>

name	<code>visualFAQ-fr</code>
caption	FAQ LaTeX visuelle francophone
author	Just, Jérémy
copyright	Jérémy Just (2021)
copyright	Scott Pakin (2015-2021)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2023-09-24)
last changes	2023-09-24
year	2023
description	(no language specified) (<i>French version below.</i>)

The **Visual LaTeX FAQ** is an innovative new search interface on LaTeX Frequently Asked Questions. This version is a French translation, offering links to the **French-speaking LaTeX FAQ**.

Vous avez du mal à trouver la réponse à une question sur LaTeX ou même à trouver les mots pour exprimer votre question? La FAQ LaTeX visuelle est une interface de recherche innovante qui présente plus d'une centaine d'exemples de mises en forme de documents fréquemment demandées. Il suffit de cliquer sur l'hyperlien qui correspond à ce que vous souhaitez faire – ou ne pas faire – et la FAQ LaTeX visuelle enverra votre navigateur web à la page correspondante de la **FAQ LaTeX francophone**.

documentation	(no language specified) <i>The visual FAQ itself</i> : https://ctan.org/tex-archive/info/visualfaq-fr/visualFAQ-fr.pdf
– local file	./1334029008-visualFAQ-fr.pdf
documentation	(no language specified) <i>Dealing with visual FAQ problems</i> : https://ctan.org/tex-archive/info/visualfaq-fr/troubleshoot-vlf-fr.pdf
– local file	./8487075639-troubleshoot-vlf-fr.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/visualfaq-fr/README
home page	https://www.latex-fr.net
contact	<i>repository</i> : https://github.com/jejust/visualFAQ-fr
on CTAN	https://ctan.org/tex-archive/info/visualfaq-fr
on MikTeX	visualfaq-fr
on T _E XLive	visualfaq-fr
keyword	french-doc (documentation in French)
keyword	faq (frequently asked questions, with answers)
language(s)	no language specified
last access	2025-02-07

6623 visualpstricks – Visual help for PSTricks based on images with minimum text

Web page on CTAN	https://ctan.org/pkg/visualpstricks
name	VisualPSTricks
caption	Visual help for PSTricks based on images with minimum text
author	Casteleyn, Jean Pierre
license	gpl = GNU General Public License (free)
version	2.3
description	(no language specified) Visual help for PSTricks based on images with minimum text. One image per command or per parameter.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/visualpstricks/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/info/visualpstricks/VisualPSTricks.pdf
– local file	./3061976380-VisualPSTricks.pdf

documentation	<i>Package documentation (French):</i> https://ctan.org/tex-archive/info/visualpstricks/VisuelPSTricks.pdf
– local file	<code>./7062033072-VisuelPSTricks.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/visualpstricks
on T _E XLive	<code>visualpstricks</code>
keyword	<code>pstricks</code> (package using PStricks for graphical output)
keyword	<code>graphics-doc</code> (documentation of techniques for using graphics)
keyword	<code>french-doc</code> (documentation in French)
keyword	<code>graphics-in-tex</code> (graphics produced by one of the *TeX engines)
language(s)	French
year	without year
last access	2026-04-12

6624 visualtetex – A TeX-oriented visual editor for Windows platforms

Web page on CTAN	https://ctan.org/pkg/visualtetex
name	<code>visualtetex</code>
caption	A TeX-oriented visual editor for Windows platforms
author	Romanenko, Alex
copyright	Alex Romanenko (2005-2007)
license	gpl = GNU General Public License (free)
version	3.99
description	(no language specified) Visual-TeX is a TeX-oriented text editor which uses Neil Hodgson's Scintilla editing component as source code editor, and a TeX lexer by the package author. The editor has several valuable TeX-specific features, including forward search capability from YAP.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/systems/win32/visualtetex/README
contact	<i>repository:</i> http://sourceforge.net/projects/visualtetex
on CTAN	https://ctan.org/tex-archive/systems/win32/visualtetex
keyword	editor (editor designed (or adapted) for use with (La)TeX)
language(s)	no language specified
year	2007

last access 2025-02-07

6625 *visualtikz* – Visual help for TikZ based on images with minimum text

Web page on CTAN <https://ctan.org/pkg/visualtikz>

name VisualTikZ

caption Visual help for TikZ based on images with minimum text

author Casteleyn, Jean Pierre

license lpl1.3 = The LaTeX Project Public License 1.3 (free)

version 0.65 (2018-01-18)

last changes 2018-01-18

year 2018

description (no language specified) Visual help for **TikZ** based on images with minimum text: an image per command or parameter.

The document is in French, but will be translated into English later.

documentation (no language specified) *Readme:*

<https://ctan.org/tex-archive/info/visualtikz/README.txt>

documentation (no language specified) *The document itself:* [https:](https://ctan.org/tex-archive/info/visualtikz/VisualTikZ.pdf)

[//ctan.org/tex-archive/info/visualtikz/VisualTikZ.pdf](https://ctan.org/tex-archive/info/visualtikz/VisualTikZ.pdf)

– local file ./9598255712-VisualTikZ.pdf

documentation *The document itself (French):* [https:](https://ctan.org/tex-archive/info/visualtikz/VisualTikZ-fr.pdf)

[//ctan.org/tex-archive/info/visualtikz/VisualTikZ-fr.pdf](https://ctan.org/tex-archive/info/visualtikz/VisualTikZ-fr.pdf)

– local file ./2034450094-VisualTikZ-fr.pdf

on CTAN <https://ctan.org/tex-archive/info/visualtikz>

on T_EXLive visualtikz

keyword french-doc (documentation in French)

keyword graphics-in-tex (graphics produced by one of the *TeX engines)

keyword pgf-tikz (package uses PGF-TikZ)

keyword graphics-doc (documentation of techniques for using graphics)

language(s) French

last access 2025-02-07

6626 `visualtoks` – Typeset TeXbook-style visualisations of token lists

Web page on CTAN <https://ctan.org/pkg/visualtoks>

name	<code>visualtoks</code>
caption	Typeset TeXbook-style visualisations of token lists
author	plante
copyright	plante (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1b
description	(no language specified) This package provides the <code>\visualtoks</code> command to display arbitrary list of tokens, for pedagogical or debugging purposes, in a style inspired by Knuth's TeXbook. The package may be used in plain TeX or LaTeX.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/generic/visualtoks/visualtoks-doc.pdf
– local file	<code>./4576792754-visualtoks-doc.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/generic/visualtoks/README.md
contact	<i>repository</i> : https://github.com/plante3/visualtoks/tree/main
on CTAN	https://ctan.org/tex-archive/macros/generic/visualtoks
on MikTeX	<code>visualtoks</code>
on TeXLive	<code>visualtoks</code>
keyword	macro-gen (macros that are independent of the (TeX) format in use)
keyword	macro-demo (print (La)TeX code verbatim alongside the rendered result)
keyword	etex (requires e-TeX)
language(s)	no language specified
year	2025
last access	2025-09-13

6627 *vita* – Configurable class for curricula vitarum

Web page on CTAN <https://ctan.org/pkg/vita>

name	<code>vita</code>
caption	Configurable class for curricula vitarum
author	Brodnik, Andrej
copyright	Andrej Brodnik (1995)
license	other-nonfree = License that prevents distribution (not free)
version	(1996-10-09)
last changes	1996-10-09
year	1996
description	(no language specified) The <i>vita</i> class provides necessary macros to prepare your Curriculum Vitae or Resume. The class may be configured, both according to language of presentation, and according to subject matter. Configuration is done by selecting a class option; options for Computer Science and Singing, in both English and Slovenian, are provided as examples. The class is said to be based on vita209 .
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/vita/READ.ME
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/vita
keyword	<code>cv</code> (curriculum vitae/Resumé)
keyword	<code>class</code> (alternative LaTeX class(es))
see also	see section 2039 on page 1841 : (<i>EuropeCV</i> – Unofficial class for European curricula vitae)
see also	see section 4038 on page 3651 : (<i>moderncv</i> – A modern curriculum vitae class)
see also	see section 1445 on page 1307 : (<i>CurVe</i> – A class for making curriculum vitae)
language(s)	no language specified
last access	2025-02-07

6628 *vita209* – A Curriculum Vitae styleWeb page on CTAN <https://ctan.org/pkg/vita209>

name	vita209
caption	A Curriculum Vitae style
author	Border, Kim C
license	noinfo = noinfo
version	(1991-08-09)
last changes	1991-08-09
year	1991
description	(no language specified) The package is said to be "along the lines of A Handbook for Scholars"
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/vita.sty
keyword	latex209 (package only known to work with LaTeX 2.09)
keyword	cv (curriculum vitae/Resumé)
language(s)	no language specified
last access	2025-02-11

6629 *vmargin* – Set various page dimensionsWeb page on CTAN <https://ctan.org/pkg/vmargin>

name	vmargin
caption	Set various page dimensions
author	Kuhlmann, Volker
copyright	Volker Kuhlmann (1993-1996, 1999, 2000, 2004)
license	lppl = The LaTeX Project Public License (free)
version	2.5
description	(no language specified) Provides a macro to set various margins as well as dimensions for header/footer and page dimensions. Most common paper sizes, paper orientation, disabling of headers and footers, and two sided printing are supported. The vmargin package does not rely on other packages and was designed with speed and size in mind. Its user interface might not be very fancy, but it's fast, small, and gets the job done. If you are looking for something more elaborate try the geometry package.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/vmargin/vmargin.pdf
– local file	./1452365253-vmargin.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/vmargin
on MikTeX	vmargin
on TeXLive	vmargin
keyword	geometry (change geometry of page layout)
see also	see section 6384 on page 5768: (typearea – Set page margins)
see also	see section 2482 on page 2245: (geometry – Flexible and complete interface to document dimensions)
language(s)	no language specified
year	2004
last access	2025-02-07

6630 vmspell – A spell-checker for VMS systems

Web page on CTAN	https://ctan.org/pkg/vmspell
name	vmspell
caption	A spell-checker for VMS systems
author	Fairbairns, Robin
author	Carlisle, David
license	pd = Public Domain Software (free)
description	(no language specified) A spell-checker that relies on VMS indexed files for its dictionary. Last compiled by the author under VMS 5 on a VAX; written in Pascal.
contact	<i>support</i> : https://github.com/rf-latex/vmspell/issues
contact	<i>repository</i> : https://github.com/rf-latex/vmspell
on CTAN	https://ctan.org/tex-archive/support/vmspell
keyword	spell (TeX-aware spelling checker)
language(s)	no language specified
year	without year
last access	2025-02-07

6631 *vmmps* – Metrics for using Type 1 fonts available in VMS

Web page on CTAN <https://ctan.org/pkg/vmps>

name	vmmps
caption	Metrics for using Type 1 fonts available in VMS
author	Knappen, Jörg
license	noinfo = noinfo
version	(1994-09-09)
last changes	1994-09-09
year	1994
description	(no language specified) Two fonts, Lubalin Graph and Souvenir, were found in VMS distributions (at the time of packaging), and the bundle provides metrics and packages for their use.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/psnfss-addons/vmps/vmps.rme
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/psnfss-addons/vmps
keyword	font-sup (metrics, macro incantations and other font support)
language(s)	no language specified
last access	2025-02-07

6632 *vntex* – Support for Vietnamese

Web page on CTAN <https://ctan.org/pkg/vntex>

name	vntex
caption	Support for Vietnamese
author	Kotucha, Reinhard
author	Thành, Hàn Thế
author	Lemberg, Werner
license	other-free = Free license not otherwise listed (free)
version	3.2.2

description	(no language specified) The <i>vntex</i> bundle provides fonts, Plain TeX, texinfo and LaTeX macros for typesetting documents in Vietnamese. Users of the fonts (in both Metafont and Adobe Type 1 format) of this bundle may alternatively use the lm fonts bundle, for which map files are available to provide a Vietnamese version.
documentation	(English) <i>Minimal steps to typeset Vietnamese</i> : https://ctan.org/tex-archive/language/vietnamese/vntex/doc/vn-min.pdf
– local file	<code>./5703941184-vn-min.pdf</code>
documentation	(English) <i>Package README</i> : https://ctan.org/tex-archive/language/vietnamese/vntex/README.md
documentation	<i>Package manual (Vietnamese)</i> : https://ctan.org/tex-archive/language/vietnamese/vntex/doc/vntex-man.pdf
– local file	<code>./6469947510-vntex-man.pdf</code>
documentation	<i>Package manual (English)</i> : https://ctan.org/tex-archive/language/vietnamese/vntex/doc/vntex.pdf
– local file	<code>./3830008061-vntex.pdf</code>
home page	http://vntex.sf.net
on CTAN	https://ctan.org/tex-archive/language/vietnamese/vntex
installation	https://ctan.org/tex-archive/install/language/vietnamese/vntex.tds.zip
on MikTeX	<code>vntex</code>
on T _E XLive	<code>vntex</code>
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font</code> (fonts themselves)
keyword	<code>vietnamese</code> (support for typesetting of Vietnamese)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
language(s)	English; Vietnamese
year	without year
last access	2025-02-07

6633 *vntex-nonfree* – URW Classico and URW Garamond extended for Vietnamese

Web page on CTAN <https://ctan.org/pkg/vntex-nonfree>

name	vntex-nonfree
caption	URW Classico and URW Garamond extended for Vietnamese
author	Kotucha, Reinhard
license	nosell = Do Not Sell Except by Arrangement (not free)
version	3.2.2
description	(no language specified) This package contains URW Classico and URW Garamond No.8 fonts extended for Vietnamese. It can be installed with getnonfreefonts .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/vntex-nonfree/README.md
on CTAN	https://ctan.org/tex-archive/fonts/vntex-nonfree
installation	https://ctan.org/tex-archive/install/fonts/vntex-nonfree.tds.zip
keyword	vietnamese (support for typesetting of Vietnamese)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font (fonts themselves)
language(s)	no language specified
year	without year
last access	2025-02-07

6634 *vocaltract* – Visualise the vocal tract using LaTeX and PSTricks

Web page on CTAN <https://ctan.org/pkg/vocaltract>

name	vocaltract
caption	Visualise the vocal tract using LaTeX and PSTricks
author	Ververidis, Dimitrios
license	lppl = The LaTeX Project Public License (free)
version	1

description	(no language specified) The package enables the user to visualise the vocal tract. The vocal tract (in the package) is manipulated by a vector of articulation parameters according to the <i>S. Maeda</i> model. Animation may be achieved by providing a sequence of vectors over time (e.g., from Matlab). A sequence of vectors for certain German phonemes is embedded in the package, which allows for animation when no other vector is available. The package's graphics are produced using pstricks .
documentation	(no language specified) <i>Example model</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/vocaltract/vtLatex_FigureDemo.pdf
– local file	./2863365184-vtLatex_FigureDemo.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pstricks/contrib/vocaltract/README
on CTAN	https://ctan.org/tex-archive/graphics/pstricks/contrib/vocaltract
on T _E XLive	vocaltract
keyword	pstricks (package using PStricks for graphical output)
keyword	graphics-use (graphics (typesetting actual pictures))
language(s)	no language specified
year	without year
last access	2026-04-12

6635 *volumes* – Typeset only parts of a document, with complete indexes etc

Web page on CTAN	https://ctan.org/pkg/volumes
name	volumes
caption	Typeset only parts of a document, with complete indexes etc
author	Küster, Frank
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) This package helps you if you want to produce separate printed volumes from one LaTeX document, as well as one comprehensive, "all-inclusive" version. It suppresses the part of the table of contents that are not typeset, while counters, definitions, index entries etc. are kept consistent throughout the input file.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/volumes/volumes.pdf
– local file	<code>./2322853191-volumes.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/volumes
on MikTeX	<code>volumes</code>
on T _E XLive	<code>volumes</code>
keyword	<code>book-pub</code> (preparing a book for publication)
language(s)	no language specified
year	without year
last access	2025-02-07

6636 `voss-mathcol` – Typesetting mathematics in colour, in (La)TeX

Web page on CTAN	https://ctan.org/pkg/voss-mathcol
name	<code>voss-mathcol</code>
caption	Typesetting mathematics in colour, in (La)TeX
author	Voß, Herbert
license	lppl = The LaTeX Project Public License (free)
version	0.1
description	(no language specified) This is a short paper from the TeXnische Komödie, in German. Since the body of the paper is dominated by clear LaTeX coding examples, most LaTeX programmers will understand how to achieve the results shown in the diagrams, even if they don't understand German.
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/math/voss/mathCol/mathCol.pdf
– local file	<code>./6659387664-mathCol.pdf</code>
on CTAN	https://ctan.org/tex-archive/info/math/voss/mathCol
on T _E XLive	<code>voss-mathcol</code>
keyword	<code>maths-doc</code> (documentation of typesetting mathematics)
keyword	<code>tutorial</code> (tutorial material (general))
language(s)	no language specified
year	without year
last access	2026-04-13

6637 voss-mathmode – A comprehensive review of mathematics in (La)TeXWeb page on CTAN <https://ctan.org/pkg/voss-mathmode>

name `voss-mathmode`
 caption A comprehensive review of mathematics in (La)TeX
 author Voß, Herbert
 copyright Voß (2008, 2009)
 license lpl = The LaTeX Project Public License (free)
 version 2.47 (2010-12-14)
 last changes 2010-12-14
 year 2010
 description (no language specified) The review includes:

- Standard LaTeX mathematics mode;
- amsmath;
- TeX and mathematics;
- Other packages;
- Tuning math typesetting;
- Mathematics fonts;
- Special symbols;
- Examples; and
- Lists, bibliography and index.

The author considers this package now as being too old and afflicted with too many typographical bugs. That's why it has been classified as "obsolete", at least for the time being.

documentation (no language specified) *The document itself:*
<https://ctan.org/tex-archive/obsolete/info/math/voss/mathmode/Mathmode.pdf>

– local file `./7702476596-Mathmode.pdf`

documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/obsolete/info/math/voss/mathmode/README>

on CTAN <https://ctan.org/tex-archive/obsolete/info/math/voss/mathmode>

on MikTeX `voss-mathmode`

6638 `vowel` – Draw vowel charts for phonetic research

keyword	<code>maths-doc</code> (documentation of typesetting mathematics)
keyword	<code>obsolete</code> (package declared obsolete)
keyword	<code>documentation</code> ('stand-alone' documentation)
language(s)	no language specified
last access	2026-04-13

6638 `vowel` – Draw vowel charts for phonetic research

Web page on CTAN <https://ctan.org/pkg/vowel>

name	<code>vowel</code>
caption	Draw vowel charts for phonetic research
author	Rei, Fukui
copyright	Fukui Rei (2002)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.1
description	(no language specified) Vowel inventories are usually displayed on a quadrilateral whose axes represent height and backness. The package provides methods for plotting vowels on the standard IPA vowel quadrilateral. Commands are provided for plotting both the IPA cardinal vowels, and vowels at arbitrary positions on the chart. The package is distributed as part of the tipa font distribution.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/tipa/tipa-1.3/doc/vowel.pdf
– local file	<code>./3117470944-vowel.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/tipa/tipa-1.3/sty/vowel.sty
on MikTeX	<code>tipa</code>
on T _E XLive	<code>tipa</code>
keyword	<code>phonetic</code> (support for phonetic notation)
see also	see section 4978 on page 4507 : (<code>pst-vowel</code> – Enable arrows showing diphthongs on vowel charts)
language(s)	no language specified
year	2002
last access	2025-02-07

6639 vpage – Set page sizes

Web page on CTAN <https://ctan.org/pkg/vpage>

name	vpage
caption	Set page sizes
author	Kuhlmann, Volker
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) Set page sizes for many different pages. This package is now superceded by vmargin .
on CTAN	https://ctan.org/tex-archive/obsolete/macros/latex/contrib/misc/vpage.sty
on MikTeX	ltxmisc
keyword	obsolete (package declared obsolete)
keyword	geometry (change geometry of page layout)
language(s)	no language specified
year	without year
last access	2025-02-07

6640 vpe – Source specials for PDF output

Web page on CTAN <https://ctan.org/pkg/vpe>

name	vpe
caption	Source specials for PDF output
author	Oberdiek, Heiko
license	lppl = The LaTeX Project Public License (free)
version	0.2
description	(no language specified) VPE is a system to make the equivalent of "source special" marks in a PDF file. Clicking on a mark will activate an editor, pointing at the source line that produced the text that was marked. The system comprises a perl file (vpe.pl) and a LaTeX package (vpe.sty); it will work with PDF files generated via LaTeX/dvips, pdfTeX (version 0.14 or better), and LaTeX/VTeX. Using the LaTeX/dvips or pdfLaTeX routes, the (pdf)TeX processor should be run with shell escapes enabled.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/vpe/README

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/vpe
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/vpe.tds.zip
on MikTeX	vpe
on T _E XLive	vpe
keyword	doc-debug (tools, etc., for “debugging” documents)
language(s)	no language specified
year	without year
last access	2025-02-07

6641 *vp1utils* – Manipulate (virtual) property lists

Web page on CTAN	https://ctan.org/pkg/vplutils
name	vplutils
caption	Manipulate (virtual) property lists
author	Duggan, Angus
copyright	Angus Duggan (1993)
license	other-free = Free license not otherwise listed (free)
description	(no language specified) The first two of a planned suite of tools, these are Perl scripts: – makevpl, which merges PL and VPL files, creating a VPL file, and – spacevpl, which alters the spacing in a PL or VPL file.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/utilities/vplutils/README
on CTAN	https://ctan.org/tex-archive/fonts/utilities/vplutils
keyword	font-proc (process fonts for use with TeX (includes installation))
language(s)	no language specified
year	1993
last access	2025-02-07

6642 *vpp* – View and (selectively) Print PDF and PostScript

Web page on CTAN <https://ctan.org/pkg/vpp>

name	<i>vpp</i>
caption	View and (selectively) Print PDF and PostScript
author	Dekker, Wybo H.
copyright	Wybo Dekker (2009-2025)
license	gpl = GNU General Public License (free)
version	3.10
description	(no language specified) <i>vpp</i> is a Bash script that displays a PDF or PostScript document (after conversion to PDF). The user can use the viewer to print the document or, alternatively, leave the viewer and use <i>vpp</i> ’s facilities to print selected pages to a one- or two-sided hardcopy or an A5-booklet: see the section /Page selection and other commands/ for the details. Instead of printing your selections, you can also save them into PDF files.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/view_print_ps_pdf/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/view_print_ps_pdf/vpp.pdf
– local file	<code>./2004508208-vpp.pdf</code>
on CTAN	https://ctan.org/tex-archive/support/view_print_ps_pdf
on MikTeX	<i>vpp</i>
keyword	print-app (application for printing documents)
keyword	view-app (application for viewing documents)
language(s)	no language specified
year	2025
last access	2025-07-16

6643 *vr*b – Verbatim macros in plain TeX

Web page on CTAN <https://ctan.org/pkg/vrb>

name	<code>vr</code> b
caption	Verbatim macros in plain TeX
author	van der Laan, Kees
license	noinfo = noinfo
version	1.1
description	(no language specified) A self-contained set of verbatim macros, providing both block (<code>\verbatim ... \endverbatim</code>) and in-line (<code> ... </code>) verbatim constructs. Can also support line-numbering of verbatim blocks and verbatim file inclusion.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/vrb/readme
on CTAN	https://ctan.org/tex-archive/macros/generic/vrb
on MikTeX	<code>vr</code> b
keyword	<code>verbatim</code> (verbatim typesetting, etc.)
see also	see section 4069 on page 3682: (<code>moreverb</code> – Extended verbatim)
see also	see section 137 on page 126: (<code>alltt</code> – Everything in tt font, but obey commands and line endings)
see also	see section 6587 on page 5952: (<code>verbatim</code> – Reimplementation of and extensions to LaTeX verbatim)
language(s)	no language specified
year	without year
last access	2025-02-07

6644 *vr*bexin – Verbatim input support

Web page on CTAN <https://ctan.org/pkg/vrbexin>

name	<code>vr</code> bexin
caption	Verbatim input support
author	Thompson, Paul A.
license	nosell = Do Not Sell Except by Arrangement (not free)
version	1.0b

6645 *vrsion* – Add version number to a DVI file

description	(no language specified) The package provides interface functions for verbasef to access the facilities of the verbatim package.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/misc/vrbexin.sty
on MikTeX	ltxmisc
on T _E XLive	ltxmisc
keyword	verbatim (verbatim typesetting, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

6645 *vrsion* – Add version number to a DVI file

Web page on CTAN <https://ctan.org/pkg/vrsion>

name	vrsion
caption	Add version number to a DVI file
author	Dahlgren, Mats
copyright	Mats Dahlgren (1994-1998)
license	nosell = Do Not Sell Except by Arrangement (not free)
version	1.5.a
description	(no language specified) Defines a command which places a version number in the DVI-file when LaTeX is run.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/vrsion/vrsion.pdf
– local file	./9238288989-vrsion.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/vrsion/00readme.vrs
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/vrsion
keyword	editorial (editor’s marks, highlights, etc.)
language(s)	no language specified
year	1998
last access	2025-02-07

6646 *vruler* – Numbering text

Web page on CTAN <https://ctan.org/pkg/vruler>

name	vruler
caption	Numbering text
author	Jiang, Zhuhan
license	lppl1 = The LaTeX Project Public License 1 (free)
version	2.3
description	(no language specified) The package offers facilities for adding a columns of numbering to the general text so that the text can be properly referenced. The vertical ruler can be scaled and moved freely. The package may be used either with LaTeX or with plain TeX.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/vruler/vruler.pdf
– local file	./8561347035-vruler.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/vruler
on MikTeX	vruler
on T _E XLive	vruler
keyword	layout (layout of objects on the page)
see also	see section 4333 on page 3923: (numline – LaTeX macros for numbering lines)
see also	see section 3451 on page 3119: (lineno – Line numbers on paragraphs)
language(s)	no language specified
year	without year
last access	2025-02-07

6647 *vscodeicons* – Use vscode icons through LaTeX commands

Web page on CTAN <https://ctan.org/pkg/vscodeicons>

name	vscodeicons
caption	Use vscode icons through LaTeX commands
author	Pierquet, Cédric
copyright	Cédric Pierquet (null)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
license	mit = MIT License (free)
version	0.1.0 (2025-11-23)
last changes	2025-11-23
year	2025
description	(no language specified) This package inspired by twemojis provides commands to use the icons from the vscode-icons project through LaTeX commands. This relies on images (PDF from SVG), so no fancy unicode-font stuff is needed and it <i>should</i> work on every installation.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/vscodeicons/doc/vscodeicons-doc.pdf
– local file	./7210566250-vscodeicons-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/vscodeicons/README.md
contact	<i>bugs</i> : https://github.com/cpierquet/latex-packages/issues
contact	<i>repository</i> : https://github.com/cpierquet/latex-packages/tree/main/vscodeicons
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/vscodeicons
on T _E XLive	vscodeicons
keyword	text-symbol (symbols for use in text)
keyword	graphics (graphics (support packages))
language(s)	no language specified
last access	2025-12-01

6648 vslitex – Virtual invisible fonts for use with LaTeX Slides classWeb page on CTAN <https://ctan.org/pkg/vslitex>

name	VSLiTeX
caption	Virtual invisible fonts for use with LaTeX Slides class
author	Koellner, Armin
license	noinfo = noinfo
version	0.4
description	(no language specified) The LaTeX 2.09-based program SliTeX, and the corresponding LaTeX slides class, use invisible fonts when producing multi-coloured overlays on foils. SliTeX distributions included a set of invisible versions of the Metafont sources of the Computer Modern fonts (an odd concept, but it worked). The present bundle provides a (somewhat more intellectually satisfying) set of virtual fonts that provide the same information (i.e., effectively metrics only) without the need to compile a Metafont source to get it.
documentation	(German) <i>Readme</i> : https://ctan.org/tex-archive/fonts/vf-files/vslitex/doc/vslitex.txt
on CTAN	https://ctan.org/tex-archive/fonts/vf-files/vslitex
keyword	font-virtual (virtual font(s) using existing fonts)
language(s)	German
year	without year
last access	2025-02-07

6649 vtable – Vertical alignment of table cellsWeb page on CTAN <https://ctan.org/pkg/vtable>

name	vtable
caption	Vertical alignment of table cells
author	Paciorek, Robert
copyright	Robert Ryszard Paciorek (2015-2019)
license	mit = MIT License (free)
version	1.0
description	(no language specified) The package allows vertical alignment of table cell by providing:

	• Z, L, C, R, J and I column types • <code>\nextRow</code> and <code>\lb</code> commands • <code>\setMultiColRow</code>, <code>\setMultiColumn</code>, <code>\setMultiRow</code> and <code>\tableFormattedCell</code> commands for tabular and similar environment.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/vtable/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/vtable/vtable.pdf
– local file	<code>./6916900255-vtable.pdf</code>
contact	<i>bugs</i> : https://bitbucket.org/OpCode-eu-org/latex-libs/issues
contact	<i>repository</i> : https://bitbucket.org/OpCode-eu-org/LaTeX-libs/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/vtable
on MikTeX	<code>vtable</code>
on TeXLive	<code>vtable</code>
keyword	table (table typesetting)
language(s)	no language specified
year	2019
last access	2025-02-07

6650 *vtex-free* – TeX system and PDF support for Linux and OS/2

Web page on CTAN	https://ctan.org/pkg/vtex-free
name	VTeX/Free
caption	TeX system and PDF support for Linux and OS/2
author	MicroPress
copyright	MicroPress Inc. (1998-2005)
license	other-nonfree = License that prevents distribution (not free)
version	8.46
description	(no language specified) VTeX/Free is a TeX program that generates PDF or PostScript output immediately from the TeX source file. The distribution includes a complete working LaTeX system. VTeX/Free is available for Linux and OS/2, but has limitations on distribution.

6651 *vutex* – View TeX output on an ASCII-only terminal

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/vtex/README
on CTAN	https://ctan.org/tex-archive/systems/vtex
keyword	engine (TeX (or TeX-alike) typesetting engine)
language(s)	no language specified
year	2005
last access	2025-02-07

6651 *vutex* – View TeX output on an ASCII-only terminal

Web page on CTAN <https://ctan.org/pkg/vutex>

name	<i>vutex</i>
caption	View TeX output on an ASCII-only terminal
author	Wolfe, Warren
copyright	CUBE Software, Victoria, B.C., Canada (1987)
license	other-nonfree = License that prevents distribution (not free)
version	1.02
description	(no language specified) The program (written in Pascal Web) is based on DVIgen, and uses the 95 printable ASCII characters and the row and column layout to approach a mimic of the typeset output of TeX on an appropriate printer.
on CTAN	https://ctan.org/tex-archive/dviware/vutex
keyword	<i>dvi-text</i> (DVI output to plain text)
language(s)	no language specified
year	1987
last access	2025-02-07

6652 *vvcode* – Reliable encoder for binary files via emailWeb page on CTAN <https://ctan.org/pkg/vvcode>

name	vvcode
caption	Reliable encoder for binary files via email
author	Kempson, Niel
copyright	Niel Kempson (1992)
license	gpl = GNU General Public License (free)
version	1.00
description	(no language specified) A development of the widely-used uuencode package, designed with particular reference to the difficulties in transmitting packages via mail over interfaces between networks (in particular, between Janet and Bitnet; note that neither of these networks any longer exists in the form for which the package was written).
on CTAN	https://ctan.org/tex-archive/support/vvcode
keyword	misc-support (miscellaneous support stuff)
language(s)	no language specified
year	1992
last access	2025-02-07

6653 *vwcol* – Variable-width multiple text columnsWeb page on CTAN <https://ctan.org/pkg/vwcol>

name	vwcol
caption	Variable-width multiple text columns
author	Robertson, Will
copyright	Will Robertson (2008, 2015)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2
description	(no language specified) The package provides a crude environment (<code>vwcol</code>) for typesetting multicolumn paragraph text of various column widths on a single page.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/vwcol/README

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/vwcol/vwcol.pdf
– local file	./7632202589-vwcol.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/vwcol
on MikTeX	vwcol
on T _E XLive	vwcol
keyword	multicol (more than one column on the page)
language(s)	no language specified
year	2015
last access	2025-02-07

6654 vxu – Document classes for Vaxjo University

Web page on CTAN <https://ctan.org/pkg/vxu>

name	vxu
caption	Document classes for Vaxjo University
author	Nyqvist, Robert
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.2
description	(no language specified) The bundle provides classes for formatting theses and exams in the format required by Växjö University, Sweden. The directory contains the following classes and packages: – actawex: doctoral theses in Acta Wexionensia; – rfmsi: master theses; – vxulicentiate: licentiate theses; and – vxutentamen: exams. The bundle is now obsolete, since Växjö University has become part of the (new) Linnaeus Univeristy.
documentation	(no language specified) <i>Documentation (rfmsi)</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/vxu/rfmsi.pdf
– local file	./5179964966-rfmsi.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/vxu/README
documentation	(no language specified) <i>Documentation (actawex)</i> : https://ctan.org/tex-archive/obsolete/macros/latex/contrib/vxu/actawex.pdf

– local file `./1066656167-actawex.pdf`
 on CTAN <https://ctan.org/tex-archive/obsolete/macros/latex/contrib/vxu>
 on MikTeX vxu
 keyword obsolete (package declared obsolete)
 keyword exam (exams, quizzes, etc.)
 keyword dissertation (typesetting dissertations, theses, etc.)
 language(s) no language specified
 year without year
 last access 2025-02-07

6655 w-a-schmidt – A collection of metrics for commercial fonts

Web page on CTAN <https://ctan.org/pkg/w-a-schmidt>

name w-a-schmidt
 caption A collection of metrics for commercial fonts
 author Schmidt, Walter A.
 author Harcombe, Keiran
 license lpl = The LaTeX Project Public License (free)
 description (no language specified) A set of font installation packs for commercial fonts (none of which is itself available from CTAN: the user must acquire them from the commercial supplier).
 Fonts supported are:
 Adobe Garamond, Aldus, Futura, Stempel Garamond, Frutiger, Melior, Minion, Myriad, Optima, Rotis, Sabon and Syntax;
 Berthold ConcordeBE and BaskervilleBQ;
 Bitstream Humanist 777 (Frutiger), Letter Gothic, Latin 725 (Meridien), News Gothic, Dutch 809 (Concorde), Zapf Humanist 601 (Optima), Zurich (Univers) and Venetian 301 (Centaur);
 FontFont Dingbests, InterOffice and QType Extended Book;
 Lintotype Adobe Garamond LT, Aldus LT, ITC Charter, Frutiger Next, Futura LT, Stempel Garamond LT, Meridien LT, Melior LT, Minion, Myriad, ITC Officina Sans, Optima Nova, Sabon LT, Syntax LT, ITC Zapf Chancery LT, Zapf Essentials LT and Zapfino One plus Ornaments;
 Monotype TimesNR, NR Seven, Small Text;
 Springer SMinion and SMyriad; and
 Underware Dolly.

For each font(set) there's a `.zip` file of metrics, and a `.txt` file of instructions. In some cases there's also a `-source.zip` file of **fontinst** sources for the family.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/psfonts/w-a-schmidt/README
on CTAN	https://ctan.org/tex-archive/fonts/psfonts/w-a-schmidt
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	without year
last access	2025-02-07

6656 *w32tex* – A comprehensive TeX system for Windows

Web page on CTAN <https://ctan.org/pkg/w32tex>

name	w32tex
caption	A comprehensive TeX system for Windows
author	Kakuto, Akira
license	other-free = Free license not otherwise listed (free)
version	(2010-04-20)
last changes	2010-04-20
year	2010
description	(no language specified) A Japanese-oriented (full) TeX distribution, which provides the basis of the Windows TeX offered by TeX live .
keyword	distribution (components (or support) of TeX distribution)
language(s)	no language specified
last access	2025-02-07

6657 wadalab – Wadalab (Japanese) font packagesWeb page on CTAN <https://ctan.org/pkg/wadalab>

name	wadalab
caption	Wadalab (Japanese) font packages
author	Lemberg, Werner
license	other-free = Free license not otherwise listed (free)
version	(2008-03-06)
last changes	2008-03-06
year	2008
description	(no language specified) These are font bundles for the Japanese Wadalab fonts which work with the CJK package. All subfonts now have glyph names compliant to the Adobe Glyph List, making ToUnicode CMaps in PDF documents (created automatically by dvipdfmx) work correctly. All font bundles now contain virtual Unicode subfonts.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/wadalab/README
documentation	(no language specified) <i>Font sampler</i>: https://ctan.org/tex-archive/fonts/wadalab/wadalab-sampler.pdf
– local file	<code>./2157104205-wadalab-sampler.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/wadalab
on MikTeX	<code>cjk-fonts</code>
on T _E XLive	<code>wadalab</code>
keyword	<code>font-cjk</code> (fonts for far eastern languages (Chinese, Japanese and Korean))
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
see also	see section 1100 on page 1000 : (<code>cjk-fonts</code> – Chinese/Japanese/Korean bitmap fonts)
language(s)	no language specified
last access	2025-02-09

6658 wallcalendar – A wall calendar class with custom layouts

Web page on CTAN <https://ctan.org/pkg/wallcalendar>

name	wallcalendar
caption	A wall calendar class with custom layouts
author	Bhikkhu, Gambhīro
copyright	Gambhiro Bhikkhu (2017)
license	lpl = The LaTeX Project Public License (free)
version	1.3.1 (2017-10-21)
last changes	2017-10-21
year	2017
description	(no language specified) This package provides a wall calendar class with custom layouts and support for internationalization.

It comes with the following layouts:

- Full page photo, the calendar days overlaid with opacity
- Full page photo, the photo above the calendar days
- Small landscape photo, with a calendar grid
- Year planner
- Thumbnails and captions
- Varnish mask

There is also support for loading event marks from a CSV file.

documentation	(no language specified) <i>Code documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/wallcalendar/wallcalendar-code.pdf
– local file	./7392723361-wallcalendar-code.pdf
documentation	(no language specified) <i>User Manual</i> : https://ctan.org/tex-archive/macros/luatex/latex/wallcalendar/wallcalendar.pdf
– local file	./6887324259-wallcalendar.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/wallcalendar/README.md
contact	<i>repository</i> : https://github.com/profound-labs/wallcalendar
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/wallcalendar

on MikTeX	wallcalendar
on T _E XLive	wallcalendar
keyword	luatex (LuaTeX and packages that require it)
keyword	class (alternative LaTeX class(es))
keyword	use-lua (package requires availability of lua)
keyword	calendar (typeset calendars, diaries, planning charts, etc.)
language(s)	no language specified
last access	2025-02-07

6659 *wallpaper* – Easy addition of wallpapers (background images) to LaTeX documents, including tiling

Web page on CTAN <https://ctan.org/pkg/wallpaper>

name	wallpaper
caption	Easy addition of wallpapers (background images) to LaTeX documents, including tiling
author	Wilkinson, Michael
license	lppl = The LaTeX Project Public License (free)
version	1.10
description	(no language specified) This collection contains files to add wallpapers (background images) to LaTeX documents. It uses the eso-pic package, but provides simple commands to include effects such as tiling. An example is provided, which works under both LaTeX and pdfLaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/wallpaper/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/wallpaper/wallpapermanual.pdf
– local file	./2343771233-wallpapermanual.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/wallpaper
on MikTeX	wallpaper
on T _E XLive	wallpaper
keyword	layout-page (page trim marks and decorations)
language(s)	no language specified

year without year
last access 2025-02-07

6660 *wargame* – A LaTeX package to prepare hex'n'counter wargames

Web page on CTAN <https://ctan.org/pkg/wargame>

name	wargame
caption	A LaTeX package to prepare hex'n'counter wargames
author	Holm Christensen, Christian
copyright	Christian Holm Christensen (2022-2024)
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
version	0.8 (2024-11-19)
last changes	2024-11-19
year	2024
description	(no language specified) This package can help make classic Hex'n'Counter wargames using LaTeX. The package provides tools for generating • Hex maps and boards • Counters for units, markers, and so on • Counter sheets • Order of Battle charts • Illustrations in the rules using the defined maps and counters The result will often be a PDF (or set of PDFs) that contains everything one will need for a game (rules, charts, boards, counter sheets). • The package uses NATO App6 symbology for units. • The package uses NATO App6 symbology for units. • The package uses TikZ for most things. • The package supports exporting the game to a VASSAL module See also the README.md file for more, and of course the documentation (including the tutorial in tutorial/game.pdf).
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/wargame/doc/wargame.pdf
– local file	./7664973755-wargame.pdf

6661 *warning* – Global warnings at the end of the logfile

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/wargame/README.md
contact	<i>repository</i> : https://gitlab.com/wargames_tex/wargame_tex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/wargame
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/wargame.tds.zip
on MikTeX	wargame
on T _E XLive	wargame
keyword	symbol-suppl (manage symbols in a document)
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-02-07

6661 warning – Global warnings at the end of the logfile

Web page on CTAN <https://ctan.org/pkg/warning>

name	warning
caption	Global warnings at the end of the logfile
author	Harders, Harald
copyright	Harald Harders (2001)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.11 (2025-01-01)
last changes	2025-01-01
year	2025
description	(no language specified) This package is obsolete. For LaTeX-format 2020-10-01 and newer: Instead of <code>\addglobalwarning{ something }</code> use <code>\AddToHook{enddocument/info}{ something }</code> and do not load the <code>warning</code> package. For older formats this package provides a command that generates a list of warnings that are printed out at the very end of the logfile. This is useful for warnings such as ‘Rerun for this or that reason’ or ‘This is a draft, change it before the final run’.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/warning/warning-doc.pdf
– local file	<code>./3141723533-warning-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/warning/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/warning
on MikTeX	warning
on TeXLive	warning
keyword	comp-supp (support for preparing documents)
language(s)	no language specified
last access	2025-02-07

6662 *warpcol* – Relative alignment of rows in numeric columns in tabulars

Web page on CTAN <https://ctan.org/pkg/warpcol>

name	warpcol
caption	Relative alignment of rows in numeric columns in tabulars
author	Rochester, Wayne A.
license	lppl = The LaTeX Project Public License (free)
version	1.0c
description	(no language specified) Defines a tabular column type for formatting numerical columns in LaTeX. The column type enables numerical items to be right justified relative to each other, while centred beneath the column label. In addition, macros are provided to enable variations on this column type to be defined. Usage of the package is superficially similar to that of dcolumn ; however, the alignment scheme is different, and the packages have different, though overlapping, applications.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/warpcol/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/warpcol/warpcol.pdf
– local file	<code>./1361124757-warpcol.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/warpcol
on MikTeX	warpcol

on T _E XLive	warpcol
keyword	table (table typesetting)
language(s)	no language specified
year	without year
last access	2025-02-07

6663 *was* – A collection of small packages by Walter Schmidt

Web page on CTAN <https://ctan.org/pkg/was>

name	was
caption	A collection of small packages by Walter Schmidt
author	Harcombe, Keiran
author	Schmidt, Walter A.
license	collection = collection
description	(no language specified) A bundle of packages that arise in the author's area of interest: • compliance of maths typesetting with ISO standards ; • symbols that work in both maths and text modes • commas for both decimal separator and maths ; and • upright Greek letters in maths .
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/was/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/was
on MikT _E X	was
on T _E XLive	was
keyword	collection (a collection of packages)
language(s)	no language specified
year	without year
last access	2025-02-11

6664 wasy – The wasy fonts (Waldi symbol fonts)

Web page on CTAN <https://ctan.org/pkg/wasy>

Alias `wasy2`

name `wasy`

caption The wasy fonts (Waldi symbol fonts)

author Waldi, Roland

license `pd` = Public Domain Software (free)

version 2.5

description (no language specified) This font contains all lasy characters (by L.Lamport, copyright notice in `lasychr.mf`), and a lot more symbols. Provided are the Metafont files for 5-10pt, and bold and slanted 10pt fonts, together with a `.tex` and `.pdf` documentation, and a file for using the fonts in a PLAIN-TeX document.

Type-1 fonts by Michael Sharpe and Taco Hoekwater are available as separate package [wasy-type1](#).

Support under LaTeX is provided by Axel Kielhorn's [wasysym](#) package.

documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/fonts/wasy/README>

documentation (no language specified) *Package documentation*:
<https://ctan.org/tex-archive/fonts/wasy/wasydoc.pdf>

– local file `./6064681682-wasydoc.pdf`

on CTAN <https://ctan.org/tex-archive/fonts/wasy>

on MikTeX `wasy`

on T_EXLive `wasy`

keyword `font` (fonts themselves)

keyword `font-mf` (fonts distributed as Metafont source)

keyword `font-symbol` (fonts that provide collections of symbols)

see also see section [6666](#) on page [6019](#): (`wasysym` – LaTeX support for the wasy fonts)

see also see section [6665](#) on page [6018](#): (`wasy-type1` – Type 1 versions of wasy fonts)

language(s) no language specified

year without year

last access 2025-02-07

6665 *wasy-type1* – Type 1 versions of wasy fonts

Web page on CTAN <https://ctan.org/pkg/wasy-type1>

Alias	<code>wasy2-ps</code>
name	<code>wasy-type1</code>
caption	Type 1 versions of wasy fonts
author	Hoekwater, Taco
author	Sharpe, Michael
copyright	Taco Hoekwater (1998)
copyright	Michael Sharpe (2019-2020)
copyright	Roland Waldi (1990-2020)
license	pd = Public Domain Software (free)
version	001.002 (2020-01-24)
last changes	2020-01-24
year	2020
description	(no language specified) Converted (Adobe Type 1) outlines of the wasy fonts.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/wasy-type1/README
on CTAN	https://ctan.org/tex-archive/fonts/wasy-type1
on MikTeX	<code>wasy-type1</code>
on T _E XLive	<code>wasy-type1</code>
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-symbol</code> (fonts that provide collections of symbols)
see also	see section 6666 on page 6019: (<code>wasysym</code> – LaTeX support for the wasy fonts)
see also	see section 6664 on page 6017: (<code>wasy</code> – The wasy fonts (Waldi symbol fonts))
language(s)	no language specified
last access	2025-02-07

6666 *wasysym* – LaTeX support for the wasy fonts

Web page on CTAN <https://ctan.org/pkg/wasysym>

name	wasysym
caption	LaTeX support for the wasy fonts
author	Kielhorn, Axel
copyright	Axel Kielhorn, Walter Schmidt (2003, 2019)
copyright	Axel Kielhorn (1994-1999)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.4 (2020-01-19)
last changes	2020-01-19
year	2020
description	(no language specified) The wasy (Waldi Symbol) font by Roland Waldi provides many glyphs like male and female symbols and astronomical symbols, as well as the complete lasy font set and other odds and ends. This package implements an easy to use interface for these symbols.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/wasysym/wasysym.pdf
– local file	./1932486236-wasysym.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/wasysym
on MikTeX	wasysym
on T _E XLive	wasysym
keyword	font-supp (metrics, macro incantations and other font support)
see also	see section 6665 on page 6018: (<i>wasy-type1</i> – Type 1 versions of wasy fonts)
see also	see section 6664 on page 6017: (<i>wasy</i> – The wasy fonts (Waldi symbol fonts))
language(s)	no language specified
last access	2025-02-07

6667 watermark – Draw “watermarks” on the output page

Web page on CTAN <https://ctan.org/pkg/watermark>

name	watermark
caption	Draw “watermarks” on the output page
author	Rozhenko, Alexander I.
copyright	Alexander I. Rozhenko (2002-2004)
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) The package implements watermarks using a LaTeX picture environment that is drawn under the body of the page. Watermarks for left and right pages, and for a single page only, may be specified. The package is part of the ncctools bundle.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncctools/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ncctools/doc/watermark.pdf
– local file	<code>./2593136211-watermark.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ncctools
on MikTeX	ncctools
on T _E XLive	ncctools
keyword	watermark (separate printing, under (or over) the page as a whole)
see also	see section 1995 on page 1799 : (<code>eso-pic</code> – Add picture commands (or backgrounds) to every page)
language(s)	no language specified
year	2004
last access	2025-02-07

6668 weave – Generate TeX source from webWeb page on CTAN <https://ctan.org/pkg/weave>

name	weave
caption	Generate TeX source from web
author	Knuth, Donald E.
license	knuth = Knuth License (free)
version	4.5
description	(no language specified) This is the component of Knuth's literate programming system that produces TeX input from the web representation of a program, ready for typesetting.
documentation	(no language specified) <i>Web system user manual</i> : https://ctan.org/tex-archive/info/knuth/webman.pdf
– local file	./3886256198-webman.pdf
on CTAN	https://ctan.org/tex-archive/systems/knuth/dist/web/weave.web
on MikTeX	miktex-web-bin-2.9
on TeXLive	web
keyword	litprog-tools (litprog-tools(unknown))
language(s)	no language specified
year	without year
last access	2025-02-11

6669 web – The original literate programming systemWeb page on CTAN <https://ctan.org/pkg/web>

name	web
caption	The original literate programming system
author	Knuth, Donald E.
license	knuth = Knuth License (free)
version	4.5
description	(no language specified) The system processes ‘web’ files in two ways: firstly to rearrange them to produce compilable code (using the program tangle), and secondly to produce a TeX source (using the program weave) that may be typeset for comfortable reading.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/info/knuth/webman.pdf
– local file	./3886256198-webman.pdf
on CTAN	https://ctan.org/tex-archive/systems/knuth/dist/web
on MikTeX	miktex-web-bin-2.9
on TeXLive	web
keyword	litprog (literate programming)
language(s)	no language specified
year	without year
last access	2025-02-11

6670 *web2c* – Conversion programs and supporting code to compile TeX in C

Web page on CTAN	https://ctan.org/pkg/web2c
name	Web2C
caption	Conversion programs and supporting code to compile TeX in C
author	Weber, Olaf
author	The TeX Live Team
license	gpl = GNU General Public License (free)
description	(no language specified) Web2C (sometimes spelled Web2c) is the basis of TeX Live and perhaps other distributions for Unix-like systems. Web2C is <i>not</i> a TeX distribution in its own right. Web2C is not distributed separately, but rather constitutes a central part of the sources of the TeX Live distribution .
home page	https://tug.org/web2c/
contact	<i>bugs</i> : https://lists.tug.org/tex-k
keyword	distribution (components (or support) of TeX distribution)
language(s)	no language specified
year	without year
last access	2025-02-07

6671 web2w – Converting TeX from WEB to cwebWeb page on CTAN <https://ctan.org/pkg/web2w>name *web2w*

caption Converting TeX from WEB to cweb

author Ruckert, Martin

copyright Martin Ruckert (2017)

license gpl3+ = GNU General Public License, version 3 or newer (free)

version 0.4

description (no language specified) This package contains a project to convert the TeX source code written by Donald E. Knuth as a WEB into a cweb.

A WEB is a literate program, i.e. a program which is written as a form of literature and consequently published as a book. Of course there is a way of converting such a piece of literature into an ordinary program: it contains Pascal code.

Over the years, the support for Pascal as a major programming language has decreased and Pascal was replaced by C as the system programming language of choice. Consequently, WEB was replaced by cweb, leading to the obvious question: can we convert the TeX source code to cweb. And the answer is: yes and no.

No, because TeX is rather a large program, so translating it manually is very expensive, and translating literature by means of an automatic process is not feasible either.

Yes, because the program contained in this project, a literate program itself, is specifically tailored to the TeX source code and achieves a good approximation to such a translation.

documentation (no language specified) *Package documentation:*<https://ctan.org/tex-archive/web/web2w/web2w.pdf>

– local file ./3218072415-web2w.pdf

documentation (no language specified) *Readme:*<https://ctan.org/tex-archive/web/web2w/README>on CTAN <https://ctan.org/tex-archive/web/web2w>

keyword litprog (literate programming)

language(s) no language specified

year 2017

last access 2025-02-07

6672 web9pt – Nine-point web listings

Web page on CTAN <https://ctan.org/pkg/web9pt>

name	web9pt
caption	Nine-point web listings
license	noinfo = noinfo
version	1.0
description	(no language specified) A small patch to web listing macros that uses the 9pt file from the varisize bundle to make the body text of a web listing appear in 9pt.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/web9pt.tex
keyword	litprog (literate programming)
language(s)	no language specified
year	without year
last access	2025-02-07

6673 webcomp-errata – Errata list for The LaTeX Web Companion

Web page on CTAN <https://ctan.org/pkg/webcomp-errata>

name	webcomp-errata
caption	Errata list for The LaTeX Web Companion
author	Rahtz, Sebastian
author	Goossens, Michel
license	lppl = The LaTeX Project Public License (free)
version	(1999-06-05)
last changes	1999-06-05
year	1999
description	(no language specified) Errata list for The LaTeX Web Companion (1. printing).
documentation	(no language specified) <i>Errata list for The LaTeX Web Companion</i> : https://ctan.org/tex-archive/macros/latex/base/webcomp.pdf
– local file	./4528762338-webcomp.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/base

keyword doc-errata (lists of errata in published books)
 language(s) no language specified
 last access 2025-02-07

6674 webfiles – Include CWEB and/or Spidery WEB LaTeX

Web page on CTAN <https://ctan.org/pkg/webfiles>
 name webfiles
 caption Include CWEB and/or Spidery WEB LaTeX
 author Potse, Mark
 license gpl = GNU General Public License (free)
 version 1.0.1
 description (no language specified) The package allows the user to plug the documentation of **CWEB** or **Spidery WEB** programs into a LaTeX document.
 documentation (no language specified) *Package documentation:*
<https://ctan.org/tex-archive/web/webfiles/webfiles.pdf>
 – local file ./5552685685-webfiles.pdf
 documentation (no language specified) *Readme:*
<https://ctan.org/tex-archive/web/webfiles/README>
 on CTAN <https://ctan.org/tex-archive/web/webfiles>
 keyword listing (computer code listing)
 keyword litprog (literate programming)
 language(s) no language specified
 year without year
 last access 2025-02-07

6675 webguide – Brief Guide to LaTeX Tools for Web publishingWeb page on CTAN <https://ctan.org/pkg/webguide>

name	webguide
caption	Brief Guide to LaTeX Tools for Web publishing
author	Wilson, Peter R.
license	other-free = Free license not otherwise listed (free)
description	(no language specified) The documentation constitutes an example of the package's own recommendations (being presented both in PDF and HTML).
documentation	(no language specified) <i>The document, as HTML</i> : https://ctan.org/tex-archive/info/webguide/webguide.html
documentation	(no language specified) <i>README</i> : https://ctan.org/tex-archive/info/webguide/README
documentation	(no language specified) <i>The document, as PDF</i> : https://ctan.org/tex-archive/info/webguide/webguide.pdf
– local file	./2199524901-webguide.pdf
on CTAN	https://ctan.org/tex-archive/info/webguide
on MikTeX	webguide
on T _E XLive	webguide
keyword	latex-doc (latex-doc(unknown))
language(s)	no language specified
year	without year
last access	2025-02-11

6676 webmacss – Use sans serif font in Web listingsWeb page on CTAN <https://ctan.org/pkg/webmacss>

name	webmacss
caption	Use sans serif font in Web listings
license	noinfo = noinfo
version	(1987-08-27)
last changes	1987-08-27
year	1987

description	(no language specified) The file is a jiffy patch to Knuth's standard webmac.tex, that causes the Pascal text to be printed sans-serif.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/webmacss.tex
keyword	litprog (literate programming)
language(s)	no language specified
last access	2025-02-07

6677 *webomints* – Webomints font support

Web page on CTAN <https://ctan.org/pkg/webomints>

name	webomints
caption	Webomints font support
author	Loreti, Maurizio
license	other-nonfree = License that prevents distribution (not free)
version	1.1c (2019-07-06)
last changes	2019-07-06
year	2019
description	(no language specified) A set of files for using the Galapagos Design Group's free Web-O-Mints font with (La)TeX. The original announcement of the font said "Created by George Ryan, Web-O-Mints contains a rich assortment of typographic decorations inspired by historical sources". A copy of the type 1 font file is included with the distribution, as are test (demonstration) files.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/webomints/README
on CTAN	https://ctan.org/tex-archive/fonts/webomints
on MikTeX	webomints
keyword	font (fonts themselves)
keyword	font-decor (decorative or initial fonts)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
last access	2025-02-07

6678 webquiz – Write interactive web based quizzes

Web page on CTAN <https://ctan.org/pkg/webquiz>

name	WebQuiz
caption	Write interactive web based quizzes
author	Mathas, Andrew
copyright	Andrew Mathas (2004-2019)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	5.2
description	(no language specified) WebQuiz makes it possible to use LaTeX to write interactive web based quizzes. The quizzes are first written in LaTeX and then converted into HTML files using WebQuiz, which is written in Python3. The conversion from LaTeX to HTML is done behind the scenes using TeX4ht .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/webquiz/README
documentation	(no language specified) <i>Online manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/webquiz/doc/webquiz-online-manual.pdf
– local file	<code>./4759559419-webquiz-online-manual.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/webquiz/doc/webquiz.pdf
– local file	<code>./1797530713-webquiz.pdf</code>
contact	<i>bugs</i> : https://github.com/AndrewAtLarge/WebQuiz/issues
contact	<i>repository</i> : https://github.com/AndrewAtLarge/WebQuiz
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/webquiz
on MikTeX	webquiz
on T _E XLive	webquiz
keyword	exam (exams, quizzes, etc.)
keyword	cvt-html (generate HTML from TeX-ish sources)
see also	see section 5950 on page 5386 : (TeX4ht – Convert (La)TeX to HTML/XML)
language(s)	no language specified
year	2019
last access	2025-02-07

6679 weekday – Generate “day of week”

Web page on CTAN <https://ctan.org/pkg/weekday>

name	weekday
caption	Generate “day of week”
author	Vulis, Dimitri
license	noinfo = noinfo
version	(1993-02-15)
last changes	1993-02-15
year	1993
description	(no language specified) Macros <code>\weekday{yyyy}{mm}{dd}</code> (yields day name) and <code>\weekdaydate{yyyy}{mm}{dd}</code> (yields date print-out, including day name). You may use <code>\year</code>, <code>\month</code>, <code>\day</code>, to generate today’s day name. The code bears a note about year 2000 compatibility; it is not clear whether it will be workable in our present post-millennial state.
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/weekday.sty
on MikTeX	genmisc
keyword	date-time (manipulate dates and/or times)
see also	see section 1539 on page 1399: (<code>dayofweek</code> – Calculate day of week, phase of moon)
see also	see section 6711 on page 6055: (<code>wochtag</code> – Generate the German weekday name for a date)
see also	see section 1675 on page 1518: (<code>dow</code> – Calculate day of week from a numeric date)
language(s)	no language specified
last access	2025-02-07

6680 *weiqi* – Use LaTeX3 to typeset Weiqi (Go)Web page on CTAN <https://ctan.org/pkg/weiqi>

name	<code>weiqi</code>
caption	Use LaTeX3 to typeset Weiqi (Go)
author	Ms_yam
copyright	Ms_yam (2023-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1 (2024-02-22)
last changes	2024-02-22
year	2024
description	(no language specified) This package uses LaTeX3 to typeset Weiqi (Go). 使用 LaTeX3 创建一个排版围棋棋谱的宏包。
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/weiqi/weiqi.pdf
– local file	<code>./5838685064-weiqi.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/weiqi/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/weiqi
on MikTeX	<code>weiqi</code>
on TeXLive	<code>weiqi</code>
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
language(s)	Chinese
last access	2025-02-07

6681 *whatsnote* – A LaTeX class for taking notes in science, engineering, etc

Web page on CTAN <https://ctan.org/pkg/whatsnote>

name	whatsnote
caption	A LaTeX class for taking notes in science, engineering, etc
author	Xia, Mingyu
copyright	M.Y. XIA (2024-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	5.0B (2025-11-12)
last changes	2025-11-12
year	2025
description	(no language specified) This LaTeX class provides an elegant layout and powerful tools for taking notes in science, engineering, etc.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/whatsnote/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/whatsnote/whatsnote.pdf
– local file	./3030964623-whatsnote.pdf
home page	https://github.com/myhsia
contact	<i>bugs</i> : https://github.com/myhsia/whatsnote/issues
contact	<i>repository</i> : https://github.com/myhsia/whatsnote
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/whatsnote
on MikTeX	whatsnote
on TeXLive	whatsnote
keyword	notes (general notes (not including endnotes or footnotes))
keyword	book-pub (preparing a book for publication)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
last access	2025-11-23

6682 wheelchart – Diagrams with circular or other shapes using TikZ and LaTeX3Web page on CTAN <https://ctan.org/pkg/wheelchart>

name	wheelchart
caption	Diagrams with circular or other shapes using TikZ and LaTeX3
author	Floré, Matthias
copyright	Matthias Floré (2022-2025)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	5.0 (2025-07-24)
last changes	2025-07-24
year	2025
description	(no language specified) This package is based on the package TikZ and can be used to draw various kinds of diagrams such as bar charts, doughnut charts, infographics, pie charts, ring charts, square charts, sunburst charts, waffle charts and wheel charts. It provides several options to customize the diagrams. It is also possible to specify a plot for the shape of the chart. Furthermore a legend can be added and the table of contents can be displayed as one of these diagrams.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/wheelchart/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/graphics/pgf/contrib/wheelchart/wheelchart.pdf
– local file	./1038375766-wheelchart.pdf
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/wheelchart
on MikTeX	wheelchart
on T _E XLive	wheelchart
keyword	expl3 (expl3(unknown))
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	graphics (graphics (support packages))
language(s)	no language specified
last access	2025-08-01

6683 wheretotrim – Assist in reducing LaTeX document page counts

Web page on CTAN <https://ctan.org/pkg/wheretotrim>

name	wheretotrim
caption	Assist in reducing LaTeX document page counts
author	Pakin, Scott
copyright	Scott Pakin (2013)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The package provides a Perl script that analyses a document, and reports the page and column on which the least amount of text needs to be trimmed to reduce the page count. The script has only (so far) been tested under Linux.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/support/wheretotrim/wheretotrim.pdf
– local file	./9408286537-wheretotrim.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/wheretotrim/README
on CTAN	https://ctan.org/tex-archive/support/wheretotrim
installation	https://ctan.org/tex-archive/install/support/wheretotrim.tds.zip
keyword	layout (layout of objects on the page)
language(s)	no language specified
year	2013
last access	2025-02-07

6684 wichura-table – Table macros for plain TeX (and LaTeX)

Web page on CTAN <https://ctan.org/pkg/wichura-table>

name	wichura-table
caption	Table macros for plain TeX (and LaTeX)
author	Wichura, Michael
author	Carlisle, David
copyright	Michael J. Wichura (1988)

6685 `widetable` – An environment for typesetting tables of specified width

license	lpl1 = The LaTeX Project Public License 1 (free)
version	1.0
description	(no language specified) Michael Wichura's TaBlE macros (version 1.0 August 1988). Macros for setting tables in plain TeX and LaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/wichura-table/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/wichura-table/TaBlE_manual.pdf
– local file	<code>./7167784340-TaBlE_manual.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/generic/wichura-table
keyword	table (table typesetting)
language(s)	no language specified
year	1988
last access	2025-02-07

6685 `widetable` – An environment for typesetting tables of specified width

Web page on CTAN	https://ctan.org/pkg/widetable
name	<code>widetable</code>
caption	An environment for typesetting tables of specified width
author	Beccari, Claudio
copyright	Claudio Beccari (2009-2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.1
description	(no language specified) The package defines a new environment that, unlike <code>tabularX</code> , typesets a table of specified width by working on the inter-column glue; the tabular cells will all be stretched (or shrunk) according to need. The package will use the e-TeX arithmetic extensions if they are available (they are, in most modern distributions).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/widetable/widetable.pdf
– local file	<code>./3237721315-widetable.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/widetable/README.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/widetable
on MikTeX	widetable
on T _E XLive	widetable
keyword	table-long (typeset tables that may be too big for a page)
language(s)	no language specified
year	2020
last access	2025-02-07

6686 widows-and-orphans – Identify (typographic) widows and orphans

Web page on CTAN <https://ctan.org/pkg/widows-and-orphans>

name	widows-and-orphans
caption	Identify (typographic) widows and orphans
author	Mittelbach, Frank
copyright	Frank Mittelbach (2017-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0f (2023-04-02)
last changes	2023-04-02
year	2023
description	(no language specified) This package identifies all widows and orphans in a document to help a user to get rid of them. The act of resolving still needs to be done manually: By rewriting text, running some paragraph long or short or explicitly breaking in some strategic place. It will also identify and warn about words broken across columns or pages and display formulas separated from their introductory paragraph.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/widows-and-orphans/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/widows-and-orphans/widows-and-orphans-doc.pdf
– local file	./7517742208-widows-and-orphans-doc.pdf

contact	repository: https://github.com/FrankMittelbach/fmitex-widows-and-orphans
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/widows-and-orphans
on MikTeX	widows-and-orphans
on T _E XLive	widows-and-orphans
keyword	tagged-pdf (tagged PDF compatible)
keyword	layout (layout of objects on the page)
see also	see section 4307 on page 3901: (nowidow – Avoid widows)
language(s)	no language specified
last access	2026-04-10

6687 wiggly – Draw wiggly lines under text

Web page on CTAN	https://ctan.org/pkg/wiggly
name	wiggly
caption	Draw wiggly lines under text
author	Garavelli, John
license	noinfo = noinfo
description	(no language specified) Defines a command <code>\underwiggly</code> that works either in text or maths mode. Derived from a routine published in TUGboat 6(3), November 1985, by A. G. W. Cameron.
documentation	(no language specified) <i>The original paper:</i> https://tug.org/TUGboat/Articles/tb06-3/tb13cameron.pdf
– local file	<code>./1893811863-tb13cameron.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/generic/misc/wiggly.tex
on MikTeX	genmisc
keyword	underline (underlining/overlining text (including other decorations))
see also	see section 6436 on page 5816: (ulem – Package for underlining)
language(s)	no language specified
year	without year
last access	2025-02-07

6688 *wiki* – Use Wiki-style markup in a LaTeX document

Web page on CTAN <https://ctan.org/pkg/wiki>

name	wiki
caption	Use Wiki-style markup in a LaTeX document
author	Lück, Uwe
license	lppl = The LaTeX Project Public License (free)
version	0.2
description	(no language specified) The package enables Wiki-like markup to replace some LaTeX markup. Wiki markup is only sufficient for a few common LaTeX commands, and then in their simplest forms. The package is part of the author's nicetext bundle.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/nicetext/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/nicetext/doc/wikicheat.pdf
– local file	<code>./6030798767-wikicheat.pdf</code>
contact	<i>support</i> : http://www.webdesign-bu.de/uwe_lueck/contact.html
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/nicetext
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/nicetext.tds.zip
on MikTeX	nicetext
on T _E XLive	nicetext
keyword	markup (alternative markup scheme)
keyword	foreign-import (import files in a non-TeX (or different TeX) format)
language(s)	no language specified
year	without year
last access	2025-02-07

6689 *williams* – Miscellaneous macros by Peter WilliamsWeb page on CTAN <https://ctan.org/pkg/williams>

name	williams
caption	Miscellaneous macros by Peter Williams
author	Williams, Peter
copyright	Peter Williams (1994)
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) The bundle provides two packages: • antree, which provides macros for annotated node trees, and • toklist, which is an implementation of Knuth's token list macros, to be found on pp.378–379 of the TeXbook.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/williams
on MikTeX	williams
on TeXLive	williams
keyword	tree (mechanisms for drawing trees)
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	1994
last access	2025-02-07

6690 *willowtreebook* – Easy basic book class, built on memoirWeb page on CTAN <https://ctan.org/pkg/willowtreebook>

name	willowtreebook
caption	Easy basic book class, built on memoir
author	McKay, Benjamin
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.03 (2021-09-28)
last changes	2021-09-28
year	2021

description	(no language specified) The <code>willowtreebook</code> class is a simple book class, which the author uses for his lecture notes to be found on his web page Benjamin McKay . It actually just selects options for the more sophisticated memoir class.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/willowtreebook/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/willowtreebook/willowtreebook.pdf
– local file	<code>./4079607232-willowtreebook.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/willowtreebook
on MikTeX	<code>willowtreebook</code>
on TeXLive	<code>willowtreebook</code>
keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>book-pub</code> (preparing a book for publication)
see also	see section 3883 on page 3510: (<code>memoir</code> – Typeset fiction, non-fiction and mathematical books)
language(s)	no language specified
last access	2025-02-07

6691 *win32-emacs-auctex* – Ready-to-use Emacs and AucTeX for Windows

Web page on CTAN <https://ctan.org/pkg/win32-emacs-auctex>

name	<code>win32-emacs-auctex</code>
caption	Ready-to-use Emacs and AucTeX for Windows
author	Kotucha, Reinhard
copyright	Free Software Foundation, Inc. (2001-2015)
license	other-free = Free license not otherwise listed (free)
version	Emacs 24.5 and AUCTeX 11.89
description	(no language specified) The package contains a ready-to-use Emacs 24.5 and AucTeX 11.89 for Windows, as well as a few graphic libraries needed by preview-latex . The package was moved to the <code>obsolete/</code> tree because nowadays the Emacs package manager makes installation of packages, like auctex and preview-latex , very easy to do.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/support/win32-emacs-auctex/README.md
documentation	(no language specified) <i>AucTeX manual</i> : https://ctan.org/tex-archive/obsolete/support/win32-emacs-auctex/doc/auctex.pdf
– local file	<code>./8927897047-auctex.pdf</code>
documentation	(no language specified) <i>AucTeX reference card</i> : https://ctan.org/tex-archive/obsolete/support/win32-emacs-auctex/doc/tex-ref.pdf
– local file	<code>./8126710590-tex-ref.pdf</code>
on CTAN	https://ctan.org/tex-archive/obsolete/support/win32-emacs-auctex
keyword	editor-extn (plug-ins for editors, for better (La)TeX and Meta* support)
language(s)	no language specified
year	2015
last access	2025-02-07

6692 *window* – Create windows in paragraphs

Web page on CTAN <https://ctan.org/pkg/window>

name	window
caption	Create windows in paragraphs
author	Schalück, Elmar
license	noinfo = noinfo
version	(1991-04-30)
last changes	1991-04-30
year	1991
description	(no language specified) The package defines a command <code>\windowbox</code> that will insert boxed material at a given position within a paragraph.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/window
keyword	text-flow (flow text round an insertion in the paragraph)
keyword	parshape (non-standard paragraph shapes)
see also	see section 6726 on page 6067: (<code>wrapfig</code> – Produces figures which text can flow around)

language(s) no language specified
 last access 2025-02-07

6693 *windvi* – MS-Windows DVI viewer

Web page on CTAN <https://ctan.org/pkg/windvi>

name *windvi*
 caption MS-Windows DVI viewer
 author Popineau, Fabrice
 license gpl = GNU General Public License (free)
 version 0.56
 description (no language specified) Windvi was the outcome of an exercise to port the Unix-based **Xdvi** for use under Win32, for the **fpTeX** system. As it turned out, the exercise turned into far more than just a port, as X Windows is far from Win32; all the user interface and the graphical part was rewritten.
 The author of fpTeX has now switched his attentions to development of the **XEmTeX** system, and fpTeX (and windvi with it) is no longer being developed.
 on CTAN <https://ctan.org/tex-archive/obsolete/systems/win32/fptex>
 keyword dvi-prev (preview DVI files)
 language(s) no language specified
 year without year
 last access 2025-02-07

6694 *windycity* – A Chicago style for BibLaTeX

Web page on CTAN <https://ctan.org/pkg/windycity>

name *windycity*
 caption A Chicago style for BibLaTeX
 author Chase, Brian
 copyright Brian Chase (2014-2023)
 license lpl1.3 = The LaTeX Project Public License 1.3 (free)
 version (2023-05-03)
 last changes 2023-05-03

year	2023
description	(no language specified) Windy City is a style for BibLaTeX that formats notes, bibliographies, parenthetical citations, and reference lists according to the 17th edition of The Chicago Manual of Style .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/windycity/doc/windycity.pdf
– local file	./7637233929-windycity.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/windycity/README.md
contact	<i>bugs</i> : https://github.com/brianchase/windycity/issues
contact	<i>repository</i> : https://github.com/brianchase/windycity
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/biblatex-contrib/windycity
on MikTeX	windycity
on TeXLive	windycity
keyword	biblatex (BibLaTeX bibliography support)
see also	see section 632 on page 581: (biblatex-chicago – Chicago style files for BibLaTeX)
language(s)	no language specified
last access	2025-02-07

6695 *winedt* – MS-Windows shell and editor for TeX

Web page on CTAN <https://ctan.org/pkg/winedt>

name	WinEdt
caption	MS-Windows shell and editor for TeX
author	Simonic, Aleksander
license	shareware = Shareware: A fee is required (not free)
version	6.0

description	(no language specified) A full-featured text editor and Shell for MS-Windows, allowing the user to edit large, multiple, text files in the usual MS-Windows way, using a Multiple Documents Interface (MDI) and following or extending MS-Windows Standards in every respect. WinEdt supports (LaTeX) Syntax Highlighting and Input/Output ASCII Code Translation Tables with a comprehensive context-sensitive Help.
home page	http://winedt.com/
on CTAN	https://ctan.org/tex-archive/systems/win32/winedt
keyword	ide (integrated development environments)
see also	see section 6014 on page 5437: (TeXnicCenter – An IDE for LaTeX on MSWindows)
language(s)	no language specified
year	without year
last access	2025-02-07

6696 *winemtex* – EmTeX for windows

Web page on CTAN <https://ctan.org/pkg/winemtex>

name	winemtex
caption	EmTeX for windows
license	noinfo = noinfo
description	(no language specified) A full emTeX distribution for MS-Windows98 including Ghostscript and WinEdit and preconfigured to work with TeX.
keyword	obsolete (package declared obsolete)
keyword	distribution (components (or support) of TeX distribution)
language(s)	no language specified
year	without year
last access	2025-02-07

6697 winfonts – Use fonts distributed with Windows XPWeb page on CTAN <https://ctan.org/pkg/winfonts>

name	Winfonts
caption	Use fonts distributed with Windows XP
author	Pichaureau, Paul
copyright	Paul Pichaureau for the MathDesign Project (2005)
license	gpl = GNU General Public License (free)
version	1.1
description	(no language specified) The bundle provides the files necessary to use the TrueType fonts Arial, Comic Sans, Courier New, Franklin Gothic, Georgia, Palatino Linotype, Tahoma, Times and Verdana as text fonts in T1 encoding. It also provides the means to use the fonts Wingding and Webdings as symbol fonts. All these fonts are distributed with Windows XP; it is possible to use them directly with pdfTeX. The MiKTeX previewer yap will also use the fonts if they are called up in a DVI file; however, there is no provision for creating PostScript files that use the fonts.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/winfonts/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/winfonts/winfonts-doc.pdf
– local file	<code>./1977493505-winfonts-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/winfonts
keyword	font-supp (metrics, macro incantations and other font support)
see also	see section 1231 on page 1119: (<i>comicsans</i> – Use Microsoft Comic Sans font)
language(s)	no language specified
year	2005
last access	2025-02-07

6698 winlatex – FrontEnd for TeX, Win98/NT, needs Microsoft VisualBasic-DLLs

Web page on CTAN <https://ctan.org/pkg/winlatex>

name	winlatex
caption	FrontEnd for TeX, Win98/NT, needs Microsoft VisualBasic-DLLs
author	Reinhardt, Thomas
license	pd = Public Domain Software (free)
version	0.8
documentation	(German) <i>Package documentation</i> : https://ctan.org/tex-archive/systems/win32/winlatex/winlatex.pdf
– local file	./1249149089-winlatex.pdf
on CTAN	https://ctan.org/tex-archive/systems/win32/winlatex
keyword	misc-support (miscellaneous support stuff)
language(s)	German
year	without year
last access	2025-02-07

6699 winshell – A MS-Windows32 user interface for TeX

Web page on CTAN <https://ctan.org/pkg/winshell>

name	winshell
caption	A MS-Windows32 user interface for TeX
author	de Boer, Ingo H.
license	nosource = No Source Available (not free)
version	4.0.0.2 (2021-11-06)
last changes	2021-11-06
year	2021
description	(no language specified) WinShell is a free multilingual integrated development environment (IDE) for LaTeX and TeX. The program includes a text editor, syntax highlighting, project management, spell checking, a table wizard, BibTeX support, Unicode support, different toolbars and user configuration options.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/win32/winshell/README.txt

home page	https://www.winshell.org
on CTAN	https://ctan.org/tex-archive/systems/win32/winshell
keyword	ide (integrated development environments)
see also	see section 6014 on page 5437: (TeXnicCenter – An IDE for LaTeX on MSWindows)
see also	see section 6695 on page 6042: (WinEdt – MS-Windows shell and editor for TeX)
see also	see section 6029 on page 5451: (texshell32 – A free TeXShell for MS-Windows 95 and NT)
language(s)	no language specified
last access	2025-02-07

6700 *wintex2000* – A Win32 TeX Editor with the MS Office look and feel

Web page on CTAN	https://ctan.org/pkg/wintex2000
name	WinTeX XP
caption	A Win32 TeX Editor with the MS Office look and feel
author	Muecke, Michael
license	shareware = Shareware: A fee is required (not free)
description	(no language specified) WinTeX 2000 offers powerful editing functions in a comfortable and easy to use environment; it features syntax highlighting, a spell checker that automatically underlines misspelled words in your text, a thesaurus, project management support, a "database like" BibTeX editor, code templates and a log browser for Errors and Warnings.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/win32/wintex2000/README.TXT
on CTAN	https://ctan.org/tex-archive/systems/win32/wintex2000
keyword	editor (editor designed (or adapted) for use with (La)TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

6701 withargs – In-place argument substitution

Web page on CTAN <https://ctan.org/pkg/withargs>

name	withargs
caption	In-place argument substitution
author	Helvensteijn, Michiel
copyright	Michiel Helvensteijn (2013-2016)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.3.1 (2019-11-04)
last changes	2019-11-04
year	2019
description	(no language specified) The <code>\withargs</code> command provides a clean way to populate a template (containing #1 , #2 , etc.) using LaTeX argument substitution. It also allows you to carefully control argument expansion using a LaTeX3-style argument specification. Uses range from creating readable string templates (akin to C's <code>printf</code> function) to performing otherwise complex token-list manipulation.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/withargs/withargs.pdf
– local file	<code>./1222043518-withargs.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/withargs/README
contact	<i>repository</i> : https://github.com/mhelvens/latex-withargs
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/withargs
on MikTeX	withargs
on TeXLive	withargs
keyword	macro-supp (support for development of (La)TeX macros)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

6702 `witharrows` – “Aligned” math environments with arrows for comments

Web page on CTAN <https://ctan.org/pkg/witharrows>

name	<code>witharrows</code>
caption	“Aligned” math environments with arrows for comments
author	Pantigny, François
copyright	F. Pantigny (2017-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.9a (2024-10-19)
last changes	2024-10-19
year	2024
description	(no language specified) This package provides an environment <code>WithArrows</code> which is similar to the environment <code>aligned</code> of <code>amsmath</code> (and <code>mathtools</code>), but gives the possibility to draw arrows on the right side of the alignment. These arrows are usually used to give explanations concerning the mathematical calculus presented. The package requires the following other LaTeX packages: <code>expl3</code>, <code>footnote</code>, <code>l3keys2e</code>, <code>tikz</code>, and <code>xparse</code>.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/witharrows/README.md
documentation	<i>Package documentation (French)</i> : https://ctan.org/tex-archive/macros/generic/witharrows/witharrows-french.pdf
– local file	<code>./4934540001-witharrows-french.pdf</code>
documentation	(no language specified) <i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/generic/witharrows/witharrows.pdf
– local file	<code>./1624193196-witharrows.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/generic/witharrows
on MikTeX	<code>witharrows</code>
on TeXLive	<code>witharrows</code>
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>maths-syseqn</code> (systems of equations)
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>macro-gen</code> (macros that are independent of the (TeX) format in use)

language(s)	French
last access	2025-02-07

6703 *withesis* – University of Wisconsin-Madison Thesis LaTeX Class

Web page on CTAN <https://ctan.org/pkg/withesis>

name	<code>withesis</code>
caption	University of Wisconsin-Madison Thesis LaTeX Class
author	Benedict, Eric
copyright	Eric Benedict (2000, 2002)
license	artistic = Perl Artistic License (not free)
version	2.0
description	(no language specified) This provides a class file which produces thesis, prelims, dissertations and project reports which should meet the requirements of the graduate school at UW-Madison. In addition to the class file, an example thesis is included which provides a brief introduction to LaTeX and the usage of the style class in particular. The usage is explained both by example through the source of the example thesis as well as in the typeset result of the example thesis.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/withesis/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/withesis
on MikTeX	<code>withesis</code>
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
year	2002
last access	2025-02-07

6704 *wmaainf* – BibTeX style for Abteilung für Angewandte Informatik

Web page on CTAN <https://ctan.org/pkg/wmaainf>

name	wmaainf
caption	BibTeX style for Abteilung für Angewandte Informatik
author	Müller, Walter
license	other-nonfree = License that prevents distribution (not free)
version	(1993-11-25)
last changes	1993-11-25
year	1993
description	(no language specified) The style features alphanumeric labels, alphanumeric order, journal names not abbreviated and quotes around article titles.
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/misc/wmaainf.bst
keyword	bibtex-sty (bibtex-sty(unknown))
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
last access	2025-02-07

6705 *wmf2eps* – Windows metafile conversion

Web page on CTAN <https://ctan.org/pkg/wmf2eps>

name	wmf2eps
caption	Windows metafile conversion
author	Schulter, Wolfgang
license	shareware = Shareware: A fee is required (not free)
version	1.32
description	(no language specified) A Win32 program to convert MS-Windows Metafile Graphics (WMF) containing either vector-images or bitmaps into Encapsulated PostScript format having tight bounding-boxes at exactly the same size as the WMF-originals. For Windows systems ≥ 8 this program has been replaced by wmf2epsc .
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/support/wmf2eps/Readme.txt

on CTAN <https://ctan.org/tex-archive/support/wmf2eps>
 keyword graphics-prep (prepare graphics for use with *TeX)
 language(s) no language specified
 year without year
 last access 2025-02-07

6706 wmf2eps – Windows metafile conversion

Web page on CTAN <https://ctan.org/pkg/wmf2eps>

name wmf2eps
 caption Windows metafile conversion
 author Schuler, Wolfgang
 license nosource = No Source Available (not free)
 version 2.2
 description (no language specified) A Win32 program to convert MS-Windows Metafile Graphics (WMF) containing either vector-images or bitmaps into Encapsulated PostScript format having tight bounding-boxes at exactly the same size as the WMF-originals.
 This is an update of the program [wmf2eps](#) that runs on Windows 8 and later.
 documentation (no language specified) *Readme*:
<https://ctan.org/tex-archive/support/wmf2eps/README>
 home page <https://wschulter.de/wmf2eps/>
 on CTAN <https://ctan.org/tex-archive/support/wmf2eps>
 keyword graphics-prep (prepare graphics for use with *TeX)
 language(s) no language specified
 year without year
 last access 2025-02-07

6707 *wncyr* – University of Washington cyrillic fontsWeb page on CTAN <https://ctan.org/pkg/wncyr>

name	wncyr
caption	University of Washington cyrillic fonts
author	The American Mathematical Society
license	lppl = The LaTeX Project Public License (free)
version	2.2
description	(no language specified) The "original" cyrillic, whose encoding was adopted by the LaTeX project as OT2. The fonts are distributed as part of the AMS fonts collection (both as Metafont source and as Adobe Type 1). Note that OT2 is nowhere used in hyphenation tables, so that, for fully satisfactory typesetting of cyrillic languages, the LH font set, or an Unicode font that offers cyrillic glyphs, is necessary. The LH fonts are also available in Adobe Type 1 format as part of the CM-super bundle)
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/fonts/amsfonts/doc/amsfndoc.pdf
– local file	./2335813257-amsfndoc.pdf
on MikTeX	amsfonts
on T _E XLive	amsfonts
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
keyword	font-cyrillic (fonts for Cyrillic and related scripts)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
year	without year
last access	2025-02-07

6708 *wnri* – Ridgeway’s fonts

Web page on CTAN <https://ctan.org/pkg/wnri>

name	wnri
caption	Ridgeway’s fonts
author	Pandey, Anshuman
author	Ridgeway, Thomas
copyright	Humanities and Arts Computing Center, University of Washington (1992)
license	gpl = GNU General Public License (free)
description	(no language specified) Fonts (as Metafont source) for Old English, Indic languages in Roman transliteration and Puget Salish (Lushootseed) and other Native American languages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/wnri/README
on CTAN	https://ctan.org/tex-archive/fonts/wnri
on MikTeX	wnri
on T _E XLive	wnri
keyword	font (fonts themselves)
keyword	font-specialist (fonts with specific small application areas)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	no language specified
year	1992
last access	2025-02-07

6709 *wnri-latex* – LaTeX support for *wnri* fonts

Web page on CTAN <https://ctan.org/pkg/wnri-latex>

name	wnri-latex
caption	LaTeX support for <i>wnri</i> fonts
author	Pandey, Anshuman
copyright	Anshuman Pandey (1998, 2011)
license	gpl2 = GNU General Public License, version 2 (free)
version	1.0b

description	(no language specified) LaTeX support for the wnri fonts.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/wnri-latex/wnri.pdf
– local file	./8201630160-wnri.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/wnri-latex/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/wnri-latex
on MikTeX	wnri-latex
on TeXLive	wnri-latex
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
year	2011
last access	2025-02-07

6710 *wntamil* – Tamil to TeX converter

Web page on CTAN	https://ctan.org/pkg/wntamil
name	wntamil
caption	Tamil to TeX converter
copyright	Humanities and Arts Computing Center, University of Washington (1990)
license	other-nonfree = License that prevents distribution (not free)
description	(no language specified) Fonts (as Metafont source), macros and a converter for transliterated text, providing support for Tamil (focussing on Windows users' needs).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/tamil/wntamil/README
on CTAN	https://ctan.org/tex-archive/language/tamil/wntamil
keyword	font (fonts themselves)
keyword	font-indic (fonts for languages of the Indian subcontinent)
keyword	font-mf (fonts distributed as Metafont source)
language(s)	no language specified
year	1990
last access	2025-02-07

6711 wochtag – Generate the German weekday name for a date

Web page on CTAN <https://ctan.org/pkg/wochtag>

name	wochtag
caption	Generate the German weekday name for a date
author	Schrell, Andreas
license	noinfo = noinfo
version	1.0
description	(no language specified) Defines a macro <code>\Wochentag<day>.<month>.<year>.</code> that produces a day name, in German.
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/misc/ wochtag.tex
keyword	date-time (manipulate dates and/or times)
see also	see section 1539 on page 1399: (<code>dayofweek</code> – Calculate day of week, phase of moon)
see also	see section 1675 on page 1518: (<code>dow</code> – Calculate day of week from a numeric date)
see also	see section 6679 on page 6029: (<code>weekday</code> – Generate “day of week”)
language(s)	no language specified
year	without year
last access	2025-02-07

6712 woff2ot – Woff to OpenType converter

Web page on CTAN <https://ctan.org/pkg/woff2ot>

name	Woff2OT
caption	Woff to OpenType converter
author	Frane Jr, Peter
copyright	Peter Frane Jr. (2020)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	1.0

description	(no language specified) This C++ program converts a Woff file to either an OpenType PostScript or an OpenType TrueType font. It is essentially a header-only library, as the complete functionalities are done in the header. Font collections are <i>not</i> supported. See also its companion program OT2Woff , which converts OpenType fonts to Woff.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/utilities/woff2ot/README
on CTAN	https://ctan.org/tex-archive/fonts/utilities/woff2ot
keyword	font-proc (process fonts for use with TeX (includes installation))
keyword	misc-conv (miscellaneous conversions)
see also	see section 4425 on page 4008: (OT2Woff – OpenType to Woff converter)
language(s)	no language specified
year	2020
last access	2025-02-07

6713 word2latex – A translator from MS Word to LaTeX documents

Web page on CTAN	https://ctan.org/pkg/word2latex
name	word2latex
caption	A translator from MS Word to LaTeX documents
author	de Boer, Ingo H.
copyright	Ingo H. de Boer (2005-2006)
license	nosource = No Source Available (not free)
version	1.1.0.0
description	(no language specified) The wsW2LTX library is an application programming interface (API) designed to translate a MS Word document to LaTeX and converts MS Word documents up to version 9, which is MS Word 2000. The library is based on libwv and on several other (mostly Unix-based) libraries. The library is distributed with a GUI application for straightforward use.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/word2latex/README
on CTAN	https://ctan.org/tex-archive/support/word2latex
keyword	foreign-import (import files in a non-TeX (or different TeX) format)
language(s)	no language specified

year 2006
last access 2025-02-07

6714 word2tex – Convert TeX/MSWord to LaTeX

Web page on CTAN <https://ctan.org/pkg/word2tex>

name word2tex
caption Convert TeX/MSWord to LaTeX
author Chikrii, Kirill A
license other-nonfree = License that prevents distribution (not free)
version 4.0
description (no language specified) Word2TeX enables Microsoft Word to save documents in LaTeX format. This gives the opportunity to convert existing Microsoft Word documents to LaTeX and to create new LaTeX a word processor rather than requiring a separate editing environment. The converter also deals with equations created using Equation Editor or MathType.
home page <http://www.tex2word.com>
keyword foreign-import (import files in a non-TeX (or different TeX) format)
see also see section 5948 on page 5384: (tex2word – Convert TeX/LaTeX to MSWord)
language(s) no language specified
year without year
last access 2025-02-07

6715 word2x – Word 6 format converter

Web page on CTAN <https://ctan.org/pkg/word2x>

name word2x
caption Word 6 format converter
author Simpson, Duncan
license gpl = GNU General Public License (free)
version 0.001
description (no language specified) A Word 6 to anything converter, currently supporting output formatted as plain text or as LaTeX.

on CTAN	https://ctan.org/tex-archive/support/word2x
keyword	<code>foreign-import</code> (import files in a non-TeX (or different TeX) format)
see also	see section 953 on page 867: (<code>catdoc</code> – Text extractor for word files)
language(s)	no language specified
year	without year
last access	2025-02-07

6716 *wordcloud* – Drawing wordclouds with MetaPost and Lua

Web page on CTAN	https://ctan.org/pkg/wordcloud
name	<code>wordcloud</code>
caption	Drawing wordclouds with MetaPost and Lua
author	Chupin, Maxime
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3
description	(no language specified) This MetaPost and LuaLaTeX package allows drawing wordclouds from a list of words and weights. The algorithm is implemented with MetaPost whereas Lua is used to parse LaTeX commands, to build the list of words and weights from a text file and to generate MetaPost code interpreted by luamplib .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/wordcloud/doc/wordcloud-doc-en.pdf
– local file	<code>./2382788853-wordcloud-doc-en.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/metapost/contrib/macros/wordcloud/README.md
contact	<i>bugs</i> : https://github.com/chupinmaxime/wordcloud/issues
contact	<i>repository</i> : https://github.com/chupinmaxime/wordcloud
on CTAN	https://ctan.org/tex-archive/graphics/metapost/contrib/macros/wordcloud
on MikTeX	<code>wordcloud</code>
on T _E XLive	<code>wordcloud</code>
keyword	<code>mp-use</code> (use, and support for use, of MetaPost)
keyword	<code>luatex</code> (LuaTeX and packages that require it)

language(s)	no language specified
year	without year
last access	2025-11-28

6717 *wordcount* – Estimate the number of words in a LaTeX document

Web page on CTAN <https://ctan.org/pkg/wordcount>

name	wordcount
caption	Estimate the number of words in a LaTeX document
author	Downes, Michael J.
license	lppl = The LaTeX Project Public License (free)
version	1.7 (2016-06-03)
last changes	2016-06-03
year	2016
description	(no language specified) The package provides a relatively easy way of estimating the number of words in a LaTeX document that does not require <code>dvitty</code> or other DVI converters. It does however require something like Unix <code>grep -c</code> that can search a file for a particular string and report the number of matching lines. An accompanying shell script <code>wordcount.sh</code> contains more information in its comments.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/wordcount/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/wordcount
on MikTeX	wordcount
on T _E XLive	wordcount
keyword	word-count (count the ‘words’ in a document)
language(s)	no language specified
last access	2025-02-07

6718 wordle – Create wordle grids

Web page on CTAN <https://ctan.org/pkg/wordle>

name	wordle
caption	Create wordle grids
author	Mathas, Andrew
author	Pierquet, Cédric
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3.0
description	(no language specified) This package provides environments (in French or English) to display wordle grids: • <code>\begin{WordleGrid}</code> for the English version, • <code>\begin{GrilleSutom}</code> for the French version.
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/wordle/wordle-doc-fr.pdf
– local file	<code>./4030723398-wordle-doc-fr.pdf</code>
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/wordle/wordle-doc-en.pdf
– local file	<code>./3858181573-wordle-doc-en.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/wordle/README.md
contact	<i>support</i> : https://github.com/AndrewMathas/Wordle/issues
contact	<i>repository</i> : https://github.com/AndrewMathas/Wordle
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/wordle
on MikTeX	wordle
on TeXLive	wordle
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	games (process game diagrams, gamebooks, and other amusements)
language(s)	French
year	without year
last access	2025-05-27

6719 wordlike – Simulating word processor layoutWeb page on CTAN <https://ctan.org/pkg/wordlike>

name	wordlike
caption	Simulating word processor layout
author	Fenn, Jürgen
copyright	Jürgen Fenn (2003-2006)
license	lppl = The LaTeX Project Public License (free)
version	1.2b
description	(no language specified) The package simulates typical word processor layout: narrow page margins, Times, Helvetica and Courier fonts, <code>\LARGE</code> or <code>\Large</code> headings, and <code>\sloppy</code> typesetting. The package aims at making life easier for users who are discontent with LaTeX's standard layout settings because they need a layout that resembles the usual "wordlike" output. The design of the package draws on several discussions in the <code>de.comp.text.tex</code> and <code>comp.text.tex</code> newsgroups that are referred to in the manual.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/wordlike/wordlike.pdf
– local file	<code>./7900187367-wordlike.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/wordlike
on MikTeX	wordlike
on TeXLive	wordlike
keyword	layout (layout of objects on the page)
language(s)	no language specified
year	2006
last access	2025-02-07

6720 `wordml2latex` – XSLT to transform a WordML file to a LaTeX2e source

Web page on CTAN <https://ctan.org/pkg/wordml2latex>

name	WordML2LaTeX
caption	XSLT to transform a WordML file to a LaTeX2e source
author	Dambra, Ruggero
license	gpl = GNU General Public License (free)
version	1.0
description	(no language specified) WordML2LaTeX is a meeting point between two titans in word processing: Microsoft Word 2003 and LaTeX2e. It is an XSL stylesheet that transforms a Word document (in Microsoft Word 2003 XML format, WordML) in a LaTeX2e source. With WordML2LaTeX You can use Word as a front end for LaTeX.
documentation	<i>Package documentation (English):</i> https://ctan.org/tex-archive/support/WordML2LaTeX/doc/en/WordML2LaTeX.pdf
– local file	<code>./2182430166-WordML2LaTeX.pdf</code>
documentation	<i>Package documentation (Italian):</i> https://ctan.org/tex-archive/support/WordML2LaTeX/doc/it/WordML2LaTeX.pdf
– local file	<code>./4811373644-WordML2LaTeX.pdf</code>
documentation	<i>Readme (English):</i> https://ctan.org/tex-archive/support/WordML2LaTeX/doc/en/README
documentation	<i>Readme (Italian):</i> https://ctan.org/tex-archive/support/WordML2LaTeX/doc/it/leggi.txt
on CTAN	https://ctan.org/tex-archive/support/WordML2LaTeX
keyword	foreign-import (import files in a non-TeX (or different TeX) format)
language(s)	English; Italian
year	without year
last access	2025-02-07

6721 wordweb – Literate programming using Microsoft Word

Web page on CTAN <https://ctan.org/pkg/wordweb>

name	wordweb
caption	Literate programming using Microsoft Word
author	Mc Kearney, Stephen
author	Wittenberg, Lee
license	noinfo = noinfo
version	(1993-06-30)
last changes	1993-06-30
year	1993
description	(no language specified) An experimental mechanism for use with Word; a Word .dot file is provided.
documentation	(no language specified) <i>Package outline:</i> https://ctan.org/tex-archive/web/wordweb/wordweb.pdf
– local file	./1732077548-wordweb.pdf
documentation	(no language specified) <i>Changes in wordweb2:</i> https://ctan.org/tex-archive/web/wordweb/newwwweb.pdf
– local file	./4637984681-newwwweb.pdf
on CTAN	https://ctan.org/tex-archive/web/wordweb
keyword	litprog (literate programming)
language(s)	no language specified
last access	2025-02-07

6722 worksheet – Easy creation of worksheets

Web page on CTAN <https://ctan.org/pkg/worksheet>

name	worksheet
caption	Easy creation of worksheets
author	Zöllner, Benjamin
copyright	Benjamin Zöllner (2018)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1

description	(no language specified) This package provides macros and an environment for easy worksheet creation: Use the <code>exercise</code> environment for formatting exercises in a simple, efficient design; typeset customized and automatically numbered worksheet titles in the same way as standard LaTeX titles (using <code>\maketitle</code>); provide course and author information with a <code>scrlayer-scrpage</code> based automated header; conforming to different <code>babel</code> languages. (Currently English, French, and German are supported.)
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/worksheet/worksheet.pdf
– local file	<code>./6219453990-worksheet.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/worksheet/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/worksheet
on MikTeX	<code>worksheet</code>
on TeXLive	<code>worksheet</code>
keyword	<code>exam</code> (exams, quizzes, etc.)
keyword	<code>exercise</code> (exercises, problems for solution, etc.)
language(s)	no language specified
year	2018
last access	2025-02-07

6723 *worldflags* – Drawing flags with TikZ

Web page on CTAN <https://ctan.org/pkg/worldflags>

name	<code>worldflags</code>
caption	Drawing flags with TikZ
author	Haager, Wilhelm
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2023-11-12)
last changes	2023-11-12
year	2023

description	(no language specified) This is a package for drawing flags using TikZ . Currently the national flags of all independent nations are included, additionally some other flags of various organizations. A flag can be drawn ... • as a single TikZ-picture within ordinary text, • as a picture element within a TikZ-picture. The appearance of a flag (size, frame etc.) can be adapted using optional parameters.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/worldflags/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/worldflags/doc/worldflags.pdf
– local file	<code>./4332512267-worldflags.pdf</code>
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/worldflags
on MikTeX	worldflags
on TeXLive	worldflags
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	graphics (graphics (support packages))
language(s)	no language specified
last access	2025-02-07

6724 *wotree* – Draw Warnier/Orr diagrams

Web page on CTAN <https://ctan.org/pkg/wotree>

name	wotree
caption	Draw Warnier/Orr diagrams
author	Gurari, Eitan M.
copyright	Eitan M. Gurari (2000)
license	lppl = The LaTeX Project Public License (free)
version	(2000-06-29)
last changes	2000-06-29
year	2000

description	(no language specified) Draws the diagrams using DraTeX .
on CTAN	https://ctan.org/tex-archive/graphics/dratex/wotree.sty
keyword	tree (mechanisms for drawing trees)
language(s)	no language specified
last access	2025-02-07

6725 *wp2latex* – Convert WordPerfect documents to LaTeX

Web page on CTAN	https://ctan.org/pkg/wp2latex
name	WP2LaTeX
caption	Convert WordPerfect documents to LaTeX
author	Fojtík, Jaroslav
license	other-free = Free license not otherwise listed (free)
version	3.106
description	(no language specified) This is a long established, supported, converter. A patch is available to use its code as an HTML to LaTeX convertor (see documentation link, below; this code is unrelated to the purpose-built HTML2LaTeX , also on CTAN).
documentation	(English) <i>WP2LaTeX document</i> <i>wp2latex.faq</i> tion: https://ctan.org/tex-archive/support/wp2latex/wp2latex.doc.htm
documentation	(English) <i>FAQ about compilation issues, etc.</i> : https://ctan.org/tex-archive/support/wp2latex/wp2latex.faq
documentation	(English) <i>Patches to create html2latex</i> : https://ctan.org/tex-archive/support/wp2latex/html2latex.htm
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/wp2latex/readme.txt
documentation	(no language specified) <i>Build hints</i> : https://ctan.org/tex-archive/support/wp2latex/readme.1st
on CTAN	https://ctan.org/tex-archive/support/wp2latex
keyword	foreign-import (import files in a non-TeX (or different TeX) format)
keyword	word-proc (dealing with word processors)
see also	see section 6018 on page 5441 : (<i>texperf</i> – A WordPerfect to LaTeX translator)
language(s)	English
year	without year

last access 2025-02-07

6726 wrapfig – Produces figures which text can flow aroundWeb page on CTAN <https://ctan.org/pkg/wrapfig>

name	wrapfig
caption	Produces figures which text can flow around
author	Arseneau, Donald
license	lppl = The LaTeX Project Public License (free)
version	3.6
description	(no language specified) Allows figures or tables to have text wrapped around them. Does not work in combination with list environments, but can be used in a parbox or minipage, and in twocolumn format. Supports the float package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/wrapfig/wrapfig-doc.pdf
– local file	./2615075116-wrapfig-doc.pdf
documentation	(no language specified) <i>How to use wrapfig to span multiple columns</i> : https://ctan.org/tex-archive/macros/latex/contrib/wrapfig/multiple-span.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/wrapfig
on MikTeX	wrapfig
on T _E XLive	wrapfig
keyword	text-flow (flow text round an insertion in the paragraph)
see also	see section 6727 on page 6068: (wrapfig2 – Wrap text around figures)
language(s)	no language specified
year	without year
last access	2025-02-07

6727 wrapfig2 – Wrap text around figures

Web page on CTAN <https://ctan.org/pkg/wrapfig2>

name	wrapfig2
caption	Wrap text around figures
author	Beccari, Claudio
copyright	Donald Arseneau (1991-2003)
copyright	Claudio Beccari (2021-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	7.0.0 (2024-01-18)
last changes	2024-01-18
year	2024
description	(no language specified) This package is a fork of Donald Arseneau's wrapfig package. It is backwards compatible with the original environments. Therefore this package does not work with LaTeX2e kernels older than about 2018, although a warning is issued if the LaTeX format file is dated with a date older than 1st January 2019.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/wrapfig2/README.txt
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/wrapfig2/wrapfig2.pdf
– local file	./7631355860-wrapfig2.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/wrapfig2
on MikTeX	wrapfig2
on TeXLive	wrapfig2
keyword	text-flow (flow text round an insertion in the paragraph)
keyword	expl3 (expl3(unknown))
see also	see section 1452 on page 1314: (cutwin – Cut a window in a paragraph, typeset material in it)
language(s)	no language specified
last access	2025-02-07

6728 wrapstuff – Wrapping text around stuff

Web page on CTAN <https://ctan.org/pkg/wrapstuff>

name	wrapstuff
caption	Wrapping text around stuff
author	Lee, Qing
copyright	Qing Lee (2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3
description	(no language specified) This package provides another implementation of text wrapping. Its implementation benefits from the paragraph hooks available since LaTeX 2021-06-01. English documentation is provided by the wrapstuff-doc-en package.
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/wrapstuff/wrapstuff.pdf
– local file	./1169337268-wrapstuff.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/wrapstuff/README.md
contact	<i>support</i> : https://github.com/qinglee/wrapstuff/discussions
contact	<i>announce</i> : https://github.com/qinglee/wrapstuff/releases
contact	<i>bugs</i> : https://github.com/qinglee/wrapstuff/issues
contact	<i>repository</i> : https://github.com/qinglee/wrapstuff
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/wrapstuff
on MikTeX	wrapstuff
on TeXLive	wrapstuff
keyword	text-flow (flow text round an insertion in the paragraph)
keyword	expl3 (expl3(unknown))
language(s)	Chinese
year	2022
last access	2025-02-07

6729 *wrapstuff-doc-en* – English version of the *wrapstuff* package documentationWeb page on CTAN <https://ctan.org/pkg/wrapstuff-doc-en>

name	wrapstuff-doc-en
caption	English version of the <i>wrapstuff</i> package documentation
author	Wu, Siyu
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3 (2024-07-18)
last changes	2024-07-18
year	2024
description	(no language specified) This package provides an English translation of the documentation for the <i>wrapstuff</i> package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/wrapstuff-doc-en/README.md
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/wrapstuff-doc-en/wrapstuff-doc-en.pdf
– local file	./6919757283-wrapstuff-doc-en.pdf
contact	<i>bugs</i> : https://github.com/SwitWu/wrapstuff-doc-en/issues
contact	<i>repository</i> : https://github.com/SwitWu/wrapstuff-doc-en
on CTAN	https://ctan.org/tex-archive/info/wrapstuff-doc-en
on MikTeX	wrapstuff-doc-en
on T _E XLive	wrapstuff-doc-en
keyword	documentation (‘stand-alone’ documentation)
keyword	docu-pkg (documentation of another package)
keyword	translation (translation of material from the archive, to another language)
language(s)	no language specified
last access	2025-02-07

6730 *wright* – Define commands with optional arguments

Web page on CTAN <https://ctan.org/pkg/wright>

name	wright
caption	Define commands with optional arguments
license	noinfo = noinfo
version	(1993-11-08)
last changes	1993-11-08
year	1993
description	(no language specified) Version of <code>\newcommand</code> and <code>\renewcommand</code> that can define commands with optional arguments. (Preceding the public availability of such commands, in LaTeX 2e, and with a slightly different syntax.)
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/wright
keyword	latex209 (package only known to work with LaTeX 2.09)
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-11

6731 *writeongrid* – Write on grid lines

Web page on CTAN <https://ctan.org/pkg/writeongrid>

name	WriteOnGrid
caption	Write on grid lines
author	Pierquet, Cédric
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.8 (2024-11-05)
last changes	2024-11-05
year	2024
description	(no language specified) An environment to create grids (type 5x5 or Seyes or Ruled) and commands to write texts "right" on the lines.

6732 `wrtfile` – Write TeX files from a TeX document

documentation	<i>Package documentation (French):</i> https://ctan.org/tex-archive/macros/latex/contrib/writeongrid/doc/WriteOnGrid-doc-fr.pdf
– local file	<code>./5316445643-WriteOnGrid-doc-fr.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/writeongrid/README.md
documentation	(no language specified) <i>Package documentation (English):</i> https://ctan.org/tex-archive/macros/latex/contrib/writeongrid/doc/WriteOnGrid-doc-en.pdf
– local file	<code>./7902670463-WriteOnGrid-doc-en.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/writeongrid
on MikTeX	<code>writeongrid</code>
on TeXLive	<code>writeongrid</code>
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>typeset-grid</code> (typeset, snapping lines of text to a grid)
language(s)	French
last access	2025-05-27

6732 `wrtfile` – Write TeX files from a TeX document

Web page on CTAN	https://ctan.org/pkg/wrtfile
name	<code>wrtfile</code>
caption	Write TeX files from a TeX document
author	Smith, Cameron
license	other-free = Free license not otherwise listed (free)
version	(1992-10-19)
last changes	1992-10-19
year	1992
description	(no language specified) Wrtfile is a means of creating self-extracting distributions in TeX files; it is similar in conception to the LaTeX docstrip mechanism, but is somewhat more efficient. Wrtfile is (of course) distributed using its own mechanisms.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/plain/contrib/wrtfile/wrtfdist.readme

on CTAN <https://ctan.org/tex-archive/macros/plain/contrib/wrtfile>

keyword bundle (pack files up for distribution or archiving)

language(s) no language specified

last access 2025-02-07

6733 *wsemclassic* – LaTeX class for Bavarian school w-seminar papers

Web page on CTAN <https://ctan.org/pkg/wsemclassic>

name *wsemclassic*

caption LaTeX class for Bavarian school w-seminar papers

author Rosenberger, Johannes

copyright Johannes Rosenberger (2013)

license bsd = BSD Style License (free)

version 1.0.1

description (no language specified) The class is designed either to conform with the recommendations of the Bavarian Kultusministerium for typesetting w-seminar papers (strict mode), or to use another style which should look better.

The class is based on the LaTeX standard report class.

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/wsemclassic/README>

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/wsemclassic/wsemclassic.pdf>

– local file ./8036974120-wsemclassic.pdf

contact *repository*: <https://github.com/jorsn/wsemclassic/>

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/wsemclassic>

on MikTeX *wsemclassic*

on T_EXLive *wsemclassic*

keyword dissertation (typesetting dissertations, theses, etc.)

language(s) no language specified

year 2013

last access 2026-04-10

6734 *wsuipa* – International Phonetic Alphabet fonts

Web page on CTAN <https://ctan.org/pkg/wsuipa>

name	wsuipa
caption	International Phonetic Alphabet fonts
author	Guenther, Dean
license	other-free = Free license not otherwise listed (free)
description	(no language specified) The package provides a 7-bit IPA font, as Metafont source, and macros for support under TeX and LaTeX. The fonts (and macros) are now largely superseded by the tipa fonts.
documentation	(no language specified) <i>Package documentation and font details:</i> https://ctan.org/tex-archive/fonts/wsuipa/doc/ipaman.ps
documentation	(no language specified) <i>Package Readme:</i> https://ctan.org/tex-archive/fonts/wsuipa/README
on CTAN	https://ctan.org/tex-archive/fonts/wsuipa
on MikTeX	wsuipa
on T _E XLive	wsuipa
keyword	phonetic (support for phonetic notation)
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
see also	see section 6735 on page 6075: (<i>wsuipa2tipa</i> – Translate <i>wsuipa</i> font commands into <i>tipa</i> font commands)
language(s)	no language specified
year	without year
last access	2025-02-07

6735 *wsuipa2tipa* – Translate *wsuipa* font commands into *tipa* font commands

Web page on CTAN <https://ctan.org/pkg/wsuipa2tipa>

name	<i>wsuipa2tipa</i>
caption	Translate <i>wsuipa</i> font commands into <i>tipa</i> font commands
author	Kleiweg, Peter
license	gpl = GNU General Public License (free)
description	(no language specified) Old <i>wsuipa</i> fonts don't compile well on newer TeX distributions, and may be unavailable on your local installation. The fonts are superseded by the newer <i>tipa</i> fonts. The program <i>wsu2tipa</i> works as a filter that translates an old LaTeX document, replacing all <i>wsuipa</i> font commands with <i>tipa</i> font commands.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/wsuipa2tipa/README
on CTAN	https://ctan.org/tex-archive/support/wsuipa2tipa
keyword	phonetic (support for phonetic notation)
see also	see section 6734 on page 6074: (<i>wsuipa</i> – International Phonetic Alphabet fonts)
see also	see section 6197 on page 5606: (<i>tipa</i> – Fonts and macros for IPA phonetics characters)
language(s)	no language specified
year	without year
last access	2025-02-07

6736 *wtref* – Extend LaTeX's cross-reference system

Web page on CTAN <https://ctan.org/pkg/wtref>

name	WTRef
caption	Extend LaTeX's cross-reference system
author	Asakura, Takuto
copyright	Takuto ASAKURA (2016-2023)
license	mit = MIT License (free)
version	1.0.0 (2023-12-24)
last changes	2023-12-24

year	2023
description	(no language specified) This package extends the cross-reference system of LaTeX2e and introduces concepts of namespace and scope. It also allows users to customize reference formats. The package is part of the WT Series . Prerequisite packages: xparse and xkeyval .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/wtref/wtref.pdf
– local file	<code>./6177798865-wtref.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/wtref/README.md
documentation	<i>Package documentation (Japanese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/wtref/wtref-ja.pdf
– local file	<code>./2053208279-wtref-ja.pdf</code>
contact	<i>bugs</i> : https://github.com/wtsnjp/WTRef/issues
contact	<i>repository</i> : https://github.com/wtsnjp/WTRef
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/wtref
on MikTeX	wtref
on TeXLive	wtref
keyword	label-ref (label and reference systems)
language(s)	Japanese
last access	2025-02-07

6737 *xargs* – Define commands with many optional arguments

Web page on CTAN <https://ctan.org/pkg/xargs>

name	<code>xargs</code>
caption	Define commands with many optional arguments
author	Pégourié-Gonnard, Manuel
license	lppl = The LaTeX Project Public License (free)
version	1.1

description	(no language specified) The package provides extended versions of <code>\newcommand</code> and related LaTeX commands, which allow easy and robust definition of macros with many optional arguments, using a clear and simple xkeyval -style syntax.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xargs/README
documentation	<i>Package documentation (French)</i> : https://ctan.org/tex-archive/macros/latex/contrib/xargs/xargs-fr.pdf
– local file	<code>./5094127818-xargs-fr.pdf</code>
documentation	<i>Package documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/xargs/xargs.pdf
– local file	<code>./2383581939-xargs.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xargs
on MikTeX	<code>xargs</code>
on TeXLive	<code>xargs</code>
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
keyword	<code>latex3</code> (work done for the project to upgrade LaTeX)
language(s)	English; French
year	without year
last access	2025-02-12

6738 *xarticle* – A LaTeX 2.09 document style with 7pt, 8pt and 9pt options

Web page on CTAN	https://ctan.org/pkg/xarticle
name	<code>xarticle</code>
caption	A LaTeX 2.09 document style with 7pt, 8pt and 9pt options
license	<code>noinfo = noinfo</code>
version	(1993-11-08)
last changes	1993-11-08
year	1993
description	(no language specified) The style is based on <code>article</code> ; similar packages exist for current LaTeX, but the techniques of this one will not work nowadays.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/xarticle

keyword	latex209 (package only known to work with LaTeX 2.09)
keyword	doc-style (LaTeX 2.09 document style)
see also	see section 2102 on page 1902: (<code>extsizes</code> – Extend the standard classes' size options)
language(s)	no language specified
last access	2025-02-11

6739 *xassoccnt* – Associated counters stepping simultaneously

Web page on CTAN <https://ctan.org/pkg/xassoccnt>

name	<code>xassoccnt</code>
caption	Associated counters stepping simultaneously
author	Hupfer, Christian
copyright	Dr. Christian Hupfer (2015-2021)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.0 (2021-11-21)
last changes	2021-11-21
year	2021
description	(no language specified) This package provides a way of associating counters to an existing driver counter so that incrementing the driver counter will increase its associated counters as well. This package can be regarded as a supplement to the totcount package by Vasileios Koutavas, but it can be used without it, too. <code>xassoccnt</code> is a successor and a complete rewrite of the assoccnt package by the same author. However, as of 2017-03-05, some features of assoccnt are not (yet) contained in <code>xassoccnt</code> so that the older package cannot yet be regarded as obsolete.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/xassoccnt/xassoccnt_doc.pdf
– local file	<code>./9882906244-xassoccnt_doc.pdf</code>
documentation on CTAN	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/xassoccnt/README https://ctan.org/tex-archive/macros/latex/contrib/xassoccnt

on MikTeX	xassoccnt
on T _E XLive	xassoccnt
keyword	macro-supp (support for development of (La)TeX macros)
keyword	counter-mgmt (management of counters)
see also	see section 302 on page 278: (assoccnt – Associate counters, making them step when a master steps)
language(s)	no language specified
last access	2025-02-07

6740 *xbibfile* – Create and search BibTeX databases

Web page on CTAN <https://ctan.org/pkg/xbibfile>

name	xbibfile
caption	Create and search BibTeX databases
author	Maloney, Ross
license	lppl = The LaTeX Project Public License (free)
version	0.7
description	(no language specified) Xbibfile is written in C and uses the GTK graphics libraries to create its user interface. It was written under Linux using the X Window system. It was written out of a need for such a research tool and has performed satisfactorily in that role. At some future stage I may get around to increasing its capabilities so some hooks are in place for doing that expansion.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/xbibfile/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/xbibfile
keyword	bibtex-util (utilities for managing BibTeX files)
language(s)	no language specified
year	without year
last access	2025-02-07

6741 *xbibtex* – An X-Windows utility for adding to a BibTeX database

Web page on CTAN <https://ctan.org/pkg/xbibtex>

name	xbibtex
caption	An X-Windows utility for adding to a BibTeX database
author	Bischof, Christian H.
author	Kelly, Nickolas J.
license	noinfo = noinfo
version	0.0.a
description	(no language specified) The utility provides an X-Windows interface for inserting entries into a bibliography database in BibTeX format. Xbibtex provides a template listing the required and optional fields for each entry type. A further utility is provided to merge the content of ‘keyword’ and ‘annotate’ entries into a .bbl file before final recompilation.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/xbibtex/userguide.ps
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/utils/xbibtex/README
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/utils/xbibtex
keyword	bibtex-util (utilities for managing BibTeX files)
language(s)	no language specified
year	without year
last access	2025-02-07

6742 *xbmks* – Create a cross-document bookmark tree

Web page on CTAN <https://ctan.org/pkg/xbmks>

name	xbmks
caption	Create a cross-document bookmark tree
author	Story, Donald P.
copyright	D. P. Story (2016-2018)
license	lppl1.2 = The LaTeX Project Public License 1.2 (free)
version	(2020-01-16)
last changes	2020-01-16

year	2020
description	(no language specified) The package defines the concept of a document bundle, which is a collection of documents that are to be built separately, but have a common bookmark tree. The only options are driver options, these are dvips (Acrobat Distiller or ps2pdf these can be used as the PDF creator), pdfLaTeX (and LuaLaTeX, which is treated the same as pdfLaTeX), and XeLaTeX. The package auto-detects pdfLaTeX and XeLaTeX, and dvips is the default, so there is actually no need to pass the driver option.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xbmks/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xbmks/docs/xbmksman.pdf
– local file	./2604721969-xbmksman.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xbmks
on MikTeX	xbmks
on TeXLive	xbmks
keyword	pdfprocess (process PDF files)
keyword	adobe-distiller (convert PostScript to PDF using Adobe Distiller)
language(s)	no language specified
last access	2025-02-07

6743 xcharter – Extension of Bitstream Charter fonts

Web page on CTAN <https://ctan.org/pkg/xcharter>

name	XCharter
caption	Extension of Bitstream Charter fonts
author	Sharpe, Michael
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
license	other-free = Free license not otherwise listed (free)
version	1.26 (2024-06-18)
last changes	2024-06-18
year	2024

description	(no language specified) The package presents an extension of Bitstream Charter, which provides small caps, oldstyle figures and superior figures in all four styles, accompanied by LaTeX font support files. The fonts themselves are provided in both Adobe Type 1 and OTF formats, with supporting files as necessary.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/xcharter/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/fonts/xcharter/doc/xcharter-doc.pdf
– local file	<code>./8694083355-xcharter-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/fonts/xcharter
on MikTeX	<code>xcharter</code>
on T _E XLive	<code>xcharter</code>
keyword	<code>font-cyrillic</code> (fonts for Cyrillic and related scripts)
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-proportional</code> (variable-spaced font)
keyword	<code>font-type1</code> (font available in Adobe Type 1 format)
keyword	<code>font-multilingual</code> (font with adaptations to several languages)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-tlenc</code> (font providing LaTeX T1 encoding support)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>font</code> (fonts themselves)
keyword	<code>font-body</code> (font designed for use as body font for Latin-based script documents)
language(s)	no language specified
last access	2025-02-07

6744 xcharter-math – XCharter-based OpenType Math font for LuaTeX and XeTeXWeb page on CTAN <https://ctan.org/pkg/xcharter-math>

name	xcharter-math
caption	XCharter-based OpenType Math font for LuaTeX and XeTeX
author	Flipo, Daniel
copyright	Daniel Flipo (2022-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	ofl = The SIL Open Font License (free)
version	0.64 (2024-10-25)
last changes	2024-10-25
year	2024
description	(no language specified) This package provides an Unicode Math font XCharter-Math.otf meant to be used together with XCharter Opentype Text fonts (extension of Bitstream Charter) in LuaLaTeX or XeLaTeX documents.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/xcharter-math/XCharter-Math.pdf
– local file	./2449323795-XCharter-Math.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/xcharter-math/README.md
documentation	(no language specified) <i>List of glyphs</i> : https://ctan.org/tex-archive/fonts/xcharter-math/unimath-xcharter.pdf
– local file	./7008429087-unimath-xcharter.pdf
on CTAN	https://ctan.org/tex-archive/fonts/xcharter-math
on MikTeX	xcharter-math
on T _E XLive	xcharter-math
keyword	font-otf (font in OpenType format)
keyword	font-supp-maths (metrics, macro incantations and other support for maths fonts)
keyword	font (fonts themselves)
keyword	font-maths (fonts for use in mathematics)
language(s)	no language specified
last access	2025-02-07

6745 `xcite` – Use citation keys from a different document

Web page on CTAN <https://ctan.org/pkg/xcite>

name	<code>xcite</code>
caption	Use citation keys from a different document
author	Gregorio, Enrico
copyright	Enrico Gregorio (2011-2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	16383.99998 (2020-01-21)
last changes	2020-01-21
year	2020
description	(no language specified) The package <code>xcite</code> is no longer necessary, because its functionality has been taken over by <code>xr</code> , so this final version is just a stub that loads <code>xr</code> .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xcite/xcite.pdf
– local file	<code>./6810780457-xcite.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xcite/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xcite
on MikTeX	<code>xcite</code>
on TeXLive	<code>xcite</code>
keyword	obsolete (package declared obsolete)
keyword	<code>cite-supp</code> (citation support)
see also	see section 6838 on page 6170: (<code>xr</code> – References to other LaTeX documents)
language(s)	no language specified
last access	2025-02-07

6746 *xcjk2uni* – Convert CJK characters to Unicode, in pdfTeX

Web page on CTAN <https://ctan.org/pkg/xcjk2uni>

name	xcjk2uni
caption	Convert CJK characters to Unicode, in pdfTeX
author	Lee, Qing
copyright	Qing Lee (2013-2014, 2016, 2018-2020)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0
description	(no language specified) The package provides commands to convert CJK characters to Unicode in non-UTF-8 encoding; it provides hooks to support hyperref in producing correct bookmarks. The bundle also provides <code>/ToUnicode</code> mapping file(s) for a CJK subfont; these can be used with the cmap package, allowing searches of, and cut-and-paste operations on a PDF file generated by pdfTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xcjk2uni/README.md
documentation	<i>Package documentation (Chinese)</i> : https://ctan.org/tex-archive/macros/latex/contrib/xcjk2uni/xCJK2uni.pdf
– local file	<code>./6075748391-xCJK2uni.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xcjk2uni
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/xcjk2uni.tds.zip
on MikTeX	xcjk2uni
on TeXLive	xcjk2uni
keyword	unicode (Unicode, material supporting it, and packages requiring it)
keyword	pdf-feat (access PDF features)
language(s)	Chinese
year	2020
last access	2025-02-07

6747 *xcmr* – A crossed-out version of Computer Modern

Web page on CTAN <https://ctan.org/pkg/xcmr>

name	xcmr
caption	A crossed-out version of Computer Modern
license	noinfo = noinfo
version	(1991-10-04)
last changes	1991-10-04
year	1991
description	(no language specified) The package provides a modification for the single font cmr12 in the standard Computer Modern distribution, that draws the characters ‘struck out’. Provision of this effect is more commonly nowadays done using macros: see, for example, the soul and ulem packages.
on CTAN	https://ctan.org/tex-archive/fonts/cm/xcmr/xcmr12.mf
keyword	font-specialist (fonts with specific small application areas)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
language(s)	no language specified
last access	2025-02-07

6748 *xcntperchap* – Track the number of subsections etc. that occur in a specified tracklevel

Web page on CTAN <https://ctan.org/pkg/xcntperchap>

name	xcntperchap
caption	Track the number of subsections etc. that occur in a specified tracklevel
author	Hupfer, Christian
copyright	Dr. Christian Hupfer (2016-2017)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.5 (2018-01-05)
last changes	2018-01-05
year	2018

description	(no language specified) This package is the successor of cntperchap and allows to provide more tracklevels than just only one.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/xcntperchap/xcntperchap_doc.pdf
– local file	<code>./2726025218-xcntperchap_doc.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/xcntperchap/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xcntperchap
on MikTeX	<code>xcntperchap</code>
on TeXLive	<code>xcntperchap</code>
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
keyword	<code>counter-mgmt</code> (management of counters)
see also	see section 1182 on page 1074: (<code>cntperchap</code> – Store counter values per chapter)
language(s)	no language specified
last access	2025-02-07

6749 xcoffins – Rich boxed material for LaTeX 3

Web page on CTAN	https://ctan.org/pkg/xcoffins
name	<code>xcoffins</code>
caption	Rich boxed material for LaTeX 3
author	The LaTeX Project Team
copyright	LaTeX3 Project (2010-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2024-03-14)
last changes	2024-03-14
year	2024

description	(no language specified) Coffins are boxes which contain typeset material. Along with the box itself, the coffin structure holds information about the size and shape of the box, and alignment information in the form of a set of "poles" (horizontal and vertical lines at particular positions defined relative to the box). The points where these poles intersect are "handles", which are the points used to define the placing of a coffin. The package provides a design-level interface to the LaTeX 3 kernel functions which provide coffins. The package is part of the l3experimental bundle.
documentation	(no language specified) <i>Bundle readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/l3experimental/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/l3experimental/xcoffins.pdf
– local file	<code>./7975484778-xcoffins.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/l3experimental
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/l3experimental.tds.zip
keyword	boxing (creating boxes)
keyword	latex3 (work done for the project to upgrade LaTeX)
keyword	pre-release (developing version of new software)
language(s)	no language specified
last access	2025-02-12

6750 `xcolor` – Driver-independent color extensions for LaTeX and pdfLaTeX

Web page on CTAN <https://ctan.org/pkg/xcolor>

name	<code>xcolor</code>
caption	Driver-independent color extensions for LaTeX and pdfLaTeX
author	The LaTeX Project Team
author	Kern, Uwe
copyright	The LaTeX Project (2021-2024)
copyright	Dr. Uwe Kern (2003-2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)

6751 `xcolor-material` – Defines the 256 colors from Google Material Color Palette

version	3.02 (2024-09-29)
last changes	2024-09-29
year	2024
description	(no language specified) The package starts from the basic facilities of the <code>color</code> package, and provides easy driver-independent access to several kinds of color tints, shades, tones, and mixes of arbitrary colors. It allows a user to select a document-wide target color model and offers complete tools for conversion between eight color models. Additionally, there is a command for alternating row colors plus repeated non-aligned material (like horizontal lines) in tables. Colors can be mixed like <code>\color{red!30!green!40!blue}</code> .
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xcolor/xcolor.pdf
– local file	<code>./4922602197-xcolor.pdf</code>
documentation	(no language specified) <i>Examples of usage with pstricks</i> : https://ctan.org/tex-archive/macros/latex/contrib/xcolor/xcolor2.pdf
– local file	<code>./2989229935-xcolor2.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xcolor/README.md
home page	https://github.com/latex3/xcolor
contact	<i>bugs</i> : https://github.com/latex3/xcolor/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xcolor
on MikTeX	<code>xcolor</code>
on T _E XLive	<code>xcolor</code>
keyword	<code>colour</code> (typesetting in colour)
language(s)	no language specified
last access	2025-02-07

6751 `xcolor-material` – Defines the 256 colors from Google Material Color Palette

Web page on CTAN <https://ctan.org/pkg/xcolor-material>

name	<code>xcolor-material</code>
caption	Defines the 256 colors from Google Material Color Palette
author	Órdenes, Jerick
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1

description	(no language specified) The package is built on top of the great <code>xcolor</code> package. It provides a useful definition of the beautiful Google Material Color Palette, available at Google Material design , for its use in document writing with LaTeX and Friends.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/xcolor-material/xcolor-material.pdf
– local file	<code>./8146423148-xcolor-material.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/xcolor-material/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xcolor-material
on MikTeX	<code>xcolor-material</code>
on TeXLive	<code>xcolor-material</code>
keyword	<code>colour</code> (typesetting in colour)
language(s)	no language specified
year	without year
last access	2025-02-07

6752 `xcolor-solarized` – Defines the 16 colors from Ethan Schoonover’s Solarized palette

Web page on CTAN	https://ctan.org/pkg/xcolor-solarized
name	<code>xcolor-solarized</code>
caption	Defines the 16 colors from Ethan Schoonover’s Solarized palette
author	Cretel, Julien
copyright	Julian Cretel (2014-2015)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.4
description	(no language specified) Built on top of the <code>xcolor</code> package, this package defines the sixteen colors of Ethan Schoonover’s popular color palette, Solarized, for use in documents typeset with LaTeX and Friends.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/xcolor-solarized/README

documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/xcolor-solarized/xcolor-solarized.pdf
– local file	./6775314562-xcolor-solarized.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xcolor-solarized
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/xcolor-solarized.tds.zip
on MikTeX	xcolor-solarized
on TeXLive	xcolor-solarized
keyword	colour (typesetting in colour)
language(s)	no language specified
year	2015
last access	2025-02-07

6753 *xcomment* – Allows selected environments to be included/excluded

Web page on CTAN	https://ctan.org/pkg/xcomment
name	xcomment
caption	Allows selected environments to be included/excluded
author	Voß, Herbert
author	Van Zandt, Timothy
copyright	Timothy Van Zandt (1993-2010)
copyright	Herbert Voß (2010-2024)
license	lppl = The LaTeX Project Public License (free)
version	1.40 (2024-11-03)
last changes	2024-11-03
year	2024

6754 *xcookybooky* – Typeset (potentially long) recipes

description	(no language specified) The package defines an environment that <i>only</i> typesets specified environments within its scope. So, for example, if you want nothing but the <code>figure</code> and <code>table</code> environments in your document, you can enclose the whole document with an <code>xcomment</code> environment that excludes everything but. This is a lot easier than excluding the chunks of text between the environments you want, or creating an entire document containing only those environments. The package was previously part of the seminar bundle for typesetting presentations.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xcomment/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xcomment/doc/xcomment-doc.pdf
– local file	<code>./6107250543-xcomment-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xcomment
on MikTeX	<code>xcomment</code>
on TeXLive	<code>xcomment</code>
keyword	<code>cond-comp</code> (conditional typesetting)
keyword	<code>tagged-pdf-partially</code> (tagged PDF partially compatible)
language(s)	no language specified
last access	2026-04-13

6754 *xcookybooky* – Typeset (potentially long) recipes

Web page on CTAN	https://ctan.org/pkg/xcookybooky
name	<code>xcookybooky</code>
caption	Typeset (potentially long) recipes
author	Harder, Sven
copyright	Sven Harder (2011-2015)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.5 (2015-03-03)
last changes	2015-03-03
year	2015

description	(no language specified) The package enables the user to typeset recipes, which could be greater than one page. Above the recipe text two (optional) pictures can be displayed. Other features are recipe name, energy content, portions, preparation and baking time, baking temperatures, recipe source and of course preparation steps and required ingredients. At the bottom you may insert an optional hint. The package depends on the Emerald fonts .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/xcookybooky/xcookybooky.pdf
– local file	<code>./5238339431-xcookybooky.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/xcookybooky/README
contact	<i>repository:</i> http://svenharder.github.io/xcookybooky/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xcookybooky
on MikTeX	<code>xcookybooky</code>
on T _E XLive	<code>xcookybooky</code>
keyword	cooking (typesetting cooking recipes, etc)
see also	see section 1327 on page 1200 : (<code>cookybooky</code> – A LaTeX based package to easily typeset some professional looking cooking recipes)
language(s)	no language specified
last access	2025-02-07

6755 *xcpdftips* – Natbib citations with PDF tooltips

Web page on CTAN <https://ctan.org/pkg/xcpdftips>

name	<code>xcpdftips</code>
caption	Natbib citations with PDF tooltips
author	Kocic, Mikica
copyright	Mikica Kocic (2019)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	1.1 (2019-03-18)
last changes	2019-03-18
year	2019

description	(no language specified) This LaTeX package uses pdfcomment and bibentry to surround natbib citations with PDF tooltips.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xcpdftips/xcpdftips.pdf
– local file	<code>./4263743027-xcpdftips.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xcpdftips/README.md
contact	<i>support</i> : https://github.com/mekeetsa/xcpdftips/issues
contact	<i>repository</i> : https://github.com/mekeetsa/xcpdftips
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xcpdftips
on MikTeX	<code>xcpdftips</code>
on TeXLive	<code>xcpdftips</code>
keyword	<code>bibtex-supp</code> (BibTeX citation support)
keyword	<code>cite-supp</code> (citation support)
keyword	<code>pdf-feat</code> (access PDF features)
language(s)	no language specified
last access	2025-02-07

6756 *xdoc* – Extending the LaTeX doc system

Web page on CTAN <https://ctan.org/pkg/xdoc>

name	<code>xdoc</code>
caption	Extending the LaTeX doc system
author	Hellström, Lars
license	lppl = The LaTeX Project Public License (free)
version	<code>prot2.5</code>
description	(no language specified) Xdoc is a project to rewrite the implementation of the LaTeX doc package (in a broader sense) to make its features more general and flexible. For example, where doc only provides commands for documenting macros and environments, xdoc also provides commands for similarly documenting package options and switches. This is furthermore done in such a way that it is very easy to add more such commands for documenting things, such as e.g., templates (an important concept in the future LaTeX3) and program components for other languages (functions, classes, procedures, etc.). A side effect is that many minor bugs in doc are fixed.

The design aims to take advantage of many still experimental features of future versions of LaTeX, but since these are neither reasonably stable nor widely available, the configuration interfaces and package author commands of *xdoc* are likely to change. To still provide a stable interface for other packages to build upon, the actual package names include a "major version number" of sorts. The drop-in replacement package for standard doc is *xdoc2*; it requires nothing outside standard LaTeX2e.

The *docindex* / *docidx2e* package changes the index and list of changes typesetting so that none of the formatting has to be controlled via the index style file. The *docindex* package provides control of formatting via templates (nice interface, but requires several experimental packages), whereas the *docidx2e* package has traditional raw macro interfaces and works with standard LaTeX2e.

documentation	(no language specified) <i>Demonstration of usage</i> : https://ctan.org/tex-archive/macros/latex/contrib/xdoc/xdocdemo.pdf
– local file	<code>./4532148316-xdocdemo.pdf</code>
documentation	(no language specified) <i>docindex documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xdoc/docindex.pdf
– local file	<code>./9685732465-docindex.pdf</code>
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xdoc/README
documentation	(no language specified) <i>xdoc2 documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xdoc/xdoc2.pdf
– local file	<code>./8868216404-xdoc2.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xdoc
on MikTeX	<code>xdoc</code>
on T _E XLive	<code>xdoc</code>
keyword	<code>doc-sup</code> (macros and tools for preparing documentation)
language(s)	no language specified
year	without year
last access	2025-02-07

6757 *xduthesis* – XeLaTeX template for writing Xidian University Thesis

Web page on CTAN <https://ctan.org/pkg/xduthesis>

name	<code>xduthesis</code>
caption	XeLaTeX template for writing Xidian University Thesis
author	Qi, Fei
copyright	Fei Qi (2008-2016)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.00
description	(no language specified) This is a XeLaTeX template for writing theses to apply academic degrees in Xidian University. The template is designed according to the official requirements on typesetting theses. The template currently supports all levels of degrees from bachelor to doctor, including both academic master and professional master. But it is not guaranteed that you will pass the typesetting check and obtain your degree by using this template.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xduthesis/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xduthesis/xduthesis.pdf
– local file	<code>./5863466686-xduthesis.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xduthesis
on MikTeX	<code>xduthesis</code>
on TeXLive	<code>xduthesis</code>
keyword	proposal (typeset proposals to funding bodies, etc)
see also	see section 6758 on page 6097: (<code>xduts</code> – Xidian University TeX Suite)
language(s)	no language specified
year	2016
last access	2025-02-07

6758 *xduts* – Xidian University TeX SuiteWeb page on CTAN <https://ctan.org/pkg/xduts>

name	<code>xduts</code>
caption	Xidian University TeX Suite
author	note286
copyright	note286 (2022-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	6.2.4.0 (2025-02-05)
last changes	2025-02-05
year	2025
description	(no language specified) XDUTS is designed to help Xidian University students use LaTeX typesetting efficiently. XDUTS contains a font configuration package that meets the school's requirements and can be applied to any document class. In addition, there are thesis and thesis proposal templates for both undergraduate and postgraduate that meet the school's requirements.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/xduts/README.md
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/xetex/latex/xduts/xduts.pdf
– local file	<code>./4068438084-xduts.pdf</code>
contact	<i>support</i> : https://github.com/note286/xduts/discussions
contact	<i>bugs</i> : https://github.com/note286/xduts/issues
contact	<i>repository</i> : https://github.com/note286/xduts
contact	<i>development</i> : https://github.com/note286
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/xduts
on MikTeX	<code>xduts</code>
on TeXLive	<code>xduts</code>
keyword	<code>proposal</code> (typeset proposals to funding bodies, etc)
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
keyword	<code>dissertation</code> (typesetting dissertations, theses, etc.)
keyword	<code>xetex</code> (XeTeX, material supporting it, and packages requiring it)
keyword	<code>class</code> (alternative LaTeX class(es))

see also	see section 6757 on page 6096 : (<code>xduthesis</code> – XeLaTeX template for writing Xidian University Thesis)
language(s)	Chinese
last access	2025-02-09

6759 *xdvi* – A DVI previewer for the X Window System

Web page on CTAN	https://ctan.org/pkg/xdvi
Alias	<code>xdvik</code>
name	<code>xdvi</code>
caption	A DVI previewer for the X Window System
author	Vojta, Paul
license	other-free = Free license not otherwise listed (free)
description	(no language specified) The canonical previewer for use on Unix and other X-windows based systems. The distribution has been integrated with that of <code>xdvik</code> (no longer separately available), so that it will build with web2c "out of the box". It is included in TeX Live .
documentation	(no language specified) <i>Xdvi Project FAQ</i> : http://xdvi.sourceforge.net/faq.html
documentation	(no language specified) <i>(Old) text FAQ</i> : http://math.berkeley.edu/~vojta/xdvi_faq.txt
contact	<i>repository</i> : http://xdvi.sourceforge.net/
on T _E XLive	<code>xdvi</code>
keyword	<code>previewer</code> (application for viewing a typeset document on screen)
language(s)	no language specified
year	without year
last access	2025-02-07

6760 *xdvipsk-support* – LuaLaTeX packages for the xdvipsk binary (dvips extension)

Web page on CTAN <https://ctan.org/pkg/xdvipsk-support>

name	xdvipsk-support
caption	LuaLaTeX packages for the xdvipsk binary (dvips extension)
author	Tolušis, Sigitas
copyright	Sigitas Tolušis (2026)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2026-02-11)
last changes	2026-02-11
year	2026
description	(no language specified) This LaTeX package bundle offers support for <i>xdvipsk</i> , an extension of the dvips binary. <i>xdvipsk</i> supports BMP, PCX, TIFF, JPEG, and PNG formats and performs scaling, rotating, trim, and viewport operations like EPS images. The <i>xdvispk.def</i> driver for the graphics package offers a LaTeX interface. However, it lacks clipping, trimming, and viewport operations. The LuaLaTeX package <i>xdvipskmaps</i> provides OpenType font support for <i>xdvipsk</i> . It generates map files containing information about OpenType fonts used in DVI files.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/xdvipsk-support/README.md
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/xdvipsk-support
on T _E XLive	xdvipsk-support
keyword	dvi-print (convert DVI files for (direct) printing, etc.)
language(s)	no language specified
last access	2026-03-26

6761 **xebaposter** – Create beautiful scientific Persian/Latin posters using TikZ

Web page on CTAN <https://ctan.org/pkg/xebaposter>

name	xebaposter
caption	Create beautiful scientific Persian/Latin posters using TikZ
author	Razavian, Seied-Mohammad-Javad
copyright	Seied-Mohammad-Javad Razavian (2015-2022)
copyright	Brian Amberg (2007-2011)
copyright	Reinhold Kainhofer (2011)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.53 (2022-06-08)
last changes	2022-06-08
year	2022
description	(no language specified) This package is designed for making beautiful scientific Persian/Latin posters. It is a fork of <code>baposter</code> by Brian Amberg and Reinhold Kainhofer available at http://www.brian-amberg.de/uni/poster/ . baposter 's users should be able to compile their poster using xebaposter (instead of baposter) without any problem.
documentation	(no language specified) <i>Example of use (English)</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/xebaposter/doc/poster.pdf
– local file	./6747880924-poster.pdf
documentation	<i>Example of use (Persian)</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/xebaposter/doc/poster-fa.pdf
– local file	./3920560561-poster-fa.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/xebaposter/README
documentation	(Persian) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/xebaposter/doc/xebaposter-doc.pdf
– local file	./3043740881-xebaposter-doc.pdf
contact	<i>bugs</i> : https://github.com/javadr/xebaposter/issues
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/xebaposter
on MikTeX	xebaposter
on T _E XLive	xebaposter

keyword	<code>class</code> (alternative LaTeX class(es))
keyword	<code>pgf-tikz</code> (package uses PGF-TikZ)
keyword	<code>poster</code> (typeset posters, etc.)
language(s)	Persian
last access	2025-02-07

6762 ***xexchangebar*** – An extension of package *changebar* that can be used with XeLaTeX

Web page on CTAN <https://ctan.org/pkg/xexchangebar>

name	<code>xexchangebar</code>
caption	An extension of package <i>changebar</i> that can be used with XeLaTeX
author	Syropoulos, Apostolos
copyright	Apostolos Syropoulos (2017)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The package extends package changebar so it can be used with XeLaTeX. It introduces the new option <code>xetex</code> for use with XeLaTeX. Everything else remains the same and users should consult the original documentation for usage information.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/xexchangebar/README
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/xexchangebar
on MikTeX	<code>xexchangebar</code>
on T _E XLive	<code>xexchangebar</code>
keyword	<code>editorial</code> (editor's marks, highlights, etc.)
see also	see section 992 on page 901 : (<i>changebar</i> – Generate changebars in LaTeX documents)
language(s)	no language specified
year	2017
last access	2025-02-07

6763 xecjk – Support for CJK documents in XeLaTeX

Web page on CTAN <https://ctan.org/pkg/xecjk>

name	xecjk
caption	Support for CJK documents in XeLaTeX
author	Liu, Leo
author	Jiang, Jiang
author	Lee, Qing
author	Sun, Wenchang
copyright	Wenchang Sun (2007-2010)
copyright	Leo Liu (2009-2022)
copyright	Qing Lee (2012-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.9.1
description	(no language specified) A LaTeX package for typesetting CJK documents in the way users have become used to, in the CJK package . The package requires a current version of xtemplate (and hence of the current LaTeX3 development environment).
documentation	<i>Package documentation (Chinese)</i> : https://ctan.org/tex-archive/macros/xetex/latex/xecjk/xeCJK.pdf
– local file	<code>./7810809532-xeCJK.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/xecjk/README.md
home page	http://www.ctex.org/
contact	<i>support</i> : https://github.com/CTeX-org/ctex-kit/issues
contact	<i>bugs</i> : https://github.com/CTeX-org/ctex-kit/issues
contact	<i>repository</i> : https://github.com/CTeX-org/ctex-kit
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/xecjk
installation	https://ctan.org/tex-archive/install/macros/xetex/latex/xecjk.tds.zip
on MikTeX	xecjk
on T _E XLive	xecjk
keyword	japanese (support for typesetting Japanese)

keyword	chinese (support for typesetting Chinese languages)
keyword	expl3 (expl3(unknown))
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
keyword	korean (support for typesetting Korean)
language(s)	Chinese
year	2022
last access	2025-02-09

6764 xecolor – Support for color in XeLaTeX

Web page on CTAN <https://ctan.org/pkg/xecolor>

name	xecolor
caption	Support for color in XeLaTeX
author	Khalighi, Vafa
author	biditex GitHub Organisation
copyright	Persian TeX Group (2009-2013)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.1
description	(no language specified) This is a simple package which defines about 140 different colours using XeTeX's colour feature. The colours can be used in bidirectional texts without any problem.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/xecolor/README
contact	<i>bugs</i> : https://github.com/bidi-tex/xecolor/issues
contact	<i>repository</i> : https://github.com/bidi-tex/xecolor
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/xecolor
on MikTeX	xecolor
on TeXLive	xecolor
keyword	colour (typesetting in colour)
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
language(s)	no language specified
year	2013
last access	2025-02-09

6765 xecolour – Support for colour in XeLaTeX

Web page on CTAN <https://ctan.org/pkg/xecolour>

name	xecolour
caption	Support for colour in XeLaTeX
author	bidi-tex GitHub Organisation
author	Khalighi, Vafa
copyright	Vafa Khalighi (2009)
license	lppl = The LaTeX Project Public License (free)
version	0.1
description	(no language specified) This package is a predecessor of the newer xecolor package; but it was decided that it should remain available for the benefit of users wishing to run their old TeX files using <code>xecolour</code> .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/obsolete/macros/xetex/latex/xecolour/doc/xecolour-user.pdf
– local file	<code>./1829616135-xecolour-user.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/obsolete/macros/xetex/latex/xecolour/README
contact	<i>bugs:</i> https://github.com/bidi-tex/xecolour/issues
contact	<i>repository:</i> https://github.com/bidi-tex/xecolour
on CTAN	https://ctan.org/tex-archive/obsolete/macros/xetex/latex/xecolour
keyword	colour (typesetting in colour)
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
keyword	obsolete (package declared obsolete)
language(s)	no language specified
year	2009
last access	2025-02-09

6766 *xecyr* – Using Cyrillic languages in XeTeX

Web page on CTAN <https://ctan.org/pkg/xecyr>

name	<code>xecyr</code>
caption	Using Cyrillic languages in XeTeX
author	Shipunov, Alexey
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2 (2019-10-04)
last changes	2019-10-04
year	2019
description	(no language specified) Helper tools for using Cyrillic languages with XeLaTeX and babel .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/xecyr/README
documentation	<i>Package documentation (Russian)</i> : https://ctan.org/tex-archive/macros/xetex/latex/xecyr/doc/xecyr-doc-ru.pdf
– local file	<code>./3595628976-xecyr-doc-ru.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/xecyr
on MikTeX	<code>xecyr</code>
on T _E XLive	<code>xecyr</code>
keyword	<code>cyrillic</code> (support languages written using Cyrillic alphabets)
keyword	<code>xetex</code> (XeTeX, material supporting it, and packages requiring it)
language(s)	Russian
last access	2025-02-09

6767 *xecyrmongolian* – Basic support for the typesetting of Cyrillic Mongolian documents using (Xe|Lua)LaTeX

Web page on CTAN <https://ctan.org/pkg/xecyrmongolian>

name	<code>xecyrmongolian</code>
caption	Basic support for the typesetting of Cyrillic Mongolian documents using (Xe Lua)LaTeX
author	Syropoulos, Apostolos
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)

version	1.0
description	(no language specified) The 'xecyrmongolian' package can be used to produce documents in Cyrillic Mongolian using either XeLaTeX or LuaLaTeX. The command <code>\setlanguage</code> can be used to load alternative hyphenation patterns so to be able to create multilingual documents.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/language/mongolian/xecyrmongolian/xecyrmongolian.pdf
– local file	<code>./7228881139-xecyrmongolian.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/mongolian/xecyrmongolian/README
on CTAN	https://ctan.org/tex-archive/language/mongolian/xecyrmongolian
on MikTeX	<code>xecyrmongolian</code>
on TeXLive	<code>xecyrmongolian</code>
keyword	<code>mongolian</code> (support for typesetting Mongolian)
keyword	<code>cyrillic</code> (support languages written using Cyrillic alphabets)
keyword	<code>luatex</code> (LuaTeX and packages that require it)
keyword	<code>xetex</code> (XeTeX, material supporting it, and packages requiring it)
language(s)	no language specified
year	without year
last access	2025-02-09

6768 *xeindex* – Automatic index generation for XeLaTeX

Web page on CTAN <https://ctan.org/pkg/xeindex>

name	<code>xeindex</code>
caption	Automatic index generation for XeLaTeX
author	Robbers, Yuri
author	Isambert, Paul
license	lppl = The LaTeX Project Public License (free)
version	0.3 (2014-12-05)
last changes	2014-12-05
year	2014

description	(no language specified) The package is based on XeSearch , and will automatically index words or phrases in an XeLaTeX document. Words are declared in a list, and every occurrence then creates an index entry whose content can be fully specified beforehand.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/xetex/latex/xeindex/README
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/xetex/latex/xeindex/xeindex.pdf
– local file	./6778371286-xeindex.pdf
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/xeindex
on MikTeX	xeindex
on T _E XLive	xeindex
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
keyword	index (index support)
language(s)	no language specified
last access	2025-02-09

6769 **xellipsis** – Extremely configurable ellipses with formats for various style manuals

Web page on CTAN <https://ctan.org/pkg/xellipsis>

name	xellipsis
caption	Extremely configurable ellipses with formats for various style manuals
author	Goodman, Donald P.
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.0 (2018-04-15)
last changes	2018-04-15
year	2018
description	(no language specified) The xellipsis package provides a system for configuring (almost) every possible aspect of ellipses, including preceding and proceeding characters; the character itself; distances before and after each of these; and number of characters. It comes with both a compatibility option for standard LaTeX \ldots as well as preset package options for the Chicago Manual of Style (Turabian); the Bluebook; and MLA guidelines.

6770 `xepersian` – Persian for LaTeX, using LuaTeX or XeTeX

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xellipsis/xellipsis.pdf
– local file	<code>./1789459343-xellipsis.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xellipsis/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xellipsis
on MikTeX	<code>xellipsis</code>
on TeXLive	<code>xellipsis</code>
keyword	typesetting (support for variations of typographic style)
language(s)	no language specified
last access	2025-02-07

6770 `xepersian` – Persian for LaTeX, using LuaTeX or XeTeX

Web page on CTAN	https://ctan.org/pkg/xepersian
name	<code>XePersian</code>
caption	Persian for LaTeX, using LuaTeX or XeTeX
author	biditex GitHub Organisation
author	Khalighi, Vafa
copyright	biditex GitHub Organisation (2018-2020)
copyright	Vafa Khalighi (2008-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	25.09.08
description	(no language specified) This package provides a convenient interface for typesetting Persian and English texts in LaTeX, using the LuaTeX or the XeTeX engine. The name “XePersian” is derived from the words <i>experience</i> and <i>persian</i> and captures the author’s philosophy of writing the package for <i>the best Persian typesetting experience in TeX</i> .
documentation	(no language specified) <i>Package user documentation</i>: https://ctan.org/tex-archive/macros/unicodetex/latex/xepersian/xepersian-doc.pdf
– local file	<code>./4328180324-xepersian-doc.pdf</code>

6771 *xepersian-hm* – Fixes kashida feature in xepersian package

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/xepersian/README
documentation	(no language specified) <i>Package source documentation</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/xepersian/xepersian.pdf
– local file	./9421564671-xepersian.pdf
home page	https://github.com/xepersian
contact	<i>bugs</i> : https://github.com/xepersian/xepersian/issues
contact	<i>repository</i> : https://github.com/xepersian/xepersian
contact	<i>development</i> : https://github.com/sponsors/xepersian
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/xepersian
installation	https://ctan.org/tex-archive/install/macros/unicodetex/latex/xepersian.tds.zip
on MikTeX	xepersian
on T _E XLive	xepersian
keyword	class (alternative LaTeX class(es))
keyword	persian (support for typesetting Persian)
language(s)	no language specified
year	2025
last access	2025-09-11

6771 *xepersian-hm* – Fixes kashida feature in xepersian package

Web page on CTAN <https://ctan.org/pkg/xepersian-hm>

name	xepersian-hm
caption	Fixes kashida feature in xepersian package
author	Movahhedian, Hossein
copyright	Hossein Movahhedian (2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.1a (2020-09-04)
last changes	2020-09-04
year	2020

description	(no language specified) The kashida feature in <i>xepersian</i> has problems with some fonts such as the HM Series fonts and the XB Series fonts . This package fixes these problems. The package requires <i>xepersian</i> and <i>l3keys2e</i> .
documentation	(Persian) <i>Example of use (3)</i> : https://ctan.org/tex-archive/macros/xetex/latex/xepersian-hm/xepersian-hm-leaders-hrule.pdf
– local file	<code>./5366465193-xepersian-hm-leaders-hrule.pdf</code>
documentation	(no language specified) <i>Code documentation</i> : https://ctan.org/tex-archive/macros/xetex/latex/xepersian-hm/xepersian-hm.pdf
– local file	<code>./5208616599-xepersian-hm.pdf</code>
documentation	(no language specified) <i>User documentation</i> : https://ctan.org/tex-archive/macros/xetex/latex/xepersian-hm/xepersian-hm-doc.pdf
– local file	<code>./8883024041-xepersian-hm-doc.pdf</code>
documentation	(Persian) <i>Example of use (2)</i> : https://ctan.org/tex-archive/macros/xetex/latex/xepersian-hm/xepersian-hm-leaders-glyph.pdf
– local file	<code>./9340831616-xepersian-hm-leaders-glyph.pdf</code>
documentation	(Persian) <i>Example of use (4)</i> : https://ctan.org/tex-archive/macros/xetex/latex/xepersian-hm/xepersian-XB.pdf
– local file	<code>./1990736037-xepersian-XB.pdf</code>
documentation	(Persian) <i>Example of use (1)</i> : https://ctan.org/tex-archive/macros/xetex/latex/xepersian-hm/xepersian-hm-glyph.pdf
– local file	<code>./3697177562-xepersian-hm-glyph.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/xepersian-hm/README.txt
home page	https://dma8hm1334.bitbucket.io/
contact	<i>bugs</i> : https://bitbucket.org/dma8hm1334/xepersian-hm/issues
contact	<i>repository</i> : https://bitbucket.org/dma8hm1334/xepersian-hm/
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/xepersian-hm
on MikTeX	<code>xepersian-hm</code>
on TeXLive	<code>xepersian-hm</code>

keyword	persian (support for typesetting Persian)
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
keyword	expl3 (expl3(unknown))
see also	see section 6013 on page 5436: (texnegar – Kashida justification in XeLaTeX and LuaLaTeX)
language(s)	Persian
last access	2025-02-10

6772 xesearch – A string finder for XeTeX

Web page on CTAN <https://ctan.org/pkg/xesearch>

name	xesearch
caption	A string finder for XeTeX
author	Robbers, Yuri
author	Isambert, Paul
license	lppl = The LaTeX Project Public License (free)
version	0.2 (2019-04-24)
last changes	2019-04-24
year	2019
description	(no language specified) The package finds strings (e.g. (parts of) words or phrases) and manipulates them (apply any macro), thus turning each word or phrase into a possible command. It is written in plain XeTeX and should thus work with any format (it is known to work with LaTeX and ConTeXt). The main application for the moment is XeIndex, an automatic index for XeLaTeX, but examples are given of simple use to check spelling, count words, and highlight syntax of programming languages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/generic/xesearch/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/xetex/generic/xesearch/xesearch.pdf
– local file	./9962432992-xesearch.pdf
on CTAN	https://ctan.org/tex-archive/macros/xetex/generic/xesearch
on MikTeX	xesearch

on T _E XLive	xesearch
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
keyword	string (text string searches and manipulation)
see also	see section 2010 on page 1813: (etextools – e-TeX tools for LaTeX users and package writers)
see also	see section 2016 on page 1819: (etoolbox – e-TeX tools for LaTeX)
see also	see section 6266 on page 5668: (toolbox – Tool macros)
language(s)	no language specified
last access	2025-02-09

6773 *xesoul* – Use the soul package with XeLaTeX

Web page on CTAN <https://ctan.org/pkg/xesoul>

name	xesoul
caption	Use the soul package with XeLaTeX
author	Syropoulos, Apostolos
copyright	Apostolos Syropoulos (2021)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0
description	(no language specified) This package allows the use of the soul package (hyphenation within letterspacing, underlining and others) with XeLaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/xesoul/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/xetex/latex/xesoul/xesoul.pdf
– local file	./5293971628-xesoul.pdf
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/xesoul
on MikT _E X	xesoul
keyword	use-xetex (package will use XeTeX facilities if available)
keyword	hyphenation (macros or tables for hyphenation)
language(s)	no language specified
year	2021
last access	2025-02-07

6774 xespotcolor – Spot colours support for XeLaTeX

Web page on CTAN <https://ctan.org/pkg/xespotcolor>

name	xespotcolor
caption	Spot colours support for XeLaTeX
author	Syropoulos, Apostolos
author	Elstner, Jens
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.1
description	(no language specified) The package provides macros for using spot colours in LaTeX documents. The package is a reimplementation of the spotcolor package for use with XeLaTeX. As such, it has the same user interface and the same capabilities.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/xetex/latex/xespotcolor/xespotcolor.pdf
– local file	<code>./4155867077-xespotcolor.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/xetex/latex/xespotcolor/README
contact	<i>bugs:</i> https://github.com/callegar/LaTeX-everypage/issues
contact	<i>repository:</i> https://github.com/callegar/LaTeX-everypage
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/xespotcolor
on MikTeX	xespotcolor
on T _E XLive	xespotcolor
keyword	colour (typesetting in colour)
language(s)	no language specified
year	without year
last access	2025-02-07

6775 xet-tex – A bi-directional version of TeX

Web page on CTAN <https://ctan.org/pkg/xet-tex>

name	XeT-TeX
caption	A bi-directional version of TeX
author	MacKay, Pierre A.
license	other-free = Free license not otherwise listed (free)
version	(1998-04-17)
last changes	1998-04-17
year	1998
description	(no language specified) A pair of change files to add bidirectional capabilities to TeX.
on CTAN	https://ctan.org/tex-archive/language/xettex
keyword	engine (TeX (or TeX-alike) typesetting engine)
see also	see section 5905 on page 5347: (tex-xet – Bidirectional extension of TeX)
language(s)	no language specified
last access	2025-02-07

6776 xetal – Strip TeX constructs from a file

Web page on CTAN <https://ctan.org/pkg/xetal>

name	xetal
caption	Strip TeX constructs from a file
author	Cerf, Raphael
copyright	Raphael Cerf (1991)
license	gpl = GNU General Public License (free)
version	1.2
description	(no language specified) Xetal removes TeX commands and mathematical stuff (subject to command-line controls). It can also number the output lines. C, lex and yacc sources are supplied.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/xetal/README
on CTAN	https://ctan.org/tex-archive/support/xetal

keyword	plain-text (derive plain text from a TeX document)
language(s)	no language specified
year	1991
last access	2025-02-07

6777 *xetex* – An extended variant of TeX for use with Unicode sources

Web page on CTAN <https://ctan.org/pkg/xetex>

name	<i>xetex</i>
caption	An extended variant of TeX for use with Unicode sources
author	Hosny, Khaled
author	Kew, Jonathan
author	The TeX Live Team
author	Rosendahl, Arthur
license	x11 = X11 License (free)
description	(no language specified) XeTeX is a TeX typesetting engine using Unicode and supporting modern font technologies such as OpenType, TrueType or Apple Advanced Typography (AAT), including OpenType mathematics fonts. XeTeX supports many extensions that reflect its origins in linguistic research; it also supports micro-typography (as available in pdfTeX). XeTeX was developed by the SIL (the first version was specifically developed for those studying linguistics, and using Macintosh computers). XeTeX's immediate output is an extended variant of DVI format, which is ordinarily processed by a tightly bound processor (called <code>xdvipdfmx</code>), that produces PDF. XeTeX is released as part of TeX Live; documentation has arisen separately. Source code is available from ctan:/systems/texlive/Source/.
documentation	(no language specified) <i>Reference manual</i> : https://ctan.org/tex-archive/info/xetexref/xetex-reference.pdf
– local file	<code>./8662924957-xetex-reference.pdf</code>
documentation	(no language specified) <i>About XeTeX</i> : https://ctan.org/tex-archive/systems/doc/xetex/XeTeX-notes.pdf
– local file	<code>./9659855253-XeTeX-notes.pdf</code>
documentation	(no language specified) <i>The XeTeX companion (work in progress)</i> : https://xml.web.cern.ch/XML/lgc2/xetexmain.pdf
– local file	<code>./8221287775-xetexmain.pdf</code>

home page	https://tug.org/xetex
contact	<i>support:</i> https://lists.tug.org/xetex
contact	<i>repository:</i> https://tug.org/svn/texlive/trunk/Build/source/texk/web2c/xetexdir
on MikTeX	miktex-xetex-bin-2.9
on TeXLive	xetex
keyword	engine (TeX (or TeX-alike) typesetting engine)
see also	see section 3667 on page 3317: (luatex – The LuaTeX engine)
language(s)	no language specified
year	without year
last access	2025-02-07

6778 *xetex-def* – Colour and graphics support for XeTeX

Web page on CTAN	https://ctan.org/pkg/xetex-def
name	xetex-def
caption	Colour and graphics support for XeTeX
author	The LaTeX Project Team
author	Moore, Ross
author	Kew, Jonathan
copyright	Ross Moore, Jonathan Kew, et al. (2004-2007,2009,2013-2016)
copyright	LaTeX3 project, Jin-Hwan Cho, Shunsaku Hirata et al. (2005-2022)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	5.0n (2022-09-22)
last changes	2022-09-22
year	2022
description	(no language specified) The file <code>xetex.def</code> provides device-specific definitions for colour and graphics support when running Xe(La)TeX. It is now distributed as part of the graphics-def bundle.
home page	https://github.com/latex3/graphics-def
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/graphics-def
keyword	graphics-drv (‘driver’ for output from graphics ‘kernel’ packages)

keyword	<code>xetex</code> (XeTeX, material supporting it, and packages requiring it)
keyword	<code>colour</code> (typesetting in colour)
language(s)	no language specified
last access	2025-02-09

6779 *xetex-devanagari* – XeTeX input map for Unicode Devanagari

Web page on CTAN <https://ctan.org/pkg/xetex-devanagari>

name	<code>xetex-devanagari</code>
caption	XeTeX input map for Unicode Devanagari
author	Stender, Daniel
license	lppl = The LaTeX Project Public License (free)
version	0.5
description	(no language specified) The package provides a map for use with Jonathan Kew's TECKit, to translate Devanagari (encoded according to the Harvard/Kyoto convention) to Unicode (range 0900-097F).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/generic/devanagari/README
on CTAN	https://ctan.org/tex-archive/macros/xetex/generic/devanagari
on MikTeX	<code>xetex-devanagari</code>
on T _E XLive	<code>xetex-devanagari</code>
keyword	<code>xetex</code> (XeTeX, material supporting it, and packages requiring it)
keyword	<code>inputenc</code> (input encoding support for TeX engines)
language(s)	no language specified
year	without year
last access	2025-02-09

6780 *xetex-greek* – Hyphenation for different variants of Greek, under XeTeX

Web page on CTAN <https://ctan.org/pkg/xetex-greek>

name	xetex-greek
caption	Hyphenation for different variants of Greek, under XeTeX
author	Syropoulos, Apostolos
license	lppl = The LaTeX Project Public License (free)
description	(no language specified) This package contains Greek hyphenation patterns for use with XeTeX. The files included in the archive are: • xgrmhyph.tex (for modern polutonic and monotonic Greek), • xgrahyph.tex (for ancient Greek), • xgrcodes.tex (category, upper/lowercase codes for all Greek letters). The hyphenation patterns are just the standard hyphenation patterns by D. Philippou adapted for use with XeTeX (only the catcodes, etc., files are my completely original contribution).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/hyphenation/greek/README
on CTAN	https://ctan.org/tex-archive/macros/xetex/hyphenation/greek
keyword	greek (support for typesetting Greek)
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
keyword	hyphenation (macros or tables for hyphenation)
language(s)	no language specified
year	without year
last access	2025-02-09

6781 *xetex-itrans* – Itrans input maps for use with XeLaTeX

Web page on CTAN <https://ctan.org/pkg/xetex-itrans>

name	xetex-itrans
caption	Itrans input maps for use with XeLaTeX
author	Abhinandan, S. P.
author	Rao, Shrisha
copyright	Abhinandan S.P. and Shrisha Rao (2010, 2014)

license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	4.2
description	(no language specified) The package provides maps for use with XeLaTeX with coding done using itrans . Fontspec maps are provided for Devanagari (Sanskrit), for Sanskrit in Kannada and for Kannada itself.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/generic/itrans/README
on CTAN	https://ctan.org/tex-archive/macros/xetex/generic/itrans
on MikTeX	xetex-itrans
on TeXLive	xetex-itrans
keyword	indic (support for languages of the Indian subcontinent)
keyword	markup (alternative markup scheme)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	sanskrit (support for typesetting Sanskrit)
language(s)	no language specified
year	2014
last access	2025-02-07

6782 xetex-pstricks – Running PStricks under XeTeX

Web page on CTAN <https://ctan.org/pkg/xetex-pstricks>

name	xetex-pstricks
caption	Running PStricks under XeTeX
author	Shigeru, Miyata
license	pd = Public Domain Software (free)
version	(2010-02-17)
last changes	2010-02-17
year	2010
description	(no language specified) The package provides an indirection scheme for XeTeX to use the pstricks <code>xvipdfmx.cfg</code> configuration file, so that XeTeX documents will load it in preference to the standard <code>pstricks.con</code> configuration file. With this configuration, many PStricks features can be used in XeLaTeX or plain XeTeX documents.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/xetex/pstricks/README
on CTAN	https://ctan.org/tex-archive/graphics/xetex/pstricks
on MikTeX	xetex-pstricks
on T _E XLive	xetex-pstricks
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
language(s)	no language specified
last access	2025-02-09

6783 *xetex-tibetan* – XeTeX input maps for Unicode Tibetan

Web page on CTAN	https://ctan.org/pkg/xetex-tibetan
name	xetex-tibetan
caption	XeTeX input maps for Unicode Tibetan
author	Stender, Daniel
license	lppl = The LaTeX Project Public License (free)
version	0.1
description	(no language specified) The package provides a map for use with Jonathan Kew's TECKit, to translate Tibetan to Unicode (range 0F00-0FFF).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/generic/tibetan/README
on CTAN	https://ctan.org/tex-archive/macros/xetex/generic/tibetan
on MikTeX	xetex-tibetan
on T _E XLive	xetex-tibetan
keyword	inputenc (input encoding support for TeX engines)
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
language(s)	no language specified
year	without year
last access	2025-02-09

6784 xetexfontinfo – Report font features in XeTeX

Web page on CTAN <https://ctan.org/pkg/xetexfontinfo>

name	xetexfontinfo
caption	Report font features in XeTeX
author	Kew, Jonathan
license	apache2 = Apache License, version 2.0 (free)
version	(2008-06-18)
last changes	2008-06-18
year	2008
description	(no language specified) A pair of documents to reveal the font features supported by fonts usable in XeTeX. Use <code>OpenType-info.tex</code> for OpenType fonts, and <code>AAT-info.tex</code> for AAT fonts (Mac OS X only).
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/plain/xetexfontinfo/README
on CTAN	https://ctan.org/tex-archive/macros/xetex/plain/xetexfontinfo
installation	https://ctan.org/tex-archive/install/macros/xetex/plain/xetexfontinfo.tds.zip
on MikTeX	xetexfontinfo
on T _E XLive	xetexfontinfo
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
keyword	font-supp (metrics, macro incantations and other font support)
language(s)	no language specified
last access	2025-02-09

6785 *xetexko* – Typeset Korean with Xe(La)TeX

Web page on CTAN <https://ctan.org/pkg/xetexko>

name	xetexko
caption	Typeset Korean with Xe(La)TeX
author	Kim, Dohyun
copyright	Dohyun Kim (2013-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	4.6 (2025-08-24)
last changes	2025-08-24
year	2025
description	(no language specified) The package supports typesetting Korean documents (including old Hangul texts), using XeTeX. It enhances the existing support, in XeTeX, providing features that provide quality typesetting. This package requires the cjk-ko package for its full functionality.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/generic/xetexko/README
documentation	(Korean) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/xetex/generic/xetexko/xetexko-doc.pdf
– local file	<code>./5934729301-xetexko-doc.pdf</code>
contact	<i>repository</i> : https://github.com/dohyunkim/xetexko
on CTAN	https://ctan.org/tex-archive/macros/xetex/generic/xetexko
on MikTeX	xetexko
on TeXLive	xetexko
keyword	korean (support for typesetting Korean)
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
language(s)	Korean
last access	2025-08-31

6786 xetexref – Reference documentation of XeTeX

Web page on CTAN <https://ctan.org/pkg/xetexref>

name	XeTeXref
caption	Reference documentation of XeTeX
author	Berry, Karl
author	Robertson, Will
copyright	Will Robertson (2007-2023)
copyright	Karl Berry (2011-2017)
copyright	Hironobu Yamashita (2019)
copyright	Joseph Wright (2018)
copyright	Khaled Hosny (2013)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2024-03-01)
last changes	2024-03-01
year	2024
description	(no language specified) The package comprises reference documentation for XeTeX detailing its extended features.
documentation	(no language specified) <i>The document itself</i> : https://ctan.org/tex-archive/info/xetexref/xetex-reference.pdf
– local file	<code>./8662924957-xetex-reference.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/xetexref/README.txt
contact	<i>support</i> : https://lists.tug.org/xetex
contact	<i>bugs</i> : https://github.com/wspr/xetexref/issues
contact	<i>repository</i> : https://github.com/wspr/xetexref/
on CTAN	https://ctan.org/tex-archive/info/xetexref
on MikTeX	xetexref
on T _E XLive	xetexref
keyword	documentation (‘stand-alone’ documentation)
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
language(s)	no language specified
last access	2025-02-09

6787 *xevlna* – Insert non-breakable spaces using XeTeX

Web page on CTAN <https://ctan.org/pkg/xevlna>

name	<code>xevlna</code>
caption	Insert non-breakable spaces using XeTeX
author	Wagner, Zdeněk
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1 (2017-03-25)
last changes	2017-03-25
year	2017
description	(no language specified) The package will directly insert nonbreakable spaces (in Czech, <code>vlna</code> or <code>vlnka</code>), after nonsyllabic prepositions and single letter conjunctions, while the document is being typeset. (The macros recognised maths and verbatim by TeX means.) (Inserting nonbreakable spaces by a preprocessor will probably never be fully reliable, because user defined macros and environments cannot reliably be recognised.) The package works both with (Plain) XeTeX and with XeLaTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/generic/xevlna/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/xetex/generic/xevlna/xevlna.pdf
– local file	<code>./2275097009-xevlna.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/xetex/generic/xevlna
on MikTeX	<code>xevlna</code>
on TeXLive	<code>xevlna</code>
keyword	<code>czech</code> (support for typesetting Czech)
keyword	<code>typesetting</code> (support for variations of typographic style)
see also	see section 1897 on page 1714: (<code>encxvlna</code> – Insert nonbreakable spaces, using <code>encTeX</code>)
see also	see section 3680 on page 3330: (<code>luavlna</code> – Prevent line breaks after single letter words, units, or academic titles)
language(s)	no language specified
last access	2025-02-07

6788 xfakebold – Fake a regular font for bold characters

Web page on CTAN <https://ctan.org/pkg/xfakebold>

name	xfakebold
caption	Fake a regular font for bold characters
author	Voß, Herbert
copyright	Herbert Voß (2019-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.10 (2023-11-21)
last changes	2023-11-21
year	2023
description	(no language specified) This package uses PDF's text rendering to modify the linewidth of an outline font to get bold characters. It works only for vectorfonts where the glyphs are defined by their outline. The package works both in text and in math mode, for pdfLaTeX as well as for LuaLaTeX. The package depends on iftex , xkeyval , and pdfrender .
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/xfakebold/doc/xfakebold-doc.pdf
– local file	./8186322168-xfakebold-doc.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/xfakebold/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xfakebold
on MikTeX	xfakebold
on T _E XLive	xfakebold
keyword	tagged-pdf (tagged PDF compatible)
keyword	pdf-feat (access PDF features)
keyword	font-util (manipulate or examine fonts)
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
language(s)	no language specified
last access	2026-04-13

6789 xfig – XWindows vector drawing program

Web page on CTAN <https://ctan.org/pkg/xfig>

name	xfig
caption	XWindows vector drawing program
author	Smith, Brian
license	bsd = BSD Style License (free)
version	3.2.4
description	(no language specified) A menu-driven tool that allows the user to draw and manipulate objects interactively in an X window. Generates pictures for PostScript and a variety of other formats (e.g. for inclusion in LaTeX documents).
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/xfig/xfig.README.3.2.4
contact	<i>repository</i> : https://sourceforge.net/projects/mcj/
on CTAN	https://ctan.org/tex-archive/graphics/xfig
keyword	graphics-engn (graphics generator whose output is good for use with TeX)
see also	see section 5454 on page 4935 : (shapepatch – Transfig patch supporting shapepar)
see also	see section 6291 on page 5690 : (transfig – Transform xfig pictures into many other formats)
language(s)	no language specified
year	without year
last access	2026-04-10

6790 xfor – A reimplementaion of the LaTeX for-loop macro

Web page on CTAN <https://ctan.org/pkg/xfor>

name	xfor
caption	A reimplementaion of the LaTeX for-loop macro
author	Talbot, Nicola
copyright	Nicola Talbot (2009)
license	lpl = The LaTeX Project Public License (free)
version	1.05

6791 *xfp* – Interface to the LaTeX3 floating point unit

description	(no language specified) The package redefines the LaTeX internal <code>\@for</code> macro so that the loop may be prematurely terminated. The action is akin to the C/Java <code>break</code> statement, except that the loop does not terminate until the end of the current iteration
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xfor/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xfor/xfor.pdf
– local file	<code>./1128950457-xfor.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xfor
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/xfor.tds.zip
on MikTeX	<code>xfor</code>
on TeXLive	<code>xfor</code>
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	2009
last access	2025-02-07

6791 *xfp* – Interface to the LaTeX3 floating point unit

Web page on CTAN	https://ctan.org/pkg/xfp
name	<code>xfp</code>
caption	Interface to the LaTeX3 floating point unit
author	The LaTeX Project Team
copyright	The LaTeX3 Project (2017-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2024-08-16)
last changes	2024-08-16
year	2024

description	(no language specified) This package is deprecated in favor of methods integrated into the LaTeX kernel from 2022-06-01. This package provides a LaTeX2e document-level interface to the LaTeX3 floating point unit (part of expl3). The expandable command <code>\fpeval</code> takes as its argument a floating point expression and will produce a result using the normal rules of mathematics. As this command is expandable it can be used where TeX requires a number and for example within a low-level <code>\edef</code> operation to give a purely numerical result. From 2022-06-01 release of LaTeX this will be included in the format so that the package doesn't need loading any longer.
documentation	(no language specified) <i>Readme for the whole bundle:</i> https://ctan.org/tex-archive/macros/latex/contrib/l3packages/README.md
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/l3packages/xfp.pdf
– local file	<code>./9899088080-xfp.pdf</code>
home page	https://www.latex-project.org
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/l3packages
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/l3packages.tds.zip
on MikTeX	l3packages
on TeXLive	l3packages
keyword	latex3 (work done for the project to upgrade LaTeX)
keyword	calculation (perform calculations within TeX)
keyword	macro-def (alternative ways of defining macros)
language(s)	no language specified
last access	2025-02-12

6792 **xfrac** – Split-level fractions

Web page on CTAN	https://ctan.org/pkg/xfrac
name	<code>xfrac</code>
caption	Split-level fractions
author	Robertson, Will

author	Høgholm, Morten
author	Madsen, Lars
author	Wright, Joseph
author	The LaTeX Project Team
copyright	The LaTeX3 Project (2011, 2012, 2014-2024)
copyright	Morten Høgholm (2004, 2008-2010)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2024-06-04)
last changes	2024-06-04
year	2024
description	(no language specified) This package uses the interface defined by LaTeX templates to provide flexible split-level fractions <i>via</i> the <code>\sfrac</code> macro. This is both a demonstration of the power of the template concept and also a useful addition to the available functionality in LaTeX2e.
documentation	(no language specified) <i>Bundle README</i> : https://ctan.org/tex-archive/macros/latex/contrib/xfrac/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xfrac/xfrac.pdf
– local file	<code>./3502693815-xfrac.pdf</code>
contact	<i>bugs</i> : https://github.com/latex3/xfrac/issues
contact	<i>repository</i> : https://github.com/latex3/xfrac
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xfrac
on MikTeX	<code>xfrac</code>
on TeXLive	<code>xfrac</code>
keyword	<code>latex3</code> (work done for the project to upgrade LaTeX)
keyword	<code>maths</code> (support for typesetting mathematics)
language(s)	no language specified
last access	2025-02-12

6793 xgalley – Control text feeding onto the page

Web page on CTAN <https://ctan.org/pkg/xgalley>

name	xgalley
caption	Control text feeding onto the page
author	The LaTeX Project Team
copyright	Frank Mittelbach (1999-2001, 2004-2009)
copyright	The LaTeX3 Project (2010-2012, 2014, 2016-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2024-03-14)
last changes	2024-03-14
year	2024
description	(no language specified) The package, currently distributed as part of the l3experimental bundle, provides control over the boxes that accept material as a page is filled.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/l3experimental/xgalley.pdf
– local file	./1170034352-xgalley.pdf
home page	https://www.latex-project.org
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/l3experimental/xgalley.dtx
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/l3experimental.tds.zip
keyword	layout (layout of objects on the page)
keyword	latex3 (work done for the project to upgrade LaTeX)
keyword	macro-supp (support for development of (La)TeX macros)
see also	see section 3219 on page 2909: (l3packages – High-level LaTeX3 concepts)
see also	see section 3216 on page 2905: (l3kernel – LaTeX3 programming conventions)
language(s)	no language specified
last access	2025-02-12

6794 xgreek – Greek Language Support for XeLaTeX and LuaLaTeX

Web page on CTAN <https://ctan.org/pkg/xgreek>

name	xgreek
caption	Greek Language Support for XeLaTeX and LuaLaTeX
author	Syropoulos, Apostolos
copyright	Apostolos Syropoulos (2007-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.5.0 (2025-01-28)
last changes	2025-01-28
year	2025
description	(no language specified) This package has been designed so to allow people to typeset Greek language documents using XeLaTeX or LuaLaTeX. It is released in the hope that people will use it and spot errors, bugs, features so to improve it. Practically, it provides all the capabilities of the greek option of the babel package. The package can be invoked with any of the following options: <code>monotonic</code> (for typesetting modern monotonic Greek), <code>polytonic</code> (for typesetting modern polytonic Greek), and <code>ancient</code> (for typesetting ancient texts). The default option is <code>monotonic</code>. The command <code>\setlanguage{<lang>}</code> activates the hyphenation patterns of the language <code><lang></code>. This, however, can only be done if the format file has not been built with the babel mechanism.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/xgreek/xgreek.pdf
– local file	<code>./2170406361-xgreek.pdf</code>
documentation	(no language specified) <i>README file</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/xgreek/README
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/xgreek
on MikTeX	xgreek
on TeXLive	xgreek
keyword	greek (support for typesetting Greek)
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
language(s)	no language specified
last access	2025-02-09

6795 *xhfill* – Extending `\hrulefill`

Web page on CTAN <https://ctan.org/pkg/xhfill>

name	<code>xhfill</code>
caption	Extending <code>\hrulefill</code>
author	Voß, Herbert
license	lppl = The LaTeX Project Public License (free)
version	1.01
description	(no language specified) The package provides extended macros for the default <code>\hrulefill</code> command. It allows modification of the width and the colour of the line.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xhfill/xhfill-doc.pdf
– local file	<code>./5870647883-xhfill-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xhfill
on MikTeX	<code>xhfill</code>
on TeXLive	<code>xhfill</code>
keyword	<code>tagged-pdf-incompatible</code> (tagged PDF incompatible)
keyword	<code>rule</code> (produce rules within a document)
language(s)	no language specified
year	without year
last access	2026-04-13

6796 *xifthen* – Extended conditional commands

Web page on CTAN <https://ctan.org/pkg/xifthen>

name	<code>xifthen</code>
caption	Extended conditional commands
author	Noirel, Josselin
license	lppl = The LaTeX Project Public License (free)
version	1.4.0

description	(no language specified) This package extends the ifthen package by implementing new commands to go within the first argument of <code>\ifthenelse</code> : to test whether a string is void or not, if a command is defined or equivalent to another. The package also enables use of complex expressions as introduced by the package calc , together with the ability of defining new commands to handle complex tests.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xifthen/xifthen.pdf
– local file	<code>./4405717968-xifthen.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xifthen
on MikTeX	<code>xifthen</code>
on T _E XLive	<code>xifthen</code>
keyword	<code>macro-supp</code> (support for development of (La)TeX macros)
keyword	<code>cond-comp</code> (conditional typesetting)
see also	see section 2907 on page 2629: (<code>ifthenx</code> – Extra tests for <code>\ifthenelse</code>)
see also	see section 2906 on page 2628: (<code>ifthen</code> – Conditional commands in LaTeX documents)
language(s)	no language specified
year	without year
last access	2025-02-07

6797 *xii* – Christmas silliness (English)

Web page on CTAN <https://ctan.org/pkg/xii>

name	<code>xii</code>
caption	Christmas silliness (English)
author	Carlisle, David
license	lppl = The LaTeX Project Public License (free)
version	(2017-11-13)
last changes	2017-11-13
year	2017
description	(no language specified) This is the plain TeX file <code>xii.tex</code> . Call <code>"pdftex xii.tex"</code> to produce a (perhaps) surprising typeset document.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/contrib/xii/README.txt
home page	https://github.com/davidcarlisle/dpctex
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/xii
on MikTeX	<i>xii</i>
on T _E XLive	<i>xii</i>
keyword	frivolous (TeX code as a source of humour)
see also	see section 2964 on page 2680: (inscrutable – A response to Perl hackers’ silliness)
see also	see section 6798 on page 6134: (<i>xii-lat</i> – Christmas silliness (Latin))
language(s)	no language specified
last access	2025-02-07

6798 *xii-lat* – Christmas silliness (Latin)

Web page on CTAN	https://ctan.org/pkg/xii-lat
name	<i>xii-lat</i>
caption	Christmas silliness (Latin)
author	Carlisle, David
license	lpl = The LaTeX Project Public License (free)
version	(2017-11-13)
last changes	2017-11-13
year	2017
description	(no language specified) This is the plain TeX file <i>xii-lat.tex</i> . Call ” <code>pdftex xii-lat.tex</code> ” to produce a (perhaps) surprising typeset document.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/contrib/xii-lat/README.txt
home page	https://github.com/davidcarlisle/dpctex
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/xii-lat
on MikTeX	<i>xii-lat</i>
on T _E XLive	<i>xii-lat</i>

keyword	frivolous (TeX code as a source of humour)
see also	see section 2964 on page 2680: (<i>inscrutable</i> – A response to Perl hackers’ silliness)
see also	see section 6797 on page 6133: (<i>xii</i> – Christmas silliness (English))
language(s)	no language specified
last access	2025-02-07

6799 *ximera* – Write online interactive content in LaTeX

Web page on CTAN <https://ctan.org/pkg/ximera>

name	Ximera
caption	Write online interactive content in LaTeX
author	Snapp, Bart
copyright	Bart Snapp and Jim Fowler (2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.5.1 (2024-05-12)
last changes	2024-05-12
year	2024
description	(no language specified) The Ximera document class provides macros that support the creation of both PDF and online materials.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ximera/ximera.pdf
– local file	<code>./8952339082-ximera.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ximera/README.md
home page	https://github.com/XimeraProject
contact	<i>bugs</i> : https://github.com/XimeraProject/ximeraLatex/issues
contact	<i>repository</i> : https://github.com/XimeraProject/ximeraLatex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ximera
on MikTeX	ximera
on T _E XLive	ximera
keyword	class (alternative LaTeX class(es))
language(s)	no language specified

last access 2025-02-07

6800 **xindex** – Unicode-compatible index generation

Web page on CTAN <https://ctan.org/pkg/xindex>

name	xindex
caption	Unicode-compatible index generation
author	Voß, Herbert
copyright	Herbert Voß (2019-2026)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
license	mit = MIT License (free)
version	1.06 (2026-04-16)
last changes	2026-04-16
year	2026
description	(no language specified) This package provides a Unicode-compatible index program for LaTeX.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/indexing/xindex/doc/xindex-doc.pdf
– local file	./9557659982-xindex-doc.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/indexing/xindex/README.md
contact	<i>bugs:</i> https://gitlab.com/hvoss49/xindex/-/issues
contact	<i>repository:</i> https://gitlab.com/hvoss49/xindex
on CTAN	https://ctan.org/tex-archive/indexing/xindex
on MikTeX	xindex
on T _E XLive	xindex
keyword	use-lua (package requires availability of lua)
keyword	tagged-pdf (tagged PDF compatible)
keyword	index (index support)
language(s)	no language specified
last access	2026-04-18

6801 xindy – A general-purpose index processor

Web page on CTAN <https://ctan.org/pkg/xindy>

name	xindy
caption	A general-purpose index processor
author	Schrod, Joachim
author	Kehr, Roger
license	gpl = GNU General Public License (free)
version	2.5.1
description	(no language specified) Xindy was developed after an impasse had been encountered in the attempt to complete internationalisation of makeindex . Xindy can be used to process indexes for documents marked up using (La)TeX, Nroff family and SGML-based languages. Xindy is highly configurable, both in markup terms and in terms of the collating order of the text being processed.
documentation	(no language specified) <i>Unix-style man page for xindy-for-tex</i>: http://www.xindy.org/doc/texindy-man.pdf
– local file	<code>./6411293345-texindy-man.pdf</code>
documentation	(no language specified) <i>Xindy reference manual</i>: http://www.xindy.org/doc/manual.html
documentation	(no language specified) <i>Xindy tutorial</i>: http://www.xindy.org/doc/tutorial.html
documentation	(no language specified) <i>Xindy FAQ, or xindy by topic</i>: http://www.xindy.org/doc/faq.html
documentation	(no language specified) <i>Unix-style man page for xindy</i>: http://www.xindy.org/doc/xindy-man.pdf
– local file	<code>./3310474813-xindy-man.pdf</code>
home page	http://www.xindy.org
on CTAN	https://ctan.org/tex-archive/indexing/xindy/base
on MikTeX	xindy
on T _E XLive	xindy
keyword	index (index support)
language(s)	no language specified
year	without year
last access	2026-03-26

6802 xindy-persian – Support for the Persian language in xindy

Web page on CTAN <https://ctan.org/pkg/xindy-persian>

name	xindy-persian
caption	Support for the Persian language in xindy
author	bidi-tex GitHub Organisation
author	Khalighi, Vafa
copyright	Persian TeX Group (2011–2021)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.8
description	(no language specified) The package offers Persian language support for indexing using xindy .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/indexing/xindy/contrib/xindy-persian/README
contact	<i>bugs</i> : https://github.com/persiantex/xindy-persian/issues
contact	<i>repository</i> : https://github.com/persiantex/xindy-persian
on CTAN	https://ctan.org/tex-archive/indexing/xindy/contrib/xindy-persian
on T _E XLive	xindy-persian
keyword	index (index support)
keyword	persian (support for typesetting Persian)
language(s)	no language specified
year	without year
last access	2025-02-07

6803 xint – Expandable arbitrary precision floating point and integer operations

Web page on CTAN <https://ctan.org/pkg/xint>

Alias	xintexpr
name	xint
caption	Expandable arbitrary precision floating point and integer operations
author	Burnol, Jean-François
copyright	Jean-François Burnol (2013-2022, 2025)

license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.4o (2025-09-06)
last changes	2025-09-06
year	2025
description	(no language specified) Loading <code>xintexpr</code> provides <code>\xinteval</code> and <code>\xintfloateval</code>. <code>\xintfloateval</code> evaluates numerical expressions. The floating point precision defaults to 16 decimal digits and can be set by user. Trigonometry, exponential and logarithms are implemented up to a maximal precision of 62 decimal digits. <code>\xinteval</code> computes exactly with integers, fractions, and decimal numbers or numbers in scientific notation. Note though that multiplying two floating point numbers will about double the number of digits, and so on, because the algebra is done exactly. Both are compatible with expansion-only context. Loading <code>xintexpr</code> imports automatically various other modules that it depends upon. Among them: • <code>xinttools</code>: utilities such as expandable and non-expandable loops, • <code>xint</code>: macros implementing in particular the basic operations on arbitrarily long integers, • <code>xintbinhex</code>: conversions between decimal and binary, octal, or hexadecimal bases for arbitrarily long integers, • <code>xintfrac</code>: macros implementing in particular the basic operations on arbitrarily large fractions, decimal numbers, or numbers in scientific notation. Further modules of independent interest include <code>xintgcd</code>, <code>xintseries</code> and <code>xintcfrac</code>. You can use <code>xintexpr</code> (and the other components) with LaTeX (via <code>\usepackage</code>) or also with Plain TeX, OpTeX, or ConTeXt (via <code>\input xintexpr.sty</code>). All the components are documented in the file <code>xint.pdf</code>, which also contains the commented source code.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/xint/xint.pdf
– local file	<code>./2230354719-xint.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/xint/README.md

documentation	(no language specified) <i>Changes</i> : https://ctan.org/tex-archive/macros/generic/xint/xintchanges.md
home page	https://jfbu.github.io/xint
contact	<i>bugs</i> : https://github.com/jfbu/xint/issues
contact	<i>repository</i> : https://github.com/jfbu/xint
on CTAN	https://ctan.org/tex-archive/macros/generic/xint
installation	https://ctan.org/tex-archive/install/macros/generic/xint.tds.zip
on MikTeX	<i>xint</i>
on T _E XLive	<i>xint</i>
keyword	arithmetic (perform and typeset arithmetic problems)
keyword	calculation (perform calculations within TeX)
language(s)	no language specified
last access	2025-09-18

6804 *xint-regression* – Classic regressions, with *xint*

Web page on CTAN <https://ctan.org/pkg/xint-regression>

name	<i>xint-regression</i>
caption	Classic regressions, with <i>xint</i>
author	Pierquet, Cédric
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.1 (2025-05-05)
last changes	2025-05-05
year	2025
description	(no language specified) A package for determining classical regressions (linear, quadratic, cubic, exponential, etc.) with calculations performed by <i>xint</i> . Results (raw or rounded) can be stored in customizable macros.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xint-regression/doc/xint-regression-doc.pdf
– local file	<code>./7012976582-xint-regression-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xint-regression/README.md

contact	repository: https://forge.apps.education.fr/pierquetcedric/packages-latex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xint-regression
on MikTeX	xint-regression
on TeXLive	xint-regression
keyword	calculation (perform calculations within TeX)
keyword	maths (support for typesetting mathematics)
language(s)	no language specified
last access	2025-09-18

6805 *xintsession* – Interactive computing sessions (fractions, floating points, polynomials)

Web page on CTAN <https://ctan.org/pkg/xintsession>

name	xintsession
caption	Interactive computing sessions (fractions, floating points, polynomials)
author	Burnol, Jean-François
copyright	Jean-François Burnol (2021)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.4alpha (2021-11-01)
last changes	2021-11-01
year	2021
description	(no language specified) This package provides support for interactive computing sessions with etex (or pdfetex) executed on the command line, on the basis of the xintexpr and polexpr packages. Once xintsession is loaded, eTeX becomes an interactive computing software capable of executing arbitrary precision calculations, or exact calculations with arbitrarily big fractions. It can also manipulate polynomials as algebraic entities. Numerical variables and functions can be defined during the session, and each evaluation result is stored in automatically labeled variables. A file is automatically created storing inputs and outputs.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/contrib/xintsession/README.md

on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/xintsession
on MikTeX	xintsession
on TeXLive	xintsession
keyword	maths (support for typesetting mathematics)
keyword	calculation (perform calculations within TeX)
language(s)	no language specified
last access	2025-09-18

6806 xistercian – Cistercian numerals in LaTeX

Web page on CTAN	https://ctan.org/pkg/xistercian
name	xistercian
caption	Cistercian numerals in LaTeX
author	Spratte, Jonathan P.
copyright	Jonathan P. Spratte (2020-2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3 (2025-04-13)
last changes	2025-04-13
year	2025
description	(no language specified) This package allows you to use Cistercian numerals in LaTeX. The glyphs are created using PGF and to a certain degree configurable. You can use Cistercian numerals as page numbers using <code>\pagenumbering{xistercian}</code>. The two main macros are: • <code>\cistercian{<counter>}</code> formats the LaTeX2e counter as a Cistercian numeral, • <code>\cisterciannum{<integer>}</code> formats the integer (given as a string) as a Cistercian numeral.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/xistercian/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/xistercian/xistercian.pdf
– local file	./7303982893-xistercian.pdf

contact	repository: https://github.com/Skillmon/ltx_xistercian
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/xistercian
on MikTeX	xistercian
on T _E XLive	xistercian
keyword	numbers (formatting numbers, etc)
keyword	expl3 (expl3(unknown))
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	graphics (graphics (support packages))
see also	see section 1088 on page 990: (cistercian – Display cistercian numerals)
language(s)	no language specified
last access	2025-04-28

6807 *xits* – A Scientific Times-like font with support for mathematical typesetting

Web page on CTAN <https://ctan.org/pkg/xits>

name	<i>xits</i>
caption	A Scientific Times-like font with support for mathematical typesetting
author	Hosny, Khaled
license	ofl = The SIL Open Font License (free)
version	1.302 (2020-07-02)
last changes	2020-07-02
year	2020
description	(no language specified) XITS is a Times-like font for scientific typesetting with proper mathematical support for modern, Unicode and OpenType capable TeX engines, namely LuaTeX and XeTeX. For use with LuaLaTeX or XeLaTeX, support is available from the fontspec and unicode-math packages.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/xits/README.txt
contact	support: https://github.com/alif-type/xits/issues
contact	announce: https://github.com/alif-type/xits/releases
contact	repository: https://github.com/alif-type/xits

on CTAN	https://ctan.org/tex-archive/fonts/xits
on MikTeX	<code>xits</code>
on TeXLive	<code>xits</code>
keyword	<code>font-serif</code> (serif font)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-maths</code> (fonts for use in mathematics)
keyword	<code>font-symbol-maths</code> (collections of mathematical symbols)
keyword	<code>font</code> (fonts themselves)
see also	see section 5699 on page 5162: (<code>stix</code> – OpenType Unicode maths fonts)
see also	see section 285 on page 262: (<code>asana-math</code> – A font to typeset maths in Xe(La)TeX and Lua(La)TeX)
language(s)	no language specified
last access	2025-02-07

6808 *xkcdcolors* – *xkcd* names of colors

Web page on CTAN <https://ctan.org/pkg/xkcdcolors>

name	<code>xkcdcolors</code>
caption	<i>xkcd</i> names of colors
author	Giannetti, Romano
copyright	Romano Giannetti (2019-2023)
license	cc0 = CC0 1.0 (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.2
description	(no language specified) In the year 2010, Randall Munroe on posted a really funny and nice article on <i>xkcd</i> . He made a very curious experiment: showing colors to a lot of people and asking to name each one. Afterward, he processed the data and sorted the names for each color by popularity — that means, how many people gave the same name to the same color. This package makes the collected color names usable with LaTeX.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/xkcdcolors/xkcdcolors-manual.pdf

6809 *xkeymask* – An extension of *xkeyval* with a mask

– local file	<code>./3215777655-xkcdcolors-manual.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xkcdcolors/README.md
home page	http://rlog.rgtti.com/2015/10/23/xkcd-color-list-for-latex-users/
contact	<i>bugs</i> : https://github.com/Rmano/xkcdcolors/issues
contact	<i>repository</i> : https://github.com/Rmano/xkcdcolors
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xkcdcolors
on MikTeX	xkcdcolors
on TeXLive	xkcdcolors
keyword	amusements (jokes, distractions, tongue-in-cheek packages, and other entertainment material)
keyword	colour (typesetting in colour)
language(s)	no language specified
year	2023
last access	2025-02-07

6809 *xkeymask* – An extension of *xkeyval* with a mask

Web page on CTAN	https://ctan.org/pkg/xkeymask
name	xkeymask
caption	An extension of xkeyval with a mask
author	Ramachandra, Ramkumar
copyright	Ramkumar Ramachandra (2022-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2023-12-25)
last changes	2023-12-25
year	2023
description	(no language specified) This package is an extension of the <i>xkeyval</i> package by Hendri Adriaens that offers macros for hiding certain keys so that they are not used in certain places. The idea is that one first imports the package in the document preamble, and then creates masks use at certain points in the document. The mask can also be queried or cleared at some later point.

6810 `xkeyval` – Extension of the `keyval` package

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xkeymask/xkeymask.pdf
– local file	<code>./8035992380-xkeymask.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xkeymask/README
contact	<i>bugs</i> : https://github.com/artagnon/xkeymask/issues
contact	<i>repository</i> : https://github.com/artagnon/xkeymask
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xkeymask
on MikTeX	<code>xkeymask</code>
on TeXLive	<code>xkeymask</code>
keyword	<code>keyval</code> (key-value argument systems)
language(s)	no language specified
last access	2025-02-07

6810 `xkeyval` – Extension of the `keyval` package

Web page on CTAN <https://ctan.org/pkg/xkeyval>

name	<code>xkeyval</code>
caption	Extension of the <code>keyval</code> package
author	Carlisle, David
author	Adriaens, Hendri
copyright	Hendri Adriaens (2004-2022)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.10
description	(no language specified) This package is an extension of the <code>keyval</code> package and offers additional macros for setting keys and declaring and setting class or package options. The package allows the programmer to specify a prefix to the name of the macros it defines for keys, and to define families of key definitions; these all help use in documents where several packages define their own sets of keys.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xkeyval/xkeyval.pdf
– local file	<code>./2392876860-xkeyval.pdf</code>

documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/xkeyval/README.md
contact	<i>bugs</i> : https://github.com/LaTeX-Package-Repositories/xkeyval/issues
contact	<i>repository</i> : https://github.com/LaTeX-Package-Repositories/xkeyval
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xkeyval
on MikTeX	<code>xkeyval</code>
on T _E XLive	<code>xkeyval</code>
keyword	<code>keyval</code> (key-value argument systems)
see also	see section 4980 on page 4509: (<code>pst-xkey</code> – Key-value syntax for PSTricks packages)
language(s)	no language specified
year	2022
last access	2025-11-14

6811 `xkvltxp` – Provision for expandable macros in package options

Web page on CTAN	https://ctan.org/pkg/xkvltxp
name	<code>xkvltxp</code>
caption	Provision for expandable macros in package options
author	Adriaens, Hendri
copyright	Hendri Adriaens (2004-2005)
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) When <code>xkvltxp</code> is loaded it patches the LaTeX kernel to allow expandable macros in package options. As a result, the user can put <code>xkeyval</code> key invocations in the options of packages.
documentation	(no language specified) <i>Bundle documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xkeyval/xkeyval.pdf
– local file	<code>./2392876860-xkeyval.pdf</code>
documentation	(no language specified) <i>Bundle Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xkeyval/README

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xkeyval
on MikTeX	xkeyval
on TeXLive	xkeyval
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	2005
last access	2025-02-07

6812 *xkvview* – *Xkeyval* viewer

Web page on CTAN	https://ctan.org/pkg/xkvview
name	xkvview
caption	Xkeyval viewer
author	Adriaens, Hendri
copyright	Hendri Adriaens (2004-2005)
license	lpl = The LaTeX Project Public License (free)
version	1.4a
description	(no language specified) If xkvview is loaded, all keys defined in a document using the parent package xkeyval are stored in an internal database. The command <code>\xkvview</code> (which takes an argument of options) can be used to print the keys.
documentation	(no language specified) <i>Bundle Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xkeyval/README
documentation	(no language specified) <i>Bundle documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xkeyval/xkeyval.pdf
– local file	<code>./2392876860-xkeyval.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xkeyval
on MikTeX	xkeyval
on TeXLive	xkeyval
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	2005

last access 2025-02-07

6813 *xl2latex* – Convert Excel (97 and above) tables to LaTeX tabulars

Web page on CTAN <https://ctan.org/pkg/xl2latex>

name *xl2latex*

caption Convert Excel (97 and above) tables to LaTeX tabulars

author Buchmann, Ronny

license gpl = GNU General Public License (free)

description (no language specified) This Excel to LaTeX converter exports the current selection as a LaTeX file which can be included via `\input` in your actual document. It supports multicolumn cells (only horizontal), borders, font styles (bold, italic), colored cells and text, LaTeX maths in cells and cells with wrapped text.

documentation (no language specified) *Readme:*
<https://ctan.org/tex-archive/support/xl2latex/README.txt>

on CTAN <https://ctan.org/tex-archive/support/xl2latex>

keyword data-import (importing data into documents)

language(s) no language specified

year without year

last access 2025-02-07

6814 *xlatex* – A TeX/LaTeX shell for X-windows

Web page on CTAN <https://ctan.org/pkg/xlatex>

name *xlatex*

caption A TeX/LaTeX shell for X-windows

author Dragone, Mario

license other-free = Free license not otherwise listed (free)

version 3.3c

description (no language specified) All the usual shell functions, plus examining printer queue, and calling a graphical editor. May be customised for English- or French-speaking users.

documentation (no language specified) *Readme:*
<https://ctan.org/tex-archive/support/xlatex/README>

on CTAN	https://ctan.org/tex-archive/support/xlatex
keyword	ide (integrated development environments)
language(s)	no language specified
year	without year
last access	2025-02-07

6815 *xlop* – Calculates and displays arithmetic operations

Web page on CTAN <https://ctan.org/pkg/xlop>

name	<i>xlop</i>
caption	Calculates and displays arithmetic operations
author	Charpentier, Jean-Côme
copyright	Jean-Côme Charpentier (2005-2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.28
description	(no language specified) <i>Xlop</i> (eXtra Large OPERATION) will typeset arithmetic problems either in-line or "as in school" (using French school conventions). So for example, <code>\opadd{2}{3}</code> can give either $2+3=5$ or something similar to: <code>\begin{tabular}{r} 2\ +3\ \hline 5\end{tabular}</code>. Furthermore, numbers may be very large, e.g 200 figures (with a very long compilation time). Many other features allow to deal with numbers (tests, display, some high level operations, etc.)
documentation	(French) <i>Readme</i>: https://ctan.org/tex-archive/macros/generic/xlop/LISEZMOI
documentation	<i>Package documentation (French)</i>: https://ctan.org/tex-archive/macros/generic/xlop/doc/xlop-doc-fr.pdf
– local file	<code>./8194924204-xlop-doc-fr.pdf</code>
documentation	<i>Package documentation (English)</i>: https://ctan.org/tex-archive/macros/generic/xlop/doc/xlop-doc.pdf
– local file	<code>./4222689488-xlop-doc.pdf</code>
documentation	(English) <i>Readme</i>: https://ctan.org/tex-archive/macros/generic/xlop/README
on CTAN	https://ctan.org/tex-archive/macros/generic/xlop
on MikTeX	<i>xlop</i>
on T _E XLive	<i>xlop</i>

keyword	<code>maths</code> (support for typesetting mathematics)
keyword	<code>arithmetic</code> (perform and typeset arithmetic problems)
keyword	<code>calculation</code> (perform calculations within TeX)
see also	see section 3518 on page 3181: (<code>longdiv</code> – Long division arithmetic problems)
language(s)	English; French
year	2020
last access	2025-02-07

6816 `xltabular` – Longtable support with possible X-column specifier

Web page on CTAN	https://ctan.org/pkg/xltabular
name	<code>xltabular</code>
caption	Longtable support with possible X-column specifier
author	Niepraschk, Rolf
author	Voß, Herbert
copyright	Herbert Voß, Rolf Niepraschk (2018-2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	2.0i
description	(no language specified) This package loads package <code>ltablex</code> , but keeps the current <code>tabularx</code> environment as is. The new environment <code>xltabular</code> is a combination of <code>longtable</code> and <code>tabularx</code> : Header/footer definitions, X-column specifier, and with possible pagebreaks.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xltabular/doc/xltabular-doc.pdf
– local file	<code>./1979197235-xltabular-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xltabular/README.md
home page	https://github.com/rolfn/xltabular
contact	<i>bugs</i> : https://github.com/rolfn/xltabular/issues
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xltabular
on MikTeX	<code>xltabular</code>

on T _E XLive	<code>xltabular</code>
keyword	<code>table</code> (table typesetting)
keyword	<code>table-long</code> (typeset tables that may be too big for a page)
keyword	<code>tagged-pdf</code> (tagged PDF compatible)
see also	see section 3524 on page 3187: (<code>longtable</code> – Allow tables to flow over page boundaries)
see also	see section 3576 on page 3230: (<code>ltablex</code> – Table package extensions)
see also	see section 5834 on page 5285: (<code>tabularx</code> – Tabulars with adjustable-width columns)
language(s)	no language specified
year	2025
last access	2026-04-13

6817 *xltextra* – “Extras” for LaTeX users of XeTeX

Web page on CTAN <https://ctan.org/pkg/xltextra>

name	<code>xltextra</code>
caption	“Extras” for LaTeX users of XeTeX
author	Robertson, Will
copyright	Will Robertson (2006-2018)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.7
description	(no language specified) This package was previously used to provide a number of features that were useful for typesetting documents with XeLaTeX. Many of those features have now been incorporated into the fontspec package and other packages, but the package persists for backwards compatibility. Nowadays, loading <code>xltextra</code> will: load the fontspec , metalogo , and realscripts packages; redefine <code>\showhyphens</code> so it works correctly; and define two extra commands: <code>\vfrac</code> and <code>\namedglyph</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/xltextra/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/xltextra/xltextra.pdf
– local file	<code>./8633702267-xltextra.pdf</code>
contact	<i>repository</i> : https://github.com/wspr/will2e/

on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/xltxtra
on MikTeX	xltxtra
on T _E XLive	xltxtra
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
language(s)	no language specified
year	2018
last access	2025-02-09

6818 *xmeaning* – Enhanced implementation of the `\meaning` primitive

Web page on CTAN	https://ctan.org/pkg/xmeaning
name	xmeaning
caption	Enhanced implementation of the <code>\meaning</code> primitive
author	Dao, Valentin
copyright	Valentin Dao (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.0 (2025-12-18)
last changes	2025-12-18
year	2025
description	(no language specified) This experimental package extends TeX's <code>\meaning</code> primitive by delivering clearer, token-specific output linked to the given argument. A starred variant is also implemented to reveal the meaning of internal macros, making it easier to retrieve the true replacement text of <code>xparse</code> -defined macros and other complex macro structures.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xmeaning/xmeaning.pdf
– local file	<code>./7127078172-xmeaning.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xmeaning/README.md
contact	<i>bugs</i> : https://github.com/ankaa3908/xmeaning/issues
contact	<i>repository</i> : https://github.com/ankaa3908/xmeaning
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xmeaning

on MikTeX	xmeaning
on T _E XLive	xmeaning
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-12-28

6819 *xml2pmx* – Convert MusicXML to PMX and MusiXTeX

Web page on CTAN <https://ctan.org/pkg/xml2pmx>

name	xml2pmx
caption	Convert MusicXML to PMX and MusiXTeX
author	Spivey, Mike
author	Glötzel, Dieter
author	Tennent, Bob
copyright	Dieter Gloetzel (2015-2021)
copyright	Bob Tennent (2011-2021)
copyright	Mike Spivey (2021)
license	gpl3+ = GNU General Public License, version 3 or newer (free)
version	(2021-02-07)
last changes	2021-02-07
year	2021
description	(no language specified) This program translates MusicXML files to input suitable for PMX and MusiXTeX processing. This package supports Windows, MacOS and Linux systems.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/support/xml2pmx/doc/xml2pmx.pdf
– local file	<code>./2384359957-xml2pmx.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/support/xml2pmx/README
home page	http://icking-music-archive.org/software/htdocs/
contact	<i>support:</i> https://www.tug.org/mailman/listinfo/tex-music
on CTAN	https://ctan.org/tex-archive/support/xml2pmx
on T _E XLive	xml2pmx

keyword `music` (typesetting music and related stuff)
 language(s) no language specified
 last access 2025-02-07

6820 *xmlplay* – Typeset Shakespeare’s plays as marked up by Bosak

Web page on CTAN <https://ctan.org/pkg/xmlplay>

name `xmlplay`
 caption Typeset Shakespeare’s plays as marked up by Bosak
 author Kilfiger, James
 license pd = Public Domain Software (free)
 description (no language specified) This is an `xmlltex` package for typesetting the **plays of Shakespeare, as marked up by Jon Bosak** .
 keyword `foreign-import` (import files in a non-TeX (or different TeX) format)
 see also see section 4714 on page 4268: (`play` – Typeset drama using LaTeX)
 language(s) no language specified
 year without year
 last access 2025-02-07

6821 *xmlltex* – Support for parsing XML documents

Web page on CTAN <https://ctan.org/pkg/xmlltex>

name `xmlltex`
 caption Support for parsing XML documents
 author Carlisle, David
 license lppl = The LaTeX Project Public License (free)
 version 0.8
 description (no language specified) The package provides an implementation of a parser for documents matching the XML 1.0 and XML Namespace Recommendations. In addition to parsing commands are provided to attach TeX typesetting instructions to the various markup elements as they are encountered. Sample files for typesetting a subset of TEI, MathML, are included. Element and Attribute names, as well as character data, may use any characters allowed in XML, using UTF-8 or a suitable 8-bit encoding.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/plain/formats/xmltex/base/manual.html
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/plain/formats/xmltex/base/readme.txt
contact	<i>repository</i> : https://github.com/davidcarlisle/dpctex
on CTAN	https://ctan.org/tex-archive/macros/plain/formats/xmltex/base
on MikTeX	xmltex
on T _E XLive	xmltex
keyword	foreign-import (import files in a non-TeX (or different TeX) format)
language(s)	no language specified
year	without year
last access	2025-02-07

6822 `xmpincl` – Include eXtensible Metadata Platform data in pdfLaTeX

Web page on CTAN <https://ctan.org/pkg/xmpincl>

name	xmpincl
caption	Include eXtensible Metadata Platform data in pdfLaTeX
author	Sneep, Maarten
license	gpl = GNU General Public License (free)
version	2.4
description	(no language specified) The XMP (eXtensible Metadata platform) is a framework to add metadata to digital material to enhance the workflow in publication. The essence is that the metadata is stored in an XML file, and this XML stream is then embedded in the file to which it applies. How you create this XML file is up to you, but the author started investigating this because he wanted to embed licensing information in the files he created. The license the author chose is one of the Creative Commons licenses, and their web-site offers this information in a valid XML-file, suitable for direct inclusion.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xmpincl/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xmpincl/xmpincl.pdf
– local file	./3386473802-xmpincl.pdf

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xmpinl
on MikTeX	xmpinl
on T _E XLive	xmpinl
keyword	pdf-feat (access PDF features)
keyword	metadata (process document metadata)
language(s)	no language specified
year	without year
last access	2025-02-07

6823 *xmuthesis* – XMU thesis style

Web page on CTAN	https://ctan.org/pkg/xmuthesis
name	xmuthesis
caption	XMU thesis style
author	Cao, Camuse
copyright	Camuse Cao (2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.4.1
description	(no language specified) This class is designed for XMU thesis's writing.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xmuthesis/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xmuthesis/xmuthesis.pdf
– local file	./4157695703-xmuthesis.pdf
home page	https://github.com/CamuseCao/XMU-thesis
contact	<i>bugs</i> : https://github.com/CamuseCao/XMU-thesis/issues
contact	<i>repository</i> : https://github.com/CamuseCao/XMU-thesis/releases
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xmuthesis
on MikTeX	xmuthesis
on T _E XLive	xmuthesis

keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
year	2020
last access	2025-02-07

6824 *xnewcommand* – Define `\global` and `\protected` commands with `\newcommand`

Web page on CTAN <https://ctan.org/pkg/xnewcommand>

name	xnewcommand
caption	Define <code>\global</code> and <code>\protected</code> commands with <code>\newcommand</code>
author	Noirel, Josselin
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) The package provides the means of defining <code>\global</code> and (e-TeX) <code>\protected</code> commands, within the framework of LaTeX's standard <code>\newcommand</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xnewcommand/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xnewcommand/xnewcommand.pdf
– local file	<code>./7289196725-xnewcommand.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xnewcommand
on MikTeX	xnewcommand
on TeXLive	xnewcommand
keyword	macro-def (alternative ways of defining macros)
language(s)	no language specified
year	without year
last access	2025-02-07

6825 xoptarg – Expandable macros that take an optional argumentWeb page on CTAN <https://ctan.org/pkg/xoptarg>

name	xoptarg
caption	Expandable macros that take an optional argument
author	Noirel, Josselin
license	lppl = The LaTeX Project Public License (free)
version	1.0
description	(no language specified) Commands that take an optional argument are not ordinarily expandable; this package allows such commands to be expandable provided that they have at least one mandatory argument.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xoptarg/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xoptarg/xoptarg.pdf
– local file	./5141475330-xoptarg.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xoptarg
on MikTeX	xoptarg
on TeXLive	xoptarg
keyword	macro-def (alternative ways of defining macros)
language(s)	no language specified
year	without year
last access	2025-02-07

6826 xparse – A generic document command parserWeb page on CTAN <https://ctan.org/pkg/xparse>

name	xparse
caption	A generic document command parser
author	The LaTeX Project Team
copyright	Frank Mittelbach, The LaTeX3 Project (2004-2008)
copyright	LaTeX3 Project (2009-2024)
copyright	Frank Mittelbach, Chris Rowley, David Carlisle (1999)

license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2024-08-16)
last changes	2024-08-16
year	2024
description	(no language specified) This package is deprecated in favor of methods integrated into the LaTeX kernel from 2020-10-01. The package provides a high-level interface for producing document-level commands. In that way, it offers a replacement for LaTeX2e's <code>\newcommand</code> macro, with significantly improved functionality. The package is distributed as part of the l3packages bundle.
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/l3packages/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/l3packages/xparse.pdf
– local file	<code>./4323415448-xparse.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/l3packages
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/l3packages.tds.zip
on MikTeX	l3packages
on T _E XLive	l3packages
keyword	macro-def (alternative ways of defining macros)
keyword	latex3 (work done for the project to upgrade LaTeX)
keyword	pre-release (developing version of new software)
language(s)	no language specified
last access	2025-02-12

6827 xpatch – Extending etoolbox patching commands

Web page on CTAN <https://ctan.org/pkg/xpatch>

name	xpatch
caption	Extending etoolbox patching commands
author	Gregorio, Enrico
copyright	Enrico Gregorio (2012-2020)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.3
description	(no language specified) The package generalises the macro patching commands provided by Philipp Lehmann's etoolbox .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xpatch/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xpatch/xpatch.pdf
– local file	./7303276428-xpatch.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xpatch
on MikTeX	xpatch
on TeXLive	xpatch
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
year	2020
last access	2025-02-07

6828 xpdf – Viewing and manipulating PDF files

Web page on CTAN <https://ctan.org/pkg/xpdf>

name	xpdf
caption	Viewing and manipulating PDF files
author	Noonburg, Derek B
copyright	Glyph & Cog, LLC (1996-2007)
license	gpl = GNU General Public License (free)
version	3.04

description	(no language specified) Xpdf is a free PDF viewer and toolkit, including a text extractor, image converter, HTML converter, and more. The last version available on CTAN is Xpdf 3.04. Starting with Xpdf 4.00 the web site was moved to XpdfReader .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/support/xpdf/README
home page	http://www.foolabs.com/xpdf/
keyword	previewer (application for viewing a typeset document on screen)
language(s)	no language specified
year	2007
last access	2024-04-19

6829 xpdfopen – Commands to control PDF readers, under X11

Web page on CTAN <https://ctan.org/pkg/xpdfopen>

name	xpdfopen
caption	Commands to control PDF readers, under X11
author	Hoekwater, Taco
author	Popineau, Fabrice
author	Diamond, Jim
license	pd = Public Domain Software (free)
version	0.86
description	(no language specified) The command-line programs pdfopen and pdfclose allow you to control the X Window System version of Adobe's Acrobat Reader from the command line or from within a (shell) script. The programs work with Acrobat Reader 5, 7, 8 and 9 for Linux, xpdf and evince. This version derives from one written by Fabrice Popineau for Microsoft operating systems.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/support/xpdfopen/pdfopen.pdf
– local file	<code>./7483991187-pdfopen.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/xpdfopen/README
on CTAN	https://ctan.org/tex-archive/support/xpdfopen
on T _E XLive	xpdfopen

keyword	previewer (application for viewing a typeset document on screen)
language(s)	no language specified
year	without year
last access	2026-03-13

6830 *xpeek* – Define commands that peek ahead in the input stream

Web page on CTAN <https://ctan.org/pkg/xpeek>

name	xpeek
caption	Define commands that peek ahead in the input stream
author	Salomon, Joel C.
copyright	Joel C. Salomon (2012)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.2
description	(no language specified) The package provides tools to help define commands that, like <code>\xspace</code> and the LaTeX command <code>\textit</code> , peek at what follows them in the command stream and choose appropriate behaviour.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xpeek/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xpeek/xpeek.pdf
– local file	<code>./3339270854-xpeek.pdf</code>
contact	<i>repository</i> : https://github.com/jcsalomon/xpeek
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xpeek
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/xpeek.tds.zip
on MikTeX	xpeek
on T _E XLive	xpeek
keyword	macro-supp (support for development of (La)TeX macros)
see also	see section 6836 on page 6169: (<code>xpunctuate</code> – Process trailing punctuation which may be redundant)
see also	see section 6846 on page 6179: (<code>xspace</code> – Define commands that appear not to eat spaces)
language(s)	no language specified

year 2012
last access 2025-02-07

6831 **xpeekahead** – A simple way for peeking ahead after commands and environments

Web page on CTAN <https://ctan.org/pkg/xpeekahead>

name	xpeekahead
caption	A simple way for peeking ahead after commands and environments
author	Frigeri, Alceu
copyright	Alceu Frigeri (2025)
license	gpl = GNU General Public License (free)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.3 (2025-10-23)
last changes	2025-10-23
year	2025
description	(no language specified) This package offers a few commands aiming at peeking ahead after environments and commands in simple cases.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/xpeekahead/doc/xpeekahead.pdf
– local file	./7735820114-xpeekahead.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/xpeekahead/README.md
contact	<i>bugs:</i> https://github.com/alceu-frigeri/xpeekahead/issues
contact	<i>repository:</i> https://github.com/alceu-frigeri/xpeekahead
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xpeekahead
on MikTeX	xpeekahead
on TeXLive	xpeekahead
keyword	macro-supp (support for development of (La)TeX macros)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-10-31

6832 xpiano – An extension of the piano package

Web page on CTAN <https://ctan.org/pkg/xpiano>

name `xpiano`

caption An extension of the piano package

author Gregorio, Enrico

copyright Enrico Gregorio (2015)

license lpl1.3 = The LaTeX Project Public License 1.3 (free)

version 1.0 (2015-05-23)

last changes 2015-05-23

year 2015

description (no language specified) This package provides macros for typesetting virtual keyboards limited to two octaves for showing notes represented by a colored circle. Optionally, the number used for pitch analysis can be shown.

It is an extension of [piano.sty](#) by Émile Daneault, written in expl3 in answer to a couple of questions on TeX.StackExchange:

- <https://tex.stackexchange.com/questions/162184/>
- <https://tex.stackexchange.com/questions/246276/> .

It features extended syntax and several options, like setting the color, adding numbers for pitch analysis, one or two octaves, and others.

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/xpiano/README>

documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/xpiano/xpiano.pdf>

– local file `./5765452415-xpiano.pdf`

on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/xpiano>

installation <https://ctan.org/tex-archive/install/macros/latex/contrib/xpiano.tds.zip>

on MikTeX `xpiano`

on T_EXLive `xpiano`

keyword `music` (typesetting music and related stuff)

see also see section [4659](#) on page [4221](#): (`piano` – Typeset a basic 2-octave piano diagram)

language(s) no language specified

last access 2025-02-07

6833 xpicture – Extensions of LaTeX picture drawingWeb page on CTAN <https://ctan.org/pkg/xpicture>

name	xpicture
caption	Extensions of LaTeX picture drawing
author	Fuster, Robert
copyright	Robert Fuster (2010, 2011, 2012)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2a
description	(no language specified) The package extends the facilities of the pict2e and the curve2e packages, providing extra reference frames, conic section curves, graphs of elementary functions and other parametric curves.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xpicture/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xpicture/xpicture-doc.pdf
– local file	./7196297552-xpicture-doc.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xpicture
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/xpicture.tds.zip
on MikTeX	xpicture
on T _E XLive	xpicture
keyword	graphics-curve (draw (parametric) curves)
keyword	graphics-in-tex (graphics produced by one of the *TeX engines)
language(s)	no language specified
year	2012
last access	2025-02-07

6834 xpinyin – Automatically add pinyin to Chinese characters

Web page on CTAN <https://ctan.org/pkg/xpinyin>

name	xpinyin
caption	Automatically add pinyin to Chinese characters
author	Lee, Qing
copyright	Qing Lee (2012-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	3.1 (2022-07-14)
last changes	2022-07-14
year	2022
description	(no language specified) The package is written to simplify the input of Hanyu Pinyin. Macros are provided that automatically add pinyin to Chinese characters.
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xpinyin/xpinyin.pdf
– local file	./5918618312-xpinyin.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xpinyin/README.md
home page	http://www.ctex.org
contact	<i>support</i> : https://github.com/CTeX-org/ctex-kit/issues
contact	<i>bugs</i> : https://github.com/CTeX-org/ctex-kit/issues
contact	<i>repository</i> : https://github.com/CTeX-org/ctex-kit
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xpinyin
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/xpinyin.tds.zip
on MikTeX	xpinyin
on T _E XLive	xpinyin
keyword	expl3 (expl3(unknown))
keyword	chinese (support for typesetting Chinese languages)
language(s)	Chinese
last access	2025-02-07

6835 xprintlen – Print TeX lengths in a variety of units

Web page on CTAN <https://ctan.org/pkg/xprintlen>

name	xprintlen
caption	Print TeX lengths in a variety of units
author	Huang, Liam
copyright	Liam Huang (2014)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2014-12-25)
last changes	2014-12-25
year	2014
description	(no language specified) The package defines a command, <code>\printlen</code>, to print TeX lengths in a variety of units. It can handle all units supported by TeX. The package requires that a reasonably up to date version of the fp package be installed on you system.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xprintlen/xprintlen.pdf
– local file	<code>./2779798404-xprintlen.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xprintlen/README
contact	<i>repository</i> : https://github.com/Liam0205/xprintlen
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xprintlen
on MikTeX	xprintlen
on TeXLive	xprintlen
keyword	doc-debug (tools, etc., for “debugging” documents)
keyword	debug-supp (support for package or document debugging)
language(s)	no language specified
last access	2025-02-07

6836 xpunctuate – Process trailing punctuation which may be redundantWeb page on CTAN <https://ctan.org/pkg/xpunctuate>

name	xpunctuate
caption	Process trailing punctuation which may be redundant
author	Ratcliffe, Philip G.
copyright	Philip G. Ratcliffe (2012-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.0 (2023-08-13)
last changes	2023-08-13
year	2023
description	(no language specified) The package provides commands enabling the user (or package writer) to insert punctuation after a macro. The method is similar to that of xspace , but goes further. The package provides the commands <code>\xperiod</code> , <code>\xcomma</code> and <code>\xperiodcomma</code> , which follow a similar procedure to that of <code>\xspace</code> , and insert punctuation <i>if and only if</i> it is necessary. It also provides <code>\xperiodafter</code> , <code>\xcommaafter</code> , <code>\xperiodcommaafter</code> and <code>\xspaceafter</code> , which all take one argument, the word or phrase to be punctuated. These then avoid problems with the spacing of periods and commas after emphasised words.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/xpunctuate/xpunctuate-doc.pdf
– local file	./6406108673-xpunctuate-doc.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/xpunctuate/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xpunctuate
on MikTeX	xpunctuate
on TeXLive	xpunctuate
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

6837 *xq* – Support for writing about xiangqi

Web page on CTAN <https://ctan.org/pkg/xq>

name	<i>xq</i>
caption	Support for writing about xiangqi
author	Weinhold, Stephan
author	Pipping, Sebastian
license	lppl = The LaTeX Project Public License (free)
version	0.4
description	(no language specified) The package is for writing about xiangqi or chinese chess. You can write games or parts of games and show diagrams with special positions.
documentation	(no language specified) <i>Example of use:</i> https://ctan.org/tex-archive/fonts/xq/xqexample.pdf
– local file	<code>./1388277192-xqexample.pdf</code>
documentation	(no language specified) <i>Package README:</i> https://ctan.org/tex-archive/fonts/xq/README
on CTAN	https://ctan.org/tex-archive/fonts/xq
on MikTeX	<i>xq</i>
on TeXLive	<i>xq</i>
keyword	games (process game diagrams, gamebooks, and other amusements)
language(s)	no language specified
year	without year
last access	2025-02-07

6838 *xr* – References to other LaTeX documents

Web page on CTAN <https://ctan.org/pkg/xr>

name	<i>xr</i>
caption	References to other LaTeX documents
author	Carlisle, David
author	The LaTeX Project Team
author	Drucbert, Jean-Pierre

copyright	David Carlisle (1993-2019)
copyright	The LaTeX3 Project et al. (1993-2023)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	6.00 (2024-04-10)
last changes	2024-04-10
year	2024
description	(no language specified) The package provides a means of creating references to labels in another file (say, <code>otherfile.tex</code>) by reading that file’s auxiliary information from LaTeX processing (<code>otherfile.aux</code>). This is achieved by the <code>\externaldocument</code> command, which also permits “relabelling” all of the external file with a prefix for all of its labels. The package is part of the latex-tools bundle in the LaTeX required distribution.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/required/tools/xr.pdf
– local file	<code>./1072794997-xr.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/required/tools
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-tools.tds.zip
on MikTeX	latex-tools
on T _E XLive	tools
keyword	label-ref (label and reference systems)
keyword	cite-supp (citation support)
keyword	typesetting (support for variations of typographic style)
language(s)	no language specified
last access	2025-02-07

6839 *xr-hyper* – Inter-document hyper-references

Web page on CTAN <https://ctan.org/pkg/xr-hyper>

name	xr-hyper
caption	Inter-document hyper-references
author	Carlisle, David
author	Oberdiek Package Support Group
copyright	David Carlisle (1993-2024)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	7.011 (2024-11-05)
last changes	2024-11-05
year	2024
description	(no language specified) The package describes itself as a development version of the standard package <code>xr</code> ; it can create hyperlinks to the external documents that are cross-referenced. It is available as part of the <code>hyperref</code> distribution; <code>hyperref</code> itself was long ago modified to work with this package.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/hyperref/doc/xr-hyper.pdf
– local file	./8338889263-xr-hyper.pdf
documentation	(no language specified) <i>Hyperref bundle Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/hyperref/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/hyperref
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/hyperref.tds.zip
on MikTeX	hyperref
on TeXLive	hyperref
keyword	label-ref (label and reference systems)
keyword	hyper (support for hypertext)
language(s)	no language specified
last access	2025-02-07

6840 xrefwarn – Only one warning for an undefined citation

Web page on CTAN <https://ctan.org/pkg/xrefwarn>

name	xrefwarn
caption	Only one warning for an undefined citation
author	Verwer, Nico
license	noinfo = noinfo
version	1.2
description	(no language specified) The package patches the citation mechanism so that you get at most one warning about each reference. (Without the package, you get one warning per citation, whether or not the reference has already been cited.) Since the package works on internal macros, other citation packages may not treat it kindly.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/misc/xrefwarn.sty
keyword	cite-sup (citation support)
language(s)	no language specified
year	without year
last access	2025-02-07

6841 xreview – Reviewing LaTeX documents made easy(er)

Web page on CTAN <https://ctan.org/pkg/xreview>

name	xreview
caption	Reviewing LaTeX documents made easy(er)
author	Peri, Lorenzo
copyright	Lorenzo Peri (2024-2026)
license	mit = MIT License (free)
version	2.0 (2026-04-19)
last changes	2026-04-19
year	2026

description	(no language specified) This package provides a simple way to review LaTeX documents. It allows to highlight and/or hide changes to a document, and to add comments to the text. This will help you to keep track of the changes you make to a document, and to easily spot the changes made by others, while always having the option of compiling a clean version of the document. This package also offers a way to include comments in the text, which can be toggled on and off. This is useful for adding notes to the text, or for leaving comments to other authors.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xreview/xreview.pdf
– local file	./6973401820-xreview.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xreview/README
home page	https://github.com/LorenzoPeri17/xreview-latex
contact	<i>repository</i> : https://github.com/LorenzoPeri17/xreview-latex
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xreview
on MikTeX	xreview
on T _E XLive	xreview
keyword	review-document (document reviewing subjects relevant for TeX users)
language(s)	no language specified
last access	2026-04-28

6842 **xsavebox** – Saveboxes for repeating content without code replication, based on PDF Form XObjects

Web page on CTAN <https://ctan.org/pkg/xsavebox>

name	xsavebox
caption	Saveboxes for repeating content without code replication, based on PDF Form XObjects
author	Grahn, Alexander
copyright	Alexander Grahn (2016-2022)
license	lppl = The LaTeX Project Public License (free)
version	0.18 (2022-08-04)
last changes	2022-08-04

year	2022
description	(no language specified) The package defines commands for saving content that can be repeatedly placed into the document without replicating DVI/PDF code in the output file, allowing for smaller file size of the final PDF and improved content caching for faster display in certain PDF viewers. The method makes use of ‘Form XObjects’ defined in the PDF specification. The user commands are modelled after the standard LaTeX commands <code>\savebox</code>, <code>\sbox</code>, <code>\usebox</code> and the <code>lrbox</code> environment. All common TeX engines and back-ends are supported: • pdfLaTeX, LuaLaTeX • LaTeX → dvips → ps2pdf/Distiller • (Xe)LaTeX → (x)dvipdfmx
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xsavebox/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xsavebox/xsavebox.pdf
– local file	<code>./9688600166-xsavebox.pdf</code>
contact	<i>repository</i> : https://gitlab.com/agrahn/xsavebox
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xsavebox
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/xsavebox.tds.zip
on MikTeX	<code>xsavebox</code>
on T _E XLive	<code>xsavebox</code>
keyword	<code>pdf-feat</code> (access PDF features)
keyword	<code>boxing</code> (creating boxes)
keyword	<code>adobe-distiller</code> (convert PostScript to PDF using Adobe Distiller)
keyword	<code>expl3</code> (<code>expl3(unknown)</code>)
language(s)	no language specified
last access	2025-02-07

6843 xsim – eExercise Sheets IMprovedWeb page on CTAN <https://ctan.org/pkg/xsim>

name	xsim
caption	eExercise Sheets IMproved
author	Niederberger, Clemens
copyright	Clemens Niederberger (2017-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.21 (2022-02-12)
last changes	2022-02-12
year	2022
description	(no language specified) This package helps in creating exercises and the corresponding solutions. It is the official successor of the exsheets package and fixes/improves various long-standing issues.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xsim/xsim-manual.pdf
– local file	<code>./3208580201-xsim-manual.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xsim/README
contact	<i>bugs</i> : https://github.com/cgnieder/xsim/issues
contact	<i>repository</i> : https://github.com/cgnieder/xsim/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xsim
on MikTeX	xsim
on T _E XLive	xsim
keyword	exam (exams, quizzes, etc.)
keyword	exercise (exercises, problems for solution, etc.)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

6844 xsipa – Short XSAMPA-based commands for IPA transcription in LaTeX

Web page on CTAN <https://ctan.org/pkg/xsipa>

name	xsipa
caption	Short XSAMPA-based commands for IPA transcription in LaTeX
author	Akpoué, Kouamé Josué
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0 (2025-05-16)
last changes	2025-05-16
year	2025
description	(no language specified) This LaTeX package provides a lightweight phonetic transcription system inspired by XSAMPA. It translates modified XSAMPA sequences into proper IPA symbols, using either the tipa package (for pdfTeX users) or Unicode IPA symbols via xunicode (for XeTeX and LuaTeX users). The package was designed to simplify phonetic transcription in LaTeX by offering concise macros such as <code>\xsE</code> for <code>\textepsilon</code>, and <code>\xs*...*</code> as a shortcut for multi-symbol sequences (e.g., <code>\xs*EO*</code> for <code>ɛɔ</code>). These commands are modeled after XSAMPA but adapted for LaTeX compatibility — including custom replacements for reserved characters.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xsipa/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xsipa/xsipa_doc.pdf
– local file	<code>./3247420900-xsipa_doc.pdf</code>
contact	<i>repository</i> : https://github.com/dbjoshua/xsipa_package
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xsipa
on MikTeX	xsipa
on T _E XLive	xsipa
keyword	expl3 (expl3(unknown))
keyword	phonetic (support for phonetic notation)
language(s)	no language specified
last access	2025-05-27

6845 xskak – An extension to the skak package for chess typesetting

Web page on CTAN <https://ctan.org/pkg/xskak>

name	xskak
caption	An extension to the skak package for chess typesetting
author	Fischer, Ulrike
copyright	Ulrike Fischer (2007-2019)
license	lppl = The LaTeX Project Public License (free)
version	1.5 (2019-06-23)
last changes	2019-06-23
year	2019
description	(no language specified) Xskak, as its prime function, saves information about a chess game for later use (e.g., to loop through a game to make an animated board). The package also extends the input that the parsing commands can handle and offers an interface to define and switch between indefinite levels of styles.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xskak/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xskak/xskak.pdf
– local file	<code>./7497569850-xskak.pdf</code>
contact	<i>support</i> : https://github.com/u-fischer/xskak/issues
contact	<i>repository</i> : https://github.com/u-fischer/xskak
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xskak
on MikTeX	xskak
on TeXLive	xskak
keyword	games (process game diagrams, gamebooks, and other amusements)
keyword	etex (requires e-TeX)
language(s)	no language specified
last access	2025-02-07

6846 xspace – Define commands that appear not to eat spacesWeb page on CTAN <https://ctan.org/pkg/xspace>

name	xspace
caption	Define commands that appear not to eat spaces
author	Carlisle, David
author	Høgholm, Morten
author	The LaTeX Project Team
copyright	David Carlisle, Morten Høgholm (2004-2006)
copyright	The LaTeX3 Project et al. (1993-2023)
copyright	David Carlisle (1991-1997)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.13 (2014-10-28)
last changes	2014-10-28
year	2014
description	(no language specified) The xspace package provides a single command that looks at what comes after it in the command stream, and decides whether to insert a space to replace one "eaten" by the TeX command decoder. The decision is based on what came after any space, not on whether there was a space (which is unknowable): so if the next thing proves to be punctuation, the chances are there was no space, but if it's a letter, there's probably a need for space. This technique is not perfect, but works in a large proportion of cases. The package is part of the latex-tools bundle in the LaTeX required distribution.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/required/tools/xspace.pdf
– local file	./1425267884-xspace.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/required/tools
installation	https://ctan.org/tex-archive/install/macros/latex/required/latex-tools.tds.zip
on MikTeX	latex-tools
on TeXLive	tools
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2025-02-07

6847 xstacks – Dedicated global stacks implementations

Web page on CTAN <https://ctan.org/pkg/xstacks>

name	xstacks
caption	Dedicated global stacks implementations
author	Frigeri, Alceu
copyright	Alceu Frigeri (2025-2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
license	agpl3 = GNU Affero General Public License, version 3 (free)
version	1.1 (2026-02-19)
last changes	2026-02-19
year	2026
description	(no language specified) This package aims at solving one problem: how to preserve some values (tokens) beyond a variable number of nested groups. Four alternative strategies are implemented.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xstacks/doc/xstacks.pdf
– local file	<code>./8638079922-xstacks.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xstacks/README.md
contact	<i>bugs</i> : https://github.com/alceu-frigeri/xstacks/issues
contact	<i>repository</i> : https://github.com/alceu-frigeri/xstacks
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xstacks
on MikTeX	xstacks
on TeXLive	xstacks
keyword	macro-supp (support for development of (La)TeX macros)
language(s)	no language specified
last access	2026-03-26

6848 *xstix2* – Extended support for STIXTwo fonts

Web page on CTAN <https://ctan.org/pkg/xstix2>

name	<code>xstix2</code>
caption	Extended support for STIXTwo fonts
author	Kuznetsov, Alexey
copyright	Alexey Kuznetsov (2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2026/03/01
description	(no language specified) Using resources of the fontspec package, the <code>xstix2</code> package adjusts letter widths of the STIXTwo fonts and makes all the fonts in this collection available.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/xstix2/xstix2.pdf
– local file	<code>./8626803216-xstix2.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/xstix2/README.md
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/xstix2
on MikTeX	<code>xstix2</code>
on TeXLive	<code>xstix2</code>
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
see also	see section 5700 on page 5163 : (<code>stix2-otf</code> – OpenType Unicode text and maths fonts)
language(s)	no language specified
year	2026
last access	2026-03-26

6849 xstring – String manipulation for (La)TeX

Web page on CTAN <https://ctan.org/pkg/xstring>

name	xstring
caption	String manipulation for (La)TeX
author	Tellechea, Christian
copyright	Christian Tellechea (2008-2023)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.86
description	(no language specified) The package provides macros for manipulating strings — testing a string’s contents, extracting substrings, substitution of substrings and providing numbers such as string length, position of, or number of recurrences of, a substring. The package works equally in Plain TeX and LaTeX (though e-TeX is always required). The strings to be processed may contain (expandable) macros.
documentation	<i>Package documentation (English):</i> https://ctan.org/tex-archive/macros/generic/xstring/xstring-en.pdf
– local file	./4270013185-xstring-en.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/generic/xstring/README
documentation	<i>Package documentation (French):</i> https://ctan.org/tex-archive/macros/generic/xstring/xstring-fr.pdf
– local file	./1696883973-xstring-fr.pdf
on CTAN	https://ctan.org/tex-archive/macros/generic/xstring
on MikTeX	xstring
on TeXLive	xstring
keyword	string (text string searches and manipulation)
language(s)	English; French
year	2023
last access	2025-02-07

6850 xtab – Break tables across pages

Web page on CTAN <https://ctan.org/pkg/xtab>

name	xtab
caption	Break tables across pages
author	Robertson, Will
author	Wilson, Peter R.
copyright	Peter R. Wilson (1998-2008)
license	lppl = The LaTeX Project Public License (free)
version	2.3f
description	(no language specified) Xtab is an extended and somewhat improved version of supertabular ; its <code>xtabular</code> environment provides tables that break across pages.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xtab/xtab.pdf
– local file	<code>./5221287017-xtab.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xtab/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xtab
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/xtab.tds.zip
on MikTeX	xtab
on TeXLive	xtab
keyword	table-long (typeset tables that may be too big for a page)
keyword	table (table typesetting)
see also	see section 3524 on page 3187 : (<code>longtable</code> – Allow tables to flow over page boundaries)
language(s)	no language specified
year	2008
last access	2025-02-09

6851 xtcaps – Defining language-dependent text macros

Web page on CTAN <https://ctan.org/pkg/xtcaps>

name	xtcaps
caption	Defining language-dependent text macros
author	Fricke, Olaf
copyright	Olaf Fricke (1997)
license	noinfo = noinfo
version	1.1d
description	(no language specified) The package provides macros which generate text which switches according to what language has been selected in Babel . The documentation includes an example of the use of the package.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/xtcaps/xt_caps.pdf
– local file	./3795127251-xt_caps.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xtcaps
on MikTeX	xtcaps
keyword	multilingual (support for more than one (natural) language)
language(s)	no language specified
year	1997
last access	2025-02-07

6852 xtem – An X11 TeX menu built on Tcl/Tk

Web page on CTAN <https://ctan.org/pkg/xtem>

name	xtem
caption	An X11 TeX menu built on Tcl/Tk
author	Lamprecht, Guenther
author	Lotz, Wolfhard
author	Weibezahn, Roland
license	gpl = GNU General Public License (free)
version	7.03

description	(no language specified) Provides a simple and comfortable graphical user interface to control file and directory selection, directory creation, vi, emacs, TeX, LaTeX, previewing, etc. Written in Tcl/Tk.
on CTAN	https://ctan.org/tex-archive/support/xtem_texmenu
keyword	ide (integrated development environments)
language(s)	no language specified
year	without year
last access	2025-02-07

6853 xtemplate – A high-level interface for declaring document commands

Web page on CTAN <https://ctan.org/pkg/xtemplate>

name	xtemplate
caption	A high-level interface for declaring document commands
author	The LaTeX Project Team
copyright	The LaTeX Project (2011-2024)
copyright	Frank Mittelbach, Chris Rowley, David Carlisle (1999)
copyright	Frank Mittelbach, The LaTeX3 Project (2004-2010)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2024-08-16)
last changes	2024-08-16
year	2024
description	(no language specified) This package is deprecated in favor of methods integrated into the LaTeX kernel from 2024-06-01. The package provides a mechanism for defining <i>templates</i>, which are parameterised definitions of aspects of document design. Templates are the tool through which document designers can select the features of their document. The package is distributed as part of the l3packages bundle.
documentation	(no language specified) <i>Readme for the whole bundle</i> : https://ctan.org/tex-archive/macros/latex/contrib/l3packages/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/l3packages/xtemplate.pdf
– local file	./2735136666-xtemplate.pdf

6854 *xtexcad* – Simple drawing program for LaTeX use

home page	https://www.latex-project.org
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/l3packages
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/l3packages.tds.zip
on MikTeX	l3packages
on TeXLive	l3packages
keyword	latex3 (work done for the project to upgrade LaTeX)
keyword	macro-def (alternative ways of defining macros)
keyword	pre-release (developing version of new software)
language(s)	no language specified
last access	2025-02-12

6854 *xtexcad* – Simple drawing program for LaTeX use

Web page on CTAN	https://ctan.org/pkg/xtexcad
name	xtexcad
caption	Simple drawing program for LaTeX use
author	Zitzmann, Klaus
author	Sixt, Johannes
copyright	Johannes Sixt (1993-2000)
license	nocommercial = No Commercial Use (not free)
version	2.4.1
description	(no language specified) Xtexcad is an X-based drawing program that generates LaTeX picture mode code as output.
on CTAN	https://ctan.org/tex-archive/graphics/xtexcad
keyword	graphics-engn (graphics generator whose output is good for use with TeX)
language(s)	no language specified
year	2000
last access	2025-02-07

6855 xtexshell – A shell/editor

Web page on CTAN <https://ctan.org/pkg/xtexshell>

name	XteXShell
caption	A shell/editor
author	Hofmann, Michael T.
license	gpl2 = GNU General Public License, version 2 (free)
description	(no language specified) XteXShell is a system independent X-Windows shell, that means you don't need to care about program calls, operating system dependencies and other stuff. XTeXShell is written in the Tcl/Tk language with TclX extensions.
documentation	(no language specified) <i>Package announcement</i> : https://ctan.org/tex-archive/support/xtexshell/ANNOUNCEMENT
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/xtexshell/README
on CTAN	https://ctan.org/tex-archive/support/xtexshell
keyword	ide (integrated development environments)
language(s)	no language specified
year	without year
last access	2025-02-07

6856 xtrcode – Extract contents of LaTeX environments

Web page on CTAN <https://ctan.org/pkg/xtrcode>

name	xtrcode
caption	Extract contents of LaTeX environments
author	Ruedas, Thomas
license	gpl = GNU General Public License (free)
version	0.02
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/xtrcode/README
on CTAN	https://ctan.org/tex-archive/support/xtrcode
keyword	preprocessor (preprocesses source before using TeX)
language(s)	no language specified

year	without year
last access	2025-02-07

6857 *xtufte* – Extend the *tufte* document classes to run with unicode-aware engines

Web page on CTAN <https://ctan.org/pkg/xtufte>

name	<i>xtufte</i>
caption	Extend the <i>tufte</i> document classes to run with unicode-aware engines
author	Voß, Herbert
copyright	Herbert Voss (2025)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.03 (2025-11-27)
last changes	2025-11-27
year	2025
description	(no language specified) This package is a modified version of the CTAN package <i>tufte-latex</i> , which is under the Apache2 License. The package allows you to use LuaLaTeX (and hopefully also XeLaTeX) with OpenType and/or TrueType fonts, and also by default <i>Biber</i> instead of <i>BibTeX</i> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/xtufte/README
documentation	(no language specified) <i>Sample handout</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/xtufte/doc/sample-handout.pdf
– local file	<code>./2583989355-sample-handout.pdf</code>
documentation	(no language specified) <i>Sample book</i> : https://ctan.org/tex-archive/macros/unicodetex/latex/xtufte/doc/sample-book.pdf
– local file	<code>./2925448607-sample-book.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/unicodetex/latex/xtufte
on MikTeX	<i>xtufte</i>
on T _E XLive	<i>xtufte</i>
keyword	book-pub (preparing a book for publication)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified

last access 2026-04-13

6858 *xtuthesis* – XTU thesis template

Web page on CTAN	https://ctan.org/pkg/xtuthesis
name	<code>xtuthesis</code>
caption	XTU thesis template
author	Dongdong, Lin
copyright	林东东 (2018)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0
description	(no language specified) The package provides a thesis template for the Xiangtan University.
documentation	(Chinese) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/xtuthesis/README.md
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xtuthesis/xtuthesis.pdf
– local file	<code>./2758448275-xtuthesis.pdf</code>
home page	https://github.com/MrDongdongLin/xtuthesis
contact	<i>bugs</i> : https://github.com/MrDongdongLin/xtuthesis/pulls
contact	<i>repository</i> : https://github.com/MrDongdongLin/xtuthesis
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xtuthesis
on MikTeX	<code>xtuthesis</code>
on T _E XLive	<code>xtuthesis</code>
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	chinese (support for typesetting Chinese languages)
language(s)	Chinese
year	2018
last access	2025-02-07

6859 xunicode – Generate Unicode characters from accented glyphs

Web page on CTAN <https://ctan.org/pkg/xunicode>

name	xunicode
caption	Generate Unicode characters from accented glyphs
author	Moore, Ross
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.981
description	(no language specified) The package supports XeTeX's (and other putative future similar engines') need for Unicode characters, in a similar way to what the fontenc does for 8-bit (and the like) fonts: convert accent-glyph sequence to a single Unicode character for output. The package also covers glyphs specified by packages (such as tipa) which define many commands for single text glyphs.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/xunicode/README
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/xunicode
on MikTeX	xunicode
on T _E XLive	xunicode
keyword	preprocessor (preprocesses source before using TeX)
keyword	unicode (Unicode, material supporting it, and packages requiring it)
see also	see section 2023 on page 1826: (EUenc – Unicode font encoding definitions for XeTeX)
language(s)	no language specified
year	without year
last access	2025-02-07

6860 `xurl` – Allow URL breaks at any alphanumerical characterWeb page on CTAN <https://ctan.org/pkg/xurl>

name	<code>xurl</code>
caption	Allow URL breaks at any alphanumerical character
author	Voß, Herbert
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	0.10
description	(no language specified) This package loads <code>url</code> by default and defines possible URL breaks for all alphanumerical characters, as well as <code>= / . : * - ~ ' "</code> All arguments which are valid for <code>url</code> can be used and will be passed on to this package. For more information read the documentation of <code>url</code> itself.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/xurl/doc/xurl.pdf
– local file	<code>./5548870369-xurl.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/xurl/README.md
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xurl
on MikTeX	<code>xurl</code>
on TeXLive	<code>xurl</code>
keyword	<code>tagged-pdf</code> (tagged PDF compatible)
keyword	<code>verbatim</code> (verbatim typesetting, etc.)
language(s)	no language specified
year	without year
last access	2026-04-13

6861 xwatermark – Graphics and text watermarks on selected pages

Web page on CTAN <https://ctan.org/pkg/xwatermark>

name	xwatermark
caption	Graphics and text watermarks on selected pages
author	Musa, Ahmed
copyright	Ahmed Musa (2009-2011)
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.5.2d
description	(no language specified) The package extends the author's draftmark and the watermark packages. It is currently unmaintained and does not work with modern LaTeX releases.
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/xwatermark/doc/xwatermark-guide.pdf
– local file	./1646169620-xwatermark-guide.pdf
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/latex/contrib/xwatermark/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xwatermark
on MikTeX	xwatermark
on T _E XLive	xwatermark
keyword	background (decorate/confuse text by adding a background)
language(s)	no language specified
year	2011
last access	2025-02-07

6862 *xwpick* – Pick an image from an X displayWeb page on CTAN <https://ctan.org/pkg/xwpick>

name	xwpick
caption	Pick an image from an X display
author	Chernyaev, Evgeni
copyright	Evgeni Chernyaev (1993, 1994)
license	nocommercial = No Commercial Use (not free)
version	2.10
description	(no language specified) Xwpick lets you pick an image from an arbitrary window or rectangular area of an X11-server and write it to a file in a variety of formats. The area to grab is selected using a blinking rectangle. Formats supported are PostScript, GIF, PCX, PICT and PPM.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/support/xwpick/xwpick-2.10.README
on CTAN	https://ctan.org/tex-archive/support/xwpick
keyword	graphics-engn (graphics generator whose output is good for use with TeX)
language(s)	no language specified
year	1994
last access	2025-02-07

6863 *xyling* – Draw syntactic trees, etc., for linguistics literature, using xy-picWeb page on CTAN <https://ctan.org/pkg/xyling>

name	xyling
caption	Draw syntactic trees, etc., for linguistics literature, using xy-pic
author	Vogel, Ralf
copyright	Ralf Vogel (2006)
license	lppl = The LaTeX Project Public License (free)
version	1.1

description	(no language specified) The macros in this package model the construction of linguistic tree structures as a genuinely graphical problem: they contain two types of objects, <i>BRANCHES</i> and <i>NODE LABELS</i> , and these are positioned relative to a <i>GRID</i> . It is essential that each of these three elements is constructed independent of the other two, and hence they can be modified without unwanted side effects. The macros are based on the xy-pic package.
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xyling/xyli-doc.pdf
– local file	<code>./2224962049-xyli-doc.pdf</code>
documentation	(no language specified) <i>README file</i> : https://ctan.org/tex-archive/macros/latex/contrib/xyling/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xyling
on MikTeX	<code>xyling</code>
on TeXLive	<code>xyling</code>
keyword	<code>linguistic</code> (support for linguistics)
keyword	<code>tree</code> (mechanisms for drawing trees)
language(s)	English
year	2006
last access	2025-02-07

6864 xymatrix – Commutative diagrams using XY-pic

Web page on CTAN	https://ctan.org/pkg/xymatrix
name	<code>xymatrix</code>
caption	Commutative diagrams using XY-pic
author	Moore, Ross
author	Rose, Kristoffer H.
license	gpl2 = GNU General Public License, version 2 (free)
version	3.4
description	(no language specified) The macros are said, in Milne's guide to be among the most commonly used, despite their sub-optimal syntax. The macros are distributed as part of the xy-pic bundle.
documentation	(no language specified) <i>User guide</i> : https://ctan.org/tex-archive/macros/generic/diagrams/xypic/doc/xyguide.pdf
– local file	<code>./6456242503-xyguide.pdf</code>

on CTAN	https://ctan.org/tex-archive/macros/generic/diagrams/xypic/texinputs/xymatrix.tex
keyword	diagram-comm (commutative diagrams)
language(s)	no language specified
year	without year
last access	2025-02-07

6865 *xymtex* – Typesetting chemical structures

Web page on CTAN <https://ctan.org/pkg/xymtex>

name	<i>xymtex</i>
caption	Typesetting chemical structures
author	Fujita, Shinsaku
copyright	Shinsaku Fujita (1993-2005, 2009, 2010, 2013)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	5.06
description	(no language specified) XyMTeX is a set of packages for drawing a wide variety of chemical structural formulas in a way that reflects their structure. The package provides three output modes: ‘LaTeX’, ‘PostScript’ and ‘PDF’. XyMTeX’s commands have a systematic set of arguments for specifying substituents and their positions, endocyclic double bonds, and bond patterns. In some cases there are additional arguments for specifying hetero-atoms on the vertices of heterocycles. It is believed that this systematic design allows XyMTeX to operate as a practical (device-independent) tool for use with LaTeX.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/xymtex/doc/XyMTeX-manual.pdf
– local file	<code>./5457577982-XyMTeX-manual.pdf</code>
documentation	(no language specified) <i>TUGboat paper</i>: https://tug.org/TUGboat/Articles/tb16-1/tb46fujii.pdf
– local file	<code>./6378429282-tb46fujii.pdf</code>
documentation	(English) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/xymtex/README
documentation	(Japanese) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/xymtex/readmes/readme501.jp

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xymtex
on MikTeX	xymtex
on T _E XLive	xymtex
keyword	diagram (diagrams)
keyword	chemistry (chemistry document support)
language(s)	English; Japanese
year	2013
last access	2025-02-07

6866 xypic – Flexible diagramming macros

Web page on CTAN <https://ctan.org/pkg/xypic>

name	xypic
caption	Flexible diagramming macros
author	Rose, Kristoffer H.
author	Moore, Ross
copyright	Kristoffer H. Rose and Ross Moore and others (1993-2013)
license	gpl = GNU General Public License (free)
version	3.8.9
description	(no language specified) A package for typesetting a variety of graphs and diagrams with TeX. Xy-pic works with most formats (including LaTeX, AMS-LaTeX, AMS-TeX, and plain TeX). The distribution includes Michael Barr's <code>diag</code> package, which was previously distributed stand-alone.
documentation	(English) <i>Reference manual</i> : https://ctan.org/tex-archive/macros/generic/diagrams/xypic/doc/xyrefer.pdf
– local file	<code>./6267703506-xyrefer.pdf</code>
documentation	(English) <i>PDF output using xypdf</i> : https://ctan.org/tex-archive/macros/generic/diagrams/xypic/doc/xypdf.pdf
– local file	<code>./9109457339-xypdf.pdf</code>
documentation	(English) <i>Paper: Using XY-pic</i> : https://tug.org/pracjourn/2006-4/blaga/blaga.pdf
– local file	<code>./1348036591-blaga.pdf</code>

documentation	(English) <i>User guide</i> : https://ctan.org/tex-archive/macros/generic/diagrams/xypic/doc/xyguide.pdf
– local file	./6456242503-xyguide.pdf
documentation	(English) <i>Documented source</i> : https://ctan.org/tex-archive/macros/generic/diagrams/xypic/doc/xysource.pdf
– local file	./6463555796-xysource.pdf
home page	https://tug.org/applications/Xy-pic/Xy-pic.html
on CTAN	https://ctan.org/tex-archive/macros/generic/diagrams/xypic
on MikTeX	xypic
on T _E XLive	xypic
keyword	diagram (diagrams)
see also	see section 6867 on page 6197: (<i>xypic-tut-pt</i> – A tutorial for XY-pic, in Portuguese)
language(s)	English
year	2013
last access	2025-02-07

6867 *xypic-tut-pt* – A tutorial for XY-pic, in Portuguese

Web page on CTAN	https://ctan.org/pkg/xypic-tut-pt
name	xypic-tut-pt
caption	A tutorial for XY-pic, in Portuguese
author	Campani, Carlos
license	gpl = GNU General Public License (free)
documentation	(Portuguese) <i>The document itself</i> : https://ctan.org/tex-archive/info/portuguese/xypic-tutorial/xypic-tutorial.pdf
– local file	./7709484485-xypic-tutorial.pdf
on CTAN	https://ctan.org/tex-archive/info/portuguese/xypic-tutorial
on T _E XLive	xypic-tut-pt
keyword	portuguese-doc (documentation in Portuguese)
language(s)	Portuguese
year	without year

last access 2025-02-07

6868 **xytree** – Tree macros using XY-Pic

Web page on CTAN <https://ctan.org/pkg/xytree>

name	xytree
caption	Tree macros using XY-Pic
author	Un, Koaunghi
license	lppl = The LaTeX Project Public License (free)
version	1.5
description	(no language specified) The package provides means to draw linguistic syntactic trees with ease and to support hopefully sufficient functionalities, that the linguist may need. The package (of course) depends on the XY-Pic package.
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/macros/latex/contrib/xytree/README
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/xytree/xytree-doc-en.pdf
– local file	./3102850198-xytree-doc-en.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/xytree
on MikTeX	xytree
on T _E XLive	xytree
keyword	tree (mechanisms for drawing trees)
keyword	linguistic (support for linguistics)
language(s)	English
year	without year
last access	2025-02-07

6869 *yacco2* – Multi-threaded LR(1) compiler/compiler that emits literate grammar documents

Web page on CTAN <https://ctan.org/pkg/yacco2>

name	yacco2
caption	Multi-threaded LR(1) compiler/compiler that emits literate grammar documents
author	Bone, David
license	other-free = Free license not otherwise listed (free)
version	1.1
description	(no language specified) The package provides a multi-threaded LR(1) compiler/compiler that emits literate grammar documents. The distribution contains the programs: compiler/compiler <code>o2</code> and its linker <code>o2linker</code>, along with its runtime library <code>yacco2</code>. There are build scripts for platforms: Apple, GNU, Solaris. Various documents, grammars, reference manual, quality assurance suites, and generated c++ source code are included. These items are elaborated upon in the READMEv1.0.pdf document.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/web/yacco2/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/web/yacco2/READMEv1.1.pdf
– local file	./9687592046-READMEv1.1.pdf
on CTAN	https://ctan.org/tex-archive/web/yacco2
keyword	litprog (literate programming)
language(s)	no language specified
year	without year
last access	2025-02-07

6870 *yafoot* – A bundle of miscellaneous footnote packages

Web page on CTAN <https://ctan.org/pkg/yafoot>

name	yafoot
caption	A bundle of miscellaneous footnote packages
author	Nakashima, Hiroshi

6871 *yagussylo* – A symbol loader

copyright	Hiroshi Nakashima (1999-2018)
license	lppl = The LaTeX Project Public License (free)
version	1.1
description	(no language specified) Contains three packages: – pfnote to number footnotes per page; – fnpos to control the position of footnotes; and – dblfnote to make footnotes double-columned.
documentation	(no language specified) <i>Bundle documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/yafoot/yafoot-man.pdf
– local file	<code>./7831620015-yafoot-man.pdf</code>
documentation	(no language specified) <i>Bundle Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/yafoot/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/yafoot
on MikTeX	yafoot
on T _E XLive	yafoot
keyword	footnote (footnote support)
language(s)	no language specified
year	2018
last access	2025-02-07

6871 *yagussylo* – A symbol loader

Web page on CTAN <https://ctan.org/pkg/yagussylo>

name	yagussylo
caption	A symbol loader
author	Henel, Yvon
copyright	Yvon Henel (2009)
license	lppl = The LaTeX Project Public License (free)
version	1.2
description	(no language specified) The name is by way of being an acronym for "Yet Another Grand Unified Symbols Loader"... The package allows the user to access a symbol without loading the package that usually provides it; this has the advantage of avoiding the name clashes that so commonly trouble those who load symbol-packages.

documentation	(no language specified) <i>Source documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/yagussylo/yagussylo.pdf
– local file	<code>./8927833902-yagussylo.pdf</code>
documentation	(English) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/yagussylo/README
documentation	<i>User documentation (French)</i> : https://ctan.org/tex-archive/macros/latex/contrib/yagussylo/yagussylo-fr.pdf
– local file	<code>./8918579320-yagussylo-fr.pdf</code>
documentation	(French) <i>Lisez moi</i> : https://ctan.org/tex-archive/macros/latex/contrib/yagussylo/LISEZMOI
documentation	<i>User documentation (English)</i> : https://ctan.org/tex-archive/macros/latex/contrib/yagussylo/yagussylo-en.pdf
– local file	<code>./8982863154-yagussylo-en.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/yagussylo
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/yagussylo.tds.zip
on MikTeX	yagussylo
on T _E XLive	yagussylo
keyword	font-supp-symbol (metrics, macro incantations and other support for symbol fonts)
language(s)	English; French
year	2009
last access	2025-02-07

6872 *yaletter* – Extremely flexible macros for letters, envelopes, and label sheets

Web page on CTAN	https://ctan.org/pkg/yaletter
name	yaletter
caption	Extremely flexible macros for letters, envelopes, and label sheets
author	Goodman, Donald P.
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.1

description	(no language specified) The <code>yaletter</code> class provides extremely configurable macros for typesetting letters in any conceivable style. It provides facilities for maintaining easily-accessible databases of letterheads and addresses for repeat use. It further provides easy macros for envelopes and for label sheets. Finally, it provides some nice defaults for a few of the more common styles and sizes.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/yaletter/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive//macros/latex/contrib/yaletter/yaletter.pdf
– local file	<code>./5063408183-yaletter.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/yaletter
on MikTeX	<code>yaletter</code>
on TeXLive	<code>yaletter</code>
keyword	letter (typesetting letters, envelopes, faxes, etc)
language(s)	no language specified
year	without year
last access	2025-02-07

6873 *yamllvars* – A YAML parser and tool for easy LaTeX definition creation

Web page on CTAN	https://ctan.org/pkg/yamllvars
name	<code>YAMLLvars</code>
caption	A YAML parser and tool for easy LaTeX definition creation
author	Ewasiuk, Kale
copyright	Kale Ewasiuk (2021-2024)
license	mit = MIT License (free)
version	(2024-08-17)
last changes	2024-08-17
year	2024
description	(no language specified) This LuaLaTeX package provides a YAML parser and some functions to declare and define LaTeX definitions using YAML files.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/luatex/latex/yamllvars/README.md

6874 *yandy* – TUG release of *Y* and *Y*'s TeX distribution

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/luatex/latex/yamlvars/yamlvars.pdf
– local file	<code>./7797985020-yamlvars.pdf</code>
contact	<i>repository</i> : https://github.com/kalekje/yamlvars
on CTAN	https://ctan.org/tex-archive/macros/luatex/latex/yamlvars
on MikTeX	yamlvars
on TeXLive	yamlvars
keyword	luatex (LuaTeX and packages that require it)
keyword	data-import (importing data into documents)
language(s)	no language specified
last access	2025-02-07

6874 *yandy* – TUG release of *Y* and *Y*'s TeX distribution

Web page on CTAN	https://ctan.org/pkg/yandy
name	yandy
caption	TUG release of <i>Y</i> and <i>Y</i> 's TeX distribution
author	Horn, Berthold K. P.
author	Ma, Clerk
license	gpl = GNU General Public License (free)
version	0.5 (2014-07-05)
last changes	2014-07-05
year	2014
description	(no language specified) <i>Y</i>&<i>Y</i> were a small TeX distributor, whose Windows TeX system was highly thought of. The business ceased trading 2003, and TUG was granted the right to distribute it; this version has been adjusted in a small way, and can run under Windows 7 & 8 (which were a fair time in the future when TUG was granted its rights). The program can only produce DVI files; users should acquire a DVI reader elsewhere.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/systems/win32/yandy/README
home page	https://www.tug.org/yandy

on CTAN <https://ctan.org/tex-archive/systems/win32/yandy>
 keyword distribution (components (or support) of TeX distribution)
 language(s) no language specified
 last access 2025-02-07

6875 *yannisgr* – Greek fonts by Yannis Haralambous

Web page on CTAN <https://ctan.org/pkg/yannisgr>

name *yannisgr*
 caption Greek fonts by Yannis Haralambous
 author Haralambous, Yannis
 author Thull, Klaus
 license gpl2 = GNU General Public License, version 2 (free)
 version (1992-09-27)
 last changes 1992-09-27
 year 1992
 description (no language specified) A family of 7-bit fonts with a code table designed for setting modern polytonic Greek.
 The fonts are provided as Metafont source; macros to produce a Greek variant of Plain TeX (including a hyphenation table adapted to the fonts' code table) are provided.
 documentation (no language specified) *Readme:*
<https://ctan.org/tex-archive/fonts/greek/yannis/README>
 on CTAN <https://ctan.org/tex-archive/fonts/greek/yannis>
 on MikTeX *yannisgr*
 on T_EXLive *yannisgr*
 keyword font (fonts themselves)
 keyword greek (support for typesetting Greek)
 keyword font-greek (font for Greek (archaic, classical and modern))
 keyword font-mf (fonts distributed as Metafont source)
 language(s) no language specified
 last access 2025-02-07

6876 *yathesis* – A LaTeX class for writing a thesis following French rules

Web page on CTAN <https://ctan.org/pkg/yathesis>

name	yathesis
caption	A LaTeX class for writing a thesis following French rules
author	Bitouzé, Denis
copyright	Denis Bitouzé (2012-2024)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0.12 (2024-03-07)
last changes	2024-03-07
year	2024
description	(no language specified) The purpose of <i>yathesis</i> is to facilitate the typesetting of theses prepared in France, whatever the disciplines and institutes. It implements most notably recommendations from the Ministry of Higher Education and Research, and this transparently to the user. It has also been designed to (optionally) take advantage of powerful tools available in LaTeX, including packages:

- [BibLaTeX](#) for the bibliography;
- [glossaries](#) for the glossary, list of acronyms and symbols list.

The *yathesis* class, based on the book class, aims to be both simple to use and, to some extent, (easily) customizable.

yathesis comes with templates and samples in the `doc/latex/yathesis/french/exemples/` directory in the distribution. They can also be tested on ShareLaTeX ([template](#) and [specimen](#)) and on Overleaf ([template](#) and [specimen](#)).

Note: The ” *ya* ” in the package name stands for ”yet another”.

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/yathesis/README.md
documentation	(French) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/yathesis/doc/yathesis-fr.pdf
– local file	<code>./5702706322-yathesis-fr.pdf</code>
contact	<i>repository</i> : https://github.com/dbitouze/yathesis
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/yathesis
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/yathesis.tds.zip

on MikTeX	yathesis
on T _E XLive	yathesis
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	french (support for typesetting French)
keyword	class (alternative LaTeX class(es))
language(s)	French
last access	2025-02-07

6877 *yax* – Yet Another Key System

Web page on CTAN <https://ctan.org/pkg/yax>

name	yax
caption	Yet Another Key System
author	Isambert, Paul
author	Robbers, Yuri
license	lppl = The LaTeX Project Public License (free)
version	1.03
description	(no language specified) YaX is advertised as a key system, but it rather organizes attributes in parameters, which parameters can be executed, so that YaX is halfway between key management and macro definition (and actually hopes to provide a user's interface). Values assigned to attributes can be retrieved and tested in various ways, with full expandability ensured as much as possible. Finally, YaX's syntax is a quite peculiar (as few braces as possible), but may be customized. YaX is based on texapi and thus requires e-TeX.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/generic/yax/README
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/generic/yax/yax-doc.pdf
– local file	<code>./3702960071-yax-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/generic/yax
on MikTeX	yax
on T _E XLive	yax

keyword	keyval (key-value argument systems)
keyword	etex (requires e-TeX)
language(s)	no language specified
year	without year
last access	2025-02-07

6878 *yazd-thesis* – A template for the Yazd University

Web page on CTAN <https://ctan.org/pkg/yazd-thesis>

name	yazd-thesis
caption	A template for the Yazd University
author	Damanafshan, Vahid
copyright	Vahid Damanafshan (2015-2019)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.3 (2019-07-25)
last changes	2019-07-25
year	2019
description	(no language specified) This package offers a document class for typesetting theses and dissertations at the Yazd University. The class requires use of XeLaTeX.
documentation	(Persian) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/xetex/latex/yazd-thesis/yazd-thesis.pdf
– local file	./6983450480-yazd-thesis.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/yazd-thesis/README
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/yazd-thesis
on MikTeX	yazd-thesis
on TeXLive	yazd-thesis
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	persian (support for typesetting Persian)
keyword	class (alternative LaTeX class(es))

language(s) Persian
last access 2025-02-09

6879 *yb-book* – Template for YB Branded Books

Web page on CTAN <https://ctan.org/pkg/yb-book>

name *yb-book*
caption Template for YB Branded Books
author Bugayenko, Yegor
copyright Yegor Bugayenko (2021-2025)
license mit = MIT License (free)
version 0.6.3 (2025-02-02)
last changes 2025-02-02
year 2025
description (no language specified) This template helps the author design books published on Amazon under the "Y.B." brand. You are welcome to use it too for your own books.
documentation (no language specified) *Package documentation*: <https://ctan.org/tex-archive/macros/latex/contrib/yb-book/yb-book.pdf>
– local file `./3864706244-yb-book.pdf`
documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/macros/latex/contrib/yb-book/README.md>
contact *repository*: <https://github.com/yegor256/yb-book>
on CTAN <https://ctan.org/tex-archive/macros/latex/contrib/yb-book>
on MikTeX *yb-book*
on T_EXLive *yb-book*
keyword `book-pub` (preparing a book for publication)
keyword `doc-templ` (template to guide document development)
keyword `class` (alternative LaTeX class(es))
language(s) no language specified
last access 2025-02-07

6880 *ycbook* – A versatile book class

Web page on CTAN <https://ctan.org/pkg/ycbook>

name	ycbook
caption	A versatile book class
author	Cherem, Youssef
copyright	Youssef Cherem (2016-2018)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	(2018-01-03)
last changes	2018-01-03
year	2018
description	(no language specified) This class is intended to be an interpretation of the <code>mwbk</code> class which is a part of the <code>mwcls</code> package. The <code>mwcls</code> classes are simple, yet powerful and customizable classes that allow the end-user to customize the layout of headers, headings etc. They also have the benefit of being more economic in space than the most common LaTeX classes, while keeping a clear appearance and a smooth flow.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ycbook/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ycbook/ycbook-doc.pdf
– local file	<code>./9255144426-ycbook-doc.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ycbook
on MikTeX	ycbook
on T _E XLive	ycbook
keyword	book-pub (preparing a book for publication)
keyword	class (alternative LaTeX class(es))
see also	see section 4147 on page 3753: (<code>mwcls</code> – Polish-oriented document classes)
language(s)	no language specified
last access	2025-02-07

6881 ydoc – Macros for documentation of LaTeX classes and packages

Web page on CTAN <https://ctan.org/pkg/ydoc>

name	ydoc
caption	Macros for documentation of LaTeX classes and packages
author	Scharrer, Martin
copyright	Martin Scharrer (2011-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.7alpha (2022-10-26)
last changes	2022-10-26
year	2022
description	(no language specified) The package provides macros and environments to document LaTeX packages and classes. It is an (as yet unfinished) alternative to the <code>ltxdoc</code> class and the <code>doc</code> or <code>xdoc</code> packages. The aim is to provide a different layout and more modern styles (using the <code>xcolor</code>, <code>hyperref</code> packages, etc.) This is an alpha release, and should probably not (yet) be used with other packages, since the implementation might change. Nevertheless, the author uses it to document his own packages.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ydoc/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ydoc/ydoc.pdf
– local file	<code>./6576465449-ydoc.pdf</code>
home page	https://github.com/MartinScharrer/ydoc
contact	<i>bugs</i> : https://github.com/MartinScharrer/ydoc/issues
contact	<i>repository</i> : https://github.com/MartinScharrer/ydoc.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ydoc
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/ydoc.tds.zip
on MikTeX	ydoc
on T _E XLive	ydoc
keyword	class (alternative LaTeX class(es))
keyword	doc-suppl (macros and tools for preparing documentation)
keyword	macro-demo (print (La)TeX code verbatim alongside the rendered result)

see also	see section 5474 on page 4953: (<code>showexpl</code> – Typesetting LaTeX source code)
see also	see section 2567 on page 2324: (<code>gmdoc</code> – Documentation of LaTeX packages)
see also	see section 1189 on page 1081: (<code>codedoc</code> – LaTeX code and documentation in LaTeX-format file)
see also	see section 1642 on page 1489: (<code>doc</code> – Format LaTeX documentation)
see also	see section 4253 on page 3851: (<code>nicetext</code> – Minimal markup for simple text (Wikipedia style) and documentation)
see also	see section 3592 on page 3244: (<code>ltxdoc</code> – Class for documented LaTeX macro files)
see also	see section 6756 on page 6094: (<code>xdoc</code> – Extending the LaTeX doc system)
language(s)	no language specified
last access	2025-02-07

6882 **yet-another-guide-latex2e – A short guide to using LaTeX2e to typeset high quality documents**

Web page on CTAN <https://ctan.org/pkg/yet-another-guide-latex2e>

Alias	StartLaTeX2e
name	Yet-Another-Guide-LaTeX2e
caption	A short guide to using LaTeX2e to typeset high quality documents
author	Morris, Michael P.
copyright	M. P. Morris (2020-2025)
license	fdl = Free Documentation License (free)
version	1.3.1 (2025-01-15)
last changes	2025-01-15
year	2025
description	(no language specified) This document is a short guide to using LaTeX2e to typeset high quality documents. It focuses on users of Windows and guides the reader through installation, some of LaTeX's conventions, and creating the front matter, body and end matter. The appendices contain a list of useful facilities not otherwise covered in this document and a list of helpful resources.
documentation	(no language specified) <i>The document itself:</i> https://ctan.org/tex-archive/info/yet-another-guide-latex2e/Yet-Another-Guide-LaTeX2e.pdf
– local file	./2408715035-Yet-Another-Guide-LaTeX2e.pdf

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/info/yet-another-guide-latex2e/README.txt
on CTAN	https://ctan.org/tex-archive/info/yet-another-guide-latex2e
on MikTeX	yet-another-guide-latex2e
on T _E XLive	yet-another-guide-latex2e
keyword	tut-latex (tutorial material for LaTeX)
language(s)	no language specified
last access	2025-02-07

6883 *yfonts* – Support for old German fonts

Web page on CTAN	https://ctan.org/pkg/yfonts
name	yfonts
caption	Support for old German fonts
author	Preining, Norbert
author	Schmidt, Walter A.
license	lppl = The LaTeX Project Public License (free)
version	1.4
description	(no language specified) A LaTeX interface to the old-german fonts designed by Yannis Haralambous: Gothic , Schwabacher , Fraktur and the baroque initials .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/yfonts/README
contact	<i>support</i> : https://github.com/TeX-Live/yfonts/issues
contact	<i>bugs</i> : https://github.com/TeX-Live/yfonts/issues
contact	<i>repository</i> : https://github.com/TeX-Live/yfonts.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/yfonts
on MikTeX	yfonts
on T _E XLive	yfonts
keyword	font-supp (metrics, macro incantations and other font support)
see also	see section 3942 on page 3564: (mfnfss – Packages to typeset oldgerman and pandora fonts in LaTeX)
language(s)	no language specified

keyword	font-gothic (font for gothic or blackletter shapes)
language(s)	no language specified
year	2025
last access	2025-02-07

6885 yfonts-t1 – Old German-style fonts, in Adobe type 1 format

Web page on CTAN <https://ctan.org/pkg/yfonts-t1>

name	yfonts-t1
caption	Old German-style fonts, in Adobe type 1 format
author	Haralambous, Yannis
author	Bronger, Torsten
license	other-free = Free license not otherwise listed (free)
version	1.0 (2002-05-23)
last changes	2002-05-23
year	2002
description	(no language specified) This package comprises type 1 versions of the Gothic , Schwabacher and Fraktur fonts of Yannis Haralambous' set of old German fonts.
documentation	(no language specified) <i>Package README</i> : https://ctan.org/tex-archive/fonts/ps-type1/yfonts/README
documentation	(no language specified) <i>TUG conference presentation</i> : https://www.tug.org/TUGboat/tb12-1/tb31hara.pdf
– local file	./9375275866-tb31hara.pdf
on CTAN	https://ctan.org/tex-archive/fonts/ps-type1/yfonts
on MikTeX	yfonts-t1
on T _E XLive	gothic
keyword	font (fonts themselves)
keyword	font-gothic (font for gothic or blackletter shapes)
keyword	font-type1 (font available in Adobe Type 1 format)
see also	see section 3942 on page 3564: (mf _n fss – Packages to typeset oldgerman and pandora fonts in LaTeX)
see also	see section 6883 on page 6212: (yfonts – Support for old German fonts)

language(s) no language specified
last access 2025-02-07

6886 *yfrak* – Old German Fraktur font

Web page on CTAN <https://ctan.org/pkg/yfrak>

name *yfrak*
caption Old German Fraktur font
author Haralambous, Yannis
license pd = Public Domain Software (free)
version (1991-03-22)
last changes 1991-03-22
year 1991
description (no language specified) This original is provided as Metafont source; an Adobe Type 1 version is available as part of [yfonts-t1](#) .
The fonts are encoded somewhat like OT1, but a [virtual font](#) , that presents the font as if T1-encoded, is available.
documentation (no language specified) *TUG conference presentation*:
<https://www.tug.org/TUGboat/tb12-1/tb31hara.pdf>
– local file ./9375275866-tb31hara.pdf
on CTAN <https://ctan.org/tex-archive/fonts/gothic/yfrak>
on MikTeX *yfrak*
on T_EXLive *gothic*
keyword *font* (fonts themselves)
keyword *font-gothic* (font for gothic or blackletter shapes)
keyword *font-mf* (fonts distributed as Metafont source)
see also see section [6883](#) on page [6212](#): (*yfonts* – Support for old German fonts)
see also see section [3942](#) on page [3564](#): (*mfnfss* – Packages to typeset oldgerman and pandora fonts in LaTeX)
language(s) no language specified
last access 2025-02-07

6887 *ygoth* – Old German Gothic font

Web page on CTAN <https://ctan.org/pkg/ygoth>

name	ygoth
caption	Old German Gothic font
author	Haralambous, Yannis
license	pd = Public Domain Software (free)
version	(1991-03-22)
last changes	1991-03-22
year	1991
description	(no language specified) This original is provided as Metafont source; an Adobe Type 1 version is available as part of yfonts-t1 . The fonts are encoded somewhat like OT1, but a virtual font , that presents the font as if T1-encoded, is available.
documentation	(no language specified) <i>TUG conference presentation</i>: https://www.tug.org/TUGboat/tb12-1/tb31hara.pdf
– local file	./9375275866-tb31hara.pdf
on CTAN	https://ctan.org/tex-archive/fonts/gothic/ygoth
on MikTeX	ygoth
on T _E XLive	gothic
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
keyword	font-gothic (font for gothic or blackletter shapes)
see also	see section 6883 on page 6212 : (yfonts – Support for old German fonts)
see also	see section 3942 on page 3564 : (mfntfss – Packages to typeset oldgerman and pandora fonts in LaTeX)
language(s)	no language specified
last access	2025-02-07

6888 *yhmath* – Extended maths fonts for LaTeX

Web page on CTAN <https://ctan.org/pkg/yhmath>

name	yhmath
caption	Extended maths fonts for LaTeX
author	Haralambous, Yannis
author	Preining, Norbert
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.6 (2020-03-17)
last changes	2020-03-17
year	2020
description	(no language specified) The yhmath bundle contains fonts (in Metafont and type 1 format) and a LaTeX package for using them.
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/fonts/yhmath/README
documentation	(no language specified) <i>Sample and documentation:</i> https://ctan.org/tex-archive/fonts/yhmath/yhmath.pdf
– local file	./1389442601-yhmath.pdf
home page	https://github.com/TeX-Live/yhmath
contact	<i>bugs:</i> https://github.com/TeX-Live/yhmath/issues
contact	<i>repository:</i> https://github.com/TeX-Live/yhmath.git
on CTAN	https://ctan.org/tex-archive/fonts/yhmath
on MikTeX	yhmath
on T _E XLive	yhmath
keyword	font-symbol-maths (collections of mathematical symbols)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
keyword	font-type1 (font available in Adobe Type 1 format)
language(s)	no language specified
last access	2025-02-07

6889 *yi4latex* – Yi (Southern Chinese) support

Web page on CTAN <https://ctan.org/pkg/yi4latex>

name	<code>yi4latex</code>
caption	Yi (Southern Chinese) support
author	Corff, Oliver
copyright	Oliver Corff (1997)
license	nocommercial = No Commercial Use (not free)
version	0.1
description	(no language specified) Package to provide support in LaTeX for writing all standardized Yi characters. Yi (also known as Lolo) is spoken in Southern China; the script is syllabic, based on an older, ideographic system.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/yi4latex/README
on CTAN	https://ctan.org/tex-archive/language/yi4latex
keyword	chinese (support for typesetting Chinese languages)
language(s)	no language specified
year	1997
last access	2025-02-07

6890 *yinit* – Old German decorative initials

Web page on CTAN <https://ctan.org/pkg/yinit>

name	<code>yinit</code>
caption	Old German decorative initials
author	Haralambous, Yannis
license	pd = Public Domain Software (free)
version	20190124
description	(no language specified) A font of initial letters, supplied as Metafont source in OT1 encoding only.
documentation	(no language specified) <i>TUG conference presentation</i> : https://www.tug.org/TUGboat/tb12-1/tb31hara.pdf
– local file	<code>./9375275866-tb31hara.pdf</code>

documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/gothic/yinit/README
on CTAN	https://ctan.org/tex-archive/fonts/gothic/yinit
on MikTeX	yinit
on T _E XLive	gothic
keyword	font-decor (decorative or initial fonts)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font (fonts themselves)
keyword	font-gothic (font for gothic or blackletter shapes)
see also	see section 6883 on page 6212: (yfonts – Support for old German fonts)
language(s)	no language specified
year	without year
last access	2025-02-07

6891 *yinit-as* – Additions to Yannis Haralambous’ Old German decorative initials

Web page on CTAN	https://ctan.org/pkg/yinit-as
name	yinit-as
caption	Additions to Yannis Haralambous’ Old German decorative initials
author	Schrell, Andreas
license	noinfo = noinfo
version	(1994-03-27)
last changes	1994-03-27
year	1994
description	(no language specified) This package contains a modified driver file, <code>yinitas.mf</code> , as well as a LaTeX file <code>initials.sty</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/obsolete/fonts/gothic/yinit-as/README
on CTAN	https://ctan.org/tex-archive/obsolete/fonts/gothic/yinit-as
on MikTeX	yinit-as
keyword	font-gothic (font for gothic or blackletter shapes)
keyword	obsolete (package declared obsolete)

keyword	<code>font-decor</code> (decorative or initial fonts)
keyword	<code>font-mf</code> (fonts distributed as Metafont source)
keyword	<code>font-suppl</code> (metrics, macro incantations and other font support)
see also	see section 6890 on page 6218: (<code>yinit</code> – Old German decorative initials)
language(s)	no language specified
last access	2025-02-07

6892 *yinit-otf* – OTF conversion of Yannis Haralambous’ Old German decorative initials

Web page on CTAN <https://ctan.org/pkg/yinit-otf>

name	<code>yinit-otf</code>
caption	OTF conversion of Yannis Haralambous’ Old German decorative initials
author	Haralambous, Yannis
license	pd = Public Domain Software (free)
version	1.0
description	(no language specified) This package is a conversion of the <code>yinit</code> font into OTF. Original Metafont files for <code>yinit</code> are in the <code>yinit</code> package.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/gothic/yinit-otf/README.md
on CTAN	https://ctan.org/tex-archive/fonts/gothic/yinit-otf
on MikTeX	<code>yinit-otf</code>
on TeXLive	<code>yinit-otf</code>
keyword	<code>font-gothic</code> (font for gothic or blackletter shapes)
keyword	<code>font-otf</code> (font in OpenType format)
keyword	<code>font-decor</code> (decorative or initial fonts)
see also	see section 6883 on page 6212: (<code>yfonts</code> – Support for old German fonts)
language(s)	no language specified
year	without year
last access	2025-02-07

6893 *york-thesis* – A thesis class file for York University, Toronto

Web page on CTAN <https://ctan.org/pkg/york-thesis>

name	york-thesis
caption	A thesis class file for York University, Toronto
author	Gall, Diane
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	3.6
description	(no language specified) York Graduate Studies has again changed the requirements for theses and dissertations. The established york-thesis class file now implements the changes made in Spring 2005.
documentation	(no language specified) <i>Package Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/york-thesis/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/york-thesis/york-thesis.pdf
– local file	./4772346655-york-thesis.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/york-thesis
on MikTeX	york-thesis
on T _E XLive	york-thesis
keyword	dissertation (typesetting dissertations, theses, etc.)
keyword	class (alternative LaTeX class(es))
language(s)	no language specified
year	without year
last access	2025-02-07

6894 *young* – Young tableaux

Web page on CTAN <https://ctan.org/pkg/young>

name	<code>young</code>
caption	Young tableaux
author	Knappen, Jörg
author	Wormer, Paul E. S.
license	gpl = GNU General Public License (free)
description	(no language specified) Defines an environment <code>Young</code> that provides basic support for Young tableaux.
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/jknappen/young.sty
on MikTeX	<code>jknappen</code>
on TeXLive	<code>jknapltx</code>
keyword	<code>maths</code> (support for typesetting mathematics)
see also	see section 6901 on page 6229: (<code>ytableau</code> – Many-featured Young tableaux and Young diagrams)
see also	see section 6895 on page 6222: (<code>youngtab</code> – Typeset Young-Tableaux)
see also	see section 316 on page 290: (<code>aTableau</code> – A LaTeX package for symmetric group combinatorics)
language(s)	no language specified
year	without year
last access	2025-02-07

6895 *youngtab* – Typeset Young-Tableaux

Web page on CTAN <https://ctan.org/pkg/youngtab>

name	<code>youngtab</code>
caption	Typeset Young-Tableaux
author	Börchers, Volker
copyright	Volker Börchers (1996, 1998, 1999)
license	lppl1 = The LaTeX Project Public License 1 (free)
version	1.1

description	(no language specified) A package for typesetting Young-Tableaux, mathematical symbols for the representations of groups, providing two macros, <code>\yng(1)</code> and <code>\young(1)</code> to generate the whole Young-Tableau.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/youngtab/README
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/youngtab/youngtab.pdf
– local file	<code>./3592067063-youngtab.pdf</code>
on CTAN	https://ctan.org/tex-archive/macros/generic/youngtab
on MikTeX	<code>youngtab</code>
on T _E XLive	<code>youngtab</code>
keyword	<code>macro-gen</code> (macros that are independent of the (TeX) format in use)
keyword	<code>maths</code> (support for typesetting mathematics)
see also	see section 6894 on page 6222: (<code>young</code> – Young tableaux)
see also	see section 6901 on page 6229: (<code>ytableau</code> – Many-featured Young tableaux and Young diagrams)
see also	see section 316 on page 290: (<code>aTableau</code> – A LaTeX package for symmetric group combinatorics)
language(s)	no language specified
year	1999
last access	2025-02-09

6896 *yplan* – Daily planner type calendar

Web page on CTAN <https://ctan.org/pkg/yplan>

name	<code>yplan</code>
caption	Daily planner type calendar
author	Harders, Harald
author	Nickalls, Dick
license	lppl = The LaTeX Project Public License (free)

description	(no language specified) Prints two six-monthly vertical-type daily planner (i.e., months along the top, days downwards), with each 6-month period fitting onto a single A4 (or US letter) sheet. The package offers support for English, French, German, Spanish and Portuguese. The previous scheme of annual updates has now been abandoned, in favour of a Perl script <i>yplan</i> that generates a year's planner automatically. (The last manually-generated LaTeX file remains on the archive.)
documentation	(no language specified) <i>Details of the LaTeX code:</i> https://ctan.org/tex-archive/macros/latex/contrib/yplan/yplan00.txt
documentation	(no language specified) <i>Details of the Perl script:</i> https://ctan.org/tex-archive/macros/latex/contrib/yplan/yplan.txt
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/yplan
on MikTeX	yplan
on TeXLive	yplan
keyword	calendar (typeset calendars, diaries, planning charts, etc.)
language(s)	no language specified
year	without year
last access	2025-02-07

6897 *yquant* – Typesetting quantum circuits in a human-readable language

Web page on CTAN <https://ctan.org/pkg/yquant>

name	yquant
caption	Typesetting quantum circuits in a human-readable language
author	Desef, Benjamin
copyright	Benjamin Desef (2019-2023)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.7.5 (2023-11-26)
last changes	2023-11-26
year	2023

description	(no language specified) This LaTeX package allows to quickly draw quantum circuits. It bridges the gap between the two groups of packages that already exist: those that use a logic-oriented custom language, which is then translated into TeX by means of an external program; and the pure TeX versions that mainly provide some macros to allow for an easier input. yquant is a pure-LaTeX solution — i.e., it requires no external program — that introduces a logic oriented language and thus brings the best of both worlds together. It builds on and interacts with TikZ, which brings an enormous flexibility for customization of individual circuit.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/yquant/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/yquant/doc/yquant-doc.pdf
– local file	./1832303005-yquant-doc.pdf
home page	https://github.com/projekter/yquant
contact	<i>bugs</i> : https://github.com/projekter/yquant/issues
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/yquant
on MikTeX	yquant
on TeXLive	yquant
keyword	diagram-circ (circuit diagrams)
keyword	graphics (graphics (support packages))
keyword	pgf-tikz (package uses PGF-TikZ)
language(s)	no language specified
last access	2025-02-07

6898 *ysabeau* – Ysabeau fonts with LaTeX support for traditional TeX engines

Web page on CTAN <https://ctan.org/pkg/ysabeau>

name	Ysabeau
caption	Ysabeau fonts with LaTeX support for traditional TeX engines
author	Merino Hernández, Noel
license	ofl = The SIL Open Font License (free)
license	other-free = Free license not otherwise listed (free)

license	pd = Public Domain Software (free)
version	1.6 (2026-01-14)
last changes	2026-01-14
year	2026
description	(no language specified) Ysabeau is a free type family. It combines the time-honored and supremely readable letterforms of the Garamond legacy with the clean crispness of a low-contrast sans serif, rendering it well suited for body copy as well as display. This package provides LaTeX font support for traditional TeX engines (pdfTeX , dvips , and so on). For XeTeX or LuaTeX users, OpenType and TrueType fonts are provided <i>only</i> to use with the fontspec package.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/ysabeau/doc/ysabeau-doc-en.pdf
– local file	<code>./9006451387-ysabeau-doc-en.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/ysabeau/README
contact	<i>bugs</i> : https://github.com/CatharsisFonts/Ysabeau/issues
contact	<i>repository</i> : https://github.com/CatharsisFonts/Ysabeau
on CTAN	https://ctan.org/tex-archive/fonts/ysabeau
on MikTeX	ysabeau
on TeXLive	ysabeau
keyword	font-ttf (font available in TrueType format)
keyword	font-proportional (variable-spaced font)
keyword	font-otf (font in OpenType format)
keyword	font-body (font designed for use as body font for Latin-based script documents)
keyword	font-type1 (font available in Adobe Type 1 format)
keyword	font-cyrillic (fonts for Cyrillic and related scripts)
keyword	font-sans (sans-serif font)
keyword	font-t1enc (font providing LaTeX T1 encoding support)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font (fonts themselves)
language(s)	no language specified
last access	2026-01-22

6899 yswab – Old German Schwabacher font

Web page on CTAN <https://ctan.org/pkg/yswab>

name	yswab
caption	Old German Schwabacher font
author	Haralambous, Yannis
license	pd = Public Domain Software (free)
version	(1991-03-22)
last changes	1991-03-22
year	1991
description	(no language specified) This font is offer as Metafont source; an Adobe Type 1 version is available as part of yfonts-t1 . The fonts are encoded somewhat like OT1, but a virtual font , that presents the font as if T1-encoded, is available.
documentation	(no language specified) <i>TUG conference presentation</i>: https://www.tug.org/TUGboat/tb12-1/tb31hara.pdf
– local file	./9375275866-tb31hara.pdf
on CTAN	https://ctan.org/tex-archive/fonts/gothic/yswab
on MikTeX	yswab
on T _E XLive	gothic
keyword	font (fonts themselves)
keyword	font-mf (fonts distributed as Metafont source)
keyword	font-gothic (font for gothic or blackletter shapes)
see also	see section 6883 on page 6212 : (yfonts – Support for old German fonts)
see also	see section 3942 on page 3564 : (mfntfss – Packages to typeset oldgerman and pandora fonts in LaTeX)
language(s)	no language specified
last access	2025-02-09

6900 *yt4pdf* – Play YouTube videos in a PDFWeb page on CTAN <https://ctan.org/pkg/yt4pdf>name *yt4pdf*

caption Play YouTube videos in a PDF

author Story, Donald P.

copyright D. P. Story (2010-2016)

license lpl1 = The LaTeX Project Public License 1 (free)

version (2016-10-04)

last changes 2016-10-04

year 2016

description (no language specified) The package uses the [rmannot](#) package to embed a special SWF file to play the YouTube videos. There is a complete set of buttons that come with the package to control the video: play, pause, stop loading, rewind, load a video by its YouTube video ID, and a button to view a video on the YouTube web site.

This package is now obsolete, since the author told us in July 2020: "I am withdrawing my package *yt4pdf* from CTAN. It is based on the Flash play, which is no longer supported in PDF." You may wish to use its successor [ltx4yt](#) instead.

documentation (no language specified) *Package documentation:*
https://ctan.org/tex-archive/obsolete/macros/latex/contrib/yt4pdf/doc/yt4pdf_man.pdf

– local file `./3646540213-yt4pdf_man.pdf`

documentation (no language specified) *Readme:* <https://ctan.org/tex-archive/obsolete/macros/latex/contrib/yt4pdf/README.md>

home page <http://www.math.uakron.edu/~dpstory/yt4pdf.html>on CTAN <https://ctan.org/tex-archive/obsolete/macros/latex/contrib/yt4pdf>on MikTeX *yt4pdf*

keyword obsolete (package declared obsolete)

keyword pdf-feat (access PDF features)

language(s) no language specified

last access 2025-02-07

6901 *ytableau* – Many-featured Young tableaux and Young diagrams

Web page on CTAN <https://ctan.org/pkg/ytableau>

name	ytableau
caption	Many-featured Young tableaux and Young diagrams
author	Reich, Ryan
copyright	Ryan Reich (2010-2021)
license	lpl1.2 = The LaTeX Project Public License 1.2 (free)
version	1.4
description	(no language specified) The package provides several functions for drawing Young tableaux and Young diagrams, extending the young and youngtab packages but providing lots more features. Skew and coloured tableaux are easy, and pgfkeys-enabled options are provided both at package load and configurably.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/ytableau/ytableau.pdf
– local file	./2952996306-ytableau.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ytableau/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ytableau
on MikTeX	ytableau
on T _E XLive	ytableau
keyword	maths (support for typesetting mathematics)
see also	see section 6894 on page 6222 : (young – Young tableaux)
see also	see section 6895 on page 6222 : (youngtab – Typeset Young-Tableaux)
see also	see section 316 on page 290 : (aTableau – A LaTeX package for symmetric group combinatorics)
language(s)	no language specified
year	2021
last access	2025-02-07

6902 *ytex* – Macro package developed at MIT

Web page on CTAN <https://ctan.org/pkg/ytex>

name	<i>ytex</i>
caption	Macro package developed at MIT
author	Brotsky, Daniel C.
copyright	Daniel C. Brotsky (1985, 1986)
license	noinfo = noinfo
version	(1991-12-02)
last changes	1991-12-02
year	1991
description	(no language specified) Ytex aims to support the novice user, while providing a comfortable home for the TeX programmer, who will find a library-like collection of support macros. The package uses the author's plain-cm package.
on CTAN	https://ctan.org/tex-archive/obsolete/macros/ytex
on MikTeX	<i>ytex</i>
keyword	format (macros to build a format)
language(s)	no language specified
last access	2025-02-07

6903 *zaccone* – Different configuration for different captions

Web page on CTAN <https://ctan.org/pkg/zaccone>

name	<i>zaccone</i>
caption	Different configuration for different captions
license	noinfo = noinfo
version	(1993-11-08)
last changes	1993-11-08
year	1993

description	(no language specified) A LaTeX 2.09 package to provide different caption formats according to the float they are in. The package defines formats for figure and table captions (with the table captions arranged to sit above the table); however the author's intention was (apparently) that the user should edit the package to set up their own formatting.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/zaccone
keyword	float (typesetting floats)
keyword	caption (typesetting captions)
see also	see section 925 on page 843: (caption – Customising captions in floating environments)
language(s)	no language specified
last access	2025-02-07

6904 *zahl2string* – Format numbers as German words

Web page on CTAN	https://ctan.org/pkg/zahl2string
name	zahl2string
caption	Format numbers as German words
author	Sauer, Jonathan
copyright	Jonathan Sauer (2004)
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.2.1
description	(no language specified) Produces number strings (eins, zwei, ...) or ordinal number strings (erste, zweite, ...) for numbers in the range 0 to 999,999,999. This package is part of the sauerj bundle.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/sauerj/zahl2string.pdf
– local file	./2534728923-zahl2string.pdf
documentation	(no language specified) <i>Bundle readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/sauerj/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/sauerj
on MikTeX	sauerj
on T _E XLive	sauerj
keyword	numbers (formatting numbers, etc)

language(s)	no language specified
year	2004
last access	2025-02-07

6905 zblbuild – Help with the choice of a BibLaTeX style and options

Web page on CTAN <https://ctan.org/pkg/zblbuild>

name	zblbuild
caption	Help with the choice of a BibLaTeX style and options
author	Milanese, Guido
copyright	Guido Milanese (2019)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1c (2019-08-28)
last changes	2019-08-28
year	2019
description	(no language specified) "zblbuild" stands for "Zenity BibLaTeX Build". This package provides a shell + GUI script designed to make the choice of a BibLaTeX style and its options easier. The script requires: • a standard bash shell • a recent version of zenity (version 3.x) The script has been tested only on a Linux platform, but should work on any platform running bash + zenity.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/support/zblbuild/zblbuild.pdf
– local file	./7768592311-zblbuild.pdf
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/support/zblbuild/README
on CTAN	https://ctan.org/tex-archive/support/zblbuild
on MikTeX	zblbuild
keyword	biblatex (BibLaTeX bibliography support)
language(s)	no language specified
last access	2025-02-07

6906 *zbmath-review-template* – Template for a zbMATH Open review

Web page on CTAN <https://ctan.org/pkg/zbmath-review-template>

name	zbmath-review-template
caption	Template for a zbMATH Open review
author	Beckenbach, Isabel
copyright	FIZ Karlsruhe GmbH (2021)
license	gpl3 = GNU General Public License, version 3 (free)
license	cc-by-sa-4 = CC BY-SA 4.0 (free)
version	2.1 (2021-06-24)
last changes	2021-06-24
year	2021
description	(no language specified) This package contains a template for zbMATH Open reviews. It will show what your review will look like on zbMATH Open and you can test whether your LaTeX-Code will compile on our system. The template has to be compiled using XeLaTeX and relies on scrartcl , scrlayer-scrpage , amsfonts , amssymb , amsmath , babel , enumitem , etoolbox , fontspec , gensymb , geometry , graphicx , mathrsfs , mathtools , stmaryrd , textcomp , tikz-cd , xcolor , and xparse .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/xetex/latex/zbmath-review-template/zb-manual.pdf
– local file	<code>./5251294729-zb-manual.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/macros/xetex/latex/zbmath-review-template/README.md
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/zbmath-review-template
on MikTeX	zbmath-review-template
on T _E XLive	zbmath-review-template
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
keyword	doc-templ (template to guide document development)
language(s)	no language specified
last access	2025-02-09

6907 zebra – A collection of handy macros for (paper) writingWeb page on CTAN <https://ctan.org/pkg/zebra>

Alias	zebra-goodies
name	zebra
caption	A collection of handy macros for (paper) writing
author	Xue, Ruini
copyright	Ruini Xue (2016-2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.8.0 (2026-04-26)
last changes	2026-04-26
year	2026
description	(no language specified) This package provides inline note-taking macros (<code>\todo</code>, <code>\comment</code>, <code>\fixed</code>, <code>\note</code>, <code>\placeholder</code>) for collaborative paper writing. Notes are colour-coded, numbered, and marked in the margin for quick scanning. A summary table and clickable note list are appended at the end of the document. Custom note types and margin symbols are supported. Note: This package was previously distributed as <code>zebra-goodies</code> . The old name still works, but prints a deprecation warning. — ”zebra” is the name of the package author’s lab.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/zebra/zebra.pdf
– local file	<code>./7416060662-zebra.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/zebra/README.md
home page	https://github.com/xueruini/zebra
contact	<i>development</i> : https://github.com/xueruini
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/zebra
on MikTeX	zebra
on T _E XLive	zebra
keyword	notes (general notes (not including endnotes or footnotes))
keyword	marginal (marginal notes, etc.)
keyword	editorial (editor’s marks, highlights, etc.)
language(s)	no language specified

last access 2026-04-29

6908 *zeckendorf* – Knuth Fibonacci multiplication, Zeckendorf and Bergman representations of big integersWeb page on CTAN <https://ctan.org/pkg/zeckendorf>

name	zeckendorf
caption	Knuth Fibonacci multiplication, Zeckendorf and Bergman representations of big integers
author	Burnol, Jean-François
copyright	Jean-François Burnol (2025)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.9d (2025-11-16)
last changes	2025-11-16
year	2025
description	(no language specified) This package extends the <code>\xinterval</code> syntax to do algebra in $\mathbb{Q}(\phi)$ (where ϕ is the golden ratio), and compute Fibonacci numbers, Zeckendorf representations of positive integers and Bergman ϕ-representations of the positive elements of $\mathbb{Z}[\phi]$. The <code>\$</code> character is used to compute the Knuth Fibonacci multiplication. The package can be used either in a LaTeX document, or with Plain eTeX, or on the command line in an interactive session using eTeX. Being based upon xintexpr, it allows to compute with "arbitrarily" big integers, the reasonable use being with integers of at most a few hundreds of digits.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/generic/zeckendorf/zeckendorf-doc.pdf
– local file	<code>./7745348135-zeckendorf-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/generic/zeckendorf/README.md
on CTAN	https://ctan.org/tex-archive/macros/generic/zeckendorf
on MikTeX	zeckendorf
on T _E XLive	zeckendorf
keyword	arithmetic (perform and typeset arithmetic problems)
keyword	calculation (perform calculations within TeX)
language(s)	no language specified

last access 2025-11-28

6909 **zed – Typeset Z specifications**

Web page on CTAN <https://ctan.org/pkg/zed>

name	zed
caption	Typeset Z specifications
author	Spivey, Mike
copyright	J.M. Spivey (1988)
license	noinfo = noinfo
version	(1988-02-15)
last changes	1988-02-15
year	1988
description	(no language specified) A LaTeX 2.09 package for the task; it has been re-implemented for current LaTeX in zed2e and ObjectZ . Note that this package, as it stands, uses the MSX and MSY fonts, which are no longer available (though virtual fonts are available that map them to the more recent MSA and MSB fonts.
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/zed
keyword	formal-spec (typeset formal specification languages)
keyword	latex209 (package only known to work with LaTeX 2.09)
language(s)	no language specified
last access	2025-02-11

6910 **zed-csp – Typesetting Z and CSP format specifications**

Web page on CTAN <https://ctan.org/pkg/zed-csp>

name	zed-csp
caption	Typesetting Z and CSP format specifications
author	Davies, Jim
author	Spivey, Mike
copyright	Jim Davies (1995)
license	other-free = Free license not otherwise listed (free)

6911 *zefonts* – Virtual fonts to provide T1 encoding from existing fonts

description	(no language specified) The package supports real-time CSP and incorporates the functionality of Spivey’s original Z package, written for LaTeX 2.09.
documentation	(no language specified) <i>Z usage documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/zed-csp/zed2e.pdf
– local file	./1334009471-zed2e.pdf
documentation	(no language specified) <i>CSP usage documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/zed-csp/csp2e.pdf
– local file	./4623404624-csp2e.pdf
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/zed-csp
on MikTeX	zed-csp
on T _E XLive	zed-csp
keyword	formal-spec (typeset formal specification languages)
see also	see section 4346 on page 3937: (objectz – Macros for typesetting Object Z)
language(s)	no language specified
year	1995
last access	2025-02-07

6911 *zefonts* – Virtual fonts to provide T1 encoding from existing fonts

Web page on CTAN <https://ctan.org/pkg/zefonts>

name	zefonts
caption	Virtual fonts to provide T1 encoding from existing fonts
author	Fuster, Robert
author	Kahn, Constantin
license	noinfo = noinfo
version	2.1
description	(no language specified) The package provides virtual T1 encoded (mostly) Computer Modern fonts based on (OT1) Computer Modern together with Times and Helvetica fonts, intended to simulate ec fonts. The 'ae' fonts do a similar task, but miss some glyphs that aren’t available in OT1.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/zefonts/readme

on CTAN	https://ctan.org/tex-archive/fonts/zefonts
on MikTeX	zefonts
keyword	font-t1enc (font providing LaTeX T1 encoding support)
keyword	font (fonts themselves)
keyword	font-virtual (virtual font(s) using existing fonts)
language(s)	no language specified
year	without year
last access	2025-02-07

6912 *zennote* – Streamline your note-taking process!

Web page on CTAN <https://ctan.org/pkg/zennote>

name	zennote
caption	Streamline your note-taking process!
author	Liang, Yifan
license	cc-by-4 = CC BY 4.0 (free)
version	1.0.0 (2023-01-10)
last changes	2023-01-10
year	2023
description	(no language specified) This package aims to provide you with an easy interface to speed up the process when organizing and producing elegant notes. All the tables, figures, equations, and listings are labelled according to the notenumber with the <code>\titlebox</code> command. The <code>noteframe</code> environment helps you generate fancy colored boxes to emphasize the important information (e.g. Theorems, Equations, Proofs, etc.) in your document. You can customize the style and color to denote different categories, too.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/zennote/zennote.pdf
– local file	<code>./2121575505-zennote.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/zennote/README.txt
contact	<i>repository</i> : https://github.com/futurelyf/zennote

on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/zennote
on MikTeX	zennote
on T _E XLive	zennote
keyword	notes (general notes (not including endnotes or footnotes))
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-02-07

6913 *zero* – Start list (etc.) numbering at zero

Web page on CTAN <https://ctan.org/pkg/zero>

name	zero
caption	Start list (etc.) numbering at zero
author	Verhoeff, Tom
license	noinfo = noinfo
version	(1991-06-19)
last changes	1991-06-19
year	1991
description	(no language specified) The package initialises all existing counters such that numbering, where appropriate, starts at zero (instead of one). Numbering still starts at one for footnotes on the title page, parts, footnotes in minipages, and enumerated lists nested two levels or deeper, since these use a non-arabic numbering format.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex209/contrib/zero/zero-README
on CTAN	https://ctan.org/tex-archive/macros/latex209/contrib/zero
keyword	counter-mgmt (management of counters)
keyword	numbers (formatting numbers, etc)
language(s)	no language specified
last access	2025-02-07

6914 *zhlineskip* – Line spacing for CJK documents

Web page on CTAN <https://ctan.org/pkg/zhlineskip>

name	zhlineskip
caption	Line spacing for CJK documents
author	Zhang, Ruixi
copyright	Ruixi Zhang (2018-2019)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0e (2019-05-15)
last changes	2019-05-15
year	2019
description	(no language specified) This package supports typesetting CJK documents. It allows users to specify the two ratios between the leading and the font size of the body text and the footnote text. For CJK typesetting, these ratios usually range from 1.5 to 1.67. This package is also capable of restoring the math leading to that of the Latin text (usually 1.2 times the font size). Finally, it is possible to achieve the <i>Microsoft Word multiple line spacing</i> style using <code>zhlineskip</code> .
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/chinese/zhlineskip/README.md
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/language/chinese/zhlineskip/zhlineskip.pdf
– local file	<code>./9826483740-zhlineskip.pdf</code>
home page	http://www.ctex.org/
contact	<i>support</i> : https://github.com/CTeX-org/ctex-kit/issues
contact	<i>bugs</i> : https://github.com/CTeX-org/ctex-kit/issues
contact	<i>repository</i> : https://github.com/CTeX-org/ctex-kit
on CTAN	https://ctan.org/tex-archive/language/chinese/zhlineskip
on MikTeX	zhlineskip
on T _E XLive	zhlineskip
keyword	chinese (support for typesetting Chinese languages)
language(s)	Chinese
last access	2025-02-11

6915 zhlipsum – Chinese dummy text

Web page on CTAN <https://ctan.org/pkg/zhlipsum>

name	zhlipsum
caption	Chinese dummy text
author	Zeng, Xiangdong
copyright	Xiangdong Zeng (2017-2020)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.2.0 (2020-04-10)
last changes	2020-04-10
year	2020
description	(no language specified) This package provides an interface to dummy text in Chinese language, which will be useful for testing Chinese documents. UTF-8, GBK and Big5 encodings are supported.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/zhlipsum/README.md
documentation	(English) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/zhlipsum/zhlipsum-en.pdf
– local file	<code>./7562735627-zhlipsum-en.pdf</code>
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/zhlipsum/zhlipsum.pdf
– local file	<code>./1299631503-zhlipsum.pdf</code>
contact	<i>bugs</i> : https://github.com/CTeX-org/zhlipsum/issues
contact	<i>repository</i> : https://github.com/CTeX-org/zhlipsum
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/zhlipsum
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/zhlipsum.tds.zip
on MikTeX	zhlipsum
on T _E XLive	zhlipsum
keyword	latex3 (work done for the project to upgrade LaTeX)
keyword	macro-supp (support for development of (La)TeX macros)
keyword	dummy-gen (dummy text generator for tests and examples)
keyword	chinese (support for typesetting Chinese languages)

see also see section 3464 on page 3132: (`lipsum` – Easy access to the Lorem Ipsum and other dummy texts)

language(s) English; Chinese

last access 2025-02-12

6916 `zhmakeindex` – Makeindex replacement for Chinese users

Web page on CTAN <https://ctan.org/pkg/zhmakeindex>

name `zhmakeindex`

caption Makeindex replacement for Chinese users

author Liu, Leo

copyright Liú Hǎiyáng (Leo Liu) (2014-2016, 2018)

license lpl1.3 = The LaTeX Project Public License 1.3 (free)

version 1.2

description (no language specified) The program provides full Unicode and Chinese sorting support.

The program is distributed with binaries for a variety of platforms.

documentation *Package documentation (Chinese)*: <https://ctan.org/tex-archive/indexing/zhmakeindex/doc/zhmakeindex.pdf>

– local file `./7353245043-zhmakeindex.pdf`

documentation (no language specified) *Readme*: <https://ctan.org/tex-archive/indexing/zhmakeindex/README>

contact *repository*: <https://github.com/leo-liu/zhmakeindex>

on CTAN <https://ctan.org/tex-archive/indexing/zhmakeindex>

keyword chinese (support for typesetting Chinese languages)

keyword index (index support)

language(s) Chinese

year 2018

last access 2025-02-11

6917 *zhmcjk* – Simplify configuration of CJK installations for Chinese

Web page on CTAN <https://ctan.org/pkg/zhmcjk>

name	zhmCJK
caption	Simplify configuration of CJK installations for Chinese
author	Liu, Leo
copyright	Leo Liu (2012)
license	lppl = The LaTeX Project Public License (free)
version	0.9c (2016-11-23)
last changes	2016-11-23
year	2016
description	(no language specified) The package is designed to ease the complex business of setting up CJK fonts. The package relies on the fact that all CJK fonts share the same metrics; it provides macros that create the NFSS font definition and actual font mappings dynamically. As a result, zmhCJK provides similar facilities and interfaces to those of xeCJK; TrueType CJK fonts may be used to generate PDF output with pdfTeX or with the DVIPDFMx driver.
documentation	<i>Package documentation (Chinese):</i> https://ctan.org/tex-archive/language/chinese/zhmcjk/doc/zhmCJK.pdf
– local file	<code>./3830915739-zhmCJK.pdf</code>
documentation	(no language specified) <i>Readme:</i> https://ctan.org/tex-archive/language/chinese/zhmcjk/README
on CTAN	https://ctan.org/tex-archive/language/chinese/zhmcjk
installation	https://ctan.org/tex-archive/install/language/chinese/zhmcjk.tds.zip
on MikTeX	zhmcjk
keyword	font-use (font selection, mapping, etc.)
keyword	font-cjk (fonts for far eastern languages (Chinese, Japanese and Korean))
keyword	chinese (support for typesetting Chinese languages)
language(s)	Chinese
last access	2025-02-11

6918 zhmetrics – TFM subfont files for using Chinese fonts in 8-bit TeX

Web page on CTAN <https://ctan.org/pkg/zhmetrics>

name	zhmetrics
caption	TFM subfont files for using Chinese fonts in 8-bit TeX
author	Wu, LingYun
author	Wang, Yue
license	lppl = The LaTeX Project Public License (free)
version	r206
description	(no language specified) These are metrics to use existing Chinese TrueType fonts in workflows that use LaTeX & dvipdfmx , or pdfLaTeX. The fonts themselves are not included in the package. Six font families are supported: kai, song, lishu, fangsong, youyuan and hei. Two encodings (GBK and UTF-8) are supported.
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/fonts/psfonts/zhmetrics/README
on CTAN	https://ctan.org/tex-archive/fonts/psfonts/zhmetrics
on MikTeX	zhmetrics
on T _E XLive	zhmetrics
keyword	chinese (support for typesetting Chinese languages)
keyword	font-use (font selection, mapping, etc.)
keyword	font-cjk (fonts for far eastern languages (Chinese, Japanese and Korean))
language(s)	no language specified
year	without year
last access	2025-02-11

6919 zhmetrics-uptex – Chinese font metrics for upTeX

Web page on CTAN <https://ctan.org/pkg/zhmetrics-uptex>

name	zhmetrics-uptex
caption	Chinese font metrics for upTeX
author	Liu, Leo
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.0 (2016-04-23)
last changes	2016-04-23
year	2016
description	(no language specified) The package contains some Chinese font metrics (JFM, VF, etc) for upTeX engine, together with a simple DVIPDFMx font mapping of Fandol fonts for DVIPDFMx.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/zhmetrics-uptex/README.md
on CTAN	https://ctan.org/tex-archive/fonts/zhmetrics-uptex
on MikTeX	zhmetrics-uptex
on T _E XLive	zhmetrics-uptex
keyword	chinese (support for typesetting Chinese languages)
keyword	font-cjk (fonts for far eastern languages (Chinese, Japanese and Korean))
keyword	font-supp-misc (metrics, macro incantations and other support for miscellaneous fonts (not on CTAN))
language(s)	no language specified
last access	2025-02-11

6920 zhnumber – Typeset Chinese representations of numbers

Web page on CTAN <https://ctan.org/pkg/zhnumber>

name	zhnumber
caption	Typeset Chinese representations of numbers
author	Lee, Qing
copyright	Qing Lee (2012, 2014-2022)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)

version	3.0
description	(no language specified) The package provides commands to typeset Chinese representations of numbers. The main difference between this package and CJKnumb is that the commands provided are expandable in the ‘proper’ way.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/zhnumber/README.md
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/zhnumber/zhnumber.pdf
– local file	<code>./4285237842-zhnumber.pdf</code>
home page	http://www.ctex.org
contact	<i>support</i> : https://github.com/CTeX-org/ctex-kit/issues
contact	<i>bugs</i> : https://github.com/CTeX-org/ctex-kit/issues
contact	<i>repository</i> : https://github.com/CTeX-org/ctex-kit
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/zhnumber
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/zhnumber.tds.zip
on MikTeX	zhnumber
on T _E XLive	zhnumber
keyword	chinese (support for typesetting Chinese languages)
keyword	numbers (formatting numbers, etc)
language(s)	Chinese
year	2022
last access	2025-02-11

6921 zhspacing – Spacing for mixed CJK-English documents in XeTeX

Web page on CTAN	https://ctan.org/pkg/zhspacing
name	zhspacing
caption	Spacing for mixed CJK-English documents in XeTeX
author	Lee, Qing
author	Dian, Yin
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2016-05-14)

6922 *ziffer* – Conversion of punctuation in maths mode

last changes	2016-05-14
year	2016
description	(no language specified) The package manages spacing in a CJK document; between consecutive Chinese letters, spaces are ignored, but a consistent space is inserted between Chinese text and English (or mathematics). The package may be used by any document format under XeTeX.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/generic/zhspacing/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/xetex/generic/zhspacing/zhs-man.pdf
– local file	<code>./7723435846-zhs-man.pdf</code>
contact	<i>repository</i> : https://github.com/ctex-org/ctex-kit
on CTAN	https://ctan.org/tex-archive/macros/xetex/generic/zhspacing
installation	https://ctan.org/tex-archive/install/macros/xetex/generic/zhspacing.tds.zip
on MikTeX	zhspacing
on T _E XLive	zhspacing
keyword	multilingual-addon (extra language ‘drivers’ for existing multilingual packages)
keyword	chinese (support for typesetting Chinese languages)
language(s)	no language specified
last access	2025-02-11

6922 *ziffer* – Conversion of punctuation in maths mode

Web page on CTAN	https://ctan.org/pkg/ziffer
name	<i>ziffer</i>
caption	Conversion of punctuation in maths mode
author	Väth, Martin
copyright	Martin Väth (2001-2002)
license	lppl = The LaTeX Project Public License (free)
version	2.1

description	(no language specified) The package modifies the behaviour of characters in maths mode so that: ‘.’ is used as a one-thousand separator (as is common in Germany) ‘,’ is used as a decimal separator (as is common in Germany) ‘–’ is represented with spacing as appropriate to such constructs as ‘1.000,–’. These conversions may be switched on and off.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/ziffer/README
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/ziffer
on MikTeX	ziffer
on T _E XLive	ziffer
keyword	numbers (formatting numbers, etc)
see also	see section 2870 on page 2597: (icomma – Intelligent commas for decimal numbers)
language(s)	no language specified
year	2002
last access	2025-02-07

6923 *zigaretten* – Propaganda and mind-numbing for cigarette addicts

Web page on CTAN	https://ctan.org/pkg/zigaretten
name	zigaretten
caption	Propaganda and mind-numbing for cigarette addicts
author	Lachaume, Régis
copyright	Régis Lachaume (2005)
license	pd = Public Domain Software (free)
description	(no language specified) The package produces wrappers for cigarette packages. These have a dual purpose: • they enable the addict (for some small time) to forget about the damage he/she is doing, and • they may be used to transmit alternative propaganda.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/zigaretten/zigaretterschachtelhuellenzeichnung.pdf
– local file	./7880471817-zigaretterschachtelhuellenzeichnung.pdf

documentation (no language specified) *Readme:*
<https://ctan.org/tex-archive/graphics/zigaretten/README>
 on CTAN <https://ctan.org/tex-archive/graphics/zigaretten>
 keyword graphics-use (graphics (typesetting actual pictures))
 language(s) no language specified
 year 2005
 last access 2025-02-07

6924 zip – Barcodes for USA ZIP code

Web page on CTAN <https://ctan.org/pkg/zip>

name zip
 caption Barcodes for USA ZIP code
 author Smith, J. Daniel
 license noinfo = noinfo
 version (1990-06-24)
 last changes 1990-06-24
 year 1990
 description (no language specified) Special-purpose barcoding, done entirely using TeX rules (no special font or calculations outside TeX).
 on CTAN <https://ctan.org/tex-archive/macros/generic/misc/zip.tex>
 on MikTeX genmisc
 keyword barcode (barcodes and other machine-readable tags)
 see also see section 4882 on page 4415: (pst-barcode – Print barcodes using PostScript)
 language(s) no language specified
 last access 2025-02-07

6925 *zitie* – Create CJK character calligraphy practicing sheets

Web page on CTAN <https://ctan.org/pkg/zitie>

name	<i>zitie</i>
caption	Create CJK character calligraphy practicing sheets
author	Longaster
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.4.0
description	(no language specified) This is a LaTeX package for creating CJK character calligraphy practicing sheets (copybooks). Currently, only XeTeX is supported.
documentation	(Chinese) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/xetex/latex/zitie/doc/zitie-cn.pdf
– local file	<code>./2419725423-zitie-cn.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/xetex/latex/zitie/README.md
contact	<i>repository</i> : https://github.com/Sophanatprime/zitie
on CTAN	https://ctan.org/tex-archive/macros/xetex/latex/zitie
on MikTeX	<i>zitie</i>
on T _E XLive	<i>zitie</i>
keyword	expl3 (expl3(unknown))
keyword	chinese (support for typesetting Chinese languages)
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
language(s)	Chinese
year	without year
last access	2025-02-09

6926 zlmтт – Use Latin Modern Typewriter fonts

Web page on CTAN <https://ctan.org/pkg/zlmтт>

name	zlmтт
caption	Use Latin Modern Typewriter fonts
author	Sharpe, Michael
license	lppl1.3 = The LaTeX Project Public License 1.3 (free)
version	1.032 (2022-08-07)
last changes	2022-08-07
year	2022
description	(no language specified) The package allows selection of Latin Modern Typewriter fonts with scaling and access to all its features.
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/fonts/zlmтт/doc/zlmтт-doc.pdf
– local file	./4507434877-zlmтт-doc.pdf
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/fonts/zlmтт/README
on CTAN	https://ctan.org/tex-archive/fonts/zlmтт
on MikTeX	zlmтт
on T _E XLive	zlmтт
keyword	font-supp (metrics, macro incantations and other font support)
keyword	font-mono (monospaced font)
keyword	font-cm (font serving Computer Modern-style shapes)
keyword	font-t1enc (font providing LaTeX T1 encoding support)
language(s)	no language specified
last access	2025-02-07

6927 zootaxa-bst – A BibTeX style for the journal ZootaxaWeb page on CTAN <https://ctan.org/pkg/zootaxa-bst>

name	zootaxa-bst
caption	A BibTeX style for the journal Zootaxa
author	Ballen, Gustavo A.
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	1.0
description	(no language specified) This package provides a .bst reference style file for the journal Zootaxa that publishes contributions in zoology and classification. This is a fork of apa.bst as provided by TeX Live since this style file resembled the most Zootaxa's own style. Further modifications were made to the code in order to generate in-text citations and bibliography sections appropriately.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/zootaxa-bst/README.md
documentation	(no language specified) <i>Example of use</i> : https://ctan.org/tex-archive/biblio/bibtex/contrib/zootaxa-bst/example.pdf
– local file	./1519722169-example.pdf
contact	<i>repository</i> : https://github.com/gaballench/zootaxa-bst
on CTAN	https://ctan.org/tex-archive/biblio/bibtex/contrib/zootaxa-bst
on MikTeX	zootaxa-bst
on TeXLive	zootaxa-bst
keyword	bibtex-sty (bibtex-sty(unknown))
keyword	biology (typeset biological data)
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
year	without year
last access	2025-02-07

6928 *zref* – A new reference scheme for LaTeX

Web page on CTAN <https://ctan.org/pkg/zref>

name	<code>zref</code>
caption	A new reference scheme for LaTeX
author	Oberdiek, Heiko
copyright	Heiko Oberdiek (2006-2012)
copyright	Oberdiek Package Support Group (2016-2026)
license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	2.37 (2026-03-07)
last changes	2026-03-07
year	2026
description	(no language specified) This package offers a means to remove the limitation, of only two properties, that is inherent in the way LaTeX's reference system works. The package implements an extensible referencing system, where properties may be defined and used in the course of a document. It provides an interface for macro programmers to access the new reference scheme and some modules that use it.

Modules available are:

- `zref-user` , use `zref` for "traditional" labels and references;
- `zref-abspage` , retrieve absolute page numbers (physical pages, as opposed to the 'logical' page number that is normally typeset when a page number is requested);
- `zref-lastpage` , provide a `zref-label` for the last page of the document;
- `zref-nextpage` , provide the page number of the next page of the document;
- `zref-totpages` , provide the total number of pages in the document;
- `zref-pagelayout` , provide the page layout parameters of a each page (which may then be printed at the end of the document);
- `zref-perpage` , make a counter reset for each new page;
- `zref-titleref` , make section title or caption text available through the reference system; `zref-savepos` , make positions on a page available;
- `zref-dotfill` , controlled dot-filling;
- `zref-env` , record the latest environment's name and the line it started on; and

- `zref-xr`, provide the facilities of the `xr` and `xr-hyper` packages.

documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/zref/zref.pdf
– local file	<code>./5898491911-zref.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/zref/README.md
contact	<i>bugs</i> : https://github.com/ho-tex/zref/issues
contact	<i>repository</i> : https://github.com/ho-tex/zref
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/zref
on MikTeX	<code>zref</code>
on T _E XLive	<code>zref</code>
keyword	<code>label-ref</code> (label and reference systems)
keyword	<code>tagged-pdf-partially</code> (tagged PDF partially compatible)
language(s)	no language specified
last access	2026-03-26

6929 `zref-check` – Flexible cross-references with contextual checks based on `zref`

Web page on CTAN <https://ctan.org/pkg/zref-check>

name	<code>zref-check</code>
caption	Flexible cross-references with contextual checks based on <code>zref</code>
author	<code>gusbrs</code>
copyright	<code>gusbrs</code> (2021-2024)
license	<code>lppl1.3c</code> = The LaTeX Project Public License 1.3c (free)
version	0.3.7
description	(no language specified) This package provides an user interface for making LaTeX cross-references flexibly, while allowing to have them checked for consistency with the document structure as typeset. Statements such as "above", "on the next page", "previously", "as will be discussed", "on the previous chapter" and so on can be given to <code>\zcheck</code> in free-form, and a set of "checks" can be specified to be run against a given "label", which will result in a warning at compilation time if any of these checks fail.

`\zctarget` and the `zcregion` environment are also defined as a means to easily set label targets to arbitrary places in the text which can be referred to by `\zcheck`.

documentation	(no language specified) <i>User manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/zref-check/zref-check-doc.pdf
– local file	<code>./7882986425-zref-check-doc.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/zref-check/README.md
documentation	(no language specified) <i>Code documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/zref-check/zref-check-code.pdf
– local file	<code>./1073082041-zref-check-code.pdf</code>
contact	<i>repository</i> : https://github.com/gusbrs/zref-check
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/zref-check
on MikTeX	<code>zref-check</code>
on TeXLive	<code>zref-check</code>
keyword	<code>tagged-pdf</code> (tagged PDF compatible)
keyword	<code>label-ref</code> (label and reference systems)
language(s)	no language specified
year	2024
last access	2026-03-17

6930 `zref-clever` – *Clever LaTeX cross-references based on zref*

Web page on CTAN <https://ctan.org/pkg/zref-clever>

name	<code>zref-clever</code>
caption	Clever LaTeX cross-references based on zref
author	gusbrs
copyright	gusbrs (2021-2024)
license	lppl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.5.1 (2024-11-28)
last changes	2024-11-28
year	2024

description	(no language specified) This package provides a user interface for making LaTeX cross-references which automates some of their typical features, thus easing their input in the document and improving the consistency of typeset results. A reference made with <code>\zceref</code> includes a "name" according to its "type", and lists of multiple labels can be automatically sorted and compressed into ranges when due. The reference format is highly and easily customizable, both globally and locally. The package is based on zref 's extensible referencing system.
documentation	(no language specified) <i>Code documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/zref-clever/zref-clever-code.pdf
– local file	<code>./5531290754-zref-clever-code.pdf</code>
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/zref-clever/README.md
documentation	(no language specified) <i>User manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/zref-clever/zref-clever-doc.pdf
– local file	<code>./1868073313-zref-clever-doc.pdf</code>
contact	<i>repository</i> : https://github.com/gusbrs/zref-clever
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/zref-clever
installation	https://ctan.org/tex-archive/install/macros/latex/contrib/zref-clever.tds.zip
on MikTeX	<code>zref-clever</code>
on TeXLive	<code>zref-clever</code>
keyword	<code>tagged-pdf</code> (tagged PDF compatible)
keyword	<code>label-ref</code> (label and reference systems)
language(s)	no language specified
last access	2026-03-17

6931 `zref-vario` – Extended LaTeX page cross-references with `varioref` and `zref-clever`Web page on CTAN <https://ctan.org/pkg/zref-vario>

name	<code>zref-vario</code>
caption	Extended LaTeX page cross-references with <code>varioref</code> and <code>zref-clever</code>
author	gusbrs
copyright	gusbrs (2022-2024)

license	lpl1.3c = The LaTeX Project Public License 1.3c (free)
version	0.1.12 (2024-11-25)
last changes	2024-11-25
year	2024
description	(no language specified) This package offers a compatibility layer for varioref to be used alongside zref-clever . It provides <code>\z . . .</code> counterparts to varioref 's main reference commands, each of which essentially does some (scoped) setup for varioref , then calls the original one.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/zref-vario/README.md
documentation	(no language specified) <i>Code documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/zref-vario/zref-vario-code.pdf
– local file	<code>./1019397577-zref-vario-code.pdf</code>
documentation	(no language specified) <i>User manual</i> : https://ctan.org/tex-archive/macros/latex/contrib/zref-vario/zref-vario-doc.pdf
– local file	<code>./3616335042-zref-vario-doc.pdf</code>
contact	<i>repository</i> : https://github.com/gusbrs/zref-vario
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/zref-vario
on MikTeX	zref-vario
on T _E XLive	zref-vario
keyword	tagged-pdf (tagged PDF compatible)
keyword	label-ref (label and reference systems)
language(s)	no language specified
last access	2026-03-17

6932 *zugferd* – ZUGFeRD and Faktur-X invoicing using LaTeX

Web page on CTAN <https://ctan.org/pkg/zugferd>

name	ZUGFeRD
caption	ZUGFeRD and Faktur-X invoicing using LaTeX
author	Peischl, Marei
copyright	Marei Peischl (2023-2025)

license	lpp1.3c = The LaTeX Project Public License 1.3c (free)
version	0.10 (2025-09-22)
last changes	2025-09-22
year	2025
description	(no language specified) This package provides interfaces to allow creating ZUGFeRD or Faktur-X invoices with LaTeX including the XML file. It can be used to modify personal invoicing templates to fulfil the requirements for digital invoicing without further modification of the invoicing processes.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/macros/latex/contrib/zugferd/README.md
documentation	(no language specified) <i>Example of use (1)</i> : https://ctan.org/tex-archive/macros/latex/contrib/zugferd/DEMO-rechnung-zugferd.pdf
– local file	./2948224954-DEMO-rechnung-zugferd.pdf
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/macros/latex/contrib/zugferd/zugferd.pdf
– local file	./1009967960-zugferd.pdf
documentation	(no language specified) <i>Example of use (2)</i> : https://ctan.org/tex-archive/macros/latex/contrib/zugferd/DEMO-rechnung-zugferd-Kleinunternehmen.pdf
– local file	./1664281114-DEMO-rechnung-zugferd-Kleinunternehmen.pdf
contact	<i>support</i> : https://github.com/TeXhackse/LaTeX-ZUGFeRD/issues
contact	<i>repository</i> : https://github.com/TeXhackse/LaTeX-ZUGFeRD.git
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/zugferd
on MikTeX	zugferd
on T _E XLive	zugferd
keyword	invoice (typesetting and calculating invoices)
keyword	expl3 (expl3(unknown))
language(s)	no language specified
last access	2025-10-01

6933 *zwgetfdate* – Get package or file date

Web page on CTAN <https://ctan.org/pkg/zwgetfdate>

name	<code>zwgetfdate</code>
caption	Get package or file date
author	Wagner, Zdeněk
license	lpl1.3 = The LaTeX Project Public License 1.3 (free)
version	(2008-07-14)
last changes	2008-07-14
year	2008
description	(no language specified) The package can fetch the date declaration of packages and files used by a document, and then provide the information in macros. The facilities provide a means of obtaining the date of a package being documented; this is mainly of use when <code>doc</code> / <code>docstrip</code> .
documentation	(no language specified) <i>Package documentation:</i> https://ctan.org/tex-archive/macros/latex/contrib/zwgetfdate/doc/latex/zwgetfdate/zwgetfdate.pdf
– local file	<code>./8536150839-zwgetfdate.pdf</code>
home page	http://icebearsoft.euweb.cz/tex/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/zwgetfdate
on MikTeX	<code>zwgetfdate</code>
on TeXLive	<code>zwgetfdate</code>
keyword	<code>file-mgmt</code> (TeX-related-file management)
language(s)	no language specified
last access	2025-02-07

6934 *zwpagelayout* – Page layout and crop-marks

Web page on CTAN <https://ctan.org/pkg/zwpagelayout>

name	<code>zwpagelayout</code>
caption	Page layout and crop-marks
author	Wagner, Zdeněk
copyright	Z. Wagner (2008-2022)
license	lppl = The LaTeX Project Public License (free)
version	1.4e
description	(no language specified) This package was developed as a typographers' toolbox offering important basic features for everyday work. It allows setting the paper size and the page layout; it can print crop marks; and it can reflect pages both horizontally and vertically. The package facilities work with TeX (output via <code>dvips</code> or <code>(x) dvipdfm(x)</code>), and with pdfTeX.
documentation	(no language specified) <i>Package documentation</i>: https://ctan.org/tex-archive/macros/latex/contrib/zwpagelayout/zwpagelayout.pdf
– local file	<code>./9966513607-zwpagelayout.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/latex/contrib/zwpagelayout/README
home page	http://icebearsoft.euweb.cz/tex/
on CTAN	https://ctan.org/tex-archive/macros/latex/contrib/zwpagelayout
on MikTeX	<code>zwpagelayout</code>
on T _E XLive	<code>zwpagelayout</code>
keyword	<code>production</code> (support for production printing, etc)
keyword	<code>geometry</code> (change geometry of page layout)
see also	see section 1383 on page 1251: (<code>crop</code> – Support for cropmarks)
see also	see section 2482 on page 2245: (<code>geometry</code> – Flexible and complete interface to document dimensions)
language(s)	no language specified
year	2022
last access	2025-02-07

6935 *zx-calculus* – A library to typeset ZX Calculus diagramsWeb page on CTAN <https://ctan.org/pkg/zx-calculus>

name	zx-calculus
caption	A library to typeset ZX Calculus diagrams
author	Colisson, Léo
license	mit = MIT License (free)
version	2.3 (2024-03-15)
last changes	2024-03-15
year	2024
description	(no language specified) This library (based on the great TikZ and TikZ-cd packages) allows you to typeset ZX-calculus directly in LaTeX. It comes with many pre-built wire shapes, a highly customizable node style (with multiple flavours for putting labels inside or outside nodes), and a "debugging" mode to avoid getting lost in big diagrams.
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/zx-calculus/README.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/graphics/pgf/contrib/zx-calculus/zx-calculus.pdf
– local file	<code>./2832010651-zx-calculus.pdf</code>
contact	<i>bugs</i> : https://github.com/leo-colisson/zx-calculus/issues
contact	<i>repository</i> : https://github.com/leo-colisson/zx-calculus
on CTAN	https://ctan.org/tex-archive/graphics/pgf/contrib/zx-calculus
on MikTeX	zx-calculus
on TeXLive	zx-calculus
keyword	pgf-tikz (package uses PGF-TikZ)
keyword	diagram (diagrams)
language(s)	no language specified
last access	2025-02-07

6936 *zxjafont* – Fallback CJK font support for XeCJK

Web page on CTAN <https://ctan.org/pkg/zxjafont>

name	zxjafont
caption	Fallback CJK font support for XeCJK
author	Yato, Takayuki
license	mit = MIT License (free)
version	0.2
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/japanese/zxjafont/README
on CTAN	https://ctan.org/tex-archive/language/japanese/zxjafont
on MikTeX	zxjafont
on TeXLive	zxjafont
keyword	korean (support for typesetting Korean)
keyword	japanese (support for typesetting Japanese)
keyword	font-supp (metrics, macro incantations and other font support)
keyword	chinese (support for typesetting Chinese languages)
keyword	xetex (XeTeX, material supporting it, and packages requiring it)
language(s)	no language specified
year	without year
last access	2025-02-09

6937 *zxjafont* – Set up Japanese font families for XeLaTeX

Web page on CTAN <https://ctan.org/pkg/zxjafont>

name	ZXjafont
caption	Set up Japanese font families for XeLaTeX
author	Yato, Takayuki
copyright	Takayuki YATO (aka. “ZR”) (2009-2022)
license	mit = MIT License (free)
version	1.3

documentation	(Japanese) <i>Readme</i> : https://ctan.org/tex-archive/language/japanese/zxjafont/README-ja.md
documentation	(no language specified) <i>Package documentation</i> : https://ctan.org/tex-archive/language/japanese/zxjafont/zxjafont.pdf
– local file	<code>./3643507698-zxjafont.pdf</code>
documentation	(English) <i>Readme</i> : https://ctan.org/tex-archive/language/japanese/zxjafont/README.md
on CTAN	https://ctan.org/tex-archive/language/japanese/zxjafont
on MikTeX	<code>zxjafont</code>
on T _E XLive	<code>zxjafont</code>
keyword	<code>xetex</code> (XeTeX, material supporting it, and packages requiring it)
keyword	<code>font-supp</code> (metrics, macro incantations and other font support)
keyword	<code>japanese</code> (support for typesetting Japanese)
language(s)	English; Japanese
year	2022
last access	2025-02-09

6938 *zxjatype* – Standard conforming typesetting of Japanese, for XeLaTeX

Web page on CTAN <https://ctan.org/pkg/zxjatype>

name	<code>ZXjatype</code>
caption	Standard conforming typesetting of Japanese, for XeLaTeX
author	Yato, Takayuki
copyright	Takayuki YATO (aka. "ZR") (2009-2020)
license	<code>mit</code> = MIT License (free)
version	0.7
documentation	(Japanese) <i>Readme</i> : https://ctan.org/tex-archive/language/japanese/zxjatype/README-ja.md
documentation	(no language specified) <i>Readme</i> : https://ctan.org/tex-archive/language/japanese/zxjatype/README.md
on CTAN	https://ctan.org/tex-archive/language/japanese/zxjatype
on MikTeX	<code>zxjatype</code>
on T _E XLive	<code>zxjatype</code>

keyword	xetex (XeTeX, material supporting it, and packages requiring it)
keyword	std-conform (support conformance to standards)
keyword	japanese (support for typesetting Japanese)
language(s)	Japanese
year	2020
last access	2025-02-09

6939 **zztex** – A full-featured TeX macro package for producing books, journals, and manuals

Web page on CTAN <https://ctan.org/pkg/zztex>

name	ZzTeX
caption	A full-featured TeX macro package for producing books, journals, and manuals
author	Anagnostopoulos, Paul C.
copyright	Paul C. Anagnostopoulos (1989-2020)
license	mit = MIT License (free)
version	17.7
description	(no language specified) The ZzTeX macro package is a full-featured TeX macro package specially designed for producing books, journals, and manuals. Development of the package began in 1989. Since then, about 500 textbooks and journals have been produced with it for a variety of publishers. Numerous authors have used the package to produce subsequent editions of their books. ZzTeX runs under Plain TeX. The only documentation available for the package is contained in the <code>zz*.dat</code> files that accompany the TeX files.
documentation	(no language specified) <i>TUGboat paper</i>: https://tug.org/TUGboat/tb13-4/tb37anag.pdf
– local file	<code>./7975620077-tb37anag.pdf</code>
documentation	(no language specified) <i>Readme</i>: https://ctan.org/tex-archive/macros/plain/contrib/zztex/README
home page	http://www.windfall.com
on CTAN	https://ctan.org/tex-archive/macros/plain/contrib/zztex
on MikTeX	zztex
on T _E XLive	zztex

keyword	book-pub (preparing a book for publication)
keyword	journalpub (typesetting journals, etc)
language(s)	no language specified
year	2020
last access	2025-02-07

A Used topics, short explanations

<code>abbrev</code>	macros for defining abbreviations in documents
<code>abstract</code>	typeset abstracts of documents
<code>accessible</code>	accessibility support
<code>acrobat</code>	relies on availability of Adobe Acrobat, etc.
<code>acronym</code>	define and use acronyms
<code>addr-list</code>	lists of addresses, for a personal directory (or the like)
<code>adobe-distiller</code>	convert PostScript to PDF using Adobe Distiller
<code>advert</code>	small advertisements, fly sheets, etc.
<code>albanian</code>	support for typesetting Albanian
<code>alignment</code>	tables, tab structures, etc
<code>alignment-supp</code>	ancillary code for tables, tab structures, etc
<code>amharic</code>	support for typesetting Amharic
<code>amusements</code>	jokes, distractions, tongue-in-cheek packages, and other entertainment material
<code>android</code>	usable under Android
<code>apa</code>	typesetting according to the rules of the American Psychological Association
<code>appendix</code>	typesetting and using appendices
<code>arabic</code>	documentation in and support for typesetting Arabic
<code>arch-tree</code>	root directory of a (sub-)tree of the archive
<code>archival</code>	creating archival copies, or copies for distribution
<code>arithmetic</code>	perform and typeset arithmetic problems
<code>armenian</code>	support for typesetting Armenian
<code>article-like</code>	LaTeX article classes and their developments
<code>astrology</code>	fonts and typesetting for astrologers
<code>astronomy</code>	astronomy articles, astronomical charts
<code>automata</code>	finite-state machines, automata, labelled graphs, etc.
<code>azerbaijani</code>	support for typesetting Azerbaijani
<code>background</code>	decorate/confuse text by adding a background
<code>bahasa-indonesia+malaysia</code>	support for typesetting Bahasa Indonesia/Malaysia

A Used topics, short explanations

barcode	barcodes and other machine-readable tags
basque	support for typesetting Basque
belarusian	support for typesetting Belarusian
bengali	support for typesetting Bengali
bib-use	place non-bibliography material in the bibliography
biblatex	BibLaTeX bibliography support
biblio	bibliography processor
biblio-supp	support for manually-written bibliographies
bibtex-annotate	BibTeX annotation styles
bibtex-doc	documentation of BibTeX, etc., on their own
bibtex-gen	derive BibTeX data from resources other than BibTeX libraries
bibtex-lib	collection of BibTeX citations
bibtex-multi	multiple BibTeX bibliographies in a document
bibtex-supp	BibTeX citation support
bibtex-util	utilities for managing BibTeX files
bidirectional	support bidirectional typesetting
biology	typeset biological data
biomedical	support for documents in biomedical research
blank-page	control of blank pages in a document
book-ex	copies of examples from a published book
book-pub	preparing a book for publication
book-src	source of a published book
bosnian	support for typesetting in Bosnian
botany	typeset botanical data
box-breaking	breaking boxes over a page boundary, etc
box-manip	manipulating boxes
boxing	creating boxes
breton	support for typesetting in Breton
bugfix	correct a problem, ahead of the “proper” fix
bulgarian	support for typesetting and documentation in Bulgarian
bundle	pack files up for distribution or archiving

A Used topics, short explanations

burmese	support for typesetting Burmese
bus-study	typeset material for Business Studies
calculation	perform calculations within TeX
calendar	typeset calendars, diaries, planning charts, etc.
callback	call external code and process the result
caption	typesetting captions
card-flash	typesetting ‘flash’ cards for teaching and learning
card-gen	cards for miscellaneous purposes
cartography	map production and geographical data usage
catalan	documentation in and support for typesetting Catalan
catalogue	typeset catalogue data
cgi-latex	support for LaTeX(-alike) on the web, or feeding into other applications
chemistry	chemistry document support
cherokee	support for typesetting Cherokee
chess	chess game
chinese	support for typesetting Chinese languages
chinese-doc	documentation in Chinese languages
chords	chord notations, as for song books
chunks	extract chunks of a document for separate processing
churchslavonic	support for typesetting Church Slavonic
cite-foot	citations in footnotes
cite-supp	citation support
class	alternative LaTeX class(es)
class-ext	export features from a class for use elsewhere
class-supp	support for class (and package) development
code-layout	improve the appearance of LaTeX code
collection	a collection of packages
colour	typesetting in colour
comp-mgmt	control TeX’s behaviour during compilation
comp-net	typeset computer network concepts
comp-sci	typeset computer-science related material

A Used topics, short explanations

comp-supp	support for preparing documents
comp-theory	typeset theoretical computer science material
compact-print	compact output, typically multiple pages/sheet
compilation	the document compilation process
cond-comp	conditional typesetting
confproc	typesetting conference proceedings
context	macros of, or for use with, ConTeXt
context-doc	documentation of ConTeXt
cooking	typesetting cooking recipes, etc
coptic	support for typesetting coptic
counter-mgmt	management of counters
course-material	course material
covers	typeset badges, covers or labels for things (or people)
crit-ed	typeset scholarly editions of texts
croatian	support for typesetting Croatian
crystallography	typeset material to do with crystallography
csv-support	read, process and convert CSV data
ctan	support for work with the CTAN archive
cv	curriculum vitae/Resumé
cvt-html	generate HTML from TeX-ish sources
cvt-other	convert TeX-ish sources to some other markup (than HTML)
cwpuzzle	crossword puzzle
cyrillic	support languages written using Cyrillic alphabets
czech	support for typesetting Czech
czech-doc	documentation in Czech
danish	support for typesetting, or documentation in Danish
data-disp	visualisation of data sets
data-import	importing data into documents
data-manip	manipulate data within TeX
data-prep	prepare data for use within TeX
data-sel	select data from sets in the TeX file

A Used topics, short explanations

date-time	manipulate dates and/or times
db-access	access database for document contents
debug-supp	support for package or document debugging
decoration	highlighting typeset material, fancy frames, watermarks, etc.
defer-stuff	saving things for later use
demo-code	code that serves as examples of TeX programming
diagram	diagrams
diagram-block	block diagrams
diagram-circ	circuit diagrams
diagram-comm	commutative diagrams
diagram-ctrl	control diagrams
diagram-flow	flow (and similar) diagrams, including Nassi-Shneiderman
diagram-lab	schematic details of laboratory work
diagram-maths	diagrams used in mathematics
diagram-tmg	timing diagrams
dictionary	macros that support preparation of dictionaries, lexicons, etc
dissertation	typesetting dissertations, theses, etc.
distribution	components (or support) of TeX distribution
doc-debug	tools, etc., for “debugging” documents
doc-errata	lists of errata in published books
doc-gen	generate a document by collating other text
doc-mgmt	support for keeping track of document development
doc-style	LaTeX 2.09 document style
doc-supp	macros and tools for preparing documentation
doc-templ	template to guide document development
doc-tool	document development tools
docu-pkg	documentation of another package
documentation	‘stand-alone’ documentation
drama-script	typeset scripts for plays, etc.
dummy-gen	dummy text generator for tests and examples
dutch	support for typesetting Dutch

A Used topics, short explanations

dutch-doc	documentation in Dutch
dvi-bit	generate graphic bitmaps from DVI files
dvi-pdf	convert DVI files to PDF
dvi-prev	preview DVI files
dvi-print	convert DVI files for (direct) printing, etc.
dvi-proc	DVI processor
dvi-struc	create and/or process text representation of a DVI file
dvi-text	DVI output to plain text
dvips-special	use dvips \special commands
ebook	support for preparing e-books
editor	editor designed (or adapted) for use with (La)TeX
editor-extn	plug-ins for editors, for better (La)TeX and Meta* support
editorial	editor's marks, highlights, etc.
editorial-consistency	ensure consistency of usage
electronic	support of electronic design
emphasis	emphasising text
emulation	code to emulate “other things”
enc-juggle	conversion between encodings
endnote	notes typeset at end document
engine	TeX (or TeX-alike) typesetting engine
engineering	typesetting associated with engineering of whatever sort
english	typesetting specific to English
env-query	examine the TeX programming environment
epigram	short quotation typically associated with the start of a chapter
error-supp	control of LaTeX error messages
esperanto	support for typesetting Esperanto
essay	course work essays, assignments, etc.
estonian	support for typesetting Estonian
etex	requires e-TeX
exam	exams, quizzes, etc.
exec-foreign	execute ‘other types’ of language

A Used topics, short explanations

<code>exercise</code>	exercises, problems for solution, etc.
<code>experimental</code>	offer of a facility that may never make its way to production use
<code>ext-code</code>	run an external program from within a document
<code>ext-svc</code>	link to a service not on CTAN
<code>fac-survey</code>	survey of TeX-related facilities
<code>fake-glyph</code>	provide a glyph by construction, rather than from a font
<code>faq</code>	frequently asked questions, with answers
<code>file-card</code>	typeset cards for business, filing, etc.
<code>file-control</code>	manipulation of TeX macro file i/o
<code>file-mgmt</code>	TeX-related-file management
<code>finnish</code>	support for typesetting Finnish
<code>finnish-doc</code>	documentation written in Finnish
<code>fit-to-size</code>	set up things to fit in a given space
<code>float</code>	typesetting floats
<code>font</code>	fonts themselves
<code>font-abnormal</code>	font in an irregular format
<code>font-absent</code>	support is for a font not available on CTAN
<code>font-adhoc</code>	font distributed in an ad-hoc fashion
<code>font-arabic</code>	fonts for typesetting arabic
<code>font-archaic</code>	fonts reproducing archaic scripts or inscriptions
<code>font-armenian</code>	fonts for typesetting armenian
<code>font-bbd</code>	doublestroke (blackboard bold) fonts
<code>font-body</code>	font designed for use as body font for Latin-based script documents
<code>font-bookhand</code>	fonts of scripts used for manuscript books
<code>font-calligraphic</code>	calligraphic (or handwriting) fonts
<code>font-canadian-aboriginal</code>	fonts for Canadian Aboriginal
<code>font-chess</code>	fonts for typesetting chess problems and diagrams
<code>font-cjk</code>	fonts for far eastern languages (Chinese, Japanese and Korean)
<code>font-cm</code>	font serving Computer Modern-style shapes
<code>font-collection</code>	listing a set of related fonts
<code>font-coptic</code>	fonts for coptic script

A Used topics, short explanations

<code>font-cvt</code>	convert a font to a form usable with TeX
<code>font-cyrillic</code>	fonts for Cyrillic and related scripts
<code>font-decor</code>	decorative or initial fonts
<code>font-devel</code>	support for font development, testing and characterisation
<code>font-display</code>	display-style font
<code>font-doc</code>	documentation about choosing installing and using fonts
<code>font-egyptian</code>	hieroglyph fonts
<code>font-georgian</code>	fonts for typesetting georgian
<code>font-gothic</code>	font for gothic or blackletter shapes
<code>font-greek</code>	font for Greek (archaic, classical and modern)
<code>font-hebrew</code>	font for Hebrew script
<code>font-historical</code>	fonts for a script or language now obsolete
<code>font-index</code>	lists of glyphs available from font(s)
<code>font-indic</code>	fonts for languages of the Indian subcontinent
<code>font-invented</code>	font for an ‘invented’ language or script
<code>font-maths</code>	fonts for use in mathematics
<code>font-medieval</code>	fonts for Medieval script
<code>font-mf</code>	fonts distributed as Metafont source
<code>font-mgmt</code>	management of fonts
<code>font-mono</code>	monospaced font
<code>font-multilingual</code>	font with adaptations to several languages
<code>font-music</code>	fonts of music symbols
<code>font-nonroman</code>	fonts for “other” non-Roman scripts
<code>font-novelty</code>	fonts designed more for fun than for actual use
<code>font-ornmnt</code>	fonts of typographic ornaments
<code>font-otf</code>	font in OpenType format
<code>font-proc</code>	process fonts for use with TeX (includes installation)
<code>font-proportional</code>	variable-spaced font
<code>font-rune</code>	fonts for runic inscriptions
<code>font-sample</code>	samples of font usage
<code>font-sans</code>	sans-serif font

A Used topics, short explanations

<code>font-sel</code>	font selection schemes
<code>font-serif</code>	serif font
<code>font-sfd</code>	FontForge font file
<code>font-specialist</code>	fonts with specific small application areas
<code>font-supp</code>	metrics, macro incantations and other font support
<code>font-supp-maths</code>	metrics, macro incantations and other support for maths fonts
<code>font-supp-misc</code>	metrics, macro incantations and other support for miscellaneous fonts (not on CTAN)
<code>font-supp-symbol</code>	metrics, macro incantations and other support for symbol fonts
<code>font-symbol</code>	fonts that provide collections of symbols
<code>font-symbol-maths</code>	collections of mathematical symbols
<code>font-tlenc</code>	font providing LaTeX T1 encoding support
<code>font-thai</code>	font for typesetting Thai script
<code>font-ttf</code>	font available in TrueType format
<code>font-type1</code>	font available in Adobe Type 1 format
<code>font-use</code>	font selection, mapping, etc.
<code>font-util</code>	manipulate or examine fonts
<code>font-virtual</code>	virtual font(s) using existing fonts
<code>fontenc</code>	support for font encodings
<code>footnote</code>	footnote support
<code>foreign-import</code>	import files in a non-TeX (or different TeX) format
<code>form-fillin</code>	design forms for information collection
<code>formal-spec</code>	typeset formal specification languages
<code>format</code>	macros to build a format
<code>format-cvt</code>	convert one format of file to another
<code>french</code>	support for typesetting French
<code>french-doc</code>	documentation in French
<code>frivolous</code>	TeX code as a source of humour
<code>games</code>	process game diagrams, gamebooks, and other amusements
<code>gantt</code>	real-time scheduling Gantt charts
<code>gen-paper</code>	paper (simply) for communication, not necessarily for publication
<code>genchart</code>	drawing bar- or pie-charts

A Used topics, short explanations

genealogy	typesetting genealogical information
gentex	generate (La)TeX from other sorts of sources
geometry	change geometry of page layout
geometry-adj	temporarily adjust page layout
georgian	support for typesetting Georgian
german	support for typesetting German
german-doc	documentation in German
glossary	glossary and nomenclature support
go	go game
graphics	graphics (support packages)
graphics-3d	graphics with 3-dimensional output
graphics-curve	draw (parametric) curves
graphics-doc	documentation of techniques for using graphics
graphics-driv	‘driver’ for output from graphics ‘kernel’ packages
graphics-editor	graphics editor whose output is good for TeX
graphics-engn	graphics generator whose output is good for use with TeX
graphics-epspdf	converting graphics files from MetaPost output or (E)PS to embeddable PDF
graphics-fill-tile	graphics filling or tiling an area
graphics-import	convert a foreign graphics format for use with TeX
graphics-in-tex	graphics produced by one of the *TeX engines
graphics-incl	include external graphics
graphics-inline	graphics inline for external processing
graphics-manip	manipulate graphics and/or related text
graphics-motion	motion graphics
graphics-mpost	graphics generated using MetaPost
graphics-plot	plot data
graphics-plotfn	plot a representation of a function
graphics-prep	prepare graphics for use with *TeX
graphics-subpic	generate parts of pictures
graphics-supp	support for other packages or for drivers
graphics-symb	create symbols, rather than select from a font

A Used topics, short explanations

graphics-text	text within graphics (drawn or overlaid)
graphics-use	graphics (typesetting actual pictures)
greek	support for typesetting Greek
greek-doc	documentation in Greek
headings	chapter, section, etc., heading styles
hebrew	documentation in and support for typesetting Hebrew
humanities	support for studies in the humanities
hungarian	support for typesetting Hungarian
hyper	support for hypertext
hyph-gen	support for generating or improving hyphenation tables
hyph-pseudo	splitting without benefit of hyphenation
hyphenation	macros or tables for hyphenation
icelandic	support for typesetting the Icelandic language
ide	integrated development environments
image-supp	manipulating images for inclusion in documents
index	index support
index-auth	index of referenced authors
index-multi	multiple indexes in a document
index-proc	process and/or generate index material
indic	support for languages of the Indian subcontinent
inputenc	input encoding support for TeX engines
install-mgmt	support for (La)TeX installations
interlingua	support for typesetting interlingua
invoice	typesetting and calculating invoices
io-mgmt	manage TeX's limited i/o streams
irish-gaelic	support for typesetting the Irish (gaelic) language
italian	support for typesetting Italian
italian-doc	documentation in Italian
japanese	support for typesetting Japanese
japanese-doc	documentation in Japanese
journ-digest	digests/partial information about journals

A Used topics, short explanations

<code>journal-extract</code>	selections of journals, etc.
<code>journal-personal</code>	personal journals, diaries, etc.
<code>journal-src</code>	sources and/or old copies of journals
<code>journalpub</code>	typesetting journals, etc
<code>keyval</code>	key-value argument systems
<code>korean</code>	support for typesetting Korean
<code>korean-doc</code>	documentation in Korean
<code>kurdish</code>	support for typesetting Kurdish
<code>kurmanji</code>	support for typesetting Kurmanji
<code>label-ref</code>	label and reference systems
<code>labels</code>	typeset sets of labels (for cutting out, etc.)
<code>landscape</code>	print landscape orientation, manipulate landscape material
<code>lang-invented</code>	support for typesetting invented language(s)
<code>latex-devel</code>	LaTeX experimental developments ‘in the wild’
<code>latex-qual</code>	encourage quality in LaTeX markup
<code>latex209</code>	package only known to work with LaTeX 2.09
<code>latex3</code>	work done for the project to upgrade LaTeX
<code>latin</code>	support for typesetting Latin (ancient, medieval and ‘modern’)
<code>latvian</code>	support for typesetting Latvian
<code>layout</code>	layout of objects on the page
<code>layout-page</code>	page trim marks and decorations
<code>layout-show</code>	display details of page layout
<code>layout-supp</code>	provide marks to assist in layout design
<code>leaders</code>	typeset leaders, etc.
<code>legal</code>	typesetting legal documents or study material
<code>letter</code>	typesetting letters, envelopes, faxes, etc
<code>letterspace</code>	change space between characters
<code>lettrine</code>	drop capitals and flow text around them
<code>licence-mgmt</code>	manage application of licence information
<code>line-nos</code>	number the typeset lines
<code>line-patt</code>	patterning lines (dashes, etc)

A Used topics, short explanations

<code>line-space</code>	leading between lines of text
<code>line-weight</code>	control the weight of rules, etc., in text
<code>linguistic</code>	support for linguistics
<code>list</code>	list: general
<code>list-bull</code>	list: items bulleted
<code>list-descr</code>	list: items described
<code>list-enum</code>	list: items enumerated
<code>list-supp</code>	list support
<code>listing</code>	computer code listing
<code>lithuanian</code>	support for typesetting Lithuanian
<code>litprog</code>	literate programming
<code>log-manip</code>	analyse or otherwise manipulate logs
<code>logic</code>	typesetting logician's discussions
<code>logo</code>	symbols or drawings to specify an object, including icons
<code>lua-supp</code>	support for using Lua code
<code>luatex</code>	LuaTeX and packages that require it
<code>luatex-doc</code>	documentation of LuaTeX and related packages
<code>lyx</code>	adapted for use with lyx
<code>macedonian</code>	documentation in, and support for typesetting Macedonian
<code>macro-def</code>	alternative ways of defining macros
<code>macro-demo</code>	print (La)TeX code verbatim alongside the rendered result
<code>macro-gen</code>	macros that are independent of the (TeX) format in use
<code>macro-iterate</code>	repeat TeX material
<code>macro-sort</code>	sort data within TeX macros
<code>macro-supp</code>	support for development of (La)TeX macros
<code>magazine</code>	magazines, newspapers and other ephemeral publications
<code>mail-list</code>	digests, etc., of mailing lists
<code>mailing</code>	mail merge, etc
<code>maltese</code>	support for typesetting Maltese
<code>manju</code>	support for typesetting Manju
<code>marathi</code>	support for typesetting Marathi

A Used topics, short explanations

marginal	marginal notes, etc.
markup	alternative markup scheme
mat-sci	typeset matter relevant to Materials Science
maths	support for typesetting mathematics
maths-doc	documentation of typesetting mathematics
maths-symbol	construction or application of mathematical symbols
maths-syseqn	systems of equations
maths-tabvar	mathematical tables of signs and variations
maths-theorem	typeset mathematical theorems
matrix	typeset matrices
measure	measure and report details of a document
medical	typesetting medical material
meeting-admin	calls, agendas, minutes of meetings
memorandum	typeset memorandum or other short note
messages	manage messages to the user
metadata	process document metadata
mf-doc	documentation for Metafont users
micro-layout	paragraph shapes, margin adjustments, etc.
misc-conv	miscellaneous conversions
misc-paper	discussion/working paper (rather than journal paper)
misc-support	miscellaneous support stuff
mobile	support for mobile use
molbio	support for typesetting molecular biology
mongolian	support for typesetting Mongolian
mongolian-doc	documentation in Mongolian
mp-doc	documentation for MetaPost users
mp-supp	support tools and macros for MetaPost programming
mp-use	use, and support for use, of MetaPost
multicol	more than one column on the page
multilingual	support for more than one (natural) language
multilingual-addon	extra language ‘drivers’ for existing multilingual packages

A Used topics, short explanations

multimedia	support for multimedia in documents
music	typesetting music and related stuff
music-extinp	external input sources for music
neuro	typesetting neuroscience material
non-bibtex	support for bibliographies created without using a biblio processor
norwegian	support for typesetting Norwegian
notes	general notes (not including endnotes or footnotes)
novelty	packages with little obvious application
numbers	formatting numbers, etc
obscurity	simple rotation or substitution ciphers
obsolete	package declared obsolete
occitan	support for typesetting Occitan
off	use of opentype font features
omega	Omega and packages that use it
optics	diagrams of optical systems
optimise	optimise part of a TeX system
other-lang	support for a language whose support is not otherwise catalogued
outline	document outlining tools
package-devel	support for package development
package-doc	markup for documenting package sources
package-mgmt	support for managing packages within documents
package-supp	support for other packages
page-control	select pages to be output, etc.
page-hf	page head- and foot-lines
page-nos	control sequence and typesetting of page numbers
para-deco	decorating paragraphs (letrines, etc.)
parallel	parallel columns
paren-mgmt	match and otherwise manage parentheses
parser	parser application
parshape	non-standard paragraph shapes
patent	prepare a patent application

A Used topics, short explanations

pdf-feat	access PDF features
pdf-forms	create pdf form fields, use form fields as an integral part of the package
pdf-view	view, or control viewing of, PDF
pdfprocess	process PDF files
persian	support for typesetting Persian
persian-doc	documentation in Persian
pgf-tikz	package uses PGF-TikZ
philosophy	support for typesetting philosophy
phonetic	support for phonetic notation
physics	support for typesetting physics documents
piedmontese	support for typesetting Piedmontese
plain-ext	extensions to Plain TeX for higher-level constructs
plain-text	derive plain text from a TeX document
planning	construct diagrams, etc., for planning
polish	support for typesetting Polish
polish-doc	documentation in Polish
portuguese	support for typesetting Portuguese
portuguese-br	support for typesetting Brazilian Portuguese
portuguese-doc	documentation in Portuguese
poster	typeset posters, etc.
pre-release	developing version of new software
preamble-admin	construction of a LaTeX document preamble
prepress	fine-tuning details of output, for printing
preprocessor	preprocesses source before using TeX
presentation	slides, beamers, handouts, etc.
previewer	application for viewing a typeset document on screen
print-app	application for printing documents
probability	typeset reports, etc., of probability
production	support for production printing, etc
program-doc	support for programming documentation
project-mgmt	TeX-related project management

A Used topics, short explanations

proof	typeset proofs and proof diagrams
proposal	typeset proposals to funding bodies, etc
protection	manipulate the LaTeX ‘protect’ mechanism
ps-manip	manipulate PostScript files
pseudocode	typeset languages for expressing algorithms
pstricks	package using PStricks for graphical output
psychology	support for typesetting texts relating to psychology
publicity	press releases, etc
publisher	prepare documents for a specific publisher
puzzle	problems and puzzles, and their solutions
qrcode	typeset quick response codes
quotation	displayed text
quotation-imp	import text from other documents
quotation-mgmt	organisation of displayed text
quote-marks	manage (possibly language dependent) quote marks
random	generate and/or use pseudo-random numbers
record-keep	formatting material that constitutes records
ref-latex	LaTeX reference documents
report-like	regularly-formatted reports
review-document	document reviewing subjects relevant for TeX users
romanian	support for typesetting Romanian
rotation	rotate typeset objects on their page
rule	produce rules within a document
russian	support for typesetting Russian
russian-doc	documentation in Russian
safety-notice	risk and safety (etc.) notices
samin	support for typesetting samin
sanskrit	support for typesetting Sanskrit
scientific-docs	support for writers of scientific documents
scottish	support for typesetting Gaidhlig (Scottish Gaelic)
security	document security measures

A Used topics, short explanations

<code>semproc</code>	typesetting seminar proceedings
<code>serbian</code>	documentation in, and support for typesetting Serbian
<code>shortcut</code>	shortcuts when typing
<code>simplified</code>	simplified markup
<code>slovak</code>	support for typesetting, and documentation in Slovak
<code>slovenian</code>	support for typesetting, and documentation in Slovenian
<code>somali</code>	support for typesetting Somali
<code>sorbian</code>	support for typesetting Sorbian
<code>spanish</code>	support for typesetting Spanish
<code>spanish-doc</code>	documentation in Spanish
<code>spec-alphabet</code>	specialised versions of alphabets
<code>spell</code>	TeX-aware spelling checker
<code>statistics</code>	typeset reports, diagrams, etc., of statistics
<code>std-conform</code>	support conformance to standards
<code>std-spec</code>	standards, or other normative documents, about TeX and friends
<code>string</code>	text string searches and manipulation
<code>struc-mkup</code>	structured markup
<code>subdocs</code>	include complete documents in other documents
<code>subfloat</code>	internal structure within a float
<code>subsup-pos</code>	position sub- and superscripts (left and right sides)
<code>sudoku</code>	sudoku game
<code>swedish</code>	support for typesetting Swedish
<code>swiss</code>	typesetting as done in Switzerland
<code>symbol-sup</code>	manage symbols in a document
<code>synt-hlt</code>	highlight syntax of computer code, etc.
<code>syntax</code>	syntax of computer science constructs
<code>sys-sup</code>	os-level support facilities for TeX
<code>table</code>	table typesetting
<code>table-long</code>	typeset tables that may be too big for a page
<code>table-rule</code>	rules within tables
<code>tagged-pdf</code>	tagged PDF compatible

A Used topics, short explanations

<code>tagged-pdf-incompatible</code>	tagged PDF incompatible
<code>tagged-pdf-partially</code>	tagged PDF partially compatible
<code>tagged-pdf-unsupported</code>	tagged PDF unsupported
<code>teaching</code>	support for teachers and teaching administrators
<code>test-bed</code>	environment for testing (La)TeX code
<code>test-dist</code>	proposed additions to other packages
<code>text-flow</code>	flow text round an insertion in the paragraph
<code>text-layout</code>	layout of text within paragraphs
<code>text-manip</code>	manipulate strings (typically in token lists)
<code>text-symbol</code>	symbols for use in text
<code>thai</code>	support for typesetting, and documentation in Thai
<code>theology</code>	typeset devotional texts and other material of interest to theologians
<code>tibetan</code>	support for typesetting Tibetan
<code>timetable</code>	schedules of operations, courses, etc.
<code>titlepage</code>	typesetting title pages for documents
<code>toc-etc</code>	deal with Tables of Contents, and of other such things
<code>translation</code>	translation of material from the archive, to another language
<code>tree</code>	mechanisms for drawing trees
<code>turkish</code>	documentation in, and support for typesetting Turkish
<code>turkmen</code>	documentation in, and support for typesetting Turkmen
<code>tut-cheat</code>	tutorial “cheat-sheet”
<code>tut-latex</code>	tutorial material for LaTeX
<code>tut-latex-prg</code>	tutorial material for LaTeX programming
<code>tut-plaintex</code>	tutorial material for Plain TeX
<code>tutorial</code>	tutorial material (general)
<code>typeset-grid</code>	typeset, snapping lines of text to a grid
<code>typeset-std</code>	typeset documents about standards, or the standards themselves
<code>typeset-tool</code>	tools supporting or evaluating typesetting,
<code>typesetting</code>	support for variations of typographic style
<code>typo-archaic</code>	typography to match ancient practices
<code>ukrainian</code>	documentation in, and support for typesetting Ukrainian

A Used topics, short explanations

<code>uml</code>	support for Universal Modelling Language diagrams
<code>underline</code>	underlining/overlining text (including other decorations)
<code>unicode</code>	Unicode, material supporting it, and packages requiring it
<code>units</code>	uniform typesetting of units
<code>urdu</code>	support for typesetting Urdu
<code>use-lua</code>	package requires availability of lua
<code>use-luatex</code>	package will use LuaTeX facilities if available
<code>use-sample</code>	sample of use of macro collections, etc.
<code>use-xetex</code>	package will use XeTeX facilities if available
<code>utf8-adapt</code>	adaptation of existing packages to UTF-8 input
<code>verbatim</code>	verbatim typesetting, etc.
<code>verse</code>	typeset verse, etc.
<code>version-control</code>	version control details
<code>vietnamese</code>	support for typesetting of Vietnamese
<code>vietnamese-doc</code>	documentation in Vietnamese
<code>view-app</code>	application for viewing documents
<code>view-doc</code>	application for viewing documentation
<code>visual-supp</code>	support for typesetting with low-vision readers in mind
<code>watermark</code>	separate printing, under (or over) the page as a whole
<code>welsh</code>	support for typesetting Welsh
<code>word-count</code>	count the ‘words’ in a document
<code>word-proc</code>	dealing with word processors
<code>xetex</code>	XeTeX, material supporting it, and packages requiring it
<code>bibtex-sty</code>	bibtex-sty(unknown)
<code>expl3</code>	expl3(unknown)
<code>latex-doc</code>	latex-doc(unknown)
<code>litprog-tools</code>	litprog-tools(unknown)

B Used topics and related packages

Note: The numbers do not refer to page numbers, but to section numbers. A click on this number leads to the corresponding package description.

abbrev	6 packages: abbr (11); abbrevs (12); dimnum (1615); langnames (3248); spacingtricks (5619); suppose (5753);
abstract	2 packages: abstr-collect (23); abstract (24);
accessible	8 packages: accessibility (32); accsupp (34); atkinson (321); axessibility (365); glossaries-accsupp (2543); hamnosys (2683); latex2nemeth (3311); tagpdf (5840);
acrobat	7 packages: acrotex-js (53); aeb-mlink (87); aeb-pro (89); aebxmp (94); datepicker-pro (1491); eq-pin2corr (1962); javascripthttp (3048);
acronym	8 packages: acro (43); acromake (45); acronym (47); acronym209 (48); acroterm (51); glossaries (2542); glossaries-extra (2548); hep-acronym (2721);
addr-list	4 packages: directory (1621); koma-script (3172); phonenumbers (4643); scraddr (5342);
adobe-distiller	22 packages: acroflex (44); aeb-mlink (87); aeb-pro (89); aebenvelope (92); annot-pro (193); datepicker-pro (1491); digicap-pro (1612); fc-arith (2151); fitr (2231); fixocgx (2246); fldigigal (2260); forms16be (2356); grayhints (2620); hyperref (2842); jj-game (3063); mkstmp-pro (4012); ocgx2 (4354); opacity-pro (4392); qrcstamps (5058); rmannot (5201); xbmks (6742); xsavebox (6842);
advert	6 packages: concprog (1259); gutenber (2671); latex-brochure (3267); ntg (4313); petiteannonce (4595); stubs (5718);
albanian	1 package: babel-albanian (370);
alignment	11 packages: arraycols (268); autoalign (342); centeredline (983); eqexpl (1967); freealign (2385); monofill (4056); ntabbing (4312); pas-tableur (4508); ruled-tables (5254); tabbing (5804); tabbingbox (5805);
alignment-supp	5 packages: array (267); arraycols (268); arraymaker (271); arydshln (283); autoalign (342);
amharic	3 packages: ethiop (2011); ethiop-t1 (2012); ethtex (2013);

B Used topics and related packages

amusements	23 packages: bearwear (544); bookshelf (806); byo-twemojis (883); coffeestains (1195); ducksay (1719); figchild (2193); halloweenmath (2682); magicthegathering (3721); realhats (5127); realtranspose (5129); scsnowman (5376); sillypage (5496); tikz-among-us (6116); tikz-decofonts (6123); tikz-triminos (6153); tikzbrickfigurines (6157); tikzbricks (6158); tikzducks (6162); tikzlings (6166); tikzmarmots (6168); tikzpeople (6172); tikzpingus (6174); xkcdcolors (6808);
android	1 package: hktex (2777);
apa	14 packages: apa (217); apa6 (218); apa6e (219); apa7 (220); apabst (221); apacite (222); apalike-german (224); apalike2 (225); apasoft (226); biblatex-apa (620); biblatex-apa6 (621); mslapa (4098); newapa (4221); theapa (6069);
appendix	5 packages: appendix (233); apptools (237); apxproof (238); proof-at-the-end (4821); thrmappendix (6095);
arabic	15 packages: amiri (156); arabi (240); arabi-add (241); arabic-book (243); arabluatex (245); arabtex (246); arabxetex (247); dad (1474); fariscovernew (2141); hvarabic (2818); na-border (4161); na-position (4163); quran (5082); sexam (5434); texnegar (6013);
arch-tree	3 packages: obsolete (4348); plainmisc (4703); required (5171);
archival	11 packages: authorarchive (336); bundledoc (855); coverpage (1364); embedall (1878); llncsconf (3493); mkjobtexmf (4008); skb (5527); snapshot (5563); texdepend (5963); texdeps (5964); texdirflatten (5967);
arithmetic	20 packages: basicarith (468); bigintcalc (731); bnumexpr (784); bxcalc (864); calc (897); didec (1609); fltpoint (2278); fp (2368); intcalc (2970); longdiv (3518); longdivision (3519); luacomplex (3629); minifp (3980); polexpr (4749); pst-fp (4906); realcalc (5126); timeop (6189); xint (6803); xlop (6815); zeckendorf (6908);
armenian	1 package: armtex (260);
article-like	21 packages: afparticle (103); amsaddr (162); amsart (163); article (278); cidarticle (1078); cjs-rcs-article (1104); colorist (1214); einfart (1847); fac (2104); jwjournal (3112); korigamik (3182); lebhart (3372); limap (3444); minimalist (3989); omgtudoc-asoiu (4383);

B Used topics and related packages

	q-and-a (5044); scrartcl (5344); sjtutex (5524); tlc-article (6234); univie-ling (6495); viiptart (6618);
astrology	3 packages: alchemist (119); horoscop (2793); starfont (5677);
astronomy	12 packages: aastex (10); astro (305); astron (306); cmastro (1150); emulatepj (1894); fits-astro (2232); pst-kepler (4922); pst-nutation (4936); pst-solarsystem (4958); query-astro (5069); sunpath (5750); tikz-planets (6145);
automata	5 packages: aiplans (112); automata (349); dijkstra (1614); finomaton (2216); vaucanson-g (6576);
azerbaijani	1 package: babel-azerbaijani (371);
background	10 packages: aeb-tilebg (90); background (434); bidipagegrid (725); fadingimage (2109); gradback (2589); gridpapers (2641); magicwatermark (3722); pagegrid (4462); psboxit (4846); xwatermark (6861);
bahasa-indonesia+malaysia	4 packages: babel-bahasa (372); babel-indonesian (396); babel-malay (406); quran-id (5087);
barcode	15 packages: barcodes (456); barcodes-vulis (457); barracuda (463); code128 (1185); ean (1776); ean13isbn (1777); envlab (1928); gs1 (2649); kix (3149); kixfont (3150); makebarcode (3731); pst-barcode (4882); qrcode (5056); upca (6508); zip (6924);
basque	5 packages: babel-basque (373); bahyph (442); basque-book (474); basque-date (475); datetime2-basque (1498);
belarusian	1 package: babel-belarusian (374);
bengali	10 packages: arosgn (263); bangla (450); bangtex (453); bengali-omega (556); bengali-pandey (557); ebong (1800); latexbangla (3319); mkbangtex (4006); quran-bn (5083); sanhyph (5283);
bib-use	1 package: notes2bib (4294);
biblatex	90 packages: archaeologie (252); bib2qr (581); bibbreeze (584); biblatex (613); biblatex-abnt (614); biblatex-abs-annotate (615); biblatex-accursius (616); biblatex-ajc2020unofficial (617); biblatex-ams (618); biblatex-anonymous (619); biblatex-apa (620); biblatex-apa6 (621); biblatex-archaeology (622); biblatex-arthistory-bonn (623); biblatex-authoryear-icomp-tt (624);

B Used topics and related packages

biblatex-bath (625); biblatex-bookinarticle (626);
biblatex-bookinother (627); biblatex-bwl (628);
biblatex-caspervector (629);
biblatex-cheatsheet (630); biblatex-chem (631);
biblatex-chicago (632); biblatex-claves (633);
biblatex-cse (634); biblatex-cv (635); biblatex-dw (636);
biblatex-enc (637); biblatex-ext (638);
biblatex-fiwi (639); biblatex-gb7714-2015 (640);
biblatex-german-legal (641); biblatex-gost (642);
biblatex-historian (643); biblatex-ieee (644);
biblatex-ijsra (645); biblatex-iso690 (646);
biblatex-jura (647); biblatex-jura2 (648);
biblatex-juradiss (649); biblatex-license (650);
biblatex-lncs (651); biblatex-lni (652);
biblatex-luh-ipw (653);
biblatex-manuscripts-philology (654);
biblatex-mla (655); biblatex-morenames (656);
biblatex-ms (657); biblatex-multiple-dm (658);
biblatex-musuos (659); biblatex-nature (660);
biblatex-nejm (661); biblatex-nottsclassic (662);
biblatex-opcit-booktitle (663); biblatex-oxref (664);
biblatex-philosophy (665); biblatex-phys (666);
biblatex-publist (667); biblatex-readbbl (668);
biblatex-realauthor (669); biblatex-sbl (670);
biblatex-science (671); biblatex-shortfields (672);
biblatex-socialscienceshuberlin (673);
biblatex-software (674);
biblatex-source-division (675);
biblatex-spbasic (676); biblatex-subseries (677);
biblatex-swiss-legal (678); biblatex-trad (679);
biblatex-true-citepages-omit (680);
biblatex-unified (681); biblatex-vancouver (682);
bibtool (710); citeall (1092); droit-fr (1703);
ecobiblatex (1813); gcite (2459); geschichtsfrkl (2493);
hep-bibliography (2722);
historische-zeitschrift (2767); icite (2869);
jabref (3034); oscola (4418); shortmathj (5467);
translation-biblatex-de (6294); uni-wtal-ger (6470);
uni-wtal-lin (6471); windycity (6694); zblbuild (6905);

biblio **32 packages:** adrconv (80); amsrefs (183); biber (592);
biber-cygwin (593); biber-freebsd (594);
biber-linux (595); biber-linux-aarch64 (596);
biber-linux-musl (597); biber-macos (598);
biber-ms (599); biber-ms-linux (600);
biber-ms-macos (601); biber-ms-windows (602);
biber-solaris (603); biber-windows (604); bibfilex (609);

B Used topics and related packages

	<code>biblatex</code> (613); <code>biblio-perl</code> (694); <code>bibtex</code> (701); <code>bibtex8</code> (706); <code>bibtexu</code> (709); <code>citation-style-language</code> (1089); <code>crosstex</code> (1392); <code>easybib</code> (1781); <code>librarian</code> (3430); <code>ltb2bib</code> (3578); <code>macbibtex</code> (3708); <code>pbibtex-base</code> (4523); <code>pbibtex-manual</code> (4524); <code>refer-tools</code> (5145); <code>tib</code> (6105); <code>usebib</code> (6534);
<code>biblio-supp</code>	3 packages: <code>bibcop</code> (589); <code>orderer</code> (4409); <code>orderrefs</code> (4410);
<code>bibtex-annotate</code>	3 packages: <code>chicago-annotate</code> (1048); <code>chicagoa</code> (1049); <code>chicagolinks</code> (1050);
<code>bibtex-doc</code>	3 packages: <code>biblatex-cheatsheet</code> (630); <code>bibtex-help</code> (704); <code>tamethebeast</code> (5844);
<code>bibtex-gen</code>	19 packages: <code>ams2bib</code> (161); <code>arxivbib</code> (282); <code>bibutils</code> (715); <code>bibweb</code> (718); <code>bidstobibtex</code> (728); <code>copac-clean</code> (1337); <code>ctan-bibdata</code> (1424); <code>ctanbib</code> (1427); <code>docarc</code> (1644); <code>findbib</code> (2213); <code>ietfbibs</code> (2887); <code>isi2bib</code> (3002); <code>isi2bibtex</code> (3003); <code>mab2bib</code> (3707); <code>mathscinet</code> (3825); <code>r2bib</code> (5092); <code>references</code> (5146); <code>rfc2bib</code> (5191); <code>tex2bib</code> (5942);
<code>bibtex-lib</code>	1 package: <code>biblio</code> (693);
<code>bibtex-multi</code>	7 packages: <code>bibtopic</code> (712); <code>bibtopicprefix</code> (713); <code>bibunits</code> (714); <code>chapref</code> (998); <code>chapterbib</code> (999); <code>multibbl</code> (4113); <code>multibib</code> (4114);
<code>bibtex-supp</code>	49 packages: <code>achicago</code> (36); <code>alphabib</code> (144); <code>apacite</code> (222); <code>asmeconf</code> (296); <code>asmejour</code> (297); <code>babelbib</code> (430); <code>backref</code> (436); <code>backrefx</code> (437); <code>bibarts</code> (583); <code>biblatex2bibitem</code> (683); <code>bibmods</code> (698); <code>bibplain</code> (699); <code>bibtexperllibs</code> (708); <code>bibtools</code> (711); <code>bibtopic</code> (712); <code>bibtopicprefix</code> (713); <code>bibunits</code> (714); <code>camel</code> (916); <code>chapref</code> (998); <code>chapterbib</code> (999); <code>chem-journal</code> (1013); <code>chscite</code> (1073); <code>citeref</code> (1093); <code>compactbib</code> (1245); <code>development</code> (1591); <code>drftcite</code> (1700); <code>fixbbl</code> (2235); <code>gbt7714</code> (2456); <code>har2nat</code> (2694); <code>harvard</code> (2701); <code>harvard-obsolete</code> (2702); <code>icite</code> (2869); <code>iopart-num</code> (2992); <code>jtb</code> (3098); <code>jtbnew</code> (3099); <code>jurabib</code> (3107); <code>jurarsp</code> (3109); <code>multibbl</code> (4113); <code>multibib</code> (4114); <code>multibibliography</code> (4115); <code>natbib</code> (4179); <code>nmbib</code> (4269); <code>opcit</code> (4394); <code>printbib</code> (4799); <code>showkeys</code> (5479); <code>showlabels</code> (5480); <code>showtags</code> (5481); <code>translation-natbib-fr</code> (6304); <code>xcpdftips</code> (6755);
<code>bibtex-util</code>	45 packages: <code>bib2dvi</code> (578); <code>bib2gls</code> (579); <code>bib2ml</code> (580); <code>bib2xhtml</code> (582); <code>bibbuild</code> (585); <code>bibcard</code> (586); <code>bibclean</code> (588); <code>bibdb</code> (590); <code>bibex</code> (605); <code>bibexport</code> (606);

B Used topics and related packages

	<code>bibextract</code> (607); <code>bibfile-reformat-pages</code> (608); <code>bibfind</code> (610); <code>bibhtml</code> (611); <code>bibindex</code> (612); <code>bible</code> (684); <code>biblist</code> (695); <code>biblook</code> (696); <code>biblos</code> (697); <code>bibsort</code> (700); <code>bibtexmng</code> (707); <code>bibtool</code> (710); <code>bibttools</code> (711); <code>bibutils</code> (715); <code>bibview</code> (716); <code>bibview-x</code> (717); <code>btool</code> (851); <code>crossrefware</code> (1391); <code>ebib</code> (1798); <code>figbib</code> (2191); <code>jabref</code> (3034); <code>javabib</code> (3044); <code>jbibtexmanager</code> (3051); <code>listbib</code> (3467); <code>lookbibtex</code> (3527); <code>mkbib</code> (4007); <code>mrcheckbib</code> (4093); <code>pybib</code> (5032); <code>pybliographer</code> (5033); <code>qbibman</code> (5045); <code>references</code> (5146); <code>synapsen</code> (5780); <code>tkbibtex</code> (6214); <code>xbibfile</code> (6740); <code>xbibtex</code> (6741);
<code>bidi</code>	12 packages: <code>beamer-rl</code> (495); <code>bidi</code> (721); <code>bidi-atbegshi</code> (722); <code>bidihl</code> (724); <code>bidipagegrid</code> (725); <code>bidipresentation</code> (726); <code>bidishadowtext</code> (727); <code>ekdosis</code> (1853); <code>fribidixetex</code> (2397); <code>hvarabic</code> (2818); <code>unibidi-lua</code> (6472); <code>unicode-bidi</code> (6475);
<code>biology</code>	15 packages: <code>biocon</code> (743); <code>biokey</code> (744); <code>biolett-bst</code> (745); <code>biolist</code> (747); <code>bracketkey</code> (828); <code>classif2</code> (1111); <code>development</code> (1591); <code>dichokey</code> (1605); <code>edichokey</code> (1826); <code>fbs</code> (2149); <code>gotoh</code> (2585); <code>humanbio</code> (2811); <code>identkey</code> (2876); <code>nanicolle</code> (4175); <code>zootaxa-bst</code> (6927);
<code>biomedical</code>	2 packages: <code>cpssp</code> (1370); <code>vancouver</code> (6566);
<code>blank-page</code>	3 packages: <code>evenpage</code> (2047); <code>fillpages</code> (2211); <code>notespages</code> (4295);
<code>book-ex</code>	37 packages: <code>dlfltxb</code> (1634); <code>einfuehrung</code> (1848); <code>einfuehrung2</code> (1849); <code>faltblat</code> (2114); <code>firststeps-xampl</code> (2226); <code>koma-script-examples</code> (3173); <code>koma-script-examples-3</code> (3174); <code>koma-script-examples-4</code> (3175); <code>koma-script-examples-5</code> (3176); <code>latex-bib-ex</code> (3264); <code>latex-bib2-ex</code> (3265); <code>latex-referenz</code> (3294); <code>latex-tabellen</code> (3297); <code>lb2-examples</code> (3360); <code>lgc-examples</code> (3409); <code>lgc2-examples</code> (3410); <code>ltt</code> (3583); <code>luaintro</code> (3638); <code>lwc-examples</code> (3695); <code>math-e</code> (3790); <code>math-into-latex-4</code> (3791); <code>mathesatz-examples</code> (3806); <code>mil</code> (3969); <code>mil3</code> (3970); <code>pmdpl</code> (4733); <code>practical-latex</code> (4781); <code>presentations</code> (4790); <code>presentations-en</code> (4791); <code>przechlewski-book</code> (4835); <code>pstricks-examples</code> (4991); <code>pstricks-examples-7</code> (4992); <code>pstricks-examples-en</code> (4993); <code>tabulars-e</code> (5833); <code>tbe</code> (5856); <code>tex-in-practice</code> (5928); <code>tlc2-examples</code> (6236); <code>tlc3-examples</code> (6237);
<code>book-pub</code>	51 packages: <code>add-wes</code> (61); <code>amsbook</code> (164); <code>arabic-book</code> (243); <code>basque-book</code> (474); <code>beaulivre</code> (545); <code>beautybook</code> (546);

B Used topics and related packages

	beautynote (547); bgteubner (573); book (796); bookest (801); cmyk-hax (1176); colorist (1214); context-collating-marks (1277); ctex (1431); easybook (1783); elegantbook (1860); extsizes (2102); flippdf (2264); juramisc (3108); koma-script (3172); langsci (3249); limap (3444); litebook (3479); makecookbook (3737); memoir (3883); mentis (3891); minimalist (3989); mohe-book (4050); mtbe (4103); mwcls (4147); ncccropmark (4193); nostarch (4291); novel (4305); octavo (4362); principia (4798); qyxf-book (5090); scrbook (5349); serbian-book (5415); simplesystemtex (5510); simplivre (5514); sr-vorl (5655); suftesi (5748); tufte-latex (6347); unigrazpub (6482); volumes (6635); whatsnote (6681); willowtreebook (6690); xtufte (6857); yb-book (6879); ycbook (6880); zztex (6939);
book-src	6 packages: apprendre-a-programmer-en-tex (235); impatient (2924); mfbook (3935); texbook (5955); texbuch (5956); texbytopic (5957);
bosnian	1 package: babel-bosnian (375);
botany	1 package: biolist (747);
box-breaking	6 packages: adjustbox (75); boites (789); coloredtheorem (1209); framed (2375); mdframed (3858); tcolorbox (5862);
box-manip	8 packages: adjustbox (75); beamer-varbox (498); hvfloat (2821); joinbox (3078); ncccropbox (4192); pdf-trans (4536); rotate (5222); rotate-textures (5223);
boxing	65 packages: alertmessage (122); ascmac (293); awesomebox (364); bclogo (490); boites (789); boxedminipage (820); boxit (822); boxit-ltx (823); callouts-box (910); codebox (1187); collectbox (1199); coloredtheorem (1209); crbox (1375); creationboites (1378); dashbox (1479); dpcircling (1680); efbox (1835); eqparbox (1977); fancybox (2117); fbox (2148); fitbox (2228); frame (2374); framed (2375); framedsyntax (2376); genmpage (2472); ghab (2514); grabbox (2588); graphicxbox (2611); ktbox (3192); leporello (3386); longfbox (3520); loval (3531); lroundrect (3538); lucide-admonitions (3685); makebox (3733); mdframed (3858); minibox (3978); minipage-marginpar (3992); multibox (4116); nccboxes (4190); outerhbox (4433); oval (4440); ovalfbox (4441); parboxx (4492); pbox (4528); postit (4769); pst-fr3d (4907); pynotebook (5038); realboxes (5125); roundbox (5230); roundrect (5231); setouterhbox (5424);

B Used topics and related packages

	settobox (5428); shadbox (5445); shadebox (5447); sim-os-menus (5497); split (5641); tabbingbox (5805); tcolorbox (5862); termsim (5893); tram (6288); varwidth (6575); verbatimbox (6591); xcoffins (6749); xsavebox (6842);
breton	1 package: babel-breton (376);
bugfix	7 packages: biblatex-true-citepages-omit (680); latex-firstaid (3276); latex-firstaid-dev (3277); mathfixs (3809); medmath (3871); plautopatch (4713); scrhack (5355);
bulgarian	4 packages: babel-bulgarian (377); bghyphen (571); lshort-bulgarian (3544); pst-eucl-translation-bg (4899);
bundle	6 packages: arlatex (259); artex (277); bundledoc (855); frankenbundle (2378); tvs (6362); wrtfile (6732);
burmese	1 package: burmese (856);
bus-study	3 packages: biblatex-bwl (628); trademarks (6285); udesoftec (6417);
calculation	67 packages: apnum (231); basicarith (468); bigintcalc (731); binomexp (741); bnumexpr (784); brclc (835); bxcalc (864); calc (897); calcfrac (899); calctab (900); calculator (902); calendarweek (906); calorie (911); codicefiscaleitaliano (1193); context-account (1268); context-calendar-examples (1273); context-interval-calendar (1291); context-pocketdiary (1298); context-squares (1304); cvss (1455); didec (1609); dow (1675); easing (1778); euro (2033); fibnum (2179); fltpoint (2278); fp (2368); garrigues (2447); glmatrix (2536); intcalc (2970); lcg (3364); linearregression (3448); luacas (3625); luacomplex (3629); luanumint (3655); luarandom (3663); minifp (3980); modulus (4049); numerica (4329); numerica-plus (4330); numerica-tables (4331); papermas (4482); pascaltriangle (4509); pgfmath-xfp (4617); pi (4658); polexpr (4749); poormanlog (4760); pst-calculate (4886); pst-math (4932); randintlist (5103); random (5104); randomwalk (5106); rangen (5109); realcalc (5126); resolsysteme (5177); sines (5517); thepdfnumber (6074); tkz-elements (6222); trig (6317); trigonometry (6318); tuple (6352); xfp (6791); xint (6803); xint-regression (6804); xintsession (6805); xlop (6815); zeckendorf (6908);

B Used topics and related packages

calendar	29 packages: annee-scolaire (192); bbcard (479); bxwareki (882); calendar (904); calendar-barr (905); calxxxx (914); calxxxx-yyyy (915); china2e (1054); chronology (1069); chronos (1070); context-calendar-examples (1273); context-interval-calendar (1291); context-pocketdiary (1298); evweek (2052); kalendarium (3114); kalender (3115); kalender-209 (3116); nemocal (4213); plcalendar (4718); pst-calendar (4887); semesterplanner (5402); semesterplannerlua (5403); termcal (5887); termcal-de (5888); tikz-kalender (6131); tikzcalendarnotes (6159); timeline (6188); wallcalendar (6658); yplan (6896);
callback	22 packages: autopdf (352); checklistings (1012); epspdfconversion (1957); epstopdf-pkg (1960); figput (2197); hybrid-latex (2831); latexalpha2 (3318); nucleardata (4323); pdftricks (4578); pdftricks2 (4579); perltex (4591); pyluatex (5037); pynotebook (5038); python (5039); pythonimmediate (5041); pythontex (5042); rterface (5241); runcode (5258); sagetex (5280); sympycalc (5778); sympytex (5779); texsurgery (6034);
caption	22 packages: bicaption (719); boxhandler (821); capt-of (922); captcont (923); captdef (924); caption (925); caption2 (926); ccaption (964); digicap-pro (1612); fltpage (2277); ftcap (2405); hangcaption (2689); hypcap (2834); ltcaption (3579); mcaption (3850); multicap (4117); sidecap (5488); subcaption (5727); subfig (5732); subfigure (5734); topcapt (6267); zaccone (6903);
card-flash	5 packages: ecards (1806); fc-arith (2151); flacards (2252); flashcard (2255); flashcards (2256);
card-gen	6 packages: bbcard (479); cardgame (930); elzcards (1876); jeuxcartes (3056); phoncard (4642); playcards (4716);
cartography	3 packages: getmap (2497); mercatormap (3897); pst-geo (4913);
catalan	5 packages: babel-catalan (378); cahyph (895); catalan (948); catalanbib (949); fixltxhyph (2242);
catalogue	2 packages: bookdb (800); dvdcoll (1726);
cgi-latex	7 packages: eq2db (1964); eqmlite (1970); figput (2197); latexrender (3346); mathtex (3832); mimetex (3976); techexplorer (5867);

B Used topics and related packages

chemistry	62 packages: achemso (35) ; biblatex-chem (631) ; bohr (787) ; bpchem (824) ; carbohydrates (927) ; chem-journal (1013) ; chemarr (1014) ; chemarrow (1015) ; chembst (1016) ; chemcompounds (1017) ; chemcono (1018) ; chemexec (1019) ; chemfig (1020) ; chemformula (1021) ; chemformula-ru (1022) ; chemgreek (1023) ; chemmacros (1024) ; chemnum (1025) ; chemobabel (1026) ; chempid (1027) ; chemplants (1028) ; chemscheme (1029) ; chemschemex (1030) ; chemstruct (1032) ; chemstyle (1033) ; chemsym (1034) ; chemtex (1035) ; corridx-latex (1350) ; corridx-obsolete (1351) ; dimnum (1615) ; elements (1863) ; endiagram (1900) ; fancylabel (2125) ; ghsystem (2516) ; jcc (3052) ; konwerter (3181) ; lewis (3401) ; mcf2graph (3853) ; mhchem (3952) ; modiagram (4045) ; mohelper (4051) ; mol2chemfig (4052) ; mychemistry (4153) ; nucleardata (4323) ; ochem (4355) ; pfdicons (4599) ; pgf-periodictable (4607) ; plimsoll (4723) ; ppchtex (4774) ; proflabo (4810) ; pst-labo (4924) ; quantum-chemistry-bonn (5065) ; quickreaction (5071) ; rsc (5237) ; streetex (5708) ; substances (5739) ; texshade (6027) ; textopo (6047) ; thermodynamics (6075) ; tikzorbital (6169) ; translation-chemsym-de (6296) ; xymtex (6865) ;
cherokee	2 packages: newcomputermodern (4225) ; ocherokee (4356) ;
chess	1 package: cchess (966) ;
chinese	76 packages: beaulivre (545) ; bhceexam (575) ; biblatex-caspermvector (629) ; biblatex-gb7714-2015 (640) ; bithesis (752) ; bjfuthesis (759) ; buctthesis (853) ; chinese-jfm (1055) ; chinesechess (1056) ; cjk (1099) ; cjk-fonts (1100) ; cjkpunct (1103) ; cqubeamer (1373) ; cquthesis (1374) ; ctex (1431) ; easybook (1783) ; elegantbook (1860) ; elegantnote (1861) ; elegantpaper (1862) ; evangelion-jfm (2045) ; exam-zh (2057) ; fandol (2135) ; fduthesis (2157) ; fixjfm (2239) ; gbt7714 (2456) ; gckanbun (2460) ; hanzibox (2692) ; hduthesis (2709) ; hfutexam (2751) ; hfutthesis (2752) ; hithesis (2772) ; hitreport (2773) ; hitszbeamer (2774) ; hitszthesis (2775) ; hustthesis (2816) ; hustvisual (2817) ; jnuexam (3076) ; kanbun (3118) ; lebhart (3372) ; luatex-cn (3668) ; nanicolle (4175) ; njustthesis (4262) ; njuthesis (4263) ; njuvisual (4264) ; nwafuthesis (4339) ; nxuthesis (4342) ; pgfornament-han (4622) ; pkuthss (4692) ; ptex-fontmaps (4999) ; qyxf-book (5090) ; resumeccls (5181) ; sduthesis (5380) ; shththesis (5483) ; sjtutex (5524) ;

B Used topics and related packages

	sysuthesis (5794); tetragonos (5902); thubeamer (6098); thucoursework (6099); thuthesis (6104); uestctthesis (6420); uptex (6517); upzhkinsoku (6520); xecjk (6763); xpinyin (6834); xtuthesis (6858); yi4latex (6889); zhlineskip (6914); zhlipsum (6915); zhmakeindex (6916); zhmcjk (6917); zhmetrics (6918); zhmetrics-uptex (6919); zhnumber (6920); zhspacing (6921); zitie (6925); zxjafbfont (6936);
chinese-doc	12 packages: asymptote-by-example-zh-cn (311); asymptote-faq-zh-cn (312); asymptote-manual-zh-cn (313); context-notes-zh-cn (1297); ctex-faq (1432); impatient (2924); install-latex-guide-zh-cn (2968); latex-notes-zh-cn (3291); lshort-zh-cn (3569); mathalphabets (3797); texproposal (6024); tlmgr-intro-zh-cn (6240);
chords	10 packages: chordbars (1066); chordbox (1067); gregoriotex (2634); gtrcrd (2655); guitar (2663); guitarchordschemes (2664); guitartabs (2665); leadsheets (3369); songbook (5603); songs (5605);
chunks	2 packages: ltximg (3597); preview (4795);
churchslavonic	2 packages: churchslavonic (1074); fonts-churchslavonic (2325);
cite-foot	2 packages: footbib (2337); inlinebib (2951);
cite-supp	26 packages: authorindex (338); bibentry (591); breakcites (836); cite (1090); citeright (1094); citesidx (1095); classics (1109); collref (1200); doipubmed (1659); emojicite (1886); hypernat (2841); icite (2869); lastbib (3254); lexitex (3404); luabibentry (3623); margbib (3775); mcite (3854); mciteplus (3855); notoccite (4300); overcite (4443); rangecite (5108); splitbib (5642); xcite (6745); xcpdftips (6755); xr (6838); xrefwarn (6840);
class	416 packages: aalok (9); aastex (10); abntex2 (16); abntexto (17); abntexto-uece (18); achemso (35); acmart (39); acmconf (40); acmtrans (42); active-conf (57); add-wes (61); adfathesis (69); afparticle (103); afthesis (107); akktex (114); akletter (115); alatex (117); amnestyreport (159); amsart (163); amsbook (164); amscls (168); amsproc (182); anima (189); aomart (216); apa (217); apa6 (218); apa6e (219); apa7 (220); arabic-book (243); article (278); articleingud (279); asaetr (284); ascelike (288); asmeconf (296);

B Used topics and related packages

asmejour (297); assignment (301); aucklandthesis (326);
bangorcsthesis (451); bangorexam (452);
bankstatement (454); basque-book (474); beamer (492);
beamer-rl (495); beamerswitch (508); beaulivre (545);
beautybook (546); beautynote (547); bewerbung (565);
bfh-ci (568); bgteubner (573); bhcxam (575); bidi (721);
bidipresentation (726); bithesis (752); bjfuthesis (759);
bmstu (781); bmstu-iu8 (782); book (796); bookcover (799);
bookest (801); br-lex (826); brandeis-problemset (833);
brandeis-thesis (834); buctthesis (853);
businesscard-qrcode (859); bxjscls (876);
cesenaexam (987); ciad-beamertheme (1076);
cidarticle (1078); cjs-rcs-article (1104); cjlw (1105);
classes (1107); cnltx (1178); colorist (1214);
computational-complexity (1253); contracard (1318);
cquthesis (1374); cs-techrep (1400); csassignments (1401);
csbulletin (1402); ctex (1431); curve (1445); cv (1453);
cv4tw (1454); cwebhy (1460); dccpaper (1548); decsci (1561);
dfgproposal (1592); dinbrief (1618); disser (1626);
droit-fr (1703); dtk (1711); dtk-1.32 (1712);
dvdcoll (1726); easybook (1783); ebsthesis (1803);
ecnuthesis (1811); ecv (1821); einfart (1847);
ejpecp (1851); elbioimp (1855); elegantbook (1860);
elegantnote (1861); elegantpaper (1862); elpres (1869);
els-cas-templates (1870); elsarticle (1871);
elteiktdk (1872); elteikthesis (1873); emisa (1883);
emulateapj (1894); envlab (1928); erdc (1979); eskd (1992);
eskd (1993); estcpmm (2001); euproposal (2031);
europasscv (2038); europecv (2039); evweek (2052);
exam (2053); exam-lite (2054); examdesign (2059);
exams (2062); examz (2063); exesheet (2074);
extsizes (2102); fac (2104); facsimile (2105);
factura (2106); facture (2107); famt (2116);
fancyhandout (2120); fancyslides (2131); fcavtex (2152);
fduthesis (2157); fei (2159); fhj-script (2176);
fithesis (2230); flacards (2252); flashcard (2255);
foiltex (2299); fribrief (2398); frletter (2400);
g-brief (2435); gaceta (2436); gammas (2441);
gatech-thesis (2449); geomsty (2484); geradwp (2488);
gmdoc (2567); gradstudentresume (2593); grant (2596);
graphpaper (2615); gridslides (2643); gsemthesis (2650);
guitartabs (2665); guitbeamer (2666); gzt (2674);
h2020proposal (2675); hagenberg-thesis (2680);
harnon-cv (2699); hausarbeit-jura (2706); hc (2708);
hduthesis (2709); hebdomon (2713); hecthesse (2716);
hepthesis (2735); heria (2739); hfutthesis (2752);
hitec (2769); hithesis (2772); hitreport (2773);

B Used topics and related packages

hitszthesis (2775); hletter (2780); homework (2790);
hpsdiss (2797); hu-berlin-bundle (2805); huawei (2806);
hustthesis (2816); iagproc (2856); iaria (2858);
iaria-lite (2859); ieeeconf (2882); ieetrans (2884);
ifacmtg (2889); image-gallery (2919); imtekda (2930);
infufrgs (2945); iodhbwm (2990); isodoc (3009);
iwhdp (3029); jastthesis (3043); jhep (3060); jj-game (3063);
jkthesis (3066); jlreq (3069); jmlr (3073); jnuexam (3076);
jourcl (3080); jourrr (3081); jsclasses (3093); jura (3105);
juramisc (3108); jwjjournal (3112); kdgdcs (3127);
kdpcover (3129); koma-script (3172); komacv (3179);
korigamik (3182); kotex-oblivoir (3183);
ksp-thesis (3191); labbook (3224); langsci (3249);
latex-base (3262); latex-base-dev (3263); leaflet (3370);
lebhart (3372); lecturenotes (3373); lectures (3375);
leiletter (3383); leporello (3386); letter (3390);
lettre (3397); lifia-th (3438); limap (3444); limecv (3445);
lion-msc (3462); litebook (3479); litesolution (3482);
llncs (3491); lni (3500); lps (3536); ltx-talk (3584);
ltxdoc (3592); ltxguidex (3596); luatex-cn (3668);
luatexja (3674); maine-thesis (3727); matapli (3786);
mcmthesis (3856); memhfixc (3879); memoir (3883);
mensa-tex (3890); mentis (3891); metanorma (3911);
minimal (3988); minimalist (3989); mitthesis (4004);
mlacsl (4015); mluexercise (4024); mnrsl (4033);
moderncv (4038); modernposter (4040); mohe-book (4050);
msu-thesis (4099); mucproc (4107); muling (4109);
mwcls (4147); mycv (4154); mynsfc (4159); nanicolle (4175);
ncclatex (4197); nddiss (4207); ndsu-thesis (4208);
ndsu-thesis-2022 (4209); neoschool (4214); newlrm (4230);
njurepo (4261); njuthesis (4263); nlctdoc (4268);
nostarch (4291); novel (4305); nstc-proposal (4311);
ntgclass (4315); nwafuthesis (4339); nwejm (4340);
nxuthesis (4342); octavo (4362); omgtudoc-asoiu (4383);
onepgnote (4387); oup-authoring-template (4432);
pagelayout (4463); pats-resume (4517); pdfarticle (4539);
phimisci (4640); photobook (4647); pkuthss (4692);
platex (4710); powerdot (4771); proc (4804); prtec (4833);
q-and-a (5044); quantumarticle (5066); qyxf-book (5090);
rbt-mathnotes (5116); readablecv (5122);
recipebook (5133); refman (5148); report (5169); res (5173);
resphilosophica (5178); resumecls (5181); revtex (5188);
rpg-module (5232); rub-kunstgeschichte (5247);
rwth-ci (5271); ryersonsgstthesis (5272); sapthesis (5292);
schule (5325); schwalbe-chess (5328); scrartcl (5344);
scrbook (5349); screenplay (5352); script (5357);
scrjrnsl (5362); scrllttr2 (5370); scrreprt (5373);

B Used topics and related packages

	sdaps (5378); sduthesis (5380); se2thesis (5381); seu-ml-assign (5431); seuthesis (5432); seuthesix (5433); sexam (5434); sfee (5437); sffms (5438); shtthesis (5483); siggraph (5492); simple-resume-cv (5498); simple-thesis-dissertation (5499); simplecv (5502); simplivre (5514); sjtutex (5524); skdoc (5528); skrapport (5536); slidenotes (5546); slides (5547); slixte (5549); spim-phdthesisthemes (5636); sr-vorl (5655); sshrc-insight (5664); stage (5672); standalone (5674); subfiles (5735); suftesi (5748); sugconf (5749); sysuthesis (5794); tabriz-thesis (5819); talk (5841); tango (5847); tcldoc (5859); technion-thesis-template (5870); texemplar (5972); thesis-ekf (6078); thesis-gwu (6079); thesis-qom (6080); thuthesis (6104); tiet-question-paper (6112); tikz-kalender (6131); tikzposter (6175); tkz-doc (6221); tlc-article (6234); topletter (6270); toptesi (6272); tuda-ci (6345); tudscr (6346); tufte-latex (6347); tugboat (6348); tui (6351); turabian (6353); turabian-formatting (6354); tuzuk (6361); ualberta (6402); uantwerpendocs (6403); uassign (6404); ucalgmthesis (6405); ucsmonograph (6412); udes-genie-these (6416); udesoftec (6417); udiss (6418); ukbill (6430); ulthese (6441); unam-thesis (6451); unbtex (6454); unifith (6480); unigrazpub (6482); univie-ling (6495); unizgklasa (6497); uol-physics-report (6504); uplatex (6511); urcls (6521); uspatent (6541); ut-thesis (6544); utbmciad-report (6545); uwa-pcf (6559); uwa-pif (6560); verifica (6599); viiptart (6618); vita (6627); wallcalendar (6658); whatsnote (6681); willowtreebook (6690); withesis (6703); xduts (6758); xebaposter (6761); xepersian (6770); ximera (6799); xmutthesis (6823); xtufte (6857); yathesis (6876); yazd-thesis (6878); yb-book (6879); ycbook (6880); ydoc (6881); york-thesis (6893);
class-ext	1 package: scrextend (5354);
class-supp	3 packages: classpack (1113); langsci-affiliations (3250); tracklang (6284);
code-layout	2 packages: latex-formatter (3280); latexindent (3336);
collection	47 packages: acrotex (52); bibtools (711); book-examples (797); bookhands (803); bosisio (817); carlisle (931); cite-bundle (1091); dktools (1633); easy (1779); eijkhout (1846); fragments (2372); frankenstein (2379); frankenstein-unsupported (2380); french-translations (2389); fundus (2417);

B Used topics and related packages

	germdoc (2491); jknappen (3065); js-misc (3092); knuth-base (3162); knuth-dist (3163); knuth-hint (3165); knuth-lib (3167); knuth-local (3168); knuth-pdf (3169); latex-graphics (3282); latex-graphics-dev (3283); latex-tools (3300); latex-tools-dev (3301); ltxmisc (3601); mfware (3947); mh (3950); monster (4057); ms (4095); ncctools (4205); oberdiek (4345); piff (4673); platex-tools (4711); pmdb (4732); preprint (4787); psfonts (4852); psnfssx (4865); sauerj (5295); shipunov (5461); sttools (5717); urw (6525); vfware (6613); was (6663);
colour	77 packages: bidicontour (723); biochemistry-colors (742); bussproofs-colorful (861); catppuccinpalette (957); chroma (1068); clrstrip (1133); cmyk-hax (1176); color (1203); color-edits (1204); colorblind (1205); colordvi (1207); coloredbelts (1208); coloredtheorem (1209); colorinfo (1212); coloring (1213); colorprofiles (1215); colors (1216); colorsep (1217); colorspace (1218); colortab (1219); colortbl (1220); colortex (1221); colorwav (1222); colorweb (1223); colourchange (1224); contour (1317); couleurs-fr (1353); creationboites (1378); css-colors (1412); darkmode (1478); domaincoloring (1660); ensps-colorscheme (1916); farbe (2140); framedsyntax (2376); gradient-text (2590); graphics-cfg (2605); gratzer-color-scheme (2618); hycolor (2832); latexcolors (3326); luacolor (3628); mpcolornames (4082); ninecolors (4260); normalcolor (4290); opencolor (4396); pagecolor (4457); palette (4472); pdfcol (4542); pdfcolfoot (4543); pdfcolmk (4544); pdfcolparallel (4545); pdfcolparcolumns (4546); pgf-cmykshadings (4604); pgfplotsthemebeamer (4625); pst-cie (4888); pst-grad (4916); pst-hsb (4918); pst-shell (4955); pst-slpe (4957); pstricks-base (4989); rgb (5193); spotcolor (5645); spotxcolor (5646); svgcolor (5760); tangocolors (5849); tcolorbox (5862); traffic-light-protocol (6286); truecols (6324); udepcolor (6415); uwa-colours (6557); xcolor (6750); xcolor-material (6751); xcolor-solarized (6752); xecolor (6764); xecolour (6765); xespotcolor (6774); xetex-def (6778); xkcdcolors (6808);
comp-mgmt	7 packages: lintex (3461); maybeload (3844); mpostinl (4089); termmenu (5892); texblend (5954); texfot (5976); texlogsieve (6007);
comp-net	8 packages: bitfield (751); bitpattern (753);

B Used topics and related packages

	bytefield (885); lsc (3540); msc (4096); register (5153); sa-tikz (5275); tikzpackages (6170);
comp-sci	14 packages: acmart (39); bitfield (751); bitpattern (753); bytefield (885); colonequals (1201); csassignments (1401); csthm (1414); drawstack (1698); membranecomputing (3876); quantumcubemodel (5067); register (5153); semantic (5399); sim-os-menus (5497); termsim (5893);
comp-supp	6 packages: check-parens (1008); draftfigure (1687); eqnnumwarn (1976); hvextern (2820); light-latex-make (3441); warning (6661);
comp-theory	4 packages: acmart (39); membranecomputing (3876); perfectcut (4590); stmaryrd (5702);
compact-print	3 packages: pfarrei (4598); twoinone (6368); twouppltex (6372);
compilation	40 packages: arara (250); askinclude (294); autolatex (346); cluttex (1135); counttexruns (1357); excludeonly (2067); fail-fast (2111); go-make (2579); graphicscache (2608); imaketex (2921); includernw (2932); jobname-suffix (3077); latex-make (3289); latexmake (3338); latexmk (3339); latexn (3342); light-latex-make (3441); lmacs (3496); logreq (3515); make-latex (3729); memoize (3885); mk (4005); pdftex-quiet (4575); prv (4834); pst-support (4967); ptex2pdf (5003); rake4latex (5098); rerunfilecheck (5172); robust-externalize (5210); runtex (5261); runtexfile (5262); runtexshebang (5263); shlatex (5462); silence (5495); smiletex (5562); spix (5637); tex-it (5930); texblend (5954); texi2dvi-latest (5979); try (6329);
cond-comp	26 packages: codesection (1192); comment (1237); comment-pln (1238); comment-io (1239); conditext (1262); graphicscache (2608); hideanswer (2756); ifallfalse (2890); ifthen (2906); ifthenx (2907); luacensor (3626); makegobbler (3743); memoize (3885); multiaudience (4112); optional (4405); phfcc (4628); renditions (5163); srcredact (5658); switch (5771); tagging (5838); texblend (5954); to-be-determined (6245); version (6603); versions (6604); xcomment (6753); xifthen (6796);
confproc	28 packages: aaai (7); abstbook (22); acm (38); acmconf (40); acmproc (41); active-conf (57); amsproc (182); ascelike (288); asmeconf (296); confproc (1263); dccpaper (1548); deproc (1582); designcon (1585); iagproc (2856); icsv (2873); ieeeconf (2882); ifacmtg (2889); ijcai89 (2914); imac (2918); imspc (2929); iscram (2999); jacow (3035); mucproc (4107); proc (4804);

B Used topics and related packages

	prociagssymp (4806); prtec (4833); spie (5635); usenix (6536);
context	21 packages: context (1267); context-annotation (1271); context-calendar-examples (1273); context-collating-marks (1277); context-handlecsv (1289); context-interval-calendar (1291); context-layout (1292); context-pocketdiary (1298); context-sgf (1301); context-simplefonts (1302); context-simpleslides (1303); context-sudoku (1305); context-taspresent (1306); context-title (1307); context-typearea (1310); context-typescripts (1311); context-urwgaramond (1312); context-urwgothic (1313); context-vim (1314); context-visualcounter (1315); crossrefenum (1388);
context-doc	1 package: context-top-ten (1308);
cooking	13 packages: cooking (1324); cooking-units (1325); cookingsymbols (1326); cookybooky (1327); cuisine (1435); makecookbook (3737); mensa-tex (3890); menucard (3893); recipe (5132); recipebook (5133); recipecard (5134); tikz-cookingsymbols (6122); xcookybooky (6754);
coptic	2 packages: cbcoptic (959); coptic (1338);
counter-mgmt	16 packages: aliascnt (132); assoccnt (302); chngcnt (1063); cntperchap (1182); counterz (1355); dcounter (1551); perpage (4593); removefr (5161); remreset (5162); smartref (5559); sublabel (5737); totalcount (6273); totcount (6274); xassoccnt (6739); xcntperchap (6748); zero (6913);
course-material	6 packages: formation-latex-ul (2354); latex-course (3269); latexcourse-rug (3328); school docs (5324); studies-lm (5720); tex-kurs (5931);
covers	20 packages: badge (438); bookcover (799); cascover (940); cassette (943); cassette-shipunov (944); cassette209 (945); casslbl (946); cdcover (972); cdlabeler (973); fariscovernew (2141); ist21 (3020); kdpcover (3129); mceinleger (3851); megatape (3874); nanicolle (4175); papercdcase (4481); plantslabels (4706); simplecd (5501); tape (5852); texilikecover (5984);
crit-ed	16 packages: commedit (1236); edfnotes (1825); edmac (1828); edmargin (1829); ednotes (1831); ekdosis (1853); eledform (1857); edledmac (1858); edledpar (1859); ledarab (3378); ledmac (3379); ledpar (3380); metre (3924); poemscol (4743); reledmac (5157); reledpar (5158);

B Used topics and related packages

croatian	5 packages: babel-croatian (379); croatian (1382); hrhyph (2800); hrlatex (2801); unizgklasa (6497);
crystallography	1 package: gu (2657);
csv-support	14 packages: context-handlecsv (1289); csvmerge (1417); csvsimple (1418); csvtolatex (1419); csvtools (1420); datatooltk (1487); dbprocess (1546); etextools (2010); invoice-class (2988); latable (3257); loops (3528); lua-regression (3611); pedigree-perl (4583); tokenizer (6259);
ctan	11 packages: ctan-bibdata (1424); ctan-o-mat (1425); ctan-chk (1426); ctanbib (1427); ctanify (1428); ctantools (1429); ctanupload (1430); firefox-ctan-plugins (2222); l3build (3213); pkgcheck (4689); tcobrowser (5861);
cv	37 packages: bewerbung (565); biblatex-cv (635); curriculum-vitae (1441); currvita (1442); curve (1445); cv (1453); cv4tw (1454); cvsty (1456); ecv (1821); esieecv (1987); europasscv (2038); europecv (2039); gradstudentresume (2593); harnon-cv (2699); ibmres-tex (2862); koma-moderncvclassic (3171); komacv (3179); komacv-rg (3180); limecv (3445); moderncv (4038); moderntimeline (4042); mycv (4154); nihbiosketch (4257); pas-cv (4507); pats-resume (4517); readablecv (5122); res (5173); resumecls (5181); resumemac (5182); simple-resume-cv (5498); simplecv (5502); tidyres (6110); translation-ecv-de (6298); translation-europecv-de (6300); tucv (6344); vita (6627); vita209 (6628);
cvt-html	19 packages: bbl2html (482); bibhtml (611); fifinddo-info (2181); gladtex (2533); hyperlatex (2840); l2x (3210); latex2html (3309); ltoh (3582); lwarp (3694); make4ht (3730); notex-bst (4297); pdbf-toolkit (4533); tex-converter (5906); tex2page (5945); tex4ht (5950); texi2html (5980); texi2www (5982); tth (6341); webquiz (6678);
cvt-other	14 packages: l2x (3210); latex2man (3310); latex2nemeth (3311); latex2rtf (3313); ltx2rtf (3586); ltx2x (3587); metanorma (3911); pdbf-toolkit (4533); pphlp (4775); tex2mail (5944); tex2rtf (5946); tex2word (5948); texi2roff (5981); tikztosvg (6180);
cwpuzzle	3 packages: crossword (1393); crosswrd (1394); soup (5611);

B Used topics and related packages

cyrillic	14 packages: ascii-cyrillic (290) ; context-cyrillicnumbers (1279) ; cyrillic209 (1469) ; cyrmemo (1470) ; cyrtug (1471) ; heuristica (2743) ; koi8 (3170) ; latex-cyrillic (3270) ; obnov (4347) ; t2 (5802) ; tex-gyre-adventor (5913) ; tex-gyre-bonum (5914) ; xecyr (6766) ; xecyrmongolian (6767) ;
czech	14 packages: babel-czech (380) ; csfonts (1403) ; csfonts-t1 (1404) ; csindex (1405) ; cslatex (1406) ; cspplain (1408) ; cspsfnts (1409) ; cstypo (1415) ; czhyph (1472) ; encxvlna (1897) ; latex-pro-pragmatiky (3293) ; luavlina (3680) ; tapir (5853) ; xevlina (6787) ;
czech-doc	2 packages: latex-pro-pragmatiky (3293) ; lshort-czech (3545) ;
danish	5 packages: babel-danish (381) ; dk-bib (1631) ; dkhyphen (1632) ; dlfltxb (1634) ; glossaries-danish (2544) ;
data-disp	12 packages: context-inifile (1290) ; csvsimple (1418) ; csvtools (1420) ; datatool (1484) ; datatool-english (1485) ; datatool-regions (1486) ; dbshow (1547) ; diabetes-logbook (1594) ; diadia (1595) ; pst-plot (4948) ; swimgraf (5770) ; tokenizer (6259) ;
data-import	20 packages: adrlist (81) ; csv2latex (1416) ; csvsimple (1418) ; csvtolatex (1419) ; csvtools (1420) ; datatool (1484) ; datatool-english (1485) ; datatool-regions (1486) ; datax (1488) ; dynamicnumber (1770) ; jupynotex (3104) ; maketable (3754) ; mattex (3843) ; pst-plot (4948) ; query-astro (5069) ; tesla (5894) ; texgit (5977) ; tokenizer (6259) ; xl2latex (6813) ; yamlvars (6873) ;
data-manip	14 packages: bitset (755) ; commalists-tools (1234) ; coollist (1330) ; dataref (1483) ; datatool (1484) ; datatool-english (1485) ; datatool-regions (1486) ; db (1542) ; dbprocess (1546) ; jsonparse (3095) ; jsonresume (3096) ; latex2pydata (3312) ; lua-regression (3611) ; readarray (5123) ;
data-prep	5 packages: datatooltk (1487) ; dbshow (1547) ; extractbb (2099) ; lua-regression (3611) ; qms (5053) ;
data-sel	2 packages: dbshow (1547) ; ktv-texdata (3194) ;
date-time	73 packages: advdate (83) ; analogclock (187) ; basque-date (475) ; bxjaholiday (872) ; calcage (898) ; clock (1126) ; cntdwn (1180) ; datenumbr (1490) ; dates (1492) ; dates209 (1493) ; datestamp (1494) ; datetime (1495) ;

B Used topics and related packages

	<code>datetime2</code> (1496); <code>datetime2-bahasai</code> (1497); <code>datetime2-basque</code> (1498); <code>datetime2-breton</code> (1499); <code>datetime2-bulgarian</code> (1500); <code>datetime2-catalan</code> (1501); <code>datetime2-croatian</code> (1502); <code>datetime2-czech</code> (1503); <code>datetime2-danish</code> (1504); <code>datetime2-dutch</code> (1505); <code>datetime2-en-fulltext</code> (1506); <code>datetime2-english</code> (1507); <code>datetime2-esperanto</code> (1508); <code>datetime2-estonian</code> (1509); <code>datetime2-finnish</code> (1510); <code>datetime2-french</code> (1511); <code>datetime2-galician</code> (1512); <code>datetime2-german</code> (1513); <code>datetime2-greek</code> (1514); <code>datetime2-hebrew</code> (1515); <code>datetime2-icelandic</code> (1516); <code>datetime2-irish</code> (1517); <code>datetime2-it-fulltext</code> (1518); <code>datetime2-italian</code> (1519); <code>datetime2-latin</code> (1520); <code>datetime2-lsorbian</code> (1521); <code>datetime2-magyar</code> (1522); <code>datetime2-norsk</code> (1523); <code>datetime2-polish</code> (1524); <code>datetime2-portuges</code> (1525); <code>datetime2-romanian</code> (1526); <code>datetime2-russian</code> (1527); <code>datetime2-samin</code> (1528); <code>datetime2-scottish</code> (1529); <code>datetime2-serbian</code> (1530); <code>datetime2-slovak</code> (1531); <code>datetime2-slovene</code> (1532); <code>datetime2-spanish</code> (1533); <code>datetime2-swedish</code> (1534); <code>datetime2-turkish</code> (1535); <code>datetime2-ukrainian</code> (1536); <code>datetime2-usorbian</code> (1537); <code>datetime2-welsh</code> (1538); <code>dayofweek</code> (1539); <code>daytime</code> (1541); <code>eukdate</code> (2025); <code>filedate</code> (2204); <code>greekdates</code> (2628); <code>isodate</code> (3008); <code>koma-script</code> (3172); <code>scrdate</code> (5350); <code>scrtime</code> (5374); <code>tdclock</code> (5864); <code>texdate</code> (5961); <code>time</code> (6185); <code>time-gen</code> (6186); <code>timeop</code> (6189); <code>uhrzeit</code> (6426); <code>ukdate</code> (6431); <code>weekday</code> (6679); <code>wochtag</code> (6711);
<code>db-access</code>	5 packages: <code>fetchbibpes</code> (2164); <code>latexdb</code> (3329); <code>nlatexdb</code> (4267); <code>ratexdb</code> (5113); <code>sqltex</code> (5651);
<code>debug-supp</code>	40 packages: <code>check</code> (1007); <code>checkcites</code> (1009); <code>chkfloat</code> (1059); <code>chklref</code> (1060); <code>chktex</code> (1061); <code>cmdtrack</code> (1158); <code>expltools</code> (2087); <code>inputtrc</code> (2960); <code>lablst-pkg</code> (3233); <code>listlbls</code> (3473); <code>lua-visual-debug</code> (3619); <code>magicnum</code> (3720); <code>match-parens</code> (3789); <code>mwe</code> (4148); <code>pdfsync</code> (4570); <code>pkgloader</code> (4691); <code>plautopatch</code> (4713); <code>precattl</code> (4783); <code>prettytok</code> (4794); <code>printlen</code> (4800); <code>qstest</code> (5060); <code>refcheck</code> (5141); <code>regcount</code> (5151); <code>regstats</code> (5155); <code>show2e</code> (5471); <code>showdim</code> (5473); <code>showhyphenation</code> (5476); <code>srcltx</code> (5657); <code>synctex-parser</code> (5781); <code>syntonly</code> (5788); <code>ted</code> (5872); <code>testflow</code> (5896); <code>tex2tok</code> (5947); <code>texdef</code> (5962); <code>texlog-extract</code> (6003); <code>texref</code> (6025); <code>texware</code> (6053); <code>unravel</code> (6500); <code>vfware</code> (6613); <code>xprintlen</code> (6835);
<code>decoration</code>	54 packages: <code>annotate-equations</code> (195); <code>background</code> (434); <code>bidicontour</code> (723); <code>bidishadowtext</code> (727); <code>boites</code> (789);

B Used topics and related packages

	bookshelf (806); chalk-annotate (991); codebox (1187); coloredtheorem (1209); colorframed (1211); contour (1317); crbox (1375); decorule (1560); dpcircling (1680); fancypar (2128); fancytabs (2132); frame (2374); framed (2375); froufrou (2402); ghab (2514); gitstatus (2529); gradientframe (2591); hf-tikz (2748); highlightx (2762); longfbox (3520); mdframed (3858); multicolrule (4120); niceframe (4250); notes (4293); parselines (4499); pgfornament (4621); postit (4769); proofread (4822); pst-knot (4923); pst-vectorian (4975); roundbox (5230); sectionbox (5389); sectionbreak (5390); shadbox (5445); shade (5446); shadebox (5447); shadethm (5448); shading (5449); shadow (5450); shadowtext (5451); sneaker (5565); styleitems (5724); swrule (5773); terminalcode (5890); thmbox (6084); to-be-determined (6245); tram (6288); ullrcorners (6437); umrand (6448);
defer-stuff	11 packages: atbegshi (318); atenddvi (319); atveryend (325); auxhook (360); bophook (814); boxhandler (821); eso-pic (1995); everypage (2049); everysel (2050); everyshi (2051); thrmappendix (6095);
demo-code	7 packages: basix (470); bibtex-examples (702); bibtex-test (705); dtxgallery (1716); mathtrip (3837); metapost-examples (3917); samples (5282);
diagram	85 packages: adigraph (73); argumentation (257); atableau (316); bondgraph (793); bondgraphs (794); braids (829); carbohydrates (927); chemarr (1014); chemarrow (1015); chemfig (1020); chempid (1027); chemsym (1034); chemtex (1035); chronos (1070); chronosys (1071); commutative-diagrams (1242); context-gantt (1287); corasdiagram (1343); ddphonism (1553); decision-table (1558); digiconfigs (1613); ditaa (1627); duotenzor (1723); dynkin-diagrams (1773); egpeirce (1840); eolang (1930); expressg (2090); familytree (2115); fast-diagram (2143); fretplot (2395); grafcet (2594); knitting (3157); knittingpattern (3158); lie-hasce (3436); logpap (3514); ltmermaid (3580); memoize-ext (3886); messagepassing (3901); moderntimeline (4042); modidiagram (4045); mohelper (4051); mp-neuralnetwork (4076); mpkiviat (4087); neuralnetwork (4217); nndraw (4270); pgf-soroban (4609); pgfgantt (4613); pgfmolbio (4618); pmdraw (4734); pst-am (4877); pst-dbicons (4894); pst-gantt (4911); pst-optic (4940); pst-pulley (4951); pst-soroban (4960);

B Used topics and related packages

	qworld (5089); rail (5096); recorder-fingering (5135); reotex (5164); rtsched (5246); sankey (5285); schemata (5319); sfg (5439); simplenodes (5506); smartdiagram (5556); string-diagrams (5711); suanpan-l3 (5726); syngen (5782); syntax-mdw (5784); syntax2 (5785); syntaxdi (5786); tikz-ladder (6133); tikz-mirror-lens (6136); tikz-nef (6137); tikz-network (6138); tikz-opm (6140); tikz-relay (6147); tikz-sfc (6148); tikz-trackschematic (6152); tikzorbital (6169); tkz-orm (6230); tqft (6280); xymtex (6865); xypic (6866); zx-calculus (6935);
diagram-block	5 packages: blockdraw-mp (769); blox (773); chempid (1027); kblocks (3125); schemabloc (5318);
diagram-circ	19 packages: circ (1080); circuit-macros (1084); circuitikz (1085); duotenzor (1723); eltex (1874); ladder (3237); lcircuit (3365); makecirc (3735); pst-circ (4889); qcircuit (5046); quantikz (5064); qworld (5089); register-transfer-level (5154); tikz-ladder (6133); tikz-relay (6147); tikz-sfc (6148); tikzdotncross (6161); tikzquads (6176); yquant (6897);
diagram-comm	16 packages: ams-cd (160); amscd (166); amscdx (167); arrow (273); borceux (815); commutative-diagrams (1242); dcpic (1552); diagmac (1597); diagmac2 (1598); diagxy (1601); kuvio (3198); pb-diagram (4521); quiver (5073); taylor (5855); tikz-cd (6121); xymatrix (6864);
diagram-ctrl	1 package: bloques (771);
diagram-flow	12 packages: chemplants (1028); create-struktex (1376); flow (2273); flowchart (2274); kblocks (3125); nassflow (4178); prisma-flow-diagram (4801); sankey (5285); simplenodes (5506); struktex (5716); syntaxdi (5786); tikz-sfc (6148);
diagram-lab	2 packages: context-chromato (1274); pst-optexp (4939);
diagram-maths	6 packages: causets (958); commutative-diagrams (1242); mptrees (4092); pst-venn (4977); venn (6583); venndiagram (6584);
diagram-tmg	5 packages: milestonetimeline (3971); tikz-timing (6151); timechart (6187); timing (6193); timing-diagrams (6194);
dictionary	1 package: lexikon (3403);
dissertation	164 packages: abntex2 (16); abntexto (17); abntexto-uece (18); adfathesis (69); afthesis (107); arsclassica (274); aucklandthesis (326); bangorcsthesis (451); basque-book (474);

B Used topics and related packages

beamer2thesis (500);bfh-ci (568);
biblatex-juradiss (649);bithesis (752);
bjfuthesis (759);brandeis-dissertation (832);
brandeis-thesis (834);buctthesis (853);
classicthesis (1110);cleanthesis (1115);
cqjttuthesis (1372);cquthesis (1374);diss (1626);
dithesis (1628);droit-fr (1703);easybook (1783);
ebsthesis (1803);ecnuthesis (1811);ecothesis (1819);
edmaths (1830);elteiktdk (1872);elteikthesis (1873);
fbithesis (2147);fcavtex (2152);fduthesis (2157);
fei (2159);feupphdtheses (2166);fhj-script (2176);
fibeamer (2178);fithesis (2230);fnspe (2292);
frontespizio (2401);gatech-thesis (2449);
gsemthesis (2650);hagenberg-thesis (2680);
hduthesis (2709);hecthes (2716);hepthesis (2735);
hfutthesis (2752);hithesis (2772);hitszthesis (2775);
hpsdiss (2797);hustthesis (2816);imtekda (2930);
infufrgs (2945);iodhbwm (2990);jasthesis (3043);
jkthesis (3066);jouthesis (3082);jura (3105);
kdgdocs (3127);ksp-thesis (3191);lifia-th (3438);
lion-msc (3462);maine-thesis (3727);mcmthesis (3856);
mitthesis (4004);msu-thesis (4099);mugsthesis (4108);
musuos (4144);muthesis (4145);nddiss (4207);
ndsu-thesis (4208);ndsu-thesis-2022 (4209);
njurepo (4261);njustthesis (4262);njuthesis (4263);
nwafuthesis (4339);nxuthesis (4342);parsa (4498);
pittetd (4681);pitthesis (4682);pkuthss (4692);
psu-thesis (4995);ryersonsgsthesis (5272);
ryethesis (5273);sapthesis (5292);
scientific-thesis-cover (5330);sduthesis (5380);
se2thesis (5381);seuthesis (5432);seuthesix (5433);
shththesis (5483);simple-thesis-dissertation (5499);
sjtutex (5524);sphdthesis (5632);stellenbosch (5692);
stellenbosch-2 (5693);suftesi (5748);suthesis (5755);
sysuthesis (5794);tabriz-thesis (5819);
technion-thesis-template (5870);thesis (6077);
thesis-ekf (6078);thesis-gwu (6079);thesis-qom (6080);
thesis-titlepage-fhac (6081);thuthesis (6104);
toptesi (6272);translation-arsclassica-de (6293);
tuda-ci (6345);tudscr (6346);tui (6351);
turabian-formatting (6354);uaclases (6400);
uafthesis (6401);ualberta (6402);uantwerpendocs (6403);
ucalgmthesis (6405);ucbthesis (6406);
ucdavisthesis (6407);ucsmonograph (6412);
ucthesis (6413);ucthesis209 (6414);
udes-genie-these (6416);udesoftec (6417);udiss (6418);
uestctthesis (6420);ufrgscca (6421);uhthesis (6427);

B Used topics and related packages

	uiucborder (6428); uiucthesis (6429); ulthese (6441); umich-thesis (6444); umthesis (6449); unam-thesis (6451); unamth-template (6452); unamthesis (6453); unbtex (6454); unifith (6480); univie-ling (6495); unizgklasa (6497); unswcover (6501); unswthesis (6502); uothesis (6505); uowthesis (6506); uowthesistitlepage (6507); uscthesis (6533); ut-thesis (6544); utexasthesis (6546); utorontothesis (6553); utthesis (6554); uwthesis (6562); uwthesis209 (6563); vak (6565); vxu (6654); withesis (6703); wsemclassic (6733); xduts (6758); xmthesis (6823); xtuthesis (6858); yathesis (6876); yazd-thesis (6878); york-thesis (6893);
distribution	37 packages: amiweb2c (157); aplatex (229); bakoma (443); bakoma-mac (446); chitex (1057); cmactex (1147); cstex (1413); cyrtug (1471); directtex (1622); djgpp (1630); emtex (1891); fptex (2370); mactex (3713); mactex-basic (3714); mactextras (3715); miktex (3966); miktex-portable (3967); miktex-update (3968); os2tex (4416); oztex (4450); oztex-fonts (4451); oztex-german (4452); pdftex-djgpp (4573); protext (4830); sbtex (5307); tetex (5901); tex-fpc (5910); tex-gpc (5911); texas (5953); texlive (5993); texlive-repo (6000); texlive-source (6001); texrocks (6026); w32tex (6656); web2c (6670); winemtex (6696); yandy (6874);
doc-debug	7 packages: adhocfilelist (72); dickimaw (1606); dprogressbar (1682); ldifff (3367); printlen (4800); vpe (6640); xprintlen (6835);
doc-errata	4 packages: knuth-errata (3164); latex-errata (3274); tlc2-errata (6235); webcomp-errata (6673);
doc-gen	2 packages: texplate (6021); textmerg (6044);
doc-mgmt	37 packages: changelog (994); chapterfolder (1000); clawxiv (1114); cms4talks (1167); dateiliste (1489); doc-pictex (1643); fileinfo (2208); git-latexdiff (2523); gitinfo (2525); gitinfo-lua (2526); gitinfo2 (2527); gitlog (2528); gitver (2530); latexdiff (3331); latexgit (3335); longnamefilelist (3523); ltxdiff (3591); messagebubbles (3900); mversion (4146); myfilist (4155); nicefilelist (4248); phfsvnwatermark (4635); progress (4816); rcs (5118); rcs-multi (5119); rcs-pln (5120); rcsinfo (5121); readprov (5124); statistik (5684); svn (5761); svn-multi (5762); svn-prov (5763); svninfo (5764); texdepend (5963); texdeps (5964); upmethodology (6513); varsfromjobname (6574);

B Used topics and related packages

doc-style	8 packages: <code>deproc</code> (1582); <code>jeep</code> (3053); <code>memo2</code> (3881); <code>memo209</code> (3882); <code>meparticle</code> (3895); <code>milstd</code> (3974); <code>sfarticle</code> (5436); <code>xarticle</code> (6738);
doc-suppl	57 packages: <code>afperpack</code> (104); <code>cnltx</code> (1178); <code>codedescribe</code> (1188); <code>codedoc</code> (1189); <code>colordoc</code> (1206); <code>compsci</code> (1252); <code>cyber</code> (1462); <code>cybercic</code> (1463); <code>democodetools</code> (1580); <code>denisbdoc</code> (1581); <code>doc</code> (1642); <code>docmfp</code> (1648); <code>docshots</code> (1650); <code>docstrip</code> (1651); <code>doctools</code> (1653); <code>dox</code> (1678); <code>dtxdescribe</code> (1715); <code>easydtx</code> (1784); <code>fcltxdoc</code> (2154); <code>fifinddo</code> (2180); <code>gmdoc</code> (2567); <code>gmdoc-enhance</code> (2568); <code>holtxdoc</code> (2789); <code>hypdoc</code> (2836); <code>ideavault</code> (2875); <code>keystroke</code> (3140); <code>l3docstrip</code> (3214); <code>latexinfo</code> (3337); <code>ltxdoc</code> (3592); <code>ltxdockit</code> (3593); <code>makedoc</code> (3738); <code>manpage</code> (3765); <code>manual209</code> (3767); <code>menu</code> (3892); <code>menucard</code> (3893); <code>menukeys</code> (3894); <code>metainfo</code> (3908); <code>nlctdoc</code> (4268); <code>packdoc</code> (4454); <code>pauldoc</code> (4518); <code>pitex</code> (4679); <code>pydocstrip</code> (5034); <code>rgltxdoc</code> (5194); <code>sfwmac</code> (5442); <code>skdoc</code> (5528); <code>slidenotes</code> (5546); <code>tclldoc</code> (5859); <code>texinfo</code> (5986); <code>texinfo-hu</code> (5987); <code>texinfo-latest</code> (5988); <code>texttoolspro</code> (6046); <code>ticollege</code> (6108); <code>tkz-doc</code> (6221); <code>tkzexample</code> (6232); <code>useclass</code> (6535); <code>xdoc</code> (6756); <code>ydoc</code> (6881);
doc-templ	87 packages: <code>beamertheme-cleaneasy</code> (511); <code>beautybook</code> (546); <code>beautynote</code> (547); <code>bfh-ci</code> (568); <code>bithesis</code> (752); <code>bjfuthesis</code> (759); <code>bmstu-iau8</code> (782); <code>buctthesis</code> (853); <code>cjs-rcs-article</code> (1104); <code>cqubeamer</code> (1373); <code>cs-techrep</code> (1400); <code>diabetes-logbook</code> (1594); <code>dlrg-templates</code> (1635); <code>easybook</code> (1783); <code>edmaths</code> (1830); <code>elegantbook</code> (1860); <code>elegantnote</code> (1861); <code>elegantpaper</code> (1862); <code>els-cas-templates</code> (1870); <code>europecv</code> (2039); <code>exam-lite</code> (2054); <code>exercisebank</code> (2069); <code>fduthesis</code> (2157); <code>fei</code> (2159); <code>geradwp</code> (2488); <code>gi-handout</code> (2517); <code>handin</code> (2684); <code>hduthesis</code> (2709); <code>hebdomon</code> (2713); <code>hfutthesis</code> (2752); <code>hindawi-latex-template</code> (2764); <code>hitreport</code> (2773); <code>iaria</code> (2858); <code>iaria-lite</code> (2859); <code>infufrgs</code> (2945); <code>jourcl</code> (3080); <code>jourrr</code> (3081); <code>jyu-chem-thesis</code> (3113); <code>kdpcover</code> (3129); <code>korigamik</code> (3182); <code>litebook</code> (3479); <code>litesolution</code> (3482); <code>litetable</code> (3483); <code>lni</code> (3500); <code>mitthesis</code> (4004); <code>mnras</code> (4033); <code>moderncv</code> (4038); <code>mohe-book</code> (4050); <code>msu-thesis</code> (4099); <code>mynsfc</code> (4159); <code>notebeamer</code> (4292); <code>nwafuthesis</code> (4339); <code>nxtlatex</code> (4341); <code>nxuthesis</code> (4342); <code>oststud</code> (4421); <code>oup-authoring-template</code> (4432); <code>pats-resume</code> (4517); <code>phimisci</code> (4640); <code>prtec</code> (4833); <code>retosmaticos</code> (5183); <code>rub-kunstgeschichte</code> (5247);

B Used topics and related packages

	rwth-ci (5271); se2thesis (5381); seu-ml-assign (5431); sfee (5437); spim-phdthesis themes (5636); sr-vorl (5655); sugconf (5749); sysuthesis (5794); technics (5869); templates-fenn (5876); templates-sommer (5877); templatetools (5878); texplate (6021); thucoursework (6099); thuthesis (6104); tuda-ci (6345); ualberta (6402); ucalgmthesis (6405); ukbill (6430); unamth-template (6452); unbtex (6454); unigrazpub (6482); user-persona (6537); utbmciad-report (6545); yb-book (6879); zbmth-review-template (6906);
doc-tool	10 packages: changes (996); currfile (1440); filemod (2209); fink (2215); fourproject (2365); inputfile (2958); mversion (4146); proof (4820); tutodoc (6360); unixman (6496);
docu-pkg	6 packages: amscls-doc (169); amsmath-it (176); asy-overview (308); forest-quickstart (2349); ntsfaq (4321); wrapstuff-doc-en (6729);
documentation	38 packages: aferpack (104); amiweb2c-guide (158); apprendre-a-programmer-en-tex (235); ascii-chart (289); asy-overview (308); bookform (802); chroma (1068); components (1250); dvips-shell (1755); fifinddo-info (2181); htmlhelp (2804); l2tabu-english (3206); latex2e-help-texinfo (3306); latex2e-help-texinfo-fr (3307); latex4wp (3316); lshort-english (3547); maad (3706); mathalphabets (3797); mendex-doc (3889); pictexsum (4667); portable-miktex (4762); pstdoc (4982); pstricks-calcnates (4990); rgb (5193); short-math-guide (5464); tex-math (5935); tex-nutshell (5936); tex-overview (5937); tex-references (5939); tex-virtual-academy-pl (5940); texfaq (5973); tlmgrbasics (6241); translation-biblatex-de (6294); translation-dcolumn-fr (6297); typstfun (6397); voss-mathmode (6637); wrapstuff-doc-en (6729); xetexref (6786);
drama-script	14 packages: drama (1691); dramatist (1692); musical (4134); plari (4708); play (4714); scmac (5338); screenplay (5352); screenplay-pkg (5353); scripttex (5360); sides (5491); stage (5672); thalie (6065); theatre (6070); ucph-revy (6410);
dummy-gen	25 packages: antanilipsum (205); blindtext (764); bredzenie (838); bxjalipsum (873); duckuments (1720); econlipsum (1815); fistrum (2227); hulipsum (2810);

B Used topics and related packages

	ipsum (2996); kantlipsum (3119); kurdishlipsum (3196); lipsum (3464); pangram (4478); plipsum (4724); ptext (5004); quran (5082); quran-bn (5083); quran-de (5084); quran-en (5085); quran-es (5086); quran-id (5087); quran-ur (5088); skeldoc (5529); testidx (5899); zhlipsum (6915);
dutch	4 packages: babel-dutch (382); etsvthor (2020); nehyph (4212); regulatory (5156);
dutch-doc	2 packages: lkort (3488); lshort-dutch (3546);
dvi-bit	2 packages: dvi2bitmap (1731); dvipng (1752);
dvi-pdf	2 packages: dvipdfm (1749); dvipdfmx (1750);
dvi-prev	12 packages: dvgt (1728); dvgtk (1729); dvibit (1736); dviout (1747); dvisun (1761); dviwin (1769); javadvi (3046); mdvi (3861); textool (6045); tkdvi (6215); tmview (6244); windvi (6693);
dvi-print	13 packages: dvi2ln3 (1732); dvi2xx (1734); dvi1jk (1745); dviout (1747); dvips (1753); dvips-os2 (1754); dvipsconfig (1757); dvipsk (1758); dvitoln03 (1764); dvitops (1765); javadvi (3046); ln03dvi (3499); xdvipsk-support (6760);
dvi-proc	18 packages: beebe-dvi (548); bxdvidriver (868); catdvi (954); dvi-economic (1730); dvi2tty (1733); dvibook (1737); dvichk (1738); dviconcat (1739); dvicopy (1740); dvidvi (1741); dvii (1742); dviincl (1743); dvimerge (1746); dvipaste (1748); dvisirule (1759); dvisvgm (1762); dvisvgm-def (1763); ivd2dvi (3028);
dvi-struc	4 packages: dtl (1714); dviasm (1735); dviinfox (1744); dvitype (1767);
dvi-text	3 packages: dvitty (1766); txt (6378); vutex (6651);
dvips-special	4 packages: kuvio (3198); orientation (4413); pst-shell (4955); pstricks-base (4989);
ebook	2 packages: ebook (1801); tex4ebook (5949);
editor	17 packages: alpha (142); equationauthor (1978); et (2003); javascript-texed (3047); latable (3257); latexwide (3348); latexwizard (3349); led (3377); mathspad (3827); mathtype (3838); microimp (3958); mpedit (4084); redit (5140); scientificauthor (5331); tcltexed (5860); visualtex (6624); wintex2000 (6700);

B Used topics and related packages

editor-extn	22 packages: auctex (327); autoview (359); brief-t (842); digestif (1611); ebib (1798); filehdr (2206); iso-tex (3005); ite (3024); jlm (3068); latex4jed (3314); meta-mode (3902); mewltx (3927); nedit-latex-extensions (4210); npp-for-context (4309); pmcstex (4731); preview-latex (4796); swiftex (5769); texlab (5989); texlipse (5991); u8tex (6399); ultratex (6442); win32-emacs-auctex (6691);
editorial	53 packages: annotation-pkg (197); backgrnd (433); changebar (992); changes (996); chbar (1004); chgbar (1045); clawxiv (1114); color-edits (1204); commedit (1236); comment (1237); comment-pln (1238); context-fixme (1283); coop-writing (1334); corrects (1349); draft (1685); draftcopy (1686); draftfigure (1687); drafthead (1688); draftmark (1689); draftwatermark (1690); easy-todo (1780); easyreview (1792); ed (1823); editbar (1827); errata (1982); extract (2098); ezedit (2103); fixme (2244); fixmetodonotes (2245); luacensor (3626); luatodonotes (3678); marnote (3784); minorrevision (3995); nameauth (4168); newcomputermodern (4225); optional (4405); pdfreview (4567); phfcc (4628); prelim (4784); prelim2e (4785); proofread (4822); skeldoc (5529); snaptodo (5564); texdiff (5965); to-be-determined (6245); todo (6255); todonotes (6256); tram (6288); unfinished (6466); vertbars (6606); vrsion (6645); xexchangebar (6762); zebra (6907);
editorial-consistency	2 packages: concepts (1255); nameauth (4168);
electronic	10 packages: circuit-macros (1084); circuitikz (1085); emf (1882); loggates (3506); logic (3507); pinoutikz (4678); register-transfer-level (5154); tikz-timing (6151); tikzdotncross (6161); tikzquads (6176);
emphasis	2 packages: ulem (6436); ullrcorners (6437);
emulation	2 packages: avremu (361); clicks (1122);
enc-juggle	10 packages: context-transliterator (1309); convert (1322); inputenc (2956); koi8 (3170); kotex-plain (3184); rawprint (5115); sanitize-umlaut (5284); stringenc (5712); uspace (6540); utf2any (6547);
endnote	9 packages: endheads (1899); endnote (1901); endnotes (1903); endnotes-hy (1904); endnotesj (1905); enotez (1913); fn2end (2282); pagenote (4466); postnotes (4770);

B Used topics and related packages

engine	30 packages: aleph (121); ant (203); atari-cstex (317); enctex (1896); etex (2007); hitex (2770); hitex-def (2771); javatex (3049); knuth-dist (3163); lametex (3243); lout (3530); luatex (3667); mltex (4022); nts (4319); omega (4382); oriental (4412); parsitex (4502); pdftex (4571); pdftex-oztex (4574); ptex (4997); tex (5904); tex-xet (5905); tex-extensions (5908); tex-fpc (5910); tex-gpc (5911); undump (6465); uptex (6517); vtex-free (6650); xet-tex (6775); xetex (6777);
engineering	31 packages: acmart (39); askmaps (295); asmeconf (296); asmejour (297); aspen (300); bitfield (751); bitpattern (753); bodegraph (785); bodeplot (786); bytefield (885); cartonaugh (935); dnsrecord (1639); engtlc (1910); karnaugh (3120); karnaugh-map (3121); karnaughmap (3122); kvmmap (3200); mattens (3842); mitthesis (4004); pfdicons (4599); prtec (4833); pst-sigsys (4956); pst-stru (4966); register (5153); rigidnotation (5197); stanli (5676); steinmetz (5691); tikz-karnaugh (6132); tikz-ladder (6133); tikz-relay (6147); tikz-sfc (6148);
english	4 packages: babel-english (383); copyedit (1339); numspell (4337); ukhyph (6432);
env-query	12 packages: ifdraft (2891); ifetex (2892); iflang (2895); ifluatex (2896); ifpdf (2901); ifplatform (2902); ifptex (2903); iftex (2905); ifvtex (2908); ifxetex (2909); ifxptex (2910); tex-locale (5933);
epigram	3 packages: epigram (1936); epigraph (1937); epigraph-keys (1938);
error-supp	2 packages: fileerr (2205); morehelp (4065);
esperanto	3 packages: babel-esperanto (384); esperant (1996); espo (1997);
essay	8 packages: assignment (301); coursepaper (1363); dlrg-templates (1635); essaykit (1999); hausarbeit-jura (2706); homework (2790); uantwerpendocs (6403); uhhassignment (6425);
estonian	4 packages: babel-estonian (385); eehyph (1832); glossaries-estonian (2547); lshort-estonian (3548);
etex	17 packages: biblatex-ms (657); bxcalc (864); chemfig (1020); csquotes (1410); etoc (2015); etoolbox (2016); etoolbox-generic (2018); glosmathtools (2539); hyperref (2842); mathfam256 (3808); polexpr (4749);

B Used topics and related packages

	scrbase (5348); texapi (5952); texdimens (5966); visualtoks (6626); xskak (6845); yax (6877);
exam	63 packages: acroweb (55); alterqcm (149); anufinalexam (212); bangorexam (452); bhceexam (575); cesenaexam (987); cloze (1129); competences (1247); ecards (1806); eq-fetchbbl (1961); eq-pin2corr (1962); eq-save (1963); eq2db (1964); eqexam (1966); esami (1984); exam (2053); exam-lite (2054); exam-n (2055); exam-randomizechoices (2056); exam-zh (2057); exam209 (2058); examdesign (2059); exams (2062); examz (2063); exercisebank (2069); exercisesheets (2072); exerquiz (2073); exesheet (2074); exframe (2075); exsheets (2092); hfutexam (2751); hideanswer (2756); jnuexam (3076); kfupm-math-exam (3145); kkran (3152); knst (3161); mathexam (3807); mcexam (3852); mi-solns (3956); moodle (4060); multiple-choice (4130); ou-tma (4430); qcm (5047); quiz2socrative (5074); quizztex (5075); randexam (5102); rouequestions (5229); schooldocs (5324); sdaps (5378); sexam (5434); skills (5534); srdp-mathematik (5659); thorshammer (6087); tiet-question-paper (6112); tikzquests (6177); turnthepage (6359); uantwerpendocs (6403); verifica (6599); verifiche (6600); vxu (6654); webquiz (6678); worksheet (6722); xsim (6843);
exec-foreign	5 packages: basix (470); iexec (2888); lisp-on-tex (3465); lt3luabridge (3574); runcode (5258);
exercise	36 packages: ans (201); answers (202); arbeit (251); aro-bend (262); around-the-bend (264); brandeis-problemset (833); chemexec (1019); enumext (1918); eq-pin2corr (1962); eq-save (1963); exercise (2068); exercisebank (2069); exercisepoints (2070); exercises (2071); exercisesheets (2072); exerquiz (2073); exesheet (2074); exframe (2075); exsheets (2092); exsol (2093); fillwith (2212); mafr (3717); mi-solns (3956); mluexercise (4024); multinotes (4128); pbsheet (4529); probsoln (4803); profmaquette (4812); rouequestions (5229); schooldocs (5324); seu-ml-assign (5431); uebungsblatt (6419); verifica (6599); verifiche (6600); worksheet (6722); xsim (6843);
experimental	1 package: tamefloats (5843);
ext-code	9 packages: bashful (466); bibcop (589); context-filter (1282); context-vim (1314);

B Used topics and related packages

	download (1677); graphicscache (2608); hvextern (2820); jupynotex (3104); memoize (3885);
ext-svc	1 package: obas (4344);
fac-survey	4 packages: free-math-font-survey (2383); free-math-font-survey-vn (2384); latex4wp (3316); latex4wp-it (3317);
fake-glyph	1 package: combelow (1225);
faq	14 packages: comp-fonts-faq (1243); ctex-faq (1432); detexfaq (1587); faq-de (2136); faq-es (2137); faq-fr (2138); faq-fr-gutenberg (2139); l2picfaq (3204); old-faq-en (4373); scriptfonts (5359); teencontrex (5873); texfaq (5973); visualfaq (6621); visualfaq-fr (6622);
file-card	6 packages: bizcard (758); buscard (857); businesscard-qrcode (859); card (928); card-set (929); scorecard (5340);
file-control	2 packages: import (2926); modular (4048);
file-mgmt	20 packages: dtxgen (1717); filecontents (2202); filecontentsdef (2203); filedate (2204); fileerr (2205); flatex (2258); flatten (2259); getfiledate (2495); grffile (2636); latexfileversion (3334); latexexpand (3343); ltxfileinfo (3594); ltxinput (3599); scontents (5339); snapshot (5563); stampinclude (5673); texdirflatten (5967); translation-filecontents-de (6301); typeoutfileinfo (6389); zwgetfdate (6933);
finnish	3 packages: babel-finnish (386); fihyph (2201); finplain (2217);
finnish-doc	3 packages: kaytannollista-latexia (3124); lshort-finnish (3549); texmalli (6009);
fit-to-size	3 packages: paramcalc (4490); textfit (6041); varwidth (6575);
float	42 packages: boxhandler (821); caption (925); ctable (1422); dblfloatfix (1543); dpfloat (1681); easyfig (1786); easyfloats (1787); endfloat (1898); fewerfloatpages (2167); figplace (2196); float (2265); floatbytocbasic (2266); floatpag (2270); floatrow (2271); floatrowbytocbasic (2272); fltpage (2277); graphfig (2602); hep-float (2723); here (2737); hvfloat (2821); keyfloat (3136); koma-script (3172); morefloats (4064); nccfloats (4195); newfloat (4228); newinsert (4229); nidanfloat (4255); nonfloat (4285);

B Used topics and related packages

phffullpagefigure (4630); photo (4646); placeins (4697);
placeins-plain (4698); rotating (5224); rotfloat (5226);
shdoc (5458); side (5487); stfloats (5697);
subfigmat (5733); tamefloats (5843); topfloat (6268);
trivfloat (6320); zaccone (6903);

font

616 packages: academicons (27); accanthis (28); adforn (70);
adfsymbols (71); ae (85); aecc (95); aeguill (96);
aesupp (98); aifont (111); alegreya (120);
alfaslabone (123); algolrevived (126); allrunes (136);
almendra (139); almfixed (140); amiri (156); amsfonts (170);
andika (188); anonymouspro (200); antp (209); antt (210);
antttvf (211); apl (228); aplweb (230); ar (239); arabi (240);
arabtex (246); aramaic (248); aramaic-serto (249);
archivo (254); arev (256); arimo (258); armtex (260);
arphic (265); arphic-ttf (266); arsenal (275);
arsenal-math (276); arvo (281); asana-math (285);
ascii-font (291); aspectratio (298); astro (305);
atkinson (321); augie (328); auncial (329);
auncial-new (330); aurical (331); awami (362);
baekmuk (439); bakoma-fonts (444); bangla (450); bard (458);
bartel-chess-fonts (464); bashkirian (467);
baskervaldadf (471); baskervaldx (472);
baskervillef (473); bbding (480); bbm (483); bbold (485);
bbold-type1 (486); bboldx (487); belleek (554);
bengali-omega (556); bera (558); berenisadf (559);
bgreek (572); bguq (574); biolinum-type1 (746);
bitter (757); blackletter (761); blacklettert1 (762);
boisik (788); bonum-otf (795); bookhands (803);
boondox (812); brushscr (845); byzfonts (887); cabin (891);
caladea (896); calligra (907); calligra-type1 (908);
cantarell (919); capbas (920); carlito (932);
carolmin (933); carolmin-t1 (934); cascadia-code (937);
casyl (947); cbcoptic (959); cbgreek-complete (962);
cc-pl (963); ccicons (967); charissil (1002);
charter (1003); cheq (1036); cherokee (1037); chess (1038);
china2e (1054); chivo (1058); cid (1077); cinzel (1079);
circ (1080); circularglyphs (1086); cirth (1087);
cjhebrew (1098); cjk-fonts (1100); clara (1106);
classico (1108); clearsans (1116); cm (1136); cm-gf (1138);
cm-lgc (1139); cm-mf (1140); cm-mf-extra-bold (1141);
cm-mf-opt-kern (1142); cm-super (1144); cm-unicode (1146);
cmastro (1150); cmbright (1152); cmcyr (1153);
cmcyr-patch (1154); cmcyralt-fonts (1155); cmfrak (1160);
cmll (1161); cmoeFont (1162); cmolddig (1163);
cmoutlines (1164); cmpica (1165); cmslup (1169);
cmsrb (1170); cmtiup (1172); cochineal (1183);

B Used topics and related packages

coelacanth (1194); comfortaa (1229); comicneue (1230);
committee-font (1240); concmath-fonts (1257);
concmath-otf (1258); concrete (1260);
cookingsymbols (1326); cooperhewitt (1335);
cormorantgaramond (1347); countriesofeurope (1356);
courier (1359); courierten (1361); crimson (1380);
crimsonpro (1381); croatian (1382); cryst (1399);
csfonts (1403); csfonts-t1 (1404); csx (1421);
culmus (1436); cun (1437); cuprum (1438); cyklop (1464);
cypriot (1465); cypriote (1466); cyrillic-modern (1468);
dancers (1475); dantelogo (1477); dayroman (1540);
dejavu (1570); dice (1604); dictsym (1607); dingbat (1620);
dmfonts (1636); domitian (1661); dos-dc (1662);
doublestroke (1673); doulossil (1674); dozenal (1679);
drm (1701); droid (1702); ds serif (1710); durer (1721);
dutchcal (1725); ebgaramond (1796);
ebgaramond-maths (1797); ec (1804); ecc (1807); eco (1812);
eczar (1822); ega2mf (1837); egothic (1839); eiad (1843);
electrumadf (1856); elvish (1875); engwar (1911);
epigrafica (1935); epiolmec (1939); erewhon (1980);
erewhon-math (1981); esint (1989); esint-type1 (1990);
esrelation (1998); esstix (2000); esvect (2002);
etbb (2005); ethiop-t1 (2012); ethtex (2013);
etruscan (2019); euler-math (2028); eulervm (2030);
euro-ce (2034); eurosym (2042); fandol (2135); fbb (2146);
fc (2150); fdsymbol (2156); fetamont (2163); feyn (2168);
fge (2174); fira (2219); firamath (2220); foekfont (2297);
fonetika (2301); fontawesome (2305); fontawesome5 (2306);
fontawesome6 (2307); fontawesome7 (2308);
fontmfizz (2321); fonts-churchslavonic (2325);
fonts-tlwg (2326); forum (2360); fourier (2363);
fouriernc (2364); fpl (2369); frcursive (2381);
frederika2016 (2382); frimurer (2399);
fundus-startrek (2423); futhark (2428); futhorc (2430);
garamond-libre (2444); garamond-math (2445);
garamondx (2446); gelasio (2461); gelasiomath (2462);
gen (2464); genealogy (2467); gentium-original (2475);
gentium-sil (2477); gentium-tug (2478); georgian (2486);
georgian-stanier (2487); gfs (2503); gfsartemis (2504);
gfsbaskerville (2505); gfsbodoni (2506);
gfscomplutum (2507); gfsdidot (2508);
gfsdidotclassic (2509); gfsneohellenic (2510);
gfsneohellenicmath (2511); gfsponson (2512);
gfssolomos (2513); gillius (2519); glonti (2538);
gnu-freefont (2575); go (2578); goblin (2581);
gofonts (2582); gothic (2584); gray (2619);
greek4cbc (2625); greek6cbc (2626); greektex (2630);

B Used topics and related packages

greenpoint (2633); gudea (2659); gurmukhi-singh (2669);
hacm (2679); halftone (2681); hands (2687);
haranoaji (2695); haranoaji-extra (2696); hebtex (2715);
helmholtz-ellis-ji-notation (2718); hep-font (2724);
hep-math-font (2728); heros-otf (2740); hershey (2741);
heuristica (2743); hfbright (2749); hfoldsty (2750);
hge (2753); hieroglf (2758); hieroglyph (2759);
hindmadurai (2765); hittype (2776); hlatex-fonts (2779);
hmtrump (2782); humanist (2812); huncial (2814);
hvmath-fonts (2825); hwkatakana (2829); ibarra (2860);
ibygrk (2865); ifsym (2904); igo (2911);
imfellenglish (2922); imfellflowers (2923);
inconsolata (2934); inconsolata-nerd-font (2935);
indic-type1 (2941); induni-om (2942); initials (2948);
inriafonts (2961); inslrmaj (2966); inslrmin (2967);
inter (2971); ipaex (2994); ipaex-type1 (2995);
iwona (3030); izhitsa (3032); jablantile (3033);
josefin (3079); junicode (3102); junicodervf (3103);
karta (3123); kdgreek (3128); kelly-greek-font (3131);
kerkis (3132); khatalmaqala (3146); kixfont (3150);
klinz (3154); knitting (3157); knot (3159); kpfonts (3188);
kpfonts-otf (3189); kurier (3197); la (3222);
latex-fonts (3278); lato (3355); lettergothic (3393);
levy-font (3399); lexend (3402); lfb (3407); lh (3416);
libertine (3419); libertine-legacy (3420);
libertine-type1 (3421); libertinegc (3422);
libertineotf (3423); libertinus-fonts (3425);
libertinus-type1 (3427); librebaskerville (3431);
librebodoni (3432); librecaslon (3433);
librefranklin (3434); libris (3435); lilyglyphs (3443);
lineara (3446); linearb (3447); linguisticspro (3456);
literaturnaya (3481); lm (3494); lm-math (3495);
lobster2 (3501); logix (3512); luciole (3687);
luximono (3693); lxfonts (3696); lxgw-fonts (3697);
lydtype (3700); magic (3719); magra (3723);
malayalam-latex (3756); malayalam-obsolete (3757);
malvern (3760); manual (3766); marcellus (3774);
marvosym (3785); mathabx (3793); mathabx-type1 (3794);
mathdesign (3803); mathpazo (3817); mathptmx (3820);
mbboard (3847); merriweather (3899); metsymb (3926);
mfb-oldstyle (3934); mflogo-font (3940); miama (3957);
minion2newtx (3990); mintspirit (3998); mlmodern (4021);
mnsymbol (4035); monospace-otf (4054); montex (4058);
montserrat (4059); moonphase (4061); morse (4072);
mpfonts (4085); msx2msa (4100); msym (4101);
musixtex-fonts (4141); musixtex-t1fonts (4142);
mxdedruli (4152); nabatean (4164); nahuatl (4166);

B Used topics and related packages

nanumtype1 (4176); newcomputermodern (4225);
newpx (4233); newtx (4237); newtxsf (4238); newtxtt (4239);
niceframe (4250); niceframe-type1 (4251);
nimbus15 (4258); nkarta (4265); noto (4298);
noto-emoji (4299); notocondensed (4302); notomath (4303);
nunito (4338); oands (4343); obnov (4347); oca (4349);
ocr-a (4357); ocr-b (4358); ocr-b-outline (4359);
oesch (4365); ogham (4368); okuda (4371); oldlatin (4375);
oldprsn (4376); oldstandard (4377); oldstandardt1 (4378);
opensans (4398); oriya (4414); oswald (4422);
othello (4428); overlock (4445); oztex-fonts (4451);
pacioli (4453); pagella-otf (4464); palladam (4473);
pandora (4475); pandora-type1 (4477); paratype (4491);
parisa (4495); parsimatn (4500); parsinevis (4501);
pennstander-otf (4587); pgothic (4626); phaistos (4627);
phoenician (4641); phonetic (4644); pigpen (4676);
pl-mf (4695); play-font (4715); playfair (4717);
plex (4719); plfonts (4721); plimsoll (4723);
plpsfont (4726); poiretone (4748); poltawski (4752);
protosem (4832); psgreeks (4859); ptmsc (5007);
ptsans (5010); ptserif (5011); punk (5012); punknova (5014);
pxfonts (5022); pxtxalfa (5030); qfonts (5051);
qualitytype (5063); quattrocen (5068); raleway (5099);
ransom (5111); recycle (5137); redis (5139);
rit-fonts (5198); roboto (5209); rojud (5213);
romandeadf (5216); rosario (5221); rotunda (5228);
rsfs (5238); rune (5259); runic (5260); ruscap (5264);
rustic (5267); sanskrit (5287); sanskrit-t1 (5288);
sansmathaccent (5290); sansmathfonts (5291);
sarabian (5293); sauter (5296); schola-otf (5322);
scholax (5323); schulschriften (5327); schwell (5329);
script-font (5358); scyrillic (5377); semaphor (5401);
shavian (5457); shobhika (5463); simpleicons (5503);
simpsons (5515); skak (5525); skaknew (5526); skull (5537);
sourcecodepro (5613); sourcesans (5614);
sourceserif (5615); southarabian (5616); spectral (5627);
splentinex (5638); sqrcaps (5652); srbttks (5656);
srune (5661); starfont (5677); staves (5687); step (5694);
stepgreek (5695); stickstoo (5698); stix (5699);
stix2-otf (5700); stix2-type1 (5701); stmaryrd (5702);
sueterlin (5746); svrsymbols (5765); syriac (5791);
t1-fraktur (5796); talos (5842); tamil-omega (5845);
tapir (5853); telugu (5875); tempora (5879); tengwar (5882);
termes-otf (5889); tex-gyre (5912);
tex-gyre-adventor (5913); tex-gyre-bonum (5914);
tex-gyre-chorus (5915); tex-gyre-cursor (5916);
tex-gyre-heros (5917); tex-gyre-math (5918);

B Used topics and related packages

tex-gyre-math-bonum (5919);
tex-gyre-math-dejavu (5920);
tex-gyre-math-pagella (5921);
tex-gyre-math-schola (5922);
tex-gyre-math-termes (5923); tex-gyre-pagella (5924);
tex-gyre-schola (5925); tex-gyre-termes (5926);
tfrupree (6056); tgothic (6057); thai-rmit (6060);
thai-usl (6061); theanodidot (6066); theanomodern (6067);
theanooldstyle (6068); timing (6193); tinos (6195);
tipa (6197); tmmath-fonts (6243); trajan (6287);
trsymb (6322); tt2001 (6334); twcal (6363);
twemoji-colr (6365); txfonts (6374); txfontsb (6375);
typicons (6392); ugarite (6422); ugaritic (6423);
ulsy (6439); ulsy-ps (6440); umtypewriter (6450);
uncial (6455); unicodefonttable (6479); universa (6493);
universalis (6494); uppunctlm (6514); urw-antiqua (6526);
urw-arial (6527); urw-base35 (6528); urw-garamond (6529);
urw-grotesq (6530); util-half (6551); utopia (6552);
va (6564); venturisadf (6585); vicentino (6616);
viking (6619); vispeech (6620); vntex (6632);
vntex-nonfree (6633); wadalab (6657); wasy (6664);
wasy-type1 (6665); webomints (6677); wncyr (6707);
wnri (6708); wntamil (6710); wsuipa (6734); xcharter (6743);
xcharter-math (6744); xcmr (6747); xits (6807);
yannisgr (6875); yfonts-otf (6884); yfonts-t1 (6885);
yfrak (6886); ygoth (6887); yhmath (6888); yinit (6890);
ysabeau (6898); yswab (6899); zefonts (6911);

font-abnormal 1 package: cheq (1036);

font-absent 47 packages: adobe-euro (76); adobecaslon (77);
adobeornaments (79); dejavu-otf (1571); ibm (2861);
imprintmtshadow (2928); lucida-otf (3683);
mathstone (3830); plex-otf (4720); poetica (4744);
psgreek (4859); softmaker-alteschwabacher (5571);
softmaker-artistic (5572);
softmaker-baskervillenova (5573);
softmaker-bonita (5574); softmaker-broadway (5575);
softmaker-canossa (5576); softmaker-congress (5577);
softmaker-delanocaps (5578); softmaker-digital (5579);
softmaker-egyptiennestd (5580);
softmaker-flagstaff (5581); softmaker-grenoble (5582);
softmaker-helium (5583); softmaker-heliumtwo (5584);
softmaker-henderson (5585); softmaker-iceberg (5586);
softmaker-inverserif (5587);
softmaker-jugendstil (5588);
softmaker-marseille (5589); softmaker-moab (5590);
softmaker-nevada (5591); softmaker-newcastle (5592);

B Used topics and related packages

	softmaker-oldblackletter (5593); softmaker-quadrat (5594); softmaker-stonehand (5595); softmaker-sunset (5596); softmaker-vagrounded (5598); softmaker-velo (5599); softmaker-veracruz (5600); spark-otf (5623); stoneipa (5704); symbats3 (5776); times (6190); tolkienfonts (6264); truetypemetrics (6325); verdana (6598);
font-adhoc	2 packages: hvmath-fonts (2825); ransom (5111);
font-arabic	6 packages: alkalami (134); arabtex (246); awami (362); khatalmaqala (3146); parsimatn (4500); parsinevis (4501);
font-archaic	33 packages: aramaic (248); aramaic-serto (249); archaic (253); cun (1437); cypriot (1465); cypriote (1466); epiolmec (1939); etruscan (2019); greek4cbc (2625); greek6cbc (2626); hieroglf (2758); hieroglyph (2759); hitttype (2776); lineara (3446); linearb (3447); luwiantype (3692); lydtype (3700); nabatean (4164); nahuatl (4166); newcomputermodern (4225); ogham (4368); oldprsn (4376); phaistos (4627); phoenician (4641); protosem (4832); runic (5260); ruscap (5264); sarabian (5293); southarabian (5616); syriac (5791); trajan (6287); ugarite (6422); ugaritic (6423);
font-armenian	1 package: newcomputermodern (4225);
font-bbd	15 packages: amsfonts (170); bbm (483); bbold (485); bbold-type1 (486); bboldx (487); dblfont (1545); doublestroke (1673); ds serif (1710); esstix (2000); garamond-math (2445); mathpazo (3817); mbboard (3847); msym (4101); stix (5699); stix2-type1 (5701);
font-body	98 packages: accanthis (28); alegreya (120); almendra (139); archivo (254); arsenal (275); arvo (281); baskervaldx (472); bitter (757); cabin (891); caladea (896); charissil (1002); chivo (1058); clara (1106); classico (1108); clearsans (1116); cochineal (1183); coelacanth (1194); cormorantgaramond (1347); cuprum (1438); cyrillic-modern (1468); droid (1702); ebgaramond (1796); erewhon (1980); etbb (2005); fbb (2146); fira (2219); forum (2360); fpl (2369); garamond-libre (2444); gelasio (2461); gentium-otf (2476); gentium-sil (2477); gentium-tug (2478); gfsdidot (2508); gfsdidotclassic (2509); gillius (2519); gofonts (2582); gudea (2659); hindmadurai (2765); ibarra (2860); inriafonts (2961); inter (2971); josefin (3079); khatalmaqala (3146); kpfonts-otf (3189); lexend (3402); libertine (3419); libertine-type1 (3421); libertineotf (3423); libertinus-fonts (3425);

B Used topics and related packages

	libertinus-otf (3426); libertine-type1 (3427); librebaskerville (3431); librebodoni (3432); librecaslon (3433); librefranklin (3434); linguisticspro (3456); lm (3494); lucirole (3687); magra (3723); marcellus (3774); merriweather (3899); mfb-oldstyle (3934); mintspirit (3998); mlmodern (4021); mpfonts (4085); newcomputermodern (4225); newpx (4233); newtx (4237); nimbus15 (4258); noto (4298); notocondensed (4302); nunito (4338); oldstandard (4377); paratype (4491); play-font (4715); playfair (4717); plex (4719); poiretone (4748); qualitytype (5063); quattrociento (5068); raleway (5099); roboto (5209); scholax (5323); spectral (5627); splentinx (5638); srbtiks (5656); step (5694); stickstoo (5698); stix2-otf (5700); stix2-type1 (5701); theanodidot (6066); theanommodern (6067); theanooldstyle (6068); tinos (6195); universalis (6494); xcharter (6743); ysabeau (6898);
font-bookhand	17 packages: aboensis (19); auncial (329); auncial-new (330); bookhands (803); carolmin (933); carolmin-t1 (934); egothic (1839); humanist (2812); huncial (2814); inslrmaj (2966); inslrmin (2967); pgothic (4626); rotunda (5228); rustic (5267); sqrcaps (5652); tgothic (6057); uncial (6455);
font-calligraphic	26 packages: aboensis (19); almendra (139); augie (328); aurical (331); brushscr (845); calligra (907); calligra-type1 (908); dutchcal (1725); emerald (1881); frcursive (2381); la (3222); lobster2 (3501); lucida-otf (3683); miama (3957); oesch (4365); rsfs (5238); rsfso (5239); ruscap (5264); schulschriften (5327); schwell (5329); script-font (5358); sueterlin (5746); tex-gyre-chorus (5915); twcal (6363); va (6564); vicentino (6616);
font-canadian-aboriginal	1 package: newcomputermodern (4225);
font-chess	5 packages: bartel-chess-fonts (464); cheq (1036); chess (1038); skak (5525); skaknew (5526);
font-cjk	26 packages: arphic (265); arphic-ttf (266); baekmuk (439); cjk (1099); cjk-fonts (1100); fandol (2135); haranoaji (2695); haranoaji-extra (2696); hlatex-fonts (2779); hwkatakana (2829); japanese-otf (3039); japanese-otf-uptex (3040); jlreq (3069); jlreq-deluxe (3070); lxxg-fonts (3697); morisawa (4071); nanumtype1 (4176); notocjksc (4301); ptex-fonts (5000); pxjodel (5025); pxufont (5031);

B Used topics and related packages

	uptex-fonts (6519); wadalab (6657); zhmcjk (6917); zhmetrics (6918); zhmetrics-uptex (6919);
font-cm	18 packages: cm (1136); cm-super (1144); cm-unicode (1146); cmsrb (1170); cmupint (1175); cyrillic-modern (1468); ec (1804); khatalmaqala (3146); lm (3494); mlmodern (4021); mpfonts (4085); newcomputermodern (4225); sansmathaccent (5290); sansmathfonts (5291); tt2001 (6334); umtypewriter (6450); variablelm (6567); zlmmtt (6926);
font-collection	9 packages: gfs (2503); gothic (2584); lexend (3402); qualitytype (5063); stix2-otf (5700); stix2-type1 (5701); tex-gyre (5912); tex-gyre-math (5918); urw-base35 (6528);
font-coptic	1 package: newcomputermodern (4225);
font-cvt	6 packages: fontinst (2317); fontscripts (2329); grkfinst (2644); gsftopk (2651); macfont (3709); pkware (4693);
font-cyrillic	49 packages: andika (188); arimo (258); arsenal (275); bashkirian (467); charissil (1002); clara (1106); clearsans (1116); cm-lgc (1139); cm-super (1144); cm-unicode (1146); cmcyr (1153); cmcyr-patch (1154); cmcyralt-fonts (1155); cmsrb (1170); cochineal (1183); croatian (1382); cyrillic-modern (1468); dejavu (1570); erewhon (1980); forum (2360); garamond-libre (2444); gentium-otf (2476); gentium-sil (2477); gentium-tug (2478); glonti (2538); gnu-freefont (2575); gofonts (2582); heuristica (2743); izhitsa (3032); lh (3416); libertinegc (3422); linguisticspro (3456); literaturnaya (3481); miama (3957); newcomputermodern (4225); nimbus15 (4258); obnov (4347); oldstandard (4377); ot2cyr (4424); paratype (4491); scyrillic (5377); shobhika (5463); srbtik (5656); step (5694); tempora (5879); umtypewriter (6450); wncyr (6707); xcharter (6743); ysabeau (6898);
font-decor	11 packages: beuron (564); cfr-initials (989); cinzel (1079); initials (2948); knot (3159); niceframe-type1 (4251); tikz-decofonts (6123); webomints (6677); yinit (6890); yinit-as (6891); yinit-otf (6892);
font-devel	28 packages: cmtest (1171); ega2mf (1837); fntproof (2294); fontbl (2311); fontbook (2312); fontchart (2314); fonttools (2323); fontampler (2327); fontsmpl (2333); fonttable (2335); kerntest (3133); lcdf-typetools (3363); makefonts (3740); mathkit (3814); mathtrip (3837); measurebox (3867); metafont (3904); metatype1 (3921);

B Used topics and related packages

	mftrace (3946); modes (4043); poorman (4759); relenc (5159); showcharinbox (5472); t1subset (5799); testfont (5897); tfmpk (6054); tfmpktest (6055); typoid (6393);
font-display	3 packages: aboensis (19); alfaslabone (123); playfair (4717);
font-doc	7 packages: cyrmemo (1470); fontinstallationguide (2318); fontname (2322); tipa-de (6198); ttf-howto (6335); vf-howto (6609); vf-knuth (6610);
font-egyptian	2 packages: hieroglf (2758); hieroglyph (2759);
font-georgian	1 package: newcomputermodern (4225);
font-gothic	19 packages: blackletter (761); blacklettert1 (762); cmfrak (1160); egothic (1839); gothic (2584); hge (2753); lucida-otf (3683); missaali (4002); rotunda (5228); t1-fraktur (5796); tgothic (6057); yfonts-otf (6884); yfonts-t1 (6885); yfrak (6886); ygoth (6887); yinit (6890); yinit-as (6891); yinit-otf (6892); yswab (6899);
font-greek	54 packages: cbfonts-fd (961); cbgreek-complete (962); clara (1106); clearsans (1116); cm-lgc (1139); cm-unicode (1146); cochineal (1183); dejavu (1570); epigrafica (1935); garamond-libre (2444); gentium-otf (2476); gentium-sil (2477); gentium-tug (2478); gfs (2503); gfsartemisia (2504); gfsbaskerville (2505); gfsbodoni (2506); gfscomplutum (2507); gfsdidot (2508); gfsdidotclassic (2509); gfsneohellenic (2510); gfsneohellenicmath (2511); gfsponson (2512); gfssolemos (2513); gofonts (2582); greek4cbc (2625); greek6cbc (2626); grektex (2630); ibygrk (2865); kerkis (3132); levy-font (3399); lfb (3407); libertinegc (3422); linearb (3447); linguisticspro (3456); mima (3957); newcomputermodern (4225); nimbus15 (4258); noto (4298); notocondensed (4302); oldstandard (4377); philokalia (4638); psgreek (4859); roboto (5209); step (5694); stepgreek (5695); talos (5842); tempora (5879); theanodidot (6066); theanommodern (6067); theanooldstyle (6068); txfontsb (6375); umtypewriter (6450); yannisgr (6875);
font-hebrew	8 packages: arabtex (246); cjhebrew (1098); culmus (1436); gnu-freefont (2575); hebtex (2715); newcomputermodern (4225); pcfonts (4531); redis (5139);
font-historical	6 packages: croatian (1382); izhitsa (3032); junicode (3102); junicodervf (3103); oldlatin (4375); pacioli (4453);

B Used topics and related packages

font-index	5 packages: compact-symbols (1244); comprehensive (1251); fonttable (2335); maths-symbols (3823); nfssfont (4246);
font-indic	20 packages: bangla (450); bengali-omega (556); csx (1421); devanagari (1589); eczar (1822); ektype-tankas (1854); gurmukhi-singh (2669); hindmadurai (2765); indic-type1 (2941); induni-om (2942); malayalam-latex (3756); malayalam-obsolete (3757); newcomputermodern (4225); oriya (4414); palladam (4473); rit-fonts (5198); shobhika (5463); tamil-omega (5845); telugu (5875); wntamil (6710);
font-invented	10 packages: elvish (1875); engwar (1911); goblin (2581); hacm (2679); klinz (3154); okuda (4371); shavian (5457); tengwar (5882); tengwarscript (5883); tolkienfonts (6264);
font-maths	94 packages: amsfonts (170); arev (256); arsenal-math (276); asana-math (285); bbm (483); bbold (485); bbold-type1 (486); bboldx (487); belleek (554); bguq (574); boisik (788); boondox (812); clara (1106); cmbright (1152); cml1 (1161); cmupint (1175); concmath-fonts (1257); concmath-otf (1258); doublestroke (1673); ds serif (1710); ebgaramond-maths (1797); erewhon-math (1981); esrelation (1998); esstix (2000); euler-math (2028); eulervm (2030); firamath (2220); firamath-otf (2221); fourier (2363); fouriernc (2364); garamond-math (2445); garamondx (2446); gelasiomath (2462); gfsneohellenicmath (2511); heros-otf (2740); hvmath-fonts (2825); kerkis (3132); kpfonts (3188); kpfonts-otf (3189); lete-sans-math (3387); libertinus (3424); libertinus-fonts (3425); libertinus-otf (3426); libertinustlmath (3428); libgreek (3429); lm-math (3495); logix (3512); luamathalign (3649); lucida-otf (3683); lxfonts (3696); mathdesign (3803); mathpazo (3817); mathptmx (3820); mathrsfs (3822); mathspec (3828); mdputu (3859); minionpro (3991); mlmodern (4021); mpfonts (4085); msym (4101); nccbbb (4189); newcomputermodern (4225); newpx (4233); newtx (4237); newtxsf (4238); notomath (4303); oldstandard (4377); pagella-otf (4464); parsimatn (4500); pennstander-otf (4587); pxfonts (5022); pxtxalfa (5030); sansmathfonts (5291); schola-otf (5322); scholax (5323); sfmath (5441); stickstoo (5698); stix (5699); stix2-otf (5700); stix2-type1 (5701); svrsymbols (5765); termes-otf (5889); tex-gyre-math (5918); tex-gyre-math-bonum (5919); tex-gyre-math-dejavu (5920); tex-gyre-math-pagella (5921);

B Used topics and related packages

tex-gyre-math-schola (5922);
tex-gyre-math-terms (5923); tmmath-fonts (6243);
txfonts (6374); txfontsb (6375); txuprcal (6381);
xcharter-math (6744); xits (6807);

font-medieval 14 packages: aboensis (19); auncial (329); auncial-new (330);
carolmin (933); egothic (1839); inslrmaj (2966);
inslrmin (2967); junicode (3102); junicodervf (3103);
missaali (4002); newcomputermodern (4225);
pgothic (4626); rotunda (5228); tgothic (6057);

font-mf 229 packages: allrunes (136); amsfonts (170); aplweb (230);
ar (239); arabtex (246); aramaic (248); aramaic-serto (249);
archaic (253); armtex (260); aspectratio (298); astro (305);
auncial (329); bahaistar (441); bard (458);
bartel-chess-fonts (464); bashkirian (467); bbding (480);
bbm (483); bbold (485); bengali-omega (556); beuron (564);
bguq (574); blackletter (761); boisik (788);
bookhands (803); byzfonts (887); calligra (907);
capbas (920); carolmin (933); casyl (947); cbcoptic (959);
cbgreek-complete (962); cc-pl (963); cherokee (1037);
china2e (1054); circ (1080); cirth (1087); cm (1136);
cm-mf (1140); cm-mf-extra-bold (1141);
cm-mf-opt-kern (1142); cmastro (1150); cmbright (1152);
cmcyr (1153); cmfrak (1160); cml1 (1161); cmoeFont (1162);
cmoutlines (1164); cmpica (1165); cmtiup (1172);
cmupint (1175); concmath-fonts (1257); concrete (1260);
cookingsymbols (1326); croatian (1382); cryst (1399);
csfonts (1403); cun (1437); cypriote (1466); dancers (1475);
devanagari (1589); dice (1604); dingbat (1620);
doublestroke (1673); dozenal (1679); drm (1701);
duerer (1721); ec (1804); ecc (1807); ega2mf (1837);
egothic (1839); eiad (1843); elvish (1875); engwar (1911);
esint (1989); esrelation (1998); esvect (2002);
ethtex (2013); euro-ce (2034); eurosym (2042); fc (2150);
fdsymbol (2156); fetamont (2163); feyn (2168); fge (2174);
frcursive (2381); frimurer (2399); futhark (2428);
futhorc (2430); genealogy (2467); georgian-stanier (2487);
go (2578); goblin (2581); gothic (2584); gray (2619);
greetex (2630); greenpoint (2633); gurmukhi-singh (2669);
halftone (2681); hands (2687); hebtex (2715); hershey (2741);
hge (2753); hieroglyph (2759); humanist (2812);
huncial (2814); ifsym (2904); igo (2911); inslrmaj (2966);
inslrmin (2967); izhitsa (3032); jablantile (3033);
karta (3123); kdgreek (3128); kelly-greek-font (3131);
kixfont (3150); klinz (3154); knitting (3157); knot (3159);
la (3222); latex-fonts (3278); levy-font (3399); lfb (3407);
lh (3416); linearb (3447); lxfonts (3696); magic (3719);

B Used topics and related packages

malayalam-obsolete (3757); malvern (3760); manual (3766);
marvosym (3785); mathabx (3793); mbboard (3847);
mdsymbol (3860); mflogo-font (3940); mnsymbol (4035);
montex (4058); moonphase (4061); morse (4072);
msx2msa (4100); musixtex-fonts (4141); mxdedruli (4152);
nabatean (4164); nahuatl (4166); niceframe (4250);
nkarta (4265); oands (4343); obnov (4347); oca (4349);
ocr-a (4357); ocr-b (4358); oesch (4365); ogham (4368);
okuda (4371); oldlatin (4375); oldprsn (4376); oriya (4414);
othello (4428); pacioli (4453); pandora (4475);
pcfonts (4531); pgothic (4626); phonetic (4644);
pigpen (4676); pl-mf (4695); protosem (4832); punk (5012);
recycle (5137); redis (5139); rotunda (5228); rsfs (5238);
rune (5259); ruscap (5264); rustic (5267); sanskrit (5287);
sansmathfonts (5291); sarabian (5293); sauter (5296);
schulschriften (5327); schwell (5329);
script-font (5358); scyrillic (5377); semaphor (5401);
shavian (5457); simpsons (5515); skak (5525); skull (5537);
southarabian (5616); sqrcaps (5652); srune (5661);
stmaryrd (5702); sueterlin (5746); syriac (5791);
t1-fraktur (5796); tapir (5853); telugu (5875);
tengwar (5882); tgothic (6057); thai-rmit (6060);
thai-usl (6061); timing (6193); tipa (6197); trajan (6287);
trsym (6322); twcal (6363); ugarite (6422); ugaritic (6423);
ulsy (6439); uncial (6455); universa (6493);
util-half (6551); va (6564); vicentino (6616);
vikings (6619); vispeech (6620); vntex (6632); wasy (6664);
wncyr (6707); wnri (6708); wntamil (6710); wsuipa (6734);
xcmr (6747); yannisgr (6875); yfrak (6886); ygoth (6887);
yhmth (6888); yinit (6890); yinit-as (6891); yswab (6899);

font-mgmt 8 packages: addfont (62); combofont (1228); hep-font (2724);
hep-math-font (2728); iffont (2893); mathfont (3810);
mkpkfontdir (4011); pxjodel (5025);

font-mono 51 packages: anonymouspro (200); bera (558);
cascadia-code (937); cascadiamono-otf (938); cm (1136);
cm-lgc (1139); cm-super (1144); cm-unicode (1146);
cmsrb (1170); courier (1359); couriarten (1361);
dejavu (1570); dejavu-otf (1571); droid (1702); ec (1804);
fira (2219); gnu-freefont (2575); gofonts (2582);
inconsolata (2934); inconsolata-nerd-font (2935);
jetbrainsmono-otf (3055); josefin (3079);
juliamono (3100); kpfonts (3188); kpfonts-otf (3189);
lettergothic (3393); libertine (3419); libertinus (3424);
libertinus-fonts (3425); libertinus-otf (3426);
libertinus-type1 (3427); lm (3494); lucida-otf (3683);
luximono (3693); mlmodern (4021); monospace-otf (4054);

B Used topics and related packages

	mpfonts (4085); newcomputermodern (4225); newtxtt (4239); nimbus15 (4258); noto (4298); notocondensed (4302); paratype (4491); plex (4719); plex-otf (4720); roboto (5209); sourcecodepro (5613); tex-gyre-cursor (5916); tt2001 (6334); umtypewriter (6450); zlmmtt (6926);
font-multilingual	30 packages: charissil (1002); clara (1106); cmsrb (1170); cochineal (1183); eczar (1822); erewhon (1980); forum (2360); garamond-libre (2444); gentium-original (2475); gentium-otf (2476); gentium-sil (2477); gentium-tug (2478); gfsdidot (2508); gofonts (2582); libertinegc (3422); libertinus-fonts (3425); linguisticspro (3456); miama (3957); newcomputermodern (4225); nimbus15 (4258); noto (4298); notocondensed (4302); oldstandard (4377); roboto (5209); shobhika (5463); step (5694); theanodidot (6066); theanommodern (6067); theanooldstyle (6068); xcharter (6743);
font-music	6 packages: byzantinemusic (886); byzfonts (887); helmholtz-ellis-ji-notation (2718); lilyglyphs (3443); musixtex-fonts (4141); musixtex-tlfonts (4142);
font-nonroman	7 packages: cherokee (1037); ethiop-t1 (2012); ethtex (2013); georgian (2486); georgian-stanier (2487); stix2-otf (5700); stix2-type1 (5701);
font-novelty	14 packages: capbas (920); cirth (1087); countriesofeuropa (1356); dancers (1475); emerald (1881); foekfont (2297); jablantile (3033); punk (5012); punknova (5014); qualitytype (5063); ransom (5111); rojud (5213); simpsons (5515); skull (5537);
font-ornmnt	2 packages: adforn (70); adobeornaments (79);
font-otf	182 packages: aboensis (19); accanthis (28); aesupp (98); alegreya (120); alfaslabone (123); almfixed (140); antt (210); arsenal (275); arsenal-math (276); asana-math (285); asapsym (286); atkinson (321); bakoma-fonts (444); baskervaldx (472); baskervillef (473); berenisadf (559); beuron (564); cabin (891); cascadia-code (937); cascadiamono-otf (938); chivo (1058); clara (1106); classico (1108); cm-unicode (1146); cochineal (1183); coelacanth (1194); comicneue (1230); concmath-otf (1258); cooperhewitt (1335); couriarten (1361); crimson (1380); culmus (1436); cyklop (1464); cyrillic-modern (1468); dantelogo (1477); dejavu-otf (1571); domitian (1661); drm (1701); ebgaramond (1796); eczar (1822); erewhon (1980); erewhon-math (1981); etbb (2005); euler-math (2028);

B Used topics and related packages

fandol (2135); fbb (2146); fdsymbol (2156); fetamont (2163);
fira (2219); firamath (2220); firamath-otf (2221);
fontawesome (2305); fontawesome5 (2306);
fontawesome6 (2307); fontawesome7 (2308);
fonts-churchslavonic (2325); forum (2360);
fourier (2363); frederika2016 (2382); gandhi (2442);
garamond-libre (2444); garamond-math (2445);
gelasio (2461); gfsartemisia (2504);
gfsbaskerville (2505); gfsbodoni (2506);
gfscomplutum (2507); gfsdidot (2508);
gfsdidotclassic (2509); gfsneohellenic (2510);
gfsneohellenicmath (2511); gfsporson (2512);
gfssolomos (2513); gillius (2519); gnu-freefont (2575);
helmholtz-ellis-ji-notation (2718); heros-otf (2740);
heuristica (2743); hindmadurai (2765); ibarra (2860);
imfellenglish (2922); imfellflowers (2923);
inconsolata (2934); inriafonts (2961); inter (2971);
iwona (3030); jetbrainsmono-otf (3055); josefin (3079);
juliamono (3100); junicode (3102); kerkis (3132);
kpfonts-otf (3189); kurier (3197); lete-sans-math (3387);
libertine (3419); libertineotf (3423); libertinus (3424);
libertinus-fonts (3425); libertinus-otf (3426);
librebodoni (3432); librecaslon (3433);
librefranklin (3434); lilyglyphs (3443);
linguisticspro (3456); lm (3494); lm-math (3495);
lobster2 (3501); logix (3512); lucida-otf (3683);
luciole (3687); mdsymbol (3860); metsymb (3926);
mfb-oldstyle (3934); miama (3957); mintspirit (3998);
missaali (4002); monaspace-otf (4054); montserrat (4059);
musixtex-fonts (4141); newcomputermodern (4225);
newpx (4233); newtx (4237); nexus-otf (4244);
nimbus15 (4258); notocjksc (4301); nunito (4338);
ocr-b-outline (4359); oldstandard (4377);
pagella-otf (4464); parisa (4495); pennstander-otf (4587);
phaistos (4627); play-font (4715); playfair (4717);
plex (4719); plex-otf (4720); poltawski (4752);
punknova (5014); qualitytype (5063); raleway (5099);
roboto (5209); rosario (5221); schola-otf (5322);
scholax (5323); semaphor (5401); shobhika (5463);
simpleicons (5503); sourcecodepro (5613);
sourcesans (5614); sourceserif (5615); spark-otf (5623);
step (5694); stix (5699); stix2-otf (5700);
stix2-type1 (5701); talos (5842); tempora (5879);
termes-otf (5889); tex-gyre (5912);
tex-gyre-adventor (5913); tex-gyre-bonum (5914);
tex-gyre-chorus (5915); tex-gyre-cursor (5916);
tex-gyre-math (5918); tex-gyre-math-bonum (5919);

B Used topics and related packages

	tex-gyre-math-dejavu (5920); tex-gyre-math-pagella (5921); tex-gyre-math-schola (5922); tex-gyre-math-termes (5923); tex-gyre-pagella (5924); tex-gyre-schola (5925); tex-gyre-termes (5926); tinot (6195); umtypewriter (6450); universalis (6494); venturisadf (6585); xcharter (6743); xcharter-math (6744); xits (6807); yfonts-otf (6884); yinit-otf (6892); ysabeau (6898);
font-proc	49 packages: a2ac (2); accents-cs (31); accfonts (33); afmtopl-clark (100); afmtopl-elwell (101); afmtopl-wolczko (102); corelfonts (1344); fi2t1 (2177); freetype (2387); genfam (2470); installfont (2969); jfmutil (3058); lithuanian (3484); mathinst (3813); metafont (3904); mf2ps (3930); mf2pt1 (3931); mf2pt3 (3932); mm (4025); mmafm (4027); mmpfb (4029); mmttools (4030); ofntinst (4366); ot2woff (4425); ofinst (4426); pbmtogf (4526); pbmtopk (4527); pf2afm (4597); pfm2afm (4600); ps2mf (4837); ps2pk (4838); ps4mf (4839); ps4mf-dos (4840); psfonts-tools (4853); purifyeps (5015); qdtexvpl (5048); rfil (5192); softfonts (5570); t1subset (5799); toil (6257); truetypeototype42 (6326); ttf2mf (6336); ttf2pfb (6337); ttf2pt1 (6338); ttftogf (6340); vfcomb (6611); vfinst (6612); vplutils (6641); woff2ot (6712);
font-proportional	109 packages: aboensis (19); accanthis (28); alegreya (120); alfaslabone (123); almendra (139); archivo (254); arimo (258); arvo (281); baskervaldx (472); bera (558); bitter (757); cabin (891); caladea (896); charissil (1002); chivo (1058); clara (1106); classico (1108); clearsans (1116); cm (1136); cm-super (1144); cm-unicode (1146); cmsrb (1170); cochineal (1183); coelacanth (1194); cooperhewitt (1335); cormorantgaramond (1347); crimson (1380); crimsonpro (1381); cuprum (1438); cyrillic-modern (1468); droid (1702); ebgaramond (1796); ec (1804); erewhon (1980); erewhon-math (1981); etbb (2005); fbb (2146); fira (2219); forum (2360); fpl (2369); garamond-libre (2444); gelasio (2461); gentium-otf (2476); gentium-sil (2477); gentium-tug (2478); gillius (2519); gnu-freefont (2575); gofonts (2582); gudea (2659); hindmadurai (2765); ibarra (2860); inriafonts (2961); inter (2971); josefin (3079); kpfonts-otf (3189); lexend (3402); libertinus-fonts (3425); libertinus-otf (3426); libertinus-type1 (3427); librebaskerville (3431); librebodoni (3432); librecaslon (3433);

B Used topics and related packages

librefranklin (3434); linguisticspro (3456); lm (3494);
lobster2 (3501); magra (3723); marcellus (3774);
merriweather (3899); mfb-oldstyle (3934);
mintspirit (3998); mlmodern (4021); mpfonts (4085);
newcomputermodern (4225); newpx (4233); newtx (4237);
nimbus15 (4258); noto (4298); notocondensed (4302);
nunito (4338); oldstandard (4377); oswald (4422);
paratype (4491); play-font (4715); playfair (4717);
plex (4719); plex-otf (4720); poiretone (4748);
qualitytype (5063); quattrocen (5068); roboto (5209);
sansmathfonts (5291); scholax (5323); sourcesans (5614);
sourceserif (5615); spectral (5627); step (5694);
stickstoo (5698); talos (5842); tex-gyre (5912);
theanodidot (6066); theanomodern (6067);
theanooldstyle (6068); tinos (6195); tt2001 (6334);
universa (6493); universalis (6494); xcharter (6743);
ysabeau (6898);

font-rune 10 packages: allrunes (136); bard (458); futhark (2428);
 futharksymb (2429); futhorc (2430); rune (5259);
 runic (5260); srune (5661); staves (5687); viking (6619);

font-sample 2 packages: blackboard (760); typespec (6390);

font-sans 99 packages: alegreya (120); andika (188); arev (256);
 arimo (258); arsenal (275); atkinson (321); bera (558);
 biolinum-type1 (746); cabin (891); cantarell (919);
 carlito (932); cascadia-code (937); chivo (1058);
 classico (1108); clearsans (1116); cm-lgc (1139);
 cm-unicode (1146); cmbright (1152); cmsrb (1170);
 comfortaa (1229); cooperhewitt (1335); cuprum (1438);
 cyklop (1464); cyrillic-modern (1468); dejavu (1570);
 dejavu-otf (1571); droid (1702); ec (1804);
 epigrafica (1935); fira (2219); firamath (2220);
 firamath-otf (2221); fonetika (2301); gandhi (2442);
 garamond-math (2445); gillius (2519); gnu-freefont (2575);
 gofonts (2582); gudea (2659); heros-otf (2740);
 hfbright (2749); inriafonts (2961); inter (2971);
 josefin (3079); kpfonts (3188); kpfonts-otf (3189);
 lato (3355); lexend (3402); libertine (3419);
 libertine-type1 (3421); libertineotf (3423);
 libertinus (3424); libertinus-fonts (3425);
 libertinus-otf (3426); libertinus-type1 (3427);
 libertinustlmath (3428); librefranklin (3434); lm (3494);
 lucida-otf (3683); luciole (3687); lxfonts (3696);
 magra (3723); merriweather (3899); mintspirit (3998);
 mlmodern (4021); montserrat (4059); mpfonts (4085);
 newcomputermodern (4225); newtxsf (4238); noto (4298);

B Used topics and related packages

notocondensed (4302); notomath (4303); nunito (4338);
opensans (4398); oswald (4422); overlock (4445);
paratype (4491); pennstander-otf (4587); play-font (4715);
plex (4719); plex-otf (4720); poiretone (4748);
ptsans (5010); qualitytype (5063); quattroceto (5068);
raleway (5099); roboto (5209); rosario (5221);
sansmathaccent (5290); sansmathfonts (5291);
sourcecodepro (5613); sourcesans (5614); tex-gyre (5912);
tex-gyre-heros (5917); universa (6493);
universalis (6494); urw-arial (6527); urw-grotesq (6530);
ysabeau (6898);

font-sel 33 packages: albatross (118); bm (775); bxnewfont (877);
figureversions (2200); font-selection (2304);
fontawesomescaled (2309); fontch (2313); fontscale (2328);
fontsetup (2330); fontsetup-nonfree (2331);
fontspec (2334); fontwrap (2336); isf (3000);
luafindfont (3630); mathastext (3798); mathspec (3828);
maybemath (3845); nfssect-cfr (4245); ofs (4367);
old-fontch (4374); pdcmac (4534); plain-cm (4700);
plnfss (4725); pxjodel (5025); relsize (5160);
scalefnt (5312); settosize (5429); settosize-ltx (5430);
slem (5543); slemph (5544); smaller (5552); typeface (6387);
varisize (6572);

font-serif 107 packages: accanthis (28); alegreya (120);
alfaslabone (123); almendra (139); archivo (254);
arvo (281); baskervaldadf (471); baskervaldx (472);
baskervillef (473); bera (558); berenisadf (559);
bitter (757); boisik (788); caladea (896); cc-pl (963);
charissil (1002); charter (1003); clara (1106);
cm-lgc (1139); cm-unicode (1146); cmsrb (1170);
cochineal (1183); coelacanth (1194);
cormorantgaramond (1347); crimson (1380);
crimsonpro (1381); cyrillic-modern (1468); dejavu (1570);
dejavu-otf (1571); domitian (1661); droid (1702);
ds serif (1710); ebgaramond (1796); ec (1804);
erewhon (1980); etbb (2005); fbb (2146); forum (2360);
fpl (2369); gandhi (2442); garamond-libre (2444);
garamond-math (2445); garamondx (2446); gelasio (2461);
gentium-otf (2476); gentium-sil (2477);
gentium-tug (2478); gfsdidot (2508); gnu-freefont (2575);
gofonts (2582); ibarra (2860); inriafonts (2961);
khatalmaqala (3146); kpfonts (3188); kpfonts-otf (3189);
libertine (3419); libertinegc (3422); libertinus (3424);
libertinus-fonts (3425); libertinus-otf (3426);
libertinus-type1 (3427); libertinust1math (3428);
librebaskerville (3431); librebodoni (3432);

B Used topics and related packages

	librecaslon (3433); linguisticspro (3456); lm (3494); lucida-otf (3683); merriweather (3899); mfb-oldstyle (3934); mlmodern (4021); mpfonts (4085); newcomputermodern (4225); newpx (4233); newtx (4237); noto (4298); notocondensed (4302); notomath (4303); oldstandard (4377); oldstandardt1 (4378); paratype (4491); playfair (4717); plex-otf (4720); ptserif (5011); qualitytype (5063); quattrociento (5068); roboto (5209); scholax (5323); sourceserif (5615); spectral (5627); splentinex (5638); srbtiks (5656); step (5694); stickstoo (5698); stix (5699); stix2-otf (5700); stix2-type1 (5701); tempora (5879); tex-gyre (5912); theanodidot (6066); theanomodern (6067); theanooldstyle (6068); tinos (6195); urw-antiqua (6526); urw-garamond (6529); xcharter (6743); xits (6807);
font-sfd	5 packages: culmus (1436); fpl (2369); gnu-freefont (2575); metsymb (3926); plimsoll (4723);
font-specialist	36 packages: aesupp (98); ar (239); aspectratio (298); bguq (574); china2e (1054); clara (1106); committee-font (1240); dozenal (1679); euro-ce (2034); eurosym (2042); fonetika (2301); gen (2464); genealogy (2467); gray (2619); greenpoint (2633); halftone (2681); kixfont (3150); metsymb (3926); moonphase (4061); morse (4072); oands (4343); oca (4349); ocr-a (4357); ocr-b (4358); ocr-b-outline (4359); othello (4428); phonetic (4644); recycle (5137); semaphor (5401); starfont (5677); tfroupee (6056); tipa (6197); util-half (6551); vispeech (6620); wnri (6708); xcmr (6747);
font-supp	308 packages: aboensis (19); accanthis (28); addliga (64); adfsymbols (71); adobe-euro (76); adobecaslon (77); adobemapping (78); adobeornaments (79); aesupp (98); alfaslabone (123); almendra (139); altfont (150); andika (188); archivo (254); arsenal (275); arsenal-math (276); arvo (281); auto1 (341); autotype (358); bangla (450); baskervaldx (472); bbm-macros (484); bboldx (487); beton (563); bickham (720); bitstrea (756); bitter (757); bold-extra (790); cabin (891); caesarcm (893); caladea (896); calrsfs (912); cascadia-code (937); cascadiamono-otf (938); cbfonts-fd (961); ccfonts (965); cfr-initials (989); cfr-lm (990); charissil (1002); chessfss (1041); chivo (1058); cinzel (1079); cjhebrew (1098); clara (1106); classico (1108); clearsans (1116); cm-afm (1137); cm-pk (1143); cm-tfm (1145); cmcyralt-ltx (1156); cmextra-latex (1159);

B Used topics and related packages

cmsd (1168); cmsrb (1170); cmupint (1175); cochineal (1183);
coelacanth (1194); comfortaa (1229); comicneue (1230);
comicsans (1231); concmath (1256); concmath-otf (1258);
concrete-macros (1261); context-cmscbf (1275);
context-cmttbf (1276); context-simplefonts (1302);
corelpak (1345); cormorantgaramond (1347);
courierten (1361); covfonts (1365); cspsfonts (1409);
culmus (1436); cyrillic-modern (1468); dblfont (1545);
defoldfonts (1565); dejavu-otf (1571); divine (1629);
dogma (1656); droid (1702); duerer-latex (1722);
ec-plain (1805); eiad-ltx (1844); enpassant (1915);
erewhon (1980); erewhon-math (1981); esint (1989);
etbb (2005); euenc (2023); eulerpx (2029); eurofont (2035);
euroitc (2036); europs (2040); eurosans (2041);
eurotex (2043); euxunicode (2044); evangelion-jfm (2045);
fbb (2146); fira (2219); fix-cm (2233); fixtounicode (2248);
font-change (2302); font-change-xetex (2303);
fontsetup (2330); fontsetup-nonfree (2331);
fontwrap (2336); forum (2360); fourier (2363);
fundus-calligra (2418); fundus-cyr (2419);
fundus-la (2420); fundus-outline (2421);
fundus-pvscript (2422); fundus-sueterlin (2424);
fundus-twcal (2425); fundus-va (2426); futurans (2431);
garamond-libre (2444); gentium-otf (2476);
gentium-sil (2477); gentium-tug (2478); gillius (2519);
gofonts (2582); grektex-fd (2631); grtimes (2646);
gudea (2659); hebrew-fonts (2714);
helmholtz-ellis-ji-notation (2718); helvet (2719);
hfoldsty (2750); hindmadurai (2765); hittype (2776);
hmtrump (2782); hp2pl (2794); hyphen-accent (2846);
ibarra (2860); ibm (2861); idealfonts (2874);
imprintmtshadow (2928); inconsolata-nerd-font (2935);
inter (2971); ital (3022); italic (3023); jamtimes (3037);
jetbrainsmono-otf (3055); josefin (3079);
juliamono (3100); junicode (3102); junicodervf (3103);
justfontitte (3110); kerkis (3132); kpfonts-otf (3189);
lccaps (3361); lcyw (3366); leawood (3371);
levy-latex (3400); lexend (3402); lfonts-ams (3408);
lgrmath (3414); lhcyr (3417); libertine (3419);
libertine-legacy (3420); libertineotf (3423);
libertinus-otf (3426); libertinus-type1 (3427);
libgreek (3429); librebaskerville (3431);
librebodoni (3432); librecaslon (3433); libris (3435);
linguisticspro (3456); lithuanian (3484);
ljmetrics (3487); lobster2 (3501); logix (3512);
lsabon (3539); lucida (3682); lucidabr (3684); lucold (3688);
luwiantype (3692); ly1 (3699); lydtype (3700); magra (3723);

B Used topics and related packages

manfnt (3763); marcellus (3774); marvosym (3785);
mathematica (3805); mathgifg (3811); mathrsfs (3822);
mdwfonts (3862); merriweather (3899); mfb-oldstyle (3934);
mff (3936); mflogo (3939); mflogo209 (3941); mfnfss (3942);
miana (3957); mintspirit (3998); mlmodern (4021);
monospace-otf (4054); moresize (4068); mtgreek (4105);
mweights (4149); nahuatl (4166); nbaskerv (4188);
newcomputermodern (4225); newpx (4233); newtx (4237);
newtxtt (4239); nexus-otf (4244); nimbus15 (4258);
nodepthtext (4274); noto (4298); notocondensed (4302);
notomath (4303); nunito (4338); ocr-latex (4360);
oldstandard (4377); oldstyle (4379); oswald (4422);
otftofd (4427); palatino-nfss (4471); panda (4474);
pandora-latex (4476); pcarl (4530); pcfon (4531);
pclnfss (4532); philokalia (4638); piff-ams (4674);
pifont (4675); play-font (4715); playfair (4717);
plimsoll (4723); poetica (4744); poiretone (4748);
psfont (4851); psfonts (4852); psgreek (4859);
pslatex (4861); psnfss (4863); psnfss-source (4864);
psnfssx-8r (4866); psnfssx-adobe (4867);
psnfssx-em (4868); punk-latex (5013); pxchfon (5020);
qualitytype (5063); quattroceto (5068); raleway (5099);
rawfonts (5114); rit-fonts (5198); roboto (5209);
rosario (5221); rsfso (5239); sans (5286);
sansmathfonts (5291); sauterfonts (5297); scholax (5323);
slantsc (5538); smallcap (5551); sourcesans (5614);
spectral (5627); srbtiks (5656); ssquote (5666);
stealcaps (5690); step (5694); stepgreek (5695);
stickstoo (5698); stix2-type1 (5701);
substitutefont (5740); synthslant (5787);
tccompat (5858); tengwarscript (5883);
textures-metrics (6051); theanodidot (6066);
theanomodern (6067); theanooldstyle (6068); thsmc (6096);
times (6190); tinos (6195); tmmath (6242);
tolkienfonts (6264); tpcmfont (6276);
truetypermetrics (6325); ttf2tex (6339); txgreek (6376);
type1cm (6382); typelec (6383); ucharclasses (6409);
uhc (6424); universalis (6494); urwvf (6532);
verdana (6598); vmsps (6631); vntex-nonfree (6633);
w-a-schmidt (6655); wasysym (6666); winfonts (6697);
wnri-latex (6709); xcharter (6743); xetex-ittrans (6781);
xetexfontinfo (6784); xstix2 (6848); yfonts (6883);
yfonts-otf (6884); yinit-as (6891); ysabeau (6898);
zlm (6926); zxjafbf (6936); zxjafont (6937);

font-supp-maths

31 packages: amsbsy (165); circle (1081); cmathbb (1151);
euler (2027); fixcmex (2236); hep-math-font (2728);

B Used topics and related packages

	hvmath (2824); isomath (3011); iwonamath (3031); mathastext (3798); mathbbol (3799); mathcmd (3800); mathcomp (3802); mathdesign (3803); mathgifg (3811); mathgreeks (3812); mathstone (3830); mathtime-ltx (3833); mathtime-metrics (3834); mathtime-pln (3835); mt11p (4102); mtp2lite (4106); pxgreeks (5023); pzccal (5043); rsfso (5239); sansmath (5289); sansmathaccent (5290); stix2-type1 (5701); unimath-plain-xetex (6483); urwchancal (6531); xcharter-math (6744);
font-supp-misc	37 packages: adobeornaments (79); fontsize (2332); scaletextbullet (5314); softmaker-alteschwabacher (5571); softmaker-artistic (5572); softmaker-baskervillanova (5573); softmaker-bonita (5574); softmaker-broadway (5575); softmaker-canossa (5576); softmaker-congress (5577); softmaker-delanocaps (5578); softmaker-digital (5579); softmaker-egyptiennestd (5580); softmaker-flagstaff (5581); softmaker-grenoble (5582); softmaker-helium (5583); softmaker-heliumtwo (5584); softmaker-henderson (5585); softmaker-iceberg (5586); softmaker-inverserif (5587); softmaker-jugendstil (5588); softmaker-marseille (5589); softmaker-moab (5590); softmaker-nevada (5591); softmaker-newcastle (5592); softmaker-oldblackletter (5593); softmaker-quadrat (5594); softmaker-stonehand (5595); softmaker-sunset (5596); softmaker-tampa (5597); softmaker-vagrounded (5598); softmaker-velo (5599); softmaker-veracruz (5600); softmakerfreefont (5601); stoneipa (5704); xfakebold (6788); zhmetrics-uptex (6919);
font-supp-symbol	18 packages: academicons (27); alchemist (119); bahaistar (441); casiofont (942); fontawesome (2305); fontawesome5 (2306); fontawesome6 (2307); fontawesome7 (2308); fontmfizz (2321); hmtrump (2782); musicography (4135); panda (4474); plstmary (4727); simpleicons (5503); stix2-type1 (5701); symbats3 (5776); typicons (6392); yagusylo (6871);
font-symbol	51 packages: academicons (27); adfsymbols (71); apl (228); aplweb (230); asapsym (286); ascii-font (291); bahaistar (441); bbding (480); ccicons (967); cmastro (1150); cookingsymbols (1326); cryst (1399); dictsym (1607); dingbat (1620); doulossil (1674); esvect (2002); fdsymbol (2156); fontawesome (2305);

B Used topics and related packages

fontawesome5 (2306); fontawesome6 (2307);
fontawesome7 (2308); fontmfizz (2321); gen (2464);
genealogy (2467); go (2578); hands (2687); hmttrump (2782);
ifsym (2904); igo (2911); karta (3123); knitting (3157);
latex-fonts (3278); magic (3719); manual (3766);
marvosym (3785); mdsymbol (3860); metsymb (3926);
msx2msa (4100); nkarta (4265); noto-emoji (4299);
plimsoll (4723); simpleicons (5503); spark-otf (5623);
stix2-otf (5700); stix2-type1 (5701); symbats3 (5776);
trsym (6322); twemoji-colr (6365); typicons (6392);
wasy (6664); wasy-type1 (6665);

font-symbol-maths 26 packages: amsfonts (170); cmupint (1175);
endofproofwd (1906); esint (1989); esint-type1 (1990);
fdsymbol (2156); logix (3512); luciole (3687);
mathabx (3793); mathabx-type1 (3794); mdsymbol (3860);
mnsymbol (4035); mpfonts (4085); msx2msa (4100);
mystyletau (4160); old-arrows (4372); pxfonts (5022);
stix (5699); stix2-otf (5700); stix2-type1 (5701);
stmaryrd (5702); svrsymbols (5765); ulsy (6439);
ulsy-ps (6440); xits (6807); yhmATH (6888);

font-tlenc 103 packages: accanthis (28); ae (85); aecc (95); aequill (96);
alegreya (120); alfaslabone (123); algolrevived (126);
almendra (139); archivo (254); arvo (281);
baskervaldx (472); baskervillef (473); bitter (757);
cabin (891); caladea (896); cascadia-code (937);
chivo (1058); cinzel (1079); clara (1106); classico (1108);
clearsans (1116); cmsrb (1170); cochineal (1183);
coelacanth (1194); cooperhewitt (1335);
cormorantgaramond (1347); courierten (1361);
crimson (1380); crimsonpro (1381); cuprum (1438);
dejavu (1570); droid (1702); ebgaramond (1796); ecc (1807);
erewhon (1980); etbb (2005); fbb (2146); fira (2219);
forum (2360); gandhi (2442); garamond-libre (2444);
garamondx (2446); gentium-tug (2478); gfsdidot (2508);
gillius (2519); gofonts (2582); gudea (2659);
hindmadurai (2765); ibarra (2860); inconsolata (2934);
inriafonts (2961); inter (2971); josefin (3079);
kerkis (3132); libertine (3419); libertinus-type1 (3427);
librebaskerville (3431); librebodoni (3432);
librecaslon (3433); librefranklin (3434);
linguisticspro (3456); lobster2 (3501); luximono (3693);
magra (3723); marcellus (3774); merriweather (3899);
miami (3957); mintspirit (3998); mlmodern (4021);
montserrat (4059); newpx (4233); newtx (4237);
newtxtt (4239); nimbus15 (4258); noto (4298);
notocondensed (4302); nunito (4338); oldstandard (4377);

B Used topics and related packages

	oswald (4422); play-font (4715); playfair (4717); plex (4719); poiretone (4748); quattrocento (5068); roboto (5209); scholax (5323); sourcecodepro (5613); sourcesans (5614); sourceserif (5615); spectral (5627); step (5694); stickstoo (5698); theanodidot (6066); theanomodern (6067); theanooldstyle (6068); tinos (6195); tt2001 (6334); universalis (6494); variablelm (6567); xcharter (6743); ysabeau (6898); zefonts (6911); zlmmtt (6926);
font-thai	4 packages: fonts-arundina (2324); fonts-tlwg (2326); thai-rmit (6060); thai-us1 (6061);
font-ttf	82 packages: academicons (27); algolrevived (126); alkalami (134); almendra (139); almfixed (140); amiri (156); andika (188); anonymouspro (200); archivo (254); arimo (258); arphic-ttf (266); arvo (281); asana-math (285); awami (362); baekmuk (439); bakoma-fonts (444); bangla (450); bitter (757); caladea (896); carlito (932); charissil (1002); cinzel (1079); clearsans (1116); cormorantgaramond (1347); crimsonpro (1381); culmus (1436); cuprum (1438); dejavu (1570); dejavu-otf (1571); doulossil (1674); droid (1702); eczar (1822); ektype-tankka (1854); fontmfizz (2321); gentium-original (2475); gentium-otf (2476); gentium-sil (2477); gentium-tug (2478); gofonts (2582); hamnosys (2683); hittype (2776); hmtrump (2782); inconsolata-nerd-font (2935); ipaex (2994); junicodevf (3103); khatalmaqala (3146); lato (3355); lexend (3402); librebaskerville (3431); logix (3512); luciole (3687); luwiantype (3692); lxgw-fonts (3697); lydtype (3700); marcellus (3774); marvosym (3785); merriweather (3899); mystyletau (4160); na-border (4161); nexus-otf (4244); noto (4298); noto-emoji (4299); notocondensed (4302); opensans (4398); overlock (4445); padauk (4455); paratype (4491); parsimatn (4500); parsinevis (4501); poiretone (4748); quattrocento (5068); rit-fonts (5198); spectral (5627); starfont (5677); theanodidot (6066); theanomodern (6067); theanooldstyle (6068); twemoji-colr (6365); typicons (6392); unfonts-core (6467); unfonts-extra (6468); ysabeau (6898);
font-type1	315 packages: accanthis (28); adforn (70); adfsymbols (71); aesupp (98); alegreya (120); alfaslabone (123); allrunes (136); almendra (139); amsfonts (170); andika (188); anonymouspro (200); antp (209); antt (210); arabi (240); aramaic (248); aramaic-serto (249);

B Used topics and related packages

arimo (258); armtex (260); arphic (265); ascii-font (291);
aspectratio (298); atkinson (321); augie (328);
auncial-new (330); aurical (331); bakoma-fonts (444);
baskervaldadf (471); baskervaldx (472);
baskervillef (473); bbold-type1 (486); bboldx (487);
belleek (554); bengali-omega (556); bera (558);
berenisadf (559); beuron (564); biolinum-type1 (746);
bitter (757); boondox (812); brushscr (845); cabin (891);
caladea (896); calligra-type1 (908); cantarell (919);
carlito (932); carolmin-t1 (934); cascadia-code (937);
cbcoptic (959); cbgreek-complete (962); cc-pl (963);
ccicons (967); charter (1003); chivo (1058); cinzel (1079);
cjhebrew (1098); clara (1106); classico (1108);
clearsans (1116); cm-lgc (1139); cm-super (1144);
cm-unicode (1146); cmcyr (1153); cmcyr-patch (1154);
cml1 (1161); cmsrb (1170); cmupint (1175); cochineal (1183);
coelacanth (1194); comicneue (1230); cooperhewitt (1335);
cormorantgaramond (1347); countriesofeurope (1356);
courier (1359); couriarten (1361); crimson (1380);
crimsonpro (1381); cryst (1399); csfonts-t1 (1404);
csx (1421); culmus (1436); cyklop (1464); cypriot (1465);
cyrillic-modern (1468); dad (1474); dantelogo (1477);
dayroman (1540); dejavu (1570); devanagari (1589);
dictsym (1607); domitian (1661); doublestroke (1673);
dozenal (1679); drm (1701); droid (1702); ds serif (1710);
dutchcal (1725); ebgaramond (1796); electrumadf (1856);
epigrafica (1935); epiolmec (1939); erewhon (1980);
esint-type1 (1990); esrelation (1998); esstix (2000);
etbb (2005); ethiop-t1 (2012); etruscan (2019); fbb (2146);
fdsymbol (2156); fetamont (2163); fge (2174); fira (2219);
foekfont (2297); fontawesome (2305); fontawesome5 (2306);
fontawesome6 (2307); fontawesome7 (2308); forum (2360);
fourier (2363); fpl (2369); frcursive (2381);
frimurer (2399); gandhi (2442); garamond-libre (2444);
garamondx (2446); gelasio (2461); gentium-original (2475);
gentium-tug (2478); georgian (2486); gfsartemisia (2504);
gfsbaskerville (2505); gfsbodoni (2506);
gfscomplutum (2507); gfsdidot (2508);
gfsneohellenicmath (2511); gfsponson (2512);
gfssolomos (2513); gillius (2519); gofonts (2582);
greek4cbc (2625); greek6cbc (2626); gudea (2659);
hacm (2679); heuristica (2743); hfbright (2749);
hieroglf (2758); hieroglyph (2759); hindmadurai (2765);
hlatex-fonts (2779); hwkatakana (2829); ibarra (2860);
imfellenglish (2922); inconsolata (2934);
indic-type1 (2941); initials (2948); inriafonts (2961);
inter (2971); ipaex-type1 (2995); iwona (3030);

B Used topics and related packages

josefin (3079); junicode (3102); kerkis (3132);
knitting (3157); kpfonts (3188); kurier (3197); lato (3355);
lettergothic (3393); libertine (3419);
libertine-legacy (3420); libertine-type1 (3421);
libertinus-type1 (3427); libertinust1math (3428);
librebaskerville (3431); librebodoni (3432);
librecaslon (3433); librefranklin (3434); libris (3435);
lineara (3446); linearb (3447); linguisticspro (3456);
literaturnaya (3481); lm (3494); lobster2 (3501);
luximono (3693); lxfonts (3696); magra (3723);
malayalam-latex (3756); manual (3766); marcellus (3774);
mathabx-type1 (3794); mathdesign (3803); mathpazo (3817);
mdsymbol (3860); merriweather (3899);
mfb-oldstyle (3934); mflogo-font (3940); miama (3957);
mintspirit (3998); mlmodern (4021); mnsymbol (4035);
montserrat (4059); msym (4101); musixtex-fonts (4141);
musixtex-t1fonts (4142); mxedruli (4152);
nabatean (4164); nanumtype1 (4176); newpx (4233);
newtx (4237); newtxsf (4238); newtxtt (4239);
niceframe-type1 (4251); nimbus15 (4258); noto (4298);
notocondensed (4302); notomath (4303); nunito (4338);
oands (4343); ocr-b-outline (4359); old-arrows (4372);
oldprsn (4376); oldstandard (4377); oldstandardt1 (4378);
opensans (4398); oswald (4422); overlock (4445);
pandora-type1 (4477); paratype (4491); phaistos (4627);
phoenician (4641); pigpen (4676); play-font (4715);
playfair (4717); plex (4719); plimsoll (4723);
poiretone (4748); poltawski (4752); protosem (4832);
psgreek (4859); ptsans (5010); ptserif (5011);
pxfonts (5022); qfonts (5051); quattroceto (5068);
raleway (5099); recycle (5137); roboto (5209); rojud (5213);
romandeadf (5216); rosario (5221); rsfs (5238);
runic (5260); sanskrit-t1 (5288); sansmathfonts (5291);
sarabian (5293); scholax (5323); semaphor (5401);
simpleicons (5503); skaknew (5526); sourcecodepro (5613);
sourcesans (5614); sourceserif (5615); spectral (5627);
splentinex (5638); sqrcaps (5652); srbtiks (5656);
staves (5687); step (5694); stepgreek (5695);
stickstoo (5698); stix (5699); stix2-type1 (5701);
stmaryrd (5702); syriac (5791); tamil-omega (5845);
tapir (5853); tempora (5879); tex-gyre (5912);
tex-gyre-adventor (5913); tex-gyre-bonum (5914);
tex-gyre-chorus (5915); tex-gyre-cursor (5916);
tex-gyre-heros (5917); tex-gyre-termes (5926);
tfrrupee (6056); theanodidot (6066); theanommodern (6067);
theanooldstyle (6068); tinos (6195); tipa (6197);
trajan (6287); tt2001 (6334); txfonts (6374);

B Used topics and related packages

	txfontsb (6375); txuprcal (6381); ugarite (6422); ulsy-ps (6440); universalis (6494); urw-antiqua (6526); urw-arial (6527); urw-base35 (6528); urw-garamond (6529); urw-grotesq (6530); utopia (6552); venturisadf (6585); vntex (6632); vntex-nonfree (6633); wadalab (6657); wasy-type1 (6665); webomints (6677); wncyr (6707); xcharter (6743); yfonts-t1 (6885); yhmach (6888); ysabeau (6898);
font-use	49 packages: addfont (62); addliga (64); anyfontsize (213); blopentye (770); bsf (846); bsl (848); cjk (1099); cmtt (1173); context-typescripts (1311); context-urwgaramond (1312); context-urwgothic (1313); courier-scaled (1360); ebook (1801); firamath-otf (2221); fixtounicode (2248); fontaxes (2310); fontloader-luaotfload (2320); gkpmac (2531); hep-font (2724); hep-math-font (2728); japanese-otf (3039); japanese-otf-uptex (3040); jfontmaps (3059); jlreq-deluxe (3070); lgreek (3412); lua-unicode-math (3618); luaotfload (3657); lucida-otf (3683); lucidabr (3684); mathfont (3810); minionpro (3991); mweights (4149); ot2cyr (4424); psnfss (4863); psnfssx-8r (4866); psnfssx-adobe (4867); psnfssx-em (4868); ptex-fontmaps (4999); pxjodel (5025); pxufont (5031); spark-otf (5623); stealcaps (5690); superiors (5751); synthslant (5787); tabfigures (5806); tpslifonts (6278); unicode-math (6477); zhmcjk (6917); zhmetrics (6918);
font-util	9 packages: cjk-gs-integrate (1101); mff-util (3937); pkbbox (4685); pkfind (4686); pkfix (4687); pkfix-helper (4688); t1subset (5799); vfware (6613); xfakebold (6788);
font-virtual	35 packages: ae (85); aecc (95); aeguill (96); aifont (111); antttvf (211); arimo (258); bgreek (572); blacklettert1 (762); cmcyralt-fonts (1155); cmolddig (1163); cmslup (1169); cmtiup (1172); corelpak-contrib (1346); dco (1549); dmfonts (1636); ebgaramond-maths (1797); eco (1812); eulervm (2030); fouriernc (2364); gillcm (2518); glonti (2538); hfoldsty (2750); induni-om (2942); mathptmx (3820); mdputu (3859); minion2newtx (3990); ptmsc (5007); pctxalfa (5030); rsfso (5239); sansmathaccent (5290); tinof (6195); uppunctlm (6514); variablelm (6567); vslitex (6648); zefonts (6911);
fontenc	8 packages: blencoding (368); fontenc (2316); greek-fontenc (2622); hebrew-fonts (2714);

B Used topics and related packages

	latex-uni8 (3302); ly1 (3699); t2 (5802); textcomp (6039);
footnote	42 packages: asternote (304); bigfoot (730); chifoot (1052); coolfn (1329); dblfnote (1544); edfnates (1825); fixfoot (2238); fn2end (2282); fnbreak (2283); fnlineno (2286); fnote (2287); fnpara (2288); fnpara-pln (2289); fnpct (2290); fnpos (2291); footmisc (2338); footmiscx (2339); footnote (2340); footnotebackref (2341); footnotehyper (2342); footnoterange (2343); footnpag (2344); ftn (2407); ftnright (2408); ftnxtra (2409); manyfoot (3769); mdwtools (3866); multifootnote (4125); nccfoots (4196); nnfootnote (4272); opcit (4394); osda (4419); pagefoots (4460); pdfcolfoot (4543); pfnote (4601); savefnmark (5299); sepfootnotes (5410); spacingtricks (5619); stfloats (5697); tablefootnote (5810); translation-footmisc-de (6302); yafoot (6870);
foreign-import	43 packages: abc (13); abc2mtex (14); chemobabel (1026); context-rst (1299); delimtxt (1578); dot2tex (1664); dot2texi (1665); easylatex (1789); endnote2bib (1902); excel2latex (2065); exceltex (2066); fotex (2361); html2latex (2803); interpreter (2979); jadetex (3036); jupynotex (3104); luaxml (3681); mathsci2bibtex (3824); mctex (3857); mol2chemfig (4052); nb4latex (4186); odsfile (4364); passivetex (4510); plain-ltx (4701); rnototex (5206); sciwordconv (5336); tab4tex (5803); texperf (6018); texvc (6052); tlg2latex (6239); tr2latex (6281); txt2latex (6379); txt2tex (6380); typehtml (6388); vietnet (6617); wiki (6688); word2latex (6713); word2tex (6714); word2x (6715); wordml2latex (6720); wp2latex (6725); xmlplay (6820); xmltex (6821);
form-fillin	7 packages: blanks (763); eforms (1836); fillform (2210); forms16be (2356); formular (2358); hyperref (2842); richtext (5196);
formal-spec	13 packages: backnaur (435); bnf-plain (783); context-bnf (1272); ebnf (1799); formal-grammar (2352); latex-bnf (3266); naive-ebnf (4167); objectz (4346); simplebnf (5500); vdm (6579); vdmlisting (6580); zed (6909); zed-csp (6910);
format	47 packages: armtex (260); base (465); blue (774); context (1267); cslatex (1406); csplain (1408); eplain (1941); fotex (2361); hyperlatex (2840); inrstex (2962); l3kernel (3216); l3kernel-dev (3217);

B Used topics and related packages

	lamstex (3244); latex (3259); latex-base (3262); latex-base-dev (3263); latex-firstaid (3276); latex-firstaid-dev (3277); latex-lab (3287); latex-lab-dev (3288); latex209 (3305); latexrelease (3345); lollipop (3517); mex (3928); minim (3982); mltex-ltx (4023); mylatex (4156); mylatexformat (4157); optex (4401); physe (4650); phyzzx (4657); plain (4699); platex (4710); psizzl (4860); ptex-base (4998); startex (5679); stex (5696); texinfo (5986); texinfo-hu (5987); texinfo-latest (5988); texsis (6031); text1 (6035); unpacked (6499); uplatex (6511); uptex-base (6518); utf8mex (6549); ytex (6902);
format-cvt	8 packages: catdoc (953); metanorma (3911); pstotext (4986); refer (5144); rtf2latex2e (5242); rtf2tex (5243); s2latex (5274); transfig (6291);
french	37 packages: babel-french (387); bib-fr (576); biblatex-enc (637); biblatex-swiss-legal (678); cahierprof (894); context-french (1284); couleurs-fr (1353); droit-fr (1703); e-french (1775); esieecv (1987); fixltxhyph (2242); francais-bst (2377); frenchle (2390); frenchmath (2391); frenchponct (2392); frenchpro (2393); frenchquote (2394); frhyph (2396); frpseudocode (2403); glossaries-french (2550); gzt (2674); ibrackets (2863); lettre (3397); logoetalab (3513); mafr (3717); matapli (3786); numspell (4337); panneauxroute (4479); papiergurvan (4484); profcollege (4809); proflycee (4811); smflatex (5561); tablvar (5818); these (6076); udes-genie-these (6416); ulthese (6441); yathesis (6876);
french-doc	24 packages: apprendre-a-programmer-en-tex (235); apprends-latex (236); booktabs-fr (809); expose-expl3-dunkerque-2019 (2089); faq-fr (2138); faq-fr-gutenberg (2139); fepslatex (2162); formation-latex-ul (2354); french-translations (2389); guide-latex-fr (2661); gutenberg (2671); impatient (2924); l2tabu-french (3207); latex-sciences-humaines (3296); latex2e-help-texinfo-fr (3307); lshort-french (3550); translation-array-fr (6292); translation-booktabs-fr (6295); translation-dcolumn-fr (6297); translation-natbib-fr (6304); translation-tabbing-fr (6306); visualfaq-fr (6622); visualpstricks (6623); visualtikz (6625);
frivolous	6 packages: happy4th (2693); inscrutable (2964); pst-fun (4909); reverxii (5185); xii (6797); xii-lat (6798);

B Used topics and related packages

games	101 packages: acromemory (46); aeb-dad (91); appelt-chess (232); bakoma-games (445); bartel-chess-fonts (464); battleship (477); bbcard (479); bdfchess (491); bg (570); bridge (840); bridge-pln (841); cardgame (930); cchess (966); chess (1038); chess-problem-diagrams (1039); chessboard (1040); chessfss (1041); chessmin (1042); chickenize (1051); chinesechess (1056); context-games (1286); context-sgf (1301); context-sudoku (1305); crossword (1393); crosswrd (1394); crw (1397); ducksay (1719); egameps (1838); eigo (1845); enpassant (1915); gamebook (2439); gamebooklib (2440); go (2578); gurps (2670); hanoi (2691); happy4th (2693); havannah (2707); hexboard (2745); hexgame (2747); hmtrump (2782); i-ching (2854); iching (2868); igo (2911); istgame (3021); jeopardy (3054); jeuxcartes (3056); jj-game (3063); labyrinth (3235); logicpuzzle (3510); magic (3719); magicthegathering (3721); mahjong (3724); mandel (3761); mathador (3795); maze (3846); metago (3907); mpchess (4081); multi-sudoku (4111); nimsticks (4259); onedown (4385); othello (4428); othelloboard (4429); pas-crosswords (4506); pgf-go (4605); playcards (4716); psbao (4844); psgo (4858); pst-dart (4893); pst-poker (4949); puyotikz (5016); reverxii (5185); robot-man (5207); rouequations (5229); rpg-module (5232); rpgicons (5233); schwalbe-chess (5328); scrabble (5341); scratch (5345); scratch3 (5346); scratchx (5347); setdeck (5423); sgame (5443); skak (5525); skaknew (5526); soup (5611); suanpan (5725); sudoku (5744); sudokubundle (5745); tangramtikz (5850); texmate (6010); thirteen (6083); tictactoe (6109); tikz-among-us (6116); tikz-triminos (6153); trivialpursuit (6321); twoxtwogame (6373); wargame (6660); weiqi (6680); wordle (6718); xq (6837); xskak (6845);
gantt	4 packages: context-gantt (1287); pgfgantt (4613); pst-gantt (4911); rtsched (5246);
gen-paper	5 packages: mla-paper (4014); mlacls (4015); notestex (4296); turabian (6353); vertex (6607);
genchart	9 packages: bar (455); bardia (460); barkom (462); bchart (489); pgf-pie (4608); piechart (4671); piechartmp (4672); pst-bar (4881); timechart (6187);
genealogy	5 packages: familytree (2115); genealogy (2467); genealogy-profiles (2468); genealogytree (2469); gtrlib-largetrees (2656);

B Used topics and related packages

gentex	3 packages: create-struktex (1376); escapetext (1985); texplate (6021);
geometry	32 packages: a4 (4); a4wide (5); a5comb (6); addlines (65); anysize (214); canoniclayout (918); chngpage (1064); context-fullpage (1285); context-typearea (1310); ebook (1801); fixpdfmag (2247); fjodor (2250); fullpage (2412); fullwidth (2414); geometry (2482); geometry-de (2483); gmeometric (2569); hoffset-voffset (2786); koma-script (3172); layouts (3358); rmpage (5204); scale (5310); screen (5351); stdpage (5689); stocksize (5703); textarea (6037); tocenter (6251); twoside (6370); typearea (6384); vmargin (6629); vpage (6639); zwpagelayout (6934);
geometry-adj	3 packages: changelayout (993); changepage (995); indent (2936);
georgian	2 packages: babel-georgian (390); mxedruli (4152);
german	28 packages: apalike-german (224); autotype (358); babel-german (391); bewerbung (565); biblatex-german-legal (641); biblatex-swiss-legal (678); dehyph (1568); dehyph-exptl (1569); delig (1574); detexfaq (1587); dhua (1593); g-brief (2435); gcite (2459); german (2489); germbib (2490); germkorr (2492); jura (3105); juraabbrev (3106); juramisc (3108); jurarsp (3109); lualatex-doc-de (3642); ngerman (4247); numspell (4337); quran-de (5084); ratex (5112); rtklage (5245); termcal-de (5888); uhrzeit (6426);
german-doc	30 packages: anleitung (191); booktabs-de (808); dtk-bibliography (1713); etoolbox-de (2017); fancyfolien (2119); faq-de (2136); fontein (2315); geometry-de (2483); germdoc (2491); gleitobjekte (2534); grafik (2595); l2tabu (3205); latexcheat-de (3323); lshort-german (3551); microtype-de (3960); neufont (4216); pauldoc (4518); tabsatz (5820); tipa-de (6198); translation-arsclassica-de (6293); translation-biblatex-de (6294); translation-chemsym-de (6296); translation-ecv-de (6298); translation-enumitem-de (6299); translation-europecv-de (6300); translation-filecontents-de (6301); translation-footmisc-de (6302); translation-moreverb-de (6303); translation-pst-jtree-de (6305); typografie (6395);

B Used topics and related packages

glossary	34 packages: acroterm (51); bib2gls (579); expex-acro (2079); glossmathtools (2539); gloss (2540); glossaries (2542); glossaries-accsupp (2543); glossaries-danish (2544); glossaries-dutch (2545); glossaries-english (2546); glossaries-estonian (2547); glossaries-extra (2548); glossaries-finnish (2549); glossaries-french (2550); glossaries-german (2551); glossaries-irish (2552); glossaries-italian (2553); glossaries-magyar (2554); glossaries-norsk (2555); glossaries-nynorsk (2556); glossaries-polish (2557); glossaries-portuges (2558); glossaries-serbian (2559); glossaries-slovene (2560); glossaries-spanish (2561); glossaries-swedish (2562); glossaries-ukrainian (2563); glossary (2564); glosstex (2565); glotex (2566); makeglos (3741); makeglossariesgui (3742); nomencl (4282); nomentbl (4283);
go	1 package: psgo (4858);
graphics	179 packages: aiplans (112); amscd (166); amscdx (167); argumentation (257); asymptote (310); bargraph-js (461); bearwear (544); blox (773); braids (829); broydensolve (844); byo-twemojis (883); byrne (884); calculatoritems (903); callouts (909); causets (958); celtic (981); chemfig (1020); chemobabel (1026); chemplants (1028); circuitikz (1085); cistercian (1088); codeanatomy (1186); coffeestains (1195); coloremoji (1210); commutative-diagrams (1242); cpssp (1370); curve2e (1446); domaincoloring (1660); dot2tex (1664); dot2texi (1665); drawing (1694); ducksay (1719); duotenzor (1723); dynkin-diagrams (1773); easing (1778); ecgdraw (1809); ellipse (1865); emo (1884); emoji (1885); endofproofwd (1906); epsfig209 (1949); euclidean-lattice (2021); euclideangeometry (2022); euflag (2024); fenetrecas (2160); fepslatex (2162); figchild (2193); figput (2197); figsize (2199); fiziko (2249); fretplot (2395); gincitex (2520); gmp (2571); graph35 (2597); graphbox (2599); graphics-cfg (2605); graphicscache (2608); hep-graphic (2726); hexboard (2745); hwemoji (2828); icon-appr (2871); interpol (2978); ketcindy (3134); latex-graphics (3282); latex-graphics-dev (3283); liftarm (3439); ltximg (3597); lua-tikz3dtools (3612); luaaddplot (3622); luamesh (3651); luaplot (3659); luatikz (3677); lucide-icons (3686); mahjong (3724); maritime (3782); mathador (3795); mcf2graph (3853); memoize (3885); memorygraphs (3888); mercatormap (3897); milsymb (3975); mkipic (4010); mp-geom2d (4075); mpchess (4081); mpostinl (4089); nimsticks (4259);

B Used topics and related packages

open-everyday-symbols (4395); openmoji (4397);
outilsgeomtikz (4434); pfdicons (4599); pgf (4602);
pgfgantt (4613); pgfmolbio (4618); pgfplots (4623);
pgfplotsthemebeamer (4625); pict2e (4663);
pictochrono (4669); pinoutikz (4678); pixelart (4683);
pixelarttikz (4684); pmdraw (4734); polyhedra (4754);
polyomino (4757); profsio (4813); psfrag-italian (4855);
pspic (4869); pst-antiprism (4878); pst-flags (4904);
pst-fourbarlinkage (4905); pst-gears (4912);
pst-marble (4930); pst-massspring (4931);
pst-nutation (4936); pst-ob3d (4937); pst-rubans (4954);
pst-sphericaltrochoid (4963); pst-spinner (4964);
pst-spirograph (4965); pst-tools (4970);
pst-turtle (4972); pst2pdf (4981); puyotikz (5016);
pxpic (5027); quantikz (5064); quantumcubemodel (5067);
quiver (5073); qworld (5089); realhats (5127);
register-transfer-level (5154); rlepsz (5200);
robotarm (5208); rpgicons (5233); sankey (5285);
schemabloc (5318); scsnowman (5376); skillicons (5533);
strands (5707); string-diagrams (5711); sunpath (5750);
svg (5757); syntaxdi (5786); table-fct (5807);
tablericons (5812); tikz-among-us (6116);
tikz-bbox (6119); tikz-cd (6121); tikz-decofonts (6123);
tikz-imagelabels (6129); tikz-layers (6135);
tikz-network (6138); tikz-nfold (6139);
tikz-planets (6145); tikz-shields (6149);
tikz-trackschematic (6152); tikzbrickfigurines (6157);
tikzbricks (6158); tikzdotncross (6161);
tikzducks (6162); tikzlings (6166); tikzmarmots (6168);
tikzpagenodes (6171); tikzpingus (6174);
tikzquads (6176); tikztosvg (6180);
tikzviolinplots (6181); tiscreeen (6202); tkz-fct (6224);
tkz-graph (6225); tkz-grapheur (6226); tkz-tab (6231);
trivialpursuit (6321); twemojis (6366); tzplot (6398);
vexillology (6608); vscodeicons (6647); wheelchart (6682);
worldflags (6723); xistercian (6806); yquant (6897);

graphics-3d **17 packages:** featpost (2158); lua-tikz3dtools (3612);
m3d (3705); mp3d (4077); productbox (4808); pst-3d (4874);
pst-3dplot (4875); pst-fr3d (4907); pst-gr3d (4915);
pst-light3d (4927); pst-ob3d (4937);
pst-perspective (4946); pst-platon (4947);
pst-solides3d (4959); pst-vue3d (4979);
tikz-3dplot (6115); tikz3d-fr (6156);

graphics-curve **10 packages:** bez123 (566); curve2e (1446); curves (1447);
ebezier (1795); hobby (2783); picmac (4662);

B Used topics and related packages

	pst-bezier (4883); pst-bspline (4885); spath3 (5625); xpicture (6833);
graphics-doc	5 packages: asy-overview (308); epslatex (1953); grfguide (2637); visualpstricks (6623); visualtikz (6625);
graphics-drw	8 packages: bxdpx-beamer (867); dvipdfmx-def (1751); graphics-def (2606); luatex-def (3669); pdftex-def (4572); pxpgfmark (5026); pxtatescale (5029); xetex-def (6778);
graphics-editor	2 packages: lated (3258); latexpik (3344);
graphics-engn	17 packages: asymptote (310); epix (1940); epstool (1958); eukleides (2026); gnuplot (2576); graphbase (2598); grapher (2601); graphtex (2616); latexcad (3321); lgraph (3411); metaobj (3912); metapost (3915); pstex (4983); texsketch (6032); xfig (6789); xtexcad (6854); xwpick (6862);
graphics-epspdf	17 packages: auto-pst-pdf (339); auto-pst-pdf-lua (340); autopdf (352); domaincoloring (1660); epsf-dvipdfmx (1947); epspdf (1954); epspdf-extra (1955); epspdf-setup (1956); epspdfconversion (1957); epstopdf (1959); epstopdf-pkg (1960); mptopdf (4091); pdfcrack (4565); ps4pdf (4841); pst-pdf (4944); pst2pdf (4981); pstool (4985);
graphics-fill-tile	1 package: pst-fill (4902);
graphics-import	10 packages: fastpictex (2144); fig2mf (2185); fig2mfpic (2186); fig2vect (2188); gplot (2587); graphconv (2600); hpgl2ps (2796); mf-ps (3929); sketch (5530); svg (5757);
graphics-in-tex	68 packages: autopict (353); axodraw (366); axodraw2 (367); baum (478); bez123 (566); binarytree (739); bm2ltx (777); bxeepic (869); consdiag (1264); coordsys (1336); curve2e (1446); curves (1447); diagmac (1597); diagmac2 (1598); dratex (1693); ebezier (1795); eepic (1834); egameps (1838); epic (1934); expressg (2090); fchart (2153); fullpict (2413); gastex (2448); hobby (2783); labtex (3234); lapdf (3252); latex-context-ppchtex (3268); latexdraw (3332); lcd (3362); lcircuit (3365); logsys (3516); luamplib (3654); mfpic (3943); multibox (4116); optikz (4404); pgf (4602); picmac (4662); pict2e (4663); pictex (4664); pictex-autoarea (4665); pictex2 (4666); pictexwd (4668); pmboxdraw (4730); pmgraph (4735); pspicture (4870); pst-node (4935); pst-shell (4955); pst-spirograph (4965); pstricks-add (4988); pstricks-base (4989); pxpik (5027); qcircuit (5046); quiver (5073); randomwalk (5106);

B Used topics and related packages

	<code>rulercompass</code> (5257); <code>sparklines</code> (5624); <code>sprite</code> (5649); <code>t-angles</code> (5795); <code>texdraw</code> (5970); <code>texpict</code> (6019); <code>texpictex</code> (6020); <code>tikz-cd</code> (6121); <code>tikz-optics</code> (6141); <code>tiscreen</code> (6202); <code>visualpstricks</code> (6623); <code>visualtikz</code> (6625); <code>xetex-pstricks</code> (6782); <code>xpicture</code> (6833);
<code>graphics-incl</code>	35 packages: <code>asypictureb</code> (314); <code>domaincoloring</code> (1660); <code>epsf</code> (1946); <code>epsfig</code> (1948); <code>epsfx</code> (1951); <code>fadingimage</code> (2109); <code>fig4latex</code> (2189); <code>graphbox</code> (2599); <code>graphfig</code> (2602); <code>graphicp</code> (2603); <code>graphics</code> (2604); <code>graphics-pln</code> (2607); <code>graphicx</code> (2609); <code>graphicx-psmin</code> (2610); <code>graphicxbox</code> (2611); <code>graphicxpsd</code> (2612); <code>graphicxsp</code> (2613); <code>grfpaste</code> (2638); <code>incgraph</code> (2931); <code>inlinegraphicx</code> (2953); <code>latexscreenshooter</code> (3347); <code>longfigure</code> (3521); <code>mma2ltx</code> (4026); <code>nccpic</code> (4200); <code>pdfoverlay</code> (4559); <code>pdfpages</code> (4561); <code>pdfreview</code> (4567); <code>psbox</code> (4845); <code>psfig</code> (4849); <code>pst-graphicx</code> (4917); <code>realhats</code> (5127); <code>rviewport</code> (5269); <code>svg</code> (5757); <code>swfigure</code> (5768); <code>tikz-image-labels</code> (6129);
<code>graphics-inline</code>	15 packages: <code>context-gnuplot</code> (1288); <code>dottex</code> (1670); <code>egplot</code> (1841); <code>emp</code> (1888); <code>esk</code> (1991); <code>feynmp-auto</code> (2171); <code>fmp</code> (2280); <code>gnuplottex</code> (2577); <code>graphviz</code> (2617); <code>latexalpha2</code> (3318); <code>metatex</code> (3920); <code>mpgraphics</code> (4086); <code>mpostinl</code> (4089); <code>sagetex</code> (5280); <code>texsurgery</code> (6034);
<code>graphics-manip</code>	2 packages: <code>reflectgraphics</code> (5147); <code>scalerel</code> (5313);
<code>graphics-motion</code>	7 packages: <code>anima</code> (189); <code>animate</code> (190); <code>context-animation</code> (1270); <code>flashmovie</code> (2257); <code>flipbook</code> (2263); <code>interactiveanimation</code> (2972); <code>svg-animate</code> (5758);
<code>graphics-mpost</code>	13 packages: <code>byrne</code> (884); <code>fiziko</code> (2249); <code>huffman</code> (2808); <code>luamesh</code> (3651); <code>luaplot</code> (3659); <code>mcf2graph</code> (3853); <code>mp-geom2d</code> (4075); <code>mp-neuralnetwork</code> (4076); <code>mpchess</code> (4081); <code>mptrees</code> (4092); <code>repere</code> (5167); <code>roundrect</code> (5231); <code>splines</code> (5639);
<code>graphics-plot</code>	27 packages: <code>bezierplot</code> (567); <code>bodegraph</code> (785); <code>bodeplot</code> (786); <code>domaincoloring</code> (1660); <code>gpdata</code> (2586); <code>histogr</code> (2766); <code>interactiveplot</code> (2973); <code>lua-regression</code> (3611); <code>luaaddplot</code> (3622); <code>makeplot</code> (3748); <code>metaplot</code> (3914); <code>metapost-matlab</code> (3918); <code>mgltex</code> (3949); <code>mpkiviat</code> (4087); <code>numericplots</code> (4332); <code>pgfornament</code> (4621); <code>pgfplots</code> (4623); <code>pgfplotstable</code> (4624); <code>pgfplotsthemebeamer</code> (4625); <code>pst-2dplot</code> (4873); <code>pst-3dplot</code> (4875); <code>pst-infixplot</code> (4919); <code>pst-ode</code> (4938); <code>tikzfxgraph</code> (6164); <code>tikzviolinplots</code> (6181); <code>tkz-fct</code> (6224); <code>tkz-kiviat</code> (6228);

B Used topics and related packages

graphics-plotfn	10 packages: bezierplot (567); bpolynomial (825); domaincoloring (1660); luaplot (3659); mfpic4ode (3944); mgltex (3949); pst-contourplot (4891); pst-func (4910); tkz-grapheur (6226); tzplot (6398);
graphics-prep	55 packages: a2ping (3); addtex2eps (67); bbfig (481); bit2spr (749); bm2font (776); bmeps (778); bmpp (779); cachepic (892); cep (986); degrade (1567); drawmgr (1697); eps2pdf (1944); epsincl (1952); exteps (2096); fig2lat (2184); figfrag (2195); flowframtk (2276); fragmaster (2371); gapfill (2443); ghostscript (2515); hp2xx (2795); jflap2tikz (3057); jpeg2ps (3084); jpeg2ps-os2 (3085); jpicedt (3087); mactotex (3716); mathspic (3829); mif2xfig (3965); mpstoeps (4090); oletex (4380); pagedraw (4459); pawpict (4519); pbm2tex (4525); pdfflatexpicscale (4554); png2pdf (4742); prerex (4788); psfixbb (4850); psfragger (4856); psrip (4871); pst-eps (4897); psttoedit (4984); qfig (5050); sam2p (5281); svg-inkscape (5759); texcad32 (5958); texpict (6019); threedldf (6092); tif2eps (6113); tktexcad (6217); tpic2pdftex (6277); tpx (6279); transfig (6291); tsemllines (6331); wmf2eps (6705); wmf2epsc (6706);
graphics-subpic	7 packages: hatching (2705); minim-hatching (3983); pgf-blur (4603); pst-blur (4884); pst-text (4968); pst-thick (4969); tile-graphic (6182);
graphics-supp	18 packages: bmpsize (780); combinedgraphics (1227); dvipscol (1756); easing (1778); gradback (2589); grfext (2635); hilowres (2763); hobby (2783); latex-context-ppchtex (3268); m-pictex (3703); mf2tex (3933); pst-fit (4903); pst-intersect (4920); pst-ovl (4942); tikzinclude (6165); tikzmark (6167); tikzscale (6178); trans (6290);
graphics-symb	21 packages: actuarialangle (58); actuarialsymbol (59); bootstrapicons (813); circledtext (1083); cmarrows (1149); complexity (1248); harpoon (2700); harveyballs (2703); isosigns (3015); kksymbols (3153); magicthegathering (3721); open-everyday-symbols (4395); oplotsymb1 (4399); orcidlink (4408); pdfmsym (4558); pgfornament-han (4622); rorlink (5220); sacsymb (5276); tikzpfeile (6173); tikzsymbols (6179); vexillology (6608);
graphics-text	14 packages: diagramf (1600); figfrag (2195); labelfig (3227); latexmp (3341); lpic (3534); overpic (4446); pdfrack (4565); pinlabel (4677);

B Used topics and related packages

	psfrag (4854); psfragx (4857); pstool (4985); textpath (6048); tikz-image-labels (6129); txp (6377);
graphics-use	65 packages: asyfig (309); bookshelf (806); boxedart4mac (818); boxedeps (819); coloredbelts (1208); context-construction-plan (1278); context-degrade (1280); customdice (1449); dice (1604); drawstack (1698); easyfig (1786); emo (1884); emoji (1885); emojicite (1886); epsdice (1945); euromoney (2037); feyn (2168); feynman (2169); feynmf (2170); fldigigal (2260); flipbook (2263); gcard (2457); graphpap (2614); image-gallery (2919); infpic (2944); logoetalab (3513); m3d (3705); miniplot (3993); mpattern (4080); panneauxroute (4479); plates (4709); progressbar (4817); pst-coil (4890); pst-diffraction (4895); pst-electricfield (4896); pst-eucl (4898); pst-fractal (4908); pst-func (4910); pst-geometrictools (4914); pst-labo (4924); pst-light3d (4927); pst-lsystem (4928); pst-marble (4930); pst-mirror (4933); pst-moire (4934); pst-osci (4941); pst-pad (4943); pst-pulley (4951); pst-stru (4966); pst-vehicle (4976); pst-vue3d (4979); randbild (5101); sa-tikz (5275); threeddice (6091); tiff (6114); tikz-3dplot (6115); tikz-osci (6142); titlepic (6207); tkz-euclide (6223); tkz-linknodes (6229); tqft (6280); user-persona (6537); vaucanson-g (6576); vocaltract (6634); cigaretten (6923);
greek	39 packages: babel-greek (392); begingreek (549); betababel (562); bgreek (572); bib-greek (577); cbgreek-complete (962); dithesis (1628); elhyphen (1864); elmath (1867); engrec (1909); grchyp (2621); greek-fontenc (2622); greek-inputenc (2623); greek-makeindex (2624); greekctr (2627); greekdates (2628); greektonoi (2632); grkfinst (2644); grnumalt (2645); grtimes (2646); grverb (2648); hellas (2717); hyphenation-greek (2849); ibycus-babel (2864); ibygrk (2865); kdgreek (3128); kelly-greek-font (3131); lgreek (3412); lgrmath (3414); lgrx (3415); mtgreek (4105); teubner (5903); tex-gyre-adventor (5913); tex-gyre-bonum (5914); tex-gyre-cursor (5916); tlglatex (6239); xetex-greek (6780); xgreek (6794); yannisgr (6875);
greek-doc	2 packages: gentl-gr (2479); greekinfo3 (2629);
headings	32 packages: alnumsec (141); alphanum (146); anonchap (198); appendix (233); bsheaders (847); chbibref (1005); coseoul (1352); crumbs (1396); fancychapters (2118);

B Used topics and related packages

	<code>fncychap</code> (2284); <code>indentfirst</code> (2937); <code>modular</code> (4048); <code>nccsect</code> (4202); <code>notoccite</code> (4300); <code>outliner</code> (4436); <code>quotchap</code> (5077); <code>secdot</code> (5383); <code>secnum</code> (5385); <code>section</code> (5388); <code>sectionbreak</code> (5390); <code>sectsty</code> (5391); <code>serbianpart</code> (5419); <code>sober</code> (5568); <code>sshdbk10</code> (5663); <code>standardsectioning</code> (5675); <code>texilikechaps</code> (5983); <code>titlesec</code> (6211); <code>tocvsec2</code> (6254); <code>topsection</code> (6271); <code>tramlines</code> (6289); <code>uvalletter</code> (6555); <code>varsects</code> (6573);
hebrew	11 packages: <code>arabtex</code> (246); <code>babel-hebrew</code> (393); <code>cjhebrew</code> (1098); <code>datetime2-hebrew</code> (1515); <code>hebrew-fonts</code> (2714); <code>hebtex</code> (2715); <code>makor2</code> (3755); <code>pcfonts</code> (4531); <code>redis</code> (5139); <code>shalom</code> (5452); <code>sikumuna</code> (5494);
humanities	31 packages: <code>archaeologie</code> (252); <code>bibarts</code> (583); <code>biblatex-anonymous</code> (619); <code>biblatex-archaeology</code> (622); <code>biblatex-bookinarticle</code> (626); <code>biblatex-bookinother</code> (627); <code>biblatex-dw</code> (636); <code>biblatex-enc</code> (637); <code>biblatex-fiwi</code> (639); <code>biblatex-historian</code> (643); <code>biblatex-luh-ipw</code> (653); <code>biblatex-manuscripts-philology</code> (654); <code>biblatex-morenames</code> (656); <code>biblatex-philosophy</code> (665); <code>classics</code> (1109); <code>genealogy-profiles</code> (2468); <code>genealogytree</code> (2469); <code>geschichtsfykl</code> (2493); <code>icite</code> (2869); <code>latex-sciences-humaines</code> (3296); <code>mitthesis</code> (4004); <code>mla-paper</code> (4014); <code>mlacls</code> (4015); <code>pedigree-perl</code> (4583); <code>pst-pdgr</code> (4945); <code>semantic-markup</code> (5400); <code>technica</code> (5868); <code>tlg2latex</code> (6239); <code>ulqda</code> (6438); <code>uni-wtal-ger</code> (6470); <code>uni-wtal-lin</code> (6471);
hungarian	10 packages: <code>babel-hungarian</code> (394); <code>elteiktdk</code> (1872); <code>elteikthesis</code> (1873); <code>huaz</code> (2807); <code>huhyp</code> (2809); <code>hulipsum</code> (2810); <code>hungarian</code> (2815); <code>nevelok</code> (4219); <code>numspell</code> (4337); <code>thesis-ekf</code> (6078);
hyper	33 packages: <code>aeb-mlink</code> (87); <code>aeb-pro</code> (89); <code>aur1</code> (332); <code>backref</code> (436); <code>bookmark</code> (805); <code>breakurl</code> (837); <code>cwebhy</code> (1460); <code>doi</code> (1657); <code>footnotebackref</code> (2341); <code>gmiflink</code> (2570); <code>href-ul</code> (2798); <code>hrefhide</code> (2799); <code>hypbmsec</code> (2833); <code>hypcap</code> (2834); <code>hypdestopt</code> (2835); <code>hypdoc</code> (2836); <code>hypdvips</code> (2837); <code>hyper</code> (2838); <code>hyperbar</code> (2839); <code>hypernat</code> (2841); <code>hyperref</code> (2842); <code>intopdf</code> (2983); <code>issuulinks</code> (3019); <code>linkedthm</code> (3458); <code>memhfixc</code> (3879); <code>morehype</code> (4066); <code>navigator</code> (4184); <code>orcidlink</code> (4408); <code>pdfscreen</code> (4568); <code>pxjahyper</code> (5024); <code>rorlink</code> (5220); <code>uri</code> (6522); <code>xr-hyper</code> (6839);
hyph-gen	3 packages: <code>czhyph2e</code> (1473); <code>findhyph</code> (2214); <code>patgen</code> (4514);
hyph-pseudo	1 package: <code>seqsplit</code> (5413);

B Used topics and related packages

hyphenation	65 packages: autotype (358); bahyph (442); bghyphen (571); cahyph (895); catalan (948); czhyph (1472); dehyph (1568); dehyph-exptl (1569); dkhyphen (1632); eehyph (1832); elhyphen (1864); fahyph (2110); fihyph (2201); frhyph (2396); gahyph (2437); glhyph (2535); grchyph (2621); hrhyph (2800); huhyph (2809); hungarian (2815); hyacc-cm (2830); hyph-utf8 (2845); hyphen-spanish (2847); hyphenat (2848); hyphenation-greek (2849); hyphenex (2850); hyphsubst (2851); hypht1 (2852); hypplain (2853); iahyphen (2857); icehyph (2866); inhyph (2947); ishyph (3001); ithyph (3025); kmrhyph (3155); lahyph (3238); lua-check-hyphen (3607); lua-list-hyphen (3608); luahyphenrules (3634); mkpatter (4009); mnhyphn (4031); nehyph (4212); nohyph (4277); nohyphbx (4278); plhyph (4722); pthyphs (5005); ruhyphen (5252); sanhyph (5283); sehyph (5393); shhyph1 (5460); showhyphenation (5476); showhyphens (5477); slhyph (5545); sorhyph (5606); sphyphb (5633); sr-hyphen-spec (5654); srhyphc (5660); testhyphens (5898); tkhyph (6216); ukhyph (6432); ukrhyph (6433); ushyph (6539); uspace (6540); xesoul (6773); xetex-greek (6780);
icelandic	6 packages: babel-icelandic (395); cleveref-icelandic (1120); icehyph (2866); icelandic (2867); ishyph (3001); staves (5687);
ide	23 packages: eddi4tex (1824); emtexgi (1892); epmtfe (1942); ftetx (2406); kile (3147); ktexshell (3193); latexmng (3340); lyx (3702); pmcstex (4731); preview-latex (4796); texed (5971); texlipse (5991); texmacs (6008); texniccenter (6014); texshell (6028); texshell32 (6029); texshop (6030); tsconfig (6330); winedt (6695); winshell (6699); xlatex (6814); xtem (6852); xtexshell (6855);
image-supp	4 packages: dosepsbin (1663); hvextern (2820); inline-images (2950); luaimageembed (3635);
index	45 packages: addindex (63); amsmidx (177); authorindex (338); corridx-latex (1350); corridx-obsolete (1351); csindex (1405); esindex (1988); genindex (2471); gindex (2521); hsindex (2802); hvindex (2822); icite (2869); idxcmds (2878); idxlayout (2879); idxtex (2880); imakeidx (2920); index (2938); indextools (2939); indexextra (2940); keyindex (3137); knowledge (3160); kotex-utils (3186); latex-indexer (3285); ltxindex (3598); luaindex (3636); makeidx (3744); makeindex (3745); makeindexk (3746); mendex-doc (3889); multind (4127); repeatindex (5166); robustindex (5212); sblidx (5305);

B Used topics and related packages

	scrindex (5356); seealso (5392); splitindex (5643); testidx (5899); texindex (5985); upmendex (6512); varindex (6570); xeindex (6768); xindex (6800); xindy (6801); xindy-persian (6802); zhmakeindex (6916);
index-auth	2 packages: affilauthor (99); indxcite (2943);
index-multi	5 packages: genindex (2471); index (2938); manyind (3770); multind (4127); splitindex (5643);
index-proc	7 packages: forindex (2350); gindex (2521); greek-makeindex (2624); intex (2981); lamstex-index (3245); latex-indexer (3285); sanitize-umlaut (5284);
indic	29 packages: adami (60); akshar (116); arosgn (263); bangla (450); bangtex (453); bengali-omega (556); bengali-pandey (557); csx (1421); devanagari (1589); devanagari-omega (1590); ebong (1800); gurmukhi (2668); gurmukhi-singh (2669); itrans-processor (3027); latex-mr (3290); latexbangla (3319); malayalam-latex (3756); malayalam-obsolete (3757); malayalam-omega (3758); marathi (3773); mkbangtex (4006); oriya (4414); sanhyph (5283); sanskrit (5287); sanskrit-t1 (5288); sinhala (5518); tamil-omega (5845); telugu (5875); xetex-itrans (6781);
inputenc	30 packages: codepage (1191); cptex (1371); ginpenc (2522); greek-inputenc (2623); guarani (2658); hebrew-fonts (2714); inputenx (2957); isolatin1 (3010); latex-uni8 (3302); latin1jk (3351); latin2jk (3352); latin3jk (3353); lgrx (3415); luainputenc (3637); mapcodes (3771); newunicodechar (4240); rmligs (5203); rtkinenc (5244); selinput (5396); tlenc (5797); tcvn (5863); texaccents (5951); ucs (6411); umlaute (6446); unicode (6473); uspace (6540); utf8add (6548); verbtex (6596); xetex-devanagari (6779); xetex-tibetan (6783);
install-mgmt	12 packages: autoconf (344); diagnose (1599); eitl (1850); texlive-dummy-enterprise-linux (5994); texlive-dummy-enterprise-linux-6 (5995); texlive-dummy-enterprise-linux-7 (5996); texlive-dummy-enterprise-linux-8 (5997); texlive-dummy-fedora (5998); texlive-dummy-opensuse (5999); texliveonfly (6002); tlcockpit (6238); tlmgrbasics (6241);
interlingua	2 packages: babel-interlingua (397); latino-sine-flexione (3354);

B Used topics and related packages

invoice	13 packages: aeskwadraat (97); didec (1609); factura (2106); facture (2107); facture-belge-simple-sans-tva (2108); invoice (2987); invoice-class (2988); invoice2 (2989); isodoc (3009); modeles-factures-belges-assocs (4037); qrbill (5055); simpleinvoice (5504); zugferd (6932);
io-mgmt	5 packages: closefrm (1128); koma-script (3172); morewrites (4070); newfile (4227); scrwfile (5375);
irish-gaelic	5 packages: babel-irish (398); eiad (1843); eiad-ltx (1844); gahyph (2437); glossaries-irish (2552);
italian	10 packages: babel-italian (399); biblatex-accursius (616); codicifiscaleitaliano (1193); fixltxhyph (2242); glossaries-italian (2553); guitbeamer (2666); ithyph (3025); itnumpar (3026); numspell (4337); topletter (6270);
italian-doc	7 packages: amsmath-it (176); fancyhdr-it (2122); guit-corso (2662); l2tabu-italian (3208); latex4wp-it (3317); lshort-italian (3552); psfrag-italian (4855);
japanese	74 packages: ascmac (293); asternote (304); babel-japanese (400); bxbase (863); bxcjkjatype (865); bxghost (871); bxjaholiday (872); bxjalipsum (873); bxjaprnind (874); bxjatoucs (875); bxjscls (876); bxwareki (882); chuushaku (1075); cjk (1099); cjk-fonts (1100); cjkpunct (1103); convert-jpfonts (1323); endnotesj (1905); evangelion-jfm (2045); fixjfm (2239); gckanbun (2460); gentombow (2481); haranoaji (2695); haranoaji-extra (2696); ieejtran (2886); ifptex (2903); ipaex (2994); ipaex-type1 (2995); japanese-mathformulas (3038); japanese-otf (3039); japanese-otf-uptex (3040); jfmutil (3058); jfontmaps (3059); jieeetran (3061); jlreq (3069); jlreq-deluxe (3070); jpnedenumerate (3088); jpnedumathsymbols (3089); jsclasses (3093); kanaparser (3117); kanbun (3118); keisenote (3130); kkran (3152); kksymbols (3153); luatexja (3674); luwa-ul (3691); mathfam256 (3808); nidanfloat (4255); outoruby (4439); pbibtex-base (4523); pbibtex-manual (4524); platex (4710); platex-tools (4711); plautopatch (4713); ptex (4997); ptex-base (4998); ptex-fontmaps (4999); ptex-texmf (5002); ptex2pdf (5003); pxbase (5019); pxchfon (5020); pxcjkcat (5021); pxjahyper (5024); pxjodel (5025); pxrubrica (5028); pxtatescale (5029); pxufont (5031); uplatex (6511);

B Used topics and related packages

	uptex (6517); uptex-base (6518); xecjk (6763); zxjafbf font (6936); zxjafont (6937); zxjatype (6938);
japanese-doc	3 packages: lshort-japanese (3553); pbibtex-manual (4524); ptex-manual (5001);
journ-digest	2 packages: dtk-bibliography (1713); tugboat-toc (6350);
journ-extract	2 packages: dante-book-reviews (1476); ntg-maps (4314);
journ-personal	1 package: scrjrn1 (5362);
journ-src	3 packages: tex-mag (5934); ttn (6342); uktug-bask (6435);
journalpub	160 packages: aalok (9); aastex (10); achemso (35); acm (38); acmart (39); acmconf (40); acmtrans (42); acs (56); afparticle (103); aguplus (108); aiaa (109); aichej (110); ama (154); ametsoc (155); anonymous-acm (199); aomart (216); apa (217); apa6 (218); apa6e (219); apa7 (220); apabst (221); apacite (222); apalike-ejor (223); apalike2 (225); apasoft (226); articleingud (279); asaetr (284); ascelike (288); asmejour (297); authblk (334); authorarchive (336); beilstein (552); besjournals-bst (560); biblatex-abnt (614); biblatex-ajc2020unofficial (617); biblatex-apa (620); biblatex-apa6 (621); biblatex-chem (631); biblatex-enc (637); biblatex-ieee (644); biblatex-lncs (651); biblatex-lni (652); biblatex-mla (655); biblatex-nature (660); biblatex-science (671); biolett-bst (745); business-research (858); cascadilla (939); cbe (960); cea (975); chem-journal (1013); cidarticle (1078); cj (1096); cje (1097); cjs-rcs-article (1104); cmpj (1166); computational-complexity (1253); coverpage (1364); csbulletin (1402); dccpaper (1548); decsci (1561); delvierre (1579); deutschesmuseum (1588); development (1591); dtk (1711); dtk-1.32 (1712); econometrica (1816); ecta (1820); ejpecp (1851); ekaia (1852); elbioimp (1855); els-cas-templates (1870); elsarticle (1871); emulateapj (1894); fac (2104); fbs (2149); fhj-script (2176); figcaps (2192); gaceta (2436); gammas (2441); geophysics (2485); gzt (2674); hindawi-latex-template (2764); historische-zeitschrift (2767); humannat (2813); iacrj (2855); ieeepes (2883); ieeetran (2884); ijc (2913); ijmart (2915); ijqc (2916); ijsra (2917); iopart-num (2992); jbact (3050); jcc (3052); jhep (3060); jmlr (3073); jpsj (3090); jtb (3098); jtbnew (3099); jumplines (3101); langsci (3249); llncs (3491); llncs209 (3492); llncsconf (3493); lms (3498); lni (3500); lps (3536);

B Used topics and related packages

	maple (3772); matapli (3786); meparticle (3895); mnras (4033); mnras-plain (4034); mslapa (4098); nar (4177); nature (4183); neuron (4218); newapa (4221); nrc (4310); nwejm (4340); opteng (4400); osa (4417); osda (4419); oup-authoring-template (4432); paper (4480); perception (4589); philosophersimprint (4639); phimisci (4640); pracjourn (4780); ptptex (5009); quantumarticle (5066); rebuttal (5130); resphilosophica (5178); revquantum (5187); revtex (5188); revtex4-0 (5189); revtex4-1 (5190); rsc (5237); sae (5277); sageep (5279); schwalbe-chess (5328); scientific-thesis-cover (5330); scientificpaper (5332); sfee (5437); shortmathj (5467); siam (5486); siggraph (5492); smflatex (5561); springer (5648); sugconf (5749); systcontrolletters (5792); texemplar (5972); theapa (6069); tugboat (6348); tugboat-plain (6349); vancouver (6566); vertex (6607); wmaainf (6704); zootaxa-bst (6927); zztex (6939);
keyval	36 packages: affilauthor (99); catoptions (956); clefval (1117); expkv (2081); expkv-bundle (2082); expkv-cs (2083); expkv-def (2084); expkv-opt (2085); keycommand (3135); keyreader (3139); keytheorems (3141); keyval (3142); keyval2e (3143); koma-script (3172); kvdefinekeys (3199); kvoptions (3201); kvsetkeys (3202); l3keys2e (3218); lparse (3532); ltxkeys (3600); luakeys (3639); luakeyval (3640); options (4406); pgfkeys (4614); pgfkeysearch (4615); pgfkeyx (4616); pgfopts (4620); pst-xkey (4980); scrbase (5348); simplekv (5505); skeycommand (5531); skeyval (5532); tikzquests (6177); xkeymask (6809); xkeyval (6810); yax (6877);
korean	22 packages: baekmuk (439); cjk (1099); cjk-fonts (1100); cjk-ko (1102); cjkpunct (1103); hlatex (2778); hlatex-fonts (2779); kotex-oblivoir (3183); kotex-plain (3184); kotex-utf (3185); kotex-utils (3186); luatexko (3675); nanumtype1 (4176); pmhanguljamo (4736); ptex-fontmaps (4999); uhc (6424); unfonts-core (6467); unfonts-extra (6468); uptex (6517); xecjk (6763); xetexko (6785); zxjafbfnt (6936);
korean-doc	1 package: lshort-korean (3554);
kurdish	4 packages: arabxetex (247); babel-kurmanji (401); kmrhph (3155); kurdishlipsum (3196);
kurmanji	2 packages: babel-kurmanji (401); kmrhph (3155);

B Used topics and related packages

label-ref	66 packages: apeqnum (227); autonum (351); bibleref (685); checklab (1011); chemsec (1031); cleveref (1118); cleveref-forward (1119); cleveref-icelandic (1120); cleveref-usedon (1121); coolthms (1332); crefthe (1379); crossrefenum (1388); crossreference (1389); crossreftools (1390); dataref (1483); deleg (1573); dmhgener (1637); enumitem-zref (1920); fancylab (2125); fancyref (2130); fncylab (2285); footnoterange (2343); hereapplies (2738); inlinelabel (2954); issuulinks (3019); knowledge (3160); labelcas (3226); labelschanged (3232); lablst-pkg (3233); lastpage (3256); listlbls (3473); modref (4046); nameref (4172); numberedblock (4325); pagerange (4467); pagereference (4468); pageslts (4470); philex (4637); prettyref (4793); refcheck (5141); refcount (5142); refenums (5143); refstyle (5150); saferef (5278); seceqn (5384); showkeys (5479); showlabels (5480); smartref (5559); sublabel (5737); termlist (5891); texref (6025); theoremref (6073); titleref (6209); totpages (6275); typedref (6386); undolabl (6464); upref (6516); ut-backref (6543); varioref (6571); wtrf (6736); xr (6838); xr-hyper (6839); zref (6928); zref-check (6929); zref-clever (6930); zref-vario (6931);
labels	10 packages: cd (970); flabels (2251); jlabels (3067); label-pln (3225); labelmac3 (3228); labelmag (3229); labels (3230); makelabels (3747); nanicolle (4175); ticket (6107);
landscape	5 packages: landscape (3246); lscape (3541); lscapenhanced (3542); orientation (4413); pdfscape (4555);
lang-invented	2 packages: hacm (2679); tengtex (5881);
latex-devel	10 packages: latex-amsmath-dev (3261); latex-base-dev (3263); latex-firstaid-dev (3277); latex-graphics-dev (3283); latex-lab (3287); latex-lab-dev (3288); latex-tools-dev (3301); latexbug (3320); namespc (4173); pdfmanagement (4556);
latex-qual	4 packages: l2tabu (3205); lacheck (3236); nag (4165); onlyamsmath (4389);
latex209	52 packages: acm (38); acmproc (41); acronym209 (48); acs (56); add-wes (61); altnline (151); barkom (462); bookform (802); bsf (846); bsl (848); cea (975); cyrillic209 (1469); envelope (1924); epsfig209 (1949); eslides (1994); espo (1997); exam209 (2058); floatfig (2267); geomsty (2484); geophysics (2485); ibmres-tex (2862);

B Used topics and related packages

	ijc (2913); isf (3000); iso209 (3007); isolatin1 (3010); kalender-209 (3116); lablst-pkg (3233); laletter (3239); lamemo (3242); lfonts-ams (3408); llncs209 (3492); lms (3498); loval (3531); makerobust209 (3752); manpage (3765); manual209 (3767); mflogo209 (3941); pageframe (4461); pspic (4869); schedule209 (5317); settosize-ltx (5430); sfarticle (5436); sfwmac (5442); side (5487); slem (5543); smaller (5552); systcontrolletters (5792); threecolumn (6090); vita209 (6628); wright (6730); xarticle (6738); zed (6909);
latex3	27 packages: erw-l3 (1983); etl (2014); expl3 (2086); fduthesis (2157); functional (2416); kalendarium (3114); l3backend (3211); l3backend-dev (3212); l3docstrip (3214); l3experimental (3215); l3kernel (3216); l3kernel-dev (3217); l3keys2e (3218); l3packages (3219); l3regex (3220); ltx3pub (3588); njuthesis (4263); tex-ini-files (5929); unicode-data (6476); xargs (6737); xcoffins (6749); xfp (6791); xfrac (6792); xgalley (6793); xparse (6826); xtemplate (6853); zhlipsum (6915);
latin	4 packages: babel-latin (402); lahyph (3238); latin (3350); metrix (3925);
latvian	1 package: babel-latvian (403);
layout	72 packages: abspos (21); acrotex-web (54); adjmulticol (74); affilauthor (99); booklet (804); centeredline (983); chet (1043); clicks (1122); continue (1316); cuted (1451); draftfigure (1687); emptypage (1890); fig2sty (2187); figureversions (2200); firstline (2225); flowfram (2275); fullminipage (2411); genmpage (2472); grid-system (2640); hang (2688); hanging (2690); hardwrap (2697); l3experimental (3215); landscape (3246); latex-papersize (3292); layaureo (3356); leading (3368); leaflet (3370); leporello (3386); linegoal (3450); lscape (3541); lscapenhanced (3542); lua-widow-control (3620); lualatex-truncate (3645); magaz (3718); midpage (3964); nccparskip (4199); needspace (4211); nowidow (4307); pagelayout (4463); pageno (4465); parskip (4503); pdfscape (4555); placeat (4696); placeins (4697); placeins-plain (4698); plain-widow (4702); portland (4763); pos-at (4764); pst-abspos (4876); pst-layout (4925); ragged (5093); ragged2e (5094); raggedr (5095); rotpages (5227); savetrees (5301); semionese (5405); showframe (5475); sober (5568); spacingtricks (5619); tabto-generic (5822); tabto-ltx (5823); textpos (6049); truncate (6327); turnthepage (6359); twoup-gen (6371);

B Used topics and related packages

	user-persona (6537); vruler (6646); wheretotrim (6683); widows-and-orphans (6686); wordlike (6719); xgalley (6793);
layout-page	13 packages: border (816); crop (1383); cropmark (1384); cropmark-pu (1385); cropmarks-pt (1386); cropmrks (1387); evautofl (2046); gentombow (2481); na-border (4161); thumb (6100); thumbs (6102); thumby (6103); wallpaper (6659);
layout-show	5 packages: bidipagegrid (725); layout (3357); layouts (3358); pagegrid (4462); typogrid (6396);
layout-supp	1 package: vgrid (6614);
leaders	2 packages: fillwith (2212); mboxfill (3849);
legal	28 packages: biblatex-accursius (616); biblatex-german-legal (641); biblatex-jura (647); biblatex-jura2 (648); biblatex-juradiss (649); biblatex-swiss-legal (678); br-lex (826); contract (1319); droit-fr (1703); hausarbeit-jura (2706); jura (3105); juraabbrev (3106); juramisc (3108); jurarsp (3109); koma-script (3172); lexref (3405); lextex (3406); milog (3973); oscola (4418); ratex (5112); regulatory (5156); rtklage (5245); scrjura (5363); tramlines (6289); tuzuk (6361); ukbill (6430); umbclegislation (6443); uspatent (6541);
letter	71 packages: address (66); aeskwadraat (97); akletter (115); beletter (553); bellmac (555); bfh-ci (568); block (768); cdpbundl (974); chletter (1062); cju (1105); context-letter (1293); dinbrief (1618); dinbrief-gui (1619); dlrg-templates (1635); envbig (1923); envelope (1924); envelope-letter (1925); envlab (1928); facsimile (2105); fax (2145); formlett (2355); fribrief (2398); frletter (2400); fullblk (2410); g-brief (2435); gbrieftcreator (2455); gcard (2457); gtex-letter (2653); hc (2708); hletter (2780); hu-berlin-bundle (2805); isodoc (3009); jourcl (3080); jourrr (3081); knuth-letter (3166); koma-script (3172); koma-script-sfs (3178); laletter (3239); leilletter (3383); letter (3390); letter-plain (3391); letter1 (3392); lettermac (3394); lett (3397); lxmail (3698); make-env (3728); makelabels (3747); midnight (3963); moderncv (4038); mpdinbrief (4083); myletter (4158); newlrm (4230); ntgclass (4315); onlinebrief24 (4388); postage (4765); postcards (4766); qrcstamps (5058); rebuttal (5130); rwth-ci (5271); scraddr (5342); scrletter (5368); scrlett2 (5370); scrlett2copy (5371); serial (5420); shsulet (5482);

B Used topics and related packages

	<code>topletter</code> (6270); <code>tuda-ci</code> (6345); <code>uantwerpendocs</code> (6403); <code>urcls</code> (6521); <code>uwa-letterhead</code> (6558); <code>yaletter</code> (6872);
<code>letterspace</code>	9 packages: <code>letterspacing</code> (3395); <code>ligtype</code> (3442); <code>microtype</code> (3959); <code>nccstretch</code> (4203); <code>soul</code> (5609); <code>soulpos</code> (5610); <code>spacekern</code> (5618); <code>tracking</code> (6283); <code>typog</code> (6394);
<code>lettrine</code>	6 packages: <code>context-lettrine</code> (1294); <code>drcaps</code> (1699); <code>drop</code> (1704); <code>dropcaps</code> (1705); <code>dropping</code> (1706); <code>lettrine</code> (3398);
<code>licence-mgmt</code>	4 packages: <code>biblatex-license</code> (650); <code>doclicense</code> (1647); <code>gfdl</code> (2501); <code>metastr</code> (3919);
<code>line-nos</code>	8 packages: <code>altnline</code> (151); <code>ffcode</code> (2172); <code>fnlineno</code> (2286); <code>lineno</code> (3451); <code>linenoamsmath</code> (3452); <code>lualineno</code> (3648); <code>ntabbing</code> (4312); <code>numline</code> (4333);
<code>line-patt</code>	5 packages: <code>dashrule</code> (1480); <code>dashrulex</code> (1481); <code>dashundergaps</code> (1482); <code>hvdashln</code> (2819); <code>multicolrule</code> (4120);
<code>line-space</code>	3 packages: <code>doublespace</code> (1672); <code>setspace</code> (5425); <code>setspaceenhanced</code> (5426);
<code>line-weight</code>	3 packages: <code>boldline</code> (791); <code>decorule</code> (1560); <code>multicolrule</code> (4120);
<code>linguistic</code>	68 packages: <code>adttrees</code> (82); <code>arcs</code> (255); <code>biblatex-mla</code> (655); <code>casyl</code> (947); <code>chhaya</code> (1046); <code>chomsky</code> (1065); <code>covington</code> (1366); <code>dictsym</code> (1607); <code>doulossil</code> (1674); <code>drs</code> (1707); <code>dvgloss</code> (1727); <code>ec1tree</code> (1810); <code>eemeir</code> (1833); <code>engpron</code> (1908); <code>expex</code> (2078); <code>expex-acro</code> (2079); <code>expex-glossonly</code> (2080); <code>forest</code> (2347); <code>forest-ext</code> (2348); <code>forest-quickstart</code> (2349); <code>fragoli</code> (2373); <code>gb4e</code> (2453); <code>gb4e-next</code> (2454); <code>gender</code> (2465); <code>interlinear</code> (2977); <code>langnames</code> (3248); <code>langsci-avm</code> (3251); <code>leipzig</code> (3384); <code>ling-macros</code> (3453); <code>lingtrees</code> (3454); <code>linguex</code> (3455); <code>linguistix</code> (3457); <code>luwiantype</code> (3692); <code>metaphor</code> (3913); <code>metre</code> (3924); <code>midnight</code> (3963); <code>movement-arrows</code> (4073); <code>muling</code> (4109); <code>newcomputermmodern</code> (4225); <code>nnext</code> (4271); <code>numending</code> (4328); <code>ot-tableau</code> (4423); <code>overword</code> (4448); <code>paracol</code> (4485); <code>pronunciation</code> (4819); <code>pst-asr</code> (4880); <code>pst-jtree</code> (4921); <code>pst-node</code> (4935); <code>pst-tree</code> (4971); <code>pst-tvz</code> (4973); <code>qtree</code> (5062); <code>rrgtrees</code> (5236); <code>rst</code> (5240); <code>sdrt</code> (5379); <code>semantic-markup</code> (5400); <code>semtrans</code> (5408); <code>simplex</code> (5512); <code>synproof</code> (5783); <code>synttree</code> (5790); <code>textglos</code> (6042); <code>tikz-dependency</code> (6124); <code>tipauni</code> (6199); <code>tonevalue</code> (6265); <code>uni-wtal-lin</code> (6471); <code>unitipa</code> (6489); <code>univie-ling</code> (6495); <code>xyling</code> (6863); <code>xytree</code> (6868);

B Used topics and related packages

<code>list</code>	39 packages: <code>asciilist</code> (292); <code>autolist</code> (347); <code>bubblesort</code> (852); <code>customenvs</code> (1450); <code>desclist</code> (1584); <code>easylist</code> (1790); <code>engrec</code> (1909); <code>enumerate</code> (1917); <code>enumext</code> (1918); <code>enumitem</code> (1919); <code>enumitem-zref</code> (1920); <code>enumsb</code> (1922); <code>eqlist</code> (1968); <code>etaremune</code> (2004); <code>gatherenum</code> (2451); <code>hang</code> (2688); <code>hep-text</code> (2731); <code>hlist</code> (2781); <code>iitem</code> (2912); <code>invertedparagraphs</code> (2986); <code>labels4easylist</code> (3231); <code>lazylist</code> (3359); <code>listliketab</code> (3474); <code>listofitems</code> (3476); <code>macrolist</code> (3710); <code>mdwlist</code> (3863); <code>multenum</code> (4110); <code>outline</code> (4435); <code>outlines</code> (4437); <code>paralist</code> (4488); <code>randomlist</code> (5105); <code>revnum</code> (5186); <code>shortlst</code> (5466); <code>sitem</code> (5521); <code>spacingtricks</code> (5619); <code>styleitems</code> (5724); <code>tasks</code> (5854); <code>translation-enumitem-de</code> (6299); <code>typed-checklist</code> (6385);
<code>list-bull</code>	4 packages: <code>asciilist</code> (292); <code>paralist</code> (4488); <code>scaletextbullet</code> (5314); <code>shortlst</code> (5466);
<code>list-descr</code>	5 packages: <code>asciilist</code> (292); <code>deflist</code> (1564); <code>desclist</code> (1584); <code>eqlist</code> (1968); <code>expdlist</code> (2077);
<code>list-enum</code>	18 packages: <code>asciilist</code> (292); <code>engrec</code> (1909); <code>enumerate</code> (1917); <code>enumext</code> (1918); <code>enumspec</code> (1921); <code>enumsb</code> (1922); <code>etaremune</code> (2004); <code>jpnedenumerate</code> (3088); <code>moreenum</code> (4063); <code>multenum</code> (4110); <code>outline</code> (4435); <code>paralist</code> (4488); <code>revnum</code> (5186); <code>sentences</code> (5409); <code>shortlst</code> (5466); <code>tablists</code> (5815); <code>tasks</code> (5854); <code>thaienum</code> (6062);
<code>list-supp</code>	7 packages: <code>asciilist</code> (292); <code>commalists-tools</code> (1234); <code>hlist</code> (2781); <code>listparskip</code> (3478); <code>loops</code> (3528); <code>mdwtools</code> (3866); <code>randomlist</code> (5105);
<code>listing</code>	67 packages: <code>algobox</code> (125); <code>algorithmicx</code> (128); <code>c-pascal</code> (888); <code>c2latex</code> (890); <code>checklistings</code> (1012); <code>codebox</code> (1187); <code>codehigh</code> (1190); <code>cprog</code> (1367); <code>documentation</code> (1654); <code>example</code> (2060); <code>examplep</code> (2061); <code>ffcode</code> (2172); <code>fortran</code> (2359); <code>fox-listings</code> (2367); <code>framedsyntax</code> (2376); <code>gincitex</code> (2520); <code>highlight</code> (2760); <code>highlightlatex</code> (2761); <code>hvpypgmentex</code> (2826); <code>javadoc</code> (3045); <code>jvlisting</code> (3111); <code>latexdemo</code> (3330); <code>lgrind</code> (3413); <code>listing</code> (3468); <code>listing-pln</code> (3469); <code>listings</code> (3470); <code>listings-ext</code> (3471); <code>listingsutf8</code> (3472); <code>lstaddons</code> (3570); <code>lstbayes</code> (3571); <code>lstfiracode</code> (3572); <code>maker</code> (3750); <code>matlab-prettyfier</code> (3839); <code>metainfo</code> (3908); <code>method</code> (3923); <code>mftinc</code> (3945); <code>minted</code> (3996); <code>minted-code</code> (3997); <code>newvbtm</code> (4241); <code>niceverb</code> (4254); <code>numberedblock</code> (4325); <code>piton</code> (4680); <code>progkeys</code> (4814); <code>program</code> (4815); <code>pst-exa</code> (4900); <code>pygmentex</code> (5035);

B Used topics and related packages

	pyjupyter (5036); pynotebook (5038); pythonhighlight (5040); sasnrdisplay (5294); sclang-prettifier (5337); shdoc (5458); showexpl (5474); slatex-scheme (5542); smalltalk (5554); tcldoc (5859); tcolorbox (5862); termsim (5893); texlist (5992); texments (6011); tgrind (6058); tgrind209 (6059); tinyc2l (6196); vdmlisting (6580); verbasef (6586); verbments (6595); webfiles (6674);
lithuanian	2 packages: babel-lithuanian (404); lithuanian (3484);
litprog	34 packages: aplweb (230); aweb (363); c2cweb (889); clojure-pamphlet (1127); cnoweb (1179); ctie (1434); cweb (1457); cweb-latex (1458); cwebbin (1459); cwebhy (1460); cwebx (1461); funnelweb (2427); fweb (2433); literate (3480); lpw (3537); lua2dox (3621); makeprog (3749); matlabweb (3840); noweb (4306); pl (4694); protex (4829); pwebmac (5017); sagetex (5280); schemetex (5320); schemeweb (5321); spiderweb (5634); tweb (6364); web (6669); web2w (6671); web9pt (6672); webfiles (6674); webmacss (6676); wordweb (6721); yacco2 (6869);
log-manip	7 packages: logfilter (3505); texfilt (5974); texfot (5976); texlog-extract (6003); texloganalyser (6004); texlogfilter (6005); texlogsieve (6007);
logic	22 packages: begriff (551); bguq (574); egpeirce (1840); fitch (2229); fodot (2296); frege (2388); gfnotation (2502); grundgesetze (2647); lkproof (3489); logicproof (3509); logictools (3511); logix (3512); luatruthtable (3679); principia (4798); prooftrees (4824); ptolemaicastronomy (5008); syllogism (5775); synproof (5783); temporal-logic (5880); tikz-inet (6130); truthtable (6328); turnstile (6358);
logo	25 packages: bclogo (490); bootstrapicons (813); bxtexlogo (881); ccllicenses (968); coloredbelts (1208); coloremoji (1210); euromoney (2037); guitlogo (2667); hologo (2787); hustvisual (2817); hvlogos (2823); icon-appr (2871); icons (2872); isosigns (3015); ku-template (3195); logoetalab (3513); metalogo (3909); metalogo (3910); njuvisual (4264); powerdot-tuliplab (4773); rutitlepage (5268); skillicons (5533); texlogos (6006); thuslogos (6097); vectorlogos (6582);
lua-supp	11 packages: lua-alt-getopt (3606); luacode (3627); luaimageembed (3635); lualatex-platform (3644); lualibs (3646); luapackageloader (3658);

B Used topics and related packages

luatex

luatex-type-definitions (3671); luatex85 (3672);
nodetree (4275); tsvtemplate (6333); ucharcat (6408);
175 packages: addliga (64); addtoluatexpath (68);
arabluatex (245); autopuncitems (354); autotype (358);
beamer-rl (495); beamertheme-durham (515);
bezierplot (567); blopentye (770); bookshelf (806);
byrne (884); cartonaugh (935); chickenize (1051);
chinese-jfm (1055); cloze (1129); combofont (1228);
countwords (1358); cstylo (1415); ctablestack (1423);
ctanbib (1427); dad (1474); datestamp (1494);
domaincoloring (1660); ekdosis (1853); emoji (1885);
emojicite (1886); enigma (1912); evangelion-jfm (2045);
fancymag (2126); farbe (2140); fits-astro (2232);
fontloader-luaotfload (2320); fontsetup (2330);
fontsetup-nonfree (2331); fontspec (2334);
fretplot (2395); gitinfo-lua (2526); gurps (2670);
heros-otf (2740); hittype (2776); hmtrump (2782);
hu-berlin-bundle (2805); ideavault (2875);
innerscript (2955); inputnormalization (2959);
interpreter (2979); japanese-mathformulas (3038);
jumplines (3101); junicodervf (3103); kanaparser (3117);
kkran (3152); kksymbols (3153); lecturenotes (3373);
letgut (3388); libertinus-otf (3426); ligtype (3442);
linebreaker (3449); longmath (3522); lparse (3532);
lua-check-hyphen (3607); lua-list-hyphen (3608);
lua-physical (3609); lua-placeholders (3610);
lua-regression (3611); lua-tikz3dtools (3612);
lua-tinyyaml (3613); lua-typo (3614); lua-uca (3615);
lua-ul (3616); lua-uni-algos (3617);
lua-unicode-math (3618); lua-visual-debug (3619);
lua-widow-control (3620); luaaddplot (3622);
luabibentry (3623); luabidi (3624); luacas (3625);
luacensor (3626); luacode (3627); luacolor (3628);
luacomplex (3629); luagcd (3631); luahttp (3632);
luahyperbolic (3633); luahyphenrules (3634);
luainputenc (3637); luakeys (3639); luakeyval (3640);
lualatex-math (3643); lualatex-platform (3644);
lualatex-truncate (3645); lualibs (3646);
lualinalg (3647); lualineno (3648); luamathalign (3649);
luamaths (3650); luamesh (3651); luamml (3652);
luamodulartables (3653); luamplib (3654);
luanumint (3655); luaoptions (3656); luaotfload (3657);
luapackageloader (3658); luaplot (3659);
luapstricks (3661); luarandom (3663); luaset (3664);
luasseq (3665); luatbls (3666); luatex-cn (3668);
luatex-def (3669); luatex-pkg (3670);

B Used topics and related packages

	luatex-type-definitions (3671); luatexbase (3673); luatexja (3674); luatexko (3675); luatextra (3676); luatikz (3677); luatodonotes (3678); luatruthtable (3679); luavlina (3680); luaxml (3681); lutabulartools (3690); lyluatex (3701); makecookbook (3737); marginalia (3777); minim (3982); minim-hatching (3983); minim-math (3984); minim-mp (3985); minim-pdf (3986); minim-xmp (3987); mystyletau (4160); newpax (4231); novel (4305); odsfile (4364); opbible (4393); optex (4401); pagella-otf (4464); parstat (4504); penlight (4585); penlightplus (4586); pgfmolbio (4618); piton (4680); pixelart (4683); placeat (4696); plantuml (4707); pyluatex (5037); schola-otf (5322); scikgtex (5334); seatingchart (5382); selnolig (5397); semesterplanner (5402); semesterplannerlua (5403); showhyphenation (5476); showhyphens (5477); showkerning (5478); simurgh (5516); spelling (5630); stricttex (5710); sympycalc (5778); termes-otf (5889); tkz-elements (6222); truthtable (6328); tsvtemplate (6333); ucharcat (6408); unibidi-lua (6472); unicode-math (6477); unitconv (6488); unitipa (6489); wallcalendar (6658); wordcloud (6716); xecyrmongolian (6767); yamllvars (6873);
luatex-doc	2 packages: lualatex-doc (3641); lualatex-doc-de (3642);
lyx	1 package: simplecv (5502);
macedonian	1 package: babel-macedonian (405);
macro-def	21 packages: advice (84); ccool (969); cdcmnd (971); default (1563); defstring (1566); eoldef (1931); getoptk (2498); inlinedef (2952); lambdax (3241); letltxmacro (3389); lparse (3532); ltxnew (3602); mathcommand (3801); namedef (4170); optparams (4407); styledcmd (5723); xfp (6791); xnewcommand (6824); xoptarg (6825); xparse (6826); xtemplate (6853);
macro-demo	13 packages: cnltx (1178); enverb (1926); examplep (2061); fancyvrb (2134); latexdemo (3330); listings (3470); showexpl (5474); sverb (5756); tcolorbox (5862); tkz-doc (6221); tkzexample (6232); visualtoks (6626); ydoc (6881);
macro-gen	38 packages: addtoluatexpath (68); advice (84); calcffrac (899); catcodes (952); chemfig (1020); chinese-jfm (1055); collargs (1196); etoolbox-generic (2018); expex-acro (2079); expkv-bundle (2082); expkv-cs (2083); fits-astro (2232); fltpoint (2278); hologo (2787); iftex (2905);

B Used topics and related packages

	langcode (3247); localloc (3503); lparse (3532); ltxcmds (3590); lua-visual-debug (3619); luakeys (3639); luakeyval (3640); luatexja (3674); memoize (3885); namedef (4170); opbible (4393); pdfmsym (4558); pdftexcmds (4576); plainpkg (4704); polexpr (4749); schemata (5319); stretchy (5709); tokcycle (6258); tokmap (6262); tuple (6352); visualtoks (6626); witharrows (6702); youngtab (6895);
macro-iterate	4 packages: forloop (2351); mathcommand (3801); tokcycle (6258); tokmap (6262);
macro-sort	2 packages: bubblesort (852); laansort (3223);
macro-supp	238 packages: advice (84); afterpackage (105); afterpage (106); aliascnt (132); arrayjob (269); arrayjobx (270); arraysort (272); assoccnt (302); at (315); authoraftertitle (335); balancedquotes (449); beamertools (543); bitelist (750); blindtext (764); boolexpr (811); bxbase (863); bxenclose (870); bxghost (871); bxjalipsum (873); bxjaprnind (874); bxjatoucs (875); catchfile (950); catchfilebetweentags (951); catcodes (952); catoptions (956); cdcmd (971); checkend (1010); checklab (1011); chngcntr (1063); classlist (1112); clistmap (1125); cmdstring (1157); cntperchap (1182); collargs (1196); collect (1198); commado (1233); compare (1246); conv-xkv (1320); count1to (1354); dcounter (1551); de-macro (1554); declare (1559); dialogl (1602); doafter (1641); dowith (1676); drac (1684); duckuments (1720); elocalloc (1868); enverb (1926); environ (1927); eolgrab (1932); etex-pkg (2008); etexcmds (2009); etextools (2010); etl (2014); etoolbox (2016); etoolbox-de (2017); etoolbox-generic (2018); everyhook (2048); exp-testopt (2076); expkv-bundle (2082); expkv-cs (2083); expl3 (2086); export (2088); extradefs (2101); fenixpar (2161); fetchcls (2165); fifo-stack (2182); filehook (2207); finstrut (2218); fistrum (2227); fix2col (2234); fixjfm (2239); flags (2254); fontawesomescaled (2309); footnote (2340); footnotehyper (2342); forarray (2345); forloop (2351); functional (2416); gates (2450); getitems (2496); getttitlestring (2500); gmutils (2572); gobble (2580); graphpaper (2615); gtl (2654); hackalloc (2677); hobsub (2785); hopatch (2792); hulipsum (2810); ieeetrantools (2885); ifallfalse (2890); ifis-macros (2894); ifmtarg (2898); ifnextok (2899);

B Used topics and related packages

ifoddpaper (2900); ifthen (2906); ifthenx (2907);
ifxptex (2910); interpreter (2979); inversepath (2985);
kantlipsum (3119); keyparse (3138); kurdishlipsum (3196);
l3backend (3211); l3backend-dev (3212); l3build (3213);
l3experimental (3215); l3keys2e (3218); l3packages (3219);
l3regex (3220); labelcas (3226); lambda-lists (3240);
lambdax (3241); laps (3253); lhelp (3418); lipsum (3464);
lmacs (3496); lmake (3497); locality (3502); localloc (3503);
logbox (3504); loops (3528); lt3graph (3573);
lt3rawobjects (3575); ltxcmds (3590); ltxtools (3604);
ltxutil (3605); macrolist (3710); macroswap (3712);
makecmds (3736); makegobbler (3743); makerobust (3751);
makerobust209 (3752); mdwlist (3863); mdwtools (3866);
memory (3887); mfirstuc (3938); midnight (3963);
miniltx (3981); moredefs (4062); multidef (4121);
multido (4122); multienv (4123); multiexpand (4124);
mwrite (4150); newcommand (4224); newenviron (4226);
nextpage (4243); noconflict (4273); noindentafter (4279);
noprot (4288); pagerange (4467); parselines (4499);
patch (4512); patchcmd (4513); pdfescape (4551);
pdftexcmds (4576); perpage (4593); pictexwd (4668);
picture (4670); pkginfograb (4690); plainpkg (4704);
plipsum (4724); processkv (4805); properties (4825);
protecteddef (4828); ptext (5004); quran (5082);
quran-bn (5083); quran-de (5084); quran-en (5085);
quran-es (5086); quran-id (5087); quran-ur (5088);
ran-toks (5100); rectopma (5136); redefine (5138);
regexpatch (5152); relsize (5160); removefr (5161);
remreset (5162); repeat (5165); rescansync (5174);
robustcommand (5211); rvwrite (5270); savesym (5300);
sdaps (5378); shapepatch (5454); showkeys (5479);
showlabels (5480); skeycommand (5531); somedefs (5602);
sphack (5631); stack (5669); stackengine (5670);
stdclsdv (5688); storebox (5705); storecmd (5706);
structuredlog (5715); substr (5741); suffix (5747);
switch (5771); tabbing (5804); tabstackengine (5821);
texapi (5952); textcase (6038); tikzpagenodes (6171);
tokcycle (6258); tokglobalstack (6260);
tokgroupmark (6261); toolbox (6266); totcount (6274);
trace (6282); trimspaces (6319); twoopt (6369);
unouter (6498); unravel (6500); williams (6689);
withargs (6701); wright (6730); xargs (6737);
xassocnt (6739); xcntperchap (6748); xfor (6790);
xgalley (6793); xifthen (6796); xkvltxp (6811);
xkvview (6812); xmeaning (6818); xpatch (6827);
xpeek (6830); xpeekahead (6831); xpunctuate (6836);
xspace (6846); xstacks (6847); zhlipsum (6915);

B Used topics and related packages

magazine	7 packages: fancymag (2126); flowfram (2275); letgut (3388); modernnewspaper (4039); newsletr (4234); newspaper (4235); papertex (4483);
mail-list	5 packages: nts-l (4320); tex-implementors (5927); texhax (5978); texline (5990); uktex (6434);
mailing	3 packages: mailing (3725); mailmerge (3726); merge (3898);
maltese	1 package: maltese (3759);
manju	1 package: manjutex (3764);
marathi	4 packages: aalok (9); chhaya (1046); latex-mr (3290); marathi (3773);
marginal	14 packages: flexipage (2261); margbib (3775); marginal (3776); marginalia (3777); marginfit (3778); marginfix (3779); mnotes (4032); mparhack (4078); pdfreview (4567); sidenotes (5489); sidenotesplus (5490); smartnotes (5558); snotex (5567); zebra (6907);
markup	8 packages: docutils (1655); easyformat (1788); itrans-processor (3027); markdown (3783); nicetext (4253); niceverb (4254); wiki (6688); xetex-itrans (6781);
mat-sci	1 package: miller (3972);
maths	356 packages: abracas (20); accents (30); akktex (114); aligned-overset (133); alleqno (135); altsubsup (152); amscd (166); amscdx (167); amscs (168); amslatex (171); amsmath (175); amsopn (178); amsppt (180); amsppt1 (181); amspdoc (182); amstex (184); amstext (185); annotate-equations (195); anti (206); askmaps (295); atendofenv (320); autoalign (342); autobreak (343); autonum (351); bargraph-js (461); begriff (551); bfsymb (569); biblatex-ams (618); bigints (732); binomexp (741); blkarray (765); bm (775); boldtensors (792); bracealign (827); braids (829); braket (831); breqn (839); bropd (843); bussproofs (860); bussproofs-colorful (861); bussproofs-extra (862); calcfrac (899); calculation (901); calculator (902); calculatoritems (903); cancel (917); cartonaugh (935); cascade (936); causets (958); centernot (985); commath (1235); commutative-diagrams (1242); complexpolylongdiv (1249); constants (1265); conteq (1266); context-mathsets (1296); cool (1328); cora-macs (1342); correctmathalign (1348); create-theorem (1377); csassignments (1401); decimalcomma (1557); delem (1573); delim (1575); delimseasy (1576); delimset (1577); derivative (1583);

B Used topics and related packages

diffcoeff (1610); dijkstra (1614); domaincoloring (1660);
dotseqn (1669); dynbrackets (1772); dyntree (1774);
easybmat (1782); easyeqn (1785); easymat (1791);
ebproof (1802); edmaths (1830); elmath (1867);
empheq (1889); endofproofwd (1906); envmath (1929);
eqexpl (1967); eqmark (1969); eqnalign (1971);
eqname (1972); eqnarray (1973); eqnarray209 (1974);
eqnlines (1975); esdiff (1986); euclidean-lattice (2021);
euclideangeometry (2022); eukleides (2026);
exscale (2091); extarrows (2094); extpfeil (2097);
faktor (2113); fge (2174); fitch (2229); fixdif (2237);
fixmath (2243); flagderiv (2253); fontsetup (2330);
fontsetup-nonfree (2331); fouridx (2362);
freealign (2385); freemath (2386); frege (2388);
frenchmath (2391); functan (2415); galois (2438);
gauss (2452); gene-logic (2466); gensymb (2473);
gfnotation (2502); gfsneohellenicmath (2511);
glmatrix (2536); glosmathtools (2539); graph35 (2597);
gratzer-color-scheme (2618); grundgesetze (2647);
halloweenmath (2682); hep-math (2727); hf-tikz (2748);
hhtensor (2755); hideproofs (2757); holtpolt (2788);
ibrackets (2863); icomma (2870); inkpaper (2949);
innerscript (2955); interval (2980); intexgral (2982);
japanese-mathformulas (3038); jkmath (3064);
jmsdelim (3074); jpneduenumerate (3088);
jpnedumathsymbols (3089); karnaugh (3120);
karnaugh-map (3121); karnaughmap (3122);
kbordermatrix (3126); ketcindy (3134);
keytheorems (3141); kvmap (3200); latex-amsmath (3260);
latex-amsmath-dev (3261); latex2nemeth (3311);
leftidx (3381); leftindex (3382);
letterswitharrows (3396); linearregression (3448);
linenoamsmath (3452); linop (3459); linsys (3460);
logictools (3511); longdivision (3519); longmath (3522);
lpform (3533); lplfitch (3535); lua-unicode-math (3618);
luacas (3625); luacomplex (3629); luagcd (3631);
luahyperbolic (3633); lualatex-math (3643);
lualinalg (3647); luamaths (3650); luamesh (3651);
luamml (3652); luanumint (3655); luaset (3664);
luasseq (3665); luatruthtable (3679); mafr (3717);
mandel (3761); matc3 (3787); matc3mem (3788);
math-operator (3792); mathalpha (3796); mathastext (3798);
mathcommand (3801); mathdots (3804); mathexam (3807);
mathfam256 (3808); mathfixs (3809); mathfont (3810);
mathpartir (3816); mathpunctspace (3821);
mathsemantics (3826); mathstyle (3831); mathtools (3836);
mathtrip (3837); matrix-skeleton (3841); mattens (3842);

B Used topics and related packages

maybemath (3845); mdwmath (3864); mdwtools (3866);
medmath (3871); mfpic4ode (3944); mgltex (3949); mh (3950);
mhequ (3953); mhs (3954); mhsetup (3955); minim-math (3984);
mismath (4001); mleftright (4018); mlist (4019);
mlmath (4020); moremath (4067); mp-geom2d (4075);
mptrees (4092); mrecog (4094); musikui (4137);
mystyletau (4160); na-position (4163); namedtensor (4171);
nath (4181); nccmath (4198); nchairx (4206);
nicefrac (4249); nicematrix (4252); nl-interval (4266);
noitcrul (4280); numbersets (4327); numerica (4329);
numerica-plus (4330); numerica-tables (4331);
odesandpdes (4363); one2many (4384); onlyamsmath (4389);
oops (4391); optidef (4403); oubraces (4431);
overarrows (4442); overrightarrow (4447);
pascaltriangle (4509); penrose (4588); perfectcut (4590);
permute (4592); petri-nets (4596); phfparen (4632);
phfqit (4633); phfthm (4636); physics (4651);
physics-patch (4652); physics2 (4653); physics3 (4654);
pm-isomath (4728); pmat (4729); pmdraw (4734);
polexpr (4749); polyhedra (4754); polynom (4755);
polynomial (4756); prftree (4797); prodint (4807);
profcollege (4809); proflycee (4811); profmaquette (4812);
profsio (4813); proof-at-the-end (4821); proofs (4823);
pst-cox (4892); pst-eucl (4898);
pst-eucl-translation-bg (4899); pst-func (4910);
pst-geometrictools (4914); pst-math (4932);
pst-ode (4938); pst-platon (4947); pst-poly (4950);
pst-vehicle (4976); qed (5049); quickderivs (5070);
qworld (5089); rank-2-roots (5110); rbt-mathnotes (5116);
rccol (5117); realtranspose (5129); rec-thy (5131);
repere (5167); resizegather (5175); resmes (5176);
resolsysteme (5177); rigidnotation (5197); rmathbr (5202);
schulmathematik (5326); semantex (5398); semtex (5407);
sesamanuel (5421); setouterhbox (5424); sfmath (5441);
shapes (5455); short-math-guide (5464); shuffle (5484);
signchart (5493); simples-matrices (5509); skmath (5535);
smart-eqn (5555); sobolev (5569); spalign (5621);
srdp-mathematik (5659); sseq (5662); statistics (5683);
steinmetz (5691); string-diagrams (5711);
subdepth (5728); subeqn (5730); subsupscripts (5742);
subtext (5743); suppose (5753); sympycalc (5778);
systeme (5793); t-angles (5795); tablvar (5818);
tango (5847); tdsfrmath (5866); tensind (5884);
tensor (5885); tensormatrix (5886); tex-ewd (5907);
textualicomma (6050); thmlist (6085); thmtools (6086);
tikz-karnaugh (6132); tilings (6183); tkz-berge (6219);
tkz-elements (6222); tkz-euclide (6223); tkz-graph (6225);

B Used topics and related packages

	tkz-grapheur (6226); tkz-interval (6227); tkz-tab (6231); truthable (6328); tuple (6352); twoxtwo game (6373); tzplot (6398); undergradmath (6457); underoverlap (6460); undertilde (6462); undertilde-gen (6463); unicode-math (6477); unicode-math-input (6478); unimath-plain-xetex (6483); upgreek (6510); vector (6581); witharrows (6702); xfrac (6792); xint-regression (6804); xintsession (6805); xlop (6815); young (6894); youngtab (6895); ytableau (6901);
maths-doc	10 packages: amscls-doc (169); amslatex-primer (172); amslatexdoc-vietnamese (173); joy-of-tex (3083); latex-for-undergraduates (3279); short-math-guide (5464); typstfun (6397); undergradmath (6457); voss-mathcol (6636); voss-mathmode (6637);
maths-symbol	15 packages: abracas (20); colonequals (1201); cursor (1444); dotarrow (1666); flexisym (2262); halloweenmath (2682); math-operator (3792); multiobjective (4129); mystyletau (4160); pdfmsym (4558); stackrel (5671); stretchy (5709); trfsigns (6316); turnstile (6358); undergradmath (6457);
maths-syseqn	8 packages: cases (941); eqnalign (1971); eqnarray (1973); odesandpdes (4363); spalign (5621); subeqnarray (5731); systeme (5793); witharrows (6702);
maths-tabvar	7 packages: tableauvariations (5808); tableaux (5809); tablor (5816); tablvar (5818); tabvar (5836); tkz-tab (6231); variations (6568);
maths-theorem	25 packages: amsthm (186); autobreak (343); coloredtheorem (1209); coolthms (1332); create-theorem (1377); csthm (1414); inkpaper (2949); keytheorems (3141); linkedthm (3458); nccthm (4204); newproof (4232); newthm (4236); ntheorem (4317); phfthm (4636); reptheorem (5170); rmthm (5205); shadethm (5448); spalign (5621); statementsp (5680); theorem (6072); theoremref (6073); thmbox (6084); thmlist (6085); thmtools (6086); thrmappendix (6095);
matrix	16 packages: array (267); association-matrix (303); delarray (1572); drawmatrix (1696); easybmat (1782); easymat (1791); easyvector (1794); glmatrix (2536); langsci-avm (3251); nicematrix (4252); resolysysteme (5177); simples-matrices (5509); spalign (5621); subfigmat (5733); tensormatrix (5886); translation-array-fr (6292);

B Used topics and related packages

measure	1 package: measurebox (3867);
medical	1 package: ecgdraw (1809);
meeting-admin	3 packages: meetingmins (3873); minutes (3999); protocol (4831);
memorandum	5 packages: armymemo (261); ftc-notebook (2404); lamemo (3242); memo-pln (3880); phfnote (4631);
messages	1 package: infwarerr (2946);
metadata	6 packages: dviinfox (1744); metacapture (3903); metastr (3919); pkginfograb (4690); scikgtex (5334); xmpincl (6822);
mf-doc	2 packages: metafont-beginners (3905); metafp (3906);
micro-layout	9 packages: centerlastline (984); linebreaker (3449); microtype (3959); pdfcprot (4548); rjlparsnap (5199); shapepar (5453); shapepatch (5454); typog (6394); varindent (6569);
misc-conv	10 packages: bsr2dvi (849); fig2eng (2183); lengthconvert (3385); ltx2mathml (3585); ot2woff (4425); smartunits (5560); tex2ltx (5943); text2bib (6036); unitconv (6488); woff2ot (6712);
misc-paper	12 packages: cnbwp (1177); cqjtuthesis (1372); geradwp (2488); huawei (2806); iodhbwm (2990); iwhdp (3029); notestex (4296); rbt-mathnotes (5116); rebuttal (5130); sc21 (5308); sc21-wg1 (5309); univie-ling (6495);
misc-support	22 packages: acroreloadpdf (49); ant-worker-tasks (204); fgruler (2175); globalvals (2537); grayhints (2620); isopt (3013); labelschanged (3232); latex-uni8 (3302); lug (3689); modernruler (4041); olsak-misc (4381); projlib (4818); ptlatexcommands (5006); ruler (5255); rulerbox (5256); scalebar (5311); scanpages (5315); sgmlcmt (5444); style-showcase (5722); tokcycle (6258); vvcode (6652); winlatex (6698);
mobile	1 package: aeb-mobile (88);
molbio	5 packages: dnaseq (1638); jmb (3072); pgfmolbio (4618); texshade (6027); textopo (6047);
mongolian	7 packages: mnhyphn (4031); mnttex (4036); mongolian-babel (4055); montex (4058); mxd (4151); soyombo (5617); xecyrmongolian (6767);
mongolian-doc	2 packages: lshort-mongol (3555); lshort-mongolian (3556);

B Used topics and related packages

mp-doc	3 packages: drawing-with-metapost (1695); metafp (3906); mpman-ru (4088);
mp-supp	9 packages: gmp (2571); hershey-mp (2742); meper (3896); metapost-colorbrewer (3916); minim-mp (3985); mparrows (4079); mpedit (4084); mpostinl (4089); testeq (5895);
mp-use	13 packages: epsfview (1950); feynmf (2170); hershey-mp (2742); luamplib (3654); luaplot (3659); metago (3907); metapost-colorbrewer (3916); metauml (3922); minim-mp (3985); mp3d (4077); mpchess (4081); suanpan (5725); wordcloud (6716);
multicol	16 packages: adjmulticol (74); balance (447); balanced (448); cuted (1451); doublecol (1671); flushend (2279); leporello (3386); longtwocolumn (3526); ltxgrid (3595); multicol (4118); multicolpar (4119); pbalance (4522); threecol (6089); threecolumn (6090); twocolumns (6367); vwcol (6653);
multilingual	91 packages: abstyles-babel (25); antomega (208); arabluatex (245); arabxetex (247); babel (369); babel-bahasa (372); babel-indonesian (396); babel-malay (406); babelbib (430); babeltools (431); bardi (459); beamer-rl (495); beaulivre (545); colorist (1214); create-theorem (1377); datetime (1495); datetime2 (1496); datetime2-bahasai (1497); datetime2-basque (1498); datetime2-breton (1499); datetime2-bulgarian (1500); datetime2-catalan (1501); datetime2-croatian (1502); datetime2-czech (1503); datetime2-danish (1504); datetime2-dutch (1505); datetime2-en-fulltext (1506); datetime2-english (1507); datetime2-esperanto (1508); datetime2-estonian (1509); datetime2-finnish (1510); datetime2-french (1511); datetime2-galician (1512); datetime2-german (1513); datetime2-greek (1514); datetime2-hebrew (1515); datetime2-icelandic (1516); datetime2-irish (1517); datetime2-it-fulltext (1518); datetime2-italian (1519); datetime2-latin (1520); datetime2-lsorbian (1521); datetime2-magyar (1522); datetime2-norsk (1523); datetime2-polish (1524); datetime2-portuges (1525); datetime2-romanian (1526); datetime2-russian (1527); datetime2-samin (1528); datetime2-scottish (1529); datetime2-serbian (1530); datetime2-slovak (1531); datetime2-slovene (1532); datetime2-spanish (1533); datetime2-swedish (1534); datetime2-turkish (1535); datetime2-ukrainian (1536); datetime2-usorbian (1537); datetime2-welsh (1538); einfart (1847); ekdosis (1853);

B Used topics and related packages

	fc (2150); homework (2790); hyplain (2853); iflang (2895); jwjournal (3112); langcode (3247); lebhart (3372); lhcy (3417); lipsum (3464); mem (3875); minimalist (3989); mlbib (4017); mltex (4022); mltex-ltx (4023); msg (4097); multicolpar (4119); multilang (4126); multinotes (4128); numspell (4337); polyglossia (4753); pxcjkcat (5021); q-and-a (5044); simplivre (5514); toptesi (6272); tracklang (6284); translations (6307); translator (6308); upmendex (6512); uptex (6517); xtcaps (6851);
multilingual-addon	64 packages: arabi (240); babel-azerbaijani (371); babel-basque (373); babel-belarusian (374); babel-bosnian (375); babel-breton (376); babel-bulgarian (377); babel-catalan (378); babel-croatian (379); babel-danish (381); babel-dutch (382); babel-english (383); babel-finnish (386); babel-french (387); babel-friulan (388); babel-galician (389); babel-georgian (390); babel-german (391); babel-greek (392); babel-hungarian (394); babel-italian (399); babel-japanese (400); babel-kurmanji (401); babel-latin (402); babel-latvian (403); babel-lithuanian (404); babel-macedonian (405); babel-norsk (407); babel-occitan (408); babel-piedmontese (409); babel-portuges (411); babel-romansh (413); babel-russian (414); babel-scottish (416); babel-serbian (417); babel-serbianc (418); babel-slovak (419); babel-slovenian (420); babel-sorbian (421); babel-spanglish (422); babel-spanish (423); babel-swedish (424); babel-thai (425); babel-turkish (426); babel-ukrainian (427); babel-vietnamese (428); babel-welsh (429); betabel (562); churchslavonic (1074); ecclesiastic (1808); fixlatvian (2240); frenchle (2390); georgian (2486); gloss-occitan (2541); greektonoi (2632); guarani (2658); ibycus-babel (2864); latin (3350); mongolian-babel (4055); spanish-mx (5622); teubner (5903); thailatex (6063); turkmen (6357); zhspacing (6921);
multimedia	6 packages: ltx4yt (3589); media4svg (3869); media9 (3870); movie15 (4074); pdfpc-movie (4563); spelatex (5629);
music	51 packages: abc (13); abc2mtex (14); autosp (355); bagpipe (440); biblatex-musuos (659); byzantinemusic (886); chordbars (1066); chordbox (1067); context-lilypond (1295); contracard (1318);

B Used topics and related packages

	ddphonism (1553); figbas (2190); fretplot (2395); gchords (2458); gregoriotex (2634); gtrcrd (2655); guitar (2663); guitararchordschemes (2664); guitartabs (2665); harmony (2698); helmholtz-ellis-ji-notation (2718); latex4musicians (3315); leadsheets (3369); liederbuch (3437); lilyglyphs (3443); lyluatex (3701); m-tx (3704); mtex (4104); musical (4134); musicography (4135); musictex (4136); musixguit (4138); musixtex (4139); musixtex-egler (4140); musixtnt (4143); musuos (4144); octave (4361); piano (4659); pmtex (4737); pmx (4738); pmxchords (4739); recorder-fingering (5135); snote (5566); songbook (5603); songproj (5604); songs (5605); texchord (5959); texmuse (6012); undar-digitacion (6456); xml2pmx (6819); xpiano (6832);
music-extinp	3 packages: lyluatex (3701); mid2tex (3961); midi2tex (3962);
neuro	3 packages: bbs (488); jneurosci (3075); neuron (4218);
non-bibtex	1 package: bibcheck (587);
norwegian	6 packages: babel-norsk (407); glossaries-norsk (2555); glossaries-nynorsk (2556); nohyph (4277); nohyphbx (4278); norbib (4289);
notes	44 packages: aeskwadraat (97); bmstu (781); chuushaku (1075); context-ruby (1300); debate (1555); easy-todo (1780); easyreview (1792); edmargin (1829); ezedit (2103); fixme (2244); fixmetodonotes (2245); keisenote (3130); koma-script (3172); ktbox (3192); luatodonotes (3678); marginalia (3777); marginnote (3780); marginnote (3781); mbenotes (3848); mdwtools (3866); mhack (3951); mindflow (3977); minipage-marginpar (3992); modernruler (4041); notebeamer (4292); notes2bib (4294); notespages (4295); notestex (4296); pagenote (4466); parnotes (4496); scrambledenvs (5343); scrlayer-notecolumn (5366); skeldoc (5529); smartnotes (5558); snaptodo (5564); threeparttable (6093); threeparttablex (6094); todo (6255); todonotes (6256); unifront (6481); versonotes (6605); whatsnote (6681); zebra (6907); zennote (6912);
novelty	1 package: acrosort (50);
numbers	57 packages: alphalph (145); arabic (242); binhex (740); bullcntr (854); circledsteps (1082); cistercian (1088); cntformats (1181); comma (1232); context-cyrrillicnumbers (1279); decimalcomma (1557); dectab (1562); dimnum (1615); dozenal (1679); engord (1907);

B Used topics and related packages

fancynum (2127); figureversions (2200); fmtcount (2281);
fnumprint (2295); foliono (2300); format (2353);
greekctr (2627); grnumalt (2645); hex (2744);
ionumbers (2991); itnumpar (3026); makebase (3732);
modroman (4047); moreenum (4063); nbaseprt (4187);
ncccomma (4191); nth (4316); numberpt (4326);
numbersets (4327); numname (4334); numnameru (4335);
numprint (4336); numspell (4337); ordinalpt (4411);
padcount (4456); phonenumbers (4643); physconst (4649);
romanbar (5214); romanbarpagenumber (5215);
romannum (5219); seceqn (5384); sepnum (5411);
sillypage (5496); telprint (5874); thaienum (6062);
tikz-bagua (6117); tuple (6352); uniquecounter (6485);
xistercian (6806); zahl2string (6904); zero (6913);
zhnumber (6920); ziffer (6922);

obscurity 1 package: rotchiffre (5225);

obsolete 173 packages: acroflex (44); aecc (95); ametsoc (155);
amsltx11 (174); antp (209); babel-bahasa (372);
babel-spanglish (422); bgreek (572); bibtex8 (706);
biolinum-type1 (746); bitfield (751); caesarcm (893);
camel (916); cea (975); cellwise (980); chngpage (1064);
cm-gf (1138); cm-pk (1143); cmttype3 (1174);
context-account (1268); context-algorithmic (1269);
context-animation (1270); context-annotation (1271);
context-bnf (1272); context-chromato (1274);
context-cmscbf (1275); context-cmttbf (1276);
context-construction-plan (1278);
context-degrade (1280); context-fancybreak (1281);
context-fixme (1283); context-french (1284);
context-fullpage (1285); context-games (1286);
context-gantt (1287); context-inifile (1290);
context-layout (1292); context-lilypond (1295);
context-rst (1299); context-ruby (1300);
context-sgf (1301); context-simplefonts (1302);
context-title (1307); context-typearea (1310);
context-urwgaramond (1312); cypypaste (1340);
corridx-obsolete (1351); courier (1359); cpssp (1370);
csvtools (1420); datepicker-pro (1491); datetime (1495);
dco (1549); detex (1586); dmfonts (1636); dos-dc (1662);
doublespace (1672); epsfig209 (1949); everysel (2050);
everyshi (2051); fibeamer (2178); figsinltx (2198);
fixltx2e (2241); fixocgx (2246); fldigigal (2260);
fontaxes (2310); fonteinf (2315);
fontloader-luaotfload (2320); fptex (2370);
frenchle (2390); frenchpro (2393); gatech-thesis (2449);
gentium-original (2475); getargs (2494); glossary (2564);

B Used topics and related packages

gmeometric (2569); huhyp (2809); hwkatakana (2829);
iwhdp (3029); jbibtexmanager (3051); jfontmaps (3059);
koma-script-obsolete (3177); labelcas (3226);
latex-context-ppchtex (3268); latex-info (3286);
latex-tds (3299); latex209 (3305); lgraph (3411);
lgrx (3415); libertine-type1 (3421); linenoamsmath (3452);
litebook (3479); litesolution (3482); llncs209 (3492);
ltxgrid (3595); ltxindex (3598); ltxutil (3605);
lualatex-doc (3641); luatex-pkg (3670); lxmmail (3698);
m-pictex (3703); macbibtex (3708); marginal (3776);
mathpple (3818); mathptm (3819); mathptmx (3820);
mbenotes (3848); microtype-de (3960); movie15 (4074);
musictex (4136); musixtex-t1fonts (4142);
mychemistry (4153); newthm (4236); numalg (4324);
numline (4333); oldstandardt1 (4378); omega (4382);
pdfcolmk (4544); pdftex-oztex (4574); penrose (4588);
physymb (4656); piff-ams (4674); png2pdf (4742);
ps2mf (4837); ps4pdf (4841); pslatex (4861); pspic (4869);
pspicture (4870); pst-vue3d (4979); psu-thesis (4995);
ptsans (5010); ptserif (5011); pzccal (5043); qfonts (5051);
raggedr (5095); remreset (5162); revtex4-0 (5189);
revtex4-1 (5190); rfc2bib (5191); rplain (5234);
rputover (5235); scratch (5345); scrpage2 (5372);
showhyphens (5477); si (5485); spanish-mx (5622);
subfigure (5734); switcheml (5772); tlenc (5797);
tablestyles (5814); tetex (5901); tex-xet (5905);
texas (5953); texfaq (5973); texshell (6028);
thailatex (6063); thmlist (6085); times (6190);
tipos (6201); tlaunch (6233); tocstyle (6253); trans (6290);
undump (6465); unitipa (6489); unpacked (6499);
voss-mathmode (6637); vpage (6639); vxu (6654);
winemtex (6696); xcite (6745); xecolour (6765);
yinit-as (6891); yt4pdf (6900);

occitan 2 packages: babel-occitan (408); gloss-occitan (2541);

off 1 package: realscripts (5128);

omega 18 packages: accfonts (33); aleph (121); antomega (208);
 bengali-omega (556); cm-lgc (1139);
 devanagari-omega (1590); dviout (1747); grkfirst (2644);
 induni-om (2942); makor2 (3755); malayalam-omega (3758);
 mathfam256 (3808); ocherokee (4356); ofntinst (4366);
 oinuit (4370); omega (4382); psgreek (4859);
 tamil-omega (5845);

optics 8 packages: circ (1080); optikz (4404); pst-lens (4926);
 pst-optexp (4939); pst-optic (4940); simpleoptics (5507);
 tikz-mirror-lens (6136); tikz-optics (6141);

B Used topics and related packages

optimise	2 packages: occam (4350) ; simplesystemtex (5510) ;
other-lang	6 packages: guarani (2658) ; iahypen (2857) ; inhyp (2947) ; newcomputermmodern (4225) ; oinuit (4370) ; sorhyp (5606) ;
outline	2 packages: cjw (1105) ; outlining (4438) ;
package-devel	13 packages: classpack (1113) ; fontscripts (2329) ; hook-pre-commit-pkg (2791) ; l3build (3213) ; langsci-affiliations (3250) ; latex-dependency-grapher (3271) ; makedtx (3739) ; sdaps (5378) ; starray (5678) ; sty2dtx (5721) ; texpack (6017) ; tracklang (6284) ; verifycommand (6601) ;
package-doc	1 package: niceverb (4254) ;
package-mgmt	2 packages: koma-script (3172) ; scrfile (5369) ;
package-suppl	6 packages: aeb slicing (93) ; interfaces (2976) ; luaoptions (3656) ; pgfopts (4620) ; translations (6307) ; translator (6308) ;
page-control	5 packages: bypapersize (879) ; gentombow (2481) ; pagesel (4469) ; selectp (5394) ; selectpage (5395) ;
page-hf	28 packages: autofancyhdr (345) ; biihead (737) ; chifoot (1052) ; clrdblpg (1130) ; continue (1316) ; endheads (1899) ; fancyhdr (2121) ; fancyhdrboxed (2123) ; fancyheadings (2124) ; floatnohead (2269) ; floatpag (2270) ; fwlw (2434) ; hackthefootline (2678) ; headerfooter (2712) ; koma-script (3172) ; nccfancyhdr (4194) ; rplain (5234) ; scr layer (5364) ; scr layer-fancyhdr (5365) ; scr layer-scrpage (5367) ; scrpage2 (5372) ; sfheaders (5440) ; titlefoot (6204) ; titleps (6208) ; titlesec (6211) ; underlin (6458) ; updatemarks (6509) ; uwa-letterhead (6558) ;
page-nos	11 packages: arabicfront (244) ; chappg (997) ; duplicat (1724) ; foliono (2300) ; nonumonpart (4286) ; nopageno (4287) ; onepage (4386) ; pagecont (4458) ; romanbarpagenumber (5215) ; romaneg (5218) ; sillypage (5496) ;
para-deco	1 package: capparmode (921) ;
parallel	12 packages: bilingualpages (738) ; ekdosis (1853) ; eledpar (1859) ; ledpar (3380) ; multicolpar (4119) ; paracol (4485) ; parallel (4489) ; parcolumns (4493) ; parrun (4497) ; pdfcolparallel (4545) ; pdfcolparcolumns (4546) ; reledpar (5158) ;

B Used topics and related packages

paren-mgmt	11 packages: bracealign (827); dynbrackets (1772); embrac (1880); enparen (1914); ibrackets (2863); interval (2980); longmath (3522); perfectcut (4590); phfparen (4632); rainbowbrackets (5097); tkz-interval (6227);
parser	8 packages: kanaparser (3117); lparse (3532); lua-tinyyaml (3613); luatbls (3666); pegmatch (4584); splint (5640); tokcycle (6258); tokstools (6263);
parshape	7 packages: firstline (2225); parades (4486); paragraphs (4487); parskip (4503); ragged2e (5094); shapepar (5453); window (6692);
patent	1 package: uspatent (6541);
pdf-feat	75 packages: accessibility (32); accsupp (34); acroflex (44); acrotex-js (53); aeb-pro (89); aebenvelope (92); aebxmp (94); annot-pro (193); artthreads (280); attachfile (322); attachfile2 (323); bargraph-js (461); bxpdxver (880); cmap (1148); cntdown (1180); cooltooltips (1333); datepicker-pro (1491); docassembly (1645); embedall (1878); embedfile (1879); eq-pin2corr (1962); extractbb (2099); extractpdfmark (2100); fancytooltips (2133); fixocgx (2246); fixtounicode (2248); forms16be (2356); glossaries-accsupp (2543); hyperbar (2839); hyperref (2842); hyperxmp (2843); hypgotoe (2844); insdljs (2965); intopdf (2983); javascripthttp (3048); ltx4yt (3589); minim-pdf (3986); minim-xmp (3987); mmap (4028); navigator (4184); newpax (4231); ocg-p (4351); ocgtools (4352); ocgx (4353); ocgx2 (4354); opacity-pro (4392); pax (4520); pdf14 (4537); pdfannotations (4538); pdfcomment (4547); pdfcrypt (4550); pdfextra (4552); pdfmanagement (4556); pdfmarginpar (4557); pdfpages (4561); pdfprivacy (4564); pdftoolbox (4577); pdfx (4580); popupmenu (4761); qrcstamps (5058); repltext (5168); richtext (5196); rmannot (5201); scikgtex (5334); show-pdf-tags (5470); storebox (5705); thorshammer (6087); threadcol (6088); thumbpdf (6101); xcjk2uni (6746); xcpdftips (6755); xfakebold (6788); xmpincl (6822); xsavebox (6842); yt4pdf (6900);
pdf-forms	22 packages: acroflex (44); acromemory (46); acrotex (52); aabslicing (93); artthreads (280); datepicker-pro (1491); dps (1683); ecards (1806); eq-pin2corr (1962); eq2db (1964); fc-arith (2151); fitr (2231); fldigial (2260); grayhints (2620); hyperbar (2839); icon-appr (2871);

B Used topics and related packages

	jj-game (3063); pmdb (4732); popupmenu (4761); richtext (5196); rannot (5201); sdaps (5378);
pdf-view	5 packages: pdfpagediff (4560); pdfpc-movie (4563); pdfprivacy (4564); refreshpdf (5149); show-pdf-tags (5470);
pdfprocess	14 packages: convbkmk (1321); datepicker-pro (1491); jmakepdfx (3071); lectureslides (3376); mkstmp-pro (4012); pdfarticle (4539); pdfbook (4540); pdfbook2 (4541); pdfcrop (4549); pdfjam (4553); pdfpagediff (4560); pdfprivacy (4564); pdfxup (4581); xbmks (6742);
persian	18 packages: alpha-persian (143); arabxetex (247); fahyph (2110); iran-bibtex (2997); mohe-book (4050); parsa (4498); parsimatn (4500); parsinevis (4501); parsitex (4502); persian-bib (4594); ptext (5004); simurgh (5516); tabriz-thesis (5819); texnegar (6013); xepersian (6770); xepersian-hm (6771); xindy-persian (6802); yazd-thesis (6878);
persian-doc	1 package: lshort-persian (3557);
pgf-tikz	283 packages: adigraph (73); aiplans (112); annotate-equations (195); aobs-tikz (215); argumentation (257); atableau (316); battleship (477); bchart (489); beamertheme-spectrum (530); bearwear (544); binarytree (739); blochsphere (767); blox (773); bodegraph (785); bodeplot (786); bondgraphs (794); braids (829); broydensolve (844); byo-twemojis (883); callouts (909); cartonaugh (935); causets (958); celtic (981); char2path (1001); chemfig (1020); chempid (1027); chemplants (1028); chordbars (1066); chordbox (1067); chronology (1069); chronos (1070); ciad-beamertheme (1076); circuitikz (1085); circularglyphs (1086); cistercian (1088); codeanatomy (1186); coffeestains (1195); coloredbelts (1208); commutative-diagrams (1242); corasdiagram (1343); cpssp (1370); ddphonism (1553); dpcircling (1680); duotenzor (1723); dynkin-diagrams (1773); easing (1778); ecgdraw (1809); eigo (1845); euclidean-lattice (2021); euromoney (2037); fadingimage (2109); fancyqr (2129); fariscovernew (2141); fast-diagram (2143); fenetrecas (2160); figchild (2193); figput (2197); flowchart (2274); forest (2347); forest-ext (2348); fretplot (2395); genealogytree (2469); grafcet (2594); gridpapers (2641); harveyballs (2703); havannah (2707); highlightx (2762); hobby (2783); hustvisual (2817); istgame (3021); jeuxcartes (3056);

B Used topics and related packages

jflap2tikz (3057); jigsaw (3062); karnaugh-map (3121);
karnaughmap (3122); kinematikz (3148); kkran (3152);
kksymbols (3153); ladder (3237);
letterswitharrows (3396); lie-hasse (3436);
liftarm (3439); logicpuzzle (3510); logoetalab (3513);
lua-tikz3dtools (3612); luamesh (3651); luaplot (3659);
luatikz (3677); magicwatermark (3722); makeshape (3753);
maritime (3782); mathador (3795); matrix-skeleton (3841);
memoize-ext (3886); memorygraphs (3888);
mercatormap (3897); messagepassing (3901);
milsymb (3975); mohelper (4051); movement-arrows (4073);
msc (4096); nicematrix (4252); nimsticks (4259);
njuvisual (4264); nl-interval (4266); notebeamer (4292);
open-everyday-symbols (4395); oplotsymb1 (4399);
optikz (4404); orcidlink (4408); outilsgeomtikz (4434);
overarrows (4442); pagelayout (4463);
papiergurvan (4484); pas-crosswords (4506);
pas-tableur (4508); pascaltriangle (4509);
penrose (4588); pfdicons (4599); pgf (4602);
pgf-blur (4603); pgf-cmykshadings (4604); pgf-go (4605);
pgf-interference (4606); pgf-periodictable (4607);
pgf-pie (4608); pgf-spectra (4610); pgf-umlcd (4611);
pgf-umlsd (4612); pgfgantt (4613); pgfmolbio (4618);
pgfmorepages (4619); pgfornament-han (4622);
pgfplots (4623); pictochrono (4669); pinoutikz (4678);
pixelart (4683); pixelarttikz (4684); playcards (4716);
pmdraw (4734); polyhedra (4754); polyomino (4757);
prisma-flow-diagram (4801); proflycee (4811);
profsio (4813); prooftrees (4824);
ptolemaicastronomy (5008); puyotikz (5016);
qrcodetikz (5057); quantikz (5064);
quantumcubemodel (5067); quickreaction (5071);
quiver (5073); quizztex (5075); qworld (5089);
rank-2-roots (5110); recorder-fingering (5135);
register-transfer-level (5154); reotex (5164);
robotarm (5208); rouequestions (5229); rpgicons (5233);
sacsymb (5276); sankey (5285); schemabloc (5318);
scrabble (5341); scratch (5345); scratch3 (5346);
scratchx (5347); scsnowman (5376); seatingchart (5382);
setdeck (5423); simplenodes (5506); simpleoptics (5507);
smartdiagram (5556); smartnotes (5558); sneaker (5565);
spath3 (5625); spectralsequences (5628); stanli (5676);
strands (5707); string-diagrams (5711);
structmech (5714); sunpath (5750); svg-animate (5758);
syntaxdi (5786); tangramtikz (5850); tensormatrix (5886);
thuaslogos (6097); ticollege (6108); tikz-3dplot (6115);
tikz-among-us (6116); tikz-bagua (6117);

B Used topics and related packages

	tikz-bayesnet (6118); tikz-bbox (6119); tikz-bpmn (6120); tikz-cd (6121); tikz-cookingsymbols (6122); tikz-decofonts (6123); tikz-dependency (6124); tikz-dimline (6125); tikz-ext (6126); tikz-feynhand (6127); tikz-feynman (6128); tikz-imagelabels (6129); tikz-kalender (6131); tikz-karnaugh (6132); tikz-ladder (6133); tikz-lake-fig (6134); tikz-layers (6135); tikz-mirror-lens (6136); tikz-nef (6137); tikz-network (6138); tikz-nfold (6139); tikz-opm (6140); tikz-optics (6141); tikz-osci (6142); tikz-page (6143); tikz-palattice (6144); tikz-planets (6145); tikz-relay (6147); tikz-sfc (6148); tikz-shields (6149); tikz-swigs (6150); tikz-timing (6151); tikz-tracksschematic (6152); tikz-triminos (6153); tikz-truchet (6154); tikz2d-fr (6155); tikz3d-fr (6156); tikzbrickfigurines (6157); tikzbricks (6158); tikzcalendarnotes (6159); tikzcodeblocks (6160); tikzdotncross (6161); tikzducks (6162); tikzfill (6163); tikzfxgraph (6164); tikzlings (6166); tikzmark (6167); tikzmarmots (6168); tikzpackets (6170); tikzpagenodes (6171); tikzpeople (6172); tikzpingus (6174); tikzquads (6176); tikzquests (6177); tikzsymbols (6179); tikztosvg (6180); tikzviolinplots (6181); tilings (6183); timechart (6187); tipfr (6200); tkz-base (6218); tkz-berge (6219); tkz-euclide (6223); tkz-fct (6224); tkz-graph (6225); tkz-grapheur (6226); tkz-interval (6227); tkz-linknodes (6229); tkz-orm (6230); tkz-tab (6231); todonotes (6256); tonevalue (6265); trivialpursuit (6321); twoxtwogame (6373); tzplot (6398); undar-digitacion (6456); utfsym (6550); venndiagram (6584); vexillology (6608); visuالتikz (6625); wargame (6660); wheelchart (6682); witharrows (6702); wordle (6718); worldflags (6723); writeongrid (6731); xebaposter (6761); xistercian (6806); yquant (6897); zx-calculus (6935);
philosophy	3 packages: biblatex-philosophy (665); egpeirce (1840); schemata (5319);
phonetic	20 packages: clara (1106); doulossil (1674); engpron (1908); fonetika (2301); ipa (2993); newcomputernmodern (4225); phonetic (4644); phonrule (4645); pronunciation (4819); pst-vowel (4978); stoneipa (5704); tipa (6197); tipauni (6199); tonevalue (6265); tsipa (6332); unitipa (6489); vowel (6638); wsuipa (6734); wsuipa2tipa (6735); xsipa (6844);

B Used topics and related packages

physics	94 packages: anti (206); axodraw (366); axodraw2 (367); biblatex-phys (666); blochsphere (767); bohr (787); braket (831); chs-physics-report (1072); cmpj (1166); cora-macs (1342); dimnum (1615); feyn (2168); feynman (2169); feynmf (2170); fiziko (2249); hep (2720); hep-bibliography (2722); hep-gen (2725); hep-paper (2729); hepnames (2733); hepparticles (2734); hepthesis (2735); hepunits (2736); isotope (3016); jpsj (3090); kinematikz (3148); linop (3459); lua-physical (3609); mandi (3762); mecaso (3868); nchairx (4206); nrc (4310); nuc (4322); nucleardata (4323); odesandpdes (4363); optikz (4404); pawpict (4519); pgf-interference (4606); pgf-spectra (4610); phfextendedabstract (4629); phfqit (4633); phy-bstyles (4648); physconst (4649); physe (4650); physics (4651); physics-patch (4652); physics2 (4653); physics3 (4654); physunits (4655); physymb (4656); phyzzx (4657); pm-isomath (4728); pmdraw (4734); psizzl (4860); pst-coil (4890); pst-cox (4892); pst-diffraction (4895); pst-feyn (4901); pst-magneticfield (4929); pst-massspring (4931); pst-optexp (4939); pst-optic (4940); pst-pulley (4951); pst-sigsys (4956); pst-spectra (4961); pst-spectrum (4962); ptptex (5009); qm (5052); quantumarticle (5066); qworld (5089); revquantum (5187); revtex (5188); revtex4-0 (5189); revtex4-1 (5190); schulmathematik (5326); shuffle (5484); simpleoptics (5507); simpler-wick (5508); simplewick (5511); slashed (5540); structmech (5714); subsubscripts (5742); sunpath (5750); susy (5754); svrsymbols (5765); texsis (6031); thermodynamics (6075); tikz-feynhand (6127); tikz-feynman (6128); tikz-mirror-lens (6136); tikz-optics (6141); tikz-osci (6142); tikz-relay (6147); uol-physics-report (6504);
piedmontese	1 package: babel-piedmontese (409);
plain-ext	36 packages: automagic (348); eplain (1941); figplace (2196); font-change (2302); font-change-xetex (2303); font-selection (2304); fontch (2313); graphics-pln (2607); harvmac (2704); histyle (2768); hypplain (2853); ifis-macros (2894); knst (3161); knuth-letter (3166); kotex-plain (3184); label-pln (3225); laps (3253); letter-plain (3391); letter1 (3392); lettermac (3394); lextex (3406); list (3466); mlawriter (4016); ofs (4367); optex (4401); pdcmac (4534); plain-widow (4702); plnfss (4725); resumemac (5182); romaniantex (5217); toc (6246);

B Used topics and related packages

	toc-zar (6247); twocolumns (6367); twoinone (6368); twoside (6370); unimath-plain-xetex (6483);
plain-text	8 packages: asc2tex (287); catdvi (954); crudetype (1395); detex (1586); dvi2tty (1733); l2a (3203); untex (6503); xetal (6776);
planning	7 packages: chronology (1069); decision-table (1558); jslectureplanner (3094); schedule (5316); schedule209 (5317); semesterplanner (5402); semesterplannerlua (5403);
polish	14 packages: antp (209); antt (210); babel-polish (410); cc-pl (963); luavlina (3680); mex (3928); ogonek (4369); pl-mf (4695); plfonts (4721); plhyph (4722); plpsfont (4726); pmdpl (4733); polski (4751); tapir (5853);
polish-doc	2 packages: lshort-polish (3558); tex-virtual-academy-pl (5940);
portuguese	5 packages: babel-portuges (411); numberpt (4326); ordinalpt (4411); pthyphs (5005); ptlatexcommands (5006);
portuguese-br	11 packages: abnt (15); abntex2 (16); abntexto (17); abntexto-uece (18); babel-portuges (411); biblatex-abnt (614); fei (2159); tabularray-abnt (5832); ucsmonograph (6412); ufrgscca (6421); unbtex (6454);
portuguese-doc	7 packages: beamer-tut-pt (497); cursolatex (1443); latex-via-exemplos (3304); latexcheat-ptbr (3325); lshort-portuguese (3559); lshort-portuguese-br (3560); xypic-tut-pt (6867);
poster	14 packages: a0poster (1); beamerposter (506); bfh-ci (568); bigsign (733); flowfram (2275); hobete (2784); modernposter (4040); poster (4767); poster-mac (4768); rwth-ci (5271); sciposter (5335); tikzposter (6175); tuda-ci (6345); xebaposter (6761);
pre-release	7 packages: l3backend-dev (3212); l3docstrip (3214); l3kernel-dev (3217); l3keys2e (3218); xcoffins (6749); xparse (6826); xtemplate (6853);
preamble-admin	1 package: lastpackage (3255);
prepress	1 package: poligraf (4750);
preprocessor	10 packages: fribidixetex (2397); gbrieff-creator (2455); latexdb (3329); ligatex (3440); nlatexdb (4267); ochem (4355); ratexdb (5113); texsurgery (6034); xtrcode (6856); xunicode (6859);

presentation

130 packages: aeskwadraat (97); anima (189); aobs-tikz (215);
appendixnumberbeamer (234); beamer (492);
beamer-fuberlin (493); beamer-reveal (494);
beamer-rl (495); beamer-theme-albi (496);
beamer-tut-pt (497); beamer-varbox (498);
beamer-verona (499); beamer2thesis (500);
beamerappendixnote (501); beameraudience (502);
beamerauxtheme (503); beamercolorthemeowl (504);
beamerdarkthemes (505); beamerposter (506);
beamersubframe (507); beamerswitch (508);
beamertheme-arguelles (509);
beamertheme-bilkent-econ (510);
beamertheme-cleaneasy (511); beamertheme-csh (512);
beamertheme-cuerna (513); beamertheme-detlevcm (514);
beamertheme-durham (515); beamertheme-edmaths (516);
beamertheme-epyt (517); beamertheme-focus (518);
beamertheme-gotham (519); beamertheme-light (520);
beamertheme-metropolis (521); beamertheme-mirage (522);
beamertheme-npbt (523); beamertheme-phnompenh (524);
beamertheme-pure-minimalistic (525);
beamertheme-rainbow (526);
beamertheme-saintpetersburg (527);
beamertheme-simpliedarkblue (528);
beamertheme-simpleplus (529);
beamertheme-spectrum (530);
beamertheme-tcolorbox (531); beamertheme-trigon (532);
beamertheme-upenn-bc (533); beamertheme-westlake (534);
beamerthemeamurmaple (535); beamerthemeclestia (536);
beamerthemeconcrete (537); beamerthemejltree (538);
beamerthemelalic (539); beamerthemenirma (540);
beamerthemenord (541); beamerthemetamu (542);
beamertools (543); bfh-ci (568); bidipresentation (726);
chalk-annotate (991); ciad-beamertheme (1076);
clicks (1122); colourchange (1224);
context-taspresent (1306); cqubeamer (1373);
didactic (1608); dlrg-templates (1635); dynblocks (1771);
elpres (1869); eslides (1994); exercisesheets (2072);
fancyhandout (2120); fancyslides (2131); ffslides (2173);
fibeamer (2178); foilhtml (2298); foiltex (2299);
gridslides (2643); guitbeamer (2666); ha-prosper (2676);
hackthefootline (2678); handout (2685);
handoutwithnotes (2686); hc (2708); hf-tikz (2748);
hitszbeamer (2774); hobete (2784); ifmslide (2897);
lecturer (3374); ltx-talk (3584); medstarbeamer (3872);
moloch (4053); notebeamer (4292);
novabeamer-theme (4304); overlays (4444); pdfpc (4562);
pdfpc-movie (4563); pdfscreen (4568); pdfslide (4569);

B Used topics and related packages

	pgfornament-han (4622); pgfplotsthemebeamer (4625); powerdot (4771); powerdot-fuberlin (4772); ppower4 (4777); ppr-prv (4778); ppt-slides (4779); present (4789); presentations (4790); presentations-en (4791); prosper (4827); pst-ovl (4942); rwth-ci (5271); seminar (5404); sim-os-menus (5497); slidenotes (5546); slides (5547); slideshow (5548); slixte (5549); songproj (5604); soton (5608); spot (5644); sslides (5665); studenthandouts (5719); talk (5841); texpower (6022); thubeamer (6098); tpslifonts (6278); truecols (6324); tuda-ci (6345); urcls (6521); uwmslide (6561);
previewer	8 packages: dvivue (1768); gsview (2652); gv (2672); gv-savepos (2673); scientificviewer (5333); xdvi (6759); xpdf (6828); xpdfopen (6829);
print-app	1 package: vpp (6642);
probability	2 packages: mptrees (4092); proba (4802);
production	2 packages: novel (4305); zwpagelayout (6934);
program-doc	5 packages: algobox (125); codeanatomy (1186); docbytex (1646); eolang (1930); rest-api (5180);
project-mgmt	4 packages: latex-git-log (3281); milestonetimeline (3971); texproject (6023); user-persona (6537);
proof	13 packages: apxproof (238); bussproofs (860); bussproofs-colorful (861); bussproofs-extra (862); calculation (901); ebproof (1802); fitch (2229); hideproofs (2757); natded (4180); prftree (4797); proof-at-the-end (4821); ribbonproofs (5195); seqcalc (5412);
proposal	13 packages: dfpproposal (1592); euproposal (2031); grant (2596); h2020proposal (2675); heria (2739); mynsfc (4159); nih (4256); njuthesis (4263); nstc-proposal (4311); proposal (4826); sshrc-insight (5664); xduthesis (6757); xduts (6758);
protection	1 package: noprot (4288);
ps-manip	17 packages: aurora (333); fontload (2319); impose (2927); mirr (4000); ps2eps (4836); ps2mf (4837); ps2pk (4838); ps-conv (4842); ps-view (4843); psmerge (4862); psrip (4871); pssplit (4872); psutils (4996); t1infos (5798); t1tools (5800); t1utils (5801); tex-ps (5938);

B Used topics and related packages

pseudocode	15 packages: alg (124); algorithm2e (127); algorithmicx (128); algorithms (129); algpseudocodex (130); algxpar (131); clrscodex (1131); clrscodex3e (1132); context-algorithmic (1269); cryptocode (1398); frpseudocode (2403); newalg (4220); program (4815); pseudo (4847); pseudocode (4848);
pstricks	109 packages: dsptricks (1709); egpeirce (1840); latexdraw (3332); luapstricks (3661); pdftricks (4578); pdftricks2 (4579); piechart (4671); psgo (4858); pst-2dplot (4873); pst-3d (4874); pst-3dplot (4875); pst-abspos (4876); pst-am (4877); pst-antiprism (4878); pst-arrow (4879); pst-asr (4880); pst-bar (4881); pst-barcode (4882); pst-bezier (4883); pst-blur (4884); pst-bspline (4885); pst-calendar (4887); pst-cie (4888); pst-circ (4889); pst-coil (4890); pst-contourplot (4891); pst-cox (4892); pst-dart (4893); pst-dbicons (4894); pst-diffraction (4895); pst-electricfield (4896); pst-eps (4897); pst-eucl (4898); pst-eucl-translation-bg (4899); pst-exa (4900); pst-fill (4902); pst-flags (4904); pst-fourbarlinkage (4905); pst-fr3d (4907); pst-fractal (4908); pst-fun (4909); pst-func (4910); pst-gantt (4911); pst-gears (4912); pst-geo (4913); pst-geometrictools (4914); pst-gr3d (4915); pst-grad (4916); pst-hsb (4918); pst-infixplot (4919); pst-intersect (4920); pst-jtree (4921); pst-kepler (4922); pst-knot (4923); pst-layout (4925); pst-lens (4926); pst-light3d (4927); pst-lsystem (4928); pst-magneticfield (4929); pst-marble (4930); pst-massspring (4931); pst-math (4932); pst-mirror (4933); pst-moire (4934); pst-nutation (4936); pst-ob3d (4937); pst-ode (4938); pst-optexp (4939); pst-optic (4940); pst-osci (4941); pst-ovl (4942); pst-pad (4943); pst-pdgr (4945); pst-perspective (4946); pst-platon (4947); pst-plot (4948); pst-poker (4949); pst-poly (4950); pst-pulley (4951); pst-rputover (4953); pst-rubans (4954); pst-shell (4955); pst-sigsys (4956); pst-slpe (4957); pst-solarsystem (4958); pst-solides3d (4959); pst-soroban (4960); pst-spectra (4961); pst-spectrum (4962); pst-sphericaltrochoid (4963); pst-spinner (4964); pst-spirograph (4965); pst-tools (4970); pst-turtle (4972); pst-uml (4974); pst-vehicle (4976); pst-venn (4977); pstdoc (4982); pstricks-add (4988); pstricks-base (4989); pstricks-calcnodes (4990); pstricks-examples (4991); pstricks-examples-7 (4992);

B Used topics and related packages

	pstricks-examples-en (4993); rputover (5235); sfg (5439); uml (6445); visualpstricks (6623); vocaltract (6634);
psychology	13 packages: apa (217); apa6 (218); apa6e (219); apa7 (220); apabst (221); apacite (222); apalike2 (225); apasoft (226); biblatex-apa (620); biblatex-apa6 (621); mslapa (4098); newapa (4221); theapa (6069);
publicity	1 package: pressrelease (4792);
publisher	10 packages: bgteubner (573); biblatex-spbasic (676); birkhaeuser (748); emisa (1883); iaria (2858); iaria-lite (2859); mentis (3891); mitpress (4003); prepr (4786); sffms (5438);
puzzle	9 packages: dps (1683); musikui (4137); rubik (5248); rubikcube (5249); rubikrotation (5250); rubiktwocube (5251); soup (5611); tangramtikz (5850); truchet (6323);
qrcode	10 packages: bib2qr (581); businesscard-qrcode (859); epcqr (1933); fancyqr (2129); hvqrurl (2827); pst-barcode (4882); qrbill (5055); qrcode (5056); qrcodetikz (5057); qrcstamps (5058);
quotation	5 packages: clawxiv (1114); dialogue (1603); quotation (5076); quoting (5080); quotmark (5081);
quotation-imp	2 packages: clipboard (1124); cypypaste (1340);
quotation-mgmt	3 packages: attrib (324); bits (754); blkcntrl (766);
quote-marks	8 packages: catcodes (952); csquotes (1410); csquotes-de (1411); dirtytalk (1625); germkorr (2492); logical-markup-utils (3508); luaquotes (3662); nestquot (4215);
random	11 packages: exam-randomizechoices (2056); gamebooklib (2440); lcg (3364); luarandom (3663); mcexam (3852); minifp (3980); randintlist (5103); random (5104); randomwalk (5106); rangen (5109); scrambledenvs (5343);
record-keep	1 package: labbook (3224);
ref-latex	8 packages: comprehensive (1251); docsurvey (1652); hep-reference (2730); latex2e-help-texinfo (3306); latex2e-help-texinfo-fr (3307); latex2e-reference (3308); ltnews (3581); texbytopic (5957);

B Used topics and related packages

report-like	23 packages: amnestystyle (159); bmstu (781); bmstu-iu8 (782); chs-physics-report (1072); cs-techrep (1400); erdc (1979); estcpmm (2001); hebdomon (2713); hitreport (2773); infufrgs (2945); limap (3444); navydocs (4185); onrannual (4390); practicalreports (4782); report (5169); scrreprt (5373); sf298 (5435); sjtutex (5524); spim-phdthesisthemes (5636); techreport (5871); unitn-bimrep (6490); uol-physics-report (6504); utbmciad-report (6545);
review-document	5 packages: docsurvey (1652); dtk-bibliography (1713); latexfileinfo-pkgs (3333); memdesign (3877); xreview (6841);
romanian	2 packages: babel-romanian (412); romaniantex (5217);
rotation	5 packages: isorot (3014); rotate (5222); rotating (5224); side (5487); sidecap (5488);
rule	8 packages: dashrulex (1481); modernruler (4041); multicolrule (4120); nccrules (4201); qrcode (5056); rule-d (5253); skeldoc (5529); xhfill (6795);
russian	10 packages: babel-russian (414); basiclatex-ru (469); biblatex-gost (642); bmstu (781); chemformula-ru (1022); eskd (1992); eskdx (1993); gost (2583); ruhyphen (5252); russ (5265);
russian-doc	5 packages: basiclatex-ru (469); computer-typesetting-using-latex (1254); lshort-russian (3561); mpman-ru (4088); russian-help (5266);
safety-notice	2 packages: mhchem (3952); r-und-s (5091);
samin	1 package: babel-samin (415);
sanskrit	9 packages: csx (1421); devanagari (1589); indic-type1 (2941); induni-om (2942); mxd (4151); sanhyph (5283); sanskrit (5287); sanskrit-t1 (5288); xetex-ittrans (6781);
scientific-docs	23 packages: amscls-doc (169); asmeconf (296); asmejour (297); aspen (300); currency (1439); doibanner (1658); etdipa (2006); formula (2357); metanorma (3911); metsymb (3926); mitthesis (4004); physics-patch (4652); physunits (4655); prtec (4833); pstring (4994); quantum-chemistry-bonn (5065); scientific-thesis-cover (5330); si (5485); sistyle (5520); siunits (5522); siunitx (5523); units (6491); unitsdef (6492);

B Used topics and related packages

scottish	1 package: babel-scottish (416);
security	11 packages: aspen (300); censor (982); enigma (1912); eq-pin2corr (1962); luacensor (3626); randtext (5107); secret (5386); secretx (5387); switcheml (5772); tex-label (5932); transparent-io (6310);
semproc	1 package: semproc (5406);
serbian	14 packages: babel-serbian (417); babel-serbianc (418); datetime2-serbian (1530); he-le-na (2710); serbian-apostrophe (5414); serbian-book (5415); serbian-date-lat (5416); serbian-def-cyr (5417); serbian-lig (5418); serbianpart (5419); shhyphl (5460); sr-half-compound (5653); sr-hyphen-spec (5654); srhyphc (5660);
shortcut	14 packages: abbr (11); accenti (29); dhua (1593); etsvthor (2020); mathlig (3815); mrecog (4094); paresse (4494); qsymbols (5061); quicktype (5072); quote (5078); quotes (5079); shortcuttool (5465); susy (5754); unisugar (6487);
simplified	1 package: systeme (5793);
slovak	11 packages: babel-slovak (419); csfonts (1403); csfonts-t1 (1404); csindex (1405); cslatex (1406); csplain (1408); cspsfonts (1409); encxvlna (1897); lshort-slovak (3562); luavlna (3680); tapir (5853);
slovenian	3 packages: babel-slovenian (420); lshort-slovenian (3563); slhyph (5545);
somali	1 package: osmanian (4420);
sorbian	1 package: babel-sorbian (421);
spanish	11 packages: articleingud (279); babel-spanglish (422); babel-spanish (423); esindex (1988); factura (2106); fistrum (2227); hyphen-spanish (2847); listofanswers (3475); quran-es (5086); spanish-mx (5622); sphyphb (5633);
spanish-doc	8 packages: antique-spanish-units (207); faq-es (2137); guia-bibtex (2660); l2tabu-spanish (3209); latex2e-help-texinfo (3306); latexcheat-esmx (3324); lshort-spanish (3564); tipos (6201);
spec-alphabet	1 package: braille (830);
spell	9 packages: amspell (179); aspell (299); excalibur (2064); fourspell (2366); ispell (3017); jspell (3097); spelling (5630); texspell (6033); vmspell (6630);

B Used topics and related packages

statistics	12 packages: econometrics (1817); includernw (2932); medstarbeamer (3872); rterface (5241); sasnrdisplay (5294); statex (5681); statex2 (5682); statistics (5683); statmath (5685); statrep (5686); tikz-bayesnet (6118); tikzviolinplots (6181);
std-conform	57 packages: abntexto (17); abntexto-uece (18); aeskwadraat (97); amnestystyle (159); apa7 (220); apalike-ejor (223); beamertheme-csh (512); beamertheme-edmaths (516); bfh-ci (568); biblatex-gb7714-2015 (640); biblatex-gost (642); bjfuthesis (759); bmstu (781); bmstu-iu8 (782); ciad-beamertheme (1076); cqjtuthesis (1372); dinbrief (1618); dlrg-templates (1635); ean13isbn (1777); fei (2159); gbt7714 (2456); gost (2583); hindawi-latex-template (2764); infufrgs (2945); isomath (3011); isonums (3012); jlreq (3069); jyu-chem-thesis (3113); kdpcover (3129); maine-thesis (3727); metanorma (3911); mpdinbrief (4083); msu-thesis (4099); omgtudoc-asoiu (4383); onlinebrief24 (4388); outoruby (4439); pxrublica (5028); rub-kunstgeschichte (5247); rwth-ci (5271); spim-phdthesisthemes (5636); srdp-mathematik (5659); sugconf (5749); tabularray-abnt (5832); tex-vpat (5941); thuthesis (6104); tuda-ci (6345); tudscr (6346); uantwerpendocs (6403); ufrgscga (6421); unigrazpub (6482); univie-ling (6495); ut-thesis (6544); utbmciad-report (6545); uwa-letterhead (6558); uwa-pcf (6559); uwa-pif (6560); zxjatype (6938);
std-spec	3 packages: dvistd (1760); tds (5865); tex-vpat (5941);
string	4 packages: coolstr (1331); metastr (3919); xresearch (6772); xstring (6849);
struc-mkup	5 packages: cool (1328); gellmu (2463); limap (3444); rebuttal (5130); stex (5696);
subdocs	11 packages: childdoc (1053); combine (1226); docmute (1649); includernw (2932); includex (2933); ltximg (3597); minidocument (3979); newclude (4223); standalone (5674); subdocs (5729); subfiles (5735);
subfloat	3 packages: subfig (5732); subfigure (5734); subfloat (5736);
subsup-pos	12 packages: altsubsup (152); fouridx (2362); isotope (3016); leftidx (3381); leftindex (3382); nuc (4322); realscripts (5128); spbmark (5626); subdepth (5728); subsupscripts (5742); tensind (5884); tensor (5885);
sudoku	1 package: crossword (1393);

B Used topics and related packages

swedish	6 packages: babel-swedish (424); glossaries-swedish (2562); sehyph (5393); slatex (5541); swebib (5766); swetex (5767);
swiss	3 packages: chextras (1044); chletter (1062); qrbill (5055);
symbol-suppl	6 packages: milsymb (3975); symbolindex (5777); temporal-logic (5880); thematicpuzzle (6071); utfsym (6550); wargame (6660);
synt-hlt	16 packages: codebox (1187); codehigh (1190); context-vim (1314); highlightlatex (2761); hvpigmentex (2826); listings (3470); listingsutf8 (3472); maker (3750); minted (3996); minted-code (3997); piton (4680); pigmentex (5035); qsharp (5059); sclang-prettifier (5337); shdoc (5458); uvlhighlight (6556);
syntax	5 packages: mdwtools (3866); rail (5096); syngen (5782); syntax-mdw (5784); syntax2 (5785);
sys-suppl	7 packages: iexec (2888); kpathsea (3187); l3sys-query (3221); shellesc (5459); tex-locale (5933); texosquery (6016); tlaunch (6233);
table	93 packages: array (267); arraycols (268); association-matrix (303); autotab (356); bigdelim (729); bigstrut (734); bigtable (735); bigtabular (736); blkarray (765); boldline (791); booktabs (807); btable (850); cals (913); cellprops (977); cellspace (978); cellular (979); cellwise (980); collcell (1197); colortab (1219); colortbl (1220); ctable (1422); customenvs (1450); dcolumn (1550); decision-table (1558); dectab (1562); delarray (1572); diagbox (1596); easyfloats (1787); easytable (1793); fcolumn (2155); ftcap (2405); gentabtex (2474); grading-scheme (2592); hlist (2781); hvdashln (2819); keyvaltable (3144); listliketab (3474); litetable (3483); longfigure (3521); longtable (3524); ltablex (3576); ltcaption (3579); ltxtable (3603); luaprohtable (3660); lutabulartools (3690); makecell (3734); maketable (3754); mdwtab (3865); mdwtools (3866); metaphor (3913); multirow (4131); nox (4308); odsfile (4364); ot-tableau (4423); polytable (4758); pst-layout (4925); rccol (5117); slashbox (5539); sltables (5550); spreadtab (5647); stables (5667); stabular (5668); supertabular (5752); tab4tex (5803); tablefootnote (5810); tables (5813); tablestyles (5814); tabls (5817); tabu (5824); tabular2 (5825); tabularborder (5826); tabularcalc (5827); tabularew (5828); tabularht (5829);

B Used topics and related packages

	<code>tabularkv</code> (5830); <code>tabularray</code> (5831); <code>tabularray-abnt</code> (5832); <code>tabularx</code> (5834); <code>tabulary</code> (5835); <code>tap</code> (5851); <code>tblr-extras</code> (5857); <code>threeparttable</code> (6093); <code>threeparttablex</code> (6094); <code>topiclongtable</code> (6269); <code>translation-array-fr</code> (6292); <code>translation-booktabs-fr</code> (6295); <code>translation-dcolumn-fr</code> (6297); <code>vcell</code> (6578); <code>vtable</code> (6649); <code>warpcol</code> (6662); <code>wichura-table</code> (6684); <code>xltabular</code> (6816); <code>xtab</code> (6850);
<code>table-long</code>	19 packages: <code>bigtable</code> (735); <code>bigtabular</code> (736); <code>cals</code> (913); <code>longfigure</code> (3521); <code>longtable</code> (3524); <code>ltablex</code> (3576); <code>ltabptch</code> (3577); <code>ltxtable</code> (3603); <code>nox</code> (4308); <code>sdaps</code> (5378); <code>stabular</code> (5668); <code>supertabular</code> (5752); <code>tabu</code> (5824); <code>tabularray</code> (5831); <code>tblr-extras</code> (5857); <code>topiclongtable</code> (6269); <code>widetable</code> (6685); <code>xltabular</code> (6816); <code>xtab</code> (6850);
<code>table-rule</code>	6 packages: <code>booktabs</code> (807); <code>booktabstabular</code> (810); <code>dvisirule</code> (1759); <code>ehhline</code> (1842); <code>hhline</code> (2754); <code>hvdashln</code> (2819);
<code>tagged-pdf</code>	87 packages: <code>array</code> (267); <code>asmeconf</code> (296); <code>babel-albanian</code> (370); <code>babel-basque</code> (373); <code>babel-bosnian</code> (375); <code>babel-croatian</code> (379); <code>babel-danish</code> (381); <code>babel-dutch</code> (382); <code>babel-english</code> (383); <code>babel-finnish</code> (386); <code>babel-friulan</code> (388); <code>babel-indonesian</code> (396); <code>babel-interlingua</code> (397); <code>babel-irish</code> (398); <code>babel-malay</code> (406); <code>babel-norsk</code> (407); <code>babel-polish</code> (410); <code>babel-portuges</code> (411); <code>babel-romanian</code> (412); <code>babel-romansh</code> (413); <code>babel-samin</code> (415); <code>babel-scottish</code> (416); <code>babel-slovenian</code> (420); <code>babel-sorbian</code> (421); <code>babel-swedish</code> (424); <code>babel-welsh</code> (429); <code>bonum-otf</code> (795); <code>dejavu-otf</code> (1571); <code>didec</code> (1609); <code>diffcoeff</code> (1610); <code>domaincoloring</code> (1660); <code>enumext</code> (1918); <code>fewerfloatpages</code> (2167); <code>firamath-otf</code> (2221); <code>fontenc</code> (2316); <code>footmisc</code> (2338); <code>fundus-calligra</code> (2418); <code>gentium-otf</code> (2476); <code>geometry</code> (2482); <code>heros-otf</code> (2740); <code>hologo</code> (2787); <code>hvindex</code> (2822); <code>ibarra</code> (2860); <code>inputenc</code> (2956); <code>jsonparse</code> (3095); <code>juliamono</code> (3100); <code>latex-tagging-status</code> (3298); <code>latexbug</code> (3320); <code>lettrine</code> (3398); <code>libertinus</code> (3424); <code>luamplib</code> (3654); <code>luarandom</code> (3663); <code>luatexko</code> (3675); <code>lucida-otf</code> (3683); <code>makeidx</code> (3744); <code>marginalia</code> (3777); <code>merriweather</code> (3899); <code>mfnfss</code> (3942); <code>minim-pdf</code> (3986); <code>mitthesis</code> (4004); <code>multicol</code> (4118); <code>multido</code> (4122);

B Used topics and related packages

newcomputermodern (4225); nth (4316); pagella-otf (4464);
paratype (4491); parskip (4503); picture (4670);
plex-otf (4720); prooftrees (4824); rpgicons (5233);
schola-otf (5322); sourcesans (5614); sourceserif (5615);
syntonly (5788); termes-otf (5889); trace (6282);
upquote (6515); varioref (6571);
widows-and-orphans (6686); xfakebold (6788);
xindex (6800); xltabular (6816); xurl (6860);
zref-check (6929); zref-clever (6930); zref-vario (6931);

tagged-pdf-incompatible 54 packages: amsaddr (162); auto-pst-pdf-lua (340);
babel-french (387); babel-spanish (423);
biblatex2bibitem (683); cprotect (1368);
crossword (1393); dashundergaps (1482); doc (1642);
exscale (2091); fbox (2148); fcolumn (2155);
fonttable (2335); footnoterange (2343); ftnright (2408);
hvfloat (2821); jsclasses (3093); lineno (3451);
lwarp (3694); marginnote (3780); morisawa (4071);
nicematrix (4252); ntheorem (4317); overpic (4446);
parcolumns (4493); pdfpages (4561); piton (4680);
pst-3d (4874); pst-barcode (4882); pst-coil (4890);
pst-eps (4897); pst-eucl (4898); pst-fill (4902);
pst-func (4910); pst-grad (4916); pst-math (4932);
pst-node (4935); pst-ovl (4942); pst-plot (4948);
pst-text (4968); pst-tree (4971); pstricks-add (4988);
pstricks-base (4989); pythontex (5042); reledmac (5157);
scrartcl (5344); scrbook (5349); scrreprt (5373);
soul (5609); soulpos (5610); tex4ebook (5949);
theorem (6072); unicodefonttable (6479); xhfill (6795);

tagged-pdf-partially 37 packages: adforn (70); adfsymbols (71); aliascnt (132);
asymptote (310); babel-esperanto (384);
babel-greek (392); bbold (485); biblatex (613);
biblatex-chicago (632); biblatex-dw (636);
biblatex-ext (638); biblatex-juradiss (649);
biblatex-trad (679); bm (775); cellspace (978);
countriesofeuropa (1356); csvsimple (1418);
eqnlines (1975); esstix (2000); fancyvrb (2134);
footnpag (2344); hvlogos (2823); hyperref (2842);
keytheorems (3141); latex-base (3262); letter (3390);
libertinus-otf (3426); luatexja (3674); marvosym (3785);
orcidlink (4408); pst-calculate (4886); siunitx (5523);
spark-otf (5623); thumbs (6102); tugboat (6348);
xcomment (6753); zref (6928);

tagged-pdf-unsupported 1 package: seminar (5404);

teaching 27 packages: cahierprof (894); calculatoritems (903);
courseoutline (1362); didactic (1608); exesheet (2074);

B Used topics and related packages

	fascicules (2142); figchild (2193); fillwith (2212); glmatrix (2536); graph35 (2597); jslectureplanner (3094); kkran (3152); lecturenotes (3373); lectures (3375); na-box (4162); neoschool (4214); pas-cours (4505); pdfreview (4567); profcollege (4809); proflycee (4811); profmaquette (4812); repere (5167); schooldocs (5324); schule (5325); schulmathematik (5326); sesstime (5422); tango (5847);
test-bed	1 package: minimal (3988);
test-dist	1 package: memexsupp (3878);
text-flow	12 packages: cutwin (1452); figflow (2194); floatfig (2267); floatflt (2268); insbox (2963); picinpar (4660); picins (4661); shapepar (5453); window (6692); wrapfig (6726); wrapfig2 (6727); wrapstuff (6728);
text-layout	2 packages: lua-typo (3614); tagpair (5839);
text-manip	6 packages: bitelist (750); getargs (2494); getitems (2496); listofitems (3476); mfirstuc (3938); stringstrings (5713);
text-symbol	16 packages: bxcoloremoji (866); coloremoji (1210); emf (1882); gensymb (2473); hwemoji (2828); kksymbols (3153); lucide-icons (3686); openemoji (4397); stretchy (5709); tablericons (5812); temporal-logic (5880); textcomp (6039); textgreek (6043); twemojis (6366); vexillology (6608); vscodeicons (6647);
thai	8 packages: babel-thai (425); cjk (1099); fonts-arundina (2324); fonts-tlwg (2326); lshort-thai (3565); thaienum (6062); thailatex (6063); thaispec (6064);
theology	23 packages: biblatex-sbl (670); bibleref (685); bibleref-french (686); bibleref-german (687); bibleref-lds (688); bibleref-mouth (689); bibleref-parse (690); bibleref-sbl (691); bibletext (692); book-of-common-prayer (798); catechis (955); eq-fetchbbl (1961); fetchbibpes (2164); liturg (3485); liturgy-cw (3486); opbible (4393); sblarticle (5302); sblbook (5303); sblfonts (5304); sblidx (5305); sblreport (5306); schemata (5319); scripture (5361);
tibetan	6 packages: ctib4tex (1433); mxd (4151); pecha (4582); sirlin (5519); tibetan (6106); ttt (6343);
timetable	5 packages: calendar (904); kalender-209 (3116); schedule (5316); timetab (6191); timetable (6192);

B Used topics and related packages

titlepage	11 packages: authblk (334); hep-title (2732); navydocs (4185); rutitlepage (5268); titlefoot (6204); titlepage-uni-dortmund (6205); titlepages (6206); titlepic (6207); titling (6213); uni-titlepage (6469); uvaletter (6555);
toc-etc	24 packages: aeb-minitoc (86); autotoc (357); cybercic (1463); etoc (2015); koma-script (3172); listofanswers (3475); listofsymbols (3477); longtocline (3525); losymbol (3529); minitoc (3994); multitoc (4132); shorttoc (5468); smalltableof (5553); tableof (5811); titletoc (6212); toc (6246); toc-zar (6247); tocbasic (6248); tocbibind (6249); tocdata (6250); tocloft (6252); tocstyle (6253); tocvsec2 (6254); unifront (6481);
translation	27 packages: amslatexdoc-vietnamese (173); amsmath-it (176); booktabs-de (808); booktabs-fr (809); csquotes-de (1411); etoolbox-de (2017); fepslatex (2162); geometry-de (2483); l2tabu-english (3206); microtype-de (3960); mpman-ru (4088); ntheorem-vn (4318); pst-eucl-translation-bg (4899); tipa-de (6198); translation-array-fr (6292); translation-arsclassica-de (6293); translation-chemsym-de (6296); translation-ecv-de (6298); translation-enumitem-de (6299); translation-europecv-de (6300); translation-filecontents-de (6301); translation-footmisc-de (6302); translation-moreverb-de (6303); translation-natbib-fr (6304); translation-pst-jtree-de (6305); translation-tabbg-fr (6306); wrapstuff-doc-en (6729);
tree	45 packages: adtrees (82); baum (478); binarytree (739); chomsky (1065); dirtree (1623); dirtreex (1624); drv (1708); dyntree (1774); ecltree (1810); emtrees (1893); eppstein-trees (1943); familytree (2115); forest (2347); forest-ext (2348); gl-tree (2532); huffman (2808); istgame (3021); lingtrees (3454); linguex (3455); prftree (4797); proofs (4823); prooftrees (4824); pst-jtree (4921); pst-qtree (4952); pst-tree (4971); pst-tvz (4973); pstrees (4987); qobitree (5054); qtree (5062); rrgtrees (5236); syntrace (5789); synttree (5790); tikz-dependency (6124); tikz-qtree (6146); tkz-bernoulli (6220); translation-pst-jtree-de (6305); tree-dvips (6311);

B Used topics and related packages

	treedef (6312); treesvr (6313); treetex-ltx209 (6314); treetex-plain (6315); williams (6689); wotree (6724); xyling (6863); xytree (6868);
turkish	7 packages: babel-turkish (426); lshort-turkish (3566); orkhun (4415); tkhyph (6216); turkish (6355); turkishintro (6356); tuzuk (6361);
turkmen	1 package: turkmen (6357);
tut-cheat	9 packages: cheatsheet (1006); latex-refsheet (3295); latexcheat (3322); latexcheat-de (3323); latexcheat-esmx (3324); latexcheat-ptbr (3325); platexcheat (4712); tex-font-errors-cheatsheet (5909); undergradmath (6457);
tut-latex	48 packages: basiclatex-ru (469); beginlatex (550); cursolatem (1443); dickimaw (1606); docsurvey (1652); first-latex-doc (2223); first-packages (2224); formation-latex-ul (2354); guide-latex-fr (2661); intro-scientific (2984); kaytannollista-latexia (3124); latex-course (3269); latex-for-undergraduates (3279); latex-mr (3290); latex-veryshortguide (3303); latex-via-exemplos (3304); latex4musicians (3315); lshort (3543); lshort-bulgarian (3544); lshort-czech (3545); lshort-dutch (3546); lshort-english (3547); lshort-estonian (3548); lshort-finnish (3549); lshort-french (3550); lshort-german (3551); lshort-italian (3552); lshort-japanese (3553); lshort-korean (3554); lshort-mongol (3555); lshort-mongolian (3556); lshort-polish (3558); lshort-portuguese (3559); lshort-portuguese-br (3560); lshort-russian (3561); lshort-slovak (3562); lshort-slovenian (3563); lshort-spanish (3564); lshort-thai (3565); lshort-turkish (3566); lshort-ukr (3567); lshort-vietnamese (3568); lshort-zh-cn (3569); mfwl (3948); pdf-forms-tutorial (4535); simplified-latex (5513); studies-lm (5720); yet-another-guide-latex2e (6882);
tut-latex-prg	2 packages: docsurvey (1652); dtxtut (1718);
tut-plaintex	10 packages: apprendre-a-programmer-en-tex (235); csname-doc (1407); do-it-yourself-tex (1640); gentl-gr (2479); gentle (2480); impatient (2924); pwt (5018); tex-nutshell (5936); texbytopic (5957); texonly (6015);
tutorial	8 packages: drawing-with-metapost (1695); first-packages (2224);

B Used topics and related packages

	<code>install-latex-guide-zh-cn</code> (2968); <code>interactiveworkbook</code> (2974); <code>latex4musicians</code> (3315); <code>mathalphabets</code> (3797); <code>patgen2-tutorial</code> (4515); <code>voss-mathcol</code> (6636);
<code>typeset-grid</code>	7 packages: <code>grid</code> (2639); <code>gridset</code> (2642); <code>papiergurvan</code> (4484); <code>pst-gr3d</code> (4915); <code>returntograd</code> (5184); <code>spalign</code> (5621); <code>writeongrid</code> (6731);
<code>typeset-std</code>	4 packages: <code>iso</code> (3004); <code>iso10303</code> (3006); <code>iso209</code> (3007); <code>isosigns</code> (3015);
<code>typeset-tool</code>	5 packages: <code>colophon</code> (1202); <code>passopt</code> (4511); <code>point ruler</code> (4747); <code>stricttex</code> (5710); <code>typoaid</code> (6393);
<code>typesetting</code>	79 packages: <code>adjustbox</code> (75); <code>aeb-mobile</code> (88); <code>autotype</code> (358); <code>bidi</code> (721); <code>blowup</code> (772); <code>bxorigcapt</code> (878); <code>chickenize</code> (1051); <code>colorblind</code> (1205); <code>coloredbelts</code> (1208); <code>context-fancybreak</code> (1281); <code>copyrightbox</code> (1341); <code>crbox</code> (1375); <code>decimal</code> (1556); <code>decimalcomma</code> (1557); <code>delig</code> (1574); <code>dotlessi</code> (1667); <code>dotlessj</code> (1668); <code>eemeir</code> (1833); <code>ellipsis</code> (1866); <code>emarks</code> (1877); <code>embrac</code> (1880); <code>encxvlna</code> (1897); <code>eqell</code> (1965); <code>extdash</code> (2095); <code>fakebold</code> (2112); <code>figureversions</code> (2200); <code>fix2col</code> (2234); <code>fixltx2e</code> (2241); <code>foreign</code> (2346); <code>frontespizio</code> (2401); <code>gender</code> (2465); <code>he-she</code> (2711); <code>icomma</code> (2870); <code>ifoddpage</code> (2900); <code>imprnattpo</code> (2925); <code>indentfirst</code> (2937); <code>leading</code> (3368); <code>ligtype</code> (3442); <code>lineno</code> (3451); <code>lips</code> (3463); <code>lua-uca</code> (3615); <code>luabidi</code> (3624); <code>lualineno</code> (3648); <code>luavlina</code> (3680); <code>magaz</code> (3718); <code>manuscript</code> (3768); <code>mathpunctspace</code> (3821); <code>microtype-de</code> (3960); <code>natmove</code> (4182); <code>nodepthtext</code> (4274); <code>nolbreaks</code> (4281); <code>passopt</code> (4511); <code>pdfrender</code> (4566); <code>perpage</code> (4593); <code>responsive</code> (5179); <code>selnolig</code> (5397); <code>setstrut</code> (5427); <code>sistyle</code> (5520); <code>siunits</code> (5522); <code>smartmn</code> (5557); <code>spacingtricks</code> (5619); <code>subscript</code> (5738); <code>swungdash</code> (5774); <code>tabfigures</code> (5806); <code>textcsc</code> (6040); <code>textualicomma</code> (6050); <code>thinsp</code> (6082); <code>titlecaps</code> (6203); <code>titles</code> (6210); <code>totpages</code> (6275); <code>translation-booktabs-fr</code> (6295); <code>translation-dcolumn-fr</code> (6297); <code>transparent</code> (6309); <code>typewriter</code> (6391); <code>underscore</code> (6461); <code>varioref</code> (6571); <code>xellipsis</code> (6769); <code>xevlina</code> (6787); <code>xr</code> (6838);
<code>typo-archaic</code>	1 package: <code>babyloniannum</code> (432);
<code>ukrainian</code>	4 packages: <code>babel-ukrainian</code> (427); <code>glossaries-ukrainian</code> (2563); <code>lshort-ukr</code> (3567); <code>ukrhyp</code> (6433);

B Used topics and related packages

uml	6 packages: metauml (3922); pgf-umlcd (4611); pgf-umlsd (4612); plantuml (4707); pst-uml (4974); uml (6445);
underline	13 packages: dashundergaps (1482); href-ul (2798); lua-ul (3616); luwa-ul (3691); noitcrul (4280); soul (5609); soulpos (5610); ulem (6436); umoline (6447); underlin (6458); underlin-generic (6459); ushort (6538); wiggly (6687);
unicode	32 packages: albatross (118); alchemist (119); bxjatoucs (875); commonunicode (1241); euenc (2023); euxunicode (2044); fixtounicode (2248); fontwrap (2336); inputnormalization (2959); latex-uni8 (3302); lua-uni-algos (3617); lua-unicode-math (3618); mathtrip (3837); minted-code (3997); newunicodechar (4240); textcsc (6040); tipauni (6199); ucs (6411); unibidi-lua (6472); unicode (6473); unicode-alphabets (6474); unicode-data (6476); unicode-math (6477); unicode-math-input (6478); unicodfonttable (6479); unimath-plain-xetex (6483); uninormalize (6484); unisc (6486); unitipa (6489); uspace (6540); xcjk2uni (6746); xunicode (6859);
units	15 packages: antique-spanish-units (207); cooking-units (1325); currency (1439); formula (2357); isphysicalmath (3018); lengthconvert (3385); non-decimal-units (4284); physunits (4655); si (5485); siunitx (5523); smartunits (5560); texdimens (5966); unitconv (6488); units (6491); unitsdef (6492);
urdu	1 package: quran-ur (5088);
use-lua	21 packages: bezierplot (567); citation-style-language (1089); cluttex (1135); ctanbib (1427); digestif (1611); gurps (2670); l3sys-query (3221); light-latex-make (3441); luabibentry (3623); luahttp (3632); luapackageloader (3658); luatodonotes (3678); luaxml (3681); plantuml (4707); pmxchords (4739); ppmcheckpdf (4776); texblend (5954); texfindpkg (5975); texlogsieve (6007); wallcalendar (6658); xindex (6800);
use-luatex	8 packages: codehigh (1190); digestif (1611); exerciseshets (2072); kanbun (3118); polyglossia (4753); resolsysteme (5177); tikz-feynman (6128); tkz-euclide (6223);
use-sample	3 packages: memoirchapterstyles (3884); testmath (5900); titlepages (6206);

B Used topics and related packages

use-xetex	3 packages: do-it-yourself-tex (1640); polyglossia (4753); xesoul (6773);
utf8-adapt	2 packages: listingsutf8 (3472); sanitize-umlaut (5284);
verbatim	54 packages: alltt (137); alltt2 (138); astyped (307); code (1184); cprotect (1368); cprotectinside (1369); enverb (1926); fancyvrb (2134); ffcodes (2172); framedsyntax (2376); fvextra (2432); gmverb (2573); grverb (2648); hexdump (2746); href-ul (2798); idverb (2877); kkluaverb (3151); list (3466); listings (3470); llist (3490); mdwtools (3866); minted (3996); minted-code (3997); moreverb (4069); newvbtm (4241); newverbs (4242); niceverb (4254); nofill (4276); path (4516); phfquotetext (4634); saveenv (5298); shortvrb (5469); spverbatim (5650); sverb (5756); tabverb (5837); tcolorbox (5862); terminalcode (5890); translation-moreverb-de (6303); upquote (6515); url (6523); verbasef (6586); verbatim (6587); verbatim-gen (6588); verbatim-pln (6589); verbatim-tub (6590); verbatimbox (6591); verbatimcopy (6592); verbdef (6593); verbinp (6594); verbtex (6596); verbtim2 (6597); vrb (6643); vrbexin (6644); xurl (6860);
verse	9 packages: altverse (153); gmverse (2574); liturgy-cw (3486); metrix (3925); poetry (4745); poetrytex (4746); sharedline (5456); songproj (5604); verse (6602);
version-control	20 packages: changelog (994); git-latexdiff (2523); gitfile-info (2524); gitinfo (2525); gitinfo-lua (2526); gitinfo2 (2527); gitlog (2528); gitver (2530); latexgit (3335); phfsvnwatermark (4635); rcs (5118); rcs-multi (5119); rcs-pln (5120); rcsinfo (5121); svn (5761); svn-multi (5762); svn-prov (5763); svninfo (5764); vc (6577); vhistory (6615);
vietnamese	5 packages: babel-vietnamese (428); free-math-font-survey-vn (2384); vietnet (6617); vntex (6632); vntex-nonfree (6633);
vietnamese-doc	3 packages: amslatexdoc-vietnamese (173); lshort-vietnamese (3568); ntheorem-vn (4318);
view-app	1 package: vpp (6642);
view-doc	2 packages: texdoc (5968); texdoctk (5969);
visual-supp	1 package: fitr (2231);

B Used topics and related packages

watermark	7 packages: draftwatermark (1690); eurion (2032); gitstatus (2529); magicwatermark (3722); phfsvnwatermark (4635); timbreicmc (6184); watermark (6667);
welsh	1 package: babel-welsh (429);
word-count	5 packages: countwords (1358); latexcount (3327); optexcount (4402); texcount (5960); wordcount (6717);
word-proc	1 package: wp2latex (6725);
xetex	69 packages: arabic-book (243); arabxetex (247); bidi-atbegshi (722); bidihl (724); bidipagegrid (725); bidishadowtext (727); buctthesis (853); businesscard-qrcode (859); cqubeamer (1373); do-it-yourself-tex (1640); exam-zh (2057); facture (2107); facture-belge-simple-sans-tva (2108); font-change-xetex (2303); fontsetup (2330); fontsetup-nonfree (2331); fontspec (2334); fribidixetex (2397); hanzibox (2692); heros-otf (2740); hfutthesis (2752); hithesis (2772); inputnormalization (2959); interchar (2975); kurdishlipsum (3196); libertinus-otf (3426); na-border (4161); na-position (4163); nanicolle (4175); pagella-otf (4464); parsa (4498); pmhanguljamo (4736); pst-shell (4955); pstricks-base (4989); ptext (5004); quran (5082); schola-otf (5322); tabriz-thesis (5819); termes-otf (5889); thaispec (6064); thesis-qom (6080); ucharclasses (6409); unicode-math (6477); unimath-plain-xetex (6483); xduts (6758); xecjk (6763); xecolor (6764); xecolour (6765); xecyr (6766); xecyrmongolian (6767); xeindex (6768); xepersian-hm (6771); xesearch (6772); xetex-def (6778); xetex-devanagari (6779); xetex-greek (6780); xetex-pstricks (6782); xetex-tibetan (6783); xetexfontinfo (6784); xetexko (6785); xetexref (6786); xgreek (6794); xltextra (6817); yazd-thesis (6878); zbmash-review-template (6906); zitie (6925); zxjafbfont (6936); zxjafont (6937); zxjatyp (6938);
bibtex-sty	105 packages: aaai-named (8); abstyles-babel (25); abstyles-orig (26); achemso (35); achicago-bst (37); adrconv (80); aichej (110); ajl (113); alpha-persian (143); alphanum-bst (147); alphanumb (148); ama (154); annotate (194); annotation (196); apabst (221); apacite (222); apalike-ejor (223); apalike-german (224); apalike2 (225); apasoft (226); astron (306); authordate (337); automatica (350); bath-bst (476);

B Used topics and related packages

bbs (488); besjournals-bst (560); bestpapers (561);
bib-fr (576); bib-greek (577); bibtex-gen (703);
biolett-bst (745); bookdb (800); catalanbib (949);
cbe (960); cell (976); chembst (1016); chicago (1047);
chicago-annotate (1048); chicagoa (1049);
chicagolinks (1050); cj (1096); cjs-rcs-article (1104);
custom-bib (1448); decsci (1561); din1505 (1616);
dinat (1617); dk-bib (1631); econ-bst (1814);
econometrica (1816); economic (1818); ecta (1820);
fbs (2149); finplain (2217); francais-bst (2377);
germbib (2490); getrefs (2499); gost (2583); harvard (2701);
harvard-obsolete (2702); hellas (2717); humanbio (2811);
humannat (2813); ieeeannot (2881); ieejtran (2886);
ijqc (2916); iran-bibtex (2997); is-bst (2998); jas99 (3041);
jas99m (3042); jbact (3050); jcc (3052); jieeeetran (3061);
jmb (3072); jneurosci (3075); jphysiol (3086);
jqt1999 (3091); ksfh-nat (3190); mla (4013); mlbib (4017);
mslapa (4098); munich (4133); named (4169); namunsrt (4174);
nar (4177); neuron (4218); newcastle-bst (4222);
norbib (4289); notex-bst (4297); numalg (4324);
oxford (4449); perception (4589); persian-bib (4594);
phy-bstyles (4648); plainyr (4705); pnas (4740);
pnas2009 (4741); prtec (4833); sort-by-letters (5607);
spain (5620); swebib (5766); these (6076); urlbst (6524);
vancouver (6566); wmaainf (6704); zootaxa-bst (6927);

expl3

249 packages: aalok (9); abspos (21); acro (43);
affilauthor (99); akshar (116); algxpar (131);
annee-scolaire (192); association-matrix (303);
atableau (316); bangla (450); beaulivre (545);
beautybook (546); beautynote (547); bfh-ci (568);
bithesis (752); bracealign (827); braids (829);
broydensolve (844); bxjaholiday (872); cascade (936);
ccool (969); cdcmnd (971); cellprops (977); cfr-lm (990);
changelog (994); char2path (1001); chemformula (1021);
chemmacros (1024); chemnum (1025); chinesechess (1056);
circledtext (1083); cistercian (1088);
citation-style-language (1089); classics (1109);
cleveref-forward (1119); clistmap (1125); cnltx (1178);
codeanatomy (1186); codebox (1187); codehigh (1190);
coloredbelts (1208); colorist (1214);
commalists-tools (1234); cooking-units (1325);
create-theorem (1377); crefthe (1379); cvss (1455);
darkmode (1478); dashrulex (1481); dbshow (1547);
decision-table (1558); derivative (1583);
dynkin-diagrams (1773); easybook (1783); ebproof (1802);
einfart (1847); embrac (1880); emoji (1885);

B Used topics and related packages

emojicite (1886); emotion (1887); endiagram (1900);
enotez (1913); enverb (1926); erw-l3 (1983); etl (2014);
exam-zh (2057); exercisesheets (2072);
expose-expl3-dunkerque-2019 (2089); exsheets (2092);
figput (2197); fillwith (2212); fistrum (2227);
flexisym (2262); fnpct (2290); fontaxes (2310);
functional (2416); gatherenum (2451);
genealogy-profiles (2468); ghsystem (2516); gitver (2530);
gradient-text (2590); grading-scheme (2592); gsl (2649);
handoutwithnotes (2686); hanzibox (2692);
hduthesis (2709); hobby (2783); homework (2790);
hustvisual (2817); inconsolata-nerd-font (2935);
indextra (2940); istgame (3021); iwonamath (3031);
jlreq (3069); jlreq-deluxe (3070); joinbox (3078);
jslectureplanner (3094); jwjournal (3112); kanbun (3118);
kantlipsum (3119); keyparse (3138); knowledge (3160);
langsci-affiliations (3250); langsci-avm (3251);
lebhart (3372); leftindex (3382); lengthconvert (3385);
leporello (3386); letterswitharrows (3396);
liederbuch (3437); liftarm (3439);
linearregression (3448); linebreaker (3449);
lipsum (3464); logictools (3511); longdivision (3519);
lt3graph (3573); lt3luabridge (3574);
lt3rawobjects (3575); lua-ul (3616);
lua-widow-control (3620); lualatex-math (3643);
mahjong (3724); mandi (3762); matapli (3786);
mathcommand (3801); maze (3846); media4svg (3869);
media9 (3870); metrix (3925); minimalist (3989);
modiagram (4045); moremath (4067); morewrites (4070);
multicolrule (4120); namedef (4170); newpax (4231);
ninecolors (4260); njuthesis (4263); njuvisual (4264);
non-decimal-units (4284); notebeamer (4292);
notes2bib (4294); novabeamer-theme (4304);
numberpt (4326); numbersets (4327); numerica (4329);
numerica-plus (4330); numerica-tables (4331);
nwafuthesis (4339); ocgx2 (4354); pangram (4478);
paresse (4494); pascaltriangle (4509); passopt (4511);
pdfoverlay (4559); pegmatch (4584); penrose (4588);
pgfmath-xfp (4617); phimisci (4640); phonenumbers (4643);
pixelarttikz (4684); pkgloader (4691);
pmhanguljamo (4736); polyomino (4757); postnotes (4770);
precattl (4783); prettytok (4794); projlib (4818);
pseudo (4847); pyluatex (5037); pythonimmediate (5041);
q-and-a (5044); qrbill (5055); qrcodetikz (5057);
quantum-chemistry-bonn (5065); randintlist (5103);
randomwalk (5106); rbt-mathnotes (5116); rec-thy (5131);
recorder-fingering (5135); rescansync (5174);

C Authors and associated packages

	responsive (5179); robust-externalize (5210); rule-d (5253); saveenv (5298); scrhack (5355); scripture (5361); seatingchart (5382); secnum (5385); semantex (5398); semtex (5407); setspaceenhanced (5426); simplebnf (5500); simples-matrices (5509); simplivre (5514); skdoc (5528); skelloc (5529); smart-eqn (5555); songproj (5604); spath3 (5625); spbookmark (5626); spelatex (5629); stex (5696); structuredlog (5715); styledcmd (5723); suanpan-l3 (5726); substances (5739); switch (5771); tasks (5854); tblr-extras (5857); temporal-logic (5880); termmenu (5892); termsim (5893); texnegar (6013); tikzdotncross (6161); tikzmarmots (6168); tikzquests (6177); tilings (6183); timechart (6187); tkz-interval (6227); topiclongtable (6269); traffic-light-protocol (6286); transparent (6309); tutodoc (6360); ufrgscca (6421); unicode-math-input (6478); unigrazpub (6482); unravel (6500); updatemarks (6509); useclass (6535); weiqi (6680); wheelchart (6682); withargs (6701); witharrows (6702); wrapfig2 (6727); wrapstuff (6728); xduts (6758); xecjk (6763); xepersian-hm (6771); xistercian (6806); xpeekahead (6831); xpinyin (6834); xsavebox (6842); xsim (6843); xsipa (6844); zennote (6912); zitie (6925); zugferd (6932);
latex-doc	19 packages: amsltx11 (174); cfgguide (988); clsguide (1134); cyrguide (1467); encguide (1895); epslatex (1953); figsinltx (2198); fntguide (2293); latex-doc (3272); latex-doc-ptr (3273); latex-essential (3275); latex-hlp (3284); latex-info (3286); lkort (3488); macros2e (3711); modguide (4044); source2e (5612); usrguide (6542); webguide (6675);
litprog-tools	7 packages: clip (1123); clojure-pamphlet (1127); knit (3156); tangle (5846); tango-weevil (5848); tie (6111); weave (6668);

C Authors and associated packages

Note: The numbers do not refer to page numbers, but to section numbers. A click on this number leads to the corresponding package description.

Aakerlund, Johan	1 package: comfortaa (1229);
American Astronomical Society	1 package: aastex (10);
Aavatsmark, Ivar	1 package: eurotex (2043);

C Authors and associated packages

Abdalmatin, Zain Ibn	1 package: khatalmaqala (3146);
Abdool, Omar	1 package: turabian-formatting (6354);
Abe, Noriyuki	1 package: jlreq (3069);
Abhinandan, S. P.	1 package: xetex-itrans (6781);
Abraham, Paul	1 package: sudoku (5744);
Abrahams, Paul W.	1 package: impatient (2924);
Abrahamsen, Per	2 packages: auctex (327); lacheck (3236);
Abreu, Elayson	2 packages: abntexto (17); abntexto-uece (18);
Adlkofer, Daniel	1 package: moderncv (4038);
Adobe Systems Incorporated	2 packages: adobemapping (78); utopia (6552);
Adriaens, Hendri	10 packages: etaremine (2004); extract (2098); graphicx-psmin (2610); ha-prosper (2676); polynom (4755); powerdot (4771); pst-xkey (4980); xkeyval (6810); xkvltxp (6811); xkvview (6812);
Adrián, Luis Marco	1 package: mathstone (3830);
Africa, Pasquale Claudio	1 package: beamertheme-focus (518);
Agostini, Giulio	1 package: fancyhdr-it (2122);
Aguirregabiria, Juan M.	2 packages: babel-basque (373); bahyph (442);
Aimé, Ezio	1 package: ecgdraw (1809);
Aivazian, Tigran	1 package: pdfbook (4540);
Ajallooian, Mohammad M.	1 package: natded (4180);
Akhmadeeva, Leila	2 packages: pedigree-perl (4583); pst-pdgr (4945);
Akkerman, Igor	2 packages: akktex (114); uebungsbblatt (6419);
Akopian, Vardan	1 package: armtex (260);
Akpoué, Kouamé Josué	1 package: xsipa (6844);
Alabau, Miguel	1 package: progkeys (4814);
Alamnehe, Abass B.	1 package: ethtex (2013);
Aldrich, Daniel R.	1 package: ualberta (6402);
Alessi, Robert	4 packages: arabluatex (245); ekdosis (1853); icite (2869); oldstandard (4377);
Alex, A. J.	3 packages: malayalam-latex (3756); malayalam-omega (3758); tamil-omega (5845);

C Authors and associated packages

Alexander, Jason	3 packages: <code>comment-pln</code> (1238); <code>examdesign</code> (2059); <code>schedule</code> (5316);
Alexander, James	1 package: <code>tib</code> (6105);
Alfonsi, Bernard	1 package: <code>l2tabu-french</code> (3207);
Algaba, Manuel Gutierrez	6 packages: <code>consdiag</code> (1264); <code>fancyhdrboxed</code> (2123); <code>gentabtex</code> (2474); <code>grapher</code> (2601); <code>teencontrex</code> (5873); <code>texttoolspro</code> (6046);
All, Timothy	1 package: <code>luacas</code> (3625);
Allais, Raphaël	1 package: <code>fast-diagram</code> (2143);
Allen, Matthew	1 package: <code>newspaper</code> (4235);
Allgeyer, Robert	1 package: <code>novel</code> (4305);
Allison, George	1 package: <code>lua-regression</code> (3611);
Allred, Sean	1 package: <code>termmenu</code> (5892);
Alshahrani, Mohammed	1 package: <code>kfupm-math-exam</code> (3145);
Altergott, Viktor	1 package: <code>mohelper</code> (4051);
Aluthge, Dilum	1 package: <code>biblatex-nejm</code> (661);
Alvarez Zavala, Roberto	1 package: <code>nahuatl</code> (4166);
Alver, Morten	1 package: <code>jabref</code> (3034);
Al-Yahya, Kamal	1 package: <code>tr2latex</code> (6281);
Alziyadi, Mohammed Obaid	1 package: <code>arabic-book</code> (243);
Amberg, Brian	1 package: <code>dprogress</code> (1682);
American Meteorological Society	1 package: <code>ametsoc</code> (155);
Amintoosi, Mahmood	1 package: <code>persian-bib</code> (4594);
The American Mathematical Society	20 packages: <code>amsart</code> (163); <code>amsbook</code> (164); <code>amscs</code> (168); <code>amscs-doc</code> (169); <code>amsfonts</code> (170); <code>amslatex</code> (171); <code>amsltx11</code> (174); <code>amsidx</code> (177); <code>amsppt</code> (180); <code>amsppt1</code> (181); <code>amsproc</code> (182); <code>amsrefs</code> (183); <code>amstex</code> (184); <code>amsthm</code> (186); <code>joy-of-tex</code> (3083); <code>short-math-guide</code> (5464); <code>snapshot</code> (5563); <code>testmath</code> (5900); <code>upref</code> (6516); <code>wncyr</code> (6707);
Anagnostopoulos, Paul C.	1 package: <code>zztex</code> (6939);
Andersen, Anders	1 package: <code>aspen</code> (300);
Anderson, Michael	1 package: <code>uothesis</code> (6505);
Ando, Ryoya	1 package: <code>ltmermaid</code> (3580);
Andreev, Aleksandr	1 package: <code>fonts-churchslavonic</code> (2325);

C Authors and associated packages

Andrews, Avery D	1 package: <code>lingtrees</code> (3454);
Andrews, Phil	1 package: <code>gplot</code> (2587);
Andronic, Liviu	1 package: <code>frletter</code> (2400);
Andrus, Ivan	1 package: <code>chktex</code> (1061);
Angulo, Pablo	1 package: <code>texsurgery</code> (6034);
Ankargren, Sebastian	1 package: <code>statmath</code> (5685);
Annagurban, Nazar	1 package: <code>turkmen</code> (6357);
Antener, Alex	1 package: <code>qrbill</code> (5055);
Antman, Peter	1 package: <code>oxford</code> (4449);
Antos, David	1 package: <code>tvS</code> (6362);
Aonuma, Shuji	1 package: <code>calorie</code> (911);
Aplevich, Dwight	1 package: <code>circuit-macros</code> (1084);
Appel, Andrew W.	1 package: <code>acmtrans</code> (42);
Appelt, Wolfgang	1 package: <code>knit</code> (3156);
Arapura, Donu	1 package: <code>arraymaker</code> (271);
Arata, Mizuki	1 package: <code>cluttex</code> (1135);
Araujo, Lauro César	1 package: <code>abntex2</code> (16);
Arcis, Diego	1 package: <code>strands</code> (5707);
Armacost, Ben	1 package: <code>chronology</code> (1069);
Árnason, Einar	1 package: <code>babel-icelandic</code> (395);
Arnese Feffin, Elia	1 package: <code>chemplants</code> (1028);
Arnold, Tim	2 packages: <code>longfigure</code> (3521); <code>statrep</code> (5686);
Arnold, Jeffrey B.	1 package: <code>lstbayes</code> (3571);
de Arriba, Jose Luis Diaz	1 package: <code>gloss</code> (2540);
Arrouye, Yves	1 package: <code>mkpkfontdir</code> (4011);
Arseneau, Donald	43 packages: <code>braket</code> (831); <code>cancel</code> (917); <code>cases</code> (941); <code>chapterbib</code> (999); <code>cite</code> (1090); <code>cite-bundle</code> (1091); <code>dotseqn</code> (1669); <code>drftcite</code> (1700); <code>excludeonly</code> (2067); <code>framed</code> (2375); <code>fwlw</code> (2434); <code>import</code> (2926); <code>longdiv</code> (3518); <code>magaz</code> (3718); <code>natmove</code> (4182); <code>nolbreaks</code> (4281); <code>notoccite</code> (4300); <code>nth</code> (4316); <code>optional</code> (4405); <code>oubraces</code> (4431); <code>overcite</code> (4443); <code>placeins</code> (4697); <code>placeins-plain</code> (4698); <code>random</code> (5104); <code>resize</code> (5160); <code>removefr</code> (5161); <code>sansmath</code> (5289); <code>selectp</code> (5394);

C Authors and associated packages

	shapepar (5453); subeqn (5730); tabls (5817); tabto-generic (5822); tabto-ltx (5823); threeparttable (6093); titleref (6209); truncate (6327); ulem (6436); underscore (6461); url (6523); varindent (6569); varwidth (6575); version (6603); wrapfig (6726);
Asakura, Takuto	7 packages: bxghost (871); bxjaholiday (872); gotoh (2585); light-latex-make (3441); platexcheat (4712); texdoc (5968); wtref (6736);
Asayama, Kazunori	1 package: dviout (1747);
Ashton, James	3 packages: indxcite (2943); saferef (5278); typedref (6386);
Atkinson, Kevin	2 packages: aspell (299); ispell (3017);
Atkinson, Matthew Tylee	1 package: gcite (2459);
Atria, Matias	1 package: mdvi (3861);
Aubord, Alain	3 packages: codepage (1191); gfsdidot (2508); mathtrip (3837);
The AUCTeX Team	2 packages: auctex (327); preview (4795);
Aurbach, R L	2 packages: glotex (2566); idxtex (2880);
Avdeev, Nikolai	3 packages: biblatex-ajc2020unofficial (617); biblatex2bibitem (683); shortmathj (5467);
Aycock, Ryan	2 packages: mla-paper (4014); scientificpaper (5332);
Babushkin, Andrey	1 package: guitartabs (2665);
Bachmaier, Gerhard A.	2 packages: ebezier (1795); oesch (4365);
Bachteler, Jürgen	1 package: boldtensors (792);
Bačić, Deni	1 package: glossaries-slovene (2560);
Badenes Guia, Gonçal	2 packages: babel-catalan (378); cahyph (895);
Baecker, Philipp N.	1 package: ebsthesis (1803);
Baghban, Mojtaba	1 package: autofancyhdr (345);
Bahnes, Tim	1 package: texsketch (6032);
Baker, Edward	1 package: texfilt (5974);
Baker, Adam	1 package: ot-tableau (4423);
Baker, Joe	1 package: draft (1685);
Baker, Peter S.	2 packages: junicode (3102); junicodervf (3103);
Bal, Christophe	1 package: tutodoc (6360);
Balak, Norbert	1 package: ecobiblatex (1813);

C Authors and associated packages

Balakin, Alexey	1 package: <code>mgltex</code> (3949);
Baldin, Evgeny	1 package: <code>computer-typesetting-using-latex</code> (1254);
Balemi, Silvano	7 packages: <code>abstr-collect</code> (23); <code>automatica</code> (350); <code>birkhaeuser</code> (748); <code>card</code> (928); <code>ijc</code> (2913); <code>meparticle</code> (3895); <code>systcontrolletters</code> (5792);
Ball, Alex	5 packages: <code>bath-bst</code> (476); <code>beamerswitch</code> (508); <code>biblatex-bath</code> (625); <code>biblatex-oxref</code> (664); <code>dccpaper</code> (1548);
Ballen, Gustavo A.	1 package: <code>zootaxa-bst</code> (6927);
Bane, Max	1 package: <code>cascadilla</code> (939);
Banerjee, Shibaji	1 package: <code>ebong</code> (1800);
Banerjee, Rudra	1 package: <code>mkbib</code> (4007);
Banhardt, Steffen	1 package: <code>gender</code> (2465);
Bao, Hongchang	1 package: <code>bhcexam</code> (575);
Bao, Xianyuan	1 package: <code>nxuthesis</code> (4342);
Bar, Haim	1 package: <code>runcode</code> (5258);
Barabucci, Gioele	1 package: <code>fixmetodonotes</code> (2245);
Baragar, Henry	1 package: <code>tesla</code> (5894);
Bares, Christophe	1 package: <code>competences</code> (1247);
de Bari, Onofrio	1 package: <code>amsmath-it</code> (176);
Barik, Titus	1 package: <code>ieeeannot</code> (2881);
Barnard, Richard	1 package: <code>tikzposter</code> (6175);
Baron, Henrique	1 package: <code>ucsmonograph</code> (6412);
Barr, Michael	3 packages: <code>calendar-barr</code> (905); <code>chomsky</code> (1065); <code>diagxy</code> (1601);
Barratt, Craig	1 package: <code>psfrag</code> (4854);
de la Barrera, Sergio C.	1 package: <code>physics</code> (4651);
Bartel, Elmar	1 package: <code>bartel-chess-fonts</code> (464);
Bartels, Friedemann	1 package: <code>pagelayout</code> (4463);
Bartelt, Matthias	1 package: <code>gammas</code> (2441);
Barth, Andreas	1 package: <code>pbm2tex</code> (4525);
Barthelmann, Klaus Georg	3 packages: <code>circle</code> (1081); <code>rail</code> (5096); <code>sauterfonts</code> (5297);
Bartholdi, Laurent	1 package: <code>ltb2bib</code> (3578);

C Authors and associated packages

Bartolo Alegre, Luis F.	1 package: multi-sudoku (4111);
Bartolomey, Alexander	1 package: csassignments (1401);
Barton, Thomas H.	1 package: truetypetotype42 (6326);
Barton, Ariel	4 packages: knitting (3157); sansmathaccent (5290); sansmathfonts (5291); tolkienfonts (6264);
Barton-Davis, Paul	2 packages: add-wes (61); unixman (6496);
Baruchel, Thomas	1 package: tlinfos (5798);
Basso, Pierre	1 package: bibtopic (712);
de Souza Bastos, Fernando	1 package: figchild (2193);
Batada, Nizar	2 packages: jabref (3034); jbibtexmanager (3051);
Batchelder, Ned	1 package: bbfig (481);
Batista, Facundo	1 package: jupynotex (3104);
Batumongke, Dorjgotov	3 packages: lshort-mongol (3555); mnhyphn (4031); mongolian-babel (4055);
Baudoin, Marc	1 package: apprends-latex (236);
Bauer, Tilman	2 packages: lualasseq (3665); sseq (5662);
Bauke, Heiko	1 package: isotope (3016);
Baumann, Timo	2 packages: bibarts (583); germkorr (2492);
Baumann, Helge	2 packages: din1505 (1616); dinat (1617);
Bautista, Tomás	1 package: abstyles-babel (25);
Bayart, Benjamin	4 packages: esieecv (1987); french-translations (2389); stack (5669); undertilde (6462);
Baynham, Charles	2 packages: gitver (2530); globalvals (2537);
Bazon, Vlad	1 package: rojud (5213);
Beach, John E.	1 package: colorweb (1223);
Bean, Jules	1 package: mathlig (3815);
Beasley, David	1 package: make-latex (3729);
Beauchemin, David	1 package: actuarialsymbol (59);
de Beaudrap, Niel	1 package: modref (4046);

C Authors and associated packages

Beccari, Claudio	32 packages: ar (239); aspectratio (298); babel-friulan (388); babel-italian (399); babel-latin (402); babel-piedmontese (409); babel-romansh (413); begingreek (549); canoniclayout (918); cbcoptic (959); cbfonts-fd (961); cbgreek-complete (962); codicefiscaleitaliano (1193); curve2e (1446); ecclesiastic (1808); euclideangeometry (2022); fixltxhyph (2242); framedsyntax (2376); graphpaper (2615); imakeidx (2920); ithyph (3025); lahyph (3238); latin (3350); lshort-italian (3552); lxfonts (3696); pm-isomath (4728); swfigure (5768); testhyphens (5898); teubner (5903); toptesi (6272); widetable (6685); wrapfig2 (6727);
von Bechtolsheim, Stephan	2 packages: setstrut (5427); tex-in-practice (5928);
Beckenbach, Isabel	1 package: zbmath-review-template (6906);
Becker, Bernd	2 packages: ltxdiff (3591); runtex (5261);
Becker, Brett A.	1 package: anonymous-acm (199);
Becker, Daniel	1 package: epspdfconversion (1957);
Becuwe, Stefan	1 package: lshort-dutch (3546);
Beebe, Nelson H. F.	15 packages: beebe-dvi (548); bibclean (588); bibextract (607); bibindex (612); biblio (693); biblook (696); bibmods (698); bibsort (700); bibtex-examples (702); bibtex-test (705); epsf (1946); filehdr (2206); is-bst (2998); makeindex (3745); showtags (5481);
van der Beek, Folkert	1 package: vancouver (6566);
Beeman, Roger L.	1 package: fontbl (2311);
Beery, Oliver	2 packages: fontscale (2328); scaletextbullet (5314);
Beeton, Barbara	7 packages: cyrmemo (1470); deproc (1582); hyphenex (2850); tex-implementors (5927); tugboat-plain (6349); tugboat-toc (6350); verbatim-tub (6590);
Beffara, Emmanuel	4 packages: cml1 (1161); ebproof (1802); frcursive (2381); thmbox (6084);
Beilstein-Institut	1 package: beilstein (552);
Beisert, Niklas	10 packages: childdoc (1053); collref (1200); delimset (1577); eqnlines (1975); exframe (2075); graphbox (2599); mathfixs (3809); metastr (3919); mpostinl (4089); sesstime (5422);
Beitz, Eric	2 packages: texshade (6027); textopo (6047);

C Authors and associated packages

Beitzel, Brian	2 packages: apa6 (218); meetingmins (3873);
Bekker-Nielsen Dunbar, Maria	1 package: chicagolinks (1050);
Belaïche, Vincent	8 packages: fmtcount (2281); glossaries-french (2550); jpicdt (3087); latex2e-help-texinfo-fr (3307); lettre (3397); makedtx (3739); makegobbler (3743); petiteannonce (4595);
Bell, Edwin	1 package: bellmac (555);
Bellantoni, Stephen	1 package: version (6603);
Belvadi, V.H.	1 package: lecturenotes (3373);
Benciolini, Battista	3 packages: linearregression (3448); prociagssymp (4806); rectopma (5136);
Bender, Patrick	1 package: pdbf-toolkit (4533);
Benedict, Eric	2 packages: uwmslide (6561); withesis (6703);
Bengel, Lars	1 package: argumentation (257);
Benini, Marco	2 packages: adtrees (82); prftree (4797);
Benischke, Florian	1 package: mceinleger (3851);
Benito Eberhard, Patrick	1 package: pats-resume (4517);
Bennett, Frank	5 packages: calendar (904); camel (916); dates (1492); lexitex (3404); overword (4448);
Bennieston, Andrew J.	1 package: intro-scientific (2984);
Bercher, Pascal	2 packages: aiplans (112); open-everyday-symbols (4395);
Berdnikov, Alexander	4 packages: lh (3416); mff (3936); pmgraph (4735); vfcomb (6611);
Berg, Benjamin	2 packages: sdaps (5378); tikzinclude (6165);
Berger, Jens	2 packages: hypernat (2841); jurabib (3107);
Bergmann, Ronny	1 package: mathsemantics (3826);
Berkemeier, Felix	1 package: betababel (562);
Berndt, Ronny	1 package: translation-filecontents-de (6301);
Bernecky, Robert	1 package: utorontothesis (6553);
Bernstein, Dan	1 package: ital (3022);

Berry, Karl	23 packages: dviljk (1745); dvipsk (1758); eplain (1941); epsf-dvipdfmx (1947); epstopdf (1959); first-latex-doc (2223); fontname (2322); gentium-tug (2478); here (2737); hyphenex (2850); impatient (2924); inconsolata (2934); latex-doc-ptr (3273); latex2e-help-texinfo (3306); ly1 (3699); miniltx (3981); modes (4043); tex-implementors (5927); texfot (5976); texi2html (5980); tugboat (6348); tugboat-plain (6349); xetexref (6786);
Berry, Daniel	1 package: mf2ps (3930);
Bersch, Christoph	2 packages: pst-intersect (4920); pst-optexp (4939);
Bertolazzi, Enrico	7 packages: easy (1779); easybib (1781); easybmat (1782); easyeqn (1785); easymat (1791); easytable (1793); easyvector (1794);
Bertucci, Matthew	1 package: keytheorems (3141);
Bespalov, Yurii	1 package: t-angles (5795);
Besson, Morgan	1 package: casslbl (946);
van Beurden, N. J. H. M.	1 package: latexpik (3344);
Beyene, Berhanu	1 package: ethiop (2011);
Beyer, Martin	1 package: optikz (4404);
Bezos López, Javier	62 packages: accents (30); arabicfront (244); babel (369); babel-albanian (370); babel-azerbaijani (371); babel-breton (376); babel-bulgarian (377); babel-czech (380); babel-danish (381); babel-dutch (382); babel-english (383); babel-esperanto (384); babel-finnish (386); babel-greek (392); babel-hebrew (393); babel-icelandic (395); babel-indonesian (396); babel-interlingua (397); babel-irish (398); babel-italian (399); babel-kurmanji (401); babel-latin (402); babel-latvian (403); babel-malay (406); babel-norsk (407); babel-polish (410); babel-portuges (411); babel-romanian (412); babel-samin (415); babel-scottish (416); babel-serbian (417); babel-slovak (419); babel-slovenian (420); babel-sorbian (421); babel-spanish (423); babel-swedish (424); babel-turkish (426); babel-vietnamese (428); babel-welsh (429); babeltools (431); checkend (1010); colorspace (1218); dotlessi (1667); enumitem (1919); epsfview (1950); esindex (1988); fixpdfmag (2247); fonteinf (2315); gindex (2521); gloss (2540); guarani (2658);

C Authors and associated packages

	hyphen-spanish (2847); luahyphenrules (3634); mem (3875); soulpos (5610); subdocs (5729); tensind (5884); texemplar (5972); tipos (6201); titleps (6208); titlesec (6211); titletoc (6212);
Bhikkhu, Gambhīro	1 package: wallcalendar (6658);
Biccari, Francesco	3 packages: graphpaper (2615); sapthesis (5292); unifith (6480);
Bideault, Patrick	1 package: coffeestains (1195);
biditex GitHub Organisation	32 packages: arabxetex (247); bidi (721); bidi-atbegshi (722); bidicontour (723); bidihl (724); bidipagegrid (725); bidipresentation (726); bidishadowtext (727); crbox (1375); fahyph (2110); fribidixetex (2397); ftnxtra (2409); ghab (2514); imspoc (2929); ledarab (3378); ledmac (3379); ledpar (3380); lollipop (3517); luabidi (3624); mpgraphics (4086); parisa (4495); parsitex (4502); roundbox (5230); showcharinbox (5472); simurgh (5516); subfig (5732); tram (6288); unicode-bidi (6475); xecolor (6764); xecolour (6765); xepersian (6770); xindy-persian (6802);
Bień, Janusz Stanisław	1 package: ogonek (4369);
Bigelow, Charles	1 package: luximono (3693);
Bilger, Matthias	2 packages: authoraftertitle (335); ksfh-nat (3190);
Billauer, Eli	1 package: hitec (2769);
Billawala, Nazeen N. (Neenie)	2 packages: pandora (4475); pandora-type1 (4477);
Bilotta, Giuseppe	3 packages: aleph (121); lshort-italian (3552); smartref (5559);
Biniok, Matthias	1 package: translation-moreverb-de (6303);
Birrell, Andrew	1 package: pstotext (4986);
Bischof, Christian H.	1 package: xbibtex (6741);
Bischoff, Dominik	1 package: l2picfaq (3204);
Bitouzé, Denis	5 packages: denisbdoc (1581); glossaries-french (2550); gzt (2674); nwejm (4340); yathesis (6876);
Bitstream	1 package: charter (1003);
Bitzl, Marcus	1 package: grid-system (2640);
Blackmore, Brian	2 packages: hanoi (2691); happy4th (2693);
Blair, Charles	1 package: chessmin (1042);
Blanco, Max	1 package: soton (5608);

C Authors and associated packages

Blazek, Robert	1 package: pinoutikz (4678);
Bleser, Joachim	3 packages: bar (455); barkom (462); picins (4661);
Bless, Roland	1 package: ps2eps (4836);
Bless, Christof	1 package: scikgtex (5334);
Blochwitz, Stefan	1 package: picinpar (4660);
Block, Dimitri	1 package: outlining (4438);
Bloemen, Phons	1 package: capbas (920);
Bloesch, Anthony	1 package: treetex-ltx209 (6314);
Blok, Rik	1 package: bbl2html (482);
Blum, William	1 package: pstring (4994);
Blumensath, Achim	3 packages: ant (203); minionpro (3991); mnsymbol (4035);
Blumenthal, Uri	1 package: koi8 (3170);
Bock, Roberto	1 package: interactiveplot (2973);
Bock, Camden	1 package: maine-thesis (3727);
Bode, Hans-Hermann	2 packages: abstyles-orig (26); phy-bstyles (4648);
Bodenheimer, Bobby	1 package: old-faq-en (4373);
Bodo, Zalan	1 package: nevelok (4219);
Boegeholz, Harald	1 package: emtrees (1893);
de Boer, Ingo H.	2 packages: winshell (6699); word2latex (6713);
Börchers, Volker	2 packages: flabels (2251); youngtab (6895);
Böß, Tilmann	1 package: mathcomp (3802);
Böttcher, Stephan	2 packages: lineno (3451); shalom (5452);
Boggio-Togna, Gianfranco	3 packages: arcs (255); metre (3924); technica (5868);
de Bogotá, Santafé	1 package: oztex-fonts (4451);
Bogue, Thomas	1 package: rterface (5241);
Bolek, Piotr	1 package: mpattern (4080);
Bone, David	2 packages: ctan-chk (1426); yacco2 (6869);
Bontus, Claas	1 package: bm2ltx (777);
BOP	10 packages: cmyk-hax (1176); dviincl (1743); epsfx (1951); epsincl (1952); mirr (4000); pf2afm (4597); ps-conv (4842); ps-view (4843); tex-ps (5938); trans (6290);
Borceux, François	1 package: borceux (815);

C Authors and associated packages

Borck-Elsner, Matthias	4 packages: cellwise (980); mbenotes (3848); nox (4308); texonly (6015);
Borde, Arvind	2 packages: mtbe (4103); tbe (5856);
Border, Kim C	4 packages: econometrica (1816); fn2end (2282); kbordermatrix (3126); vita209 (6628);
Díaz Bordón, Henry	1 package: retosmaticos (5183);
Mathieu, Boretti	4 packages: autoconf (344); chapterfolder (1000); smalltableof (5553); syntrace (5789);
Bos, Victor	2 packages: msc (4096); psgo (4858);
Bosau, Klaus	1 package: proof (4820);
Bose, Inesh	1 package: simpleicons (5503);
Boshnakov, Georgi	2 packages: babel-bulgarian (377); bghyphen (571);
Bosisio, Francesco	9 packages: accenti (29); bosisio (817); dblfont (1545); envmath (1929); evenpage (2047); graphfig (2602); mathcmd (3800); quotes (5079); sobolev (5569);
Bosk, Daniel	1 package: didactic (1608);
Bossert, Lukas C.	8 packages: archaeologie (252); biblatex-arthistory-bonn (623); biblatex-ijsra (645); biblatex-nottsclassic (662); biblatex-socialscienceshuberlin (673); draftfigure (1687); hu-berlin-bundle (2805); ijsra (2917);
Botoeva, Elena	1 package: tikzposter (6175);
Bou, Salim	1 package: beamer-rl (495);
Bouajjaj, Jamal	1 package: cartonaugh (935);
Bourguet, Jean-Marc	1 package: bitpattern (753);
Bourke, Chris	1 package: complexity (1248);
Bourke, Timothy	1 package: checklistings (1012);
Bouzigues, Adrien	1 package: guide-latex-fr (2661);
Bovani, Michel	2 packages: fourier (2363); tango (5847);
Bowern, Claire	1 package: bardi (459);
Bowman, John	1 package: asymptote (310);
Boyer, Marc	1 package: pdfrack (4565);
Boyland, John Tang	1 package: acmtrans (42);

Braams, Johannes L.	44 packages: a4 (4); alltt (137); babel (369); babel-albanian (370); babel-bahasa (372); babel-bulgarian (377); babel-czech (380); babel-danish (381); babel-dutch (382); babel-english (383); babel-esperanto (384); babel-finnish (386); babel-german (391); babel-greek (392); babel-hebrew (393); babel-icelandic (395); babel-indonesian (396); babel-interlingua (397); babel-irish (398); babel-italian (399); babel-kurmanji (401); babel-latin (402); babel-malay (406); babel-norsk (407); babel-polish (410); babel-portuges (411); babel-romanian (412); babel-samin (415); babel-scottish (416); babel-serbian (417); babel-slovak (419); babel-slovenian (420); babel-sorbian (421); babel-swedish (424); babel-ukrainian (427); babel-welsh (429); changebar (992); layout (3357); mailing (3725); nassflow (4178); ntgclass (4315); subeqn (5730); subeqnarray (5731); supertabular (5752);
Brabant, Jean-Louis	1 package: conditext (1262);
Brabec, Stanislav	1 package: moonphase (4061);
Brachet, Pascal	1 package: kile (3147);
Bradfield, Julian	2 packages: cmoeFont (1162); elvish (1875);
Bradley, Seamus	2 packages: colourchange (1224); moreenum (4063);
Brandt, Volker A.	1 package: atari-cstex (317);
Brasolin, Paolo	4 packages: commutative-diagrams (1242); metanorma (3911); string-diagrams (5711); topiclongtable (6269);
Braun, Felix	2 packages: alphanum (146); jura (3105);
Braun, Ingram	2 packages: apalike-german (224); biblatex-archaeology (622);
Braune, Klaus Dieter	1 package: dinbrief (1618);
Braunegg, David	1 package: capparmode (921);
Bravo Vecorena, Aland	1 package: undar-digitacion (6456);
Brčić, Filip	1 package: babel-serbianc (418);
Breitenlohner, Peter	7 packages: dvicopy (1740); dvipdfmx (1750); etex (2007); etex-pkg (2008); patgen (4514); physe (4650); tex-xet (5905);
Breitner, Joachim	1 package: conteq (1266);
Breivik, Oyvind	1 package: bibfind (610);

C Authors and associated packages

Bresciani, Riccardo	3 packages: bookest (801); gtrcrd (2655); subsupscripts (5742);
Bressan, Stéphane	1 package: texproject (6023);
Brewin, Leo Christopher	2 packages: hybrid-latex (2831); shadebox (5447);
Briel, Björn	1 package: citeref (1093);
Briggs, Luke	1 package: newcastle-bst (4222);
Bright, Bara Ouyète	1 package: pyjupyter (5036);
Brill, Björn	1 package: catdvi (954);
Brister, James	1 package: border (816);
Brito, Rogério	1 package: algorithms (129);
Brix, K.	1 package: mhs (3954);
Brixner, Martin	1 package: munich (4133);
Broadcreate	1 package: cqjtuthesis (1372);
Brodnik, Andrej	4 packages: concprog (1259); greektex-fd (2631); ipa (2993); vita (6627);
Brodowski, Dominik	1 package: biblatex-german-legal (641);
Bronger, Torsten	4 packages: blackletter1 (762); facsimile (2105); gothic (2584); yfonts-t1 (6885);
Broska, Leo	1 package: breakcites (836);
Brotsky, Daniel C.	2 packages: plain-cm (4700); ytex (6902);
op den Brouw, Jesse	3 packages: askmaps (295); exam-randomizechoices (2056); thuaslogos (6097);
Brouwer, Meron	1 package: hexgame (2747);
Brower, Donald	1 package: nddiss (4207);
Brown, Terry	1 package: flow (2273);
Brown, Christopher	1 package: utexasthesis (6546);
Brown, Ken	1 package: biber-cygwin (593);
Brown, Silas	1 package: latex-papersize (3292);
Brucker, Achim D.	3 packages: authorarchive (336); llncsconf (3493); svninfo (5764);
Brueggemann-Klein, Anne	1 package: treetex-plain (6315);
Brunet, Charles-Antoine	1 package: udes-genie-these (6416);
Bu, Chenjing	1 package: lete-sans-math (3387);

C Authors and associated packages

Buchert, Roman	1 package: pdfbook (4540);
Buchholz, Frank	2 packages: citesidx (1095); realcalc (5126);
Buchmann, Ronny	1 package: xl2latex (6813);
Buchsbaum, Arthur	1 package: turnstile (6358);
Buckley, Andy	6 packages: hep (2720); hepnames (2733); hepparticles (2734); hepthesis (2735); hepunits (2736); maybemath (3845);
Budaj, Martin	1 package: findhyph (2214);
Budge, Alexander M.	1 package: flashcards (2256);
Bühmann, Andreas	1 package: fontaxes (2310);
Buffet, Olivier	1 package: flipbook (2263);
Bugayenko, Yegor	16 packages: bibcop (589); clicks (1122); crumbs (1396); debate (1555); docshots (1650); eolang (1930); fail-fast (2111); ffcodes (2172); href-ul (2798); huawei (2806); iexec (2888); kdpcover (3129); naive-ebnf (4167); ppt-slides (4779); to-be-determined (6245); yb-book (6879);
Bùi, Hồng-Phúc	2 packages: codeanatomy (1186); sunpath (5750);
Burc, Mustafa	1 package: babel-turkish (426);
Burchard, Paul	1 package: pb-diagram (4521);
Burger, Wilhelm	1 package: hagenberg-thesis (2680);
Burgess, Robert	1 package: crosstex (1392);
Burkhardt, Werner	1 package: arbeit (251);
Burleson, Neil	1 package: declare (1559);
Burnol, Jean-François	18 packages: bnumexpr (784); centeredline (983); colorframed (1211); etoc (2015); filecontentsdef (2203); footnotehyper (2342); lgrmath (3414); libgreek (3429); mathastext (3798); polexpr (4749); poormanlog (4760); pxgreek (5023); tableof (5811); texdimens (5966); txgreek (6376); xint (6803); xintsession (6805); zeckendorf (6908);
Burnus, Tobias	1 package: m-pictex (3703);
Burt, John	5 packages: brandeis-dissertation (832); brandeis-thesis (834); edmargin (1829); endheads (1899); poemscol (4743);
Burton, Terry	1 package: pst-barcode (4882);
Busa, Jan	1 package: lshort-slovak (3562);

C Authors and associated packages

Busch, Wolf-Dieter	1 package: <code>dinbrief-gui</code> (1619);
Busdraghi, Fabiano	2 packages: <code>guit-corso</code> (2662); <code>layaureo</code> (3356);
Buss, Sam	1 package: <code>bussproofs</code> (860);
Bustamante Argañaraz, Gustavo Sebastián	1 package: <code>makecirc</code> (3735);
Buxbaum, Engelbert	4 packages: <code>alchemist</code> (119); <code>biochemistry-colors</code> (742); <code>css-colors</code> (1412); <code>latex-course</code> (3269);
Bzyl, Włodek	4 packages: <code>cc-pl</code> (963); <code>i-ching</code> (2854); <code>tweb</code> (6364); <code>utf8mex</code> (6549);
Cadiou, Aurélien	1 package: <code>ladder</code> (3237);
Cagnol, John	1 package: <code>mrcheckbib</code> (4093);
Caignaert, Christophe	1 package: <code>kpfonts</code> (3188);
Cain, Alan J.	4 packages: <code>indexextra</code> (2940); <code>lua-list-hyphen</code> (3608); <code>marginalia</code> (3777); <code>timechart</code> (6187);
Callegari, Sergio	4 packages: <code>draftwatermark</code> (1690); <code>everypage</code> (2049); <code>flippdf</code> (2264); <code>rotpages</code> (5227);
Callil-Soares, Pedro	1 package: <code>tikzviolinplots</code> (6181);
Calvani, Massimo	1 package: <code>prepr</code> (4786);
Camacho Bolaños, Juan Alberto	1 package: <code>unam-thesis</code> (6451);
Campani, Carlos	3 packages: <code>beamer-tut-pt</code> (497); <code>cursolatex</code> (1443); <code>xypic-tut-pt</code> (6867);
Camps, Jean-Baptiste	1 package: <code>biblatex-enc</code> (637);
Cannayen, Igathinathane	1 package: <code>ndsu-thesis-2022</code> (4209);
Cantor, David G.	1 package: <code>drop</code> (1704);
Cao, Camuse	1 package: <code>xmuthesis</code> (6823);
Cappelletti, Luca	2 packages: <code>adigraph</code> (73); <code>lectures</code> (3375);
Caprio, Mark	2 packages: <code>iopart-num</code> (2992); <code>svgcolor</code> (5760);
Carleos Artime, Carlos Enrique	1 package: <code>lshort-spanish</code> (3564);
Carlisle, David	96 packages: <code>afterpage</code> (106); <code>autopict</code> (353); <code>blkarray</code> (765); <code>bm</code> (775); <code>bold-extra</code> (790); <code>capt-of</code> (922); <code>captdef</code> (924); <code>carlisle</code> (931); <code>catoptions</code> (956); <code>chappg</code> (997); <code>checklab</code> (1011); <code>color</code> (1203); <code>colortbl</code> (1220); <code>comma</code> (1232); <code>corrects</code> (1349); <code>cutwin</code> (1452); <code>dcolumn</code> (1550); <code>delarray</code> (1572); <code>dotlessj</code> (1668); <code>duplicat</code> (1724); <code>elocalloc</code> (1868); <code>endnotes</code> (1903); <code>enumerate</code> (1917); <code>epsfig</code> (1948); <code>etex-pkg</code> (2008); <code>fix2col</code> (2234); <code>fixfoot</code> (2238); <code>fncylab</code> (2285);

C Authors and associated packages

	fragments (2372); geometry (2482); graphics (2604); graphics-pln (2607); graphicx (2609); grfguide (2637); grfpaste (2638); hhline (2754); ifthen (2906); indentfirst (2937); keyval (3142); latex-context-ppchtex (3268); longtable (3524); lscape (3541); ltxdoc (3592); ltxtable (3603); luatex-def (3669); luatex85 (3672); luatexbase (3673); ly1 (3699); makerobust209 (3752); maths-symbols (3823); mathtime-ltx (3833); miniltx (3981); moreverb (4069); mylatex (4156); newproof (4232); nopageno (4287); ogham (4368); oldstyle (4379); onepagem (4386); pdftex-def (4572); piff (4673); pigpen (4676); plain-ltx (4701); psfrag (4854); pslatex (4861); psnfssx-em (4868); pspicture (4870); remreset (5162); scalefnt (5312); secdot (5383); setspace (5425); showkeys (5479); slashed (5540); subscript (5738); tabularx (5834); tabulary (5835); textcase (6038); textmerg (6044); time (6185); topcapt (6267); trig (6317); type1cm (6382); typehtml (6388); typewriter (6391); ucharcat (6408); ucs (6411); verbdef (6593); vmspell (6630); wichura-table (6684); xii (6797); xii-lat (6798); xkeyval (6810); xmltex (6821); xr (6838); xr-hyper (6839); xspace (6846);
Carmona, Francesc	1 package: hyphen-spanish (2847);
Carriba, Manuel	1 package: icons (2872);
Casaburi, Johannes	1 package: luahttp (3632);
Casares, Ramón	1 package: metatex (3920);
Cashner, Andrew A.	3 packages: musicography (4135); octave (4361); semantic-markup (5400);
Cassart, Rudy	1 package: modeles-factures-belges-assocs (4037);
Casteleyn, Jean Pierre	2 packages: visualpstricks (6623); visualtikz (6625);
Castle, Ian	1 package: jadetex (3036);
ten Cate, Thomas	1 package: titlepic (6207);
CatInCosmicSpace	1 package: bmstu-iu8 (782);
Cawood, Justin	2 packages: practicalreports (4782); simpleoptics (5507);
Changcheng Student Network	1 package: buctthesis (853);
Cepl, Matej	1 package: manuscript (3768);
Cereda, Paulo Roberto Massa	4 packages: arara (250); checkcites (1009); sillypage (5496); texplate (6021);

C Authors and associated packages

Cerf, Raphael	1 package: xetal (6776);
Cérin, Christophe	1 package: colortex (1221);
Cermelj, Primoz	1 package: psfragger (4856);
Cervellino, Antonio	1 package: jcc (3052);
Cevolani, Gustavo	1 package: lps (3536);
Chafaï, Djalil	2 packages: ejpecp (1851); pbsheet (4529);
Chambert-Loir, Antoine	1 package: smflatex (5561);
Chan, Shih-Ping	1 package: texas (5953);
Chang, Winston	3 packages: latexcheat (3322); latexcheat-esmx (3324); latexcheat-ptbr (3325);
Chang, Theodore	1 package: structmech (5714);
Chao, Conden	2 packages: cmathbb (1151); mathalphabets (3797);
Charette, François	4 packages: arabxetex (247); biber (592); biber-ms (599); polyglossia (4753);
Charpentier, Jean-Côme	5 packages: dirtree (1623); pst-infixplot (4919); randomlist (5105); sesamanuel (5421); xlop (6815);
Chase, Brian	1 package: windycity (6694);
Chatham, Hood	2 packages: longdivision (3519); spectralsequences (5628);
Chavan, Bhagyashree	1 package: famt (2116);
Cheang, Miles Min Yin	1 package: logictools (3511);
Checkoway, Stephen	1 package: everyhook (2048);
Chen, Pehong	2 packages: makeindex (3745); makeindexk (3746);
Chen, Dennis	4 packages: ifallfalse (2890); macrolist (3710); palette (4472); scrambledenvs (5343);
Chen, Hung-Yih	1 package: chitex (1057);
Chen, Liang-Ting	1 package: nstc-proposal (4311);
Chen, Raymond	1 package: simpsons (5515);
Chen, Rong	1 package: manpage (3765);
Chen, Yuanhao	2 packages: kanbun (3118); tonevalue (6265);
Chen, Zhichu	2 packages: context-sgf (1301); ctex (1431);
Cheng, Xu	1 package: hustthesis (2816);
Cheong, Otfried	1 package: hyperlatex (2840);
Cherem, Youssef	3 packages: abnt (15); br-lex (826); ycbook (6880);

C Authors and associated packages

Chernoff, Max	2 packages: <code>extractbb</code> (2099); <code>lua-widow-control</code> (3620);
Chernyaev, Evgeni	1 package: <code>xwpick</code> (6862);
Chervet, Florent	14 packages: <code>boolexpr</code> (811); <code>catchfilebetween tags</code> (951); <code>emarks</code> (1877); <code>enumitem-zref</code> (1920); <code>etextools</code> (2010); <code>fc ltxdoc</code> (2154); <code>interfaces</code> (2976); <code>keycommand</code> (3135); <code>linegoal</code> (3450); <code>logbox</code> (3504); <code>ltxnew</code> (3602); <code>my latexformat</code> (4157); <code>parselines</code> (4499); <code>tabu</code> (5824);
Cheusov, Aleksey	1 package: <code>lua-alt-getopt</code> (3606);
Chiang, David	3 packages: <code>namedtensor</code> (4171); <code>pst-qt tree</code> (4952); <code>tikz-qt tree</code> (6146);
Chicoine, Martin	1 package: <code>graphconv</code> (2600);
Chiesa, Flavio Casadei Della	1 package: <code>psfrag-italian</code> (4855);
Chikrii, Kirill A	2 packages: <code>tex2word</code> (5948); <code>word2tex</code> (6714);
Chlebíková, Jana	1 package: <code>babel-slovak</code> (419);
Cho, Jin-Hwan	3 packages: <code>dvi asm</code> (1735); <code>dvipdfmx</code> (1750); <code>dvipdfmx-def</code> (1751);
Cho, In-Sung	3 packages: <code>istgame</code> (3021); <code>lshort-korean</code> (3554); <code>tzplot</code> (6398);
Cholewo, Tomasz J.	1 package: <code>dvgtk</code> (1729);
Chopde, Avinash	1 package: <code>itrans-processor</code> (3027);
Chou, Yukai	2 packages: <code>ctex</code> (1431); <code>thmtools</code> (6086);
Christlieb, Norbert	1 package: <code>qm</code> (5052);
Christoph	1 package: <code>biblatex-jura2</code> (648);
Chupin, Maxime	10 packages: <code>bclogo</code> (490); <code>beamerthemeamurmaple</code> (535); <code>huffman</code> (2808); <code>luamesh</code> (3651); <code>matapli</code> (3786); <code>mp-geom2d</code> (4075); <code>mp-neuralnetwork</code> (4076); <code>mpchess</code> (4081); <code>mpkiviat</code> (4087); <code>wordcloud</code> (6716);
Churchley, Ross	1 package: <code>beamercolorthemeowl</code> (504);
Cipolone, Stephen	1 package: <code>siam</code> (5486);
Ciura, Marcin	1 package: <code>havannah</code> (2707);
Clark, Adrian	3 packages: <code>dates209</code> (1493); <code>halftone</code> (2681); <code>ukdate</code> (6431);
Clark, James	2 packages: <code>afmtopl-clark</code> (100); <code>dvitops</code> (1765);
Clark, Malcolm	1 package: <code>texline</code> (5990);
Clarkson, Michael E.	1 package: <code>latexinfo</code> (3337);
Clasen, Matthias	1 package: <code>tex-extensions</code> (5908);

C Authors and associated packages

Clasen, Kai Norman	1 package: beamertheme-pure-minimalistic (525);
Clausen, Jörn	1 package: europs (2040);
Clawson, James	1 package: biblatex-mla (655);
Clemente, Miguel R.	2 packages: dimnum (1615); dynbrackets (1772);
Ma, Clerk	2 packages: fandol (2135); yandy (6874);
Clifton, Andrew	1 package: accessibility (32);
Cloos Jr., James H.	1 package: fullblck (2410);
CloudCauldron	1 package: dirtreex (1624);
Clube, Kim	1 package: mnras (4033);
Coates, Tony	1 package: funnelweb (2427);
Cochran, Steven Douglas	6 packages: captcont (923); sf298 (5435); subfig (5732); subfigure (5734); techreport (5871); uscthesi (6533);
Cochrane, Evan	1 package: luacas (3625);
Codet, Yves	2 packages: grchyp (2621); sanhyph (5283);
Cohen, Ben	1 package: cuisine (1435);
Cohen, Michael	1 package: multibibliography (4115);
Colburn, Jerome	1 package: snote (5566);
Colcombet, Thomas	2 packages: knowledge (3160); mathcommand (3801);
Coleman, Jack	2 packages: antanilipsum (205); econlipsum (1815);
Coles, Arlie	2 packages: bilingualpages (738); book-of-common-prayer (798);
Colin, Samuel	1 package: lshort-french (3550);
Colisson, Léo	3 packages: proof-at-the-end (4821); robust-externalize (5210); zx-calculus (6935);
Collins, John	5 packages: axodraw2 (367); et (2003); latexmk (3339); latexn (3342); orderrefs (4410);
Collins, Skip	1 package: aifont (111);
Columbus, Tobias	1 package: semproc (5406);
le Comte, Michiel	1 package: othello (4428);
Codogno, Maurizio	1 package: babel-italian (399);
Connan, Guillaume	1 package: tablor (5816);
Conrad, Theresia	1 package: csquotes-de (1411);
Cons, Lionel	1 package: texi2html (5980);

C Authors and associated packages

Contini, Francesco	1 package: biblatex-accursius (616);
Coretta, Stefano	1 package: phonrule (4645);
Corff, Oliver	12 packages: clock (1126); ctib4tex (1433); diagnose (1599); invoice (2987); lshort-mongolian (3556); manjutex (3764); mnttex (4036); montex (4058); mxd (4151); pigpen (4676); soyombo (5617); yi4latex (6889);
Coriasco, Sandro	1 package: axessibility (365);
Corke, Peter	2 packages: pybib (5032); tkbibtex (6214);
Cormen, Thomas H.	2 packages: clrscod (1131); clrscod3e (1132);
Cornaros, Charalampos	2 packages: byzantinemusic (886); greektonoi (2632);
Cornelssen, Christian	1 package: moresize (4068);
Corsair, Chris	1 package: context-top-ten (1308);
Corsini, Benoît	1 package: slixte (5549);
Cosell, Bernie	2 packages: bbfig (481); smaller (5552);
Costabel, Martin	1 package: sprite (5649);
Cottrell, Allin	1 package: emtexgi (1892);
Coulon, Jean-Pierre	1 package: musixtex (4139);
Counsell, Tom	1 package: csv2latex (1416);
Cousot, Patrick	1 package: galois (2438);
Covington, Michael	2 packages: covington (1366); upquote (6515);
Cowan, Ray F.	1 package: tables (5813);
Cowan, Mark K.	1 package: neuralnetwork (4217);
Cozens, Simon	1 package: texdeps (5964);
Cremer, Fritz	1 package: texbuch (5956);
Cretel, Julien	3 packages: matlab-prettifier (3839); slang-prettifier (5337); xcolor-solarized (6752);
Creutzig, Christopher	2 packages: context-lilypond (1295); mwrite (4150);
Crosby, Damian	1 package: milsymb (3975);
Cserép, Máté	2 packages: elteiktdk (1872); elteikthesis (1873);
Cubitt, Toby	1 package: cleveref (1118);
Cugley, Damian	4 packages: ebnf (1799); malvern (3760); mff-util (3937); pdcmac (4534);
Vit	1 package: numnameru (4335);

C Authors and associated packages

Czarkowski, Tomasz M.	1 package: <code>ideavault</code> (2875);
Czoschke, Peter	2 packages: <code>nature</code> (4183); <code>uiucthesis</code> (6429);
Dabelow, Jonas L.	1 package: <code>sr-vorl</code> (5655);
Dachian, Serguei	2 packages: <code>armtex</code> (260); <code>calligra</code> (907);
Daems, Walter	6 packages: <code>beamer-reveal</code> (494); <code>exsol</code> (2093); <code>kdgdocs</code> (3127); <code>spelatex</code> (5629); <code>uantwerpendocs</code> (6403); <code>verdana</code> (6598);
Dafferner, Andreas	1 package: <code>levy-latex</code> (3400);
Dahlgren, Mats	6 packages: <code>achemso</code> (35); <code>chemsym</code> (1034); <code>deleq</code> (1573); <code>dropping</code> (1706); <code>floatflt</code> (2268); <code>vrison</code> (6645);
Dahlmann, Carsten Ace	2 packages: <code>uni-wtal-ger</code> (6470); <code>uni-wtal-lin</code> (6471);
Dalalyan, Arnak	1 package: <code>armtex</code> (260);
Dales, Simon	1 package: <code>lua2dox</code> (3621);
Daly, Patrick W.	11 packages: <code>aguplus</code> (108); <code>authblk</code> (334); <code>balance</code> (447); <code>bibentry</code> (591); <code>custom-bib</code> (1448); <code>figcaps</code> (2192); <code>fullpage</code> (2412); <code>natbib</code> (4179); <code>preprint</code> (4787); <code>sublabel</code> (5737); <code>translation-natbib-fr</code> (6304);
Dam, Nico	1 package: <code>dichokey</code> (1605);
Damanafshan, Vahid	3 packages: <code>pTeX</code> (5004); <code>tabriz-thesis</code> (5819); <code>yazd-thesis</code> (6878);
Dambra, Ruggero	1 package: <code>wordml2latex</code> (6720);
Damerell, R M	1 package: <code>crudetype</code> (1395);
D'Amico, Rosalie	1 package: <code>makecookbook</code> (3737);
Damrau, Jackie	1 package: <code>address</code> (66);
Danaux, Xavier	2 packages: <code>fontawesome</code> (2305); <code>moderncv</code> (4038);
Daneault, Émile	1 package: <code>piano</code> (4659);
Daniel, Marco	5 packages: <code>biblatex-nejm</code> (661); <code>fullwidth</code> (2414); <code>lengthconvert</code> (3385); <code>lshort-german</code> (3551); <code>mdframed</code> (3858);
Danjean, Vincent	1 package: <code>latex-make</code> (3289);
Dao, Valentin	4 packages: <code>fits-astro</code> (2232); <code>intexgral</code> (2982); <code>query-astro</code> (5069); <code>xmeaning</code> (6818);
Darley, Vince	1 package: <code>macbibtex</code> (3708);
Darrell, Trevor	1 package: <code>psfig</code> (4849);
Das, Dinesh	1 package: <code>utthesis</code> (6554);

C Authors and associated packages

Das, Abhijit	1 package: bengali-pandey (557);
DasSarma, Lin	1 package: umbclegislation (6443);
Datta, Agni	1 package: csthm (1414);
Davidson, Alan	1 package: logicproof (3509);
Davies, Jim	1 package: zed-csp (6910);
Davis, Neal E.	2 packages: maritime (3782); nuc (4322);
Davis, Michael C.	1 package: rpg-module (5232);
Davó, David	1 package: fistrum (2227);
de Anda Suárez, Juan	1 package: sfee (5437);
Debets, Renate	1 package: etsvthor (2020);
DeCorte, Michael	1 package: res (5173);
De Donato, Paolo	3 packages: lt3rawobjects (3575); resmes (5176); styledcmd (5723);
Technologies, Deepmind	1 package: twoxtwogame (6373);
Degenhardt, David	1 package: latex-indexer (3285);
Deisenroth, Ruben	1 package: darkmode (1478);
Deitsch, Sergiu	1 package: rebuttal (5130);
Dekker, Wybo H.	12 packages: ctable (1422); dtxgen (1717); isodoc (3009); ltxfileinfo (3594); lug (3689); match-parens (3789); mk (4005); mkipic (4010); proofread (4822); prv (4834); texlog-extract (6003); vpp (6642);
Delgosha, Farshid	2 packages: pst-2dplot (4873); pst-sigsys (4956);
Delmotte, Alain	2 packages: pgf-soroban (4609); pst-soroban (4960);
del Rio, Jairo A.	2 packages: context-squares (1304); context-sudoku (1305);
DeMarco, M.C.	1 package: sffms (5438);
Deneault, Ethan	1 package: schedule (5316);
Denenberg, Larry	1 package: ivd2dvi (3028);
Deng, Dongsheng	3 packages: elegantbook (1860); elegantnote (1861); elegantpaper (1862);
Denisov, Alex A.	1 package: latable (3257);
Denk, Georg	1 package: eslides (1994);
Deparis, Étienne	2 packages: awesomebox (364); facture (2107);
Derler, David	1 package: modernposter (4040);

C Authors and associated packages

Deorowicz, Sebastian	1 package: led (3377);
Derrazi, Youssef	1 package: mecaso (3868);
Dershowitz, Nachum	1 package: rangecite (5108);
Derzhanski, Ivan A	3 packages: casyl (947); eiad (1843); tengtex (5881);
Desai, Sadaf	1 package: famt (2116);
de Saint-Pern, Yves	1 package: droit-fr (1703);
Desef, Benjamin	1 package: yquant (6897);
Deselaers, Thomas	1 package: beamerposter (506);
De Sousa, Philippe	2 packages: ticollege (6108); tipfr (6200);
DeSouza, Og	2 packages: besjournals-bst (560); biolett-bst (745);
van Deursen, Ton	1 package: msc (4096);
Deutscher, Stefan A.	2 packages: getrefs (2499); jpeg2ps-os2 (3085);
deyAvemta, Stayka	1 package: futhark (2428);
Dhawan, Amit Raj	2 packages: font-change (2302); font-change-xetex (2303);
Dhumuntarao, Aditya	1 package: notestex (4296);
Diamantini, Maurice	1 package: pst-uml (4974);
Diamond, Jim	1 package: xpdfopen (6829);
Dian, Yin	1 package: zhspacing (6921);
Dias, Carlos Cardoso	1 package: nn draw (4270);
Di Cosmo, Roberto	1 package: biblatex-software (674);
Diepen, Guido	1 package: handoutwithnotes (2686);
Dierker, Andre	1 package: fbithesis (2147);
Dierl, Simon	1 package: invoice2 (2989);
Dietrich, Olaf	1 package: sfmath (5441);
Dietrich, Christian	2 packages: avremu (361); dataref (1483);
Dietze, Martin “Herbert”	1 package: latex2e-reference (3308);
Diez, Ulrich	2 packages: labelcas (3226); verbatimcopy (6592);
Dimakos, Ioannis	1 package: greekinfo3 (2629);
Dimitriadis, Alexis	3 packages: drs (1707); gb4e (2453); qtree (5062);
Dimou, Anastasios	1 package: alterqcm (149);
Ding, Zongping	1 package: char2path (1001);

C Authors and associated packages

Dionne, Xavier	1 package: vcell (6578);
Di Pietro, Anthony	4 packages: uwa-colours (6557); uwa-letterhead (6558); uwa-pcf (6559); uwa-pif (6560);
Dippell, Marvin	1 package: nchairx (4206);
Dirr, Ulrich	2 packages: bera (558); skaknew (5526);
Ditzel, Maarten	1 package: figfrag (2195);
Döhring, B. Michel	1 package: oplotsymb1 (4399);
Dörntge, Rainer	1 package: magic (3719);
Doerr, Hans-Peter	1 package: exceltex (2066);
Dohse, Max	1 package: tikz-feynhand (6127);
Doll, Mark	1 package: texdiff (5965);
Domanov, Oleg	1 package: biblatex-gost (642);
Domenjoud, Eric	2 packages: footbib (2337); hex (2744);
Domingo, Augustin Martin	1 package: fragmaster (2371);
Dominici, Massimiliano	2 packages: dramatist (1692); parrun (4497);
Dominik, Carsten	1 package: psfixbb (4850);
Donald, Bruce	1 package: nih (4256);
Dongdong, Lin	1 package: xtuthesis (6858);
Doob, Michael	1 package: gentle (2480);
de Dood, Michiel	1 package: lion-msc (3462);
van Dooren, Gerry	1 package: losymbol (3529);
Dorj, Dorjpalam	1 package: lshort-mongolian (3556);
Dorner, Fernando	2 packages: latex2rtf (3313); ltx2rtf (3586);
Doron, Eyal	1 package: bibdb (590);
Dossena, Riccardo	2 packages: old-arrows (4372); verifica (6599);
Downes, Michael J.	12 packages: amsrefs (183); aro-bend (262); around-the-bend (264); breqn (839); cmdtrack (1158); dialog1 (1602); flexisym (2262); mathstyle (3831); patchcmd (4513); showdim (5473); snapshot (5563); wordcount (6717);
Doyle, Mark	4 packages: revtex (5188); revtex4-0 (5189); revtex4-1 (5190); stix (5699);
Dragone, Mario	1 package: xlatex (6814);

C Authors and associated packages

Drake, Dan	1 package: <code>sagetex</code> (5280);
Drakos, Nikos	1 package: <code>latex2html</code> (3309);
Drechsler, Patrick	1 package: <code>pst-pad</code> (4943);
Dreher, Simon	1 package: <code>imtekda</code> (2930);
Dreuw, Philippe	1 package: <code>beamerposter</code> (506);
Drews, Aaron	1 package: <code>pfdicons</code> (4599);
Dreyer, Alexander	1 package: <code>namespc</code> (4173);
Droms, Ralph	1 package: <code>txt</code> (6378);
Drucbert, Jean-Pierre	14 packages: <code>booktabs-fr</code> (809); <code>export</code> (2088); <code>fepslatex</code> (2162); <code>method</code> (3923); <code>minitoc</code> (3994); <code>regcount</code> (5151); <code>shorttoc</code> (5468); <code>tabbing</code> (5804); <code>translation-array-fr</code> (6292); <code>translation-booktabs-fr</code> (6295); <code>translation-dcolumn-fr</code> (6297); <code>translation-natbib-fr</code> (6304); <code>translation-tabbing-fr</code> (6306); <code>xr</code> (6838);
Dryllerakis, K J	1 package: <code>kdgreek</code> (3128);
Du, Sicheng	2 packages: <code>gradient-text</code> (2590); <code>maze</code> (3846);
Duan, Charles	2 packages: <code>randtext</code> (5107); <code>switcheml</code> (5772);
Duchi, Claudio	2 packages: <code>datetime2-it-fulltext</code> (1518); <code>datetime2-italian</code> (1519);
Duchier, Denys	2 packages: <code>bigtabular</code> (736); <code>secret</code> (5386);
Dudebout, Nicolas	1 package: <code>matrix-skeleton</code> (3841);
Dübendorfer, Marco	1 package: <code>grafik</code> (2595);
Duggan, Angus	7 packages: <code>dvibook</code> (1737); <code>moreverb</code> (4069); <code>pbmtopk</code> (4527); <code>pictexsum</code> (4667); <code>psmerge</code> (4862); <code>psutils</code> (4996); <code>vplutils</code> (6641);
Dujardin, Julien	1 package: <code>callouts-box</code> (910);
Dumas, Patrice	1 package: <code>texi2html</code> (5980);
Dumont, Bastien	1 package: <code>crossrefenum</code> (1388);
Dungs, Kevin	1 package: <code>fontmfizz</code> (2321);
Dunn, Brian	8 packages: <code>docsurvey</code> (1652); <code>dtxdescribe</code> (1715); <code>keyfloat</code> (3136); <code>labelschanged</code> (3232); <code>lwarp</code> (3694); <code>metalogox</code> (3910); <code>tocdata</code> (6250); <code>verifycommand</code> (6601);
Dupuis, Étienne	1 package: <code>igo</code> (2911);

C Authors and associated packages

Dupuis, Jean-François	1 package: bondgraph (793);
Dupuis, Pierre	1 package: alertmessage (122);
Dussa, Tobias	2 packages: papercdcase (4481); swrule (5773);
Dziedzic, Łukasz	1 package: lato (3355);
Eastin, Bryan	1 package: qcircuit (5046);
Ebermann, Paul	10 packages: dateiliste (1489); exp-testopt (2076); extpfeil (2097); faktor (2113); gmdoc-enhance (2568); minipage-marginpar (3992); noitcrul (4280); pauldoc (4518); randbild (5101); robustcommand (5211);
Ebinger, Carl-Clemens	11 packages: alfaslabone (123); archivo (254); arvo (281); cascadia-code (937); gudea (2659); hindmadurai (2765); inter (2971); magra (3723); nunito (4338); oswald (4422); play-font (4715);
Eckermann, Matthias	1 package: parallel (4489);
Eckl, Martin	1 package: texspell (6033);
Edelman, Pieter	1 package: biocon (743);
Efford, Nick	2 packages: artex (277); vector (6581);
Egan,	1 package: opteng (4400);
Egger, Willi	4 packages: context-calendar-examples (1273); context-collating-marks (1277); context-interval-calendar (1291); context-pocketdiary (1298);
Eglen, Stephen	1 package: development (1591);
Egler, Andreas	2 packages: musixtex (4139); musixtex-egler (4140);
Ehmsen, Martin R.	1 package: python (5039);
Ehrenfeld, Wilfried	1 package: iwhdp (3029);
van Eijk, Oscar	1 package: sqltex (5651);
Eijkhout, Victor	13 packages: ascii-chart (289); cdlabeler (973); comment (1237); cropmark (1384); dbprocess (1546); eijkhout (1846); lollipop (3517); moreverb (4069); ntgclass (4315); outliner (4436); repeat (5165); ruler (5255); texbytopic (5957);
van Eijndhoven, Jos	1 package: poster (4767);
Ejiri, Haruki	2 packages: ieejtran (2886); jieeeetran (3061);
Ekola, Tommy	1 package: cmarrows (1149);
Eldering, Jaap	2 packages: check-parens (1008); pdfbook (4540);

C Authors and associated packages

Elkind, Landon D. C.	1 package: principia (4798);
Ellis, Joshua	2 packages: simpler-wick (5508); tikz-feynman (6128);
Ellison, Chris	1 package: powerdot (4771);
Ellison, T Mark	1 package: nnfootnote (4272);
Elmegaard, Brian	1 package: nomentbl (4283);
Els, Daniel	7 packages: backrefx (437); booktabs (807); mattens (3842); refstyle (5150); sistyle (5520); stellenbosch (5692); stellenbosch-2 (5693);
Elstner, Jens	2 packages: spotcolor (5645); xespotcolor (6774);
Elwell, Clayton M.	1 package: afmtopl-elwell (101);
Emmel, Thomas	2 packages: ifmslide (2897); ticket (6107);
Enderle, Tobias	1 package: pyluatex (5037);
Enderling, Tim	1 package: etoolbox-de (2017);
Endisch, Denis	1 package: untex (6503);
Engdahl, Erik	1 package: swetex (5767);
Engebretsen, Lars	2 packages: ae (85); swbib (5766);
Engel, Christian	1 package: tr2latex (6281);
Engelen, Johan B. C.	1 package: svg-inkscape (5759);
Engler, Martin	1 package: firefox-ctan-plugins (2222);
Ensenbach, Marc	1 package: l2tabu (3205);
Entenmann, Walter	1 package: schulschriften (5327);
David Wedekind, Paul Kantiem, Wolf Müller	1 package: epcqrqcode (1933);
Eppstein, David	2 packages: eppstein-trees (1943); treedef (6312);
Erhardt, Stefan	1 package: circuitikz (1085);
Erickson, Jeff	2 packages: bibindex (612); biblook (696);
Eriksen, Mikkel Eide	3 packages: genealogy-profiles (2468); non-decimal-units (4284); unicode-alphabets (6474);
Erlebacher, Beverly	1 package: texi2roff (5981);
Esau, Nathan	1 package: uassign (6404);
Esbati, Arash	3 packages: anonymouspro (200); chivo (1058); rosario (5221);
pablo	1 package: tikztosvg (6180);
Esken, Thomas	1 package: dvichk (1738);

C Authors and associated packages

Espinoza, Mario Saenz	1 package: feupphdteses (2166);
Esser, Thomas	4 packages: anysize (214); epstopdf (1959); tetex (5901); texdoc (5968);
Eßer, Hans-Georg	1 package: latexdb (3329);
Ettrich, Matthias	1 package: lyx (3702);
Evans, Dafydd	1 package: multinotes (4128);
Ewasiuk, Kale	7 packages: addtoluatexpath (68); autopuncitems (354); luatbls (3666); lutabulartools (3690); penlight (4585); penlightplus (4586); yamllvars (6873);
Fafejta, Ondřej	1 package: pmxchords (4739);
Fairbairns, Robin	32 packages: bold-extra (790); capt-of (922); captdef (924); chappg (997); checklab (1011); corrects (1349); covington (1366); duplicat (1724); endnotes (1903); fixfoot (2238); fncylab (2285); footmisc (2338); maths-symbols (3823); moreverb (4069); newproof (4232); nrc (4310); ogham (4368); oldstyle (4379); onepagem (4386); parskip (4503); rotating (5224); scriptfonts (5359); secdot (5383); setspace (5425); subscript (5738); texfaq (5973); textmerg (6044); time (6185); topcapt (6267); tugboat (6348); verbbef (6593); vmspell (6630);
Fairman, Randall	1 package: figput (2197);
Faist, Philippe	9 packages: phfcc (4628); phfextendedabstract (4629); phffullpagefigure (4630); phfnote (4631); phfparen (4632); phfqit (4633); phfquotetext (4634); phfsvnwatermark (4635); phfthm (4636);
de Falco, Marc	1 package: tikz-inet (6130);
Faltin, Felix	1 package: iodhbwm (2990);
Fan, James	1 package: seuthesix (5433);
Fantini, Mario	1 package: isphysicalmath (3018);
Farar, Pavel	5 packages: dejavu (1570); gentium-tug (2478); paratype (4491); ptsans (5010); ptserif (5011);
Farley, Nathanael	1 package: gurps (2670);
Farnbach, Rick	1 package: newalg (4220);
Farrugia, Paulseph-John	1 package: maltese (3759);
Fasada,	1 package: lxmail (3698);
Faßbender, Patrik	1 package: csquotes-de (1411);
Fastenrath, Ulrich	1 package: refer-tools (5145);

C Authors and associated packages

Faulhammer, Christian	1 package: dante-book-reviews (1476);
Fauske, Kjell Magne	2 packages: dot2tex (1664); dot2texi (1665);
Fear, Simon	1 package: booktabs (807);
Fedor, Adam	1 package: mactotex (3716);
Fehd, Ronald J.	1 package: sugconf (5749);
Feickert, Aaron	1 package: ndsu-thesis (4208);
Feiglin, Ari	1 package: pdftoolbox (4577);
Felty, Robert	1 package: umthesis (6449);
Kaiyu, Feng	1 package: bithesis (752);
Fenn, Jürgen	3 packages: l2tabu-english (3206); templates-fenn (5876); wordlike (6719);
Fennell, James	1 package: studenthandouts (5719);
Ferguson, George	1 package: code (1184);
Ferguson, Michael J.	2 packages: inrstex (2962); mltex (4022);
Fernandes, Diogo A. B.	1 package: academicons (27);
Fernández, José Alberto	1 package: bibunits (714);
Fernandez, Jose Ra Portillo	1 package: spain (5620);
Ferrante, Luca	1 package: amsmath-it (176);
Ferreira, Henrique Cezar	1 package: unbtex (6454);
Ferro, Anthony	1 package: bibplain (699);
Feuersänger, Christian	4 packages: pdfmarginpar (4557); pgf (4602); pgfplots (4623); pgfplotstable (4624);
Feuerstack, Thomas	1 package: protext (4830);
Fiandrino, Claudio	7 packages: aobs-tikz (215); beamer2thesis (500); dynblocks (1771); engtlc (1910); hf-tikz (2748); sa-tikz (5275); smartdiagram (5556);
Field, Laurie	1 package: lfb (3407);
Fields, Joe	1 package: fig4latex (2189);
Filby, Vincent	1 package: crossreference (1389);
Filipović, Zoran T.	11 packages: eqell (1965); fjodor (2250); he-le-na (2710); serbian-apostrophe (5414); serbian-book (5415); serbian-date-lat (5416); serbian-def-cyr (5417); serbian-lig (5418); serbianpart (5419); sr-half-compound (5653); sr-hyphen-spec (5654);

C Authors and associated packages

Filippou, Dimitrios	5 packages: elhyphen (1864); gentl-gr (2479); greek-inputenc (2623); greekinfo3 (2629); hyphenation-greek (2849);
Fine, Jonathan	2 packages: outerhbox (4433); tex2tok (5947);
Fine, Michael	2 packages: changebar (992); tabverb (5837);
Fink, Johannes K.	3 packages: corridx-latex (1350); corridx-obsolete (1351); tabularborder (5826);
Fink, Werner	1 package: boldtensors (792);
Finnberg, Torsten	1 package: amiweb2c-guide (158);
Finnerty, Justin	1 package: chemsec (1031);
Finney, Michael Lee	1 package: logix (3512);
Finston, Laurence	1 package: threedldf (6092);
von Fintel, Kai	1 package: biblatex-unified (681);
Fiorio, Christophe	1 package: algorithm2e (127);
Firth, David	1 package: pdfjam (4553);
Fischer, Arnd	1 package: ktexshell (3193);
Fischer, Jörg	1 package: nedit-latex-extensions (4210);
Fischer, Susanne	1 package: translation-europecv-de (6300);
Fischer, Ulrike	13 packages: bearwear (544); chessboard (1040); chessfss (1041); citeall (1092); combofont (1228); enpassant (1915); fontloader-luaotfload (2320); luaotfload (3657); mparhack (4078); newpax (4231); returntogrid (5184); tagpdf (5840); xskak (6845);
van der Flaas, Ives	1 package: copyrightbox (1341);
Flammia, Steven	1 package: qcircuit (5046);
Flatau, Piotr J.	1 package: jas99 (3041);
Flaxman, Seth	1 package: outline (4435);
Fleiner, Christian	1 package: fodot (2296);
Fleischhacker, Nils	1 package: tikzpeople (6172);
Flipo, Daniel	15 packages: babel-french (387); concmath-otf (1258); context-lettrine (1294); erewhon-math (1981); euler-math (2028); frhyph (2396); hyacc-cm (2830); kpfonts-otf (3189); lete-sans-math (3387); lettrine (3398); lua-typo (3614); lucirole (3687); tabvar (5836); xcharter-math (6744); yfonts-otf (6884);

C Authors and associated packages

Floré, Matthias	4 packages: broydensolve (844); liftarm (3439); polyomino (4757); wheelchart (6682);
Floros, Matt	1 package: psu-thesis (4995);
Flück, Dominic	1 package: truthtable (6328);
Flynn, Peter	10 packages: beginlatex (550); bookshelf (806); classpack (1113); decorule (1560); euflag (2024); fontssampler (2327); latex-brochure (3267); latex-veryshortguide (3303); makebase (3732); sybats3 (5776);
Förster, Eric	1 package: texlab (5989);
Förster, Patrick	1 package: texlab (5989);
Fogg, Josh	2 packages: beamertheme-edmaths (516); edmaths (1830);
Fogiel, Udi	7 packages: babel-hebrew (393); culmus (1436); hebrew-fonts (2714); luabidi (3624); luakeyval (3640); lualineno (3648); unibidi-lua (6472);
Fojtík, Jaroslav	1 package: wp2latex (6725);
Fokkinga, Maarten	1 package: calculation (901);
Folini, Christian	1 package: gtex-letter (2653);
Folkertsma, Geert	1 package: bondgraphs (794);
Forkosh, John	5 packages: arxivbib (282); mathtex (3832); mimetex (3976); texlist (5992); texperf (6018);
Forrest, David	1 package: jq1999 (3091);
Fortune, James	2 packages: altnline (151); numline (4333);
Fortuny, Pedro	1 package: tex2ltx (5943);
Fox, Jim	5 packages: cnoweb (1179); dpfloat (1681); firstline (2225); uwthesis (6562); uwthesis209 (6563);
Fradin, Patrick	1 package: pst-vectorian (4975);
Frambach, Erik	3 packages: amspell (179); fourproject (2365); fourspell (2366);
Frampton, John	3 packages: expex (2078); pst-asr (4880); pst-jtree (4921);
Frane Jr, Peter	5 packages: dvivue (1768); ltx2mathml (3585); ot2woff (4425); t1subset (5799); woff2ot (6712);
Frank, Ben	1 package: kvmap (3200);
Frank, Sascha	1 package: menucard (3893);
Franke, Axel	1 package: sae (5277);

C Authors and associated packages

Franklin, Charles	1 package: <code>dectab</code> (1562);
Franz, Melchior	2 packages: <code>crop</code> (1383); <code>euro</code> (2033);
Franz, Matthias	1 package: <code>dvipdfmx</code> (1750);
Franzen, Steven	1 package: <code>chordbox</code> (1067);
Frasson, Miguel Vinícius Santini	8 packages: <code>centerlastline</code> (984); <code>mailmerge</code> (3726); <code>numberpt</code> (4326); <code>ordinalpt</code> (4411); <code>pagecont</code> (4458); <code>paramcalc</code> (4490); <code>qrcodetikz</code> (5057); <code>timbreicmc</code> (6184);
Frederiks, L. L.	1 package: <code>bib2dvi</code> (578);
Freeman, T. Graham	1 package: <code>aurora</code> (333);
Freléchoz, Xavier	1 package: <code>latexscreenshooter</code> (3347);
Fresacher, Matthias	1 package: <code>pmdraw</code> (4734);
Freyre-Gonzalez, Julio A.	1 package: <code>unamthesis</code> (6453);
Fricke, Olaf	1 package: <code>xtcpts</code> (6851);
Friedl, Sebastian	8 packages: <code>datetime2-german</code> (1513); <code>fancyhandout</code> (2120); <code>hackthefootline</code> (2678); <code>lualatex-truncate</code> (3645); <code>mensa-tex</code> (3890); <code>pdfpc-movie</code> (4563); <code>termcal-de</code> (5888); <code>textualicomma</code> (6050);
Friedlander, Peter	1 package: <code>csx</code> (1421);
Friedman, Noah	1 package: <code>texi2dvi-latest</code> (5979);
Friedrich, Josef	6 packages: <code>cloze</code> (1129); <code>farbe</code> (2140); <code>lparse</code> (3532); <code>luakeys</code> (3639); <code>luatex-type-definitions</code> (3671); <code>nodetree</code> (4275);
Friendly, Michael	3 packages: <code>tex2bib</code> (5942); <code>texdepend</code> (5963); <code>texref</code> (6025);
Fries, Alexander	1 package: <code>fribrief</code> (2398);
Frigeri, Alceu	17 packages: <code>afperpack</code> (104); <code>codedescribe</code> (1188); <code>democodetools</code> (1580); <code>pgfkeysearch</code> (4615); <code>pkginfograb</code> (4690); <code>starray</code> (5678); <code>switch</code> (5771); <code>tikzcalendarnotes</code> (6159); <code>tikzdotncross</code> (6161); <code>tikzfxgraph</code> (6164); <code>tikzquads</code> (6176); <code>tikzquests</code> (6177); <code>tokglobalstack</code> (6260); <code>tokgroupmark</code> (6261); <code>ufrgscca</code> (6421); <code>xpeekahead</code> (6831); <code>xstacks</code> (6847);
Fritzke, Bernd	1 package: <code>refer-tools</code> (5145);
Fruchart, Michel	1 package: <code>tikz-optics</code> (6141);
Fachschaftsrat Mathematik/Informatik Uni Halle	1 package: <code>mluexercise</code> (4024);
Fuchs, David R.	2 packages: <code>lfonts-ams</code> (3408); <code>mfware</code> (3947);
Fuchs, Fabian	1 package: <code>beamer-varbox</code> (498);

C Authors and associated packages

Fudrow, John	1 package: <code>pittetd</code> (4681);
Fütterer, Michael	2 packages: <code>coolthms</code> (1332); <code>tikzpfeile</code> (6173);
Fuhlbrück, Frank	1 package: <code>exercisesheets</code> (2072);
Fujita, Shinsaku	1 package: <code>xymtex</code> (6865);
Fujun, Shi	1 package: <code>uestcthesis</code> (6420);
Furnanz, Paul	1 package: <code>newalg</code> (4220);
Furue, Ryo	1 package: <code>jas99m</code> (3042);
Furuta, Richard	1 package: <code>slem</code> (5543);
Fussner, David	1 package: <code>biblatex-chicago</code> (632);
Fuster, Robert	4 packages: <code>calculator</code> (902); <code>catalanbib</code> (949); <code>xpicture</code> (6833); <code>zefonts</code> (6911);
Fyodorov, Vyacheslav	1 package: <code>eskd</code> (1992);
Gaborit, Paul	4 packages: <code>beamer-theme-albi</code> (496); <code>iscram</code> (2999); <code>ocgx</code> (4353); <code>sankey</code> (5285);
Gács, Péter	1 package: <code>de-macro</code> (1554);
Gärtner, Felix	1 package: <code>cj</code> (1096);
Gäblein, Hubert	4 packages: <code>leaflet</code> (3370); <code>pict2e</code> (4663); <code>pst-pdf</code> (4944); <code>sidecap</code> (5488);
Gagnon, Francis	1 package: <code>glosmathtools</code> (2539);
Gaito, Stephen	1 package: <code>fifo-stack</code> (2182);
Gajdosik, Libor	1 package: <code>eltex</code> (1874);
Gall, Diane	3 packages: <code>courseoutline</code> (1362); <code>coursepaper</code> (1363); <code>york-thesis</code> (6893);
Galland, Stéphane	6 packages: <code>autolatex</code> (346); <code>bib2ml</code> (580); <code>ciad-beamertheme</code> (1076); <code>spim-phdthesis</code> (5636); <code>upmethodology</code> (6513); <code>utbmciad-report</code> (6545);
Fernández Galván, Ignacio	1 package: <code>tengwarscript</code> (5883);
GAMM Juniors	1 package: <code>gammas</code> (2441);
Gamvetas, Ioannis	1 package: <code>philokalia</code> (4638);
Gandy, Dave	1 package: <code>fontawesome</code> (2305);
Ganguly, Soumendra	1 package: <code>fretplot</code> (2395);
Gankevich, Ivan	1 package: <code>beamertheme-saintpetersburg</code> (527);
Garavelli, John	1 package: <code>wiggly</code> (6687);

C Authors and associated packages

Garcia-De Castro, Federico	7 packages: colordoc (1206); opcit (4394); pittetd (4681); subfiles (5735); texmate (6010); texmuse (6012); todo (6255);
García Matarredona, Alejandro	1 package: languanames (3248);
Gardner, David	1 package: rrgtrees (5236);
Garg, Saurabh	1 package: sphdthesis (5632);
Garling, Ben	1 package: lms (3498);
Gastin, Paul	1 package: gastex (2448);
Gau, Syu	1 package: secnum (5385);
Gaulle, Bernard	7 packages: e-french (1775); endnotes (1903); frenchle (2390); frenchpro (2393); idealfonts (2874); msg (4097); pos-at (4764);
Ge, Yikai	1 package: aiplans (112);
van Geest, Marion	1 package: nassflow (4178);
Van Geest, Michael R.	1 package: editbar (1827);
Geng, Nan	9 packages: chinesechess (1056); circledtext (1083); codebox (1187); hanzibox (2692); joinbox (3078); nwafuthesis (4339); pascaltriangle (4509); suanpan-l3 (5726); termsim (5893);
Georgakopoulos, Dimitrios	1 package: uhthesis (6427);
Gerdes, Peter M.	1 package: rec-thy (5131);
Gerell, Johann	1 package: hilowres (2763);
Gerhardt, Claus	1 package: refreshpdf (5149);
Gesang, Philipp	8 packages: context-cyrillicnumbers (1279); context-rst (1299); context-transliterator (1309); enigma (1912); lualibs (3646); luamplib (3654); luaotfload (3657); luatexbase (3673);
Gessinger, Ilona	1 package: translation-arsclassica-de (6293);
Gessler, Paul D.	2 packages: asapsym (286); mugstthesis (4108);
Geuzaine, Christophe	1 package: directory (1621);
The Greek Font Society	7 packages: gfs (2503); gfsartemisia (2504); gfsbaskerville (2505); gfsbodoni (2506); gfsdidot (2508); gfsneohellenic (2510); gfsponson (2512);
Gheorghies, Ovidiu	1 package: metauml (3922);
Gherzi, Andrea	1 package: mycv (4154);
Ghibo, Giuseppe	1 package: mma2ltx (4026);

C Authors and associated packages

Deutsch, L. Peter	1 package: ghostscript (2515);
Giacomelli, Roberto	2 packages: barracuda (463); calctab (900);
Giannetti, Romano	3 packages: circledsteps (1082); circuitikz (1085); xkcdcolors (6808);
Giannotti, Ruben	3 packages: fetchcls (2165); lccaps (3361); stealcaps (5690);
Giauffret, Thibault	1 package: tikz-osci (6142);
Gibbons, Jeremy	2 packages: diagramf (1600); stmaryrd (5702);
Giese, Martin	3 packages: pgf-blur (4603); pst-blur (4884); pst-slpe (4957);
Giesecking, Martin	1 package: dvisvgm (1762);
Gil, Yossi	3 packages: addindex (63); bashful (466); unisugar (6487);
Gil Pons, Reynaldo	1 package: msc (4096);
Gilbey, Julian	4 packages: ctie (1434); labels (3230); rcs (5118); shuffle (5484);
Gildea, Daniel	5 packages: bibtools (711); latex2html (3309); pst-qtree (4952); ucbthesis (6406); ucthesis (6413);
Gildea, Stephen	3 packages: geophysics (2485); headerfooter (2712); underlin-generic (6459);
Gilg, Jürgen	5 packages: cookybooky (1327); pst-electricfield (4896); pst-magneticfield (4929); pst-marble (4930); pst-moire (4934);
Gill, Richard	1 package: prodint (4807);
Gillespie, Dave	1 package: bm2font (776);
Gilmore, Stephen	1 package: latex2e-help-texinfo (3306);
Ginsparg, Paul	1 package: harvmac (2704);
Giraud, Pierre-Amiel	1 package: skills (5534);
Giromini, Raphaël	1 package: cahierprof (894);
Girou, Denis	14 packages: fancyvrb (2134); piechart (4671); pst-fill (4902); pst-fr3d (4907); pst-gantt (4911); pst-gr3d (4915); pst-labo (4924); pst-lens (4926); pst-light3d (4927); pst-ob3d (4937); pst-poly (4950); pst-tree (4971); pstricks-base (4989); seminar (5404);
Gjelstad, Ellef	1 package: uml (6445);
Glazkov, Dmitry A.	2 packages: shadbox (5445); tracking (6283);
Gleason, Jonathan	1 package: eqnnumwarn (1976);

C Authors and associated packages

Glenstrup, Arne John	1 package: semantic (5399);
Gliboff, Sander	1 package: biblatex-historian (643);
Glötzel, Dieter	1 package: xml2pmx (6819);
Glonti, Nana	3 packages: cmcyr (1153); glonti (2538); scyrillic (5377);
Glunz, Dr. Wolfgang	1 package: pstoedit (4984);
Goatley, Hunter	3 packages: italic (3023); newsletr (4234); quote (5078);
Gobbo, Federico	1 package: adtreas (82);
Gobry, Frédéric	1 package: pybliographer (5033);
Godby, Kevin	2 packages: hardwrap (2697); tufte-latex (6347);
Göbel, Jürgen	1 package: savesym (5300);
Goel, Deepak	1 package: autoview (359);
Goel, Anil	2 packages: figsinltx (2198); ltablex (3576);
Goepp, Vivien	1 package: beamertheme-light (520);
Görlach, Tobias	1 package: hobete (2784);
Goertz, Ralf	1 package: qbibman (5045);
Göttlinger, Merlin	1 package: biblatex-lncs (651);
Götz, Thomas	1 package: asc2tex (287);
Gogolin, Christian	1 package: quantumarticle (5066);
Goldasz, Janusz	1 package: lshort-polish (3558);
Goldberg, Jeffrey	2 packages: endfloat (1898); lastpage (3256);
Goldberg, Jacques	1 package: redis (5139);
Goldgaber, Sergey	1 package: thumby (6103);
Goldschmitt, Ulrich	2 packages: ulsy (6439); ulsy-ps (6440);
Goldstein, Kevin	1 package: findbib (2213);
Gollwitzer, Christian	2 packages: aurical (331); shapepatch (5454);
Gombin, Joël	1 package: facture (2107);
Gomes, Hugo	2 packages: pgf-periodictable (4607); pgf-spectra (4610);
Gomes de Santana, Adriano	1 package: anima (189);
Gonçalves, Luís Nobre	1 package: featpost (2158);

C Authors and associated packages

Pégourié-Gonnard, Manuel	17 packages: <code>first-latex-doc</code> (2223); <code>hyph-utf8</code> (2845); <code>latex-doc-ptr</code> (3273); <code>lshort-french</code> (3550); <code>luacode</code> (3627); <code>luainputenc</code> (3637); <code>lualatex-doc</code> (3641); <code>lualatex-doc-de</code> (3642); <code>luamplib</code> (3654); <code>luaotfload</code> (3657); <code>luatexbase</code> (3673); <code>luatextra</code> (3676); <code>pdf14</code> (4537); <code>show2e</code> (5471); <code>ted</code> (5872); <code>texdoc</code> (5968); <code>xargs</code> (6737);
González, Luis	1 package: <code>interactiveanimation</code> (2972);
González Luengo, Pablo	4 packages: <code>enumext</code> (1918); <code>ltximg</code> (3597); <code>pst2pdf</code> (4981); <code>scontents</code> (5339);
Gonzato, Guido	4 packages: <code>latex4jed</code> (3314); <code>latex4musicians</code> (3315); <code>latex4wp</code> (3316); <code>latex4wp-it</code> (3317);
Goodman, Donald P.	16 packages: <code>basicarith</code> (468); <code>catechis</code> (955); <code>clrdblpg</code> (1130); <code>colophon</code> (1202); <code>dozenal</code> (1679); <code>drm</code> (1701); <code>liturg</code> (3485); <code>lroundrect</code> (3538); <code>modulus</code> (4049); <code>padcount</code> (4456); <code>poetry</code> (4745); <code>roundrect</code> (5231); <code>shapes</code> (5455); <code>texdate</code> (5961); <code>xellipsis</code> (6769); <code>yaletter</code> (6872);
Goossens, Michel	5 packages: <code>cyrtug</code> (1471); <code>mm</code> (4025); <code>ssquote</code> (5666); <code>tlc2-errata</code> (6235); <code>webcomp-errata</code> (6673);
van der Goot, Marcel	2 packages: <code>boxit-ltx</code> (823); <code>midnight</code> (3963);
Gorman, Kyle	1 package: <code>simplex</code> (5512);
Gosmann, Jan	1 package: <code>tikz-nef</code> (6137);
Gossen, Gerhard	1 package: <code>bibtexperllibs</code> (708);
Goulard, Frederic	1 package: <code>prosper</code> (4827);
Goudham	1 package: <code>catppuccinpalette</code> (957);
Gouez, Geoffrey	1 package: <code>cv4tw</code> (1454);
Gough, Graham	1 package: <code>muthesis</code> (4145);
Goulet, Vincent	7 packages: <code>actuarialangle</code> (58); <code>actuarialsymbol</code> (59); <code>cjs-rcs-article</code> (1104); <code>formation-latex-ul</code> (2354); <code>français-bst</code> (2377); <code>ullrcorners</code> (6437); <code>ulthese</code> (6441);
Goutelle, Mathieu	2 packages: <code>booktabs-fr</code> (809); <code>ppr-prv</code> (4778);
Govindaraj, T.	1 package: <code>palladam</code> (4473);
Graham, Colin C.	1 package: <code>delimseasy</code> (1576);
Grahn, Alexander	10 packages: <code>acroreloadpdf</code> (49); <code>animate</code> (190); <code>fixocgx</code> (2246); <code>media4svg</code> (3869); <code>media9</code> (3870); <code>movie15</code> (4074); <code>ocgx2</code> (4354); <code>portable-miktex</code> (4762); <code>pst-ode</code> (4938); <code>xsavebox</code> (6842);

C Authors and associated packages

Granade, Christopher	2 packages: qsharp (5059); revquantum (5187);
Granet, Elijah Z	8 packages: adobeornaments (79); coolfn (1329); luacensor (3626); luaquotes (3662); swungdash (5774); textcsc (6040); tramlines (6289); ukbill (6430);
Granger, Brad	1 package: recipebook (5133);
Granja, Silvio Cesar Garcia	1 package: latexcheat-ptbr (3325);
Grant, Jo	3 packages: cirth (1087); cun (1437); rune (5259);
Grant, Michael	1 package: psfrag (4854);
Granzer, Andreas	2 packages: latex2rtf (3313); ltx2rtf (3586);
Grätzer, George	6 packages: firststeps-xampl (2226); gratzer-color-scheme (2618); math-into-latex-4 (3791); mil (3969); mil3 (3970); practical-latex (4781);
Graversen, Kasper B.	2 packages: logfilter (3505); progress (4816);
Gray, Norman	9 packages: bibhtml (611); dvi2bitmap (1731); exam-n (2055); feyn (2168); pphlp (4775); showlabels (5480); textpos (6049); urlbst (6524); versionotes (6605);
Gray, Corey	1 package: siam (5486);
Gray, Cameron	2 packages: bangorcsthesis (451); bangorexam (452);
Green, J.J.	4 packages: bguq (574); fancynum (2127); fge (2174); ltxinput (3599);
Green, Ian	1 package: recycle (5137);
Greenberg, Harvey	1 package: simplified-latex (5513);
Greene, Andrew	2 packages: basix (470); inscrutable (2964);
Greening, Daniel R.	1 package: phoncard (4642);
Greenwade, George	13 packages: bibtex-help (704); bsl (848); daytime (1541); enumspec (1921); exam209 (2058); htmlhelp (2804); isf (3000); latex-hlp (3284); latex-info (3286); latex2e-help-texinfo (3306); marginote (3781); shsulet (5482); threecolumn (6090);
Gregorio, Enrico	17 packages: abc (13); checkcites (1009); feynmp-auto (2171); fixcmex (2236); frontespizio (2401); gmp (2571); hyplain (2853); imakeidx (2920); itnumpar (3026); kantlipsum (3119); newunicodechar (4240); regexpatch (5152); steinmetz (5691); usebib (6534); xcite (6745); xpatch (6827); xpiano (6832);
The Gregorio Project,	1 package: lyluatex (3701);

C Authors and associated packages

Grewe, Richard	7 packages: <code>asciilist</code> (292); <code>gtrlib-largetrees</code> (2656); <code>keyvaltable</code> (3144); <code>komacv-rg</code> (3180); <code>multilang</code> (4126); <code>rgltxdoc</code> (5194); <code>typed-checklist</code> (6385);
Griffin, Ivan	1 package: <code>ulqda</code> (6438);
Griffith, David	1 package: <code>newspaper</code> (4235);
Griffiths, Hugh	1 package: <code>knittingpattern</code> (3158);
Griffiths, Thomas M	1 package: <code>uowthesistitlepage</code> (6507);
Grigorov, Viktor	1 package: <code>diabetes-logbook</code> (1594);
Grimm, Robert	1 package: <code>emo</code> (1884);
Grineva, Olga	1 package: <code>pmgraph</code> (4735);
Grobgeld, Dov	1 package: <code>impose</code> (2927);
Gross, Sebastian	1 package: <code>fltpage</code> (2277);
Gross, Jason	1 package: <code>locality</code> (3502);
Gross, Sébastien	3 packages: <code>svg-animate</code> (5758); <code>tikz-dimline</code> (6125); <code>tikz-page</code> (6143);
Große, Johannes	1 package: <code>ifplatform</code> (2902);
Grossniklaus, Bruno	1 package: <code>bibcard</code> (586);
Grothmann, Rene	1 package: <code>check</code> (1007);
Grove, Henrik Christian	1 package: <code>skull</code> (5537);
Grover, Rohit	1 package: <code>punk</code> (5012);
Gruber, Maximilian	1 package: <code>gitstatus</code> (2529);
Le Barbier Grünwald, Michael	1 package: <code>getoptk</code> (2498);
Grundlingh, Werner	1 package: <code>abraces</code> (20);
Grunwald, Dirk	1 package: <code>texpictex</code> (6020);
Guéhéneuc, Yann-Gaël	1 package: <code>bibex</code> (605);
Guenther, Dean	2 packages: <code>text1</code> (6035); <code>wsuipa</code> (6734);
Guerquin-Kern, Matthieu	1 package: <code>moodle</code> (4060);
Guillaumin, Matthieu	1 package: <code>minorrevision</code> (3995);
GuIT (Gruppo Utilizzatori Italiani di TeX)	1 package: <code>lshort-italian</code> (3552);
Gulbrandsen, Martin G.	1 package: <code>gladtex</code> (2533);
Gulczynski, Michal	2 packages: <code>c-pascal</code> (888); <code>insbox</code> (2963);
Gumbakis, Eimantas	1 package: <code>ejpecp</code> (1851);

C Authors and associated packages

Günay, Cengiz	2 packages: <code>texdiff</code> (5965); <code>texdirflatten</code> (5967);
Gundlach, Patrick	8 packages: <code>context-layout</code> (1292); <code>detexfaq</code> (1587); <code>libertineotf</code> (3423); <code>lshort-german</code> (3551); <code>lua-check-hyphen</code> (3607); <code>lua-visual-debug</code> (3619); <code>rfil</code> (5192); <code>showhyphens</code> (5477);
Guntermann, Klaus	2 packages: <code>ppower4</code> (4777); <code>tie</code> (6111);
Maier, Gunter	1 package: <code>maketable</code> (3754);
Guo, Lijun	3 packages: <code>exam-zh</code> (2057); <code>litetable</code> (3483); <code>magicwatermark</code> (3722);
Gupta, Pallav	1 package: <code>bibtex-gen</code> (703);
Gurari, Eitan M.	5 packages: <code>dratex</code> (1693); <code>protex</code> (4829); <code>tex4ht</code> (5950); <code>texproject</code> (6023); <code>wotree</code> (6724);
gusbrs	4 packages: <code>postnotes</code> (4770); <code>zref-check</code> (6929); <code>zref-clever</code> (6930); <code>zref-vario</code> (6931);
Gussmann, Richard	1 package: <code>dinbrief</code> (1618);
Gustafson, Grant	1 package: <code>labels</code> (3230);
Gustavsson, David	1 package: <code>datax</code> (1488);
Association GUTenberg	2 packages: <code>faq-fr-gutenberg</code> (2139); <code>letgut</code> (3388);
Guthöhrlein, Eckhart	2 packages: <code>fltpoint</code> (2278); <code>rccol</code> (5117);
Haager, Wilhelm	1 package: <code>worldflags</code> (6723);
Haas, Roswitha	1 package: <code>chemtex</code> (1035);
Haberstumpf, Bernd	1 package: <code>ecv</code> (1821);
Habets, Martin	1 package: <code>cirth</code> (1087);
Habicht, Jasper	3 packages: <code>jsonparse</code> (3095); <code>leporello</code> (3386); <code>rpgicons</code> (5233);
Hackl, Jürgen	2 packages: <code>stanli</code> (5676); <code>tikz-network</code> (6138);
Häcker, Patrick	2 packages: <code>autonum</code> (351); <code>tikzscale</code> (6178);
Hafner, Thomas	2 packages: <code>colordvi</code> (1207); <code>faq-de</code> (2136);
Hafner, James	1 package: <code>foiltex</code> (2299);
Hagen, Hans	6 packages: <code>context</code> (1267); <code>context-gnuplot</code> (1288); <code>luamplib</code> (3654); <code>mptopdf</code> (4091); <code>pdftex-def</code> (4572); <code>ppchtex</code> (4774);
Hagen, Karl	1 package: <code>multicolrule</code> (4120);
Hahn, Marco	1 package: <code>tex-math</code> (5935);

C Authors and associated packages

Hailperin, Max	2 packages: chappg (997); multicolpar (4119);
Hairer, Martin	1 package: mhequ (3953);
Haisman, Václav	3 packages: cstylo (1415); sanskrit (5287); uspace (6540);
Hajer, Jan	11 packages: hep-acronym (2721); hep-bibliography (2722); hep-float (2723); hep-font (2724); hep-graphic (2726); hep-math (2727); hep-math-font (2728); hep-paper (2729); hep-reference (2730); hep-text (2731); hep-title (2732);
Hajime, Kobayashi	1 package: tsipa (6332);
Hajtmar, Jaroslav	1 package: context-handlecsv (1289);
Shizuya, Hakuta	1 package: lisp-on-tex (3465);
Halder, Ashadul	1 package: fancymag (2126);
Halilčević, Samir	1 package: babel-bosnian (375);
Hall, Steven	1 package: othelloboard (4429);
Halvorsen, Einar	1 package: tensormatrix (5886);
Halvorson, Peter	1 package: outline (4435);
Hameed, Faris	2 packages: fariscovernew (2141); styleitems (5724);
Hamel, Benoit	2 packages: geradwp (2488); hecthes (2716);
Hamid, Idris Samawi	2 packages: almfixed (140); npp-for-context (4309);
Hamlen, Kevin W.	1 package: songs (5605);
Hammer, Michael E.	1 package: fhj-script (2176);
Hammerlindl, Andy	1 package: asymptote (310);
Hammond, William F.	1 package: gellmu (2463);
Hammond, Karl D.	2 packages: thermodynamics (6075); vexillology (6608);
Hanisch, Falk	3 packages: noindentafter (4279); svg (5757); tudscr (6346);
Hanke, Thomas	1 package: hamnosys (2683);
Hankerson, Darrel	2 packages: ams-cd (160); pagefoots (4460);
Hannemyr, Gisle	1 package: l2a (3203);
Hansen, Thorsten	2 packages: bibunits (714); multibib (4114);
Hansen, Mogens Lemvig	5 packages: coordsys (1336); eemeir (1833); logsys (3516); shortlst (5466); twoupmtx (6372);
Hansen-Doerr, Arne Claus	1 package: gammas (2441);
Hanson, Kenneth M	1 package: spie (5635);
Hantelmann, Fred	2 packages: glotex (2566); idxtex (2880);

C Authors and associated packages

Happel, Patrick	2 packages: lipsum (3464); unitsdef (6492);
Haralambous, Yannis	14 packages: bibtexu (709); dad (1474); gothic (2584); multibibliography (4115); omega (4382); patgen2-tutorial (4515); yannisgr (6875); yfonts-t1 (6885); yfrak (6886); ygoth (6887); ymath (6888); yinit (6890); yinit-otf (6892); yswab (6899);
Harcke, Leif	1 package: pclnfs (4532);
Harcombe, Keiran	28 packages: augie (328); ccfonts (965); cmbright (1152); cmsd (1168); dayroman (1540); dictsym (1607); ecc (1807); eulervm (2030); eurosans (2041); fixmath (2243); gensymb (2473); hvmath (2824); ibygrk (2865); lettergothic (3393); lucida (3682); luximono (3693); psnfss (4863); psnfss-source (4864); psnfssx (4865); texdoctk (5969); tmmath (6242); upgreek (6510); urw-antiqua (6526); urw-arial (6527); urw-garamond (6529); urw-grotesq (6530); w-a-schmidt (6655); was (6663);
Hard, Ben E.	1 package: biblatex-jura (647);
Harder, Sven	2 packages: cookingsymbols (1326); xcookybooky (6754);
Harders, Harald	27 packages: babelbib (430); bgteubner (573); contour (1317); fnbreak (2283); germbib (2490); ginpenc (2522); hfbright (2749); hfoldsty (2750); hhtensor (2755); isodate (3008); kerntest (3133); latexfileversion (3334); leftidx (3381); makebox (3733); miller (3972); nbaseprt (4187); numprint (4336); onlyamsmath (4389); printlen (4800); repeatindex (5166); slantsc (5538); subfloat (5736); substr (5741); ttf-howto (6335); typogrid (6396); warning (6661); yplan (6896);
Hardy, Lucien	1 package: duotensor (1723);
Harendal, Hirwen	3 packages: berenisadf (559); libris (3435); venturisadf (6585);
Hargreaves, Kathryn A.	1 package: impatient (2924);
Harin, Alexander	2 packages: cmcyralt-fonts (1155); cmcyralt-ltx (1156);
Harker, Stephen	1 package: adfathesis (69);
Har-Peled, Sarel	1 package: flatex (2258);
Harrer, Simon	1 package: messagebubbles (3900);
Harris, Gail E.	1 package: tesla (5894);
Harris, Erica	1 package: setspace (5425);
Harrod, Steven	1 package: bibbuild (585);

C Authors and associated packages

Hars, Florian	1 package: nestquot (4215);
Hart, William	1 package: harnon-cv (2699);
Hartke, Stephen	2 packages: arev (256); free-math-font-survey (2383);
Hartmann, Timo	1 package: flashmovie (2257);
Hartmann, Richard	1 package: optexcount (4402);
Hasan, Adib	1 package: latexbangla (3319);
Haslhofer, Bernhard	1 package: beamertheme-csh (512);
Hassel, Frank	1 package: bdfchess (491);
Hassenpflug, Gernot	1 package: hwkatakana (2829);
Haustveit, Eirik	1 package: glossaries-nynorsk (2556);
Havlik, Denis	1 package: abstbook (22);
Hawryluk, Andrew	1 package: excel2latex (2065);
He, Guanyuming	1 package: onepgnote (4387);
Heafner, Paul J.	1 package: mandi (3762);
Heagren, Hugo	1 package: countwords (1358);
Hebley, Matthew	1 package: listing (3468);
Hecking, Lars	1 package: gnuplot (2576);
Hedne, PL	1 package: brief-t (842);
van Heerden, Derick	1 package: obas (4344);
Hefferon, Jim	11 packages: asy-overview (308); concrete-macros (1261); escapetext (1985); first-latex-doc (2223); first-packages (2224); latex-doc-ptr (3273); latex2e-help-texinfo (3306); shadethm (5448); style-showcase (5722); undergradmath (6457); venn (6583);
Heibl, Christoph	1 package: bracketkey (828);
Heidemann, John	1 package: lookbibtex (3527);
Heim, Thomas	2 packages: dice (1604); epsdice (1945);
Hein, Jeffrey	1 package: tikz-3dplot (6115);
Heindl, Lukas	2 packages: catppuccinpalette (957); semesterplannerlua (5403);
Heinecke, Johannes	2 packages: aramaic-serto (249); mxedruli (4152);
Heins, Oliver	1 package: biblatex-luh-ipw (653);
Heinz, Carsten	3 packages: listings (3470); permute (4592); polynom (4755);

C Authors and associated packages

Heinze, David	1 package: <code>ksp-thesis</code> (3191);
Heitkoetter, Joerg	1 package: <code>fancy chapters</code> (2118);
Hejda, Tomas	2 packages: <code>chkfloat</code> (1059); <code>eqnalign</code> (1971);
Helbig, Wolfgang	3 packages: <code>tex-ewd</code> (5907); <code>tex-fpc</code> (5910); <code>tex-gpc</code> (5911);
Heldoorn, Marcel	1 package: <code>siunits</code> (5522);
Hellgren, Timo	2 packages: <code>fihyph</code> (2201); <code>lshort-finnish</code> (3549);
Hellingman, Jeroen	2 packages: <code>malayalam-obsolete</code> (3757); <code>oriya</code> (4414);
Hellman, Sten	1 package: <code>babel-swedish</code> (424);
Hellström, Lars	5 packages: <code>fontinst</code> (2317); <code>relenc</code> (5159); <code>rtkinenc</code> (5244); <code>tblldoc</code> (5859); <code>xdoc</code> (6756);
Helvensteijn, Michiel	6 packages: <code>concepts</code> (1255); <code>lt3graph</code> (3573); <code>noindentafter</code> (4279); <code>pkgloader</code> (4691); <code>underoverlap</code> (6460); <code>withargs</code> (6701);
Henderson, Troy L.	2 packages: <code>mpstoeps</code> (4090); <code>pointruler</code> (4747);
Henderson, Doug	2 packages: <code>cmoutlines</code> (1164); <code>dingbat</code> (1620);
Hendrickson, Anders O. F.	4 packages: <code>getitems</code> (2496); <code>moodle</code> (4060); <code>qrcode</code> (5056); <code>spot</code> (5644);
Henel, Yvon	14 packages: <code>annee-scolaire</code> (192); <code>clefval</code> (1117); <code>drac</code> (1684); <code>engpron</code> (1908); <code>engrec</code> (1909); <code>expose-expl3-dunkerque-2019</code> (2089); <code>l2tabu-french</code> (3207); <code>modroman</code> (4047); <code>nonumonpart</code> (4286); <code>paresse</code> (4494); <code>simples-matrices</code> (5509); <code>tdsfrmath</code> (5866); <code>ulsy-ps</code> (6440); <code>yagusylo</code> (6871);
Henkel, Hartmut	1 package: <code>tpic2pdftex</code> (6277);
Henlich, Thomas	3 packages: <code>makeglos</code> (3741); <code>marvosym</code> (3785); <code>ttf2pt1</code> (6338);
Hennig, Stephan	8 packages: <code>bpolynomial</code> (825); <code>dehyph-exptl</code> (1569); <code>mcaption</code> (3850); <code>mpcolornames</code> (4082); <code>semionese</code> (5405); <code>spelling</code> (5630); <code>textpath</code> (6048); <code>vc</code> (6577);
Hennig, Matthias	2 packages: <code>jneurosci</code> (3075); <code>jphysiol</code> (3086);
Hennings, Wilfried	1 package: <code>latex2rtf</code> (3313);
Henningsen, Arne	1 package: <code>economic</code> (1818);
Hensel, Martin	1 package: <code>mhchem</code> (3952);
Herpers, Sascha	1 package: <code>tokenizer</code> (6259);
Herrb, Mathieu	1 package: <code>these</code> (6076);
Herz-Fischler, Roger	1 package: <code>do-it-yourself-tex</code> (1640);

C Authors and associated packages

Heslin, Peter J.	2 packages: ellipsis (1866); ibycus-babel (2864);
Hetherington, Lee	1 package: tlutils (5801);
Hetland, Magnus Lie	3 packages: abspos (21); pseudo (4847); skeldoc (5529);
Heuer, Johannes	1 package: la (3222);
Heuke, Sandro	1 package: translation-chemsym-de (6296);
Heyder, Frederick	1 package: gi-handout (2517);
Heyl, Udo	2 packages: china2e (1054); morse (4072);
Hicks, Stephen	2 packages: inlinedef (2952); marginfix (3779);
Hieber, Roland	1 package: vc (6577);
Hilbig, André	5 packages: bewerbung (565); gi-handout (2517); gitfile-info (2524); schule (5325); syntaxdi (5786);
Hilbrich, Torsten	1 package: bbm-macros (484);
Hill, Jörg-Rüdiger	2 packages: chem-journal (1013); jcc (3052);
Hillebrand, Thomas	1 package: hexdump (2746);
Hilléreau, Mael	2 packages: alphabib (144); shlatex (5462);
Himmelmann, Maurizio W.	1 package: guit-corso (2662);
Hinque, Christian	1 package: theatre (6070);
Hinrichs, Adrian C.	1 package: cheatsheet (1006);
Hirata, Shunsaku	2 packages: dvipdfmx (1750); dvipdfmx-def (1751);
Hirschhorn, Philip S.	2 packages: amslatex-primer (172); exam (2053);
Hitomi, Shoma	1 package: hmtrump (2782);
Hlavacek, Jan	1 package: mathexam (3807);
Ho, Eric	1 package: apalike2 (225);
Hòa, Thái Phú Khánh	1 package: free-math-font-survey-vn (2384);
Hobby, John	2 packages: metapost (3915); mpman-ru (4088);
Hochleitner, Wolfgang	1 package: hagenberg-thesis (2680);
Höffner, Konrad	1 package: aurl (332);
Høgholm, Morten	11 packages: breqn (839); contour (1317); dblfloatfix (1543); empheq (1889); flexisym (2262); mathstyle (3831); mathtools (3836); mh (3950); mhsetup (3955); xfrac (6792); xspace (6846);

C Authors and associated packages

Hoekwater, Taco	11 packages: calendarweek (906); context-gnuplot (1288); context-lettrine (1294); context-urwgothic (1313); luamplib (3654); manual (3766); mflogo-font (3940); rsfs (5238); stmaryrd (5702); wasy-type1 (6665); xpdfopen (6829);
Hoenig, Alan	8 packages: cutwin (1452); duerer (1721); labtex (3234); makor2 (3755); mathinst (3813); mathkit (3814); poetica (4744); vfirst (6612);
Höning, Stefan	2 packages: chess-problem-diagrams (1039); schwalbe-chess (5328);
Höns, Robin	2 packages: nlatexdb (4267); ratexdb (5113);
Höppner, Klaus	1 package: dantelogo (1477);
Hörstmeier, Andreas	1 package: umrand (6448);
van der Hoeven, Joris	1 package: texmacs (6008);
Hoffman, Joel M.	2 packages: listings-ext (3471); texchord (5959);
Hoffmann, Jobst	2 packages: listings (3470); struktex (5716);
Hoffmann, Torben	2 packages: skak (5525); tikz-opm (6140);
Hofmann, Michael T.	1 package: xtexshell (6855);
Hofmann, Tom	1 package: annotation-pkg (197);
Hofstra, Silke	5 packages: comicneue (1230); raleway (5099); sourcecodepro (5613); sourcesans (5614); sourceserif (5615);
Hoftich, Michal	13 packages: biblatex-iso690 (646); ctanbib (1427); linebreaker (3449); lua-uca (3615); luavlna (3680); luaxml (3681); make4ht (3730); odsfile (4364); responsive (5179); sectionbreak (5390); tex4ebook (5949); texblend (5954); uninormalize (6484);
Hogben, Colin	1 package: pos-at (4764);
Hogeveen, Sake J.	1 package: astron (306);
Hohti, Aarno	1 package: apl (228);
Holbrook, Joshua	1 package: uafthesis (6401);
Holfert, Jan	1 package: trsym (6322);
Holkar, Rohit Dilip	1 package: latex-mr (3290);
Holm Christensen, Christian	5 packages: cdcover (972); pawpict (4519); thumb (6100); universa (6493); wargame (6660);
Holmes, Rich	1 package: anti (206);

C Authors and associated packages

Holmes, Kris	1 package: luximono (3693);
Holt, Alexander	1 package: a4wide (5);
Holzmann, Frédéric	1 package: symbolindex (5777);
Horák, Karel	2 packages: bbding (480); csfonts (1403);
Horcas, José Miguel	1 package: uvlhighlight (6556);
Horn, Berthold K. P.	5 packages: bbold-type1 (486); msym (4101); plain-cm (4700); psnfssx-em (4868); yandy (6874);
Horne, Roger	1 package: lextex (3406);
Horny, Guillaume	1 package: econometrica (1816);
Horst, Umstatter	1 package: babel-romanian (412);
Horvath, Kent	1 package: lewis (3401);
Hosek, Don	14 packages: apeqnum (227); breakcites (836); breakcites (836); cmoutlines (1164); cmpica (1165); epigram (1936); floatnohead (2269); landscape (3246); mflogo209 (3941); morefloats (4064); resumemac (5182); smaller (5552); tex-mag (5934); varisize (6572);
Hosny, Khaled	15 packages: amiri (156); bbold-type1 (486); calligra-type1 (908); dviasm (1735); dvipdfmx (1750); euenc (2023); hyph-utf8 (2845); libertinus-fonts (3425); lua-alt-getopt (3606); luaotfload (3657); punknova (5014); stix (5699); unicode-math (6477); xetex (6777); xits (6807);
Hosoda, Masamichi	3 packages: extractpdfmark (2100); haranoaji (2695); haranoaji-extra (2696);
Hossain, M. Zahid	1 package: noconflict (4273);
Hossain, Nahid	1 package: bangla (450);
Höst, Stefan	1 package: polynomial (4756);
Hotta, Kohsaku	1 package: mathabx-type1 (3794);
Housley, Brian	1 package: hletter (2780);
Howard, Gary A.	1 package: tlc-article (6234);
Howell, Dave	1 package: musical (4134);
Howlett, Bob	1 package: bigtable (735);
Hu, Zou	3 packages: beamertheme-epyt (517); coloring (1213); interchar (2975);
Huang, Chua Eng	1 package: block (768);
Huang, Alpha	1 package: latex-notes-zh-cn (3291);

C Authors and associated packages

Huang, Jing	2 packages: apltex (229); evangelion-jfm (2045);
Huang, Liam	5 packages: ctex (1431); elegantbook (1860); mcmthesis (3856); sduthesis (5380); xprintlen (6835);
Huang, Pin-Yen	2 packages: beamertheme-simplesdarkblue (528); beamertheme-simpleplus (529);
HUANG, Yuxi	3 packages: hustthesis (2816); hustvisual (2817); useclass (6535);
Hülse, Rainer	1 package: expdlist (2077);
Hufthammer, Karl Ove	1 package: nohyph (4277);
Hugh	4 packages: chuushaku (1075); convert-jpfonts (1323); japanese-mathformulas (3038); pronunciation (4819);
Hughes, Baden	1 package: pdfcprot (4548);
Hughes, Chris	1 package: latexindent (3336);
Hughes, Chelsea	2 packages: excel2latex (2065); parnotes (4496);
Hull, David	2 packages: bib2xhtml (582); uiucthesis (6429);
Humenda, Sebastian	1 package: gladtex (2533);
Hunt, Neil	1 package: pstex (4983);
Hupfer, Christian	6 packages: assoccnt (302); cntperchap (1182); crossreftools (1390); jumplines (3101); xassoccnt (6739); xcntperchap (6748);
Hupponen, Taavi	1 package: texlipse (5991);
Hurt, James	1 package: javadvi (3046);
Hutchinson, Ian	2 packages: figflow (2194); tth (6341);
Hutchinson, Norm	1 package: dvisun (1761);
Hu, Xuan	1 package: resumecls (5181);
Huynh, Ky-Anh	6 packages: amslatexdoc-vietnamese (173); ctantools (1429); extarrows (2094); ktv-texdata (3194); ntheorem-vn (4318); pydocstrip (5034);
Hwang, Andrew D.	1 package: epix (1940);
Hwy	1 package: hwemoji (2828);
Hypergeomancer	1 package: magicthegathering (3721);
Ianigro, Stefano	2 packages: glotex (2566); idxtex (2880);
Ibarra, Edorta	3 packages: basque-book (474); basque-date (475); ekaia (1852);

C Authors and associated packages

IBM Corporation	2 packages: courier (1359); techexplorer (5867);
Ibrahim, Mustafa	1 package: tiscreeen (6202);
Ikeda, Rirai	1 package: statementsp (5680);
Ikhlef, Razik	2 packages: beamerthemecelestia (536); neoschool (4214);
Ilg, Marcel	1 package: moremath (4067);
Ilieve, Ilieve	1 package: texttool (6045);
Ilten, Philip	1 package: svg (5757);
Indiveri, Giacomo	1 package: h2020proposal (2675);
Ing	1 package: babel-japanese (400);
Innis, Walt	1 package: bagpipe (440);
Information-technology Promotion Agency, Japan	1 package: ipaex (2994);
Ipanaqu�, Robert	1 package: listofanswers (3475);
Irwin, Oliver	1 package: frpseudocode (2403);
Isambert, Paul	15 packages: codedoc (1189); easylist (1790); gates (2450); interpreter (2979); lecturer (3374); librarian (3430); navigator (4184); pitex (4679); sdrt (5379); silence (5495); synproof (5783); texapi (5952); xeindex (6768); xesearch (6772); yax (6877);
Island of TeX	2 packages: albatross (118); checkcites (1009);
Isozaki, Hideki	1 package: ecltree (1810);
Izaola, Zunbeltz	1 package: datetime2-basque (1498);
The JabRef Project	1 package: jabref (3034);
Jabri, Youssef	1 package: arabi (240);
Jacke, Bj�rn	1 package: rmligs (5203);
Jackowski, Bogus�aw	29 packages: cc-pl (963); cep (986); hatching (2705); lm (3494); lm-math (3495); mex (3928); mf-ps (3929); pl-mf (4695); plhyph (4722); poltawski (4752); qfonts (5051); tap (5851); tex-gyre (5912); tex-gyre-adventor (5913); tex-gyre-bonum (5914); tex-gyre-chorus (5915); tex-gyre-cursor (5916); tex-gyre-heros (5917); tex-gyre-math (5918); tex-gyre-math-bonum (5919); tex-gyre-math-dejavu (5920); tex-gyre-math-pagella (5921); tex-gyre-math-schola (5922); tex-gyre-math-termes (5923); tex-gyre-pagella (5924); tex-gyre-schola (5925); tex-gyre-termes (5926); tif2eps (6113); toil (6257);

C Authors and associated packages

Jackowski, Paweł	1 package: pdf-trans (4536);
Jacobsen, Dana	2 packages: bibview (716); refer-tools (5145);
Jacobson, Van	2 packages: s2latex (5274); tgrind (6058);
Jacobson, Alec	1 package: coloremoji (1210);
Jacobsson, Mattias	1 package: karnaugh-map (3121);
Jäger, Dieter	1 package: pecha (4582);
Jaegermann, Michal	1 package: numline (4333);
Jaffer, Aubrey	1 package: pst-marble (4930);
Jagdman, Dirk	1 package: tr2latex (6281);
Jahnz, Ulrich	1 package: eddi4tex (1824);
Jahrling, Robert	1 package: stage (5672);
Jakšić, Nikola	1 package: eps2pdf (1944);
James, Mark	1 package: s2latex (5274);
Janich, Michael	1 package: babel-polish (410);
Janka, Erich	1 package: lcg (3364);
Jankovic, Slobodan	1 package: calxxxx (914);
János, Szász	1 package: algorithmicx (128);
Jansons, Kalvis M.	1 package: txt2tex (6380);
Janthong, Abhabongse	1 package: thaienum (6062);
Jaquina, Jo	1 package: knot (3159);
Jeffrey, Alan	12 packages: bbold (485); diagramf (1600); fontinst (2317); fontsmpl (2333); inputenc (2956); lambda-lists (3240); lazylist (3359); mathptm (3819); mathptmx (3820); rawfonts (5114); somedefs (5602); stmaryrd (5702);
Jelenak, Aleksandar	1 package: srhyphc (5660);
Jeltsch, Wolfgang	2 packages: ucs (6411); unicode (6473);
Jenni, Thomas	1 package: lua-physical (3609);
Jennings, Jared	2 packages: cyber (1462); cybercic (1463);
Jensen, Frank	4 packages: beton (563); calc (897); dkhyphen (1632); euler (2027);
Jensen, S.	1 package: endofproofwd (1906);
Jensen, Simon	1 package: derivative (1583);
Jeong, Joohee	2 packages: jspell (3097); nemocal (4213);

C Authors and associated packages

Jeřábek, Emil	1 package: theoremref (6073);
Jernsletten, Regnor	1 package: babel-samin (415);
van Jerry, Teddy	1 package: seu-ml-assign (5431);
Jiang, Zhuhan	5 packages: arrayjob (269); arrayjobx (270); default (1563); formlett (2355); vruler (6646);
Jiang, Jiang	2 packages: ctex (1431); xecjk (6763);
Jira, Marcel	1 package: progressbar (4817);
JNS team	2 packages: metatype1 (3921); qfonts (5051);
Jørgensen, Palle	18 packages: addfont (62); aesupp (98); carolmin-t1 (934); duerer-latex (1722); emf (1882); exteps (2096); foekfont (2297); fonetika (2301); frimurer (2399); mparrows (4079); ocr-latex (4360); pandora-latex (4476); plimsoll (4723); punk-latex (5013); subtext (5743); tftrupee (6056); thinsp (6082); utf8add (6548);
Jørgensen, Arne	1 package: dk-bib (1631);
John, ST	1 package: annotate-equations (195);
Johnson, Dave	1 package: chgbar (1045);
Johnstone, Adrian	1 package: lcircuit (3365);
Jois, Deepak	1 package: luapackageloader (3658);
Jones, David M.	7 packages: amsrefs (183); eqnarray209 (1974); hangcaption (2689); index (2938); stix (5699); stix2-otf (5700); stix2-type1 (5701);
Jones, Geoffrey	2 packages: ifthenx (2907); typeface (6387);
Jones, Peter	2 packages: mnras (4033); oup-authoring-template (4432);
de Jonge, J. H. M.	1 package: fax (2145);
Jorssen, Christophe	5 packages: pst-circ (4889); pst-infixplot (4919); pst-labo (4924); pst-math (4932); pst-osci (4941);
Josué, Akpoué Kouamé	1 package: interlinear (2977);
Joulin, Jean-Luc	1 package: hsindex (2802);
Jud, Roger	1 package: exercises (2071);
Juhasz, Robert	1 package: babel-romanian (412);
Juillerat, Raymond	2 packages: e-french (1775); frenchle (2390);
Julian	2 packages: bussproofs-colorful (861); seqcalc (5412);
Jund, Asaad Abozeid	1 package: kurdishlipsum (3196);

C Authors and associated packages

Just, Jérémy	3 packages: <code>faq-fr</code> (2138); <code>gutenberg</code> (2671); <code>visualfaq-fr</code> (6622);
Justen, Christian	2 packages: <code>cjhebrew</code> (1098); <code>psgreek</code> (4859);
Kabal, Peter	1 package: <code>texdraw</code> (5970);
Kaerts, Jonas	1 package: <code>jkmath</code> (3064);
Kahn, Constantin	2 packages: <code>textures-metrics</code> (6051); <code>zefonts</code> (6911);
Kaijanaho, Antti-Juhani	4 packages: <code>catdvi</code> (954); <code>finplain</code> (2217); <code>plari</code> (4708); <code>texmalli</code> (6009);
Kakuto, Akira	2 packages: <code>epsf-dvipdfmx</code> (1947); <code>w32tex</code> (6656);
van der Kallen, Wilberd	2 packages: <code>manyind</code> (3770); <code>robustindex</code> (5212);
Kalyani, Sayali	1 package: <code>famt</code> (2116);
Kam, Timothy	1 package: <code>anufinaleexam</code> (212);
Kamalapurkar, Rushikesh	1 package: <code>bodeplot</code> (786);
Kamermans, Mike	2 packages: <code>fontwrap</code> (2336); <code>ucharclasses</code> (6409);
Kaneko, Naoki	1 package: <code>musikui</code> (4137);
Kanerva, Okko	1 package: <code>apl</code> (228);
Kankainen, Kristian	1 package: <code>glossaries-estonian</code> (2547);
Kaplunovsky, Vadim	1 package: <code>phyzzx</code> (4657);
Kapune, Albert	1 package: <code>fi2t1</code> (2177);
Karakoleva, Stefka	2 packages: <code>lshort-bulgarian</code> (3544); <code>pst-eucl-translation-bg</code> (4899);
Karaoglu, Bekir	1 package: <code>lshort-turkish</code> (3566);
Karl, Holger	1 package: <code>psfixbb</code> (4850);
Karlsson, Kimmo	1 package: <code>texlipse</code> (5991);
Karney, Charles	5 packages: <code>cyrillic209</code> (1469); <code>format</code> (2353); <code>lablst-pkg</code> (3233); <code>phy-bstyles</code> (4648); <code>rotate-textures</code> (5223);
Karoonboonyanan, Theppitak	4 packages: <code>babel-thai</code> (425); <code>fonts-arundina</code> (2324); <code>fonts-tlwg</code> (2326); <code>thailatex</code> (6063);
Karr, Jonathan	1 package: <code>grant</code> (2596);
Karrmann, Stefan	1 package: <code>fouridx</code> (2362);
Kartch, Daniel	1 package: <code>siggraph</code> (5492);
Karunakaran, V Karunakaran	1 package: <code>pagedraw</code> (4459);

C Authors and associated packages

Kaspar, Wolfgang	2 packages: cm-mf-extra-bold (1141); expdlist (2077);
Kastrup, David	9 packages: bigfoot (730); binhex (740); longtable (3524); patch (4512); perpage (4593); preview (4795); preview-latex (4796); qstest (5060); suffix (5747);
Katsitadze, Oleg	1 package: eplain (1941);
Kauers, Manuel	1 package: gauss (2452);
Kaufmann, Mike	4 packages: beamersubframe (507); lcd (3362); logpap (3514); notespages (4295);
Kautz, Henry	1 package: refer-tools (5145);
Kavanagh, Ryan	1 package: lintex (3461);
Kay, Alastair	1 package: quantikz (5064);
Kazemi, Sajad	2 packages: parsimatn (4500); parsinevis (4501);
Kazimiers, Tom	1 package: esk (1991);
Kehowski, Walter A.	1 package: linsys (3460);
Kehr, Roger	1 package: xindy (6801);
Keleher, Pete	1 package: alpha (142);
Kelkel, Thomas	4 packages: ligtype (3442); showhyphenation (5476); showkerning (5478); spacekern (5618);
Keller, Mitchell T.	1 package: gatech-thesis (2449);
Kelley, Colin	1 package: gnuplot (2576);
Hamilton Kelly, Brian	4 packages: crosswrd (1394); dvitoln03 (1764); kelly-greek-font (3131); multibox (4116);
Kelly, Nickolas J.	1 package: xbibtex (6741);
Kempe, David	1 package: color-edits (1204);
Kemper, Thorsten	1 package: biblatex-arthistory-bonn (623);
Kempson, Niel	2 packages: bibtex8 (706); vvcode (6652);
Kent, Alan	2 packages: thai-rmit (6060); thai-usl (6061);
Kern, Uwe	2 packages: chroma (1068); xcolor (6750);
Kern, Dominik	1 package: gammas (2441);
Kerstan, Henning	1 package: exercisepoints (2070);
Keßler, Maximilian	1 package: grading-scheme (2592);
Kettl, Gerlinde	1 package: a0poster (1);

C Authors and associated packages

Kew, Jonathan	3 packages: xetex (6777); xetex-def (6778); xetexfontinfo (6784);
Kewley, John	1 package: acronym209 (48);
Khalighi, Vafa	35 packages: arabxetex (247); beamertools (543); bidi (721); bidi-atbegshi (722); bidicontour (723); bidihl (724); bidipagegrid (725); bidipresentation (726); bidishadowtext (727); complexpolylongdiv (1249); crbox (1375); fahyph (2110); fribidixetex (2397); ftnextra (2409); ghab (2514); iftex (2905); imspc (2929); ledarab (3378); ledmac (3379); ledpar (3380); lollipop (3517); luabidi (3624); mpgraphics (4086); parisa (4495); parsitex (4502); roundbox (5230); showcharinbox (5472); simurgh (5516); subfig (5732); tram (6288); unicode-bidi (6475); xecolor (6764); xecolour (6765); xepersian (6770); xindy-persian (6802);
Khodulev, Andrey	1 package: lh (3416);
Kieda, Yuwsuke	4 packages: correctmathalign (1348); mathpunctspace (3821); uppunctlm (6514); variablelm (6567);
Kiefel, Volker	2 packages: elpres (1869); references (5146);
Kieft, Joop	1 package: bahaistar (441);
Kielhorn, Axel	7 packages: adrconv (80); akletter (115); lexikon (3403); manfnt (3763); myletter (4158); refman (5148); wasysym (6666);
Kieling, Konrad	1 package: docarc (1644);
Kiesel, Matthias Jolle	1 package: javadoc (3045);
Kiffe, Tom	2 packages: cmactex (1147); pdftex-oztex (4574);
Kilfiger, James	8 packages: beletter (553); extsizes (2102); flashcard (2255); overrightarrow (4447); play (4714); raggedr (5095); vicentino (6616); xmlplay (6820);
Killesreiter, Gerhard	1 package: ligatex (3440);
Kim, Wonkoo	2 packages: dvips-os2 (1754); pitthesis (4682);
Kim, Dohyun	5 packages: cjk-ko (1102); luamplib (3654); luatexko (3675); nanumtype1 (4176); xetexko (6785);
Kim, Jeong-Hwan	1 package: baekmuk (439);
Kim, Kangsoo	3 packages: kotex-oblivoir (3183); lshort-korean (3554); pmhanguljamo (4736);

C Authors and associated packages

Kime, Philip	16 packages: biber (592); biber-cygwin (593); biber-freebsd (594); biber-linux (595); biber-linux-musl (597); biber-macos (598); biber-ms (599); biber-ms-linux (600); biber-ms-macos (601); biber-ms-windows (602); biber-solaris (603); biber-windows (604); biblatex (613); biblatex-apa (620); biblatex-apa6 (621); biblatex-ms (657);
Kinch, Richard	1 package: belleek (554);
Kingston, Jeff	1 package: lout (3530);
Kirillova, Dariya	1 package: numending (4328);
Kirsch, Sebastian Marius	5 packages: altfont (150); bizcard (758); dco (1549); eco (1812); psfont (4851);
Kisselhoff, Nicolas	1 package: tableaux (5809);
Kitagawa, Hironori	2 packages: ipaex (2994); luatexja (3674);
Kittenberger, Axel	1 package: luatikz (3677);
kkotsi	1 package: outoruby (4439);
KKTeX	7 packages: gckanbun (2460); keisenote (3130); kkluaverb (3151); kkran (3152); kksymbols (3153); luwa-ul (3691); modernruler (4041);
Klammler, Moritz	1 package: dirtytalk (1625);
Kleb, Bil	4 packages: aiaa (109); postcards (4766); subfigmat (5733); umich-thesis (6444);
Kleber, Josef	41 packages: bankstatement (454); battleship (477); diadia (1595); dvdcoll (1726); getmap (2497); installfont (2969); logicpuzzle (3510); miktex-update (3968); milog (3973); pdfcomment (4547); softmaker-alteschwabacher (5571); softmaker-artistic (5572); softmaker-baskervillanova (5573); softmaker-bonita (5574); softmaker-broadway (5575); softmaker-canossa (5576); softmaker-congress (5577); softmaker-delanocaps (5578); softmaker-digital (5579); softmaker-egyptiennestd (5580); softmaker-flagstaff (5581); softmaker-grenoble (5582); softmaker-helium (5583); softmaker-heliumtwo (5584); softmaker-henderson (5585); softmaker-iceberg (5586); softmaker-inverserif (5587); softmaker-jugendstil (5588); softmaker-marseille (5589); softmaker-moab (5590); softmaker-nevada (5591); softmaker-newcastle (5592);

C Authors and associated packages

	softmaker-oldblackletter (5593); softmaker-quadrat (5594); softmaker-stonehand (5595); softmaker-sunset (5596); softmaker-tampa (5597); softmaker-vagrounded (5598); softmaker-velo (5599); softmaker-veracruz (5600); softmakerfreefont (5601);
Klein, Dennis	1 package: rest-api (5180);
Kleinböhl, Jürgen	1 package: os2tex (4416);
Kleinod, Ekkart	1 package: changes (996);
Kleiweg, Peter	5 packages: iahyphen (2857); pssplit (4872); pst-light3d (4927); utf2any (6547); wsuipa2tipa (6735);
Klemens, Ben	1 package: thrmappendix (6095);
Kletzing, Dennis	1 package: multenum (4110);
Kleveland, Rune	2 packages: nohyph (4277); nohyphbx (4278);
Klever, Jan	1 package: quotchap (5077);
Klöcker, Jens	1 package: syngen (5782);
Klöckl, Ingo	4 packages: faltblat (2114); ifsym (2904); ltt (3583); ochem (4355);
Klute, Rainer	1 package: imaketex (2921);
Kluth, Marie-Paule	1 package: faq-fr (2138);
Knaggs, Peter J.	1 package: chapref (998);
Knappen, Jörg	26 packages: babel-bahasa (372); babel-indonesian (396); babel-malay (406); bashkirian (467); ec (1804); esperant (1996); fc (2150); greekctr (2627); holtpolt (2788); inhyph (2947); jknappen (3065); kmrhyph (3155); latin1jk (3351); latin2jk (3352); latin3jk (3353); mathbbol (3799); mathrsfs (3822); ntsfaq (4321); parboxx (4492); sans (5286); semtrans (5408); sgmlcmt (5444); smartmn (5557); tccompat (5858); vmmps (6631); young (6894);
Kneser, Thomas	1 package: floatfig (2267);
Knight, Robert	1 package: tibetan (6106);
Knight, Fred	2 packages: colors (1216); side (5487);
Knight, Jesse	1 package: ut-thesis (6544);

Knuth, Donald E.	46 packages: base (465); cm (1136); cm-mf (1140); cm-pk (1143); cm-tfm (1145); cmtest (1171); concrete (1260); cweb (1457); dvitype (1767); gen (2464); gkpmac (2531); graphbase (2598); gray (2619); halftone (2681); jablantile (3033); knuth-base (3162); knuth-dist (3163); knuth-errata (3164); knuth-letter (3166); knuth-lib (3167); knuth-local (3168); latex-fonts (3278); list (3466); llist (3490); manual (3766); metafont (3904); mfbook (3935); mflogo-font (3940); mfware (3947); picmac (4662); plain (4699); punk (5012); punknova (5014); ransom (5111); selectpage (5395); tangle (5846); testfont (5897); tex (5904); tex-xet (5905); texbook (5955); texware (6053); twocolumns (6367); vf-knuth (6610); vfware (6613); weave (6668); web (6669);
Knuutila, Timo	1 package: tpcmfont (6276);
Koch, Dick	1 package: texshop (6030);
Kocic, Mikica	1 package: xcpdftips (6755);
Kockaert, Pascal	1 package: psfragx (4857);
Köhler, Andreas	1 package: mid2tex (3961);
Koellner, Armin	1 package: vslitex (6648);
König, Thomas	1 package: numericplots (4332);
Koenig, Paul Eduard	2 packages: fragoli (2373); rainbowbrackets (5097);
Kohler, Eddie	5 packages: lcdf-typetools (3363); mmafm (4027); mmpfb (4029); mmttools (4030); t1utils (5801);
Kohlhase, Michael	6 packages: dfgproposal (1592); ed (1823); errata (1982); euproposal (2031); proposal (4826); stex (5696);
Kohm, Markus	46 packages: contract (1319); defoldfonts (1565); floatbytocbasic (2266); floatrowbytocbasic (2272); gridset (2642); gs1 (2649); koma-script (3172); koma-script-examples (3173); koma-script-examples-3 (3174); koma-script-examples-4 (3175); koma-script-examples-5 (3176); koma-script-obsolete (3177); longtwocolumn (3526); lscapenanced (3542); luaindex (3636); makelabels (3747); marginnote (3780); normalcolor (4290); pfarrei (4598); rule-d (5253); scraddr (5342); scrartcl (5344); scrbase (5348); scrbook (5349); scrdate (5350); scrextend (5354); scrhack (5355); scrjura (5363); scrlayer (5364); scrlayer-fancyhdr (5365); scrlayer-notecolumn (5366);

C Authors and associated packages

	scrlayer-scrpage (5367); scrletter (5368); scrfile (5369); scrletttr2 (5370); scrpage2 (5372); scrreprt (5373); scrtime (5374); scrwfile (5375); setspaceenhanced (5426); splitindex (5643); standardsectioning (5675); tocbasic (6248); tocstyle (6253); typearea (6384); uni-titlepage (6469);
Kokan, Ivan	4 packages: algorithm2e (127); babel-croatian (379); datetime2-croatian (1502); excel2latex (2065);
Kolachana, Aditya	1 package: shobhika (5463);
Kolb, Hans-Peter	2 packages: gb4e (2453); tib (6105);
Kole, Erik	1 package: econometrics (1817);
Koller, Lukas	1 package: cora-macs (1342);
Kołodziejska, Hanna	2 packages: go (2578); plhyph (4722);
Kolorenc, Jindrich	1 package: simplewick (5511);
Komarath, Balagopal	1 package: tex-label (5932);
Kondratenko, Danila A.	1 package: omgtudoc-asoiu (4383);
Konecny, Michal	1 package: plnfss (4725);
Kopecky, Felix	3 packages: langsci-affiliations (3250); langsci-avm (3251); phimisci (4640);
Kopp, Oliver	8 packages: biblatex-lni (652); coverpage (1364); jabref (3034); lshort-german (3551); luabibentry (3623); plantuml (4707); refenums (5143); scientific-thesis-cover (5330);
Korikov, Konstantin	1 package: eskdx (1993);
Kornai, András	1 package: clawxiv (1114);
Korop, Sergey	1 package: sanskrit-t1 (5288);
Kort, Eric	1 package: ama (154);
Kosowsky, Conrad	4 packages: innerscript (2955); listparskip (3478); math-operator (3792); mathfont (3810);
Kostin, Alexei	1 package: justfontitte (3110);
Kotelnikov, Igor A.	2 packages: babel-russian (414); gost (2583);
Kotopoulos, Panagiotis	1 package: byzfonts (887);
Kotthoff, Lars	2 packages: dottex (1670); gnuplottex (2577);
Kotucha, Reinhard	6 packages: babel-vietnamese (428); luaaddplot (3622); plnfss (4725); vntex (6632); vntex-nonfree (6633); win32-emacs-auctex (6691);

C Authors and associated packages

Kotz, David	1 package: <code>bibtools</code> (711);
Koutavas, Vasileios	1 package: <code>totcount</code> (6274);
Koyanagi, Fumio	1 package: <code>ecnuthesis</code> (1811);
Kozlovský, Jiří	1 package: <code>pdftex-quiet</code> (4575);
Krämer, Martin	1 package: <code>cptex</code> (1371);
Krajewski, Markus	1 package: <code>synapsen</code> (5780);
Krajník, Petr	1 package: <code>parstat</code> (4504);
Kramer, Mark R.	1 package: <code>clip</code> (1123);
Kraml, Willibald	1 package: <code>vicentino</code> (6616);
Kramm, Sebastien	1 package: <code>chordbars</code> (1066);
Krause, Dirk	7 packages: <code>bmeps</code> (778); <code>bmpp</code> (779); <code>dktools</code> (1633); <code>fig2lat</code> (2184); <code>fig2vect</code> (2188); <code>pdf-forms-tutorial</code> (4535); <code>png2pdf</code> (4742);
Kreher, Donald L.	1 package: <code>pseudocode</code> (4848);
Kremer, Sebastian	1 package: <code>tib</code> (6105);
Kremers, Joost	1 package: <code>ebib</code> (1798);
Kreutzer, Michiel	1 package: <code>leiletter</code> (3383);
Krieg, Christian	1 package: <code>osda</code> (4419);
Krishnamurthy, Venkat	1 package: <code>res</code> (5173);
Krommes, John A.	1 package: <code>fweb</code> (2433);
Kroonenberg, Siep	5 packages: <code>epspdf</code> (1954); <code>epspdf-extra</code> (1955); <code>epspdf-setup</code> (1956); <code>latexcourse-rug</code> (3328); <code>tlaunch</code> (6233);
Kroutikov, Mike	2 packages: <code>churchslavonic</code> (1074); <code>fonts-churchslavonic</code> (2325);
Kruchinin, Stanislav	1 package: <code>disser</code> (1626);
Krüger, Marcel	14 packages: <code>aligned-overset</code> (133); <code>cmap</code> (1148); <code>fontawesome5</code> (2306); <code>hyperbar</code> (2839); <code>inputnormalization</code> (2959); <code>intopdf</code> (2983); <code>lua-ul</code> (3616); <code>lua-uni-algos</code> (3617); <code>lua-unicode-math</code> (3618); <code>luamathalign</code> (3649); <code>luamml</code> (3652); <code>luaotfload</code> (3657); <code>luapstricks</code> (3661); <code>show-pdf-tags</code> (5470);
Kruljac, Gabriele	1 package: <code>autotab</code> (356);
Krumeich, Alexander	2 packages: <code>biber-linux-aarch64</code> (596); <code>biber-linux-musl</code> (597);

C Authors and associated packages

Kryukov, Alexey	6 packages: antomega (208); cm-lgc (1139); grkfst (2644); ofntinst (4366); oldstandard (4377); psgreek (4859);
Kubiak, Ryszard	1 package: lshort-polish (3558);
Kubica, Marek	1 package: texments (6011);
Kudlec, Manfred	1 package: ethiop (2011);
Kühn, Wolfgang	1 package: ite (3024);
Küpper, Jochen	1 package: jkthesis (3066);
Küster, Frank	3 packages: alnumsec (141); labbook (3224); volumes (6635);
Kuhaupt, Johannes	2 packages: schule (5325); syntaxdi (5786);
Kuhlmann, Volker	10 packages: dvipsconfig (1757); ieeeepes (2883); lhlp (3418); listbib (3467); listing (3468); makefonts (3740); photo (4646); savefnmark (5299); vmargin (6629); vpage (6639);
Kuhlmann, Marco	1 package: fmp (2280);
Kuhlmann, Vincent	1 package: highlightlatex (2761);
Kuhn, Matthew R.	1 package: ascelike (288);
Kuhn, Jonathan	1 package: interactiveworkbook (2974);
Kuhn, Markus	1 package: upquote (6515);
Kuhn, Tobias	1 package: bchart (489);
Kuhnert, Sebastian	2 packages: apptools (237); bibleref-parse (690);
Kuiken, Gerard	1 package: ushyph (6539);
Kuipers, Tobias	1 package: harpoon (2700);
Kukovec, Rok	3 packages: exam-lite (2054); jourcl (3080); jourrr (3081);
Kulumani, Shankar	1 package: thesis-gwu (6079);
Kumar, Rohit Vishal	1 package: mfwl (3948);
Kumar, Anagha	2 packages: gradstudentresume (2593); medstarbeamer (3872);
Kumar, Shanu	1 package: hindawi-latex-template (2764);
Kummer, Olaf	5 packages: blackboard (760); doublestroke (1673); ethiop (2011); morehelp (4065); okuda (4371);
Kunert, Volker	1 package: dmfonts (1636);
Kurtz, Markus	2 packages: paracol (4485); pdfjam (4553);
Kurz, Vladislav	1 package: t1-fraktur (5796);

C Authors and associated packages

Kusakabe, Yukoh	5 packages: asternote (304); hideanswer (2756); inlinelabel (2954); jpnedenumerate (3088); jpnedumathsymbols (3089);
Kuska, Jens-Peer	1 package: mathematica (3805);
Kuwabara, Makoto	1 package: jpsj (3090);
Kuykens, Hans	1 package: midi2tex (3962);
Kuznetsov, Alexey	3 packages: basiclatex-ru (469); chemformula-ru (1022); xstix2 (6848);
Kwan, Alistair	1 package: aucklandthesis (326);
Kwok, Conrad	1 package: eepic (1834);
Laakso, Aarre	1 package: chicago-annotate (1048);
van der Laan, Kees	8 packages: blue (774); bridge (840); bridge-pln (841); btable (850); crw (1397); laansort (3223); pwt (5018); vrb (6643);
Labbé, Julien	4 packages: altsubsup (152); bracealign (827); overarrows (4442); texlogfilter (6005);
LaCara, Nicholas	1 package: nnext (4271);
Lachaume, Régis	1 package: zigaretten (6923);
Lachnit, Stephan	1 package: moderncv (4038);
Lackas, Christian	1 package: psrip (4871);
Ladner, Tobias	1 package: cora-macs (1342);
Lagally, Klaus	1 package: arabtex (246);
Lago, Nelson	3 packages: froufrou (2402); pbalance (4522); texlogsieve (6007);
Lago Garcia, Jesus	1 package: optidef (4403);
Lagos Suárez, Fausto Mauricio	1 package: maker (3750);
Laitei	1 package: modernnewspaper (4039);
Laitinen, Jani	1 package: texlipse (5991);
Lake, Michael	1 package: scalebar (5311);
Lakhdar, Sidi Mohamed	2 packages: arabi-add (241); table-fct (5807);
Lakhwani, Kushagra	1 package: korigamik (3182);
Lambert, Thomas	1 package: beamertheme-trigon (532);
Lambertini, Francesco	1 package: quickreaction (5071);
Lamers, Jürgen A.	1 package: thesis-titlepage-fhac (6081);

C Authors and associated packages

Lammarsch, Marion	1 package: latex-refsheet (3295);
Lamport, Leslie	12 packages: acmproc (41); acmtrans (42); alltt (137); alltt2 (138); graphpap (2614); ifthen (2906); latex (3259); latex-errata (3274); latex-fonts (3278); latex209 (3305); letter (3390); unpacked (6499);
Lamprecht, Guenther	1 package: xtem (6852);
Lamy, Jean-François	1 package: a4wide (5);
Lanchares, Ernesto	1 package: clojure-pamphlet (1127);
Landy, Michael S.	1 package: mslapa (4098);
Lang, Edmund	2 packages: bar (455); barkom (462);
Lang, Russell	3 packages: epstool (1958); gsview (2652); pfm2afm (4600);
Lange, Stefan	1 package: gu (2657);
Lange, Holger	1 package: footnotebackref (2341);
Langmyhr, Dag	4 packages: dviinfox (1744); elbioimp (1855); norbib (4289); startex (5679);
Langner, Ricardo	1 package: cleanthesis (1115);
Laouidji, Walid	3 packages: na-border (4161); na-position (4163); sexam (5434);
Lapko, Olga	4 packages: floatrow (2271); lh (3416); makecell (3734); tablists (5815);
Larchey, Dominique	1 package: tfmpktest (6055);
Larsson, Jan-Åke	1 package: dvipng (1752);
Larsson, Johan	1 package: moloch (4053);
Larsson, Carl Martin Henrik	1 package: comment-io (1239);
Lasgouttes, Jean-Marc	1 package: simplecv (5502);
Lasis, Andris	1 package: babel-latvian (403);
Lasou, Pierre	1 package: ulthese (6441);
Lassaline, Jason V.	1 package: ryethesis (5273);
The LaTeX Project Team	150 packages: afterpage (106); alltt (137); amsbsy (165); amscd (166); amsmath (175); amsopn (178); amstext (185); array (267); article (278); autopict (353); bm (775); book (796); bookmark (805); calc (897); cfgguide (988); classes (1107); clsguide (1134); cmextra-latex (1159); color (1203); ctablestack (1423); cyrguide (1467); dcolumn (1550); delarray (1572); doc (1642); docstrip (1651); dvipdfmx-def (1751); dvisvgm-def (1763); empheq (1889);

encguide (1895); enumerate (1917); epsfig (1948);
 etex-pkg (2008); expl3 (2086); exscale (2091);
 fix-cm (2233); fixltx2e (2241); fntguide (2293);
 fontenc (2316); fontsmpl (2333); fontspec (2334);
 fonttable (2335); ftnright (2408); geometry (2482);
 gitinfo (2525); gitinfo2 (2527); gitlog (2528);
 graphics (2604); graphics-cfg (2605); graphics-def (2606);
 graphicx (2609); graphpap (2614); helvet (2719);
 hyperref (2842); ifetex (2892); ifluatex (2896);
 ifpdf (2901); iftex (2905); ifthen (2906); ifvtex (2908);
 ifxetex (2909); indentfirst (2937); inputenc (2956);
 keyval (3142); l3backend (3211); l3backend-dev (3212);
 l3build (3213); l3docstrip (3214); l3experimental (3215);
 l3kernel (3216); l3kernel-dev (3217); l3keys2e (3218);
 l3packages (3219); l3regex (3220); l3sys-query (3221);
 latex (3259); latex-amsmath (3260);
 latex-amsmath-dev (3261); latex-base (3262);
 latex-base-dev (3263); latex-cyrillic (3270);
 latex-doc (3272); latex-firstaid (3276);
 latex-firstaid-dev (3277); latex-graphics (3282);
 latex-graphics-dev (3283); latex-lab (3287);
 latex-lab-dev (3288); latex-tagging-status (3298);
 latex-tools (3300); latex-tools-dev (3301);
 latexbug (3320); latexrelease (3345); layout (3357);
 letter (3390); longtable (3524); lscap (3541);
 ltnews (3581); ltxdoc (3592); lualibs (3646);
 luaotfload (3657); luatex-def (3669); luatex85 (3672);
 makeidx (3744); mathptmx (3820); mathtools (3836);
 mfnfss (3942); mhsetup (3955); minimal (3988);
 modguide (4044); multicol (4118); needspace (4211);
 nfssfont (4246); pdfmanagement (4556); picinpar (4660);
 pifont (4675); proc (4804); psnfss (4863); rawfonts (5114);
 report (5169); required (5171); rotating (5224);
 shellesc (5459); shortvrb (5469); slides (5547);
 somedefs (5602); source2e (5612); structuredlog (5715);
 syntonly (5788); t1enc (5797); tabularx (5834);
 tagging (5838); tagpdf (5840); tex-ini-files (5929);
 theorem (6072); trace (6282); trig (6317);
 unicode-data (6476); unpacked (6499); usrguide (6542);
 verbatim (6587); xcoffins (6749); xcolor (6750);
 xetex-def (6778); xfp (6791); xfrac (6792); xgalley (6793);
 xparse (6826); xr (6838); xspace (6846); xtemplate (6853);

LaTeX 工作室

1 package: mcmthesis (3856);

Laube, Simon Michael

2 packages: etdipa (2006); shdoc (5458);

Laurens, Jérôme

2 packages: pdfsync (4570); synctex-parser (5781);

C Authors and associated packages

Laurie, Dirk	1 package: <code>m-tx</code> (3704);
Laus, Luís Paulo	4 packages: <code>tikz-karnaugh</code> (6132); <code>tikz-ladder</code> (6133); <code>tikz-relay</code> (6147); <code>tikz-sfc</code> (6148);
Lausdahl, Kenneth	1 package: <code>vdmlisting</code> (6580);
Lauwers, Fred	1 package: <code>dropcaps</code> (1705);
Lavagnino, John	2 packages: <code>edmac</code> (1828); <code>endnotes</code> (1903);
Lavva, Boris	1 package: <code>babel-hebrew</code> (393);
Law, Simon	2 packages: <code>circ</code> (1080); <code>pbox</code> (4528);
Lawrence, Scott	1 package: <code>vgrid</code> (6614);
Leadbetter, David	1 package: <code>objectz</code> (4346);
Leangsuksun, Chokchai	1 package: <code>mctex</code> (3857);
Lečić, Nikola	3 packages: <code>biber-freebsd</code> (594); <code>cm-unicode</code> (1146); <code>oldstandard</code> (4377);
Leclaire, Maurice	2 packages: <code>marginfit</code> (3778); <code>minidocument</code> (3979);
Ledger, Buddy	1 package: <code>pst-fit</code> (4903);
Lee, Greg	1 package: <code>gl-tree</code> (2532);
Lee, John J.	1 package: <code>isi2bibtex</code> (3003);
Lee, Jay	1 package: <code>simplebnf</code> (5500);
Lee, Kihwang	4 packages: <code>kotex-oblivoir</code> (3183); <code>kotex-plain</code> (3184); <code>kotex-utf</code> (3185); <code>kotex-utils</code> (3186);
Lee, Qing	8 packages: <code>cjkpunct</code> (1103); <code>ctex</code> (1431); <code>wrapstuff</code> (6728); <code>xcjk2uni</code> (6746); <code>xecjk</code> (6763); <code>xpinyin</code> (6834); <code>zhnumber</code> (6920); <code>zhspacing</code> (6921);
Lee, Robert J	4 packages: <code>arraysort</code> (272); <code>gamebooklib</code> (2440); <code>macroswap</code> (3712); <code>rjlparschap</code> (5199);
Lee, Zeping	4 packages: <code>citation-style-language</code> (1089); <code>ctex</code> (1431); <code>gbt7714</code> (2456); <code>lua-tinyyaml</code> (3613);
Leeman, George B	1 package: <code>ibmres-tex</code> (2862);
Leemans, Sander J.J.	1 package: <code>tikz-bpmn</code> (6120);
van Leeuwen, Marc	1 package: <code>cwebx</code> (1461);
Leffler, Sam	1 package: <code>tiff</code> (6114);
Le Floch, Bruno	7 packages: <code>cprotect</code> (1368); <code>gtl</code> (2654); <code>morewrites</code> (4070); <code>multiexpand</code> (4124); <code>randomwalk</code> (5106); <code>reverxii</code> (5185); <code>unravel</code> (6500);

C Authors and associated packages

Lehman, Philipp	8 packages: biblatex (613); csquotes (1410); etoolbox (2016); fontinstallationguide (2318); logreq (3515); ltxdockit (3593); nfssect-cfr (4245); ttf2tex (6339);
Lehmke, Stephan	2 packages: texpower (6022); tpslifonts (6278);
Leichter, Jerry	4 packages: acm (38); bsf (846); multirow (4131); seceqn (5384);
Leijen, Daan	3 packages: ellipse (1865); longfbox (3520); options (4406);
Leilich, Jens	1 package: timing (6193);
Leineweber, Thomas	2 packages: method (3923); protocol (4831);
Leis, John	1 package: latexcad (3321);
Leistner, Carolin	1 package: tipa-de (6198);
Lejay, Antoine	5 packages: compactbib (1245); constants (1265); currency (1439); functan (2415); shuffle (5484);
Lella, Paolo	1 package: quiz2socrative (5074);
Lelong, Jérôme	4 packages: amsaddr (162); appendixnumberbeamer (234); beamerthemejltree (538); chklref (1060);
Lemberg, Werner	20 packages: arphic (265); babel-georgian (390); babel-vietnamese (428); baekmuk (439); c2cweb (889); cd (970); cjk (1099); cjk-fonts (1100); cyrguide (1467); czhyph2e (1473); dehyph (1568); dehyph-exptl (1569); encguide (1895); fontchart (2314); freetype (2387); hyphenex (2850); t2 (5802); ttf2pfb (6337); vntex (6632); wadalab (6657);
Lenaerts, Frank	1 package: beletter (553);
Lenser, Peter	1 package: create-struktex (1376);
Lenzen, Michael	1 package: g-brief (2435);
Lepper, Ingo	1 package: burmese (856);
Leve, Victore	1 package: latino-sine-flexione (3354);
Levien, Raph	1 package: inconsolata (2934);
Levin Hansen, Kristoffer	1 package: ucph-revy (6410);
Levine, Michael	1 package: feynman (2169);
Levivier, Marc	1 package: eigo (1845);
Levrie, Paul	1 package: kdgdoks (3127);
Levy, Silvio	3 packages: cweb (1457); geomsty (2484); levy-font (3399);
Lewenberg, Adam	2 packages: dvii (1742); mathtime-pln (3835);
Lewis, Richard	1 package: svn (5761);

C Authors and associated packages

Lhotka, Lada	1 package: <code>csfonts</code> (1403);
Li, Yanrui	2 packages: <code>context-notes-zh-cn</code> (1297); <code>ctex</code> (1431);
Li, Changkai	1 package: <code>dbshow</code> (1547);
Li, Gang	1 package: <code>powerdot-tuliplab</code> (4773);
plante	4 packages: <code>eoldef</code> (1931); <code>freemath</code> (2386); <code>tokmap</code> (6262); <code>visualtoks</code> (6626);
Li, Rundong	1 package: <code>shtthesis</code> (5483);
Li, Sheldon	1 package: <code>luatex-cn</code> (3668);
Li, Zilong	1 package: <code>sjtutex</code> (5524);
Liang, Franklin M.	1 package: <code>patgen</code> (4514);
Liang, Moyan	1 package: <code>inkpaper</code> (2949);
Liang, Yifan	2 packages: <code>tidyres</code> (6110); <code>zennote</code> (6912);
Lichti, Roland	1 package: <code>script</code> (5357);
Lichti, David	1 package: <code>embedall</code> (1878);
Lickert, Knut	4 packages: <code>blindtext</code> (764); <code>menu</code> (3892); <code>minutes</code> (3999); <code>rake4latex</code> (5098);
Lidovski, Vladimir	2 packages: <code>lcyw</code> (3366); <code>mpman-ru</code> (4088);
Liebl, Armin	1 package: <code>bibview-x</code> (717);
Lienhard, John H.	4 packages: <code>asmeconf</code> (296); <code>asmejour</code> (297); <code>mitthesis</code> (4004); <code>prtec</code> (4833);
Likonen, Teemu	1 package: <code>kaytannollista-latexia</code> (3124);
Lillqvist, Tor	1 package: <code>ocr-a</code> (4357);
Lím, Drahoslav	1 package: <code>mt11p</code> (4102);
Lim, LianTze	2 packages: <code>beamertheme-mirage</code> (522); <code>pgfornament-han</code> (4622);
Linares, Pedro	2 packages: <code>interactiveanimation</code> (2972); <code>interactiveplot</code> (2973);
Lindahl, Svante	2 packages: <code>dvi2tty</code> (1733); <code>dvitty</code> (1766);
Lindenberg, Norbert	1 package: <code>lpw</code> (3537);
Lindgren, Ulf	1 package: <code>fncychap</code> (2284);
Lindhout, C. M.	1 package: <code>nassflow</code> (4178);
Lindner, Stefan	1 package: <code>circuitikz</code> (1085);
Lingnau, Anselm	3 packages: <code>bigsign</code> (733); <code>float</code> (2265); <code>tkdvi</code> (6215);

C Authors and associated packages

Lipari, Giuseppe	1 package: <code>rtsched</code> (5246);
Lipp, Fabian	1 package: <code>luatodonotes</code> (3678);
Liska, Urs	1 package: <code>lilyglyphs</code> (3443);
ListLee	1 package: <code>chinese-jfm</code> (1055);
Liu, Leo	7 packages: <code>ctex</code> (1431); <code>diagbox</code> (1596); <code>seealso</code> (5392); <code>xecjk</code> (6763); <code>zhmakeindex</code> (6916); <code>zhmcjk</code> (6917); <code>zhmetrics-uptex</code> (6919);
Liu, Changxin	1 package: <code>bjfuthesis</code> (759);
Liu, Yi	1 package: <code>latexalpha2</code> (3318);
Llopis, Ignacio	1 package: <code>papertex</code> (4483);
Löffler, Andreas	2 packages: <code>business-research</code> (858); <code>sparklines</code> (5624);
Löh, Andres	1 package: <code>polytable</code> (4758);
von Loesch, Boris	1 package: <code>texlipse</code> (5991);
Loh, Ka-tsun	1 package: <code>easing</code> (1778);
Lohne, Mathias	1 package: <code>simpleinvoice</code> (5504);
Lombardy, Sylvain	1 package: <code>vaucanson-g</code> (6576);
Long, F.W.	1 package: <code>multind</code> (4127);
Long, Mathieu	1 package: <code>chronosys</code> (1071);
Longaster	3 packages: <code>cdcmd</code> (971); <code>updatemarks</code> (6509); <code>zitie</code> (6925);
Longborough, Brent	4 packages: <code>gitinfo</code> (2525); <code>gitinfo2</code> (2527); <code>gitlog</code> (2528); <code>tagging</code> (5838);
López, Joaquín Ataz	1 package: <code>guia-bibtex</code> (2660);
Lopez, Aliaume	1 package: <code>ensps-colorscheme</code> (1916);
López-Valencia, Alejandro	1 package: <code>oztex-fonts</code> (4451);
Lorenz, Björn	1 package: <code>neufont</code> (4216);
Lorenzen, Klaus F.	1 package: <code>din1505</code> (1616);
Loretan, Mico	1 package: <code>selnolig</code> (5397);
Loreti, Maurizio	9 packages: <code>brushscr</code> (845); <code>bsheaders</code> (847); <code>initials</code> (2948); <code>lintex</code> (3461); <code>lucold</code> (3688); <code>recipe</code> (5132); <code>rgb</code> (5193); <code>sfheaders</code> (5440); <code>webomints</code> (6677);
Lotz, Wolfhard	1 package: <code>xtem</code> (6852);
Lotz, Manfred	1 package: <code>pkgcheck</code> (4689);
Lotze, Thomas	1 package: <code>genmpage</code> (2472);

C Authors and associated packages

Lounsbury, Andrew	3 packages: latex-for-undergraduates (3279); metaphor (3913); suppose (5753);
Lourenço de Lima, Eduardo C.	4 packages: classics (1109); clipboard (1124); coppypaste (1340); sepfootnotes (5410);
Lourenço, João M.	3 packages: biblatex-cse (634); coloredtheorem (1209); stocksize (5703);
Louthan, George	1 package: tucv (6344);
Love, David	1 package: truecols (6324);
Lovell, Matthew	2 packages: latexpand (3343); register (5153);
Lu, Shilong	2 packages: beautybook (546); beautynote (547);
The LuaTeX Team	1 package: luatex (3667);
Lubbers, Mart	1 package: rutitlepage (5268);
Lubenets, Yuri	2 packages: latexwide (3348); russian-help (5266);
Merciadri, Luca	4 packages: bigints (732); dashundergaps (1482); plantslabels (4706); turnthepage (6359);
Luciano, Francesco	1 package: onlinebrief24 (4388);
Ludewig, Berthold	4 packages: gothic (2584); schwell (5329); sueterlin (5746); va (6564);
Ludwig, Matthias	1 package: translation-enumitem-de (6299);
Lück, Uwe	36 packages: adhocfilelist (72); bitelist (750); catcodes (952); commado (1233); dhua (1593); doc-pictex (1643); dowith (1676); edfnates (1825); ednotes (1831); fifinddo (2180); fifinddo-info (2181); filedate (2204); fileinfo (2208); finstrut (2218); fnlineno (2286); ifnextok (2899); inputtrc (2960); langcode (3247); latexfileinfo-pkgs (3333); lineno (3451); longnamefilelist (3523); ltabptch (3577); makedoc (3738); monofill (4056); morehype (4066); myfilist (4155); nicefilelist (4248); nicetext (4253); niceverb (4254); pictex-autoarea (4665); plainpkg (4704); readprov (5124); tamefloats (5843); typeoutfileinfo (6389); versions (6604); wiki (6688);
Luecking, Daniel H.	11 packages: excludeonly (2067); fntproof (2294); mathdots (3804); mfpic (3943); minifp (3980); nkarta (4265); plstmary (4727); simplified-latex (5513); sparklines (5624); splines (5639); threeddice (6091);
Lüddecke, Jobst-Hartmut	3 packages: bard (458); rune (5259); srune (5661);
Luk, Tseka	1 package: jouthesis (3082);

C Authors and associated packages

Lukas, Florian	1 package: <code>rorlink</code> (5220);
Lukasczyk, Stephan	2 packages: <code>inconsolata-nerd-font</code> (2935); <code>se2thesis</code> (5381);
Lulli, Paolo	1 package: <code>texpack</code> (6017);
Lundqvist, Mikael	1 package: <code>mif2xfig</code> (3965);
Łupkowski, Paweł	1 package: <code>fancyslides</code> (2131);
Lupton, Robert	1 package: <code>rtf2tex</code> (5243);
Luque, Manuel	27 packages: <code>pst-am</code> (4877); <code>pst-antiprism</code> (4878); <code>pst-calendar</code> (4887); <code>pst-cie</code> (4888); <code>pst-contourplot</code> (4891); <code>pst-diffraction</code> (4895); <code>pst-electricfield</code> (4896); <code>pst-fun</code> (4909); <code>pst-geo</code> (4913); <code>pst-labo</code> (4924); <code>pst-lens</code> (4926); <code>pst-magneticfield</code> (4929); <code>pst-marble</code> (4930); <code>pst-mirror</code> (4933); <code>pst-moire</code> (4934); <code>pst-optic</code> (4940); <code>pst-osci</code> (4941); <code>pst-platon</code> (4947); <code>pst-rubans</code> (4954); <code>pst-shell</code> (4955); <code>pst-solarsystem</code> (4958); <code>pst-solides3d</code> (4959); <code>pst-spinner</code> (4964); <code>pst-spirograph</code> (4965); <code>pst-stru</code> (4966); <code>pst-thick</code> (4969); <code>pst-vue3d</code> (4979);
Luque, Jean-Gabriel	1 package: <code>pst-cox</code> (4892);
Luttinen, Jaakko	1 package: <code>tikz-bayesnet</code> (6118);
Luz, Saturnino	1 package: <code>mnotes</code> (4032);
Lyu, Jianrui	13 packages: <code>beamerthemeconcrete</code> (537); <code>codehigh</code> (1190); <code>freealign</code> (2385); <code>functional</code> (2416); <code>jnuexam</code> (3076); <code>medmath</code> (3871); <code>ninecolors</code> (4260); <code>pegmatch</code> (4584); <code>ppmcheckpdf</code> (4776); <code>randexam</code> (5102); <code>tabularray</code> (5831); <code>texfindpkg</code> (5975); <code>typstfun</code> (6397);
Lyubashenko, Volodymyr	1 package: <code>t-angles</code> (5795);
Ma, Zheng	1 package: <code>mlmath</code> (4020);
Macchia, Angelo	1 package: <code>topfloat</code> (6268);
MacKay, Pierre A.	11 packages: <code>babel-turkish</code> (426); <code>cm-afm</code> (1137); <code>dvipaste</code> (1748); <code>fontbl</code> (2311); <code>ibygrk</code> (2865); <code>latex-fonts</code> (3278); <code>ps2pk</code> (4838); <code>tex-xet</code> (5905); <code>tkhyph</code> (6216); <code>turkish</code> (6355); <code>xet-tex</code> (6775);
Maclaine-Cross, Ian	1 package: <code>curves</code> (1447);
Maclennan, Caleb	1 package: <code>libertinus-fonts</code> (3425);
madmurphy	1 package: <code>hereapplies</code> (2738);
Madr, Míchal	1 package: <code>lshort-czech</code> (3545);

C Authors and associated packages

Madsen, Lars	19 packages: breqn (839); digiconfigs (1613); dlfltxb (1634); empheq (1889); flexisym (2262); interval (2980); mathstyle (3831); mathtools (3836); memdesign (3877); memexsupp (3878); memhfixc (3879); memoir (3883); memoirchapterstyles (3884); mh (3950); mhsetup (3955); sasnrdisplay (5294); threeparttablex (6094); verbatimcopy (6592); xfrac (6792);
Maeda, Kazuki	7 packages: pibibtex-base (4523); platex (4710); ptex-base (4998); ptex-fonts (5000); uplatex (6511); uptex-base (6518); uptex-fonts (6519);
Magnus, P.D.	1 package: latexcount (3327);
Magwene, Paul M.	1 package: nihbiosketch (4257);
Mahadik, Shilpa	1 package: famt (2116);
Mahajan, Aditya	6 packages: context-filter (1282); context-gantt (1287); context-mathsets (1296); context-simpleslides (1303); context-vim (1314); context-visualcounter (1315);
Maier, Philipp	1 package: cv (1453);
Maillot, Jérôme	1 package: psboxit (4846);
Majewsky, Stefan	1 package: delim (1575);
Majkrzak, Piotr	1 package: sitem (5521);
Majoros, Dániel	1 package: simplecd (5501);
Malaquias, José Romildo	3 packages: boites (789); efbox (1835); pygmentex (5035);
Maldonado Jr, Walter	1 package: fcavtex (2152);
Maloney, Ross	1 package: xbibfile (6740);
Malyarenko, Anatoliy A.	1 package: literaturnaya (3481);
Malyshev, Basil	6 packages: bakoma (443); bakoma-fonts (444); bakoma-games (445); bakoma-mac (446); cmcyr (1153); fontload (2319);
Manda, Bhaskar	1 package: envbig (1923);
Manderla, Thomas	1 package: booktabs-de (808);
Mangal, Bhaskar	1 package: ktbox (3192);
Manhiça, Danilo Stélio	2 packages: equationauthor (1978); scientificauthor (5331);
Mansfield, Niall	2 packages: add-wes (61); fancyvrb (2134);
Manthanwar, Amit M.	1 package: pst-flags (4904);
Mantzouratos, Yannis	1 package: dithesis (1628);

C Authors and associated packages

Marchesi, José E.	1 package: <code>gv</code> (2672);
Marchezi, José Paulo	1 package: <code>beamertheme-cleaneasy</code> (511);
Marder, Joachim	1 package: <code>excel2latex</code> (2065);
Mareschal, Pierre	1 package: <code>refer-tools</code> (5145);
Maretić, Marcel	1 package: <code>hrlatex</code> (2801);
Mařík, Robert	5 packages: <code>acroweb</code> (55); <code>fancytooltips</code> (2133); <code>jeopardy</code> (3054); <code>mfpic4ode</code> (3944); <code>ocgtools</code> (4352);
Marinović, Igor	1 package: <code>hrhyph</code> (2800);
Markevitch, Maxim	1 package: <code>emulateapj</code> (1894);
Markey, Nicolas	7 packages: <code>bib-fr</code> (576); <code>bibexport</code> (606); <code>inriafonts</code> (2961); <code>multidef</code> (4121); <code>pdfxup</code> (4581); <code>splitbib</code> (5642); <code>tamethebeast</code> (5844);
Markgraf, Norman	1 package: <code>beamertheme-npbt</code> (523);
marmotghost	1 package: <code>tikz-bbox</code> (6119);
Marques, Daniel B.	1 package: <code>biblatex-abnt</code> (614);
Marris, Luke	1 package: <code>twoxtwogame</code> (6373);
Marschall, Holger	1 package: <code>beameraudience</code> (502);
Mart, Terry	4 packages: <code>babel-bahasa</code> (372); <code>babel-indonesian</code> (396); <code>babel-malay</code> (406); <code>inhyph</code> (2947);
Martelli, Riccardo	1 package: <code>novabeamer-theme</code> (4304);
Martí, Luis	1 package: <code>multiobjective</code> (4129);
Martín, Agustín	1 package: <code>faq-es</code> (2137);
Martin, Holger	1 package: <code>bibview-x</code> (717);
Martinsen, Torsten	1 package: <code>latex2e-help-texinfo</code> (3306);
Marvan, Michal	1 package: <code>nath</code> (4181);
Mas Casals, Orestes	1 package: <code>babel-catalan</code> (378);
Masataka, Nomura	1 package: <code>lshort-japanese</code> (3553);
Masłowski, Michał	1 package: <code>logical-markup-utils</code> (3508);
Massago, Sadao	2 packages: <code>latex-via-exemplos</code> (3304); <code>tabularray-abnt</code> (5832);
Matarazzo, Giuseppe	2 packages: <code>pst-geo</code> (4913); <code>pst-stru</code> (4966);
Mathar, Richard J	4 packages: <code>endnote2bib</code> (1902); <code>ijqc</code> (2916); <code>numalg</code> (4324); <code>r2bib</code> (5092);

C Authors and associated packages

Mathas, Andrew	5 packages: atableau (316); bigtable (735); smartunits (5560); webquiz (6678); wordle (6718);
Mathews, Bob	1 package: mathtype (3838);
Matiaske, Wenzel	3 packages: mlbib (4017); paper (4480); thesis (6077);
Matischok, Fabian	1 package: tikz-cookingsymbols (6122);
Matos, Jody	1 package: easyreview (1792);
Matschull, Hans-Jürgen	1 package: longmath (3522);
Matt, Christian	1 package: algpseudocodex (130);
Matter, Florian	1 package: expex-acro (2079);
Mattes, Eberhard	2 packages: emtex (1891); qdtevp1 (5048);
Matteson, Steve	3 packages: arimo (258); droid (1702); tinos (6195);
Matthes, Alain	13 packages: alterqcm (149); pgfornament (4621); tkz-base (6218); tkz-berge (6219); tkz-doc (6221); tkz-elements (6222); tkz-euclide (6223); tkz-fct (6224); tkz-graph (6225); tkz-kiviat (6228); tkz-linknodes (6229); tkz-tab (6231); tkzexample (6232);
Matthias, Andreas	1 package: pdfpages (4561);
Matthiopoulos, George D.	4 packages: gfs (2503); gfsartemisia (2504); gfscomplutum (2507); gfsdidot (2508);
Mattison, Sven	1 package: slatex (5541);
Matveev, Rostislav	1 package: lpic (3534);
Mauw, Sjouke	1 package: msc (4096);
Maxwell, Adam R.	2 packages: onrannual (4390); tcobrowser (5861);
May, Wolfgang	3 packages: extsizes (2102); ntheorem (4317); pst-dbicons (4894);
May, Ludwig	1 package: timing (6193);
Mayer, Gyula	1 package: huhyp (2809);
Mayer, Steve	2 packages: latexrender (3346); tex-converter (5906);
Mazoit, Frédéric	1 package: tableauvariations (5808);
Mazzamuto, Giacomo	1 package: europasscv (2038);
McBane, George	1 package: gcard (2457);
McCarthy, Adrian	1 package: scripttex (5360);
McCauley, James Darrell	2 packages: cea (975); marnote (3784);
McClain, Christopher	2 packages: counterz (1355); examz (2063);

C Authors and associated packages

McClelland, Tony	1 package: <code>corelfonts</code> (1344);
McCormick, Doc	1 package: <code>hpgl2ps</code> (2796);
McCurley, Kevin	2 packages: <code>iacrj</code> (2855); <code>metacapture</code> (3903);
McDonnell, Rowland	5 packages: <code>cmolddig</code> (1163); <code>eurofont</code> (2035); <code>pageno</code> (4465); <code>rmpage</code> (5204); <code>sectsty</code> (5391);
McGuinness, Daniel T.	1 package: <code>hebdomon</code> (2713);
McHale, Ciaran	2 packages: <code>refer</code> (5144); <code>refer-tools</code> (5145);
McJones, Paul	1 package: <code>pstotext</code> (4986);
McKay, Benjamin	5 packages: <code>dynkin-diagrams</code> (1773); <code>epigraph-keys</code> (1938); <code>lie-hasse</code> (3436); <code>rank-2-roots</code> (5110); <code>willowtreebook</code> (6690);
Mc Kearney, Stephen	1 package: <code>wordweb</code> (6721);
McKenzie, Andrew	1 package: <code>ling-macros</code> (3453);
McKinstry, Graeme	1 package: <code>merge</code> (3898);
McLean, Evan	2 packages: <code>latexmake</code> (3338); <code>latexmk</code> (3339);
McManus, Éamonn	3 packages: <code>compare</code> (1246); <code>cprog</code> (1367); <code>unouter</code> (6498);
McMullen-Diermayr, Anakin J.	1 package: <code>odesandpdes</code> (4363);
McNees, Robert	1 package: <code>gridpapers</code> (2641);
McPhee, Patrick T J	3 packages: <code>bbcard</code> (479); <code>pandora-type1</code> (4477); <code>slideshow</code> (5548);
McPherson, Kent	5 packages: <code>bookform</code> (802); <code>extradefs</code> (2101); <code>layout</code> (3357); <code>memo2</code> (3881); <code>milstd</code> (3974);
Meccariello, Antonello	1 package: <code>mystyletau</code> (4160);
Meccariello, Francesco	1 package: <code>mystyletau</code> (4160);
Medina, Rodrigo	3 packages: <code>fontch</code> (2313); <code>old-fontch</code> (4374); <code>sphyphb</code> (5633);
Medina Arellano, Gonzalo	3 packages: <code>background</code> (434); <code>fancypar</code> (2128); <code>l2tabu-spanish</code> (3209);
Medini, Yotam	1 package: <code>tfmpk</code> (6054);
van der Meer, Hans	2 packages: <code>exams</code> (2062); <code>slidenotes</code> (5546);
van der Meer, Sven	1 package: <code>skb</code> (5527);
Mégevand, Denis	1 package: <code>lettre</code> (3397);
Mégrét, Patrice	1 package: <code>pst-electricfield</code> (4896);
Mégy, Damien	1 package: <code>luahyperbolic</code> (3633);

C Authors and associated packages

Mehani, Olivier	1 package: unswcover (6501);
Méhats, Laurent	1 package: drv (1708);
Mehl, Albrecht	1 package: shortcuttool (5465);
Mehlich, Michael	2 packages: fp (2368); hyper (2838);
Meijer, Erik	1 package: apacite (222);
Meister, Matthias	1 package: present (4789);
Melander, Marko	1 package: jyu-chem-thesis (3113);
Melendez, Enrique	1 package: cwebhy (1460);
Melliar-Smith, Michael	1 package: latex-fonts (3278);
Melnikov, Vitaly G.	1 package: vak (6565);
Meltzer, Olaf	1 package: uhrzeit (6426);
Melzer, Norbert	1 package: listlbls (3473);
Mendler, Daniel	1 package: gridslices (2643);
Menke, Henri	3 packages: pgf (4602); pgfplots (4623); pgfplotstable (4624);
Merckens, A.	1 package: amspell (179);
Merino, Manuel	2 packages: tblr-extras (5857); udepcolor (6415);
Merino Hernández, Noel	2 packages: antique-spanish-units (207); ysabeau (6898);
Mertz, Andrew	1 package: jflap2tikz (3057);
Merz, Thomas	1 package: jpeg2ps (3084);
Messineo, Grazia	1 package: esami (1984);
The MetaPost Team	1 package: metapost (3915);
Metzinger, Jochen	1 package: ethiop (2011);
Meyer, Johannes Jakob	1 package: quantumarticle (5066);
Meyer-Lerbs, Lothar	1 package: oztex-german (4452);
Mezzetti, Gustavo	3 packages: bullcntr (854); cdpbundl (974); halloweenmath (2682);
Michel, Alexander	1 package: numericplots (4332);
Michlmayr, Leonard	1 package: textgreek (6043);
MicroPress	5 packages: eqmlite (1970); hvmath-fonts (2825); microimp (3958); tmmath-fonts (6243); vtex-free (6650);
Midtiby, Henrik Skov	1 package: todonotes (6256);

C Authors and associated packages

Miede, André	2 packages: classicthesis (1110); gamebook (2439);
Mielczarek, Detlev Conrad	1 package: beamertheme-detlevcm (514);
Mifsud, Xandru	1 package: quicktype (5072);
Miklavec, Mojca	6 packages: context-gnuplot (1288); context-vim (1314); gentium-original (2475); gentium-tug (2478); hyph-utf8 (2845); marvosym (3785);
Mikulik, Petr	1 package: pmcstex (4731);
Milanese, Guido	6 packages: copac-clean (1337); forindex (2350); nb4latex (4186); tab4tex (5803); texaccents (5951); zblbuild (6905);
Milde, Günter	9 packages: babel-greek (392); dehyph-exptl (1569); docutils (1655); greek-fontenc (2622); greek-inputenc (2623); isomath (3011); lgrx (3415); pzccal (5043); substitutefont (5740);
Miletić, Vedran	1 package: beamer (492);
Milin, Matea	1 package: unizgklasa (6497);
Miller, Tristan	3 packages: heria (2739); sshrc-insight (5664); txt2latex (6379);
Miller, Daniel Benjamin	14 packages: addliga (64); chifoot (1052); clara (1106); courierten (1361); domitian (1661); garamond-libre (2444); mfb-oldstyle (3934); mlmodern (4021); mpfonts (4085); orientation (4413); qualitytype (5063); splentinex (5638); step (5694); stepgreek (5695);
van Miltenburg, Emil	1 package: sparklines (5624);
Minow, Martin	1 package: dayofweek (1539);
Minyard, Corey	1 package: tango-weevil (5848);
Minz, Christoph	1 package: causets (958);
Miracle0565	1 package: buctthesis (853);
Missier, Antoine	10 packages: arraycols (268); decimalcomma (1557); exesheet (2074); frenchmath (2391); ibrackets (2863); mathgreeks (3812); mismath (4001); schooldocs (5324); spacingtricks (5619); tablvar (5818);
Mitchell, Bill	1 package: termcal (5887);
Mitchell, Ross	1 package: musixtex (4139);
Mitek	2 packages: boisik (788); tapir (5853);
Mitsuaki, Oura	1 package: dpcircling (1680);

C Authors and associated packages

Mittelbach, Frank	39 packages: array (267); bm (775); cchess (966); crosswrd (1394); dashundergaps (1482); doc (1642); docstrip (1651); exscale (2091); fewerfloatpages (2167); fileerr (2205); footmisc (2338); ftnright (2408); inputenc (2956); latex-base (3262); lb2-examples (3360); letter (3390); lgc2-examples (3410); ltnews (3581); ltx3pub (3588); mathtime-ltx (3833); mfnfss (3942); multicol (4118); nfssfont (4246); parskip (4503); revtex (5188); revtex4-0 (5189); revtex4-1 (5190); slides (5547); syntonly (5788); theorem (6072); tlc2-errata (6235); tlc2-examples (6236); tlc3-examples (6237); trace (6282); unicodefonttable (6479); unpacked (6499); upquote (6515); varioref (6571); widows-and-orphans (6686);
Mittelbach, Arno	1 package: cryptocode (1398);
Mittelbach, Marc	1 package: texshell (6028);
Miyatani, Kazuaki	1 package: hacm (2679);
Mnatsakanov, Anton	1 package: skillicons (5533);
Möller, Herbert	1 package: gapfill (2443);
Mörtil, Fabian	1 package: biblatex-swiss-legal (678);
Mohamed, Naam	3 packages: na-border (4161); na-box (4162); na-position (4163);
Mohankumar, Srikanth	1 package: enumsub (1922);
Mol, Marcel J. E.	1 package: dvi2tty (1733);
Moller, Anders	1 package: biblos (697);
Molt, Aaron	1 package: sneaker (5565);
Molteno, Tim	1 package: sympytex (5779);
Mondal, Agnibho	1 package: biblatex-vancouver (682);
Monsarrat, Jonathan	1 package: lametex (3243);
Moor, Thomas	1 package: tmview (6244);
Moore, Ross	7 packages: latex2html (3309); mmap (4028); pdfx (4580); xetex-def (6778); xunicode (6859); xymatrix (6864); xypic (6866);
El Morabity, Mohamed	5 packages: cantarell (919); comfortaa (1229); droid (1702); lato (3355); opensans (4398);
Morales, Omar Salazar	2 packages: articleingud (279); documentation (1654);
Moran, Mike	1 package: jas99 (3041);

C Authors and associated packages

Morawski, Jens-Uwe	2 packages: latexmp (3341); piechartmp (4672);
Moreira, Jander	3 packages: algxpar (131); beamerthemelalic (539); packdoc (4454);
Morenko, Konstantin	1 package: eqexpl (1967);
Morgan, Tim	1 package: verbtim2 (6597);
Morimi, Yukimasa	1 package: jlreq-deluxe (3070);
Morimoto, Hiroaki	1 package: musixtex (4139);
Moritz, Martin	1 package: fascicules (2142);
Morris, Michael P.	1 package: yet-another-guide-latex2e (6882);
Mortier, Richard	2 packages: ietfbibs (2887); rfc2bib (5191);
Moschou, Andrew Gilbert	3 packages: eukdate (2025); mathspec (3828); metalogo (3909);
Moschovakis, Yiannis	1 package: greektex (2630);
Moses, Brooks	2 packages: listings (3470); metaplot (3914);
Moshhammer, Werner	1 package: ocg-p (4351);
Mottaz, Anthony	1 package: signchart (5493);
Motygin, Oleg V.	3 packages: izhitsa (3032); refcheck (5141); ttf2mf (6336);
Mounier, Thomas	1 package: proflabo (4810);
Moutinho, Rui	1 package: tikz-layers (6135);
Movahhedian, Hossein	2 packages: texnegar (6013); xepersian-hm (6771);
Moy, Matthieu	4 packages: drawstack (1698); git-latexdiff (2523); latexpand (3343); timing-diagrams (6194);
Moye, Stephen	1 package: typespec (6390);
Mrkus, Jiří	1 package: upca (6508);
Ms_yam	3 packages: drawmgr (1697); tabular2 (5825); weiqi (6680);
Muecke, Michael	1 package: wintex2000 (6700);
Mühlich, Matthias	1 package: coverpage (1364);
Muelas, Santiago	1 package: txp (6377);
Müller, Wilhelm	1 package: totpages (6275);
Müller, Dennis	1 package: stex (5696);
Müller, Kirill	1 package: excel2latex (2065);
Müller, Ulrich	1 package: cryst (1399);
Müller, Walter	1 package: wmaainf (6704);

C Authors and associated packages

Münch, Uwe	2 packages: <code>bfsymb</code> (569); <code>eiad-ltx</code> (1844);
Münch, Hans-Martin	15 packages: <code>calxxxx-yyyy</code> (915); <code>footnoterange</code> (2343); <code>hrefhide</code> (2799); <code>lastpage</code> (3256); <code>morefloats</code> (4064); <code>pagecolor</code> (4457); <code>pageslts</code> (4470); <code>papermas</code> (4482); <code>regstats</code> (5155); <code>romanbar</code> (5214); <code>tablefootnote</code> (5810); <code>thumbs</code> (6102); <code>turnthepage</code> (6359); <code>undolabl</code> (6464); <code>uri</code> (6522);
Münster, Peter	10 packages: <code>context-chromato</code> (1274); <code>context-cmscbf</code> (1275); <code>context-cmttbf</code> (1276); <code>context-construction-plan</code> (1278); <code>context-degrade</code> (1280); <code>context-french</code> (1284); <code>context-inifile</code> (1290); <code>context-typearea</code> (1310); <code>context-urwgaramond</code> (1312); <code>degrade</code> (1567);
Música de Rivera, Javier	4 packages: <code>babel-galician</code> (389); <code>fenixpar</code> (2161); <code>glhyph</code> (2535); <code>mkpattern</code> (4009);
Muhamedagić, Dejan	1 package: <code>shhyph1</code> (5460);
Ali, Muhammad Masroor	1 package: <code>arosgn</code> (263);
Mui, Wing L	1 package: <code>sides</code> (5491);
Mukkavilli, Lakshmankumar	1 package: <code>telugu</code> (5875);
Mulder, Art	1 package: <code>shading</code> (5449);
Mulligan, Brian W.	2 packages: <code>physconst</code> (4649); <code>physunits</code> (4655);
Mulvey, Rod	1 package: <code>lms</code> (3498);
Munch-Maccagnoni, Guillaume	1 package: <code>perfectcut</code> (4590);
Munn, Alan	11 packages: <code>casiofont</code> (942); <code>csv2latex</code> (1416); <code>expex-glossonly</code> (2080); <code>gb4e-next</code> (2454); <code>he-she</code> (2711); <code>invoice-class</code> (2988); <code>movement-arrows</code> (4073); <code>msu-thesis</code> (4099); <code>pst-vowel</code> (4978); <code>recorder-fingering</code> (5135); <code>screenplay-pkg</code> (5353);
Muñoz, José Manuel Sánchez	1 package: <code>retosmaticos</code> (5183);
Munson, Ethan V.	1 package: <code>ucthesis209</code> (6414);
Murphy, Timothy	2 packages: <code>javatex</code> (3049); <code>lgreek</code> (3412);
Murphy, Terrence	1 package: <code>makecookbook</code> (3737);
Murru, Nadir	1 package: <code>axessibility</code> (365);
Murzynowski, Grzegorz	6 packages: <code>gmdoc</code> (2567); <code>gmeometric</code> (2569); <code>gmiflink</code> (2570); <code>gmutils</code> (2572); <code>gmverb</code> (2573); <code>gmverse</code> (2574);

C Authors and associated packages

Musa, Ahmed	16 packages: catoptions (956); changelayout (993); draftmark (1689); getfiledate (2495); keyreader (3139); keyval2e (3143); loops (3528); ltxkeys (3600); ltxtools (3604); newenviron (4226); pagerange (4467); pgfkeyx (4616); skeycommand (5531); skeyval (5532); storecmd (5706); xwatermark (6861);
Musliner, David J.	4 packages: go-make (2579); latexmake (3338); latexmk (3339); latexexpand (3343);
Mustasaar, Priit	1 package: lucide-admonitions (3685);
Myers, Eric	2 packages: ruled-tables (5254); texsis (6031);
Naanou, Alex A.	1 package: photobook (4647);
Nabavi, Amanullah	1 package: mohe-book (4050);
Nadeau, Philippe	1 package: rigidnotation (5197);
Nähring, Tobias	1 package: pst-bezier (4883);
Nagel, Daniel	2 packages: fontawesome6 (2307); fontawesome7 (2308);
Nagy, Bence	1 package: hungarian (2815);
Nakashima, Hiroshi	9 packages: arydashln (283); dblfnote (1544); fnpos (2291); hvdashln (2819); newvbtm (4241); paracol (4485); pfnote (4601); umoline (6447); yafoot (6870);
Nam, Soojin	1 package: luatexko (3675);
Nanayakkara, Chevan	1 package: pdfannotations (4538);
Naranong, Saitulaa	1 package: texliveonfly (6002);
Nardello, Massimo	1 package: bibfilex (609);
Nash, David	1 package: ajl (113);
Nebendahl, Olle	1 package: cms4talks (1167);
Neergaard, Peter Møller	2 packages: bbding (480); semantic (5399);
Nesbitt, Kim	1 package: cje (1097);
Nesti, Fabrizio	2 packages: findbib (2213); jhep (3060);
Neteler, Markus	2 packages: ps4mf (4839); ps4mf-dos (4840);
Netherton, Lee	1 package: nomencl (4282);
Neto, Vilar da Camara	1 package: breakurl (837);
Nettles, William G.	1 package: nucleardata (4323);

C Authors and associated packages

Neugebauer, Gerd	20 packages: bibtool (710); crossword (1393); ctan-o-mat (1425); dtk-1.32 (1712); eqname (1972); fundus (2417); fundus-calligra (2418); fundus-cyr (2419); fundus-la (2420); fundus-outline (2421); fundus-pvscript (2422); fundus-startrek (2423); fundus-sueterlin (2424); fundus-twcal (2425); fundus-va (2426); gene-logic (2466); iso-tex (3005); limap (3444); pl (4694); productbox (4808);
Neukam, Frank	2 packages: script (5357); typearea (6384);
Neumann, Walter D.	2 packages: dvi2xx (1734); newinsert (4229);
Neumann, Christoph P.	4 packages: cs-techrep (1400); ecv (1821); iaria (2858); iaria-lite (2859);
Neumann, Johannes	1 package: pdfbook2 (4541);
Neves, Antero	1 package: nl-interval (4266);
Nguyen, Tan Khoa	1 package: lshort-vietnamese (3568);
Nguyen-Ngoc, Laurent	1 package: proba (4802);
Nice, Jasper	1 package: lua-tikz3dtools (3612);
Nicholson, Thomas	1 package: helmholtz-ellis-ji-notation (2718);
Nickalls, Dick	8 packages: ascii-font (291); decimal (1556); mathspic (3829); rubik (5248); rubikcube (5249); rubikrotation (5250); rubiktwocube (5251); yplan (6896);
Nickel, Martin	1 package: megatape (3874);
Niederberger, Clemens	28 packages: acro (43); bohr (787); carbohydrates (927); chemexec (1019); chemformula (1021); chemgreek (1023); chemmacros (1024); chemnum (1025); cnltx (1178); cntformats (1181); elements (1863); embrac (1880); endiagram (1900); enotez (1913); exsheets (2092); fnpct (2290); ghsystem (2516); guitararchordschemes (2664); idxcmds (2878); leadsheets (3369); modigram (4045); musixguit (4138); mychemistry (4153); snotez (5567); substances (5739); tasks (5854); translations (6307); xsim (6843);
Niedermair, Michael	5 packages: ant-worker-tasks (204); libertine-legacy (3420); libertineotf (3423); properties (4825); statistik (5684);
Niedrist, Raimund	1 package: hypdvips (2837);
Nieland, Ted	1 package: manual209 (3767);
Nienhuys, Han-Wen	1 package: mftrace (3946);

C Authors and associated packages

Niepraschk, Rolf	24 packages: blowup (772); colorinfo (1212); countriesofeuropa (1356); dtk (1711); eitl (1850); eso-pic (1995); faq-de (2136); image-gallery (2919); jpeg2ps-os2 (3085); keystroke (3140); leaflet (3370); multido (4122); niceframe-type1 (4251); overpic (4446); pict2e (4663); ps4pdf (4841); pst-pdf (4944); scrLttr2copy (5371); showexpl (5474); showframe (5475); sidecap (5488); texlive-dummy-opensuse (5999); tikz-kalender (6131); xltabular (6816);
Nijenhuis, Erik	4 packages: fmtcount (2281); gitinfo-lua (2526); lua-placeholders (3610); regulatory (5156);
Nijhof, Jeroen	1 package: sauter (5296);
Nikolova, Aleksandrina	1 package: binarytree (739);
Nikulainen, Jukka	1 package: egpeirce (1840);
Nikunen, Martti	1 package: esint-type1 (1990);
Nilsson, Joachim	1 package: technics (5869);
Nilsson, Robert	1 package: stables (5667);
निरंजन	17 packages: aalok (9); awami (362); beamertheme-light (520); chhaya (1046); datestamp (1494); doulossil (1674); eczar (1822); ektype-tankka (1854); gfdl (2501); langnames (3248); linguistix (3457); marathi (3773); muling (4109); tipauni (6199); udiss (6418); unisc (6486); unitipa (6489);
Nitschke, Dirk	2 packages: eqmark (1969); tsconfig (6330);
NOËL, Romain	1 package: beamertheme-gotham (519);
Noguchi, Takumi	1 package: numbersets (4327);
Noirel, Josselin	6 packages: cellspace (978); cmdstring (1157); drac (1684); xifthen (6796); xnewcommand (6824); xoptarg (6825);
Nolda, Andreas	3 packages: hang (2688); overlays (4444); tagpair (5839);
Noonburg, Derek B	1 package: xpdf (6828);
Nordenholz, Thiemo	1 package: r-und-s (5091);
Nordhaug, Hans Fredrik	1 package: texpower (6022);
Nordhoff, Sebastian	1 package: langsci (3249);
North, Nicolas	1 package: iso209 (3007);
Notarmarco, Christiane	1 package: fac (2104);
note286	1 package: xduts (6758);

C Authors and associated packages

Novak, Petr	1 package: csfonts (1403);
Novikov, Mikael	1 package: bmstu (781);
Novodvorsky, Aleksey	1 package: babel-belarusian (374);
Starý Novotný, Vít	6 packages: csbulletin (1402); expltools (2087); fibeamer (2178); fithesis (2230); lt3luabridge (3574); markdown (3783);
Nowacki, Janusz Marian	20 packages: antp (209); antt (210); cyklop (1464); iwona (3030); kurier (3197); lm (3494); plpsfont (4726); poligraf (4750); poltawski (4752); qfonts (5051); tex-gyre (5912); tex-gyre-adventor (5913); tex-gyre-bonum (5914); tex-gyre-chorus (5915); tex-gyre-cursor (5916); tex-gyre-heros (5917); tex-gyre-pagella (5924); tex-gyre-schola (5925); tex-gyre-termes (5926); tex-ps (5938);
Nederlandstalige TeX Gebruikersgroep	1 package: ntg-maps (4314);
The NTS Project	1 package: nts (4319);
Nüsken, Michael	1 package: computational-complexity (1253);
Nyaupane, Hari	1 package: sacsymb (5276);
Nyqvist, Robert	2 packages: glossaries-swedish (2562); vxu (6654);
Oberdieck, Heiko	111 packages: accsupp (34); acronym (47); aliascnt (132); alphalph (145); askinclud (294); atbegshi (318); atenddvi (319); attachfile2 (323); atveryend (325); auxhook (360); backref (436); bigintcalc (731); bitset (755); bmpsize (780); bookmark (805); catchfile (950); centernot (985); chemarr (1014); classlist (1112); colonequals (1201); doi (1657); dosepsbin (1663); dvipscol (1756); embedfile (1879); engord (1907); enparen (1914); eolgrab (1932); epstopdf (1959); epstopdf-pkg (1960); etexcmds (2009); fibnum (2179); flags (2254); gettitlestring (2500); grfext (2635); grffile (2636); hobsub (2785); hologo (2787); holtxdoc (2789); hopatch (2792); hycolor (2832); hypbmsec (2833); hypcap (2834); hypdestopt (2835); hypdoc (2836); hyperref (2842); hypgotoe (2844); hyphsubst (2851); ifdraft (2891); iflang (2895); ifluatex (2896); ifpdf (2901); ifvtex (2908); infwarerr (2946); inputenx (2957); intcalc (2970); kvdefinekeys (3199); kvoptions (3201); kvsetkeys (3202); latex-tds (3299); letltxmacro (3389); listingsutf8 (3472); ltxcmds (3590); luacolor (3628); luatex-pkg (3670); magicnum (3720); makerobust (3751); mkjobtexmf (4008); mleftright (4018); nameref (4172); oberdiek (4345);

C Authors and associated packages

pagegrid (4462); pagesel (4469); pax (4520); pdfcol (4542);
pdfcolfoot (4543); pdfcolmk (4544); pdfcolparallel (4545);
pdfcolparcolumns (4546); pdfcrop (4549); pdfcrypt (4550);
pdfescape (4551); pdfscape (4555); pdfrender (4566);
pdftex-def (4572); pdftexcmds (4576); picture (4670);
pkfix (4687); pmboxdraw (4730); protecteddef (4828);
refcount (5142); rerunfilecheck (5172);
resizegather (5175); rotchiffre (5225); scrindex (5356);
selinput (5396); setouterhbox (5424); settobox (5428);
soul (5609); stackrel (5671); stampinclude (5673);
stringenc (5712); tabularht (5829); tabularkv (5830);
telprint (5874); thepdfnumber (6074); thumbpdf (6101);
transparent (6309); twoopt (6369); uniquecounter (6485);
vpe (6640); zref (6928);

Oberdiek Package Support Group 4 packages: bookmark (805); hyperref (2842);
nameref (4172); xr-hyper (6839);

Obrecht, Christian 3 packages: eukleides (2026); mafr (3717); variations (6568);

Ochoa, Geri 1 package: beamertheme-cuerna (513);

Oetiker, Tobias 11 packages: acronym (47); lshort (3543);
lshort-czech (3545); lshort-dutch (3546);
lshort-english (3547); lshort-french (3550);
lshort-persian (3557); lshort-slovak (3562);
lshort-thai (3565); lshort-turkish (3566); timetab (6191);

Ofosu-Amaah, William 1 package: qfig (5050);

Ogawa, Arthur 7 packages: ltxgrid (3595); ltxutil (3605); natbib (4179);
psizzl (4860); revtex (5188); revtex4-0 (5189);
revtex4-1 (5190);

Ogden, William C. 1 package: bibcard (586);

Oğuz, Özcan 1 package: tuzuk (6361);

Ohl, Thorsten 3 packages: emp (1888); feynmf (2170); mcite (3854);

Ohlhaut, Marcus 1 package: niceframe (4250);

Ojala, Oskar 1 package: texlipse (5991);

Okumura, Haruhiko 1 package: jsclasses (3093);

Ol, Say 1 package: beamertheme-phnompenh (524);

Oleinik, Phelype 5 packages: lipsum (3464); namedef (4170); revtex (5188);
revtex4-0 (5189); revtex4-1 (5190);

Oliveira e Silva, Tomàs 1 package: pmat (4729);

Oliveira, Nuno 1 package: reotex (5164);

C Authors and associated packages

Oliver, Marcel	1 package: <code>uaclases</code> (6400);
Olko, Mariusz	1 package: <code>polksi</code> (4751);
Olšák, Petr	17 packages: <code>a2ac</code> (2); <code>apnum</code> (231); <code>code128</code> (1185); <code>csfonts</code> (1403); <code>csfonts-t1</code> (1404); <code>csplain</code> (1408); <code>cspfonts</code> (1409); <code>cstex</code> (1413); <code>docbytex</code> (1646); <code>ean</code> (1776); <code>enctex</code> (1896); <code>encxvlna</code> (1897); <code>ofs</code> (4367); <code>olsak-misc</code> (4381); <code>opbible</code> (4393); <code>optex</code> (4401); <code>tex-nutshell</code> (5936);
Olthof, Edgar	1 package: <code>fcolum</code> (2155);
Omidali, Mehdi	1 package: <code>lshort-persian</code> (3557);
van Oostrum, Pieter	8 packages: <code>badge</code> (438); <code>bigdelim</code> (729); <code>bigstrut</code> (734); <code>eepic</code> (1834); <code>fancyhdr</code> (2121); <code>fancyheadings</code> (2124); <code>lkort</code> (3488); <code>multirow</code> (4131);
Órdenes, Jerick	1 package: <code>xcolor-material</code> (6751);
Orellana Martín, David	1 package: <code>membranecomputing</code> (3876);
Oriet, Boris	2 packages: <code>chextras</code> (1044); <code>chletter</code> (1062);
originalsouth	1 package: <code>eurion</code> (2032);
Orlandini, Mauro	3 packages: <code>daytime</code> (1541); <code>multicolpar</code> (4119); <code>shadow</code> (5450);
Orloff, Jean	1 package: <code>psbox</code> (4845);
Ørsted, Sebastian	4 packages: <code>leftindex</code> (3382); <code>semantex</code> (5398); <code>semtex</code> (5407); <code>stricttex</code> (5710);
Ortega, Miquel	1 package: <code>babel-catalan</code> (378);
Ortega Andrés, Luis Antonio	1 package: <code>linkedthm</code> (3458);
Ortolo, Tanguy	1 package: <code>songproj</code> (5604);
Optical Society of America	1 package: <code>osa</code> (4417);
Osborne, Martin J.	7 packages: <code>egameps</code> (1838); <code>latex-bnf</code> (3266); <code>pst-rputover</code> (4953); <code>rputover</code> (5235); <code>sgame</code> (5443); <code>swimgraf</code> (5770); <code>text2bib</code> (6036);
Osborne, Alexander	1 package: <code>puyotikz</code> (5016);
Toshio, Oshima	1 package: <code>dviout</code> (1747);
Loredó-Ostí, J C	1 package: <code>prodint</code> (4807);
Otobe, Yoshiki	1 package: <code>dviout</code> (1747);
Ouassou, Jabir Ali	1 package: <code>eulerpx</code> (2029);
van Oudenhove, Thomas	2 packages: <code>sort-by-letters</code> (5607); <code>texloganalyser</code> (6004);

C Authors and associated packages

Overfelt, Jason	1 package: <code>citeright</code> (1094);
Övet, Cem	1 package: <code>beamertheme-bilkent-econ</code> (510);
Owens, John	1 package: <code>otfinst</code> (4426);
Pacini, Alex	1 package: <code>cesenaexam</code> (987);
Paciorek, Robert	5 packages: <code>ehhline</code> (1842); <code>labels4easylist</code> (3231); <code>pdfarticle</code> (4539); <code>tikzpackages</code> (6170); <code>vtable</code> (6649);
Page, Stephen	2 packages: <code>doublespace</code> (1672); <code>drafthead</code> (1688);
Pagès, Clément	1 package: <code>playcards</code> (4716);
Pagin, Peter	1 package: <code>philex</code> (4637);
Paić, Alan	1 package: <code>babel-croatian</code> (379);
Paige, Frank	1 package: <code>texsis</code> (6031);
Pakin, Scott	33 packages: <code>arlatex</code> (259); <code>attachfile</code> (322); <code>boxedminipage</code> (820); <code>bundledoc</code> (855); <code>bytefield</code> (885); <code>comicsans</code> (1231); <code>comprehensive</code> (1251); <code>cooltooltips</code> (1333); <code>covfonts</code> (1365); <code>ctanify</code> (1428); <code>dashrule</code> (1480); <code>dingbat</code> (1620); <code>dtxtut</code> (1718); <code>eqparbox</code> (1977); <code>filecontents</code> (2202); <code>hyperxmp</code> (2843); <code>ieeeconf</code> (2882); <code>leawood</code> (3371); <code>listliketab</code> (3474); <code>mf2pt1</code> (3931); <code>mftinc</code> (3945); <code>newcommand</code> (4224); <code>perltex</code> (4591); <code>pkfix-helper</code> (4688); <code>purifyeps</code> (5015); <code>recycle</code> (5137); <code>repltext</code> (5168); <code>savetrees</code> (5301); <code>spverbatim</code> (5650); <code>threadcol</code> (6088); <code>uiucborder</code> (6428); <code>visualfaq</code> (6621); <code>wheretotrim</code> (6683);
Pal, Palash Baran	1 package: <code>bangtex</code> (453);
Pallas, Joseph	1 package: <code>suthesis</code> (5755);
Palm, Hartmut	1 package: <code>refer-tools</code> (5145);
Palm, Reimo	1 package: <code>lshort-estonian</code> (3548);
Palmer, Michael	2 packages: <code>mol2chemfig</code> (4052); <code>pdfreview</code> (4567);
Palmieri, John H.	2 packages: <code>bibweb</code> (718); <code>ultratex</code> (6442);
Pamp, Quirin	1 package: <code>frege</code> (2388);
Pan, Shengjun	2 packages: <code>lmake</code> (3497); <code>meper</code> (3896);
Panagopoulos, George	1 package: <code>db</code> (1542);
Pandey, Anshuman	6 packages: <code>bengali-pandey</code> (557); <code>devanagari</code> (1589); <code>gurmukhi</code> (2668); <code>oriya</code> (4414); <code>wnri</code> (6708); <code>wnri-latex</code> (6709);
Panov, Andrey	2 packages: <code>cm-unicode</code> (1146); <code>cyrillic-modern</code> (1468);

C Authors and associated packages

Pantieri, Lorenzo	1 package: arsclassica (274);
Pantigny, François	5 packages: cascade (936); decision-table (1558); nicematrix (4252); piton (4680); witharrows (6702);
Pantke, Micaela	1 package: futhorc (2430);
Papa, Brian	1 package: ametsoc (155);
Papanicola, Robert	3 packages: bodegraph (785); grafcet (2594); schemabloc (5318);
Papasalouros, Andreas	1 package: latex2nemeth (3311);
ParaGraph International	1 package: literaturnaya (3481);
Parashchenko, Oleg	2 packages: cals (913); parades (4486);
Park, William	2 packages: braille (830); pictex2 (4666);
Parry, Chad	2 packages: bibleref-lds (688); bibleref-mouth (689);
Parsloe, Andrew	4 packages: diffcoeff (1610); numerica (4329); numerica-plus (4330); numerica-tables (4331);
Parsons, Josh	1 package: begriff (551);
Partl, Hubert	4 packages: parskip (4503); portland (4763); refman (5148); sfarticle (5436);
Pasechnik, Dima	1 package: sagetex (5280);
Pasquet, Stéphane	4 packages: pas-cours (4505); pas-crosswords (4506); pas-cv (4507); pas-tableur (4508);
Patashnik, Oren	1 package: bibtex (701);
Pate, John	1 package: screenplay (5352);
Patel-Schneider, Peter	4 packages: aaai (7); aaai-named (8); ijcai89 (2914); named (4169);
Paternault, Louis	4 packages: graph35 (2597); pixelart (4683); spix (5637); thalie (6065);
Patience, Paul A.	2 packages: datetime2-french (1511); datetime2-romanian (1526);
Patte, François	1 package: devanagari (1589);
Glenn, Paulley	2 packages: chicago (1047); chicagoa (1049);
The pdfTeX Team	1 package: pdftex (4571);
Pearlmutter, Barak A.	1 package: bibfile-reformat-pages (608);
Pearson, George	3 packages: asaetr (284); excel2latex (2065); scientificviewer (5333);

C Authors and associated packages

Pease, Emma	2 packages: phonetic (4644); tree-dvips (6311);
Péault, Olivier	2 packages: mptrees (4092); repere (5167);
Pecheur, Charles	1 package: outlines (4437);
Peck, Meghan	1 package: brandeis-dissertation (832);
Pedersen, Bjørn	6 packages: bpchem (824); delimtxt (1578); dnaseq (1638); gradback (2589); miller (3972); serial (5420);
Pedersen, Lucas Alexander V.	1 package: ku-template (3195);
Peeters, Kasper	1 package: gchords (2458);
Peischl, Marei	15 packages: bfh-ci (568); count1to (1354); everysel (2050); everyshi (2051); handoutwithnotes (2686); mucproc (4107); multitoc (4132); prelim2e (4785); qrbill (5055); ragged2e (5094); rwth-ci (5271); toda-ci (6345); unigrazpub (6482); urcls (6521); zugferd (6932);
Peise, Elmar	1 package: drawmatrix (1696);
Penninga, Marc	2 packages: fonttools (2323); truetypemetrics (6325);
Pepping, Simon	2 packages: elsarticle (1871); ifacmtg (2889);
Peregoudov, Iliya	1 package: cmcyr-patch (1154);
Pereira de Morais Junior, Geraldo	1 package: ptlatexcommands (5006);
Pereira, Gilles	1 package: cvsty (1456);
Perez-Duarte, Sebastien	1 package: ecta (1820);
Peri, Lorenzo	1 package: xreview (6841);
Peron, Jacques	2 packages: luaoptions (3656); ly luatex (3701);
Perren, Jonatán	1 package: pgf-go (4605);
Perrone, Michael P.	1 package: plainyr (4705);
Perske, Rainer	2 packages: verbinp (6594); verbtex (6596);
Peterlin, Primož	1 package: urw-base35 (6528);
Petersen, James	1 package: quickderivs (5070);
Pfahler, Simon	1 package: colorblind (1205);
Pfenning, Frank	1 package: schedule209 (5317);
Pfister, Wilfried	1 package: lifia-th (3438);
The PGF/TikZ Team	6 packages: pgf (4602); pgf-pie (4608); pgf-umlcd (4611); pgf-umlsd (4612); pgfplots (4623); pgfplotstable (4624);
Phan, Anthony	3 packages: m3d (3705); mathabx (3793); mbboard (3847);

C Authors and associated packages

Phillips, Iain	1 package: <code>gcite</code> (2459);
Pianowski, Piotr	11 packages: <code>cep</code> (986); <code>lm-math</code> (3495); <code>tap</code> (5851); <code>tex-gyre-math</code> (5918); <code>tex-gyre-math-bonum</code> (5919); <code>tex-gyre-math-dejavu</code> (5920); <code>tex-gyre-math-pagella</code> (5921); <code>tex-gyre-math-schola</code> (5922); <code>tex-gyre-math-termes</code> (5923); <code>tif2eps</code> (6113); <code>toil</code> (6257);
Piaw, Na Choon	1 package: <code>scmac</code> (5338);
Piazzai, Michele	3 packages: <code>beamertheme-arguelles</code> (509); <code>opencolor</code> (4396); <code>uvaletter</code> (6555);
Pichaureau, Paul	3 packages: <code>exercice</code> (2068); <code>mathdesign</code> (3803); <code>winfonts</code> (6697);
Piefel, Michael	1 package: <code>lgrind</code> (3413);
Pieper, Johannes	3 packages: <code>drlrg-templates</code> (1635); <code>schule</code> (5325); <code>syntaxdi</code> (5786);
Pierquet, Cédric	56 packages: <code>calculatoritems</code> (903); <code>cascadiamono-otf</code> (938); <code>circularglyphs</code> (1086); <code>coloredbelts</code> (1208); <code>commalists-tools</code> (1234); <code>couleurs-fr</code> (1353); <code>creationboites</code> (1378); <code>customenvs</code> (1450); <code>euromoney</code> (2037); <code>fenetrecas</code> (2160); <code>fontawesomescaled</code> (2309); <code>highlightx</code> (2762); <code>inlinegraphicx</code> (2953); <code>ipsum</code> (2996); <code>jetbrainsmono-otf</code> (3055); <code>jeuxcartes</code> (3056); <code>logoetalab</code> (3513); <code>lucide-icons</code> (3686); <code>mathador</code> (3795); <code>monaspace-otf</code> (4054); <code>nodepthtext</code> (4274); <code>openmoji</code> (4397); <code>outilsgeomtikz</code> (4434); <code>panneauxroute</code> (4479); <code>papiergurvan</code> (4484); <code>pennstander-otf</code> (4587); <code>pictochrono</code> (4669); <code>pixelarttikz</code> (4684); <code>postit</code> (4769); <code>proflycee</code> (4811); <code>profsio</code> (4813); <code>pynotebook</code> (5038); <code>quizztex</code> (5075); <code>randintlist</code> (5103); <code>resolsysteme</code> (5177); <code>scrabble</code> (5341); <code>sim-os-menus</code> (5497); <code>sympycalc</code> (5778); <code>tablericons</code> (5812); <code>tangramtikz</code> (5850); <code>thematicpuzzle</code> (6071); <code>tikz-decofonts</code> (6123); <code>tikz-triminos</code> (6153); <code>tikz2d-fr</code> (6155); <code>tikz3d-fr</code> (6156); <code>tikzbrickfigurines</code> (6157); <code>timeop</code> (6189); <code>tkz-bernoulli</code> (6220); <code>tkz-grapheur</code> (6226); <code>tkz-interval</code> (6227); <code>trivialpursuit</code> (6321); <code>vectorlogos</code> (6582); <code>vscodicons</code> (6647); <code>wordle</code> (6718); <code>writeongrid</code> (6731); <code>xint-regression</code> (6804);
Pieters, Olivier	2 packages: <code>dynamicnumber</code> (1770); <code>limecv</code> (3445);
Pietsch, Hannes	1 package: <code>csvtolatex</code> (1419);

C Authors and associated packages

Piff, Mike	10 packages: answers (202); corrects (1349); duplicat (1724); newproof (4232); onepagem (4386); piff (4673); piff-ams (4674); tensor (5885); textmerg (6044); time (6185);
Pighin, Daniele	1 package: tikz-dependency (6124);
Pignalberi, Gianluca	2 packages: cclicenses (968); combelow (1225);
Pilzecker, Markus	2 packages: cm-mf-opt-kern (1142); mpdinbrief (4083);
Pind, Jörgen	3 packages: icehyph (2866); icelandic (2867); ishyph (3001);
Pinson, Raphaël	8 packages: babylonianum (432); bibleref-french (686); fancytabs (2132); fontbook (2312); impnatty (2925); moderntimeline (4042); nowidow (4307); scrjrn (5362);
Piotrowski, Michael	1 package: mapcodes (3771);
Pipping, Sebastian	1 package: xq (6837);
Pirinen, Antti	1 package: texlipse (5991);
Piška, Karel	1 package: indic-type1 (2941);
Pistre, Sven	1 package: cleveref-usedon (1121);
Pitt, François	1 package: ut-thesis (6544);
Pittman, John E.	2 packages: cellular (979); declare (1559);
Pizarro R., Pablo	1 package: commonunicode (1241);
Plaice, John	1 package: omega (4382);
Plášil, Roman	1 package: csindex (1405);
Plasschaert, Lander	1 package: futharksymb (2429);
Plestenjak, Bor	1 package: lshort-slovenian (3563);
Pliam, John	1 package: graphtex (2616);
Plüss, Tobias	2 packages: latexcolors (3326); tikz-image-labels (6129);
Plugge, Michael	1 package: tiny21 (6196);
Plût, Jérôme	1 package: euclidean-lattice (2021);
de Souza, Paulo Ney	1 package: latex2html (3309);
Pock, Michael	1 package: silence (5495);
Podar, Sunil	3 packages: epic (1934); lgraph (3411); tape (5852);
Pokrovsky, Sergei	1 package: u8tex (6399);
Poland, Jan	1 package: figbib (2191);
Polli, Demerson Andre	1 package: lshort-portuguese-br (3560);
Polyakov, Maksym	3 packages: gost (2583); lshort-ukr (3567); ukrhyph (6433);

C Authors and associated packages

Pommereau, Franck	1 package: petri-nets (4596);
Ponomarenko, Sergiy M.	2 packages: babel-ukrainian (427); datetime2-ukrainian (1536);
Poore, Geoffrey	4 packages: fvextra (2432); latex2pydata (3312); minted (3996); pythontex (5042);
Popineau, Fabrice	3 packages: fptex (2370); windvi (6693); xpdfopen (6829);
Poppelier, Nico	2 packages: a4 (4); sober (5568);
Porr, Bernd	1 package: apasoft (226);
Pospiech, Matthias	6 packages: codesection (1192); doctools (1653); lastpackage (3255); latexdemo (3330); tablestyles (5814); templatetools (5878);
Potamianos, Yannis	1 package: elmath (1867);
Potse, Mark	2 packages: matlabweb (3840); webfiles (6674);
Potuček Jr., R.	1 package: card-set (929);
Poulain, Christophe	2 packages: profcollege (4809); profmaquette (4812);
Powroz, Norman	1 package: hands (2687);
Prahl, Scott A.	1 package: rtf2latex2e (5242);
Prandoni, Paolo	1 package: dsptricks (1709);
Prasad, Sumukh	2 packages: curriculum-vitae (1441); sanskrit (5287);
Preining, Norbert	12 packages: babelbib (430); bartel-chess-fonts (464); cjk-gs-integrate (1101); colorprofiles (1215); ipaex (2994); japanese-otf (3039); japanese-otf-uptex (3040); jfontmaps (3059); pgf-blur (4603); tlcockpit (6238); yfonts (6883); yhmath (6888);
Presnell, Brett	1 package: titlefoot (6204);
Pretzel, Oliver	2 packages: section (5388); sphack (5631);
Preuße, Hilmar	1 package: tangocolors (5849);
Price, Derek	1 package: texi2html (5980);
Price, Seth	1 package: mlacls (4015);
Prime, Zebb	1 package: pstool (4985);
Probst, Axel	1 package: egplot (1841);
Promkam, Ratthaprom	1 package: thaispec (6064);
Prosoft International	1 package: oriental (4412);

C Authors and associated packages

Pross, Naoki	1 package: <code>oststud</code> (4421);
Protopapas, Athanassios	1 package: <code>apa</code> (217);
Provoost, Evert	1 package: <code>easyformat</code> (1788);
Prussing, Keith	1 package: <code>secretx</code> (5387);
Przechlewski, Tomasz	4 packages: <code>lshort-polish</code> (3558); <code>pmdpl</code> (4733); <code>przechlewski-book</code> (4835); <code>tex-virtual-academy-pl</code> (5940);
Puga, Diego	1 package: <code>mathpazo</code> (3817);
Pupalaikis, Peter J.	2 packages: <code>designcon</code> (1585); <code>uspatent</code> (6541);
Puppis, Gabriele	1 package: <code>automata</code> (349);
Purton, David	10 packages: <code>biblatex-sbl</code> (670); <code>bibleref-sbl</code> (691); <code>pdfoverlay</code> (4559); <code>pgf-cmykshadings</code> (4604); <code>sblarticle</code> (5302); <code>sblbook</code> (5303); <code>sblfonts</code> (5304); <code>sblidx</code> (5305); <code>sblreport</code> (5306); <code>scripture</code> (5361);
Putnam, Chris	1 package: <code>bibutils</code> (715);
Putschögl, Wolfgang	1 package: <code>commath</code> (1235);
Qi, Fei	2 packages: <code>mynsfc</code> (4159); <code>xduthesis</code> (6757);
Qrrrbirlbel	1 package: <code>tikz-ext</code> (6126);
Quan, Le Phuong	1 package: <code>pstricks-calcnodes</code> (4990);
Quanstrom, Erik	1 package: <code>bnf-plain</code> (783);
Quantum — the open journal for quantum science	1 package: <code>quantumarticle</code> (5066);
Quaresma, Pedro	1 package: <code>dcpic</code> (1552);
Quentin, Lars	1 package: <code>realtranspose</code> (5129);
Quong, Russell	1 package: <code>ltoh</code> (3582);
Quy, Nguyen-Dai	1 package: <code>tcvn</code> (5863);
Raaijmakers, Stijn	1 package: <code>cascover</code> (940);
Rabinoff, Joseph	1 package: <code>spalign</code> (5621);
Raccanello, Francesco	1 package: <code>verifiche</code> (6600);
Rada-Vilela, Juan	1 package: <code>easy-todo</code> (1780);
Radgen, Bernd	1 package: <code>brclc</code> (835);

C Authors and associated packages

Radhakrishnan, C. V.	13 packages: bibcheck (587); copyedit (1339); els-cas-templates (1870); elsarticle (1871); nomencl (4282); pdfpagediff (4560); pdfscreen (4568); pdfslide (4569); pdftricks (4578); pdfx (4580); rit-fonts (5198); rvwrite (5270); udiss (6418);
Radović, Andrej	1 package: datetime2-serbian (1530);
Ragni, Matteo	1 package: unitn-bimrep (6490);
Rahtz, Sebastian	37 packages: colorsep (1217); dvimerge (1746); epsfig (1948); epstopdf (1959); fancyvrb (2134); floatnohead (2269); fontinst (2317); fotex (2361); hyperref (2842); ibm (2861); jadetex (3036); labels (3230); lgc-examples (3409); lgc2-examples (3410); lwc-examples (3695); mathptm (3819); mathptmx (3820); mm (4025); nameref (4172); objectz (4346); ot2cyr (4424); palatino-nfss (4471); passivetex (4510); pdftex-def (4572); pifont (4675); psfonts-tools (4853); psnfss (4863); psnfssx (4865); psnfssx-adobe (4867); required (5171); rotating (5224); seminar (5404); settosize-ltx (5430); textcomp (6039); textfit (6041); times (6190); webcomp-errata (6673);
Raichle, Bernd	11 packages: babel-german (391); convert (1322); dehyph (1568); faq-de (2136); german (2489); hypht1 (2852); localloc (3503); mltex (4022); mltex-ltx (4023); ngerman (4247); sepnum (5411);
Raike, Roel	1 package: chempid (1027);
Rajagopal, C. V.	3 packages: bibcheck (587); copyedit (1339); pdftricks (4578);
KV, Rajesh	1 package: arsenal-math (276);
Rakhimov, Abdugafur	2 packages: orkhun (4415); turkishintro (6356);
Ralet, Thibault	1 package: scratchx (5347);
Porrat, Rama	2 packages: hebtex (2715); pcfonsts (4531);
Ramachandra, Ramkumar	1 package: xkeymask (6809);
Ramek, Michael	1 package: chemstruct (1032);
Ramm, Henning Hraban	2 packages: context-simpleslides (1303); mab2bib (3707);
Ramsdell, John D	4 packages: c2latex (890); cm-gf (1138); schemetex (5320); schemeweb (5321);
Ramsey, Norman	2 packages: noweb (4306); spiderweb (5634);
Ranange, Martin Thorsen	1 package: intex (2981);
Randez, Luis	2 packages: analogclock (187); tdclock (5864);

C Authors and associated packages

Ranna, Abhishek	1 package: smartnotes (5558);
Rao, R. Bharat	1 package: labelmac3 (3228);
Rao, Shrisha	1 package: xetex-itrans (6781);
Royal Astronomical Society	1 package: mnras (4033);
Rascher, Kai	2 packages: nonfloat (4285); trfsigns (6316);
Rasuli, Farshad	2 packages: iran-bibtex (2997); parsa (4498);
Ratcliffe, Philip G.	3 packages: foreign (2346); tensor (5885); xpunctuate (6836);
Rath, Christopher	1 package: songbook (5603);
Ratti, Daniele	1 package: typoaid (6393);
Raue, Christian	1 package: gradientframe (2591);
Raut, Lakshmi K.	1 package: bengali-omega (556);
Ray, Koushik	1 package: mkbangtex (4006);
Rayside, Derek	1 package: graphviz (2617);
Razavian, Seiiid-Mohammad-Javad	10 packages: multiple-choice (4130); quran (5082); quran-bn (5083); quran-de (5084); quran-en (5085); quran-es (5086); quran-id (5087); quran-ur (5088); thesis-qom (6080); xebaposter (6761);
Reckdahl, Keith	1 package: epslatex (1953);
Redaelli, Massimo	1 package: circuitikz (1085);
Reed, Mark	1 package: fac (2104);
Rees, Clea F.	20 packages: adforn (70); adfsymbols (71); baskervaldadf (471); berenisadf (559); biblatex-cheatsheet (630); cfr-initials (989); cfr-lm (990); chronos (1070); ebgaramond-maths (1797); electrumadf (1856); fillwith (2212); fixtounicode (2248); fontscripts (2329); forest-ext (2348); libris (3435); memoize-ext (3886); nfssect-cfr (4245); prooftrees (4824); romandeadf (5216); venturisdaf (6585);
Reese, Johannes	1 package: burmese (856);
Rei, Fukui	3 packages: tipa (6197); tsipa (6332); vowel (6638);
Reibiger, Christian	1 package: pdftricks2 (4579);
Reich, Ryan	1 package: ytableau (6901);
Reiche, Oliver	1 package: reflectgraphics (5147);
Reichenberger, Volker	1 package: nxltx (4341);

C Authors and associated packages

Reichert, Axel	8 packages: <code>cooking</code> (1324); <code>currvita</code> (1442); <code>fancyref</code> (2130); <code>gleitobjekte</code> (2534); <code>nicefrac</code> (4249); <code>tabsatz</code> (5820); <code>typografie</code> (6395); <code>units</code> (6491);
Reid, Michael F.	1 package: <code>mewltx</code> (3927);
Reimer, Jan Heinrich	1 package: <code>postage</code> (4765);
Reimers, Roland	1 package: <code>html2latex</code> (2803);
Reimers, Detlef	1 package: <code>lapdf</code> (3252);
van Rein, Rick	1 package: <code>kixfont</code> (3150);
Reinaldo, Francisco	1 package: <code>turnstile</code> (6358);
Reinfurt, David	1 package: <code>esrelation</code> (1998);
Reingold, Edward M.	1 package: <code>rangepcite</code> (5108);
Reinhardt, Thomas	1 package: <code>winlatex</code> (6698);
Reiser, Brian	1 package: <code>apalike2</code> (225);
Reish, Ben	2 packages: <code>blox</code> (773); <code>recipecard</code> (5134);
Reitter, David	1 package: <code>rst</code> (5240);
Rellermeyer, Bernd	1 package: <code>termlist</code> (5891);
Remy, Didier	1 package: <code>mathpartir</code> (3816);
Renkema, Esger	8 packages: <code>hershey-mp</code> (2742); <code>minim</code> (3982); <code>minim-hatching</code> (3983); <code>minim-math</code> (3984); <code>minim-mp</code> (3985); <code>minim-pdf</code> (3986); <code>minim-xmp</code> (3987); <code>tsvtemplate</code> (6333);
Renner, John	1 package: <code>cheq</code> (1036);
Ressler, Eugene K.	2 packages: <code>lated</code> (3258); <code>sketch</code> (5530);
Rettich, Adrian	1 package: <code>cardgame</code> (930);
Rosendahl, Arthur	5 packages: <code>babel-hebrew</code> (393); <code>hyph-utf8</code> (2845); <code>luabidi</code> (3624); <code>polyglossia</code> (4753); <code>xetex</code> (6777);
Revar, Ashish	1 package: <code>beamerthemenirma</code> (540);
Revets, Stefan A	1 package: <code>octavo</code> (4362);
Reviczky, Adam	1 package: <code>context-gantt</code> (1287);
Reynal, Sylvain	1 package: <code>jpicedt</code> (3087);
Reynolds, John	2 packages: <code>diagmac</code> (1597); <code>diagmac2</code> (1598);
de Rezende, Pedro J.	1 package: <code>pthyphs</code> (5005);
Rezus, Adrian	1 package: <code>romaniantex</code> (5217);
Rhead, David	1 package: <code>authordate</code> (337);

C Authors and associated packages

Rhebergen, J. B.	1 package: fax (2145);
Ribo, Ramon	1 package: texpict (6019);
Richardson, Thomas S.	1 package: tikz-swigs (6150);
Richer, Jacques	1 package: cchess (966);
Richter, Jörg	1 package: bg (570);
Richter, Markus	1 package: llncs (3491);
Richter, Pascal	1 package: tikzposter (6175);
Ricken, Wilfried	1 package: directtex (1622);
Ridgeway, Thomas	3 packages: ega2mf (1837); poorman (4759); wnri (6708);
Rigido, Mileto	1 package: fancyhdr-it (2122);
Riley, Geoff	1 package: ou-tma (4430);
Ristow, Alan	1 package: pst-bar (4881);
Rivaud, Julien	4 packages: algobox (125); cellprops (977); gatherenum (2451); statistics (5683);
Rivera, Luis	12 packages: aecc (95); babel-spanglish (422); bgreek (572); blopentye (770); isonums (3012); latex-essential (3275); latexcheat-esmx (3324); lshort-spanish (3564); ltxindex (3598); pdftex-djgpp (4573); spanish-mx (5622); texilikechaps (5983);
River Valley Technologies	1 package: grid (2639);
Rizwan, Suhail	1 package: beamertheme-durham (515);
De Rizzo Meneghetti, Douglas	1 package: fei (2159);
Rizzuto, Dan	1 package: neuron (4218);
Robbers, Yuri	12 packages: codedoc (1189); easylist (1790); gates (2450); interpreter (2979); jtbnew (3099); pitex (4679); sdrt (5379); synproof (5783); texapi (5952); xeindex (6768); xeresearch (6772); yax (6877);
Robert, Gilles	1 package: bbm (483);
Robertson, Will	70 packages: abstract (24); active-conf (57); addlines (65); anonchap (198); appendix (233); asyfig (309); auto-pst-pdf (339); bez123 (566); booklet (804); breqn (839); ccaption (964); changepage (995); chngcnt (1063); chngpage (1064); combine (1226); continue (1316); docmfp (1648); dtxgallery (1716); empheq (1889); environ (1927); epigraph (1937); euenc (2023); euxunicode (2044); flexisym (2262); fontspec (2334); fonttable (2335); hanging (2690);

C Authors and associated packages

	hardwrap (2697); hyphenat (2848); icsv (2873); ifmtarg (2898); ifplatform (2902); ifxetex (2909); inversepath (2985); layouts (3358); leading (3368); luaotfload (3657); makecmds (3736); mathstyle (3831); mathtools (3836); mh (3950); mhsetup (3955); midpage (3964); minibox (3978); mlist (4019); needspace (4211); newfile (4227); nextpage (4243); pagenote (4466); pracjourn (4780); printlen (4800); pstool (4985); realscripts (5128); romannum (5219); stdclsdv (5688); stix (5699); subdepth (5728); titling (6213); tocbibind (6249); tocloft (6252); tocvsec2 (6254); trimspaces (6319); unicode-math (6477); verse (6602); vertbars (6606); vwcol (6653); xetexref (6786); xfrac (6792); xltextra (6817); xtab (6850);
Team Robocracy	1 package: ftc-notebook (2404);
Robson, Adrian P.	3 packages: backnaur (435); flowchart (2274); makeshape (3753);
Rochester, Wayne A.	1 package: warpcol (6662);
Rochford, Peter A.	2 packages: navydocs (4185); sf298 (5435);
Roderick, David	1 package: binomexp (741);
Rodrigues, Vinícius Barros	1 package: ecothesis (1819);
Rodriguez, Dominique	2 packages: pst-eucl (4898); pstricks-add (4988);
Rodríguez, M. César	1 package: emerald (1881);
Rodríguez, Pablo	1 package: context-handlecsv (1289);
Rødland, Einar Andreas	1 package: texcount (5960);
Roegel, Denis B.	10 packages: aeguill (96); garrigues (2447); genealogy (2467); ipa (2993); metaobj (3912); mp3d (4077); pi (4658); suanpan (5725); tfmpktest (6055); truchet (6323);
Römer, Christine	14 packages: booktabs-de (808); csquotes-de (1411); lualatex-doc-de (3642); studies-lm (5720); translation-arsclassica-de (6293); translation-biblatex-de (6294); translation-chemsym-de (6296); translation-ecv-de (6298); translation-enumitem-de (6299); translation-europecv-de (6300); translation-filecontents-de (6301); translation-footmisc-de (6302); translation-moreverb-de (6303); translation-pst-jtree-de (6305);

C Authors and associated packages

Rogalla, Michael	1 package: <code>redit</code> (5140);
Rogard, Erwann	6 packages: <code>ccool</code> (969); <code>clistmap</code> (1125); <code>erw-l3</code> (1983); <code>keyparse</code> (3138); <code>lambdax</code> (3241); <code>oops</code> (4391);
Rogers, Alan	8 packages: <code>apabst</code> (221); <code>bbs</code> (488); <code>cbe</code> (960); <code>humanbio</code> (2811); <code>humannat</code> (2813); <code>jtb</code> (3098); <code>pnas</code> (4740); <code>pnas2009</code> (4741);
Rohner, M.	1 package: <code>fig2sty</code> (2187);
Rokicki, Tom	8 packages: <code>colordvi</code> (1207); <code>dvidvi</code> (1741); <code>dvips</code> (1753); <code>dvipsk</code> (1758); <code>epsf</code> (1946); <code>mfware</code> (3947); <code>patgen</code> (4514); <code>pkware</code> (4693);
Rolland, Christian	1 package: <code>babel-breton</code> (376);
Romanenko, Alex	1 package: <code>visualtex</code> (6624);
Romer, Linus	3 packages: <code>bezierplot</code> (567); <code>fetamont</code> (2163); <code>miamia</code> (3957);
Roncaglia, Federico	1 package: <code>cuprum</code> (1438);
Rooijackers, Luc	1 package: <code>rail</code> (5096);
Rose, Kristoffer H.	4 packages: <code>qsymbols</code> (5061); <code>rct-pln</code> (5120); <code>xymatrix</code> (6864); <code>xypic</code> (6866);
Rose, Flavio	1 package: <code>dvi2ln3</code> (1732);
Rosenau, Malte	2 packages: <code>bera</code> (558); <code>ethiop-t1</code> (2012);
Rosenberger, Johannes	1 package: <code>wsemclassic</code> (6733);
Rosmorduc, Serge	3 packages: <code>cbcoptic</code> (959); <code>coptic</code> (1338); <code>hieroglyph</code> (2759);
Rossberg, Marcus	1 package: <code>grundgesetze</code> (2647);
Rossel, Jost	2 packages: <code>byo-twemojis</code> (883); <code>twemojis</code> (6366);
Rossi, Christian	1 package: <code>tfmpktest</code> (6055);
Roth, Frank	1 package: <code>refer-tools</code> (5145);
Roth, Mark	2 packages: <code>buscard</code> (857); <code>memo209</code> (3882);
Roth, Sascha	1 package: <code>harveyballs</code> (2703);
Roucariès, Bastien	2 packages: <code>footmix</code> (2339); <code>pax</code> (4520);
Rouquette, Maïeul	29 packages: <code>biblatex-anonymous</code> (619); <code>biblatex-bookinarticle</code> (626); <code>biblatex-bookinother</code> (627); <code>biblatex-claves</code> (633); <code>biblatex-manuscripts-philology</code> (654); <code>biblatex-morenames</code> (656); <code>biblatex-multiple-dm</code> (658); <code>biblatex-opcit-booktitle</code> (663); <code>biblatex-realauthor</code> (669); <code>biblatex-shortfields</code> (672); <code>biblatex-source-division</code> (675); <code>biblatex-subseries</code> (677);

C Authors and associated packages

	<code>biblatex-true-citepages-omit</code> (680); <code>bibleref</code> (685); <code>bibleref-french</code> (686); <code>eledform</code> (1857); <code>eledmac</code> (1858); <code>eledpar</code> (1859); <code>facture</code> (2107); <code>handout</code> (2685); <code>hook-pre-commit-pkg</code> (2791); <code>indextools</code> (2939); <code>latex-sciences-humaines</code> (3296); <code>ledarab</code> (3378); <code>ledmac</code> (3379); <code>ledpar</code> (3380); <code>reledmac</code> (5157); <code>reledpar</code> (5158); <code>tlg2latex</code> (6239);
Rourke, Colin	2 packages: <code>pinlabel</code> (4677); <code>rlepsf</code> (5200);
Rousseaux, Emmanuel	1 package: <code>gsemthesis</code> (2650);
Roux, Élie	9 packages: <code>euenc</code> (2023); <code>gregoriotex</code> (2634); <code>hyph-utf8</code> (2845); <code>luainputenc</code> (3637); <code>lualibs</code> (3646); <code>luamplib</code> (3654); <code>luaotfload</code> (3657); <code>luatexbase</code> (3673); <code>luatextra</code> (3676);
Rovner, Marc David	1 package: <code>bit2spr</code> (749);
Rowlett, Peter	4 packages: <code>customdice</code> (1449); <code>hexboard</code> (2745); <code>nimsticks</code> (4259); <code>tictactoe</code> (6109);
Rowley, Chris	3 packages: <code>fnpara</code> (2288); <code>ltnews</code> (3581); <code>ltx3pub</code> (3588);
Roy, Y.	1 package: <code>frenchponct</code> (2392);
Rozhenko, Alexander I.	27 packages: <code>afterpackage</code> (105); <code>dcounter</code> (1551); <code>desclist</code> (1584); <code>extdash</code> (2095); <code>manyfoot</code> (3769); <code>mboxfill</code> (3849); <code>nccbbb</code> (4189); <code>nccboxes</code> (4190); <code>ncccomma</code> (4191); <code>ncccropbox</code> (4192); <code>ncccropmark</code> (4193); <code>nccfancyhdr</code> (4194); <code>nccfloats</code> (4195); <code>nccfoots</code> (4196); <code>ncclatex</code> (4197); <code>nccmath</code> (4198); <code>nccparskip</code> (4199); <code>nccpic</code> (4200); <code>nccrules</code> (4201); <code>nccsect</code> (4202); <code>nccstretch</code> (4203); <code>nccthm</code> (4204); <code>ncctools</code> (4205); <code>textarea</code> (6037); <code>tocenter</code> (6251); <code>topsection</code> (6271); <code>watermark</code> (6667);
Rubin, Paul A.	1 package: <code>decsci</code> (1561);
Rubio Madrigal, Celia	1 package: <code>ddphonism</code> (1553);
Ruckert, Martin	3 packages: <code>hitex</code> (2770); <code>hitex-def</code> (2771); <code>web2w</code> (6671);
Ruck, Martin	1 package: <code>elsarticle</code> (1871);
Rudolph, Konrad	1 package: <code>minted</code> (3996);
Ruedas, Thomas	3 packages: <code>fontinf</code> (2315); <code>texdoctk</code> (5969); <code>xtrcode</code> (6856);
Ruiz, Alejandro Garces	1 package: <code>bloques</code> (771);
Ruland, Kevin	1 package: <code>prettyref</code> (4793);
Rumpel, Lukas	1 package: <code>register-transfer-level</code> (5154);
Rumpf, Adam	1 package: <code>apalike-ejor</code> (223);

C Authors and associated packages

Rupprecht, Rainer	1 package: <code>tex-kurs</code> (5931);
Ruprecht, Gabriel	2 packages: <code>fillpages</code> (2211); <code>liederbuch</code> (3437);
Rutenberg, Guy	1 package: <code>sikumuna</code> (5494);
Ruzyczka, Jacek	1 package: <code>texlogos</code> (6006);
Ryabov, Denis	1 package: <code>rmathbr</code> (5202);
Ryba, M. F.	1 package: <code>side</code> (5487);
Ryćko, Marek	4 packages: <code>cc-pl</code> (963); <code>mex</code> (3928); <code>pl-mf</code> (4695); <code>plhyph</code> (4722);
Rynning, Jan Michael	1 package: <code>sehyph</code> (5393);
Ryota, Niina	1 package: <code>qworld</code> (5089);
Ryu, Young	4 packages: <code>newapa</code> (4221); <code>pxfonts</code> (5022); <code>theapa</code> (6069); <code>txfonts</code> (6374);
Saar, Enn	2 packages: <code>babel-estonian</code> (385); <code>eehyph</code> (1832);
Saba, Diego	1 package: <code>tabularew</code> (5828);
Sacchetto, Mauro	1 package: <code>l2tabu-italian</code> (3208);
Sachs, Christian	1 package: <code>luaimageembed</code> (3635);
Saigre, Thomas	1 package: <code>tikz-shields</code> (6149);
Sakarovitch, Jacques	1 package: <code>vaucanson-g</code> (6576);
Šakuras, Edgaras	1 package: <code>ejpecp</code> (1851);
Salamon, Adrian	1 package: <code>tikzcodeblocks</code> (6160);
Sales, Lucas	1 package: <code>biblatex-abnt</code> (614);
Salimi, behzad	1 package: <code>sslides</code> (5665);
Salomon, Joel C.	1 package: <code>xpeek</code> (6830);
Saludes, Jordi	1 package: <code>knst</code> (3161);
Salvet, Zdenek	1 package: <code>csindex</code> (1405);
Salzer, Gernot	1 package: <code>subfiles</code> (5735);
Samarin, Alexander	2 packages: <code>cmcyr</code> (1153); <code>scyrillic</code> (5377);
samcarter	12 packages: <code>beamer</code> (492); <code>beamertheme-rainbow</code> (526); <code>beamertheme-spectrum</code> (530); <code>beamertheme-tcolorbox</code> (531); <code>cistercian</code> (1088); <code>jigsaw</code> (3062); <code>panda</code> (4474); <code>pgfplotsthemebeamer</code> (4625); <code>tikzbricks</code> (6158); <code>tikzducks</code> (6162); <code>tikzlings</code> (6166); <code>tikzmarmots</code> (6168);
Sanchez, Julio	1 package: <code>babel-spanish</code> (423);

C Authors and associated packages

Sandmann, Søren	1 package: <code>scale</code> (5310);
Sangwin, Chris	1 package: <code>hexboard</code> (2745);
Sank, Daniel Thomas	1 package: <code>modular</code> (4048);
Sannier, Victor	1 package: <code>ruscap</code> (5264);
Santos, Isabelle M.	1 package: <code>tikz-planets</code> (6145);
Santos, Ezequiel	1 package: <code>prisma-flow-diagram</code> (4801);
Santos, Vitor	1 package: <code>kinematikz</code> (3148);
Saparamadu, Vasantha	1 package: <code>sinhala</code> (5518);
Sarlat, Jean-Michel	2 packages: <code>mp-geom2d</code> (4075); <code>pst-moire</code> (4934);
Sartori, Alberto	1 package: <code>embedall</code> (1878);
Sathyam, Ujwal	1 package: <code>rtf2latex2e</code> (5242);
Sato, Toru	1 package: <code>slashbox</code> (5539);
Satrapa, Pavel	1 package: <code>latex-pro-pragmatiky</code> (3293);
Saudrais, Eddie	3 packages: <code>esdiff</code> (1986); <code>esint</code> (1989); <code>esvect</code> (2002);
Sauer, Jonathan	7 packages: <code>collect</code> (1198); <code>metainfo</code> (3908); <code>optparams</code> (4407); <code>parcolumns</code> (4493); <code>processkv</code> (4805); <code>sauerj</code> (5295); <code>zahl2string</code> (6904);
Sauter, John	1 package: <code>sauter</code> (5296);
Saxena, Sanjeev	1 package: <code>twoinone</code> (6368);
Scannell, Kevin P.	1 package: <code>gahyph</code> (2437);
Scarso, Luigi	1 package: <code>npp-for-context</code> (4309);
Scavino, Marco	1 package: <code>ecgdraw</code> (1809);
Schaa, Volker RW	1 package: <code>jacow</code> (3035);
Schaad, James L.	1 package: <code>dvibit</code> (1736);
Schaber, Spencer D.	1 package: <code>aichej</code> (110);
Schacht, Cedric	1 package: <code>quantumcubemodel</code> (5067);
Schäfer, Moritz R.	1 package: <code>booktabstabular</code> (810);
Schalück, Elmar	4 packages: <code>babel-polish</code> (410); <code>loval</code> (3531); <code>oval</code> (4440); <code>window</code> (6692);
Schandl, Bernd	2 packages: <code>nomencl</code> (4282); <code>paralist</code> (4488);
Schanz, Sebastian	1 package: <code>business-research</code> (858);

C Authors and associated packages

Scharrer, Martin	28 packages: adjustbox (75); collcell (1197); collectbox (1199); ctanupload (1430); currfile (1440); easyfig (1786); filehook (2207); filemod (2209); gincitex (2520); gobble (2580); ifetex (2892); ifoddpage (2900); lstaddons (3570); macros2e (3711); multienv (4123); mwe (4148); newverbs (4242); rcs-multi (5119); realboxes (5125); standalone (5674); storebox (5705); sty2dtx (5721); svn-multi (5762); svn-prov (5763); texdef (5962); tikz-timing (6151); tikzpagenodes (6171); ydoc (6881);
Schaum, Charles P.	2 packages: nameauth (4168); schemata (5319);
Schedler, Andreas	1 package: ntheorem (4317);
Scheidt, Martin	1 package: tikz-trackschematic (6152);
Schellenberger, Brian T.	1 package: pagefoots (4460);
Schenk, Christian	2 packages: miktex (3966); miktex-portable (3967);
Schenk, Stephan	2 packages: chembst (1016); chemcompounds (1017);
Scherer, Andreas	6 packages: amiweb2c (157); cweb (1457); cwebbin (1459); knuth-hint (3165); knuth-pdf (3169); pwebmac (5017);
Schinke, Carsten	1 package: gbrieff-creator (2455);
Schinko, Yannick	1 package: lexend (3402);
Schlechte, Wolfgang Andreas	1 package: newthm (4236);
Schlegelmilch, Jürgen	1 package: leaflet (3370);
Schleicher, Ralph	1 package: dos-dc (1662);
Schlemmer, Tobias	2 packages: pdfcprot (4548); tsemelines (6331);
Schlicht, Robert	2 packages: euroitc (2036); microtype (3959);
Schlömer, Nico	2 packages: auto1 (341); tex-font-errors-cheatsheet (5909);
Schmeing, Michael	1 package: mversion (4146);
Schmid, Hanspeter	2 packages: hpsdiss (2797); sfg (5439);
Schmid, Dominik	1 package: temporal-logic (5880);
Schmidt, Walter A.	41 packages: augie (328); bera (558); ccfonts (965); cmbright (1152); cmsd (1168); dayroman (1540); dictsym (1607); ecc (1807); epmtfe (1942); eulervm (2030); eurosans (2041); fix-cm (2233); fixmath (2243); gensymb (2473); helvet (2719); hvmath (2824); ibygrk (2865); icomma (2870); leaflet (3370); lettergothic (3393); lshort-german (3551); lucida (3682); luximono (3693);

C Authors and associated packages

	ly1 (3699); mathpple (3818); mathptmx (3820); pifont (4675); psnfss (4863); psnfss-source (4864); psnfssx (4865); required (5171); tmmath (6242); upgreek (6510); urw-antiqua (6526); urw-arial (6527); urw-base35 (6528); urw-garamond (6529); urw-grotesq (6530); w-a-schmidt (6655); was (6663); yfonts (6883);
Schmidt, Jan	1 package: tikz-palattice (6144);
Schmitt, Peter	3 packages: astro (305); backgrnd (433); shade (5446);
Schmittbuhl, Arnaud	2 packages: pst-solides3d (4959); pst-spectra (4961);
Schmitz, Thomas A.	5 packages: context-simpleslides (1303); context-taspresent (1306); gentium-original (2475); gentium-tug (2478); vf-howto (6609);
Schmitz, Daniel	1 package: mahjong (3724);
Schneider, Thomas	4 packages: cell (976); jbact (3050); jmb (3072); nar (4177);
Schneider, Christian	3 packages: combinedgraphics (1227); fullminipage (2411); ionumbers (2991);
Schneider, Niklas	1 package: semesterplanner (5402);
Schneider, Robin	6 packages: calcage (898); counttexruns (1357); doclicense (1647); fnumprint (2295); latex-git-log (3281); romanbarpagenumber (5215);
Schneider, Sven	1 package: dotarrow (1666);
Schneyer, Joran	1 package: rub-kunstgeschichte (5247);
Schnier, Thorsten	1 package: harvard (2701);
Mello Schnorr, Lucas	1 package: infufrgs (2945);
Schöpf, Rainer	9 packages: exscale (2091); histogr (2766); letter (3390); moreverb (4069); nox (4308); slides (5547); syntononly (5788); underlin (6458); verbatim (6587);
Schofer, Angelika	1 package: mtex (4104);
Schollmeyer, Michael	1 package: fchart (2153);
Scholten, Travis L.	1 package: qcircuit (5046);
Schreiber, Kai	1 package: bible (684);
Schreinemachers, Christian	2 packages: bib2qr (581); doibanner (1658);
Schrell, Andreas	6 packages: gothic (2584); kalender-209 (3116); pictexwd (4668); umrand (6448); wochtag (6711); yinit-as (6891);

C Authors and associated packages

Schrod, Joachim	14 packages: biblist (695); chbar (1004); components (1250); cweb-latex (1458); dviljk (1745); example (2060); footnpag (2344); genfam (2470); idverb (2877); js-misc (3092); literate (3480); makeprog (3749); rcs (5118); xindy (6801);
Schröder, Martin	9 packages: bibtopicprefix (713); count1to (1354); everyssel (2050); everyshi (2051); ms (4095); multitoc (4132); pdftex-def (4572); prelim2e (4785); ragged2e (5094);
Schröder, Jörg-Michael	1 package: datenumber (1490);
Schröder, Jenny	1 package: microtype-de (3960);
Schroeder, Thomas	1 package: chemarrow (1015);
Schröppel, Christian	1 package: forarray (2345);
Schubert, Elke	2 packages: latex-refsheet (3295); mdframed (3858);
Schubert, Sebastian	1 package: mdsymbol (3860);
Schubotz, Moritz	1 package: texvc (6052);
Schüler, Christian	1 package: smiletex (5562);
Schulder, Marc	1 package: hamnosys (2683);
Schuler, J. Peter M.	1 package: udesoftec (6417);
Schulter, Wolfgang	2 packages: wmf2eps (6705); wmf2eps (6706);
Schulz, Stefan	1 package: chemcono (1018);
Schulz, Herbert	1 package: courier-scaled (1360);
Schulz, Jonathan	1 package: tikz-nfold (6139);
Schulzrinne, Henning	1 package: l2x (3210);
Schurig, Carsten	1 package: pdfcprot (4548);
Schuster, Wolfgang	14 packages: context-account (1268); context-algorithmic (1269); context-animation (1270); context-annotation (1271); context-fancybreak (1281); context-fixme (1283); context-fullpage (1285); context-games (1286); context-letter (1293); context-ruby (1300); context-sgf (1301); context-simplefonts (1302); context-title (1307); context-typescripts (1311);
Schwan, Tobias	1 package: biblatex-juradiss (649);
Schwartz, Ronald	1 package: tibetan (6106);
Schwartz, Richard	1 package: latex-fonts (3278);
Schwarz, Ulrich M.	3 packages: nag (4165); one2many (4384); thmtools (6086);

C Authors and associated packages

Schwarz, Max	1 package: <code>graphicscache</code> (2608);
Schwarz, Norbert	3 packages: <code>dos-dc</code> (1662); <code>ec</code> (1804); <code>ocr-b</code> (4358);
Schweigert, U.	2 packages: <code>aplweb</code> (230); <code>aweb</code> (363);
Schwenk, Ferdinand	1 package: <code>tikzinclude</code> (6165);
Schwerdtfeger, Sebastian	1 package: <code>microtype-de</code> (3960);
Schwindt, Tammo	1 package: <code>latexcheat-de</code> (3323);
Scott, Ryan	1 package: <code>ucdavisthesis</code> (6407);
Scrivena, Zach	2 packages: <code>simple-resume-cv</code> (5498); <code>simple-thesis-dissertation</code> (5499);
Scroggs, Matthew	2 packages: <code>realhats</code> (5127); <code>tikz-truchet</code> (6154);
Sebastiani, Gerd	1 package: <code>titlepage-uni-dortmund</code> (6205);
Sebille, Robert	2 packages: <code>facture-belge-simple-sans-tva</code> (2108); <code>modeles-factures-belges-assocs</code> (4037);
Šegan, Danilo	2 packages: <code>c-pascal</code> (888); <code>shadebox</code> (5447);
Segletes, Steven B.	12 packages: <code>boxhandler</code> (821); <code>cursor</code> (982); <code>getargs</code> (2494); <code>numberedblock</code> (4325); <code>readarray</code> (5123); <code>scalerel</code> (5313); <code>stackengine</code> (5670); <code>stringstrings</code> (5713); <code>tabstackengine</code> (5821); <code>titlecaps</code> (6203); <code>tokcycle</code> (6258); <code>verbatimbox</code> (6591);
Seibert, Stan	1 package: <code>html2latex</code> (2803);
Seidman, Gregory	1 package: <code>typedref</code> (6386);
Seindal, René	1 package: <code>inlinebib</code> (2951);
Sejas Viscarra, Diego	1 package: <code>mgltex</code> (3949);
Selberg, Ole Michael	4 packages: <code>arabic</code> (242); <code>balancedquotes</code> (449); <code>nohyph</code> (4277); <code>nohyphbx</code> (4278);
Seliger, Hendrik G	1 package: <code>texlive-dummy-fedora</code> (5998);
Selinger, Peter	1 package: <code>pdfx</code> (4580);
P., Selvam	1 package: <code>affilauthor</code> (99);
Selzer, Christian	1 package: <code>quantum-chemistry-bonn</code> (5065);
Semken, Christoph	1 package: <code>beamerappendixnote</code> (501);
Sen, Sunando	1 package: <code>time-gen</code> (6186);
Sendoukas, Hippocrates	2 packages: <code>dviwin</code> (1769); <code>icons</code> (2872);
Senellart, Pierre	1 package: <code>apxproof</code> (238);
Senju, Jiro	2 packages: <code>dvisirule</code> (1759); <code>familytree</code> (2115);

C Authors and associated packages

Senn, Mark	1 package: dvibit (1736);
Sermutlu, Emre	1 package: compact-symbols (1244);
Serwin, Marcin	1 package: lshort-polish (3558);
Setzer, Nick	6 packages: colorwav (1222); cool (1328); coollist (1330); coolstr (1331); dyntree (1774); forloop (2351);
Seuranen, Esa	1 package: texlipse (5991);
Sfyrakis, Chrysovalantis	1 package: greektex (2630);
Sgouros, Tom	1 package: hyperlatex (2840);
Shadura, Andrej	1 package: babel-belarusian (374);
Shaik, Vahid	1 package: dnsrecord (1639);
Shanks, Bayle	1 package: easylatex (1789);
Shapin, Ted	1 package: biihead (737);
Shapour, Madadpour	1 package: alpha-persian (143);
Sharpe, Michael	48 packages: algolrevived (126); arrayjob (269); arrayjobx (270); baskervaldx (472); baskervillef (473); bboldx (487); bickham (720); boondox (812); cochineal (1183); ds serif (1710); dutchcal (1725); erewhon (1980); esstix (2000); etbb (2005); fbb (2146); fouriernc (2364); garamondx (2446); gelasiomath (2462); heuristica (2743); inconsolata (2934); libertinegc (3422); libertinust1math (3428); mathalpha (3796); minion2newtx (3990); montserrat (4059); newpx (4233); newtx (4237); newtxsf (4238); newtxtt (4239); nimbus15 (4258); notomath (4303); pst-bspline (4885); pst-layout (4925); pst-node (4935); pstdoc (4982); ptmsc (5007); ptxalpha (5030); rsfso (5239); scanpages (5315); scholax (5323); stickstoo (5698); superiors (5751); tempora (5879); txuprcal (6381); urwchancal (6531); wasy-type1 (6665); xcharter (6743); zlmtt (6926);
Sharpsten, Christian	1 package: armymemo (261);
Shashkov, Sergey	1 package: russ (5265);
Shaw, Caitlin	1 package: mla (4013);
Shawyer, Bruce	1 package: fullpict (2413);
Shell, Michael	5 packages: ieeeannot (2881); ieetrans (2884); ieetrantools (2885); mciteplus (3855); testflow (5896);
Shen, Willie	1 package: physics-patch (4652);

C Authors and associated packages

Shepherd, James	1 package: jasthesis (3043);
Sherman, Heather	2 packages: envbig (1923); envelope (1924);
Shibakov, Alexander	1 package: splint (5640);
Shigeru, Miyata	1 package: xetex-pstricks (6782);
Shipunov, Alexey	11 packages: altverse (153); autolist (347); biokey (744); biolist (747); boldline (791); cassette-shipunov (944); classif2 (1111); drcaps (1699); shipunov (5461); sltables (5550); xecyr (6766);
Chetan Shirore and Ajit Kumar	9 packages: luacomplex (3629); luagcd (3631); lualinalg (3647); luamaths (3650); luamodulartables (3653); luanumint (3655); luaplot (3659); luaset (3664); luatruthtable (3679);
Shoaib, Yasir	1 package: ryersonsgsthesis (5272);
Shoshiashvili, Levan	2 packages: babel-georgian (390); georgian (2486);
Shoulson, Mark	2 packages: okuda (4371); vispeech (6620);
Shub, Daniel E.	1 package: biblatex-cv (635);
Shun, Shirakawa	1 package: tsipa (6332);
Shuval, Boaz	1 package: technion-thesis-template (5870);
Shvaika, Andrij	2 packages: cmpj (1166); ukrhyph (6433);
Siddikov, M.	1 package: orderer (4409);
Siebenmann, Laurent	9 packages: ascii-cyrillic (290); boxedart4mac (818); boxedeps (819); bsr2dvi (849); caesarcm (893); hyacc-cm (2830); labelfig (3227); occam (4350); ragged (5093);
Siefken, Jason	1 package: jobname-suffix (3077);
Siefkes, Christian	1 package: hc (2708);
Siegel, Dominik	2 packages: chemschemex (1030); fancylabel (2125);
Siegert, Hans-Jurgen	1 package: latexdraw (3332);
Siegert, Frank M.	1 package: ttf2pt1 (6338);
Sievers, Martin	5 packages: beilstein (552); cidarticle (1078); emisa (1883); hausarbeit-jura (2706); lni (3500);
Sigurdhsson, Simon	5 packages: chscite (1073); download (1677); skdoc (5528); skmath (5535); skrapport (5536);
Sihler, Florian	2 packages: fancyqr (2129); tikzpingus (6174);

C Authors and associated packages

SIL International	7 packages: <code>alkalami</code> (134); <code>andika</code> (188); <code>charissil</code> (1002); <code>doulossil</code> (1674); <code>gentium-sil</code> (2477); <code>padauk</code> (4455); <code>parsinevis</code> (4501);
Silano, Giuseppe	1 package: <code>europcv</code> (2039);
Simers, Thomas	1 package: <code>soup</code> (5611);
Simões, Alberto Manuel Brandão	2 packages: <code>lshort-portuguese</code> (3559); <code>texilikecover</code> (5984);
Simon, André	1 package: <code>highlight</code> (2760);
Simon, B.	1 package: <code>sfarticle</code> (5436);
Simonic, Aleksander	1 package: <code>winedt</code> (6695);
Simons, Don	3 packages: <code>musixtex</code> (4139); <code>pmtex</code> (4737); <code>pmx</code> (4738);
Simpson, Duncan	1 package: <code>word2x</code> (6715);
Simpson, Rick	1 package: <code>logic</code> (3507);
Singer, Jed	1 package: <code>perception</code> (4589);
Singh, Madhusudan	1 package: <code>assignment</code> (301);
Singh, Amarjit	1 package: <code>gurmukhi-singh</code> (2669);
Singletary, Tim	1 package: <code>texi2www</code> (5982);
Sion, Laurens	1 package: <code>pdfprivacy</code> (4564);
Sirer, Emin Gün	1 package: <code>crosstex</code> (1392);
Sirlin, Sam	1 package: <code>sirlin</code> (5519);
Siskind, Jeffrey	2 packages: <code>qobitree</code> (5054); <code>qtree</code> (5062);
Sitaram, Dorai	3 packages: <code>eplain</code> (1941); <code>slatex-scheme</code> (5542); <code>tex2page</code> (5945);
Sixt, Johannes	1 package: <code>xtexcad</code> (6854);
Sixt, Leon	1 package: <code>emojicite</code> (1886);
Skala, Matthew	2 packages: <code>horoscop</code> (2793); <code>starfont</code> (5677);
Esser-Skala, Wolfgang	3 packages: <code>cpssp</code> (1370); <code>pgfgantt</code> (4613); <code>pgfmolbio</code> (4618);
Skinner, Eric	1 package: <code>split</code> (5641);
Skorczynski, Adam	1 package: <code>led</code> (3377);
Slater, Joseph	1 package: <code>imac</code> (2918);
Slavič, Janko	1 package: <code>addtex2eps</code> (67);
Slurp	3 packages: <code>measurebox</code> (3867); <code>pdfmsym</code> (4558); <code>stretchy</code> (5709);

C Authors and associated packages

Slyusarev, Sergey	2 packages: byrne (884); fiziko (2249);
Small Planet Software	1 package: softfonts (5570);
Smáráson, Sindri	1 package: cleveref-icelandic (1120);
Smart, Julian	1 package: tex2rtf (5946);
Smiga, Joseph A.	1 package: ezedit (2103);
Smith, Steven T.	2 packages: arrow (273); devanagari (1589);
Smith, Andrew	1 package: kalendarium (3114);
Smith, Bradley	1 package: fnpara (2288);
Smith, Brian	2 packages: transfig (6291); xfig (6789);
Smith, Cameron	3 packages: genindex (2471); pageframe (4461); wrtfile (6732);
Smith, J. Daniel	3 packages: lettermac (3394); make-env (3728); zip (6924);
Smith, Fabian Robert	1 package: corasdiagram (1343);
Smith, John	2 packages: accfonts (33); induni-om (2942);
Smith, Nathaniel J.	1 package: apa6e (219);
Smith, Ralph	1 package: rsfs (5238);
Smullyan, Jacob	1 package: sharedline (5456);
Snajdr, Jaroslav	1 package: cslatex (1406);
Snapp, Bart	1 package: ximera (6799);
Sneep, Maarten	2 packages: doi (1657); xmpincl (6822);
Snippe, Max J.W.	1 package: robotarm (5208);
So, Henry	1 package: gregoriotex (2634);
Sodtalbers, Axel	1 package: juramisc (3108);
Södergran, Salome	2 packages: koma-moderncvclassic (3171); komacv (3179);
Söhner, Jörg	1 package: kalender (3115);
Söll, Thomas	5 packages: pst-geometrictools (4914); pst-perspective (4946); pst-pulley (4951); pst-rputover (4953); pst-vehicle (4976);
Solomykov, Basil	1 package: obnov (4347);
Somefun, Oluwasegun	1 package: kblocks (3125);
Sommer, Jörg	2 packages: jlm (3068); templates-sommer (5877);

C Authors and associated packages

Sommerfeldt, Axel	11 packages: bicaption (719); caption (925); caption2 (926); endfloat (1898); ltcaption (3579); newfloat (4228); rotfloat (5226); rplain (5234); subcaption (5727); totalcount (6273); umlaute (6446);
Sowa, Friedhelm	2 packages: bm2font (776); picinpar (4660);
Sozuer, Sami	2 packages: cm-mf-extra-bold (1141); noprot (4288);
Spalek, Robert	1 package: mf2tex (3933);
Sparapani, Rodney	2 packages: statex (5681); statex2 (5682);
Spencer, Stephen N.	1 package: newapa (4221);
SPIE Support	1 package: spie (5635);
Spiegel, Simon	1 package: biblatex-fiwi (639);
Spiel, Chris	2 packages: synthslant (5787); typog (6394);
Spina, Sergio	1 package: plipsum (4724);
Spinellis, Diomidis	1 package: bib2xhtml (582);
Spit, Werenfried	1 package: cursor (1444);
Spittank, Daniel	1 package: utfsym (6550);
Spitzmüller, Jürgen	7 packages: babel-german (391); biblatex-publist (667); covington (1366); jslectureplanner (3094); luabidi (3624); polyglossia (4753); univie-ling (6495);
Spivak, Michael	4 packages: dvipaste (1748); lamstex (3244); lamstex-index (3245); mtp2lite (4106);
Spivey, Mike	3 packages: xml2pmx (6819); zed (6909); zed-csp (6910);
Spratte, Jonathan P.	15 packages: clrstrip (1133); ducksay (1719); duckuments (1720); enverb (1926); etl (2014); expkv (2081); expkv-bundle (2082); expkv-cs (2083); expkv-def (2084); expkv-opt (2085); grabbox (2588); menukeys (3894); pgfmath-xfp (4617); pxpic (5027); xistercian (6806);
Spreng, Stefan	1 package: listofsymbols (3477);
Spribille, Tobias	1 package: adrlist (81);
Springer Verlag	1 package: springer (5648);
Springuel, Fr. Samuel	2 packages: gregoriotex (2634); maine-thesis (3727);
Srinivasan, K	1 package: adami (60);
Staats, Michale	1 package: untex (6503);
Staats III, Charles	1 package: asypictureb (314);

C Authors and associated packages

Stacey, Andrew	11 packages: braids (829); celtic (981); hobby (2783); penrose (4588); pgf-blur (4603); pgfmorepages (4619); rulercompass (5257); spath3 (5625); tikzmark (6167); tilings (6183); tqft (6280);
Stachelek, Joseph	1 package: tikz-lake-fig (6134);
Stajano, Frank	1 package: fixbbl (2235);
Stallman, Richard M.	1 package: latexinfo (3337);
Stambulchik, Evgeny	1 package: pdfpc (4562);
Stanier, Alan	13 packages: cherokee (1037); cypriote (1466); dancers (1475); georgian-stanier (2487); goblin (2581); iching (2868); ogham (4368); osmanian (4420); sarabian (5293); shavian (5457); southarabian (5616); syriac (5791); ugaritic (6423);
Stanley, Paul	1 package: oscola (4418);
Staps, Camil	4 packages: bibletext (692); latexgit (3335); memorygraphs (3888); tkz-orm (6230);
Starke, Jan	1 package: traffic-light-protocol (6286);
Starks, Anthony	1 package: fig2mf (2185);
Statulevičius, Vytas	2 packages: floatpag (2270); sttools (5717);
Stauss, Harald M.	1 package: fastpictex (2144);
Steensgaard, Jørgen	1 package: ebook (1801);
Stefanović, Uroš	5 packages: babel-serbian (417); babel-serbianc (418); cmsrb (1170); cmupint (1175); srbtiks (5656);
Steffani, Hans Friedrich	2 packages: fancyfolien (2119); ftcap (2405);
Steffens, Stefan	1 package: latex-info (3286);
Steffmann, Dieter	1 package: initials (2948);
Stein, Leo	2 packages: gridpapers (2641); orcidlink (4408);
Steinbach, Andrea	1 package: mtex (4104);
Steiner, Beat	1 package: ttt (6343);
Steiner, Dave	1 package: usenix (6536);
Steinhauer, Ben	2 packages: bootstrapicons (813); isosigns (3015);
Stendahl, Jakob	1 package: glossaries-norsk (2555);
Stender, Daniel	2 packages: xetex-devanagari (6779); xetex-tibetan (6783);
Stepanyan, R.	2 packages: barddiag (460); biblio-perl (694);

C Authors and associated packages

Stephani, Philipp	2 packages: <code>lualatex-math</code> (3643); <code>lualatex-platform</code> (3644);
Stergiou, Andreas	1 package: <code>chet</code> (1043);
Sterling, Jonathan	1 package: <code>jmsdelim</code> (3074);
Sternefeld, Wolfgang	2 packages: <code>linguex</code> (3455); <code>pstrees</code> (4987);
Steuer, Arne W.	1 package: <code>cassette209</code> (945);
Stewart, G. W.	1 package: <code>jeep</code> (3053);
Stigge, Roland	1 package: <code>latex2html</code> (3309);
Stippich, Frank	1 package: <code>texed</code> (5971);
The STI Pub Companies	3 packages: <code>stix</code> (5699); <code>stix2-otf</code> (5700); <code>stix2-type1</code> (5701);
Stoffel, Augusto	2 packages: <code>digestif</code> (1611); <code>tikz-cd</code> (6121);
Stoks, Sander	1 package: <code>kix</code> (3149);
Stone, Anthony	1 package: <code>bidstobibtex</code> (728);
Stone, Philip	1 package: <code>readablecv</code> (5122);
Story, Donald P.	62 packages: <code>acroflex</code> (44); <code>acromemory</code> (46); <code>acrosort</code> (50); <code>acrotex</code> (52); <code>acrotex-js</code> (53); <code>acrotex-web</code> (54); <code>aeb-minitoc</code> (86); <code>aeb-mlink</code> (87); <code>aeb-mobile</code> (88); <code>aeb-pro</code> (89); <code>aeb-tilebg</code> (90); <code>aeb-dad</code> (91); <code>aebenvelope</code> (92); <code>aeb slicing</code> (93); <code>aebxmp</code> (94); <code>annot-pro</code> (193); <code>artthreads</code> (280); <code>bargraph-js</code> (461); <code>cntdwn</code> (1180); <code>conv-xkv</code> (1320); <code>datepicker-pro</code> (1491); <code>digicap-pro</code> (1612); <code>docassembly</code> (1645); <code>dps</code> (1683); <code>ecards</code> (1806); <code>eforms</code> (1836); <code>endnotes-hy</code> (1904); <code>eq-fetchbbl</code> (1961); <code>eq-pin2corr</code> (1962); <code>eq-save</code> (1963); <code>eq2db</code> (1964); <code>eqexam</code> (1966); <code>exerquiz</code> (2073); <code>fc-arith</code> (2151); <code>fetchbibpes</code> (2164); <code>fitr</code> (2231); <code>fldigigal</code> (2260); <code>forms16be</code> (2356); <code>graphicxbox</code> (2611); <code>graphicxsp</code> (2613); <code>grayhints</code> (2620); <code>icon-appr</code> (2871); <code>insdljs</code> (2965); <code>jj-game</code> (3063); <code>lmacs</code> (3496); <code>ltx4yt</code> (3589); <code>mi-solns</code> (3956); <code>mkstmp-pro</code> (4012); <code>opacity-pro</code> (4392); <code>pmdb</code> (4732); <code>popupmenu</code> (4761); <code>qrcstamps</code> (5058); <code>ran-toks</code> (5100); <code>rangen</code> (5109); <code>renditions</code> (5163); <code>richtext</code> (5196); <code>rannot</code> (5201); <code>robot-man</code> (5207); <code>thorshammer</code> (6087); <code>tile-graphic</code> (6182); <code>xbmks</code> (6742); <code>yt4pdf</code> (6900);
Straat, Jesse	2 packages: <code>aeskwadraat</code> (97); <code>repththeorem</code> (5170);
Straathof, Bas	1 package: <code>har2nat</code> (2694);
Strasser, Georg	1 package: <code>beamertheme-upenn-bc</code> (533);

C Authors and associated packages

Straub, Pablo A.	1 package: askinclud (294);
Straube, Hilmar	1 package: tktexcad (6217);
Storvik Strauman, Andreas	3 packages: exercisebank (2069); handin (2684); includernw (2932);
Strauß, Martin	1 package: tcltexed (5860);
Strecker, Stefan	1 package: emisa (1883);
Streit, Alexander	1 package: latex-dependency-grapher (3271);
Strip, David	1 package: cassette (943);
Stříž, Pavel	1 package: lshort-czech (3545);
Strokov, Igor	1 package: streetex (5708);
Struve, Dirk	1 package: texshell32 (6029);
Strzelczyk, Piotr	12 packages: cep (986); lm-math (3495); qfonts (5051); tap (5851); tex-gyre-math (5918); tex-gyre-math-bonum (5919); tex-gyre-math-dejavu (5920); tex-gyre-math-pagella (5921); tex-gyre-math-schola (5922); tex-gyre-math-termes (5923); tif2eps (6113); toil (6257);
Stuart, Louis	3 packages: beamer (492); beamerauxtheme (503); lshort-zh-cn (3569);
Stubner, Ralf	1 package: fpl (2369);
Stuetz, Markus	1 package: callouts (909);
Stuhrmann, Norbert	2 packages: flacards (2252); stubs (5718);
Stupp, Gideon	1 package: ntabbing (4312);
Sturm, Thomas F.	8 packages: csvsimple (1418); didec (1609); genealogytree (2469); incgraph (2931); mercatormap (3897); sanitize-umlaut (5284); tcolorbox (5862); tikzfill (6163);
Suchard, Jan Eike	1 package: uol-physics-report (6504);
Suckale, Jakob	1 package: fbs (2149);
Sullivan, Wayne	2 packages: dmfonts (1636); sbtex (5307);
Sun, Tong	1 package: latexmake (3338);
Sun, Wenchang	2 packages: cjkpunct (1103); xecjk (6763);
Sun, Xiao	1 package: hitreport (2773);
Sun, Zhonghao	1 package: tlmgr-intro-zh-cn (6240);
Surber, Wesley	1 package: turabian (6353);

C Authors and associated packages

Surmann, Dirk	1 package: tikzposter (6175);
Svensson, Anders	1 package: kuvio (3198);
Sverrisson, Marteinn	1 package: icehyph (2866);
Swamidass, S Joshua	1 package: numname (4334);
Swift, Matt	22 packages: abbrevs (12); achicago (36); achicago-bst (37); alatrix (117); attrib (324); bits (754); blkcntrl (766); compsci (1252); dialogue (1603); drama (1691); frankenbundle (2378); frankenstein (2379); frankenstein-unsupported (2380); includex (2933); lips (3463); monster (4057); moredefs (4062); newclude (4223); relsize (5160); slemph (5544); swiftext (5769); titles (6210);
Swifterhtmler	1 package: essaykit (1999);
Sydoriak, Steve	2 packages: laletter (3239); lamemo (3242);
Syrjänen, Tommi	3 packages: aboensis (19); foliono (2300); missaali (4002);
Syropoulos, Apostolos	39 packages: alterqcm (149); archaic (253); asana-math (285); ascii-font (291); babel-greek (392); bib-greek (577); biber-solaris (603); cbgreek-complete (962); decimal (1556); elmath (1867); epiolmec (1939); frederika2016 (2382); greek-inputenc (2623); greek-makeindex (2624); grnumalt (2645); grtimes (2646); grverb (2648); hellas (2717); lineara (3446); mathspic (3829); mf2pt3 (3932); multibbl (4113); ocherokee (4356); oinuit (4370); phaistos (4627); philokalia (4638); rubik (5248); rubikcube (5249); rubikrotation (5250); rubiktwocube (5251); staves (5687); svrsymbols (5765); umtypewriter (6450); xexchangebar (6762); xecyrmongolian (6767); xesoul (6773); xespotcolor (6774); xetex-greek (6780); xgreek (6794);
Szabó, Péter	8 packages: a2ping (3); anyfontsize (213); babel-hungarian (394); examplep (2061); graphicp (2603); latex-uni8 (3302); sam2p (5281); tt2001 (6334);
Szoke, Mark-Andor	1 package: delvierre (1579);
Tahsiri, Amir Mohammad	1 package: bibbreeze (584);
Takato, Setsuo	1 package: ketcindy (3134);
Takeda, Shiro	1 package: econ-bst (1814);
Takkinen, Laura	1 package: texlipse (5991);

Talbot, Nicola

86 packages: bib2gls (579); bibleref (685); csvtools (1420); datatool (1484); datatool-english (1485); datatool-regions (1486); datatooltk (1487); datetime (1495); datetime2 (1496); datetime2-bahasai (1497); datetime2-basque (1498); datetime2-breton (1499); datetime2-bulgarian (1500); datetime2-catalan (1501); datetime2-croatian (1502); datetime2-czech (1503); datetime2-danish (1504); datetime2-dutch (1505); datetime2-en-fulltext (1506); datetime2-english (1507); datetime2-esperanto (1508); datetime2-estonian (1509); datetime2-finnish (1510); datetime2-french (1511); datetime2-galician (1512); datetime2-german (1513); datetime2-greek (1514); datetime2-hebrew (1515); datetime2-icelandic (1516); datetime2-irish (1517); datetime2-italian (1519); datetime2-latin (1520); datetime2-lsorbian (1521); datetime2-magyar (1522); datetime2-norsk (1523); datetime2-polish (1524); datetime2-portuges (1525); datetime2-romanian (1526); datetime2-russian (1527); datetime2-samin (1528); datetime2-scottish (1529); datetime2-serbian (1530); datetime2-slovak (1531); datetime2-slovene (1532); datetime2-spanish (1533); datetime2-swedish (1534); datetime2-turkish (1535); datetime2-ukrainian (1536); datetime2-usorbian (1537); datetime2-welsh (1538); dickimaw (1606); doipubmed (1659); flowfram (2275); flowframtk (2276); fmtcount (2281); glossaries (2542); glossaries-accsupp (2543); glossaries-danish (2544); glossaries-dutch (2545); glossaries-english (2546); glossaries-extra (2548); glossaries-french (2550); glossaries-german (2551); glossaries-irish (2552); glossaries-italian (2553); glossaries-magyar (2554); glossaries-polish (2557); glossaries-portuges (2558); glossaries-serbian (2559); glossaries-spanish (2561); glossary (2564); jmakepdfx (3071); jmlr (3073); makedtx (3739); makeglossariesgui (3742); mfirstuc (3938); nlctdoc (4268); pressrelease (4792); probsoln (4803); quotmark (5081); testidx (5899); tex-locale (5933); texosquery (6016); tracklang (6284); venndiagram (6584); xfor (6790);

Tam, Claire

1 package: user-persona (6537);

Tan, Renier

1 package: sysuthesis (5794);

Tanaka, Takuji

9 packages: convbkmk (1321); dvi2tty (1733); dviout (1747); japanese-otf (3039); japanese-otf-uptex (3040); upmendex (6512); uptex (6517); uptex-base (6518); uptex-fonts (6519);

C Authors and associated packages

Tanbakuchi, Anthony A.	2 packages: <code>figsize</code> (2199); <code>plates</code> (4709);
Tanguy, Yannick	1 package: <code>faq-fr</code> (2138);
Tannert, Sebastian	1 package: <code>circ</code> (1080);
Tantau, Till	3 packages: <code>beamer</code> (492); <code>pgf</code> (4602); <code>pgfkeys</code> (4614);
Tartir, Jamal K.	1 package: <code>jlabels</code> (3067);
Tasso, Florian	1 package: <code>envelope-letter</code> (1925);
Tatlock, Benjamin	1 package: <code>bropd</code> (843);
Tatsuta, Makoto	1 package: <code>lkproof</code> (3489);
Taupin, Daniel	12 packages: <code>cmfrak</code> (1160); <code>ec-plain</code> (1805); <code>gothic</code> (2584); <code>hyphen-accent</code> (2846); <code>ltx2rtf</code> (3586); <code>musictex</code> (4136); <code>musixtex</code> (4139); <code>musixtex-egler</code> (4140); <code>musixtex-fonts</code> (4141); <code>smallcap</code> (5551); <code>t1-fraktur</code> (5796); <code>varsects</code> (6573);
Taylor, Philip	9 packages: <code>cropmarks-pt</code> (1386); <code>cropmrks</code> (1387); <code>letterspacing</code> (3395); <code>path</code> (4516); <code>settosize</code> (5429); <code>textfit</code> (6041); <code>trigonometry</code> (6318); <code>ukhyph</code> (6432); <code>verbatim-gen</code> (6588);
Taylor, Bob	1 package: <code>tables</code> (5813);
Taylor, Laurence R	2 packages: <code>bubblesort</code> (852); <code>csvmerge</code> (1417);
Taylor, Paul	3 packages: <code>proofs</code> (4823); <code>qed</code> (5049); <code>taylor</code> (5855);
TUG TWG-TDS	1 package: <code>tds</code> (5865);
Teegen, Maximilian	1 package: <code>letterswitharrows</code> (3396);
Tellechea, Christian	16 packages: <code>apprendre-a-programmer-en-tex</code> (235); <code>autoaligne</code> (342); <code>chemfig</code> (1020); <code>dijkstra</code> (1614); <code>hlist</code> (2781); <code>listofitems</code> (3476); <code>randomlist</code> (5105); <code>scratch</code> (5345); <code>scratch3</code> (5346); <code>simplekv</code> (5505); <code>spreadtab</code> (5647); <code>systeme</code> (5793); <code>tabularcalc</code> (5827); <code>tokstools</code> (6263); <code>tuple</code> (6352); <code>xstring</code> (6849);
Tennent, Bob	81 packages: <code>accanthis</code> (28); <code>alegreya</code> (120); <code>alkalami</code> (134); <code>almendra</code> (139); <code>andika</code> (188); <code>arimo</code> (258); <code>atkinson</code> (321); <code>autosp</code> (355); <code>biolinum-type1</code> (746); <code>bitter</code> (757); <code>cabin</code> (891); <code>caladea</code> (896); <code>carlito</code> (932); <code>charissil</code> (1002); <code>cinzel</code> (1079); <code>classico</code> (1108); <code>clearsans</code> (1116); <code>coelacanth</code> (1194); <code>cooperhewitt</code> (1335); <code>cormorantgaramond</code> (1347); <code>crimson</code> (1380); <code>crimsonpro</code> (1381); <code>diagmac2</code> (1598); <code>ebgaramond</code> (1796); <code>figbas</code> (2190); <code>fira</code> (2219); <code>forum</code> (2360); <code>gandhi</code> (2442); <code>garamond-libre</code> (2444); <code>gelasio</code> (2461); <code>gillius</code> (2519); <code>gofonts</code> (2582); <code>ibarra</code> (2860); <code>imfellenglish</code> (2922);

C Authors and associated packages

	imfellflowers (2923); josefin (3079); junicode (3102); junicodevf (3103); libertine (3419); libertine-legacy (3420); libertine-type1 (3421); libertinus-type1 (3427); librebaskerville (3431); librebodoni (3432); librecaslon (3433); librefranklin (3434); linguisticspro (3456); lobster2 (3501); m-tx (3704); marcellus (3774); merriweather (3899); mintspirit (3998); musixtex (4139); musixtex-fonts (4141); musixtnt (4143); mweights (4149); noto (4298); notocondensed (4302); oldstandard (4377); oldstandardt1 (4378); overlock (4445); padauk (4455); playfair (4717); plex (4719); pmx (4738); poiretone (4748); prerex (4788); quattroceto (5068); roboto (5209); spectral (5627); texlive-dummy-enterprise-linux (5994); texlive-dummy-enterprise-linux-6 (5995); texlive-dummy-enterprise-linux-7 (5996); texlive-dummy-enterprise-linux-8 (5997); theanodidot (6066); theanommodern (6067); theanooldstyle (6068); tinos (6195); tlmgrbasics (6241); universalis (6494); xml2pmx (6819);
Terashita, Tera	1 package: oldlatin (4375);
Tesařík, Petr	1 package: babel-slovak (419);
Teubner, Michael	1 package: coseoul (1352);
Tex, Ajabu	1 package: try (6329);
The TeX4ht Team	2 packages: protex (4829); tex4ht (5950);
Free Software Foundation	2 packages: texinfo (5986); texinfo-latest (5988);
Japanese TeX Development Community	22 packages: ascmac (293); babel-japanese (400); bibtexu (709); japanese-otf (3039); japanese-otf-uptex (3040); jsclasses (3093); mendex-doc (3889); morisawa (4071); nidanfloat (4255); pbibtex-base (4523); pbibtex-manual (4524); platex (4710); ptex (4997); ptex-base (4998); ptex-fontmaps (4999); ptex-fonts (5000); ptex-manual (5001); ptex-texmf (5002); ptex2pdf (5003); uplatex (6511); uptex-base (6518); uptex-fonts (6519);
The TeX Live Team	22 packages: aleph (121); bibtex8 (706); bibtexu (709); dvidvi (1741); dviljk (1745); dvipdfmx (1750); dvips (1753); etex (2007); kpathsea (3187); lacheck (3236); makeindex (3746); patgen (4514); pdftex (4571); pkware (4693); ps2pk (4838); texdoc (5968); texlive (5993); texlive-repo (6000); texlive-source (6001); tpic2pdf (6277); web2c (6670); xetex (6777);

C Authors and associated packages

TeXpérimental	1 package: <code>calcfrac</code> (899);
Thakkar, Ajit	1 package: <code>isi2bib</code> (3002);
Thành, Hàn Thế	6 packages: <code>abbr</code> (11); <code>gv-savepos</code> (2673); <code>pdftex</code> (4571); <code>pdfx</code> (4580); <code>plnfss</code> (4725); <code>vntex</code> (6632);
Thatcher, Peter	1 package: <code>html2latex</code> (2803);
Theiling, Henrik	1 package: <code>eurosym</code> (2042);
Theulings, Dimitri	1 package: <code>liturgy-cw</code> (3486);
Thiele, Christina	2 packages: <code>nrc</code> (4310); <code>ttn</code> (6342);
Thielemann, Jens T. Berger	1 package: <code>chktex</code> (1061);
Thiersch, Craig	1 package: <code>gb4e</code> (2453);
Thiriet, Damien	1 package: <code>beamerdarkthemes</code> (505);
Thomas, Reuben	7 packages: <code>alphanum-bst</code> (147); <code>alphanumb</code> (148); <code>bitfield</code> (751); <code>crop</code> (1383); <code>dashbox</code> (1479); <code>pdfjam</code> (4553); <code>stage</code> (5672);
Thomas, Andy	1 package: <code>sidenotes</code> (5489);
Thomas, Matt	1 package: <code>ln03dvi</code> (3499);
Thomas, Spencer W.	1 package: <code>undump</code> (6465);
Thompson, Nadine	1 package: <code>mnras</code> (4033);
Thompson, Paul A.	4 packages: <code>acromake</code> (45); <code>newlrm</code> (4230); <code>verbasef</code> (6586); <code>vrboxin</code> (6644);
Thornburg, Jonathan	1 package: <code>allegno</code> (135);
Thorne, James	1 package: <code>ndsu-thesis</code> (4208);
Thorup, Kresten Krab	5 packages: <code>auctex</code> (327); <code>calc</code> (897); <code>ftn</code> (2407); <code>lacheck</code> (3236); <code>pspic</code> (4869);
Thull, Klaus	1 package: <code>yannisgr</code> (6875);
Thurston, Toby	2 packages: <code>drawing-with-metapost</code> (1695); <code>metapost-colorbrewer</code> (3916);
Tidefelt, Henrik	1 package: <code>blockdraw-mp</code> (769);
Tijssen, Luuk	1 package: <code>eulerpx</code> (2029);
van Tilburg, Paul	1 package: <code>flagderiv</code> (2253);
Tille, Andreas	2 packages: <code>circ</code> (1080); <code>formula</code> (2357);
Tilmann, Frederik	1 package: <code>latexdiff</code> (3331);
Tinnefeld, Karsten	5 packages: <code>bophook</code> (814); <code>corelpak-contrib</code> (1346); <code>margbib</code> (3775); <code>mtgreek</code> (4105); <code>quotchap</code> (5077);

C Authors and associated packages

Titz, Thomas	3 packages: biblatex-authoryear-icomptt (624); idxlayout (2879); quoting (5080);
Tkadlec, Josef	1 package: pict2e (4663);
T. Nair, Rishikesan	1 package: els-cas-templates (1870);
Toal, Graham	1 package: cmttype3 (1174);
Tobin, Geoffrey	7 packages: dtl (1714); dvgt (1728); fig2eng (2183); fig2mfpic (2186); metafont-beginners (3905); mfpic (3943); setspace (5425);
Tobin, Georgia K. M.	1 package: hands (2687);
Tobotras, Boris	1 package: lshort-russian (3561);
Toby, B. H.	2 packages: fortran (2359); listing-pln (3469);
Tolksdorf, Robert	1 package: prelim (4784);
Tolušis, Sigitas	9 packages: babel-lithuanian (404); cuted (1451); flushend (2279); lithuanian (3484); marginal (3776); stabular (5668); stfloats (5697); sttools (5717); xdvipsk-support (6760);
Tómacs, Tibor	7 packages: babel-hungarian (394); bookcover (799); fgruler (2175); huaz (2807); hulipsum (2810); numspell (4337); thesis-ekf (6078);
Tomonaga, Shin-Ichiro	1 package: ptptex (5009);
Torchiano, Marco	1 package: topletter (6270);
Torkington, Nathan	1 package: html2latex (2803);
Toro, Javier	2 packages: interactiveanimation (2972); interactiveplot (2973);
Totushek, Jonathan	1 package: ndsu-thesis (4208);
Townsend, Adam	1 package: realhats (5127);
Trajanovski, Stojan	1 package: babel-macedonian (405);
Tran, Tony	1 package: vietnet (6617);
Trautmann, Arno L	3 packages: chickenize (1051); placeat (4696); tex-overview (5937);
Trettin, Mark	3 packages: l2tabu (3205); l2tabu-english (3206); l2tabu-spanish (3209);
Trevorrow, Andrew	1 package: oztex (4450);
Trickey, Howard	1 package: ama (154);
Trifonov, Peter	1 package: oletex (4380);

C Authors and associated packages

Trinkle, Daniel	1 package: <code>detex</code> (1586);
Triska, Markus	2 packages: <code>finomaton</code> (2216); <code>greenpoint</code> (2633);
Trüöl, Werner	1 package: <code>systcontrolletters</code> (5792);
Trzeciak, Tomasz M.	2 packages: <code>cachepic</code> (892); <code>docmute</code> (1649);
Tse, Kwanleung	1 package: <code>hktex</code> (2777);
Tsolomitis, Antonis	21 packages: <code>epigrafica</code> (1935); <code>fontsetup</code> (2330); <code>fontsetup-nonfree</code> (2331); <code>gfs</code> (2503); <code>gfsartemis</code> (2504); <code>gfsbaskerville</code> (2505); <code>gfsbodoni</code> (2506); <code>gfscomplutum</code> (2507); <code>gfsdidot</code> (2508); <code>gfsdidotclassic</code> (2509); <code>gfsneohellenic</code> (2510); <code>gfsneohellenicmath</code> (2511); <code>gfsporson</code> (2512); <code>gfssolomos</code> (2513); <code>greekdates</code> (2628); <code>kerkis</code> (3132); <code>latex2nemeth</code> (3311); <code>newcomputermodern</code> (4225); <code>oldstandard</code> (4377); <code>talos</code> (5842); <code>txfontsb</code> (6375);
Tsur, Dekel	1 package: <code>ldiff</code> (3367);
Tsyplakov, Alexander	1 package: <code>tpx</code> (6279);
Tucci, R.	1 package: <code>inputfile</code> (2958);
TUG DVI Standards Working Group	1 package: <code>dvistd</code> (1760);
The Indian TeX Users Group	1 package: <code>udiss</code> (6418);
TUG Lucida Support Group	1 package: <code>lucidabr</code> (3684);
Tuleuov, Berik I.	2 packages: <code>lastbib</code> (3254); <code>sciwordconv</code> (5336);
Tsinghua University TUNA Association	1 package: <code>thuthesis</code> (6104);
Turlay, Emmanuel	1 package: <code>susy</code> (5754);
Turner, Rebecca	4 packages: <code>brandeis-problemset</code> (833); <code>changelog</code> (994); <code>ltxguidex</code> (3596); <code>rbt-mathnotes</code> (5116);
Turon, Francina	1 package: <code>cahyph</code> (895);
Turtia, S. B.	1 package: <code>mff</code> (3936);
Tutelaers, Piet	4 packages: <code>chess</code> (1038); <code>nehyp</code> (4212); <code>ps2pk</code> (4838); <code>psfonts-tools</code> (4853);
Tweedale, Michael	1 package: <code>mathscinet</code> (3825);
TUG TWG-MacTeX	3 packages: <code>mactex</code> (3713); <code>mactex-basic</code> (3714); <code>mactextras</code> (3715);
Uchiyama, Takanori	2 packages: <code>musixtex-fonts</code> (4141); <code>musixtex-t1fonts</code> (4142);
Ueda, Takahiro	1 package: <code>autobreak</code> (343);

C Authors and associated packages

Ukai, Hiroshi	1 package: ditaa (1627);
UK TeX Users Group	1 package: uktug-bask (6435);
Ulfberg, Staffan	1 package: alg (124);
Ulrich, Stefan	3 packages: bibtopic (712); mparhack (4078); srcltx (5657);
Ulrych, Oldrich	1 package: infpic (2944);
Umeki, Hideo	3 packages: geometry (2482); geometry-de (2483); layout (3357);
Ummels, Michael	5 packages: ccicons (967); fdsymbol (2156); figureversions (2200); fontaxes (2310); tabfigures (5806);
Un, Koaunghi	6 packages: hlatex (2778); hlatex-fonts (2779); uhc (6424); unfonts-core (6467); unfonts-extra (6468); xytree (6868);
Underwood, William George	1 package: latex-formatter (3280);
Ungar, Peter	2 packages: cropmark-pu (1385); pagereference (4468);
Unger, Benjamin	1 package: gammas (2441);
Unruh, Dominique	3 packages: braille (830); ucs (6411); unicode (6473);
Urban, Michael	3 packages: bibview-x (717); engwar (1911); tengwar (5882);
URW GmbH	6 packages: lettergothic (3393); urw (6525); urw-antiqua (6526); urw-arial (6527); urw-base35 (6528); urw-grotesq (6530);
user202729	7 packages: cprotectinside (1369); precattl (4783); prettytok (4794); pythonimmediate (5041); rescansync (5174); saveenv (5298); unicode-math-input (6478);
Utcke, Sven	1 package: ut-backref (6543);
Vabishchevich, Petr	2 packages: latexmng (3340); mpedit (4084);
Väth, Martin	7 packages: eqlist (1968); guitar (2663); isonums (3012); toolbox (6266); ushort (6538); varindex (6570); ziffer (6922);
Väisänen, Hannu	1 package: koma-script-sfs (3178);
Vajakas, Jaan	1 package: babel-estonian (385);
Valbusa, Ivan	4 packages: beamer-verona (499); biblatex-philosophy (665); fontsize (2332); suftesi (5748);
Valetov, Eremey	1 package: fox-listings (2367);
Välimäki, Tuomas	2 packages: datetime2-finnish (1510); glossaries-finnish (2549);

C Authors and associated packages

Salvato-Vallverdu, Germain	1 package: <code>tikzorbital</code> (6169);
Valmary, Cédric	2 packages: <code>babel-occitan</code> (408); <code>gloss-occitan</code> (2541);
Vamvakas, Ioannis A.	1 package: <code>byzfonts</code> (887);
Van Ammers, Eric W.	1 package: <code>clip</code> (1123);
Vandeveldt, Simon	1 package: <code>decision-table</code> (1558);
Vaney, Quentin	1 package: <code>latexscreenshooter</code> (3347);
Vannieuwenhuyze, Jorre	1 package: <code>mcexam</code> (3852);
Vanroose, Peter	5 packages: <code>calligra</code> (907); <code>calligra-type1</code> (908); <code>rnototex</code> (5206); <code>script-font</code> (5358); <code>treesvr</code> (6313);
Van Snick, Romeo	1 package: <code>matteex</code> (3843);
Varian, Hal	2 packages: <code>blanks</code> (763); <code>vertex</code> (6607);
varkor	1 package: <code>quiver</code> (5073);
Varona, Juan Luis	1 package: <code>gaceta</code> (2436);
Vasil'ev, Konstantin	1 package: <code>ttftogf</code> (6340);
Vassallo, Salvatore	1 package: <code>esami</code> (1984);
Vassilogiorgakis, John	1 package: <code>multicap</code> (4117);
Vassor, Martin	2 packages: <code>formal-grammar</code> (2352); <code>messagepassing</code> (3901);
Vaughan, Nicolas	2 packages: <code>sylllogism</code> (5775); <code>tui</code> (6351);
Vavassori, Emiliano Giovanni	2 packages: <code>guit-corso</code> (2662); <code>guitbeamer</code> (2666);
Vector, Casper Ti.	2 packages: <code>biblatex-cas pervector</code> (629); <code>pkuthss</code> (4692);
Vela, Daniel	1 package: <code>lshort-spanish</code> (3564);
Velázquez, Jesús	1 package: <code>unamth-template</code> (6452);
Velleman, Dan Bridges	1 package: <code>dvgloss</code> (1727);
Velleman, Leah	1 package: <code>stoneipa</code> (5704);
Velthuis, Frans	1 package: <code>devanagari</code> (1589);
Venkataramaiyer, Raghav B.	1 package: <code>tiet-question-paper</code> (6112);
Venkatesan, SK	1 package: <code>copyedit</code> (1339);
Vens, Erik-Jan	1 package: <code>ps2mf</code> (4837);
Verbruggen, Ad	1 package: <code>midi2tex</code> (3962);
Verdier, Olivier	1 package: <code>pythonhighlight</code> (5040);
Verfaille, Vincent	1 package: <code>confproc</code> (1263);
Vergauwen, Bob	1 package: <code>simplenodes</code> (5506);

C Authors and associated packages

Vergnet, Fabien	1 package: beamertheme-light (520);
Verhoeff, Tom	1 package: zero (6913);
Verhoeven, Richard	1 package: mathspad (3827);
Verhoeven, Yves	1 package: dvi-economic (1730);
Vermaseren, Jos	2 packages: axodraw (366); axodraw2 (367);
Vermeer, Martin	2 packages: amscdx (167); iagproc (2856);
Verna, Didier	5 packages: curve (1445); dox (1678); fink (2215); fixme (2244); qcm (5047);
Vernon, Matthew	1 package: flashcards (2256);
Verunek, Jiří	1 package: timetable (6192);
Ververidis, Dimitrios	1 package: vocaltract (6634);
Verwer, Nico	3 packages: loggates (3506); rmthm (5205); xrefwarn (6840);
Verweyen, Georg Michael	2 packages: mentis (3891); stdpage (5689);
Vessella, Nino	1 package: psbao (4844);
Veytsman, Boris	51 packages: acmart (39); adjmulticol (74); adobecaslon (77); afparticle (103); amnestyreport (159); aomart (216); arsenal (275); bestpapers (561); bibtexperllibs (708); bookshelf (806); cmslup (1169); cmtiup (1172); comedit (1236); crossrefware (1391); deutschesmuseum (1588); divine (1629); dogma (1656); envlab (1928); erdc (1979); estcpmm (2001); fitbox (2228); foilhtml (2298); futurans (2431); gillcm (2518); glossaries-ukrainian (2563); ijmart (2915); imprintmtshadow (2928); issuulinks (3019); iwonomath (3031); jamtimes (3037); lsabon (3539); mathgifg (3811); mdputu (3859); multiaudience (4112); multibibliography (4115); nbaskerv (4188); nmbib (4269); nomencl (4282); nostarch (4291); pcarl (4530); pedigree-perl (4583); philosophersimprint (4639); pst-pdgr (4945); rawprint (5115); resphilosophica (5178); rviewport (5269); sageep (5279); seqsplit (5413); srcdact (5658); tex-vpat (5941); thsmc (6096);
Vicentini, Emanuele	3 packages: evautofl (2046); evweek (2052); guitlogo (2667);
Vieth, Ulrik	12 packages: closefrm (1128); concmath (1256); concmath-fonts (1257); fontinst (2317); gpdata (2586); interpol (2978); mathptm (3819); mathptmx (3820); meta-mode (3902); mflogo (3939); ssqquote (5666); testeq (5895);
Vigil, Arthur	1 package: typicons (6392);

C Authors and associated packages

Vigna, Sebastiano	2 packages: <code>cd</code> (970); <code>notex-bst</code> (4297);
Vignal Danilet, Maryline	1 package: <code>rouequestions</code> (5229);
Vignault, Jean-Paul	1 package: <code>pst-solides3d</code> (4959);
Vihrov, Andrey	1 package: <code>fixlatvian</code> (2240);
Vijay, Sameer	1 package: <code>nddiss</code> (4207);
Vikhlinin, Alexey	1 package: <code>emulateapj</code> (1894);
Vila-Forcén, José-Emilio	1 package: <code>makeplot</code> (3748);
Vion, Adrien	2 packages: <code>biblatex-swiss-legal</code> (678); <code>lexref</code> (3405);
Virga, Bruce	1 package: <code>mathtype</code> (3838);
Visavakul, Chakkapas	1 package: <code>lshort-thai</code> (3565);
Vitacolonna, Nicola	1 package: <code>europcv</code> (2039);
Vitecek, Ben	3 packages: <code>cooking-units</code> (1325); <code>iitem</code> (2912); <code>tikzsymbols</code> (6179);
Vivegnis, Pierre	1 package: <code>cvss</code> (1455);
Vlasák, Michal	1 package: <code>pdfextra</code> (4552);
VNP Comp	1 package: <code>bibtexmng</code> (707);
Vogel, Olivier	1 package: <code>musixtex</code> (4139);
Vogel, Katrin	1 package: <code>translation-ecv-de</code> (6298);
Vogel, Martin	1 package: <code>marvosym</code> (3785);
Vogel, Ralf	1 package: <code>xyling</code> (6863);
Vogel, Tilman	1 package: <code>fragmaster</code> (2371);
Vogelgesang, Matthias	1 package: <code>beamertheme-metropolis</code> (521);
Vogt, Frédéric P.A.	1 package: <code>met symb</code> (3926);
Vojta, Paul	4 packages: <code>gsftopk</code> (2651); <code>pkfind</code> (4686); <code>ucbthesis</code> (6406); <code>xdvi</code> (6759);
Vollmer, Jürgen	4 packages: <code>acmconf</code> (40); <code>draftcopy</code> (1686); <code>latex2man</code> (3310); <code>rcsinfo</code> (5121);
Volovich, Vladimir	9 packages: <code>cm-super</code> (1144); <code>cmap</code> (1148); <code>cyrguide</code> (1467); <code>lh</code> (3416); <code>literaturnaya</code> (3481); <code>required</code> (5171); <code>ruhyphen</code> (5252); <code>t2</code> (5802); <code>typelec</code> (6383);
Michael, Vonbun	1 package: <code>karnaughmap</code> (3122);
Vosberg, Friedrich	2 packages: <code>ratex</code> (5112); <code>rtklage</code> (5245);

Voß, Herbert

152 packages: auto-pst-pdf-lua (340);
 beamer-fuberlin (493); biblatex-ams (618);
 biblatex-bwl (628); biblatex-juradiss (649);
 biblatex-readbbl (668); biblatex-spbasic (676);
 bonum-otf (795); colortab (1219);
 countriesofeurope (1356); ctan-bibdata (1424);
 dantelogo (1477); dejavu-otf (1571);
 domaincoloring (1660); dtk (1711); dtk-1.32 (1712);
 einfuehrung (1848); einfuehrung2 (1849); eitl (1850);
 fancyvrb (2134); fbox (2148); firamath-otf (2221);
 frame (2374); gentium-otf (2476); heros-otf (2740);
 hvarabic (2818); hvextern (2820); hvfloat (2821);
 hvindex (2822); hvlogos (2823); hvpygmentex (2826);
 hvqrurl (2827); isopt (3013); juliamono (3100);
 latex-bib-ex (3264); latex-bib2-ex (3265);
 latex-referenz (3294); latex-tabellen (3297);
 libertinus (3424); libertinus-otf (3426);
 luafindfont (3630); luaintro (3638); luarandom (3663);
 lucida-otf (3683); math-e (3790);
 mathesatz-examples (3806); minted-code (3997);
 multido (4122); nexus-otf (4244); pagella-otf (4464);
 plex-otf (4720); powerdot-fuberlin (4772);
 presentations (4790); presentations-en (4791);
 pst-3d (4874); pst-3dplot (4875); pst-abspos (4876);
 pst-am (4877); pst-antiprism (4878); pst-arrow (4879);
 pst-bar (4881); pst-barcode (4882); pst-bezier (4883);
 pst-blur (4884); pst-calculate (4886);
 pst-calendar (4887); pst-cie (4888); pst-circ (4889);
 pst-coil (4890); pst-dart (4893); pst-diffraction (4895);
 pst-electricfield (4896); pst-eps (4897); pst-eucl (4898);
 pst-exa (4900); pst-feyn (4901); pst-fill (4902);
 pst-fit (4903); pst-fourbarlinkage (4905); pst-fp (4906);
 pst-fractal (4908); pst-fun (4909); pst-func (4910);
 pst-gantt (4911); pst-gears (4912); pst-geo (4913);
 pst-geometrictools (4914); pst-gr3d (4915);
 pst-grad (4916); pst-graphicx (4917); pst-hsb (4918);
 pst-kepler (4922); pst-knot (4923); pst-labo (4924);
 pst-lens (4926); pst-lsystem (4928);
 pst-magneticfield (4929); pst-massspring (4931);
 pst-math (4932); pst-mirror (4933); pst-node (4935);
 pst-nutation (4936); pst-ob3d (4937); pst-optic (4940);
 pst-ovl (4942); pst-platon (4947); pst-plot (4948);
 pst-poker (4949); pst-poly (4950); pst-rubans (4954);
 pst-shell (4955); pst-slpe (4957);
 pst-solarsystem (4958); pst-solides3d (4959);
 pst-spectrum (4962); pst-sphericaltrochoid (4963);
 pst-spinner (4964); pst-spirograph (4965);

C Authors and associated packages

	pst-stru (4966); pst-support (4967); pst-text (4968); pst-thick (4969); pst-tools (4970); pst-tree (4971); pst-turtle (4972); pst-tvz (4973); pst-vehicle (4976); pst-venn (4977); pst-vue3d (4979); pst2pdf (4981); pstricks-add (4988); pstricks-base (4989); pstricks-examples (4991); pstricks-examples-7 (4992); pstricks-examples-en (4993); runtexfile (5262); schola-otf (5322); seminar (5404); spark-otf (5623); tabulars-e (5833); termes-otf (5889); twoup-gen (6371); unitconv (6488); voss-mathcol (6636); voss-mathmode (6637); xcomment (6753); xfakebold (6788); xhfill (6795); xindex (6800); xltabular (6816); xtufte (6857); xurl (6860);
Voß, Jakob	2 packages: acroterm (51); tkz-orm (6230);
Voss, Jochen	1 package: jvlisting (3111);
Vozárik, Lajos	1 package: texinfo-hu (5987);
Vrba, Anton	2 packages: flexipage (2261); sidenotesplus (5490);
Vrečko, Matjaž	1 package: slhyph (5545);
Vrettos, Dimitrios	2 packages: matc3 (3787); matc3mem (3788);
Vũ, Dũng	1 package: akshar (116);
Vulis, Dimitri	3 packages: barcodes-vulis (457); ukrhyph (6433); weekday (6679);
Wäckerlin, Marc	2 packages: businesscard-qrcode (859); inline-images (2950);
Wagner, Zdeněk	16 packages: advdate (83); cnbwp (1177); csbulletin (1402); csindex (1405); cslatex (1406); cspsfonts (1409); devanagari (1589); drawing (1694); ean13isbn (1777); encxvlna (1897); fillform (2210); makebarcode (3731); ocr-b-outline (4359); xeqlna (6787); zwgetfdate (6933); zwpagelayout (6934);
Wagner, Anselm	1 package: biblatex-license (650);
Wagner, Victor	1 package: catdoc (953);
Wahl, Tobias	1 package: miniplot (3993);
Waldi, Roland	1 package: wasy (6664);
Wales, Richard B.	2 packages: oca (4349); ocr-a (4357);
Walker, Jim	1 package: sines (5517);
Wall, Matthew	1 package: scorecard (5340);

C Authors and associated packages

Walls, Jonathan	3 packages: <code>hittype</code> (2776); <code>luwiantype</code> (3692); <code>lydtype</code> (3700);
Walsh, Norman	8 packages: <code>comp-fonts-faq</code> (1243); <code>hp2pl</code> (2794); <code>htmlhelp</code> (2804); <code>ljmetrics</code> (3487); <code>macfont</code> (3709); <code>mhack</code> (3951); <code>pkbbox</code> (4685); <code>tex-it</code> (5930);
Walshaw, Chris	1 package: <code>abc2mtex</code> (14);
Waltman, Marijn	1 package: <code>lpform</code> (3533);
Wan, Zhen	1 package: <code>cqubeamer</code> (1373);
Wang, Yue	2 packages: <code>ctex</code> (1431); <code>zhmetrics</code> (6918);
Wang, HaiYing	1 package: <code>runcode</code> (5258);
Wang, Hsin-Po	1 package: <code>snaptodo</code> (5564);
Wang, Junwei	1 package: <code>beamerthemenord</code> (541);
Wang, Qifan	1 package: <code>mlawriter</code> (4016);
Wang, Ran	4 packages: <code>elegantbook</code> (1860); <code>elegantnote</code> (1861); <code>elegantpaper</code> (1862); <code>install-latex-guide-zh-cn</code> (2968);
WANG, Xu	1 package: <code>tikz-bagua</code> (6117);
Wang, Zhaoli	1 package: <code>mcmthesis</code> (3856);
Warbrick, Jon	1 package: <code>latex-essential</code> (3275);
Ward, Martin	1 package: <code>program</code> (4815);
Ward, Greg	1 package: <code>btool</code> (851);
Wardrop, Matthew	1 package: <code>blochsphere</code> (767);
Warner, Daniel	1 package: <code>delig</code> (1574);
Warnking, Rene	1 package: <code>glmatrix</code> (2536);
Wartenburger, Lucas	2 packages: <code>juraabbrev</code> (3106); <code>jurarsp</code> (3109);
Washburn, Geoffrey	1 package: <code>otftofd</code> (4427);
Waßenhoven, Dominik	3 packages: <code>biblatex-dw</code> (636); <code>bibleref-german</code> (687); <code>historische-zeitschrift</code> (2767);
Watson, Jr, Harry A.	1 package: <code>maad</code> (3706);
Watson, Bret	1 package: <code>milestonetimeline</code> (3971);
Wawrykiewicz, Staszek	2 packages: <code>tex-virtual-academy-pl</code> (5940); <code>utf8mex</code> (6549);
Wawrzyniak, Piotr	1 package: <code>konwerter</code> (3181);
Webb, Duncan	1 package: <code>notes</code> (4293);
Weber, Olaf	2 packages: <code>kpathsea</code> (3187); <code>web2c</code> (6670);

C Authors and associated packages

Weber, Natalie	2 packages: leipzig (3384); textglos (6042);
Weberndorfer, Christoph	1 package: srdp-mathematik (5659);
Weeks, Andrew	1 package: ttf2pt1 (6338);
Wegner, Arnim	1 package: harmony (2698);
Wegner, Dagny	1 package: harmony (2698);
Weh, Tobias	4 packages: biblatex-musuos (659); menukeys (3894); metrix (3925); musuos (4144);
Wehr, Keno	7 packages: autotype (358); babel-latin (402); beuron (564); dehyph-exptl (1569); pgf-interference (4606); phonenumbers (4643); schulmathematik (5326);
Wei, Weifan	1 package: unifront (6481);
Weibezahn, Roland	1 package: xtem (6852);
Weibull, Nikolai	1 package: context-bnf (1272);
Weinhold, Stephan	1 package: xq (6837);
Weinmann, Thomas	1 package: twcal (6363);
Weise, Thomas	1 package: texgit (5977);
Weiser, Matthias	1 package: a0poster (1);
Weiss, Benjamin	1 package: iffont (2893);
Weiss, Daniel A.	1 package: apa7 (220);
Weissenburger, Jens	1 package: anleitung (191);
Weissert, Thomas	1 package: mla (4013);
Wells, Charles	1 package: ans (201);
Wemheuer, Moritz	2 packages: biblatex-ext (638); biblatex-trad (679);
Wentworth, Robert H	1 package: mrecog (4094);
Wermuth, Udo	4 packages: gfnnotation (2502); ifis-macros (2894); plain-widow (4702); transparent-io (6310);
Werner, Carl-Gustav	1 package: allrunes (136);
Werner, Eduard	2 packages: babel-sorbian (421); sorhyph (5606);
Werner, Matthias	1 package: seatingchart (5382);
Werschulz, Arthur G.	1 package: ams2bib (161);
Wertanauer, Jochen	1 package: vhistory (6615);
Wester, Michael	1 package: address (66);
Westphal, Bernd	1 package: lsc (3540);

C Authors and associated packages

Wette, Karl	5 packages: autopdf (352); emptypage (1890); fncalculations (2286); lineno (3451); linenoamsmath (3452);
Wettstein, Andreas	1 package: authorindex (338);
Weytjens, Johannes	1 package: linop (3459);
Whaite, Peter	1 package: epsfig209 (1949);
Wheelwright, Steven	1 package: mla-paper (4014);
Whieldon, Gwyneth	1 package: setdeck (5423);
Whisperity	1 package: association-matrix (303);
White, Steve	1 package: gnu-freefont (2575);
White, Robert	1 package: identkey (2876);
Whited, Sam	2 packages: contracard (1318); poetrytex (4746);
Wichura, Michael	2 packages: pictex (4664); wichura-table (6684);
Wickerson, John	1 package: ribbonproofs (5195);
Wicks, Mark A.	2 packages: dvipdfm (1749); dvipdfmx (1750);
Wiebusch, Martin	1 package: talk (5841);
Wiedmann, Michael	1 package: tex-references (5939);
Wiegand, Sven	1 package: texniccenter (6014);
Wieland, Andreas W.	1 package: karnaugh (3120);
Wierda, Gerben	2 packages: catalan (948); epstopdf (1959);
Wiersma, Jacob	1 package: onedown (4385);
Wierzbicki, Tomasz	2 packages: anttvf (211); urwvf (6532);
Wigle, Randall	1 package: economic (1818);
de Wijn, Harold	2 packages: euro-ce (2034); font-selection (2304);
Wijnhout, Jeroen	1 package: kile (3147);
Wikner, Charles	1 package: sanskrit (5287);
Wilkinson, Michael	3 packages: sciposter (5335); sectionbox (5389); wallpaper (6659);
Willadt, Peter	4 packages: barcodes (456); labelmag (3229); latexwizard (3349); pdfflatexpicscale (4554);
Willand, Alexander	1 package: contract (1319);
Williams, Peter	4 packages: algorithms (129); harvard (2701); harvard-obsolete (2702); williams (6689);
Williams, Thomas	1 package: gnuplot (2576);

Wilms, Jörn	1 package: revnum (5186);
Wilson, Peter R.	88 packages: abstract (24); anonchap (198); appendix (233); aramaic (248); archaic (253); around-the-bend (264); auncial (329); auncial-new (330); blencoding (368); bez123 (566); bookdb (800); bookhands (803); booklet (804); carolmin (933); ccaption (964); changepage (995); chbibref (1005); chngcntr (1063); chngpage (1064); combine (1226); continue (1316); cutwin (1452); cypriot (1465); docmfp (1648); egothic (1839); epigraph (1937); etruscan (2019); expressg (2090); flatten (2259); fonttable (2335); greek4cbc (2625); greek6cbc (2626); hanging (2690); hieroglf (2758); humanist (2812); huncial (2814); hyphenat (2848); ifmtarg (2898); inslrmaj (2966); inslrmin (2967); iso (3004); iso10303 (3006); isorot (3014); layouts (3358); ledarab (3378); ledmac (3379); ledpar (3380); linearb (3447); ltx2x (3587); makecmds (3736); memdesign (3877); memhfixc (3879); memoir (3883); metafp (3906); midpage (3964); nabatean (4164); needspace (4211); newfile (4227); nextpage (4243); oands (4343); oldprsn (4376); Pacioli (4453); pagenote (4466); pgothic (4626); phoenician (4641); printlen (4800); protosem (4832); romannum (5219); rotunda (5228); runic (5260); rustic (5267); sarabian (5293); sqrcaps (5652); stdclsdv (5688); sudokubundle (5745); tgothic (6057); titlepages (6206); titling (6213); tocbibind (6249); tocloft (6252); tocvsec2 (6254); trajan (6287); ugarite (6422); uncial (6455); verse (6602); vertbars (6606); webguide (6675); xtab (6850);
Wilson, Charles	1 package: gatech-thesis (2449);
Wimpy, Cameron	1 package: biblatex-abs-annotate (615);
Windels, Bart	1 package: lshort-dutch (3546);
Winkler, Roland	1 package: eqnarray (1973);
Wintz, Paul	1 package: hideproofs (2757);
Wirth, Hans-Christoph	1 package: formular (2358);
Wiseman, Levi	1 package: chronology (1069);
Wittenberg, Lee	1 package: wordweb (6721);
Wittenburg, Kim	1 package: uhhassignment (6425);
Woch, J	1 package: corelpak (1345);
Wolczko, Mario	6 packages: a5comb (6); afmtopl-wolczko (102); alltt2 (138); romanneg (5218); smalltalk (5554); vdm (6579);

C Authors and associated packages

Wolfe, Warren	1 package: vutex (6651);
Wolff, Thomas	1 package: t1tools (5800);
Wolfsteiner, Lukas	1 package: jsonresume (3096);
Woliński, Marcin	4 packages: babel-polish (410); bredzenie (838); mwcls (4147); polski (4751);
Wolters, Mark A.	1 package: ffslides (2173);
Wong, Wai	1 package: pbmtogf (4526);
Wonneberger, Reinhard	1 package: levy-font (3399);
Wood, Derick	1 package: treetex-plain (6315);
Wooding, Mark	11 packages: at (315); cmtt (1173); doafter (1641); footnote (2340); mdwfonts (3862); mdwlist (3863); mdwmath (3864); mdwtab (3865); mdwtools (3866); sverb (5756); syntax-mdw (5784);
Woollatt, Alison	3 packages: fac (2104); lms (3498); mnras-plain (4034);
Wormer, Paul E. S.	1 package: young (6894);
Worsch, Bernd	1 package: syntax2 (5785);
Wright, Joseph	36 packages: achemso (35); answers (202); beamer (492); biblatex-chem (631); biblatex-ieee (644); biblatex-nature (660); biblatex-phys (666); biblatex-science (671); breqn (839); chemscheme (1029); chemstyle (1033); csquotes (1410); empheq (1889); etoolbox (2016); flexisym (2262); graphics-def (2606); ltx-talk (3584); luatex85 (3672); luatexbase (3673); mathstyle (3831); mathtools (3836); mh (3950); mhsetup (3955); natmove (4182); notes2bib (4294); pgfopts (4620); rsc (5237); si (5485); sistyle (5520); siunits (5522); siunitx (5523); tex-ini-files (5929); translator (6308); trivfloat (6320); unicode-data (6476); xfrac (6792);
Wu, LingYun	3 packages: ctex (1431); ctex-faq (1432); zhmetrics (6918);
Wu, Siyu	1 package: wrapstuff-doc-en (6729);
Wu, Weijian	1 package: sjtutex (5524);
Wu, Zhenyu	1 package: texrocks (6026);
Wünsch, Karl Günter	1 package: klinz (3154);
Wujastyk, Dominik	9 packages: csx (1421); devanagari (1589); drop (1704); edmac (1828); fnpara (2288); fnpara-pln (2289); levy-font (3399); tibetan (6106); ukhyph (6432);

C Authors and associated packages

Vanden Wyngaerd, Guido	1 package: forest-quickstart (2349);
Wynne, Colin J.	1 package: cjlw (1105);
Xexéo, Geraldo	1 package: coop-writing (1334);
Xia, Kangwei	1 package: exam-zh (2057);
Xia, Mingyu	12 packages: beamertheme-westlake (534); char2path (1001); fadingimage (2109); hduthesis (2709); litebook (3479); litesolution (3482); litetable (3483); lxgw-fonts (3697); notebeamer (4292); physics3 (4654); thmlist (6085); whatsnote (6681);
Xiang, Ziyue	2 packages: luaprotable (3660); smart-eqn (5555);
Xing, Zhaopeng	1 package: lshort-zh-cn (3569);
Xiong, Yu	2 packages: njuthesis (4263); njuvisual (4264);
XU, Jinwen	15 packages: beaulivre (545); cleveref-forward (1119); colorist (1214); create-theorem (1377); crefthe (1379); einfart (1847); homework (2790); jwjournel (3112); lebhart (3372); mindflow (3977); minimalist (3989); multifootnote (4125); projlib (4818); q-and-a (5044); simplivre (5514);
Xue, Ruini	2 packages: thuthesis (6104); zebra (6907);
Yamaji, Akira	1 package: mcf2graph (3853);
Yamamoto, Munehiro	4 packages: gckanbun (2460); graphicxpsd (2612); runtexshebang (5263); spotxcolor (5646);
Yamashita, Hironobu	11 packages: arphic-ttf (266); chemobabel (1026); dviasm (1735); dviinfox (1744); endnotesj (1905); gentombow (2481); mathfam256 (3808); platex-tools (4711); plautopatch (4713); pxtatescale (5029); scsnowman (5376);
Yanai, Shimon	1 package: mf2ps (3930);
Yang, Yang	1 package: metapost-matlab (3918);
Yang, Jingxuan	3 packages: hitszbeamer (2774); hitszthesis (2775); thubeamer (6098);
Yang, Yuchang	4 packages: edichokey (1826); nanicolle (4175); rulerbox (5256); tetragonos (5902);
Yanshuo, Chu	1 package: hithesis (2772);
Yap, Ken	1 package: hershey (2741);
Yasko, Nick	1 package: javascript-texed (3047);
Yasuoka, Koichi	1 package: slashbox (5539);

Yato, Takayuki	32 packages: <code>bxbase</code> (863); <code>bxcalc</code> (864); <code>bxckjatype</code> (865); <code>bxcoloremoji</code> (866); <code>bxdp-x-beamer</code> (867); <code>bxddriver</code> (868); <code>bxeepic</code> (869); <code>bxenclose</code> (870); <code>bxjalipsum</code> (873); <code>bxjaprnind</code> (874); <code>bxjatoucs</code> (875); <code>bxjscls</code> (876); <code>bxnewfont</code> (877); <code>bxorigcapt</code> (878); <code>bxpapersize</code> (879); <code>bxpdfver</code> (880); <code>bxtextlogo</code> (881); <code>bxwareki</code> (882); <code>ifptex</code> (2903); <code>ipaex-type1</code> (2995); <code>jfmutil</code> (3058); <code>pxbase</code> (5019); <code>pxchfon</code> (5020); <code>pxckjcat</code> (5021); <code>pxjahyper</code> (5024); <code>pxjodel</code> (5025); <code>pxpgfmark</code> (5026); <code>pxrubrica</code> (5028); <code>pxufont</code> (5031); <code>zxjafbfnt</code> (6936); <code>zxjafont</code> (6937); <code>zxjatype</code> (6938);
Yavuz, Volkan	1 package: <code>glosstex</code> (2565);
Y.D.X.	1 package: <code>notocjks</code> (4301);
Ye, Lei	1 package: <code>uowthesis</code> (6506);
Yi, Qu	4 packages: <code>dashrulex</code> (1481); <code>easybook</code> (1783); <code>passopt</code> (4511); <code>spbmark</code> (5626);
Yin, Zhenhao	1 package: <code>hfutthesis</code> (2752);
You, Jiarui	1 package: <code>qyxf-book</code> (5090);
Young, Joel D.	1 package: <code>afthesis</code> (107);
Yuan, Xu	4 packages: <code>pgf-pie</code> (4608); <code>pgf-umlcd</code> (4611); <code>pgf-umlcd</code> (4612); <code>seuthesis</code> (5432);
Yukawa, Hideki	1 package: <code>ptptex</code> (5009);
Zabelin, Anatoly A.	1 package: <code>hoffset-voffset</code> (2786);
Zaccone, Rick	1 package: <code>excalibur</code> (2064);
Zach, Richard	6 packages: <code>bussproofs-extra</code> (862); <code>fitch</code> (2229); <code>keyindex</code> (3137); <code>lplfitch</code> (3535); <code>ptolemaicastrology</code> (5008); <code>ucalgmthesis</code> (6405);
Zachhuber, Jonathan	3 packages: <code>coolthms</code> (1332); <code>geschichtsfkrl</code> (2493); <code>tikzpfleile</code> (6173);
Zadka, Moshe	1 package: <code>viipart</code> (6618);
Zafeirakopoulos, Zafeirakis	1 package: <code>polyhedra</code> (4754);
Zahumensky, Adam	1 package: <code>kanaparser</code> (3117);
Lazo Zaia, Emilio Augusto	2 packages: <code>elzcards</code> (1876); <code>factura</code> (2106);
Zaitseff, John	1 package: <code>unswthesis</code> (6502);
Zakharevich, Ilya	2 packages: <code>mathsci2bibtex</code> (3824); <code>tex2mail</code> (5944);
Zalmstra, Joost	1 package: <code>figplace</code> (2196);

C Authors and associated packages

Van Zandt, Timothy	20 packages: colortab (1219); fancybox (2117); fancyvrb (2134); frame (2374); multido (4122); poster-mac (4768); pst-3d (4874); pst-coil (4890); pst-eps (4897); pst-grad (4916); pst-node (4935); pst-ovl (4942); pst-plot (4948); pst-text (4968); pst-tree (4971); pst-tvz (4973); pstricks-base (4989); seminar (5404); twoup-gen (6371); xcomment (6753);
Zannarini, Emanuele	1 package: l2tabu-italian (3208);
Zaretskii, Eli	1 package: djgpp (1630);
Zaslavsky, David	1 package: physymb (4656);
Zedler, Michael	1 package: fouriernc (2364);
Zeiss, Benjamin	1 package: latexrender (3346);
Zeman, Michal	1 package: fnspe (2292);
Zeng, Xiangdong	9 packages: ctex (1431); emoji (1885); fduthesis (2157); firamath (2220); garamond-math (2445); lshort-zh-cn (3569); noto-emoji (4299); twemoji-colr (6365); zhlipsum (6915);
Zeng, Qirui	1 package: terminalcode (5890);
Zeng, Xuwang	1 package: emotion (1887);
Zhang, Linbo	1 package: cjkpunct (1103);
Zhang, Gary	1 package: chs-physics-report (1072);
Zhang, Ruixi	3 packages: ctex (1431); lstfiracode (3572); zhlineskip (6914);
Zhang, Shenxing	1 package: hfutexam (2751);
Zhang, Taihao	1 package: lectureslides (3376);
Zhang, Tingxuan	5 packages: fixdif (2237); lshort-zh-cn (3569); pangram (4478); physics2 (4653); unimath-plain-xetex (6483);
Zhang, Yue	3 packages: fixjfm (2239); ifxptex (2910); upzhkinsoku (6520);
Zhang, Zitong	1 package: chalk-annotate (991);
Zhao, Alick	1 package: beamerthemetamu (542);
Zhao, Feng	1 package: thucoursework (6099);
Zhao, Yuansheng	1 package: garamond-math (2445);
Zhao, Yichen	1 package: njuthesis (4263);
Zheng, Wentao	1 package: metago (3907);

C Authors and associated packages

Zheng, Zangwei	1 package: njurepo (4261);
Zhennan, Li	2 packages: cquthesis (1374); texproposal (6024);
Zhenyu, Wu	1 package: njustthesis (4262);
Zhenzhen, Hu	1 package: biblatex-gb7714-2015 (640);
Zhiwei, Song	1 package: memory (3887);
Zhou, Harry	1 package: notocjks (4301);
Zhou, Fangyi	1 package: atendofenv (320);
Zhou, KeXin	1 package: simplesystemtex (5510);
Zhytnikov, Vadim V.	3 packages: calrsfs (912); cmcyralt-ltx (1156); lhcy (3417);
Ziegenhagen, Uwe	2 packages: dtk-bibliography (1713); varsfromjobname (6574);
Zigliotto, Francesco	1 package: labyrinth (3235);
Zimanyi, Esteban	1 package: dvidvi (1741);
Zimmermann, Uwe	2 packages: archaic (253); viking (6619);
Zimmermann, Ingo	1 package: countriesofeurope (1356);
Zirin, Dan	1 package: toc-zar (6247);
Zitzmann, Klaus	1 package: xtexcad (6854);
Živanović, Sašo	6 packages: advice (84); collargs (1196); easydtx (1784); etoolbox-generic (2018); forest (2347); memoize (3885);
Zivković, Dejan	1 package: verbments (6595);
Žlajpah, Leon	1 package: slhyph (5545);
Zlatuška, Jiří	2 packages: accents-cs (31); cslatex (1406);
Znamenskii, Sergei V.	2 packages: cmslup (1169); cmtiup (1172);
Zöllner, Benjamin	1 package: worksheet (6722);
Zöllner, Erik	1 package: easyfloats (1787);
Zoonekynd, Vincent	2 packages: boites (789); metapost-examples (3917);
Zubia Garea, Gorka	1 package: babel-basque (373);
Žubrinić, Darko	1 package: croatian (1382);
Zucatelli, Fernando H. G.	2 packages: tikz-among-us (6116); tikz-mirror-lens (6136);
van Zuijlen, Matijs	1 package: synttree (5790);
Zwahlen, Cedric V.	1 package: javascripthttp (3048);
Zwols, Yori	1 package: shadowtext (5451);

D Used licenses, short explanations

Zydowicz, O 1 package: `ftetx` (2406);
Zýka, Vít 1 package: `semaphor` (5401);

D Used licenses, short explanations

<code>0bsd</code>	Zero-Clause BSD (free)
<code>agpl3</code>	GNU Affero General Public License, version 3 (free)
<code>apache2</code>	Apache License, version 2.0 (free)
<code>artistic</code>	Perl Artistic License (not free)
<code>artistic2</code>	Perl Artistic License, version 2 (free)
<code>bsd</code>	BSD Style License (free)
<code>bsd2</code>	Simplified BSD License (free)
<code>bsd3</code>	3-clause BSD License (free)
<code>bsd4</code>	BSD License (free)
<code>cc-by-1</code>	CC BY 1.0 (free)
<code>cc-by-2</code>	CC BY 2.0 (free)
<code>cc-by-3</code>	CC BY 3.0 (free)
<code>cc-by-4</code>	CC BY 4.0 (free)
<code>cc-by-nc-nd-4</code>	CC BY-NC-ND 4.0 (not free)
<code>cc-by-nc-sa4</code>	CC BY-NC-SA 4.0 (not free)
<code>cc-by-sa-1</code>	CC BY-SA 1.0 (free)
<code>cc-by-sa-2</code>	CC BY-SA 2.0 (free)
<code>cc-by-sa-3</code>	CC BY-SA 3.0 (free)
<code>cc-by-sa-4</code>	CC BY-SA 4.0 (free)
<code>cc0</code>	CC0 1.0 (free)
<code>eupl</code>	European Union Public License 1.2 (free)
<code>fdl</code>	Free Documentation License (free)
<code>gfl</code>	The GUST Font License (GFL) (free)
<code>gfs1</code>	The GUST Font Source License (GFSL) (free)
<code>gpl</code>	GNU General Public License (free)
<code>gpl1</code>	GNU General Public License, version 1 (free)
<code>gpl2</code>	GNU General Public License, version 2 (free)

D Used licenses, short explanations

gpl2+	GNU General Public License, version 2 or newer (free)
gpl3	GNU General Public License, version 3 (free)
gpl3+	GNU General Public License, version 3 or newer (free)
gpl3+fe	GNU General Public License 3 with font exception (free)
isc	ISC License (free)
knuth	Knuth License (free)
lgpl	GNU Lesser General Public License (free)
lgpl2.1	GNU Lesser General Public License 2.1 (free)
lgpl3	GNU Lesser General Public License 3 (free)
lpp1	The LaTeX Project Public License (free)
lpp11	The LaTeX Project Public License 1 (free)
lpp11.2	The LaTeX Project Public License 1.2 (free)
lpp11.3	The LaTeX Project Public License 1.3 (free)
lpp11.3a	The LaTeX Project Public License 1.3a (free)
lpp11.3c	The LaTeX Project Public License 1.3c (free)
mit	MIT License (free)
nocommercial	No Commercial Use (not free)
nosell	Do Not Sell Except by Arrangement (not free)
nosource	No Source Available (not free)
ofl	The SIL Open Font License (free)
opl	Open Publication License (free)
other-free	Free license not otherwise listed (free)
other-nonfree	License that prevents distribution (not free)
pd	Public Domain Software (free)
shareware	Shareware: A fee is required (not free)
x11	X11 License (free)
noinfo	noinfo (not free)
collection	collection (not free)
digest	digest (not free)

E Licenses and associated packages

Note: The numbers do not refer to page numbers, but to section numbers. A click on this number leads to the corresponding package description.

obsd	3 packages: beamertheme-edmaths (516); luakeyval (3640); lualineno (3648);
agpl3	6 packages: codedescribe (1188); starray (5678); svg-animate (5758); tokglobalstack (6260); tokgroupmark (6261); xstacks (6847);
apache2	29 packages: arimo (258); caladea (896); clearsans (1116); curriculum-vitae (1441); droid (1702); easy-todo (1780); emo (1884); emotion (1887); grid-system (2640); inconsolata (2934); jupynotex (3104); ktbox (3192); latex-dependency-grapher (3271); latex-papersize (3292); luatex-cn (3668); opensans (4398); pkgcheck (4689); roboto (5209); ryersonsgstthesis (5272); slatex-scheme (5542); tinos (6195); tonevalue (6265); topletter (6270); traffic-light-protocol (6286); tufte-latex (6347); twemoji-colr (6365); twoxtwo game (6373); uwthesis (6562); xetexfontinfo (6784);
artistic	10 packages: bibfind (610); bibtexperllibs (708); dosepsbin (1663); ftetx (2406); ieeeanot (2881); mkjobtexmf (4008); texdiff (5965); texdirflatten (5967); uwmslide (6561); withesis (6703);
artistic2	13 packages: biber (592); biber-cygwin (593); biber-freebsd (594); biber-linux (595); biber-linux-aarch64 (596); biber-linux-musl (597); biber-macos (598); biber-ms (599); biber-ms-linux (600); biber-ms-macos (601); biber-ms-windows (602); biber-solaris (603); biber-windows (604);
bsd	38 packages: adobecaslon (77); adobemapping (78); apa6e (219); arara (250); bbold (485); bmpp (779); context-cyrillicnumbers (1279); context-transliterator (1309); context-vim (1314); correctmathalign (1348); csindex (1405); docutils (1655); dogma (1656); enigma (1912); euro-ce (2034); fig2lat (2184); futurans (2431); gillcm (2518); jsclasses (3093); kanaparser (3117); lisp-on-tex (3465); luatexja (3674); mathtrip (3837); morisawa (4071); nbaskerv (4188); otfinst (4426); pkuthss (4692); png2pdf (4742); shapepatch (5454); t1infos (5798); tcobrowser (5861); tex-ewd (5907); tex2bib (5942); texloganalyser (6004);

E Licenses and associated packages

	thsmc (6096); transfig (6291); wsemclassic (6733); xfig (6789);
bsd2	13 packages: authorarchive (336); bxjscls (876); chemobabel (1026); context-filter (1282); context-visualcounter (1315); feyn (2168); git-latexdiff (2523); greek-fontenc (2622); jlreq (3069); mathpunctspace (3821); noweb (4306); scsnowman (5376); tex-fpc (5910);
bsd3	39 packages: albatross (118); apltex (229); ascmac (293); ctan-o-mat (1425); dktools (1633); endnotesj (1905); gentombow (2481); glmatrix (2536); graphicscache (2608); hu-berlin-bundle (2805); japanese-otf (3039); japanese-otf-uptex (3040); latexpand (3343); mathfam256 (3808); mendex-doc (3889); metsymb (3926); minted (3996); nidanfloat (4255); pbibtex-base (4523); pbibtex-manual (4524); photobook (4647); platex (4710); platex-tools (4711); plautopatch (4713); ptex (4997); ptex-base (4998); ptex-fonts (5000); ptex-manual (5001); ptex-texmf (5002); pythontex (5042); qrbill (5055); songproj (5604); texplate (6021); texsurgery (6034); tlc-article (6234); uplatex (6511); upmendex (6512); uptex-base (6518); uptex-fonts (6519);
bsd4	1 package: citeref (1093);
cc-by-1	1 package: mahjong (3724);
cc-by-2	1 package: logoetalab (3513);
cc-by-3	2 packages: tex-vpat (5941); vectorlogos (6582);
cc-by-4	27 packages: aboensis (19); antique-spanish-units (207); beamerdarkthemes (505); byo-twemojis (883); cqubeamer (1373); customenvs (1450); dashrulex (1481); dccpaper (1548); formation-latex-ul (2354); gutenberg (2671); hagenberg-thesis (2680); helmholtz-ellis-ji-notation (2718); hwemoji (2828); lectureslides (3376); llncs (3491); luciote (3687); passopt (4511); quantikz (5064); spbmark (5626); stellenbosch-2 (5693); technion-thesis-template (5870); texdraw (5970); tidyres (6110); twemojis (6366); twoxtwo game (6373); vectorlogos (6582); zennote (6912);
cc-by-nc-nd-4	1 package: guide-latex-fr (2661);
cc-by-nc-sa4	1 package: basiclatex-ru (469);
cc-by-sa-1	1 package: tikz-kalender (6131);
cc-by-sa-2	1 package: facture (2107);

E Licenses and associated packages

cc-by-sa-3	14 packages: adobeornaments (79); bibtool (710); cartonaugh (935); chs-physics-report (1072); citation-style-language (1089); coloredbelts (1208); karnaugh-map (3121); leiletter (3383); luaquotes (3662); mgltex (3949); panneauxroute (4479); proflycee (4811); textcsc (6040); tramlines (6289);
cc-by-sa-4	43 packages: aeskwadraat (97); arabluatex (245); asy-overview (308); beamertheme-gotham (519); beamertheme-trigon (532); cjs-rcs-article (1104); customdice (1449); customenvs (1450); eqexpl (1967); exam-lite (2054); extractbb (2099); faq-fr (2138); faq-fr-gutenberg (2139); figput (2197); fiziko (2249); genealogy-profiles (2468); hexboard (2745); hmtrump (2782); icite (2869); jeuxcartes (3056); jourcl (3080); jourrr (3081); kaytannollista-latexia (3124); lua-widow-control (3620); milsymb (3975); modernposter (4040); moloch (4053); non-decimal-units (4284); openmoji (4397); oststud (4421); retosmatematicos (5183); sillypage (5496); tictactoe (6109); tikz-decofonts (6123); tikz-planets (6145); twemoji-colr (6365); undar-digitacion (6456); undergradmath (6457); unicode-alphabets (6474); uowthesistitlepage (6507); vscodeicons (6647); wargame (6660); zbmath-review-template (6906);
cc0	14 packages: authoraftertitle (335); customenvs (1450); doclicense (1647); first-packages (2224); luahyperbolic (3633); mfb-oldstyle (3934); mlawriter (4016); orientation (4413); polyglossia (4753); proflycee (4811); simpleicons (5503); utexasthesis (6546); utfsym (6550); xkcdcolors (6808);
eupl	7 packages: hershey-mp (2742); minim (3982); minim-hatching (3983); minim-math (3984); minim-mp (3985); minim-pdf (3986); minim-xmp (3987);
fdl	39 packages: aalok (9); beamer (492); beginlatex (550); chhaya (1046); context-notes-zh-cn (1297); context-top-ten (1308); crossrefenum (1388); ctex-faq (1432); datestamp (1494); dickimaw (1606); digestif (1611); ekdosis (1853); fontinstallationguide (2318); forest-quickstart (2349); gfdl (2501); guia-bibtex (2660); impatient (2924); l2picfaq (3204); latex4musicians (3315); latex4wp (3316); latex4wp-it (3317); lshort-korean (3554); lshort-zh-cn (3569); lualatex-doc (3641);

E Licenses and associated packages

	lualatex-doc-de (3642); marathi (3773); muling (4109); oldstandard (4377); pdf-forms-tutorial (4535); pgf (4602); portable-miktex (4762); tex-virtual-academy-pl (5940); texbytopic (5957); tikz-ext (6126); tipauni (6199); udiss (6418); unisc (6486); unitipa (6489); yet-another-guide-latex2e (6882);
gfl	28 packages: aesupp (98); almfixed (140); cyklop (1464); iwona (3030); kurier (3197); lm (3494); lm-math (3495); newcomputermmodern (4225); newpx (4233); oldstandard (4377); poltawski (4752); talos (5842); tex-gyre (5912); tex-gyre-adventor (5913); tex-gyre-bonum (5914); tex-gyre-chorus (5915); tex-gyre-cursor (5916); tex-gyre-heros (5917); tex-gyre-math (5918); tex-gyre-math-bonum (5919); tex-gyre-math-dejavu (5920); tex-gyre-math-pagella (5921); tex-gyre-math-schola (5922); tex-gyre-math-termes (5923); tex-gyre-pagella (5924); tex-gyre-schola (5925); tex-gyre-termes (5926); variablelm (6567);
gfs1	2 packages: antt (210); uppunctlm (6514);
gpl	529 packages: a2ping (3); accents-cs (31); accfonts (33); achicago (36); adtrees (82); alatex (117); alchemist (119); aleph (121); alphabib (144); alphanum (146); altfont (150); amiweb2c (157); ams2bib (161); anufinalexam (212); arrow (273); arxivbib (282); asymptote-by-example-zh-cn (311); at (315); attrib (324); auctex (327); autoconf (344); autoview (359); bartel-chess-fonts (464); beamer-tut-pt (497); beamer-varbox (498); beamerposter (506); beamertheme-dettlevcm (514); beamertheme-phnompnh (524); beamerthemejltree (538); begriff (551); bib2ml (580); bib2xhtml (582); bibarts (583); bibcheck (587); bibex (605); bibextract (607); bibfile-reformat-pages (608); bibhtml (611); biblist (695); bibtex8 (706); bibtexu (709); bibtopic (712); bibutils (715); bibweb (718); biochemistry-colors (742); biocon (743); bits (754); bizcard (758); blkcntrl (766); bm2font (776); boites (789); boldtensors (792); booktabs-de (808); brclc (835); bsheaders (847); btool (851); capbas (920); catdoc (953); catdvi (954); cd (970); cdcover (972); cdlabeler (973); chbar (1004); chem-journal (1013); circ (1080); circuitikz (1085); cj (1096); cjk-ko (1102); cm-lgc (1139); cm-mf-extra-bold (1141); cm-super (1144);

cms4talks (1167); cmsrb (1170); cmtt (1173); code128 (1185);
combinedgraphics (1227); components (1250);
compsci (1252); concprog (1259);
context-algorithmic (1269); context-annotation (1271);
context-bnf (1272); context-chromato (1274);
context-cmscbf (1275); context-cmttbf (1276);
context-construction-plan (1278);
context-degrade (1280); context-fancybreak (1281);
context-french (1284); context-fullpage (1285);
context-gnuplot (1288); context-inifile (1290);
context-layout (1292); context-letter (1293);
context-lilypond (1295); context-simplefonts (1302);
context-simpleslides (1303); context-title (1307);
context-typearea (1310); cooking (1324); coptic (1338);
crossrefware (1391); csfonts (1403); csfonts-t1 (1404);
cslatex (1406); cspsfonts (1409); css-colors (1412);
csv2latex (1416); ctib4tex (1433); ctie (1434);
currvita (1442); cursolatex (1443); cv (1453);
cweb-latex (1458); dbprocess (1546); dco (1549);
delig (1574); democodetools (1580); devanagari (1589);
development (1591); diagnose (1599); dialogue (1603);
doafter (1641); dos-dc (1662); dot2texi (1665);
dottex (1670); drama (1691); dramatist (1692); dtxgen (1717);
duerer-latex (1722); dvichk (1738); dvicopy (1740);
dviljk (1745); dvipdfmx (1750); dvips-os2 (1754);
dvipsconfig (1757); ean (1776); eco (1812); egplot (1841);
emp (1888); enctex (1896); endfloat (1898);
epigrafica (1935); epix (1940); epspdf-extra (1955);
eqell (1965); esk (1991); esvect (2002); ethiop (2011);
ethiop-t1 (2012); eukleides (2026); examdesign (2059);
example (2060); examplep (2061); excalibur (2064);
exceltex (2066); exteps (2096); fancyhdrboxed (2123);
fancyref (2130); fandol (2135); fastpictex (2144);
featpost (2158); feps-latex (2162); feynmf (2170);
figfrag (2195); filehdr (2206); findbib (2213);
finomaton (2216); fjodor (2250); flacards (2252);
flagderiv (2253); flowframtk (2276); foekfont (2297);
font-selection (2304); fontname (2322);
fontampler (2327); fontwrap (2336); footnote (2340);
footnpag (2344); forindex (2350); formlett (2355);
formula (2357); fourproject (2365); fourspell (2366);
fptex (2370); fragmaster (2371); freetype (2387);
frege (2388); ftcap (2405); fweb (2433); gahyph (2437);
gatech-thesis (2449); gchords (2458); gellmu (2463);
genfam (2470); gentabtex (2474); germkorrr (2492);
glosstex (2565); graphtex (2616); greekctr (2627);
greenpoint (2633); gsftopk (2651); gtex-letter (2653);

E Licenses and associated packages

gurmukhi-singh (2669); hfoldsty (2750);
hieroglyph (2759); holtpolt (2788); hp2xx (2795);
hpsdiss (2797); hsindex (2802); hungarian (2815);
hwkatakana (2829); hyperlatex (2840); hypernat (2841);
i-ching (2854); ibygrk (2865); idverb (2877); imac (2918);
impose (2927); includex (2933); induni-om (2942);
inhyp (2947); ionumbers (2991); isi2bibtex (3003);
iso-tex (3005); javadoc (3045); jknappen (3065); jlm (3068);
jmakepdfx (3071); jpicedt (3087); jura (3105);
juraabbrev (3106); jurabib (3107); jurarsp (3109);
kdgreek (3128); keystroke (3140); kile (3147);
kinematikz (3148); kpfonts (3188); ktexshell (3193);
ktv-texdata (3194); l2tabu-english (3206);
l2tabu-french (3207); lacheck (3236); lapdf (3252);
latex-course (3269); latex-make (3289); latex2html (3309);
latex4jed (3314); latexdb (3329); latexinfo (3337);
latexrender (3346); latin1jk (3351); latin2jk (3352);
latin3jk (3353); lcdf-typetools (3363); ldif (3367);
lhelp (3418); libertine (3419); libertine-legacy (3420);
ligatex (3440); linsys (3460); lintex (3461); lips (3463);
listbib (3467); listofanswers (3475); lkproof (3489);
lookbibtex (3527); lout (3530); lshort-czech (3545);
lshort-dutch (3546); lshort-french (3550);
lshort-italian (3552); lshort-japanese (3553);
lshort-russian (3561); lshort-slovenian (3563);
ltxfileinfo (3594); ltxindex (3598); lucold (3688);
lug (3689); lyx (3702); macfont (3709); mafr (3717);
makeglos (3741); makeprog (3749);
malayalam-obsolete (3757); manjutex (3764);
margbib (3775); match-parens (3789); mathbbol (3799);
mathdesign (3803); mathinst (3813); mathkit (3814);
mathpazo (3817); mathrsfs (3822); mathscinet (3825);
mathtex (3832); matlabweb (3840); mceinleger (3851);
mcite (3854); mdvi (3861); mdwfonts (3862); mdwlist (3863);
mdwmath (3864); mdwtab (3865); mdwtools (3866);
meper (3896); meta-mode (3902); metatex (3920);
metauml (3922); mf2tex (3933); mftrace (3946); mfwl (3948);
mimetex (3976); mk (4005); mkbangtex (4006); mkipic (4010);
mlbib (4017); mmafm (4027); mmpfb (4029); mmttools (4030);
monster (4057); montex (4058); moredefs (4062);
mptopdf (4091); mrcheckbib (4093); musixtex-fonts (4141);
nath (4181); nedit-latex-extensions (4210);
neuralnetwork (4217); newclude (4223); newlrm (4230);
nicefrac (4249); nlatexdb (4267); obas (4344);
ocr-latex (4360); oletex (4380); omega (4382);
opbible (4393); orderrefs (4410); otftofd (4427);
othello (4428); outerhbox (4433); outliner (4436);

pandora-latex (4476); paper (4480); parboxx (4492);
pawpict (4519); pax (4520); pbmtofig (4526); pclnfs (4532);
pdfbook (4540); pdfmarginpar (4557); pdftex (4571);
pdftricks (4578); pecha (4582); petri-nets (4596);
pfm2afm (4600); pgf-umlsc (4612); pgfkeysearch (4615);
pgfplotstable (4624); pkginfograb (4690); plari (4708);
pmgraph (4735); ppower4 (4777); pracjourn (4780);
prelim (4784); preview-latex (4796); prftree (4797);
ps2eps (4836); ps2mf (4837); ps4mf (4839); ps4mf-dos (4840);
psfixbb (4850); psfont (4851); psfrag-italian (4855);
psrip (4871); pssplit (4872); pst-qtrees (4952);
pstoedit (4984); punk-latex (5013); pxfonts (5022);
pybliographer (5033); pydocstrip (5034); python (5039);
qbibman (5045); qfonts (5051); qsymbols (5061);
ratexdb (5113); rcs (5118); recycle (5137); refcheck (5141);
references (5146); rfil (5192); rmligs (5203);
rmpage (5204); rtf2latex2e (5242); ruler (5255);
sam2p (5281); sankey (5285); sans (5286); sauter (5296);
sauterfonts (5297); savefnmark (5299); scale (5310);
schemeweb (5321); screenplay (5352); semaphor (5401);
semtrans (5408); serbian-book (5415); serbianpart (5419);
sgmlcmt (5444); shlatex (5462); sides (5491);
sikumuna (5494); simplewick (5511); sinhala (5518);
sketch (5530); skull (5537); slemp (5544); smartmn (5557);
srhyphc (5660); stanli (5676); statistik (5684);
stubs (5718); suffix (5747); sverb (5756); swiftex (5769);
switch (5771); symbolindex (5777); syngen (5782);
syntax-mdw (5784); syntax2 (5785); t-angles (5795);
tab4tex (5803); tableauvariations (5808);
tango-weevil (5848); tangocolors (5849); tapir (5853);
tccompat (5858); tcltexed (5860); teencontrex (5873);
tex-xet (5905); tex-it (5930); tex2ltx (5943);
tex2page (5945); tex2tok (5947); texdoc (5968);
texdoctk (5969); texi2html (5980); texi2www (5982);
texinfo (5986); texinfo-hu (5987); texinfo-latest (5988);
texlist (5992); texlog-extract (6003); texmacs (6008);
texniccenter (6014); texpack (6017); texpower (6022);
texshell (6028); texshell32 (6029); texspell (6033);
textopo (6047); tfmpk (6054); thesis (6077); thinsp (6082);
threedldf (6092); thumb (6100); tibetan (6106);
tif2eps (6113); tikz-qtrees (6146); tikz-swigs (6150);
tinyc2l (6196); titles (6210); tkbibtex (6214);
tktexcad (6217); topfloat (6268); tpic2pdfTeX (6277);
tpslifonts (6278); tpx (6279); translator (6308);
trfsigns (6316); truecols (6324); ttf2tex (6339);
ttt (6343); tvs (6362); txfonts (6374); txfontsb (6375);
txt2tex (6380); u8tex (6399); ufrgscca (6421);

E Licenses and associated packages

	ultrateX (6442); units (6491); universa (6493); untex (6503); urw-antiqua (6526); urw-base35 (6528); urw-grotesq (6530); urwvf (6532); utf2any (6547); variations (6568); verbasef (6586); verbtex (6596); vfirst (6612); visualpstricks (6623); visualtex (6624); vpp (6642); vvcodes (6652); web2c (6670); webfiles (6674); windvi (6693); winfonts (6697); wnri (6708); word2x (6715); wordml2latex (6720); wsuipa2tipa (6735); xetal (6776); xindy (6801); xl2latex (6813); xmpincl (6822); xpdf (6828); xpeekahead (6831); xtem (6852); xtrcodes (6856); xypic (6866); xypic-tut-pt (6867); yandy (6874); young (6894);
gpl1	1 package: bibtexperl (708);
gpl2	91 packages: adforn (70); analogclock (187); armymemo (261); aspell (299); autolatex (346); barracuda (463); baskervaldadf (471); berenisadf (559); bibtool (710); bigfoot (730); boisik (788); cjk (1099); comment (1237); context-taspresent (1306); context-typescripts (1311); crosstex (1392); culmus (1436); dvi2bitmap (1731); dvi2tty (1733); dvipdfm (1749); easylatex (1789); edmac (1828); electrumadf (1856); epspdf (1954); exercise (2068); fc (2150); findhyph (2214); flow (2273); fontools (2323); fpl (2369); fribidixetex (2397); gnuplottex (2577); gridslides (2643); grundgesetze (2647); html2latex (2803); hu-berlin-bundle (2805); indic-type1 (2941); ite (3024); konwerter (3181); latexmk (3339); levy-font (3399); lgreek (3412); libertineotf (3423); libertinus-type1 (3427); libris (3435); lshort-english (3547); lshort-estonian (3548); lua (3646); lua (3654); luaotfload (3657); mathpartir (3816); musixtnt (4143); pbox (4528); pdftricks2 (4579); pedigree-perl (4583); perpage (4593); pgf (4602); pgf-pie (4608); pgf-umlcd (4611); pmx (4738); pmxchords (4739); poster (4767); prerex (4788); pst2pdf (4981); ptex2pdf (5003); qcircuit (5046); quotchap (5077); romandeadf (5216); serbian-date-lat (5416); simurgh (5516); songs (5605); srcdact (5658); sympytex (5779); tdclock (5864); tempora (5879); texshade (6027); texshop (6030); text2bib (6036); theoremref (6073); thrmappendix (6095); tikz-dependency (6124); tkz-orm (6230); unfonts-core (6467); unfonts-extra (6468); unibidi-lua (6472); urlbst (6524); vectorlogos (6582); wnri-latex (6709); xtexshell (6855); xymatrix (6864); yannisgr (6875);
gpl2+	29 packages: accanthis (28); adfsymbols (71); autosp (355);

E Licenses and associated packages

	baskervaldx (472); beamer (492); beamerthemetamu (542); chktex (1061); clara (1106); classicthesis (1110); dvisirule (1759); eplain (1941); expltools (2087); familytree (2115); flashcards (2256); fonts-tlwg (2326); gillius (2519); lshort-polish (3558); luatex (3667); luatex-type-definitions (3671); mparhack (4078); mpchess (4081); musixtex (4139); pdfjam (4553); pdftex-djgpp (4573); picinpar (4660); qualitytype (5063); sagetex (5280); tlmgrbasics (6241); universalis (6494);
gpl3	86 packages: appendixnumberbeamer (234); beamertheme-focus (518); beamertheme-light (520); beamertheme-npbt (523); bibfilex (609); bjfuthesis (759); business-research (858); byzantinemusic (886); check-parens (1008); chklref (1060); cjk-gs-integrate (1101); colourchange (1224); comment-io (1239); context-animation (1270); context-handlecsv (1289); csvtolatex (1419); ctan-chk (1426); ctanupload (1430); emf (1882); eqnarray (1973); fig4latex (2189); fontsetup (2330); fontsetup-nonfree (2331); frimurer (2399); fullminipage (2411); gfnotation (2502); gnu-freefont (2575); gregoriotex (2634); gv (2672); h2020proposal (2675); harveyballs (2703); highlight (2760); hook-pre-commit-pkg (2791); identkey (2876); inkpaper (2949); intex (2981); jfontmaps (3059); latex-indexer (3285); latex2nemeth (3311); latexdiff (3331); latexgit (3335); latexindent (3336); logical-markup-utils (3508); lollipop (3517); makeglossariesgui (3742); mathstone (3830); mgltex (3949); milestonetimeline (3971); minion2newtx (3990); mkbib (4007); mohelper (4051); newtxtt (4239); numericplots (4332); onepgnote (4387); outoruby (4439); parisa (4495); pdfbook2 (4541); pdftex-quiet (4575); preview (4795); program (4815); ptex-fontmaps (4999); setdeck (5423); seuthesis (5432); seuthesix (5433); shtthesis (5483); simpleinvoice (5504); sty2dtx (5721); subtext (5743); tensormatrix (5886); texdef (5962); texfindpkg (5975); texi2dvi-latest (5979); texlab (5989); texliveonfly (6002); texrocks (6026); tfroupee (6056); thesis-gwu (6079); thumbby (6103); tikztosvg (6180); tlg2latex (6239); transparent-io (6310); tutodoc (6360); txuprcal (6381); umbclegislation (6443); unamth-template (6452); zbmth-review-template (6906);
gpl3+	81 packages: aalok (9); addfont (62); aeskquadraat (97); aesupp (98); afterpack (104); algobox (125); arabluatex (245); axodraw2 (367);

E Licenses and associated packages

beamertheme-pure-minimalistic (525);
beamerthemelalic (539); bib2gls (579);
biblatex-vancouver (682); byrne (884); cellprops (977);
chhaya (1046); clojure-pamphlet (1127); cluttex (1135);
crossrefenum (1388); datatooltk (1487); datestamp (1494);
digestif (1611); dviasm (1735); dvisvgm (1762);
dvivue (1768); easydtx (1784); easyformat (1788);
ekdosis (1853); envelope-letter (1925);
extractpdfmark (2100); fiziko (2249); gatherenum (2451);
gfdl (2501); hereapplies (2738); icite (2869);
ifis-macros (2894); invoice2 (2989); ketcindy (3134);
korigamik (3182); latex-git-log (3281);
linguistix (3457); lt3rawobjects (3575);
ltx2mathml (3585); ltximg (3597); marathi (3773);
mecaso (3868); metapost-colorbrewer (3916);
muling (4109); njustthesis (4262); ot2woff (4425);
pdfpc (4562); pgfplots (4623); plain-widow (4702);
plimsoll (4723); spix (5637); splint (5640);
statistics (5683); structmech (5714); styledcmd (5723);
t1subset (5799); texlogsieve (6007);
tikz-feynhand (6127); tikz-network (6138);
tikz-shields (6149); tikzcalendarnotes (6159);
tikzdotncross (6161); tikzfxgraph (6164);
tikzquests (6177); tipauni (6199); tlaunch (6233);
tlcockpit (6238); tlmgr-intro-zh-cn (6240); udiss (6418);
unam-thesis (6451); unisc (6486); unitipa (6489);
utf8add (6548); web2w (6671); webquiz (6678);
woff2ot (6712); xcpdftips (6755); xml2pmx (6819);

gpl3+fe 1 package: newcomputermmodern (4225);

isc 3 packages: lucide-icons (3686); matrix-skeleton (3841);
tikz-trackschematic (6152);

knuth 57 packages: amsppt1 (181); apalike2 (225); authordate (337);
base (465); bibtex (701); cm (1136); cm-afm (1137);
cm-mf (1140); cm-pk (1143); cm-tfm (1145); cmttest (1171);
concrete (1260); cweb (1457); cwebbin (1459); cwebx (1461);
etex (2007); fixjfm (2239); gen (2464); gkpmac (2531);
graphbase (2598); gray (2619); icons (2872); ifxptex (2910);
knuth-base (3162); knuth-dist (3163); knuth-errata (3164);
knuth-hint (3165); knuth-letter (3166); knuth-lib (3167);
letterspacing (3395); list (3466); llist (3490);
manual (3766); mbboard (3847); metafont (3904); mex (3928);
mflogo-font (3940); mltext (4022); mpfonts (4085); ofs (4367);
picmac (4662); plain (4699); plhyph (4722); punk (5012);
ransom (5111); selectpage (5395); tangle (5846);
testfont (5897); tex (5904); trigonometry (6318);

E Licenses and associated packages

	twocolumns (6367); ukhyph (6432); upzhkinsoku (6520); vf-knuth (6610); vfware (6613); weave (6668); web (6669);
lgpl	12 packages: asymptote-manual-zh-cn (313); businesscard-qrcode (859); colorwav (1222); cool (1328); coollist (1330); coolstr (1331); dyntree (1774); extarrows (2094); forloop (2351); ithyph (3025); metapost (3915); pst-cox (4892);
lgpl2.1	4 packages: algorithms (129); jeuxcartes (3056); kpathsea (3187); songbook (5603);
lgpl3	11 packages: asymptote (310); ciad-beamertheme (1076); dvipng (1752); gladtex (2533); greektonoi (2632); inline-images (2950); playcards (4716); pst-poker (4949); spim-phdthesisthemes (5636); upmethodology (6513); utbmciad-report (6545);
lppl	1456 packages: a0poster (1); a4 (4); abbrevs (12); abstract (24); accanthis (28); accenti (29); achicago-bst (37); acmconf (40); acrosort (50); acrotex (52); acrotex-js (53); acroweb (55); active-conf (57); addtex2eps (67); adhocfilelist (72); ae (85); aeb-mobile (88); aeb-tilebg (90); aeb-dad (91); aebenvelope (92); aeb slicing (93); aecc (95); aeguill (96); afterpackage (105); aguplus (108); aiaa (109); aichej (110); aifont (111); ajl (113); akktex (114); akletter (115); alchemist (119); alegreya (120); alg (124); algorithm2e (127); algorithmicx (128); allrunes (136); almendra (139); alnumsec (141); ametsoc (155); amslatex (171); amslatex-primer (172); amsltx11 (174); amsmath-it (176); amsppt (180); amstex (184); andika (188); animate (190); annot-pro (193); anonchap (198); answers (202); antomega (208); anyfontsize (213); apa (217); apacite (222); apprends-latex (236); ar (239); arabi (240); arabtex (246); arabxetex (247); aramaic (248); archaic (253); archivo (254); arcs (255); arev (256); aro-bend (262); around-the-bend (264); arrayjob (269); arrayjobx (270); arsclassica (274); arvo (281); ascelike (288); ascii-cyrillic (290); ascii-font (291); askmaps (295); aspectratio (298); assignment (301); astro (305); asyfig (309); asymptote-faq-zh-cn (312); atkinson (321); augie (328); auncial (329); auncial-new (330); aurical (331); authorindex (338); automata (349); autopict (353); background (434); backrefx (437); balance (447); bangtex (453); bankstatement (454); barcodes (456); bardiaq (460); battleship (477); bbding (480); bbm-macros (484); beamer-fuberlin (493); beamer-varbox (498);

E Licenses and associated packages

beamer2thesis (500); beameraudience (502);
beamerposter (506); beamersubframe (507);
beamertheme-upenn-bc (533); beamerthemenirma (540);
bengali-omega (556); bengali-pandey (557);
besjournals-bst (560); betababel (562); beton (563);
bghyphen (571); bgreek (572); bgteubner (573); bguq (574);
bib-fr (576); biblatex-ams (618);
biblatex-authoryear-icomp-tt (624);
biblatex-historian (643); biblatex-jura (647);
biblatex-juradiss (649); biblatex-musuos (659);
biblatex-readbbl (668); biblatex-spbasic (676);
bibtools (711); bibtopicprefix (713); bibunits (714);
bickham (720); bigints (732); binomexp (741);
biochemistry-colors (742); biolinum-type1 (746);
bitfield (751); bitpattern (753); bitter (757);
blindtext (764); blkarray (765); blockdraw-mp (769);
bodegraph (785); bold-extra (790); bookest (801);
bookhands (803); booktabs-fr (809); boolexpr (811);
boondox (812); bophook (814); bosisio (817);
boxhandler (821); bpchem (824); bpolynomial (825);
breakurl (837); burmese (856); byzfonts (887); cabin (891);
cahyph (895); caladea (896); calctab (900); callouts (909);
capt-of (922); captcont (923); captdef (924);
carlisle (931); carolmin (933); carolmin-t1 (934);
cascadia-code (937); cascadiella (939); catalan (948);
cbcoptic (959); cbgreek-complete (962); ccfonts (965);
ccllicenses (968); cdpbndl (974); cellspace (978);
cfgguide (988); changelayout (993); chappg (997);
chapterfolder (1000); charissil (1002); chbibref (1005);
chembst (1016); chemcompounds (1017); chemcono (1018);
chessboard (1040); chessfss (1041); chicago-annotate (1048);
chletter (1062); chngcntr (1063); cinzel (1079);
circuitikz (1085); cjhebrew (1098); cjk-ko (1102);
classico (1108); clearsans (1116); clrscod (1131);
clrscod3e (1132); clsguide (1134); cmap (1148);
cmarrows (1149); cmbright (1152); cmdstring (1157);
cmll (1161); cmolddig (1163); cmpj (1166); cmsd (1168);
cmslup (1169); cmupint (1175); cnbwp (1177); codedoc (1189);
coelacanth (1194); collect (1198); colorinfo (1212);
colortab (1219); colortbl (1220); comicsans (1231);
comma (1232); commath (1235); compactbib (1245);
concepts (1255); concmath (1256); concmath-fonts (1257);
confproc (1263); constants (1265); contour (1317);
convert (1322); cookingsymbols (1326); cookybooky (1327);
coolthms (1332); cooltooltips (1333); cooperhewitt (1335);
coordsys (1336); cypypaste (1340); copyrightbox (1341);
corelfonts (1344); cormorantgaramond (1347);

corridx-latex (1350); countlto (1354);
countriesofeuropa (1356); covfonts (1365); cpssp (1370);
crbox (1375); create-struktex (1376); crimson (1380);
crimsonpro (1381); crop (1383); crossreference (1389);
crosswrd (1394); cryst (1399); csquotes-de (1411);
css-colors (1412); csvtools (1420); ctantools (1429);
cuisine (1435); curve (1445); custom-bib (1448);
cwebhy (1460); cypriot (1465); cyrguide (1467);
czhyph2e (1473); dad (1474); dantelogo (1477);
dashbox (1479); dashrule (1480); dateiliste (1489);
dblfnote (1544); dcounter (1551); decsci (1561);
degrade (1567); dehyph-exptl (1569); dejavu (1570);
delimtxt (1578); desclist (1584); dfgproposal (1592);
diadia (1595); diagmac2 (1598); dialogl (1602); dice (1604);
digiconfigs (1613); dinbrief (1618); dinbrief-gui (1619);
dingbat (1620); directory (1621); dirtree (1623);
ditaa (1627); dithesis (1628); dkhyphen (1632);
dlfltxb (1634); dnaseq (1638); docmfp (1648); doi (1657);
doipubmed (1659); dotarrow (1666); dotlessj (1668);
doublespace (1672); dpfloat (1681); dprogress (1682);
dps (1683); drac (1684); draftcopy (1686); dratex (1693);
drv (1708); dsptricks (1709); dtxgallery (1716);
dutchcal (1725); dvdcoll (1726); dvlgloss (1727);
dvii (1742); easy (1779); easybib (1781); easybmat (1782);
easyeqn (1785); easylist (1790); easymat (1791);
easyreview (1792); easytable (1793); easyvector (1794);
ebezzer (1795); ebgaramond (1796); ebsthesis (1803);
ecc (1807); ecltree (1810); economic (1818); ecta (1820);
edmargin (1829); ednotes (1831); eehyph (1832);
eemeir (1833); egameps (1838); egothic (1839);
eiad-ltx (1844); eitl (1850); elbioimp (1855);
elmath (1867); elocalloc (1868); elpres (1869);
els-cas-templates (1870); eltex (1874);
emulateapj (1894); encguide (1895); encxvlna (1897);
endheads (1899); endnote2bib (1902); engpron (1908);
engrec (1909); enpassant (1915); envbig (1923);
environ (1927); envlab (1928); envmath (1929);
epiolmec (1939); epsdice (1945); epspdfconversion (1957);
eq-fetchbbl (1961); eq2db (1964); eqlist (1968); erdc (1979);
esami (1984); escapetext (1985); esieecv (1987);
esint (1989); eskd (1992); estcpmm (2001); etaremime (2004);
etexttools (2010); etoolbox-de (2017); etruscan (2019);
eukdate (2025); euler (2027); eulervm (2030);
euproposal (2031); euro (2033); euroitc (2036);
europecv (2039); eurosans (2041); evautofl (2046);
evenpage (2047); evweek (2052); exp-testopt (2076);
expdlist (2077); expex (2078); export (2088);

expressg (2090); extdash (2095); extsizes (2102);
facsimile (2105); fahyph (2110); faktor (2113);
fancyhdr-it (2122); faq-es (2137); fascicules (2142);
fbs (2149); fenixpar (2161); feupphdteses (2166);
fge (2174); fifo-stack (2182); figbas (2190); figbib (2191);
figcaps (2192); figsize (2199); filedate (2204);
fink (2215); fira (2219); fitr (2231); fix2col (2234);
fixfoot (2238); flabels (2251); flipbook (2263);
float (2265); floatrow (2271); flushend (2279); fmp (2280);
fncylab (2285); fnpos (2291); fnspe (2292); fntguide (2293);
foilhtml (2298); fontch (2313); fontenc (2316);
fontinst (2317); footbib (2337); forarray (2345);
formular (2358); forum (2360); fotex (2361); fouridx (2362);
fourier (2363); fouriernc (2364); fp (2368); fpl (2369);
frame (2374); free-math-font-survey-vn (2384);
french-translations (2389); frenchle (2390);
frontespizio (2401); ftnxtra (2409); fullblck (2410);
fullpage (2412); fullwidth (2414); functan (2415);
funnelweb (2427); gaceta (2436); galois (2438);
gandhi (2442); garamond-libre (2444); garrigues (2447);
gates (2450); gauss (2452); gcard (2457); gelasio (2461);
genealogy (2467); genmpage (2472); german (2489);
geschichtsfrkl (2493); getfiledate (2495); getmap (2497);
ghab (2514); gillius (2519); ginpenc (2522); gloss (2540);
glossaries-accsupp (2543); glossary (2564); gmdoc (2567);
gmdoc-enhance (2568); gmeometric (2569); gmiflink (2570);
gmutils (2572); gmverb (2573); gmverse (2574);
gofonts (2582); gradback (2589); graphfig (2602);
graphics-pln (2607); graphicx-psmin (2610);
graphicxbox (2611); grchyp (2621); greek4cbc (2625);
greek6cbc (2626); greekdates (2628); grektex-fd (2631);
grfpaste (2638); grid (2639); grkfst (2644); gu (2657);
guarani (2658); gudea (2659); ha-prosper (2676);
har2nat (2694); harvard (2701); hep (2720); hepnames (2733);
hepparticles (2734); hepthesis (2735); hepnunits (2736);
heuristica (2743); hexgame (2747); hfbright (2749);
hhtensor (2755); hideproofs (2757); hindmadurai (2765);
historische-zeitschrift (2767); hitec (2769);
hlatex (2778); hobete (2784); hoffset-voffset (2786);
hrlatex (2801); humanist (2812); huncial (2814);
hvdashln (2819); hvfloat (2821); hvindex (2822);
hvlogos (2823); hvmath (2824); hyper (2838);
hyphenation-greek (2849); hypht1 (2852); iagproc (2856);
iahyphen (2857); ibarra (2860); ibycus-babel (2864);
icehyph (2866); icelandic (2867); icomma (2870); icsv (2873);
idxlayout (2879); ieeeconf (2882); ieeepees (2883);
ifmtarg (2898); ifthenx (2907); iitem (2912); ijmart (2915);

ijqc (2916); image-gallery (2919); imtekda (2930);
initials (2948); inlinebib (2951); inlinedef (2952);
inriafonts (2961); inslrmaj (2966); inslrmin (2967);
installfont (2969); inter (2971);
interactiveanimation (2972); interactiveplot (2973);
interactiveworkbook (2974); interpreter (2979);
intro-scientific (2984); iopart-num (2992);
isi2bib (3002); iso (3004); iso10303 (3006); isodate (3008);
isomath (3011); isonums (3012); isopt (3013); isorot (3014);
isotope (3016); itnumpar (3026); javadvi (3046);
jbibtexmanager (3051); jcc (3052); jeopardy (3054);
jj-game (3063); jkmath (3064); jlabels (3067);
jneurosci (3075); josefin (3079); jphysiol (3086);
jpsj (3090); jqt1999 (3091); jtbnew (3099); junicode (3102);
junicodervf (3103); juramisc (3108); jvlisting (3111);
kerntest (3133); keycommand (3135); kmrhyph (3155);
koi8 (3170); koma-script-examples-3 (3174);
koma-script-examples-4 (3175);
koma-script-examples-5 (3176); koma-script-sfs (3178);
kotex-utils (3186); kpfonts (3188); kurdishlipsum (3196);
labbook (3224); labyrinth (3235); lahyph (3238);
lambda-lists (3240); lastbib (3254);
latex-brochure (3267); latex-context-ppchtex (3268);
latex-fonts (3278); latex-tabellen (3297);
latex-uni8 (3302); latex209 (3305); latex2rtf (3313);
latexcad (3321); latexcheat (3322); latexcheat-de (3323);
latexcheat-esmx (3324); latexcheat-ptbr (3325);
latexcount (3327); latexfileversion (3334); latin (3350);
layaureo (3356); lcd (3362); lcg (3364); leading (3368);
leawood (3371); lecturer (3374); ledarab (3378);
ledpar (3380); leftidx (3381); lexikon (3403); lfb (3407);
lgc-examples (3409); lgc2-examples (3410); lh (3416);
libertine (3419); libertine-type1 (3421);
libertinus-type1 (3427); libertinustlmath (3428);
librarian (3430); librebaskerville (3431);
librebodoni (3432); librecaslon (3433);
librefranklin (3434); lineara (3446); linearb (3447);
linearregression (3448); lineno (3451); lingtrees (3454);
linguex (3455); linguisticspro (3456); listing (3468);
listliketab (3474); listofsymbols (3477); liturg (3485);
lobster2 (3501); logpap (3514); logsys (3516);
longdivision (3519); lpform (3533); lps (3536); lsc (3540);
lshort-mongol (3555); lshort-slovak (3562);
lshort-vietnamese (3568); ltablex (3576); ltabptch (3577);
ltx2x (3587); ltx4yt (3589); ltxdockit (3593);
ltxgrid (3595); ltxinput (3599); ltxkeys (3600);
ltxtable (3603); lucida (3682); lwc-examples (3695);

E Licenses and associated packages

ly1 (3699); m3d (3705); macbibtex (3708); magra (3723);
makebarcode (3731); makebox (3733); makecell (3734);
makecirc (3735); makecmds (3736); makedtx (3739);
makeidx (3744); makeplot (3748); makor2 (3755);
malayalam-omega (3758); maltese (3759); manfnt (3763);
manuscript (3768); manyfoot (3769); marcellus (3774);
marginfix (3779); mathabx (3793); mathabx-type1 (3794);
mathcmd (3800); mathcomp (3802); mathdots (3804);
mathematica (3805); mathesatz-examples (3806);
mathexam (3807); mathpple (3818); mathptm (3819);
mathptmx (3820); mathspec (3828); mathspic (3829);
mathtime-ltx (3833); mathtrip (3837); maybemath (3845);
mboxfill (3849); mcaption (3850); mciteplus (3855);
mdframed (3858); media4svg (3869); media9 (3870);
mem (3875); memexsupp (3878); memoirchapterstyles (3884);
mentis (3891); merriweather (3899);
messagebubbles (3900); metago (3907); metainfo (3908);
metalogo (3909); metaobj (3912); metaplot (3914);
metapost-matlab (3918); method (3923); metre (3924);
mflogo (3939); mfnfss (3942); mfpic4ode (3944);
mftinc (3945); midpage (3964); miktex-update (3968);
miller (3972); milog (3973); minibox (3978); miniltx (3981);
minion2newtx (3990); minipage-marginpar (3992);
miniplot (3993); mintspirit (3998); minutes (3999);
mkpattern (4009); mkstmp-pro (4012); mla-paper (4014);
mlist (4019); mltx-ltx (4023); mmap (4028); mnttex (4036);
modguide (4044); modref (4046); modroman (4047);
mol2chemfig (4052); mongolian-babel (4055);
moresize (4068); moreverb (4069); movie15 (4074);
mp3d (4077); mpcolornames (4082); mpstoeps (4090); ms (4095);
msg (4097); mt11p (4102); mtgreek (4105); multibbl (4113);
multibib (4114); multicap (4117); multido (4122);
multiobjective (4129); multitoc (4132); munich (4133);
musikui (4137); musixtex-t1fonts (4142); musuos (4144);
muthesis (4145); mweights (4149); mxedruli (4152);
mylatex (4156); myletter (4158); na-border (4161);
na-box (4162); na-position (4163); nabatean (4164);
nag (4165); namespc (4173); natbib (4179); natmove (4182);
nature (4183); navigator (4184); nbaseprt (4187);
nccbbb (4189); nccboxes (4190); ncccomma (4191);
ncccropbox (4192); ncccropmark (4193); nccfancyhdr (4194);
nccfloats (4195); nccfoots (4196); ncclatex (4197);
nccmath (4198); nccparskip (4199); nccpic (4200);
nccrules (4201); nccsect (4202); nccstretch (4203);
nccthm (4204); ncctools (4205); nehyph (4212);
neufont (4216); newapa (4221); newcommand (4224);
newfile (4227); newpx (4233); newspaper (4235);

newtxtt (4239); newvbtm (4241); nextpage (4243);
ngerman (4247); niceframe (4250); niceframe-type1 (4251);
nih (4256); nohyphbx (4278); noitcrul (4280);
nomencl (4282); nomentbl (4283); nopageno (4287);
notes (4293); noto (4298); notocondensed (4302); nox (4308);
nrc (4310); ntheorem (4317); ntheorem-vn (4318); nuc (4322);
numalg (4324); numname (4334); numprint (4336);
nunito (4338); oands (4343); objectz (4346); obnov (4347);
ocg-p (4351); ocgx (4353); ocgx2 (4354); ochem (4355);
ocherokee (4356); octavo (4362); ofntinst (4366);
oinuit (4370); old-fontch (4374); oldlatin (4375);
oldprsn (4376); oldstandard (4377); oldstyle (4379);
one2many (4384); onlyamsmath (4389); opcit (4394);
opteng (4400); optional (4405); optparams (4407);
orderer (4409); ordinalpt (4411); orkhun (4415);
oswald (4422); ot2cyr (4424); outline (4435);
outlines (4437); Pacioli (4453); pagecont (4458);
pagerange (4467); palatino-nfss (4471);
papercdcase (4481); papertex (4483); paracol (4485);
paralist (4488); parallel (4489); paratype (4491);
parcolumns (4493); parrun (4497); pas-cours (4505);
pas-crosswords (4506); pas-cv (4507); pas-tableur (4508);
patch (4512); patchcmd (4513); pauldoc (4518); pax (4520);
pbsheet (4529); pdfcprot (4548); pdfflatexpicscale (4554);
pdfreview (4567); pdfscreen (4568); pdfslide (4569);
pdfsync (4570); pdfx (4580); perception (4589);
perltx (4591); permute (4592); petiteannonce (4595);
pfnote (4601); pgf-blur (4603); pgf-soroban (4609);
pgfkeys (4614); pgothic (4626); phaistos (4627);
philex (4637); phoenician (4641); phonetic (4644);
photo (4646); physics (4651); piano (4659);
pictex-autoarea (4665); pictex2 (4666);
piechartmp (4672); pinlabel (4677); pitex (4679);
pittetd (4681); plain-ltx (4701); plantslab (4706);
plates (4709); play (4714); play-font (4715);
playfair (4717); plex (4719); plipsum (4724); plnfss (4725);
pmcstex (4731); pmdpl (4733); pointruler (4747);
poiretone (4748); polynomial (4756); polytable (4758);
popupmenu (4761); postcards (4766); poster-mac (4768);
powerdot-fuberlin (4772); ppr-prv (4778); prerex (4788);
present (4789); presentations (4790);
presentations-en (4791); printlen (4800); proba (4802);
probsoln (4803); processkv (4805); prociagssymp (4806);
proflabo (4810); progress (4816); progressbar (4817);
properties (4825); proposal (4826); protex (4829);
protosem (4832); przechlewski-book (4835); ps4pdf (4841);
psbao (4844); pseudocode (4848); psfragx (4857);

E Licenses and associated packages

psgo (4858); psizsl (4860); pslatex (4861); psnfss (4863);
psnfss-source (4864); psnfssx (4865); pspicture (4870);
pst-2dplot (4873); pst-3d (4874); pst-3dplot (4875);
pst-abspos (4876); pst-am (4877); pst-antiprism (4878);
pst-arrow (4879); pst-asr (4880); pst-bar (4881);
pst-barcode (4882); pst-bezier (4883); pst-blur (4884);
pst-calendar (4887); pst-cie (4888); pst-circ (4889);
pst-coil (4890); pst-contourplot (4891); pst-dart (4893);
pst-dbicons (4894); pst-diffraction (4895);
pst-electricfield (4896); pst-eps (4897);
pst-eucl (4898); pst-eucl-translation-bg (4899);
pst-exa (4900); pst-feyn (4901); pst-fill (4902);
pst-fit (4903); pst-fourbarlinkage (4905); pst-fp (4906);
pst-fr3d (4907); pst-fractal (4908); pst-fun (4909);
pst-func (4910); pst-gantt (4911); pst-gears (4912);
pst-geo (4913); pst-gr3d (4915); pst-grad (4916);
pst-graphicx (4917); pst-hsb (4918); pst-infixplot (4919);
pst-intersect (4920); pst-kepler (4922); pst-knot (4923);
pst-labo (4924); pst-layout (4925); pst-lens (4926);
pst-light3d (4927); pst-lsystem (4928);
pst-magneticfield (4929); pst-massspring (4931);
pst-math (4932); pst-mirror (4933); pst-node (4935);
pst-nutation (4936); pst-ob3d (4937); pst-ode (4938);
pst-optic (4940); pst-osci (4941); pst-ovl (4942);
pst-pad (4943); pst-pdgr (4945); pst-platon (4947);
pst-plot (4948); pst-poly (4950); pst-rubans (4954);
pst-shell (4955); pst-sigsys (4956); pst-slpe (4957);
pst-solarsystem (4958); pst-soroban (4960);
pst-spectra (4961); pst-spectrum (4962);
pst-sphericaltrochoid (4963); pst-spinner (4964);
pst-spirograph (4965); pst-stru (4966);
pst-support (4967); pst-text (4968); pst-thick (4969);
pst-tools (4970); pst-tree (4971); pst-turtle (4972);
pst-uml (4974); pst-vectorian (4975); pst-venn (4977);
pst-vowel (4978); pst-vue3d (4979); pst-xkey (4980);
pstdoc (4982); pstrees (4987); pstricks-add (4988);
pstricks-calcnodes (4990); pstricks-examples (4991);
psu-thesis (4995); pthyphs (5005); ptptex (5009);
purifyeps (5015); ptxalfa (5030); pzccal (5043);
qcm (5047); qobitree (5054); qstest (5060); qtree (5062);
quattrocento (5068); quotes (5079); quotmark (5081);
raggedr (5095); rake4latex (5098); randbild (5101);
randtext (5107); ratex (5112); rawprint (5115);
rcs-multi (5119); rcsinfo (5121); recipecard (5134);
rectopma (5136); refman (5148); refreshpdf (5149);
refstyle (5150); regcount (5151); remreset (5162);
renditions (5163); reotex (5164); repeat (5165);

repeatindex (5166); required (5171); revtex4-0 (5189);
rlepsf (5200); rmannot (5201); robot-man (5207);
roboto (5209); robustcommand (5211); rojud (5213);
romaniantex (5217); romannum (5219); rotfloat (5226);
rotpages (5227); rotunda (5228); rplain (5234);
rrgtrees (5236); rsfso (5239); rtkinenc (5244);
rtsched (5246); ruhyphen (5252); runic (5260); russ (5265);
rustic (5267); rviewport (5269); rvwrite (5270);
sageep (5279); sanhyph (5283); sanskrit (5287);
sanskrit-t1 (5288); sarabian (5293); sauerj (5295);
savesym (5300); scalebar (5311); scalefnt (5312);
schemabloc (5318); scholax (5323); schulschriften (5327);
schwell (5329); sciposter (5335); sciwordconv (5336);
scriptfonts (5359); sdrt (5379); secdot (5383);
section (5388); sectionbox (5389); sectsty (5391);
sehyph (5393); semantic (5399); semioneside (5405);
sepnum (5411); seqsplit (5413); serial (5420); sffms (5438);
sfg (5439); sfmath (5441); sgame (5443); shadethm (5448);
shadow (5450); shadowtext (5451); shorttoc (5468);
show2e (5471); showdim (5473); si (5485); silence (5495);
simplecv (5502); simplified-latex (5513); sistyle (5520);
skak (5525); skaknew (5526); slantsc (5538); slashed (5540);
slatex (5541); slhyph (5545); smalltableof (5553);
smartref (5559); sobolev (5569);
softmaker-alteschwabacher (5571);
softmaker-artistic (5572);
softmaker-baskervillenova (5573);
softmaker-bonita (5574); softmaker-broadway (5575);
softmaker-canossa (5576); softmaker-congress (5577);
softmaker-delanocaps (5578); softmaker-digital (5579);
softmaker-egyptiennestd (5580);
softmaker-flagstaff (5581); softmaker-grenoble (5582);
softmaker-helium (5583); softmaker-heliumtwo (5584);
softmaker-henderson (5585); softmaker-iceberg (5586);
softmaker-inverserif (5587);
softmaker-jugendstil (5588);
softmaker-marseille (5589); softmaker-moab (5590);
softmaker-nevada (5591); softmaker-newcastle (5592);
softmaker-oldblackletter (5593);
softmaker-quadrat (5594); softmaker-stonehand (5595);
softmaker-sunset (5596); softmaker-tampa (5597);
softmaker-vagrounded (5598); softmaker-velo (5599);
softmaker-veracruz (5600); softmakerfreefont (5601);
soton (5608); source2e (5612); sourcecodepro (5613);
spain (5620); spanish-mx (5622); sparklines (5624);
spectral (5627); spectralsequences (5628); sphypb (5633);
spie (5635); splitbib (5642); splitindex (5643);

E Licenses and associated packages

spotcolor (5645); spverbatim (5650); sqltex (5651);
sqrcaps (5652); sr-half-compound (5653); sseq (5662);
stack (5669); statex (5681); statex2 (5682); staves (5687);
stdclsdv (5688); steinmetz (5691); stellenbosch (5692);
stex (5696); stfloats (5697); stmaryrd (5702);
stoneipa (5704); suanpan (5725); subdepth (5728);
subfig (5732); subfigmat (5733); subfigure (5734);
subfloat (5736); sublabel (5737); subscript (5738);
subsupscripts (5742); sudoku (5744); sudokubundle (5745);
sugconf (5749); superiors (5751); susy (5754);
svgcolor (5760); svn-multi (5762); svn-prov (5763);
swetex (5767); swimgraf (5770); syllogism (5775);
synproof (5783); syntrace (5789); synttree (5790);
tlenc (5797); t2 (5802); tableaux (5809); tablists (5815);
tablors (5816); tabularcalc (5827); tabularew (5828);
tabulars-e (5833); tabulary (5835); talk (5841);
tamil-omega (5845); tcldoc (5859); tdsfrmath (5866);
technics (5869); ted (5872); templates-fenn (5876);
templates-sommer (5877); tengwarscript (5883);
tensor (5885); termlist (5891); testflow (5896);
testmath (5900); tex-font-errors-cheatsheet (5909);
tex4ht (5950); texapi (5952); texcad32 (5958);
texcount (5960); texdepend (5963); texdeps (5964);
texemplar (5972); texilikechaps (5983);
texilikecover (5984); texlogos (6006); texmate (6010);
texments (6011); texmuse (6012); texperf (6018);
texproject (6023); texref (6025); texsis (6031);
textarea (6037); textcase (6038); textcomp (6039);
textgreek (6043); textpath (6048); tfmpktest (6055);
tgothic (6057); thailatex (6063); theanodidot (6066);
theanomodern (6067); theanooldstyle (6068);
theoremref (6073); thesis-titlepage-fhac (6081);
thmbox (6084); threeddice (6091); threeparttablex (6094);
ticollege (6108); tikz-dependency (6124); tikz-ext (6126);
tikz-inet (6130); tikz-timing (6151); tikzorbital (6169);
tikzpagenodes (6171); tikzpfeile (6173); times (6190);
timetable (6192); tinos (6195); tipa (6197); tipa-de (6198);
tipfr (6200); titlefoot (6204);
titlepage-uni-dortmund (6205); titlepages (6206);
titling (6213); tkz-kiviat (6228); tkz-linknodes (6229);
tlc2-errata (6235); tlc2-examples (6236); tmmath (6242);
tochibind (6249); tocenter (6251); tokenizer (6259);
tolkienfonts (6264); toolbox (6266); topcapt (6267);
topsection (6271); totcount (6274); totpages (6275);
trajan (6287); tram (6288); translation-array-fr (6292);
translation-arsclassica-de (6293);
translation-biblatex-de (6294);

translation-booktabs-fr (6295);
translation-chemsym-de (6296);
translation-dcolumn-fr (6297);
translation-ecv-de (6298);
translation-enumitem-de (6299);
translation-europecv-de (6300);
translation-filecontents-de (6301);
translation-footmisc-de (6302);
translation-moreverb-de (6303);
translation-natbib-fr (6304);
translation-pst-jtree-de (6305); translator (6308);
trimspaces (6319); trivfloat (6320);
truetypermetrics (6325); tt2001 (6334); tui (6351);
turabian (6353); turkish (6355); turkmen (6357);
turnstile (6358); twoup-gen (6371); twouppltx (6372);
type1cm (6382); typehtml (6388); typewriter (6391);
typogrid (6396); uafthesis (6401); uassign (6404);
ucharcat (6408); uebungsblatt (6419); ugarite (6422);
uhc (6424); uiucthesis (6429); ukrhyph (6433); ulqda (6438);
umich-thesis (6444); uml (6445); umlaute (6446);
umoline (6447); umthesis (6449); uncial (6455);
underlin (6458); underscore (6461); unicode (6473);
unitsdef (6492); universalis (6494); unpacked (6499);
upca (6508); upgreek (6510); urcls (6521); url (6523);
urlbst (6524); urwchancal (6531); ushort (6538);
usrguide (6542); vak (6565); varindex (6570);
varsfromjobname (6574); varwidth (6575);
vaucanson-g (6576); venn (6583); venndiagram (6584);
verbatimbox (6591); verbatimcopy (6592); verbdef (6593);
verse (6602); vf-howto (6609); viking (6619);
visualfaq (6621); vmargin (6629); vocaltract (6634);
volumes (6635); voss-mathcol (6636); voss-mathmode (6637);
vpage (6639); vpe (6640); w-a-schmidt (6655);
wallcalendar (6658); wallpaper (6659); warpcol (6662);
watermark (6667); webcomp-errata (6673); wiki (6688);
williams (6689); wncyr (6707); wordcount (6717);
wordlike (6719); wotree (6724); wrapfig (6726);
xargs (6737); xbibfile (6740); xcomment (6753); xdoc (6756);
xecolour (6765); xeindex (6768); xesearch (6772);
xetex-devanagari (6779); xetex-greek (6780);
xetex-tibetan (6783); xfor (6790); xhfill (6795);
xifthen (6796); xii (6797); xii-lat (6798); xkvltxp (6811);
xkvview (6812); xmltex (6821); xnewcommand (6824);
xoptarg (6825); xq (6837); xsavebox (6842); xskak (6845);
xtab (6850); xyling (6863); xytree (6868); yafoot (6870);
yagusylo (6871); yax (6877); yfonts (6883); yplan (6896);
zhmcjk (6917); zhmetrics (6918); ziffer (6922);

	zwpagelayout (6934);
lpp11	51 packages: a4wide (5); acroflex (44); acrotex-web (54); artthreads (280); arydshln (283); authblk (334); babelbib (430); bibentry (591); biolett-bst (745); cmdtrack (1158); cntdwn (1180); colordoc (1206); decimal (1556); dehyph (1568); ed (1823); eforms (1836); errata (1982); esdiff (1986); exerquiz (2073); fldigial (2260); g-brief (2435); grafcet (2594); insdljs (2965); karnaugh (3120); kix (3149); latex2man (3310); multenum (4110); pdfpagediff (4560); phonrule (4645); pictex (4664); psnfssx-adobe (4867); ran-toks (5100); relenc (5159); sacsymb (5276); shade (5446); substr (5741); svninfo (5764); tabbing (5804); termcal (5887); tikz-karnaugh (6132); tikz-ladder (6133); tikz-relay (6147); tikz-sfc (6148); todo (6255); translation-tabbing-fr (6306); tree-dvips (6311); txfontsb (6375); vruler (6646); wichura-table (6684); youngtab (6895); yt4pdf (6900);
lpp11.2	123 packages: abc (13); acromemory (46); aeb-minitoc (86); aeb-mlink (87); aeb-pro (89); aebxmp (94); apprendre-a-programmer-en-tex (235); arraysort (272); articleingud (279); asciilist (292); auto1 (341); autopdf (352); bargraph-js (461); basque-book (474); basque-date (475); bookcover (799); centerlastline (984); checklistings (1012); chemschemex (1030); chess-problem-diagrams (1039); chscite (1073); cleveref (1118); computational-complexity (1253); conv-xkv (1320); courier-scaled (1360); coverpage (1364); datenumber (1490); datepicker-pro (1491); delim (1575); digicap-pro (1612); docassembly (1645); documentation (1654); ecards (1806); ejpecp (1851); ekaia (1852); embedall (1878); emptypage (1890); endnotes (1903); endnotes-hy (1904); eq-pin2corr (1962); eq-save (1963); eqexam (1966); eso-pic (1995); exercises (2071); fancybox (2117); fancylabel (2125); fancytooltips (2133); fc-arith (2151); fetchbibpes (2164); forms16be (2356); frcursive (2381); gb4e (2453); graphicxsp (2613); grayhints (2620); gtrlib-largetrees (2656); havannah (2707); helvet (2719); hletter (2780); icon-appr (2871); ifmslide (2897); karnaughmap (3122); keyvaltable (3144); knowledge (3160); komacv-rg (3180); labels (3230); lazylist (3359); listings-ext (3471); lmake (3497); luatodonotes (3678); macroswap (3712); mailmerge (3726); malayalam-latex (3756); manyind (3770); maths-symbols (3823); mattex (3843); mbenotes (3848);

mi-solns (3956); minorrevision (3995); multilang (4126);
 mversion (4146); mwcls (4147); nddiss (4207);
 nonumonpart (4286); ocgtools (4352); opacity-pro (4392);
 oup-authoring-template (4432); pifont (4675);
 pmdb (4732); polski (4751); prosper (4827); pst-pdf (4944);
 ptext (5004); qrcstamps (5058); rangen (5109); rccol (5117);
 rgltxdoc (5194); richtext (5196); rjlparschap (5199);
 robustindex (5212); rterface (5241); seminar (5404);
 sf298 (5435); showexpl (5474); simplecd (5501);
 stdpage (5689); swbib (5766); tabularborder (5826);
 theatre (6070); thesis-ekf (6078); thorshammer (6087);
 tikzposter (6175); tile-graphic (6182); treesvr (6313);
 trsym (6322); typed-checklist (6385);
 ucdavisthesis (6407); uiucredborder (6428);
 upquote (6515); verbments (6595); vhistory (6615);
 vowel (6638); xbmks (6742); ytableau (6901);

lppl1.3

1272 packages: aastex (10); abntex2 (16); abracas (20);
 acmart (39); acronym (47); acroterm (51); adjmulticol (74);
 adjustbox (75); adrconv (80); advdate (83);
 afparticle (103); alertmessage (122); algxpar (131);
 alphalph (145); alterqcm (149); altsubsup (152);
 altverse (153); amnestystyle (159);
 amslatexdoc-vietnamese (173); amsrefs (183);
 anonymous-acm (199); aomart (216); apptools (237);
 apxproof (238); arabi-add (241); arabic-book (243);
 aramaic-serto (249); archaeologie (252); armtex (260);
 arraycols (268); asapsym (286); ascii-chart (289);
 askinclude (294); assoccnt (302); atbegshi (318);
 attachfile (322); aucklandthesis (326); autobreak (343);
 autolist (347); autonum (351); autotype (358);
 auxhook (360); avremu (361); axessibility (365);
 blencoding (368); babel (369); babel-albanian (370);
 babel-azerbaijani (371); babel-bahasa (372);
 babel-basque (373); babel-bosnian (375);
 babel-breton (376); babel-bulgarian (377);
 babel-catalan (378); babel-croatian (379);
 babel-czech (380); babel-danish (381); babel-dutch (382);
 babel-english (383); babel-esperanto (384);
 babel-estonian (385); babel-finnish (386);
 babel-friulan (388); babel-galician (389);
 babel-georgian (390); babel-german (391);
 babel-greek (392); babel-hebrew (393);
 babel-hungarian (394); babel-icelandic (395);
 babel-indonesian (396); babel-interlingua (397);
 babel-irish (398); babel-japanese (400);
 babel-kurmanji (401); babel-latin (402);

babel-latvian (403); babel-lithuanian (404);
babel-macedonian (405); babel-malay (406);
babel-norsk (407); babel-occitan (408);
babel-piedmontese (409); babel-polish (410);
babel-portuges (411); babel-romanian (412);
babel-romansh (413); babel-samin (415);
babel-scottish (416); babel-serbian (417);
babel-serbianc (418); babel-slovak (419);
babel-slovenian (420); babel-sorbian (421);
babel-spanglish (422); babel-spanish (423);
babel-swedish (424); babel-thai (425);
babel-turkish (426); babel-vietnamese (428);
babel-welsh (429); babylonianum (432); backref (436);
bagpipe (440); bangorcsthesis (451); bangorexam (452);
bashful (466); basicarith (468); baskervaldx (472);
baskervillef (473); bclogo (490); beamer-reveal (494);
beamer-theme-albi (496); beamer-verona (499);
beamercolorthemeowl (504); beamerdarkthemes (505);
beamertheme-cuerna (513); beamertheme-epyt (517);
beamerthemeamurmaple (535); beuron (564);
bewerbung (565); bez123 (566); bhcxexam (575);
bibexport (606); biblatex (613);
biblatex-accursius (616); biblatex-anonymous (619);
biblatex-arthistory-bonn (623);
biblatex-bookinarticle (626);
biblatex-bookinother (627); biblatex-bwl (628);
biblatex-caspervector (629); biblatex-cheatsheet (630);
biblatex-chicago (632); biblatex-claves (633);
biblatex-cv (635); biblatex-dw (636); biblatex-enc (637);
biblatex-fiwi (639); biblatex-ijsra (645);
biblatex-iso690 (646); biblatex-lni (652);
biblatex-luh-ipw (653);
biblatex-manuscripts-philology (654);
biblatex-mla (655); biblatex-morenames (656);
biblatex-ms (657); biblatex-multiple-dm (658);
biblatex-nejm (661); biblatex-nottsclassic (662);
biblatex-opcit-booktitle (663);
biblatex-philosophy (665); biblatex-phys (666);
biblatex-publist (667); biblatex-realauthor (669);
biblatex-sbl (670); biblatex-science (671);
biblatex-shortfields (672);
biblatex-socialscienceshuberlin (673);
biblatex-software (674);
biblatex-source-division (675);
biblatex-subseries (677); biblatex-swiss-legal (678);
biblatex-true-citepages-omit (680); bibleref (685);
bibleref-french (686); bibleref-german (687);

E Licenses and associated packages

bibleref-lds (688); bibleref-mouth (689);
bibleref-parse (690); bicaption (719);
bidi-atbegshi (722); bidicontour (723); bidihl (724);
bidipagegrid (725); bidipresentation (726);
bidishadowtext (727); bigdelim (729); bigintcalc (731);
bigstrut (734); binarytree (739); biokey (744);
biolist (747); bitelist (750); bitset (755);
blochsphere (767); bloques (771); blowup (772); blox (773);
bmptsize (780); bmstu (781); bohr (787); boldline (791);
bondgraph (793); bondgraphs (794); bonum-otf (795);
bookdb (800); booklet (804); br-lex (826); bracketkey (828);
braille (830); brandeis-dissertation (832); breqn (839);
bropd (843); bullcntr (854); bussproofs (860);
byo-twemojis (883); cachepic (892); calcage (898);
calculation (901); calculator (902); callouts-box (910);
cals (913); canoniclayout (918); caption (925);
caption2 (926); carbohydrates (927); cascade (936);
cascadiamono-otf (938); casiofont (942);
cassette-shipunov (944); catchfile (950);
catchfilebetweentags (951); catcodes (952);
catechis (955); catoptions (956); causets (958);
cbfonts-fd (961); ccaption (964); celtic (981);
censor (982); centernot (985); cfr-initials (989);
changebar (992); changepage (995); changes (996);
checkcites (1009); chemarr (1014); chemexec (1019);
chemgreek (1023); chemscheme (1029); chemsec (1031);
chemstyle (1033); chet (1043); chextras (1044);
chickenize (1051); chifoot (1052); childdoc (1053);
chkfloat (1059); chngpage (1064); chordbox (1067);
chronology (1069); chronosys (1071); citeall (1092);
cjkpunct (1103); classics (1109); classif2 (1111);
classlist (1112); classpack (1113); cleantesis (1115);
cleveref-usedon (1121); clipboard (1124); clrdblp (1130);
cmtiup (1172); cnltx (1178); cntformats (1181);
cntperchap (1182); cochineal (1183); codesection (1192);
codicefiscaleitaliano (1193); collcell (1197);
collectbox (1199); collref (1200); colonequals (1201);
colophon (1202); color-edits (1204); coloring (1213);
colorweb (1223); combelow (1225); combine (1226);
commado (1233); commedit (1236); competences (1247);
conseq (1266); continue (1316); copac-clean (1337);
copyedit (1339); coseoul (1352); counttexruns (1357);
covington (1366); cquthesis (1374); crossreftools (1390);
cryptocode (1398); csvmerge (1417); csvsimple (1418);
ctablestack (1423); ctan-bibdata (1424); ctanbib (1427);
culmus (1436); currency (1439); curves (1447); cuted (1451);
cutwin (1452); darkmode (1478); dataref (1483);

datatool (1484); datatool-english (1485);
datatool-regions (1486); datax (1488); datetime (1495);
datetime2 (1496); datetime2-bahasai (1497);
datetime2-basque (1498); datetime2-breton (1499);
datetime2-bulgarian (1500); datetime2-catalan (1501);
datetime2-croatian (1502); datetime2-czech (1503);
datetime2-danish (1504); datetime2-dutch (1505);
datetime2-en-fulltext (1506); datetime2-english (1507);
datetime2-esperanto (1508); datetime2-estonian (1509);
datetime2-finnish (1510); datetime2-french (1511);
datetime2-galician (1512); datetime2-greek (1514);
datetime2-hebrew (1515); datetime2-icelandic (1516);
datetime2-irish (1517); datetime2-it-fulltext (1518);
datetime2-italian (1519); datetime2-latin (1520);
datetime2-lsorbian (1521); datetime2-magyar (1522);
datetime2-norsk (1523); datetime2-polish (1524);
datetime2-portuges (1525); datetime2-romanian (1526);
datetime2-russian (1527); datetime2-samin (1528);
datetime2-scottish (1529); datetime2-serbian (1530);
datetime2-slovak (1531); datetime2-slovene (1532);
datetime2-spanish (1533); datetime2-swedish (1534);
datetime2-turkish (1535); datetime2-ukrainian (1536);
datetime2-usorbian (1537); datetime2-welsh (1538);
dblfloatfix (1543); dblfont (1545); dcpic (1552);
decimalcomma (1557); decorule (1560); dejavu-otf (1571);
delimseasy (1576); delimset (1577); derivative (1583);
designcon (1585); deutschesmuseum (1588); dhua (1593);
diagbox (1596); diagxy (1601); dictsym (1607); didec (1609);
digestif (1611); dimnum (1615); disser (1626);
docmute (1649); docsurvey (1652); doctools (1653);
domaincoloring (1660); dowith (1676); download (1677);
dox (1678); dozenal (1679); draftfigure (1687);
drawstack (1698); drcaps (1699); drm (1701); droit-fr (1703);
drs (1707); ds serif (1710); dtk-1.32 (1712);
dtxdescribe (1715); duotenzor (1723); dvipscol (1756);
dynblocks (1771); dynbrackets (1772); e-french (1775);
ean13isbn (1777); easing (1778); easyfig (1786);
easyfloats (1787); ebproof (1802); ecclesiastic (1808);
ecgdraw (1809); ecobiblatex (1813); econometrics (1817);
edfnotes (1825); efbox (1835); egpeirce (1840);
einfuehrung (1848); einfuehrung2 (1849); eledform (1857);
eledmac (1858); eledpar (1859); ellipse (1865);
elsarticle (1871); elzcards (1876); emarks (1877);
embrac (1880); empheq (1889); endiagram (1900);
endofproofwd (1906); engord (1907); engtlc (1910);
enparen (1914); enumitem-zref (1920); eolgrab (1932);
epcqrqcode (1933); epstopdf-pkg (1960); eqnalign (1971);

E Licenses and associated packages

eqnlines (1975); eqnnumwarn (1976); erewhon (1980);
eskdex (1993); esrelation (1998); etbb (2005); etdipa (2006);
etex-pkg (2008); etexcmds (2009); euenc (2023);
eulerpx (2029); europasscv (2038); euxunicode (2044);
everyhook (2048); exam (2053);
exam-randomizechoices (2056); excel2latex (2065);
exercisepoints (2070); exesheet (2074); exframe (2075);
expex-acro (2079); expex-glossonly (2080);
expose-expl3-dunkerque-2019 (2089); exsheets (2092);
exsol (2093); extpfeil (2097); extract (2098);
fancyhdr (2121); fancyheadings (2124); fancypar (2128);
fancyslides (2131); fancytabs (2132); fancyvrb (2134);
fast-diagram (2143); fbb (2146); fcavtex (2152);
fcltxdoc (2154); fcolumn (2155); fetamont (2163);
feynmp-auto (2171); ffslides (2173); fgruler (2175);
fhj-script (2176); fibeamer (2178); fibnum (2179);
fifinddo (2180); fifinddo-info (2181);
filecontentsdef (2203); fileinfo (2208); filemod (2209);
fillpages (2211); finstrut (2218); firamath-otf (2221);
fistru (2227); fitbox (2228); fitch (2229); fithesis (2230);
fixlatvian (2240); fixme (2244); fixocgx (2246);
flags (2254); flashmovie (2257); flexisym (2262);
floatflt (2268); floatpag (2270); flowchart (2274);
flowfram (2275); fmtcount (2281); fncychap (2284);
fnpara (2288); fnumprint (2295); fontawesome (2305);
fontbook (2312); fonts-arundina (2324); fonts-tlwg (2326);
fontsize (2332); footmisx (2339); footnotebackref (2341);
foreign (2346); forest (2347); formal-grammar (2352);
français-bst (2377); frenchmath (2391); fretplot (2395);
ftc-notebook (2404); fundus-cyr (2419);
fundus-pvscript (2422); fundus-sueterlin (2424);
fundus-va (2426); fvextra (2432); gamebook (2439);
gamebooklib (2440); gapfill (2443); gastex (2448);
gb4e-next (2454); gcite (2459); gelasiomath (2462);
gender (2465); genealogytree (2469); gensymb (2473);
gentium-otf (2476); georgian (2486); getargs (2494);
getitems (2496); gettitlestring (2500); ghsystem (2516);
gi-handout (2517); gincitex (2520); gitfile-info (2524);
gitinfo (2525); gitinfo2 (2527); gitlog (2528);
gitstatus (2529); glhyph (2535); gloss-occitan (2541);
glossaries (2542); glossaries-danish (2544);
glossaries-dutch (2545); glossaries-english (2546);
glossaries-estonian (2547); glossaries-extra (2548);
glossaries-finnish (2549); glossaries-french (2550);
glossaries-german (2551); glossaries-irish (2552);
glossaries-italian (2553); glossaries-magyar (2554);
glossaries-norsk (2555); glossaries-nynorsk (2556);

glossaries-polish (2557); glossaries-portuges (2558);
glossaries-serbian (2559); glossaries-slovene (2560);
glossaries-spanish (2561); glossaries-swedish (2562);
gmp (2571); gobble (2580); gradientframe (2591);
gradstudentresume (2593); graph35 (2597);
graphbox (2599); graphviz (2617); greek-fontenc (2622);
greek-inputenc (2623); grfext (2635); gridpapers (2641);
gridslides (2643); gsemthesis (2650); gtrcrd (2655);
guitar (2663); guitarchordschemes (2664); hacm (2679);
halloweenmath (2682); handout (2685); hang (2688);
hanging (2690); hardwrap (2697); harmony (2698);
hausarbeit-jura (2706); he-she (2711);
hebrew-fonts (2714); heros-otf (2740); hf-tikz (2748);
hieroglf (2758); hindawi-latex-template (2764);
histogr (2766); hitex-def (2771); hktex (2777);
hopatch (2792); hrefhide (2799); hrhyph (2800); huaz (2807);
hulipsum (2810); hvextern (2820); hvqurl (2827);
hycolor (2832); hypbmsec (2833); hypdvips (2837);
hyperref (2842); hypgotoe (2844); hyphenat (2848);
hyphsubst (2851); ibrackets (2863); idxcmds (2878);
ieeetran (2884); ieeetrantools (2885); ifallfalse (2890);
ifdraft (2891); iffont (2893); iflang (2895);
ifnextok (2899); ifoddpage (2900); igo (2911); ijsra (2917);
imakeidx (2920); impnatty (2925); imspc (2929);
incgraph (2931); inconsolata (2934); index (2938);
indextools (2939); infwarerr (2946); inputenx (2957);
inputnormalization (2959); inputtrc (2960);
intcalc (2970); interchar (2975); interfaces (2976);
interval (2980); inversepath (2985);
invoice-class (2988); iodhbwm (2990); isgram (2999);
isphysicalmath (3018); issuulinks (3019); iwhdp (3029);
jetbrainsmono-otf (3055); jmlr (3073);
jobname-suffix (3077); jslectureplanner (3094);
juliamono (3100); jumplines (3101); kanbun (3118);
kdgdocs (3127); keyfloat (3136); keyreader (3139);
keyval2e (3143); kinematikz (3148); knitting (3157);
knittingpattern (3158); koma-moderncvclassic (3171);
komacv (3179); kpfonts-otf (3189); ksfh-nat (3190);
ksp-thesis (3191); kvoptions (3201); kvsetkeys (3202);
labelcas (3226); langcode (3247); langnames (3248);
langsci (3249); lastpackage (3255); latex-bib-ex (3264);
latex-bib2-ex (3265); latex-cyrillic (3270);
latex-mr (3290); latex-notes-zh-cn (3291);
latex-referenz (3294); latex-tds (3299);
latex-veryshortguide (3303); latexbangla (3319);
latexcolors (3326); latexdemo (3330);
latexfileinfo-pkgs (3333); layouts (3358);

E Licenses and associated packages

lb2-examples (3360); lcyw (3366); leadsheets (3369);
leaflet (3370); ledmac (3379); leipzig (3384);
lengthconvert (3385); letltxmacro (3389);
letterswitharrows (3396); lettre (3397); lexref (3405);
lgrx (3415); libertinegc (3422); libertinus (3424);
libertinus-otf (3426); liederbuch (3437);
linebreaker (3449); linegoal (3450);
linenoamsmath (3452); ling-macros (3453); linop (3459);
lion-msc (3462); lipsum (3464); listingsutf8 (3472);
listlbls (3473); locality (3502); logbox (3504);
logicproof (3509); logicpuzzle (3510); logictools (3511);
logreq (3515); longfbox (3520); longfigure (3521);
longmath (3522); longnamefilelist (3523); loops (3528);
lpic (3534); lplfitch (3535); lroundrect (3538);
lstaddons (3570); lstbayes (3571); lt3graph (3573);
ltb2bib (3578); ltcaption (3579); ltxnew (3602);
ltxtools (3604); ltxutil (3605); lua-regression (3611);
lua-uni-algos (3617); lua2dox (3621); luaaddplot (3622);
luabibentry (3623); luacensor (3626); luacode (3627);
luacolor (3628); luahyphenrules (3634); luaindex (3636);
luaintro (3638); luamesh (3651); luapstricks (3661);
luarandom (3663); luasseq (3665); luatex85 (3672);
luatexbase (3673); luavlina (3680); lucida-otf (3683);
lucidabr (3684); lwarp (3694); macrolist (3710);
make4ht (3730); makebase (3732); makedoc (3738);
makeshape (3753); marginal (3776); marginfit (3778);
matc3 (3787); matc3mem (3788); math-e (3790);
mathcommand (3801); mathfixs (3809); mathstyle (3831);
matlab-prettyfier (3839); medstarbeamer (3872);
meetingmins (3873); membranecomputing (3876);
memdesign (3877); memory (3887); memorygraphs (3888);
menucard (3893); mercatormap (3897);
messagepassing (3901); metalogox (3910); metastr (3919);
mfirstuc (3938); mfpic (3943); mh (3950); miami (3957);
microtype-de (3960); minidocument (3979); minifp (3980);
minitoc (3994); minted (3996); minted-code (3997);
mismath (4001); missaali (4002); mleftright (4018);
mnhyphn (4031); mnotes (4032); mnras (4033);
moderntimeline (4042); modular (4048);
monospace-otf (4054); monofill (4056); montserrat (4059);
moodle (4060); moreenum (4063); morehype (4066);
moremath (4067); movement-arrows (4073);
mpgraphics (4086); mpostinl (4089); msc (4096);
msu-thesis (4099); mucproc (4107); mugstthesis (4108);
multiaudience (4112); multibibliography (4115);
multidef (4121); multienv (4123); multirow (4131);
musical (4134); musicography (4135); musixguit (4138);

E Licenses and associated packages

mwe (4148); mychemistry (4153); mycv (4154);
myfilist (4155); mylatexformat (4157); nahuatl (4166);
nameauth (4168); nameref (4172); natded (4180);
navydocs (4185); nchairx (4206); ndsu-thesis (4208);
nevelok (4219); newenviron (4226); newfloat (4228);
newtx (4237); newtxsf (4238); nexus-otf (4244);
nicematrix (4252); nicetext (4253); niceverb (4254);
nihbiosketch (4257); nimbus15 (4258); ninecolors (4260);
nlctdoc (4268); nmbib (4269); nndraw (4270); nnext (4271);
noconflict (4273); nodetree (4275); normalcolor (4290);
nostarch (4291); notespages (4295); notestex (4296);
notomath (4303); nowidow (4307); ntgclass (4315);
nucleardata (4323); numberedblock (4325);
numnameru (4335); numspell (4337); octave (4361);
old-arrows (4372); omgtudoc-asoiu (4383); onedown (4385);
onrannual (4390); oplotsymb1 (4399); optidef (4403);
options (4406); orcidlink (4408); oscola (4418);
osda (4419); ot-tableau (4423); othelloboard (4429);
outlining (4438); overpic (4446); pagegrid (4462);
pagella-otf (4464); pagenote (4466); palette (4472);
parades (4486); paramcalc (4490); parnotes (4496);
parselines (4499); pdf14 (4537); pdfcolfoot (4543);
pdfcolparallel (4545); pdfcolparcolumns (4546);
pdfcomment (4547); pdfcrypt (4550); pdfescape (4551);
pdfxup (4581); perfectcut (4590); persian-bib (4594);
pfarrei (4598); pgf-go (4605); pgf-interference (4606);
pgf-periodictable (4607); pgf-spectra (4610);
pgfkeyx (4616); pgfmolbio (4618); pgfopts (4620);
pgfornament (4621); phfcc (4628);
phfextendedabstract (4629); phffullpagefigure (4630);
phfnote (4631); phfparen (4632); phfqit (4633);
phfquotetext (4634); phfsvnwatermark (4635);
phfthm (4636); philosophersimprint (4639);
phonenumbers (4643); physymb (4656); pict2e (4663);
piton (4680); pixelart (4683); pkfix (4687);
pkgloader (4691); pkuthss (4692); placeat (4696);
plainpkg (4704); plex-otf (4720); pmdraw (4734);
pmhanguljamo (4736); poetrytex (4746); polyglossia (4753);
polynom (4755); powerdot (4771); powerdot-tuliplab (4773);
pressrelease (4792); proof-at-the-end (4821);
protecteddef (4828); protocol (4831); pst-bspline (4885);
pst-calculate (4886); pst-jtree (4921);
pst-optexp (4939); pst-perspective (4946);
pst-pulley (4951); pst-solides3d (4959); pst-tvz (4973);
pstricks-base (4989); pstricks-examples-7 (4992);
pstricks-examples-en (4993); ptmsc (5007);
pxgreek (5023); pygmentex (5035); pythontex (5042);

qrcode (5056); qrcodetikz (5057); quicktype (5072);
quoting (5080); raleway (5099); randomlist (5105);
readablecv (5122); readarray (5123); readprov (5124);
realboxes (5125); realscripts (5128); rebuttal (5130);
recipebook (5133); recorder-fingering (5135);
refcount (5142); refenums (5143); reflectgraphics (5147);
register (5153); reledmac (5157); reledpar (5158);
resizegather (5175); resphilosophica (5178);
responsive (5179); resumecls (5181); revquantum (5187);
revtex4-1 (5190); ribbonproofs (5195); rit-fonts (5198);
rmathbr (5202); robotarm (5208);
romanbarpagenumber (5215); rotchiffre (5225);
roundbox (5230); roundrect (5231); rpg-module (5232);
rputover (5235); rsc (5237); rubik (5248); rubikcube (5249);
rubikrotation (5250); rubiktwocube (5251);
rulercompass (5257); runtexfile (5262);
rutitlepage (5268); ryethesis (5273); sa-tikz (5275);
sanitize-umlaut (5284); sankey (5285);
sansmathaccent (5290); sapthesis (5292);
sasnrdisplay (5294); savetrees (5301); scalerel (5313);
scanpages (5315); schemata (5319); schola-otf (5322);
schooldocs (5324); schule (5325); schulmathematik (5326);
sclang-prettyfier (5337); scrambledenvs (5343);
scrbook (5349); screenplay-pkg (5353); scrindex (5356);
scrjrn1 (5362); scr1ttr2copy (5371); sduthesis (5380);
sectionbreak (5390); seealso (5392); selinput (5396);
selnolig (5397); semantic-markup (5400);
semesterplanner (5402); semesterplannerlua (5403);
semproc (5406); sepfootnotes (5410);
serbian-apostrophe (5414); serbian-def-cyr (5417);
serbian-lig (5418); sesamaniel (5421); sesstime (5422);
setouterhbox (5424); setspace (5425); settobox (5428);
sexam (5434); shapes (5455); shdoc (5458); shipunov (5461);
showcharinbox (5472); showframe (5475); sidecap (5488);
sidenotes (5489); signchart (5493); simpler-wick (5508);
simplex (5512); sitem (5521); siunits (5522); skb (5527);
skdoc (5528); skeycommand (5531); skeyval (5532);
skills (5534); skmath (5535); skrapport (5536);
sltables (5550); smartdiagram (5556); smartunits (5560);
soul (5609); soup (5611); sourcesans (5614);
sourceserif (5615); spacingtricks (5619); spalign (5621);
spark-otf (5623); spelatex (5629); spelling (5630);
splines (5639); spot (5644); sr-hyphen-spec (5654);
srbtiks (5656); sslides (5665); stabular (5668);
stackengine (5670); stackrel (5671); stage (5672);
stampinclude (5673); standalone (5674); stanli (5676);
statmath (5685); statrep (5686); stickstoo (5698);

E Licenses and associated packages

stix (5699); stix2-type1 (5701); storebox (5705);
storecmd (5706); strands (5707); stringenc (5712);
stringstrings (5713); sttools (5717);
studenthandouts (5719); subcaption (5727);
subfiles (5735); substances (5739); substitutefont (5740);
suftesi (5748); svg-inkscape (5759); svn (5761);
syntaxdi (5786); tabfigures (5806); table-fct (5807);
tablefootnote (5810); tableof (5811); tablestyles (5814);
tablvar (5818); tabriz-thesis (5819);
tabstackengine (5821); tabto-ltx (5823); tabu (5824);
tabularht (5829); tabularkv (5830); tabvar (5836);
tagging (5838); tagpair (5839); tamefloats (5843);
tamethebeast (5844); tangocolors (5849); tcolorbox (5862);
templatetools (5878); termes-otf (5889); termmenu (5892);
testidx (5899); tex-label (5932); tex-locale (5933);
tex-overview (5937); tex4ebook (5949); texblend (5954);
texgit (5977); texlive-dummy-enterprise-linux (5994);
texlive-dummy-enterprise-linux-6 (5995);
texlive-dummy-enterprise-linux-7 (5996);
texlive-dummy-enterprise-linux-8 (5997);
texlive-dummy-fedora (5998);
texlive-dummy-opensuse (5999); texlogfilter (6005);
texosquery (6016); textcsc (6040); textfit (6041);
textglos (6042); texvc (6052); thaienum (6062);
thaispec (6064); thalie (6065); thepdftnumber (6074);
thermodynamics (6075); threadcol (6088);
thuaslogos (6097); thucoursework (6099); thumbpdf (6101);
ticket (6107); tikz-3dplot (6115); tikz-bayesnet (6118);
tikz-cd (6121); tikz-feynman (6128);
tikz-imagelabels (6129); tikz-lake-fig (6134);
tikz-layers (6135); tikz-opm (6140); tikz-optics (6141);
tikz-page (6143); tikz-palattice (6144); tikzfill (6163);
tikzinclude (6165); tikzpeople (6172); tikzscale (6178);
tikzviolinplots (6181); timing-diagrams (6194);
titlecaps (6203); tkz-base (6218); tkz-doc (6221);
tkz-elements (6222); tkz-euclide (6223); tkz-fct (6224);
tkz-graph (6225); tkz-orm (6230); tkz-tab (6231);
tkzexample (6232); tocdata (6250); tocvsec2 (6254);
todonotes (6256); totalcount (6273); tqft (6280);
tracklang (6284); try (6329); tugboat (6348);
turabian-formatting (6354); twemojis (6366);
twoopt (6369); txgreek (6376); typeface (6387);
typicons (6392); uantwerpendocs (6403); ucbthesis (6406);
ucph-revy (6410); ucs (6411); ucthesis (6413);
udesoftec (6417); uestcthesis (6420); uhrzeit (6426);
unamthesis (6453); unbtex (6454); underoverlap (6460);
uni-wtal-ger (6470); uni-wtal-lin (6471);

E Licenses and associated packages

	unicode-bidi (6475); uninormalize (6484); uniquecounter (6485); unisugar (6487); unitconv (6488); univie-ling (6495); unizgklasa (6497); unswcover (6501); uothesis (6505); uowthesis (6506); usebib (6534); uspatent (6541); uwa-colours (6557); uwa-letterhead (6558); uwa-pcf (6559); uwa-pif (6560); vancouver (6566); vdmlisting (6580); venturisadf (6585); verdana (6598); verifiche (6600); verifycommand (6601); versions (6604); versonotes (6605); vexillology (6608); vgrid (6614); visualtikz (6625); vwcol (6653); vxu (6654); wheretotrim (6683); widetable (6685); windycity (6694); withargs (6701); witharrows (6702); worldflags (6723); xassocnt (6739); xcharter (6743); xcntperchap (6748); xcolor-material (6751); xcolor-solarized (6752); xcookybooky (6754); xduthesis (6757); xebaposter (6761); xexchangebar (6762); xecolor (6764); xecyr (6766); xellipsis (6769); xetex-itrans (6781); xevlna (6787); xindex (6800); xindy-persian (6802); xkeyval (6810); xlop (6815); xltabular (6816); xpatch (6827); xpeek (6830); xpiano (6832); xpicture (6833); xprintlen (6835); xr-hyper (6839); xtufte (6857); xtuthesis (6858); xunicode (6859); xurl (6860); xwatermark (6861); xymtex (6865); yaletter (6872); yfonts-otf (6884); york-thesis (6893); zahl2string (6904); zhmakeindex (6916); zhmetrics-uptex (6919); zhspacing (6921); zlmtt (6926); zwgetfdate (6933);
lpp11.3a	3 packages: bytefield (885); guitlogo (2667); hithesis (2772);
lpp11.3c	1241 packages: abnt (15); aboensis (19); academicons (27); accessibility (32); accsupp (34); achemso (35); acro (43); actuarialangle (58); actuarialsymbol (59); addlines (65); adorn (70); adfsymbols (71); adobeornaments (79); advice (84); affilauthor (99); aferperpack (104); afterpage (106); aiplans (112); akshar (116); algolrevived (126); algpseudocodex (130); aliascnt (132); aligned-overset (133); alltt (137); alpha-persian (143); amiweb2c-guide (158); amsaddr (162); amsart (163); amsbook (164); amsbsy (165); amscd (166); amscdx (167); amscls (168); amscls-doc (169); amsmath (175); amsidx (177); amsopn (178); amsproc (182); amstext (185); amsthm (186); anima (189); annee-scolaire (192); anonymouspro (200); antanilipsum (205); aobs-tikz (215); apa6 (218); apa7 (220); apalike-ejor (223); apalike-german (224); appendix (233); argumentation (257); arlatex (259); array (267); arsenal (275); article (278); aspen (300);

association-matrix (303); asypictureb (314);
atableau (316); atenddvi (319); attachfile2 (323);
atveryend (325); authorarchive (336); auto-pst-pdf (339);
auto-pst-pdf-lua (340); autoalign (342);
autofancyhdr (345); babel-belarusian (374);
babel-french (387); babel-italian (399);
babel-russian (414); babel-ukrainian (427);
backnaur (435); bangla (450); baskervaldadf (471);
bath-bst (476); beamer (492); beamer-rl (495);
beamerappendixnote (501); beamerauxtheme (503);
beamerstheme (508); beamertheme-bilkent-econ (510);
beamertheme-csh (512); beamertheme-durham (515);
beamertheme-edmaths (516); beamertheme-gotham (519);
beamertheme-mirage (522); beamertheme-rainbow (526);
beamertheme-saintpetersburg (527);
beamertheme-spectrum (530);
beamertheme-tcolorbox (531);
beamertheme-westlake (534); beamerthemecelastia (536);
beamerthemeconcrete (537); beamerthememord (541);
beamerthemetamu (542); beamertools (543); bearwear (544);
beaulivre (545); beautybook (546); beautynote (547);
begingreek (549); beilstein (552); berenisadf (559);
bezierplot (567); bfh-ci (568); bib2qr (581);
bibbreeze (584); biblatex-abnt (614);
biblatex-abs-annotate (615);
biblatex-ajc2020unofficial (617); biblatex-apa (620);
biblatex-apa6 (621); biblatex-archaeology (622);
biblatex-bath (625); biblatex-chem (631);
biblatex-cse (634); biblatex-ext (638);
biblatex-gb7714-2015 (640);
biblatex-german-legal (641); biblatex-gost (642);
biblatex-ieee (644); biblatex-jura2 (648);
biblatex-license (650); biblatex-lncs (651);
biblatex-nature (660); biblatex-oxref (664);
biblatex-trad (679); biblatex-unified (681);
biblatex2bibitem (683); bibleref-sbl (691); bidi (721);
bilingualpages (738); bithesis (752); blopentye (770);
bm (775); bnumexpr (784); bodeplot (786); book (796);
book-of-common-prayer (798); bookmark (805);
bookshelf (806); booktabs (807); booktabstabular (810);
boxedminipage (820); bracealign (827); braids (829);
brandeis-problemset (833); brandeis-thesis (834);
bredzenie (838); broydensolve (844); bubblesort (852);
buctthesis (853); bundledoc (855);
bussproofs-colorful (861); bussproofs-extra (862);
cahierprof (894); calc (897); calcfrac (899);
calculatoritems (903); calxxxx-yyyy (915);

cantarell (919); cardgame (930); ccicons (967); ccool (969);
cdcmod (971); centeredline (983); cesenaexam (987);
cfr-lm (990); changelog (994); char2path (1001);
chemfig (1020); chemformula (1021); chemformula-ru (1022);
chemmacros (1024); chemnum (1025); chemplants (1028);
chinesechess (1056); chivo (1058); chordbars (1066);
chronos (1070); chuushaku (1075); cidarticle (1078);
circledsteps (1082); circledtext (1083);
circuit-macros (1084); circularglyphs (1086);
cistercian (1088); citeright (1094); cje (1097);
cjs-rcs-article (1104); classes (1107); clawxiv (1114);
clefval (1117); cleveref-forward (1119);
cleveref-icelandic (1120); clistmap (1125); cloze (1129);
clrstrip (1133); cmathbb (1151); cmextra-latex (1159);
codeanatomy (1186); codebox (1187); codedescribe (1188);
codehigh (1190); collargs (1196); color (1203);
colorblind (1205); coloredbelts (1208);
coloredtheorem (1209); coloremoji (1210);
colorframed (1211); colorist (1214); combofont (1228);
comfortaa (1229); commalists-tools (1234);
complexity (1248); complexpolylongdiv (1249);
comprehensive (1251); concmath-otf (1258);
conditext (1262); contracard (1318); contract (1319);
convert-jpfonts (1323); cooking-units (1325);
coolfn (1329); couleurs-fr (1353); counterz (1355);
countwords (1358); cprotect (1368); cprotectinside (1369);
cqjtuthesis (1372); create-theorem (1377);
creationboites (1378); crefthe (1379); cs-techrep (1400);
csbulletin (1402); csquotes (1410); csthm (1414);
ctable (1422); ctanify (1428); ctex (1431); currfile (1440);
curve2e (1446); customenvs (1450); cvss (1455);
dashundergaps (1482); datetime2-german (1513);
dbshow (1547); dccpaper (1548); dcolumn (1550);
ddphonism (1553); decision-table (1558);
defoldfonts (1565); delarray (1572); delvierre (1579);
democodetools (1580); denisbdoc (1581); didactic (1608);
diffcoeff (1610); dijkstra (1614); dirtreex (1624);
dlrg-templates (1635); dnsrecord (1639); doc (1642);
doclicense (1647); docstrip (1651); doibanner (1658);
domitian (1661); draftwatermark (1690); drawmgr (1697);
droid (1702); dtk (1711); dtk-bibliography (1713);
dtxut (1718); ducksay (1719); duckuments (1720);
dvipdfmx-def (1751); dvisvgm-def (1763);
dynkin-diagrams (1773); easybook (1783);
ebgaramond-maths (1797); ecnuthesis (1811);
econ-bst (1814); econlipsum (1815); ecothesis (1819);
edichokey (1826); edmaths (1830); eigo (1845);

E Licenses and associated packages

einfart (1847); ektype-tankka (1854); electrumadf (1856);
elegantbook (1860); elegantnote (1861);
elegantpaper (1862); elements (1863); ellipsis (1866);
embedfile (1879); emisa (1883); emo (1884); emoji (1885);
emojicite (1886); enotez (1913); ensps-colorscheme (1916);
enumerate (1917); enumext (1918); enumsub (1922);
enverb (1926); eoldef (1931); epigraph (1937);
epigraph-keys (1938); epsfig (1948); eqparbox (1977);
erewhon-math (1981); erw-l3 (1983); essaykit (1999);
etl (2014); etoc (2015); etoolbox (2016);
etoolbox-generic (2018); etsvthor (2020);
euclidean-lattice (2021); euclideangeometry (2022);
euflag (2024); euler-math (2028); euromoney (2037);
everypage (2049); everysel (2050); everyshi (2051);
exam-n (2055); exam-zh (2057); examz (2063);
exercisebank (2069); exercisesheets (2072); expkv (2081);
expkv-bundle (2082); expkv-cs (2083); expkv-def (2084);
expkv-opt (2085); expl3 (2086); expltools (2087);
exscale (2091); ezedit (2103); factura (2106);
facture-belge-simple-sans-tva (2108);
fadingimage (2109); fancyhandout (2120); fancymag (2126);
fancyqr (2129); farbe (2140); fariscovernew (2141);
fbox (2148); fduthesis (2157); fei (2159); fenetrecas (2160);
fetchcls (2165); fewerfloatpages (2167); figchild (2193);
figureversions (2200); filecontents (2202);
fileerr (2205); filehook (2207); fillwith (2212);
fits-astro (2232); fix-cm (2233); fixcmex (2236);
fixdif (2237); fixltx2e (2241); fixltxhyph (2242);
fixmath (2243); fixtounicode (2248); flexipage (2261);
flippdf (2264); floatbytoctbasic (2266);
floatrowbytoctbasic (2272); fnbreak (2283);
fnlineno (2286); fnpct (2290); fodot (2296); foliono (2300);
fontawesome5 (2306); fontawesome6 (2307);
fontawesome7 (2308); fontawesomescaled (2309);
fontaxes (2310); fontloader-luaotfload (2320);
fontscale (2328); fontscripts (2329); fontsmpl (2333);
fontspec (2334); fonttable (2335); footmisc (2338);
footnotehyper (2342); footnoterange (2343);
forest-ext (2348); fox-listings (2367); fragoli (2373);
framedsyntax (2376); freealign (2385); freemath (2386);
froufrou (2402); frpseudocode (2403); ftnright (2408);
functional (2416); gammas (2441); gbt7714 (2456);
geometry (2482); geometry-de (2483); geradwp (2488);
gitinfo-lua (2526); gitver (2530); globalvals (2537);
glosmathtools (2539); glossaries-ukrainian (2563);
gost (2583); grabbox (2588); gradient-text (2590);
grading-scheme (2592); graphics (2604);

graphics-def (2606); graphicx (2609); graphpap (2614);
graphpaper (2615); gratzer-color-scheme (2618);
grffile (2636); grfguide (2637); gridset (2642); gs1 (2649);
gtl (2654); guitartabs (2665); gurps (2670); gzt (2674);
hackthefootline (2678); hamnosys (2683); handin (2684);
handoutwithnotes (2686); hanzibox (2692);
hduthesis (2709); hebdomon (2713); hecthes (2716);
hep-acronym (2721); hep-bibliography (2722);
hep-float (2723); hep-font (2724); hep-graphic (2726);
hep-math (2727); hep-math-font (2728); hep-paper (2729);
hep-reference (2730); hep-text (2731); hep-title (2732);
heria (2739); hfutexam (2751); hfutthesis (2752);
hhline (2754); highlightx (2762); hitreport (2773);
hitszbeamer (2774); hitszthesis (2775); hittype (2776);
hlist (2781); hobby (2783); hobsub (2785); hologo (2787);
holtxdoc (2789); homework (2790); hu-berlin-bundle (2805);
huffman (2808); hustthesis (2816); hustvisual (2817);
hvarabic (2818); hvpygmentex (2826); hwemoji (2828);
hypcap (2834); hypdestopt (2835); hypdoc (2836);
hyperbar (2839); hyperxmp (2843); iacrj (2855);
iaria (2858); iaria-lite (2859); ideavault (2875);
ifetex (2892); ifluatex (2896); ifpdf (2901);
ifplatform (2902); iftex (2905); ifthen (2906);
ifvtex (2908); ifxetex (2909); includernw (2932);
inconsolata-nerd-font (2935); indentfirst (2937);
indextra (2940); infufrgs (2945); inlinegraphicx (2953);
innerscript (2955); inputenc (2956);
install-latex-guide-zh-cn (2968); interlinear (2977);
intexgral (2982); intopdf (2983); invoice (2987);
ipsum (2996); iran-bibtex (2997); isodoc (3009);
isosigns (3015); istgame (3021); iwonamath (3031);
jacow (3035); japanese-mathformulas (3038);
javascripthttp (3048); jeuxcartes (3056); jigsaw (3062);
jmsdelim (3074); jnuexam (3076); joinbox (3078);
jouthesis (3082); jsonparse (3095); jwjjournal (3112);
jyu-chem-thesis (3113); kalendarium (3114);
kantlipsum (3119); kerkis (3132); keyindex (3137);
keyparse (3138); keytheorems (3141); keyval (3142);
koma-script (3172); koma-script-examples (3173);
koma-script-obsolete (3177); kotex-oblivoir (3183);
kotex-plain (3184); kotex-utf (3185); kvdefinekeys (3199);
kvmap (3200); l3backend (3211); l3backend-dev (3212);
l3build (3213); l3docstrip (3214); l3experimental (3215);
l3kernel (3216); l3kernel-dev (3217); l3keys2e (3218);
l3packages (3219); l3regex (3220); lambdax (3241);
langsci-affiliations (3250); langsci-avm (3251);
lastpage (3256); latex (3259); latex-amsmath (3260);

E Licenses and associated packages

latex-amsmath-dev (3261); latex-base (3262);
latex-base-dev (3263); latex-doc (3272);
latex-firstaid (3276); latex-firstaid-dev (3277);
latex-graphics (3282); latex-graphics-dev (3283);
latex-lab (3287); latex-lab-dev (3288);
latex-refsheet (3295); latex-tagging-status (3298);
latex-tools (3300); latex-tools-dev (3301);
latex-via-exemplos (3304); latex2pydata (3312);
latexalpha2 (3318); latexbug (3320); latexrelease (3345);
latexscreenshooter (3347); lato (3355); layout (3357);
lccaps (3361); lebhart (3372); leftindex (3382);
leiletter (3383); leporello (3386);
lete-sans-math (3387); letgut (3388); letter (3390);
lettrine (3398); lexend (3402); lgrmath (3414);
libgreek (3429); libris (3435); lie-hasse (3436);
liftarm (3439); ligtype (3442); lilyglyphs (3443);
limap (3444); limecv (3445); linkedthm (3458);
listings (3470); listofitems (3476); listparskip (3478);
litebook (3479); litesolution (3482); litetable (3483);
lithuanian (3484); liturgy-cw (3486); llncsconf (3493);
lni (3500); logix (3512); logoetalab (3513);
longtable (3524); longtwocolumn (3526); lparse (3532);
lscape (3541); lscapenanced (3542); lstfiracode (3572);
lt3luabridge (3574); ltmermaid (3580); ltnews (3581);
ltx-talk (3584); ltxcmds (3590); ltxdoc (3592);
ltxguidex (3596); lua-list-hyphen (3608);
lua-placeholders (3610); lua-tikz3dtools (3612);
lua-typo (3614); lua-ul (3616); lua-unicode-math (3618);
luabidi (3624); luacas (3625); luacomplex (3629);
luafindfont (3630); luagcd (3631); luahttp (3632);
luakeys (3639); lualatex-math (3643);
lualatex-truncate (3645); lualinalg (3647);
luamathalign (3649); luamaths (3650); luamml (3652);
luamodulartables (3653); luanumint (3655);
luapackageloader (3658); luaplot (3659);
luaquotes (3662); luaset (3664); luatex-def (3669);
luatex-pkg (3670); luatexko (3675); luatikz (3677);
luatruthtable (3679); lucide-admonitions (3685);
lucide-icons (3686); luciole (3687); luwa-ul (3691);
luwiantype (3692); lxfonts (3696); lydtype (3700);
macros2e (3711); magicnum (3720);
magicthegathering (3721); magicwatermark (3722);
mailing (3725); maine-thesis (3727); makecookbook (3737);
makegobbler (3743); makeidx (3744); makelabels (3747);
maker (3750); makerobust (3751); mandi (3762);
marginalia (3777); marginnote (3780); markdown (3783);
matapli (3786); math-operator (3792); mathador (3795);

E Licenses and associated packages

mathalpha (3796); mathastext (3798); mathfont (3810);
mathgreek (3812); mathtools (3836); mattens (3842);
maze (3846); mcexam (3852); mcmthesis (3856);
medmath (3871); memfixc (3879); memoir (3883);
memoize (3885); memoize-ext (3886); mensa-tex (3890);
menukeys (3894); metacapture (3903); metaphor (3913);
metrix (3925); mf2pt1 (3931); mhchem (3952); mhsetup (3955);
microtype (3959); mindflow (3977); minimal (3988);
minimalist (3989); minted (3996); mlacls (4015);
mlmath (4020); mlmodern (4021);
modeles-factures-belges-assocs (4037); moderncv (4038);
modernnewspaper (4039); modigram (4045); modulus (4049);
mohe-book (4050); morefloats (4064); morewrites (4070);
mp-geom2d (4075); mp-neuralnetwork (4076);
mpchess (4081); mpfonts (4085); mpkivi (4087);
mptrees (4092); multi-sudoku (4111); multicol (4118);
multicolrule (4120); multiexpand (4124);
multifootnote (4125); multinotes (4128);
multiple-choice (4130); mynsfc (4159); mystyletau (4160);
namedef (4170); nanicolle (4175); ndsu-thesis-2022 (4209);
needspace (4211); neoschool (4214); newcastle-bst (4222);
newpax (4231); newunicodechar (4240); newverbs (4242);
nfssect-cfr (4245); nfssfont (4246); nicefilelist (4248);
njurepo (4261); njuthesis (4263); njuvisual (4264);
nl-interval (4266); nodepthtext (4274);
noindentafter (4279); notebeamer (4292);
notes2bib (4294); novabeamer-theme (4304); novel (4305);
nstc-proposal (4311); numberpt (4326); numerica (4329);
numerica-plus (4330); numerica-tables (4331);
nwafuthesis (4339); nwejm (4340); nxltx (4341);
nxuthesis (4342); oberdiek (4345); odesandpdes (4363);
odsfile (4364); onlinebrief24 (4388); oops (4391);
open-everyday-symbols (4395); openmoji (4397);
opensans (4398); optikz (4404); ou-tma (4430);
outilsgeometrikz (4434); overarrows (4442); overlays (4444);
packdoc (4454); padcount (4456); pagecolor (4457);
pagelayout (4463); pagesel (4469); pageslts (4470);
panda (4474); pangram (4478); panneauxroute (4479);
papermas (4482); papiergurv (4484); paresse (4494);
parsa (4498); parskip (4503); parstat (4504);
pascaltriangle (4509); patgen2-tutorial (4515);
pbalance (4522); pdfannotations (4538); pdfcol (4542);
pdfcolmk (4544); pdfcrop (4549); pdfscape (4555);
pdfmanagement (4556); pdfoverlay (4559); pdfpages (4561);
pdfpc-movie (4563); pdfprivacy (4564); pdfrender (4566);
pdftex-def (4572); pdftexcmds (4576); pegmatch (4584);
pennstander-otf (4587); penrose (4588); pfdicons (4599);

E Licenses and associated packages

pgf (4602); pgf-cmykshadings (4604); pgf-pie (4608);
pgf-umlcd (4611); pgfgantt (4613); pgfkeysearch (4615);
pgfmath-xfp (4617); pgfmorepages (4619);
pgfornament-han (4622); pgfplotsthemebeamer (4625);
philokalia (4638); phimisci (4640); physconst (4649);
physics-patch (4652); physics2 (4653); physics3 (4654);
physunits (4655); pictochrono (4669); picture (4670);
pigpen (4676); pinoutikz (4678); pixelarttikz (4684);
pkfix-helper (4688); pkginfograb (4690); plantuml (4707);
pm-isomath (4728); pmboxdraw (4730); poemscol (4743);
poetry (4745); polexpr (4749); polyhedra (4754);
polyomino (4757); poormanlog (4760); postage (4765);
postit (4769); postnotes (4770); ppmcheckpdf (4776);
practicalreports (4782); precattl (4783);
prelim2e (4785); prettytok (4794); principia (4798);
prisma-flow-diagram (4801); proc (4804);
profcollege (4809); proflycee (4811); profmaquette (4812);
profsio (4813); projlib (4818); pronunciation (4819);
proofread (4822); prooftrees (4824); pst-flags (4904);
pst-geometrictools (4914); pst-marble (4930);
pst-moire (4934); pst-rputover (4953); pst-vehicle (4976);
pstool (4985); ptolemaicastrology (5008); pxpic (5027);
pyjupyter (5036); pyluatex (5037); pynotebook (5038);
pythonimmediate (5041); q-and-a (5044); qrbill (5055);
qsharp (5059); quantum-chemistry-bonn (5065);
quantumarticle (5066); query-astro (5069);
quickreaction (5071); quiz2socrative (5074);
quizztex (5075); quran (5082); quran-bn (5083);
quran-de (5084); quran-en (5085); quran-es (5086);
quran-id (5087); quran-ur (5088); qworld (5089);
ragged2e (5094); rainbowbrackets (5097); randexam (5102);
randintlist (5103); randomwalk (5106);
rank-2-roots (5110); rawfonts (5114);
rbt-mathnotes (5116); regexpatch (5152);
register-transfer-level (5154); regstats (5155);
regulatory (5156); repere (5167); repltext (5168);
report (5169); reptheorem (5170); rerunfilecheck (5172);
rescansync (5174); resolsysteme (5177); rest-api (5180);
returntogrid (5184); reverxii (5185); revtex (5188);
rigidnotation (5197); romanbar (5214); romandeadf (5216);
rorlink (5220); rosario (5221); rotating (5224);
rouequestions (5229); rpgicons (5233);
rub-kunstgeschichte (5247); rule-d (5253);
rulerbox (5256); runcode (5258); rwth-ci (5271);
sansmathfonts (5291); saveenv (5298); sblarticle (5302);
sblbook (5303); sblfonts (5304); sblidx (5305);
sblreport (5306); scaletextbullet (5314); schedule (5316);

schwalbe-chess (5328); scientific-thesis-cover (5330);
scontents (5339); scrabble (5341); scraddr (5342);
scrartcl (5344); scratch (5345); scratch3 (5346);
scratchx (5347); scrbase (5348); scrdate (5350);
scrextend (5354); scrhack (5355); scripture (5361);
scrjura (5363); scrlayer (5364); scrlayer-fancyhdr (5365);
scrlayer-notecolumn (5366); scrlayer-scrpage (5367);
scrletter (5368); scrfile (5369); scrlett2 (5370);
scrpage2 (5372); scrreprt (5373); scrtime (5374);
scrwfile (5375); sdaps (5378); se2thesis (5381);
seatingchart (5382); secnum (5385); secretx (5387);
semantex (5398); semtex (5407); seqcalc (5412);
setspaceenhanced (5426); sfee (5437); sharedline (5456);
shellesc (5459); short-math-guide (5464);
shortmathj (5467); shortvrb (5469);
showhyphenation (5476); showkerning (5478);
showkeys (5479); showlabels (5480); sidenotesplus (5490);
sillypage (5496); sim-os-menus (5497); simplekv (5505);
simpleoptics (5507); simples-matrices (5509);
simplesystemtex (5510); simplivre (5514); siunitx (5523);
sjtutex (5524); slides (5547); slixte (5549);
smart-eqn (5555); smartnotes (5558); smflatex (5561);
snapshot (5563); snaptodo (5564); sneaker (5565);
snotex (5567); somedefs (5602); spacekern (5618);
spath3 (5625); spotxcolor (5646); spreadtab (5647);
sr-vorl (5655); srdp-mathematik (5659);
sshrc-insight (5664); standardsectioning (5675);
starray (5678); statementsp (5680); stealcaps (5690);
stocksize (5703); stricttex (5710);
string-diagrams (5711); structuredlog (5715);
struktex (5716); styleitems (5724); suanpan-l3 (5726);
subeqn (5730); subeqnarray (5731); sunpath (5750);
supertabular (5752); suppose (5753); svg (5757);
svrsymbols (5765); swfigure (5768); switch (5771);
swungdash (5774); symbats3 (5776); sympycalc (5778);
synthslant (5787); syntonly (5788); systeme (5793);
sysuthesis (5794); tablericons (5812); tabular2 (5825);
tabularray (5831); tabularray-abnt (5832);
tabularx (5834); tagpdf (5840); tango (5847);
tangramtikz (5850); tasks (5854); tblr-extras (5857);
telprint (5874); temporal-logic (5880);
termcal-de (5888); termsim (5893); testthyphens (5898);
tetragonos (5902); teubner (5903); texdate (5961);
texdimens (5966); texnegar (6013); texonly (6015);
textpos (6049); textualicomma (6050);
thematicpuzzle (6071); theorem (6072); thesis-qom (6080);
thmlist (6085); thmtools (6086); thubeamer (6098);

E Licenses and associated packages

thumbs (6102); thuthesis (6104); tikz-among-us (6116);
tikz-bagua (6117); tikz-bbox (6119); tikz-bpmn (6120);
tikz-cookingsymbols (6122); tikz-decofonts (6123);
tikz-mirror-lens (6136); tikz-nfold (6139);
tikz-osci (6142); tikz-swigs (6150);
tikz-triminos (6153); tikz2d-fr (6155); tikz3d-fr (6156);
tikzbrickfigurines (6157); tikzbricks (6158);
tikzcalendarnotes (6159); tikzcodeblocks (6160);
tikzdotncross (6161); tikzducks (6162);
tikzfxgraph (6164); tikzlings (6166); tikzmark (6167);
tikzmarmots (6168); tikzpingus (6174); tikzquads (6176);
tikzquests (6177); tikzsymbols (6179); tilings (6183);
timbreicmc (6184); timechart (6187); timeop (6189);
tiscreen (6202); tkz-berge (6219); tkz-bernoulli (6220);
tkz-grapheur (6226); tkz-interval (6227);
tlc3-examples (6237); tocbasic (6248); tocloft (6252);
tocstyle (6253); tokcycle (6258); tokglobalstack (6260);
tokgroupmark (6261); tokmap (6262); toktools (6263);
toptesi (6272); trace (6282); tramlines (6289);
translations (6307); transparent (6309); trig (6317);
trivialpursuit (6321); truthtable (6328); tuda-ci (6345);
tudscr (6346); tuple (6352); turnthepage (6359);
tuzuk (6361); typearea (6384); typeoutfileinfo (6389);
typoid (6393); typog (6394); typstfun (6397);
tzplot (6398); ucsmonograph (6412); udepcolor (6415);
udes-genie-these (6416); ufrgscca (6421);
uhhassignment (6425); ukbill (6430); ullrcorners (6437);
ulthese (6441); undolabl (6464); uni-titlepage (6469);
unicode-data (6476); unicode-math (6477);
unicode-math-input (6478); unicodfonttable (6479);
unifith (6480); unifront (6481); unigrazpub (6482);
unimath-plain-xetex (6483); unravel (6500);
uol-physics-report (6504); uowthesistitlepage (6507);
updatemarks (6509); upref (6516); uri (6522);
useclass (6535); user-persona (6537); ut-thesis (6544);
uvlhighlight (6556); varioref (6571); vcell (6578);
vectorlogos (6582); verbatim (6587); verifica (6599);
vertbars (6606); visualfaq-fr (6622); visualtoks (6626);
vscodeicons (6647); warning (6661); wasysym (6666);
weiqi (6680); whatsnote (6681); wheelchart (6682);
widows-and-orphans (6686); willowtreebook (6690);
wordcloud (6716); wordle (6718); worksheet (6722);
wrapfig2 (6727); wrapstuff (6728);
wrapstuff-doc-en (6729); writeongrid (6731);
xcharter-math (6744); xcite (6745); xcjk2uni (6746);
xcoffins (6749); xcolor (6750); xduts (6758);
xdvipsk-support (6760); xecjk (6763);

xecyrmongolian (6767); xepersian (6770);
xepersian-hm (6771); xesoul (6773); xespotcolor (6774);
xetex-def (6778); xetexko (6785); xetexref (6786);
xfakebold (6788); xfp (6791); xfrac (6792); xgalley (6793);
xgreek (6794); ximera (6799); xint (6803);
xint-regression (6804); xintsession (6805);
xistercian (6806); xkcdcolors (6808); xkeymask (6809);
xltextra (6817); xmeaning (6818); xmuthesis (6823);
xparse (6826); xpeekahead (6831); xpinyin (6834);
xpunctuate (6836); xr (6838); xsim (6843); xsipa (6844);
xspace (6846); xstacks (6847); xstix2 (6848);
xstring (6849); xtemplate (6853); yathesis (6876);
yazd-thesis (6878); ycbook (6880); ydoc (6881);
yhmash (6888); yquant (6897); zblbuild (6905); zebra (6907);
zeckendorf (6908); zhlineskip (6914); zhlipsum (6915);
zhnumber (6920); zitie (6925); zootaxa-bst (6927);
zref (6928); zref-check (6929); zref-clever (6930);
zref-vario (6931); zugferd (6932);

mit

233 packages: abspos (21); accents (30);
addtoluatexpath (68); adigraph (73);
annotate-equations (195); arabicfront (244);
asmeconf (296); asmejour (297); asternote (304);
autopuncitems (354); autotype (358); babeltools (431);
bahaistar (441); bchart (489);
beamertheme-arguelles (509); bibcop (589);
bibletext (692); bibtool (710); blopentye (770);
bmstu-iu8 (782); bootstrapicons (813); bxbase (863);
bxcalc (864); bxcjkatype (865); bxcoloremoji (866);
bxdp- beamer (867); bxdvidriver (868); bxenclose (870);
bxghost (871); bxjholiday (872); bxjalipsum (873);
bxjaprnind (874); bxjatoucs (875); bxnewfont (877);
bxorigcapt (878); bxpapersize (879); bxpdfver (880);
bxtexlogo (881); bxwareki (882); catppuccinpalette (957);
chalk-annotate (991); cheatsheet (1006); checkend (1010);
chempid (1027); chicagolinks (1050); chinese-jfm (1055);
churchslavonic (1074); citation-style-language (1089);
clicks (1122); colorspace (1218); commonunicode (1241);
commutative-diagrams (1242); context-squares (1304);
context-sudoku (1305); convbkmk (1321);
coop-writing (1334); cora-macs (1342);
corasdiagram (1343); cqubeamer (1373); crumbs (1396);
csassignments (1401); cstylo (1415); customenvs (1450);
cyber (1462); cybercic (1463); debate (1555);
dehyph-exptl (1569); docshots (1650); dotlessi (1667);
dpcircling (1680); drawmatrix (1696); dviinfox (1744);
dynamicnumber (1770); eehyph (1832); ehline (1842);

elteiktdk (1872); elteikthesis (1873); enumitem (1919);
eolang (1930); esindex (1988); etbb (2005);
evangelion-jfm (2045); fail-fast (2111); ffcodes (2172);
fontmfizz (2321); futharksyms (2429);
garamond-libre (2444); gckanbun (2460); gindex (2521);
gotoh (2585); grant (2596); graphicxpsd (2612);
hideanswer (2756); highlightlatex (2761); href-ul (2798);
huawei (2806); hybrid-latex (2831); hyph-utf8 (2845);
hyphen-spanish (2847); ieejtran (2886); ietfbibs (2887);
iexec (2888); ifptex (2903); inlinelabel (2954);
jabref (3034); jeuxcartes (3056); jfmutil (3058);
jieeeetran (3061); jlreq-deluxe (3070);
jpnueduenumerate (3088); jpnuedumathsymbols (3089);
jsonresume (3096); kblocks (3125); kdpcover (3129);
keisenote (3130); kfupm-math-exam (3145);
kkluaverb (3151); kkran (3152); kksymbols (3153);
ku-template (3195); l3sys-query (3221);
labels4easylist (3231); ladder (3237);
latex-formatter (3280); lecturenotes (3373);
lectures (3375); light-latex-make (3441);
lua-alt-getopt (3606); lua-check-hyphen (3607);
lua-physical (3609); lua-tinyyaml (3613); lua-uca (3615);
lua-visual-debug (3619); luabidi (3624);
luaimageembed (3635); luaoptions (3656);
luaoprotable (3660); luatbls (3666); luatikz (3677);
lutabulartools (3690); lyluatex (3701); m-tx (3704);
mahjong (3724); maritime (3782); mathsemantics (3826);
mcf2graph (3853); measurebox (3867); metanorma (3911);
mitthesis (4004); mluxercise (4024); modernruler (4041);
naive-ebnf (4167); namedtensor (4171); nimsticks (4259);
numbersets (4327); opencolor (4396); optexcount (4402);
pats-resume (4517); pdbf-toolkit (4533);
pdfarticle (4539); pdfmsym (4558); pdftoolbox (4577);
penlight (4585); penlightplus (4586); pkgcheck (4689);
platexcheat (4712); polyglossia (4753);
ppt-slides (4779); proflycee (4811); prtec (4833);
pseudo (4847); ptlatexcommands (5006); puyotikz (5016);
pxbase (5019); pxchfon (5020); pxcjkat (5021);
pxjahyper (5024); pxjodel (5025); pxpgfmark (5026);
pxrubrica (5028); pxtatescale (5029); pxufont (5031);
pyluatex (5037); quantumcubemodel (5067);
quickderivs (5070); quiver (5073); qyxf-book (5090);
realhats (5127); realtranspose (5129); resmes (5176);
robust-externalize (5210); runtexshebang (5263);
scikgtex (5334); seu-ml-assign (5431);
show-pdf-tags (5470); showhyphens (5477);
simplebnf (5500); simplenodes (5506); skeldoc (5529);

skillicons (5533); soulpos (5610); stretchy (5709);
subdocs (5729); tablericons (5812); tensind (5884);
terminalcode (5890); texaccents (5951);
tiet-question-paper (6112); tikz-nef (6137);
tikz-truchet (6154); tikzpackets (6170); titleps (6208);
titlesec (6211); titletoc (6212); to-be-determined (6245);
topiclongtable (6269); ualberta (6402);
ucalgmthesis (6405); unitn-bimrep (6490); uspace (6540);
uvalletter (6555); vscodeicons (6647); vtable (6649);
wtref (6736); xindex (6800); xreview (6841); yamllvars (6873);
yb-book (6879); zx-calculus (6935); zxjafbfnt (6936);
zxjafnt (6937); zxjatype (6938); zztex (6939);

53 packages: astron (306); aurora (333); axodraw (366);
bardi (459); bbs (488); bibcard (586); cassette (943);
classico (1108); colortex (1221);
dante-book-reviews (1476); draftmark (1689);
dvitty (1766); geomsty (2484); guit-corso (2662);
guitbeamer (2666); hittype (2776); humanbio (2811);
humannat (2813); hvmath-fonts (2825);
javascript-texed (3047); joy-of-tex (3083); l2x (3210);
latexdraw (3332); latexwide (3348); lettergothic (3393);
mathalphabets (3797); mathtrip (3837); microimp (3958);
oriental (4412); pandora (4475); pandora-type1 (4477);
pcfonts (4531); phoncard (4642); psfragger (4856);
redit (5140); scorecard (5340); scripttex (5360);
shhyphl (5460); sorhyph (5606); taylor (5855);
technica (5868); texchord (5959); text1 (6035);
tmmath-fonts (6243); tsconfig (6330); ttf2mf (6336);
twcal (6363); urw-arial (6527); urw-garamond (6529);
vicentino (6616); xtexcad (6854); xwpick (6862);
yi4latex (6889);

87 packages: abc2mtex (14); arosgn (263); asc2tex (287);
atari-cstex (317); bdfchess (491); bibbuild (585);
biblio-perl (694); bigsign (733); calendar (904);
camel (916); catalanbib (949); chemsym (1034); cheq (1036);
chessmin (1042); china2e (1054); chitex (1057); cirth (1087);
cjlw (1105); crudetype (1395); dates (1492); deleq (1573);
dropcaps (1705); dropping (1706); econometrica (1816);
emtex (1891); engwar (1911); epstool (1958);
esperant (1996); fax (2145); fig2mf (2185); fillform (2210);
floatfig (2267); foiltext (2299); gandhi (2442);
garamondx (2446); gentl-gr (2479); geophysics (2485);
glotex (2566); gsview (2652); headerfooter (2712);
idxtext (2880); imfellflowers (2923); jpeg2ps (3084);
jpeg2ps-os2 (3085); justfontitte (3110); lametex (3243);
latable (3257); lated (3258); levy-latex (3400);

nocommercial

nosell

E Licenses and associated packages

literaturnaya (3481); lxmmail (3698); manpage (3765);
manual209 (3767); morse (4072); mpdinbrief (4083);
musixtex-egler (4140); nassflow (4178); neuron (4218);
oca (4349); ocr-a (4357); overword (4448); oxford (4449);
pageno (4465); palladam (4473); pmat (4729); proofs (4823);
psfig (4849); pstex (4983); pwt (5018); pybib (5032);
qed (5049); realcalc (5126); res (5173); s2latex (5274);
sae (5277); shortlst (5466); siam (5486); tbe (5856);
tengwar (5882); tex-in-practice (5928); tgrind (6058);
threecolumn (6090); tr2latex (6281); usenix (6536);
vntex-nonfree (6633); vrbexin (6644); vrsion (6645);

nosource 30 packages: amspell (179); ant-worker-tasks (204);
biblos (697); chroma (1068); detexfaq (1587);
dvi-economic (1730); dvips-shell (1755); epslatex (1953);
equationauthor (1978); fonteinf (2315);
gbrief-creator (2455); graphconv (2600); jspell (3097);
labelmag (3229); latex-sciences-humaines (3296);
latexpik (3344); led (3377); ltxdiff (3591); metafp (3906);
pagedraw (4459); scientificviewer (5333);
smiletex (5562); studies-lm (5720); tipos (6201);
ttf2pfb (6337); turkishintro (6356); typografie (6395);
winshell (6699); wmf2eps (6706); word2latex (6713);

ofl 173 packages: aboensis (19); academicons (27);
alegreya (120); alfaslabone (123); algolrevived (126);
alkalami (134); almendra (139); amiri (156); amsfonts (170);
andika (188); archivo (254); arsenal (275);
arsenal-math (276); arvo (281); asana-math (285);
awami (362); bangla (450); baskervillef (473); bitter (757);
boondox (812); cabin (891); cantarell (919); carlito (932);
cascadia-code (937); ccicons (967); charissil (1002);
chivo (1058); cinzel (1079); clara (1106);
cm-unicode (1146); cochineal (1183); coelacanth (1194);
comfortaa (1229); comicneue (1230); concmath-otf (1258);
cooperhewitt (1335); cormorantgaramond (1347);
countriesofeuropa (1356); crimson (1380);
crimsonpro (1381); cuprum (1438); cyrillic-modern (1468);
domitian (1661); doullossil (1674); ds serif (1710);
ebgaramond (1796); eczar (1822); emo (1884); erewhon (1980);
erewhon-math (1981); esstix (2000); euler-math (2028);
fancymag (2126); fbb (2146); fdsymbol (2156); fira (2219);
firamath (2220); fontawesome5 (2306); fontawesome6 (2307);
fontawesome7 (2308); fonts-churchslavonic (2325);
forum (2360); frederika2016 (2382); garamond-math (2445);
gelasio (2461); gelasiomath (2462);
gentium-original (2475); gentium-sil (2477);
gentium-tug (2478); gfsbodoni (2506); gfscomplutum (2507);

E Licenses and associated packages

gfsdidotclassic (2509); gfsneohellenicmath (2511);
gfssolomos (2513); gudea (2659); haranoaji (2695);
haranoaji-extra (2696); heuristica (2743);
hindmadurai (2765); ibarra (2860); imfellenglish (2922);
inconsolata (2934); inconsolata-nerd-font (2935);
inriafonts (2961); inter (2971); jetbrainsmono-otf (3055);
josefin (3079); juliamono (3100); junicode (3102);
junicodevf (3103); khatalmaqala (3146);
kpfonts-otf (3189); lato (3355); lete-sans-math (3387);
lexend (3402); libertine (3419); libertinus-fonts (3425);
libertinus-type1 (3427); libertinust1math (3428);
librebaskerville (3431); librebodoni (3432);
librecaslon (3433); librefranklin (3434);
linguisticspro (3456); lobster2 (3501); logix (3512);
luacensor (3626); luciole (3687); luwiantype (3692);
lxgw-fonts (3697); lydtype (3700); magra (3723);
marcellus (3774); marvosym (3785); mdsymbol (3860);
merriweather (3899); miami (3957); mintspirit (3998);
missaali (4002); monospace-otf (4054); montserrat (4059);
mpfonts (4085); nanumtype1 (4176); newtxsf (4238);
noto (4298); noto-emoji (4299); notocjksc (4301);
notocondensed (4302); notomath (4303); novel (4305);
nunito (4338); nxltext (4341); oldstandard (4377);
oldstandardt1 (4378); oswald (4422); overlock (4445);
padauk (4455); parsimatn (4500); parsinevis (4501);
pennstander-otf (4587); play-font (4715); playfair (4717);
plex (4719); poiretone (4748); prodint (4807);
qualitytype (5063); quattroceto (5068); raleway (5099);
rit-fonts (5198); roboto (5209); ruscap (5264);
shobhika (5463); sourcecodepro (5613); sourcesans (5614);
sourceserif (5615); spark-otf (5623); spectral (5627);
splentinx (5638); srbtiks (5656); step (5694);
stepgreek (5695); stickstoo (5698); stix (5699);
stix2-otf (5700); stix2-type1 (5701); theanodidot (6066);
theanomodern (6067); theanooldstyle (6068);
umtypewriter (6450); xcharter-math (6744); xits (6807);
yfonts-otf (6884); ysabeau (6898);

opl 2 packages: drawing-with-metapost (1695);
lshort-german (3551);

other-free 361 packages: aaai-named (8); aalok (9);
abstyles-babel (25); abstyles-orig (26); achemso (35);
acm (38); add-wes (61); adobe-euro (76); alphanum-bst (147);
alphanumb (148); ama (154); annotate (194);
annotation (196); apabst (221); arphic (265);
arphic-ttf (266); arraymaker (271); atkinson (321);
automatica (350); autotype (358); awesomebox (364);

baekmuk (439); bahyph (442); bakoma-fonts (444); bbm (483);
bbold-type1 (486); bboldx (487);
beamertheme-metropolis (521); bera (558);
bib-greek (577); bible (684); bibview-x (717); binhex (740);
blackletter1 (762); bmeps (778); bmstu (781);
borceaux (815); breakcites (836); bsr2dvi (849);
bxepic (869); c2cweb (889); c2latex (890); calligra (907);
calligra-type1 (908); capparmode (921); cascover (940);
cases (941); chapterbib (999); charter (1003);
cherokee (1037); chhaya (1046); chicago (1047);
chicagoa (1049); circularglyphs (1086); cite (1090);
cite-bundle (1091); classico (1108); clock (1126);
codepage (1191); colorprofiles (1215);
comp-fonts-faq (1243);
computer-typesetting-using-latex (1254);
consdiag (1264); context (1267); context-mathsets (1296);
context-rst (1299); corelpak (1345); couriarten (1361);
courseoutline (1362); coursepaper (1363);
cropmarks-pt (1386); crossword (1393); csplain (1408);
cstex (1413); cv4tw (1454); dancers (1475); dayroman (1540);
de-macro (1554); detex (1586); diabetes-logbook (1594);
din1505 (1616); divine (1629); dk-bib (1631);
dmfonts (1636); doc-pictex (1643); docarc (1644);
docbyt看 (1646); domitian (1661); dot2tex (1664);
dotseqn (1669); doublestroke (1673); drftcite (1700);
dvibook (1737); dviconcat (1739); dvidvi (1741);
dviout (1747); dvips (1753); dvipsk (1758); ebib (1798);
ec (1804); ecv (1821); elhyphen (1864); elvish (1875);
emo (1884); emtexgi (1892); epic (1934); epmtfe (1942);
epspdf-setup (1956); epstopdf (1959); eqname (1972);
eurion (2032); eurofont (2035); eurosym (2042);
extractbb (2099); fancynum (2127); faq-de (2136);
fbithesis (2147); fi2t1 (2177); fig2sty (2187);
fig2vect (2188); figflow (2194); finplain (2217);
fixbbl (2235); flatten (2259); fltpoint (2278);
fnpara-pln (2289); fonetika (2301); font-change (2302);
font-change-xetex (2303); fonts-arundina (2324);
fonts-tlwg (2326); framed (2375); frhyph (2396);
fundus-calligra (2418); fundus-la (2420);
fundus-outline (2421); fundus-twcal (2425); fwlw (2434);
gene-logic (2466); gentium-tug (2478); gentle (2480);
germbib (2490); getoptk (2498); getrefs (2499); gfs (2503);
gfsartemisia (2504); gfsbaskerville (2505);
gfsdidot (2508); gfsneoellenic (2510); gfsponsorson (2512);
gnuplot (2576); go-make (2579); gofonts (2582);
grapher (2601); greek-makeindex (2624); harvmac (2704);
hc (2708); hellas (2717); hlatex-fonts (2779);

E Licenses and associated packages

hmttrump (2782); huhyp (2809); hyphenex (2850);
ibmres-tex (2862); ifsym (2904); imprintmtshadow (2928);
ipaex (2994); ipaex-type1 (2995); is-bst (2998);
ishyp (3001); ispell (3017); itrans-processor (3027);
ivd2dvi (3028); jadetex (3036); jamtimes (3037);
jas99 (3041); jbact (3050); jflap2tikz (3057); jmb (3072);
kixfont (3150); klinz (3154); l2a (3203); l2tabu (3205);
l2tabu-italian (3208); lamemo (3242);
latex-essential (3275); latex-pro-pragmatiky (3293);
latex2e-help-texinfo (3306); latexcourse-rug (3328);
lhcy (3417); lifia-th (3438); localloc (3503);
logfilter (3505); lsabon (3539); lshort-spanish (3564);
lshort-ukr (3567); ltoh (3582); ltx2rtf (3586);
lua-widow-control (3620); lualatex-platform (3644);
luaxml (3681); m-pictex (3703); mab2bib (3707);
mactex (3713); mactex-basic (3714); mactextras (3715);
magaz (3718); magic (3719); makegobbler (3743);
makeindex (3745); makeindexk (3746); maketable (3754);
malvern (3760); marathi (3773); math-into-latex-4 (3791);
mathador (3795); mathgifg (3811); mathlig (3815);
mathspad (3827); mathtime-pln (3835); mdputu (3859);
megatape (3874); menu (3892); metapost-examples (3917);
mff-util (3937); midnight (3963); miktex (3966);
miktex-portable (3967); mil3 (3970); mpedit (4084);
mpfonts (4085); mpman-ru (4088); mslapa (4098); mtbe (4103);
mwrite (4150); na-border (4161); named (4169);
namunsrt (4174); nar (4177); nestquot (4215);
newsletr (4234); nimbus15 (4258); nohyp (4277);
norbib (4289); noweb (4306); ntg (4313); nts (4319);
ocr-b (4358); ocr-b-outline (4359); okuda (4371);
oriya (4414); oubraces (4431); overcite (4443);
oztex-fonts (4451); pagefoots (4460); passivetex (4510);
path (4516); pb-diagram (4521); pbm2tex (4525);
pcarl (4530); pdfextra (4552); phy-bstyles (4648);
pictexsum (4667); pkfind (4686); pl (4694); plainyr (4705);
pmtex (4737); pnas (4740); pnas2009 (4741); poorman (4759);
productbox (4808); proof (4820); protext (4830);
ps2pk (4838); psfrag (4854); psmerge (4862);
pstotext (4986); psutils (4996); ptsans (5010);
ptserif (5011); punknova (5014); pythonhighlight (5040);
qfig (5050); r-und-s (5091); r2bib (5092); rfc2bib (5191);
rgb (5193); rsfs (5238); rtf2tex (5243); saferef (5278);
schemetex (5320); scmac (5338); shapepar (5453);
shortcuttool (5465); sirlin (5519); slideshow (5548);
sort-by-letters (5607); sphack (5631); spiderweb (5634);
ssquote (5666); swrule (5773); synctex-parser (5781);
tabls (5817); tape (5852); tds (5865); telugu (5875);

E Licenses and associated packages

	tengtex (5881); tetex (5901); tex-converter (5906); tex-references (5939); tex2rtf (5946); texi2roff (5981); texlipse (5991); texlive (5993); texlive-repo (6000); texlive-source (6001); texpict (6019); texproposal (6024); texttoolspro (6046); these (6076); threeparttable (6093); tie (6111); tiff (6114); tikz-dimline (6125); tikzquads (6176); tkdvi (6215); tkhyph (6216); treetex-ltx209 (6314); tsvtemplate (6333); ttf2pt1 (6338); tth (6341); tucv (6344); tugboat-plain (6349); tugboat-toc (6350); txp (6377); ulem (6436); unouter (6498); uptex (6517); ushyph (6539); utopia (6552); utthesis (6554); vectorlogos (6582); venturisadf (6585); version (6603); viiptart (6618); vntex (6632); vplutils (6641); w32tex (6656); wadalab (6657); webguide (6675); win32-emacs-auctex (6691); wp2latex (6725); wrtfile (6732); wsuipa (6734); xcharter (6743); xdvi (6759); xet-tex (6775); xlatex (6814); yacco2 (6869); yfonts-t1 (6885); ysabeau (6898); zed-csp (6910);
other-nonfree	78 packages: a2ac (2); acmtrans (42); acromake (45); ans (201); bar (455); barkom (462); beamertheme-edmaths (516); bg (570); calorie (911); calxxxx (914); ciad-beamertheme (1076); compact-symbols (1244); courier (1359); croatian (1382); emerald (1881); eqmlite (1970); et (2003); exams (2062); feynman (2169); fltpage (2277); fribrief (2398); fundus-startrek (2423); futhark (2428); futhorc (2430); grnumalt (2645); grtimes (2646); grverb (2648); hebtex (2715); hexdump (2746); hilowres (2763); ifacmtg (2889); indxcite (2943); jhep (3060); jkthesis (3066); jtb (3098); kuvio (3198); laletter (3239); lgrind (3413); lms (3498); luximono (3693); mapcodes (3771); mathtype (3838); mfbook (3935); mhs (3954); morehelp (4065); mtp2lite (4106); ntg-maps (4314); oesch (4365); ogonek (4369); osda (4419); pdcmac (4534); picins (4661); piff-ams (4674); psgreek (4859); rst (5240); shadbox (5445); siggraph (5492); slidenotes (5546); spim-phdthesis-themes (5636); streetex (5708); techexplorer (5867); tex-implementors (5927); tex2word (5948); texbook (5955); texsketch (6032); tpcmfont (6276); tracking (6283); ttftogf (6340); typedref (6386); umrand (6448); utbmciad-report (6545); vita (6627); vtex-free (6650); vutex (6651); webomints (6677); wmaainf (6704); wntamil (6710); word2tex (6714);
pd	280 packages: a5comb (6); abbr (11); abntexto (17); abntexto-uece (18); aboensis (19); acroreloadpdf (49); addliga (64); adfathesis (69); afthesis (107); ant (203);

antp (209); anttvf (211); anysize (214); apnum (231);
asaetr (284); atendofenv (320); aurl (332); aweb (363);
bbcard (479); bbl2html (482);
beamertheme-cleaneasy (511); beamertheme-npbt (523);
beamertheme-simpliedarkblue (528);
beamertheme-simpleplus (529); beletter (553);
belleek (554); bestpapers (561); bibdb (590);
bibindex (612); biblio (693); biblook (696);
bibtex-gen (703); bibtexperllibs (708); bibtool (710);
blackboard (760); block (768); bm2ltx (777); bracket (831);
brushscr (845); c-pascal (888); calendarweek (906);
calrsfs (912); cancel (917); casyl (947); cc-pl (963);
cell (976); cep (986); checklab (1011); chemarrow (1015);
chess (1038); chs-physics-report (1072); cjk-fonts (1100);
cjk-ko (1102); cm-mf-extra-bold (1141); cmcyr (1153);
cmpica (1165); cmyk-hax (1176); coffeestains (1195);
colorsep (1217); compare (1246); context-account (1268);
context-calendar-examples (1273);
context-collating-marks (1277); context-fixme (1283);
context-games (1286); context-gantt (1287);
context-interval-calendar (1291);
context-lettrine (1294); context-pocketdiary (1298);
context-ruby (1300); context-sgf (1301);
context-urwgaramond (1312); context-urwegothic (1313);
cprog (1367); csname-doc (1407); cvsty (1456);
diagmac (1597); dichokekey (1605); dinat (1617);
dirtytalk (1625); do-it-yourself-tex (1640); dtl (1714);
duerer (1721); duplicat (1724); dvgt (1728); dvgtk (1729);
dviincl (1743); dvipaste (1748); dvitype (1767);
dviwin (1769); ebong (1800); ebook (1801); eepic (1834);
eiad (1843); epigram (1936); eps2pdf (1944); epsf (1946);
epsf-dvipdfmx (1947); epsfview (1950); epsfx (1951);
epsincl (1952); esint-type1 (1990); euromoney (2037);
excludeonly (2067); fihyph (2201);
firefox-ctan-plugins (2222); first-latex-doc (2223);
fixmetodonotes (2245); fixpdfmag (2247); flashcard (2255);
fn2end (2282); fntproof (2294); frankenbundle (2378);
frletter (2400); gl-tree (2532); go (2578);
graphics-cfg (2605); greektex (2630); gv-savepos (2673);
hands (2687); hanoi (2691); happy4th (2693);
harnon-cv (2699); harpoon (2700); hatching (2705);
here (2737); horoscop (2793); hp2pl (2794); hyplain (2853);
import (2926); insbox (2963); izhitsa (3032);
jablantile (3033); jas99m (3042); jeuxcartes (3056);
jfontmaps (3059); js-misc (3092); knuth-dist (3163);
knuth-hint (3165); knuth-local (3168); knuth-pdf (3169);
l2tabu-spanish (3209); labelschanged (3232);

E Licenses and associated packages

lamstex (3244); lamstex-index (3245);
latex-doc-ptr (3273); latex-for-undergraduates (3279);
latex2e-help-texinfo-fr (3307); latexmp (3341);
latino-sine-flexione (3354); lewis (3401); lexitex (3404);
literate (3480); longdiv (3518); lshort-bulgarian (3544);
lshort-finnish (3549); lshort-persian (3557);
lshort-portuguese (3559); lshort-portuguese-br (3560);
lshort-thai (3565); lshort-turkish (3566);
luainputenc (3637); luatextra (3676); maad (3706);
makefonts (3740); metafont-beginners (3905);
metatype1 (3921); mf-ps (3929); mfware (3947); mhequ (3953);
minionpro (3991); mirr (4000); mnsymbol (4035); modes (4043);
mparrows (4079); mpattern (4080); mpfonts (4085);
nb4latex (4186); nemocal (4213); newproof (4232);
nkarta (4265); nolbreaks (4281); nonfloat (4285);
notex-bst (4297); notoccite (4300); nth (4316);
ogham (4368); olsak-misc (4381); onepagem (4386);
optex (4401); overrightarrow (4447); oztex-german (4452);
parsitex (4502); patgen (4514); pdf-trans (4536);
pf2afm (4597); pgf-blur (4603); piff (4673); pkuthss (4692);
pkware (4693); pl-mf (4695); placeins (4697);
placeins-plain (4698); plfonts (4721); plpsfont (4726);
plstmary (4727); poligraf (4750); practical-latex (4781);
prettyref (4793); ps-conv (4842); ps-view (4843);
pstring (4994); ptex-fontmaps (4999); pwebmac (5017);
random (5104); range cite (5108); rec-thy (5131);
recipe (5132); relsize (5160); resumemac (5182);
romanneg (5218); runtex (5261); russian-help (5266);
sansmath (5289); selectp (5394); showtags (5481);
shsulet (5482); shuffle (5484); simple-resume-cv (5498);
simple-thesis-dissertation (5499); softfonts (5570);
sphdthesis (5632); srcltx (5657); starfont (5677);
startex (5679); style-showcase (5722); sueterlin (5746);
tlutils (5801); tabto-generic (5822); tap (5851);
tex-ini-files (5929); tex-nutshell (5936); tex-ps (5938);
texfaq (5973); texfot (5976); texhax (5978);
texmalli (6009); textmerg (6044); texware (6053);
time (6185); titlepic (6207); titleref (6209);
tmview (6244); toil (6257); trans (6290);
treetex-plain (6315); truncate (6327); tsemelines (6331);
twoinone (6368); txt2latex (6379); uaclases (6400);
ucharclasses (6409); uktex (6434); utf8mex (6549);
varisize (6572); vc (6577); vmspell (6630); wasy (6664);
wasy-type1 (6665); winlatex (6698);
xetex-pstricks (6782); xmlplay (6820); xpdfopen (6829);
yfrak (6886); ygoth (6887); yinit (6890); yinit-otf (6892);
ysabeau (6898); yswab (6899); zigaretten (6923);

E Licenses and associated packages

shareware	24 packages: alpha (142); bakoma (443); bakoma-games (445); bakoma-mac (446); bibtexmng (707); blue (774); cmactex (1147); cptex (1371); directtex (1622); eddi4tex (1824); frenchpro (2393); he-le-na (2710); latexmng (3340); lpw (3537); mma2ltx (4026); os2tex (4416); oztex (4450); pdftex-oztex (4574); scientificaauthor (5331); synapsen (5780); texed (5971); winedt (6695); wintex2000 (6700); wmf2eps (6705);
x11	3 packages: hitex (2770); hitex-def (2771); xetex (6777);
noinfo	552 packages: aaai (7); abstbook (22); abstr-collect (23); acmproc (41); acronym209 (48); acs (56); adami (60); addindex (63); address (66); adrlist (81); afmtopl-clark (100); afmtopl-elwell (101); afmtopl-wolczko (102); alleqno (135); alltt2 (138); altnline (151); ams-cd (160); anleitung (191); annotation-pkg (197); anti (206); apasoft (226); apeqnum (227); apl (228); aplweb (230); appelt-chess (232); arabic (242); arbeit (251); artex (277); astyped (307); automagic (348); autotab (356); autotoc (357); backgrnd (433); badge (438); balanced (448); balancedquotes (449); barcodes-vulis (457); bard (458); bashkirian (467); basix (470); baum (478); bbfig (481); beebe-dvi (548); bellmac (555); bfsymb (569); bib2dvi (578); bibclean (588); bibmods (698); bibplain (699); bibsort (700); bibtex-examples (702); bibtex-help (704); bibtex-test (705); bibview (716); bidstobibtex (728); bigtable (735); bigtabular (736); bihead (737); birkhaeuser (748); bit2spr (749); bitstrea (756); blackletter (761); blanks (763); bnf-plain (783); bookform (802); border (816); boxedart4mac (818); boxedeps (819); boxit (822); boxit-ltx (823); bridge (840); bridge-pln (841); bsf (846); bsl (848); btable (850); buscard (857); caesarcm (893); calendar-barr (905); card (928); card-set (929); cassette209 (945); casslbl (946); cbe (960); cchess (966); cea (975); cellular (979); cellwise (980); chapref (998); check (1007); chemstruct (1032); chemtex (1035); chgbar (1045); chomsky (1065); circle (1081); citesidx (1095); clip (1123); closefrm (1128); cm-gf (1138); cm-mf-opt-kern (1142); cmastro (1150); cmcyr-patch (1154); cmcyralt-fonts (1155); cmcyralt-ltx (1156); cmfrak (1160); cmoeFont (1162); cmoutlines (1164); cmtyp3 (1174); cnoweb (1179); code (1184); colordvi (1207); colors (1216); comment-pln (1238); committee-font (1240); concrete-macros (1261); corelpak-contrib (1346); corrects (1349); corridx-obsolete (1351); cropmark (1384);

cropmark-pu (1385); cropmrks (1387); crw (1397); csx (1421);
cun (1437); cursor (1444); cypriote (1466);
cyrillic209 (1469); cyrmemo (1470); cyrtug (1471);
czhyph (1472); dates209 (1493); dayofweek (1539);
daytime (1541); db (1542); declare (1559); dectab (1562);
default (1563); deflist (1564); defstring (1566);
deproc (1582); devanagari-omega (1590); diagramf (1600);
djgpp (1630); dmhgener (1637); doublecol (1671); dow (1675);
draft (1685); drafthead (1688); drawing (1694); drop (1704);
dvi2ln3 (1732); dvi2xx (1734); dvibit (1736);
dvimerge (1746); dvistd (1760); dvisun (1761);
dvitoln03 (1764); dvitops (1765); ebnf (1799);
ec-plain (1805); editbar (1827); ega2mf (1837);
emtrees (1893); endnote (1901); enumspec (1921);
envelope (1924); eppstein-trees (1943); epsfig209 (1949);
eqmark (1969); eqnarray209 (1974); eslides (1994);
espo (1997); ethtex (2013); europs (2040); eurotex (2043);
exam209 (2058); extradefs (2101); fac (2104);
fakebold (2112); faltblat (2114); famt (2116);
fancy chapters (2118); fancyfolien (2119); fchart (2153);
fig2eng (2183); fig2mfpic (2186); figplace (2196);
figsinltx (2198); firstline (2225);
firststeps-xampl (2226); flatex (2258);
floatnohead (2269); fnote (2287); fontbl (2311);
fontchart (2314); fontload (2319); format (2353);
fortran (2359); free-math-font-survey (2383);
frenchponct (2392); frenchquote (2394); ftn (2407);
fullpict (2413); genindex (2471); georgian-stanier (2487);
gleitobjekte (2534); glonti (2538); goblin (2581);
gpdata (2586); gplot (2587); grafik (2595); graphicp (2603);
greekinfo3 (2629); gurmukhi (2668); hackalloc (2677);
halftone (2681); hangcaption (2689);
harvard-obsolete (2702); hep-gen (2725); hershey (2741);
hex (2744); hge (2753); histyle (2768); hpgl2ps (2796);
htmlhelp (2804); hyacc-cm (2830); hyphen-accent (2846);
ibm (2861); iching (2868); idealfonts (2874); ijc (2913);
ijcai89 (2914); imaketex (2921); indent (2936);
infpic (2944); inputfile (2958); inrstex (2962);
inscrutable (2964); interpol (2978);
invertedparagraphs (2986); ipa (2993); isf (3000);
iso209 (3007); isolatin1 (3010); ist21 (3020); ital (3022);
italic (3023); jasthesis (3043); javabib (3044);
javatex (3049); jeep (3053); kalender (3115);
kalender-209 (3116); karta (3123); kbordermatrix (3126);
kelly-greek-font (3131); knit (3156); knot (3159);
knst (3161); la (3222); laansort (3223); label-pln (3225);
labelfig (3227); labelmac3 (3228); lablst-pkg (3233);

labtex (3234); landscape (3246); laps (3253);
latex-bnf (3266); latex-errata (3274); latex-hlp (3284);
latex-info (3286); latex2e-reference (3308);
latexmake (3338); latexn (3342); latexwizard (3349);
lccircuit (3365); letter-plain (3391); letter1 (3392);
lettermac (3394); lextex (3406); lfonts-ams (3408);
lgraph (3411); listing-pln (3469); ljmetrics (3487);
lkort (3488); llncs209 (3492); lmacs (3496); ln03dvi (3499);
loggates (3506); logic (3507); longtocline (3525);
losymbol (3529); loval (3531); lshort-mongolian (3556);
ltt (3583); ltx3pub (3588); mactotex (3716); make-env (3728);
make-latex (3729); makerobust209 (3752); mandel (3761);
maple (3772); marginote (3781); marnote (3784);
mathsci2bibtex (3824); mathtime-metrics (3834);
maybeload (3844); mctex (3857); memo-pln (3880);
memo2 (3881); memo209 (3882); meparticle (3895);
merge (3898); mewltx (3927); mf2ps (3930); mf2pt3 (3932);
mff (3936); mflogo209 (3941); mhack (3951); mid2tex (3961);
midi2tex (3962); mif2xfig (3965); mil (3969); milstd (3974);
mitpress (4003); mkpkfontdir (4011); mla (4013); mm (4025);
mnras-plain (4034); moonphase (4061); mrecog (4094);
msx2msa (4100); msym (4101); mtex (4104); multibox (4116);
multicolpar (4119); multind (4127); musictex (4136);
mxd (4151); newalg (4220); newinsert (4229); newthm (4236);
nnfootnote (4272); nofill (4276); noprot (4288);
ntabbing (4312); ntsfaq (4321); numending (4328);
numline (4333); occam (4350); old-faq-en (4373); osa (4417);
osmanian (4420); oval (4440); ovalfbox (4441);
pageframe (4461); pagereference (4468); paragraphs (4487);
pbmtpk (4527); pdfcrack (4565); physe (4650); phyzzx (4657);
pi (4658); pictexwd (4668); piechart (4671);
pitthesis (4682); pkbbox (4685); plain-cm (4700);
plcalendar (4718); poetica (4744); portland (4763);
pos-at (4764); ppchtex (4774); pphlp (4775); prepr (4786);
printbib (4799); progkeys (4814); prv (4834); psbox (4845);
psboxit (4846); psfonts-tools (4853); psnfssx-8r (4866);
psnfssx-em (4868); pspic (4869); qdtexvpl (5048); qm (5052);
qms (5053); quotation (5076); quote (5078); ragged (5093);
rail (5096); rcs-pln (5120); redefine (5138); redis (5139);
refer (5144); refer-tools (5145); removefr (5161);
revnum (5186); rmthm (5205); rnototex (5206); rotate (5222);
rotate-textures (5223); rtklage (5245);
ruled-tables (5254); rune (5259); sbtex (5307); sc21 (5308);
sc21-wg1 (5309); schedule209 (5317);
scientificpaper (5332); screen (5351); script (5357);
script-font (5358); scyrillic (5377); seceqn (5384);
secret (5386); sentences (5409); setstrut (5427);

E Licenses and associated packages

settosize (5429); settosize-ltx (5430); sfarticle (5436);
sfheaders (5440); sfwmac (5442); shadebox (5447);
shading (5449); shalom (5452); shavian (5457); side (5487);
simpsons (5515); sines (5517); slashbox (5539); slem (5543);
smallcap (5551); smaller (5552); smalltalk (5554);
snote (5566); sober (5568); southarabian (5616);
soyombo (5617); split (5641); springer (5648);
sprite (5649); srune (5661); sshdbk10 (5663);
stables (5667); suthesis (5755); switcheml (5772);
syriac (5791); systcontrolletters (5792);
t1-fraktur (5796); t1tools (5800); tabbingbox (5805);
tables (5813); tabsatz (5820); tabverb (5837); tcvn (5863);
techreport (5871); tesla (5894); testeq (5895);
tex-extensions (5908); tex-gpc (5911); tex-kurs (5931);
tex-math (5935); tex2mail (5944); texas (5953);
texbuch (5956); texfilt (5974); texindex (5985);
texpictex (6020); textool (6045); textures-metrics (6051);
tgrind209 (6059); thai-rmit (6060); thai-usl (6061);
theapa (6069); thirteen (6083); threecol (6089); tib (6105);
time-gen (6186); timeline (6188); timetab (6191);
timing (6193); toc (6246); toc-zar (6247);
trademarks (6285); treedef (6312); truchet (6323);
truetyperototype42 (6326); tsipa (6332); ttf-howto (6335);
tweb (6364); twoside (6370); txt (6378); typelec (6383);
typespec (6390); ucthesis209 (6414); ugaritic (6423);
uhthesis (6427); ukdate (6431); uktug-bask (6435);
ulsy (6439); ulsy-ps (6440); undertilde (6462);
undertilde-gen (6463); undump (6465); unfinished (6466);
unixman (6496); unswthesis (6502); uscthesis (6533);
ut-backref (6543); util-half (6551);
utorontothesis (6553); uwthesis209 (6563); va (6564);
varindent (6569); varsects (6573); vdm (6579);
vector (6581); verbatim-gen (6588); verbatim-pln (6589);
verbatim-tub (6590); verbinp (6594); verbtim2 (6597);
vertex (6607); vfcomb (6611); vietnet (6617);
vispeech (6620); vita209 (6628); vmsps (6631); vrb (6643);
vslitex (6648); web9pt (6672); webmacss (6676);
weekday (6679); wiggly (6687); window (6692);
winemtex (6696); wochtag (6711); wordweb (6721);
wright (6730); xarticle (6738); xbibtex (6741); xcmr (6747);
xrefwarn (6840); xtcaps (6851); yinit-as (6891);
ytex (6902); zaccone (6903); zed (6909); zefonts (6911);
zero (6913); zip (6924);

collection

18 packages: book-examples (797); eijkhout (1846);
fragments (2372); frankenstein (2379);
frankenstein-unsupported (2380); fundus (2417);

E Licenses and associated packages

germdoc (2491); ghostscript (2515); gothic (2584);
lshort (3543); ltxmisc (3601); obsolete (4348);
plainmisc (4703); preprint (4787); psfonts (4852);
samples (5282); urw (6525); was (6663);

digest 4 packages: nts-l (4320); tex-mag (5934); texline (5990);
ttn (6342);

Index

Alias

- apa5 (for apa), 199
- autoinst (for fontools), 2103
- basictex (for mactex), 3359
- bibtex8bit (for bibtex8), 652
- biolinum (for libertine), 3084
- boxedminipage2e (for boxedminipage), 751
- brief-t (for brief-t), 770
- ccref (for crefthe), 1247
- dvipdfmx (for dvipdfmx), 1582
- DVIView (for dvivue), 1596
- e-tex (for etex), 1810
- eptex (for ptex), 4524
- euptex (for uptex), 5891
- findfont (for luafindfont), 3281
- findpkg (for texfindpkg), 5406
- firefox-ctan-plugins (for firefox-ctan-plugins), 2011
- gentium (for gentium-sil), 2240
- ghyphen (for dehyph), 1422
- gnhyph (for dehyph), 1422
- HINT (for hitex), 2508
- isosafety (for isosigns), 2723
- jpgfdraw (for flowframtk), 2059
- LatoMath (for lete-sans-math), 3057
- letterformat (for knuth-letter), 2857
- LinguisTiX-american (for linguistix), 3125
- LinguisTiX-base (for linguistix), 3125
- LinguisTiX-british (for linguistix), 3125
- LinguisTiX-fixpex (for linguistix), 3125
- LinguisTiX-fonts (for linguistix), 3125
- LinguisTiX-greek (for linguistix), 3125
- LinguisTiX-ipa (for linguistix), 3125
- LinguisTiX-languages (for linguistix), 3125
- LinguisTiX-logos (for linguistix), 3125
- LinguisTiX-malayalam (for linguistix), 3125
- LinguisTiX-marathi (for linguistix), 3125
- LinguisTiX-nfss (for linguistix), 3125
- lithuanian-babel (for babel-lithuanian), 371
- llmk (for light-latex-make), 3108
- lmodern (for lm), 3159
- ltugboat (for tugboat), 5737
- mathalfa (for mathalpha), 3432
- Metafont (for metafont), 3531
- metapost (for metapost), 3540
- neo-euler (for euler-math), 1831
- newcm (for newcomputermodern), 3824
- pdf-mps-supp (for mptopdf), 3703
- pdfmanagement-testphase (for pdfmanagement), 4122
- pdftex-oztex (for pdftex-oztex), 4139
- polishlipsum (for bredzenie), 767
- psnfssx-luc (for lucidabr), 3334
- pstricks (for pstricks-base), 4517
- scrarticle (for scrartcl), 4838
- scrreport (for scrreprt), 4866
- slatex-scheme (for slatex-scheme), 5015
- softmaker-freefont (for softmakerfreefont), 5068
- soulutf8 (for soul), 5076
- SourceSansPro (for sourcesans), 5081
- SourceSerifPro (for sourceserif), 5082
- spanish (for babel-spanish), 389
- StartLaTeX2e (for yet-another-guide-latex2e), 6211
- tabto (for tabto-ltx), 5275
- TeX Converter (for tex-converter), 5348
- tex-it (for tex-it), 5371
- texfaq (for texfaq), 5405
- texlog-extract (for texlog-extract), 5428
- TikZ (for pgf), 4165
- vftovp (for vfware), 5974
- vptovf (for vfware), 5974
- wasy2 (for wasy), 6017
- wasy2-ps (for wasy-type1), 6018
- xdvik (for xdvi), 6098
- xintexpr (for xint), 6138
- xput (for pagelayout), 4039
- zebra-goodies (for zebra), 6234

Author

- Aakerlund, Johan, 1117
- Aavatsmark, Ivar, 1846
- Abdalmatin, Zain Ibn, 2840

- Abdool, Omar, 5743
 Abe, Noriyuki, 2767
 Abhinandan, S. P., 6118
 Abraham, Paul, 5206
 Abrahams, Paul W., 2644
 Abrahamsen, Per, 300, 2923
 Abreu, Elayson, 17, 18
 Adlkofer, Daniel, 3651
 Adobe Systems Incorporated, 72, 5923
 Adriaens, Hendri, 1807, 1899, 2363, 2422, 4306, 4320, 4509, 6146–6148
 Adrián, Luis Marco, 3463
 Africa, Pasquale Claudio, 474
 Agostini, Giulio, 1921
 Aguirregabiria, Juan M., 341, 406
 Aimé, Ezio, 1633
 Aivazian, Tigran, 4107
 Ajallooeian, Mohammad M., 3783
 Akhmeedeva, Leila, 4148, 4476
 Akkerman, Igor, 104, 5802
 Akopian, Vardan, 239
 Akpoué, Kouamé Josué, 6177
 Al-Yahya, Kamal, 5681
 Alabau, Miguel, 4358
 Alamnehe, Abass B., 1816
 Aldrich, Daniel R., 5785
 Alessi, Robert, 224, 1673, 2596, 3962
 Alex, A. J., 3398, 3399, 5295
 Alexander, James, 5518
 Alexander, Jason, 1125, 1862, 4814
 Alfonsi, Bernard, 2896
 Algaba, Manuel Gutierrez, 1147, 1922, 2237, 2354, 5318, 5464
 Ali, Muhammad Masroor, 242
 All, Timothy, 3276
 Allais, Raphaël, 1941
 Allen, Matthew, 3834
 Allgeyer, Robert, 3899
 Allison, George, 3260
 Allred, Sean, 5335
 Alshahrani, Mohammed, 2839
 Altergott, Viktor, 3665
 Aluthge, Dilum, 611
 Alvarez Zavala, Roberto, 3770
 Alver, Morten, 2739
 Alziyadi, Mohammed Obaid, 222
 Amberg, Brian, 1524
 American Astronomical Society, 9
 American Meteorological Society, 141
 Amintoosi, Mahmood, 4158
 Anagnostopoulos, Paul C., 6264
 Andersen, Anders, 276
 Anderson, Michael, 5879
 Ando, Ryoya, 3233
 Andreev, Aleksandr, 2105
 Andrews, Avery D, 3122
 Andrews, Phil, 2343
 Andronic, Liviu, 2173
 Andrus, Ivan, 963
 Angulo, Pablo, 5454
 Ankargren, Sebastian, 5146
 Annagurban, Nazar, 5745
 Antener, Alex, 4577
 Antman, Peter, 4028
 Antos, David, 5751
 Aonuma, Shuji, 832
 Aplevich, Dwight, 985
 Appel, Andrew W., 40
 Appelt, Wolfgang, 2849
 Arapura, Donu, 250
 Arata, Mizuki, 1035
 Araujo, Lauro César, 15
 Arcis, Diego, 5171
 Armacost, Ben, 971
 Arnese Feffin, Elia, 935
 Arnold, Jeffrey B., 3225
 Arnold, Tim, 3184, 5147
 Arrouye, Yves, 3628
 Arseneau, Donald, 761, 836, 857, 908, 992, 993, 1513, 1540, 1869, 2152, 2200, 2646, 3181, 3363, 3784, 3877, 3894, 3908, 3991, 4013, 4023, 4254, 4626, 4676, 4677, 4791, 4884, 4934, 5193, 5270, 5275, 5506, 5617, 5719, 5816, 5837, 5897, 5937, 5942, 5966, 6067
 Asakura, Takuto, 796, 797, 2341, 3108, 4266, 5401, 6075
 Asayama, Kazunori, 1579
 Ashton, James, 2662, 4782, 5771
 Association GUTenberg, 1936, 3058
 Atkinson, Kevin, 275, 2725
 Atkinson, Matthew Tylee, 2223
 Atria, Matias, 3491

- Aubord, Alain, 1083, 2269, 3469
Aurbach, R L, 2323, 2605
Avdeev, Nikolai, 566, 634, 4947
Aycock, Ryan, 3630, 4828
Babushkin, Andrey, 2413
Bachmaier, Gerhard A., 1621, 3953
Bachteler, Jürgen, 727
Badenes Guia, Gonçal, 346, 818
Baecker, Philipp N., 1628
Baghban, Mojtaba, 316
Bahnes, Tim, 5453
Baker, Adam, 4006
Baker, Edward, 5406
Baker, Joe, 1527
Baker, Peter S., 2798, 2799
Bal, Christophe, 5748
Balak, Norbert, 1636
Balakin, Alexey, 3571
Baldin, Evgeny, 1138
Balemi, Silvano, 23, 320, 689, 846, 2635, 3522, 5248
Ball, Alex, 434, 464, 575, 614, 1406
Ballen, Gustavo A., 6252
Bane, Max, 855
Banerjee, Rudra, 3625
Banerjee, Shibaji, 1625
Banhardt, Steffen, 2229
Bao, Hongchang, 529
Bao, Xianyuan, 3932
Bar, Haim, 4763
Barabucci, Gioele, 2032
Baragar, Henry, 5337
Bares, Christophe, 1132
Barik, Titus, 2606
Barnard, Richard, 5587
Baron, Henrique, 5796
Barr, Michael, 827, 967, 1452
Barratt, Craig, 4391
Bartel, Elmar, 423
Bartels, Friedemann, 4039
Bartelt, Matthias, 2206
Barth, Andreas, 4095
Barthelmann, Klaus Georg, 983, 4618, 4798
Bartholdi, Laurent, 3231
Bartolo Alegre, Luis F., 3720
Bartolomey, Alexander, 1267
Barton, Ariel, 2850, 4791, 4792, 5666
Barton, Thomas H., 5718
Barton-Davis, Paul, 56, 5872
Baruchel, Thomas, 5253
Basso, Pierre, 658
Batada, Nizar, 2739, 2752
Batchelder, Ned, 438
Batista, Facundo, 2800
Batumongke, Dorjgotov, 3212, 3645, 3668
Baudoin, Marc, 216
Bauer, Tilman, 3315, 5126
Bauke, Heiko, 2724
Baumann, Helge, 1466, 1467
Baumann, Timo, 537, 2254
Bautista, Tomás, 24
Bayart, Benjamin, 1792, 2163, 5131, 5838
Baynham, Charles, 2291, 2296
Bazon, Vlad, 4723
Bačić, Deni, 2318
Beach, John E., 1111
Bean, Jules, 3450
Beasley, David, 3373
Beauchemin, David, 55
Beccari, Claudio, 219, 274, 355, 366, 369, 376, 379, 505, 837, 872, 874, 875, 1085, 1308, 1632, 1825, 2029, 2153, 2368, 2641, 2731, 2925, 3022, 3210, 3346, 4281, 5228, 5340, 5345, 5673, 6034, 6068
Beckenbach, Isabel, 6233
Becker, Bernd, 3243, 4766
Becker, Brett A., 184
Becker, Daniel, 1765
Becuwe, Stefan, 3205
Beebe, Nelson H. F., 505, 541, 555, 560, 643, 645, 646, 648, 649, 651, 1757, 1997, 2710, 3388, 4959
Beeman, Roger L., 2092
Beery, Oliver, 2108, 4812
Beeton, Barbara, 1331, 1435, 2581, 5369, 5738, 5739, 5955
Beffara, Emmanuel, 1056, 1627, 2157, 5498
Beilstein-Institut, 508

- Beisert, Niklas, 956, 1091, 1431, 1781,
1877, 2353, 3444, 3544, 3701, 4909
- Beitz, Eric, 5449, 5465
- Beitzel, Brian, 200, 3502
- Bekker-Nielsen Dunbar, Maria, 953
- Belaïche, Vincent, 2064, 2309, 2785,
2986, 3066, 3383, 3386, 4159
- Bell, Edwin, 510
- Bellantoni, Stephen, 5966
- Belvadi, V.H., 3043
- Benciolini, Battista, 3116, 4350, 4655
- Bender, Patrick, 4100
- Benedict, Eric, 5931, 6049
- Bengel, Lars, 237
- Benini, Marco, 75, 4341
- Benischke, Florian, 3482
- Benito Eberhard, Patrick, 4087
- Bennett, Frank, 826, 836, 1352, 3072,
4027
- Bennieston, Andrew J., 2698
- Bercher, Pascal, 102, 3981
- Berdnikov, Alexander, 3081, 3559, 4287,
5973
- Berg, Benjamin, 4870, 5576
- Berger, Jens, 2571, 2803
- Bergmann, Ronny, 3459
- Berkemeier, Felix, 516
- Berndt, Ronny, 5697
- Bernecky, Robert, 5924
- Bernstein, Dan, 2729
- Berry, Daniel, 3554
- Berry, Karl, 1578, 1588, 1753, 1758,
1766, 2012, 2102, 2241, 2479, 2581,
2644, 2653, 2957, 2984, 3348, 3600,
3657, 5369, 5407, 5411, 5737, 5738,
6123
- Bersch, Christoph, 4451, 4470
- Bertolazzi, Enrico, 1606, 1608, 1611,
1617, 1619, 1620
- Bertucci, Matthew, 2835
- Bespalov, Yurii, 5251
- Besson, Morgan, 861
- Beyene, Berhanu, 1814
- Beyer, Martin, 3990
- Bezos López, Javier, 29, 223, 337–339,
344, 345, 348–351, 353, 359, 360,
362–366, 368–370, 373, 374,
376–378, 381–383, 385–387,
389–391, 393, 394, 396, 917, 1107,
1511, 1734, 1760, 1793, 2034, 2096,
2282, 2299, 2406, 2578, 3284, 3504,
5077, 5192, 5328, 5404, 5611, 5616,
5619, 5620
- Bhikkhu, Gambhīro, 6011
- Biccari, Francesco, 2368, 4793, 5856
- Bideault, Patrick, 1087
- bidi-tex GitHub Organisation, 227,
665–671, 1243, 1911, 2170, 2180,
2276, 2648, 3048–3050, 3179, 3275,
3698, 4068, 4074, 4738, 4951, 4992,
5195, 5687, 5850, 6103, 6104, 6108,
6138
- Bień, Janusz Stanisław, 3956
- Bigelow, Charles, 3343
- Bilger, Matthias, 307, 2881
- Billauer, Eli, 2508
- Billawala, Nazeen N. (Neenie), 4050,
4051
- Bilotta, Giuseppe, 111, 3210, 5028
- Biniok, Matthias, 5699
- Birrell, Andrew, 4514
- Bischof, Christian H., 6080
- Bischoff, Dominik, 2893
- Bitouzé, Denis, 1435, 2309, 2420, 3930,
6205
- Bitstream, 912
- Bitzl, Marcus, 2390
- Blackmore, Brian, 2436, 2437
- Blair, Charles, 947
- Blanco, Max, 5075
- Blazek, Robert, 4237
- Bleser, Joachim, 416, 421, 4223
- Bless, Christof, 4830
- Bless, Roland, 4378
- Blochwitz, Stefan, 4222
- Block, Dimitri, 4018
- Bloemen, Phons, 839
- Bloesch, Anthony, 5708
- Blok, Rik, 439
- Blum, William, 4521
- Blumensath, Achim, 188, 3609, 3648
- Blumenthal, Uri, 2860
- Bock, Camden, 3372
- Bock, Roberto, 2688

- Bode, Hans-Hermann, 25, 4211
 Bodenheimer, Bobby, 3959
 Bodo, Zalan, 3818
 Boegeholz, Harald, 1711
 Boggio-Togna, Gianfranco, 235, 3549, 5314
 Bogue, Thomas, 4748
 Bolek, Piotr, 3693
 Bone, David, 1290, 6199
 Bontus, Claas, 713
 BOP, 1068, 1577, 1761, 3619, 4161, 4383, 5377, 5689
 Borceux, François, 748
 Borck-Elsner, Matthias, 890, 3479, 3902, 5438
 Borde, Arvind, 3714, 5305
 Border, Kim C, 1639, 2065, 2821, 5987
 Bos, Victor, 3707, 4395
 Bosau, Klaus, 4364
 Bose, Inesh, 4979
 Boshnakov, Georgi, 345, 525
 Bosisio, Francesco, 28, 749, 1403, 1743, 1849, 2355, 3436, 4601, 5037
 Bosk, Daniel, 1458
 Bossert, Lukas C., 232, 573, 595, 612, 624, 1528, 2540, 2638
 Botoeva, Elena, 5587
 Bou, Salim, 450
 Bouajjaj, Jamal, 851
 Bourguet, Jean-Marc, 693
 Bourke, Chris, 1133
 Bourke, Timothy, 919
 Bouzigues, Adrien, 2408
 Bovani, Michel, 2141, 5297
 Bowern, Claire, 419
 Bowman, John, 285
 Boyer, Marc, 4131
 Boyland, John Tang, 40
 Braams, Johannes L., 5, 126, 337, 338, 340, 345, 348–351, 353, 358–360, 362–366, 368, 369, 373, 374, 377, 378, 381–383, 385–387, 390, 392, 394, 901, 3028, 3370, 3781, 3907, 5193, 5194, 5213
 Brabant, Jean-Louis, 1144
 Brabec, Stanislav, 3674
 Brachet, Pascal, 2841
 Bradfield, Julian, 1057, 1694
 Bradley, Seamus, 1112, 3676
 Brandt, Volker A., 291
 Brasolin, Paolo, 1128, 3537, 5175, 5670
 Braun, Felix, 134, 2801
 Braun, Ingram, 206, 571
 Braune, Klaus Dieter, 1468
 Braunegg, David, 840
 Bravo Vecorena, Aland, 5832
 Breitenlohner, Peter, 1574, 1582, 1810, 1811, 4085, 4213, 5347
 Breitner, Joachim, 1148
 Breivik, Oyvind, 558
 Bresciani, Riccardo, 734, 2403, 5204
 Bressan, Stéphane, 5446
 Brewin, Leo Christopher, 2562, 4929
 Briel, Björn, 995
 Briggs, Luke, 3821
 Bright, Bara Ouyèté, 4559
 Brill, Björn, 867
 Brister, James, 748
 Brito, Rogério, 119
 Brix, K., 3576
 Brixner, Martin, 3740
 Broadcreate, 1239
 Brodnik, Andrej, 1142, 2381, 2706, 5986
 Brodowski, Dominik, 591
 Bronger, Torsten, 701, 1905, 2340, 6214
 Broska, Leo, 765
 Brotsky, Daniel C., 4256, 6230
 Brouwer, Meron, 2488
 Brower, Donald, 3809
 Brown, Christopher, 5918
 Brown, Ken, 545
 Brown, Silas, 2974
 Brown, Terry, 2057
 Brucker, Achim D., 308, 3158, 5225
 Brueggemann-Klein, Anne, 5709
 Brunet, Charles-Antoine, 5799
 Brčić, Filip, 384
 Bu, Chenjing, 3057
 Buchert, Roman, 4107
 Buchholz, Frank, 996, 4646
 Buchmann, Ronny, 6149
 Buchsbaum, Arthur, 5746
 Buckley, Andy, 2462, 2475–2478, 3477
 Budaj, Martin, 2004

- Budge, Alexander M., 2041
 Buffet, Olivier, 2048
 Bugayenko, Yegor, 541, 1023, 1262,
 1412, 1496, 1744, 1912, 1968, 2534,
 2541, 2611, 2824, 3771, 4326, 5648,
 6208
 Burc, Mustafa, 391
 Burchard, Paul, 4091
 Burger, Wilhelm, 2426
 Burgess, Robert, 1259
 Burkhardt, Werner, 231
 Burleson, Neil, 1416
 Burnol, Jean-François, 719, 893, 1102,
 1817, 1993, 2122, 3080, 3096, 3434,
 4299, 4310, 4547, 5265, 5399, 5762,
 6138, 6141, 6235
 Burnus, Tobias, 3352
 Burt, John, 761, 763, 1651, 1716, 4293
 Burton, Terry, 4415
 Busa, Jan, 3217
 Busch, Wolf-Dieter, 1469
 Busdraghi, Fabiano, 2409, 3027
 Buss, Sam, 785
 Bustamante Argañaraz, Gustavo
 Sebastián, 3379
 Buxbaum, Engelbert, 109, 684, 1276,
 2954
 Bzyl, Wlodek, 876, 2584, 5752, 5920
 Borchers, Volker, 2037, 6222
 Böttcher, Stephan, 3119, 4933
 Böß, Tilmann, 3438
 Bui, Hồng-Phúc, 1077, 5211
 Bühmann, Andreas, 2091
 Cadiou, Aurélien, 2924
 Cagnol, John, 3705
 Caignaert, Christophe, 2878
 Cain, Alan J., 2659, 3257, 3414, 5598
 Callegari, Sergio, 1531, 1851, 2049, 4735
 Callil-Soares, Pedro, 5593
 Calvani, Massimo, 4332
 Camacho Bolaños, Juan Alberto, 5828
 Campani, Carlos, 452, 1305, 6197
 Camps, Jean-Baptiste, 587
 Cannayen, Igathinathane, 3811
 Cantor, David G., 1544
 Cao, Camuse, 6157
 Cappelletti, Luca, 67, 3045
 Caprio, Mark, 2705, 5221
 Carleos Arttime, Carlos Enrique, 3219
 Carlisle, David, 98, 323, 703, 711, 725,
 840, 842, 848, 869, 906, 918, 1094,
 1109, 1120, 1219, 1314, 1407, 1427,
 1512, 1562, 1687, 1719, 1732, 1759,
 1811, 2022, 2025, 2068, 2149, 2245,
 2356, 2359, 2362, 2387, 2388, 2494,
 2628, 2656, 2836, 2953, 3187, 3201,
 3244, 3253, 3319, 3321, 3322, 3348,
 3395, 3457, 3466, 3600, 3682, 3761,
 3831, 3882, 3955, 3965, 3972, 4138,
 4232, 4235, 4256, 4391, 4397, 4403,
 4405, 4677, 4810, 4876, 4912, 4957,
 5013, 5200, 5285, 5286, 5457, 5462,
 5597, 5668, 5711, 5767, 5773, 5775,
 5791, 5794, 5957, 5988, 6033, 6133,
 6134, 6146, 6155, 6170, 6172, 6179
 Carmona, Francesc, 2578
 Carriba, Manuel, 2599
 Casaburi, Johannes, 3282
 Casares, Ramón, 3545
 Cashner, Andrew A., 3742, 3949, 4890
 Cassart, Rudy, 3650
 Casteleyn, Jean Pierre, 5982, 5984
 Castle, Ian, 2741
 CatInCosmicSpace, 717
 Cawood, Justin, 4329, 4983
 Cepl, Matej, 3406
 Cereda, Paulo Roberto Massa, 230, 916,
 4972, 5443
 Cerf, Raphael, 6114
 Cermelj, Primož, 4393
 Cervellino, Antonio, 2753
 Cevolani, Gustavo, 3197
 Chafaï, Djalil, 1671, 4097
 Chambert-Loir, Antoine, 5030
 Chan, Shih-Ping, 5389
 Chang, Theodore, 5178
 Chang, Winston, 2999, 3001, 3002
 Changcheng Student Network, 778
 Chao, Conden, 1048, 3433
 Charette, François, 227, 543, 549, 4303
 Charpentier, Jean-Côme, 1472, 4450,
 4627, 4908, 6150
 Chase, Brian, 6041
 Chatham, Hood, 3181, 5095

- Chavan, Bhagyashree, 1916
 Cheang, Miles Min Yin, 3174
 Checkoway, Stephen, 1850
 Chen, Dennis, 2613, 3357, 4047, 4837
 Chen, Hung-Yih, 960
 Chen, Liang-Ting, 3904
 Chen, Pehong, 3388, 3389
 Chen, Raymond, 4991
 Chen, Rong, 3404
 Chen, Yuanhao, 2814, 5667
 Chen, Zhichu, 1178, 1294
 Cheng, Xu, 2549
 Cheong, Otfried, 2570
 Cherem, Youssef, 14, 756, 6209
 Chernoff, Max, 1900, 3270
 Chernyaev, Evgeni, 6193
 Chervet, Florent, 744, 865, 1696, 1735, 1813, 1950, 2690, 2830, 3118, 3167, 3252, 3762, 4071, 5276
 Chetan Shirore and Ajit Kumar, 3280, 3281, 3296, 3299, 3302, 3304, 3308, 3314, 3329
 Cheusov, Aleksey, 3255
 Chiang, David, 3774, 4483, 5557
 Chicoine, Martin, 2354
 Chiesa, Flavio Casadei Della, 4392
 Chikrii, Kirill A, 5384, 6057
 Chlebíková, Jana, 385
 Cho, In-Sung, 2728, 3211, 5782
 Cho, Jin-Hwan, 1571, 1582, 1583
 Cholewo, Tomasz J., 1566
 Chopde, Avinash, 2733
 Chou, Yukai, 1294, 5500
 Christlieb, Norbert, 4575
 Christoph, 597
 Chupin, Maxime, 445, 492, 2543, 3300, 3422, 3688, 3689, 3694, 3699, 6058
 Churchley, Ross, 459
 Cipolone, Stephen, 4964
 Ciura, Marcin, 2449
 Clark, Adrian, 1353, 2427, 5812
 Clark, James, 93, 1594
 Clark, Malcolm, 5418
 Clarkson, Michael E., 3012
 Clasen, Kai Norman, 482
 Clasen, Matthias, 5349
 Clausen, Jörn, 1843
 Clawson, James, 604
 Clemente, Miguel R., 1465, 1599
 Clifton, Andrew, 30
 Cloos Jr., James H., 2181
 CloudCauldron, 1473
 Clube, Kim, 3646
 Coates, Tony, 2194
 Cochran, Steven Douglas, 841, 4920, 5195, 5197, 5317, 5906
 Cochrane, Evan, 3276
 Codet, Yves, 2373, 4786
 Codogno, Maurizio, 366
 Cohen, Ben, 1298
 Cohen, Michael, 3724
 Colburn, Jerome, 5034
 Colcombet, Thomas, 2853, 3436
 Coleman, Jack, 189, 1638
 Coles, Arlie, 680, 732
 Colin, Samuel, 3208
 Colisson, Léo, 4364, 4720, 6261
 Collins, John, 335, 1806, 3013, 3016, 3995
 Collins, Skip, 102
 Columbus, Tobias, 4896
 Connan, Guillaume, 5269
 Conrad, Theresia, 1275
 Cons, Lionel, 5411
 Contini, Francesco, 565
 Coretta, Stefano, 4209
 Corff, Oliver, 1027, 1296, 1450, 2700, 3213, 3404, 3649, 3671, 3756, 4235, 5084, 6218
 Coriasco, Sandro, 333
 Corke, Peter, 4556, 5622
 Cormen, Thomas H., 1031, 1032
 Cornaros, Charalampos, 810, 2382
 Cornelssen, Christian, 3681
 Corsair, Chris, 1183
 Corsini, Benoît, 5020
 Cosell, Bernie, 438, 5022
 Costabel, Martin, 5114
 Cottrell, Allin, 1710
 Coulon, Jean-Pierre, 3746
 Counsell, Tom, 1280
 Cousot, Patrick, 2203
 Covington, Michael, 1235, 5889
 Cowan, Mark K., 3817

- Cowan, Ray F., 5267
 Cozens, Simon, 5397
 Cremer, Fritz, 5391
 Cretel, Julien, 3472, 4832, 6090
 Creutzig, Christopher, 1173, 3756
 Crosby, Damian, 3594
 Cserép, Máté, 1691, 1692
 Cubitt, Toby, 1019
 Cugley, Damian, 1625, 3401, 3560, 4102
 Czarkowski, Tomasz M., 2601
 Czoschke, Peter, 3785, 5810
 Cérin, Christophe, 1110
 Dabelow, Jonas L., 5120
 Dachian, Serguei, 239, 828
 Daems, Walter, 449, 1894, 2822, 5096, 5786, 5961
 Dafferner, Andreas, 3069
 Dahlgren, Mats, 34, 940, 1428, 1545, 2052, 6000
 Dahlmann, Carsten Ace, 5846, 5847
 Dalalyan, Arnak, 239
 Dales, Simon, 3272
 Daly, Patrick W., 99, 306, 409, 543, 1310, 1984, 2183, 3782, 4333, 5200, 5699
 Dam, Nico, 1455
 Damanafshan, Vahid, 4530, 5272, 6207
 Dambra, Ruggero, 6062
 Damerell, R M, 1262
 Damrau, Jackie, 61
 Danaux, Xavier, 2085, 3651
 Daneault, Émile, 4221
 Daniel, Marco, 611, 2184, 3055, 3209, 3488
 Danjean, Vincent, 2971
 Dao, Valentin, 2020, 2696, 4592, 6153
 Darley, Vince, 3356
 Darrell, Trevor, 4388
 Das, Abhijit, 512
 Das, Dinesh, 5924
 DasSarma, Lin, 5822
 Datta, Agni, 1277
 David Wedekind, Paul Kantiem, Wolf Müller, 1747
 Davidson, Alan, 3171
 Davies, Jim, 6236
 Davis, Michael C., 4740
 Davis, Neal E., 3419, 3913
 Davó, David, 2014
 de Anda Suárez, Juan, 4922
 de Arriba, Jose Luis Diaz, 2299
 de Bari, Onofrio, 164
 de Beaudrap, Niel, 3659
 de Boer, Ingo H., 6045, 6056
 de Bogotá, Santafé, 4029
 De Donato, Paolo, 3229, 4689, 5186
 de Dood, Michiel, 3130
 de Falco, Marc, 5541
 de Jonge, J. H. M., 1942
 de la Barrera, Sergio C., 4214
 de Rezende, Pedro J., 4531
 De Rizzo Meneghetti, Douglas, 1955
 de Saint-Pern, Yves, 1543
 De Sousa, Philippe, 5520, 5610
 de Souza Bastos, Fernando, 1985
 de Souza, Paulo Ney, 2988
 de Wijn, Harold, 1836, 2085
 Debets, Renate, 1823
 DeCorte, Michael, 4687
 Degenhardt, David, 2967
 Deisenroth, Ruben, 1337
 Deitsch, Sergiu, 4649
 Dekker, Wybo H., 1286, 1555, 2718, 3246, 3339, 3426, 3623, 3627, 4365, 4377, 5428, 5998
 del Rio, Jairo A., 1180, 1181
 Delgosha, Farshid, 4407, 4486
 Delmotte, Alain, 4172, 4491
 DeMarco, M.C., 4923
 Deneault, Ethan, 4814
 Denenberg, Larry, 2734
 Deng, Dongsheng, 1680–1682
 Denisov, Alex A., 2941
 Denk, Georg, 1799
 Deorowicz, Sebastian, 3047
 Deparis, Étienne, 332, 1907
 Derler, David, 3653
 Derrazi, Youssef, 3498
 Dershowitz, Nachum, 4630
 Derzhanski, Ivan A., 861, 1663, 5325
 Desai, Sadaf, 1916
 Desef, Benjamin, 6224
 Deselaers, Thomas, 461
 DeSouza, Og, 515, 686

- Deutsch, L. Peter, 2277
 Deutscher, Stefan A., 2261, 2784
 deyAvemta, Stayka, 2195
 Dhawan, Amit Raj, 2083, 2084
 Dhumuntarao, Aditya, 3890
 Di Cosmo, Roberto, 625
 Di Pietro, Anthony, 5927–5930
 Diamantini, Maurice, 4503
 Diamond, Jim, 6162
 Dian, Yin, 6246
 Dias, Carlos Cardoso, 3868
 Diepen, Guido, 2432
 Dierker, Andre, 1944
 Dierl, Simon, 2702
 Dietrich, Christian, 329, 1342
 Dietrich, Olaf, 4925
 Dietze, Martin “Herbert”, 2987
 Diez, Ulrich, 2915, 5956
 Dimakos, Ioannis, 2380
 Dimitriadis, Alexis, 1546, 2218, 4583
 Dimou, Anastastios, 136
 Ding, Zongping, 910
 Dionne, Xavier, 5945
 Dippell, Marvin, 3808
 Dirr, Ulrich, 513, 5001
 Ditzel, Maarten, 1987
 Doerr, Hans-Peter, 1868
 Dohse, Max, 5537
 Doll, Mark, 5398
 Domanov, Oleg, 592
 Domenjoud, Eric, 2117, 2486
 Domingo, Augustin Martin, 2148
 Dominici, Massimiliano, 1533, 4070
 Dominik, Carsten, 4389
 Donald, Bruce, 3855
 Dongdong, Lin, 6189
 Doob, Michael, 2243
 Dorj, Dorjpalam, 3213
 Dorner, Fernando, 2992, 3239
 Doron, Eyal, 542
 Dossena, Riccardo, 3958, 5962
 Downes, Michael J., 170, 242, 243, 768,
 1053, 1453, 2047, 3464, 4084, 4952,
 5031, 6059
 Doyle, Mark, 4701–4703, 5162
 Dragone, Mario, 6149
 Drake, Dan, 4783
 Drakos, Nikos, 2988
 Drechsler, Patrick, 4474
 Dreher, Simon, 2649
 Dreuw, Philippe, 461
 Drews, Aaron, 4162
 Dreyer, Alexander, 3776
 Droms, Ralph, 5764
 Drucbert, Jean-Pierre, 742, 1889, 1958,
 3548, 3612, 4667, 4948, 5258, 5690,
 5693, 5694, 5699, 5701, 6170
 Dryllerakis, K J, 2823
 Du, Sicheng, 2345, 3478
 Duan, Charles, 4629, 5231
 Duchi, Claudio, 1378, 1379
 Duchier, Denys, 679, 4878
 Dudebout, Nicolas, 3473
 Duggan, Angus, 1572, 3682, 4096, 4228,
 4398, 4523, 5997
 Dujardin, Julien, 831
 Dumas, Patrice, 5411
 Dumont, Bastien, 1255
 Dungs, Kevin, 2101
 Dunn, Brian, 1498, 1553, 2831, 2920,
 3344, 3536, 5652, 5964
 Dupuis, Jean-François, 728
 Dupuis, Pierre, 112
 Dupuis, Étienne, 2633
 Dussa, Tobias, 4055, 5232
 Dziedzic, Łukasz, 3026
 Díaz Bordón, Henry, 4696
 Döhring, B. Michel, 3985
 Dörntge, Rainer, 3364
 Dübendorfer, Marco, 2349
 D’Amico, Rosalie, 3380
 Eastin, Bryan, 4570
 Ebermann, Paul, 1349, 1878, 1898, 1913,
 2325, 3610, 3876, 4088, 4623, 4721
 Ebinger, Carl-Clemens, 113, 234, 259,
 853, 2406, 2504, 2686, 3367, 3928,
 4005, 4269
 Eckermann, Matthias, 4062
 Eckl, Martin, 5454
 Edelman, Pieter, 685
 Efford, Nick, 255, 5947
 Egan, , 3986
 Egger, Willi, 1154, 1158, 1170, 1175
 Eglen, Stephen, 1443

- Egler, Andreas, 3746, 3747
 Ehmsen, Martin R., 4562
 Ehrenfeld, Wilfried, 2734
 Eijkhout, Victor, 266, 885, 1124, 1252,
 1404, 1666, 3179, 3682, 3907, 4017,
 4680, 4761, 5392
 Ejiri, Haruki, 2610, 2760
 Ekola, Tommy, 1046
 El Morabity, Mohamed, 838, 1117, 1542,
 3026, 3984
 Eldering, Jaap, 916, 4107
 Elkind, Landon D. C., 4342
 Ellis, Joshua, 4984, 5538
 Ellison, Chris, 4320
 Ellison, T Mark, 3870
 Elmegaard, Brian, 3878
 Els, Daniel, 401, 740, 3474, 4666, 4994,
 5153, 5155
 Elstner, Jens, 5111, 6113
 Elwell, Clayton M., 93
 Emmel, Thomas, 2619, 5519
 Enderle, Tobias, 4560
 Enderling, Tim, 1820
 Endisch, Denis, 5878
 Engdahl, Erik, 5227
 Engebretsen, Lars, 78, 5227
 Engel, Christian, 5681
 Engelen, Johan B. C., 5220
 Engler, Martin, 2011
 Ensenbach, Marc, 2894
 Entenmann, Walter, 4824
 Eppstein, David, 1755, 5707
 Erhardt, Stefan, 987
 Erickson, Jeff, 560, 645
 Eriksen, Mikkel Eide, 2231, 3879, 5849
 Erlebacher, Beverly, 5411
 Esau, Nathan, 5787
 Esbati, Arash, 185, 960, 4730
 Esken, Thomas, 1573
 Espinoza, Mario Saenz, 1962
 Esser, Thomas, 197, 1766, 5343, 5401
 Esser-Skala, Wolfgang, 1238, 4176, 4180
 Ettrich, Matthias, 3351
 Evans, Dafydd, 3735
 Ewasiuk, Kale, 62, 323, 3316, 3340,
 4150, 4151, 6202
 Eßer, Hans-Georg, 3005
 Fachschaftsrat Mathematik/Informatik
 Uni Halle, 3639
 Fafejta, Ondřej, 4290
 Fairbairns, Robin, 725, 840, 842, 906,
 918, 1219, 1234, 1562, 1719, 2025,
 2068, 2118, 3457, 3682, 3831, 3903,
 3955, 3965, 3972, 4075, 4732, 4853,
 4876, 4912, 5200, 5405, 5462, 5597,
 5668, 5737, 5957, 5988
 Fairman, Randall, 1988
 Faist, Philippe, 4192–4200
 Faltin, Felix, 2703
 Fan, James, 4918
 Fantini, Mario, 2726
 Farar, Pavel, 1424, 2241, 4064, 4535,
 4536
 Farley, Nathanael, 2417
 Farnbach, Rick, 3819
 Farrugia, Paulseph-John, 3400
 Fasada, , 3348
 Fastenrath, Ulrich, 4662
 Faulhammer, Christian, 1336
 Fauske, Kjell Magne, 1509, 1510
 Faßbender, Patrik, 1275
 Fear, Simon, 740
 Fedor, Adam, 3361
 Fehd, Ronald J., 5210
 Feickert, Aaron, 3810
 Feiglin, Ari, 4142
 Felty, Robert, 5826
 Fenn, Jürgen, 2895, 5320, 6061
 Fennell, James, 5182
 Ferguson, George, 1076
 Ferguson, Michael J., 2679, 3638
 Fernandes, Diogo A. B., 26
 Fernandez, Jose Ra Portillo, 5087
 Fernández Galván, Ignacio, 5326
 Fernández, José Alberto, 660
 Ferrante, Luca, 164
 Ferreira, Henrique Cezar, 5831
 Ferro, Anthony, 647
 Feuerstack, Thomas, 4373
 Feuersänger, Christian, 4123, 4165,
 4186, 4188
 Fiandrino, Claudio, 197, 455, 1598,
 1726, 2489, 4779, 5025
 Field, Laurie, 3074

- Fields, Joe, 1982
 Filby, Vincent, 1256
 Filipović, Zoran T., 1773, 2037, 2452, 4903–4907, 5118, 5119
 Filippou, Dimitrios, 1684, 2243, 2374, 2380, 2580
 Fine, Jonathan, 4015, 5384
 Fine, Michael, 901, 5288
 Fink, Johannes K., 1220, 1221, 5279
 Fink, Werner, 727
 Finnberg, Torsten, 144
 Finnerty, Justin, 938
 Finney, Michael Lee, 3175
 Finston, Laurence, 5505
 Fiorio, Christophe, 117
 Firth, David, 4119
 Fischer, Arnd, 2884
 Fischer, Jörg, 3812
 Fischer, Susanne, 5696
 Fischer, Ulrike, 500, 945, 946, 994, 1116, 1730, 2100, 3306, 3691, 3830, 4697, 5291, 6178
 Flammia, Steven, 4570
 Flatau, Piotr J., 2745
 Flaxman, Seth, 4016
 Fleiner, Christian, 2077
 Fleischhacker, Nils, 5584
 Flipo, Daniel, 354, 1141, 1172, 1787, 1831, 2170, 2562, 2879, 3057, 3067, 3264, 3337, 5287, 6083, 6213
 Floros, Matt, 4522
 Floré, Matthias, 772, 3107, 4307, 6032
 Flynn, Peter, 506, 739, 1014, 1417, 1827, 2107, 2952, 2982, 3376, 5235
 Flück, Dominic, 5720
 Fogg, Josh, 472, 1652
 Fogiel, Udi, 360, 1299, 2456, 3275, 3289, 3297, 5848
 Fojtík, Jaroslav, 6066
 Fokkinga, Maarten, 823
 Folini, Christian, 2401
 Folkertsma, Geert, 728
 Forkosh, John, 260, 3465, 3595, 5419, 5441
 Forrest, David, 2788
 Fortune, James, 138, 3923
 Fortuny, Pedro, 5381
 Fox, Jim, 1071, 1523, 2013, 5932
 Fradin, Patrick, 4504
 Frambach, Erik, 166, 2143, 2144
 Frampton, John, 1880, 4413, 4452
 Frane Jr, Peter, 1596, 3238, 4008, 5254, 6055
 Frank, Ben, 2890
 Frank, Sascha, 3520
 Franke, Axel, 4781
 Franklin, Charles, 1418
 Franz, Matthias, 1582
 Franz, Melchior, 1251, 1836
 Franzen, Steven, 968
 Frasson, Miguel Vinícius Santini, 894, 3371, 3916, 3996, 4035, 4063, 4579, 5596
 Frederiks, L. L., 532
 Free Software Foundation, 5414, 5416
 Freeman, T. Graham, 305
 Freléchoz, Xavier, 3020
 Fresacher, Matthias, 4286
 Freyre-Gonzalez, Julio A., 5830
 Fricke, Olaf, 6184
 Friedl, Sebastian, 1373, 1919, 2424, 3294, 3518, 4129, 5332, 5468
 Friedlander, Peter, 1285
 Friedman, Noah, 5410
 Friedrich, Josef, 1029, 1938, 3193, 3288, 3320, 3872
 Friendly, Michael, 5381, 5397, 5447
 Fries, Alexander, 2171
 Frigeri, Alceu, 96, 1080, 1434, 4178, 4247, 5140, 5230, 5570, 5572, 5575, 5588, 5589, 5662, 5663, 5804, 6164, 6180
 Fritzsche, Bernd, 4662
 Fruchart, Michel, 5552
 Fuchs, David R., 3075, 3569
 Fuchs, Fabian, 453
 Fudrow, John, 4240
 Fuhlbrück, Frank, 1874
 Fujita, Shinsaku, 6195
 Fujun, Shi, 5803
 Furnanz, Paul, 3819
 Furue, Ryo, 2746
 Furuta, Richard, 5015
 Fussner, David, 581

- Fuster, Robert, 824, 863, 6166, 6237
 Fyodorov, Vyacheslav, 1797
 Förster, Eric, 5417
 Förster, Patrick, 5417
 Fütterer, Michael, 1204, 5585
 Gaborit, Paul, 451, 2711, 3942, 4787
 Gagnon, Francis, 2298
 Gaito, Stephen, 1978
 Gajdosik, Libor, 1693
 Gall, Diane, 1231, 1232, 6221
 Galland, Stéphane, 317, 534, 978, 5102, 5887, 5916
 GAMM Juniors, 2206
 Gamvetas, Ioannis, 4202
 Gandy, Dave, 2085
 Ganguly, Soumendra, 2168
 Gankevich, Ivan, 484
 Garavelli, John, 6036
 Garcia-De Castro, Federico, 1097, 3980, 4240, 5198, 5433, 5435, 5657
 García Matarredona, Alejandro, 2932
 Gardner, David, 4743
 Garg, Saurabh, 5099
 Garling, Ben, 3162
 Gastin, Paul, 2213
 Gau, Syu, 4877
 Gaulle, Bernard, 1602, 1719, 2164, 2167, 2600, 3708, 4313
 Ge, Yikai, 102
 Geng, Nan, 959, 984, 1079, 2436, 2776, 3929, 4080, 5189, 5336
 Georgakopoulos, Dimitrios, 5809
 Gerdes, Peter M., 4650
 Gerell, Johann, 2503
 Gerhardt, Claus, 4666
 Gesang, Philipp, 1159, 1176, 1184, 1727, 3295, 3303, 3306, 3322
 Gessinger, Ilona, 5691
 Gessler, Paul D., 263, 3717
 Geuzaine, Christophe, 1470
 Gheorghies, Ovidiu, 3547
 Gherzi, Andrea, 3759
 Ghibo, Giuseppe, 3641
 Giacomelli, Roberto, 422, 823
 Giannetti, Romano, 983, 987, 6144
 Giannotti, Ruben, 1961, 3031, 5151
 Giauffret, Thibault, 5553
 Gibbons, Jeremy, 1451, 5166
 Giese, Martin, 4166, 4417, 4487
 Giesecking, Martin, 1591
 Gil Pons, Reynaldo, 3707
 Gil, Yossi, 58, 424, 5863
 Gilbey, Julian, 1297, 2918, 4638, 4962
 Gildea, Daniel, 657, 2988, 4483, 5789, 5797
 Gildea, Stephen, 2249, 2454, 5835
 Gilg, Jürgen, 1200, 4429, 4460, 4461, 4465
 Gill, Richard, 4351
 Gillespie, Dave, 712
 Gilmore, Stephen, 2984
 Ginsparg, Paul, 2447
 Giraud, Pierre-Amiel, 5008
 Giromini, Raphaël, 817
 Girou, Denis, 1931, 4231, 4435, 4439, 4443, 4447, 4455, 4457, 4458, 4468, 4481, 4500, 4517, 4894
 Gjelstad, Ellef, 5823
 Glazkov, Dmitry A., 4928, 5683
 Gleason, Jonathan, 1782
 Glenn, Paulley, 951, 953
 Glenstrup, Arne John, 4889
 Gliboff, Sander, 593
 Glonti, Nana, 1050, 2297, 4870
 Glunz, Dr. Wolfgang, 4512
 Glötzl, Dieter, 6154
 Goatley, Hunter, 2730, 3834, 4600
 Gobbo, Federico, 75
 Gobry, Frédéric, 4556
 Godby, Kevin, 2441, 5736
 Goel, Anil, 1989, 3230
 Goel, Deepak, 328
 Goepp, Vivien, 477
 Goertz, Ralf, 4570
 Gogolin, Christian, 4588
 Goldasz, Janusz, 3214
 Goldberg, Jacques, 4657
 Goldberg, Jeffrey, 1715, 2940
 Goldgaber, Sergey, 5515
 Goldschmitt, Ulrich, 5819
 Goldstein, Kevin, 2003
 Gollwitzer, Christian, 304, 4935
 Gombin, Joël, 1907
 Gomes de Santana, Adriano, 176

- Gomes, Hugo, 4170, 4173
 Gonzato, Guido, 2993–2995
 Gonzáles, Luis, 2687
 González Luengo, Pablo, 1733, 3248, 4510, 4834
 Gonçalves, Luís Nobre, 1954
 Goodman, Donald P., 426, 868, 1030, 1093, 1521, 1540, 3152, 3198, 3663, 4033, 4295, 4739, 4935, 5395, 6107, 6201
 Goossens, Michel, 1332, 3641, 5129, 5641, 6024
 Gorman, Kyle, 4988
 Gosmann, Jan, 5548
 Gossen, Gerhard, 653
 Goualard, Frederic, 4370
 Goudham, 870
 Gouez, Geoffrey, 1316
 Gough, Graham, 3751
 Goulet, Vincent, 54, 55, 1004, 2133, 2154, 5817, 5820
 Goutelle, Mathieu, 742, 4326
 Govindaraj, T., 4048
 Graham, Colin C., 1430
 Grahn, Alexander, 46, 177, 2033, 3498, 3499, 3687, 3943, 4312, 4469, 6174
 Granade, Christopher, 4581, 4700
 Granet, Elijah Z, 73, 1202, 3277, 3312, 5233, 5459, 5688, 5811
 Granger, Brad, 4652
 Granja, Silvio Cesar Garcia, 3002
 Grant, Jo, 989, 1300, 4764
 Grant, Michael, 4391
 Granzer, Andreas, 2992, 3239
 Graversen, Kasper B., 3168, 4360
 Gray, Cameron, 412, 413
 Gray, Corey, 4964
 Gray, Norman, 559, 1568, 1857, 1964, 4323, 4958, 5467, 5898, 5968
 Green, Ian, 4656
 Green, J.J., 528, 1925, 1970, 3250
 Greenberg, Harvey, 4989
 Greene, Andrew, 428, 2680
 Greening, Daniel R., 4206
 Greenwade, George, 650, 775, 1400, 1736, 1861, 2539, 2712, 2967, 2968, 2984, 3418, 4960, 5504
 Gregorio, Enrico, 12, 916, 1967, 2023, 2173, 2328, 2583, 2641, 2732, 2815, 3839, 4668, 5152, 5906, 6084, 6161, 6165
 Grewe, Richard, 268, 2404, 2838, 2870, 3734, 4706, 5770
 Griffin, Ivan, 5818
 Griffith, David, 3834
 Griffiths, Hugh, 2851
 Griffiths, Thomas M, 5881
 Grigorov, Viktor, 1445
 Grimm, Robert, 1702
 Grineva, Olga, 4287
 Grobgeld, Dov, 2647
 Gross, Jason, 3166
 Gross, Sebastian, 2061
 Gross, Sébastien, 5218, 5535, 5554
 Grossniklaus, Bruno, 539
 Grothmann, Rene, 915
 Grove, Henrik Christian, 5011
 Grover, Rohit, 4537
 Große, Johannes, 2624
 Gruber, Maximilian, 2290
 Grundlingh, Werner, 20
 Grunwald, Dirk, 5443
 Grätzer, George, 2014, 2370, 3427, 3589, 4328
 Guenther, Dean, 5455, 6074
 Guerquin-Kern, Matthieu, 3673
 Guillaumin, Matthieu, 3613
 GuIT (Gruppo Utilizzatori Italiani di TeX), 3210
 Gulbrandsen, Martin G., 2293
 Gulczynski, Michal, 812, 2679
 Gumbakis, Eimantas, 1671
 Gundlach, Patrick, 1171, 1439, 3089, 3209, 3256, 3269, 4705, 4955
 Guntermann, Klaus, 4325, 5523
 Guo, Lijun, 1859, 3149, 3366
 Gupta, Pallav, 650
 Gurari, Eitan M., 1534, 4372, 5386, 5445, 6065
 gusbrs, 4319, 6254–6256
 Gussmann, Richard, 1468
 Gustafson, Grant, 2918
 Gustavsson, David, 1348
 Guthöhrlein, Eckhart, 2062, 4637

- Guéhéneuc, Yann-Gaël, 554
 Gács, Péter, 1411
 Gärtner, Felix, 997
 Gäßlein, Hubert, 3039, 4224, 4475, 4965
 Göbel, Jürgen, 4800
 Görlach, Tobias, 2522
 Göttliger, Merlin, 600
 Götz, Thomas, 264
 Günay, Cengiz, 5398, 5400
 Haager, Wilhelm, 6064
 Haas, Roswitha, 941
 Haberstumpf, Bernd, 1643
 Habets, Martin, 989
 Habicht, Jasper, 2792, 3056, 4741
 Hackl, Jürgen, 5138, 5549
 Hafner, James, 2080
 Hafner, Thomas, 1098, 1933
 Hagen, Hans, 1149, 1167, 3303, 3703, 4138, 4323
 Hagen, Karl, 3728
 Hahn, Marco, 5375
 Hailperin, Max, 906, 3727
 Hairer, Martin, 3575
 Haisman, Václav, 1279, 4789, 5912
 Hajer, Jan, 2462–2465, 2467–2469, 2471–2474
 Hajime, Kobayashi, 5723
 Hajtmar, Jaroslav, 1168
 Halder, Ashadul, 1924
 Halilčević, Samir, 343
 Hall, Steven, 4011
 Halvorsen, Einar, 5330
 Halvorson, Peter, 4016
 Hameed, Faris, 1939, 5187
 Hamel, Benoit, 2251, 2457
 Hamid, Idris Samawi, 129, 3902
 Hamilton Kelly, Brian, 1261, 1593, 2826, 3725
 Hamlen, Kevin W., 5073
 Hammer, Michael E., 1972
 Hammerlindl, Andy, 285
 Hammond, Karl D., 5490, 5971
 Hammond, William F., 2227
 Hanisch, Falk, 3875, 5217, 5734
 Hanke, Thomas, 2429
 Hankerson, Darrel, 146, 4036
 Hannemyr, Gisle, 2893
 Hansen, Mogens Lemvig, 1208, 1655, 3179, 4946, 5758
 Hansen, Thorsten, 660, 3723
 Hansen-Doerr, Arne Claus, 2206
 Hanson, Kenneth M, 5101
 Hantelmann, Fred, 2323, 2605
 Happel, Patrick, 3132, 5868
 Har-Peled, Sarel, 2043
 Haralambous, Yannis, 654, 1334, 2340, 3724, 3968, 4086, 6204, 6214–6218, 6220, 6227
 Harcke, Leif, 4100
 Harcombe, Keiran, 301, 878, 1049, 1061, 1399, 1457, 1631, 1833, 1844, 2030, 2236, 2557, 2593, 3063, 3332, 3343, 4399–4401, 5402, 5646, 5884, 5899, 5900, 5902, 5903, 6008, 6016
 Hard, Ben E., 597
 Harder, Sven, 1199, 6092
 Harders, Harald, 395, 527, 1191, 2066, 2253, 2283, 2490, 2495, 2717, 2827, 3009, 3051, 3377, 3591, 3789, 3926, 3975, 4344, 4680, 5012, 5199, 5203, 5725, 5780, 6014, 6223
 Hardy, Lucien, 1561
 Harendal, Hirwen, 514, 3103, 5950
 Hargreaves, Kathryn A., 2644
 Harin, Alexander, 1051, 1052
 Harker, Stephen, 63
 Harrer, Simon, 3527
 Harris, Erica, 4912
 Harris, Gail E., 5337
 Harrod, Steven, 539
 Hars, Florian, 3816
 Hart, William, 2443
 Hartke, Stephen, 236, 2158
 Hartmann, Richard, 3988
 Hartmann, Timo, 2042
 Hasan, Adib, 2997
 Haslhofer, Bernhard, 468
 Hassel, Frank, 446
 Hassenpflug, Gernot, 2561
 Haustveit, Eirik, 2315
 Havlik, Denis, 22
 Hawryluk, Andrew, 1867
 He, Guanyuming, 3973
 Heafner, Paul J., 3402

- Heagren, Hugo, 1228
 Hebley, Matthew, 3135
 Hecking, Lars, 2333
 Hedne, PL, 770
 Hefferon, Jim, 283, 1144, 1791, 2012, 2013, 2957, 2984, 4930, 5185, 5834, 5949
 Heibl, Christoph, 758
 Heidemann, John, 3189
 Heim, Thomas, 1454, 1756
 Hein, Jeffrey, 5526
 Heindl, Lukas, 870, 4893
 Heinecke, Johannes, 229, 3757
 Heins, Oliver, 602
 Heinz, Carsten, 3137, 4157, 4306
 Heinze, David, 2881
 Heitkoetter, Joerg, 1918
 Hejda, Tomas, 962, 1778
 Helbig, Wolfgang, 5348, 5351, 5352
 Heldoorn, Marcel, 4996
 Hellgren, Timo, 1992, 3207
 Hellingman, Jeroen, 3399, 3999
 Hellman, Sten, 390
 Hellström, Lars, 2097, 4675, 4750, 5307, 6094
 Helvensteijn, Michiel, 1139, 3227, 3875, 4248, 5836, 6047
 Henderson, Doug, 1058, 1469
 Henderson, Troy L., 3702, 4297
 Hendrickson, Anders O. F., 2258, 3673, 4578, 5110
 Henel, Yvon, 178, 1018, 1526, 1724, 1725, 1890, 2896, 3660, 3881, 4067, 4985, 5313, 5819, 6200
 Henkel, Hartmut, 5677
 Henlich, Thomas, 3384, 3421, 5727
 Hennig, Matthias, 2773, 2784
 Hennig, Stephan, 755, 1423, 3481, 3695, 4895, 5097, 5466, 5944
 Hennings, Wilfried, 2992
 Henningsen, Arne, 1641
 Hensel, Martin, 3574
 Herpers, Sascha, 5661
 Herrb, Mathieu, 5491
 Herz-Fischler, Roger, 1486
 Heslin, Peter J., 1685, 2592
 Hetherington, Lee, 5256
 Hetland, Magnus Lie, 21, 4386, 5004
 Heuer, Johannes, 2912
 Heuke, Sandro, 5693
 Heyder, Frederick, 2278
 Heyl, Udo, 957, 3685
 Hicks, Stephen, 2669, 3416
 Hieber, Roland, 5944
 Hilbig, André, 519, 2278, 2285, 4822, 5243
 Hilbrich, Torsten, 440
 Hill, Jörg-Rüdiger, 920, 2753
 Hillebrand, Thomas, 2487
 Hilléreau, Mael, 132, 4942
 Himmelmann, Maurizio W., 2409
 Hinue, Christian, 5485
 Hinrichs, Adrian C., 914
 Hirata, Shunsaku, 1582, 1583
 Hirschhorn, Philip S., 160, 1855
 Hitomi, Shoma, 2520
 Hlavacek, Jan, 3442
 Ho, Eric, 207
 Hobby, John, 3541, 3700
 Hochleitner, Wolfgang, 2426
 Hoekwater, Taco, 828, 1167, 1172, 1187, 3303, 3405, 3563, 4745, 5166, 6018, 6162
 Hoenig, Alan, 1314, 1559, 2922, 3397, 3448, 3449, 4294, 5973
 Hoffman, Joel M., 3138, 5393
 Hoffmann, Jobst, 3137, 5180
 Hoffmann, Torben, 5000, 5551
 Hofmann, Michael T., 6187
 Hofmann, Tom, 183
 Hofstra, Silke, 1118, 4621, 5080–5082
 Hoftich, Michal, 596, 1291, 3117, 3265, 3330, 3331, 3374, 3952, 4692, 4881, 5385, 5389, 5860
 Hogben, Colin, 4313
 Hogeveen, Sake J., 281
 Hohti, Aarno, 209
 Holbrook, Joshua, 5784
 Holfert, Jan, 5715
 Holkar, Rohit Dilip, 2972
 Holm Christensen, Christian, 884, 4089, 5513, 5869, 6013
 Holmes, Kris, 3343
 Holmes, Rich, 190

- Holt, Alexander, 6
 Holzmann, Frédéric, 5236
 Horcas, José Miguel, 5926
 Horn, Berthold K. P., 442, 3712, 4256, 4403, 6203
 Horne, Roger, 3074
 Horny, Guillaume, 1639
 Horst, Umstatter, 378
 Horvath, Kent, 3069
 Horák, Karel, 437, 1269
 Hosek, Don, 208, 765, 1058, 1059, 1749, 2053, 2931, 3564, 3677, 4695, 5022, 5374, 5940
 Hosny, Khaled, 142, 442, 829, 1571, 1582, 1826, 2576, 3091, 3255, 3306, 4538, 5162, 5852, 6115, 6143
 Hosoda, Masamichi, 1901, 2439, 2440
 Hossain, M. Zahid, 3870
 Hossain, Nahid, 411
 Hotta, Kohsaku, 3430
 Housley, Brian, 2518
 Howard, Gary A., 5640
 Howell, Dave, 3741
 Howlett, Bob, 678
 Hu, Xuan, 4694
 Hu, Zou, 473, 1103, 2689
 Huang, Alpha, 2973
 Huang, Chua Eng, 706
 Huang, Jing, 210, 1847
 Huang, Liam, 1294, 1680, 3486, 4873, 6168
 Huang, Pin-Yen, 485, 486
 HUANG, Yuxi, 2549, 2550, 5907
 Hufthammer, Karl Ove, 3873
 Hugh, 977, 1196, 2742, 4363
 Hughes, Baden, 4114
 Hughes, Chelsea, 1867, 4069
 Hughes, Chris, 3011
 Hull, David, 536, 5810
 Humenda, Sebastian, 2293
 Hunt, Neil, 4512
 Hupfer, Christian, 278, 1074, 1257, 2797, 6078, 6086
 Hupponen, Taavi, 5418
 Hurt, James, 2749
 Hutchinson, Ian, 1986, 5729
 Hutchinson, Norm, 1591
 Huynh, Ky-Anh, 161, 1293, 1895, 2884, 3910, 4557
 Hwang, Andrew D., 1752
 Hwy, 2560
 Hypergeomancer, 3365
 Häcker, Patrick, 321, 5590
 Hòa, Thái Phú Khánh, 2159
 Höffner, Konrad, 305
 Höning, Stefan, 944, 4825
 Höns, Robin, 3866, 4633
 Höppner, Klaus, 1336
 Hörstmeier, Andreas, 5826
 Höst, Stefan, 4307
 Høgholm, Morten, 768, 1191, 1401, 1707, 2047, 3464, 3468, 3572, 3576, 6129, 6179
 Hülse, Rainer, 1879
 Ianigro, Stefano, 2323, 2605
 Ibarra, Edorta, 432, 433, 1672
 IBM Corporation, 1229, 5314
 Ibrahim, Mustafa, 5611
 Ikeda, Rirai, 5142
 Ikhlef, Razik, 493, 3815
 Ilg, Marcel, 3680
 Ilieve, Ilieve, 5463
 Ilten, Philip, 5217
 Indiveri, Giacomo, 2421
 Information-technology Promotion Agency, Japan, 2706
 Ing, 367
 Innis, Walt, 404
 Ipanaqué, Robert, 3142
 Irwin, Oliver, 2175
 Isambert, Paul, 1081, 1616, 2215, 2693, 3044, 3097, 3786, 4238, 4872, 4971, 5241, 5388, 6106, 6111, 6206
 Island of TeX, 108, 916
 Isozaki, Hideki, 1634
 Izaola, Zunbeltz, 1358
 Jabri, Youssef, 219
 Jacke, Björn, 4715
 Jackowski, Bogusław, 876, 896, 2448, 3159, 3160, 3553, 4252, 4276, 4302, 4574, 5301, 5353, 5354, 5356–5368, 5524, 5659
 Jackowski, Paweł, 4103
 Jacobsen, Dana, 661, 4662

- Jacobson, Alec, 1101
 Jacobson, Van, 4779, 5474
 Jacobsson, Mattias, 2817
 Jaegermann, Michal, 3923
 Jaffer, Aubrey, 4461
 Jagdman, Dirk, 5681
 Jahnz, Ulrich, 1647
 Jahrling, Robert, 5134
 Jakšić, Nikola, 1756
 James, Mark, 4779
 Janich, Michael, 376
 Janka, Erich, 3034
 Jankovic, Slobodan, 834
 Jansons, Kalvis M., 5765
 Janthong, Abhabongse, 5477
 Japanese TeX Development Community,
 269, 367, 654, 2743, 2744, 2789,
 3517, 3684, 3854, 4093, 4094, 4263,
 4524–4529, 5885, 5892, 5893
 Jaquina, Jo, 2852
 Jeffrey, Alan, 441, 1451, 2097, 2113,
 2673, 2926, 3030, 3453, 3454, 4634,
 5070, 5166
 Jelenak, Aleksandar, 5124
 Jeltsch, Wolfgang, 5794, 5849
 Jenni, Thomas, 3258
 Jennings, Jared, 1323, 1324
 Jensen, Frank, 517, 820, 1479, 1830
 Jensen, S., 1722
 Jensen, Simon, 1436
 Jeong, Joohee, 2794, 3814
 Jernsletten, Regnor, 381
 Jeřábek, Emil, 5488
 Jiang, Jiang, 1295, 6102
 Jiang, Zhuhan, 248, 249, 1419, 2134,
 6001
 Jira, Marcel, 4361
 JNS team, 3546, 4574
 John, ST, 181
 Johnson, Dave, 950
 Johnstone, Adrian, 3035
 Jois, Deepak, 3307
 Jones, David M., 170, 1781, 2434, 2657,
 5162, 5163, 5165
 Jones, Geoffrey, 2629, 5772
 Jones, Peter, 3646, 4013
 Jorssen, Christophe, 4422, 4450, 4455,
 4463, 4472
 Josué, Akpoué Kouamé, 2691
 Joulin, Jean-Luc, 2538
 Jud, Roger, 1873
 Juhasz, Robert, 378
 Juillerat, Raymond, 1602, 2164
 Julian, 786, 4901
 Jund, Asaad Abozeid, 2886
 Just, Jérémy, 1934, 2418, 5981
 Justen, Christian, 998, 4396
 János, Szász, 118
 Jäger, Dieter, 4147
 Jørgensen, Arne, 1478
 Jørgensen, Palle, 57, 91, 851, 1560, 1700,
 1897, 2078, 2082, 2172, 3692, 3948,
 4051, 4276, 4538, 5205, 5472, 5496,
 5919
 Kabal, Peter, 5403
 Kaerts, Jonas, 2763
 Kahn, Constantin, 5469, 6237
 Kaijanaho, Antti-Juhani, 867, 2006,
 4262, 5433
 Kaiyu, Feng, 692
 Kakuto, Akira, 1758, 6009
 Kalyani, Sayali, 1916
 Kam, Timothy, 195
 Kamalapurkar, Rushikesh, 721
 Kamermans, Mike, 2116, 5792
 Kaneko, Naoki, 3744
 Kanerva, Okko, 209
 Kankainen, Kristian, 2306
 Kaplunovsky, Vadim, 4220
 Kapune, Albert, 1973
 Karakoleva, Stefka, 3203, 4432
 Karaoglu, Bekir, 3220
 Karl, Holger, 4389
 Karlsson, Kimmo, 5418
 Karney, Charles, 1331, 2133, 2921,
 4211, 4731
 Karoonboonyanan, Theppitak, 391, 2104,
 2106, 5478
 Karr, Jonathan, 2350
 Karmann, Stefan, 2140
 Kartch, Daniel, 4969
 Karunakaran, V Karunakaran, 4036
 Kaspar, Wolfgang, 1040, 1879

- Kastrup, David, 674, 682, 3187, 4083,
4157, 4340, 4341, 4582, 5209
- Katsitadze, Oleg, 1753
- Kauers, Manuel, 2217
- Kaufmann, Mike, 463, 3032, 3177, 3889
- Kautz, Henry, 4662
- Kavanagh, Ryan, 3130
- Kay, Alastair, 4586
- Kazemi, Sajad, 4072, 4073
- Kazimiers, Tom, 1796
- Kehowski, Walter A., 3129
- Kehr, Roger, 6137
- Keleher, Pete, 131
- Kelkel, Thomas, 3110, 4954, 4956, 5085
- Keller, Mitchell T., 2214
- Kelley, Colin, 2333
- Kelly, Nickolas J., 6080
- Kempe, David, 1095
- Kemper, Thorsten, 573
- Kempson, Niel, 652, 6006
- Kent, Alan, 5475, 5476
- Kern, Dominik, 2206
- Kern, Uwe, 969, 6088
- Kerstan, Henning, 1872
- Kettl, Gerlinde, 2
- Kew, Jonathan, 6115, 6116, 6121
- Kewley, John, 46
- Keßler, Maximilian, 2347
- Khalighi, Vafa, 227, 499, 665–671, 1134,
1243, 1911, 2170, 2180, 2276, 2627,
2648, 3048–3050, 3179, 3275, 3698,
4068, 4074, 4738, 4951, 4992, 5195,
5687, 5850, 6103, 6104, 6108, 6138
- Khodulev, Andrey, 3081
- Kieda, Yuwsuke, 1219, 3455, 5888, 5935
- Kiefel, Volker, 1688, 4663
- Kiefte, Joop, 405
- Kielhorn, Axel, 74, 105, 3071, 3403,
3763, 4665, 6019
- Kieling, Konrad, 1490
- Kiesel, Matthias Jolle, 2748
- Kiffe, Tom, 1045, 4139
- Kilfiger, James, 509, 1902, 2041, 4026,
4268, 4618, 5977, 6155
- Killesreiter, Gerhard, 3108
- Kim, Dohyun, 1002, 3303, 3324, 3779,
6122
- Kim, Jeong-Hwan, 403
- Kim, Kangsoo, 2873, 3211, 4287
- Kim, Wonkoo, 1586, 4241
- Kime, Philip, 543, 545–553, 560, 569,
570, 606
- Kinch, Richard, 509
- Kingston, Jeff, 3191
- Kirillova, Dariya, 3918
- Kirsch, Sebastian Marius, 137, 698,
1407, 1636, 4389
- Kisselhoff, Nicolas, 5263
- Kitagawa, Hironori, 2706, 3323
- Kittenberger, Axel, 3327
- kkotsi, 4019
- KKTeX, 2224, 2825, 2845–2847, 3341,
3654
- Klammler, Moritz, 1474
- Kleb, Bil, 100, 4315, 5196, 5823
- Kleber, Josef, 415, 435, 1446, 1563,
2259, 2684, 3172, 3588, 3592, 4113,
5038–5068
- Klein, Dennis, 4693
- Kleinböhl, Jürgen, 4000
- Kleinod, Ekkart, 905
- Kleiweg, Peter, 2586, 4406, 4458, 5919,
6075
- Klemens, Ben, 5508
- Kletzing, Dennis, 3719
- Kleveland, Rune, 3873, 3874
- Klever, Jan, 4599
- Klute, Rainer, 2642
- Kluth, Marie-Paule, 1934
- Klöcker, Jens, 5240
- Klöckl, Ingo, 1914, 2626, 3236, 3945
- Knaggs, Peter J., 907
- Knappen, Jörg, 340, 363, 373, 425, 1629,
1800, 1947, 2378, 2525, 2665, 2764,
2849, 3022–3024, 3435, 3456, 3912,
4065, 4788, 4898, 4927, 5026, 5307,
5989, 6222
- Kneser, Thomas, 2052
- Knight, Fred, 1106, 4964
- Knight, Jesse, 5915
- Knight, Robert, 5519
- Knuth, Donald E., 424, 1036, 1039,
1041, 1043, 1064, 1143, 1319, 1595,
2228, 2292, 2352, 2371, 2427, 2738,

- 2854–2859, 2961, 3134, 3156, 3405,
3531, 3559, 3563, 3569, 4223, 4255,
4537, 4538, 4632, 4885, 5296, 5340,
5346, 5347, 5390, 5470, 5755, 5972,
5974, 6021
- Knuutila, Timo, 5677
- Koch, Dick, 5452
- Kocic, Mikica, 6093
- Kockaert, Pascal, 4394
- Koellner, Armin, 6003
- Koenig, Paul Eduard, 2149, 4619
- Kohler, Eddie, 3033, 3642–3644, 5256
- Kohlhase, Michael, 1443, 1646, 1788,
1834, 4369, 5159
- Kohm, Markus, 1193, 1420, 2051, 2056,
2392, 2398, 2862, 2864–2867, 3188,
3202, 3286, 3390, 3417, 3884, 4161,
4759, 4836, 4838, 4842, 4843, 4845,
4848, 4849, 4856–4863, 4865–4868,
4913, 5109, 5137, 5650, 5655, 5768,
5843
- Kokan, Ivan, 117, 347, 1362, 1867
- Kolachana, Aditya, 4943
- Kolb, Hans-Peter, 2218, 5518
- Kole, Erik, 1640
- Koller, Lukas, 1214
- Kolorenc, Jindrich, 4987
- Komarath, Balagopal, 5372
- Kondratenko, Danila A., 3969
- Konecny, Michal, 4278
- Kopecky, Felix, 2935, 4204
- Kopp, Oliver, 601, 1232, 2739, 3209,
3274, 4261, 4661, 4826
- Korikov, Konstantin, 1798
- Kornai, András, 1015
- Korop, Sergey, 4790
- Kort, Eric, 141
- Kosowsky, Conrad, 2672, 3144, 3428,
3445
- Kostin, Alexei, 2806
- Kotelnikov, Igor A., 380, 2339
- Kotopoulis, Panagiotis, 811
- Kotthoff, Lars, 1514, 2334
- Kotucha, Reinhard, 393, 3273, 4278,
5989, 5991, 6039
- Kotz, David, 657
- Koutavas, Vasileios, 5675
- Koyanagi, Fumio, 1635
- Kozlovský, Jiří, 4140
- Kołodziejska, Hanna, 2335, 4276
- Krajewski, Markus, 5238
- Krajník, Petr, 4076
- Kramer, Mark R., 1024
- Kraml, Willibald, 5977
- Kramm, Sebastien, 967
- Krause, Dirk, 714, 1480, 1979, 1981,
4102, 4293
- Kreher, Donald L., 4387
- Kremer, Sebastian, 5518
- Kremers, Joost, 1624
- Kreutzer, Michiel, 3053
- Krieg, Christian, 4003
- Krishnamurthy, Venkat, 4687
- Krommes, John A., 2199
- Kroonenberg, Siep, 1763, 1764, 3004,
5639
- Kroutikov, Mike, 975, 2105
- Kruchinin, Stanislav, 1474
- Kruljac, Gabriele, 325
- Krumeich, Alexander, 547
- Kryukov, Alexey, 192, 1038, 2394, 3953,
3962, 4396
- Krämer, Martin, 1239
- Krüger, Marcel, 123, 1045, 2086, 2569,
2675, 2697, 3266–3268, 3298, 3301,
3306, 3311, 4949
- Kubiak, Ryszard, 3214
- Kubica, Marek, 5434
- Kudlec, Manfred, 1814
- Kuhaupt, Johannes, 4822, 5243
- Kuhlmann, Marco, 2064
- Kuhlmann, Vincent, 2501
- Kuhlmann, Volker, 1588, 2607, 3083,
3135, 3384, 4210, 4799, 5987, 5996
- Kuhn, Jonathan, 2689
- Kuhn, Markus, 5889
- Kuhn, Matthew R., 265
- Kuhn, Tobias, 444
- Kuhnert, Sebastian, 217, 640
- Kuiken, Gerard, 5911
- Kuipers, Tobias, 2443
- Kukovec, Rok, 1856, 2778, 2779
- Kulumani, Shankar, 5493
- Kumar, Anagha, 2348, 3502

- Kumar, Rohit Vishal, 3570
 Kumar, Shanu, 2503
 Kummer, Olaf, 700, 1516, 1814, 3678, 3958
 Kunert, Volker, 1483
 Kurtz, Markus, 4059, 4119
 Kurz, Vladislav, 5252
 Kusakabe, Yukoh, 280, 2496, 2671, 2785, 2786
 Kuska, Jens-Peer, 3441
 Kuwabara, Makoto, 2787
 Kuykens, Hans, 3583
 Kuznetsov, Alexey, 427, 928, 6181
 KV, Rajeesh, 254
 Kwan, Alistair, 299
 Kwok, Conrad, 1656
 Köhler, Andreas, 3582
 König, Thomas, 3922
 Kühn, Wolfgang, 2731
 Küpper, Jochen, 2765
 Küster, Frank, 130, 2914, 5992
 Laakso, Aarre, 952
 Labbé, Julien, 139, 757, 4022, 5429
 LaCara, Nicholas, 3869
 Lachaume, Régis, 6248
 Lachnit, Stephan, 3651
 Lackas, Christian, 4405
 Ladner, Tobias, 1214
 Lagally, Klaus, 226
 Lago Garcia, Jesus, 3989
 Lago, Nelson, 2174, 4092, 5431
 Lagos Suárez, Fausto Mauricio, 3393
 Laitei, 3652
 Laitinen, Jani, 5418
 Lake, Michael, 4809
 Lakhdar, Sidi Mohamed, 221, 5261
 Lakhwani, Kushagra, 2872
 Lambert, Thomas, 489
 Lambertini, Francesco, 4594
 Lamers, Jürgen A., 5495
 Lammarsch, Marion, 2976
 Lamport, Leslie, 39, 40, 126, 127, 2367, 2628, 2942, 2958, 2961, 2984, 3061, 5875
 Lamprecht, Guenther, 6184
 Lamy, Jean-François, 6
 Lanchares, Ernesto, 1027
 Landy, Michael S., 3709
 Lang, Edmund, 416, 421
 Lang, Russell, 1766, 2400, 4163
 Lange, Holger, 2121
 Lange, Stefan, 2405
 Langmyhr, Dag, 1577, 1675, 3884, 5141
 Langner, Ricardo, 1016
 Laouidji, Walid, 3765, 3767, 4919
 Lapko, Olga, 2055, 3081, 3378, 5268
 Larchey, Dominique, 5472
 Larsson, Carl Martin Henrik, 1126
 Larsson, Jan-Åke, 1584
 Larsson, Johan, 3666
 Lasgouttes, Jean-Marc, 4978
 Lasis, Andris, 370
 Lasou, Pierre, 5820
 Lassaline, Jason V., 4778
 LaTeX 工作室, 3486
 Laube, Simon Michael, 1809, 4938
 Laurens, Jérôme, 4136, 5239
 Laurie, Dirk, 3353
 Laus, Luís Paulo, 5542, 5544, 5558, 5559
 Lausdahl, Kenneth, 5946
 Lauwers, Fred, 1545
 Lavagnino, John, 1650, 1719
 Lavva, Boris, 360
 Law, Simon, 982, 4096
 Lawrence, Scott, 5975
 Lazo Zaia, Emilio Augusto, 1695, 1906
 Le Barbier Grünwald, Michael, 2260
 le Comte, Michiel, 4010
 Le Floch, Bruno, 1236, 2402, 3683, 3732, 4628, 4698, 5875
 Leadbetter, David, 3937
 Leangsuksun, Chokchai, 3488
 Leclaire, Maurice, 3415, 3598
 Ledger, Buddy, 4436
 Lee, Greg, 2292
 Lee, Jay, 4976
 Lee, John J., 2714
 Lee, Kihwang, 2873–2876
 Lee, Qing, 1003, 1294, 6069, 6085, 6102, 6167, 6245, 6246
 Lee, Robert J, 250, 2205, 3359, 4711
 Lee, Zeping, 991, 1294, 2220, 3263
 Leeman, George B, 2591
 Leemans, Sander J.J., 5530

- Leffler, Sam, 5525
 Lehman, Philipp, 560, 1274, 1819, 2098, 3178, 3245, 3844, 5728
 Lehmke, Stephan, 5444, 5678
 Leichter, Jerry, 37, 773, 3738, 4877
 Leijen, Daan, 1684, 3183, 3992
 Leilich, Jens, 5603
 Leineweber, Thomas, 3548, 4374
 Leis, John, 2999
 Leistner, Carolin, 5608
 Lejay, Antoine, 1131, 1147, 1301, 2185, 4962
 Lella, Paolo, 4596
 Lelong, Jérôme, 147, 214, 495, 962
 Lemberg, Werner, 244, 357, 393, 403, 813, 882, 999, 1000, 1329, 1333, 1422, 1423, 1712, 2095, 2162, 2581, 5257, 5727, 5989, 6010
 Lenaerts, Frank, 509
 Lenser, Peter, 1244
 Lenzen, Michael, 2200
 Lepper, Ingo, 781
 Leve, Victore, 3025
 Levien, Raph, 2653
 Levin Hansen, Kristoffer, 5793
 Levine, Michael, 1965
 Levivier, Marc, 1665
 Levrie, Paul, 2822
 Levy, Silvio, 1319, 2248, 3068
 Lewenberg, Adam, 1576, 3467
 Lewis, Richard, 5221
 Lečić, Nikola, 545, 1043, 3963
 Lhotka, Lada, 1269
 Li, Changkai, 1404
 Li, Gang, 4322
 Li, Rundong, 4961
 Li, Sheldon, 3318
 Li, Yanrui, 1174, 1294
 Li, Zilong, 4998
 Liang, Franklin M., 4085
 Liang, Moyan, 2667
 Liang, Yifan, 5522, 6238
 Lichti, David, 1697
 Lichti, Roland, 4851
 Lickert, Knut, 702, 3520, 3618, 4620
 Lidovski, Vladimir, 3036, 3700
 Liebl, Armin, 662
 Lienhard, John H., 272, 273, 3622, 4376
 Likonen, Teemu, 2819
 Lillqvist, Tor, 3946
 Lim, LianTze, 479, 4184
 Linares, Pedro, 2687, 2688
 Lindahl, Svante, 1569, 1594
 Lindenberg, Norbert, 3198
 Lindgren, Ulf, 2067
 Lindhout, C. M., 3781
 Lindner, Stefan, 987
 Lingnau, Anselm, 676, 2050, 5622
 Lipari, Giuseppe, 4752
 Lipp, Fabian, 3328
 Liska, Urs, 3111
 ListLee, 958
 Liu, Changxin, 699
 Liu, Leo, 1294, 1447, 4883, 6102, 6242, 6243, 6245
 Liu, Yi, 2996
 Llopis, Ignacio, 4057
 Loh, Ka-tsun, 1605
 Lohne, Mathias, 4980
 Lombardy, Sylvain, 5943
 Long, F.W., 3735
 Long, Mathieu, 973
 Longaster, 883, 5883, 6250
 Longborough, Brent, 2286, 2288, 2289, 5289
 Lopez, Aliaume, 1731
 Loredó-Osti, J C, 4351
 Lorenz, Björn, 3816
 Lorenzen, Klaus F., 1466
 Loretan, Mico, 4887
 Loreti, Maurizio, 773, 774, 2666, 3130, 3339, 4651, 4705, 4924, 6027
 Lotz, Manfred, 4246
 Lotz, Wolfhard, 6184
 Lotze, Thomas, 2235
 Lounsbury, Andrew, 2962, 3539, 5214
 Lourenço de Lima, Eduardo C., 1010, 1025, 1212, 4899
 Lourenço, João M., 583, 1100, 5167
 Louthan, George, 5731
 Love, David, 5717
 Lovell, Matthew, 3017, 4669
 Lu, Shilong, 502, 503
 Lubbers, Mart, 4772

- Lubenets, Yuri, 3021, 4771
 Luciano, Francesco, 3974
 Ludewig, Berthold, 2340, 4826, 5208, 5933
 Ludwig, Matthias, 5696
 Luecking, Daniel H., 1869, 2075, 3440, 3565, 3599, 3864, 4280, 4989, 5091, 5106, 5504
 Luk, Tseka, 2781
 Lukas, Florian, 4729
 Lukasczyk, Stephan, 2654, 4874
 Lulli, Paolo, 5441
 Lundqvist, Mikael, 3586
 Lupton, Robert, 4750
 Luque, Jean-Gabriel, 4425
 Luque, Manuel, 4410, 4411, 4420, 4421, 4424, 4428, 4429, 4441, 4445, 4455, 4457, 4460, 4461, 4464, 4465, 4471, 4472, 4478, 4484, 4485, 4488, 4489, 4494–4496, 4498, 4508
 Luttinen, Jaakko, 5529
 Luz, Saturnino, 3645
 Lyu, Jianrui, 494, 1082, 2160, 2186, 2774, 3501, 3859, 4149, 4324, 4624, 5283, 5406, 5781
 Lyubashenko, Volodymyr, 5251
 Lím, Drahoslav, 3713
 López, Joaquín Ataz, 2408
 López-Valencia, Alejandro, 4029
 Löffler, Andreas, 783, 5091
 Löh, Andres, 4308
 Lück, Uwe, 66, 690, 866, 1120, 1444, 1490, 1518, 1647, 1653, 1976, 1977, 1995, 1998, 2007, 2069, 2621, 2676, 2931, 3008, 3119, 3186, 3231, 3382, 3669, 3679, 3760, 3846, 3851, 3853, 4226, 4258, 4644, 5294, 5773, 5967, 6037
 Lüddecke, Jobst-Hartmut, 418, 4764, 5125
 Ma, Clerk, 1932, 6203
 Ma, Zheng, 3636
 Macchia, Angelo, 5669
 MacKay, Pierre A., 391, 1037, 1580, 2092, 2593, 2961, 4380, 5347, 5623, 5744, 6114
 Maclaine-Cross, Ian, 1309
 Maclennan, Caleb, 3091
 madmurphy, 2480
 Madr, Míchal, 3204
 Madsen, Lars, 768, 1463, 1481, 1708, 2047, 2694, 3464, 3468, 3506, 3507, 3510, 3512, 3572, 3576, 4795, 5507, 5956, 6129
 Maeda, Kazuki, 4093, 4263, 4524, 4526, 5885, 5892, 5893
 Magnus, P.D., 3004
 Magwene, Paul M., 3856
 Mahadik, Shilpa, 1916
 Mahajan, Aditya, 1162, 1166, 1174, 1179, 1188, 1189
 Maier, Gunter, 3396
 Maier, Philipp, 1315
 Maillot, Jérôme, 4385
 Majewsky, Stefan, 1430
 Majkrzak, Piotr, 4995
 Majoros, Dániel, 4977
 Malaquias, José Romildo, 724, 1657, 4558
 Maldonado Jr, Walter, 1948
 Maloney, Ross, 6079
 Malyarenko, Anatoliy A., 3147
 Malyshev, Basil, 406–409, 1050, 2099
 Manda, Bhaskar, 1737
 Manderla, Thomas, 741
 Mangal, Bhaskar, 2882
 Manhiça, Danilo Stélio, 1784, 4828
 Mansfield, Niall, 56, 1931
 Manthanwar, Amit M., 4437
 Mantzouratos, Yannis, 1476
 Marchesi, José E., 2419
 Marchezi, José Paulo, 467
 Marder, Joachim, 1867
 Mareschal, Pierre, 4662
 Maretić, Marcel, 2537
 Marinović, Igor, 2536
 Markevitch, Maxim, 1711
 Markey, Nicolas, 531, 554, 2677, 3729, 4146, 5108, 5295
 Markgraf, Norman, 480
 marmotghost, 5529
 Marques, Daniel B., 563
 Marris, Luke, 5759
 Marschall, Holger, 457

- Mart, Terry, 340, 363, 373, 2665
 Martelli, Riccardo, 3898
 Martin, Holger, 662
 Martinsen, Torsten, 2984
 Martí, Luis, 3736
 Martín, Agustín, 1934
 Marvan, Michal, 3784
 Mas Casals, Orestes, 346
 Masataka, Nomura, 3211
 Massago, Sadao, 2983, 5284
 Masłowski, Michał, 3170
 Matarazzo, Giuseppe, 4445, 4496
 Mathar, Richard J, 1718, 2637, 3915, 4615
 Mathas, Andrew, 290, 678, 5029, 6028, 6060
 Mathews, Bob, 3470
 Mathieu, Boretti, 315, 909, 5023, 5246
 Matiaske, Wenzel, 3633, 4054, 5492
 Matischok, Fabian, 5532
 Matos, Jody, 1618
 Matschull, Hans-Jürgen, 3185
 Matt, Christian, 120
 Matter, Florian, 1881
 Mattes, Eberhard, 1709, 4572
 Matteson, Steve, 238, 1542, 5605
 Matthes, Alain, 136, 4183, 5624, 5625, 5627–5631, 5634, 5635, 5637, 5638
 Matthias, Andreas, 4127
 Matthiopoulos, George D., 2264, 2265, 2268, 2269
 Mattison, Sven, 5014
 Matveev, Rostislav, 3195
 Mauw, Sjouke, 3707
 Maxwell, Adam R., 3976, 5309
 May, Ludwig, 5603
 May, Wolfgang, 1902, 3909, 4427
 Mayer, Gyula, 2544
 Mayer, Steve, 3019, 5348
 Mazoit, Frédéric, 5262
 Mazzamuto, Giacomo, 1840
 Mařík, Robert, 52, 1930, 2754, 3567, 3941
 Mc Kearney, Stephen, 6063
 McBane, George, 2221
 McCarthy, Adrian, 4853
 McCauley, James Darrell, 886, 3421
 McClain, Christopher, 1225, 1865
 McClelland, Tony, 1216
 McCormick, Doc, 2533
 McCurley, Kevin, 2585, 3529
 McDonnell, Rowland, 1057, 1837, 4041, 4715, 4882
 McGuinness, Daniel T., 2455
 McHale, Ciaran, 4662
 McJones, Paul, 4514
 McKay, Benjamin, 1600, 1751, 3104, 4631, 6038
 McKenzie, Andrew, 3121
 McKinstry, Graeme, 3525
 McLean, Evan, 3012, 3013
 McManus, Éamonn, 1131, 1235, 5874
 McMullen-Diermayr, Anakin J., 3951
 McNees, Robert, 2391
 McPhee, Patrick T J, 436, 4051, 5019
 McPherson, Kent, 735, 1902, 3028, 3509, 3593
 Meccariello, Antonello, 3764
 Meccariello, Francesco, 3764
 Medina Arellano, Gonzalo, 398, 1926, 2898
 Medina, Rodrigo, 2094, 3960, 5100
 Medini, Yotam, 5471
 Megrét, Patrice, 4429
 Mehani, Olivier, 5876
 Mehl, Albrecht, 4945
 Mehlich, Michael, 2145, 2569
 Meijer, Erik, 204
 Meister, Matthias, 4335
 Melander, Marko, 2809
 Melendez, Enrique, 1322
 Melliar-Smith, Michael, 2961
 Mello Schnorr, Lucas, 2663
 Melnikov, Vitaly G., 5934
 Meltzer, Olaf, 5808
 Melzer, Norbert, 3140
 Mendler, Daniel, 2393
 Menke, Henri, 4165, 4186, 4188
 Merciadri, Luca, 676, 1341, 4260, 5747
 Merckens, A., 166
 Merino Hernández, Noel, 191, 6225
 Merino, Manuel, 5306, 5798
 Mertz, Andrew, 2757
 Merz, Thomas, 2783

- Messineo, Grazia, 1790
 Metzinger, Jochen, 1814
 Meyer, Johannes Jakob, 4588
 Meyer-Lerbs, Lothar, 4030
 Mezzetti, Gustavo, 779, 885, 2428
 Michael, Vonbun, 2818
 Michel, Alexander, 3922
 Michlmayr, Leonard, 5462
 MicroPress, 1777, 2557, 3579, 5646, 6004
 Midtiby, Henrik Skov, 5658
 Miede, André, 1011, 2204
 Mielczarek, Detlev Conrad, 470
 Mifsud, Xandru, 4595
 Miklavec, Mojca, 1167, 1188, 2238, 2241, 2576, 3421
 Mikulik, Petr, 4283
 Milanese, Guido, 1209, 2130, 3788, 5258, 5387, 6232
 Milde, Günter, 359, 1423, 1500, 2373, 2374, 2720, 3081, 4567, 5202
 Miletić, Vedran, 447
 Milin, Matea, 5873
 Miller, Daniel Benjamin, 59, 955, 1006, 1230, 1506, 2209, 3557, 3637, 3697, 3998, 4585, 5105, 5156, 5158
 Miller, Tristan, 2481, 5127, 5764
 Minow, Martin, 1399
 Minyard, Corey, 5298
 Minz, Christoph, 871
 Miracle0565, 778
 Missier, Antoine, 247, 1414, 1876, 2165, 2591, 3447, 3619, 4821, 5086, 5271
 Mitchell, Bill, 5331
 Mitchell, Ross, 3746
 Mitek, 723, 5302
 Mitsuaki, Oura, 1522
 Mittelbach, Arno, 1264
 Mittelbach, Frank, 246, 711, 879, 1261, 1341, 1489, 1497, 1892, 1963, 1996, 2118, 2179, 2673, 2946, 3031, 3061, 3076, 3235, 3240, 3466, 3564, 3726, 3845, 4075, 4701–4703, 5018, 5245, 5487, 5641, 5642, 5681, 5855, 5875, 5889, 5939, 6035
 Mittelbach, Marc, 5450
 Miyatani, Kazuaki, 2425
 Mnatsakanov, Anton, 5007
 Mohamed, Naam, 3765–3767
 Mohankumar, Srikanth, 1736
 Mol, Marcel J. E., 1569
 Moller, Anders, 646
 Molt, Aaron, 5033
 Molteno, Tim, 5237
 Mondal, Agnibho, 633
 Monsarrat, Jonathan, 2929
 Moor, Thomas, 5647
 Moore, Ross, 2988, 3643, 4145, 6116, 6190, 6194, 6196
 Morales, Omar Salazar, 257, 1499
 Moran, Mike, 2745
 Morawski, Jens-Uwe, 3015, 4231
 Moreira, Jander, 121, 496, 4031
 Morenko, Konstantin, 1775
 Morgan, Tim, 5960
 Morimi, Yukimasa, 2769
 Morimoto, Hiroaki, 3745
 Moritz, Martin, 1940
 Morris, Michael P., 6211
 Mortier, Richard, 2611, 4704
 Moschou, Andrew Gilbert, 1828, 3460, 3535
 Moschovakis, Yiannis, 2380
 Moses, Brooks, 3137, 3540
 Moshhammer, Werner, 3940
 Mottaz, Anthony, 4970
 Motygin, Oleg V., 2737, 4659, 5726
 Mounier, Thomas, 4354
 Moutinho, Rui, 5546
 Movahhedian, Hossein, 5436, 6109
 Moy, Matthieu, 1538, 2284, 3017, 5604
 Moye, Stephen, 5774
 Mrkus, Jiří, 5882
 Ms_yam, 1537, 5278, 6030
 Muecke, Michael, 6046
 Muelas, Santiago, 5763
 Muhamedagić, Dejan, 4940
 Mui, Wing L, 4968
 Mukkavilli, Lakshman Kumar, 5320
 Mulder, Art, 4931
 Mulligan, Brian W., 4212, 4218
 Mulvey, Rod, 3162
 Munch-Maccagnoni, Guillaume, 4154

- Munn, Alan, 858, 1280, 1882, 2219,
2453, 2701, 3686, 3710, 4507, 4654,
4847
- Munson, Ethan V., 5797
- Murphy, Terrence, 3380
- Murphy, Timothy, 2751, 3078
- Murru, Nadir, 333
- Murzynowski, Grzegorz, 2324, 2326,
2327, 2329–2331
- Musa, Ahmed, 869, 902, 1530, 2257,
2834, 2837, 3190, 3251, 3254, 3826,
4043, 4179, 5006, 5007, 5170, 6192
- Musliner, David J., 2335, 3012, 3013,
3017
- Mustasaar, Priit, 3335
- Muñoz, José Manuel Sánchez, 4696
- Myers, Eric, 4760, 5452
- Mégevand, Denis, 3066
- Mégy, Damien, 3283
- Méhats, Laurent, 1547
- Möller, Herbert, 2208
- Mörrtl, Fabian, 629
- Música de Rivera, Javier, 356, 1957,
2294, 3626
- Mühlich, Matthias, 1232
- Müller, Dennis, 5159
- Müller, Kirill, 1867
- Müller, Ulrich, 1265
- Müller, Walter, 6050
- Müller, Wilhelm, 5676
- Münch, Hans-Martin, 835, 2123, 2535,
2940, 3677, 4034, 4045, 4056, 4671,
4724, 5264, 5514, 5747, 5839, 5896
- Münch, Uwe, 524, 1664
- Münster, Peter, 1155–1158, 1160, 1163,
1169, 1185, 1187, 1421
- Naanou, Alex A., 4210
- Nabavi, Amanullah, 3664
- Nadeau, Philippe, 4709
- Nagel, Daniel, 2087, 2089
- Nagy, Bence, 2548
- Nakashima, Hiroshi, 260, 1402, 2073,
2552, 3840, 4059, 4164, 5825, 6199
- Nam, Soojin, 3324
- Nanayakkara, Chevan, 4105
- Naranong, Saitulaa, 5427
- Nardello, Massimo, 557
- Nash, David, 103
- Nebendahl, Olle, 1060
- Nederlandstalige TeX Gebruikersgroep,
3906
- Neergaard, Peter Møller, 437, 4889
- Nesbitt, Kim, 997
- Nesti, Fabrizio, 2003, 2760
- Neteler, Markus, 4381
- Netherton, Lee, 3877
- Neto, Vilar da Camara, 766
- Nettles, William G., 3914
- Neugebauer, Gerd, 655, 1259, 1289,
1551, 1779, 2187–2194, 2230, 2715,
3112, 4251, 4352
- Neukam, Frank, 4851, 5768
- Neumann, Christoph P., 1266, 1643,
2587, 2588
- Neumann, Johannes, 4107
- Neumann, Walter D., 1570, 3829
- Neves, Antero, 3865
- Nguyen, Tan Khoa, 3222
- Nguyen-Ngoc, Laurent, 4346
- Nice, Jasper, 3261
- Nicholson, Thomas, 2459
- Nickalls, Dick, 267, 1413, 3461, 4754,
4756–4758, 6223
- Nickel, Martin, 3503
- Niederberger, Clemens, 41, 722, 845,
925, 927, 929–931, 1070, 1073,
1683, 1699, 1717, 1728, 1893, 2072,
2277, 2412, 2603, 3038, 3658, 3745,
3758, 5035, 5201, 5303, 5702, 6176
- Niedermair, Michael, 189, 3086, 3089,
4369, 5145
- Niedrist, Raimund, 2568
- Nieland, Ted, 3406
- Nienhuys, Han-Wen, 3569
- Niepraschk, Rolf, 709, 1103, 1226, 1550,
1670, 1799, 1933, 2640, 2784, 2835,
3039, 3730, 3849, 4025, 4224, 4382,
4475, 4864, 4953, 4954, 4965, 5425,
5541, 6151
- Nijenhuis, Erik, 2064, 2287, 3259, 4672
- Nijhof, Jeroen, 4797
- Nikolova, Aleksandrina, 681
- Nikulainen, Jukka, 1661
- Nikunen, Martti, 1795

- Nilsson, Joachim, 5315
 Nilsson, Robert, 5130
 Nitschke, Dirk, 1777, 5721
 Noguchi, Takumi, 3917
 Noirel, Josselin, 889, 1053, 1526, 6132, 6158, 6159
 Nolda, Andreas, 2433, 4023, 5290
 Noonburg, Derek B, 6161
 Nordenholz, Thiemo, 4614
 Nordhaug, Hans Fredrik, 5444
 Nordhoff, Sebastian, 2933
 North, Nicolas, 2717
 Notarmarco, Christiane, 1904
 note286, 6097
 Novak, Petr, 1269
 Novikov, Mikael, 716
 Novodvorsky, Aleksey, 342
 Nowacki, Janusz Marian, 192, 193, 1325, 2735, 2887, 3159, 4279, 4300, 4302, 4574, 5353, 5354, 5356–5359, 5366–5368, 5377
 NOËL, Romain, 475
 Nyaupane, Hari, 4780
 Nyqvist, Robert, 2320, 6007
 Nähring, Tobias, 4416
 Nüsken, Michael, 1137
 Oberdiek Package Support Group, 738, 2572, 3775, 6172
 Oberdiek, Heiko, 33, 45, 122, 133, 270, 291, 292, 296, 298, 328, 400, 675, 695, 715, 738, 864, 895, 921, 1013, 1092, 1502, 1508, 1587, 1698, 1723, 1729, 1746, 1766, 1767, 1812, 1975, 2040, 2261, 2385, 2386, 2523, 2524, 2526, 2530, 2563–2567, 2572, 2575, 2582, 2614, 2618, 2619, 2623, 2630, 2664, 2674, 2685, 2889, 2891, 2892, 2979, 3060, 3139, 3242, 3279, 3320, 3364, 3394, 3625, 3634, 3775, 3935, 4038, 4044, 4090, 4108–4112, 4115–4117, 4121, 4131, 4138, 4141, 4230, 4245, 4282, 4371, 4660, 4686, 4688, 4733, 4850, 4886, 4911, 4914, 5076, 5133, 5135, 5176, 5281, 5282, 5319, 5489, 5513, 5704, 5756, 5861, 5996, 6253
 Obrecht, Christian, 1829, 3362, 5936
 Ochoa, Geri, 469
 Oetiker, Tobias, 45, 3203–3206, 3208, 3213, 3217, 3220, 5602
 Ofosu-Amaah, William, 4573
 Ogawa, Arthur, 3246, 3255, 3782, 4397, 4701–4703
 Ogden, William C., 539
 Ohl, Thorsten, 1706, 1966, 3485
 Ohlhaut, Marcus, 3848
 Ojala, Oskar, 5418
 Okumura, Haruhiko, 2789
 Ol, Say, 481
 Oleinik, Phelype, 3132, 3773, 4701–4703
 Oliveira e Silva, Tomàs, 4282
 Oliveira, Nuno, 4679
 Oliver, Marcel, 5783
 Olko, Mariusz, 4301
 Olthof, Edgar, 1951
 Olšák, Petr, 3, 211, 1077, 1269, 1270, 1272, 1273, 1277, 1492, 1603, 1713, 1714, 3954, 3967, 3979, 3987, 5376
 Omidali, Mehdi, 3213
 op den Brouw, Jesse, 271, 1858, 5509
 Optical Society of America, 4001
 Orellana Martín, David, 3505
 Oriet, Boris, 949, 964
 originalsouth, 1835
 Orlandini, Mauro, 1400, 3727, 4932
 Orloff, Jean, 4385
 Ortega Andrés, Luis Antonio, 3127
 Ortega, Miquel, 346
 Ortoló, Tanguy, 5072
 Osborne, Alexander, 4540
 Osborne, Martin J., 1659, 2951, 4484, 4742, 4926, 5229, 5456
 Otobe, Yoshiki, 1579
 Ouassou, Jabir Ali, 1832
 Overfelt, Jason, 995
 Owens, John, 4009
 Oğuz, Özcan, 5749
 P., Selvam, 92
 pablo, 5592
 Pacini, Alex, 896
 Paciorek, Robert, 1662, 2919, 4106, 5582, 6003
 Page, Stephen, 1515, 1529
 Pagin, Peter, 4201

- Pagès, Clément, 4270
 Paige, Frank, 5452
 Paić, Alan, 347
 Pakin, Scott, 239, 295, 751, 780, 809,
 1119, 1135, 1205, 1234, 1292, 1339,
 1469, 1556, 1783, 1992, 2574, 2606,
 3041, 3141, 3555, 3568, 3823, 4156,
 4245, 4539, 4656, 4682, 4801, 5115,
 5502, 5810, 5980, 6033
 Pal, Palash Baran, 414
 Pallas, Joseph, 5216
 Palm, Hartmut, 4662
 Palm, Reimo, 3207
 Palmer, Michael, 3666, 4132
 Palmieri, John H., 663, 5821
 Pamp, Quirin, 2162
 Pan, Shengjun, 3161, 3523
 Panagopoulos, George, 1401
 Pandey, Anshuman, 512, 1441, 2416,
 3999, 6053
 Panov, Andrey, 1043, 1329
 Pantieri, Lorenzo, 252
 Pantigny, François, 852, 1415, 3849,
 4238, 6048
 Pantke, Micaela, 2197
 Papa, Brian, 141
 Papanicola, Robert, 720, 2348, 4815
 Papasalouros, Andreas, 2990
 ParaGraph International, 3147
 Parashchenko, Oleg, 833, 4060
 Park, William, 760, 4227
 Parry, Chad, 638, 639
 Parsloe, Andrew, 1460, 3919–3921
 Parsons, Josh, 507
 Partl, Hubert, 4075, 4313, 4665, 4921
 Pasechnik, Dima, 4783
 Pasquet, Stéphane, 4077–4079
 Patashnik, Oren, 648
 Pate, John, 4846
 Patel-Schneider, Peter, 7, 8, 2636, 3773
 Paternault, Louis, 2351, 4241, 5103,
 5479
 Patience, Paul A., 1371, 1386
 Patte, François, 1441
 Pearlmutter, Barak A., 556
 Pearson, George, 261, 1867, 4829
 Pease, Emma, 4208, 5706
 Pecheur, Charles, 4018
 Peck, Meghan, 761
 Pedersen, Bjørn, 754, 1432, 1485, 2344,
 3591, 4908
 Pedersen, Lucas Alexander V., 2885
 Peeters, Kasper, 2222
 Peischl, Marei, 522, 1224, 1852, 1853,
 2432, 3716, 3739, 4331, 4577, 4617,
 4775, 5732, 5858, 5895, 6257
 Peise, Elmar, 1536
 Penninga, Marc, 2103, 5717
 Pepping, Simon, 1690, 2612
 Peregoudov, Iliya, 1051
 Pereira de Morais Junior, Geraldo, 4531
 Pereira, Gilles, 1318
 Perez-Duarte, Sebastien, 1643
 Peri, Lorenzo, 6173
 Peron, Jacques, 3305, 3350
 Perren, Jonatán, 4168
 Perrone, Michael P., 4259
 Perske, Rainer, 5958, 5960
 Peterlin, Primoz, 5901
 Petersen, James, 4593
 Pfahler, Simon, 1096
 Pfenning, Frank, 4815
 Pfister, Wilfried, 3106
 Phan, Anthony, 3354, 3429, 3479
 Phillips, Iain, 2223
 Pianowski, Piotr, 896, 3160, 5301,
 5360–5365, 5524, 5659
 Piaw, Na Choon, 4833
 Piazzai, Michele, 465, 3982, 5925
 Pichaureau, Paul, 1870, 3438, 6044
 Piefel, Michael, 3079
 Pieper, Johannes, 1482, 4822, 5243
 Pierquet, Cédric, 825, 854, 988, 1099,
 1122, 1223, 1246, 1312, 1839, 1956,
 2090, 2502, 2670, 2708, 2755, 2756,
 3176, 3336, 3431, 3667, 3871, 3983,
 4015, 4053, 4058, 4152, 4229, 4242,
 4318, 4355, 4357, 4561, 4597, 4625,
 4690, 4835, 4973, 5236, 5266, 5300,
 5486, 5533, 5564, 5566–5568, 5600,
 5626, 5632, 5633, 5714, 5948, 6002,
 6060, 6071, 6140
 Pieters, Olivier, 1597, 3113
 Pietsch, Hannes, 1283

- Piff, Mike, 187, 1219, 1562, 3831, 3972, 4232, 4233, 5329, 5462, 5597
- Pighin, Daniele, 5534
- Pignalberi, Gianluca, 880, 1113
- Pilzecker, Markus, 1040, 3696
- Pind, Jörgen, 2594, 2595, 2712
- Pinson, Raphaël, 397, 636, 1930, 2093, 2645, 3656, 3901, 4855
- Piotrowski, Michael, 3409
- Pipping, Sebastian, 6170
- Pirinen, Antti, 5418
- Pistre, Sven, 1022
- Pitt, François, 5915
- Pittman, John E., 890, 1416
- Pizarro R., Pablo, 1127
- Plaice, John, 3968
- plante, 1745, 2161, 5664, 5985
- Plasschaert, Lander, 2196
- Plestenjak, Bor, 3218
- Pliam, John, 2369
- Plugge, Michael, 5606
- Plášil, Roman, 1270
- Plût, Jérôme, 1824
- Plüss, Tobias, 3003, 5540
- Pock, Michael, 4971
- Podar, Sunil, 1748, 3077, 5302
- Pokrovsky, Sergei, 5783
- Poland, Jan, 1984
- Polli, Demerson Andre, 3216
- Polyakov, Maksym, 2339, 3221, 5814
- Pommereau, Franck, 4160
- Ponomarenko, Sergiy M., 392, 1396
- Poore, Geoffrey, 2198, 2991, 3614, 4565
- Popineau, Fabrice, 2147, 6041, 6162
- Poppelier, Nico, 5, 5036
- Porr, Bernd, 208
- Porrat, Rama, 2457, 4099
- Pospiech, Matthias, 1084, 1499, 2939, 3006, 5267, 5322
- Potamianos, Yannis, 1686
- Potse, Mark, 3473, 6025
- Potuček Jr., R., 846
- Poulain, Christophe, 4353, 4356
- Powroz, Norman, 2433
- Prahl, Scott A., 4749
- Prandoni, Paolo, 1548
- Prasad, Sumukh, 1303, 4789
- Preining, Norbert, 395, 423, 1001, 1105, 2706, 2743, 2744, 2759, 4166, 5643, 6212, 6217
- Presnell, Brett, 5613
- Pretzel, Oliver, 4880, 5098
- Preuße, Hilmar, 5299
- Price, Derek, 5411
- Price, Seth, 3631
- Prime, Zebb, 4513
- Probst, Axel, 1662
- Promkam, Ratthaprom, 5478
- Prosoft International, 3997
- Pross, Naoki, 4004
- Protopapas, Athanassios, 199
- Provoost, Evert, 1615
- Prussing, Keith, 4879
- Przechlewski, Tomasz, 3214, 4285, 4377, 5379
- Puga, Diego, 3451
- Pupalaikis, Peter J., 1438, 5913
- Puppis, Gabriele, 319
- Purton, David, 621, 641, 4125, 4167, 4802–4806, 4854
- Putnam, Chris, 661
- Putschögl, Wolfgang, 1123
- Péault, Olivier, 3704, 4681
- Pégourié-Gonnard, Manuel, 2012, 2576, 2957, 3208, 3278, 3287, 3290, 3291, 3303, 3306, 3322, 3326, 4104, 4950, 5317, 5401, 6076
- Píška, Karel, 2660
- Qi, Fei, 3763, 6096
- Qrrbrbirlbel, 5536
- Quan, Le Phuong, 4518
- Quanstrom, Erik, 718
- Quantum — the open journal for quantum science, 4588
- Quaresma, Pedro, 1409
- Quentin, Lars, 4648
- Quong, Russell, 3235
- Quy, Nguyen-Dai, 5311
- Raaijmakers, Stijn, 856
- Rabinoff, Joseph, 5087
- Raccanello, Francesco, 5963
- Rada-Vilela, Juan, 1607
- Radgen, Bernd, 764
- Radhakrishnan, C. V., 540, 1211, 1689,

- 1690, 3877, 4126, 4134, 4135, 4143,
4145, 4710, 4774, 5801
- Radović, Andrej, 1390
- Ragni, Matteo, 5866
- Rahtz, Sebastian, 1107, 1579, 1759,
1766, 1931, 2053, 2097, 2140, 2572,
2590, 2741, 2918, 3076, 3345, 3453,
3454, 3641, 3775, 3937, 4007, 4047,
4081, 4138, 4234, 4391, 4399, 4401,
4403, 4685, 4732, 4894, 4916, 5458,
5460, 5601, 6024
- Raichle, Bernd, 358, 1196, 1422, 1933,
2252, 2583, 3167, 3638, 3639, 3845,
4900
- Raika, Roel, 933
- Rajagopal, C. V., 540, 1211, 4143
- Rakhimov, Abdugafur, 4000, 5745
- Ralet, Thibault, 4841
- Ramachandra, Ramkumar, 6145
- Ramek, Michael, 939
- Ramm, Henning Hraban, 1179, 3355
- Ramsdell, John D, 813, 1037, 4817, 4818
- Ramsey, Norman, 3900, 5100
- Ranange, Martin Thorsen, 2695
- Randez, Luis, 174, 5311
- Ranna, Abhishek, 5027
- Rao, R. Bharat, 2917
- Rao, Shrisha, 6118
- Rascher, Kai, 3880, 5710
- Rasuli, Farshad, 2709, 4070
- Ratcliffe, Philip G., 2126, 5329, 6169
- Rath, Christopher, 5071
- Ratti, Daniele, 5777
- Raue, Christian, 2346
- Raut, Lakshmi K., 511
- Ray, Koushik, 3624
- Rayside, Derek, 2369
- Razavian, Seied-Mohammad-Javad,
3737, 4603, 4605–4610, 5494, 6100
- Reckdahl, Keith, 1762
- Redaelli, Massimo, 987
- Reed, Mark, 1904
- Rees, Clea F., 63, 65, 428, 514, 579, 898,
899, 972, 1623, 1676, 2002, 2034,
2109, 2128, 3103, 3514, 3844, 4367,
4726, 5950
- Reese, Johannes, 781
- Rei, Fukui, 5606, 5723, 5995
- Reibiger, Christian, 4144
- Reich, Ryan, 6229
- Reiche, Oliver, 4664
- Reichenberger, Volker, 3931
- Reichert, Axel, 1197, 1304, 1928, 2294,
3847, 5273, 5779, 5867
- Reid, Michael F., 3552
- Reimer, Jan Heinrich, 4314
- Reimers, Detlef, 2936
- Reimers, Roland, 2539
- Reinaldo, Francisco, 5746
- Reinfurt, David, 1801
- Reingold, Edward M., 4630
- Reinhardt, Thomas, 6045
- Reiser, Brian, 207
- Reish, Ben, 710, 4653
- Reitter, David, 4747
- Rellermeyer, Bernd, 5335
- Remy, Didier, 3450
- Renkema, Esger, 2484, 3600,
3602–3606, 5723
- Renner, John, 942
- Ressler, Eugene K., 2942, 5005
- Rettich, Adrian, 847
- Revar, Ashish, 497
- Revets, Stefan A, 3950
- Reviczky, Adam, 1166
- Reynal, Sylvain, 2785
- Reynolds, John, 1448, 1449
- Rezus, Adrian, 4727
- Rhead, David, 309
- Rhebergen, J. B., 1942
- Ribo, Ramon, 5442
- Richardson, Thomas S., 5561
- Richer, Jacques, 879
- Richter, Jörg, 525
- Richter, Markus, 3156
- Richter, Pascal, 5587
- Ricken, Wilfried, 1471
- Ridgeway, Thomas, 1658, 4309, 6053
- Rigido, Mileto, 1921
- Riley, Geoff, 4012
- Ristow, Alan, 4414
- Rivaud, Julien, 114, 888, 2216, 5144
- River Valley Technologies, 2389

- Rivera, Luis, 88, 388, 526, 707, 2721,
2958, 3001, 3219, 3249, 4139, 5089,
5412
- Rizwan, Suhail, 471
- Rizzuto, Dan, 3818
- Robbers, Yuri, 1081, 1616, 2215, 2693,
2795, 4238, 4872, 5241, 5388, 6106,
6111, 6206
- Robert, Gilles, 439
- Robertson, Will, 23, 53, 60, 184, 213,
284, 311, 520, 737, 768, 877, 904,
965, 966, 1114, 1190, 1494, 1554,
1708, 1741, 1750, 1826, 1847, 2047,
2114, 2115, 2435, 2441, 2579, 2599,
2620, 2624, 2631, 2698, 3029, 3037,
3306, 3380, 3464, 3468, 3572, 3576,
3585, 3597, 3635, 3813, 3827, 3842,
4042, 4327, 4344, 4513, 4647, 4728,
5149, 5162, 5191, 5621, 5651, 5654,
5656, 5712, 5852, 5965, 5969, 6006,
6123, 6128, 6152, 6183
- Robson, Adrian P., 399, 2057, 3395
- Rochester, Wayne A., 6015
- Rochford, Peter A., 3787, 4920
- Roderick, David, 683
- Rodrigues, Vinícius Barros, 1642
- Rodriguez, Dominique, 4431, 4515
- Rodríguez, M. César, 1700
- Rodríguez, Pablo, 1168
- Roegel, Denis B., 89, 2212, 2230, 2706,
3538, 3690, 4220, 5188, 5472, 5716
- Rogalla, Michael, 4658
- Rogard, Erwann, 881, 1026, 1789, 2833,
2927, 3977
- Rogers, Alan, 203, 444, 873, 2545, 2547,
2795, 4291, 4292
- Rohner, M., 1981
- Rokicki, Tom, 1098, 1575, 1585, 1588,
1757, 3569, 4085, 4250
- Rolland, Christian, 344
- Romanenko, Alex, 5983
- Romer, Linus, 521, 1959, 3578
- Roncaglia, Federico, 1300
- Rooijackers, Luc, 4618
- Rose, Flavio, 1569
- Rose, Kristoffer H., 4583, 4640, 6194,
6196
- Rosenau, Malte, 513, 1815
- Rosenberger, Johannes, 6073
- Rosendahl, Arthur, 360, 2576, 3275,
4303, 6115
- Rosmorduc, Serge, 872, 1210, 2499
- Rossberg, Marcus, 2396
- Rossel, Jost, 807, 5754
- Rossi, Christian, 5472
- Roth, Frank, 4662
- Roth, Mark, 782, 3510
- Roth, Sascha, 2446
- Roucariès, Bastien, 2119, 4090
- Rouquette, Maïeul, 568, 576, 577, 582,
603, 605, 608, 613, 620, 623, 626,
628, 631, 635, 636, 1677–1679,
1907, 2431, 2529, 2658, 2977,
3048–3050, 4673, 4674, 5643
- Rourke, Colin, 4236, 4712
- Rousseaux, Emmanuel, 2399
- Roux, Élie, 1826, 2384, 2576, 3287,
3295, 3303, 3306, 3322, 3326
- Rovner, Marc David, 689
- Rowlett, Peter, 1311, 2486, 3858, 5521
- Rowley, Chris, 2070, 3235, 3240
- Roy, Y., 2166
- Royal Astronomical Society, 3646
- Rozhenko, Alexander I., 97, 1408, 1437,
1896, 3407, 3480, 3791–3807, 5457,
5653, 5672, 6020
- Rubin, Paul A., 1418
- Rubio Madrigal, Celia, 1410
- Ruck, Martin, 1690
- Ruckert, Martin, 2508, 2509, 6023
- Rudolph, Konrad, 3614
- Ruedas, Thomas, 2096, 5402, 6187
- Ruiz, Alejandro Garces, 708
- Ruland, Kevin, 4338
- Rumpel, Lukas, 4670
- Rumpf, Adam, 205
- Rupprecht, Rainer, 5372
- Ruprecht, Gabriel, 2001, 3105
- Rutenberg, Guy, 4971
- Ruzyczka, Jacek, 5430
- Ryabov, Denis, 4714
- Ryba, M. F., 4964
- Rynning, Jan Michael, 4884
- Ryota, Niina, 4611

- Ryu, Young, 3820, 4546, 5484, 5760
 Ryćko, Marek, 876, 3553, 4252, 4276
 Römer, Christine, 741, 1275, 3291, 5183,
 5691–5693, 5695–5700
 Rødland, Einar Andreas, 5394
 Saar, Enn, 352, 1654
 Saba, Diego, 5280
 Sacchetto, Mauro, 2897
 Sachs, Christian, 3285
 Saigre, Thomas, 5560
 Sakarovitch, Jacques, 5943
 Salamon, Adrian, 5571
 Sales, Lucas, 563
 Salimi, behzad, 5128
 Salomon, Joel C., 6163
 Saludes, Jordi, 2854
 Salvato-Vallverdu, Germain, 5581
 Salvét, Zdenek, 1270
 Salzer, Gernot, 5198
 Samarin, Alexander, 1050, 4870
 samcarter, 447, 483, 487, 488, 990, 2761,
 4049, 4189, 5569, 5573, 5577, 5580
 Sanchez, Julio, 389
 Sandmann, Søren, 4808
 Sangwin, Chris, 2486
 Sank, Daniel Thomas, 3662
 Sannier, Victor, 4769
 Santos, Ezequiel, 4345
 Santos, Isabelle M., 5556
 Santos, Vitor, 2842
 Saparamadu, Vasantha, 4993
 Sarlat, Jean-Michel, 3688, 4465
 Sartori, Alberto, 1697
 Sathyam, Ujwal, 4749
 Sato, Toru, 5013
 Satrapa, Pavel, 2974
 Saudrais, Eddie, 1791, 1794, 1805
 Sauer, Jonathan, 1090, 3534, 3993, 4066,
 4349, 4796, 6231
 Sauter, John, 4797
 Saxena, Sanjeev, 5755
 Scannell, Kevin P., 2203
 Scarso, Luigi, 3902
 Scavino, Marco, 1633
 Schaa, Volker RW, 2740
 Schaad, James L., 1572
 Schaber, Spencer D., 101
 Schacht, Cedric, 4589
 Schalück, Elmar, 377, 3192, 4020, 6040
 Schandl, Bernd, 3877, 4061
 Schanz, Sebastian, 783
 Scharrer, Martin, 69, 1089, 1090, 1293,
 1302, 1612, 1997, 1999, 2281, 2336,
 2615, 2622, 3223, 3358, 3731, 3754,
 3841, 4639, 4645, 5136, 5169, 5184,
 5222, 5224, 5396, 5562, 5583, 6210
 Schaum, Charles P., 3772, 4816
 Schedler, Andreas, 3909
 Scheidt, Martin, 5563
 Schellenberger, Brian T., 4036
 Schenk, Christian, 3586, 3587
 Schenk, Stephan, 923, 924
 Scherer, Andreas, 144, 1319, 1321, 2856,
 2859, 4541
 Schinke, Carsten, 2220
 Schinko, Yannick, 3070
 Schlechte, Wolfgang Andreas, 3835
 Schlegelmilch, Jürgen, 3039
 Schleicher, Ralph, 1507
 Schlemmer, Tobias, 4114, 5722
 Schlicht, Robert, 1838, 3580
 Schlömer, Nico, 313, 5350
 Schmeing, Michael, 3752
 Schmid, Dominik, 5324
 Schmid, Hanspeter, 2534, 4924
 Schmidt, Jan, 5555
 Schmidt, Walter A., 301, 513, 878, 1049,
 1061, 1399, 1457, 1631, 1754, 1833,
 1844, 2021, 2030, 2236, 2461, 2557,
 2593, 2597, 3039, 3063, 3209, 3332,
 3343, 3348, 3453, 3454, 4234,
 4399–4401, 4685, 5646, 5884,
 5899–5903, 6008, 6016, 6212
 Schmitt, Peter, 281, 398, 4928
 Schmittbuhl, Arnaud, 4489, 4491
 Schmitz, Daniel, 3369
 Schmitz, Thomas A., 1179, 1182, 2238,
 2241, 5972
 Schneider, Christian, 1115, 2182, 2704
 Schneider, Niklas, 4892
 Schneider, Robin, 821, 1227, 1493, 2076,
 2964, 4725
 Schneider, Sven, 1511

- Schneider, Thomas, 887, 2751, 2770, 3780
- Schneyer, Joran, 4753
- Schnier, Thorsten, 2444
- Schofer, Angelika, 3714
- Schollmeyer, Michael, 1949
- Scholten, Travis L., 4570
- Schreiber, Kai, 635
- Schreinemachers, Christian, 535, 1503
- Schrell, Andreas, 2340, 2812, 4228, 5826, 6055, 6219
- Schrod, Joachim, 644, 913, 1135, 1320, 1578, 1863, 2124, 2234, 2602, 2788, 3147, 3392, 4638, 6137
- Schroeder, Thomas, 922
- Schröder, Jenny, 3582
- Schröder, Jörg-Michael, 1350
- Schröder, Martin, 659, 1224, 1852, 1853, 3706, 3739, 4138, 4331, 4617
- Schröppel, Christian, 2125
- Schubert, Elke, 2976, 3488
- Schubert, Sebastian, 3490
- Schubotz, Moritz, 5469
- Schulder, Marc, 2429
- Schuler, J. Peter M., 5800
- Schulter, Wolfgang, 6050, 6051
- Schulz, Herbert, 1229
- Schulz, Jonathan, 5550
- Schulz, Stefan, 924
- Schulzrinne, Henning, 2898
- Schurig, Carsten, 4114
- Schuster, Wolfgang, 1150–1152, 1161, 1163–1165, 1171, 1177–1179, 1183, 1186
- Schwan, Tobias, 598
- Schwartz, Richard, 2961
- Schwartz, Ronald, 5519
- Schwarz, Max, 2360
- Schwarz, Norbert, 1507, 1629, 3947
- Schwarz, Ulrich M., 3769, 3970, 5500
- Schweigert, U., 210, 331
- Schwenk, Ferdinand, 5576
- Schwerdtfeger, Sebastian, 3582
- Schwindt, Tammo, 3000
- Schäfer, Moritz R., 743
- Schöpf, Rainer, 1892, 2505, 3061, 3682, 3902, 5018, 5246, 5835, 5952
- Schüler, Christian, 5031
- Scott, Ryan, 5790
- Scrivena, Zach, 4974, 4975
- Scroggs, Matthew, 4646, 5565
- Sebastiani, Gerd, 5614
- Sebille, Robert, 1908, 3650
- Segletes, Steven B., 752, 892, 2256, 3915, 4643, 4811, 5132, 5177, 5274, 5612, 5659, 5955
- Seibert, Stan, 2539
- Seidman, Gregory, 5771
- Seindal, René, 2669
- Sejas Viscarra, Diego, 3571
- Selberg, Ole Michael, 222, 411, 3873, 3874
- Seliger, Hendrik G, 5424
- Selinger, Peter, 4145
- Selzer, Christian, 4587
- Semken, Christoph, 456
- Sen, Sunando, 5598
- Sendoukas, Hippocrates, 1596, 2599
- Senellart, Pierre, 217
- Senju, Jiro, 1589, 1915
- Senn, Mark, 1572
- Sermutlu, Emre, 1130
- Serwin, Marcin, 3214
- Setzer, Nick, 1110, 1201–1203, 1601, 2131
- Seuranen, Esa, 5418
- Sfyrakis, Chrysovalantis, 2380
- Sgouros, Tom, 2570
- Shadura, Andrej, 342
- Shaik, Vahid, 1485
- Shanks, Bayle, 1616
- Shapin, Ted, 680
- Shapour, Madadpour, 131
- Sharpe, Michael, 116, 248, 249, 429, 431, 443, 664, 745, 1075, 1549, 1563, 1786, 1803, 1808, 1943, 2142, 2211, 2226, 2485, 2653, 3088, 3095, 3432, 3608, 3672, 3832, 3836–3838, 3857, 3897, 4418, 4456, 4466, 4511, 4532, 4554, 4746, 4813, 4819, 5161, 5212, 5323, 5766, 5904, 6018, 6081, 6251
- Sharpsten, Christian, 241
- Shashkov, Sergey, 4770

- Shaw, Caitlin, 3630
 Shawyer, Bruce, 2183
 Shell, Michael, 2606, 2608, 2609, 3485, 5339
 Shen, Willie, 4214
 Shepherd, James, 2746
 Sherman, Heather, 1737, 1738
 Shibakov, Alexander, 5107
 Shigeru, Miyata, 6119
 Shipunov, Alexey, 140, 318, 686, 688, 726, 859, 1012, 1539, 4940, 5021, 6105
 Shizuya, Hakuta, 3133
 Shoaib, Yasir, 4777
 Shoshiashvili, Levan, 357, 2249
 Shoulson, Mark, 3958, 5979
 Shub, Daniel E., 585
 Shun, Shirakawa, 5723
 Shuval, Boaz, 5316
 Shvaika, Andrij, 1059, 5814
 Siddikov, M., 3995
 Siebenmann, Laurent, 266, 750, 775, 816, 2562, 2916, 3940, 4616
 Siefken, Jason, 2775
 Siefkes, Christian, 2450
 Siegel, Dominik, 937, 1923
 Siegert, Frank M., 5727
 Siegert, Hans-Jurgen, 3007
 Sievers, Martin, 508, 979, 1701, 2448, 3163
 Sigurdhsson, Simon, 975, 1519, 5003, 5009, 5010
 Sihler, Florian, 1927, 5586
 SIL International, 124, 175, 911, 1517, 2240, 4032, 4073
 Silano, Giuseppe, 1841
 Simers, Thomas, 5078
 Simon, André, 2500
 Simon, B., 4921
 Simonic, Aleksander, 6042
 Simons, Don, 3746, 4289
 Simpson, Duncan, 6057
 Simpson, Rick, 3170
 Simões, Alberto Manuel Brandão, 3215, 5413
 Singer, Jed, 4154
 Singh, Amarjit, 2416
 Singh, Madhusudan, 277
 Singletary, Tim, 5412
 Sion, Laurens, 4130
 Sirer, Emin Gün, 1259
 Sirlin, Sam, 4994
 Siskind, Jeffrey, 4576, 4583
 Sitaram, Dorai, 1753, 5015, 5382
 Sixt, Johannes, 6186
 Sixt, Leon, 1704
 Skala, Matthew, 2531, 5139
 Skinner, Eric, 5107
 Skorczynski, Adam, 3047
 Slater, Joseph, 2639
 Slavič, Janko, 61
 Slurp, 3497, 4124, 5173
 Slyusarev, Sergey, 808, 2036
 Small Planet Software, 5037
 Smart, Julian, 5383
 Smiga, Joseph A., 1903
 Smith, Andrew, 2810
 Smith, Bradley, 2070
 Smith, Brian, 5690, 6126
 Smith, Cameron, 2234, 4037, 6072
 Smith, Fabian Robert, 1215
 Smith, J. Daniel, 3064, 3373, 6249
 Smith, John, 32, 2661
 Smith, Nathaniel J., 201
 Smith, Ralph, 4745
 Smith, Steven T., 251, 1441
 Smullyan, Jacob, 4936
 Smárason, Sindri, 1021
 Snajdr, Jaroslav, 1271
 Snapp, Bart, 6135
 Sneep, Maarten, 1502, 6156
 Snippe, Max J.W., 4718
 So, Henry, 2384
 Sodtalbers, Axel, 2804
 Solomykov, Basil, 3938
 Somefun, Oluwasegun, 2820
 Sommer, Jörg, 2766, 5321
 Sommerfeldt, Axel, 663, 843, 844, 1715, 3232, 3828, 4734, 4742, 5190, 5674, 5824
 Sowa, Friedhelm, 712, 4222
 Sozuer, Sami, 1040, 3883
 Spalek, Robert, 3557
 Sparapani, Rodney, 5143

- Spencer, Stephen N., 3820
 SPIE Support, 5101
 Spiegel, Simon, 589
 Spiel, Chris, 5244, 5778
 Spina, Sergio, 4277
 Spinellis, Diomidis, 536
 Spit, Werenfried, 1306
 Spittank, Daniel, 5921
 Spitzmüller, Jürgen, 358, 618, 1234, 2791, 3275, 4303, 5871
 Spivak, Michael, 1580, 2929, 2930, 3716
 Spivey, Mike, 6154, 6236
 Spratte, Jonathan P., 1033, 1557, 1558, 1740, 1816, 1883–1886, 2343, 3521, 4179, 4551, 6142
 Spreng, Stefan, 3143
 Spribille, Tobias, 75
 Springer Verlag, 5114
 Springuel, Fr. Samuel, 2384, 3372
 Srinivasan, K., 56
 Staats III, Charles, 288
 Staats, Michale, 5878
 Stacey, Andrew, 759, 891, 2521, 4153, 4166, 4181, 4762, 5092, 5579, 5595, 5680
 Stachelek, Joseph, 5545
 Stajano, Frank, 2023
 Stallman, Richard M., 3012
 Stambulchik, Evgeny, 4128
 Stanier, Alan, 943, 1328, 1335, 2250, 2337, 2595, 3955, 4004, 4794, 4937, 5083, 5248, 5806
 Stanley, Paul, 4002
 Staps, Camil, 642, 3010, 3516, 5636
 Starke, Jan, 5685
 Starks, Anthony, 1980
 Starý Novotný, Vít, 1268, 1888, 1973, 2018, 3228, 3420
 Statulevičius, Vytas, 2054, 5181
 Stauss, Harald M., 1941
 Steensgaard, Jørgen, 1626
 Stefanović, Uroš, 383, 384, 1063, 1067, 5121
 Steffani, Hans Friedrich, 1918, 2177
 Steffens, Stefan, 2968
 Steffmann, Dieter, 2666
 Stein, Leo, 2391, 3994
 Steinbach, Andrea, 3714
 Steiner, Beat, 5731
 Steiner, Dave, 5908
 Steinhauer, Ben, 746, 2723
 Stendahl, Jakob, 2314
 Stender, Daniel, 6117, 6120
 Stepanyan, R., 419, 644
 Stephani, Philipp, 3292, 3293
 Stergiou, Andreas, 948
 Sterling, Jonathan, 2772
 Sternefeld, Wolfgang, 3123, 4515
 Steuer, Arne W., 860
 Stewart, G. W., 2753
 Stigge, Roland, 2988
 Stippich, Frank, 5404
 Stoffel, Augusto, 1461, 5531
 Stoks, Sander, 2843
 Stone, Anthony, 672
 Stone, Philip, 4642
 Storvik Strauman, Andreas, 1871, 2430, 2651
 Story, Donald P., 42, 44, 47, 49–51, 79–87, 180, 258, 420, 1072, 1194, 1351, 1462, 1491, 1525, 1630, 1657, 1720, 1769–1772, 1774, 1875, 1947, 1960, 2019, 2044, 2135, 2364, 2366, 2372, 2598, 2681, 2762, 3161, 3241, 3577, 3629, 3978, 4284, 4311, 4580, 4622, 4630, 4678, 4708, 4713, 4717, 5501, 5594, 6080, 6228
 Straat, Jesse, 90, 4684
 Straathof, Bas, 2438
 Strasser, Georg, 490
 Straub, Pablo A., 270
 Straube, Hilmar, 5624
 Strauß, Martin, 5308
 Strecker, Stefan, 1701
 Streit, Alexander, 2955
 Strip, David, 859
 Stokov, Igor, 5172
 Struve, Dirk, 5451
 Strzelczyk, Piotr, 896, 3160, 4574, 5301, 5360–5365, 5524, 5659
 Stuart, Louis, 447, 458, 3222
 Stubner, Ralf, 2146
 Stuetz, Markus, 830
 Stuhmann, Norbert, 2038, 5182

- Stupp, Gideon, 3905
 Sturm, Thomas F., 1282, 1459, 2232, 2650, 3523, 4786, 5309, 5574
 Stříž, Pavel, 3204
 Suchard, Jan Eike, 5878
 Suckale, Jakob, 1946
 Sullivan, Wayne, 1483, 4807
 Sun, Tong, 3012
 Sun, Wenchang, 1003, 6102
 Sun, Xiao, 2511
 Sun, Zhonghao, 5644
 Surber, Wesley, 5742
 Surmann, Dirk, 5587
 Svensson, Anders, 2888
 Sverrisson, Marteinn, 2594
 Swamidass, S Joshua, 3924
 Swift, Matt, 11, 35, 36, 107, 297, 694, 704, 1136, 1454, 1532, 2155, 2156, 2652, 3131, 3670, 3675, 3822, 4676, 5016, 5229, 5618
 Swifterhtmler, 1802
 Sydoriak, Steve, 2925, 2928
 Syrjänen, Tommi, 19, 2081, 3620
 Syropoulos, Apostolos, 136, 233, 262, 267, 359, 531, 552, 875, 1413, 1686, 1752, 2158, 2374, 2375, 2395, 2397, 2459, 3114, 3461, 3556, 3722, 3945, 3957, 4191, 4202, 4754, 4756–4758, 5148, 5226, 5827, 6101, 6105, 6112, 6113, 6118, 6131
 Szabó, Péter, 4, 196, 361, 1863, 2356, 2981, 4784, 5724
 Szoke, Mark-Andor, 1433
 Södergran, Salome, 2861, 2869
 Söhner, Jörg, 2811
 Söll, Thomas, 4446, 4477, 4482, 4484, 4504
 T. Nair, Rishikesan, 1689
 Tahsiri, Amir Mohammad, 538
 Takato, Setsuo, 2828
 Takeda, Shiro, 1637
 Takkinen, Laura, 5418
 Talbot, Nicola, 533, 635, 1284, 1343, 1345–1347, 1354, 1356–1377, 1379–1398, 1456, 1504, 2058, 2059, 2064, 2301–2305, 2307, 2309–2313, 2316, 2317, 2319, 2321, 2770, 2771, 3383, 3385, 3561, 3866, 4337, 4347, 4602, 5341, 5373, 5439, 5683, 5949, 6126
 Tam, Claire, 5909
 Tan, Renier, 5250
 Tanaka, Takuji, 1195, 1569, 1579, 2743, 2744, 5886, 5891–5893
 Tanbakuchi, Anthony A., 1990, 4262
 Tanguy, Yannick, 1934
 Tannert, Sebastian, 982
 Tantau, Till, 447, 4165, 4177
 Tartir, Jamal K., 2766
 Tasso, Florian, 1739
 Tatlock, Benjamin, 771
 Tatsuta, Makoto, 3155
 Taupin, Daniel, 1055, 1630, 2340, 2577, 3239, 3743, 3746–3748, 5022, 5252, 5941
 Taylor, Bob, 5267
 Taylor, Laurence R, 777, 1281
 Taylor, Paul, 4367, 4573, 5304
 Taylor, Philip, 1253, 1254, 3064, 4087, 4915, 5460, 5712, 5813, 5953
 Team Robocracy, 2176
 Technologies, Deepmind, 5759
 Teegen, Maximilian, 3065
 Tellechea, Christian, 215, 314, 926, 1464, 2519, 3142, 4627, 4839, 4840, 4981, 5113, 5249, 5279, 5665, 5741, 6182
 ten Cate, Thomas, 5615
 Tennent, Bob, 27, 110, 124, 128, 175, 238, 294, 324, 687, 697, 814, 819, 849, 911, 980, 1009, 1016, 1086, 1207, 1217, 1248, 1249, 1449, 1622, 1983, 2008, 2138, 2207, 2209, 2225, 2280, 2338, 2589, 2642, 2643, 2777, 2798, 2799, 3084, 3086, 3087, 3094, 3098–3100, 3102, 3124, 3164, 3353, 3411, 3525, 3616, 3745, 3748, 3749, 3755, 3891, 3895, 3962, 3964, 4024, 4032, 4271, 4273, 4289, 4297, 4334, 4590, 4719, 5094, 5421–5423, 5480, 5482, 5483, 5605, 5645, 5870, 6154
 Terashita, Tera, 3961
 Tesařík, Petr, 385
 Teubner, Michael, 1222
 Tex, Ajabu, 5721

- TeXpérimental, 822
- Thakkar, Ajit, 2713
- Thatcher, Peter, 2539
- The American Mathematical Society,
148, 149, 154, 155, 157, 158, 162,
164, 167, 168, 170, 171, 173, 2782,
4944, 5031, 5342, 5890, 6052
- The AUCTeX Team, 300, 4340
- The Greek Font Society, 2264–2267,
2269, 2272, 2274
- The Gregorio Project, , 3350
- The Indian TeX Users Group, 5801
- The JabRef Project, 2739
- The LaTeX Project Team, 98, 126, 151,
152, 162, 165, 172, 246, 256, 323,
711, 730, 738, 820, 897, 1008, 1034,
1054, 1094, 1287, 1329, 1407, 1427,
1489, 1497, 1583, 1592, 1707, 1712,
1732, 1759, 1811, 1887, 1892, 2021,
2028, 2075, 2096, 2113–2115, 2179,
2245, 2286, 2288, 2289, 2356–2358,
2362, 2367, 2461, 2572, 2615, 2619,
2623, 2627, 2628, 2630, 2631, 2656,
2673, 2836, 2899–2903, 2905–2907,
2909–2911, 2942, 2943, 2945, 2946,
2948, 2954, 2956, 2959, 2960, 2964,
2966, 2969, 2970, 2978–2980, 2998,
3018, 3028, 3061, 3187, 3201, 3235,
3244, 3295, 3306, 3319, 3321, 3388,
3454, 3468, 3564, 3576, 3607, 3658,
3726, 3813, 3845, 4122, 4222, 4234,
4348, 4399, 4634, 4683, 4685, 4732,
4939, 4948, 5018, 5070, 5079, 5179,
5245, 5253, 5285, 5289, 5291, 5370,
5487, 5681, 5711, 5851, 5875, 5914,
5952, 6087, 6088, 6116, 6127, 6129,
6130, 6159, 6170, 6179, 6185
- The LuaTeX Team, 3317
- The MetaPost Team, 3541
- The NTS Project, 3911
- The pdfTeX Team, 4137
- The PGF/TikZ Team, 4165, 4171, 4174,
4175, 4186, 4188
- The STI Pub Companies, 5162, 5163,
5165
- The TeX Live Team, 111, 652, 654,
1575, 1578, 1582, 1585, 1810, 2877,
2923, 3389, 4085, 4137, 4250, 4380,
5401, 5420, 5426, 5677, 6022, 6115
- The TeX4ht Team, 4372, 5386
- Theiling, Henrik, 1845
- Theulings, Dimitri, 3153
- Thiele, Christina, 3903, 5730
- Thielemann, Jens T. Berger, 963
- Thiersch, Craig, 2218
- Thiriet, Damien, 460
- Thomas, Andy, 4966
- Thomas, Matt, 3163
- Thomas, Reuben, 135, 136, 691, 1251,
1338, 4119, 5134
- Thomas, Spencer W., 5840
- Thompson, Nadine, 3646
- Thompson, Paul A., 43, 3829, 5951, 5999
- Thornburg, Jonathan, 125
- Thorne, James, 3810
- Thorup, Kresten Krab, 300, 820, 2179,
2923, 4404
- Thull, Klaus, 6204
- Thurston, Toby, 1535, 3541
- Thành, Hàn Thế, 10, 2419, 4137, 4145,
4278, 5989
- Tidefelt, Henrik, 706
- Tijssen, Luuk, 1832
- Tille, Andreas, 982, 2136
- Tilmann, Frederik, 3006
- Tinnefeld, Karsten, 747, 1217, 3413,
3715, 4599
- Titz, Thomas, 574, 2604, 4601
- Tkadlec, Josef, 4224
- Toal, Graham, 1067
- Tobin, Geoffrey, 1552, 1566, 1979, 1980,
3532, 3565, 4912
- Tobin, Georgia K. M., 2433
- Tobotras, Boris, 3217
- Toby, B. H., 2138, 3136
- Tolksdorf, Robert, 4330
- Tolušis, Sigitas, 371, 1313, 2063, 3151,
3413, 5130, 5160, 5181, 6099
- Tomonaga, Shin-Ichiro, 4534
- Torchiano, Marco, 5671
- Torkington, Nathan, 2539
- Toro, Javier, 2687, 2688
- Toshio, Oshima, 1579
- Totushek, Jonathan, 3810

- Townsend, Adam, 4646
 Trajanovski, Stojan, 372
 Tran, Tony, 5977
 Trautmann, Arno L., 954, 4253, 5377
 Trettin, Mark, 2894, 2895, 2898
 Trevorrow, Andrew, 4028
 Trickey, Howard, 141
 Trifonov, Peter, 3966
 Trinkle, Daniel, 1439
 Triska, Markus, 2005, 2383
 Truöl, Werner, 5248
 Trzeciak, Tomasz M., 815, 1495
 Tse, Kwanleung, 2516
 Tsinghua University TUNA Association, 5516
 Tsolomitis, Antonis, 1748, 2110, 2111, 2264–2269, 2271–2275, 2379, 2826, 2990, 3824, 3963, 5293, 5761
 Tsur, Dekel, 3037
 Tsyplakov, Alexander, 5679
 Tucci, R., 2675
 TUG DVI Standards Working Group, 1590
 TUG Lucida Support Group, 3334
 TUG TWG-MacTeX, 3359–3361
 TUG TWG-TDS, 5312
 Tuleuov, Berik I., 2938, 4832
 Turlay, Emmanuel, 5215
 Turner, Rebecca, 762, 903, 3247, 4636
 Turon, Francina, 818
 Turtia, S. B., 3559
 Tutelaers, Piet, 944, 3814, 4380, 4391
 Tweedale, Michael, 3458
 Tómacs, Tibor, 361, 733, 1971, 2542, 2544, 3927, 5492
 Uchiyama, Takanori, 3748, 3749
 Ueda, Takahiro, 314
 UK TeX Users Group, 5815
 Ukai, Hiroshi, 1475
 Ulfberg, Staffan, 114
 Ulrich, Stefan, 658, 3691, 5122
 Ulrych, Oldrich, 2662
 Umeki, Hideo, 2245, 2247, 3028
 Ummels, Michael, 879, 1952, 1991, 2091, 5260
 Un, Koaunghi, 2517, 5807, 5841, 5842, 6198
 Underwood, William George, 2963
 Ungar, Peter, 1253, 4044
 Unger, Benjamin, 2206
 Unruh, Dominique, 760, 5794, 5849
 Urban, Michael, 662, 1727, 5326
 URW GmbH, 3063, 5899–5901, 5903
 user202729, 1237, 4329, 4339, 4564, 4687, 4798, 5854
 Utcke, Sven, 5914
 Vabishchevich, Petr, 3014, 3696
 Vajakas, Jaan, 352
 Valbusa, Ivan, 454, 615, 2112, 5209
 Valetov, Eremey, 2144
 Valmary, Cédric, 375, 2300
 Vamvakas, Ioannis A., 811
 Van Ammers, Eric W., 1024
 van Beurden, N. J. H. M., 3018
 van der Beek, Folkert, 5934
 van der Flaas, Ives, 1213
 van der Goot, Marcel, 754, 3584
 van der Hoeven, Joris, 5432
 van der Kallen, Wilberd, 3408, 4722
 van der Laan, Kees, 711, 769, 770, 776, 1263, 2913, 4542, 5999
 van der Meer, Hans, 1864, 5017
 van der Meer, Sven, 5002
 van Deursen, Ton, 3707
 van Dooren, Gerry, 3191
 van Eijk, Oscar, 5116
 van Eijndhoven, Jos, 4316
 van Geest, Marion, 3781
 Van Geest, Michael R., 1649
 van Heerden, Derick, 3934
 van Jerry, Teddy, 4916
 van Leeuwen, Marc, 1323
 van Miltenburg, Emil, 5091
 van Oostrum, Pieter, 402, 673, 677, 1656, 1920, 1923, 3154, 3738
 van Oudenhove, Thomas, 5075, 5429
 van Rein, Rick, 2844
 Van Snick, Romeo, 3475
 van Tilburg, Paul, 2039
 Van Zandt, Timothy, 1108, 1917, 1931, 2151, 3730, 4317, 4408, 4423, 4430, 4448, 4466, 4473, 4479, 4497, 4500, 4502, 4517, 4894, 5757, 6091
 van Zuijlen, Matijs, 5247

- Vanden Wyngaerd, Guido, 2129
Vandevelde, Simon, 1415
Vaney, Quentin, 3020
Vannieuwenhuyze, Jorre, 3483
Vanroose, Peter, 828, 829, 4717, 4852, 5708
Varian, Hal, 702, 5970
varkor, 4595
Varona, Juan Luis, 2202
Vasil'ev, Konstantin, 5729
Vassallo, Salvatore, 1790
Vassilogiorgakis, John, 3725
Vassor, Martin, 2132, 3527
Vaughan, Nicolas, 5234, 5740
Vavassori, Emiliano Giovanni, 2409, 2414
Vector, Casper Ti., 578, 4249
Vela, Daniel, 3219
Velleman, Dan Bridges, 1565
Velleman, Leah, 5168
Velthuis, Frans, 1441
Velázquez, Jesús, 5829
Venkataramaiyer, Raghav B., 5523
Venkatesan, SK, 1211
Vens, Erik-Jan, 4379
Verbruggen, Ad, 3583
Verdier, Olivier, 4563
Verfaille, Vincent, 1146
Vergauwen, Bob, 4982
Vergnet, Fabien, 477
Verhoeff, Tom, 6239
Verhoeven, Richard, 3460
Verhoeven, Yves, 1567
Vermaseren, Jos, 334, 335
Vermeer, Martin, 153, 2586
Verna, Didier, 1307, 1520, 2004, 2031, 4571
Vernon, Matthew, 2041
Verunek, Jiří, 5602
Ververidis, Dimitrios, 5991
Verwer, Nico, 3169, 4716, 6173
Verweyen, Georg Michael, 3519, 5150
Vessella, Nino, 4384
Veytsman, Boris, 37, 68, 71, 95, 145, 198, 253, 515, 653, 739, 1062, 1065, 1123, 1258, 1440, 1477, 1501, 1742, 1785, 1804, 2016, 2079, 2197, 2279, 2320, 2636, 2648, 2727, 2736, 2741, 3199, 3446, 3489, 3721, 3724, 3790, 3867, 3877, 3885, 4098, 4148, 4203, 4476, 4635, 4691, 4773, 4782, 4902, 5122, 5380, 5508
Vicentini, Emanuele, 1849, 1854, 2415
Vieth, Ulrik, 1029, 1140, 1141, 2097, 2342, 2692, 3453, 3454, 3528, 3562, 5129, 5338
Vigil, Arthur, 5776
Vigna, Sebastiano, 882, 3891
Vignal Danilet, Maryline, 4737
Vignault, Jean-Paul, 4489
Vihrov, Andrey, 2027
Vijay, Sameer, 3809
Vikhlinin, Alexey, 1711
Vila-Forcén, José-Emilio, 3391
Vion, Adrien, 629, 3073
Virga, Bruce, 3470
Visavakul, Chakkapas, 3220
Vit, 3925
Vitacolonna, Nicola, 1841
Vitecek, Ben, 1198, 2634, 5591
Vivegnis, Pierre, 1317
Vlasák, Michal, 4118
VNP Comp, 653
Vogel, Katrin, 5695
Vogel, Martin, 3421
Vogel, Olivier, 3745
Vogel, Ralf, 6193
Vogel, Tilman, 2148
Vogelgesang, Matthias, 478
Vogt, Frédéric P.A., 3551
Vojta, Paul, 2400, 4244, 5789, 6098
Vollmer, Jürgen, 38, 1527, 2989, 4641
Volovich, Vladimir, 1042, 1045, 1329, 3082, 3147, 4685, 4759, 5257, 5768
von Bechtolsheim, Stephan, 4914, 5370
von Fintel, Kai, 632
von Loesch, Boris, 5418
Vosberg, Friedrich, 4633, 4751
Voss, Jochen, 2807
Vozárik, Lajos, 5415
Voß, Herbert, 312, 448, 567, 578, 598, 619, 627, 729, 1108, 1226, 1288, 1336, 1425, 1505, 1550, 1551, 1668–1670, 1931, 1945, 2010, 2151,

- 2239, 2482, 2551, 2553–2556, 2558,
2559, 2722, 2796, 2950, 2975, 2977,
3090, 3092, 3281, 3288, 3313, 3333,
3426, 3441, 3615, 3730, 3843, 4040,
4274, 4321, 4336, 4408–4412,
4414–4417, 4419–4423, 4426,
4428–4431, 4433–4436, 4438–4449,
4453–4455, 4457, 4459, 4460,
4462–4464, 4466–4468, 4471, 4473,
4478–4481, 4484, 4485, 4487–4489,
4492–4502, 4504, 4506, 4508, 4510,
4515, 4517, 4519, 4520, 4767, 4818,
4894, 5090, 5285, 5333, 5757, 5864,
5993, 5994, 6091, 6125, 6132, 6136,
6151, 6188, 6191
- Voß, Jakob, 48, 5636
- Vrba, Anton, 2046, 4967
- Vrettos, Dimitrios, 3424, 3425
- Vrečko, Matjaž, 5017
- Vulis, Dimitri, 418, 5814, 6029
- Väisänen, Hannu, 2868
- Välimäki, Tuomas, 1370, 2308
- Väth, Martin, 1776, 2411, 2721, 5668,
5910, 5938, 6247
- Vũ, Dũng, 106
- Wagner, Anselm, 599
- Wagner, Victor, 867
- Wagner, Zdeněk, 76, 1069, 1268, 1270,
1271, 1273, 1441, 1534, 1604, 1714,
2000, 3375, 3947, 6124, 6259, 6260
- Wahl, Tobias, 3611
- Waldi, Roland, 6017
- Wales, Richard B., 3939, 3946
- Walker, Jim, 4993
- Wall, Matthew, 4835
- Walls, Jonathan, 2515, 3342, 3349
- Walsh, Norman, 1129, 2532, 2539, 3154,
3356, 3573, 4243, 5371
- Walshaw, Chris, 13
- Waltman, Marijn, 3194
- Wan, Zhen, 1241
- Wang, HaiYing, 4763
- Wang, Hsin-Po, 5032
- Wang, Junwei, 497
- Wang, Qifan, 3632
- Wang, Ran, 1680–1682, 2683
- WANG, Xu, 5528
- Wang, Yue, 1294, 6244
- Wang, Zhaoli, 3486
- Warbrick, Jon, 2958
- Ward, Greg, 777
- Ward, Martin, 4359
- Wardrop, Matthew, 705
- Warner, Daniel, 1429
- Warnking, Rene, 2295
- Wartenburger, Lucas, 2802, 2805
- Washburn, Geoffrey, 4009
- Watson, Bret, 3590
- Watson, Jr, Harry A., 3354
- Wawrykiewicz, Staszek, 5379, 5920
- Wawrzyniak, Piotr, 2871
- Waßenhoven, Dominik, 586, 637, 2506
- Webb, Duncan, 3887
- Weber, Natalie, 3054, 5461
- Weber, Olaf, 2877, 6022
- Weberndorfer, Christoph, 5123
- Weeks, Andrew, 5727
- Wegner, Arnim, 2442
- Wegner, Dagny, 2442
- Weh, Tobias, 609, 3521, 3550, 3750
- Wehr, Keno, 326, 369, 518, 1423, 4169,
4206, 4823
- Wei, Weifan, 5857
- Weibezahn, Roland, 6184
- Weibull, Nikolai, 1153
- Weinhold, Stephan, 6170
- Weinmann, Thomas, 5751
- Weise, Thomas, 5408
- Weiser, Matthias, 2
- Weiss, Benjamin, 2616
- Weiss, Daniel A., 202
- Weissenburger, Jens, 178
- Weissert, Thomas, 3630
- Wells, Charles, 186
- Wemheuer, Moritz, 588, 630
- Wentworth, Robert H, 3705
- Wermuth, Udo, 2263, 2617, 4257, 5705
- Werner, Carl-Gustav, 125
- Werner, Eduard, 387, 5074
- Werner, Matthias, 4875
- Werschulz, Arthur G., 147
- Wertenaue, Jochen, 5976
- Wester, Michael, 61
- Westphal, Bernd, 3200

- Wette, Karl, 322, 1709, 2069, 3119, 3120
Wettstein, Andreas, 310
Weytjens, Johannes, 3128
Whaite, Peter, 1760
Wheelwright, Steven, 3630
Whieldon, Gwyneth, 4910
Whisperity, 279
White, Robert, 2602
White, Steve, 2332
Whited, Sam, 1192, 4296
Wichura, Michael, 4225, 6033
Wickerson, John, 4707
Wicks, Mark A., 1581, 1582
Wiebusch, Martin, 5292
Wiedmann, Michael, 5378
Wiegand, Sven, 5437
Wieland, Andreas W., 2816
Wierda, Gerben, 862, 1766
Wiersma, Jacob, 3971
Wierzbicki, Tomasz, 194, 5905
Wigle, Randall, 1641
Wijnhout, Jeroen, 2841
Wikner, Charles, 4789
Wilkinson, Michael, 4831, 4881, 6012
Willadt, Peter, 417, 2918, 3021, 4120
Willand, Alexander, 1193
Williams, Peter, 119, 2444, 2445, 6038
Williams, Thomas, 2333
Wilms, Jörn, 4699
Wilson, Charles, 2214
Wilson, Peter R., 23, 184, 213, 228, 233, 243, 302, 303, 336, 520, 734, 736, 737, 850, 877, 904, 913, 965, 966, 1114, 1190, 1314, 1327, 1494, 1660, 1750, 1822, 1891, 2044, 2115, 2376, 2377, 2435, 2498, 2546, 2547, 2579, 2620, 2681, 2682, 2714, 2716, 2723, 3029, 3048–3050, 3115, 3240, 3380, 3506, 3507, 3510, 3533, 3585, 3768, 3813, 3827, 3842, 3933, 3961, 4030, 4042, 4190, 4205, 4344, 4375, 4728, 4736, 4765, 4772, 4794, 5117, 5149, 5207, 5473, 5615, 5621, 5651, 5654, 5656, 5686, 5805, 5832, 5965, 5969, 6026, 6183
Wimpy, Cameron, 564
Windels, Bart, 3205
Winkler, Roland, 1780
Wintz, Paul, 2497
Wirth, Hans-Christoph, 2137
Wiseman, Levi, 971
Wittenberg, Lee, 6063
Wittenburg, Kim, 5807
Woch, J, 1216
Wolczko, Mario, 6, 94, 127, 4727, 5024, 5945
Wolfe, Warren, 6005
Wolff, Thomas, 5255
Wolfsteiner, Lukas, 2793
Woliński, Marcin, 376, 767, 3753, 4301
Wolters, Mark A., 1969
Wong, Wai, 4095
Wonneberger, Reinhard, 3068
Wood, Derick, 5709
Wooding, Mark, 289, 1066, 1488, 2120, 3492–3496, 5216, 5242
Woollatt, Alison, 1904, 3162, 3647
Wormer, Paul E. S., 6222
Worsch, Bernd, 5243
Wright, Joseph, 34, 187, 447, 580, 594, 610, 616, 622, 768, 936, 939, 1274, 1707, 1819, 2047, 2358, 3237, 3321, 3322, 3464, 3468, 3572, 3576, 3784, 3888, 4182, 4744, 4963, 4994, 4996, 4997, 5370, 5703, 5713, 5851, 6129
Wu, LingYun, 1294, 1296, 6244
Wu, Siyu, 6070
Wu, Weijian, 4998
Wu, Zhenyu, 5448
Wujastyk, Dominik, 1285, 1441, 1544, 1650, 2070, 2071, 3068, 5519, 5813
Wynne, Colin J., 1005
Wäckerlin, Marc, 784, 2668
Wünsch, Karl Günter, 2848
Xexéo, Geraldo, 1206
Xia, Kangwei, 1859
Xia, Mingyu, 491, 910, 1910, 2451, 3145, 3148, 3149, 3347, 3886, 4217, 5499, 6031
Xiang, Ziyue, 3310, 5024
Xing, Zhaopeng, 3222
Xiong, Yu, 3862, 3863
XU, Jinwen, 501, 1020, 1104, 1245, 1247, 1667, 2527, 2808, 3041, 3596,

- 3607, 3733, 4362, 4568, 4989
Xue, Ruini, 5516, 6234
Y.D.X., 3894
Yamaji, Akira, 3484
Yamamoto, Munehiro, 2224, 2365, 4768, 5112
Yamashita, Hironobu, 245, 932, 1571, 1577, 1721, 2244, 3443, 4264, 4267, 4553, 4869
Yanai, Shimon, 3554
Yang, Jingxuan, 2512, 2513, 5510
Yang, Yang, 3543
Yang, Yuchang, 1648, 3778, 4761, 5344
Yanshuo, Chu, 2510
Yap, Ken, 2483
Yasko, Nick, 2749
Yasuoka, Koichi, 5013
Yato, Takayuki, 788–790, 792–795, 798–806, 2625, 2707, 2758, 4543–4545, 4548–4550, 4552, 4555, 6262, 6263
Yavuz, Volkan, 2323
Ye, Lei, 5880
Yi, Qu, 1340, 1609, 4082, 5093
Yin, Zhenhao, 2492
You, Jiarui, 4613
Young, Joel D., 99
Yuan, Xu, 4171, 4174, 4175, 4917
Yukawa, Hideki, 4534
Zabelin, Anatoly A., 2524
Zaccone, Rick, 1866
Zach, Richard, 787, 2017, 2832, 3196, 4533, 5788
Zachhuber, Jonathan, 1204, 2255, 5585
Zadka, Moshe, 5978
Zafeirakopoulos, Zafeirakis, 4305
Zahumensky, Adam, 2813
Zaitseff, John, 5877
Zakharevich, Ilya, 3457, 5382
Zalmstra, Joost, 1988
Zannarini, Emanuele, 2897
Zaretskii, Eli, 1478
Zaslavsky, David, 4219
Zedler, Michael, 2142
Zeiss, Benjamin, 3019
Zeman, Michal, 2074
Zeng, Qirui, 5334
Zeng, Xiangdong, 1294, 1703, 1953, 2009, 2210, 3222, 3893, 5753, 6241
Zeng, Xuwang, 1705
Zhang, Gary, 974
Zhang, Linbo, 1003
Zhang, Ruixi, 1294, 3226, 6240
Zhang, Shenxing, 2491
Zhang, Taihao, 3046
Zhang, Tingxuan, 2024, 3222, 4052, 4215, 5859
Zhang, Yue, 2026, 2632, 5894
Zhang, Zitong, 900
Zhao, Alick, 498
Zhao, Feng, 5511
Zhao, Yichen, 3862
Zhao, Yuansheng, 2210
Zheng, Wentao, 3533
Zheng, Zangwei, 3860
Zhennan, Li, 1242, 5446
Zhenyu, Wu, 3861
Zhenzhen, Hu, 590
Zhiwei, Song, 3515
Zhou, Fangyi, 293
Zhou, Harry, 3894
Zhou, KeXin, 4986
Zhytnikov, Vadim V., 832, 1052, 3083
Ziegenhagen, Uwe, 1551, 5941
Zigliotto, Francesco, 2922
Zimanyi, Esteban, 1575
Zimmermann, Ingo, 1226
Zimmermann, Uwe, 233, 5979
Zirin, Dan, 5649
Zitzmann, Klaus, 6186
Zivković, Dejan, 5959
Zlatuška, Jiří, 30, 1271
Znamenskii, Sergei V., 1062, 1065
Zoonekynd, Vincent, 724, 3542
Zubia Garea, Gorka, 341
Zucatelli, Fernando H. G., 5527, 5547
Zwahlen, Cedric V., 2750
Zwols, Yori, 4932
Zydowitz, O, 2178
Zöllner, Benjamin, 6063
Zöllner, Erik, 1614
Zýka, Vít, 4891
Árnason, Einar, 362
Órdenes, Jerick, 6089

Övet, Cem, 466
 Ørsted, Sebastian, 3052, 4888, 4897,
 5174
 Łupkowski, Paweł, 1929
 Šakuras, Edgaras, 1671
 Šegan, Danilo, 812, 4929
 Živanović, Sašo, 77, 1088, 1610, 1821,
 2127, 3513
 Žlajpah, Leon, 5017
 Žubrinić, Darko, 1250
 निरंजन, 8, 330, 477, 950, 1353, 1517,
 1644, 1674, 2262, 2932, 3125, 3410,
 3718, 5608, 5801, 5862, 5865

Contact

announce, 16, 96, 317, 462, 473, 482,
 504, 530, 562, 570, 571, 584, 607,
 692, 779, 1005, 1134, 1207, 1215,
 1240, 1243, 1476, 1501, 1529, 1592,
 1652, 1678, 1840, 1889, 1909, 1910,
 1927, 1935, 1974, 2015, 2088, 2090,
 2104, 2186, 2221, 2452, 2480, 2511,
 2513, 2514, 2664, 2739, 2780, 2810,
 2883, 2972, 3071, 3091, 3146, 3174,
 3193, 3228, 3229, 3285, 3367, 3391,
 3420, 3537, 3640, 3650, 3653, 3718,
 3861–3863, 3933, 4019, 4090, 4215,
 4322, 4340, 4345, 4495, 4593, 4596,
 4624, 4695, 4721, 4858, 4893, 4961,
 4977, 4999, 5081, 5082, 5151, 5159,
 5186, 5231, 5233, 5250, 5394, 5400,
 5407, 5455, 5499, 5511, 5517, 5575,
 5586, 5592, 5692, 5817, 5821, 5857,
 5866, 6069, 6143
 bugs, 9, 16, 21, 33, 38, 41, 54, 55, 67–69,
 92, 96, 103, 106, 108, 111, 115,
 120–122, 134, 143, 148, 182, 205,
 210, 214, 215, 218, 225, 228, 231,
 233, 234, 241, 253, 254, 270, 272,
 279, 286, 290, 293, 297, 298, 301,
 308, 316, 317, 327, 329, 330, 337,
 339, 342, 358, 359, 361, 369, 380,
 396, 405, 423, 434, 445, 446, 448,
 451, 453, 456, 459, 462, 465, 466,
 473, 475, 480, 482, 484–486, 490,
 493, 496, 498, 499, 503, 504, 523,
 530, 534, 544–553, 562–564, 568,

570–573, 575, 584, 585, 587, 588,
 590, 596, 601, 604, 607, 613, 615,
 618, 620, 621, 623–626, 630–634,
 636, 642, 649, 652, 654, 655,
 666–671, 673, 675, 678, 692, 695,
 708, 709, 716, 717, 721, 739, 746,
 757, 759, 763, 779, 787, 788, 796,
 797, 808, 809, 831, 843, 847, 848,
 852, 858, 864, 870–872, 878, 888,
 897, 901, 904, 906, 914, 917, 928,
 931, 932, 934, 951, 958, 959, 963,
 964, 968, 969, 976, 978, 980,
 985–987, 1005, 1011, 1023, 1028,
 1030, 1035, 1079, 1080, 1082, 1089,
 1091, 1097, 1099, 1100, 1102, 1124,
 1128, 1129, 1134, 1175, 1193, 1207,
 1215, 1224, 1228, 1233, 1235, 1240,
 1241, 1243, 1244, 1246, 1255, 1258,
 1267, 1275, 1289, 1291, 1295,
 1302–1304, 1311, 1313, 1314, 1317,
 1320, 1321, 1338, 1344–1346, 1348,
 1354, 1373, 1390, 1405, 1406, 1415,
 1434, 1441, 1459, 1460, 1462, 1473,
 1476, 1483, 1486, 1493, 1498, 1501,
 1503, 1506, 1517, 1529, 1531, 1535,
 1536, 1550, 1552, 1554, 1557, 1571,
 1575, 1582, 1585, 1589, 1592, 1605,
 1613–1615, 1635, 1645, 1649, 1652,
 1663, 1673, 1674, 1678, 1683, 1691,
 1692, 1698, 1699, 1704–1706, 1728,
 1731, 1740, 1747, 1768, 1775, 1800,
 1810, 1812, 1818, 1819, 1835, 1840,
 1848, 1852, 1860, 1867, 1871, 1872,
 1874, 1881, 1882, 1888, 1889, 1896,
 1900, 1907, 1909–1912, 1920, 1921,
 1927, 1938, 1953, 1956, 1974, 1998,
 2000, 2002, 2009, 2015–2018, 2025,
 2036, 2049, 2051, 2056, 2065, 2072,
 2078, 2088, 2090, 2091, 2104–2106,
 2114, 2115, 2147, 2150, 2169, 2171,
 2175, 2176, 2181, 2186, 2196, 2209,
 2211, 2217, 2219, 2221, 2232, 2240,
 2246, 2252, 2262, 2263, 2276, 2282,
 2287, 2291, 2296, 2297, 2302, 2306,
 2307, 2314, 2321, 2337, 2351, 2359,
 2360, 2374, 2375, 2385, 2386, 2391,
 2393, 2402, 2407, 2417, 2421, 2424,

2429–2432, 2437, 2452, 2455,
2463–2466, 2468–2474, 2480, 2481,
2487, 2493, 2497, 2501, 2505, 2509,
2511–2514, 2523, 2525, 2530, 2535,
2541, 2549, 2550, 2564–2567, 2573,
2576, 2578, 2596, 2615, 2622, 2623,
2627, 2630, 2631, 2638, 2649, 2652,
2655, 2660, 2664, 2665, 2674, 2685,
2696, 2703, 2708, 2710, 2724, 2737,
2739, 2756, 2772, 2773, 2775, 2776,
2780, 2781, 2792, 2794, 2800, 2810,
2814, 2817, 2820, 2821, 2824, 2829,
2831, 2832, 2836, 2839–2841, 2871,
2873, 2877, 2883, 2889–2892, 2900,
2902, 2903, 2906, 2910–2912, 2919,
2920, 2924, 2933, 2934, 2936, 2965,
2978, 2985, 2986, 2991, 2996, 3003,
3011, 3032, 3039, 3040, 3043, 3046,
3048–3050, 3056, 3059, 3060, 3066,
3071, 3080, 3091, 3109, 3113, 3117,
3119, 3126, 3133, 3139, 3146, 3149,
3153, 3158, 3164, 3174, 3180, 3193,
3209, 3210, 3215, 3223, 3224,
3227–3229, 3238, 3243, 3248,
3257–3259, 3261, 3265, 3266, 3268,
3271, 3274–3277, 3279, 3285, 3289,
3290, 3292, 3294, 3297, 3298, 3301,
3303, 3306, 3308, 3311, 3312, 3317,
3318, 3321, 3324, 3325, 3327, 3328,
3330, 3333, 3336, 3337, 3344, 3347,
3351, 3358, 3365, 3367, 3368, 3383,
3386, 3387, 3391, 3393, 3394, 3402,
3411, 3415, 3420, 3431, 3459, 3474,
3516, 3518, 3522, 3524, 3530, 3531,
3537, 3550, 3551, 3558, 3565, 3569,
3581, 3594, 3632, 3634, 3636, 3640,
3650, 3651, 3653, 3656, 3659, 3662,
3665, 3668, 3674, 3681, 3686, 3689,
3690, 3692, 3694, 3699, 3700, 3710,
3718, 3719, 3728, 3731, 3732, 3734,
3738–3740, 3754, 3761, 3764, 3774,
3778, 3821, 3828, 3841, 3858, 3859,
3861–3863, 3868, 3869, 3872, 3875,
3878, 3880, 3886, 3893, 3895, 3900,
3905, 3918, 3929, 3933, 3936, 3963,
3982, 3983, 3988, 3989, 3994, 4003,
4005, 4012, 4019, 4022, 4026, 4031,

4039, 4045, 4049, 4053, 4068, 4071,
4073–4076, 4081, 4085, 4091, 4092,
4106, 4109–4111, 4115, 4117, 4118,
4121, 4122, 4125, 4129, 4130, 4132,
4137, 4141, 4149, 4152, 4153, 4155,
4165, 4167, 4168, 4170, 4171, 4174,
4175, 4178, 4182, 4187, 4189, 4207,
4209, 4212, 4215, 4216, 4222, 4225,
4230, 4235, 4242, 4243, 4247–4249,
4251, 4261, 4269, 4273, 4283, 4304,
4314, 4318, 4322, 4331, 4340, 4345,
4347, 4356, 4358, 4365, 4387, 4398,
4475, 4524, 4529, 4533, 4560, 4563,
4577, 4581, 4587, 4589, 4590, 4593,
4596, 4604–4606, 4608–4611, 4614,
4617, 4619, 4621, 4624, 4625, 4639,
4645, 4647, 4649, 4654, 4660, 4673,
4674, 4686, 4690, 4693, 4695, 4697,
4698, 4706, 4718, 4721, 4729, 4738,
4741, 4762, 4769, 4773, 4777, 4784,
4785, 4789, 4802–4806, 4822, 4823,
4827, 4830, 4836, 4850, 4854, 4858,
4864, 4874, 4875, 4880, 4882, 4886,
4892, 4893, 4901, 4913, 4917, 4943,
4947, 4951, 4953, 4959, 4961, 4965,
4973, 4977, 4979, 4987, 4988, 4992,
4998, 4999, 5004, 5009, 5011, 5033,
5034, 5036, 5077, 5081, 5083, 5092,
5098, 5103–5105, 5112, 5128, 5134,
5136, 5140, 5145, 5146, 5151, 5157,
5159, 5164, 5165, 5168, 5170, 5175,
5176, 5178, 5185, 5186, 5189, 5195,
5198, 5218, 5219, 5223, 5224, 5231,
5233, 5238, 5245, 5250, 5266, 5287,
5289, 5299, 5304, 5306, 5310, 5319,
5324, 5332, 5334, 5337, 5344, 5346,
5380, 5385, 5387, 5390, 5396,
5399–5401, 5407, 5409, 5417, 5420,
5425, 5437, 5444, 5455, 5456, 5458,
5468, 5471, 5477, 5480, 5494, 5495,
5499, 5500, 5511, 5512, 5514, 5517,
5521, 5524, 5537, 5540, 5542,
5548–5550, 5553, 5556, 5560, 5562,
5566–5568, 5570, 5572, 5574, 5575,
5579, 5582, 5583, 5586, 5588, 5589,
5592, 5595, 5599, 5609, 5612, 5619,
5634, 5636, 5640, 5642–5644, 5653,

- 5654, 5658, 5662, 5663, 5667, 5670,
5672, 5674, 5684, 5687, 5692, 5702,
5703, 5705, 5714, 5720, 5734, 5735,
5750, 5753, 5754, 5775, 5779, 5785,
5789, 5792, 5795, 5796, 5800, 5802,
5804, 5817, 5821, 5828, 5848, 5850,
5851, 5857, 5859–5863, 5866, 5872,
5879, 5883, 5888, 5891, 5908, 5910,
5915, 5917, 5918, 5921, 5925, 5965,
5974, 6002, 6004, 6022, 6028, 6031,
6042, 6058, 6069, 6070, 6076, 6089,
6097, 6100, 6102–6104, 6109, 6110,
6113, 6123, 6129, 6135, 6136, 6138,
6140, 6145–6147, 6151, 6153, 6157,
6164, 6167, 6176, 6180, 6189, 6210,
6212, 6217, 6225, 6226, 6240, 6241,
6246, 6254, 6261
- development, 16, 38, 182, 234, 253, 317,
473, 485, 486, 492, 503, 504, 584,
654, 666, 831, 910, 964, 1028, 1030,
1208, 1240, 1243, 1258, 1278, 1317,
1405, 1476, 1501, 1529, 1535, 1652,
1848, 1860, 1872, 1910, 1927, 1974,
1991, 2025, 2088, 2105, 2225, 2407,
2421, 2452, 2480, 2505, 2509–2511,
2520, 2737, 2776, 2777, 2780, 2801,
2811, 2820, 2821, 2840, 2863, 2924,
2934, 2986, 3011, 3059, 3071, 3080,
3146, 3149, 3150, 3228, 3229, 3347,
3367, 3368, 3383, 3420, 3478, 3516,
3530, 3537, 3652, 3653, 3674, 3862,
3872, 3887, 4003, 4053, 4091, 4216,
4217, 4269, 4315, 4322, 4340, 4345,
4531, 4587, 4590, 4593, 4784, 5033,
5094, 5134, 5145, 5151, 5165, 5189,
5219, 5233, 5380, 5400, 5449, 5455,
5481, 5499, 5512, 5528, 5537, 5592,
5750, 5792, 5828, 5857, 5860, 5867,
5918, 5926, 6097, 6109, 6234
- repository, 4, 9, 16–18, 20, 21, 26, 29,
33, 34, 38, 41, 48, 54, 55, 62, 64, 65,
67–69, 72, 73, 77, 90, 96, 103, 106,
108, 111, 112, 115, 120–122, 132,
134, 143, 148, 177, 182, 190, 203,
205, 206, 210, 213, 215, 218, 224,
225, 228, 231, 233, 234, 237, 241,
253, 254, 259, 264, 269–271, 279,
283, 286, 290, 292, 293, 297, 299,
301, 308, 311, 316, 317, 324, 327,
329, 330, 332, 333, 338, 342, 358,
359, 361, 362, 367, 369, 396, 405,
429, 445, 446, 448, 451, 453, 455,
457, 459, 460, 462, 465–467,
473–476, 478, 480, 482–488, 490,
492, 493, 495, 496, 498, 499,
501–504, 514, 521, 523, 530, 534,
535, 538, 542, 544–553, 562, 563,
565–568, 570–573, 576, 579, 584,
587, 590, 592, 593, 596, 601,
604–607, 613, 615, 618, 620, 621,
623–625, 627, 628, 631–634, 636,
637, 642, 643, 649, 652, 654, 655,
666–673, 675, 678, 692, 695, 699,
708, 709, 714, 716, 717, 721, 722,
725, 732, 739, 743, 746, 757, 759,
763, 769, 779, 787, 788, 793, 796,
797, 800, 801, 807, 808, 821, 826,
831, 841–843, 845, 848, 852, 854,
855, 858, 864, 868, 870–872, 878,
882, 883, 888, 889, 897, 900, 901,
904, 906, 907, 910, 914, 917–919,
928, 930–934, 938, 946, 951, 954,
955, 958, 959, 963, 964, 968, 969,
972, 976, 978, 980, 985–987, 990,
992, 1001, 1002, 1005, 1011, 1020,
1021, 1023, 1024, 1026, 1028, 1030,
1033, 1035, 1044, 1070, 1073,
1078–1080, 1082, 1087–1089, 1091,
1097, 1099, 1101, 1102, 1104, 1105,
1108, 1116, 1118, 1122, 1124, 1128,
1129, 1134, 1148, 1168, 1175, 1181,
1189, 1193, 1195, 1198, 1202, 1207,
1215, 1220, 1224, 1225, 1228, 1233,
1235, 1237, 1240, 1241, 1243–1247,
1252, 1256, 1258, 1260, 1263, 1264,
1266, 1267, 1278, 1279, 1289, 1291,
1295, 1302–1304, 1311, 1313,
1315–1317, 1320, 1322, 1330, 1338,
1340–1342, 1345, 1347, 1348, 1354,
1373, 1405, 1406, 1411, 1412, 1415,
1420, 1424, 1434, 1437, 1441,
1446–1448, 1458–1460, 1462, 1466,
1473, 1476, 1483, 1486, 1491, 1493,
1496, 1501, 1503, 1506, 1512, 1517,

1521, 1523, 1529, 1531, 1535, 1536,
1550, 1552, 1557, 1559, 1562, 1568,
1570, 1571, 1575, 1578, 1580,
1583–1585, 1589, 1590, 1592, 1598,
1599, 1602, 1605, 1610, 1611,
1613–1615, 1618, 1623, 1624, 1627,
1635, 1638, 1641, 1642, 1645, 1649,
1650, 1652, 1663, 1668, 1673, 1674,
1676–1678, 1683, 1691, 1692, 1698,
1699, 1702–1706, 1708, 1720, 1722,
1728, 1731, 1733, 1734, 1737, 1740,
1744, 1747, 1750, 1754, 1768, 1775,
1789, 1793, 1800, 1803, 1810–1812,
1817–1819, 1821, 1824, 1835, 1840,
1842, 1848, 1852, 1857–1860, 1866,
1867, 1871, 1872, 1874, 1881, 1882,
1884, 1888, 1889, 1896, 1900, 1901,
1907, 1909–1912, 1916, 1920, 1921,
1927, 1937, 1938, 1949, 1952, 1953,
1956, 1961, 1963, 1964, 1968, 1974,
1978, 1979, 1986, 1989, 1998,
2000–2002, 2008, 2009, 2015–2018,
2020, 2025–2027, 2030, 2031, 2035,
2036, 2046, 2049, 2051, 2056, 2065,
2068, 2072, 2074, 2077, 2078, 2086,
2088, 2090, 2091, 2100, 2101, 2105,
2106, 2108, 2109, 2114, 2116, 2119,
2127, 2129, 2132, 2134, 2147, 2149,
2150, 2157, 2161, 2169, 2171, 2175,
2176, 2181, 2186, 2196, 2203, 2209,
2211, 2217, 2219, 2221, 2224, 2232,
2236, 2240, 2245, 2246, 2252, 2262,
2263, 2276, 2278, 2282, 2283, 2287,
2289, 2291, 2293, 2296, 2298, 2306,
2314, 2321, 2332, 2337, 2342, 2351,
2358–2361, 2365, 2374, 2375, 2385,
2386, 2390–2393, 2402, 2404, 2407,
2412, 2418, 2421, 2424, 2426,
2429–2432, 2437, 2449, 2452, 2455,
2458, 2463–2466, 2468–2474, 2480,
2481, 2484, 2487, 2493, 2497, 2502,
2505, 2509–2512, 2514, 2520, 2521,
2523, 2525, 2528, 2530, 2535, 2538,
2539, 2541, 2543, 2549, 2550,
2563–2567, 2571, 2576, 2578, 2587,
2588, 2596, 2601, 2603, 2610–2613,
2615, 2616, 2622–2625, 2627,
2630–2632, 2638, 2649, 2652, 2655,
2660, 2664, 2665, 2667, 2674, 2676,
2683–2686, 2690, 2696, 2697, 2701,
2703, 2708, 2710, 2724, 2737, 2739,
2741, 2744, 2755, 2756, 2761, 2762,
2769, 2773, 2776, 2779–2781, 2785,
2790–2792, 2794, 2798, 2799, 2801,
2803, 2808, 2810, 2814, 2817, 2820,
2821, 2824, 2829, 2832, 2833, 2836,
2839–2842, 2845–2847, 2855, 2857,
2860, 2863, 2868, 2871, 2873, 2877,
2882, 2883, 2889, 2891, 2892, 2900,
2902, 2903, 2906, 2911, 2919, 2924,
2927, 2933, 2934, 2936, 2953, 2957,
2963, 2964, 2968, 2971, 2978, 2981,
2986, 2988, 2991, 2992, 2996, 2998,
3000, 3003, 3007, 3011, 3017, 3032,
3039, 3040, 3042, 3043, 3046,
3048–3050, 3053, 3054, 3056, 3059,
3060, 3065, 3071, 3080, 3091, 3103,
3105, 3109, 3111–3113, 3117, 3119,
3126, 3128, 3133, 3140, 3146, 3149,
3150, 3153, 3158, 3164, 3165, 3173,
3174, 3180, 3182, 3189, 3191, 3193,
3196, 3209, 3215, 3223, 3224,
3227–3229, 3234, 3238, 3243, 3249,
3256–3258, 3260–3263, 3265–3269,
3271, 3274–3277, 3279, 3284, 3287,
3289, 3290, 3292, 3294, 3295, 3297,
3298, 3300, 3301, 3303, 3306–3308,
3310–3312, 3316–3321, 3324–3328,
3330, 3331, 3336, 3337, 3341, 3351,
3357, 3358, 3365–3368, 3372, 3375,
3383, 3386, 3387, 3391, 3393, 3394,
3402, 3407, 3411, 3415, 3418–3420,
3431, 3443, 3455, 3457, 3459, 3469,
3474, 3478, 3487, 3489, 3491,
3498–3500, 3504, 3513, 3514,
3516–3518, 3522, 3528, 3530, 3531,
3536, 3537, 3541, 3542, 3547, 3550,
3551, 3558, 3565, 3570, 3577, 3581,
3590, 3594, 3596, 3601–3606, 3608,
3613, 3615, 3632, 3634, 3636, 3640,
3650, 3651, 3653–3656, 3659, 3662,
3665, 3667, 3668, 3674, 3681,
3683–3686, 3689, 3690, 3692, 3694,
3699, 3700, 3710, 3717–3719, 3728,

3731–3734, 3738–3740, 3742, 3744,
3754, 3758, 3761, 3764, 3765, 3771,
3774, 3779, 3810, 3813, 3817, 3824,
3828, 3831, 3832, 3841, 3844, 3850,
3854, 3858, 3859, 3861–3863, 3872,
3875, 3878, 3880, 3886, 3887, 3890,
3893, 3895, 3898, 3900, 3901, 3903,
3905, 3918, 3928, 3929, 3931–3933,
3936, 3944, 3949, 3951, 3956, 3966,
3972, 3973, 3975, 3978, 3980, 3982,
3983, 3985, 3988, 3990, 3994, 4002,
4003, 4005, 4006, 4012, 4019, 4020,
4022, 4026, 4039, 4049, 4053, 4059,
4068, 4069, 4073–4076, 4081, 4082,
4085, 4088, 4091, 4093, 4094, 4101,
4106, 4109, 4111, 4115, 4117–4119,
4121, 4122, 4125, 4127, 4129, 4130,
4136–4138, 4140, 4141, 4149–4153,
4155, 4165, 4167, 4168, 4170, 4171,
4174, 4175, 4178, 4180, 4182, 4186,
4187, 4189, 4192–4200, 4204, 4207,
4209, 4211, 4213, 4215–4218, 4222,
4229, 4230, 4233, 4235, 4239, 4242,
4243, 4247–4251, 4253, 4261, 4264,
4266–4270, 4273, 4283, 4296, 4304,
4305, 4314, 4318, 4319, 4322, 4324,
4327, 4330, 4331, 4339, 4340, 4343,
4345, 4356, 4358, 4362, 4368, 4370,
4371, 4379, 4387, 4398, 4431, 4437,
4443, 4452, 4469, 4470, 4475, 4479,
4495, 4513, 4518, 4523, 4525–4529,
4533, 4541, 4542, 4544, 4548, 4549,
4551, 4555, 4560, 4562, 4563, 4565,
4566, 4569, 4571, 4577, 4581, 4587,
4589, 4590, 4592, 4593, 4596,
4604–4606, 4608–4611, 4614, 4617,
4619, 4621, 4624, 4625, 4628, 4636,
4639, 4645, 4647, 4649–4651, 4654,
4660, 4661, 4664, 4672–4674, 4684,
4686, 4688, 4690, 4694, 4697, 4698,
4706, 4709, 4711, 4718, 4721, 4725,
4726, 4729, 4738, 4741, 4754, 4764,
4769, 4773, 4776, 4777, 4784, 4785,
4787, 4789, 4799, 4802–4806, 4812,
4822, 4823, 4827, 4830, 4834, 4836,
4850, 4854, 4858, 4864, 4868, 4869,
4871, 4873, 4874, 4876, 4878, 4880,

4882, 4886, 4888, 4889, 4892, 4893,
4901, 4912, 4913, 4917–4919, 4922,
4937, 4943, 4947, 4950, 4951, 4953,
4959, 4961, 4966, 4968, 4973, 4974,
4977, 4979, 4980, 4982, 4984, 4987,
4988, 4991, 4992, 4998–5000, 5002,
5004, 5008, 5009, 5011, 5025, 5033,
5034, 5036, 5072, 5073, 5077, 5078,
5081, 5083, 5092, 5093, 5095, 5098,
5099, 5103, 5104, 5112, 5116, 5128,
5134, 5136, 5137, 5140, 5145, 5151,
5157, 5159, 5164, 5168, 5170, 5171,
5175, 5176, 5185, 5186, 5189, 5192,
5196, 5198, 5201, 5212, 5218, 5219,
5223, 5224, 5231, 5233, 5238, 5245,
5250, 5266, 5277, 5287, 5289, 5291,
5300, 5304, 5306, 5309, 5319, 5324,
5328, 5330, 5332, 5334, 5337, 5346,
5380, 5385, 5387, 5396, 5399–5401,
5407, 5409, 5417, 5419, 5420, 5425,
5427, 5432, 5437, 5440, 5444, 5445,
5447, 5449, 5455, 5456, 5458, 5463,
5467, 5468, 5470, 5471, 5477, 5480,
5486, 5494, 5495, 5499, 5500,
5510–5512, 5514, 5517, 5522, 5524,
5528, 5530, 5532, 5534, 5536, 5537,
5540, 5542, 5545, 5548–5550,
5552–5554, 5556, 5560, 5562, 5563,
5565, 5567–5569, 5572–5574,
5578–5580, 5582, 5583, 5586, 5588,
5589, 5591–5593, 5595, 5597, 5599,
5600, 5604, 5609, 5612, 5619, 5633,
5634, 5636, 5642–5644, 5648, 5654,
5658, 5662–5664, 5669, 5670, 5672,
5674, 5679, 5680, 5686, 5688, 5692,
5702, 5703, 5705, 5715, 5720, 5724,
5734–5736, 5738, 5739, 5749, 5750,
5753, 5754, 5760, 5770, 5775, 5777,
5779, 5781, 5785, 5789, 5792, 5795,
5796, 5802–5804, 5817, 5821, 5828,
5834, 5836, 5845, 5848, 5850–5855,
5857, 5859, 5860, 5862, 5863, 5865,
5866, 5872, 5876, 5879, 5883, 5885,
5887, 5888, 5891–5894, 5898, 5908,
5910, 5915, 5917, 5918, 5921, 5925,
5926, 5935, 5936, 5942, 5951, 5958,
5966, 5969, 5975, 5981–5983, 5985,

- 5988, 6002, 6004, 6011, 6014, 6028,
6031, 6036, 6042, 6047, 6058, 6060,
6069, 6070, 6073, 6076, 6093, 6094,
6097, 6098, 6102–6104, 6109, 6110,
6113, 6116, 6122, 6123, 6126, 6129,
6135, 6136, 6138, 6140, 6141, 6143,
6145–6147, 6152, 6153, 6156, 6157,
6163, 6164, 6167, 6168, 6174–6178,
6180, 6189, 6203, 6205, 6208, 6210,
6212, 6217, 6226, 6238, 6240–6242,
6246, 6247, 6250, 6252, 6254–6258,
6261
- support, 9, 16, 31, 66, 108, 111, 132,
143, 153, 156, 231, 234, 316, 317,
325, 327, 423, 462, 476, 483, 487,
488, 492, 500, 504, 584, 631, 649,
652, 655, 690, 692, 717, 725, 841,
842, 866, 881, 906, 907, 910, 918,
946, 951, 964, 984, 990, 1023, 1028,
1080, 1100, 1116, 1121, 1134, 1168,
1220, 1240, 1278, 1295, 1321, 1354,
1405, 1424, 1445, 1490, 1501, 1519,
1529, 1535, 1552, 1562, 1575, 1582,
1585, 1589, 1648, 1653, 1673, 1678,
1702, 1720, 1733, 1754, 1789, 1810,
1859, 1860, 1889, 1910, 1955, 1976,
1977, 1995, 1999, 2007, 2026, 2068,
2069, 2088, 2104, 2106, 2149, 2186,
2240, 2252, 2384, 2407, 2418, 2452,
2504, 2505, 2509, 2510, 2514, 2515,
2560, 2576, 2621, 2667, 2677, 2739,
2744, 2762, 2780, 2798, 2800, 2810,
2820, 2829, 2855, 2857, 2860, 2877,
2932, 2934, 2953, 2981, 2985, 3009,
3025, 3071, 3146, 3149, 3150, 3186,
3210, 3226, 3229, 3231, 3249, 3271,
3295, 3301, 3307, 3317, 3333, 3342,
3347, 3350, 3367, 3368, 3372, 3382,
3411, 3459, 3471, 3516, 3531, 3537,
3541, 3551, 3569, 3613, 3653, 3657,
3667, 3670, 3679, 3683, 3718, 3719,
3746, 3760, 3828, 3831, 3832, 3852,
3853, 3862, 3887, 3956, 3966, 3972,
4049, 4053, 4085, 4090, 4137, 4149,
4165, 4171, 4174, 4175, 4187, 4217,
4227, 4233, 4247, 4251, 4259, 4269,
4314, 4322, 4340, 4345, 4415, 4431,
4443, 4479, 4495, 4518, 4524, 4542,
4563, 4624, 4644, 4673, 4674, 4690,
4698, 4762, 4834, 4876, 4879, 4893,
4912, 4950, 5104, 5145, 5151, 5168,
5186, 5198, 5201, 5212, 5233, 5291,
5294, 5346, 5387, 5400, 5401, 5407,
5420, 5449, 5463, 5470, 5499, 5545,
5569, 5573, 5575, 5578, 5580, 5592,
5597, 5609, 5669, 5684, 5735, 5775,
5785, 5792, 5796, 5848, 5857, 5860,
5863, 5891, 5958, 5967, 5974, 5988,
6037, 6060, 6069, 6094, 6097, 6102,
6116, 6123, 6143, 6154, 6167, 6178,
6212, 6240, 6246, 6258
- Language in description/documentation
- Arabic, 143, 451, 1939, 3068,
3766–3768
- Arabic (Algeria), 4920
- Armenian, 241
- Basque, 432
- Bengali, 1626
- Bulgarian, 3204, 4432
- Cantonese, 3150
- Catalan, 863
- Chinese, 286–288, 474, 480, 530, 579,
591, 693, 700, 779, 884, 958, 959,
1080, 1241–1243, 1295, 1296, 1537,
1610, 1680–1682, 1848, 1954, 2025,
2221, 2437, 2452, 2493, 2511–2514,
2529, 2550, 2645, 2684, 2775, 2973,
3150, 3223, 3318, 3367, 3433, 3764,
3779, 3863, 3864, 3930, 4186, 4250,
4569, 4614, 4873, 4918, 4919, 4961,
4999, 5251, 5278, 5337, 5345, 5447,
5511, 5512, 5517, 5528, 5645, 5804,
6030, 6069, 6085, 6098, 6103, 6167,
6189, 6240, 6242, 6243, 6246, 6250
- Chinese (China), 2667
- Chinese (Taiwan), 3905
- Chinese + English, 700, 985, 1405, 3487,
4081, 5190
- Chinese + Japanese, 2815
- Croatian, 2538, 5874
- Czech, 3, 724, 1268, 1277, 1492, 1694,
1713, 2975, 3204, 3955, 4291
- Danish, 5794

Dutch, 839, 3205, 3908, 4672, 5510

English, 2, 3, 31, 106, 119, 137, 140,
159, 163, 174, 193, 194, 241, 252,
311, 315, 318, 432, 451, 455, 519,
562, 587, 607, 638, 656, 689, 726,
735, 741, 792, 812, 822, 844, 860,
863, 868, 896, 906, 922, 926, 927,
931, 933, 965, 973, 1012, 1036,
1061, 1083, 1100, 1110, 1245, 1296,
1349, 1410, 1424, 1445, 1451, 1469,
1475, 1527, 1539, 1564, 1568, 1574,
1577, 1603, 1644, 1647, 1654,
1692–1694, 1710, 1713, 1725, 1726,
1790, 1809, 1878, 1879, 1908, 1954,
1977, 2055, 2148, 2159, 2165, 2178,
2248, 2250, 2324, 2340, 2349, 2362,
2411, 2412, 2427, 2458, 2500, 2501,
2507, 2517, 2522, 2564–2566, 2575,
2577, 2580–2582, 2604, 2605, 2645,
2646, 2667, 2684, 2708, 2744, 2748,
2802, 2804, 2864–2867, 2872, 2879,
2880, 2887, 2891, 2892, 2914, 2945,
2946, 2975, 3008, 3021, 3060, 3140,
3143, 3293, 3324, 3363, 3367, 3379,
3395, 3463, 3532, 3533, 3553, 3566,
3588, 3613, 3659, 3661, 3689, 3691,
3693, 3701, 3754, 3758, 3782, 3816,
3881, 3882, 3900, 3910, 3955, 4001,
4026, 4038, 4045, 4103, 4114, 4170,
4222, 4291, 4321, 4374, 4378, 4392,
4426, 4429, 4432, 4452, 4471, 4474,
4476, 4478, 4480, 4490, 4492, 4500,
4545, 4569, 4575, 4584, 4665, 4771,
4837, 4839, 4843–4845, 4849, 4857,
4860, 4861, 4864, 4867, 4929, 4942,
4945, 4951, 4986, 5113, 5154, 5180,
5210, 5239, 5250, 5259, 5270, 5280,
5298, 5314, 5321, 5450, 5486, 5607,
5633, 5635, 5651, 5666, 5674, 5703,
5716, 5740, 5749, 5769, 5820, 5826,
5846, 5847, 5934, 5937, 5990, 6062,
6066, 6077, 6151, 6182, 6194,
6196–6198, 6201, 6242, 6263

English + French, 2154

English + Japanese, 280, 368, 2786, 2787

English + Russian, 593

English+Chinese, 480

Esperanto, 1349, 1878

Estonian, 3207

Farsi (Iran), 5495

Finnish, 2810, 2820, 2869, 3208, 5433

French, 28, 179, 216, 314, 355, 446, 494,
630, 637, 741, 742, 817, 822, 853,
927, 973, 989, 1005, 1018, 1083,
1087, 1100, 1223, 1313, 1465, 1527,
1544, 1603, 1725, 1891, 1908, 1940,
1941, 2134, 2165–2167, 2212, 2252,
2299, 2349, 2352, 2409, 2421, 2431,
2458, 2500, 2502, 2529, 2530, 2645,
2646, 2697, 2757, 2880, 2896, 2986,
2987, 3067, 3068, 3106, 3143, 3177,
3209, 3265, 3363, 3387, 3423, 3432,
3498, 3661, 3689, 3691, 3695, 3782,
3816, 3850, 3882, 3931, 4016, 4059,
4067, 4077–4080, 4098, 4239, 4243,
4271, 4318, 4353, 4356–4358, 4424,
4429, 4464, 4492, 4499, 4503–4505,
4569, 4598, 4682, 4691, 4737, 4816,
4836, 4840–4842, 4909, 4951, 4981,
4986, 5024, 5030, 5113, 5237, 5250,
5259, 5262, 5263, 5270, 5272, 5280,
5288, 5298, 5301, 5314, 5318, 5486,
5521, 5552, 5610, 5625, 5630, 5631,
5633, 5638, 5644, 5666, 5693, 5701,
5715, 5716, 5742, 5749, 5820, 5821,
5937, 5983, 5984, 6049, 6060, 6072,
6077, 6151, 6182, 6201, 6206

French (Canada), 2154, 5800

Georgian, 2250

German, 2, 25, 31, 74, 106, 135, 178,
189, 232, 265, 327, 422, 519, 520,
528, 538, 562, 587, 590, 592, 598,
603, 638, 741, 742, 861, 906, 922,
926, 1110, 1194, 1245, 1265, 1276,
1349, 1350, 1424, 1445, 1467, 1469,
1483, 1506, 1550, 1564, 1574, 1644,
1647, 1710, 1777, 1809, 1846, 1879,
1898, 1914, 1919, 1921, 1950, 1977,
2148, 2171, 2201, 2220, 2247, 2248,
2253, 2256, 2324, 2405, 2427, 2449,
2501, 2507, 2523, 2529, 2605, 2626,
2650, 2703, 2735, 2748, 2765, 2783,
2802–2806, 2864–2867, 2894, 2895,
2914, 2976, 3001, 3008, 3031, 3068,

- 3210, 3583, 3588, 3593, 3611, 3633,
3696, 3745, 3846, 3876, 3881, 3902,
3945, 3953, 4001, 4026, 4055, 4089,
4103, 4114, 4162, 4170, 4207, 4222,
4223, 4321, 4331, 4374, 4429, 4452,
4453, 4467, 4471, 4474, 4476, 4478,
4519, 4520, 4569, 4623, 4633, 4658,
4665, 4715, 4722, 4752, 4823–4825,
4837, 4839, 4843–4845, 4849, 4852,
4857, 4860, 4861, 4864, 4867, 4876,
4945, 5180, 5184, 5239, 5243, 5273,
5321, 5322, 5391, 5414, 5571, 5603,
5607, 5608, 5624, 5651, 5691,
5694–5697, 5699, 5710, 5736, 5769,
5780, 5801, 5803, 5819, 5826, 5846,
5847, 5922, 5976, 6003, 6045
- German (Austria), 5124
- German (Germany), 5439
- German + English, 520
- Greek, 811, 2381, 2383, 2580, 3075
- Hungarian, 1692, 1693, 2542, 2544,
5416, 5493
- Icelandic, 1022
- Italian, 159, 174, 455, 735, 1085, 1634,
1726, 1790, 1921, 2174, 2362, 2411,
2414, 2415, 2897, 2945, 2946, 2995,
3027, 3210, 3424, 3425, 3959, 4332,
4392, 4597, 4652, 5669, 5672, 5674,
5963, 5964, 6062
- Japanese, 269, 368, 789, 792, 793, 798,
799, 802, 805, 933, 977, 1036, 1197,
1722, 1848, 1902, 1916, 2225, 2245,
2521, 2529, 2610, 2626, 2708, 2743,
2744, 2758, 2761, 2768, 2769, 2790,
2815, 2830, 2847, 3211, 3234, 3324,
3517, 3685, 3854, 4020, 4264,
4266–4268, 4363, 4528, 4543, 4545,
4548, 4553, 4613, 4869, 5886, 5887,
6076, 6196, 6263, 6264
- Korean, 1003, 2874, 2876, 3212, 3325,
4288, 6122
- Latvian, 2028
- Marathi, 9, 951, 3411
- Marathi + Hindi, 1675
- Mongolian, 3212, 3213
- no language specified, 4–8, 10–14, 20–25,
27, 29, 30, 32, 33, 35–41, 43–48,
50–54, 56–68, 70–73, 75–79, 81,
83–89, 91–105, 107–109, 111–118,
120–131, 133–136, 138, 139, 141,
142, 144–152, 154–156, 158, 160,
162, 164–170, 172–174, 176–178,
180–188, 190–192, 195–214,
217–225, 227–231, 233–239,
241–251, 254–256, 259–268, 270,
271, 273–278, 280–284, 289–307,
309, 310, 312, 313, 316, 318–326,
328–336, 338–341, 343–354,
356–358, 360–366, 368, 370–386,
388, 390–414, 416–421, 423–431,
433–446, 448–450, 452, 454, 457,
459–463, 465–470, 472, 473, 475,
477, 478, 481, 483–493, 495–518,
520, 522, 524–527, 529, 531, 532,
534–536, 538–560, 565–572,
574–578, 580–585, 588, 589, 594,
595, 597, 599–602, 604–606,
608–612, 614–620, 622, 624–629,
631–636, 639–655, 658–683,
685–691, 693–696, 698, 700–715,
717–720, 722–725, 727–734,
736–740, 743, 745–756, 758–767,
769–778, 780–783, 785–788, 790,
794–797, 799, 800, 802–804,
806–810, 812–816, 818, 820, 821,
823–852, 854–859, 861, 862,
864–867, 869–895, 897–905,
907–910, 912–921, 923–925, 928,
930, 932, 934–950, 952–957,
960–964, 966–972, 974, 975,
979–984, 986, 988, 990–1002, 1004,
1006, 1008, 1010, 1011, 1013–1017,
1019, 1020, 1023–1034, 1036–1060,
1062, 1064, 1066–1073, 1075–1078,
1081–1084, 1087–1098, 1101–1138,
1140–1168, 1170–1192, 1195–1210,
1212–1239, 1244, 1246–1254, 1256,
1257, 1259, 1261–1264, 1266, 1267,
1269–1276, 1278–1281, 1283–1294,
1297–1306, 1308–1311, 1314–1318,
1320–1342, 1344, 1346–1348,
1352–1355, 1357–1366, 1368–1404,
1407–1409, 1411–1414, 1416–1423,
1425, 1427–1444, 1446–1464, 1466,

1469–1474, 1476–1480, 1482,
1484–1491, 1493–1504, 1507–1525,
1527–1538, 1540, 1541, 1543,
1545–1549, 1551–1556, 1558–1563,
1565–1567, 1569, 1570, 1572–1576,
1578–1581, 1583, 1585–1601,
1603–1609, 1611–1628, 1630–1641,
1643, 1645, 1646, 1648–1651,
1653–1666, 1668–1670, 1672,
1674–1677, 1679, 1683–1688, 1690,
1691, 1694–1712, 1714–1721, 1723,
1726–1769, 1771–1774, 1776,
1778–1789, 1791–1797, 1799–1807,
1809–1812, 1814–1818, 1820–1825,
1827–1830, 1832–1845, 1847,
1849–1859, 1861–1871, 1873,
1875–1878, 1880, 1881, 1883,
1885–1890, 1892–1900, 1902–1906,
1909, 1911–1914, 1916–1918, 1920,
1922–1933, 1935, 1937, 1938,
1942–1948, 1950–1952, 1955, 1957,
1958, 1960–1963, 1965–1971,
1973–1976, 1978–2007, 2009–2018,
2020–2024, 2026–2030, 2032–2046,
2048–2054, 2056–2059, 2061–2087,
2089–2102, 2104–2113, 2115–2126,
2128–2133, 2135–2153, 2155–2158,
2160–2164, 2166, 2168–2173,
2175–2185, 2187–2200, 2203, 2204,
2206–2208, 2210, 2211, 2213–2219,
2222–2224, 2226–2232, 2234–2239,
2241–2244, 2248, 2249, 2251,
2253–2255, 2257–2271, 2273–2297,
2300, 2302–2306, 2308–2323,
2325–2337, 2339, 2341–2348,
2350–2361, 2363, 2365–2380,
2382–2390, 2392–2404, 2406, 2407,
2411, 2413, 2416–2420, 2422–2425,
2427, 2429, 2430, 2432–2436,
2438–2448, 2450, 2453–2457,
2459–2470, 2472–2475, 2477–2479,
2481–2492, 2494–2499, 2501,
2503–2510, 2516, 2518, 2519,
2524–2527, 2531–2543, 2545–2548,
2551–2563, 2566–2572, 2574, 2575,
2577, 2579, 2583–2586, 2588–2604,
2606–2609, 2611–2625, 2628–2633,
2635–2644, 2647–2649, 2651–2666,
2668–2683, 2685, 2687–2695,
2697–2702, 2704–2707, 2709–2734,
2736–2742, 2745–2747, 2749–2754,
2756, 2757, 2759, 2760, 2762–2764,
2766, 2767, 2770–2776, 2778, 2779,
2781–2785, 2788, 2789, 2792,
2794–2797, 2799–2801, 2806, 2807,
2809, 2811–2813, 2816–2819,
2821–2828, 2831–2845, 2848–2862,
2868, 2870, 2871, 2873, 2875–2877,
2881–2886, 2888–2890, 2893, 2895,
2899–2904, 2906–2908, 2910–2913,
2915–2943, 2948–2970, 2972–2974,
2976–2984, 2987–2989, 2991–2995,
2997–3000, 3003–3007, 3009–3020,
3022–3025, 3027–3030, 3032–3042,
3044–3048, 3050–3052, 3054, 3055,
3057–3059, 3061–3066, 3069–3074,
3076–3090, 3092, 3093, 3095–3101,
3103, 3104, 3106–3111, 3113–3118,
3120–3125, 3127–3139, 3141,
3144–3149, 3151–3158, 3160–3172,
3174–3184, 3186–3192, 3194–3203,
3206, 3224–3228, 3230–3233,
3235–3263, 3265, 3266, 3268–3274,
3276–3292, 3294–3302, 3304–3317,
3319–3323, 3326, 3327, 3329,
3331–3343, 3345–3366, 3368–3371,
3373–3377, 3380–3386, 3388–3393,
3395–3410, 3412–3419, 3421, 3422,
3426–3430, 3433, 3435–3462,
3465–3467, 3469–3486, 3488–3495,
3497, 3499–3512, 3514, 3515, 3517,
3519–3530, 3532, 3534–3536,
3538–3550, 3552, 3554–3565,
3567–3587, 3589, 3591, 3593,
3595–3610, 3612, 3614–3636,
3638–3649, 3651–3658, 3660, 3662,
3663, 3665–3670, 3672–3675, 3677,
3678, 3680–3684, 3686–3688, 3690,
3692, 3693, 3695, 3697–3700,
3702–3709, 3711–3744, 3747–3753,
3755–3763, 3765, 3768, 3769,
3771–3777, 3780, 3781, 3783–3798,
3800–3806, 3808–3821, 3823,
3826–3835, 3837–3845, 3847–3849,

3852, 3853, 3855, 3856, 3858–3861,
3864–3875, 3877–3880, 3883–3899,
3901, 3903, 3904, 3906, 3907, 3909,
3911–3918, 3920–3928, 3932–3935,
3937–3944, 3946–3950, 3952, 3954,
3956–3962, 3964–3966, 3968–3970,
3972–3988, 3990–4002, 4004–4015,
4017–4019, 4021–4025, 4027–4033,
4035–4037, 4040–4044, 4046–4057,
4060–4066, 4068–4070, 4072–4077,
4082–4084, 4086–4088, 4090–4097,
4099–4102, 4104–4113, 4115–4117,
4119–4124, 4126–4152, 4154–4158,
4160, 4161, 4163, 4164, 4166–4168,
4171, 4172, 4174–4184, 4187–4192,
4194–4206, 4208–4216, 4218, 4220,
4221, 4224–4238, 4240–4242,
4244–4249, 4251–4263, 4268, 4270,
4272, 4274–4287, 4289, 4290,
4292–4298, 4300, 4303–4317, 4320,
4322–4330, 4332–4339, 4341–4346,
4348–4352, 4354, 4359–4362,
4364–4373, 4375–4377, 4379–4391,
4393–4414, 4416–4423, 4426–4428,
4430, 4433–4441, 4443–4451,
4454–4460, 4462, 4464, 4465, 4467,
4468, 4470, 4472, 4473, 4477, 4478,
4480–4489, 4491, 4493–4498,
4500–4502, 4506–4516, 4518, 4519,
4521–4529, 4531–4542, 4547, 4550,
4551, 4553–4558, 4560–4567,
4570–4578, 4580–4583, 4586,
4588–4596, 4599–4604, 4606–4611,
4615–4622, 4625–4632, 4634–4637,
4639–4651, 4653–4671, 4674–4681,
4683–4690, 4692–4696, 4698–4709,
4711–4714, 4716–4721, 4723–4736,
4738–4751, 4753–4770, 4772–4815,
4817–4820, 4822, 4826–4835, 4838,
4846–4848, 4850–4856, 4858, 4859,
4863–4865, 4867, 4868, 4870, 4872,
4875–4892, 4894–4908, 4910–4917,
4921–4928, 4930–4940, 4942,
4944–4950, 4952–4960, 4962–4984,
4987–4989, 4991–4998, 5000–5029,
5031–5067, 5069–5072, 5074–5085,
5087–5089, 5091, 5093, 5095–5111,

5113–5135, 5137–5150, 5152, 5153,
5156–5158, 5160–5164, 5166–5179,
5181–5183, 5185–5188, 5191–5193,
5195–5197, 5199–5209, 5211–5236,
5238, 5240–5242, 5244–5249,
5251–5258, 5260, 5261, 5264–5269,
5271, 5274–5277, 5279, 5281–5287,
5289–5291, 5293–5299, 5301–5320,
5322, 5324–5336, 5338–5344,
5346–5352, 5354–5356, 5358–5367,
5369–5393, 5395, 5397–5400,
5402–5413, 5415–5438, 5440–5446,
5448–5478, 5480, 5482–5489, 5491,
5492, 5494, 5496–5499, 5501–5509,
5513–5516, 5518–5527, 5529–5542,
5544–5546, 5549–5551, 5554–5557,
5559–5561, 5563–5571, 5573–5576,
5578, 5579, 5581–5604, 5606,
5610–5623, 5626–5630, 5634–5636,
5638–5643, 5645–5650, 5652–5664,
5666–5669, 5671, 5673, 5675–5692,
5695, 5698, 5700, 5701, 5704–5714,
5716–5732, 5734, 5737–5739, 5743,
5744, 5746, 5748, 5750–5768,
5770–5779, 5781–5784, 5786–5793,
5795, 5797, 5798, 5802, 5805–5813,
5815–5818, 5822–5825, 5827–5830,
5832–5843, 5845, 5848–5852,
5854–5856, 5858–5869, 5871–5884,
5888–5895, 5897–5925, 5927–5933,
5935–5962, 5965–5975, 5977–5983,
5985–5989, 5991–5993, 5995–6002,
6004–6010, 6012, 6014–6029,
6031–6044, 6046, 6047, 6049–6059,
6061, 6063–6068, 6070, 6071,
6073–6075, 6078–6084, 6086–6096,
6098, 6099, 6101, 6103, 6104,
6106–6109, 6112–6121, 6123–6138,
6140–6150, 6152–6166, 6168–6181,
6183–6188, 6190–6193, 6195, 6199,
6200, 6202–6204, 6207–6209, 6211,
6212, 6214–6239, 6244, 6245,
6247–6249, 6251, 6252, 6254–6262,
6265

Nynorsk, 1846

Persian, 132, 2710, 3214, 3664, 4071,
4159, 4530, 5273, 6101, 6111, 6208

- Polish, 193, 194, 812, 896, 1577, 2872,
2887, 3215, 3553, 3693, 3754, 4302,
4378, 4575, 5525
- Portuguese, 452, 1306, 1410, 1949,
3002, 3216, 5747, 6197
- Portuguese (Brazilia), 17, 18, 564, 757,
1642, 1956, 2983, 5285, 5547, 5796,
5831
- Russian, 140, 318, 427, 593, 718, 860,
929, 976, 1139, 1475, 1775, 1798,
2055, 3021, 3217, 3379, 3701, 3799,
3919, 4771, 6105
- Serbian, 1064
- Slovak, 3218
- Slovenian, 3218
- Spanish, 191, 257, 389, 1934, 2202,
2408, 2529, 2578, 2898, 2986, 3001,
3142, 3219, 3379, 3394, 3463, 4169,
4697, 5740, 5829
- Spanish (Mexico), 3770
- Spanish (Peru), 5799
- Spanish (Venezuela), 1907
- Thai, 3220, 5479
- Turkish, 3221, 5745
- Ukrainian, 3221, 5814
- Vietnamese, 159, 161, 2160, 2945, 2946,
3222, 3910, 3911, 5990
- License
- Obsd, 472, 3289, 3297
- 3-clause BSD License, 108, 210, 269,
1289, 1480, 1721, 2244, 2295, 2360,
2540, 2743, 2744, 3017, 3443, 3517,
3551, 3614, 3854, 4093, 4094, 4210,
4263, 4264, 4267, 4524, 4526–4528,
4565, 4577, 5072, 5443, 5454, 5640,
5885, 5886, 5892, 5893
- agpl3, 1080, 5140, 5218, 5662, 5663,
6180
- Apache License, version 2.0, 238, 819,
1016, 1303, 1542, 1607, 1702, 1705,
2390, 2653, 2800, 2882, 2955, 2974,
3318, 3984, 4247, 4719, 4777, 5015,
5605, 5667, 5671, 5685, 5736, 5753,
5759, 5932, 6121
- apache2, 238, 819, 1016, 1303, 1542,
1607, 1702, 1705, 2390, 2653, 2800,
2882, 2955, 2974, 3318, 3984, 4247,
4719, 4777, 5015, 5605, 5667, 5671,
5685, 5736, 5753, 5759, 5932, 6121
- artistic, 558, 653, 1508, 2178, 2606,
3625, 5398, 5400, 5931, 6049
- artistic2, 543, 545–553
- bsd, 71, 72, 201, 230, 441, 714, 1159,
1184, 1188, 1219, 1270, 1500, 1501,
1727, 1836, 1979, 2197, 2279, 2789,
2813, 3133, 3323, 3469, 3684, 3790,
4009, 4249, 4293, 4935, 5253, 5309,
5348, 5381, 5429, 5508, 5690, 6073,
6126
- BSD License, 995
- BSD Style License, 71, 72, 201, 230,
441, 714, 1159, 1184, 1188, 1219,
1270, 1500, 1501, 1727, 1836, 1979,
2197, 2279, 2789, 2813, 3133, 3323,
3469, 3684, 3790, 4009, 4249, 4293,
4935, 5253, 5309, 5348, 5381, 5429,
5508, 5690, 6073, 6126
- bsd2, 308, 801, 932, 1162, 1189, 1964,
2284, 2373, 2767, 3455, 3900, 4869,
5351
- bsd3, 108, 210, 269, 1289, 1480, 1721,
2244, 2295, 2360, 2540, 2743, 2744,
3017, 3443, 3517, 3551, 3614, 3854,
4093, 4094, 4210, 4263, 4264, 4267,
4524, 4526–4528, 4565, 4577, 5072,
5443, 5454, 5640, 5885, 5886, 5892,
5893
- bsd4, 995
- CC BY 1.0, 3369
- CC BY 2.0, 3176
- CC BY 3.0, 5380, 5948
- CC BY 4.0, 19, 191, 460, 807, 1241,
1312, 1340, 1406, 2133, 2418, 2426,
2459, 2560, 3046, 3156, 3337, 4082,
4586, 5093, 5155, 5316, 5403, 5522,
5754, 5759, 5948, 6238
- CC BY-NC-ND 4.0, 2408
- CC BY-NC-SA 4.0, 427
- CC BY-SA 1.0, 5541
- CC BY-SA 2.0, 1907
- CC BY-SA 3.0, 73, 655, 851, 974, 991,
1099, 2817, 3053, 3312, 3571, 4053,
4355, 5459, 5688
- CC BY-SA 4.0, 90, 224, 283, 475, 489,

- 1004, 1311, 1312, 1775, 1856, 1900,
1934, 1936, 1988, 2036, 2231, 2486,
2520, 2596, 2756, 2778, 2779, 2819,
3270, 3594, 3653, 3667, 3879, 3983,
4004, 4696, 4972, 5521, 5533, 5556,
5753, 5833, 5834, 5849, 5881, 6002,
6013, 6233
- cc-by-1, 3369
- cc-by-2, 3176
- cc-by-3, 5380, 5948
- cc-by-4, 19, 191, 460, 807, 1241, 1312,
1340, 1406, 2133, 2418, 2426, 2459,
2560, 3046, 3156, 3337, 4082, 4586,
5093, 5155, 5316, 5403, 5522, 5754,
5759, 5948, 6238
- cc-by-nc-nd-4, 2408
- cc-by-nc-sa4, 427
- cc-by-sa-1, 5541
- cc-by-sa-2, 1907
- cc-by-sa-3, 73, 655, 851, 974, 991, 1099,
2817, 3053, 3312, 3571, 4053, 4355,
5459, 5688
- cc-by-sa-4, 90, 224, 283, 475, 489, 1004,
1311, 1312, 1775, 1856, 1900, 1934,
1936, 1988, 2036, 2231, 2486, 2520,
2596, 2756, 2778, 2779, 2819, 3270,
3594, 3653, 3667, 3879, 3983, 4004,
4696, 4972, 5521, 5533, 5556, 5753,
5833, 5834, 5849, 5881, 6002, 6013,
6233
- cc0, 307, 1312, 1493, 2013, 3283, 3557,
3632, 3998, 4304, 4355, 4979, 5918,
5921, 6144
- CC0 1.0, 307, 1312, 1493, 2013, 3283,
3557, 3632, 3998, 4304, 4355, 4979,
5918, 5921, 6144
- collection, 731, 1666, 2149, 2155, 2156,
2187, 2254, 2277, 2340, 3203, 3252,
3939, 4258, 4333, 4390, 4785, 5899,
6016
- digest, 3911, 5374, 5418, 5730
- Do Not Sell Except by Arrangement, 13,
242, 264, 291, 446, 539, 644, 676,
826, 836, 863, 940, 942, 947, 957,
960, 989, 1005, 1262, 1352, 1428,
1545, 1639, 1709, 1727, 1766, 1800,
1942, 1980, 2000, 2052, 2080, 2207,
2212, 2243, 2249, 2323, 2400, 2454,
2605, 2643, 2783, 2784, 2806, 2929,
2941, 2942, 3069, 3147, 3348, 3404,
3406, 3685, 3696, 3747, 3781, 3818,
3939, 3946, 4027, 4028, 4041, 4048,
4282, 4367, 4388, 4512, 4542, 4556,
4573, 4646, 4687, 4779, 4781, 4946,
4964, 5305, 5326, 5370, 5474, 5504,
5681, 5908, 5991, 5999, 6000
- eupl, 2484, 3600, 3602–3606
- European Union Public License 1.2,
2484, 3600, 3602–3606
- fdl, 8, 447, 506, 950, 1174, 1183, 1255,
1296, 1353, 1456, 1461, 1673, 2099,
2129, 2262, 2408, 2644, 2893,
2993–2995, 3211, 3223, 3290, 3291,
3410, 3718, 3963, 4103, 4165, 4312,
5379, 5392, 5536, 5608, 5801, 5862,
5865, 6211
- Free Documentation License, 8, 447,
506, 950, 1174, 1183, 1255, 1296,
1353, 1456, 1461, 1673, 2099, 2129,
2262, 2408, 2644, 2893, 2993–2995,
3211, 3223, 3290, 3291, 3410, 3718,
3963, 4103, 4165, 4312, 5379, 5392,
5536, 5608, 5801, 5862, 5865, 6211
- Free license not otherwise listed, 8, 24,
25, 34, 37, 56, 70, 135, 136, 141,
181, 182, 203, 244, 245, 250, 294,
320, 326, 332, 403, 406, 407, 439,
442, 443, 478, 513, 531, 635, 662,
682, 701, 714, 716, 748, 765, 775,
795, 813, 828, 829, 840, 856, 857,
908, 912, 943, 950, 951, 953, 988,
992, 993, 1009, 1027, 1083, 1105,
1129, 1138, 1147, 1149, 1174, 1176,
1216, 1230–1232, 1253, 1259, 1272,
1277, 1316, 1335, 1399, 1411, 1439,
1445, 1466, 1477, 1478, 1483, 1490,
1492, 1506, 1509, 1513, 1516, 1540,
1572, 1574, 1575, 1579, 1585, 1588,
1624, 1629, 1643, 1684, 1694, 1702,
1710, 1748, 1754, 1764, 1766, 1779,
1835, 1837, 1845, 1900, 1925, 1933,
1944, 1973, 1981, 1986, 2006, 2023,
2044, 2062, 2071, 2082–2084, 2104,
2106, 2152, 2170, 2188–2190, 2193,

- 2200, 2230, 2241, 2243, 2253, 2260,
2261, 2264–2266, 2269, 2272, 2274,
2333, 2335, 2338, 2354, 2375, 2447,
2450, 2459, 2517, 2520, 2544, 2581,
2591, 2626, 2648, 2706, 2707, 2710,
2712, 2725, 2733, 2734, 2741, 2745,
2751, 2757, 2770, 2844, 2848, 2893,
2894, 2897, 2928, 2958, 2974, 2985,
3004, 3083, 3106, 3167, 3168, 3199,
3219, 3221, 3235, 3239, 3270, 3293,
3331, 3352, 3355, 3359–3361, 3363,
3364, 3386, 3388, 3389, 3396, 3401,
3410, 3427, 3431, 3446, 3450, 3460,
3467, 3489, 3503, 3520, 3542, 3560,
3584, 3586, 3587, 3589, 3696, 3697,
3700, 3709, 3714, 3756, 3765, 3773,
3777, 3780, 3816, 3834, 3857, 3873,
3884, 3900, 3906, 3911, 3947, 3958,
3999, 4013, 4023, 4029, 4036, 4081,
4087, 4091, 4095, 4098, 4118, 4211,
4228, 4244, 4251, 4259, 4289, 4291,
4292, 4309, 4352, 4364, 4373, 4380,
4391, 4398, 4514, 4523, 4535, 4536,
4538, 4563, 4573, 4614, 4615, 4704,
4705, 4745, 4750, 4782, 4817, 4833,
4934, 4945, 4994, 5019, 5075, 5098,
5100, 5129, 5232, 5239, 5270, 5302,
5312, 5320, 5325, 5343, 5348, 5378,
5383, 5411, 5418, 5420, 5426, 5442,
5446, 5464, 5491, 5506, 5523, 5525,
5535, 5588, 5622, 5623, 5708, 5723,
5727, 5729, 5731, 5738, 5739, 5763,
5816, 5874, 5891, 5911, 5923, 5924,
5948, 5950, 5966, 5978, 5989, 5997,
6009, 6010, 6026, 6039, 6066, 6072,
6074, 6081, 6098, 6114, 6149, 6199,
6214, 6225, 6236
- gfl, 91, 129, 1325, 2735, 2887, 3159,
3160, 3824, 3832, 3963, 4302, 5293,
5353, 5354, 5356–5368, 5935
- gfs, 193, 5888
- GNU Affero General Public License,
version 3, 1080, 5140, 5218, 5662,
5663, 6180
- GNU General Public License, 4, 30, 32,
35, 75, 107, 109, 111, 132, 134, 137,
144, 147, 195, 251, 260, 286, 289,
297, 300, 315, 328, 423, 452, 453,
461, 470, 481, 495, 507, 534, 536,
537, 540, 554, 555, 557, 559, 644,
652, 654, 658, 661, 663, 684, 685,
694, 698, 704, 712, 724, 727, 741,
764, 774, 777, 839, 867, 882, 884,
885, 913, 920, 982, 987, 997, 1002,
1038, 1040, 1042, 1060, 1063, 1066,
1077, 1115, 1135, 1136, 1142,
1151–1153, 1155–1157, 1159–1161,
1163, 1164, 1167, 1169, 1171, 1173,
1179, 1180, 1183, 1185, 1197, 1210,
1258, 1269–1271, 1273, 1276, 1280,
1296, 1297, 1304, 1305, 1315, 1320,
1404, 1407, 1429, 1434, 1441, 1443,
1450, 1454, 1488, 1507, 1510, 1514,
1532, 1533, 1555, 1560, 1573, 1574,
1578, 1582, 1586, 1588, 1603, 1636,
1662, 1706, 1713, 1715, 1748, 1752,
1764, 1773, 1796, 1805, 1814, 1815,
1829, 1862, 1863, 1866, 1868, 1897,
1922, 1928, 1932, 1941, 1954, 1958,
1966, 1987, 1997, 2003, 2005,
2037–2039, 2059, 2078, 2085, 2102,
2107, 2116, 2121, 2124, 2130, 2134,
2136, 2143, 2144, 2147, 2148, 2162,
2177, 2199, 2203, 2214, 2222, 2227,
2234, 2237, 2254, 2323, 2369, 2378,
2383, 2400, 2401, 2416, 2490, 2499,
2525, 2532, 2534, 2538, 2548, 2561,
2570, 2571, 2584, 2593, 2602, 2639,
2647, 2652, 2661, 2665, 2704, 2714,
2715, 2748, 2764, 2767, 2770, 2785,
2801–2803, 2805, 2823, 2835, 2841,
2842, 2878, 2884, 2895, 2896, 2923,
2936, 2954, 2971, 2988, 2993, 3005,
3012, 3019, 3022–3024, 3033, 3037,
3083, 3084, 3086, 3108, 3129–3131,
3135, 3142, 3155, 3189, 3191, 3204,
3205, 3208, 3210, 3211, 3217, 3218,
3246, 3249, 3339, 3351, 3356, 3362,
3384, 3392, 3399, 3404, 3413, 3426,
3435, 3438, 3448, 3449, 3451, 3456,
3458, 3465, 3473, 3482, 3485,
3491–3496, 3523, 3528, 3545, 3547,
3557, 3569, 3570, 3595, 3623, 3624,
3627, 3633, 3642–3644, 3670, 3671,

- 3675, 3703, 3705, 3748, 3784, 3812,
3817, 3822, 3829, 3847, 3866, 3934,
3948, 3966, 3968, 3979, 3995, 4009,
4010, 4015, 4017, 4051, 4054, 4065,
4089, 4090, 4095, 4100, 4107, 4123,
4137, 4143, 4147, 4160, 4163, 4175,
4178, 4188, 4247, 4262, 4287, 4325,
4327, 4330, 4341, 4378, 4379, 4381,
4389, 4392, 4405, 4406, 4483, 4512,
4538, 4546, 4556, 4557, 4562, 4570,
4574, 4583, 4633, 4638, 4656, 4659,
4663, 4705, 4715, 4749, 4761, 4784,
4788, 4797–4799, 4808, 4818, 4846,
4891, 4898, 4904, 4907, 4927, 4942,
4968, 4971, 4987, 4993, 5005, 5011,
5016, 5026, 5124, 5138, 5145, 5182,
5209, 5216, 5229, 5230, 5236, 5240,
5242, 5243, 5251, 5258, 5262, 5298,
5299, 5302, 5307, 5308, 5318, 5347,
5371, 5381, 5382, 5384, 5401, 5402,
5411, 5412, 5414–5416, 5419, 5428,
5432, 5437, 5441, 5444, 5450, 5451,
5454, 5465, 5471, 5492, 5496, 5505,
5513, 5519, 5524, 5557, 5561, 5606,
5618, 5622, 5624, 5669, 5677–5679,
5703, 5710, 5717, 5728, 5731, 5751,
5760, 5761, 5765, 5783, 5804, 5821,
5867, 5869, 5878, 5899, 5901, 5903,
5905, 5919, 5936, 5951, 5960, 5973,
5982, 5983, 5998, 6006, 6022, 6025,
6041, 6044, 6053, 6057, 6062, 6075,
6114, 6137, 6149, 6156, 6161, 6164,
6184, 6187, 6196, 6197, 6203, 6222
- GNU General Public License 3 with font
exception, 3824
- GNU General Public License, version 1,
653
- GNU General Public License, version 2,
64, 174, 241, 275, 317, 422, 428,
514, 655, 674, 723, 999, 1124, 1182,
1186, 1259, 1299, 1568, 1569, 1581,
1616, 1650, 1676, 1763, 1870, 1947,
2004, 2057, 2103, 2146, 2170, 2334,
2393, 2396, 2539, 2540, 2660, 2731,
2871, 3013, 3068, 3078, 3089, 3094,
3103, 3206, 3207, 3295, 3303, 3306,
3450, 3750, 4096, 4144, 4148, 4157,
4165, 4171, 4174, 4289, 4290, 4316,
4334, 4510, 4529, 4570, 4599, 4726,
4904, 4992, 5073, 5122, 5237, 5311,
5323, 5449, 5452, 5456, 5488, 5508,
5534, 5636, 5841, 5842, 5848, 5898,
5948, 6053, 6187, 6194, 6204
- GNU General Public License, version 2
or newer, 27, 65, 324, 429, 447, 498,
963, 1006, 1011, 1589, 1753, 1888,
1915, 2041, 2106, 2280, 3214, 3317,
3320, 3691, 3694, 3746, 4119, 4139,
4222, 4585, 4783, 5645, 5870
- GNU General Public License, version 3,
214, 474, 477, 480, 557, 699, 783,
810, 916, 962, 1001, 1112, 1126,
1151, 1168, 1283, 1290, 1293, 1700,
1780, 1982, 2110, 2111, 2172, 2182,
2263, 2332, 2384, 2419, 2421, 2446,
2500, 2529, 2602, 2667, 2695, 2759,
2967, 2990, 3006, 3010, 3011, 3170,
3180, 3385, 3463, 3571, 3590, 3609,
3625, 3665, 3838, 3922, 3973, 4019,
4068, 4107, 4140, 4340, 4359, 4525,
4910, 4917, 4918, 4961, 4980, 5184,
5205, 5330, 5396, 5406, 5410, 5417,
5427, 5448, 5472, 5493, 5515, 5592,
5643, 5705, 5748, 5766, 5822, 5829,
6233
- GNU General Public License, version 3
or newer, 8, 57, 90, 91, 96, 114, 224,
335, 482, 496, 533, 633, 808, 888,
950, 1027, 1035, 1255, 1347, 1353,
1461, 1571, 1591, 1596, 1611, 1615,
1673, 1739, 1901, 2036, 2216, 2262,
2480, 2596, 2617, 2702, 2828, 2872,
2964, 3126, 3229, 3238, 3248, 3410,
3498, 3541, 3718, 3861, 4008, 4128,
4186, 4257, 4276, 5104, 5107, 5144,
5178, 5186, 5254, 5431, 5537, 5549,
5560, 5570, 5572, 5575, 5589, 5608,
5639, 5643, 5644, 5801, 5828, 5862,
5865, 5919, 6023, 6028, 6055, 6093,
6154
- GNU Lesser General Public License,
287, 784, 1110, 1201–1203, 1601,
1895, 2131, 2731, 3541, 4425
- GNU Lesser General Public License 2.1,

- 119, 2756, 2877, 5071
- GNU Lesser General Public License 3,
285, 978, 1584, 2293, 2382, 2668,
4270, 4480, 5102, 5887, 5916
- gpl, 4, 30, 32, 35, 75, 107, 109, 111, 132,
134, 137, 144, 147, 195, 251, 260,
286, 289, 297, 300, 315, 328, 423,
452, 453, 461, 470, 481, 495, 507,
534, 536, 537, 540, 554, 555, 557,
559, 644, 652, 654, 658, 661, 663,
684, 685, 694, 698, 704, 712, 724,
727, 741, 764, 774, 777, 839, 867,
882, 884, 885, 913, 920, 982, 987,
997, 1002, 1038, 1040, 1042, 1060,
1063, 1066, 1077, 1115, 1135, 1136,
1142, 1151–1153, 1155–1157,
1159–1161, 1163, 1164, 1167, 1169,
1171, 1173, 1179, 1180, 1183, 1185,
1197, 1210, 1258, 1269–1271, 1273,
1276, 1280, 1296, 1297, 1304, 1305,
1315, 1320, 1404, 1407, 1429, 1434,
1441, 1443, 1450, 1454, 1488, 1507,
1510, 1514, 1532, 1533, 1555, 1560,
1573, 1574, 1578, 1582, 1586, 1588,
1603, 1636, 1662, 1706, 1713, 1715,
1748, 1752, 1764, 1773, 1796, 1805,
1814, 1815, 1829, 1862, 1863, 1866,
1868, 1897, 1922, 1928, 1932, 1941,
1954, 1958, 1966, 1987, 1997, 2003,
2005, 2037–2039, 2059, 2078, 2085,
2102, 2107, 2116, 2121, 2124, 2130,
2134, 2136, 2143, 2144, 2147, 2148,
2162, 2177, 2199, 2203, 2214, 2222,
2227, 2234, 2237, 2254, 2323, 2369,
2378, 2383, 2400, 2401, 2416, 2490,
2499, 2525, 2532, 2534, 2538, 2548,
2561, 2570, 2571, 2584, 2593, 2602,
2639, 2647, 2652, 2661, 2665, 2704,
2714, 2715, 2748, 2764, 2767, 2770,
2785, 2801–2803, 2805, 2823, 2835,
2841, 2842, 2878, 2884, 2895, 2896,
2923, 2936, 2954, 2971, 2988, 2993,
3005, 3012, 3019, 3022–3024, 3033,
3037, 3083, 3084, 3086, 3108,
3129–3131, 3135, 3142, 3155, 3189,
3191, 3204, 3205, 3208, 3210, 3211,
3217, 3218, 3246, 3249, 3339, 3351,
3356, 3362, 3384, 3392, 3399, 3404,
3413, 3426, 3435, 3438, 3448, 3449,
3451, 3456, 3458, 3465, 3473, 3482,
3485, 3491–3496, 3523, 3528, 3545,
3547, 3557, 3569, 3570, 3595, 3623,
3624, 3627, 3633, 3642–3644, 3670,
3671, 3675, 3703, 3705, 3748, 3784,
3812, 3817, 3822, 3829, 3847, 3866,
3934, 3948, 3966, 3968, 3979, 3995,
4009, 4010, 4015, 4017, 4051, 4054,
4065, 4089, 4090, 4095, 4100, 4107,
4123, 4137, 4143, 4147, 4160, 4163,
4175, 4178, 4188, 4247, 4262, 4287,
4325, 4327, 4330, 4341, 4378, 4379,
4381, 4389, 4392, 4405, 4406, 4483,
4512, 4538, 4546, 4556, 4557, 4562,
4570, 4574, 4583, 4633, 4638, 4656,
4659, 4663, 4705, 4715, 4749, 4761,
4784, 4788, 4797–4799, 4808, 4818,
4846, 4891, 4898, 4904, 4907, 4927,
4942, 4968, 4971, 4987, 4993, 5005,
5011, 5016, 5026, 5124, 5138, 5145,
5182, 5209, 5216, 5229, 5230, 5236,
5240, 5242, 5243, 5251, 5258, 5262,
5298, 5299, 5302, 5307, 5308, 5318,
5347, 5371, 5381, 5382, 5384, 5401,
5402, 5411, 5412, 5414–5416, 5419,
5428, 5432, 5437, 5441, 5444, 5450,
5451, 5454, 5465, 5471, 5492, 5496,
5505, 5513, 5519, 5524, 5557, 5561,
5606, 5618, 5622, 5624, 5669,
5677–5679, 5703, 5710, 5717, 5728,
5731, 5751, 5760, 5761, 5765, 5783,
5804, 5821, 5867, 5869, 5878, 5899,
5901, 5903, 5905, 5919, 5936, 5951,
5960, 5973, 5982, 5983, 5998, 6006,
6022, 6025, 6041, 6044, 6053, 6057,
6062, 6075, 6114, 6137, 6149, 6156,
6161, 6164, 6184, 6187, 6196, 6197,
6203, 6222
- gpl1, 653
- gpl2, 64, 174, 241, 275, 317, 422, 428,
514, 655, 674, 723, 999, 1124, 1182,
1186, 1259, 1299, 1568, 1569, 1581,
1616, 1650, 1676, 1763, 1870, 1947,
2004, 2057, 2103, 2146, 2170, 2334,
2393, 2396, 2539, 2540, 2660, 2731,

- 2871, 3013, 3068, 3078, 3089, 3094,
3103, 3206, 3207, 3295, 3303, 3306,
3450, 3750, 4096, 4144, 4148, 4157,
4165, 4171, 4174, 4289, 4290, 4316,
4334, 4510, 4529, 4570, 4599, 4726,
4904, 4992, 5073, 5122, 5237, 5311,
5323, 5449, 5452, 5456, 5488, 5508,
5534, 5636, 5841, 5842, 5848, 5898,
5948, 6053, 6187, 6194, 6204
- gpl2+, 27, 65, 324, 429, 447, 498, 963,
1006, 1011, 1589, 1753, 1888, 1915,
2041, 2106, 2280, 3214, 3317, 3320,
3691, 3694, 3746, 4119, 4139, 4222,
4585, 4783, 5645, 5870
- gpl3, 214, 474, 477, 480, 557, 699, 783,
810, 916, 962, 1001, 1112, 1126,
1151, 1168, 1283, 1290, 1293, 1700,
1780, 1982, 2110, 2111, 2172, 2182,
2263, 2332, 2384, 2419, 2421, 2446,
2500, 2529, 2602, 2667, 2695, 2759,
2967, 2990, 3006, 3010, 3011, 3170,
3180, 3385, 3463, 3571, 3590, 3609,
3625, 3665, 3838, 3922, 3973, 4019,
4068, 4107, 4140, 4340, 4359, 4525,
4910, 4917, 4918, 4961, 4980, 5184,
5205, 5330, 5396, 5406, 5410, 5417,
5427, 5448, 5472, 5493, 5515, 5592,
5643, 5705, 5748, 5766, 5822, 5829,
6233
- gpl3+, 8, 57, 90, 91, 96, 114, 224, 335,
482, 496, 533, 633, 808, 888, 950,
1027, 1035, 1255, 1347, 1353, 1461,
1571, 1591, 1596, 1611, 1615, 1673,
1739, 1901, 2036, 2216, 2262, 2480,
2596, 2617, 2702, 2828, 2872, 2964,
3126, 3229, 3238, 3248, 3410, 3498,
3541, 3718, 3861, 4008, 4128, 4186,
4257, 4276, 5104, 5107, 5144, 5178,
5186, 5254, 5431, 5537, 5549, 5560,
5570, 5572, 5575, 5589, 5608, 5639,
5643, 5644, 5801, 5828, 5862, 5865,
5919, 6023, 6028, 6055, 6093, 6154
- gpl3+fe, 3824
- isc, 3336, 3473, 5563
- ISC License, 3336, 3473, 5563
- knuth, 168, 207, 309, 424, 648, 1036,
1037, 1039, 1041, 1043, 1064, 1143,
1319, 1321, 1323, 1810, 2026, 2228,
2292, 2352, 2371, 2599, 2632,
2854–2858, 3064, 3134, 3156, 3405,
3479, 3531, 3553, 3563, 3638, 3697,
3954, 4223, 4255, 4276, 4537, 4632,
4885, 5296, 5340, 5346, 5712, 5755,
5813, 5894, 5972, 5974, 6021
- Knuth License, 168, 207, 309, 424, 648,
1036, 1037, 1039, 1041, 1043, 1064,
1143, 1319, 1321, 1323, 1810, 2026,
2228, 2292, 2352, 2371, 2599, 2632,
2854–2858, 3064, 3134, 3156, 3405,
3479, 3531, 3553, 3563, 3638, 3697,
3954, 4223, 4255, 4276, 4537, 4632,
4885, 5296, 5340, 5346, 5712, 5755,
5813, 5894, 5972, 5974, 6021
- lgpl, 287, 784, 1110, 1201–1203, 1601,
1895, 2131, 2731, 3541, 4425
- lgpl2.1, 119, 2756, 2877, 5071
- lgpl3, 285, 978, 1584, 2293, 2382, 2668,
4270, 4480, 5102, 5887, 5916
- License that prevents distribution, 3, 40,
43, 186, 416, 421, 472, 525, 832,
834, 978, 1130, 1229, 1250, 1700,
1777, 1806, 1865, 1965, 2061, 2171,
2192, 2195, 2197, 2395, 2397, 2457,
2487, 2503, 2612, 2662, 2760, 2765,
2795, 2888, 2925, 3079, 3162, 3343,
3409, 3470, 3559, 3576, 3678, 3716,
3906, 3953, 3956, 4003, 4102, 4223,
4233, 4396, 4747, 4928, 4969, 5017,
5102, 5172, 5314, 5369, 5384, 5390,
5453, 5677, 5683, 5729, 5771, 5826,
5916, 5986, 6004, 6005, 6027, 6050,
6054, 6057
- lppl, 2, 5, 11, 23, 27, 28, 36, 38, 47, 49,
50, 52, 53, 61, 66, 78, 81, 83–86, 88,
89, 97, 99–105, 109, 110, 114, 117,
118, 125, 128, 130, 141, 158, 160,
162, 164, 167, 171, 175, 177, 180,
184, 187, 192, 196, 199, 204, 216,
219, 226–228, 233–236, 242, 243,
248, 249, 252, 259, 265–267, 271,
274, 277, 281, 284, 287, 294,
301–304, 310, 319, 323, 398, 401,
409, 414, 415, 417, 419, 435, 437,
440, 448, 453, 455, 457, 461, 463,

490, 497, 511, 512, 515–517,
525–528, 531, 567, 574, 593, 597,
598, 609, 619, 627, 657, 659, 660,
664, 676, 683, 684, 687, 691, 693,
697, 702, 703, 706, 720, 725, 734,
736, 742, 744, 745, 747, 749, 752,
754, 755, 766, 781, 811, 814, 818,
819, 823, 830, 840–842, 848, 850,
851, 853, 856, 862, 872, 875, 878,
880, 885, 889, 897, 902, 906, 909,
911, 913, 923, 924, 945, 946, 952,
964, 965, 980, 987, 998, 1002, 1009,
1016, 1031, 1032, 1034, 1045, 1046,
1049, 1053, 1056, 1057, 1059, 1061,
1062, 1067, 1069, 1081, 1086, 1090,
1103, 1108, 1109, 1119, 1120, 1123,
1131, 1139–1141, 1146, 1147, 1191,
1196, 1199, 1200, 1204, 1205, 1207,
1208, 1212, 1213, 1216, 1217, 1220,
1224, 1226, 1234, 1238, 1243, 1244,
1248, 1249, 1251, 1256, 1261, 1265,
1275, 1276, 1284, 1293, 1298, 1307,
1310, 1322, 1327, 1329, 1333, 1334,
1336, 1338, 1339, 1349, 1402, 1408,
1418, 1421, 1423, 1424, 1432, 1437,
1443, 1446, 1449, 1453, 1454, 1463,
1468–1470, 1472, 1475, 1476, 1479,
1481, 1485, 1494, 1502, 1504, 1511,
1512, 1515, 1523–1527, 1534, 1547,
1548, 1554, 1563, 1565, 1576, 1606,
1608, 1611, 1616–1622, 1628, 1631,
1634, 1641, 1643, 1651, 1653–1655,
1659, 1660, 1664, 1670, 1675,
1686–1689, 1693, 1711, 1712, 1714,
1716, 1718, 1724, 1725, 1730, 1737,
1741–1743, 1752, 1756, 1765, 1769,
1772, 1776, 1785, 1790–1792, 1794,
1797, 1804, 1807, 1813, 1820, 1822,
1828, 1830, 1833, 1834, 1836, 1838,
1841, 1844, 1849, 1850, 1854,
1878–1880, 1889, 1891, 1896, 1902,
1905, 1911, 1913, 1921, 1934, 1940,
1946, 1957, 1962, 1970, 1978, 1983,
1984, 1990, 1995, 2004, 2008, 2019,
2022, 2025, 2037, 2048, 2050, 2055,
2063, 2064, 2068, 2073–2075, 2079,
2094, 2096, 2097, 2117, 2125, 2137,
2138, 2140–2142, 2145, 2146, 2151,
2159, 2163, 2164, 2173, 2180, 2181,
2183–2185, 2194, 2202, 2203, 2207,
2209, 2212, 2215, 2217, 2221, 2225,
2230, 2235, 2252, 2255, 2257, 2259,
2276, 2280, 2283, 2299, 2303, 2321,
2324–2327, 2329–2331, 2338, 2344,
2355, 2359, 2363, 2364, 2373, 2376,
2377, 2379, 2381, 2388, 2389, 2394,
2405, 2406, 2422, 2438, 2444, 2462,
2475–2478, 2485, 2488, 2490, 2495,
2497, 2504, 2506, 2508, 2517, 2522,
2524, 2537, 2546, 2547, 2552,
2554–2557, 2569, 2580, 2583, 2586,
2589, 2592, 2594, 2595, 2597, 2599,
2604, 2606, 2607, 2620, 2629, 2634,
2636, 2637, 2640, 2649, 2666, 2669,
2677, 2681, 2682, 2684, 2686–2689,
2693, 2698, 2705, 2713, 2714, 2716,
2717, 2720–2724, 2732, 2749,
2752–2754, 2762, 2763, 2766, 2773,
2777, 2784, 2787, 2788, 2795, 2798,
2799, 2804, 2807, 2827, 2830, 2849,
2860, 2865, 2866, 2868, 2876, 2878,
2886, 2914, 2922, 2925, 2926, 2938,
2952, 2953, 2961, 2977, 2981, 2984,
2992, 2999–3002, 3004, 3009, 3022,
3027, 3032, 3034, 3037, 3041, 3044,
3048, 3050, 3051, 3071, 3074, 3076,
3082, 3084, 3087, 3094, 3095,
3097–3100, 3102, 3114–3116, 3119,
3122–3124, 3136, 3141, 3143, 3152,
3164, 3177, 3179, 3181, 3194, 3197,
3200, 3212, 3217, 3222, 3230, 3231,
3240, 3241, 3245, 3246, 3250, 3251,
3253, 3332, 3345, 3348, 3354, 3356,
3367, 3375, 3377–3380, 3383, 3388,
3391, 3397, 3399, 3400, 3403, 3406,
3407, 3411, 3416, 3429, 3430, 3436,
3438, 3440–3442, 3453, 3454, 3460,
3461, 3466, 3469, 3477, 3480, 3481,
3485, 3488, 3498, 3500, 3504, 3507,
3512, 3519, 3525, 3527, 3533–3535,
3538, 3540, 3543, 3548, 3549, 3562,
3564, 3567, 3568, 3585, 3588, 3591,
3592, 3597, 3600, 3609–3611, 3616,
3618, 3626, 3629, 3630, 3635, 3639,

3643, 3649, 3658, 3660, 3666, 3668,
 3681, 3682, 3687, 3690, 3695, 3702,
 3706, 3708, 3713, 3715, 3722, 3723,
 3725, 3730, 3736, 3739, 3740, 3744,
 3749, 3751, 3755, 3757, 3761, 3763,
 3765–3769, 3776, 3782, 3785, 3786,
 3789, 3791–3807, 3814, 3816, 3820,
 3823, 3827, 3832, 3835, 3838, 3840,
 3842, 3845, 3848, 3849, 3855, 3874,
 3876, 3878, 3882, 3887, 3891, 3895,
 3902, 3903, 3909, 3910, 3913, 3915,
 3924, 3926, 3928, 3933, 3937, 3938,
 3940, 3942, 3943, 3945, 3950, 3953,
 3957, 3960, 3961, 3963, 3965, 3970,
 3975, 3980, 3986, 3991, 3993, 3995,
 3996, 4000, 4005, 4007, 4016, 4018,
 4030, 4035, 4043, 4047, 4055, 4057,
 4059, 4061, 4062, 4064, 4066, 4070,
 4077–4079, 4083, 4084, 4088, 4090,
 4097, 4114, 4120, 4132, 4134–4136,
 4145, 4154, 4156, 4157, 4159, 4164,
 4166, 4172, 4177, 4190, 4191, 4201,
 4205, 4208, 4210, 4214, 4221, 4226,
 4227, 4231, 4236, 4238, 4240, 4256,
 4260, 4262, 4268, 4269, 4271, 4273,
 4277, 4278, 4283, 4285, 4297, 4307,
 4308, 4311, 4315, 4317, 4321, 4326,
 4334–4336, 4344, 4346, 4347, 4349,
 4350, 4354, 4360, 4361, 4369, 4372,
 4375, 4377, 4382, 4384, 4387, 4394,
 4395, 4397, 4399–4401, 4405,
 4407–4417, 4420–4424, 4426–4436,
 4438–4445, 4447–4451, 4453–4460,
 4462–4464, 4466–4469, 4471–4474,
 4476, 4478, 4479, 4481, 4485–4488,
 4491–4501, 4503, 4504, 4506–4509,
 4511, 4515, 4518, 4519, 4522, 4531,
 4534, 4539, 4554, 4567, 4571, 4576,
 4582, 4584, 4590, 4601, 4602, 4618,
 4620, 4623, 4629, 4633, 4635, 4639,
 4641, 4653, 4655, 4665–4667,
 4677–4680, 4685, 4702, 4712, 4713,
 4717, 4719, 4721, 4723, 4727, 4728,
 4734–4736, 4742, 4743, 4746, 4750,
 4752, 4759, 4765, 4770, 4772–4774,
 4782, 4786, 4789, 4790, 4794, 4796,
 4800, 4809, 4810, 4815, 4819, 4824,

4826, 4831, 4832, 4853, 4872, 4876,
 4880–4882, 4884, 4889, 4895, 4900,
 4902, 4908, 4923–4926, 4930, 4932,
 4948, 4950, 4952, 4963, 4971, 4978,
 4989, 4995, 5000, 5001, 5012–5014,
 5017, 5023, 5028, 5037–5068, 5075,
 5079, 5080, 5087, 5089, 5091, 5094,
 5095, 5100, 5101, 5108, 5109, 5111,
 5115–5118, 5126, 5131, 5143, 5148,
 5149, 5152, 5153, 5159, 5160, 5166,
 5168, 5188, 5191, 5195–5197, 5199,
 5200, 5204, 5206, 5207, 5210, 5212,
 5215, 5221, 5222, 5224, 5227, 5229,
 5234, 5241, 5246, 5247, 5253, 5257,
 5263, 5268, 5269, 5279, 5280, 5285,
 5286, 5292, 5295, 5307, 5313, 5315,
 5317, 5320, 5321, 5326, 5329, 5335,
 5339, 5343, 5350, 5386, 5388, 5393,
 5394, 5397, 5404, 5412, 5413, 5430,
 5433–5435, 5441, 5446, 5447, 5452,
 5457, 5458, 5462, 5466, 5472, 5473,
 5478, 5480, 5482, 5483, 5488, 5495,
 5498, 5504, 5507, 5520, 5534, 5536,
 5541, 5562, 5581, 5583, 5585, 5601,
 5602, 5605, 5606, 5608, 5610,
 5613–5615, 5621, 5634, 5635, 5641,
 5646, 5651, 5653, 5661, 5666, 5668,
 5672, 5675, 5676, 5686, 5687,
 5690–5700, 5703, 5712, 5713, 5717,
 5724, 5740, 5742, 5744–5746, 5758,
 5767, 5773, 5775, 5780, 5784, 5787,
 5791, 5802, 5805, 5807, 5810, 5814,
 5818, 5823–5826, 5832, 5835, 5837,
 5849, 5868, 5870, 5875, 5882, 5884,
 5895, 5897, 5898, 5904, 5910, 5914,
 5934, 5938, 5941–5943, 5949,
 5955–5957, 5965, 5972, 5979, 5980,
 5987, 5991–5994, 5996, 6008, 6011,
 6012, 6015, 6020, 6024, 6037, 6038,
 6052, 6059, 6061, 6065, 6067, 6076,
 6079, 6091, 6094, 6104, 6106, 6111,
 6117, 6118, 6120, 6126, 6132–6134,
 6147, 6148, 6155, 6158, 6159, 6170,
 6174, 6178, 6183, 6193, 6198, 6200,
 6206, 6212, 6223, 6243, 6244, 6247,
 6260

lpp11, 6, 42, 51, 258, 260, 306, 395, 543,

- 686, 1054, 1072, 1097, 1413, 1422,
1646, 1657, 1788, 1791, 1875, 2044,
2200, 2348, 2681, 2816, 2843, 2989,
3719, 4126, 4209, 4225, 4403, 4622,
4675, 4780, 4928, 5203, 5225, 5258,
5331, 5542, 5544, 5558, 5559, 5657,
5701, 5706, 5761, 6001, 6034, 6222,
6228
- lppl1.2, 12, 44, 79, 80, 82, 87, 215, 250,
257, 268, 313, 322, 420, 432, 433,
733, 894, 919, 937, 944, 975, 1019,
1137, 1194, 1229, 1232, 1350, 1351,
1430, 1462, 1491, 1499, 1630, 1671,
1672, 1697, 1709, 1719, 1720, 1770,
1771, 1774, 1799, 1873, 1917, 1923,
1930, 1947, 1960, 2135, 2157, 2218,
2366, 2372, 2404, 2449, 2461, 2518,
2598, 2619, 2818, 2838, 2853, 2870,
2918, 3030, 3138, 3161, 3328, 3359,
3371, 3398, 3408, 3457, 3475, 3479,
3577, 3613, 3734, 3752, 3753, 3809,
3881, 3941, 3978, 4013, 4234, 4284,
4301, 4370, 4475, 4530, 4580, 4630,
4637, 4706, 4708, 4711, 4722, 4748,
4894, 4920, 4953, 4977, 5150, 5227,
5279, 5485, 5492, 5501, 5587, 5594,
5708, 5715, 5770, 5790, 5810, 5889,
5959, 5976, 5995, 6080, 6229
- lppl1.3, 9, 15, 20, 37, 45, 48, 68, 69, 74,
76, 95, 112, 121, 133, 136, 139, 140,
145, 161, 170, 184, 198, 217, 221,
222, 229, 232, 240, 247, 263, 266,
270, 278, 291, 295, 299, 314, 318,
321, 326, 328, 329, 333, 336–341,
343–353, 355–365, 367–377, 379,
381–394, 397, 400, 404, 412, 413,
424, 426, 430, 431, 445, 449, 451,
454, 459, 460, 469, 473, 492,
518–520, 529, 554, 561, 565, 568,
573, 576–579, 581, 582, 585–587,
589, 595, 596, 601–606, 608,
611–613, 615, 617, 618, 620–626,
628, 629, 631, 635–637, 639, 640,
664, 666–671, 673, 675, 677, 681,
686, 688, 690, 695, 705, 708–710,
715, 716, 722, 726, 728, 729, 734,
737, 756, 758, 760, 761, 768, 771,
779, 785, 807, 815, 821, 824, 825,
831, 833, 837, 843–845, 852, 854,
858, 859, 864–866, 868, 869, 871,
874, 877, 891, 892, 895, 898, 901,
904, 905, 916, 921, 925, 929, 936,
938, 939, 948, 949, 954–956, 962,
966, 968, 971, 973, 994, 1003, 1010,
1012–1014, 1016, 1022, 1025, 1030,
1065, 1070, 1073–1075, 1084, 1085,
1089–1093, 1095, 1103, 1111, 1113,
1114, 1120, 1123, 1132, 1148, 1190,
1209, 1211, 1222, 1227, 1235, 1242,
1257, 1264, 1281, 1282, 1287, 1288,
1291, 1299, 1301, 1309, 1313, 1314,
1337, 1342, 1343, 1345, 1346, 1348,
1354, 1356–1372, 1374–1398, 1401,
1403, 1409, 1414, 1417, 1425, 1430,
1431, 1436, 1438, 1440, 1444, 1448,
1452, 1457, 1459, 1461, 1465, 1474,
1495, 1498, 1499, 1505, 1518, 1520,
1521, 1528, 1538–1540, 1543, 1546,
1549, 1551, 1553, 1561, 1587, 1598,
1599, 1602, 1604, 1605, 1612, 1614,
1627, 1632, 1633, 1636, 1640, 1647,
1657, 1661, 1668, 1669, 1677–1679,
1684, 1690, 1695, 1696, 1699, 1708,
1717, 1722, 1723, 1726, 1729, 1735,
1746, 1747, 1768, 1778, 1781, 1783,
1786, 1798, 1801, 1808, 1809, 1811,
1812, 1826, 1832, 1840, 1847, 1850,
1855, 1858, 1867, 1872, 1876, 1877,
1881, 1882, 1890, 1893, 1895, 1898,
1899, 1920, 1923, 1926, 1929–1931,
1941, 1943, 1948, 1950, 1951, 1959,
1967, 1969, 1971, 1972, 1974–1977,
1994, 1998, 1999, 2001, 2007, 2010,
2014, 2016–2018, 2027, 2031, 2033,
2040, 2042, 2047, 2052, 2054, 2057,
2058, 2064, 2067, 2070, 2076, 2086,
2093, 2104, 2106, 2112, 2119, 2122,
2126, 2127, 2132, 2154, 2165, 2168,
2176, 2189, 2191, 2192, 2194, 2198,
2204, 2205, 2208, 2213, 2219, 2223,
2226, 2229, 2232, 2236, 2239, 2249,
2256, 2258, 2261, 2277, 2278, 2281,
2285, 2286, 2288–2290, 2294, 2300,
2301, 2303–2320, 2328, 2336, 2346,

2348, 2351, 2353, 2369, 2373, 2374,
 2385, 2391, 2393, 2399, 2403, 2411,
 2412, 2425, 2428, 2431, 2433, 2435,
 2441, 2442, 2448, 2453, 2456, 2482,
 2489, 2498, 2503, 2505, 2510, 2516,
 2530, 2535, 2536, 2542, 2544, 2553,
 2559, 2563, 2564, 2568, 2572, 2575,
 2579, 2582, 2591, 2603, 2608, 2609,
 2613, 2614, 2616, 2618, 2621, 2622,
 2633, 2638, 2641, 2645, 2649, 2650,
 2653, 2657, 2658, 2664, 2674–2676,
 2685, 2689, 2690, 2694, 2698, 2701,
 2703, 2711, 2726, 2727, 2734, 2755,
 2771, 2775, 2791, 2796, 2797, 2814,
 2822, 2831, 2834, 2837, 2842, 2850,
 2851, 2861, 2869, 2879, 2881, 2891,
 2892, 2915, 2931–2933, 2939, 2950,
 2954, 2972, 2973, 2975, 2979, 2982,
 2997, 3003, 3006, 3008, 3029, 3031,
 3036, 3038, 3039, 3049, 3054, 3055,
 3060, 3065, 3066, 3073, 3081, 3088,
 3090, 3092, 3105, 3117, 3118, 3120,
 3121, 3128, 3130, 3132, 3139, 3140,
 3166, 3167, 3171, 3172, 3174, 3178,
 3183–3186, 3190, 3195, 3196, 3198,
 3223, 3225, 3227, 3231, 3232, 3252,
 3254, 3255, 3260, 3267, 3272–3274,
 3277–3279, 3284, 3286, 3288, 3300,
 3311, 3313, 3315, 3321, 3322, 3330,
 3333, 3334, 3344, 3357, 3374, 3376,
 3382, 3395, 3413, 3415, 3424–3426,
 3436, 3444, 3464, 3472, 3502, 3505,
 3506, 3515, 3516, 3520, 3523, 3527,
 3536, 3544, 3561, 3565, 3572, 3578,
 3582, 3598, 3599, 3612, 3614, 3615,
 3619, 3620, 3634, 3645, 3646, 3656,
 3662, 3667, 3669, 3672, 3673, 3676,
 3679, 3680, 3686, 3698, 3701, 3707,
 3710, 3716, 3717, 3721, 3724, 3729,
 3731, 3738, 3741, 3742, 3745, 3754,
 3758–3760, 3762, 3770, 3772, 3775,
 3783, 3787, 3808, 3810, 3818, 3826,
 3828, 3836, 3837, 3843, 3849, 3851,
 3853, 3856, 3857, 3859, 3867–3870,
 3872, 3884, 3885, 3889, 3890, 3897,
 3901, 3907, 3914, 3915, 3925, 3927,
 3949, 3958, 3969, 3971, 3976, 3985,
 3989, 3992, 3994, 4002, 4003, 4006,
 4011, 4018, 4025, 4038, 4040, 4042,
 4047, 4060, 4063, 4069, 4071, 4104,
 4109, 4111–4113, 4116, 4117, 4146,
 4154, 4158, 4161, 4168–4170, 4173,
 4179, 4180, 4182, 4183, 4192–4200,
 4203, 4206, 4219, 4224, 4238, 4241,
 4245, 4248, 4249, 4253, 4258, 4274,
 4286, 4287, 4296, 4304, 4306, 4320,
 4322, 4337, 4364, 4371, 4374, 4418,
 4419, 4452, 4470, 4477, 4482, 4490,
 4502, 4517, 4520, 4532, 4547, 4558,
 4565, 4578, 4579, 4595, 4601, 4621,
 4627, 4642–4645, 4647, 4649, 4652,
 4654, 4660, 4661, 4664, 4669, 4673,
 4674, 4688, 4691, 4692, 4694, 4700,
 4703, 4707, 4710, 4714, 4718, 4725,
 4733, 4738–4740, 4742, 4744, 4754,
 4756–4758, 4762, 4767, 4772, 4778,
 4779, 4786, 4788, 4791, 4793, 4795,
 4801, 4811, 4813, 4816, 4818,
 4821–4823, 4832, 4837, 4844, 4847,
 4851, 4855, 4864, 4873, 4882, 4883,
 4886, 4887, 4890, 4892, 4893, 4896,
 4899, 4903, 4905, 4906, 4908, 4909,
 4911, 4912, 4914, 4919, 4935, 4938,
 4940, 4951, 4954, 4965, 4966, 4970,
 4984, 4988, 4995, 4996, 5002, 5003,
 5006–5010, 5021, 5025, 5029, 5076,
 5078, 5081, 5082, 5086, 5087, 5090,
 5096, 5097, 5106, 5110, 5119, 5121,
 5128, 5130, 5132–5136, 5138, 5146,
 5147, 5161, 5162, 5165, 5169–5171,
 5176, 5177, 5181, 5182, 5190, 5198,
 5201, 5202, 5209, 5220, 5221, 5244,
 5260, 5261, 5264, 5265, 5267, 5271,
 5272, 5274–5276, 5281, 5282, 5287,
 5289, 5290, 5294, 5295, 5299, 5309,
 5322, 5333, 5335, 5341, 5372, 5373,
 5377, 5385, 5389, 5408, 5421–5425,
 5429, 5439, 5459–5461, 5469, 5477,
 5479, 5489, 5490, 5502, 5509, 5511,
 5513, 5519, 5526, 5529, 5531, 5539,
 5540, 5545, 5546, 5551, 5552, 5554,
 5555, 5574, 5576, 5584, 5590, 5593,
 5604, 5612, 5625, 5627–5631,
 5636–5638, 5652, 5656, 5658, 5674,

- 5680, 5683, 5721, 5737, 5743, 5754,
5756, 5762, 5772, 5776, 5786, 5789,
5793, 5794, 5797, 5800, 5803, 5808,
5830, 5831, 5836, 5846, 5847, 5851,
5860, 5861, 5863, 5864, 5871, 5873,
5876, 5879, 5880, 5906, 5913,
5927–5930, 5934, 5946, 5950, 5961,
5963, 5964, 5967, 5968, 5971, 5975,
5984, 6006, 6007, 6033, 6034, 6041,
6047, 6048, 6064, 6078, 6081, 6086,
6089, 6090, 6092, 6096, 6100, 6101,
6103, 6105, 6107, 6119, 6124, 6136,
6138, 6146, 6150, 6151, 6161, 6163,
6165, 6166, 6168, 6172, 6188–6192,
6195, 6201, 6213, 6221, 6231, 6242,
6245, 6246, 6251, 6259
- lppl1.3a, 809, 2415, 2510
- lppl1.3c, 14, 19, 26, 30, 33, 34, 41, 54,
55, 60, 63, 65, 73, 77, 92, 96, 98,
102, 106, 116, 120, 122, 123, 126,
131, 144, 147, 148, 150–155, 162,
164, 165, 168, 172, 173, 176, 178,
185, 189, 197, 200, 202, 205, 206,
213, 237, 239, 246, 253, 256, 276,
279, 288, 290, 292, 296, 298, 308,
311, 312, 314, 316, 342, 354, 366,
380, 393, 399, 411, 428, 434, 447,
450, 456, 458, 464, 466, 468, 471,
472, 475, 479, 483, 484, 487, 488,
491, 493, 494, 497–503, 505, 508,
514, 521, 522, 535, 538, 563, 564,
566, 569, 570, 572, 575, 580, 583,
588, 590–592, 594, 597, 599, 600,
610, 614, 630, 632, 634, 641, 665,
680, 692, 707, 711, 719, 721, 730,
732, 738–740, 743, 751, 757, 759,
762, 764, 767, 772, 777, 778, 780,
786, 787, 817, 820, 822, 825, 835,
838, 847, 879, 881, 883, 893, 896,
899, 903, 910, 926–928, 930, 931,
935, 959, 961, 967, 972, 977, 979,
983–985, 988, 990, 995, 998, 1004,
1008, 1015, 1018, 1020, 1021, 1026,
1029, 1033, 1048, 1054, 1077, 1079,
1080, 1082, 1088, 1094, 1096,
1099–1102, 1104, 1116, 1117, 1122,
1133–1135, 1141, 1144, 1192, 1193,
1196, 1198, 1202, 1223, 1225, 1228,
1236, 1237, 1239, 1245–1247, 1266,
1268, 1274, 1277, 1286, 1292, 1295,
1302, 1308, 1312, 1317, 1341, 1373,
1404, 1406, 1407, 1410, 1415, 1420,
1427, 1433–1435, 1458, 1460, 1464,
1473, 1482, 1486, 1489, 1493, 1497,
1503, 1506, 1531, 1537, 1542, 1550,
1551, 1556–1558, 1583, 1592, 1600,
1609, 1623, 1635, 1637, 1638, 1642,
1648, 1652, 1665, 1667, 1674, 1676,
1680–1683, 1685, 1698, 1701–1704,
1728, 1731–1733, 1736, 1740, 1745,
1750, 1751, 1759, 1783, 1787, 1789,
1803, 1816, 1817, 1819, 1821,
1823–1825, 1827, 1831, 1839,
1851–1853, 1857, 1859, 1865, 1871,
1874, 1883–1888, 1892, 1903, 1906,
1908, 1910, 1919, 1924, 1927, 1938,
1939, 1945, 1953, 1955, 1956, 1961,
1963, 1985, 1991, 1992, 1996, 1997,
2002, 2020, 2021, 2023, 2024,
2028–2030, 2034, 2046, 2049, 2051,
2056, 2066, 2069, 2072, 2077, 2081,
2086, 2087, 2089–2091, 2100, 2108,
2109, 2113–2115, 2118, 2122, 2123,
2128, 2144, 2149, 2153, 2160, 2161,
2174, 2175, 2179, 2186, 2206, 2220,
2246, 2247, 2251, 2287, 2291, 2296,
2298, 2320, 2339, 2343, 2345, 2347,
2357, 2358, 2362, 2367, 2368, 2370,
2386, 2387, 2392, 2398, 2402, 2413,
2417, 2420, 2424, 2429, 2430, 2432,
2436, 2451, 2455, 2457, 2462–2465,
2467–2469, 2471–2474, 2481, 2491,
2492, 2494, 2502, 2511–2513, 2515,
2519, 2521, 2523, 2524, 2526, 2527,
2540, 2543, 2549–2551, 2558, 2560,
2565–2567, 2569, 2574, 2585, 2587,
2588, 2601, 2615, 2619, 2623, 2624,
2627, 2628, 2630, 2631, 2651, 2654,
2656, 2659, 2663, 2670, 2672, 2673,
2683, 2691, 2696, 2697, 2700, 2708,
2709, 2718, 2723, 2728, 2736, 2740,
2742, 2750, 2756, 2761, 2772, 2774,
2776, 2781, 2792, 2808–2810, 2815,
2826, 2832, 2833, 2835, 2836, 2862,

2864, 2867, 2873–2875, 2889, 2890,
2899–2903, 2905–2907, 2909, 2910,
2927, 2935, 2940, 2942, 2943, 2945,
2947, 2948, 2956, 2959, 2960, 2964,
2966, 2969, 2970, 2976, 2978, 2980,
2983, 2991, 2996, 2998, 3018, 3020,
3026, 3028, 3031, 3041, 3052, 3053,
3056–3058, 3061, 3067, 3070, 3080,
3096, 3103, 3104, 3107, 3110–3113,
3127, 3137, 3142, 3144, 3145, 3148,
3149, 3151, 3153, 3158, 3163, 3175,
3176, 3187, 3188, 3193, 3201, 3202,
3226, 3228, 3233, 3235, 3237, 3242,
3244, 3247, 3257, 3259, 3261, 3264,
3266, 3268, 3275, 3276, 3280–3282,
3288, 3292, 3294, 3296, 3298, 3299,
3301, 3302, 3304, 3307, 3308, 3312,
3314, 3319, 3320, 3324, 3327, 3329,
3335–3337, 3341, 3342, 3346, 3349,
3358, 3364–3366, 3370, 3372, 3381,
3386, 3388, 3390, 3393, 3394, 3402,
3414, 3417, 3420, 3423, 3428, 3431,
3432, 3434, 3445, 3448, 3468, 3474,
3478, 3483, 3487, 3501, 3508, 3510,
3513, 3514, 3518, 3521, 3529, 3539,
3550, 3555, 3574, 3576, 3580, 3596,
3607, 3614, 3631, 3636, 3637,
3650–3652, 3658, 3663, 3664, 3677,
3683, 3688, 3689, 3694, 3697, 3699,
3704, 3720, 3726, 3728, 3732, 3733,
3735, 3737, 3763, 3764, 3773, 3778,
3811, 3813, 3815, 3821, 3830, 3839,
3841, 3844–3846, 3860, 3862, 3863,
3865, 3871, 3875, 3886, 3888, 3898,
3899, 3904, 3916, 3919–3921,
3929–3932, 3935, 3951, 3952, 3974,
3977, 3981, 3983, 3984, 3990, 4012,
4015, 4022, 4023, 4031, 4033, 4034,
4039, 4044, 4045, 4049, 4052, 4053,
4056, 4058, 4067, 4070, 4075, 4076,
4080, 4086, 4092, 4105, 4108, 4110,
4115, 4121, 4122, 4125, 4127, 4129,
4130, 4132, 4138, 4141, 4149, 4152,
4153, 4162, 4165, 4167, 4171, 4174,
4176, 4178, 4179, 4181, 4184, 4189,
4202, 4204, 4212, 4214, 4215, 4217,
4218, 4229, 4230, 4235, 4237, 4242,

4245, 4247, 4261, 4281, 4282, 4293,
4295, 4299, 4305, 4308, 4310, 4314,
4318, 4319, 4324, 4329, 4331, 4339,
4342, 4345, 4348, 4353, 4355–4357,
4362, 4363, 4365, 4367, 4437, 4446,
4461, 4465, 4484, 4505, 4513, 4533,
4551, 4559–4561, 4564, 4568, 4577,
4581, 4587, 4588, 4592, 4594, 4596,
4598, 4603, 4605–4610, 4612, 4617,
4619, 4624, 4625, 4628, 4631, 4634,
4636, 4668, 4670–4672, 4681–4684,
4686, 4687, 4690, 4693, 4697, 4698,
4701, 4709, 4724, 4726, 4729, 4730,
4732, 4737, 4741, 4753, 4759, 4761,
4763, 4775, 4792, 4798, 4802–4806,
4812, 4814, 4825, 4826, 4834–4836,
4838, 4840–4842, 4845, 4848, 4849,
4854, 4856–4863, 4865–4868, 4870,
4874, 4875, 4877, 4879, 4888, 4897,
4901, 4913, 4922, 4936, 4939, 4944,
4947, 4948, 4954, 4956–4958, 4967,
4972, 4973, 4981, 4983, 4985, 4986,
4989, 4997, 4998, 5018, 5020, 5024,
5027, 5030–5033, 5035, 5070, 5085,
5092, 5112, 5113, 5120, 5123, 5127,
5137, 5140, 5142, 5151, 5167, 5174,
5175, 5179, 5180, 5187, 5189, 5193,
5194, 5211, 5213, 5214, 5217, 5226,
5228, 5230, 5233, 5235, 5236, 5244,
5246, 5249, 5250, 5266, 5278, 5283,
5284, 5286, 5291, 5297, 5300, 5303,
5306, 5319, 5324, 5332, 5336, 5340,
5344, 5345, 5395, 5399, 5436, 5438,
5467, 5468, 5486, 5487, 5494, 5499,
5500, 5510, 5514, 5516, 5527–5530,
5532, 5533, 5547, 5550, 5553, 5561,
5564, 5566–5573, 5575, 5577, 5579,
5580, 5586, 5588, 5589, 5591, 5595,
5596, 5598, 5600, 5611, 5625, 5626,
5632, 5633, 5642, 5650, 5654, 5655,
5659, 5662–5665, 5673, 5682, 5688,
5702, 5704, 5711, 5714, 5720, 5732,
5734, 5741, 5747, 5749, 5768, 5773,
5777, 5778, 5781, 5782, 5796, 5798,
5799, 5804, 5807, 5811, 5817, 5820,
5839, 5843, 5851, 5853–5859, 5875,
5878, 5881, 5883, 5890, 5896, 5907,

- 5909, 5915, 5926, 5939, 5945, 5948,
5952, 5962, 5969, 5981, 5985, 6002,
6014, 6019, 6030–6032, 6035, 6038,
6058, 6060, 6063, 6068–6071,
6083–6085, 6087, 6088, 6097, 6099,
6102, 6105, 6108, 6109, 6112, 6113,
6116, 6122, 6123, 6125, 6127,
6129–6131, 6135, 6139–6142, 6144,
6145, 6152, 6153, 6157, 6160, 6164,
6167, 6169, 6171, 6176, 6177,
6179–6182, 6185, 6205, 6207, 6209,
6210, 6217, 6224, 6232, 6234, 6235,
6240, 6241, 6245, 6250, 6252–6255,
6257, 6258
- mit, 21, 29, 62, 67, 181, 223, 272, 273,
280, 323, 326, 396, 405, 444, 465,
541, 642, 655, 707, 717, 746,
788–790, 792–800, 802–806, 870,
900, 914, 917, 934, 953, 958, 975,
991, 1023, 1107, 1127, 1128, 1180,
1181, 1195, 1206, 1214, 1215, 1241,
1262, 1267, 1279, 1312, 1323, 1324,
1412, 1423, 1496, 1511, 1522, 1536,
1578, 1597, 1654, 1662, 1691, 1692,
1734, 1744, 1793, 1808, 1847, 1912,
1968, 2101, 2196, 2209, 2224, 2282,
2341, 2350, 2365, 2496, 2501, 2534,
2541, 2562, 2576, 2578, 2610, 2611,
2625, 2671, 2739, 2756, 2758, 2760,
2769, 2785, 2786, 2793, 2820, 2824,
2825, 2839, 2845–2847, 2885, 2911,
2919, 2924, 2963, 3043, 3045, 3108,
3255, 3256, 3258, 3263, 3265, 3269,
3275, 3285, 3305, 3310, 3316, 3327,
3340, 3350, 3353, 3369, 3419, 3459,
3484, 3497, 3537, 3622, 3639, 3654,
3771, 3774, 3858, 3917, 3982, 3988,
4087, 4100, 4106, 4124, 4142, 4150,
4151, 4246, 4266, 4304, 4326, 4355,
4376, 4386, 4531, 4540, 4543–4545,
4548–4550, 4552, 4553, 4555, 4560,
4589, 4593, 4595, 4613, 4646, 4648,
4689, 4720, 4768, 4830, 4916, 4949,
4955, 4976, 4982, 5004, 5007, 5077,
5173, 5192, 5266, 5328, 5334, 5387,
5523, 5548, 5565, 5582, 5616, 5619,
5620, 5648, 5670, 5785, 5788, 5866,
5912, 5925, 6002, 6003, 6075, 6136,
6173, 6202, 6208, 6261–6264
- MIT License, 21, 29, 62, 67, 181, 223,
272, 273, 280, 323, 326, 396, 405,
444, 465, 541, 642, 655, 707, 717,
746, 788–790, 792–800, 802–806,
870, 900, 914, 917, 934, 953, 958,
975, 991, 1023, 1107, 1127, 1128,
1180, 1181, 1195, 1206, 1214, 1215,
1241, 1262, 1267, 1279, 1312, 1323,
1324, 1412, 1423, 1496, 1511, 1522,
1536, 1578, 1597, 1654, 1662, 1691,
1692, 1734, 1744, 1793, 1808, 1847,
1912, 1968, 2101, 2196, 2209, 2224,
2282, 2341, 2350, 2365, 2496, 2501,
2534, 2541, 2562, 2576, 2578, 2610,
2611, 2625, 2671, 2739, 2756, 2758,
2760, 2769, 2785, 2786, 2793, 2820,
2824, 2825, 2839, 2845–2847, 2885,
2911, 2919, 2924, 2963, 3043, 3045,
3108, 3255, 3256, 3258, 3263, 3265,
3269, 3275, 3285, 3305, 3310, 3316,
3327, 3340, 3350, 3353, 3369, 3419,
3459, 3484, 3497, 3537, 3622, 3639,
3654, 3771, 3774, 3858, 3917, 3982,
3988, 4087, 4100, 4106, 4124, 4142,
4150, 4151, 4246, 4266, 4304, 4326,
4355, 4376, 4386, 4531, 4540,
4543–4545, 4548–4550, 4552, 4553,
4555, 4560, 4589, 4593, 4595, 4613,
4646, 4648, 4689, 4720, 4768, 4830,
4916, 4949, 4955, 4976, 4982, 5004,
5007, 5077, 5173, 5192, 5266, 5328,
5334, 5387, 5523, 5548, 5565, 5582,
5616, 5619, 5620, 5648, 5670, 5785,
5788, 5866, 5912, 5925, 6002, 6003,
6075, 6136, 6173, 6202, 6208,
6261–6264
- No Commercial Use, 281, 305, 334, 419,
444, 539, 859, 1009, 1110, 1336,
1530, 1594, 2248, 2410, 2414, 2515,
2545, 2547, 2557, 2749, 2782, 2898,
3007, 3021, 3063, 3433, 3469, 3579,
3997, 4050, 4051, 4099, 4206, 4393,
4658, 4835, 4853, 4940, 5074, 5304,
5314, 5393, 5455, 5646, 5721, 5726,
5751, 5900, 5902, 5977, 6186, 6193,

- 6218
- No Source Available, 166, 189, 646, 969,
1439, 1567, 1586, 1762, 1784, 2096,
2220, 2354, 2794, 2918, 2977, 3018,
3047, 3243, 3533, 4036, 4829, 5031,
5183, 5611, 5727, 5745, 5779, 6045,
6051, 6056
- nocommercial, 281, 305, 334, 419, 444,
539, 859, 1009, 1110, 1336, 1530,
1594, 2248, 2410, 2414, 2515, 2545,
2547, 2557, 2749, 2782, 2898, 3007,
3021, 3063, 3433, 3469, 3579, 3997,
4050, 4051, 4099, 4206, 4393, 4658,
4835, 4853, 4940, 5074, 5304, 5314,
5393, 5455, 5646, 5721, 5726, 5751,
5900, 5902, 5977, 6186, 6193, 6218
- noinfo, 7, 22, 23, 39, 46, 52, 56, 58, 61,
75, 93, 94, 125, 127, 138, 146, 178,
183, 190, 208–210, 212, 222, 231,
255, 282, 319, 325, 326, 398, 402,
410, 411, 418, 425, 428, 436, 438,
505, 510, 524, 532, 541, 646–651,
661, 672, 678–680, 689, 696, 700,
702, 718, 735, 748, 750, 753, 754,
769, 770, 773, 775, 776, 782, 816,
827, 846, 860, 861, 873, 879, 886,
890, 907, 915, 939, 941, 950, 967,
983, 996, 1024, 1029, 1037, 1040,
1047, 1051, 1052, 1055, 1057, 1058,
1067, 1071, 1076, 1098, 1106, 1125,
1127, 1144, 1217, 1220, 1221,
1252–1254, 1263, 1285, 1300, 1306,
1328, 1331–1333, 1353, 1399–1401,
1416, 1418, 1419, 1421, 1435, 1442,
1451, 1478, 1484, 1514, 1518, 1527,
1529, 1534, 1544, 1569, 1570, 1572,
1579, 1590, 1591, 1593, 1594, 1625,
1630, 1649, 1658, 1711, 1718, 1736,
1738, 1755, 1760, 1777, 1781, 1799,
1801, 1816, 1843, 1846, 1861, 1902,
1904, 1913, 1914, 1916, 1918, 1949,
1979, 1980, 1988, 1989, 2013, 2014,
2043, 2053, 2070, 2092, 2095, 2099,
2133, 2138, 2158, 2166, 2168, 2179,
2183, 2234, 2250, 2294, 2297, 2337,
2342, 2343, 2349, 2356, 2380, 2416,
2423, 2427, 2434, 2445, 2467, 2483,
2486, 2494, 2507, 2533, 2539, 2562,
2577, 2590, 2595, 2600, 2635, 2636,
2642, 2656, 2662, 2675, 2679, 2680,
2692, 2699, 2706, 2712, 2717, 2719,
2728–2730, 2746, 2747, 2751, 2753,
2811, 2812, 2819, 2821, 2826, 2849,
2852, 2854, 2913, 2915–2917, 2921,
2922, 2931, 2937, 2951, 2958, 2967,
2968, 2987, 3012, 3016, 3021, 3035,
3062, 3064, 3074, 3075, 3077, 3136,
3154, 3157, 3161, 3163, 3169, 3170,
3188, 3191, 3192, 3213, 3236, 3240,
3361, 3373, 3395, 3401, 3410, 3418,
3421, 3457, 3466, 3476, 3488,
3508–3510, 3522, 3525, 3552, 3554,
3556, 3559, 3564, 3573, 3582, 3583,
3586, 3589, 3593, 3622, 3628, 3630,
3641, 3647, 3674, 3705, 3711, 3712,
3714, 3725, 3727, 3735, 3743, 3756,
3819, 3829, 3835, 3870, 3873, 3883,
3905, 3912, 3918, 3923, 3940, 3959,
4001, 4004, 4020, 4021, 4037, 4044,
4061, 4096, 4131, 4213, 4220, 4228,
4231, 4241, 4243, 4256, 4272, 4294,
4313, 4323, 4332, 4343, 4358, 4377,
4385, 4391, 4402–4404, 4572, 4575,
4576, 4598, 4600, 4616, 4618, 4640,
4657, 4662, 4677, 4699, 4716, 4717,
4731, 4751, 4760, 4765, 4807, 4808,
4815, 4828, 4846, 4851, 4852, 4870,
4877, 4878, 4898, 4914–4916, 4921,
4924, 4926, 4929, 4931, 4933, 4937,
4964, 4991, 4993, 5013, 5015, 5022,
5024, 5034, 5036, 5083, 5084, 5107,
5114, 5125, 5126, 5130, 5216, 5231,
5248, 5252, 5255, 5259, 5267, 5273,
5288, 5311, 5317, 5337, 5338, 5349,
5352, 5372, 5375, 5382, 5389, 5391,
5406, 5414, 5443, 5463, 5469, 5475,
5476, 5484, 5497, 5503, 5518, 5598,
5599, 5602, 5603, 5649, 5685, 5707,
5716, 5718, 5723, 5725, 5752, 5757,
5764, 5768, 5774, 5797, 5806, 5809,
5812, 5815, 5819, 5838, 5840, 5841,
5872, 5877, 5906, 5914, 5922, 5924,
5932, 5933, 5937, 5941, 5945, 5947,
5953–5955, 5958, 5960, 5970, 5973,

- 5977, 5979, 5987, 5989, 5999, 6003,
6024, 6026, 6029, 6036, 6040, 6043,
6055, 6063, 6071, 6077, 6080, 6086,
6173, 6184, 6219, 6230, 6236, 6237,
6239, 6249
- nosell, 13, 242, 264, 291, 446, 539, 644,
676, 826, 836, 863, 940, 942, 947,
957, 960, 989, 1005, 1262, 1352,
1428, 1545, 1639, 1709, 1727, 1766,
1800, 1942, 1980, 2000, 2052, 2080,
2207, 2212, 2243, 2249, 2323, 2400,
2454, 2605, 2643, 2783, 2784, 2806,
2929, 2941, 2942, 3069, 3147, 3348,
3404, 3406, 3685, 3696, 3747, 3781,
3818, 3939, 3946, 4027, 4028, 4041,
4048, 4282, 4367, 4388, 4512, 4542,
4556, 4573, 4646, 4687, 4779, 4781,
4946, 4964, 5305, 5326, 5370, 5474,
5504, 5681, 5908, 5991, 5999, 6000
- nosource, 166, 189, 646, 969, 1439,
1567, 1586, 1762, 1784, 2096, 2220,
2354, 2794, 2918, 2977, 3018, 3047,
3243, 3533, 4036, 4829, 5031, 5183,
5611, 5727, 5745, 5779, 6045, 6051,
6056
- ofl, 19, 26, 110, 113, 116, 124, 128, 142,
157, 175, 234, 253, 254, 259, 262,
330, 411, 431, 697, 745, 814, 838,
849, 853, 879, 911, 960, 980, 1006,
1043, 1075, 1086, 1117, 1118, 1141,
1207, 1217, 1226, 1248, 1249, 1300,
1329, 1506, 1517, 1549, 1622, 1644,
1702, 1786, 1787, 1803, 1831, 1924,
1943, 1952, 2008, 2009, 2086, 2087,
2089, 2105, 2138, 2158, 2210, 2225,
2226, 2238, 2240, 2241, 2267, 2268,
2271, 2273, 2275, 2407, 2439, 2440,
2485, 2504, 2589, 2642, 2653, 2654,
2677, 2686, 2755, 2777, 2796, 2798,
2799, 2840, 2879, 3026, 3057, 3070,
3084, 3091, 3094, 3095, 3098–3100,
3102, 3124, 3164, 3175, 3277, 3337,
3342, 3347, 3349, 3367, 3411, 3421,
3490, 3525, 3578, 3616, 3620, 3667,
3672, 3697, 3779, 3837, 3891, 3893,
3895, 3897, 3899, 3928, 3931, 3963,
3964, 4005, 4024, 4032, 4072, 4073,
4152, 4269, 4271, 4273, 4297, 4351,
4585, 4591, 4621, 4710, 4719, 4769,
4943, 5080–5082, 5090, 5094, 5105,
5121, 5156, 5158, 5161–5163, 5165,
5480, 5482, 5483, 5827, 6083, 6143,
6213, 6225
- Open Publication License, 1535, 3209
- opl, 1535, 3209
- other-free, 8, 24, 25, 34, 37, 56, 70, 135,
136, 141, 181, 182, 203, 244, 245,
250, 294, 320, 326, 332, 403, 406,
407, 439, 442, 443, 478, 513, 531,
635, 662, 682, 701, 714, 716, 748,
765, 775, 795, 813, 828, 829, 840,
856, 857, 908, 912, 943, 950, 951,
953, 988, 992, 993, 1009, 1027,
1083, 1105, 1129, 1138, 1147, 1149,
1174, 1176, 1216, 1230–1232, 1253,
1259, 1272, 1277, 1316, 1335, 1399,
1411, 1439, 1445, 1466, 1477, 1478,
1483, 1490, 1492, 1506, 1509, 1513,
1516, 1540, 1572, 1574, 1575, 1579,
1585, 1588, 1624, 1629, 1643, 1684,
1694, 1702, 1710, 1748, 1754, 1764,
1766, 1779, 1835, 1837, 1845, 1900,
1925, 1933, 1944, 1973, 1981, 1986,
2006, 2023, 2044, 2062, 2071,
2082–2084, 2104, 2106, 2152, 2170,
2188–2190, 2193, 2200, 2230, 2241,
2243, 2253, 2260, 2261, 2264–2266,
2269, 2272, 2274, 2333, 2335, 2338,
2354, 2375, 2447, 2450, 2459, 2517,
2520, 2544, 2581, 2591, 2626, 2648,
2706, 2707, 2710, 2712, 2725, 2733,
2734, 2741, 2745, 2751, 2757, 2770,
2844, 2848, 2893, 2894, 2897, 2928,
2958, 2974, 2985, 3004, 3083, 3106,
3167, 3168, 3199, 3219, 3221, 3235,
3239, 3270, 3293, 3331, 3352, 3355,
3359–3361, 3363, 3364, 3386, 3388,
3389, 3396, 3401, 3410, 3427, 3431,
3446, 3450, 3460, 3467, 3489, 3503,
3520, 3542, 3560, 3584, 3586, 3587,
3589, 3696, 3697, 3700, 3709, 3714,
3756, 3765, 3773, 3777, 3780, 3816,
3834, 3857, 3873, 3884, 3900, 3906,
3911, 3947, 3958, 3999, 4013, 4023,

- 4029, 4036, 4081, 4087, 4091, 4095,
4098, 4118, 4211, 4228, 4244, 4251,
4259, 4289, 4291, 4292, 4309, 4352,
4364, 4373, 4380, 4391, 4398, 4514,
4523, 4535, 4536, 4538, 4563, 4573,
4614, 4615, 4704, 4705, 4745, 4750,
4782, 4817, 4833, 4934, 4945, 4994,
5019, 5075, 5098, 5100, 5129, 5232,
5239, 5270, 5302, 5312, 5320, 5325,
5343, 5348, 5378, 5383, 5411, 5418,
5420, 5426, 5442, 5446, 5464, 5491,
5506, 5523, 5525, 5535, 5588, 5622,
5623, 5708, 5723, 5727, 5729, 5731,
5738, 5739, 5763, 5816, 5874, 5891,
5911, 5923, 5924, 5948, 5950, 5966,
5978, 5989, 5997, 6009, 6010, 6026,
6039, 6066, 6072, 6074, 6081, 6098,
6114, 6149, 6199, 6214, 6225, 6236
- other-nonfree, 3, 40, 43, 186, 416, 421,
472, 525, 832, 834, 978, 1130, 1229,
1250, 1700, 1777, 1806, 1865, 1965,
2061, 2171, 2192, 2195, 2197, 2395,
2397, 2457, 2487, 2503, 2612, 2662,
2760, 2765, 2795, 2888, 2925, 3079,
3162, 3343, 3409, 3470, 3559, 3576,
3678, 3716, 3906, 3953, 3956, 4003,
4102, 4223, 4233, 4396, 4747, 4928,
4969, 5017, 5102, 5172, 5314, 5369,
5384, 5390, 5453, 5677, 5683, 5729,
5771, 5826, 5916, 5986, 6004, 6005,
6027, 6050, 6054, 6057
- pd, 6, 10, 17–19, 46, 59, 63, 99, 188,
192, 194, 197, 211, 261, 293, 305,
331, 436, 439, 467, 480, 485, 486,
509, 515, 542, 560, 643, 645, 650,
653, 655, 700, 706, 713, 761, 773,
812, 828, 832, 836, 861, 876, 887,
896, 918, 922, 944, 974, 1000, 1002,
1040, 1050, 1059, 1068, 1087, 1107,
1131, 1150, 1154, 1158, 1163, 1165,
1166, 1170, 1172, 1175, 1177, 1178,
1187, 1235, 1272, 1318, 1448, 1455,
1467, 1474, 1487, 1552, 1559, 1562,
1566, 1577, 1580, 1595, 1596, 1625,
1626, 1656, 1663, 1749, 1756–1758,
1760, 1761, 1795, 1839, 1869, 1992,
2011, 2012, 2032, 2034, 2041, 2065,
2075, 2155, 2173, 2292, 2335, 2358,
2380, 2419, 2433, 2436, 2437, 2443,
2448, 2479, 2531, 2532, 2583, 2646,
2679, 2737, 2738, 2746, 2756, 2759,
2788, 2855, 2856, 2859, 2898, 2920,
2929, 2930, 2957, 2962, 2986, 3015,
3025, 3069, 3072, 3147, 3181, 3203,
3207, 3213, 3215, 3216, 3220, 3287,
3326, 3354, 3384, 3532, 3546, 3553,
3569, 3575, 3609, 3619, 3648, 3657,
3692, 3693, 3697, 3788, 3814, 3831,
3864, 3877, 3880, 3891, 3894, 3908,
3956, 3967, 3972, 3987, 4026, 4030,
4074, 4085, 4103, 4161, 4166, 4232,
4249, 4250, 4252, 4254, 4275, 4279,
4280, 4300, 4328, 4338, 4383, 4521,
4525, 4541, 4626, 4630, 4650, 4651,
4676, 4695, 4727, 4766, 4771, 4791,
4884, 4959, 4960, 4962, 4974, 4975,
5037, 5099, 5122, 5139, 5141, 5185,
5208, 5256, 5275, 5301, 5370, 5376,
5377, 5405, 5407, 5409, 5433, 5463,
5470, 5597, 5615, 5617, 5647, 5659,
5689, 5709, 5719, 5722, 5755, 5764,
5783, 5792, 5815, 5920, 5940, 5944,
5988, 6017, 6018, 6045, 6119, 6155,
6162, 6215, 6216, 6218, 6220, 6226,
6227, 6248
- Perl Artistic License, 558, 653, 1508,
2178, 2606, 3625, 5398, 5400, 5931,
6049
- Perl Artistic License, version 2, 543,
545–553
- Public Domain Software, 6, 10, 17–19,
46, 59, 63, 99, 188, 192, 194, 197,
211, 261, 293, 305, 331, 436, 439,
467, 480, 485, 486, 509, 515, 542,
560, 643, 645, 650, 653, 655, 700,
706, 713, 761, 773, 812, 828, 832,
836, 861, 876, 887, 896, 918, 922,
944, 974, 1000, 1002, 1040, 1050,
1059, 1068, 1087, 1107, 1131, 1150,
1154, 1158, 1163, 1165, 1166, 1170,
1172, 1175, 1177, 1178, 1187, 1235,
1272, 1318, 1448, 1455, 1467, 1474,
1487, 1552, 1559, 1562, 1566, 1577,
1580, 1595, 1596, 1625, 1626, 1656,

- 1663, 1749, 1756–1758, 1760, 1761,
1795, 1839, 1869, 1992, 2011, 2012,
2032, 2034, 2041, 2065, 2075, 2155,
2173, 2292, 2335, 2358, 2380, 2419,
2433, 2436, 2437, 2443, 2448, 2479,
2531, 2532, 2583, 2646, 2679, 2737,
2738, 2746, 2756, 2759, 2788, 2855,
2856, 2859, 2898, 2920, 2929, 2930,
2957, 2962, 2986, 3015, 3025, 3069,
3072, 3147, 3181, 3203, 3207, 3213,
3215, 3216, 3220, 3287, 3326, 3354,
3384, 3532, 3546, 3553, 3569, 3575,
3609, 3619, 3648, 3657, 3692, 3693,
3697, 3788, 3814, 3831, 3864, 3877,
3880, 3891, 3894, 3908, 3956, 3967,
3972, 3987, 4026, 4030, 4074, 4085,
4103, 4161, 4166, 4232, 4249, 4250,
4252, 4254, 4275, 4279, 4280, 4300,
4328, 4338, 4383, 4521, 4525, 4541,
4626, 4630, 4650, 4651, 4676, 4695,
4727, 4766, 4771, 4791, 4884, 4959,
4960, 4962, 4974, 4975, 5037, 5099,
5122, 5139, 5141, 5185, 5208, 5256,
5275, 5301, 5370, 5376, 5377, 5405,
5407, 5409, 5433, 5463, 5470, 5597,
5615, 5617, 5647, 5659, 5689, 5709,
5719, 5722, 5755, 5764, 5783, 5792,
5815, 5920, 5940, 5944, 5988, 6017,
6018, 6045, 6119, 6155, 6162, 6215,
6216, 6218, 6220, 6226, 6227, 6248
- shareware, 131, 406, 408, 409, 653, 711,
1045, 1239, 1471, 1647, 2167, 2452,
3015, 3198, 3641, 4000, 4028, 4139,
4828, 5238, 5404, 6042, 6046, 6050
- Shareware: A fee is required, 131, 406,
408, 409, 653, 711, 1045, 1239,
1471, 1647, 2167, 2452, 3015, 3198,
3641, 4000, 4028, 4139, 4828, 5238,
5404, 6042, 6046, 6050
- Simplified BSD License, 308, 801, 932,
1162, 1189, 1964, 2284, 2373, 2767,
3455, 3900, 4869, 5351
- The GUST Font License (GFL), 91, 129,
1325, 2735, 2887, 3159, 3160, 3824,
3832, 3963, 4302, 5293, 5353, 5354,
5356–5368, 5935
- The GUST Font Source License (GFSL),
193, 5888
- The LaTeX Project Public License, 2, 5,
11, 23, 27, 28, 36, 38, 47, 49, 50, 52,
53, 61, 66, 78, 81, 83–86, 88, 89, 97,
99–105, 109, 110, 114, 117, 118,
125, 128, 130, 141, 158, 160, 162,
164, 167, 171, 175, 177, 180, 184,
187, 192, 196, 199, 204, 216, 219,
226–228, 233–236, 242, 243, 248,
249, 252, 259, 265–267, 271, 274,
277, 281, 284, 287, 294, 301–304,
310, 319, 323, 398, 401, 409, 414,
415, 417, 419, 435, 437, 440, 448,
453, 455, 457, 461, 463, 490, 497,
511, 512, 515–517, 525–528, 531,
567, 574, 593, 597, 598, 609, 619,
627, 657, 659, 660, 664, 676, 683,
684, 687, 691, 693, 697, 702, 703,
706, 720, 725, 734, 736, 742, 744,
745, 747, 749, 752, 754, 755, 766,
781, 811, 814, 818, 819, 823, 830,
840–842, 848, 850, 851, 853, 856,
862, 872, 875, 878, 880, 885, 889,
897, 902, 906, 909, 911, 913, 923,
924, 945, 946, 952, 964, 965, 980,
987, 998, 1002, 1009, 1016, 1031,
1032, 1034, 1045, 1046, 1049, 1053,
1056, 1057, 1059, 1061, 1062, 1067,
1069, 1081, 1086, 1090, 1103, 1108,
1109, 1119, 1120, 1123, 1131,
1139–1141, 1146, 1147, 1191, 1196,
1199, 1200, 1204, 1205, 1207, 1208,
1212, 1213, 1216, 1217, 1220, 1224,
1226, 1234, 1238, 1243, 1244, 1248,
1249, 1251, 1256, 1261, 1265, 1275,
1276, 1284, 1293, 1298, 1307, 1310,
1322, 1327, 1329, 1333, 1334, 1336,
1338, 1339, 1349, 1402, 1408, 1418,
1421, 1423, 1424, 1432, 1437, 1443,
1446, 1449, 1453, 1454, 1463,
1468–1470, 1472, 1475, 1476, 1479,
1481, 1485, 1494, 1502, 1504, 1511,
1512, 1515, 1523–1527, 1534, 1547,
1548, 1554, 1563, 1565, 1576, 1606,
1608, 1611, 1616–1622, 1628, 1631,
1634, 1641, 1643, 1651, 1653–1655,
1659, 1660, 1664, 1670, 1675,

1686–1689, 1693, 1711, 1712, 1714,
1716, 1718, 1724, 1725, 1730, 1737,
1741–1743, 1752, 1756, 1765, 1769,
1772, 1776, 1785, 1790–1792, 1794,
1797, 1804, 1807, 1813, 1820, 1822,
1828, 1830, 1833, 1834, 1836, 1838,
1841, 1844, 1849, 1850, 1854,
1878–1880, 1889, 1891, 1896, 1902,
1905, 1911, 1913, 1921, 1934, 1940,
1946, 1957, 1962, 1970, 1978, 1983,
1984, 1990, 1995, 2004, 2008, 2019,
2022, 2025, 2037, 2048, 2050, 2055,
2063, 2064, 2068, 2073–2075, 2079,
2094, 2096, 2097, 2117, 2125, 2137,
2138, 2140–2142, 2145, 2146, 2151,
2159, 2163, 2164, 2173, 2180, 2181,
2183–2185, 2194, 2202, 2203, 2207,
2209, 2212, 2215, 2217, 2221, 2225,
2230, 2235, 2252, 2255, 2257, 2259,
2276, 2280, 2283, 2299, 2303, 2321,
2324–2327, 2329–2331, 2338, 2344,
2355, 2359, 2363, 2364, 2373, 2376,
2377, 2379, 2381, 2388, 2389, 2394,
2405, 2406, 2422, 2438, 2444, 2462,
2475–2478, 2485, 2488, 2490, 2495,
2497, 2504, 2506, 2508, 2517, 2522,
2524, 2537, 2546, 2547, 2552,
2554–2557, 2569, 2580, 2583, 2586,
2589, 2592, 2594, 2595, 2597, 2599,
2604, 2606, 2607, 2620, 2629, 2634,
2636, 2637, 2640, 2649, 2666, 2669,
2677, 2681, 2682, 2684, 2686–2689,
2693, 2698, 2705, 2713, 2714, 2716,
2717, 2720–2724, 2732, 2749,
2752–2754, 2762, 2763, 2766, 2773,
2777, 2784, 2787, 2788, 2795, 2798,
2799, 2804, 2807, 2827, 2830, 2849,
2860, 2865, 2866, 2868, 2876, 2878,
2886, 2914, 2922, 2925, 2926, 2938,
2952, 2953, 2961, 2977, 2981, 2984,
2992, 2999–3002, 3004, 3009, 3022,
3027, 3032, 3034, 3037, 3041, 3044,
3048, 3050, 3051, 3071, 3074, 3076,
3082, 3084, 3087, 3094, 3095,
3097–3100, 3102, 3114–3116, 3119,
3122–3124, 3136, 3141, 3143, 3152,
3164, 3177, 3179, 3181, 3194, 3197,
3200, 3212, 3217, 3222, 3230, 3231,
3240, 3241, 3245, 3246, 3250, 3251,
3253, 3332, 3345, 3348, 3354, 3356,
3367, 3375, 3377–3380, 3383, 3388,
3391, 3397, 3399, 3400, 3403, 3406,
3407, 3411, 3416, 3429, 3430, 3436,
3438, 3440–3442, 3453, 3454, 3460,
3461, 3466, 3469, 3477, 3480, 3481,
3485, 3488, 3498, 3500, 3504, 3507,
3512, 3519, 3525, 3527, 3533–3535,
3538, 3540, 3543, 3548, 3549, 3562,
3564, 3567, 3568, 3585, 3588, 3591,
3592, 3597, 3600, 3609–3611, 3616,
3618, 3626, 3629, 3630, 3635, 3639,
3643, 3649, 3658, 3660, 3666, 3668,
3681, 3682, 3687, 3690, 3695, 3702,
3706, 3708, 3713, 3715, 3722, 3723,
3725, 3730, 3736, 3739, 3740, 3744,
3749, 3751, 3755, 3757, 3761, 3763,
3765–3769, 3776, 3782, 3785, 3786,
3789, 3791–3807, 3814, 3816, 3820,
3823, 3827, 3832, 3835, 3838, 3840,
3842, 3845, 3848, 3849, 3855, 3874,
3876, 3878, 3882, 3887, 3891, 3895,
3902, 3903, 3909, 3910, 3913, 3915,
3924, 3926, 3928, 3933, 3937, 3938,
3940, 3942, 3943, 3945, 3950, 3953,
3957, 3960, 3961, 3963, 3965, 3970,
3975, 3980, 3986, 3991, 3993, 3995,
3996, 4000, 4005, 4007, 4016, 4018,
4030, 4035, 4043, 4047, 4055, 4057,
4059, 4061, 4062, 4064, 4066, 4070,
4077–4079, 4083, 4084, 4088, 4090,
4097, 4114, 4120, 4132, 4134–4136,
4145, 4154, 4156, 4157, 4159, 4164,
4166, 4172, 4177, 4190, 4191, 4201,
4205, 4208, 4210, 4214, 4221, 4226,
4227, 4231, 4236, 4238, 4240, 4256,
4260, 4262, 4268, 4269, 4271, 4273,
4277, 4278, 4283, 4285, 4297, 4307,
4308, 4311, 4315, 4317, 4321, 4326,
4334–4336, 4344, 4346, 4347, 4349,
4350, 4354, 4360, 4361, 4369, 4372,
4375, 4377, 4382, 4384, 4387, 4394,
4395, 4397, 4399–4401, 4405,
4407–4417, 4420–4424, 4426–4436,
4438–4445, 4447–4451, 4453–4460,

4462–4464, 4466–4469, 4471–4474,
 4476, 4478, 4479, 4481, 4485–4488,
 4491–4501, 4503, 4504, 4506–4509,
 4511, 4515, 4518, 4519, 4522, 4531,
 4534, 4539, 4554, 4567, 4571, 4576,
 4582, 4584, 4590, 4601, 4602, 4618,
 4620, 4623, 4629, 4633, 4635, 4639,
 4641, 4653, 4655, 4665–4667,
 4677–4680, 4685, 4702, 4712, 4713,
 4717, 4719, 4721, 4723, 4727, 4728,
 4734–4736, 4742, 4743, 4746, 4750,
 4752, 4759, 4765, 4770, 4772–4774,
 4782, 4786, 4789, 4790, 4794, 4796,
 4800, 4809, 4810, 4815, 4819, 4824,
 4826, 4831, 4832, 4853, 4872, 4876,
 4880–4882, 4884, 4889, 4895, 4900,
 4902, 4908, 4923–4926, 4930, 4932,
 4948, 4950, 4952, 4963, 4971, 4978,
 4989, 4995, 5000, 5001, 5012–5014,
 5017, 5023, 5028, 5037–5068, 5075,
 5079, 5080, 5087, 5089, 5091, 5094,
 5095, 5100, 5101, 5108, 5109, 5111,
 5115–5118, 5126, 5131, 5143, 5148,
 5149, 5152, 5153, 5159, 5160, 5166,
 5168, 5188, 5191, 5195–5197, 5199,
 5200, 5204, 5206, 5207, 5210, 5212,
 5215, 5221, 5222, 5224, 5227, 5229,
 5234, 5241, 5246, 5247, 5253, 5257,
 5263, 5268, 5269, 5279, 5280, 5285,
 5286, 5292, 5295, 5307, 5313, 5315,
 5317, 5320, 5321, 5326, 5329, 5335,
 5339, 5343, 5350, 5386, 5388, 5393,
 5394, 5397, 5404, 5412, 5413, 5430,
 5433–5435, 5441, 5446, 5447, 5452,
 5457, 5458, 5462, 5466, 5472, 5473,
 5478, 5480, 5482, 5483, 5488, 5495,
 5498, 5504, 5507, 5520, 5534, 5536,
 5541, 5562, 5581, 5583, 5585, 5601,
 5602, 5605, 5606, 5608, 5610,
 5613–5615, 5621, 5634, 5635, 5641,
 5646, 5651, 5653, 5661, 5666, 5668,
 5672, 5675, 5676, 5686, 5687,
 5690–5700, 5703, 5712, 5713, 5717,
 5724, 5740, 5742, 5744–5746, 5758,
 5767, 5773, 5775, 5780, 5784, 5787,
 5791, 5802, 5805, 5807, 5810, 5814,
 5818, 5823–5826, 5832, 5835, 5837,

5849, 5868, 5870, 5875, 5882, 5884,
 5895, 5897, 5898, 5904, 5910, 5914,
 5934, 5938, 5941–5943, 5949,
 5955–5957, 5965, 5972, 5979, 5980,
 5987, 5991–5994, 5996, 6008, 6011,
 6012, 6015, 6020, 6024, 6037, 6038,
 6052, 6059, 6061, 6065, 6067, 6076,
 6079, 6091, 6094, 6104, 6106, 6111,
 6117, 6118, 6120, 6126, 6132–6134,
 6147, 6148, 6155, 6158, 6159, 6170,
 6174, 6178, 6183, 6193, 6198, 6200,
 6206, 6212, 6223, 6243, 6244, 6247,
 6260

The LaTeX Project Public License 1, 6,
 42, 51, 258, 260, 306, 395, 543, 686,
 1054, 1072, 1097, 1413, 1422, 1646,
 1657, 1788, 1791, 1875, 2044, 2200,
 2348, 2681, 2816, 2843, 2989, 3719,
 4126, 4209, 4225, 4403, 4622, 4675,
 4780, 4928, 5203, 5225, 5258, 5331,
 5542, 5544, 5558, 5559, 5657, 5701,
 5706, 5761, 6001, 6034, 6222, 6228

The LaTeX Project Public License 1.2,
 12, 44, 79, 80, 82, 87, 215, 250, 257,
 268, 313, 322, 420, 432, 433, 733,
 894, 919, 937, 944, 975, 1019, 1137,
 1194, 1229, 1232, 1350, 1351, 1430,
 1462, 1491, 1499, 1630, 1671, 1672,
 1697, 1709, 1719, 1720, 1770, 1771,
 1774, 1799, 1873, 1917, 1923, 1930,
 1947, 1960, 2135, 2157, 2218, 2366,
 2372, 2404, 2449, 2461, 2518, 2598,
 2619, 2818, 2838, 2853, 2870, 2918,
 3030, 3138, 3161, 3328, 3359, 3371,
 3398, 3408, 3457, 3475, 3479, 3577,
 3613, 3734, 3752, 3753, 3809, 3881,
 3941, 3978, 4013, 4234, 4284, 4301,
 4370, 4475, 4530, 4580, 4630, 4637,
 4706, 4708, 4711, 4722, 4748, 4894,
 4920, 4953, 4977, 5150, 5227, 5279,
 5485, 5492, 5501, 5587, 5594, 5708,
 5715, 5770, 5790, 5810, 5889, 5959,
 5976, 5995, 6080, 6229

The LaTeX Project Public License 1.3, 9,
 15, 20, 37, 45, 48, 68, 69, 74, 76, 95,
 112, 121, 133, 136, 139, 140, 145,
 161, 170, 184, 198, 217, 221, 222,

229, 232, 240, 247, 263, 266, 270,
278, 291, 295, 299, 314, 318, 321,
326, 328, 329, 333, 336–341,
343–353, 355–365, 367–377, 379,
381–394, 397, 400, 404, 412, 413,
424, 426, 430, 431, 445, 449, 451,
454, 459, 460, 469, 473, 492,
518–520, 529, 554, 561, 565, 568,
573, 576–579, 581, 582, 585–587,
589, 595, 596, 601–606, 608,
611–613, 615, 617, 618, 620–626,
628, 629, 631, 635–637, 639, 640,
664, 666–671, 673, 675, 677, 681,
686, 688, 690, 695, 705, 708–710,
715, 716, 722, 726, 728, 729, 734,
737, 756, 758, 760, 761, 768, 771,
779, 785, 807, 815, 821, 824, 825,
831, 833, 837, 843–845, 852, 854,
858, 859, 864–866, 868, 869, 871,
874, 877, 891, 892, 895, 898, 901,
904, 905, 916, 921, 925, 929, 936,
938, 939, 948, 949, 954–956, 962,
966, 968, 971, 973, 994, 1003, 1010,
1012–1014, 1016, 1022, 1025, 1030,
1065, 1070, 1073–1075, 1084, 1085,
1089–1093, 1095, 1103, 1111, 1113,
1114, 1120, 1123, 1132, 1148, 1190,
1209, 1211, 1222, 1227, 1235, 1242,
1257, 1264, 1281, 1282, 1287, 1288,
1291, 1299, 1301, 1309, 1313, 1314,
1337, 1342, 1343, 1345, 1346, 1348,
1354, 1356–1372, 1374–1398, 1401,
1403, 1409, 1414, 1417, 1425, 1430,
1431, 1436, 1438, 1440, 1444, 1448,
1452, 1457, 1459, 1461, 1465, 1474,
1495, 1498, 1499, 1505, 1518, 1520,
1521, 1528, 1538–1540, 1543, 1546,
1549, 1551, 1553, 1561, 1587, 1598,
1599, 1602, 1604, 1605, 1612, 1614,
1627, 1632, 1633, 1636, 1640, 1647,
1657, 1661, 1668, 1669, 1677–1679,
1684, 1690, 1695, 1696, 1699, 1708,
1717, 1722, 1723, 1726, 1729, 1735,
1746, 1747, 1768, 1778, 1781, 1783,
1786, 1798, 1801, 1808, 1809, 1811,
1812, 1826, 1832, 1840, 1847, 1850,
1855, 1858, 1867, 1872, 1876, 1877,
1881, 1882, 1890, 1893, 1895, 1898,
1899, 1920, 1923, 1926, 1929–1931,
1941, 1943, 1948, 1950, 1951, 1959,
1967, 1969, 1971, 1972, 1974–1977,
1994, 1998, 1999, 2001, 2007, 2010,
2014, 2016–2018, 2027, 2031, 2033,
2040, 2042, 2047, 2052, 2054, 2057,
2058, 2064, 2067, 2070, 2076, 2086,
2093, 2104, 2106, 2112, 2119, 2122,
2126, 2127, 2132, 2154, 2165, 2168,
2176, 2189, 2191, 2192, 2194, 2198,
2204, 2205, 2208, 2213, 2219, 2223,
2226, 2229, 2232, 2236, 2239, 2249,
2256, 2258, 2261, 2277, 2278, 2281,
2285, 2286, 2288–2290, 2294, 2300,
2301, 2303–2320, 2328, 2336, 2346,
2348, 2351, 2353, 2369, 2373, 2374,
2385, 2391, 2393, 2399, 2403, 2411,
2412, 2425, 2428, 2431, 2433, 2435,
2441, 2442, 2448, 2453, 2456, 2482,
2489, 2498, 2503, 2505, 2510, 2516,
2530, 2535, 2536, 2542, 2544, 2553,
2559, 2563, 2564, 2568, 2572, 2575,
2579, 2582, 2591, 2603, 2608, 2609,
2613, 2614, 2616, 2618, 2621, 2622,
2633, 2638, 2641, 2645, 2649, 2650,
2653, 2657, 2658, 2664, 2674–2676,
2685, 2689, 2690, 2694, 2698, 2701,
2703, 2711, 2726, 2727, 2734, 2755,
2771, 2775, 2791, 2796, 2797, 2814,
2822, 2831, 2834, 2837, 2842, 2850,
2851, 2861, 2869, 2879, 2881, 2891,
2892, 2915, 2931–2933, 2939, 2950,
2954, 2972, 2973, 2975, 2979, 2982,
2997, 3003, 3006, 3008, 3029, 3031,
3036, 3038, 3039, 3049, 3054, 3055,
3060, 3065, 3066, 3073, 3081, 3088,
3090, 3092, 3105, 3117, 3118, 3120,
3121, 3128, 3130, 3132, 3139, 3140,
3166, 3167, 3171, 3172, 3174, 3178,
3183–3186, 3190, 3195, 3196, 3198,
3223, 3225, 3227, 3231, 3232, 3252,
3254, 3255, 3260, 3267, 3272–3274,
3277–3279, 3284, 3286, 3288, 3300,
3311, 3313, 3315, 3321, 3322, 3330,
3333, 3334, 3344, 3357, 3374, 3376,
3382, 3395, 3413, 3415, 3424–3426,

3436, 3444, 3464, 3472, 3502, 3505,
3506, 3515, 3516, 3520, 3523, 3527,
3536, 3544, 3561, 3565, 3572, 3578,
3582, 3598, 3599, 3612, 3614, 3615,
3619, 3620, 3634, 3645, 3646, 3656,
3662, 3667, 3669, 3672, 3673, 3676,
3679, 3680, 3686, 3698, 3701, 3707,
3710, 3716, 3717, 3721, 3724, 3729,
3731, 3738, 3741, 3742, 3745, 3754,
3758–3760, 3762, 3770, 3772, 3775,
3783, 3787, 3808, 3810, 3818, 3826,
3828, 3836, 3837, 3843, 3849, 3851,
3853, 3856, 3857, 3859, 3867–3870,
3872, 3884, 3885, 3889, 3890, 3897,
3901, 3907, 3914, 3915, 3925, 3927,
3949, 3958, 3969, 3971, 3976, 3985,
3989, 3992, 3994, 4002, 4003, 4006,
4011, 4018, 4025, 4038, 4040, 4042,
4047, 4060, 4063, 4069, 4071, 4104,
4109, 4111–4113, 4116, 4117, 4146,
4154, 4158, 4161, 4168–4170, 4173,
4179, 4180, 4182, 4183, 4192–4200,
4203, 4206, 4219, 4224, 4238, 4241,
4245, 4248, 4249, 4253, 4258, 4274,
4286, 4287, 4296, 4304, 4306, 4320,
4322, 4337, 4364, 4371, 4374, 4418,
4419, 4452, 4470, 4477, 4482, 4490,
4502, 4517, 4520, 4532, 4547, 4558,
4565, 4578, 4579, 4595, 4601, 4621,
4627, 4642–4645, 4647, 4649, 4652,
4654, 4660, 4661, 4664, 4669, 4673,
4674, 4688, 4691, 4692, 4694, 4700,
4703, 4707, 4710, 4714, 4718, 4725,
4733, 4738–4740, 4742, 4744, 4754,
4756–4758, 4762, 4767, 4772, 4778,
4779, 4786, 4788, 4791, 4793, 4795,
4801, 4811, 4813, 4816, 4818,
4821–4823, 4832, 4837, 4844, 4847,
4851, 4855, 4864, 4873, 4882, 4883,
4886, 4887, 4890, 4892, 4893, 4896,
4899, 4903, 4905, 4906, 4908, 4909,
4911, 4912, 4914, 4919, 4935, 4938,
4940, 4951, 4954, 4965, 4966, 4970,
4984, 4988, 4995, 4996, 5002, 5003,
5006–5010, 5021, 5025, 5029, 5076,
5078, 5081, 5082, 5086, 5087, 5090,
5096, 5097, 5106, 5110, 5119, 5121,

5128, 5130, 5132–5136, 5138, 5146,
5147, 5161, 5162, 5165, 5169–5171,
5176, 5177, 5181, 5182, 5190, 5198,
5201, 5202, 5209, 5220, 5221, 5244,
5260, 5261, 5264, 5265, 5267, 5271,
5272, 5274–5276, 5281, 5282, 5287,
5289, 5290, 5294, 5295, 5299, 5309,
5322, 5333, 5335, 5341, 5372, 5373,
5377, 5385, 5389, 5408, 5421–5425,
5429, 5439, 5459–5461, 5469, 5477,
5479, 5489, 5490, 5502, 5509, 5511,
5513, 5519, 5526, 5529, 5531, 5539,
5540, 5545, 5546, 5551, 5552, 5554,
5555, 5574, 5576, 5584, 5590, 5593,
5604, 5612, 5625, 5627–5631,
5636–5638, 5652, 5656, 5658, 5674,
5680, 5683, 5721, 5737, 5743, 5754,
5756, 5762, 5772, 5776, 5786, 5789,
5793, 5794, 5797, 5800, 5803, 5808,
5830, 5831, 5836, 5846, 5847, 5851,
5860, 5861, 5863, 5864, 5871, 5873,
5876, 5879, 5880, 5906, 5913,
5927–5930, 5934, 5946, 5950, 5961,
5963, 5964, 5967, 5968, 5971, 5975,
5984, 6006, 6007, 6033, 6034, 6041,
6047, 6048, 6064, 6078, 6081, 6086,
6089, 6090, 6092, 6096, 6100, 6101,
6103, 6105, 6107, 6119, 6124, 6136,
6138, 6146, 6150, 6151, 6161, 6163,
6165, 6166, 6168, 6172, 6188–6192,
6195, 6201, 6213, 6221, 6231, 6242,
6245, 6246, 6251, 6259

The LaTeX Project Public License 1.3a,
809, 2415, 2510

The LaTeX Project Public License 1.3c,
14, 19, 26, 30, 33, 34, 41, 54, 55, 60,
63, 65, 73, 77, 92, 96, 98, 102, 106,
116, 120, 122, 123, 126, 131, 144,
147, 148, 150–155, 162, 164, 165,
168, 172, 173, 176, 178, 185, 189,
197, 200, 202, 205, 206, 213, 237,
239, 246, 253, 256, 276, 279, 288,
290, 292, 296, 298, 308, 311, 312,
314, 316, 342, 354, 366, 380, 393,
399, 411, 428, 434, 447, 450, 456,
458, 464, 466, 468, 471, 472, 475,
479, 483, 484, 487, 488, 491, 493,

494, 497–503, 505, 508, 514, 521,
522, 535, 538, 563, 564, 566, 569,
570, 572, 575, 580, 583, 588,
590–592, 594, 597, 599, 600, 610,
614, 630, 632, 634, 641, 665, 680,
692, 707, 711, 719, 721, 730, 732,
738–740, 743, 751, 757, 759, 762,
764, 767, 772, 777, 778, 780, 786,
787, 817, 820, 822, 825, 835, 838,
847, 879, 881, 883, 893, 896, 899,
903, 910, 926–928, 930, 931, 935,
959, 961, 967, 972, 977, 979,
983–985, 988, 990, 995, 998, 1004,
1008, 1015, 1018, 1020, 1021, 1026,
1029, 1033, 1048, 1054, 1077, 1079,
1080, 1082, 1088, 1094, 1096,
1099–1102, 1104, 1116, 1117, 1122,
1133–1135, 1141, 1144, 1192, 1193,
1196, 1198, 1202, 1223, 1225, 1228,
1236, 1237, 1239, 1245–1247, 1266,
1268, 1274, 1277, 1286, 1292, 1295,
1302, 1308, 1312, 1317, 1341, 1373,
1404, 1406, 1407, 1410, 1415, 1420,
1427, 1433–1435, 1458, 1460, 1464,
1473, 1482, 1486, 1489, 1493, 1497,
1503, 1506, 1531, 1537, 1542, 1550,
1551, 1556–1558, 1583, 1592, 1600,
1609, 1623, 1635, 1637, 1638, 1642,
1648, 1652, 1665, 1667, 1674, 1676,
1680–1683, 1685, 1698, 1701–1704,
1728, 1731–1733, 1736, 1740, 1745,
1750, 1751, 1759, 1783, 1787, 1789,
1803, 1816, 1817, 1819, 1821,
1823–1825, 1827, 1831, 1839,
1851–1853, 1857, 1859, 1865, 1871,
1874, 1883–1888, 1892, 1903, 1906,
1908, 1910, 1919, 1924, 1927, 1938,
1939, 1945, 1953, 1955, 1956, 1961,
1963, 1985, 1991, 1992, 1996, 1997,
2002, 2020, 2021, 2023, 2024,
2028–2030, 2034, 2046, 2049, 2051,
2056, 2066, 2069, 2072, 2077, 2081,
2086, 2087, 2089–2091, 2100, 2108,
2109, 2113–2115, 2118, 2122, 2123,
2128, 2144, 2149, 2153, 2160, 2161,
2174, 2175, 2179, 2186, 2206, 2220,
2246, 2247, 2251, 2287, 2291, 2296,
2298, 2320, 2339, 2343, 2345, 2347,
2357, 2358, 2362, 2367, 2368, 2370,
2386, 2387, 2392, 2398, 2402, 2413,
2417, 2420, 2424, 2429, 2430, 2432,
2436, 2451, 2455, 2457, 2462–2465,
2467–2469, 2471–2474, 2481, 2491,
2492, 2494, 2502, 2511–2513, 2515,
2519, 2521, 2523, 2524, 2526, 2527,
2540, 2543, 2549–2551, 2558, 2560,
2565–2567, 2569, 2574, 2585, 2587,
2588, 2601, 2615, 2619, 2623, 2624,
2627, 2628, 2630, 2631, 2651, 2654,
2656, 2659, 2663, 2670, 2672, 2673,
2683, 2691, 2696, 2697, 2700, 2708,
2709, 2718, 2723, 2728, 2736, 2740,
2742, 2750, 2756, 2761, 2772, 2774,
2776, 2781, 2792, 2808–2810, 2815,
2826, 2832, 2833, 2835, 2836, 2862,
2864, 2867, 2873–2875, 2889, 2890,
2899–2903, 2905–2907, 2909, 2910,
2927, 2935, 2940, 2942, 2943, 2945,
2947, 2948, 2956, 2959, 2960, 2964,
2966, 2969, 2970, 2976, 2978, 2980,
2983, 2991, 2996, 2998, 3018, 3020,
3026, 3028, 3031, 3041, 3052, 3053,
3056–3058, 3061, 3067, 3070, 3080,
3096, 3103, 3104, 3107, 3110–3113,
3127, 3137, 3142, 3144, 3145, 3148,
3149, 3151, 3153, 3158, 3163, 3175,
3176, 3187, 3188, 3193, 3201, 3202,
3226, 3228, 3233, 3235, 3237, 3242,
3244, 3247, 3257, 3259, 3261, 3264,
3266, 3268, 3275, 3276, 3280–3282,
3288, 3292, 3294, 3296, 3298, 3299,
3301, 3302, 3304, 3307, 3308, 3312,
3314, 3319, 3320, 3324, 3327, 3329,
3335–3337, 3341, 3342, 3346, 3349,
3358, 3364–3366, 3370, 3372, 3381,
3386, 3388, 3390, 3393, 3394, 3402,
3414, 3417, 3420, 3423, 3428, 3431,
3432, 3434, 3445, 3448, 3468, 3474,
3478, 3483, 3487, 3501, 3508, 3510,
3513, 3514, 3518, 3521, 3529, 3539,
3550, 3555, 3574, 3576, 3580, 3596,
3607, 3614, 3631, 3636, 3637,
3650–3652, 3658, 3663, 3664, 3677,
3683, 3688, 3689, 3694, 3697, 3699,

3704, 3720, 3726, 3728, 3732, 3733,
3735, 3737, 3763, 3764, 3773, 3778,
3811, 3813, 3815, 3821, 3830, 3839,
3841, 3844–3846, 3860, 3862, 3863,
3865, 3871, 3875, 3886, 3888, 3898,
3899, 3904, 3916, 3919–3921,
3929–3932, 3935, 3951, 3952, 3974,
3977, 3981, 3983, 3984, 3990, 4012,
4015, 4022, 4023, 4031, 4033, 4034,
4039, 4044, 4045, 4049, 4052, 4053,
4056, 4058, 4067, 4070, 4075, 4076,
4080, 4086, 4092, 4105, 4108, 4110,
4115, 4121, 4122, 4125, 4127, 4129,
4130, 4132, 4138, 4141, 4149, 4152,
4153, 4162, 4165, 4167, 4171, 4174,
4176, 4178, 4179, 4181, 4184, 4189,
4202, 4204, 4212, 4214, 4215, 4217,
4218, 4229, 4230, 4235, 4237, 4242,
4245, 4247, 4261, 4281, 4282, 4293,
4295, 4299, 4305, 4308, 4310, 4314,
4318, 4319, 4324, 4329, 4331, 4339,
4342, 4345, 4348, 4353, 4355–4357,
4362, 4363, 4365, 4367, 4437, 4446,
4461, 4465, 4484, 4505, 4513, 4533,
4551, 4559–4561, 4564, 4568, 4577,
4581, 4587, 4588, 4592, 4594, 4596,
4598, 4603, 4605–4610, 4612, 4617,
4619, 4624, 4625, 4628, 4631, 4634,
4636, 4668, 4670–4672, 4681–4684,
4686, 4687, 4690, 4693, 4697, 4698,
4701, 4709, 4724, 4726, 4729, 4730,
4732, 4737, 4741, 4753, 4759, 4761,
4763, 4775, 4792, 4798, 4802–4806,
4812, 4814, 4825, 4826, 4834–4836,
4838, 4840–4842, 4845, 4848, 4849,
4854, 4856–4863, 4865–4868, 4870,
4874, 4875, 4877, 4879, 4888, 4897,
4901, 4913, 4922, 4936, 4939, 4944,
4947, 4948, 4954, 4956–4958, 4967,
4972, 4973, 4981, 4983, 4985, 4986,
4989, 4997, 4998, 5018, 5020, 5024,
5027, 5030–5033, 5035, 5070, 5085,
5092, 5112, 5113, 5120, 5123, 5127,
5137, 5140, 5142, 5151, 5167, 5174,
5175, 5179, 5180, 5187, 5189, 5193,
5194, 5211, 5213, 5214, 5217, 5226,
5228, 5230, 5233, 5235, 5236, 5244,

5246, 5249, 5250, 5266, 5278, 5283,
5284, 5286, 5291, 5297, 5300, 5303,
5306, 5319, 5324, 5332, 5336, 5340,
5344, 5345, 5395, 5399, 5436, 5438,
5467, 5468, 5486, 5487, 5494, 5499,
5500, 5510, 5514, 5516, 5527–5530,
5532, 5533, 5547, 5550, 5553, 5561,
5564, 5566–5573, 5575, 5577, 5579,
5580, 5586, 5588, 5589, 5591, 5595,
5596, 5598, 5600, 5611, 5625, 5626,
5632, 5633, 5642, 5650, 5654, 5655,
5659, 5662–5665, 5673, 5682, 5688,
5702, 5704, 5711, 5714, 5720, 5732,
5734, 5741, 5747, 5749, 5768, 5773,
5777, 5778, 5781, 5782, 5796, 5798,
5799, 5804, 5807, 5811, 5817, 5820,
5839, 5843, 5851, 5853–5859, 5875,
5878, 5881, 5883, 5890, 5896, 5907,
5909, 5915, 5926, 5939, 5945, 5948,
5952, 5962, 5969, 5981, 5985, 6002,
6014, 6019, 6030–6032, 6035, 6038,
6058, 6060, 6063, 6068–6071,
6083–6085, 6087, 6088, 6097, 6099,
6102, 6105, 6108, 6109, 6112, 6113,
6116, 6122, 6123, 6125, 6127,
6129–6131, 6135, 6139–6142, 6144,
6145, 6152, 6153, 6157, 6160, 6164,
6167, 6169, 6171, 6176, 6177,
6179–6182, 6185, 6205, 6207, 6209,
6210, 6217, 6224, 6232, 6234, 6235,
6240, 6241, 6245, 6250, 6252–6255,
6257, 6258

The SIL Open Font License, 19, 26, 110,
113, 116, 124, 128, 142, 157, 175,
234, 253, 254, 259, 262, 330, 411,
431, 697, 745, 814, 838, 849, 853,
879, 911, 960, 980, 1006, 1043,
1075, 1086, 1117, 1118, 1141, 1207,
1217, 1226, 1248, 1249, 1300, 1329,
1506, 1517, 1549, 1622, 1644, 1702,
1786, 1787, 1803, 1831, 1924, 1943,
1952, 2008, 2009, 2086, 2087, 2089,
2105, 2138, 2158, 2210, 2225, 2226,
2238, 2240, 2241, 2267, 2268, 2271,
2273, 2275, 2407, 2439, 2440, 2485,
2504, 2589, 2642, 2653, 2654, 2677,
2686, 2755, 2777, 2796, 2798, 2799,

- 2840, 2879, 3026, 3057, 3070, 3084,
3091, 3094, 3095, 3098–3100, 3102,
3124, 3164, 3175, 3277, 3337, 3342,
3347, 3349, 3367, 3411, 3421, 3490,
3525, 3578, 3616, 3620, 3667, 3672,
3697, 3779, 3837, 3891, 3893, 3895,
3897, 3899, 3928, 3931, 3963, 3964,
4005, 4024, 4032, 4072, 4073, 4152,
4269, 4271, 4273, 4297, 4351, 4585,
4591, 4621, 4710, 4719, 4769, 4943,
5080–5082, 5090, 5094, 5105, 5121,
5156, 5158, 5161–5163, 5165, 5480,
5482, 5483, 5827, 6083, 6143, 6213,
6225
- x11, 2508, 2510, 6115
- X11 License, 2508, 2510, 6115
- Zero-Clause BSD, 472, 3289, 3297
- Package
 - a0poster, 2
 - a2ac, 3
 - a2ping, 4
 - a4, 5
 - a4wide, 6
 - a5comb, 6
 - aaai, 7
 - aaai-named, 8
 - aalok, 8
 - aastex, 9
 - abbr, 10
 - abbrevs, 11
 - abc, 12
 - abc2mtex, 13
 - abnt, 14
 - abntex2, 15
 - abntexto, 17
 - abntexto-uece, 18
 - aboensis, 19
 - abraces, 20
 - abspos, 21
 - abstbook, 22
 - abstr-collect, 23
 - abstract, 23
 - abstyles-babel, 24
 - abstyles-orig, 25
 - academicons, 26
 - accanthis, 27
 - accenti, 28
 - accents, 29
 - accents-cs, 30
 - accessibility, 30
 - accfonts, 32
 - accesupp, 33
 - achemso, 34
 - achicago, 35
 - achicago-bst, 36
 - acm, 37
 - acmart, 37
 - acmconf, 38
 - acmproc, 39
 - acmtrans, 40
 - acro, 41
 - acroflex, 42
 - acromake, 43
 - acromemory, 44
 - acronym, 45
 - acronym209, 46
 - acroreloadpdf, 46
 - acrosort, 47
 - acroterm, 48
 - acrotex, 49
 - acrotex-js, 50
 - acrotex-web, 51
 - acroweb, 52
 - acs, 52
 - active-conf, 53
 - actuarialangle, 54
 - actuarialsymbol, 55
 - adami, 56
 - add-wes, 56
 - addfont, 57
 - addindex, 58
 - addliga, 59
 - addlines, 60
 - address, 61
 - addtex2eps, 61
 - addtoluatexpath, 62
 - adfathesis, 63
 - adfor, 63
 - adfsymbols, 65
 - adhocfilelist, 66
 - adigraph, 67
 - adjmulticol, 68
 - adjustbox, 69

- adobe-euro, 70
- adobecaslon, 71
- adobemapping, 72
- adobeornaments, 73
- adrconv, 74
- adrlist, 75
- adtrees, 75
- advdate, 76
- advice, 77
- ae, 78
- aeb-minitoc, 79
- aeb-mlink, 80
- aeb-mobile, 81
- aeb-pro, 82
- aeb-tilebg, 83
- aeb_dad, 84
- aebenvelope, 85
- aeb slicing, 86
- aebxmp, 87
- aecc, 88
- aeguill, 89
- aeskwadmaat, 90
- aesupp, 91
- affilauthor, 92
- afmtopl-clark, 93
- afmtopl-elwell, 93
- afmtopl-wolczko, 94
- afparticle, 95
- afperpack, 96
- afterpackage, 97
- afterpage, 98
- afthesis, 99
- aguplus, 99
- aiaa, 100
- aichej, 101
- aifont, 102
- aiplans, 102
- ajl, 103
- akktex, 104
- akletter, 105
- akshar, 106
- al latex, 107
- albatross, 108
- alchemist, 109
- alegreya, 110
- aleph, 111
- alertmessage, 112
- alfaslabone, 113
- alg, 114
- algobox, 114
- algolrevived, 116
- algorithm2e, 117
- algorithmicx, 118
- algorithms, 119
- algpseudocodex, 120
- algxpar, 121
- aliascnt, 122
- aligned-overset, 123
- alkalami, 124
- allegno, 125
- allrunes, 125
- alltt, 126
- alltt2, 127
- almendra, 128
- almfixed, 129
- alnumsec, 130
- alpha, 131
- alpha-persian, 131
- alphabib, 132
- alphalph, 133
- alphanum, 134
- alphanum-bst, 135
- alphanumb, 136
- alterqcm, 136
- altfont, 137
- altnline, 138
- altsubsup, 139
- altverse, 140
- ama, 141
- ametsoc, 141
- amiri, 142
- amiweb2c, 144
- amiweb2c-guide, 144
- amnestyreport, 145
- ams-cd, 146
- ams2bib, 147
- amsaddr, 147
- amsart, 148
- amsbook, 149
- amsbsy, 151
- amscd, 152
- amscdx, 153
- amscls, 154
- amscls-doc, 155

- amfonts, 157
- amslatex, 158
- amslatex-primer, 160
- amslatexdoc-vietnamese, 161
- amsltx11, 162
- amsmath, 162
- amsmath-it, 164
- amsmidx, 164
- amsopn, 165
- amspell, 166
- amsppt, 167
- amsppt1, 168
- amsproc, 168
- amsrefs, 170
- amstex, 171
- amstext, 172
- amsthm, 173
- analogclock, 174
- andika, 175
- anima, 176
- animate, 177
- anleitung, 178
- annee-scolaire, 178
- annot-pro, 180
- annotate, 181
- annotate-equations, 181
- annotation, 182
- annotation-pkg, 183
- anonchap, 184
- anonymous-acm, 184
- anonymouspro, 185
- ans, 186
- answers, 187
- ant, 188
- ant-worker-tasks, 189
- antanilipsum, 189
- anti, 190
- antique-spanish-units, 191
- antomega, 192
- antp, 192
- antt, 193
- anttvf, 194
- anufinalexam, 195
- anyfontsize, 196
- anysize, 197
- aobs-tikz, 197
- aomart, 198
- apa, 199
- apa5 (alias for apa), 199
- apa6, 200
- apa6e, 201
- apa7, 202
- apabst, 203
- apacite, 204
- apalike-ejor, 205
- apalike-german, 206
- apalike2, 207
- apasoft, 208
- apeqnum, 208
- apl, 209
- apltex, 210
- aplweb, 210
- apnum, 211
- appelt-chess, 212
- appendix, 213
- appendixnumberbeamer, 214
- apprendre-a-programmer-en-tex, 215
- apprends-latex, 216
- apptools, 217
- apxproof, 217
- ar, 219
- arabi, 219
- arabi-add, 221
- arabic, 222
- arabic-book, 222
- arabicfront, 223
- arabluatex, 224
- arabtex, 226
- arabxetex, 227
- aramaic, 228
- aramaic-serto, 229
- arara, 230
- arbeit, 231
- archaeologie, 232
- archaic, 233
- archivo, 234
- arcs, 235
- arev, 236
- argumentation, 237
- arimo, 238
- arlatex, 239
- armtex, 239
- armymemo, 241
- aro-bend, 242

- arosgn, 242
- around-the-bend, 243
- arphic, 244
- arphic-ttf, 245
- array, 246
- arraycols, 247
- arrayjob, 248
- arrayjobx, 249
- arraymaker, 250
- arraysort, 250
- arrow, 251
- arsclassica, 252
- arsenal, 253
- arsenal-math, 254
- artex, 255
- article, 256
- articleingud, 257
- artthreads, 258
- arvo, 259
- arxivbib, 260
- arydshln, 260
- asaetr, 261
- asana-math, 262
- asapsym, 263
- asc2tex, 264
- ascelike, 265
- ascii-chart, 266
- ascii-cyrillic, 266
- ascii-font, 267
- asciilist, 268
- ascmac, 269
- askinclude, 270
- askmaps, 271
- asmeconf, 272
- asmejour, 273
- aspectratio, 274
- aspell, 275
- aspen, 276
- assignment, 277
- assocnt, 278
- association-matrix, 279
- asternote, 280
- astro, 281
- astron, 281
- astyped, 282
- asy-overview, 283
- asyfig, 284
- asymptote, 285
- asymptote-by-example-zh-cn, 286
- asymptote-faq-zh-cn, 287
- asymptote-manual-zh-cn, 287
- asyptureb, 288
- at, 289
- atableau, 290
- atari-cstex, 291
- atbegshi, 291
- atenddvi, 292
- atendofenv, 293
- atkinson, 294
- attachfile, 295
- attachfile2, 296
- attrib, 297
- atveryend, 298
- aucklandthesis, 299
- auctex, 300
- augie, 301
- auncial, 302
- auncial-new, 303
- aurical, 304
- aurl, 305
- aurora, 305
- authblk, 306
- authoraftertitle, 307
- authorarchive, 308
- authordate, 309
- authorindex, 310
- auto-pst-pdf, 311
- auto-pst-pdf-lua, 312
- auto1, 313
- autoalign, 314
- autobreak, 314
- autoconf, 315
- autofancyhdr, 316
- autoinst (alias for fontools), 2103
- autolatex, 317
- autolist, 318
- automagic, 319
- automata, 319
- automatica, 320
- autonum, 321
- autopdf, 322
- autopict, 323
- autopuncitems, 323
- autosp, 324

- autotab, 325
- autotoc, 326
- autotype, 326
- autoview, 328
- auxhook, 328
- avremu, 329
- awami, 330
- aweb, 331
- awesomebox, 332
- axessibility, 333
- axodraw, 334
- axodraw2, 335
- b1encoding, 336
- babel, 337
- babel-albanian, 338
- babel-azerbaijani, 339
- babel-bahasa, 340
- babel-basque, 341
- babel-belarusian, 342
- babel-bosnian, 343
- babel-breton, 344
- babel-bulgarian, 345
- babel-catalan, 346
- babel-croatian, 347
- babel-czech, 348
- babel-danish, 348
- babel-dutch, 349
- babel-english, 350
- babel-esperanto, 351
- babel-estonian, 352
- babel-finnish, 353
- babel-french, 354
- babel-friulan, 355
- babel-galician, 356
- babel-georgian, 357
- babel-german, 358
- babel-greek, 359
- babel-hebrew, 360
- babel-hungarian, 361
- babel-icelandic, 362
- babel-indonesian, 363
- babel-interlingua, 364
- babel-irish, 365
- babel-italian, 366
- babel-japanese, 367
- babel-kurmanji, 368
- babel-latin, 369
- babel-latvian, 370
- babel-lithuanian, 371
- babel-macedonian, 372
- babel-malay, 373
- babel-norsk, 374
- babel-occitan, 375
- babel-piedmontese, 376
- babel-polish, 376
- babel-portuges, 377
- babel-romanian, 378
- babel-romansh, 379
- babel-russian, 380
- babel-samin, 381
- babel-scottish, 382
- babel-serbian, 383
- babel-serbianc, 384
- babel-slovak, 385
- babel-slovenian, 386
- babel-sorbian, 387
- babel-spanglish, 388
- babel-spanish, 389
- babel-swedish, 390
- babel-thai, 391
- babel-turkish, 391
- babel-ukrainian, 392
- babel-vietnamese, 393
- babel-welsh, 394
- babelbib, 395
- babeltools, 396
- babyloniannum, 397
- backgrnd, 398
- background, 398
- backnaur, 399
- backref, 400
- backrefx, 401
- badge, 402
- baekmuk, 403
- bagpipe, 404
- bahaistar, 405
- bahyph, 406
- bakoma, 406
- bakoma-fonts, 407
- bakoma-games, 408
- bakoma-mac, 408
- balance, 409
- balanced, 410
- balancedquotes, 411

- bangla, 411
- bangorcsthesis, 412
- bangorexam, 413
- bangtex, 414
- bankstatement, 415
- bar, 416
- barcodes, 417
- barcodes-vulis, 418
- bard, 418
- bardi, 419
- bardiag, 419
- bargraph-js, 420
- barkom, 421
- barracuda, 422
- bartel-chess-fonts, 423
- base, 424
- bashful, 424
- bashkirian, 425
- basicarith, 426
- basiclatex-ru, 427
- basictex (alias for mactex), 3359
- basix, 428
- baskervaldadf, 428
- baskervaldx, 429
- baskervillef, 431
- basque-book, 432
- basque-date, 433
- bath-bst, 434
- battleship, 435
- baum, 436
- bbcard, 436
- bbding, 437
- bbfig, 438
- bbl2html, 439
- bbm, 439
- bbm-macros, 440
- bbold, 441
- bbold-type1, 442
- bboldx, 443
- bbs, 444
- bchart, 444
- bclogo, 445
- bdfchess, 446
- beamer, 447
- beamer-fuberlin, 448
- beamer-reveal, 449
- beamer-rl, 450
- beamer-theme-albi, 451
- beamer-tut-pt, 452
- beamer-varbox, 453
- beamer-verona, 454
- beamer2thesis, 455
- beamerappendixnote, 456
- beameraudience, 457
- beamerauxtheme, 458
- beamercolorthemeowl, 459
- beamerdarkthemes, 460
- beamerposter, 461
- beamersubframe, 463
- beamerswitch, 464
- beamertheme-arguelles, 465
- beamertheme-bilkent-econ, 466
- beamertheme-cleaneasy, 467
- beamertheme-csh, 468
- beamertheme-cuerna, 469
- beamertheme-detlevcm, 470
- beamertheme-durham, 471
- beamertheme-edmaths, 472
- beamertheme-epyt, 473
- beamertheme-focus, 474
- beamertheme-gotham, 475
- beamertheme-light, 477
- beamertheme-metropolis, 478
- beamertheme-mirage, 479
- beamertheme-npbt, 480
- beamertheme-phnompenh, 481
- beamertheme-pure-minimalistic, 482
- beamertheme-rainbow, 483
- beamertheme-saintpetersburg, 484
- beamertheme-simpliedarkblue, 485
- beamertheme-simpleplus, 486
- beamertheme-spectrum, 487
- beamertheme-tcolorbox, 488
- beamertheme-trigon, 489
- beamertheme-upenn-bc, 490
- beamertheme-westlake, 491
- beamerthemeamurmaple, 492
- beamerthemecelestia, 493
- beamerthemeconcrete, 494
- beamerthemejltree, 495
- beamerthemelalic, 496
- beamerthemenirma, 497
- beamerthemenord, 497
- beamerthemetamu, 498

- beamertools, 499
- bearwear, 500
- beaulivre, 501
- beautybook, 502
- beautynote, 503
- beebe-dvi, 505
- begingreek, 505
- beginlatex, 506
- begriff, 507
- beilstein, 508
- beletter, 509
- belleek, 509
- bellmac, 510
- bengali-omega, 511
- bengali-pandey, 512
- bera, 513
- berenisadf, 514
- besjournals-bst, 515
- bestpapers, 515
- betabel, 516
- beton, 517
- beuron, 518
- bewerbung, 519
- bez123, 520
- bezierplot, 521
- bfh-ci, 522
- bfsymb, 524
- bg, 525
- bghyphen, 525
- bgreek, 526
- bgteubner, 527
- bguq, 528
- bhcexam, 529
- bib-fr, 531
- bib-greek, 531
- bib2dvi, 532
- bib2gls, 533
- bib2ml, 534
- bib2qr, 535
- bib2xhtml, 536
- bibarts, 537
- bibbreeze, 538
- bibbuild, 539
- bibcard, 539
- bibcheck, 540
- bibclean, 541
- bibcop, 541
- bibdb, 542
- bibentry, 543
- biber, 543
- biber-cygwin, 545
- biber-freebsd, 545
- biber-linux, 546
- biber-linux-aarch64, 547
- biber-linux-musl, 547
- biber-macos, 548
- biber-ms, 549
- biber-ms-linux, 550
- biber-ms-macos, 551
- biber-ms-windows, 551
- biber-solaris, 552
- biber-windows, 553
- bibex, 554
- bibexport, 554
- bibextract, 555
- bibfile-reformat-pages, 556
- bibfilex, 557
- bibfind, 558
- bibhtml, 559
- bibindex, 560
- biblatex, 560
- biblatex-abnt, 563
- biblatex-abs-annotate, 564
- biblatex-accursius, 565
- biblatex-ajc2020unofficial, 566
- biblatex-ams, 567
- biblatex-anonymous, 568
- biblatex-apa, 569
- biblatex-apa6, 570
- biblatex-archaeology, 571
- biblatex-arthistory-bonn, 573
- biblatex-authoryear-icomptt, 574
- biblatex-bath, 575
- biblatex-bookinarticle, 576
- biblatex-bookinother, 577
- biblatex-bwl, 578
- biblatex-casparvector, 578
- biblatex-cheatsheet, 579
- biblatex-chem, 580
- biblatex-chicago, 581
- biblatex-claves, 582
- biblatex-cse, 583
- biblatex-cv, 585
- biblatex-dw, 586

- biblatex-enc, 587
- biblatex-ext, 588
- biblatex-fiwi, 589
- biblatex-gb7714-2015, 590
- biblatex-german-legal, 591
- biblatex-gost, 592
- biblatex-historian, 593
- biblatex-ieee, 594
- biblatex-ijra, 595
- biblatex-iso690, 596
- biblatex-jura, 597
- biblatex-jura2, 597
- biblatex-juradiss, 598
- biblatex-license, 599
- biblatex-lncs, 600
- biblatex-lni, 601
- biblatex-luh-ipw, 602
- biblatex-manuscripts-philology, 603
- biblatex-mla, 604
- biblatex-morenames, 605
- biblatex-ms, 606
- biblatex-multiple-dm, 608
- biblatex-musuos, 609
- biblatex-nature, 610
- biblatex-nejm, 611
- biblatex-nottsclassic, 612
- biblatex-opcit-booktitle, 613
- biblatex-oxref, 614
- biblatex-philosophy, 615
- biblatex-phys, 616
- biblatex-publist, 618
- biblatex-readbbl, 619
- biblatex-realauthor, 620
- biblatex-sbl, 621
- biblatex-science, 622
- biblatex-shortfields, 623
- biblatex-socialscienceshuberlin, 624
- biblatex-software, 625
- biblatex-source-division, 626
- biblatex-spbasic, 627
- biblatex-subseries, 628
- biblatex-swiss-legal, 629
- biblatex-trad, 630
- biblatex-true-citepages-omit, 631
- biblatex-unified, 632
- biblatex-vancouver, 633
- biblatex2bibitem, 634
- bible, 635
- bibleref, 635
- bibleref-french, 636
- bibleref-german, 637
- bibleref-lds, 638
- bibleref-mouth, 639
- bibleref-parse, 640
- bibleref-sbl, 641
- bibletext, 642
- biblio, 643
- biblio-perl, 644
- biblist, 644
- biblook, 645
- biblos, 646
- bibmods, 646
- bibplain, 647
- bibsort, 648
- bibtex, 648
- bibtex-examples, 649
- bibtex-gen, 650
- bibtex-help, 650
- bibtex-test, 651
- bibtex8, 652
- bibtex8bit (alias for bibtex8), 652
- bibtexmng, 653
- bibtexperllibs, 653
- bibtexu, 654
- bibtool, 655
- bibtools, 657
- bibtopic, 658
- bibtopicprefix, 659
- bibunits, 660
- bibutils, 661
- bibview, 661
- bibview-x, 662
- bibweb, 663
- bicaption, 663
- bickham, 664
- bid, 665
- bid-atbegshi, 666
- bidicontour, 667
- bidihl, 668
- bidipagegrid, 669
- bidipresentation, 670
- bidishadowtext, 671
- bidstobibtex, 672
- bigdelim, 673

- bigfoot, 674
- bigintcalc, 675
- bigints, 676
- bigsign, 676
- bigstrut, 677
- bigtable, 678
- bigtabular, 679
- bihead, 680
- bilingualpages, 680
- binarytree, 681
- binhex, 682
- binomexp, 683
- biochemistry-colors, 684
- biocon, 685
- biokey, 686
- biolett-bst, 686
- biolinum (alias for libertine), 3084
- biolinum-type1, 687
- biolist, 688
- birkhaeuser, 689
- bit2spr, 689
- bitelist, 690
- bitfield, 691
- bithesis, 692
- bitpattern, 693
- bits, 694
- bitset, 695
- bitsrea, 696
- bitter, 697
- bizcard, 698
- bjfuthesis, 699
- blackboard, 700
- blackletter, 700
- blackletter1, 701
- blanks, 702
- blindtext, 702
- blkarray, 703
- blkcntrl, 704
- blochsphere, 705
- block, 706
- blockdraw_mp, 706
- blopentye, 707
- bloques, 708
- blowup, 709
- blox, 710
- blue, 711
- bm, 711
- bm2font, 712
- bm2ltx, 713
- bmeps, 714
- bmpp, 714
- bmppsize, 715
- bmstu, 716
- bmstu-iiu8, 717
- bnf-plain, 718
- bnumexpr, 719
- bodegraph, 720
- bodeplot, 721
- bohr, 722
- boisik, 723
- boites, 724
- bold-extra, 725
- boldline, 726
- boldtensors, 727
- bondgraph, 728
- bondgraphs, 728
- bonum-otf, 729
- book, 730
- book-examples, 731
- book-of-common-prayer, 732
- bookcover, 733
- bookdb, 734
- bookest, 734
- bookform, 735
- bookhands, 736
- booklet, 737
- bookmark, 738
- bookshelf, 739
- booktabs, 740
- booktabs-de, 741
- booktabs-fr, 742
- booktabstabular, 743
- boolexp, 744
- boondox, 745
- bootstrapicons, 746
- bophook, 747
- borceux, 748
- border, 748
- bosisio, 749
- boxedart4mac, 750
- boxedeps, 750
- boxedminipage, 751
- boxedminipage2e (alias for boxedminipage), 751

- boxhandler, 752
- boxit, 753
- boxit-ltx, 754
- bpchem, 754
- bpolynomial, 755
- br-lex, 756
- bracealign, 757
- bracketkey, 758
- braids, 759
- braille, 760
- braket, 761
- brandeis-dissertation, 761
- brandeis-problemset, 762
- brandeis-thesis, 763
- brclc, 764
- breakcites, 765
- breakurl, 766
- bredzenie, 767
- breqn, 768
- bridge, 769
- bridge-pln, 770
- brief-t, 770
- brief-t (alias for brief-t), 770
- bropd, 771
- broydensolve, 772
- brushscr, 773
- bsf, 773
- bsheaders, 774
- bsl, 775
- bsr2dvi, 775
- btable, 776
- btool, 777
- bubblesort, 777
- buctthesis, 778
- bullentr, 779
- bundledoc, 780
- burmese, 781
- buscard, 782
- business-research, 783
- businesscard-qrcode, 784
- bussproofs, 785
- bussproofs-colorful, 786
- bussproofs-extra, 787
- bxbase, 788
- bxcalc, 789
- bxckjatype, 790
- bxcoloremoji, 792
- bxdpdx-beamer, 793
- bxdrvdriver, 794
- bxeeepic, 795
- bxenclose, 795
- bxghost, 796
- bxjaholiday, 797
- bxjalipsum, 798
- bxjaprnind, 799
- bxjatoucs, 800
- bxjscls, 801
- bxnewfont, 802
- bxorigcapt, 803
- bxpapersize, 803
- bxpdfver, 804
- bxtexlogo, 805
- bxwareki, 806
- byo-twemojis, 807
- byrne, 808
- bytefield, 809
- byzantinemusic, 810
- byzfonts, 811
- c-pascal, 812
- c2cweb, 813
- c2latex, 813
- cabin, 814
- cachepic, 815
- caesarcm, 816
- cahierprof, 817
- cahyph, 818
- caladea, 819
- calc, 820
- calcage, 821
- calcfrac, 822
- calctab, 823
- calculation, 823
- calculator, 824
- calculatoritems, 825
- calendar, 826
- calendar-barr, 827
- calendarweek, 828
- calligra, 828
- calligra-type1, 829
- callouts, 830
- callouts-box, 831
- calorie, 832
- calrsfs, 832
- cals, 833

- calxxx, 834
- calxxx-yyyy, 835
- camel, 836
- cancel, 836
- canoniclayout, 837
- cantarell, 838
- capbas, 839
- capparmode, 840
- capt-of, 840
- captcont, 841
- captdef, 842
- caption, 843
- caption2, 844
- carbohydrates, 845
- card, 846
- card-set, 846
- cardgame, 847
- carlisle, 848
- carlito, 849
- carolmin, 850
- carolmin-t1, 851
- cartonaugh, 851
- cascade, 852
- cascadia-code, 853
- cascadiamono-otf, 854
- cascadilla, 855
- cascover, 856
- cases, 857
- casiofont, 858
- cassette, 859
- cassette-shipunov, 859
- cassette209, 860
- cassbl, 861
- casyl, 861
- catalan, 862
- catalanbib, 863
- catchfile, 864
- catchfilebetweentags, 865
- catcodes, 866
- catdoc, 867
- catdvi, 867
- catechis, 868
- catoptions, 869
- catpuccinpalette, 870
- causets, 871
- cbcoptic, 872
- cbe, 873
- cbfonts-fd, 874
- cbgreek-complete, 875
- cc-pl, 876
- ccaption, 877
- ccfonts, 878
- cchess, 879
- ccicons, 879
- cclicenses, 880
- ccool, 881
- ccref (alias for crefthe), 1247
- cd, 882
- cdcmd, 883
- cdcover, 884
- cdlabeler, 885
- cdpbundl, 885
- cea, 886
- cell, 887
- cellprops, 888
- cellspace, 889
- cellular, 890
- cellwise, 890
- celtic, 891
- sensor, 892
- centeredline, 893
- centerlastline, 894
- centernot, 895
- cep, 896
- cesenaexam, 896
- cfgguide, 897
- cfr-initials, 898
- cfr-lm, 899
- chalk-annotate, 900
- changebar, 901
- changelayout, 902
- changelog, 903
- change page, 904
- changes, 905
- chappg, 906
- chapref, 907
- chapterbib, 908
- chapterfolder, 909
- char2path, 910
- charissil, 911
- charter, 912
- chbar, 913
- chbibref, 913
- cheatsheet, 914

- check, 915
- check-parens, 916
- checkcites, 916
- checkend, 917
- checklab, 918
- checklistings, 919
- chem-journal, 920
- chemarr, 921
- chemarrow, 922
- chembst, 923
- chemcompounds, 924
- chemcono, 924
- chemexec, 925
- chemfig, 926
- chemformula, 927
- chemformula-ru, 928
- chemgreek, 929
- chemmacros, 930
- chemnum, 931
- chemobabel, 932
- chempid, 933
- chemplants, 935
- chemscheme, 936
- chemschemex, 937
- chemsec, 938
- chemstruct, 939
- chemstyle, 939
- chemsym, 940
- chemtex, 941
- cheq, 942
- cherokee, 943
- chess, 944
- chess-problem-diagrams, 944
- chessboard, 945
- chessfss, 946
- chessmin, 947
- chet, 948
- chextras, 949
- chgbar, 950
- chhaya, 950
- chicago, 951
- chicago-annotate, 952
- chicagoa, 953
- chicagolinks, 953
- chickenize, 954
- chifoot, 955
- childdoc, 956
- china2e, 957
- chinese-jfm, 958
- chinesechess, 959
- chitex, 960
- chivo, 960
- chkfloat, 962
- chklref, 962
- chktex, 963
- chletter, 964
- chngecntr, 965
- chngepage, 966
- chomsky, 967
- chordbars, 967
- chordbox, 968
- chroma, 969
- chronology, 971
- chronos, 972
- chronosys, 973
- chs-physics-report, 974
- chscite, 975
- churchslavonic, 975
- chuushaku, 977
- ciad-beamertheme, 978
- cid, 979
- cidarticle, 979
- cinzel, 980
- circ, 982
- circle, 983
- circledsteps, 983
- circledtext, 984
- circuit-macros, 985
- circuitikz, 987
- circularglyphs, 988
- cirth, 989
- cistercian, 990
- citation-style-language, 991
- cite, 992
- cite-bundle, 993
- citeall, 994
- citeref, 995
- citeright, 995
- citesidx, 996
- cj, 997
- cje, 997
- cjhebrew, 998
- cjk, 999
- cjk-fonts, 1000

- cjk-gs-integrate, 1001
- cjk-ko, 1002
- cjkpunct, 1003
- cjs-rcs-article, 1004
- cjw, 1005
- clara, 1006
- classes, 1008
- classico, 1009
- classics, 1010
- classicthesis, 1011
- classif2, 1012
- classlist, 1013
- classpack, 1014
- clawxiv, 1015
- cleantesis, 1016
- clearsans, 1016
- clefval, 1018
- cleveref, 1019
- cleveref-forward, 1020
- cleveref-icelandic, 1021
- cleveref-usedon, 1022
- clicks, 1023
- clip, 1024
- clipboard, 1025
- clistmap, 1026
- clock, 1027
- clojure-pamphlet, 1027
- closefrm, 1029
- cloze, 1029
- clrdblp, 1030
- clrscod, 1031
- clrscod3e, 1032
- clrstrip, 1033
- clsguide, 1034
- cluttex, 1035
- cm, 1036
- cm-afm, 1037
- cm-gf, 1037
- cm-lgc, 1038
- cm-mf, 1039
- cm-mf-extra-bold, 1040
- cm-mf-opt-kern, 1040
- cm-pk, 1041
- cm-super, 1042
- cm-tfm, 1043
- cm-unicode, 1043
- cmactex, 1045
- cmap, 1045
- cmarrows, 1046
- cmastro, 1047
- cmathbb, 1048
- cmbright, 1049
- cmcyr, 1050
- cmcyr-patch, 1051
- cmcyralt-fonts, 1051
- cmcyralt-ltx, 1052
- cmdstring, 1053
- cmdtrack, 1053
- cmextra-latex, 1054
- cmfrak, 1055
- cmll, 1056
- cmoefont, 1057
- cmolddig, 1057
- cmoutlines, 1058
- cmpica, 1059
- cmpj, 1059
- cms4talks, 1060
- cmsd, 1061
- cmslup, 1062
- cmsrb, 1063
- cmtest, 1064
- cmtiup, 1065
- cmtt, 1066
- cmtyp3, 1067
- cmupint, 1067
- cmyk-hax, 1068
- cnbwp, 1069
- cnltx, 1070
- cnoweb, 1071
- cntdown, 1072
- cntformats, 1073
- cntperchap, 1074
- cochineal, 1075
- code, 1076
- code128, 1077
- codeanatomy, 1077
- codebox, 1079
- codedescribe, 1080
- codedoc, 1081
- codehigh, 1082
- codepage, 1083
- codesection, 1084
- codicefiscaleitaliano, 1085
- coelacanth, 1086

- coffeestains, 1087
- collargs, 1088
- colcell, 1089
- collect, 1090
- collectbox, 1090
- collref, 1091
- colonequals, 1092
- colophon, 1093
- color, 1094
- color-edits, 1095
- colorblind, 1096
- colordoc, 1097
- colordvi, 1098
- coloredbelts, 1099
- coloredtheorem, 1100
- coloremoji, 1101
- colorframed, 1102
- colorinfo, 1103
- coloring, 1103
- colorist, 1104
- colorprofiles, 1105
- colors, 1106
- colorsep, 1107
- colospace, 1107
- colortab, 1108
- colortbl, 1109
- colortex, 1110
- colorwav, 1110
- colorweb, 1111
- colourchange, 1112
- combelow, 1113
- combine, 1114
- combinedgraphics, 1115
- combofont, 1116
- comfortaa, 1117
- comicneue, 1118
- comicsans, 1119
- comma, 1120
- commado, 1120
- commalists-tools, 1122
- commath, 1123
- commedit, 1123
- comment, 1124
- comment-pln, 1125
- comment_io, 1126
- committee-font, 1127
- commonunicode, 1127
- commutative-diagrams, 1128
- comp-fonts-faq, 1129
- compact-symbols, 1130
- compactbib, 1131
- compare, 1131
- competences, 1132
- complexity, 1133
- complexpolylongdiv, 1134
- components, 1135
- comprehensive, 1135
- compsci, 1136
- computational-complexity, 1137
- computer-typesetting-using-latex, 1138
- concepts, 1139
- concmath, 1140
- concmath-fonts, 1141
- concmath-otf, 1141
- concprog, 1142
- concrete, 1143
- concrete-macros, 1144
- conditext, 1144
- confproc, 1146
- consdiag, 1147
- constants, 1147
- conteq, 1148
- context, 1149
- context-account, 1150
- context-algorithmic, 1151
- context-animation, 1151
- context-annotation, 1152
- context-bnf, 1153
- context-calendar-examples, 1154
- context-chromato, 1155
- context-cmscbf, 1156
- context-cmttbf, 1157
- context-collating-marks, 1158
- context-construction-plan, 1158
- context-cyrillicnumbers, 1159
- context-degrade, 1160
- context-fancybreak, 1161
- context-filter, 1162
- context-fixme, 1163
- context-french, 1163
- context-fullpage, 1164
- context-games, 1165
- context-gantt, 1166
- context-gnuplot, 1167

- context-handlecsv, 1168
- context-inifile, 1169
- context-interval-calendar, 1170
- context-layout, 1171
- context-letter, 1171
- context-lettrine, 1172
- context-lilypond, 1173
- context-mathsets, 1174
- context-notes-zh-cn, 1174
- context-pocketdiary, 1175
- context-rst, 1176
- context-ruby, 1177
- context-sgf, 1178
- context-simplefonts, 1179
- context-simpleslides, 1179
- context-squares, 1180
- context-sudoku, 1181
- context-taspresent, 1182
- context-title, 1183
- context-top-ten, 1183
- context-transliterator, 1184
- context-typearea, 1185
- context-typescripts, 1186
- context-urwgaramond, 1187
- context-urwgothic, 1187
- context-vim, 1188
- context-visualcounter, 1189
- continue, 1190
- contour, 1191
- contracard, 1192
- contract, 1193
- conv-xkv, 1194
- convbkmk, 1195
- convert, 1196
- convert-jpfonts, 1196
- cooking, 1197
- cooking-units, 1198
- cookingsymbols, 1199
- cookybooky, 1200
- cool, 1201
- coolfn, 1202
- coollist, 1202
- coolstr, 1203
- coolthms, 1204
- cooltooltips, 1205
- coop-writing, 1206
- cooperhewitt, 1207
- coordsys, 1208
- copac-clean, 1209
- coptic, 1210
- copyedit, 1211
- copypaste, 1212
- copyrightbox, 1213
- cora-macs, 1214
- corasdiagram, 1215
- corefonts, 1216
- corelpak, 1216
- corelpak-contrib, 1217
- cormorantgaramond, 1217
- correctmathalign, 1219
- corrects, 1219
- corridx-latex, 1220
- corridx-obsolete, 1221
- coseoul, 1222
- couleurs-fr, 1223
- countlto, 1224
- counterz, 1225
- countriofeurope, 1226
- counttexruns, 1227
- countwords, 1228
- courier, 1229
- courier-scaled, 1229
- courierten, 1230
- courseoutline, 1231
- coursepaper, 1232
- coverpage, 1232
- covfonts, 1234
- covington, 1234
- cprog, 1235
- cprotect, 1236
- cprotectinside, 1237
- cpssp, 1238
- cptex, 1239
- cqjtuthesis, 1239
- cqubeamer, 1241
- cquthesis, 1242
- crbox, 1243
- create-struktex, 1244
- create-theorem, 1245
- creationboites, 1246
- crefthe, 1247
- crimson, 1248
- crimsonpro, 1249
- croatian, 1250

- crop, 1251
- cropmark, 1252
- cropmark-pu, 1253
- cropmarks-pt, 1253
- cropmrks, 1254
- crossrefenum, 1255
- crossreference, 1256
- crossreftools, 1257
- crossrefware, 1258
- crosstex, 1259
- crossword, 1259
- crosswrđ, 1261
- crudetype, 1262
- crumbs, 1262
- crw, 1263
- cryptocode, 1264
- cryst, 1265
- cs-techrep, 1266
- csassignments, 1267
- csbulletin, 1268
- csfonts, 1269
- csfonts-t1, 1270
- csindex, 1270
- cslatex, 1271
- csname-doc, 1272
- csplain, 1272
- cspsfonts, 1273
- csquotes, 1274
- csquotes-de, 1275
- css-colors, 1276
- cstex, 1277
- csthm, 1277
- cstypo, 1279
- csv2latex, 1280
- csvmerge, 1281
- csvsimple, 1282
- csvtolatex, 1283
- csvtools, 1284
- csx, 1285
- ctable, 1286
- ctablestack, 1287
- ctan-bibdata, 1288
- ctan-o-mat, 1289
- ctan_chk, 1290
- ctanbib, 1291
- ctanify, 1292
- ctantools, 1293
- ctanupload, 1293
- ctex, 1294
- ctex-faq, 1296
- ctib4tex, 1296
- ctie, 1297
- cuisine, 1298
- culmus, 1299
- cun, 1300
- cuprum, 1300
- currency, 1301
- currfile, 1302
- curriculum-vitae, 1303
- currvita, 1304
- cursolatex, 1305
- cursor, 1306
- curve, 1307
- curve2e, 1308
- curves, 1309
- custom-bib, 1310
- customdice, 1311
- customenvs, 1312
- cuted, 1313
- cutwin, 1314
- cv, 1315
- cv4tw, 1316
- cvss, 1317
- cvsty, 1318
- cweb, 1319
- cweb-latex, 1320
- cwebbin, 1321
- cwebhy, 1322
- cwebx, 1323
- cyber, 1323
- cybercic, 1324
- cyklop, 1325
- cyriot, 1327
- cyriote, 1328
- cyrguide, 1329
- cyrillic-modern, 1329
- cyrillic209, 1331
- cyrmemo, 1331
- cyrtug, 1332
- czhyph, 1333
- czhyph2e, 1333
- dad, 1334
- dancers, 1335
- dante-book-reviews, 1336

- dantelogo, 1336
- darkmode, 1337
- dashbox, 1338
- dashrule, 1339
- dashrulex, 1340
- dashundergaps, 1341
- dateref, 1342
- datatool, 1343
- datatool-english, 1345
- datatool-regions, 1346
- datatooltk, 1347
- datax, 1348
- dateiliste, 1349
- datenummer, 1350
- datepicker-pro, 1351
- dates, 1352
- dates209, 1353
- datestamp, 1353
- datetime, 1354
- datetime2, 1356
- datetime2-bahasai, 1357
- datetime2-basque, 1358
- datetime2-breton, 1359
- datetime2-bulgarian, 1360
- datetime2-catalan, 1361
- datetime2-croatian, 1362
- datetime2-czech, 1363
- datetime2-danish, 1364
- datetime2-dutch, 1365
- datetime2-en-fulltext, 1366
- datetime2-english, 1367
- datetime2-esperanto, 1368
- datetime2-estonian, 1369
- datetime2-finnish, 1370
- datetime2-french, 1371
- datetime2-galician, 1372
- datetime2-german, 1373
- datetime2-greek, 1374
- datetime2-hebrew, 1375
- datetime2-icelandic, 1376
- datetime2-irish, 1377
- datetime2-it-fulltext, 1378
- datetime2-italian, 1379
- datetime2-latin, 1380
- datetime2-lsorbian, 1381
- datetime2-magyar, 1382
- datetime2-norsk, 1383
- datetime2-polish, 1384
- datetime2-portuges, 1385
- datetime2-romanian, 1386
- datetime2-russian, 1387
- datetime2-samin, 1388
- datetime2-scottish, 1389
- datetime2-serbian, 1390
- datetime2-slovak, 1391
- datetime2-slovene, 1392
- datetime2-spanish, 1393
- datetime2-swedish, 1394
- datetime2-turkish, 1395
- datetime2-ukrainian, 1396
- datetime2-usorbian, 1397
- datetime2-welsh, 1398
- dayofweek, 1399
- dayroman, 1399
- daytime, 1400
- db, 1401
- dblfloatfix, 1401
- dblfnote, 1402
- dblfont, 1403
- dbprocess, 1404
- dbshow, 1404
- dccpaper, 1406
- dco, 1407
- dcolumn, 1407
- dcounter, 1408
- dcpic, 1409
- ddphonism, 1410
- de-macro, 1411
- debate, 1412
- decimal, 1413
- decimalcomma, 1414
- decision-table, 1415
- declare, 1416
- decorule, 1417
- decsci, 1418
- dectab, 1418
- default, 1419
- deflist, 1419
- defoldfonts, 1420
- defstring, 1421
- degrade, 1421
- dehyph, 1422
- dehyph-exptl, 1423
- dejavu, 1424

dejavu-otf, 1425
 delarray, 1427
 deleq, 1428
 delig, 1429
 delim, 1430
 delimseasy, 1430
 delimset, 1431
 delimtxt, 1432
 delvierre, 1433
 democodetools, 1434
 denisbdoc, 1435
 deproc, 1435
 derivative, 1436
 desclist, 1437
 designcon, 1438
 detex, 1439
 detexfaq, 1439
 deutschesmuseum, 1440
 devanagari, 1441
 devanagari-omega, 1442
 development, 1443
 dfgproposal, 1443
 dhua, 1444
 diabetes-logbook, 1445
 diadia, 1446
 diagbox, 1447
 diagmac, 1448
 diagmac2, 1449
 diagnose, 1450
 diagramf, 1451
 diagxy, 1452
 dialogl, 1453
 dialogue, 1454
 dice, 1454
 dichokekey, 1455
 dickimaw, 1456
 dictsym, 1457
 didactic, 1458
 didec, 1459
 diffcoeff, 1460
 digestif, 1461
 digicap-pro, 1462
 digiconfigs, 1463
 dijkstra, 1464
 dimnum, 1465
 din1505, 1466
 dinat, 1467
 dinbrief, 1468
 dinbrief-gui, 1469
 dingbat, 1469
 directory, 1470
 directtex, 1471
 dirtree, 1472
 dirtreex, 1473
 dirtytalk, 1474
 disser, 1474
 ditaa, 1475
 dithesis, 1476
 divine, 1477
 djgpp, 1478
 dk-bib, 1478
 dkhyphen, 1479
 dktools, 1480
 dlfltxb, 1481
 dlrg-templates, 1482
 dmfonts, 1483
 dmhgener, 1484
 dnaseq, 1485
 dnsrecord, 1485
 do-it-yourself-tex, 1486
 doafter, 1488
 doc, 1489
 doc-pictex, 1490
 docarc, 1490
 docassembly, 1491
 docbytex, 1492
 doclicense, 1493
 docmfp, 1494
 docmute, 1495
 docshots, 1496
 docstrip, 1497
 docsurvey, 1498
 doctools, 1499
 documentation, 1499
 docutils, 1500
 dogma, 1501
 doi, 1502
 doibanner, 1503
 doipubmed, 1504
 domaincoloring, 1505
 domitian, 1506
 dos-dc, 1507
 dosepsbin, 1508
 dot2tex, 1509

- dot2texi, 1510
- dotarrow, 1511
- dotlessi, 1511
- dotlessj, 1512
- dotseqn, 1513
- dottex, 1514
- doublecol, 1514
- doublespace, 1515
- doublestroke, 1516
- doulossil, 1517
- dow, 1518
- dowith, 1518
- download, 1519
- dox, 1520
- dozenal, 1521
- dpcircling, 1522
- dpfloat, 1523
- dprogress, 1524
- dps, 1525
- drac, 1526
- draft, 1527
- draftcopy, 1527
- draftfigure, 1528
- drafthead, 1529
- draftmark, 1530
- draftwatermark, 1531
- drama, 1532
- dramatist, 1533
- dratex, 1534
- drawing, 1534
- drawing-with-metapost, 1535
- drawmatrix, 1536
- drawmgr, 1537
- drawstack, 1538
- drcaps, 1539
- drftcite, 1540
- drm, 1540
- droid, 1542
- droit-fr, 1543
- drop, 1544
- dropcaps, 1545
- dropping, 1545
- drs, 1546
- drv, 1547
- dsptricks, 1548
- ds serif, 1549
- dtk, 1550
- dtk-1.32, 1551
- dtk-bibliography, 1551
- dtl, 1552
- dtxdescribe, 1553
- dtxgallery, 1554
- dtxgen, 1555
- dtxtut, 1556
- ducksay, 1557
- duckuments, 1558
- duerer, 1559
- duerer-latex, 1560
- duotenzor, 1561
- duplicat, 1562
- dutchcal, 1563
- dvdcoll, 1563
- dvgloss, 1565
- dvgt, 1566
- dvgtk, 1566
- dvi-economic, 1567
- dvi2bitmap, 1568
- dvi2ln3, 1569
- dvi2tty, 1569
- dvi2xx, 1570
- dviasm, 1571
- dvibit, 1572
- dvibook, 1572
- dvichk, 1573
- dviconcat, 1574
- dvicopy, 1574
- dvidvi, 1575
- dvii, 1576
- dviincl, 1577
- dviinfox, 1577
- dviljk, 1578
- dvimerge, 1579
- dviout, 1579
- dvipaste, 1580
- dvipdfm, 1581
- dvipdfmx, 1582
- dvipdfmx (alias for dvipdfmx), 1582
- dvipdfmx-def, 1583
- dvipng, 1584
- dvips, 1585
- dvips-os2, 1586
- dvips-shell, 1586
- dvipscol, 1587
- dvipsconfig, 1588

- dvipsk, 1588
- dvisirule, 1589
- dvistd, 1590
- dvisun, 1591
- dvisvgm, 1591
- dvisvgm-def, 1592
- dvitoln03, 1593
- dvitops, 1594
- dvitty, 1594
- dvitype, 1595
- DVIView (alias for dvivue), 1596
- dvivue, 1596
- dviwin, 1596
- dynamicnumber, 1597
- dynblocks, 1598
- dynbrackets, 1599
- dynkin-diagrams, 1600
- dyntree, 1601
- e-french, 1602
- e-tex (alias for etex), 1810
- ean, 1603
- ean13isbn, 1604
- easing, 1605
- easy, 1606
- easy-todo, 1607
- easybib, 1608
- easybmat, 1608
- easybook, 1609
- easydtx, 1610
- easyeqn, 1611
- easyfig, 1612
- easyfloats, 1614
- easyformat, 1615
- easylatex, 1616
- easylist, 1616
- easymat, 1617
- easyreview, 1618
- easytable, 1619
- easyvector, 1620
- ebezier, 1621
- ebgaramond, 1622
- ebgaramond-maths, 1623
- ebib, 1624
- ebnf, 1625
- ebong, 1625
- ebook, 1626
- ebproof, 1627
- ebsthesis, 1628
- ec, 1629
- ec-plain, 1630
- ecards, 1630
- ecc, 1631
- ecclesiastic, 1632
- ecgdraw, 1633
- ecmtree, 1634
- ecnuthesis, 1635
- eco, 1636
- ecobiblatex, 1636
- econ-bst, 1637
- econlipsum, 1638
- econometrica, 1639
- econometrics, 1640
- economic, 1641
- ecothesis, 1642
- ecta, 1643
- ecv, 1643
- eczar, 1644
- ed, 1646
- eddi4tex, 1647
- edfnotes, 1647
- edichokey, 1648
- editbar, 1649
- edmac, 1650
- edmargin, 1651
- edmaths, 1652
- ednotes, 1653
- eehyph, 1654
- eemeir, 1655
- eepic, 1656
- efbox, 1657
- eforms, 1657
- ega2mf, 1658
- egameps, 1659
- egothic, 1660
- egpeirce, 1661
- egplot, 1662
- ehhline, 1662
- eiad, 1663
- eiad-ltx, 1664
- eigo, 1665
- eijkhout, 1666
- einfart, 1667
- einfuehrung, 1668
- einfuehrung2, 1669

- eitl, 1670
- ejpecp, 1671
- ekaia, 1672
- ekdosis, 1673
- ektype-tank, 1674
- elbioimp, 1675
- electrumadf, 1676
- eledform, 1677
- eledmac, 1678
- eledpar, 1679
- elegantbook, 1680
- elegantnote, 1681
- elegantpaper, 1682
- elements, 1683
- elhyphen, 1684
- ellipse, 1684
- ellipsis, 1685
- elmath, 1686
- elocalloc, 1687
- elpres, 1688
- els-cas-templates, 1689
- elsarticle, 1690
- elteiktdk, 1691
- elteikthesis, 1692
- eltex, 1693
- elvish, 1694
- elzcards, 1695
- emarks, 1696
- embedall, 1697
- embedfile, 1698
- embrac, 1699
- emerald, 1700
- emf, 1700
- emisa, 1701
- emo, 1702
- emoji, 1703
- emojicite, 1704
- emotion, 1705
- emp, 1706
- empheq, 1707
- emptypage, 1709
- emtex, 1709
- emtexgi, 1710
- emtrees, 1711
- emulateapj, 1711
- encguide, 1712
- enctex, 1713
- encxvlna, 1714
- endfloat, 1715
- endheads, 1716
- endiagram, 1717
- endnote, 1718
- endnote2bib, 1718
- endnotes, 1719
- endnotes-hy, 1720
- endnotesj, 1721
- endofproofwd, 1722
- engord, 1723
- engpron, 1724
- engrec, 1725
- engtlc, 1726
- engwar, 1727
- enigma, 1727
- enotez, 1728
- enparen, 1729
- enpassant, 1730
- ensps-colorscheme, 1731
- enumerate, 1732
- enumext, 1733
- enumitem, 1734
- enumitem-zref, 1735
- enumspec, 1736
- enumsub, 1736
- envbig, 1737
- envelope, 1738
- envelope-letter, 1739
- enverb, 1740
- environ, 1741
- envlab, 1742
- envmath, 1743
- eolang, 1744
- eoldef, 1745
- eolgrab, 1746
- epcqrqcode, 1747
- epic, 1748
- epigrafica, 1748
- epigram, 1749
- epigraph, 1750
- epigraph-keys, 1751
- epiolmec, 1752
- epix, 1752
- epplain, 1753
- epmtfe, 1754
- eppstein-trees, 1755

- eps2pdf, 1756
- epsdice, 1756
- epsf, 1757
- epsf-dvipdfmx, 1758
- epsfig, 1759
- epsfig209, 1760
- epsfview, 1760
- epsfx, 1761
- epsincl, 1761
- epslatex, 1762
- epspdf, 1763
- epspdf-extra, 1764
- epspdf-setup, 1764
- epspdfconversion, 1765
- epstool, 1766
- epstopdf, 1766
- epstopdf-pkg, 1767
- eptex (alias for ptex), 4524
- eq-fetchbbl, 1769
- eq-pin2corr, 1770
- eq-save, 1771
- eq2db, 1772
- eqell, 1773
- eqexam, 1774
- eqexpl, 1775
- eqlist, 1776
- eqmark, 1777
- eqmlite, 1777
- eqnalign, 1778
- eqname, 1779
- eqnarray, 1780
- eqnarray209, 1781
- eqnlines, 1781
- eqnumwarn, 1782
- eqparbox, 1783
- equationauthor, 1784
- erdc, 1785
- erewhon, 1786
- erewhon-math, 1787
- errata, 1788
- erw-l3, 1789
- esami, 1790
- escapetext, 1791
- esdiff, 1791
- esieecv, 1792
- esindex, 1793
- esint, 1794
- esint-type1, 1795
- esk, 1796
- eskd, 1797
- eskdxd, 1798
- eslides, 1799
- eso-pic, 1799
- esperant, 1800
- espo, 1801
- esrelation, 1801
- essaykit, 1802
- esstix, 1803
- estcpmm, 1804
- esvect, 1805
- et, 1806
- etaremmune, 1807
- etbb, 1808
- etdipa, 1809
- etex, 1810
- etex-pkg, 1811
- etexcmds, 1812
- etextools, 1813
- ethiop, 1814
- ethiop-tl, 1815
- ethtex, 1816
- etl, 1816
- etoc, 1817
- etoolbox, 1819
- etoolbox-de, 1820
- etoolbox-generic, 1821
- etruscan, 1822
- etsvthor, 1823
- euclidean-lattice, 1824
- euclideangeometry, 1825
- euenc, 1826
- euflag, 1827
- eukdate, 1828
- eukleides, 1829
- euler, 1830
- euler-math, 1831
- eulerpx, 1832
- eulervm, 1833
- euproposal, 1834
- euptex (alias for uptex), 5891
- eurion, 1835
- euro, 1836
- euro-ce, 1836
- eurofont, 1837

- euroitc, 1838
- euromoney, 1839
- europasscv, 1840
- europecv, 1841
- europs, 1843
- eurosans, 1844
- eurosym, 1845
- eurotex, 1846
- euxunicode, 1847
- evangelion-jfm, 1847
- evautofl, 1849
- evenpage, 1849
- everyhook, 1850
- everypage, 1851
- everysel, 1852
- everyshi, 1853
- evweek, 1854
- exam, 1855
- exam-lite, 1856
- exam-n, 1857
- exam-randomizechoices, 1858
- exam-zh, 1859
- exam209, 1861
- examdesign, 1862
- example, 1863
- examplep, 1863
- exams, 1864
- examz, 1865
- excalibur, 1866
- excel2latex, 1867
- exceltex, 1868
- excludeonly, 1869
- exercise, 1870
- exercisebank, 1871
- exercisepoints, 1872
- exercises, 1873
- exercisesheets, 1874
- exerquiz, 1875
- exesheet, 1876
- exframe, 1877
- exp-testopt, 1878
- expdlist, 1879
- expex, 1880
- expex-acro, 1881
- expex-glossonly, 1882
- expkv, 1883
- expkv-bundle, 1884
- expkv-cs, 1885
- expkv-def, 1886
- expkv-opt, 1886
- expl3, 1887
- expltools, 1888
- export, 1889
- expose-expl3-dunkerque-2019, 1890
- expressg, 1891
- exscale, 1892
- exsheets, 1893
- exsol, 1894
- extarrows, 1895
- extdash, 1896
- exteps, 1897
- extpfeil, 1898
- extract, 1899
- extractbb, 1900
- extractpdfmark, 1901
- extradefs, 1902
- extsizes, 1902
- ezeits, 1903
- fac, 1904
- facsimile, 1905
- factura, 1906
- facture, 1907
- facture-belge-simple-sans-tva, 1908
- fadingimage, 1910
- fahyph, 1911
- fail-fast, 1912
- fakebold, 1913
- faktor, 1913
- faltblat, 1914
- familytree, 1915
- famt, 1916
- fancybox, 1917
- fancy chapters, 1918
- fancyfolien, 1918
- fancyhandout, 1919
- fancyhdr, 1920
- fancyhdr-it, 1921
- fancyhdrboxed, 1922
- fancyheadings, 1923
- fancylabel, 1923
- fancymag, 1924
- fancynum, 1925
- fancypar, 1926
- fancyqr, 1927

- fancyref, 1928
- fancyslides, 1929
- fancytabs, 1930
- fancytooltips, 1930
- fancyvrb, 1931
- fandol, 1932
- faq-de, 1933
- faq-es, 1934
- faq-fr, 1934
- faq-fr-gutenberg, 1936
- farbe, 1938
- fariscovernew, 1939
- fascicules, 1940
- fast-diagram, 1941
- fastpictex, 1941
- fax, 1942
- fbb, 1943
- fbithesis, 1944
- fbox, 1945
- fbs, 1946
- fc, 1947
- fc-arith, 1947
- fcavtex, 1948
- fchart, 1949
- fcldtdoc, 1950
- fccolumn, 1951
- fdsymbol, 1952
- fduthesis, 1953
- featpost, 1954
- fei, 1955
- fenetreecas, 1956
- fenixpar, 1957
- fepslatex, 1958
- fetamont, 1959
- fetchbibpes, 1960
- fetchcls, 1961
- feupphdteses, 1962
- fewerfloatpages, 1963
- feyn, 1964
- feynman, 1965
- feynmf, 1966
- feynmp-auto, 1967
- ffcode, 1968
- ffslides, 1969
- fge, 1970
- fgruler, 1971
- fhj-script, 1972
- fi2t1, 1973
- fibeamer, 1973
- fibnum, 1975
- fifinddo, 1976
- fifinddo-info, 1977
- fifo-stack, 1978
- fig2eng, 1979
- fig2lat, 1979
- fig2mf, 1980
- fig2mfpic, 1980
- fig2sty, 1981
- fig2vect, 1981
- fig4latex, 1982
- figbas, 1983
- figbib, 1984
- figcaps, 1984
- figchild, 1985
- figflow, 1986
- figfrag, 1987
- figplace, 1988
- figput, 1988
- figsinltx, 1989
- figsize, 1990
- figureversions, 1991
- fihyph, 1992
- filecontents, 1992
- filecontentsdef, 1993
- filedate, 1995
- fileerr, 1996
- filehdr, 1997
- filehook, 1997
- fileinfo, 1998
- filemod, 1999
- fillform, 2000
- fillpages, 2001
- fillwith, 2002
- findbib, 2003
- findfont (alias for luafindfont), 3281
- findhyph, 2004
- findpkg (alias for texfindpkg), 5406
- fink, 2004
- finomaton, 2005
- finplain, 2006
- finstrut, 2007
- fira, 2008
- framath, 2009
- framath-otf, 2010

firefox-ctan-plugins, 2011
 firefox-ctan-plugins (alias for
 firefox-ctan-plugins), 2011
 first-latex-doc, 2012
 first-packages, 2013
 firstline, 2013
 firststeps-xampl, 2014
 fistrum, 2014
 fitbox, 2016
 fitch, 2017
 fithesis, 2018
 fitr, 2019
 fits-astro, 2020
 fix-cm, 2021
 fix2col, 2022
 fixbbl, 2023
 fixcmex, 2023
 fixdif, 2024
 fixfoot, 2025
 fixjfm, 2026
 fixlatvian, 2027
 fixltx2e, 2028
 fixltxhyph, 2029
 fixmath, 2030
 fixme, 2031
 fixmetodonotes, 2032
 fixocgx, 2033
 fixpdfmag, 2034
 fixtounicode, 2034
 fiziko, 2036
 fjodor, 2037
 flabels, 2037
 flacards, 2038
 flagderiv, 2039
 flags, 2040
 flashcard, 2041
 flashcards, 2041
 flashmovie, 2042
 flatex, 2043
 flatten, 2044
 fldigial, 2044
 flexipage, 2046
 flexisym, 2047
 flipbook, 2048
 flippdf, 2049
 float, 2050
 floatbytocbasic, 2051
 floatfig, 2052
 floatflt, 2052
 floatnohead, 2053
 floatpag, 2054
 floatrow, 2055
 floatrowbytocbasic, 2056
 flow, 2057
 flowchart, 2057
 flowfram, 2058
 flowframtk, 2059
 fltpage, 2061
 fltpoint, 2062
 flushend, 2063
 fmp, 2064
 fmtcount, 2064
 fn2end, 2065
 fnbreak, 2066
 fncychap, 2067
 fncylab, 2068
 fnlineno, 2069
 fnote, 2070
 fnpara, 2070
 fnpara-pln, 2071
 fnpct, 2072
 fnpos, 2073
 fnspe, 2074
 fntguide, 2075
 fntproof, 2075
 fnumprint, 2076
 fodot, 2077
 foekfont, 2078
 foilhtml, 2079
 foiltex, 2080
 foliono, 2081
 fonetika, 2082
 font-change, 2083
 font-change-xetex, 2084
 font-selection, 2085
 fontawesome, 2085
 fontawesome5, 2086
 fontawesome6, 2087
 fontawesome7, 2089
 fontawesomescaled, 2090
 fontaxes, 2091
 fontbl, 2092
 fontbook, 2093
 fontch, 2094

- fontchart, 2095
- fonteinf, 2096
- fontenc, 2096
- fontinst, 2097
- fontinstallationguide, 2098
- fontload, 2099
- fontloader-luaotfload, 2100
- fontmfizz, 2101
- fontname, 2102
- fontools, 2103
- fonts-arundina, 2104
- fonts-churchslavonic, 2105
- fonts-tlwg, 2106
- fontsampl, 2107
- fontscale, 2108
- fontscripts, 2109
- fontsetup, 2110
- fontsetup-nonfree, 2111
- fontsize, 2112
- fontsmpl, 2113
- fontspec, 2114
- fonttable, 2115
- fontwrap, 2116
- footbib, 2117
- footmisc, 2118
- footmix, 2119
- footnote, 2120
- footnotebackref, 2121
- footnotehyper, 2122
- footnoterange, 2123
- footnpag, 2124
- forarray, 2125
- foreign, 2126
- forest, 2127
- forest-ext, 2128
- forest-quickstart, 2129
- forindex, 2130
- forloop, 2131
- formal-grammar, 2132
- format, 2133
- formation-latex-ul, 2133
- formlett, 2134
- forms16be, 2135
- formula, 2136
- formular, 2137
- fortran, 2138
- forum, 2138
- fotex, 2140
- fouridx, 2140
- fourier, 2141
- fouriernc, 2142
- fourproject, 2143
- fourspell, 2144
- fox-listings, 2144
- fp, 2145
- fpl, 2146
- fptex, 2147
- fragmaster, 2148
- fragments, 2149
- fragoli, 2149
- frame, 2151
- framed, 2152
- framedsyntax, 2153
- francais-bst, 2154
- frankenbundle, 2155
- frankenstein, 2155
- frankenstein-unsupported, 2156
- frcursive, 2157
- frederika2016, 2158
- free-math-font-survey, 2158
- free-math-font-survey-vn, 2159
- freealign, 2160
- freemath, 2161
- freetype, 2162
- frege, 2162
- french-translations, 2163
- frenchle, 2164
- frenchmath, 2165
- frenchponct, 2166
- frenchpro, 2167
- frenchquote, 2168
- fretplot, 2168
- frhyph, 2170
- fribidixetex, 2170
- fribrief, 2171
- frimurer, 2172
- frletter, 2173
- frontespizio, 2173
- froufrou, 2174
- frpseudocode, 2175
- ftc-notebook, 2176
- ftcap, 2177
- ftetx, 2178
- ftn, 2179

- ftnright, 2179
- ftnextra, 2180
- fullblk, 2181
- fullminipage, 2182
- fullpage, 2183
- fullpict, 2183
- fullwidth, 2184
- functan, 2185
- functional, 2186
- fundus, 2187
- fundus-calligra, 2188
- fundus-cyr, 2189
- fundus-la, 2189
- fundus-outline, 2190
- fundus-pvscript, 2191
- fundus-startrek, 2192
- fundus-sueterlin, 2192
- fundus-twcal, 2193
- fundus-va, 2194
- funnelweb, 2194
- futhark, 2195
- futharksymb, 2196
- futhorc, 2197
- futurans, 2197
- fvextra, 2198
- fweb, 2199
- fwlw, 2200
- g-brief, 2200
- gaceta, 2202
- gahyph, 2203
- galois, 2203
- gamebook, 2204
- gamebooklib, 2205
- gammas, 2206
- gandhi, 2207
- gapfill, 2208
- garamond-libre, 2209
- garamond-math, 2210
- garamondx, 2211
- garrigues, 2212
- gastex, 2213
- gatech-thesis, 2214
- gates, 2215
- gatherenum, 2216
- gauss, 2217
- gb4e, 2218
- gb4e-next, 2219
- gbrief-creator, 2220
- gbt7714, 2220
- gcard, 2221
- gchords, 2222
- gcite, 2223
- gckanbun, 2224
- gelasio, 2225
- gelasiomath, 2226
- gellmu, 2227
- gen, 2228
- gender, 2229
- gene-logic, 2230
- genealogy, 2230
- genealogy-profiles, 2231
- genealogytree, 2232
- genfam, 2234
- genindex, 2234
- genmpage, 2235
- gensymb, 2236
- gentabtex, 2237
- gentium (alias for gentium-sil), 2240
- gentium-original, 2238
- gentium-otf, 2239
- gentium-sil, 2240
- gentium-tug, 2241
- gentl-gr, 2243
- gentle, 2243
- gentombow, 2244
- geometry, 2245
- geometry-de, 2247
- geomsty, 2248
- geophysics, 2249
- georgian, 2249
- georgian-stanier, 2250
- geradwp, 2251
- german, 2252
- germbib, 2253
- germdoc, 2254
- germkorr, 2254
- geschichtsfykl, 2255
- getargs, 2256
- getfiledate, 2257
- getitems, 2258
- getmap, 2259
- getoptk, 2260
- getrefs, 2261
- getttitlestring, 2261

- gfdl, 2262
- gfnotation, 2263
- gfs, 2264
- gfsartemisia, 2265
- gfsbaskerville, 2266
- gfsbodoni, 2267
- gfscomplutum, 2268
- gfsdidot, 2269
- gfsdidotclassic, 2271
- gfsneohellenic, 2272
- gfsneohellenicmath, 2273
- gfsporson, 2274
- gfssolomos, 2275
- ghab, 2276
- ghostscript, 2277
- ghsystem, 2277
- ghyphen (alias for dehyph), 1422
- gi-handout, 2278
- gillcm, 2279
- gillius, 2280
- gincitex, 2281
- gindex, 2282
- ginpenc, 2283
- git-latexdiff, 2284
- gitfile-info, 2285
- gitinfo, 2286
- gitinfo-lua, 2287
- gitinfo2, 2288
- gitlog, 2289
- gitstatus, 2290
- gitver, 2291
- gkpmac, 2292
- gl-tree, 2292
- gladtex, 2293
- gleitobjekte, 2294
- glhyph, 2294
- glmatrix, 2295
- globalvals, 2296
- glonti, 2297
- glosmathtools, 2298
- gloss, 2299
- gloss-occitan, 2300
- glossaries, 2301
- glossaries-accsupp, 2302
- glossaries-danish, 2303
- glossaries-dutch, 2304
- glossaries-english, 2305
- glossaries-estonian, 2306
- glossaries-extra, 2307
- glossaries-finnish, 2308
- glossaries-french, 2309
- glossaries-german, 2310
- glossaries-irish, 2311
- glossaries-italian, 2312
- glossaries-magyar, 2313
- glossaries-norsk, 2314
- glossaries-nynorsk, 2315
- glossaries-polish, 2316
- glossaries-portuges, 2317
- glossaries-serbian, 2317
- glossaries-slovene, 2318
- glossaries-spanish, 2319
- glossaries-swedish, 2320
- glossaries-ukrainian, 2320
- glossary, 2321
- glosstex, 2323
- glotex, 2323
- gmdoc, 2324
- gmdoc-enhance, 2325
- gmeometric, 2326
- gmiflink, 2327
- gmp, 2328
- gmutils, 2329
- gmverb, 2330
- gmverse, 2331
- gnhyph (alias for dehyph), 1422
- gnu-freefont, 2332
- gnuplot, 2333
- gnuplottex, 2334
- go, 2335
- go-make, 2335
- gobble, 2336
- goblin, 2337
- gofonts, 2338
- gost, 2339
- gothic, 2340
- gotoh, 2341
- gpdata, 2342
- gplot, 2343
- grabbox, 2343
- gradback, 2344
- gradient-text, 2345
- gradientframe, 2346
- grading-scheme, 2347

- gradstudentresume, 2348
- grafcet, 2348
- grafik, 2349
- grant, 2350
- graph35, 2351
- graphbase, 2352
- graphbox, 2353
- graphconv, 2354
- grapher, 2354
- graphfig, 2355
- graphicp, 2356
- graphics, 2356
- graphics-cfg, 2357
- graphics-def, 2358
- graphics-pln, 2359
- graphicscache, 2360
- graphicx, 2362
- graphicx-psmin, 2363
- graphicxbox, 2364
- graphicxpsd, 2365
- graphicxsp, 2366
- graphpap, 2367
- graphpaper, 2368
- graphtex, 2369
- graphviz, 2369
- gratzer-color-scheme, 2370
- gray, 2371
- grayhints, 2372
- grchyph, 2373
- greek-fontenc, 2373
- greek-inputenc, 2374
- greek-makeindex, 2375
- greek4cbc, 2376
- greek6cbc, 2377
- greekctr, 2378
- greekdates, 2379
- greekinfo3, 2380
- greektex, 2380
- greektex-fd, 2381
- greektonoi, 2382
- greenpoint, 2383
- gregoriotex, 2384
- grfext, 2385
- grffile, 2386
- grfguide, 2387
- grfpaste, 2388
- grid, 2389
- grid-system, 2390
- gridpapers, 2391
- gridset, 2392
- gridslides, 2393
- grkfinst, 2394
- grnumalt, 2395
- grtimes, 2395
- grundgesetze, 2396
- grverb, 2397
- gs1, 2398
- gsemthesis, 2399
- gsftopk, 2400
- gsview, 2400
- gtex-letter, 2401
- gtl, 2402
- gtrcrd, 2403
- gtrlib-largetrees, 2404
- gu, 2405
- guarani, 2406
- gudea, 2406
- guia-bibtex, 2408
- guide-latex-fr, 2408
- guit-corso, 2409
- guitar, 2411
- guitarchordschemes, 2412
- guitartabs, 2413
- guitbeamer, 2414
- guitlogo, 2415
- gurmukhi, 2416
- gurmukhi-singh, 2416
- gurps, 2417
- gutenberg, 2418
- gv, 2419
- gv-savepos, 2419
- gzt, 2420
- h2020proposal, 2421
- ha-prosper, 2422
- hackalloc, 2423
- hackthefootline, 2424
- hacm, 2425
- hagenberg-thesis, 2426
- halftone, 2427
- halloweenmath, 2428
- hamnosys, 2429
- handin, 2430
- handout, 2431
- handoutwithnotes, 2432

- hands, 2433
- hang, 2433
- hangcaption, 2434
- hanging, 2435
- hanoi, 2436
- hanzibox, 2436
- happy4th, 2437
- har2nat, 2438
- haranoaji, 2439
- haranoaji-extra, 2440
- hardwrap, 2441
- harmony, 2442
- harnon-cv, 2443
- harpoon, 2443
- harvard, 2444
- harvard-obsolete, 2445
- harveyballs, 2446
- harvmac, 2447
- hatching, 2448
- hausarbeit-jura, 2448
- havannah, 2449
- hc, 2450
- hduthesis, 2451
- he-le-na, 2452
- he-she, 2453
- headerfooter, 2454
- hebdomon, 2455
- hebrew-fonts, 2456
- hebtex, 2457
- hecthese, 2457
- hellas, 2459
- helmholtz-ellis-ji-notation, 2459
- helvet, 2461
- hep, 2462
- hep-acronym, 2462
- hep-bibliography, 2463
- hep-float, 2464
- hep-font, 2465
- hep-gen, 2467
- hep-graphic, 2467
- hep-math, 2468
- hep-math-font, 2469
- hep-paper, 2471
- hep-reference, 2472
- hep-text, 2473
- hep-title, 2474
- hepnames, 2475
- hepparticles, 2476
- hepthesis, 2477
- hepunits, 2478
- here, 2479
- hereapplies, 2480
- heria, 2481
- heros-otf, 2482
- hershey, 2483
- hershey-mp, 2484
- heuristica, 2485
- hex, 2486
- hexboard, 2486
- hexdump, 2487
- hexgame, 2488
- hf-tikz, 2489
- hfbright, 2490
- hfoldsty, 2490
- hfutexam, 2491
- hfutthesis, 2492
- hge, 2494
- hhline, 2494
- hhtensor, 2495
- hideanswer, 2496
- hideproofs, 2497
- hieroglf, 2498
- hieroglyph, 2499
- highlight, 2500
- highlightlatex, 2501
- highlightx, 2502
- hilowres, 2503
- hindawi-latex-template, 2503
- hindmadurai, 2504
- HINT (alias for hitex), 2508
- histogr, 2505
- historische-zeitschrift, 2506
- histyle, 2507
- hitec, 2508
- hitex, 2508
- hitex-def, 2509
- hithesis, 2510
- hitreport, 2511
- hitszbeamer, 2512
- hitszthesis, 2513
- hittype, 2515
- hktex, 2516
- hlatex, 2517
- hlatex-fonts, 2517

- hletter, 2518
- hlist, 2519
- hmtrump, 2520
- hobby, 2521
- hobete, 2522
- hobsub, 2523
- hoffset-voffset, 2524
- hologo, 2524
- holtpolt, 2525
- holtxdoc, 2526
- homework, 2527
- hook-pre-commit-pkg, 2529
- hopatch, 2530
- horoscop, 2531
- hp2pl, 2532
- hp2xx, 2532
- hpgl2ps, 2533
- hpsdiss, 2534
- href-ul, 2534
- hrefhide, 2535
- hrhyph, 2536
- hrlatex, 2537
- hsindex, 2538
- html2latex, 2539
- htmlhelp, 2539
- hu-berlin-bundle, 2540
- huawei, 2541
- huaz, 2542
- huffman, 2543
- huhyph, 2544
- hulipsum, 2544
- humanbio, 2545
- humanist, 2546
- humannat, 2547
- huncial, 2547
- hungarian, 2548
- hustthesis, 2549
- hustvisual, 2550
- hvarabic, 2551
- hvdashln, 2552
- hvextern, 2553
- hvfloat, 2554
- hvindex, 2555
- hvlogos, 2556
- hvmath, 2557
- hvmath-fonts, 2557
- hvpymmentex, 2558
- hvqrurl, 2559
- hwemoji, 2560
- hwkatakana, 2561
- hyacc-cm, 2562
- hybrid-latex, 2562
- hycolor, 2563
- hybpmsec, 2564
- hypcap, 2565
- hypdestopt, 2566
- hypdoc, 2567
- hypdvips, 2568
- hyper, 2569
- hyperbar, 2569
- hyperlatex, 2570
- hypernat, 2571
- hyperref, 2572
- hyperxmp, 2574
- hypgotoe, 2575
- hyph-utf8, 2576
- hyphen-accent, 2577
- hyphen-spanish, 2578
- hyphenat, 2579
- hyphenation-greek, 2580
- hyphenex, 2581
- hyphsubst, 2582
- hypht1, 2583
- hyplain, 2583
- i-ching, 2584
- iacrj, 2585
- iagproc, 2586
- iahypen, 2586
- iaria, 2587
- iaria-lite, 2588
- ibarra, 2589
- ibm, 2590
- ibmres-tex, 2591
- ibrackets, 2591
- ibycus-babel, 2592
- ibygrk, 2593
- icehyph, 2594
- icelandic, 2595
- iching, 2595
- icite, 2596
- icomma, 2597
- icon-appr, 2598
- icons, 2599
- icsv, 2599

- idealfonts, 2600
- ideavault, 2601
- identkey, 2602
- idverb, 2602
- idxcmds, 2603
- idxlayout, 2604
- idxtex, 2605
- ieeeannot, 2606
- ieeconf, 2606
- ieeepes, 2607
- ieeetran, 2608
- ieeetrantools, 2609
- ieejtran, 2610
- ietfbibs, 2611
- iexec, 2611
- ifacmtg, 2612
- ifallfalse, 2613
- ifdraft, 2614
- ifetex, 2615
- iffont, 2616
- ifis-macros, 2617
- iflang, 2618
- ifluatex, 2619
- ifmslide, 2619
- ifmtarg, 2620
- ifnextok, 2621
- ifoddpages, 2622
- ifpdf, 2623
- ifplatform, 2624
- ifptex, 2625
- ifsym, 2626
- iftex, 2627
- ifthen, 2628
- ifthenx, 2629
- ifvtex, 2630
- ifxetex, 2631
- ifxptex, 2632
- igo, 2633
- iitem, 2634
- ijc, 2635
- ijcai89, 2636
- ijmart, 2636
- ijqc, 2637
- ijsra, 2638
- imac, 2639
- image-gallery, 2640
- imakeidx, 2641
- imaketex, 2642
- imfellenglish, 2642
- imfellflowers, 2643
- impatient, 2644
- imprnattypo, 2645
- import, 2646
- impose, 2647
- imprintmtshadow, 2648
- imsproc, 2648
- imtekda, 2649
- incgraph, 2650
- includernw, 2651
- includex, 2652
- inconsolata, 2653
- inconsolata-nerd-font, 2654
- indent, 2656
- indentfirst, 2656
- index, 2657
- indextools, 2658
- indexextra, 2659
- indic-type1, 2660
- induni-om, 2661
- indxcite, 2662
- infpic, 2662
- infufgrs, 2663
- infwarerr, 2664
- inhyph, 2665
- initials, 2666
- inkpaper, 2667
- inline-images, 2668
- inlinebib, 2669
- inlinedef, 2669
- inlinegraphicx, 2670
- inlinelabel, 2671
- innerscript, 2672
- inputenc, 2673
- inputenx, 2674
- inputfile, 2675
- inputnormalization, 2675
- inputtrc, 2676
- inriafonts, 2677
- inrstex, 2679
- insbox, 2679
- inscrutable, 2680
- insdljs, 2681
- inslrmaj, 2681
- inslrmin, 2682

- install-latex-guide-zh-cn, 2683
- installfont, 2684
- intcalc, 2685
- inter, 2686
- interactiveanimation, 2687
- interactiveplot, 2688
- interactiveworkbook, 2689
- interchar, 2689
- interfaces, 2690
- interlinear, 2691
- interpol, 2692
- interpreter, 2693
- interval, 2694
- intex, 2695
- intexgral, 2696
- intopdf, 2697
- intro-scientific, 2698
- inversepath, 2698
- invertedparagraphs, 2699
- invoice, 2700
- invoice-class, 2701
- invoice2, 2702
- iodhbwm, 2703
- ionumbers, 2704
- iopart-num, 2705
- ipa, 2706
- ipaex, 2706
- ipaex-type1, 2707
- ipsum, 2708
- iran-bibtex, 2709
- is-bst, 2710
- iscram, 2711
- isf, 2712
- ishyph, 2712
- isi2bib, 2713
- isi2bibtex, 2714
- iso, 2714
- iso-tex, 2715
- iso10303, 2716
- iso209, 2717
- isodate, 2717
- isodoc, 2718
- isolatein1, 2719
- isomath, 2720
- isonums, 2721
- isopt, 2722
- isorot, 2723
- isosafety (alias for isosigns), 2723
- isosigns, 2723
- isotope, 2724
- ispell, 2725
- isphysicalmath, 2726
- issuulinks, 2727
- ist21, 2728
- istgame, 2728
- ital, 2729
- italic, 2730
- ite, 2731
- ithyph, 2731
- itnumpar, 2732
- itrans-processor, 2733
- ivd2dvi, 2734
- iwhdp, 2734
- iwona, 2735
- iwonamath, 2736
- izhitsa, 2737
- jablantile, 2738
- jabref, 2739
- jacow, 2740
- jadetex, 2741
- jamtimes, 2741
- japanese-mathformulas, 2742
- japanese-otf, 2743
- japanese-otf-uptex, 2744
- jas99, 2745
- jas99m, 2746
- jasthesis, 2746
- javabib, 2747
- javadoc, 2748
- javadvi, 2749
- javascript-texed, 2749
- javascripthttp, 2750
- javatex, 2751
- jbact, 2751
- jbibtexmanager, 2752
- jcc, 2753
- jeep, 2753
- jeopardy, 2754
- jetbrainsmono-otf, 2755
- jeuxcartes, 2756
- jflap2tikz, 2757
- jfmutil, 2758
- jfontmaps, 2759
- jhep, 2760

- jieetran, 2760
- jigsaw, 2761
- jj-game, 2762
- jkmath, 2763
- jknappen, 2764
- jkthesis, 2765
- jlabels, 2766
- jlm, 2766
- jlreq, 2767
- jlreq-deluxe, 2769
- jmakepdfx, 2770
- jmb, 2770
- jmlr, 2771
- jmsdelim, 2772
- jneurosci, 2773
- jnuexam, 2774
- jobname-suffix, 2775
- joinbox, 2776
- josefin, 2777
- jourcl, 2778
- jourrr, 2779
- jouthesis, 2781
- joy-of-tex, 2782
- jpeg2ps, 2783
- jpeg2ps-os2, 2784
- jpgfdraw (alias for flowframtk), 2059
- jphysiol, 2784
- jpicedt, 2785
- jpneduenumerate, 2785
- jpnedumathsymbols, 2786
- jpsj, 2787
- jqt1999, 2788
- js-misc, 2788
- jsclasses, 2789
- jslectureplanner, 2791
- jsonparse, 2792
- jsonresume, 2793
- jspell, 2794
- jtb, 2795
- jtbnew, 2795
- juliamono, 2796
- jumplines, 2797
- junicode, 2798
- junicodevf, 2799
- jupynotex, 2800
- jura, 2801
- juraabbrev, 2802
- jurabib, 2803
- juramisc, 2804
- jurarsp, 2805
- justfontitte, 2806
- jvlisting, 2807
- jwjournal, 2808
- jyu-chem-thesis, 2809
- kalendarium, 2810
- kalender, 2811
- kalender-209, 2812
- kanaparser, 2813
- kanbun, 2814
- kantlipsum, 2815
- karnaugh, 2816
- karnaugh-map, 2817
- karnaughmap, 2818
- karta, 2819
- kaytannollista-latexia, 2819
- kblocks, 2820
- kbordermatrix, 2821
- kdgdocs, 2822
- kdgreek, 2823
- kdpcover, 2824
- keisennote, 2825
- kelly-greek-font, 2826
- kerkis, 2826
- kerntest, 2827
- ketcindy, 2828
- keycommand, 2830
- keyfloat, 2831
- keyindex, 2832
- keyparse, 2833
- keyreader, 2834
- keystroke, 2835
- keytheorems, 2835
- keyval, 2836
- keyval2e, 2837
- keyvaltable, 2838
- kfupm-math-exam, 2839
- khatalmaqala, 2840
- kile, 2841
- kinematikz, 2842
- kix, 2843
- kixfont, 2844
- kkluaverb, 2845
- kkran, 2846
- kksymbols, 2847

- klinz, 2848
- kmrhyph, 2849
- knit, 2849
- knitting, 2850
- knittingpattern, 2851
- knot, 2852
- knowledge, 2853
- knst, 2854
- knuth-base, 2854
- knuth-dist, 2855
- knuth-errata, 2856
- knuth-hint, 2856
- knuth-letter, 2857
- knuth-lib, 2858
- knuth-local, 2859
- knuth-pdf, 2859
- koi8, 2860
- koma-moderncvclassic, 2861
- koma-script, 2862
- koma-script-examples, 2864
- koma-script-examples-3, 2865
- koma-script-examples-4, 2865
- koma-script-examples-5, 2866
- koma-script-obsolete, 2867
- koma-script-sfs, 2868
- komacv, 2869
- komacv-rg, 2870
- konwerter, 2871
- korigamik, 2872
- kotex-oblivoir, 2873
- kotex-plain, 2874
- kotex-utf, 2875
- kotex-utils, 2876
- kpathsea, 2877
- kpfonts, 2878
- kpfonts-otf, 2879
- ksfh-nat, 2881
- ksp-thesis, 2881
- ktbox, 2882
- ktexshell, 2884
- ktv-texdata, 2884
- ku-template, 2885
- kurdishlipsum, 2886
- kurier, 2887
- kuvio, 2888
- kvdefinekeys, 2889
- kvmap, 2890
- kvoptions, 2891
- kvsetkeys, 2892
- l2a, 2893
- l2picfaq, 2893
- l2tabu, 2894
- l2tabu-english, 2895
- l2tabu-french, 2896
- l2tabu-italian, 2897
- l2tabu-spanish, 2898
- l2x, 2898
- l3backend, 2899
- l3backend-dev, 2900
- l3build, 2901
- l3docstrip, 2902
- l3experimental, 2903
- l3kernel, 2905
- l3kernel-dev, 2906
- l3keys2e, 2907
- l3packages, 2909
- l3regex, 2910
- l3sys-query, 2911
- la, 2912
- laansort, 2913
- labbook, 2914
- label-pln, 2915
- labelcas, 2915
- labelfig, 2916
- labelmac3, 2917
- labelmag, 2918
- labels, 2918
- labels4easylst, 2919
- labelschanged, 2920
- lablst-pkg, 2921
- labtex, 2922
- labyrinth, 2922
- lacheck, 2923
- ladder, 2924
- lahyph, 2925
- laletter, 2925
- lambda-lists, 2926
- lambdax, 2927
- lamemo, 2928
- lametex, 2929
- lamstex, 2929
- lamstex-index, 2930
- landscape, 2931
- langcode, 2931

- langnames, 2932
- langsci, 2933
- langsci-affiliations, 2935
- langsci-avm, 2935
- lapdf, 2936
- laps, 2937
- lastbib, 2938
- lastpackage, 2939
- lastpage, 2940
- latable, 2941
- lated, 2942
- latex, 2942
- latex-amsmath, 2943
- latex-amsmath-dev, 2945
- latex-base, 2946
- latex-base-dev, 2948
- latex-bib-ex, 2950
- latex-bib2-ex, 2950
- latex-bnf, 2951
- latex-brochure, 2952
- latex-context-ppchtex, 2953
- latex-course, 2954
- latex-cyrillic, 2954
- latex-dependency-grapher, 2955
- latex-doc, 2956
- latex-doc-ptr, 2957
- latex-errata, 2958
- latex-essential, 2958
- latex-firstaid, 2959
- latex-firstaid-dev, 2960
- latex-fonts, 2961
- latex-for-undergraduates, 2962
- latex-formatter, 2963
- latex-git-log, 2964
- latex-graphics, 2964
- latex-graphics-dev, 2966
- latex-hlp, 2967
- latex-indexer, 2967
- latex-info, 2968
- latex-lab, 2969
- latex-lab-dev, 2970
- latex-make, 2971
- latex-mr, 2972
- latex-notes-zh-cn, 2973
- latex-papersize, 2974
- latex-pro-pragmatiky, 2974
- latex-referenz, 2975
- latex-refsheet, 2976
- latex-sciences-humaines, 2977
- latex-tabellen, 2977
- latex-tagging-status, 2978
- latex-tds, 2979
- latex-tools, 2979
- latex-tools-dev, 2980
- latex-uni8, 2981
- latex-veryshortguide, 2982
- latex-via-exemplos, 2983
- latex209, 2984
- latex2e-help-texinfo, 2984
- latex2e-help-texinfo-fr, 2986
- latex2e-reference, 2987
- latex2html, 2988
- latex2man, 2989
- latex2nemeth, 2990
- latex2pydata, 2991
- latex2rtf, 2992
- latex4jed, 2993
- latex4musicians, 2993
- latex4wp, 2994
- latex4wp-it, 2995
- latexalpha2, 2996
- latexbangla, 2997
- latexbug, 2998
- latexcad, 2999
- latexcheat, 2999
- latexcheat-de, 3000
- latexcheat-esmx, 3001
- latexcheat-ptbr, 3002
- latexcolors, 3003
- latexcount, 3004
- latexcourse-rug, 3004
- latexdb, 3005
- latexdemo, 3006
- latexdiff, 3006
- latexdraw, 3007
- latexfileinfo-pkgs, 3008
- latexfileversion, 3009
- latexgit, 3010
- latexindent, 3011
- latexinfo, 3012
- latexmake, 3012
- latexmk, 3013
- latexmng, 3014
- latexmp, 3015

- latexn, 3016
- latexpand, 3017
- latexpix, 3018
- latexrelease, 3018
- latexrender, 3019
- latexscreenshooter, 3020
- latexwide, 3021
- latexwizard, 3021
- latin, 3022
- latin1jk, 3022
- latin2jk, 3023
- latin3jk, 3024
- latino-sine-flexione, 3025
- lato, 3026
- LatoMath (alias for lete-sans-math), 3057
- layaureo, 3027
- layout, 3028
- layouts, 3029
- lazylist, 3030
- lb2-examples, 3031
- lccaps, 3031
- lcd, 3032
- lcdf-typetools, 3033
- lcg, 3034
- lcircuit, 3035
- lcyw, 3036
- ldiff, 3037
- leading, 3037
- leadsheets, 3038
- leaflet, 3039
- leawood, 3041
- lebhart, 3041
- lecturenotes, 3043
- lecturer, 3044
- lectures, 3045
- lectureslides, 3046
- led, 3047
- ledarab, 3048
- ledmac, 3049
- ledpar, 3050
- leftidx, 3051
- leftindex, 3052
- leiletter, 3053
- leipzig, 3054
- lengthconvert, 3055
- leporello, 3056
- lete-sans-math, 3057
- letgut, 3058
- letltxmacro, 3060
- letter, 3061
- letter-plain, 3062
- letter1, 3062
- letterformat (alias for knuth-letter), 2857
- lettergothic, 3063
- lettermac, 3064
- letterspacing, 3064
- letterswitharrows, 3065
- lettre, 3066
- lettrine, 3067
- levy-font, 3068
- levy-latex, 3069
- lewis, 3069
- lexend, 3070
- lexikon, 3071
- lexitex, 3072
- lexref, 3073
- lertext, 3074
- lfb, 3074
- lfonts-ams, 3075
- lgc-examples, 3076
- lgc2-examples, 3076
- lgraph, 3077
- lgreek, 3078
- lgrind, 3079
- lgrmath, 3080
- lgrx, 3081
- lh, 3081
- lhcyr, 3083
- lhelp, 3083
- libertine, 3084
- libertine-legacy, 3086
- libertine-type1, 3087
- libertinegc, 3088
- libertineotf, 3089
- libertinus, 3090
- libertinus-fonts, 3091
- libertinus-otf, 3092
- libertinus-type1, 3094
- libertinustlmath, 3095
- libgreek, 3096
- librarian, 3097
- librebaskerville, 3098
- librebodoni, 3099
- librecaslon, 3100

- librefranklin, 3102
- libris, 3103
- lie-hasse, 3104
- liederbuch, 3105
- lifia-th, 3106
- liftarm, 3107
- ligatex, 3108
- light-latex-make, 3108
- ligtype, 3110
- lilyglyphs, 3111
- limap, 3112
- limecv, 3113
- lineara, 3114
- linearb, 3115
- linearregression, 3116
- linebreaker, 3117
- linegoal, 3118
- lineno, 3119
- linenoamsmath, 3120
- ling-macros, 3121
- lingtrees, 3122
- linguex, 3123
- linguisticspro, 3124
- linguistix, 3125
- LinguisTiX-american (alias for linguistix), 3125
- LinguisTiX-base (alias for linguistix), 3125
- LinguisTiX-british (alias for linguistix), 3125
- LinguisTiX-fixpex (alias for linguistix), 3125
- LinguisTiX-fonts (alias for linguistix), 3125
- LinguisTiX-greek (alias for linguistix), 3125
- LinguisTiX-ipa (alias for linguistix), 3125
- LinguisTiX-languages (alias for linguistix), 3125
- LinguisTiX-logos (alias for linguistix), 3125
- LinguisTiX-malayalam (alias for linguistix), 3125
- LinguisTiX-marathi (alias for linguistix), 3125
- LinguisTiX-nfss (alias for linguistix), 3125
- linkedthm, 3127
- linop, 3128
- linsys, 3129
- lintex, 3130
- lion-msc, 3130
- lips, 3131
- lipsum, 3132
- lisp-on-tex, 3133
- list, 3134
- listbib, 3135
- listing, 3135
- listing-pln, 3136
- listings, 3137
- listings-ext, 3138
- listingsutf8, 3139
- listbls, 3140
- listliketab, 3141
- listofanswers, 3142
- listofitems, 3142
- listofsymbols, 3143
- listparskip, 3144
- litebook, 3145
- literate, 3147
- literaturnaya, 3147
- litesolution, 3148
- litetable, 3149
- lithuanian, 3151
- lithuanian-babel (alias for babel-lithuanian), 371
- liturg, 3152
- liturgy-cw, 3153
- ljmetrics, 3154
- lkort, 3154
- lkproof, 3155
- llist, 3156
- llmk (alias for light-latex-make), 3108
- llncls, 3156
- llncls209, 3157
- llnclsconf, 3158
- lm, 3159
- lm-math, 3160
- lmacs, 3161
- lmake, 3161
- lmodern (alias for lm), 3159
- lms, 3162
- ln03dvi, 3163
- lni, 3163

- lobster2, 3164
- locality, 3166
- localloc, 3167
- logbox, 3167
- logfilter, 3168
- log gates, 3169
- logic, 3170
- logical-markup-utils, 3170
- logicproof, 3171
- logicpuzzle, 3172
- logictools, 3174
- logix, 3175
- logoetalab, 3176
- logpap, 3177
- logreq, 3178
- logsys, 3179
- lollipop, 3179
- longdiv, 3181
- longdivision, 3181
- longfbox, 3183
- longfigure, 3184
- longmath, 3185
- longnamefilelist, 3186
- longtable, 3187
- longtocline, 3188
- longtwocolumn, 3188
- lookbibtex, 3189
- loops, 3190
- losymbol, 3191
- lout, 3191
- loval, 3192
- lparse, 3193
- lpform, 3194
- lpic, 3195
- lplfitch, 3196
- lps, 3197
- lpw, 3198
- lroundrect, 3198
- lsabon, 3199
- lsc, 3200
- lscape, 3201
- lscapeenhanced, 3202
- lshort, 3203
- lshort-bulgarian, 3203
- lshort-czech, 3204
- lshort-dutch, 3205
- lshort-english, 3206
- lshort-estonian, 3207
- lshort-finnish, 3207
- lshort-french, 3208
- lshort-german, 3209
- lshort-italian, 3210
- lshort-japanese, 3211
- lshort-korean, 3211
- lshort-mongol, 3212
- lshort-mongolian, 3213
- lshort-persian, 3213
- lshort-polish, 3214
- lshort-portuguese, 3215
- lshort-portuguese-br, 3216
- lshort-russian, 3217
- lshort-slovak, 3217
- lshort-slovenian, 3218
- lshort-spanish, 3219
- lshort-thai, 3220
- lshort-turkish, 3220
- lshort-ukr, 3221
- lshort-vietnamese, 3222
- lshort-zh-cn, 3222
- lstaddons, 3223
- lstbayes, 3225
- lstfiracode, 3226
- lt3graph, 3227
- lt3luabridge, 3228
- lt3rawobjects, 3229
- ltablex, 3230
- ltabptch, 3231
- ltb2bib, 3231
- lcaption, 3232
- ltmermaid, 3233
- ltnews, 3235
- ltoh, 3235
- ltt, 3236
- ltugboat (alias for tugboat), 5737
- ltx-talk, 3237
- ltx2mathml, 3238
- ltx2rtf, 3239
- ltx2x, 3240
- ltx3pub, 3240
- ltx4yt, 3241
- ltxcmds, 3242
- ltxdiff, 3243
- ltxdoc, 3244
- ltxdockit, 3245

- ltxfileinfo, 3246
- ltxgrid, 3246
- ltxguidex, 3247
- ltximg, 3248
- ltxindex, 3249
- ltxinput, 3250
- ltxkeys, 3251
- ltxmisc, 3252
- ltxnew, 3252
- ltxtable, 3253
- ltxtools, 3254
- ltxutil, 3255
- lua-alt-getopt, 3255
- lua-check-hyphen, 3256
- lua-list-hyphen, 3257
- lua-physical, 3258
- lua-placeholders, 3259
- lua-regression, 3260
- lua-tikz3dtools, 3261
- lua-tinyyaml, 3263
- lua-typo, 3264
- lua-uca, 3265
- lua-ul, 3266
- lua-uni-algos, 3267
- lua-unicode-math, 3268
- lua-visual-debug, 3269
- lua-widow-control, 3270
- lua2dox, 3272
- luaaddplot, 3273
- luabibentry, 3274
- luabidi, 3275
- luacas, 3276
- luacensor, 3277
- luacode, 3278
- luacolor, 3279
- luacomplex, 3280
- luafindfont, 3281
- luaged, 3281
- luahttp, 3282
- luahyperbolic, 3283
- luahyphenrules, 3284
- luaimageembed, 3285
- luaindex, 3286
- luainputenc, 3287
- luaintro, 3288
- luakeys, 3288
- luakeyval, 3289
- lualatex-doc, 3290
- lualatex-doc-de, 3291
- lualatex-math, 3292
- lualatex-platform, 3293
- lualatex-truncate, 3294
- lualibs, 3295
- lualinalg, 3296
- lualineno, 3297
- luamathalign, 3298
- luamaths, 3299
- luamesh, 3300
- luamml, 3301
- luamodulartables, 3302
- luamplib, 3303
- luanumint, 3304
- luaoptions, 3305
- luaotfload, 3306
- luapackageloader, 3307
- luaplot, 3308
- luaprohtable, 3310
- luapstricks, 3311
- luaquotes, 3312
- luarandom, 3313
- luaset, 3314
- luasseq, 3315
- luatbls, 3316
- luatex, 3317
- luatex-cn, 3318
- luatex-def, 3319
- luatex-pkg, 3320
- luatex-type-definitions, 3320
- luatex85, 3321
- luatexbase, 3322
- luatexja, 3323
- luatexko, 3324
- luatextra, 3326
- luatikz, 3327
- luatodonotes, 3328
- luatruthtable, 3329
- luavlina, 3330
- luaxml, 3331
- lucida, 3332
- lucida-otf, 3333
- lucidabr, 3334
- lucide-admonitions, 3335
- lucide-icons, 3336
- luciole, 3337

- lucold, 3339
- lug, 3339
- lutableartools, 3340
- luwa-ul, 3341
- luwiantype, 3342
- luximono, 3343
- lwarp, 3344
- lwc-examples, 3345
- lxfonts, 3346
- lxgw-fonts, 3347
- lxmail, 3348
- ly1, 3348
- lydtype, 3349
- lyluatex, 3350
- lyx, 3351
- m-pictex, 3352
- m-tx, 3353
- m3d, 3354
- maad, 3354
- mab2bib, 3355
- macbibtex, 3356
- macfont, 3356
- macrolist, 3357
- macros2e, 3358
- macroswap, 3359
- mactex, 3359
- mactex-basic, 3360
- mactextras, 3361
- mactotex, 3361
- mafr, 3362
- magaz, 3363
- magic, 3364
- magicnum, 3364
- magicthegathering, 3365
- magicwatermark, 3366
- magra, 3367
- mahjong, 3369
- mailing, 3370
- mailmerge, 3371
- maine-thesis, 3372
- make-env, 3373
- make-latex, 3373
- make4ht, 3374
- makebarcode, 3375
- makebase, 3376
- makebox, 3377
- makecell, 3378
- makecirc, 3379
- makecmds, 3380
- makecookbook, 3380
- makedoc, 3382
- makedtx, 3383
- makefonts, 3384
- makeglos, 3384
- makeglossariesgui, 3385
- makegobbler, 3386
- makeidx, 3388
- makeindex, 3388
- makeindexk, 3389
- makelabels, 3390
- makeplot, 3391
- makeprog, 3392
- maker, 3393
- makerobust, 3394
- makerobust209, 3395
- makeshape, 3395
- maketable, 3396
- makor2, 3397
- malayalam-latex, 3398
- malayalam-obsolete, 3399
- malayalam-omega, 3399
- maltese, 3400
- malvern, 3401
- mandel, 3401
- mandi, 3402
- manfnt, 3403
- manjutex, 3404
- manpage, 3404
- manual, 3405
- manual209, 3406
- manuscript, 3406
- manyfoot, 3407
- manyind, 3408
- mapcodes, 3409
- maple, 3410
- marathi, 3410
- marcellus, 3411
- margbib, 3413
- marginal, 3413
- marginalia, 3414
- marginfit, 3415
- marginfix, 3416
- marginnote, 3417
- marginote, 3418

maritime, 3419
 markdown, 3420
 marnote, 3421
 marvosym, 3421
 matapli, 3422
 matc3, 3424
 matc3mem, 3425
 match_parens, 3426
 math-e, 3426
 math-into-latex-4, 3427
 math-operator, 3428
 mathabx, 3429
 mathabx-type1, 3430
 mathador, 3431
 mathalfa (alias for mathalpha), 3432
 mathalpha, 3432
 mathalphabets, 3433
 mathastext, 3434
 mathbbol, 3435
 mathcmd, 3436
 mathcommand, 3436
 mathcomp, 3438
 mathdesign, 3438
 mathdots, 3440
 mathematica, 3441
 mathesatz-examples, 3441
 mathexam, 3442
 mathfam256, 3443
 mathfixs, 3444
 mathfont, 3445
 mathgifg, 3446
 mathgreek, 3447
 mathinst, 3448
 mathkit, 3449
 mathlig, 3450
 mathpartir, 3450
 mathpazo, 3451
 mathpple, 3453
 mathptm, 3453
 mathptmx, 3454
 mathpunctspace, 3455
 mathrsfs, 3456
 maths-symbols, 3457
 mathsci2bibtex, 3457
 mathscinet, 3458
 mathsemantics, 3459
 mathspad, 3460
 mathspec, 3460
 mathspic, 3461
 mathstone, 3463
 mathstyle, 3464
 mathtex, 3465
 mathtime-ltx, 3466
 mathtime-metrics, 3466
 mathtime-pln, 3467
 mathtools, 3468
 mathtrip, 3469
 mathtype, 3470
 matlab-prettyfier, 3472
 matlabweb, 3473
 matrix-skeleton, 3473
 mattens, 3474
 mattex, 3475
 maybeload, 3476
 maybemath, 3477
 maze, 3478
 mbboard, 3479
 mbenotes, 3479
 mboxfill, 3480
 mcaption, 3481
 mceinleger, 3482
 mcexam, 3483
 mcf2graph, 3484
 mcite, 3485
 mciteplus, 3485
 mcmthesis, 3486
 mctex, 3488
 mdframed, 3488
 mdputu, 3489
 mdsymbol, 3490
 mdvi, 3491
 mdwfonts, 3492
 mdwlist, 3493
 mdwmath, 3494
 mdwtabs, 3495
 mdwtools, 3496
 measurebox, 3497
 mecaso, 3498
 media4svg, 3498
 media9, 3499
 medmath, 3501
 medstarbeamer, 3502
 meetingmins, 3502
 megatape, 3503

- mem, 3504
- membranecomputing, 3505
- memdesign, 3506
- memexsupp, 3507
- memhfixc, 3507
- memo-pln, 3508
- memo2, 3509
- memo209, 3510
- memoir, 3510
- memoirchapterstyles, 3512
- memoize, 3513
- memoize-ext, 3514
- memory, 3515
- memorygraphs, 3516
- mendex-doc, 3517
- mensa-tex, 3518
- mentis, 3519
- menu, 3520
- menucard, 3520
- menukeys, 3521
- meparticle, 3522
- meper, 3523
- mercatormap, 3523
- merge, 3525
- merriweather, 3525
- messagebubbles, 3527
- messagepassing, 3527
- meta-mode, 3528
- metacapture, 3529
- metafont, 3531
- Metafont (alias for metafont), 3531
- metafont-beginners, 3532
- metafp, 3533
- metago, 3533
- metainfo, 3534
- metalogo, 3535
- metalogox, 3536
- metanorma, 3537
- metaobj, 3538
- metaphor, 3539
- metaplot, 3540
- metapost, 3540
- metapost (alias for metapost), 3540
- metapost-colorbrewer, 3541
- metapost-examples, 3542
- metapost-matlab, 3543
- metastr, 3544
- metatex, 3545
- metatype1, 3546
- metauml, 3547
- method, 3548
- metre, 3549
- metrix, 3550
- metsymb, 3551
- mewltx, 3552
- mex, 3553
- mf-ps, 3553
- mf2ps, 3554
- mf2pt1, 3555
- mf2pt3, 3556
- mf2tex, 3557
- mfb-oldstyle, 3557
- mfbook, 3559
- mff, 3559
- mff-util, 3560
- mfirstuc, 3561
- mflogo, 3562
- mflogo-font, 3563
- mflogo209, 3564
- mfnfss, 3564
- mfpic, 3565
- mfpic4ode, 3567
- mftinc, 3568
- mftrace, 3569
- mfware, 3569
- mfwl, 3570
- mgltx, 3571
- mh, 3572
- mhack, 3573
- mhchem, 3574
- mhequ, 3575
- mhs, 3576
- mhsetup, 3576
- mi-solns, 3577
- miama, 3578
- microimp, 3579
- microtype, 3580
- microtype-de, 3582
- mid2tex, 3582
- midi2tex, 3583
- midnight, 3584
- midpage, 3585
- mif2xfig, 3586
- miktex, 3586

- miktex-portable, 3587
- miktex_update, 3588
- mil, 3589
- mil3, 3589
- milestonetimeline, 3590
- millier, 3591
- milog, 3592
- milstd, 3593
- milsymb, 3594
- mimetex, 3595
- mindflow, 3596
- minibox, 3597
- minidocument, 3598
- minifp, 3599
- miniltx, 3600
- minim, 3600
- minim-hatching, 3602
- minim-math, 3603
- minim-mp, 3604
- minim-pdf, 3605
- minim-xmp, 3606
- minimal, 3607
- minimalist, 3607
- minion2newtx, 3608
- minionpro, 3609
- minipage-marginpar, 3610
- miniplot, 3611
- minitoc, 3612
- minorrevision, 3613
- minted, 3614
- minted-code, 3615
- mintspirit, 3616
- minutes, 3618
- mirr, 3619
- mismath, 3619
- missaali, 3620
- mitpress, 3622
- mitthesis, 3622
- mk, 3623
- mkbangtex, 3624
- mkbib, 3625
- mkjobtexmf, 3625
- mkpattern, 3626
- mkpic, 3627
- mkpkfontdir, 3628
- mkstmp_pro, 3629
- mla, 3630
- mla-paper, 3630
- mlacls, 3631
- mlawriter, 3632
- mlbib, 3633
- mleftright, 3634
- mlist, 3635
- mlmath, 3636
- mlmodern, 3637
- mltex, 3638
- mltex-ltx, 3639
- mluexercise, 3639
- mm, 3641
- mma2ltx, 3641
- mmafm, 3642
- mmap, 3643
- mmpfb, 3643
- mmtools, 3644
- mnhyphn, 3645
- mnotes, 3645
- mnras, 3646
- mnras-plain, 3647
- mnsymbol, 3648
- mmtex, 3649
- modeles-factures-belges-assocs, 3650
- moderncv, 3651
- modernnewspaper, 3652
- modernposter, 3653
- modernruler, 3654
- moderntimeline, 3656
- modes, 3657
- modguide, 3658
- modiagram, 3658
- modref, 3659
- modroman, 3660
- modular, 3662
- modulus, 3663
- mohe-book, 3664
- mohelper, 3665
- mol2chemfig, 3666
- moloch, 3666
- monospace-otf, 3667
- mongolian-babel, 3668
- monofill, 3669
- monster, 3670
- montex, 3671
- montserrat, 3672
- moodle, 3673

- moonphase, 3674
- moredefs, 3675
- moreenum, 3676
- morefloats, 3677
- morehelp, 3678
- morehype, 3679
- moremath, 3680
- moresize, 3681
- moreverb, 3682
- morewrites, 3683
- morisawa, 3684
- morse, 3685
- movement-arrows, 3686
- movie15, 3687
- mp-geom2d, 3688
- mp-neuralnetwork, 3689
- mp3d, 3690
- mparhack, 3691
- mparrows, 3692
- mpattern, 3693
- mpchess, 3694
- mpcolornames, 3695
- mpdinbrief, 3696
- mpedit, 3696
- mpfonts, 3697
- mpgraphics, 3698
- mpkiviat, 3699
- mpman-ru, 3700
- mpostinl, 3701
- mpstoeps, 3702
- mptopdf, 3703
- mptrees, 3704
- mrcheckbib, 3705
- mrecog, 3705
- ms, 3706
- msc, 3707
- msg, 3708
- mslapa, 3709
- msu-thesis, 3710
- msx2msa, 3711
- msym, 3712
- mt1lp, 3713
- mtbe, 3714
- mtex, 3714
- mtgreek, 3715
- mtp2lite, 3716
- mucproc, 3716
- mugsthesis, 3717
- muling, 3718
- multenum, 3719
- multi-sudoku, 3720
- multiaudience, 3721
- multibbl, 3722
- multibib, 3723
- multibibliography, 3724
- multibox, 3725
- multicap, 3725
- multicol, 3726
- multicolpar, 3727
- multicolrule, 3728
- multidef, 3729
- multido, 3730
- multienv, 3731
- multiexpand, 3732
- multifootnote, 3733
- multilang, 3734
- multind, 3735
- multinotes, 3735
- multiobjective, 3736
- multiple-choice, 3737
- multirow, 3738
- multitoc, 3739
- munich, 3740
- musical, 3741
- musicography, 3742
- musictex, 3743
- musikui, 3744
- musixguit, 3745
- musixtex, 3745
- musixtex-egler, 3747
- musixtex-fonts, 3748
- musixtex-tlfonts, 3749
- musixtnt, 3749
- musuos, 3750
- muthesis, 3751
- mversion, 3752
- mwcls, 3753
- mwe, 3754
- mweights, 3755
- mwrite, 3756
- mx, 3756
- mxedruli, 3757
- mychemistry, 3758
- mycv, 3759

- myfilist, 3760
- mylatex, 3761
- mylatexformat, 3762
- myletter, 3763
- mynsfc, 3763
- mystyletau, 3764
- na-border, 3765
- na-box, 3766
- na-position, 3767
- nabatean, 3768
- nag, 3769
- nahuatl, 3770
- naive-ebnf, 3771
- nameauth, 3772
- named, 3773
- namedef, 3773
- namedtensor, 3774
- nameref, 3775
- namespc, 3776
- namunsrt, 3777
- nanicolle, 3778
- nanumtype1, 3779
- nar, 3780
- nassflow, 3781
- natbib, 3782
- natded, 3783
- nath, 3784
- natmove, 3784
- nature, 3785
- navigator, 3786
- navydocs, 3787
- nb4latex, 3788
- nbaseprt, 3789
- nbaskerv, 3790
- nccbbb, 3791
- nccboxes, 3792
- ncccomma, 3793
- ncccropbox, 3794
- ncccropmark, 3795
- nccfancyhdr, 3796
- nccfloats, 3797
- nccfoots, 3798
- ncclatex, 3799
- nccmath, 3800
- nccparskip, 3801
- nccpic, 3802
- nccrules, 3803
- nccsect, 3804
- nccstretch, 3805
- nccthm, 3806
- ncctools, 3807
- nchairx, 3808
- nddiss, 3809
- ndsu-thesis, 3810
- ndsu-thesis-2022, 3811
- nedit-latex-extensions, 3812
- needspace, 3813
- nehyph, 3814
- nemocal, 3814
- neo-euler (alias for euler-math), 1831
- neoschool, 3815
- nestquot, 3816
- neufont, 3816
- neuralnetwork, 3817
- neuron, 3818
- nevelok, 3818
- newalg, 3819
- newapa, 3820
- newcastle-bst, 3821
- newclude, 3822
- newcm (alias for newcomputermodern), 3824
- newcommand, 3823
- newcomputermodern, 3824
- newenviron, 3826
- newfile, 3827
- newfloat, 3828
- newinsert, 3829
- newlrm, 3829
- newpax, 3830
- newproof, 3831
- newpx, 3832
- newsletr, 3834
- newspaper, 3834
- newthm, 3835
- newtx, 3836
- newtxsf, 3837
- newtxtt, 3838
- newunicodechar, 3839
- newvbtm, 3840
- newverbs, 3841
- nextpage, 3842
- nexus-otf, 3843
- nfssect-cfr, 3844

nfssfont, 3845
 ngerman, 3845
 nicefilelist, 3846
 nicefrac, 3847
 niceframe, 3848
 niceframe-type1, 3849
 nicematrix, 3849
 nicetext, 3851
 niceverb, 3853
 nidanfloat, 3854
 nih, 3855
 nihbiosketch, 3856
 nimbus15, 3857
 nimsticks, 3858
 ninecolors, 3859
 njurepo, 3860
 njustthesis, 3861
 njuthesis, 3862
 njuvisual, 3863
 nkarta, 3864
 nl-interval, 3865
 nlatexdb, 3866
 nlctdoc, 3866
 nmbib, 3867
 nndraw, 3868
 nnext, 3869
 nnfootnote, 3870
 noconflict, 3870
 nodepthtext, 3871
 nodetree, 3872
 nofill, 3873
 nohyph, 3873
 nohyphbx, 3874
 noindentafter, 3875
 noitcrul, 3876
 nolbreaks, 3877
 nomencl, 3877
 nomentbl, 3878
 non-decimal-units, 3879
 nonfloat, 3880
 nonumonpart, 3881
 nopageno, 3882
 noprot, 3883
 norbib, 3884
 normalcolor, 3884
 nostarch, 3885
 notebeamer, 3886
 notes, 3887
 notes2bib, 3888
 notespages, 3889
 notestex, 3890
 notex-bst, 3891
 noto, 3891
 noto-emoji, 3893
 notoccite, 3894
 notocjksc, 3894
 notocondensed, 3895
 notomath, 3897
 novabeamer-theme, 3898
 novel, 3899
 noweb, 3900
 nowidow, 3901
 nox, 3902
 npp-for-context, 3902
 nrc, 3903
 nstc-proposal, 3904
 ntabbing, 3905
 ntg, 3906
 ntg-maps, 3906
 ntgclass, 3907
 nth, 3908
 nththeorem, 3909
 nththeorem-vn, 3910
 nts, 3911
 nts-l, 3911
 ntsfaq, 3912
 nuc, 3913
 nucleardata, 3914
 numalg, 3915
 numberedblock, 3915
 numberpt, 3916
 numbersets, 3917
 numending, 3918
 numerica, 3919
 numerica-plus, 3920
 numerica-tables, 3921
 numericplots, 3922
 numline, 3923
 numname, 3924
 numnameru, 3925
 numprint, 3926
 numspell, 3927
 nunito, 3928
 nwafuthesis, 3929

- nwejm, 3930
- nxtlatex, 3931
- nxuthesis, 3932
- oands, 3933
- obas, 3934
- oberdiek, 3935
- objectz, 3937
- obnov, 3938
- obsolete, 3939
- oca, 3939
- occam, 3940
- ocg-p, 3940
- ocgtools, 3941
- ocgx, 3942
- ocgx2, 3943
- ochem, 3945
- ocherokee, 3945
- ocr-a, 3946
- ocr-b, 3947
- ocr-b-outline, 3947
- ocr-latex, 3948
- octave, 3949
- octavo, 3950
- odesandpdes, 3951
- odsfile, 3952
- oesch, 3953
- ofntinst, 3953
- ofs, 3954
- ogham, 3955
- ogonek, 3956
- oinuit, 3957
- okuda, 3958
- old-arrows, 3958
- old-faq-en, 3959
- old-fontch, 3960
- oldlatin, 3961
- oldprsn, 3961
- oldstandard, 3962
- oldstandardt1, 3964
- oldstyle, 3965
- oletex, 3966
- olsak-misc, 3967
- omega, 3968
- omgtudoc-asoiu, 3969
- one2many, 3970
- onedown, 3971
- onepagem, 3972
- onepgnote, 3973
- onlinebrief24, 3974
- onlyamsmath, 3975
- onrannual, 3976
- oops, 3977
- opacity-pro, 3978
- opbible, 3979
- opcit, 3980
- open-everyday-symbols, 3981
- opencolor, 3982
- openmoji, 3983
- opensans, 3984
- oplotsymb1, 3985
- opteng, 3986
- optex, 3987
- optexcount, 3988
- optidef, 3989
- optikz, 3990
- optional, 3991
- options, 3992
- optparams, 3993
- orcidlink, 3994
- orderer, 3995
- orderrefs, 3995
- ordinalpt, 3996
- oriental, 3997
- orientation, 3998
- oriya, 3999
- orkhun, 4000
- os2tex, 4000
- osa, 4001
- oscola, 4002
- osda, 4003
- osmanian, 4004
- oststud, 4004
- oswald, 4005
- ot-tableau, 4006
- ot2cyr, 4007
- ot2woff, 4008
- otfinst, 4009
- otftofd, 4009
- othello, 4010
- othelloboard, 4011
- ou-tma, 4012
- oubraces, 4013
- oup-authoring-template, 4013
- outerhbox, 4015

outilsgeomtikz, 4015
 outline, 4016
 outliner, 4017
 outlines, 4018
 outlining, 4018
 outoruby, 4019
 oval, 4020
 ovalfbox, 4021
 overarrows, 4022
 overcite, 4023
 overlays, 4023
 overlock, 4024
 overpic, 4025
 overrightarrow, 4026
 overword, 4027
 oxford, 4028
 oztex, 4028
 oztex-fonts, 4029
 oztex-german, 4030
 Pacioli, 4030
 packdoc, 4031
 padauk, 4032
 padcount, 4033
 pagecolor, 4034
 pagecont, 4035
 pagedraw, 4036
 pagefoots, 4036
 pageframe, 4037
 pagegrid, 4038
 pagelayout, 4039
 pagella-otf, 4040
 pageno, 4041
 pagenote, 4042
 pagerange, 4043
 pagereference, 4044
 pagesel, 4044
 pageslts, 4045
 palatino-nfss, 4047
 palette, 4047
 palladam, 4048
 panda, 4049
 pandora, 4050
 pandora-latex, 4051
 pandora-type1, 4051
 pangram, 4052
 panneauxroute, 4053
 paper, 4054
 papercdcase, 4055
 papermas, 4056
 papertex, 4057
 papiergurban, 4058
 paracol, 4059
 parades, 4060
 paragraphs, 4061
 paralist, 4061
 parallel, 4062
 paramcalc, 4063
 paratype, 4064
 parboxx, 4065
 parcolumns, 4066
 paresse, 4067
 parisa, 4068
 parnotes, 4069
 parrun, 4070
 parsa, 4070
 parselines, 4071
 parsimatn, 4072
 parsinevis, 4073
 parsitex, 4074
 parskip, 4075
 parstat, 4076
 pas-cours, 4077
 pas-crosswords, 4078
 pas-cv, 4079
 pas-tableur, 4079
 pascaltriangle, 4080
 passivetex, 4081
 passopt, 4082
 patch, 4083
 patchcmd, 4084
 patgen, 4085
 patgen2-tutorial, 4086
 path, 4087
 pats-resume, 4087
 pauldoc, 4088
 pawpict, 4089
 pax, 4090
 pb-diagram, 4091
 pbalance, 4092
 pbibtex-base, 4093
 pbibtex-manual, 4094
 pbm2tex, 4095
 pbmtofg, 4095
 pbmtoptk, 4096

- pbox, 4096
- pbsheet, 4097
- pcarl, 4098
- pcfonts, 4099
- pcnfss, 4100
- pdbf-toolkit, 4100
- pdcmac, 4102
- pdf-forms-tutorial, 4102
- pdf-mps-supp (alias for mptopdf), 3703
- pdf-trans, 4103
- pdf14, 4104
- pdfannotations, 4105
- pdfarticle, 4106
- pdfbook, 4107
- pdfbook2, 4107
- pdfcol, 4108
- pdfcolfoot, 4109
- pdfcolmk, 4110
- pdfcolparallel, 4111
- pdfcolparcolumns, 4112
- pdfcomment, 4113
- pdfcprot, 4114
- pdfcrop, 4115
- pdfcrypt, 4116
- pdfescape, 4117
- pdfextra, 4118
- pdfjam, 4119
- pdfflatexpicscale, 4120
- pdfscape, 4121
- pdfmanagement, 4122
- pdfmanagement-testphase (alias for pdfmanagement), 4122
- pdfmarginpar, 4123
- pdfmsym, 4124
- pdfoverlay, 4125
- pdfpagediff, 4126
- pdfpages, 4127
- pdfpc, 4128
- pdfpc-movie, 4129
- pdfprivacy, 4130
- pdfrack, 4131
- pdfrender, 4131
- pdfreview, 4132
- pdfscreen, 4134
- pdfslide, 4135
- pdfsync, 4136
- pdftex, 4137
- pdftex-def, 4138
- pdftex-djgpp, 4139
- pdftex-oztex, 4139
- pdftex-oztex (alias for pdftex-oztex), 4139
- pdftex-quiet, 4140
- pdftexcmds, 4141
- pdftoolbox, 4142
- pdftricks, 4143
- pdftricks2, 4144
- pdfx, 4145
- pdfxup, 4146
- pecha, 4147
- pedigree-perl, 4148
- pegmatch, 4149
- penlight, 4150
- penlightplus, 4151
- pennstander-otf, 4152
- penrose, 4153
- perception, 4154
- perfectcut, 4154
- perltx, 4156
- permute, 4157
- perpage, 4157
- persian-bib, 4158
- petiteannonce, 4159
- petri-nets, 4160
- pf2afm, 4161
- pfarrei, 4161
- pdficons, 4162
- pfm2afm, 4163
- pfnote, 4164
- pgf, 4165
- pgf-blur, 4166
- pgf-cmykshadings, 4167
- pgf-go, 4168
- pgf-interference, 4169
- pgf-periodictable, 4170
- pgf-pie, 4171
- pgf-soroban, 4172
- pgf-spectra, 4173
- pgf-umlcd, 4174
- pgf-umlsd, 4175
- pgfgantt, 4176
- pgfkeys, 4177
- pgfkeysearch, 4178
- pgfkeyx, 4179

- pgfm math -xfp, 4179
- pgfmolbio, 4180
- pgfmorepages, 4181
- pgfopts, 4182
- pgfornament, 4183
- pgfornament-han, 4184
- pgfplots, 4186
- pgfplotstable, 4188
- pgfplots theme beamer, 4189
- pgothic, 4190
- phaistos, 4191
- phfcc, 4192
- phfextendedabstract, 4193
- phffullpagefigure, 4194
- phfnote, 4195
- phfparen, 4196
- phfqit, 4197
- phfquotetext, 4198
- phfs sv nwatermark, 4199
- phfthm, 4200
- philex, 4201
- philokalia, 4202
- philosophersimprint, 4203
- phimisci, 4204
- phoenician, 4205
- phoncard, 4206
- phonenumbers, 4206
- phonetic, 4208
- phonrule, 4209
- photo, 4210
- photobook, 4210
- phy-bstyles, 4211
- physconst, 4212
- physe, 4213
- physics, 4214
- physics-patch, 4214
- physics2, 4215
- physics3, 4217
- physunits, 4218
- physymb, 4219
- phyzzx, 4220
- pi, 4220
- piano, 4221
- picinpar, 4222
- picins, 4223
- picmac, 4223
- pict2e, 4224
- pictex, 4225
- pictex-autoarea, 4226
- pictex2, 4227
- pictexsum, 4228
- pictexwd, 4228
- pictochrono, 4229
- picture, 4230
- piechart, 4231
- piechartmp, 4231
- piff, 4232
- piff-ams, 4233
- pifont, 4234
- pigpen, 4235
- pinlabel, 4236
- pinoutikz, 4237
- pitex, 4238
- piton, 4238
- pittetd, 4240
- pitthesis, 4241
- pixelart, 4241
- pixelarttikz, 4242
- pkbbox, 4243
- pkfind, 4244
- pkfix, 4245
- pkfix-helper, 4245
- pkgcheck, 4246
- pkginfo grab , 4247
- pkgloader, 4248
- pkuthss, 4249
- pkware, 4250
- pl, 4251
- pl-mf, 4252
- placeat, 4253
- placeins, 4254
- placeins-plain, 4254
- plain, 4255
- plain-cm, 4256
- plain-l tx , 4256
- plain-widow, 4257
- plainmisc, 4258
- plainpkg, 4258
- plainyr, 4259
- plantslabels, 4260
- plantuml, 4261
- plari, 4262
- plates, 4262
- platex, 4263

- platex-tools, 4264
- platexcheat, 4266
- plautopatch, 4267
- play, 4268
- play-font, 4269
- playcards, 4270
- playfair, 4271
- plcalendar, 4272
- plex, 4273
- plex-otf, 4274
- plfonts, 4275
- plhyph, 4276
- plimsoll, 4276
- plipsum, 4277
- plnfss, 4278
- plpsfont, 4279
- plstmary, 4280
- pm-isomath, 4281
- pmat, 4282
- pmboxdraw, 4282
- pmcstex, 4283
- pmdb, 4284
- pmdpl, 4285
- pmdraw, 4286
- pmgraph, 4287
- pmhanguljamo, 4287
- pmtex, 4289
- pmx, 4289
- pmxchords, 4290
- pnas, 4291
- pnas2009, 4292
- png2pdf, 4293
- poemscol, 4293
- poetica, 4294
- poetry, 4295
- poetrytex, 4296
- pointruler, 4297
- poiretone, 4297
- polexpr, 4299
- poligraf, 4300
- polishlipsum (alias for bredzenie), 767
- polski, 4301
- poltawski, 4302
- polyglossia, 4303
- polyhedra, 4305
- polynom, 4306
- polynomial, 4307
- polyomino, 4307
- polytable, 4308
- poorman, 4309
- poormanlog, 4310
- popupmenu, 4311
- portable-miktex, 4312
- portland, 4313
- pos-at, 4313
- postage, 4314
- postcards, 4315
- poster, 4316
- poster-mac, 4317
- postit, 4318
- postnotes, 4319
- powerdot, 4320
- powerdot-fuberlin, 4321
- powerdot-tuliab, 4322
- ppchtex, 4323
- pphlp, 4323
- ppmcheckpdf, 4324
- ppower4, 4325
- ppr-prv, 4326
- ppt-slides, 4326
- pracjourn, 4327
- practical-latex, 4328
- practicalreports, 4329
- precattl, 4329
- prelim, 4330
- prelim2e, 4331
- prepr, 4332
- preprint, 4333
- prerex, 4334
- present, 4335
- presentations, 4336
- presentations-en, 4336
- pressrelease, 4337
- prettyref, 4338
- prettytok, 4339
- preview, 4340
- preview-latex, 4341
- prftree, 4341
- principia, 4342
- printbib, 4343
- printlen, 4344
- prisma-flow-diagram, 4345
- proba, 4346
- probsoln, 4347

- proc, 4348
- processkv, 4349
- prociagssymp, 4350
- prodint, 4351
- productbox, 4352
- profcollege, 4353
- proflabo, 4354
- proflycee, 4355
- profmaquette, 4356
- profsio, 4357
- progkeys, 4358
- program, 4359
- progress, 4360
- progressbar, 4361
- projlib, 4362
- pronunciation, 4363
- proof, 4364
- proof-at-the-end, 4364
- proofread, 4365
- proofs, 4367
- prooftrees, 4367
- properties, 4369
- proposal, 4369
- prosper, 4370
- protecteddef, 4371
- protex, 4372
- protext, 4373
- protocol, 4374
- protosem, 4375
- prtec, 4376
- prv, 4377
- przechlewski-book, 4377
- ps2eps, 4378
- ps2mf, 4379
- ps2pk, 4380
- ps4mf, 4381
- ps4mf-dos, 4381
- ps4pdf, 4382
- ps_conv, 4383
- ps_view, 4383
- psbao, 4384
- psbox, 4385
- psboxit, 4385
- pseudo, 4386
- pseudocode, 4387
- psfig, 4388
- psfixbb, 4389
- psfont, 4389
- psfonts, 4390
- psfonts-tools, 4391
- psfrag, 4391
- psfrag-italian, 4392
- psfragger, 4393
- psfragx, 4394
- psgo, 4395
- psgreek, 4396
- psizl, 4397
- pslatex, 4397
- psmerge, 4398
- psnfss, 4399
- psnfss-source, 4400
- psnfssx, 4401
- psnfssx-8r, 4402
- psnfssx-adobe, 4403
- psnfssx-em, 4403
- psnfssx-luc (alias for lucidabr), 3334
- pspic, 4404
- pspicture, 4405
- psrip, 4405
- pssplit, 4406
- pst-2dplot, 4407
- pst-3d, 4408
- pst-3dplot, 4408
- pst-abspos, 4409
- pst-am, 4410
- pst-antiprism, 4411
- pst-arrow, 4412
- pst-asr, 4413
- pst-bar, 4414
- pst-barcode, 4415
- pst-bezier, 4416
- pst-blur, 4417
- pst-bspline, 4418
- pst-calculate, 4419
- pst-calendar, 4420
- pst-cie, 4421
- pst-circ, 4422
- pst-coil, 4423
- pst-contourplot, 4424
- pst-cox, 4425
- pst-dart, 4426
- pst-dbicons, 4427
- pst-diffraction, 4428
- pst-electricfield, 4429

- pst-eps, 4430
- pst-eucl, 4431
- pst-eucl-translation-bg, 4432
- pst-exa, 4433
- pst-feyn, 4434
- pst-fill, 4435
- pst-fit, 4436
- pst-flags, 4437
- pst-fourbarlinkage, 4438
- pst-fp, 4439
- pst-fr3d, 4439
- pst-fractal, 4440
- pst-fun, 4441
- pst-func, 4442
- pst-gantt, 4443
- pst-gears, 4444
- pst-geo, 4445
- pst-geometrictools, 4446
- pst-gr3d, 4447
- pst-grad, 4448
- pst-graphicx, 4449
- pst-hsb, 4449
- pst-infixplot, 4450
- pst-intersect, 4451
- pst-jtree, 4452
- pst-kepler, 4453
- pst-knot, 4454
- pst-labo, 4455
- pst-layout, 4456
- pst-lens, 4457
- pst-light3d, 4458
- pst-lsystem, 4459
- pst-magneticfield, 4460
- pst-marble, 4461
- pst-massspring, 4462
- pst-math, 4463
- pst-mirror, 4464
- pst-moire, 4465
- pst-node, 4466
- pst-nutation, 4467
- pst-ob3d, 4468
- pst-ode, 4469
- pst-optexp, 4470
- pst-optic, 4471
- pst-osci, 4472
- pst-ovl, 4473
- pst-pad, 4474
- pst-pdf, 4475
- pst-pdgr, 4476
- pst-perspective, 4477
- pst-platon, 4478
- pst-plot, 4479
- pst-poker, 4480
- pst-poly, 4481
- pst-pulley, 4482
- pst-qtree, 4483
- pst-rputover, 4484
- pst-rubans, 4484
- pst-shell, 4485
- pst-sigsys, 4486
- pst-slpe, 4487
- pst-solarsystem, 4488
- pst-solides3d, 4489
- pst-soroban, 4491
- pst-spectra, 4491
- pst-spectrum, 4492
- pst-sphericaltrochoid, 4493
- pst-spinner, 4494
- pst-spirograph, 4495
- pst-stru, 4496
- pst-support, 4497
- pst-text, 4497
- pst-thick, 4498
- pst-tools, 4499
- pst-tree, 4500
- pst-turtle, 4501
- pst-tvz, 4502
- pst-uml, 4503
- pst-vectorian, 4504
- pst-vehicle, 4504
- pst-venn, 4506
- pst-vowel, 4507
- pst-vue3d, 4508
- pst-xkey, 4509
- pst2pdf, 4510
- pstdoc, 4511
- pstex, 4512
- pstoedit, 4512
- pstool, 4513
- pstotext, 4514
- pstrees, 4515
- pstricks (alias for pstricks-base), 4517
- pstricks-add, 4515
- pstricks-base, 4517

- pstricks-calcnates, 4518
- pstricks-examples, 4519
- pstricks-examples-7, 4520
- pstricks-examples-en, 4520
- pstring, 4521
- psu-thesis, 4522
- psutils, 4523
- ptex, 4524
- ptex-base, 4524
- ptex-fontmaps, 4525
- ptex-fonts, 4526
- ptex-manual, 4527
- ptex-texmf, 4528
- ptex2pdf, 4529
- ptext, 4530
- pthyphs, 4531
- ptlatexcommands, 4531
- ptmsc, 4532
- ptolemaicastronomy, 4533
- ptptex, 4534
- ptsans, 4535
- ptserif, 4536
- punk, 4537
- punk-latex, 4538
- punknova, 4538
- purifyeps, 4539
- puyotikz, 4540
- pwebmac, 4541
- pwt, 4542
- pxbase, 4543
- pxchfon, 4544
- pxcjkcat, 4545
- pxfonts, 4546
- pxgreek, 4547
- pxjahyper, 4548
- pxjodel, 4549
- pxpgfmark, 4550
- pxpic, 4551
- pxrubrica, 4552
- pxtatescale, 4553
- pxtxalfa, 4554
- pxufont, 4555
- pybib, 4556
- pybliographer, 4556
- pydocstrip, 4557
- pygmentex, 4558
- pyjupyter, 4559
- pyluatex, 4560
- pynotebook, 4561
- python, 4562
- pythonhighlight, 4563
- pythonimmediate, 4564
- pythontex, 4565
- pzccal, 4567
- q-and-a, 4568
- qbibman, 4570
- qcircuit, 4570
- qcm, 4571
- qdtexvpl, 4572
- qed, 4573
- qfig, 4573
- qfonts, 4574
- qm, 4575
- qms, 4576
- qobitree, 4576
- qrbill, 4577
- qrcode, 4578
- qrcodetikz, 4579
- qrcstamps, 4580
- qsharp, 4581
- qstest, 4582
- qsymbols, 4583
- qtree, 4583
- qualitype, 4585
- quantikz, 4586
- quantum-chemistry-bonn, 4587
- quantumarticle, 4588
- quantumcubemodel, 4589
- quattrocento, 4590
- query-astro, 4592
- quickderivs, 4593
- quickreaction, 4594
- quicktype, 4595
- quiver, 4595
- quiz2socratic, 4596
- quizztex, 4597
- quotation, 4598
- quotchap, 4599
- quote, 4600
- quotes, 4601
- quoting, 4601
- quotmark, 4602
- quran, 4603
- quran-bn, 4605

- quran-de, 4606
- quran-en, 4607
- quran-es, 4608
- quran-id, 4609
- quran-ur, 4610
- qworld, 4611
- qyxf-book, 4613
- r-und-s, 4614
- r2bib, 4615
- ragged, 4616
- ragged2e, 4617
- raggedr, 4618
- rail, 4618
- rainbowbrackets, 4619
- rake4latex, 4620
- raleway, 4621
- ran_toks, 4622
- randbild, 4623
- randexam, 4624
- randintlist, 4625
- random, 4626
- randomlist, 4627
- randomwalk, 4628
- randtext, 4629
- rangecite, 4630
- rangen, 4630
- rank-2-roots, 4631
- ransom, 4632
- ratex, 4633
- ratexdb, 4633
- rawfonts, 4634
- rawprint, 4635
- rbt-mathnotes, 4636
- rccol, 4637
- rcs, 4638
- rcs-multi, 4639
- rcs-pln, 4640
- rcsinfo, 4641
- readablecv, 4642
- readarray, 4643
- readprov, 4644
- realboxes, 4645
- realcalc, 4646
- realhats, 4646
- realscripts, 4647
- realtranspose, 4648
- rebuttal, 4649
- rec-thy, 4650
- recipe, 4651
- recipebook, 4652
- recipcard, 4653
- recorder-fingering, 4654
- rectopma, 4655
- recycle, 4656
- redefine, 4657
- redis, 4657
- redit, 4658
- refcheck, 4659
- refcount, 4660
- refenums, 4661
- refer, 4662
- refer-tools, 4662
- references, 4663
- reflectgraphics, 4664
- refman, 4665
- refreshpdf, 4666
- refstyle, 4666
- regcount, 4667
- regexpatch, 4668
- register, 4669
- register-transfer-level, 4670
- regstats, 4671
- regulatory, 4672
- reledmac, 4673
- reledpar, 4674
- relenc, 4675
- resize, 4676
- removefr, 4677
- remreset, 4677
- renditions, 4678
- reotex, 4679
- repeat, 4680
- repeatindex, 4680
- repere, 4681
- repltext, 4682
- report, 4683
- reptheorem, 4684
- required, 4685
- rerunfilecheck, 4686
- res, 4687
- rescansync, 4687
- resizegather, 4688
- resmes, 4689
- resolssysteme, 4690

resphilosophica, 4691
 responsive, 4692
 rest-api, 4693
 resumecls, 4694
 resumemac, 4695
 retosmaticos, 4696
 returrtogrid, 4697
 reverxii, 4698
 revnum, 4699
 revquantum, 4700
 revtex, 4701
 revtex4-0, 4702
 revtex4-1, 4703
 rfc2bib, 4704
 rfil, 4705
 rgb, 4705
 rgltxdoc, 4706
 ribbonproofs, 4707
 richtext, 4708
 rigidnotation, 4709
 rit-fonts, 4710
 rjlparshap, 4711
 rlepsz, 4712
 rmannot, 4713
 rmathbr, 4714
 rmligs, 4715
 rmpage, 4715
 rmthm, 4716
 rnototex, 4717
 robot-man, 4717
 robotarm, 4718
 roboto, 4719
 robust-externalize, 4720
 robustcommand, 4721
 robustindex, 4722
 rojud, 4723
 romanbar, 4724
 romanbarpagenumber, 4725
 romandeadf, 4726
 romaniantex, 4727
 romanneg, 4727
 romannum, 4728
 rorlink, 4729
 rosario, 4730
 rotate, 4731
 rotate-textures, 4731
 rotating, 4732
 rotchiffre, 4733
 rotfloat, 4734
 rotpages, 4735
 rotunda, 4736
 rouequations, 4737
 roundbox, 4738
 roundrect, 4739
 rpg-module, 4740
 rpgicons, 4741
 rplain, 4742
 rputover, 4742
 rrgtrees, 4743
 rsc, 4744
 rsfs, 4745
 rsfso, 4746
 rst, 4747
 rterface, 4748
 rtf2latex2e, 4749
 rtf2tex, 4750
 rtkinenc, 4750
 rtklage, 4751
 rtsched, 4752
 rub-kunstgeschichte, 4753
 rubik, 4754
 rubikcube, 4756
 rubikrotation, 4757
 rubiktwocube, 4758
 ruhyphen, 4759
 rule-d, 4759
 ruled-tables, 4760
 ruler, 4761
 rulerbox, 4761
 rulercompass, 4762
 runcode, 4763
 rune, 4764
 runic, 4765
 runtex, 4766
 runtexfile, 4767
 runtexshebang, 4768
 ruscip, 4769
 russ, 4770
 russian-help, 4771
 rustic, 4772
 rutitlepage, 4772
 rvviewport, 4773
 rvwrite, 4774
 rwth-ci, 4775

- ryersonsgsthe^{sis}, 4777
- ryethesis, 4778
- s2latex, 4779
- sa-tikz, 4779
- sacsymb, 4780
- sae, 4781
- saferef, 4782
- sageep, 4782
- sagetex, 4783
- sam2p, 4784
- samples, 4785
- sanhyph, 4786
- sanitize-umlaut, 4786
- sankey, 4787
- sans, 4788
- sanskrit, 4789
- sanskrit-t1, 4790
- sansmath, 4791
- sansmathaccent, 4791
- sansmathfonts, 4792
- sapthesis, 4793
- sarabian, 4794
- sasnrdisplay, 4795
- sauerj, 4796
- sauter, 4797
- sauterfonts, 4798
- saveenv, 4798
- savefnmark, 4799
- savesym, 4800
- savetrees, 4801
- sblarticle, 4802
- sblbook, 4803
- sblfonts, 4804
- sblidx, 4805
- sblreport, 4806
- sbtex, 4807
- sc21, 4807
- sc21-wg1, 4808
- scale, 4808
- scalebar, 4809
- scalefnt, 4810
- scalerel, 4811
- scaletextbullet, 4812
- scanpages, 4813
- schedule, 4814
- schedule209, 4815
- schemabloc, 4815
- schemata, 4816
- schemetex, 4817
- schemeweb, 4818
- schola-otf, 4818
- scholax, 4819
- schooldocs, 4821
- schule, 4822
- schulmathematik, 4823
- schulschriften, 4824
- schwalbe-chess, 4825
- schwell, 4826
- scientific-thesis-cover, 4826
- scientificauthor, 4828
- scientificpaper, 4828
- scientificviewer, 4829
- scikgtex, 4830
- sciposter, 4831
- sciwordconv, 4832
- sclang-prettyfier, 4832
- scmac, 4833
- scontents, 4834
- scorecard, 4835
- scrabble, 4835
- scraddr, 4836
- scrambledenvs, 4837
- scrartcl, 4838
- scrarticle (alias for scrartcl), 4838
- scratch, 4839
- scratch3, 4840
- scratchx, 4841
- scrbase, 4842
- scrbook, 4843
- scrdate, 4845
- screen, 4846
- screenplay, 4846
- screenplay-pkg, 4847
- scrextend, 4848
- scrhack, 4849
- scrindex, 4850
- script, 4851
- script-font, 4852
- scriptfonts, 4853
- scripttex, 4853
- scripture, 4854
- scrjrn1, 4855
- scrjura, 4856
- scr1ayer, 4857

- scrlayer-fancyhdr, 4858
- scrlayer-notecolumn, 4859
- scrlayer-scrpage, 4860
- scrletter, 4861
- scrfile, 4862
- scrlltr2, 4863
- scrlltr2copy, 4864
- scrpage2, 4865
- scrreport (alias for scrreprt), 4866
- scrreprt, 4866
- scrtime, 4867
- scrwfile, 4868
- scsnowman, 4869
- scyrillic, 4870
- sdaps, 4870
- sdr, 4872
- sduthesis, 4873
- se2thesis, 4874
- seatingchart, 4875
- secdot, 4876
- seceqn, 4877
- secnum, 4877
- secret, 4878
- secretx, 4879
- section, 4880
- sectionbox, 4881
- sectionbreak, 4881
- sectsty, 4882
- seealso, 4883
- sehyph, 4884
- selectp, 4884
- selectpage, 4885
- selinput, 4886
- selnolig, 4887
- semantex, 4888
- semantic, 4889
- semantic-markup, 4890
- semaphor, 4891
- semesterplanner, 4892
- semesterplannerlua, 4893
- seminar, 4894
- semioneside, 4895
- semproc, 4896
- semtex, 4897
- semtrans, 4898
- sentences, 4898
- sepfootnotes, 4899
- sepnum, 4900
- seqcalc, 4901
- seqsplit, 4902
- serbian-apostrophe, 4903
- serbian-book, 4904
- serbian-date-lat, 4904
- serbian-def-cyr, 4905
- serbian-lig, 4906
- serbianpart, 4907
- serial, 4908
- sesmanuel, 4908
- sesstime, 4909
- setdeck, 4910
- setouterhbox, 4911
- setspace, 4912
- setspaceenhanced, 4913
- setstrut, 4914
- settobox, 4914
- settosize, 4915
- settosize-ltx, 4916
- seu-ml-assign, 4916
- seuthesis, 4917
- seuthesix, 4918
- sexam, 4919
- sf298, 4920
- sfarticle, 4921
- sfee, 4922
- sffms, 4923
- sfg, 4924
- sfheaders, 4924
- sfm, 4925
- sfwmac, 4926
- sgame, 4926
- sgmlcmpt, 4927
- shadbox, 4928
- shade, 4928
- shadebox, 4929
- shadethm, 4930
- shading, 4931
- shadow, 4932
- shadowtext, 4932
- shalom, 4933
- shapepar, 4934
- shapepatch, 4935
- shapes, 4935
- sharedline, 4936
- shavian, 4937

- shdoc, 4938
- shellesc, 4939
- shhyphl, 4940
- shipunov, 4940
- shlatex, 4942
- shobhika, 4943
- short-math-guide, 4944
- shortcuttool, 4945
- shortlst, 4946
- shortmathj, 4947
- shorttoc, 4948
- shortvrb, 4948
- show-pdf-tags, 4949
- show2e, 4950
- showcharinbox, 4951
- showdim, 4952
- showexpl, 4953
- showframe, 4954
- showhyphenation, 4954
- showhyphens, 4955
- showkerning, 4956
- showkeys, 4957
- showlabels, 4958
- showtags, 4959
- shsulet, 4960
- shtthesis, 4961
- shuffle, 4962
- si, 4963
- siam, 4964
- side, 4964
- sidecap, 4965
- sidenotes, 4966
- sidenotesplus, 4967
- sides, 4968
- siggraph, 4969
- signchart, 4970
- sikumuna, 4971
- silence, 4971
- sillypage, 4972
- sim-os-menus, 4973
- simple-resume-cv, 4974
- simple-thesis-dissertation, 4975
- simplebnf, 4976
- simplecd, 4977
- simplecv, 4978
- simpleicons, 4979
- simpleinvoice, 4980
- simplekv, 4981
- simplenodes, 4982
- simpleoptics, 4983
- simpler-wick, 4984
- simples-matrices, 4985
- simplesystemtex, 4986
- simplewick, 4987
- simplex, 4988
- simplified-latex, 4989
- simplivre, 4989
- simpsons, 4991
- simurgh, 4992
- sines, 4993
- sinhala, 4993
- sirlin, 4994
- sistyle, 4994
- sitem, 4995
- siunits, 4996
- siunitx, 4997
- sjtutex, 4998
- skak, 5000
- skaknew, 5001
- skb, 5002
- skdoc, 5003
- skeldoc, 5004
- sketch, 5005
- skeycommand, 5006
- skeyval, 5007
- skillicons, 5007
- skills, 5008
- skmath, 5009
- skrapport, 5010
- skull, 5011
- slantsc, 5012
- slashbox, 5013
- slashed, 5013
- slatex, 5014
- slatex-scheme, 5015
- slatex-scheme (alias for slatex-scheme), 5015
- slem, 5015
- slemph, 5016
- slhyph, 5017
- slidenotes, 5017
- slides, 5018
- slideshow, 5019
- slixte, 5020

- sltables, 5021
- smallcap, 5022
- smaller, 5022
- smalltableof, 5023
- smalltalk, 5024
- smart-eqn, 5024
- smartdiagram, 5025
- smartmn, 5026
- smartnotes, 5027
- smartref, 5028
- smartunits, 5029
- smflatex, 5030
- smiletex, 5031
- snapshot, 5031
- snaptodo, 5032
- sneaker, 5033
- snote, 5034
- snotez, 5035
- sober, 5036
- sobolev, 5037
- softfonts, 5037
- softmaker-alteschwabacher, 5038
- softmaker-artistic, 5039
- softmaker-baskervillenova, 5040
- softmaker-bonita, 5041
- softmaker-broadway, 5042
- softmaker-canossa, 5043
- softmaker-congress, 5044
- softmaker-delanocaps, 5045
- softmaker-digital, 5046
- softmaker-egyptiennestd, 5047
- softmaker-flagstaff, 5048
- softmaker-freefont (alias for
softmakerfreefont), 5068
- softmaker-grenoble, 5049
- softmaker-helium, 5050
- softmaker-heliumtwo, 5051
- softmaker-henderson, 5052
- softmaker-iceberg, 5053
- softmaker-inverserif, 5054
- softmaker-jugendstil, 5055
- softmaker-marseille, 5056
- softmaker-moab, 5057
- softmaker-nevada, 5058
- softmaker-newcastle, 5059
- softmaker-oldblackletter, 5060
- softmaker-quadrat, 5061
- softmaker-stonehand, 5062
- softmaker-sunset, 5063
- softmaker-tampa, 5064
- softmaker-vagrounded, 5065
- softmaker-velo, 5066
- softmaker-veracruz, 5067
- softmakerfreefont, 5068
- somedefs, 5070
- songbook, 5071
- songproj, 5072
- songs, 5073
- sorhyph, 5074
- sort-by-letters, 5075
- soton, 5075
- soul, 5076
- soulpos, 5077
- soulutf8 (alias for soul), 5076
- soup, 5078
- source2e, 5079
- sourcecodepro, 5080
- sourcesans, 5081
- SourceSansPro (alias for sourcesans),
5081
- sourceserif, 5082
- SourceSerifPro (alias for sourceserif),
5082
- southarabian, 5083
- soyombo, 5084
- spacekern, 5085
- spacingtricks, 5086
- spain, 5087
- spalign, 5087
- spanish (alias for babel-spanish), 389
- spanish-mx, 5089
- spark-otf, 5090
- sparklines, 5091
- spath3, 5092
- spbmark, 5093
- spectral, 5094
- spectralsequences, 5095
- spelatex, 5096
- spelling, 5097
- sphack, 5098
- sphdthesis, 5099
- sphyphb, 5100
- spiderweb, 5100
- spie, 5101

- spim-phdthesisthemes, 5102
- spix, 5103
- splentinex, 5105
- splines, 5106
- splint, 5107
- split, 5107
- splitbib, 5108
- splitindex, 5109
- spot, 5110
- spotcolor, 5111
- spotxcolor, 5112
- spreadtab, 5113
- springer, 5114
- sprite, 5114
- spverbatim, 5115
- sqltex, 5116
- sqrcaps, 5117
- sr-half-compound, 5118
- sr-hyphen-spec, 5119
- sr-vorl, 5120
- srbtiks, 5121
- srcltx, 5122
- srcredact, 5122
- srdp-mathematik, 5123
- srhyphc, 5124
- srune, 5125
- sseq, 5126
- sshdbk10, 5126
- sshrc-insight, 5127
- sslides, 5128
- ssqquote, 5129
- stables, 5130
- stabular, 5130
- stack, 5131
- stackengine, 5132
- stackrel, 5133
- stage, 5134
- stampinclude, 5135
- standalone, 5136
- standardsectioning, 5137
- stanli, 5138
- starfont, 5139
- starray, 5140
- startex, 5141
- StartLaTeX2e (alias for
yet-another-guide-latex2e), 6211
- statementssp, 5142
- statex, 5143
- statex2, 5143
- statistics, 5144
- statistik, 5145
- statmath, 5146
- statrep, 5147
- staves, 5148
- stdclsdv, 5149
- stdpage, 5150
- stealcaps, 5151
- steinmetz, 5152
- stellenbosch, 5153
- stellenbosch-2, 5155
- step, 5156
- stepgreek, 5158
- stex, 5159
- stfloats, 5160
- stickstoo, 5161
- stix, 5162
- stix2-otf, 5163
- stix2-type1, 5165
- stmaryrd, 5166
- stocksize, 5167
- stoneipa, 5168
- storebox, 5169
- storecmd, 5170
- strands, 5171
- streetex, 5172
- stretchy, 5173
- stricttex, 5174
- string-diagrams, 5175
- stringenc, 5176
- stringstrings, 5177
- structmech, 5178
- structuredlog, 5179
- struktex, 5180
- sttools, 5181
- stubs, 5182
- studenthandouts, 5182
- studies-lm, 5183
- sty2dtx, 5184
- style-showcase, 5185
- styledcmd, 5186
- styleitems, 5187
- suanpan, 5188
- suanpan-l3, 5189
- subcaption, 5190

- subdepth, 5191
- subdocs, 5192
- subeqn, 5193
- subeqnarray, 5194
- subfig, 5195
- subfigmat, 5196
- subfigure, 5197
- subfiles, 5198
- subfloat, 5199
- sublabel, 5200
- subscript, 5200
- substances, 5201
- substitutefont, 5202
- substr, 5203
- subsupscripts, 5204
- subtext, 5205
- sudoku, 5206
- sudokubundle, 5207
- sueterlin, 5208
- suffix, 5209
- suftesi, 5209
- sugconf, 5210
- sunpath, 5211
- superiors, 5212
- supertabular, 5213
- suppose, 5214
- susy, 5215
- suthesis, 5216
- sverb, 5216
- svg, 5217
- svg-animate, 5218
- svg-inkscape, 5220
- svgcolor, 5221
- svn, 5221
- svn-multi, 5222
- svn-prov, 5224
- svninfo, 5225
- svrsymbols, 5226
- swebib, 5227
- swetex, 5227
- swfigure, 5228
- swiftex, 5229
- swimgraf, 5229
- switch, 5230
- switcheml, 5231
- swrule, 5232
- swungdash, 5233
- syllogism, 5234
- symbats3, 5235
- symbolindex, 5236
- sympycalc, 5236
- sympytex, 5237
- synapsen, 5238
- synctex-parser, 5239
- syngen, 5240
- synproof, 5241
- syntax-mdw, 5242
- syntax2, 5243
- syntaxdi, 5243
- synthslant, 5244
- syntonly, 5245
- syntrace, 5246
- synttree, 5247
- syriac, 5248
- systcontrolletters, 5248
- systeme, 5249
- sysuthesis, 5250
- t-angles, 5251
- t1-fraktur, 5252
- t1enc, 5253
- t1infos, 5253
- t1subset, 5254
- t1tools, 5255
- t1utils, 5256
- t2, 5257
- tab4tex, 5258
- tabbing, 5258
- tabbingbox, 5259
- tabfigures, 5260
- table-fct, 5261
- tableauvariations, 5262
- tableaux, 5263
- tablefootnote, 5264
- tableof, 5265
- tablericons, 5266
- tables, 5267
- tablestyles, 5267
- tablists, 5268
- tablor, 5269
- tabls, 5270
- tablvar, 5271
- tabriz-thesis, 5272
- tabsatz, 5273
- tabstackengine, 5274

- tabto (alias for tabto-ltx), 5275
- tabto-generic, 5275
- tabto-ltx, 5275
- tabu, 5276
- tabular2, 5278
- tabularborder, 5279
- tabularcalc, 5279
- tabularew, 5280
- tabularht, 5281
- tabularkv, 5282
- tabularray, 5283
- tabularray-abnt, 5284
- tabulars-e, 5285
- tabularx, 5285
- tabulary, 5286
- tabvar, 5287
- tabverb, 5288
- tagging, 5289
- tagpair, 5290
- tagpdf, 5291
- talk, 5292
- talos, 5293
- tamefloats, 5294
- tamethebeast, 5295
- tamil-omega, 5295
- tangle, 5296
- tango, 5297
- tango-weevil, 5298
- tangocolors, 5299
- tangramtikz, 5300
- tap, 5301
- tape, 5302
- tapir, 5302
- tasks, 5303
- taylor, 5304
- tbe, 5305
- tblr-extras, 5306
- tccompact, 5307
- tcldoc, 5307
- tlctexed, 5308
- tcobrowser, 5309
- tcobox, 5309
- tcvn, 5311
- tdclock, 5311
- tds, 5312
- tdsfrmath, 5313
- techexplorer, 5314
- technica, 5314
- technics, 5315
- technion-thesis-template, 5316
- techreport, 5317
- ted, 5317
- teencontrex, 5318
- telprint, 5319
- telugu, 5320
- templates-fenn, 5320
- templates-sommer, 5321
- templatetools, 5322
- tempora, 5323
- temporal-logic, 5324
- tengtex, 5325
- tengwar, 5326
- tengwarscript, 5326
- tensind, 5328
- tensor, 5329
- tensormatrix, 5330
- termcal, 5331
- termcal-de, 5332
- termes-otf, 5333
- terminalcode, 5334
- termlist, 5335
- termmenu, 5335
- termsim, 5336
- tesla, 5337
- testeq, 5338
- testflow, 5339
- testfont, 5340
- testthyphens, 5340
- testidx, 5341
- testmath, 5342
- tetex, 5343
- tetragonos, 5344
- teubner, 5345
- tex, 5346
- TeX Converter (alias for tex-converter), 5348
- tex-xet, 5347
- tex-converter, 5348
- tex-ewd, 5348
- tex-extensions, 5349
- tex-font-errors-cheatsheet, 5350
- tex-fpc, 5351
- tex-gpc, 5352
- tex-gyre, 5353

- tex-gyre-adventor, 5354
- tex-gyre-bonum, 5356
- tex-gyre-chorus, 5357
- tex-gyre-cursor, 5358
- tex-gyre-heros, 5359
- tex-gyre-math, 5360
- tex-gyre-math-bonum, 5361
- tex-gyre-math-dejavu, 5362
- tex-gyre-math-pagella, 5363
- tex-gyre-math-schola, 5364
- tex-gyre-math-termes, 5365
- tex-gyre-pagella, 5366
- tex-gyre-schola, 5367
- tex-gyre-termes, 5368
- tex-implementors, 5369
- tex-in-practice, 5370
- tex-ini-files, 5370
- tex-it, 5371
- tex-it (alias for tex-it), 5371
- tex-kurs, 5372
- tex-label, 5372
- tex-locale, 5373
- tex-mag, 5374
- tex-math, 5375
- tex-nutshell, 5376
- tex-overview, 5377
- tex-ps, 5377
- tex-references, 5378
- tex-virtual-academy-pl, 5379
- tex-vpat, 5380
- tex2bib, 5381
- tex2ltx, 5381
- tex2mail, 5382
- tex2page, 5382
- tex2rtf, 5383
- tex2tok, 5384
- tex2word, 5384
- tex4ebook, 5385
- tex4ht, 5386
- texaccents, 5387
- texapi, 5388
- texas, 5389
- texblend, 5389
- texbook, 5390
- texbuch, 5391
- texbytopic, 5392
- texcad32, 5393
- texchord, 5393
- texcount, 5394
- texdate, 5395
- texdef, 5396
- texdepend, 5397
- texdeps, 5397
- texdiff, 5398
- texdimens, 5399
- texdirflatten, 5400
- texdoc, 5401
- texdoctk, 5402
- texdraw, 5403
- texed, 5404
- texemplar, 5404
- texfaq, 5405
- texfaq (alias for texfaq), 5405
- texfilt, 5406
- texfindpkg, 5406
- texfot, 5407
- texgit, 5408
- texhax, 5409
- texi2dvi-latest, 5410
- texi2html, 5411
- texi2roff, 5411
- texi2www, 5412
- texilikechaps, 5412
- texilikecover, 5413
- texindex, 5414
- texinfo, 5414
- texinfo-hu, 5415
- texinfo-latest, 5416
- texlab, 5417
- texline, 5418
- texlipse, 5418
- texlist, 5419
- texlive, 5420
- texlive-dummy-enterprise-linux, 5421
- texlive-dummy-enterprise-linux-6, 5422
- texlive-dummy-enterprise-linux-7, 5422
- texlive-dummy-enterprise-linux-8, 5423
- texlive-dummy-fedora, 5424
- texlive-dummy-opensuse, 5425
- texlive-repo, 5426
- texlive-source, 5426
- texliveonfly, 5427
- texlog-extract, 5428

- texlog-extract (alias for texlog-extract),
5428
- texloganalyser, 5429
- texlogfilter, 5429
- texlogos, 5430
- texlogsieve, 5431
- texmacs, 5432
- texmalli, 5433
- texmate, 5433
- texments, 5434
- texmuse, 5435
- texnegar, 5436
- texniccenter, 5437
- texonly, 5438
- texosquery, 5439
- texpack, 5441
- texperf, 5441
- texpict, 5442
- texpictex, 5443
- texplate, 5443
- texpower, 5444
- texproject, 5445
- texproposal, 5446
- texref, 5447
- texrocks, 5448
- texshade, 5449
- texshell, 5450
- texshell32, 5451
- texshop, 5452
- texsis, 5452
- texsketch, 5453
- texspell, 5454
- texsurgery, 5454
- text1, 5455
- text2bib, 5456
- textarea, 5457
- textcase, 5457
- textcomp, 5458
- textcsc, 5459
- textfit, 5460
- textglos, 5461
- textgreek, 5462
- textmerg, 5462
- textool, 5463
- texttoolspro, 5464
- textopo, 5465
- textpath, 5466
- textpos, 5467
- textualicomma, 5468
- textures-metrics, 5469
- texvc, 5469
- texware, 5470
- tfmpk, 5471
- tfmpktest, 5472
- tfroupee, 5472
- tgothic, 5473
- tgrind, 5474
- tgrind209, 5475
- thai-rmit, 5475
- thai-usl, 5476
- thaienum, 5477
- thailatex, 5478
- thaispec, 5478
- thalie, 5479
- theanodidot, 5480
- theanommodern, 5482
- theanooldstyle, 5483
- theapa, 5484
- theatre, 5485
- thematicpuzzle, 5486
- theorem, 5487
- theoremref, 5488
- thepdfnumber, 5489
- thermodynamics, 5490
- these, 5491
- thesis, 5492
- thesis-ekf, 5492
- thesis-gwu, 5493
- thesis-qom, 5494
- thesis-titlepage-fhac, 5495
- thinsp, 5496
- thirteen, 5497
- thmbox, 5498
- thmlist, 5499
- thmtools, 5500
- thorshammer, 5501
- threadcol, 5502
- threecol, 5503
- threecolumn, 5504
- threeddice, 5504
- threedldf, 5505
- threeparttable, 5506
- threeparttablex, 5507
- thrmappendix, 5508

- thsmc, 5508
- thuaslogos, 5509
- thubeamer, 5510
- thucoursework, 5511
- thumb, 5513
- thumbpdf, 5513
- thumbs, 5514
- thumby, 5515
- thuthesis, 5516
- tib, 5518
- tibetan, 5519
- ticket, 5519
- ticollege, 5520
- tictactoe, 5521
- tidyres, 5522
- tie, 5523
- tiet-question-paper, 5523
- tif2eps, 5524
- tiff, 5525
- TikZ (alias for pgf), 4165
- tikz-3dplot, 5526
- tikz-among-us, 5527
- tikz-bagua, 5528
- tikz-bayesnet, 5529
- tikz-bbox, 5529
- tikz-bpmn, 5530
- tikz-cd, 5531
- tikz-cookingsymbols, 5532
- tikz-decofonts, 5533
- tikz-dependency, 5534
- tikz-dimline, 5535
- tikz-ext, 5536
- tikz-feynhand, 5537
- tikz-feynman, 5538
- tikz-imagelabels, 5540
- tikz-inet, 5541
- tikz-kalender, 5541
- tikz-karnaugh, 5542
- tikz-ladder, 5544
- tikz-lake-fig, 5545
- tikz-layers, 5546
- tikz-mirror-lens, 5547
- tikz-nef, 5548
- tikz-network, 5549
- tikz-nfold, 5550
- tikz-opm, 5551
- tikz-optics, 5552
- tikz-osci, 5553
- tikz-page, 5554
- tikz-palattice, 5555
- tikz-planets, 5556
- tikz-qtree, 5557
- tikz-relay, 5558
- tikz-sfc, 5559
- tikz-shields, 5560
- tikz-swigs, 5561
- tikz-timing, 5562
- tikz-tracksschematic, 5563
- tikz-triminos, 5564
- tikz-truchet, 5565
- tikz2d-fr, 5566
- tikz3d-fr, 5567
- tikzbrickfigurines, 5568
- tikzbricks, 5569
- tikzcalendarnotes, 5570
- tikzcodeblocks, 5571
- tikzdotncross, 5572
- tikzducks, 5573
- tikzfill, 5574
- tikzfxgraph, 5575
- tikzinclude, 5576
- tikzlings, 5577
- tikzmark, 5579
- tikzmarmots, 5580
- tikzorbital, 5581
- tikzpackets, 5582
- tikzpagenodes, 5583
- tikzpeople, 5584
- tikzpfeile, 5585
- tikzpingus, 5586
- tikzposter, 5587
- tikzquads, 5588
- tikzquests, 5589
- tikzscale, 5590
- tikzsymbols, 5591
- tikztosvg, 5592
- tikzviolinplots, 5593
- tile-graphic, 5594
- tilings, 5595
- timbreicmc, 5596
- time, 5597
- time-gen, 5598
- timechart, 5598
- timeline, 5599

timeop, 5600
 times, 5601
 timetab, 5602
 timetable, 5602
 timing, 5603
 timing-diagrams, 5604
 tinos, 5605
 tinyc2l, 5606
 tipa, 5606
 tipa-de, 5608
 tipauni, 5608
 tipfr, 5610
 tipos, 5611
 tiscreeen, 5611
 titlecaps, 5612
 titlefoot, 5613
 titlepage-uni-dortmund, 5614
 titlepages, 5615
 titlepic, 5615
 titles, 5616
 titleref, 5617
 titles, 5618
 titlesec, 5619
 titletoc, 5620
 titling, 5621
 tkbibtex, 5622
 tkdvi, 5622
 tkhyph, 5623
 tktxcad, 5624
 tkz-base, 5624
 tkz-berge, 5625
 tkz-bernoulli, 5626
 tkz-doc, 5627
 tkz-elements, 5628
 tkz-euclide, 5629
 tkz-fct, 5630
 tkz-graph, 5631
 tkz-grapheur, 5632
 tkz-interval, 5633
 tkz-kiviat, 5634
 tkz-linknodes, 5635
 tkz-orm, 5636
 tkz-tab, 5637
 tkzexample, 5638
 tlaunch, 5639
 tlc-article, 5640
 tlc2-errata, 5641
 tlc2-examples, 5641
 tlc3-examples, 5642
 tlcockpit, 5643
 tlg2latex, 5643
 tlmgr-intro-zh-cn, 5644
 tlmgrbasics, 5645
 tmmath, 5646
 tmmath-fonts, 5646
 tmview, 5647
 to-be-determined, 5648
 toc, 5649
 toc-zar, 5649
 tocbasic, 5650
 tocbibind, 5651
 tocdata, 5652
 tocenter, 5653
 tocloft, 5654
 tocstyle, 5655
 tocvsec2, 5656
 todo, 5657
 todonotes, 5658
 toil, 5659
 tokcycle, 5659
 tokenizer, 5661
 tokglobalstack, 5662
 tokgroupmark, 5663
 tokmap, 5664
 tokstools, 5665
 Tolkienfonts, 5666
 tonevalue, 5667
 toolbox, 5668
 topcapt, 5668
 topfloat, 5669
 topiclongtable, 5670
 topletter, 5671
 topsection, 5672
 toptesi, 5673
 totalcount, 5674
 totcount, 5675
 totpages, 5676
 tpcmfont, 5677
 tpic2pdftex, 5677
 tpslifonts, 5678
 tpx, 5679
 tqft, 5680
 tr2latex, 5681
 trace, 5681

- tracking, 5683
- tracklang, 5683
- trademarks, 5685
- traffic-light-protocol, 5685
- trajan, 5686
- tram, 5687
- tramlines, 5688
- trans, 5689
- transfig, 5690
- translation-array-fr, 5690
- translation-arsclassica-de, 5691
- translation-biblatex-de, 5692
- translation-booktabs-fr, 5693
- translation-chemsym-de, 5693
- translation-dcolumn-fr, 5694
- translation-ecv-de, 5695
- translation-enumitem-de, 5696
- translation-europecv-de, 5696
- translation-filecontents-de, 5697
- translation-footmisc-de, 5698
- translation-moreverb-de, 5699
- translation-natbib-fr, 5699
- translation-pst-jtree-de, 5700
- translation-tabbing-fr, 5701
- translations, 5702
- translator, 5703
- transparent, 5704
- transparent-io, 5705
- tree-dvips, 5706
- treedef, 5707
- treesvr, 5708
- treetex-ltx209, 5708
- treetex-plain, 5709
- trfsigns, 5710
- trig, 5711
- trigonometry, 5712
- trimspaces, 5712
- trivfloat, 5713
- trivialpursuit, 5714
- trsym, 5715
- truchet, 5716
- truecols, 5717
- truetypermetrics, 5717
- truetyperotype42, 5718
- truncate, 5719
- truthtable, 5720
- try, 5721
- tsconfig, 5721
- tsemelines, 5722
- tsipa, 5723
- tsvtemplate, 5723
- tt2001, 5724
- ttf-howto, 5725
- ttf2mf, 5726
- ttf2pfb, 5727
- ttf2pt1, 5727
- ttf2tex, 5728
- ttftogf, 5729
- tth, 5729
- ttn, 5730
- ttt, 5731
- tucv, 5731
- tuda-ci, 5732
- tudscr, 5734
- tufte-latex, 5736
- tugboat, 5737
- tugboat-plain, 5738
- tugboat-toc, 5739
- tui, 5740
- tuple, 5741
- turabian, 5742
- turabian-formatting, 5743
- turkish, 5744
- turkishintro, 5745
- turkmen, 5745
- turnstile, 5746
- turnthepage, 5747
- tutodoc, 5748
- tuzuk, 5749
- tvS, 5751
- twcal, 5751
- tweb, 5752
- twemoji-colr, 5753
- twemojis, 5754
- twocolumns, 5755
- twoinone, 5755
- twoopt, 5756
- twoside, 5757
- twoup-gen, 5757
- twoupLTX, 5758
- twoxtwogame, 5759
- txfonts, 5760
- txfontsb, 5761
- txgreekS, 5762

- txp, 5763
- txt, 5764
- txt2latex, 5764
- txt2tex, 5765
- txuprcal, 5766
- type1cm, 5767
- type1ec, 5768
- typearea, 5768
- typed-checklist, 5770
- typedref, 5771
- typeface, 5772
- typehtml, 5773
- typeoutfileinfo, 5773
- typespec, 5774
- typewriter, 5775
- typicons, 5776
- typoaid, 5777
- typog, 5778
- typografie, 5779
- typogrid, 5780
- typstfun, 5781
- tzplot, 5782
- u8tex, 5783
- uaclasses, 5783
- uafthesis, 5784
- ualberta, 5785
- uantwerpendocs, 5786
- uassign, 5787
- ucalgmthesis, 5788
- ucbthesis, 5789
- ucdavisthesis, 5790
- ucharcat, 5791
- ucharclasses, 5792
- ucph-revy, 5793
- ucs, 5794
- ucsmonograph, 5796
- ucthesis, 5797
- ucthesis209, 5797
- udepcolor, 5798
- udes-genie-these, 5799
- udesoftec, 5800
- udiss, 5801
- uebungsblatt, 5802
- uestcthesis, 5803
- ufrgscca, 5804
- ugarite, 5805
- ugaritic, 5806
- uhc, 5807
- uhhassignment, 5807
- uhrzeit, 5808
- uhthesis, 5809
- uiucrcdborder, 5810
- uiucthesis, 5810
- ukbill, 5811
- ukdate, 5812
- ukhyph, 5813
- ukrhyph, 5814
- uktex, 5815
- uktug-bask, 5815
- ulem, 5816
- ullrcorners, 5817
- ulqda, 5818
- ulsy, 5819
- ulsy-ps, 5819
- ulthese, 5820
- ultratex, 5821
- umbclegislation, 5822
- umich-thesis, 5823
- uml, 5823
- umlaute, 5824
- umoline, 5825
- umrand, 5826
- umthesis, 5826
- umtypewriter, 5827
- unam-thesis, 5828
- unamth-template, 5829
- unamthesis, 5830
- unbtx, 5831
- uncial, 5832
- undar-digitacion, 5832
- undergradmath, 5834
- underlin, 5835
- underlin-generic, 5835
- underoverlap, 5836
- underscore, 5837
- undertilde, 5838
- undertilde-gen, 5838
- undolabl, 5839
- undump, 5840
- unfinished, 5841
- unfonts-core, 5841
- unfonts-extra, 5842
- uni-titlepage, 5843
- uni-wtal-ger, 5846

- uni-wtal-lin, 5847
- unibidi-lua, 5848
- unicode, 5849
- unicode-alphabets, 5849
- unicode-bidi, 5850
- unicode-data, 5851
- unicode-math, 5852
- unicode-math-input, 5854
- unicodfonttable, 5855
- unifith, 5856
- unifront, 5857
- unigrazpub, 5858
- unimath-plain-xetex, 5859
- uninormalize, 5860
- uniquecounter, 5861
- unisc, 5862
- unisugar, 5863
- unitconv, 5864
- unitipa, 5865
- unitn-bimrep, 5866
- units, 5867
- unitsdef, 5868
- universa, 5869
- universalis, 5870
- univie-ling, 5871
- unixman, 5872
- unizgklasa, 5873
- unouter, 5874
- unpacked, 5875
- unravel, 5875
- unswcover, 5876
- unswthesis, 5877
- untex, 5878
- uol-physics-report, 5878
- uothesis, 5879
- uowthesis, 5880
- uowthesisitlepage, 5881
- upca, 5882
- updatemarks, 5883
- upgreek, 5884
- uplatex, 5885
- upmendex, 5886
- upmethodology, 5887
- uppunctlm, 5888
- upquote, 5889
- upref, 5890
- uptex, 5891
- uptex-base, 5892
- uptex-fonts, 5893
- upzhkinsoku, 5894
- urcls, 5895
- uri, 5896
- url, 5897
- urlbst, 5898
- urw, 5899
- urw-antiqua, 5899
- urw-arial, 5900
- urw-base35, 5901
- urw-garamond, 5902
- urw-grotesq, 5903
- urwchancal, 5904
- urwvf, 5905
- uscthis, 5906
- usebib, 5906
- useclass, 5907
- usenix, 5908
- user-persona, 5909
- ushort, 5910
- ushyph, 5911
- uspace, 5912
- uspatent, 5913
- usrguide, 5914
- ut-backref, 5914
- ut-thesis, 5915
- utbmciad-report, 5916
- utexasthesis, 5918
- utf2any, 5919
- utf8add, 5919
- utf8mex, 5920
- utfsym, 5921
- util-half, 5922
- utopia, 5923
- utorontothesis, 5924
- utthesis, 5924
- uvaletter, 5925
- uvlhighlight, 5926
- uwa-colours, 5927
- uwa-letterhead, 5928
- uwa-pcf, 5929
- uwa-pif, 5930
- uwmslide, 5931
- uwthesis, 5932
- uwthesis209, 5932
- va, 5933

- [vak](#), [5934](#)
- [vancouver](#), [5934](#)
- [variablelm](#), [5935](#)
- [variations](#), [5936](#)
- [varindent](#), [5937](#)
- [varindex](#), [5938](#)
- [varioref](#), [5939](#)
- [varisize](#), [5940](#)
- [varsects](#), [5941](#)
- [varsfromjobname](#), [5941](#)
- [varwidth](#), [5942](#)
- [vaucanson-g](#), [5943](#)
- [vc](#), [5944](#)
- [vcell](#), [5945](#)
- [vdm](#), [5945](#)
- [vdmlisting](#), [5946](#)
- [vector](#), [5947](#)
- [vectorlogos](#), [5948](#)
- [venn](#), [5949](#)
- [venndiagram](#), [5949](#)
- [venturisadf](#), [5950](#)
- [verbasef](#), [5951](#)
- [verbatim](#), [5952](#)
- [verbatim-gen](#), [5953](#)
- [verbatim-pln](#), [5954](#)
- [verbatim-tub](#), [5955](#)
- [verbatimbox](#), [5955](#)
- [verbatimcopy](#), [5956](#)
- [verbdef](#), [5957](#)
- [verbinp](#), [5958](#)
- [verbments](#), [5959](#)
- [verbtext](#), [5960](#)
- [verbtim2](#), [5960](#)
- [verdana](#), [5961](#)
- [verifica](#), [5962](#)
- [verifiche](#), [5963](#)
- [verifycommand](#), [5964](#)
- [verse](#), [5965](#)
- [version](#), [5966](#)
- [versions](#), [5967](#)
- [versionotes](#), [5968](#)
- [vertbars](#), [5969](#)
- [vertex](#), [5970](#)
- [vexillology](#), [5971](#)
- [vf-howto](#), [5972](#)
- [vf-knuth](#), [5972](#)
- [vfcomb](#), [5973](#)
- [vfirst](#), [5973](#)
- [vftovp \(alias for vfware\)](#), [5974](#)
- [vfware](#), [5974](#)
- [vgrid](#), [5975](#)
- [vhistory](#), [5976](#)
- [vicentino](#), [5977](#)
- [vietnet](#), [5977](#)
- [viipart](#), [5978](#)
- [viking](#), [5979](#)
- [vispeech](#), [5979](#)
- [visualfaq](#), [5980](#)
- [visualfaq-fr](#), [5981](#)
- [visualpstricks](#), [5982](#)
- [visualtex](#), [5983](#)
- [visuالتيكز](#), [5984](#)
- [visuالتوكس](#), [5985](#)
- [vita](#), [5986](#)
- [vita209](#), [5987](#)
- [vmargin](#), [5987](#)
- [vmspell](#), [5988](#)
- [vmmps](#), [5989](#)
- [vntex](#), [5989](#)
- [vntex-nonfree](#), [5991](#)
- [vocaltract](#), [5991](#)
- [volumes](#), [5992](#)
- [voss-mathcol](#), [5993](#)
- [voss-mathmode](#), [5994](#)
- [vowel](#), [5995](#)
- [vpage](#), [5996](#)
- [vpe](#), [5996](#)
- [vplutils](#), [5997](#)
- [vpp](#), [5998](#)
- [vptovf \(alias for vfware\)](#), [5974](#)
- [vrb](#), [5999](#)
- [vrbexin](#), [5999](#)
- [vrsion](#), [6000](#)
- [vruler](#), [6001](#)
- [vscodeicons](#), [6002](#)
- [vslitex](#), [6003](#)
- [vtable](#), [6003](#)
- [vtex-free](#), [6004](#)
- [vutex](#), [6005](#)
- [vvcode](#), [6006](#)
- [vwcol](#), [6006](#)
- [vxu](#), [6007](#)
- [w-a-schmidt](#), [6008](#)
- [w32tex](#), [6009](#)

- wadalab, 6010
- wallcalendar, 6011
- wallpaper, 6012
- wargame, 6013
- warning, 6014
- warpcol, 6015
- was, 6016
- wasy, 6017
- wasy-type1, 6018
- wasy2 (alias for wasy), 6017
- wasy2-ps (alias for wasy-type1), 6018
- wasysym, 6019
- watermark, 6020
- weave, 6021
- web, 6021
- web2c, 6022
- web2w, 6023
- web9pt, 6024
- webcomp-errata, 6024
- webfiles, 6025
- webguide, 6026
- webmacss, 6026
- webomints, 6027
- webquiz, 6028
- weekday, 6029
- weiqi, 6030
- whatsnote, 6031
- wheelchart, 6032
- wheretotrim, 6033
- wichura-table, 6033
- widetable, 6034
- widows-and-orphans, 6035
- wiggly, 6036
- wiki, 6037
- williams, 6038
- willowtreebook, 6038
- win32-emacs-auctex, 6039
- window, 6040
- windvi, 6041
- windycity, 6041
- winedt, 6042
- winemtex, 6043
- winfonts, 6044
- winlatex, 6045
- winshell, 6045
- wintex2000, 6046
- withargs, 6047
- witharrows, 6048
- withesis, 6049
- wmaainf, 6050
- wmf2eps, 6050
- wmf2epsc, 6051
- wncyr, 6052
- wnri, 6053
- wnri-latex, 6053
- wntamil, 6054
- wochtag, 6055
- woff2ot, 6055
- word2latex, 6056
- word2tex, 6057
- word2x, 6057
- wordcloud, 6058
- wordcount, 6059
- wordle, 6060
- wordlike, 6061
- wordml2latex, 6062
- wordweb, 6063
- worksheet, 6063
- worldflags, 6064
- wotree, 6065
- wp2latex, 6066
- wrapfig, 6067
- wrapfig2, 6068
- wrapstuff, 6069
- wrapstuff-doc-en, 6070
- wright, 6071
- writeongrid, 6071
- wrtfile, 6072
- wsemclassic, 6073
- wsuipa, 6074
- wsuipa2tipa, 6075
- wtref, 6075
- xargs, 6076
- xarticle, 6077
- xassocnt, 6078
- xbibfile, 6079
- xbibtex, 6080
- xbmks, 6080
- xcharter, 6081
- xcharter-math, 6083
- xcite, 6084
- xcjk2uni, 6085
- xcmr, 6086
- xcntperchap, 6086

- xcoffins, 6087
- xcolor, 6088
- xcolor-material, 6089
- xcolor-solarized, 6090
- xcomment, 6091
- xcookybooky, 6092
- xcpdftips, 6093
- xdoc, 6094
- xduthesis, 6096
- xduts, 6097
- xdvi, 6098
- xdvik (alias for xdvi), 6098
- xdvipsk-support, 6099
- xebaposter, 6100
- xexchangebar, 6101
- xecjk, 6102
- xecolor, 6103
- xecolour, 6104
- xecyr, 6105
- xecyrmongolian, 6105
- xeindex, 6106
- xellipsis, 6107
- xepersian, 6108
- xepersian-hm, 6109
- xesearch, 6111
- xesoul, 6112
- xespotcolor, 6113
- xet-tex, 6114
- xetal, 6114
- xetex, 6115
- xetex-def, 6116
- xetex-devanagari, 6117
- xetex-greek, 6118
- xetex-itrans, 6118
- xetex-pstricks, 6119
- xetex-tibetan, 6120
- xetexfontinfo, 6121
- xetexko, 6122
- xetexref, 6123
- xevlua, 6124
- xfakebold, 6125
- xfig, 6126
- xfor, 6126
- xfp, 6127
- xfrac, 6128
- xgalley, 6130
- xgreek, 6131
- xhfill, 6132
- xifthen, 6132
- xii, 6133
- xii-lat, 6134
- ximera, 6135
- xindex, 6136
- xindy, 6137
- xindy-persian, 6138
- xint, 6138
- xint-regression, 6140
- xintexpr (alias for xint), 6138
- xintsession, 6141
- xistercian, 6142
- xits, 6143
- xkcdcolors, 6144
- xkeymask, 6145
- xkeyval, 6146
- xkvltxp, 6147
- xkvview, 6148
- xl2latex, 6149
- xlatex, 6149
- xlop, 6150
- xltable, 6151
- xltxtra, 6152
- xmeaning, 6153
- xml2pmx, 6154
- xmlplay, 6155
- xmltex, 6155
- xmpincl, 6156
- xmuthesis, 6157
- xnewcommand, 6158
- xoptarg, 6159
- xparse, 6159
- xpatch, 6161
- xpdf, 6161
- xpdfopen, 6162
- xpeek, 6163
- xpeekahead, 6164
- xpiano, 6165
- xpicture, 6166
- xpinyin, 6167
- xprintlen, 6168
- xpunctuate, 6169
- xput (alias for pagelayout), 4039
- xq, 6170
- xr, 6170
- xr-hyper, 6172

- xrefwarn, 6173
- xreview, 6173
- xsavebox, 6174
- xsim, 6176
- xsipa, 6177
- xskak, 6178
- xspace, 6179
- xstacks, 6180
- xstix2, 6181
- xstring, 6182
- xtab, 6183
- xtcaps, 6184
- xtem, 6184
- xtemplate, 6185
- xtexcad, 6186
- xtexshell, 6187
- xtrcode, 6187
- xtufte, 6188
- xtuthesis, 6189
- xunicode, 6190
- xurl, 6191
- xwatermark, 6192
- xwpick, 6193
- xyling, 6193
- xymatrix, 6194
- xymtex, 6195
- xypic, 6196
- xypic-tut-pt, 6197
- xytree, 6198
- yacco2, 6199
- yafoot, 6199
- yagusylo, 6200
- yaletter, 6201
- yamllvars, 6202
- yandy, 6203
- yannisgr, 6204
- yathesis, 6205
- yax, 6206
- yazd-thesis, 6207
- yb-book, 6208
- ycbook, 6209
- ydoc, 6210
- yet-another-guide-latex2e, 6211
- yfonts, 6212
- yfonts-otf, 6213
- yfonts-t1, 6214
- yfrak, 6215
- ygoth, 6216
- yhmath, 6217
- yi4latex, 6218
- yinit, 6218
- yinit-as, 6219
- yinit-otf, 6220
- york-thesis, 6221
- young, 6222
- youngtab, 6222
- yplan, 6223
- yquant, 6224
- ysabeau, 6225
- yswab, 6227
- yt4pdf, 6228
- ytableau, 6229
- ytex, 6230
- zaccone, 6230
- zahl2string, 6231
- zblbuild, 6232
- zbmath-review-template, 6233
- zebra, 6234
- zebra-goodies (alias for zebra), 6234
- zeckendorf, 6235
- zed, 6236
- zed-csp, 6236
- zefonts, 6237
- zennote, 6238
- zero, 6239
- zhlineskip, 6240
- zhlipsum, 6241
- zhmakeindex, 6242
- zhmcjk, 6243
- zhmetrics, 6244
- zhmetrics-uptex, 6245
- zhnumber, 6245
- zhspacing, 6246
- ziffer, 6247
- zigaretten, 6248
- zip, 6249
- zitie, 6250
- zlmmt, 6251
- zootaxa-bst, 6252
- zref, 6253
- zref-check, 6254
- zref-clever, 6255
- zref-vario, 6256
- zugferd, 6257

zwgetfdate, 6259
 zwpagelayout, 6260
 zx-calculus, 6261
 zxjafbf font, 6262
 zxjafont, 6262
 zxjatype, 6263
 zztex, 6264

Topic

abbrev, 11, 1466, 2933, 5086, 5215
 abstract, 23, 24
 accessible, 31, 33, 295, 333, 2303, 2429, 2991, 5291
 acrobat, 51, 80, 83, 87, 1352, 1771, 2750
 acronym, 41, 43, 45, 46, 48, 2302, 2308, 2463
 addr-list, 1471, 2863, 4207, 4837
 adobe-distiller, 43, 80, 83, 85, 180, 1352, 1463, 1948, 2020, 2033, 2045, 2136, 2372, 2573, 2763, 3629, 3944, 3979, 4580, 4713, 6081, 6175
 advert, 1143, 2418, 2952, 3906, 4160, 5182
 albanian, 339
 alignment, 247, 314, 893, 1775, 2160, 3670, 3906, 4080, 4760, 5259, 5260
 alignment-suppl, 246, 247, 250, 261, 314
 amharic, 1814–1816
 amusements, 501, 740, 808, 1087, 1557, 1986, 2428, 3366, 4647, 4649, 4869, 4973, 5527, 5534, 5565, 5569, 5573, 5578, 5580, 5584, 5586, 6145
 android, 2516
 apa, 200–205, 207, 208, 570, 571, 3709, 3820, 5485
 appendix, 213, 217, 218, 4365, 5508
 arabic, 143, 220, 221, 223, 225, 227, 228, 1334, 1939, 2552, 3766, 3767, 4604, 4920, 5437
 arch-tree, 3939, 4258, 4685
 archival, 308, 781, 1233, 1697, 3158, 3626, 5002, 5032, 5397, 5398, 5400
 arithmetic, 426, 675, 719, 790, 821, 1460, 2062, 2146, 2685, 3181, 3182, 3280, 3599, 4300, 4439, 4646, 5600, 6140, 6151, 6235
 armenian, 240
 article-like, 95, 148, 149, 256, 980, 1005, 1105, 1668, 1905, 2809, 2873, 3042, 3112, 3608, 3969, 4569, 4839, 4999, 5640, 5872, 5978
 astrology, 109, 2531, 5139
 astronomy, 10, 281, 282, 1047, 1712, 2021, 4454, 4467, 4489, 4592, 5212, 5556
 automata, 103, 320, 1465, 2006, 5943
 azerbaijani, 340
 background, 84, 399, 670, 1910, 2344, 2391, 3367, 4038, 4386, 6192
 bahasa-indonesia+malaysia, 341, 364, 373, 4610
 barcode, 417, 418, 423, 1077, 1603, 1604, 1742, 2398, 2843, 2844, 3376, 4415, 4578, 5882, 6249
 basque, 341, 406, 432, 433, 1358
 belarusian, 343
 bengali, 243, 412, 414, 511, 512, 1626, 2998, 3625, 4605, 4786
 bib-use, 3889
 biblatex, 233, 535, 538, 562, 563, 565–572, 574–585, 587–589, 591–593, 595, 597–612, 614–622, 624–628, 630, 632, 633, 656, 994, 1544, 1637, 2224, 2256, 2464, 2507, 2597, 2740, 4002, 4947, 5692, 5846, 5847, 6042, 6232
 biblio, 74, 170, 544–553, 558, 562, 644, 649, 652, 655, 992, 1259, 1608, 3098, 3232, 3356, 4093, 4094, 4663, 5518, 5907
 biblio-suppl, 542, 3995, 3996
 bibtex-annotate, 952–954
 bibtex-doc, 580, 651, 5295
 bibtex-gen, 147, 260, 661, 663, 672, 1210, 1288, 1291, 1491, 2003, 2611, 2713, 2714, 3355, 3458, 4616, 4664, 4704, 5381
 bibtex-lib, 643
 bibtex-multi, 658–660, 907, 908, 3722, 3723
 bibtex-sty, 8, 24, 25, 35, 36, 74, 101, 104, 132, 135, 136, 141, 181, 183, 204–208, 282, 309, 320, 434, 444, 515, 516, 531, 532, 650, 687, 734,

- 863, 873, 887, 923, 952–954, 997,
1005, 1310, 1418, 1467, 1479, 1638,
1639, 1641, 1643, 1946, 2006, 2154,
2253, 2261, 2340, 2445, 2446, 2459,
2546, 2547, 2606, 2610, 2638, 2710,
2745, 2746, 2752, 2753, 2761, 2771,
2774, 2784, 2788, 2881, 3630, 3633,
3709, 3741, 3773, 3777, 3780, 3818,
3821, 3884, 3891, 3915, 4028, 4154,
4159, 4212, 4260, 4292, 4376, 5075,
5087, 5227, 5491, 5898, 5935, 6050,
6252
- bibtex-supp, 35, 133, 205, 273, 274, 396,
401, 402, 538, 634, 647, 654,
657–660, 836, 907, 908, 920, 975,
995, 1131, 1443, 1540, 2023, 2221,
2439, 2445, 2446, 2597, 2705, 2795,
2804, 2806, 3722–3724, 3782, 3868,
3981, 4344, 4958–4960, 5700, 6094
- bibtex-util, 532, 534–536, 539–542,
554–560, 635, 645, 646, 648, 653,
656, 657, 661, 662, 777, 1259, 1624,
1984, 2740, 2747, 2752, 3135, 3190,
3625, 3705, 4556, 4557, 4570, 4664,
5239, 5622, 6079, 6080
- bidi, 451, 666, 667, 669–672, 1674,
2171, 2552, 5848, 5851
- biology, 685–688, 758, 1012, 1443,
1456, 1649, 1946, 2342, 2546, 2602,
3779, 6252
- biomedical, 1238, 5935
- blank-page, 1850, 2001, 3890
- book-ex, 1482, 1669, 1914, 2014,
2864–2867, 2950, 2951, 2976, 2978,
3031, 3076, 3077, 3237, 3288, 3345,
3427, 3428, 3442, 3589, 4285, 4328,
4336, 4337, 4378, 4519–4521, 5285,
5305, 5370, 5642
- book-pub, 57, 150, 223, 432, 502–504,
528, 731, 735, 1069, 1105, 1158,
1295, 1610, 1680, 1903, 2049, 2805,
2863, 2934, 3113, 3146, 3381, 3511,
3519, 3608, 3664, 3714, 3754, 3795,
3886, 3899, 3950, 4343, 4614, 4844,
4904, 4987, 4991, 5120, 5210, 5737,
5859, 5993, 6031, 6039, 6188, 6208,
6209, 6265
- book-src, 215, 2645, 3559, 5391, 5392
- bosnian, 343
- botany, 688
- box-breaking, 69, 724, 1101, 2152, 3489,
5310
- box-manip, 70, 454, 2554, 2776, 3794,
4104, 4731, 4732
- boxing, 112, 269, 332, 446, 724,
752–754, 832, 1080, 1091, 1100,
1244, 1247, 1339, 1523, 1657, 1784,
1917, 1945, 2016, 2151–2153, 2236,
2276, 2344, 2364, 2883, 3057, 3183,
3192, 3199, 3336, 3377, 3489, 3597,
3611, 3725, 3792, 4015, 4021, 4065,
4097, 4318, 4440, 4562, 4645, 4738,
4739, 4911, 4915, 4928, 4930, 4974,
5108, 5260, 5310, 5337, 5688, 5943,
5956, 6088, 6175
- breton, 344
- bugfix, 632, 2960, 2961, 3444, 3501,
4268, 4850
- bulgarian, 345, 526, 3204, 4432
- bundle, 239, 255, 781, 2155, 5751, 6073
- burmese, 782
- bus-study, 578, 5685, 5801
- calculation, 212, 427, 675, 683, 719, 765,
790, 821–823, 825, 828, 832, 1085,
1150, 1154, 1170, 1176, 1181, 1318,
1460, 1518, 1605, 1836, 1975, 2062,
2146, 2213, 2296, 2685, 3035, 3116,
3277, 3280, 3305, 3313, 3599, 3663,
3920–3922, 4056, 4081, 4180, 4221,
4299, 4311, 4419, 4464, 4626, 4628,
4631, 4646, 4691, 4993, 5489, 5628,
5711, 5712, 5742, 6128, 6140–6142,
6151, 6235
- calendar, 179, 437, 807, 827, 835, 957,
971, 972, 1154, 1170, 1176, 1855,
2811, 2812, 3815, 4272, 4420, 4892,
4894, 5331, 5332, 5542, 5571, 5600,
6012, 6224
- callback, 322, 920, 1765, 1768, 1989,
2563, 2996, 3914, 4143, 4144, 4156,
4561–4563, 4565, 4566, 4749, 4764,
4784, 5237, 5238, 5455
- caption, 664, 753, 841–844, 877, 1463,
2061, 2178, 2434, 2566, 3233, 3482,

- 3726, 4966, 5190, 5196, 5197, 5669, 6231
- card-flash, 1631, 1948, 2039, 2041, 2042
- card-gen, 437, 847, 1695, 2757, 4206, 4271
- cartography, 2259, 3524, 4446
- catalan, 346, 818, 862, 863, 2029
- catalogue, 734, 1564
- cgi-latex, 1772, 1778, 1989, 3019, 3466, 3595, 5314
- chemistry, 35, 581, 722, 755, 845, 920–937, 939–942, 1221, 1222, 1466, 1683, 1717, 1924, 2278, 2753, 2872, 3070, 3484, 3574, 3659, 3665, 3666, 3758, 3914, 3945, 4163, 4171, 4277, 4323, 4354, 4455, 4588, 4594, 4745, 5172, 5202, 5450, 5465, 5491, 5581, 5694, 6196
- cherokee, 3825, 3946
- chess, 879
- chinese, 502, 530, 579, 591, 692, 699, 779, 958, 959, 1000, 1001, 1003, 1242, 1243, 1295, 1610, 1680–1682, 1848, 1861, 1933, 1954, 2027, 2221, 2225, 2437, 2452, 2492, 2493, 2511–2514, 2549, 2551, 2775, 2815, 3042, 3318, 3779, 3861, 3862, 3864, 3929, 3933, 4186, 4250, 4526, 4614, 4695, 4873, 4961, 4999, 5250, 5345, 5511, 5512, 5517, 5804, 5891, 5894, 6103, 6167, 6189, 6218, 6240–6247, 6250, 6262
- chinese-doc, 286–288, 1175, 1296, 2645, 2683, 2973, 3223, 3433, 5447, 5645
- chords, 968, 969, 2384, 2403, 2411–2413, 3039, 5071, 5074
- chunks, 3249, 4340
- churchslavonic, 976, 2106
- cite-foot, 2118, 2669
- cite-suppl, 310, 543, 766, 993, 996, 997, 1010, 1092, 1504, 1705, 2572, 2597, 2939, 3072, 3274, 3413, 3485, 3486, 3894, 4023, 4630, 5108, 6084, 6094, 6171, 6173
- class, 9, 10, 17, 18, 35, 38–40, 54, 57, 63, 95, 99, 105–107, 146, 149, 150, 155, 169, 177, 199–203, 223, 256, 257, 262, 265, 273, 274, 277, 300, 413, 414, 416, 432, 448, 451, 465, 502–504, 520, 523, 528, 530, 666, 671, 693, 699, 717, 718, 731, 733, 735, 756, 763, 764, 779, 785, 802, 897, 979, 980, 1005, 1006, 1008, 1071, 1105, 1138, 1192, 1243, 1266–1268, 1295, 1307, 1315, 1316, 1322, 1406, 1418, 1444, 1468, 1475, 1544, 1550, 1551, 1564, 1610, 1628, 1635, 1644, 1668, 1672, 1675, 1680–1682, 1688, 1690, 1692, 1693, 1702, 1712, 1742, 1785, 1797, 1798, 1805, 1834, 1841, 1842, 1855–1857, 1862, 1865, 1866, 1877, 1903, 1905, 1906, 1908, 1916, 1920, 1929, 1949, 1953, 1956, 1973, 2018, 2039, 2041, 2080, 2171, 2173, 2201, 2202, 2207, 2215, 2248, 2252, 2325, 2348, 2351, 2368, 2394, 2399, 2413, 2414, 2421, 2422, 2427, 2443, 2449, 2450, 2452, 2455, 2458, 2478, 2482, 2493, 2508, 2511, 2512, 2514, 2518, 2529, 2534, 2541, 2542, 2550, 2586–2588, 2607, 2608, 2613, 2640, 2650, 2664, 2703, 2719, 2735, 2747, 2760, 2763, 2765, 2768, 2772, 2775, 2779, 2781, 2790, 2802, 2804, 2809, 2823, 2825, 2863, 2870, 2873, 2874, 2882, 2914, 2934, 2948, 2949, 3040, 3042, 3044, 3046, 3054, 3057, 3061, 3067, 3106, 3112, 3113, 3131, 3146, 3149, 3157, 3164, 3197, 3238, 3244, 3248, 3318, 3324, 3372, 3423, 3487, 3508, 3511, 3519, 3537, 3607, 3608, 3623, 3632, 3640, 3647, 3652, 3654, 3664, 3711, 3717, 3719, 3754, 3759, 3764, 3779, 3799, 3810–3812, 3816, 3830, 3860, 3863, 3867, 3886, 3899, 3905, 3908, 3929, 3931, 3933, 3950, 3969, 3974, 4014, 4040, 4088, 4106, 4204, 4211, 4250, 4264, 4321, 4348, 4376, 4569, 4589, 4614, 4636, 4642, 4653, 4665, 4683, 4687, 4692, 4695, 4702, 4740, 4754, 4776, 4777, 4794, 4823, 4825, 4839, 4844, 4847, 4852, 4856, 4864, 4866, 4871, 4873, 4874, 4917–4920, 4922,

- 4923, 4961, 4969, 4975, 4976, 4979,
4991, 4999, 5003, 5011, 5018–5020,
5103, 5120, 5128, 5134, 5136, 5198,
5210, 5211, 5251, 5273, 5293, 5298,
5308, 5316, 5405, 5493–5495, 5517,
5524, 5542, 5587, 5627, 5640, 5672,
5674, 5734, 5736–5738, 5740, 5743,
5744, 5750, 5786–5789, 5796,
5800–5802, 5812, 5821, 5829, 5831,
5856, 5859, 5872, 5874, 5879, 5886,
5895, 5913, 5916, 5917, 5929, 5930,
5963, 5978, 5986, 6012, 6031, 6039,
6049, 6097, 6101, 6109, 6135, 6158,
6188, 6206–6210, 6221
- class-ext, 4849
- class-suppl, 1014, 2935, 5684
- code-layout, 2963, 3011
- collection, 50, 657, 731, 737, 749, 848,
993, 1480, 1606, 1666, 2149, 2156,
2164, 2187, 2254, 2764, 2789, 2855,
2857–2860, 2965, 2966, 2980, 2981,
3252, 3570, 3573, 3670, 3706, 3808,
3937, 4233, 4266, 4285, 4333, 4390,
4402, 4797, 4942, 5181, 5899, 5975,
6016
- colour, 668, 684, 787, 871, 970, 1034,
1069, 1095–1099, 1101, 1103, 1104,
1106–1113, 1191, 1223, 1247, 1276,
1338, 1505, 1731, 1938, 2153, 2345,
2358, 2371, 2564, 3003, 3279, 3695,
3860, 3885, 3983, 4035, 4048,
4109–4113, 4168, 4189, 4421, 4448,
4450, 4486, 4488, 4518, 4705, 5111,
5112, 5221, 5299, 5310, 5686, 5717,
5799, 5927, 6089–6091, 6103, 6104,
6113, 6117, 6145
- comp-mgmt, 3130, 3476, 3702, 5336,
5390, 5408, 5432
- comp-net, 691, 693, 810, 3200, 3707,
4670, 4780, 5582
- comp-sci, 38, 691, 693, 810, 1093, 1267,
1278, 1538, 3505, 4590, 4670, 4889,
4974, 5337
- comp-suppl, 916, 1529, 1783, 2553,
3109, 6015
- comp-theory, 38, 3505, 4155, 5167
- compact-print, 4162, 5756, 5759
- compilation, 231, 270, 317, 1035, 1227,
1869, 1912, 2336, 2361, 2642, 2652,
2775, 2972, 3013, 3014, 3016, 3109,
3161, 3178, 3374, 3513, 3624, 4140,
4377, 4497, 4529, 4620, 4686, 4721,
4767–4769, 4942, 4972, 5031, 5104,
5371, 5390, 5410, 5721
- cond-comp, 1084, 1125, 1126, 1145,
2361, 2497, 2614, 2628, 2629, 3278,
3387, 3513, 3722, 3991, 4192, 4679,
5123, 5231, 5290, 5390, 5648, 5967,
6092, 6133
- confproc, 7, 22, 37, 39, 40, 53, 169, 265,
272, 1146, 1406, 1436, 1438, 2586,
2600, 2607, 2613, 2636, 2639, 2649,
2711, 2740, 3717, 4348, 4350, 4376,
5102, 5909
- context, 1149, 1152, 1154, 1158, 1168,
1170, 1171, 1176, 1178–1183,
1185–1189, 1256
- context-doc, 1184
- cooking, 1197–1200, 1298, 3381, 3519,
3521, 4652–4654, 5533, 6093
- coptic, 873, 1210
- counter-mgmt, 122, 278, 966, 1074,
1225, 1409, 4158, 4677, 4678, 5028,
5200, 5674, 5675, 6079, 6087, 6239
- course-material, 2134, 2954, 3005, 4821,
5184, 5372
- covers, 402, 733, 857, 859–861, 884,
885, 1939, 2728, 2825, 3482, 3504,
3779, 4055, 4260, 4978, 5302, 5413
- crit-ed, 1124, 1648, 1650, 1651, 1654,
1674, 1677–1679, 3048–3050, 3549,
4294, 4673, 4674
- croatian, 347, 1251, 2537, 2538, 5874
- crystallography, 2405
- csv-support, 1168, 1281, 1283, 1285,
1348, 1404, 1814, 2701, 2941, 3190,
3261, 4148, 5661
- ctan, 1288–1294, 2011, 2902, 4247, 5309
- cv, 520, 585, 1304, 1305, 1307, 1316,
1318, 1644, 1792, 1841, 1842, 2348,
2443, 2591, 2861, 2870, 2871, 3114,
3652, 3656, 3759, 3856, 4079, 4088,
4642, 4687, 4695, 4696, 4975, 4979,
5522, 5695, 5697, 5732, 5986, 5987

- cvt-html, 439, 559, 1977, 2293, 2571,
2899, 2988, 3236, 3345, 3375, 3891,
4101, 5348, 5383, 5387, 5411, 5412,
5729, 6028
- cvt-other, 2899, 2989, 2991, 2992, 3239,
3240, 3537, 4101, 4324, 5382, 5383,
5385, 5412, 5592
- cwpuzzle, 1260, 1261, 5079
- cyrillic, 267, 1160, 1331, 1332, 2485,
2860, 2955, 3938, 5257, 5355, 5356,
6105, 6106
- czech, 348, 1269–1271, 1273, 1274,
1279, 1333, 1714, 2975, 3331, 5303,
6124
- czech-doc, 2975, 3204
- danish, 349, 1479, 1482, 2304
- data-disp, 1169, 1283, 1285, 1344, 1346,
1347, 1405, 1446, 1447, 4479, 5230,
5661
- data-import, 75, 1280, 1283, 1285, 1344,
1346–1348, 1598, 2801, 3397, 3476,
4479, 4592, 5338, 5409, 5661, 6149,
6203
- data-manip, 695, 1122, 1203, 1342,
1344, 1346, 1347, 1401, 1404, 2792,
2794, 2992, 3261, 4643
- data-prep, 1348, 1405, 1900, 3261, 4576
- data-sel, 1405, 2885
- date-time, 77, 174, 433, 798, 821, 1027,
1072, 1350, 1352–1366, 1368–1400,
1828, 1995, 2379, 2718, 2863, 4845,
4867, 5312, 5395, 5597, 5598, 5600,
5809, 5813, 6029, 6055
- db-access, 1961, 3005, 3866, 4634, 5117
- debug-supp, 915, 917, 962–964, 1054,
1889, 2677, 2921, 3141, 3270, 3365,
3426, 3755, 4136, 4249, 4268, 4330,
4339, 4344, 4582, 4659, 4668, 4671,
4951, 4952, 4955, 5122, 5240, 5246,
5318, 5339, 5384, 5397, 5428, 5448,
5471, 5876, 5975, 6168
- decoration, 182, 399, 668, 672, 724, 740,
901, 1079, 1101, 1102, 1191, 1244,
1417, 1523, 1926, 1930, 2151, 2152,
2175, 2276, 2290, 2346, 2489, 2502,
3183, 3489, 3729, 3848, 3888, 4072,
4184, 4318, 4366, 4454, 4504, 4738,
4881, 4882, 4928–4933, 5034, 5188,
5232, 5334, 5498, 5648, 5688, 5818,
5826
- defer-stuff, 292, 293, 299, 329, 747, 753,
1800, 1852–1854, 5508
- demo-code, 428, 650, 651, 1555, 3470,
3543, 4785
- diagram, 67, 237, 290, 728, 729, 759,
845, 921, 922, 927, 934, 941, 942,
972, 973, 1129, 1166, 1215, 1411,
1415, 1464, 1476, 1561, 1600, 1661,
1744, 1892, 1916, 1941, 2169, 2349,
2850, 2851, 3104, 3177, 3234, 3514,
3528, 3656, 3659, 3665, 3690, 3700,
3817, 3869, 4172, 4176, 4181, 4286,
4411, 4427, 4444, 4472, 4482, 4491,
4613, 4619, 4655, 4679, 4753, 4788,
4817, 4924, 4982, 5026, 5175, 5190,
5240, 5242–5244, 5544, 5547,
5549–5551, 5559, 5564, 5581, 5636,
5680, 6196, 6197, 6261
- diagram-block, 707, 710, 934, 2821,
4816
- diagram-circ, 982, 986, 988, 1561, 1694,
2924, 3035, 3379, 4422, 4571, 4586,
4613, 4670, 5544, 5558, 5560, 5572,
5588, 6225
- diagram-comm, 146, 152, 154, 251, 748,
1129, 1410, 1449, 1450, 1452, 2888,
4091, 4596, 5305, 5532, 6195
- diagram-ctrl, 709
- diagram-flow, 935, 1245, 2057, 2058,
2821, 3781, 4345, 4788, 4982, 5180,
5244, 5559
- diagram-lab, 1155, 4471
- diagram-maths, 872, 1129, 3704, 4506,
5949, 5950
- diagram-tmg, 3591, 5563, 5599, 5603,
5604
- dictionary, 3072
- dissertation, 17, 18, 63, 99, 252, 300,
413, 432, 455, 523, 599, 692, 700,
762, 764, 779, 1011, 1016, 1241,
1243, 1475, 1477, 1544, 1610, 1628,
1635, 1642, 1653, 1692, 1693, 1945,
1949, 1954, 1956, 1962, 1972, 1974,
2018, 2074, 2174, 2215, 2399, 2427,

- 2452, 2458, 2478, 2493, 2511, 2514,
 2534, 2550, 2650, 2664, 2703, 2747,
 2765, 2782, 2802, 2823, 2882, 3106,
 3131, 3373, 3487, 3623, 3711, 3718,
 3751, 3752, 3810–3812, 3860, 3861,
 3863, 3929, 3933, 4071, 4240, 4241,
 4250, 4523, 4777, 4778, 4794, 4827,
 4873, 4875, 4918, 4919, 4961, 4976,
 4999, 5099, 5154, 5156, 5210, 5216,
 5250, 5273, 5316, 5492–5496, 5517,
 5674, 5691, 5734, 5736, 5740, 5744,
 5784, 5785, 5787, 5789–5791,
 5796–5798, 5800–5802, 5804, 5805,
 5809–5811, 5821, 5823, 5827–5831,
 5856, 5872, 5874, 5877, 5880–5882,
 5906, 5916, 5918, 5924, 5932–5934,
 6008, 6049, 6073, 6097, 6158, 6189,
 6206, 6207, 6221
 distribution, 144, 210, 407, 409, 960,
 1045, 1277, 1332, 1471, 1478, 1710,
 2147, 3360, 3361, 3587, 3588, 4001,
 4029, 4030, 4139, 4373, 4807, 5344,
 5351, 5352, 5389, 5420, 5426, 5427,
 5449, 6009, 6022, 6043, 6204
 doc-debug, 66, 1457, 1525, 3037, 4344,
 5997, 6168
 doc-errata, 2856, 2958, 5641, 6025
 doc-gen, 5444, 5463
 doc-mgmt, 904, 909, 1015, 1061, 1349,
 1490, 1999, 2284, 2286–2289, 2291,
 3007, 3010, 3186, 3243, 3527, 3753,
 3760, 3847, 4199, 4360, 4639–4641,
 4644, 5146, 5222–5225, 5397, 5398,
 5888, 5942
 doc-style, 1436, 2754, 3509, 3510, 3522,
 3593, 4921, 6078
 doc-suppl, 96, 1071, 1081, 1098, 1137,
 1324, 1325, 1434, 1435, 1489, 1494,
 1496, 1497, 1499, 1521, 1554, 1611,
 1950, 1976, 2325, 2326, 2527, 2567,
 2601, 2835, 2903, 3012, 3244, 3245,
 3382, 3405, 3406, 3520–3522, 3535,
 3867, 4031, 4089, 4238, 4557, 4706,
 4926, 5003, 5018, 5308, 5415, 5416,
 5464, 5521, 5627, 5638, 5908, 6095,
 6210
 doc-templ, 468, 503, 504, 523, 693, 699,
 718, 779, 1005, 1242, 1266, 1446,
 1483, 1610, 1653, 1680–1682, 1689,
 1842, 1857, 1871, 1954, 1956, 2252,
 2279, 2430, 2452, 2455, 2493, 2504,
 2512, 2587, 2588, 2664, 2779, 2781,
 2810, 2824, 2873, 3146, 3149, 3150,
 3164, 3623, 3647, 3652, 3664, 3711,
 3764, 3887, 3929, 3932, 3933, 4005,
 4014, 4088, 4204, 4376, 4697, 4754,
 4776, 4874, 4917, 4922, 5103, 5120,
 5211, 5250, 5315, 5321, 5322, 5444,
 5512, 5517, 5734, 5786, 5789, 5812,
 5829, 5831, 5859, 5910, 5917, 6208,
 6233
 doc-tool, 906, 1303, 2000, 2005, 2143,
 2675, 3753, 4364, 5749, 5873
 docu-pkg, 156, 164, 283, 2130, 3912,
 6070
 documentation, 96, 145, 216, 266, 283,
 736, 970, 1135, 1587, 1977, 2540,
 2895, 2986, 2987, 2995, 3206, 3355,
 3433, 3517, 4228, 4312, 4511, 4519,
 4706, 4945, 5375–5377, 5379, 5405,
 5645, 5692, 5695, 5781, 5995, 6070,
 6123
 drama-script, 1532, 1533, 3742, 4262,
 4268, 4833, 4847, 4848, 4854, 4968,
 5134, 5480, 5485, 5794
 dummy-gen, 190, 703, 767, 798, 1559,
 1639, 2015, 2545, 2709, 2815, 2886,
 3133, 4053, 4278, 4530, 4604, 4605,
 4607–4611, 5004, 5342, 6241
 dutch, 350, 1823, 3814, 4672
 dutch-doc, 3154, 3205
 dvi-bit, 1568, 1585
 dvi-pdf, 1581, 1583
 dvi-prev, 1566, 1567, 1572, 1580, 1591,
 1597, 2749, 3491, 5464, 5623, 5647,
 6041
 dvi-print, 1569, 1570, 1579, 1580, 1585,
 1586, 1588, 1589, 1593, 1594, 2749,
 3163, 6099
 dvi-proc, 505, 794, 868, 1567, 1570,
 1573–1577, 1579, 1581, 1590, 1592,
 1593, 2734
 dvi-struc, 1553, 1571, 1578, 1595
 dvi-text, 1595, 5764, 6005

- dvips-special, 2888, 3998, 4486, 4518
 ebook, 1626, 5385
 editor, 131, 1785, 1806, 2749, 2941,
 3021, 3022, 3047, 3460, 3471, 3580,
 3697, 4658, 4828, 5309, 5983, 6046
 editor-extn, 300, 328, 771, 1462, 1624,
 1997, 2715, 2731, 2767, 2993, 3529,
 3552, 3812, 3903, 4284, 4341, 5229,
 5417, 5419, 5783, 5822, 6040
 editorial, 183, 398, 902, 906, 913, 950,
 1015, 1096, 1124–1126, 1163, 1207,
 1220, 1527–1530, 1532, 1607, 1619,
 1646, 1649, 1788, 1899, 1904, 2032,
 3278, 3328, 3421, 3614, 3772, 3825,
 3991, 4133, 4192, 4331, 4366, 5004,
 5033, 5399, 5648, 5657, 5658, 5688,
 5841, 5970, 6000, 6101, 6234
 editorial-consistency, 1139, 3772
 electronic, 986, 988, 1701, 3169, 3170,
 4237, 4670, 5562, 5572, 5588
 emphasis, 5816, 5818
 emulation, 330, 1024
 enc-juggle, 1185, 1196, 2673, 2861,
 2875, 4635, 4787, 5176, 5912, 5919
 endnote, 1716, 1718, 1720–1722, 1729,
 2066, 4042, 4319
 engine, 111, 188, 291, 1713, 1810, 2509,
 2510, 2751, 2855, 2929, 3192, 3317,
 3638, 3911, 3968, 3997, 4075, 4137,
 4139, 4524, 5347, 5350–5352, 5840,
 5891, 6005, 6114, 6116
 engineering, 38, 271, 273, 274, 276, 691,
 693, 720, 722, 810, 852, 1486, 1726,
 2816, 2818, 2890, 3475, 3623, 4163,
 4376, 4487, 4496, 4670, 4709, 5138,
 5153, 5543, 5544, 5558, 5560
 english, 351, 1212, 3927, 5813
 env-query, 2615, 2616, 2618, 2619,
 2624, 2625, 2627, 2630–2632, 5374
 epigram, 1750, 1751
 error-suppl, 1996, 3678
 esperanto, 352, 1800, 1801
 essay, 277, 1232, 1483, 1803, 2449,
 2529, 5787, 5808
 estonian, 353, 1654, 2306, 3207
 etex, 607, 790, 927, 1275, 1818, 1820,
 1821, 2299, 2573, 3444, 4300, 4843,
 5388, 5399, 5985, 6178, 6207
 exam, 52, 137, 195, 414, 530, 897, 1030,
 1132, 1631, 1769–1772, 1774, 1790,
 1856–1859, 1861, 1862, 1865, 1866,
 1871, 1875, 1877, 1878, 1894, 2492,
 2497, 2775, 2840, 2846, 2854, 3443,
 3483, 3578, 3674, 3738, 4012, 4572,
 4597, 4598, 4624, 4737, 4821, 4871,
 4920, 5009, 5124, 5502, 5524, 5589,
 5748, 5787, 5963, 5964, 6008, 6028,
 6064, 6176
 exec-foreign, 428, 2612, 3134, 3228,
 4764
 exercise, 187, 188, 232, 242, 243, 763,
 926, 1733, 1770, 1771, 1870, 1871,
 1873–1875, 1877, 1878, 1894, 1895,
 2002, 3363, 3578, 3640, 3736, 4098,
 4348, 4357, 4737, 4821, 4917, 5803,
 5963, 5964, 6064, 6176
 experimental, 5294
 expl3, 9, 22, 41, 92, 107, 121, 179, 279,
 291, 412, 502–504, 523, 693, 757,
 759, 772, 798, 853, 882, 883, 888,
 900, 904, 910, 928, 931, 932, 959,
 985, 991, 992, 1010, 1020, 1026,
 1071, 1078, 1080, 1082, 1100, 1105,
 1122, 1198, 1246, 1248, 1318, 1338,
 1340, 1405, 1416, 1437, 1600, 1610,
 1627, 1668, 1699, 1704–1706, 1717,
 1729, 1740, 1789, 1817, 1861, 1874,
 1891, 1894, 1989, 2002, 2015, 2048,
 2072, 2092, 2186, 2217, 2232, 2278,
 2291, 2345, 2347, 2398, 2432, 2437,
 2452, 2521, 2529, 2551, 2655, 2660,
 2729, 2737, 2768, 2769, 2776, 2791,
 2809, 2814, 2816, 2833, 2853, 2935,
 2936, 3042, 3052, 3055, 3057, 3066,
 3106, 3107, 3116, 3117, 3133, 3175,
 3182, 3227–3229, 3266, 3271, 3293,
 3369, 3403, 3423, 3437, 3478, 3499,
 3500, 3550, 3608, 3659, 3681, 3684,
 3729, 3774, 3831, 3859, 3862, 3864,
 3880, 3887, 3889, 3898, 3917, 3918,
 3920–3922, 3929, 3944, 4053, 4067,
 4081, 4082, 4125, 4149, 4153, 4180,
 4204, 4207, 4243, 4249, 4288, 4308,
 4319, 4330, 4339, 4362, 4387, 4561,

- 4565, 4569, 4578, 4579, 4588, 4626,
4628, 4636, 4651, 4655, 4688, 4693,
4721, 4760, 4799, 4850, 4855, 4876,
4878, 4889, 4897, 4913, 4977, 4985,
4991, 5003, 5004, 5025, 5072, 5092,
5093, 5097, 5160, 5179, 5186, 5190,
5202, 5231, 5304, 5306, 5325, 5336,
5337, 5437, 5572, 5580, 5589, 5595,
5599, 5634, 5671, 5686, 5705, 5749,
5805, 5855, 5859, 5876, 5883, 5908,
6030, 6032, 6047, 6048, 6068, 6069,
6097, 6103, 6111, 6143, 6164, 6167,
6175–6177, 6239, 6250, 6258
- ext-code, 425, 542, 1162, 1189, 1520,
2361, 2553, 2801, 3514
- ext-svc, 3934
- fac-survey, 2159, 2160, 2995
- fake-glyph, 1113
- faq, 1130, 1296, 1440, 1933–1935, 1937,
2894, 3959, 4853, 5318, 5405, 5981,
5982
- file-card, 698, 782, 785, 846, 4835
- file-control, 2647, 3662
- file-mgmt, 1555, 1993–1996, 2043,
2044, 2257, 2386, 3009, 3017, 3246,
3250, 4834, 5032, 5135, 5400, 5697,
5774, 6259
- finnish, 354, 1992, 2006
- finnish-doc, 2820, 3208, 5433
- fit-to-size, 4063, 5460, 5943
- float, 753, 844, 1286, 1402, 1524, 1613,
1614, 1715, 1963, 1988, 2050, 2051,
2054–2056, 2061, 2355, 2465, 2479,
2554, 2832, 2863, 3678, 3797, 3828,
3829, 3854, 3881, 4194, 4210, 4254,
4255, 4733, 4735, 4938, 4965, 5160,
5196, 5294, 5669, 5714, 6231
- font, 27, 28, 64, 65, 78, 88, 89, 91, 102,
110, 113, 116, 126, 129, 130, 143,
158, 175, 186, 193–195, 209, 211,
219, 220, 226, 229, 230, 235, 236,
238, 240, 244, 245, 253, 255, 259,
263, 267, 275, 281, 295, 301–304,
331, 403, 407, 412, 419, 424, 426,
429–431, 438, 440, 441, 443, 510,
511, 513, 514, 527, 529, 688, 697,
701, 723, 730, 737, 746, 773, 812,
815, 819, 829, 830, 839, 849–851,
854, 862, 873, 875, 876, 880, 911,
912, 942–944, 957, 961, 979, 981,
982, 989, 990, 999, 1001, 1007,
1009, 1017, 1036, 1038–1042, 1044,
1047, 1049–1052, 1055–1059, 1062,
1064, 1065, 1076, 1086, 1118, 1119,
1127, 1141–1143, 1199, 1208, 1218,
1226, 1229, 1231, 1249–1251, 1265,
1269, 1270, 1286, 1299–1301,
1326–1328, 1330, 1335, 1337, 1400,
1425, 1455, 1458, 1470, 1484, 1507,
1516, 1517, 1522, 1541, 1543, 1549,
1560, 1563, 1622, 1623, 1629, 1632,
1636, 1645, 1659, 1660, 1664, 1676,
1694, 1727, 1749, 1752, 1786, 1788,
1794, 1795, 1802, 1804, 1806, 1809,
1815, 1816, 1822, 1831, 1833, 1837,
1845, 1933, 1944, 1947, 1952, 1959,
1965, 1970, 2008, 2010, 2079, 2082,
2086–2088, 2090, 2102, 2106, 2107,
2139, 2142, 2143, 2147, 2157, 2158,
2172, 2192, 2195, 2197, 2210–2212,
2226, 2228, 2231, 2238, 2241, 2242,
2250, 2251, 2265–2275, 2281, 2297,
2332, 2335, 2337, 2339, 2341, 2371,
2377, 2378, 2381, 2383, 2407, 2417,
2425, 2427, 2433, 2439, 2440, 2457,
2460, 2466, 2470, 2483, 2485, 2490,
2491, 2494, 2499, 2505, 2515, 2518,
2520, 2546, 2548, 2558, 2561, 2590,
2594, 2626, 2633, 2643, 2644, 2654,
2655, 2661, 2666, 2678, 2682, 2683,
2686, 2707, 2708, 2736, 2738, 2739,
2778, 2799, 2800, 2819, 2824, 2826,
2827, 2841, 2844, 2848, 2850, 2852,
2879, 2880, 2887, 2913, 2962, 3026,
3063, 3069, 3071, 3075, 3082,
3085–3089, 3092, 3094, 3099–3102,
3104, 3111, 3114, 3115, 3125, 3148,
3159, 3160, 3165, 3175, 3338, 3343,
3346, 3347, 3350, 3364, 3368, 3398,
3399, 3401, 3405, 3412, 3422, 3430,
3439, 3452, 3454, 3479, 3526, 3552,
3558, 3563, 3579, 3609, 3617, 3637,
3648, 3668, 3672–3674, 3685, 3698,
3711, 3712, 3748, 3749, 3757, 3768,

- 3770, 3780, 3825, 3833, 3837–3839,
3848, 3849, 3857, 3864, 3892, 3893,
3896, 3897, 3928, 3934, 3938, 3939,
3946–3948, 3953, 3956, 3958, 3961,
3962, 3964, 3965, 3985, 3999, 4006,
4010, 4025, 4029, 4031, 4041, 4049,
4050, 4052, 4065, 4068, 4073, 4074,
4152, 4190, 4191, 4205, 4208, 4235,
4252, 4269, 4272, 4273, 4275, 4277,
4280, 4298, 4303, 4375, 4396, 4532,
4535–4537, 4539, 4546, 4554, 4575,
4585, 4591, 4621, 4632, 4656, 4658,
4711, 4720, 4723, 4726, 4730, 4736,
4746, 4765, 4766, 4770, 4772, 4790,
4792, 4793, 4795, 4797, 4819, 4820,
4824, 4826, 4852, 4870, 4891, 4937,
4943, 4980, 4991, 5000, 5001, 5011,
5081–5084, 5094, 5105, 5117, 5121,
5125, 5139, 5148, 5157, 5158,
5162–5164, 5166, 5167, 5208, 5226,
5248, 5252, 5293, 5296, 5303, 5320,
5324, 5326, 5333, 5354–5356,
5358–5368, 5473, 5474, 5476, 5481,
5483, 5484, 5603, 5605, 5607, 5647,
5687, 5715, 5725, 5751, 5753, 5761,
5762, 5777, 5806, 5819, 5820, 5828,
5832, 5856, 5869, 5870, 5889,
5900–5904, 5922, 5923, 5933, 5951,
5977, 5979, 5980, 5990, 5991, 6010,
6017, 6018, 6027, 6052–6054, 6074,
6082, 6083, 6086, 6144, 6204,
6213–6217, 6219, 6226, 6227, 6238
- font-abnormal, 942
- font-absent, 70, 71, 73, 1427, 2590,
2648, 3334, 3463, 4275, 4295, 4396,
5038–5063, 5065–5067, 5090, 5169,
5235, 5601, 5666, 5718, 5962
- font-adhoc, 2558, 4632
- font-arabic, 124, 226, 331, 2841, 4073,
4074
- font-archaic, 229, 230, 234, 1300, 1327,
1328, 1752, 1822, 2377, 2378, 2499,
2516, 3114, 3115, 3343, 3350, 3768,
3770, 3825, 3956, 3962, 4191, 4205,
4375, 4766, 4770, 4795, 5084, 5248,
5687, 5806
- font-armenian, 3825
- font-bbd, 158, 440–443, 1403, 1516,
1549, 1804, 2211, 3452, 3479, 3712,
5163, 5166
- font-body, 28, 110, 129, 235, 254, 259,
430, 697, 815, 819, 911, 961, 1007,
1009, 1017, 1076, 1086, 1218, 1301,
1330, 1542, 1622, 1787, 1808, 1944,
2008, 2139, 2147, 2210, 2226, 2239,
2240, 2242, 2270, 2271, 2281, 2339,
2407, 2505, 2589, 2678, 2686, 2777,
2841, 2880, 3071, 3085, 3087, 3089,
3092, 3093, 3095, 3099–3102, 3125,
3159, 3338, 3368, 3412, 3526, 3558,
3617, 3637, 3698, 3825, 3833, 3837,
3858, 3892, 3896, 3928, 3964, 4065,
4270, 4272, 4274, 4298, 4585, 4591,
4621, 4720, 4820, 5095, 5105, 5121,
5157, 5162, 5164, 5166, 5481, 5483,
5484, 5605, 5870, 6082, 6226
- font-bookhand, 20, 302, 303, 737, 850,
851, 1660, 2546, 2548, 2682, 2683,
4190, 4736, 4772, 5118, 5474, 5832
- font-calligraphic, 20, 129, 301, 304, 773,
829, 830, 1563, 1700, 2157, 2913,
3165, 3334, 3579, 3953, 4746, 4747,
4770, 4824, 4826, 4852, 5208, 5358,
5751, 5933, 5977
- font-canadian-aboriginal, 3825
- font-chess, 424, 942, 944, 5000, 5001
- font-cjk, 244, 245, 403, 1000, 1001,
1933, 2439, 2440, 2518, 2561, 2744,
2745, 2768, 2769, 3347, 3685, 3780,
3895, 4527, 4549, 4555, 5893, 6010,
6243–6245
- font-cm, 1036, 1042, 1044, 1063, 1068,
1330, 1629, 2841, 3159, 3637, 3698,
3825, 4792, 4793, 5725, 5828, 5936,
6251
- font-collection, 2265, 2341, 3071, 4585,
5164, 5166, 5354, 5361, 5902
- font-coptic, 3825
- font-cvt, 2098, 2109, 2394, 2400, 3357,
4251
- font-cyrillic, 175, 238, 254, 426, 911,
1007, 1017, 1038, 1042, 1044,
1050–1052, 1063, 1076, 1251, 1330,
1425, 1786, 2139, 2210, 2239, 2241,

- 2242, 2297, 2332, 2339, 2485, 2738,
3082, 3088, 3125, 3148, 3579, 3825,
3858, 3938, 3964, 4008, 4065, 4870,
4944, 5121, 5157, 5323, 5828, 6052,
6082, 6226
- font-decor, 518, 899, 981, 2666, 2852,
3849, 5534, 6027, 6219, 6220
- font-devel, 1064, 1659, 2076,
2093–2095, 2104, 2107, 2113, 2116,
2828, 3034, 3384, 3449, 3470, 3497,
3531, 3547, 3569, 3657, 4310, 4675,
4952, 5255, 5340, 5471, 5472, 5778
- font-display, 20, 113, 4272
- font-doc, 1332, 2099, 2102, 5608, 5726,
5972
- font-egyptian, 2499
- font-georgian, 3825
- font-gothic, 701, 1055, 1660, 2341,
2494, 3333, 3621, 4736, 5252, 5474,
6214–6216, 6219, 6220, 6227
- font-greek, 874, 875, 1007, 1017, 1039,
1044, 1076, 1425, 1749, 2210, 2239,
2241, 2242, 2265–2275, 2339, 2377,
2378, 2381, 2594, 2827, 3069, 3075,
3088, 3115, 3124, 3579, 3825, 3857,
3892, 3896, 3964, 4202, 4396, 4720,
5157, 5158, 5294, 5323, 5481, 5483,
5484, 5762, 5828, 6204
- font-hebrew, 226, 999, 1299, 2332, 2457,
3825, 4099, 4658
- font-historical, 1251, 2738, 2799, 2800,
3961, 4031
- font-index, 1130, 1136, 2116, 3457, 3845
- font-indic, 412, 511, 1285, 1442, 1645,
1674, 2417, 2505, 2661, 3398, 3399,
3825, 3999, 4049, 4711, 4943, 5296,
5320, 6054
- font-invented, 1694, 1727, 2337, 2425,
2848, 3958, 4937, 5326, 5327, 5666
- font-maths, 158, 236, 255, 263, 440–443,
510, 529, 723, 746, 1007, 1049,
1056, 1068, 1141, 1142, 1516, 1549,
1623, 1788, 1802, 1804, 1831, 1833,
2010, 2011, 2142, 2143, 2211, 2212,
2227, 2273, 2482, 2558, 2827, 2879,
2880, 3058, 3090, 3092, 3093, 3096,
3097, 3160, 3176, 3298, 3333, 3346,
3439, 3452, 3454, 3456, 3461, 3490,
3610, 3637, 3698, 3712, 3791, 3825,
3833, 3837, 3838, 3897, 3964, 4041,
4073, 4152, 4546, 4554, 4793, 4819,
4820, 4925, 5161, 5163, 5164, 5166,
5226, 5333, 5361–5365, 5647, 5761,
5762, 5766, 6083, 6144
- font-medieval, 20, 302, 303, 850, 1660,
2682, 2683, 2799, 2800, 3621, 3825,
4190, 4736, 5474
- font-mf, 126, 158, 211, 219, 226, 229,
230, 234, 240, 275, 281, 302, 405,
419, 424, 426, 438, 440, 441, 511,
519, 529, 701, 723, 737, 812, 829,
839, 850, 862, 873, 875, 876, 943,
957, 982, 990, 1036, 1039–1041,
1047, 1049, 1050, 1055–1059, 1065,
1068, 1141, 1143, 1199, 1251, 1265,
1269, 1300, 1328, 1335, 1442, 1455,
1470, 1516, 1522, 1541, 1560, 1629,
1632, 1659, 1660, 1664, 1694, 1727,
1794, 1802, 1806, 1816, 1837, 1845,
1947, 1952, 1959, 1964, 1970, 2157,
2172, 2195, 2197, 2231, 2251, 2335,
2337, 2341, 2371, 2381, 2383, 2417,
2427, 2433, 2457, 2483, 2494, 2500,
2546, 2548, 2626, 2633, 2682, 2683,
2738, 2819, 2823, 2826, 2844, 2848,
2850, 2852, 2913, 2962, 3069, 3075,
3082, 3115, 3346, 3364, 3399, 3401,
3405, 3422, 3430, 3479, 3491, 3563,
3648, 3672, 3674, 3686, 3711, 3748,
3757, 3768, 3770, 3848, 3864, 3934,
3938, 3939, 3946, 3947, 3953, 3956,
3958, 3961, 3962, 3999, 4010, 4031,
4050, 4099, 4190, 4208, 4235, 4252,
4375, 4537, 4656, 4658, 4736, 4746,
4765, 4770, 4772, 4790, 4793, 4795,
4797, 4824, 4826, 4852, 4870, 4891,
4938, 4991, 5000, 5011, 5084, 5118,
5125, 5167, 5208, 5248, 5252, 5303,
5320, 5326, 5474, 5476, 5603, 5607,
5687, 5715, 5752, 5806, 5819, 5832,
5869, 5922, 5933, 5977, 5979, 5980,
5990, 6017, 6052–6054, 6074, 6086,
6204, 6215–6217, 6219, 6220, 6227
- font-mgmt, 58, 1117, 2466, 2470, 2616,

- 3446, 3628, 4549
- font-mono, 186, 513, 854, 855, 1036,
1038, 1042, 1044, 1064, 1229, 1231,
1425, 1427, 1543, 1629, 2008, 2332,
2339, 2654, 2655, 2756, 2777, 2796,
2879, 2880, 3063, 3085, 3090, 3092,
3093, 3095, 3159, 3333, 3343, 3637,
3668, 3698, 3825, 3839, 3857, 3892,
3896, 4065, 4274, 4275, 4720, 5080,
5359, 5725, 5828, 6251
- font-multilingual, 911, 1007, 1064, 1076,
1645, 1787, 2139, 2210, 2238, 2239,
2241, 2242, 2270, 2339, 3088, 3092,
3125, 3579, 3825, 3857, 3892, 3896,
3964, 4720, 4944, 5157, 5482–5484,
6082
- font-music, 811, 812, 2460, 3111, 3748,
3749
- font-nonroman, 943, 1815, 1816, 2250,
2251, 5164, 5166
- font-novelty, 839, 990, 1226, 1335, 1700,
2079, 2739, 4537, 4539, 4585, 4632,
4723, 4991, 5011
- font-ornmnt, 64, 73
- font-otf, 20, 28, 91, 110, 113, 130, 194,
254, 255, 263, 264, 295, 407, 430,
431, 514, 518, 815, 854, 855, 961,
1007, 1009, 1044, 1076, 1086, 1119,
1142, 1208, 1231, 1249, 1299, 1326,
1330, 1337, 1427, 1507, 1541, 1622,
1645, 1786, 1788, 1808, 1831, 1933,
1944, 1952, 1959, 2009–2011,
2086–2088, 2090, 2106, 2139, 2142,
2158, 2207, 2210, 2211, 2226,
2266–2271, 2273–2275, 2281, 2332,
2460, 2483, 2485, 2505, 2590, 2643,
2644, 2654, 2678, 2686, 2736, 2756,
2777, 2796, 2799, 2827, 2880, 2887,
3058, 3085, 3089, 3090, 3092, 3093,
3100–3102, 3111, 3125, 3159, 3160,
3165, 3176, 3333, 3338, 3491, 3552,
3558, 3579, 3617, 3621, 3668, 3673,
3748, 3825, 3833, 3837, 3843, 3857,
3895, 3928, 3948, 3964, 4040, 4068,
4152, 4191, 4269, 4272, 4274, 4303,
4539, 4585, 4621, 4720, 4730, 4819,
4820, 4891, 4943, 4980, 5080, 5082,
5083, 5090, 5157, 5163, 5164, 5166,
5293, 5323, 5333, 5354–5357, 5359,
5361–5367, 5369, 5605, 5828, 5870,
5951, 6082, 6083, 6144, 6213, 6220,
6226
- font-proc, 3, 30, 32, 93, 94, 1216, 1973,
2162, 2234, 2684, 2758, 3151, 3449,
3531, 3555, 3556, 3641, 3642, 3644,
3954, 4008, 4009, 4095, 4096, 4161,
4164, 4379–4382, 4391, 4540, 4572,
4705, 5038, 5255, 5659, 5719,
5726–5729, 5973, 5974, 5997, 6056
- font-proportional, 20, 28, 111, 113, 129,
235, 238, 259, 430, 513, 697, 815,
819, 911, 961, 1007, 1009, 1017,
1036, 1042, 1044, 1064, 1076, 1086,
1208, 1218, 1249, 1250, 1301, 1330,
1543, 1622, 1629, 1786, 1788, 1809,
1944, 2008, 2139, 2147, 2210, 2226,
2239, 2241, 2242, 2281, 2332, 2339,
2407, 2505, 2590, 2678, 2687, 2777,
2880, 3071, 3092, 3093, 3095,
3099–3102, 3125, 3160, 3165, 3368,
3412, 3526, 3558, 3617, 3638, 3698,
3825, 3833, 3837, 3857, 3892, 3896,
3928, 3964, 4006, 4065, 4270,
4272–4274, 4298, 4585, 4591, 4720,
4793, 4820, 5082, 5083, 5094, 5157,
5161, 5293, 5354, 5481, 5483, 5484,
5605, 5725, 5869, 5870, 6082, 6226
- font-rune, 126, 419, 2195–2197, 4765,
4766, 5125, 5148, 5979
- font-sample, 700, 5775
- font-sans, 110, 175, 237, 238, 254, 295,
513, 688, 815, 839, 849, 854, 961,
1010, 1017, 1038, 1044, 1049, 1064,
1118, 1208, 1301, 1326, 1330, 1425,
1427, 1543, 1629, 1749, 2009–2011,
2082, 2207, 2211, 2281, 2332, 2338,
2407, 2482, 2490, 2678, 2686, 2777,
2879, 2880, 3026, 3071, 3085, 3087,
3089, 3090, 3092–3094, 3096, 3102,
3159, 3334, 3338, 3346, 3368, 3526,
3617, 3637, 3673, 3698, 3825, 3838,
3892, 3896, 3897, 3928, 3985, 4006,
4025, 4065, 4152, 4269, 4273, 4275,
4298, 4535, 4585, 4591, 4621, 4720,

- 4730, 4792, 4793, 5080, 5082, 5354,
5360, 5869, 5870, 5901, 5904, 6226
- font-sel, 108, 712, 802, 1991, 2085,
2091, 2094, 2108, 2110, 2111, 2114,
2117, 2712, 3281, 3434, 3461, 3477,
3844, 3955, 3960, 4102, 4256, 4279,
4550, 4676, 4810, 4916, 5016, 5023,
5772, 5940
- font-serif, 28, 111, 113, 129, 235, 259,
429–431, 513, 514, 697, 723, 819,
876, 912, 1007, 1038, 1044, 1063,
1076, 1086, 1218, 1249, 1250, 1330,
1425, 1427, 1507, 1542, 1549, 1622,
1629, 1787, 1808, 1944, 2139, 2147,
2207, 2210–2212, 2226, 2239, 2241,
2242, 2270, 2332, 2339, 2590, 2678,
2841, 2878, 2880, 3085, 3088, 3090,
3092, 3093, 3095, 3096, 3099–3101,
3124, 3159, 3334, 3526, 3558, 3638,
3698, 3825, 3833, 3837, 3892, 3896,
3897, 3964, 3965, 4065, 4272, 4275,
4536, 4585, 4591, 4720, 4820, 5083,
5094, 5105, 5121, 5157, 5161, 5163,
5164, 5166, 5323, 5354, 5482–5484,
5605, 5900, 5903, 6082, 6144
- font-sfd, 1299, 2147, 2332, 3551, 4277
- font-specialist, 91, 219, 274, 529, 957,
1007, 1127, 1522, 1837, 1845, 2082,
2228, 2231, 2371, 2383, 2427, 2844,
3551, 3674, 3686, 3934, 3939,
3946–3948, 4010, 4208, 4656, 4891,
5139, 5473, 5607, 5922, 5980, 6053,
6086
- font-suppl, 20, 28, 59, 65, 70–73, 91, 113,
129, 138, 175, 235, 254, 255, 260,
313, 327, 412, 430, 441, 443, 517,
665, 696, 697, 725, 815, 816, 819,
833, 854, 855, 874, 878, 899, 900,
911, 947, 961, 981, 999, 1007, 1010,
1017, 1037, 1041, 1043, 1052, 1055,
1061, 1064, 1068, 1076, 1086, 1118,
1119, 1140, 1142, 1144, 1156, 1157,
1179, 1216, 1218, 1231, 1234, 1274,
1299, 1330, 1403, 1420, 1427, 1477,
1502, 1543, 1560, 1630, 1665, 1730,
1787, 1788, 1794, 1809, 1826, 1832,
1838, 1839, 1843, 1844, 1846–1848,
1944, 2009, 2021, 2035, 2083, 2084,
2110, 2111, 2117, 2139, 2142,
2188–2191, 2193, 2194, 2198, 2210,
2239, 2241, 2242, 2281, 2339, 2381,
2396, 2407, 2456, 2460, 2461, 2491,
2505, 2515, 2520, 2532, 2577, 2590,
2600, 2648, 2655, 2687, 2730, 2742,
2756, 2778, 2796, 2798, 2800, 2806,
2827, 2880, 3032, 3036, 3041, 3069,
3071, 3076, 3080, 3083, 3085, 3086,
3089, 3093, 3095, 3097, 3099–3101,
3103, 3125, 3151, 3154, 3165, 3175,
3199, 3332, 3335, 3339, 3343, 3349,
3350, 3368, 3403, 3412, 3422, 3441,
3447, 3456, 3492, 3526, 3558, 3560,
3562, 3564, 3565, 3579, 3617, 3637,
3668, 3682, 3715, 3755, 3770, 3790,
3825, 3833, 3837, 3839, 3843, 3857,
3871, 3892, 3896, 3897, 3928, 3949,
3964, 3966, 4006, 4010, 4047, 4050,
4051, 4099, 4100, 4202, 4233, 4234,
4269, 4272, 4277, 4295, 4298, 4390,
4396, 4398, 4400–4404, 4538, 4544,
4585, 4591, 4621, 4635, 4711, 4720,
4730, 4747, 4789, 4793, 4798, 4820,
5012, 5022, 5082, 5094, 5121, 5129,
5152, 5157, 5158, 5161, 5166, 5203,
5245, 5307, 5327, 5469, 5481, 5483,
5484, 5509, 5601, 5605, 5646, 5666,
5677, 5718, 5728, 5763, 5767, 5768,
5793, 5807, 5870, 5905, 5962, 5989,
5991, 6009, 6019, 6044, 6054, 6082,
6119, 6121, 6181, 6212, 6213, 6220,
6226, 6251, 6262, 6263
- font-suppl-maths, 151, 983, 1048, 1830,
2024, 2470, 2557, 2721, 2737,
3434–3436, 3438, 3439, 3447, 3448,
3463, 3466, 3467, 3713, 3716, 4547,
4567, 4747, 4791, 4792, 5166, 5860,
5905, 6083
- font-suppl-misc, 73, 2112, 4812,
5039–5067, 5069, 5169, 6125, 6245
- font-suppl-symbol, 27, 109, 405, 858,
2086–2088, 2090, 2102, 2520, 3743,
4050, 4281, 4980, 5166, 5235, 5777,
6201
- font-symbol, 27, 65, 209, 211, 264, 267,

- 405, 438, 880, 1047, 1199, 1265,
1458, 1470, 1517, 1806, 1952,
2086–2088, 2090, 2102, 2228, 2231,
2335, 2433, 2520, 2626, 2633, 2819,
2850, 2962, 3364, 3405, 3422, 3491,
3551, 3711, 3864, 3893, 4277, 4980,
5090, 5164, 5166, 5235, 5716, 5753,
5777, 6017, 6018
- font-symbol-maths, 158, 1068, 1722,
1794, 1795, 1952, 3176, 3338, 3430,
3491, 3648, 3698, 3711, 3765, 3959,
4546, 5163, 5164, 5166, 5167, 5226,
5819, 5820, 6144, 6217
- font-tlenc, 28, 78, 88, 89, 110, 113, 116,
128, 235, 259, 430, 431, 698, 815,
820, 854, 961, 981, 1007, 1009,
1017, 1064, 1076, 1087, 1208, 1218,
1231, 1249, 1250, 1301, 1425, 1542,
1622, 1632, 1786, 1808, 1944, 2008,
2139, 2207, 2210, 2212, 2242, 2270,
2281, 2339, 2407, 2505, 2590, 2654,
2678, 2686, 2777, 2827, 3085, 3094,
3099–3102, 3125, 3165, 3343, 3368,
3412, 3526, 3579, 3617, 3637, 3673,
3833, 3837, 3839, 3857, 3892, 3896,
3928, 3964, 4006, 4269, 4272, 4273,
4298, 4591, 4720, 4820, 5080, 5082,
5083, 5094, 5157, 5162, 5481, 5483,
5484, 5605, 5725, 5870, 5936, 6082,
6226, 6238, 6251
- font-thai, 2105, 2107, 5476
- font-ttf, 27, 116, 124, 128, 130, 143, 175,
186, 235, 238, 245, 259, 263, 331,
403, 407, 412, 697, 819, 849, 911,
981, 1017, 1218, 1250, 1299, 1301,
1425, 1427, 1517, 1543, 1645, 1674,
2102, 2238, 2239, 2241, 2242, 2339,
2429, 2515, 2521, 2655, 2707, 2800,
2841, 3026, 3071, 3099, 3175, 3338,
3343, 3347, 3350, 3412, 3422, 3526,
3765, 3766, 3843, 3892, 3893, 3896,
3985, 4025, 4032, 4065, 4073, 4074,
4298, 4591, 4711, 5094, 5139,
5482–5484, 5753, 5776, 5842, 5843,
6226
- font-type1, 28, 64, 65, 92, 110, 113, 126,
128, 158, 175, 186, 193, 194, 220,
229, 230, 238, 240, 244, 267, 275,
295, 301, 303, 304, 407, 429–431,
443, 510, 511, 513, 514, 518, 688,
697, 746, 773, 815, 819, 830, 839,
849, 851, 854, 873, 875, 876, 880,
912, 961, 981, 999, 1008, 1010,
1017, 1039, 1042, 1044, 1050, 1051,
1056, 1063, 1068, 1076, 1086, 1118,
1208, 1218, 1226, 1229, 1231, 1249,
1250, 1265, 1270, 1285, 1299, 1326,
1327, 1330, 1334, 1337, 1400, 1425,
1442, 1458, 1507, 1516, 1522, 1541,
1543, 1549, 1563, 1622, 1676, 1749,
1752, 1787, 1795, 1802, 1804, 1809,
1815, 1822, 1943, 1952, 1959, 1970,
2008, 2079, 2086–2088, 2090, 2139,
2142, 2147, 2157, 2172, 2207, 2210,
2212, 2226, 2238, 2242, 2250,
2266–2270, 2273–2275, 2281, 2339,
2377, 2378, 2407, 2425, 2485, 2490,
2499, 2505, 2518, 2561, 2590, 2643,
2654, 2661, 2666, 2678, 2686, 2708,
2736, 2777, 2798, 2827, 2850, 2878,
2887, 3026, 3063, 3085–3087, 3094,
3096, 3099–3103, 3114, 3115, 3125,
3148, 3159, 3165, 3343, 3346, 3368,
3398, 3405, 3412, 3430, 3439, 3452,
3491, 3526, 3558, 3563, 3579, 3617,
3637, 3648, 3673, 3712, 3748, 3749,
3758, 3768, 3780, 3833, 3837–3839,
3849, 3857, 3892, 3896, 3897, 3928,
3934, 3948, 3959, 3962, 3964, 3965,
3985, 4006, 4025, 4052, 4065, 4191,
4205, 4235, 4269, 4272, 4273, 4277,
4298, 4303, 4375, 4396, 4535, 4536,
4546, 4575, 4591, 4621, 4656, 4720,
4723, 4726, 4730, 4746, 4766, 4790,
4793, 4795, 4820, 4891, 4980, 5001,
5081–5083, 5094, 5105, 5118, 5121,
5149, 5157, 5158, 5161, 5163, 5166,
5167, 5248, 5296, 5303, 5323,
5354–5356, 5358–5360, 5368, 5473,
5481, 5483, 5484, 5605, 5607, 5687,
5725, 5761, 5762, 5766, 5806, 5820,
5870, 5900–5904, 5923, 5951, 5990,
5991, 6010, 6018, 6027, 6052, 6082,
6214, 6217, 6226

- font-use, 58, 59, 196, 708, 774, 775,
1000, 1066, 1186–1188, 1230, 1626,
2011, 2035, 2092, 2101, 2292, 2466,
2470, 2744, 2745, 2759, 2769, 3078,
3269, 3307, 3334, 3335, 3446, 3610,
3755, 4008, 4400, 4402–4404, 4526,
4549, 4555, 5090, 5152, 5213, 5245,
5261, 5678, 5854, 6243, 6244
- font-util, 1002, 3561, 4244–4246, 5255,
5975, 6125
- font-virtual, 78, 88, 89, 102, 195, 238,
527, 701, 1052, 1058, 1062, 1065,
1217, 1407, 1484, 1623, 1636, 1833,
2143, 2280, 2297, 2491, 2661, 3455,
3490, 3609, 4532, 4554, 4747, 4792,
5605, 5889, 5936, 6003, 6238
- fontenc, 336, 2097, 2374, 2456, 2982,
3349, 5257, 5459
- footnote, 280, 674, 956, 1202, 1403,
1648, 2026, 2066, 2067, 2069–2073,
2119–2125, 2179–2181, 3408, 3496,
3733, 3798, 3870, 3981, 4003, 4037,
4110, 4164, 4800, 4899, 5086, 5160,
5264, 5698, 6200
- foreign-import, 12, 13, 933, 1177, 1433,
1509, 1510, 1616, 1719, 1867, 1868,
2140, 2539, 2694, 2741, 2801, 3332,
3458, 3488, 3666, 3788, 3952, 4082,
4257, 4717, 4832, 5258, 5442, 5470,
5644, 5681, 5765, 5773, 5978, 6037,
6056–6058, 6062, 6066, 6155, 6156
- form-fillin, 702, 1658, 2000, 2136, 2137,
2573, 4708
- formal-spec, 400, 718, 1153, 1625, 2132,
2951, 3771, 3937, 4977, 5946, 5947,
6236, 6237
- format, 240, 424, 711, 1149, 1271, 1273,
1754, 2140, 2571, 2679, 2906, 2907,
2930, 2943, 2948, 2949, 2960, 2961,
2969, 2970, 2984, 3019, 3180, 3553,
3601, 3639, 3761, 3762, 3987, 4213,
4220, 4255, 4264, 4397, 4525, 5141,
5160, 5415, 5416, 5453, 5456, 5875,
5886, 5892, 5921, 6230
- format-cvt, 867, 3537, 4514, 4662, 4749,
4750, 4779, 5690
- french, 355, 531, 588, 629, 817, 1164,
1223, 1544, 1602, 1792, 2029, 2154,
2165–2168, 2170, 2176, 2309, 2421,
2592, 3067, 3177, 3363, 3423, 3927,
4054, 4058, 4353, 4356, 5030, 5272,
5491, 5800, 5821, 6206
- french-doc, 215, 216, 742, 1891, 1935,
1937, 1958, 2134, 2164, 2409, 2418,
2645, 2896, 2977, 2987, 3209, 5691,
5693, 5694, 5700, 5701, 5982–5984
- frivolous, 2438, 2680, 4441, 4699, 6134,
6135
- games, 44, 85, 212, 408, 424, 435, 437,
446, 525, 769, 770, 847, 879,
944–947, 955, 959, 1165, 1178,
1181, 1260, 1261, 1263, 1558, 1659,
1666, 1730, 2204, 2206, 2335, 2418,
2436, 2438, 2450, 2487, 2488, 2520,
2584, 2596, 2633, 2729, 2754, 2757,
2763, 2923, 3173, 3364, 3366, 3369,
3402, 3431, 3478, 3534, 3694, 3721,
3858, 3972, 4010, 4011, 4078, 4169,
4271, 4384, 4395, 4426, 4480, 4541,
4699, 4718, 4737, 4740, 4741, 4825,
4836, 4840–4842, 4910, 4927, 5000,
5001, 5079, 5188, 5206, 5207, 5300,
5434, 5497, 5521, 5527, 5565, 5715,
5760, 6014, 6030, 6060, 6170, 6178
- gantt, 1166, 4176, 4444, 4753
- gen-paper, 3631, 3632, 3890, 5743, 5970
- genchart, 416, 420, 422, 445, 4172,
4231, 4232, 4414, 5599
- genealogy, 1916, 2231, 2232, 2234, 2404
- gentex, 1245, 1791, 5444
- geometry, 5–7, 60, 197, 838, 967, 1165,
1185, 1626, 2034, 2037, 2183, 2185,
2246, 2247, 2327, 2524, 2863, 3029,
4716, 4809, 4846, 5150, 5168, 5457,
5653, 5757, 5769, 5988, 5996, 6260
- geometry-adj, 903, 905, 2656
- georgian, 357, 3758
- german, 206, 327, 358, 520, 592, 629,
1423, 1424, 1429, 1440, 1445, 2201,
2224, 2253, 2255, 2801, 2802, 2804,
2805, 3292, 3846, 3927, 4607, 4633,
4752, 5332, 5809
- german-doc, 178, 742, 1552, 1820, 1919,
1933, 2096, 2247, 2254, 2294, 2350,

- 2895, 3001, 3210, 3582, 3817, 4089,
5273, 5608, 5691, 5692, 5694–5700,
5780
- glossary, 48, 534, 1881, 2299,
2302–2306, 2308–2324, 3385, 3386,
3878, 3879
- go, 4395
- graphics, 103, 152, 153, 237, 286, 421,
501, 710, 759, 772, 808, 809, 826,
831, 872, 892, 927, 933, 935, 988,
991, 1078, 1087, 1101, 1129, 1238,
1308, 1506, 1509, 1510, 1535, 1558,
1561, 1600, 1605, 1634, 1685, 1703,
1704, 1722, 1760, 1824, 1825, 1827,
1957, 1958, 1986, 1989, 1990, 2036,
2169, 2282, 2328, 2352, 2353, 2358,
2361, 2468, 2487, 2560, 2598, 2693,
2830, 2965, 2966, 3107, 3249, 3262,
3273, 3300, 3309, 3327, 3337, 3369,
3419, 3431, 3484, 3513, 3516, 3524,
3594, 3628, 3689, 3695, 3702, 3859,
3982, 3984, 4016, 4163, 4166, 4176,
4181, 4187, 4189, 4225, 4230, 4237,
4242, 4243, 4286, 4305, 4308, 4358,
4393, 4404, 4412, 4437, 4438, 4445,
4462, 4467, 4468, 4485, 4494–4496,
4500, 4501, 4510, 4541, 4551, 4586,
4590, 4596, 4613, 4647, 4670, 4712,
4719, 4741, 4788, 4816, 4869, 5008,
5172, 5175, 5212, 5218, 5244, 5261,
5266, 5527, 5530, 5532, 5534, 5540,
5546, 5550, 5556, 5560, 5564, 5568,
5569, 5572, 5573, 5578, 5580, 5583,
5586, 5588, 5592, 5593, 5612, 5630,
5631, 5633, 5637, 5715, 5754, 5782,
5971, 6002, 6032, 6065, 6143, 6225
- graphics-3d, 1955, 3262, 3354, 3691,
4352, 4408, 4409, 4440, 4447, 4458,
4468, 4478, 4490, 4508, 5526, 5567
- graphics-curve, 520, 1308, 1309, 1621,
2522, 4224, 4416, 4418, 5092, 6166
- graphics-doc, 283, 1762, 2387, 5983,
5984
- graphics-drv, 794, 1583, 2359, 3319,
4138, 4550, 4553, 6116
- graphics-editor, 2942, 3018
- graphics-engn, 286, 1753, 1766, 1829,
2333, 2352, 2355, 2369, 2999, 3077,
3538, 3541, 4512, 5454, 6126, 6186,
6193
- graphics-epsdft, 311, 312, 322, 1506,
1758, 1763–1765, 1767, 1768, 3703,
4131, 4382, 4476, 4510, 4514
- graphics-fill-tile, 4435
- graphics-import, 1942, 1980–1982, 2343,
2354, 2533, 3554, 5005, 5218
- graphics-in-tex, 323, 334, 335, 436, 520,
682, 713, 795, 1147, 1209, 1309,
1449, 1450, 1534, 1621, 1656, 1659,
1748, 1892, 1950, 2184, 2214, 2522,
2922, 2937, 2953, 3008, 3033, 3035,
3179, 3304, 3566, 3725, 3991, 4166,
4224–4227, 4229, 4283, 4287, 4405,
4466, 4486, 4496, 4516, 4518, 4551,
4571, 4596, 4628, 4763, 5091, 5115,
5251, 5403, 5442, 5443, 5532, 5552,
5612, 5983, 5984, 6120, 6166
- graphics-incl, 289, 1506, 1758, 1759,
1761, 1910, 1982, 2353, 2355–2357,
2360, 2362–2366, 2388, 2651, 2671,
3020, 3184, 3642, 3802, 4126, 4127,
4133, 4385, 4388, 4449, 4647, 4774,
5218, 5228, 5540
- graphics-inline, 1167, 1514, 1662, 1707,
1796, 1967, 2064, 2334, 2370, 2997,
3546, 3699, 3702, 4784, 5455
- graphics-manip, 4664, 4811
- graphics-motion, 177, 178, 1152, 2043,
2048, 2687, 5219
- graphics-mpost, 809, 2036, 2543, 3300,
3309, 3484, 3689, 3690, 3695, 3704,
4682, 4739, 5106
- graphics-plot, 522, 720, 722, 1505, 2342,
2506, 2688, 3261, 3273, 3392, 3540,
3544, 3572, 3700, 3923, 4184,
4187–4189, 4407, 4409, 4451, 4469,
5576, 5593, 5630, 5635
- graphics-plotfn, 522, 756, 1506, 3309,
3567, 3572, 4424, 4443, 5633, 5782
- graphics-prep, 4, 62, 438, 690, 713, 714,
816, 896, 1422, 1537, 1756, 1762,
1898, 1979, 1987, 2061, 2148, 2208,
2277, 2533, 2757, 2783–2785, 3362,
3462, 3586, 3702, 3966, 4036, 4090,

- 4095, 4120, 4293, 4334, 4389, 4393,
4406, 4430, 4513, 4573, 4785, 5220,
5393, 5442, 5506, 5525, 5624, 5678,
5679, 5690, 5722, 6051
- graphics-subpic, 2448, 3602, 4167, 4417,
4498, 4499, 5594
- graphics-supp, 715, 1116, 1587, 1605,
2344, 2385, 2503, 2522, 2953, 3352,
3557, 4436, 4452, 4473, 5576, 5579,
5590, 5689
- graphics-symb, 54, 56, 747, 985, 1047,
1133, 2444, 2447, 2724, 2848, 3366,
3982, 3986, 3994, 4124, 4186, 4730,
4781, 5585, 5591, 5971
- graphics-text, 1451, 1987, 2917, 3016,
3195, 4026, 4131, 4236, 4392, 4394,
4514, 5466, 5540, 5763
- graphics-use, 284, 740, 750, 751, 1099,
1159, 1161, 1311, 1455, 1538, 1613,
1703–1705, 1757, 1840, 1965, 1966,
2045, 2048, 2222, 2367, 2640, 2663,
3177, 3354, 3612, 3693, 4054, 4263,
4361, 4423, 4428, 4429, 4431, 4441,
4443, 4447, 4455, 4458, 4459, 4461,
4464, 4465, 4472, 4474, 4482, 4496,
4505, 4508, 4623, 4780, 5505, 5525,
5526, 5553, 5616, 5629, 5635, 5680,
5910, 5944, 5992, 6249
- greek, 360, 506, 517, 527, 532, 875,
1477, 1684, 1686, 1725, 2373–2376,
2378, 2379, 2382, 2394–2397, 2459,
2580, 2593, 2594, 2824, 2826, 3078,
3080, 3081, 3715, 5346, 5355, 5356,
5359, 5644, 6118, 6131, 6204
- greek-doc, 2243, 2380
- headings, 131, 135, 184, 213, 774, 914,
1223, 1263, 1918, 2067, 2657, 3662,
3804, 3894, 4017, 4600, 4876, 4878,
4880, 4882, 4883, 4907, 5036, 5127,
5138, 5413, 5620, 5656, 5673, 5689,
5925, 5941
- hebrew, 226, 361, 999, 1375, 2456,
2457, 3398, 4099, 4658, 4933, 4971
- humanities, 233, 538, 569, 572, 576, 577,
587–589, 593, 603, 604, 606, 616,
1010, 2232, 2234, 2256, 2597, 2977,
3623, 3631, 3632, 4148, 4477, 4891,
5315, 5644, 5818, 5846, 5847
- hungarian, 362, 1692, 1693, 2542, 2544,
2545, 2548, 3819, 3927, 5493
- hyper, 80, 83, 305, 401, 739, 766, 1322,
1503, 2122, 2328, 2535, 2536,
2565–2570, 2572, 2573, 2697, 2727,
3128, 3508, 3680, 3787, 3994, 4134,
4548, 4729, 5896, 6172
- hyph-gen, 1333, 2004, 4085
- hyph-pseudo, 4902
- hyphenation, 327, 406, 526, 818, 862,
1333, 1423, 1424, 1479, 1654, 1684,
1911, 1992, 2170, 2203, 2295, 2373,
2537, 2544, 2548, 2562, 2577–2584,
2586, 2594, 2665, 2713, 2732, 2849,
2925, 3257, 3258, 3285, 3627, 3645,
3814, 3874, 4276, 4531, 4759, 4786,
4884, 4940, 4955, 4956, 5017, 5074,
5100, 5119, 5124, 5341, 5623, 5813,
5814, 5911, 5912, 6112, 6118
- icelandic, 363, 1022, 2594, 2595, 2713,
5148
- ide, 1647, 1710, 1755, 2178, 2842, 2884,
3015, 3352, 4284, 4341, 5404, 5419,
5433, 5438, 5450–5452, 5722, 6043,
6046, 6150, 6185, 6187
- image-supp, 1508, 2553, 2668, 3286
- index, 58, 165, 310, 1221, 1222, 1271,
1794, 2235, 2283, 2538, 2555, 2597,
2604, 2605, 2641, 2658–2660, 2833,
2853, 2876, 2968, 3250, 3286,
3388–3390, 3517, 3735, 4681, 4723,
4805, 4851, 4884, 5109, 5342, 5414,
5887, 5938, 6107, 6136–6138, 6242
- index-auth, 92, 2662
- index-multi, 2235, 2658, 3409, 3735,
5109
- index-proc, 2130, 2283, 2376, 2695,
2930, 2968, 4787
- indic, 56, 107, 243, 412, 414, 511, 512,
1286, 1442, 1626, 2416, 2417, 2733,
2973, 2998, 3398–3400, 3411, 3624,
3999, 4786, 4790, 4993, 5296, 5320,
6119
- inputenc, 1083, 1239, 2283, 2375, 2406,
2456, 2675, 2720, 2982, 3023, 3024,
3081, 3287, 3409, 3840, 4715, 4751,

- 4887, 5253, 5311, 5388, 5795, 5825,
5849, 5912, 5920, 5960, 6117, 6120
- install-mgmt, 316, 1451, 1670,
5421–5425, 5428, 5643, 5645
- interlingua, 364, 3025
- invoice, 90, 1460, 1907–1909,
2700–2702, 2719, 3651, 4578, 4981,
6258
- io-mgmt, 1029, 2863, 3684, 3827, 4868
- irish-gaelic, 365, 1664, 1665, 2203, 2311
- italian, 366, 566, 1085, 2029, 2312,
2414, 2732, 3927, 5672
- italian-doc, 164, 1922, 2410, 2897, 2995,
3210, 4393
- japanese, 269, 280, 368, 789, 792,
797–800, 802, 807, 977, 1000, 1001,
1003, 1197, 1722, 1848, 2027, 2225,
2245, 2440, 2610, 2625, 2707, 2708,
2743–2745, 2758, 2759, 2761, 2768,
2769, 2786, 2787, 2790, 2813, 2815,
2825, 2847, 3324, 3342, 3444, 3854,
4020, 4093, 4094, 4264, 4266, 4268,
4524–4526, 4528, 4529, 4543–4545,
4548, 4550, 4552, 4553, 4555, 5885,
5891, 5892, 6102, 6262–6264
- japanese-doc, 3211, 4094, 4528
- journ-digest, 1552, 5739
- journ-extract, 1336, 3907
- journ-personal, 4855
- journ-src, 5375, 5730, 5816
- journalpub, 9, 10, 35, 37–40, 53, 95, 100,
101, 141, 142, 185, 199–204,
206–208, 257, 262, 265, 274, 306,
309, 508, 515, 563, 567, 570, 571,
581, 588, 595, 601, 602, 605, 610,
622, 687, 783, 856, 873, 887, 920,
980, 997, 998, 1005, 1060, 1138,
1233, 1268, 1406, 1418, 1433, 1441,
1443, 1550, 1551, 1639, 1643, 1672,
1675, 1690, 1691, 1712, 1905, 1946,
1972, 1985, 2202, 2207, 2249, 2421,
2504, 2507, 2547, 2585, 2608, 2635,
2637–2639, 2705, 2752, 2753, 2760,
2772, 2788, 2795, 2797, 2934, 3157,
3158, 3163, 3164, 3197, 3410, 3423,
3522, 3647, 3709, 3780, 3786, 3818,
3820, 3904, 3931, 3986, 4001, 4003,
4014, 4055, 4154, 4203, 4204, 4328,
4534, 4589, 4650, 4692, 4701–4703,
4745, 4781, 4783, 4825, 4827, 4829,
4922, 4947, 4964, 4969, 5030, 5114,
5211, 5249, 5404, 5485, 5738, 5739,
5935, 5970, 6050, 6252, 6265
- keyval, 92, 870, 1018, 1883, 1885–1887,
2831, 2834, 2836–2838, 2863, 2889,
2891, 2892, 2908, 3194, 3251, 3289,
3290, 3992, 4177–4179, 4183, 4509,
4843, 4981, 5006, 5007, 5589, 6146,
6147, 6207
- korean, 403, 1000, 1001, 1003, 2517,
2518, 2874–2876, 3325, 3780, 4288,
4526, 5807, 5842, 5843, 5891, 6103,
6122, 6262
- korean-doc, 3212
- kurdish, 228, 368, 2849, 2886
- kurmanji, 368, 2849
- label-ref, 209, 321, 636, 919, 938,
1019–1021, 1023, 1205, 1248, 1256,
1257, 1342, 1428, 1484, 1735, 1924,
1928, 2068, 2124, 2481, 2672, 2727,
2853, 2916, 2921, 2940, 3141, 3660,
3776, 3916, 4043, 4044, 4046, 4201,
4338, 4659–4661, 4667, 4782, 4877,
4958, 4959, 5028, 5200, 5335, 5448,
5488, 5618, 5676, 5771, 5840, 5891,
5915, 5939, 6076, 6171, 6172,
6254–6257
- labels, 882, 2038, 2766, 2915,
2917–2919, 3391, 3779, 5520
- landscape, 2931, 3201, 3202, 3998, 4121
- lang-invented, 2425, 5325
- latex-devel, 2946, 2949, 2961, 2966,
2969, 2970, 2981, 2999, 3777, 4122
- latex-doc, 162, 898, 1034, 1329, 1712,
1762, 1989, 2075, 2956, 2957, 2959,
2967, 2968, 3154, 3358, 3658, 5080,
5914, 6026
- latex-qual, 2895, 2923, 3769, 3976
- latex209, 37, 40, 46, 53, 57, 138, 422,
736, 774, 775, 887, 1331, 1738,
1760, 1799, 1801, 1861, 2052, 2248,
2249, 2591, 2635, 2712, 2717, 2720,
2812, 2921, 2926, 2928, 3076, 3157,
3162, 3192, 3395, 3405, 3406, 3564,

- 4037, 4404, 4815, 4916, 4921, 4926,
4965, 5016, 5023, 5249, 5504, 5987,
6071, 6078, 6236
- latex3, 1789, 1817, 1888, 1954, 2187,
2811, 2900, 2901, 2903, 2904,
2906–2908, 2910, 2911, 3241, 3862,
5371, 5852, 6077, 6088, 6128–6130,
6160, 6186, 6241
- latin, 370, 2925, 3022, 3550
- latvian, 371
- layout, 22, 51, 68, 92, 738, 893, 948,
1024, 1190, 1314, 1529, 1709, 1981,
1991, 2014, 2059, 2182, 2236, 2390,
2434, 2435, 2441, 2904, 2931, 2974,
3027, 3038, 3040, 3057, 3118, 3201,
3202, 3271, 3295, 3363, 3585, 3801,
3813, 3901, 4040, 4041, 4076, 4121,
4253–4255, 4258, 4313, 4314, 4410,
4456, 4616–4618, 4735, 4802, 4895,
4954, 5036, 5086, 5275, 5276, 5467,
5719, 5748, 5758, 5910, 6001, 6033,
6036, 6061, 6130
- layout-page, 749, 1252–1254, 1849,
2245, 3766, 5513, 5515, 5516, 6012
- layout-show, 670, 3028, 3029, 4038,
5781
- layout-supp, 5975
- leaders, 2002, 3481
- legal, 566, 592, 597–599, 629, 756, 1194,
1544, 2449, 2802, 2805, 2806, 2863,
3073, 3074, 3593, 4002, 4633, 4672,
4752, 4856, 5689, 5750, 5812, 5822,
5913
- letter, 61, 91, 106, 509, 510, 523, 706,
886, 965, 1006, 1172, 1468, 1469,
1483, 1738, 1739, 1742, 1906, 1943,
2135, 2171, 2173, 2182, 2201, 2220,
2222, 2401, 2450, 2518, 2541, 2719,
2779, 2781, 2858, 2863, 2869, 2926,
3054, 3061–3064, 3067, 3348, 3373,
3391, 3584, 3652, 3696, 3763, 3830,
3908, 3975, 4315, 4581, 4650, 4776,
4837, 4861, 4864, 4908, 4960, 5672,
5734, 5787, 5895, 5928, 6202
- letterspace, 3065, 3110, 3581, 3805,
5077, 5078, 5085, 5683, 5779
- lettrine, 1172, 1539, 1545, 1546, 3068
- licence-mgmt, 600, 1493, 2263, 3545
- line-nos, 138, 1968, 2069, 3120, 3121,
3297, 3906, 3923
- line-patt, 1339–1341, 2552, 3729
- line-space, 1515, 4912, 4913
- line-weight, 726, 1417, 3729
- linguistic, 76, 236, 605, 862, 951, 967,
1235, 1458, 1517, 1547, 1565, 1634,
1655, 1725, 1880, 1881, 1883,
2128–2130, 2150, 2218, 2219, 2229,
2692, 2933, 2936, 3054, 3122, 3123,
3127, 3343, 3539, 3549, 3584, 3687,
3719, 3825, 3869, 3919, 4007, 4027,
4059, 4363, 4413, 4453, 4466, 4500,
4502, 4584, 4744, 4748, 4872, 4891,
4898, 4988, 5241, 5247, 5461, 5535,
5609, 5667, 5847, 5865, 5872, 6194,
6198
- list, 268, 318, 778, 1313, 1438, 1617,
1725, 1732–1735, 1737, 1776, 1807,
2217, 2434, 2473, 2519, 2635, 2700,
2920, 3030, 3141, 3143, 3357, 3493,
3720, 4017, 4018, 4062, 4627, 4700,
4946, 4996, 5086, 5188, 5304, 5696,
5770
- list-bull, 268, 4062, 4812, 4946
- list-descr, 268, 1420, 1438, 1776, 1879
- list-enum, 268, 1725, 1732, 1733, 1736,
1737, 1807, 2786, 3677, 3720, 4017,
4062, 4700, 4899, 4946, 5269, 5304,
5477
- list-supp, 268, 1122, 2519, 3145, 3190,
3496, 4627
- listing, 115, 118, 812, 814, 920, 1080,
1082, 1236, 1500, 1863, 1864, 1968,
2138, 2145, 2153, 2282, 2500, 2501,
2559, 2748, 2807, 3006, 3079,
3136–3140, 3224–3226, 3393, 3472,
3535, 3548, 3568, 3615, 3616, 3840,
3853, 3916, 4239, 4359, 4433, 4558,
4560, 4562, 4563, 4796, 4833, 4938,
4953, 5015, 5024, 5308, 5310, 5337,
5420, 5435, 5474, 5475, 5606, 5947,
5952, 5959, 6025
- lithuanian, 371, 3151
- litprog, 211, 331, 813, 1028, 1071, 1297,
1320–1323, 2195, 2199, 3147, 3198,

- 3272, 3392, 3473, 3900, 4252, 4373,
4542, 4784, 4817, 4818, 5101, 5752,
6022–6025, 6027, 6063, 6199
- litprog-tools, 1025, 1028, 2850, 5297,
5298, 5523, 6021
- log-manip, 3168, 5406, 5408,
5428–5430, 5432
- logic, 507, 529, 1661, 2017, 2078, 2163,
2264, 2397, 3155, 3172, 3175, 3176,
3329, 4343, 4368, 4533, 5234, 5241,
5325, 5541, 5720, 5747
- logo, 446, 747, 806, 881, 1099, 1101,
1840, 2415, 2525, 2551, 2556, 2598,
2599, 2724, 2885, 3177, 3535, 3536,
3863, 4322, 4773, 5008, 5430, 5510,
5948
- lua-supp, 3256, 3278, 3286, 3294, 3296,
3308, 3321, 3322, 3872, 5724, 5792
- luatex, 59, 62, 225, 324, 327, 451, 472,
522, 708, 740, 809, 852, 955, 958,
1030, 1117, 1228, 1279, 1287, 1291,
1334, 1354, 1505, 1674, 1704, 1705,
1728, 1848, 1925, 1938, 2020, 2101,
2110, 2111, 2115, 2169, 2287, 2418,
2483, 2515, 2520, 2541, 2601, 2673,
2676, 2694, 2743, 2797, 2800, 2813,
2846, 2848, 3043, 3059, 3093, 3110,
3117, 3185, 3193, 3257–3266, 3268,
3270, 3271, 3273–3275, 3277–3280,
3282–3285, 3287, 3289, 3290,
3293–3302, 3304–3309, 3311,
3313–3316, 3318–3321, 3323–3329,
3331, 3332, 3341, 3351, 3381, 3415,
3601–3606, 3765, 3831, 3899, 3952,
3980, 3987, 4041, 4076, 4150, 4151,
4181, 4239, 4242, 4253, 4261, 4561,
4819, 4830, 4876, 4888, 4892, 4893,
4955–4957, 4992, 5098, 5174, 5237,
5333, 5628, 5720, 5724, 5792, 5848,
5854, 5864, 5866, 6012, 6058, 6106,
6203
- luatex-doc, 3291, 3292
- lyx, 4979
- macedonian, 372
- macro-def, 78, 882, 884, 1419, 1421,
1745, 2260, 2670, 2927, 3060, 3193,
3253, 3437, 3774, 3993, 5187, 6128,
6158–6160, 6186
- macro-demo, 1071, 1740, 1864, 1932,
3006, 3138, 4953, 5217, 5310, 5627,
5638, 5985, 6210
- macro-gen, 62, 78, 822, 866, 927, 958,
1088, 1821, 1881, 1885, 2021, 2062,
2525, 2627, 2932, 3167, 3194, 3243,
3270, 3289, 3290, 3324, 3513, 3774,
3980, 4124, 4141, 4259, 4299, 4817,
5173, 5660, 5664, 5742, 5985, 6048,
6223
- macro-iterate, 2131, 3437, 5660, 5664
- macro-sort, 778, 2913
- macro-supp, 78, 97, 98, 122, 248, 249,
251, 278, 289, 307, 411, 500, 691,
703, 745, 789, 796, 797, 799, 800,
864–866, 870, 883, 918, 919, 966,
1013, 1026, 1053, 1074, 1088, 1090,
1121, 1132, 1194, 1224, 1409, 1412,
1416, 1453, 1488, 1519, 1527, 1559,
1687, 1740, 1741, 1746, 1811, 1812,
1814, 1817, 1820, 1821, 1851, 1878,
1885, 1888, 1890, 1902, 1958, 1962,
1978, 1998, 2007, 2015, 2022, 2027,
2040, 2091, 2121, 2123, 2126, 2131,
2187, 2216, 2258, 2262, 2329, 2337,
2368, 2402, 2423, 2524, 2531, 2545,
2609, 2614, 2617, 2621–2623, 2628,
2629, 2632, 2694, 2699, 2816, 2833,
2886, 2900–2902, 2904, 2908, 2910,
2911, 2916, 2926, 2927, 2938, 3084,
3133, 3161, 3162, 3166–3168, 3190,
3227, 3229, 3243, 3254, 3255, 3358,
3359, 3380, 3387, 3395, 3493, 3496,
3515, 3562, 3584, 3600, 3675,
3729–3732, 3756, 3823, 3826, 3842,
3871, 3875, 3883, 4043, 4072, 4083,
4084, 4117, 4141, 4158, 4229, 4231,
4248, 4259, 4278, 4349, 4369, 4372,
4530, 4604, 4605, 4607–4611, 4622,
4656, 4657, 4669, 4676–4678, 4680,
4688, 4722, 4775, 4801, 4872, 4935,
4958, 4959, 5006, 5070, 5098, 5132,
5149, 5170, 5171, 5179, 5203, 5209,
5231, 5259, 5274, 5388, 5458, 5583,
5660, 5662, 5663, 5668, 5675, 5682,
5713, 5757, 5874, 5876, 6038, 6047,

- 6071, 6077, 6079, 6087, 6127, 6130,
6133, 6148, 6154, 6161, 6163, 6164,
6169, 6179, 6180, 6241
- magazine, 1925, 2059, 3059, 3653, 3834,
3835, 4057
- mail-list, 3912, 5369, 5410, 5418, 5815
- mailing, 3370, 3371, 3525
- maltese, 3400
- manju, 3404
- marathi, 9, 951, 2973, 3411
- marginal, 2046, 3413–3417, 3646, 3692,
4133, 4966, 4968, 5027, 5036, 6234
- markup, 1501, 1615, 2733, 3420, 3852,
3853, 6037, 6119
- mat-sci, 3591
- maths, 21, 29, 105, 123, 125, 139, 152,
154, 155, 159, 163, 166–169, 172,
182, 191, 271, 294, 314, 315, 321,
421, 507, 524, 568, 676, 683, 704,
712, 727, 757, 759, 761, 769, 771,
786–788, 822, 824–826, 837, 852,
853, 872, 895, 1123, 1129, 1134,
1148, 1149, 1174, 1201, 1214, 1219,
1246, 1267, 1414, 1428, 1430–1432,
1437, 1461, 1465, 1505, 1513, 1600,
1601, 1609, 1612, 1618, 1627, 1653,
1686, 1708, 1722, 1743, 1775, 1777,
1779–1782, 1792, 1824, 1825, 1829,
1893, 1896, 1898, 1914, 1970, 2017,
2025, 2030, 2039, 2110, 2111, 2141,
2160, 2161, 2163, 2166, 2185, 2204,
2218, 2230, 2237, 2264, 2273, 2296,
2299, 2352, 2371, 2397, 2428, 2469,
2489, 2496, 2498, 2526, 2592, 2597,
2667, 2673, 2695, 2696, 2743, 2764,
2773, 2786, 2787, 2816, 2818, 2822,
2830, 2836, 2890, 2945, 2946, 2991,
3051, 3052, 3066, 3116, 3121, 3129,
3175, 3182, 3185, 3194, 3196, 3269,
3277, 3280, 3282, 3284, 3293, 3297,
3299–3301, 3305, 3314, 3315, 3329,
3363, 3402, 3424, 3425, 3429, 3432,
3434, 3437, 3440, 3443, 3444, 3446,
3451, 3456, 3459, 3465, 3469, 3470,
3474, 3475, 3477, 3494, 3496, 3501,
3567, 3572, 3573, 3575–3577, 3603,
3620, 3634–3636, 3681, 3689, 3704,
3706, 3744, 3765, 3767, 3775, 3784,
3800, 3809, 3848, 3850, 3865, 3876,
3918, 3920–3922, 3951, 3970, 3976,
3978, 3990, 4013, 4022, 4027, 4081,
4153, 4155, 4157, 4161, 4196, 4197,
4200, 4214–4217, 4282, 4286, 4300,
4305–4307, 4342, 4351, 4353,
4356–4358, 4365, 4367, 4426, 4431,
4432, 4443, 4447, 4463, 4469, 4478,
4481, 4505, 4573, 4593, 4613, 4632,
4636, 4637, 4649, 4651, 4682,
4689–4691, 4709, 4714, 4823, 4889,
4897, 4909, 4911, 4925, 4936, 4944,
4962, 4970, 4985, 5010, 5025, 5037,
5088, 5124, 5126, 5145, 5153, 5175,
5191, 5193, 5204, 5205, 5215, 5237,
5249, 5251, 5272, 5298, 5314,
5328–5330, 5349, 5468, 5499, 5501,
5543, 5595, 5626, 5629, 5631, 5633,
5634, 5637, 5720, 5742, 5760, 5782,
5834, 5836, 5838, 5839, 5854, 5855,
5860, 5884, 5947, 6048, 6129, 6141,
6142, 6151, 6222, 6223, 6229
- maths-doc, 156, 160, 161, 2782, 2963,
4945, 5781, 5834, 5993, 5995
- maths-symbol, 21, 1093, 1306, 1511,
2047, 2428, 3429, 3737, 3765, 4124,
5133, 5173, 5710, 5747, 5834
- maths-syseqn, 857, 1779, 1780, 3951,
5088, 5194, 5249, 6048
- maths-tabvar, 5262, 5263, 5270, 5272,
5288, 5637, 5937
- maths-theorem, 174, 315, 1101, 1205,
1246, 1278, 2667, 2836, 3128, 3806,
3832, 3835, 3910, 4200, 4684, 4717,
4931, 5088, 5142, 5487, 5488, 5498,
5499, 5501, 5508
- matrix, 246, 279, 1428, 1537, 1609,
1618, 1620, 2296, 2936, 3850, 4691,
4985, 5088, 5196, 5330, 5691
- measure, 3497
- medical, 1633
- meeting-admin, 3503, 3618, 4374
- memorandum, 241, 2177, 2928, 3509,
4195
- messages, 2665
- metadata, 1578, 3530, 3545, 4248, 4830,

- 6157
- mf-doc, 3532, 3533
- micro-layout, 894, 3117, 3581, 4115,
4712, 4934, 4935, 5779, 5937
- misc-conv, 776, 1979, 3055, 3239, 4008,
5029, 5381, 5456, 5864, 6056
- misc-paper, 1070, 1241, 2252, 2542,
2703, 2735, 3891, 4636, 4650, 4808,
5872
- misc-support, 47, 189, 1971, 2297, 2372,
2722, 2921, 2982, 3340, 3655, 3968,
4362, 4532, 4761, 4762, 4810, 4813,
4928, 5185, 5660, 6006, 6045
- mobile, 81
- molbio, 1485, 2771, 4181, 5450, 5465
- mongolian, 3645, 3649, 3669, 3672,
3757, 5084, 6106
- mongolian-doc, 3212, 3213
- mp-doc, 1536, 3533, 3701
- mp-supp, 2328, 2484, 3523, 3542, 3604,
3693, 3697, 3702, 5338
- mp-use, 1761, 1966, 2484, 3304, 3309,
3534, 3542, 3547, 3604, 3691, 3694,
5188, 6058
- multicol, 68, 410, 1314, 1515, 2063,
3057, 3189, 3247, 3727, 3728, 4092,
5503, 5504, 5755, 6007
- multilingual, 24, 192, 225, 228, 338, 341,
364, 373, 396, 397, 419, 451, 502,
1105, 1246, 1355, 1357–1366,
1368–1398, 1668, 1674, 1947, 2529,
2584, 2618, 2809, 2932, 3042, 3083,
3133, 3504, 3608, 3633, 3638, 3639,
3708, 3728, 3734, 3736, 3927, 4304,
4545, 4569, 4991, 5674, 5684, 5702,
5704, 5887, 5891, 6184
- multilingual-addon, 220, 340–347,
349–351, 354–358, 360, 362, 366,
368, 370–372, 374–376, 378,
380–395, 517, 976, 1633, 2028,
2165, 2250, 2300, 2383, 2406, 2593,
3022, 3669, 5089, 5346, 5478, 5746,
6247
- multimedia, 3242, 3499, 3500, 3688,
4129, 5097
- music, 12, 13, 325, 404, 609, 811, 968,
969, 1173, 1192, 1411, 1983, 2169,
2223, 2384, 2403, 2411–2413, 2442,
2460, 2994, 3039, 3106, 3111, 3351,
3353, 3715, 3742, 3743, 3745, 3747,
3750, 3751, 3949, 4221, 4289–4291,
4655, 5035, 5071, 5072, 5074, 5393,
5436, 5833, 6155, 6165
- music-extinp, 3351, 3583
- neuro, 444, 2774, 3818
- non-bibtex, 540
- norwegian, 374, 2314, 2315, 3874, 3884
- notes, 90, 717, 977, 1177, 1413, 1607,
1619, 1651, 1904, 2032, 2825, 2863,
2883, 3329, 3415, 3418, 3419, 3480,
3497, 3573, 3596, 3611, 3655, 3887,
3889, 3890, 4042, 4069, 4838, 4859,
5004, 5027, 5033, 5507, 5657, 5658,
5858, 5969, 6031, 6234, 6239
- novelty, 48
- numbers, 134, 222, 682, 780, 984, 991,
1073, 1120, 1160, 1414, 1419, 1466,
1522, 1723, 1925, 1991, 2065, 2077,
2081, 2133, 2378, 2395, 2486, 2704,
2732, 3377, 3661, 3677, 3789, 3793,
3909, 3917, 3918, 3924–3927, 3997,
4033, 4207, 4213, 4724, 4725, 4729,
4877, 4900, 4973, 5319, 5477, 5528,
5742, 5862, 6143, 6231, 6239, 6246,
6248
- obscurity, 4734
- obsolete, 43, 88, 142, 162, 193, 340, 388,
527, 652, 688, 691, 816, 836, 887,
891, 967, 1038, 1041, 1067,
1150–1153, 1155–1157, 1159,
1161–1166, 1170, 1171, 1173,
1177–1179, 1183, 1185, 1187, 1212,
1222, 1229, 1238, 1285, 1352, 1355,
1407, 1439, 1484, 1507, 1515, 1760,
1853, 1854, 1974, 1989, 2028, 2033,
2045, 2092, 2096, 2101, 2147, 2165,
2167, 2215, 2238, 2257, 2322, 2327,
2544, 2561, 2735, 2752, 2759, 2868,
2916, 2953, 2968, 2979, 2984, 3077,
3081, 3087, 3121, 3146, 3149, 3157,
3247, 3250, 3255, 3291, 3320, 3348,
3352, 3356, 3414, 3453–3455, 3480,
3582, 3688, 3743, 3749, 3758, 3835,
3915, 3923, 3965, 3968, 4111, 4139,

- 4153, 4219, 4233, 4293, 4379, 4382,
4398, 4404, 4405, 4508, 4523, 4535,
4536, 4567, 4575, 4618, 4678,
4702–4704, 4742, 4743, 4840, 4865,
4956, 4963, 5089, 5197, 5232, 5253,
5268, 5344, 5347, 5389, 5405, 5450,
5478, 5499, 5601, 5611, 5639, 5655,
5689, 5840, 5865, 5875, 5995, 5996,
6008, 6043, 6084, 6104, 6219, 6228
- occitan, 375, 2300
- off, 4648
- omega, 32, 111, 192, 511, 1038, 1442,
1580, 2394, 2661, 3397, 3400, 3444,
3946, 3954, 3957, 3968, 4396, 5296
- optics, 982, 3991, 4457, 4471, 4472,
4983, 5547, 5552
- optimise, 3940, 4987
- other-lang, 2406, 2586, 2665, 3825,
3957, 5074
- outline, 1006, 4019
- package-devel, 1014, 2109, 2530, 2902,
2935, 2956, 3383, 4872, 5140, 5185,
5441, 5684, 5965
- package-doc, 3853
- package-mgmt, 2863, 4863
- package-supp, 86, 2691, 3306, 4183,
5702, 5704
- page-control, 804, 2245, 4045, 4885,
4886
- page-hf, 316, 680, 956, 1031, 1190,
1716, 1921–1923, 2053, 2054, 2200,
2424, 2454, 2863, 3796, 4742, 4857,
4858, 4860, 4865, 4925, 5614, 5617,
5620, 5835, 5883, 5928
- page-nos, 224, 907, 1562, 2081, 3882,
3883, 3973, 4035, 4725, 4728, 4973
- para-deco, 840
- parallel, 681, 1674, 1679, 3051, 3728,
4059, 4063, 4066, 4070, 4112, 4113,
4674
- paren-mgmt, 757, 1600, 1699, 1730,
2592, 2695, 3186, 4155, 4196, 4620,
5634
- parser, 2813, 3193, 3263, 3316, 4149,
5107, 5660, 5665
- parshape, 2013, 4060, 4061, 4076, 4617,
4934, 6040
- patent, 5913
- pdf-feat, 31, 33, 43, 50, 83, 85, 87, 180,
258, 296, 297, 421, 805, 1046, 1072,
1206, 1352, 1491, 1697, 1698, 1771,
1900, 1901, 1931, 2033, 2035, 2136,
2303, 2570, 2573, 2575, 2681, 2697,
2750, 3242, 3605, 3606, 3643, 3787,
3831, 3941–3944, 3979, 4091, 4104,
4105, 4114, 4117, 4119, 4122, 4123,
4127, 4130, 4142, 4145, 4312, 4581,
4683, 4708, 4713, 4830, 4950, 5170,
5502, 5503, 5514, 6085, 6094, 6125,
6157, 6175, 6228
- pdf-forms, 43, 44, 50, 86, 258, 1352,
1525, 1631, 1770, 1772, 1948, 2020,
2045, 2372, 2570, 2598, 2763, 4285,
4312, 4708, 4713, 4872
- pdf-view, 4126, 4129, 4130, 4666, 4950
- pdfprocess, 1195, 1352, 2770, 3047,
3629, 4106–4108, 4116, 4120, 4126,
4130, 4146, 6081
- persian, 132, 228, 1911, 2710, 3664,
4071, 4073–4075, 4159, 4530, 4992,
5273, 5437, 6109, 6111, 6138, 6207
- persian-doc, 3214
- pgf-tikz, 67, 103, 182, 198, 237, 290,
435, 445, 488, 501, 682, 705, 710,
720, 722, 729, 759, 772, 808, 831,
852, 872, 892, 910, 927, 934, 935,
968, 969, 971, 972, 979, 988, 989,
991, 1078, 1087, 1099, 1129, 1215,
1238, 1411, 1523, 1561, 1600, 1605,
1633, 1666, 1824, 1840, 1910, 1927,
1939, 1941, 1957, 1986, 1989, 2058,
2127, 2129, 2169, 2233, 2349, 2391,
2447, 2450, 2502, 2522, 2551, 2729,
2757, 2762, 2817, 2819, 2843, 2846,
2848, 2924, 3066, 3104, 3107, 3174,
3176, 3262, 3300, 3309, 3327, 3367,
3396, 3419, 3431, 3474, 3514, 3517,
3524, 3528, 3594, 3665, 3687, 3707,
3850, 3859, 3864, 3865, 3887, 3982,
3986, 3991, 3994, 4016, 4022, 4040,
4058, 4078, 4080, 4081, 4153, 4163,
4166–4172, 4174–4176, 4181, 4182,
4186, 4187, 4230, 4237, 4242, 4243,
4271, 4286, 4305, 4308, 4345, 4356,

- 4358, 4368, 4533, 4541, 4579, 4586,
4590, 4594, 4596, 4598, 4613, 4632,
4655, 4670, 4679, 4719, 4737, 4741,
4781, 4788, 4816, 4836, 4840–4842,
4869, 4876, 4910, 4982, 4983, 5026,
5027, 5034, 5093, 5096, 5139, 5172,
5175, 5178, 5212, 5219, 5244, 5301,
5330, 5510, 5520, 5526–5540,
5542–5547, 5549–5556, 5558,
5560–5562, 5564–5569, 5571–5573,
5575, 5576, 5578–5580, 5582–5584,
5586, 5588, 5589, 5591–5593, 5595,
5599, 5610, 5625, 5626, 5629–5631,
5633–5637, 5658, 5667, 5715, 5760,
5782, 5833, 5922, 5950, 5971, 5984,
6014, 6032, 6048, 6060, 6065, 6072,
6101, 6143, 6225, 6261
- philosophy, 616, 1661, 4817
- phonetic, 1007, 1517, 1724, 2082, 2706,
3825, 4208, 4209, 4363, 4507, 5169,
5607, 5610, 5667, 5723, 5866, 5995,
6074, 6075, 6177
- physics, 191, 334, 335, 617, 705, 723,
761, 974, 1060, 1214, 1466, 1965,
1966, 2036, 2462, 2464, 2467, 2471,
2475, 2477, 2478, 2725, 2788, 2842,
3129, 3259, 3403, 3498, 3809, 3904,
3913, 3914, 3951, 3991, 4089, 4170,
4174, 4193, 4197, 4212–4220, 4281,
4286, 4397, 4423, 4426, 4428, 4434,
4460, 4462, 4471, 4472, 4482, 4487,
4492, 4493, 4534, 4575, 4589, 4612,
4701, 4702, 4704, 4823, 4962, 4983,
4984, 4987, 5014, 5178, 5204, 5212,
5215, 5226, 5453, 5491, 5538, 5539,
5547, 5552, 5553, 5558, 5879
- piedmontese, 376
- plain-ext, 319, 1754, 1988, 2083–2085,
2094, 2360, 2447, 2507, 2584, 2617,
2854, 2858, 2875, 2915, 2938,
3062–3064, 3074, 3134, 3633, 3955,
3987, 4102, 4258, 4279, 4696, 4727,
5649, 5650, 5755–5757, 5860
- plain-text, 265, 868, 1262, 1439, 1570,
2893, 5878, 6115
- planning, 971, 1416, 2792, 4814, 4815,
4892, 4893
- polish, 193, 194, 377, 876, 3331, 3553,
3957, 4252, 4275, 4276, 4280, 4285,
4302, 5303
- polish-doc, 3215, 5379
- portuguese, 378, 3917, 3997, 4531, 4532
- portuguese-br, 14, 17, 18, 378, 563,
1956, 5285, 5796, 5805, 5831
- portuguese-doc, 452, 1306, 2983, 3002,
3216, 6197
- poster, 2, 462, 524, 677, 2059, 2522,
3654, 4316, 4317, 4776, 4831, 5587,
5734, 6101
- pre-release, 2901, 2903, 2907, 2908,
6088, 6160, 6186
- preamble-admin, 2939
- prepress, 4300
- preprocessor, 2171, 2220, 3005, 3108,
3866, 3945, 4634, 5455, 6187, 6190
- presentation, 90, 177, 198, 214, 448–455,
457, 459–463, 465–470, 472–475,
477, 478, 480, 481, 483–500, 523,
671, 901, 979, 1024, 1113, 1182,
1242, 1459, 1483, 1599, 1688, 1799,
1875, 1920, 1929, 1969, 1974, 2079,
2080, 2394, 2414, 2423, 2424, 2431,
2432, 2450, 2489, 2513, 2522, 2620,
3045, 3238, 3502, 3667, 3887, 3898,
4024, 4128, 4129, 4134, 4135, 4186,
4189, 4320, 4322, 4325–4327,
4335–4337, 4371, 4473, 4776, 4895,
4974, 5018–5020, 5072, 5076, 5110,
5129, 5183, 5293, 5445, 5511, 5678,
5717, 5734, 5895, 5931
- previewer, 1596, 2401, 2419, 2420,
4829, 6098, 6162, 6163
- print-app, 5998
- probability, 3704, 4346
- production, 3899, 6260
- program-doc, 115, 1078, 1492, 1744,
4694
- project-mgmt, 2964, 3591, 5446, 5910
- proof, 218, 786–788, 824, 1627, 2017,
2497, 3783, 4342, 4365, 4707, 4901
- proposal, 1444, 1834, 2351, 2422, 2482,
3764, 3855, 3863, 3905, 4370, 5128,
6096, 6097
- protection, 3883

- ps-manip, 306, 2100, 2647, 3619, 4379,
4380, 4383, 4384, 4399, 4406, 4523,
5254–5256, 5378
- pseudocode, 114, 117–121, 1032, 1033,
1151, 1264, 2176, 3819, 4359, 4387
- pstricks, 1548, 1661, 3008, 3311, 4143,
4144, 4231, 4395, 4407–4418,
4420–4424, 4426–4433, 4435, 4437,
4438, 4440, 4441, 4443–4448,
4450–4454, 4456–4462, 4464, 4465,
4467–4469, 4471–4474, 4477–4482,
4484–4496, 4500, 4501, 4503, 4505,
4506, 4511, 4516, 4518–4521, 4743,
4924, 5824, 5983, 5992
- psychology, 200–204, 207, 208, 570,
571, 3709, 3820, 5485
- publicity, 4338
- publisher, 528, 628, 689, 1702, 2587,
2589, 3519, 3622, 4332, 4923
- puzzle, 1525, 3744, 4755–4758, 5079,
5300, 5716
- qrcode, 535, 785, 1747, 1927, 2559,
4415, 4578, 4580
- quotation, 1015, 1454, 4599, 4602, 4603
- quotation-imp, 1025, 1212
- quotation-mgmt, 298, 694, 704
- quote-marks, 866, 1275, 1276, 1474,
2255, 3171, 3312, 3816
- random, 1859, 2206, 3035, 3313, 3483,
3599, 4626, 4628, 4631, 4838
- record-keep, 2914
- ref-latex, 1136, 1498, 2472, 2986, 2987,
3235, 5392
- report-like, 146, 716, 718, 974, 1266,
1786, 1805, 2455, 2512, 2664, 3112,
3788, 3977, 4329, 4683, 4866, 4921,
4999, 5103, 5317, 5867, 5879, 5917
- review-document, 1498, 1552, 3009,
3506, 6174
- romanian, 379, 4727
- rotation, 2723, 4731, 4733, 4965, 4966
- rule, 1340, 3655, 3729, 3803, 4578,
4760, 5004, 6132
- russian, 381, 427, 593, 716, 929, 1797,
1798, 2340, 4759, 4771
- russian-doc, 427, 1139, 3217, 3701, 4771
- safety-notice, 3574, 4615
- samin, 382
- sanskrit, 1285, 1442, 2661, 3757, 4786,
4790, 6119
- scientific-docs, 156, 273, 274, 276, 1302,
1504, 1809, 2137, 3537, 3552, 3623,
4215, 4218, 4376, 4522, 4588, 4827,
4963, 4995, 4997, 4998, 5867, 5868
- scottish, 383
- security, 276, 892, 1728, 1771, 3277,
4629, 4879, 4880, 5232, 5373, 5706
- semproc, 4896
- serbian, 383, 384, 1390, 2453,
4903–4907, 4940, 5118, 5119, 5124
- shortcut, 10, 29, 1445, 1823, 3450, 3706,
4067, 4583, 4595, 4600, 4601, 4945,
5215, 5864
- simplified, 5250
- slovak, 385, 1269–1271, 1273, 1274,
1714, 3218, 3331, 5303
- slovenian, 386, 3218, 5017
- somali, 4004
- sorbian, 387
- spanish, 257, 388, 389, 1794, 1907,
2015, 2578, 3142, 4609, 5089, 5100
- spanish-doc, 191, 1934, 2408, 2898,
2986, 3001, 3219, 5611
- spec-alphabet, 760
- spell, 167, 275, 1866, 2144, 2725, 2794,
5098, 5454, 5988
- statistics, 1641, 2652, 3502, 4749, 4796,
5143–5145, 5147, 5148, 5529, 5593
- std-conform, 17, 18, 90, 146, 203, 206,
469, 473, 523, 591, 593, 699, 716,
718, 979, 1241, 1468, 1483, 1604,
1956, 2221, 2340, 2504, 2664, 2721,
2722, 2768, 2810, 2824, 3372, 3538,
3696, 3711, 3969, 3975, 4020, 4552,
4754, 4776, 5103, 5124, 5211, 5285,
5380, 5517, 5734, 5736, 5787, 5805,
5859, 5872, 5916, 5917, 5928–5930,
6264
- std-spec, 1590, 5313, 5380
- string, 1204, 3545, 6112, 6182
- struc-mkup, 1201, 2228, 3112, 4650,
5160
- subdocs, 956, 1114, 1495, 2652, 2653,
3249, 3598, 3822, 5136, 5192, 5198

- subfloat, 5196, 5197, 5199
- subsup-pos, 139, 2141, 2725, 3051,
3052, 3913, 4648, 5093, 5191, 5204,
5328, 5329
- sudoku, 1260
- swedish, 390, 2320, 4884, 5014, 5227,
5228
- swiss, 949, 965, 4578
- symbol-supp, 3594, 5236, 5325, 5486,
5922, 6014
- synt-hlt, 1079, 1083, 1189, 2501, 2559,
3138, 3140, 3394, 3615, 3616, 4239,
4558, 4581, 4833, 4938, 5926
- syntax, 3496, 4619, 5240, 5242, 5243
- sys-supp, 2612, 2877, 2912, 4939, 5374,
5440, 5639
- table, 246, 247, 279, 325, 673, 678, 679,
704, 726, 741, 776, 834, 888–891,
1089, 1109, 1286, 1313, 1408, 1416,
1418, 1428, 1448, 1614, 1619, 1951,
2178, 2237, 2347, 2519, 2552, 2839,
3141, 3150, 3184, 3187, 3230, 3233,
3254, 3310, 3341, 3378, 3397, 3495,
3496, 3539, 3739, 3902, 3952, 4007,
4309, 4456, 4637, 5013, 5021, 5113,
5130, 5131, 5214, 5258, 5264, 5267,
5268, 5271, 5277–5284, 5286, 5287,
5301, 5306, 5507, 5671, 5691, 5693,
5695, 5945, 6004, 6016, 6034, 6152,
6183
- table-long, 678, 679, 834, 3184, 3187,
3230, 3231, 3254, 3902, 4871, 5131,
5214, 5277, 5284, 5306, 5671, 6035,
6152, 6183
- table-rule, 741, 743, 1590, 1663, 2495,
2552
- tagged-pdf, 246, 273, 339, 341, 343, 347,
349–351, 354, 356, 363–365, 373,
374, 377–380, 382, 386, 387, 390,
395, 730, 1427, 1460, 1461, 1505,
1733, 1963, 2011, 2097, 2119, 2188,
2239, 2246, 2482, 2525, 2555, 2590,
2674, 2792, 2796, 2978, 2998, 3068,
3090, 3304, 3313, 3325, 3334, 3388,
3415, 3526, 3565, 3605, 3623, 3727,
3730, 3825, 3908, 4041, 4065, 4076,
4231, 4275, 4368, 4741, 4819, 5082,
5083, 5246, 5333, 5682, 5890, 5939,
6036, 6125, 6136, 6152, 6191,
6255–6257
- tagged-pdf-incompatible, 148, 312, 355,
389, 634, 1237, 1260, 1341, 1489,
1893, 1945, 1951, 2116, 2124, 2180,
2554, 2790, 3120, 3345, 3418, 3685,
3850, 3910, 4026, 4066, 4127, 4239,
4408, 4415, 4423, 4430, 4431, 4435,
4443, 4448, 4463, 4466, 4473, 4479,
4498, 4500, 4516, 4518, 4566, 4673,
4839, 4844, 4866, 5077, 5078, 5385,
5487, 5856, 6132
- tagged-pdf-partially, 64, 65, 122, 286,
352, 360, 441, 562, 582, 587, 589,
599, 631, 712, 889, 1226, 1283,
1782, 1804, 1932, 2125, 2556, 2573,
2836, 2948, 3061, 3093, 3324, 3422,
3994, 4419, 4998, 5090, 5515, 5738,
6092, 6254
- tagged-pdf-unsupported, 4895
- teaching, 817, 826, 1231, 1459, 1877,
1940, 1986, 2002, 2296, 2352, 2791,
2847, 3043, 3046, 3766, 3815, 4077,
4133, 4353, 4356, 4357, 4682, 4821,
4823, 4824, 4910, 5298
- test-bed, 3607
- test-dist, 3507
- text-flow, 1315, 1987, 2052, 2053, 2680,
4222, 4223, 4934, 6040, 6067–6069
- text-layout, 3264, 5291
- text-manip, 691, 2257, 2258, 3143, 3562,
5177
- text-symbol, 793, 1101, 1701, 2237,
2560, 2848, 3337, 3984, 5173, 5266,
5325, 5459, 5462, 5754, 5971, 6002
- thai, 391, 1000, 2105, 2107, 3220,
5477–5479
- theology, 621, 636–643, 732, 869, 1769,
1961, 3152, 3153, 3980, 4803–4806,
4817, 4855
- tibetan, 1297, 3757, 4147, 4994, 5519,
5731
- timetable, 827, 2812, 4814, 5602, 5603
- titlepage, 306, 2474, 3788, 4773,
5614–5616, 5621, 5845, 5925
- toc-etc, 79, 326, 1325, 1818, 2863, 3142,

- 3144, 3188, 3191, 3613, 3740, 4948,
5024, 5265, 5621, 5649–5656, 5858
- translation, 161, 164, 742, 1276, 1820,
1958, 2247, 2895, 3582, 3701, 3910,
4432, 5608, 5691, 5694–5701, 6070
- tree, 76, 436, 682, 967, 1472, 1473,
1547, 1601, 1634, 1711, 1755, 1916,
2127, 2129, 2293, 2543, 2729, 3122,
3124, 4342, 4367, 4368, 4453, 4483,
4500, 4502, 4515, 4577, 4584, 4744,
5247, 5535, 5557, 5627, 5700,
5707–5710, 6038, 6066, 6194, 6198
- turkish, 392, 3221, 4000, 5623, 5744,
5745, 5750
- turkmen, 5746
- tut-cheat, 915, 2976, 3000–3002, 4267,
5350, 5834
- tut-latex, 427, 506, 1306, 1457, 1498,
2012, 2013, 2134, 2409, 2698, 2820,
2954, 2963, 2973, 2983, 2994,
3203–3213, 3215–3223, 3571, 4103,
4989, 5184, 6212
- tut-latex-prg, 1498, 1556
- tut-plaintex, 216, 1272, 1487, 2243,
2244, 2645, 4542, 5376, 5392, 5439
- tutorial, 1536, 2013, 2683, 2689, 2994,
3433, 4086, 5993
- typeset-grid, 2389, 2392, 4058, 4448,
4698, 5088, 6072
- typeset-std, 2715–2717, 2724
- typeset-tool, 1094, 4082, 4297, 5174,
5778
- typesetting, 70, 81, 327, 666, 709, 803,
955, 1097, 1100, 1161, 1213, 1244,
1413, 1414, 1429, 1512, 1513, 1655,
1686, 1696, 1699, 1714, 1773, 1897,
1913, 1991, 2022, 2028, 2126, 2174,
2229, 2453, 2597, 2623, 2646, 2657,
3038, 3110, 3120, 3132, 3265, 3275,
3298, 3331, 3363, 3407, 3456, 3582,
3785, 3872, 3877, 4083, 4132, 4158,
4693, 4888, 4914, 4995, 4997, 5026,
5086, 5201, 5233, 5261, 5460, 5468,
5497, 5613, 5619, 5676, 5693, 5695,
5705, 5775, 5837, 5939, 6108, 6124,
6171
- typo-archaic, 397
- ukrainian, 393, 2321, 3221, 5814
- uml, 3547, 4174, 4175, 4261, 4503, 5824
- underline, 1341, 2535, 3266, 3342, 3876,
5077, 5078, 5816, 5825, 5835, 5836,
5911, 6036
- unicode, 108, 109, 800, 1128, 1826,
1847, 2035, 2117, 2676, 2982, 3268,
3470, 3616, 3840, 5460, 5610, 5795,
5848–5850, 5852, 5854–5856, 5860,
5861, 5863, 5865, 5912, 6085, 6190
- units, 191, 1198, 1302, 2137, 2726,
3055, 3880, 4218, 4963, 4998, 5029,
5399, 5864, 5867, 5868
- urdu, 4611
- use-lua, 522, 992, 1035, 1291, 1462,
2418, 2912, 3109, 3274, 3283, 3308,
3328, 3332, 4261, 4291, 4325, 5390,
5407, 5432, 6012, 6136
- use-luatex, 1083, 1462, 1874, 2815,
4304, 4691, 5539, 5629
- use-sample, 3512, 5343, 5615
- use-xetex, 1487, 4304, 6112
- utf8-adapt, 3140, 4787
- verbatim, 127, 128, 282, 1077, 1237,
1238, 1740, 1932, 1968, 2153, 2199,
2330, 2397, 2488, 2535, 2603, 2845,
3134, 3138, 3156, 3496, 3615, 3616,
3683, 3840, 3842, 3853, 3873, 4087,
4198, 4799, 4949, 5116, 5217, 5289,
5310, 5334, 5699, 5890, 5897,
5952–5958, 5960, 5961, 5999, 6000,
6191
- verse, 140, 2331, 3153, 3550, 4296,
4937, 5072, 5966
- version-control, 904, 2284–2289, 2291,
3010, 4199, 4639–4641, 5222–5225,
5944, 5976
- vietnamese, 394, 2160, 5978, 5990, 5991
- vietnamese-doc, 161, 3222, 3910
- view-app, 5998
- view-doc, 5401, 5402
- visual-suppl, 2020
- watermark, 1532, 1835, 2290, 3367,
4199, 5596, 6020
- welsh, 395
- word-count, 1228, 3004, 3988, 5394,
6059

word-proc, 6066

xetex, 223, 228, 667, 669, 670, 672, 779,
785, 1242, 1487, 1861, 1908, 1909,
2084, 2110, 2111, 2115, 2171, 2437,
2483, 2493, 2511, 2676, 2690, 2886,
3093, 3766, 3768, 3779, 4040, 4071,
4288, 4486, 4518, 4530, 4604, 4819,
5273, 5333, 5479, 5495, 5793, 5854,
5860, 6097, 6103–6107, 6111, 6112,
6117, 6118, 6120–6123, 6131, 6153,
6207, 6233, 6250, 6262–6264

Year

1980, 5840

1984, 1572

1985, 1127, 3820, 4779

1986, 39, 680, 735, 840, 1126, 1435,
1529, 1569, 1594, 1727, 1748, 2133,
2138, 3075, 3077, 3136, 3476, 3503,
3593, 4256, 5015, 5302, 5922

1987, 93, 209, 418, 1449, 1694, 2249,
2712, 3163, 3715, 4807, 4808, 4885,
5014, 5267, 5288, 5649, 6005, 6026

1988, 7, 8, 94, 125, 1262, 1544, 1736,
2071, 2636, 2734, 2826, 2931, 3147,
3406, 3510, 3525, 3725, 4220, 4313,
5216, 5874, 6034, 6236

1989, 37, 57, 93, 183, 207, 773, 890,
913, 939, 1261, 1419, 1527, 1738,
1801, 1861, 2013, 2166, 2423, 2454,
2459, 2712, 2728, 2730, 2926, 2959,
3062, 3064, 3564, 3882, 3946, 4332,
4512, 4731, 4815, 4835, 4877, 4878,
4921, 4926, 4960, 5475, 5504, 5518,
5649, 5685, 5709, 5908

1990, 46, 208, 282, 505, 718, 775, 950,
1037, 1331, 1416, 1591, 1625, 1659,
1799, 2014, 2893, 2928, 3190, 3373,
3393, 3405, 3706, 3939, 4228, 4310,
4330, 4576, 4630, 4807, 5023, 5463,
5809, 5972, 6054, 6249

1991, 23, 30, 402, 425, 428, 646, 700,
749, 769, 770, 814, 859, 907, 1057,
1076, 1135, 1229, 1331, 1333, 1400,
1418, 1711, 1801, 1863, 1902, 2053,
2179, 2483, 2486, 2675, 2679, 2699,
2730, 2812, 2916, 2917, 2930, 3012,

3170, 3192, 3361, 3488, 3573, 3584,
3870, 3940, 4020, 4037, 4096, 4404,
4600, 4657, 4716, 4750, 4846, 4898,
4964, 4993, 5036, 5126, 5259, 5320,
5372, 5414, 5475, 5599, 5603, 5712,
5717, 5752, 5841, 5970, 5987, 6040,
6086, 6115, 6215, 6216, 6227, 6230,
6239

1992, 25, 56, 58, 167, 181, 182, 212,
232, 251, 309, 319, 326, 532, 644,
647, 650, 651, 663, 677, 678, 689,
702, 753, 754, 860, 861, 951, 953,
1058, 1067, 1098, 1106, 1220, 1253,
1254, 1421, 1484, 1515, 1918, 1950,
1988, 2001, 2070, 2168, 2248, 2336,
2427, 2433, 2447, 2494, 2533, 2662,
2824, 2852, 2915, 2929, 3035, 3169,
3188, 3191, 3467, 3508, 3509, 3522,
3561, 3711, 3773, 3777, 3873, 4049,
4050, 4061, 4206, 4243, 4259, 4272,
4572, 4632, 4640, 4657, 4662, 4695,
4731, 4760, 4817, 4870, 4914, 5101,
5108, 5208, 5305, 5374, 5418, 5443,
5476, 5485, 5503, 5598, 5707, 5723,
5757, 5764, 5900, 5904, 5937, 5940,
5954, 5955, 5960, 5978, 6006, 6053,
6072, 6204

1993, 52, 61, 127, 146, 190, 264, 320,
410, 418, 436, 439, 651, 679, 689,
915, 941, 996, 1024, 1131, 1263,
1300, 1507, 1518, 1545, 1718, 1755,
1913, 1980, 2195, 2243, 2445, 2467,
2532, 2562, 2577, 2591, 2635, 2656,
2680, 2745, 2848, 2937, 3357, 3373,
3458, 3554, 3712, 3714, 3728, 4021,
4313, 4317, 4343, 4386, 4598, 4646,
4656, 4765, 4915, 4916, 5013, 5125,
5255, 5370, 5391, 5394, 5491, 5838,
5953, 5958, 5960, 5997, 6029, 6050,
6063, 6071, 6077, 6230

1994, 119, 186, 242, 306, 411, 438, 525,
776, 832, 833, 839, 856, 1051, 1239,
1254, 1328, 1535, 1573, 1760, 1990,
2250, 2367, 2369, 2445, 2539, 2595,
2899, 2913, 3072, 3355, 3401, 3467,
3485, 4004, 4044, 4083, 4164, 4677,
4717, 4818, 4851, 4895, 4991, 5070,

- 5083, 5114, 5130, 5248, 5253, 5326,
5338, 5406, 5456, 5460, 5463, 5497,
5709, 5806, 5979, 5989, 6038, 6193,
6219
- 1995, 43, 107, 222, 255, 407, 524, 727,
750, 836, 1130, 1210, 1272, 1335,
1484, 1603, 1830, 2099, 2230, 2271,
2337, 2382, 2599, 2613, 2669, 2811,
2888, 3163, 3364, 3435, 3628, 3638,
3642, 3647, 3709, 3747, 3819, 3907,
3911, 3957, 4233, 4255, 4294, 4359,
4382, 4399, 4402, 4852, 4937, 5298,
5469, 5597, 5693, 5708, 5716, 5730,
5752, 5819, 5835, 5925, 6237
- 1996, 40, 138, 290, 646, 750, 964, 1144,
1407, 1488, 1651, 1665, 1865, 1966,
2121, 2188, 2190, 2191, 2193, 2854,
3148, 3493–3495, 3583, 3585, 3589,
3633, 3674, 3973, 4099, 4367, 4573,
4616, 4700, 4727, 4969, 4994, 5018,
5084, 5217, 5242, 5271, 5375, 5492,
5525, 5722, 5933, 5973, 5986
- 1997, 22, 144, 700, 879, 957, 1006,
1707, 2171, 2179, 2191, 2388, 2395,
2506, 2666, 2942, 3236, 3529, 3557,
3630, 3641, 3719, 3781, 3817, 4027,
4028, 4090, 4323, 4716, 4782, 4898,
4925, 5074, 5114, 5412, 5701, 5731,
5835, 5924, 6184, 6218
- 1998, 208, 219, 532, 672, 912, 941, 983,
1147, 1285, 1332, 1428, 1546, 1586,
1630, 1838, 1843, 2053, 2061, 2079,
2137, 2261, 2294, 2457, 2600, 2751,
3239, 3556, 3639, 3686, 3846, 3848,
4055, 4262, 4338, 4391, 4745, 4891,
4940, 4946, 5172, 5727, 5774, 5868,
5941, 6000, 6114
- 1999, 24, 39, 106, 151, 391, 438, 441,
749, 765, 829, 830, 834, 1140, 1141,
1197, 1217, 1403, 1439, 1455, 1636,
1660, 1914, 1928, 1985, 2038, 2073,
2085, 2096, 2140, 2146, 2183, 2231,
2379, 2398, 2416, 2503, 2552, 2569,
2626, 2639, 2647, 2783, 3136, 3236,
3456, 3563, 3682, 3841, 3937, 3945,
3966, 4096, 4164, 4269, 4316, 4515,
4675, 4761, 4789, 4809, 4928, 5026,
5149, 5259, 5273, 5311, 5348, 5405,
5419, 5613, 5710, 5780, 6024, 6223
- 2000, 147, 164, 328, 1574, 1905, 1918,
1922, 2107, 2253, 2488, 2525, 2583,
3135, 3380, 3589, 3814, 3905, 4161,
4283, 4781, 4800, 4853, 5690, 5694,
5716, 5728, 5810, 5825, 5919, 5931,
6065, 6186
- 2001, 11, 114, 135, 136, 167, 168, 250,
323, 682, 747, 827, 1316, 1619,
1890, 2095, 2098, 2137, 2243, 2349,
2379, 2508, 2572, 2620, 2988, 3209,
3438, 3450, 3549, 3607, 3757, 3911,
3953, 4333, 4344, 4351, 4403, 4681,
4687, 4900, 5020, 5232, 5382, 5446,
5602, 5624, 5699, 5755
- 2002, 141, 414, 782, 842, 883, 1051,
1277, 1399, 1422, 1442, 1776, 2215,
2300, 2396, 2500, 2597, 2765, 2816,
3452, 3981, 4016, 4029, 4393, 4631,
4679, 4715, 4854, 4929, 5012, 5230,
5252, 5607, 5657, 5718, 5768, 5815,
5911, 5938, 5995, 6049, 6214, 6248
- 2003, 178, 554, 818, 1062, 1297, 1906,
1933, 1945, 1996, 2184, 2217, 2383,
2496, 2501, 2547, 2919, 3023, 3024,
3027, 3041, 3051, 3124, 3208, 3999,
4001, 4346, 4360, 4396, 4923, 5024,
5146, 5349, 5506, 5508, 5725, 5781,
5884, 5890
- 2004, 2, 236, 275, 277, 513, 521, 557,
876, 989, 1191, 1221, 1229, 1438,
1479, 1583, 1797, 1815, 1892, 2099,
2203, 2237, 2333, 2406, 2579, 2580,
2594, 2754, 3015, 3020, 3029, 3250,
3343, 3535, 3546, 3789, 3791,
3794–3796, 3801, 3805, 3806, 3827,
3883, 3954, 4042, 4052, 4147, 4191,
4240, 4395, 4572, 4712, 4729, 4735,
4744, 4828, 5143, 5231, 5313, 5402,
5622, 5652, 5653, 5656, 5668, 5729,
5797, 5820, 5823, 5849, 5920, 5935,
5988, 6020, 6232
- 2005, 54, 105, 118, 229, 303, 336, 341,
346, 365, 539, 738, 742, 812, 909,
924, 1039, 1221, 1409, 1479, 1533,
1621, 1807, 1836, 1849, 1898, 2057,

- 2394, 2461, 2587, 2718, 2731, 3048,
3155, 3363, 3462, 3477, 3481, 3482,
3568, 3580, 3769, 3792, 3793, 3798,
3800, 3802, 3803, 3810, 3855, 3954,
3970, 4010, 4015, 4234, 4509, 4615,
4753, 4795, 4969, 5106, 5150, 5196,
5206, 5262, 5294, 5295, 5384, 5457,
5465, 5673, 5676, 5687, 6005, 6044,
6148, 6249
- 2006, 85, 86, 97, 133, 194, 220, 260,
511, 659, 786, 828, 947, 1060, 1153,
1156, 1157, 1160, 1187, 1188, 1209,
1234, 1349, 1466, 1523, 1654, 1666,
1798, 1898, 1914, 2078, 2082, 2159,
2228, 2322, 2328, 2411, 2414, 2419,
2488, 2600, 2805, 2807, 2916, 2958,
3002, 3005, 3034, 3114, 3123, 3200,
3512, 3571, 3705, 3797, 3804, 3876,
3948, 4009, 4055, 4205, 4312, 4430,
4448, 4477, 4492, 4584, 4623, 4665,
4680, 4722, 4847, 4902, 4934, 5075,
5111, 5148, 5207, 5247, 5251, 5308,
5315, 5434, 5803, 5824, 5825, 5837,
5881, 5900, 5923, 5937, 6057, 6061,
6194
- 2007, 52, 164, 170, 196, 287, 543, 683,
706, 756, 780, 936, 1171, 1178,
1182, 1271, 1336, 1505, 1509, 1511,
1514, 1540, 1644, 1718, 1834, 2006,
2034, 2105, 2173, 2222, 2295, 2405,
2637, 2732, 2733, 2767, 2788, 2894,
3379, 3400, 3443, 3627, 3635, 3669,
3835, 3874, 3924, 3950, 3997, 4035,
4057, 4103, 4177, 4307, 4328, 4483,
4556, 4582, 4603, 4634, 4638, 4664,
4997, 5191, 5239, 5258, 5296, 5321,
5327, 5339, 5392, 5413, 5415, 5456,
5714, 5747, 5759, 5890, 5983, 6162
- 2008, 32, 243, 341, 356, 385, 735, 753,
918, 923, 1012, 1130, 1148, 1155,
1159, 1169, 1185, 1265, 1308, 1326,
1429, 1490, 1510, 1515, 1525, 1527,
1534, 1651, 1738, 1786, 1805, 1828,
1879, 1946, 2080, 2126, 2174, 2331,
2670, 2698, 2699, 2865, 2866, 2973,
3035, 3038, 3152, 3218, 3245, 3392,
3534, 3567, 3613, 3737, 3823, 3956,
4007, 4123, 4136, 4183, 4227, 4385,
4407, 4488, 4521, 4523, 4576, 4783,
4995, 5022, 5089, 5144, 5234, 5270,
5314, 5348, 5435, 5622, 5765, 5944,
6010, 6121, 6183, 6259
- 2009, 24, 47, 160, 195, 216, 284, 286,
287, 745, 758, 767, 903, 905, 952,
967, 1056, 1114, 1116, 1150, 1165,
1172, 1200, 1239, 1296, 1328, 1444,
1472, 1531, 1547, 1624, 1641, 1663,
1726, 1784, 1814, 1931, 1982, 2011,
2012, 2208, 2213, 2220, 2223, 2224,
2255, 2282, 2303, 2376, 2389, 2479,
2607, 2650, 2661, 2705, 2738, 2849,
2851, 2921, 3018, 3170, 3255, 3256,
3287, 3326, 3371, 3447, 3523, 3532,
3535, 3566, 3597, 3660, 3782, 3830,
3977, 4043, 4089, 4107, 4369, 4497,
4500, 4507, 4540, 4546, 4640, 5001,
5079, 5153, 5188, 5203, 5223, 5224,
5275, 5281, 5320, 5372, 5399, 5557,
5635, 5713, 5745, 5760, 5783, 5818,
5828, 5943, 6104, 6127, 6201
- 2010, 29, 49, 76, 228, 266, 313, 397,
423, 676, 728, 760, 841, 865, 887,
909, 965, 1097, 1109, 1115, 1173,
1280, 1474, 1481, 1538, 1559, 1561,
1562, 1675, 1709, 1735, 1743, 1749,
1779, 1829, 1850, 1917, 1999, 2069,
2076, 2102, 2151, 2218, 2280, 2325,
2356, 2452, 2538, 2691, 2721, 2736,
2742, 2831, 2887, 2977, 3118, 3130,
3139, 3166, 3178, 3195, 3253, 3427,
3436, 3489, 3490, 3630, 3730, 3760,
3785, 3832, 3942, 3947, 4072, 4099,
4232, 4303, 4336, 4352, 4423, 4427,
4439, 4519, 4524, 4567, 4601, 4775,
4907, 4978, 4989, 5006, 5037,
5039–5067, 5069, 5110, 5129, 5225,
5279, 5285, 5335, 5350, 5516, 5615,
5732, 5994, 6009, 6119
- 2011, 6, 202, 397, 425, 455, 457, 512,
611, 638, 641, 665, 748, 765, 783,
856, 877, 943, 960, 1083, 1146,
1163, 1174, 1213, 1223, 1250, 1294,
1305, 1310, 1413, 1492, 1500, 1508,
1646, 1648, 1696, 1773, 1921, 1950,

- 1952, 1986, 2000, 2005, 2028, 2048,
2094, 2152, 2157, 2185, 2200, 2205,
2260, 2286, 2329, 2346, 2441, 2537,
2766, 2807, 2821, 2823, 2838, 2843,
2862, 2937, 2975, 3044, 3068, 3078,
3086, 3168, 3197, 3251, 3254, 3294,
3363, 3430, 3463, 3491, 3683, 3695,
3745, 3751, 3753, 3762, 3780, 3853,
3866, 3882, 3901, 3910, 3948, 4011,
4013, 4208, 4236, 4238, 4245, 4377,
4456, 4485, 4487, 4511, 4520, 4547,
4646, 4749, 4796, 4903–4905, 4929,
4996, 5119, 5170, 5171, 5261, 5427,
5462, 5583, 5623, 5635, 5696, 5763,
5882, 5934, 5959, 6054, 6192
- 2012, 217, 275, 322, 379, 409, 433, 528,
578, 630, 639, 640, 771, 795, 962,
975, 1054, 1085, 1121, 1140, 1166,
1177, 1205, 1227, 1438, 1455, 1599,
1669, 1671, 1677, 1711, 1717, 1837,
2070, 2122, 2127, 2187, 2189,
2192–2194, 2332, 2522, 2604, 2629,
2648, 2727, 2834, 2950, 2977, 3162,
3191, 3274, 3413, 3439, 3476, 3595,
3625, 3670, 3687, 3731, 3759, 3926,
4144, 4179, 4278, 4337, 4374, 4395,
4504, 4530, 4770, 4856, 4911, 4918,
4933, 4952, 5007, 5012, 5098, 5378,
5526, 5529, 5576, 5585, 5590, 5772,
5913, 6164, 6166
- 2013, 66, 205, 230, 251, 345, 559, 602,
724, 837, 940, 1111, 1119, 1149,
1151, 1152, 1159, 1163, 1167, 1179,
1184, 1189, 1212, 1244, 1320, 1410,
1440, 1453, 1477, 1565, 1626, 1741,
1955, 1967, 1995, 2141, 2142, 2181,
2238, 2276, 2369, 2403, 2411, 2446,
2635, 2649, 2684, 2687, 2926, 2952,
3055, 3081, 3196, 3232, 3290, 3359,
3396, 3424, 3480, 3486, 3503, 3515,
3599, 3614, 3699, 3724, 3817, 3826,
3871, 3922, 4079, 4162, 4172, 4661,
4738, 4748, 4763, 4800, 4992, 5109,
5220, 5273, 5488, 5503, 5535, 5604,
5688, 5771, 5837, 5846, 5877, 5897,
5975, 6033, 6073, 6103, 6196, 6197
- 2014, 95, 104, 141, 187, 329, 398, 432,
442, 515, 608, 667, 669–671, 1032,
1072, 1073, 1084, 1176, 1199, 1298,
1316, 1330, 1427, 1456, 1499, 1541,
1551, 1607, 1713, 1714, 1850, 1870,
2304, 2305, 2310–2313, 2316–2319,
2364, 2380, 2390, 2489, 2507, 2516,
2609, 2704, 2866, 2939, 2979, 3000,
3141, 3160, 3171, 3174, 3184, 3227,
3230, 3288, 3440, 3465, 3572, 3783,
3915, 4064, 4068, 4219, 4253, 4328,
4337, 4443, 4452, 4481, 4602, 4679,
4778, 4780, 4978, 5118, 5238, 5264,
5268, 5361, 5363–5365, 5379, 5410,
5421–5423, 5551, 5587, 5641, 5721,
5875, 6106, 6119, 6168, 6179, 6203
- 2015, 112, 221, 257, 278, 321, 352, 388,
394, 415, 449, 454, 470, 632, 669,
674, 693, 704, 705, 722, 728, 824,
845, 866, 898, 916, 920, 993, 1016,
1074, 1126, 1138, 1161, 1209, 1211,
1287, 1290, 1324, 1336, 1355, 1362,
1366, 1372, 1378–1380, 1394, 1446,
1452, 1519, 1568, 1598, 1618, 1632,
1637, 1654, 1669, 1679, 1801, 1929,
1948, 1961, 1969, 1970, 2022, 2033,
2058, 2229, 2263, 2288, 2289, 2348,
2399, 2421, 2449, 2603, 2608, 2616,
2734, 2797, 2818, 2876, 2881, 2975,
3001, 3004, 3194, 3198, 3200, 3322,
3502, 3546, 3680, 3818, 3852, 3918,
4158, 4433, 4615, 4652, 4664, 4725,
4887, 4896, 4936, 4984, 5123, 5147,
5154, 5336, 5428, 5520, 5581, 5610,
5737, 5742, 5776, 5787, 5792, 5801,
6007, 6040, 6091, 6092, 6165
- 2016, 84, 245, 263, 296, 299, 305, 356,
372, 375, 459, 469, 473, 576, 595,
612, 681, 686, 796, 810, 891, 895,
921, 1003, 1013, 1025, 1092, 1103,
1125, 1133, 1543, 1569, 1587, 1630,
1634, 1641, 1687, 1701, 1723, 1729,
1746, 1772, 1811, 1867, 1975, 2028,
2040, 2171, 2255, 2256, 2258, 2293,
2300, 2308, 2309, 2320, 2351, 2358,
2382, 2412, 2454, 2530, 2564, 2582,
2611, 2614, 2641, 2762, 2894, 2951,
2997, 3049, 3113, 3121, 3128, 3180,

- 3322, 3376, 3451, 3461, 3550, 3571,
3593, 3621, 3629, 3662, 3693, 3750,
3856, 3884, 3889, 3964, 3976, 4032,
4060, 4084, 4114, 4116, 4194, 4196,
4198, 4199, 4296, 4369, 4372, 4418,
4477, 4520, 4648, 4688, 4732, 4733,
4740, 4744, 4801, 4811, 4813, 4851,
4873, 4911, 4914, 4918, 4920, 4938,
4956, 4970, 4974, 4975, 5029, 5088,
5133, 5135, 5138, 5201, 5262, 5282,
5290, 5323, 5360, 5362, 5489, 5496,
5539, 5552, 5554, 5636, 5739, 5756,
5790, 5808, 5822, 5851, 5961, 6059,
6096, 6228, 6243, 6245, 6247
- 2017, 87, 124, 152, 155, 252, 315, 339,
350, 357, 364, 373, 478, 484, 498,
564, 580, 582, 590, 605, 620, 626,
628, 642, 684, 745, 755, 756, 794,
802, 830, 874, 880, 914, 974, 994,
998, 1040, 1133, 1164, 1183, 1194,
1219, 1276, 1290, 1309, 1334, 1393,
1521, 1528, 1536, 1615, 1678, 1722,
1778, 1783, 1880, 1948, 1959, 2074,
2101, 2127, 2341, 2393, 2431, 2433,
2519, 2624, 2632, 2638, 2711, 2722,
2885, 2924, 2973, 3088, 3358, 3393,
3398, 3518, 3564, 3598, 3717, 3732,
3754, 3767, 3787, 3925, 3949, 3958,
3985, 4019, 4061, 4130, 4202, 4209,
4267, 4306, 4341, 4347, 4359, 4482,
4495, 4553, 4700, 4743, 4841, 4847,
4883, 4944, 4980, 5160, 5183, 5184,
5239, 5400, 5446, 5477, 5549, 5555,
5562, 5584, 5639, 5654, 5766, 5777,
5808, 5842, 5866, 6011, 6023, 6101,
6124, 6133, 6134
- 2018, 15, 60, 67, 74, 81, 83, 123, 180,
214, 268, 342, 462, 481, 518, 568,
573, 613, 622, 624, 767, 784, 858,
885, 937, 938, 956, 1019, 1031,
1092, 1094, 1102, 1190, 1195, 1241,
1301, 1347, 1357, 1358, 1360, 1361,
1363–1365, 1368–1370, 1374, 1375,
1377, 1381–1385, 1387, 1388, 1396,
1422, 1445, 1462, 1476, 1502, 1521,
1612, 1642, 1721, 1823, 1897, 1908,
1919, 1924, 1940, 2026, 2146, 2353,
2372, 2404, 2413, 2417, 2424, 2430,
2562, 2570, 2602, 2618, 2651, 2700,
2702, 2707, 2811, 2864, 2871, 2886,
3031, 3090, 3158, 3225, 3226, 3256,
3294, 3381, 3415, 3455, 3506, 3541,
3578, 3653, 3663, 3684, 3701, 3734,
3744, 3754, 3810, 3839, 3843, 3854,
3900, 3914, 3978, 4033, 4129, 4140,
4167, 4248, 4315, 4322, 4411, 4424,
4434, 4459, 4506, 4513, 4580, 4581,
4628, 4698, 4755–4758, 4827, 5073,
5147, 5162, 5168, 5274, 5276, 5332,
5373, 5394, 5395, 5468, 5473, 5514,
5546, 5559, 5671, 5675, 5681, 5841,
5869, 5894, 5896, 5949, 5969, 5984,
6064, 6086, 6107, 6153, 6189, 6200,
6209, 6242
- 2019, 4, 30, 33, 54, 55, 59, 75, 79, 115,
131, 133, 137, 153, 186, 224, 241,
261, 262, 292, 310, 328, 332, 362,
392, 400, 421, 555, 572, 656, 675,
695, 715, 762, 787, 864, 918, 963,
969, 1028, 1070, 1108, 1116, 1124,
1192, 1226, 1281, 1300, 1359, 1367,
1373, 1389–1392, 1395, 1397, 1398,
1487, 1512, 1520, 1558, 1602, 1672,
1695, 1697, 1715, 1812, 1871, 1872,
1893, 1899, 1994, 2016, 2023, 2031,
2037, 2135, 2176, 2201, 2216, 2259,
2261, 2282, 2285, 2296, 2319, 2334,
2336, 2343, 2366, 2385, 2386, 2428,
2521, 2523, 2526, 2568, 2575, 2578,
2615, 2619, 2623, 2630, 2631, 2646,
2653, 2664, 2668, 2674, 2685, 2694,
2701, 2706, 2782, 2830, 2833, 2851,
2889, 2920, 2974, 2981, 2994, 2996,
3003, 3054, 3060, 3139, 3248, 3286,
3307, 3313, 3320, 3365, 3394, 3407,
3408, 3516, 3548, 3634, 3650, 3673,
3807, 3860, 3888, 3916, 3985, 3989,
4106, 4110–4112, 4117, 4132, 4139,
4145, 4154, 4167, 4283, 4296, 4322,
4329, 4334, 4335, 4342, 4365, 4419,
4462, 4501, 4585, 4597, 4660, 4722,
4730, 4762, 4777, 4814, 4840, 4882,
4886, 4906, 4909, 4942, 4983, 5009,
5010, 5078, 5144, 5176, 5192, 5205,

- 5226, 5276, 5281, 5289, 5316, 5328,
5341, 5344, 5403, 5439, 5509, 5537,
5540, 5542, 5549, 5565, 5596, 5640,
5762, 5790, 5796, 5816, 5829, 5861,
5873, 5895, 5927, 6004, 6027, 6028,
6047, 6093, 6105, 6111, 6178, 6207,
6232, 6240
- 2020, 14, 42, 44, 47, 80, 106, 145, 148,
150, 154, 169, 173, 179, 185, 190,
213, 215, 224, 258, 259, 269–271,
292, 311, 334, 339, 393, 403, 423,
456, 458, 460, 483, 497, 500, 508,
567, 570, 577, 599, 633, 741, 751,
778, 789, 857, 882, 894, 929, 1002,
1006, 1010, 1014, 1048, 1063, 1067,
1096, 1144, 1230, 1242, 1251, 1257,
1351, 1371, 1386, 1412, 1417, 1448,
1500, 1507, 1517, 1522, 1525, 1596,
1648, 1663, 1686, 1701, 1705, 1708,
1719, 1720, 1750, 1751, 1768, 1819,
1827, 1840, 1852, 1853, 1873, 1890,
1896, 1943, 2009, 2019, 2021, 2044,
2049, 2129, 2172, 2175, 2206, 2247,
2277, 2284, 2298, 2315, 2363, 2415,
2448, 2460, 2494, 2511, 2512, 2538,
2563, 2596, 2598, 2644, 2646, 2827,
2839, 2867, 2890, 2983, 3010, 3053,
3066, 3111, 3114, 3131, 3165, 3201,
3210, 3239, 3285, 3310, 3328, 3385,
3416, 3443, 3521, 3538, 3544, 3636,
3640, 3656, 3659, 3697, 3729, 3741,
3755, 3761, 3767, 3773, 3778, 3870,
3978, 4002, 4008, 4045, 4071, 4108,
4141, 4182, 4203, 4224, 4246, 4251,
4276, 4294, 4308, 4311, 4332, 4379,
4400, 4468, 4473, 4476, 4510, 4528,
4529, 4540, 4549, 4599, 4613, 4649,
4669, 4682, 4694, 4695, 4703, 4704,
4707, 4708, 4714, 4792, 4864, 4865,
4890, 4892, 4897, 4930, 4947, 4954,
5008, 5158, 5174, 5198, 5217, 5244,
5255, 5383, 5423, 5429, 5439, 5467,
5494, 5512, 5545, 5556, 5571, 5582,
5594, 5637, 5643, 5655, 5670, 5758,
5834, 5861, 5864, 5947, 6018, 6019,
6035, 6056, 6081, 6084, 6085, 6109,
6143, 6151, 6158, 6161, 6217, 6241,
6264, 6265
- 2021, 8, 10, 19, 49–51, 57, 82, 91, 113,
171, 206, 222, 335, 349, 350, 353,
367, 379, 380, 387, 389, 390, 396,
496, 585, 600, 627, 630, 680, 699,
710, 768, 797, 799, 807, 848, 852,
868, 878, 883, 888, 905, 931, 935,
951, 954, 955, 958, 1033, 1039,
1046, 1060, 1172, 1186, 1206, 1264,
1313, 1314, 1322, 1341, 1353, 1356,
1415, 1465, 1491, 1549, 1578, 1580,
1599, 1604, 1605, 1627, 1639, 1658,
1671, 1673, 1699, 1704, 1769–1771,
1774, 1817, 1853, 1858, 1875, 1926,
1960, 1963, 1974, 2047, 2054, 2063,
2081, 2122, 2175, 2339, 2362, 2387,
2391, 2396, 2398, 2501, 2503, 2511,
2513, 2581, 2613, 2676, 2681, 2703,
2758, 2821, 2833, 2855, 2856, 2858,
2859, 2869, 2927, 3070, 3121, 3133,
3160, 3206, 3211, 3241, 3248, 3253,
3258, 3334, 3357, 3388, 3391, 3410,
3437, 3464, 3483, 3531, 3559, 3569,
3577, 3637, 3646, 3674, 3691, 3721,
3770, 3809, 3821, 3865, 3869, 3875,
3878, 3893, 3928, 3988, 3998, 4005,
4023, 4047, 4067, 4075, 4086, 4119,
4192, 4193, 4195, 4197, 4200, 4212,
4218, 4267, 4281, 4284, 4301, 4320,
4348, 4412, 4499, 4505, 4525, 4554,
4562, 4622, 4636, 4643, 4669, 4699,
4713, 4719, 4746, 4760, 4816, 4838,
4872, 4953, 5025, 5030, 5078, 5120,
5131, 5132, 5156, 5163, 5166, 5171,
5210, 5214, 5336, 5346, 5369, 5391,
5399, 5415, 5436, 5444, 5454, 5470,
5479, 5501, 5510, 5527, 5528, 5530,
5531, 5561, 5591, 5592, 5611, 5631,
5644, 5659, 5667, 5682, 5692, 5703,
5743, 5856, 5865, 5885, 5919,
5928–5930, 5935, 5945, 5974, 5980,
6038, 6045, 6078, 6112, 6141, 6154,
6229, 6233
- 2022, 21, 27, 41, 68, 110, 128, 139, 165,
175, 202, 206, 226, 238, 239, 279,
280, 294, 318, 323, 377, 383, 384,
434, 443, 464, 505, 519, 596, 598,

- 604, 616, 619, 632, 634, 666, 732,
803, 804, 806, 819, 825, 838, 849,
893, 911, 927, 931, 932, 959, 961,
981, 1026, 1079, 1086, 1091, 1102,
1127, 1162, 1188, 1198, 1206, 1207,
1237, 1249, 1263, 1267, 1295, 1311,
1317, 1337, 1342, 1348, 1350, 1376,
1404, 1413, 1434, 1462, 1464, 1583,
1589, 1593, 1683, 1728, 1789, 1832,
1858, 1901, 1907, 1915, 1923, 1955,
1964, 1986, 1997, 2008, 2030, 2042,
2072, 2087, 2132, 2138, 2207, 2210,
2220, 2237, 2244, 2251, 2272, 2273,
2280, 2290, 2291, 2338, 2347, 2360,
2368, 2408, 2429, 2432, 2437, 2483,
2486, 2493, 2559, 2560, 2622, 2642,
2671, 2697, 2728, 2740, 2743, 2771,
2773, 2776–2778, 2814, 2817, 2825,
2837, 2840, 2874, 2875, 2891, 2892,
2986, 2991, 3038, 3047, 3080, 3096,
3098–3100, 3102, 3124, 3176, 3214,
3267, 3292, 3296, 3298, 3305, 3348,
3353, 3412, 3423, 3433, 3459, 3469,
3474, 3475, 3499, 3505, 3517, 3521,
3525, 3528, 3561, 3575, 3596,
3601–3606, 3616, 3707, 3718, 3737,
3775, 3811, 3841, 3858, 3859, 3861,
3863, 3892, 3896, 4014, 4024, 4038,
4041, 4080, 4090, 4092, 4108, 4125,
4148, 4174, 4271, 4297, 4299, 4310,
4330, 4354, 4414, 4470, 4480, 4526,
4545, 4589, 4591, 4687, 4689, 4702,
4719, 4773, 4783, 4794, 4799, 4819,
4820, 4837, 4841, 4877, 4917, 4959,
4961, 4982, 4985, 5018, 5035, 5091,
5094, 5104, 5121, 5134, 5151, 5184,
5228, 5235, 5288, 5293, 5304, 5333,
5388, 5424, 5480–5483, 5495, 5543,
5544, 5558, 5563, 5579, 5605, 5612,
5628, 5630, 5638, 5684, 5702, 5705,
5724, 5734, 5753, 5754, 5770, 5859,
5862, 5870, 5912, 5921, 6069, 6100,
6103, 6116, 6147, 6167, 6175, 6176,
6210, 6246, 6251, 6260, 6263
2023, 72, 73, 92, 98, 109, 120, 146, 181,
200, 232, 312, 324, 359, 371, 400,
411, 489, 586, 591, 592, 600, 603,
607, 664, 697, 707, 709, 716, 738,
764, 778, 788, 791, 796, 798, 806,
814, 820, 822, 843, 853, 870, 976,
980, 984, 988, 998, 1022, 1111,
1154, 1158, 1170, 1180, 1181, 1201,
1203, 1223, 1225, 1291, 1304, 1408,
1414, 1493, 1548, 1601, 1638, 1661,
1703, 1732, 1763, 1800, 1808, 1818,
1821, 1825, 1856, 1865, 1881, 1907,
1912, 1945, 1953, 1956, 1992, 2010,
2015, 2017, 2024, 2046, 2051, 2056,
2066, 2105, 2111, 2131, 2180, 2205,
2232, 2270, 2314, 2345, 2351, 2373,
2374, 2426, 2440, 2456, 2480, 2491,
2521, 2530, 2540, 2543, 2567, 2592,
2610, 2625, 2643, 2656, 2658, 2686,
2744, 2750, 2760, 2779, 2815, 2840,
2873, 2933, 2936, 2945, 2946, 2953,
2966, 2994, 3006, 3017, 3028, 3109,
3110, 3117, 3151, 3176, 3181, 3229,
3242, 3269, 3276, 3279, 3280, 3283,
3296, 3304, 3308, 3312, 3315, 3351,
3426, 3442, 3478, 3508, 3552, 3594,
3600, 3632, 3646, 3686, 3719, 3742,
3748, 3775, 3829, 3845, 3885, 3929,
3972, 3982, 4004, 4006, 4052, 4056,
4058, 4093, 4094, 4105, 4109, 4115,
4128, 4132, 4211, 4241, 4263, 4265,
4270, 4289, 4305, 4339, 4386, 4398,
4409, 4431, 4437, 4463, 4490, 4532,
4543, 4545, 4551, 4552, 4555, 4568,
4577, 4586, 4594, 4605, 4610, 4617,
4631, 4642, 4647, 4710, 4729, 4737,
4768, 4780, 4787, 4830, 4859, 4868,
4869, 4888, 4939, 4954, 4956, 4965,
4972, 4976, 5072, 5085, 5086, 5095,
5155, 5159, 5175, 5178, 5190, 5203,
5237, 5286, 5299, 5322, 5343, 5345,
5380, 5389, 5500, 5522, 5537, 5547,
5551, 5553, 5566, 5593, 5596, 5609,
5626, 5711, 5720, 5774, 5788, 5794,
5800, 5843, 5849, 5853, 5857, 5879,
5893, 5898, 5925, 5955, 5968, 5981,
6035, 6042, 6064, 6076, 6125, 6145,
6169, 6182, 6224, 6238
2024, 20, 62, 77, 108, 116, 121, 126,
162, 172, 176, 177, 191, 198, 210,

240, 247, 256, 283, 296, 298, 370,
374, 382, 445, 474, 477, 483, 492,
494, 501–503, 521, 522, 529, 535,
544, 566, 579, 581, 587, 621, 673,
677, 730, 733, 739, 759, 793, 800,
801, 805, 870, 902, 903, 916, 928,
934, 945, 954, 968, 986, 1002, 1004,
1008, 1020, 1023, 1055, 1075, 1088,
1094, 1109, 1128, 1134, 1136, 1142,
1168, 1175, 1193, 1214, 1218, 1224,
1245, 1247, 1248, 1255, 1274, 1278,
1302, 1308, 1423, 1435, 1436, 1457,
1458, 1489, 1496, 1498, 1503, 1505,
1531, 1536, 1550, 1553, 1556, 1571,
1600, 1611, 1614, 1622, 1653, 1667,
1688, 1689, 1692, 1693, 1705, 1731,
1744, 1753, 1759, 1767, 1786, 1787,
1790, 1793, 1824, 1831, 1839, 1848,
1860, 1874, 1877, 1882, 1884, 1887,
1903, 1910, 1935, 1936, 1971, 2003,
2018, 2029, 2110, 2112, 2133, 2141,
2153, 2154, 2160, 2165, 2186, 2198,
2209, 2213, 2219, 2225, 2231, 2287,
2357, 2359, 2392, 2402, 2418, 2420,
2442, 2455, 2462, 2463, 2465–2469,
2471–2474, 2481, 2485, 2496, 2527,
2535, 2541, 2542, 2544, 2559, 2565,
2575, 2589, 2617, 2627, 2628, 2670,
2673, 2710, 2726, 2736, 2761, 2769,
2774, 2776, 2786, 2787, 2808, 2832,
2853, 2856, 2859, 2862, 2878, 2902,
2908, 2910, 2911, 2934, 2938, 2942,
2949, 2955–2957, 2959, 2960, 2962,
2965, 2969, 2970, 2980, 2981, 2985,
2991, 3018, 3020, 3040, 3042, 3052,
3057, 3061, 3065, 3084, 3091, 3095,
3104, 3107, 3116, 3134, 3142, 3144,
3146, 3148, 3185, 3187, 3202, 3223,
3224, 3244, 3259, 3264–3266, 3270,
3273, 3301, 3306, 3319, 3327, 3370,
3402, 3434, 3444, 3448, 3468, 3487,
3500, 3513, 3556, 3557, 3574, 3580,
3609, 3615, 3631, 3645, 3667, 3680,
3683, 3704, 3710, 3733, 3738, 3740,
3746, 3771, 3837, 3838, 3844, 3849,
3857, 3868, 3871, 3879, 3897, 3899,
3905, 3917, 3927, 3930, 3944, 3951,
3963, 4003, 4015, 4039, 4053, 4069,
4072, 4073, 4080, 4082, 4120, 4138,
4146, 4150, 4156, 4176, 4181, 4183,
4184, 4189, 4216, 4235, 4250, 4288,
4308, 4319, 4327, 4350, 4364, 4376,
4436, 4442, 4446, 4464, 4467, 4469,
4471, 4489, 4527, 4548, 4561, 4563,
4564, 4598, 4603, 4624, 4649, 4650,
4655, 4667, 4672, 4683, 4684, 4690,
4692, 4709, 4769, 4793, 4842, 4845,
4850, 4856, 4857, 4860–4862, 4867,
4875, 4879, 4894, 4899, 4913, 4949,
4957, 4966, 4990, 4999, 5033, 5092,
5093, 5107, 5116, 5123, 5127, 5161,
5179, 5186, 5189, 5193, 5194, 5210,
5211, 5213, 5246, 5265, 5271, 5287,
5307, 5319, 5324, 5376, 5406, 5425,
5487, 5493, 5499, 5506, 5516, 5523,
5569, 5580, 5625, 5630, 5645, 5648,
5650, 5652, 5658, 5680, 5741,
5747–5749, 5759, 5769, 5781, 5785,
5794, 5798, 5801, 5833, 5854, 5859,
5871, 5876, 5907, 5915, 5948, 5952,
5963, 6013, 6030, 6048, 6068, 6070,
6071, 6081, 6083, 6087, 6089, 6091,
6123, 6127, 6129, 6130, 6135, 6160,
6171, 6172, 6185, 6202, 6205, 6255,
6257, 6261
2025, 18, 26, 34, 37, 45, 69, 90, 96, 103,
199, 230, 246, 253, 254, 273, 288,
290, 294, 308, 331, 351, 354, 369,
386, 394, 405, 412, 413, 430, 431,
451–453, 465, 466, 468, 472, 475,
479, 485–487, 493, 499, 533, 538,
542, 561, 569, 580, 583, 588, 594,
601, 617, 618, 625, 635, 637, 654,
666, 692, 711, 717, 719, 746, 757,
772, 780, 808, 810, 817, 826, 831,
835, 855, 871, 892, 899, 910, 927,
977, 984, 990, 991, 996, 1009, 1011,
1017, 1029, 1035, 1065, 1078, 1082,
1089, 1099, 1100, 1104, 1122, 1175,
1197, 1235, 1246, 1258, 1266, 1268,
1286, 1312, 1340, 1343, 1345, 1347,
1406, 1410, 1420, 1426, 1431, 1461,
1482, 1497, 1552, 1557, 1584, 1592,
1609, 1623, 1665, 1698, 1716, 1734,

1736, 1739, 1740, 1747, 1841, 1876,
1892, 1895, 1900, 1920, 1938, 1968,
1972, 1991, 2001, 2064, 2077, 2089,
2090, 2092, 2109, 2114, 2118, 2150,
2161, 2169, 2196, 2212, 2226, 2239,
2262, 2321, 2384, 2451, 2498, 2502,
2515, 2535, 2550, 2551, 2553–2556,
2566, 2576, 2601, 2612, 2657, 2659,
2672, 2708, 2718, 2724, 2756, 2767,
2789, 2791, 2796, 2798, 2799, 2801,
2825, 2873, 2879, 2883, 2909, 2940,
2947, 2963, 2967, 2978, 2983, 3043,
3045, 3056, 3067, 3092, 3094, 3105,
3127, 3138, 3153, 3156, 3164, 3174,
3188, 3193, 3228, 3235, 3237,
3261–3263, 3268, 3281, 3288, 3298,
3316, 3321, 3330, 3334, 3336, 3337,
3340–3342, 3346, 3347, 3349, 3369,
3372, 3419, 3428, 3431, 3432, 3484,
3501, 3510, 3536, 3579, 3607, 3616,
3619, 3664, 3668, 3677, 3689, 3726,
3736, 3772, 3813, 3816, 3830, 3832,
3836, 3846, 3862, 3867, 3872, 3886,
3895, 3952, 3969, 3973, 3981, 3983,
3991, 4012, 4020, 4022, 4034, 4045,
4059, 4077, 4088, 4121, 4149, 4151,
4152, 4165, 4168, 4170, 4173, 4178,
4180, 4186, 4188, 4204, 4206, 4215,
4229, 4242, 4247, 4248, 4257, 4261,
4273, 4274, 4318, 4324, 4342, 4353,
4357, 4362, 4363, 4438, 4462, 4480,
4493, 4517, 4541, 4561, 4579, 4587,
4589, 4606–4609, 4613, 4619, 4625,
4654, 4659, 4671, 4674, 4686, 4691,
4697, 4725, 4753, 4764, 4767, 4775,
4788, 4821, 4823, 4825, 4834, 4835,
4854, 4858, 4875, 4936, 4950, 4967,
4973, 4979, 4981, 5003, 5004, 5008,
5020, 5096, 5105, 5113, 5136, 5137,
5180, 5181, 5231, 5245, 5249, 5283,
5284, 5300, 5309, 5330, 5334, 5340,
5370, 5396, 5401, 5408, 5431, 5449,
5452, 5458, 5469, 5486, 5521, 5530,
5533, 5564, 5567, 5568, 5570, 5572,
5573, 5575, 5577, 5588, 5589, 5598,
5600, 5619, 5620, 5629, 5632, 5633,
5664, 5674, 5685, 5704, 5714, 5733,
5738, 5776, 5778, 5782, 5804, 5817,
5820, 5831, 5839, 5848, 5851, 5855,
5883, 5892, 5939, 5962, 5964, 5985,
5998, 6002, 6014, 6031, 6032, 6097,
6109, 6122, 6131, 6139, 6140, 6142,
6152, 6153, 6164, 6177, 6188, 6208,
6211, 6214, 6235, 6258
2026, 17, 64, 65, 122, 148, 218, 237,
272, 276, 286, 327, 337, 344, 358,
360, 361, 366, 378, 447, 449, 471,
488, 491, 564, 568, 575, 590, 610,
614, 641, 721, 743, 786, 847, 889,
900, 948, 972, 979, 987, 1015, 1021,
1080, 1096, 1215, 1228, 1236, 1239,
1260, 1282, 1440, 1460, 1473, 1486,
1537, 1635, 1680–1682, 1690, 1733,
1781, 1803, 1888, 1927, 1932, 1939,
1951, 2020, 2035, 2036, 2058, 2103,
2108, 2115, 2123, 2129, 2144, 2224,
2246, 2296, 2301, 2307, 2365, 2457,
2525, 2549, 2572, 2585, 2588, 2589,
2650, 2663, 2696, 2781, 2792, 2793,
2809, 2836, 2845–2847, 2899–2901,
2903, 2905, 2906, 2989, 2998, 3007,
3011, 3013, 3058, 3119, 3126, 3149,
3233, 3257, 3275, 3283, 3303, 3311,
3318, 3324, 3325, 3331, 3344, 3366,
3374, 3384, 3386, 3414, 3417, 3420,
3445, 3515, 3524, 3530, 3539, 3591,
3622, 3651, 3652, 3654, 3657, 3665,
3764, 3765, 3824, 3850, 3908, 3931,
3933, 3935, 3974, 3994, 4025, 4049,
4064, 4122, 4127, 4162, 4217, 4230,
4239, 4286, 4304, 4355, 4356, 4368,
4453, 4492, 4496, 4502, 4558, 4559,
4565, 4592, 4593, 4671, 4673, 4741,
4802–4806, 4812, 4822, 4839, 4844,
4849, 4863, 4866, 4901, 4986, 4997,
5027, 5034, 5076, 5103, 5112, 5140,
5142, 5168, 5218, 5250, 5266, 5278,
5291, 5385, 5407, 5490, 5514, 5574,
5586, 5617, 5662, 5663, 5666, 5737,
5786, 5886, 5888, 5910, 5917, 5926,
5971, 6099, 6136, 6173, 6180, 6181,
6226, 6234, 6253
without year, 3, 5, 7, 11–13, 36, 62, 63,
70, 71, 75, 79, 88, 89, 99–102, 111,

117, 126, 130, 131, 135, 138, 140,
143, 158, 159, 161, 162, 174, 184,
188, 189, 192, 193, 195, 197, 200,
204, 211, 212, 234, 235, 237, 243,
244, 248, 249, 262, 265, 267, 281,
282, 291, 298, 300–302, 304, 307,
314, 316, 318, 320, 326, 331, 334,
343, 347, 348, 369, 376, 398, 402,
404, 406–408, 410, 416, 417, 419,
420, 422, 424, 427, 429, 435, 437,
439, 442, 444, 445, 447, 453, 463,
468, 481, 491, 495, 497, 507, 509,
510, 514, 516–518, 526, 527, 529,
531, 535, 536, 538, 540–542,
545–553, 556, 558, 560, 574, 594,
597, 609, 624, 635, 643, 644, 646,
648–650, 652, 653, 655, 658,
660–663, 685, 686, 688, 689, 691,
692, 694, 696, 698, 701, 703, 705,
706, 709, 711, 713, 714, 720,
724–726, 731, 734, 737, 742, 761,
762, 773, 774, 776, 777, 782, 794,
812, 813, 816, 821, 823, 827, 834,
839, 843, 844, 846, 850, 851, 860,
862, 863, 867, 868, 873, 874, 876,
881, 884, 885, 887, 891, 896–898,
907, 914, 920, 922, 925, 926, 942,
944, 947, 949, 966, 967, 970, 971,
973, 979, 982, 994, 995, 997, 1000,
1001, 1018, 1027, 1029, 1032, 1034,
1036, 1037, 1041–1045, 1047–1050,
1052, 1053, 1055, 1058, 1059, 1062,
1064, 1066, 1069–1071, 1077, 1082,
1088, 1090, 1103, 1106, 1107, 1110,
1113, 1118–1120, 1123, 1131, 1137,
1139, 1143, 1150, 1184, 1196, 1202,
1216, 1217, 1231, 1232, 1234, 1236,
1252, 1256, 1259, 1269–1271, 1273,
1274, 1276, 1279, 1284, 1285, 1288,
1292, 1293, 1297, 1299, 1305, 1306,
1318, 1320, 1322, 1323, 1329, 1333,
1339, 1352, 1353, 1399, 1401–1404,
1418, 1419, 1425, 1430, 1431, 1433,
1442, 1443, 1445, 1450, 1451, 1454,
1464, 1467, 1469–1471, 1475, 1477,
1478, 1480, 1485, 1491, 1494, 1495,
1502, 1513, 1517, 1528, 1533, 1539,

1543, 1547, 1553, 1555, 1556, 1560,
1563, 1564, 1566, 1567, 1570,
1574–1577, 1579, 1581, 1586,
1588–1590, 1593–1595, 1597, 1606,
1608, 1609, 1612, 1616–1618, 1620,
1626, 1628, 1630, 1632, 1634, 1640,
1643, 1645, 1647, 1650, 1655–1657,
1659, 1662, 1675, 1676, 1684–1686,
1694, 1700, 1710, 1713, 1725, 1726,
1728, 1730, 1742, 1746, 1749, 1752,
1753, 1755–1759, 1761, 1762,
1764–1766, 1775, 1777, 1778, 1780,
1781, 1784, 1788, 1791–1793, 1795,
1796, 1804, 1806, 1809, 1810, 1815,
1816, 1820, 1822, 1827, 1833, 1835,
1839, 1844–1847, 1855, 1863, 1864,
1867–1869, 1879, 1883, 1885–1887,
1903, 1911, 1917, 1925, 1926, 1930,
1933, 1934, 1941–1943, 1947, 1958,
1962, 1965, 1973, 1976–1984, 1987,
1989, 1990, 1992, 1997, 2003, 2004,
2006, 2007, 2013, 2023, 2026, 2032,
2039, 2041, 2043, 2044, 2050, 2052,
2055, 2061, 2062, 2064, 2066–2068,
2075, 2077, 2083, 2084, 2086, 2093,
2095, 2097, 2101, 2107, 2113, 2117,
2118, 2120, 2125, 2130, 2135, 2144,
2148, 2149, 2155–2158, 2160,
2162–2165, 2168, 2170, 2178, 2182,
2185, 2195, 2197–2199, 2202, 2204,
2216, 2228, 2234–2236, 2241, 2242,
2250, 2253, 2254, 2258, 2265–2269,
2274, 2275, 2277, 2279, 2283, 2292,
2293, 2297, 2305, 2306, 2323, 2324,
2326, 2327, 2329, 2330, 2335,
2341–2344, 2349, 2352, 2354–2356,
2371, 2373, 2377, 2378, 2381, 2400,
2401, 2407, 2408, 2417, 2420, 2423,
2425, 2435, 2436, 2438, 2439, 2443,
2444, 2448, 2450, 2462, 2476–2479,
2484, 2490, 2491, 2499, 2505, 2507,
2509, 2510, 2517, 2518, 2524, 2531,
2533, 2534, 2539, 2544, 2546–2549,
2557, 2558, 2561, 2571, 2584, 2586,
2590, 2593–2595, 2603, 2605, 2606,
2608, 2621, 2622, 2633, 2638, 2640,
2642, 2653, 2655, 2661, 2662, 2666,

2668, 2677, 2678, 2680, 2682–2684,
2688–2690, 2692–2695, 2706, 2711,
2713–2717, 2720, 2722, 2723, 2725,
2733, 2738, 2740, 2741, 2745–2750,
2752–2754, 2757, 2759, 2760, 2764,
2770, 2771, 2774, 2784, 2785, 2788,
2789, 2794, 2795, 2802–2804, 2806,
2813, 2819, 2820, 2828, 2835,
2842–2844, 2850, 2855, 2858, 2861,
2869, 2872, 2877, 2881, 2884, 2885,
2896–2898, 2913, 2914, 2918,
2921–2923, 2925, 2930, 2932, 2935,
2941, 2951, 2954, 2962, 2964, 2967,
2968, 2972, 2977, 2984, 2987, 2992,
2993, 2995, 2999, 3000, 3004, 3008,
3009, 3013, 3016, 3021, 3022, 3025,
3027, 3030, 3031, 3033, 3036, 3037,
3047, 3051, 3062, 3063, 3065, 3069,
3070, 3072–3077, 3079, 3082–3084,
3087, 3089, 3098, 3104, 3106, 3108,
3115, 3129, 3132, 3134, 3141, 3142,
3144, 3154, 3156, 3158, 3161, 3167,
3169, 3177, 3179, 3181, 3183, 3186,
3192, 3198, 3203–3205, 3207,
3210–3214, 3216–3222, 3231, 3232,
3240, 3241, 3243, 3246, 3247, 3250,
3252, 3272, 3278, 3282, 3286, 3290,
3292, 3299, 3300, 3302, 3314, 3317,
3330, 3333, 3336, 3339, 3340, 3345,
3348, 3352, 3354–3356, 3360, 3361,
3367, 3368, 3376, 3377, 3379, 3382,
3384, 3385, 3389, 3390, 3395,
3397–3400, 3403–3405, 3407, 3410,
3413, 3419, 3421, 3422, 3425, 3428,
3430, 3441, 3449, 3453–3455, 3457,
3458, 3460, 3466, 3471–3473, 3479,
3482, 3492, 3497, 3498, 3504, 3507,
3519, 3520, 3527, 3533, 3538, 3540,
3541, 3543, 3544, 3548, 3552–3554,
3560, 3563, 3569, 3576, 3582, 3584,
3586–3588, 3591, 3610–3612, 3618,
3619, 3622, 3624–3626, 3628,
3642–3644, 3648, 3650, 3658, 3661,
3666, 3670, 3672, 3675, 3677, 3678,
3689, 3691, 3693, 3695–3697,
3700–3703, 3706, 3708, 3713, 3715,
3716, 3721, 3723, 3726, 3730, 3735,

3741, 3743, 3749, 3751, 3756, 3758,
3759, 3763, 3766, 3769, 3777, 3780,
3784, 3786–3788, 3790, 3799, 3812,
3815, 3816, 3818, 3823, 3829, 3834,
3835, 3842, 3848, 3864, 3874, 3877,
3879, 3881, 3884, 3888, 3891, 3894,
3898, 3902–3904, 3906, 3909,
3911–3913, 3915, 3920–3923, 3934,
3935, 3938, 3939, 3941, 3943, 3946,
3957–3962, 3966, 3968, 3980, 3987,
3991–3993, 3995–3997, 4000, 4001,
4010, 4017, 4018, 4023, 4027,
4029–4031, 4036, 4037, 4041, 4047,
4051, 4063, 4065, 4066, 4070, 4075,
4077, 4078, 4082, 4086, 4087, 4092,
4095, 4097, 4098, 4100–4102, 4104,
4105, 4115, 4120, 4124, 4126, 4131,
4134, 4135, 4137, 4140, 4142, 4143,
4154, 4155, 4157, 4158, 4160, 4161,
4170, 4172, 4175, 4190, 4201, 4210,
4212–4214, 4221–4224, 4226, 4227,
4229, 4231, 4232, 4237, 4241, 4244,
4252, 4254, 4255, 4257–4260, 4263,
4270, 4275, 4276, 4279–4282, 4285,
4287, 4289, 4291–4293, 4297, 4300,
4316, 4324–4326, 4341, 4345, 4349,
4361, 4364, 4371, 4373, 4375, 4377,
4380, 4381, 4383–4385, 4388–4390,
4392, 4393, 4397, 4401, 4402, 4405,
4406, 4408, 4410, 4411, 4413, 4416,
4417, 4420–4422, 4426, 4428, 4430,
4432, 4435, 4440–4442, 4445, 4446,
4448–4451, 4453–4455, 4457, 4458,
4460, 4465, 4467, 4473, 4474, 4478,
4484, 4486, 4491, 4497–4499, 4503,
4508, 4513, 4514, 4516, 4519, 4523,
4526, 4531–4539, 4543, 4550, 4557,
4570, 4571, 4574, 4575, 4579, 4583,
4595, 4596, 4618–4621, 4626, 4627,
4629, 4633, 4635, 4637, 4641, 4644,
4652, 4654, 4658, 4663, 4666, 4668,
4676, 4678, 4682, 4685, 4704–4707,
4712, 4718, 4721, 4724, 4726, 4728,
4735, 4736, 4739, 4742, 4748, 4751,
4752, 4759, 4766, 4767, 4771, 4772,
4774, 4785, 4786, 4790, 4791, 4797,
4798, 4810, 4816, 4824, 4826, 4828,

Index

4829, 4831–4833, 4872, 4876, 4880,
4881, 4883–4885, 4890, 4896, 4908,
4909, 4912, 4920, 4922, 4924,
4926–4928, 4931–4933, 4935, 4942,
4944, 4945, 4948, 4951, 4960,
4962–4964, 4971, 4972, 4987, 4988,
4994, 5000, 5002, 5005, 5014–5017,
5021, 5024, 5026, 5028, 5031, 5032,
5035, 5038, 5071, 5076, 5081–5083,
5087, 5091, 5098–5100, 5102, 5108,
5116, 5118, 5122, 5125, 5126, 5130,
5132, 5139, 5141, 5167, 5173, 5177,
5182, 5186, 5188, 5197–5201, 5204,
5209, 5213, 5215, 5221, 5222,
5227–5229, 5233, 5236, 5240, 5241,
5243, 5249, 5254, 5257, 5263, 5269,
5280, 5293, 5297, 5298, 5301, 5303,
5305, 5307–5309, 5312, 5314,
5316–5318, 5325, 5329, 5331, 5339,
5340, 5344, 5347, 5351, 5352, 5354,
5355, 5357–5360, 5366, 5368, 5369,
5372, 5377, 5378, 5381–5383, 5385,
5387, 5389, 5393, 5397, 5398, 5404,
5405, 5410–5413, 5416, 5417, 5419,
5421, 5426, 5427, 5430, 5431, 5433,
5436, 5438, 5441, 5442, 5445,
5448–5451, 5453, 5454, 5459–5461,
5464, 5466, 5471–5474, 5478, 5486,
5496, 5498, 5505, 5507, 5509, 5513,
5519, 5520, 5523, 5525, 5535, 5541,
5561, 5601, 5602, 5606, 5608, 5611,
5614, 5616, 5618, 5619, 5623, 5626,
5642, 5644, 5646, 5647, 5659, 5661,
5666, 5669, 5675, 5677–5679, 5683,
5689, 5690, 5692, 5694, 5695,
5697–5699, 5701, 5707, 5718, 5719,
5722, 5725, 5726, 5729, 5730, 5740,
5744, 5746, 5751, 5755, 5763, 5765,
5767, 5773, 5783, 5784, 5793, 5798,
5804, 5806, 5807, 5811–5815, 5822,
5826, 5827, 5829, 5830, 5832, 5838,
5847, 5864, 5868, 5873, 5878, 5880,
5882, 5889, 5891, 5899, 5902, 5903,
5905–5907, 5911, 5914, 5915, 5918,
5932, 5933, 5942, 5944, 5946, 5947,
5949, 5951, 5952, 5957, 5958,
5966–5968, 5972, 5974, 5976–5979,

5983, 5988, 5990–5993, 5996, 5997,
5999–6001, 6003, 6008, 6009, 6013,
6016, 6017, 6021, 6022, 6024–6026,
6036, 6037, 6041, 6043, 6045, 6046,
6051, 6052, 6055, 6057–6060, 6062,
6066, 6067, 6074, 6075, 6077, 6079,
6080, 6090, 6095, 6098, 6106, 6113,
6116–6118, 6120, 6126, 6132, 6133,
6137, 6138, 6149, 6150, 6155–6159,
6163, 6170, 6173, 6185, 6187, 6188,
6190, 6191, 6195, 6197–6199, 6202,
6207, 6213, 6219–6222, 6224, 6238,
6244, 6250, 6252, 6262